

ARCHER, CATHRO
& ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688 - 2568 • FAX (604) 688 - 2578

ASSESSMENT REPORT

093493

describing

**GEOLOGICAL MAPPING, PROSPECTING,
GEOCHEMISTRY AND GEOPHYSICAL SURVEYS**

on the

LEAGUE PROPERTY

League 1-20 YB59143-YB59162
21-58 YB60204-YB60241
59-114 YB60855-YB60910

Latitude 61°31' N; Longitude 130°45' W

NTS 105G/10

in the

WATSON LAKE MINING DISTRICT

YUKON TERRITORY

Prepared by

Archer, Cathro & Associates (1981) Limited

for

EXPATRIATE RESOURCES LTD.

W.A. Wengzynowski, B.A.Sc.

April, 1996

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	2
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	4
REGIONAL MINERALIZATION	8
REGIONAL GEOCHEMISTRY	10
REGIONAL GEOPHYSICS	12
PROPERTY GEOLOGY AND MINERALIZATION	13
PROPERTY GEOCHEMISTRY AND GEOPHYSICS	15
CONCLUSIONS AND RECOMMENDATIONS	17
SELECTED REFERENCES	18

APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II GROUND GEOPHYSICAL SURVEY REPORT
- III CERTIFICATES OF ANALYSIS

FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location	Following Page 2
2	Claim Location	Following Page 2
3	Tectonic Setting	Following Page 4
4	Regional Geology	Following Page 5
5	Property Geology	Following Page 13
6	Sample Location	Following Page 15
7	Copper Geochemistry	Following Page 15
8	Lead Geochemistry	Following Page 15
9	Zinc Geochemistry	Following Page 15
10	Molybdenum Geochemistry	Following Page 15
11	Silver Geochemistry	Following Page 15
12	Antimony Geochemistry	Following Page 15
13	Arsenic Geochemistry	Following Page 15
14	Manganese Geochemistry	Following Page 15
15	Gold Geochemistry	Following Page 15

INTRODUCTION

Expatriate Resources Ltd. has a 100% interest in the League property which protects a previously unstaked target selected from a regional geochemical data base documenting results of 1973 exploration by a joint venture managed by Archer, Cathro and Associates Ltd. The claims subject to this report (League 1-114) were staked between March and August 1995 to cover several soil sample sites that had yielded moderately to strongly anomalous lead, zinc and copper values. This block comprises only part of the League property which includes an additional 188 claims that were staked in late 1995 and early 1996.

Field exploration was conducted in two phases from June 15 to 28 and September 2 to October 1, 1995. Phase I consisted of grid soil geochemistry, geological mapping and prospecting by a two-person crew working from a fly camp on the property. Phase II included additional soil sampling, geological mapping and prospecting plus linecutting, ground geophysical surveys and partial construction of two drill pads. This work was conducted by a six- to ten-person crew working from a tent frame camp on the property. The work was managed by Archer, Cathro & Associates (1981) Limited and supervised by the author. Appendix I contains the Author's Statement of Qualifications while the field report describing the geophysical survey is in Appendix II.

PROPERTY, LOCATION AND ACCESS


The property is located in southeast Yukon at latitude 61°31'N and longitude 130°45'W on NTS map sheet 105G/10 (Figure 1). It is comprised of 302 contiguous mineral claims registered with the Watson Lake Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Expatriate Resources Ltd. Claim registration data for the subject claims is listed below while their locations are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
League 1-20	YB59143-YB59162	March 17, 2001
21-58	YB60204-YB60241	March 17, 2001
59-114	YB60855-YB60910	March 17, 2001

*Expiry dates include 1995 work filed for assessment credit but not yet accepted.

In 1995 the property was accessed by helicopter from a logistical staging area at the Finlayson Airstrip (Km 246 on the Robert Campbell Highway). The airstrip lies 18 km due north of the property and 260 km northeast of Whitehorse. Road access to the airstrip is from Ross River, 110 km to the northwest or Watson Lake, 260 km to the southeast. Helicopter support was provided by Bell 206B Jet Rangers operated by Trans North Air from its permanent base at Ross River or Frontier Helicopters which had a contract machine stationed at Westmin Resources Limited's exploration camp on Wolverine Lake 32 km east-southeast of the property.


Figure 1
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
 LEAGUE PROPERTY
 EXPATRIATE RESOURCES LTD.



February 23, 1996

Note: Claim boundaries are approximate

Expatriate Resources Ltd. does not assume responsibility for errors or omissions



— Claim boundary

FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION

LEAGUE PROPERTY

EXPATRIATE RESOURCES LTD.

0 250 500 1000 1500 2000 2500 m

GEOMORPHOLOGY

The League property lies 30 km northeast of the Tintina Trench and covers a cluster of sub-alpine knolls and ridges belonging to the Campbell Range. Creeks draining the property flow into Big and Little Campbell Creeks and eventually into the Pelly River, a tributary of the Yukon River watershed.

Elevations range from 1100 m in the valley bottom near Big Campbell Creek to 1640 m along ridge crests in the southern part of the claim block. Topographic relief is gentle over most of the property ranging from 0 to 10° at lower elevations and 10 to 15° above 1300 m. Steeper slopes (averaging 25°) and outcrops are restricted to the southwest corner of the claim block. The rest of the property is overlain by Pleistocene colluvial sediments, glacial till and minor talus.

Treeline is at 1600 m and less than 5% of the property is above that elevation. Vegetation consists of isolated stands of stunted black spruce, alder and willow in the valley bottoms giving way to buckbrush and willow and eventually alpine grass, moss and lichen at higher elevations..

REGIONAL GEOLOGY

The League property lies within the 380 km long, up to 60 km wide Finlayson Allochthon which consists of rocks belonging to the Yukon-Tanana and Slide Mountain Terranes (Figure 3). The southwest side of the allochthon is defined by the Tintina Fault Zone, a series of subparallel transcurrent faults which have produced approximately 450 km of dextral offset in Late Cretaceous and/or Early Tertiary times (Tempelman-Kluit et al, 1976). The northeast edge is a broad arc marking the surface trace of the Finlayson Lake Fault Zone, a complex mixture of thrust and high angle faults. Both fault zones juxtapose the allochthonous rocks with autochthonous rocks of the North American miogeocline.

The Yukon-Tanana and Slide Mountain Terranes are composed largely of Late Paleozoic arc stratigraphy of uncertain origin (Hansen, 1990 and Mortensen, 1992). Yukon-Tanana is more metamorphosed and contains more plutons while Slide Mountain is distinguished by the presence of ophiolitic rocks. A number of thrust faults associated with the Finlayson Lake Fault Zone have imbricated Yukon-Tanana and Slide Mountain assemblages frequently repeating various parts of the stratigraphy. All of the main volcanogenic massive sulphide occurrences in the Finlayson Lake area are hosted by Late Devonian to Mid-Mississippian metavolcanic and metasedimentary rocks of Yukon-Tanana Terrane (Johnston and Mortensen, 1994).

Geology in the vicinity of the League property was mapped at 1:250,000 scale in the 1970's by the Geological Survey of Canada (Tempelman-Kluit, 1977) and reinterpreted at approximately 1:500,000 scale by industry geologists in the early 1980's (Mortensen and Jilson, 1985). The




FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

LEAGUE PROPERTY

EXPATRIATE RESOURCES LTD.



following geological summary is based primarily on the work of Mortensen and Jilson and, for consistency, their nomenclature and unit descriptions are used throughout the remainder of this report.

Six principal lithological packages have been identified within the allochthonous rocks in the Finlayson Lake area (Figure 4). They include two metamorphic assemblages that comprise the bulk of Yukon-Tanana Terrane, a relatively unmetamorphosed package belonging to Slide Mountain Terrane and three younger units that intrude or overlie both terranes.

Paleozoic Layered Metamorphic Sequence is the oldest and most abundant lithological package within Yukon-Tanana Terrane. It consists of three distinct stratigraphic units with a total thickness of approximately 3 km. The lowest unit contains pre-Late Devonian, micaceous feldspathic quartzite with minor marble. The middle unit is Late Devonian to Mid-Mississippian in age and is the focus of volcanogenic massive sulphide exploration in the Finlayson Lake area. It consists of dark siliceous phyllite that is increasingly carbonaceous toward the base of the section where it is interfingered with widespread mafic metavolcanic schist. Localized felsic metavolcanic centres are found throughout the section. The uppermost unit contains Early Pennsylvanian to Early Permian white carbonate and quartzite.

Paleozoic Metaplutonic Rocks are also confined to Yukon-Tanana Terrane. They are subdivided into three suites, all of which are coarse grained and have yielded Mid-Mississippian age dates (340 to 359 Ma). The quartz monzonitic to quartz dioritic Simpson Range plutonic suite is slightly older than the augen orthogneiss (leucogranite) and monzonitic orthogneiss



130°00'


FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

LEAGUE PROPERTY
EXPATRIATE RESOURCES LTD.

62°00'



North American Miogeocline

 Pre-Triassic sedimentary and volcanic

Slide Mountain Terrane

 Chert, ultramafic, greenstone, metavolcanics, and carbonate rocks

Yukon-Tanana Terrane

 Paleozoic Metaplutonic Rocks Paleozoic Layered Metamorphic Sequence

Units common to all three terranes

 Young Volcanic Rocks Mesozoic Plutonic Rocks Mesozoic Clastic Rocks Geological contacts Steep fault Thrust fault Properties held by Expatriate Resources Ltd.

TINTINA FAULT ZONE - 450 km RIGHT LATERAL OFFSET

LEAGUE
PROPERTY0 10 20 30 40 50
Kilometres

61°00'

(quartz monzonite). Most contacts between metaplutonic rocks and the Layered Metamorphic Sequence are foliaform.

Both the Layered Metamorphic Sequence and the metaplutonic rocks were intensely deformed (F1) during Permian or Early Triassic time. This event resulted in pervasive foliation that usually parallels subhorizontal or shallow-dipping compositional layering. The F1 deformation was accompanied by middle greenschist to middle amphibolite facies regional metamorphism. A second phase of deformation (F2) is observed locally but appears to have been a relatively minor event.

Slide Mountain Terrane consists of ophiolitic assemblages that are most abundant within the Campbell Range Belt but also appears as imbricate slices along thrust faults elsewhere in the allochthon. The Campbell Range Belt is up to 25 km wide and forms the northeastern edge of the allochthon. It contains relatively unmetamorphosed but strongly folded and imbricated cherts with mafic and felsic volcanics, massive greenstone and serpentinite. Thrust slices elsewhere in the allochthon are also unmetamorphosed but typically contain a higher proportion of mafic to ultramafic plutonic rocks. Fossils in the cherts have been dated as Late Pennsylvanian to Early Permian while the mafic and ultramafic rocks are Late Devonian. Slide Mountain rocks do not exhibit the F1 foliation characteristic of the Yukon-Tanana Layered Metamorphic Sequence and metaplutonic rocks.

The remaining three units are all younger and unmetamorphosed. They are found in both Yukon-Tanana and Slide Mountain Terranes. Mesozoic Clastic Rocks are Late Triassic immature sediments containing cobbles derived from both Yukon-Tanana and Slide Mountain. Mesozoic Plutonic Rocks include a number of Early Jurassic mafic to intermediate plutons plus scattered Late Cretaceous quartz monzonite stocks. Major thrust faults in the district post-date the Early Jurassic plutons but pre-date the Late Cretaceous quartz monzonite. This structural event is believed to have occurred during accretion of the allochthon to the North American craton because the thrusts cut the miogeoclinal rocks as well as the allochthonous rocks. Transcurrent movement on the Tintina Fault Zone occurred soon after the thrust faults. Young Volcanic Rocks unconformably overlie the other units and consist of Late Cretaceous to Tertiary felsic volcanic flows and volcanoclastic deposits. They are usually found in close proximity to the Tintina Fault Zone.

REGIONAL MINERALIZATION

A total of fifty-one mineral occurrences have been reported within the Finlayson Allochthon (DIAND, 1994). Of these, twenty-one are known or suspected to be volcanogenic in origin while veins, skarns and asbestos occurrences comprise most of the remainder. Although the better known volcanogenic occurrences are thought to be of the Kuroko-type, some Besshi-type mineralization may also be present (Morin, 1981 and Johnston and Mortensen, 1994). Two occurrences have definite economic potential, the Kudz Ze Kayah and Wolverine Deposits (Figure 4). These occurrences are "type-deposits" for Expatriate's exploration elsewhere in the district and are briefly described below.

The Kudz Ze Kayah (ABM) Deposit lies within Yukon-Tanana Terrane near the centre of the allochthon (Cominco Exploration, 1995; Whiteway, 1995) some 11 km southeast of the League property. It is a volcanogenic massive sulphide deposit hosted by felsic pyroclastics, aphanitic massive rhyolites and metasiliclastic rocks belonging to the middle unit of the Layered Metamorphic Sequence. Although both the sulphides and wallrocks are highly strained and exhibit pervasive schistosity, compositional layering in the vicinity of the deposit is relatively undeformed with a consistent, shallow northerly dip. Sphalerite, chalcopyrite and galena are the main economic minerals while the gangue includes various mixtures of magnetite, barite, pyrrhotite, pyrite and carbonate. The deposit averages about 18 m thick and has been traced 700 m along strike and up to 400 m down dip. Open pit mineable ore reserves are reported to be 11 million tonnes grading 5.9% zinc, 0.9% copper, 1.5% lead, 130 g/t silver and 1.3 g/t gold

(Schultze, 1996). Preliminary studies suggest that satisfactory lead, zinc and copper concentrates can be produced using conventional flotation processes (Cominco Exploration, 1995). The mineralization responds well to magnetic and electromagnetic surveys but geochemical response is somewhat erratic because the entire deposit is covered by 2 to 10 m of glacial till.

The Wolverine Deposit is located 25 km east of Kudz Ze Kayah and 35 km east-southeast of the League property near a contact between Yukon-Tanana and overlying Slide Mountain rocks. It also lies within the middle unit of the Layered Metamorphic Sequence and is hosted by rhyolitic metavolcanics and argillites and consists primarily of semi-massive to massive sulphides. Pyrite and sphalerite occur with varying amounts of galena, chalcopyrite, tetrahedrite and native gold. The surface expression of the deposit is marked by a vegetation kill zone containing weakly malachite-stained schist. Westmin has intersected the deposit in fifteen consecutive diamond drill holes, tracing it 400 m along strike and up to 250 m downdip. It averages 6.2 m thick and dips shallowly to the north. Although the deposit is blind to surface it is open downdip and along strike in both directions. Wolverine contains significantly more zinc and precious metals than Kudz Ze Kayah. The weighted average grade for intersections reported to date is 11.82% zinc, 1.05% copper, 1.53% lead, 442.8 g/t silver and 2.48 g/t gold (Westmin News Release, November 30, 1995). Soil geochemistry outlined weakly to moderately anomalous values along the projected surface trace of the deposit while magnetic surveys easily traced a laterally extensive, banded iron formation which occurs about 80 m up-section from the massive sulphide horizon. Interpretation of electromagnetic results is complicated by the presence of graphite within the argillite.

REGIONAL GEOCHEMISTRY

Published geochemical data for the Finlayson Lake area are limited to reconnaissance-scale stream sediment sampling conducted in the late 1980's by the Geological Survey of Canada (Hornbrook and Friske, 1988 and Friske et al, 1990). The sampling was done at an approximate density of one sample per 10 sq. km. Each sample was analyzed for twenty elements including common indicator elements for volcanogenic massive sulphide deposits such as copper, lead, zinc, silver and arsenic. Anomalous results were obtained from creeks draining some previously known volcanogenic massive sulphide occurrences (Diand, Yukon Minfile 105G/32, 34 and 40) but many others, including the streams draining the Wolverine Deposit, produced near background values. Anomalous results were also obtained from several drainages where there were no known mineral occurrences. Follow-up exploration has since located showings in many of the anomalous creeks, with the most significant discovery to date being the Kudz Ze Kayah Deposit.

Expatriate was able to supplement the published reports with private data summarizing results of 1973 exploration managed by Archer Cathro on behalf of a joint venture (Cathro, 1973). The reconnaissance prospecting and geochemical sampling program explored for lead-zinc mineralization in the lower unit of the Layered Metamorphic Sequence but because the data provides relatively uniform coverage over the entire region, it is also suitable for evaluating areas underlain by the favourable middle unit. The Archer Cathro samples included approximately 5000 soils and stream sediments collected at a density of approximately one sample per sq. km. They were all analyzed for lead, zinc, copper and molybdenum. As might be expected, this closer-spaced sampling outlined many more areas of anomalous geochemical response than the

government survey. Almost all of the known volcanogenic occurrences showed up as anomalies on this survey, including Kudz Ze Kayah and Wolverine.

The following table illustrates regional geochemical backgrounds for the metals and anomalous thresholds used for target selection.

GEOCHEMICAL BACKGROUNDS AND ANOMALOUS THRESHOLDS

	<u>Background</u> (ppm)	<u>Anomalous Thresholds</u>			<u>Peak Value</u> (ppm)
		<u>Weak</u> (ppm)	<u>Moderate</u> (ppm)	<u>Strong</u> (ppm)	
Copper	25	50	100	200	1720
Lead	30	50	100	200	>4000
Zinc	80	200	500	1000	>4000
Molybdenum	<1	2	5	10	65

The League property was staked to protect a target selected from the Archer Cathro data. Peak values from the 1973 data on what is now the League property were 212 ppm copper, 336 ppm lead, 1700 ppm zinc and 5 ppm molybdenum.

Copper, lead and zinc are major metals in most volcanogenic massive sulphide occurrences in the Finlayson Lake area and are obvious indicator elements. Molybdenum is present in anomalous quantities in the banded iron formation overlying the Wolverine Deposit (H. Meade, pers. comm., 1995) and appears to be slightly enriched in the felsic metavolcanic rocks. Based on the geochemical signature in the vicinity of known occurrences, its presence can be used to distinguish copper anomalies associated with volcanogenic mineralization from those derived from ultramafic rocks.

REGIONAL GEOPHYSICS

The only published geophysical data for the Finlayson Lake area resulted from airborne magnetic surveys conducted in 1961 by the Geological Survey of Canada on behalf of the Department of Mines and Technical Surveys. The surveys were flown with fixed-wing aircraft at a nominal elevation of 300 m above ground level on east-west lines spaced approximately 1.6 km apart. Results are presented on a 1:250,000 scale map (DMTS, 1961) and in more detail on a series of 1:50,000 maps.

The largest, most intense areas of positive magnetic response are associated with obducted ultramafic rocks belonging to the Slide Mountain Terrane. Within the Campbell Range Belt where dips are usually moderate to steep, the anomalies are narrow and elongate while in the remainder of the allochthon where the ultramafic rocks occur along shallowly-dipping thrust faults, they are much broader.

A series of secondary positive anomalies were also recorded over Yukon-Tanana rocks but until recently they had no obvious explanation. Prospecting and mapping have now shown that magnetite occurs locally within schists of the middle unit of the Layered Metamorphic Sequence. The greatest documented concentration of magnetite is found in the hanging wall of the Wolverine Deposit where it forms several thin horizons approximately 80 m up-section from the massive sulphide mineralization. Magnetite is also a significant constituent of the mineralization at Kudz Ze Kayah. The League property covers a strong east-northeast trending aeromagnetic anomaly approximately 7 km long by 1 km wide located near the northern boundary of the claim block. Two secondary anomalies are situated in the southern part of the property.

PROPERTY GEOLOGY AND MINERALIZATION


Bedrock exposure is limited so most geological contacts are inferred by talus mapping.

Foliation, where observed, is gently to moderately dipping (between 15 and 33° S or N) while strikes are variable. General structural interpretation suggests the presence of a synform/antiform complex (Figure 5). Five rock types were recognized on the property. The first four are part of the Paleozoic Layered Metamorphic Sequence while the other consists of Mesozoic Plutonic Rocks. Individual units are described below.

Quartz muscovite ± chlorite schist is tan to brown weathering, moderately to well foliated and weakly calcareous. Foliaform quartz veinlets are common and exhibit sucrosic texture with weak oxidation along selvages.

Muscovite ± biotite metaquartzite is tan to grey weathering and weakly to moderately foliated. Quartz stockwork is common and weak to moderate oxidation is developed within veinlets and along selvages. A few float specimens contain minor fracture-controlled galena plus fine-grained disseminated pyrite. Two galena-bearing samples were sent to Chemex Labs Ltd. in North Vancouver, B.C. and analyzed geochemically for 32 elements by the Induced Coupled Plasma (ICP) technique. One pulp was later assayed and returned 1.38% lead, 23 g/t silver, <0.1% copper and <0.1% zinc. Certificates of Analysis are listed in Appendix III.

Quartz feldspar metaporphry is pale green-grey weathering, fine to medium grained, and weakly foliated to massive. Euhedral feldspar phenocrysts are white to grey, usually clay-altered and comprise up to 20% of the rock while quartz porphyroblasts (trace to 20%) are anhedral,



Paleozoic metaplutonic rocks

Quartz monzonite *MGg*

Paleozoic layered metamorphic sequence

Quartz muscovite $\pm$ chlorite schist

Muscovite $\pm$ biotite metaquartzite

Quartz feldspar porphyry

Chert

Native land claims

★ Showing

----- EM conductor

✚ Syncline axis, inferred

✚ Anticline axis, inferred

45° Foliation with strike and dip

Thrust fault

Normal fault

----- Outcrop limit

--- Inferred geological contact

— Claim boundary

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

LEAGUE PROPERTY

EXPATRIATE RESOURCES LTD.

0 250 500 1000 1500 2000 2500 m

grey to clear and average 2 mm in diameter. The quartz-rich groundmass is fine grained (resembling quartzite or chert) and contains rusty yellow bands and minor manganese staining parallel to foliation.

Chert is grey to black weathering, thinly banded and weakly pyritic. Approximately 80% of this unit contains graphite and/or black shale laminae. Foliaform and crosscutting quartz stringers are common and exposed fractures are coated with yellow-orange limonite.

Quartz monzonite is blocky grey weathering, coarse grained and weakly foliated to massive. This unit occurs as a stock in the southern part of the property.

PROPERTY GEOCHEMISTRY AND GEOPHYSICS

Grid soil sampling and ground geophysical surveys were conducted over the League 1-114 claims in two phases between June 15 and October 1, 1995. Three baselines were established at 090°, approximately paralleling claim lines. Baselines were cut and cleared of vegetation, slope-corrected and marked at 100 m intervals with 1 m lath bearing aluminum tags inscribed with grid coordinates and sample numbers. Soil sample and geophysical lines were oriented perpendicular to baselines. They were also cut and cleared, slope-corrected and marked with 0.5 m lath in the same fashion as baseline stations.


A total of 625 soil samples was taken (locations shown on Figure 6) and sent to Chemex Labs Ltd. where they were screened to -80 mesh, digested in nitric-aqua regia and geochemically analyzed for 32 elements using the ICP technique. Five hundred and eighty-two soils were later analyzed for gold by fire assay preparation with atomic absorption finish. Certificates of Analysis are listed in Appendix III. Results for nine indicator elements are plotted on Figures 7 to 15 while anomalous thresholds and peak values are as follows.

ANOMALOUS THRESHOLDS AND PEAK VALUES

<u>Element</u>	<u>Weak</u>	<u>Threshold Values (ppm)</u>		<u>Peak Value (ppm)</u>
		<u>Moderate</u>	<u>Strong</u>	
Copper	50	100	NA*	170
Lead	50	100	200	4790
Zinc	200	500	1000	3420
Molybdenum	2	5	10	17
Silver	1	2	5	9.4
Antimony	2	5	10	12
Arsenic	50	100	200	494
Manganese	1000	2000	5000	2110
Gold**	25	50	100	755

*NA = not applicable

** = value in ppb



Claim boundary

AA0078 Soil sample location with sample number

T27048 Rock sample location with sample number

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATION

LEAGUE PROPERTY


EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m



130°45'

61°32'



6,820,000 N

405,000 E

98

Sample location with copper value in ppm



≥ 200 ppm Cu



≥ 100 < 200 ppm Cu



≥ 50 < 100 ppm Cu


FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

LEAGUE PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m



98 Sample location with lead value in ppm

- ☐ ≥ 200 ppm Pb
- ☐ $\geq 100 < 200$ ppm Pb
- ☐ $\geq 50 < 100$ ppm Pb

FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD GEOCHEMISTRY

LEAGUE PROPERTY

EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m



130°45'

61°32'

6,820,000 N

405,000 E

COMINGO

1085 Sample location with zinc value in ppm

- ☐ ≥ 1000 ppm Zn
- ☐ $\geq 500 < 1000$ ppm Zn
- ☐ $\geq 200 < 500$ ppm Zn


FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC GEOCHEMISTRY

LEAGUE PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m



• Sample location with molybdenum value less than detection limit

• Sample location with molybdenum value in ppm

□ ≥ 10 ppm Mo

□ $\geq 5 < 10$ ppm Mo

□ $\geq 2 < 5$ ppm Mo


FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MOLYBDENUM GEOCHEMISTRY

LEAGUE PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m



• Sample location with silver value less than detection limit

0.2 Sample location with silver value in ppm

□ ≥ 5 ppm Ag

□ ≥ 2 < 5 ppm Ag

□ ≥ 1 < 2 ppm Ag


FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER GEOCHEMISTRY

LEAGUE PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m



• Sample location with antimony value less than detection limit

• Sample location with antimony value in ppm

□ ≥ 10 ppm Sb

□ $\geq 5 < 10$ ppm Sb

□ $\geq 2 < 5$ ppm Sb

FIGURE 12


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ANTIMONY GEOCHEMISTRY

LEAGUE PROPERTY

EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m




118 Sample location with arsenic value in ppm


- ☐ ≥ 200 ppm As
- ☐ $\geq 100 < 200$ ppm As
- ☐ $\geq 50 < 100$ ppm As

FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ARSENIC GEOCHEMISTRY
LEAGUE PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m





•18 Sample location with gold value in ppb

- ☐ ≥ 100 ppb Au
- ☐ $\geq 50 < 100$ ppb Au
- ☐ $\geq 25 < 50$ ppb Au

FIGURE 15
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD GEOCHEMISTRY
LEAGUE PROPERTY
EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m

Coincident, weakly to moderately anomalous lead, zinc, silver, molybdenum, antimony, arsenic, manganese and gold response occurs in a 1500 by 600 m northeast-trending zone in the northwest portion of the grid. The anomaly contains a 600 by 200 m core which yielded some of the highest lead, zinc and silver values obtained by Archer Cathro in the entire Finlayson Lake area. Galena-bearing float was found near one of the anomalous soil geochemical sample sites.

A second zone of discontinuous to moderately anomalous copper, arsenic and manganese values is located approximately 200 m uphill (south) of the main anomaly in an area mapped as graphitic chert. Several strongly anomalous gold values are also present within this trend.

Maxmin, VLF and magnetic surveys were completed over approximately 33 line kilometres in the core of the property which is coincident with previously outlined geochemical anomalies. One line was extended 2 km south to test a regional secondary aeromagnetic high.

The geophysical anomalies identified in the centre of the grid are characterized by strong, multi-frequency Maxmin conductors with weak magnetic response. Profile lines run orthogonally across the conductors suggest dips are moderate to steep. The eastern conductor may be in part explained by the presence of graphitic chert, an outcrop of which is located immediately west along trend. It partially coincides with the upper (weaker) geochemical anomaly. The westerly conductor coincides with the core of the main geochemical anomaly. Both conductors are situated in areas of the property with little to no outcrop. A third Maxmin conductor accompanied by strong magnetic response was identified in the vicinity of the secondary regional aeromagnetic anomalies within the southern portion of the property. Geochemical coverage in the area is limited but samples taken to date returned near background values.

CONCLUSIONS AND RECOMMENDATIONS

The League property is largely underlain by favourable rocks of the Layered Metamorphic Sequence which host the Kudz Ze Kayah and Wolverine Deposits. Soil geochemistry and ground geophysical surveys outlined lead-zinc-silver-copper-gold anomalies with coincident Maxmin support. A few float specimens containing lead and silver were discovered in the vicinity of the strongest anomaly. An additional Maxmin conductor and an accompanying strong magnetic anomaly were identified 2 km south of the main targets.

A diamond drill program should be carried out to test the strongest geochemical/Maxmin anomaly. Expatriate has scheduled helicopter-borne magnetic/EM and ground geophysical surveys to be completed by the end of April. This work is designed to identify additional targets and delineate previously discovered conductors. Geological mapping, prospecting and grid soil sampling should follow in areas of positive response and pending favourable results, further diamond drilling should be done on coincident geophysical/geochemical anomalies.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



W.A. Wengzynowski, B.A.Sc.

SELECTED REFERENCES

Cathro, R.J.

1973 Final Report, Finlayson Joint Venture; November 30, 1973, p.44.

Cominco Exploration

1995 Kudz Ze Kayah Program, Yukon; Information handout from Cordilleran Roundup, Spring 1995.

DIAND

1994 Yukon Minfile, Version 31 October/94; Exploration Geological Services Division, Indian and Northern Affairs Canada.

DMTS

1961 Finlayson Lake (105G), Airborne Magnetic Map; Department of Mines and Technical Surveys, Geophysical Paper 70006G.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.

1990 Regional stream sediment and water geochemical data, central Yukon; Geological Survey of Canada Open File 2174 (105K East).

Hansen, V.L.

1990 Yukon-Tanana Terrane: A partial acquittal; Geology, V.18, pp.365-369, April 1990.

Hornbrook, E.H.W. and Friske, P.W.B.

1988 Regional stream sediment and water geochemical data, southeastern Yukon; Geological Survey of Canada Open File 1648 (105G).

Johnston, S.T. and Mortensen, J.K.

1994 Regional setting of porphyry Cu-Mo deposits, volcanogenic massive sulphide deposits, and mesothermal gold deposits in the Yukon-Tanana Terrane, Yukon; Yukon Metallogeny: Recent Developments, Canadian-Yukon Economic Development Agreement, pp.30-34.

Morin, J.A.

1981 Volcanogenic iron and base metal occurrences in Klondike Schist, Yukon Geology and Exploration 1979-80, Department of Indian and Northern Affairs, pp.91-97.

Mortensen, J.K.

- 1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; *Tectonics*, Vol.11, No.4, pp.836-853.

Mortensen, J.K. and Jilson, G.A.

- 1985 Evolution of the Yukon-Tanana Terrane: evidence from southeastern Yukon Territory; *Geology*, V.13, pp.806-810.

Schultze, H.C.

- 1996 Summary of the Kudz Ze Kayah Project, volcanic hosted massive sulphide deposit Yukon Territory; in: *Yukon Exploration and Geology, 1995*, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp.29-32.

Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.

- 1976 Stratigraphic and structural studies in the Pelly Mountains, Yukon Territory; *Geological Survey of Canada Paper 76-1A*, pp.97-106.

Tempelman-Kluit, D.J.

- 1977 Quiet Lake (105F) and Finlayson Lake (105G) map areas; *Geological Survey of Canada Open File 486*.

Westmin Resources Limited

- 1995 News Release, Joint Release with Atna Resources Ltd; November 30, 1995, p.2.

Whiteway, P.

- 1995 "Fast-Tracking" ABM; in *Canadian Mining Journal*, June 1995, pp.17-21.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 1993 with a B.A.Sc. in geological engineering, option 1, mineral and fuel exploration.
2. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in and supervised the field work reported herein.



W.A. Wengzynowski, B.A.Sc.

APPENDIX II

GROUND GEOPHYSICAL SURVEY REPORT

MEMORANDUM

AMEROK GEOSCIENCES LTD.

Site 6, Comp 11
Whitehorse, Yukon
Y1A 5V8
(403) 668-7672 (Phone/Fax)
amerok@yknet.yk.ca

October 4, 1995

File: 95-21

To: Frank Gish / Doug Eaton
Archer Cathro & Associates (1981) Ltd.

From: Mike Power

Re: Field Report - League HLEM / Mag / VLF survey

This memorandum is a field report describing the HLEM / total magnetic field / VLF-EM survey conducted on the League Property between September 22 -30, 1995.

a. Personnel and equipment. The surveys were conducted by Mike Power (crew chief) and Phil Chidgzy (tech). The HLEM survey was performed with an Apex Parametrics Maxmin I-10 (s/n 10374) and attached computer unit (MMC). Magnetometer and VLF surveys were conducted with a pair of Omni Plus proton precession magnetometers and VLF-EM receivers and an Omni IV proton precession base station magnetometer. All data was recorded in on-board RAM and dumped to a 486DX2-66 laptop computer for subsequent data processing. HLEM data was corrected for topographic effects using software supplied by Apex Parametrics and all plotting was done with GEOPAK.

b. Survey Specifications. Specifications for the individual surveys are summarized below:

a. HLEM Survey: An initial pass was made with a coil spacing of 100 m, reading stations at 25 m using 110/220 Hz, 880 Hz and 3520 Hz. Lines 10000E to 8500E from 10000N to 10950N were surveyed with 220 Hz as the low frequency. Problems arose and this was changed to 110 Hz for the rest of the survey. Topographic corrections were made by slope chaining the grid, recording the interstation terrain slopes in percent and correcting the data following dumping. Follow-up detail surveys were made on two lines to position drill holes to test two favourable anomalies. These lines were surveyed with 150 m coils (110/440/1760 Hz) and 100 m coils (110/ 880/ 3520 Hz) both read at 25 m and with 50 m coils (440/ 1760/ 3520 Hz) read at 12.5 m. Topographic corrections were made as described above except that the 50 m coils were corrected directly in the field using a clinometer.

b. Magnetometer survey: The survey was conducted using a 12.5 m station spacing. The base station magnetometer was installed near camp and cycled at a 20 s interval throughout the survey. The geomagnetic field was quiet during the survey.

c. VLF-EM survey: The VLF survey was conducted using the Lualualei Ha. transmitter (NPM) as a primary and the Annapolis Md. (NSS) transmitter as a secondary. Azimuths to the primary station averaged around 220° and the apparent azimuth of the secondary station averaged 95°. Signal strengths of both stations were weak, particularly at the lower north end of the grid.

c. Results. Digital data was delivered in the field and provisional plots of the data are appended to this report. These include the following products:

a. HLEM: Stacked profiles of the 100 m coil data for 110/220 Hz, 880 Hz and 3520 Hz at 1:5,000. In-phase profiles are solid and quadrature profiles are dashed in this presentation and the profiles are superimposed on the grid lines. The zero level is coincident with the grid lines. Conductors are indicated by thick dashed lines. There is a difference in the conductor pattern on the plots due to the different depths of penetration and response characteristics of the various frequencies. The lowest frequency has the deepest penetration and would respond only to very good conductors while the highest frequency is capable of delineating less conductive features and is more affected by surficial conductors. Two profile lines were run across the west and east anomalies which are close to Pb-Zn and Cu geochemical anomalies respectively. Stacked profiles of the detail surveys are also appended to this report, plotted at 1:3,000.

b. Magnetics: Contoured total magnetic field results are plotted at 1:5,000. The magnetic field is very flat in this area with the exception of a strong anomaly associated with the conductor at the south end of the grid. The data was gridded along a trend parallel with the strike of the known conductors and of a weak magnetic trend associated with the west conductor (240°). Total field profiles over the detail lines on the east and west anomalies (Lines 1 and 2 respectively) are shown together with the VLF data at 1:3,000.

c. VLF-EM: Stacked profiles of the in-phase and quadrature and contour maps of the Fraser-filtered in-phase component were produced at 1:5,000 for both VLF stations. In-phase is shown as a solid curve and the quadrature component as a dashed curve in the stacked profiles and a normal cross-over consists of a positive to negative response when moving south to north along the grid lines. These may be superimposed over significant long wavelength in-phase anomalies caused by topography. The Lualualei transmitter is best oriented for detecting structures striking SW-NE while the Annapolis transmitter will produce the strongest signal in E-W striking structures.

I think the data collected merit a bit of detailed interpretation to determine the association of conductors with geochemical responses and to determine the variation in target conductance along strike. Let me know how much additional work you would like to see done with this data set.

Please let me know what scale you would like to use for your final copies of the data. We encountered a problem with our plotter during production of the field copies (since fixed) and you may not find these interim copies suitable for a final report.

Thank you for the opportunity to work with you on this very interesting project and for the hospitality we enjoyed in your camp.

Respectfully submitted,
AMEROK GEOSCIENCES LTD.

A handwritten signature in black ink, appearing to read 'M.A. Power'.

M.A. Power M.Sc. P.Geo.
Geophysicist

/encl.

APPENDIX III
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : F.P. LEAGUE
Comments:

Page : 1
Total Pages : 1
Certificate Date: 28-OCT-95
Invoice No. : I9532056
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9532056

SAMPLE	PREP CODE		Pb %									
T27048	244	--	1.38									

CERTIFICATION:

S. J. ...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - *LEAGUE*
Comments:

Page 1 of 1
Total Pages: 1
Certificate Date: 14-SEP-95
Invoice No.: I9528055
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9528055

SAMPLE	PREP CODE	Au ppb FA+AA										
T35001	244 --	35										
T35002	244 --	15										
T35003	244 --	80										
T35011	244 --	15										
T35051	244 --	10										
T35052	244 --	725										
T35064	244 --	< 5										
T35066	244 --	< 5										

CERTIFICATION:

Mark Vink



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 1-A
Total: 5
Certificate Date: 17-JUL-95
Invoice No.: I9521512
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T34763	203 205	< 0.2	1.78	50	220	< 0.5	< 2	0.51	< 0.5	13	44	17	3.18	< 10	< 1	0.16	20	0.77	470	1
T34764	203 205	0.2	1.43	20	460	< 0.5	< 2	0.22	< 0.5	9	59	23	2.61	< 10	< 1	0.17	20	0.50	350	1
T34766	203 205	< 0.2	1.28	26	850	< 0.5	< 2	0.22	< 0.5	9	67	34	2.56	< 10	< 1	0.19	20	0.43	435	1
T34767	203 205	0.4	1.17	42	1090	< 0.5	< 2	0.25	< 0.5	13	44	46	2.98	10	< 1	0.24	30	0.37	725	1
T34768	203 205	5.2	0.79	62	400	< 0.5	< 2	0.04	< 0.5	6	68	57	4.61	10	< 1	0.27	30	0.07	150	9
T34769	203 205	1.2	0.56	102	470	< 0.5	< 2	0.04	0.5	11	44	153	4.36	10	< 1	0.48	40	0.01	510	17
T34770	203 205	0.4	0.87	26	360	< 0.5	< 2	0.10	< 0.5	6	53	30	2.46	10	< 1	0.15	10	0.18	235	< 1
T34771	203 205	< 0.2	0.90	42	1780	< 0.5	< 2	0.11	< 0.5	11	40	57	2.75	10	1	0.19	40	0.24	575	1
T34772	203 205	< 0.2	1.04	36	830	< 0.5	< 2	0.18	< 0.5	9	36	36	2.43	< 10	< 1	0.13	30	0.27	345	2
T34773	203 205	< 0.2	1.14	14	470	< 0.5	< 2	0.93	0.5	6	35	13	1.68	< 10	< 1	0.11	10	0.28	425	< 1
T34774	203 205	< 0.2	1.03	10	190	< 0.5	< 2	0.28	< 0.5	3	37	7	1.28	10	< 1	0.21	40	0.26	255	< 1
T34775	203 205	< 0.2	1.87	16	150	< 0.5	< 2	0.21	0.5	9	45	25	3.09	10	< 1	0.16	30	0.56	265	2
T34776	203 205	< 0.2	1.27	14	110	< 0.5	4	0.23	< 0.5	6	55	14	2.18	10	< 1	0.16	40	0.46	205	1
T34777	203 205	< 0.2	1.86	26	210	< 0.5	< 2	0.38	< 0.5	11	52	22	3.38	10	< 1	0.21	40	0.71	345	< 1
T34778	203 205	< 0.2	1.71	30	190	< 0.5	< 2	0.24	< 0.5	9	59	19	3.09	10	< 1	0.14	20	0.53	395	1
T34779	203 205	< 0.2	1.40	58	110	< 0.5	< 2	0.28	< 0.5	5	42	10	2.20	10	< 1	0.11	20	0.45	230	1
T34780	203 205	0.4	1.18	62	370	< 0.5	< 2	2.08	3.0	13	41	20	3.58	10	< 1	0.17	20	0.36	1160	2
T34781	203 205	< 0.2	1.66	46	290	< 0.5	< 2	0.54	< 0.5	7	50	12	2.54	10	< 1	0.11	20	0.53	260	< 1
T34782	203 205	0.4	1.82	32	320	< 0.5	< 2	0.74	< 0.5	10	56	20	3.04	10	< 1	0.10	10	0.68	475	1
T34783	203 205	0.6	2.47	34	120	< 0.5	< 2	0.35	< 0.5	14	98	23	4.64	10	< 1	0.10	10	1.31	420	1
T34784	203 205	< 0.2	1.85	44	300	< 0.5	< 2	0.60	< 0.5	10	72	15	2.97	10	< 1	0.14	20	0.76	410	< 1
T34785	203 205	0.2	1.51	106	290	< 0.5	< 2	1.07	1.0	16	60	30	4.42	10	< 1	0.19	20	0.59	450	1
T34786	203 205	0.2	2.11	46	260	< 0.5	< 2	0.94	< 0.5	11	86	18	3.55	10	2	0.12	20	1.05	375	< 1
T34787	203 205	< 0.2	1.51	50	490	< 0.5	< 2	0.29	< 0.5	12	62	26	3.27	10	< 1	0.19	30	0.62	425	< 1
T34788	203 205	< 0.2	1.65	24	170	< 0.5	< 2	0.34	< 0.5	12	48	23	3.59	10	< 1	0.13	20	0.65	445	< 1
T34789	203 205	< 0.2	1.40	16	180	< 0.5	< 2	0.35	< 0.5	6	43	10	2.21	10	< 1	0.15	20	0.45	210	< 1
T34790	203 205	< 0.2	0.98	32	110	< 0.5	< 2	0.22	< 0.5	5	62	13	1.78	10	< 1	0.22	40	0.29	240	< 1
T34791	203 205	0.2	0.86	4	230	< 0.5	< 2	0.34	1.0	8	25	15	2.04	20	1	0.22	110	0.22	1205	< 1
T34792	203 205	0.2	1.30	8	390	< 0.5	< 2	0.65	0.5	6	46	11	2.05	10	< 1	0.14	30	0.34	225	1
T34793	203 205	0.2	1.30	16	520	< 0.5	< 2	0.19	< 0.5	6	73	21	2.53	10	< 1	0.18	20	0.44	305	1
T34794	203 205	< 0.2	1.12	58	2140	< 0.5	< 2	0.11	< 0.5	16	69	65	3.57	10	< 1	0.23	40	0.29	965	1
T34795	203 205	0.2	0.78	60	1820	< 0.5	< 2	0.04	< 0.5	11	73	70	2.82	< 10	< 1	0.19	30	0.16	825	1
T34796	203 205	0.2	0.76	50	2230	< 0.5	< 2	0.04	< 0.5	11	41	80	2.72	10	< 1	0.16	40	0.13	770	1
T34950	203 205	0.6	0.78	32	1090	< 0.5	< 2	0.52	0.5	10	36	42	2.96	10	< 1	0.21	40	0.10	725	3
T34951	203 205	0.2	1.96	46	750	< 0.5	< 2	0.26	< 0.5	16	81	27	4.16	10	< 1	0.24	20	0.80	430	1
T34952	203 205	0.4	0.40	114	280	< 0.5	< 2	0.28	1.0	6	19	13	2.52	10	< 1	0.24	70	0.06	600	1
T34953	203 205	< 0.2	1.06	66	560	< 0.5	< 2	0.29	< 0.5	14	69	38	3.04	10	< 1	0.18	40	0.34	555	1
T34954	203 205	< 0.2	1.22	14	480	< 0.5	< 2	0.32	< 0.5	8	48	19	2.26	< 10	< 1	0.16	30	0.52	325	1
T34955	203 205	0.2	1.51	46	380	< 0.5	< 2	0.50	< 0.5	10	61	19	2.68	10	< 1	0.14	20	0.51	505	< 1
T34956	203 205	< 0.2	1.68	94	130	< 0.5	< 2	0.39	< 0.5	15	66	23	3.57	< 10	< 1	0.23	20	0.77	500	1

CERTIFICATION: Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAVE
Comments:

Page: 1-B
Total: 5
Certificate Date: 17-JUL-95
Invoice No.: I9521512
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34763	203 205	0.01	21	610	14	< 2	4	28	0.12	< 10	< 10	58	< 10	64
T34764	203 205	0.03	20	690	16	< 2	2	17	0.05	< 10	< 10	47	< 10	60
T34766	203 205	0.01	28	570	14	2	3	19	0.07	< 10	< 10	44	< 10	84
T34767	203 205	0.01	41	770	14	4	4	36	0.04	< 10	< 10	40	< 10	128
T34768	203 205	< 0.01	29	1360	44	8	2	391	0.01	< 10	< 10	71	< 10	164
T34769	203 205	< 0.01	34	1290	108	8	3	150	< 0.01	< 10	< 10	63	< 10	268
T34770	203 205	0.01	23	610	12	2	1	14	0.05	< 10	< 10	56	< 10	72
T34771	203 205	0.01	36	410	16	2	3	18	0.02	< 10	< 10	31	< 10	98
T34772	203 205	< 0.01	25	720	20	6	2	22	0.02	< 10	< 10	30	< 10	88
T34773	203 205	0.04	10	870	10	< 2	1	78	0.03	< 10	< 10	29	< 10	48
T34774	203 205	0.01	8	530	20	2	1	20	0.01	< 10	< 10	24	< 10	38
T34775	203 205	0.01	28	690	18	2	3	17	0.06	< 10	< 10	55	< 10	96
T34776	203 205	0.01	15	660	14	< 2	2	16	0.06	< 10	< 10	38	< 10	52
T34777	203 205	0.01	23	780	12	< 2	4	20	0.10	< 10	< 10	52	< 10	88
T34778	203 205	0.02	19	860	18	< 2	1	16	0.04	< 10	< 10	50	< 10	74
T34779	203 205	0.01	13	350	18	< 2	2	16	0.08	< 10	< 10	56	< 10	36
T34780	203 205	0.01	33	1620	20	4	3	100	0.01	< 10	< 10	25	< 10	274
T34781	203 205	0.01	12	530	20	2	3	28	0.07	< 10	< 10	52	< 10	48
T34782	203 205	0.01	20	1280	18	2	2	35	0.04	< 10	< 10	59	< 10	74
T34783	203 205	0.01	30	580	16	2	7	18	0.19	< 10	< 10	121	< 10	96
T34784	203 205	0.02	19	910	16	< 2	4	35	0.09	< 10	< 10	58	< 10	56
T34785	203 205	0.01	37	1300	16	4	6	58	0.04	< 10	< 10	43	< 10	266
T34786	203 205	0.01	26	1060	12	4	6	58	0.08	< 10	< 10	65	< 10	86
T34787	203 205	0.01	28	870	12	2	3	17	0.05	< 10	< 10	45	< 10	82
T34788	203 205	0.01	26	820	16	< 2	4	17	0.06	< 10	< 10	49	< 10	84
T34789	203 205	0.01	12	620	16	2	2	20	0.03	< 10	< 10	36	< 10	44
T34790	203 205	0.01	13	560	16	2	2	17	0.02	< 10	< 10	26	< 10	50
T34791	203 205	< 0.01	14	910	50	2	2	22	< 0.01	< 10	< 10	13	< 10	132
T34792	203 205	0.01	16	1100	20	2	2	39	0.01	< 10	< 10	27	< 10	148
T34793	203 205	0.01	20	620	14	2	2	17	0.05	< 10	< 10	53	< 10	74
T34794	203 205	0.01	53	470	18	6	4	24	0.02	< 10	< 10	37	< 10	126
T34795	203 205	< 0.01	33	360	28	2	2	22	0.02	< 10	< 10	32	< 10	96
T34796	203 205	< 0.01	39	270	16	< 2	3	16	0.02	< 10	< 10	27	< 10	112
T34950	203 205	< 0.01	22	1220	24	2	2	54	< 0.01	< 10	< 10	21	< 10	110
T34951	203 205	0.01	31	910	24	4	4	34	0.08	< 10	< 10	61	< 10	104
T34952	203 205	< 0.01	9	920	202	4	1	14	< 0.01	< 10	< 10	6	< 10	780
T34953	203 205	0.01	33	850	14	4	4	21	0.03	< 10	< 10	37	< 10	80
T34954	203 205	0.01	19	740	12	2	3	20	0.10	< 10	< 10	41	< 10	64
T34955	203 205	0.01	18	760	18	< 2	3	31	0.04	< 10	< 10	43	< 10	60
T34956	203 205	0.01	22	670	16	4	4	21	0.13	< 10	< 10	66	< 10	70

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 2-A
Total: 5
Certificate Date: 17-JUL-95
Invoice No.: I9521512
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T34957	203 205	< 0.2	2.82	42	150	< 0.5	< 2	0.39	< 0.5	18	169	26	4.71	10	< 1	0.20	10	1.60	470	1
T34958	203 205	< 0.2	1.72	30	340	< 0.5	< 2	0.40	< 0.5	10	176	25	2.77	10	< 1	0.37	40	0.57	445	1
T34959	203 205	0.2	1.47	30	170	< 0.5	< 2	0.23	< 0.5	8	160	22	2.80	10	< 1	0.28	30	0.46	315	1
T34960	203 205	< 0.2	1.65	22	190	< 0.5	< 2	0.29	< 0.5	5	230	13	2.19	10	< 1	0.37	30	0.41	205	1
T34961	203 205	0.6	1.17	34	1890	< 0.5	< 2	0.81	1.5	5	140	13	2.37	10	< 1	0.20	20	0.22	430	1
T34962	203 205	0.2	1.61	28	1090	< 0.5	< 2	0.28	< 0.5	11	231	31	2.54	10	< 1	0.42	40	0.36	455	2
T34963	203 205	< 0.2	0.83	28	1610	< 0.5	< 2	0.16	< 0.5	9	125	41	2.16	10	< 1	0.18	30	0.23	405	1
T34964	203 205	0.4	1.80	50	1000	< 0.5	< 2	0.13	< 0.5	9	308	50	3.47	10	< 1	0.40	30	0.33	275	1
T34965	203 205	< 0.2	0.74	40	960	< 0.5	< 2	0.06	< 0.5	9	184	43	2.45	10	< 1	0.20	30	0.06	915	1
T34966	203 205	1.6	0.79	40	220	< 0.5	< 2	0.04	< 0.5	6	271	71	4.06	< 10	< 1	0.61	20	0.06	465	8
T34967	203 205	< 0.2	1.33	20	510	< 0.5	< 2	0.62	< 0.5	11	68	21	3.23	10	1	0.24	30	0.29	430	1
T34968	203 205	0.2	1.28	30	420	< 0.5	< 2	0.47	0.5	18	118	44	3.82	10	< 1	0.43	50	0.31	855	1
T34969	203 205	< 0.2	1.15	28	280	< 0.5	< 2	0.52	0.5	17	100	37	3.95	10	< 1	0.28	40	0.40	775	1
T34970	203 205	0.2	1.61	44	370	< 0.5	< 2	0.40	0.5	19	198	40	4.12	10	< 1	0.53	60	0.40	620	2
T34971	203 205	< 0.2	0.89	38	360	< 0.5	< 2	0.41	1.0	13	91	37	3.08	10	< 1	0.38	60	0.16	540	2
T34972	203 205	0.2	1.32	28	360	< 0.5	< 2	0.54	0.5	13	289	18	2.83	10	< 1	0.59	50	0.16	1345	4
T34973	203 205	0.6	1.21	66	460	< 0.5	< 2	0.64	< 0.5	11	98	33	2.79	10	< 1	0.30	40	0.13	795	3
T34974	203 205	0.2	1.54	56	470	< 0.5	< 2	0.45	0.5	15	209	38	3.30	10	1	0.66	50	0.21	1445	3
T34975	203 205	< 0.2	1.03	20	320	< 0.5	< 2	0.33	0.5	7	89	19	2.82	10	< 1	0.41	90	0.14	375	1
T34976	203 205	< 0.2	1.43	32	470	< 0.5	< 2	0.29	0.5	14	187	28	3.31	10	< 1	0.66	60	0.11	780	2
T34977	203 205	< 0.2	0.82	30	350	< 0.5	< 2	0.32	1.0	14	84	58	3.61	10	< 1	0.47	70	0.04	885	2
T34978	203 205	< 0.2	1.39	38	350	< 0.5	< 2	0.23	< 0.5	11	188	26	3.52	10	< 1	0.64	70	0.11	665	3
T34979	203 205	0.2	1.07	24	650	< 0.5	< 2	0.42	< 0.5	9	124	17	2.46	10	< 1	0.37	60	0.06	855	2
T34980	203 205	0.6	1.77	56	1140	< 0.5	< 2	0.27	< 0.5	14	263	67	3.90	10	2	0.80	30	0.11	360	7
T34981	203 205	1.0	0.88	64	1050	< 0.5	< 2	0.20	< 0.5	13	92	46	4.66	< 10	< 1	0.38	20	0.05	430	6
T34982	203 205	0.4	1.44	42	2110	< 0.5	< 2	0.38	< 0.5	9	291	26	2.90	10	< 1	0.49	40	0.11	755	3
T34983	203 205	0.6	0.63	38	1100	< 0.5	< 2	0.06	< 0.5	5	178	41	2.60	< 10	< 1	0.35	30	0.04	290	4
T34984	203 205	0.4	1.06	122	880	< 0.5	< 2	0.30	1.0	24	149	43	4.24	10	< 1	0.61	30	0.07	1565	2
T34985	203 205	0.2	0.58	30	600	< 0.5	< 2	0.33	0.5	12	94	32	3.26	10	< 1	0.36	40	0.04	1315	3
T34986	203 205	< 0.2	1.08	44	550	< 0.5	< 2	0.07	0.5	14	181	79	3.82	10	< 1	0.67	60	0.03	980	5
T34987	203 205	0.2	0.55	52	1110	< 0.5	< 2	0.62	< 0.5	14	49	40	3.57	10	< 1	0.43	20	0.06	850	2
T34988	203 205	0.2	1.04	24	1160	< 0.5	2	0.45	< 0.5	6	192	28	3.80	10	< 1	0.39	30	0.08	1455	6
T34989	203 205	< 0.2	0.83	16	510	< 0.5	< 2	0.30	< 0.5	8	82	14	2.03	10	< 1	0.32	70	0.06	1735	2
T34990	203 205	0.2	1.54	56	560	< 0.5	< 2	0.17	0.5	19	194	70	3.53	10	1	0.54	60	0.14	1145	2
T34991	203 205	1.4	1.32	46	1640	< 0.5	< 2	0.58	0.5	14	101	21	2.85	10	< 1	0.29	30	0.34	1015	2
T34992	203 205	0.8	2.69	56	540	< 0.5	< 2	0.20	0.5	17	226	40	4.14	10	2	0.64	20	0.76	550	2
T34993	203 205	0.8	1.48	34	1330	< 0.5	< 2	0.97	0.5	11	64	26	2.11	10	< 1	0.27	10	0.27	540	< 1
T34994	203 205	1.2	1.92	22	1710	< 0.5	< 2	0.23	< 0.5	3	111	20	2.31	10	1	0.63	20	0.13	210	3
T34995	203 205	1.8	0.55	40	280	< 0.5	< 2	0.05	< 0.5	4	142	34	3.65	10	< 1	0.50	40	0.03	265	9
T34996	203 205	1.2	1.40	24	680	< 0.5	< 2	0.07	< 0.5	4	135	44	2.68	< 10	< 1	0.40	20	0.11	125	4

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP - LEAGUE
Comments:

Page : 2-B
Total : 5
Certificate Date: 17-JUL-95
Invoice No. : 19521512
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34957	203 205	0.01	40	770	16	2	7	14	0.26	< 10	< 10	106	< 10	78
T34958	203 205	0.04	25	910	20	2	5	30	0.08	< 10	< 10	56	< 10	80
T34959	203 205	0.02	22	770	18	2	3	20	0.05	< 10	< 10	49	< 10	76
T34960	203 205	0.05	15	470	12	2	3	24	0.10	< 10	< 10	57	< 10	54
T34961	203 205	0.01	15	1520	24	2	3	67	0.01	< 10	< 10	25	< 10	170
T34962	203 205	0.03	26	680	14	2	4	29	0.06	< 10	< 10	48	< 10	78
T34963	203 205	0.01	28	400	10	2	2	19	0.05	< 10	< 10	31	< 10	82
T34964	203 205	0.02	33	300	16	2	4	17	0.08	< 10	< 10	61	< 10	94
T34965	203 205	0.01	34	600	22	2	1	13	0.02	< 10	< 10	45	< 10	84
T34966	203 205	0.01	26	1780	44	10	4	145	0.01	< 10	< 10	84	< 10	84
T34967	203 205	0.02	22	650	18	4	3	28	< 0.01	< 10	< 10	22	< 10	130
T34968	203 205	0.01	39	880	28	4	5	24	< 0.01	< 10	< 10	24	< 10	182
T34969	203 205	0.01	37	750	22	4	5	23	0.01	< 10	< 10	25	< 10	144
T34970	203 205	0.01	41	850	24	2	6	21	0.02	< 10	< 10	37	< 10	142
T34971	203 205	< 0.01	26	870	22	2	4	19	< 0.01	< 10	< 10	21	< 10	140
T34972	203 205	0.02	21	740	24	4	4	26	< 0.01	< 10	< 10	32	< 10	138
T34973	203 205	0.01	22	1200	34	2	3	65	< 0.01	< 10	< 10	71	< 10	118
T34974	203 205	0.01	31	950	20	2	5	23	< 0.01	< 10	< 10	30	< 10	136
T34975	203 205	< 0.01	12	1000	12	2	3	15	< 0.01	< 10	< 10	14	< 10	104
T34976	203 205	0.01	21	780	26	6	4	16	< 0.01	< 10	< 10	25	< 10	182
T34977	203 205	< 0.01	34	1040	20	4	4	38	< 0.01	< 10	< 10	27	< 10	240
T34978	203 205	0.01	18	560	14	2	3	16	< 0.01	< 10	< 10	21	< 10	84
T34979	203 205	0.02	11	950	20	2	2	29	< 0.01	< 10	< 10	18	< 10	78
T34980	203 205	0.01	49	1190	62	6	8	94	< 0.01	< 10	< 10	83	< 10	216
T34981	203 205	< 0.01	31	950	66	6	5	68	< 0.01	< 10	< 10	61	< 10	202
T34982	203 205	0.01	15	910	24	2	4	44	< 0.01	< 10	< 10	40	< 10	100
T34983	203 205	0.01	21	900	32	4	1	68	< 0.01	< 10	< 10	41	< 10	84
T34984	203 205	< 0.01	37	1420	40	6	6	56	< 0.01	< 10	< 10	30	< 10	332
T34985	203 205	< 0.01	21	900	24	4	3	30	< 0.01	< 10	< 10	17	< 10	124
T34986	203 205	< 0.01	39	1230	20	2	2	93	< 0.01	< 10	< 10	82	< 10	296
T34987	203 205	0.01	25	920	24	4	3	62	< 0.01	< 10	< 10	11	< 10	68
T34988	203 205	0.02	16	1150	26	6	3	159	< 0.01	< 10	< 10	39	< 10	88
T34989	203 205	< 0.01	13	710	16	2	2	22	< 0.01	< 10	< 10	13	< 10	84
T34990	203 205	0.01	35	1030	28	4	4	26	< 0.01	< 10	< 10	39	< 10	202
T34991	203 205	0.02	23	1070	54	4	3	32	< 0.01	< 10	< 10	34	< 10	94
T34992	203 205	0.02	51	910	40	2	7	22	0.01	< 10	< 10	65	< 10	288
T34993	203 205	0.04	30	1220	16	< 2	4	58	< 0.01	< 10	< 10	24	< 10	76
T34994	203 205	0.09	14	1220	42	2	2	63	< 0.01	< 10	< 10	43	< 10	48
T34995	203 205	< 0.01	16	1280	86	6	2	82	< 0.01	< 10	< 10	44	< 10	74
T34996	203 205	0.07	22	1420	26	2	1	159	0.01	< 10	< 10	49	< 10	64

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 3-A
Total: 5
Certificate Date: 17-JUL-95
Invoice No.: I9521512
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T34997	203 205	0.8	0.65	38	980	< 0.5	< 2	0.03	< 0.5	5	59	51	2.85	< 10	< 1	0.24	40	0.10	195	6
T34998	203 205	0.8	0.42	50	730	< 0.5	< 2	0.07	< 0.5	4	33	22	2.65	< 10	< 1	0.28	40	0.02	305	9
T34999	203 205	0.6	0.53	56	670	< 0.5	< 2	0.02	< 0.5	4	22	27	4.08	< 10	< 1	0.28	60	0.03	275	8
T35000	203 205	0.2	1.06	278	1370	0.5	< 2	0.20	0.5	31	48	54	5.30	< 10	< 1	0.24	60	0.25	1225	2
T35001	203 205	2.8	0.71	114	180	< 0.5	< 2	< 0.01	< 0.5	< 1	44	12	3.34	< 10	< 1	0.67	10	0.03	45	4
T35002	203 205	3.0	0.82	124	490	0.5	< 2	0.24	0.5	12	43	20	3.14	< 10	< 1	0.26	70	0.10	750	2
T35003	203 205	1.4	1.41	168	2360	1.0	2	0.27	2.0	22	46	46	5.13	< 10	< 1	0.25	50	0.13	1880	6
T35004	203 205	0.2	0.76	92	2990	0.5	< 2	0.03	0.5	12	65	119	3.94	< 10	< 1	0.26	30	0.04	240	< 1
T35005	203 205	< 0.2	0.47	100	500	< 0.5	< 2	0.14	< 0.5	9	33	24	3.49	< 10	< 1	0.36	90	0.02	755	3
T35006	203 205	< 0.2	1.31	24	880	< 0.5	< 2	0.10	< 0.5	7	89	36	3.00	< 10	< 1	0.18	30	0.26	315	1
T35007	203 205	0.8	1.33	82	2210	0.5	< 2	0.14	< 0.5	12	110	133	4.03	< 10	< 1	0.18	30	0.22	740	1
T35008	203 205	0.6	0.76	66	1100	< 0.5	< 2	0.07	< 0.5	15	56	91	3.07	< 10	< 1	0.30	30	0.08	1325	2
T35009	203 205	1.2	1.57	44	1260	0.5	< 2	0.11	< 0.5	14	46	30	2.12	< 10	< 1	0.15	20	0.18	565	1
T35010	203 205	< 0.2	0.84	64	490	< 0.5	< 2	0.18	0.5	22	57	39	3.27	< 10	< 1	0.24	40	0.24	970	1
T35011	203 205	0.2	1.21	164	790	< 0.5	< 2	0.48	3.0	41	57	109	2.56	< 10	< 1	0.41	10	0.43	1000	< 1
T35012	203 205	0.2	1.60	66	530	1.0	< 2	0.21	1.5	23	75	47	3.73	< 10	< 1	0.30	40	0.38	480	3
T35013	203 205	0.6	2.36	66	1640	1.0	< 2	0.39	0.5	30	96	31	4.16	< 10	< 1	0.21	20	0.55	1755	< 1
T35014	203 205	0.4	1.15	26	1420	< 0.5	< 2	0.08	< 0.5	4	105	28	1.74	< 10	< 1	0.18	20	0.14	175	< 1
T35015	203 205	0.4	1.37	40	1510	0.5	< 2	0.17	< 0.5	9	96	43	2.89	< 10	< 1	0.22	30	0.35	590	1
T35016	203 205	0.2	1.37	46	1100	0.5	< 2	0.20	0.5	7	57	49	3.12	< 10	< 1	0.15	30	0.39	225	1
T35017	203 205	0.2	1.17	36	1490	< 0.5	< 2	0.08	0.5	12	88	48	2.96	< 10	< 1	0.18	30	0.27	580	< 1
T35018	203 205	1.0	0.69	80	1320	< 0.5	< 2	0.06	< 0.5	2	40	26	2.42	< 10	< 1	0.27	60	0.14	85	6
T35019	203 205	< 0.2	1.22	26	1720	< 0.5	2	0.10	< 0.5	7	100	37	2.44	< 10	< 1	0.22	40	0.25	415	1
T35020	203 205	< 0.2	1.27	4	260	0.5	< 2	0.25	< 0.5	9	49	24	2.53	< 10	< 1	0.19	60	0.31	285	< 1
T35021	203 205	< 0.2	1.36	14	170	0.5	2	0.16	< 0.5	6	74	15	2.03	< 10	< 1	0.21	60	0.31	195	< 1
T35022	203 205	< 0.2	1.24	20	270	0.5	< 2	0.41	< 0.5	12	50	30	3.34	< 10	< 1	0.25	60	0.36	555	1
T35023	203 205	< 0.2	1.35	6	180	0.5	< 2	0.24	< 0.5	8	33	17	2.33	< 10	< 1	0.13	40	0.34	190	< 1
T35024	203 205	< 0.2	1.50	34	250	0.5	< 2	0.53	< 0.5	14	52	31	3.79	< 10	< 1	0.20	40	0.58	850	< 1
T35025	203 205	< 0.2	2.67	2	330	0.5	< 2	0.33	0.5	15	69	22	3.33	< 10	< 1	0.23	30	1.29	510	< 1
T35026	203 205	0.2	1.86	24	240	0.5	< 2	0.29	< 0.5	21	82	81	4.67	< 10	< 1	0.18	40	0.69	645	2
T35027	203 205	< 0.2	1.18	24	250	0.5	< 2	0.24	< 0.5	13	51	31	2.86	< 10	< 1	0.22	70	0.35	435	< 1
T35028	203 205	< 0.2	1.35	14	170	0.5	< 2	0.20	0.5	7	76	14	2.01	< 10	< 1	0.26	50	0.37	235	< 1
T35029	203 205	< 0.2	1.47	< 2	290	0.5	< 2	0.30	< 0.5	7	60	17	2.06	< 10	< 1	0.22	80	0.45	275	< 1
T35030	203 205	< 0.2	1.35	20	180	0.5	2	0.28	< 0.5	6	57	18	1.92	< 10	< 1	0.23	100	0.43	165	< 1
T35031	203 205	< 0.2	1.13	32	530	< 0.5	< 2	0.11	< 0.5	9	75	50	2.78	< 10	< 1	0.18	40	0.26	775	< 1
T35032	203 205	< 0.2	1.31	22	300	< 0.5	< 2	0.14	< 0.5	9	57	44	2.77	< 10	< 1	0.17	30	0.29	260	2
T35033	203 205	0.2	1.55	34	2310	0.5	< 2	0.23	< 0.5	10	111	41	2.94	< 10	< 1	0.21	30	0.35	360	< 1
T35034	203 205	0.2	1.27	56	2610	0.5	< 2	0.06	0.5	11	143	96	3.14	< 10	< 1	0.29	30	0.18	595	1
T35035	203 205	< 0.2	1.00	58	1960	< 0.5	< 2	0.09	< 0.5	7	265	70	2.99	< 10	< 1	0.23	30	0.18	390	3
T35036	203 205	0.2	1.31	40	530	< 0.5	4	0.21	0.5	8	88	37	2.97	< 10	< 1	0.23	40	0.41	295	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 3-B
Total: 5
Certificate Date: 17-JUL-95
Invoice No.: 19521512
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34997	203 205	< 0.01	29	1310	42	2	2	80	0.01	< 10	< 10	41	< 10	100
T34998	203 205	0.01	14	810	68	< 2	1	71	< 0.01	< 10	< 10	45	< 10	84
T34999	203 205	< 0.01	18	1020	48	2	1	78	< 0.01	< 10	< 10	30	< 10	112
T35000	203 205	< 0.01	76	1060	22	6	6	12	< 0.01	< 10	< 10	22	< 10	338
T35001	203 205	0.02	3	700	510	4	1	68	< 0.01	< 10	< 10	12	< 10	80
T35002	203 205	0.01	29	420	62	< 2	1	11	< 0.01	< 10	< 10	11	< 10	232
T35003	203 205	< 0.01	56	1290	62	< 2	6	28	< 0.01	< 10	< 10	22	< 10	328
T35004	203 205	< 0.01	50	610	30	10	3	48	< 0.01	< 10	< 10	49	< 10	140
T35005	203 205	< 0.01	24	900	24	< 2	2	17	< 0.01	< 10	< 10	8	< 10	100
T35006	203 205	0.01	29	580	14	2	2	12	0.03	< 10	< 10	50	< 10	92
T35007	203 205	< 0.01	73	860	14	< 2	6	62	0.02	< 10	< 10	57	< 10	226
T35008	203 205	0.02	45	720	34	< 2	2	36	< 0.01	< 10	< 10	29	< 10	112
T35009	203 205	0.07	23	1070	16	< 2	1	19	< 0.01	< 10	< 10	25	< 10	72
T35010	203 205	< 0.01	70	460	26	< 2	3	7	< 0.01	< 10	< 10	14	< 10	42
T35011	203 205	< 0.01	101	590	8	2	12	8	< 0.01	< 10	< 10	23	< 10	578
T35012	203 205	< 0.01	75	650	30	6	3	17	< 0.01	< 10	< 10	16	< 10	1405
T35013	203 205	< 0.01	63	1230	42	8	8	15	< 0.01	< 10	< 10	34	< 10	216
T35014	203 205	0.03	16	1180	16	2	< 1	14	< 0.01	< 10	< 10	35	< 10	62
T35015	203 205	0.01	34	850	26	< 2	3	31	0.03	< 10	< 10	51	< 10	92
T35016	203 205	< 0.01	29	950	18	< 2	3	49	0.04	< 10	< 10	59	< 10	108
T35017	203 205	< 0.01	44	380	14	< 2	2	10	0.03	< 10	< 10	39	< 10	132
T35018	203 205	< 0.01	16	350	88	6	1	24	0.02	< 10	< 10	31	< 10	52
T35019	203 205	0.01	26	390	14	6	3	15	0.02	< 10	< 10	39	< 10	84
T35020	203 205	< 0.01	22	740	18	< 2	2	16	0.01	< 10	< 10	30	< 10	80
T35021	203 205	0.01	21	640	18	< 2	1	12	0.02	< 10	< 10	33	< 10	52
T35022	203 205	0.01	32	890	20	2	4	24	0.02	< 10	< 10	36	< 10	110
T35023	203 205	< 0.01	15	530	16	< 2	2	15	0.01	< 10	< 10	28	< 10	52
T35024	203 205	0.01	29	1170	14	< 2	9	28	0.03	< 10	< 10	51	< 10	90
T35025	203 205	< 0.01	26	650	72	< 2	4	14	0.02	< 10	< 10	40	< 10	130
T35026	203 205	< 0.01	47	1120	30	< 2	8	17	0.01	< 10	< 10	66	< 10	140
T35027	203 205	< 0.01	26	830	16	2	3	15	0.01	< 10	< 10	35	< 10	82
T35028	203 205	0.01	16	640	26	< 2	2	14	0.03	< 10	< 10	37	< 10	62
T35029	203 205	0.01	16	760	20	< 2	3	21	0.03	< 10	< 10	38	< 10	64
T35030	203 205	0.01	14	830	40	< 2	3	17	0.04	< 10	< 10	36	< 10	56
T35031	203 205	< 0.01	26	660	12	2	1	11	0.01	< 10	< 10	40	< 10	72
T35032	203 205	< 0.01	26	550	18	< 2	2	11	0.04	< 10	< 10	46	< 10	80
T35033	203 205	0.01	27	900	12	6	3	42	0.05	< 10	< 10	54	< 10	86
T35034	203 205	0.01	39	570	16	8	4	17	0.02	< 10	< 10	65	< 10	114
T35035	203 205	0.02	57	620	14	2	2	20	0.02	< 10	< 10	55	< 10	102
T35036	203 205	0.01	26	810	24	< 2	3	23	0.04	< 10	< 10	49	< 10	84

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - *LEA 6VE*
Comments:

Page 1 of 1
Total Pages: 5
Certificate Date: 17-JUL-95
Invoice No.: I9521512
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
F35037	203 205	< 0.2	1.34	24	540	0.5	< 2	0.29	< 0.5	24	84	31	1.93	< 10	< 1	0.44	20	0.26	885	< 1
F35038	203 205	11.8	0.54	178	220	< 0.5	< 2	0.04	< 0.5	1	34	13	2.37	< 10	< 1	0.41	30	0.06	45	5
F35039	203 205	< 0.2	1.62	42	320	0.5	< 2	0.64	< 0.5	26	120	39	3.44	< 10	< 1	0.38	20	0.63	1170	1
F35040	203 205	0.2	2.04	56	1830	0.5	< 2	0.17	0.5	27	94	31	3.40	< 10	< 1	0.16	20	0.50	2480	3
F35041	203 205	< 0.2	1.12	88	2730	0.5	< 2	0.16	0.5	14	93	87	3.45	< 10	< 1	0.22	30	0.34	550	2
F35042	203 205	0.2	0.97	36	1530	< 0.5	< 2	0.07	< 0.5	5	97	30	2.10	< 10	< 1	0.16	20	0.15	200	1
F35043	203 205	0.2	1.71	32	700	0.5	< 2	0.09	< 0.5	14	83	30	3.41	< 10	< 1	0.18	20	0.34	885	1
F35044	203 205	0.4	1.32	78	2580	0.5	< 2	0.09	< 0.5	12	99	73	3.03	< 10	< 1	0.23	30	0.22	605	3
F35045	203 205	< 0.2	1.26	52	2250	0.5	< 2	0.24	0.5	15	85	60	2.91	< 10	< 1	0.20	30	0.36	930	1
F35046	203 205	< 0.2	1.55	100	2250	0.5	< 2	0.16	< 0.5	18	110	45	3.07	< 10	< 1	0.33	40	0.48	1010	1
F35047	203 205	< 0.2	1.81	122	860	0.5	< 2	0.38	< 0.5	29	100	30	3.86	< 10	< 1	0.28	20	0.55	1705	2
F35048	203 205	< 0.2	1.25	56	350	0.5	< 2	0.37	1.5	43	73	56	3.37	< 10	< 1	0.35	20	0.39	2780	1
F35049	203 205	< 0.2	1.65	22	300	0.5	< 2	0.10	< 0.5	14	71	24	2.64	< 10	< 1	0.29	70	0.48	590	1
F35050	203 205	< 0.2	1.56	44	220	< 0.5	< 2	0.13	< 0.5	9	70	18	3.16	< 10	< 1	0.22	30	0.32	280	1
F35051	203 205	0.6	0.69	34	180	< 0.5	< 2	0.04	< 0.5	5	53	13	1.75	< 10	< 1	0.28	30	0.13	165	2
F35052	203 205	1.2	1.01	2160	480	0.5	< 2	0.32	3.0	29	53	99	5.31	< 10	< 1	0.53	< 10	0.13	1670	8
F35053	203 205	< 0.2	1.41	28	720	0.5	< 2	0.42	0.5	15	66	28	3.95	< 10	< 1	0.30	40	0.43	1280	1
F35054	203 205	< 0.2	1.17	42	2190	0.5	< 2	0.09	0.5	16	89	63	2.89	< 10	< 1	0.17	20	0.23	835	1
F35055	203 205	< 0.2	0.86	20	380	< 0.5	< 2	2.05	< 0.5	17	40	24	3.08	< 10	< 1	0.30	50	0.18	325	< 1
F35056	203 205	< 0.2	1.18	18	150	< 0.5	< 2	0.17	< 0.5	5	56	12	1.57	< 10	< 1	0.16	70	0.27	155	< 1
F35057	203 205	< 0.2	1.33	22	150	< 0.5	< 2	0.19	< 0.5	6	51	13	2.11	< 10	< 1	0.17	50	0.40	160	1
F35058	203 205	< 0.2	1.34	16	170	0.5	< 2	0.10	< 0.5	3	52	10	1.53	< 10	< 1	0.24	110	0.20	90	1
F35059	203 205	< 0.2	0.84	24	210	0.5	< 2	0.19	0.5	6	39	12	1.30	< 10	< 1	0.34	60	0.14	645	1
F35060	203 205	< 0.2	2.25	10	340	0.5	< 2	0.31	< 0.5	10	49	26	3.34	< 10	< 1	0.23	60	0.81	455	1
F35061	203 205	< 0.2	2.29	26	280	0.5	< 2	0.55	0.5	23	48	55	4.43	< 10	< 1	0.11	20	1.19	885	2
F35062	203 205	< 0.2	1.83	6	260	0.5	< 2	0.27	< 0.5	10	54	28	2.79	< 10	< 1	0.18	50	0.65	405	< 1
F35063	203 205	< 0.2	1.38	16	670	0.5	< 2	0.37	< 0.5	9	44	19	2.72	< 10	< 1	0.20	50	0.31	270	1
F35064	203 205	< 0.2	0.77	180	730	< 0.5	< 2	0.01	0.5	16	99	112	3.32	< 10	< 1	0.30	20	0.10	1525	1
F35065	203 205	< 0.2	1.08	42	200	< 0.5	< 2	0.04	< 0.5	4	117	12	1.98	< 10	< 1	0.33	50	0.09	110	2
F35066	203 205	0.2	1.96	30	260	0.5	< 2	0.09	3.5	40	53	49	5.10	< 10	1	0.42	10	0.09	1240	1
F35067	203 205	< 0.2	1.22	88	270	0.5	< 2	0.38	< 0.5	18	93	23	2.99	< 10	< 1	0.38	40	0.48	930	1
F35068	203 205	< 0.2	1.33	24	360	0.5	< 2	0.30	< 0.5	9	74	16	2.12	< 10	< 1	0.27	60	0.32	570	1
F35069	203 205	< 0.2	0.81	18	200	< 0.5	< 2	0.08	< 0.5	4	38	7	1.47	< 10	< 1	0.29	80	0.06	180	2
F35070	203 205	0.2	0.67	82	440	< 0.5	< 2	0.08	< 0.5	3	63	19	3.32	< 10	< 1	0.47	10	0.06	115	4
F35071	203 205	0.4	1.11	166	1590	0.5	< 2	0.23	0.5	8	76	55	3.78	< 10	< 1	0.20	20	0.20	305	8
F35072	203 205	< 0.2	1.51	28	500	0.5	< 2	0.43	0.5	21	107	47	4.23	< 10	< 1	0.29	40	0.42	1155	2
F35073	203 205	< 0.2	1.97	22	580	0.5	< 2	0.51	< 0.5	14	99	25	3.56	< 10	< 1	0.16	20	0.54	540	1
F35074	203 205	< 0.2	1.45	30	410	< 0.5	< 2	0.26	< 0.5	8	91	21	2.63	< 10	< 1	0.18	20	0.44	290	1
F35075	203 205	< 0.2	1.94	70	780	0.5	< 2	0.26	0.5	63	270	79	5.84	< 10	< 1	0.31	10	1.27	1730	< 1
F35076	203 205	< 0.2	1.30	12	330	< 0.5	< 2	0.16	< 0.5	7	99	14	2.17	< 10	< 1	0.13	10	0.37	295	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAVE
Comments:

Page 1 of 1 : 4-B
Total P. : 5
Certificate Date: 17-JUL-95
Invoice No. : I9521512
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35037	203 205	0.03	53	670	12	< 2	3	13	< 0.01	< 10	< 10	27	< 10	34
T35038	203 205	< 0.01	7	530	3530	16	< 1	13	< 0.01	< 10	< 10	5	< 10	70
T35039	203 205	< 0.01	75	620	32	< 2	5	22	0.01	< 10	< 10	36	< 10	50
T35040	203 205	0.01	46	1310	26	< 2	3	16	0.01	< 10	< 10	56	< 10	178
T35041	203 205	< 0.01	54	850	20	< 2	4	22	0.03	< 10	< 10	45	< 10	172
T35042	203 205	0.05	19	560	16	< 2	1	16	0.02	< 10	< 10	45	< 10	60
T35043	203 205	< 0.01	24	670	24	< 2	3	15	0.06	< 10	< 10	62	< 10	82
T35044	203 205	< 0.01	32	560	56	2	3	20	0.02	< 10	< 10	60	< 10	96
T35045	203 205	0.01	52	920	18	< 2	3	21	0.04	< 10	< 10	48	< 10	124
T35046	203 205	< 0.01	61	390	30	< 2	6	12	< 0.01	< 10	< 10	44	< 10	96
T35047	203 205	< 0.01	76	630	20	2	4	17	< 0.01	< 10	< 10	31	< 10	108
T35048	203 205	< 0.01	135	570	40	< 2	4	11	< 0.01	< 10	< 10	25	< 10	282
T35049	203 205	< 0.01	39	290	32	< 2	3	8	< 0.01	< 10	< 10	25	< 10	140
T35050	203 205	< 0.01	32	600	120	< 2	2	19	0.02	< 10	< 10	32	< 10	158
T35051	203 205	< 0.01	17	450	816	< 2	1	23	< 0.01	< 10	< 10	11	< 10	72
T35052	203 205	< 0.01	128	720	284	4	6	68	< 0.01	< 10	< 10	36	< 10	452
T35053	203 205	< 0.01	24	940	28	< 2	6	26	0.01	< 10	< 10	35	< 10	96
T35054	203 205	< 0.01	41	570	16	< 2	2	13	0.02	< 10	< 10	40	< 10	114
T35055	203 205	< 0.01	28	610	22	< 2	2	33	< 0.01	< 10	< 10	13	< 10	70
T35056	203 205	0.01	13	650	26	< 2	1	17	0.02	< 10	< 10	36	< 10	48
T35057	203 205	0.01	17	650	38	< 2	2	16	0.04	< 10	< 10	46	< 10	64
T35058	203 205	0.01	9	550	46	< 2	1	13	0.01	< 10	< 10	22	< 10	58
T35059	203 205	< 0.01	10	490	46	< 2	1	14	< 0.01	< 10	< 10	11	< 10	110
T35060	203 205	0.01	13	660	82	< 2	3	19	0.01	< 10	< 10	34	< 10	150
T35061	203 205	< 0.01	39	1200	38	< 2	7	26	0.01	< 10	< 10	61	< 10	160
T35062	203 205	< 0.01	25	830	24	2	3	13	0.01	< 10	< 10	37	< 10	182
T35063	203 205	< 0.01	16	640	26	< 2	2	32	< 0.01	< 10	< 10	18	< 10	88
T35064	203 205	< 0.01	51	360	24	2	2	11	< 0.01	< 10	< 10	25	< 10	148
T35065	203 205	< 0.01	18	360	186	< 2	1	16	0.01	< 10	< 10	32	< 10	232
T35066	203 205	< 0.01	91	1320	52	< 2	4	29	< 0.01	< 10	< 10	23	< 10	668
T35067	203 205	< 0.01	39	780	24	< 2	5	18	0.01	< 10	< 10	30	< 10	86
T35068	203 205	< 0.01	20	660	20	< 2	2	17	0.01	< 10	< 10	27	< 10	80
T35069	203 205	0.01	8	320	24	< 2	< 1	9	< 0.01	< 10	< 10	6	< 10	48
T35070	203 205	0.01	18	700	144	2	< 1	39	< 0.01	< 10	< 10	8	< 10	86
T35071	203 205	0.02	48	680	60	2	3	29	< 0.01	< 10	< 10	46	< 10	254
T35072	203 205	0.01	59	800	24	< 2	4	39	< 0.01	< 10	< 10	29	< 10	128
T35073	203 205	< 0.01	41	580	24	< 2	4	34	0.02	< 10	< 10	55	< 10	84
T35074	203 205	0.01	26	400	16	< 2	3	21	0.03	< 10	< 10	52	< 10	86
T35075	203 205	< 0.01	346	430	12	< 2	14	17	< 0.01	< 10	< 10	78	< 10	258
T35076	203 205	0.01	20	610	14	< 2	1	13	0.01	< 10	< 10	43	< 10	74

CERTIFICATION:

Robert Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 5-A
Total: 5
Certificate Date: 17-JUL-95
Invoice No.: 19521512
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T35077	203 205	< 0.2	1.88	6	660	0.5	< 2	0.41	0.5	10	172	20	2.85	< 10	< 1	0.20	20	0.63	630	1
T35078	203 205	< 0.2	1.76	12	460	0.5	< 2	0.39	0.5	9	153	25	2.72	< 10	< 1	0.20	10	0.69	460	< 1
T35079	203 205	< 0.2	2.13	10	710	0.5	2	0.38	0.5	9	148	20	3.31	< 10	< 1	0.18	10	0.57	610	1
T35080	203 205	< 0.2	2.00	12	280	0.5	2	0.25	0.5	13	153	22	3.01	< 10	< 1	0.20	10	0.66	550	< 1
T35081	203 205	< 0.2	1.49	10	390	< 0.5	2	0.38	0.5	6	130	10	1.93	< 10	< 1	0.18	10	0.44	225	1
T35082	203 205	< 0.2	1.89	12	570	0.5	< 2	0.36	0.5	13	86	33	3.45	< 10	< 1	0.13	20	0.65	470	< 1
T35083	203 205	< 0.2	1.97	2	280	< 0.5	< 2	0.34	< 0.5	5	224	9	2.11	< 10	< 1	0.16	10	0.35	205	1
T35084	203 205	< 0.2	1.67	6	340	< 0.5	2	0.40	1.0	8	196	15	2.94	< 10	< 1	0.20	10	0.52	540	1
T35085	203 205	< 0.2	1.79	10	520	0.5	< 2	0.38	1.0	12	209	22	2.79	< 10	< 1	0.26	20	0.68	615	< 1
T35086	203 205	< 0.2	2.29	2	800	0.5	< 2	0.51	< 0.5	10	192	20	3.04	< 10	< 1	0.26	20	0.73	845	< 1
T35087	203 205	< 0.2	1.27	2	340	0.5	< 2	0.31	0.5	9	157	16	1.52	< 10	< 1	0.31	30	0.47	125	< 1
T35088	203 205	< 0.2	2.60	2	450	0.5	< 2	0.64	0.5	11	122	25	2.85	< 10	< 1	0.22	10	0.87	470	1
T35089	203 205	< 0.2	1.56	26	270	0.5	< 2	0.44	< 0.5	9	141	15	2.50	< 10	< 1	0.21	20	0.62	320	< 1
T35090	203 205	< 0.2	1.80	14	520	< 0.5	< 2	0.41	< 0.5	13	128	21	3.35	< 10	< 1	0.21	10	0.51	885	1
T35091	203 205	< 0.2	1.28	8	130	< 0.5	< 2	0.14	< 0.5	7	171	8	1.99	< 10	< 1	0.14	10	0.28	305	1
T35092	203 205	< 0.2	2.03	10	270	0.5	< 2	0.23	0.5	12	153	15	2.87	< 10	< 1	0.23	10	0.61	395	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP - LEAGUE
Comments:

Page : 5-B
Total : 5
Certificate Date: 17-JUL-95
Invoice No. : I9521512
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9521512

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T35077	203 205	0.01	29	750	18	6	4	26	0.04	< 10	< 10	49	< 10	100
T35078	203 205	0.03	32	770	20	< 2	4	25	0.03	< 10	< 10	53	< 10	104
T35079	203 205	0.01	29	680	20	2	3	22	0.03	< 10	< 10	68	< 10	106
T35080	203 205	0.01	41	720	16	< 2	3	20	0.04	< 10	< 10	55	< 10	178
T35081	203 205	0.03	21	450	14	4	2	25	0.01	< 10	< 10	36	< 10	84
T35082	203 205	< 0.01	40	560	18	< 2	4	21	0.04	< 10	< 10	51	< 10	110
T35083	203 205	0.02	12	450	14	6	2	22	0.04	< 10	< 10	66	< 10	40
T35084	203 205	0.01	26	650	18	< 2	3	26	0.04	< 10	< 10	73	< 10	98
T35085	203 205	0.01	38	1130	18	2	4	33	0.05	< 10	< 10	54	< 10	100
T35086	203 205	0.02	36	1080	20	12	6	32	0.02	< 10	< 10	55	< 10	94
T35087	203 205	0.01	32	710	16	< 2	2	20	0.02	< 10	< 10	29	< 10	52
T35088	203 205	0.09	36	810	12	4	5	38	0.09	< 10	< 10	62	< 10	88
T35089	203 205	0.01	24	920	12	6	3	27	0.07	< 10	< 10	39	< 10	62
T35090	203 205	0.03	32	940	22	2	2	27	0.01	< 10	< 10	52	< 10	94
T35091	203 205	0.01	17	410	8	2	2	13	0.04	< 10	< 10	43	< 10	52
T35092	203 205	0.01	34	590	16	2	3	19	0.04	< 10	< 10	55	< 10	100

CERTIFICATION: Hank Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 1-A
Total Pages: 5
Certificate Date: 15-JUL-95
Invoice No.: 19521511
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521511

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T34536	203 205	< 0.2	1.15	36	460	< 0.5	< 2	0.72	0.5	19	76	26	4.32	< 10	< 1	0.16	30	0.48	1095	< 1
T34537	203 205	< 0.2	1.20	40	500	0.5	< 2	0.44	0.5	15	133	39	3.54	< 10	< 1	0.38	50	0.27	390	2
T34538	203 205	< 0.2	0.87	72	350	0.5	< 2	0.48	0.5	16	62	34	4.59	< 10	< 1	0.25	50	0.18	755	1
T34539	203 205	< 0.2	1.96	18	540	0.5	< 2	0.36	< 0.5	9	177	17	2.62	< 10	< 1	0.32	30	0.68	380	1
T34540	203 205	< 0.2	1.04	20	270	< 0.5	< 2	0.29	< 0.5	4	134	10	1.72	< 10	< 1	0.12	20	0.32	130	1
T34541	203 205	< 0.2	1.61	44	400	0.5	< 2	0.42	< 0.5	14	157	10	2.38	< 10	< 1	0.18	20	0.31	1210	1
T34542	203 205	< 0.2	1.34	34	180	< 0.5	< 2	0.45	0.5	11	124	16	2.90	< 10	< 1	0.25	20	0.65	515	1
T34543	203 205	< 0.2	2.15	34	230	0.5	< 2	0.36	< 0.5	14	117	20	3.15	< 10	< 1	0.29	20	0.90	425	< 1
T34544	203 205	< 0.2	1.93	28	250	0.5	< 2	0.26	0.5	12	87	19	2.95	< 10	< 1	0.18	30	0.67	490	1
T34545	203 205	< 0.2	1.65	22	140	< 0.5	< 2	0.24	< 0.5	8	178	10	2.69	< 10	< 1	0.21	20	0.54	220	< 1
T34546	203 205	< 0.2	1.20	14	120	< 0.5	< 2	0.23	< 0.5	4	99	7	1.99	< 10	< 1	0.10	10	0.33	120	< 1
T34547	203 205	< 0.2	1.50	20	300	< 0.5	< 2	0.40	< 0.5	6	167	10	2.14	< 10	< 1	0.25	30	0.49	210	1
T34548	203 205	< 0.2	1.38	26	200	< 0.5	< 2	0.36	< 0.5	10	104	21	2.50	< 10	< 1	0.15	20	0.66	380	1
T34549	203 205	< 0.2	1.41	20	240	< 0.5	< 2	0.26	< 0.5	7	199	14	2.51	< 10	< 1	0.20	20	0.45	280	1
T34550	203 205	< 0.2	2.08	54	300	0.5	< 2	1.06	0.5	13	76	24	3.35	< 10	< 1	0.16	20	0.85	525	< 1
T34551	203 205	< 0.2	1.32	38	1620	0.5	< 2	0.12	< 0.5	7	185	49	2.58	< 10	< 1	0.28	30	0.28	165	1
T34552	203 205	< 0.2	0.70	60	1850	< 0.5	< 2	0.06	< 0.5	8	127	65	2.36	< 10	< 1	0.15	30	0.13	355	1
T34553	203 205	< 0.2	1.24	34	1550	0.5	< 2	0.13	< 0.5	8	187	36	2.35	< 10	< 1	0.28	30	0.25	535	1
T34554	203 205	< 0.2	1.22	18	200	< 0.5	< 2	0.17	< 0.5	7	88	17	2.37	< 10	< 1	0.20	60	0.31	210	1
T34555	203 205	0.2	1.82	18	550	0.5	< 2	0.46	2.5	33	156	114	5.80	< 10	< 1	0.60	60	0.16	650	3
T34556	203 205	< 0.2	1.25	6	360	0.5	< 2	0.35	< 0.5	7	99	18	1.96	< 10	< 1	0.25	60	0.23	320	1
T34557	203 205	< 0.2	1.59	8	260	0.5	< 2	0.31	< 0.5	5	152	8	1.70	< 10	< 1	0.37	60	0.29	215	< 1
T34558	203 205	< 0.2	1.68	18	270	0.5	< 2	0.53	< 0.5	11	91	16	3.15	< 10	< 1	0.17	30	0.49	490	< 1
T34559	203 205	< 0.2	2.16	26	310	0.5	2	0.46	< 0.5	12	216	11	3.51	< 10	< 1	0.27	20	0.65	995	1
T34560	203 205	< 0.2	1.41	24	160	< 0.5	< 2	0.47	< 0.5	6	43	10	2.39	< 10	< 1	0.11	20	0.36	245	1
T34561	203 205	< 0.2	2.72	22	340	0.5	< 2	0.50	< 0.5	12	168	20	3.87	< 10	< 1	0.37	30	1.08	520	1
T34562	203 205	< 0.2	2.22	102	220	0.5	< 2	0.64	< 0.5	20	104	22	3.96	< 10	< 1	0.20	30	0.86	500	1
T34563	203 205	< 0.2	1.98	40	170	0.5	< 2	0.42	< 0.5	10	155	12	3.02	< 10	< 1	0.25	20	0.77	315	1
T34564	203 205	0.2	1.47	22	290	< 0.5	< 2	0.62	< 0.5	4	88	6	2.00	< 10	< 1	0.12	10	0.46	215	< 1
T34565	203 205	< 0.2	2.26	42	350	0.5	< 2	0.82	< 0.5	11	238	14	3.12	< 10	< 1	0.35	20	0.75	435	1
T34566	203 205	< 0.2	1.35	46	130	< 0.5	< 2	0.28	< 0.5	6	93	7	2.23	< 10	< 1	0.14	20	0.47	205	1
T34567	203 205	< 0.2	2.35	18	360	0.5	< 2	0.37	< 0.5	10	251	18	3.67	< 10	< 1	0.33	30	0.69	630	1
T34568	203 205	< 0.2	1.90	30	230	< 0.5	< 2	0.61	< 0.5	12	104	16	3.63	< 10	< 1	0.17	20	0.78	440	1
T34569	203 205	< 0.2	2.17	24	450	0.5	< 2	0.93	< 0.5	12	197	12	2.72	< 10	< 1	0.35	20	0.56	840	1
T34570	203 205	< 0.2	1.83	86	200	0.5	< 2	0.40	< 0.5	11	108	14	3.48	< 10	< 1	0.14	20	0.52	785	1
T34571	203 205	0.2	2.19	28	390	0.5	< 2	1.14	0.5	11	187	13	3.22	< 10	< 1	0.32	20	0.87	265	1
T34572	203 205	< 0.2	2.22	16	200	0.5	< 2	0.25	< 0.5	11	90	20	3.87	< 10	< 1	0.13	30	1.06	470	1
T34573	203 205	< 0.2	2.42	18	220	0.5	< 2	0.23	< 0.5	9	134	17	3.44	< 10	< 1	0.21	40	1.13	300	< 1
T34574	203 205	< 0.2	1.49	38	320	0.5	< 2	0.45	0.5	18	127	47	4.19	< 10	< 1	0.17	40	0.50	675	1
T34575	203 205	< 0.2	1.97	14	410	0.5	< 2	0.35	0.5	13	150	33	3.51	< 10	< 1	0.43	60	0.41	510	1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP - LEAGUE
Comments:

Page : 1-B
Total : 5
Certificate Date: 15-JUL-95
Invoice No. : 19521511
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9521511

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34536	203 205	0.01	31	890	14	< 2	6	28	< 0.01	< 10	< 10	34	< 10	94
T34537	203 205	0.01	32	900	22	< 2	4	21	0.01	< 10	< 10	24	< 10	80
T34538	203 205	0.01	32	830	18	< 2	4	24	< 0.01	< 10	< 10	17	< 10	86
T34539	203 205	0.03	25	840	14	< 2	4	25	0.04	< 10	< 10	49	< 10	70
T34540	203 205	0.02	13	430	8	< 2	2	19	0.06	< 10	< 10	50	< 10	46
T34541	203 205	0.06	10	1220	16	< 2	1	31	0.04	< 10	< 10	46	< 10	38
T34542	203 205	0.01	19	650	8	< 2	3	24	0.10	< 10	< 10	47	< 10	84
T34543	203 205	0.01	28	610	16	< 2	5	18	0.15	< 10	< 10	64	< 10	70
T34544	203 205	0.02	25	750	18	< 2	3	16	0.07	< 10	< 10	47	< 10	66
T34545	203 205	0.01	17	370	12	< 2	3	14	0.15	< 10	< 10	62	< 10	52
T34546	203 205	0.02	9	340	12	< 2	2	13	0.08	< 10	< 10	41	< 10	32
T34547	203 205	0.02	15	700	8	< 2	3	24	0.05	< 10	< 10	42	< 10	54
T34548	203 205	0.01	25	910	14	< 2	3	20	0.07	< 10	< 10	44	< 10	78
T34549	203 205	0.03	19	510	12	< 2	3	22	0.07	< 10	< 10	53	< 10	68
T34550	203 205	0.01	26	1400	12	< 2	5	64	0.06	< 10	< 10	57	< 10	116
T34551	203 205	0.02	33	290	12	< 2	3	15	0.03	< 10	< 10	40	< 10	96
T34552	203 205	0.01	31	310	14	< 2	1	16	0.01	< 10	< 10	26	< 10	80
T34553	203 205	0.04	24	500	14	< 2	3	21	0.03	< 10	< 10	40	< 10	64
T34554	203 205	0.01	20	620	14	< 2	1	14	0.01	< 10	< 10	29	< 10	60
T34555	203 205	0.01	82	1520	16	< 2	8	73	< 0.01	< 10	< 10	76	< 10	232
T34556	203 205	0.01	19	650	24	< 2	2	21	< 0.01	< 10	< 10	21	< 10	70
T34557	203 205	0.02	11	590	18	< 2	2	21	0.02	< 10	< 10	28	< 10	38
T34558	203 205	0.01	19	810	16	< 2	3	25	0.02	< 10	< 10	42	< 10	60
T34559	203 205	0.04	15	720	16	< 2	5	22	0.09	< 10	< 10	74	< 10	68
T34560	203 205	0.01	11	410	12	< 2	2	24	0.04	< 10	< 10	48	< 10	48
T34561	203 205	0.02	25	1010	16	< 2	6	26	0.04	< 10	< 10	63	< 10	90
T34562	203 205	0.02	31	750	14	< 2	6	27	0.09	< 10	< 10	65	< 10	66
T34563	203 205	0.02	20	370	16	< 2	4	20	0.11	< 10	< 10	52	< 10	62
T34564	203 205	0.01	9	670	12	< 2	1	27	0.03	< 10	< 10	40	< 10	38
T34565	203 205	0.04	20	620	12	< 2	5	39	0.10	< 10	< 10	59	< 10	86
T34566	203 205	< 0.01	11	330	14	< 2	2	13	0.09	< 10	< 10	51	< 10	46
T34567	203 205	0.03	22	1180	14	< 2	3	24	0.04	< 10	< 10	65	< 10	76
T34568	203 205	0.01	20	620	6	< 2	4	31	0.11	< 10	< 10	68	< 10	66
T34569	203 205	0.09	13	850	14	< 2	3	45	0.07	< 10	< 10	58	< 10	60
T34570	203 205	0.02	17	470	12	< 2	3	21	0.07	< 10	< 10	63	< 10	48
T34571	203 205	0.02	25	1260	12	< 2	6	47	0.08	< 10	< 10	67	< 10	138
T34572	203 205	< 0.01	22	650	20	< 2	6	12	0.04	< 10	< 10	64	< 10	92
T34573	203 205	0.03	22	630	20	< 2	7	13	0.04	< 10	< 10	63	< 10	88
T34574	203 205	< 0.01	52	1140	26	< 2	6	25	0.01	< 10	< 10	44	< 10	168
T34575	203 205	0.02	34	960	24	< 2	5	23	0.01	< 10	< 10	49	< 10	96

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page 1 of 2-A
Total P: 5
Certificate Date: 15-JUL-95
Invoice No.: 19521511
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521511

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T34576	203 205	< 0.2	1.00	18	190	0.5	< 2	0.16	< 0.5	6	78	18	2.09	< 10	< 1	0.19	60	0.22	160	1
T34577	203 205	< 0.2	1.47	20	240	0.5	< 2	0.12	< 0.5	6	174	13	2.24	< 10	< 1	0.28	40	0.32	170	1
T34578	203 205	< 0.2	1.28	26	160	0.5	< 2	0.30	< 0.5	8	65	17	2.38	< 10	< 1	0.10	40	0.53	270	2
T34579	203 205	< 0.2	1.74	28	890	0.5	< 2	0.19	< 0.5	10	248	41	2.97	< 10	< 1	0.35	40	0.44	330	1
T34580	203 205	0.6	0.81	52	940	< 0.5	< 2	0.09	< 0.5	8	157	70	3.14	< 10	< 1	0.29	30	0.19	400	1
T34581	203 205	0.2	1.93	48	810	0.5	< 2	0.17	< 0.5	10	220	46	3.36	< 10	< 1	0.30	30	0.44	240	2
T34582	203 205	< 0.2	1.55	8	460	< 0.5	< 2	0.35	< 0.5	8	169	16	2.34	< 10	< 1	0.17	10	0.60	375	< 1
T34583	203 205	< 0.2	1.55	4	240	< 0.5	< 2	0.21	< 0.5	8	167	13	2.10	< 10	< 1	0.19	20	0.49	265	1
T34584	203 205	< 0.2	1.13	4	290	< 0.5	< 2	0.24	< 0.5	7	167	7	1.89	< 10	< 1	0.12	20	0.47	300	1
T34585	203 205	< 0.2	1.94	6	350	0.5	< 2	0.35	< 0.5	8	228	17	2.51	< 10	< 1	0.28	20	0.65	310	1
T34586	203 205	< 0.2	1.53	6	360	< 0.5	< 2	0.42	< 0.5	10	144	19	2.33	< 10	< 1	0.14	20	0.70	405	< 1
T34587	203 205	0.2	2.17	12	720	0.5	< 2	0.47	< 0.5	10	196	31	2.83	< 10	< 1	0.29	20	0.67	480	1
T34588	203 205	< 0.2	1.60	8	800	< 0.5	< 2	0.58	0.5	11	93	26	2.27	< 10	< 1	0.13	10	0.49	360	< 1
T34589	203 205	< 0.2	1.90	6	290	< 0.5	< 2	0.15	< 0.5	6	272	12	2.74	< 10	< 1	0.29	20	0.51	245	1
T34590	203 205	< 0.2	1.75	22	320	0.5	< 2	0.65	< 0.5	11	121	19	3.03	< 10	< 1	0.14	20	0.75	440	1
T34591	203 205	< 0.2	1.95	18	240	< 0.5	< 2	0.22	< 0.5	8	243	16	3.61	< 10	< 1	0.24	20	0.60	355	1
T34592	203 205	< 0.2	2.23	18	280	0.5	< 2	0.57	0.5	15	129	22	4.26	< 10	< 1	0.14	20	1.02	1195	1
T34593	203 205	0.2	2.10	52	620	0.5	< 2	0.54	0.5	12	175	46	3.56	< 10	< 1	0.44	50	0.64	765	2
T34594	203 205	< 0.2	1.17	48	180	0.5	< 2	0.20	0.5	10	109	18	2.54	< 10	< 1	0.26	60	0.27	405	2
T34595	203 205	< 0.2	2.18	22	230	0.5	< 2	0.32	< 0.5	10	270	14	3.17	< 10	< 1	0.36	30	0.70	275	1
T34596	203 205	< 0.2	1.91	26	410	0.5	< 2	0.78	< 0.5	6	86	8	2.70	< 10	< 1	0.12	20	0.42	340	1
T34597	203 205	< 0.2	2.80	46	280	0.5	< 2	0.43	< 0.5	13	185	16	3.97	< 10	< 1	0.34	20	0.93	360	1
T34598	203 205	< 0.2	2.69	122	330	0.5	< 2	1.07	< 0.5	9	141	10	2.95	< 10	< 1	0.35	30	0.52	355	< 1
T34599	203 205	< 0.2	1.61	38	200	0.5	< 2	0.22	< 0.5	10	103	18	3.01	< 10	< 1	0.21	40	0.43	570	1
T34600	203 205	< 0.2	2.50	18	230	0.5	< 2	0.68	< 0.5	15	127	17	3.98	< 10	< 1	0.13	20	1.50	730	< 1
T34601	203 205	< 0.2	1.60	8	320	0.5	< 2	0.30	< 0.5	3	173	6	1.54	< 10	< 1	0.47	90	0.17	195	1
T34602	203 205	< 0.2	1.30	68	300	0.5	< 2	0.25	< 0.5	15	78	23	3.45	< 10	< 1	0.23	40	0.23	615	1
T34603	203 205	< 0.2	1.83	8	260	0.5	< 2	0.17	< 0.5	4	163	9	2.12	< 10	< 1	0.67	60	0.28	285	1
T34604	203 205	< 0.2	1.68	20	310	1.0	< 2	0.32	< 0.5	9	102	16	2.28	< 10	< 1	0.18	60	0.27	1090	1
T34605	203 205	< 0.2	1.90	18	140	0.5	< 2	0.59	< 0.5	8	153	9	3.12	< 10	< 1	0.27	20	0.58	315	1
T34606	203 205	< 0.2	2.01	48	150	0.5	< 2	0.56	< 0.5	15	101	16	3.64	< 10	< 1	0.31	20	0.91	440	1
T34607	203 205	< 0.2	1.89	72	460	0.5	< 2	0.36	0.5	16	121	29	3.50	< 10	< 1	0.58	50	0.42	590	2
T34608	203 205	< 0.2	1.11	72	190	1.0	< 2	0.09	< 0.5	11	67	20	2.67	< 10	< 1	0.24	50	0.22	515	2
T34609	203 205	< 0.2	2.36	84	480	0.5	< 2	0.44	1.0	27	127	54	5.86	< 10	< 1	0.44	40	0.55	1135	6
T34610	203 205	< 0.2	2.67	24	250	0.5	< 2	0.36	< 0.5	25	69	24	4.75	< 10	< 1	0.11	30	1.00	1150	1
T34611	203 205	< 0.2	2.61	34	400	0.5	< 2	0.37	0.5	22	251	46	4.19	< 10	< 1	0.35	20	0.80	935	2
T34612	203 205	< 0.2	2.44	44	180	0.5	< 2	0.38	0.5	16	67	88	5.29	< 10	< 1	0.12	40	1.25	475	4
T34613	203 205	< 0.2	1.82	32	320	0.5	< 2	0.07	< 0.5	3	132	7	1.59	< 10	< 1	0.55	140	0.25	60	3
T34614	203 205	< 0.2	1.07	22	120	< 0.5	< 2	0.16	< 0.5	4	44	13	1.45	< 10	< 1	0.15	70	0.28	80	1
T34615	203 205	< 0.2	1.05	18	160	< 0.5	< 2	0.11	< 0.5	6	111	12	2.11	< 10	< 1	0.18	50	0.28	230	1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 1 of 2-B
Total Pages: 5
Certificate Date: 15-JUL-95
Invoice No.: 19521511
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521511

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34576	203 205	0.01	19	750	22	< 2	1	14	0.01	< 10	< 10	26	< 10	68
T34577	203 205	0.02	16	430	22	< 2	2	13	0.03	< 10	< 10	44	< 10	56
T34578	203 205	< 0.01	20	1050	22	< 2	3	18	0.04	< 10	< 10	42	< 10	96
T34579	203 205	0.03	34	660	14	< 2	4	21	0.04	< 10	< 10	51	< 10	100
T34580	203 205	< 0.01	31	520	22	< 2	2	58	0.01	< 10	< 10	30	< 10	58
T34581	203 205	0.03	37	510	16	< 2	4	38	0.06	< 10	< 10	63	< 10	110
T34582	203 205	0.01	26	800	12	< 2	2	25	0.04	< 10	< 10	48	< 10	78
T34583	203 205	0.02	23	520	12	< 2	3	18	0.04	< 10	< 10	44	< 10	60
T34584	203 205	0.01	14	610	8	< 2	2	17	0.03	< 10	< 10	43	< 10	54
T34585	203 205	0.03	29	690	14	< 2	3	27	0.06	< 10	< 10	57	< 10	68
T34586	203 205	0.01	27	930	12	< 2	3	26	0.06	< 10	< 10	50	< 10	74
T34587	203 205	0.04	36	840	16	< 2	6	33	0.04	< 10	< 10	62	< 10	94
T34588	203 205	0.07	30	670	14	< 2	3	33	0.02	< 10	< 10	40	< 10	94
T34589	203 205	0.03	20	510	12	< 2	4	16	0.06	< 10	< 10	83	< 10	62
T34590	203 205	0.01	22	1280	14	< 2	4	37	0.03	< 10	< 10	49	< 10	144
T34591	203 205	0.02	26	1000	16	< 2	3	18	0.07	< 10	< 10	77	< 10	76
T34592	203 205	0.01	24	1050	76	< 2	4	25	0.03	< 10	< 10	67	< 10	146
T34593	203 205	0.03	26	780	98	< 2	6	27	0.03	< 10	< 10	47	< 10	224
T34594	203 205	< 0.01	16	840	30	< 2	2	13	0.03	< 10	< 10	29	< 10	100
T34595	203 205	0.02	20	670	14	< 2	4	20	0.13	< 10	< 10	75	< 10	54
T34596	203 205	0.01	11	600	16	< 2	2	30	0.07	< 10	< 10	59	< 10	36
T34597	203 205	0.03	24	910	16	< 2	4	23	0.10	< 10	< 10	78	< 10	82
T34598	203 205	0.02	11	560	18	< 2	6	42	0.13	< 10	< 10	60	< 10	52
T34599	203 205	< 0.01	19	1050	28	< 2	1	12	0.02	< 10	< 10	44	< 10	110
T34600	203 205	0.01	23	800	12	< 2	8	28	0.09	< 10	< 10	94	< 10	92
T34601	203 205	0.03	7	470	14	< 2	2	13	0.01	< 10	< 10	15	< 10	38
T34602	203 205	< 0.01	16	1010	20	< 2	3	13	0.01	< 10	< 10	29	< 10	54
T34603	203 205	0.02	9	710	14	< 2	1	10	0.01	< 10	< 10	25	< 10	38
T34604	203 205	0.01	19	640	26	< 2	2	13	0.01	< 10	< 10	22	< 10	52
T34605	203 205	0.02	13	520	16	< 2	4	26	0.17	< 10	< 10	64	< 10	50
T34606	203 205	< 0.01	21	830	12	< 2	4	20	0.16	< 10	< 10	69	< 10	62
T34607	203 205	0.02	30	950	22	< 2	6	21	0.03	< 10	< 10	49	< 10	114
T34608	203 205	< 0.01	20	410	32	< 2	2	10	0.01	< 10	< 10	25	< 10	82
T34609	203 205	0.02	67	1970	26	< 2	8	25	0.01	< 10	< 10	76	< 10	460
T34610	203 205	< 0.01	25	1250	26	< 2	8	14	0.02	< 10	< 10	80	< 10	104
T34611	203 205	0.03	46	1130	30	< 2	6	24	0.06	< 10	< 10	77	< 10	154
T34612	203 205	< 0.01	35	1480	20	< 2	9	21	0.01	< 10	< 10	111	< 10	222
T34613	203 205	0.02	7	410	34	< 2	2	16	< 0.01	< 10	< 10	21	< 10	58
T34614	203 205	< 0.01	11	620	30	< 2	1	16	0.02	< 10	< 10	23	< 10	42
T34615	203 205	0.01	14	430	18	< 2	2	12	0.04	< 10	< 10	48	< 10	52

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 3-A
Total: 5
Certificate Date: 15-JUL-95
Invoice No.: 19521511
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521511

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T34616	203 205	< 0.2	1.39	30	140	< 0.5	< 2	0.17	< 0.5	7	99	17	2.57	< 10	< 1	0.15	30	0.44	185	1
T34617	203 205	< 0.2	1.40	42	620	< 0.5	< 2	0.20	< 0.5	8	132	41	2.70	< 10	< 1	0.16	30	0.39	265	1
T34618	203 205	0.2	1.24	44	1200	0.5	< 2	0.06	< 0.5	7	150	66	2.83	< 10	< 1	0.19	30	0.19	240	1
T34619	203 205	< 0.2	1.66	26	1080	0.5	< 2	0.17	< 0.5	12	180	29	2.85	< 10	< 1	0.40	70	0.30	820	1
T34620	203 205	< 0.2	1.19	28	950	0.5	< 2	0.34	0.5	9	138	22	2.73	< 10	< 1	0.24	50	0.36	480	< 1
T34621	203 205	< 0.2	0.94	34	330	< 0.5	< 2	0.12	< 0.5	5	92	8	1.61	< 10	< 1	0.26	130	0.12	105	2
T34622	203 205	< 0.2	0.87	36	290	< 0.5	< 2	0.08	< 0.5	4	40	6	2.16	< 10	< 1	0.10	120	0.12	55	3
T34623	203 205	< 0.2	2.10	38	450	0.5	< 2	0.35	< 0.5	23	103	65	4.78	< 10	< 1	0.24	40	0.83	765	1
T34624	203 205	< 0.2	2.42	20	200	< 0.5	< 2	0.35	< 0.5	16	83	31	4.01	< 10	< 1	0.08	30	1.55	445	1
T34625	203 205	< 0.2	2.46	18	250	0.5	< 2	0.23	< 0.5	11	101	30	3.61	< 10	< 1	0.17	40	1.09	365	1
T34626	203 205	< 0.2	1.89	20	280	0.5	< 2	0.39	< 0.5	15	51	34	3.63	< 10	< 1	0.09	40	0.92	665	1
T34627	203 205	< 0.2	1.66	20	170	0.5	< 2	0.20	< 0.5	10	105	20	2.97	< 10	< 1	0.27	40	0.47	445	1
T34628	203 205	< 0.2	1.47	26	160	0.5	< 2	0.22	< 0.5	8	71	14	2.48	< 10	< 1	0.13	40	0.36	485	1
T34629	203 205	< 0.2	1.40	36	190	0.5	< 2	0.19	< 0.5	8	127	16	2.42	< 10	< 1	0.29	60	0.50	420	1
T34630	203 205	< 0.2	1.32	14	160	< 0.5	< 2	0.21	< 0.5	4	131	8	2.31	< 10	< 1	0.19	10	0.42	185	1
T34631	203 205	< 0.2	2.24	28	260	0.5	< 2	0.48	< 0.5	16	98	24	3.47	< 10	< 1	0.19	30	0.91	410	1
T34632	203 205	< 0.2	1.21	28	210	< 0.5	< 2	0.54	0.5	7	102	10	2.22	< 10	< 1	0.19	10	0.43	240	< 1
T34633	203 205	< 0.2	1.35	76	350	0.5	< 2	0.39	0.5	16	98	28	4.04	< 10	< 1	0.22	40	0.45	655	1
T34634	203 205	< 0.2	1.47	28	260	0.5	< 2	0.17	< 0.5	8	42	16	2.17	< 10	< 1	0.16	80	0.36	405	1
T34635	203 205	< 0.2	1.55	26	190	0.5	< 2	0.15	< 0.5	6	71	12	2.13	< 10	< 1	0.30	70	0.27	350	1
T34636	203 205	< 0.2	1.51	14	130	< 0.5	< 2	0.14	< 0.5	9	52	20	3.05	< 10	< 1	0.09	30	0.27	420	1
T34637	203 205	< 0.2	1.76	10	550	1.0	< 2	0.75	0.5	9	83	14	2.53	< 10	< 1	0.36	50	0.21	1310	1
T34638	203 205	< 0.2	1.67	42	310	0.5	< 2	0.16	< 0.5	9	73	20	3.08	< 10	< 1	0.10	20	0.39	655	1
T34639	203 205	0.6	2.05	230	240	0.5	< 2	0.53	4.0	26	132	102	6.22	< 10	< 1	0.19	30	0.84	855	9
T34640	203 205	< 0.2	2.08	92	190	0.5	< 2	0.54	< 0.5	11	144	15	3.42	< 10	< 1	0.14	20	0.82	660	1
T34641	203 205	< 0.2	1.62	26	110	< 0.5	< 2	0.33	< 0.5	9	139	12	3.08	< 10	< 1	0.21	20	0.66	285	1
T34642	203 205	< 0.2	1.04	12	250	< 0.5	< 2	0.31	< 0.5	4	140	4	1.70	< 10	< 1	0.18	20	0.28	430	< 1
T34643	203 205	< 0.2	1.78	32	160	< 0.5	< 2	0.16	< 0.5	8	94	15	2.83	< 10	< 1	0.13	30	0.52	325	1
T34644	203 205	< 0.2	1.26	18	190	0.5	< 2	0.16	< 0.5	6	51	11	2.12	< 10	< 1	0.15	60	0.29	315	1
T34645	203 205	< 0.2	2.04	32	360	0.5	< 2	0.60	0.5	13	93	22	3.48	< 10	< 1	0.16	40	0.88	530	1
T34646	203 205	< 0.2	1.69	64	230	< 0.5	< 2	0.21	< 0.5	10	87	17	3.07	< 10	< 1	0.06	10	0.90	260	2
T34647	203 205	< 0.2	1.72	34	320	< 0.5	< 2	0.37	< 0.5	15	130	27	3.89	< 10	< 1	0.11	10	0.91	870	< 1
T34648	203 205	< 0.2	1.78	58	190	< 0.5	< 2	0.45	< 0.5	11	146	16	3.51	< 10	< 1	0.13	10	0.76	700	1
T34649	203 205	0.8	2.03	74	200	0.5	< 2	0.54	2.5	16	123	93	3.77	< 10	< 1	0.18	20	0.83	485	8
T34650	203 205	< 0.2	1.61	48	330	0.5	< 2	0.26	< 0.5	11	82	32	2.96	< 10	< 1	0.13	40	0.55	430	1
T34651	203 205	< 0.2	2.49	20	600	1.0	< 2	0.85	0.5	10	178	14	3.01	< 10	< 1	0.46	40	0.48	480	1
T34652	203 205	< 0.2	0.79	26	540	< 0.5	< 2	0.65	0.5	13	56	31	3.11	< 10	< 1	0.14	40	0.22	305	1
T34653	203 205	< 0.2	1.52	24	150	< 0.5	< 2	0.33	< 0.5	25	48	51	4.91	< 10	< 1	0.10	40	0.63	595	1
T34654	203 205	< 0.2	1.05	30	270	< 0.5	< 2	0.19	< 0.5	5	133	6	2.02	< 10	< 1	0.19	80	0.19	325	2
T34655	203 205	< 0.2	1.20	26	450	< 0.5	< 2	0.12	< 0.5	5	58	9	2.07	< 10	< 1	0.10	80	0.24	155	1

CERTIFICATION: H. A. Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page 1 of 1 : 3-B
Total Pages : 5
Certificate Date: 15-JUL-95
Invoice No. : I9521511
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9521511

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34616	203 205	0.01	21	420	26	< 2	2	13	0.05	< 10	< 10	53	< 10	64
T34617	203 205	0.01	31	720	14	< 2	3	18	0.04	< 10	< 10	44	< 10	92
T34618	203 205	0.01	32	440	18	< 2	2	26	0.02	< 10	< 10	38	< 10	88
T34619	203 205	0.01	23	580	18	< 2	4	15	0.01	< 10	< 10	37	< 10	58
T34620	203 205	0.01	26	720	16	< 2	3	25	0.02	< 10	< 10	31	< 10	94
T34621	203 205	0.01	5	520	50	< 2	1	17	< 0.01	< 10	< 10	11	< 10	36
T34622	203 205	< 0.01	3	560	44	< 2	1	13	< 0.01	< 10	< 10	10	< 10	40
T34623	203 205	< 0.01	40	890	122	< 2	7	22	< 0.01	< 10	< 10	56	< 10	272
T34624	203 205	< 0.01	35	840	20	< 2	6	17	0.02	< 10	< 10	52	< 10	92
T34625	203 205	0.01	26	900	36	< 2	4	13	0.02	< 10	< 10	48	< 10	120
T34626	203 205	< 0.01	34	980	22	< 2	5	17	0.02	< 10	< 10	43	< 10	128
T34627	203 205	0.01	23	520	18	< 2	3	13	0.06	< 10	< 10	45	< 10	98
T34628	203 205	0.01	16	860	18	< 2	< 1	12	0.01	< 10	< 10	35	< 10	60
T34629	203 205	0.01	19	710	16	< 2	2	10	0.04	< 10	< 10	41	< 10	58
T34630	203 205	0.01	11	360	12	< 2	2	11	0.08	< 10	< 10	42	< 10	38
T34631	203 205	0.01	27	820	18	< 2	6	22	0.12	< 10	< 10	63	< 10	76
T34632	203 205	0.01	12	930	14	< 2	1	18	0.02	< 10	< 10	34	< 10	60
T34633	203 205	< 0.01	33	920	26	< 2	4	17	0.02	< 10	< 10	38	< 10	174
T34634	203 205	< 0.01	17	510	24	< 2	3	10	0.02	< 10	< 10	27	< 10	92
T34635	203 205	< 0.01	11	620	34	< 2	2	9	0.01	< 10	< 10	22	< 10	50
T34636	203 205	0.02	23	880	20	< 2	< 1	10	0.01	< 10	< 10	33	< 10	100
T34637	203 205	0.04	12	1220	22	< 2	1	37	< 0.01	< 10	< 10	15	< 10	142
T34638	203 205	< 0.01	18	1380	30	< 2	< 1	14	< 0.01	< 10	< 10	54	< 10	102
T34639	203 205	< 0.01	137	2320	24	< 2	9	22	0.08	< 10	< 10	86	< 10	418
T34640	203 205	0.02	24	1120	18	< 2	2	18	0.04	< 10	< 10	60	< 10	54
T34641	203 205	0.01	19	640	14	< 2	3	14	0.13	< 10	< 10	56	< 10	64
T34642	203 205	0.01	7	330	12	< 2	1	15	0.08	< 10	< 10	34	< 10	40
T34643	203 205	< 0.01	19	740	18	< 2	1	10	0.03	< 10	< 10	50	< 10	78
T34644	203 205	< 0.01	11	650	22	< 2	1	9	0.02	< 10	< 10	25	< 10	52
T34645	203 205	< 0.01	34	1090	14	< 2	6	25	0.02	< 10	< 10	53	< 10	204
T34646	203 205	0.01	28	780	12	< 2	2	11	0.03	< 10	< 10	71	< 10	88
T34647	203 205	0.02	23	840	8	< 2	2	18	0.03	< 10	< 10	91	< 10	62
T34648	203 205	0.02	21	1200	14	< 2	1	16	0.04	< 10	< 10	79	< 10	60
T34649	203 205	0.01	64	2480	20	< 2	4	27	0.06	< 10	< 10	99	< 10	354
T34650	203 205	< 0.01	29	950	20	< 2	3	15	0.03	< 10	< 10	44	< 10	132
T34651	203 205	0.01	16	1110	24	< 2	4	35	0.01	< 10	< 10	34	< 10	78
T34652	203 205	< 0.01	32	940	20	< 2	3	61	< 0.01	< 10	< 10	19	< 10	124
T34653	203 205	< 0.01	61	750	18	< 2	3	28	< 0.01	< 10	< 10	20	< 10	122
T34654	203 205	0.01	7	700	24	< 2	1	19	< 0.01	< 10	< 10	19	< 10	44
T34655	203 205	< 0.01	10	730	28	< 2	1	15	< 0.01	< 10	< 10	18	< 10	106

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP - LEAGUE
Comments:

Page 1 of 4-A
Total : 5
Certificate Date: 15-JUL-95
Invoice No. : I9521511
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS A9521511

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T34656	203 205	< 0.2	2.34	22	240	< 0.5	< 2	0.20	< 0.5	11	107	35	3.82	< 10	< 1	0.14	30	1.15	320	1
T34657	203 205	< 0.2	1.49	20	210	< 0.5	< 2	0.18	< 0.5	8	99	19	3.07	< 10	< 1	0.10	20	0.41	400	2
T34658	203 205	< 0.2	2.01	20	250	< 0.5	< 2	0.28	< 0.5	11	108	27	3.60	< 10	< 1	0.14	30	1.14	380	1
T34659	203 205	< 0.2	1.79	18	270	0.5	< 2	0.31	< 0.5	10	58	16	3.22	< 10	< 1	0.08	20	0.63	585	1
T34660	203 205	< 0.2	2.08	30	190	0.5	< 2	0.15	0.5	16	88	30	3.92	< 10	< 1	0.19	30	0.57	420	1
T34661	203 205	< 0.2	2.26	18	190	< 0.5	< 2	0.30	< 0.5	13	67	21	4.00	< 10	< 1	0.06	20	1.20	550	1
T34662	203 205	< 0.2	3.15	26	390	0.5	< 2	0.58	1.0	27	82	32	5.91	< 10	< 1	0.28	60	1.49	1370	2
T34663	203 205	< 0.2	1.53	42	230	< 0.5	< 2	0.23	< 0.5	23	66	32	4.13	< 10	< 1	0.10	30	0.53	940	5
T34664	203 205	< 0.2	2.02	42	220	< 0.5	< 2	0.69	0.5	19	73	63	4.78	< 10	< 1	0.26	40	1.01	860	2
T34665	203 205	< 0.2	1.00	28	490	0.5	< 2	0.49	0.5	6	162	57	2.74	< 10	< 1	0.19	30	0.18	675	3
T34666	203 205	< 0.2	0.88	24	310	< 0.5	< 2	0.15	< 0.5	2	129	8	1.86	< 10	< 1	0.17	100	0.11	55	2
T34667	203 205	< 0.2	1.04	44	230	0.5	< 2	0.22	0.5	7	49	28	3.09	< 10	< 1	0.14	80	0.07	135	8
T34668	203 205	< 0.2	2.60	30	460	0.5	< 2	0.39	< 0.5	25	162	41	4.98	< 10	< 1	0.20	40	0.96	860	< 1
T34669	203 205	< 0.2	1.53	12	270	< 0.5	< 2	0.23	< 0.5	8	100	17	2.91	< 10	< 1	0.10	20	0.48	355	1
T34670	203 205	< 0.2	1.64	14	400	0.5	< 2	0.37	< 0.5	11	183	22	2.72	< 10	< 1	0.22	40	0.63	420	1
T34671	203 205	< 0.2	0.79	10	290	< 0.5	< 2	0.22	< 0.5	2	30	4	1.07	< 10	< 1	0.09	90	0.12	30	1
T34672	203 205	< 0.2	0.93	12	200	< 0.5	< 2	0.13	< 0.5	7	65	9	1.74	< 10	< 1	0.14	70	0.19	205	3
T34673	203 205	< 0.2	1.24	20	480	0.5	< 2	0.23	< 0.5	3	41	12	2.00	< 10	< 1	0.07	60	0.30	115	1
T34674	203 205	< 0.2	1.88	28	300	0.5	< 2	0.46	< 0.5	10	89	22	3.31	< 10	< 1	0.14	30	0.76	310	1
T34675	203 205	< 0.2	1.76	24	320	0.5	< 2	0.46	< 0.5	10	68	35	3.53	< 10	< 1	0.09	20	0.61	445	2
T34676	203 205	< 0.2	2.43	12	430	< 0.5	< 2	0.31	< 0.5	10	95	21	3.17	< 10	< 1	0.24	40	1.11	335	< 1
T34677	203 205	< 0.2	1.61	18	270	< 0.5	< 2	0.35	< 0.5	8	128	12	2.64	< 10	< 1	0.18	30	0.42	475	1
T34678	203 205	< 0.2	2.45	14	440	0.5	< 2	0.60	< 0.5	22	82	31	3.98	< 10	< 1	0.19	40	0.92	1000	1
T34679	203 205	0.2	2.31	18	1980	0.5	< 2	1.12	0.5	23	115	61	4.55	< 10	< 1	0.16	60	1.07	815	1
T34680	203 205	< 0.2	1.68	26	330	< 0.5	< 2	0.49	< 0.5	11	85	23	3.17	< 10	< 1	0.14	20	0.51	610	1
T34681	203 205	< 0.2	1.86	14	300	0.5	< 2	0.24	< 0.5	9	54	32	2.80	< 10	< 1	0.08	40	0.73	315	1
T34682	203 205	0.4	1.22	48	290	< 0.5	< 2	0.29	< 0.5	6	66	16	2.73	< 10	< 1	0.18	30	0.29	180	6
T34683	203 205	< 0.2	1.11	22	190	< 0.5	< 2	0.23	< 0.5	6	47	9	2.07	< 10	< 1	0.09	40	0.26	260	2
T34684	203 205	< 0.2	0.90	8	270	< 0.5	< 2	0.21	< 0.5	2	130	9	0.89	< 10	< 1	0.29	120	0.13	30	1
T34685	203 205	< 0.2	1.34	4	280	< 0.5	< 2	0.27	< 0.5	11	73	24	2.40	< 10	< 1	0.07	20	0.59	335	< 1
T34686	203 205	0.6	1.24	38	360	0.5	< 2	0.67	1.5	22	94	26	3.16	< 10	< 1	0.27	20	0.41	1020	2
T34687	203 205	0.4	0.95	48	350	< 0.5	< 2	0.30	0.5	18	97	20	3.16	< 10	< 1	0.29	20	0.20	655	2
T34688	203 205	0.8	1.14	50	690	0.5	< 2	1.38	6.0	22	84	37	2.91	< 10	< 1	0.28	10	0.22	995	2
T34689	203 205	0.4	1.35	64	860	0.5	< 2	0.48	1.5	22	101	42	3.90	< 10	< 1	0.20	20	0.56	360	4
T34690	203 205	1.2	2.29	116	1390	0.5	< 2	0.85	< 0.5	22	95	30	3.50	< 10	< 1	0.19	30	0.50	935	1
T34691	203 205	0.2	0.44	30	190	< 0.5	< 2	0.49	4.5	15	49	15	1.42	< 10	< 1	0.24	30	0.05	800	1
T34692	203 205	1.2	1.49	58	440	0.5	< 2	0.41	2.0	39	92	45	4.43	< 10	< 1	0.38	20	0.35	1575	1
T34693	203 205	1.2	1.35	72	420	< 0.5	< 2	0.20	7.0	40	128	54	3.90	< 10	< 1	0.26	20	0.86	1490	1
T34694	203 205	1.0	1.04	166	280	0.5	< 2	0.39	10.5	44	123	61	5.12	< 10	< 1	0.47	20	0.13	1580	1
T34695	203 205	6.2	1.24	156	730	0.5	< 2	0.85	< 0.5	9	34	26	3.06	< 10	< 1	0.12	20	0.25	520	2

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 4-B
Total: 5
Certificate Date: 15-JUL-95
Invoice No.: I9521511
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS A9521511

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34656	203 205	0.01	30	800	26	< 2	4	13	0.01	< 10	< 10	53	< 10	104
T34657	203 205	0.01	19	810	24	< 2	1	12	0.01	< 10	< 10	46	< 10	80
T34658	203 205	0.01	27	850	18	< 2	6	13	0.06	< 10	< 10	63	< 10	92
T34659	203 205	< 0.01	20	970	16	< 2	1	14	0.01	< 10	< 10	46	< 10	80
T34660	203 205	< 0.01	36	590	24	< 2	3	10	0.03	< 10	< 10	47	< 10	150
T34661	203 205	< 0.01	24	990	16	< 2	7	13	0.03	< 10	< 10	79	< 10	88
T34662	203 205	0.01	36	1260	30	< 2	11	23	< 0.01	< 10	< 10	87	< 10	174
T34663	203 205	< 0.01	41	1020	48	< 2	2	14	0.01	< 10	< 10	47	< 10	158
T34664	203 205	0.01	39	1180	58	< 2	6	37	0.02	< 10	< 10	57	< 10	232
T34665	203 205	0.01	22	1800	28	< 2	1	39	< 0.01	< 10	< 10	31	< 10	164
T34666	203 205	0.01	6	630	22	< 2	1	23	< 0.01	< 10	< 10	13	< 10	44
T34667	203 205	< 0.01	30	1030	68	< 2	2	35	< 0.01	< 10	< 10	7	< 10	280
T34668	203 205	0.01	81	790	16	< 2	7	28	0.01	< 10	< 10	40	< 10	112
T34669	203 205	< 0.01	22	630	14	< 2	1	16	0.02	< 10	< 10	51	< 10	70
T34670	203 205	0.02	30	660	18	< 2	4	28	0.07	< 10	< 10	49	< 10	80
T34671	203 205	< 0.01	3	360	28	< 2	1	21	< 0.01	< 10	< 10	10	< 10	36
T34672	203 205	0.01	10	290	30	< 2	1	16	< 0.01	< 10	< 10	13	< 10	66
T34673	203 205	< 0.01	10	510	28	< 2	1	16	< 0.01	< 10	< 10	22	< 10	72
T34674	203 205	0.01	20	630	44	2	5	24	0.01	< 10	< 10	49	< 10	184
T34675	203 205	< 0.01	25	1110	20	2	1	23	0.01	< 10	< 10	57	< 10	104
T34676	203 205	0.01	19	670	16	< 2	4	14	0.02	< 10	< 10	45	< 10	72
T34677	203 205	0.02	16	650	18	< 2	2	17	0.03	< 10	< 10	51	< 10	84
T34678	203 205	0.02	30	1750	16	< 2	6	23	0.01	< 10	< 10	49	< 10	136
T34679	203 205	0.01	30	1480	70	< 2	11	48	0.02	< 10	< 10	69	< 10	160
T34680	203 205	0.01	17	1290	34	< 2	2	24	0.01	< 10	< 10	54	< 10	94
T34681	203 205	< 0.01	19	540	90	< 2	3	14	0.01	< 10	< 10	34	< 10	334
T34682	203 205	0.05	12	510	46	< 2	1	87	< 0.01	< 10	< 10	16	< 10	92
T34683	203 205	< 0.01	9	620	30	< 2	< 1	27	0.01	< 10	< 10	25	< 10	52
T34684	203 205	0.02	5	560	34	< 2	1	20	< 0.01	< 10	< 10	8	< 10	64
T34685	203 205	< 0.01	29	500	14	< 2	3	18	0.03	< 10	< 10	39	< 10	80
T34686	203 205	< 0.01	37	790	118	< 2	4	29	< 0.01	< 10	< 10	34	< 10	374
T34687	203 205	< 0.01	23	540	78	< 2	2	18	< 0.01	< 10	< 10	24	< 10	190
T34688	203 205	0.01	48	1030	84	2	3	50	< 0.01	< 10	< 10	21	< 10	510
T34689	203 205	< 0.01	54	600	48	2	6	22	< 0.01	< 10	< 10	29	< 10	314
T34690	203 205	0.01	42	970	76	2	7	33	< 0.01	< 10	< 10	33	< 10	326
T34691	203 205	0.01	18	510	238	< 2	1	17	< 0.01	< 10	< 10	7	< 10	546
T34692	203 205	< 0.01	63	660	382	< 2	5	16	< 0.01	< 10	< 10	34	< 10	516
T34693	203 205	< 0.01	129	510	188	< 2	6	15	< 0.01	< 10	< 10	33	< 10	902
T34694	203 205	< 0.01	71	700	366	2	4	19	< 0.01	< 10	< 10	17	< 10	2130
T34695	203 205	0.01	18	1390	2290	2	1	35	< 0.01	< 10	< 10	17	< 10	116

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP - LEAGUE
Comments:

Page: 5-A
Total: 5
Certificate Date: 15-JUL-95
Invoice No.: I9521511
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9521511

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T34696	203 205	0.6	0.94	48	330	< 0.5	< 2	0.23	2.5	6	84	16	2.53	< 10	2	0.23	20	0.19	180	2
T34697	203 205	0.6	3.24	56	290	< 0.5	< 2	0.47	10.0	49	190	63	6.49	10	2	0.43	10	1.80	1680	2
T34698	203 205	15.8	1.12	998	280	< 0.5	< 2	0.02	0.5	2	137	33	3.90	< 10	< 1	0.82	10	0.07	55	3
T34699	203 205	0.4	1.66	48	210	< 0.5	< 2	0.06	< 0.5	12	177	21	4.26	< 10	< 1	0.37	30	0.32	445	3
T34700	203 205	0.2	2.27	42	230	< 0.5	< 2	0.57	5.0	27	162	35	4.58	< 10	< 1	0.22	10	1.40	1185	< 1
T34701	203 205	0.2	0.61	26	260	< 0.5	< 2	0.31	1.5	13	59	23	2.31	10	< 1	0.39	60	0.13	1120	1
T34702	203 205	0.6	1.10	24	230	< 0.5	< 2	0.33	1.5	6	172	12	1.87	10	< 1	0.41	40	0.29	250	2
T34703	203 205	< 0.2	1.09	14	260	< 0.5	< 2	0.32	< 0.5	6	66	10	1.70	10	< 1	0.18	40	0.39	265	1
T34704	203 205	< 0.2	1.51	16	340	< 0.5	< 2	0.29	< 0.5	13	219	18	2.05	10	< 1	0.39	60	0.76	1085	1
T34705	203 205	< 0.2	1.18	26	230	< 0.5	< 2	0.20	< 0.5	8	88	18	2.04	10	< 1	0.20	60	0.40	370	1
T34706	203 205	< 0.2	1.20	8	340	< 0.5	< 2	0.37	0.5	9	58	24	2.12	< 10	< 1	0.18	30	0.58	470	1
T34707	203 205	< 0.2	1.27	< 2	340	< 0.5	< 2	0.36	0.5	9	58	22	2.12	< 10	< 1	0.14	20	0.64	470	1
T34708	203 205	< 0.2	1.46	8	280	< 0.5	< 2	0.15	< 0.5	3	44	11	1.82	< 10	< 1	0.12	20	0.30	205	1
T34709	203 205	< 0.2	1.13	14	170	< 0.5	< 2	0.14	< 0.5	6	28	15	2.04	10	< 1	0.16	70	0.28	155	1
T34710	203 205	0.2	1.54	14	490	< 0.5	< 2	0.43	< 0.5	< 1	41	10	1.94	10	< 1	0.13	30	0.28	60	1
T34711	203 205	< 0.2	1.61	14	330	< 0.5	< 2	0.51	0.5	8	40	22	2.40	10	< 1	0.13	30	0.49	360	1
T34712	203 205	< 0.2	1.20	< 2	130	< 0.5	< 2	0.06	< 0.5	2	25	8	0.90	10	< 1	0.06	30	0.13	45	1
T34713	203 205	< 0.2	1.86	22	340	< 0.5	< 2	0.46	< 0.5	11	41	18	3.45	10	< 1	0.11	20	0.85	445	1
T34714	203 205	< 0.2	2.11	8	310	< 0.5	< 2	0.56	< 0.5	10	59	17	3.44	10	< 1	0.10	20	0.99	380	< 1
T34715	203 205	< 0.2	1.84	2	360	< 0.5	< 2	0.34	< 0.5	7	40	15	2.78	10	< 1	0.10	20	0.71	245	1
T34716	203 205	< 0.2	2.11	16	160	< 0.5	< 2	0.15	0.5	9	47	21	4.46	10	< 1	0.12	20	0.71	410	2
T34717	203 205	< 0.2	2.31	16	410	< 0.5	< 2	0.58	< 0.5	11	57	29	3.62	10	< 1	0.14	20	0.80	405	1
T34718	203 205	< 0.2	1.93	16	290	< 0.5	< 2	0.65	0.5	10	53	20	3.35	10	< 1	0.15	30	0.69	480	1
T34719	203 205	0.2	1.58	14	380	< 0.5	< 2	0.39	< 0.5	5	34	16	2.55	10	< 1	0.16	40	0.53	220	1
T34720	203 205	< 0.2	0.96	14	250	0.5	< 2	0.19	< 0.5	3	24	7	1.79	10	< 1	0.16	80	0.24	90	1
T34721	203 205	< 0.2	0.96	24	160	< 0.5	< 2	0.13	< 0.5	5	26	15	2.00	10	< 1	0.15	60	0.22	140	2
T34722	203 205	< 0.2	1.74	18	330	< 0.5	< 2	0.27	< 0.5	9	50	21	3.00	< 10	< 1	0.13	20	0.49	245	1
T34723	203 205	< 0.2	1.39	12	320	< 0.5	< 2	0.25	< 0.5	11	53	26	2.65	< 10	< 1	0.14	30	0.49	395	1
T34751	203 205	0.6	1.73	52	230	< 0.5	< 2	0.40	0.5	14	58	38	3.54	< 10	< 1	0.12	10	0.69	510	3
T34752	203 205	0.6	1.54	54	350	< 0.5	< 2	0.76	0.5	13	59	37	3.66	< 10	< 1	0.12	20	0.59	645	3
T34753	203 205	< 0.2	1.32	70	90	< 0.5	< 2	0.16	< 0.5	8	61	15	2.64	< 10	< 1	0.18	20	0.59	285	1
T34754	203 205	< 0.2	1.21	22	140	< 0.5	< 2	0.26	< 0.5	10	39	20	2.39	< 10	< 1	0.16	30	0.44	465	1
T34755	203 205	< 0.2	1.39	26	210	< 0.5	< 2	0.31	< 0.5	8	49	13	2.61	< 10	< 1	0.14	20	0.53	415	1
T34756	203 205	< 0.2	1.95	36	270	< 0.5	< 2	0.57	< 0.5	11	68	17	3.33	< 10	< 1	0.10	10	1.03	350	1
T34757	203 205	< 0.2	1.56	36	200	< 0.5	< 2	0.36	< 0.5	8	51	12	2.73	< 10	< 1	0.15	20	0.64	245	< 1
T34758	203 205	< 0.2	1.66	38	210	< 0.5	< 2	0.80	< 0.5	11	48	14	2.94	< 10	< 1	0.16	10	0.78	395	< 1
T34759	203 205	0.2	1.68	40	260	< 0.5	< 2	0.51	< 0.5	10	49	14	2.77	< 10	< 1	0.19	20	0.69	420	1
T34760	203 205	< 0.2	1.26	30	160	< 0.5	< 2	0.22	< 0.5	6	43	18	2.22	10	< 1	0.21	40	0.42	250	< 1
T34761	203 205	< 0.2	1.87	88	200	< 0.5	< 2	0.43	< 0.5	12	45	21	3.39	< 10	< 1	0.24	20	0.83	450	< 1
T34762	203 205	< 0.2	1.68	38	230	< 0.5	< 2	0.48	< 0.5	8	52	11	2.71	< 10	< 1	0.13	30	0.69	210	1

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP - LEAGUE
Comments:

Page : 5-B
Total : 5
Certificate Date: 15-JUL-95
Invoice No. : 19521511
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9521511

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T34696	203 205	< 0.01	17	380	424	2	2	31	0.01	< 10	< 10	29	< 10	526
T34697	203 205	< 0.01	113	780	82	6	17	22	< 0.01	< 10	< 10	86	10	2000
T34698	203 205	0.01	10	770	3370	18	2	54	< 0.01	< 10	< 10	11	< 10	306
T34699	203 205	0.01	35	460	68	4	3	10	0.01	< 10	< 10	32	< 10	186
T34700	203 205	0.01	55	700	108	4	11	29	0.16	< 10	< 10	66	10	974
T34701	203 205	< 0.01	31	690	26	2	3	16	< 0.01	< 10	< 10	10	< 10	448
T34702	203 205	0.02	15	640	122	< 2	2	28	< 0.01	< 10	< 10	21	< 10	816
T34703	203 205	< 0.01	22	630	22	< 2	2	17	0.01	< 10	< 10	22	< 10	82
T34704	203 205	< 0.01	61	640	18	< 2	4	19	0.02	< 10	< 10	31	< 10	74
T34705	203 205	< 0.01	22	690	20	2	3	15	0.01	< 10	< 10	29	< 10	110
T34706	203 205	0.02	29	1080	16	< 2	4	29	0.06	< 10	< 10	42	< 10	82
T34707	203 205	0.01	29	940	10	< 2	3	27	0.04	< 10	< 10	42	< 10	78
T34708	203 205	0.01	14	480	12	< 2	1	14	0.02	< 10	< 10	48	< 10	46
T34709	203 205	0.01	14	650	18	< 2	2	16	0.02	10	< 10	26	< 10	60
T34710	203 205	0.01	8	1320	22	2	2	33	< 0.01	< 10	< 10	32	< 10	48
T34711	203 205	0.02	14	1100	32	< 2	1	33	< 0.01	< 10	< 10	41	< 10	106
T34712	203 205	0.01	8	370	4	< 2	< 1	7	0.01	< 10	< 10	30	< 10	30
T34713	203 205	0.01	19	810	30	< 2	4	19	0.03	< 10	< 10	45	< 10	106
T34714	203 205	0.01	25	1160	12	2	5	25	0.03	< 10	< 10	59	< 10	118
T34715	203 205	< 0.01	18	1260	14	< 2	3	19	0.01	< 10	< 10	42	< 10	86
T34716	203 205	0.01	19	610	32	2	5	10	0.07	< 10	< 10	74	< 10	96
T34717	203 205	0.01	28	1090	20	4	6	32	0.04	< 10	< 10	65	< 10	112
T34718	203 205	0.01	21	840	34	2	4	40	0.01	< 10	< 10	48	< 10	246
T34719	203 205	0.01	13	1000	40	< 2	3	26	0.01	< 10	< 10	40	< 10	108
T34720	203 205	< 0.01	7	580	18	< 2	1	25	0.01	10	< 10	21	< 10	48
T34721	203 205	0.01	12	560	26	< 2	1	26	0.01	10	< 10	22	< 10	62
T34722	203 205	0.01	23	480	18	4	3	21	0.06	< 10	< 10	62	< 10	74
T34723	203 205	0.01	28	950	20	< 2	3	27	0.03	< 10	< 10	40	< 10	116
T34751	203 205	0.01	39	920	22	2	4	30	0.08	< 10	< 10	69	< 10	156
T34752	203 205	0.01	33	2110	18	4	4	52	0.02	< 10	< 10	58	< 10	130
T34753	203 205	0.01	18	540	12	< 2	2	8	0.08	< 10	< 10	56	< 10	52
T34754	203 205	0.01	21	910	12	< 2	3	16	0.04	< 10	< 10	34	< 10	72
T34755	203 205	0.01	16	990	12	< 2	1	18	0.02	< 10	< 10	44	< 10	64
T34756	203 205	0.01	24	900	14	4	4	35	0.07	< 10	< 10	64	< 10	78
T34757	203 205	0.01	14	540	16	2	3	20	0.11	< 10	< 10	56	< 10	50
T34758	203 205	0.01	17	620	14	2	4	45	0.08	< 10	< 10	51	< 10	72
T34759	203 205	0.02	17	1050	16	4	4	29	0.08	< 10	< 10	54	< 10	60
T34760	203 205	0.01	18	720	22	< 2	2	14	0.04	< 10	< 10	32	< 10	84
T34761	203 205	0.01	20	800	14	2	6	24	0.12	< 10	< 10	66	< 10	64
T34762	203 205	0.01	18	900	14	2	3	27	0.06	< 10	< 10	47	< 10	74

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FINLAYSON LEAGUE
Comments:

Page : 1-A
Total : 1
Certificate Date: 17-OCT-95
Invoice No. : I9530606
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9530606

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T27048	205 226	23.0	0.24	680	280	< 0.5	< 2	0.03	< 0.5	1	198	7	0.66	< 10	< 1	0.24	10	0.01	15	2
T27049	205 226	10.2	0.26	622	680	< 0.5	< 2	0.01	< 0.5	< 1	163	6	0.65	< 10	< 1	0.27	20	0.01	15	2

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FINLAYSON LEAGUE
Comments:

Page : 1-B
Total : 1
Certificate Date: 17-OCT-95
Invoice No. : I9530606
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9530606

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T27048	205 226	0.01	5	150	>10000	18	< 1	8 < 0.01	< 10	< 10	3	< 10	12	
T27049	205 226	0.01	2	150	6990	16	< 1	6 < 0.01	< 10	< 10	2	< 10	16	

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 1-A
Total Pages : 4
Certificate Date: 18-OCT-95
Invoice No. : I9530592
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9530592

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0146	201 229	< 0.2	0.88	20	260	0.5	< 2	0.33	< 0.5	5	13	13	1.45	< 10	< 1	0.32	50	0.17	280	1
AA0147	201 229	< 0.2	0.54	10	180	< 0.5	< 2	0.28	< 0.5	3	6	7	1.69	< 10	< 1	0.26	60	0.09	195	2
AA0148	201 229	< 0.2	0.58	10	140	< 0.5	< 2	0.31	< 0.5	4	8	8	1.58	< 10	< 1	0.26	60	0.13	405	1
AA0150	201 229	< 0.2	0.95	20	250	< 0.5	< 2	0.68	< 0.5	10	20	13	2.98	< 10	< 1	0.28	30	0.26	530	1
AA0151	201 229	< 0.2	0.84	14	150	< 0.5	< 2	0.40	< 0.5	6	18	5	2.19	< 10	< 1	0.18	30	0.24	385	1
AA0152	201 229	< 0.2	0.73	42	300	< 0.5	< 2	0.32	< 0.5	8	19	17	2.48	< 10	< 1	0.26	50	0.23	190	1
AA0153	201 229	0.2	1.54	46	410	0.5	< 2	0.62	0.5	11	58	25	3.28	< 10	< 1	0.12	20	0.57	700	2
AA0154	201 229	< 0.2	1.36	20	430	< 0.5	< 2	0.40	< 0.5	10	37	21	2.57	< 10	< 1	0.09	20	0.62	390	1
AA0155	201 229	< 0.2	1.25	12	290	< 0.5	< 2	0.46	< 0.5	8	34	17	2.18	< 10	< 1	0.09	30	0.58	285	< 1
AA0156	201 229	0.2	1.53	44	120	< 0.5	< 2	0.24	< 0.5	5	24	9	2.75	< 10	< 1	0.08	20	0.33	300	1
AA0157	201 229	< 0.2	2.30	50	180	0.5	< 2	0.35	< 0.5	13	51	25	3.97	< 10	< 1	0.13	20	0.95	420	1
AA0158	201 229	< 0.2	1.58	20	60	< 0.5	< 2	0.23	< 0.5	8	26	9	2.54	< 10	< 1	0.13	10	0.58	235	< 1
AA0159	201 229	< 0.2	1.52	10	70	< 0.5	< 2	0.39	< 0.5	7	27	11	2.45	< 10	< 1	0.15	20	0.70	235	< 1
AA0160	201 229	1.0	0.79	56	1030	< 0.5	< 2	0.49	0.5	11	18	19	2.77	< 10	< 1	0.08	20	0.17	2770	3
AA0161	201 229	1.0	0.74	44	970	< 0.5	< 2	0.89	4.0	24	14	34	3.20	< 10	< 1	0.13	20	0.17	1775	2
AA0162	201 229	0.6	1.05	46	400	0.5	< 2	0.31	0.5	9	22	31	3.87	< 10	< 1	0.13	20	0.22	345	2
AA0163	201 229	1.0	0.94	46	520	< 0.5	< 2	0.81	2.0	14	16	23	3.20	< 10	< 1	0.14	20	0.20	805	2
AA0164	201 229	0.6	0.76	24	610	< 0.5	< 2	0.56	1.0	11	17	25	2.12	< 10	< 1	0.11	20	0.21	315	1
AA0165	201 229	0.8	1.00	30	1040	0.5	< 2	0.66	1.0	6	19	41	2.09	< 10	< 1	0.12	10	0.21	520	1
AA0166	201 229	0.4	0.65	38	370	< 0.5	< 2	0.40	< 0.5	10	14	20	2.71	< 10	< 1	0.10	10	0.15	520	2
AA0167	201 229	0.6	0.83	46	540	< 0.5	< 2	0.45	0.5	18	13	23	3.70	< 10	< 1	0.08	20	0.13	1060	3
AA0168	201 229	1.0	0.88	32	790	< 0.5	< 2	0.52	< 0.5	11	12	29	3.25	< 10	< 1	0.16	20	0.07	420	4
AA0169	201 229	0.6	0.64	24	270	< 0.5	< 2	0.36	< 0.5	8	8	13	2.60	< 10	< 1	0.15	40	0.06	335	3
AA0170	201 229	0.4	0.89	20	380	< 0.5	< 2	0.60	< 0.5	7	8	15	2.34	< 10	< 1	0.09	10	0.06	640	2
AA0171	201 229	1.0	0.95	94	430	0.5	< 2	0.54	0.5	17	22	49	4.57	< 10	< 1	0.12	20	0.27	905	2
AA0172	201 229	0.4	0.97	36	480	< 0.5	< 2	0.36	1.0	19	19	32	3.54	< 10	< 1	0.10	20	0.25	1670	2
AA0173	201 229	0.4	1.00	32	420	0.5	< 2	0.51	0.5	13	20	35	3.22	< 10	< 1	0.14	30	0.25	630	2
AA0174	201 229	0.2	0.99	148	220	< 0.5	< 2	0.39	1.0	21	19	48	6.70	< 10	< 1	0.09	20	0.38	1295	3
AA0175	201 229	1.2	1.12	68	380	0.5	< 2	0.46	1.0	9	21	49	4.71	< 10	< 1	0.12	30	0.26	440	2
AA0176	201 229	1.2	0.99	64	380	0.5	< 2	0.67	0.5	10	17	45	3.68	< 10	< 1	0.09	20	0.21	690	1
AA0177	201 229	1.0	0.84	88	220	0.5	< 2	0.97	1.0	15	18	60	5.15	< 10	< 1	0.11	20	0.33	315	3
AA0178	201 229	< 0.2	0.49	26	170	< 0.5	< 2	0.67	< 0.5	7	5	15	2.27	< 10	< 1	0.13	30	0.07	535	2
AA0179	201 229	0.2	0.68	66	170	0.5	< 2	0.45	0.5	12	13	27	4.17	< 10	< 1	0.13	30	0.23	820	2
AA0180	201 229	0.2	0.67	42	240	< 0.5	< 2	0.71	0.5	11	7	22	2.98	< 10	< 1	0.16	20	0.13	685	1
AA0181	201 229	1.0	0.82	120	260	0.5	< 2	0.66	2.0	21	19	74	5.22	< 10	< 1	0.12	20	0.30	1690	3
AA0182	201 229	0.2	1.07	68	310	< 0.5	< 2	0.36	0.5	18	17	34	5.39	< 10	< 1	0.07	10	0.48	685	1
AA0183	201 229	0.2	1.13	124	80	< 0.5	< 2	0.06	< 0.5	13	20	20	4.95	< 10	< 1	0.05	10	0.36	415	2
AA0184	201 229	< 0.2	0.54	8	150	< 0.5	< 2	0.29	< 0.5	3	9	7	0.98	< 10	< 1	0.28	60	0.15	280	1
AA0185	201 229	< 0.2	1.03	14	330	0.5	< 2	0.53	< 0.5	8	23	16	2.36	< 10	< 1	0.22	40	0.37	310	1
AA0186	201 229	0.2	1.03	32	260	0.5	< 2	0.31	< 0.5	7	28	15	1.82	< 10	< 1	0.26	50	0.40	230	1

CERTIFICATION:

Hank Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page: 1-B
Total: 4
Certificate Date: 18-OCT-95
Invoice No.: I9530592
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9530592

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0146	201 229	< 0.01	12	570	34	< 2	2	14	< 0.01	< 10	< 10	14	< 10	56
AA0147	201 229	< 0.01	7	760	20	< 2	1	10	< 0.01	< 10	< 10	8	< 10	46
AA0148	201 229	< 0.01	9	830	14	< 2	1	10	< 0.01	< 10	< 10	8	< 10	70
AA0150	201 229	< 0.01	20	720	18	< 2	2	25	< 0.01	< 10	< 10	16	< 10	84
AA0151	201 229	< 0.01	11	600	16	< 2	1	16	< 0.01	< 10	< 10	14	< 10	54
AA0152	201 229	< 0.01	20	780	20	< 2	2	15	< 0.01	< 10	< 10	15	< 10	56
AA0153	201 229	< 0.01	48	830	22	< 2	3	33	0.02	< 10	< 10	45	< 10	126
AA0154	201 229	< 0.01	33	880	14	< 2	3	22	0.04	< 10	< 10	44	< 10	80
AA0155	201 229	< 0.01	27	1110	12	< 2	3	24	0.04	< 10	< 10	36	< 10	106
AA0156	201 229	< 0.01	11	640	16	< 2	1	10	0.02	< 10	< 10	56	< 10	52
AA0157	201 229	< 0.01	31	890	12	< 2	6	15	0.09	< 10	< 10	72	< 10	96
AA0158	201 229	< 0.01	15	750	12	< 2	2	9	0.08	< 10	< 10	36	< 10	56
AA0159	201 229	< 0.01	16	1000	8	< 2	2	14	0.08	< 10	< 10	35	< 10	62
AA0160	201 229	< 0.01	19	1190	40	< 2	2	65	< 0.01	< 10	< 10	32	< 10	104
AA0161	201 229	< 0.01	61	1100	68	< 2	2	54	< 0.01	< 10	< 10	29	< 10	356
AA0162	201 229	< 0.01	18	1060	32	< 2	3	31	< 0.01	< 10	< 10	37	< 10	166
AA0163	201 229	< 0.01	27	910	54	< 2	2	37	< 0.01	< 10	< 10	20	< 10	296
AA0164	201 229	< 0.01	27	1010	42	< 2	3	40	< 0.01	< 10	< 10	27	< 10	228
AA0165	201 229	< 0.01	26	880	52	< 2	3	51	< 0.01	< 10	< 10	36	< 10	136
AA0166	201 229	< 0.01	18	1030	34	< 2	2	34	< 0.01	< 10	< 10	31	< 10	110
AA0167	201 229	< 0.01	18	1120	38	< 2	2	35	< 0.01	< 10	< 10	30	< 10	120
AA0168	201 229	< 0.01	15	990	24	< 2	3	38	< 0.01	< 10	< 10	29	< 10	110
AA0169	201 229	< 0.01	12	810	22	< 2	1	24	< 0.01	< 10	< 10	19	< 10	98
AA0170	201 229	0.03	9	800	20	< 2	1	26	< 0.01	< 10	< 10	23	< 10	74
AA0171	201 229	< 0.01	34	1350	26	< 2	5	31	0.01	< 10	< 10	29	< 10	172
AA0172	201 229	< 0.01	28	880	22	< 2	3	21	< 0.01	< 10	< 10	31	< 10	150
AA0173	201 229	< 0.01	29	1010	24	< 2	3	25	0.01	< 10	< 10	29	< 10	144
AA0174	201 229	< 0.01	38	1190	34	< 2	5	19	0.01	< 10	< 10	32	< 10	194
AA0175	201 229	< 0.01	21	1250	26	< 2	5	21	< 0.01	< 10	< 10	29	< 10	144
AA0176	201 229	< 0.01	19	1610	22	< 2	4	26	< 0.01	< 10	< 10	25	< 10	110
AA0177	201 229	< 0.01	28	1450	38	< 2	6	38	0.01	< 10	< 10	32	< 10	168
AA0178	201 229	< 0.01	11	1010	20	< 2	1	21	< 0.01	< 10	< 10	13	< 10	88
AA0179	201 229	< 0.01	24	940	22	< 2	4	19	< 0.01	< 10	< 10	17	< 10	100
AA0180	201 229	< 0.01	18	630	22	< 2	2	25	< 0.01	< 10	< 10	14	< 10	136
AA0181	201 229	< 0.01	47	1720	36	< 2	7	36	< 0.01	< 10	< 10	34	< 10	264
AA0182	201 229	< 0.01	21	780	20	< 2	4	16	< 0.01	< 10	< 10	41	< 10	158
AA0183	201 229	< 0.01	19	850	30	< 2	1	5	< 0.01	< 10	< 10	33	< 10	120
AA0184	201 229	< 0.01	8	710	20	< 2	1	14	< 0.01	< 10	< 10	12	< 10	64
AA0185	201 229	< 0.01	17	1000	24	< 2	3	26	0.01	< 10	< 10	29	< 10	78
AA0186	201 229	< 0.01	18	720	24	< 2	2	17	0.01	< 10	< 10	26	< 10	76

CERTIFICATION:

Walter Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page: 2-A
Total P: 4
Certificate Date: 18-OCT-95
Invoice No.: 19530592
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9530592

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0187	201 229	< 0.2	1.14	20	280	0.5	< 2	0.46	< 0.5	7	26	15	2.11	< 10	< 1	0.24	40	0.37	195	1
AA0188	201 229	< 0.2	1.20	22	330	0.5	< 2	0.50	< 0.5	11	41	22	2.70	< 10	< 1	0.26	40	0.50	390	2
AA0189	201 229	< 0.2	1.12	16	210	< 0.5	< 2	0.37	< 0.5	11	52	16	2.51	< 10	< 1	0.19	30	0.63	275	1
AA0190	201 229	< 0.2	1.11	18	260	< 0.5	< 2	0.32	< 0.5	10	40	20	2.19	< 10	< 1	0.20	30	0.54	295	1
AA0191	201 229	< 0.2	1.35	32	380	0.5	< 2	0.46	< 0.5	12	43	30	2.56	< 10	< 1	0.13	20	0.74	470	1
AA0192	201 229	< 0.2	1.66	28	180	< 0.5	< 2	0.17	< 0.5	10	44	15	3.06	< 10	< 1	0.09	10	0.65	350	1
AA0193	201 229	< 0.2	1.29	18	340	< 0.5	< 2	0.44	< 0.5	12	40	24	2.32	< 10	< 1	0.09	20	0.69	320	1
AA0194	201 229	< 0.2	1.03	30	300	< 0.5	< 2	0.39	< 0.5	10	42	28	2.43	< 10	1	0.16	20	0.61	415	1
AA0195	201 229	0.2	1.00	24	270	< 0.5	< 2	0.45	1.0	12	31	30	2.45	< 10	< 1	0.15	20	0.55	515	1
AA0196	201 229	< 0.2	0.99	12	170	< 0.5	< 2	0.40	< 0.5	8	36	13	1.93	< 10	< 1	0.22	30	0.52	220	1
AA0197	201 229	< 0.2	1.05	12	340	< 0.5	< 2	0.39	< 0.5	8	29	23	1.89	< 10	< 1	0.15	30	0.45	190	1
AA0198	201 229	< 0.2	1.00	10	300	0.5	< 2	0.36	< 0.5	6	21	13	1.72	< 10	< 1	0.27	30	0.28	225	1
AA0199	201 229	< 0.2	0.70	12	240	0.5	< 2	0.30	0.5	4	15	11	1.17	< 10	< 1	0.29	30	0.20	190	1
AA0200	201 229	< 0.2	0.89	14	230	0.5	< 2	0.46	0.5	6	22	14	1.53	< 10	< 1	0.29	40	0.28	255	1
AA0201	201 229	< 0.2	0.79	12	210	0.5	< 2	0.45	0.5	5	20	10	1.24	< 10	< 1	0.31	50	0.26	195	1
AA0202	201 229	< 0.2	0.52	16	140	< 0.5	< 2	0.27	< 0.5	4	12	5	1.04	< 10	< 1	0.25	60	0.16	115	1
AA0203	201 229	< 0.2	0.92	8	80	< 0.5	< 2	0.06	< 0.5	< 1	6	2	0.47	< 10	< 1	0.11	60	0.04	55	1
AA0204	201 229	< 0.2	0.68	42	160	0.5	< 2	0.11	< 0.5	4	7	4	1.64	< 10	< 1	0.23	60	0.08	445	2
AA0205	201 229	< 0.2	0.49	18	130	< 0.5	< 2	0.23	0.5	4	12	12	1.19	< 10	< 1	0.34	50	0.15	90	1
AA0206	201 229	0.2	0.44	76	110	< 0.5	< 2	0.37	0.5	6	16	16	2.00	< 10	< 1	0.32	30	0.19	520	1
AA0207	201 229	< 0.2	0.93	14	230	0.5	< 2	0.17	< 0.5	6	20	15	1.52	< 10	< 1	0.17	20	0.29	255	1
AA0208	201 229	< 0.2	0.72	12	250	< 0.5	< 2	0.34	< 0.5	7	19	16	1.58	< 10	< 1	0.21	20	0.30	310	1
AA0209	201 229	< 0.2	1.03	20	170	0.5	< 2	0.18	0.5	10	26	22	1.97	< 10	< 1	0.13	20	0.42	390	2
AA0210	201 229	< 0.2	0.86	12	210	< 0.5	< 2	0.56	0.5	8	23	12	1.85	< 10	< 1	0.22	20	0.36	245	1
AA0211	201 229	< 0.2	1.08	16	330	< 0.5	< 2	0.48	< 0.5	9	29	23	2.02	< 10	< 1	0.18	20	0.44	265	1
AA0212	201 229	0.4	1.00	22	350	0.5	< 2	0.44	< 0.5	8	28	37	2.13	< 10	< 1	0.11	20	0.41	225	3
AA0213	201 229	< 0.2	0.80	16	220	< 0.5	< 2	0.35	< 0.5	4	18	10	1.77	< 10	< 1	0.21	30	0.27	165	1
AA0214	201 229	< 0.2	0.85	18	250	< 0.5	< 2	0.36	< 0.5	5	23	13	1.64	< 10	< 1	0.22	30	0.34	280	1
AA0215	201 229	< 0.2	0.79	18	160	< 0.5	< 2	0.34	< 0.5	8	23	9	1.83	< 10	< 1	0.26	30	0.32	355	1
AA0216	201 229	< 0.2	0.49	14	110	< 0.5	< 2	0.31	< 0.5	6	15	6	1.05	< 10	< 1	0.24	40	0.21	335	< 1
AA0217	201 229	0.2	0.94	44	140	< 0.5	< 2	0.28	0.5	10	56	17	2.03	< 10	< 1	0.27	40	0.60	245	1
AA0218	201 229	0.2	0.84	40	160	< 0.5	< 2	0.48	0.5	20	34	37	2.69	< 10	< 1	0.34	30	0.37	620	1
AA0219	201 229	0.6	0.94	40	140	< 0.5	< 2	0.40	2.5	17	43	32	2.78	< 10	< 1	0.21	20	0.52	415	2
AA0220	201 229	0.2	1.71	30	170	< 0.5	< 2	0.49	< 0.5	25	89	54	3.51	< 10	< 1	0.20	10	1.25	610	< 1
AA0221	201 229	< 0.2	1.78	18	90	< 0.5	< 2	0.41	< 0.5	22	110	27	3.63	< 10	< 1	0.08	< 10	1.36	505	< 1
AA0222	201 229	0.6	0.59	66	120	< 0.5	< 2	0.27	2.5	26	21	37	2.33	< 10	1	0.28	10	0.22	450	3
AA0223	201 229	0.4	0.99	56	180	< 0.5	< 2	0.51	3.0	24	45	35	3.10	< 10	< 1	0.25	20	0.53	705	2
AA0224	201 229	0.4	1.16	56	220	< 0.5	< 2	0.41	3.0	21	50	36	3.46	< 10	< 1	0.23	20	0.60	1000	1
AA0225	201 229	0.2	1.13	36	180	< 0.5	< 2	0.40	0.5	13	47	30	2.50	< 10	< 1	0.19	20	0.54	605	1
AA0226	201 229	0.2	1.24	52	180	< 0.5	< 2	0.51	0.5	15	61	23	3.65	< 10	< 1	0.23	20	0.72	670	1

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page 1 of 2-B
Total Pages: 4
Certificate Date: 18-OCT-95
Invoice No.: I9530592
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9530592

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0187	201 229	< 0.01	17	810	22	< 2	2	23	0.01	< 10	< 10	27	< 10	68
AA0188	201 229	< 0.01	26	890	26	< 2	4	24	0.01	< 10	< 10	33	< 10	92
AA0189	201 229	< 0.01	30	750	16	< 2	3	17	0.02	< 10	< 10	31	< 10	80
AA0190	201 229	< 0.01	28	810	20	< 2	3	18	0.01	< 10	< 10	31	< 10	78
AA0191	201 229	< 0.01	38	840	14	< 2	4	28	0.04	< 10	< 10	44	< 10	96
AA0192	201 229	< 0.01	30	620	16	< 2	2	16	0.02	< 10	< 10	44	< 10	92
AA0193	201 229	< 0.01	31	910	14	< 2	3	28	0.03	< 10	< 10	37	< 10	94
AA0194	201 229	< 0.01	35	1030	14	< 2	3	26	0.02	< 10	< 10	32	< 10	90
AA0195	201 229	< 0.01	36	970	18	< 2	3	30	0.02	< 10	< 10	30	< 10	126
AA0196	201 229	< 0.01	21	890	20	< 2	3	23	0.02	< 10	< 10	30	< 10	172
AA0197	201 229	< 0.01	26	730	22	< 2	2	24	0.01	< 10	< 10	32	< 10	118
AA0198	201 229	< 0.01	12	670	26	< 2	2	22	< 0.01	< 10	< 10	20	< 10	168
AA0199	201 229	< 0.01	11	560	26	< 2	2	18	< 0.01	< 10	< 10	14	< 10	102
AA0200	201 229	< 0.01	14	570	30	< 2	2	26	< 0.01	< 10	< 10	16	< 10	118
AA0201	201 229	< 0.01	11	540	32	< 2	2	26	< 0.01	< 10	< 10	13	< 10	106
AA0202	201 229	< 0.01	8	460	24	< 2	1	14	< 0.01	< 10	< 10	9	< 10	124
AA0203	201 229	< 0.01	1	220	12	< 2	< 1	5	< 0.01	< 10	< 10	9	< 10	24
AA0204	201 229	< 0.01	5	580	42	< 2	1	17	< 0.01	< 10	< 10	8	< 10	192
AA0205	201 229	< 0.01	10	540	18	< 2	1	11	< 0.01	< 10	< 10	7	< 10	180
AA0206	201 229	< 0.01	12	630	34	< 2	2	18	< 0.01	< 10	< 10	9	< 10	200
AA0207	201 229	< 0.01	15	530	22	< 2	1	13	0.01	< 10	< 10	22	< 10	86
AA0208	201 229	< 0.01	17	670	42	< 2	2	22	< 0.01	< 10	< 10	19	< 10	114
AA0209	201 229	< 0.01	27	710	18	< 2	2	19	0.01	< 10	< 10	25	< 10	122
AA0210	201 229	< 0.01	18	840	20	< 2	2	35	0.01	< 10	< 10	24	< 10	212
AA0211	201 229	< 0.01	23	640	26	< 2	2	35	0.01	< 10	< 10	29	< 10	128
AA0212	201 229	< 0.01	25	820	24	< 2	3	52	0.01	< 10	< 10	35	< 10	108
AA0213	201 229	< 0.01	10	760	24	< 2	2	25	< 0.01	< 10	< 10	19	< 10	72
AA0214	201 229	< 0.01	17	750	18	< 2	2	22	0.01	< 10	< 10	23	< 10	98
AA0215	201 229	< 0.01	12	730	22	< 2	2	21	< 0.01	< 10	< 10	21	< 10	138
AA0216	201 229	< 0.01	11	550	14	< 2	1	17	< 0.01	< 10	< 10	12	< 10	134
AA0217	201 229	< 0.01	27	460	36	< 2	4	15	0.01	< 10	< 10	26	< 10	200
AA0218	201 229	< 0.01	44	730	30	< 2	3	22	< 0.01	< 10	< 10	16	< 10	190
AA0219	201 229	< 0.01	34	580	478	< 2	4	23	0.01	< 10	< 10	20	< 10	364
AA0220	201 229	< 0.01	57	270	8	< 2	16	17	0.06	< 10	< 10	42	< 10	106
AA0221	201 229	< 0.01	44	230	4	< 2	3	13	0.26	< 10	< 10	57	< 10	74
AA0222	201 229	< 0.01	40	540	98	< 2	2	18	< 0.01	< 10	< 10	18	< 10	654
AA0223	201 229	< 0.01	53	580	42	< 2	5	25	< 0.01	< 10	< 10	25	< 10	588
AA0224	201 229	< 0.01	41	590	58	< 2	6	15	< 0.01	< 10	< 10	28	< 10	602
AA0225	201 229	< 0.01	24	550	24	< 2	4	13	0.01	< 10	< 10	24	< 10	222
AA0226	201 229	< 0.01	33	730	38	< 2	6	22	0.03	< 10	< 10	31	< 10	176

CERTIFICATION:

[Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page: 3-A
Total: 4
Certificate Date: 18-OCT-95
Invoice No.: 19530592
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9530592

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0227	201 229	0.2	1.72	20	340	0.5	< 2	0.53	0.5	15	49	38	3.12	< 10	< 1	0.13	20	0.85	475	1
AA0228	201 229	< 0.2	1.36	14	200	< 0.5	< 2	0.34	< 0.5	11	41	25	2.47	< 10	< 1	0.12	10	0.76	370	< 1
AA0229	201 229	< 0.2	1.41	20	240	0.5	< 2	0.47	< 0.5	10	40	28	2.58	< 10	< 1	0.14	10	0.77	325	1
AA0230	201 229	< 0.2	1.32	14	300	< 0.5	< 2	0.49	< 0.5	10	37	24	2.29	< 10	< 1	0.09	20	0.70	330	1
AA0231	201 229	< 0.2	1.10	18	340	< 0.5	< 2	0.52	0.5	10	34	28	2.19	< 10	< 1	0.09	20	0.54	260	1
AA0232	201 229	0.8	0.97	180	360	0.5	< 2	0.46	1.0	20	21	90	5.99	< 10	< 1	0.07	10	0.36	735	2
AA0233	201 229	0.2	1.34	104	130	0.5	< 2	0.26	< 0.5	16	25	36	5.00	< 10	< 1	0.05	10	0.39	560	1
AA0234	201 229	< 0.2	1.38	20	140	< 0.5	< 2	0.52	< 0.5	11	36	17	2.78	< 10	< 1	0.13	10	0.84	320	< 1
AA0235	201 229	0.4	1.00	144	250	0.5	< 2	0.54	0.5	26	22	47	5.71	< 10	< 1	0.08	10	0.47	850	3
AA0236	201 229	0.2	1.03	56	180	< 0.5	< 2	0.47	0.5	14	31	36	3.23	< 10	< 1	0.10	10	0.57	600	1
AA0237	201 229	0.4	1.26	26	170	< 0.5	< 2	0.82	0.5	12	33	33	2.88	< 10	< 1	0.15	10	0.56	350	1
AA0238	201 229	0.2	1.03	56	110	< 0.5	< 2	0.46	< 0.5	14	28	18	3.62	< 10	< 1	0.11	10	0.57	470	2
AA0239	201 229	1.0	0.80	56	180	< 0.5	< 2	0.58	1.5	18	17	28	3.24	< 10	< 1	0.27	< 10	0.20	480	1
AA0240	201 229	1.8	0.65	70	130	0.5	< 2	0.46	1.0	16	10	29	2.37	< 10	1	0.25	10	0.12	655	2
AA0241	201 229	< 0.2	1.17	14	250	< 0.5	< 2	0.40	0.5	8	35	17	2.06	< 10	< 1	0.08	10	0.54	250	1
AA0242	201 229	< 0.2	1.53	16	100	< 0.5	< 2	0.16	< 0.5	7	37	17	2.68	< 10	< 1	0.09	10	0.47	240	2
AA0243	201 229	< 0.2	1.77	16	170	< 0.5	< 2	0.22	< 0.5	11	41	23	2.70	< 10	< 1	0.08	10	0.56	490	1
AA0244	201 229	0.2	1.69	8	540	< 0.5	< 2	0.43	< 0.5	8	36	12	2.38	< 10	< 1	0.07	10	0.64	270	< 1
AA0245	201 229	< 0.2	0.94	8	230	< 0.5	< 2	0.32	< 0.5	7	30	12	1.66	< 10	< 1	0.06	10	0.51	220	< 1
AA0246	201 229	0.2	1.06	14	360	< 0.5	< 2	0.60	0.5	7	31	13	1.81	< 10	< 1	0.08	10	0.47	365	< 1
AA0247	201 229	0.2	1.46	12	420	< 0.5	< 2	0.38	< 0.5	6	33	18	2.12	< 10	< 1	0.08	20	0.49	295	< 1
AA0248	201 229	0.2	1.15	10	350	< 0.5	< 2	0.57	0.5	9	32	15	1.91	< 10	< 1	0.09	20	0.57	195	< 1
AA0249	201 229	< 0.2	1.00	10	160	< 0.5	< 2	0.36	2.0	8	32	17	1.90	< 10	< 1	0.10	20	0.56	160	1
AA0250	201 229	< 0.2	0.94	10	180	< 0.5	< 2	0.43	< 0.5	7	29	13	1.72	< 10	< 1	0.11	20	0.49	230	< 1
AA0251	201 229	< 0.2	1.13	12	210	< 0.5	< 2	0.37	1.0	8	33	14	1.91	< 10	< 1	0.09	20	0.54	280	1
AA0252	201 229	< 0.2	1.21	6	340	0.5	< 2	0.34	0.5	14	80	40	3.28	< 10	< 1	0.30	10	0.54	275	1
AA0253	201 229	0.2	1.66	12	540	0.5	< 2	0.73	0.5	11	38	22	2.31	< 10	< 1	0.11	20	0.63	355	< 1
AA0254	201 229	< 0.2	1.21	12	230	< 0.5	< 2	0.27	< 0.5	9	37	11	2.06	< 10	< 1	0.09	10	0.54	330	< 1
AA0255	201 229	< 0.2	1.31	18	230	< 0.5	< 2	0.39	< 0.5	9	38	14	2.36	< 10	< 1	0.09	10	0.56	305	< 1
AA0256	201 229	< 0.2	1.28	8	370	< 0.5	< 2	0.34	< 0.5	9	36	11	2.09	< 10	< 1	0.07	10	0.59	315	1
AA0257	201 229	< 0.2	1.31	22	100	< 0.5	< 2	0.13	< 0.5	7	39	15	2.88	< 10	< 1	0.10	10	0.45	260	1
AA0258	201 229	0.4	1.81	20	170	0.5	< 2	0.16	< 0.5	9	39	18	2.59	< 10	< 1	0.07	10	0.49	260	1
AA0259	201 229	< 0.2	1.36	4	510	< 0.5	< 2	0.31	< 0.5	11	40	18	2.10	< 10	< 1	0.06	10	0.66	420	< 1
AA0260	201 229	0.2	1.65	36	80	< 0.5	2	0.17	< 0.5	9	43	13	3.03	< 10	< 1	0.08	10	0.72	275	1
AA0261	201 229	< 0.2	1.57	30	70	< 0.5	< 2	0.18	< 0.5	9	34	11	2.77	< 10	< 1	0.15	10	0.66	635	< 1
AA0262	201 229	< 0.2	1.21	32	150	< 0.5	< 2	0.22	< 0.5	7	24	7	2.51	< 10	< 1	0.10	10	0.40	785	1
AA0263	201 229	< 0.2	1.30	12	60	< 0.5	< 2	0.28	< 0.5	6	25	8	2.15	< 10	< 1	0.13	10	0.62	185	< 1
AA0264	201 229	< 0.2	1.44	72	110	< 0.5	2	0.40	< 0.5	10	31	12	2.50	< 10	< 1	0.21	10	0.73	270	< 1
AA0265	201 229	< 0.2	1.72	18	230	< 0.5	< 2	0.44	< 0.5	9	36	16	2.71	< 10	< 1	0.11	10	0.80	305	1
AA0266	201 229	< 0.2	1.38	24	60	< 0.5	< 2	0.17	< 0.5	8	32	13	2.66	< 10	< 1	0.11	10	0.59	240	< 1

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 3-B
Total P : 4
Certificate Date: 18-OCT-95
Invoice No. : I9530592
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9530592

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0227	201	229	< 0.01	45	630	20	< 2	6	27	0.07	< 10	< 10	54	< 10	128
AA0228	201	229	< 0.01	31	840	14	< 2	3	21	0.06	< 10	< 10	47	< 10	102
AA0229	201	229	< 0.01	30	890	16	< 2	4	24	0.07	< 10	< 10	47	< 10	102
AA0230	201	229	< 0.01	29	940	16	< 2	4	27	0.05	< 10	< 10	43	< 10	96
AA0231	201	229	< 0.01	34	920	16	< 2	3	30	0.02	< 10	< 10	32	< 10	120
AA0232	201	229	< 0.01	48	1250	26	< 2	7	34	0.01	< 10	< 10	35	< 10	196
AA0233	201	229	< 0.01	28	700	36	< 2	3	18	0.01	< 10	< 10	35	< 10	172
AA0234	201	229	< 0.01	23	1080	14	< 2	3	25	0.06	< 10	< 10	41	< 10	94
AA0235	201	229	< 0.01	37	860	24	< 2	6	29	0.01	< 10	< 10	36	< 10	180
AA0236	201	229	< 0.01	34	1050	22	< 2	4	27	0.03	< 10	< 10	34	< 10	142
AA0237	201	229	< 0.01	28	760	32	< 2	4	34	0.02	< 10	< 10	34	< 10	236
AA0238	201	229	< 0.01	22	740	22	< 2	3	21	0.04	< 10	< 10	38	< 10	244
AA0239	201	229	< 0.01	28	760	222	< 2	3	24	< 0.01	< 10	< 10	14	< 10	512
AA0240	201	229	< 0.01	28	560	1220	< 2	3	20	< 0.01	< 10	< 10	9	< 10	506
AA0241	201	229	< 0.01	29	1030	12	< 2	2	24	0.03	< 10	< 10	35	< 10	84
AA0242	201	229	< 0.01	24	780	12	< 2	2	14	0.03	< 10	< 10	50	< 10	76
AA0243	201	229	< 0.01	35	970	16	< 2	3	17	0.03	< 10	< 10	42	< 10	96
AA0244	201	229	< 0.01	22	1090	12	< 2	3	29	0.02	< 10	< 10	39	< 10	100
AA0245	201	229	< 0.01	22	730	6	< 2	2	22	0.03	< 10	< 10	34	< 10	64
AA0246	201	229	< 0.01	20	1010	10	< 2	3	35	0.02	< 10	< 10	32	< 10	98
AA0247	201	229	< 0.01	17	960	28	< 2	3	28	0.01	< 10	< 10	38	< 10	116
AA0248	201	229	< 0.01	24	1030	16	< 2	3	40	0.03	< 10	< 10	36	< 10	258
AA0249	201	229	< 0.01	29	910	12	< 2	2	29	0.04	< 10	< 10	37	< 10	834
AA0250	201	229	< 0.01	23	900	16	< 2	2	28	0.03	< 10	< 10	35	< 10	114
AA0251	201	229	< 0.01	25	290	16	< 2	3	22	0.04	< 10	< 10	41	< 10	382
AA0252	201	229	< 0.01	57	610	14	< 2	4	18	< 0.01	< 10	< 10	27	< 10	224
AA0253	201	229	< 0.01	27	1030	20	< 2	5	47	0.02	< 10	< 10	45	< 10	128
AA0254	201	229	< 0.01	22	720	10	< 2	3	21	0.04	< 10	< 10	37	< 10	82
AA0255	201	229	< 0.01	30	700	12	< 2	2	26	0.03	< 10	< 10	43	< 10	84
AA0256	201	229	< 0.01	21	700	8	< 2	3	27	0.03	< 10	< 10	41	< 10	86
AA0257	201	229	< 0.01	22	710	18	< 2	2	14	0.03	< 10	< 10	54	< 10	76
AA0258	201	229	< 0.01	27	600	16	< 2	3	12	0.02	< 10	< 10	39	< 10	84
AA0259	201	229	< 0.01	30	710	12	< 2	3	21	0.03	< 10	< 10	38	< 10	76
AA0260	201	229	< 0.01	20	700	14	< 2	3	9	0.07	< 10	< 10	60	< 10	64
AA0261	201	229	< 0.01	16	910	12	< 2	2	10	0.07	< 10	< 10	50	< 10	74
AA0262	201	229	< 0.01	9	760	20	< 2	1	13	0.04	< 10	< 10	50	< 10	46
AA0263	201	229	< 0.01	13	680	12	< 2	2	13	0.07	< 10	< 10	35	< 10	52
AA0264	201	229	< 0.01	16	860	12	< 2	3	20	0.09	< 10	< 10	47	< 10	62
AA0265	201	229	< 0.01	18	910	10	< 2	3	23	0.06	< 10	< 10	56	< 10	66
AA0266	201	229	< 0.01	17	590	14	< 2	2	10	0.08	< 10	< 10	50	< 10	60

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 4-A
Total Pages : 4
Certificate Date : 18-OCT-95
Invoice No. : I9530592
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9530592

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
AA0267	201	229	0.4	2.49	54	130	0.5	< 2	0.40	0.5	18	49	22	4.20	< 10	< 1	0.17	10	1.00	585	1

CERTIFICATION:

Hart Schuler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 4-B
Total : 4
Certificate Date: 18-OCT-95
Invoice No. : 19530592
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9530592

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0267	201 229	< 0.01	32	1130	18	< 2	5	17	0.10	< 10	< 10	66	< 10	90

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page: 1-A
Total Pages: 4
Certificate Date: 09-OCT-95
Invoice No.: 19529696
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9529696

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0007	201 229	< 0.2	1.60	10	420	0.5	< 2	0.31	0.5	8	38	21	2.28	< 10	< 1	0.08	10	0.56	665	1
AA0008	201 229	< 0.2	1.39	10	380	< 0.5	< 2	0.40	0.5	9	38	23	2.23	< 10	< 1	0.09	20	0.64	445	1
AA0009	201 229	< 0.2	1.53	8	390	< 0.5	2	0.44	< 0.5	8	42	14	2.56	< 10	< 1	0.08	10	0.60	455	< 1
AA0010	201 229	< 0.2	1.32	14	210	< 0.5	< 2	0.29	< 0.5	7	38	12	2.42	< 10	< 1	0.08	10	0.63	315	< 1
AA0011	201 229	< 0.2	1.16	14	300	< 0.5	< 2	0.41	< 0.5	7	35	22	2.26	< 10	< 1	0.09	20	0.60	335	< 1
AA0012	201 229	< 0.2	1.20	8	290	< 0.5	2	0.41	< 0.5	7	32	14	1.98	< 10	< 1	0.07	20	0.60	340	< 1
AA0013	201 229	< 0.2	1.45	10	370	< 0.5	< 2	0.44	< 0.5	7	34	17	2.31	< 10	< 1	0.11	20	0.61	275	< 1
AA0014	201 229	< 0.2	1.64	8	410	< 0.5	< 2	0.58	1.5	8	36	15	2.34	< 10	< 1	0.12	10	0.63	315	< 1
AA0015	201 229	< 0.2	1.29	18	320	0.5	< 2	0.76	< 0.5	8	24	14	2.78	< 10	< 1	0.15	30	0.38	505	1
AA0016	201 229	< 0.2	1.13	16	260	< 0.5	< 2	0.37	0.5	7	24	16	2.73	< 10	< 1	0.17	30	0.39	480	1
AA0017	201 229	< 0.2	1.48	12	300	< 0.5	< 2	0.50	0.5	10	38	16	2.54	< 10	< 1	0.11	20	0.62	390	< 1
AA0018	201 229	< 0.2	1.01	26	290	0.5	< 2	0.49	< 0.5	7	23	15	2.52	< 10	< 1	0.15	20	0.31	385	1
AA0019	201 229	< 0.2	1.44	18	150	0.5	< 2	0.19	0.5	8	33	19	2.47	< 10	< 1	0.08	10	0.44	345	1
AA0020	201 229	< 0.2	1.19	16	380	< 0.5	< 2	0.51	< 0.5	9	38	22	2.31	< 10	< 1	0.11	20	0.52	460	< 1
AA0021	201 229	0.4	1.11	24	430	< 0.5	< 2	0.14	< 0.5	5	27	16	1.91	< 10	< 1	0.08	10	0.33	330	1
AA0022	201 229	< 0.2	1.45	8	460	< 0.5	< 2	0.35	< 0.5	7	38	16	2.27	< 10	< 1	0.08	10	0.58	345	< 1
AA0023	201 229	< 0.2	1.44	14	330	< 0.5	< 2	0.34	< 0.5	9	41	13	2.11	< 10	< 1	0.09	10	0.63	280	< 1
AA0024	201 229	< 0.2	1.56	10	520	< 0.5	< 2	0.37	< 0.5	8	42	15	2.29	< 10	< 1	0.09	20	0.69	385	< 1
AA0025	201 229	< 0.2	1.26	8	280	< 0.5	< 2	0.35	< 0.5	5	32	14	1.83	< 10	< 1	0.08	20	0.52	185	< 1
AA0026	201 229	< 0.2	1.44	18	200	< 0.5	< 2	0.20	< 0.5	8	40	15	2.83	< 10	< 1	0.09	10	0.45	535	1
AA0027	201 229	< 0.2	1.02	14	280	< 0.5	< 2	0.40	< 0.5	7	35	15	1.91	< 10	< 1	0.08	10	0.49	370	< 1
AA0028	201 229	< 0.2	1.09	14	320	< 0.5	< 2	0.44	< 0.5	8	32	19	1.95	< 10	< 1	0.10	20	0.55	385	< 1
AA0029	201 229	< 0.2	1.51	12	130	< 0.5	< 2	0.19	< 0.5	7	37	13	2.57	< 10	< 1	0.06	10	0.46	355	1
AA0030	201 229	< 0.2	1.51	12	140	< 0.5	< 2	0.19	< 0.5	9	37	20	2.61	< 10	< 1	0.07	10	0.51	475	< 1
AA0031	201 229	< 0.2	1.15	12	290	< 0.5	< 2	0.35	< 0.5	7	30	16	2.08	< 10	< 1	0.07	10	0.50	240	1
AA0032	201 229	< 0.2	0.99	12	290	< 0.5	2	0.39	< 0.5	4	23	11	1.72	< 10	< 1	0.09	20	0.39	235	< 1
AA0033	201 229	< 0.2	0.82	16	220	< 0.5	< 2	0.36	< 0.5	5	16	11	2.10	< 10	< 1	0.16	30	0.23	495	1
AA0034	201 229	< 0.2	1.23	14	330	0.5	< 2	0.81	1.5	7	27	18	2.01	< 10	< 1	0.13	20	0.44	320	< 1
AA0035	201 229	< 0.2	1.04	10	260	< 0.5	< 2	0.61	0.5	6	21	9	1.70	< 10	< 1	0.11	20	0.33	430	< 1
AA0036	201 229	< 0.2	1.20	12	290	< 0.5	< 2	0.78	0.5	8	32	15	2.10	< 10	< 1	0.12	20	0.50	420	< 1
AA0037	201 229	< 0.2	0.98	10	230	< 0.5	< 2	0.34	0.5	4	23	5	1.47	< 10	< 1	0.17	30	0.35	320	< 1
AA0038	201 229	< 0.2	1.32	12	380	< 0.5	< 2	0.67	0.5	6	28	16	1.93	< 10	< 1	0.10	10	0.43	330	< 1
AA0039	201 229	< 0.2	1.07	6	260	< 0.5	2	0.35	< 0.5	6	31	9	1.88	< 10	< 1	0.07	10	0.53	300	< 1
AA0040	201 229	< 0.2	1.58	10	290	0.5	< 2	0.28	< 0.5	12	39	24	2.34	< 10	< 1	0.10	20	0.55	555	< 1
AA0041	201 229	< 0.2	1.36	18	410	< 0.5	< 2	0.37	0.5	8	38	29	2.55	< 10	< 1	0.11	10	0.63	525	1
AA0042	201 229	< 0.2	1.26	6	230	< 0.5	2	0.23	< 0.5	6	35	10	2.06	< 10	< 1	0.07	10	0.60	240	< 1
AA0043	201 229	< 0.2	1.20	8	280	< 0.5	2	0.39	< 0.5	7	32	12	2.05	< 10	< 1	0.08	10	0.54	265	< 1
AA0044	201 229	< 0.2	1.17	12	270	< 0.5	< 2	0.51	< 0.5	8	32	14	2.08	< 10	< 1	0.09	10	0.49	465	< 1
AA0045	201 229	< 0.2	1.61	20	400	0.5	2	0.75	0.5	12	80	30	3.03	< 10	< 1	0.13	10	0.99	530	< 1
AA0046	201 229	< 0.2	0.69	14	200	< 0.5	< 2	0.24	< 0.5	3	15	12	1.23	< 10	< 1	0.17	30	0.21	185	1

CERTIFICATION:

ghai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 1-B
Total : 4
Certificate Date: 09-OCT-95
Invoice No. : I9529696
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9529696

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0007	201	229	< 0.01	37	940	12	< 2	3	21	0.02	< 10	< 10	39	< 10	98
AA0008	201	229	< 0.01	36	1020	14	< 2	3	26	0.04	< 10	< 10	39	< 10	82
AA0009	201	229	< 0.01	23	710	14	2	3	27	0.03	< 10	< 10	43	< 10	90
AA0010	201	229	< 0.01	25	370	12	2	3	22	0.07	< 10	< 10	44	< 10	82
AA0011	201	229	< 0.01	29	960	14	< 2	3	27	0.05	< 10	< 10	39	< 10	74
AA0012	201	229	< 0.01	26	790	8	2	2	25	0.04	< 10	< 10	37	< 10	74
AA0013	201	229	< 0.01	27	440	14	2	3	26	0.04	< 10	< 10	44	< 10	108
AA0014	201	229	0.01	24	830	18	< 2	4	33	0.03	< 10	< 10	44	< 10	344
AA0015	201	229	< 0.01	18	1060	22	< 2	3	35	0.01	< 10	< 10	33	< 10	80
AA0016	201	229	< 0.01	16	750	28	< 2	3	21	0.01	< 10	< 10	29	< 10	88
AA0017	201	229	< 0.01	29	830	20	< 2	3	26	0.03	< 10	< 10	43	< 10	106
AA0018	201	229	< 0.01	16	860	22	< 2	3	26	< 0.01	< 10	< 10	22	< 10	68
AA0019	201	229	< 0.01	27	770	18	< 2	2	13	0.01	< 10	< 10	32	< 10	90
AA0020	201	229	< 0.01	35	870	16	< 2	3	24	0.01	< 10	< 10	28	< 10	82
AA0021	201	229	0.01	22	650	16	< 2	2	25	0.02	< 10	< 10	28	< 10	80
AA0022	201	229	0.01	27	540	14	< 2	3	19	0.03	< 10	< 10	39	< 10	84
AA0023	201	229	< 0.01	27	430	16	< 2	3	19	0.04	< 10	< 10	42	< 10	86
AA0024	201	229	< 0.01	28	840	12	2	3	25	0.06	< 10	< 10	44	< 10	78
AA0025	201	229	< 0.01	19	760	14	< 2	2	22	0.03	< 10	< 10	36	< 10	62
AA0026	201	229	< 0.01	23	1220	18	< 2	2	17	0.02	< 10	< 10	51	< 10	72
AA0027	201	229	< 0.01	24	750	10	4	2	22	0.03	< 10	< 10	33	< 10	76
AA0028	201	229	< 0.01	26	940	12	< 2	3	26	0.03	< 10	< 10	34	< 10	70
AA0029	201	229	< 0.01	24	810	16	< 2	2	13	0.03	< 10	< 10	39	< 10	84
AA0030	201	229	< 0.01	25	790	30	2	2	14	0.03	< 10	< 10	38	< 10	76
AA0031	201	229	0.01	23	740	10	< 2	2	21	0.03	< 10	< 10	34	< 10	68
AA0032	201	229	< 0.01	16	610	14	< 2	2	18	0.01	< 10	< 10	24	< 10	72
AA0033	201	229	< 0.01	12	880	16	2	2	17	< 0.01	< 10	< 10	17	< 10	54
AA0034	201	229	0.01	23	870	24	< 2	3	36	0.01	< 10	< 10	27	< 10	226
AA0035	201	229	0.01	13	880	16	< 2	1	30	0.01	< 10	< 10	23	< 10	94
AA0036	201	229	< 0.01	20	610	14	2	4	35	0.02	< 10	< 10	31	< 10	108
AA0037	201	229	< 0.01	13	530	18	< 2	1	17	0.02	< 10	< 10	24	< 10	210
AA0038	201	229	0.02	19	840	20	< 2	2	35	0.02	< 10	< 10	31	< 10	112
AA0039	201	229	< 0.01	22	440	8	< 2	2	19	0.03	< 10	< 10	32	< 10	66
AA0040	201	229	< 0.01	34	860	16	< 2	3	20	0.04	< 10	< 10	42	< 10	84
AA0041	201	229	< 0.01	35	850	22	< 2	4	23	0.04	< 10	< 10	42	< 10	100
AA0042	201	229	< 0.01	23	330	8	< 2	2	15	0.04	< 10	< 10	33	< 10	72
AA0043	201	229	< 0.01	22	530	12	< 2	2	21	0.03	< 10	< 10	35	< 10	106
AA0044	201	229	< 0.01	22	640	14	< 2	3	26	0.02	< 10	< 10	34	< 10	122
AA0045	201	229	< 0.01	49	820	16	< 2	4	36	0.02	< 10	< 10	43	< 10	170
AA0046	201	229	< 0.01	12	650	22	< 2	1	14	< 0.01	< 10	< 10	14	< 10	70

CERTIFICATION:

Phai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 2-A
Total Pages : 4
Certificate Date: 09-OCT-95
Invoice No. : I9529696
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9529696

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0047	201 229	< 0.2	1.30	16	330	< 0.5	< 2	0.29	0.5	7	30	10	2.13	< 10	< 1	0.07	10	0.46	265	1
AA0048	201 229	< 0.2	1.04	28	300	< 0.5	< 2	0.31	< 0.5	10	27	24	1.85	< 10	< 1	0.20	10	0.41	320	< 1
AA0049	201 229	< 0.2	1.05	8	250	< 0.5	< 2	0.22	< 0.5	6	34	10	1.85	< 10	< 1	0.07	10	0.48	310	< 1
AA0050	201 229	< 0.2	1.56	14	250	< 0.5	< 2	0.25	0.5	9	33	22	2.51	< 10	< 1	0.09	10	0.54	485	1
AA0051	201 229	< 0.2	1.03	24	340	< 0.5	< 2	0.31	0.5	11	29	24	2.12	< 10	< 1	0.12	20	0.52	855	1
AA0052	201 229	< 0.2	1.49	16	260	< 0.5	< 2	0.33	< 0.5	10	38	18	2.63	< 10	< 1	0.08	10	0.68	455	< 1
AA0053	201 229	0.2	1.10	12	100	< 0.5	< 2	0.23	< 0.5	3	22	7	1.56	< 10	< 1	0.05	10	0.30	140	< 1
AA0054	201 229	1.2	1.09	32	130	< 0.5	< 2	0.31	1.0	6	30	16	2.51	< 10	< 1	0.13	20	0.53	170	1
AA0055	201 229	< 0.2	1.10	14	90	< 0.5	< 2	0.31	< 0.5	9	43	12	2.23	< 10	< 1	0.09	10	0.58	460	1
AA0056	201 229	0.4	0.40	46	210	< 0.5	< 2	0.22	1.5	3	4	9	2.77	< 10	< 1	0.35	30	0.08	1075	2
AA0057	201 229	< 0.2	1.11	8	300	0.5	< 2	0.55	6.0	6	28	26	1.84	< 10	< 1	0.09	10	0.44	440	1
AA0058	201 229	< 0.2	0.60	6	90	< 0.5	< 2	0.11	< 0.5	1	17	6	0.91	< 10	< 1	0.04	10	0.14	85	< 1
AA0059	201 229	< 0.2	0.80	22	210	< 0.5	< 2	0.26	< 0.5	3	23	13	1.53	< 10	< 1	0.15	30	0.35	150	1
AA0060	201 229	< 0.2	0.54	24	280	< 0.5	< 2	0.23	< 0.5	6	10	16	1.41	< 10	< 1	0.18	30	0.15	255	1
AA0061	201 229	< 0.2	0.76	16	540	< 0.5	< 2	0.24	< 0.5	2	3	7	2.27	< 10	< 1	0.05	30	0.17	100	1
AA0062	201 229	0.2	1.23	158	220	< 0.5	< 2	0.06	0.5	15	30	34	4.70	< 10	< 1	0.09	10	0.39	1740	1
AA0063	201 229	0.2	1.16	98	190	< 0.5	< 2	0.03	0.5	8	55	20	2.97	< 10	< 1	0.12	10	0.31	230	1
AA0064	201 229	0.4	0.72	126	430	< 0.5	< 2	0.26	2.0	22	13	34	3.70	< 10	< 1	0.38	10	0.15	1210	2
AA0065	201 229	0.4	0.56	70	150	< 0.5	< 2	0.11	0.5	7	14	18	2.58	< 10	< 1	0.17	20	0.16	540	7
AA0066	201 229	< 0.2	0.99	22	110	< 0.5	< 2	0.16	< 0.5	4	27	10	1.70	< 10	< 1	0.12	30	0.32	135	1
AA0067	201 229	< 0.2	1.97	36	280	0.5	< 2	0.37	< 0.5	16	189	22	2.94	< 10	< 1	0.14	30	1.77	1415	1
AA0068	201 229	< 0.2	1.03	16	240	< 0.5	< 2	0.28	< 0.5	5	37	8	1.62	< 10	< 1	0.12	20	0.41	240	1
AA0069	201 229	0.6	0.82	12	180	< 0.5	< 2	0.34	2.0	7	13	10	1.19	< 10	< 1	0.18	40	0.24	695	1
AA0070	201 229	< 0.2	0.41	46	180	< 0.5	< 2	0.22	0.5	4	4	16	1.90	< 10	< 1	0.32	40	0.03	150	2
AA0071	201 229	0.2	0.42	26	230	< 0.5	< 2	0.19	3.5	13	2	20	1.83	< 10	< 1	0.36	30	0.03	1760	1
AA0072	201 229	< 0.2	0.35	24	200	< 0.5	< 2	0.23	2.0	10	3	14	1.37	< 10	< 1	0.41	30	0.02	520	1
AA0073	201 229	< 0.2	0.70	16	140	< 0.5	< 2	0.17	< 0.5	3	11	6	1.26	< 10	< 1	0.13	20	0.11	90	1
AA0074	201 229	1.2	0.41	44	160	< 0.5	< 2	0.04	< 0.5	< 1	4	5	1.74	< 10	< 1	0.15	20	0.03	30	3
AA0075	201 229	< 0.2	1.11	18	100	< 0.5	< 2	0.10	< 0.5	8	47	13	1.86	< 10	< 1	0.10	10	0.52	280	< 1
AA0076	201 229	< 0.2	3.63	22	150	0.5	< 2	0.22	0.5	35	204	55	5.52	< 10	< 1	0.06	< 10	2.32	2110	< 1
AA0077	201 229	0.2	1.40	44	180	< 0.5	< 2	0.17	< 0.5	9	38	21	2.85	< 10	< 1	0.09	20	0.46	275	1
AA0078	201 229	1.6	0.84	52	150	< 0.5	< 2	0.14	< 0.5	7	22	18	2.60	< 10	< 1	0.15	20	0.26	315	3
AA0079	201 229	0.2	1.50	62	550	< 0.5	< 2	0.33	< 0.5	18	71	34	3.28	< 10	< 1	0.19	10	0.76	1155	1
AA0080	201 229	< 0.2	1.57	14	1100	0.5	< 2	0.43	0.5	10	25	26	2.80	< 10	< 1	0.09	30	0.56	440	1
AA0081	201 229	0.4	0.83	52	1230	< 0.5	< 2	0.06	< 0.5	10	18	108	2.78	< 10	< 1	0.07	20	0.19	455	1
AA0082	201 229	0.4	1.12	118	2130	0.5	< 2	0.06	< 0.5	16	20	110	4.26	< 10	< 1	0.12	20	0.19	1500	1
AA0083	201 229	0.2	1.62	148	1250	0.5	< 2	0.24	0.5	20	101	58	3.67	< 10	< 1	0.13	20	0.81	1360	1
AA0084	201 229	0.2	1.53	46	450	< 0.5	< 2	0.34	< 0.5	10	49	14	2.32	< 10	< 1	0.10	20	0.49	370	< 1
AA0085	201 229	< 0.2	1.34	44	340	< 0.5	< 2	0.36	1.5	21	48	45	3.02	< 10	< 1	0.22	20	0.47	675	1
AA0086	201 229	1.2	1.64	60	100	< 0.5	< 2	0.06	< 0.5	8	38	19	4.00	< 10	< 1	0.14	20	0.33	275	2

CERTIFICATION:

Yhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 2-B
Total Pages : 4
Certificate Date: 09-OCT-95
Invoice No. : 19529696
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9529696

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0047	201 229	< 0.01	17	870	18	< 2	2	18	0.01	< 10	< 10	32	< 10	132
AA0048	201 229	< 0.01	27	710	34	< 2	2	17	0.01	< 10	< 10	26	< 10	92
AA0049	201 229	0.01	21	560	10	2	2	15	0.03	< 10	< 10	34	< 10	64
AA0050	201 229	< 0.01	35	780	14	< 2	3	19	0.03	< 10	< 10	42	< 10	98
AA0051	201 229	< 0.01	31	880	20	2	3	23	0.02	< 10	< 10	28	< 10	100
AA0052	201 229	< 0.01	36	890	16	< 2	3	21	0.02	< 10	< 10	52	< 10	100
AA0053	201 229	< 0.01	11	490	12	< 2	1	14	0.01	< 10	< 10	29	< 10	92
AA0054	201 229	< 0.01	24	950	552	< 2	2	34	0.04	< 10	< 10	34	< 10	842
AA0055	201 229	< 0.01	26	980	18	2	2	19	0.04	< 10	< 10	39	< 10	80
AA0056	201 229	< 0.01	7	430	26	< 2	1	37	< 0.01	< 10	< 10	4	< 10	480
AA0057	201 229	< 0.01	25	690	38	< 2	2	29	0.01	< 10	< 10	28	< 10	1160
AA0058	201 229	< 0.01	9	250	34	< 2	< 1	9	0.01	< 10	< 10	23	< 10	66
AA0059	201 229	< 0.01	18	750	12	< 2	2	15	0.01	< 10	< 10	20	< 10	64
AA0060	201 229	< 0.01	18	640	22	< 2	1	17	< 0.01	< 10	< 10	10	< 10	78
AA0061	201 229	< 0.01	4	650	44	< 2	1	15	< 0.01	< 10	< 10	5	< 10	56
AA0062	201 229	< 0.01	43	590	36	< 2	3	7	< 0.01	< 10	< 10	29	< 10	124
AA0063	201 229	< 0.01	58	340	114	< 2	2	17	< 0.01	< 10	< 10	36	< 10	132
AA0064	201 229	< 0.01	58	1040	50	< 2	3	82	< 0.01	< 10	< 10	13	< 10	588
AA0065	201 229	< 0.01	25	350	62	< 2	2	34	< 0.01	< 10	< 10	14	< 10	158
AA0066	201 229	< 0.01	14	580	18	< 2	1	13	0.01	< 10	< 10	26	< 10	92
AA0067	201 229	< 0.01	127	580	22	2	6	14	0.02	< 10	< 10	46	< 10	94
AA0068	201 229	< 0.01	23	590	20	< 2	2	14	0.01	< 10	< 10	21	< 10	82
AA0069	201 229	< 0.01	9	800	136	< 2	1	25	< 0.01	< 10	< 10	13	< 10	886
AA0070	201 229	< 0.01	8	460	28	< 2	2	11	< 0.01	< 10	< 10	3	< 10	194
AA0071	201 229	< 0.01	30	690	72	< 2	2	13	< 0.01	< 10	< 10	4	< 10	510
AA0072	201 229	< 0.01	13	610	66	< 2	1	13	< 0.01	< 10	< 10	3	< 10	380
AA0073	201 229	0.01	8	610	14	< 2	< 1	9	< 0.01	< 10	< 10	16	< 10	32
AA0074	201 229	< 0.01	3	350	90	2	< 1	42	< 0.01	< 10	< 10	3	< 10	44
AA0075	201 229	< 0.01	31	220	24	< 2	2	8	0.03	< 10	< 10	27	< 10	52
AA0076	201 229	< 0.01	114	410	22	6	12	8	0.03	< 10	< 10	96	< 10	128
AA0077	201 229	< 0.01	33	790	104	4	2	22	0.02	< 10	< 10	35	< 10	128
AA0078	201 229	< 0.01	27	790	1355	< 2	1	27	0.01	< 10	< 10	20	< 10	102
AA0079	201 229	< 0.01	54	310	16	< 2	8	15	< 0.01	< 10	< 10	37	< 10	50
AA0080	201 229	< 0.01	27	770	24	< 2	4	22	0.01	< 10	< 10	36	< 10	98
AA0081	201 229	< 0.01	37	430	18	< 2	2	15	0.02	< 10	< 10	37	< 10	94
AA0082	201 229	< 0.01	50	790	36	< 2	3	19	0.01	< 10	< 10	40	< 10	110
AA0083	201 229	< 0.01	99	600	20	< 2	7	18	0.02	< 10	< 10	52	< 10	128
AA0084	201 229	< 0.01	26	770	22	< 2	2	16	< 0.01	< 10	< 10	38	< 10	66
AA0085	201 229	< 0.01	86	630	34	< 2	4	12	0.01	< 10	< 10	28	< 10	230
AA0086	201 229	< 0.01	29	550	84	2	2	18	0.02	< 10	< 10	37	< 10	122

CERTIFICATION:

Yhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page Number : 3-A
Total Pages : 4
Certificate Date : 09-OCT-95
Invoice No. : I9529696
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9529696

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0087	201 229	8.2	0.49	494	210	< 0.5	< 2	0.02	0.5	1	3	21	2.97	< 10	< 1	0.51	10	0.04	35	2
AA0088	201 229	1.8	0.85	80	260	< 0.5	< 2	0.22	3.0	12	14	37	2.80	< 10	< 1	0.45	10	0.16	515	1
AA0089	201 229	0.6	1.42	34	560	< 0.5	< 2	0.84	33.0	18	59	38	4.81	< 10	< 1	0.18	10	0.70	1195	< 1
AA0090	201 229	2.2	0.76	92	230	0.5	2	0.20	4.5	19	11	34	2.87	< 10	< 1	0.45	20	0.10	335	2
AA0091	201 229	0.4	0.95	102	270	< 0.5	< 2	0.56	1.5	7	22	37	3.90	< 10	< 1	0.24	< 10	0.20	175	3
AA0092	201 229	1.6	1.00	80	240	0.5	< 2	0.29	5.5	19	21	49	3.06	< 10	< 1	0.45	10	0.17	400	1
AA0093	201 229	3.6	0.88	56	140	< 0.5	< 2	0.42	6.5	20	22	55	3.06	< 10	< 1	0.45	10	0.25	1170	1
AA0094	201 229	5.0	1.02	88	170	< 0.5	< 2	0.35	2.0	19	21	41	4.63	< 10	< 1	0.43	10	0.23	910	1
AA0095	201 229	2.6	0.42	378	150	< 0.5	< 2	0.01	< 0.5	2	8	16	2.27	< 10	< 1	0.26	20	0.03	60	3
AA0096	201 229	< 0.2	1.11	38	280	< 0.5	< 2	0.36	0.5	19	42	32	2.92	< 10	< 1	0.26	20	0.39	600	1
AA0097	201 229	< 0.2	1.40	14	800	< 0.5	< 2	0.11	< 0.5	3	28	14	1.91	< 10	< 1	0.08	20	0.28	160	< 1
AA0098	201 229	0.2	1.20	52	720	< 0.5	< 2	0.19	< 0.5	10	26	49	2.90	< 10	< 1	0.11	20	0.41	575	1
AA0099	201 229	0.6	0.68	98	1400	< 0.5	< 2	0.10	< 0.5	17	13	93	3.79	< 10	< 1	0.12	20	0.18	1595	< 1
AA0100	201 229	0.2	0.76	88	610	< 0.5	< 2	0.04	< 0.5	4	21	62	3.15	< 10	< 1	0.06	20	0.12	130	2
AA0101	201 229	0.2	0.70	40	1390	< 0.5	2	0.12	< 0.5	8	15	61	2.31	< 10	< 1	0.08	20	0.23	565	< 1
AA0102	201 229	0.8	0.94	78	200	< 0.5	< 2	0.08	< 0.5	6	23	62	3.76	< 10	< 1	0.38	10	0.17	260	2
AA0103	201 229	< 0.2	1.08	32	370	< 0.5	< 2	0.16	< 0.5	6	26	29	2.46	< 10	< 1	0.08	20	0.36	230	1
AA0104	201 229	0.2	1.56	102	670	0.5	< 2	0.21	< 0.5	14	44	31	3.28	< 10	< 1	0.14	20	0.43	815	2
AA0105	201 229	1.8	0.16	50	70	< 0.5	< 2	0.02	< 0.5	< 1	1	< 1	0.45	< 10	< 1	0.15	50	< 0.01	45	3
AA0106	201 229	9.4	1.26	272	380	< 0.5	< 2	0.76	0.5	3	17	22	3.89	< 10	< 1	0.20	10	0.22	180	5
AA0107	201 229	2.0	0.87	124	300	0.5	2	0.49	8.5	35	10	47	5.33	< 10	< 1	0.35	10	0.06	920	2
AA0108	201 229	0.6	1.06	36	250	< 0.5	< 2	0.32	8.5	29	39	106	4.36	< 10	< 1	0.24	10	0.40	860	1
AA0109	201 229	1.0	1.32	46	320	< 0.5	< 2	0.58	0.5	12	34	30	3.55	< 10	< 1	0.26	10	0.30	365	1
AA0110	201 229	1.2	0.90	52	210	< 0.5	< 2	0.36	3.5	15	20	34	2.85	< 10	< 1	0.28	10	0.15	610	1
AA0111	201 229	0.4	0.81	32	190	< 0.5	< 2	0.66	6.0	17	14	22	3.80	< 10	< 1	0.32	10	0.14	1355	1
AA0112	201 229	0.2	0.89	36	360	< 0.5	< 2	0.50	7.0	25	26	43	3.31	< 10	< 1	0.25	10	0.27	1420	2
AA0113	201 229	< 0.2	0.51	52	270	< 0.5	< 2	0.40	1.5	27	6	35	2.48	< 10	< 1	0.42	10	0.04	815	2
AA0114	201 229	3.0	1.48	88	430	< 0.5	2	1.15	3.0	12	66	45	3.23	< 10	< 1	0.21	10	0.54	480	2
AA0115	201 229	0.8	0.43	30	330	< 0.5	< 2	0.13	0.5	12	19	48	3.63	< 10	< 1	0.27	< 10	0.18	120	1
AA0116	201 229	0.8	1.57	46	1000	0.5	< 2	0.47	0.5	11	37	22	2.93	< 10	< 1	0.13	20	0.34	660	1
AA0117	201 229	< 0.2	3.62	80	910	0.5	< 2	0.42	< 0.5	41	188	94	7.55	< 10	< 1	0.11	< 10	2.00	1470	< 1
AA0118	201 229	< 0.2	0.95	44	860	< 0.5	< 2	0.10	< 0.5	10	20	33	2.58	< 10	< 1	0.12	20	0.19	1245	1
AA0119	201 229	< 0.2	1.26	32	730	< 0.5	< 2	0.25	< 0.5	7	26	41	2.82	< 10	< 1	0.09	20	0.39	365	1
AA0120	201 229	< 0.2	1.43	36	820	< 0.5	< 2	0.17	0.5	7	28	46	2.94	< 10	< 1	0.08	20	0.34	270	1
AA0121	201 229	0.8	0.77	72	2790	0.5	< 2	0.12	1.0	25	8	170	4.93	< 10	< 1	0.10	20	0.10	5170	1
AA0122	201 229	0.4	0.59	84	690	< 0.5	2	0.10	5.0	30	4	68	5.49	< 10	< 1	0.18	30	0.03	1465	3
AA0123	201 229	0.4	1.03	28	1370	< 0.5	< 2	0.06	< 0.5	4	15	33	2.32	< 10	< 1	0.08	10	0.15	220	1
AA0124	201 229	0.4	0.82	106	520	< 0.5	< 2	0.19	0.5	19	35	52	3.73	< 10	< 1	0.13	20	0.33	385	3
AA0125	201 229	0.2	1.35	48	350	< 0.5	< 2	0.36	0.5	29	116	67	3.74	< 10	< 1	0.16	10	0.60	1185	< 1
AA0126	201 229	1.4	1.39	52	1180	< 0.5	< 2	0.85	0.5	26	53	52	4.14	< 10	< 1	0.19	10	0.57	1240	4

CERTIFICATION:

Phai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 3-B
Total Pages : 4
Certificate Date: 09-OCT-95
Invoice No. : I9529696
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9529696

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0087	201 229	0.01	6	630	2530	6	< 1	62	< 0.01	< 10	< 10	4	< 10	194
AA0088	201 229	< 0.01	28	660	192	2	2	50	< 0.01	< 10	< 10	9	< 10	628
AA0089	201 229	0.03	56	670	316	4	11	42	< 0.01	< 10	< 10	33	< 10	3420
AA0090	201 229	< 0.01	14	530	522	2	2	20	< 0.01	< 10	< 10	9	< 10	620
AA0091	201 229	0.01	28	810	112	2	3	30	< 0.01	< 10	< 10	19	< 10	364
AA0092	201 229	< 0.01	36	750	336	< 2	3	17	< 0.01	< 10	< 10	14	< 10	770
AA0093	201 229	< 0.01	56	820	1195	6	4	20	0.01	< 10	< 10	16	< 10	1220
AA0094	201 229	< 0.01	43	750	2310	4	3	24	< 0.01	< 10	< 10	14	< 10	792
AA0095	201 229	< 0.01	12	400	1320	4	< 1	18	< 0.01	< 10	< 10	19	< 10	116
AA0096	201 229	< 0.01	63	530	28	< 2	3	14	< 0.01	< 10	< 10	23	< 10	62
AA0097	201 229	< 0.01	15	530	14	< 2	1	11	0.01	< 10	< 10	40	< 10	46
AA0098	201 229	< 0.01	33	840	18	< 2	3	21	0.04	< 10	< 10	45	< 10	112
AA0099	201 229	< 0.01	58	660	32	2	5	34	0.02	< 10	< 10	28	< 10	140
AA0100	201 229	< 0.01	27	480	26	2	1	31	0.02	< 10	< 10	68	< 10	86
AA0101	201 229	< 0.01	34	510	16	< 2	2	18	0.03	< 10	< 10	26	< 10	92
AA0102	201 229	0.02	27	930	42	< 2	2	46	0.01	< 10	< 10	39	< 10	86
AA0103	201 229	< 0.01	21	620	14	2	2	18	0.04	< 10	< 10	43	< 10	76
AA0104	201 229	< 0.01	59	660	14	2	4	10	0.01	< 10	< 10	28	< 10	108
AA0105	201 229	< 0.01	< 1	190	402	< 2	< 1	6	< 0.01	< 10	< 10	1	< 10	14
AA0106	201 229	< 0.01	15	1460	4790	2	1	46	< 0.01	< 10	< 10	16	< 10	178
AA0107	201 229	0.01	43	770	460	< 2	2	22	< 0.01	< 10	< 10	9	< 10	1200
AA0108	201 229	< 0.01	135	770	182	2	4	15	0.01	< 10	< 10	21	< 10	1570
AA0109	201 229	< 0.01	26	680	374	< 2	3	22	< 0.01	< 10	< 10	26	< 10	310
AA0110	201 229	< 0.01	27	560	442	< 2	2	17	< 0.01	< 10	< 10	21	< 10	832
AA0111	201 229	0.01	29	600	136	2	3	27	< 0.01	< 10	< 10	13	< 10	1100
AA0112	201 229	< 0.01	58	830	74	< 2	4	18	< 0.01	< 10	< 10	20	< 10	1085
AA0113	201 229	< 0.01	40	850	22	2	4	11	< 0.01	< 10	< 10	6	< 10	244
AA0114	201 229	< 0.01	45	1010	524	2	4	45	< 0.01	< 10	< 10	23	< 10	648
AA0115	201 229	< 0.01	40	690	66	< 2	2	81	< 0.01	< 10	< 10	11	< 10	196
AA0116	201 229	0.01	38	930	46	2	3	27	< 0.01	< 10	< 10	19	< 10	324
AA0117	201 229	< 0.01	132	510	2	< 2	15	17	< 0.01	< 10	< 10	79	< 10	128
AA0118	201 229	< 0.01	21	780	20	4	1	22	0.01	< 10	< 10	43	< 10	66
AA0119	201 229	0.01	27	1020	14	< 2	2	33	0.04	< 10	< 10	48	< 10	98
AA0120	201 229	< 0.01	28	750	16	4	2	39	0.05	< 10	< 10	56	< 10	96
AA0121	201 229	< 0.01	96	1090	26	4	4	38	0.01	< 10	< 10	31	< 10	292
AA0122	201 229	0.01	60	1040	42	< 2	6	51	< 0.01	< 10	< 10	14	< 10	770
AA0123	201 229	0.01	20	540	22	< 2	1	28	0.01	< 10	< 10	35	< 10	70
AA0124	201 229	< 0.01	60	680	30	< 2	3	11	< 0.01	< 10	< 10	16	< 10	216
AA0125	201 229	< 0.01	152	440	24	2	6	9	0.01	< 10	< 10	24	< 10	154
AA0126	201 229	< 0.01	84	1260	52	2	6	37	< 0.01	< 10	< 10	27	< 10	326

CERTIFICATION:

Phai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page Number : 4-A
Total Pages : 4
Certificate Date: 09-OCT-95
Invoice No. : 19529696
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9529696

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0127	201 229	0.4	0.95	34	650	< 0.5	< 2	0.57	1.0	26	37	31	3.60	< 10	< 1	0.16	10	0.40	915	1
AA0128	201 229	0.2	0.80	28	510	< 0.5	< 2	0.48	1.5	18	26	20	2.89	< 10	< 1	0.14	10	0.25	735	2
AA0129	201 229	0.6	0.77	36	310	< 0.5	< 2	0.71	1.5	15	23	20	3.05	< 10	< 1	0.22	10	0.24	705	2
AA0130	201 229	0.4	0.86	32	270	< 0.5	< 2	0.85	0.5	10	29	17	2.78	< 10	< 1	0.22	10	0.30	525	1
AA0131	201 229	0.6	0.89	42	420	< 0.5	< 2	0.71	1.0	16	24	22	3.30	< 10	< 1	0.18	10	0.26	725	2
AA0132	201 229	0.4	1.06	30	480	< 0.5	< 2	0.54	1.0	15	28	23	2.99	< 10	< 1	0.16	20	0.30	875	2
AA0133	201 229	0.6	1.15	50	660	0.5	< 2	0.78	< 0.5	16	32	25	3.81	< 10	< 1	0.13	10	0.29	725	2
AA0134	201 229	0.8	1.27	46	1220	0.5	< 2	0.72	0.5	23	22	31	4.03	< 10	< 1	0.09	20	0.18	1985	4
AA0135	201 229	0.4	0.57	32	490	< 0.5	< 2	0.24	< 0.5	8	6	19	3.29	< 10	< 1	0.19	40	0.07	245	3
AA0136	201 229	0.8	0.98	82	480	< 0.5	< 2	0.21	0.5	13	18	32	3.27	< 10	< 1	0.12	20	0.24	735	1
AA0137	201 229	1.4	0.93	36	1060	0.5	< 2	0.92	1.0	9	12	29	2.57	< 10	< 1	0.12	10	0.12	805	2
AA0138	201 229	0.4	0.87	40	500	0.5	< 2	0.51	1.0	12	17	40	3.42	< 10	< 1	0.17	20	0.19	370	3
AA0139	201 229	0.4	1.38	36	390	< 0.5	< 2	0.55	< 0.5	10	49	25	3.59	< 10	< 1	0.11	10	0.64	385	2
AA0140	201 229	< 0.2	1.61	24	140	< 0.5	< 2	0.21	< 0.5	13	54	30	3.27	< 10	< 1	0.11	10	0.78	440	< 1
AA0141	201 229	< 0.2	0.83	60	200	< 0.5	< 2	0.41	0.5	12	22	22	3.71	< 10	< 1	0.08	10	0.38	1055	3
AA0142	201 229	0.2	0.95	38	260	< 0.5	< 2	0.41	< 0.5	12	28	17	2.96	< 10	< 1	0.13	10	0.41	545	2
AA0143	201 229	1.4	0.84	58	910	< 0.5	< 2	0.76	1.0	9	13	21	3.15	< 10	< 1	0.16	20	0.15	455	2
AA0144	201 229	0.4	0.86	48	340	< 0.5	< 2	0.13	0.5	6	15	34	3.75	< 10	< 1	0.23	20	0.13	195	3
AA0145	201 229	2.4	0.88	52	920	< 0.5	< 2	0.22	0.5	3	12	12	2.46	< 10	< 1	0.13	10	0.15	160	2

CERTIFICATION:

Phai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page : 4-B
Total : 4
Certificate Date: 09-OCT-95
Invoice No. : 19529696
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9529696

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0127	201 229	< 0.01	42	740	34	< 2	4	21	0.01	< 10	< 10	21	< 10	216
AA0128	201 229	< 0.01	36	610	34	2	3	20	< 0.01	< 10	< 10	13	< 10	262
AA0129	201 229	0.01	30	790	62	2	2	30	< 0.01	< 10	< 10	17	< 10	382
AA0130	201 229	< 0.01	24	650	66	2	2	36	< 0.01	< 10	< 10	22	< 10	232
AA0131	201 229	< 0.01	31	710	54	< 2	2	28	< 0.01	< 10	< 10	17	< 10	392
AA0132	201 229	0.01	31	770	40	< 2	3	23	0.01	< 10	< 10	21	< 10	226
AA0133	201 229	< 0.01	26	800	44	< 2	3	37	< 0.01	< 10	< 10	23	< 10	176
AA0134	201 229	< 0.01	34	810	48	6	3	46	< 0.01	< 10	< 10	22	< 10	160
AA0135	201 229	< 0.01	33	450	36	2	2	20	< 0.01	< 10	< 10	8	< 10	244
AA0136	201 229	< 0.01	30	730	96	< 2	2	13	< 0.01	< 10	< 10	16	< 10	316
AA0137	201 229	0.01	28	1130	56	2	1	57	< 0.01	< 10	< 10	15	< 10	222
AA0138	201 229	< 0.01	33	650	62	2	3	26	< 0.01	< 10	< 10	17	< 10	204
AA0139	201 229	< 0.01	30	820	34	6	4	25	0.01	< 10	< 10	35	< 10	174
AA0140	201 229	< 0.01	38	720	20	< 2	3	13	0.05	< 10	< 10	46	< 10	134
AA0141	201 229	< 0.01	23	1290	26	6	2	23	0.01	< 10	< 10	37	< 10	184
AA0142	201 229	< 0.01	27	760	28	< 2	2	20	0.01	< 10	< 10	27	< 10	152
AA0143	201 229	< 0.01	26	890	74	2	2	49	< 0.01	< 10	< 10	15	< 10	332
AA0144	201 229	< 0.01	24	720	30	4	2	32	< 0.01	< 10	< 10	26	< 10	234
AA0145	201 229	0.01	12	610	132	< 2	1	21	< 0.01	< 10	< 10	15	< 10	114

CERTIFICATION:

Yhai D Ma



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP LEAGUE
Comments:

Page Number : 1
Total Pages : 5
Certificate Date: 26-FEB-96
Invoice No. : 19612385
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612385

SAMPLE	PREP CODE	Au ppb FA+AA										
T34536	244 --	< 5										
T34537	244 --	< 5										
T34538	244 --	< 5										
T34539	244 --	< 5										
T34540	244 --	< 5										
T34541	244 --	< 5										
T34542	244 --	< 5										
T34543	244 --	< 5										
T34544	244 --	< 5										
T34545	244 --	< 5										
T34546	244 --	< 5										
T34547	244 --	< 5										
T34548	244 --	< 5										
T34549	244 --	< 5										
T34550	244 --	< 5										
T34551	244 --	< 5										
T34552	244 --	< 5										
T34553	244 --	< 5										
T34554	244 --	< 5										
T34555	244 --	< 5										
T34556	244 --	< 5										
T34557	244 --	< 5										
T34558	244 --	< 5										
T34559	244 --	< 5										
T34560	244 --	< 5										
T34561	244 --	< 5										
T34562	244 --	< 5										
T34563	244 --	< 5										
T34564	244 --	< 5										
T34565	244 --	< 5										
T34566	244 --	< 5										
T34567	244 --	< 5										
T34568	244 --	< 5										
T34569	244 --	< 5										
T34570	244 --	< 5										
T34571	244 --	< 5										
T34572	244 --	< 5										
T34573	244 --	< 5										
T34574	244 --	< 5										
T34575	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8


Project : FP LEAGUE
Comments:

Page Number : 2
Total Pages : 5
Certificate Date: 26-FEB-96
Invoice No. : I9612385
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612385

SAMPLE	PREP CODE	Au ppb FA+AA									
T34576	244 --	< 5									
T34577	244 --	< 5									
T34578	244 --	< 5									
T34579	244 --	< 5									
T34580	244 --	< 5									
T34581	244 --	< 5									
T34582	244 --	< 5									
T34583	244 --	< 5									
T34584	244 --	< 5									
T34585	244 --	< 5									
T34586	244 --	40									
T34587	244 --	< 5									
T34588	244 --	< 5									
T34589	244 --	< 5									
T34590	244 --	< 5									
T34591	244 --	< 5									
T34592	244 --	< 5									
T34593	244 --	< 5									
T34594	244 --	< 5									
T34595	244 --	< 5									
T34596	244 --	< 5									
T34597	244 --	< 5									
T34598	244 --	< 5									
T34599	244 --	< 5									
T34600	244 --	< 5									
T34601	244 --	< 5									
T34602	244 --	< 5									
T34603	244 --	< 5									
T34604	244 --	< 5									
T34605	244 --	< 5									
T34606	244 --	< 5									
T34607	244 --	< 5									
T34608	244 --	< 5									
T34609	244 --	< 5									
T34610	244 --	< 5									
T34611	244 --	< 5									
T34612	244 --	95									
T34613	244 --	< 5									
T34614	244 --	< 5									
T34615	244 --	< 5									

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP LEAGUE
Comments:

Page Number : 3
Total Pages : 5
Certificate Date: 26-FEB-96
Invoice No. : 19612385
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612385

SAMPLE	PREP CODE	Au ppb FA+AA									
T34616	244 --	< 5									
T34617	244 --	< 5									
T34618	244 --	< 5									
T34619	244 --	< 5									
T34620	244 --	< 5									
T34621	244 --	< 5									
T34622	244 --	< 5									
T34623	244 --	< 5									
T34624	244 --	< 5									
T34625	244 --	< 5									
T34626	244 --	< 5									
T34627	244 --	< 5									
T34628	244 --	< 5									
T34629	244 --	< 5									
T34630	244 --	< 5									
T34631	244 --	< 5									
T34632	244 --	< 5									
T34633	244 --	< 5									
T34634	244 --	< 5									
T34635	244 --	< 5									
T34636	244 --	< 5									
T34637	244 --	< 5									
T34638	244 --	< 5									
T34639	244 --	< 5									
T34640	244 --	< 5									
T34641	244 --	< 5									
T34642	244 --	< 5									
T34643	244 --	< 5									
T34644	244 --	< 5									
T34645	244 --	< 5									
T34646	244 --	< 5									
T34647	244 --	< 5									
T34648	244 --	< 5									
T34649	244 --	< 5									
T34650	244 --	< 5									
T34651	244 --	< 5									
T34652	244 --	< 5									
T34653	244 --	< 5									
T34654	244 --	< 5									
T34655	244 --	< 5									

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP LEAGUE
Comments:

Page Number : 4
Total Pages : 5
Certificate Date: 26-FEB-96
Invoice No. : I9612385
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612385

SAMPLE	PREP CODE	Au ppb FA+AA										
T34656	244 ---	< 5										
T34657	244 ---	< 5										
T34658	244 ---	< 5										
T34659	244 ---	< 5										
T34660	244 ---	< 5										
T34661	244 ---	< 5										
T34662	244 ---	< 5										
T34663	244 ---	< 5										
T34664	244 ---	< 5										
T34665	244 ---	< 5										
T34666	244 ---	< 5										
T34667	244 ---	< 5										
T34668	244 ---	< 5										
T34669	244 ---	< 5										
T34670	244 ---	< 5										
T34671	244 ---	< 5										
T34672	244 ---	< 5										
T34673	244 ---	25										
T34674	244 ---	< 5										
T34675	244 ---	< 5										
T34676	244 ---	< 5										
T34677	244 ---	< 5										
T34678	244 ---	< 5										
T34679	244 ---	< 5										
T34680	244 ---	< 5										
T34681	244 ---	< 5										
T34682	244 ---	< 5										
T34683	244 ---	< 5										
T34684	244 ---	< 5										
T34685	244 ---	< 5										
T34706	244 ---	< 5										
T34707	244 ---	< 5										
T34708	244 ---	< 5										
T34709	244 ---	< 5										
T34710	244 ---	< 5										
T34711	244 ---	< 5										
T34712	244 ---	< 5										
T34713	244 ---	< 5										
T34714	244 ---	< 5										
T34715	244 ---	< 5										

CERTIFICATION:



212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Page Number : 5
Total Pages : 5
Certificate Date: 26-FEB-96
Invoice No. : I9612385
P.O. Number :
Account : MPO

A9612385

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP LEAGUE
Comments:

Page Number : 1
Total Pages : 4
Certificate Date: 23-FEB-96
Invoice No. : I9612384
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612384

SAMPLE	PREP CODE	Au ppb FA+AA									
T34763	244 --	< 5									
T34764	244 --	< 5									
T34766	244 --	< 5									
T34767	244 --	< 5									
T34768	244 --	< 5									
T34769	244 --	< 5									
T34770	244 --	< 5									
T34771	244 --	< 5									
T34772	244 --	< 5									
T34773	244 --	< 5									
T34774	244 --	< 5									
T34775	244 --	< 5									
T34776	244 --	< 5									
T34777	244 --	< 5									
T34778	244 --	< 5									
T34779	244 --	< 5									
T34780	244 --	< 5									
T34781	244 --	< 5									
T34782	244 --	< 5									
T34783	244 --	< 5									
T34784	244 --	< 5									
T34785	244 --	< 5									
T34786	244 --	< 5									
T34787	244 --	< 5									
T34788	244 --	< 5									
T34789	244 --	< 5									
T34790	244 --	< 5									
T34791	244 --	< 5									
T34792	244 --	< 5									
T34793	244 --	< 5									
T34794	244 --	< 5									
T34795	244 --	< 5									
T34796	244 --	< 5									
T34950	244 --	< 5									
T34951	244 --	< 5									
T34952	244 --	< 5									
T34953	244 --	< 5									
T34954	244 --	< 5									
T34955	244 --	< 5									
T34956	244 --	< 5									

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP LEAGUE
Comments :

Page Number : 2
Total Pages : 4
Certificate Date: 23-FEB-96
Invoice No. : I9612384
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612384

SAMPLE	PREP CODE	Au ppb FA+AA										
T34957	244 --	< 5										
T34958	244 --	< 5										
T34959	244 --	< 5										
T34960	244 --	< 5										
T34961	244 --	< 5										
T34962	244 --	< 5										
T34963	244 --	< 5										
T34964	244 --	< 5										
T34965	244 --	< 5										
T34966	244 --	< 5										
T34967	244 --	< 5										
T34968	244 --	< 5										
T34969	244 --	< 5										
T34970	244 --	< 5										
T34971	244 --	< 5										
T34972	244 --	< 5										
T34973	244 --	30										
T34974	244 --	35										
T34975	244 --	< 5										
T34976	244 --	< 5										
T34977	244 --	< 5										
T34978	244 --	< 5										
T34979	244 --	< 5										
T34980	244 --	< 5										
T34981	244 --	< 5										
T34982	244 --	< 5										
T34983	244 --	< 5										
T34984	244 --	50										
T34985	244 --	< 5										
T34986	244 --	< 5										
T34987	244 --	< 5										
T34988	244 --	< 5										
T34989	244 --	< 5										
T34990	244 --	20										
T34991	244 --	< 5										
T34992	244 --	< 5										
T34993	244 --	< 5										
T34994	244 --	< 5										
T34995	244 --	20										
T34996	244 --	< 5										

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8


Project : FP LEAGUE
Comments:

Page Number : 3
Total Pages : 4
Certificate Date: 23-FEB-96
Invoice No. : 19612384
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612384

SAMPLE	PREP CODE	Au ppb FA+AA									
T34997	244 --	< 5									
T34998	244 --	< 5									
T34999	244 --	< 5									
T35000	244 --	50									
T35001	244 --	25									
T35002	244 --	25									
T35003	244 --	70									
T35004	244 --	< 5									
T35005	244 --	< 5									
T35006	244 --	< 5									
T35017	244 --	< 5									
T35018	244 --	75									
T35019	244 --	< 5									
T35020	244 --	< 5									
T35021	244 --	< 5									
T35022	244 --	< 5									
T35023	244 --	< 5									
T35024	244 --	< 5									
T35025	244 --	< 5									
T35026	244 --	< 5									
T35027	244 --	< 5									
T35028	244 --	< 5									
T35029	244 --	< 5									
T35030	244 --	< 5									
T35031	244 --	< 5									
T35032	244 --	< 5									
T35033	244 --	< 5									
T35054	244 --	< 5									
T35055	244 --	< 5									
T35056	244 --	< 5									
T35057	244 --	< 5									
T35058	244 --	< 5									
T35059	244 --	< 5									
T35060	244 --	< 5									
T35061	244 --	< 5									
T35062	244 --	< 5									
T35068	244 --	< 5									
T35069	244 --	< 5									
T35070	244 --	< 5									
T35071	244 --	< 5									

CERTIFICATION: 



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP LEAGUE
Comments:

Page Number : 4
Total Pages : 4
Certificate Date : 23-FEB-96
Invoice No. : I9612384
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9612384

SAMPLE	PREP CODE		Au ppb FA+AA									
T35072	244	--	110									
T35073	244	--	< 5									
T35074	244	--	< 5									
T35075	244	--	< 5									
T35076	244	--	145									
T35077	244	--	< 5									
T35078	244	--	< 5									
T35079	244	--	< 5									
T35080	244	--	< 5									
T35081	244	--	< 5									
T35082	244	--	15									
T35083	244	--	< 5									
T35084	244	--	< 5									
T35085	244	--	< 5									
T35086	244	--	< 5									
T35087	244	--	< 5									
T35088	244	--	< 5									
T35089	244	--	< 5									
T35090	244	--	< 5									
T35091	244	--	< 5									
T35092	244	--	< 5									

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page Number: 1
Total Pages: 4
Certificate Date: 14-MAR-96
Invoice No.: I9613605
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9613605

SAMPLE	PREP CODE	Au ppb FA+AA										
AA0146	244 ---	< 5										
AA0147	244 ---	< 5										
AA0148	244 ---	< 5										
AA0150	244 ---	< 5										
AA0151	244 ---	< 5										
AA0152	244 ---	< 5										
AA0153	244 ---	< 5										
AA0154	244 ---	< 5										
AA0155	244 ---	< 5										
AA0156	244 ---	< 5										
AA0157	244 ---	< 5										
AA0158	244 ---	< 5										
AA0159	244 ---	< 5										
AA0160	244 ---	< 5										
AA0161	244 ---	< 5										
AA0162	244 ---	< 5										
AA0163	244 ---	< 5										
AA0164	244 ---	< 5										
AA0165	244 ---	< 5										
AA0166	244 ---	< 5										
AA0167	244 ---	< 5										
AA0168	244 ---	< 5										
AA0169	244 ---	< 5										
AA0170	244 ---	< 5										
AA0171	244 ---	25										
AA0172	244 ---	< 5										
AA0173	244 ---	< 5										
AA0174	244 ---	< 5										
AA0175	244 ---	< 5										
AA0176	244 ---	< 5										
AA0177	244 ---	< 5										
AA0178	244 ---	< 5										
AA0179	244 ---	< 5										
AA0180	244 ---	< 5										
AA0181	244 ---	185										
AA0182	244 ---	< 5										
AA0183	244 ---	< 5										
AA0184	244 ---	< 5										
AA0185	244 ---	< 5										
AA0186	244 ---	< 5										

CERTIFICATION:

Theresa V. Vink



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page Number : 2
Total Pages : 4
Certificate Date: 14-MAY-96
Invoice No. : I9613605
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9613605

SAMPLE	PREP CODE	Au ppb FA+AA										
AA0187	244 --	< 5										
AA0188	244 --	< 5										
AA0189	244 --	< 5										
AA0190	244 --	< 5										
AA0191	244 --	< 5										
AA0192	244 --	< 5										
AA0193	244 --	< 5										
AA0194	244 --	< 5										
AA0195	244 --	< 5										
AA0196	244 --	< 5										
AA0197	244 --	< 5										
AA0198	244 --	< 5										
AA0199	244 --	< 5										
AA0200	244 --	< 5										
AA0201	244 --	< 5										
AA0202	244 --	< 5										
AA0203	244 --	< 5										
AA0204	244 --	< 5										
AA0205	244 --	< 5										
AA0206	244 --	< 5										
AA0207	244 --	< 5										
AA0208	244 --	< 5										
AA0209	244 --	< 5										
AA0210	244 --	< 5										
AA0211	244 --	< 5										
AA0212	244 --	< 5										
AA0213	244 --	< 5										
AA0214	244 --	< 5										
AA0215	244 --	< 5										
AA0216	244 --	< 5										
AA0217	244 --	< 5										
AA0218	244 --	< 5										
AA0219	244 --	< 5										
AA0220	244 --	< 5										
AA0221	244 --	< 5										
AA0222	244 --	< 5										
AA0223	244 --	< 5										
AA0224	244 --	< 5										
AA0225	244 --	< 5										
AA0226	244 --	< 5										

CERTIFICATION:

Theresa V. Vink



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page Number : 3
Total Pages : 4
Certificate Date: 14-MAR-96
Invoice No. : 19613605
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9613605

SAMPLE	PREP CODE	Au ppb FA+AA										
AA0227	244 --	< 5										
AA0228	244 --	< 5										
AA0229	244 --	< 5										
AA0230	244 --	< 5										
AA0231	244 --	< 5										
AA0232	244 --	< 5										
AA0233	244 --	< 5										
AA0234	244 --	< 5										
AA0235	244 --	< 5										
AA0236	244 --	< 5										
AA0237	244 --	< 5										
AA0238	244 --	< 5										
AA0239	244 --	< 5										
AA0240	244 --	< 5										
AA0241	244 --	< 5										
AA0242	244 --	< 5										
AA0243	244 --	< 5										
AA0244	244 --	< 5										
AA0245	244 --	< 5										
AA0246	244 --	< 5										
AA0247	244 --	< 5										
AA0248	244 --	< 5										
AA0249	244 --	< 5										
AA0250	244 --	< 5										
AA0251	244 --	< 5										
AA0252	244 --	< 5										
AA0253	244 --	< 5										
AA0254	244 --	< 5										
AA0255	244 --	< 5										
AA0256	244 --	< 5										
AA0257	244 --	< 5										
AA0258	244 --	< 5										
AA0259	244 --	< 5										
AA0260	244 --	< 5										
AA0261	244 --	< 5										
AA0262	244 --	< 5										
AA0263	244 --	< 5										
AA0264	244 --	< 5										
AA0265	244 --	< 5										
AA0266	244 --	< 5										

CERTIFICATION:

Theresa Vm



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page Number : 4
Total Pages : 4
Certificate Date: 14-MAR-96
Invoice No. : I9613605
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9613605

SAMPLE	PREP CODE	Au ppb FA+AA									
AA0267	244 --	< 5									

CERTIFICATION:

Theresa Vank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : FP-LEAGUE
Comments:

Page Number : 1
Total Pages : 4
Certificate Date: 14-MAR-96
Invoice No. : 19613607
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9613607

SAMPLE	PREP CODE	Au ppb FA+AA										
AA0007	244 --	< 5										
AA0008	244 --	< 5										
AA0009	244 --	< 5										
AA0010	244 --	< 5										
AA0011	244 --	< 5										
AA0012	244 --	< 5										
AA0013	244 --	< 5										
AA0014	244 --	< 5										
AA0015	244 --	< 5										
AA0016	244 --	< 5										
AA0017	244 --	< 5										
AA0018	244 --	< 5										
AA0019	244 --	< 5										
AA0020	244 --	< 5										
AA0021	244 --	< 5										
AA0022	244 --	< 5										
AA0023	244 --	< 5										
AA0024	244 --	< 5										
AA0025	244 --	< 5										
AA0026	244 --	< 5										
AA0027	244 --	< 5										
AA0028	244 --	< 5										
AA0029	244 --	< 5										
AA0030	244 --	< 5										
AA0031	244 --	< 5										
AA0032	244 --	< 5										
AA0033	244 --	< 5										
AA0034	244 --	< 5										
AA0035	244 --	< 5										
AA0036	244 --	< 5										
AA0037	244 --	< 5										
AA0038	244 --	< 5										
AA0039	244 --	< 5										
AA0040	244 --	< 5										
AA0041	244 --	< 5										
AA0042	244 --	< 5										
AA0043	244 --	< 5										
AA0044	244 --	< 5										
AA0045	244 --	< 5										
AA0046	244 --	< 5										

CERTIFICATION:

Theresa Vank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page Number : 2
Total Pages : 4
Certificate Date: 14-MAR-96
Invoice No. : I9613607
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9613607

SAMPLE	PREP CODE	Au ppb FA+AA										
AA0047	244 --	< 5										
AA0048	244 --	< 5										
AA0049	244 --	< 5										
AA0050	244 --	< 5										
AA0051	244 --	< 5										
AA0052	244 --	< 5										
AA0053	244 --	< 5										
AA0054	244 --	< 5										
AA0055	244 --	< 5										
AA0056	244 --	< 5										
AA0057	244 --	< 5										
AA0058	244 --	< 5										
AA0059	244 --	< 5										
AA0060	244 --	< 5										
AA0061	244 --	< 5										
AA0062	244 --	< 5										
AA0063	244 --	< 5										
AA0064	244 --	< 5										
AA0065	244 --	< 5										
AA0066	244 --	< 5										
AA0067	244 --	< 5										
AA0068	244 --	< 5										
AA0069	244 --	< 5										
AA0070	244 --	< 5										
AA0071	244 --	< 5										
AA0072	244 --	< 5										
AA0073	244 --	< 5										
AA0074	244 --	< 5										
AA0075	244 --	< 5										
AA0076	244 --	< 5										
AA0077	244 --	< 5										
AA0078	244 --	< 5										
AA0079	244 --	< 5										
AA0080	244 --	< 5										
AA0081	244 --	< 5										
AA0082	244 --	35										
AA0083	244 --	30										
AA0084	244 --	< 5										
AA0085	244 --	< 5										
AA0086	244 --	< 5										

CERTIFICATION:

Theresa Vrank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page Number : 3
Total Pages : 4
Certificate Date: 14-MAR-96
Invoice No. : I9613607
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9613607

SAMPLE	PREP CODE	Au ppb FA+AA										
AA0087	244 --	310										
AA0088	244 --	60										
AA0089	244 --	< 5										
AA0090	244 --	< 5										
AA0091	244 --	< 5										
AA0092	244 --	65										
AA0093	244 --	20										
AA0094	244 --	45										
AA0095	244 --	5										
AA0096	244 --	< 5										
AA0097	244 --	< 5										
AA0098	244 --	< 5										
AA0099	244 --	35										
AA0100	244 --	< 5										
AA0101	244 --	< 5										
AA0102	244 --	< 5										
AA0103	244 --	< 5										
AA0104	244 --	70										
AA0105	244 --	30										
AA0106	244 --	90										
AA0107	244 --	25										
AA0108	244 --	10										
AA0109	244 --	45										
AA0110	244 --	10										
AA0111	244 --	< 5										
AA0112	244 --	< 5										
AA0113	244 --	< 5										
AA0114	244 --	< 5										
AA0115	244 --	< 5										
AA0116	244 --	< 5										
AA0117	244 --	< 5										
AA0118	244 --	< 5										
AA0119	244 --	< 5										
AA0120	244 --	< 5										
AA0121	244 --	< 5										
AA0122	244 --	< 5										
AA0123	244 --	< 5										
AA0124	244 --	< 5										
AA0125	244 --	< 5										
AA0126	244 --	< 5										

CERTIFICATION:

Theresa Vonn



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: FP-LEAGUE
Comments:

Page Number : 4
Total Pages : 4
Certificate Date: 14-MAR-96
Invoice No. : 19613607
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9613607

SAMPLE	PREP CODE	Au ppb FA+AA										
AA0127	244 --	< 5										
AA0128	244 --	< 5										
AA0129	244 --	< 5										
AA0130	244 --	< 5										
AA0131	244 --	< 5										
AA0132	244 --	< 5										
AA0133	244 --	< 5										
AA0134	244 --	< 5										
AA0135	244 --	< 5										
AA0136	244 --	< 5										
AA0137	244 --	< 5										
AA0138	244 --	< 5										
AA0139	244 --	< 5										
AA0140	244 --	< 5										
AA0141	244 --	< 5										
AA0142	244 --	< 5										
AA0143	244 --	< 5										
AA0144	244 --	< 5										
AA0145	244 --	< 5										

CERTIFICATION:

Thush Vank

9A24744

ARCHER, CATHRO

& ASSOCIATES (1981) LIMITED

CONSULTING GEOLOGICAL ENGINEERS

Box 4127, 2054 SECOND AVENUE, WHITEHORSE, Y.T. Y1A 3S9 TEL (403) 667 - 4415

AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:


That to the best of my knowledge the attached Statement of
Expenditures for exploration work on the League 21-114
mineral claims on Claim Sheet 105G/7 & 10 is accurate.


Joan Mariacher

Sworn before me at Vancouver, B.C.

this 3rd day of

April, 1996



Notary, Yukon Territory



093493

Statement of Expenditures
League 21-210 Claims
March 20, 1996

Labour

D. Eaton, geologist - August 31-September 3, 1995 - 32 hrs @ \$50/hr	\$ 1,712.00
F. Gish, geologist - August 30-October 2, 1995 - 272 hrs @ \$40/hr	11,641.60
G. Hunking, field assistant - September 1-October 2 - 32 days @ \$165/day	5,649.60
A. Joe, field assistant - September 1-23 - 23 days @ \$165/day	4,060.65
J. Joe, field assistant - September 5-22 - 18 days @ \$165/day	3,177.90
D. Robinson, field assistant - September 1-2, 22-October 2	
- 13 days @ \$165/day	2,295.15
J. Asp-Davis, cook - September 1-October 1 - 31 days @ \$217.50/day	<u>7,214.48</u>
	\$35,751.38

Expenses

Field room and board - 193 days @ \$70/day	14,455.70
Trans North Air - 18.3 hrs Bell 206B @ \$615/hr, plus fuel	12,308.75
Amerok Geosciences Ltd.	14,750.92
Coureur des Bois	9,710.25
Chemex Labs	<u>5,758.49</u>
	\$56,983.61
 TOTAL	 <u>\$92,734.99</u>

REMIT PAYMENT TO:

TRANS NORTH AIR
TRANS NORTH TURBO AIR LTD.
AIRPORT HANGAR "C" • WHITEHORSE • YUKON • Y1A 3E
TELEPHONE (403) 668-2177 FAX (403) 668-3420

ACCOUNT NUMBER	ARCHEXP			
INVOICE NUMBER	09028			
INVOICE DATE			AREA	
28/08/95			B.C. YUKON N.W.T. ALTA	
A/C TYPE		AIRCRAFT REGISTRATION C		
BH 206		6P H0		
FLIGHT DATE	DAY	MONTH	YEAR	
	23	08	95	
PURCHASE ORDER NO.				

EXPATRIATE RESOURCES

CHARTERER

ANCHOR & CATHMO

BILLING ADDRESS

WHITE HORSE

FUEL & OIL-X		TNTA FUEL USED	HRS./LITRES	FROM
TNTA	CUST.			
X	X		342	YDIN

FROM		HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
ROSSRIVER			
TO FINLAYSON STRIP	0.8		
LOCAL	4.8		
ROSSRIVER	0.6		
League O.V = 139.87			

SUB	GL	AMOUNT			
1614	502	3813.00	6.2	@ 615 ⁰⁰	3813.00
1600	131	23940		@	
			HOLDING TIME:	@ / HR.	
0000	323	28367	FUEL 3428	@ 0.70 LITRE	23940

TERMS: PAYABLE UPON RECEIPT OF INVOICE.

2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X

CHARTERER'S SIGNATURE _____

CHARACTER'S NAME (PRINTED)

INITIALS

Rx 6

PLOTS SIGNATURE

MTW

NATHAN WEEKS

FUEL	@	/ LITRE		
MEALS & LODGINGS				
OTHER				
OTHER				
SUB TOTAL			4052	40
GOODS & SERVICES TAX				
REGISTRATION NO. R121483135			283	67

TOTAL \$ 4336.07

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF,
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE

THIS IS YOUR ONLY INVOICE — PAY UPON RECEIPT



REMIT PAYMENT TO:

TRANS NORTH AIR

TRANS NORTH TURBO AIR LTD

AIRPORT HANGAR "C" • WHITEHORSE • YUKON • YIA 3E4
TELEPHONE (403) 688-2177 FAX (403) 688-3420

Expatriate Resources

c/o ARCHER & CATHRO

CHARTERER

BILLING ADDRESS

Box 4127

WHITEHORSE, Y.T. Y1A 3S9

FUEL & OIL - X		TNTA FUEL USED	HRS./LITRES	FROM
TNTA	CUST.			
	X			

ACCOUNT NUMBER	ARCHEKP
INVOICE NUMBER	09045
INVOICE DATE	18/09/95
A/C TYPE	BH 206
AIRCRAFT REGISTRATION C.	GPHB
FLIGHT DATE	02 09 95
PURCHASE ORDER NO.	

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
FINLAYSON STRIP		
TO		
CAMP		CAMP MOVE 4 MAX + 1 L
FINLAYSON STRIP	4.3	8X UL

SUB	GL	AMOUNT			
1614	502	2644.50	4.3	@ 615 ⁰⁰	2644.50
				@	
			HOLDING TIME:	@ / HR.	
0000	323	185.12	FUEL CUST	@ / LITRE	

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X
CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS RXG
PILOT'S SIGNATUREENGINEER'S NAME
HJW MATTHEW WEEKS

FUEL	@	/ LITRE	
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL			2644.50
GOODS & SERVICES TAX			
REGISTRATION NO. R121483135			185.12

TOTAL \$ 2829.62

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE - PAY UPON RECEIPT

Expatriate Resources
 % ARCHER & CATHIA

ACCOUNT NUMBER	ARCHEXP		
INVOICE NUMBER	09049		
INVOICE DATE	18/09/95		
A/C TYPE	64206	AIRCRAFT REGISTRATION C	61H0
FLIGHT DATE	04	09	95
PURCHASE ORDER NO.			

CHARTERER

Box 4127

BILLING ADDRESS

WHITEHORSE, YT Y1A 3S9

FUEL & OIL - X	TNTA FUEL USED	HRS./LITRES	FROM
TNTA	CUST.		
	X		

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
FINLAUSONSTRIP		
TO		
CATP		
FINLAUSONSTRIP	0.5	1X DIESEL & 2 PRUNS

SUB	GL	AMOUNT			
1614	502	307.50	0.5	@ 615 ⁰⁰	307.50
				@	
			HOLDING TIME:	@ / HR.	
0000	323	21.53	FUEL	@ / LITRE	
			FUEL	@ / LITRE	
			MEALS & LODGINGS		
			OTHER		
			OTHER		
			SUB TOTAL		307.50
			GOODS & SERVICES TAX		
			REGISTRATION NO. R121483135		21.53
			TOTAL	\$	329.03

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
 2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____
 CHARTERER'S SIGNATURE

 CHARTERER'S NAME (PRINTED)

INITIALS *EXG* *Ken Jull*
 PILOT'S SIGNATURE

ENGINEER'S NAME
MJW *MATTIEN WEEKS*

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
 TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.
THIS IS YOUR ONLY INVOICE - PAY UPON RECEIPT



REMIT PAYMENT TO:

TRANS NORTH AIR

TRANS NORTH TURBO AIR LTD

AIRPORT HANGAR "C" • WHITEHORSE • YUKON • YIA 3E4
TELEPHONE (403) 868-2177 FAX (403) 868-3420*Expatriate Resources*
Co ARCHER & CATHRO

CHARTERER

Box 4127

BILLING ADDRESS

WHITEHORSE, Y.T. YIA 3S9

FUEL & OIL-X		TNTA FUEL USED	HRS/LITRES	FROM
TNTA	CUST			
X	X		<i>344</i>	<i>YDM</i>

ACCOUNT NUMBER	<i>ARCHELP</i>
INVOICE NUMBER	<i>09051</i>
INVOICE DATE	<i>18/09/95</i>
A/C TYPE	<i>BH 20G</i>
FLIGHT DATE	<i>05/09/95</i>
PURCHASE ORDER NO.	
AREA	☐ B.C. ☐ YUKON ☐ N.W.T. ☐ A.L.T.
AIRCRAFT REGISTRATION C	<i>61H6</i>
DAY	<i>05</i>
MONTH	<i>09</i>
YEAR	<i>95</i>

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
<i>ROSSIGNON</i>		
<i>TO</i>		
<i>FILLAMOUSMIP</i>	<i>0.6</i>	<i>FERRY - PAX</i>
<i>LOCAL</i>	<i>4.6</i>	<i>GROEDIES + CAMPNOUF</i>
<i>ROSSIGNON</i>	<i>0.6</i>	<i>FERRY - PAX</i>

SUB	GL	AMOUNT		
<i>1614</i>	<i>502</i>	<i>3567.00</i>	<i>5.8</i>	<i>@ 615.00</i>
<i>1600</i>	<i>131</i>	<i>240.80</i>		<i>@</i>
			HOLDING TIME:	<i>@ / HR.</i>
<i>0000</i>	<i>323</i>	<i>266.55</i>	FUEL <i>344L</i>	<i>@ 0.70 / LITRE</i>

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.X *Garth Hunkins*
CHARTERER'S SIGNATURE*GARTH HUNKINS*
CHARTERER'S NAME (PRINTED)INITIALS *NXS*
LOTS SIGNATURE*MTW* *NATHAN WERN*
ENGINEER'S NAME

FUEL	<i>@</i>	/ LITRE	
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL			<i>3807.80</i>
GOODS & SERVICES TAX			
REGISTRATION NO. R121483135			<i>266.55</i>

TOTAL \$ *4074.35*CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE - PAY UPON RECEIPT

REMIT PAYMENT TO:
TRANS NORTH AIR
 TRANS NORTH TURBO AIR LTD
 AIRPORT HANGAR "C" • WHITEHORSE • YUKON • Y1A 3E4
 TELEPHONE (403) 868-2177 FAX (403) 868-3420

Expatriate Resources
of Archer Cathroe

CHARTERER
Box 4127

BILLING ADDRESS
Whitehorse, YT Y1A3S9

FUEL & OIL-X TMTA FUEL USED HRS/LITRES FROM
 TMTA CUST. *114 FINALS*

ACCOUNT NUMBER *ARCHEXP*

INVOICE NUMBER **09485**

INVOICE DATE *26/09/95*

A/C TYPE *26 B* AIRCRAFT REGISTRATION C *FC HU*

FLIGHT DATE *19/09/95*

PURCHASE ORDER NO.

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
<i>Fin → Leage 3X</i>	<i>1.0</i>	<i>Slung 30 drums + 1 Propane tank to Frank's Camp.</i>

SUB	GL	AMOUNT			
<i>1627</i>	<i>502</i>	<i>615.00</i>	<i>1.0</i>	<i>@ 615.00</i>	<i>615.00</i>
<i>0000</i>	<i>323</i>	<i>43.05</i>			

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
 2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS IF INTEREST IS NOT PAID. FUTURE FLIGHTS WILL BE ON A CASH BASIS.

CHARTERER'S SIGNATURE
[Signature]

CHARTERER'S NAME (PRINTED)
Raymond Guesnel

PILOTS SIGNATURE
[Signature]

ENGINEER'S NAME
JCT Jim Tarowski

HTW Matt Weeks

HOLDING TIME:	@	/ HR.		
FUEL	@	/ LITRE		
FUEL	@	/ LITRE		
MEALS & LODGINGS				
OTHER				
OTHER				
SUB TOTAL			<i>615.00</i>	
GOODS & SERVICES TAX			<i>43.05</i>	
REGISTRATION NO. R121483135				

TOTAL \$ 658.05

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
 TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.
THIS IS YOUR ONLY INVOICE — PAY UPON RECEIPT

REMIT PAYMENT TO:
TRANS NORTH AIR
 TRANS NORTH TURBO AIR LTD
 AIRPORT HANGAR "C" • WHITEHORSE • YUKON • Y1A 3E4
 TELEPHONE (403) 668-2177 FAX (403) 668-3420
Expatriate Resources
% Archer Cathro
 CHARTERER

Box 4127
 BILLING ADDRESS
Whitehorse 4.T Y1A 3S9

FUEL & OIL-X TMTA FUEL USED HRS./LITRES FROM
 TMTA CUST. *194 FIN AKS*

ACCOUNT NUMBER	ARCHEXP		
INVOICE NUMBER	09489		
INVOICE DATE	26/09/95		
A/C TYPE	2068 FCW		
FLIGHT DATE	DAY	MONTH	YEAR
	22	09	95
PURCHASE ORDER NO.			

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
<i>Finlayson AS</i>		
<i>Lease 2x Franks</i>	<i>1.7</i>	<i>2 Pax to Franks</i>
<i>Camp 3x → Fin</i>		<i>2 Pax to Fin AS</i>
<i>Lease → Fin</i>		<i>1 Pax to Fin from</i>
		<i>TOM CAMP 1 Pax</i>
		<i>from Tom's to Franks</i>

SUB	GL	AMOUNT
1627	502	104550
0000	323	7319

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
 2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED
 ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS IF INTEREST IS
 NOT PAID. FUTURE FLIGHTS WILL BE ON A CASH BASIS.

[Signature]
 CHARTERER'S SIGNATURE
RAYMOND QUEENEL
 CHARTERER'S NAME (PRINTED)
SR
 PILOT'S SIGNATURE
 ENGINEER'S NAME
JCT Jim Tanowski
HTW Matt Weeks

HOLDING TIME:	@	/ HR.
FUEL	@	/ LITRE
FUEL	@	/ LITRE
MEALS & LODGINGS		
OTHER		
OTHER		
SUB TOTAL		104550
GOODS & SERVICES TAX		
REGISTRATION NO. R121483135		7319

TOTAL \$ 1118.69

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
 TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.
THIS IS YOUR ONLY INVOICE - PAY UPON RECEIPT



REMIT PAYMENT TO:

TRANS NORTH AIR

TRANS NORTH TURBO AIR LTD

AIRPORT HANGAR "C" • WHITEHORSE • YUKON • Y1A 3E4
TELEPHONE (403) 668-2177 FAX (403) 668-3420*EXTRATE RETAINERS*
Archer, Cathers & Assoc

CHARTERER

Box 4127

BILLING ADDRESS

Whitehorse, Y.T. Y1A 3S9

FUEL & OIL X	TNTA FUEL USED	HRS/LITRES	FROM
TNTA	CUST		
	✓		

ACCOUNT NUMBER	ARCHERD
INVOICE NUMBER	08712
INVOICE DATE	03/10/95
A/C TYPE	206B
AREA	YUKON NWT ALTA
FLIGHT DATE	01/10/95
PURCHASE ORDER NO.	

FROM	HOURS	REMARKS - NO. OF PASS - FREIGHT Kg
TO		
Ross River.		
Franks Camp/Finlayson	0.7	
Geol. "MONY"	1.0	Bill
Franks Camp	2.5	Franks
Finlayson → Ross River	0.6	

SUB	GL	AMOUNT
1612502		2952.00
1		
0000323		206.64

TERMS: PAYABLE UPON RECEIPT OF INVOICE.

2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X *B. Wenzel*
CHARTERER'S SIGNATURE

INITIALS	CHARTERER'S NAME (PRINTED)
SCS	Soubliere
JCT	PILOT'S SIGNATURE
MJW	ENGINEER'S NAME

HOLDING TIME:	@	/ HR.
FUEL	@	/ LITRE
FUEL	@	/ LITRE
MEALS & LODGINGS		
OTHER		
OTHER		
SUB TOTAL		2952.00
GOODS & SERVICES TAX		
REGISTRATION NO. R121483135		206.64

TOTAL \$ 3158.64

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE — PAY UPON RECEIPT



Amerok Geosciences Ltd.

Site 6, Comp 11
Whitehorse, Yukon
Y1A 5V8
Phone/fax: (403) 668-7672
amerok@yknet.yk.ca

INVOICE

GST No.: RT89493 8588
File: 95-23

Invoice 95032
August 29, 1995

In account with: **Expatriot Resources Ltd.**
1016 -510 West Hastings Street
Vancouver, BC
V6B 1L8

Re: **League Property Mag/VLF Survey**
Aug 22-24, 1995

Survey Services:

1 man mag/VLF crew w/2 Omni Plus magnetometer/VLF
receivers, computer, printer, 4x4 truck: 2.5 days @ \$590

\$1475.00

Truck mileage: 536.2 km @ \$0.30

160.86

Expenses:

Gas 76.07

Administration 7.61
\$83.68

\$83.68
\$1719.54

Federal GST

120.37

ml long 30/95 #60
TOTAL

\$1,839.91

Terms: Net 30 days. Interest charged at 2% per month on overdue accounts



Amerok Geosciences Ltd.

Site 6, Comp 11
Whitehorse, Yukon
Y1A 5V8
Phone/fax: (403) 668-7672
amerok@yknet.yk.ca

11

INVOICE

GST No.: RT89493 8588
File: 95-21

Invoice 95040
October 5, 1995

In account with:

EXPATRIATE

~~Expatriot Resources Ltd.~~
1016 -510 West Hastings Street
Vancouver, BC
V6B 1L8

Re: **League Property Maxmin/Mag/VLF Survey**
September 21 - October 1, 1995

Survey and Professional Services:

2 man crew w/ Maxmin I-10, 2 Omni Plus magnetometer/VLF
receivers, Omni IV base station, computer, printer:
11 days @ \$985

\$10,835.00

Data processing, plotting and interpretation
14.0 hrs @ \$50

\$700.00

Expenses:

Gas	\$51.40
Meals	31.65
Instrument rental - Maxmin(2 days standby)	<u>400.00</u>
	\$483.05
Administration	<u>48.31</u>
	\$531.36

\$531.36
\$12,066.36

Federal GST

844.65

TOTAL

\$12,911.01

John O. T. 11-1-95
#79

Terms: Net 30 days. Interest charged at 2% per month on overdue accounts



COUREUR DES BOIS

LTD./LTEE

BOX 5301, WHITEHORSE, YUKON Y1A 4Z2

Telephone: (403) 668-2593

BILL TO: ARCHER CATHO & ASSOCIATES
(1981) LIMITED
Box 4127 WHITEHORSE
YUKON Y1A 3S9

INVOICE No 322

OCT 4/95

QUANTITY	JOB DESCRIPTION	PRICE PER	AMOUNT
	ATT: MR. DOUG EATON		
	RE: LEAGUE line cutting SEPT 4 to 24/95 SEPT. 4 1/2 DAY. 2 MEN MAN DAY SEPT 5 to 24/95 RE. FINESTON STAKE 5-11 & 16-24 SHOT 75-128	LINECUTTING - 9710.75 \$ 137. ⁵⁰ \$ 275. ~~11000.⁰⁰~~ 8800. ⁰⁰	275. ⁰⁰ ~~11000.⁰⁰~~ 8800. ⁰⁰
54	SHOT QUARTZ CLAIMS STAKED RECORD TRANSFER	80. ⁰⁰	4320. ⁰⁰
54	SHOT QUARTZ CLAIMS LIFT UP POST	25. ⁰⁰	1350. ⁰⁰
124	RINK 21-144 LIFT UP POST RINK QUARTZ CLAIMS STAKE RECORD TRANSFER	\$ 105.	13,020. ⁰⁰
20	RINK 9-20 LIFT UP POST.	\$ 25.	500. ⁰⁰
38	MASK QUARTZ CLAIMS STAKED RECORD + 1-38 TRANSFER AND LIFT UP POST.	\$ 105.	3990. ⁰⁰
54	SKATE QUARTZ CLAIMS STAKED RECORD 1-54 TRANSFER - posts out	80.	4320. ⁰⁰
	GST. R 101175909 THANK YOU DAWSON	7%	36575. ⁰⁰ 2714.25 2560.25

39,135.25
INVOICE TOTAL \$ 11,489.25



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 8 0 5 5

BILLING INFORMATION

Date: 14-SEP-95
Project: FP - LEAGUE
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9528055

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
-----------------	------------------------------------	---------------	-----------------	--------

8	244 - Pulp; prev. prepared at Chemex	0.00		
	100 - Au ppb FA+AA	8.50	8.50	68.00

Total Cost \$	68.00
Client Discount (25%) \$	-17.00
Net Cost \$	51.00
(Reg# R100938885) GST \$	3.57
TOTAL PAYABLE (CDN) \$	54.57



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 9 6 9 6

BILLING INFORMATION

Date: 9-OCT-95
Project: FP-LEAGUE
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9529696

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
139	201 - Dry, sieve to -80 mesh ICP-32	1.25 7.00	8.25	1146.75
Total Cost \$				1146.75
Client Discount (25%) \$				-286.69
Net Cost \$				860.06
(Reg# R100938885) GST \$				60.20
TOTAL PAYABLE (CDN) \$				920.26



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 3 0 5 9 2

BILLING INFORMATION

Date: 18-OCT-95
Project: FP-LEAGUE
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9530592

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
121	201 - Dry, sieve to -80 mesh ICP-32	1.25 7.00	8.25	998.25

Total Cost \$	998.25
Client Discount (25%) \$	-249.56
Net Cost \$	748.69
(Reg# R100938885) GST \$	52.41
TOTAL PAYABLE (CDN) \$	801.10



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 3 0 6 0 6

BILLING INFORMATION

Date: 17-OCT-95
Project: FINLAYSON LEAGUE
P.O. No.:
Account: MPO

Comments:


Billing: For analysis performed on
Certificate A9530606

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
2	205 - Geochem ring to approx 150 mesh	2.50		
	226 - 0-3 Kg crush and split	2.60		
	3204 - Save 1 Kg reject for 90 days	0.00		
	ICP-32	7.00	12.10	24.20
Total Cost \$				24.20
Client Discount (25%) \$				-6.05
Net Cost \$				18.15
(Reg# R100938885) GST \$				1.27
TOTAL PAYABLE (CDN) \$				19.42



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 1 2 3 8 4

BILLING INFORMATION

Date: 26-FEB-96
Project: FP LEAGUE
P.O. No.:
Account: MPO

Comments:


Billing: For analysis performed on
Certificate A9612384

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
141	244 - Pulp; prev. prepared at Chemex	0.00		
	100 - Au ppb FA+AA	8.50	8.50	1198.50
				Total Cost \$ 1198.50
				Client Discount (25%) \$ -299.63
				Net Cost \$ 898.87
				(Reg# R100938885) GST \$ 62.92
				TOTAL PAYABLE (CDN) \$ 961.79



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 1 2 3 8 5

BILLING INFORMATION

Date: 26-FEB-96
Project: FP LEAGUE
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9612385

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
180	244 - Pulp; prev. prepared at Chemex	0.00		
	100 - Au ppb FA+AA	8.50	8.50	1530.00

Total Cost \$	1530.00
Client Discount (25%) \$	<u>-382.50</u>
Net Cost \$	1147.50
(Reg# R100938885) GST \$	<u>80.33</u>

TOTAL PAYABLE (CDN) \$ 1227.83



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 1 3 6 0 5

BILLING INFORMATION

Date: 14-MAR-96
Project: FP-LEAGUE
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9613605

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
121	244 - Pulp; prev. prepared at Chemex 100 - Au ppb FA+AA	0.00 8.50	8.50	1028.50
Total Cost \$				1028.50
Client Discount (25%) \$				<u>-257.13</u>
Net Cost \$				771.37
(Reg# R100938885) GST \$				<u>54.00</u>
TOTAL PAYABLE (CDN) \$				825.37



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 1 3 6 0 7

BILLING INFORMATION

Date: 14-MAR-96
Project: FP-LEAGUE
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9613607

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
139	244 - Pulp; prev. prepared at Chemex 100 - Au ppb FA+AA	0.00 8.50	8.50	1181.50
Total Cost \$				1181.50
Client Discount (25%) \$				~~295.38~~
Net Cost \$				886.12
(Reg# R100938885) GST \$				~~62.03~~
TOTAL PAYABLE (CDN) \$				948.15

QA24656

ARCHER, CATHRO
A ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

Box 4127, 2054 SECOND AVENUE, WHITEHORSE, Y.T. Y1A 3S9 TEL (403) 667 - 4415

AFFIDAVIT

I, Joan Mariacher, of Whitehorse, Yukon make oath and say:

That to the best of my knowledge the attached Statement of
Expenditures for exploration work on the League 1-20
mineral claims on Claim Sheet 105G/10 is accurate.


Joan Mariacher

Sworn before me at Whitehorse, Yukon
this 5th day of
September, 1995


Notary, Yukon Territory



093493

GA24656

Statement of Expenditures
League 1-20 Mineral Claims
September 4, 1995

Labour

K. Sax (geologist) - June 15-29 - 15 days at \$270/day	\$4,050.00	
I. Gibson (field ass't) - June 15-29 - 15 days at \$180/day	<u>2,700.00</u>	\$ 7,222.50

Expenses

Field room and board - 30 days at \$60/day	1,926.00	
Trans North Air Bell 206B - 2.3 hours at \$615/hr	1,513.51	
Frontier Helicopters Bell 206B - 5.8 hours at \$680/hr plus fuel	4,390.32	
Chemex Labs Ltd.	<u>3,243.71</u>	<u>11,073.54</u>
		<u>\$18,296.04</u>



REMIT PAYEE:

TRANS NORTH AIR

TRANS NORTH TURBO AIR LTD

AIRPORT HANGAR "C" • WHITEHORSE • YUKON • Y1A 3E4
TELEPHONE (403) 668-2177 FAX (403) 668-3420

QA240510

CHARTERER

BILLING ADDRESS

FUEL & OIL-X

TNTA CUST.

TNTA FUEL USED

HRS./LITRES

FROM

ACCOUNT
NUMBER

ARCHER

INVOICE
NUMBER

08919

INVOICE DATE

26/06/95

AREA
B.C.
YUKON
N.W.T.
ALTA

A/C TYPE

206B

AIRCRAFT REGISTRATION C

GP HB

FLIGHT
DATE

DAY

MONTH

YEAR

15 06 95

PURCHASE ORDER NO.

FROM

HOURS

REMARKS - NO. OF PASS - FREIGHT
Kg

TO

Pos: tracking
Camp move

1.0 HR

1.3

Finlayson lake

area

N 61°31'09"

W 130°43'55"

2.3

HR

SUB	GL	AMOUNT			
1609502		141450	@ 615°	1414	50
			@		
			HOLDING TIME:	@	/ HR.
0000323		9901	FUEL	@	/ LITRE
			FUEL	@	/ LITRE
			MEALS & LODGINGS		
			OTHER		
			OTHER		
			SUB TOTAL	1414	50
			GOODS & SERVICES TAX REGISTRATION NO. R121483135	9901	
			TOTAL	\$ 1513	51

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED
ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS
NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.X 
CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS

SCS

Soublieff

PILOT'S SIGNATURE

ENGINEER'S NAME

Clifford

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE — PAY UPON RECEIPT

FRONTIER

FRONTIER HELICOPTERS
A division of Conair Aviation Ltd.
P.O. BOX 220, ABBOTSFORD, B.C. V2S 4N9
TELEPHONE (604) 855-1190 FAX (604) 855-1189 - ABBOTSFORD
TELEPHONE (403) 536-7766 FAX (403) 536-7705 - WATSON LAKE, YT

FLIGHT REPORT

40513

CUSTOMER WILHELM CATHRO JOB# 1005 CUS# FA790
ADDRESS BOX 412-7 WHITEHORSE Y.T.PH (403) 667-4415
WATSON LAKE P/CODE YLA-359
PILOT R. HODGENDORF ENGINEER R. HODGENDORF
AIRCRAFT TYPE BELL 206 B3 AIRCRAFT REGISTRATION FFHL
DATE JUNE 20-95

UP	DOWN	Itinerary	Time
0843	0900	WOLVERINE - FINLAYSON	0.3
0917	0946	FOOD TO LEAGUE CAMP; P/U SAMPLES	0.3
1000	1120	DAVE TO PLAY CAMP + GULLYDIPS	
		MOVE CAMP, P/U BILL + SAMPLES	1.2
1257	1351	VIEW MUCHO PROPERTY	
		WITH BILL + TOM SQ-F	0.9
1415	1430	RETURN TO WOLVERINE	0.2
TOTAL FLIGHT HOURS			2.9

CHECK ONLY THE MEALS TO BE
BILLED TO THE CUSTOMER

Pilot Exp Cl.# _____ Engineer Exp Cl.# _____
B ☐ B ☐
L ☐ L ☐
D ☐ D ☐
I ☐ I ☐

OF DROPS _____ FOAM: YES ☐ NO ☐

Flying 2.9 hours @ 680 /h = \$ 1972.

Fuel supplied: by FRONTIER ☐ CUSTOMER ☒

CUSTOMER litres from _____ @ \$ _____ /L = \$ _____

_____ litres from _____ @ \$ _____ /L = \$ _____

2.9 hours oil @ \$ 300 /hr = \$ 8.70

GST # R101084044

Misc. Charges \$ 1980.70

Cash ☐

GST \$ 138.65

Charge ☐

TOTAL THIS REPORT \$ 2119.35

Pre-flight information received by undersigned ☐

R. Hodgendorf
Customer Signature

Approved By - Print Name

Agency Flight Report #/or Purchase Order #

R. Hodgendorf
Pilot Signature

THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS BY FRONTIER HELICOPTERS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN ITS TARIFF (E.G. LIABILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO 50 CENTS PER POUND) WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICE OF FRONTIER HELICOPTERS, ABBOTSFORD AIRPORT, ABBOTSFORD, B.C.

Terms - net due upon receipt of invoice. Interest charged on overdue accounts at 2.0% per month (24% per annum)

League - 18 - 179.40
86.06
1315.46

FLIGHT TICKET
№ 41766

CUSTOMER ARCHER - CATHER JOB # 1005 CUST # _____
ADDRESS EXPATRIATE RESOURCES PH () _____
(FP) POSTAL CODE _____
PILOT D. REKISH ENGINEER J.P. CLEMENT
INITIAL LAST NAME INITIAL LAST NAME
AIRCRAFT TYPE B206 AIRCRAFT REGISTRATION CF-FHL
DATE JUNE 28/95 BASE/LOCATION WOLVERINE LA.

ITINERARY		TIME
CAMP	MOVE	1
	LEAVE → GOAL	4.0
	MINIMUMS	
LONG LINE HOURS	TOTAL FLIGHT HOURS	4.0

CHECK ONLY THE MEALS TO BE BILLED TO THE CUSTOMER		Flying <u>4.0</u> hours @ <u>680</u> / hr. = \$ <u>2720.00</u>	
Pilot Exp. Cl.# _____	Engineer Exp. Cl.# _____	Fuel supplied: by FRONTIER ☐ CUSTOMER ☐	
B ☐	B ☐	<u>360</u> litres from <u>AC</u> @ \$ <u> </u> / L = \$ _____	
L ☐	L ☐	<u>169</u> litres from <u>FRONTIER</u> @ \$ <u>1.30</u> / L = \$ <u>141.70</u>	
D ☐	D ☐	<u>4.6</u> hours oil @ \$ <u>3.00</u> / hr. = \$ <u>12.00</u>	
# OF DROPS _____		FOAM: YES ☐ NO ☐	
GST #R101084044		Misc. Charges \$ _____	
Cash ☐		GST \$ <u>201.16</u>	
Charge ☐		TOTAL THIS REPORT \$ <u>3074.86</u>	

Pre-flight information received by undersigned

Customer Signature

Agency Flight Report # / or Purchase Order #

Approved By (Print Name) _____

Pilot Signature

THE CARRIAGE OF PASSENGERS, BAGGAGE AND GOODS BY FRONTIER HELICOPTERS IS SUBJECT TO THE TERMS, CONDITIONS AND LIMITATIONS OF LIABILITY SET FORTH IN ITS TARIFF. ELIGIBILITY FOR LOSS OR DAMAGE TO GOODS IS LIMITED TO 50c PER POUND, WHICH IS AVAILABLE FOR EXAMINATION AT THE OFFICE OF FRONTIER HELICOPTERS, ABBOTSFORD AIRPORT, ABBOTSFORD, B.C.

Terms: Net due upon receipt of invoice. Interest charged on overdue accounts at 2.0% per month (24% per annum)

Keayne



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 1 5 1 1

BILLING INFORMATION

Date: 17-JUL-95
Project: FP - LEAGUE
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9521511

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
200	203 - Dry, sieve to -35 mesh	1.25		
	205 - Geochem ring to approx 150 mesh	2.50		
	ICP-32	7.00	10.75	2150.00

Total Cost \$ 2150.00
Client Discount (25%) \$ -537.50
Net Cost \$ 1612.50
(Reg# R100938885) GST \$ 112.88

TOTAL PAYABLE (CDN) \$ 1725.38

FP - ~~6448.94~~
~~451.45~~
~~6900.39~~

pd July 21/95
41



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 5 2 1 5 1 2

BILLING INFORMATION

Date: 17-JUL-95
Project: FP - *LEAGUE*
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9521512

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
176	203 - Dry, sieve to -35 mesh	1.25		
	205 - Geochem ring to approx 150 mesh	2.50		
	ICP-32	7.00	10.75	1892.00
Total Cost \$				1892.00
Client Discount (25%) \$				-473.00
Net Cost \$				1419.00
(Reg# R100938885) GST \$				99.33
TOTAL PAYABLE (CDN) \$				1518.33

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

Project —

FINLAYSON PROJECT

Date —

SEPTEMBER 30, 1995

LABOUR

Field	A. ARCHER - 32 HRS AT 60/HRL	1920.00	
	D. EATON - 17Y HRS AT 50/HRL	8600.00	
	D. WENZLYNOWSKI - 126 HRS AT 40/HRL	5040.00	
	F. GISH - 240 HRS AT 40/HRL	9600.00	
	T. BECKER - 27 DAYS AT 270/DAY	7290.00	
	K. SAX - 6 DAYS AT 270/DAY	1620.00	
	R. MARTIN - 11 DAYS AT 195/DAY	2145.00	
	G. HUNKING - 30 DAYS AT 165/DAY	4950.00	
	A. JOE - 22 DAYS AT 165/DAY	3630.00	
	J. JOE - 18 DAYS AT 165/DAY	2970.00	
	D. ROBINSON - 29 DAYS AT 165/DAY	4785.00	
	BRAO WENZLYNOWSKI - 14 DAYS AT 165/DAY	2310.00	
	J. ASP-DAVIS - 30 DAYS AT 217.50/DAY	6525.00	
	B. WENZLYNOWSKI - CREDIT 4 HRS AT 40/HRL - CHG IN ERROR	<160.00>	
Office	M. COOKE - 27 HRS AT 30/HRL	810.00	

Accounting & Expediting	J. MARIACHER - 164 3/4 HRS AT 42.50/HRL	7001.88	69036.88
-------------------------	---	---------	----------

OTHER SERVICES

Room & Board in Whitehorse	25 DAYS AT 60/DAY	1500.00	
Field equipment from AC stock		193.90	
Photocopies, 864 copies at 25¢/copy		216.00	
Rentals from AC SEPT. 1-11 - SBX II AT 10/DAY; 2 VULAMS AT 164; 2 MAGS AT 333/DAY		168.63	
SEPT. 1-22 - 2 SBX II AT 10/DAY (Tom)		440.00	
AC HAND HELD - 16 DAYS AT 175/MD		66.65	
Blueprinting, sq.ft. Ozalid at \$/ft, plus sq.ft. Dilar at \$/ft.			
Drafting, 31 hrs at \$33.75/hr.		1046.25	
LOOMIS COURIER - 4 AT 17.50 EA		50.00	3681.43

EXPENSES

Petty Cash 11.02 cr + 51.38 dr + 94.55 dr + 25.00 dr + 25.40 cr + 17.75 dr + 78.10 dr + 18.64 dr + 97.05 dr	343.10	
Telephone 9.37 + 230.31 + 24.39 + 16.07 + 403.10 + 71.11 + 20.08	774.43	
FOOD FAIR	48.05	
INTEGRAPHICS - 40.25 + 94.71	134.96	
NORTH 60° PETRO - 2470.38 dr + 7751.14 dr	9721.52	
ATLAS TRAVEL - 3059.00 + 75.00 + 707.05	3841.05	
SHOPEX DANG	102.17	
THE WELCOME INN - 773.33 dr + 1050.80 dr + 358.60 dr	2182.73	
SECOND AVENUE CHEVRON - 128.30 dr + 56.53 dr + 11.68 dr + 360.84 dr	557.35	
ALKAN AIR	726.00	
ROSS RIVER SERVICE - 36.98 dr + 157.71 dr + 5.00 dr + 163.89 dr + 68.70 dr	425.28	
CAL - 552.25 + 271.06 + 1117.97	1943.23	
LOOMIS COURIER	31.37	
REGENA GENERAL - MAR	64.70	
YUKON EXPLOSIVES	170.00	
ROSS RIVER ENTERPRISES - 232.48 dr + 24.00 dr + 100.47 dr	356.95	
YUKON BUILDING SUPPLIES	74.34	
NORCAN LEASING - 558.18 + 1041.00 + 1754.77	2853.95	
CORPORATE COURIER	2.00	
MAGS BODIES	94.34	
SUNRISE SERVICE	428.04	
PRO HARDWARE	452.00	
CARMAGAS HOTEL	172.35	
SQUADRON MARKETS	23.25	25640.08
MANAGEMENT, 6% - ON EXPENSES	1538.40	
- ON FIELD ATC	18233.34	19771.74

GST (R100247667) 7% ON 11820.13

8267.11

E = GST Exempt

126399.24

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

Project —

FINLAYSON PROJECT

Date —

OCTOBER 31, 1995

LABOUR

Field	A. ARCHER - 52 HRS AT 60/HRL	3120.00	
	R. CARNE - 1 HR AT 50/HRL	50.00	
	D. EATON - 123 HRS AT 50/HRL	6150.00	
	T. BECKER - 123 HRS AT 33.75/HRL	4151.75	
	F. GSA - 58 HRS AT 40/HRL	2320.00	
	B. WENGZYNOWSKI - 154 HRS AT 40/HRL	6160.00	
	G. HUNKLE - 2 DAY AT 165/DAY	330.00	
	D. ROBINSON - 5 DAY AT 165/DAY	825.00	
	BRAD WENGZYNOWSKI - 2 DAY AT 165/DAY	330.00	
	J. ASHDALE - 1 DAY AT 217.50/DAY	217.50	
Office	M. COOKE - 63 HRS AT 30/HRL	1890.00	

Accounting & Expediting	J. MARIACHER - 121 3/4 HRS AT 42.50/HRL	5174.38	30718.13
-------------------------	---	---------	----------

OTHER SERVICES

Room & Board in Whitehorse	13 DAYS AT 60/DAY	780.00	
Field equipment from AC stock	SEPT-CONSUMABLES - 1163.00 + 197 MANDALAY AT 10/DAY - 3940.00	5103.00	
Photocopies	1484 copies at 21¢/copy	311.64	
Rentals from AC	SEPT-1-OCT-1 - HONDA 5M GEN SET AT 360/mo + 15¢/DAY; HONDA HYD PUMP AT 75/mo + 15¢/DAY	4475.00	
LUMBER & PLYWOOD	BOUGHT FROM DYN MT.	649.60	
Blueprinting	143 sq.ft. Ozalid at 30¢/ft. plus sq.ft. Dilar at \$ 1/ft.	42.90	
Drafting	144 hrs at \$ 33.75/hr.	4860.00	
LOOMIS COURIER	10 AT 12.50/EA	125.00	12381.00

EXPENSES

Petty Cash	31.74 02 + 24.00 03 + 13.38 01 + 25.00 03 + 208.01 01 + 99.96 02 + 7.25 03	410.14	
Telephone	92.15 + 56.64 + 287.04 + 102.47	538.30	
ROSS RIVER ENT. - SEPT - CALL TO NAT-F WERDOR	766.00 01 + 660.00 03	1426.00	
A. ARCHER XPR ALU - BC TEL		65.84	
CAL - 42.50 + 633.87 + 15.50 + 34.55		726.42	
CORPORATE COURIER		2.00	
YUKON GEOSCIENCE FORUM		125.00	
ATLAS TRAVEL - 1410.09 + 539.97		1950.06	
MAC'S FIREWEED		36.10	
BOOTIQUE - TENT REPAIR		50.00	
POLAR PROPANE		257.26	
NORCAN LEASING		284.17	
FEDEX		7.00	
OFFICE ESSENTIALS		26.05	
HOODEN'S PHOTO CENTRE		45.55	
FALCON RESEARCH		425.00	
CHOCOLATE CLAIM		23.50	
POINTS NORTH		38.50	
LOOMIS COURIER		29.21	
INTEGRAPRINTS		67.41	
WILSON STATIONERY		44.89	
SUNRISE SERVICE		89.22	6668.66
MANAGEMENT	6% - ON EXPENSES	400.12	
	- ON FIELD AIR	6573.64	6973.76
			56741.55

GST (R100247867)	7% ON 56741.55		3971.91
------------------	----------------	--	---------

E - GST Exempt			60713.46
----------------	--	--	----------

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

GA24656

Project —

FINLAYSON PROJECT

Date —

JUNE 30, 1995

LABOUR

Field

A. ARCHER - 19 HRS AT 60/Hr

1140.00

D. EATON - 88 HRS AT 50/Hr

4400.00

B. WENGLYNDOWSKI - 188 HRS AT 40/Hr

7520.00

K. SAX - 30 DAYS AT 270/DAY

8100.00

D. BARRETT - 11 DAYS AT 195/DAY

2145.00

I. GIBSON - 29 DAYS AT 180/DAY

5220.00

J. OWERKO - 30 DAYS AT 180/DAY

5400.00

P. MOORES - 3 DAYS AT 165/DAY

495.00

BRAD WENGLYNDOWSKI - 28 DAYS AT 165/DAY

4620.00

Office

Accounting & Expediting J. MARIACHER - 88 3/4 HRS AT 44.50/Hr

3771.88

42811.88

OTHER SERVICES

Room & Board In Whitehorse 13 DAYS AT 60/DAY

780.00

Field equipment from AC stock 347+5674.13 MISSED IN MAY+JUNE - 914.40

6935.53

Photocopies, 253 copies at: 25¢/copy

63.25

Rentals from AC JUNE 1-30 - 2-50X115 AT 300/MO EACH; 1 MAG AT 25/MO;

1 MAG AT 75/MO

700.00

JUNE 13-30 - 2 UV LAMPS AT 1/DAY EACH; GAS AT 7.67/DAY

174.00

HANDHELD AT 15/MO - 60% FP

75.00

Blueprinting, sq.ft. Ozalid at \$/ft, plus sq.ft. Dilar at \$/ft.

Drafting, 5 hrs at \$33.25/hr.

168.75

8896.53

EXPENSES

Petty Cash 17.88 dt + 226.85 dt + 6.07 dt + 28.75 dt + 3.39 dt + 14.48 dt

295.42

Telephone 9.65 + 8.30 + 5.22 + 73.44 + 9.55

153.16

FRONTIER HELICOPTER

1229.40

Food For Thought

26.60

CAL

99.85

SHOPPERS DRUG

10.17

VANCO REPRO

45.68

INTEGRAPHICS

91.20

WHITEPAGES

1186.68

NORTHERN AVCON

60.00

YUKON EXPLOSIVES

340.00

RECEIVED GENERAL - MARK

329.10

FALCON RESEARCH

63.32

PRO HARDWARE

75.78

WELCOME INN - 227.27 dt + 30.84 dt

258.11

HOUGEN'S SPORTSLOBBE - REBATE

<14.00>

HORWOOD'S OFFICE SUPPLY

11.45

CARMACRS HOTEL

15.70

SHOPPERS DRUG

103.74

SUNRIS SERVICE

424.39

CORPORATE COURIER - MISSED IN MAY

2.96

4810.71

MANAGEMENT 6% - ON EXPENSES
- ON FIELD A/c

288.64

479.12

767.76



57886.88

GST (R100247667) 7% ON 57286.88

4010.08

E = GST Exempt


61296.96




0 200
metres

EXPATRIATE RESOURCES	LEAGUE PROPERTY	
MAXMIN I-HO SURVEY	MINING DISTRICT: WATSON LAKE	
880 Hz - Stacked Profiles	NTS: 1:50 G 1:5 SCALE: 1:5,000	
AMEROK GEOSCIENCES LTD.	OPERATOR: M.P. / P.C.	DATE: 02OCT95
		FIGURE:

093403



12100 N
12000 N
11900 N
11800 N
11700 N
11600 N
11500 N
11400 N
11300 N
11200 N
11100 N
11000 N
10900 N
10800 N
10700 N
10600 N
10500 N
10400 N
10300 N
10200 N
10100 N
10000 N
9900 N
9800 N
9700 N
9600 N
9500 N
9400 N
9300 N
9200 N
9100 N
9000 N
8900 N
8800 N
8700 N
8600 N
8500 N
8400 N
8300 N



EXPATRIATE RESOURCES	LEAGUE PROPERTY	
MAXMIN I-HO SURVEY 880 Hz - Stacked Profiles	MINING DISTRICT: WATSON LAKE	NTS: 1:50,000 SCALE: 1:50,000
 AMLEROK GEOSCIENCES LTD.	OPERATOR: M.P. / P.C.	DATE: 02OCT95
	FIGURE:	