MAP NO:115N/2 | ASSESSMENT REPORT: X | DOCUMENT NO:093610

Minfile #:115N-024 | PROSPECTUS: | MINING DISTRICT:Whitehorse

CONFIDENTIAL: X | TYPE OF WORK: G,P,GC,GP,T

OPEN FILE:

REPORT FILED UNDER: Barramundi Gold Ltd.

DATE PERFORMED: June-August, 1996 | DATE FILED: March 27, 1997

LATITUDE: 63 04 | AREA: Swamp Creek

LONGITUDE:140 59 | VALUE:$ 34720

CLAIM NAME AND #: Won,Reef,Pia,Ben,Den,Fox,Git,Lin,Pud,Rag,Ran,Red (YB46914)

WORK DONE BY: Sandy Sears, Tania Heaton

WORK DONE FOR: Barramundi Gold Ltd.

Claims in Good Standing	

Remarks: Property wide exploration using bulldozer mounted auger drill, trenching plus high resolution airborne magnetics.

BARRAMUNDI GOLD • LTD

Summary of Geological Field Work - 1996
A Geological, Geochemical and Geophysical Report

VOLUME I OF II - REPORT AND FIGURES

for the
Longline Project

Including the following Quartz Claims:

(Ben 1-4; Den 1-3; Fox 1-4; Git 1-2, 5-6; Lin 1-10; Pud 1-2; Rag 1-8; Ran 1-4, 5-6Fr; Red 1-8; Say 1-3; Scot 1-91, 96-111; See 1-6; Well 1-6; Wind 1-22; Wine 1-8, Womp 1-20; Won 1-8; Mar 1-2; Pia 1-6; Reef 1-21; Uri 1-12)

Moosehorn Range, Yukon Territory

Longline Project, Central Yukon
Whitehorse Mining Division
NTS 115N/02; 63^0 04 140^0 59

093610

by

Sandy Sears, Tania Heaton
Barramundi Gold Ltd.

for

Whitehorse Mining Recorder's Office



March, 1997

This report has been examined by
the Geological Evaluation Unit
under Section 53 (3) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of $ 34,720 .

M. Baker

for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory

Table of Contents

GLOSSARY OF TERMS 1

1.0 INTRODUCTION 2

2.0 LOCATION AND ACCESS 2

3.0 PHYSIOGRAPHY 4

4.0 CLAIM STATUS 4

5.0 HISTORY OF PREVIOUS WORK 7

6.0 REGIONAL GEOLOGY 7

7.0 WORK PERFORMED 10

7.1 INTRODUCTION 10
7.2 GEOCHEMISTRY 10
7.2.1 Bedrock Sampling *10*
7.2.2 Soils *12*
7.2.3 Silts *14*
7.2.4 Water *14*
7.3 GEOPHYSICS 15
7.3.1 Methodology *15*
7.3.2 Results *15*
7.4 TRENCHING 17
7.5 GEOLOGY 17
7.5.1 Structure *18*
7.5.2 Mineralization *18*
7.5.3 Alteration *19*

8.0 SUMMARY OF 1996 EXPLORATION EXPENSES 20

9.0 CONCLUSIONS 20

10.0 RECOMMENDATIONS 22

List of Tables

Table 1: Longline Project Claim Status (Sikanni/Hartley option) 4
Table 2: Longline Project Claim Status (Moosehorn option) 5
Table 3: Summary of 1996 Exploration Expenses - Longline Project 21

List of Figures

Figure 1: Location Map 2
Figure 2: Claim Location Map 6
Figure 3: Regional Geology 8
Figure 4: Property Geology 10
Figure 5: Au in Rock/Trench Samples ..... Drawing Package
Figure 6: Ba in Rock/Trench Samples ..... Drawing Package
Figure 7: As in Rock/Trench Samples ..... Drawing Package
Figure 8: Sb in Rock/Trench Samples ..... Drawing Package
Figure 9: Cu in Rock/Trench Samples ..... Drawing Package
Figure 10: Pb in Rock/Trench Samples ..... Drawing Package
Figure 11: Zn in Rock/Trench Samples ..... Drawing Package
Figure 12: Au in Soil Samples ..... Drawing Package
Figure 13: Ba in Soil Samples ..... Drawing Package
Figure 14: As in Soil Samples ..... Drawing Package
Figure 15: Sb in Soil Samples ..... Drawing Package
Figure 16: Hg in Soil Samples ..... Drawing Package
Figure 17: Cu in Soil Samples ..... Drawing Package
Figure 18: Pb in Soil Samples ..... Drawing Package
Figure 19: Zn in Soil Samples ..... Drawing Package
Figure 20: Total Field Magnetics Over the Longline Claim Group 17

Appendices

Appendix 1 Certificates of Qualifications
Appendix 2 Analytical Results
- Rock Samples
- Soil and Silt Samples
- Water Samples
- Analytical Detection Limits

Drawings Figures 5 - 19

GLOSSARY OF TERMS

Term	Meaning
32 Multi Element Suite	An analytical test to measure the relative amount of 32 specific elements present in a rock or soil sample
Barramundi	Barramundi Gold Limited
Claim or Quartz Claim	Quartz claim validly staked and in good standing in the Yukon Territory
g/t	Grams per metric tonne
Hartley (and Associates)	Glen Hartley and Assoc. Ltd., Glen Almberg, and Rae Jury
km	Kilometre
Moosehorn Exploration	Moosehorn Exploration Program Limited Partnership
Sikanni	Sikanni Oilfields Construction Ltd.

Metals/Elements	Meaning
Ag	Silver
As	Arsenic
Au	Gold
Hg	Mercury
Pb	Lead
Sb	Antimony
Zn	Zinc

1.0 INTRODUCTION

The Longline Project is located in west-central Yukon, along the Yukon-Alaska border approximately 140 km south-southwest of Dawson City (See Location Map, Figure 1). The project consists of 270 Quartz Claims accessible year round by fixed-wing aircraft or by winter road during a construction period starting mid-February and ending late March. The claims are optioned to Barramundi by three different vendors, including; Sikanni Oilfields Construction Ltd., Hartley and Associates, and Moosehorn Exploration Ltd. A summary of each Claim, its record number and expiry date is provided in Table 1.

High grade gold in quartz veins was first discovered in the early 1970's by Quintana Minerals Ltd. and since that time placer and limited bedrock production has taken place. Portions of the current project area have been staked and held from the early 1980's. A conservative estimate of placer gold extracted from the streams west of the Moosehorn Range would be in the order of 1,395 kg (45,000 oz), recovered in Kenyon, Swamp, and Soya Creeks. Placer mining continues on the east side of the Moosehorn Range in Great Bear Pup, a tributary of Kate Creek, by Moosehorn Exploration.

This summary report provides a description of work that was undertaken during the 1996 field season which included; geological mapping, trenching, soil and rock sampling, and a heliborne magnetic survey. A total of 2,633 rock (1,026) and soil (1,607) samples were collected and analysed for Au, Hg, and a 32 multi-element suite. The results of these analyses are presented in Appendices 2 and 3. Also, a total of 2,710m over 27 trenches ranging in length from 36m to 186m was excavated. The heliborne survey consisted of 859 line km of high density, high resolution magnetics.

2.0 LOCATION AND ACCESS

The Longline Property is located within the westernmost central Yukon, along the Alaska border, approximately 70 km north of Beaver Creek and 140 km south-southwest of Dawson. The area can be accessed via fixed-wing aircraft (there are 2 gravel airstrips on the Canadian side of the border and 1 on the American side), helicopter, or by vehicle on a winter road originating from Beaver Creek during a period from February to the end of March.

Within the claim boundaries a network of hard-packed gravel roads and tracks has been constructed along which much of the property can be reached using 4-wheel-drive's or all-terrain-vehicles.


N
ALASKA
68°
66°
64°
62°
60°
140°
136°
132°
128°
124°
Old Crow
Monster
Dawson
Hunker Dome
Longline
Brewery Creek
Dublin Gulch
United Keno Hill
Casino
Mayo
Minto/Def
Pelly Crossing
Mt. Nansen
La Forma
Carmacks
Faro
Faro
Haines Junction
Ross River
WHITEHORSE
Ketza River
Kudz Ze Kayah
Wolverine
Sa Dena Hes
Watson Lake
B.C.
N.W.T.
0
200
400
kilometres
Hunker Dome
Longline
Yukon
CANADA
LEGEND
Barramundi Projects
OtherExploration/
Mine Development
Mine
Highway
BARRAMUNDI
GOLD·LTD
YUKON PROJECTS
Date: October 1996

3.0 PHYSIOGRAPHY

The Longline Project area is characterized by rolling hills bounded to the northeast by the prominent Moosehorn Range, a N-S trending belt of plutonic rocks. Elevation ranges from 1,353m on top of the Moosehorn Range to 670m in the creek valleys in the southern portion of the area. Creek valleys within the range are typically V-shaped at their headwaters grading into gentle side slopes with flat, occasionally swampy, bottoms. Above approximately el.1,200m vegetation is sparse, dominated by 1-2m high buckbrush and widely spaced and stunted spruce trees. Felsenmeer is very prominent above this elevation.

The southern portion of the project and other areas of generally lower elevation are often covered by thick stands of spruce trees mixed with thinner stands of aspen and white birch. Willow and alder are abundant along the lower swampy parts of the creeks. Aspen and birch are more prominent on the tops of the hills where there is abundant buckbrush.

4.0 CLAIM STATUS

The Longline Property consists of a total of 270 Claims covering approximately 5,500 ha (55km^2), as shown on Figure 2. Two Hundred and Twenty-Nine of these claims are owned by and optioned from Sikanni Oilfield Construction Ltd./Hartley and Associates. The remaining 41 Claims are owned by and optioned from Moosehorn Exploration Partnership Ltd. Under the terms of various option agreements, Barramundi has the right to earn a 100% interest in all 270 claims. The following list of claim details includes new renewal dates based on assuming acceptance of the credits described in this report.

Table 1: Longline Project Claim Status (Sikanni/Hartley option)

Claim	Numbers	Record #	Expiry Date	Renewal Date	Owner
BEN	1-2	YB46914-915	24-Jun-97	1-Feb-01	Sikanni Oilfield Cnst. Ltd.
	3-4	YB54403-404	29-Aug-96	1-Feb-01	Sikanni Oilfield Cnst. Ltd.
DEN	1-3	YB54405-407	29-Aug-96	31-Dec-00	Sikanni Oilfield Cnst. Ltd.
FOX	1-4	YB36935-938	9-Jul-99	31-Dec-03	Hartley and Almberg
GIT	1-2	YA77840-481	31-Dec-03	31-Dec-08	Hartley and Almberg
	5-6	YA77844-845	31-Dec-03	31-Dec-08	Hartley and Almberg
LIN	1-10	YB54408-417	29-Aug-96	31-Dec-00	Sikanni Oilfield Cnst. Ltd.
PUD	1-2	YB8074-075	31-Dec-00	31-Dec-05	Hartley and Almberg

Claim	Numbers	Record #	Expiry Date	Renewal Date	Owner
RAG	1-8	YA95122-129	31-Dec-03	31-Dec-08	Hartley and Almberg
RAG	5 -8	YA95126-129	31-Dec-03	31-Dec-08	Hartley and Almberg
RAN	1-4	YB06123-126	31-Dec-03	31-Dec-08	Hartley and Rae Jury
	5-6 Fr	YB57535-536	19-May-97	31-Dec-01	Sikanni Oilfield Cnst. Ltd.
RED	1-8	YA95130-137	31-Dec-03	31-Dec-08	Hartley and Rae Jury
SAY	1-3	YB38169-171	31-Dec-99	31-Dec-04	Hartley and Almberg
SCOT	1-91	YB54544-634	13-Sep-96	13-Sep-01	Sikanni Oilfield Cnst. Ltd.
	96-111	YB54639-654	13-Sep-96	13-Sep-01	Sikanni Oilfield Cnst. Ltd.
SEE	1-6	YB38076-081	31-Dec-99	31-Dec-02	Hartley and Almberg
WELL	1-6	YB12664-669	31-Dec-03	31-Dec-08	Hartley and Almberg
WIND	1-6	YB27350-355	31-Dec-03	31-Dec-08	Hartley and Almberg
WIND	7-22	YB27356-371	31-Dec-03	31-Dec-04	Hartley and Almberg
WINE	1-8	YB12670-677	7-Dec-03	7-Dec-06	Hartley and Almberg
WOMP	1-20	YB38198-217	31-Dec-99	31-Dec-04	Hartley and Almberg
WON	1-7	YB12678-684	31-Dec-03	31-Dec-08	Hartley and Almberg
	8	YB38172	31-Dec-99	31-Dec-04	Hartley and Almberg

Table 2: Longline Project Claim Status (Moosehorn option)

Claim	Numbers	Record #	Expiry Date	Renewal Date	Owner
MAR	1-2	YB54519-520	6-Sep-96	31-Dec-00	Moosehorn Exploration Ltd.
PIA	1-6	YB54513-518	6-Sep-96	31-Dec-00	Moosehorn Exploration Ltd.
REEF	1-4	YA78081-084	24-Dec-96	24-Dec-01	Moosehorn Exploration Ltd.
	5-10	YA82517-522	24-Dec-96	24-Dec-01	Moosehorn Exploration Ltd.
	11-15	YA97444-448	24-Dec-96	24-Dec-01	Moosehorn Exploration Ltd.
	16-20	YB08092-096	24-Dec-96	24-Dec-01	Moosehorn Exploration Ltd.
	21	YB55284	6-Oct-96	24-Dec-01	Moosehorn Exploration Ltd.
URI	1-12	YB54501-512	6-Sep-96	1-Feb-99	Moosehorn Exploration Ltd.



LEGEND

LONGLINE CLAIMS

- Camp location
- Access Road
- Stream, creek
- International boundary

0 1 2 3
kilometres

BARRAMUNDI GOLD • LTD

LONGLINE PROJECT

Claim Location Map

(Project Area - 270 claims/59 km²)

Date: October 1996

5.0 HISTORY OF PREVIOUS WORK

Staking in the Moosehorn Range area began in 1970 by Quintana Minerals Ltd. after the discovery of high grade gold in quartz veins in the area. Quintana's program consisted of prospecting and geochemical sampling. In 1972 Quintana's area was restaked by A. Harman and R.S. Adamson who hand trenched portions of the high grade vein occurrences at the top of the Moosehorn Range. The claims lapsed again and were restaked in 1974 by Great Bear Mining and Claymore Resources. These companies completed an EM-16 (VLF) survey, extensive trenching, and diamond drilling (including a total of 19 holes, 696m). Claymore staked additional claims in 1975 and continued exploration with geological mapping, geochemical sampling, hand trenching, and diamond drilling (including 18 holes, for a total of 625m). While prospecting Kenyon Creek, placer gold was discovered and Claymore ceased mineral exploration and began placer gold production.

Approximately 800 claims were staked in early 1975 during a brief staking rush, many of which lapsed by 1980. As ground became open, Mr. Glen Hartley staked some of the vein occurrences, including the #1 vein on Swamp Creek, which was discovered during placer testing in 1975. Mr. Ian Warrick also staked vein occurrences near the head of Kenyon Creek and on the east side of the Moosehorn Range. From the mid 1980's until present, Mr. Hartley has conducted geological mapping, airtrac drilling, prospecting, and soil sampling programs.

During the late 1980's, Canada Tungsten mined portions of Swamp and Soya Creeks extracting over 13,000 oz of placer gold from and around the #1 vein area. In 1990, Sikanni Oilfields Construction Ltd. began placer mining on Swamp and Kenyon Creeks, and continued to do so until the end of August, 1996 when placer and high grade surficial bedrock sources became uneconomic. Sikanni also sampled and mapped parts of the project area with the assistance of independent geologist Graham Davidson.

6.0 REGIONAL GEOLOGY

The Longline Property is underlain by strongly weathered massive to foliated granodiorite of the Klotassin Batholith. These rocks are cut by more competent, unweathered granitoids which form the upper reaches of the Moosehorn Range, as well as a variety of dykes ranging in composition from andesitic to rhyolitic. These rocks intruded gneisses and schists which are probably proterozoic metasediments.

The Klotassin Batholith is a 300 km long body which extends northwesterly from the Moosehorn Range to beyond the Alaska border and southeasterly through the Dawson range (GSC Paper 73-41, D.J. Tempelman-Kluit, 1974). The Batholith in the Moosehorn Range area is said to consist of several phases; an early foliated hornblende granodiorite to quartz diorite; massive equigranular to porphyritic plutons of biotite-hornblende granodiorite and quartz monzonite; and late granodiorite and quartz diorite porphyry dikes and plugs. The early hornblende granodiorite-diorite occurs throughout most of the batholith. It is extensively foliated, and commonly contains inclusions of metasedimentary rocks. The plutons in this region consist of the Seven Mile Creek stock and the Moosehorn Granodiorite. The Seven Mile Creek stock occurs approximately 7kms to the east, and 3kms to the south of the Moosehorn Range (immediately west of the Seven Mile Creek). It has an elliptical shape, is approximately 8kms by 5kms in size and consists of massive, coarse grained, equigranular to porphyritic grey hornblende-biotite quartz monzonite. The Moosehorn range is a pluton of undefined outline. It consists of massive medium to coarse grained equigranular biotite-hornblende granodiorite. The late granodiorite and porphyritic dikes and plugs are most common in the southern portion of the Moosehorn Range. Locally, the porphyritic phase appears to grade into equigranular hornblende granodiorite over short distances.

Chemical analysis performed on some of these rocks by J.A. Morin in 1976 found that the granodiorite porphyry and the Moosehorn granodiorite had a similar composition suggesting that they have the same source magma. Two samples taken from the Moosehorn stock, showed a wide compositional range suggesting internal compositional differentiation within the stock.

The main structural features in the area are foliation, lineation and jointing. The foliation can be seen mainly in the metasedimentary rocks, and the early hornblende granodiorite phase of the Klotassin Batholith. It ranges from east-west to north trending, with consistently shallow dips, mainly to the west. Lineations are present in the hornblende granodiorite and the porphyritic quartz monzonite stock west of Seven Mile Creek. Within the hornblende granodiorite, the lineations vary from northeast to northwest at shallow plunges of 20 to 30 degrees. The quartz monzonite stock displays lineation near the margin of the stock, and it is believed to be parallel to the dip of the contact with the surrounding country rocks. Also observed in this stock, is a narrow north-south trending zone of mylonite. This mylonite coupled with a prominent hillside lineament parallel to the local creek (Claymore Creek) occurring west of the stock, appears to indicate a north-south trending fault through Claymore Creek. Jointing commonly occurs in the massive hornblende granodioriote of the Moosehorn range, and is also evident to a lesser extent in other rock types.



BARRAMUNDI GOLD·LTD

LONGLINE PROJECT

Regional Geology

Figure 3

Date: **February 1997**

M7023

7.0 WORK PERFORMED

7.1 Introduction

Rock and soil sampling, and geologic mapping formed the bulk of the 1996 exploration field work. A total of 1,478 mechanical and 129 hand auger samples were taken in addition to 1,018 bedrock samples from outcrops and trenches. A total of 2,710m of trenches were excavated, ranging between 36m to 186m. In addition, an 859 line km high-density, high resolution heliborne magnetic survey was flown. The following is a summary of the results of the work program.

7.2 Geochemistry

7.2.1 Bedrock Sampling

7.2.1.1 Methodology

Rock samples were collected from available outcrop and new trench exposures. Outcrop samples include random chip samples, channel samples, and grab samples. Trenches were horizontally channel-sampled predominantly over widths of 3m, however different sample intervals were taken when conditions warranted (for example: when veins or alteration zones were to be sampled together or individually). A total of 1,018 outcrop and trench rock samples were collected during the 1996 field season.

Samples were analysed using fire assay (FA) techniques for Au, atomic absorption spectroscopy (AAS) for Hg, and induced coupled plasma - atomic emission spectroscopy (ICP-AES) for an additional suite of 32 elements. Copies of detection limits and assay certificates are provided in Appendix 2.

Predominantly weathered granodiorite rock samples were analysed. However, the samples also included unweathered, unaltered, and competent through altered and intensely weathered rock. Quartz veins and dykes were sampled to a lesser extent, in relation to their lower outcrop density.

7.2.1.2 Assay Results

Assay results from samples collected in 1996 show that gold and associated elements (As, Sb, Ag, Hg, base metals) are restricted to quartz veins and the immediately adjacent altered granodiorite. Unoxidized and unaltered granodiorite samples typically return assays at or below detection limits.

Figure 4: Property Geology

Please see map enclosed at the end of Volume I.

Chemical analysis results display good correlation between precious (Au, Ag) and base metal content (As, Hg, Zn, Pb, and Sb to a lesser extent). Rock sample assays shown on sample location plans, (Figures 5 - 12) show elevated Au values (i.e. ~ >500ppb) corresponding to As values in the range of 1,000ppm or greater, with a few exceptions. Sb, with a background of <2ppm, has a poorer association with Au and As, although correlation with Sb values as high as 8,060 ppm are observed. Ag has a strong relationship with Pb, and high Ag values are associated with higher Au values, although elevated Au does not always relate to elevated Ag. Hg, which commonly assays below detection (>10ppb) within the granodiorites, commonly ranges between 100 and 1,000 ppb within the quartz veins and adjacent altered granodiorite when Au is present. A high of 22,400 ppb Hg was found in auriferous quartz vein float 750m north of the base camp.

Within the bedrock exposure investigated in 1996, gold is most abundant in and around the Swamp Creek exposure. The quartz veins there contain locally abundant visible gold and have returned assays up to 105.6 gpt (3.4 opt) over 0.3m (#2 vein), and 31.2 gpt (1.0 opt) over 0.3m (#3 vein). These veins have thin quartz-sericite alteration haloes which run as high as 186.4 gpt (6.0 opt) over 0.5m (immediately above the #2 vein). Across an alteration halo in the #2 vein, a gold assay of 83.8 gpt (2.7 opt) was obtained over 1.25m.

7.2.2 Soils

7.2.2.1 Methodology

A total of 1,607 soil samples were collected, of this 1,478 were obtained by a Caterpillar D6 bulldozer modified with an auger drill, and an additional 129 samples by hand auger.

The first phase of the soil sampling program involved auger sampling on a regional basis. The road network on the property provides access to the majority of the claims, and roadside auger drilling at 50m spacing provided a reasonable regional cross-section. These sites were supplemented with local traverses through bush covered parts of the project area.

The second phase of the program involved auger sampling on flag and compass grids over selected soil geochemical highs, as well as additional regional sampling with a hand held auger in areas not readily accessible with the bulldozer.

Two samples were collected from each station site where possible. When using the bulldozer auger the upper sample was taken at a depth of 0.3-0.9m (1-3ft.), and the lower from 1.5-2.1m (5-7ft.). When using the hand held auger, the upper sample was taken at a depth generally <0.3m (1ft.), and the lower sample from 0.6-0.9m (2-3ft.). The methods of soil sampling collection were as follows:

The bulldozer auger was drilled down to a depth of 0.9m (3ft). The auger stem was then pulled out, and small amounts of soil were collected from one side of the auger, just below the organic layer down to a depth of 0.9m (3ft.) (the upper sample). For the lower sample, the auger was drilled down to a depth of 2.1m (7ft.) and a sample extracted from the 1.5-2.1m (5-7ft.) interval. To avoid contamination, the auger was cleaned before a new sample was taken at the next station. Two to 5 kg of soil was collected for each sample and stored and shipped in breathable 11" X 17" 'Dry Rite' bags.

Once the soil samples were collected, they were described according to their colour, composition (i.e. percentage sand, silt, clay, and rock chips), rock chip lithology, and moisture content (wet or dry). The samples were then shipped to Chemex Labs Inc. in North Vancouver where they were dried, sieved to minus 80 mesh (32 microns) and analysed for the same element package as described for the rock sample analysis.

7.2.2.2 Soil Sampling Results

The sampling procedure described above provided some insight into the thickness and character of overlying soil. The soil was observed as being locally derived or in situ colluvium which changed with depth into increasing components of friable bedrock at a typical depth of 0.5-0.75m. Occasionally this occurred at depths as shallow as 0.1-0.2m. Through the transition, the light brown to orange rubbly and friable soil grades into generally weathered, grey to brown bedrock. Grey bedrock consists of unoxidized, weathered granodiorite, while the orange colour is typical of either altered/oxidized granodiorite, or on less occasions, weathered andesitic dykes.

Several areas with concentrations of anomalous gold values have been outlined from the regional soil sampling program (Figure 13). The most extensive of which is a region situated between Camp and the #2 vein pit, measuring about 2,000m x 1,000m. A maximum gold value of 700ppb was recorded with 10-15% of all soil samples returning results of >20ppb. Sample density is not continuous over the whole area.

Two other areas are anomalous in gold values in soils and occur approximately 3 km north of Kenyon Creek, and 2 km south (along Hartley Road). Gold values from the anomaly north of Kenyon Creek include a high of 260 ppb, with the anomalous area roughly 200m X 200m. The anomalous area 2 km south of camp appears to be a more diffuse, lower magnitude anomaly approximately 400m in length. A high gold value of 235 ppb is present, however most anomalous values fall between 20 and 50 ppb. These anomalous zones line up to form a N-S linear which is coincident with the N-S trending structure as seen on air photos and characterized as a magnetic low bisecting the property (see Figure 20). Soil assay values run as high as 455 ppb against an estimated background of 5-10 ppb.

Other anomalous gold-in-soil areas include the west-central portion of the claim group, within the Fox and Den claims (south of Kenyon Creek near the Alaska border). Regional sampling here returned gold values up to 255 ppb and subsequent detail grid sampling produced gold values up to 800 ppb. Anomalous values trend in an E-W direction, although the trench geology suggests the several oxidized and altered zones trend N-S. This may be resolved with a more detailed, closely spaced sampling program.

A variety of other elements (Figures 15 - 19) are associated with elevated gold values. Ba, As, and Sb have a positive correlation with gold. Anomalous values of these elements define a strong north-south trend coincident with the observed magnetic low. Hg displays sporadic highs across the property with the highest concentrations occurring in the Swamp Creek pit area.

7.2.3 Silts

Four silt samples were collected and analysed in 1996. Most of the other readily accessible creeks have had some form of placer development, and are therefore contaminated to some degree. All four samples assayed contained less than 10 ppb Au (Appendix 2).

7.2.4 Water

A total of twelve water samples were taken from the creeks present in the area. Physical and chemical analyses performed on them are available in Appendix 2.

The object of the water sampling program was two-fold:

- initiate environmental baseline data collection, and
- to evaluate the use of water chemistry data as an exploration tool, complementing the soil and rock geochemistry programs.

Analyses of the samples include major ions and, dissolved and total metals. Overall, pH values were more alkaline than expected, especially over areas of sulphide exposures. Elements such as zinc, barium, and iron show wide variations over the property, indicative of the surficial geology and perhaps influences by the placer mining operations.

7.3 Geophysics

7.3.1 Methodology

A high density, high resolution magnetics survey was flown by Dighem on August 23rd and 24th, 1996 using a Cesium magnetometer in conjunction with a radar altimeter, video camera, analog and digital recorders, and an electronic navigation system. The instrumentation was installed in an A-Star helicopter provided and piloted by Highland Helicopters.

Survey coverage consisted of 859 line km, including tie lines. Flight lines were flown in a direction of 090^0N/270^0N with a line separation of 100m. The helicopter flew at an average airspeed of 118 km/h with a magnetometer height of approximately 40m, 20m below the helicopter.

7.3.2 Results

The aeromagnetic survey displays a diverse magnetic character over rocks which appear to be relatively homogenous granodiorites. Two N-S oriented magnetic lows (Figure 20) cut through the whole of the property and separate the magnetically high younger granodiorite from the older, weathered granodiorite which hosts gold bearing quartz veins. The two magnetic lows parallel each other and are separated by an average 750m. The western arm of the parallel N-S lows, is obscured in the central part of the property by a broad NE trending magnetic high in the area of the foliated granodiorite on the ridge north of Kenyon Creek.

Curvilinear NE trending magnetic lows cut through the central portion of the claim group, suggesting well developed through-going structures cutting across the body of the younger intrusive. These structures are important in that they may represent large scale fracture and dilation zones exploited by mineralizing fluids. The vein set on Swamp Creek corresponds to one of these magnetic lows.

The high resolution magnetics map displays strong parallel NNW trending features separated by an average of 750m cutting the western portion of the property. They are interpreted to be a major fault zone or faulted intrusive boundary zone separating the Triassic and Jurassic granodiorites. East of the NNW linear, NE trending features are visible as curvilinear structures which cut through the Jurassic granitoids and become asymptotic to the NNW linear (i.e. they are pulled southward into the NNW linear).



N

LEGEND

LONGLINE CLAIMS

Camp location

Airstrip

0 1 2 3

kilometres

BARRAMUNDI GOLD • LTD

LONGLINE PROJECT

Total Field Magnetics

Figure 20

Date: **February 1997**

M7023

7.4 Trenching

A total of 27 exploration trenches were excavated for a total of 2,710m. The trenches ranged in length from 36m to 186m and most were oriented in an E-W direction. The trenches were excavated to uncover the bedrock geology in areas where anomalous Au soil geochemistry occurred and, to a lesser extent, uncover the underlying geology in areas where little geological information is known. A description of the bedrock geology observed in the trench excavations is provided in the following section.

7.5 Geology

The majority of the property is underlain by medium to coarse grained granodiorite of the mid-to late Triassic Klotassin Batholith (Figure 4). A younger Jurassic intrusive, varying in composition from granodiorite to monzonite cuts through this batholith. The Triassic granodiorite is also cut by numerous thin (0.3-3m) andesitic to rhyolitic dykes and also by thicker (1-10m) diorite to quartz diorite dykes.

The Triassic granodiorite is mottled light grey in colour, massive to locally foliated, and variable from strongly weathered and friable to hard and competent. Foliated granodiorite is visible in the west central part of the property, underlying the NE trending ridge north of Kenyon Creek. The fabric varies from weak to strong over ten's to hundred's of metres and is occasionally mylonitic over 10's of centimetres. It is unsure whether the foliation represents regional deformation or foliated margins between individual plugs or stocks within the Triassic granodiorite.

This Jurassic intrusive suite is typically fine to medium grained, occasionally porphyritic, and very competent. It underlies the Moosehorn Range, a prominent topographic high oriented NW-SE on the eastern part of the property. It subcrops as large blocks of felsenmeer on top of the Moosehorn Range.

Within the Triassic granodiorite are several dykes of porphyritic diorite to quartz diorite. These dykes are commonly foliated and possibly represent internal compositional variations along contacts between different pulses of granodiorite intrusion.

Other dykes range from fine grained, dark green andesites to fine grained, buff to purple, porphyritic rhyolites and lesser gray-green dacites. The dykes are usually less than 1m in width and commonly display columnar jointing and chill margins. Where they cut foliated granodiorite the dykes tend to intrude along the foliation; however there is no preferred direction where they are observed cutting massive granodiorite.

The extent or depth of weathering is not known because of limited subsurface exploration, but is estimated to be on the order of 20m or more based on elevation estimates between competent bedrock exposures and strongly weathered zones visible in streams such as Kenyon Creek.

7.5.1 Structure

Geological structures within the property are dominated by N-NNW and NE trends. These trends occur as mappable structures visible on the ground within the granodiorites (i.e. fractures and foliations), and as topographic features visible on airphotos (i.e. creek beds, ridge tops, etc.).

A N-NNW trending topographic feature (several NNW oriented tributaries flowing into larger SW flowing creeks) is located near the western edge of the property. This contact is linear across substantial elevation changes and is therefore considered to be near vertical in orientation. It also approximately parallels the inferred contact between the Jurassic and Triassic granodiorites and is therefore probably a result of Jurassic plutonism.

Several NE trending curvilinear structures are visible cutting across the central portion of the property. These structures are manifested on the surface as creeks or shallow topographic lows and are possible dilation zones formed during cooling and/or deformation of the Jurassic intrusive. West of the N-NNW linear on the ridge north of Kenyon Creek, foliation directions change from NE in the SW portion of the ridge to N-S in the NE part of the ridge. It appears that the foliation was pulled northward into the N-NNW linear possibly during sinistral faulting during or after Jurassic plutonism.

On an outcrop scale, the granodiorite is strongly fractured and locally variably foliated. The foliation may range from crudely banded to thinly laminated mylonite. The less well developed foliation is typically defined by medium to coarse grained quartz and feldspar in an aligned matrix of fine grained hornblende, biotite, and chlorite. As foliation intensity increases, the quartz and feldspars are recrystallized to a smaller grain size and the rock becomes compositionally banded on the order of 1-10mm. In the extreme case of complete recrystallization, the resultant mylonites are very fine grained and banded on a 1-3 mm scale.

7.5.2 Mineralization

At least 2 different styles of gold mineralization occur in the area; as both micron sized particles within sulphides, and as visible blebs of free gold up to 1-2mm in width but more commonly 0.5mm or less. Visible gold occurs as concentrations along oxidized parting planes near the quartz vein-wallrock interface and less commonly as blebs attached to quartz crystals within the veins. Gold and sulphide mineralization is sporadic along the strike and dip of the quartz veins,

resulting in high grade zones separated by unmineralized zones. Quartz veins do not always carry gold, nor do veins with base metals necessarily contain gold. Less commonly, gold is also present in oxidized zones within the granodiorite. These zones contain no visible internal quartz veining, although the oxidation does tend to hide subtle and/or small features.

Sulphides present in quartz veins include arsenopyrite, sphalerite, galena, and stibnite with much lesser boulangerite (a soft, greyish Pb-Sb sulphide) and pyrite. Arsenopyrite occurs as fine grained, silvery, disseminated euhedral crystals or as 1-10 cm layers of massive, coarse grained crystals. Sphalerite and galena are present as medium to coarse grained masses, occasionally together, located within the quartz veins commonly near the contact with the granodiorite. Stibnite occurs as fine, lath-shaped crystals, typically associated with arsenopyrite. Fine grained pyrite is rare and malachite and bornite (Cu hydroxides) are present but uncommon.

In the Swamp Creek area, mineralized quartz veins occur as parallel, north striking, shallow to moderate east dipping sheeted structures. They may be up to 1m^{+} in thickness but average 30-40cm. Alteration is limited to 0.5 - 2m haloes around the quartz veins. The veins are separated by 20-50m of weathered and unaltered granodiorite.

7.5.3 Alteration

The property hosts several thin (0.5-5m), parallel oxidized and altered zones. The zones are similar to the quartz veins in the Swamp Creek area, in that they are generally north striking and shallow east dipping with alteration consisting of a mixture of silica, sericite, carbonate and lesser pyrite. The exception is an alteration zone at Hartley's Landing which is possibly oval shaped on surface and pipe-shaped in three dimensions.

Mineralogical assemblages include quartz-sericite, quartz-sericite-carbonate-pyrite, and quartz-carbonate-sericite. Quartz-sericite alteration is common around the oxidized portions of quartz veins (i.e. the Swamp Creek area) whereas quartz-sericite-carbonate-pyrite is found where unoxidized mineralization occurs (i.e. on Swamp Creek above junction with Soya Creek and on the ridge north of Kenyon Creek). Quartz-carbonate-sericite is present in intensely oxidized, and possibly brecciated, granodiorite at Hartley's Landing.

Planar/tabular alteration zones occasionally have a quartz vein core, however zone thickness appears to be independent of any included quartz veining. One to 5m thick alteration zones on the western portion of the property contain thin (1-5cm) quartz veins near their centres whereas similar sized alteration zones located near Swamp Creek contain quartz veins up to 1m in thickness.

8.0 SUMMARY OF 1996 EXPLORATION EXPENSES

The 1996 field season included the various tasks described above. A variety of costs were incurred on the project, including staffing, management, transport, equipment, and miscellaneous other expenses. A summary of these costs is provided in Table 3, and is detailed by item. The total cost for the work performed in 1996 is C$326,507.34. This cost includes the application of all airborne geophysical costs to all of the claims.

In accordance with current regulations regarding filing of assessment related costs which ar e'non-physical' and a review of the "assessible" portion of the geophysical costs on claims which were staked in 1994 or later, the total assessment cost for work that meets this criteria is C$290,236.59, as shown in the summary.

9.0 CONCLUSIONS

The Longline project has produced on the order of 1,395 kg (45,000 oz) of placer gold during the past 25 years. Work during the 1996 field season has shown that mineralization occurs as both discontinuous high grade lodes and associated disseminated gold. To date, the highest gold values occur within quartz veins (Swamp Creek sheeted vein set) situated along a strong N-NNE trending magnetic low linear. This linear is interpreted to be the contact between the two different phases of intrusion in the area.

Within the Swamp Creek sheeted quartz veins, gold is concentrated primarily near vein/wallrock margins along hematitic oxidation planes. To a lesser(?) extent, gold is also associated with sulphides, which are irregularly disseminated throughout the veins, and it also occurs as occasional free blebs on quartz crystal boundaries. The amount of gold associated with sulphides is presently unclear however it may amount to be the majority of the gold present in the system.

The high density heliborne magnetic survey was successful in delineating the subsurface contact between the Triassic and Jurassic plutonic events, as well as internal structures and possible intrusive boundaries within the weathered Triassic granodiorites. This, in conjunction with the geological mapping and soil sampling, reinforced theories that the gold is localized along regional structures, some of which form target type intersections.

Table 3 - Summary of 1996 Exploration Expenses - Longline Project

ITEM	DESCRIPTION	TOTAL COSTS	ASSESSMENT COSTS
Office Rental	$800/month x 3 months, 29 days = $3148.39	$3,148.39	$3,148.39
Camp Costs	321.35 man days x $110/day = $35348.5 45 man days x $120/day = $5400		
	subtotal:	$40,748.50	$40,748.50
Truck Rentals	109 days x $75/day =$8175 164.5hrs x $25/hr = $4112.5		
	subtotal:	$12,287.50	$12,287.50
Equipment Rental			
D6 Cat & Auger	164.5hrs x $110/hr = $18095		
225 Hoe	44hrs x $130/hr = $ 5720		
235 Hoe	110hrs x $220/hr = $24200		
D8 Cat	48hrs x $143/hr = $6864		
D9 Cat	56 hrs x $220/hr = $12320		
	subtotal:	$67,199.00	$67,199.00
Assays	1607 soil samples & 1026 rock samples	$44,209.03	$44,209.03
Airplane Charges			
Bonanza Air	22 flights x approx. $520 = $11440		
Canadian Airlines	11 flights x approx. $580 = $6380		
Air North	2 1-way tickets x $201 = $402		
	subtotal:	$18,222.00	$18,222.00
Magnetics Survey	859 line kilometres	$59,893.25	$23,622.50
Water Sampling	12 water samples collected and analysed	$1,035.26	$1,035.26
Personnel	Proj.Geologist @ $250/day x 113 days = $28250 Geologist @ $200/day x 111 days = $22200 Geologists at $150/day x 9 days = $1350 1 Manager at $300/day x 6 days = $1800 1 Soil Sampler x $150/day x 14 days = $2100		
	subtotal:	$55,700.00	$55,700.00
Supplies	Miscellaneous items	$7,641.49	$7,641.49
Telephone	Satellite telephone	$13,062.00	$13,062.00
Insurance	Yukon WCB insurance	$1,461.08	$1,461.08
Freight	Freight of samples from Dawson to Vancouver	$1,599.84	$1,599.84
Groceries	Miscellaneous food items	$300.00	$300.00
	TOTAL:	**$326,507.34**	**$290,236.59**

10.0 RECOMMENDATIONS

The following recommendations are proposed for the Longline Project for the 1997 field season:

- ongoing regional soil sampling in strategic "target" areas defined by magnetic anomalies observed;
- establish a GPS oriented grid over the previously defined regional soil anomalies (approximate dimensions of grid is 3km x 5km);
- soil sampling at 50m x 50m or 50m x 100m centres over this grid area;
- diamond drilling over "target" areas including the Swamp Creek pit, the Airstrip pit, Kenyon Creek ridge, Fox-Den claims, Camp Road trenches, and Hartley's Landing. Drill holes would generally be designed to test these zones at a shallow depth (<200m) with a few deeper tests of 400m to 500m; and,
- once a grid has been established, ground geophysical techniques (including IP, HLEM) may be performed over selected areas, such as the Swamp Creek pit area.

APPENDIX 1

Statements of Qualifications

CERTIFICATE OF QUALIFICATIONS

I, W.A. (Sandy) Sears, with business address of:

Barramundi Gold Ltd.
Suite 1204, Box 16
595 Howe Street
Vancouver, BC
V6C 2T5

and residential address of:

3128 West 16th Avenue
Vancouver, BC
V6K 3C9

do hereby certify that:

1. I am a practising geologist.

2. I hold a M.Sc. degree in Economic Geology (1991) from Memorial University of Newfoundland in St. John's, NF and a B.Sc. (Honours) degree in Geology (1987) from Saint Francis Xavier University in Antigonish, NS.

3. I have been employed in my profession since 1985.

4. This report is based on work conducted and supervised by me as an employee of Barramundi Gold Ltd.

5. I currently hold 5000 shares of Barramundi Gold Ltd., and a stock option of 10,000 shares at $0.75 that can be exercised until September 19, 2001.

W.A. (Sandy) Sears

CERTIFICATE OF QUALIFICATIONS

I, Tania C. Heaton, with business address of:

Barramundi Gold Ltd.
Suite 1204, Box 16
595 Howe Street
Vancouver, BC
V6C 2T5

and residential address of:

1951 Kaptey Avenue
Coquitlam, BC
V3K 5Z7

do hereby certify that:

1. I am a practising geologist.

2. I hold a B.Sc. in Geology (1990) from Concordia University.

3. I have been employed in my profession since 1989.

4. This report is based on work conducted and supervised by me as an employee of Barramundi Gold Ltd.

5. I currently hold 7000 shares of Barramundi Gold Ltd

Tania Heaton

Tania C. Heaton

141°0'00"
140°2'00"
63°5'00"
63°0'00"
501000E
502000E
503000
504000E
505000E
506000E
6994000N
6993000N
6992000N
6991000N
6990000N
6989000N
6988000N
6987000N
6986000N

N

MOOSEHORN RANGE

Kgte. Creek
Owens Creek
Kenyon Creek Ridge
Kenyon Creek
Kenyon Creek Road
Airstrip
Airstrip Pit
Airport Pup
Old Airstrip
#2 Vein
#3 Vein
#1 South Vein
Swamp Creek Pit
Saxo Creek
Hartley Road
Rocky Road
Swamp Creek
Winter Road
Kenyon Creek Road
Creek
Hartley Road
Git Vein
Swamp
Willow Road
Hartley
Winter Road

093610 1/2

ALASKA
NORTHWEST TERRITORIES
DawsonCity
YUKON
Whitehorse

SCALE 1 : 20,000

0 100 300 500 750 1000
Metres

LEGEND

- Andesite/Diabase
- Granodiorite
- Rhyolite
- Moosehorn Granitoid
- Quartz Veins
- Inferred Fault
- Diorite
- Undefined Contact
- Quartz Diorite
- Camp Locations

BARRAMUNDI GOLD LTD

LONGLINE PROJECT - YUKON TERRITORY

Property Geology Map

#1

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 20,000	Figure No. 4

BARRAMUNDI GOLD • LTD

Summary of Geological Field Work - 1996
A Geological, Geochemical and Geophysical Report

VOLUME II OF II - TECHNICAL APPENDICES

for the
Longline Project

Including the following Quartz Claims:

(Ben 1-4; Den 1-3; Fox 1-4; Git 1-2, 5-6; Lin 1-10; Pud 1-2; Rag 1-8; Ran 1-4, 5-6Fr; Red 1-8; Say 1-3; Scot 1-91, 96-111; See 1-6; Well 1-6; Wind 1-22; Wine 1-8, Womp 1-20; Won 1-8; Mar 1-2; Pia 1-6; Reef 1-21; Uri 1-12)

Moosehorn Range, Yukon Territory

Longline Project, Central Yukon
Whitehorse Mining Division
NTS 115N/02; 63^0 04 140^0 59

093610

by

Sandy Sears, Tania Heaton
Barramundi Gold Ltd.

for

Whitehorse Mining Recorder's Office



March, 1997

APPENDIX 2

Analytical Results

Rock Samples

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

e Number :A
otal Pages :4
Certificate Date :
Invoice No :19620132
P.O. Number :ACCOUNT
Account :NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
N109501	299	229	0.2	0.18	6	130	< 0.5	< 2	0.04	< 0.5	1	239	4	0.74	< 10	10	0.09	< 10	0.03	305	1
N109502	299	229	< 0.2	0.32	2	130	< 0.5	< 2	0.07	< 0.5	1	510	7	0.73	< 10	10	0.12	< 10	0.06	115	1
N109503	299	229	0.6	1.15	50	420	< 0.5	< 2	0.27	< 0.5	7	38	15	2.93	< 10	10	0.36	40	0.34	1270	1
N109504	299	229	< 0.2	1.76	6	510	< 0.5	< 2	0.60	< 0.5	6	179	11	2.95	< 10	10	0.79	40	0.82	600	1
N109505	299	229	< 0.2	1.28	8	360	< 0.5	< 2	0.27	< 0.5	4	146	10	1.89	< 10	< 10	0.48	30	0.39	470	< 1
N109506	299	229	< 0.2	1.65	20	790	< 0.5	< 2	0.25	< 0.5	7	54	11	2.89	< 10	10	0.73	40	0.16	1745	9
N109507	299	229	< 0.2	0.83	66	430	< 0.5	< 2	0.21	< 0.5	10	118	19	3.44	< 10	10	0.37	40	0.06	1375	1
N109508	299	229	< 0.2	2.24	16	420	< 0.5	< 2	0.56	< 0.5	8	99	6	3.49	< 10	< 10	0.75	40	0.92	685	1
N109509	299	229	< 0.2	1.89	16	420	< 0.5	< 2	0.45	< 0.5	7	92	5	3.17	< 10	< 10	0.85	40	0.87	635	< 1
N109510	299	229	1.0	2.07	66	700	1.0	< 2	0.37	< 0.5	6	41	6	3.10	< 10	< 10	0.74	40	0.51	800	1
N109511	299	229	1.4	0.61	60	980	< 0.5	< 2	1.49	< 0.5	6	139	6	2.43	< 10	10	0.26	20	0.09	970	6
N109512	299	229	1.6	0.55	22	330	< 0.5	< 2	0.19	< 0.5	4	198	17	1.59	< 10	< 10	0.20	10	0.08	220	2
N109513	299	229	8.6	0.76	302	820	< 0.5	< 2	0.57	< 0.5	7	101	23	3.15	< 10	40	0.27	30	0.13	565	1
N109514	299	229	2.2	1.35	116	1170	< 0.5	< 2	1.18	< 0.5	9	90	25	2.91	< 10	20	0.42	30	0.23	905	1
N109515	299	229	< 0.2	1.28	14	1930	0.5	< 2	3.10	< 0.5	5	69	3	2.81	< 10	10	0.33	30	0.42	860	1
N109516	299	229	< 0.2	1.41	12	500	0.5	< 2	2.57	< 0.5	5	80	3	2.53	< 10	< 10	0.39	40	0.44	575	< 1
N109517	299	229	< 0.2	1.24	28	1160	< 0.5	< 2	2.51	< 0.5	6	103	54	2.61	< 10	< 10	0.32	30	0.44	530	1
N109518	299	229	< 0.2	1.42	14	270	< 0.5	< 2	1.66	< 0.5	5	93	2	2.50	< 10	< 10	0.31	30	0.61	545	< 1
N109519	299	229	< 0.2	1.67	16	300	< 0.5	< 2	1.90	< 0.5	7	83	3	3.02	< 10	10	0.31	40	0.68	615	< 1
N109520	299	229	60.0	0.53	520	850	< 0.5	2	0.21	< 0.5	63	162	22	7.56	< 10	180	0.24	10	0.07	445	10
N109521	299	229	3.8	0.20	98	350	< 0.5	< 2	0.05	< 0.5	4	267	9	1.60	< 10	10	0.11	< 10	0.03	125	1
N109522	299	229	2.8	1.16	178	380	0.5	< 2	0.25	< 0.5	9	73	12	3.15	< 10	10	0.42	40	0.17	460	1
N109523	299	229	< 0.2	1.69	70	320	< 0.5	< 2	0.44	< 0.5	7	66	4	3.28	< 10	10	0.41	30	0.66	485	< 1
N109524	299	229	< 0.2	1.31	80	430	0.5	< 2	0.35	< 0.5	7	81	11	3.55	< 10	30	0.44	40	0.14	980	< 1
N109525	299	229	< 0.2	1.21	32	390	0.5	< 2	0.37	< 0.5	7	85	5	3.05	< 10	< 10	0.47	50	0.35	765	< 1
N109526	299	229	< 0.2	0.98	42	360	0.5	< 2	0.31	< 0.5	6	70	5	2.63	< 10	10	0.39	40	0.14	770	< 1
N109527	299	229	< 0.2	1.17	28	320	< 0.5	< 2	0.36	< 0.5	7	59	5	2.86	< 10	10	0.41	40	0.40	590	< 1
N109528	299	229	< 0.2	0.93	72	290	0.5	< 2	0.35	< 0.5	7	38	8	3.27	< 10	< 10	0.41	30	0.11	715	< 1
N109529	299	229	< 0.2	1.38	12	300	< 0.5	< 2	0.39	< 0.5	6	69	4	2.69	< 10	10	0.56	30	0.56	520	< 1
N109530	299	229	< 0.2	1.73	20	450	< 0.5	< 2	0.40	< 0.5	8	75	9	3.54	< 10	10	0.62	40	0.71	860	< 1
N109531	299	229	0.2	0.84	1380	660	< 0.5	4	0.32	< 0.5	6	55	4	3.72	< 10	40	0.32	40	0.13	1970	1
N109532	299	229	< 0.2	1.55	12	520	< 0.5	< 2	0.59	< 0.5	6	112	8	3.14	< 10	< 10	0.76	30	0.82	580	< 1
N109533	299	229	< 0.2	0.82	56	800	< 0.5	< 2	0.26	< 0.5	7	71	15	3.46	< 10	< 10	0.32	30	0.09	2380	1
N109534	299	229	< 0.2	1.72	6	510	< 0.5	< 2	0.35	< 0.5	7	99	10	3.11	< 10	< 10	0.66	40	0.88	545	< 1
N109535	299	229	< 0.2	1.50	6	390	< 0.5	< 2	0.41	< 0.5	6	108	2	2.77	< 10	< 10	0.87	30	0.80	545	< 1
N109536	299	229	< 0.2	2.98	16	400	0.5	< 2	2.72	< 0.5	24	124	28	6.04	< 10	10	0.16	40	1.86	1070	1
N109537	299	229	< 0.2	1.18	4	440	< 0.5	< 2	0.39	< 0.5	5	109	3	2.57	< 10	30	0.61	30	0.68	540	< 1
N109538	299	229	0.6	0.84	5120	290	< 0.5	< 2	0.50	2.0	6	111	7	2.86	< 10	50	0.35	40	0.19	760	< 1
N109539	299	229	6.2	0.11	4840	100	< 0.5	< 2	0.09	8.0	< 1	177	43	1.00	< 10	450	0.07	< 10	0.02	105	< 1
N109540	299	229	0.6	0.57	2780	310	< 0.5	< 2	0.27	2.5	5	123	8	3.21	< 10	60	0.35	30	0.07	640	< 1

CERTIFICATION: Ian Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: [illegible] GOLD LTD.
BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

[illegible] Number : [illegible]
[illegible]al Pages : 4
Certificate Date : [illegible]
Invoice No : 19620132
P.O. Number : ACCOUNT
Account : NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N109501	299	229	0.01	4	130	4	< 2	< 1	2	< 0.01	< 10	< 10	4	< 10	< 2
N109502	299	229	0.05	8	90	2	< 2	< 1	7	< 0.01	< 10	< 10	6	< 10	< 2
N109503	299	229	0.05	12	850	12	< 2	3	12	0.01	< 10	< 10	19	10	46
N109504	299	229	0.16	6	710	2	< 2	5	43	0.17	< 10	< 10	56	< 10	52
N109505	299	229	0.07	6	470	6	< 2	2	19	0.06	< 10	< 10	26	< 10	28
N109506	299	229	0.09	5	870	10	< 2	4	16	< 0.01	< 10	< 10	25	< 10	40
N109507	299	229	0.03	6	880	10	2	5	12	< 0.01	< 10	< 10	26	< 10	46
N109508	299	229	0.11	4	820	6	< 2	5	40	0.09	< 10	< 10	52	< 10	70
N109509	299	229	0.06	4	790	4	< 2	4	29	0.11	< 10	< 10	50	< 10	60
N109510	299	229	0.07	3	740	20	< 2	4	28	0.01	< 10	< 10	30	< 10	60
N109511	299	229	0.03	4	590	12	< 2	3	33	< 0.01	< 10	< 10	7	< 10	22
N109512	299	229	0.03	5	290	10	< 2	1	12	< 0.01	< 10	< 10	8	< 10	14
N109513	299	229	0.04	4	780	20	2	3	23	< 0.01	< 10	< 10	10	< 10	32
N109514	299	229	0.07	4	830	16	< 2	3	70	< 0.01	< 10	< 10	18	< 10	32
N109515	299	229	0.04	3	720	16	< 2	4	125	< 0.01	< 10	< 10	19	< 10	44
N109516	299	229	0.06	3	780	12	< 2	4	105	< 0.01	< 10	< 10	23	< 10	44
N109517	299	229	0.05	7	820	16	< 2	5	113	< 0.01	< 10	< 10	24	< 10	46
N109518	299	229	0.07	3	770	12	< 2	3	93	< 0.01	< 10	< 10	24	< 10	48
N109519	299	229	0.05	3	830	16	< 2	4	101	< 0.01	< 10	< 10	28	< 10	60
N109520	299	229	0.07	4	420	44	4	1	38	< 0.01	< 10	< 10	14	< 10	12
N109521	299	229	0.03	4	90	32	< 2	< 1	10	< 0.01	< 10	< 10	5	< 10	6
N109522	299	229	0.05	2	660	60	< 2	4	29	< 0.01	< 10	< 10	19	< 10	68
N109523	299	229	0.05	3	840	12	< 2	4	26	0.02	< 10	< 10	35	< 10	62
N109524	299	229	0.03	4	880	18	2	6	17	< 0.01	< 10	< 10	22	< 10	54
N109525	299	229	0.04	4	890	8	< 2	4	18	0.01	< 10	< 10	26	< 10	54
N109526	299	229	0.04	3	800	16	< 2	4	16	< 0.01	< 10	< 10	20	< 10	44
N109527	299	229	0.04	3	850	6	< 2	4	19	0.01	< 10	< 10	27	< 10	50
N109528	299	229	0.03	3	930	14	< 2	3	16	< 0.01	< 10	< 10	17	< 10	40
N109529	299	229	0.05	3	790	6	< 2	3	21	0.04	< 10	< 10	34	< 10	56
N109530	299	229	0.04	3	920	6	< 2	4	20	0.04	< 10	< 10	42	< 10	66
N109531	299	229	0.04	3	1190	38	2	3	16	< 0.01	< 10	< 10	24	< 10	34
N109532	299	229	0.10	4	800	2	< 2	6	25	0.16	< 10	< 10	62	< 10	58
N109533	299	229	0.04	6	1170	8	< 2	3	10	< 0.01	< 10	< 10	30	< 10	32
N109534	299	229	0.07	3	880	2	< 2	5	16	0.10	< 10	< 10	52	< 10	60
N109535	299	229	0.08	3	700	2	< 2	4	22	0.15	< 10	< 10	53	< 10	54
N109536	299	229	0.14	55	2420	8	2	14	145	0.08	< 10	< 10	101	< 10	118
N109537	299	229	0.08	3	650	2	< 2	5	16	0.14	< 10	< 10	47	< 10	46
N109538	299	229	0.04	5	760	14	6	5	46	< 0.01	< 10	< 10	18	< 10	52
N109539	299	229	< 0.01	4	60	214	28	< 1	22	< 0.01	< 10	< 10	3	< 10	90
N109540	299	229	0.01	4	660	30	10	4	22	< 0.01	< 10	< 10	12	< 10	446

CERTIFICATION: [illegible]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: [illegible]AMU[illegible] GOLD [illegible]

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

[illegible] Number [illegible]
[illegible]al Pages 4
Certificate Date [illegible]
Invoice No [illegible]
P.O. Number ACCOUNT
Account NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
N109541	299	229	< 0.2	1.31	188	460	< 0.5	< 2	0.43	0.5	6	168	5	2.86	< 10	< 10	0.58	20	0.64	590	< 1
N109542	299	229	0.6	0.46	2500	240	< 0.5	< 2	0.74	8.5	12	144	8	2.90	< 10	30	0.30	30	0.03	1005	< 1
N109543	299	229	< 0.2	0.32	12	50	< 0.5	< 2	0.06	< 0.5	< 1	114	6	0.84	< 10	< 10	0.16	10	0.08	55	< 1
N109544	299	229	< 0.2	1.51	18	520	< 0.5	< 2	0.44	< 0.5	7	125	4	2.66	< 10	< 10	0.75	10	0.78	510	< 1
N109545	299	229	< 0.2	2.53	46	360	< 0.5	2	1.41	< 0.5	28	97	38	5.02	< 10	< 10	0.14	30	2.08	615	2
N109546	299	229	< 0.2	1.71	12	220	< 0.5	< 2	0.40	< 0.5	8	157	5	3.09	< 10	< 10	0.29	30	0.74	500	< 1
N109547	299	229	2.4	0.75	2360	280	< 0.5	< 2	0.31	4.0	6	164	10	2.71	< 10	50	0.29	30	0.16	560	< 1
N109548	299	229	< 0.2	0.99	228	390	< 0.5	< 2	0.23	< 0.5	8	150	19	1.68	< 10	< 10	0.28	20	0.24	740	< 1
N109549	299	229	< 0.2	0.60	960	420	< 0.5	< 2	0.22	1.5	8	197	8	2.30	< 10	< 10	0.31	30	0.07	1065	< 1
N109550	299	229	< 0.2	3.73	86	190	0.5	< 2	1.87	< 0.5	32	214	38	5.80	< 10	30	0.27	10	2.40	830	< 1
N109551	299	229	< 0.2	0.76	474	370	< 0.5	< 2	0.24	1.5	10	126	15	2.22	< 10	10	0.27	30	0.15	1065	< 1
N109552	299	229	< 0.2	1.51	30	330	< 0.5	< 2	0.35	< 0.5	7	121	3	2.68	< 10	< 10	0.41	20	0.73	475	1
N109553	299	229	< 0.2	1.55	62	290	< 0.5	< 2	0.34	< 0.5	7	124	4	2.61	< 10	< 10	0.34	30	0.63	470	< 1
N109554	299	229	< 0.2	1.87	80	340	0.5	< 2	1.94	0.5	26	83	28	4.60	< 10	30	0.19	30	1.75	715	< 1
N109555	299	229	< 0.2	1.53	24	250	< 0.5	< 2	0.33	0.5	6	119	5	2.63	< 10	< 10	0.31	20	0.62	515	< 1
N109556	299	229	< 0.2	1.04	72	440	< 0.5	< 2	0.25	< 0.5	7	140	13	1.99	< 10	< 10	0.30	10	0.31	875	< 1
N109557	299	229	< 0.2	0.25	4	30	< 0.5	< 2	0.03	< 0.5	< 1	131	2	0.45	< 10	< 10	0.12	< 10	0.04	115	< 1
N109558	299	229	< 0.2	1.35	2	230	< 0.5	< 2	0.30	< 0.5	8	131	4	2.70	< 10	< 10	0.33	20	0.77	500	< 1
N109559	299	229	< 0.2	1.06	610	340	< 0.5	< 2	0.26	0.5	6	123	15	2.36	< 10	< 10	0.29	30	0.39	720	< 1
N109560	299	229	< 0.2	1.01	4	170	< 0.5	< 2	0.14	< 0.5	1	92	1	2.09	< 10	< 10	0.57	10	0.29	560	< 1
N109561	299	229	< 0.2	1.14	120	340	< 0.5	< 2	0.25	< 0.5	6	141	10	2.00	< 10	< 10	0.34	20	0.32	710	< 1
N109562	299	229	< 0.2	0.96	1680	420	< 0.5	< 2	0.28	< 0.5	3	181	4	1.91	< 10	80	0.43	30	0.09	330	< 1
N109563	299	229	< 0.2	1.35	16	270	< 0.5	< 2	0.45	< 0.5	6	112	4	2.60	< 10	< 10	0.39	30	0.51	600	< 1

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

e Number 2-B
al Pages 4
Certificate Date 11-[illegible]
Invoice No 19620132
P O Number ACCOUNT
Account NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N109541	299	229	0.08	4	680	8	2	6	22	0.11	< 10	< 10	47	< 10	80
N109542	299	229	0.01	3	780	34	14	4	24	< 0.01	< 10	< 10	8	< 10	1370
N109543	299	229	0.04	2	100	10	< 2	< 1	6	0.01	< 10	< 10	5	< 10	16
N109544	299	229	0.06	4	700	6	< 2	4	19	0.16	< 10	< 10	54	< 10	62
N109545	299	229	0.13	61	2450	4	< 2	8	87	0.09	< 10	< 10	89	< 10	108
N109546	299	229	0.07	5	750	6	< 2	5	25	0.04	< 10	< 10	47	< 10	62
N109547	299	229	0.01	4	870	250	< 2	3	19	< 0.01	< 10	< 10	31	< 10	146
N109548	299	229	0.03	5	780	10	< 2	3	13	< 0.01	< 10	< 10	23	< 10	58
N109549	299	229	0.02	5	780	56	< 2	3	15	< 0.01	< 10	< 10	28	< 10	96
N109550	299	229	0.19	91	1920	10	2	18	133	0.08	< 10	< 10	110	< 10	112
N109551	299	229	0.03	6	800	22	< 2	4	15	< 0.01	< 10	< 10	22	< 10	122
N109552	299	229	0.06	4	720	6	< 2	5	21	0.07	< 10	< 10	46	< 10	56
N109553	299	229	0.05	4	720	8	2	5	21	0.03	< 10	< 10	40	< 10	54
N109554	299	229	0.13	49	2390	10	2	8	101	0.13	< 10	< 10	72	< 10	116
N109555	299	229	0.05	5	730	6	< 2	4	18	0.01	< 10	< 10	34	< 10	52
N109556	299	229	0.04	5	670	10	< 2	3	14	0.01	< 10	< 10	24	< 10	26
N109557	299	229	0.06	2	10	12	< 2	< 1	4	< 0.01	< 10	< 10	2	< 10	6
N109558	299	229	0.06	4	630	2	< 2	4	18	0.07	< 10	< 10	49	< 10	52
N109559	299	229	0.03	4	690	12	< 2	3	16	< 0.01	< 10	< 10	26	< 10	56
N109560	299	229	0.06	2	340	10	< 2	1	13	0.11	< 10	< 10	4	< 10	52
N109561	299	229	0.04	4	720	8	< 2	3	13	< 0.01	< 10	< 10	25	< 10	28
N109562	299	229	0.02	5	950	8	< 2	1	14	< 0.01	< 10	< 10	38	< 10	22
N109563	299	229	0.06	4	670	8	< 2	5	24	0.08	< 10	< 10	44	< 10	54

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: ... RAM... GOLD ...
BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

... Pages 4
Certificate Date ...
Invoice No ...
P.O. Number ACCOUNT
Account NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
n109601	299	229	< 0.2	0.26	22	2810	< 0.5	< 2	0.08	< 0.5	1	213	1	0.83	< 10	< 10	0.12	< 10	0.04	520	< 1
n109602	299	229	< 0.2	0.16	< 2	230	< 0.5	< 2	0.03	< 0.5	1	354	1	0.54	< 10	< 10	0.07	< 10	0.08	100	< 1
n109603	299	229	3.8	0.62	40	390	< 0.5	< 2	2.34	0.5	5	108	27	2.42	< 10	< 10	0.26	10	0.14	985	14
n109604	299	229	1.0	1.03	20	380	< 0.5	< 2	0.24	< 0.5	9	76	59	2.50	< 10	< 10	0.32	30	0.31	755	11
n109605	299	229	< 0.2	1.54	4	370	< 0.5	< 2	0.77	< 0.5	6	129	2	2.80	< 10	< 10	0.79	30	0.90	615	1
n109606	299	229	< 0.2	1.43	14	280	< 0.5	< 2	0.40	< 0.5	8	102	8	2.88	< 10	10	0.33	30	0.69	645	< 1
n109607	299	229	< 0.2	0.81	14	280	< 0.5	< 2	2.44	< 0.5	6	76	17	2.57	< 10	< 10	0.30	20	0.20	1065	< 1
n109608	299	229	< 0.2	1.37	10	330	< 0.5	< 2	0.70	< 0.5	9	126	9	2.99	< 10	< 10	0.52	20	0.85	570	< 1
n109609	299	229	< 0.2	0.67	68	400	< 0.5	< 2	2.10	< 0.5	8	108	9	2.73	< 10	30	0.33	30	0.11	1010	1
n109610	299	229	3.8	0.26	330	240	< 0.5	< 2	0.47	0.5	3	315	8	1.77	< 10	80	0.13	< 10	0.05	725	1
n109611	299	229	< 0.2	1.32	< 2	340	< 0.5	< 2	0.66	< 0.5	7	150	9	2.98	< 10	< 10	0.53	30	0.87	585	< 1
n109612	299	229	4.2	0.03	100	40	< 0.5	< 2	< 0.01	< 0.5	1	357	3	0.40	< 10	< 10	< 0.01	< 10	< 0.01	35	< 1
n109613	299	229	< 0.2	0.90	32	240	< 0.5	< 2	0.17	< 0.5	5	82	2	1.76	< 10	< 10	0.26	20	0.25	415	< 1
n109614	299	229	< 0.2	1.33	24	350	< 0.5	< 2	0.41	< 0.5	7	136	4	2.79	< 10	< 10	0.40	20	0.58	915	< 1
n109615	299	229	110.0	0.05	2000	110	< 0.5	8	0.03	55.0	1	316	24	0.69	< 10	590	0.01	< 10	0.01	80	16
n109616	299	229	1.0	1.61	28	120	< 0.5	< 2	0.48	1.0	10	87	5	2.88	< 10	< 10	0.21	20	0.92	560	< 1
n109617	299	229	< 0.2	0.82	10	80	< 0.5	< 2	2.36	< 0.5	6	93	1	2.10	< 10	< 10	0.27	10	0.11	315	< 1

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

Page Number 2-B
Total Pages 4
Certificate Date 11-JUN-96
Invoice No I9620132
P.O. Number ACCOUNT
Account NBA

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
n109601	299	229	< 0.01	5	150	4	< 2	< 1	31	< 0.01	< 10	< 10	10	< 10	12
n109602	299	229	0.01	4	60	< 2	< 2	< 1	3	< 0.01	< 10	< 10	6	< 10	6
n109603	299	229	0.03	3	770	28	< 2	2	44	< 0.01	< 10	< 10	8	< 10	48
n109604	299	229	0.05	4	600	14	< 2	2	15	0.01	< 10	< 10	17	< 10	44
n109605	299	229	0.06	4	710	6	< 2	3	31	0.17	< 10	< 10	51	< 10	62
n109606	299	229	0.05	3	800	8	< 2	5	22	0.05	< 10	< 10	40	< 10	58
n109607	299	229	0.03	2	790	10	2	3	42	< 0.01	< 10	< 10	12	< 10	52
n109608	299	229	0.07	3	750	6	2	5	28	0.15	< 10	< 10	55	< 10	62
n109609	299	229	0.01	3	910	8	< 2	4	24	< 0.01	< 10	< 10	13	< 10	62
n109610	299	229	< 0.01	4	230	46	< 2	1	9	< 0.01	< 10	< 10	16	< 10	158
n109611	299	229	0.06	3	720	6	< 2	4	28	0.15	< 10	< 10	55	< 10	62
n109612	299	229	< 0.01	5	10	116	6	< 1	< 1	< 0.01	< 10	< 10	3	< 10	8
n109613	299	229	0.05	4	360	16	< 2	1	11	0.01	< 10	< 10	16	< 10	38
n109614	299	229	0.06	4	750	4	< 2	4	21	0.08	< 10	< 10	45	< 10	54
n109615	299	229	< 0.01	1	150	>10000	8060	< 1	3	< 0.01	< 10	10	16	< 10	140
n109616	299	229	0.06	4	560	256	90	6	23	0.01	< 10	< 10	56	< 10	56
n109617	299	229	0.03	2	470	76	16	4	22	< 0.01	< 10	< 10	19	< 10	46

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

e Number 3-A
otal Pages 4
Certificate Date 11-JUN-96
Invoice No I9620132
P.O. Number ACCOUNT
Account NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
n109618	299	229	< 0.2	0.99	8	130	< 0.5	< 2	1.07	< 0.5	6	166	4	2.06	< 10	< 10	0.31	10	0.11	460	1
n109619	299	229	< 0.2	1.11	6	70	< 0.5	< 2	0.65	< 0.5	4	103	1	1.92	< 10	< 10	0.22	20	0.44	395	< 1
n109620	299	229	< 0.2	2.75	30	90	0.5	2	3.28	0.5	30	97	31	5.92	< 10	< 10	0.13	10	2.38	935	1
n109621	299	229	< 0.2	1.04	374	440	< 0.5	< 2	0.42	< 0.5	8	150	13	2.79	< 10	10	0.34	30	0.26	860	< 1
n109622	299	229	< 0.2	1.55	10	450	< 0.5	< 2	0.73	< 0.5	8	103	5	3.09	< 10	< 10	0.63	20	0.92	595	< 1
n109623	299	229	< 0.2	1.08	376	520	< 0.5	< 2	0.28	< 0.5	9	180	11	3.02	< 10	10	0.43	40	0.18	870	< 1
n109624	299	229	< 0.2	1.05	48	380	< 0.5	< 2	0.30	< 0.5	8	152	11	3.06	< 10	20	0.38	30	0.19	690	2
n109625	299	229	< 0.2	0.36	12	170	< 0.5	< 2	0.05	< 0.5	6	213	31	0.61	< 10	< 10	0.15	< 10	0.03	105	1
n109626	299	229	< 0.2	0.10	< 2	30	< 0.5	< 2	< 0.01	< 0.5	< 1	238	3	0.26	< 10	< 10	0.05	< 10	< 0.01	50	< 1
n109627	299	229	< 0.2	1.44	192	540	< 0.5	< 2	0.45	0.5	7	171	7	2.88	< 10	< 10	0.62	30	0.67	635	< 1
n109628	299	229	< 0.2	0.89	760	460	< 0.5	< 2	0.24	< 0.5	9	177	12	2.36	< 10	< 10	0.39	30	0.13	660	1
n109629	299	229	< 0.2	1.15	16	500	< 0.5	< 2	0.21	< 0.5	8	153	6	2.63	< 10	10	0.37	30	0.22	835	1
n109630	299	229	< 0.2	1.31	8	210	< 0.5	< 2	3.83	< 0.5	7	112	3	2.41	< 10	< 10	0.34	20	0.34	655	< 1
n109631	299	229	< 0.2	2.11	2	230	< 0.5	< 2	0.87	< 0.5	10	79	8	2.80	< 10	< 10	0.72	10	0.98	495	< 1
n109632	299	229	< 0.2	1.80	4	200	< 0.5	< 2	0.96	< 0.5	10	70	8	2.71	< 10	< 10	0.67	10	0.91	485	< 1
n109633	299	229	< 0.2	1.37	12	460	< 0.5	< 2	3.30	< 0.5	9	80	8	2.55	< 10	10	0.40	20	0.31	545	< 1
n109634	299	229	< 0.2	0.48	6	110	< 0.5	< 2	0.18	< 0.5	< 1	120	1	0.84	< 10	< 10	0.21	10	0.06	215	< 1
n109635	299	229	< 0.2	1.89	20	640	0.5	< 2	0.49	< 0.5	10	132	6	3.25	< 10	< 10	0.46	30	0.59	1160	< 1
n109636	299	229	< 0.2	1.00	1520	480	< 0.5	< 2	0.35	0.5	9	180	10	2.97	< 10	30	0.43	40	0.17	1010	< 1
n109637	299	229	< 0.2	1.09	66	670	< 0.5	< 2	0.22	< 0.5	8	120	6	2.42	< 10	< 10	0.47	30	0.15	705	1
n109638	299	229	< 0.2	2.45	18	490	0.5	< 2	1.47	< 0.5	33	113	41	6.62	< 10	< 10	0.15	20	1.22	1275	< 1
n109639	299	229	< 0.2	0.49	12	100	< 0.5	< 2	0.05	< 0.5	1	159	1	0.85	< 10	< 10	0.23	< 10	0.03	370	< 1
n109640	299	229	< 0.2	1.04	2780	340	< 0.5	< 2	1.25	0.5	7	146	3	2.70	< 10	10	0.40	20	0.43	600	< 1
n109641	299	229	23.0	0.16	9640	120	< 0.5	< 2	0.26	6.5	3	293	51	1.35	< 10	180	0.08	< 10	0.03	115	1
n109642	299	229	< 0.2	1.60	52	350	< 0.5	< 2	0.58	< 0.5	8	137	7	3.15	< 10	< 10	0.29	20	0.73	555	< 1
n109643	299	229	< 0.2	1.49	28	510	< 0.5	< 2	0.93	< 0.5	8	129	2	3.05	< 10	< 10	0.59	30	0.87	670	< 1
n109644	299	229	< 0.2	0.91	6	420	< 0.5	< 2	1.25	< 0.5	6	121	3	2.41	< 10	< 10	0.41	30	0.40	720	< 1
n109645	299	229	< 0.2	0.94	1235	480	< 0.5	< 2	0.15	< 0.5	5	193	7	2.35	< 10	< 10	0.44	30	0.10	725	1
n109646	299	229	< 0.2	1.02	46	350	< 0.5	< 2	0.29	< 0.5	6	156	11	2.77	< 10	10	0.37	40	0.18	1030	2
n109647	299	229	0.8	2.28	442	300	< 0.5	< 2	1.05	2.0	16	157	32	3.52	< 10	30	0.56	10	1.69	670	< 1
n109648	299	229	>200	0.08	1560	40	< 0.5	< 2	0.08	40.5	1	347	662	0.83	< 10	920	0.01	< 10	0.03	230	2
n109649	299	229	0.6	1.48	88	160	< 0.5	< 2	0.39	< 0.5	11	159	32	2.55	< 10	60	0.36	10	0.91	585	< 1
n109650	299	229	2.4	0.86	1270	230	< 0.5	< 2	0.78	1.0	5	248	10	2.81	< 10	10	0.40	30	0.09	760	1
n109651	299	229	< 0.2	0.93	6	150	< 0.5	< 2	0.40	< 0.5	3	172	3	1.24	< 10	< 10	0.36	20	0.22	375	1
n109652	299	229	< 0.2	1.18	8	170	< 0.5	< 2	0.32	< 0.5	5	201	6	2.05	< 10	< 10	0.60	10	0.53	345	1
n109653	299	229	0.8	0.11	412	730	< 0.5	< 2	0.07	1.0	1	350	17	0.60	< 10	30	0.04	< 10	0.01	305	1
n109654	299	229	< 0.2	2.03	12	400	< 0.5	< 2	0.81	< 0.5	10	112	5	3.29	< 10	< 10	0.62	10	1.01	635	< 1
n109655	299	229	< 0.2	0.94	300	370	< 0.5	< 2	0.18	0.5	5	198	6	1.96	< 10	90	0.41	30	0.07	730	5
n109656	299	229	< 0.2	2.17	6	200	< 0.5	< 2	0.81	< 0.5	10	67	9	3.28	< 10	< 10	0.37	10	1.17	660	< 1
n109657	299	229	< 0.2	1.78	6	620	< 0.5	< 2	0.45	< 0.5	8	132	7	3.19	< 10	10	0.54	30	0.84	710	< 1

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

Page Number 3-B
Total Pages 4
Certificate Date 11-OCT-96
Invoice No 19620132
P.O. Number ACCOUNT
Account NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
a109618	299	229	0.03	3	540	18	< 2	3	20	< 0.01	< 10	< 10	19	< 10	36
a109619	299	229	0.05	3	400	12	2	1	26	< 0.01	< 10	< 10	20	< 10	46
a109620	299	229	0.14	45	2480	10	2	13	162	0.08	< 10	< 10	99	< 10	120
a109621	299	229	0.03	4	930	10	< 2	4	15	< 0.01	< 10	< 10	19	< 10	66
a109622	299	229	0.08	4	710	6	2	5	25	0.19	< 10	< 10	61	< 10	66
a109623	299	229	0.04	5	870	14	< 2	5	14	< 0.01	< 10	< 10	23	< 10	50
a109624	299	229	0.04	4	810	8	2	5	13	< 0.01	< 10	< 10	21	< 10	50
a109625	299	229	0.07	3	30	18	< 2	< 1	9	< 0.01	< 10	< 10	3	< 10	6
a109626	299	229	0.02	3	< 10	4	< 2	< 1	1	< 0.01	< 10	< 10	1	< 10	< 2
a109627	299	229	0.06	4	740	10	< 2	4	17	0.12	< 10	< 10	44	< 10	66
a109628	299	229	0.03	4	840	16	< 2	3	11	< 0.01	< 10	< 10	16	< 10	46
a109629	299	229	0.04	4	740	10	< 2	3	11	< 0.01	< 10	< 10	20	< 10	42
a109630	299	229	0.04	3	690	12	2	5	50	< 0.01	< 10	< 10	26	< 10	58
a109631	299	229	0.14	4	550	8	< 2	5	51	0.17	< 10	< 10	73	< 10	52
a109632	299	229	0.11	4	580	10	< 2	5	41	0.15	< 10	< 10	66	< 10	52
a109633	299	229	0.04	3	650	14	6	6	25	< 0.01	< 10	< 10	30	< 10	60
a109634	299	229	0.10	2	30	12	< 2	< 1	7	< 0.01	< 10	< 10	1	< 10	18
a109635	299	229	0.05	5	850	8	< 2	6	25	0.03	< 10	< 10	43	< 10	62
a109636	299	229	0.05	5	850	16	2	4	21	< 0.01	< 10	< 10	20	< 10	52
a109637	299	229	0.05	4	730	14	< 2	4	14	< 0.01	< 10	< 10	38	< 10	34
a109638	299	229	0.23	56	2530	4	6	11	101	0.08	< 10	< 10	90	< 10	104
a109639	299	229	0.08	4	20	12	< 2	< 1	7	< 0.01	< 10	< 10	3	< 10	24
a109640	299	229	0.05	4	650	12	2	4	62	0.03	< 10	< 10	29	< 10	102
a109641	299	229	< 0.01	5	10	1320	228	< 1	13	< 0.01	< 10	< 10	3	< 10	336
a109642	299	229	0.07	3	690	12	2	5	47	0.02	< 10	< 10	48	< 10	66
a109643	299	229	0.09	3	680	8	< 2	5	40	0.16	< 10	< 10	56	< 10	62
a109644	299	229	0.06	3	650	6	< 2	4	47	0.04	< 10	< 10	27	< 10	44
a109645	299	229	0.03	4	590	16	6	3	10	< 0.01	< 10	< 10	13	< 10	32
a109646	299	229	0.03	4	760	12	2	5	15	< 0.01	< 10	< 10	17	< 10	42
a109647	299	229	0.10	60	1010	12	6	8	54	0.10	< 10	< 10	78	< 10	488
a109648	299	229	< 0.01	5	50	8980	1910	< 1	10	< 0.01	< 10	10	7	< 10	758
a109649	299	229	0.07	27	620	32	12	6	23	0.05	< 10	< 10	48	< 10	76
a109650	299	229	0.01	5	740	50	20	5	18	< 0.01	< 10	< 10	13	< 10	826
a109651	299	229	0.07	3	170	32	2	2	14	0.01	< 10	< 10	12	< 10	24
a109652	299	229	0.10	4	320	12	< 2	5	16	0.12	< 10	< 10	54	< 10	38
a109653	299	229	< 0.01	5	30	138	1180	< 1	9	< 0.01	< 10	< 10	5	< 10	52
a109654	299	229	0.15	5	600	12	2	7	41	0.20	< 10	< 10	86	< 10	64
a109655	299	229	0.04	4	680	14	< 2	3	9	< 0.01	< 10	< 10	25	< 10	38
a109656	299	229	0.10	5	580	10	< 2	7	52	0.16	< 10	< 10	86	< 10	60
a109657	299	229	0.07	4	790	2	2	7	33	0.13	< 10	< 10	58	< 10	64

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

Page Number 1-A
Total Pages 4
Certificate Date 11-JUN-96
Invoice No I9620132
P.O. Number ACCOUNT
Account NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
a109658	299	229	< 0.2	0.48	20	120	< 0.5	< 2	0.05	< 0.5	1	100	1	0.96	< 10	< 10	0.17	10	0.06	230	< 1
a109659	299	229	< 0.2	1.89	474	300	< 0.5	< 2	0.75	< 0.5	10	56	11	3.24	< 10	10	0.54	10	0.77	635	< 1
a109660	299	229	< 0.2	1.30	1285	360	< 0.5	< 2	0.35	< 0.5	9	82	8	3.14	< 10	< 10	0.39	40	0.53	720	1
a109661	299	229	< 0.2	1.80	26	550	< 0.5	< 2	0.32	< 0.5	7	151	7	3.22	< 10	< 10	0.47	30	0.63	650	4
a109662	299	229	< 0.2	0.41	26	160	< 0.5	< 2	0.04	< 0.5	3	162	8	0.64	< 10	< 10	0.16	< 10	0.07	220	14
a109663	299	229	< 0.2	0.36	50	120	< 0.5	< 2	0.04	< 0.5	1	139	21	0.80	< 10	30	0.19	< 10	0.05	135	97
a109664	299	229	< 0.2	1.19	194	350	< 0.5	< 2	0.24	< 0.5	7	122	36	2.28	< 10	10	0.27	30	0.40	555	1
a109665	299	229	< 0.2	1.57	158	430	< 0.5	< 2	0.48	< 0.5	10	149	32	3.25	< 10	< 10	0.40	30	0.43	820	1
a109666	299	229	< 0.2	1.92	26	280	< 0.5	< 2	0.54	< 0.5	9	98	31	3.69	< 10	< 10	0.37	30	0.75	760	1
a109667	299	229	< 0.2	0.65	8	300	< 0.5	< 2	0.09	< 0.5	1	330	1	0.79	< 10	10	0.23	< 10	0.14	165	< 1
a109668	299	229	< 0.2	0.33	10	40	< 0.5	< 2	0.04	< 0.5	1	94	10	0.56	< 10	< 10	0.12	< 10	0.08	120	< 1
a109669	299	229	1.0	1.54	206	540	< 0.5	74	0.29	< 0.5	83	148	9	7.69	< 10	< 10	0.39	20	0.47	925	3
a109670	299	229	< 0.2	0.68	32	340	< 0.5	2	0.25	< 0.5	3	168	4	1.06	< 10	< 10	0.22	10	0.19	570	1
a109671	299	229	< 0.2	1.62	44	490	< 0.5	< 2	0.50	< 0.5	8	101	8	3.12	< 10	10	0.55	20	0.75	565	< 1
a109672	299	229	< 0.2	0.55	1530	270	< 0.5	< 2	0.32	2.5	7	104	10	2.91	< 10	60	0.23	30	0.10	475	1
a109673	299	229	45.6	0.23	2590	100	< 0.5	< 2	0.09	24.0	2	206	31	1.74	< 10	22400	0.14	10	0.02	275	1
a109674	299	229	< 0.2	1.05	96	630	< 0.5	< 2	0.30	< 0.5	1	85	2	2.51	< 10	30	0.46	30	0.13	1400	1
a109675	299	229	< 0.2	2.04	20	430	< 0.5	< 2	1.93	< 0.5	7	132	7	3.28	< 10	70	0.68	10	1.02	640	< 1
a109676	299	229	< 0.2	1.51	14	460	< 0.5	< 2	0.59	< 0.5	8	103	6	3.22	< 10	< 10	0.52	30	0.72	680	1
a109677	299	229	< 0.2	1.56	36	830	< 0.5	< 2	0.36	< 0.5	5	133	7	2.37	< 10	< 10	0.51	30	0.39	935	3
a109678	299	229	< 0.2	1.12	682	500	< 0.5	< 2	0.61	< 0.5	8	96	11	2.80	< 10	< 10	0.41	30	0.34	1010	1
a109679	299	229	1.0	0.32	3470	270	< 0.5	< 2	0.18	2.5	3	276	11	1.87	< 10	10	0.19	< 10	0.03	570	1
a109680	299	229	0.6	0.42	3030	260	< 0.5	< 2	0.95	2.0	8	129	18	3.07	< 10	30	0.26	20	0.07	1125	1
a109681	299	229	0.6	0.47	2450	90	< 0.5	< 2	0.10	< 0.5	< 1	134	3	0.51	< 10	< 10	0.28	30	0.02	90	< 1
a109682	299	229	1.0	0.34	6470	120	< 0.5	< 2	0.15	2.5	1	115	6	2.01	< 10	< 10	0.29	20	0.01	100	1
a109683	299	229	1.2	0.45	3140	90	< 0.5	< 2	0.12	2.5	4	97	8	2.72	< 10	< 10	0.30	20	0.01	260	1
a109684	299	229	< 0.2	1.41	152	350	< 0.5	< 2	0.59	< 0.5	8	87	7	3.03	< 10	< 10	0.50	20	0.73	585	1
a109685	299	229	46.0	0.19	1240	120	< 0.5	2	0.07	27.5	1	252	124	0.98	< 10	110	0.09	< 10	0.01	90	39
a109686	299	229	3.0	0.39	2260	280	< 0.5	< 2	0.22	5.0	< 1	113	20	2.60	< 10	70	0.39	30	0.03	150	1
a109687	299	229	1.2	0.53	1450	150	< 0.5	< 2	0.14	9.5	< 1	129	5	2.11	< 10	80	0.30	30	0.03	75	1
a109688	299	229	< 0.2	0.47	26	110	< 0.5	< 2	0.05	< 0.5	1	109	2	0.94	< 10	10	0.16	10	0.10	355	< 1
a109689	299	229	< 0.2	1.77	48	240	0.5	< 2	0.46	< 0.5	8	128	6	3.15	< 10	< 10	0.42	30	0.49	705	< 1
a109690	299	229	< 0.2	1.61	80	540	0.5	< 2	0.44	< 0.5	9	102	9	3.28	< 10	< 10	0.48	30	0.41	680	< 1
a109691	299	229	< 0.2	1.35	62	1590	< 0.5	< 2	3.12	< 0.5	8	63	8	2.84	< 10	< 10	0.34	10	0.31	450	< 1

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: [illegible]

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONG LINE
Comments: FAX: Bob Burban FAX: Rob Stevens

[illegible] 4-B
[illegible] Pages 4
Certificate Date [illegible]
Invoice No [illegible]
P.O. Number ACCOUNT
Account NRW

CERTIFICATE OF ANALYSIS A9620132

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
n109658	299	229	0.06	3	40	10	< 2	< 1	6	< 0.01	< 10	< 10	1	< 10	32
n109659	299	229	0.12	4	710	12	< 2	7	44	0.11	< 10	< 10	72	< 10	48
n109660	299	229	0.03	4	820	12	2	5	20	0.06	< 10	< 10	39	< 10	60
n109661	299	229	0.06	5	730	8	< 2	5	22	0.04	< 10	< 10	43	< 10	60
n109662	299	229	0.04	3	20	8	< 2	< 1	8	< 0.01	< 10	< 10	4	< 10	8
n109663	299	229	0.05	2	20	10	< 2	< 1	10	< 0.01	< 10	< 10	6	< 10	6
n109664	299	229	0.04	5	800	8	< 2	4	11	< 0.01	< 10	< 10	35	< 10	56
n109665	299	229	0.04	7	880	16	< 2	6	20	< 0.01	< 10	< 10	28	< 10	62
n109666	299	229	0.05	7	960	2	< 2	6	28	0.06	< 10	< 10	56	< 10	68
n109667	299	229	0.03	6	210	< 2	< 2	< 1	5	< 0.01	< 10	< 10	9	< 10	8
n109668	299	229	0.06	3	20	10	< 2	< 1	6	< 0.01	< 10	< 10	4	< 10	6
n109669	299	229	0.05	10	690	26	< 2	3	18	< 0.01	< 10	< 10	37	< 10	40
n109670	299	229	0.03	6	390	2	< 2	1	9	< 0.01	< 10	< 10	10	< 10	16
n109671	299	229	0.09	4	750	6	< 2	6	28	0.16	< 10	< 10	60	< 10	58
n109672	299	229	0.01	6	910	62	2	3	11	< 0.01	< 10	< 10	52	< 10	106
n109673	299	229	< 0.01	5	190	4150	204	1	15	< 0.01	< 10	< 10	52	< 10	1875
n109674	299	229	0.03	6	1000	8	< 2	2	17	< 0.01	< 10	< 10	12	< 10	26
n109675	299	229	0.07	3	710	20	6	7	40	0.09	< 10	< 10	55	< 10	72
n109676	299	229	0.07	6	750	2	< 2	6	27	0.16	< 10	< 10	59	< 10	60
n109677	299	229	0.04	4	820	12	< 2	2	18	< 0.01	< 10	< 10	24	< 10	40
n109678	299	229	0.04	4	910	12	< 2	4	23	0.02	< 10	< 10	30	< 10	68
n109679	299	229	< 0.01	5	210	202	28	1	15	< 0.01	< 10	< 10	6	< 10	118
n109680	299	229	< 0.01	4	790	50	14	4	26	< 0.01	< 10	< 10	9	< 10	130
n109681	299	229	< 0.01	2	130	16	8	< 1	14	< 0.01	< 10	< 10	2	< 10	12
n109682	299	229	0.01	1	300	96	36	< 1	47	< 0.01	< 10	< 10	2	< 10	108
n109683	299	229	< 0.01	3	420	58	16	1	16	< 0.01	< 10	< 10	3	< 10	190
n109684	299	229	0.07	4	810	6	< 2	5	21	0.17	< 10	< 10	58	< 10	80
n109685	299	229	< 0.01	3	110	>10000	4790	< 1	26	< 0.01	< 10	< 10	4	< 10	286
n109686	299	229	0.03	3	280	150	58	1	120	< 0.01	< 10	< 10	8	< 10	124
n109687	299	229	< 0.01	2	220	188	42	2	51	< 0.01	< 10	< 10	5	< 10	210
n109688	299	229	0.05	3	50	18	< 2	< 1	7	< 0.01	< 10	< 10	2	< 10	20
n109689	299	229	0.04	4	900	22	6	6	29	< 0.01	< 10	< 10	36	< 10	70
n109690	299	229	0.04	3	810	12	< 2	7	20	0.01	< 10	< 10	43	< 10	62
n109691	299	229	0.04	2	570	18	< 2	6	78	< 0.01	< 10	< 10	25	< 10	62

CERTIFICATION: [illegible]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD

BOX 18, 12TH FLOOR, 595 HOWE ST
VANCOUVER, BC
V6C 2T5

Project: LONGLINE
Comments: ATTN:BOB BURRAN CC:SANDY SEARS

Page Number: 1-A
Total Pages: 3
Certificate Date: 03-OCT-96
Invoice No: I-9621524
P.O. Number:
Account:

CERTIFICATE OF ANALYSIS A9621524

SAMPLE DESCRIPTION	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
NIO9564	299	229	< 0.2	1.45	8	300	< 0.5	< 2	0.44	< 0.5	6	108	3	2.62	< 10	< 10	0.78	20	0.76	505	< 1
NIO9565	299	229	< 0.2	3.76	106	300	1.0	6	1.47	0.5	22	109	30	6.97	10	10	0.13	30	3.24	655	< 1
NIO9566	299	229	0.2	1.11	18	560	< 0.5	< 2	0.29	< 0.5	6	85	2	1.84	< 10	20	0.38	30	0.36	1195	1
NIO9567	299	229	< 0.2	0.43	8	100	< 0.5	< 2	0.10	< 0.5	1	73	3	0.57	< 10	< 10	0.16	< 10	0.15	180	< 1
NIO9568	299	229	< 0.2	0.14	2	90	< 0.5	< 2	0.03	< 0.5	< 1	266	1	0.42	< 10	< 10	0.05	< 10	0.04	300	< 1
NIO9569	299	229	< 0.2	1.24	6	300	< 0.5	2	0.48	< 0.5	6	109	2	2.24	< 10	< 10	0.39	20	0.57	550	< 1
NIO9570	299	229	< 0.2	1.43	22	310	0.5	< 2	2.42	< 0.5	21	61	21	5.57	< 10	< 10	0.25	30	1.78	1045	< 1
NIO9571	299	229	< 0.2	2.03	38	310	< 0.5	2	0.41	< 0.5	6	94	8	2.95	< 10	30	0.36	30	0.63	505	< 1
NIO9572	299	229	< 0.2	1.31	58	420	< 0.5	< 2	0.35	< 0.5	6	90	5	2.38	< 10	30	0.38	30	0.37	480	< 1
NIO9573	299	229	0.2	0.89	1000	380	< 0.5	< 2	0.25	< 0.5	6	119	8	2.55	< 10	< 10	0.35	40	0.14	1050	< 1
NIO9574	299	229	3.0	0.05	2820	90	< 0.5	< 2	0.15	2.0	< 1	244	3	0.74	< 10	50	0.02	< 10	0.03	160	< 1
NIO9575	299	229	5.0	0.03	>10000	130	< 0.5	< 2	0.09	10.5	< 1	203	6	2.51	< 10	190	0.01	< 10	0.01	115	4
NIO9576	299	229	< 0.2	1.08	518	350	< 0.5	< 2	0.27	< 0.5	5	114	15	2.34	< 10	10	0.25	20	0.42	480	< 1
NIO9577	299	229	< 0.2	0.77	378	320	< 0.5	< 2	0.17	< 0.5	7	127	8	3.03	< 10	160	0.33	30	0.12	895	< 1
NIO9578	299	229	< 0.2	1.78	10	240	< 0.5	2	0.46	< 0.5	8	44	5	2.82	< 10	< 10	0.45	10	0.73	355	< 1
NIO9579	299	229	< 0.2	0.11	56	40	< 0.5	< 2	0.02	< 0.5	< 1	310	4	0.43	< 10	< 10	0.03	< 10	0.04	95	< 1
NIO9580	299	229	< 0.2	1.90	14	260	< 0.5	< 2	0.48	< 0.5	7	90	48	3.13	< 10	10	0.28	30	0.70	445	< 1
NIO9581	299	229	< 0.2	1.75	8	160	< 0.5	4	0.57	< 0.5	7	54	7	2.71	< 10	10	0.52	10	0.76	440	< 1
NIO9582	299	229	< 0.2	1.95	4	180	< 0.5	< 2	0.56	< 0.5	7	39	6	2.89	< 10	< 10	0.32	20	0.86	410	< 1

CERTIFICATION

10/7/96 3:27PM CHEMEX LABS 102

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE 604-984-0221 FAX: 604-984-0218

To BARRAMUNDI GOLD LTD

BOX 16, 12TH FLOOR, 595 HOWE ST
VANCOUVER, BC
V6C 2T5

Project: LONGLINE
Comments: ATTN:BOB BURRAN CC SANDY SEARS

CERTIFICATE OF ANALYSIS A9621524

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
RI09564	299	229	0.05	3	660	4	< 2	3	23	0.14	< 10	< 10	50	< 10	56
RI09565	299	229	0.06	53	2730	18	< 2	17	69	0.04	< 10	< 10	131	< 10	108
RI09566	299	229	0.04	3	730	6	< 2	1	18	< 0.01	< 10	< 10	13	< 10	34
RI09567	299	229	0.05	3	110	12	< 2	1	9	< 0.01	< 10	< 10	8	< 10	8
RI09568	299	229	< 0.01	5	40	< 2	< 2	< 1	2	< 0.01	< 10	< 10	5	< 10	4
RI09569	299	229	0.05	2	580	6	< 2	4	33	0.12	< 10	< 10	40	< 10	50
RI09570	299	229	0.12	24	2750	6	< 2	12	105	0.13	< 10	< 10	85	< 10	122
RI09571	299	229	0.06	7	720	12	< 2	6	25	0.01	< 10	< 10	47	< 10	56
RI09572	299	229	0.04	3	720	16	< 2	3	20	< 0.01	< 10	< 10	21	< 10	46
RI09573	299	229	0.03	3	670	34	< 2	4	15	< 0.01	< 10	< 10	29	< 10	52
RI09574	299	229	< 0.01	4	20	298	4	< 1	8	< 0.01	< 10	< 10	2	< 10	58
RI09575	299	229	< 0.01	4	10	2540	20	< 1	13	< 0.01	< 10	< 10	1	< 10	154
RI09576	299	229	0.03	5	730	12	< 2	4	13	< 0.01	< 10	< 10	29	< 10	52
RI09577	299	229	0.03	4	700	16	< 2	4	12	< 0.01	< 10	< 10	19	< 10	48
RI09578	299	229	0.07	4	550	8	< 2	6	29	0.07	< 10	< 10	60	< 10	48
RI09579	299	229	< 0.01	5	20	10	< 2	< 1	4	< 0.01	< 10	< 10	4	< 10	6
RI09580	299	229	0.06	4	710	6	< 2	5	25	0.01	< 10	< 10	46	< 10	58
RI09581	299	229	0.07	2	540	6	< 2	5	34	0.09	< 10	< 10	60	< 10	50
RI09582	299	229	0.06	3	550	8	< 2	5	30	0.03	< 10	< 10	53	< 10	52

CERTIFICATION

01/22/97 5:29PM CHEMEX LAE

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD

BOX 18, 12TH FLOOR, 595 HOWE ST
VANCOUVER, BC
V6C 2T5

Project: LONGLINE
Comments: ATTN:BOB BURRAN CC:SANDY SEARS

CERTIFICATE OF ANALYSIS A9621524

SAMPLE DESCRIPTION	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
NIO9692	299 229	< 0.2	1.45	10	290	0.5	< 2	1.10	< 0.5	8	53	6	3.07	< 10	10	0.48	20	0.21	665	< 1
NIO9693	299 229	< 0.2	1.57	< 2	280	0.5	< 2	1.11	< 0.5	9	48	5	3.31	< 10	< 10	0.39	20	0.33	470	< 1
NIO9694	299 229	< 0.2	1.14	10	390	0.5	< 2	3.05	< 0.5	6	43	6	2.67	< 10	< 10	0.40	20	0.16	595	< 1
NIO9695	299 229	< 0.2	1.36	6	320	0.5	< 2	1.60	< 0.5	7	62	4	2.82	< 10	< 10	0.37	30	0.28	480	< 1
NIO9696	299 229	0.4	0.40	54	2990	< 0.5	< 2	1.70	< 0.5	2	153	3	1.73	< 10	< 10	0.22	10	0.05	465	< 1
NIO9697	299 229	0.4	1.10	436	400	< 0.5	< 2	0.34	< 0.5	6	103	5	2.88	< 10	< 10	0.30	30	0.41	740	< 1
NIO9698	299 229	0.4	0.91	964	460	< 0.5	< 2	0.28	0.5	5	171	5	2.81	< 10	< 10	0.35	30	0.19	645	< 1
NIO9699	299 229	0.6	1.38	10	190	< 0.5	< 2	5.31	< 0.5	5	73	2	2.35	< 10	< 10	0.26	20	0.62	1040	< 1
NIO9700	299 229	< 0.2	1.04	14	470	< 0.5	< 2	4.62	< 0.5	5	60	2	2.34	< 10	< 10	0.25	30	0.34	745	< 1
NIO9701	299 229	< 0.2	1.35	2	510	< 0.5	2	0.68	< 0.5	6	74	1	2.55	< 10	< 10	0.56	10	0.73	495	< 1
NIO9702	299 229	0.2	1.28	202	420	0.5	< 2	0.51	0.5	12	11	2	6.66	< 10	< 10	0.27	40	0.29	1370	< 1
NIO9703	299 229	0.6	0.96	160	340	< 0.5	< 2	2.61	0.5	9	13	4	4.03	< 10	< 10	0.27	40	0.16	1350	< 1
NIO9704	299 229	0.4	1.59	144	440	< 0.5	2	0.39	< 0.5	5	96	5	2.60	< 10	< 10	0.45	30	0.40	560	< 1
NIO9705	299 229	< 0.2	1.40	220	410	< 0.5	< 2	0.43	< 0.5	6	122	6	2.69	< 10	< 10	0.45	30	0.45	445	< 1
NIO9706	299 229	1.2	0.47	4820	560	< 0.5	< 2	0.35	5.0	5	100	10	3.46	< 10	50	0.29	30	0.05	720	1
NIO9707	299 229	1.6	0.09	3860	230	< 0.5	< 2	0.05	61.5	< 1	230	8	0.98	< 10	520	0.05	< 10	< 0.01	200	1
NIO9708	299 229	1.2	0.73	4850	920	< 0.5	< 2	0.40	3.0	8	103	7	3.56	< 10	< 10	0.42	30	0.18	1115	1
NIO9709	299 229	2.2	0.53	>10000	200	< 0.5	< 2	1.92	21.0	7	63	11	2.93	< 10	< 10	0.34	10	0.49	1205	< 1
NIO9710	299 229	0.6	0.88	900	460	< 0.5	< 2	0.37	1.0	9	127	10	3.40	< 10	60	0.39	30	0.26	1235	1
NIO9711	299 229	0.2	1.15	534	370	< 0.5	< 2	0.37	0.5	9	111	4	3.51	< 10	10	0.44	40	0.36	775	< 1
NIO9712	299 229	13.0	0.55	1200	260	< 0.5	< 2	0.21	6.5	4	143	27	2.09	< 10	400	0.23	10	0.16	505	< 1

CERTIFICATION:

S VANX 1 FAX

PAGE 002

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave. North Vancouver
British Columbia, Canada V7J 2C1
PHONE 604-984-0221 FAX 604-984-0218

To: BARRAMUNDI GOLD LTD

BOX 16, 12TH FLOOR, 595 HOWE ST
VANCOUVER, BC
V6C 2T5

Project LONGLINE
Comments: ATTN:BOB BURRAN CC SANDY SEARS

CERTIFICATE OF ANALYSIS A9621524

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
NI09692	299	229	0.02	3	600	20	< 2	6	16	< 0.01	< 10	< 10	24	< 10	68
NI09693	299	229	0.02	3	630	12	< 2	8	15	< 0.01	< 10	< 10	40	< 10	58
NI09694	299	229	0.02	2	580	14	< 2	7	22	< 0.01	< 10	< 10	29	< 10	44
NI09695	299	229	0.03	3	580	18	< 2	6	18	< 0.01	< 10	< 10	30	< 10	50
NI09696	299	229	0.01	2	230	20	< 2	1	22	< 0.01	< 10	< 10	8	< 10	24
NI09697	299	229	0.04	3	710	12	< 2	5	18	0.02	< 10	< 10	40	< 10	52
NI09698	299	229	0.04	3	680	14	< 2	4	15	< 0.01	< 10	< 10	33	< 10	50
NI09699	299	229	0.02	1	560	14	< 2	3	212	< 0.01	< 10	< 10	18	< 10	52
NI09700	299	229	0.02	2	680	14	< 2	4	123	< 0.01	< 10	< 10	17	< 10	58
NI09701	299	229	0.07	3	480	6	< 2	5	27	0.16	< 10	< 10	57	< 10	48
NI09702	299	229	0.04	2	990	38	< 2	8	35	< 0.01	< 10	< 10	27	< 10	142
NI09703	299	229	0.06	2	1030	32	< 2	9	35	< 0.01	< 10	< 10	35	< 10	116
NI09704	299	229	0.05	3	680	10	< 2	5	23	0.01	< 10	< 10	32	< 10	60
NI09705	299	229	0.06	3	660	6	< 2	5	24	0.08	< 10	< 10	43	< 10	52
NI09706	299	229	< 0.01	3	800	150	2	4	16	< 0.01	< 10	< 10	34	< 10	204
NI09707	299	229	< 0.01	3	50	964	4	< 1	7	< 0.01	< 10	< 10	7	< 10	2280
NI09708	299	229	0.01	3	910	156	< 2	5	25	0.01	< 10	< 10	39	< 10	188
NI09709	299	229	0.01	2	740	142	6	3	93	< 0.01	< 10	< 10	13	< 10	246
NI09710	299	229	0.03	4	860	64	2	5	19	0.03	< 10	< 10	56	< 10	114
NI09711	299	229	0.04	3	880	88	< 2	6	23	0.03	< 10	< 10	54	< 10	130
NI09712	299	229	0.02	3	450	2500	16	3	13	0.01	< 10	< 10	35	< 10	280

CERTIFICATION

01, IS VOX FAX PAGE 003

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 18, 12TH FLOOR, 595 HOWE ST
VANCOUVER, BC
V6C 2T5

Project: LONGLINE
Comments: ATTN:BOB BURRAN CC:SANDY SEARS

Page Number: 2-A
Total Pages: 3
Certificate Date: 03-JUL-96
Invoice No: I-9621524
P.O. Number:
Account:

CERTIFICATE OF ANALYSIS A9621524

SAMPLE DESCRIPTION	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
NIO9713	299	229	1.0	0.90	796	400	0.5	< 2	0.29	2.5	11	147	8	3.77	< 10	10	0.47	60	0.09	1205	1
NIO9714	299	229	44.0	0.36	3810	340	< 0.5	2	0.16	15.5	3	323	17	2.06	< 10	460	0.22	30	0.03	315	1
NIO9715	299	229	1.4	1.08	1155	410	< 0.5	2	0.33	2.5	10	171	8	3.61	< 10	40	0.49	40	0.30	1070	1
NIO9716	299	229	0.6	0.70	760	360	0.5	2	0.26	1.0	10	165	11	3.42	< 10	10	0.33	70	0.09	985	1
NIO9717	299	229	0.2	0.76	1310	410	0.5	2	0.31	0.5	7	161	16	3.51	< 10	< 10	0.39	70	0.08	770	2
NIO9718	299	229	< 0.2	1.35	344	400	< 0.5	2	0.40	0.5	9	109	8	3.72	< 10	20	0.51	50	0.44	785	< 1
NIO9719	299	229	1.2	1.25	806	330	0.5	< 2	0.44	7.5	7	122	11	2.62	< 10	60	0.35	50	0.61	420	< 1
NIO9720	299	229	66.8	0.09	2450	40	< 0.5	< 2	0.06	33.0	1	290	73	1.15	< 10	1690	0.04	< 10	0.01	210	1
NIO9721	299	229	2.2	0.78	2770	300	0.5	< 2	0.38	39.0	9	199	17	3.62	< 10	100	0.43	60	0.09	990	1
NIO9722	299	229	44.2	0.40	1650	140	< 0.5	< 2	0.11	22.5	4	204	52	2.87	< 10	330	0.12	10	0.09	1135	< 1
NIO9723	299	229	2.0	1.05	1105	240	0.5	< 2	0.24	19.5	6	144	11	2.41	< 10	30	0.26	60	0.27	495	< 1
NIO9724	299	229	2.4	0.69	1880	230	< 0.5	2	0.32	12.5	5	188	8	3.07	< 10	70	0.33	40	0.13	345	< 1
NIO9725	299	229	27.0	0.38	1360	90	< 0.5	2	0.14	7.0	2	303	27	1.79	< 10	200	0.09	10	0.16	705	1
NIO9726	299	229	1.2	1.79	346	370	< 0.5	2	0.42	3.0	7	118	17	2.99	< 10	< 10	0.39	40	0.63	1155	< 1
NIO9727	299	229	1.8	1.72	314	430	0.5	6	0.42	3.0	7	170	13	3.03	< 10	< 10	0.49	40	0.67	1190	< 1
NIO9728	299	229	0.2	1.85	30	530	0.5	2	0.44	< 0.5	10	132	52	3.37	10	< 10	0.52	60	0.73	1070	< 1
NIO9729	299	229	0.2	1.34	28	180	0.5	2	0.42	< 0.5	5	67	3	2.00	< 10	10	0.57	30	0.43	515	< 1
NIO9730	299	229	0.4	0.88	188	180	0.5	< 2	0.20	0.5	3	57	8	2.05	< 10	20	0.33	60	0.12	545	< 1
NIO9731	299	229	0.4	1.45	446	310	0.5	8	0.44	0.5	7	117	30	3.14	< 10	20	0.29	40	0.57	515	< 1
NIO9732	299	229	< 0.2	4.05	76	470	1.5	8	1.58	< 0.5	29	106	48	7.37	20	10	0.28	50	1.80	1045	< 1
NIO9733	299	229	< 0.2	1.96	24	280	1.5	2	0.48	< 0.5	7	88	7	3.09	10	< 10	0.31	50	0.77	420	< 1
NIO9734	299	229	0.2	2.52	52	320	1.5	2	2.20	< 0.5	25	105	32	5.51	10	10	0.30	40	1.66	855	< 1
NIO9735	299	229	< 0.2	1.97	16	240	0.5	4	0.55	< 0.5	9	116	21	3.25	10	< 10	0.33	60	0.71	425	< 1
NIO9736	299	229	< 0.2	1.24	48	300	0.5	< 2	0.46	< 0.5	6	118	7	3.41	< 10	10	0.31	30	0.37	890	< 1
NIO9737	299	229	0.6	1.16	106	480	0.5	< 2	0.46	< 0.5	8	172	8	3.07	< 10	< 10	0.33	60	0.27	675	< 1
NIO9738	299	229	3.2	0.35	88	170	< 0.5	230	0.10	< 0.5	66	291	5	4.03	< 10	10	0.11	10	0.09	290	< 1
NIO9739	299	229	0.6	1.81	400	600	0.5	2	0.81	0.5	10	151	8	4.57	< 10	10	0.32	60	0.83	1450	< 1
NIO9740	299	229	0.2	1.16	8	140	< 0.5	2	0.29	< 0.5	5	98	2	2.25	< 10	10	0.57	40	0.50	475	< 1
NIO9741	299	229	< 0.2	0.61	500	620	< 0.5	< 2	0.14	< 0.5	5	207	8	1.82	< 10	30	0.29	30	0.07	1440	1
NIO9742	299	229	0.2	1.62	38	410	< 0.5	6	0.63	0.5	7	146	5	3.10	< 10	< 10	0.69	50	0.78	515	< 1
NIO9743	299	229	2.2	0.89	1545	420	< 0.5	2	0.24	6.0	4	260	10	2.43	< 10	10	0.40	70	0.12	760	3
NIO9744	299	229	0.2	1.78	126	460	< 0.5	2	0.58	0.5	7	143	6	3.50	10	10	0.69	50	0.77	535	< 1
NIO9745	299	229	0.6	1.89	182	510	0.5	4	0.52	1.5	7	145	6	3.30	10	10	0.48	60	0.75	610	< 1
NIO9746	299	229	1.0	0.79	2350	420	< 0.5	< 2	0.29	5.5	4	256	6	1.94	< 10	10	0.30	60	0.15	900	< 1
NIO9747	299	229	0.2	2.05	102	650	< 0.5	6	0.64	0.5	8	123	6	3.91	10	< 10	0.86	60	0.97	730	< 1
NIO9748	299	229	0.6	1.11	456	340	0.5	2	0.28	3.0	7	251	5	2.58	< 10	10	0.32	40	0.25	725	< 1
NIO9749	299	229	1.4	0.56	2970	360	0.5	2	0.30	21.0	8	202	11	3.21	< 10	20	0.33	80	0.04	910	1
NIO9750	299	229	2.4	0.15	1435	50	< 0.5	< 2	0.06	6.0	1	337	14	1.05	< 10	20	0.06	< 10	0.02	60	< 1
NIO9751	299	229	1.2	1.91	630	430	0.5	2	0.45	8.0	6	170	10	3.92	< 10	40	0.50	70	0.54	750	< 1
NIO9752	299	229	2.4	0.40	216	300	< 0.5	< 2	0.07	1.5	1	308	25	0.65	< 10	230	0.21	10	0.03	400	< 1

CERTIFICATION:

01/27/97 3:30PM CHEMEX LABS VAN FAX PAGE 004

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 18, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:BOB BURRAN CC:SANDY SEARS

CERTIFICATE OF ANALYSIS A9621524

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
NIO9713	299	229	0.05	4	1050	264	2	9	16	< 0.01	< 10	< 10	63	< 10	192
NIO9714	299	229	0.01	4	410	7000	1180	3	11	< 0.01	< 10	10	114	< 10	344
NIO9715	299	229	0.04	4	850	428	8	6	21	0.03	< 10	< 10	82	< 10	306
NIO9716	299	229	0.03	5	920	130	6	8	17	< 0.01	< 10	< 10	68	< 10	126
NIO9717	299	229	0.04	4	870	28	2	7	18	< 0.01	< 10	< 10	66	< 10	72
NIO9718	299	229	0.06	4	870	24	2	11	25	0.06	< 10	< 10	63	< 10	166
NIO9719	299	229	0.04	4	760	320	44	8	34	0.05	< 10	< 10	61	< 10	916
NIO9720	299	229	< 0.01	4	70	>10000	96	< 1	6	< 0.01	< 10	< 10	44	10	884
NIO9721	299	229	< 0.01	5	1030	414	46	13	20	< 0.01	< 10	< 10	34	40	718
NIO9722	299	229	< 0.01	3	210	3330	106	1	10	< 0.01	< 10	< 10	250	30	2400
NIO9723	299	229	0.01	3	830	532	28	6	17	< 0.01	< 10	< 10	35	10	840
NIO9724	299	229	< 0.01	3	740	254	8	4	16	< 0.01	< 10	< 10	15	< 10	276
NIO9725	299	229	< 0.01	4	140	3910	26	< 1	13	< 0.01	< 10	< 10	404	< 10	1145
NIO9726	299	229	0.03	3	780	720	2	5	32	< 0.01	< 10	< 10	42	< 10	540
NIO9727	299	229	0.04	4	710	744	6	6	38	0.04	< 10	< 10	65	< 10	348
NIO9728	299	229	0.05	7	780	24	< 2	9	28	0.06	< 10	< 10	54	< 10	70
NIO9729	299	229	0.05	3	480	18	< 2	2	30	0.13	< 10	< 10	28	< 10	54
NIO9730	299	229	0.05	3	480	34	< 2	3	13	< 0.01	< 10	< 10	17	< 10	48
NIO9731	299	229	0.01	9	770	170	2	5	27	< 0.01	< 10	< 10	39	< 10	172
NIO9732	299	229	0.01	68	3120	6	< 2	15	84	< 0.01	< 10	< 10	101	< 10	120
NIO9733	299	229	0.04	3	770	14	< 2	7	35	< 0.01	< 10	< 10	31	< 10	60
NIO9734	299	229	0.13	61	2270	6	< 2	12	120	0.08	< 10	< 10	75	< 10	98
NIO9735	299	229	0.04	9	920	14	< 2	8	33	< 0.01	< 10	< 10	32	< 10	64
NIO9736	299	229	0.04	5	780	18	< 2	7	25	< 0.01	< 10	< 10	20	< 10	62
NIO9737	299	229	0.04	4	820	16	< 2	7	19	< 0.01	< 10	< 10	28	< 10	58
NIO9738	299	229	0.01	7	290	86	< 2	1	9	< 0.01	< 10	< 10	11	< 10	18
NIO9739	299	229	0.03	4	1640	42	2	8	114	< 0.01	< 10	< 10	43	< 10	84
NIO9740	299	229	0.06	3	490	10	< 2	3	15	0.12	< 10	< 10	26	< 10	48
NIO9741	299	229	0.03	5	570	8	2	1	8	< 0.01	< 10	< 10	16	< 10	28
NIO9742	299	229	0.07	3	660	8	< 2	7	27	0.18	< 10	< 10	58	< 10	80
NIO9743	299	229	0.01	5	690	770	10	4	12	< 0.01	< 10	< 10	44	10	188
NIO9744	299	229	0.07	4	860	10	< 2	9	29	0.18	< 10	< 10	64	< 10	96
NIO9745	299	229	0.06	4	840	50	< 2	8	30	0.09	< 10	< 10	55	< 10	224
NIO9746	299	229	0.01	4	740	586	6	3	18	< 0.01	< 10	< 10	32	< 10	268
NIO9747	299	229	0.06	3	970	6	< 2	9	28	0.20	< 10	< 10	70	< 10	110
NIO9748	299	229	0.02	4	730	58	< 2	5	15	< 0.01	< 10	< 10	37	< 10	236
NIO9749	299	229	0.01	5	820	546	48	9	18	< 0.01	< 10	< 10	81	< 10	436
NIO9750	299	229	< 0.01	5	90	1315	130	1	4	< 0.01	< 10	< 10	125	< 10	326
NIO9751	299	229	0.04	4	920	614	10	9	23	0.05	< 10	< 10	71	< 10	656
NIO9752	299	229	< 0.01	4	240	868	26	< 1	4	< 0.01	< 10	< 10	118	< 10	142

CERTIFICATION

01/27/97 3:32PM CHEMEX LABS VAX FAX PAGE 005

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project: LONGLINE
Comments: ATTN:BOB BURRAN CC:SANDY SEARS

Page Number 3-A
Total Pages 3
Certificate Date 03-JUL-96
Invoice No I-9621524
P.O. Number
Account

CERTIFICATE OF ANALYSIS A9621524

SAMPLE DESCRIPTION	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm
NI09753	299	229	0.6	0.84	3750	530	< 0.5	< 2	0.34	6.0	5	168	6	2.19	< 10	20	0.39	60	0.08	655	< 1
NI09754	299	229	2.6	0.48	542	60	< 0.5	< 2	0.06	3.5	1	326	7	0.98	< 10	10	0.07	10	0.06	70	1
NI09755	299	229	22.6	0.98	3790	190	0.5	< 2	0.19	28.5	2	269	33	3.05	< 10	370	0.28	50	0.06	65	1
NI09756	299	229	3.6	0.37	1035	170	< 0.5	< 2	0.05	5.5	< 1	215	5	1.15	< 10	240	0.28	40	0.01	35	1
NI09757	299	229	9.0	0.63	4910	110	< 0.5	2	0.29	44.0	3	245	25	3.26	< 10	60	0.23	40	0.08	60	2
NI09758	299	229	2.0	0.75	1260	230	0.5	< 2	0.33	16.5	5	176	10	2.79	< 10	40	0.26	50	0.12	710	1
NI09759	299	229	0.4	0.57	558	220	0.5	< 2	0.18	9.0	3	163	6	1.89	< 10	< 10	0.29	70	0.05	545	< 1
NI09760	299	229	45.8	0.04	936	10	< 0.5	8	0.01	43.5	< 1	317	89	0.47	< 10	450	0.01	< 10	< 0.01	25	2
NI09761	299	229	6.0	0.16	676	40	< 0.5	< 2	0.03	16.0	1	355	6	0.79	< 10	240	0.05	< 10	0.01	60	1

CERTIFICATION

03/2//97 3:33PM CHEMEX LABS VAX-FAX PAGE 006

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX 604-984-0218

To BARRAMUNDI GOLD LTD

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project: LONGLINE
Comments: ATTN:BOB BURRAN CC:SANDY SEARS

Page Number 3-B
Total Pages 3
Certificate Date 03-OCT-96
Invoice No I-9621524
P.O. Number
Account

CERTIFICATE OF ANALYSIS A9621524

SAMPLE DESCRIPTION	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
NIO9753	299	229	0.01	3	890	112	8	3	20	< 0.01	< 10	< 10	34	< 10	158
NIO9754	299	229	< 0.01	5	90	390	42	1	4	< 0.01	< 10	< 10	31	< 10	334
NIO9755	299	229	< 0.01	4	510	2970	420	6	12	< 0.01	< 10	< 10	207	< 10	998
NIO9756	299	229	< 0.01	3	140	398	46	3	46	< 0.01	< 10	< 10	9	< 10	132
NIO9757	299	229	< 0.01	4	670	2850	80	5	16	< 0.01	< 10	10	261	< 10	1605
NIO9758	299	229	< 0.01	3	1070	532	18	4	18	< 0.01	< 10	< 10	63	< 10	802
NIO9759	299	229	< 0.01	3	570	166	2	4	9	< 0.01	< 10	< 10	29	< 10	184
NIO9760	299	229	< 0.01	5	80	>10000	308	< 1	3	< 0.01	< 10	< 10	65	< 10	1930
NIO9761	299	229	< 0.01	4	50	1150	320	< 1	5	< 0.01	< 10	< 10	22	< 10	320

CERTIFICATION

01/2//97 3:34PM CHEMEX LABS VAX-FAX PAGE 007

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page Number 1-A
Total Pages 2
Certificate Date 11-JUL-96
Invoice No. I9622488
P.O. Number
Account NRW

Project : LONGLINE
Comments: ATTN: SANDY SEARS/TODD MCMURRAY CC: ROB STEVENS

CERTIFICATE OF ANALYSIS A9622488

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm
N109762	205	226	31	-----	-----	0.2	1.54	354	470	< 0.5	< 2	0.36	2.5	7	88	9	3.20	< 10	10	0.67	40
N109763	205	226	4	-----	-----	< 0.2	1.06	32	130	< 0.5	< 2	0.23	< 0.5	4	33	4	2.03	< 10	< 10	0.45	30
N109764	205	226	1	-----	-----	< 0.2	1.34	46	400	< 0.5	< 2	0.35	< 0.5	7	81	18	2.76	< 10	10	0.48	40
N109765	205	226	17	-----	-----	0.6	1.48	52	270	< 0.5	< 2	0.36	1.5	7	72	11	2.62	< 10	< 10	0.34	20
N109766	205	226	>1000	>10000	12.30	128.0	0.13	2160	80	< 0.5	< 2	0.06	12.0	1	184	93	1.03	< 10	1200	0.02	< 10
N109767	205	226	82	-----	-----	2.0	1.18	688	250	0.5	< 2	0.38	10.0	5	62	18	2.91	< 10	60	0.30	30
N109768	205	226	50	-----	-----	0.8	1.75	96	380	< 0.5	< 2	0.82	2.5	7	87	27	2.88	< 10	50	0.32	20
N109769	205	226	140	-----	-----	1.0	0.49	2020	270	0.5	< 2	0.27	16.5	10	53	6	3.66	< 10	50	0.24	40
N109770	205	226	>1000	1790	-----	0.8	0.58	702	510	< 0.5	2	0.26	3.0	8	113	10	2.12	< 10	10	0.24	20
N109771	205	226	>1000	1980	-----	2.6	0.52	1615	220	< 0.5	< 2	0.22	9.5	4	85	7	2.66	< 10	40	0.17	30
N109772	205	226	90	-----	-----	0.2	1.63	726	390	0.5	< 2	0.44	3.5	10	71	9	3.70	< 10	40	0.39	30
N109773	205	226	46	-----	-----	< 0.2	1.56	342	330	< 0.5	< 2	0.45	1.5	8	73	6	3.19	< 10	30	0.35	30
N109774	205	226	240	-----	-----	0.2	0.99	1665	360	0.5	< 2	0.40	3.5	9	54	7	3.39	< 10	30	0.29	30
N109775	205	226	20	-----	-----	0.2	1.71	168	570	< 0.5	< 2	0.56	1.0	10	75	7	3.21	< 10	10	0.39	30
N109776	205	226	13	-----	-----	< 0.2	1.94	158	650	< 0.5	< 2	0.60	0.5	8	80	6	3.27	< 10	10	0.44	40
N109777	205	226	28	-----	-----	< 0.2	1.48	298	410	0.5	< 2	0.44	0.5	8	77	8	3.02	< 10	10	0.39	30
N109778	205	226	29	-----	-----	< 0.2	1.43	200	360	< 0.5	< 2	0.39	< 0.5	7	95	7	2.82	< 10	10	0.39	40
N109779	205	226	>1000	>10000	12.40	72.8	0.06	4830	190	< 0.5	< 2	0.23	86.5	1	219	16	1.10	< 10	920	0.03	< 10
N109780	205	226	11	-----	-----	< 0.2	1.13	110	440	< 0.5	< 2	0.36	< 0.5	9	60	27	3.38	< 10	10	0.35	30
N109781	205	226	5	-----	-----	< 0.2	1.56	132	380	< 0.5	< 2	0.23	< 0.5	6	95	5	2.46	< 10	20	0.49	20
N109782	205	226	10	-----	-----	< 0.2	1.58	200	390	< 0.5	< 2	0.27	< 0.5	7	95	7	2.90	< 10	10	0.51	30
N109783	205	226	9	-----	-----	< 0.2	2.00	144	520	< 0.5	< 2	0.29	< 0.5	7	106	4	2.92	< 10	10	0.61	30
N109784	205	226	4	-----	-----	< 0.2	2.09	142	440	< 0.5	< 2	0.26	< 0.5	7	103	6	2.87	< 10	10	0.62	30
N109785	205	226	3	-----	-----	< 0.2	1.38	656	320	0.5	< 2	0.41	< 0.5	16	94	12	4.62	< 10	10	0.28	30
N109786	205	226	1	-----	-----	< 0.2	0.94	230	260	< 0.5	< 2	0.23	< 0.5	6	104	3	2.41	< 10	< 10	0.31	30
N109787	205	226	< 1	-----	-----	< 0.2	0.66	164	150	0.5	< 2	0.21	< 0.5	4	84	5	2.64	< 10	< 10	0.24	30
N109788	205	226	1	-----	-----	< 0.2	0.62	136	250	0.5	< 2	0.21	< 0.5	7	57	5	2.51	< 10	10	0.24	30
N109789	205	226	1	-----	-----	< 0.2	0.66	192	300	0.5	< 2	0.21	< 0.5	8	88	6	2.62	< 10	10	0.25	30
N109790	205	226	1	-----	-----	< 0.2	0.63	180	280	0.5	< 2	0.22	< 0.5	7	75	6	2.61	< 10	10	0.24	30
N109791	205	226	1	-----	-----	< 0.2	0.58	184	260	0.5	< 2	0.21	< 0.5	7	84	5	2.62	< 10	10	0.23	30
N109792	205	226	2	-----	-----	< 0.2	0.88	228	340	0.5	< 2	0.24	< 0.5	7	90	2	2.39	< 10	< 10	0.32	30
N109793	205	226	< 1	-----	-----	< 0.2	1.12	184	370	< 0.5	< 2	0.29	< 0.5	6	88	3	2.42	< 10	< 10	0.37	20
N109794	205	226	4	-----	-----	< 0.2	1.22	202	380	< 0.5	< 2	0.30	< 0.5	6	94	3	2.77	< 10	< 10	0.39	30
N109795	205	226	3	-----	-----	< 0.2	1.13	164	350	< 0.5	< 2	0.29	< 0.5	6	68	3	2.40	< 10	< 10	0.31	20
N109796	205	226	>1000	1730	-----	9.8	0.33	>10000	410	< 0.5	< 2	1.16	11.5	4	111	4	1.97	< 10	80	0.23	< 10
N109797	205	226	105	-----	-----	0.2	0.65	3790	750	< 0.5	< 2	1.36	1.0	6	41	4	3.10	< 10	20	0.33	20
N109798	205	226	1	-----	-----	< 0.2	1.40	38	240	< 0.5	< 2	0.22	< 0.5	6	113	3	2.49	< 10	10	0.26	20
N109799	205	226	410	-----	-----	1.2	0.68	1760	390	0.5	< 2	0.23	6.0	13	79	8	3.79	< 10	80	0.30	30
N109800	205	226	>1000	1680	-----	3.6	1.98	508	1360	0.5	< 2	1.64	24.5	26	70	29	6.38	< 10	60	0.39	20
N109801	205	226	4	-----	-----	< 0.2	1.52	74	520	< 0.5	< 2	0.52	< 0.5	8	89	5	3.15	< 10	10	0.73	20

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page Number 1-B
Total Pages 2
Certificate Date 11-JUL-96
Invoice No 19622488
P.O. Number
Account NRW

Project : LONGLINE
Comments: ATTN: SANDY SEARS/TODD MCMURRAY CC: ROB STEVENS

CERTIFICATE OF ANALYSIS A9622488

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N109762	205	226	0.58	725	< 1	0.05	2	750	42	2	5	20	0.07	< 10	< 10	49	< 10	154
N109763	205	226	0.39	330	< 1	0.03	1	450	6	< 2	2	26	0.05	< 10	< 10	23	< 10	46
N109764	205	226	0.53	785	< 1	0.04	3	810	6	< 2	6	18	0.05	< 10	< 10	42	< 10	56
N109765	205	226	0.63	485	< 1	0.04	8	680	52	2	5	22	0.04	< 10	< 10	37	< 10	274
N109766	205	226	0.03	60	7	< 0.01	2	120	>10000	176	< 1	10	< 0.01	< 10	10	148	< 10	530
N109767	205	226	0.31	640	1	0.01	1	900	1265	14	5	19	< 0.01	< 10	< 10	101	< 10	938
N109768	205	226	0.74	495	< 1	0.05	2	720	54	< 2	5	33	0.17	< 10	< 10	51	< 10	428
N109769	205	226	0.05	840	< 1	0.01	2	790	150	8	7	18	< 0.01	< 10	10	32	< 10	836
N109770	205	226	0.14	1520	1	< 0.01	1	700	460	2	3	14	< 0.01	< 10	< 10	34	< 10	172
N109771	205	226	0.10	595	< 1	0.01	2	570	350	38	4	11	< 0.01	< 10	< 10	58	< 10	538
N109772	205	226	0.43	1060	1	0.02	3	910	44	2	5	22	< 0.01	< 10	< 10	49	< 10	392
N109773	205	226	0.47	765	1	0.03	3	850	32	< 2	5	22	< 0.01	< 10	< 10	41	< 10	182
N109774	205	226	0.26	1020	< 1	0.01	2	890	114	2	5	20	< 0.01	< 10	< 10	47	< 10	204
N109775	205	226	0.65	1210	1	0.04	3	840	6	< 2	6	27	0.07	< 10	< 10	51	< 10	130
N109776	205	226	0.66	1275	1	0.04	3	870	10	< 2	7	30	0.04	< 10	< 10	45	< 10	72
N109777	205	226	0.40	860	< 1	0.03	3	850	18	< 2	6	23	< 0.01	< 10	< 10	36	< 10	70
N109778	205	226	0.35	460	< 1	0.04	3	800	8	< 2	6	22	< 0.01	< 10	< 10	37	< 10	60
N109779	205	226	0.04	215	2	0.04	3	20	>10000	50	< 1	12	< 0.01	< 10	< 10	2	< 10	3250
N109780	205	226	0.36	935	1	0.02	4	850	36	2	7	17	0.03	< 10	< 10	43	< 10	78
N109781	205	226	0.44	655	1	0.03	1	530	12	< 2	5	15	0.09	< 10	< 10	41	< 10	52
N109782	205	226	0.47	750	1	0.02	2	620	38	< 2	7	15	0.09	< 10	10	47	< 10	66
N109783	205	226	0.56	925	< 1	0.03	3	620	8	< 2	5	19	0.12	< 10	< 10	46	< 10	62
N109784	205	226	0.51	630	< 1	0.04	2	640	10	< 2	7	18	0.11	< 10	< 10	47	< 10	68
N109785	205	226	0.13	1130	1	0.03	19	1320	16	< 2	9	22	< 0.01	< 10	10	71	< 10	80
N109786	205	226	0.19	605	< 1	0.03	4	630	10	< 2	4	14	0.01	< 10	< 10	32	< 10	48
N109787	205	226	0.07	185	< 1	0.02	3	690	14	< 2	4	11	< 0.01	< 10	< 10	28	< 10	52
N109788	205	226	0.06	695	1	0.02	3	710	16	< 2	5	12	< 0.01	< 10	< 10	28	< 10	54
N109789	205	226	0.07	965	1	0.02	5	680	16	< 2	4	12	< 0.01	< 10	10	29	< 10	58
N109790	205	226	0.07	855	1	0.02	4	690	14	< 2	4	12	< 0.01	< 10	< 10	30	< 10	56
N109791	205	226	0.07	805	1	0.02	3	690	14	< 2	4	12	< 0.01	< 10	10	33	< 10	56
N109792	205	226	0.21	950	1	0.03	2	570	16	< 2	4	14	< 0.01	< 10	< 10	25	< 10	50
N109793	205	226	0.36	720	< 1	0.04	3	620	10	< 2	4	16	0.01	< 10	< 10	30	< 10	54
N109794	205	226	0.38	770	1	0.04	3	660	12	< 2	5	17	0.02	< 10	< 10	36	< 10	60
N109795	205	226	0.40	615	< 1	0.04	2	570	10	< 2	4	17	0.02	< 10	< 10	33	< 10	50
N109796	205	226	0.25	720	< 1	0.01	2	460	2060	6	2	63	< 0.01	< 10	< 10	9	< 10	394
N109797	205	226	0.38	715	1	0.02	2	830	28	< 2	7	60	0.01	< 10	< 10	30	< 10	78
N109798	205	226	0.55	580	< 1	0.05	3	610	10	< 2	4	14	0.01	< 10	< 10	35	< 10	50
N109799	205	226	0.15	1175	2	0.01	6	620	260	18	6	14	< 0.01	< 10	< 10	59	< 10	424
N109800	205	226	1.29	1060	< 1	0.11	37	2470	582	40	14	109	0.11	< 10	< 10	91	< 10	1190
N109801	205	226	0.79	585	1	0.05	3	730	4	< 2	6	20	0.18	< 10	< 10	61	< 10	68

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page Number 2-A
Total Pages 2
Certificate Date 11-JUL-96
Invoice No. 19622488
P.O. Number
Account NRW

Project : LONGLINE
Comments: ATTN: SANDY SEARS/TODD MCMURRAY CC: ROB STEVENS

CERTIFICATE OF ANALYSIS A9622488

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm
N109802	205	226	170	-----	-----	1.0	0.49	4020	490	< 0.5	< 2	0.41	0.5	9	50	9	3.87	< 10	40	0.25	30
N109803	205	226	>1000	>10000	31.20	17.8	0.19	5570	350	< 0.5	< 2	0.13	9.5	1	283	8	1.61	< 10	220	0.13	< 10
N109804	205	226	>1000	1590	-----	1.4	0.28	7920	1180	< 0.5	< 2	0.31	5.5	6	75	8	3.38	< 10	40	0.21	30
N109805	205	226	340	-----	-----	1.2	0.78	2410	470	< 0.5	< 2	0.29	1.5	8	91	9	3.31	< 10	40	0.39	30
N109806	205	226	130	-----	-----	0.2	0.34	280	120	< 0.5	< 2	0.04	< 0.5	< 1	86	4	0.97	< 10	30	0.21	30
N109807	205	226	>1000	>10000	25.14	28.0	0.06	1120	140	< 0.5	< 2	0.01	15.5	< 1	356	22	0.56	< 10	970	0.03	< 10
N109808	205	226	50	52	-----	< 0.2	1.36	348	440	< 0.5	< 2	0.33	< 0.5	8	119	7	3.49	< 10	10	0.65	30
N109809	205	226	>1000	1690	-----	3.4	0.33	>10000	1250	< 0.5	< 2	0.41	10.5	3	35	7	2.94	< 10	90	0.24	20
N109810	205	226	900	-----	-----	0.2	1.44	706	460	< 0.5	< 2	0.39	< 0.5	8	98	10	3.51	< 10	20	0.68	30
N109811	205	226	16	-----	-----	< 0.2	1.84	138	850	< 0.5	< 2	0.44	< 0.5	9	103	6	3.41	< 10	10	0.66	40
N109812	205	226	15	-----	-----	< 0.2	1.44	74	380	< 0.5	< 2	0.52	< 0.5	7	69	5	2.94	< 10	20	0.54	20
N109813	205	226	50	-----	-----	< 0.2	1.95	132	490	< 0.5	< 2	0.55	< 0.5	9	135	6	3.75	< 10	30	0.61	30
N109814	205	226	>1000	5260	-----	13.8	0.44	3100	170	< 0.5	< 2	0.28	20.0	2	146	20	1.59	< 10	250	0.17	10
N109815	205	226	7	-----	-----	< 0.2	1.54	122	380	< 0.5	< 2	0.58	< 0.5	6	135	6	2.80	< 10	10	0.58	30
N109816	205	226	11	-----	-----	< 0.2	1.15	26	290	< 0.5	< 2	0.36	< 0.5	4	75	4	2.15	< 10	< 10	0.57	20
N109817	205	226	9	-----	-----	< 0.2	1.76	28	530	< 0.5	< 2	0.47	< 0.5	7	94	4	3.00	< 10	< 10	0.41	30
N109818	205	226	15	-----	-----	< 0.2	1.50	78	640	< 0.5	< 2	0.48	< 0.5	7	68	5	3.00	< 10	10	0.45	30

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page Number 2-B
Total Pages 2
Certificate Date 11-JUL-96
Invoice No 19622488
P.O. Number
Account NRW

Project : LONGLINE
Comments: ATTN: SANDY SEARS/TODD MCMURRAY CC: ROB STEVENS

CERTIFICATE OF ANALYSIS A9622488

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N109802	205	226	0.14	975	< 1	0.01	3	1030	102	6	7	27	< 0.01	< 10	10	32	< 10	152
N109803	205	226	0.01	235	4	0.01	4	170	3390	14	1	13	< 0.01	< 10	< 10	59	< 10	252
N109804	205	226	0.03	840	1	< 0.01	3	630	230	12	4	26	< 0.01	< 10	10	41	< 10	198
N109805	205	226	0.24	670	< 1	0.02	3	750	88	8	7	37	0.02	< 10	< 10	49	< 10	122
N109806	205	226	0.03	120	< 1	< 0.01	1	70	54	2	< 1	6	< 0.01	< 10	< 10	11	< 10	52
N109807	205	226	< 0.01	35	< 1	0.01	4	30	2880	536	< 1	3	< 0.01	< 10	< 10	36	< 10	618
N109808	205	226	0.54	590	< 1	0.04	4	830	18	6	7	16	0.13	< 10	< 10	68	< 10	82
N109809	205	226	0.08	525	< 1	0.01	1	630	356	10	3	44	< 0.01	< 10	10	19	< 10	166
N109810	205	226	0.64	630	< 1	0.03	3	860	36	2	7	16	0.13	< 10	< 10	65	< 10	90
N109811	205	226	0.69	1735	1	0.05	3	830	6	< 2	7	22	0.07	< 10	< 10	62	< 10	66
N109812	205	226	0.84	455	1	0.03	3	780	6	< 2	5	15	0.12	< 10	< 10	50	< 10	56
N109813	205	226	0.63	710	< 1	0.06	5	890	8	< 2	9	24	0.05	< 10	< 10	55	< 10	76
N109814	205	226	0.19	255	1	0.01	4	290	2180	136	1	13	< 0.01	< 10	< 10	53	< 10	768
N109815	205	226	0.72	550	1	0.07	4	690	8	< 2	6	28	0.15	< 10	< 10	54	< 10	54
N109816	205	226	0.58	540	< 1	0.04	2	430	12	< 2	3	13	0.10	< 10	< 10	31	< 10	44
N109817	205	226	0.61	445	< 1	0.05	3	720	12	< 2	6	28	0.02	< 10	< 10	38	< 10	60
N109818	205	226	0.58	715	< 1	0.03	3	750	8	< 2	6	20	0.03	< 10	< 10	38	< 10	62

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: SANDI SEARS/SCOTT BROUGHTON

Certificate Date 08-AUG-96
Invoice No 19625803
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9625803

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
N109583	205	226	360	-----	0.6	0.19	1890	110	< 0.5	< 2	0.23	3.5	10	123	9	3.99	< 10	610	0.12	30	0.03
N109584	205	226	160	-----	< 0.2	0.49	1950	250	< 0.5	< 2	1.02	0.5	7	69	9	2.50	< 10	50	0.16	20	0.16
N109819	205	226	88	-----	0.4	0.76	914	230	< 0.5	2	0.29	4.5	7	52	4	3.20	< 10	10	0.32	30	0.29
N109820	205	226	19	-----	< 0.2	1.03	368	330	< 0.5	2	0.30	1.0	8	82	6	2.84	< 10	10	0.40	30	0.36
N109821	205	226	75	-----	0.2	0.57	974	280	0.5	< 2	0.30	2.0	9	72	3	3.35	< 10	10	0.24	40	0.17
N109822	205	226	19	-----	< 0.2	0.88	354	260	< 0.5	< 2	0.31	0.5	8	63	2	2.63	< 10	< 10	0.31	40	0.25
N109823	205	226	47	-----	< 0.2	1.14	314	450	< 0.5	< 2	0.35	< 0.5	7	121	4	2.58	< 10	< 10	0.51	20	0.48
N109824	205	226	>1000	1290	13.0	0.26	3480	90	< 0.5	< 2	0.15	4.0	< 1	275	13	1.14	< 10	210	0.17	< 10	0.01
N109825	205	226	>1000	2800	40.8	0.19	5400	100	< 0.5	< 2	0.17	9.5	2	197	60	2.09	< 10	190	0.11	< 10	0.01
N109826	205	226	250	-----	1.8	0.65	1605	310	< 0.5	2	0.24	5.0	6	73	10	2.86	< 10	40	0.31	30	0.09
N109827	205	226	725	-----	1.6	0.29	1730	270	< 0.5	< 2	0.20	4.0	5	64	6	2.66	< 10	80	0.16	30	0.04
N109828	205	226	450	-----	1.2	0.47	2330	410	< 0.5	< 2	0.26	2.5	7	44	8	3.11	< 10	80	0.22	40	0.13
N109829	205	226	39	-----	< 0.2	1.26	414	580	< 0.5	< 2	0.37	< 0.5	11	68	5	3.12	< 10	10	0.36	30	0.36
N109830	205	226	18	-----	0.4	1.51	206	330	< 0.5	< 2	0.48	2.5	8	96	6	2.93	< 10	10	0.53	20	0.74
N109831	205	226	105	-----	0.4	1.45	414	420	< 0.5	< 2	0.45	3.5	7	94	7	3.01	< 10	20	0.45	30	0.58
N109832	205	226	< 1	-----	< 0.2	2.61	14	740	0.5	< 2	0.09	< 0.5	< 1	149	4	2.32	10	< 10	0.44	20	1.66
N109833	205	226	< 1	-----	< 0.2	1.12	18	310	< 0.5	< 2	1.90	< 0.5	7	102	5	2.68	< 10	10	0.48	20	0.73
N109834	205	226	3	-----	< 0.2	0.49	12	110	< 0.5	< 2	1.19	< 0.5	5	52	< 1	1.69	< 10	20	0.20	30	0.36
N109835	205	226	165	-----	< 0.2	0.91	3700	280	< 0.5	< 2	2.43	1.5	5	69	5	2.30	< 10	40	0.36	10	0.72
N109836	205	226	1	-----	< 0.2	1.00	10	170	< 0.5	< 2	0.71	< 0.5	5	69	1	1.96	< 10	< 10	0.34	30	0.49
N109837	205	226	135	-----	< 0.2	0.76	2010	130	< 0.5	< 2	2.23	< 0.5	8	39	7	2.70	< 10	10	0.20	10	0.82
N109838	205	226	190	-----	< 0.2	0.54	4960	140	< 0.5	< 2	2.34	1.0	8	48	7	2.76	< 10	10	0.24	10	0.76
N109839	205	226	11	-----	< 0.2	0.61	48	90	< 0.5	2	0.93	< 0.5	5	66	2	1.59	< 10	10	0.22	30	0.30
N109840	205	226	< 1	-----	< 0.2	1.11	18	190	< 0.5	2	0.40	< 0.5	5	67	1	2.22	< 10	< 10	0.55	20	0.54
N109841	205	226	< 1	-----	< 0.2	1.68	< 2	250	< 0.5	2	0.88	0.5	10	84	8	3.68	< 10	< 10	0.39	20	1.02
N109842	205	226	265	-----	0.2	0.46	5860	160	< 0.5	< 2	1.37	2.0	4	150	5	1.78	< 10	10	0.19	< 10	0.42
N109843	205	226	2	-----	< 0.2	1.85	46	490	< 0.5	< 2	0.47	< 0.5	9	119	4	3.66	< 10	< 10	0.79	20	0.94
N109844	205	226	230	-----	0.2	0.68	524	220	0.5	2	0.34	< 0.5	10	105	7	2.63	< 10	< 10	0.25	30	0.18
N109845	205	226	1	-----	< 0.2	0.32	14	90	< 0.5	2	0.07	< 0.5	1	112	< 1	0.70	< 10	< 10	0.14	< 10	0.12
N109846	205	226	325	-----	0.6	0.73	830	150	< 0.5	< 2	0.38	0.5	9	66	6	3.17	< 10	< 10	0.18	20	0.31
N109847	205	226	47	-----	0.8	0.30	242	190	< 0.5	2	0.12	0.5	8	106	10	2.17	< 10	40	0.16	10	0.03

CERTIFICATION: Ian Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: SANDI SEARS/SCOTT BROUGHTON

CERTIFICATE OF ANALYSIS A9625803

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N109583	205	226	1675	< 1	< 0.01	4	530	54	2	6	16	< 0.01	< 10	< 10	10	< 10	232
N109584	205	226	770	< 1	0.01	2	810	12	2	2	15	< 0.01	< 10	< 10	14	< 10	62
N109819	205	226	460	< 1	0.01	2	750	50	26	4	16	0.02	< 10	< 10	28	< 10	276
N109820	205	226	600	< 1	0.03	3	710	10	14	4	19	0.03	< 10	< 10	31	< 10	82
N109821	205	226	895	< 1	< 0.01	3	830	12	42	5	21	< 0.01	< 10	< 10	23	< 10	78
N109822	205	226	700	< 1	0.01	1	830	2	2	5	19	0.01	< 10	< 10	27	< 10	74
N109823	205	226	725	< 1	0.02	2	650	22	2	3	16	0.09	< 10	< 10	39	< 10	68
N109824	205	226	110	< 1	< 0.01	4	160	2170	26	< 1	9	< 0.01	< 10	< 10	32	< 10	220
N109825	205	226	240	< 1	< 0.01	3	130	1645	20	< 1	11	< 0.01	< 10	< 10	69	30	482
N109826	205	226	690	< 1	0.01	1	680	222	24	4	10	< 0.01	< 10	< 10	26	< 10	412
N109827	205	226	635	1	< 0.01	1	590	52	18	4	10	< 0.01	< 10	< 10	22	10	116
N109828	205	226	810	1	< 0.01	1	770	50	8	5	12	< 0.01	< 10	< 10	34	10	112
N109829	205	226	1395	< 1	0.01	3	690	10	6	6	20	< 0.01	< 10	< 10	29	< 10	104
N109830	205	226	525	< 1	0.03	3	710	40	10	5	20	0.13	< 10	< 10	48	< 10	350
N109831	205	226	635	< 1	0.03	2	760	42	6	5	20	0.07	< 10	< 10	40	< 10	254
N109832	205	226	75	< 1	0.10	1	100	4	6	10	29	0.08	< 10	< 10	5	< 10	60
N109833	205	226	695	< 1	0.04	1	730	2	6	6	122	0.01	< 10	< 10	25	< 10	54
N109834	205	226	605	< 1	0.02	1	460	10	4	2	69	< 0.01	< 10	< 10	8	< 10	34
N109835	205	226	935	< 1	0.02	2	800	10	12	3	116	< 0.01	< 10	< 10	16	< 10	72
N109836	205	226	480	< 1	0.03	1	420	10	< 2	2	28	0.06	< 10	< 10	23	< 10	46
N109837	205	226	800	< 1	0.01	2	770	6	6	4	108	< 0.01	< 10	< 10	19	< 10	60
N109838	205	226	860	< 1	0.01	2	730	6	8	3	124	0.01	< 10	< 10	15	< 10	64
N109839	205	226	375	< 1	0.03	2	510	12	< 2	2	76	< 0.01	< 10	< 10	8	< 10	34
N109840	205	226	490	< 1	0.03	2	480	10	< 2	2	19	0.11	< 10	< 10	26	< 10	48
N109841	205	226	720	< 1	0.05	3	940	< 2	< 2	7	51	0.09	< 10	< 10	55	< 10	74
N109842	205	226	910	< 1	0.01	3	420	10	2	3	73	< 0.01	< 10	< 10	11	< 10	66
N109843	205	226	630	< 1	0.09	4	880	2	< 2	6	30	0.16	< 10	< 10	57	< 10	72
N109844	205	226	1160	< 1	< 0.01	5	1030	24	10	4	19	< 0.01	< 10	< 10	27	< 10	40
N109845	205	226	130	< 1	0.03	1	70	10	< 2	< 1	11	0.02	< 10	< 10	9	< 10	12
N109846	205	226	810	< 1	< 0.01	4	740	14	2	3	26	< 0.01	< 10	< 10	31	< 10	68
N109847	205	226	1070	1	< 0.01	3	560	270	2	2	7	< 0.01	< 10	< 10	29	< 10	86

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page Number 1-A
Total Pages 1
Certificate Date 20-AUG-96
Invoice No 19627414
P.O. Number
Account NRW

Project : LONGLINE
Comments: ATTN: S SEARS/ S. BROUGHTON FAX: BARRAMUNDI-VANCOUVER

CERTIFICATE OF ANALYSIS A9627414

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
N109848	205	226	160	0.8	0.86	1280	500	< 0.5	2	0.75	0.5	8	86	39	3.10	< 10	30	0.37	30	0.31	745
N109849	205	226	92	< 0.2	0.92	890	570	< 0.5	< 2	0.39	1.5	8	109	27	3.14	< 10	30	0.46	30	0.36	975
N109850	205	226	500	0.2	0.95	444	520	< 0.5	< 2	0.73	2.0	8	86	13	3.10	< 10	10	0.45	30	0.38	825
M237001	205	226	1	< 0.2	0.85	56	450	0.5	< 2	0.47	< 0.5	8	113	14	2.95	< 10	< 10	0.28	40	0.14	840
M237002	205	226	57	< 0.2	0.72	32	1940	0.5	< 2	2.93	0.5	10	48	7	3.05	< 10	10	0.24	30	0.18	820
M237003	205	226	6	< 0.2	1.09	56	320	< 0.5	< 2	0.40	< 0.5	8	78	5	2.83	< 10	< 10	0.27	30	0.25	680
M237004	205	226	41	< 0.2	1.36	34	290	< 0.5	2	0.53	< 0.5	9	49	5	2.90	10	< 10	0.20	30	0.54	695
M237005	205	226	1	< 0.2	1.56	106	340	< 0.5	< 2	0.47	< 0.5	7	100	8	3.11	10	< 10	0.60	20	0.76	620
M237006	205	226	< 1	< 0.2	0.75	38	480	0.5	< 2	0.36	< 0.5	8	73	7	2.98	< 10	< 10	0.25	40	0.11	915
M237007	205	226	100	< 0.2	1.33	634	400	0.5	< 2	1.01	< 0.5	8	113	8	3.11	< 10	10	0.38	30	0.34	645
M237008	205	226	4	0.2	1.21	44	460	0.5	2	0.34	< 0.5	10	97	53	3.30	< 10	110	0.39	40	0.42	1145

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page Number 1-B
Total Pages 1
Certificate Date 20-AUG-96
Invoice No 19627414
P.O. Number
Account NRW

Project : LONGLINE
Comments: ATTN: S SEARS/ S. BROUGHTON FAX: BARRAMUNDI-VANCOUVER

CERTIFICATE OF ANALYSIS A9627414

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
N109848	205 226	19	0.01	3	790	28	6	5	28	0.01	< 10	< 10	24	< 10	112
N109849	205 226	7	0.03	3	780	36	2	6	20	0.04	< 10	< 10	33	< 10	248
N109850	205 226	1	0.04	2	800	98	6	7	31	0.04	< 10	< 10	37	< 10	340
M237001	205 226	2	0.01	3	770	12	< 2	6	21	< 0.01	< 10	< 10	29	< 10	100
M237002	205 226	1	0.02	10	870	12	< 2	5	114	< 0.01	< 10	< 10	28	< 10	52
M237003	205 226	1	0.04	5	530	14	< 2	6	23	< 0.01	< 10	< 10	36	< 10	56
M237004	205 226	< 1	0.05	5	550	10	< 2	6	28	0.01	< 10	< 10	46	< 10	60
M237005	205 226	1	0.04	4	750	8	< 2	5	22	0.16	< 10	< 10	59	< 10	66
M237006	205 226	3	0.03	4	880	12	< 2	5	19	< 0.01	< 10	< 10	25	< 10	58
M237007	205 226	1	0.03	3	770	14	< 2	5	53	< 0.01	< 10	< 10	29	< 10	60
M237008	205 226	1	0.03	3	790	12	< 2	5	18	0.03	< 10	< 10	32	< 10	60

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number 1-A
Total Pages 1
Certificate Date 06-SEP-96
Invoice No I9629444
P.O. Number
Account NRW

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9629444

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Au FA g/t	Au check	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %
M237009	205	226	21	-----	-----	-----	< 0.2	1.60	244	550	< 0.5	< 2	0.41	< 0.5	8	139	10	3.49	< 10	30	0.62
M237010	205	226	2	-----	-----	-----	< 0.2	0.03	6	40	< 0.5	< 2	< 0.01	< 0.5	5	210	3	0.60	< 10	10	< 0.01
M237011	205	226	11	-----	-----	-----	< 0.2	0.60	12	180	0.5	< 2	0.26	< 0.5	5	84	7	2.26	< 10	< 10	0.30
M237012	205	226	8	-----	-----	-----	< 0.2	1.23	42	670	< 0.5	< 2	0.25	< 0.5	7	160	17	2.40	< 10	< 10	0.56
M237013	205	226	465	-----	-----	-----	2.0	0.42	4310	270	< 0.5	< 2	0.20	< 0.5	4	197	6	2.17	< 10	100	0.24
M237014	205	226	110	-----	-----	-----	0.2	1.92	1075	520	0.5	< 2	0.48	0.5	13	126	12	3.06	< 10	30	0.43
M237015	205	226	305	-----	-----	-----	1.0	0.61	4110	340	< 0.5	< 2	0.23	< 0.5	5	114	8	2.48	< 10	10	0.25
M237016	205	226	700	-----	-----	-----	0.6	0.87	5530	350	< 0.5	< 2	0.30	< 0.5	8	169	6	3.20	< 10	10	0.41
M237017	205	226	>1000	1370	-----	-----	0.8	0.38	>10000	290	< 0.5	< 2	2.43	4.0	4	60	11	2.79	< 10	10	0.25
M237018	205	226	4	-----	-----	-----	< 0.2	1.83	40	690	< 0.5	< 2	0.26	< 0.5	8	180	13	2.69	< 10	10	0.49
M237019	205	226	750	-----	-----	-----	85.4	0.11	9770	170	< 0.5	< 2	0.48	10.0	2	149	125	1.52	< 10	90	0.07
M237020	205	226	650	-----	-----	-----	6.8	1.08	2620	250	< 0.5	< 2	0.30	34.0	8	185	20	3.90	< 10	620	0.38
M237021	205	226	>1000	>10000	49.47	-----	33.8	0.33	6960	60	< 0.5	< 2	0.24	36.0	2	171	21	2.56	< 10	2630	0.08
M237022	205	226	135	-----	-----	-----	1.6	1.09	1645	360	< 0.5	< 2	0.31	25.0	8	163	9	2.83	< 10	120	0.46
M237023	205	226	51	-----	-----	-----	2.2	2.62	526	340	0.5	< 2	1.32	14.0	19	67	26	5.35	< 10	60	0.22
M237024	205	226	>1000	>10000	10.50	-----	26.6	0.24	5120	50	< 0.5	< 2	0.17	21.0	1	165	20	1.58	< 10	560	0.04
M237025	205	226	270	-----	-----	-----	2.0	0.96	3790	370	< 0.5	< 2	0.40	25.0	8	113	11	3.77	< 10	210	0.40
M237026	205	226	57	-----	-----	-----	0.4	1.51	250	300	< 0.5	< 2	0.54	2.5	7	71	5	3.13	< 10	50	0.35
M237027	205	226	490	-----	-----	-----	1.2	1.44	2190	470	0.5	< 2	0.50	3.5	8	141	7	3.59	< 10	30	0.36
M237028	205	226	99	-----	-----	-----	0.4	0.89	1525	430	< 0.5	< 2	0.29	3.0	7	86	10	2.55	< 10	30	0.28
M237029	205	226	10	-----	-----	-----	< 0.2	2.00	72	430	< 0.5	< 2	0.40	< 0.5	8	146	9	3.30	< 10	10	0.56
M237030	205	226	115	-----	-----	-----	0.6	1.97	790	320	0.5	< 2	0.48	< 0.5	11	100	12	3.57	< 10	20	0.29
M237031	205	226	8	-----	-----	-----	< 0.2	2.47	16	450	< 0.5	< 2	0.42	< 0.5	7	104	8	3.18	< 10	10	0.71
M237032	205	226	2	-----	-----	-----	< 0.2	0.80	10	270	< 0.5	< 2	0.18	< 0.5	4	175	8	1.53	< 10	10	0.21
M237033	205	226	6	-----	-----	-----	< 0.2	2.31	26	590	0.5	< 2	0.39	< 0.5	7	119	11	3.10	< 10	10	0.55
M237034	205	226	1	-----	-----	-----	< 0.2	1.89	< 2	490	< 0.5	< 2	0.38	< 0.5	7	70	8	3.28	< 10	10	0.67
M237035	205	226	3	-----	-----	-----	< 0.2	2.32	12	800	< 0.5	< 2	0.49	< 0.5	7	20	3	3.73	< 10	30	0.54
M237036	205	226	28	-----	-----	-----	< 0.2	1.34	48	480	< 0.5	< 2	0.31	< 0.5	6	59	11	3.07	< 10	< 10	0.32
M237037	205	226	4	-----	-----	-----	< 0.2	2.87	22	760	< 0.5	< 2	0.57	< 0.5	12	92	13	4.68	< 10	10	1.27
M237038	205	226	>1000	9	-----	22	< 0.2	0.94	46	190	< 0.5	< 2	0.38	< 0.5	6	98	5	2.69	< 10	< 10	0.22

CERTIFICATION: Stuart Bichler

* SAMPLE M237038 EXHIBITS A GOLD NUGGET EFFECT

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number 1-B
Total Pages 1
Certificate Date 06-SEP-96
Invoice No I9629444
P.O. Number
Account NRW

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9629444

SAMPLE	PREP CODE		La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237009	205	226	40	0.67	795	< 1	0.06	5	840	6	6	7	22	0.10	< 10	< 10	53	< 10	84
M237010	205	226	< 10	< 0.01	40	< 1	< 0.01	4	10	< 2	< 2	< 1	1	< 0.01	< 10	< 10	3	< 10	< 2
M237011	205	226	40	0.06	535	< 1	0.02	4	830	8	< 2	3	14	< 0.01	< 10	< 10	19	< 10	46
M237012	205	226	30	0.24	975	< 1	0.03	5	840	8	2	3	13	0.01	< 10	< 10	27	< 10	30
M237013	205	226	30	0.03	325	< 1	< 0.01	5	360	150	20	1	35	< 0.01	< 10	< 10	12	< 10	46
M237014	205	226	40	0.66	1480	< 1	0.01	16	1130	52	< 2	6	32	< 0.01	< 10	< 10	46	< 10	68
M237015	205	226	30	0.08	385	< 1	0.01	3	560	12	54	2	26	< 0.01	< 10	< 10	15	< 10	42
M237016	205	226	40	0.06	750	< 1	0.01	6	760	10	16	5	32	< 0.01	< 10	< 10	15	< 10	52
M237017	205	226	10	0.39	760	< 1	0.01	1	720	142	10	3	171	< 0.01	< 10	< 10	8	< 10	94
M237018	205	226	30	0.49	640	< 1	0.04	7	820	10	< 2	4	17	0.01	< 10	< 10	30	< 10	56
M237019	205	226	< 10	0.13	195	3	< 0.01	3	70	650	88	< 1	32	< 0.01	< 10	< 10	1	320	528
M237020	205	226	40	0.14	765	< 1	< 0.01	6	820	1640	150	6	15	< 0.01	< 10	< 10	118	< 10	2190
M237021	205	226	< 10	0.05	210	< 1	< 0.01	3	150	2300	92	1	18	< 0.01	< 10	< 10	99	< 10	1750
M237022	205	226	40	0.16	830	< 1	0.01	5	800	106	90	5	16	< 0.01	< 10	< 10	36	< 10	788
M237023	205	226	30	1.65	610	< 1	0.09	46	2450	14	6	8	77	0.13	< 10	< 10	60	< 10	1555
M237024	205	226	< 10	0.07	205	< 1	< 0.01	3	100	4490	100	< 1	14	< 0.01	< 10	< 10	170	< 10	902
M237025	205	226	40	0.15	1050	< 1	< 0.01	6	1010	178	28	6	21	< 0.01	< 10	< 10	67	< 10	710
M237026	205	226	30	0.69	515	< 1	0.04	3	790	22	2	6	27	0.11	< 10	< 10	54	< 10	222
M237027	205	226	40	0.47	1280	< 1	0.01	5	980	156	8	4	32	< 0.01	< 10	< 10	53	< 10	154
M237028	205	226	40	0.23	1315	< 1	0.02	3	730	58	< 2	4	21	0.01	< 10	< 10	30	< 10	86
M237029	205	226	40	0.81	660	< 1	0.06	5	750	8	< 2	7	29	0.07	< 10	< 10	55	< 10	64
M237030	205	226	30	0.87	985	< 1	0.02	15	1050	118	< 2	6	35	< 0.01	< 10	< 10	50	< 10	66
M237031	205	226	20	0.75	320	< 1	0.04	3	750	6	< 2	6	31	0.07	< 10	< 10	44	< 10	56
M237032	205	226	20	0.21	395	1	0.01	3	360	6	< 2	1	13	< 0.01	< 10	< 10	14	< 10	22
M237033	205	226	40	0.49	595	1	0.04	4	760	8	< 2	5	31	0.02	< 10	< 10	37	< 10	54
M237034	205	226	40	0.75	730	< 1	0.04	2	810	2	< 2	5	22	0.08	< 10	< 10	51	< 10	64
M237035	205	226	50	0.64	1675	< 1	0.04	3	1110	12	< 2	5	26	< 0.01	< 10	< 10	26	< 10	64
M237036	205	226	40	0.38	885	< 1	0.03	3	820	10	< 2	4	18	0.01	< 10	< 10	24	< 10	62
M237037	205	226	40	1.31	970	< 1	0.04	4	1070	2	< 2	13	33	0.21	< 10	< 10	89	< 10	90
M237038	205	226	40	0.38	335	< 1	0.05	6	570	2	< 2	3	22	0.06	< 10	< 10	53	< 10	32

CERTIFICATION:

* SAMPLE M237038 EXHIBITS A GOLD NUGGET EFFECT

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number : 1-A
Total Pages : 1
Certificate Date: 04-SEP-96
Invoice No. : 19629101
P.O. Number :
Account : NRW

* CORRECTED COPY

CERTIFICATE OF ANALYSIS A9629101

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237039	205	294	< 1	< 0.2	1.59	98	600	0.5	< 2	0.39	< 0.5	7	49	4	2.55	< 10	< 10	0.34	30	0.44	1845
M237040	205	294	20	< 0.2	1.37	68	480	< 0.5	< 2	0.37	< 0.5	6	29	2	2.37	< 10	< 10	0.28	30	0.49	1500
M237041	205	294	10	< 0.2	1.28	60	460	0.5	< 2	0.32	< 0.5	6	52	1	2.32	< 10	10	0.30	30	0.48	1215
M237042	205	294	< 1	< 0.2	1.36	80	430	0.5	< 2	0.40	< 0.5	6	25	1	2.61	< 10	< 10	0.28	30	0.49	1150
M237043	205	294	< 1	< 0.2	1.50	102	510	0.5	< 2	0.40	< 0.5	6	67	3	2.74	< 10	10	0.32	30	0.54	1230
M237044	205	294	2	< 0.2	1.31	96	440	0.5	< 2	0.37	< 0.5	5	61	3	2.36	< 10	10	0.28	30	0.38	1100
M237045	205	294	< 1	< 0.2	1.56	120	450	0.5	< 2	0.39	< 0.5	5	58	1	2.49	< 10	< 10	0.34	30	0.45	745
M237046	205	294	< 1	< 0.2	1.72	122	470	0.5	< 2	0.39	< 0.5	6	91	1	2.62	< 10	< 10	0.37	30	0.47	750
M237047	205	294	2	< 0.2	1.06	94	300	0.5	< 2	0.28	< 0.5	4	56	< 1	1.78	< 10	< 10	0.28	30	0.24	605
M237048	205	294	< 1	< 0.2	1.64	116	430	0.5	< 2	0.39	< 0.5	6	92	< 1	2.61	< 10	< 10	0.40	40	0.40	850
M237049	205	294	12	< 0.2	1.54	150	420	0.5	< 2	0.39	< 0.5	5	48	< 1	2.44	< 10	< 10	0.34	30	0.37	710
M237050	205	294	1	< 0.2	1.78	140	460	0.5	< 2	0.39	< 0.5	6	60	< 1	2.68	< 10	< 10	0.41	40	0.44	675
M237051	205	294	5	< 0.2	1.26	184	360	0.5	< 2	0.35	< 0.5	6	54	< 1	2.66	< 10	< 10	0.32	40	0.30	775
M237052	205	294	4	< 0.2	1.23	212	340	0.5	< 2	0.31	< 0.5	6	60	2	2.70	< 10	10	0.35	30	0.22	745
M237053	205	294	1	< 0.2	0.86	230	320	0.5	< 2	0.27	< 0.5	6	43	1	2.72	< 10	< 10	0.30	30	0.20	870
M237054	205	294	1	< 0.2	0.77	178	330	0.5	< 2	0.24	< 0.5	6	71	< 1	2.66	< 10	< 10	0.32	30	0.07	780
M237055	205	294	4	< 0.2	0.66	340	400	0.5	< 2	0.28	< 0.5	7	43	< 1	2.91	< 10	< 10	0.22	30	0.12	1125
M237056	205	294	5	< 0.2	0.75	264	300	0.5	< 2	0.26	< 0.5	6	89	< 1	2.40	< 10	10	0.27	30	0.09	810
M237057	205	294	2	< 0.2	0.52	332	270	0.5	< 2	0.26	< 0.5	5	73	3	2.44	< 10	10	0.21	30	0.08	825
M237058	205	294	1	< 0.2	0.74	378	260	0.5	< 2	0.26	< 0.5	6	71	< 1	2.53	< 10	< 10	0.22	30	0.10	760
M237059	205	294	< 1	< 0.2	0.71	372	280	0.5	< 2	0.25	< 0.5	7	86	2	2.82	< 10	10	0.26	30	0.08	810
M237060	205	294	< 1	< 0.2	0.82	262	290	0.5	< 2	0.24	< 0.5	6	112	< 1	2.66	< 10	10	0.32	30	0.07	810
M237061	205	294	< 1	< 0.2	0.72	324	280	0.5	< 2	0.25	< 0.5	5	74	< 1	2.44	< 10	10	0.29	30	0.07	690
M237062	205	294	< 1	< 0.2	0.93	228	280	0.5	< 2	0.27	< 0.5	6	99	< 1	2.65	< 10	10	0.34	40	0.08	695
M237063	205	294	3	< 0.2	1.16	1470	350	1.5	< 2	0.75	< 0.5	35	68	28	9.13	< 10	30	0.10	40	0.16	1550
M237064	205	294	< 1	< 0.2	0.68	300	330	0.5	< 2	0.25	< 0.5	6	95	< 1	2.71	< 10	10	0.30	30	0.06	1015

CERTIFICATION:

* FOR Au SAMPLES M237040 AND M237041

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number : 1-B
Total Pages : 1
Certificate Date : 04-SEP-96
Invoice No. : 19629101
P.O. Number :
Account : NRW

* CORRECTED COPY

CERTIFICATE OF ANALYSIS A9629101

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237039	205	294	2	0.01	3	660	22	< 2	4	26	< 0.01	< 10	< 10	20	< 10	52
M237040	205	294	2	0.01	2	610	16	< 2	3	25	< 0.01	< 10	< 10	25	< 10	52
M237041	205	294	1	0.02	1	570	14	< 2	3	23	< 0.01	< 10	< 10	26	< 10	52
M237042	205	294	1	0.01	1	700	20	< 2	3	27	< 0.01	< 10	< 10	22	< 10	60
M237043	205	294	2	0.03	2	710	16	< 2	4	31	< 0.01	< 10	< 10	28	< 10	64
M237044	205	294	1	0.01	1	640	16	< 2	3	27	< 0.01	< 10	< 10	17	< 10	50
M237045	205	294	1	0.03	1	660	16	< 2	3	28	< 0.01	< 10	< 10	24	< 10	56
M237046	205	294	1	0.03	3	660	16	< 2	4	29	< 0.01	< 10	< 10	27	< 10	56
M237047	205	294	1	< 0.01	1	500	16	< 2	3	21	< 0.01	< 10	< 10	12	< 10	34
M237048	205	294	1	0.03	1	650	18	< 2	4	32	< 0.01	< 10	< 10	24	< 10	54
M237049	205	294	1	0.01	1	670	22	< 2	3	32	< 0.01	< 10	< 10	19	< 10	50
M237050	205	294	3	0.03	1	690	18	< 2	4	33	< 0.01	< 10	< 10	29	< 10	56
M237051	205	294	1	0.01	1	690	20	< 2	3	28	< 0.01	< 10	< 10	22	< 10	58
M237052	205	294	1	0.02	2	680	26	< 2	4	24	< 0.01	< 10	< 10	24	< 10	60
M237053	205	294	2	0.01	2	660	20	< 2	4	19	< 0.01	< 10	< 10	26	< 10	62
M237054	205	294	1	0.01	1	680	20	< 2	4	18	< 0.01	< 10	< 10	20	< 10	66
M237055	205	294	1	< 0.01	5	660	28	< 2	4	20	< 0.01	< 10	10	22	< 10	58
M237056	205	294	1	0.01	4	700	18	< 2	4	20	< 0.01	< 10	< 10	18	< 10	46
M237057	205	294	1	< 0.01	4	660	18	< 2	4	19	< 0.01	< 10	< 10	15	< 10	46
M237058	205	294	1	0.01	4	650	22	< 2	4	20	< 0.01	< 10	< 10	22	< 10	50
M237059	205	294	1	< 0.01	5	680	18	< 2	4	19	< 0.01	< 10	< 10	24	< 10	56
M237060	205	294	1	0.01	3	660	16	< 2	4	17	< 0.01	< 10	< 10	17	< 10	50
M237061	205	294	1	< 0.01	3	650	12	< 2	4	19	< 0.01	< 10	< 10	17	< 10	46
M237062	205	294	1	0.01	3	730	16	< 2	5	20	< 0.01	< 10	< 10	21	< 10	52
M237063	205	294	4	< 0.01	48	2580	10	< 2	16	44	< 0.01	< 10	40	140	< 10	140
M237064	205	294	1	< 0.01	3	670	16	< 2	4	18	< 0.01	< 10	< 10	15	< 10	48

CERTIFICATION:

* FOR Au SAMPLES M237040 AND M237041

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Page Number 1-A
Total Pages 2
Certificate Date 08-SEP-96
Invoice No. 19629749
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9629749

SAMPLE	PREP CODE	Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237065	205 226	1	< 0.2	0.74	212	260	0.5	< 2	0.25	< 0.5	5	145	1	2.13	< 10	< 10	0.33	30	0.06	665
M237066	205 226	< 1	< 0.2	0.99	76	430	0.5	< 2	0.47	< 0.5	6	198	1	2.64	< 10	10	0.43	30	0.08	920
M237067	205 226	< 1	< 0.2	0.87	416	290	0.5	< 2	0.25	0.5	8	140	4	2.91	< 10	10	0.35	30	0.07	715
M237068	205 226	1	< 0.2	0.98	334	240	0.5	< 2	0.25	0.5	7	134	4	2.58	< 10	< 10	0.32	30	0.07	655
M237069	205 226	< 1	< 0.2	1.10	330	330	0.5	< 2	0.27	0.5	7	125	5	3.04	< 10	< 10	0.33	30	0.12	860
M237070	205 226	2	< 0.2	1.24	264	370	0.5	< 2	0.28	0.5	7	114	7	2.90	< 10	10	0.36	30	0.23	800
M237071	205 226	3	< 0.2	0.90	324	300	0.5	< 2	0.23	0.5	7	124	6	2.82	< 10	< 10	0.30	30	0.07	855
M237072	205 226	1	< 0.2	0.89	336	280	0.5	< 2	0.23	0.5	7	113	4	2.77	< 10	< 10	0.27	30	0.07	880
M237073	205 226	2	< 0.2	1.01	298	340	0.5	< 2	0.30	0.5	7	99	8	2.79	< 10	< 10	0.26	30	0.19	1065
M237074	205 226	315	< 0.2	0.90	358	290	0.5	< 2	0.25	0.5	7	91	6	2.78	< 10	< 10	0.25	30	0.14	865
M237075	205 226	2	< 0.2	1.27	486	380	0.5	< 2	0.35	1.5	11	78	17	4.30	< 10	10	0.24	30	0.24	1260
M237076	205 226	< 1	< 0.2	0.93	400	260	0.5	< 2	0.27	0.5	7	57	8	3.34	< 10	10	0.23	30	0.12	630
M237077	205 226	99	< 0.2	0.98	392	280	0.5	< 2	0.25	0.5	6	82	4	2.70	< 10	< 10	0.29	30	0.08	825
M237078	205 226	< 1	< 0.2	1.73	290	550	< 0.5	< 2	0.59	0.5	7	71	3	3.17	< 10	10	0.20	30	0.54	870
M237079	205 226	9	< 0.2	0.94	332	210	0.5	< 2	0.25	0.5	6	135	3	2.22	< 10	< 10	0.32	30	0.08	660
M237080	205 226	< 1	< 0.2	0.78	254	260	0.5	< 2	0.23	0.5	6	104	1	2.25	< 10	10	0.26	30	0.07	830
M237081	205 226	1	< 0.2	0.77	238	270	0.5	< 2	0.20	0.5	6	119	3	2.48	< 10	< 10	0.29	30	0.06	755
M237082	205 226	< 1	< 0.2	0.82	220	320	0.5	< 2	0.21	< 0.5	6	127	3	2.60	< 10	< 10	0.29	30	0.12	915
M237083	205 226	< 1	< 0.2	0.98	172	310	< 0.5	< 2	0.25	< 0.5	5	99	4	2.40	< 10	10	0.26	30	0.23	740
M237084	205 226	< 1	< 0.2	1.36	146	360	< 0.5	< 2	0.29	< 0.5	5	101	3	2.47	< 10	10	0.35	30	0.34	690
M237085	205 226	< 1	< 0.2	1.50	136	380	0.5	< 2	0.32	< 0.5	5	106	4	2.36	< 10	< 10	0.37	30	0.35	690
M237086	205 226	4	< 0.2	1.26	106	380	< 0.5	< 2	0.33	< 0.5	5	89	4	2.22	< 10	< 10	0.28	20	0.39	615
M237087	205 226	< 1	< 0.2	1.34	100	370	< 0.5	< 2	0.35	< 0.5	6	77	3	2.37	< 10	< 10	0.27	40	0.42	715
M237088	205 226	1	< 0.2	1.23	86	370	< 0.5	< 2	0.42	< 0.5	5	67	2	2.37	< 10	< 10	0.30	20	0.49	590
M237089	205 226	< 1	< 0.2	1.41	96	470	< 0.5	< 2	0.36	< 0.5	6	99	3	2.36	< 10	< 10	0.31	30	0.42	790
M237090	205 226	1	< 0.2	1.36	106	440	< 0.5	< 2	0.35	< 0.5	5	68	3	2.36	< 10	20	0.29	30	0.43	680
M237091	205 226	< 1	< 0.2	1.52	94	470	< 0.5	< 2	0.37	< 0.5	6	91	3	2.48	< 10	10	0.28	30	0.42	765
M237092	205 226	1	< 0.2	1.59	112	490	< 0.5	< 2	0.39	< 0.5	6	93	4	2.63	< 10	< 10	0.31	30	0.45	705
M237093	205 226	1	< 0.2	1.50	96	490	< 0.5	< 2	0.36	< 0.5	5	98	6	2.47	< 10	< 10	0.35	30	0.46	700
M237094	205 226	1	< 0.2	0.15	8	80	< 0.5	< 2	0.02	< 0.5	< 1	153	2	0.25	< 10	10	0.08	< 10	0.01	215
M237095	205 226	4	0.2	0.25	60	90	< 0.5	< 2	0.02	< 0.5	1	209	4	0.63	< 10	10	0.13	< 10	0.02	95
M237096	205 226	2	< 0.2	1.07	100	380	< 0.5	< 2	0.28	< 0.5	5	85	4	2.09	< 10	< 10	0.28	20	0.36	660
M237097	205 226	< 1	< 0.2	1.45	104	450	0.5	< 2	0.35	< 0.5	6	74	3	2.42	< 10	10	0.35	30	0.40	830
M237098	205 226	< 1	< 0.2	1.43	102	480	< 0.5	< 2	0.35	< 0.5	6	114	7	2.44	< 10	10	0.38	20	0.45	860
M237099	205 226	5	< 0.2	1.32	104	420	0.5	< 2	0.33	< 0.5	5	87	8	2.02	< 10	10	0.35	30	0.29	1025
M237100	205 226	7	< 0.2	1.58	118	560	0.5	< 2	0.34	< 0.5	6	101	6	2.40	< 10	10	0.39	30	0.39	1005
M237101	205 226	11	< 0.2	1.55	116	490	< 0.5	< 2	0.35	< 0.5	6	93	4	2.47	< 10	< 10	0.37	30	0.47	740
M237102	205 226	1	< 0.2	1.58	134	420	0.5	< 2	0.34	< 0.5	6	109	5	2.63	< 10	< 10	0.35	30	0.42	715
M237103	205 226	290	< 0.2	1.21	228	390	0.5	< 2	0.27	0.5	5	100	8	2.26	< 10	< 10	0.33	30	0.29	680
M237104	205 226	2	< 0.2	1.37	138	420	0.5	< 2	0.30	< 0.5	6	79	5	2.64	< 10	10	0.30	30	0.34	755

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Number 1-B
Total Pages 2
Certificate Date 08-SEP-96
Invoice No 19629749
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9629749

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237065	205 226	< 1	0.01	4	690	12	< 2	4	14	< 0.01	< 10	< 10	13	< 10	38
M237066	205 226	1	< 0.01	5	700	16	< 2	4	19	< 0.01	< 10	< 10	12	< 10	48
M237067	205 226	1	0.01	8	660	20	< 2	4	15	< 0.01	< 10	< 10	24	< 10	56
M237068	205 226	< 1	0.02	4	660	16	< 2	4	16	< 0.01	< 10	< 10	26	< 10	54
M237069	205 226	1	0.03	4	700	18	< 2	5	17	< 0.01	< 10	< 10	37	< 10	62
M237070	205 226	1	0.04	4	670	10	< 2	5	19	0.01	< 10	< 10	42	< 10	60
M237071	205 226	1	0.04	4	680	14	< 2	4	15	< 0.01	< 10	< 10	35	< 10	60
M237072	205 226	< 1	0.03	4	660	18	< 2	4	14	< 0.01	< 10	< 10	37	< 10	60
M237073	205 226	1	0.03	4	700	14	< 2	4	18	< 0.01	< 10	< 10	36	< 10	64
M237074	205 226	< 1	0.03	4	650	18	< 2	4	15	< 0.01	< 10	< 10	37	< 10	64
M237075	205 226	1	0.03	5	970	14	< 2	10	22	< 0.01	< 10	< 10	68	< 10	98
M237076	205 226	< 1	0.02	3	730	16	< 2	6	17	< 0.01	< 10	< 10	42	< 10	70
M237077	205 226	< 1	0.03	3	590	24	< 2	3	16	< 0.01	< 10	< 10	27	< 10	58
M237078	205 226	< 1	0.05	3	760	8	< 2	6	37	0.06	< 10	< 10	51	< 10	74
M237079	205 226	1	0.02	3	570	30	< 2	3	16	< 0.01	< 10	< 10	19	< 10	54
M237080	205 226	1	0.02	2	570	20	< 2	3	14	< 0.01	< 10	< 10	23	< 10	50
M237081	205 226	1	0.03	3	600	14	< 2	3	13	< 0.01	< 10	< 10	26	< 10	56
M237082	205 226	< 1	0.04	3	610	18	< 2	4	13	< 0.01	< 10	< 10	30	< 10	58
M237083	205 226	< 1	0.04	3	580	12	< 2	4	18	< 0.01	< 10	< 10	31	< 10	54
M237084	205 226	< 1	0.04	3	570	12	< 2	4	22	0.01	< 10	< 10	34	< 10	54
M237085	205 226	< 1	0.04	3	580	12	< 2	3	24	< 0.01	< 10	< 10	28	< 10	52
M237086	205 226	< 1	0.05	3	560	10	< 2	4	26	< 0.01	< 10	< 10	29	< 10	50
M237087	205 226	< 1	0.05	3	590	10	< 2	4	27	< 0.01	< 10	< 10	31	< 10	52
M237088	205 226	< 1	0.04	2	620	8	< 2	4	28	0.09	< 10	< 10	39	< 10	54
M237089	205 226	< 1	0.05	3	610	12	< 2	4	30	< 0.01	< 10	< 10	29	< 10	56
M237090	205 226	< 1	0.04	3	630	8	< 2	4	28	< 0.01	< 10	< 10	31	< 10	56
M237091	205 226	< 1	0.05	3	610	10	< 2	5	31	< 0.01	< 10	< 10	34	< 10	56
M237092	205 226	< 1	0.05	3	660	10	< 2	5	32	0.01	< 10	< 10	37	< 10	58
M237093	205 226	< 1	0.05	3	640	8	< 2	5	29	0.02	< 10	< 10	34	< 10	56
M237094	205 226	< 1	0.02	2	10	6	< 2	< 1	3	< 0.01	< 10	< 10	2	< 10	2
M237095	205 226	< 1	0.03	3	70	28	6	< 1	3	< 0.01	< 10	< 10	7	< 10	14
M237096	205 226	< 1	0.03	3	530	10	< 2	4	20	0.02	< 10	< 10	29	< 10	44
M237097	205 226	< 1	0.03	2	630	12	< 2	4	26	< 0.01	< 10	< 10	26	< 10	54
M237098	205 226	< 1	0.06	4	620	10	< 2	4	25	0.02	< 10	< 10	32	< 10	54
M237099	205 226	1	0.02	2	620	20	< 2	3	21	< 0.01	< 10	< 10	18	< 10	44
M237100	205 226	1	0.04	3	620	24	< 2	4	25	< 0.01	< 10	< 10	30	< 10	54
M237101	205 226	< 1	0.05	3	660	12	< 2	5	27	0.03	< 10	< 10	36	< 10	66
M237102	205 226	< 1	0.05	4	730	14	< 2	6	27	0.01	< 10	< 10	36	< 10	60
M237103	205 226	< 1	0.04	3	620	38	< 2	4	19	< 0.01	< 10	< 10	29	< 10	58
M237104	205 226	< 1	0.04	3	660	16	< 2	5	23	0.01	< 10	< 10	37	< 10	64

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Number 2-A
Total Pages 2
Certificate Date 08-SEP-96
Invoice No. 19629749
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9629749

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237105	205	226	9	< 0.2	1.15	176	350	0.5	< 2	0.23	< 0.5	6	143	7	2.48	< 10	< 10	0.34	30	0.22	695
M237106	205	226	33	< 0.2	1.12	294	440	0.5	2	0.22	< 0.5	5	137	12	2.11	< 10	< 10	0.38	30	0.17	720
M237107	205	226	4	< 0.2	1.12	216	320	0.5	< 2	0.25	< 0.5	6	110	6	2.70	< 10	< 10	0.30	30	0.18	685
M237108	205	226	< 1	< 0.2	0.27	30	70	< 0.5	< 2	0.02	< 0.5	1	201	5	0.44	< 10	< 10	0.12	< 10	< 0.01	245
M237109	205	226	1	< 0.2	1.42	122	410	< 0.5	2	0.28	< 0.5	6	134	9	2.39	< 10	< 10	0.33	30	0.36	745
M237110	205	226	3	< 0.2	1.41	160	360	0.5	< 2	0.28	< 0.5	7	136	4	2.59	< 10	< 10	0.35	30	0.28	765
M237111	205	226	1	< 0.2	1.53	164	360	0.5	< 2	0.29	< 0.5	6	142	5	2.57	< 10	< 10	0.38	30	0.28	565
M237112	205	226	1	< 0.2	1.69	172	390	0.5	< 2	0.34	< 0.5	7	121	3	2.65	< 10	< 10	0.41	30	0.37	700
M237113	205	226	2	< 0.2	1.83	132	520	0.5	< 2	0.38	< 0.5	7	124	7	2.76	< 10	< 10	0.35	30	0.46	675
M237114	205	226	1	< 0.2	1.50	140	450	0.5	< 2	0.37	< 0.5	7	104	5	2.57	< 10	< 10	0.33	30	0.40	780
M237115	205	226	1	< 0.2	1.45	140	460	0.5	< 2	0.37	< 0.5	7	73	5	2.48	< 10	< 10	0.27	30	0.44	750
M237116	205	226	1	< 0.2	1.53	132	450	0.5	< 2	0.37	< 0.5	7	77	5	2.50	< 10	< 10	0.30	30	0.44	720
M237117	205	226	2	< 0.2	1.64	154	480	0.5	< 2	0.38	< 0.5	7	90	6	2.68	< 10	< 10	0.31	40	0.46	800
M237118	205	226	3	< 0.2	1.67	122	490	0.5	< 2	0.36	< 0.5	7	92	4	2.44	< 10	< 10	0.34	30	0.41	855
M237119	205	226	2	< 0.2	2.15	132	510	0.5	< 2	0.40	< 0.5	7	75	4	2.75	10	< 10	0.34	30	0.54	565
M237120	205	226	4	< 0.2	6.19	438	930	1.5	< 2	1.28	< 0.5	29	125	27	7.96	20	10	0.09	30	2.22	1310
M237121	205	226	19	< 0.2	2.01	134	490	0.5	< 2	0.39	< 0.5	7	118	17	2.69	10	< 10	0.39	30	0.46	635
M237122	205	226	1	< 0.2	1.66	108	520	0.5	< 2	0.34	< 0.5	7	91	9	2.55	< 10	< 10	0.32	30	0.43	700
M237123	205	226	205	< 0.2	1.38	208	430	0.5	< 2	0.32	< 0.5	6	114	6	2.43	< 10	< 10	0.31	30	0.32	775
M237124	205	226	200	< 0.2	1.30	312	410	< 0.5	< 2	0.32	< 0.5	7	67	5	2.55	< 10	< 10	0.27	30	0.41	715
M237125	205	226	4	< 0.2	1.74	96	540	< 0.5	< 2	0.34	< 0.5	7	85	4	2.56	< 10	< 10	0.31	30	0.47	690
M237126	205	226	1	< 0.2	1.94	66	610	0.5	< 2	0.30	< 0.5	7	112	4	2.52	10	< 10	0.32	30	0.50	855
M237127	205	226	1	< 0.2	1.74	98	440	0.5	< 2	0.29	< 0.5	6	65	14	2.46	< 10	< 10	0.25	30	0.43	690
M237128	205	226	1	< 0.2	0.30	12	70	< 0.5	< 2	0.03	< 0.5	< 1	81	3	0.33	< 10	< 10	0.15	< 10	0.04	115

CERTIFICATION: Stewart Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Number 2-B
Total Pages 2
Certificate Date 08-SEP-96
Invoice No : 19629749
P.O. Number
Account : NRW

CERTIFICATE OF ANALYSIS A9629749

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237105	205	226	1	0.04	4	620	24	2	4	16	< 0.01	< 10	< 10	27	< 10	42
M237106	205	226	1	0.03	3	660	84	< 2	3	14	< 0.01	< 10	< 10	28	< 10	90
M237107	205	226	1	0.04	3	660	14	2	4	17	< 0.01	< 10	< 10	35	< 10	58
M237108	205	226	< 1	0.04	3	20	8	< 2	< 1	3	< 0.01	< 10	< 10	3	< 10	4
M237109	205	226	< 1	0.05	3	560	10	< 2	4	22	0.02	< 10	< 10	34	< 10	50
M237110	205	226	1	0.04	4	620	14	< 2	4	21	< 0.01	< 10	< 10	31	< 10	54
M237111	205	226	< 1	0.05	4	630	12	< 2	4	22	< 0.01	< 10	< 10	31	< 10	52
M237112	205	226	1	0.04	4	650	14	< 2	4	26	< 0.01	< 10	< 10	31	< 10	52
M237113	205	226	1	0.05	4	730	10	< 2	4	30	< 0.01	< 10	< 10	36	< 10	60
M237114	205	226	1	0.04	4	720	12	< 2	4	27	< 0.01	< 10	< 10	28	< 10	56
M237115	205	226	1	0.03	3	690	12	< 2	3	29	< 0.01	< 10	< 10	28	< 10	58
M237116	205	226	< 1	0.03	3	680	10	< 2	3	27	< 0.01	< 10	< 10	27	< 10	56
M237117	205	226	< 1	0.04	4	740	12	< 2	4	27	< 0.01	< 10	< 10	30	< 10	58
M237118	205	226	1	0.03	4	660	14	2	3	26	< 0.01	< 10	< 10	26	< 10	54
M237119	205	226	< 1	0.03	4	670	10	< 2	4	30	< 0.01	< 10	< 10	29	< 10	50
M237120	205	226	1	0.01	53	2620	6	2	13	83	0.03	< 10	< 10	139	< 10	134
M237121	205	226	1	0.03	4	600	26	2	3	27	< 0.01	< 10	< 10	27	< 10	54
M237122	205	226	1	0.04	3	640	14	2	4	24	< 0.01	< 10	< 10	29	< 10	54
M237123	205	226	1	0.02	3	610	110	< 2	3	23	< 0.01	< 10	< 10	27	< 10	94
M237124	205	226	< 1	0.02	3	650	10	< 2	3	21	0.02	< 10	< 10	36	< 10	52
M237125	205	226	< 1	0.04	2	650	12	< 2	4	26	0.03	< 10	< 10	36	< 10	56
M237126	205	226	< 1	0.03	3	520	10	< 2	4	27	0.02	< 10	< 10	35	< 10	60
M237127	205	226	< 1	0.03	1	550	12	< 2	4	23	0.01	< 10	< 10	34	< 10	62
M237128	205	226	< 1	0.03	1	40	8	< 2	< 1	5	< 0.01	< 10	< 10	4	< 10	6

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number 1-A
Total Pages 2
Certificate Date 05-SEP-96
Invoice No 19629912
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9629912

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
M237129	205	294	< 1	-----	< 0.2	1.92	66	420	0.5	< 2	0.29	< 0.5	6	84	6	2.53	< 10	10	0.36	30	0.46
M237130	205	294	< 1	-----	< 0.2	1.87	72	480	0.5	< 2	0.36	< 0.5	6	85	4	2.50	< 10	< 10	0.27	30	0.46
M237131	205	294	< 1	-----	< 0.2	1.78	58	390	0.5	< 2	0.27	< 0.5	6	75	5	2.45	< 10	< 10	0.34	30	0.46
M237132	205	294	< 1	-----	< 0.2	1.86	70	390	0.5	< 2	0.28	< 0.5	7	85	5	2.45	< 10	< 10	0.32	30	0.45
M237133	205	294	< 1	-----	< 0.2	0.32	14	40	< 0.5	< 2	0.04	< 0.5	< 1	98	2	0.55	< 10	< 10	0.12	< 10	0.03
M237134	205	294	1	-----	< 0.2	1.82	66	350	< 0.5	< 2	0.27	< 0.5	5	102	5	2.39	< 10	< 10	0.43	20	0.45
M237135	205	294	< 1	-----	< 0.2	1.75	36	360	< 0.5	< 2	0.29	< 0.5	5	86	4	2.31	< 10	< 10	0.47	20	0.51
M237136	205	294	< 1	-----	< 0.2	1.72	36	410	< 0.5	< 2	0.32	< 0.5	6	86	5	2.45	< 10	< 10	0.41	30	0.51
M237137	205	294	< 1	-----	< 0.2	1.61	40	360	< 0.5	< 2	0.32	< 0.5	5	87	4	2.41	< 10	< 10	0.42	30	0.49
M237138	205	294	< 1	-----	< 0.2	1.92	38	530	< 0.5	< 2	0.36	< 0.5	6	88	5	2.55	< 10	10	0.32	30	0.49
M237139	205	294	1	-----	< 0.2	1.87	44	570	< 0.5	< 2	0.36	< 0.5	5	95	5	2.58	< 10	< 10	0.29	30	0.48
M237140	205	294	>1000	7190	>200	0.11	2470	310	< 0.5	10	0.21	20.5	1	232	227	0.72	< 10	160	0.05	< 10	0.02
M237141	205	294	1	-----	0.4	0.61	22	270	< 0.5	< 2	1.24	< 0.5	7	89	8	2.76	< 10	< 10	0.34	30	0.34
M237142	205	294	13	-----	0.2	0.99	222	260	0.5	< 2	0.15	< 0.5	6	116	14	2.47	< 10	10	0.29	30	0.13
M237143	205	294	7	-----	< 0.2	1.20	240	370	0.5	< 2	0.19	< 0.5	6	104	7	2.47	< 10	10	0.30	30	0.21
M237144	205	294	5	-----	< 0.2	1.02	230	370	0.5	< 2	0.15	< 0.5	7	104	6	2.71	< 10	< 10	0.26	30	0.15
M237145	205	294	50	-----	< 0.2	0.68	446	310	0.5	< 2	0.10	< 0.5	6	103	9	2.49	< 10	< 10	0.25	30	0.05
M237146	205	294	3	-----	< 0.2	1.25	250	330	0.5	< 2	0.19	< 0.5	6	95	6	2.79	< 10	< 10	0.34	30	0.21
M237147	205	294	4	-----	< 0.2	1.78	360	610	0.5	< 2	0.27	< 0.5	9	75	13	3.68	< 10	< 10	0.47	40	0.45
M237148	205	294	2	-----	< 0.2	0.91	322	420	0.5	< 2	0.15	< 0.5	7	100	10	2.85	< 10	10	0.29	40	0.07
M237149	205	294	5	-----	< 0.2	0.86	250	260	0.5	< 2	0.15	< 0.5	6	100	8	2.77	< 10	< 10	0.30	40	0.06
M237150	205	294	5	-----	< 0.2	0.93	280	240	0.5	< 2	0.16	< 0.5	6	101	8	2.85	< 10	20	0.28	40	0.06
M237151	205	294	7	-----	< 0.2	1.10	278	400	0.5	< 2	0.21	< 0.5	6	76	10	2.65	< 10	< 10	0.27	40	0.23
M237152	205	294	8	-----	< 0.2	2.53	336	600	0.5	< 2	0.42	< 0.5	15	78	12	4.49	< 10	10	0.22	30	0.59
M237153	205	294	4	-----	< 0.2	0.77	240	230	0.5	< 2	0.18	< 0.5	6	78	7	2.56	< 10	< 10	0.21	30	0.10
M237154	205	294	3	-----	< 0.2	0.58	220	280	0.5	< 2	0.17	< 0.5	7	85	6	2.48	< 10	20	0.21	40	0.05
M237155	205	294	2	-----	< 0.2	0.63	220	210	< 0.5	< 2	0.18	< 0.5	6	87	6	2.44	< 10	10	0.20	30	0.05
M237156	205	294	34	-----	< 0.2	0.58	420	320	0.5	< 2	0.15	< 0.5	7	66	6	2.69	< 10	10	0.20	40	0.06
M237157	205	294	92	-----	< 0.2	0.58	474	310	< 0.5	< 2	0.14	< 0.5	6	84	8	2.51	< 10	10	0.20	30	0.05
M237158	205	294	5	-----	< 0.2	3.08	384	830	0.5	< 2	0.62	< 0.5	21	67	17	5.33	< 10	10	0.18	40	0.77
M237159	205	294	7	-----	< 0.2	4.64	502	1070	1.0	< 2	0.85	< 0.5	35	90	28	7.20	10	10	0.18	40	1.06
M237160	205	294	8	-----	< 0.2	4.23	470	1000	1.0	< 2	0.88	< 0.5	32	86	29	7.54	< 10	20	0.19	40	1.05
M237161	205	294	3	-----	< 0.2	0.77	278	180	0.5	< 2	0.19	< 0.5	5	77	9	2.87	< 10	< 10	0.26	40	0.06
M237162	205	294	3	-----	< 0.2	0.69	222	160	0.5	< 2	0.20	< 0.5	6	84	6	2.71	< 10	10	0.25	30	0.06
M237163	205	294	3	-----	< 0.2	0.80	240	220	0.5	< 2	0.18	< 0.5	7	77	8	2.73	< 10	10	0.27	40	0.07
M237164	205	294	5	-----	< 0.2	0.97	232	260	0.5	< 2	0.23	< 0.5	7	98	5	2.70	< 10	< 10	0.25	30	0.15
M237165	205	294	4	-----	< 0.2	4.49	212	930	0.5	< 2	0.95	< 0.5	29	80	28	6.52	< 10	< 10	0.21	40	1.61
M237166	205	294	3	-----	< 0.2	4.49	186	1050	0.5	2	1.12	< 0.5	33	93	28	7.28	10	10	0.20	40	1.64
M237167	205	294	3	-----	< 0.2	3.71	162	1000	0.5	< 2	1.09	< 0.5	31	68	28	6.61	< 10	10	0.20	40	1.78
M237168	205	294	2	-----	< 0.2	1.67	168	550	< 0.5	< 2	0.38	< 0.5	6	72	5	2.84	< 10	< 10	0.34	40	0.53

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date 05-SEP-96
Invoice No. 19629912
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9629912

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237129	205	294	685	< 1	0.04	3	570	8	< 2	4	23	0.03	< 10	< 10	36	< 10	54
M237130	205	294	680	< 1	0.04	1	620	10	12	5	28	0.08	< 10	10	39	< 10	54
M237131	205	294	695	< 1	0.04	2	480	8	4	5	22	0.04	< 10	< 10	38	< 10	54
M237132	205	294	675	< 1	0.04	3	550	6	< 2	5	20	0.04	< 10	< 10	38	< 10	52
M237133	205	294	145	< 1	0.05	1	50	10	< 2	< 1	4	< 0.01	< 10	< 10	5	< 10	6
M237134	205	294	605	< 1	0.04	3	560	6	< 2	5	18	0.07	< 10	< 10	39	< 10	48
M237135	205	294	595	< 1	0.03	3	550	6	< 2	4	18	0.09	< 10	< 10	39	< 10	48
M237136	205	294	720	< 1	0.04	3	590	8	< 2	5	22	0.09	< 10	< 10	42	< 10	50
M237137	205	294	610	< 1	0.04	3	560	6	< 2	5	21	0.11	< 10	< 10	42	< 10	48
M237138	205	294	710	< 1	0.04	3	610	10	2	5	26	0.09	< 10	< 10	41	< 10	54
M237139	205	294	640	< 1	0.04	3	600	8	< 2	5	28	0.08	< 10	< 10	41	< 10	54
M237140	205	294	125	1	< 0.01	3	60	940	134	< 1	14	< 0.01	< 10	< 10	2	< 10	804
M237141	205	294	855	< 1	0.03	3	750	10	2	4	52	0.01	< 10	< 10	14	< 10	48
M237142	205	294	575	1	0.03	4	390	14	< 2	4	17	< 0.01	< 10	10	30	< 10	46
M237143	205	294	745	< 1	0.03	3	440	8	< 2	4	22	0.01	< 10	10	34	< 10	52
M237144	205	294	820	1	0.02	3	360	12	2	4	34	< 0.01	< 10	20	37	< 10	54
M237145	205	294	765	1	0.02	3	310	14	< 2	4	17	< 0.01	< 10	10	36	< 10	58
M237146	205	294	640	1	0.03	3	500	12	< 2	5	23	0.01	< 10	10	40	< 10	60
M237147	205	294	1430	1	0.03	3	680	12	2	6	22	0.06	< 10	10	57	< 10	74
M237148	205	294	1240	1	0.03	4	430	16	< 2	4	14	< 0.01	< 10	10	37	< 10	60
M237149	205	294	760	1	0.03	4	460	14	< 2	4	13	< 0.01	< 10	10	33	< 10	62
M237150	205	294	630	1	0.03	5	460	14	< 2	4	14	< 0.01	< 10	10	34	< 10	58
M237151	205	294	890	1	0.03	3	440	8	< 2	4	20	< 0.01	< 10	10	33	< 10	58
M237152	205	294	910	1	0.03	17	960	8	2	9	37	0.05	< 10	30	55	< 10	80
M237153	205	294	485	< 1	0.03	3	570	12	< 2	3	15	< 0.01	< 10	10	31	< 10	52
M237154	205	294	850	1	0.03	4	540	12	< 2	4	13	< 0.01	< 10	10	31	< 10	54
M237155	205	294	555	1	0.03	5	560	12	< 2	4	14	< 0.01	< 10	10	32	< 10	54
M237156	205	294	1005	1	0.01	5	410	46	2	4	17	< 0.01	< 10	20	31	< 10	58
M237157	205	294	830	1	0.01	4	370	38	2	3	14	< 0.01	< 10	10	29	< 10	60
M237158	205	294	1365	< 1	0.02	29	1680	2	< 2	12	42	0.11	< 10	20	63	< 10	96
M237159	205	294	2010	< 1	0.01	52	2420	< 2	4	20	58	0.14	< 10	30	103	< 10	124
M237160	205	294	1755	< 1	0.01	46	2670	2	< 2	18	58	0.16	< 10	30	98	< 10	124
M237161	205	294	175	3	0.03	5	560	12	< 2	4	15	< 0.01	< 10	10	31	< 10	52
M237162	205	294	210	< 1	0.03	4	670	12	< 2	4	14	< 0.01	< 10	10	30	< 10	54
M237163	205	294	345	1	0.03	5	530	14	< 2	4	15	< 0.01	< 10	10	29	< 10	54
M237164	205	294	280	1	0.04	4	660	12	< 2	4	17	< 0.01	< 10	10	34	< 10	54
M237165	205	294	1560	< 1	0.01	47	2590	2	< 2	16	60	0.21	< 10	10	86	< 10	116
M237166	205	294	1800	< 1	0.01	52	2880	< 2	< 2	17	68	0.23	< 10	10	95	< 10	130
M237167	205	294	1735	< 1	0.01	48	2740	2	< 2	15	67	0.20	< 10	10	83	< 10	118
M237168	205	294	585	< 1	0.04	4	690	8	< 2	5	28	0.01	< 10	< 10	38	< 10	60

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Ser 2-A
Total Pages 2
Certificate Date 05-SEP-96
Invoice No 19629912
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9629912

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
M237169	205	294	1	-----	< 0.2	1.37	116	450	< 0.5	< 2	0.31	< 0.5	6	112	3	2.60	< 10	< 10	0.46	30	0.56
M237170	205	294	1	-----	< 0.2	1.39	162	510	< 0.5	< 2	0.34	< 0.5	7	94	4	2.90	< 10	< 10	0.39	30	0.51
M237171	205	294	41	-----	< 0.2	1.39	8	420	< 0.5	< 2	0.36	< 0.5	6	109	4	3.02	< 10	10	0.25	40	0.58
M237172	205	294	13	-----	< 0.2	1.54	10	390	0.5	< 2	0.40	< 0.5	8	76	8	3.34	< 10	10	0.27	30	0.63
M237173	205	294	12	-----	< 0.2	1.50	< 2	390	0.5	< 2	0.43	< 0.5	8	104	6	3.19	< 10	10	0.27	40	0.57
M237174	205	294	4	-----	< 0.2	1.61	< 2	520	< 0.5	< 2	0.53	< 0.5	8	125	7	3.55	< 10	< 10	0.43	40	0.81
M237175	205	294	19	-----	< 0.2	1.43	6	1240	0.5	< 2	0.43	< 0.5	8	101	4	3.25	< 10	< 10	0.27	40	0.50
M237176	205	294	18	-----	< 0.2	1.23	6	520	< 0.5	< 2	0.38	< 0.5	6	141	5	3.10	< 10	< 10	0.29	30	0.48
M237177	205	294	9	-----	< 0.2	1.61	14	460	< 0.5	< 2	0.43	< 0.5	8	135	5	3.42	< 10	10	0.33	40	0.65
M237178	205	294	800	-----	1.2	0.71	900	360	< 0.5	< 2	0.31	< 0.5	6	175	6	3.08	< 10	10	0.26	40	0.19
M237179	205	294	20	-----	< 0.2	1.26	12	410	< 0.5	< 2	0.38	< 0.5	7	134	4	3.06	< 10	< 10	0.24	30	0.53
M237180	205	294	150	-----	< 0.2	1.29	24	440	< 0.5	< 2	0.40	< 0.5	7	133	5	3.14	< 10	< 10	0.32	30	0.64
M237181	205	294	3	-----	< 0.2	2.29	< 2	1050	< 0.5	< 2	1.29	< 0.5	14	90	16	3.99	< 10	< 10	0.74	10	1.81
M237182	205	294	4	-----	< 0.2	1.46	< 2	470	< 0.5	< 2	0.44	< 0.5	7	121	5	3.23	< 10	10	0.30	30	0.73
M237183	205	294	3	-----	< 0.2	1.36	2	610	< 0.5	< 2	0.40	< 0.5	7	106	5	3.06	< 10	10	0.26	30	0.64
M237184	205	294	7	-----	< 0.2	1.31	< 2	520	< 0.5	< 2	0.38	< 0.5	7	104	4	2.93	< 10	< 10	0.22	30	0.59
M237185	205	294	8	-----	< 0.2	1.35	4	510	< 0.5	< 2	0.41	< 0.5	7	100	6	3.22	< 10	< 10	0.24	30	0.57
M237186	205	294	7	-----	< 0.2	0.85	4	510	0.5	< 2	0.45	< 0.5	8	109	6	3.11	< 10	< 10	0.30	30	0.12
M237187	205	294	6	-----	< 0.2	0.60	12	2810	0.5	< 2	0.86	< 0.5	6	105	11	2.99	< 10	10	0.30	30	0.08
M237188	205	294	7	-----	< 0.2	0.64	10	230	< 0.5	< 2	1.34	< 0.5	6	99	3	2.70	< 10	20	0.27	30	0.08

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number 2-B
Total Pages 2
Certificate Date 05-SEP-96
Invoice No 19629912
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9629912

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237169	205	294	610	< 1	0.03	4	680	6	< 2	4	20	0.07	< 10	< 10	42	< 10	54
M237170	205	294	835	< 1	0.03	4	760	4	< 2	5	21	0.04	< 10	< 10	43	< 10	56
M237171	205	294	815	< 1	0.03	3	830	12	< 2	4	20	< 0.01	< 10	< 10	33	< 10	58
M237172	205	294	915	< 1	0.03	3	830	12	< 2	4	21	< 0.01	< 10	< 10	30	< 10	60
M237173	205	294	830	< 1	0.03	3	840	12	< 2	4	21	< 0.01	< 10	< 10	32	< 10	62
M237174	205	294	830	< 1	0.05	4	850	< 2	< 2	7	27	0.10	< 10	< 10	55	< 10	66
M237175	205	294	925	< 1	0.03	3	880	14	< 2	5	28	< 0.01	< 10	< 10	32	< 10	62
M237176	205	294	840	< 1	0.03	3	770	10	< 2	4	19	0.01	< 10	< 10	32	< 10	54
M237177	205	294	760	< 1	0.03	3	800	8	< 2	5	23	0.02	< 10	< 10	41	< 10	64
M237178	205	294	560	< 1	0.01	4	840	20	< 2	4	14	< 0.01	< 10	< 10	32	< 10	44
M237179	205	294	760	< 1	0.03	3	780	8	< 2	5	19	< 0.01	< 10	< 10	35	< 10	58
M237180	205	294	735	< 1	0.04	4	780	4	< 2	5	20	0.04	< 10	< 10	43	< 10	56
M237181	205	294	650	< 1	0.06	25	1280	< 2	< 2	9	84	0.10	< 10	< 10	102	< 10	56
M237182	205	294	735	< 1	0.04	3	780	4	< 2	6	24	0.05	< 10	< 10	48	< 10	62
M237183	205	294	700	< 1	0.04	3	760	4	< 2	5	21	0.02	< 10	< 10	42	< 10	60
M237184	205	294	725	< 1	0.04	3	710	2	< 2	5	21	0.01	< 10	< 10	42	< 10	56
M237185	205	294	815	< 1	0.04	3	800	6	< 2	6	20	0.01	< 10	< 10	42	< 10	62
M237186	205	294	1070	< 1	0.01	3	830	8	2	6	19	< 0.01	< 10	< 10	21	< 10	56
M237187	205	294	895	2	< 0.01	3	730	30	< 2	3	21	< 0.01	< 10	< 10	7	< 10	42
M237188	205	294	595	< 1	< 0.01	3	720	16	< 2	3	25	< 0.01	< 10	< 10	7	< 10	38

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : 1-A
Total Pages : 2
Certificate Date: 15-SEP-96
Invoice No. : 19631015
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9631015

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M 237189	205	226	9	< 0.2	0.97	28	250	< 0.5	< 2	0.24	< 0.5	5	111	31	1.74	< 10	10	0.30	10	0.11	360
M 237190	205	226	50	0.2	0.84	24	530	< 0.5	< 2	3.75	< 0.5	5	109	4	2.64	< 10	< 10	0.27	20	0.16	905
M 237191	205	226	3	< 0.2	1.01	6	280	0.5	< 2	2.31	< 0.5	5	89	3	2.27	< 10	< 10	0.29	30	0.15	505
M 237192	205	226	2	< 0.2	1.16	6	310	0.5	< 2	2.32	< 0.5	7	48	3	2.40	< 10	30	0.31	20	0.21	565
M 237193	205	226	1	< 0.2	1.36	8	330	0.5	< 2	2.18	< 0.5	7	78	4	2.86	< 10	20	0.31	30	0.35	510
M 237194	205	226	1	< 0.2	1.28	6	240	0.5	< 2	2.10	< 0.5	8	57	5	2.92	< 10	10	0.30	20	0.35	450
M 237195	205	226	14	< 0.2	1.03	6	230	0.5	< 2	3.10	< 0.5	7	53	4	2.88	< 10	< 10	0.31	20	0.22	600
M 237196	205	226	1	< 0.2	1.05	6	230	0.5	< 2	2.00	< 0.5	7	58	4	2.74	< 10	10	0.31	20	0.18	655
M 237197	205	226	< 1	< 0.2	0.92	2	200	0.5	< 2	2.35	< 0.5	5	54	3	2.47	< 10	20	0.30	20	0.14	470
M 237198	205	226	1	< 0.2	0.28	4	410	< 0.5	< 2	>15.00	< 0.5	1	24	< 1	1.62	< 10	< 10	0.09	10	0.18	5530
M 237199	205	226	< 1	0.2	0.17	2	360	< 0.5	< 2	>15.00	< 0.5	3	12	< 1	2.01	< 10	< 10	0.08	< 10	0.15	3890
M 237200	205	226	3	< 0.2	1.04	8	330	< 0.5	< 2	7.41	< 0.5	4	72	1	2.05	< 10	20	0.25	10	0.27	1450
M 237201	205	226	1	< 0.2	0.19	6	200	< 0.5	< 2	>15.00	< 0.5	3	16	< 1	2.28	< 10	< 10	0.10	< 10	0.15	2750
M 237202	205	226	1	< 0.2	0.66	6	290	< 0.5	< 2	11.75	< 0.5	5	88	2	2.54	< 10	< 10	0.23	20	0.12	1415
M 237203	205	226	2	< 0.2	0.24	6	440	< 0.5	< 2	>15.00	< 0.5	5	21	< 1	3.15	< 10	< 10	0.10	< 10	0.16	3030
M 237204	205	226	23	0.4	0.86	24	710	0.5	< 2	5.55	< 0.5	6	107	6	2.72	< 10	10	0.30	20	0.11	1115
M 237205	205	226	73	0.6	0.60	48	1110	< 0.5	< 2	5.30	< 0.5	5	97	4	2.24	< 10	< 10	0.29	20	0.07	945
M 237206	205	226	1	0.2	0.21	8	620	< 0.5	< 2	>15.00	< 0.5	5	38	< 1	2.60	< 10	< 10	0.09	< 10	0.12	2790
M 237207	205	226	3	< 0.2	1.17	6	470	0.5	< 2	3.51	< 0.5	5	121	7	2.39	< 10	< 10	0.33	30	0.23	780
M 237208	205	226	2	< 0.2	0.84	6	670	< 0.5	< 2	3.67	< 0.5	5	96	2	1.98	< 10	< 10	0.30	30	0.19	2040
M 237209	205	226	3	< 0.2	1.26	2	650	< 0.5	< 2	2.09	< 0.5	5	113	2	2.42	< 10	< 10	0.27	30	0.36	615
M 237210	205	226	1	< 0.2	0.15	6	690	< 0.5	< 2	>15.00	< 0.5	< 1	13	< 1	1.19	< 10	< 10	0.04	10	0.17	5250
M 237211	205	226	2	< 0.2	1.54	2	610	< 0.5	< 2	2.26	< 0.5	6	104	1	2.60	< 10	< 10	0.34	30	0.53	945
M 237212	205	226	2	< 0.2	1.19	2	390	0.5	< 2	1.79	< 0.5	5	61	3	2.46	< 10	< 10	0.30	30	0.23	870
M 237213	205	226	2	< 0.2	1.49	4	410	0.5	< 2	0.40	< 0.5	6	117	2	2.73	< 10	10	0.29	30	0.41	555
M 237214	205	226	8	< 0.2	0.99	10	260	0.5	< 2	0.32	< 0.5	5	133	2	2.33	< 10	10	0.30	30	0.10	520
M 237215	205	226	10	< 0.2	1.05	12	400	0.5	< 2	0.31	< 0.5	6	97	3	2.57	< 10	10	0.30	30	0.16	835
M 237216	205	226	4	< 0.2	1.20	8	420	0.5	< 2	0.31	< 0.5	6	137	5	2.72	< 10	< 10	0.32	30	0.24	730
M 237217	205	226	7	< 0.2	1.04	12	1010	0.5	< 2	0.32	< 0.5	6	150	3	2.75	< 10	< 10	0.32	30	0.10	640
M 237218	205	226	39	0.2	1.17	18	380	0.5	< 2	0.27	< 0.5	4	118	12	2.20	< 10	20	0.33	30	0.13	320
M 237219	205	226	4	< 0.2	1.58	10	500	< 0.5	< 2	0.38	< 0.5	7	95	7	3.09	< 10	< 10	0.23	40	0.72	770
M 237220	205	226	9	< 0.2	1.40	22	1470	0.5	< 2	0.38	< 0.5	13	74	14	3.88	< 10	< 10	0.36	50	0.32	1365
M 237221	205	226	3	< 0.2	1.61	10	460	0.5	< 2	0.41	< 0.5	7	81	4	3.14	< 10	< 10	0.32	40	0.51	975
M 237222	205	226	3	< 0.2	1.59	< 2	350	0.5	< 2	0.35	< 0.5	7	92	4	2.82	< 10	< 10	0.29	30	0.62	755
M 237223	205	226	10	< 0.2	1.82	16	450	0.5	< 2	0.80	< 0.5	7	92	5	3.25	< 10	< 10	0.31	40	0.70	890
M 237224	205	226	4	< 0.2	1.73	6	390	0.5	< 2	0.36	< 0.5	7	98	4	2.96	< 10	< 10	0.31	30	0.67	770
M 237225	205	226	2	< 0.2	1.58	4	430	< 0.5	< 2	0.40	< 0.5	8	108	7	3.27	< 10	10	0.29	40	0.80	800
M 237226	205	226	2	< 0.2	1.44	2	320	< 0.5	< 2	0.34	< 0.5	6	114	5	2.79	< 10	< 10	0.23	30	0.69	1025
M 237227	205	226	2	< 0.2	1.52	4	350	< 0.5	< 2	0.44	< 0.5	7	105	3	3.03	< 10	< 10	0.31	40	0.75	950
M 237228	205	226	5	0.6	1.52	6	1050	< 0.5	< 2	3.46	< 0.5	7	94	1	2.67	< 10	20	0.23	30	0.71	1135

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : 1-B
Total Pages : 2
Certificate Date: 15-SEP-96
Invoice No. : 19631015
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9631015

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M 237189	205	226	1	0.01	3	440	16	< 2	3	11	< 0.01	< 10	< 10	11	< 10	24
M 237190	205	226	1	0.01	3	550	14	< 2	4	52	< 0.01	< 10	< 10	20	< 10	44
M 237191	205	226	1	0.01	3	600	8	< 2	4	28	< 0.01	< 10	< 10	16	< 10	38
M 237192	205	226	1	0.01	2	540	8	< 2	6	23	< 0.01	< 10	< 10	23	< 10	40
M 237193	205	226	1	0.01	3	670	10	< 2	5	27	< 0.01	< 10	< 10	32	< 10	50
M 237194	205	226	1	0.01	3	600	10	< 2	7	24	< 0.01	< 10	< 10	33	< 10	48
M 237195	205	226	2	< 0.01	3	560	12	< 2	6	27	< 0.01	< 10	< 10	25	< 10	46
M 237196	205	226	1	< 0.01	3	550	10	< 2	6	21	< 0.01	< 10	< 10	18	< 10	42
M 237197	205	226	1	< 0.01	3	520	8	< 2	5	21	< 0.01	< 10	< 10	15	< 10	38
M 237198	205	226	< 1	< 0.01	< 1	80	26	2	3	1250	< 0.01	< 10	< 10	7	< 10	18
M 237199	205	226	1	< 0.01	< 1	70	34	2	3	750	< 0.01	< 10	< 10	9	< 10	30
M 237200	205	226	2	< 0.01	2	420	10	< 2	3	303	< 0.01	< 10	< 10	15	< 10	32
M 237201	205	226	< 1	< 0.01	< 1	110	38	< 2	1	675	< 0.01	< 10	< 10	13	< 10	38
M 237202	205	226	6	< 0.01	3	460	18	< 2	3	196	< 0.01	< 10	< 10	15	< 10	42
M 237203	205	226	3	< 0.01	1	120	44	< 2	1	549	< 0.01	< 10	< 10	17	< 10	58
M 237204	205	226	6	< 0.01	3	590	26	2	4	56	< 0.01	< 10	< 10	15	< 10	44
M 237205	205	226	9	0.01	2	580	16	< 2	2	55	< 0.01	< 10	< 10	9	< 10	26
M 237206	205	226	< 1	< 0.01	1	60	34	2	1	213	< 0.01	< 10	< 10	20	< 10	52
M 237207	205	226	4	0.01	2	620	12	< 2	4	33	< 0.01	< 10	< 10	20	< 10	44
M 237208	205	226	3	0.01	3	590	14	< 2	3	134	< 0.01	< 10	< 10	13	< 10	36
M 237209	205	226	1	0.01	2	630	8	< 2	4	35	< 0.01	< 10	< 10	26	< 10	46
M 237210	205	226	< 1	< 0.01	< 1	40	20	2	1	1300	< 0.01	< 10	< 10	8	< 10	8
M 237211	205	226	1	0.01	3	650	10	< 2	4	77	0.01	< 10	< 10	31	< 10	52
M 237212	205	226	< 1	< 0.01	2	690	12	< 2	5	42	< 0.01	< 10	< 10	23	< 10	44
M 237213	205	226	< 1	0.02	3	660	12	< 2	5	16	< 0.01	< 10	< 10	32	< 10	52
M 237214	205	226	1	0.01	3	610	18	< 2	4	11	< 0.01	< 10	< 10	16	< 10	40
M 237215	205	226	1	0.01	3	650	18	< 2	4	12	< 0.01	< 10	< 10	17	< 10	44
M 237216	205	226	< 1	0.02	3	670	12	< 2	5	11	< 0.01	< 10	< 10	24	< 10	48
M 237217	205	226	1	< 0.01	3	690	16	< 2	4	14	< 0.01	< 10	< 10	9	< 10	42
M 237218	205	226	1	< 0.01	3	480	26	< 2	3	12	< 0.01	< 10	< 10	8	< 10	28
M 237219	205	226	< 1	0.03	3	790	8	< 2	5	22	0.01	< 10	< 10	40	< 10	60
M 237220	205	226	1	0.01	4	1070	22	< 2	6	27	< 0.01	< 10	< 10	26	< 10	64
M 237221	205	226	< 1	0.02	3	860	12	< 2	4	22	< 0.01	< 10	< 10	30	< 10	56
M 237222	205	226	< 1	0.02	3	770	8	< 2	4	19	< 0.01	< 10	< 10	31	< 10	56
M 237223	205	226	< 1	0.03	3	860	14	2	6	27	< 0.01	< 10	< 10	38	< 10	68
M 237224	205	226	1	0.02	3	770	10	2	4	21	< 0.01	< 10	< 10	32	< 10	58
M 237225	205	226	< 1	0.04	3	790	2	< 2	7	25	0.05	< 10	< 10	49	< 10	64
M 237226	205	226	< 1	0.03	4	710	8	< 2	5	20	0.01	< 10	< 10	36	< 10	54
M 237227	205	226	< 1	0.03	3	760	6	< 2	5	23	0.07	< 10	< 10	43	< 10	60
M 237228	205	226	1	0.01	3	720	10	< 2	3	134	< 0.01	< 10	< 10	28	< 10	56

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

: Number :2-A
Total Pages :2
Certificate Date: 15-SEP-96
Invoice No. :19631015
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9631015

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M 237229	205	226	1	< 0.2	0.50	30	200	< 0.5	< 2	0.09	< 0.5	5	153	4	1.63	< 10	< 10	0.14	< 10	0.08	845
M 237230	205	226	1	< 0.2	0.21	50	2860	< 0.5	< 2	0.06	< 0.5	1	74	2	1.87	< 10	10	0.06	< 10	0.04	985
M 237231	205	226	4	< 0.2	1.22	28	470	0.5	< 2	0.31	< 0.5	6	106	6	2.74	< 10	< 10	0.33	40	0.23	605
M 237232	205	226	< 1	< 0.2	1.50	4	460	< 0.5	< 2	0.65	< 0.5	7	76	5	2.40	< 10	< 10	0.44	10	0.81	485
M 237233	205	226	3	< 0.2	1.60	170	410	< 0.5	< 2	0.43	< 0.5	8	86	8	3.19	< 10	10	0.47	40	0.60	600
M 237234	205	226	6	< 0.2	1.23	268	340	0.5	< 2	0.33	< 0.5	8	80	10	3.25	< 10	< 10	0.36	30	0.27	785
M 237235	205	226	6	< 0.2	0.92	374	210	0.5	< 2	0.29	< 0.5	7	89	13	3.52	< 10	< 10	0.36	40	0.09	655
M 237236	205	226	1	< 0.2	1.79	104	360	< 0.5	< 2	0.59	< 0.5	8	110	6	3.44	< 10	< 10	0.61	30	0.82	730

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

: Number :2-B
Total Pages :2
Certificate Date: 15-SEP 96
Invoice No. :19631015
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9631015

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M 237229	205	226	< 1	< 0.01	6	170	12	< 2	2	8	< 0.01	< 10	< 10	17	< 10	20
M 237230	205	226	< 1	< 0.01	4	90	6	< 2	< 1	108	< 0.01	< 10	< 10	30	< 10	36
M 237231	205	226	< 1	0.02	4	780	12	< 2	4	16	< 0.01	< 10	< 10	26	< 10	46
M 237232	205	226	< 1	0.08	3	460	6	< 2	4	41	0.14	< 10	< 10	61	< 10	44
M 237233	205	226	1	0.04	3	840	6	< 2	6	25	0.06	< 10	< 10	49	< 10	62
M 237234	205	226	2	0.02	4	870	14	< 2	6	19	< 0.01	< 10	< 10	34	< 10	68
M 237235	205	226	2	0.01	4	960	22	< 2	7	17	< 0.01	< 10	< 10	30	< 10	70
M 237236	205	226	1	0.04	4	860	6	< 2	5	31	0.16	< 10	< 10	64	< 10	66

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number 1-A
Total Pages 2
Certificate Date 13-SEP-96
Invoice No 19630531
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9630531

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
M 237237	205	226	3	< 0.2	1.67	92	370	< 0.5	< 2	0.51	< 0.5	8	124	6	3.23	10	< 1	0.60	30	0.78	690
M 237238	205	226	1	< 0.2	1.66	50	300	< 0.5	< 2	0.59	< 0.5	7	143	4	3.17	< 10	< 1	0.68	30	0.84	545
M 237239	205	226	1	< 0.2	1.50	70	300	< 0.5	< 2	0.57	< 0.5	7	117	4	3.01	< 10	< 1	0.53	30	0.75	540
M 237240	205	226	4	< 0.2	1.68	100	330	< 0.5	< 2	0.72	< 0.5	7	104	5	3.10	< 10	< 1	0.55	30	0.77	615
M 237241	205	226	6	< 0.2	1.76	248	470	0.5	< 2	0.42	< 0.5	9	116	8	3.46	< 10	< 1	0.39	30	0.50	900
M 237242	205	226	7	< 0.2	1.62	196	500	< 0.5	< 2	0.38	< 0.5	7	92	6	3.10	10	< 1	0.48	40	0.53	770
M 237243	205	226	9	< 0.2	0.83	270	1080	< 0.5	< 2	0.21	< 0.5	6	127	7	2.21	< 10	< 1	0.39	30	0.08	2310
M 237244	205	226	4	< 0.2	1.59	86	440	< 0.5	< 2	0.43	< 0.5	7	74	6	3.16	< 10	< 1	0.58	30	0.75	730
M 237245	205	226	4	< 0.2	1.43	120	420	< 0.5	< 2	0.42	< 0.5	8	71	8	3.17	< 10	< 1	0.42	30	0.65	745
M 237246	205	226	6	< 0.2	1.72	166	550	< 0.5	< 2	0.51	< 0.5	9	56	10	3.60	10	< 1	0.47	30	0.83	905
M 237247	205	226	7	< 0.2	0.49	316	570	< 0.5	< 2	0.24	< 0.5	7	82	6	2.69	< 10	< 1	0.20	30	0.09	1415
M 237248	205	226	7	< 0.2	1.22	220	430	< 0.5	< 2	0.40	< 0.5	8	72	7	3.26	< 10	< 1	0.39	30	0.54	790
M 237249	205	226	4	< 0.2	1.43	160	440	< 0.5	< 2	0.45	< 0.5	8	82	8	3.03	< 10	< 1	0.34	30	0.56	850
M 237250	205	226	10	< 0.2	1.34	112	320	< 0.5	< 2	0.54	< 0.5	7	67	7	2.92	< 10	< 1	0.34	30	0.67	560
M 237251	205	226	135	< 0.2	0.57	1230	390	< 0.5	< 2	0.28	< 0.5	7	98	6	2.81	< 10	< 1	0.26	40	0.08	690
M 237252	205	226	5	< 0.2	1.62	128	400	< 0.5	< 2	0.53	< 0.5	8	99	7	3.21	< 10	< 1	0.45	30	0.70	620
M 237253	205	226	10	< 0.2	1.52	176	420	< 0.5	< 2	0.48	< 0.5	8	75	15	3.39	< 10	< 1	0.39	30	0.60	770
M 237254	205	226	5	< 0.2	0.50	220	610	< 0.5	< 2	0.24	< 0.5	8	75	9	2.54	< 10	< 1	0.24	50	0.09	1795
M 237255	205	226	9	< 0.2	1.47	128	450	< 0.5	< 2	0.41	< 0.5	8	83	10	3.28	< 10	< 1	0.33	40	0.52	785
M 237256	205	226	7	< 0.2	1.19	98	400	< 0.5	< 2	0.35	< 0.5	7	80	7	2.90	< 10	< 1	0.35	30	0.47	675
M 237257	205	226	7	< 0.2	1.63	74	480	< 0.5	2	0.47	< 0.5	8	74	4	3.33	< 10	< 1	0.52	30	0.79	725
M 237258	205	226	21	< 0.2	1.79	152	520	< 0.5	< 2	0.52	< 0.5	8	63	5	3.55	< 10	< 1	0.48	30	0.80	755
M 237259	205	226	72	< 0.2	1.29	386	390	< 0.5	2	0.52	< 0.5	8	63	5	3.28	< 10	< 1	0.44	30	0.68	740
M 237260	205	226	480	0.2	0.51	2250	410	0.5	< 2	0.29	< 0.5	9	77	9	3.35	< 10	< 1	0.24	50	0.06	980
M 237261	205	226	600	0.6	0.09	3870	560	< 0.5	< 2	0.12	< 0.5	1	119	3	0.89	< 10	< 1	0.05	< 10	< 0.01	145
M 237262	205	226	67	< 0.2	1.41	400	450	< 0.5	< 2	0.37	< 0.5	9	67	11	3.63	< 10	< 1	0.46	40	0.51	720
M 237263	205	226	125	< 0.2	0.86	660	460	< 0.5	< 2	0.32	< 0.5	8	68	8	2.96	< 10	< 1	0.34	40	0.29	945
M 237264	205	226	44	< 0.2	1.06	282	400	< 0.5	< 2	0.31	< 0.5	8	96	9	3.37	< 10	< 1	0.35	40	0.29	735
M 237265	205	226	12	< 0.2	1.75	144	510	< 0.5	< 2	0.46	< 0.5	10	66	12	3.67	< 10	< 1	0.61	30	0.77	750
M 237266	205	226	8	< 0.2	1.32	92	350	< 0.5	< 2	0.35	< 0.5	7	68	11	2.85	< 10	< 1	0.44	30	0.45	580
M 237267	205	226	1	< 0.2	0.73	78	250	< 0.5	< 2	0.19	< 0.5	5	43	8	1.96	< 10	< 1	0.27	30	0.11	600
M 237268	205	226	4	< 0.2	1.77	24	480	< 0.5	< 2	0.49	< 0.5	7	76	8	3.24	< 10	< 1	0.70	30	0.86	595
M 237269	205	226	6	< 0.2	1.58	30	500	< 0.5	< 2	0.40	< 0.5	8	68	7	3.23	< 10	< 1	0.48	30	0.69	665
M 237270	205	226	4	< 0.2	1.49	32	480	< 0.5	< 2	0.38	< 0.5	8	67	7	3.08	< 10	< 1	0.26	40	0.55	715
M 237271	205	226	6	< 0.2	1.72	34	590	< 0.5	< 2	0.46	< 0.5	9	68	8	3.57	10	< 1	0.57	30	0.78	785
M 237272	205	226	8	< 0.2	1.46	24	520	< 0.5	< 2	0.43	< 0.5	8	65	6	3.20	< 10	< 1	0.47	30	0.74	705
M 237273	205	226	19	< 0.2	0.83	46	410	0.5	< 2	0.33	< 0.5	9	60	8	3.54	< 10	< 1	0.21	40	0.32	1020
M 237274	205	226	3	< 0.2	1.06	12	350	< 0.5	< 2	0.31	< 0.5	8	64	5	3.08	< 10	< 1	0.26	30	0.46	830
M 237275	205	226	6	< 0.2	1.08	18	340	< 0.5	< 2	0.34	< 0.5	9	65	6	3.16	< 10	< 1	0.19	30	0.51	805
M 237276	205	226	40	< 0.2	1.21	60	390	< 0.5	< 2	0.37	< 0.5	9	67	9	3.27	< 10	< 1	0.30	30	0.50	770

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number 1-5
Total Pages 2
Certificate Date 13-SEP-96
Invoice No 19630531
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9630531

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M 237237	205	226	< 1	0.05	4	770	6	< 2	6	26	0.15	< 10	< 10	58	< 10	60
M 237238	205	226	< 1	0.05	4	700	4	< 2	5	25	0.18	< 10	< 10	58	< 10	58
M 237239	205	226	< 1	0.05	3	720	2	< 2	5	24	0.14	< 10	< 10	53	< 10	56
M 237240	205	226	< 1	0.05	3	720	2	2	5	29	0.16	< 10	< 10	56	< 10	60
M 237241	205	226	< 1	0.04	5	890	8	2	6	24	0.02	< 10	< 10	47	< 10	64
M 237242	205	226	< 1	0.03	4	770	4	2	6	23	0.05	< 10	< 10	46	< 10	58
M 237243	205	226	3	0.03	5	820	8	< 2	3	13	< 0.01	< 10	< 10	25	< 10	26
M 237244	205	226	< 1	0.04	4	800	< 2	< 2	6	23	0.12	< 10	< 10	52	< 10	58
M 237245	205	226	< 1	0.03	4	850	4	2	6	20	0.09	< 10	< 10	50	< 10	60
M 237246	205	226	1	0.02	6	930	4	2	8	24	0.09	< 10	< 10	57	< 10	72
M 237247	205	226	1	0.01	4	840	8	< 2	4	12	< 0.01	< 10	< 10	28	< 10	44
M 237248	205	226	< 1	0.03	4	870	6	2	6	19	0.06	< 10	< 10	46	< 10	60
M 237249	205	226	< 1	0.03	5	780	6	< 2	5	21	0.05	< 10	< 10	44	< 10	62
M 237250	205	226	< 1	0.04	5	740	4	2	5	21	0.12	< 10	< 10	53	< 10	52
M 237251	205	226	1	0.01	4	890	10	2	4	12	< 0.01	< 10	< 10	31	< 10	40
M 237252	205	226	< 1	0.05	5	810	2	< 2	6	24	0.13	< 10	< 10	55	< 10	56
M 237253	205	226	< 1	0.02	5	860	6	< 2	6	22	0.09	< 10	< 10	50	< 10	58
M 237254	205	226	1	0.02	4	810	10	2	4	14	< 0.01	< 10	< 10	21	< 10	42
M 237255	205	226	1	0.03	5	870	8	< 2	6	21	0.04	< 10	< 10	42	< 10	62
M 237256	205	226	1	0.03	4	800	4	2	5	17	0.05	< 10	< 10	37	< 10	52
M 237257	205	226	< 1	0.04	4	840	2	2	6	23	0.13	< 10	< 10	56	< 10	62
M 237258	205	226	< 1	0.04	4	850	4	2	7	27	0.12	< 10	< 10	58	< 10	66
M 237259	205	226	< 1	0.03	3	820	8	< 2	5	21	0.12	< 10	< 10	52	< 10	60
M 237260	205	226	3	0.01	4	860	22	4	5	18	< 0.01	< 10	< 10	23	< 10	64
M 237261	205	226	< 1	< 0.01	2	140	44	2	< 1	14	< 0.01	< 10	< 10	3	< 10	64
M 237262	205	226	< 1	0.03	5	880	10	< 2	8	21	0.06	< 10	< 10	55	< 10	66
M 237263	205	226	1	0.01	4	860	14	2	5	15	0.04	< 10	< 10	40	< 10	60
M 237264	205	226	< 1	0.02	5	850	12	2	6	18	0.02	< 10	< 10	45	< 10	60
M 237265	205	226	< 1	0.03	5	910	4	2	7	22	0.13	< 10	< 10	59	< 10	70
M 237266	205	226	< 1	0.04	4	650	8	< 2	5	18	0.08	< 10	< 10	40	< 10	52
M 237267	205	226	< 1	0.03	3	480	14	< 2	2	12	< 0.01	< 10	< 10	14	< 10	38
M 237268	205	226	< 1	0.03	3	770	4	2	6	25	0.19	< 10	< 10	59	< 10	60
M 237269	205	226	< 1	0.03	3	780	6	2	6	21	0.09	< 10	< 10	46	< 10	60
M 237270	205	226	< 1	0.03	4	790	6	2	6	22	0.01	< 10	< 10	38	< 10	60
M 237271	205	226	< 1	0.04	4	860	2	2	7	24	0.12	< 10	< 10	54	< 10	66
M 237272	205	226	< 1	0.03	3	800	2	< 2	6	21	0.11	< 10	< 10	48	< 10	62
M 237273	205	226	< 1	0.02	4	960	10	2	7	18	< 0.01	< 10	< 10	32	< 10	68
M 237274	205	226	< 1	0.03	4	830	6	< 2	6	17	0.02	< 10	< 10	35	< 10	60
M 237275	205	226	< 1	0.03	4	850	6	< 2	6	19	0.01	< 10	< 10	32	< 10	66
M 237276	205	226	< 1	0.04	4	870	8	2	6	21	0.04	< 10	< 10	40	< 10	66

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number 2-A
Total Pages 2
Certificate Date 13-SEP-96
Invoice No I9630531
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9630531

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
M 237277	205	226	46	< 0.2	1.20	164	530	0.5	< 2	0.46	< 0.5	10	71	9	3.86	< 10	< 1	0.29	40	0.42	1090
M 237278	205	226	6	< 0.2	1.47	38	450	< 0.5	< 2	0.38	< 0.5	9	76	9	3.54	< 10	< 1	0.29	30	0.56	890
M 237279	205	226	3	< 0.2	1.92	34	570	0.5	< 2	0.48	< 0.5	12	37	18	4.25	10	< 1	0.33	30	0.92	1005
M 237280	205	226	2	< 0.2	1.38	30	360	< 0.5	< 2	0.38	< 0.5	8	75	6	2.89	< 10	< 1	0.24	30	0.63	715
M 237281	205	226	8	< 0.2	1.54	34	480	< 0.5	< 2	0.44	< 0.5	8	61	9	3.31	< 10	< 1	0.42	30	0.72	820
M 237282	205	226	1	< 0.2	1.58	14	460	< 0.5	< 2	0.39	< 0.5	9	90	7	3.48	< 10	< 1	0.38	30	0.64	775
M 237283	205	226	3	< 0.2	1.45	14	480	< 0.5	< 2	0.44	< 0.5	8	82	4	3.11	< 10	< 1	0.48	30	0.83	645
M 237284	205	226	46	< 0.2	0.54	1090	380	0.5	< 2	0.28	< 0.5	8	110	6	3.41	< 10	< 1	0.25	60	0.07	1190
M 237285	205	226	4	< 0.2	1.64	26	420	< 0.5	< 2	0.44	< 0.5	8	101	6	3.14	< 10	< 1	0.41	30	0.77	640
M 237286	205	226	1	< 0.2	0.85	44	380	< 0.5	< 2	0.18	< 0.5	5	132	10	2.04	< 10	< 1	0.21	20	0.28	920
M 237287	205	226	< 1	< 0.2	1.75	6	490	< 0.5	< 2	0.38	< 0.5	8	95	5	3.34	< 10	< 1	0.55	30	0.88	690
M 237288	205	226	1	< 0.2	1.54	30	480	< 0.5	< 2	0.35	< 0.5	8	105	6	3.25	< 10	< 1	0.49	30	0.64	745
M 237289	205	226	2	< 0.2	1.63	22	440	< 0.5	< 2	0.46	< 0.5	8	91	8	3.11	< 10	< 1	0.47	30	0.73	680
M 237290	205	226	15	< 0.2	1.46	64	470	< 0.5	< 2	0.33	< 0.5	6	116	7	3.23	< 10	< 1	0.44	30	0.56	855
M 237291	205	226	2	< 0.2	2.62	22	550	< 0.5	< 2	0.64	< 0.5	10	35	< 1	4.31	10	< 1	1.44	30	1.30	950
M 237292	205	226	2	< 0.2	1.92	82	520	< 0.5	< 2	0.37	< 0.5	5	102	3	3.08	< 10	< 1	0.51	30	0.75	730
M 237293	205	226	2	< 0.2	1.70	156	490	< 0.5	< 2	0.43	< 0.5	9	72	11	3.51	< 10	< 1	0.51	40	0.66	795
M 237294	205	226	6	< 0.2	1.67	78	530	< 0.5	2	0.57	< 0.5	8	89	9	3.33	< 10	< 1	0.67	30	0.76	655
M 237295	205	226	2	< 0.2	1.82	80	470	< 0.5	< 2	0.62	< 0.5	8	86	8	3.32	10	< 1	0.62	30	0.81	650
M 237296	205	226	3	< 0.2	1.35	262	1700	0.5	< 2	0.36	< 0.5	10	127	18	3.92	< 10	< 1	0.42	40	0.28	985
M 237297	205	226	55	< 0.2	1.28	442	630	< 0.5	< 2	0.38	< 0.5	8	123	6	3.08	< 10	< 1	0.49	30	0.42	1130
M 237298	205	226	5	< 0.2	1.65	102	460	< 0.5	2	0.46	< 0.5	9	84	8	3.39	< 10	< 1	0.55	30	0.70	630
M 237299	205	226	13	< 0.2	1.48	82	480	< 0.5	< 2	0.44	0.5	9	99	7	3.28	< 10	1	0.48	30	0.67	740
M 237300	205	226	12	< 0.2	1.67	118	480	< 0.5	< 2	0.44	< 0.5	8	96	7	3.40	< 10	< 1	0.45	30	0.64	620
M 237301	205	226	51	0.2	1.19	198	460	< 0.5	< 2	0.36	< 0.5	9	82	9	3.15	< 10	< 1	0.32	40	0.40	820
M 237302	205	226	55	< 0.2	0.52	550	730	< 0.5	< 2	0.24	< 0.5	3	128	2	1.88	< 10	< 1	0.28	20	0.05	1585
M 237303	205	226	76	< 0.2	1.02	636	540	< 0.5	< 2	0.37	< 0.5	7	103	7	3.09	< 10	< 1	0.31	30	0.38	945
M 237304	205	226	7	< 0.2	1.13	40	840	0.5	< 2	0.46	< 0.5	8	78	6	3.10	< 10	< 1	0.31	30	0.37	820
M 237305	205	226	9	< 0.2	1.29	98	660	0.5	2	0.34	< 0.5	8	72	6	3.16	< 10	< 1	0.30	40	0.32	865

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number 2-B
Total Pages 2
Certificate Date 13-SEP-96
Invoice No 19630531
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9630531

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M 237277	205	226	3	0.03	4	1030	18	2	7	22	0.02	< 10	< 10	37	< 10	72
M 237278	205	226	< 1	0.03	4	900	8	< 2	6	22	0.01	< 10	< 10	39	< 10	68
M 237279	205	226	< 1	0.02	4	920	6	2	9	27	0.03	< 10	< 10	64	< 10	82
M 237280	205	226	< 1	0.03	4	780	2	< 2	6	22	0.03	< 10	< 10	39	< 10	60
M 237281	205	226	< 1	0.04	4	830	4	< 2	7	24	0.08	< 10	< 10	48	< 10	64
M 237282	205	226	< 1	0.04	5	860	6	< 2	7	23	0.05	< 10	< 10	48	< 10	68
M 237283	205	226	< 1	0.04	4	760	2	< 2	6	20	0.15	< 10	< 10	55	< 10	58
M 237284	205	226	< 1	0.01	5	940	22	2	6	15	< 0.01	< 10	< 10	23	< 10	70
M 237285	205	226	< 1	0.03	4	770	6	2	5	21	0.11	< 10	< 10	53	< 10	60
M 237286	205	226	1	0.03	5	550	8	< 2	3	12	0.01	< 10	< 10	22	< 10	36
M 237287	205	226	< 1	0.03	4	780	4	< 2	5	20	0.13	< 10	< 10	56	< 10	60
M 237288	205	226	< 1	0.03	5	780	6	2	5	19	0.08	< 10	< 10	48	< 10	60
M 237289	205	226	< 1	0.03	5	790	2	2	6	21	0.12	< 10	< 10	53	< 10	60
M 237290	205	226	< 1	0.03	5	790	10	< 2	5	19	0.05	< 10	< 10	42	< 10	66
M 237291	205	226	< 1	0.02	5	960	4	2	6	25	0.21	< 10	< 10	75	< 10	92
M 237292	205	226	< 1	0.04	6	830	6	< 2	4	23	0.06	< 10	< 10	44	< 10	60
M 237293	205	226	< 1	0.03	5	930	6	< 2	6	22	0.09	< 10	< 10	49	< 10	66
M 237294	205	226	< 1	0.04	4	910	6	< 2	5	24	0.15	< 10	< 10	55	< 10	60
M 237295	205	226	< 1	0.03	4	870	6	< 2	5	26	0.16	< 10	< 10	58	< 10	62
M 237296	205	226	1	0.05	6	1010	12	2	7	33	0.01	< 10	< 10	40	< 10	70
M 237297	205	226	< 1	0.03	4	830	12	< 2	5	20	0.07	< 10	< 10	41	< 10	58
M 237298	205	226	< 1	0.03	5	870	8	< 2	5	22	0.10	< 10	< 10	54	< 10	66
M 237299	205	226	< 1	0.03	5	880	22	< 2	5	21	0.08	< 10	< 10	47	< 10	136
M 237300	205	226	< 1	0.04	5	880	10	< 2	6	24	0.05	< 10	< 10	46	< 10	80
M 237301	205	226	1	0.02	4	840	20	2	6	19	0.01	< 10	< 10	34	< 10	74
M 237302	205	226	1	0.04	4	930	6	< 2	1	13	< 0.01	< 10	< 10	9	< 10	32
M 237303	205	226	< 1	0.03	4	900	4	< 2	5	19	0.03	< 10	< 10	34	< 10	56
M 237304	205	226	< 1	0.02	3	780	6	< 2	5	24	< 0.01	< 10	< 10	27	< 10	56
M 237305	205	226	< 1	0.02	4	850	12	< 2	6	20	< 0.01	< 10	< 10	26	< 10	60

CERTIFICATION: Hart Bachler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX: S.BROUGHTON

Number 1-A
Total Pages 2
Certificate Date 19-SEP-96
Invoice No. 19631603
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9631603

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M 237306	205	226	1	< 0.2	1.35	92	340	< 0.5	< 2	0.38	< 0.5	7	74	6	2.76	< 10	10	0.47	30	0.57	490
M 237307	205	226	< 1	< 0.2	1.60	32	350	< 0.5	< 2	0.61	< 0.5	8	87	12	3.21	< 10	< 10	0.57	30	0.85	685
M 237308	205	226	1	0.8	1.37	22	430	< 0.5	< 2	0.35	< 0.5	8	96	14	3.06	< 10	< 10	0.55	40	0.55	815
M 237309	205	226	< 1	< 0.2	0.94	84	180	< 0.5	< 2	0.18	< 0.5	4	65	5	1.82	< 10	< 10	0.32	30	0.19	420
M 237310	205	226	1	< 0.2	1.66	94	430	< 0.5	< 2	0.43	< 0.5	8	89	10	3.16	< 10	< 10	0.43	30	0.65	630
M 237311	205	226	16	< 0.2	1.43	62	460	< 0.5	< 2	0.39	< 0.5	7	93	10	3.09	< 10	< 10	0.41	40	0.49	920
M 237312	205	226	15	< 0.2	0.98	72	390	< 0.5	< 2	0.25	< 0.5	6	123	7	2.69	< 10	10	0.32	30	0.21	895
M 237313	205	226	2	< 0.2	1.74	12	380	< 0.5	< 2	0.36	< 0.5	9	76	7	3.46	< 10	< 10	0.45	40	0.76	815
M 237314	205	226	120	0.2	0.98	1900	520	< 0.5	< 2	0.59	< 0.5	7	71	11	3.26	< 10	< 10	0.36	50	0.29	990
M 237315	205	226	65	0.6	0.82	406	440	0.5	< 2	0.29	< 0.5	7	86	10	3.18	< 10	30	0.30	40	0.18	1130
M 237316	205	226	25	< 0.2	0.83	102	480	0.5	< 2	0.50	< 0.5	6	56	5	2.93	< 10	< 10	0.26	40	0.22	860
M 237317	205	226	4	< 0.2	1.41	104	400	< 0.5	< 2	0.41	< 0.5	7	90	6	2.91	< 10	< 10	0.42	30	0.68	635
M 237318	205	226	6	< 0.2	1.44	90	410	< 0.5	< 2	0.46	< 0.5	7	68	8	3.08	< 10	< 10	0.50	30	0.79	680
M 237319	205	226	7	< 0.2	1.43	26	450	< 0.5	< 2	0.46	< 0.5	7	109	9	2.98	< 10	< 10	0.66	30	0.79	530
M 237320	205	226	6	< 0.2	1.63	56	430	< 0.5	< 2	0.52	< 0.5	8	117	13	3.28	< 10	< 10	0.53	30	0.76	760
M 237321	205	226	7	< 0.2	1.61	56	450	< 0.5	< 2	0.53	< 0.5	8	82	11	3.06	< 10	< 10	0.41	30	0.76	1140
M 237322	205	226	8	< 0.2	1.74	48	390	< 0.5	< 2	0.57	< 0.5	8	98	14	3.38	< 10	< 10	0.46	40	0.83	860
M 237323	205	226	10	< 0.2	2.26	40	300	< 0.5	< 2	0.61	< 0.5	8	108	14	3.33	< 10	< 10	0.51	40	0.94	610
M 237324	205	226	7	< 0.2	2.03	58	240	< 0.5	< 2	0.59	< 0.5	8	90	12	3.12	< 10	< 10	0.52	30	0.91	575
M 237325	205	226	25	< 0.2	2.05	268	290	< 0.5	< 2	0.65	< 0.5	8	114	15	3.12	< 10	< 10	0.38	30	0.84	650
M 237326	205	226	11	< 0.2	2.30	146	430	< 0.5	< 2	1.09	< 0.5	16	60	21	4.24	< 10	< 10	0.41	40	1.53	510
M 237327	205	226	8	< 0.2	2.53	164	420	< 0.5	< 2	1.37	< 0.5	20	42	27	4.35	< 10	< 10	0.26	30	1.77	500
M 237328	205	226	9	< 0.2	2.39	116	770	< 0.5	< 2	1.23	< 0.5	17	60	25	4.15	< 10	< 10	0.37	30	1.57	560
M 237329	205	226	10	< 0.2	2.13	116	470	0.5	< 2	0.95	< 0.5	15	52	24	4.14	< 10	10	0.31	40	1.32	575
M 237330	205	226	10	< 0.2	2.22	94	380	< 0.5	< 2	1.07	0.5	18	68	26	4.24	< 10	< 10	0.35	30	1.55	590
M 237331	205	226	41	< 0.2	1.60	420	420	< 0.5	< 2	0.48	0.5	7	79	18	3.10	< 10	< 10	0.49	40	0.69	755
M 237332	205	226	5	< 0.2	1.82	106	420	< 0.5	< 2	0.56	< 0.5	9	65	21	3.47	< 10	< 10	0.62	30	0.89	595
M 237333	205	226	3	< 0.2	0.64	48	170	< 0.5	< 2	0.18	< 0.5	3	128	22	1.39	< 10	< 10	0.24	10	0.27	375
M 237334	205	226	5	< 0.2	1.70	46	440	< 0.5	< 2	0.56	< 0.5	9	66	16	3.43	< 10	< 10	0.64	30	0.89	665
M 237335	205	226	1	< 0.2	1.45	18	420	< 0.5	< 2	0.50	< 0.5	7	118	7	2.87	< 10	< 10	0.53	30	0.75	555
M 237336	205	226	2	< 0.2	1.67	42	470	< 0.5	< 2	0.52	< 0.5	7	76	10	3.24	< 10	< 10	0.59	40	0.83	620
M 237337	205	226	3	< 0.2	1.63	38	490	< 0.5	< 2	0.52	< 0.5	7	91	9	3.22	< 10	< 10	0.62	40	0.84	640
M 237338	205	226	10	< 0.2	1.67	96	480	< 0.5	< 2	0.50	< 0.5	8	78	11	3.30	< 10	< 10	0.59	40	0.83	685
M 237339	205	226	1	< 0.2	1.59	24	430	< 0.5	< 2	0.56	< 0.5	7	99	12	3.14	< 10	< 10	0.57	40	0.83	605
M 237340	205	226	4	< 0.2	1.80	50	500	< 0.5	< 2	0.56	0.5	9	66	31	3.55	< 10	< 10	0.56	40	0.95	710
M 237341	205	226	22	< 0.2	1.49	122	470	< 0.5	< 2	0.57	< 0.5	7	95	11	3.21	< 10	< 10	0.57	40	0.77	670
M 237342	205	226	49	< 0.2	2.12	82	580	< 0.5	< 2	0.61	0.5	12	75	29	3.80	< 10	10	0.49	40	1.08	785
M 237343	205	226	76	< 0.2	1.15	1420	410	< 0.5	< 2	0.48	< 0.5	7	129	10	3.00	< 10	< 10	0.40	40	0.50	775
M 237344	205	226	9	< 0.2	1.61	44	450	< 0.5	< 2	0.68	< 0.5	7	75	12	3.35	< 10	< 10	0.59	40	0.88	610
M 237345	205	226	97	< 0.2	0.95	588	560	< 0.5	< 2	0.37	1.0	8	122	12	2.79	< 10	20	0.30	40	0.29	1145

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX: S.BROUGHTON

Number 1-B
Total Pages 2
Certificate Date 19-SEP-96
Invoice No I9631603
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9631603

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M 237306	205	226	< 1	0.03	3	750	6	< 2	5	17	0.09	< 10	< 10	47	< 10	56
M 237307	205	226	< 1	0.04	4	820	6	< 2	6	23	0.14	< 10	< 10	60	< 10	66
M 237308	205	226	1	0.03	4	760	8	< 2	5	19	0.06	< 10	< 10	38	< 10	62
M 237309	205	226	1	0.04	3	400	18	< 2	2	12	0.01	< 10	< 10	18	< 10	38
M 237310	205	226	1	0.03	5	850	6	< 2	6	20	0.06	< 10	< 10	52	< 10	64
M 237311	205	226	1	0.03	4	790	6	< 2	5	18	0.04	< 10	< 10	38	< 10	56
M 237312	205	226	1	0.02	4	700	12	< 2	4	12	< 0.01	< 10	< 10	27	< 10	50
M 237313	205	226	< 1	0.03	4	840	8	< 2	7	18	0.02	< 10	< 10	46	< 10	72
M 237314	205	226	2	0.01	3	840	26	< 2	6	23	< 0.01	< 10	< 10	25	< 10	74
M 237315	205	226	3	0.01	4	780	18	< 2	6	15	< 0.01	< 10	< 10	20	< 10	60
M 237316	205	226	1	0.02	3	810	12	< 2	6	18	< 0.01	< 10	< 10	19	< 10	56
M 237317	205	226	< 1	0.04	4	700	< 2	< 2	6	23	0.07	< 10	< 10	47	< 10	58
M 237318	205	226	< 1	0.03	7	760	4	< 2	6	21	0.12	< 10	< 10	54	< 10	62
M 237319	205	226	< 1	0.04	4	630	2	< 2	6	19	0.16	< 10	< 10	56	< 10	58
M 237320	205	226	< 1	0.04	5	740	6	< 2	7	26	0.14	< 10	< 10	57	< 10	64
M 237321	205	226	< 1	0.03	4	680	4	< 2	7	31	0.15	< 10	< 10	57	< 10	62
M 237322	205	226	< 1	0.04	6	720	6	< 2	8	33	0.16	< 10	< 10	63	< 10	66
M 237323	205	226	< 1	0.04	6	730	10	< 2	8	35	0.15	< 10	< 10	62	< 10	66
M 237324	205	226	< 1	0.03	7	700	6	< 2	7	34	0.14	< 10	< 10	59	< 10	62
M 237325	205	226	< 1	0.03	10	710	24	2	7	39	0.11	< 10	< 10	60	< 10	62
M 237326	205	226	< 1	0.03	37	1150	10	2	9	210	0.24	< 10	< 10	70	< 10	76
M 237327	205	226	< 1	0.04	60	1290	10	< 2	7	769	0.24	< 10	< 10	58	< 10	80
M 237328	205	226	< 1	0.03	48	1160	6	< 2	7	402	0.25	< 10	< 10	58	< 10	76
M 237329	205	226	< 1	0.01	35	970	6	< 2	9	62	0.24	< 10	< 10	70	< 10	76
M 237330	205	226	< 1	0.03	44	980	6	< 2	9	64	0.26	< 10	< 10	69	< 10	78
M 237331	205	226	< 1	0.02	7	860	32	< 2	6	23	0.10	< 10	< 10	54	< 10	78
M 237332	205	226	< 1	0.03	6	730	8	< 2	7	24	0.17	< 10	< 10	66	< 10	68
M 237333	205	226	< 1	0.04	3	220	14	< 2	3	9	0.06	< 10	< 10	20	< 10	24
M 237334	205	226	< 1	0.03	5	700	8	< 2	7	20	0.17	< 10	< 10	66	< 10	70
M 237335	205	226	< 1	0.04	5	620	6	< 2	5	21	0.15	< 10	< 10	56	< 10	54
M 237336	205	226	< 1	0.03	5	740	6	2	6	23	0.15	< 10	< 10	64	< 10	64
M 237337	205	226	< 1	0.03	4	790	2	< 2	6	22	0.14	< 10	< 10	62	< 10	64
M 237338	205	226	< 1	0.03	5	840	6	< 2	6	22	0.14	< 10	< 10	62	< 10	66
M 237339	205	226	< 1	0.04	4	670	2	< 2	6	23	0.16	< 10	< 10	60	< 10	60
M 237340	205	226	< 1	0.03	9	950	4	< 2	7	24	0.14	< 10	< 10	66	< 10	78
M 237341	205	226	< 1	0.03	5	770	6	< 2	6	21	0.13	< 10	< 10	59	< 10	64
M 237342	205	226	< 1	0.03	19	1180	4	< 2	8	30	0.09	< 10	< 10	63	< 10	74
M 237343	205	226	< 1	0.01	6	930	110	2	4	22	0.07	< 10	< 10	45	< 10	88
M 237344	205	226	< 1	0.03	4	910	6	< 2	6	21	0.14	< 10	< 10	65	< 10	70
M 237345	205	226	< 1	0.01	6	1020	42	< 2	4	14	0.01	< 10	< 10	30	< 10	96

CERTIFICATION: Stewart Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX: S.BROUGHTON

Number 2-A
Total Pages 2
Certificate Date 19-SEP-96
Invoice No 19631603
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9631603

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M 237346	205	226	71	< 0.2	1.65	212	470	< 0.5	< 2	0.57	0.5	7	116	17	3.35	< 10	10	0.60	40	0.79	665
M 237347	205	226	145	< 0.2	1.28	336	580	< 0.5	< 2	0.38	0.5	6	129	8	2.24	< 10	< 10	0.49	30	0.40	710
M 237348	205	226	39	< 0.2	1.80	58	470	< 0.5	< 2	0.66	< 0.5	8	117	12	3.55	< 10	< 10	0.70	40	0.95	665
M 237349	205	226	9	< 0.2	1.67	34	520	< 0.5	< 2	0.54	< 0.5	7	102	9	3.17	< 10	10	0.58	40	0.83	660
M 237350	205	226	7	< 0.2	1.58	14	510	< 0.5	< 2	0.54	< 0.5	7	113	9	3.17	< 10	10	0.67	40	0.87	600
M 237351	205	226	9	< 0.2	1.84	32	500	< 0.5	< 2	0.55	< 0.5	8	94	8	3.40	< 10	< 10	0.59	30	0.91	710
M 237352	205	226	11	< 0.2	3.26	90	620	0.5	< 2	1.17	< 0.5	23	77	24	6.18	< 10	10	0.13	40	1.74	895
M 237353	205	226	13	< 0.2	2.02	58	390	< 0.5	< 2	0.50	< 0.5	8	118	13	3.22	< 10	10	0.43	40	0.88	545
M 237354	205	226	385	0.6	1.01	1525	540	< 0.5	< 2	0.32	0.5	5	148	9	2.61	< 10	20	0.38	40	0.23	840
M 237355	205	226	33	< 0.2	1.55	170	440	< 0.5	< 2	0.48	< 0.5	7	122	12	3.06	< 10	< 10	0.55	30	0.73	675
M 237356	205	226	56	< 0.2	1.51	128	410	< 0.5	< 2	0.48	< 0.5	7	112	8	3.00	< 10	< 10	0.54	30	0.79	640
M 237357	205	226	3	< 0.2	1.65	40	470	< 0.5	< 2	0.46	< 0.5	8	92	11	3.06	< 10	< 10	0.48	30	0.77	685
M 237358	205	226	4	< 0.2	1.85	42	540	0.5	< 2	0.46	< 0.5	8	87	13	3.20	< 10	< 10	0.52	40	0.76	780
M 237359	205	226	6	< 0.2	2.05	126	380	0.5	< 2	0.55	0.5	7	132	14	3.24	< 10	10	0.36	40	0.66	865

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX: S.BROUGHTON

Number 2-B
Total Pages 2
Certificate Date 19-SEP-96
Invoice No 19631603
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9631603

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M 237346	205	226	< 1	0.04	5	970	18	< 2	6	21	0.13	< 10	< 10	58	< 10	80
M 237347	205	226	< 1	0.03	5	1130	10	< 2	4	14	0.04	< 10	< 10	34	< 10	42
M 237348	205	226	< 1	0.05	4	820	6	< 2	6	24	0.17	< 10	< 10	68	< 10	70
M 237349	205	226	< 1	0.04	4	680	2	< 2	7	27	0.16	< 10	< 10	61	< 10	64
M 237350	205	226	< 1	0.06	4	550	2	< 2	6	22	0.17	< 10	< 10	62	< 10	60
M 237351	205	226	< 1	0.04	4	720	2	< 2	8	23	0.18	< 10	< 10	66	< 10	66
M 237352	205	226	< 1	0.05	41	2380	4	< 2	13	72	0.07	< 10	< 10	108	< 10	112
M 237353	205	226	< 1	0.03	6	730	6	< 2	6	24	0.07	< 10	< 10	51	< 10	60
M 237354	205	226	< 1	0.01	4	790	342	< 2	4	16	< 0.01	< 10	< 10	43	< 10	90
M 237355	205	226	< 1	0.04	4	720	30	< 2	6	21	0.13	< 10	< 10	55	< 10	76
M 237356	205	226	< 1	0.04	4	670	8	< 2	5	22	0.14	< 10	< 10	54	< 10	60
M 237357	205	226	< 1	0.04	4	740	2	< 2	6	23	0.11	< 10	< 10	52	< 10	60
M 237358	205	226	< 1	0.03	4	750	8	< 2	7	22	0.07	< 10	< 10	47	< 10	62
M 237359	205	226	< 1	0.01	7	820	12	< 2	6	28	< 0.01	< 10	< 10	29	< 10	70

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : A
Total Pages : 4
Certificate Date : 19-OCT-96
Invoice No : I9632267
P.O. Number :
Account : KRM

CERTIFICATE OF ANALYSIS A9632267

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm
M237368	205	294	69	-----	-----	< 0.2	0.75	74	1220	< 0.5	< 2	1.53	< 0.5	8	74	10	2.97	< 10	30	0.40	30
M237369	205	294	97	-----	-----	1.6	0.56	954	140	0.5	< 2	3.89	< 0.5	12	48	35	4.73	< 10	10	0.38	10
M237370	205	294	>1000	2250	-----	97.8	0.26	8180	260	< 0.5	6	0.38	17.5	4	120	291	2.38	< 10	170	0.12	10
M237371	205	294	38	-----	-----	1.0	0.85	292	340	< 0.5	< 2	1.14	0.5	8	90	11	3.34	< 10	30	0.42	30
M237372	205	294	5	-----	-----	0.6	1.18	76	850	< 0.5	< 2	0.35	< 0.5	8	83	6	3.12	< 10	< 10	0.51	30
M237373	205	294	4	-----	-----	< 0.2	0.48	246	130	< 0.5	< 2	0.09	< 0.5	3	211	9	1.24	< 10	10	0.11	10
M237374	205	294	91	-----	-----	0.2	1.46	510	270	< 0.5	< 2	0.40	< 0.5	8	78	9	2.96	< 10	10	0.50	30
M237375	205	294	180	-----	-----	0.8	0.69	1610	260	< 0.5	< 2	0.36	1.0	7	50	10	2.53	< 10	10	0.25	30
M237376	205	294	6	-----	-----	< 0.2	1.04	244	990	0.5	< 2	0.28	< 0.5	7	35	6	2.77	< 10	10	0.35	30
M237377	205	294	10	-----	-----	1.0	1.04	280	360	< 0.5	< 2	0.25	< 0.5	6	44	8	2.49	< 10	< 10	0.30	30
M237378	205	294	4	-----	-----	< 0.2	1.57	58	360	< 0.5	< 2	0.29	< 0.5	7	50	5	2.70	< 10	< 10	0.39	30
M237379	205	294	120	-----	-----	3.4	1.55	254	360	< 0.5	< 2	0.27	< 0.5	7	71	5	2.75	< 10	< 10	0.40	30
M237380	205	294	7	-----	-----	< 0.2	0.88	304	270	< 0.5	< 2	0.76	< 0.5	7	52	11	2.97	< 10	< 10	0.29	40
M237381	205	294	43	-----	-----	0.8	0.85	1220	290	< 0.5	< 2	0.25	< 0.5	14	71	30	3.64	< 10	20	0.27	30
M237382	205	294	220	-----	-----	2.0	0.81	2740	290	< 0.5	< 2	0.27	0.5	15	73	27	3.03	< 10	30	0.23	30
M237383	205	294	170	-----	-----	1.2	0.26	1225	130	< 0.5	< 2	0.14	< 0.5	5	181	9	0.95	< 10	20	0.09	< 10
M237384	205	294	175	-----	-----	10.2	0.43	6130	740	< 0.5	< 2	0.25	3.0	10	41	39	3.91	< 10	30	0.15	20
M237385	205	294	125	-----	-----	1.6	0.61	6660	800	0.5	< 2	0.37	2.0	5	58	7	2.71	< 10	< 10	0.35	40
M237386	205	294	32	-----	-----	0.6	0.88	694	540	0.5	< 2	0.28	< 0.5	7	16	6	3.01	< 10	< 10	0.24	40
M237387	205	294	29	-----	-----	0.8	0.94	1820	380	0.5	< 2	0.28	0.5	7	43	8	2.80	< 10	< 10	0.37	30
M237388	205	294	11	-----	-----	0.2	0.64	500	1390	0.5	< 2	0.24	< 0.5	8	18	6	3.17	< 10	30	0.18	30
M237389	205	294	6	-----	-----	< 0.2	0.81	110	650	0.5	< 2	0.24	< 0.5	8	65	6	2.76	< 10	< 10	0.31	30
M237390	205	294	3	-----	-----	< 0.2	0.62	76	300	0.5	< 2	0.22	< 0.5	7	21	8	2.59	< 10	< 10	0.22	30
M237391	205	294	3	-----	-----	< 0.2	1.34	44	400	< 0.5	< 2	0.27	< 0.5	7	52	6	2.78	< 10	< 10	0.33	40
M237392	205	294	1	-----	-----	< 0.2	1.16	62	390	0.5	< 2	0.27	< 0.5	7	43	9	2.65	< 10	< 10	0.37	30
M237393	205	294	3	-----	-----	< 0.2	1.78	46	510	0.5	< 2	0.35	< 0.5	8	55	14	3.19	< 10	10	0.38	30
M237394	205	294	30	-----	-----	< 0.2	1.70	156	350	< 0.5	< 2	0.43	0.5	6	67	13	2.78	< 10	< 10	0.32	30
M237395	205	294	14	-----	-----	< 0.2	1.72	188	460	< 0.5	< 2	0.40	0.5	8	78	16	2.95	< 10	< 10	0.45	30
M237396	205	294	37	-----	-----	< 0.2	1.60	306	340	0.5	< 2	0.37	0.5	8	64	14	3.06	< 10	10	0.40	30
M237397	205	294	10	-----	-----	< 0.2	1.73	322	420	< 0.5	< 2	0.39	0.5	8	81	14	3.09	< 10	< 10	0.40	40
M237398	205	294	9	-----	-----	< 0.2	3.36	224	560	0.5	< 2	0.97	< 0.5	30	109	41	6.09	< 10	10	0.20	30
M237399	205	294	225	-----	-----	1.0	0.88	1380	380	< 0.5	< 2	0.22	1.5	4	133	8	2.16	< 10	10	0.30	40
M237400	205	294	14	-----	-----	0.2	1.53	226	470	< 0.5	< 2	0.39	< 0.5	8	95	6	3.07	< 10	< 10	0.47	40
M237401	205	294	4	-----	-----	< 0.2	1.55	132	460	< 0.5	2	0.40	< 0.5	7	68	10	2.90	< 10	< 10	0.52	30
M237402	205	294	14	-----	-----	< 0.2	1.06	144	510	< 0.5	< 2	0.23	< 0.5	5	93	6	1.68	< 10	10	0.36	30
M237403	205	294	3	-----	-----	< 0.2	1.47	62	440	< 0.5	< 2	0.40	< 0.5	7	68	8	2.93	< 10	10	0.60	30
M237404	205	294	1	-----	-----	< 0.2	1.56	42	360	< 0.5	< 2	0.42	< 0.5	7	83	14	2.95	< 10	10	0.60	30
M237405	205	294	1	-----	-----	1.2	1.97	92	510	< 0.5	< 2	0.40	< 0.5	8	65	41	3.39	< 10	< 10	0.72	30
M237406	205	294	51	-----	-----	< 0.2	1.39	384	440	< 0.5	< 2	0.35	0.5	8	90	33	2.98	< 10	< 10	0.33	30
M237407	205	294	2	-----	-----	< 0.2	1.60	122	330	< 0.5	< 2	0.39	< 0.5	7	79	14	2.86	< 10	10	0.46	20

CERTIFICATION: Ian Bucher

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :
Total Pages : 4
Certificate Date :
Invoice No : 19632267
P.O. Number :
Account : NRM

CERTIFICATE OF ANALYSIS A9632267

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237368	205	294	0.25	845	< 1	0.01	3	710	8	2	4	50	< 0.01	< 10	< 10	16	< 10	48
M237369	205	294	1.13	1680	< 1	< 0.01	5	990	4	10	9	256	< 0.01	< 10	< 10	16	< 10	88
M237370	205	294	0.09	350	< 1	< 0.01	1	270	744	114	3	33	< 0.01	< 10	< 10	5	< 10	602
M237371	205	294	0.18	995	1	0.01	3	780	16	6	5	32	< 0.01	< 10	< 10	18	< 10	76
M237372	205	294	0.36	835	< 1	0.02	3	770	12	< 2	5	23	0.02	< 10	< 10	27	< 10	62
M237373	205	294	0.07	480	< 1	< 0.01	4	150	4	< 2	1	8	< 0.01	< 10	< 10	8	< 10	24
M237374	205	294	0.60	835	< 1	0.03	3	650	10	< 2	5	25	0.07	< 10	< 10	37	< 10	60
M237375	205	294	0.06	1120	< 1	0.01	3	800	26	8	3	24	< 0.01	< 10	< 10	7	< 10	106
M237376	205	294	0.23	890	< 1	0.01	6	700	14	2	3	19	< 0.01	< 10	< 10	19	< 10	52
M237377	205	294	0.28	775	< 1	0.02	4	690	46	6	3	16	< 0.01	< 10	< 10	15	< 10	66
M237378	205	294	0.60	690	< 1	0.03	4	680	8	< 2	3	18	0.01	< 10	< 10	26	< 10	56
M237379	205	294	0.55	785	< 1	0.02	4	640	40	< 2	4	18	0.02	< 10	< 10	29	< 10	62
M237380	205	294	0.17	1095	< 1	0.03	3	800	14	4	3	29	< 0.01	< 10	< 10	13	< 10	62
M237381	205	294	0.08	1330	1	0.01	5	730	10	18	3	19	< 0.01	< 10	< 10	12	< 10	66
M237382	205	294	0.11	890	1	0.01	5	620	10	14	3	19	< 0.01	< 10	< 10	13	< 10	46
M237383	205	294	0.03	380	< 1	< 0.01	4	210	2	2	< 1	13	< 0.01	< 10	< 10	4	< 10	10
M237384	205	294	0.04	380	2	< 0.01	4	360	136	34	2	28	< 0.01	< 10	< 10	5	< 10	138
M237385	205	294	0.04	695	1	< 0.01	4	730	56	10	3	29	< 0.01	< 10	< 10	6	< 10	62
M237386	205	294	0.09	1020	< 1	0.01	4	810	18	2	4	18	< 0.01	< 10	< 10	7	< 10	68
M237387	205	294	0.09	775	1	0.01	3	710	16	2	3	20	< 0.01	< 10	< 10	8	< 10	64
M237388	205	294	0.08	1150	< 1	< 0.01	2	700	12	2	3	18	< 0.01	< 10	< 10	5	< 10	50
M237389	205	294	0.10	830	< 1	0.03	3	720	16	2	3	17	< 0.01	< 10	< 10	16	< 10	50
M237390	205	294	0.10	855	< 1	0.01	3	650	16	2	3	14	< 0.01	< 10	< 10	12	< 10	52
M237391	205	294	0.51	785	< 1	0.03	3	680	10	< 2	3	17	0.01	< 10	< 10	23	< 10	60
M237392	205	294	0.30	705	< 1	0.03	3	690	12	2	3	17	0.01	< 10	< 10	20	< 10	54
M237393	205	294	0.62	995	< 1	0.02	4	720	12	4	4	19	0.01	< 10	< 10	28	< 10	70
M237394	205	294	0.55	745	< 1	0.01	5	770	16	< 2	5	23	< 0.01	< 10	< 10	25	< 10	56
M237395	205	294	0.58	715	< 1	0.03	5	740	10	< 2	6	24	0.03	< 10	< 10	40	< 10	66
M237396	205	294	0.45	690	< 1	0.02	6	780	24	< 2	7	23	0.01	< 10	< 10	35	< 10	74
M237397	205	294	0.52	875	< 1	0.03	10	790	30	2	7	26	0.01	< 10	< 10	40	< 10	56
M237398	205	294	1.39	1175	< 1	0.03	71	1920	6	< 2	13	58	0.03	< 10	< 10	77	< 10	102
M237399	205	294	0.17	760	< 1	0.01	3	670	558	< 2	3	14	< 0.01	< 10	< 10	46	< 10	44
M237400	205	294	0.61	785	< 1	0.04	4	790	72	< 2	6	23	0.09	< 10	< 10	48	< 10	62
M237401	205	294	0.68	735	< 1	0.04	4	720	4	< 2	6	21	0.11	< 10	< 10	45	< 10	56
M237402	205	294	0.20	695	< 1	0.03	3	750	4	< 2	3	13	< 0.01	< 10	< 10	18	< 10	24
M237403	205	294	0.76	615	< 1	0.04	3	660	< 2	< 2	5	19	0.15	< 10	< 10	51	< 10	56
M237404	205	294	0.79	610	1	0.04	3	660	4	< 2	5	21	0.17	< 10	< 10	51	< 10	102
M237405	205	294	0.90	875	< 1	0.03	3	820	66	< 2	7	23	0.16	< 10	< 10	57	< 10	182
M237406	205	294	0.48	1100	1	0.02	4	800	28	< 2	4	19	0.03	< 10	< 10	39	< 10	72
M237407	205	294	0.64	655	< 1	0.04	3	680	2	< 2	6	22	0.12	< 10	< 10	48	< 10	54

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : A
Total Pages : 4
Certificate Date : [illegible]
Invoice No : [illegible]
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9632267

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm
M237408	205	294	< 1	-----	-----	< 0.2	1.46	80	340	< 0.5	< 2	0.43	< 0.5	7	50	15	2.87	< 10	10	0.35	30
M237409	205	294	< 1	-----	-----	< 0.2	1.51	46	310	< 0.5	< 2	0.43	< 0.5	7	48	15	2.92	< 10	10	0.35	30
M237410	205	294	< 1	-----	-----	< 0.2	1.70	36	400	< 0.5	< 2	0.46	< 0.5	8	95	9	3.11	< 10	< 10	0.52	30
M237411	205	294	< 1	-----	-----	< 0.2	1.64	26	440	< 0.5	< 2	0.42	< 0.5	7	105	10	3.01	< 10	10	0.51	30
M237412	205	294	3	-----	-----	< 0.2	1.74	100	370	< 0.5	< 2	0.43	< 0.5	7	91	11	2.90	< 10	< 10	0.28	30
M237413	205	294	2	-----	-----	0.4	1.62	98	380	< 0.5	< 2	0.39	< 0.5	7	93	9	2.85	< 10	< 10	0.36	30
M237414A	205	294	2	-----	-----	< 0.2	1.65	36	400	< 0.5	< 2	0.46	< 0.5	7	80	10	3.01	< 10	< 10	0.65	30
M237414	205	294	1	-----	-----	< 0.2	1.46	44	400	< 0.5	< 2	0.41	< 0.5	6	94	6	2.70	< 10	< 10	0.50	30
M237415	205	294	1	-----	-----	< 0.2	1.69	16	410	< 0.5	< 2	0.49	< 0.5	7	67	8	3.10	< 10	< 10	0.46	30
M237416	205	294	1	-----	-----	< 0.2	1.84	42	360	< 0.5	< 2	0.45	< 0.5	7	65	7	2.98	< 10	< 10	0.34	40
M237417	205	294	< 1	-----	-----	< 0.2	1.74	14	300	< 0.5	< 2	0.55	< 0.5	8	70	5	3.22	< 10	< 10	0.58	30
M237418	205	294	< 1	-----	-----	< 0.2	3.26	92	120	0.5	< 2	1.36	< 0.5	23	131	33	5.35	< 10	< 10	0.16	20
M237419	205	294	15	-----	-----	< 0.2	1.61	248	160	< 0.5	< 2	0.44	< 0.5	8	85	9	2.92	< 10	< 10	0.25	30
M237420	205	294	3	-----	-----	< 0.2	3.51	168	330	0.5	< 2	1.61	< 0.5	23	108	30	5.91	10	< 10	0.15	30
M237421	205	294	3	-----	-----	< 0.2	1.90	180	240	< 0.5	< 2	0.59	< 0.5	10	57	10	3.50	< 10	< 10	0.19	30
M237422	205	294	5	-----	-----	< 0.2	1.89	70	370	< 0.5	< 2	0.68	< 0.5	11	34	15	3.89	< 10	< 10	0.66	30
M237423	205	294	4	-----	-----	< 0.2	2.53	90	210	0.5	< 2	1.41	< 0.5	22	43	32	4.66	< 10	< 10	0.31	20
M237424	205	294	26	-----	-----	< 0.2	1.76	178	350	< 0.5	< 2	0.59	< 0.5	9	59	11	3.39	< 10	10	0.53	30
M237425	205	294	34	-----	-----	< 0.2	1.69	130	410	< 0.5	< 2	0.58	< 0.5	7	148	7	2.98	< 10	< 10	0.62	40
M237426	205	294	19	-----	-----	< 0.2	1.60	130	340	< 0.5	< 2	0.54	< 0.5	7	103	6	2.91	< 10	< 10	0.57	30
M237427	205	294	>1000	>10000	43.82	>100.0	0.48	4410	90	< 0.5	< 2	0.16	45.0	1	278	91	2.32	< 10	4430	0.11	10
M237428	205	294	335	-----	-----	2.4	1.13	1070	340	< 0.5	< 2	0.31	8.5	7	170	8	2.93	< 10	80	0.46	40
M237429	205	294	180	-----	-----	0.8	1.16	612	400	< 0.5	< 2	0.31	3.0	7	140	7	3.07	< 10	40	0.42	40
M237430	205	294	450	-----	-----	< 0.2	1.20	238	510	< 0.5	< 2	0.52	1.0	8	133	6	3.16	< 10	10	0.50	40
M237431	205	294	24	-----	-----	< 0.2	1.28	328	530	< 0.5	< 2	0.31	< 0.5	8	114	11	3.20	< 10	30	0.49	40
M237432	205	294	35	-----	-----	< 0.2	1.93	236	520	< 0.5	< 2	0.47	< 0.5	8	119	10	3.39	< 10	10	0.51	40
M237433	205	294	60	-----	-----	< 0.2	1.31	932	500	< 0.5	< 2	0.35	0.5	8	149	9	3.22	< 10	10	0.51	40
M237434	205	294	30	-----	-----	< 0.2	1.77	518	560	< 0.5	< 2	0.47	< 0.5	8	152	10	3.33	< 10	< 10	0.63	30
M237435	205	294	8	-----	-----	< 0.2	1.90	68	480	< 0.5	< 2	0.48	< 0.5	8	131	8	3.38	< 10	< 10	0.67	30
M237436	205	294	3	-----	-----	< 0.2	1.99	38	570	< 0.5	< 2	0.50	< 0.5	8	158	8	3.39	< 10	< 10	0.73	30
M237437	205	294	4	-----	-----	< 0.2	2.03	64	500	< 0.5	< 2	0.43	< 0.5	8	104	10	3.35	< 10	< 10	0.53	30
M237438	205	294	4	-----	-----	< 0.2	2.21	42	490	< 0.5	< 2	0.49	< 0.5	9	109	8	3.63	< 10	10	0.50	40
M237439	205	294	3	-----	-----	< 0.2	2.00	52	520	< 0.5	< 2	0.46	< 0.5	9	100	12	3.36	< 10	< 10	0.60	30
M237440	205	294	2	-----	-----	< 0.2	1.75	24	590	< 0.5	< 2	0.52	< 0.5	8	125	9	3.12	< 10	< 10	0.56	30
M237441	205	294	1	-----	-----	< 0.2	1.88	26	440	< 0.5	< 2	0.60	< 0.5	8	121	12	3.39	< 10	10	0.63	30
M237442	205	294	240	-----	-----	0.6	0.97	4940	370	< 0.5	< 2	0.38	4.0	6	216	10	3.69	< 10	30	0.39	70
M237443	205	294	81	-----	-----	< 0.2	1.84	528	430	< 0.5	< 2	0.46	0.5	8	124	11	3.28	< 10	< 10	0.53	40
M237444	205	294	4	-----	-----	< 0.2	1.85	46	480	< 0.5	< 2	0.50	< 0.5	7	110	6	3.11	< 10	< 10	0.54	30
M237445	205	294	12	-----	-----	< 0.2	4.01	184	590	0.5	< 2	1.17	< 0.5	22	74	25	6.19	10	10	0.12	30
M237446	205	294	94	-----	-----	< 0.2	1.71	104	240	< 0.5	< 2	0.24	< 0.5	7	92	3	2.58	< 10	10	0.35	30

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number [illegible]
Total Pages 4
Certificate Date [illegible]
Invoice No [illegible]
P O Number
Account NRW

CERTIFICATE OF ANALYSIS A9632267

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237408	205	294	0.61	620	< 1	0.01	3	640	2	< 2	7	19	0.13	< 10	< 10	47	< 10	56
M237409	205	294	0.65	625	< 1	0.01	4	690	2	< 2	6	20	0.14	< 10	< 10	50	< 10	58
M237410	205	294	0.75	715	< 1	0.03	4	710	2	< 2	6	24	0.17	< 10	< 10	54	< 10	62
M237411	205	294	0.71	675	< 1	0.04	4	710	2	< 2	6	22	0.14	< 10	< 10	51	< 10	58
M237412	205	294	0.59	705	< 1	0.04	5	680	2	< 2	7	28	0.02	< 10	< 10	38	< 10	56
M237413	205	294	0.55	730	< 1	0.04	5	670	2	< 2	7	26	0.03	< 10	< 10	38	< 10	62
M237414A	205	294	0.75	650	< 1	0.03	3	710	2	< 2	6	21	0.17	< 10	< 10	52	< 10	66
M237414	205	294	0.62	500	< 1	0.04	4	630	4	< 2	5	23	0.11	< 10	< 10	45	< 10	50
M237415	205	294	0.80	535	< 1	0.04	5	710	4	< 2	6	27	0.12	< 10	< 10	53	< 10	62
M237416	205	294	0.68	590	< 1	0.03	6	690	8	< 2	6	27	0.01	< 10	< 10	42	< 10	60
M237417	205	294	0.91	595	< 1	0.04	6	740	2	< 2	8	32	0.20	< 10	< 10	60	< 10	64
M237418	205	294	2.50	595	< 1	0.07	81	1550	< 2	< 2	14	96	0.18	< 10	< 10	83	< 10	78
M237419	205	294	0.76	540	< 1	0.03	14	610	8	< 2	7	31	0.09	< 10	< 10	57	< 10	54
M237420	205	294	1.92	695	< 1	< 0.01	55	1860	6	< 2	12	895	0.19	< 10	< 10	95	< 10	106
M237421	205	294	1.06	655	< 1	0.01	21	720	6	< 2	9	41	0.13	< 10	< 10	58	< 10	64
M237422	205	294	1.13	835	< 1	0.02	12	870	4	< 2	10	38	0.21	< 10	< 10	72	< 10	76
M237423	205	294	2.26	445	< 1	0.07	78	1430	4	< 2	7	340	0.24	< 10	< 10	49	< 10	68
M237424	205	294	0.96	585	< 1	0.02	14	750	8	< 2	8	31	0.19	< 10	< 10	57	< 10	70
M237425	205	294	0.76	630	< 1	0.07	5	660	8	< 2	6	33	0.16	< 10	< 10	53	< 10	66
M237426	205	294	0.74	615	< 1	0.03	5	610	8	< 2	6	26	0.15	< 10	< 10	53	< 10	78
M237427	205	294	0.12	265	< 1	< 0.01	4	180	>10000	494	2	13	< 0.01	< 10	10	644	< 10	1585
M237428	205	294	0.22	815	< 1	0.01	5	720	208	8	6	18	< 0.01	< 10	< 10	36	< 10	526
M237429	205	294	0.28	825	1	0.03	4	700	92	2	6	18	0.01	< 10	< 10	33	< 10	176
M237430	205	294	0.23	1000	1	0.05	3	850	28	2	6	21	0.01	< 10	< 10	30	< 10	94
M237431	205	294	0.28	1065	1	0.06	3	770	24	6	7	21	0.03	< 10	< 10	33	< 10	74
M237432	205	294	0.67	850	< 1	0.06	5	780	16	2	7	29	0.08	< 10	< 10	52	< 10	72
M237433	205	294	0.35	930	< 1	0.04	5	810	26	2	6	21	0.03	< 10	< 10	37	< 10	68
M237434	205	294	0.73	805	< 1	0.06	5	790	32	2	5	28	0.10	< 10	< 10	50	< 10	68
M237435	205	294	0.83	660	< 1	0.07	4	750	2	< 2	6	28	0.16	< 10	< 10	60	< 10	66
M237436	205	294	0.85	650	< 1	0.11	4	700	6	< 2	7	35	0.17	< 10	< 10	61	< 10	62
M237437	205	294	0.74	665	< 1	0.06	6	750	6	< 2	7	26	0.06	< 10	< 10	49	< 10	62
M237438	205	294	0.93	695	< 1	0.07	7	780	2	2	8	31	0.06	< 10	< 10	55	< 10	66
M237439	205	294	0.76	755	< 1	0.06	5	740	6	< 2	7	28	0.08	< 10	< 10	50	< 10	62
M237440	205	294	0.73	640	< 1	0.08	4	710	< 2	< 2	6	28	0.13	< 10	< 10	54	< 10	58
M237441	205	294	0.79	805	< 1	0.07	4	820	4	2	7	29	0.15	< 10	< 10	59	< 10	64
M237442	205	294	0.15	655	< 1	0.01	6	740	114	6	5	27	< 0.01	< 10	< 10	47	< 10	102
M237443	205	294	0.63	930	< 1	0.04	5	720	26	< 2	6	27	0.07	< 10	< 10	48	< 10	74
M237444	205	294	0.80	605	< 1	0.07	4	670	4	4	7	35	0.14	< 10	< 10	53	< 10	54
M237445	205	294	1.59	960	< 1	0.04	32	2170	2	4	14	71	0.06	< 10	< 10	104	< 10	98
M237446	205	294	0.60	710	< 1	0.06	4	450	12	2	5	19	0.01	< 10	< 10	40	< 10	46

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number 4 B
Total Pages 4
Certificate Date [illegible]
Invoice No [illegible]
P.O. Number
Account NBV

CERTIFICATE OF ANALYSIS A9632267

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237487	205	294	0.31	940	< 1	0.01	5	570	16	2	6	13	< 0.01	< 10	< 10	32	< 10	50
M237488	205	294	0.53	855	< 1	0.01	4	610	14	< 2	7	13	< 0.01	< 10	< 10	41	< 10	58
M237489	205	294	0.81	745	< 1	0.03	5	640	10	< 2	8	15	< 0.01	< 10	< 10	57	< 10	62
M237490	205	294	0.87	600	< 1	0.02	4	620	14	< 2	9	16	< 0.01	< 10	< 10	60	< 10	64
M237491	205	294	2.94	1830	< 1	< 0.01	194	1110	14	2	16	357	< 0.01	< 10	< 10	58	< 10	54
M237492	205	294	0.15	765	< 1	< 0.01	17	550	14	< 2	4	31	< 0.01	< 10	< 10	13	< 10	36
M237493	205	294	0.13	675	< 1	< 0.01	3	540	14	< 2	4	23	< 0.01	< 10	< 10	10	< 10	36
M237494	205	294	0.09	570	< 1	< 0.01	1	600	12	< 2	3	27	< 0.01	< 10	< 10	7	< 10	36
M237495	205	294	0.10	790	< 1	< 0.01	1	520	18	< 2	3	75	< 0.01	< 10	< 10	8	< 10	32
M237496	205	294	0.28	665	< 1	0.01	1	600	8	< 2	3	56	< 0.01	< 10	< 10	21	< 10	48
M237497	205	294	0.54	885	< 1	0.03	2	640	8	< 2	4	105	< 0.01	< 10	< 10	34	< 10	56
M237498	205	294	0.59	785	< 1	0.03	2	620	6	< 2	5	105	0.01	< 10	< 10	37	< 10	54
M237499	205	294	0.68	780	< 1	0.04	2	690	4	< 2	4	69	< 0.01	< 10	< 10	38	< 10	48

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : A
Total Pages : 4
Certificate Date : 18-OCT-96
Invoice No. : 196[illegible]
P.O. Number :
Account : [illegible]

CERTIFICATE OF ANALYSIS A9632267

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm
M237447	205	294	3	-----	-----	< 0.2	1.83	2	260	< 0.5	< 2	0.30	< 0.5	8	56	6	2.96	< 10	10	0.40	30
M237448	205	294	2	-----	-----	< 0.2	1.86	6	270	< 0.5	< 2	0.33	< 0.5	8	99	9	3.20	< 10	10	0.35	40
M237449	205	294	2	-----	-----	< 0.2	1.82	< 2	320	< 0.5	< 2	0.35	< 0.5	8	63	6	3.21	< 10	< 10	0.34	40
M237450	205	294	4	-----	-----	< 0.2	1.82	12	270	0.5	< 2	0.32	< 0.5	8	81	6	3.10	< 10	10	0.33	40
M237451	205	294	3	-----	-----	< 0.2	1.81	8	270	0.5	< 2	0.30	< 0.5	8	63	6	3.16	< 10	10	0.30	40
M237452	205	294	3	-----	-----	< 0.2	1.96	6	310	0.5	< 2	0.31	< 0.5	8	102	6	3.29	< 10	10	0.35	40
M237453	205	294	1	-----	-----	< 0.2	2.03	8	340	0.5	< 2	0.33	< 0.5	8	54	15	3.04	< 10	< 10	0.50	40
M237454	205	294	2	-----	-----	< 0.2	1.79	< 2	260	0.5	< 2	0.25	< 0.5	6	67	4	2.44	< 10	< 10	0.44	30
M237455	205	294	1	-----	-----	< 0.2	1.82	< 2	250	< 0.5	< 2	0.23	< 0.5	8	71	3	2.68	< 10	< 10	0.37	30
M237456	205	294	1	-----	-----	< 0.2	1.66	2	280	< 0.5	< 2	0.26	< 0.5	7	89	4	2.66	< 10	< 10	0.36	30
M237457	205	294	< 1	-----	-----	< 0.2	1.64	< 2	320	< 0.5	< 2	0.32	< 0.5	7	74	7	3.07	< 10	< 10	0.33	30
M237458	205	294	< 1	-----	-----	< 0.2	1.70	< 2	390	< 0.5	< 2	0.32	< 0.5	7	89	5	3.12	< 10	10	0.41	30
M237459	205	294	1	-----	-----	< 0.2	1.79	< 2	340	0.5	< 2	0.35	< 0.5	7	50	6	3.00	< 10	10	0.40	40
M237460	205	294	1	-----	-----	< 0.2	1.98	< 2	320	0.5	< 2	0.35	< 0.5	8	76	5	3.12	< 10	10	0.40	40
M237461	205	294	< 1	-----	-----	< 0.2	1.81	6	270	< 0.5	< 2	0.30	< 0.5	7	79	4	3.03	< 10	< 10	0.38	40
M237462	205	294	1	-----	-----	< 0.2	1.91	2	250	0.5	< 2	0.31	< 0.5	8	104	10	3.18	< 10	10	0.37	40
M237463	205	294	2	-----	-----	< 0.2	1.81	2	270	< 0.5	< 2	0.29	< 0.5	8	88	4	3.06	< 10	20	0.35	40
M237464	205	294	1	-----	-----	< 0.2	1.89	2	290	< 0.5	< 2	0.30	< 0.5	8	104	5	3.26	< 10	< 10	0.41	40
M237465	205	294	1	-----	-----	< 0.2	1.74	2	290	< 0.5	< 2	0.26	< 0.5	7	71	6	2.89	< 10	10	0.42	30
M237466	205	294	1	-----	-----	< 0.2	1.76	2	270	< 0.5	< 2	0.27	< 0.5	8	100	6	3.13	< 10	10	0.35	20
M237467	205	294	1	-----	-----	< 0.2	1.84	16	260	0.5	< 2	0.27	< 0.5	7	68	5	2.96	< 10	10	0.34	30
M237468	205	294	5	-----	-----	< 0.2	2.01	38	300	0.5	< 2	0.25	< 0.5	7	84	7	3.09	< 10	< 10	0.40	30
M237469	205	294	3	-----	-----	< 0.2	1.05	2	250	0.5	< 2	1.48	< 0.5	8	21	4	2.81	< 10	10	0.36	30
M237470	205	294	2	-----	-----	< 0.2	0.80	6	180	0.5	< 2	1.83	< 0.5	5	80	3	2.01	< 10	< 10	0.33	30
M237471	205	294	9	-----	-----	< 0.2	0.88	6	420	< 0.5	< 2	1.26	< 0.5	5	73	2	2.01	< 10	20	0.34	30
M237472	205	294	7	-----	-----	< 0.2	1.31	10	240	0.5	< 2	2.13	< 0.5	7	47	4	2.34	< 10	20	0.42	20
M237473	205	294	3	-----	-----	< 0.2	1.19	2	210	0.5	< 2	2.36	< 0.5	6	31	4	2.25	< 10	10	0.36	10
M237474	205	294	2	-----	-----	< 0.2	1.10	2	240	0.5	< 2	2.36	< 0.5	6	74	3	2.35	< 10	10	0.36	10
M237475	205	294	5	-----	-----	< 0.2	0.99	6	200	0.5	< 2	1.83	< 0.5	7	83	3	2.10	< 10	< 10	0.35	30
M237476	205	294	4	-----	-----	< 0.2	1.26	4	260	0.5	< 2	0.94	< 0.5	7	96	12	2.70	< 10	< 10	0.38	40
M237477	205	294	2	-----	-----	< 0.2	1.12	6	260	0.5	< 2	1.05	< 0.5	7	84	3	2.58	< 10	< 10	0.32	30
M237478	205	294	6	-----	-----	< 0.2	0.92	10	830	0.5	< 2	1.70	< 0.5	6	91	4	2.39	< 10	< 10	0.32	30
M237479	205	294	36	-----	-----	0.6	0.23	12	1620	< 0.5	< 2	0.75	< 0.5	2	226	3	0.83	< 10	10	0.12	< 10
M237480	205	294	5	-----	-----	< 0.2	1.08	8	230	0.5	< 2	1.80	< 0.5	5	117	3	2.11	< 10	10	0.37	30
M237481	205	294	< 1	-----	-----	< 0.2	1.22	< 2	300	0.5	< 2	1.32	< 0.5	6	97	3	2.33	< 10	10	0.37	30
M237482	205	294	4	-----	-----	< 0.2	1.08	4	410	0.5	< 2	1.44	< 0.5	6	96	2	2.24	< 10	10	0.42	30
M237483	205	294	1	-----	-----	< 0.2	0.86	2	370	0.5	< 2	1.22	< 0.5	6	76	3	2.36	< 10	< 10	0.34	30
M237484	205	294	3	-----	-----	< 0.2	0.91	6	320	< 0.5	< 2	1.78	< 0.5	6	77	3	2.24	< 10	< 10	0.27	30
M237485	205	294	< 1	-----	-----	< 0.2	0.78	6	1110	0.5	< 2	1.27	< 0.5	8	67	3	3.07	< 10	10	0.32	30
M237486	205	294	2	-----	-----	< 0.2	1.16	8	2400	0.5	< 2	0.71	< 0.5	8	74	12	2.97	< 10	< 10	0.38	30

CERTIFICATION: [illegible]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :
Total Pages :
Certificate Date :
Invoice No :
P.O. Number
Account : NRV

CERTIFICATE OF ANALYSIS A9632267

SAMPLE	PREP CODE		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237447	205	294	0.76	950	< 1	0.04	4	530	8	< 2	7	20	0.05	< 10	< 10	49	< 10	56
M237448	205	294	0.77	790	< 1	0.05	4	720	6	2	6	23	0.04	< 10	< 10	48	< 10	58
M237449	205	294	0.73	785	< 1	0.05	3	770	2	< 2	6	23	0.04	< 10	< 10	46	< 10	62
M237450	205	294	0.68	880	< 1	0.04	3	750	8	< 2	5	21	0.01	< 10	< 10	37	< 10	60
M237451	205	294	0.73	785	< 1	0.04	3	750	8	< 2	5	20	0.01	< 10	< 10	39	< 10	62
M237452	205	294	0.74	895	< 1	0.04	4	730	8	2	6	22	0.01	< 10	< 10	42	< 10	62
M237453	205	294	0.69	690	< 1	0.03	3	730	8	< 2	5	21	0.03	< 10	< 10	41	< 10	58
M237454	205	294	0.56	700	< 1	0.03	3	460	12	< 2	4	17	0.01	< 10	< 10	33	< 10	46
M237455	205	294	0.67	670	< 1	0.04	4	470	10	< 2	5	17	0.03	< 10	< 10	41	< 10	50
M237456	205	294	0.66	695	< 1	0.05	4	530	8	< 2	5	19	0.03	< 10	< 10	39	< 10	50
M237457	205	294	0.70	745	< 1	0.05	3	720	2	< 2	6	22	0.05	< 10	< 10	47	< 10	56
M237458	205	294	0.70	770	< 1	0.05	3	710	2	2	6	24	0.07	< 10	< 10	46	< 10	56
M237459	205	294	0.64	775	< 1	0.03	3	710	8	< 2	5	23	0.03	< 10	< 10	40	< 10	58
M237460	205	294	0.69	760	< 1	0.04	3	730	10	< 2	5	22	0.01	< 10	< 10	40	< 10	62
M237461	205	294	0.73	765	< 1	0.05	3	690	8	< 2	5	20	0.03	< 10	< 10	42	< 10	60
M237462	205	294	0.74	760	< 1	0.04	4	730	6	2	6	22	0.02	< 10	< 10	43	< 10	62
M237463	205	294	0.75	720	< 1	0.05	4	710	4	2	6	21	0.04	< 10	< 10	45	< 10	60
M237464	205	294	0.79	790	< 1	0.05	3	740	4	2	6	22	0.04	< 10	< 10	47	< 10	62
M237465	205	294	0.71	700	< 1	0.05	3	660	6	< 2	5	19	0.04	< 10	< 10	43	< 10	56
M237466	205	294	0.79	805	< 1	0.05	4	740	4	< 2	6	20	0.05	< 10	< 10	50	< 10	62
M237467	205	294	0.69	725	< 1	0.04	3	680	8	2	6	19	0.02	< 10	< 10	42	< 10	56
M237468	205	294	0.68	705	< 1	0.05	4	550	8	< 2	6	21	0.04	< 10	< 10	46	< 10	54
M237469	205	294	0.14	830	< 1	0.01	3	570	14	< 2	6	20	< 0.01	< 10	< 10	16	< 10	46
M237470	205	294	0.10	625	< 1	0.01	3	500	10	< 2	4	19	< 0.01	< 10	< 10	11	< 10	32
M237471	205	294	0.10	690	< 1	< 0.01	2	550	12	< 2	3	18	< 0.01	< 10	< 10	10	< 10	34
M237472	205	294	0.17	485	< 1	< 0.01	3	570	12	< 2	7	22	< 0.01	< 10	< 10	18	< 10	38
M237473	205	294	0.15	520	< 1	< 0.01	3	500	10	< 2	6	21	< 0.01	< 10	< 10	18	< 10	36
M237474	205	294	0.15	590	< 1	< 0.01	3	530	16	< 2	5	18	< 0.01	< 10	< 10	17	< 10	40
M237475	205	294	0.11	575	< 1	< 0.01	3	600	14	< 2	4	15	< 0.01	< 10	< 10	12	< 10	36
M237476	205	294	0.15	555	< 1	0.01	3	740	14	< 2	5	14	< 0.01	< 10	< 10	17	< 10	46
M237477	205	294	0.18	565	< 1	0.01	3	600	12	< 2	4	14	< 0.01	< 10	< 10	16	< 10	46
M237478	205	294	0.13	755	1	0.01	5	600	16	< 2	4	19	< 0.01	< 10	< 10	12	< 10	40
M237479	205	294	0.04	390	< 1	< 0.01	4	90	64	< 2	< 1	9	< 0.01	< 10	< 10	5	< 10	10
M237480	205	294	0.13	495	< 1	0.01	6	610	12	< 2	4	17	< 0.01	< 10	< 10	12	< 10	38
M237481	205	294	0.19	565	< 1	0.01	6	640	12	< 2	4	18	< 0.01	< 10	< 10	16	< 10	40
M237482	205	294	0.11	725	< 1	0.01	2	640	14	2	4	15	< 0.01	< 10	< 10	12	< 10	38
M237483	205	294	0.09	840	< 1	0.02	2	580	16	< 2	4	25	< 0.01	< 10	< 10	13	< 10	44
M237484	205	294	0.24	740	< 1	0.03	1	540	12	< 2	3	47	< 0.01	< 10	< 10	17	< 10	44
M237485	205	294	0.10	1315	< 1	0.01	2	600	22	2	4	24	< 0.01	< 10	< 10	15	< 10	56
M237486	205	294	0.23	850	< 1	0.02	9	700	16	< 2	6	37	< 0.01	< 10	< 10	24	< 10	50

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number of Samples 44
Total Pages 4
Certificate Date 19-OCT-96
Invoice No I9632267
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9632267

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Au FA g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm
M237487	205	294	< 1	-----	-----	< 0.2	1.25	8	480	0.5	< 2	0.30	< 0.5	10	44	66	3.01	< 10	< 10	0.35	30
M237488	205	294	< 1	-----	-----	< 0.2	1.60	6	400	0.5	< 2	0.32	< 0.5	11	38	70	3.28	< 10	< 10	0.31	30
M237489	205	294	15	-----	-----	< 0.2	2.09	6	420	0.5	< 2	0.35	< 0.5	11	48	22	3.46	< 10	< 10	0.31	30
M237490	205	294	12	-----	-----	< 0.2	2.12	< 2	420	0.5	< 2	0.38	< 0.5	12	38	23	3.63	< 10	< 10	0.27	30
M237491	205	294	< 1	-----	-----	< 0.2	1.33	2	3020	0.5	< 2	8.97	< 0.5	22	198	33	4.09	< 10	< 10	0.21	10
M237492	205	294	3	-----	-----	< 0.2	0.75	2	300	0.5	< 2	3.97	< 0.5	6	67	8	2.19	< 10	< 10	0.28	20
M237493	205	294	35	-----	-----	< 0.2	0.90	6	360	0.5	< 2	1.59	< 0.5	6	77	6	2.15	< 10	10	0.32	20
M237494	205	294	14	-----	-----	< 0.2	0.64	10	1120	0.5	< 2	1.21	< 0.5	6	44	5	2.07	< 10	< 10	0.23	30
M237495	205	294	3	-----	-----	< 0.2	0.77	4	2020	0.5	< 2	3.17	< 0.5	5	65	4	1.86	< 10	< 10	0.31	20
M237496	205	294	2	-----	-----	< 0.2	1.20	< 2	490	0.5	< 2	1.90	< 0.5	6	65	5	2.40	< 10	< 10	0.30	30
M237497	205	294	1	-----	-----	< 0.2	1.47	4	310	< 0.5	< 2	2.19	< 0.5	7	99	6	2.78	< 10	10	0.26	30
M237498	205	294	< 1	-----	-----	< 0.2	1.43	4	270	< 0.5	< 2	2.40	< 0.5	7	108	7	2.68	< 10	10	0.26	30
M237499	205	294	1	-----	-----	< 0.2	1.55	< 2	300	< 0.5	< 2	1.28	< 0.5	7	87	10	2.79	< 10	< 10	0.25	40

CERTIFICATION:_____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : HUNKER
Comments: ATTN: BOB BURBAN FAX: ROB STEVENS

: Number :1-A
Total Pages :4
Certificate Date: 20-OCT-96
Invoice No. :19635668
P.O. Number :ACCOUNT
Account :NRW

CERTIFICATE OF ANALYSIS A9635668

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237500	205	226	6	< 0.2	1.66	80	470	< 0.5	< 2	0.43	< 0.5	9	108	9	3.52	< 10	10	0.48	40	0.85	780
M237501	205	226	88	< 0.2	0.84	428	290	0.5	< 2	0.26	< 0.5	10	117	11	3.49	< 10	20	0.27	40	0.20	875
M237502	205	226	< 1	< 0.2	1.81	14	410	< 0.5	< 2	0.38	< 0.5	10	110	12	3.78	< 10	10	0.56	30	0.89	840
M237503	205	226	1	< 0.2	0.88	24	240	0.5	< 2	0.22	< 0.5	9	115	22	3.07	< 10	10	0.30	30	0.16	880
M237504	205	226	< 1	< 0.2	1.97	14	360	< 0.5	< 2	0.54	< 0.5	11	95	9	3.62	< 10	< 10	0.61	30	0.95	685
M237505	205	226	< 1	< 0.2	2.04	8	420	< 0.5	< 2	0.45	< 0.5	11	123	10	4.26	< 10	< 10	0.69	40	0.91	990
M237506	205	226	3	< 0.2	1.80	54	460	0.5	< 2	0.39	< 0.5	9	119	8	3.54	< 10	10	0.53	40	0.56	885
M237507	205	226	< 1	< 0.2	1.73	8	540	< 0.5	< 2	0.39	< 0.5	8	114	4	3.31	< 10	< 10	0.51	50	0.75	985
M237508	205	226	1	< 0.2	1.76	2	550	< 0.5	< 2	0.38	< 0.5	9	117	3	3.39	< 10	< 10	0.65	40	0.85	700
M237509	205	226	< 1	< 0.2	1.81	< 2	380	< 0.5	< 2	0.36	< 0.5	8	106	5	3.48	< 10	< 10	0.43	50	0.78	845
M237510	205	226	< 1	< 0.2	1.84	4	410	0.5	< 2	0.33	< 0.5	8	104	6	3.34	< 10	10	0.47	50	0.72	905
M237511	205	226	< 1	< 0.2	1.57	< 2	360	0.5	< 2	0.32	< 0.5	8	91	7	3.36	< 10	< 10	0.39	50	0.60	805
M237512	205	226	< 1	< 0.2	1.22	< 2	330	0.5	< 2	0.28	< 0.5	8	125	8	3.23	< 10	10	0.42	40	0.30	780
M237513	205	226	< 1	< 0.2	1.53	6	750	0.5	< 2	0.62	< 0.5	9	87	11	3.43	< 10	10	0.41	40	0.33	810
M237514	205	226	< 1	< 0.2	1.43	6	880	0.5	< 2	0.28	< 0.5	8	110	7	3.18	< 10	30	0.42	40	0.45	890
M237515	205	226	6	< 0.2	0.87	114	420	0.5	< 2	0.25	0.5	8	117	9	3.13	< 10	10	0.34	50	0.12	835
M237516	205	226	17	0.2	0.82	146	420	0.5	< 2	0.23	2.5	8	124	10	3.09	< 10	50	0.32	50	0.13	940
M237517	205	226	1	< 0.2	1.27	32	470	< 0.5	< 2	0.29	0.5	7	107	5	3.08	< 10	10	0.35	40	0.49	715
M237518	205	226	< 1	< 0.2	1.49	2	440	< 0.5	< 2	0.31	< 0.5	8	104	4	3.18	< 10	10	0.41	40	0.79	745
M237519	205	226	< 1	< 0.2	1.39	< 2	470	< 0.5	< 2	0.37	< 0.5	7	91	5	2.90	< 10	10	0.52	30	0.78	645
M237520	205	226	35	< 0.2	1.66	36	470	0.5	< 2	0.33	0.5	10	117	34	3.93	< 10	10	0.43	40	0.51	1015
M237521	205	226	1	< 0.2	1.91	28	480	< 0.5	< 2	0.42	< 0.5	10	97	26	4.15	< 10	10	0.50	40	0.69	950
M237522	205	226	< 1	< 0.2	1.77	32	460	< 0.5	< 2	0.31	0.5	9	113	9	3.66	< 10	10	0.40	40	0.65	965
M237523	205	226	1	< 0.2	1.57	36	420	0.5	< 2	0.27	< 0.5	8	101	17	3.30	< 10	10	0.38	40	0.49	875
M237524	205	226	1	< 0.2	1.68	46	450	0.5	< 2	0.29	< 0.5	9	109	14	3.69	< 10	10	0.44	40	0.53	940
M237525	205	226	72	< 0.2	0.98	436	390	< 0.5	< 2	0.24	< 0.5	5	81	7	2.23	< 10	< 10	0.33	40	0.23	765
M237526	205	226	63	< 0.2	0.93	420	250	< 0.5	< 2	0.20	0.5	5	71	8	2.08	< 10	< 10	0.35	30	0.24	675
M237527	205	226	23	< 0.2	1.76	134	450	< 0.5	< 2	0.46	< 0.5	9	109	12	3.51	< 10	10	0.42	40	0.62	750
M237528	205	226	7	< 0.2	1.70	118	470	< 0.5	< 2	0.49	< 0.5	8	100	7	3.38	< 10	10	0.50	30	0.74	820
M237529	205	226	9	< 0.2	1.73	136	440	< 0.5	< 2	0.48	< 0.5	9	95	21	3.58	< 10	10	0.49	30	0.71	745
M237530	205	226	1	< 0.2	1.86	70	440	< 0.5	< 2	0.52	0.5	8	90	7	3.58	< 10	10	0.45	40	0.78	755
M237531	205	226	30	< 0.2	1.70	180	420	< 0.5	< 2	0.50	< 0.5	8	93	7	3.23	< 10	< 10	0.43	30	0.66	690
M237532	205	226	10	< 0.2	1.93	76	420	< 0.5	< 2	0.59	< 0.5	9	100	7	3.49	< 10	< 10	0.46	30	0.76	790
M237533	205	226	16	< 0.2	1.87	106	450	< 0.5	< 2	0.44	< 0.5	9	108	6	3.45	< 10	10	0.50	30	0.74	815
M237534	205	226	16	< 0.2	1.50	194	470	< 0.5	< 2	0.36	< 0.5	7	125	10	3.05	< 10	10	0.52	30	0.55	720
M237535	205	226	6	< 0.2	1.59	150	440	< 0.5	< 2	0.38	< 0.5	8	107	11	3.20	< 10	< 10	0.49	40	0.50	760
M237536	205	226	3	< 0.2	1.64	94	450	< 0.5	< 2	0.42	< 0.5	8	117	5	3.24	< 10	< 10	0.55	40	0.66	775
M237537	205	226	4	< 0.2	1.18	88	390	< 0.5	< 2	0.38	< 0.5	9	105	5	3.61	< 10	< 10	0.41	40	0.40	685
M237538	205	226	1	< 0.2	1.63	96	450	< 0.5	< 2	0.52	< 0.5	8	111	5	3.30	< 10	10	0.56	40	0.68	730
M237539	205	226	6	< 0.2	1.51	174	480	< 0.5	< 2	0.37	< 0.5	8	109	6	3.14	< 10	< 10	0.45	40	0.47	805

CERTIFICATION: Stan Bulder

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : HUNKER
Comments: ATTN: BOB BURBAN FAX: ROB STEVENS

Number : 1-B
Total Pages : 4
Certificate Date: 20-OCT-96
Invoice No. : 19635668
P.O. Number : ACCOUNT
Account : NRW

CERTIFICATE OF ANALYSIS A9635668

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237500	205	226	< 1	0.03	5	870	6	2	5	25	0.11	< 10	< 10	54	< 10	74
M237501	205	226	1	0.01	5	870	14	2	5	14	< 0.01	< 10	< 10	24	< 10	62
M237502	205	226	< 1	0.03	5	860	4	< 2	6	22	0.10	< 10	< 10	60	< 10	70
M237503	205	226	8	0.02	4	710	10	< 2	4	13	< 0.01	< 10	< 10	23	< 10	48
M237504	205	226	< 1	0.03	3	920	4	< 2	5	34	0.16	< 10	< 10	60	< 10	68
M237505	205	226	< 1	0.05	5	910	4	< 2	7	25	0.06	< 10	< 10	61	< 10	70
M237506	205	226	< 1	0.03	5	830	10	2	7	22	0.03	< 10	< 10	43	< 10	64
M237507	205	226	1	0.05	4	740	6	< 2	7	24	0.09	< 10	< 10	51	< 10	62
M237508	205	226	< 1	0.05	4	800	6	< 2	8	24	0.12	< 10	< 10	56	< 10	66
M237509	205	226	< 1	0.04	5	800	6	< 2	7	22	0.06	< 10	< 10	53	< 10	66
M237510	205	226	1	0.04	4	780	8	< 2	7	20	0.03	< 10	< 10	41	< 10	62
M237511	205	226	< 1	0.03	4	850	8	2	7	19	0.01	< 10	< 10	39	< 10	64
M237512	205	226	1	0.03	4	810	8	< 2	6	16	< 0.01	< 10	< 10	33	< 10	58
M237513	205	226	< 1	0.03	7	760	12	< 2	7	41	0.01	< 10	< 10	36	< 10	60
M237514	205	226	< 1	0.03	5	800	8	2	6	20	< 0.01	< 10	< 10	30	< 10	60
M237515	205	226	1	< 0.01	4	840	14	< 2	6	14	< 0.01	< 10	< 10	14	< 10	56
M237516	205	226	< 1	< 0.01	4	730	32	2	5	13	< 0.01	< 10	< 10	13	< 10	148
M237517	205	226	< 1	0.03	4	740	8	< 2	6	17	0.02	< 10	< 10	32	< 10	72
M237518	205	226	< 1	0.05	4	740	2	< 2	7	18	0.07	< 10	< 10	46	< 10	68
M237519	205	226	< 1	0.05	3	700	6	< 2	6	22	0.13	< 10	< 10	50	< 10	60
M237520	205	226	< 1	0.03	6	840	14	2	9	17	0.04	< 10	< 10	41	< 10	70
M237521	205	226	< 1	0.04	6	890	8	2	10	21	0.09	< 10	< 10	54	< 10	74
M237522	205	226	< 1	0.04	4	830	8	< 2	8	19	0.04	< 10	< 10	42	< 10	64
M237523	205	226	< 1	0.03	4	770	8	< 2	7	17	0.01	< 10	< 10	32	< 10	58
M237524	205	226	< 1	0.03	5	790	8	< 2	8	19	0.02	< 10	< 10	37	< 10	62
M237525	205	226	< 1	0.04	3	510	14	< 2	3	16	0.01	< 10	< 10	19	< 10	50
M237526	205	226	1	0.04	3	470	10	< 2	3	13	0.02	< 10	< 10	18	< 10	50
M237527	205	226	< 1	0.04	6	820	4	< 2	8	30	0.07	< 10	< 10	51	< 10	68
M237528	205	226	< 1	0.05	4	790	4	< 2	7	28	0.13	< 10	< 10	55	< 10	64
M237529	205	226	1	0.04	4	840	6	2	8	27	0.13	< 10	< 10	57	< 10	66
M237530	205	226	< 1	0.04	5	890	2	< 2	8	31	0.13	< 10	< 10	57	< 10	70
M237531	205	226	< 1	0.03	4	800	8	< 2	7	29	0.12	< 10	< 10	53	< 10	66
M237532	205	226	< 1	0.04	5	820	6	< 2	7	33	0.15	< 10	< 10	59	< 10	68
M237533	205	226	< 1	0.04	4	830	6	2	7	27	0.10	< 10	< 10	53	< 10	68
M237534	205	226	< 1	0.04	4	790	6	< 2	6	20	0.08	< 10	< 10	45	< 10	56
M237535	205	226	1	0.04	4	790	8	< 2	7	24	0.05	< 10	< 10	45	< 10	60
M237536	205	226	< 1	0.05	4	790	2	4	7	25	0.10	< 10	< 10	51	< 10	60
M237537	205	226	1	0.04	4	950	8	2	7	22	0.05	< 10	< 10	40	< 10	72
M237538	205	226	< 1	0.05	3	800	2	< 2	7	30	0.12	< 10	< 10	52	< 10	62
M237539	205	226	1	0.04	3	800	8	< 2	7	24	0.03	< 10	< 10	43	< 10	58

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : HUNKER
Comments: ATTN: BOB BURBAN FAX: ROB STEVENS

Number : 2-A
Total Pages : 4
Certificate Date: 20-OCT-96
Invoice No. : 19635668
P.O. Number : ACCOUNT
Account : NRW

CERTIFICATE OF ANALYSIS A9635668

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237540	205	226	3	< 0.2	1.39	74	450	< 0.5	< 2	0.39	< 0.5	7	90	5	3.06	< 10	< 10	0.43	40	0.57	780
M237541	205	226	< 1	< 0.2	1.15	94	460	< 0.5	< 2	0.30	< 0.5	7	157	5	3.14	< 10	< 10	0.42	40	0.34	815
M237542	205	226	9	< 0.2	0.74	150	430	< 0.5	< 2	0.25	< 0.5	8	183	11	2.94	< 10	< 10	0.32	40	0.11	1000
M237543	205	226	4	< 0.2	0.87	114	320	0.5	< 2	0.26	< 0.5	8	170	4	2.97	< 10	10	0.33	40	0.18	720
M237544	205	226	7	< 0.2	0.62	156	370	0.5	< 2	0.29	< 0.5	8	167	8	2.90	< 10	10	0.28	40	0.08	730
M237545	205	226	4	< 0.2	1.29	142	330	< 0.5	< 2	0.35	< 0.5	9	165	7	3.45	< 10	10	0.44	40	0.37	715
M237546	205	226	1	< 0.2	1.41	110	370	< 0.5	< 2	0.38	< 0.5	9	134	5	3.45	< 10	10	0.40	40	0.48	880
M237547	205	226	34	< 0.2	1.09	58	430	0.5	< 2	0.30	0.5	9	135	8	3.47	< 10	10	0.36	40	0.24	855
M237548	205	226	5	< 0.2	1.43	42	550	0.5	< 2	0.34	< 0.5	9	110	9	3.51	< 10	< 10	0.34	40	0.36	1195
M237549	205	226	1	< 0.2	1.66	32	560	< 0.5	< 2	0.41	< 0.5	9	120	5	3.19	< 10	< 10	0.42	40	0.60	710
M237550	205	226	3	< 0.2	1.44	50	570	< 0.5	< 2	0.41	< 0.5	9	99	10	3.24	< 10	< 10	0.42	50	0.53	1045
M237551	205	226	2	< 0.2	1.53	34	550	< 0.5	< 2	0.45	< 0.5	8	107	10	3.35	< 10	< 10	0.49	40	0.63	905
M237552	205	226	8	< 0.2	1.48	74	540	0.5	< 2	0.33	< 0.5	8	137	17	3.28	< 10	10	0.40	40	0.32	1005
M237553	205	226	6	< 0.2	1.49	72	490	< 0.5	< 2	0.37	< 0.5	8	102	5	3.10	< 10	10	0.41	40	0.46	830
M237554	205	226	5	< 0.2	1.47	98	540	< 0.5	< 2	0.34	< 0.5	7	107	7	2.98	< 10	10	0.38	40	0.47	965
M237555	205	226	< 1	< 0.2	1.61	36	500	< 0.5	< 2	0.41	< 0.5	7	111	3	3.04	< 10	< 10	0.36	40	0.61	870
M237556	205	226	< 1	< 0.2	1.56	32	440	< 0.5	< 2	0.43	< 0.5	8	98	5	3.15	< 10	10	0.31	40	0.66	695
M237557	205	226	105	< 0.2	1.30	214	450	< 0.5	< 2	0.31	< 0.5	8	131	13	2.98	< 10	< 10	0.37	40	0.38	825
M237558	205	226	22	< 0.2	1.20	206	450	< 0.5	< 2	0.30	< 0.5	7	107	5	2.83	< 10	< 10	0.35	50	0.31	900
M237559	205	226	2	< 0.2	1.56	76	520	< 0.5	< 2	0.38	< 0.5	9	144	6	3.20	< 10	< 10	0.46	40	0.50	980
M237560	205	226	1	< 0.2	1.64	42	480	< 0.5	< 2	0.48	< 0.5	7	76	5	3.14	< 10	< 10	0.42	30	0.71	760
M237561	205	226	1	< 0.2	1.75	54	490	< 0.5	< 2	0.50	< 0.5	8	125	5	3.21	< 10	10	0.44	40	0.67	720
M237562	205	226	4	< 0.2	1.69	112	450	< 0.5	< 2	0.41	0.5	8	73	8	3.14	< 10	10	0.39	40	0.58	815
M237563	205	226	4	< 0.2	1.39	140	420	< 0.5	< 2	0.31	< 0.5	7	134	8	2.97	< 10	< 10	0.37	40	0.32	730
M237564	205	226	2	< 0.2	1.63	84	410	< 0.5	< 2	0.40	< 0.5	7	79	5	3.09	< 10	< 10	0.56	40	0.62	640
M237565	205	226	< 1	< 0.2	1.74	58	380	< 0.5	< 2	0.55	< 0.5	7	116	5	3.16	< 10	< 10	0.62	40	0.74	665
M237566	205	226	< 1	< 0.2	1.53	34	280	< 0.5	< 2	0.65	< 0.5	7	60	4	2.82	< 10	10	0.50	40	0.68	550
M237567	205	226	44	< 0.2	1.52	340	500	< 0.5	< 2	0.41	< 0.5	7	92	7	2.76	< 10	< 10	0.41	50	0.44	705
M237568	205	226	13	< 0.2	1.84	214	600	< 0.5	< 2	0.39	< 0.5	8	83	8	3.19	< 10	10	0.47	50	0.54	890
M237569	205	226	33	< 0.2	1.01	300	450	0.5	< 2	0.26	< 0.5	7	56	7	2.89	< 10	< 10	0.32	40	0.21	755
M237570	205	226	19	< 0.2	0.98	224	510	0.5	< 2	0.24	0.5	9	59	8	3.15	< 10	< 10	0.39	50	0.15	1090
M237571	205	226	210	< 0.2	1.17	214	490	< 0.5	< 2	0.33	< 0.5	8	64	6	2.93	< 10	< 10	0.37	40	0.43	855
M237572	205	226	3	< 0.2	1.45	106	450	< 0.5	< 2	0.42	< 0.5	8	53	5	2.93	< 10	< 10	0.39	40	0.62	715
M237573	205	226	< 1	< 0.2	1.44	52	470	< 0.5	< 2	0.41	< 0.5	8	65	6	3.08	< 10	< 10	0.65	40	0.75	690
M237574	205	226	2	< 0.2	1.41	118	560	< 0.5	< 2	0.35	< 0.5	7	82	6	3.07	< 10	< 10	0.58	40	0.54	900
M237575	205	226	13	0.2	1.63	172	600	< 0.5	< 2	0.35	< 0.5	9	63	31	3.13	< 10	10	0.53	50	0.52	1010
M237576	205	226	< 1	< 0.2	1.61	154	510	< 0.5	< 2	0.39	< 0.5	8	69	6	3.14	< 10	< 10	0.47	40	0.57	805
M237577	205	226	< 1	< 0.2	1.65	106	500	< 0.5	< 2	0.40	< 0.5	8	100	4	3.30	< 10	< 10	0.67	50	0.71	675
M237578	205	226	< 1	< 0.2	1.35	152	460	< 0.5	< 2	0.32	< 0.5	8	58	3	2.95	< 10	< 10	0.47	40	0.46	780
M237579	205	226	< 1	< 0.2	1.56	172	530	0.5	< 2	0.36	< 0.5	8	91	3	2.91	< 10	< 10	0.38	40	0.46	845

CERTIFICATION:_____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : HUNKER
Comments: ATTN: BOB BURBAN FAX: ROB STEVENS

Number : 2-B
Total Pages : 4
Certificate Date: 20-OCT-96
Invoice No. : 19635668
P.O. Number : ACCOUNT
Account : NRW

CERTIFICATE OF ANALYSIS A9635668

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237540	205	226	< 1	0.04	3	760	2	< 2	7	25	0.07	< 10	< 10	44	< 10	56
M237541	205	226	< 1	0.05	4	790	6	< 2	6	20	0.03	< 10	< 10	37	< 10	54
M237542	205	226	2	0.03	3	840	8	2	6	15	< 0.01	< 10	< 10	26	< 10	50
M237543	205	226	1	0.04	4	820	8	< 2	6	17	< 0.01	< 10	< 10	30	< 10	54
M237544	205	226	< 1	0.01	4	820	16	2	6	16	< 0.01	< 10	< 10	20	< 10	48
M237545	205	226	4	0.05	3	850	8	2	8	23	0.04	< 10	< 10	42	< 10	64
M237546	205	226	1	0.04	4	900	2	< 2	7	24	0.05	< 10	< 10	46	< 10	68
M237547	205	226	< 1	0.04	4	880	10	< 2	9	17	< 0.01	< 10	< 10	32	< 10	64
M237548	205	226	< 1	0.03	4	820	10	< 2	9	19	< 0.01	< 10	< 10	33	< 10	66
M237549	205	226	< 1	0.06	4	760	2	< 2	7	25	0.04	< 10	< 10	41	< 10	62
M237550	205	226	1	0.04	3	780	4	< 2	7	22	0.06	< 10	< 10	43	< 10	60
M237551	205	226	< 1	0.06	3	780	2	< 2	8	25	0.10	< 10	< 10	50	< 10	62
M237552	205	226	< 1	0.04	3	780	10	< 2	7	20	< 0.01	< 10	< 10	31	< 10	60
M237553	205	226	1	0.04	3	750	6	< 2	7	23	0.04	< 10	< 10	39	< 10	58
M237554	205	226	1	0.03	3	760	6	< 2	6	20	0.01	< 10	< 10	35	< 10	56
M237555	205	226	< 1	0.06	2	730	4	2	6	26	0.04	< 10	< 10	39	< 10	58
M237556	205	226	< 1	0.05	3	780	2	< 2	7	25	0.06	< 10	< 10	45	< 10	62
M237557	205	226	1	0.04	4	750	8	< 2	6	19	0.02	< 10	< 10	39	< 10	56
M237558	205	226	< 1	0.03	4	770	8	< 2	6	17	0.01	< 10	< 10	33	< 10	52
M237559	205	226	< 1	0.05	4	800	6	< 2	8	23	0.06	< 10	< 10	41	< 10	62
M237560	205	226	< 1	0.04	3	770	2	< 2	7	24	0.13	< 10	< 10	52	< 10	60
M237561	205	226	< 1	0.06	4	770	6	< 2	8	30	0.11	< 10	< 10	51	< 10	62
M237562	205	226	< 1	0.04	4	810	6	< 2	7	26	0.04	< 10	< 10	43	< 10	62
M237563	205	226	< 1	0.04	4	770	8	2	6	20	< 0.01	< 10	< 10	34	< 10	54
M237564	205	226	< 1	0.04	3	800	4	< 2	7	22	0.11	< 10	< 10	47	< 10	60
M237565	205	226	< 1	0.05	4	790	4	2	7	28	0.16	< 10	< 10	53	< 10	60
M237566	205	226	< 1	0.04	3	610	2	< 2	5	28	0.17	< 10	< 10	51	< 10	54
M237567	205	226	< 1	0.03	4	850	8	< 2	5	23	0.04	< 10	< 10	45	< 10	46
M237568	205	226	< 1	0.05	4	830	6	< 2	8	27	0.03	< 10	< 10	47	< 10	62
M237569	205	226	1	0.03	4	800	10	< 2	7	15	< 0.01	< 10	< 10	26	< 10	54
M237570	205	226	2	0.03	3	840	10	2	7	15	< 0.01	< 10	< 10	25	< 10	56
M237571	205	226	1	0.03	3	800	6	< 2	6	17	0.05	< 10	< 10	39	< 10	54
M237572	205	226	< 1	0.04	3	740	4	< 2	6	25	0.09	< 10	< 10	44	< 10	56
M237573	205	226	< 1	0.05	2	730	2	< 2	7	19	0.16	< 10	< 10	53	< 10	58
M237574	205	226	< 1	0.05	3	780	2	2	7	20	0.09	< 10	< 10	48	< 10	58
M237575	205	226	3	0.04	3	720	14	< 2	7	21	0.05	< 10	< 10	44	< 10	62
M237576	205	226	< 1	0.04	3	770	2	2	7	22	0.06	< 10	< 10	44	< 10	60
M237577	205	226	< 1	0.06	2	780	< 2	< 2	8	25	0.13	< 10	< 10	51	< 10	62
M237578	205	226	< 1	0.03	2	740	6	< 2	7	18	0.05	< 10	< 10	41	< 10	56
M237579	205	226	< 1	0.03	3	750	6	< 2	6	22	< 0.01	< 10	< 10	34	< 10	62

CERTIFICATION: Stewart Borthwick

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : HUNKER
Comments: ATTN: BOB BURBAN FAX: ROB STEVENS

Number : 3-A
Total Pages : 4
Certificate Date: 20-OCT-96
Invoice No. : 19635668
P.O. Number : ACCOUNT
Account : NRW

CERTIFICATE OF ANALYSIS A9635668

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237580	205	226	< 1	< 0.2	1.71	186	600	0.5	< 2	0.41	< 0.5	8	130	6	3.10	< 10	< 10	0.43	40	0.52	825
M237581	205	226	1	< 0.2	1.80	4	940	0.5	< 2	0.46	< 0.5	10	52	7	3.13	< 10	< 10	0.32	20	0.65	730
M237582	205	226	< 1	< 0.2	1.93	< 2	750	< 0.5	< 2	0.48	< 0.5	9	56	6	3.09	< 10	< 10	0.41	30	0.75	600
M237583	205	226	< 1	< 0.2	1.90	< 2	840	< 0.5	< 2	0.53	< 0.5	9	55	5	2.88	< 10	< 10	0.46	20	0.81	625
M237584	205	226	< 1	< 0.2	1.87	6	540	< 0.5	< 2	0.52	< 0.5	10	54	6	3.07	< 10	< 10	0.47	20	0.84	665
M237585	205	226	< 1	< 0.2	3.51	12	770	0.5	< 2	1.17	< 0.5	25	78	24	5.85	< 10	10	0.17	30	1.53	1140
M237586	205	226	3	< 0.2	2.66	< 2	1290	0.5	< 2	0.76	< 0.5	13	52	13	3.86	< 10	< 10	0.44	20	1.18	885
M237587	205	226	20	< 0.2	1.81	6	170	0.5	< 2	0.69	< 0.5	8	48	7	2.75	< 10	< 10	0.31	30	0.67	405
M237588	205	226	21	< 0.2	3.37	48	750	0.5	< 2	1.68	< 0.5	26	65	27	6.54	< 10	10	0.22	30	1.14	1535
M237589	205	226	27	< 0.2	2.27	8	330	< 0.5	< 2	0.57	< 0.5	11	88	7	3.96	< 10	10	0.59	30	0.94	710
M237590	205	226	25	< 0.2	1.87	6	320	< 0.5	< 2	0.50	< 0.5	9	88	5	3.54	< 10	< 10	0.61	30	0.91	740
M237591	205	226	375	0.2	0.77	1290	400	< 0.5	< 2	0.29	1.5	8	179	8	3.16	< 10	10	0.37	50	0.10	875
M237592	205	226	5	< 0.2	1.86	6	450	< 0.5	< 2	0.48	< 0.5	9	132	5	3.45	< 10	< 10	0.59	30	0.83	790
M237593	205	226	4	< 0.2	1.62	8	310	< 0.5	< 2	0.59	< 0.5	8	114	2	2.89	< 10	10	0.59	20	0.83	580
M237594	205	226	20	0.2	1.70	32	480	< 0.5	< 2	0.41	< 0.5	9	93	7	3.42	< 10	< 10	0.34	40	0.59	1070
M237595	205	226	14	< 0.2	1.58	44	530	< 0.5	< 2	0.50	< 0.5	8	148	3	3.28	< 10	< 10	0.54	30	0.74	705
M237596	205	226	5	< 0.2	1.61	4	410	< 0.5	< 2	0.64	< 0.5	9	73	4	3.24	< 10	< 10	0.35	30	0.65	955
M237597	205	226	5	< 0.2	1.72	8	370	< 0.5	< 2	0.80	< 0.5	11	87	6	3.65	< 10	< 10	0.34	30	0.48	840
M237598	205	226	4	< 0.2	1.51	38	390	0.5	< 2	0.49	< 0.5	9	67	5	3.23	< 10	< 10	0.38	30	0.30	1070
M237599	205	226	1	< 0.2	2.03	< 2	520	< 0.5	< 2	0.47	< 0.5	10	129	8	3.89	< 10	< 10	0.35	30	0.74	910
M237600	205	226	1	< 0.2	2.26	< 2	440	< 0.5	< 2	0.47	< 0.5	11	102	9	4.18	< 10	10	0.30	40	0.81	955
M237601	205	226	7	< 0.2	1.94	< 2	380	< 0.5	< 2	0.39	< 0.5	9	99	5	3.39	< 10	< 10	0.31	40	0.65	840
M237602	205	226	10	< 0.2	1.98	36	490	0.5	< 2	0.40	< 0.5	9	83	11	3.38	< 10	< 10	0.42	30	0.54	1165
M237603	205	226	15	< 0.2	2.14	42	420	0.5	< 2	0.45	< 0.5	8	97	5	3.50	< 10	10	0.40	40	0.64	945
M237604	205	226	2	< 0.2	1.97	20	380	0.5	< 2	0.58	0.5	9	83	7	3.60	< 10	10	0.37	40	0.62	1185
M237605	205	226	5	< 0.2	1.79	2	590	< 0.5	< 2	0.37	< 0.5	9	120	9	3.27	< 10	< 10	0.44	30	0.64	800
M237606	205	226	4	< 0.2	1.97	< 2	510	0.5	< 2	0.38	< 0.5	10	54	8	3.68	< 10	< 10	0.42	30	0.67	865
M237607	205	226	1	< 0.2	1.39	4	410	0.5	< 2	1.33	< 0.5	11	44	7	3.58	< 10	10	0.33	30	0.37	1055
M237608	205	226	5	< 0.2	1.11	14	380	0.5	< 2	0.59	< 0.5	10	43	5	3.44	< 10	10	0.30	30	0.14	1065
M237609	205	226	4	< 0.2	1.14	8	340	0.5	< 2	0.34	< 0.5	12	49	8	3.47	< 10	10	0.33	30	0.14	1065
M237610	205	226	1	< 0.2	1.30	2	300	0.5	< 2	0.31	0.5	11	51	7	3.79	< 10	10	0.37	30	0.29	955
M237611	205	226	2	< 0.2	1.48	6	380	0.5	< 2	0.32	< 0.5	12	52	7	3.63	< 10	20	0.36	30	0.26	850
M237612	205	226	1	< 0.2	1.34	< 2	270	0.5	< 2	0.30	< 0.5	11	45	6	3.52	< 10	10	0.33	30	0.30	870
M237613	205	226	2	< 0.2	1.48	2	290	0.5	< 2	0.33	< 0.5	11	53	6	3.48	< 10	< 10	0.41	30	0.44	840
M237614	205	226	2	< 0.2	1.57	2	370	< 0.5	< 2	0.48	< 0.5	11	50	6	3.57	< 10	< 10	0.34	30	0.63	885
M237615	205	226	4	< 0.2	1.61	< 2	290	< 0.5	< 2	0.94	< 0.5	11	56	7	3.28	< 10	< 10	0.40	30	0.57	805
M237616	205	226	6	< 0.2	1.03	26	260	0.5	< 2	0.31	< 0.5	9	87	5	2.95	< 10	< 10	0.28	30	0.20	915
M237617	205	226	5	< 0.2	1.43	10	260	< 0.5	< 2	0.35	< 0.5	8	119	4	3.05	< 10	< 10	0.35	40	0.43	680
M237618	205	226	< 1	< 0.2	3.39	2	500	< 0.5	< 2	1.16	< 0.5	21	158	13	4.26	< 10	< 10	0.63	10	2.50	695
M237619	205	226	12	< 0.2	2.05	10	340	0.5	< 2	0.45	< 0.5	13	96	10	3.65	< 10	10	0.34	30	0.78	770

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : HUNKER
Comments: ATTN: BOB BURBAN FAX: ROB STEVENS

: Number : 3-B
Total Pages : 4
Certificate Date: 20-OCT-96
Invoice No. : 19635668
P.O. Number : ACCOUNT
Account : NRW

CERTIFICATE OF ANALYSIS A9635668

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237580	205	226	< 1	0.04	3	770	6	< 2	6	24	< 0.01	< 10	< 10	39	< 10	66
M237581	205	226	< 1	0.02	4	680	8	2	9	42	< 0.01	< 10	< 10	43	< 10	64
M237582	205	226	< 1	0.03	4	650	8	< 2	9	60	0.03	< 10	< 10	49	< 10	58
M237583	205	226	< 1	0.04	4	620	6	< 2	7	68	0.09	< 10	< 10	56	< 10	54
M237584	205	226	< 1	0.05	6	730	6	< 2	8	62	0.09	< 10	< 10	58	< 10	58
M237585	205	226	< 1	0.02	46	2520	< 2	2	15	79	0.05	< 10	< 10	71	< 10	100
M237586	205	226	< 1	0.04	18	1270	2	< 2	11	168	0.07	< 10	< 10	64	< 10	68
M237587	205	226	< 1	0.01	9	1430	12	< 2	5	58	< 0.01	< 10	< 10	28	< 10	52
M237588	205	226	< 1	0.03	40	4400	2	2	14	168	0.03	< 10	< 10	75	< 10	90
M237589	205	226	< 1	0.05	6	910	2	< 2	10	36	0.13	< 10	< 10	63	< 10	70
M237590	205	226	< 1	0.05	4	800	2	< 2	8	29	0.15	< 10	< 10	62	< 10	64
M237591	205	226	< 1	0.02	4	920	24	< 2	5	14	< 0.01	< 10	< 10	80	< 10	66
M237592	205	226	< 1	0.05	3	790	2	< 2	7	25	0.11	< 10	< 10	55	< 10	64
M237593	205	226	< 1	0.07	3	580	4	< 2	5	30	0.16	< 10	< 10	59	< 10	50
M237594	205	226	< 1	0.03	4	800	8	< 2	6	22	0.01	< 10	< 10	40	< 10	66
M237595	205	226	< 1	0.06	4	790	2	< 2	6	25	0.12	< 10	< 10	52	< 10	58
M237596	205	226	< 1	0.05	4	600	6	< 2	8	35	0.03	< 10	< 10	53	< 10	56
M237597	205	226	< 1	0.04	4	620	8	2	9	42	< 0.01	< 10	< 10	52	< 10	60
M237598	205	226	< 1	0.02	3	660	16	2	7	23	< 0.01	< 10	< 10	39	< 10	52
M237599	205	226	< 1	0.06	4	840	4	< 2	9	31	0.05	< 10	< 10	59	< 10	72
M237600	205	226	< 1	0.04	4	970	6	< 2	7	26	0.03	< 10	< 10	57	< 10	78
M237601	205	226	< 1	0.05	4	780	8	2	6	24	0.01	< 10	< 10	45	< 10	64
M237602	205	226	< 1	0.03	4	700	14	< 2	7	23	0.03	< 10	< 10	41	< 10	62
M237603	205	226	< 1	0.03	4	820	8	< 2	6	27	0.02	< 10	< 10	43	< 10	82
M237604	205	226	< 1	0.03	5	900	8	< 2	7	31	0.03	< 10	< 10	47	< 10	68
M237605	205	226	2	0.06	4	700	2	< 2	7	24	0.07	< 10	< 10	50	< 10	60
M237606	205	226	< 1	0.03	4	660	10	< 2	9	22	0.04	< 10	< 10	64	< 10	62
M237607	205	226	< 1	0.03	4	580	12	2	8	22	< 0.01	< 10	< 10	47	< 10	58
M237608	205	226	< 1	0.01	3	630	14	2	7	18	< 0.01	< 10	< 10	36	< 10	54
M237609	205	226	1	0.01	3	640	14	< 2	8	16	< 0.01	< 10	< 10	37	< 10	54
M237610	205	226	< 1	0.02	4	600	14	2	8	17	< 0.01	< 10	< 10	48	< 10	58
M237611	205	226	1	0.03	4	650	12	< 2	8	17	< 0.01	< 10	< 10	49	< 10	60
M237612	205	226	1	0.02	3	640	14	2	7	16	< 0.01	< 10	< 10	45	< 10	56
M237613	205	226	< 1	0.04	3	630	8	< 2	7	19	0.01	< 10	< 10	52	< 10	56
M237614	205	226	< 1	0.04	4	590	8	2	8	31	0.02	< 10	< 10	59	< 10	58
M237615	205	226	< 1	0.05	3	600	8	< 2	8	50	0.02	< 10	< 10	58	< 10	56
M237616	205	226	1	0.03	3	710	14	< 2	6	16	< 0.01	< 10	< 10	31	< 10	52
M237617	205	226	< 1	0.05	3	740	10	< 2	6	21	0.01	< 10	< 10	41	< 10	58
M237618	205	226	< 1	0.14	74	1330	< 2	< 2	11	92	0.11	< 10	< 10	108	< 10	56
M237619	205	226	< 1	0.03	24	960	8	< 2	8	24	< 0.01	< 10	< 10	51	< 10	58

CERTIFICATION: Ian Pontbriand

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : HUNKER
Comments: ATTN: BOB BURBAN FAX: ROB STEVENS

Number :4-A
Total Pages :4
Certificate Date: 20-OCT-96
Invoice No. :19635668
P.O. Number :ACCOUNT
Account :NRW

CERTIFICATE OF ANALYSIS A9635668

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237620	205	226	6	< 0.2	1.70	2	260	< 0.5	< 2	0.28	< 0.5	7	119	4	3.12	< 10	< 10	0.27	30	0.80	775
M237621	205	226	6	< 0.2	1.99	< 2	310	< 0.5	< 2	0.27	< 0.5	9	100	5	3.27	< 10	10	0.34	30	0.86	950
M237622	205	226	7	< 0.2	1.84	16	270	< 0.5	< 2	0.25	< 0.5	8	86	5	3.10	< 10	< 10	0.28	30	0.74	825
M237623	205	226	14	< 0.2	1.98	36	310	< 0.5	< 2	0.26	< 0.5	9	98	6	3.02	< 10	< 10	0.29	30	0.73	625
M237624	205	226	5	< 0.2	1.58	6	250	< 0.5	< 2	0.26	< 0.5	9	104	5	3.17	< 10	< 10	0.32	30	0.52	780
M237625	205	226	< 1	< 0.2	2.70	< 2	330	0.5	< 2	0.45	< 0.5	10	247	7	3.28	< 10	10	0.57	30	0.55	700
M237626	205	226	< 1	< 0.2	1.47	10	250	< 0.5	< 2	0.25	< 0.5	8	101	6	3.00	< 10	< 10	0.30	30	0.45	615
M237627	205	226	1	< 0.2	1.54	8	280	0.5	< 2	0.29	< 0.5	9	60	6	3.21	< 10	< 10	0.34	30	0.32	690
M237628	205	226	2	< 0.2	1.29	10	290	0.5	< 2	0.24	< 0.5	9	73	5	3.17	< 10	20	0.37	30	0.21	920
M237629	205	226	2	< 0.2	1.95	< 2	220	< 0.5	< 2	0.28	< 0.5	6	90	5	2.51	< 10	< 10	0.46	30	0.53	585
M237630	205	226	4	< 0.2	2.47	26	210	0.5	< 2	0.42	< 0.5	9	45	14	2.97	< 10	10	0.50	30	0.68	740
M237631	205	226	9	< 0.2	1.63	212	340	< 0.5	< 2	0.30	< 0.5	7	170	12	2.89	< 10	10	0.33	40	0.40	930
M237632	205	226	2	< 0.2	1.45	74	420	0.5	< 2	0.38	< 0.5	9	137	13	3.45	< 10	10	0.36	40	0.41	770
M237633	205	226	1	< 0.2	1.50	82	550	0.5	< 2	0.39	< 0.5	10	126	11	3.88	< 10	< 10	0.46	40	0.40	915
M237634	205	226	1	< 0.2	0.85	60	1630	0.5	< 2	0.78	< 0.5	6	85	5	2.83	< 10	< 10	0.32	30	0.11	1490
M237635	205	226	2	< 0.2	0.87	70	1850	0.5	< 2	0.66	< 0.5	7	142	6	2.93	< 10	< 10	0.32	30	0.09	810
M237636	205	226	6	< 0.2	0.87	214	2510	< 0.5	< 2	0.43	< 0.5	7	100	7	2.76	< 10	< 10	0.29	30	0.10	870
M237637	205	226	4	< 0.2	0.90	74	1600	0.5	< 2	0.31	< 0.5	9	76	9	3.25	< 10	20	0.28	30	0.07	805
M237638	205	226	1	< 0.2	1.11	28	1010	0.5	< 2	0.32	< 0.5	9	80	7	3.20	< 10	< 10	0.37	30	0.21	890
M237639	205	226	< 1	< 0.2	1.44	16	420	< 0.5	< 2	0.47	< 0.5	9	118	8	3.52	< 10	< 10	0.48	40	0.54	925
M237640	205	226	3	< 0.2	1.63	28	490	< 0.5	< 2	0.34	< 0.5	9	102	8	3.51	< 10	< 10	0.39	40	0.54	870
M237641	205	226	not/ss	< 0.2	3.22	16	730	0.5	< 2	0.42	< 0.5	9	346	11	3.71	< 10	< 10	0.85	40	0.51	790
M237642	205	226	4	< 0.2	1.63	40	530	< 0.5	< 2	0.32	< 0.5	9	111	10	3.60	< 10	< 10	0.45	40	0.49	995
M237643	205	226	3	< 0.2	1.14	70	380	0.5	< 2	0.26	< 0.5	8	145	9	3.39	< 10	< 10	0.36	40	0.16	1105
M237644	205	226	2	< 0.2	0.95	6	1080	0.5	< 2	0.30	< 0.5	10	138	8	3.49	< 10	< 10	0.31	40	0.10	950
M237645	205	226	3	< 0.2	1.81	24	410	0.5	< 2	0.32	< 0.5	8	174	10	3.52	< 10	< 10	0.45	40	0.35	895
M237646	205	226	2	< 0.2	1.53	90	410	0.5	< 2	0.34	< 0.5	9	126	11	3.49	< 10	< 10	0.39	50	0.28	1100
M237647	205	226	1	< 0.2	1.70	60	410	< 0.5	< 2	0.36	< 0.5	9	134	10	3.53	< 10	20	0.39	50	0.54	880
M237648	205	226	3	< 0.2	1.65	50	340	< 0.5	< 2	0.29	< 0.5	10	103	8	3.38	< 10	< 10	0.29	40	0.66	830

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : HUNKER
Comments: ATTN: BOB BURBAN FAX: ROB STEVENS

Number :4-B
Total Pages :4
Certificate Date :20-OCT-96
Invoice No. :19635668
P.O. Number :ACCOUNT
Account :NRW

CERTIFICATE OF ANALYSIS A9635668

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237620	205	226	< 1	0.03	4	690	4	2	7	17	0.04	< 10	< 10	46	< 10	56
M237621	205	226	1	0.03	5	590	10	< 2	7	17	0.02	< 10	< 10	49	< 10	58
M237622	205	226	< 1	0.03	5	530	8	< 2	7	15	0.01	< 10	< 10	49	< 10	54
M237623	205	226	1	0.04	5	500	10	< 2	7	18	0.01	< 10	< 10	47	< 10	52
M237624	205	226	< 1	0.03	6	590	10	< 2	7	17	0.02	< 10	< 10	50	< 10	56
M237625	205	226	< 1	0.18	7	480	10	2	8	44	0.06	< 10	< 10	61	< 10	52
M237626	205	226	< 1	0.03	5	520	10	< 2	7	17	0.02	< 10	< 10	46	< 10	48
M237627	205	226	< 1	0.02	5	570	14	2	8	23	< 0.01	< 10	< 10	44	< 10	54
M237628	205	226	< 1	0.01	5	530	16	< 2	7	17	< 0.01	< 10	< 10	37	< 10	50
M237629	205	226	< 1	0.03	4	550	10	< 2	4	19	0.03	< 10	< 10	33	< 10	46
M237630	205	226	1	0.01	5	570	12	< 2	6	28	0.01	< 10	< 10	49	< 10	54
M237631	205	226	< 1	0.03	6	670	18	2	6	21	0.02	< 10	< 10	34	< 10	76
M237632	205	226	< 1	0.03	8	760	8	2	6	23	0.04	< 10	< 10	45	< 10	58
M237633	205	226	< 1	0.03	6	890	8	2	7	20	0.03	< 10	< 10	43	< 10	68
M237634	205	226	< 1	< 0.01	4	510	12	< 2	5	36	< 0.01	< 10	< 10	18	< 10	44
M237635	205	226	< 1	0.01	4	640	10	< 2	5	29	< 0.01	< 10	< 10	21	< 10	50
M237636	205	226	< 1	0.01	4	600	10	< 2	4	28	< 0.01	< 10	< 10	21	< 10	52
M237637	205	226	< 1	< 0.01	3	730	10	2	7	24	< 0.01	< 10	< 10	23	< 10	60
M237638	205	226	< 1	0.01	3	790	8	< 2	6	21	< 0.01	< 10	< 10	30	< 10	58
M237639	205	226	< 1	0.03	4	820	6	2	7	22	0.06	< 10	< 10	49	< 10	62
M237640	205	226	< 1	0.03	5	790	8	2	7	20	0.03	< 10	< 10	45	< 10	62
M237641	205	226	< 1	0.23	8	750	8	< 2	8	53	0.01	< 10	< 10	54	< 10	64
M237642	205	226	< 1	0.04	5	800	6	< 2	8	20	0.03	< 10	< 10	45	< 10	62
M237643	205	226	< 1	0.03	5	780	12	< 2	5	17	< 0.01	< 10	< 10	24	< 10	52
M237644	205	226	< 1	0.01	4	890	12	< 2	5	20	< 0.01	< 10	< 10	20	< 10	64
M237645	205	226	< 1	0.03	6	850	10	< 2	6	22	< 0.01	< 10	< 10	35	< 10	64
M237646	205	226	< 1	0.01	5	890	10	< 2	7	22	< 0.01	< 10	< 10	32	< 10	62
M237647	205	226	< 1	0.04	5	860	6	< 2	8	26	0.03	< 10	< 10	47	< 10	64
M237648	205	226	< 1	0.03	5	770	6	< 2	6	19	0.01	< 10	< 10	43	< 10	64

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:BOB BURBAN FAX: ROB STEVENS

Total Pages
Certificate Date
Invoice No
P O Number
Account

CERTIFICATE OF ANALYSIS A9635408

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237649	205	226	3	< 0.2	1.36	48	1840	< 0.5	2	0.29	0.5	9	111	9	3.16	< 10	10	0.33	30	0.47	875
M237650	205	226	3	< 0.2	1.69	40	310	< 0.5	< 2	0.37	< 0.5	9	118	6	3.28	< 10	10	0.44	30	0.72	880
M237651	205	226	4	< 0.2	1.50	52	230	< 0.5	< 2	0.32	< 0.5	9	105	8	3.10	< 10	10	0.30	30	0.55	735
M237652	205	226	11	< 0.2	1.41	78	310	0.5	< 2	0.30	< 0.5	9	117	7	3.33	< 10	< 10	0.36	30	0.38	995
M237653	205	226	21	< 0.2	1.30	202	350	< 0.5	< 2	0.30	< 0.5	10	108	7	3.25	< 10	20	0.34	30	0.43	910
M237654	205	226	42	< 0.2	1.34	434	300	< 0.5	< 2	0.29	< 0.5	8	104	6	3.05	< 10	10	0.37	30	0.48	805
M237655	205	226	445	0.8	0.17	3410	110	< 0.5	< 2	0.10	0.5	2	244	3	1.11	< 10	30	0.07	< 10	0.01	205
M237656	205	226	410	0.6	1.11	3810	280	0.5	2	0.33	< 0.5	10	96	10	3.44	< 10	20	0.37	30	0.23	910
M237657	205	226	26	< 0.2	1.48	402	280	0.5	< 2	0.31	0.5	8	118	9	3.40	< 10	10	0.40	30	0.54	930
M237658	205	226	3	< 0.2	1.86	114	260	0.5	< 2	0.32	< 0.5	9	106	8	3.23	< 10	10	0.34	30	0.61	830
M237659	205	226	5	< 0.2	1.80	< 2	570	0.5	< 2	0.36	< 0.5	9	104	4	3.19	< 10	10	0.28	30	0.72	935
M237660	205	226	1	< 0.2	1.55	4	600	< 0.5	< 2	0.31	< 0.5	7	108	1	2.75	< 10	10	0.25	30	0.61	665
M237661	205	226	4	< 0.2	0.47	2	200	< 0.5	< 2	0.04	< 0.5	1	177	< 1	0.74	< 10	< 10	0.15	< 10	0.11	250
M237662	205	226	7	< 0.2	1.74	2	640	< 0.5	< 2	0.37	< 0.5	8	121	2	2.98	< 10	10	0.35	30	0.66	735
M237663	205	226	< 1	< 0.2	0.36	6	170	< 0.5	< 2	0.05	< 0.5	< 1	218	< 1	0.51	< 10	< 10	0.12	< 10	0.06	130
M237664	205	226	3	< 0.2	1.95	2	730	< 0.5	< 2	0.39	< 0.5	8	114	3	3.41	< 10	< 10	0.34	30	0.68	800
M237665	205	226	10	< 0.2	1.70	20	720	0.5	< 2	0.41	< 0.5	10	126	9	3.37	< 10	20	0.35	40	0.48	880
M237666	205	226	1	< 0.2	1.54	20	1410	0.5	< 2	0.85	< 0.5	9	113	5	3.16	< 10	< 10	0.38	30	0.31	870
M237667	205	226	2	< 0.2	1.52	20	460	0.5	< 2	1.59	< 0.5	10	120	5	3.39	< 10	10	0.34	30	0.45	970
M237668	205	226	1	< 0.2	1.54	10	420	0.5	2	0.41	< 0.5	8	106	< 1	3.17	< 10	< 10	0.40	30	0.28	805
M237669	205	226	19	< 0.2	1.61	24	550	0.5	< 2	0.41	< 0.5	11	111	4	3.50	< 10	< 10	0.40	40	0.47	900
M237670	205	226	4	< 0.2	0.42	48	2490	< 0.5	< 2	1.69	< 0.5	5	133	1	1.82	< 10	30	0.17	< 10	0.06	725
M237671	205	226	7	< 0.2	1.43	26	2230	0.5	< 2	0.44	< 0.5	9	106	4	3.16	< 10	10	0.40	40	0.31	870
M237672	205	226	3	< 0.2	1.65	8	440	0.5	< 2	0.43	< 0.5	10	129	3	3.43	< 10	10	0.39	50	0.35	730
M237673	205	226	1	< 0.2	2.02	< 2	420	< 0.5	< 2	0.41	< 0.5	11	120	3	3.60	< 10	< 10	0.53	50	0.80	1050
M237674	205	226	1	< 0.2	2.57	< 2	260	< 0.5	2	0.45	< 0.5	13	67	5	3.89	< 10	10	0.56	30	1.23	935
M237675	205	226	3	< 0.2	1.46	62	510	0.5	< 2	0.32	< 0.5	11	171	8	3.70	< 10	10	0.43	50	0.27	1285
M237676	205	226	24	0.2	2.16	34	480	< 0.5	< 2	0.44	< 0.5	10	110	19	3.90	< 10	< 10	0.49	40	0.87	815
M237677	205	226	18	0.2	2.18	52	460	< 0.5	< 2	0.41	< 0.5	10	120	14	4.12	< 10	10	0.41	50	0.91	930
M237678	205	226	2	< 0.2	2.18	16	430	< 0.5	< 2	0.41	< 0.5	11	112	9	3.80	< 10	< 10	0.32	40	0.94	880
M237679	205	226	4	< 0.2	2.03	24	440	< 0.5	< 2	0.45	< 0.5	11	127	10	3.79	< 10	10	0.41	40	0.94	890
M237680	205	226	6	< 0.2	1.97	40	490	< 0.5	2	0.43	< 0.5	11	123	22	3.93	< 10	10	0.37	40	0.78	1105
M237681	205	226	7	0.2	1.37	32	900	0.5	< 2	0.40	< 0.5	11	149	47	3.73	< 10	10	0.38	50	0.28	950
M237682	205	226	22	< 0.2	1.71	170	250	< 0.5	< 2	0.32	< 0.5	6	115	3	2.37	< 10	10	0.40	40	0.51	655
M237683	205	226	14	< 0.2	1.60	184	220	< 0.5	< 2	0.25	< 0.5	7	150	3	2.33	< 10	< 10	0.35	30	0.50	535
M237684	205	226	14	< 0.2	1.80	98	230	< 0.5	< 2	0.27	< 0.5	8	105	5	2.66	< 10	< 10	0.36	40	0.63	695
M237685	205	226	7	< 0.2	1.59	80	180	< 0.5	< 2	0.24	< 0.5	5	132	4	2.35	< 10	10	0.32	30	0.56	530
M237686	205	226	14	< 0.2	1.62	264	300	< 0.5	< 2	0.32	< 0.5	7	155	5	2.97	< 10	10	0.55	40	0.47	865
M237687	205	226	6	< 0.2	1.85	166	330	< 0.5	< 2	0.36	< 0.5	9	162	4	3.04	< 10	< 10	0.66	30	0.73	770
M237688	205	226	3	< 0.2	0.44	170	70	< 0.5	< 2	0.06	< 0.5	1	192	36	0.87	< 10	< 10	0.20	< 10	0.05	170

CERTIFICATION: Stan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:BOB BURBAN FAX: ROB STEVENS

Number 1-B
Total Pages 2
Certificate Date 19-OCT-96
Invoice No 19635408
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9635408

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237649	205 226	< 1	0.03	5	660	8	< 2	5	16	0.02	< 10	< 10	38	< 10	56
M237650	205 226	< 1	0.04	5	750	10	< 2	5	19	0.05	< 10	< 10	46	< 10	60
M237651	205 226	< 1	0.03	5	730	< 2	< 2	5	15	0.03	< 10	< 10	41	< 10	56
M237652	205 226	< 1	0.04	5	780	10	< 2	5	15	< 0.01	< 10	< 10	34	< 10	62
M237653	205 226	< 1	0.03	6	790	10	< 2	5	14	0.02	< 10	< 10	38	< 10	62
M237654	205 226	< 1	0.04	5	760	12	2	4	13	0.03	< 10	< 10	35	< 10	58
M237655	205 226	< 1	< 0.01	4	90	44	12	< 1	11	< 0.01	< 10	< 10	3	< 10	38
M237656	205 226	< 1	0.01	5	800	16	< 2	4	23	< 0.01	< 10	< 10	22	< 10	64
M237657	205 226	< 1	0.03	7	770	10	2	4	15	0.03	< 10	< 10	40	< 10	68
M237658	205 226	< 1	0.03	6	850	10	< 2	4	15	0.01	< 10	< 10	36	< 10	64
M237659	205 226	< 1	0.04	4	830	8	2	4	15	0.03	< 10	< 10	45	< 10	66
M237660	205 226	< 1	0.05	4	660	6	< 2	4	15	0.03	< 10	< 10	40	< 10	58
M237661	205 226	< 1	0.03	3	30	8	2	< 1	7	< 0.01	< 10	< 10	5	< 10	8
M237662	205 226	< 1	0.05	5	710	2	2	4	17	0.05	< 10	< 10	41	< 10	58
M237663	205 226	< 1	0.04	4	90	6	14	< 1	8	< 0.01	< 10	< 10	4	< 10	4
M237664	205 226	< 1	0.06	5	770	4	< 2	5	20	0.04	< 10	< 10	49	10	64
M237665	205 226	< 1	0.04	5	850	12	4	5	17	0.02	< 10	< 10	43	< 10	62
M237666	205 226	< 1	0.04	3	850	10	< 2	5	26	< 0.01	< 10	< 10	36	< 10	62
M237667	205 226	< 1	0.04	3	800	8	2	4	29	0.01	< 10	< 10	40	< 10	64
M237668	205 226	< 1	0.03	3	880	12	< 2	5	13	< 0.01	< 10	< 10	37	< 10	62
M237669	205 226	< 1	0.03	3	850	8	2	6	17	0.01	< 10	< 10	44	< 10	64
M237670	205 226	3	< 0.01	3	180	18	< 2	1	45	< 0.01	< 10	< 10	24	< 10	32
M237671	205 226	< 1	0.01	3	830	16	< 2	5	25	< 0.01	< 10	< 10	31	< 10	56
M237672	205 226	< 1	0.04	3	880	10	< 2	8	21	0.01	< 10	< 10	44	< 10	58
M237673	205 226	< 1	0.05	5	830	2	< 2	8	22	0.09	< 10	< 10	65	< 10	64
M237674	205 226	1	0.09	5	650	< 2	< 2	10	29	0.10	< 10	< 10	100	< 10	62
M237675	205 226	< 1	0.04	6	1010	10	8	9	17	< 0.01	< 10	< 10	44	< 10	60
M237676	205 226	< 1	0.07	4	860	12	< 2	8	30	0.07	< 10	< 10	59	< 10	74
M237677	205 226	< 1	0.05	5	890	12	< 2	8	27	0.05	< 10	< 10	59	< 10	80
M237678	205 226	< 1	0.07	4	870	2	8	7	27	0.04	< 10	< 10	58	< 10	70
M237679	205 226	< 1	0.05	4	850	6	2	7	26	0.09	< 10	< 10	63	< 10	70
M237680	205 226	< 1	0.06	5	860	10	< 2	8	27	0.05	< 10	< 10	58	< 10	70
M237681	205 226	13	0.04	5	910	16	< 2	7	29	0.01	< 10	< 10	38	< 10	68
M237682	205 226	< 1	0.05	5	420	16	< 2	4	20	0.06	< 10	< 10	37	10	42
M237683	205 226	< 1	0.05	6	410	10	4	3	18	0.05	< 10	< 10	37	< 10	40
M237684	205 226	< 1	0.05	6	430	16	2	5	18	0.05	< 10	< 10	47	< 10	48
M237685	205 226	< 1	0.05	5	410	10	< 2	4	17	0.04	< 10	< 10	40	< 10	40
M237686	205 226	1	0.04	5	720	12	10	5	20	0.05	< 10	< 10	43	< 10	60
M237687	205 226	< 1	0.04	3	720	6	< 2	5	22	0.13	< 10	< 10	52	< 10	62
M237688	205 226	< 1	0.06	4	60	8	8	< 1	9	< 0.01	< 10	< 10	9	< 10	6

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:BOB BURBAN FAX: ROB STEVENS

Number 2-A
Total Pages 2
Certificate Date 19-OCT-96
Invoice No 19635408
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9635408

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
M237689	205	226	< 1	< 0.2	2.04	168	300	< 0.5	< 2	0.44	< 0.5	8	139	3	3.10	< 10	< 10	0.71	40	0.78	750
M237690	205	226	3	< 0.2	2.23	194	380	< 0.5	< 2	0.34	< 0.5	9	124	3	3.11	< 10	10	0.66	40	0.66	950
M237691	205	226	1	< 0.2	2.24	164	330	< 0.5	< 2	0.41	< 0.5	8	147	3	3.32	< 10	< 10	0.75	40	0.80	795
M237692	205	226	145	0.2	0.94	2700	380	< 0.5	< 2	1.53	< 0.5	9	155	10	2.87	< 10	10	0.40	40	0.12	1215

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:BOB BURBAN FAX: ROB STEVENS

Total Pages 2
Invoice No
P.O. Number
Account NRW

CERTIFICATE OF ANALYSIS A9635408

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M237689	205 226	< 1	0.05	3	720	4	< 2	5	25	0.14	< 10	< 10	54	< 10	64
M237690	205 226	< 1	0.05	3	710	10	4	5	24	0.09	< 10	< 10	51	< 10	74
M237691	205 226	< 1	0.05	3	790	4	< 2	6	25	0.15	< 10	< 10	58	< 10	68
M237692	205 226	< 1	0.03	2	940	26	< 2	3	101	< 0.01	< 10	< 10	13	< 10	46

CERTIFICATION:

Soil and Silt Samples

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: BOB BURBAN CC: SANDY SEARS

Page Number 1-A
Total Pages 4
Certificate Date 3-JUL-96
Invoice No. I-9621679
P.O. Number
Account

CERTIFICATE OF ANALYSIS A9621679

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-001	201	202	110	< 0.2	2.49	16	1280	0.5	< 2	0.52	< 0.5	18	17	16	4.29	< 10	< 10	0.65	20	0.93	1355
LLS-002	201	202	70	< 0.2	1.90	20	510	0.5	< 2	0.47	< 0.5	23	13	9	4.05	< 10	< 10	0.35	10	0.65	1755
LLS-003	201	202	18	< 0.2	2.33	6	620	< 0.5	< 2	0.61	< 0.5	11	25	20	3.64	< 10	10	0.65	10	0.96	540
LLS-004	201	202	9	< 0.2	2.73	22	700	< 0.5	< 2	0.70	< 0.5	13	13	13	5.18	10	< 10	1.03	10	1.17	945
LLS-005	201	202	260	< 0.2	2.08	12	580	< 0.5	< 2	0.57	< 0.5	10	8	13	4.36	< 10	10	0.55	30	0.84	1040
LLS-006	201	202	31	< 0.2	2.09	14	520	< 0.5	< 2	0.63	< 0.5	12	15	12	4.25	< 10	< 10	0.62	20	0.88	975
LLS-007	201	202	34	< 0.2	3.16	24	640	0.5	< 2	0.66	< 0.5	12	13	21	5.42	10	< 10	0.81	30	1.03	970
LLS-008	201	202	14	< 0.2	2.73	28	450	< 0.5	< 2	0.87	< 0.5	15	19	21	5.24	10	10	1.04	10	1.32	950
LLS-009	201	202	6	< 0.2	2.27	56	430	< 0.5	< 2	0.64	< 0.5	12	8	6	4.61	< 10	< 10	0.80	30	1.16	1140
LLS-010	201	202	14	0.2	2.78	40	320	< 0.5	< 2	1.18	< 0.5	20	42	32	5.34	< 10	20	0.63	10	1.60	840
LLS-011	201	202	6	< 0.2	2.77	14	440	< 0.5	< 2	0.97	< 0.5	15	11	11	5.64	10	10	1.29	30	1.53	1155
LLS-012	201	202	50	< 0.2	2.37	34	410	< 0.5	< 2	0.86	< 0.5	16	32	21	4.91	< 10	< 10	0.42	20	1.33	1050
LLS-013	201	202	10	< 0.2	2.69	66	290	0.5	< 2	1.41	< 0.5	29	73	32	5.63	< 10	10	0.13	10	2.09	1250
LLS-014	201	202	24	< 0.2	2.09	36	230	< 0.5	< 2	0.58	< 0.5	13	32	33	3.18	< 10	30	0.15	10	0.74	460
LLS-015	201	202	72	< 0.2	1.88	384	350	< 0.5	< 2	0.43	< 0.5	11	15	8	3.64	< 10	10	0.51	30	0.76	1195
LLS-016	201	202	11	< 0.2	1.80	100	200	< 0.5	< 2	0.40	< 0.5	10	18	18	3.15	< 10	< 10	0.25	20	0.63	575
LLS-017	201	202	10	< 0.2	1.69	64	300	< 0.5	< 2	0.40	< 0.5	9	7	5	3.34	< 10	< 10	0.39	40	0.64	1405
LLS-018	201	202	16	< 0.2	1.87	36	290	< 0.5	< 2	0.52	< 0.5	10	17	16	3.22	< 10	< 10	0.49	20	0.75	725
LLS-019	201	202	11	< 0.2	1.66	32	360	< 0.5	< 2	0.45	< 0.5	8	12	9	2.78	< 10	10	0.53	30	0.64	810
LLS-020	201	202	27	0.2	2.42	162	500	< 0.5	< 2	0.67	< 0.5	13	21	21	4.29	< 10	10	0.56	30	1.01	830
LLS-021	201	202	15	< 0.2	2.30	46	1120	0.5	< 2	0.59	< 0.5	11	6	33	3.82	< 10	< 10	0.58	30	0.90	1575
LLS-022	201	202	3	< 0.2	2.41	8	710	< 0.5	< 2	0.70	< 0.5	13	16	17	4.50	< 10	< 10	0.91	20	1.14	895
LLS-023	201	202	65	1.0	2.53	128	810	< 0.5	< 2	0.66	1.5	12	10	31	4.64	< 10	20	0.82	30	1.10	1220
LLS-024	201	202	3	< 0.2	2.22	16	330	< 0.5	< 2	0.64	< 0.5	11	26	21	3.74	< 10	10	0.35	20	0.78	540
LLS-025	201	202	1	< 0.2	2.37	12	570	< 0.5	< 2	0.74	< 0.5	13	9	6	4.64	< 10	10	0.82	30	1.22	970
LLS-026	201	202	6	< 0.2	3.01	24	580	< 0.5	< 2	0.77	< 0.5	14	10	16	5.09	10	10	0.70	40	1.16	1370
LLS-027	201	202	5	< 0.2	2.65	24	540	< 0.5	< 2	0.78	< 0.5	14	7	6	4.61	< 10	< 10	0.78	30	1.13	1125
LLS-028	201	202	76	0.6	1.81	452	650	< 0.5	< 2	0.61	< 0.5	15	13	19	5.39	< 10	20	0.51	50	0.71	1735
LLS-029	201	202	44	0.2	1.06	476	510	0.5	< 2	2.29	< 0.5	14	6	8	4.29	< 10	30	0.34	50	0.26	1680
LLS-030	201	202	4	< 0.2	2.24	54	920	< 0.5	< 2	0.80	< 0.5	15	9	10	5.04	< 10	10	0.82	40	1.21	1380
LLS-031	201	202	5	0.2	1.63	60	630	0.5	< 2	0.83	< 0.5	12	7	14	4.37	< 10	130	0.62	40	0.63	1375
LLS-032	201	202	3	< 0.2	2.28	30	730	< 0.5	< 2	0.57	< 0.5	15	9	9	5.00	< 10	10	0.59	50	1.16	1085
LLS-033	201	202	8	< 0.2	0.95	150	1110	0.5	< 2	2.63	< 0.5	13	4	9	4.18	< 10	150	0.34	60	0.23	1555
LLS-034	201	202	30	< 0.2	2.83	22	670	0.5	< 2	0.67	< 0.5	16	8	16	5.69	< 10	< 10	0.34	50	0.95	1675
LLS-035	201	202	22	< 0.2	2.26	88	410	< 0.5	< 2	3.20	< 0.5	13	7	7	4.67	< 10	< 10	0.30	50	1.04	1175
LLS-036	201	202	180	< 0.2	2.01	5800	1080	< 0.5	< 2	0.78	0.5	14	8	22	5.27	< 10	10	0.45	60	0.93	1640
LLS-037	201	202	145	< 0.2	2.48	1235	400	< 0.5	< 2	1.35	< 0.5	15	7	11	4.88	< 10	10	0.42	40	1.23	1475
LLS-038	201	202	1	< 0.2	2.28	24	520	< 0.5	< 2	0.48	< 0.5	13	15	23	4.36	< 10	< 10	0.97	30	1.08	830
LLS-039	201	202	< 1	< 0.2	2.44	22	770	< 0.5	< 2	0.72	< 0.5	13	13	21	4.78	< 10	< 10	0.99	40	1.19	1075
LLS-040	201	202	28	< 0.2	2.17	92	610	< 0.5	< 2	0.68	< 0.5	14	17	19	4.62	< 10	20	0.76	30	1.11	945

CERTIFICATE INCOMPLETE

CERTIFICATION:

07/04/96 12:54AM CHEMEX LABS VAX-FAX2 PAGE 002

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: BOB BURBAN CC: SANDY SEARS

CERTIFICATE OF ANALYSIS A9621679

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-001	201 202	< 1	0.01	10	1000	22	< 2	10	28	0.09	< 10	< 10	80	< 10	90
LLS-002	201 202	< 1	0.01	8	980	30	< 2	9	25	0.03	< 10	< 10	60	< 10	82
LLS-003	201 202	< 1	0.01	11	810	14	< 2	8	31	0.20	< 10	< 10	90	< 10	64
LLS-004	201 202	< 1	0.01	6	1660	8	< 2	9	35	0.20	< 10	< 10	90	< 10	110
LLS-005	201 202	< 1	0.01	4	1360	4	< 2	10	26	0.07	< 10	< 10	78	< 10	90
LLS-006	201 202	< 1	0.01	7	1460	12	< 2	8	28	0.12	< 10	< 10	78	< 10	88
LLS-007	201 202	< 1	0.01	6	1500	10	< 2	10	39	0.11	< 10	< 10	86	< 10	120
LLS-008	201 202	< 1	0.01	10	1700	6	< 2	9	31	0.26	< 10	< 10	102	< 10	116
LLS-009	201 202	< 1	0.03	3	1480	6	< 2	9	29	0.15	< 10	< 10	76	< 10	98
LLS-010	201 202	< 1	0.07	24	1760	10	< 2	10	83	0.19	< 10	< 10	98	< 10	92
LLS-011	201 202	< 1	0.02	4	1630	6	< 2	11	34	0.29	< 10	< 10	111	< 10	112
LLS-012	201 202	< 1	0.04	15	1780	8	< 2	11	71	0.12	< 10	< 10	90	< 10	80
LLS-013	201 202	< 1	0.06	41	1900	2	< 2	14	183	0.05	< 10	< 10	89	< 10	66
LLS-014	201 202	< 1	0.03	20	580	8	< 2	6	39	0.14	< 10	< 10	81	< 10	56
LLS-015	201 202	< 1	0.03	5	820	34	< 2	5	24	0.12	< 10	< 10	55	< 10	88
LLS-016	201 202	< 1	0.02	10	570	12	< 2	5	27	0.10	< 10	< 10	61	< 10	56
LLS-017	201 202	< 1	0.02	3	760	26	< 2	4	24	0.06	< 10	< 10	37	< 10	72
LLS-018	201 202	< 1	0.02	10	740	26	< 2	5	29	0.16	< 10	< 10	61	< 10	74
LLS-019	201 202	< 1	0.04	5	620	20	< 2	4	25	0.14	< 10	< 10	44	< 10	62
LLS-020	201 202	< 1	0.02	10	1260	10	< 2	8	33	0.19	< 10	< 10	84	< 10	82
LLS-021	201 202	< 1	0.02	2	1210	14	< 2	7	42	0.07	< 10	< 10	46	< 10	76
LLS-022	201 202	< 1	0.03	6	1330	4	< 2	7	26	0.27	< 10	< 10	92	< 10	86
LLS-023	201 202	< 1	0.01	3	1500	10	< 2	10	32	0.20	< 10	< 10	75	< 10	100
LLS-024	201 202	< 1	0.03	14	800	6	< 2	7	40	0.16	< 10	< 10	81	< 10	66
LLS-025	201 202	< 1	0.01	3	1710	6	< 2	7	29	0.22	< 10	< 10	80	< 10	96
LLS-026	201 202	< 1	0.02	9	1500	8	< 2	10	43	0.10	< 10	< 10	71	< 10	110
LLS-027	201 202	< 1	0.01	3	1630	6	< 2	9	35	0.13	< 10	< 10	62	< 10	108
LLS-028	201 202	1	0.01	7	1710	24	< 2	10	26	0.09	< 10	< 10	67	< 10	110
LLS-029	201 202	1	0.01	3	1190	16	< 2	7	35	< 0.01	< 10	< 10	27	< 10	72
LLS-030	201 202	< 1	0.02	4	2030	6	< 2	11	22	0.22	< 10	< 10	91	< 10	108
LLS-031	201 202	1	0.03	3	1040	14	< 2	9	28	0.07	< 10	< 10	55	< 10	86
LLS-032	201 202	< 1	0.01	4	1650	6	< 2	12	20	0.12	< 10	< 10	76	< 10	116
LLS-033	201 202	4	0.01	2	1380	20	< 2	8	47	< 0.01	< 10	< 10	27	< 10	90
LLS-034	201 202	3	0.01	7	1630	10	< 2	12	30	0.01	< 10	< 10	62	< 10	132
LLS-035	201 202	14	0.02	3	1450	10	< 2	9	92	0.01	< 10	< 10	56	< 10	110
LLS-036	201 202	< 1	< 0.01	7	1700	50	< 2	10	47	0.08	< 10	< 10	73	< 10	142
LLS-037	201 202	< 1	0.01	3	1520	14	< 2	8	72	0.06	< 10	< 10	69	< 10	124
LLS-038	201 202	< 1	0.03	5	1090	4	< 2	6	19	0.24	< 10	< 10	84	< 10	84
LLS-039	201 202	< 1	0.02	4	1590	8	< 2	9	26	0.22	< 10	< 10	85	< 10	100
LLS-040	201 202	< 1	0.02	9	1280	6	< 2	8	25	0.23	< 10	< 10	95	< 10	92

CERTIFICATE INCOMPLETE

CERTIFICATION:

UNOFFICIAL COPY

07/04/96 12:55AM CHEMEX LABS VAX-FAX2

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project: LONGLINE
Comments: ATTN: BOB BURBAN CC: SANDY SEARS

Certificate Date: 3-JUL-96
Invoice No. I-9621679
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9621679

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-041	201	202	20	< 0.2	2.50	20	480	0.5	< 2	0.75	< 0.5	13	18	23	4.96	< 10	10	0.63	30	1.30	980
LLS-042	201	202	3	< 0.2	2.10	58	570	< 0.5	< 2	0.59	< 0.5	12	5	15	4.53	< 10	< 10	0.55	40	1.19	1295
LLS-043	201	202	2	< 0.2	2.16	10	450	0.5	< 2	0.56	< 0.5	12	17	25	4.72	< 10	20	0.44	40	0.96	1005
LLS-044	201	202	< 1	< 0.2	1.86	10	790	0.5	< 2	1.66	< 0.5	13	5	13	4.80	< 10	< 10	0.30	70	0.77	1340
LLS-045	201	202	7	< 0.2	2.51	106	730	0.5	< 2	0.64	< 0.5	13	11	17	5.29	< 10	20	0.69	60	0.99	1255
LLS-046	201	202	1	< 0.2	1.94	74	580	< 0.5	< 2	0.62	< 0.5	12	5	11	4.81	< 10	10	0.64	50	0.97	1260
LLS-047	201	202	2	< 0.2	2.42	32	530	0.5	< 2	0.55	< 0.5	12	8	16	4.44	< 10	20	0.26	50	1.12	1265
LLS-048	201	202	< 1	< 0.2	2.02	20	1200	0.5	< 2	2.43	< 0.5	8	3	7	3.38	< 10	< 10	0.30	40	0.96	875
LLS-049	201	202	19	< 0.2	2.23	328	340	< 0.5	< 2	0.64	< 0.5	10	33	23	3.63	< 10	20	0.38	20	0.88	585
LLS-050	201	202	11	< 0.2	2.46	74	430	< 0.5	< 2	0.66	< 0.5	11	28	23	4.18	< 10	30	0.61	20	1.07	710
LLS-051	201	202	7	< 0.2	2.33	32	250	< 0.5	< 2	0.74	< 0.5	11	26	18	4.13	< 10	10	0.33	30	1.07	820
LLS-052	201	202	23	< 0.2	2.57	228	280	< 0.5	< 2	0.80	< 0.5	13	24	21	4.35	< 10	10	0.77	20	1.23	840
LLS-053	201	202	59	< 0.2	2.21	376	450	0.5	< 2	0.71	< 0.5	11	11	18	4.61	< 10	20	0.65	30	1.00	925
LLS-054	201	202	39	< 0.2	2.21	536	720	0.5	< 2	0.63	0.5	13	4	21	5.21	< 10	< 10	0.62	50	0.90	1875
LLS-055	201	202	300	0.2	1.92	648	320	< 0.5	< 2	0.60	0.5	10	25	24	4.22	< 10	30	0.26	30	0.69	615
LLS-056	201	202	delay	< 0.2	2.20	280	610	< 0.5	< 2	0.72	< 0.5	13	11	25	4.92	< 10	10	0.51	40	1.27	1190
LLS-057	201	202	delay	< 0.2	2.17	144	250	< 0.5	< 2	0.52	< 0.5	16	31	17	3.35	< 10	50	0.11	10	0.60	885
LLS-058	201	202	delay	< 0.2	0.82	234	470	< 0.5	< 2	0.23	0.5	3	8	7	1.72	< 10	10	0.20	40	0.17	1365
LLS-059	201	202	delay	0.8	2.16	240	780	< 0.5	< 2	0.59	8.5	11	31	17	3.45	< 10	80	0.12	10	0.70	630
LLS-060	201	202	delay	2.0	0.42	5580	650	< 0.5	< 2	0.84	6.0	13	4	20	4.70	< 10	30	0.21	50	0.07	2010
LLS-061	201	202	delay	< 0.2	2.14	76	450	0.5	< 2	0.53	< 0.5	10	17	12	4.04	< 10	< 10	0.69	20	0.82	1005
LLS-062	201	202	delay	< 0.2	2.12	40	670	< 0.5	< 2	0.51	< 0.5	9	4	12	3.92	< 10	10	0.96	30	0.89	835
LLS-063	201	202	delay	< 0.2	2.44	58	550	0.5	< 2	0.61	< 0.5	10	15	11	4.26	< 10	10	0.63	40	0.83	775
LLS-064	201	202	1	< 0.2	2.16	18	700	< 0.5	< 2	0.53	< 0.5	11	5	8	4.42	< 10	10	0.78	40	1.01	1065
LLS-065	201	202	6	< 0.2	2.29	22	290	< 0.5	< 2	0.70	< 0.5	11	27	21	3.76	< 10	20	0.14	10	0.87	650
LLS-066	201	202	3	< 0.2	2.54	32	330	< 0.5	< 2	0.82	< 0.5	13	12	14	4.08	< 10	10	0.53	30	1.17	815
LLS-067	201	202	7	< 0.2	1.71	78	260	< 0.5	< 2	0.72	< 0.5	10	28	18	3.47	< 10	70	0.21	20	0.72	430
LLS-068	201	202	10	< 0.2	2.15	80	420	0.5	< 2	0.51	< 0.5	11	10	9	3.81	< 10	< 10	0.53	30	0.93	790
LLS-069	201	202	60	< 0.2	2.29	118	300	< 0.5	< 2	0.70	< 0.5	12	29	21	3.54	< 10	10	0.21	10	0.84	590
LLS-070	201	202	20	< 0.2	2.28	108	590	< 0.5	< 2	0.72	< 0.5	13	21	14	4.72	< 10	10	0.62	30	1.19	920
LLS-071	201	202	7	< 0.2	2.10	84	530	< 0.5	< 2	0.70	< 0.5	12	18	11	4.50	< 10	< 10	0.68	40	1.13	950
LLS-072	201	202	3	< 0.2	2.90	20	500	0.5	< 2	0.68	< 0.5	14	13	19	5.35	< 10	10	0.21	30	1.27	1300
LLS-073	201	202	3	0.2	2.20	20	180	< 0.5	16	2.36	< 0.5	14	5	8	4.22	< 10	10	0.26	40	1.12	1170
LLS-074	201	202	5	< 0.2	2.22	42	400	< 0.5	< 2	0.66	< 0.5	12	18	14	4.03	< 10	20	0.80	30	1.20	780
LLS-075	201	202	20	< 0.2	2.75	110	490	< 0.5	< 2	0.68	< 0.5	14	22	14	4.60	< 10	20	1.30	30	1.34	880
LLS-076	201	202	3	< 0.2	2.46	46	670	< 0.5	< 2	0.79	< 0.5	12	13	15	4.83	< 10	< 10	0.88	30	1.24	1045
LLS-077	201	202	5	< 0.2	2.07	28	550	< 0.5	< 2	0.93	< 0.5	11	5	7	4.49	< 10	10	0.77	30	1.19	905
LLS-078	201	202	5	< 0.2	2.65	48	380	< 0.5	< 2	0.70	< 0.5	11	32	24	4.26	< 10	30	0.40	20	1.07	660
LLS-079	201	202	17	< 0.2	2.17	100	640	0.5	< 2	1.08	< 0.5	12	10	8	4.54	< 10	50	0.37	50	0.89	1635
LLS-080	201	202	2	< 0.2	2.75	18	450	0.5	< 2	0.76	< 0.5	13	23	34	4.87	< 10	< 10	0.78	10	1.32	860

CERTIFICATE INCOMPLETE

CERTIFICATION:

07/04/96 12:57AM CHEMEX LABS VAX-FAX2

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: BOB BURBAN CC: SANDY SEARS

Certificate Date 3-JUL-96
Invoice No. I-9621679
P.O. Number
Account

CERTIFICATE OF ANALYSIS A9621679

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-041	201	202	< 1	< 0.01	12	1510	8	2	10	27	0.24	< 10	< 10	97	< 10	96
LLS-042	201	202	< 1	0.03	3	1460	8	< 2	10	20	0.14	< 10	< 10	77	< 10	90
LLS-043	201	202	< 1	0.02	11	1190	10	< 2	12	27	0.12	< 10	< 10	80	< 10	92
LLS-044	201	202	1	0.02	4	1450	16	< 2	10	71	0.01	< 10	< 10	50	< 10	98
LLS-045	201	202	< 1	0.01	8	1550	10	< 2	13	31	0.10	< 10	< 10	79	< 10	110
LLS-046	201	202	< 1	0.03	3	1520	8	< 2	11	23	0.11	< 10	< 10	74	< 10	98
LLS-047	201	202	< 1	0.01	7	1130	16	< 2	6	25	< 0.01	< 10	< 10	42	< 10	94
LLS-048	201	202	< 1	0.01	3	940	10	< 2	3	88	< 0.01	< 10	< 10	27	< 10	74
LLS-049	201	202	1	0.03	13	790	10	< 2	7	35	0.17	< 10	< 10	84	< 10	64
LLS-050	201	202	< 1	0.03	13	940	6	< 2	9	33	0.20	< 10	< 10	97	10	74
LLS-051	201	202	< 1	0.05	11	900	6	< 2	9	38	0.13	< 10	< 10	88	< 10	76
LLS-052	201	202	< 1	0.04	9	1060	14	< 2	7	41	0.21	< 10	< 10	96	< 10	86
LLS-053	201	202	< 1	0.01	6	1470	8	< 2	8	26	0.17	< 10	< 10	86	< 10	96
LLS-054	201	202	1	0.01	3	1440	12	< 2	9	27	0.08	< 10	< 10	74	< 10	112
LLS-055	201	202	1	0.01	11	1040	30	2	8	31	0.13	< 10	< 10	78	< 10	82
LLS-056	201	202	< 1	0.03	4	1670	8	< 2	11	26	0.12	< 10	< 10	83	< 10	110
LLS-057	201	202	1	0.01	15	540	20	2	5	35	0.12	< 10	< 10	81	< 10	70
LLS-058	201	202	1	0.02	4	310	78	< 2	3	20	0.01	< 10	< 10	19	< 10	68
LLS-059	201	202	< 1	0.02	13	590	226	2	6	37	0.13	< 10	< 10	83	< 10	270
LLS-060	201	202	2	< 0.01	4	1070	98	8	7	44	< 0.01	< 10	< 10	6	< 10	268
LLS-061	201	202	< 1	0.01	8	1120	16	< 2	8	24	0.16	< 10	< 10	76	< 10	90
LLS-062	201	202	< 1	0.02	2	1340	6	< 2	9	21	0.18	< 10	< 10	68	< 10	80
LLS-063	201	202	< 1	0.02	8	1140	12	< 2	9	33	0.09	< 10	< 10	75	< 10	90
LLS-064	201	202	< 1	0.02	3	1310	8	< 2	10	26	0.14	< 10	< 10	72	< 10	92
LLS-065	201	202	< 1	0.03	14	720	8	< 2	8	43	0.13	< 10	< 10	89	< 10	66
LLS-066	201	202	< 1	0.05	5	890	10	< 2	8	50	0.22	< 10	< 10	103	< 10	78
LLS-067	201	202	< 1	0.04	14	840	8	< 2	6	43	0.14	< 10	< 10	91	< 10	58
LLS-068	201	202	< 1	0.01	4	920	10	< 2	8	35	0.11	< 10	< 10	72	< 10	78
LLS-069	201	202	< 1	0.03	16	770	8	2	6	36	0.16	< 10	< 10	79	< 10	62
LLS-070	201	202	< 1	0.02	12	1540	6	< 2	9	29	0.20	< 10	< 10	92	< 10	90
LLS-071	201	202	1	0.05	9	1390	6	< 2	9	29	0.19	< 10	< 10	83	< 10	86
LLS-072	201	202	< 1	0.01	8	1420	10	< 2	8	30	0.05	< 10	< 10	71	< 10	108
LLS-073	201	202	< 1	0.01	3	1250	20	< 2	5	43	< 0.01	< 10	< 10	41	< 10	86
LLS-074	201	202	< 1	0.02	7	1130	8	< 2	7	27	0.21	< 10	< 10	97	< 10	78
LLS-075	201	202	< 1	0.04	7	1040	10	< 2	8	30	0.24	< 10	< 10	111	< 10	90
LLS-076	201	202	< 1	0.01	7	1580	6	< 2	8	25	0.26	< 10	< 10	92	< 10	98
LLS-077	201	202	< 1	0.03	2	1410	6	< 2	9	22	0.24	< 10	< 10	84	< 10	94
LLS-078	201	202	< 1	0.02	16	990	6	< 2	8	37	0.22	< 10	< 10	98	< 10	78
LLS-079	201	202	< 1	0.01	4	1190	16	2	8	46	0.04	< 10	< 10	45	< 10	92
LLS-080	201	202	< 1	0.01	13	1400	6	< 2	8	32	0.27	< 10	< 10	107	< 10	94

CERTIFICATE INCOMPLETE

CERTIFICATION:

07/04/96 12:58AM CHEMEX LABS VAX-FAX2 PAGE 005

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project: LONGLINE
Comments: ATTN: BOB BURBAN CC: SANDY SEARS

Certificate Date: 3-JUL-96
Invoice No. I-9621679
P.O. Number
Account

CERTIFICATE OF ANALYSIS A9621679

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-081	201	202	1	< 0.2	1.40	114	380	0.5	< 2	0.43	< 0.5	7	7	14	2.93	< 10	20	0.35	40	0.35	775
LLS-082	201	202	160	< 0.2	2.54	22	280	0.5	< 2	0.83	< 0.5	12	41	38	3.82	< 10	30	0.22	10	0.97	490
LLS-083	201	202	3	< 0.2	2.31	36	590	< 0.5	< 2	0.78	< 0.5	12	11	35	4.75	< 10	10	0.94	30	1.27	970
LLS-084	201	202	1	< 0.2	3.04	2	350	< 0.5	< 2	1.06	< 0.5	14	39	29	3.97	< 10	< 10	0.58	10	1.28	485
LLS-085	201	202	1	< 0.2	3.22	8	590	< 0.5	< 2	1.50	< 0.5	18	42	29	4.38	< 10	< 10	1.04	20	1.70	760
LLS-086	201	202	6	< 0.2	3.38	32	170	1.0	< 2	1.56	< 0.5	28	64	46	5.65	< 10	20	0.06	20	2.03	695
LLS-087	201	202	2	0.2	3.04	28	80	0.5	< 2	2.71	1.5	33	54	38	5.62	< 10	< 10	0.05	20	2.62	815
LLS-088	201	202	80	< 0.2	3.20	38	290	0.5	< 2	0.55	< 0.5	11	21	22	4.89	< 10	10	0.32	30	1.20	685
LLS-089	201	202	5	< 0.2	2.50	336	340	< 0.5	< 2	0.56	< 0.5	12	6	47	4.61	< 10	20	0.57	30	1.19	1130
LLS-090	201	202	3	< 0.2	3.34	48	340	0.5	< 2	0.84	< 0.5	12	32	22	4.82	< 10	10	0.40	20	1.27	785
LLS-091	201	202	20	< 0.2	4.54	94	470	0.5	< 2	1.82	0.5	32	125	45	7.07	< 10	30	0.28	40	2.28	1620
LLS-092	201	202	25	< 0.2	3.55	52	430	0.5	< 2	0.94	< 0.5	14	50	33	5.40	< 10	10	0.56	30	1.46	710
LLS-093	201	202	19	< 0.2	3.14	62	510	0.5	< 2	1.05	< 0.5	16	9	18	6.67	10	10	0.44	40	1.59	1280
LLS-094	201	202	3	< 0.2	3.10	134	420	0.5	< 2	0.78	< 0.5	13	14	20	5.49	< 10	20	0.80	30	1.19	950
LLS-095	201	202	4	< 0.2	2.75	176	630	0.5	< 2	0.86	< 0.5	12	6	11	5.25	< 10	10	0.81	30	1.23	1040
LLS-096	201	202	8	< 0.2	3.16	72	660	0.5	< 2	0.70	< 0.5	12	17	20	5.57	< 10	10	0.94	30	1.34	815
LLS-097	201	202	12	< 0.2	2.55	160	580	< 0.5	< 2	0.80	< 0.5	12	7	19	5.32	< 10	10	0.78	40	1.18	965
LLS-098	201	202	160	< 0.2	2.79	56	320	< 0.5	< 2	0.57	< 0.5	10	36	22	3.61	< 10	30	0.14	10	0.80	425
LLS-099	201	202	285	< 0.2	1.47	1280	900	0.5	< 2	0.60	2.0	11	6	14	4.30	< 10	30	0.34	50	0.46	1790
LLS-100	201	202	10	< 0.2	2.80	44	380	< 0.5	< 2	0.78	< 0.5	11	20	18	4.94	< 10	10	0.85	10	1.20	710
LLS-101	201	202	175	< 0.2	1.64	410	550	< 0.5	< 2	0.66	< 0.5	10	5	26	4.19	< 10	10	0.58	30	0.72	1090
LLS-102	201	202	53	< 0.2	2.44	28	240	< 0.5	< 2	0.60	< 0.5	10	34	19	3.58	< 10	20	0.14	10	0.82	430
LLS-103	201	202	19	< 0.2	2.44	92	620	< 0.5	< 2	0.85	< 0.5	11	6	8	4.69	< 10	20	0.91	30	1.15	1175
LLS-104	201	202	9	< 0.2	2.88	30	300	0.5	< 2	0.79	< 0.5	10	31	22	4.13	< 10	10	0.25	20	1.00	470
LLS-105	201	202	18	< 0.2	2.19	12	410	< 0.5	< 2	0.93	< 0.5	11	8	7	4.53	< 10	10	0.66	30	1.19	940
LLS-106	201	202	20	< 0.2	2.31	40	420	< 0.5	< 2	0.70	< 0.5	11	21	17	4.05	< 10	10	0.55	30	0.97	760
LLS-107	201	202	< 1	< 0.2	3.03	12	470	0.5	< 2	0.84	< 0.5	15	10	6	6.22	< 10	< 10	0.54	60	1.73	1515
LLS-108	201	202	29	< 0.2	2.60	8	620	0.5	< 2	0.83	< 0.5	12	12	5	5.64	< 10	< 10	0.92	40	1.57	1160
LLS-109	201	202	10	< 0.2	2.19	46	230	< 0.5	< 2	0.58	< 0.5	9	29	17	3.42	< 10	20	0.08	10	0.76	405
LLS-110	201	202	15	< 0.2	2.65	122	450	< 0.5	< 2	0.74	< 0.5	11	12	10	4.96	< 10	10	0.59	30	1.33	1075
LLS-111	201	202	3	< 0.2	2.35	8	480	< 0.5	< 2	0.83	< 0.5	11	10	10	4.50	< 10	< 10	0.79	30	1.24	805
LLS-112	201	202	11	< 0.2	2.46	38	350	< 0.5	< 2	0.73	< 0.5	11	26	21	4.09	< 10	70	0.44	20	1.06	660
LLS-113	201	202	< 1	< 0.2	2.46	8	360	< 0.5	< 2	0.62	< 0.5	11	15	11	4.06	< 10	20	0.55	30	1.13	970
LLS-114	201	202	< 1	< 0.2	2.21	8	310	< 0.5	< 2	0.59	< 0.5	9	11	9	4.01	< 10	< 10	0.58	30	1.08	985
LLS-115	201	202	1	< 0.2	2.59	26	380	< 0.5	< 2	0.68	< 0.5	12	25	15	4.47	< 10	30	0.45	20	1.07	715
LLS-116	201	202	3	< 0.2	1.90	38	250	0.5	< 2	1.19	< 0.5	17	28	17	5.34	< 10	10	0.28	30	1.25	710
LLS-117	201	202	1	< 0.2	2.53	20	320	< 0.5	< 2	0.58	< 0.5	11	35	20	3.78	< 10	50	0.18	20	0.84	640
LLS-118	201	202	< 1	< 0.2	1.78	24	190	0.5	< 2	1.30	< 0.5	20	30	19	5.95	< 10	10	0.26	40	1.38	620
LLS-119	201	202	3	< 0.2	2.13	12	270	< 0.5	< 2	0.86	< 0.5	17	32	16	5.16	< 10	10	0.29	30	1.20	730
LLS-120	201	202	7	< 0.2	1.98	24	180	0.5	< 2	1.40	< 0.5	24	52	22	5.99	< 10	10	0.30	30	1.92	690

CERTIFICATE INCOMPLETE

CERTIFICATION:

07/04/96 1:00AM CHEMEX LABS VAX-FAX2

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: BOB BURBAN CC: SANDY SEARS

Page Number 3-B
Total Pages 4
Certificate Date: 3-JUL-96
Invoice No. I-9621679
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9621679

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-081	201 202	2	0.01	5	640	28	< 2	6	21	0.01	< 10	< 10	31	< 10	56
LLS-082	201 202	< 1	0.04	22	810	6	< 2	9	48	0.20	< 10	< 10	99	< 10	64
LLS-083	201 202	< 1	0.03	6	1430	6	< 2	8	23	0.24	< 10	< 10	93	< 10	92
LLS-084	201 202	< 1	0.09	17	1390	2	< 2	5	63	0.24	< 10	< 10	107	< 10	62
LLS-085	201 202	< 1	0.20	16	1620	6	< 2	7	107	0.26	< 10	< 10	118	< 10	74
LLS-086	201 202	< 1	< 0.01	80	1240	4	< 2	12	90	0.37	< 10	< 10	94	< 10	90
LLS-087	201 202	< 1	< 0.01	93	1440	6	< 2	10	131	0.35	< 10	< 10	73	< 10	90
LLS-088	201 202	< 1	0.01	12	1000	6	< 2	9	33	0.14	< 10	< 10	98	< 10	82
LLS-089	201 202	< 1	0.03	4	1210	8	< 2	9	31	0.11	< 10	< 10	87	< 10	86
LLS-090	201 202	< 1	0.01	16	900	10	< 2	9	47	0.27	< 10	< 10	107	< 10	80
LLS-091	201 202	< 1	0.01	87	3860	10	< 2	16	82	0.01	< 10	< 10	93	< 10	112
LLS-092	201 202	< 1	0.03	22	1250	10	< 2	12	53	0.26	< 10	< 10	111	< 10	96
LLS-093	201 202	< 1	0.03	8	1910	6	< 2	12	46	0.18	< 10	< 10	116	< 10	130
LLS-094	201 202	< 1	0.01	8	1310	8	< 2	11	36	0.22	< 10	< 10	98	< 10	104
LLS-095	201 202	< 1	0.02	4	1920	8	< 2	9	35	0.17	< 10	< 10	87	< 10	108
LLS-096	201 202	< 1	0.01	8	1340	8	< 2	10	36	0.29	< 10	< 10	111	< 10	98
LLS-097	201 202	< 1	0.03	5	1640	6	< 2	10	30	0.15	< 10	< 10	94	< 10	96
LLS-098	201 202	< 1	0.01	16	420	10	< 2	7	42	0.14	< 10	< 10	85	< 10	64
LLS-099	201 202	1	0.01	4	1550	210	2	6	26	< 0.01	< 10	< 10	57	< 10	146
LLS-100	201 202	< 1	0.01	9	1310	6	< 2	8	29	0.27	< 10	< 10	108	< 10	88
LLS-101	201 202	< 1	0.01	4	1380	12	< 2	6	20	0.14	< 10	< 10	67	< 10	72
LLS-102	201 202	< 1	0.01	16	490	16	< 2	6	38	0.18	< 10	< 10	90	< 10	58
LLS-103	201 202	< 1	0.01	3	1610	8	< 2	7	30	0.22	< 10	< 10	86	< 10	94
LLS-104	201 202	< 1	0.01	14	930	8	< 2	7	41	0.20	< 10	< 10	98	< 10	72
LLS-105	201 202	< 1	0.01	4	1380	8	< 2	8	25	0.22	< 10	< 10	87	< 10	92
LLS-106	201 202	< 1	0.02	9	1000	8	2	6	30	0.20	< 10	< 10	87	< 10	74
LLS-107	201 202	< 1	< 0.01	7	1760	12	< 2	14	28	0.31	< 10	< 10	125	< 10	122
LLS-108	201 202	< 1	0.02	5	1570	6	< 2	10	28	0.30	< 10	< 10	112	< 10	108
LLS-109	201 202	< 1	0.01	14	550	6	< 2	6	36	0.16	< 10	< 10	77	< 10	54
LLS-110	201 202	< 1	0.01	6	1540	8	< 2	9	31	0.14	< 10	< 10	89	< 10	98
LLS-111	201 202	< 1	0.01	4	1370	6	< 2	6	25	0.23	< 10	< 10	88	< 10	86
LLS-112	201 202	< 1	< 0.01	12	1070	12	< 2	7	34	0.21	< 10	< 10	95	< 10	78
LLS-113	201 202	< 1	0.01	7	1030	8	< 2	7	34	0.21	< 10	< 10	80	< 10	86
LLS-114	201 202	< 1	0.01	5	1060	6	< 2	7	28	0.18	< 10	< 10	75	< 10	84
LLS-115	201 202	< 1	0.01	12	1060	8	< 2	7	33	0.21	< 10	< 10	95	< 10	80
LLS-116	201 202	< 1	0.08	15	2260	4	< 2	9	63	0.14	< 10	< 10	100	< 10	104
LLS-117	201 202	< 1	0.01	17	560	8	< 2	7	38	0.18	< 10	< 10	94	< 10	60
LLS-118	201 202	1	0.08	20	2490	2	< 2	9	74	0.14	< 10	< 10	100	< 10	116
LLS-119	201 202	< 1	0.03	15	1750	2	< 2	8	42	0.16	< 10	< 10	110	< 10	100
LLS-120	201 202	< 1	0.08	35	2160	2	< 2	10	83	0.11	< 10	< 10	103	< 10	106

UNOFFICIAL RESULTS

CERTIFICATE INCOMPLETE

CERTIFICATION:

07/04/96 1:01AM CHEMEX LABS VAX-FAX2 PAGE 007

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: BOB BURBAN CC: SANDY SEARS

Certificate Date: 3-JUL-96
Invoice No. I-9621679
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9621679

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-121	201	202	1	< 0.2	2.72	36	430	0.5	< 2	0.67	< 0.5	15	9	9	5.62	10	10	0.68	40	1.32	1445
LLS-122	201	202	< 1	< 0.2	1.93	16	570	< 0.5	< 2	0.55	< 0.5	10	7	4	4.23	10	< 10	1.03	30	1.13	1050
LLS-123	201	202	4	< 0.2	2.25	50	220	0.5	< 2	0.77	< 0.5	20	55	18	4.85	< 10	10	0.23	20	1.38	660
LLS-124	201	202	1	< 0.2	2.48	62	600	< 0.5	< 2	0.80	< 0.5	14	8	6	5.42	10	10	1.12	40	1.45	1375
LLS-125	201	202	7	0.2	2.12	214	290	< 0.5	< 2	0.79	< 0.5	16	36	19	4.21	< 10	20	0.25	30	1.09	860
LLS-126	201	202	5	< 0.2	1.91	224	170	0.5	< 2	1.19	< 0.5	26	51	30	5.83	< 10	10	0.13	30	1.48	750
LLS-127	201	202	1	< 0.2	1.99	82	240	< 0.5	< 2	0.78	< 0.5	16	32	18	4.00	< 10	10	0.31	30	1.20	715
LLS-128	201	202	2	< 0.2	2.11	94	510	0.5	< 2	0.56	< 0.5	11	10	12	3.82	< 10	10	0.35	50	0.91	1665
LLS-129	201	202	1	< 0.2	2.53	248	480	0.5	< 2	0.45	< 0.5	12	8	11	4.60	10	< 10	0.86	40	1.15	1090
LLS-130	201	202	3	< 0.2	2.52	338	430	1.0	< 2	0.70	< 0.5	15	5	8	5.00	10	10	0.55	70	0.99	1655
LLS-131	201	202	2	< 0.2	3.12	76	470	0.5	< 2	0.68	< 0.5	16	20	17	5.67	10	10	0.77	50	1.51	1100
LLS-132	201	202	6	< 0.2	3.06	454	390	0.5	< 2	0.77	< 0.5	15	8	16	5.65	10	20	0.60	80	1.29	1640
LLS-133	201	202	3	< 0.2	3.04	222	370	0.5	< 2	0.86	< 0.5	17	45	21	5.35	10	< 10	0.63	30	1.51	1010
LLS-134	201	202	< 1	< 0.2	2.89	88	230	0.5	< 2	1.68	< 0.5	31	79	45	5.91	10	< 10	0.26	30	2.67	945
LLS-135	201	202	19	< 0.2	3.03	176	470	0.5	< 2	0.71	< 0.5	15	18	12	5.60	10	10	0.96	30	1.42	1105
LLS-136	201	202	7	< 0.2	2.57	136	500	0.5	< 2	0.65	< 0.5	13	6	7	4.89	10	< 10	0.78	70	1.07	1330
LLS-137	201	202	3	< 0.2	2.64	98	340	< 0.5	< 2	0.61	< 0.5	12	15	11	4.54	10	< 10	0.81	30	1.16	925
LLS-138	201	202	17	< 0.2	2.51	872	660	1.0	< 2	0.67	1.5	13	6	10	5.36	10	10	0.51	90	0.70	1365
LLS-139	201	202	48	< 0.2	2.05	1315	620	1.0	< 2	0.64	1.0	13	4	12	4.91	< 10	20	0.42	80	0.57	1515
LLS-140	201	202	3	< 0.2	2.33	64	470	< 0.5	< 2	0.43	< 0.5	12	8	7	4.54	10	< 10	0.53	30	0.98	1265
LLS-141	201	202	1	< 0.2	2.22	70	380	0.5	< 2	0.58	< 0.5	11	7	7	4.68	10	< 10	0.36	40	1.15	1310
LLS-142	201	202	1	< 0.2	2.52	58	180	0.5	< 2	1.52	< 0.5	29	90	32	5.35	10	< 10	0.12	20	2.80	590
LLS-143	201	202	2	< 0.2	2.22	30	410	< 0.5	< 2	0.84	< 0.5	12	7	5	4.94	10	< 10	0.92	30	1.42	1070
LLS-144	201	202	6	< 0.2	2.36	54	500	< 0.5	< 2	0.56	< 0.5	11	11	6	4.52	10	20	0.73	30	1.12	1005
LLS-145	201	202	18	< 0.2	2.23	98	330	0.5	< 2	0.55	< 0.5	9	4	6	4.03	< 10	10	0.35	60	0.79	1210
LLS-146	201	202	9	< 0.2	2.02	32	330	< 0.5	< 2	0.46	< 0.5	9	11	9	3.51	< 10	< 10	0.54	30	0.85	850
LLS-147	201	202	2	< 0.2	1.48	10	330	< 0.5	< 2	0.48	< 0.5	8	5	3	3.13	< 10	10	0.64	40	0.77	810
LLS-148	201	202	3	< 0.2	2.24	90	370	< 0.5	< 2	0.60	< 0.5	10	6	5	4.23	10	10	0.80	30	1.00	1040
LLS-149	201	202	2	< 0.2	1.64	56	290	< 0.5	< 2	0.46	< 0.5	8	7	4	3.30	< 10	10	0.58	30	0.75	795
LLS-150	201	202	6	< 0.2	2.26	16	260	< 0.5	< 2	0.40	< 0.5	10	17	10	3.64	< 10	10	0.41	20	0.84	790

PRELIMINARY

CERTIFICATE INCOMPLETE

CERTIFICATION:

07/04/96 1:03AM CHEMEX LABS VAX-FAX2 PAGE 008

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: BOB BURBAN CC: SANDY SEARS

Certificate Date: 3-JUL-96
Invoice No. I-9621679
P.O. Number
Account

CERTIFICATE OF ANALYSIS A9621679

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-121	201	202	< 1	0.01	6	1800	8	< 2	12	29	0.12	< 10	< 10	98	< 10	118
LLS-122	201	202	1	0.03	3	1500	6	< 2	11	21	0.20	< 10	< 10	80	< 10	88
LLS-123	201	202	< 1	0.04	25	1690	8	< 2	8	43	0.12	< 10	< 10	101	< 10	92
LLS-124	201	202	< 1	0.01	4	1720	8	< 2	15	30	0.28	< 10	< 10	108	< 10	112
LLS-125	201	202	1	0.03	21	1100	12	< 2	9	45	0.13	< 10	< 10	87	< 10	76
LLS-126	201	202	< 1	0.08	37	1980	2	< 2	12	67	0.08	< 10	< 10	82	< 10	88
LLS-127	201	202	< 1	0.03	23	1270	8	< 2	7	41	0.15	< 10	< 10	77	< 10	76
LLS-128	201	202	< 1	0.01	10	1120	20	< 2	10	28	0.04	< 10	< 10	54	< 10	86
LLS-129	201	202	< 1	0.01	5	1190	6	< 2	10	21	0.16	< 10	< 10	79	< 10	96
LLS-130	201	202	1	0.02	4	1660	20	< 2	11	39	0.04	< 10	< 10	65	< 10	112
LLS-131	201	202	< 1	0.01	10	1350	12	< 2	13	35	0.26	< 10	< 10	113	< 10	108
LLS-132	201	202	< 1	0.02	6	1780	24	< 2	11	40	0.05	< 10	< 10	77	< 10	128
LLS-133	201	202	< 1	0.04	25	1640	10	< 2	10	43	0.22	< 10	< 10	107	< 10	104
LLS-134	201	202	< 1	0.18	71	2400	2	< 2	11	114	0.12	< 10	< 10	84	< 10	108
LLS-135	201	202	< 1	0.01	11	1750	16	< 2	10	30	0.23	< 10	< 10	105	< 10	116
LLS-136	201	202	< 1	0.01	4	1690	16	< 2	9	31	0.08	< 10	< 10	71	< 10	108
LLS-137	201	202	< 1	0.01	8	1480	10	< 2	7	25	0.21	< 10	< 10	87	< 10	102
LLS-138	201	202	< 1	0.02	6	1850	30	< 2	11	16	0.02	< 10	< 10	50	< 10	180
LLS-139	201	202	2	0.02	4	1680	34	< 2	12	37	0.01	< 10	< 10	48	< 10	144
LLS-140	201	202	< 1	0.01	5	1390	10	< 2	10	17	0.10	< 10	< 10	70	< 10	102
LLS-141	201	202	< 1	< 0.01	5	1350	14	< 2	12	21	0.15	< 10	< 10	68	< 10	102
LLS-142	201	202	< 1	0.09	68	1350	6	< 2	10	69	0.39	< 10	< 10	90	< 10	76
LLS-143	201	202	< 1	0.01	6	1630	6	< 2	12	25	0.31	< 10	< 10	89	< 10	106
LLS-144	201	202	< 1	0.01	6	1320	10	< 2	8	18	0.22	< 10	< 10	78	< 10	94
LLS-145	201	202	< 1	0.01	3	1180	20	< 2	7	28	< 0.01	< 10	< 10	37	< 10	86
LLS-146	201	202	< 1	0.01	7	1000	10	< 2	7	18	0.13	< 10	< 10	63	< 10	78
LLS-147	201	202	< 1	0.03	2	1070	8	< 2	6	16	0.15	< 10	< 10	53	< 10	72
LLS-148	201	202	< 1	< 0.01	4	1420	14	< 2	8	23	0.17	< 10	< 10	65	< 10	100
LLS-149	201	202	< 1	0.01	3	1070	10	< 2	6	18	0.12	< 10	< 10	50	< 10	76
LLS-150	201	202	< 1	< 0.01	9	770	10	< 2	6	17	0.16	< 10	< 10	68	< 10	74

PRELIMINARY

CERTIFICATE INCOMPLETE

CERTIFICATION:

07/04/96 1:04AM CHEMEX LABS VAX-FAX2

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

BA[illegible]MUND[illegible] GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : [illegible]
Comments:

Page [illegible]er : 1-A
Total Pages : 1
Certificate Date: 11-JUL-96
Invoice No. : I9623101
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9623101

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
LLS-151	201	202	< 5	< 0.2	1.51	6	360	< 0.5	< 2	0.44	< 0.5	7	5	3	3.18	< 10	1	0.67	20	0.79	780
LLS-156	201	202	120	< 0.2	2.26	8	170	< 0.5	< 2	0.75	< 0.5	13	32	21	3.90	< 10	1	0.30	10	1.06	545
LLS-157	201	202	< 5	< 0.2	2.21	16	360	< 0.5	< 2	0.58	< 0.5	13	13	7	3.82	< 10	< 1	0.88	10	1.15	905
LLS-158	201	202	< 5	< 0.2	2.12	4	250	< 0.5	< 2	0.60	< 0.5	12	19	17	3.52	< 10	1	0.43	10	0.99	595
LLS-159	201	202	< 5	< 0.2	2.06	12	430	< 0.5	< 2	0.55	< 0.5	10	13	17	3.70	< 10	< 1	0.82	20	0.97	695
LLS-160	201	202	5	< 0.2	2.05	26	250	< 0.5	< 2	0.63	< 0.5	12	16	12	3.54	< 10	< 1	0.52	10	0.90	620
LLS-161	201	202	5	< 0.2	1.50	28	140	< 0.5	< 2	0.37	< 0.5	7	5	3	2.54	< 10	< 1	0.42	10	0.52	335
LLS-162	201	202	< 5	< 0.2	2.10	14	350	< 0.5	< 2	0.59	< 0.5	10	15	12	3.62	< 10	< 1	0.51	20	0.92	665
LLS-163	201	202	< 5	< 0.2	1.12	48	300	0.5	< 2	0.38	< 0.5	12	3	6	3.18	< 10	< 1	0.28	20	0.29	845
LLS-164	201	202	15	< 0.2	1.81	40	210	< 0.5	< 2	0.87	< 0.5	10	20	14	3.19	< 10	1	0.21	10	0.72	560
LLS-165	201	202	25	< 0.2	2.26	66	290	< 0.5	< 2	0.58	< 0.5	12	15	13	3.85	< 10	3	0.36	20	1.00	945
LLS-166	201	202	10	< 0.2	2.23	24	240	< 0.5	< 2	0.57	< 0.5	12	21	14	3.50	< 10	< 1	0.28	10	0.90	550
LLS-167	201	202	15	< 0.2	1.99	28	210	< 0.5	< 2	0.66	< 0.5	10	23	24	3.14	< 10	< 1	0.14	10	0.61	355
LLS-168	201	202	5	< 0.2	1.86	8	160	< 0.5	< 2	0.97	< 0.5	10	28	29	2.61	< 10	< 1	0.11	< 10	0.76	290
LLS-169	201	202	< 5	< 0.2	1.79	8	170	< 0.5	< 2	1.12	< 0.5	10	28	30	2.65	< 10	1	0.08	< 10	0.70	390
LLS-170	201	202	20	< 0.2	2.05	140	230	< 0.5	< 2	0.62	< 0.5	10	30	19	3.16	< 10	< 1	0.15	10	0.70	395
LLS-171	201	202	< 5	< 0.2	1.59	4	160	< 0.5	< 2	1.39	< 0.5	11	28	39	2.73	< 10	< 1	0.08	< 10	0.86	400
LLS-172	201	202	< 5	< 0.2	2.10	118	440	0.5	< 2	0.47	< 0.5	11	7	7	3.90	< 10	< 1	0.33	40	0.98	1175
LLS-173	201	202	< 5	< 0.2	2.15	38	230	< 0.5	< 2	0.45	< 0.5	12	21	14	3.26	< 10	< 1	0.18	10	0.65	520
LLS-174	201	202	< 5	< 0.2	2.13	128	530	< 0.5	< 2	0.59	< 0.5	11	15	16	4.09	< 10	< 1	0.72	30	1.03	770

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

c. BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project :
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 11-JUL-96
Invoice No. : I9623101
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9623101

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-151	201	202	< 1	0.01	2	1030	6	< 2	6	14	0.12	< 10	< 10	53	< 10	68
LLS-156	201	202	< 1	0.03	19	1030	6	< 2	10	40	0.12	< 10	< 10	85	< 10	68
LLS-157	201	202	< 1	0.05	5	840	6	< 2	10	29	0.14	< 10	< 10	88	< 10	70
LLS-158	201	202	< 1	0.03	11	800	6	< 2	8	32	0.14	< 10	< 10	85	< 10	62
LLS-159	201	202	< 1	0.03	6	1050	6	< 2	7	24	0.17	< 10	< 10	73	< 10	70
LLS-160	201	202	< 1	0.03	10	840	8	< 2	8	30	0.15	< 10	< 10	83	< 10	62
LLS-161	201	202	< 1	0.01	2	540	6	< 2	7	18	0.03	< 10	< 10	41	< 10	44
LLS-162	201	202	< 1	0.02	8	1070	10	< 2	8	30	0.14	< 10	< 10	73	< 10	70
LLS-163	201	202	< 1	0.01	3	720	16	< 2	9	19	< 0.01	< 10	< 10	38	< 10	54
LLS-164	201	202	< 1	0.03	11	710	10	2	7	44	0.10	< 10	< 10	63	< 10	52
LLS-165	201	202	< 1	0.03	7	840	18	< 2	11	32	0.09	< 10	< 10	69	< 10	72
LLS-166	201	202	< 1	0.03	11	710	14	< 2	7	32	0.14	< 10	< 10	85	< 10	60
LLS-167	201	202	< 1	0.02	17	800	14	< 2	8	38	0.12	< 10	< 10	73	< 10	58
LLS-168	201	202	< 1	0.05	20	680	4	2	6	49	0.14	< 10	< 10	78	< 10	52
LLS-169	201	202	< 1	0.04	21	760	2	< 2	6	54	0.13	< 10	< 10	72	< 10	58
LLS-170	201	202	< 1	0.02	16	720	14	< 2	6	35	0.14	< 10	< 10	79	< 10	58
LLS-171	201	202	1	0.06	25	740	6	< 2	5	73	0.12	< 10	< 10	74	< 10	54
LLS-172	201	202	< 1	0.01	4	1290	14	2	6	22	0.03	< 10	< 10	49	< 10	90
LLS-173	201	202	< 1	0.01	12	660	8	< 2	5	28	0.13	< 10	< 10	79	< 10	54
LLS-174	201	202	< 1	0.03	6	1210	6	< 2	7	24	0.18	< 10	< 10	77	< 10	76

CERTIFICATION: Ian R. Fidler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Certificate Date 16-JUL-96
Invoice No I-9623290
P.O. Number
Account

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-175	201	202	4	< 0.2	2.56	96	350	< 0.5	2	0.56	< 0.5	14	21	20	4.27	< 10	10	0.30	30	1.00	790
LLS-176	201	202	40	< 0.2	2.49	474	550	0.5	< 2	0.69	< 0.5	15	22	25	5.12	< 10	10	0.68	40	1.18	1275
LLS-177	201	202	6	< 0.2	2.43	72	240	< 0.5	< 2	0.57	< 0.5	13	31	22	3.71	< 10	10	0.18	10	0.86	545
LLS-178	201	202	16	< 0.2	2.25	360	340	< 0.5	< 2	0.68	< 0.5	13	17	14	4.35	< 10	< 10	0.55	30	1.09	910
LLS-179	201	202	1	< 0.2	2.92	14	610	0.5	< 2	0.66	< 0.5	13	20	20	4.58	10	< 10	0.83	10	1.45	1005
LLS-180	201	202	3	< 0.2	3.20	24	630	0.5	< 2	0.76	< 0.5	14	16	19	4.31	< 10	20	0.45	20	1.23	1370
LLS-181	201	202	2	< 0.2	3.64	18	490	0.5	2	0.66	< 0.5	15	18	17	4.79	< 10	< 10	0.51	10	1.31	1100
LLS-182	201	202	2	< 0.2	3.00	30	280	0.5	2	0.82	< 0.5	18	38	24	5.53	< 10	< 10	0.27	20	1.57	710
LLS-183	201	202	1	< 0.2	3.19	28	300	0.5	4	0.82	< 0.5	13	12	11	5.49	10	< 10	0.57	20	1.71	1005
LLS-184	201	202	7	< 0.2	3.46	58	430	0.5	< 2	0.70	< 0.5	13	24	17	5.23	< 10	< 10	0.65	20	1.47	840
LLS-185	201	202	24	< 0.2	5.44	240	5350	0.5	< 2	1.29	0.5	24	148	38	6.34	< 10	20	0.24	30	1.91	1065
LLS-186	201	202	10	< 0.2	3.53	118	610	0.5	< 2	0.63	< 0.5	14	13	13	5.19	< 10	< 10	0.87	20	1.42	1350
LLS-187	201	202	420	1.6	1.64	5110	450	0.5	2	0.69	3.5	17	16	23	6.43	< 10	100	0.23	60	0.57	2650
LLS-188	201	202	16	< 0.2	2.78	86	320	< 0.5	2	0.73	< 0.5	13	27	16	4.47	< 10	10	0.38	10	1.19	690
LLS-189	201	202	230	< 0.2	3.33	318	1640	0.5	4	0.79	0.5	11	17	13	5.35	< 10	10	0.72	30	1.34	1435
LLS-190	201	202	10	< 0.2	3.07	126	310	< 0.5	< 2	0.58	< 0.5	13	31	18	4.40	< 10	20	0.22	10	1.15	595
LLS-191	201	202	30	< 0.2	4.32	156	400	0.5	4	0.98	< 0.5	22	101	34	5.72	< 10	10	0.17	10	2.17	740
LLS-192	201	202	11	< 0.2	3.03	220	480	0.5	< 2	0.91	< 0.5	16	19	11	5.60	10	10	0.71	30	1.48	1920
LLS-193	201	202	73	< 0.2	1.62	2430	410	0.5	< 2	0.70	1.5	11	13	12	5.72	< 10	< 10	0.27	30	0.60	1760
LLS-194	201	202	350	< 0.2	2.14	662	930	0.5	< 2	0.80	0.5	11	7	9	4.54	< 10	20	0.52	20	1.03	1950
LLS-195	201	202	3	< 0.2	2.42	66	290	0.5	< 2	0.75	< 0.5	7	5	14	3.49	< 10	< 10	0.27	30	0.91	650
LLS-196	201	202	5	< 0.2	2.17	40	240	1.0	< 2	0.64	< 0.5	7	3	21	3.26	< 10	< 10	0.27	30	0.85	785
LLS-197	201	202	< 1	< 0.2	3.22	94	500	0.5	4	0.54	< 0.5	14	14	17	4.96	10	< 10	0.73	10	1.30	1550
LLS-198	201	202	1	< 0.2	2.81	108	1110	0.5	< 2	0.61	< 0.5	12	6	12	4.14	< 10	< 10	0.66	30	1.12	1985
LLS-199	201	202	3	< 0.2	2.65	30	650	0.5	6	0.71	< 0.5	14	9	11	4.99	< 10	< 10	0.44	30	1.03	2140
LLS-200	201	202	1	< 0.2	2.57	26	930	0.5	2	0.74	< 0.5	12	5	9	4.33	< 10	20	0.41	30	0.88	2650
LLS-201	201	202	71	< 0.2	3.06	1225	780	0.5	< 2	0.65	< 0.5	21	8	56	6.40	10	< 10	0.54	60	1.14	3100
LLS-202	201	202	< 1	< 0.2	3.42	34	910	0.5	2	0.63	< 0.5	15	17	18	5.67	10	< 10	1.07	20	1.42	1215
LLS-203	201	202	7	< 0.2	2.24	72	1220	0.5	2	0.59	< 0.5	14	6	27	4.42	< 10	30	0.48	30	0.87	3780
LLS-204	201	202	6	< 0.2	2.51	12	980	< 0.5	< 2	0.77	< 0.5	16	12	22	5.39	< 10	< 10	0.91	30	1.32	2090
LLS-205	201	202	2	< 0.2	2.92	18	4540	0.5	< 2	0.74	0.5	13	12	21	5.07	< 10	10	0.77	30	1.30	1230
LLS-206	201	202	9	< 0.2	3.04	14	750	0.5	< 2	0.74	< 0.5	15	17	25	5.46	< 10	30	0.59	30	1.44	1355
LLS-207	201	202	4	< 0.2	2.47	26	380	< 0.5	< 2	0.68	< 0.5	12	30	24	4.09	< 10	40	0.45	10	1.14	710
LLS-208	201	202	1	< 0.2	2.33	8	340	< 0.5	2	0.62	< 0.5	11	19	15	3.80	< 10	10	0.58	20	1.12	690
LLS-209	201	202	5	< 0.2	2.44	12	270	< 0.5	< 2	0.70	< 0.5	13	28	23	4.02	< 10	10	0.35	10	1.08	680
LLS-210	201	202	43	< 0.2	2.90	152	360	0.5	< 2	0.86	< 0.5	14	7	9	5.54	< 10	10	0.69	30	1.23	845
LLS-211	201	202	9	< 0.2	1.98	16	440	< 0.5	< 2	0.85	< 0.5	12	5	5	4.07	< 10	< 10	0.84	20	1.12	1030
LLS-212	201	202	5	< 0.2	1.93	8	190	< 0.5	< 2	0.75	< 0.5	11	31	21	3.31	< 10	20	0.08	10	0.71	350
LLS-213	201	202	60	< 0.2	1.62	8	180	< 0.5	< 2	0.67	< 0.5	9	25	16	2.68	< 10	20	0.09	10	0.62	310
LLS-214	201	202	8	< 0.2	3.33	2	540	0.5	2	0.97	< 0.5	14	15	12	5.53	10	< 10	0.59	30	1.50	1205

CERTIFICATION:

07/16/96 8:39PM CHEMEX LABS VAX-FAX2 PAGE 002

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Certificate Date 16-JUL-96
Invoice No. I-9623290
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-175	201	202	< 1	0.01	11	950	10	6	8	34	0.12	< 10	< 10	82	< 10	78
LLS-176	201	202	< 1	0.02	13	1450	12	10	12	30	0.14	< 10	< 10	84	< 10	100
LLS-177	201	202	< 1	0.01	16	630	8	6	6	32	0.18	< 10	< 10	90	< 10	60
LLS-178	201	202	< 1	0.02	8	1400	16	4	8	28	0.15	< 10	< 10	76	< 10	90
LLS-179	201	202	< 1	< 0.01	11	1230	6	2	9	36	0.21	< 10	< 10	97	< 10	98
LLS-180	201	202	< 1	0.01	8	910	16	12	10	57	0.05	< 10	< 10	72	< 10	80
LLS-181	201	202	< 1	< 0.01	10	990	8	8	7	61	0.20	< 10	< 10	91	< 10	84
LLS-182	201	202	< 1	0.01	32	1420	2	4	7	52	0.16	< 10	< 10	82	< 10	80
LLS-183	201	202	< 1	< 0.01	9	1480	10	12	9	38	0.14	< 10	< 10	97	< 10	90
LLS-184	201	202	< 1	< 0.01	11	910	8	10	8	42	0.26	< 10	< 10	108	< 10	94
LLS-185	201	202	< 1	0.04	40	1260	6	12	16	274	0.06	< 10	< 10	103	< 10	88
LLS-186	201	202	< 1	< 0.01	7	1480	10	6	9	66	0.20	< 10	< 10	96	< 10	102
LLS-187	201	202	< 1	< 0.01	12	1180	162	6	11	49	0.01	< 10	< 10	92	< 10	118
LLS-188	201	202	< 1	< 0.01	14	1170	6	6	6	39	0.21	< 10	< 10	102	< 10	82
LLS-189	201	202	< 1	< 0.01	8	1530	16	6	9	35	0.18	< 10	< 10	96	< 10	104
LLS-190	201	202	< 1	< 0.01	16	680	26	10	6	34	0.21	< 10	< 10	105	< 10	90
LLS-191	201	202	< 1	0.09	59	1570	2	14	10	75	0.11	< 10	< 10	89	< 10	92
LLS-192	201	202	< 1	0.01	11	2020	6	4	12	50	0.15	< 10	< 10	81	< 10	102
LLS-193	201	202	< 1	< 0.01	8	2050	310	8	9	36	0.05	< 10	< 10	86	< 10	154
LLS-194	201	202	< 1	< 0.01	6	2100	96	6	8	35	0.12	< 10	< 10	67	< 10	134
LLS-195	201	202	< 1	< 0.01	4	940	14	6	5	43	< 0.01	< 10	< 10	33	< 10	68
LLS-196	201	202	< 1	< 0.01	3	870	26	8	5	37	< 0.01	< 10	< 10	25	< 10	76
LLS-197	201	202	< 1	< 0.01	6	1350	14	6	8	35	0.13	< 10	< 10	75	< 10	98
LLS-198	201	202	< 1	< 0.01	5	1320	12	8	7	83	0.09	< 10	< 10	58	< 10	82
LLS-199	201	202	< 1	< 0.01	7	1380	26	2	6	43	0.09	< 10	< 10	76	< 10	92
LLS-200	201	202	< 1	< 0.01	5	1300	26	4	8	39	0.05	< 10	< 10	59	< 10	86
LLS-201	201	202	3	< 0.01	7	2040	44	8	13	38	0.09	< 10	< 10	96	< 10	120
LLS-202	201	202	< 1	< 0.01	8	1670	10	16	11	28	0.26	< 10	< 10	104	< 10	94
LLS-203	201	202	< 1	< 0.01	5	1450	46	8	11	33	0.04	< 10	< 10	53	< 10	76
LLS-204	201	202	< 1	< 0.01	8	2080	10	4	11	28	0.21	< 10	< 10	103	< 10	104
LLS-205	201	202	< 1	0.01	6	1740	6	8	12	73	0.19	< 10	< 10	87	< 10	96
LLS-206	201	202	< 1	< 0.01	8	1390	16	8	13	47	0.16	< 10	< 10	111	< 10	86
LLS-207	201	202	< 1	0.02	15	900	14	2	7	40	0.21	< 10	< 10	94	< 10	82
LLS-208	201	202	< 1	0.01	9	940	4	6	6	33	0.20	< 10	< 10	83	< 10	72
LLS-209	201	202	< 1	0.01	15	920	4	12	7	40	0.19	< 10	< 10	92	< 10	72
LLS-210	201	202	< 1	0.01	4	1670	14	8	8	41	0.12	< 10	< 10	93	< 10	108
LLS-211	201	202	< 1	0.01	1	1340	6	8	5	25	0.20	< 10	< 10	82	< 10	84
LLS-212	201	202	< 1	0.03	16	1020	2	8	6	63	0.15	< 10	< 10	82	< 10	56
LLS-213	201	202	1	0.03	13	750	2	6	5	47	0.12	< 10	< 10	70	< 10	50
LLS-214	201	202	< 1	0.01	8	1690	6	6	9	54	0.21	< 10	< 10	100	< 10	114

CERTIFICATION:_____

07/16/96 8:40PM CHEMEX LABS VAX-FAX2 PAGE 003

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Certificate Date 16-JUL-96
Invoice No I-9623290
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-215	201	202	3	< 0.2	2.31	2	400	< 0.5	< 2	0.75	< 0.5	12	11	11	4.78	< 10	< 10	0.46	30	1.28	1010
LLS-216	201	202	1	< 0.2	2.01	2	300	< 0.5	< 2	0.63	< 0.5	12	23	13	3.76	< 10	< 10	0.38	10	0.97	610
LLS-217	201	202	14	< 0.2	2.04	2	290	< 0.5	< 2	0.65	< 0.5	10	20	12	3.34	< 10	< 10	0.26	10	0.94	585
LLS-218	201	202	13	< 0.2	2.00	6	230	< 0.5	2	0.52	< 0.5	11	26	15	3.19	< 10	10	0.15	10	0.83	455
LLS-219	201	202	1	< 0.2	2.40	< 2	370	< 0.5	4	0.67	< 0.5	17	29	16	4.40	< 10	10	0.59	10	1.24	735
LLS-220	201	202	31	< 0.2	2.52	20	330	0.5	2	0.91	< 0.5	22	39	24	5.49	< 10	10	0.35	30	1.63	695
LLS-221	201	202	1	< 0.2	2.41	< 2	360	< 0.5	< 2	0.60	< 0.5	13	20	14	4.16	< 10	< 10	0.73	10	1.17	815
LLS-222	201	202	< 1	< 0.2	3.13	6	480	0.5	4	0.82	< 0.5	19	31	18	5.83	< 10	< 10	0.98	20	1.70	935
LLS-223	201	202	5	< 0.2	3.15	16	420	0.5	< 2	1.21	< 0.5	28	57	24	6.69	< 10	10	0.73	30	2.12	1260
LLS-224	201	202	< 1	< 0.2	2.50	4	290	< 0.5	< 2	0.64	< 0.5	15	33	17	4.17	< 10	10	0.34	10	1.11	680
LLS-225	201	202	10	< 0.2	2.40	10	440	< 0.5	< 2	0.61	< 0.5	14	10	11	4.72	< 10	10	0.78	20	1.18	1170
LLS-226	201	202	3	< 0.2	2.10	2	350	< 0.5	< 2	0.52	< 0.5	14	17	14	3.66	< 10	10	0.60	10	1.00	810
LLS-227	201	202	1	< 0.2	2.46	2	500	< 0.5	< 2	0.52	< 0.5	11	10	12	4.37	< 10	10	0.95	20	1.22	1145
LLS-228	201	202	< 1	< 0.2	2.23	6	310	< 0.5	< 2	0.56	< 0.5	13	17	15	3.88	< 10	30	0.49	10	0.98	785
LLS-229	201	202	3	< 0.2	2.78	6	370	< 0.5	< 2	0.65	< 0.5	14	26	20	4.42	< 10	< 10	0.48	10	1.09	795
LLS-230	201	202	1	< 0.2	2.07	6	330	< 0.5	< 2	0.57	< 0.5	12	8	20	3.86	< 10	< 10	0.55	30	0.96	1035
LLS-231	201	202	< 1	< 0.2	2.40	8	290	< 0.5	2	0.65	< 0.5	11	19	15	4.05	< 10	< 10	0.65	10	1.12	780
LLS-232	201	202	< 1	< 0.2	1.97	< 2	290	< 0.5	< 2	0.44	< 0.5	9	18	21	2.71	< 10	40	0.42	10	0.62	410
LLS-233	201	202	2	< 0.2	2.22	6	450	< 0.5	< 2	0.55	< 0.5	11	9	15	3.88	< 10	10	0.88	10	1.10	940
LLS-234	201	202	3	< 0.2	2.42	6	230	< 0.5	< 2	0.47	< 0.5	9	33	25	2.99	< 10	40	0.13	< 10	0.61	270
LLS-235	201	202	3	< 0.2	2.35	2	500	< 0.5	< 2	0.59	< 0.5	11	16	34	3.85	< 10	20	0.81	10	1.03	885
LLS-236	201	202	2	< 0.2	2.08	4	220	< 0.5	2	0.44	< 0.5	9	24	32	2.90	< 10	40	0.30	10	0.67	325
LLS-237	201	202	2	< 0.2	2.25	2	250	< 0.5	< 2	0.65	< 0.5	11	28	28	3.75	< 10	30	0.51	10	0.95	685
LLS-238	201	202	2	0.2	2.35	8	270	< 0.5	< 2	0.64	< 0.5	11	27	29	3.54	< 10	30	0.39	10	0.94	525
LLS-239	201	202	2	< 0.2	2.57	4	190	< 0.5	2	0.62	< 0.5	12	36	49	3.49	< 10	30	0.12	10	0.82	315
LLS-240	201	202	1	< 0.2	2.00	6	250	0.5	< 2	0.91	< 0.5	10	8	72	3.78	< 10	20	0.35	20	0.84	1325
LLS-241	201	202	5	< 0.2	2.67	4	210	< 0.5	< 2	0.69	< 0.5	16	49	38	3.89	< 10	30	0.11	10	0.96	495
LLS-242	201	202	1	< 0.2	2.19	8	110	0.5	< 2	1.27	< 0.5	26	48	28	5.18	< 10	30	0.26	30	1.76	875
LLS-243	201	202	15	< 0.2	2.79	4	240	< 0.5	< 2	0.90	< 0.5	15	27	22	4.66	< 10	20	0.41	10	1.42	875
LLS-244	201	202	9	< 0.2	1.84	2	120	< 0.5	< 2	0.50	< 0.5	9	5	12	3.44	< 10	10	0.26	20	0.99	1110
LLS-245	201	202	15	< 0.2	2.35	28	110	0.5	2	1.00	< 0.5	26	25	29	4.90	< 10	30	0.18	20	1.69	845
LLS-246	201	202	10	< 0.2	2.10	12	80	0.5	< 2	1.15	< 0.5	32	25	31	5.29	< 10	10	0.18	20	1.93	1070
LLS-247	201	202	20	< 0.2	2.34	10	320	< 0.5	< 2	0.82	< 0.5	9	7	8	3.61	< 10	< 10	0.78	10	1.13	700
LLS-248	201	202	3	< 0.2	2.41	4	300	0.5	< 2	1.16	< 0.5	8	5	12	2.82	< 10	10	0.60	20	1.05	750
LLS-249	201	202	6	< 0.2	2.27	8	420	< 0.5	2	0.75	< 0.5	11	17	18	4.18	< 10	10	0.89	10	1.17	860
LLS-250	201	202	8	< 0.2	2.59	26	350	< 0.5	< 2	0.61	< 0.5	12	23	19	3.92	< 10	30	0.55	10	1.03	670
LLS-251	201	202	4	< 0.2	2.07	6	400	< 0.5	< 2	0.58	< 0.5	11	6	26	4.09	< 10	10	0.89	30	1.05	840
LLS-252	201	202	9	< 0.2	2.61	54	310	< 0.5	< 2	0.62	< 0.5	13	31	25	3.90	< 10	30	0.28	10	0.94	610
LLS-253	201	202	74	< 0.2	1.96	36	340	< 0.5	< 2	0.48	< 0.5	10	9	8	3.56	< 10	10	0.68	10	0.93	870
LLS-254	201	202	79	< 0.2	2.37	180	280	< 0.5	< 2	0.61	< 0.5	14	32	24	3.57	< 10	40	0.29	10	0.87	525

CERTIFICATION: _____

07/16/96 8:42PM CHEMEX LABS VAX-FAX2 PAGE 004

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Certificate Date 16-JUL-96
Invoice No. I-9623290
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-215	201	202	< 1	0.02	5	1350	6	6	7	29	0.18	< 10	< 10	81	< 10	90
LLS-216	201	202	< 1	0.01	12	970	10	10	5	24	0.16	< 10	< 10	74	< 10	68
LLS-217	201	202	< 1	0.01	10	960	6	4	5	38	0.13	< 10	< 10	73	< 10	62
LLS-218	201	202	< 1	< 0.01	14	750	6	4	4	26	0.13	< 10	< 10	76	< 10	58
LLS-219	201	202	< 1	0.01	15	1480	4	8	6	38	0.17	< 10	< 10	93	< 10	86
LLS-220	201	202	< 1	0.03	29	1660	2	2	9	174	0.09	< 10	< 10	82	< 10	90
LLS-221	201	202	1	< 0.01	9	1220	4	8	6	27	0.20	< 10	< 10	91	< 10	78
LLS-222	201	202	< 1	0.02	18	1780	2	10	10	56	0.22	< 10	< 10	107	< 10	102
LLS-223	201	202	1	0.05	38	1890	4	4	15	78	0.16	< 10	< 10	116	< 10	96
LLS-224	201	202	< 1	0.01	18	1020	6	8	6	33	0.18	< 10	< 10	89	< 10	68
LLS-225	201	202	< 1	< 0.01	6	1270	14	2	7	21	0.19	< 10	< 10	76	< 10	90
LLS-226	201	202	< 1	0.01	9	900	6	12	5	24	0.17	< 10	< 10	79	< 10	66
LLS-227	201	202	< 1	0.01	7	1090	6	6	8	29	0.16	< 10	< 10	77	< 10	84
LLS-228	201	202	< 1	< 0.01	10	970	6	2	5	25	0.20	< 10	< 10	80	< 10	68
LLS-229	201	202	< 1	< 0.01	13	930	6	8	6	34	0.25	< 10	< 10	97	< 10	74
LLS-230	201	202	< 1	< 0.01	5	1080	14	10	6	24	0.15	< 10	< 10	61	< 10	78
LLS-231	201	202	< 1	< 0.01	10	1010	4	8	6	27	0.21	< 10	< 10	86	< 10	74
LLS-232	201	202	< 1	0.01	10	720	4	4	3	29	0.12	< 10	< 10	54	< 10	44
LLS-233	201	202	< 1	0.01	5	1060	6	6	5	24	0.17	< 10	< 10	70	< 10	66
LLS-234	201	202	< 1	0.02	17	540	4	6	5	30	0.14	< 10	< 10	74	< 10	44
LLS-235	201	202	< 1	0.01	8	1020	6	2	6	37	0.20	< 10	< 10	78	< 10	68
LLS-236	201	202	< 1	0.01	12	800	8	10	4	24	0.13	< 10	< 10	65	< 10	46
LLS-237	201	202	1	0.01	13	840	6	2	6	34	0.19	< 10	< 10	79	< 10	66
LLS-238	201	202	< 1	0.01	13	750	6	6	5	27	0.18	< 10	< 10	79	< 10	60
LLS-239	201	202	< 1	0.01	21	750	6	4	6	37	0.15	< 10	< 10	84	< 10	52
LLS-240	201	202	< 1	0.01	4	890	14	8	6	36	0.14	< 10	< 10	52	< 10	60
LLS-241	201	202	1	0.02	25	1120	8	6	7	42	0.15	< 10	< 10	89	< 10	66
LLS-242	201	202	< 1	0.11	46	2310	< 2	8	8	70	0.09	< 10	< 10	63	< 10	82
LLS-243	201	202	< 1	0.01	17	1310	6	8	6	47	0.21	< 10	< 10	87	< 10	86
LLS-244	201	202	< 1	0.01	3	1020	8	4	3	29	0.04	< 10	< 10	42	< 10	68
LLS-245	201	202	< 1	0.07	39	1580	8	< 2	6	69	0.11	< 10	< 10	55	< 10	70
LLS-246	201	202	< 1	0.09	51	1890	2	10	5	80	0.11	< 10	< 10	51	< 10	72
LLS-247	201	202	< 1	0.01	4	1180	6	8	4	37	0.14	< 10	< 10	55	< 10	74
LLS-248	201	202	< 1	0.02	1	1010	10	6	3	73	0.08	< 10	< 10	39	< 10	58
LLS-249	201	202	1	0.01	8	1270	8	10	5	29	0.23	< 10	< 10	83	< 10	88
LLS-250	201	202	< 1	0.01	13	1050	8	4	6	33	0.17	< 10	< 10	80	< 10	74
LLS-251	201	202	< 1	0.03	3	1310	6	8	5	26	0.16	< 10	< 10	66	< 10	78
LLS-252	201	202	< 1	0.01	19	850	6	8	6	40	0.16	< 10	< 10	87	< 10	64
LLS-253	201	202	1	0.02	4	950	8	2	5	21	0.12	< 10	< 10	55	< 10	66
LLS-254	201	202	< 1	0.03	18	880	6	14	6	35	0.16	< 10	< 10	79	< 10	58

CERTIFICATION: _____

07/16/96 8:43PM CHEMEX LABS VAX-FAX2 PAGE 005

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Page Number 3-A
Total Pages 5
Certificate Date 16-JUL-96
Invoice No. I-9623290
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE	Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-255	201 202	39	< 0.2	2.13	120	390	< 0.5	2	0.52	< 0.5	12	14	13	4.05	< 10	< 10	0.77	10	1.07	945
LLS-256	201 202	260	< 0.2	2.69	272	230	< 0.5	< 2	0.63	< 0.5	15	23	26	4.75	< 10	20	0.43	10	1.22	835
LLS-257	201 202	8	< 0.2	1.97	64	40	0.5	4	1.39	< 0.5	25	41	36	5.64	< 10	10	0.13	20	2.51	880
LLS-258	201 202	12	< 0.2	2.12	36	220	< 0.5	2	0.41	< 0.5	10	27	21	3.06	< 10	30	0.16	10	0.76	405
LLS-259	201 202	19	< 0.2	1.96	42	250	< 0.5	< 2	0.49	< 0.5	11	24	19	3.16	< 10	20	0.26	10	0.85	525
LLS-260	201 202	2	< 0.2	2.33	8	230	< 0.5	4	0.53	< 0.5	13	35	20	3.49	< 10	10	0.18	10	1.08	540
LLS-261	201 202	5	< 0.2	2.39	6	320	< 0.5	< 2	0.52	< 0.5	12	25	22	3.58	< 10	10	0.33	20	0.96	705
LLS-262	201 202	1	< 0.2	2.26	8	220	< 0.5	< 2	0.55	< 0.5	12	32	25	3.32	< 10	30	0.15	10	0.83	530
LLS-263	201 202	4	< 0.2	2.54	8	150	< 0.5	< 2	0.47	< 0.5	15	34	20	3.67	< 10	50	0.16	< 10	0.90	565
LLS-264	201 202	6	< 0.2	2.44	< 2	270	< 0.5	< 2	0.55	< 0.5	13	30	24	3.50	< 10	30	0.19	10	0.94	545
LLS-265	201 202	3	< 0.2	2.31	10	250	< 0.5	< 2	0.49	< 0.5	13	32	23	3.40	< 10	30	0.15	10	0.85	545
LLS-266	201 202	2	< 0.2	1.92	10	270	< 0.5	< 2	0.61	< 0.5	12	24	18	3.44	< 10	20	0.30	10	0.98	655
LLS-267	201 202	4	< 0.2	2.34	12	240	< 0.5	< 2	0.49	< 0.5	10	33	23	2.99	< 10	40	0.10	10	0.76	455
LLS-268	201 202	5	< 0.2	2.17	16	220	< 0.5	2	0.56	< 0.5	12	30	19	3.14	< 10	10	0.10	< 10	0.77	565
LLS-269	201 202	24	< 0.2	2.30	12	240	< 0.5	< 2	0.61	< 0.5	12	31	25	3.12	< 10	40	0.12	10	0.84	505
LLS-270	201 202	2	< 0.2	2.29	8	260	< 0.5	< 2	0.58	< 0.5	12	31	21	3.16	< 10	40	0.14	10	0.90	470
LLS-271	201 202	4	0.2	1.67	14	290	< 0.5	< 2	0.57	< 0.5	12	17	19	3.63	< 10	20	0.22	30	0.73	660
LLS-272	201 202	7	< 0.2	2.01	14	290	< 0.5	< 2	0.63	< 0.5	11	23	20	3.62	< 10	10	0.25	20	0.77	590
LLS-273	201 202	7	< 0.2	2.02	24	310	< 0.5	2	0.67	< 0.5	10	20	17	3.63	< 10	30	0.31	20	0.82	645
LLS-274	201 202	2	< 0.2	1.61	10	200	< 0.5	4	0.52	< 0.5	12	14	14	4.00	< 10	< 10	0.24	30	0.64	725
LLS-275	201 202	13	0.2	0.60	8	310	0.5	< 2	0.52	< 0.5	12	5	13	4.35	< 10	20	0.22	50	0.13	1195
LLS-276	201 202	12	< 0.2	2.08	16	260	< 0.5	2	0.62	< 0.5	12	23	21	3.71	< 10	10	0.29	10	0.89	640
LLS-277	201 202	3	< 0.2	2.32	14	410	< 0.5	2	0.63	< 0.5	12	14	21	4.29	< 10	10	0.66	30	1.13	1020
LLS-278	201 202	3	< 0.2	2.22	30	290	< 0.5	4	0.63	< 0.5	13	18	15	4.08	< 10	10	0.31	20	0.97	825
LLS-279	201 202	5	< 0.2	1.96	36	280	< 0.5	< 2	0.59	< 0.5	11	16	14	3.85	< 10	10	0.38	20	0.93	810
LLS-280	201 202	2	< 0.2	2.28	26	350	< 0.5	4	0.49	< 0.5	11	9	14	4.26	< 10	10	0.53	20	1.07	970
LLS-281	201 202	6	< 0.2	2.46	32	430	< 0.5	< 2	0.62	< 0.5	12	6	18	4.45	< 10	10	0.63	30	1.21	1430
LLS-282	201 202	6	< 0.2	2.34	28	340	< 0.5	2	0.61	< 0.5	12	12	12	4.24	< 10	10	0.56	10	1.04	775
LLS-283	201 202	7	< 0.2	2.31	38	470	< 0.5	6	0.53	< 0.5	11	7	12	4.33	< 10	10	0.96	10	1.19	1030
LLS-284	201 202	1	< 0.2	2.69	46	450	< 0.5	< 2	0.60	< 0.5	12	10	10	4.41	< 10	10	1.09	10	1.21	815
LLS-285	201 202	3	< 0.2	2.09	58	430	< 0.5	4	0.61	< 0.5	11	6	19	4.40	< 10	30	1.01	10	1.12	815
LLS-286	201 202	43	< 0.2	2.17	168	380	< 0.5	2	0.52	< 0.5	10	11	17	4.01	< 10	10	0.39	20	0.66	840
LLS-287	201 202	19	< 0.2	2.02	140	350	< 0.5	4	0.62	< 0.5	11	25	20	4.47	< 10	20	0.30	30	0.77	595
LLS-288	201 202	1	< 0.2	1.78	278	320	< 0.5	2	0.57	< 0.5	13	7	15	4.78	< 10	10	0.53	30	0.68	955
LLS-289	201 202	20	< 0.2	0.70	386	370	0.5	2	0.49	< 0.5	12	1	10	4.19	< 10	10	0.25	50	0.13	1115
LLS-290	201 202	11	< 0.2	2.64	124	450	< 0.5	< 2	0.81	< 0.5	15	16	23	5.24	< 10	10	0.57	10	1.18	870
LLS-291	201 202	7	< 0.2	2.19	74	680	< 0.5	6	0.68	< 0.5	14	6	22	5.13	< 10	10	0.65	30	1.24	1200
LLS-292	201 202	8	< 0.2	2.63	46	530	< 0.5	< 2	0.83	< 0.5	15	20	18	4.73	< 10	10	0.30	10	1.19	915
LLS-293	201 202	210	0.2	1.82	416	470	< 0.5	2	0.60	< 0.5	12	12	22	4.42	< 10	10	0.35	30	0.70	1030
LLS-294	201 202	7	< 0.2	2.74	56	590	< 0.5	2	0.75	< 0.5	14	10	11	5.45	< 10	10	0.83	10	1.53	1150

CERTIFICATION: _____

07/16/96 8:44PM CHEMEX LABS VAX-FAX2 PAGE 006

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Certificate Date 16-JUL-96
Invoice No. I-9623290
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-255	201	202	< 1	0.02	6	1060	6	6	6	24	0.15	< 10	< 10	72	< 10	72
LLS-256	201	202	< 1	0.02	14	1070	4	20	8	34	0.15	< 10	< 10	91	< 10	74
LLS-257	201	202	< 1	0.06	58	2520	< 2	8	5	70	0.05	< 10	< 10	78	< 10	74
LLS-258	201	202	< 1	< 0.01	16	610	8	6	4	24	0.12	< 10	< 10	77	< 10	54
LLS-259	201	202	< 1	0.01	14	740	6	6	5	22	0.13	< 10	< 10	72	< 10	58
LLS-260	201	202	< 1	0.01	22	840	6	< 2	5	30	0.13	< 10	< 10	79	< 10	60
LLS-261	201	202	< 1	0.01	14	890	8	2	6	28	0.14	< 10	< 10	79	< 10	68
LLS-262	201	202	< 1	0.01	18	790	6	8	6	32	0.17	< 10	< 10	82	< 10	60
LLS-263	201	202	1	< 0.01	20	740	8	8	4	23	0.17	< 10	< 10	91	< 10	64
LLS-264	201	202	< 1	0.01	20	780	8	12	6	30	0.16	< 10	< 10	85	< 10	64
LLS-265	201	202	< 1	0.01	18	720	4	4	5	29	0.15	< 10	< 10	79	< 10	62
LLS-266	201	202	< 1	0.01	15	960	6	4	5	27	0.16	< 10	< 10	76	< 10	66
LLS-267	201	202	< 1	0.01	19	660	10	2	5	32	0.12	< 10	< 10	72	< 10	62
LLS-268	201	202	< 1	0.01	17	850	8	6	4	33	0.14	< 10	< 10	78	< 10	60
LLS-269	201	202	< 1	0.01	18	780	6	8	5	34	0.15	< 10	< 10	78	< 10	60
LLS-270	201	202	< 1	0.01	18	850	6	8	6	31	0.15	< 10	< 10	81	< 10	64
LLS-271	201	202	< 1	< 0.01	9	1160	10	6	6	25	0.09	< 10	< 10	58	< 10	76
LLS-272	201	202	< 1	0.01	11	980	6	4	7	37	0.14	< 10	< 10	74	< 10	72
LLS-273	201	202	< 1	0.02	10	900	8	6	6	35	0.15	< 10	< 10	71	< 10	68
LLS-274	201	202	< 1	0.01	9	1170	8	4	6	24	0.07	< 10	< 10	60	< 10	80
LLS-275	201	202	< 1	0.01	5	1110	20	< 2	8	27	< 0.01	< 10	< 10	20	< 10	82
LLS-276	201	202	< 1	0.02	14	850	4	< 2	7	32	0.15	< 10	< 10	81	< 10	68
LLS-277	201	202	< 1	0.02	8	1220	2	8	9	29	0.17	< 10	< 10	81	< 10	84
LLS-278	201	202	< 1	0.01	9	890	6	< 2	7	35	0.16	< 10	< 10	83	< 10	70
LLS-279	201	202	< 1	0.02	8	970	4	< 2	8	30	0.14	< 10	< 10	72	< 10	72
LLS-280	201	202	< 1	< 0.01	6	1230	6	6	6	21	0.10	< 10	< 10	63	< 10	74
LLS-281	201	202	< 1	0.01	4	1200	10	8	7	24	0.08	< 10	< 10	61	< 10	78
LLS-282	201	202	< 1	< 0.01	6	1340	< 2	< 2	7	24	0.15	< 10	< 10	79	< 10	78
LLS-283	201	202	< 1	0.01	5	1290	< 2	4	9	21	0.17	< 10	< 10	75	< 10	84
LLS-284	201	202	< 1	< 0.01	6	1310	< 2	10	6	20	0.26	< 10	< 10	80	< 10	80
LLS-285	201	202	< 1	0.01	4	1490	< 2	2	6	18	0.23	< 10	< 10	81	< 10	78
LLS-286	201	202	2	< 0.01	8	1140	10	4	8	25	0.07	< 10	< 10	60	< 10	72
LLS-287	201	202	1	0.01	12	970	10	< 2	9	32	0.13	< 10	< 10	82	< 10	76
LLS-288	201	202	1	< 0.01	4	1550	12	4	8	23	0.09	< 10	< 10	70	< 10	108
LLS-289	201	202	1	< 0.01	3	1400	24	< 2	5	24	< 0.01	< 10	< 10	22	< 10	98
LLS-290	201	202	< 1	< 0.01	8	1390	6	2	7	31	0.24	< 10	< 10	101	< 10	94
LLS-291	201	202	< 1	0.01	5	1520	6	6	9	26	0.16	< 10	< 10	82	< 10	96
LLS-292	201	202	< 1	0.01	10	1190	2	2	7	39	0.21	< 10	< 10	97	< 10	88
LLS-293	201	202	< 1	0.01	7	1130	24	2	7	31	0.10	< 10	< 10	60	< 10	98
LLS-294	201	202	< 1	< 0.01	6	1690	< 2	8	8	26	0.24	< 10	< 10	96	< 10	106

CERTIFICATION: _____

07/16/96 8:46PM CHEMEX LABS VAX-FAX2 PAGE 007

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-295	201	202	3	< 0.2	2.07	30	490	< 0.5	2	0.87	< 0.5	12	6	7	4.56	< 10	< 10	0.78	10	1.34	930
LLS-296	201	202	21	< 0.2	2.14	36	400	< 0.5	< 2	0.45	< 0.5	12	17	18	3.96	< 10	30	0.20	20	0.69	725
LLS-297	201	202	3	< 0.2	1.66	34	1590	0.5	< 2	1.12	< 0.5	13	3	8	4.37	< 10	< 10	0.38	50	0.39	1450
LLS-298	201	202	225	< 0.2	2.46	30	400	< 0.5	2	0.57	0.5	12	12	11	4.41	< 10	< 10	0.76	10	1.11	780
LLS-299	201	202	9	< 0.2	1.86	30	370	< 0.5	2	0.41	< 0.5	10	7	7	3.81	< 10	< 10	0.60	30	1.04	760
LLS-300	201	202	5	< 0.2	2.25	22	320	< 0.5	2	0.50	< 0.5	13	13	21	4.11	< 10	< 10	0.37	30	1.12	935
LLS-301	201	202	6	< 0.2	2.05	38	280	< 0.5	4	0.42	< 0.5	24	7	120	4.80	< 10	10	0.50	30	1.05	895
LLS-302	201	202	15	< 0.2	2.20	48	470	< 0.5	2	0.53	< 0.5	13	11	23	4.15	< 10	< 10	0.63	30	1.18	935
LLS-303	201	202	1	< 0.2	2.01	12	310	< 0.5	2	0.43	< 0.5	11	19	15	3.33	< 10	< 10	0.16	10	0.83	500
LLS-304	201	202	8	< 0.2	3.07	24	570	0.5	< 2	0.80	< 0.5	19	17	19	5.63	10	< 10	0.23	40	1.57	1445
LLS-305	201	202	4	< 0.2	2.24	14	540	< 0.5	6	0.65	< 0.5	14	6	7	4.70	< 10	< 10	0.31	30	1.39	1330
LLS-306	201	202	9	< 0.2	2.83	34	400	< 0.5	6	0.74	< 0.5	16	14	13	4.95	< 10	< 10	0.56	30	1.47	1090
LLS-307	201	202	8	< 0.2	2.25	58	460	0.5	4	0.69	< 0.5	13	6	8	4.23	< 10	10	0.27	30	1.08	1865
LLS-308	201	202	< 1	< 0.2	2.77	16	440	< 0.5	2	0.80	< 0.5	14	11	11	5.78	< 10	< 10	0.67	20	1.65	1135
LLS-309	201	202	1	< 0.2	1.92	8	460	< 0.5	2	0.62	< 0.5	12	10	8	4.41	< 10	< 10	0.78	20	1.24	915
LLS-310	201	202	17	< 0.2	2.47	50	250	< 0.5	4	0.54	< 0.5	12	29	19	3.73	< 10	30	0.20	10	0.86	620
LLS-311	201	202	7	< 0.2	2.80	22	450	0.5	6	0.70	< 0.5	18	6	25	5.70	< 10	10	0.43	40	1.43	2130
LLS-312	201	202	< 1	< 0.2	2.47	14	420	< 0.5	2	0.53	< 0.5	14	11	16	4.68	< 10	< 10	0.66	20	1.31	925
LLS-313	201	202	1	< 0.2	2.70	22	380	< 0.5	6	0.66	< 0.5	14	13	13	4.72	< 10	10	0.62	10	1.33	1080
LLS-314	201	202	6	< 0.2	2.34	14	400	< 0.5	6	0.50	< 0.5	10	17	12	3.81	< 10	10	0.45	10	1.02	660
LLS-315	201	202	5	< 0.2	2.85	10	290	< 0.5	< 2	0.65	< 0.5	15	23	22	4.59	< 10	10	0.45	20	1.33	850
LLS-316	201	202	4	< 0.2	2.52	12	270	< 0.5	6	0.60	< 0.5	13	14	17	4.47	< 10	10	0.53	30	1.30	1185
LLS-317	201	202	9	1.0	2.24	12	270	< 0.5	< 2	0.46	< 0.5	10	16	24	3.68	< 10	20	0.40	30	0.91	720
LLS-318	201	202	15	< 0.2	1.62	12	350	< 0.5	2	0.41	< 0.5	8	10	7	2.96	< 10	10	0.32	30	0.66	830
LLS-319	201	202	9	< 0.2	2.89	114	460	< 0.5	2	0.64	< 0.5	14	10	12	5.15	< 10	10	0.74	30	1.50	1080
LLS-320	201	202	5	< 0.2	1.86	102	350	< 0.5	2	0.53	< 0.5	12	6	8	4.16	< 10	< 10	0.53	30	1.15	980
LLS-321	201	202	16	< 0.2	2.25	98	410	0.5	2	0.44	< 0.5	13	7	35	4.43	< 10	10	0.26	40	0.87	1075
LLS-322	201	202	7	< 0.2	2.20	46	440	< 0.5	2	0.61	< 0.5	12	6	8	4.50	< 10	10	0.59	40	1.16	990
LLS-323	201	202	13	< 0.2	2.42	8	310	< 0.5	2	0.48	< 0.5	13	13	14	4.49	< 10	10	0.55	30	1.19	785
LLS-324	201	202	1	< 0.2	2.13	4	360	< 0.5	2	0.48	< 0.5	12	6	8	4.29	< 10	< 10	0.58	40	1.25	910
LLS-325	201	202	< 1	< 0.2	2.59	14	470	< 0.5	2	0.55	< 0.5	14	8	11	4.96	< 10	10	0.74	30	1.38	1080
LLS-326	201	202	1	< 0.2	1.74	8	460	< 0.5	< 2	0.50	< 0.5	12	5	8	3.79	< 10	10	0.80	20	1.13	825
LLS-327	201	202	< 1	< 0.2	2.36	4	500	< 0.5	2	0.53	< 0.5	14	6	53	4.66	< 10	10	0.44	30	1.39	1275
LLS-328	201	202	2	< 0.2	2.08	8	370	< 0.5	< 2	0.52	< 0.5	14	5	44	4.41	< 10	10	0.43	30	1.30	1230
LLS-329	201	202	4	< 0.2	1.44	8	160	< 0.5	< 2	0.29	< 0.5	8	12	10	2.93	< 10	< 10	0.18	30	0.64	680
LLS-330	201	202	11	< 0.2	1.40	8	210	0.5	2	0.38	< 0.5	8	5	6	2.56	< 10	10	0.24	30	0.55	1080
LLS-331	201	202	< 1	< 0.2	2.72	8	160	0.5	8	0.61	< 0.5	16	7	13	5.57	10	< 10	0.14	50	1.62	1410
LLS-332	201	202	4	< 0.2	2.30	6	190	< 0.5	2	0.59	< 0.5	15	5	9	4.84	< 10	< 10	0.25	40	1.50	1445
LLS-333	201	202	4	0.2	2.15	20	410	< 0.5	2	0.58	< 0.5	12	6	28	4.38	< 10	< 10	0.65	30	1.24	1085
LLS-334	201	202	1	< 0.2	1.65	10	440	< 0.5	< 2	0.47	< 0.5	11	5	6	3.51	< 10	10	0.87	20	1.06	850

CERTIFICATION: _____

07/16/96 8:47PM CHEMEX LABS VAX-FAX2 PAGE 008

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Page Number 4-B
Total Pages 5
Certificate Date 16-JUL-96
Invoice No. I-9623290
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-295	201 202	< 1	0.01	3	1500	4	10	5	21	0.21	< 10	< 10	80	< 10	92
LLS-296	201 202	< 1	0.01	10	990	10	6	6	25	0.08	< 10	< 10	67	< 10	74
LLS-297	201 202	< 1	0.01	3	1130	18	8	8	36	< 0.01	< 10	< 10	32	< 10	80
LLS-298	201 202	< 1	0.01	6	1540	2	6	6	18	0.21	< 10	< 10	81	< 10	80
LLS-299	201 202	< 1	< 0.01	5	1200	< 2	< 2	6	13	0.13	< 10	< 10	72	< 10	70
LLS-300	201 202	< 1	< 0.01	8	1220	4	< 2	6	23	0.11	< 10	< 10	71	< 10	74
LLS-301	201 202	18	< 0.01	4	1170	2	4	7	17	0.08	< 10	< 10	62	< 10	66
LLS-302	201 202	1	0.01	8	1290	8	6	8	22	0.14	< 10	< 10	76	< 10	84
LLS-303	201 202	< 1	< 0.01	10	590	2	< 2	5	21	0.12	< 10	< 10	81	< 10	54
LLS-304	201 202	< 1	0.01	11	1860	6	2	12	34	0.10	< 10	< 10	90	< 10	116
LLS-305	201 202	< 1	0.01	5	1640	2	< 2	9	23	0.09	< 10	< 10	70	< 10	102
LLS-306	201 202	< 1	< 0.01	8	1590	4	< 2	9	29	0.15	< 10	< 10	90	< 10	96
LLS-307	201 202	< 1	< 0.01	4	1310	14	2	7	23	0.13	< 10	< 10	61	< 10	88
LLS-308	201 202	< 1	< 0.01	6	1930	2	6	10	23	0.25	< 10	< 10	112	< 10	106
LLS-309	201 202	< 1	0.03	3	1440	< 2	< 2	7	15	0.21	< 10	< 10	84	< 10	82
LLS-310	201 202	< 1	0.01	15	590	8	6	7	35	0.15	< 10	< 10	85	< 10	64
LLS-311	201 202	< 1	< 0.01	6	1850	10	4	11	28	0.05	< 10	< 10	68	< 10	122
LLS-312	201 202	< 1	0.02	6	1570	2	2	8	15	0.17	< 10	< 10	91	< 10	88
LLS-313	201 202	< 1	< 0.01	7	1550	2	4	9	25	0.20	< 10	< 10	93	< 10	82
LLS-314	201 202	< 1	< 0.01	9	840	6	10	6	22	0.16	< 10	< 10	72	< 10	66
LLS-315	201 202	< 1	0.01	12	860	6	8	9	36	0.18	< 10	< 10	101	< 10	78
LLS-316	201 202	< 1	0.03	7	870	10	12	9	31	0.10	< 10	< 10	83	< 10	76
LLS-317	201 202	< 1	0.01	9	720	8	2	7	25	0.10	< 10	< 10	61	< 10	68
LLS-318	201 202	< 1	0.01	5	670	12	< 2	4	23	0.05	< 10	< 10	35	< 10	60
LLS-319	201 202	< 1	< 0.01	7	1690	4	6	9	19	0.20	< 10	< 10	93	< 10	96
LLS-320	201 202	< 1	0.01	4	1470	< 2	2	8	16	0.12	< 10	< 10	71	< 10	78
LLS-321	201 202	7	0.01	5	1220	16	4	9	25	0.02	< 10	< 10	52	< 10	74
LLS-322	201 202	< 1	0.01	3	1640	2	< 2	9	26	0.13	< 10	< 10	74	< 10	86
LLS-323	201 202	< 1	< 0.01	7	1200	2	< 2	7	19	0.17	< 10	< 10	86	< 10	78
LLS-324	201 202	< 1	0.03	3	1360	2	< 2	8	16	0.13	< 10	< 10	77	< 10	82
LLS-325	201 202	< 1	0.01	5	1540	< 2	< 2	9	21	0.19	< 10	< 10	90	< 10	90
LLS-326	201 202	< 1	0.03	2	1420	< 2	4	6	15	0.19	< 10	< 10	71	< 10	74
LLS-327	201 202	< 1	0.01	4	1610	< 2	4	10	22	0.09	< 10	< 10	80	< 10	96
LLS-328	201 202	< 1	0.01	3	1490	2	< 2	9	22	0.08	< 10	< 10	74	< 10	94
LLS-329	201 202	< 1	< 0.01	6	460	14	< 2	5	20	0.06	< 10	< 10	40	< 10	54
LLS-330	201 202	< 1	0.01	3	650	24	2	3	27	< 0.01	< 10	< 10	22	< 10	52
LLS-331	201 202	< 1	0.01	5	1870	6	< 2	11	24	0.01	< 10	< 10	93	< 10	110
LLS-332	201 202	< 1	0.01	3	1780	< 2	4	10	22	0.06	< 10	< 10	79	< 10	100
LLS-333	201 202	< 1	0.01	3	1640	< 2	6	8	19	0.18	< 10	< 10	78	< 10	82
LLS-334	201 202	< 1	0.03	2	1330	< 2	8	7	14	0.19	< 10	< 10	68	< 10	68

CERTIFICATION: _____

07/16/96 8:49PM CHEMEX LABS VAX-FAX2 PAGE 009

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-335	201	202	2	< 0.2	1.99	6	200	< 0.5	< 2	0.26	< 0.5	10	11	7	3.30	< 10	10	0.36	10	0.95	550
LLS-336	201	202	10	< 0.2	1.41	< 2	250	0.5	< 2	2.32	< 0.5	12	7	4	3.45	< 10	10	0.22	20	0.73	1395
LLS-337	201	202	5	< 0.2	1.88	10	400	0.5	< 2	0.48	< 0.5	10	6	9	4.11	< 10	10	0.27	30	0.54	640
LLS-338	201	202	2	< 0.2	1.22	< 2	440	0.5	< 2	1.14	< 0.5	13	5	1	4.26	< 10	10	0.23	50	0.49	2100
LLS-339	201	202	6	< 0.2	1.72	< 2	190	< 0.5	< 2	0.30	< 0.5	10	10	8	3.26	< 10	< 10	0.22	20	0.75	595
LLS-340	201	202	1	< 0.2	1.81	< 2	290	< 0.5	< 2	0.61	< 0.5	9	8	5	3.24	< 10	< 10	0.56	10	0.98	690
LLS-341	201	202	< 1	< 0.2	1.98	< 2	220	< 0.5	< 2	0.34	< 0.5	9	14	10	3.18	< 10	10	0.28	10	0.87	485
LLS-342	201	202	< 1	< 0.2	2.03	2	320	< 0.5	< 2	0.50	< 0.5	13	15	8	3.91	< 10	10	0.68	20	1.18	855
LLS-343	201	202	3	< 0.2	2.13	6	230	< 0.5	< 2	0.33	< 0.5	10	31	20	3.03	< 10	30	0.07	< 10	0.62	325
LLS-344	201	202	1	< 0.2	2.20	< 2	290	< 0.5	< 2	0.52	< 0.5	12	21	14	3.96	< 10	10	0.66	20	1.16	755
LLS-345	201	202	2	< 0.2	2.31	4	350	0.5	< 2	0.43	< 0.5	11	11	12	3.81	< 10	< 10	0.46	20	1.09	680
LLS-346	201	202	58	< 0.2	2.23	< 2	340	< 0.5	< 2	0.52	< 0.5	12	14	10	4.17	< 10	10	0.66	20	1.22	805
LLS-347	201	202	4	< 0.2	3.00	< 2	430	0.5	< 2	0.58	< 0.5	14	10	17	5.42	< 10	10	0.29	50	1.07	1430
LLS-348	201	202	1	< 0.2	1.38	6	760	0.5	< 2	0.72	< 0.5	12	4	7	4.85	< 10	30	0.24	60	0.43	4850
LLS-349	201	202	2	< 0.2	1.99	2	260	0.5	< 2	0.37	< 0.5	9	21	19	3.02	< 10	30	0.13	40	0.55	775
LLS-350	201	202	1	< 0.2	1.35	< 2	230	0.5	< 2	0.28	< 0.5	6	7	3	2.77	< 10	20	0.23	40	0.48	950
LLS-351	201	202	9	< 0.2	3.43	10	530	0.5	< 2	0.59	< 0.5	14	20	24	5.19	10	30	0.24	40	1.02	1205
LLS-352	201	202	9	< 0.2	2.66	4	830	< 0.5	< 2	0.74	< 0.5	15	12	12	5.09	< 10	20	0.73	20	1.32	1650
LLS-353	201	202	4	< 0.2	2.87	6	520	0.5	< 2	0.55	< 0.5	13	10	9	5.18	10	< 10	0.60	40	1.22	1255
LLS-354	201	202	10	< 0.2	2.31	4	710	< 0.5	< 2	0.71	< 0.5	11	7	5	4.56	< 10	10	0.48	40	1.07	1420
LLS-355	201	202	2	< 0.2	1.74	10	190	< 0.5	< 2	0.66	< 0.5	9	26	21	2.40	< 10	40	0.09	10	0.66	460
LLS-356	201	202	1	< 0.2	1.95	8	240	< 0.5	< 2	0.45	< 0.5	10	24	12	3.02	< 10	10	0.21	10	0.64	490
LLS-357	201	202	3	< 0.2	1.81	< 2	390	< 0.5	< 2	0.42	< 0.5	9	11	4	3.38	< 10	< 10	0.47	30	0.78	780
LLS-358	201	202	1	< 0.2	1.68	4	250	< 0.5	< 2	0.49	< 0.5	11	12	14	3.42	< 10	< 10	0.55	10	0.98	635
LLS-359	201	202	5	< 0.2	2.26	6	340	< 0.5	< 2	0.49	< 0.5	14	14	10	4.58	< 10	10	0.40	20	1.35	1075
LLS-360	201	202	< 1	< 0.2	2.17	< 2	220	< 0.5	< 2	0.36	< 0.5	10	14	7	3.29	< 10	10	0.52	10	0.99	480
LLS-361	201	202	< 1	< 0.2	1.94	< 2	350	< 0.5	< 2	0.42	< 0.5	11	13	5	3.66	< 10	< 10	0.88	10	1.14	655
LLS-362	201	202	8	< 0.2	2.54	10	590	0.5	< 2	0.51	< 0.5	11	8	10	4.12	< 10	10	0.61	40	0.90	930
LLS-363	201	202	11	< 0.2	2.43	14	800	< 0.5	< 2	0.52	< 0.5	13	5	6	4.42	< 10	10	0.83	40	0.98	1140
LLS-364	201	202	3	< 0.2	2.51	2	340	< 0.5	< 2	0.64	< 0.5	10	28	26	3.59	< 10	10	0.28	10	0.82	430
LLS-365	201	202	1	< 0.2	2.05	< 2	550	< 0.5	< 2	0.61	< 0.5	10	5	9	4.14	< 10	10	0.86	30	0.99	810
LLS-366	201	202	4	< 0.2	2.80	8	150	0.5	< 2	1.21	< 0.5	20	44	36	4.64	< 10	30	0.09	10	1.25	560
LLS-367	201	202	7	< 0.2	2.80	2	210	0.5	< 2	1.44	< 0.5	29	47	24	5.88	10	10	0.05	10	1.72	1100
LLS-368	201	202	3	< 0.2	3.36	8	150	0.5	< 2	1.16	< 0.5	22	47	39	4.89	10	30	0.06	10	1.59	515
LLS-369	201	202	5	< 0.2	3.42	< 2	80	0.5	< 2	1.76	< 0.5	35	25	41	6.27	10	< 10	0.03	20	2.81	725
LLS-370	201	202	6	< 0.2	2.64	4	170	< 0.5	< 2	0.71	< 0.5	15	40	29	3.61	< 10	30	0.04	10	0.91	465
LLS-371	201	202	16	< 0.2	3.54	4	180	< 0.5	< 2	1.34	< 0.5	27	39	32	5.22	10	10	0.05	10	2.02	675
LLS-372	201	202	1	< 0.2	2.44	8	80	0.5	< 2	1.21	< 0.5	24	58	26	5.25	< 10	10	0.08	10	1.88	580
LLS-373	201	202	< 1	< 0.2	2.22	10	160	< 0.5	< 2	0.93	< 0.5	13	17	8	4.42	< 10	10	0.38	10	1.24	765
LLS-374	201	202	20	< 0.2	2.67	2	150	< 0.5	< 2	1.30	< 0.5	22	62	33	4.54	< 10	< 10	0.03	10	1.69	460

CERTIFICATION: _____

07/16/96 8:50PM CHEMEX LABS VAX-FAX2 PAGE 010

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Page Number 5-B
Total Pages 5
Certificate Date 16-JUL-96
Invoice No. I-9623290
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623290

SAMPLE DESCRIPTION	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-335	201 202	1	< 0.01	5	510	6	2	7	17	0.07	< 10	< 10	71	< 10	46
LLS-336	201 202	1	0.01	3	810	34	2	8	80	< 0.01	< 10	< 10	39	< 10	52
LLS-337	201 202	< 1	0.01	4	1020	8	< 2	11	26	0.01	< 10	< 10	46	< 10	70
LLS-338	201 202	< 1	0.01	3	1350	14	2	7	38	< 0.01	< 10	< 10	32	< 10	78
LLS-339	201 202	< 1	0.01	5	570	10	2	6	18	0.04	< 10	< 10	56	< 10	46
LLS-340	201 202	< 1	0.04	3	710	8	< 2	7	28	0.10	< 10	< 10	69	< 10	52
LLS-341	201 202	< 1	< 0.01	7	420	8	< 2	6	20	0.10	< 10	< 10	71	< 10	44
LLS-342	201 202	< 1	0.02	5	890	6	< 2	8	20	0.15	< 10	< 10	96	< 10	62
LLS-343	201 202	< 1	0.01	17	180	6	2	5	28	0.12	< 10	< 10	80	< 10	36
LLS-344	201 202	< 1	0.01	10	820	6	2	9	23	0.16	< 10	< 10	99	< 10	62
LLS-345	201 202	< 1	0.01	5	740	4	< 2	9	22	0.11	< 10	< 10	90	< 10	54
LLS-346	201 202	< 1	0.03	5	910	6	2	10	21	0.14	< 10	< 10	100	< 10	64
LLS-347	201 202	< 1	0.01	9	1290	14	4	11	33	0.02	< 10	< 10	71	< 10	98
LLS-348	201 202	1	< 0.01	4	1420	44	2	9	33	< 0.01	< 10	< 10	35	< 10	74
LLS-349	201 202	< 1	0.01	11	420	16	< 2	6	30	0.05	< 10	< 10	52	< 10	40
LLS-350	201 202	< 1	< 0.01	3	680	20	< 2	4	15	0.01	< 10	< 10	28	< 10	48
LLS-351	201 202	< 1	0.01	15	880	8	2	11	41	0.07	< 10	< 10	81	< 10	90
LLS-352	201 202	< 1	0.01	5	1470	2	2	15	29	0.16	< 10	< 10	77	< 10	102
LLS-353	201 202	< 1	< 0.01	7	1480	6	2	10	26	0.13	< 10	< 10	74	< 10	98
LLS-354	201 202	< 1	0.01	4	1490	6	2	9	28	0.10	< 10	< 10	64	< 10	88
LLS-355	201 202	< 1	0.03	16	630	8	< 2	5	41	0.12	< 10	< 10	69	< 10	48
LLS-356	201 202	< 1	0.01	12	500	8	2	4	25	0.11	< 10	< 10	71	< 10	42
LLS-357	201 202	< 1	0.01	5	800	10	< 2	6	18	0.10	< 10	< 10	58	< 10	58
LLS-358	201 202	< 1	0.01	7	930	2	2	5	16	0.15	< 10	< 10	72	< 10	54
LLS-359	201 202	< 1	0.03	7	1050	6	< 2	12	20	0.08	< 10	< 10	96	< 10	76
LLS-360	201 202	< 1	< 0.01	6	510	6	< 2	5	18	0.18	< 10	< 10	84	< 10	46
LLS-361	201 202	< 1	0.02	4	820	6	2	6	14	0.19	< 10	< 10	92	< 10	58
LLS-362	201 202	< 1	0.01	6	1030	6	2	8	31	0.06	< 10	< 10	67	< 10	92
LLS-363	201 202	< 1	0.01	3	1430	2	2	10	24	0.11	< 10	< 10	75	< 10	96
LLS-364	201 202	< 1	0.03	17	620	6	< 2	8	37	0.16	< 10	< 10	84	< 10	56
LLS-365	201 202	< 1	0.01	3	1170	2	2	7	19	0.21	< 10	< 10	70	< 10	74
LLS-366	201 202	< 1	0.03	38	1360	6	2	7	54	0.26	< 10	< 10	77	< 10	70
LLS-367	201 202	< 1	< 0.01	41	1480	6	2	8	52	0.33	< 10	< 10	68	< 10	88
LLS-368	201 202	< 1	0.04	51	1560	4	2	9	61	0.18	< 10	< 10	68	< 10	72
LLS-369	201 202	< 1	< 0.01	77	3020	8	4	7	48	0.13	< 10	< 10	43	< 10	110
LLS-370	201 202	< 1	0.03	29	510	8	< 2	7	43	0.16	< 10	< 10	84	< 10	50
LLS-371	201 202	< 1	0.05	58	1570	4	2	5	81	0.28	< 10	< 10	69	< 10	76
LLS-372	201 202	< 1	0.04	50	2000	4	< 2	8	52	0.19	< 10	< 10	79	< 10	84
LLS-373	201 202	< 1	0.01	7	1170	10	2	7	45	0.24	< 10	< 10	104	< 10	76
LLS-374	201 202	< 1	0.03	52	1420	2	2	8	46	0.23	< 10	< 10	84	< 10	66

CERTIFICATION: _____

07/16/96 8:52PM CHEMEX LABS VAX-FAX2

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Page Number 1-A
Total Pages 2
Certificate Date 16-JUL-96
Invoice No. I-9623291
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623291

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-375	201	202	6	< 0.2	2.79	8	220	0.5	< 2	1.40	0.5	17	47	27	4.00	10	< 10	0.09	10	1.85	295
LLS-376	201	202	4	< 0.2	2.20	10	200	< 0.5	< 2	0.74	< 0.5	11	32	29	3.31	10	20	0.19	10	0.85	450
LLS-377	201	202	45	< 0.2	1.99	6	280	< 0.5	< 2	0.50	< 0.5	9	7	4	3.46	10	< 10	0.77	10	0.92	725
LLS-378	201	202	1	< 0.2	2.40	10	320	0.5	< 2	0.54	< 0.5	9	18	13	3.65	10	10	0.50	20	0.89	510
LLS-379	201	202	4	< 0.2	2.57	6	430	0.5	< 2	0.69	< 0.5	9	5	5	3.62	10	< 10	0.57	30	1.00	805
LLS-380	201	202	27	< 0.2	2.00	8	290	< 0.5	< 2	0.45	< 0.5	9	17	10	3.16	10	10	0.66	10	0.86	490
LLS-381	201	202	2	< 0.2	1.83	10	360	< 0.5	< 2	0.53	< 0.5	9	9	4	3.21	10	10	0.95	20	0.91	630
LLS-382	201	202	7	< 0.2	3.07	16	370	0.5	< 2	0.65	< 0.5	12	31	28	4.14	10	30	0.18	10	0.92	470
LLS-383	201	202	4	< 0.2	2.10	8	460	< 0.5	< 2	0.93	< 0.5	11	3	4	4.28	10	10	0.89	10	1.20	800
LLS-384	201	202	2	< 0.2	1.71	8	160	< 0.5	2	0.37	< 0.5	7	11	11	2.57	10	10	0.59	10	0.67	415
LLS-385	201	202	20	< 0.2	1.73	8	280	< 0.5	< 2	0.48	< 0.5	8	8	5	2.82	10	< 10	0.81	10	0.76	555
LLS-386	201	202	5	< 0.2	3.03	12	290	0.5	< 2	0.64	< 0.5	12	33	30	4.23	10	30	0.23	10	0.92	475
LLS-387	201	202	21	< 0.2	2.99	16	520	0.5	< 2	0.88	0.5	15	5	9	5.75	10	10	0.46	50	1.24	1645
LLS-388	201	202	11	< 0.2	2.91	14	340	0.5	< 2	0.68	< 0.5	11	41	27	3.94	10	80	0.12	10	0.90	440
LLS-389	201	202	84	< 0.2	2.60	44	490	0.5	2	0.79	0.5	12	3	11	4.96	10	< 10	0.35	30	1.00	1095
LLS-390	201	202	1	< 0.2	3.09	14	350	< 0.5	< 2	0.67	0.5	14	9	12	4.78	10	10	0.98	10	1.19	855
LLS-391	201	202	13	< 0.2	2.11	20	540	< 0.5	< 2	0.71	< 0.5	11	3	7	3.96	10	10	0.82	10	1.02	920
LLS-392	201	202	2	< 0.2	3.08	12	240	< 0.5	< 2	0.53	< 0.5	11	34	22	3.80	10	20	0.14	10	0.83	380
LLS-393	201	202	5	< 0.2	2.60	34	540	0.5	< 2	0.66	0.5	13	3	10	4.95	10	10	0.67	40	0.98	1320
LLS-394	201	202	13	< 0.2	1.90	26	150	< 0.5	< 2	0.41	< 0.5	7	23	13	2.54	< 10	30	0.09	< 10	0.50	235
LLS-395	201	202	31	< 0.2	2.06	30	350	< 0.5	< 2	0.62	< 0.5	10	2	4	4.12	10	10	0.80	20	0.95	825
LLS-396	201	202	7	< 0.2	2.00	14	260	< 0.5	< 2	0.41	< 0.5	9	10	11	3.22	10	20	0.37	10	0.75	415
LLS-397	201	202	4	< 0.2	1.78	16	360	< 0.5	< 2	0.64	< 0.5	11	9	8	3.47	10	10	0.58	10	0.92	615
LLS-398	201	202	3	< 0.2	2.82	10	450	< 0.5	2	0.48	< 0.5	11	17	15	3.99	10	10	0.47	10	0.94	485
LLS-399	201	202	1	< 0.2	2.24	12	560	< 0.5	2	0.61	0.5	11	5	10	4.42	10	< 10	1.12	10	1.29	970
LLS-400	201	202	5	< 0.2	2.30	10	460	< 0.5	6	0.59	0.5	11	5	10	4.54	10	< 10	0.82	20	1.07	770
LLS-401	201	202	17	< 0.2	1.91	12	560	< 0.5	< 2	0.59	< 0.5	11	3	9	4.31	10	< 10	0.72	20	1.00	1030
LLS-402	201	202	1	< 0.2	1.81	10	290	< 0.5	6	0.45	< 0.5	8	14	10	3.04	10	10	0.62	10	0.82	410
LLS-403	201	202	2	< 0.2	2.16	12	850	< 0.5	2	0.61	< 0.5	11	8	18	3.66	10	< 10	0.93	10	1.05	645
LLS-404	201	202	3	< 0.2	2.83	12	260	0.5	2	0.75	< 0.5	11	39	27	3.78	10	20	0.11	10	0.87	390
LLS-405	201	202	4	< 0.2	1.40	16	420	1.0	< 2	0.62	< 0.5	12	3	4	2.92	< 10	< 10	0.24	30	0.48	1110
LLS-406	201	202	20	< 0.2	2.56	24	320	0.5	< 2	0.67	< 0.5	13	33	15	4.50	10	< 10	0.46	30	1.03	780
LLS-407	201	202	13	< 0.2	1.51	6	180	< 0.5	< 2	0.38	< 0.5	7	9	3	2.72	10	10	0.42	20	0.59	640
LLS-408	201	202	105	< 0.2	2.10	250	730	< 0.5	< 2	0.62	< 0.5	16	8	11	4.74	10	10	0.78	30	1.06	1685
LLS-409	201	202	7	< 0.2	2.24	16	320	0.5	< 2	0.60	< 0.5	11	14	13	4.10	10	10	0.60	20	1.03	655
LLS-410	201	202	5	< 0.2	2.58	20	420	0.5	2	0.61	< 0.5	12	24	18	4.01	10	10	0.25	20	0.84	785
LLS-411	201	202	2	< 0.2	1.62	20	470	0.5	2	3.12	0.5	11	1	4	3.72	10	< 10	0.33	30	0.54	1010
LLS-412	201	202	1	< 0.2	1.58	8	350	0.5	< 2	0.45	< 0.5	14	7	13	4.36	10	10	0.24	20	0.68	815
LLS-413	201	202	26	< 0.2	1.16	62	740	1.0	2	0.55	< 0.5	16	3	12	5.37	< 10	20	0.21	30	0.37	2010
LLS-414	201	202	2	< 0.2	2.24	4	240	< 0.5	< 2	0.35	< 0.5	11	12	10	3.51	10	< 10	0.46	10	1.12	525

CERTIFICATION: _____

07/17/96 1:01AM CHEMEX LABS VAX-FAX2 PAGE 002

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Certificate Date 16-JUL-96
Invoice No. I-9623291
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623291

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-375	201	202	< 1	0.05	55	1220	2	< 2	7	45	0.29	< 10	< 10	68	< 10	60
LLS-376	201	202	< 1	0.03	22	570	6	< 2	9	41	0.16	< 10	< 10	88	< 10	54
LLS-377	201	202	< 1	0.01	5	920	6	< 2	7	17	0.18	< 10	< 10	70	< 10	64
LLS-378	201	202	< 1	< 0.01	12	1000	2	< 2	10	30	0.16	< 10	< 10	86	< 10	62
LLS-379	201	202	< 1	< 0.01	5	1120	10	< 2	7	36	0.05	< 10	< 10	61	< 10	72
LLS-380	201	202	< 1	0.01	9	720	6	< 2	6	22	0.21	< 10	< 10	79	< 10	54
LLS-381	201	202	< 1	0.02	5	990	8	< 2	6	20	0.22	< 10	< 10	74	< 10	60
LLS-382	201	202	< 1	0.01	19	680	8	< 2	10	42	0.14	< 10	< 10	90	< 10	64
LLS-383	201	202	< 1	0.01	4	1510	2	< 2	8	28	0.28	< 10	< 10	74	< 10	94
LLS-384	201	202	< 1	0.01	7	630	4	< 2	6	17	0.18	< 10	< 10	59	< 10	44
LLS-385	201	202	< 1	0.02	4	930	6	< 2	6	18	0.18	< 10	< 10	65	< 10	56
LLS-386	201	202	< 1	0.02	19	620	6	< 2	12	44	0.17	< 10	< 10	100	< 10	70
LLS-387	201	202	< 1	0.01	6	1980	10	< 2	11	42	0.02	< 10	< 10	89	< 10	126
LLS-388	201	202	< 1	0.02	21	400	6	< 2	11	49	0.17	< 10	< 10	98	< 10	62
LLS-389	201	202	< 1	0.01	5	1600	6	< 2	10	49	0.03	< 10	< 10	67	< 10	102
LLS-390	201	202	< 1	< 0.01	10	1590	2	< 2	7	20	0.29	< 10	< 10	88	< 10	92
LLS-391	201	202	< 1	0.01	4	1360	2	< 2	9	27	0.20	< 10	< 10	71	< 10	84
LLS-392	201	202	< 1	0.02	21	330	4	< 2	8	38	0.20	< 10	< 10	97	< 10	50
LLS-393	201	202	< 1	0.01	6	1740	4	< 2	13	32	0.07	< 10	< 10	86	< 10	104
LLS-394	201	202	< 1	0.03	12	280	6	< 2	6	29	0.14	< 10	< 10	68	< 10	36
LLS-395	201	202	< 1	0.01	4	1530	2	< 2	9	26	0.16	< 10	< 10	68	< 10	84
LLS-396	201	202	< 1	0.01	7	620	2	< 2	8	26	0.12	< 10	< 10	68	< 10	52
LLS-397	201	202	< 1	0.01	5	960	8	< 2	8	27	0.20	< 10	< 10	83	< 10	68
LLS-398	201	202	< 1	< 0.01	13	920	2	< 2	8	32	0.15	< 10	< 10	81	< 10	72
LLS-399	201	202	< 1	0.01	5	1500	< 2	< 2	13	28	0.23	< 10	< 10	76	< 10	94
LLS-400	201	202	< 1	< 0.01	5	1510	2	< 2	9	26	0.19	< 10	< 10	81	< 10	88
LLS-401	201	202	< 1	0.02	4	1430	2	< 2	10	27	0.15	< 10	< 10	76	< 10	82
LLS-402	201	202	< 1	0.01	8	710	2	< 2	7	21	0.17	< 10	< 10	78	< 10	46
LLS-403	201	202	< 1	0.03	4	920	4	< 2	8	28	0.22	< 10	< 10	92	< 10	62
LLS-404	201	202	< 1	0.03	22	550	6	< 2	10	51	0.17	< 10	< 10	92	< 10	54
LLS-405	201	202	< 1	0.01	6	1410	22	< 2	8	33	< 0.01	< 10	< 10	19	< 10	62
LLS-406	201	202	< 1	0.02	16	1140	10	< 2	11	39	0.15	< 10	< 10	89	< 10	78
LLS-407	201	202	< 1	0.01	5	600	8	< 2	7	19	0.12	< 10	< 10	47	< 10	48
LLS-408	201	202	< 1	0.01	7	1130	12	< 2	13	26	0.16	< 10	< 10	105	< 10	98
LLS-409	201	202	< 1	0.01	11	1040	6	< 2	9	27	0.19	< 10	< 10	83	< 10	74
LLS-410	201	202	< 1	0.01	15	770	8	< 2	10	36	0.12	< 10	< 10	80	< 10	66
LLS-411	201	202	< 1	< 0.01	5	1270	14	< 2	9	134	0.01	< 10	< 10	38	< 10	82
LLS-412	201	202	< 1	< 0.01	9	830	10	< 2	13	24	0.04	< 10	< 10	77	< 10	72
LLS-413	201	202	< 1	< 0.01	7	840	32	< 2	15	27	< 0.01	< 10	< 10	68	< 10	86
LLS-414	201	202	< 1	< 0.01	8	580	4	< 2	8	19	0.18	< 10	< 10	91	< 10	56

CERTIFICATION: _____

07/17/96 1:02AM CHEMEX LABS VAX-FAX2 PAGE 003

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Certificate Date 16-JUL-96
Invoice No. I-9623291
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623291

SAMPLE DESCRIPTION	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-415	201	202	3	< 0.2	2.50	4	320	0.5	< 2	0.61	< 0.5	14	12	11	4.28	10	10	0.47	30	1.41	990
LLS-416	201	202	2	< 0.2	2.88	12	270	0.5	< 2	0.47	< 0.5	14	15	15	4.62	10	10	0.51	20	1.38	915
LLS-417	201	202	7	< 0.2	1.96	18	680	0.5	< 2	2.75	0.5	13	7	15	3.51	10	10	0.41	30	0.86	1185
LLS-418	201	202	< 1	< 0.2	2.60	6	370	0.5	< 2	0.43	< 0.5	14	11	7	4.43	10	< 10	0.27	30	1.34	1070
LLS-419	201	202	8	< 0.2	2.44	10	300	0.5	< 2	0.73	< 0.5	14	5	6	4.92	10	10	0.19	50	1.53	1410
LLS-420	201	202	1	< 0.2	3.19	6	760	0.5	< 2	0.50	0.5	11	9	15	4.17	10	10	0.41	30	1.19	650
LLS-421	201	202	< 1	< 0.2	2.63	8	1010	0.5	2	2.23	0.5	10	2	5	3.37	10	10	0.51	30	1.21	1200
LLS-422	201	202	1	< 0.2	3.12	4	450	0.5	< 2	0.57	0.5	15	5	12	5.25	10	10	0.40	70	1.37	1365
LLS-423	201	202	2	< 0.2	2.50	10	380	0.5	< 2	1.11	0.5	13	3	8	4.62	10	10	0.48	50	1.33	1095
LLS-424	201	202	1	< 0.2	2.98	6	490	1.0	< 2	0.48	< 0.5	10	9	12	3.96	10	10	0.48	40	1.02	670
LLS-425	201	202	2	< 0.2	2.50	12	860	0.5	< 2	0.92	0.5	12	3	6	4.40	10	< 10	0.52	40	1.24	1090
LLS-426	201	202	< 1	< 0.2	3.01	8	360	0.5	< 2	0.48	< 0.5	14	8	9	5.45	10	< 10	0.47	30	1.55	1345
LLS-427	201	202	3	< 0.2	2.35	10	260	0.5	< 2	1.02	< 0.5	13	3	5	4.76	10	10	0.27	50	1.44	1330
LLS-428	201	202	7	< 0.2	2.42	20	350	0.5	< 2	0.54	< 0.5	14	3	8	4.78	10	< 10	0.27	50	1.35	1390
LLS-429	201	202	6	< 0.2	2.30	18	380	0.5	< 2	0.78	< 0.5	13	3	7	4.89	10	10	0.30	60	1.33	1425
LLS-430	201	202	4	< 0.2	2.54	14	430	0.5	< 2	0.54	< 0.5	15	15	22	5.34	10	10	0.32	40	0.95	950
LLS-431	201	202	5	< 0.2	2.19	12	530	0.5	< 2	1.52	< 0.5	14	2	7	4.72	10	< 10	0.33	50	1.17	1350
LLS-432	201	202	8	< 0.2	3.44	18	400	0.5	< 2	0.46	0.5	15	20	10	5.32	10	20	0.45	30	1.40	1105
LLS-433	201	202	600	< 0.2	2.17	318	450	0.5	< 2	2.21	< 0.5	13	7	5	3.77	10	30	0.30	40	0.93	1475
LLS-434	201	202	14	< 0.2	2.83	10	350	0.5	< 2	0.60	< 0.5	13	18	17	4.58	10	20	0.33	40	1.06	805

PRELIMINARY

CERTIFICATION: _____

07/17/96 1:03AM CHEMEX LABS VAX-FAX2 PAGE 004

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS/SCOTT BROUGHTON

Page Number 2-B
Total Pages 2
Certificate Date 16-JUL-96
Invoice No. I-9623291
P.O. Number :
Account :

CERTIFICATE OF ANALYSIS A9623291

SAMPLE DESCRIPTION	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-415	201	202	< 1	0.01	8	870	10	< 2	13	32	0.10	< 10	< 10	90	< 10	74
LLS-416	201	202	< 1	< 0.01	9	780	8	< 2	13	26	0.15	< 10	< 10	107	< 10	74
LLS-417	201	202	< 1	< 0.01	5	840	16	< 2	13	118	0.02	< 10	< 10	67	< 10	60
LLS-418	201	202	< 1	0.01	8	950	10	< 2	12	23	0.05	< 10	< 10	82	< 10	76
LLS-419	201	202	< 1	0.01	6	1280	8	< 2	13	33	0.02	< 10	< 10	76	< 10	92
LLS-420	201	202	< 1	< 0.01	8	990	8	< 2	10	35	0.10	< 10	< 10	70	< 10	78
LLS-421	201	202	< 1	0.01	4	1120	6	< 2	7	76	0.07	< 10	< 10	50	< 10	72
LLS-422	201	202	< 1	< 0.01	8	1660	8	< 2	12	29	0.05	< 10	< 10	77	< 10	110
LLS-423	201	202	< 1	0.01	4	1520	4	< 2	11	53	0.08	< 10	< 10	73	< 10	100
LLS-424	201	202	< 1	< 0.01	7	710	8	< 2	9	37	0.07	< 10	< 10	64	< 10	70
LLS-425	201	202	< 1	0.01	5	1390	8	< 2	9	42	0.08	< 10	< 10	67	< 10	96
LLS-426	201	202	< 1	< 0.01	9	1450	4	< 2	12	23	0.11	< 10	< 10	90	< 10	106
LLS-427	201	202	< 1	< 0.01	5	1430	6	< 2	11	46	0.06	< 10	< 10	76	< 10	108
LLS-428	201	202	< 1	< 0.01	6	1450	12	< 2	10	28	0.03	< 10	< 10	54	< 10	100
LLS-429	201	202	< 1	< 0.01	5	1530	8	< 2	10	38	0.05	< 10	< 10	67	< 10	102
LLS-430	201	202	< 1	< 0.01	11	1340	6	< 2	10	32	0.07	< 10	< 10	79	< 10	104
LLS-431	201	202	< 1	0.01	5	1530	6	< 2	10	74	0.04	< 10	< 10	58	< 10	108
LLS-432	201	202	< 1	< 0.01	12	870	14	< 2	13	12	0.10	< 10	< 10	99	< 10	98
LLS-433	201	202	< 1	0.01	5	830	26	< 2	9	91	0.03	< 10	< 10	65	< 10	72
LLS-434	201	202	< 1	0.01	13	1140	6	< 2	11	35	0.11	< 10	< 10	86	< 10	84

PRELIMINARY

CERTIFICATION: _____

07/17/96 1:05AM CHEMEX LABS VAX-FAX2 PAGE 005

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: SANDI SEARS/SCOTT BROUGHTON

Page Number : 1-A
Total Pages : 3
Certificate Date: 08-AUG-96
Invoice No. : I9625803
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625803

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS-435	201	202	7	-----	< 0.2	1.61	< 2	620	1.0	2	0.82	< 0.5	13	6	8	4.53	< 10	10	0.82	50	0.67
LLS-436	201	202	1	-----	< 0.2	3.15	4	420	0.5	2	0.57	< 0.5	16	10	11	5.96	10	10	0.47	50	1.56
LLS-437	201	202	9	-----	< 0.2	2.21	2	380	< 0.5	2	0.49	< 0.5	13	5	5	4.76	10	< 10	0.49	40	1.38
LLS-438	201	202	12	-----	< 0.2	2.87	20	430	1.0	2	0.60	< 0.5	15	8	13	5.18	10	40	0.41	50	1.25
LLS-439	201	202	9	-----	< 0.2	2.15	12	460	< 0.5	2	0.52	< 0.5	14	5	6	4.62	10	30	0.36	40	1.28
LLS-440	201	202	19	-----	< 0.2	2.29	4	240	0.5	< 2	0.23	< 0.5	12	17	11	3.72	< 10	20	0.23	20	0.82
LLS-441	201	202	47	-----	< 0.2	2.37	140	280	0.5	< 2	0.73	< 0.5	18	13	5	4.97	10	10	0.16	30	1.34
LLS-442	201	202	1	-----	< 0.2	2.65	10	280	0.5	< 2	0.52	< 0.5	15	10	14	4.86	10	10	0.25	50	1.35
LLS-443	201	202	20	-----	< 0.2	2.51	90	530	0.5	2	0.59	< 0.5	14	5	9	4.85	10	10	0.58	40	1.23

CERTIFICATION: Ian Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: SANDI SEARS/SCOTT BROUGHTON

Certificate Date: 08-AUG-96
Invoice No. : I9625803
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625803

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-435	201	202	1365	< 1	< 0.01	3	1320	12	< 2	7	36	0.09	< 10	< 10	52	< 10	94
LLS-436	201	202	1475	< 1	< 0.01	8	1750	< 2	12	9	26	0.10	< 10	< 10	85	< 10	122
LLS-437	201	202	1260	< 1	0.01	3	1460	8	2	10	21	0.12	< 10	< 10	73	< 10	102
LLS-438	201	202	1140	< 1	0.01	7	1530	12	< 2	8	35	0.05	< 10	< 10	55	< 10	118
LLS-439	201	202	1320	< 1	0.01	3	1450	< 2	< 2	10	27	0.08	< 10	< 10	60	< 10	106
LLS-440	201	202	475	< 1	0.01	9	300	14	2	5	21	0.06	< 10	< 10	59	< 10	64
LLS-441	201	202	1400	< 1	0.01	6	1030	24	< 2	9	33	< 0.01	< 10	< 10	62	< 10	102
LLS-442	201	202	995	< 1	0.01	6	1560	14	< 2	6	25	0.03	< 10	< 10	60	< 10	110
LLS-443	201	202	1110	< 1	< 0.01	4	1270	12	10	8	28	0.06	< 10	< 10	56	< 10	102

CERTIFICATION: Scott Buchholz

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: SANDI SEARS/SCOTT BROUGHTON

Page Number : 2-A
Total Pages : 3
Certificate Date: 08-AUG-96
Invoice No. : 19625803
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625803

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS-444	201	202	2	-----	< 0.2	3.01	6	320	0.5	2	0.63	< 0.5	17	7	13	5.72	10	10	0.21	40	1.55
LLS-445	201	202	3	-----	< 0.2	2.42	2	320	0.5	< 2	0.60	< 0.5	15	5	6	4.81	10	< 10	0.59	40	1.47
LLS-446	201	202	< 1	-----	< 0.2	1.61	< 2	200	< 0.5	6	0.21	< 0.5	9	9	5	2.64	< 10	< 10	0.46	10	0.75
LLS-447	201	202	11	-----	< 0.2	2.01	< 2	510	< 0.5	2	0.39	0.5	11	11	5	3.79	< 10	10	0.58	30	1.10
LLS-448	201	202	2	-----	< 0.2	2.24	10	510	< 0.5	< 2	0.51	< 0.5	14	6	5	4.68	10	10	0.99	40	1.30
LLS-449	201	202	< 1	-----	< 0.2	1.91	< 2	400	< 0.5	< 2	0.50	0.5	12	5	5	4.18	10	< 10	0.74	30	1.17
LLS-450	201	202	3	-----	< 0.2	3.05	12	180	0.5	< 2	0.77	< 0.5	19	71	27	4.88	10	10	0.05	10	1.51
LLS-451	201	202	2	-----	< 0.2	3.19	2	120	0.5	2	2.58	< 0.5	35	102	30	6.22	10	10	0.08	10	2.58
LLS-452	201	202	14	-----	< 0.2	2.12	< 2	170	0.5	2	0.64	< 0.5	13	13	6	4.51	10	10	0.27	10	1.11
LLS-453	201	202	2	-----	< 0.2	1.93	6	170	0.5	2	0.61	< 0.5	14	9	5	4.21	< 10	40	0.24	30	1.00
LLS-454	201	202	2	-----	< 0.2	1.97	2	150	< 0.5	2	0.32	< 0.5	10	13	6	3.51	< 10	10	0.21	10	0.82
LLS-455	201	202	1	-----	< 0.2	2.00	< 2	130	0.5	< 2	0.57	< 0.5	12	4	4	4.13	10	10	0.21	40	1.04
LLS-456	201	202	19	-----	< 0.2	2.35	< 2	210	0.5	4	0.45	< 0.5	12	29	15	3.46	< 10	40	0.14	10	0.74
LLS-457	201	202	< 1	-----	< 0.2	1.57	< 2	170	0.5	< 2	0.45	< 0.5	8	6	3	2.57	< 10	10	0.23	30	0.57
LLS-458	201	202	4	-----	< 0.2	2.90	4	400	0.5	8	0.70	< 0.5	17	11	16	5.49	10	30	0.48	40	1.33
LLS-459	201	202	1	-----	< 0.2	2.35	< 2	320	0.5	< 2	0.68	0.5	14	5	4	4.89	10	10	0.45	30	1.33
LLS-460	201	202	8	-----	< 0.2	1.74	2	150	< 0.5	< 2	0.30	0.5	8	18	14	3.10	< 10	20	0.12	10	0.54
LLS-461	201	202	3	-----	< 0.2	1.96	< 2	610	0.5	< 2	0.55	< 0.5	13	8	7	4.59	10	10	0.73	30	1.01
LLS-462	201	202	4	-----	< 0.2	2.81	4	500	< 0.5	< 2	0.42	< 0.5	15	10	9	4.63	10	10	0.91	20	1.41
LLS-463	201	202	2	-----	< 0.2	2.82	< 2	860	< 0.5	2	0.58	0.5	15	8	19	5.06	10	70	1.52	30	1.73
LLS-464	201	202	2	-----	< 0.2	2.82	< 2	450	0.5	2	0.66	< 0.5	14	23	19	4.74	10	30	0.50	30	1.24
LLS-465	201	202	1	-----	< 0.2	2.19	4	620	0.5	6	0.58	< 0.5	14	5	6	4.56	10	10	0.53	40	1.07
LLS-466	201	202	4	-----	< 0.2	2.38	10	600	< 0.5	< 2	0.70	< 0.5	13	11	8	4.56	10	30	0.81	20	1.26
LLS-467	201	202	1	-----	< 0.2	1.95	< 2	940	< 0.5	2	0.56	< 0.5	14	6	6	3.98	10	< 10	0.80	20	1.18
LLS-468	201	202	< 1	-----	< 0.2	2.96	< 2	290	< 0.5	4	0.29	< 0.5	16	21	10	4.37	10	10	0.49	10	1.23
LLS-469	201	202	1	-----	< 0.2	2.29	< 2	390	< 0.5	6	0.62	< 0.5	14	14	6	4.16	10	20	0.60	30	1.33
LLS-470	201	202	7	-----	< 0.2	2.23	< 2	280	0.5	< 2	0.40	0.5	12	21	15	3.65	< 10	30	0.23	10	0.78
LLS-471	201	202	4	-----	< 0.2	1.93	< 2	550	0.5	< 2	1.82	< 0.5	14	9	6	3.79	< 10	10	0.63	30	0.89
LLS-472	201	202	< 1	-----	< 0.2	2.55	< 2	610	< 0.5	2	0.70	< 0.5	14	9	12	4.60	10	30	0.78	20	1.34
LLS-473	201	202	1	-----	< 0.2	1.74	2	860	0.5	< 2	1.54	0.5	11	3	3	3.64	< 10	< 10	0.54	40	0.79
LLS-474	201	202	1	-----	< 0.2	2.58	< 2	360	0.5	4	0.39	< 0.5	13	28	18	4.05	< 10	10	0.12	10	0.60
LLS-475	201	202	8	-----	< 0.2	0.55	< 2	1440	1.0	< 2	4.50	< 0.5	9	1	1	2.78	< 10	< 10	0.21	40	0.12
LLS-476	201	202	10	-----	< 0.2	2.86	28	580	1.0	4	0.67	< 0.5	17	9	11	5.31	10	10	0.28	40	1.29
LLS-477	201	202	7	-----	< 0.2	2.47	48	590	0.5	4	1.76	< 0.5	16	6	4	5.24	10	< 10	0.45	40	1.43
LLS-478	201	202	6	-----	< 0.2	2.16	10	370	< 0.5	2	0.61	< 0.5	13	14	7	4.21	10	40	0.75	30	1.26
LLS-479	201	202	3	-----	< 0.2	2.55	12	300	< 0.5	2	0.43	< 0.5	15	19	9	4.16	10	30	0.35	10	1.10
LLS-480	201	202	2	-----	< 0.2	2.51	< 2	1160	0.5	< 2	0.56	< 0.5	17	16	12	4.64	10	20	0.34	20	1.35
LLS-481	201	202	11	-----	< 0.2	2.33	8	1580	0.5	2	1.46	0.5	16	9	7	4.27	10	10	0.37	30	1.35
LLS-482	201	202	< 1	-----	< 0.2	2.94	6	330	0.5	2	0.40	< 0.5	19	18	9	5.00	10	10	0.51	10	1.66
LLS-483	201	202	3	-----	< 0.2	2.68	< 2	520	0.5	6	0.51	< 0.5	18	12	9	4.95	10	20	0.49	30	1.64

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: SANDI SEARS/SCOTT BROUGHTON

Page Number : 2-B
Total Pages : 3
Certificate Date: 08-AUG-96
Invoice No. : I9625803
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625803

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-444	201	202	1335	< 1	0.01	7	1640	12	< 2	8	30	0.01	< 10	< 10	69	< 10	124
LLS-445	201	202	1345	< 1	< 0.01	3	1450	8	< 2	7	22	0.10	< 10	< 10	63	< 10	110
LLS-446	201	202	505	< 1	< 0.01	4	690	6	< 2	5	9	0.12	< 10	< 10	54	< 10	54
LLS-447	201	202	915	< 1	0.01	4	870	10	< 2	9	16	0.13	< 10	< 10	68	< 10	74
LLS-448	201	202	1575	< 1	< 0.01	4	1420	2	6	10	18	0.21	< 10	< 10	80	< 10	96
LLS-449	201	202	980	< 1	< 0.01	4	1230	10	< 2	8	16	0.18	< 10	< 10	69	< 10	92
LLS-450	201	202	410	< 1	0.03	39	1200	2	18	13	58	0.10	< 10	< 10	96	< 10	86
LLS-451	201	202	1070	< 1	0.04	57	1940	< 2	2	16	146	0.09	< 10	< 10	111	< 10	98
LLS-452	201	202	955	< 1	< 0.01	6	940	16	6	9	31	0.18	< 10	< 10	68	< 10	92
LLS-453	201	202	1440	< 1	< 0.01	4	790	26	8	10	26	0.18	< 10	< 10	63	< 10	86
LLS-454	201	202	525	< 1	< 0.01	6	580	8	< 2	5	19	0.07	< 10	< 10	56	< 10	68
LLS-455	201	202	1170	< 1	0.01	3	1300	8	10	5	27	0.01	< 10	< 10	43	< 10	100
LLS-456	201	202	755	< 1	0.01	17	350	8	< 2	6	34	0.07	< 10	< 10	69	< 10	62
LLS-457	201	202	875	< 1	0.01	3	590	18	4	3	29	< 0.01	< 10	< 10	25	< 10	58
LLS-458	201	202	1100	< 1	0.01	10	1790	4	2	11	28	0.11	< 10	< 10	89	< 10	120
LLS-459	201	202	895	< 1	0.01	4	1620	2	4	10	23	0.09	< 10	< 10	75	< 10	116
LLS-460	201	202	265	< 1	0.01	9	670	6	2	4	19	0.07	< 10	< 10	57	< 10	54
LLS-461	201	202	835	< 1	0.01	5	1280	8	< 2	10	19	0.13	< 10	< 10	63	< 10	98
LLS-462	201	202	1370	< 1	< 0.01	7	1500	4	2	11	14	0.18	< 10	< 10	81	< 10	106
LLS-463	201	202	1330	< 1	0.03	4	1410	4	2	15	19	0.27	< 10	< 10	103	< 10	110
LLS-464	201	202	955	< 1	< 0.01	13	1310	4	< 2	10	32	0.16	< 10	< 10	92	< 10	98
LLS-465	201	202	1395	< 1	0.01	3	1390	16	< 2	10	25	0.07	< 10	< 10	52	< 10	108
LLS-466	201	202	1255	< 1	< 0.01	5	1560	10	< 2	10	25	0.20	< 10	< 10	73	< 10	104
LLS-467	201	202	960	< 1	0.02	3	1400	2	< 2	8	20	0.17	< 10	< 10	67	< 10	92
LLS-468	201	202	780	< 1	< 0.01	11	710	8	< 2	9	17	0.13	< 10	< 10	97	< 10	78
LLS-469	201	202	920	< 1	0.03	5	930	8	< 2	11	26	0.13	< 10	< 10	87	< 10	82
LLS-470	201	202	490	< 1	0.01	11	430	12	< 2	7	27	0.09	< 10	< 10	75	< 10	58
LLS-471	201	202	680	< 1	0.01	4	960	6	< 2	7	138	0.06	< 10	< 10	64	< 10	78
LLS-472	201	202	1030	< 1	< 0.01	6	1850	2	< 2	10	25	0.24	< 10	< 10	79	< 10	102
LLS-473	201	202	880	< 1	0.01	2	1120	2	< 2	5	46	0.07	< 10	< 10	43	< 10	86
LLS-474	201	202	335	< 1	< 0.01	20	570	12	< 2	4	21	0.07	< 10	< 10	71	< 10	62
LLS-475	201	202	1240	< 1	< 0.01	1	1300	8	< 2	3	44	< 0.01	< 10	< 10	14	< 10	62
LLS-476	201	202	1380	< 1	< 0.01	7	1860	10	4	8	26	0.04	< 10	< 10	62	< 10	116
LLS-477	201	202	1300	< 1	0.01	4	1730	2	< 2	11	74	0.07	< 10	< 10	69	< 10	124
LLS-478	201	202	850	< 1	0.01	6	1060	8	2	9	21	0.20	< 10	< 10	94	< 10	88
LLS-479	201	202	805	< 1	< 0.01	11	830	6	< 2	7	22	0.13	< 10	< 10	89	< 10	86
LLS-480	201	202	1045	< 1	0.01	10	950	2	6	14	26	0.09	< 10	< 10	102	< 10	88
LLS-481	201	202	1455	< 1	0.02	4	860	8	6	11	73	0.05	< 10	< 10	80	< 10	84
LLS-482	201	202	1080	< 1	< 0.01	9	960	6	< 2	13	18	0.12	< 10	< 10	113	< 10	90
LLS-483	201	202	2320	< 1	0.01	8	1040	14	6	14	21	0.07	< 10	< 10	95	< 10	98

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: SANDI SEARS/SCOTT BROUGHTON

Page Number : 3-A
Total Pages : 3
Certificate Date: 08-AUG-96
Invoice No. : 19625803
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625803

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS-484	201	202	7	-----	< 0.2	3.39	30	950	0.5	2	0.91	< 0.5	21	69	23	5.22	10	20	0.10	10	1.44
LLS-485	201	202	24	-----	< 0.2	2.86	84	2080	0.5	2	2.08	0.5	27	93	24	6.40	10	10	0.19	30	2.04
LLS-486	201	202	5	-----	< 0.2	1.77	58	270	1.0	2	0.49	< 0.5	12	7	19	3.78	< 10	40	0.22	30	0.46
LLS-487	201	202	4	-----	< 0.2	2.03	< 2	270	0.5	2	1.94	< 0.5	13	4	4	4.17	10	10	0.30	40	1.07
LLS-488	201	202	3	-----	< 0.2	2.10	< 2	170	< 0.5	< 2	0.48	< 0.5	13	14	12	3.83	10	< 10	0.28	10	1.13
LLS-489	201	202	35	-----	< 0.2	2.00	< 2	230	< 0.5	4	0.76	< 0.5	12	11	11	3.77	10	< 10	0.35	20	1.06
LLS-490	201	202	1	-----	< 0.2	2.19	4	290	< 0.5	< 2	0.34	0.5	12	12	7	3.59	10	< 10	0.42	10	1.01
LLS-491	201	202	< 1	-----	< 0.2	1.98	< 2	330	< 0.5	2	0.42	< 0.5	12	8	8	3.80	< 10	< 10	0.48	20	1.12
LLS-492	201	202	16	-----	< 0.2	2.60	54	230	< 0.5	2	0.49	< 0.5	11	28	15	3.96	10	10	0.31	10	0.91
LLS-493	201	202	87	-----	< 0.2	2.13	14	750	< 0.5	< 2	0.68	0.5	11	6	6	4.38	10	10	0.83	30	1.12
LLS-494	201	202	9	-----	< 0.2	2.22	< 2	220	< 0.5	6	0.55	< 0.5	12	30	22	3.61	< 10	10	0.19	10	0.92
LLS-495	201	202	13	-----	< 0.2	2.43	24	460	0.5	< 2	0.70	< 0.5	15	8	7	4.97	10	10	0.55	40	1.24
LLS-496	201	202	2	-----	< 0.2	2.54	26	520	< 0.5	< 2	0.43	0.5	12	7	8	4.40	10	< 10	0.79	10	1.19
LLS-497	201	202	8	-----	< 0.2	2.24	20	460	0.5	2	0.54	< 0.5	13	5	6	4.36	10	< 10	0.66	40	1.20
LLS-498	201	202	6	-----	< 0.2	2.25	24	190	< 0.5	2	0.38	< 0.5	11	27	18	3.28	< 10	30	0.11	10	0.63
LLS-499	201	202	235	-----	0.2	2.03	768	360	0.5	< 2	1.65	1.0	13	4	6	4.47	< 10	50	0.25	40	0.86

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: SANDI SEARS/SCOTT BROUGHTON

Page Number : 3-B
Total Pages : 3
Certificate Date: 08-AUG-96
Invoice No. : I9625803
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625803

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-484	201	202	880	< 1	0.03	33	1310	< 2	< 2	11	49	0.08	< 10	< 10	103	< 10	84
LLS-485	201	202	1600	< 1	0.07	45	2190	2	< 2	16	89	0.12	< 10	< 10	116	< 10	102
LLS-486	201	202	1175	8	0.01	6	1020	16	< 2	7	28	< 0.01	< 10	< 10	29	< 10	78
LLS-487	201	202	1045	< 1	0.01	2	1390	12	< 2	7	79	0.03	< 10	< 10	53	< 10	102
LLS-488	201	202	835	< 1	< 0.01	8	850	10	< 2	8	23	0.13	< 10	< 10	75	< 10	72
LLS-489	201	202	1090	< 1	0.01	5	1000	18	8	8	39	0.11	< 10	< 10	67	< 10	76
LLS-490	201	202	665	< 1	< 0.01	5	660	8	2	7	20	0.11	< 10	< 10	70	< 10	66
LLS-491	201	202	1020	< 1	0.02	4	820	6	< 2	8	19	0.10	< 10	< 10	71	< 10	74
LLS-492	201	202	525	< 1	< 0.01	13	600	4	6	7	27	0.19	< 10	< 10	89	< 10	68
LLS-493	201	202	1125	< 1	0.01	3	1460	< 2	8	9	20	0.22	< 10	< 10	76	< 10	92
LLS-494	201	202	485	< 1	0.01	15	510	4	2	8	33	0.18	< 10	< 10	95	< 10	60
LLS-495	201	202	1395	< 1	0.01	4	1520	2	2	11	31	0.11	< 10	< 10	73	< 10	106
LLS-496	201	202	1010	< 1	< 0.01	5	1380	8	< 2	8	15	0.19	< 10	< 10	77	< 10	92
LLS-497	201	202	1270	< 1	0.01	3	1420	2	6	9	21	0.12	< 10	< 10	63	< 10	102
LLS-498	201	202	490	< 1	0.02	13	410	6	< 2	5	27	0.12	< 10	< 10	77	< 10	56
LLS-499	201	202	1735	< 1	< 0.01	3	1390	18	6	6	72	0.01	< 10	< 10	51	< 10	130

CERTIFICATION: Hart Builder

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number :1-A
Total Pages :6
Certificate Date: 11-AUG-96
Invoice No. :I9625802
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS 500	201	202	11	-----	< 0.2	2.67	44	230	< 0.5	< 2	0.63	0.5	12	37	27	3.60	< 10	30	0.11	10	0.79
LLS 501	201	202	5	-----	< 0.2	2.28	46	500	< 0.5	< 2	0.63	0.5	12	7	6	4.47	< 10	20	0.60	30	1.12
LLS 502	201	202	2	-----	< 0.2	1.64	14	140	< 0.5	< 2	2.11	< 0.5	11	29	32	2.82	< 10	10	0.10	< 10	0.84
LLS 503	201	202	14	-----	< 0.2	1.50	16	130	< 0.5	< 2	1.48	< 0.5	10	29	30	2.67	< 10	10	0.09	< 10	0.77
LLS 504	201	202	3	-----	< 0.2	2.51	22	560	0.5	< 2	0.55	0.5	12	8	8	4.63	< 10	< 10	0.63	50	1.09
LLS 505	201	202	4	-----	< 0.2	2.12	26	300	0.5	< 2	0.59	< 0.5	10	5	5	3.79	< 10	10	0.38	40	0.88
LLS 506	201	202	13	-----	< 0.2	1.77	80	220	< 0.5	< 2	0.32	< 0.5	8	16	9	2.94	< 10	10	0.36	20	0.69
LLS 507	201	202	125	-----	< 0.2	1.70	572	320	< 0.5	< 2	0.39	2.5	10	10	5	3.44	< 10	10	0.44	30	0.74
LLS 508	201	202	4	-----	< 0.2	1.65	80	180	< 0.5	< 2	0.22	< 0.5	7	15	7	2.37	< 10	< 10	0.25	10	0.57
LLS 509	201	202	44	-----	< 0.2	1.71	228	350	< 0.5	< 2	0.40	1.5	9	11	4	3.39	< 10	10	0.52	30	0.81
LLS 510	201	202	4	-----	< 0.2	3.43	36	220	< 0.5	< 2	0.28	< 0.5	16	26	18	4.47	< 10	< 10	0.30	10	1.07
LLS 511	201	202	175	-----	< 0.2	2.27	166	260	< 0.5	< 2	0.93	1.0	13	21	11	3.99	< 10	10	0.43	20	1.12
LLS 512	201	202	7	-----	< 0.2	1.95	64	390	< 0.5	< 2	0.45	0.5	10	10	8	4.26	< 10	< 10	0.52	30	1.01
LLS 513	201	202	19	-----	< 0.2	2.11	72	350	< 0.5	< 2	0.47	0.5	12	6	6	4.27	< 10	10	0.51	40	1.14
LLS 514	201	202	7	-----	< 0.2	3.16	32	260	< 0.5	< 2	0.32	< 0.5	13	28	21	4.15	< 10	10	0.17	10	0.86

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number :1-B
Total Pages :6
Certificate Date: 11-AUG-96
Invoice No. :I9625802
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 500	201	202	415	< 1	0.01	19	480	8	< 2	9	41	0.17	< 10	< 10	91	< 10	58
LLS 501	201	202	1275	< 1	0.01	5	1430	6	< 2	11	30	0.14	< 10	< 10	67	< 10	98
LLS 502	201	202	395	< 1	0.05	23	700	6	< 2	5	62	0.13	< 10	< 10	79	< 10	54
LLS 503	201	202	375	< 1	0.04	23	650	2	< 2	5	50	0.11	< 10	< 10	75	< 10	52
LLS 504	201	202	1530	< 1	< 0.01	6	1350	8	< 2	10	29	0.11	< 10	< 10	68	< 10	106
LLS 505	201	202	1485	1	0.01	4	1210	12	< 2	6	29	0.02	< 10	< 10	43	< 10	90
LLS 506	201	202	570	< 1	< 0.01	8	430	12	< 2	6	17	0.15	< 10	< 10	58	< 10	56
LLS 507	201	202	1310	< 1	< 0.01	4	650	24	< 2	6	19	0.10	< 10	< 10	54	< 10	70
LLS 508	201	202	445	< 1	< 0.01	8	510	8	< 2	4	11	0.07	< 10	< 10	44	< 10	48
LLS 509	201	202	990	< 1	0.01	5	790	16	< 2	7	20	0.09	< 10	< 10	56	< 10	68
LLS 510	201	202	560	< 1	< 0.01	16	470	12	< 2	7	15	0.18	< 10	< 10	102	< 10	76
LLS 511	201	202	1000	1	0.01	11	770	14	< 2	10	48	0.10	< 10	< 10	80	< 10	80
LLS 512	201	202	795	< 1	< 0.01	6	1100	8	< 2	6	13	0.17	< 10	< 10	75	< 10	78
LLS 513	201	202	1215	< 1	0.01	4	1240	10	< 2	8	18	0.10	< 10	< 10	60	< 10	94
LLS 514	201	202	515	< 1	< 0.01	17	360	8	< 2	7	20	0.18	< 10	< 10	86	< 10	70

CERTIFICATION: Hartl Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. :19625802
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS 604	201	202	2	-----	< 0.2	1.82	28	400	< 0.5	< 2	0.52	< 0.5	9	14	14	3.72	< 10	10	0.71	20	0.91
LLS 605	201	202	8	-----	< 0.2	2.47	90	270	< 0.5	< 2	0.62	0.5	14	36	23	3.70	< 10	30	0.22	10	0.88
LLS 606	201	202	23	-----	0.4	2.33	162	280	< 0.5	6	0.66	0.5	14	19	12	4.25	< 10	20	0.47	20	1.20
LLS 607	201	202	7	-----	< 0.2	2.77	38	260	< 0.5	< 2	0.65	< 0.5	12	45	37	3.85	< 10	30	0.13	10	0.81
LLS 608	201	202	120	-----	< 0.2	2.66	386	330	< 0.5	< 2	0.69	2.0	14	30	19	4.39	< 10	30	0.44	30	1.12
LLS 609	201	202	6	-----	< 0.2	2.75	10	400	0.5	< 2	0.62	< 0.5	14	17	20	5.58	10	< 10	0.49	30	1.18
LLS 610	201	202	1	-----	< 0.2	2.10	4	350	< 0.5	< 2	0.47	< 0.5	13	9	9	4.69	< 10	10	0.38	40	1.10
LLS 611	201	202	< 1	-----	< 0.2	2.16	10	290	< 0.5	< 2	0.47	< 0.5	10	26	15	3.53	< 10	< 10	0.31	20	0.84
LLS 612	201	202	2	-----	< 0.2	1.74	14	230	0.5	< 2	0.34	< 0.5	9	13	6	3.41	< 10	< 10	0.36	40	0.76
LLS 613	201	202	6	-----	< 0.2	2.35	32	270	< 0.5	< 2	0.56	0.5	11	34	25	3.45	< 10	40	0.15	10	0.82
LLS 614	201	202	2	-----	< 0.2	1.71	6	360	< 0.5	< 2	0.58	< 0.5	10	19	12	3.49	< 10	10	0.57	10	0.92
LLS 615	201	202	17	-----	< 0.2	2.54	52	280	< 0.5	< 2	0.48	0.5	10	32	24	3.49	< 10	30	0.15	10	0.72
LLS 616	201	202	10	-----	< 0.2	2.22	32	260	< 0.5	< 2	0.57	< 0.5	11	30	19	3.58	< 10	30	0.30	10	0.94
LLS 617	201	202	11	-----	< 0.2	3.44	16	220	< 0.5	< 2	0.25	< 0.5	12	43	23	4.54	< 10	30	0.06	< 10	0.63
LLS 618	201	202	8	-----	< 0.2	2.02	152	370	< 0.5	< 2	0.66	0.5	11	12	7	4.52	< 10	< 10	0.52	30	1.13
LLS 619	201	202	6	-----	< 0.2	2.86	16	220	< 0.5	< 2	0.47	< 0.5	12	31	22	3.52	< 10	20	0.12	< 10	0.78
LLS 620	201	202	17	-----	0.6	2.11	90	290	0.5	< 2	0.54	0.5	12	7	22	3.50	< 10	40	0.30	40	0.68
LLS 621	201	202	2	-----	< 0.2	3.58	6	460	0.5	< 2	0.71	< 0.5	15	18	18	5.65	10	10	0.57	30	1.43
LLS 622	201	202	24	-----	< 0.2	2.58	2	490	0.5	< 2	0.60	< 0.5	11	11	14	4.24	< 10	10	0.60	50	1.20
LLS 623	201	202	16	-----	< 0.2	3.17	66	340	0.5	< 2	0.64	0.5	13	20	15	4.97	< 10	< 10	0.69	10	1.16
LLS 624	201	202	6	-----	< 0.2	2.58	52	440	0.5	< 2	0.52	< 0.5	11	8	8	4.52	< 10	< 10	0.66	40	1.10
LLS 625	201	202	13	-----	< 0.2	2.97	12	270	< 0.5	< 2	0.64	< 0.5	16	28	22	4.43	< 10	10	0.24	20	1.11
LLS 626	201	202	125	-----	< 0.2	2.35	992	300	0.5	< 2	0.58	5.0	12	10	15	4.82	< 10	40	0.37	50	1.05
LLS 627	201	202	< 1	-----	< 0.2	2.38	8	310	< 0.5	< 2	0.56	< 0.5	12	15	12	3.95	< 10	20	0.49	20	1.06
LLS 628	201	202	< 1	-----	< 0.2	2.15	4	270	< 0.5	< 2	0.53	< 0.5	12	16	9	4.12	< 10	10	0.49	20	1.24

CERTIFICATION: Ian Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. : I9625802
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 604	201	202	930	1	0.01	8	1090	6	< 2	6	18	0.18	< 10	< 10	61	< 10	76
LLS 605	201	202	660	1	< 0.01	19	550	6	< 2	9	36	0.19	< 10	< 10	96	< 10	60
LLS 606	201	202	980	< 1	< 0.01	10	900	14	< 2	11	27	0.22	< 10	< 10	93	< 10	82
LLS 607	201	202	515	1	0.01	26	450	8	< 2	11	45	0.18	< 10	< 10	95	< 10	62
LLS 608	201	202	1140	1	0.02	16	890	10	< 2	12	39	0.14	< 10	< 10	89	< 10	84
LLS 609	201	202	1315	2	< 0.01	12	1530	10	< 2	10	28	0.15	< 10	< 10	93	< 10	116
LLS 610	201	202	1165	1	0.01	8	1350	6	< 2	9	20	0.07	< 10	< 10	58	< 10	106
LLS 611	201	202	665	1	< 0.01	15	700	10	< 2	6	25	0.16	< 10	< 10	66	< 10	66
LLS 612	201	202	980	1	0.01	8	700	22	< 2	5	16	0.05	< 10	< 10	37	< 10	72
LLS 613	201	202	470	< 1	< 0.01	18	530	8	< 2	8	33	0.17	< 10	< 10	85	< 10	56
LLS 614	201	202	655	< 1	0.01	11	990	6	< 2	6	20	0.18	< 10	< 10	68	< 10	68
LLS 615	201	202	600	1	< 0.01	17	520	10	< 2	7	32	0.14	< 10	< 10	84	< 10	60
LLS 616	201	202	645	< 1	0.01	15	630	10	< 2	9	31	0.16	< 10	< 10	84	< 10	64
LLS 617	201	202	285	1	< 0.01	23	440	12	< 2	6	24	0.14	< 10	< 10	96	< 10	56
LLS 618	201	202	1135	1	< 0.01	8	1230	4	< 2	10	22	0.22	< 10	< 10	75	< 10	90
LLS 619	201	202	330	< 1	< 0.01	23	420	8	< 2	5	30	0.14	< 10	< 10	82	< 10	52
LLS 620	201	202	1635	< 1	0.01	6	950	34	< 2	6	30	< 0.01	< 10	< 10	20	< 10	82
LLS 621	201	202	1320	< 1	< 0.01	12	1370	10	< 2	12	34	0.17	< 10	< 10	99	< 10	120
LLS 622	201	202	1055	1	0.01	7	1150	12	< 2	9	26	0.06	< 10	< 10	56	< 10	90
LLS 623	201	202	1005	< 1	< 0.01	11	1010	16	< 2	10	35	0.18	< 10	< 10	89	< 10	96
LLS 624	201	202	975	< 1	0.01	7	1180	12	< 2	8	23	0.08	< 10	< 10	58	< 10	96
LLS 625	201	202	740	1	< 0.01	16	660	8	< 2	10	36	0.25	< 10	< 10	99	< 10	80
LLS 626	201	202	1320	3	< 0.01	8	1220	16	< 2	10	28	0.09	< 10	< 10	71	< 10	92
LLS 627	201	202	775	< 1	< 0.01	8	910	10	< 2	10	28	0.18	< 10	< 10	80	< 10	74
LLS 628	201	202	980	1	0.01	9	880	10	< 2	11	26	0.17	< 10	< 10	84	< 10	82

CERTIFICATION: Hartt Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. : I9625802
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS 629	201	202	< 1	-----	< 0.2	1.88	< 2	240	< 0.5	< 2	0.45	< 0.5	11	25	15	3.01	< 10	< 10	0.42	10	0.91
LLS 630	201	202	4	-----	< 0.2	1.99	6	210	< 0.5	< 2	0.42	< 0.5	10	30	14	2.87	< 10	10	0.20	10	0.84
LLS 631	201	202	6	-----	< 0.2	2.24	< 2	260	< 0.5	< 2	0.48	< 0.5	12	25	20	3.40	< 10	10	0.49	10	0.94
LLS 632	201	202	< 1	-----	< 0.2	1.83	< 2	460	< 0.5	< 2	0.61	< 0.5	10	28	15	3.79	< 10	10	0.74	10	1.01
LLS 633	201	202	5	-----	< 0.2	2.81	< 2	320	< 0.5	< 2	0.44	< 0.5	14	18	16	4.55	< 10	< 10	0.86	10	1.09
LLS 634	201	202	2	-----	< 0.2	2.27	2	260	< 0.5	< 2	0.50	< 0.5	11	24	14	3.43	< 10	10	0.42	10	0.89
LLS 635	201	202	2	-----	< 0.2	2.33	6	160	< 0.5	< 2	0.38	< 0.5	10	26	14	3.21	< 10	10	0.18	< 10	0.75
LLS 636	201	202	6	-----	< 0.2	2.39	10	200	< 0.5	< 2	0.43	< 0.5	10	30	19	3.40	< 10	30	0.08	10	0.78
LLS 637	201	202	4	-----	< 0.2	1.86	2	290	< 0.5	< 2	0.80	< 0.5	10	7	7	4.19	< 10	20	0.39	20	1.12
LLS 638	201	202	1	-----	< 0.2	2.12	8	330	< 0.5	< 2	0.61	< 0.5	12	21	11	4.02	< 10	< 10	0.45	30	1.05
LLS 639	201	202	1	-----	< 0.2	2.35	< 2	420	< 0.5	< 2	0.48	< 0.5	11	25	19	3.70	< 10	30	0.48	20	0.87
LLS 640	201	202	1	-----	< 0.2	1.97	2	470	< 0.5	< 2	0.52	< 0.5	11	11	8	4.05	< 10	< 10	0.76	30	1.15
LLS 641	201	202	18	-----	< 0.2	2.05	8	320	< 0.5	< 2	0.49	< 0.5	12	25	18	3.45	< 10	< 10	0.48	10	0.99
LLS 642	201	202	1	-----	< 0.2	2.50	< 2	430	< 0.5	< 2	0.46	0.5	15	15	17	4.43	< 10	< 10	0.74	20	1.34
LLS 643	201	202	4	-----	< 0.2	2.23	18	300	< 0.5	< 2	0.38	< 0.5	12	21	15	3.86	< 10	10	0.38	10	0.88
LLS 644	201	202	5	-----	< 0.2	2.16	26	550	0.5	< 2	0.55	0.5	11	14	10	4.40	< 10	10	0.67	40	1.06
LLS 645	201	202	11	-----	< 0.2	2.30	42	260	< 0.5	< 2	0.36	0.5	10	21	16	3.57	< 10	< 10	0.31	20	0.79
LLS 646	201	202	6	-----	< 0.2	2.43	28	500	< 0.5	< 2	0.51	< 0.5	11	13	10	4.34	< 10	10	0.70	40	1.13
LLS 647	201	202	13	-----	< 0.2	2.47	68	280	< 0.5	< 2	0.54	< 0.5	12	27	17	4.05	< 10	< 10	0.38	20	0.95
LLS 648	201	202	4	-----	< 0.2	3.22	10	250	< 0.5	< 2	0.45	0.5	14	24	21	4.63	< 10	10	0.47	10	1.04
LLS 649	201	202	3	-----	< 0.2	2.03	10	510	< 0.5	< 2	0.41	< 0.5	9	6	7	3.94	< 10	10	0.80	30	0.97
LLS 650	201	202	1	-----	< 0.2	2.68	4	310	< 0.5	< 2	0.57	< 0.5	12	17	15	4.49	< 10	10	0.60	20	1.08
LLS 651	201	202	9	-----	< 0.2	2.26	10	340	< 0.5	< 2	0.70	0.5	10	11	12	4.46	< 10	< 10	0.66	30	1.09
LLS 652	201	202	9	-----	< 0.2	2.86	2	260	< 0.5	< 2	0.49	< 0.5	12	36	26	3.54	< 10	< 10	0.12	10	0.82
LLS 653	201	202	2	-----	< 0.2	2.41	14	410	0.5	< 2	0.62	< 0.5	10	10	23	4.61	< 10	< 10	0.66	40	1.16
LLS 654	201	202	6	-----	< 0.2	2.86	8	220	< 0.5	< 2	0.43	< 0.5	12	34	21	3.75	< 10	20	0.14	10	0.80
LLS 655	201	202	5	-----	< 0.2	2.34	8	280	< 0.5	< 2	0.55	< 0.5	12	26	19	3.81	< 10	10	0.32	20	0.86
LLS 656	201	202	2	-----	< 0.2	2.46	10	330	0.5	< 2	0.44	< 0.5	11	29	13	3.75	< 10	< 10	0.25	30	0.85
LLS 657	201	202	3	-----	< 0.2	2.07	6	380	0.5	< 2	0.49	< 0.5	10	12	6	3.85	< 10	< 10	0.41	40	0.96
LLS 658	201	202	7	-----	< 0.2	2.93	32	290	0.5	< 2	0.37	0.5	14	15	12	4.40	< 10	< 10	0.54	20	1.00
LLS 659	201	202	86	-----	< 0.2	2.55	268	380	0.5	< 2	0.61	1.5	11	12	11	4.67	< 10	< 10	0.51	40	1.08
LLS 660	201	202	2	-----	< 0.2	2.54	20	210	< 0.5	< 2	0.47	< 0.5	11	30	22	3.37	< 10	30	0.12	10	0.69
LLS 661	201	202	4	-----	< 0.2	2.12	42	180	0.5	< 2	0.87	< 0.5	10	8	4	3.64	< 10	< 10	0.33	30	0.94
LLS 662	201	202	2	-----	< 0.2	2.50	14	220	< 0.5	< 2	0.47	0.5	11	31	22	3.26	< 10	< 10	0.12	10	0.76
LLS 663	201	202	8	-----	< 0.2	2.01	46	340	< 0.5	< 2	0.53	0.5	10	19	10	3.61	< 10	< 10	0.47	40	0.94
LLS 664	201	202	9	-----	< 0.2	2.04	16	290	< 0.5	< 2	0.49	< 0.5	10	22	12	3.51	< 10	10	0.33	20	0.87
LLS 665	201	202	9	-----	< 0.2	1.93	16	370	< 0.5	< 2	0.50	< 0.5	9	16	8	3.50	< 10	< 10	0.50	30	0.90
LLS 666	201	202	1	-----	< 0.2	2.46	6	260	< 0.5	< 2	0.52	< 0.5	11	23	16	3.89	< 10	10	0.32	10	0.92
LLS 667	201	202	< 1	-----	< 0.2	1.48	2	340	< 0.5	< 2	0.47	< 0.5	8	6	7	3.32	< 10	< 10	0.58	30	0.87
LLS 668	201	202	4	-----	< 0.2	2.36	8	280	< 0.5	< 2	0.53	< 0.5	12	22	14	4.20	< 10	< 10	0.48	10	0.97

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. :19625802
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 629	201 202	450	1	< 0.01	13	520	6	< 2	5	22	0.16	< 10	< 10	75	< 10	54
LLS 630	201 202	415	1	< 0.01	16	440	8	2	5	23	0.16	< 10	< 10	73	< 10	48
LLS 631	201 202	560	< 1	< 0.01	13	530	6	< 2	7	28	0.20	< 10	< 10	82	< 10	58
LLS 632	201 202	795	3	0.01	14	960	6	< 2	6	20	0.19	< 10	< 10	74	< 10	76
LLS 633	201 202	945	< 1	< 0.01	10	1100	8	< 2	7	18	0.23	< 10	< 10	91	< 10	86
LLS 634	201 202	545	1	0.02	13	620	8	< 2	6	28	0.19	< 10	< 10	81	< 10	58
LLS 635	201 202	430	1	< 0.01	16	490	6	< 2	5	23	0.17	< 10	< 10	82	< 10	58
LLS 636	201 202	485	< 1	< 0.01	17	370	6	< 2	7	27	0.17	< 10	< 10	81	< 10	56
LLS 637	201 202	880	< 1	< 0.01	5	760	6	< 2	6	19	0.24	< 10	< 10	73	< 10	88
LLS 638	201 202	805	1	0.01	12	1060	8	< 2	8	24	0.22	< 10	< 10	81	< 10	80
LLS 639	201 202	570	1	0.01	18	940	6	< 2	6	22	0.18	< 10	< 10	77	< 10	66
LLS 640	201 202	1095	< 1	< 0.01	8	1410	4	< 2	8	18	0.18	< 10	< 10	70	< 10	90
LLS 641	201 202	680	< 1	0.01	14	740	10	< 2	7	28	0.14	< 10	< 10	78	< 10	66
LLS 642	201 202	1165	1	0.01	11	900	14	< 2	9	25	0.10	< 10	< 10	85	< 10	88
LLS 643	201 202	735	< 1	< 0.01	13	760	8	< 2	6	18	0.15	< 10	< 10	75	< 10	72
LLS 644	201 202	1115	< 1	< 0.01	9	1410	10	< 2	10	21	0.12	< 10	< 10	64	< 10	94
LLS 645	201 202	630	1	< 0.01	12	660	8	< 2	6	21	0.13	< 10	< 10	70	< 10	68
LLS 646	201 202	945	< 1	< 0.01	9	1260	14	2	9	23	0.14	< 10	< 10	67	< 10	94
LLS 647	201 202	805	1	< 0.01	15	890	10	< 2	7	27	0.19	< 10	< 10	78	< 10	78
LLS 648	201 202	985	< 1	< 0.01	17	700	12	< 2	8	24	0.25	< 10	< 10	90	< 10	90
LLS 649	201 202	1205	< 1	< 0.01	5	970	10	2	8	19	0.15	< 10	< 10	58	< 10	90
LLS 650	201 202	1010	< 1	< 0.01	11	1170	8	< 2	8	20	0.25	< 10	< 10	81	< 10	96
LLS 651	201 202	1055	< 1	< 0.01	7	1080	8	< 2	7	24	0.24	< 10	< 10	75	< 10	96
LLS 652	201 202	455	< 1	< 0.01	24	400	8	< 2	7	34	0.18	< 10	< 10	89	< 10	60
LLS 653	201 202	1405	1	< 0.01	8	1120	12	< 2	10	24	0.20	< 10	< 10	69	< 10	94
LLS 654	201 202	485	1	< 0.01	22	470	10	< 2	6	26	0.17	< 10	< 10	87	< 10	60
LLS 655	201 202	845	1	< 0.01	16	870	8	< 2	7	30	0.17	< 10	< 10	77	< 10	74
LLS 656	201 202	855	3	< 0.01	17	730	14	< 2	6	28	0.09	< 10	< 10	64	< 10	74
LLS 657	201 202	1055	< 1	0.01	8	1050	16	< 2	8	26	0.07	< 10	< 10	51	< 10	86
LLS 658	201 202	1330	< 1	< 0.01	10	930	14	< 2	7	19	0.12	< 10	< 10	65	< 10	94
LLS 659	201 202	1430	< 1	< 0.01	8	1190	18	< 2	9	29	0.16	< 10	< 10	64	< 10	106
LLS 660	201 202	490	1	< 0.01	19	590	8	< 2	6	36	0.15	< 10	< 10	82	< 10	58
LLS 661	201 202	1050	< 1	< 0.01	5	970	14	< 2	9	48	0.23	< 10	< 10	53	< 10	86
LLS 662	201 202	470	< 1	< 0.01	20	450	6	< 2	6	33	0.17	< 10	< 10	80	< 10	56
LLS 663	201 202	1020	1	0.01	11	940	14	< 2	8	29	0.13	< 10	< 10	60	< 10	76
LLS 664	201 202	795	< 1	< 0.01	13	840	12	< 2	6	26	0.15	< 10	< 10	66	< 10	72
LLS 665	201 202	975	1	0.01	9	990	10	< 2	7	27	0.13	< 10	< 10	56	< 10	78
LLS 666	201 202	790	1	< 0.01	15	880	10	< 2	7	29	0.20	< 10	< 10	81	< 10	82
LLS 667	201 202	890	< 1	0.01	3	1020	8	< 2	6	17	0.19	< 10	< 10	54	< 10	74
LLS 668	201 202	955	< 1	< 0.01	13	790	10	< 2	7	32	0.19	< 10	< 10	77	< 10	90

CERTIFICATION: Ian R. Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number :3-A
Total Pages :6
Certificate Date: 11-AUG-96
Invoice No. :19625802
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS 669	201	202	< 1	-----	< 0.2	1.74	< 2	370	< 0.5	< 2	0.49	< 0.5	8	6	5	3.45	< 10	10	0.52	20	0.82
LLS 670	201	202	7	-----	< 0.2	1.82	< 2	200	< 0.5	< 2	0.41	< 0.5	11	20	12	3.31	< 10	20	0.23	10	0.82
LLS 671	201	202	2	-----	< 0.2	1.99	8	410	< 0.5	< 2	0.60	< 0.5	10	13	8	3.92	< 10	10	0.64	20	1.06
LLS 672	201	202	4	-----	< 0.2	2.39	4	260	< 0.5	< 2	0.42	< 0.5	12	22	14	3.87	< 10	20	0.32	10	0.86
LLS 673	201	202	7	-----	< 0.2	2.01	2	420	< 0.5	< 2	0.56	< 0.5	11	11	6	4.11	< 10	< 10	0.70	20	1.00
LLS 674	201	202	4	-----	< 0.2	2.45	6	250	< 0.5	< 2	0.48	< 0.5	11	29	20	3.50	< 10	30	0.23	10	0.81
LLS 675	201	202	2	-----	< 0.2	1.84	< 2	480	< 0.5	< 2	0.43	< 0.5	8	7	3	3.59	< 10	< 10	0.87	20	0.93
LLS 676	201	202	1	-----	< 0.2	2.31	< 2	310	< 0.5	< 2	0.69	< 0.5	14	34	16	3.79	< 10	30	0.31	10	0.87
LLS 677	201	202	5	-----	< 0.2	2.70	2	530	0.5	< 2	0.84	< 0.5	14	32	23	4.73	< 10	10	0.70	20	1.12
LLS 678	201	202	3	-----	< 0.2	1.90	12	330	< 0.5	< 2	0.32	< 0.5	8	10	5	3.09	< 10	10	0.54	30	0.61
LLS 679	201	202	3	-----	< 0.2	1.38	18	420	0.5	< 2	0.35	< 0.5	6	5	3	2.69	< 10	10	0.34	30	0.38
LLS 680	201	202	5	-----	< 0.2	2.03	6	290	< 0.5	< 2	0.38	< 0.5	10	22	11	3.53	< 10	20	0.39	10	0.70
LLS 681	201	202	75	-----	< 0.2	2.39	4	480	< 0.5	< 2	0.46	< 0.5	11	31	12	3.91	< 10	20	0.66	10	0.82
LLS 682	201	202	27	-----	< 0.2	1.99	8	290	< 0.5	< 2	0.41	< 0.5	13	24	11	3.63	< 10	30	0.23	10	0.61
LLS 683	201	202	< 1	-----	< 0.2	1.78	12	330	< 0.5	< 2	0.37	< 0.5	13	22	9	3.33	< 10	20	0.40	10	0.64
LLS 684	201	202	24	-----	< 0.2	2.30	44	290	< 0.5	< 2	0.50	0.5	13	27	15	3.77	< 10	10	0.27	20	0.75
LLS 685	201	202	1	-----	< 0.2	2.28	54	440	0.5	< 2	0.36	0.5	7	6	5	3.28	< 10	< 10	0.61	30	0.59
LLS 686	201	202	25	-----	< 0.2	2.46	22	320	< 0.5	< 2	0.49	< 0.5	11	26	16	3.97	< 10	10	0.32	10	0.83
LLS 687	201	202	1	-----	< 0.2	2.54	108	470	< 0.5	< 2	0.37	0.5	10	13	16	3.62	< 10	30	0.59	10	0.72
LLS 688	201	202	3	-----	< 0.2	2.13	18	280	< 0.5	< 2	0.47	0.5	11	24	13	3.48	< 10	30	0.28	10	0.75
LLS 689	201	202	37	-----	< 0.2	2.35	24	470	< 0.5	< 2	0.37	< 0.5	10	11	11	3.69	< 10	10	0.61	10	0.70
LLS 690	201	202	4	-----	< 0.2	2.55	12	280	< 0.5	< 2	0.43	< 0.5	11	29	18	3.42	< 10	30	0.14	10	0.71
LLS 691	201	202	5	-----	< 0.2	2.05	16	350	< 0.5	< 2	0.51	< 0.5	11	23	10	3.72	< 10	10	0.47	20	0.81
LLS 692	201	202	60	-----	< 0.2	2.08	22	250	< 0.5	< 2	0.49	< 0.5	11	30	14	3.58	< 10	10	0.25	10	0.74
LLS 693	201	202	< 1	-----	< 0.2	2.05	120	490	0.5	< 2	0.41	0.5	7	7	6	3.40	< 10	10	0.55	40	0.60
LLS 694	201	202	20	-----	< 0.2	2.34	28	390	< 0.5	< 2	0.45	0.5	12	35	18	3.77	< 10	20	0.31	30	0.79
LLS 695	201	202	5	-----	< 0.2	2.57	16	350	< 0.5	< 2	0.51	< 0.5	11	32	21	3.46	< 10	30	0.12	20	0.72
LLS 696	201	202	25	-----	< 0.2	1.68	152	350	< 0.5	< 2	0.58	1.0	10	22	12	3.24	< 10	< 10	0.37	20	0.71
LLS 697	201	202	1	-----	< 0.2	2.16	12	290	< 0.5	< 2	0.51	0.5	12	28	17	3.44	< 10	20	0.16	10	0.75
LLS 698	201	202	1	-----	< 0.2	2.02	2	530	0.5	< 2	0.52	< 0.5	9	12	7	3.88	< 10	< 10	0.50	30	1.00
LLS 699	201	202	2	-----	< 0.2	2.79	8	300	< 0.5	< 2	0.53	0.5	14	36	24	3.82	< 10	10	0.12	10	0.84
LLS 700	201	202	1	-----	< 0.2	2.19	6	280	< 0.5	< 2	0.59	< 0.5	12	27	16	3.62	< 10	10	0.22	10	0.88
LLS 701	201	202	26	-----	< 0.2	2.20	8	240	< 0.5	< 2	0.56	< 0.5	11	30	18	3.40	< 10	20	0.15	10	0.80
LLS 702	201	202	< 1	-----	< 0.2	1.90	< 2	330	< 0.5	< 2	0.68	< 0.5	9	14	8	3.49	< 10	< 10	0.51	20	0.97
LLS 703	201	202	2	-----	< 0.2	2.10	4	220	< 0.5	< 2	0.59	< 0.5	11	27	15	3.58	< 10	10	0.20	10	0.87
LLS 704	201	202	< 1	-----	< 0.2	2.09	< 2	590	< 0.5	< 2	0.55	< 0.5	9	13	14	3.83	< 10	< 10	0.61	30	1.04
LLS 705	201	202	11	-----	< 0.2	2.35	8	250	< 0.5	< 2	0.56	< 0.5	13	32	17	3.66	< 10	20	0.18	10	0.81
LLS 706	201	202	6	-----	< 0.2	2.43	12	240	< 0.5	< 2	0.61	0.5	13	32	20	3.78	< 10	110	0.17	10	0.90
LLS 707	201	202	13	-----	< 0.2	2.14	192	270	< 0.5	< 2	0.62	1.0	11	25	16	3.71	< 10	30	0.24	10	0.94
LLS 708	201	202	6	-----	< 0.2	2.07	112	260	< 0.5	< 2	0.51	0.5	11	38	16	3.54	< 10	10	0.19	10	0.79

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. : 19625802
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 669	201 202	915	< 1	< 0.01	5	980	12	< 2	6	28	0.14	< 10	< 10	48	< 10	82
LLS 670	201 202	705	< 1	< 0.01	13	690	10	< 2	5	22	0.15	< 10	< 10	70	< 10	70
LLS 671	201 202	975	< 1	< 0.01	8	1120	10	< 2	6	24	0.24	< 10	< 10	69	< 10	94
LLS 672	201 202	810	< 1	< 0.01	15	740	12	< 2	6	22	0.17	< 10	< 10	75	< 10	76
LLS 673	201 202	1085	< 1	< 0.01	7	1170	10	< 2	7	19	0.19	< 10	< 10	65	< 10	92
LLS 674	201 202	590	< 1	< 0.01	16	740	8	< 2	6	33	0.15	< 10	< 10	83	< 10	64
LLS 675	201 202	935	1	0.01	4	1010	8	< 2	7	19	0.19	< 10	< 10	58	< 10	80
LLS 676	201 202	790	< 1	0.01	15	1050	4	< 2	6	46	0.16	< 10	< 10	89	< 10	68
LLS 677	201 202	600	< 1	< 0.01	14	1900	2	< 2	11	56	0.11	< 10	< 10	104	< 10	84
LLS 678	201 202	775	< 1	< 0.01	5	840	10	< 2	4	19	0.06	< 10	< 10	42	< 10	72
LLS 679	201 202	910	< 1	0.01	4	710	20	< 2	3	23	0.01	< 10	< 10	26	< 10	58
LLS 680	201 202	570	< 1	< 0.01	10	780	10	< 2	5	20	0.15	< 10	< 10	74	< 10	66
LLS 681	201 202	640	< 1	< 0.01	12	1020	8	< 2	7	29	0.17	< 10	< 10	80	< 10	74
LLS 682	201 202	1135	< 1	< 0.01	13	680	10	< 2	5	27	0.13	< 10	< 10	73	< 10	60
LLS 683	201 202	1130	1	0.01	13	680	8	< 2	5	21	0.14	< 10	< 10	68	< 10	62
LLS 684	201 202	785	< 1	< 0.01	15	820	14	< 2	6	30	0.13	< 10	< 10	78	< 10	76
LLS 685	201 202	545	< 1	< 0.01	4	1020	12	< 2	8	18	0.10	< 10	< 10	43	< 10	70
LLS 686	201 202	635	< 1	< 0.01	14	730	10	< 2	6	28	0.20	< 10	< 10	87	< 10	74
LLS 687	201 202	695	< 1	< 0.01	8	710	12	< 2	7	27	0.17	< 10	< 10	71	< 10	68
LLS 688	201 202	715	1	< 0.01	13	680	10	< 2	6	25	0.17	< 10	< 10	78	< 10	66
LLS 689	201 202	820	< 1	< 0.01	8	810	12	< 2	7	20	0.18	< 10	< 10	66	< 10	78
LLS 690	201 202	490	< 1	< 0.01	16	750	12	< 2	7	27	0.16	< 10	< 10	83	< 10	68
LLS 691	201 202	725	< 1	0.01	12	900	10	< 2	6	24	0.19	< 10	< 10	79	< 10	72
LLS 692	201 202	665	1	< 0.01	16	840	8	< 2	5	27	0.16	< 10	< 10	82	< 10	66
LLS 693	201 202	660	< 1	0.01	5	1090	10	< 2	6	20	0.07	< 10	< 10	48	< 10	76
LLS 694	201 202	670	1	< 0.01	20	840	8	< 2	8	26	0.15	< 10	< 10	78	< 10	72
LLS 695	201 202	555	< 1	< 0.01	19	690	8	< 2	8	36	0.12	< 10	< 10	79	< 10	70
LLS 696	201 202	825	< 1	0.01	13	900	10	< 2	7	30	0.14	< 10	< 10	63	< 10	68
LLS 697	201 202	645	< 1	< 0.01	16	750	10	6	6	30	0.14	< 10	< 10	77	< 10	64
LLS 698	201 202	1000	< 1	< 0.01	8	1020	8	< 2	7	22	0.13	< 10	< 10	58	< 10	82
LLS 699	201 202	725	< 1	< 0.01	23	820	8	< 2	7	35	0.17	< 10	< 10	91	< 10	76
LLS 700	201 202	715	< 1	< 0.01	17	860	6	< 2	6	29	0.18	< 10	< 10	81	< 10	72
LLS 701	201 202	590	< 1	< 0.01	17	760	4	< 2	6	30	0.16	< 10	< 10	78	< 10	70
LLS 702	201 202	825	< 1	0.01	9	930	6	< 2	7	26	0.19	< 10	< 10	67	< 10	80
LLS 703	201 202	685	1	< 0.01	17	820	6	< 2	6	29	0.19	< 10	< 10	81	< 10	70
LLS 704	201 202	1220	< 1	0.01	9	1180	14	< 2	8	22	0.13	< 10	< 10	62	< 10	88
LLS 705	201 202	790	1	< 0.01	18	820	8	< 2	6	31	0.18	< 10	< 10	85	< 10	72
LLS 706	201 202	805	< 1	< 0.01	19	870	10	< 2	8	33	0.19	< 10	< 10	86	< 10	76
LLS 707	201 202	795	< 1	< 0.01	16	1000	8	< 2	7	31	0.16	< 10	< 10	77	< 10	80
LLS 708	201 202	605	4	0.01	21	830	8	< 2	6	27	0.14	< 10	< 10	75	< 10	70

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. :19625802
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS 709	201	202	40	-----	< 0.2	1.80	278	260	< 0.5	< 2	0.58	1.5	11	27	13	3.32	< 10	10	0.23	20	0.79
LLS 710	201	202	13	-----	< 0.2	1.99	82	250	< 0.5	< 2	0.58	0.5	11	28	15	3.43	< 10	20	0.21	10	0.83
LLS 711	201	202	1	-----	< 0.2	2.60	12	280	< 0.5	< 2	0.47	< 0.5	12	32	20	3.37	< 10	30	0.12	10	0.77
LLS 712	201	202	7	-----	< 0.2	2.55	16	280	< 0.5	< 2	0.56	< 0.5	13	31	18	3.68	< 10	50	0.13	10	0.79
LLS 713	201	202	2	-----	< 0.2	2.11	10	310	< 0.5	< 2	0.56	< 0.5	12	36	16	3.71	< 10	30	0.30	20	0.84
LLS 714	201	202	4	-----	< 0.2	2.61	8	270	< 0.5	< 2	0.55	< 0.5	11	33	22	3.26	< 10	60	0.12	10	0.80
LLS 715	201	202	30	-----	< 0.2	1.64	32	230	< 0.5	< 2	0.64	< 0.5	8	26	14	2.84	< 10	10	0.14	20	0.71
LLS 716	201	202	10	-----	< 0.2	2.29	14	280	< 0.5	< 2	0.59	< 0.5	10	35	17	3.21	< 10	30	0.15	10	0.76
LLS 717	201	202	2	-----	< 0.2	2.01	16	220	< 0.5	< 2	0.75	< 0.5	10	40	22	3.31	< 10	60	0.17	10	0.82
LLS 718	201	202	6	-----	< 0.2	2.76	44	260	< 0.5	< 2	0.61	0.5	12	37	26	3.59	< 10	30	0.12	10	0.77
LLS 719	201	202	9	-----	< 0.2	2.78	38	270	< 0.5	< 2	0.70	< 0.5	13	31	22	4.17	< 10	20	0.18	20	0.99
LLS 720	201	202	3	-----	< 0.2	1.69	32	250	< 0.5	< 2	0.48	< 0.5	8	19	9	3.09	< 10	< 10	0.33	30	0.69
LLS 721	201	202	26	-----	< 0.2	2.34	58	210	< 0.5	< 2	0.47	< 0.5	11	31	19	3.39	< 10	10	0.17	10	0.78
LLS 722	201	202	28	-----	< 0.2	2.33	70	220	< 0.5	< 2	0.42	0.5	10	24	14	3.44	< 10	30	0.30	10	0.77
LLS 723	201	202	4	-----	< 0.2	1.58	20	310	< 0.5	< 2	0.51	< 0.5	7	9	4	3.27	< 10	< 10	0.53	10	0.85
LLS 724	201	202	7	-----	< 0.2	3.24	22	310	< 0.5	< 2	0.78	< 0.5	20	60	28	4.91	< 10	10	0.26	10	1.70
LLS 725	201	202	1	-----	< 0.2	1.99	12	200	< 0.5	< 2	0.64	< 0.5	10	8	4	4.58	< 10	10	0.51	20	1.08
LLS 726	201	202	31	-----	< 0.2	2.61	34	280	< 0.5	< 2	0.58	0.5	12	20	13	4.34	< 10	20	0.42	10	1.01
LLS 727	201	202	7	-----	< 0.2	1.79	44	410	< 0.5	< 2	0.47	0.5	8	7	7	3.67	< 10	< 10	0.74	20	0.96
LLS 728	201	202	3	-----	< 0.2	2.21	10	200	< 0.5	< 2	0.39	0.5	11	30	17	3.35	< 10	40	0.15	10	0.64
LLS 729	201	202	5	-----	< 0.2	1.78	8	310	< 0.5	< 2	0.51	< 0.5	8	14	4	3.54	< 10	< 10	0.65	10	0.89
LLS 730	201	202	40	-----	< 0.2	2.29	64	220	< 0.5	< 2	0.49	< 0.5	10	26	14	3.65	< 10	10	0.31	10	0.86
LLS 731	201	202	7	-----	< 0.2	1.86	78	280	< 0.5	< 2	0.51	0.5	8	7	5	3.33	< 10	10	0.61	20	0.78
LLS 732	201	202	20	-----	< 0.2	2.17	212	240	< 0.5	< 2	0.57	1.5	9	21	12	3.64	< 10	30	0.31	20	0.85
LLS 733	201	202	3	-----	< 0.2	1.89	110	360	< 0.5	< 2	0.60	0.5	9	5	4	3.86	< 10	< 10	0.67	20	0.92
LLS 734	201	202	>1000	6940	16.2	0.23	21	110	< 0.5	< 2	0.13	21.0	1	9	18	1.37	< 10	210	0.06	< 10	0.10
LLS 735	201	202	125	-----	< 0.2	2.30	66	270	< 0.5	< 2	0.52	0.5	13	25	15	5.87	< 10	20	0.20	20	0.73
LLS 736	201	202	5	-----	< 0.2	2.02	6	230	< 0.5	< 2	0.60	< 0.5	11	26	17	3.20	< 10	50	0.14	10	0.75
LLS 737	201	202	5	-----	< 0.2	2.31	10	260	< 0.5	< 2	0.53	< 0.5	10	31	20	3.15	< 10	40	0.12	10	0.76
LLS 738	201	202	5	-----	< 0.2	2.06	10	180	< 0.5	< 2	0.48	0.5	10	29	15	3.31	< 10	20	0.10	10	0.72
LLS 739	201	202	< 1	-----	< 0.2	2.04	22	300	< 0.5	< 2	0.68	< 0.5	10	20	16	3.91	< 10	10	0.45	20	0.84
LLS 740	201	202	2	-----	< 0.2	1.91	24	210	< 0.5	< 2	0.53	< 0.5	10	27	15	3.31	< 10	30	0.15	10	0.74
LLS 741	201	202	3	-----	< 0.2	2.13	18	250	< 0.5	< 2	0.60	< 0.5	14	31	21	3.52	< 10	30	0.18	10	0.81
LLS 742	201	202	6	-----	< 0.2	2.07	10	280	< 0.5	< 2	0.64	< 0.5	10	24	14	4.21	< 10	10	0.41	10	0.89
LLS 743	201	202	14	-----	< 0.2	1.91	52	220	< 0.5	< 2	0.64	0.5	9	28	14	3.34	< 10	10	0.25	10	0.79
LLS 744	201	202	19	-----	< 0.2	4.20	16	250	0.5	< 2	1.17	0.5	9	52	25	4.48	< 10	< 10	0.32	20	1.46
LLS 745	201	202	1	-----	< 0.2	3.55	8	310	< 0.5	< 2	0.42	< 0.5	14	36	19	4.24	< 10	10	0.16	< 10	0.86
LLS 746	201	202	5	-----	< 0.2	2.45	4	260	< 0.5	< 2	0.70	< 0.5	11	42	26	3.53	< 10	30	0.08	10	0.85
LLS 747	201	202	3	-----	< 0.2	2.62	22	280	< 0.5	< 2	0.60	< 0.5	12	34	20	3.83	< 10	20	0.13	10	0.82
LLS 748	201	202	2	-----	< 0.2	2.15	18	260	< 0.5	< 2	0.60	< 0.5	11	27	16	3.16	< 10	40	0.13	10	0.68

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. :19625802
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 709	201	202	695	1	0.02	16	820	10	< 2	6	31	0.14	< 10	< 10	71	< 10	68
LLS 710	201	202	680	< 1	< 0.01	17	840	10	< 2	7	32	0.17	< 10	< 10	81	< 10	68
LLS 711	201	202	550	< 1	< 0.01	19	740	10	< 2	7	30	0.16	< 10	< 10	83	< 10	70
LLS 712	201	202	635	< 1	< 0.01	17	790	10	< 2	7	34	0.18	< 10	< 10	91	< 10	68
LLS 713	201	202	670	3	0.01	20	930	10	< 2	7	28	0.18	< 10	< 10	79	< 10	72
LLS 714	201	202	415	< 1	< 0.01	19	810	10	< 2	7	34	0.18	< 10	< 10	86	< 10	64
LLS 715	201	202	540	< 1	0.02	17	730	16	< 2	6	34	0.10	< 10	< 10	61	< 10	54
LLS 716	201	202	720	1	0.01	20	760	12	< 2	6	36	0.14	< 10	< 10	75	< 10	66
LLS 717	201	202	560	1	0.02	24	760	8	< 2	7	43	0.17	< 10	< 10	81	< 10	62
LLS 718	201	202	670	1	0.01	23	730	8	< 2	8	44	0.15	< 10	< 10	81	< 10	64
LLS 719	201	202	875	< 1	< 0.01	21	870	12	< 2	9	42	0.18	< 10	< 10	85	< 10	82
LLS 720	201	202	840	< 1	0.01	11	760	14	< 2	7	25	0.11	< 10	< 10	52	< 10	66
LLS 721	201	202	590	< 1	< 0.01	21	640	16	< 2	6	27	0.15	< 10	< 10	78	< 10	68
LLS 722	201	202	640	< 1	< 0.01	15	600	16	< 2	6	20	0.15	< 10	< 10	68	< 10	64
LLS 723	201	202	810	< 1	< 0.01	5	880	10	< 2	5	15	0.17	< 10	< 10	52	< 10	76
LLS 724	201	202	840	< 1	0.04	45	1250	10	< 2	9	45	0.17	< 10	< 10	87	< 10	90
LLS 725	201	202	1105	< 1	< 0.01	9	1210	12	< 2	10	28	0.19	< 10	< 10	73	< 10	102
LLS 726	201	202	980	< 1	< 0.01	13	990	16	< 2	8	25	0.21	< 10	< 10	79	< 10	94
LLS 727	201	202	1020	< 1	< 0.01	4	1030	18	< 2	7	17	0.17	< 10	< 10	56	< 10	90
LLS 728	201	202	590	1	< 0.01	17	530	12	< 2	5	28	0.15	< 10	< 10	83	< 10	60
LLS 729	201	202	930	2	< 0.01	8	1020	8	< 2	6	19	0.17	< 10	< 10	55	< 10	80
LLS 730	201	202	735	< 1	< 0.01	16	620	16	< 2	6	28	0.16	< 10	< 10	75	< 10	78
LLS 731	201	202	790	< 1	< 0.01	5	1090	12	< 2	6	19	0.13	< 10	< 10	49	< 10	82
LLS 732	201	202	730	< 1	0.01	13	900	10	< 2	6	28	0.12	< 10	< 10	64	< 10	80
LLS 733	201	202	1010	< 1	< 0.01	4	1300	10	< 2	7	21	0.15	< 10	< 10	57	< 10	88
LLS 734	201	202	225	< 1	< 0.01	1	280	2540	164	1	9	< 0.01	< 10	< 10	54	< 10	836
LLS 735	201	202	820	1	< 0.01	14	1050	12	< 2	7	26	0.16	< 10	< 10	121	< 10	74
LLS 736	201	202	505	< 1	< 0.01	15	800	6	< 2	6	31	0.16	< 10	< 10	75	< 10	58
LLS 737	201	202	415	< 1	< 0.01	17	710	8	< 2	7	32	0.16	< 10	< 10	82	< 10	62
LLS 738	201	202	720	< 1	< 0.01	15	650	6	< 2	5	27	0.16	< 10	< 10	82	< 10	62
LLS 739	201	202	730	< 1	< 0.01	13	1080	8	< 2	6	26	0.17	< 10	< 10	80	< 10	78
LLS 740	201	202	530	< 1	< 0.01	16	700	8	< 2	5	27	0.16	< 10	< 10	79	< 10	64
LLS 741	201	202	645	< 1	< 0.01	19	810	8	< 2	7	34	0.17	< 10	< 10	85	< 10	68
LLS 742	201	202	650	< 1	< 0.01	14	1070	6	< 2	6	29	0.21	< 10	< 10	98	< 10	74
LLS 743	201	202	530	1	< 0.01	16	930	8	< 2	6	31	0.18	< 10	< 10	84	< 10	66
LLS 744	201	202	340	< 1	0.04	19	1670	4	< 2	13	82	0.08	< 10	< 10	47	< 10	76
LLS 745	201	202	395	< 1	< 0.01	22	300	12	< 2	7	35	0.15	< 10	< 10	105	< 10	76
LLS 746	201	202	435	< 1	0.02	24	340	8	< 2	9	48	0.18	< 10	< 10	93	< 10	54
LLS 747	201	202	635	1	< 0.01	20	850	10	< 2	7	37	0.17	< 10	< 10	93	< 10	78
LLS 748	201	202	595	< 1	0.01	15	760	10	< 2	6	40	0.15	< 10	< 10	77	< 10	68

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. : 19625802
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS 749	201	202	300	-----	< 0.2	1.62	6	210	< 0.5	2	0.66	< 0.5	13	27	13	6.73	< 10	10	0.19	20	0.62
LLS 750	201	202	35	-----	< 0.2	2.04	10	280	< 0.5	< 2	0.66	< 0.5	13	32	19	3.39	< 10	20	0.23	10	0.85
LLS 751	201	202	300	-----	< 0.2	1.61	10	240	< 0.5	< 2	0.54	< 0.5	11	20	11	5.43	< 10	< 10	0.30	10	0.66
LLS 752	201	202	6	-----	< 0.2	1.76	24	320	< 0.5	< 2	0.39	< 0.5	6	6	6	2.66	< 10	10	0.49	20	0.57
LLS 753	201	202	12	-----	< 0.2	3.00	16	240	0.5	< 2	0.96	< 0.5	18	18	12	5.95	10	40	0.58	30	1.72
LLS 754	201	202	3	-----	< 0.2	2.46	16	220	0.5	< 2	0.78	< 0.5	13	9	5	4.84	10	10	0.43	30	1.49
LLS 755	201	202	9	-----	< 0.2	2.74	8	240	0.5	< 2	0.66	< 0.5	14	39	25	4.44	10	30	0.28	20	1.09
LLS 756	201	202	16	-----	< 0.2	2.19	16	210	0.5	< 2	0.69	< 0.5	12	40	18	3.66	< 10	20	0.26	20	0.83
LLS 757	201	202	6	-----	< 0.2	2.45	16	300	0.5	< 2	0.59	< 0.5	14	30	21	4.14	10	30	0.35	20	0.94
LLS 758	201	202	24	-----	< 0.2	2.57	266	540	< 0.5	2	0.57	< 0.5	14	8	3	4.96	10	< 10	1.02	30	1.30
LLS 759	201	202	33	-----	< 0.2	3.12	78	440	0.5	< 2	0.72	< 0.5	17	21	17	5.11	10	40	0.65	30	1.26
LLS 760	201	202	9	-----	< 0.2	1.68	56	240	< 0.5	< 2	0.37	< 0.5	9	6	1	3.35	< 10	10	0.46	30	0.70
LLS 761	201	202	39	-----	< 0.2	2.56	206	400	< 0.5	4	0.69	< 0.5	16	21	17	4.75	10	20	0.69	30	1.15
LLS 762	201	202	14	-----	< 0.2	1.93	34	420	< 0.5	< 2	0.76	< 0.5	12	10	6	4.13	10	10	0.84	10	1.20
LLS 763	201	202	2	-----	< 0.2	2.71	1	590	< 0.5	6	0.83	< 0.5	15	13	15	5.39	10	< 10	1.24	20	1.57
LLS 764	201	202	2	-----	< 0.2	1.89	10	470	< 0.5	2	0.69	< 0.5	13	6	7	4.18	10	< 10	0.86	20	1.17
LLS 765	201	202	28	-----	< 0.2	2.73	126	380	< 0.5	2	0.73	< 0.5	18	24	21	5.34	10	70	0.77	10	1.32
LLS 766	201	202	32	-----	< 0.2	1.77	100	480	< 0.5	< 2	0.58	< 0.5	14	17	9	4.34	< 10	30	0.81	30	1.06
LLS 767	201	202	28	-----	< 0.2	2.86	34	390	< 0.5	< 2	0.87	< 0.5	19	21	22	6.14	10	20	0.67	10	1.74
LLS 768	201	202	7	-----	< 0.2	2.25	18	440	< 0.5	2	0.69	< 0.5	14	8	7	5.00	10	< 10	0.99	20	1.47
LLS 769	201	202	10	-----	< 0.2	3.07	70	470	< 0.5	< 2	1.06	< 0.5	20	25	16	6.27	10	10	1.15	20	1.88
LLS 770	201	202	10	-----	< 0.2	2.58	80	410	< 0.5	4	0.95	< 0.5	16	26	14	5.59	10	20	0.81	30	1.71
LLS 771	201	202	8	-----	< 0.2	2.27	26	180	< 0.5	< 2	0.55	< 0.5	12	38	24	3.15	< 10	40	0.07	10	0.67
LLS 772	201	202	1	-----	< 0.2	2.57	66	70	0.5	< 2	4.53	0.5	28	71	20	5.81	10	10	0.12	10	2.34
LLS 773	201	202	6	-----	< 0.2	2.81	32	310	0.5	< 2	1.15	< 0.5	31	52	30	6.01	10	30	0.34	20	1.98
LLS 774	201	202	< 1	-----	< 0.2	1.75	32	110	0.5	< 2	2.41	< 0.5	25	50	26	5.01	< 10	< 10	0.14	10	2.06
LLS 775	201	202	14	-----	< 0.2	1.98	64	230	< 0.5	< 2	0.64	< 0.5	13	32	22	3.73	10	10	0.19	10	1.00
LLS 776	201	202	5	-----	< 0.2	1.59	14	200	0.5	< 2	2.19	< 0.5	25	39	26	5.08	< 10	10	0.24	10	1.86
LLS 777	201	202	19	-----	< 0.2	2.82	240	640	0.5	2	0.88	< 0.5	18	19	26	5.65	10	10	0.55	30	1.41
LLS 778	201	202	425	-----	< 0.2	2.12	1760	310	0.5	2	0.79	0.5	17	11	11	5.30	10	30	0.23	40	1.10
LLS 779	201	202	175	-----	3.6	2.73	438	370	0.5	< 2	0.60	7.0	14	20	24	4.86	10	50	0.40	20	1.11
LLS 780	201	202	100	-----	0.2	1.79	322	450	< 0.5	< 2	0.68	2.5	12	6	9	4.22	10	10	0.69	30	1.13
LLS 781	201	202	9	-----	< 0.2	2.27	18	320	< 0.5	< 2	0.62	< 0.5	10	33	23	3.29	< 10	20	0.18	10	0.77
LLS 782	201	202	20	-----	< 0.2	1.97	56	280	< 0.5	< 2	0.55	< 0.5	10	27	14	3.58	10	20	0.37	30	0.83
LLS 783	201	202	8	-----	< 0.2	2.47	28	470	< 0.5	< 2	0.68	< 0.5	12	25	19	4.40	10	10	0.52	20	1.11
LLS 784	201	202	64	-----	0.2	2.60	410	520	< 0.5	2	0.77	< 0.5	15	23	24	4.77	10	30	0.67	20	1.29
LLS 785	201	202	88	-----	< 0.2	2.33	586	350	< 0.5	2	0.65	< 0.5	13	27	17	4.19	10	30	0.50	20	1.05
LLS 786	201	202	35	-----	< 0.2	2.28	246	500	< 0.5	< 2	0.68	< 0.5	12	29	12	4.36	10	10	0.81	20	1.13
LLS 787	201	202	11	-----	< 0.2	2.41	80	320	< 0.5	< 2	0.72	< 0.5	12	36	28	3.67	< 10	70	0.26	10	0.89
LLS 788	201	202	8	-----	< 0.2	2.31	156	660	< 0.5	< 2	0.70	< 0.5	13	24	11	4.58	10	< 10	0.69	40	1.22

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number :5-B
Total Pages :6
Certificate Date: 11-AUG-96
Invoice No. :19625802
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 749	201	202	615	< 1	0.01	13	1170	2	2	5	28	0.15	< 10	< 10	140	< 10	64
LLS 750	201	202	740	< 1	0.01	18	900	2	8	6	34	0.18	< 10	< 10	84	< 10	70
LLS 751	201	202	595	< 1	< 0.01	9	1030	< 2	4	5	22	0.13	< 10	< 10	108	< 10	64
LLS 752	201	202	505	< 1	< 0.01	5	970	4	10	4	14	0.10	< 10	< 10	45	< 10	58
LLS 753	201	202	1120	< 1	< 0.01	14	1450	8	< 2	12	32	0.13	< 10	< 10	78	< 10	112
LLS 754	201	202	570	< 1	0.01	5	1260	10	14	10	24	0.06	< 10	< 10	66	< 10	98
LLS 755	201	202	690	1	0.01	22	880	6	10	10	45	0.16	< 10	< 10	83	< 10	76
LLS 756	201	202	740	2	0.01	22	690	12	14	8	41	0.13	< 10	< 10	63	< 10	68
LLS 757	201	202	830	< 1	0.01	18	730	8	10	7	34	0.16	< 10	< 10	78	< 10	82
LLS 758	201	202	1355	< 1	0.01	3	1360	6	2	10	23	0.17	< 10	< 10	78	< 10	112
LLS 759	201	202	945	< 1	< 0.01	10	1590	18	6	10	32	0.17	< 10	< 10	92	< 10	110
LLS 760	201	202	790	< 1	0.01	2	790	18	< 2	4	18	0.06	< 10	< 10	38	< 10	72
LLS 761	201	202	1115	1	0.01	10	1390	10	6	9	30	0.19	< 10	< 10	91	< 10	104
LLS 762	201	202	915	< 1	0.01	5	1240	4	2	6	17	0.20	< 10	< 10	70	< 10	94
LLS 763	201	202	1025	1	< 0.01	7	1820	< 2	8	8	22	0.25	< 10	< 10	102	< 10	112
LLS 764	201	202	1020	< 1	0.01	3	1310	6	< 2	6	16	0.20	< 10	< 10	72	< 10	90
LLS 765	201	202	1040	< 1	< 0.01	13	1490	< 2	12	11	29	0.23	< 10	< 10	89	< 10	108
LLS 766	201	202	930	< 1	0.03	8	1330	8	14	7	18	0.18	< 10	< 10	72	< 10	86
LLS 767	201	202	1265	< 1	0.01	14	1730	4	12	14	52	0.18	< 10	< 10	109	< 10	122
LLS 768	201	202	1115	< 1	0.01	4	1620	4	6	9	22	0.23	< 10	< 10	85	< 10	106
LLS 769	201	202	1290	< 1	< 0.01	14	1920	8	6	14	47	0.30	< 10	< 10	122	< 10	124
LLS 770	201	202	1140	< 1	0.02	13	1610	2	8	12	40	0.24	< 10	< 10	104	< 10	106
LLS 771	201	202	365	< 1	0.02	19	490	6	4	8	37	0.14	< 10	< 10	78	< 10	50
LLS 772	201	202	665	< 1	0.08	35	1890	< 2	16	13	212	0.06	< 10	< 10	117	< 10	96
LLS 773	201	202	1340	< 1	0.04	38	1800	2	10	14	61	0.13	< 10	< 10	98	< 10	92
LLS 774	201	202	830	< 1	0.05	41	1470	< 2	8	11	255	0.04	< 10	< 10	70	< 10	56
LLS 775	201	202	475	< 1	0.01	17	920	4	6	7	35	0.11	< 10	< 10	79	< 10	66
LLS 776	201	202	745	< 1	0.04	40	1980	< 2	12	8	143	0.05	< 10	< 10	66	< 10	90
LLS 777	201	202	1380	< 1	< 0.01	12	2080	6	< 2	12	32	0.19	< 10	< 10	96	< 10	112
LLS 778	201	202	1870	< 1	0.01	7	1480	18	14	9	37	0.04	< 10	< 10	55	< 10	100
LLS 779	201	202	960	< 1	< 0.01	12	1370	2130	168	8	28	0.13	< 10	< 10	82	< 10	218
LLS 780	201	202	1075	< 1	0.01	3	1480	54	22	8	22	0.14	< 10	< 10	64	< 10	160
LLS 781	201	202	430	< 1	0.01	16	640	2	14	7	35	0.17	< 10	< 10	80	< 10	60
LLS 782	201	202	770	< 1	0.01	12	910	18	8	6	27	0.14	< 10	< 10	62	< 10	74
LLS 783	201	202	640	< 1	< 0.01	11	1340	2	16	7	28	0.20	< 10	< 10	92	< 10	84
LLS 784	201	202	1010	< 1	< 0.01	12	1380	20	14	9	32	0.19	< 10	< 10	88	< 10	120
LLS 785	201	202	830	< 1	0.01	15	1120	12	12	8	31	0.16	< 10	< 10	74	< 10	94
LLS 786	201	202	900	4	0.03	14	1190	8	4	7	24	0.19	< 10	< 10	76	< 10	92
LLS 787	201	202	545	< 1	0.02	19	780	8	6	7	38	0.18	< 10	< 10	86	< 10	74
LLS 788	201	202	1115	1	0.03	12	1430	6	< 2	9	25	0.17	< 10	< 10	75	< 10	92

CERTIFICATION: Ian R. Butler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. : 19625802
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Au ppb EXT-AA	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS 789	201	202	14	-----	< 0.2	2.34	90	1430	< 0.5	2	0.64	0.5	13	26	17	4.27	10	20	0.66	20	1.11
LLS 790	201	202	5	-----	< 0.2	2.05	32	360	< 0.5	< 2	0.49	< 0.5	9	26	16	3.08	< 10	10	0.19	10	0.68
LLS 791	201	202	7	-----	< 0.2	1.73	172	940	0.5	< 2	0.58	< 0.5	13	9	8	4.70	< 10	10	0.41	50	0.52
LLS 792	201	202	14	-----	< 0.2	2.03	18	300	< 0.5	< 2	0.50	< 0.5	9	24	19	3.51	< 10	20	0.44	20	0.76
LLS 793	201	202	11	-----	< 0.2	1.37	10	340	< 0.5	< 2	0.36	< 0.5	9	7	3	2.81	< 10	< 10	0.58	30	0.60
LLS 794	201	202	7	-----	< 0.2	2.32	8	580	< 0.5	2	0.73	< 0.5	14	11	15	4.61	10	< 10	1.09	10	1.44
LLS 795	201	202	5	-----	< 0.2	1.82	24	510	< 0.5	2	0.62	< 0.5	12	5	5	3.81	10	< 10	0.79	10	1.15
LLS 796	201	202	5	-----	< 0.2	2.44	22	290	< 0.5	4	0.56	< 0.5	11	35	23	3.50	< 10	20	0.17	10	0.71
LLS 797	201	202	6	-----	< 0.2	1.74	54	440	0.5	< 2	0.61	< 0.5	11	4	34	4.21	10	< 10	0.44	30	0.92
LLS 798	201	202	44	-----	< 0.2	2.00	24	430	< 0.5	< 2	0.75	< 0.5	12	9	10	4.30	10	10	0.68	20	1.19
LLS 799	201	202	1	-----	< 0.2	1.90	16	440	< 0.5	< 2	0.62	< 0.5	11	6	16	3.99	10	< 10	0.76	20	1.08
LLS 800	201	202	3	-----	< 0.2	2.76	66	420	0.5	< 2	0.34	< 0.5	15	20	32	4.33	10	10	0.20	30	0.83
LLS 801	201	202	10	-----	0.6	1.38	70	1890	0.5	6	7.00	< 0.5	12	4	11	3.60	< 10	10	0.22	30	0.62
LLS 802	201	202	2	-----	< 0.2	2.27	50	390	< 0.5	< 2	0.39	< 0.5	11	32	20	3.82	10	10	0.19	10	0.80
LLS 803	201	202	22	-----	< 0.2	1.53	28	540	< 0.5	< 2	0.61	< 0.5	12	5	5	3.41	< 10	10	0.60	20	1.06
LLS 804	201	202	7	-----	< 0.2	1.71	140	440	< 0.5	< 2	0.62	< 0.5	14	15	17	4.09	< 10	30	0.48	20	0.96
LLS 805	201	202	6	-----	< 0.2	1.78	106	550	< 0.5	< 2	0.60	< 0.5	14	6	7	4.21	< 10	30	0.49	30	0.95
LLS 806	201	202	7	-----	< 0.2	2.39	204	800	0.5	< 2	0.86	< 0.5	18	48	24	4.37	< 10	30	0.20	30	0.98
LLS 807	201	202	1	-----	< 0.2	2.72	88	1620	0.5	< 2	1.01	< 0.5	12	9	7	4.01	10	10	0.35	30	0.98

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Certificate Date: 11-AUG-96
Invoice No. : 19625802
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9625802

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 789	201	202	860	1	0.01	13	1440	6	14	8	27	0.19	< 10	< 10	80	< 10	90
LLS 790	201	202	395	< 1	0.01	12	570	2	4	5	29	0.15	< 10	< 10	71	< 10	56
LLS 791	201	202	1115	< 1	0.01	6	1480	12	12	12	26	0.01	< 10	< 10	45	< 10	102
LLS 792	201	202	570	< 1	0.01	14	690	12	2	7	25	0.15	< 10	< 10	68	< 10	68
LLS 793	201	202	850	< 1	< 0.01	3	710	12	< 2	3	14	0.08	< 10	< 10	33	< 10	68
LLS 794	201	202	985	1	< 0.01	7	1840	2	10	7	21	0.26	< 10	< 10	77	< 10	110
LLS 795	201	202	925	< 1	0.01	2	1410	< 2	2	7	23	0.12	< 10	< 10	58	< 10	100
LLS 796	201	202	500	1	0.02	16	560	4	< 2	7	36	0.18	< 10	< 10	90	< 10	54
LLS 797	201	202	755	< 1	< 0.01	3	1370	6	< 2	7	30	0.03	< 10	< 10	52	< 10	96
LLS 798	201	202	925	< 1	< 0.01	6	1620	4	< 2	7	23	0.21	< 10	< 10	74	< 10	94
LLS 799	201	202	970	< 1	< 0.01	3	1530	6	< 2	8	27	0.20	< 10	< 10	63	< 10	84
LLS 800	201	202	885	5	< 0.01	14	880	12	< 2	8	23	0.07	< 10	< 10	75	< 10	82
LLS 801	201	202	2110	< 1	< 0.01	3	1200	18	8	6	288	< 0.01	< 10	< 10	26	< 10	78
LLS 802	201	202	480	< 1	< 0.01	17	610	10	12	7	25	0.13	< 10	< 10	83	< 10	64
LLS 803	201	202	1035	< 1	0.01	3	1540	2	10	7	14	0.13	< 10	< 10	52	< 10	82
LLS 804	201	202	980	< 1	< 0.01	10	1470	6	6	7	20	0.15	< 10	< 10	67	< 10	96
LLS 805	201	202	1355	< 1	0.01	4	1550	6	10	10	17	0.10	< 10	< 10	54	< 10	98
LLS 806	201	202	1375	< 1	0.01	33	1600	20	< 2	11	45	0.03	< 10	< 10	54	< 10	84
LLS 807	201	202	1290	< 1	0.01	6	1430	8	12	8	562	0.01	< 10	< 10	40	< 10	96

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project :
Comments: ATTN:SANDY SEARS/BOB BURBAN FAX:ROB STEVENS

Page Number :1-A
Total Pages :3
Certificate Date: 01-AUG-96
Invoice No. :19624902
P.O. Number :LONGLINE
Account :NRW

CERTIFICATE OF ANALYSIS A9624902

SAMPLE	PREP CODE		Weight grams	Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS515	201	202	3140	4	< 0.2	2.52	30	400	0.5	< 2	0.55	< 0.5	15	8	7	4.54	10	< 10	0.50	40	1.24
LLS516	201	202	3920	12	< 0.2	2.47	66	220	< 0.5	< 2	0.39	< 0.5	13	26	16	3.29	< 10	10	0.15	10	0.83
LLS516A	201	202	2960	16	< 0.2	2.41	56	300	< 0.5	< 2	0.65	< 0.5	14	41	27	3.75	10	30	0.32	10	1.02
LLS517	201	202	3400	19	< 0.2	2.61	114	280	< 0.5	< 2	0.55	< 0.5	13	22	16	3.87	< 10	< 10	0.43	10	1.15
LLS518	201	202	3720	17	< 0.2	3.07	36	290	0.5	< 2	0.34	< 0.5	15	17	13	4.61	10	< 10	0.41	30	1.23
LLS519	201	202	4040	20	< 0.2	2.17	20	430	< 0.5	< 2	0.53	< 0.5	13	8	8	4.27	10	10	0.75	30	1.25
LLS520	201	202	3160	14	0.2	3.09	24	410	< 0.5	< 2	0.56	< 0.5	17	27	18	4.79	10	< 10	0.51	10	1.21
LLS521	201	202	3820	9	< 0.2	2.19	40	450	< 0.5	< 2	0.67	< 0.5	14	11	8	4.52	10	< 10	0.69	30	1.29
LLS522	201	202	4700	13	< 0.2	2.80	48	370	< 0.5	< 2	0.52	< 0.5	14	26	16	4.67	10	10	0.45	20	1.18
LLS523	201	202	2780	21	< 0.2	1.86	108	410	< 0.5	< 2	0.57	< 0.5	12	24	8	4.01	10	10	0.63	20	1.08
LLS524	201	202	3060	< 1	< 0.2	3.08	< 2	540	0.5	< 2	0.56	< 0.5	14	8	47	5.09	10	10	0.68	40	1.39
LLS525	201	202	3360	2	< 0.2	1.80	2	460	< 0.5	< 2	0.59	< 0.5	10	6	9	4.01	10	< 10	0.71	30	1.04
LLS526	201	202	3920	< 1	< 0.2	3.31	6	370	0.5	< 2	0.63	< 0.5	16	19	18	5.31	10	< 10	0.60	20	1.37
LLS527	201	202	2820	2	< 0.2	2.86	6	390	< 0.5	< 2	0.69	< 0.5	18	21	16	5.08	10	10	0.70	30	1.48
LLS528	201	202	3300	1	1.0	2.19	2	280	< 0.5	2	0.51	< 0.5	11	26	20	2.94	< 10	10	0.40	10	0.73
LLS529	201	202	3680	< 1	< 0.2	3.20	8	370	0.5	2	0.48	< 0.5	14	25	34	4.56	10	680	0.46	30	1.12
LLS530	201	202	5420	2	< 0.2	2.70	8	390	< 0.5	< 2	0.54	< 0.5	16	28	19	4.25	10	30	0.51	20	1.26
LLS531	201	202	2480	1	< 0.2	2.46	2	370	< 0.5	< 2	0.42	< 0.5	15	15	13	3.99	10	< 10	0.43	20	1.16
LLS532	201	202	2840	1	< 0.2	2.50	< 2	370	0.5	< 2	1.44	< 0.5	14	14	12	4.11	10	10	0.33	30	1.11
LLS533	201	202	2780	4	< 0.2	1.97	10	290	0.5	< 2	0.44	< 0.5	12	23	16	3.04	< 10	10	0.17	30	0.72
LLS534	201	202	3100	33	< 0.2	1.38	38	230	< 0.5	< 2	0.82	< 0.5	6	8	3	2.15	< 10	< 10	0.23	30	0.46
LLS535	201	202	3700	6	< 0.2	2.51	44	420	0.5	< 2	0.53	< 0.5	13	10	10	4.93	10	10	0.52	40	1.27
LLS536	201	202	3220	3	< 0.2	2.22	38	320	0.5	< 2	2.81	< 0.5	11	6	5	3.85	10	10	0.59	40	1.11
LLS537	201	202	3620	< 1	< 0.2	2.11	< 2	460	< 0.5	< 2	0.48	< 0.5	10	7	6	3.93	10	< 10	0.80	10	1.07
LLS538	201	202	2820	2	< 0.2	1.83	4	380	< 0.5	< 2	0.44	< 0.5	10	5	6	4.08	10	< 10	0.40	40	1.01
LLS539	201	202	3120	2	< 0.2	2.08	2	290	< 0.5	< 2	0.44	< 0.5	9	8	5	3.62	< 10	< 10	0.46	10	0.98
LLS540	201	202	3360	< 1	< 0.2	2.11	< 2	240	0.5	< 2	0.47	< 0.5	11	5	7	3.82	10	10	0.45	40	1.06
LLS541	201	202	2840	9	< 0.2	2.62	10	130	0.5	< 2	0.91	< 0.5	11	9	9	4.23	10	< 10	0.18	30	1.10
LLS542	201	202	2960	2	< 0.2	2.69	18	80	0.5	< 2	1.38	< 0.5	10	4	4	3.41	10	< 10	0.18	30	0.92
LLS543	201	202	3050	2	0.2	2.89	< 2	200	0.5	< 2	0.42	< 0.5	14	23	15	4.37	10	10	0.28	10	0.98
LLS544	201	202	3260	1	< 0.2	2.18	10	60	0.5	< 2	1.14	< 0.5	11	4	3	4.14	10	< 10	0.10	20	1.13
LLS545	201	202	3380	1	< 0.2	2.34	2	300	< 0.5	< 2	0.87	< 0.5	13	10	9	4.82	10	10	0.47	30	1.22
LLS546	201	202	3160	1	< 0.2	2.24	< 2	220	< 0.5	< 2	0.96	< 0.5	16	6	7	5.26	10	< 10	0.21	30	1.44
LLS547	201	202	4120	3	< 0.2	2.40	8	200	0.5	< 2	0.71	< 0.5	12	27	26	4.40	10	10	0.17	20	0.98
LLS548	201	202	3380	2	< 0.2	1.86	2	280	< 0.5	< 2	0.45	< 0.5	10	12	13	3.59	< 10	< 10	0.53	30	0.93
LLS549	201	202	3640	3	< 0.2	2.92	20	280	< 0.5	< 2	0.88	< 0.5	16	24	28	5.29	10	10	0.31	20	1.20
LLS550	201	202	3500	1	< 0.2	1.80	6	370	< 0.5	< 2	0.62	< 0.5	11	4	3	4.10	10	< 10	0.69	20	1.12
LLS551	201	202	3860	36	< 0.2	2.68	40	230	0.5	< 2	0.87	< 0.5	14	35	30	4.17	< 10	40	0.18	20	0.86
LLS552	201	202	3740	38	< 0.2	1.62	156	100	< 0.5	< 2	0.62	< 0.5	8	10	5	3.15	< 10	< 10	0.21	30	0.65
LLS553	201	202	5000	5	< 0.2	2.85	14	220	0.5	< 2	0.76	< 0.5	14	44	29	4.00	10	60	0.10	10	0.85

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page Number : 1-B
Total Pages : 3
Certificate Date: 01-AUG-96
Invoice No. : I9624902
P.O. Number : LONGLINE
Account : NRW

Project :
Comments: ATTN:SANDY SEARS/BOB BURBAN FAX:ROB STEVENS

CERTIFICATE OF ANALYSIS A9624902

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS515	201	202	1175	< 1	0.01	6	1180	14	< 2	10	25	0.07	< 10	< 10	55	< 10	90
LLS516	201	202	415	< 1	< 0.01	15	360	10	8	6	24	0.12	< 10	< 10	72	< 10	50
LLS516A	201	202	590	1	0.03	21	590	10	6	9	37	0.18	< 10	< 10	91	< 10	62
LLS517	201	202	615	< 1	< 0.01	12	640	14	2	7	29	0.22	10	< 10	87	< 10	68
LLS518	201	202	915	< 1	< 0.01	9	630	22	< 2	9	20	0.12	< 10	< 10	82	< 10	80
LLS519	201	202	1060	< 1	0.02	4	1220	10	2	10	20	0.18	< 10	< 10	69	< 10	84
LLS520	201	202	820	1	< 0.01	15	800	10	< 2	9	28	0.28	< 10	< 10	102	< 10	82
LLS521	201	202	1170	< 1	0.01	5	1350	12	< 2	10	19	0.25	< 10	< 10	80	< 10	92
LLS522	201	202	715	1	< 0.01	12	730	12	4	9	27	0.25	< 10	< 10	102	< 10	76
LLS523	201	202	1135	3	< 0.01	11	1210	14	< 2	8	17	0.21	< 10	< 10	72	< 10	82
LLS524	201	202	1605	< 1	< 0.01	5	1400	16	10	9	29	0.11	< 10	< 10	67	< 10	98
LLS525	201	202	965	< 1	0.03	3	1180	8	< 2	8	19	0.18	< 10	< 10	67	< 10	74
LLS526	201	202	1015	1	< 0.01	11	1330	14	< 2	8	22	0.31	< 10	< 10	98	< 10	100
LLS527	201	202	1505	< 1	0.01	10	1140	16	2	13	32	0.25	< 10	< 10	96	< 10	100
LLS528	201	202	390	< 1	0.05	12	500	8	< 2	6	32	0.18	< 10	< 10	69	< 10	46
LLS529	201	202	815	< 1	< 0.01	13	610	14	< 2	9	25	0.21	< 10	< 10	88	< 10	78
LLS530	201	202	970	< 1	0.02	14	610	12	8	11	29	0.20	< 10	< 10	103	< 10	72
LLS531	201	202	790	< 1	0.01	8	700	10	< 2	10	26	0.11	< 10	< 10	84	< 10	70
LLS532	201	202	1010	2	0.01	7	710	16	< 2	12	94	0.01	< 10	< 10	61	< 10	72
LLS533	201	202	485	1	0.01	12	490	18	< 2	7	31	0.08	< 10	< 10	58	< 10	52
LLS534	201	202	555	< 1	0.01	3	420	22	< 2	4	56	< 0.01	< 10	< 10	17	< 10	48
LLS535	201	202	1140	< 1	< 0.01	6	1360	12	6	10	24	0.12	< 10	< 10	68	< 10	96
LLS536	201	202	1280	< 1	0.01	3	1060	16	2	8	84	0.07	< 10	< 10	50	< 10	82
LLS537	201	202	860	< 1	0.02	4	930	8	2	7	10	0.22	< 10	< 10	66	< 10	76
LLS538	201	202	1110	< 1	0.02	4	1150	8	< 2	9	20	0.10	< 10	< 10	57	< 10	80
LLS539	201	202	915	< 1	0.01	5	890	12	2	8	14	0.21	< 10	< 10	62	< 10	72
LLS540	201	202	1070	< 1	0.01	3	940	14	2	8	28	0.09	< 10	< 10	54	< 10	80
LLS541	201	202	1115	< 1	< 0.01	6	970	22	< 2	11	37	0.27	< 10	< 10	65	< 10	88
LLS542	201	202	1370	< 1	< 0.01	2	920	30	< 2	8	68	0.22	< 10	< 10	46	< 10	78
LLS543	201	202	945	< 1	< 0.01	15	670	26	< 2	7	17	0.27	< 10	< 10	74	< 10	82
LLS544	201	202	1135	< 1	< 0.01	1	1110	24	< 2	10	36	0.27	< 10	< 10	63	< 10	94
LLS545	201	202	1145	< 1	< 0.01	6	1560	16	< 2	8	23	0.26	< 10	< 10	75	< 10	96
LLS546	201	202	1450	< 1	< 0.01	1	1520	14	< 2	14	24	0.35	< 10	< 10	79	< 10	116
LLS547	201	202	805	< 1	0.01	16	850	14	< 2	11	42	0.24	< 10	< 10	81	< 10	78
LLS548	201	202	930	< 1	0.02	6	950	14	< 2	8	26	0.09	< 10	< 10	52	< 10	68
LLS549	201	202	1230	< 1	< 0.01	16	1180	14	< 2	11	42	0.32	< 10	< 10	94	< 10	102
LLS550	201	202	1055	< 1	0.03	3	950	8	< 2	9	22	0.23	< 10	< 10	60	< 10	84
LLS551	201	202	890	< 1	0.02	20	770	18	< 2	10	56	0.26	< 10	< 10	87	< 10	74
LLS552	201	202	875	< 1	< 0.01	3	620	26	< 2	7	45	0.21	< 10	< 10	44	< 10	64
LLS553	201	202	580	< 1	0.02	23	510	14	< 2	10	50	0.24	< 10	< 10	89	< 10	64

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project :
Comments: ATTN:SANDY SEARS/BOB BURBAN FAX:ROB STEVENS

Page Number :2-A
Total Pages :3
Certificate Date: 01-AUG-96
Invoice No. :19624902
P.O. Number :LONGLINE
Account :NRW

CERTIFICATE OF ANALYSIS A9624902

SAMPLE	PREP CODE		Weight grams	Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS554	201	202	2486	41	< 0.2	2.32	30	110	0.5	< 2	1.02	< 0.5	12	10	9	4.01	10	10	0.17	30	1.03
LLS555	201	202	4340	7	< 0.2	2.86	4	240	0.5	< 2	0.82	< 0.5	14	31	12	4.25	10	10	0.28	20	1.05
LLS556	201	202	2780	8	< 0.2	2.43	8	250	< 0.5	2	0.75	< 0.5	14	38	23	4.05	< 10	20	0.27	10	0.99
LLS557	201	202	3340	9	< 0.2	1.80	4	300	< 0.5	< 2	0.57	< 0.5	9	18	9	3.50	< 10	< 10	0.64	20	0.94
LLS558	201	202	2880	7	2.8	2.15	8	210	< 0.5	< 2	0.49	< 0.5	11	31	63	3.35	< 10	< 10	0.24	10	0.81
LLS559	201	202	4000	56	< 0.2	2.20	82	160	< 0.5	< 2	0.83	< 0.5	13	25	14	3.94	< 10	10	0.36	20	1.14
LLS560	201	202	2900	8	< 0.2	2.46	12	290	0.5	< 2	0.72	< 0.5	14	43	41	3.72	< 10	70	0.20	40	0.68
LLS561	201	202	4140	8	< 0.2	1.44	24	180	1.5	< 2	0.55	< 0.5	8	14	13	2.97	< 10	20	0.32	30	0.42
LLS562	201	202	3850	7	< 0.2	2.51	18	260	0.5	< 2	0.60	< 0.5	11	36	23	3.87	< 10	20	0.21	10	0.89
LLS563	201	202	4080	18	< 0.2	1.76	80	270	0.5	< 2	0.48	< 0.5	8	37	15	3.18	< 10	10	0.30	30	0.54
LLS564	201	202	2640	10	< 0.2	2.91	6	270	< 0.5	< 2	0.64	< 0.5	14	41	26	3.87	< 10	60	0.12	20	0.92
LLS565	201	202	4000	4	< 0.2	2.70	12	310	0.5	< 2	0.91	< 0.5	13	13	8	4.65	10	20	0.45	30	1.27
LLS566	201	202	3900	8	< 0.2	2.89	26	320	< 0.5	< 2	0.68	< 0.5	14	31	18	4.49	< 10	10	0.34	20	1.11
LLS567	201	202	3260	2	< 0.2	1.82	14	410	< 0.5	< 2	0.59	< 0.5	9	7	6	3.94	< 10	< 10	0.51	30	1.01
LLS568	201	202	3360	2	< 0.2	2.94	< 2	380	< 0.5	< 2	0.75	< 0.5	14	19	17	4.99	10	10	0.48	20	1.22
LLS569	201	202	3440	< 1	< 0.2	1.65	4	420	< 0.5	< 2	0.56	< 0.5	8	5	3	3.69	< 10	< 10	0.76	30	0.96
LLS570	201	202	2930	1	< 0.2	3.26	4	430	0.5	< 2	0.51	< 0.5	15	19	24	4.91	10	20	0.54	30	1.16
LLS571	201	202	3040	1	< 0.2	2.43	2	490	0.5	< 2	0.53	< 0.5	12	7	7	4.74	10	10	0.76	50	1.18
LLS572	201	202	2900	5	< 0.2	2.59	20	300	< 0.5	< 2	0.53	< 0.5	13	34	22	3.69	10	10	0.19	10	0.88
LLS573	201	202	3520	4	< 0.2	2.15	20	440	< 0.5	< 2	0.48	< 0.5	10	15	8	3.98	< 10	< 10	0.75	30	1.09
LLS574	201	202	3000	92	< 0.2	2.19	234	450	0.5	< 2	0.44	0.5	12	8	10	4.41	< 10	10	0.39	30	0.53
LLS575	201	202	3240	20	< 0.2	2.41	76	420	0.5	< 2	0.64	< 0.5	13	6	6	4.34	< 10	10	0.78	40	1.04
LLS576	201	202	3760	13	< 0.2	2.89	38	320	0.5	< 2	0.66	< 0.5	14	35	23	4.23	< 10	60	0.25	30	0.80
LLS577	201	202	3420	8	< 0.2	2.58	88	300	0.5	< 2	0.90	< 0.5	12	11	8	4.91	10	< 10	0.70	40	0.94
LLS578	201	202	3920	51	< 0.2	2.72	28	280	< 0.5	< 2	0.66	< 0.5	13	23	13	4.40	< 10	10	0.42	20	0.87
LLS579	201	202	4340	7	< 0.2	3.02	34	380	0.5	< 2	0.96	< 0.5	12	8	7	5.39	10	10	0.68	60	1.08
LLS580	201	202	3720	13	< 0.2	2.34	8	220	< 0.5	< 2	0.63	< 0.5	14	27	15	3.77	< 10	180	0.26	10	0.76
LLS581	201	202	3500	3	< 0.2	2.07	4	320	< 0.5	< 2	0.51	< 0.5	9	15	6	3.43	< 10	< 10	0.89	10	0.95
LLS582	201	202	3640	1	< 0.2	2.48	< 2	430	0.5	< 2	0.54	< 0.5	12	11	8	4.55	< 10	10	0.49	30	0.92
LLS583	201	202	4020	9	< 0.2	2.14	8	410	0.5	< 2	0.62	< 0.5	12	7	19	4.74	< 10	10	0.32	50	0.82
LLS584	201	202	3260	< 1	< 0.2	2.83	6	410	0.5	< 2	0.89	< 0.5	12	24	11	4.69	10	< 10	0.62	30	1.00
LLS585	201	202	4140	1	< 0.2	1.95	< 2	320	< 0.5	< 2	0.61	< 0.5	8	12	5	3.65	< 10	20	0.44	40	0.74
LLS586	201	202	2780	< 1	< 0.2	3.12	6	370	< 0.5	< 2	0.90	< 0.5	16	16	11	5.64	10	< 10	0.44	30	1.30
LLS587	201	202	4040	< 1	< 0.2	2.00	< 2	380	< 0.5	< 2	0.68	< 0.5	11	6	5	4.45	< 10	< 10	0.83	30	1.13
LLS588	201	202	2360	72	< 0.2	2.54	< 2	290	< 0.5	< 2	0.62	< 0.5	13	30	16	4.31	< 10	10	0.29	20	0.94
LLS589	201	202	2820	< 1	< 0.2	1.82	< 2	420	< 0.5	< 2	0.60	< 0.5	8	8	4	3.84	< 10	10	0.82	30	0.97
LLS590	201	202	2960	5	< 0.2	2.84	< 2	350	< 0.5	< 2	0.95	< 0.5	14	23	12	4.65	< 10	10	0.65	20	1.14
LLS591	201	202	3180	4	< 0.2	2.18	< 2	430	< 0.5	< 2	0.70	< 0.5	11	8	6	4.24	10	< 10	0.57	30	0.96
LLS592	201	202	4940	2	< 0.2	2.44	10	210	< 0.5	2	0.51	< 0.5	11	30	16	3.41	< 10	10	0.13	10	0.70
LLS593	201	202	3780	1	< 0.2	1.75	4	340	< 0.5	< 2	0.62	< 0.5	7	9	5	3.63	< 10	< 10	0.79	20	0.85

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project :
Comments: ATTN:SANDY SEARS/BOB BURBAN FAX:ROB STEVENS

Certificate Date: 01-AUG-96
Invoice No. :19624902
P.O. Number :LONGLINE
Account :NRW

CERTIFICATE OF ANALYSIS A9624902

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS554	201	202	1315	< 1	0.01	5	1060	16	< 2	10	64	0.24	< 10	< 10	63	< 10	88
LLS555	201	202	855	< 1	< 0.01	14	820	22	< 2	9	47	0.29	< 10	< 10	80	< 10	80
LLS556	201	202	670	< 1	0.02	19	690	14	< 2	10	42	0.24	< 10	< 10	93	< 10	70
LLS557	201	202	800	< 1	0.03	8	850	12	< 2	7	25	0.20	< 10	< 10	62	< 10	68
LLS558	201	202	555	< 1	0.02	15	590	16	< 2	7	32	0.15	< 10	< 10	74	< 10	58
LLS559	201	202	865	< 1	0.03	10	810	14	< 2	12	54	0.21	< 10	< 10	82	< 10	70
LLS560	201	202	895	< 1	0.03	25	640	18	< 2	10	50	0.14	< 10	< 10	72	< 10	68
LLS561	201	202	630	< 1	0.01	8	730	16	< 2	6	42	0.02	< 10	< 10	31	< 10	66
LLS562	201	202	590	< 1	0.01	20	660	14	< 2	8	41	0.20	< 10	< 10	81	< 10	66
LLS563	201	202	1230	1	0.03	17	580	26	< 2	6	30	0.11	< 10	< 10	47	< 10	84
LLS564	201	202	545	< 1	0.01	23	440	14	< 2	9	42	0.22	< 10	< 10	93	< 10	60
LLS565	201	202	1145	< 1	< 0.01	8	1110	18	< 2	10	38	0.28	< 10	< 10	70	< 10	100
LLS566	201	202	750	< 1	0.01	17	840	16	< 2	7	38	0.22	< 10	< 10	94	< 10	80
LLS567	201	202	1025	< 1	0.01	5	960	12	< 2	8	19	0.17	< 10	< 10	64	< 10	82
LLS568	201	202	1085	< 1	< 0.01	12	1220	16	< 2	10	29	0.29	< 10	< 10	89	< 10	100
LLS569	201	202	840	< 1	0.03	3	750	10	< 2	7	21	0.18	< 10	< 10	57	< 10	76
LLS570	201	202	1115	< 1	0.01	13	1050	18	< 2	8	30	0.14	< 10	< 10	74	< 10	96
LLS571	201	202	1295	< 1	0.03	5	1340	20	< 2	9	27	0.13	< 10	< 10	61	< 10	100
LLS572	201	202	520	< 1	0.01	20	350	14	< 2	7	34	0.20	< 10	< 10	83	< 10	60
LLS573	201	202	980	< 1	0.02	9	1020	14	< 2	8	21	0.16	< 10	< 10	60	< 10	110
LLS574	201	202	1110	< 1	0.01	5	1020	34	< 2	7	28	0.03	< 10	< 10	46	< 10	96
LLS575	201	202	1400	< 1	0.01	4	1180	22	< 2	8	33	0.10	< 10	< 10	50	< 10	108
LLS576	201	202	1035	< 1	0.02	17	800	14	< 2	9	42	0.20	< 10	< 10	90	< 10	70
LLS577	201	202	1275	< 1	< 0.01	6	1100	16	< 2	9	40	0.25	< 10	< 10	73	< 10	116
LLS578	201	202	780	< 1	< 0.01	13	810	16	< 2	7	30	0.23	< 10	< 10	84	< 10	84
LLS579	201	202	1215	< 1	< 0.01	6	1260	22	< 2	13	38	0.29	< 10	< 10	74	< 10	130
LLS580	201	202	790	< 1	0.01	13	730	14	< 2	6	37	0.18	< 10	< 10	84	< 10	64
LLS581	201	202	565	< 1	0.03	5	840	12	< 2	5	24	0.21	< 10	< 10	81	< 10	66
LLS582	201	202	1020	< 1	0.01	8	1190	18	< 2	7	29	0.09	< 10	< 10	63	< 10	102
LLS583	201	202	1380	< 1	0.01	6	1300	24	< 2	8	28	0.04	< 10	< 10	51	< 10	104
LLS584	201	202	950	< 1	< 0.01	10	1110	26	< 2	8	39	0.33	< 10	< 10	88	< 10	90
LLS585	201	202	945	< 1	< 0.01	6	720	20	< 2	7	25	0.25	< 10	< 10	61	< 10	70
LLS586	201	202	1725	< 1	< 0.01	11	1380	18	< 2	12	27	0.37	< 10	< 10	94	< 10	128
LLS587	201	202	1055	< 1	< 0.01	3	1340	10	< 2	8	26	0.28	< 10	< 10	68	< 10	100
LLS588	201	202	725	< 1	< 0.01	15	750	12	< 2	7	36	0.22	< 10	< 10	86	< 10	78
LLS589	201	202	940	< 1	0.03	5	930	14	< 2	7	21	0.20	< 10	< 10	59	< 10	84
LLS590	201	202	810	< 1	< 0.01	9	1180	16	< 2	8	43	0.29	< 10	< 10	98	< 10	88
LLS591	201	202	1075	< 1	< 0.01	4	1120	16	< 2	9	26	0.21	< 10	< 10	58	< 10	94
LLS592	201	202	440	< 1	0.01	15	440	12	< 2	5	29	0.18	< 10	< 10	78	< 10	54
LLS593	201	202	820	< 1	0.01	4	1050	10	< 2	6	17	0.19	< 10	< 10	57	< 10	80

CERTIFICATION: Stewart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project :
Comments: ATTN:SANDY SEARS/BOB BURBAN FAX:ROB STEVENS

Page Number : 3-A
Total Pages : 3
Certificate Date: 01-AUG-96
Invoice No. : 19624902
P.O. Number : LONGLINE
Account : NRW

CERTIFICATE OF ANALYSIS A9624902

SAMPLE	PREP CODE		Weight grams	Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %
LLS594	201	202	1940.0	19	< 0.2	2.48	8	250	< 0.5	< 2	0.68	< 0.5	15	38	20	3.95	< 10	50	0.21	30	0.69
LLS595	201	202	2510	5	< 0.2	2.11	16	230	< 0.5	< 2	0.70	< 0.5	11	42	23	3.34	< 10	40	0.11	10	0.62
LLS596	201	202	3980	1	< 0.2	1.93	16	250	< 0.5	< 2	0.47	< 0.5	11	24	14	3.22	< 10	20	0.32	10	0.55
LLS597	201	202	3820	2	< 0.2	2.97	36	340	0.5	< 2	1.00	< 0.5	14	19	15	5.14	10	20	0.37	30	1.02
LLS598	201	202	3920	3	< 0.2	2.45	44	270	0.5	< 2	0.93	< 0.5	12	7	8	4.67	10	< 10	0.53	40	0.94
LLS599	201	202	2740	22	< 0.2	2.46	328	350	< 0.5	< 2	0.75	< 0.5	16	21	14	4.63	10	< 10	0.79	30	1.21
LLS600	201	202	3420	16	< 0.2	2.62	52	240	< 0.5	< 2	0.78	< 0.5	16	17	10	4.63	< 10	< 10	1.35	10	1.48
LLS601	201	202	3600	5	< 0.2	2.89	58	360	< 0.5	< 2	0.74	< 0.5	15	21	17	4.89	< 10	< 10	0.71	10	1.22
LLS602	201	202	2700	2	< 0.2	2.15	12	660	< 0.5	< 2	0.82	< 0.5	13	9	9	4.52	< 10	10	1.17	20	1.21
LLS603	201	202	4380	3	< 0.2	2.65	32	340	< 0.5	< 2	0.65	< 0.5	11	25	24	4.10	< 10	10	0.47	10	0.99

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project :
Comments: ATTN:SANDY SEARS/BOB BURBAN FAX:ROB STEVENS

Certificate Date: 01-AUG-96
Invoice No. :19624902
P.O. Number :LONGLINE
Account :NRW

CERTIFICATE OF ANALYSIS A9624902

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS594	201	202	485	< 1	0.01	19	750	16	< 2	8	36	0.20	< 10	< 10	88	< 10	64
LLS595	201	202	525	< 1	0.03	21	680	8	< 2	6	42	0.17	< 10	< 10	87	< 10	54
LLS596	201	202	360	< 1	0.03	14	690	12	< 2	6	27	0.15	< 10	< 10	61	< 10	60
LLS597	201	202	725	< 1	< 0.01	11	1460	14	< 2	9	37	0.28	< 10	< 10	83	< 10	108
LLS598	201	202	1095	< 1	< 0.01	5	1190	14	< 2	9	38	0.26	< 10	< 10	64	< 10	108
LLS599	201	202	855	< 1	0.01	10	1390	12	2	8	29	0.20	< 10	< 10	93	< 10	92
LLS600	201	202	945	< 1	0.02	7	1260	14	< 2	6	29	0.27	< 10	< 10	100	< 10	96
LLS601	201	202	900	< 1	< 0.01	12	1260	10	< 2	7	28	0.28	< 10	< 10	92	< 10	92
LLS602	201	202	975	< 1	0.03	5	1130	6	< 2	6	17	0.24	< 10	< 10	76	< 10	94
LLS603	201	202	685	< 1	< 0.01	14	900	12	< 2	7	29	0.25	< 10	< 10	85	< 10	76

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Page Number : 1-A
Total Pages : 4
Certificate Date: 20-AUG-96
Invoice No. : 19627368
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627368

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-808	201	202	83	< 0.2	2.12	200	470	< 0.5	6	0.69	< 0.5	11	15	11	4.63	10	< 10	0.50	20	0.96	930
LLS-809	201	202	3	< 0.2	1.83	28	560	< 0.5	2	0.66	< 0.5	10	5	5	4.12	10	10	0.59	20	1.07	895
LLS-810	201	202	6	< 0.2	2.17	26	290	< 0.5	6	0.63	< 0.5	10	27	14	3.44	10	10	0.18	10	0.80	510
LLS-811	201	202	415	1.2	2.23	692	1370	0.5	14	0.63	0.5	17	8	13	5.65	10	10	0.83	40	1.09	1250
LLS-812	201	202	< 1	< 0.2	3.07	20	1120	0.5	< 2	0.69	< 0.5	12	9	11	4.79	10	< 10	0.85	40	1.36	1055
LLS-813	201	202	< 1	< 0.2	2.72	22	1950	0.5	2	0.71	0.5	13	6	6	5.00	10	< 10	0.74	60	1.53	1510
LLS-814	201	202	< 1	< 0.2	2.61	10	270	< 0.5	2	0.61	< 0.5	11	41	28	3.51	10	20	0.08	10	0.79	365
LLS-815	201	202	4	< 0.2	2.35	44	720	< 0.5	4	0.65	< 0.5	12	7	21	4.82	10	10	0.87	30	1.19	1200
LLS-816	201	202	1	< 0.2	2.37	18	300	< 0.5	2	0.65	< 0.5	13	23	13	4.22	10	< 10	0.80	20	1.36	780
LLS-817	201	202	2	< 0.2	2.64	16	540	< 0.5	< 2	0.65	< 0.5	13	13	12	4.75	10	20	0.82	50	1.46	1255
LLS-818	201	202	5	< 0.2	2.39	216	430	0.5	< 2	0.64	< 0.5	12	8	13	4.90	10	10	0.34	40	0.72	1105
LLS-819	201	202	< 1	< 0.2	2.38	102	1060	0.5	< 2	0.61	< 0.5	14	6	8	4.91	10	10	0.34	40	0.95	1720
LLS-820	201	202	1	< 0.2	3.33	10	1040	0.5	< 2	0.68	< 0.5	16	13	13	6.35	10	10	0.80	50	1.56	1350
LLS-821	201	202	< 1	< 0.2	2.18	10	780	0.5	< 2	0.58	< 0.5	12	6	9	4.90	10	10	0.58	50	1.08	1255
LLS-822	201	202	1	< 0.2	2.47	54	1170	0.5	2	0.73	< 0.5	15	12	19	5.47	10	10	0.44	60	1.28	1325
LLS-823	201	202	16	< 0.2	1.54	34	1380	< 0.5	2	0.54	< 0.5	9	6	5	3.56	10	10	0.33	40	0.86	955
LLS-824	201	202	1	< 0.2	2.21	16	310	< 0.5	< 2	0.70	< 0.5	13	19	16	4.08	10	< 10	0.83	20	1.25	825
LLS-825	201	202	6	< 0.2	2.74	24	370	0.5	2	0.63	< 0.5	15	15	18	4.96	10	< 10	0.50	30	1.40	1455
LLS-826	201	202	13	< 0.2	1.95	128	310	< 0.5	< 2	0.64	< 0.5	11	23	15	3.84	< 10	70	0.31	30	0.82	695
LLS-827	201	202	30	< 0.2	2.25	164	380	0.5	6	0.83	< 0.5	13	24	17	4.67	10	60	0.44	30	1.04	1000
LLS-828	201	202	15	< 0.2	2.15	126	250	< 0.5	2	0.69	< 0.5	12	33	23	3.72	10	30	0.23	10	0.85	570
LLS-829	201	202	20	< 0.2	2.30	166	330	< 0.5	< 2	0.83	< 0.5	12	21	13	4.56	10	10	0.55	30	1.24	875
LLS-830	201	202	< 1	< 0.2	2.45	16	610	< 0.5	2	0.83	< 0.5	13	12	15	5.52	10	10	0.75	40	1.51	1245
LLS-831	201	202	< 1	< 0.2	2.23	16	400	< 0.5	< 2	0.63	< 0.5	14	6	7	5.17	10	< 10	0.26	50	1.65	1320
LLS-832	201	202	5	< 0.2	2.64	104	1030	0.5	< 2	0.72	< 0.5	16	14	32	6.43	10	< 10	0.95	40	1.41	1515
LLS-833	201	202	41	< 0.2	1.80	512	780	< 0.5	2	0.58	< 0.5	12	9	14	4.65	10	10	0.72	50	1.04	1170
LLS-834	201	202	2	< 0.2	2.76	28	390	0.5	8	0.63	< 0.5	13	29	22	4.74	10	30	0.39	30	1.32	800
LLS-835	201	202	1	< 0.2	2.40	26	540	0.5	< 2	0.78	< 0.5	15	9	8	5.05	10	10	0.25	50	1.63	1255
LLS-836	201	202	8	< 0.2	2.40	80	610	< 0.5	2	0.73	< 0.5	14	18	15	5.21	10	10	0.69	40	1.37	1145
LLS-837	201	202	7	< 0.2	2.05	172	700	0.5	< 2	0.62	< 0.5	13	7	22	4.91	10	20	0.65	50	1.01	1520
LLS-838	201	202	8	< 0.2	2.17	86	530	< 0.5	6	0.61	< 0.5	10	20	12	4.01	10	10	0.87	20	1.10	735
LLS-839	201	202	15	< 0.2	2.11	110	270	< 0.5	2	0.70	< 0.5	10	33	21	3.25	10	30	0.15	10	0.74	435
LLS-840	201	202	3	< 0.2	2.70	146	490	0.5	< 2	0.60	< 0.5	14	8	9	5.26	10	< 10	0.49	50	1.58	1290
LLS-841	201	202	< 1	< 0.2	2.75	16	530	0.5	< 2	0.83	< 0.5	16	18	26	5.85	10	30	0.66	40	1.52	1175
LLS-842	201	202	5	< 0.2	2.20	20	720	< 0.5	< 2	0.62	< 0.5	13	11	22	4.92	10	< 10	0.96	40	1.33	1115
LLS-843	201	202	2	< 0.2	2.38	2	210	< 0.5	< 2	0.47	< 0.5	12	29	18	3.51	10	20	0.20	10	0.85	485
LLS-844	201	202	1	< 0.2	2.10	2	320	< 0.5	< 2	0.67	< 0.5	11	25	17	3.98	10	10	0.43	20	0.97	665
LLS-845	201	202	4	< 0.2	2.50	62	340	< 0.5	< 2	0.66	< 0.5	12	25	18	4.05	10	10	0.44	20	1.10	715
LLS-846	201	202	3	< 0.2	2.09	76	460	< 0.5	6	0.64	< 0.5	10	17	13	4.04	10	10	0.71	20	1.08	675
LLS-847	201	202	80	< 0.2	2.31	562	470	< 0.5	< 2	0.74	< 0.5	12	26	19	4.23	10	30	0.49	20	0.99	805

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Certificate Date: 20-AUG-96
Invoice No. : I9627368
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627368

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-808	201	202	1	< 0.01	8	1680	12	< 2	9	32	0.12	< 10	< 10	74	< 10	102
LLS-809	201	202	< 1	0.01	2	1510	6	< 2	7	26	0.14	< 10	< 10	60	< 10	82
LLS-810	201	202	1	0.01	13	770	8	< 2	6	36	0.14	< 10	< 10	79	< 10	62
LLS-811	201	202	2	0.01	5	1700	52	< 2	12	36	0.16	< 10	< 10	74	< 10	120
LLS-812	201	202	1	< 0.01	5	1350	8	< 2	9	38	0.16	< 10	< 10	72	< 10	96
LLS-813	201	202	1	< 0.01	3	1540	8	< 2	12	34	0.16	< 10	< 10	76	< 10	104
LLS-814	201	202	1	< 0.01	22	370	8	< 2	8	41	0.17	< 10	< 10	97	< 10	54
LLS-815	201	202	1	< 0.01	4	1450	6	< 2	11	25	0.16	< 10	< 10	76	< 10	88
LLS-816	201	202	1	< 0.01	10	1210	10	< 2	8	29	0.18	< 10	< 10	101	< 10	82
LLS-817	201	202	< 1	0.01	6	1500	12	< 2	12	29	0.17	< 10	< 10	92	< 10	102
LLS-818	201	202	2	< 0.01	8	1390	22	< 2	8	30	< 0.01	< 10	< 10	54	< 10	96
LLS-819	201	202	2	0.01	4	1350	14	< 2	11	29	0.01	< 10	< 10	61	< 10	106
LLS-820	201	202	1	< 0.01	8	1870	12	< 2	15	30	0.19	< 10	< 10	109	< 10	122
LLS-821	201	202	1	< 0.01	4	1500	12	< 2	10	21	0.10	< 10	< 10	67	< 10	94
LLS-822	201	202	1	< 0.01	8	1830	12	< 2	12	30	0.11	< 10	< 10	80	< 10	112
LLS-823	201	202	< 1	0.01	3	1030	14	< 2	7	18	0.09	< 10	< 10	52	< 10	68
LLS-824	201	202	1	0.01	8	1160	12	< 2	7	31	0.21	< 10	< 10	97	< 10	80
LLS-825	201	202	1	0.01	7	1000	16	< 2	12	33	0.07	< 10	< 10	86	< 10	92
LLS-826	201	202	1	0.01	11	930	10	< 2	7	29	0.14	< 10	< 10	74	< 10	72
LLS-827	201	202	1	0.02	12	1410	10	< 2	9	34	0.17	< 10	< 10	86	< 10	94
LLS-828	201	202	1	0.01	16	710	8	< 2	8	35	0.15	< 10	< 10	86	< 10	66
LLS-829	201	202	1	< 0.01	9	1260	14	< 2	9	31	0.17	< 10	< 10	82	< 10	94
LLS-830	201	202	1	< 0.01	7	2150	8	< 2	11	25	0.20	< 10	< 10	93	< 10	106
LLS-831	201	202	1	0.01	3	1660	6	< 2	13	22	0.10	< 10	< 10	85	< 10	108
LLS-832	201	202	1	< 0.01	10	1710	8	< 2	18	29	0.23	< 10	< 10	107	< 10	122
LLS-833	201	202	1	0.01	4	1380	10	< 2	10	22	0.15	< 10	< 10	69	< 10	88
LLS-834	201	202	1	< 0.01	15	890	10	< 2	11	37	0.14	< 10	< 10	91	< 10	78
LLS-835	201	202	1	0.01	7	1590	12	< 2	13	38	0.02	< 10	< 10	70	< 10	100
LLS-836	201	202	1	< 0.01	11	1630	8	< 2	11	30	0.18	< 10	< 10	88	< 10	102
LLS-837	201	202	1	< 0.01	4	1440	10	< 2	12	27	0.09	< 10	< 10	70	< 10	92
LLS-838	201	202	1	0.03	9	1040	8	< 2	8	26	0.20	< 10	< 10	82	< 10	76
LLS-839	201	202	1	0.02	17	700	8	< 2	7	40	0.16	< 10	< 10	82	< 10	62
LLS-840	201	202	1	< 0.01	6	1360	12	< 2	11	25	0.08	< 10	< 10	81	< 10	102
LLS-841	201	202	1	< 0.01	12	1790	10	< 2	11	35	0.24	< 10	< 10	107	< 10	112
LLS-842	201	202	1	0.01	5	1400	6	< 2	11	23	0.22	< 10	< 10	92	< 10	94
LLS-843	201	202	1	< 0.01	16	530	10	< 2	6	28	0.16	< 10	< 10	87	< 10	56
LLS-844	201	202	1	0.01	11	770	10	< 2	9	33	0.13	< 10	< 10	83	< 10	72
LLS-845	201	202	1	0.01	12	890	8	< 2	8	32	0.20	< 10	< 10	93	< 10	74
LLS-846	201	202	1	0.01	9	1040	6	< 2	7	27	0.20	< 10	< 10	84	< 10	74
LLS-847	201	202	1	0.01	12	1020	14	< 2	9	35	0.18	< 10	< 10	83	< 10	86

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Page Number : 2-A
Total Pages : 4
Certificate Date: 20-AUG-96
Invoice No. : 19627368
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627368

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-848	201	202	120	< 0.2	2.00	128	260	< 0.5	4	0.70	< 0.5	11	28	23	3.38	10	30	0.26	10	0.80	490
LLS-849	201	202	1	< 0.2	3.16	6	660	0.5	< 2	0.56	< 0.5	14	12	16	5.70	10	10	0.74	50	1.68	1165
LLS-850	201	202	4	< 0.2	2.66	12	370	0.5	< 2	0.74	< 0.5	14	6	14	5.14	10	10	0.40	70	1.54	1460
LLS-851	201	202	41	< 0.2	2.27	180	520	0.5	2	0.76	< 0.5	16	17	23	5.62	10	< 10	0.39	60	0.92	1215
LLS-852	201	202	99	< 0.2	0.79	1965	1570	0.5	2	3.51	2.0	13	3	18	4.27	< 10	10	0.27	50	0.28	1740
LLS-853	201	202	6	< 0.2	3.08	30	280	0.5	2	0.57	< 0.5	12	42	28	3.79	10	30	0.07	10	0.82	425
LLS-854	201	202	3	< 0.2	2.45	18	690	0.5	2	3.13	< 0.5	13	5	13	4.60	10	< 10	0.21	60	1.25	1525
LLS-855	201	202	20	< 0.2	2.40	118	350	< 0.5	4	0.70	< 0.5	11	26	20	4.13	10	10	0.39	20	0.92	820
LLS-856	201	202	15	< 0.2	2.40	86	280	< 0.5	2	0.73	< 0.5	10	34	24	3.65	10	60	0.24	10	0.89	575
LLS-857	201	202	4	< 0.2	2.21	38	280	< 0.5	2	0.74	< 0.5	12	32	22	3.69	10	10	0.40	10	1.01	565
LLS-858	201	202	4	< 0.2	2.25	94	610	0.5	< 2	0.69	< 0.5	14	14	14	4.57	10	20	0.45	50	0.78	1180
LLS-859	201	202	5	< 0.2	2.53	20	340	< 0.5	< 2	0.70	< 0.5	13	27	22	4.03	10	10	0.75	10	1.23	585
LLS-860	201	202	1	< 0.2	1.96	26	420	< 0.5	2	0.65	< 0.5	10	14	10	3.69	10	< 10	0.79	20	1.06	640
LLS-861	201	202	4	< 0.2	2.34	60	580	0.5	4	0.69	< 0.5	14	19	19	4.93	10	< 10	0.54	50	1.08	1030
LLS-862	201	202	6	< 0.2	2.26	86	650	0.5	< 2	0.67	< 0.5	15	17	18	5.55	10	10	0.51	70	0.88	1430
LLS-863	201	202	6	< 0.2	1.92	60	460	0.5	2	0.78	< 0.5	11	25	26	3.74	10	20	0.13	30	0.83	730
LLS-864	201	202	1	< 0.2	2.62	32	460	0.5	< 2	3.11	< 0.5	15	6	8	5.31	10	< 10	0.17	70	1.55	1330
LLS-865	201	202	15	< 0.2	2.85	58	450	0.5	< 2	0.70	< 0.5	14	26	28	4.71	10	10	0.50	30	1.29	1045
LLS-866	201	202	5	< 0.2	2.21	28	600	< 0.5	< 2	0.57	< 0.5	12	12	13	4.44	10	30	0.91	30	1.25	1050
LLS-867	201	202	22	< 0.2	2.39	96	230	< 0.5	< 2	0.61	< 0.5	10	34	22	3.40	10	10	0.15	10	0.85	405
LLS-868	201	202	1	< 0.2	0.73	68	2140	0.5	< 2	4.19	0.5	12	3	11	4.18	< 10	< 10	0.24	60	0.18	1370
LLS-869	201	202	< 1	< 0.2	2.38	76	670	0.5	< 2	0.54	< 0.5	13	15	15	4.99	10	10	0.62	50	0.99	825
LLS-870	201	202	1	< 0.2	2.27	106	680	0.5	8	0.57	< 0.5	13	18	17	5.15	10	10	0.57	50	0.93	900
LLS-871	201	202	5	< 0.2	2.58	26	270	< 0.5	< 2	0.60	< 0.5	11	36	21	3.53	10	10	0.15	10	0.80	405
LLS-872	201	202	92	< 0.2	2.20	544	580	0.5	< 2	0.61	< 0.5	14	9	13	5.27	10	10	0.34	50	1.15	1595
LLS-873	201	202	4	< 0.2	2.60	32	360	< 0.5	< 2	0.69	< 0.5	11	32	24	3.76	10	20	0.34	20	0.91	525
LLS-874	201	202	1	< 0.2	2.45	8	250	< 0.5	2	0.66	< 0.5	10	33	18	3.36	10	20	0.20	10	0.83	395
LLS-875	201	202	17	< 0.2	2.31	24	360	< 0.5	< 2	0.67	< 0.5	12	23	17	3.96	10	10	0.55	30	1.07	705
LLS-876	201	202	4	0.2	2.64	16	280	< 0.5	< 2	0.63	< 0.5	9	37	26	3.38	10	30	0.16	10	0.78	355
LLS-877	201	202	8	< 0.2	2.51	24	240	< 0.5	< 2	0.72	< 0.5	10	40	32	3.49	10	30	0.14	10	0.83	360
LLS-878	201	202	4	< 0.2	1.82	192	440	< 0.5	2	0.86	< 0.5	12	14	20	4.01	10	< 10	0.47	20	0.81	755
LLS-879	201	202	2	< 0.2	1.92	242	480	< 0.5	< 2	0.85	< 0.5	13	15	21	4.33	10	< 10	0.52	20	0.84	880
LLS-880	201	202	115	< 0.2	1.93	286	750	0.5	4	0.65	< 0.5	13	15	16	4.80	10	20	0.69	40	0.99	1055
LLS-881	201	202	1	< 0.2	2.44	22	490	< 0.5	< 2	0.75	< 0.5	13	29	21	4.18	10	10	0.55	20	1.17	775
LLS-882	201	202	2	< 0.2	2.48	28	510	< 0.5	8	0.74	< 0.5	13	24	20	4.58	10	20	0.73	30	1.18	925
LLS-883	201	202	16	< 0.2	2.46	126	330	< 0.5	< 2	0.76	< 0.5	17	27	30	4.85	10	30	0.55	30	1.30	945
LLS-884	201	202	22	< 0.2	2.66	478	250	< 0.5	< 2	0.72	< 0.5	14	26	18	4.29	10	10	0.37	10	1.21	710
LLS-885	201	202	15	< 0.2	2.89	216	510	0.5	< 2	0.76	< 0.5	14	19	24	5.29	10	10	0.59	40	1.33	1405
LLS-886	201	202	3	< 0.2	2.54	8	300	< 0.5	< 2	0.75	< 0.5	12	28	20	4.27	10	10	0.39	10	1.15	605
LLS-887	201	202	12	< 0.2	2.46	24	340	< 0.5	2	0.72	< 0.5	13	45	24	4.03	10	10	0.15	20	0.91	615

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Certificate Date: 20-AUG-96
Invoice No. : 19627368
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627368

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-848	201	202	1	0.02	16	770	8	< 2	7	36	0.16	< 10	< 10	82	< 10	64
LLS-849	201	202	1	< 0.01	7	1600	10	< 2	12	25	0.22	< 10	< 10	108	< 10	112
LLS-850	201	202	1	0.01	3	1630	22	< 2	10	26	0.04	< 10	< 10	66	< 10	112
LLS-851	201	202	1	< 0.01	12	1610	14	< 2	14	34	0.10	< 10	< 10	88	< 10	112
LLS-852	201	202	1	< 0.01	3	1220	36	< 2	8	246	< 0.01	< 10	< 10	25	< 10	118
LLS-853	201	202	1	< 0.01	24	320	8	< 2	9	42	0.18	< 10	< 10	98	< 10	60
LLS-854	201	202	< 1	< 0.01	3	1500	18	< 2	8	145	< 0.01	< 10	< 10	48	< 10	102
LLS-855	201	202	1	< 0.01	13	970	10	< 2	9	35	0.16	< 10	< 10	86	< 10	76
LLS-856	201	202	1	0.01	17	770	8	< 2	9	40	0.18	< 10	< 10	89	< 10	68
LLS-857	201	202	< 1	0.03	17	860	8	< 2	8	37	0.17	< 10	< 10	92	< 10	70
LLS-858	201	202	1	0.01	11	1460	14	< 2	13	32	0.05	< 10	< 10	77	< 10	94
LLS-859	201	202	1	0.03	12	920	8	< 2	7	36	0.22	< 10	< 10	108	< 10	76
LLS-860	201	202	1	0.03	6	1210	6	< 2	6	28	0.19	< 10	< 10	87	< 10	72
LLS-861	201	202	1	< 0.01	11	1460	10	< 2	12	33	0.15	< 10	< 10	89	< 10	100
LLS-862	201	202	2	< 0.01	8	1570	14	< 2	16	29	0.10	< 10	< 10	79	< 10	112
LLS-863	201	202	1	0.03	18	910	10	< 2	7	42	0.08	< 10	< 10	75	< 10	70
LLS-864	201	202	1	< 0.01	4	1550	12	< 2	8	95	< 0.01	< 10	< 10	51	< 10	118
LLS-865	201	202	1	< 0.01	15	1330	12	< 2	11	39	0.17	< 10	< 10	94	< 10	98
LLS-866	201	202	1	< 0.01	6	1470	6	< 2	11	24	0.19	< 10	< 10	85	< 10	92
LLS-867	201	202	1	0.01	17	630	8	< 2	7	38	0.18	< 10	< 10	88	< 10	60
LLS-868	201	202	1	< 0.01	3	1370	18	< 2	8	107	< 0.01	< 10	< 10	21	< 10	82
LLS-869	201	202	1	< 0.01	10	1240	6	< 2	12	24	0.14	< 10	< 10	83	< 10	90
LLS-870	201	202	1	0.01	13	1260	8	< 2	12	26	0.12	< 10	< 10	80	< 10	90
LLS-871	201	202	1	< 0.01	17	550	8	< 2	7	38	0.18	< 10	< 10	91	< 10	58
LLS-872	201	202	1	< 0.01	5	1580	16	< 2	10	27	0.05	< 10	< 10	82	< 10	104
LLS-873	201	202	1	0.01	15	760	8	< 2	9	40	0.21	< 10	< 10	95	< 10	68
LLS-874	201	202	1	0.01	15	630	6	< 2	7	39	0.19	< 10	< 10	90	< 10	60
LLS-875	201	202	1	0.03	12	1060	6	< 2	9	35	0.18	< 10	< 10	91	< 10	78
LLS-876	201	202	< 1	0.01	17	550	8	< 2	8	40	0.18	< 10	< 10	84	< 10	58
LLS-877	201	202	1	0.01	23	540	8	< 2	9	43	0.17	< 10	< 10	91	< 10	58
LLS-878	201	202	1	0.04	7	900	12	< 2	13	39	0.07	< 10	< 10	82	< 10	76
LLS-879	201	202	1	0.05	8	960	10	< 2	14	40	0.08	< 10	< 10	85	< 10	82
LLS-880	201	202	1	0.01	8	1480	30	< 2	10	26	0.17	< 10	< 10	80	< 10	94
LLS-881	201	202	1	0.03	13	1200	6	< 2	8	37	0.20	< 10	< 10	95	< 10	76
LLS-882	201	202	1	0.01	9	1270	8	< 2	11	33	0.20	< 10	< 10	92	< 10	90
LLS-883	201	202	1	< 0.01	18	1290	10	< 2	10	34	0.22	< 10	< 10	107	< 10	92
LLS-884	201	202	1	< 0.01	13	910	12	< 2	7	38	0.21	< 10	< 10	107	< 10	78
LLS-885	201	202	3	< 0.01	11	1550	24	< 2	13	35	0.13	< 10	< 10	90	< 10	102
LLS-886	201	202	1	0.01	14	980	6	< 2	8	40	0.21	< 10	< 10	100	< 10	78
LLS-887	201	202	1	0.01	21	680	8	< 2	11	41	0.18	< 10	< 10	110	< 10	64

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Certificate Date: 20-AUG-96
Invoice No. : I9627368
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627368

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-888	201	202	12	< 0.2	2.18	114	390	< 0.5	< 2	0.61	< 0.5	11	30	20	4.03	10	40	0.19	30	0.82	610
LLS-889	201	202	13	< 0.2	2.84	316	270	0.5	< 2	0.93	< 0.5	18	53	28	5.50	10	50	0.15	30	1.76	990
LLS-890	201	202	14	< 0.2	2.62	174	280	< 0.5	< 2	0.55	< 0.5	12	38	18	3.66	10	40	0.10	10	0.83	480
LLS-891	201	202	3	< 0.2	1.96	16	510	< 0.5	2	0.48	< 0.5	9	29	22	3.16	10	40	0.15	10	0.67	400
LLS-892	201	202	2	< 0.2	0.68	4	960	0.5	< 2	2.50	< 0.5	10	3	8	3.74	< 10	30	0.33	50	0.23	1005
LLS-893	201	202	8	< 0.2	1.27	92	1010	0.5	< 2	0.58	< 0.5	10	11	17	4.29	< 10	20	0.26	40	0.27	760
LLS-894	201	202	5	< 0.2	0.67	106	2240	0.5	< 2	1.08	0.5	11	5	12	3.71	< 10	40	0.24	30	0.11	1615
LLS-895	201	202	10	< 0.2	2.25	212	520	< 0.5	< 2	0.43	< 0.5	10	25	21	3.52	< 10	30	0.16	20	0.65	540
LLS-896	201	202	4	< 0.2	1.69	50	230	< 0.5	< 2	0.29	< 0.5	6	19	20	2.60	< 10	60	0.12	10	0.47	310
LLS-897	201	202	8	< 0.2	1.70	46	440	< 0.5	< 2	0.44	< 0.5	9	9	11	3.91	10	30	0.51	30	0.92	800
LLS-898	201	202	2	0.2	2.32	8	200	< 0.5	2	0.28	< 0.5	8	20	18	2.95	< 10	10	0.11	10	0.49	335
LLS-899	201	202	4	< 0.2	1.95	10	280	< 0.5	< 2	0.52	< 0.5	10	10	12	3.84	10	30	0.28	50	1.01	1015
LLS-900	201	202	7	< 0.2	1.96	24	390	0.5	6	0.47	< 0.5	11	12	14	3.99	10	60	0.42	40	0.87	870
LLS-901	201	202	8	< 0.2	1.84	38	440	0.5	< 2	0.50	< 0.5	11	8	12	4.31	10	20	0.45	60	0.85	1105
LLS-902	201	202	1	< 0.2	2.26	6	390	0.5	2	0.49	< 0.5	11	12	13	4.35	10	40	0.46	30	1.08	885
LLS-903	201	202	1	< 0.2	1.98	8	270	0.5	< 2	0.60	< 0.5	9	6	7	3.79	10	40	0.28	50	0.89	1065
LLS-904	201	202	2	< 0.2	2.34	6	490	< 0.5	< 2	0.51	< 0.5	11	10	12	4.28	10	10	0.56	40	1.16	1010
LLS-905	201	202	1	< 0.2	2.92	6	260	< 0.5	< 2	0.39	< 0.5	11	29	20	4.26	10	30	0.25	10	0.85	480
LLS-906	201	202	1	< 0.2	2.22	< 2	330	< 0.5	2	0.45	< 0.5	11	6	7	4.14	10	40	0.30	40	1.24	1010
LLS-907	201	202	1	< 0.2	2.00	< 2	330	0.5	< 2	0.58	< 0.5	10	6	5	3.81	10	30	0.26	40	1.12	1290
LLS-908	201	202	< 1	< 0.2	2.04	< 2	410	< 0.5	< 2	0.47	< 0.5	10	6	6	4.23	10	30	0.44	40	1.22	950
LLS-909	201	202	1	< 0.2	2.40	< 2	370	< 0.5	< 2	0.49	< 0.5	11	19	13	3.97	10	40	0.33	30	1.10	760
LLS-910	201	202	1	< 0.2	2.31	< 2	280	0.5	< 2	0.48	< 0.5	11	8	9	4.59	10	70	0.24	50	1.32	1150
LLS-911	201	202	2	< 0.2	2.24	< 2	300	< 0.5	2	0.56	< 0.5	9	29	24	3.30	10	30	0.22	10	0.82	440
LLS-912	201	202	3	< 0.2	3.00	4	370	0.5	< 2	0.65	< 0.5	13	15	25	5.14	10	10	0.36	50	1.49	1065
LLS-913	201	202	1	< 0.2	2.42	2	190	0.5	< 2	0.55	< 0.5	12	6	11	4.72	10	60	0.26	60	1.35	1310
LLS-914	201	202	< 1	< 0.2	2.66	< 2	350	0.5	< 2	0.57	< 0.5	12	5	14	4.49	10	40	0.31	40	1.28	1130
LLS-915	201	202	< 1	< 0.2	2.39	< 2	220	1.0	2	1.78	< 0.5	9	4	7	3.70	10	30	0.39	30	1.17	930
LLS-916	201	202	1	< 0.2	2.61	2	420	< 0.5	2	0.61	< 0.5	12	23	23	4.23	10	30	0.52	20	1.17	870
LLS-917	201	202	3	< 0.2	2.55	< 2	340	0.5	2	0.63	< 0.5	10	8	18	4.26	10	20	0.32	40	1.04	820
LLS-918	201	202	1	< 0.2	3.10	6	460	0.5	< 2	0.60	< 0.5	12	23	40	4.41	10	20	0.49	20	1.19	770
LLS-919	201	202	< 1	< 0.2	3.34	< 2	750	0.5	< 2	0.64	< 0.5	14	11	60	5.70	10	310	1.03	50	1.66	1260
LLS-920	201	202	5	< 0.2	2.90	6	190	< 0.5	4	0.50	< 0.5	9	33	21	3.22	10	90	0.09	< 10	0.72	255
LLS-921	201	202	20	< 0.2	2.67	8	400	0.5	2	0.60	< 0.5	10	24	24	3.69	10	70	0.24	20	0.79	1000
LLS-922	201	202	5	< 0.2	2.89	< 2	250	< 0.5	2	0.81	< 0.5	11	36	34	3.61	10	70	0.20	10	0.85	420
LLS-923	201	202	1	< 0.2	2.25	< 2	450	< 0.5	< 2	0.56	< 0.5	10	18	27	3.61	10	60	0.69	10	1.00	565
LLS-924	201	202	2	< 0.2	2.59	2	240	< 0.5	< 2	0.50	< 0.5	10	36	27	3.37	< 10	30	0.09	10	0.76	335
LLS-925	201	202	1	< 0.2	1.84	< 2	290	0.5	2	0.43	< 0.5	10	7	28	3.61	10	30	0.29	40	0.96	870
LLS-926	201	202	5	< 0.2	2.58	20	250	< 0.5	< 2	0.45	< 0.5	9	28	25	3.14	10	10	0.14	10	0.67	325
LLS-927	201	202	1	< 0.2	3.08	2	460	0.5	< 2	0.61	< 0.5	10	13	26	4.55	10	40	0.69	20	1.15	805

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Certificate Date: 20-AUG-96
Invoice No. : I9627368
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9627368

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-888	201	202	1	< 0.01	14	980	10	< 2	9	34	0.11	< 10	< 10	85	< 10	70
LLS-889	201	202	1	0.05	25	1120	12	< 2	16	50	0.09	< 10	< 10	105	< 10	88
LLS-890	201	202	1	< 0.01	17	540	8	< 2	6	36	0.16	< 10	< 10	93	< 10	60
LLS-891	201	202	1	< 0.01	16	590	6	< 2	7	32	0.12	< 10	< 10	74	< 10	56
LLS-892	201	202	3	< 0.01	1	1280	10	< 2	11	61	0.01	< 10	< 10	38	< 10	72
LLS-893	201	202	1	< 0.01	7	1170	14	< 2	10	31	0.01	< 10	< 10	42	< 10	80
LLS-894	201	202	1	< 0.01	3	870	14	< 2	7	29	< 0.01	< 10	< 10	20	< 10	74
LLS-895	201	202	1	0.01	14	620	10	< 2	8	28	0.11	< 10	< 10	71	< 10	60
LLS-896	201	202	1	0.01	9	490	6	< 2	4	23	0.10	< 10	< 10	58	< 10	44
LLS-897	201	202	1	0.01	4	1170	6	< 2	7	18	0.11	< 10	< 10	63	< 10	72
LLS-898	201	202	< 1	< 0.01	10	500	8	< 2	4	22	0.11	< 10	< 10	66	< 10	46
LLS-899	201	202	< 1	0.01	6	1080	10	< 2	9	28	0.06	< 10	< 10	58	< 10	80
LLS-900	201	202	1	0.01	7	1120	6	< 2	8	24	0.11	< 10	< 10	68	< 10	78
LLS-901	201	202	1	0.01	5	1210	12	< 2	9	23	0.06	< 10	< 10	59	< 10	86
LLS-902	201	202	1	< 0.01	7	1020	8	< 2	8	26	0.14	< 10	< 10	75	< 10	82
LLS-903	201	202	1	< 0.01	4	1140	12	< 2	8	32	0.03	< 10	< 10	47	< 10	76
LLS-904	201	202	1	< 0.01	6	1170	8	< 2	9	27	0.12	< 10	< 10	72	< 10	88
LLS-905	201	202	1	< 0.01	16	590	10	< 2	6	29	0.20	< 10	< 10	105	< 10	68
LLS-906	201	202	< 1	< 0.01	5	1220	6	< 2	9	22	0.05	< 10	< 10	65	< 10	86
LLS-907	201	202	< 1	0.02	3	1030	8	< 2	8	30	0.02	< 10	< 10	52	< 10	76
LLS-908	201	202	1	0.01	3	1280	4	< 2	10	20	0.11	< 10	< 10	72	< 10	82
LLS-909	201	202	1	< 0.01	11	880	6	< 2	8	27	0.15	< 10	< 10	80	< 10	70
LLS-910	201	202	1	0.01	5	1290	8	< 2	9	24	0.04	< 10	< 10	68	< 10	86
LLS-911	201	202	< 1	< 0.01	15	590	8	< 2	7	34	0.19	< 10	< 10	77	< 10	58
LLS-912	201	202	1	< 0.01	8	1390	12	< 2	9	35	0.12	< 10	< 10	87	< 10	104
LLS-913	201	202	1	< 0.01	4	1410	14	< 2	9	30	0.01	< 10	< 10	61	< 10	94
LLS-914	201	202	1	< 0.01	4	1470	16	< 2	9	31	0.01	< 10	< 10	52	< 10	92
LLS-915	201	202	< 1	< 0.01	2	1110	16	< 2	7	100	< 0.01	< 10	< 10	41	< 10	78
LLS-916	201	202	1	< 0.01	14	1030	8	< 2	8	34	0.19	< 10	< 10	89	< 10	78
LLS-917	201	202	1	< 0.01	5	1320	8	< 2	7	31	0.03	< 10	< 10	53	< 10	82
LLS-918	201	202	1	< 0.01	13	1060	8	< 2	8	39	0.16	< 10	< 10	86	< 10	80
LLS-919	201	202	1	< 0.01	6	1680	14	< 2	13	31	0.18	< 10	< 10	94	< 10	110
LLS-920	201	202	1	< 0.01	19	430	10	< 2	6	35	0.18	< 10	< 10	84	< 10	56
LLS-921	201	202	1	< 0.01	13	670	12	< 2	8	39	0.12	< 10	< 10	69	< 10	66
LLS-922	201	202	1	0.01	21	620	8	< 2	9	50	0.20	< 10	< 10	90	< 10	66
LLS-923	201	202	1	< 0.01	10	910	6	< 2	7	33	0.20	< 10	< 10	81	< 10	72
LLS-924	201	202	1	0.01	22	460	8	< 2	7	35	0.17	< 10	< 10	83	< 10	50
LLS-925	201	202	1	0.01	4	1060	8	< 2	8	20	0.05	< 10	< 10	49	< 10	76
LLS-926	201	202	1	< 0.01	17	550	8	< 2	6	32	0.15	< 10	< 10	74	< 10	54
LLS-927	201	202	1	< 0.01	8	970	8	< 2	7	45	0.11	< 10	< 10	69	< 10	88

CERTIFICATION: Ian Bidder

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Page Number : 4-A
Total Pages : 4
Certificate Date: 20-AUG-96
Invoice No. : I9627368
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627368

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-928	201	202	< 1	< 0.2	1.76	2	320	< 0.5	< 2	0.48	< 0.5	8	3	11	3.59	< 10	40	0.44	10	0.74	820
LLS-929	201	202	< 1	< 0.2	2.36	8	330	< 0.5	< 2	0.60	< 0.5	10	21	17	3.62	10	30	0.47	10	1.02	665
LLS-930	201	202	2	< 0.2	2.75	44	540	< 0.5	2	0.67	< 0.5	11	7	8	4.46	10	30	0.75	30	1.10	755

CERTIFICATION: David Brindle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Certificate Date: 20-AUG-96
Invoice No. : I9627368
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627368

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-928	201 202	< 1	< 0.01	1	1060	6	< 2	7	32	0.08	< 10	< 10	48	< 10	64
LLS-929	201 202	1	0.01	12	830	8	< 2	7	32	0.19	< 10	< 10	80	< 10	70
LLS-930	201 202	1	< 0.01	5	1380	8	< 2	9	50	0.16	< 10	< 10	66	< 10	90

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project :
Comments: ATTN: S. SEARS/S. BROUGHTON

: Number :1-A
Total Pages :1
Certificate Date: 13-SEP-96
Invoice No. :19630447
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9630447

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS-931	201	202	6	< 0.2	2.11	60	500	< 0.5	< 2	0.60	< 0.5	10	5	6	4.32	< 10	< 10	0.53	40	0.91	1030
LLS-932	201	202	4	< 0.2	2.97	32	370	< 0.5	< 2	0.67	< 0.5	12	36	26	4.21	< 10	10	0.22	10	1.02	580
LLS-933	201	202	2	< 0.2	3.29	16	420	< 0.5	< 2	0.60	< 0.5	12	17	11	4.64	10	< 10	0.30	20	1.14	710
LLS-934	201	202	4	< 0.2	1.79	8	390	< 0.5	< 2	0.77	< 0.5	9	4	3	3.75	< 10	< 10	0.59	10	1.08	685
LLS-935	201	202	15	< 0.2	2.26	38	480	< 0.5	< 2	1.14	< 0.5	12	5	11	4.60	10	< 10	0.44	30	1.19	945
LLS-936	201	202	6	< 0.2	2.23	74	680	< 0.5	< 2	0.69	< 0.5	11	4	12	4.85	< 10	< 10	0.47	30	1.05	1205
LLS-937	201	202	9	< 0.2	2.62	28	300	< 0.5	< 2	0.67	< 0.5	10	35	20	3.76	< 10	10	0.14	10	0.87	480
LLS-938	201	202	5	< 0.2	2.07	24	470	< 0.5	< 2	0.74	< 0.5	11	6	9	4.45	< 10	< 10	0.46	30	1.25	990

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project :
Comments: ATTN: S. SEARS/S. BROUGHTON

Number : 1-B
Total Pages : 1
Certificate Date: 13-SEP-96
Invoice No. : 19630447
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9630447

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS-931	201	202	< 1	0.01	5	1320	14	< 2	9	31	0.10	< 10	< 10	62	< 10	88
LLS-932	201	202	< 1	0.01	20	640	10	< 2	8	44	0.20	< 10	< 10	99	< 10	68
LLS-933	201	202	< 1	< 0.01	10	1000	14	< 2	7	64	0.12	< 10	< 10	77	< 10	86
LLS-934	201	202	1	< 0.01	3	1010	8	< 2	5	26	0.18	< 10	< 10	69	< 10	82
LLS-935	201	202	1	0.01	4	1190	12	< 2	7	38	0.21	< 10	< 10	83	< 10	104
LLS-936	201	202	< 1	0.01	4	1630	12	< 2	8	33	0.10	< 10	< 10	69	< 10	98
LLS-937	201	202	< 1	0.01	17	700	14	< 2	7	49	0.18	< 10	< 10	97	< 10	64
LLS-938	201	202	< 1	0.01	4	1440	14	< 2	7	24	0.16	< 10	< 10	79	< 10	90

CERTIFICATION: Ian R Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Certificate Date: 20-AUG-96
Invoice No. : I9627398
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627398

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 0939	201	202	9	< 0.2	2.56	30	400	< 0.5	< 2	0.49	< 0.5	8	34	20	3.47	< 10	10	0.11	20	0.74	530
LLS 0940	201	202	20	< 0.2	1.43	228	400	< 0.5	< 2	0.83	< 0.5	11	4	16	4.27	< 10	10	0.10	60	0.51	1360
LLS 0941	201	202	97	< 0.2	2.67	144	270	< 0.5	< 2	0.81	< 0.5	11	23	15	4.69	< 10	< 10	0.41	10	1.08	920
LLS 0942	201	202	4	< 0.2	1.79	86	380	< 0.5	< 2	0.47	< 0.5	9	4	6	4.12	< 10	10	0.45	30	0.78	765
LLS 0943	201	202	3	< 0.2	2.69	22	640	< 0.5	2	0.83	< 0.5	9	8	10	4.76	< 10	10	0.83	30	1.35	875
LLS 0944	201	202	13	< 0.2	2.89	72	480	0.5	< 2	0.81	< 0.5	10	9	11	4.71	< 10	10	0.36	30	1.25	1125
LLS 0945	201	202	50	< 0.2	3.30	148	540	0.5	< 2	0.68	< 0.5	11	15	20	4.97	< 10	< 10	0.51	30	1.15	1010
LLS 0946	201	202	82	< 0.2	2.43	154	710	0.5	< 2	0.60	< 0.5	10	7	13	4.28	< 10	< 10	0.35	40	0.90	1650
LLS 0947	201	202	11	< 0.2	2.52	6	350	< 0.5	< 2	0.62	< 0.5	10	32	22	3.67	< 10	30	0.16	10	0.88	490
LLS 0948	201	202	145	< 0.2	2.03	482	510	< 0.5	< 2	0.61	< 0.5	10	12	23	4.21	< 10	10	0.65	30	1.03	935
LLS 0949	201	202	8	< 0.2	2.79	16	320	< 0.5	< 2	0.66	< 0.5	11	32	21	4.03	< 10	10	0.20	10	0.96	605
LLS 0950	201	202	< 1	< 0.2	2.36	10	550	< 0.5	< 2	0.70	< 0.5	10	9	9	4.78	< 10	10	0.80	30	1.26	1010
LLS 0951	201	202	3	< 0.2	2.60	12	420	< 0.5	< 2	0.59	< 0.5	9	10	9	4.38	< 10	< 10	0.61	30	1.10	835
LLS 0952	201	202	6	< 0.2	2.45	14	400	0.5	< 2	0.79	< 0.5	18	34	15	4.55	< 10	10	0.40	40	1.12	1260
LLS 0953	201	202	< 1	< 0.2	3.33	6	470	< 0.5	2	0.71	< 0.5	13	15	20	5.32	< 10	10	0.96	20	1.38	1345
LLS 0954	201	202	3	< 0.2	2.91	16	500	0.5	< 2	0.75	< 0.5	12	13	12	5.52	< 10	< 10	0.80	30	1.66	930
LLS 0955	201	202	7	< 0.2	2.37	8	300	< 0.5	< 2	0.57	< 0.5	9	33	17	3.45	< 10	10	0.12	10	0.85	395
LLS 0956	201	202	3	< 0.2	2.05	8	540	< 0.5	< 2	0.77	< 0.5	8	8	9	4.00	< 10	< 10	0.75	30	1.09	780
LLS 0957	201	202	44	< 0.2	2.86	108	480	< 0.5	< 2	0.79	< 0.5	10	12	12	5.09	< 10	< 10	0.80	30	1.30	960
LLS 0958	201	202	64	< 0.2	2.07	88	550	< 0.5	< 2	0.60	< 0.5	8	6	11	4.25	< 10	10	0.93	20	1.12	850
LLS 0959	201	202	24	< 0.2	2.46	54	440	< 0.5	< 2	0.74	< 0.5	10	10	11	4.46	< 10	10	0.63	10	1.07	840
LLS 0960	201	202	2	< 0.2	1.78	20	500	< 0.5	< 2	0.75	< 0.5	8	7	8	3.97	< 10	< 10	0.67	20	1.01	745
LLS 0961	201	202	16	< 0.2	3.14	138	330	< 0.5	2	0.67	< 0.5	12	28	16	4.61	< 10	< 10	0.31	10	1.16	630
LLS 0962	201	202	7	< 0.2	2.08	90	160	0.5	2	1.11	< 0.5	19	59	17	4.45	< 10	< 10	0.11	10	1.64	640
LLS 0963	201	202	11	< 0.2	1.32	52	100	< 0.5	2	0.73	< 0.5	11	36	9	2.78	< 10	< 10	0.06	10	0.98	475
LLS 0964	201	202	65	< 0.2	2.80	266	350	< 0.5	2	0.95	< 0.5	12	22	15	5.18	< 10	< 10	0.51	10	1.41	895
LLS 0965	201	202	66	< 0.2	2.38	166	470	< 0.5	2	0.85	< 0.5	10	12	16	4.51	< 10	10	0.66	30	1.26	930
LLS 0966	201	202	14	< 0.2	2.98	226	420	< 0.5	< 2	0.82	< 0.5	13	24	17	5.08	< 10	< 10	0.56	30	1.38	855
LLS 0967	201	202	24	< 0.2	2.35	138	570	< 0.5	< 2	0.98	< 0.5	10	8	8	4.68	< 10	< 10	0.88	40	1.29	920
LLS 0968	201	202	8	< 0.2	2.55	38	290	< 0.5	< 2	0.66	< 0.5	10	28	16	3.86	< 10	< 10	0.18	10	0.98	555
LLS 0969	201	202	4	< 0.2	2.45	50	480	< 0.5	2	0.79	< 0.5	12	10	8	5.17	< 10	< 10	0.51	40	1.44	1135
LLS 0970	201	202	1	< 0.2	2.88	16	360	< 0.5	< 2	0.79	< 0.5	11	16	9	4.78	< 10	< 10	0.44	20	1.36	910
LLS 0971	201	202	1	< 0.2	2.34	14	280	0.5	< 2	0.71	< 0.5	12	6	4	4.80	< 10	< 10	0.16	40	1.34	1075
LLS 0972	201	202	21	< 0.2	2.75	70	780	0.5	< 2	0.79	< 0.5	10	7	7	4.70	< 10	< 10	0.52	20	1.26	1030
LLS 0973	201	202	80	< 0.2	2.11	60	420	0.5	< 2	0.83	0.5	8	4	7	2.87	< 10	20	0.26	30	0.84	1320
LLS 0974	201	202	22	< 0.2	2.43	78	240	< 0.5	< 2	0.54	< 0.5	8	27	15	3.49	< 10	30	0.11	10	0.81	405
LLS 0975	201	202	4	< 0.2	2.58	70	610	< 0.5	2	0.70	< 0.5	9	10	19	4.70	< 10	< 10	1.30	20	1.37	785
LLS 0976	201	202	20	< 0.2	2.50	70	340	< 0.5	< 2	0.66	< 0.5	10	27	20	4.30	< 10	20	0.28	30	0.95	555
LLS 0977	201	202	6	< 0.2	2.29	24	530	< 0.5	2	0.90	< 0.5	11	10	12	4.59	< 10	< 10	0.84	30	1.27	850
LLS 0978	201	202	26	< 0.2	2.82	110	360	< 0.5	< 2	0.76	< 0.5	10	41	31	4.19	< 10	30	0.25	30	0.98	565

CERTIFICATION: Bart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Page Number : 1-B
Total Pages : 2
Certificate Date: 20-AUG-96
Invoice No. : I9627398
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627398

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 0939	201 202	1	0.01	17	430	6	2	7	34	0.16	< 10	< 10	88	< 10	54
LLS 0940	201 202	2	0.01	10	2190	64	< 2	16	69	< 0.01	< 10	< 10	29	< 10	58
LLS 0941	201 202	1	< 0.01	13	1490	6	< 2	8	37	0.19	< 10	< 10	84	< 10	88
LLS 0942	201 202	1	0.01	3	1180	6	< 2	8	21	0.06	< 10	< 10	55	< 10	80
LLS 0943	201 202	1	0.01	4	1310	< 2	< 2	8	30	0.26	< 10	< 10	93	< 10	92
LLS 0944	201 202	1	< 0.01	5	1320	< 2	< 2	10	35	0.10	< 10	< 10	79	< 10	90
LLS 0945	201 202	2	< 0.01	9	1380	4	2	9	34	0.13	< 10	< 10	87	< 10	94
LLS 0946	201 202	1	< 0.01	6	1230	8	2	8	30	0.03	< 10	< 10	54	< 10	80
LLS 0947	201 202	2	< 0.01	18	640	< 2	< 2	7	40	0.18	< 10	< 10	91	< 10	56
LLS 0948	201 202	2	< 0.01	5	1280	2	< 2	6	25	0.16	< 10	< 10	74	< 10	80
LLS 0949	201 202	2	0.01	19	780	2	< 2	7	41	0.19	< 10	< 10	95	< 10	66
LLS 0950	201 202	1	< 0.01	5	1580	2	< 2	8	23	0.20	< 10	< 10	90	< 10	96
LLS 0951	201 202	1	< 0.01	6	1350	6	< 2	8	37	0.10	< 10	< 10	68	< 10	82
LLS 0952	201 202	2	0.03	28	1290	2	< 2	11	51	0.06	< 10	< 10	61	< 10	80
LLS 0953	201 202	1	< 0.01	8	1850	< 2	< 2	10	31	0.24	< 10	< 10	97	< 10	102
LLS 0954	201 202	1	0.01	9	1620	< 2	< 2	13	39	0.18	< 10	< 10	90	< 10	98
LLS 0955	201 202	1	< 0.01	18	480	< 2	< 2	6	36	0.18	< 10	< 10	90	< 10	52
LLS 0956	201 202	1	0.01	5	1170	2	< 2	7	25	0.20	< 10	< 10	75	< 10	78
LLS 0957	201 202	1	< 0.01	6	1700	16	< 2	8	30	0.22	< 10	< 10	92	< 10	110
LLS 0958	201 202	1	< 0.01	3	1300	6	< 2	8	22	0.18	< 10	< 10	74	< 10	90
LLS 0959	201 202	1	< 0.01	5	1850	2	< 2	7	23	0.17	< 10	< 10	83	< 10	92
LLS 0960	201 202	1	0.01	3	1140	< 2	< 2	5	20	0.17	< 10	< 10	75	< 10	74
LLS 0961	201 202	2	< 0.01	16	790	2	< 2	7	36	0.21	< 10	< 10	101	< 10	76
LLS 0962	201 202	1	0.01	29	1210	< 2	< 2	10	59	0.28	< 10	< 10	84	< 10	66
LLS 0963	201 202	1	0.01	17	700	< 2	< 2	7	36	0.31	< 10	< 10	58	< 10	44
LLS 0964	201 202	1	< 0.01	10	1590	6	2	8	40	0.23	< 10	< 10	99	< 10	100
LLS 0965	201 202	1	0.01	5	1430	6	2	8	31	0.20	< 10	< 10	86	< 10	96
LLS 0966	201 202	1	< 0.01	11	1240	6	< 2	9	39	0.24	< 10	< 10	108	< 10	94
LLS 0967	201 202	1	< 0.01	4	1680	6	< 2	7	22	0.23	< 10	< 10	94	< 10	98
LLS 0968	201 202	1	< 0.01	15	740	12	< 2	6	38	0.19	< 10	< 10	96	< 10	68
LLS 0969	201 202	1	< 0.01	5	1630	6	< 2	10	27	0.21	< 10	< 10	98	< 10	104
LLS 0970	201 202	2	< 0.01	9	1340	4	< 2	7	34	0.20	< 10	< 10	93	< 10	94
LLS 0971	201 202	1	< 0.01	6	1530	8	< 2	9	27	0.07	< 10	< 10	77	< 10	102
LLS 0972	201 202	1	< 0.01	5	1530	24	< 2	8	35	0.07	< 10	< 10	60	< 10	128
LLS 0973	201 202	1	< 0.01	6	920	28	< 2	7	42	< 0.01	< 10	< 10	24	< 10	68
LLS 0974	201 202	1	< 0.01	14	410	8	< 2	5	33	0.16	< 10	< 10	92	< 10	58
LLS 0975	201 202	1	< 0.01	4	1680	< 2	< 2	5	20	0.29	< 10	< 10	96	< 10	92
LLS 0976	201 202	1	< 0.01	13	890	12	< 2	7	35	0.18	< 10	< 10	95	< 10	90
LLS 0977	201 202	1	< 0.01	5	1390	< 2	< 2	6	24	0.23	< 10	< 10	94	< 10	98
LLS 0978	201 202	1	0.01	19	850	6	< 2	11	46	0.19	< 10	< 10	103	< 10	72

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Page Number : 2-A
Total Pages : 2
Certificate Date: 20-AUG-96
Invoice No. : 19627398
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627398

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 0979	201	202	7	< 0.2	1.94	150	480	< 0.5	< 2	0.60	< 0.5	9	6	14	4.12	< 10	< 10	0.57	30	0.97	1085
LLS 0980	201	202	15	< 0.2	2.46	12	380	< 0.5	< 2	0.59	< 0.5	11	26	19	4.10	< 10	< 10	0.34	20	1.01	670
LLS 0981	201	202	< 1	< 0.2	2.03	6	560	< 0.5	< 2	0.60	< 0.5	9	11	12	4.16	< 10	< 10	0.71	20	1.11	755
LLS 0982	201	202	2	< 0.2	2.61	6	360	< 0.5	2	0.68	< 0.5	12	37	18	4.30	< 10	< 10	0.36	20	1.21	705
LLS 0983	201	202	1	< 0.2	2.69	20	600	< 0.5	< 2	0.83	< 0.5	12	11	10	5.11	< 10	< 10	0.48	30	1.27	1220
LLS 0984	201	202	4	< 0.2	2.01	2	690	< 0.5	< 2	0.60	< 0.5	9	6	7	4.33	< 10	< 10	0.97	30	1.19	965
LLS 0985	201	202	1	< 0.2	1.94	2	630	< 0.5	< 2	0.60	< 0.5	9	7	8	4.19	< 10	10	0.84	20	1.12	945
LLS 0986	201	202	43	< 0.2	2.27	82	270	< 0.5	< 2	0.77	< 0.5	13	33	17	4.28	< 10	20	0.21	20	1.02	670
LLS 0987	201	202	10	< 0.2	2.32	46	500	< 0.5	< 2	0.88	< 0.5	11	8	20	5.18	< 10	< 10	0.86	30	1.48	915
LLS 0988	201	202	23	< 0.2	2.95	112	500	0.5	< 2	0.83	< 0.5	12	18	16	5.54	< 10	10	0.67	30	1.44	1010
LLS 0989	201	202	20	< 0.2	3.08	40	700	< 0.5	< 2	0.77	< 0.5	15	4	27	6.20	< 10	< 10	0.87	30	1.70	1520
LLS 0990	201	202	12	< 0.2	2.57	62	320	< 0.5	< 2	0.65	< 0.5	10	25	15	4.25	< 10	10	0.24	10	1.08	615
LLS 0991	201	202	12	< 0.2	2.82	64	600	< 0.5	< 2	0.70	< 0.5	10	7	18	4.87	< 10	< 10	0.77	30	1.43	1050
LLS 0992	201	202	155	0.2	2.31	356	330	< 0.5	< 2	0.73	0.5	11	20	19	4.56	< 10	10	0.48	30	0.98	825
LLS 0993	201	202	270	1.4	1.52	642	360	0.5	< 2	0.56	4.5	16	11	22	4.33	< 10	30	0.28	40	0.51	1290
LLS 0994	201	202	13	< 0.2	2.69	52	390	< 0.5	2	0.80	< 0.5	11	11	13	5.10	< 10	10	0.95	20	1.36	895
LLS 0995	201	202	26	< 0.2	2.08	84	520	< 0.5	< 2	0.69	< 0.5	10	9	16	4.43	< 10	< 10	0.81	20	1.15	870
LLS 0996	201	202	20	< 0.2	2.50	76	290	< 0.5	< 2	0.73	< 0.5	10	38	19	3.97	< 10	30	0.25	10	1.03	515
LLS 0997	201	202	3	< 0.2	2.36	48	550	< 0.5	< 2	0.74	< 0.5	11	10	51	4.75	< 10	< 10	1.16	30	1.37	810
LLS 0998	201	202	37	< 0.2	2.98	610	370	< 0.5	< 2	0.71	0.5	12	16	17	5.44	< 10	< 10	0.79	30	1.23	955
LLS 0999	201	202	360	1.4	1.86	1590	530	< 0.5	< 2	0.64	4.0	13	9	17	5.35	< 10	60	0.48	40	0.75	1460
LLS 1000	201	202	20	< 0.2	2.25	86	230	< 0.5	< 2	0.51	< 0.5	9	32	16	3.35	< 10	20	0.07	10	0.73	390
LLS 1001	201	202	26	< 0.2	2.61	90	670	< 0.5	< 2	1.13	< 0.5	12	10	21	5.13	< 10	20	0.66	30	1.31	1135
LLS 1002	201	202	12	< 0.2	2.48	24	310	< 0.5	< 2	0.67	< 0.5	10	37	26	3.77	< 10	40	0.12	10	0.83	520
LLS 1003	201	202	17	< 0.2	1.94	30	520	< 0.5	< 2	0.67	< 0.5	8	5	14	3.89	< 10	< 10	0.82	20	1.10	825
LLS 1004	201	202	6	< 0.2	2.68	24	290	< 0.5	< 2	0.67	< 0.5	9	35	23	3.60	< 10	30	0.15	10	0.81	505
LLS 1005	201	202	3	< 0.2	2.80	120	300	0.5	< 2	0.96	< 0.5	20	85	23	5.49	< 10	10	0.25	30	1.40	750
LLS 1006	201	202	3	< 0.2	4.04	110	340	0.5	< 2	1.41	< 0.5	27	114	27	7.12	< 10	10	0.11	30	2.30	1385
LLS 1007	201	202	3	< 0.2	3.95	114	350	0.5	< 2	1.39	< 0.5	28	112	27	7.14	< 10	10	0.12	30	2.27	1370
LLS 1008	201	202	2	< 0.2	2.41	12	380	< 0.5	2	0.77	< 0.5	10	19	15	4.49	< 10	10	0.49	20	1.15	680
LLS 1009	201	202	50	< 0.2	2.12	160	460	< 0.5	< 2	0.75	< 0.5	10	10	17	4.47	< 10	10	0.67	30	1.02	940
LLS 1010	201	202	3	< 0.2	2.89	36	710	0.5	< 2	0.67	< 0.5	11	7	32	5.04	< 10	< 10	0.67	50	0.90	1150
LLS 1011	201	202	10	< 0.2	2.17	36	580	0.5	< 2	0.67	< 0.5	10	3	32	4.40	< 10	10	0.51	50	0.71	835
LLS 1012	201	202	< 1	< 0.2	2.09	16	470	< 0.5	2	0.51	< 0.5	9	12	8	4.13	< 10	20	0.76	10	1.10	655
LLS 1013	201	202	1	< 0.2	1.87	38	540	< 0.5	< 2	0.59	< 0.5	10	6	8	4.24	< 10	10	0.60	20	1.08	980
LLS 1014	201	202	3	< 0.2	1.78	18	250	< 0.5	< 2	0.56	< 0.5	9	26	17	2.90	< 10	30	0.08	10	0.67	635
LLS 1015	201	202	4	< 0.2	1.81	8	480	< 0.5	< 2	0.59	< 0.5	9	12	10	3.85	< 10	< 10	0.67	10	1.05	700
LLS 1016	201	202	< 1	< 0.2	2.00	< 2	670	< 0.5	< 2	0.63	< 0.5	9	7	6	4.18	< 10	10	0.91	20	1.18	725
LLS 1017	201	202	1	< 0.2	2.41	46	440	< 0.5	2	0.78	< 0.5	10	9	10	4.55	< 10	< 10	0.95	10	1.13	870
LLS 1018	201	202	5	< 0.2	1.90	42	450	< 0.5	< 2	0.70	< 0.5	7	4	7	3.75	< 10	< 10	0.76	20	0.92	840

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:S.SEARS/S.BROUGHTON

Page Number : 2-B
Total Pages : 2
Certificate Date: 20-AUG-96
Invoice No. : 19627398
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627398

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 0979	201	202	1	0.01	3	1380	< 2	< 2	8	24	0.12	< 10	< 10	72	< 10	80
LLS 0980	201	202	1	< 0.01	14	970	< 2	< 2	6	29	0.18	< 10	< 10	95	< 10	72
LLS 0981	201	202	1	< 0.01	5	1370	< 2	< 2	5	21	0.17	< 10	< 10	83	< 10	80
LLS 0982	201	202	1	< 0.01	18	1090	2	< 2	7	34	0.18	< 10	< 10	96	< 10	74
LLS 0983	201	202	1	< 0.01	6	1610	2	< 2	10	34	0.19	< 10	< 10	97	< 10	104
LLS 0984	201	202	< 1	0.01	3	1380	< 2	< 2	7	18	0.20	< 10	< 10	83	< 10	86
LLS 0985	201	202	1	0.01	4	1460	2	< 2	7	19	0.19	< 10	< 10	82	< 10	84
LLS 0986	201	202	1	0.01	19	1110	10	< 2	7	80	0.14	< 10	< 10	96	< 10	74
LLS 0987	201	202	1	0.01	4	1600	< 2	< 2	7	29	0.27	< 10	< 10	105	< 10	104
LLS 0988	201	202	1	< 0.01	9	1720	18	2	11	34	0.19	< 10	< 10	107	< 10	124
LLS 0989	201	202	1	< 0.01	5	1710	< 2	2	15	28	0.17	< 10	< 10	114	< 10	130
LLS 0990	201	202	1	< 0.01	13	830	4	2	6	31	0.19	< 10	< 10	94	< 10	74
LLS 0991	201	202	1	< 0.01	5	1460	20	< 2	9	27	0.14	< 10	< 10	82	< 10	112
LLS 0992	201	202	1	< 0.01	8	1130	78	4	7	37	0.18	< 10	< 10	85	< 10	162
LLS 0993	201	202	3	< 0.01	6	1180	250	6	7	34	0.07	< 10	< 10	54	< 10	438
LLS 0994	201	202	1	< 0.01	5	1720	2	< 2	8	26	0.24	< 10	< 10	101	< 10	102
LLS 0995	201	202	< 1	< 0.01	4	1480	4	< 2	7	20	0.18	< 10	< 10	84	< 10	90
LLS 0996	201	202	1	0.01	19	950	2	< 2	7	39	0.18	< 10	< 10	92	< 10	66
LLS 0997	201	202	10	< 0.01	4	1620	< 2	< 2	7	18	0.24	< 10	< 10	92	< 10	94
LLS 0998	201	202	1	< 0.01	7	1570	70	2	8	28	0.22	< 10	< 10	103	< 10	204
LLS 0999	201	202	2	< 0.01	5	1510	120	8	9	30	0.10	< 10	< 10	70	< 10	354
LLS 1000	201	202	1	< 0.01	15	430	10	< 2	5	30	0.14	< 10	< 10	87	< 10	56
LLS 1001	201	202	1	< 0.01	6	2500	10	2	9	27	0.18	< 10	< 10	92	< 10	118
LLS 1002	201	202	1	< 0.01	19	650	14	< 2	8	38	0.16	< 10	< 10	96	< 10	60
LLS 1003	201	202	< 1	0.01	3	1440	< 2	< 2	6	18	0.17	< 10	< 10	72	< 10	80
LLS 1004	201	202	1	< 0.01	16	550	8	< 2	7	41	0.18	< 10	< 10	94	< 10	58
LLS 1005	201	202	2	0.02	33	1960	10	2	11	47	0.11	< 10	< 10	105	< 10	98
LLS 1006	201	202	3	0.01	49	2010	< 2	< 2	15	77	0.04	< 10	< 10	105	< 10	108
LLS 1007	201	202	3	0.01	49	2010	2	2	15	73	0.05	< 10	< 10	106	< 10	110
LLS 1008	201	202	1	< 0.01	10	1340	4	2	6	29	0.20	< 10	< 10	95	< 10	78
LLS 1009	201	202	1	< 0.01	5	1800	18	< 2	7	22	0.17	< 10	< 10	80	< 10	80
LLS 1010	201	202	4	< 0.01	4	1650	6	< 2	9	32	0.07	< 10	< 10	67	< 10	102
LLS 1011	201	202	1	0.01	3	1550	8	< 2	8	29	0.05	< 10	< 10	50	< 10	90
LLS 1012	201	202	< 1	< 0.01	6	1210	2	< 2	5	16	0.20	< 10	< 10	83	< 10	82
LLS 1013	201	202	1	< 0.01	3	1370	2	< 2	6	18	0.17	< 10	< 10	75	< 10	88
LLS 1014	201	202	1	0.01	15	610	2	< 2	5	38	0.09	< 10	< 10	69	< 10	50
LLS 1015	201	202	1	< 0.01	6	1260	< 2	< 2	5	21	0.18	< 10	< 10	76	< 10	72
LLS 1016	201	202	1	0.01	4	1280	2	< 2	4	22	0.20	< 10	< 10	80	< 10	80
LLS 1017	201	202	1	< 0.01	4	1660	< 2	< 2	6	20	0.21	< 10	< 10	84	< 10	86
LLS 1018	201	202	1	0.01	1	1300	< 2	< 2	5	17	0.17	< 10	< 10	69	< 10	70

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEAR/SCOTT BROUGHTON

Page Number : 1-A
Total Pages : 3
Certificate Date: 22-AUG-96
Invoice No. : I9627790
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627790

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1019	201	202	455	1.2	1.76	2430	540	< 0.5	2	0.71	10.5	12	6	15	5.30	< 10	30	0.58	50	0.81	1105
LLS 1020	201	202	15	< 0.2	2.84	58	230	< 0.5	< 2	0.45	< 0.5	10	31	18	3.71	< 10	20	0.09	10	0.76	330
LLS 1021	201	202	13	< 0.2	2.35	104	2110	< 0.5	2	0.62	< 0.5	13	6	26	4.75	< 10	< 10	0.79	30	1.02	1245
LLS 1022	201	202	90	< 0.2	2.45	54	300	< 0.5	< 2	0.50	< 0.5	10	30	18	3.58	< 10	< 10	0.16	10	0.78	370
LLS 1023	201	202	38	< 0.2	2.60	222	690	< 0.5	2	0.74	< 0.5	14	10	18	5.38	10	10	0.87	30	1.43	1175
LLS 1024	201	202	425	< 0.2	2.11	24	360	< 0.5	< 2	0.65	< 0.5	13	29	16	4.43	< 10	10	0.33	10	1.05	630
LLS 1025	201	202	9	< 0.2	2.00	22	480	< 0.5	< 2	0.73	< 0.5	11	24	16	4.13	< 10	< 10	0.54	20	1.13	650
LLS 1026	201	202	85	< 0.2	2.83	86	330	0.5	< 2	1.18	< 0.5	18	46	30	5.11	< 10	10	0.28	10	1.78	590
LLS 1027	201	202	8	< 0.2	2.43	74	140	< 0.5	< 2	1.76	< 0.5	27	37	35	5.08	< 10	< 10	0.17	20	2.23	525
LLS 1028	201	202	4	< 0.2	2.54	88	140	0.5	< 2	1.77	< 0.5	27	37	35	5.15	< 10	< 10	0.18	20	2.27	545
LLS 1029	201	202	75	< 0.2	1.98	414	530	< 0.5	< 2	0.65	0.5	11	7	14	4.57	< 10	< 10	0.64	30	0.95	1005
LLS 1030	201	202	17	< 0.2	1.96	56	690	< 0.5	< 2	0.66	< 0.5	11	5	13	4.51	< 10	< 10	0.97	20	1.21	825
LLS 1031	201	202	16	< 0.2	3.18	258	660	0.5	< 2	0.67	0.5	11	7	28	5.40	10	10	1.06	20	1.38	920
LLS 1032	201	202	11	< 0.2	2.12	328	730	< 0.5	2	0.70	0.5	11	4	33	4.44	10	10	0.42	40	0.90	1170
LLS 1033	201	202	6	< 0.2	2.40	110	530	0.5	< 2	0.79	< 0.5	13	7	15	4.92	10	< 10	0.41	20	1.13	1165
LLS 1034	201	202	4	< 0.2	2.18	124	320	0.5	< 2	0.89	< 0.5	13	4	10	4.57	10	< 10	0.31	40	1.09	1150
LLS 1035	201	202	60	< 0.2	2.61	46	520	< 0.5	2	0.60	< 0.5	12	7	13	5.09	10	< 10	1.00	10	1.23	885
LLS 1036	201	202	13	< 0.2	1.96	56	940	< 0.5	< 2	0.62	< 0.5	11	5	10	4.21	10	< 10	0.87	20	1.10	1015
LLS 1037	201	202	8	< 0.2	1.98	16	330	< 0.5	< 2	0.40	< 0.5	12	24	20	2.96	< 10	20	0.15	10	0.62	650
LLS 1038	201	202	17	< 0.2	2.30	24	680	< 0.5	< 2	0.65	< 0.5	13	10	11	4.51	10	< 10	0.91	10	1.27	820
LLS 1039	201	202	8	< 0.2	2.74	24	590	0.5	< 2	0.90	< 0.5	14	11	14	5.69	10	< 10	0.86	20	1.48	1065
LLS 1040	201	202	4	< 0.2	2.12	10	580	< 0.5	< 2	0.71	< 0.5	12	8	10	4.74	10	< 10	1.01	10	1.32	820
LLS 1041	201	202	12	< 0.2	2.88	72	440	< 0.5	< 2	0.70	< 0.5	13	14	34	5.24	10	< 10	0.97	10	1.49	930
LLS 1042	201	202	7	< 0.2	2.40	60	660	< 0.5	< 2	0.65	< 0.5	12	8	15	4.76	10	< 10	1.09	20	1.36	900
LLS 1043	201	202	6	< 0.2	2.84	124	130	0.5	< 2	1.37	< 0.5	26	72	40	5.61	10	10	0.10	20	2.34	450
LLS 1044	201	202	3	< 0.2	2.41	58	450	< 0.5	2	1.00	< 0.5	14	8	10	5.50	10	< 10	0.96	10	1.58	1000
LLS 1045	201	202	9	< 0.2	3.26	56	400	0.5	< 2	0.66	< 0.5	15	64	28	4.33	10	40	0.14	10	1.13	510
LLS 1046	201	202	6	< 0.2	2.92	32	550	0.5	2	0.75	< 0.5	12	6	11	4.52	10	< 10	0.50	30	1.29	735
LLS 1047	201	202	2	< 0.2	2.02	20	480	< 0.5	2	0.60	< 0.5	10	6	6	4.26	< 10	< 10	0.88	20	1.07	625
LLS 1048	201	202	4	< 0.2	2.39	30	710	< 0.5	2	0.70	< 0.5	13	6	6	4.64	10	< 10	1.11	20	1.35	865
LLS 1049	201	202	7	< 0.2	2.76	106	580	< 0.5	< 2	0.71	< 0.5	15	15	18	5.30	10	10	0.54	20	1.28	1045
LLS 1050	201	202	9	< 0.2	3.14	204	730	0.5	2	0.92	< 0.5	22	46	30	5.67	10	10	0.24	40	1.77	1265
LLS 1051	201	202	8	< 0.2	3.27	188	820	0.5	2	0.99	< 0.5	29	76	36	5.84	10	< 10	0.24	40	1.96	1430
LLS 1052	201	202	17	< 0.2	2.45	32	340	< 0.5	2	0.93	< 0.5	13	52	25	4.32	< 10	< 10	0.18	20	1.22	485
LLS 1053	201	202	2	< 0.2	1.19	42	110	< 0.5	2	0.79	< 0.5	12	39	14	2.50	< 10	< 10	0.05	10	0.84	330
LLS 1054	201	202	5	< 0.2	2.82	108	490	0.5	2	0.73	< 0.5	13	9	15	5.29	10	10	0.78	40	1.34	920
LLS 1055	201	202	9	< 0.2	2.41	138	340	0.5	< 2	0.74	< 0.5	14	5	15	4.83	10	< 10	0.48	40	1.12	1265
LLS 1056	201	202	134	< 0.2	2.36	26	240	< 0.5	2	0.69	< 0.5	11	37	25	3.76	< 10	100	0.13	10	0.87	405
LLS 1057	201	202	44	< 0.2	2.20	64	520	< 0.5	2	0.60	< 0.5	11	5	49	4.43	< 10	10	0.90	20	1.16	940
LLS 1058	201	202	18	< 0.2	2.26	30	840	< 0.5	< 2	0.73	< 0.5	12	6	8	5.02	10	< 10	0.87	30	1.27	1170

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEAR/SCOTT BROUGHTON

Certificate Date: 22-AUG-96
Invoice No. : 19627790
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627790

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 1019	201	202	< 1	< 0.01	4	1600	226	8	8	26	0.14	< 10	< 10	86	< 10	420
LLS 1020	201	202	< 1	< 0.01	16	360	10	< 2	6	33	0.17	< 10	< 10	99	< 10	62
LLS 1021	201	202	< 1	0.01	5	1480	2	< 2	10	24	0.14	< 10	< 10	70	< 10	96
LLS 1022	201	202	< 1	< 0.01	15	550	6	< 2	5	29	0.15	< 10	< 10	91	< 10	60
LLS 1023	201	202	< 1	< 0.01	7	1630	12	< 2	9	23	0.21	< 10	< 10	98	< 10	126
LLS 1024	201	202	< 1	< 0.01	15	1140	2	< 2	6	30	0.16	< 10	< 10	100	< 10	76
LLS 1025	201	202	< 1	< 0.01	12	1580	4	< 2	6	28	0.17	< 10	< 10	88	< 10	84
LLS 1026	201	202	< 1	0.01	49	1420	6	6	8	56	0.30	< 10	< 10	93	< 10	88
LLS 1027	201	202	< 1	0.07	98	1520	< 2	< 2	6	78	0.37	< 10	< 10	60	< 10	88
LLS 1028	201	202	< 1	0.07	97	1520	< 2	4	6	79	0.39	< 10	< 10	62	< 10	92
LLS 1029	201	202	< 1	< 0.01	6	1830	24	6	7	18	0.14	< 10	< 10	79	< 10	102
LLS 1030	201	202	< 1	0.01	3	1440	2	< 2	6	16	0.20	< 10	< 10	88	< 10	84
LLS 1031	201	202	< 1	< 0.01	5	1740	6	< 2	13	32	0.15	< 10	< 10	92	< 10	102
LLS 1032	201	202	< 1	0.01	5	1430	10	< 2	7	32	0.02	< 10	< 10	57	< 10	88
LLS 1033	201	202	< 1	< 0.01	6	1560	< 2	2	8	33	0.16	< 10	< 10	81	< 10	102
LLS 1034	201	202	< 1	0.01	3	1590	2	< 2	9	37	0.10	< 10	< 10	66	< 10	108
LLS 1035	201	202	< 1	< 0.01	4	1730	2	6	6	16	0.23	< 10	< 10	94	< 10	96
LLS 1036	201	202	< 1	0.01	3	1430	2	< 2	8	17	0.19	< 10	< 10	76	< 10	84
LLS 1037	201	202	< 1	0.01	14	670	6	< 2	5	26	0.13	< 10	< 10	75	< 10	52
LLS 1038	201	202	< 1	0.01	6	1630	2	< 2	6	20	0.21	< 10	< 10	92	< 10	92
LLS 1039	201	202	< 1	< 0.01	7	1610	6	< 2	12	44	0.26	< 10	< 10	118	< 10	110
LLS 1040	201	202	< 1	< 0.01	4	1460	2	< 2	7	25	0.23	< 10	< 10	95	< 10	96
LLS 1041	201	202	1	< 0.01	7	1500	2	< 2	7	26	0.28	< 10	< 10	115	100	104
LLS 1042	201	202	< 1	0.01	4	1590	2	< 2	6	17	0.25	< 10	< 10	98	10	96
LLS 1043	201	202	< 1	< 0.01	86	1420	2	2	10	80	0.31	< 10	< 10	92	< 10	96
LLS 1044	201	202	< 1	< 0.01	8	1530	8	2	9	36	0.26	< 10	< 10	108	< 10	112
LLS 1045	201	202	< 1	0.01	36	680	8	< 2	9	45	0.10	< 10	< 10	92	< 10	70
LLS 1046	201	202	< 1	0.01	6	1420	6	6	7	33	0.05	< 10	< 10	67	< 10	98
LLS 1047	201	202	< 1	< 0.01	3	1570	2	< 2	6	15	0.18	< 10	< 10	78	< 10	76
LLS 1048	201	202	< 1	0.01	3	1540	2	4	7	20	0.24	< 10	< 10	87	< 10	98
LLS 1049	201	202	< 1	0.01	11	1570	< 2	< 2	11	35	0.14	< 10	< 10	93	< 10	104
LLS 1050	201	202	< 1	0.03	35	1550	8	6	14	57	0.04	< 10	< 10	83	< 10	96
LLS 1051	201	202	< 1	0.04	51	1660	6	< 2	16	63	0.05	< 10	< 10	92	< 10	100
LLS 1052	201	202	< 1	0.01	28	1160	2	< 2	8	42	0.23	< 10	< 10	94	< 10	70
LLS 1053	201	202	< 1	0.04	29	810	2	< 2	4	40	0.21	< 10	< 10	34	< 10	52
LLS 1054	201	202	< 1	0.01	7	1600	4	< 2	10	41	0.13	< 10	< 10	88	< 10	112
LLS 1055	201	202	< 1	0.01	7	1540	8	< 2	9	38	0.05	< 10	< 10	66	< 10	110
LLS 1056	201	202	< 1	0.01	21	630	6	< 2	8	45	0.17	< 10	< 10	98	< 10	58
LLS 1057	201	202	< 1	0.01	3	1480	< 2	< 2	8	20	0.19	< 10	< 10	83	< 10	88
LLS 1058	201	202	< 1	< 0.01	4	1810	2	< 2	8	26	0.21	< 10	< 10	91	< 10	100

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEAR/SCOTT BROUGHTON

Page Number : 2-A
Total Pages : 3
Certificate Date: 22-AUG-96
Invoice No. : I9627790
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627790

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1059	201	202	21	< 0.2	1.80	8	590	< 0.5	< 2	0.76	< 0.5	7	5	20	4.21	< 10	< 10	0.81	20	1.03	745
LLS 1060	201	202	13	< 0.2	2.58	20	220	< 0.5	< 2	0.63	< 0.5	9	23	14	3.70	< 10	30	0.51	10	1.05	605
LLS 1061	201	202	10	< 0.2	2.55	22	460	< 0.5	< 2	0.72	< 0.5	8	9	6	4.15	< 10	< 10	1.06	10	1.26	760
LLS 1062	201	202	345	< 0.2	2.62	40	260	< 0.5	< 2	0.73	< 0.5	11	29	15	4.29	< 10	< 10	0.55	10	1.14	595
LLS 1063	201	202	6	< 0.2	2.06	44	220	< 0.5	< 2	0.64	< 0.5	7	9	5	3.47	< 10	< 10	0.47	10	0.80	620
LLS 1064	201	202	8	< 0.2	2.21	22	240	< 0.5	< 2	0.59	< 0.5	9	28	17	3.64	< 10	10	0.21	10	0.94	580
LLS 1065	201	202	11	< 0.2	2.18	32	300	< 0.5	< 2	0.63	< 0.5	7	12	11	3.66	< 10	10	0.81	20	1.08	680
LLS 1066	201	202	5	< 0.2	2.33	38	210	< 0.5	< 2	0.50	< 0.5	10	21	11	3.70	< 10	< 10	0.41	< 10	0.95	600
LLS 1067	201	202	12	< 0.2	2.23	8	290	< 0.5	< 2	0.62	< 0.5	8	24	13	3.58	< 10	10	0.31	10	0.87	500
LLS 1068	201	202	205	< 0.2	2.21	10	270	< 0.5	< 2	0.59	< 0.5	10	24	15	3.84	< 10	10	0.38	10	0.86	535
LLS 1069	201	202	2	< 0.2	2.12	4	260	< 0.5	< 2	0.61	< 0.5	9	15	10	4.22	< 10	10	0.57	10	0.92	585
LLS 1070	201	202	11	< 0.2	2.15	2	280	< 0.5	< 2	0.65	< 0.5	9	22	15	3.83	< 10	10	0.42	20	0.89	620
LLS 1071	201	202	2	< 0.2	2.01	8	200	< 0.5	< 2	0.37	< 0.5	11	19	10	3.57	< 10	< 10	0.28	10	0.74	845
LLS 1072	201	202	< 1	< 0.2	2.19	8	750	< 0.5	< 2	0.60	< 0.5	7	8	5	3.82	< 10	< 10	0.62	10	0.91	815
LLS 1073	201	202	2	< 0.2	3.36	32	1900	0.5	< 2	0.43	< 0.5	11	31	15	4.50	< 10	< 10	0.25	10	0.95	590
LLS 1074	201	202	< 1	< 0.2	2.00	16	260	< 0.5	< 2	0.67	< 0.5	8	6	5	3.78	< 10	< 10	0.78	10	0.95	645
LLS 1075	201	202	3	< 0.2	2.88	< 2	200	< 0.5	< 2	0.44	< 0.5	12	39	20	3.71	< 10	20	0.12	10	0.87	450
LLS 1076	201	202	1	< 0.2	1.88	18	300	< 0.5	< 2	0.43	< 0.5	7	10	8	3.39	< 10	10	0.57	10	0.81	770
LLS 1077	201	202	1	< 0.2	2.35	< 2	210	< 0.5	< 2	0.45	< 0.5	9	26	14	3.49	< 10	10	0.24	10	0.85	545
LLS 1078	201	202	< 1	< 0.2	2.09	18	270	< 0.5	< 2	0.45	< 0.5	7	11	8	3.56	< 10	< 10	0.65	10	0.92	745
LLS 1079	201	202	3	< 0.2	2.35	12	260	< 0.5	< 2	0.51	< 0.5	9	24	15	3.67	< 10	10	0.38	10	0.90	610
LLS 1080	201	202	3	< 0.2	1.99	32	280	< 0.5	< 2	0.48	< 0.5	7	11	8	3.56	< 10	20	0.71	10	0.92	700
LLS 1081	201	202	5	< 0.2	2.03	10	230	< 0.5	< 2	0.47	< 0.5	8	20	14	3.47	< 10	20	0.30	10	0.84	545
LLS 1082	201	202	4	< 0.2	1.76	12	280	< 0.5	< 2	0.54	< 0.5	6	9	7	3.31	< 10	10	0.53	10	0.84	675
LLS 1083	201	202	3	< 0.2	2.21	14	250	< 0.5	< 2	0.43	< 0.5	10	22	17	3.70	< 10	10	0.26	10	0.77	695
LLS 1084	201	202	50	< 0.2	1.83	10	200	< 0.5	< 2	0.49	< 0.5	8	23	15	3.30	< 10	10	0.19	10	0.80	515
LLS 1085	201	202	2	< 0.2	2.01	24	170	< 0.5	< 2	0.39	< 0.5	10	10	8	3.71	< 10	< 10	0.70	< 10	0.90	690
LLS 1086	201	202	4	< 0.2	2.15	2	220	< 0.5	< 2	0.42	< 0.5	8	28	18	3.24	< 10	10	0.10	10	0.68	315
LLS 1087	201	202	9	< 0.2	2.26	26	250	< 0.5	< 2	0.60	< 0.5	9	18	11	4.00	< 10	10	0.40	20	0.90	735
LLS 1088	201	202	13	0.2	2.64	48	360	0.5	< 2	0.59	< 0.5	10	27	26	3.79	< 10	60	0.23	40	0.81	650
LLS 1089	201	202	8	< 0.2	2.18	16	320	< 0.5	< 2	0.64	< 0.5	10	20	14	3.57	< 10	10	0.37	20	0.90	745
LLS 1090	201	202	9	< 0.2	2.30	22	320	< 0.5	< 2	0.64	< 0.5	11	23	17	3.68	< 10	20	0.38	30	0.93	750
LLS 1091	201	202	14	< 0.2	2.53	12	270	< 0.5	< 2	0.71	< 0.5	12	39	21	3.77	< 10	10	0.29	20	1.12	605
LLS 1092	201	202	34	< 0.2	2.31	20	250	< 0.5	< 2	0.67	< 0.5	10	23	16	3.56	< 10	40	0.27	10	0.80	665
LLS 1093	201	202	27	< 0.2	2.15	86	300	< 0.5	< 2	0.32	< 0.5	6	8	8	2.85	< 10	20	0.45	30	0.60	755
LLS 1094	201	202	200	< 0.2	1.80	118	270	< 0.5	< 2	0.44	< 0.5	5	4	6	3.16	< 10	30	0.63	30	0.69	560
LLS 1095	201	202	40	< 0.2	2.43	32	260	< 0.5	< 2	0.84	< 0.5	11	17	12	3.83	< 10	< 10	0.47	10	1.11	945
LLS 1096	201	202	8	< 0.2	1.87	< 2	320	0.5	< 2	0.94	< 0.5	6	2	3	2.00	< 10	< 10	0.47	< 10	1.00	790
LLS 1097	201	202	2	< 0.2	2.61	< 2	190	< 0.5	< 2	0.34	< 0.5	10	31	18	3.55	< 10	20	0.07	< 10	0.76	355
LLS 1098	201	202	7	< 0.2	2.43	< 2	350	< 0.5	< 2	0.55	< 0.5	10	9	6	4.26	< 10	< 10	1.10	10	1.18	795

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEAR/SCOTT BROUGHTON

Page Number :2-B
Total Pages :3
Certificate Date: 22-AUG-96
Invoice No. :19627790
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9627790

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 1059	201 202	< 1	< 0.01	3	1400	4	< 2	6	19	0.20	< 10	< 10	78	< 10	78
LLS 1060	201 202	< 1	< 0.01	14	860	6	< 2	6	35	0.17	< 10	< 10	82	< 10	70
LLS 1061	201 202	< 1	< 0.01	5	1400	2	< 2	6	65	0.18	< 10	< 10	77	< 10	90
LLS 1062	201 202	< 1	< 0.01	17	1250	4	< 2	7	40	0.18	< 10	< 10	87	< 10	82
LLS 1063	201 202	< 1	< 0.01	5	1100	12	< 2	7	34	0.13	< 10	< 10	61	< 10	62
LLS 1064	201 202	< 1	< 0.01	16	870	4	< 2	6	36	0.12	< 10	< 10	79	< 10	68
LLS 1065	201 202	< 1	< 0.01	7	1210	4	< 2	6	49	0.15	< 10	< 10	71	< 10	88
LLS 1066	201 202	< 1	< 0.01	13	780	6	< 2	5	26	0.16	< 10	< 10	85	< 10	76
LLS 1067	201 202	< 1	< 0.01	13	1040	6	< 2	6	38	0.12	< 10	< 10	76	< 10	76
LLS 1068	201 202	< 1	< 0.01	14	1070	6	< 2	5	33	0.14	< 10	< 10	82	< 10	80
LLS 1069	201 202	< 1	< 0.01	8	1170	6	< 2	5	22	0.15	< 10	< 10	79	< 10	80
LLS 1070	201 202	< 1	< 0.01	12	1070	6	< 2	6	28	0.15	< 10	< 10	80	< 10	78
LLS 1071	201 202	< 1	< 0.01	12	680	10	< 2	4	20	0.10	< 10	< 10	72	< 10	66
LLS 1072	201 202	< 1	< 0.01	5	1310	8	< 2	5	18	0.13	< 10	< 10	69	< 10	82
LLS 1073	201 202	< 1	< 0.01	13	670	14	< 2	7	43	0.06	< 10	< 10	72	< 10	70
LLS 1074	201 202	< 1	< 0.01	4	1390	8	< 2	6	28	0.15	< 10	< 10	69	< 10	78
LLS 1075	201 202	< 1	< 0.01	22	440	6	< 2	6	26	0.16	< 10	< 10	91	< 10	60
LLS 1076	201 202	< 1	< 0.01	5	1080	16	< 2	6	18	0.10	< 10	< 10	61	< 10	78
LLS 1077	201 202	< 1	< 0.01	17	470	8	< 2	5	27	0.15	< 10	< 10	79	< 10	66
LLS 1078	201 202	< 1	< 0.01	7	1030	8	< 2	6	19	0.13	< 10	< 10	67	< 10	78
LLS 1079	201 202	< 1	< 0.01	15	890	6	< 2	6	27	0.15	< 10	< 10	82	< 10	76
LLS 1080	201 202	< 1	< 0.01	7	1110	6	< 2	6	20	0.14	< 10	< 10	67	< 10	80
LLS 1081	201 202	< 1	< 0.01	13	790	6	< 2	5	22	0.13	< 10	< 10	76	< 10	70
LLS 1082	201 202	< 1	< 0.01	6	1250	6	< 2	5	16	0.12	< 10	< 10	61	< 10	74
LLS 1083	201 202	< 1	< 0.01	13	820	10	< 2	5	22	0.11	< 10	< 10	73	< 10	76
LLS 1084	201 202	< 1	< 0.01	15	730	10	< 2	5	24	0.12	< 10	< 10	73	< 10	68
LLS 1085	201 202	< 1	< 0.01	8	780	6	< 2	4	11	0.16	< 10	< 10	73	< 10	80
LLS 1086	201 202	< 1	< 0.01	16	360	8	< 2	5	26	0.15	< 10	< 10	85	< 10	52
LLS 1087	201 202	< 1	< 0.01	11	1140	8	< 2	6	25	0.15	< 10	< 10	80	< 10	78
LLS 1088	201 202	< 1	< 0.01	17	950	14	< 2	9	35	0.11	< 10	< 10	84	< 10	76
LLS 1089	201 202	< 1	< 0.01	12	1010	12	< 2	7	30	0.15	< 10	< 10	77	< 10	76
LLS 1090	201 202	< 1	< 0.01	14	950	10	< 2	7	31	0.16	< 10	< 10	81	< 10	80
LLS 1091	201 202	< 1	< 0.01	24	1050	8	< 2	8	41	0.15	< 10	< 10	79	< 10	72
LLS 1092	201 202	< 1	< 0.01	14	970	8	< 2	6	40	0.16	< 10	< 10	78	< 10	70
LLS 1093	201 202	< 1	< 0.01	6	970	12	< 2	5	13	0.11	< 10	< 10	46	< 10	70
LLS 1094	201 202	< 1	< 0.01	3	1200	10	< 2	5	18	0.12	< 10	< 10	52	< 10	74
LLS 1095	201 202	< 1	< 0.01	10	1200	6	< 2	6	53	0.10	< 10	< 10	66	< 10	78
LLS 1096	201 202	< 1	< 0.01	1	690	6	< 2	3	178	0.01	< 10	< 10	31	< 10	48
LLS 1097	201 202	< 1	< 0.01	21	360	6	< 2	5	24	0.14	< 10	< 10	84	< 10	56
LLS 1098	201 202	< 1	< 0.01	6	1500	2	< 2	5	27	0.18	< 10	< 10	82	< 10	88

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEAR/SCOTT BROUGHTON

Page Number :3-A
Total Pages :3
Certificate Date: 22-AUG-96
Invoice No. :19627790
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9627790

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1099	201	202	4	< 0.2	2.72	< 2	230	< 0.5	< 2	0.44	< 0.5	10	31	18	3.67	< 10	10	0.09	10	0.81	415
LLS 1100	201	202	3	< 0.2	2.42	< 2	290	< 0.5	< 2	0.48	< 0.5	9	12	8	3.78	< 10	10	0.60	10	0.93	605
LLS 1101	201	202	5	< 0.2	2.21	< 2	190	< 0.5	< 2	0.36	< 0.5	8	27	15	3.13	< 10	30	0.08	< 10	0.65	320
LLS 1102	201	202	4	< 0.2	2.08	< 2	190	< 0.5	< 2	0.43	< 0.5	8	24	14	3.12	< 10	20	0.15	10	0.71	380
LLS 1103	201	202	7	< 0.2	2.50	< 2	200	< 0.5	< 2	0.46	< 0.5	10	27	14	3.67	< 10	10	0.19	< 10	0.83	525
LLS 1104	201	202	19	< 0.2	2.75	< 2	310	< 0.5	< 2	0.53	< 0.5	9	17	14	4.00	< 10	< 10	0.74	10	1.07	740
LLS 1105	201	202	5	< 0.2	2.11	< 2	190	< 0.5	< 2	0.50	< 0.5	9	18	9	3.85	< 10	< 10	0.36	10	0.85	535
LLS 1106	201	202	7	< 0.2	2.30	< 2	270	< 0.5	< 2	0.45	< 0.5	10	10	7	3.95	< 10	< 10	0.87	< 10	1.15	800
LLS 1107	201	202	3	< 0.2	2.23	< 2	280	< 0.5	< 2	0.64	< 0.5	9	6	5	4.14	< 10	< 10	0.95	< 10	1.21	830
LLS 1108	201	202	9	< 0.2	2.21	< 2	180	< 0.5	< 2	0.45	< 0.5	8	28	17	2.99	< 10	10	0.08	< 10	0.71	325
LLS 1109	201	202	6	< 0.2	1.95	< 2	230	< 0.5	< 2	0.52	< 0.5	8	16	10	3.53	< 10	50	0.46	10	0.89	570
LLS 1110	201	202	2	< 0.2	2.20	< 2	230	< 0.5	< 2	0.55	< 0.5	9	30	18	3.46	< 10	10	0.27	10	0.84	495
LLS 1111	201	202	2	< 0.2	2.10	< 2	380	< 0.5	< 2	0.49	< 0.5	8	6	8	3.95	< 10	< 10	1.01	10	1.09	975
LLS 1112	201	202	4	< 0.2	2.69	< 2	220	< 0.5	< 2	0.43	< 0.5	9	27	18	3.57	< 10	10	0.12	20	0.76	345
LLS 1113	201	202	2	< 0.2	1.88	< 2	330	< 0.5	< 2	0.53	< 0.5	5	5	11	3.10	< 10	< 10	0.47	20	0.73	590
LLS 1114	201	202	5	< 0.2	2.17	< 2	220	< 0.5	< 2	0.41	< 0.5	8	17	15	3.60	< 10	10	0.32	10	0.87	545
LLS 1115	201	202	2	< 0.2	2.44	< 2	320	< 0.5	< 2	0.50	< 0.5	8	12	13	3.97	< 10	< 10	0.72	10	1.04	695
LLS 1116	201	202	6	< 0.2	2.41	< 2	220	< 0.5	< 2	0.51	< 0.5	10	20	14	3.77	< 10	10	0.26	10	0.92	635
LLS 1117	201	202	4	< 0.2	2.05	2	250	< 0.5	< 2	0.53	< 0.5	8	16	11	3.51	< 10	< 10	0.48	10	0.86	515
LLS 1118	201	202	5	< 0.2	2.38	< 2	250	< 0.5	< 2	0.58	< 0.5	9	18	13	4.00	< 10	< 10	0.46	10	0.96	525
LLS 1119	201	202	5	< 0.2	1.91	< 2	290	< 0.5	< 2	0.60	< 0.5	7	15	10	3.53	< 10	< 10	0.52	10	0.88	475
LLS 1120	201	202	2	< 0.2	1.74	2	180	< 0.5	< 2	0.37	< 0.5	9	18	13	2.86	< 10	10	0.15	< 10	0.63	565
LLS 1121	201	202	2	< 0.2	2.03	4	310	< 0.5	< 2	0.49	< 0.5	8	14	10	3.44	< 10	< 10	0.59	10	0.87	525
LLS 1122	201	202	9	< 0.2	1.97	< 2	220	< 0.5	< 2	0.55	< 0.5	9	32	17	3.11	< 10	20	0.13	10	0.78	395
LLS 1123	201	202	< 1	< 0.2	1.78	2	310	< 0.5	< 2	0.48	< 0.5	6	10	11	3.18	< 10	< 10	0.66	10	0.85	505
LLS 1124	201	202	4	< 0.2	3.11	4	200	< 0.5	< 2	0.37	< 0.5	10	29	17	4.03	< 10	10	0.15	< 10	0.81	380
LLS 1125	201	202	1	< 0.2	3.04	< 2	500	< 0.5	< 2	0.80	< 0.5	11	8	10	5.47	10	10	1.51	10	1.69	1065
LLS 1126	201	202	6	< 0.2	2.56	8	200	< 0.5	< 2	0.32	< 0.5	9	20	10	4.27	< 10	< 10	0.50	< 10	0.92	475
LLS 1127	201	202	< 1	< 0.2	2.17	8	220	< 0.5	< 2	0.39	< 0.5	11	8	11	3.65	< 10	< 10	0.63	< 10	0.76	865
LLS 1128	201	202	1	< 0.2	2.40	8	300	< 0.5	< 2	0.45	< 0.5	10	18	13	3.75	< 10	10	0.51	10	0.89	505
LLS 1129	201	202	4	< 0.2	1.99	8	380	< 0.5	< 2	0.53	< 0.5	7	5	10	3.58	< 10	< 10	0.69	10	0.88	765
LLS 1130	201	202	6	< 0.2	2.25	< 2	210	< 0.5	< 2	0.46	< 0.5	9	26	16	3.34	< 10	< 10	0.16	< 10	0.79	395
LLS 1131	201	202	19	< 0.2	2.36	< 2	390	< 0.5	< 2	0.58	< 0.5	8	17	22	3.94	< 10	< 10	0.72	10	1.02	610
LLS 1132	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEAR/SCOTT BROUGHTON

Page Number : 3-B
Total Pages : 3
Certificate Date: 22-AUG-96
Invoice No. : I9627790
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9627790

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 1099	201	202	< 1	< 0.01	21	440	8	< 2	5	29	0.16	< 10	< 10	89	< 10	60
LLS 1100	201	202	< 1	< 0.01	8	970	6	< 2	5	38	0.13	< 10	< 10	68	< 10	82
LLS 1101	201	202	< 1	< 0.01	17	340	6	< 2	4	24	0.14	< 10	< 10	80	< 10	52
LLS 1102	201	202	< 1	< 0.01	15	510	6	< 2	4	26	0.15	< 10	< 10	79	< 10	54
LLS 1103	201	202	< 1	< 0.01	17	650	6	< 2	5	25	0.16	< 10	< 10	86	< 10	62
LLS 1104	201	202	< 1	< 0.01	11	1070	6	< 2	5	29	0.18	< 10	< 10	82	< 10	82
LLS 1105	201	202	< 1	< 0.01	10	970	4	< 2	4	22	0.15	< 10	< 10	83	< 10	70
LLS 1106	201	202	< 1	< 0.01	7	1160	2	< 2	4	16	0.18	< 10	< 10	81	< 10	80
LLS 1107	201	202	< 1	< 0.01	4	1440	2	< 2	5	20	0.20	< 10	< 10	81	< 10	88
LLS 1108	201	202	< 1	< 0.01	17	430	6	< 2	5	28	0.15	< 10	< 10	77	< 10	50
LLS 1109	201	202	< 1	< 0.01	9	1000	2	< 2	5	25	0.16	< 10	< 10	81	< 10	68
LLS 1110	201	202	< 1	< 0.01	16	690	2	< 2	7	34	0.16	< 10	< 10	86	< 10	58
LLS 1111	201	202	< 1	< 0.01	4	1320	4	< 2	5	20	0.16	< 10	< 10	77	< 10	82
LLS 1112	201	202	< 1	< 0.01	15	400	6	< 2	5	29	0.15	< 10	< 10	87	< 10	60
LLS 1113	201	202	< 1	< 0.01	3	1060	6	< 2	4	26	0.13	< 10	< 10	53	< 10	70
LLS 1114	201	202	< 1	< 0.01	9	780	6	< 2	5	19	0.16	< 10	< 10	83	< 10	70
LLS 1115	201	202	< 1	< 0.01	7	1140	6	< 2	5	22	0.17	< 10	< 10	77	< 10	82
LLS 1116	201	202	< 1	< 0.01	11	750	6	< 2	5	26	0.17	< 10	< 10	86	< 10	68
LLS 1117	201	202	< 1	< 0.01	8	950	2	< 2	4	24	0.15	< 10	< 10	78	< 10	68
LLS 1118	201	202	1	< 0.01	10	1020	4	< 2	5	26	0.17	< 10	< 10	90	< 10	70
LLS 1119	201	202	< 1	< 0.01	8	1070	4	< 2	4	28	0.14	< 10	< 10	79	< 10	68
LLS 1120	201	202	< 1	< 0.01	10	500	6	< 2	4	24	0.11	< 10	< 10	69	< 10	50
LLS 1121	201	202	1	< 0.01	7	1100	4	< 2	5	22	0.13	< 10	< 10	69	< 10	74
LLS 1122	201	202	< 1	< 0.01	16	610	2	< 2	7	33	0.14	< 10	< 10	81	< 10	54
LLS 1123	201	202	< 1	< 0.01	5	1120	2	< 2	4	30	0.11	< 10	< 10	64	< 10	68
LLS 1124	201	202	< 1	< 0.01	18	390	6	< 2	4	27	0.15	< 10	< 10	94	< 10	62
LLS 1125	201	202	< 1	< 0.01	5	2000	4	< 2	7	36	0.26	< 10	< 10	110	< 10	114
LLS 1126	201	202	< 1	< 0.01	10	720	2	< 2	5	21	0.18	< 10	< 10	99	< 10	70
LLS 1127	201	202	< 1	< 0.01	4	1230	8	< 2	4	15	0.13	< 10	< 10	71	< 10	64
LLS 1128	201	202	< 1	< 0.01	11	1000	2	< 2	5	21	0.15	< 10	< 10	81	< 10	68
LLS 1129	201	202	< 1	< 0.01	3	1190	6	< 2	4	21	0.13	< 10	< 10	62	< 10	76
LLS 1130	201	202	< 1	< 0.01	15	520	4	< 2	4	27	0.15	< 10	< 10	81	< 10	54
LLS 1131	201	202	< 1	< 0.01	9	1250	6	< 2	7	26	0.16	< 10	< 10	82	< 10	78
LLS 1132	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd

CERTIFICATION: Stan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S.BROUGHTON

Certificate Date: 29-AUG-96
Invoice No. : I9628584
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9628584

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS1132	201	202	3	< 0.2	2.69	2	230	< 0.5	< 2	0.45	< 0.5	10	31	20	3.41	< 10	10	0.10	< 10	0.78	335
LLS1133	201	202	4	< 0.2	2.68	< 2	380	< 0.5	< 2	0.57	< 0.5	10	17	23	4.16	10	10	0.74	10	1.13	635
LLS1134	201	202	2	< 0.2	2.53	2	300	< 0.5	2	0.52	< 0.5	11	23	17	3.61	< 10	40	0.32	10	0.87	680
LLS1135	201	202	< 1	< 0.2	2.93	< 2	470	< 0.5	2	0.62	< 0.5	13	10	24	4.63	10	10	0.91	10	1.13	1125
LLS1136	201	202	1	< 0.2	2.64	6	230	< 0.5	< 2	0.42	< 0.5	11	27	14	3.46	< 10	40	0.14	10	0.79	405
LLS1137	201	202	3	< 0.2	2.49	8	350	< 0.5	< 2	0.56	< 0.5	10	16	15	3.89	< 10	< 10	0.56	10	0.92	665
LLS1138	201	202	14	< 0.2	2.56	< 2	290	< 0.5	< 2	0.48	< 0.5	11	24	17	3.56	< 10	20	0.25	10	0.83	510
LLS1139	201	202	5	< 0.2	2.29	< 2	330	< 0.5	< 2	0.57	< 0.5	9	17	13	3.36	< 10	10	0.43	20	0.87	550
LLS1140	201	202	5	< 0.2	2.55	< 2	260	< 0.5	< 2	0.56	< 0.5	10	27	15	3.67	< 10	10	0.19	10	0.92	435
LLS1141	201	202	3	< 0.2	2.31	12	470	< 0.5	2	0.50	< 0.5	8	10	10	3.63	< 10	20	0.67	10	0.79	625
LLS1142	201	202	4	< 0.2	2.44	6	240	< 0.5	< 2	0.54	0.5	9	25	16	3.27	< 10	40	0.14	10	0.75	615
LLS1143	201	202	5	< 0.2	2.28	< 2	270	< 0.5	< 2	0.57	< 0.5	9	15	10	3.63	< 10	< 10	0.61	10	1.02	610
LLS1144	201	202	8	< 0.2	2.53	10	270	< 0.5	< 2	0.55	< 0.5	11	22	13	3.90	< 10	20	0.42	10	1.00	615
LLS1145	201	202	8	< 0.2	2.27	10	270	< 0.5	< 2	0.59	< 0.5	9	18	12	3.59	< 10	10	0.50	10	0.94	590
LLS1146	201	202	2	< 0.2	2.27	8	300	< 0.5	< 2	0.57	< 0.5	9	22	14	3.50	< 10	10	0.27	10	0.89	475
LLS1147	201	202	2	< 0.2	2.03	8	410	< 0.5	< 2	0.46	< 0.5	10	6	7	3.70	< 10	10	0.60	10	0.69	1005
LLS1148	201	202	4	< 0.2	2.44	16	220	< 0.5	< 2	0.55	< 0.5	10	28	17	3.33	< 10	20	0.09	< 10	0.73	445
LLS1149	201	202	10	< 0.2	2.35	12	230	< 0.5	< 2	0.54	< 0.5	9	25	15	3.31	< 10	10	0.17	10	0.75	450
LLS1150	201	202	4	< 0.2	2.49	12	210	< 0.5	< 2	0.54	< 0.5	12	28	15	3.34	< 10	20	0.12	< 10	0.72	570
LLS1151	201	202	4	< 0.2	2.19	12	230	< 0.5	< 2	0.58	< 0.5	9	24	14	3.37	< 10	20	0.15	10	0.77	465
LLS1152	201	202	6	< 0.2	2.33	20	230	< 0.5	< 2	0.57	< 0.5	11	19	12	3.62	< 10	< 10	0.35	10	0.89	540
LLS1153	201	202	4	< 0.2	2.24	6	220	< 0.5	< 2	0.85	< 0.5	9	25	19	2.90	< 10	40	0.13	10	0.74	495
LLS1154	201	202	5	< 0.2	2.28	6	200	< 0.5	< 2	0.67	< 0.5	9	27	18	3.04	< 10	30	0.11	10	0.71	385
LLS1155	201	202	5	< 0.2	2.56	8	180	< 0.5	< 2	0.60	< 0.5	9	29	18	3.20	< 10	20	0.15	10	0.75	325
LLS1156	201	202	22	< 0.2	2.63	8	210	< 0.5	< 2	0.66	< 0.5	11	30	19	3.24	< 10	40	0.14	10	0.73	445
LLS1157	201	202	5	< 0.2	2.52	10	190	< 0.5	< 2	0.63	< 0.5	10	29	18	3.24	< 10	30	0.17	10	0.71	350
LLS1158	201	202	7	< 0.2	2.40	10	230	< 0.5	< 2	0.80	< 0.5	8	30	25	3.19	< 10	40	0.14	10	0.72	320
LLS1159	201	202	7	< 0.2	2.39	6	220	< 0.5	< 2	0.75	< 0.5	10	30	24	3.20	< 10	30	0.14	10	0.73	365
LLS1160	201	202	18	< 0.2	2.30	6	220	< 0.5	< 2	0.80	< 0.5	10	31	27	3.37	< 10	40	0.14	10	0.77	350
LLS1161	201	202	8	< 0.2	2.80	< 2	260	< 0.5	< 2	0.62	< 0.5	12	36	28	3.57	< 10	40	0.18	20	0.93	510
LLS1162	201	202	6	0.6	1.92	2	230	< 0.5	< 2	0.58	< 0.5	10	22	39	3.00	< 10	10	0.31	10	0.82	540
LLS1163	201	202	8	0.2	2.29	< 2	290	< 0.5	< 2	0.69	< 0.5	10	26	43	3.60	< 10	30	0.47	10	1.00	630
LLS1164	201	202	5	0.6	2.24	2	240	< 0.5	< 2	0.57	< 0.5	11	25	28	3.15	< 10	30	0.15	10	0.79	390
LLS1165	201	202	3	0.2	2.50	< 2	260	0.5	< 2	0.92	< 0.5	10	9	20	4.39	10	10	0.27	30	1.20	920
LLS1166	201	202	12	0.2	1.85	2	230	< 0.5	< 2	0.63	< 0.5	9	21	25	2.64	< 10	40	0.10	10	0.59	305
LLS1167	201	202	49	0.4	2.30	32	280	< 0.5	< 2	0.77	< 0.5	11	21	32	3.70	< 10	10	0.38	20	1.01	700
LLS1168	201	202	6	< 0.2	2.31	20	210	< 0.5	< 2	0.87	< 0.5	15	39	26	3.79	< 10	10	0.19	20	1.05	580
LLS1169	201	202	4	< 0.2	3.03	6	240	< 0.5	< 2	0.49	< 0.5	10	23	17	3.47	10	20	0.30	10	0.79	480
LLS1170	201	202	3	< 0.2	2.07	2	450	< 0.5	< 2	0.59	< 0.5	10	5	8	3.86	< 10	< 10	0.80	30	0.91	885
LLS1171	201	202	13	< 0.2	2.44	2	200	< 0.5	< 2	0.56	< 0.5	10	31	22	3.29	< 10	20	0.12	10	0.75	315

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S.BROUGHTON

Certificate Date: 29-AUG-96
Invoice No. : I9628584
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9628584

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS1132	201	202	< 1	< 0.01	20	460	2	4	5	26	0.16	< 10	< 10	90	< 10	54
LLS1133	201	202	< 1	< 0.01	9	1130	2	< 2	7	24	0.21	< 10	< 10	93	< 10	78
LLS1134	201	202	< 1	< 0.01	12	680	2	4	6	30	0.16	< 10	< 10	85	< 10	64
LLS1135	201	202	< 1	< 0.01	6	1430	4	2	7	23	0.17	< 10	< 10	85	< 10	84
LLS1136	201	202	< 1	< 0.01	13	350	4	< 2	5	27	0.16	< 10	< 10	85	< 10	58
LLS1137	201	202	< 1	< 0.01	8	1170	2	6	6	22	0.16	< 10	< 10	77	< 10	74
LLS1138	201	202	< 1	< 0.01	13	620	2	< 2	6	27	0.16	< 10	< 10	86	< 10	64
LLS1139	201	202	< 1	< 0.01	9	1030	< 2	2	6	24	0.13	< 10	< 10	67	< 10	70
LLS1140	201	202	< 1	< 0.01	14	550	2	2	5	31	0.17	< 10	< 10	86	< 10	62
LLS1141	201	202	< 1	< 0.01	6	1200	4	2	6	19	0.12	< 10	< 10	64	< 10	70
LLS1142	201	202	< 1	< 0.01	13	550	6	8	5	33	0.15	< 10	< 10	79	< 10	60
LLS1143	201	202	< 1	< 0.01	8	980	< 2	2	5	24	0.18	< 10	< 10	79	< 10	74
LLS1144	201	202	< 1	< 0.01	11	730	< 2	< 2	5	25	0.19	< 10	< 10	91	< 10	72
LLS1145	201	202	< 1	< 0.01	9	1000	< 2	2	5	24	0.17	< 10	< 10	79	< 10	70
LLS1146	201	202	< 1	< 0.01	11	610	2	4	5	28	0.16	< 10	< 10	81	< 10	66
LLS1147	201	202	< 1	< 0.01	4	1180	6	2	5	16	0.08	< 10	< 10	54	< 10	72
LLS1148	201	202	< 1	< 0.01	14	340	2	< 2	5	32	0.16	< 10	< 10	87	< 10	58
LLS1149	201	202	< 1	< 0.01	12	510	2	< 2	5	29	0.14	< 10	< 10	80	< 10	60
LLS1150	201	202	< 1	< 0.01	13	450	< 2	< 2	5	34	0.15	< 10	< 10	80	< 10	56
LLS1151	201	202	< 1	< 0.01	11	700	6	< 2	5	32	0.13	< 10	< 10	72	< 10	60
LLS1152	201	202	< 1	< 0.01	9	910	6	< 2	5	27	0.15	< 10	< 10	77	< 10	70
LLS1153	201	202	< 1	0.01	13	750	< 2	2	6	54	0.13	< 10	< 10	68	< 10	54
LLS1154	201	202	< 1	< 0.01	14	530	2	6	5	41	0.15	< 10	< 10	77	< 10	54
LLS1155	201	202	< 1	< 0.01	13	510	2	2	6	34	0.17	< 10	< 10	79	< 10	58
LLS1156	201	202	< 1	< 0.01	15	540	4	2	6	41	0.16	< 10	< 10	79	< 10	58
LLS1157	201	202	< 1	< 0.01	13	580	< 2	< 2	6	35	0.17	< 10	< 10	79	< 10	56
LLS1158	201	202	< 1	0.01	17	610	2	2	7	46	0.16	< 10	< 10	78	< 10	56
LLS1159	201	202	< 1	0.01	16	590	2	4	6	43	0.16	< 10	< 10	81	< 10	56
LLS1160	201	202	< 1	0.01	18	670	2	< 2	6	45	0.16	< 10	< 10	86	< 10	62
LLS1161	201	202	< 1	< 0.01	20	860	6	< 2	8	38	0.14	< 10	< 10	79	< 10	68
LLS1162	201	202	1	< 0.01	13	860	4	< 2	5	28	0.15	< 10	< 10	70	< 10	62
LLS1163	201	202	< 1	0.01	15	870	2	< 2	7	36	0.17	< 10	< 10	83	< 10	76
LLS1164	201	202	< 1	< 0.01	14	790	2	< 2	5	32	0.15	< 10	< 10	80	< 10	66
LLS1165	201	202	< 1	< 0.01	6	1380	8	< 2	8	30	0.17	< 10	< 10	68	< 10	100
LLS1166	201	202	< 1	0.01	11	830	2	< 2	5	34	0.12	< 10	< 10	69	< 10	46
LLS1167	201	202	< 1	0.01	12	1030	6	4	8	36	0.15	< 10	< 10	81	< 10	74
LLS1168	201	202	< 1	0.02	24	1090	2	6	8	53	0.14	< 10	< 10	78	< 10	72
LLS1169	201	202	< 1	< 0.01	15	910	4	2	6	26	0.17	< 10	< 10	77	< 10	70
LLS1170	201	202	< 1	< 0.01	2	1220	4	2	6	23	0.18	< 10	< 10	64	< 10	84
LLS1171	201	202	< 1	0.01	19	730	2	6	5	33	0.14	< 10	< 10	86	< 10	56

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S.BROUGHTON

Certificate Date: 29-AUG-96
Invoice No. : I9628584
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9628584

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS1172	201	202	2	< 0.2	1.84	4	340	< 0.5	2	0.50	< 0.5	9	4	4	3.28	< 10	< 10	0.86	20	0.89	620
LLS1173	201	202	24	< 0.2	2.40	8	310	< 0.5	< 2	0.60	< 0.5	12	26	17	3.79	< 10	10	0.37	10	0.93	505
LLS1174	201	202	6	< 0.2	2.00	4	420	< 0.5	< 2	0.56	< 0.5	10	6	9	3.23	< 10	< 10	0.50	30	0.81	1125
LLS1175	201	202	5	< 0.2	2.85	< 2	220	< 0.5	< 2	0.44	< 0.5	12	30	19	3.50	< 10	30	0.11	< 10	0.79	360
LLS1176	201	202	5	< 0.2	2.18	< 2	170	< 0.5	< 2	0.48	< 0.5	9	28	19	2.90	< 10	60	0.16	10	0.75	320
LLS1177	201	202	4	< 0.2	2.63	6	290	< 0.5	< 2	0.58	< 0.5	12	34	26	3.57	< 10	40	0.19	10	0.90	420
LLS1178	201	202	7	< 0.2	2.22	14	340	< 0.5	< 2	0.57	< 0.5	10	22	18	3.48	< 10	10	0.56	10	0.99	595
LLS1179	201	202	4	< 0.2	3.11	6	560	< 0.5	< 2	0.79	< 0.5	11	8	18	4.42	10	< 10	0.80	40	1.32	1035
LLS1180	201	202	10	< 0.2	3.04	4	330	0.5	< 2	0.91	< 0.5	8	4	16	3.69	< 10	< 10	0.49	40	1.15	815
LLS1181	201	202	13	< 0.2	2.76	< 2	630	< 0.5	< 2	0.80	< 0.5	9	10	9	3.34	< 10	10	0.73	10	1.10	525
LLS1182	201	202	4	< 0.2	2.21	< 2	510	< 0.5	< 2	0.70	< 0.5	9	3	1	3.13	< 10	< 10	0.78	10	1.07	725
LLS1183	201	202	2	< 0.2	2.62	< 2	580	< 0.5	< 2	0.79	< 0.5	12	4	11	4.55	10	< 10	0.98	20	1.42	1085
LLS1184	201	202	3	< 0.2	2.11	< 2	470	< 0.5	< 2	0.71	< 0.5	9	2	7	3.97	< 10	< 10	0.95	10	1.21	845
LLS1185	201	202	12	< 0.2	2.25	6	220	< 0.5	< 2	0.59	< 0.5	14	24	19	3.58	< 10	20	0.20	10	1.00	540
LLS1186	201	202	4	< 0.2	2.02	< 2	220	< 0.5	< 2	0.53	< 0.5	10	18	23	3.19	< 10	< 10	0.29	10	0.88	520
LLS1187	201	202	15	< 0.2	2.21	2	260	0.5	< 2	0.74	< 0.5	7	7	65	3.06	< 10	< 10	0.64	10	1.14	795
LLS1188	201	202	6	< 0.2	2.05	8	290	< 0.5	< 2	0.61	< 0.5	10	18	14	3.62	< 10	10	0.62	10	1.01	680
LLS1189	201	202	4	< 0.2	2.10	2	320	< 0.5	< 2	0.59	< 0.5	10	16	13	3.75	< 10	10	0.69	20	1.03	730
LLS1190	201	202	7	< 0.2	2.52	8	280	< 0.5	< 2	0.61	< 0.5	12	30	21	3.63	< 10	30	0.20	10	0.86	660
LLS1191	201	202	4	< 0.2	1.97	4	290	< 0.5	< 2	0.66	< 0.5	10	12	9	3.62	< 10	< 10	0.71	10	1.06	855
LLS1192	201	202	6	< 0.2	1.83	46	330	< 0.5	< 2	0.49	< 0.5	9	12	36	3.40	< 10	< 10	0.48	10	0.80	605
LLS1193	201	202	7	< 0.2	1.96	54	390	< 0.5	< 2	0.54	< 0.5	9	11	44	3.60	< 10	10	0.55	20	0.88	670
LLS1194	201	202	6	< 0.2	2.02	24	320	< 0.5	2	0.57	< 0.5	10	18	30	3.43	< 10	< 10	0.36	10	0.81	725
LLS1195	201	202	3	< 0.2	1.92	10	370	< 0.5	< 2	0.59	< 0.5	9	10	21	3.66	< 10	< 10	0.62	20	0.95	670
LLS1196	201	202	46	< 0.2	2.13	228	290	< 0.5	< 2	0.59	< 0.5	11	25	21	3.46	< 10	10	0.32	10	0.82	655
LLS1197	201	202	225	< 0.2	1.77	442	300	< 0.5	< 2	0.49	< 0.5	10	9	11	3.80	< 10	10	0.42	20	0.66	1060
LLS1198	201	202	7	< 0.2	2.82	8	240	< 0.5	2	0.56	< 0.5	11	37	28	3.47	< 10	10	0.12	10	0.84	365
LLS1199	201	202	6	< 0.2	2.19	2	360	< 0.5	< 2	0.47	< 0.5	9	18	16	3.75	< 10	10	0.50	20	0.85	845
LLS1200	201	202	10	< 0.2	2.93	10	240	< 0.5	< 2	0.50	< 0.5	12	37	25	3.80	< 10	40	0.10	10	0.84	435
LLS1201	201	202	12	< 0.2	2.34	10	290	< 0.5	< 2	0.52	< 0.5	10	27	21	3.63	< 10	10	0.25	10	0.87	650
LLS1202	201	202	9	< 0.2	2.97	92	390	< 0.5	< 2	0.72	< 0.5	13	8	13	5.37	10	10	0.97	20	1.50	995
LLS1203	201	202	82	< 0.2	2.07	218	350	< 0.5	< 2	0.50	0.5	10	4	8	4.20	< 10	< 10	0.62	30	1.09	1130
LLS1204	201	202	39	< 0.2	2.58	78	240	< 0.5	< 2	0.73	< 0.5	10	34	26	3.79	< 10	40	0.22	10	0.91	495
LLS1205	201	202	5	< 0.2	2.54	4	380	< 0.5	< 2	0.63	< 0.5	13	25	17	3.92	< 10	< 10	0.48	10	1.11	740
LLS1206	201	202	7	< 0.2	4.43	30	270	0.5	2	1.06	< 0.5	39	112	44	7.44	10	< 10	0.16	40	3.24	2380
LLS1207	201	202	2	< 0.2	3.23	6	280	0.5	< 2	0.70	< 0.5	17	37	21	5.11	10	10	0.47	10	1.51	860
LLS1208	201	202	5	< 0.2	2.13	8	110	0.5	< 2	1.29	< 0.5	24	75	32	5.53	< 10	10	0.18	30	1.75	915
LLS1209	201	202	64	< 0.2	2.72	236	220	< 0.5	< 2	0.70	< 0.5	13	41	21	4.08	< 10	20	0.16	10	1.23	510
LLS1210	201	202	115	< 0.2	2.00	440	250	< 0.5	< 2	0.70	< 0.5	13	22	12	4.01	< 10	20	0.45	20	1.10	795
LLS1211	201	202	33	< 0.2	2.09	76	320	< 0.5	< 2	0.71	< 0.5	13	28	20	3.79	< 10	10	0.35	20	0.97	700

CERTIFICATION: Ian Bachler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S.BROUGHTON

Certificate Date: 29-AUG-96
Invoice No. : I9628584
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9628584

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS1172	201	202	< 1	< 0.01	2	1060	< 2	< 2	5	18	0.15	< 10	< 10	60	< 10	70
LLS1173	201	202	< 1	< 0.01	15	930	2	< 2	5	29	0.16	< 10	< 10	94	< 10	70
LLS1174	201	202	< 1	< 0.01	6	900	8	< 2	3	31	0.08	< 10	< 10	45	< 10	74
LLS1175	201	202	< 1	< 0.01	19	500	< 2	2	5	26	0.15	< 10	< 10	89	< 10	56
LLS1176	201	202	< 1	< 0.01	16	590	< 2	< 2	5	25	0.15	< 10	< 10	77	< 10	50
LLS1177	201	202	< 1	< 0.01	21	640	2	< 2	7	32	0.16	< 10	< 10	89	< 10	60
LLS1178	201	202	< 1	< 0.01	12	790	< 2	< 2	7	27	0.17	< 10	< 10	80	< 10	68
LLS1179	201	202	< 1	< 0.01	5	1420	4	6	7	36	0.18	< 10	< 10	75	< 10	94
LLS1180	201	202	< 1	0.01	1	1190	8	4	5	61	0.04	< 10	< 10	44	< 10	82
LLS1181	201	202	< 1	< 0.01	6	880	4	< 2	5	284	0.15	< 10	< 10	58	< 10	70
LLS1182	201	202	< 1	< 0.01	1	980	4	4	4	153	0.12	< 10	< 10	50	< 10	68
LLS1183	201	202	< 1	< 0.01	2	1560	4	< 2	6	35	0.22	< 10	< 10	71	< 10	102
LLS1184	201	202	< 1	< 0.01	1	1350	2	4	6	33	0.21	< 10	< 10	65	< 10	88
LLS1185	201	202	< 1	< 0.01	19	1150	2	< 2	5	34	0.12	< 10	< 10	67	< 10	72
LLS1186	201	202	< 1	< 0.01	10	890	2	10	4	24	0.11	< 10	< 10	61	< 10	66
LLS1187	201	202	< 1	< 0.01	3	850	6	< 2	5	38	0.08	< 10	< 10	54	< 10	62
LLS1188	201	202	< 1	< 0.01	8	1110	4	6	5	25	0.17	< 10	< 10	77	< 10	76
LLS1189	201	202	< 1	< 0.01	7	1090	4	2	6	24	0.17	< 10	< 10	78	< 10	78
LLS1190	201	202	< 1	< 0.01	18	840	2	6	6	35	0.14	< 10	< 10	84	< 10	66
LLS1191	201	202	< 1	< 0.01	8	1020	2	4	4	31	0.16	< 10	< 10	68	< 10	76
LLS1192	201	202	< 1	0.01	7	950	4	4	5	16	0.14	< 10	< 10	69	< 10	64
LLS1193	201	202	< 1	0.01	5	1100	4	4	5	19	0.15	< 10	< 10	72	< 10	70
LLS1194	201	202	< 1	< 0.01	9	970	2	< 2	5	27	0.14	< 10	< 10	76	< 10	68
LLS1195	201	202	< 1	0.01	5	1120	< 2	2	6	23	0.13	< 10	< 10	69	< 10	68
LLS1196	201	202	< 1	< 0.01	15	790	2	10	6	32	0.13	< 10	< 10	77	< 10	66
LLS1197	201	202	< 1	< 0.01	5	940	12	20	5	23	0.07	< 10	< 10	48	< 10	76
LLS1198	201	202	< 1	< 0.01	23	590	2	6	7	35	0.15	< 10	< 10	87	< 10	58
LLS1199	201	202	< 1	< 0.01	10	840	6	< 2	7	23	0.12	< 10	< 10	69	< 10	72
LLS1200	201	202	< 1	< 0.01	22	520	4	< 2	7	29	0.16	< 10	< 10	96	< 10	62
LLS1201	201	202	< 1	< 0.01	16	720	2	< 2	8	26	0.13	< 10	< 10	82	< 10	64
LLS1202	201	202	< 1	< 0.01	5	1710	20	8	8	27	0.21	< 10	< 10	99	< 10	112
LLS1203	201	202	< 1	< 0.01	3	1190	16	6	8	16	0.12	< 10	< 10	75	< 10	84
LLS1204	201	202	< 1	< 0.01	19	690	6	< 2	8	39	0.16	< 10	< 10	89	< 10	66
LLS1205	201	202	< 1	< 0.01	13	970	2	2	6	36	0.18	< 10	< 10	87	< 10	76
LLS1206	201	202	< 1	0.01	85	2000	< 2	6	13	62	0.03	< 10	< 10	132	< 10	96
LLS1207	201	202	< 1	0.01	22	1550	2	8	7	36	0.18	< 10	< 10	100	< 10	92
LLS1208	201	202	< 1	0.07	35	2480	< 2	< 2	8	71	0.12	< 10	< 10	94	< 10	98
LLS1209	201	202	< 1	0.01	26	1250	2	16	6	41	0.13	< 10	< 10	83	< 10	68
LLS1210	201	202	< 1	0.01	12	1260	4	8	7	37	0.13	< 10	< 10	77	< 10	78
LLS1211	201	202	< 1	0.01	21	960	6	12	7	35	0.12	< 10	< 10	70	< 10	70

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S.BROUGHTON

Certificate Date: 29-AUG-96
Invoice No. : I9628584
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9628584

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS1212	201	202	18	< 0.2	2.04	34	260	< 0.5	< 2	0.72	< 0.5	12	29	22	3.43	< 10	10	0.26	10	0.84	680
LLS1213	201	202	14	< 0.2	2.30	34	220	< 0.5	< 2	0.58	< 0.5	15	29	19	3.80	< 10	40	0.11	10	0.71	595
LLS1214	201	202	30	< 0.2	1.70	36	290	< 0.5	< 2	0.43	< 0.5	9	7	6	3.43	< 10	< 10	0.53	20	0.76	850
LLS1215	201	202	18	< 0.2	2.06	30	240	< 0.5	< 2	0.51	< 0.5	11	21	18	3.34	< 10	10	0.26	10	0.79	610
LLS1216	201	202	7	< 0.2	1.71	18	280	< 0.5	< 2	0.45	< 0.5	8	11	40	3.11	< 10	< 10	0.48	10	0.74	620
LLS1217	201	202	2	< 0.2	2.81	10	280	< 0.5	< 2	0.65	< 0.5	15	23	15	4.63	10	< 10	0.56	10	1.41	855
LLS1218	201	202	2	< 0.2	2.41	24	300	< 0.5	< 2	1.10	< 0.5	22	48	25	5.56	< 10	< 10	0.36	20	1.61	1040
LLS1219	201	202	10	< 0.2	2.34	36	280	< 0.5	< 2	0.63	< 0.5	12	24	16	3.73	< 10	10	0.30	10	1.01	625
LLS1220	201	202	34	< 0.2	2.28	72	300	< 0.5	< 2	0.66	< 0.5	11	24	15	3.79	< 10	10	0.43	10	1.02	710
LLS1221	201	202	8	< 0.2	2.46	14	300	< 0.5	< 2	0.70	< 0.5	11	31	24	3.70	< 10	30	0.27	10	0.96	600
LLS1222	201	202	35	< 0.2	2.26	146	310	< 0.5	< 2	0.68	< 0.5	11	23	16	4.01	< 10	30	0.54	20	1.02	720
LLS1223	201	202	3	< 0.2	2.59	10	240	< 0.5	< 2	0.71	< 0.5	10	36	25	3.51	< 10	40	0.16	10	0.89	390
LLS1224	201	202	3	< 0.2	2.43	6	180	< 0.5	< 2	0.50	< 0.5	10	30	17	3.45	< 10	10	0.12	< 10	0.79	435
LLS1225	201	202	3	< 0.2	2.31	< 2	250	< 0.5	< 2	0.60	< 0.5	11	23	15	3.77	< 10	< 10	0.31	10	1.01	590
LLS1226	201	202	3	< 0.2	2.19	< 2	330	< 0.5	< 2	0.63	< 0.5	11	21	28	3.52	< 10	20	0.34	10	0.97	560
LLS1227	201	202	4	< 0.2	2.24	2	420	< 0.5	< 2	0.65	< 0.5	11	18	29	3.65	< 10	20	0.62	10	1.06	620
LLS1228	201	202	3	< 0.2	3.07	< 2	360	< 0.5	< 2	0.77	< 0.5	13	15	19	4.57	10	10	0.57	20	1.34	980
LLS1229	201	202	8	< 0.2	2.32	2	280	< 0.5	< 2	0.74	< 0.5	13	6	12	4.63	< 10	10	0.32	30	1.27	1050
LLS1230	201	202	8	< 0.2	2.46	4	330	0.5	< 2	0.81	< 0.5	12	8	13	4.58	10	< 10	0.38	30	1.27	1135
LLS1231	201	202	24	< 0.2	2.78	< 2	510	0.5	< 2	0.65	< 0.5	10	8	25	4.55	10	< 10	0.63	30	1.24	1070
LLS1232	201	202	60	< 0.2	1.96	10	400	< 0.5	< 2	0.55	< 0.5	10	3	20	3.58	< 10	< 10	0.54	20	0.98	965
LLS1233	201	202	2	< 0.2	2.72	6	230	< 0.5	< 2	0.63	< 0.5	11	36	25	3.44	< 10	30	0.13	10	0.88	340
LLS1234	201	202	2	< 0.2	1.95	2	400	< 0.5	< 2	0.43	< 0.5	9	8	8	3.29	< 10	10	0.59	20	0.96	795
LLS1235	201	202	3	< 0.2	2.45	6	220	< 0.5	< 2	0.52	< 0.5	9	30	24	3.20	< 10	30	0.17	10	0.77	365
LLS1236	201	202	21	< 0.2	2.84	12	300	< 0.5	< 2	0.70	< 0.5	13	40	32	3.93	< 10	50	0.17	10	0.96	535
LLS1237	201	202	34	< 0.2	2.22	12	830	< 0.5	< 2	0.45	< 0.5	10	5	5	3.25	< 10	10	0.74	10	1.03	945
LLS1238	201	202	7	< 0.2	2.94	6	240	< 0.5	< 2	0.53	< 0.5	11	34	24	3.59	< 10	10	0.18	10	0.90	445
LLS1239	201	202	5	< 0.2	2.60	8	290	< 0.5	< 2	0.52	< 0.5	11	24	18	3.63	< 10	30	0.37	10	0.98	690
LLS1240	201	202	35	< 0.2	2.67	230	260	< 0.5	< 2	0.72	< 0.5	12	34	34	4.10	< 10	40	0.23	20	0.86	710
LLS1241	201	202	350	0.8	2.11	1595	320	< 0.5	2	0.78	< 0.5	18	23	41	5.02	< 10	30	0.24	30	0.64	1300
LLS1242	201	202	29	< 0.2	2.97	122	240	< 0.5	< 2	0.58	< 0.5	11	36	28	3.72	< 10	50	0.13	10	0.86	420
LLS1243	201	202	28	< 0.2	2.97	104	400	< 0.5	< 2	0.61	< 0.5	11	21	21	4.41	10	40	0.67	10	1.27	935
LLS1244	201	202	9	< 0.2	2.97	32	260	< 0.5	< 2	0.63	< 0.5	10	36	27	3.68	< 10	20	0.15	10	0.93	400
LLS1245	201	202	10	< 0.2	2.65	46	300	< 0.5	2	0.66	< 0.5	12	31	25	3.77	< 10	30	0.34	10	0.88	605
LLS1246	201	202	13	< 0.2	3.05	54	300	< 0.5	< 2	0.63	< 0.5	12	36	30	3.98	< 10	40	0.26	10	0.93	515
LLS1247	201	202	8	< 0.2	2.91	24	280	< 0.5	< 2	0.64	< 0.5	12	33	22	3.95	< 10	10	0.29	10	1.02	555
LLS1248	201	202	6	< 0.2	2.69	22	280	< 0.5	< 2	0.61	< 0.5	11	28	19	3.71	< 10	30	0.31	10	0.96	530
LLS1249	201	202	30	< 0.2	2.58	144	370	< 0.5	< 2	0.66	< 0.5	13	25	23	4.32	< 10	30	0.32	30	0.77	765
LLS1250	201	202	8	< 0.2	2.76	22	290	< 0.5	< 2	0.82	< 0.5	11	34	29	3.56	< 10	40	0.18	10	0.90	450
LLS1251	201	202	10	< 0.2	2.90	38	260	< 0.5	< 2	0.63	< 0.5	12	31	20	3.74	< 10	30	0.20	10	0.94	510

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S.BROUGHTON

Page .ber : 3-B
Total Pages : 4
Certificate Date: 29-AUG-96
Invoice No. : I9628584
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9628584

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS1212	201	202	< 1	0.01	17	940	< 2	6	6	36	0.14	< 10	< 10	80	< 10	66
LLS1213	201	202	< 1	< 0.01	16	940	6	2	6	37	0.11	< 10	< 10	90	< 10	54
LLS1214	201	202	< 1	< 0.01	5	1010	2	< 2	5	19	0.08	< 10	< 10	51	< 10	68
LLS1215	201	202	< 1	< 0.01	12	860	6	2	5	26	0.12	< 10	< 10	69	< 10	62
LLS1216	201	202	1	< 0.01	6	740	6	2	4	18	0.13	< 10	< 10	61	< 10	64
LLS1217	201	202	< 1	< 0.01	16	1290	< 2	< 2	6	29	0.17	< 10	< 10	87	< 10	88
LLS1218	201	202	< 1	0.06	24	1890	< 2	6	7	63	0.12	< 10	< 10	78	< 10	92
LLS1219	201	202	< 1	< 0.01	14	910	4	2	6	38	0.14	< 10	< 10	80	< 10	70
LLS1220	201	202	< 1	< 0.01	14	1010	4	8	7	37	0.15	< 10	< 10	82	< 10	74
LLS1221	201	202	< 1	0.01	18	840	2	< 2	7	43	0.17	< 10	< 10	87	< 10	66
LLS1222	201	202	< 1	0.01	12	920	6	< 2	8	34	0.16	< 10	< 10	81	< 10	74
LLS1223	201	202	< 1	< 0.01	22	690	2	< 2	7	42	0.17	< 10	< 10	85	< 10	60
LLS1224	201	202	< 1	< 0.01	20	580	2	2	4	30	0.15	< 10	< 10	85	< 10	60
LLS1225	201	202	< 1	< 0.01	15	980	2	< 2	5	28	0.16	< 10	< 10	82	< 10	68
LLS1226	201	202	1	< 0.01	12	890	2	< 2	5	30	0.15	< 10	< 10	80	< 10	66
LLS1227	201	202	1	< 0.01	10	920	4	< 2	5	26	0.16	< 10	< 10	81	< 10	72
LLS1228	201	202	< 1	< 0.01	10	1210	6	8	7	35	0.17	< 10	< 10	84	< 10	94
LLS1229	201	202	< 1	< 0.01	3	1510	14	< 2	5	38	0.12	< 10	< 10	66	< 10	100
LLS1230	201	202	< 1	< 0.01	4	1610	10	< 2	6	41	0.13	< 10	< 10	68	< 10	98
LLS1231	201	202	< 1	< 0.01	5	1460	8	< 2	6	39	0.12	< 10	< 10	67	< 10	102
LLS1232	201	202	< 1	< 0.01	1	1160	10	2	4	28	0.10	< 10	< 10	55	< 10	82
LLS1233	201	202	< 1	< 0.01	20	630	4	4	7	41	0.17	< 10	< 10	89	< 10	58
LLS1234	201	202	< 1	0.01	4	850	2	2	5	27	0.11	< 10	< 10	64	< 10	68
LLS1235	201	202	< 1	< 0.01	17	630	2	< 2	6	30	0.15	< 10	< 10	82	< 10	56
LLS1236	201	202	< 1	0.01	23	770	4	6	8	45	0.15	< 10	< 10	101	< 10	70
LLS1237	201	202	< 1	< 0.01	3	920	6	6	6	52	0.11	< 10	< 10	52	< 10	70
LLS1238	201	202	< 1	< 0.01	19	570	2	4	7	29	0.15	< 10	< 10	91	< 10	64
LLS1239	201	202	< 1	< 0.01	14	740	6	4	7	28	0.13	< 10	< 10	80	< 10	70
LLS1240	201	202	< 1	0.01	18	730	6	8	9	41	0.15	< 10	< 10	84	< 10	76
LLS1241	201	202	1	0.01	12	850	14	10	7	46	0.09	< 10	< 10	60	< 10	88
LLS1242	201	202	< 1	< 0.01	21	540	2	< 2	8	37	0.15	< 10	< 10	90	< 10	62
LLS1243	201	202	< 1	< 0.01	12	1050	4	< 2	8	30	0.15	< 10	< 10	88	< 10	90
LLS1244	201	202	< 1	< 0.01	19	500	6	2	7	41	0.16	< 10	< 10	89	< 10	64
LLS1245	201	202	< 1	0.01	17	700	2	< 2	7	37	0.16	< 10	< 10	85	< 10	68
LLS1246	201	202	< 1	< 0.01	19	580	4	6	9	40	0.17	< 10	< 10	97	< 10	66
LLS1247	201	202	< 1	< 0.01	17	600	2	6	8	36	0.18	< 10	< 10	99	< 10	68
LLS1248	201	202	< 1	< 0.01	14	590	2	2	7	34	0.17	< 10	< 10	92	< 10	64
LLS1249	201	202	< 1	< 0.01	12	780	10	4	8	34	0.12	< 10	< 10	76	< 10	82
LLS1250	201	202	< 1	0.01	19	640	< 2	< 2	8	49	0.17	< 10	< 10	87	< 10	64
LLS1251	201	202	< 1	< 0.01	16	540	4	< 2	6	41	0.18	< 10	< 10	95	< 10	62

CERTIFICATION: Hart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S.BROUGHTON

Certificate Date: 29-AUG-96
Invoice No. : 19628584
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9628584

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS1252	201	202	80	< 0.2	2.24	98	310	< 0.5	2	0.60	< 0.5	13	17	15	4.24	< 10	10	0.68	20	1.12	915
LLS1253	201	202	16	< 0.2	2.68	76	300	< 0.5	< 2	0.71	< 0.5	10	29	25	3.77	< 10	20	0.33	10	0.97	485
LLS1254	201	202	3	< 0.2	1.72	40	390	0.5	< 2	0.45	< 0.5	11	3	13	3.64	< 10	< 10	0.39	40	0.68	1145
LLS1255	201	202	11	< 0.2	2.45	64	310	< 0.5	< 2	0.66	< 0.5	13	24	19	4.03	< 10	10	0.43	30	0.98	740
LLS1256	201	202	12	< 0.2	2.54	66	300	< 0.5	< 2	0.73	< 0.5	13	24	22	3.91	< 10	30	0.44	10	0.94	685
LLS1257	201	202	44	< 0.2	2.57	60	290	< 0.5	2	0.73	< 0.5	13	23	20	3.86	< 10	10	0.55	10	0.99	785
LLS1258	201	202	14	< 0.2	2.56	54	250	< 0.5	< 2	0.78	< 0.5	13	34	30	3.92	< 10	30	0.27	10	0.94	545
LLS1259	201	202	30	< 0.2	2.51	286	260	< 0.5	< 2	0.67	< 0.5	14	18	22	4.55	< 10	< 10	0.57	20	1.13	930
LLS1260	201	202	15	< 0.2	2.50	58	280	< 0.5	< 2	0.70	< 0.5	12	27	21	3.76	< 10	10	0.37	20	0.95	605

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BAHRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S.BROUGHTON

Certificate Date: 29-AUG-96
Invoice No. : 19628584
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9628584

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS1252	201	202	1	< 0.01	8	1140	10	6	7	26	0.16	< 10	< 10	80	< 10	80
LLS1253	201	202	< 1	0.01	15	740	2	6	7	44	0.18	< 10	< 10	86	< 10	68
LLS1254	201	202	1	< 0.01	4	1150	10	< 2	4	19	0.01	< 10	< 10	35	< 10	74
LLS1255	201	202	< 1	0.01	11	960	6	2	7	40	0.16	< 10	< 10	83	< 10	76
LLS1256	201	202	< 1	0.02	13	890	6	10	7	46	0.17	< 10	< 10	84	< 10	72
LLS1257	201	202	1	0.01	11	910	2	< 2	7	42	0.19	< 10	< 10	88	< 10	70
LLS1258	201	202	< 1	0.01	20	770	< 2	< 2	8	52	0.17	< 10	< 10	95	< 10	70
LLS1259	201	202	< 1	0.01	10	1140	4	8	7	37	0.15	< 10	< 10	85	< 10	92
LLS1260	201	202	< 1	0.01	13	770	4	< 2	7	49	0.17	< 10	< 10	87	< 10	68

CERTIFICATION: Hartt Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Number :1-A
Total Pages :3
Certificate Date: 08-SEP-96
Invoice No. :19629537
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9629537

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1261	201	202	9	< 0.2	2.77	8	260	< 0.5	< 2	0.67	< 0.5	9	88	21	3.52	< 10	30	0.18	10	0.80	395
LLS 1262	201	202	15	< 0.2	2.81	32	400	0.5	< 2	0.66	< 0.5	12	102	24	4.57	< 10	30	0.59	40	0.98	875
LLS 1263	201	202	21	< 0.2	3.08	10	270	< 0.5	< 2	0.78	< 0.5	10	59	31	3.73	< 10	60	0.19	10	0.81	465
LLS 1264	201	202	18	2.2	2.71	210	270	< 0.5	< 2	0.82	< 0.5	12	80	24	4.19	< 10	20	0.38	20	0.78	860
LLS 1265	201	202	6	< 0.2	2.69	12	350	< 0.5	2	0.66	< 0.5	11	52	14	4.41	< 10	10	0.47	20	1.23	805
LLS 1266	201	202	3	< 0.2	2.13	6	440	< 0.5	< 2	0.48	< 0.5	10	56	7	4.03	< 10	20	0.93	30	1.22	1240
LLS 1267	201	202	5	< 0.2	2.48	12	280	< 0.5	< 2	0.64	< 0.5	10	58	14	4.04	< 10	10	0.32	20	1.03	670
LLS 1268	201	202	11	< 0.2	2.15	18	290	< 0.5	< 2	0.49	< 0.5	10	76	11	4.12	< 10	10	0.29	40	1.03	1130
LLS 1269	201	202	4	< 0.2	2.95	78	510	0.5	< 2	0.64	< 0.5	12	64	18	5.25	< 10	10	0.52	40	0.98	835
LLS 1270	201	202	8	< 0.2	1.85	276	640	0.5	< 2	0.51	< 0.5	13	68	14	5.29	< 10	10	0.50	70	0.39	1310
LLS 1271	201	202	6	< 0.2	3.00	102	460	< 0.5	2	0.81	< 0.5	10	49	16	4.78	< 10	10	0.71	30	1.12	865
LLS 1272	201	202	5	< 0.2	2.32	86	530	< 0.5	< 2	0.82	< 0.5	9	39	9	4.39	< 10	10	0.99	20	1.13	990
LLS 1273	201	202	10	< 0.2	2.48	90	380	0.5	< 2	0.65	< 0.5	11	62	16	4.32	< 10	10	0.38	30	0.75	700
LLS 1274	201	202	8	< 0.2	2.30	162	460	< 0.5	< 2	0.50	< 0.5	10	43	10	4.14	< 10	< 10	0.74	30	0.92	650
LLS 1275	201	202	9	< 0.2	2.18	40	400	< 0.5	< 2	0.71	< 0.5	9	69	14	4.09	< 10	20	0.49	20	0.98	735
LLS 1276	201	202	80	< 0.2	1.96	116	410	0.5	< 2	0.61	< 0.5	10	62	14	4.37	< 10	10	0.61	30	0.83	870
LLS 1277	201	202	11	< 0.2	2.65	22	430	< 0.5	< 2	0.70	< 0.5	11	62	15	4.44	< 10	10	0.46	40	1.05	735
LLS 1278	201	202	7	< 0.2	2.36	18	500	< 0.5	< 2	0.79	< 0.5	11	57	12	4.70	< 10	10	0.61	40	1.21	940
LLS 1279	201	202	9	< 0.2	2.56	40	490	0.5	< 2	0.51	< 0.5	11	98	37	4.87	< 10	20	0.40	40	0.80	895
LLS 1280	201	202	9	< 0.2	2.38	48	770	< 0.5	< 2	0.52	< 0.5	14	79	56	5.15	< 10	< 10	0.50	50	1.07	1055
LLS 1281	201	202	31	< 0.2	3.01	62	780	0.5	< 2	0.72	< 0.5	14	54	17	5.75	< 10	< 10	0.56	50	1.11	1555
LLS 1282	201	202	4	< 0.2	2.35	24	890	< 0.5	< 2	0.64	< 0.5	12	45	7	4.76	< 10	< 10	0.48	50	1.20	1610
LLS 1283	201	202	13	< 0.2	2.88	252	670	0.5	< 2	0.69	< 0.5	13	60	17	5.59	< 10	10	0.53	60	0.76	1180
LLS 1284	201	202	5	< 0.2	2.40	70	700	< 0.5	< 2	0.69	< 0.5	11	57	6	4.76	< 10	< 10	0.58	50	0.99	1370
LLS 1285	201	202	4	< 0.2	2.80	116	560	< 0.5	< 2	0.65	< 0.5	11	95	9	4.69	< 10	10	0.63	40	0.96	925
LLS 1286	201	202	3	< 0.2	2.81	88	650	< 0.5	< 2	0.58	< 0.5	10	69	9	4.59	< 10	< 10	0.73	40	0.99	1050
LLS 1287	201	202	2	< 0.2	3.18	16	1040	< 0.5	< 2	0.64	< 0.5	11	53	12	4.99	10	< 10	0.79	30	1.35	840
LLS 1288	201	202	4	< 0.2	2.25	16	630	< 0.5	< 2	0.70	< 0.5	10	30	7	4.57	< 10	< 10	0.63	30	1.22	1005
LLS 1289	201	202	< 1	< 0.2	2.52	< 2	590	< 0.5	< 2	0.60	< 0.5	11	50	7	4.93	< 10	< 10	0.78	40	1.40	1070
LLS 1290	201	202	< 1	< 0.2	2.11	< 2	550	< 0.5	< 2	0.60	< 0.5	9	54	6	4.27	< 10	10	0.71	40	1.20	955
LLS 1291	201	202	< 1	< 0.2	3.29	4	310	< 0.5	< 2	0.47	< 0.5	10	56	20	3.94	< 10	10	0.17	10	0.82	375
LLS 1292	201	202	< 1	< 0.2	2.79	12	590	0.5	< 2	0.57	< 0.5	12	50	14	5.18	< 10	< 10	0.44	60	1.01	1145
LLS 1293	201	202	< 1	< 0.2	2.77	12	590	0.5	< 2	0.56	< 0.5	12	48	14	5.06	< 10	20	0.45	50	0.98	1145
LLS 1294	201	202	2	< 0.2	3.03	< 2	330	< 0.5	< 2	0.63	< 0.5	10	56	30	3.83	< 10	30	0.21	10	0.91	425
LLS 1295	201	202	1	< 0.2	3.45	< 2	380	< 0.5	< 2	0.72	< 0.5	10	71	33	4.20	< 10	30	0.29	10	0.98	460
LLS 1296	201	202	7	< 0.2	3.09	22	250	< 0.5	< 2	0.65	< 0.5	12	44	17	3.98	< 10	< 10	0.43	10	1.22	535
LLS 1297	201	202	7	< 0.2	2.87	28	300	< 0.5	2	0.81	< 0.5	13	44	14	4.42	< 10	< 10	0.89	20	1.57	770
LLS 1298	201	202	< 1	< 0.2	2.76	8	530	< 0.5	2	0.89	< 0.5	12	29	10	5.13	10	< 10	0.92	30	1.46	930
LLS 1299	201	202	< 1	< 0.2	2.30	< 2	610	< 0.5	< 2	0.88	< 0.5	11	34	6	4.77	< 10	< 10	1.01	30	1.42	880
LLS 1300	201	202	1	< 0.2	2.80	14	540	< 0.5	2	0.79	< 0.5	12	60	10	4.99	10	10	0.89	40	1.38	995

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Number : 1-B
Total Pages : 3
Certificate Date: 08-SEP-96
Invoice No. : I9629537
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9629537

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Ba ppm
LLS 1261	201 202	< 1	0.04	17	420	8	< 2	8	49	0.18	< 10	< 10	94	< 10	54	1000
LLS 1262	201 202	1	0.03	14	1000	10	4	10	39	0.15	< 10	< 10	84	< 10	82	1580
LLS 1263	201 202	< 1	0.03	20	530	8	< 2	9	55	0.18	< 10	< 10	91	< 10	60	820
LLS 1264	201 202	1	0.03	13	780	58	8	8	52	0.16	< 10	< 10	78	< 10	110	1500
LLS 1265	201 202	< 1	0.01	10	1130	4	< 2	8	33	0.17	< 10	< 10	91	< 10	82	1300
LLS 1266	201 202	< 1	0.01	3	1190	2	< 2	8	22	0.15	< 10	< 10	71	< 10	82	1840
LLS 1267	201 202	< 1	0.01	12	880	2	< 2	7	34	0.17	< 10	< 10	89	< 10	70	1340
LLS 1268	201 202	< 1	0.01	5	1120	8	< 2	7	26	0.04	< 10	< 10	58	< 10	80	1820
LLS 1269	201 202	1	0.01	9	1230	4	< 2	11	36	0.11	< 10	< 10	89	< 10	96	1700
LLS 1270	201 202	1	0.01	4	1420	16	< 2	11	26	0.01	< 10	< 10	66	< 10	104	2000
LLS 1271	201 202	< 1	0.03	10	1290	4	2	10	38	0.23	< 10	< 10	102	< 10	86	1820
LLS 1272	201 202	< 1	0.03	3	1290	4	2	8	24	0.22	< 10	< 10	88	< 10	80	2500
LLS 1273	201 202	1	0.02	11	960	8	< 2	9	36	0.13	< 10	< 10	84	< 10	72	1420
LLS 1274	201 202	< 1	0.01	4	1130	4	< 2	8	24	0.10	< 10	< 10	67	< 10	84	2000
LLS 1275	201 202	< 1	0.02	9	1200	6	< 2	7	35	0.15	< 10	< 10	81	< 10	78	1500
LLS 1276	201 202	18	0.01	6	1350	16	2	7	27	0.11	< 10	< 10	64	< 10	92	1800
LLS 1277	201 202	< 1	0.02	10	1090	6	< 2	8	35	0.19	< 10	< 10	89	< 10	78	1860
LLS 1278	201 202	< 1	0.03	6	1410	4	< 2	9	32	0.21	< 10	< 10	90	< 10	86	2500
LLS 1279	201 202	1	0.03	10	1230	4	< 2	9	29	0.09	< 10	< 10	75	< 10	76	1640
LLS 1280	201 202	< 1	0.03	4	1280	4	< 2	10	29	0.08	< 10	< 10	71	< 10	76	2600
LLS 1281	201 202	< 1	0.02	7	1690	8	< 2	12	38	0.09	< 10	< 10	85	< 10	108	2100
LLS 1282	201 202	1	0.03	3	1490	4	< 2	10	32	0.08	< 10	< 10	69	< 10	96	3400
LLS 1283	201 202	1	0.02	7	1680	12	< 2	11	36	0.05	< 10	< 10	81	< 10	102	1640
LLS 1284	201 202	1	0.03	3	1500	2	< 2	10	33	0.09	< 10	< 10	72	< 10	90	2600
LLS 1285	201 202	1	0.03	5	1340	4	< 2	8	34	0.11	< 10	< 10	82	< 10	88	2100
LLS 1286	201 202	1	0.03	3	1300	2	< 2	8	33	0.11	< 10	< 10	77	< 10	86	2500
LLS 1287	201 202	< 1	0.02	9	1280	2	2	9	31	0.23	< 10	< 10	93	< 10	94	2400
LLS 1288	201 202	< 1	0.03	3	1470	2	< 2	9	26	0.16	< 10	< 10	75	< 10	90	2900
LLS 1289	201 202	< 1	0.03	5	1540	< 2	2	10	23	0.19	< 10	< 10	93	< 10	92	3200
LLS 1290	201 202	< 1	0.04	4	1320	2	2	9	24	0.17	< 10	< 10	76	< 10	80	2800
LLS 1291	201 202	1	0.02	18	420	6	2	6	39	0.19	< 10	< 10	105	< 10	60	1100
LLS 1292	201 202	< 1	0.02	7	1420	10	< 2	11	31	0.04	< 10	< 10	74	< 10	104	2600
LLS 1293	201 202	< 1	0.02	7	1360	12	2	10	30	0.04	< 10	< 10	73	< 10	104	2400
LLS 1294	201 202	< 1	0.03	21	430	6	< 2	9	46	0.21	< 10	< 10	102	< 10	54	1100
LLS 1295	201 202	< 1	0.03	24	520	6	2	10	51	0.22	< 10	< 10	110	< 10	60	1100
LLS 1296	201 202	< 1	0.03	14	520	6	< 2	7	43	0.23	< 10	< 10	114	< 10	62	1320
LLS 1297	201 202	< 1	0.05	8	790	8	< 2	9	42	0.25	< 10	< 10	124	< 10	76	1420
LLS 1298	201 202	< 1	0.03	5	1250	2	< 2	9	30	0.30	< 10	< 10	102	< 10	96	2600
LLS 1299	201 202	< 1	0.05	3	1060	2	< 2	7	29	0.27	< 10	< 10	98	< 10	90	2400
LLS 1300	201 202	< 1	0.03	6	1450	4	< 2	10	33	0.25	< 10	< 10	97	< 10	94	2400

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Number :2-A
Total Pages :3
Certificate Date: 08-SEP-96
Invoice No. :19629537
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9629537

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1301	201	202	4	< 0.2	2.61	6	370	< 0.5	< 2	0.68	< 0.5	11	37	23	4.14	< 10	30	0.34	30	1.10	630
LLS 1302	201	202	7	< 0.2	1.73	50	450	0.5	< 2	0.54	< 0.5	13	35	34	5.51	< 10	20	0.32	50	0.68	1425
LLS 1303	201	202	86	< 0.2	1.86	334	500	0.5	< 2	0.53	< 0.5	12	31	23	5.10	< 10	20	0.38	70	0.52	1180
LLS 1304	201	202	61	< 0.2	0.97	450	590	0.5	< 2	0.42	< 0.5	12	31	33	4.42	< 10	20	0.30	60	0.13	1470
LLS 1305	201	202	14	< 0.2	2.46	82	370	0.5	< 2	0.74	< 0.5	13	40	23	4.29	< 10	20	0.29	40	0.84	675
LLS 1306	201	202	2	< 0.2	2.19	18	460	< 0.5	< 2	1.07	< 0.5	11	41	10	4.52	10	< 10	0.52	20	1.09	795
LLS 1307	201	202	3	< 0.2	2.38	98	540	< 0.5	< 2	0.67	< 0.5	11	36	10	4.68	< 10	< 10	0.82	30	1.05	1115
LLS 1308	201	202	21	< 0.2	2.33	34	370	< 0.5	< 2	0.79	< 0.5	12	49	19	4.81	< 10	20	0.33	50	0.84	535
LLS 1309	201	202	10	< 0.2	1.93	64	570	0.5	< 2	0.61	< 0.5	13	46	17	4.66	< 10	10	0.26	50	0.66	685
LLS 1310	201	202	13	< 0.2	1.14	72	1320	0.5	< 2	1.93	< 0.5	12	29	16	4.76	< 10	< 10	0.33	80	0.44	1235
LLS 1311	201	202	5	< 0.2	1.62	18	190	< 0.5	< 2	0.88	< 0.5	8	48	18	2.73	< 10	10	0.13	10	0.62	350
LLS 1312	201	202	6	< 0.2	1.65	38	220	< 0.5	< 2	0.74	< 0.5	9	53	18	2.97	< 10	20	0.19	30	0.60	365
LLS 1313	201	202	6	< 0.2	2.25	22	320	< 0.5	< 2	0.95	< 0.5	12	60	26	3.10	< 10	30	0.18	10	0.77	440
LLS 1314	201	202	10	0.2	2.08	74	280	< 0.5	< 2	0.75	< 0.5	10	54	20	3.78	< 10	30	0.24	30	0.68	400
LLS 1315	201	202	18	0.2	1.84	44	260	< 0.5	< 2	0.85	< 0.5	10	68	19	3.79	< 10	< 10	0.28	30	0.71	435
LLS 1316	201	202	3	< 0.2	1.83	44	340	< 0.5	< 2	0.73	< 0.5	9	53	29	3.31	< 10	30	0.21	30	0.62	350
LLS 1317	201	202	5	< 0.2	1.25	170	600	0.5	< 2	0.23	< 0.5	8	41	27	2.54	< 10	< 10	0.41	50	0.21	1805
LLS 1318	201	202	9	< 0.2	2.27	120	550	0.5	< 2	0.75	< 0.5	9	68	18	3.94	< 10	< 10	0.33	40	0.82	810
LLS 1319	201	202	5	< 0.2	2.02	16	380	< 0.5	< 2	0.54	< 0.5	9	40	20	2.79	< 10	30	0.10	20	0.49	410
LLS 1320	201	202	9	< 0.2	2.07	106	450	< 0.5	< 2	0.70	< 0.5	9	29	17	4.22	< 10	< 10	0.74	20	1.00	685
LLS 1321	201	202	10	< 0.2	2.61	196	820	0.5	< 2	0.64	< 0.5	11	63	23	4.79	< 10	10	0.68	40	0.92	1060
LLS 1322	201	202	100	< 0.2	1.26	310	870	0.5	< 2	0.44	< 0.5	16	36	13	5.92	< 10	< 10	0.34	60	0.22	2340
LLS 1323	201	202	8	< 0.2	1.94	78	520	< 0.5	< 2	0.58	< 0.5	10	39	12	3.92	< 10	< 10	0.70	30	0.97	785
LLS 1324	201	202	26	< 0.2	2.49	246	470	< 0.5	< 2	0.63	< 0.5	11	50	17	4.28	< 10	20	0.37	40	0.68	575
LLS 1325	201	202	180	< 0.2	1.80	448	560	0.5	< 2	0.43	< 0.5	10	78	11	4.30	< 10	< 10	0.45	40	0.45	1080
LLS 1326	201	202	20	< 0.2	2.87	42	580	< 0.5	< 2	0.72	< 0.5	12	46	30	3.91	< 10	30	0.14	20	0.82	575
LLS 1327	201	202	800	0.4	2.62	702	630	0.5	4	0.69	< 0.5	12	54	35	4.71	< 10	30	0.39	40	0.96	1000
LLS 1328	201	202	11	< 0.2	2.67	30	650	0.5	< 2	0.83	< 0.5	13	47	23	4.91	< 10	< 10	0.37	40	1.13	955
LLS 1329	201	202	11	< 0.2	2.29	86	610	< 0.5	< 2	0.76	< 0.5	12	57	20	4.49	< 10	< 10	0.47	40	1.10	915
LLS 1330	201	202	100	< 0.2	2.18	192	990	0.5	< 2	0.66	< 0.5	12	53	24	5.31	< 10	10	0.26	70	0.52	895
LLS 1331	201	202	36	< 0.2	1.86	44	1500	0.5	< 2	0.98	< 0.5	13	59	12	5.45	< 10	< 10	0.41	80	0.70	1190
LLS 1332	201	202	13	< 0.2	2.47	42	470	< 0.5	2	0.83	< 0.5	11	66	14	4.56	< 10	< 10	0.55	30	1.22	855
LLS 1333	201	202	8	< 0.2	2.38	34	560	< 0.5	< 2	0.73	< 0.5	12	42	10	4.94	< 10	< 10	0.65	40	1.35	980
LLS 1334	201	202	7	< 0.2	3.33	18	450	0.5	< 2	0.52	< 0.5	12	41	29	4.37	< 10	20	0.27	40	0.96	590
LLS 1335	201	202	4	< 0.2	2.25	104	390	0.5	< 2	0.49	< 0.5	11	46	26	4.40	< 10	< 10	0.42	50	0.96	1050
LLS 1336	201	202	4	< 0.2	2.47	102	460	0.5	< 2	0.51	< 0.5	12	76	21	4.64	< 10	10	0.49	50	1.02	1080
LLS 1337	201	202	2	< 0.2	3.16	14	480	0.5	< 2	0.66	< 0.5	14	28	15	5.47	10	10	0.60	40	1.48	1280
LLS 1338	201	202	3	< 0.2	2.43	18	440	0.5	< 2	0.53	< 0.5	12	34	11	4.67	< 10	< 10	0.38	50	1.31	1315
LLS 1339	201	202	2	< 0.2	2.48	< 2	490	< 0.5	< 2	0.85	< 0.5	10	65	11	4.60	10	< 10	0.75	30	1.27	885
LLS 1340	201	202	< 1	< 0.2	2.05	< 2	420	< 0.5	< 2	0.98	< 0.5	11	40	13	4.56	< 10	< 10	0.63	30	1.30	875

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Page Number : 2-B
Total Pages : 3
Certificate Date: 08-SEP-96
Invoice No. : 19629537
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9629537

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Ba ppm
LLS 1301	201	202	< 1	0.01	15	900	6	< 2	8	39	0.22	< 10	< 10	101	< 10	72	1400
LLS 1302	201	202	< 1	0.01	8	1150	30	2	10	29	0.08	< 10	< 10	69	< 10	106	2300
LLS 1303	201	202	1	0.01	7	1590	22	< 2	10	27	0.02	< 10	< 10	60	< 10	96	2100
LLS 1304	201	202	1	0.01	4	1410	34	2	9	25	< 0.01	< 10	< 10	40	< 10	74	2100
LLS 1305	201	202	< 1	0.02	13	1120	8	< 2	10	41	0.13	< 10	< 10	89	< 10	78	1700
LLS 1306	201	202	< 1	0.03	3	1360	4	< 2	8	31	0.18	< 10	< 10	82	< 10	90	2700
LLS 1307	201	202	< 1	0.03	3	1460	2	< 2	10	29	0.17	< 10	< 10	80	< 10	88	2600
LLS 1308	201	202	< 1	0.03	10	1150	8	< 2	9	40	0.12	< 10	< 10	101	< 10	76	1860
LLS 1309	201	202	1	0.01	8	1460	16	< 2	8	33	0.04	< 10	< 10	59	< 10	90	1920
LLS 1310	201	202	< 1	0.01	4	1430	22	2	10	110	< 0.01	< 10	< 10	32	< 10	82	2200
LLS 1311	201	202	1	0.04	17	750	4	< 2	5	45	0.13	< 10	< 10	73	< 10	48	1100
LLS 1312	201	202	< 1	0.04	14	740	6	< 2	5	40	0.12	< 10	< 10	75	< 10	48	1500
LLS 1313	201	202	< 1	0.04	18	890	8	< 2	8	58	0.16	< 10	< 10	87	< 10	70	1100
LLS 1314	201	202	< 1	0.03	12	920	16	< 2	7	42	0.14	< 10	< 10	88	< 10	66	1240
LLS 1315	201	202	< 1	0.04	11	1210	6	2	7	40	0.15	< 10	< 10	91	< 10	60	1600
LLS 1316	201	202	< 1	0.04	12	1010	8	< 2	7	40	0.13	< 10	< 10	76	< 10	62	1580
LLS 1317	201	202	1	0.01	5	540	38	< 2	3	17	< 0.01	< 10	< 10	25	< 10	48	1020
LLS 1318	201	202	< 1	0.03	9	1220	10	< 2	7	37	0.07	< 10	< 10	66	< 10	74	1520
LLS 1319	201	202	< 1	0.03	12	580	6	< 2	5	36	0.12	< 10	< 10	76	< 10	40	1040
LLS 1320	201	202	< 1	0.02	4	1610	2	< 2	7	24	0.16	< 10	< 10	72	< 10	76	2400
LLS 1321	201	202	< 1	0.02	4	1400	10	2	9	34	0.06	< 10	< 10	69	< 10	92	2600
LLS 1322	201	202	2	0.01	4	1340	26	2	10	28	< 0.01	< 10	< 10	45	< 10	100	2600
LLS 1323	201	202	< 1	0.03	3	1360	2	< 2	8	27	0.14	< 10	< 10	65	< 10	76	2500
LLS 1324	201	202	1	0.02	8	930	12	< 2	8	39	0.10	< 10	< 10	76	< 10	78	1880
LLS 1325	201	202	3	0.01	4	1200	12	< 2	7	22	0.06	< 10	< 10	62	< 10	76	2500
LLS 1326	201	202	< 1	0.01	20	680	10	< 2	10	48	0.16	< 10	< 10	94	< 10	64	1420
LLS 1327	201	202	1	0.02	11	1060	214	< 2	13	41	0.13	< 10	< 10	85	< 10	100	2200
LLS 1328	201	202	< 1	0.03	12	1380	6	< 2	12	41	0.17	< 10	< 10	102	< 10	90	2100
LLS 1329	201	202	< 1	0.04	9	1230	8	< 2	10	35	0.17	< 10	< 10	87	< 10	82	2800
LLS 1330	201	202	1	0.02	13	1400	16	2	13	39	0.03	< 10	< 10	69	< 10	96	2200
LLS 1331	201	202	1	0.03	5	1560	10	< 2	15	46	0.03	< 10	< 10	64	< 10	106	3500
LLS 1332	201	202	< 1	0.03	7	1400	2	< 2	9	28	0.22	< 10	< 10	93	< 10	80	2200
LLS 1333	201	202	< 1	0.03	4	1500	4	< 2	11	25	0.19	< 10	< 10	94	< 10	92	3000
LLS 1334	201	202	< 1	0.01	18	630	6	2	11	41	0.15	< 10	< 10	98	< 10	68	1400
LLS 1335	201	202	< 1	0.01	4	1280	12	< 2	8	25	0.03	< 10	< 10	53	< 10	94	2400
LLS 1336	201	202	< 1	0.02	4	1300	12	< 2	8	28	0.03	< 10	< 10	58	< 10	82	2400
LLS 1337	201	202	< 1	0.01	8	1780	8	< 2	11	27	0.15	< 10	< 10	92	< 10	118	2500
LLS 1338	201	202	< 1	0.03	4	1500	8	< 2	9	24	0.06	< 10	< 10	69	< 10	98	2900
LLS 1339	201	202	< 1	0.03	6	1380	4	< 2	8	29	0.24	< 10	< 10	99	< 10	86	2500
LLS 1340	201	202	< 1	0.04	3	1230	6	< 2	8	26	0.24	< 10	< 10	95	< 10	90	2700

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Number : 3-A
Total Pages : 3
Certificate Date: 08-SEP-96
Invoice No. : I9629537
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9629537

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1341	201	202	6	< 0.2	2.63	14	360	0.5	< 2	0.70	< 0.5	12	37	15	4.64	< 10	< 10	0.29	40	1.06	860
LLS 1342	201	202	14	< 0.2	2.32	4	280	< 0.5	< 2	0.74	< 0.5	10	41	18	3.20	< 10	10	0.10	10	0.73	395
LLS 1343	201	202	2	< 0.2	2.46	20	560	0.5	< 2	0.73	< 0.5	15	50	12	5.77	< 10	< 10	0.49	70	1.04	1210
LLS 1344	201	202	8	< 0.2	2.10	< 2	230	< 0.5	< 2	0.89	< 0.5	8	49	18	2.93	< 10	40	0.11	10	0.69	305
LLS 1345	201	202	7	< 0.2	1.88	26	180	< 0.5	< 2	0.65	< 0.5	10	36	12	3.38	< 10	30	0.22	30	0.61	370
LLS 1346	201	202	4	< 0.2	1.86	2	160	< 0.5	< 2	0.90	< 0.5	9	60	16	2.68	< 10	40	0.09	10	0.63	295

CERTIFICATION: Hartt Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN: S. SEARS/S. BROUGHTON

Number : 3-B
Total Pages : 3
Certificate Date: 08-SEP-96
Invoice No. : 19629537
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9629537

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Ba ppm
LLS 1341	201	202	< 1	0.01	10	1380	8	< 2	7	34	0.11	< 10	< 10	85	< 10	88	1680
LLS 1342	201	202	< 1	0.02	15	740	6	< 2	7	47	0.16	< 10	< 10	83	< 10	58	1040
LLS 1343	201	202	1	0.01	8	1640	12	< 2	12	34	0.07	< 10	< 10	76	< 10	112	2300
LLS 1344	201	202	< 1	0.04	15	680	4	< 2	6	52	0.18	< 10	< 10	82	< 10	54	900
LLS 1345	201	202	< 1	0.02	10	1010	4	< 2	6	34	0.14	< 10	< 10	79	< 10	52	1500
LLS 1346	201	202	< 1	0.05	15	670	4	< 2	5	50	0.17	< 10	< 10	81	< 10	48	780

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

. Number :1-A
Total Pages :2
Certificate Date: 15-SEP-96
Invoice No. :I9631019
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9631019

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1347	201	202	2	< 0.2	3.10	8	490	< 0.5	< 2	0.91	< 0.5	13	18	28	5.63	10	10	0.95	40	1.61	1070
LLS 1348	201	202	< 1	< 0.2	2.68	4	640	< 0.5	< 2	0.78	< 0.5	13	12	31	5.41	10	10	1.21	40	1.50	1050
LLS 1349	201	202	5	< 0.2	2.72	18	350	< 0.5	< 2	0.71	< 0.5	11	33	24	4.00	< 10	40	0.37	20	1.02	620
LLS 1350	201	202	48	< 0.2	3.16	200	500	0.5	< 2	0.67	< 0.5	12	13	10	5.25	10	10	0.69	30	1.26	1075
LLS 1351	201	202	52	< 0.2	2.25	150	480	< 0.5	< 2	0.59	< 0.5	10	5	6	4.58	< 10	< 10	0.55	40	1.04	1135
LLS 1352	201	202	21	< 0.2	2.72	86	330	< 0.5	< 2	0.65	< 0.5	10	26	14	3.98	< 10	10	0.40	30	0.94	505
LLS 1353	201	202	44	< 0.2	2.49	220	350	< 0.5	< 2	0.69	< 0.5	13	12	13	4.35	< 10	< 10	0.48	30	1.04	1045
LLS 1354	201	202	11	< 0.2	2.35	34	250	< 0.5	< 2	0.59	< 0.5	10	30	22	3.41	< 10	40	0.17	20	0.73	365
LLS 1355	201	202	220	< 0.2	2.15	34	240	< 0.5	< 2	0.47	< 0.5	8	22	11	3.35	< 10	10	0.28	30	0.59	365
LLS 1356	201	202	7	< 0.2	1.92	16	230	< 0.5	< 2	0.54	< 0.5	8	27	20	2.76	< 10	30	0.13	10	0.62	325
LLS 1357	201	202	88	< 0.2	2.17	20	280	< 0.5	< 2	0.45	< 0.5	10	21	15	3.49	< 10	40	0.37	30	0.65	415
LLS 1358	201	202	2	< 0.2	2.15	16	200	< 0.5	< 2	0.51	< 0.5	11	17	15	3.42	< 10	10	0.62	10	1.04	545
LLS 1359	201	202	275	< 0.2	2.08	68	290	< 0.5	< 2	0.50	< 0.5	12	11	12	3.91	< 10	10	0.34	10	1.12	755
LLS 1360	201	202	1	< 0.2	2.01	18	250	< 0.5	< 2	0.55	< 0.5	10	22	18	3.59	< 10	10	0.24	20	0.85	740
LLS 1361	201	202	57	< 0.2	2.14	20	270	< 0.5	< 2	0.64	< 0.5	10	15	13	3.72	< 10	< 10	0.85	20	1.19	695
LLS 1362	201	202	8	< 0.2	1.65	84	220	< 0.5	< 2	0.51	< 0.5	9	19	11	3.14	< 10	< 10	0.25	20	0.77	555
LLS 1363	201	202	13	< 0.2	2.01	120	240	< 0.5	< 2	0.64	< 0.5	9	26	16	3.39	< 10	10	0.22	20	0.80	500
LLS 1364	201	202	1	< 0.2	3.78	26	240	0.5	< 2	1.16	< 0.5	30	114	33	6.89	10	10	0.03	30	2.22	1070
LLS 1365	201	202	2	< 0.2	4.02	30	150	0.5	< 2	1.36	< 0.5	36	105	32	7.31	10	< 10	0.04	30	2.67	1260
LLS 1366	201	202	< 1	< 0.2	3.24	8	1410	0.5	< 2	0.62	< 0.5	13	10	11	5.03	10	10	0.34	40	1.39	1210
LLS 1367	201	202	< 1	< 0.2	2.86	4	960	1.0	< 2	1.12	< 0.5	13	5	9	4.79	10	< 10	0.34	50	1.42	1580
LLS 1368	201	202	4	< 0.2	3.41	14	440	1.0	< 2	0.67	< 0.5	14	10	17	5.78	10	10	0.42	50	1.51	1705
LLS 1369	201	202	< 1	< 0.2	2.63	4	300	0.5	< 2	0.59	< 0.5	14	5	4	5.29	10	< 10	0.35	60	1.46	1465
LLS 1370	201	202	1	< 0.2	2.53	10	240	0.5	< 2	0.44	< 0.5	12	23	16	4.03	< 10	10	0.16	30	1.05	745
LLS 1371	201	202	< 1	< 0.2	2.45	6	240	0.5	< 2	0.52	< 0.5	13	10	4	4.51	< 10	< 10	0.36	40	1.21	1200
LLS 1372	201	202	3	< 0.2	3.14	12	630	0.5	< 2	0.65	< 0.5	14	8	23	5.50	10	< 10	0.47	60	1.58	1635
LLS 1373	201	202	11	< 0.2	2.54	16	460	0.5	< 2	0.64	< 0.5	13	4	11	4.90	< 10	10	0.35	60	1.20	2460
LLS 1374	201	202	7	< 0.2	2.68	18	430	< 0.5	< 2	0.68	< 0.5	11	9	10	4.67	10	10	0.74	30	1.14	1150
LLS 1375	201	202	2	< 0.2	2.21	6	420	< 0.5	< 2	0.78	< 0.5	11	6	4	4.44	< 10	10	0.90	20	1.34	895
LLS 1376	201	202	9	< 0.2	1.89	8	140	< 0.5	< 2	1.01	< 0.5	11	38	28	3.34	< 10	20	0.09	10	0.83	540
LLS 1377	201	202	3	< 0.2	1.83	10	150	< 0.5	< 2	1.53	< 0.5	12	35	39	3.07	< 10	40	0.09	10	0.92	415
LLS 1378	201	202	4	< 0.2	1.87	10	160	< 0.5	< 2	2.41	< 0.5	12	32	40	2.94	< 10	30	0.12	10	0.92	505
LLS 1379	201	202	8	< 0.2	2.34	14	360	< 0.5	< 2	0.57	< 0.5	10	24	14	3.76	< 10	10	0.47	20	0.89	560
LLS 1380	201	202	5	< 0.2	1.91	18	370	< 0.5	< 2	0.44	< 0.5	8	11	4	3.30	< 10	10	0.62	30	0.75	785
LLS 1381	201	202	17	< 0.2	2.68	24	480	0.5	< 2	0.64	< 0.5	11	12	11	4.58	< 10	10	0.68	40	1.07	1050
LLS 1382	201	202	26	< 0.2	1.97	22	420	< 0.5	< 2	0.60	< 0.5	9	4	5	3.98	< 10	10	0.64	30	0.91	875
LLS 1383	201	202	5	< 0.2	2.81	12	700	0.5	< 2	0.68	< 0.5	14	7	11	5.32	10	< 10	0.83	40	1.30	1160
LLS 1384	201	202	8	< 0.2	2.47	14	460	0.5	< 2	0.77	< 0.5	12	5	9	4.95	< 10	10	0.47	50	0.95	930
LLS 1385	201	202	9	< 0.2	2.46	8	570	< 0.5	< 2	0.60	< 0.5	10	7	9	4.18	< 10	< 10	0.87	30	1.13	855
LLS 1386	201	202	31	< 0.2	1.18	28	310	0.5	< 2	0.37	< 0.5	5	4	5	2.95	< 10	20	0.21	30	0.34	430

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

e Number :1-B
Total Pages :2
Certificate Date: 15-SEP-96
Invoice No. :19631019
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9631019

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 1347	201	202	1	< 0.01	8	1780	6	< 2	6	40	0.36	< 10	< 10	120	< 10	110
LLS 1348	201	202	1	0.01	5	1650	8	< 2	6	28	0.34	< 10	< 10	111	< 10	112
LLS 1349	201	202	1	0.01	15	810	8	< 2	8	43	0.21	< 10	< 10	104	< 10	70
LLS 1350	201	202	< 1	< 0.01	7	1530	14	< 2	8	34	0.15	< 10	< 10	94	< 10	106
LLS 1351	201	202	< 1	< 0.01	4	1460	10	< 2	9	26	0.09	< 10	< 10	71	< 10	100
LLS 1352	201	202	1	0.01	11	930	14	< 2	7	41	0.14	< 10	< 10	87	< 10	82
LLS 1353	201	202	1	0.01	4	1040	10	< 2	9	45	0.11	< 10	< 10	92	< 10	74
LLS 1354	201	202	1	0.01	14	650	8	< 2	6	41	0.15	< 10	< 10	90	< 10	60
LLS 1355	201	202	< 1	0.01	9	710	10	< 2	6	30	0.12	< 10	< 10	76	< 10	58
LLS 1356	201	202	1	0.01	13	640	6	< 2	5	35	0.13	< 10	< 10	77	< 10	56
LLS 1357	201	202	1	< 0.01	10	800	10	< 2	6	27	0.15	< 10	< 10	74	< 10	74
LLS 1358	201	202	< 1	< 0.01	8	840	8	< 2	5	26	0.20	< 10	< 10	102	< 10	64
LLS 1359	201	202	< 1	< 0.01	7	870	6	< 2	7	24	0.10	< 10	< 10	93	< 10	72
LLS 1360	201	202	1	0.01	11	860	8	< 2	6	31	0.13	< 10	< 10	83	< 10	64
LLS 1361	201	202	< 1	0.01	5	1180	6	< 2	5	25	0.19	< 10	< 10	90	< 10	78
LLS 1362	201	202	1	0.01	9	860	6	2	4	24	0.13	< 10	< 10	73	< 10	56
LLS 1363	201	202	1	0.01	13	780	6	< 2	6	36	0.15	< 10	< 10	85	< 10	60
LLS 1364	201	202	1	0.05	58	2250	6	< 2	16	78	0.07	< 10	< 10	148	< 10	112
LLS 1365	201	202	3	0.06	62	2350	6	< 2	16	91	0.04	< 10	< 10	133	< 10	110
LLS 1366	201	202	1	< 0.01	7	1540	18	2	8	35	0.04	< 10	< 10	68	< 10	124
LLS 1367	201	202	< 1	< 0.01	3	1500	22	< 2	6	40	0.02	< 10	< 10	55	< 10	112
LLS 1368	201	202	1	< 0.01	9	1510	20	< 2	9	41	0.05	< 10	< 10	79	< 10	126
LLS 1369	201	202	< 1	< 0.01	3	1590	12	< 2	8	32	0.06	< 10	< 10	74	< 10	118
LLS 1370	201	202	< 1	< 0.01	14	680	14	2	7	34	0.06	< 10	< 10	74	< 10	70
LLS 1371	201	202	< 1	< 0.01	4	1040	20	2	7	27	0.03	< 10	< 10	66	< 10	90
LLS 1372	201	202	1	< 0.01	6	1580	18	< 2	11	60	0.06	< 10	< 10	72	< 10	112
LLS 1373	201	202	1	< 0.01	3	1480	20	< 2	7	36	0.03	< 10	< 10	61	< 10	96
LLS 1374	201	202	1	< 0.01	5	1650	8	< 2	8	33	0.15	< 10	< 10	85	< 10	100
LLS 1375	201	202	< 1	0.01	2	1450	8	< 2	7	22	0.22	< 10	< 10	86	< 10	102
LLS 1376	201	202	2	0.04	25	770	2	< 2	5	54	0.15	< 10	< 10	106	< 10	56
LLS 1377	201	202	1	0.05	25	710	6	< 2	5	76	0.14	< 10	< 10	95	< 10	60
LLS 1378	201	202	1	0.05	25	750	4	< 2	5	94	0.14	< 10	< 10	90	< 10	58
LLS 1379	201	202	1	< 0.01	10	860	10	< 2	6	30	0.16	< 10	< 10	86	< 10	68
LLS 1380	201	202	< 1	< 0.01	4	790	12	< 2	5	23	0.14	< 10	< 10	64	< 10	70
LLS 1381	201	202	< 1	< 0.01	7	1480	10	< 2	9	32	0.17	< 10	< 10	76	< 10	96
LLS 1382	201	202	1	0.01	2	1480	6	< 2	7	25	0.15	< 10	< 10	62	< 10	98
LLS 1383	201	202	1	0.01	7	1730	< 2	< 2	13	40	0.16	< 10	< 10	87	< 10	122
LLS 1384	201	202	1	< 0.01	3	1680	14	2	7	45	< 0.01	< 10	< 10	57	< 10	106
LLS 1385	201	202	< 1	0.01	4	1510	4	< 2	8	28	0.18	< 10	< 10	69	< 10	92
LLS 1386	201	202	< 1	< 0.01	3	760	12	< 2	4	29	< 0.01	< 10	< 10	31	< 10	48

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :2-A
Total Pages :2
Certificate Date: 15-SEP-96
Invoice No. :19631019
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9631019

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1387	201	202	2	< 0.2	2.40	8	630	0.5	< 2	0.55	< 0.5	11	6	8	4.45	< 10	< 10	0.39	40	0.96	980
LLS 1388	201	202	2	< 0.2	2.31	8	420	0.5	< 2	0.58	< 0.5	11	4	7	4.44	< 10	10	0.39	40	0.98	1085
LLS 1389	201	202	3	< 0.2	2.13	8	230	< 0.5	< 2	0.53	< 0.5	11	12	12	3.87	< 10	< 10	0.60	20	0.97	535
LLS 1390	201	202	1	< 0.2	2.32	8	390	< 0.5	< 2	0.59	< 0.5	13	11	8	4.07	< 10	< 10	0.68	30	1.12	1030
LLS 1391	201	202	24	< 0.2	2.04	18	330	< 0.5	< 2	0.57	< 0.5	9	13	7	3.56	< 10	10	0.62	30	0.87	625
LLS 1392	201	202	11	< 0.2	1.83	4	300	< 0.5	< 2	0.57	< 0.5	8	10	3	3.27	< 10	10	0.67	30	0.85	560
LLS 1393	201	202	3	< 0.2	2.97	12	480	< 0.5	< 2	0.64	< 0.5	11	16	14	4.77	10	< 10	0.77	30	1.16	775
LLS 1394	201	202	3	< 0.2	2.26	10	600	< 0.5	< 2	0.63	< 0.5	10	5	4	4.09	< 10	< 10	0.77	30	1.01	975
LLS 1395	201	202	2	< 0.2	1.92	4	390	< 0.5	< 2	0.50	< 0.5	8	8	6	3.18	< 10	10	0.66	30	0.82	665
LLS 1396	201	202	3	< 0.2	1.84	6	330	< 0.5	< 2	0.51	< 0.5	8	9	5	2.95	< 10	< 10	0.72	30	0.84	545
LLS 1397	201	202	235	< 0.2	1.67	274	580	0.5	< 2	0.50	< 0.5	13	8	30	5.01	< 10	30	0.30	40	0.57	1685
LLS 1398	201	202	31	< 0.2	2.49	24	600	0.5	< 2	0.71	< 0.5	11	7	19	5.01	10	< 10	0.55	30	0.99	870
LLS 1399	201	202	4	< 0.2	2.56	14	530	< 0.5	< 2	0.75	< 0.5	12	9	10	4.77	10	10	0.89	40	1.14	980
LLS 1400	201	202	2	< 0.2	2.34	18	440	0.5	< 2	0.60	< 0.5	10	5	4	4.28	< 10	< 10	0.57	40	0.91	790
LLS 1401	201	202	3	< 0.2	2.43	8	380	< 0.5	< 2	0.67	< 0.5	11	28	23	3.93	< 10	30	0.48	20	0.95	635
LLS 1402	201	202	2	< 0.2	2.66	6	390	< 0.5	< 2	1.03	< 0.5	16	109	18	2.62	< 10	< 10	1.00	< 10	1.71	425
LLS 1403	201	202	2	< 0.2	2.45	8	340	< 0.5	< 2	0.59	< 0.5	11	18	11	4.13	< 10	10	0.88	20	1.09	735
LLS 1404	201	202	2	< 0.2	1.91	8	300	< 0.5	< 2	0.45	< 0.5	9	12	3	3.26	< 10	10	0.94	20	0.93	610
LLS 1405	201	202	2	< 0.2	2.34	4	620	< 0.5	< 2	0.60	< 0.5	11	9	10	4.68	10	10	0.99	30	1.19	1115
LLS 1406	201	202	1	< 0.2	2.08	6	470	< 0.5	< 2	0.58	< 0.5	10	5	5	4.37	< 10	< 10	0.99	20	1.14	955
LLS 1407	201	202	1	< 0.2	2.44	4	510	< 0.5	< 2	0.80	< 0.5	12	10	18	5.02	10	< 10	0.93	10	1.25	1000
LLS 1408	201	202	1	< 0.2	2.17	8	670	< 0.5	< 2	0.70	< 0.5	11	6	15	4.67	10	10	1.14	20	1.19	1015
LLS 1409	201	202	3	< 0.2	1.68	8	170	< 0.5	< 2	0.76	< 0.5	9	28	23	2.77	< 10	30	0.14	10	0.60	410
LLS 1410	201	202	< 1	< 0.2	1.96	8	200	< 0.5	< 2	1.02	< 0.5	11	33	34	2.94	< 10	30	0.12	10	0.77	510
LLS 1411	201	202	14	< 0.2	2.69	28	710	< 0.5	< 2	0.85	< 0.5	13	11	12	5.38	10	10	0.90	30	1.31	1175
LLS 1412	201	202	8	< 0.2	2.02	16	470	< 0.5	< 2	0.59	< 0.5	9	5	5	4.07	< 10	< 10	0.81	30	1.00	855
LLS 1413	201	202	5	< 0.2	2.93	18	500	0.5	< 2	0.87	< 0.5	18	59	26	4.87	< 10	10	0.36	20	1.22	820
LLS 1414	201	202	6	< 0.2	3.51	12	360	0.5	< 2	1.06	< 0.5	26	135	30	5.40	< 10	10	0.08	10	1.30	865
LLS 1415	201	202	2	< 0.2	2.28	8	480	< 0.5	< 2	0.67	< 0.5	10	8	9	4.39	< 10	10	0.93	20	1.13	840
LLS 1416	201	202	2	< 0.2	1.94	6	540	< 0.5	< 2	0.71	< 0.5	10	5	3	3.79	< 10	< 10	0.82	30	1.00	845
LLS 1417	201	202	7	< 0.2	2.56	18	530	< 0.5	< 2	0.66	< 0.5	11	17	15	4.68	10	10	0.69	20	1.17	790
LLS 1418	201	202	10	< 0.2	2.58	12	1410	< 0.5	< 2	0.73	< 0.5	12	5	4	4.85	10	10	0.59	30	1.23	1235
LLS 1419	201	202	4	< 0.2	2.08	8	310	< 0.5	< 2	0.64	< 0.5	10	21	14	3.72	< 10	30	0.34	20	0.84	425
LLS 1420	201	202	7	< 0.2	2.32	46	610	< 0.5	< 2	0.70	< 0.5	12	6	4	4.78	10	< 10	0.31	40	0.98	1455
LLS 1421	201	202	5	< 0.2	1.93	10	210	< 0.5	< 2	0.61	< 0.5	10	28	24	3.12	< 10	50	0.10	10	0.57	320
LLS 1422	201	202	15	< 0.2	2.00	16	240	< 0.5	< 2	1.11	< 0.5	11	28	22	3.40	< 10	30	0.18	10	0.77	1375
LLS 1423	201	202	17	< 0.2	2.47	30	350	< 0.5	< 2	0.92	< 0.5	12	10	10	4.72	10	< 10	0.67	20	1.22	1030
LLS 1424	201	202	52	< 0.2	1.94	128	440	< 0.5	< 2	0.58	< 0.5	12	5	5	4.42	< 10	10	0.33	30	0.93	1385
LLS 1425	201	202	15	< 0.2	2.57	20	520	< 0.5	< 2	0.77	< 0.5	12	9	9	4.99	10	10	0.47	30	1.28	1090

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :2-B
Total Pages :2
Certificate Date: 15-SEP-96
Invoice No. :19631019
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9631019

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 1387	201	202	1	0.01	5	1410	6	< 2	8	27	0.07	< 10	< 10	70	< 10	92
LLS 1388	201	202	1	0.01	3	1490	6	< 2	8	30	0.06	< 10	< 10	67	< 10	94
LLS 1389	201	202	< 1	0.01	4	930	10	< 2	8	30	0.13	< 10	< 10	84	< 10	66
LLS 1390	201	202	< 1	0.02	3	980	6	< 2	9	32	0.15	< 10	< 10	98	< 10	70
LLS 1391	201	202	< 1	0.01	5	940	16	< 2	6	27	0.19	< 10	< 10	72	< 10	64
LLS 1392	201	202	< 1	0.01	2	930	8	< 2	5	25	0.19	< 10	< 10	62	< 10	60
LLS 1393	201	202	< 1	< 0.01	8	1340	6	< 2	8	38	0.21	< 10	< 10	88	< 10	96
LLS 1394	201	202	1	0.01	2	1440	2	< 2	8	41	0.18	< 10	< 10	64	< 10	86
LLS 1395	201	202	< 1	< 0.01	4	960	4	2	6	20	0.18	< 10	< 10	63	< 10	62
LLS 1396	201	202	< 1	0.01	1	780	8	< 2	5	21	0.19	< 10	< 10	73	< 10	54
LLS 1397	201	202	1	< 0.01	8	1410	230	4	7	36	0.02	< 10	< 10	134	< 10	214
LLS 1398	201	202	< 1	0.01	3	1410	26	< 2	8	47	0.01	< 10	< 10	74	< 10	112
LLS 1399	201	202	1	< 0.01	4	1980	10	2	9	32	0.17	< 10	< 10	89	< 10	102
LLS 1400	201	202	< 1	0.01	3	1320	8	< 2	7	36	0.07	< 10	< 10	70	< 10	90
LLS 1401	201	202	< 1	0.01	14	840	4	< 2	8	40	0.19	< 10	< 10	96	< 10	70
LLS 1402	201	202	< 1	0.09	55	1290	2	< 2	4	73	0.19	< 10	< 10	64	< 10	32
LLS 1403	201	202	1	< 0.01	7	1220	10	< 2	7	22	0.20	< 10	< 10	95	< 10	76
LLS 1404	201	202	< 1	< 0.01	3	930	8	< 2	5	16	0.18	< 10	< 10	76	< 10	60
LLS 1405	201	202	1	< 0.01	4	1560	6	2	7	22	0.20	< 10	< 10	89	< 10	90
LLS 1406	201	202	< 1	0.01	3	1510	2	2	6	21	0.20	< 10	< 10	77	< 10	86
LLS 1407	201	202	1	< 0.01	6	1340	6	< 2	7	44	0.27	< 10	< 10	103	< 10	92
LLS 1408	201	202	1	0.01	2	1290	2	< 2	6	34	0.24	< 10	< 10	89	< 10	84
LLS 1409	201	202	1	0.03	17	670	6	2	5	42	0.14	< 10	< 10	79	< 10	48
LLS 1410	201	202	2	0.04	23	500	6	< 2	6	51	0.15	< 10	< 10	89	< 10	58
LLS 1411	201	202	1	< 0.01	6	1790	6	< 2	9	34	0.21	< 10	< 10	96	< 10	116
LLS 1412	201	202	< 1	0.01	2	1370	2	< 2	7	24	0.17	< 10	< 10	67	< 10	80
LLS 1413	201	202	1	0.02	45	1440	4	< 2	10	56	0.11	< 10	< 10	85	< 10	76
LLS 1414	201	202	< 1	0.10	99	1290	2	< 2	16	87	0.05	< 10	< 10	77	< 10	70
LLS 1415	201	202	< 1	< 0.01	4	1230	4	< 2	7	22	0.21	< 10	< 10	80	< 10	82
LLS 1416	201	202	< 1	0.01	1	1120	6	< 2	6	36	0.16	< 10	< 10	65	< 10	72
LLS 1417	201	202	< 1	< 0.01	10	1350	4	< 2	8	36	0.19	< 10	< 10	89	< 10	88
LLS 1418	201	202	1	0.01	2	1490	4	< 2	9	81	0.10	< 10	< 10	76	< 10	102
LLS 1419	201	202	1	0.01	10	1020	2	< 2	7	41	0.14	< 10	< 10	82	< 10	62
LLS 1420	201	202	< 1	0.01	3	1590	10	2	7	44	0.04	< 10	< 10	73	< 10	102
LLS 1421	201	202	1	0.02	16	690	8	< 2	6	41	0.13	< 10	< 10	76	< 10	46
LLS 1422	201	202	1	0.03	17	780	6	< 2	6	62	0.14	< 10	< 10	84	< 10	58
LLS 1423	201	202	< 1	< 0.01	5	1540	6	< 2	6	27	0.18	< 10	< 10	87	< 10	100
LLS 1424	201	202	< 1	0.01	3	1360	16	< 2	7	27	0.06	< 10	< 10	66	< 10	110
LLS 1425	201	202	1	< 0.01	5	1860	8	< 2	8	43	0.16	< 10	< 10	82	< 10	98

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :1-A
Total Pages :2
Certificate Date: 13-SEP-96
Invoice No. :19630551
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9630551

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1426	201	202	3	< 0.2	1.64	< 2	410	< 0.5	< 2	0.72	< 0.5	10	4	5	4.11	10	10	0.60	20	1.09	830
LLS 1427	201	202	4	< 0.2	2.26	16	300	< 0.5	6	0.59	< 0.5	12	25	20	3.87	10	20	0.36	20	1.08	670
LLS 1428	201	202	4	< 0.2	2.18	14	370	< 0.5	2	0.57	< 0.5	11	17	15	4.15	10	10	0.50	30	1.20	830
LLS 1429	201	202	< 1	< 0.2	1.67	< 2	240	< 0.5	2	0.45	< 0.5	9	14	7	3.15	< 10	< 10	0.63	20	0.96	520
LLS 1430	201	202	< 1	< 0.2	2.16	< 2	570	< 0.5	< 2	0.63	< 0.5	12	6	6	4.66	10	< 10	1.11	30	1.41	1005
LLS 1431	201	202	2	< 0.2	2.27	6	500	< 0.5	< 2	0.68	< 0.5	11	15	13	4.59	10	10	0.81	30	1.20	790
LLS 1432	201	202	2	< 0.2	2.14	< 2	480	< 0.5	2	0.65	< 0.5	10	7	6	4.38	10	10	1.00	20	1.19	740
LLS 1433	201	202	6	< 0.2	1.59	8	190	< 0.5	< 2	0.63	< 0.5	8	25	19	2.57	< 10	20	0.13	10	0.61	380
LLS 1434	201	202	< 1	< 0.2	2.34	6	370	< 0.5	8	0.62	< 0.5	11	14	11	4.30	10	30	0.82	20	1.10	670
LLS 1435	201	202	3	< 0.2	1.62	2	130	< 0.5	< 2	0.82	< 0.5	8	28	22	2.56	< 10	20	0.08	< 10	0.66	310
LLS 1436	201	202	2	< 0.2	2.94	6	440	0.5	< 2	0.62	< 0.5	12	31	29	3.17	10	50	0.50	30	0.85	465
LLS 1437	201	202	2	< 0.2	1.95	6	190	< 0.5	2	0.79	< 0.5	10	29	27	3.07	< 10	30	0.22	10	0.71	385
LLS 1438	201	202	1	< 0.2	1.62	8	150	< 0.5	< 2	0.84	< 0.5	11	30	24	2.84	< 10	20	0.12	10	0.75	610
LLS 1439	201	202	< 1	< 0.2	2.14	8	310	< 0.5	< 2	0.52	< 0.5	10	19	12	3.50	10	10	0.61	10	0.96	650
LLS 1440	201	202	< 1	< 0.2	1.91	4	250	< 0.5	< 2	0.43	< 0.5	9	13	7	3.27	< 10	10	0.74	20	0.88	495
LLS 1441	201	202	< 1	< 0.2	1.91	4	260	< 0.5	< 2	0.47	< 0.5	10	14	7	3.26	10	< 10	0.82	10	0.96	595
LLS 1442	201	202	< 1	< 0.2	1.67	2	240	< 0.5	2	0.38	< 0.5	8	8	3	2.78	< 10	< 10	0.83	10	0.79	475
LLS 1443	201	202	6	< 0.2	2.61	10	190	< 0.5	< 2	0.95	< 0.5	13	44	30	4.04	10	30	0.13	10	1.19	400
LLS 1444	201	202	3	< 0.2	3.95	16	260	0.5	< 2	1.83	< 0.5	28	147	32	6.11	10	< 10	0.04	10	3.08	665
LLS 1445	201	202	11	< 0.2	2.01	12	270	< 0.5	< 2	0.68	< 0.5	11	13	7	3.91	< 10	10	0.82	20	1.15	625
LLS 1446	201	202	3	< 0.2	2.17	14	360	< 0.5	2	0.84	< 0.5	12	13	8	4.25	10	< 10	0.77	10	1.26	785
LLS 1447	201	202	10	< 0.2	3.04	24	290	< 0.5	2	0.91	< 0.5	15	24	12	4.86	10	10	0.75	20	1.62	765
LLS 1448	201	202	9	< 0.2	2.37	44	320	< 0.5	< 2	0.86	< 0.5	11	6	3	4.85	10	10	0.86	10	1.50	930
LLS 1449	201	202	< 1	< 0.2	4.46	14	160	0.5	< 2	1.65	< 0.5	35	44	52	6.31	< 10	10	0.03	20	4.34	565
LLS 1450	201	202	< 1	< 0.2	3.81	12	20	0.5	< 2	2.75	< 0.5	40	41	48	5.84	< 10	< 10	0.03	10	4.61	655
LLS 1451	201	202	2	< 0.2	2.03	6	120	< 0.5	< 2	0.88	< 0.5	11	17	13	3.99	10	20	0.09	10	1.19	780
LLS 1452	201	202	3	< 0.2	2.39	10	120	0.5	< 2	1.18	< 0.5	12	23	18	4.11	10	10	0.10	10	1.34	780
LLS 1453	201	202	1	< 0.2	2.23	12	60	0.5	8	1.25	< 0.5	23	15	31	5.19	< 10	10	0.17	30	1.93	330
LLS 1454	201	202	3	< 0.2	2.12	12	40	< 0.5	< 2	1.39	< 0.5	24	14	29	5.36	< 10	290	0.17	30	2.15	365
LLS 1455	201	202	4	< 0.2	3.23	4	310	0.5	4	0.94	< 0.5	14	13	11	5.08	10	10	0.38	20	1.52	950
LLS 1456	201	202	2	< 0.2	2.04	< 2	470	< 0.5	2	0.90	< 0.5	11	6	4	4.53	10	< 10	0.68	20	1.49	955
LLS 1457	201	202	3	< 0.2	3.13	8	150	0.5	6	0.76	< 0.5	18	86	30	4.70	10	20	0.04	10	1.69	415
LLS 1458	201	202	4	< 0.2	3.38	8	160	0.5	< 2	1.01	< 0.5	21	89	31	5.15	10	30	0.14	10	2.02	655
LLS 1459	201	202	3	< 0.2	2.45	6	170	< 0.5	2	0.42	< 0.5	10	38	16	3.07	< 10	20	0.04	< 10	0.68	360
LLS 1460	201	202	1	< 0.2	3.09	8	50	< 0.5	< 2	1.63	< 0.5	25	16	34	4.30	< 10	< 10	0.05	10	2.69	360
LLS 1461	201	202	3	< 0.2	2.36	8	890	< 0.5	< 2	0.71	< 0.5	12	8	8	4.66	10	20	0.60	30	1.19	1070
LLS 1462	201	202	2	< 0.2	2.18	2	1970	< 0.5	2	0.66	< 0.5	10	3	1	4.04	10	< 10	0.72	20	1.09	860
LLS 1463	201	202	4	< 0.2	1.97	4	390	< 0.5	< 2	0.52	< 0.5	9	15	14	3.35	10	10	0.52	20	0.91	530
LLS 1464	201	202	< 1	< 0.2	1.58	< 2	420	< 0.5	< 2	0.42	< 0.5	8	7	3	2.71	10	10	0.71	20	0.82	600
LLS 1465	201	202	1	< 0.2	1.69	8	240	< 0.5	< 2	0.37	< 0.5	7	20	13	2.69	< 10	20	0.15	< 10	0.52	340

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : 1-B
Total Pages : 2
Certificate Date: 13-SEP-96
Invoice No. : I9630551
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9630551

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 1426	201 202	< 1	0.01	2	1280	2	< 2	5	20	0.18	< 10	< 10	73	< 10	80
LLS 1427	201 202	< 1	0.01	15	940	6	< 2	7	32	0.19	< 10	< 10	93	< 10	74
LLS 1428	201 202	< 1	0.01	10	1150	6	< 2	8	27	0.17	< 10	< 10	89	< 10	86
LLS 1429	201 202	< 1	< 0.01	5	830	4	2	5	18	0.19	< 10	< 10	73	< 10	60
LLS 1430	201 202	< 1	0.01	3	1570	6	2	7	22	0.24	< 10	< 10	85	< 10	96
LLS 1431	201 202	1	0.01	8	1580	6	2	7	31	0.21	< 10	< 10	91	< 10	94
LLS 1432	201 202	< 1	< 0.01	4	1460	2	< 2	6	21	0.25	< 10	< 10	78	< 10	90
LLS 1433	201 202	< 1	0.02	15	770	4	< 2	5	34	0.14	< 10	< 10	74	< 10	46
LLS 1434	201 202	< 1	< 0.01	8	1240	6	2	8	27	0.23	< 10	< 10	91	< 10	82
LLS 1435	201 202	< 1	0.04	18	730	2	< 2	4	42	0.14	< 10	< 10	76	< 10	48
LLS 1436	201 202	< 1	0.01	17	590	8	2	11	47	0.19	< 10	< 10	98	< 10	64
LLS 1437	201 202	< 1	0.02	18	630	4	< 2	6	37	0.16	< 10	< 10	84	< 10	62
LLS 1438	201 202	< 1	0.03	22	730	6	2	5	49	0.13	< 10	< 10	80	< 10	60
LLS 1439	201 202	< 1	< 0.01	10	870	2	< 2	8	25	0.16	< 10	< 10	88	< 10	66
LLS 1440	201 202	< 1	< 0.01	5	840	8	2	7	15	0.16	< 10	< 10	79	< 10	60
LLS 1441	201 202	< 1	< 0.01	7	880	6	< 2	6	16	0.19	< 10	< 10	78	< 10	60
LLS 1442	201 202	< 1	< 0.01	3	780	4	2	5	12	0.19	< 10	< 10	63	< 10	52
LLS 1443	201 202	< 1	0.03	31	790	6	< 2	9	51	0.23	< 10	< 10	101	< 10	64
LLS 1444	201 202	< 1	0.01	85	1350	4	2	18	62	0.38	< 10	< 10	134	< 10	80
LLS 1445	201 202	< 1	< 0.01	4	1010	6	2	6	21	0.25	< 10	< 10	100	< 10	72
LLS 1446	201 202	< 1	0.02	4	1030	6	2	8	27	0.27	< 10	< 10	107	< 10	80
LLS 1447	201 202	< 1	0.01	9	1180	8	2	11	43	0.29	< 10	< 10	120	< 10	86
LLS 1448	201 202	< 1	0.01	3	1510	6	2	10	33	0.27	< 10	< 10	91	< 10	94
LLS 1449	201 202	< 1	< 0.01	139	2150	8	4	6	55	0.14	< 10	< 10	49	< 10	112
LLS 1450	201 202	< 1	< 0.01	136	2120	4	6	5	89	0.14	< 10	< 10	36	< 10	102
LLS 1451	201 202	< 1	0.01	12	910	8	2	8	40	0.19	< 10	< 10	81	< 10	74
LLS 1452	201 202	< 1	0.03	15	840	6	< 2	8	51	0.20	< 10	< 10	78	< 10	74
LLS 1453	201 202	1	0.04	52	2040	4	2	3	78	0.19	< 10	< 10	57	< 10	88
LLS 1454	201 202	1	0.06	53	2190	6	2	2	66	0.20	< 10	< 10	51	< 10	86
LLS 1455	201 202	< 1	< 0.01	10	1330	6	4	9	42	0.31	< 10	< 10	102	< 10	98
LLS 1456	201 202	< 1	0.03	4	1610	6	< 2	6	23	0.25	< 10	< 10	86	< 10	92
LLS 1457	201 202	< 1	0.01	49	770	4	2	9	51	0.21	< 10	< 10	95	< 10	66
LLS 1458	201 202	1	0.04	52	950	4	2	9	67	0.24	< 10	< 10	99	< 10	72
LLS 1459	201 202	< 1	0.01	20	220	6	2	5	30	0.13	< 10	< 10	83	< 10	52
LLS 1460	201 202	< 1	0.11	78	1870	6	2	2	71	0.16	< 10	< 10	43	< 10	76
LLS 1461	201 202	< 1	0.01	7	1560	4	2	9	33	0.14	< 10	< 10	78	< 10	96
LLS 1462	201 202	< 1	0.01	3	1400	2	< 2	7	41	0.14	< 10	< 10	60	< 10	84
LLS 1463	201 202	< 1	0.01	7	820	6	< 2	7	30	0.15	< 10	< 10	77	< 10	64
LLS 1464	201 202	< 1	< 0.01	3	730	4	< 2	4	21	0.16	< 10	< 10	63	< 10	54
LLS 1465	201 202	< 1	0.01	11	450	2	< 2	4	26	0.11	< 10	< 10	69	< 10	46

CERTIFICATION: Stewart Buchlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :2-A
Total Pages :2
Certificate Date: 13-SEP-96
Invoice No. :I9630551
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9630551

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LLS 1466	201	202	5	< 0.2	1.60	2	580	< 0.5	< 2	0.56	< 0.5	9	3	3	3.33	< 10	< 10	0.79	30	0.98	890
LLS 1467	201	202	5	< 0.2	1.59	2	580	< 0.5	< 2	0.56	< 0.5	9	3	3	3.35	10	< 10	0.76	30	0.97	890
LLS 1468	201	202	4	< 0.2	2.11	10	300	< 0.5	< 2	0.50	< 0.5	10	36	27	3.37	10	20	0.08	10	0.81	380
LLS 1469	201	202	1	< 0.2	1.99	4	930	< 0.5	< 2	0.54	< 0.5	8	4	3	3.74	10	< 10	0.80	30	0.94	745
LLS 1470	201	202	4	< 0.2	2.42	8	270	0.5	< 2	0.51	< 0.5	10	32	24	3.34	< 10	30	0.16	10	0.75	485
LLS 1471	201	202	5	< 0.2	1.58	6	370	< 0.5	2	0.43	< 0.5	7	8	1	2.71	< 10	< 10	0.63	20	0.69	495
LLS 1472	201	202	4	< 0.2	2.55	4	270	< 0.5	2	0.65	< 0.5	9	38	31	3.41	< 10	30	0.11	10	0.78	365
LLS 1473	201	202	12	< 0.2	2.05	2	520	< 0.5	2	0.67	< 0.5	10	7	7	4.10	10	10	0.88	30	1.14	895
LLS 1474	201	202	8	< 0.2	2.41	6	230	< 0.5	6	0.78	< 0.5	11	38	32	3.47	10	30	0.11	10	0.89	420
LLS 1475	201	202	6	< 0.2	2.70	2	430	0.5	2	1.39	< 0.5	17	91	24	5.62	10	< 10	0.06	20	1.55	505
LLS 1476	201	202	4	< 0.2	2.38	64	520	0.5	2	0.44	< 0.5	10	8	23	4.43	10	< 10	0.53	40	1.07	1230
LLS 1477	201	202	6	< 0.2	1.99	28	450	< 0.5	2	0.45	< 0.5	10	4	3	4.27	10	20	0.68	50	1.12	1170

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :2-B
Total Pages :2
Certificate Date: 13-SEP-96
Invoice No. :I9630551
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9630551

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LLS 1466	201	202	< 1	< 0.01	2	1490	2	< 2	6	25	0.20	< 10	< 10	51	< 10	80
LLS 1467	201	202	< 1	< 0.01	3	1470	< 2	< 2	6	24	0.19	< 10	< 10	51	< 10	78
LLS 1468	201	202	< 1	0.01	21	350	6	< 2	8	36	0.14	< 10	< 10	91	< 10	52
LLS 1469	201	202	< 1	< 0.01	3	1260	2	< 2	7	27	0.18	< 10	< 10	57	< 10	72
LLS 1470	201	202	< 1	0.01	18	330	4	2	8	36	0.16	< 10	< 10	86	< 10	50
LLS 1471	201	202	< 1	0.01	3	830	6	< 2	5	16	0.15	< 10	< 10	53	< 10	54
LLS 1472	201	202	< 1	0.03	20	380	2	< 2	8	41	0.17	< 10	< 10	91	< 10	52
LLS 1473	201	202	< 1	0.01	4	1420	2	< 2	8	22	0.19	< 10	< 10	65	< 10	90
LLS 1474	201	202	< 1	0.03	23	580	2	2	8	48	0.19	< 10	< 10	91	< 10	58
LLS 1475	201	202	< 1	< 0.01	34	2240	2	2	15	67	0.28	< 10	< 10	71	< 10	98
LLS 1476	201	202	3	< 0.01	5	1180	16	< 2	9	24	0.10	< 10	< 10	63	< 10	136
LLS 1477	201	202	< 1	< 0.01	4	1300	10	< 2	9	22	0.14	< 10	< 10	68	< 10	106

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : 1-A
Total Pages : 4
Certificate Date: 13-SEP-96
Invoice No. : 19630552
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9630552

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
HA 01A	201	202	3	< 0.2	2.09	12	150	< 0.5	< 2	0.56	< 0.5	11	29	14	3.07	< 10	30	0.14	10	0.69	410
HA 01B	201	202	9	< 0.2	1.68	38	320	0.5	< 2	0.50	< 0.5	7	11	7	3.04	< 10	< 10	0.30	30	0.49	1120
HA 02A	201	202	3	< 0.2	1.96	6	200	< 0.5	< 2	0.57	< 0.5	11	33	22	2.93	< 10	30	0.06	10	0.67	455
HA 02B	201	202	4	< 0.2	2.33	20	240	0.5	< 2	0.75	< 0.5	12	28	17	3.80	< 10	10	0.24	10	0.89	755
HA 03A	201	202	1	< 0.2	2.62	4	200	0.5	< 2	0.52	< 0.5	14	40	20	3.69	< 10	30	0.09	10	0.75	620
HA 03B	201	202	2	< 0.2	2.51	10	190	0.5	< 2	0.45	< 0.5	12	35	26	4.03	< 10	30	0.20	10	0.88	670
HA 04A	201	202	< 1	< 0.2	3.41	10	240	0.5	< 2	0.24	< 0.5	13	30	17	4.34	10	10	0.11	< 10	0.78	590
HA 04B	201	202	< 1	< 0.2	3.66	12	230	0.5	< 2	0.40	< 0.5	12	21	12	4.47	10	10	0.20	10	0.96	905
HA 05A	201	202	1	< 0.2	2.17	6	210	0.5	< 2	0.84	< 0.5	10	23	29	3.02	< 10	30	0.21	110	0.52	1570
HA 05B	201	202	2	< 0.2	2.44	2	150	0.5	< 2	0.99	< 0.5	9	17	15	3.50	< 10	20	0.27	100	0.66	935
HA 06A	201	202	2	< 0.2	2.13	8	140	< 0.5	< 2	0.58	< 0.5	11	38	25	3.23	< 10	40	0.08	10	0.77	365
HA 06B	201	202	6	< 0.2	2.01	28	170	0.5	< 2	0.64	< 0.5	10	24	20	3.68	< 10	30	0.26	10	0.84	770
HA 07A	201	202	2	< 0.2	2.03	24	280	< 0.5	< 2	0.39	< 0.5	8	18	11	2.95	< 10	30	0.37	20	0.64	325
HA 07B	201	202	2	< 0.2	2.44	24	320	0.5	< 2	0.40	< 0.5	9	18	11	3.30	< 10	30	0.46	30	0.68	370
HA 08A	201	202	2	< 0.2	2.28	10	220	< 0.5	< 2	0.53	< 0.5	11	31	14	3.16	< 10	30	0.13	10	0.72	335
HA 08B	201	202	1	< 0.2	2.31	26	280	< 0.5	< 2	0.47	< 0.5	12	18	8	3.99	< 10	10	0.60	20	0.83	610
HA 09A	201	202	2	< 0.2	2.03	10	250	< 0.5	< 2	0.53	< 0.5	11	36	22	3.06	< 10	30	0.07	10	0.80	380
HA 09B	201	202	2	< 0.2	2.12	10	270	< 0.5	< 2	0.58	< 0.5	11	36	26	3.44	< 10	60	0.18	10	0.83	495
HA 10A	201	202	2	< 0.2	1.90	< 2	260	< 0.5	< 2	0.53	< 0.5	11	31	19	3.30	< 10	10	0.16	30	0.78	545
HA 10B	201	202	3	< 0.2	1.86	14	240	< 0.5	< 2	0.51	< 0.5	11	33	21	3.17	< 10	20	0.13	30	0.75	490
HA 11A	201	202	< 1	< 0.2	2.52	4	270	< 0.5	< 2	0.34	< 0.5	15	26	12	3.90	10	30	0.29	< 10	0.72	1910
HA 11B	201	202	< 1	< 0.2	3.02	2	300	0.5	< 2	0.45	< 0.5	13	20	10	4.60	10	20	0.69	10	0.98	1560
HA 12A	201	202	< 1	< 0.2	3.02	8	290	0.5	< 2	0.48	< 0.5	14	51	20	4.17	< 10	10	0.32	20	1.05	535
HA 12B	201	202	1	< 0.2	2.84	< 2	240	< 0.5	< 2	0.33	< 0.5	16	64	20	3.76	< 10	10	0.07	< 10	0.95	480
HA 13A	201	202	13	< 0.2	1.92	48	340	< 0.5	< 2	0.55	< 0.5	9	27	19	3.18	< 10	30	0.13	10	0.55	495
HA 13B	201	202	9	< 0.2	2.20	72	330	< 0.5	< 2	0.53	< 0.5	16	24	14	3.88	< 10	20	0.15	20	0.68	1435
HA 14A	201	202	14	< 0.2	2.31	28	250	< 0.5	< 2	0.53	< 0.5	10	35	21	3.21	< 10	50	0.06	10	0.66	365
HA 14B	201	202	44	< 0.2	2.65	126	370	0.5	< 2	0.71	< 0.5	11	30	26	4.28	10	40	0.23	30	0.86	965
HA 15A	201	202	7	< 0.2	3.19	14	280	0.5	< 2	0.37	< 0.5	14	28	20	4.31	10	10	0.20	30	0.83	775
HA 15B	201	202	14	< 0.2	2.58	46	440	0.5	< 2	0.63	< 0.5	15	8	10	4.87	10	10	0.40	60	0.95	1710
HA 16A	201	202	8	< 0.2	2.14	14	260	0.5	< 2	0.40	< 0.5	11	39	23	3.21	< 10	20	0.05	10	0.64	315
HA 16B	201	202	15	< 0.2	2.27	44	690	0.5	< 2	0.65	< 0.5	16	18	13	5.30	10	10	0.34	50	0.91	1005
HA 17A	201	202	6	< 0.2	2.00	22	230	< 0.5	< 2	0.58	< 0.5	9	34	22	2.98	< 10	30	0.09	10	0.69	310
HA 17B	201	202	14	< 0.2	2.42	28	330	0.5	< 2	0.66	< 0.5	12	30	22	3.79	< 10	30	0.22	20	0.76	590
HA 18A	201	202	9	< 0.2	2.09	22	250	< 0.5	< 2	0.56	< 0.5	11	37	20	3.23	< 10	30	0.08	10	0.72	565
HA 18B	201	202	4	< 0.2	2.37	42	280	0.5	< 2	0.78	< 0.5	12	33	17	4.33	< 10	10	0.21	30	0.91	675
HA 19A	201	202	4	< 0.2	2.77	14	200	< 0.5	< 2	0.51	< 0.5	11	38	19	3.64	< 10	30	0.06	< 10	0.72	320
HA 19B	201	202	3	< 0.2	2.15	12	280	0.5	< 2	0.52	< 0.5	12	27	14	3.94	< 10	20	0.26	30	0.70	640
HA 20A	201	202	4	< 0.2	2.44	18	260	< 0.5	< 2	0.45	< 0.5	11	32	17	3.61	< 10	30	0.14	10	0.75	515
HA 20B	201	202	5	< 0.2	2.72	26	310	0.5	< 2	0.55	< 0.5	12	26	15	4.32	< 10	10	0.26	30	1.00	590

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : 1-B
Total Pages : 4
Certificate Date: 13-SEP-96
Invoice No. : I9630552
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9630552

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HA 01A	201	202	< 1	< 0.01	14	470	6	2	5	32	0.15	< 10	< 10	85	< 10	50
HA 01B	201	202	1	< 0.01	6	720	32	2	5	28	0.03	< 10	< 10	39	< 10	68
HA 02A	201	202	1	0.01	17	370	8	2	6	34	0.13	< 10	< 10	77	< 10	46
HA 02B	201	202	< 1	0.01	16	670	14	4	8	37	0.19	< 10	< 10	87	< 10	74
HA 03A	201	202	< 1	0.01	22	240	10	< 2	8	43	0.14	< 10	< 10	96	< 10	58
HA 03B	201	202	< 1	0.01	20	260	14	2	10	32	0.17	< 10	< 10	96	< 10	68
HA 04A	201	202	1	< 0.01	21	420	16	< 2	5	22	0.16	< 10	< 10	101	< 10	78
HA 04B	201	202	< 1	< 0.01	14	480	16	< 2	8	24	0.22	< 10	< 10	88	< 10	90
HA 05A	201	202	< 1	0.01	18	500	10	< 2	10	59	0.09	< 10	< 10	66	< 10	48
HA 05B	201	202	< 1	< 0.01	11	700	18	< 2	10	57	0.10	< 10	< 10	61	< 10	70
HA 06A	201	202	< 1	0.01	22	320	4	< 2	7	35	0.15	< 10	< 10	89	< 10	50
HA 06B	201	202	< 1	0.02	17	570	16	< 2	8	36	0.16	< 10	< 10	81	< 10	72
HA 07A	201	202	< 1	< 0.01	9	460	8	< 2	6	23	0.14	< 10	< 10	72	< 10	52
HA 07B	201	202	< 1	< 0.01	9	490	10	2	7	24	0.15	< 10	< 10	79	< 10	62
HA 08A	201	202	< 1	< 0.01	14	400	6	< 2	6	32	0.16	< 10	< 10	90	< 10	52
HA 08B	201	202	< 1	< 0.01	8	780	10	2	7	23	0.17	< 10	< 10	87	< 10	76
HA 09A	201	202	< 1	< 0.01	19	370	10	2	6	31	0.15	< 10	< 10	87	< 10	46
HA 09B	201	202	< 1	0.01	19	560	6	2	8	33	0.16	< 10	< 10	93	< 10	56
HA 10A	201	202	< 1	< 0.01	17	470	8	6	6	32	0.17	< 10	< 10	91	< 10	54
HA 10B	201	202	< 1	< 0.01	17	390	10	< 2	7	29	0.17	< 10	< 10	90	< 10	52
HA 11A	201	202	< 1	< 0.01	15	640	12	< 2	5	18	0.19	< 10	< 10	96	< 10	76
HA 11B	201	202	< 1	< 0.01	11	830	18	< 2	7	12	0.29	< 10	< 10	98	< 10	88
HA 12A	201	202	< 1	< 0.01	24	300	10	< 2	9	30	0.22	< 10	< 10	108	< 10	64
HA 12B	201	202	< 1	< 0.01	29	220	6	< 2	5	25	0.15	< 10	< 10	96	< 10	64
HA 13A	201	202	< 1	0.01	15	510	6	10	7	31	0.10	< 10	< 10	76	< 10	52
HA 13B	201	202	< 1	0.01	13	770	12	2	7	30	0.08	< 10	< 10	85	< 10	66
HA 14A	201	202	1	0.01	18	290	8	< 2	7	32	0.13	< 10	< 10	87	< 10	46
HA 14B	201	202	< 1	0.01	19	860	12	4	11	36	0.12	< 10	< 10	91	< 10	80
HA 15A	201	202	< 1	< 0.01	18	580	18	< 2	7	24	0.08	< 10	< 10	84	< 10	88
HA 15B	201	202	< 1	< 0.01	8	1340	34	< 2	9	33	0.05	< 10	< 10	64	< 10	114
HA 16A	201	202	< 1	< 0.01	19	160	8	2	7	26	0.12	< 10	< 10	87	< 10	42
HA 16B	201	202	1	< 0.01	13	1180	22	< 2	13	31	0.06	< 10	< 10	101	< 10	94
HA 17A	201	202	< 1	0.01	15	430	8	2	7	31	0.14	< 10	< 10	81	< 10	52
HA 17B	201	202	1	< 0.01	16	670	10	4	9	29	0.17	< 10	< 10	93	< 10	76
HA 18A	201	202	< 1	0.01	21	280	4	6	6	32	0.14	< 10	< 10	91	< 10	48
HA 18B	201	202	< 1	< 0.01	17	700	14	22	9	32	0.23	< 10	< 10	109	< 10	70
HA 19A	201	202	< 1	< 0.01	21	240	8	2	5	31	0.15	< 10	< 10	103	< 10	52
HA 19B	201	202	1	< 0.01	15	550	12	4	7	25	0.12	< 10	< 10	87	< 10	60
HA 20A	201	202	1	< 0.01	17	300	8	4	6	29	0.14	< 10	< 10	96	< 10	58
HA 20B	201	202	1	< 0.01	13	570	10	< 2	9	32	0.16	< 10	< 10	101	< 10	70

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : 2-A
Total Pages : 4
Certificate Date: 13-SEP-96
Invoice No. : 19630552
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9630552

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
BA 21A	201	202	1	< 0.2	3.12	12	290	0.5	< 2	0.48	< 0.5	13	24	14	4.53	10	30	0.31	10	1.01	890
BA 21B	201	202	1	< 0.2	3.21	14	300	0.5	< 2	0.58	< 0.5	14	21	11	5.19	10	20	0.45	30	1.24	890
BA 22A	201	202	2	< 0.2	2.98	12	270	< 0.5	< 2	0.25	< 0.5	14	36	17	3.80	< 10	30	0.10	< 10	0.68	440
BA 22B	201	202	2	< 0.2	2.45	24	320	0.5	< 2	0.29	< 0.5	10	16	8	3.46	< 10	10	0.34	40	0.71	440
BA 23A	201	202	3	< 0.2	2.61	2	200	< 0.5	< 2	0.37	< 0.5	13	36	21	3.50	< 10	10	0.06	< 10	0.80	335
BA 23B	201	202	3	< 0.2	2.60	2	190	< 0.5	< 2	0.41	< 0.5	13	33	21	3.43	< 10	10	0.12	10	0.81	490
BA 24A	201	202	6	< 0.2	2.63	16	300	< 0.5	< 2	0.51	< 0.5	10	31	23	2.96	< 10	60	0.12	40	0.69	440
BA 24B	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BA 25A	201	202	3	< 0.2	2.30	2	260	< 0.5	< 2	0.42	< 0.5	11	26	16	3.24	< 10	< 10	0.13	20	0.78	425
BA 25B	201	202	1	< 0.2	2.21	10	250	< 0.5	< 2	0.40	< 0.5	11	25	15	3.10	< 10	30	0.12	10	0.74	415
BA 26A	201	202	1	< 0.2	2.42	6	290	< 0.5	< 2	0.28	< 0.5	9	22	15	2.90	< 10	40	0.22	30	0.65	440
BA 26B	201	202	< 1	< 0.2	1.48	2	200	< 0.5	< 2	0.25	< 0.5	8	13	7	2.59	< 10	20	0.27	20	0.45	570
BA 27A	201	202	2	< 0.2	2.25	10	220	< 0.5	< 2	0.43	< 0.5	11	28	18	3.03	< 10	40	0.08	10	0.59	655
BA 27B	201	202	1	< 0.2	1.90	4	210	< 0.5	< 2	0.39	< 0.5	9	25	12	2.90	< 10	10	0.20	10	0.64	535
BA 28A	201	202	2	< 0.2	2.26	< 2	180	< 0.5	< 2	0.42	< 0.5	10	30	20	3.05	< 10	30	0.07	10	0.65	385
BA 28B	201	202	7	< 0.2	2.48	< 2	200	< 0.5	< 2	0.50	< 0.5	13	34	22	3.49	< 10	40	0.09	10	0.75	530
BA 29A	201	202	3	< 0.2	2.04	2	160	< 0.5	< 2	0.45	< 0.5	13	29	14	3.22	< 10	30	0.09	10	0.65	545
BA 29B	201	202	3	< 0.2	2.15	< 2	200	< 0.5	< 2	0.42	< 0.5	12	31	20	3.18	< 10	20	0.07	10	0.68	455
BA 30A	201	202	1	< 0.2	1.98	2	210	< 0.5	< 2	0.31	0.5	12	19	11	2.77	< 10	20	0.20	20	0.58	665
BA 30B	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BA 31A	201	202	1	< 0.2	2.40	6	230	< 0.5	< 2	0.36	< 0.5	12	26	16	3.39	< 10	20	0.18	10	0.72	505
BA 31B	201	202	< 1	< 0.2	2.39	2	300	0.5	< 2	0.36	< 0.5	11	14	11	3.45	< 10	10	0.46	30	0.70	640
BA 32A	201	202	1	< 0.2	2.45	2	280	< 0.5	< 2	0.48	< 0.5	11	28	22	3.15	< 10	30	0.12	30	0.71	440
BA 32B	201	202	2	< 0.2	2.50	6	290	< 0.5	< 2	0.54	< 0.5	11	31	21	3.29	< 10	30	0.10	20	0.75	440
BA 33A	201	202	2	< 0.2	2.32	8	220	< 0.5	< 2	0.46	< 0.5	11	29	19	3.26	< 10	40	0.08	10	0.67	490
BA 33B	201	202	1	< 0.2	2.30	< 2	240	< 0.5	< 2	0.45	< 0.5	9	28	19	2.84	< 10	30	0.07	20	0.61	355
BA 34A	201	202	4	< 0.2	2.11	6	240	< 0.5	< 2	0.45	< 0.5	10	27	22	2.91	< 10	30	0.07	30	0.66	350
BA 34B	201	202	2	< 0.2	2.56	16	300	0.5	< 2	0.57	< 0.5	11	21	17	3.78	< 10	20	0.22	30	0.93	685
BA 35A	201	202	4	< 0.2	2.06	6	160	< 0.5	< 2	0.36	< 0.5	7	21	13	2.59	< 10	10	0.08	10	0.51	285
BA 35B	201	202	6	< 0.2	3.08	20	250	< 0.5	< 2	0.55	< 0.5	13	31	20	4.11	10	20	0.19	10	0.96	650
BA 36A	201	202	4	< 0.2	2.81	12	190	< 0.5	< 2	0.43	< 0.5	14	36	21	3.56	< 10	30	0.06	10	0.73	430
BA 36B	201	202	26	< 0.2	2.10	10	170	< 0.5	< 2	0.49	< 0.5	9	24	15	3.23	< 10	10	0.14	10	0.66	440
BA 37A	201	202	3	< 0.2	2.07	16	220	< 0.5	< 2	0.52	< 0.5	9	26	17	2.92	< 10	40	0.09	20	0.62	420
BA 37B	201	202	2	< 0.2	2.03	4	220	< 0.5	< 2	0.51	< 0.5	10	23	14	3.15	< 10	30	0.27	10	0.81	440
BA 38A	201	202	46	< 0.2	2.14	8	190	< 0.5	< 2	0.62	< 0.5	9	21	15	2.98	< 10	210	0.13	10	0.78	375
BA 38B	201	202	8	< 0.2	2.39	12	230	< 0.5	< 2	0.83	< 0.5	12	21	18	3.44	< 10	40	0.21	40	0.80	430
BA 39A	201	202	5	< 0.2	2.60	16	190	< 0.5	< 2	0.42	< 0.5	13	29	17	3.42	< 10	10	0.15	20	0.81	475
BA 39B	201	202	< 1	< 0.2	2.63	8	210	< 0.5	< 2	0.43	< 0.5	14	27	16	3.57	< 10	30	0.22	10	0.85	500
BA 40A	201	202	3	< 0.2	3.27	12	180	< 0.5	< 2	0.28	< 0.5	13	38	21	3.53	< 10	20	0.08	10	0.76	340
BA 40B	201	202	3	< 0.2	2.71	10	260	< 0.5	< 2	0.47	< 0.5	12	25	15	4.03	< 10	10	0.40	30	0.91	700

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :2-B
Total Pages :4
Certificate Date: 13-SEP-96
Invoice No. :19630552
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9630552

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HA 21A	201	202	< 1	< 0.01	13	590	18	2	8	22	0.26	< 10	< 10	107	< 10	84
HA 21B	201	202	< 1	< 0.01	9	620	18	< 2	10	23	0.35	< 10	< 10	118	< 10	90
HA 22A	201	202	1	< 0.01	22	290	8	< 2	4	19	0.11	< 10	< 10	92	< 10	60
HA 22B	201	202	< 1	< 0.01	9	340	12	< 2	6	21	0.06	< 10	< 10	59	< 10	60
HA 23A	201	202	< 1	< 0.01	26	300	8	< 2	5	22	0.13	< 10	< 10	87	< 10	50
HA 23B	201	202	< 1	< 0.01	24	380	6	4	6	21	0.15	< 10	< 10	84	< 10	52
HA 24A	201	202	< 1	< 0.01	18	680	10	< 2	9	35	0.10	< 10	10	71	< 10	60
HA 24B	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
HA 25A	201	202	< 1	< 0.01	18	390	8	< 2	5	25	0.16	< 10	< 10	85	< 10	52
HA 25B	201	202	< 1	< 0.01	16	370	8	2	5	23	0.15	< 10	< 10	79	< 10	50
HA 26A	201	202	< 1	< 0.01	13	650	10	< 2	5	16	0.12	< 10	< 10	70	< 10	56
HA 26B	201	202	< 1	< 0.01	7	470	8	< 2	4	14	0.10	< 10	< 10	63	< 10	44
HA 27A	201	202	1	< 0.01	16	600	10	< 2	5	28	0.11	< 10	< 10	76	< 10	52
HA 27B	201	202	< 1	< 0.01	12	490	8	< 2	4	20	0.12	< 10	< 10	68	< 10	56
HA 28A	201	202	< 1	< 0.01	18	590	4	< 2	5	24	0.13	< 10	< 10	77	< 10	52
HA 28B	201	202	< 1	< 0.01	19	620	8	4	6	32	0.15	< 10	< 10	94	< 10	62
HA 29A	201	202	< 1	< 0.01	16	460	6	2	4	27	0.13	< 10	< 10	89	< 10	52
HA 29B	201	202	< 1	< 0.01	18	550	4	< 2	5	26	0.12	< 10	< 10	83	< 10	58
HA 30A	201	202	< 1	< 0.01	10	640	8	2	4	18	0.10	< 10	< 10	68	< 10	56
HA 30B	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
HA 31A	201	202	< 1	< 0.01	16	430	8	2	5	25	0.14	< 10	< 10	86	< 10	56
HA 31B	201	202	< 1	< 0.01	9	670	8	4	5	24	0.10	< 10	< 10	67	< 10	68
HA 32A	201	202	< 1	0.01	18	670	8	4	6	35	0.13	< 10	< 10	78	< 10	56
HA 32B	201	202	< 1	< 0.01	18	610	6	< 2	6	41	0.16	< 10	< 10	89	< 10	58
HA 33A	201	202	< 1	< 0.01	17	510	6	< 2	6	32	0.13	< 10	< 10	88	< 10	56
HA 33B	201	202	< 1	0.01	17	530	8	< 2	5	36	0.11	< 10	< 10	73	< 10	54
HA 34A	201	202	< 1	0.01	15	350	6	< 2	5	33	0.15	< 10	< 10	74	< 10	48
HA 34B	201	202	< 1	< 0.01	13	890	10	4	7	33	0.12	< 10	< 10	73	< 10	74
HA 35A	201	202	1	0.01	11	220	6	2	4	26	0.13	< 10	< 10	72	< 10	42
HA 35B	201	202	< 1	< 0.01	17	510	6	< 2	7	32	0.20	< 10	< 10	108	< 10	66
HA 36A	201	202	< 1	< 0.01	22	320	4	< 2	6	31	0.15	< 10	< 10	98	< 10	58
HA 36B	201	202	< 1	< 0.01	13	540	6	< 2	5	29	0.15	< 10	< 10	86	< 10	60
HA 37A	201	202	< 1	< 0.01	16	420	6	2	5	38	0.12	< 10	< 10	77	< 10	52
HA 37B	201	202	< 1	< 0.01	14	630	6	< 2	5	31	0.13	< 10	< 10	84	< 10	64
HA 38A	201	202	< 1	< 0.01	11	350	10	< 2	5	34	0.17	< 10	< 10	94	< 10	66
HA 38B	201	202	< 1	< 0.01	13	630	8	< 2	6	47	0.16	< 10	< 10	93	< 10	62
HA 39A	201	202	< 1	< 0.01	17	640	6	< 2	6	24	0.15	< 10	< 10	87	< 10	62
HA 39B	201	202	< 1	< 0.01	16	660	4	< 2	6	23	0.16	< 10	< 10	91	< 10	64
HA 40A	201	202	< 1	< 0.01	24	230	8	6	5	18	0.14	< 10	< 10	92	< 10	54
HA 40B	201	202	< 1	< 0.01	15	750	10	< 2	8	26	0.17	< 10	< 10	87	< 10	76

CERTIFICATION: Ivor S. Richter

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :3-A
Total Pages :4
Certificate Date: 13-SEP-96
Invoice No. :19630552
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9630552

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
HA 41A	201	202	3	< 0.2	2.43	6	150	< 0.5	< 2	0.34	< 0.5	10	29	15	3.66	10	10	0.15	10	0.69	395
HA 41B	201	202	< 1	< 0.2	2.54	4	230	< 0.5	< 2	0.46	< 0.5	13	15	9	4.46	< 10	< 10	0.65	30	0.99	935
HA 42A	201	202	8	< 0.2	3.42	6	180	0.5	< 2	0.43	< 0.5	15	42	29	3.61	< 10	40	0.07	10	0.83	415
HA 42B	201	202	2	< 0.2	2.82	2	250	0.5	< 2	0.50	< 0.5	13	36	25	3.75	< 10	10	0.18	20	0.88	620
HA 43A	201	202	3	< 0.2	3.09	6	400	< 0.5	< 2	0.67	< 0.5	14	33	16	3.81	10	10	0.22	10	1.05	470
HA 43B	201	202	13	< 0.2	2.72	18	360	< 0.5	< 2	0.63	< 0.5	11	12	8	3.79	< 10	< 10	0.81	30	1.06	595
HA 44A	201	202	5	< 0.2	1.96	14	190	< 0.5	< 2	0.34	< 0.5	9	16	10	2.83	< 10	10	0.18	10	0.65	355
HA 44B	201	202	< 1	< 0.2	2.08	2	380	< 0.5	< 2	0.51	< 0.5	9	13	8	3.24	< 10	< 10	0.37	30	0.80	460
HA 45A	201	202	< 1	< 0.2	2.79	6	220	< 0.5	< 2	0.27	< 0.5	13	20	13	4.05	< 10	< 10	0.63	< 10	1.11	690
HA 45B	201	202	< 1	< 0.2	2.76	12	290	< 0.5	< 2	0.33	< 0.5	12	13	10	4.10	< 10	< 10	0.94	10	1.19	860
HA 46A	201	202	1	< 0.2	2.93	16	260	< 0.5	< 2	0.29	< 0.5	14	30	16	3.66	< 10	< 10	0.27	10	0.82	445
HA 46B	201	202	3	< 0.2	2.46	36	300	< 0.5	< 2	0.36	< 0.5	10	6	6	3.55	< 10	< 10	0.83	10	0.94	665
HA 47A	201	202	6	< 0.2	2.23	10	190	< 0.5	< 2	0.54	< 0.5	10	31	18	3.03	< 10	10	0.11	10	0.75	320
HA 47B	201	202	11	< 0.2	2.16	12	250	< 0.5	< 2	0.59	< 0.5	10	23	13	3.42	< 10	< 10	0.44	10	0.88	455
HA 48A	201	202	< 1	< 0.2	2.34	10	220	< 0.5	< 2	0.47	< 0.5	12	19	10	3.20	< 10	10	0.22	10	0.80	525
HA 48B	201	202	1	< 0.2	2.49	6	260	< 0.5	< 2	0.64	< 0.5	11	13	8	3.86	< 10	< 10	0.54	10	0.99	645
HA 49A	201	202	< 1	< 0.2	2.36	18	220	< 0.5	< 2	0.45	< 0.5	13	13	6	3.52	< 10	10	0.44	< 10	1.02	700
HA 49B	201	202	3	< 0.2	2.35	24	250	< 0.5	< 2	0.45	< 0.5	8	15	7	3.22	< 10	10	0.32	10	0.85	515
HA 50A	201	202	10	< 0.2	2.16	8	310	< 0.5	< 2	0.53	< 0.5	11	21	15	3.47	< 10	30	0.26	30	0.76	435
HA 50B	201	202	12	< 0.2	2.24	16	360	< 0.5	< 2	0.57	< 0.5	11	21	15	3.70	< 10	10	0.31	30	0.83	525
HA 51A	201	202	27	< 0.2	2.18	8	250	< 0.5	< 2	0.55	< 0.5	12	21	14	3.37	< 10	10	0.26	10	0.84	555
HA 51B	201	202	14	< 0.2	2.21	26	280	< 0.5	< 2	0.73	< 0.5	10	9	9	4.11	< 10	< 10	0.48	30	0.95	570
HA 52A	201	202	7	< 0.2	2.17	10	210	< 0.5	< 2	0.41	< 0.5	11	27	16	2.89	< 10	40	0.10	10	0.76	345
HA 52B	201	202	6	< 0.2	1.98	18	190	< 0.5	< 2	0.39	< 0.5	10	24	15	2.91	< 10	10	0.12	10	0.73	395
HA 53A	201	202	9	< 0.2	2.32	12	210	< 0.5	< 2	0.45	< 0.5	9	28	18	3.02	< 10	10	0.09	10	0.73	350
HA 53B	201	202	18	< 0.2	2.35	14	210	< 0.5	< 2	0.52	< 0.5	10	28	19	3.24	< 10	30	0.14	10	0.81	425
HA 60A	201	202	4	< 0.2	2.20	18	220	< 0.5	< 2	0.44	< 0.5	10	27	13	2.90	< 10	30	0.12	10	0.64	410
HA 60B	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
HA 61A	201	202	4	< 0.2	2.73	8	310	< 0.5	< 2	0.39	< 0.5	11	22	13	3.63	< 10	20	0.25	30	0.61	675
HA 61B	201	202	6	< 0.2	2.54	2	310	< 0.5	< 2	0.46	< 0.5	11	21	17	3.15	< 10	40	0.15	30	0.54	665
HA 62A	201	202	8	< 0.2	2.12	12	230	< 0.5	< 2	0.32	< 0.5	9	19	12	2.99	< 10	10	0.15	10	0.56	400
HA 62B	201	202	7	< 0.2	2.51	10	280	< 0.5	< 2	0.35	< 0.5	9	22	17	3.41	< 10	50	0.15	20	0.66	425
HA 63A	201	202	5	< 0.2	2.78	20	290	< 0.5	< 2	0.47	< 0.5	10	25	14	3.37	< 10	30	0.15	20	0.65	595
HA 63B	201	202	27	< 0.2	2.51	16	280	< 0.5	< 2	0.41	< 0.5	11	23	13	3.41	< 10	10	0.15	20	0.62	590
HA 64A	201	202	5	< 0.2	1.97	28	180	< 0.5	< 2	0.29	< 0.5	9	24	17	2.82	< 10	10	0.09	10	0.56	355
HA 64B	201	202	8	< 0.2	2.62	36	270	< 0.5	< 2	0.43	< 0.5	10	26	19	3.84	< 10	< 10	0.22	10	0.91	540
HA 65A	201	202	8	< 0.2	2.63	58	270	< 0.5	< 2	0.45	< 0.5	11	31	25	3.59	< 10	30	0.10	20	0.79	495
HA 65B	201	202	12	< 0.2	2.49	56	260	< 0.5	< 2	0.47	< 0.5	11	27	20	3.55	< 10	20	0.17	10	0.85	520
HA 66A	201	202	10	< 0.2	2.35	62	210	< 0.5	< 2	0.51	< 0.5	12	26	16	3.86	< 10	< 10	0.22	10	1.00	575
HA 66B	201	202	6	< 0.2	2.27	60	210	< 0.5	< 2	0.49	< 0.5	11	25	15	3.69	< 10	10	0.22	10	0.95	585

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number :3-B
Total Pages :4
Certificate Date: 13-SEP-96
Invoice No. :19630552
P.O. Number :
Account :NRW

CERTIFICATE OF ANALYSIS A9630552

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HA 41A	201	202	< 1	< 0.01	16	450	8	< 2	5	21	0.17	< 10	< 10	104	< 10	56
HA 41B	201	202	< 1	< 0.01	10	1160	12	< 2	6	17	0.23	< 10	< 10	89	< 10	94
HA 42A	201	202	< 1	< 0.01	28	290	6	< 2	6	29	0.17	< 10	< 10	97	< 10	58
HA 42B	201	202	< 1	< 0.01	22	430	8	< 2	7	34	0.16	< 10	< 10	91	< 10	68
HA 43A	201	202	< 1	< 0.01	18	750	2	< 2	6	75	0.12	< 10	< 10	66	< 10	62
HA 43B	201	202	< 1	< 0.01	7	1180	20	< 2	6	38	0.14	< 10	< 10	66	< 10	84
HA 44A	201	202	< 1	< 0.01	10	420	4	4	3	25	0.11	< 10	< 10	63	< 10	48
HA 44B	201	202	1	< 0.01	7	670	4	2	4	47	0.09	< 10	< 10	60	< 10	62
HA 45A	201	202	< 1	< 0.01	12	470	6	< 2	6	15	0.19	< 10	< 10	95	< 10	74
HA 45B	201	202	1	< 0.01	8	800	8	2	6	14	0.19	< 10	< 10	88	< 10	82
HA 46A	201	202	< 1	< 0.01	19	320	6	< 2	4	21	0.14	< 10	< 10	89	< 10	62
HA 46B	201	202	< 1	< 0.01	4	790	8	4	5	19	0.15	< 10	< 10	66	< 10	72
HA 47A	201	202	< 1	< 0.01	17	590	8	< 2	5	32	0.15	< 10	< 10	79	< 10	54
HA 47B	201	202	1	< 0.01	12	920	2	< 2	6	32	0.15	< 10	< 10	78	< 10	68
HA 48A	201	202	< 1	< 0.01	11	720	12	2	4	29	0.07	< 10	< 10	56	< 10	64
HA 48B	201	202	< 1	< 0.01	8	1070	10	6	4	24	0.15	< 10	< 10	70	< 10	80
HA 49A	201	202	< 1	< 0.01	8	820	2	2	5	21	0.14	< 10	< 10	72	< 10	66
HA 49B	201	202	< 1	< 0.01	8	610	8	< 2	4	25	0.10	< 10	< 10	62	< 10	56
HA 50A	201	202	< 1	< 0.01	12	730	6	< 2	6	31	0.13	< 10	< 10	74	< 10	62
HA 50B	201	202	< 1	< 0.01	12	770	6	< 2	7	32	0.14	< 10	< 10	75	< 10	68
HA 51A	201	202	< 1	< 0.01	12	980	6	< 2	5	30	0.09	< 10	< 10	62	< 10	70
HA 51B	201	202	< 1	< 0.01	6	1410	12	2	5	31	0.10	< 10	< 10	60	< 10	98
HA 52A	201	202	< 1	< 0.01	17	470	6	2	5	23	0.11	< 10	< 10	74	< 10	56
HA 52B	201	202	< 1	< 0.01	15	490	8	< 2	4	21	0.11	< 10	< 10	69	< 10	56
HA 53A	201	202	< 1	< 0.01	17	490	6	2	5	26	0.12	< 10	< 10	71	< 10	54
HA 53B	201	202	< 1	< 0.01	17	560	6	< 2	6	30	0.14	< 10	< 10	76	< 10	62
HA 60A	201	202	< 1	< 0.01	14	600	8	2	5	32	0.11	< 10	< 10	72	< 10	64
HA 60B	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
HA 61A	201	202	< 1	< 0.01	13	650	8	2	6	32	0.15	< 10	< 10	87	< 10	66
HA 61B	201	202	< 1	< 0.01	13	640	10	< 2	5	42	0.14	< 10	< 10	79	< 10	58
HA 62A	201	202	< 1	< 0.01	10	520	8	< 2	4	20	0.12	< 10	< 10	72	< 10	50
HA 62B	201	202	< 1	< 0.01	12	500	10	2	5	25	0.14	< 10	< 10	79	< 10	58
HA 63A	201	202	< 1	< 0.01	15	700	12	2	5	37	0.13	< 10	< 10	79	< 10	70
HA 63B	201	202	< 1	< 0.01	13	620	10	4	5	31	0.12	< 10	< 10	79	< 10	68
HA 64A	201	202	< 1	< 0.01	15	360	6	< 2	4	18	0.11	< 10	< 10	68	< 10	44
HA 64B	201	202	< 1	< 0.01	18	680	8	< 2	5	22	0.16	< 10	< 10	90	< 10	66
HA 65A	201	202	< 1	< 0.01	21	630	10	6	6	32	0.11	< 10	< 10	87	< 10	58
HA 65B	201	202	< 1	< 0.01	17	670	8	2	6	30	0.12	< 10	< 10	85	< 10	62
HA 66A	201	202	< 1	< 0.01	18	810	6	2	5	28	0.16	< 10	< 10	88	< 10	68
HA 66B	201	202	< 1	< 0.01	17	770	8	< 2	5	26	0.15	< 10	< 10	85	< 10	68

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : 4-A
Total Pages : 4
Certificate Date: 13-SEP-96
Invoice No. : I9630552
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9630552

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
HA 67A	201	202	4	< 0.2	1.97	34	220	< 0.5	< 2	0.33	< 0.5	10	22	14	3.15	< 10	20	0.11	10	0.50	645
HA 67B	201	202	2	< 0.2	1.98	32	270	< 0.5	< 2	0.40	< 0.5	11	20	13	3.60	< 10	10	0.19	30	0.59	885
HA 68A	201	202	5	< 0.2	2.06	72	300	< 0.5	< 2	0.46	< 0.5	10	21	13	3.45	< 10	10	0.19	10	0.73	530
HA 68B	201	202	16	< 0.2	2.37	78	340	< 0.5	< 2	0.53	< 0.5	12	25	15	3.73	< 10	30	0.24	20	0.83	580
HA 69A	201	202	5	< 0.2	2.18	86	330	< 0.5	< 2	0.52	< 0.5	10	22	13	3.47	< 10	40	0.21	20	0.74	490
HA 69B	201	202	3	< 0.2	2.08	92	330	< 0.5	< 2	0.47	< 0.5	10	20	12	3.44	< 10	30	0.24	20	0.74	535

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX:S.BROUGHTON

Number : 4-B
Total Pages : 4
Certificate Date: 13-SEP-96
Invoice No. : 19630552
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9630552

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HA 67A	201	202	1	0.01	13	590	8	< 2	5	23	0.08	< 10	< 10	69	< 10	56
HA 67B	201	202	< 1	0.01	12	780	8	< 2	6	23	0.09	< 10	< 10	71	< 10	70
HA 68A	201	202	< 1	< 0.01	13	760	6	< 2	5	25	0.13	< 10	< 10	77	< 10	66
HA 68B	201	202	< 1	< 0.01	15	850	8	< 2	6	30	0.14	< 10	< 10	87	< 10	70
HA 69A	201	202	1	0.01	12	1110	6	2	6	34	0.13	< 10	< 10	83	< 10	68
HA 69B	201	202	1	0.01	10	1030	6	< 2	6	29	0.13	< 10	< 10	86	< 10	68

CERTIFICATION: Ian R Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX: S.BROUGHTON

Number : 1-A
Total Pages : 1
Certificate Date: 19-SEP-96
Invoice No. : I9631602
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9631602

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
HA 54A	201	202	4	< 0.2	1.81	22	130	< 0.5	< 2	0.34	< 0.5	7	24	14	2.50	< 10	40	0.07	< 10	0.54	250
HA 54B	201	202	4	< 0.2	2.07	38	190	< 0.5	< 2	0.38	< 0.5	9	15	11	2.92	10	10	0.30	10	0.69	695
HA 55A	201	202	5	< 0.2	1.82	56	180	< 0.5	4	0.47	< 0.5	8	22	12	2.70	10	40	0.10	10	0.64	550
HA 56A	201	202	6	< 0.2	2.43	42	210	< 0.5	4	0.49	< 0.5	9	30	16	2.99	10	30	0.09	10	0.77	410
HA 57A	201	202	3	< 0.2	2.17	26	150	< 0.5	< 2	0.38	< 0.5	9	28	13	3.17	10	110	0.10	10	0.70	395
HA 57B	201	202	2	< 0.2	2.68	34	230	< 0.5	2	0.49	< 0.5	11	19	11	3.98	10	10	0.47	10	1.03	795
LLS 1478	201	202	3	< 0.2	3.14	24	160	< 0.5	2	0.27	< 0.5	12	35	16	4.04	10	30	0.16	< 10	0.79	435

CERTIFICATION: Stan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD. ##

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Project : LONGLINE
Comments: ATTN:SANDY SEARS FAX: S.BROUGHTON

Number : 1-B
Total Pages : 1
Certificate Date: 19-SEP-96
Invoice No. : I9631602
P.O. Number :
Account : NRW

CERTIFICATE OF ANALYSIS A9631602

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
HA 54A	201	202	< 1	0.01	14	500	8	< 2	4	25	0.12	< 10	< 10	65	< 10	48
HA 54B	201	202	< 1	0.01	11	750	6	2	4	22	0.11	< 10	< 10	59	< 10	62
HA 55A	201	202	< 1	0.01	12	670	10	< 2	5	33	0.12	< 10	< 10	66	< 10	60
HA 56A	201	202	< 1	0.01	17	640	10	< 2	6	32	0.15	< 10	< 10	73	< 10	66
HA 57A	201	202	< 1	0.01	16	410	10	< 2	4	27	0.17	< 10	< 10	85	< 10	60
HA 57B	201	202	< 1	0.01	13	990	10	< 2	6	25	0.21	< 10	< 10	86	< 10	84
LLS 1478	201	202	< 1	< 0.01	21	250	12	< 2	5	23	0.19	< 10	< 10	93	< 10	62

CERTIFICATION: Ian Pirie

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page Number : 1-A
Total Pages : 1
Certificate Date: 20-AUG-96
Invoice No. : 19627412
P.O. Number :
Account : NRW

Project : LONGLINE
Comments: ATTN: S.SEARS/ S.BROUGHTON FAX BARRAMUNDI VANCOUVER

CERTIFICATE OF ANALYSIS A9627412

SAMPLE	PREP CODE		Au ppb EXT-AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm
LL55 001	201	202	10	< 0.2	1.41	18	150	< 0.5	< 2	0.56	< 0.5	7	15	8	2.81	< 10	10	0.23	10	0.61	375
LL55 002	201	202	4	< 0.2	1.68	22	190	< 0.5	< 2	0.75	< 0.5	8	24	13	2.83	< 10	30	0.10	10	0.65	630
LL55 003	201	202	6	< 0.2	1.79	6	150	< 0.5	< 2	0.85	< 0.5	8	24	12	2.96	< 10	10	0.11	10	0.66	485
LL55 004	201	202	4	< 0.2	1.97	26	300	< 0.5	< 2	0.65	< 0.5	7	24	14	2.80	< 10	30	0.14	20	0.65	475

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

Page ..nber : 1-B
Total Pages : 1
Certificate Date: 20-AUG-96
Invoice No. : 19627412
P.O. Number :
Account : NRW

Project : LONGLINE
Comments: ATTN: S.SEARS/ S.BROUGHTON FAX BARRAMUNDI VANCOUVER

CERTIFICATE OF ANALYSIS A9627412

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
LL55 001	201	202	1	< 0.01	8	1130	2	< 2	4	23	0.09	< 10	< 10	59	< 10	50
LL55 002	201	202	1	0.01	14	760	6	< 2	5	48	0.11	< 10	10	65	< 10	50
LL55 003	201	202	1	0.02	13	750	6	< 2	5	53	0.13	< 10	< 10	69	< 10	52
LL55 004	201	202	1	< 0.01	13	700	6	< 2	5	42	0.11	< 10	< 10	67	< 10	62

CERTIFICATION: Stuart Buchan

Water Samples

Longline Project - Water Samples
ASL WO# G3717

Parameter	Units	96/TH/01	96/TH/01	96/TH/02	96/TH/03	96/TH/04
Date		7/20/96	7/27/96	7/20/96	7/20/96	7/20/96
Physical Tests						
Total Dissolved Solids	mg/L	198	252	92	106	184
pH		7.88	7.5	7.8	7.6	7.58
Total Suspended Solids	mg/L	10	2490	31	3	854
Dissolved Anions						
Acidity $CaCO_3$	mg/L	6.4	8.9	2.9	4.3	6.8
Alkalinity - Total $CaCO_3$	mg/L	162	95.9	60.2	73.9	150
Sulphate SO_4	mg/L	12.1	9.1	1.8	4.5	6.9
Total Metals						
Aluminum T-Al	mg/L	0.7	98.5	0.6	0.5	8.8
Antimony T-Sb	mg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Arsenic T-As	mg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Barium T-Ba	mg/L	0.09	2.19	0.04	0.07	0.27
Beryllium T-Be	mg/L	<0.005	<0.005	<0.005	<0.005	<0.005
Bismuth T-Bi	mg/L	<0.1	0.1	<0.1	<0.1	<0.1
Boron T-B	mg/L	<0.1	<0.1	<0.1	<0.1	<0.1
Cadmium T-Cd	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Calcium T-Ca	mg/L	38.3	55.7	15.4	21.5	38.4
Chromium T-Cr	mg/L	<0.01	0.09	<0.01	<0.01	<0.01
Cobalt T-Co	mg/L	<0.01	0.08	<0.01	<0.01	<0.01
Copper T-Cu	mg/L	<0.01	0.09	<0.01	<0.01	<0.01
Iron T-Fe	mg/L	1.06	158	0.58	0.26	13
Lead T-Pb	mg/L	<0.05	0.11	<0.05	<0.05	<0.05
Lithium T-Li	mg/L	<0.01	0.1	<0.01	0.02	<0.01
Magnesium T-Mg	mg/L	13.1	59.3	3.93	4.76	18.7
Manganese T-Mn	mg/L	0.087	5.96	0.053	0.013	0.764
Molybdenum T-Mo	mg/L	<0.03	<0.03	<0.03	<0.03	<0.03
Nickel T-Ni	mg/L	<0.02	0.07	<0.02	<0.02	<0.02
Phosphorus T-P	mg/L	<0.3	1.8	<0.3	<0.3	0.7
Potassium T-K	mg/L	2	27	<2	<2	2
Selenium T-Se	mg/L	<0.2	<0.2	<0.2	<0.2	<0.2
Silicon T-Si	mg/L	7.44	129	6.38	5.82	16.7
Silver T-Ag	mg/L	<0.01	<0.01	<0.01	<0.01	<0.01
Sodium T-Na	mg/L	8	11	3	3	8
Strontium T-Sr	mg/L	0.228	0.383	0.084	0.143	0.242
Tin T-Sn	mg/L	<0.03	<0.03	<0.03	<0.03	<0.03
Titanium T-Ti	mg/L	0.05	5.46	0.02	0.02	0.28
Vanadium T-V	mg/L	<0.03	0.28	<0.03	<0.03	0.03
Zinc T-Zn	mg/L	<0.005	0.426	<0.005	<0.005	0.044

Longline Project - Water Samples
ASL WO# G3717

Parameter Date	Units	96/TH/05 7/20/96	96/TH/06 7/20/96	96/TH/07 7/20/96	96/TH/08 7/20/96	96/TH/09 7/20/96
Physical Tests						
Total Dissolved Solids	mg/L	132	-	46	51	52
pH		7.56	-	7.34	7.19	7.39
Total Suspended Solids	mg/L	250	-	3	4	5
Dissolved Anions						
Acidity $CaCO_3$	mg/L	5.2	-	4.1	5.2	2.5
Alkalinity - Total $CaCO_3$	mg/L	98.8	-	26.5	23.7	25.1
Sulphate SO_4	mg/L	4	-	1.2	1.6	1.1
Total Metals						
Aluminum T-Al	mg/L	3.9	-	0.4	0.4	0.5
Antimony T-Sb	mg/L	<0.2	-	<0.2	<0.2	<0.2
Arsenic T-As	mg/L	<0.2	-	<0.2	<0.2	<0.2
Barium T-Ba	mg/L	0.17	-	0.02	0.03	0.04
Beryllium T-Be	mg/L	<0.005	-	<0.005	<0.005	<0.005
Bismuth T-Bi	mg/L	<0.1	-	<0.1	<0.1	<0.1
Boron T-B	mg/L	<0.1	-	<0.1	<0.1	<0.1
Cadmium T-Cd	mg/L	<0.01	-	<0.01	<0.01	<0.01
Calcium T-Ca	mg/L	26.1	-	7.6	6.3	6.34
Chromium T-Cr	mg/L	<0.01	-	<0.01	<0.01	<0.01
Cobalt T-Co	mg/L	<0.01	-	<0.01	<0.01	<0.01
Copper T-Cu	mg/L	<0.005	-	<0.01	<0.01	<0.01
Iron T-Fe	mg/L	5.68	-	0.04	0.07	0.22
Lead T-Pb	mg/L	<0.05	-	<0.05	<0.05	<0.05
Lithium T-Li	mg/L	<0.01	-	<0.01	<0.01	<0.01
Magnesium T-Mg	mg/L	8.37	-	1.55	1.52	1.55
Manganese T-Mn	mg/L	0.407	-	<0.005	0.01	0.02
Molybdenum T-Mo	mg/L	<0.03	-	<0.03	<0.03	<0.03
Nickel T-Ni	mg/L	<0.02	-	<0.02	<0.02	<0.02
Phosphorus T-P	mg/L	<0.3	-	<0.3	<0.3	<0.3
Potassium T-K	mg/L	2	-	<2	<2	<2
Selenium T-Se	mg/L	<0.2	-	<0.2	<0.2	<0.2
Silicon T-Si	mg/L	11.8	-	6.44	7.47	7.97
Silver T-Ag	mg/L	<0.01	-	<0.01	<0.01	<0.01
Sodium T-Na	mg/L	5	-	2	3	3
Strontium T-Sr	mg/L	0.176	-	0.064	0.052	0.052
Tin T-Sn	mg/L	<0.03	-	<0.03	<0.03	<0.03
Titanium T-Ti	mg/L	0.24	-	<0.01	<0.01	0.01
Vanadium T-V	mg/L	<0.03	-	<0.03	<0.03	<0.03
Zinc T-Zn	mg/L	0.021	-	<0.005	<0.005	<0.005

Longline Project - Water Samples
ASL WO# G3717

Parameter	Units	96/TH/10	96/TH/11
Date		7/20/96	7/27/96
Physical Tests			
Total Dissolved Solids	mg/L	74	90
pH		7.14	7.34
Total Suspended Solids	mg/L	450	78
Dissolved Anions			
Acidity $CaCO_3$	mg/L	5.2	3.9
Alkalinity - Total $CaCO_3$	mg/L	42.6	40.4
Sulphate SO_4	mg/L	2.7	3.5
Total Metals			
Aluminum T-Al	mg/L	5.3	0.6
Antimony T-Sb	mg/L	<0.2	<0.2
Arsenic T-As	mg/L	<0.2	<0.2
Barium T-Ba	mg/L	0.12	0.06
Beryllium T-Be	mg/L	<0.005	<0.005
Bismuth T-Bi	mg/L	<0.1	<0.1
Boron T-B	mg/L	<0.1	<0.1
Cadmium T-Cd	mg/L	<0.01	<0.01
Calcium T-Ca	mg/L	16	11.9
Chromium T-Cr	mg/L	<0.01	<0.01
Cobalt T-Co	mg/L	<0.01	<0.01
Copper T-Cu	mg/L	<0.01	<0.01
Iron T-Fe	mg/L	8.13	1.09
Lead T-Pb	mg/L	<0.05	<0.05
Lithium T-Li	mg/L	<0.01	<0.01
Magnesium T-Mg	mg/L	4.58	3.11
Manganese T-Mn	mg/L	0.308	0.054
Molybdenum T-Mo	mg/L	<0.03	<0.03
Nickel T-Ni	mg/L	<0.02	<0.02
Phosphorus T-P	mg/L	0.3	<0.3
Potassium T-K	mg/L	<2	<2
Selenium T-Se	mg/L	<0.2	<0.2
Silicon T-Si	mg/L	11.3	6.75
Silver T-Ag	mg/L	<0.01	<0.01
Sodium T-Na	mg/L	3	3
Strontium T-Sr	mg/L	0.104	0.077
Tin T-Sn	mg/L	<0.03	<0.03
Titanium T-Ti	mg/L	0.16	0.03
Vanadium T-V	mg/L	<0.03	<0.03
Zinc T-Zn	mg/L	0.023	0.005

Analytical Detection Limits

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

RECEIVED
SEP 04 1996

A9627412

Comments: ATTN: S.SEARS/ S.BROUGHTON FAX BARRAMUNDI VANCOUVER

CERTIFICATE A9627412

(NRW) - BARRAMUNDI GOLD LTD.

Project: LONGLINE
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 20-AUG-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	4	Dry, sieve to -80 mesh
202	4	save reject
229	4	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP packa
trace metals in soil .
Elements for which the
digestion is possibly inc
Ba, Be, Ca, Cr, Ga, K, La
Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
3993	4	Au ppb: Fuse 30 gram-EXT-AA fin.	FA-EXT-AA	1	1000
2118	4	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	4	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	4	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	4	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	4	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	4	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	4	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	4	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	4	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	4	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	4	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	4	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	4	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
20	4	Hg ppb: HNO3-HCl digestion	AAS-FLAMELESS	10	100000
2132	4	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	4	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	4	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	4	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	4	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	4	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	4	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	4	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	4	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	4	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	4	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	4	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	4	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	4	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	4	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	4	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	4	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	4	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

A9625802

Comments: ATTN: S. SEARS/S. BROUGHTON

CERTIFICATE A9625802

(NRW) - BARRAMUNDI GOLD LTD.

Project: LONGLINE
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 11-AUG-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	219	Dry, sieve to -80 mesh
202	219	save reject
229	219	ICP - AQ Digestion cl

Soil

* NOTE 1:

The 32 element ICP package is suitable trace metals in soil and rock samp. Elements for which the nitric-aqua r digestion is possibly incomplete are: Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
3993	219	Au ppb: Fuse 30 gram-EXT-AA fin.	FA-EXT-AA	1	1000
983	1	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	219	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	219	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	219	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	219	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	219	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	219	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	219	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	219	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	219	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	219	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	219	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	219	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	219	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
20	219	Hg ppb: HNO3-HCl digestion	AAS-FLAMELESS	10	100000
2132	219	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	219	La ppm: 32 element, soil & rock	ICP-AES	10	10000
	219	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
	219	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
	219	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
	219	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
	219	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
	219	P ppm: 32 element, soil & rock	ICP-AES	10	10000
	219	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
	219	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
	219	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
	219	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
	219	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
	219	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
	219	U ppm: 32 element, soil & rock	ICP-AES	10	10000
	219	V ppm: 32 element, soil & rock	ICP-AES	1	10000
	219	W ppm: 32 element, soil & rock	ICP-AES	10	10000
	219	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: BARRAMUNDI GOLD LTD.

BOX 16, 12TH FLOOR, 595 HOWE ST.
VANCOUVER, BC
V6C 2T5

RECEIVED

A9627414

Comments: ATTN: S SEARS/ S. BROUGHTON FAX: BARRAMUNDI-VANCOUVER

CERTIFICATE A9627414

(NRW) - BARRAMUNDI GOLD LTD.

Project: LONGLINE
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 20-AUG-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	11	Geochem ring to approx 150 mesh
226	11	0-3 Kg crush and split
3202	11	Rock - save entire reject
229	11	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
3993	11	Au ppb: Fuse 30 gram-EXT-AA fin.	FA-EXT-AA	1	1000
2118	11	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	11	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	11	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	11	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	11	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	11	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	11	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	11	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	11	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	11	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	11	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	11	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	11	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
20	11	Hg ppb: HNO3-HCl digestion	AAS-FLAMELESS	10	100000
2132	11	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	11	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	11	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	11	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	11	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	11	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	11	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	11	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	11	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	11	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	11	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	11	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	11	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	11	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	11	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	11	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	11	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	11	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N 6993000N 6992000N 6991000N 6990000N 6989000N 6988000N 6987000N 6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek

Kenyon Creek Road

Airstrip

Camp Road

Airport Pup

Old Airstrip

Soya Creek

Swamp Creek

Longline Camp

Hartley Road

Rocky Road

Hartleys Camp

Winter Road

Creek

Hartley

Willow Road

Hartleys Landing

4250 3500 3000 2500

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 500+ ppb
- 100–500 ppb
- 56–100 ppb
- 30–56 ppb
- 18–30 ppb
- 0–18 ppb

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 1/2

Au ppb Rock Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 5

Fri Feb 07 14:58:02 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#9

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N

6993000N

6992000N

6991000N

6990000N

6989000N

6988000N

6987000N

6986000N

N

Kate Creek

MOOSEHORN RANGE

Owens Creek

Kenyon Creek Ridge

Kenyon Creek

Kenyon Creek Road

Airstrip

Camp Road

Airport Pup

Old Airstrip

Saya Creek

Hartley Road

Rocky Road

Swamp Creek

Longline Camp

Hartleys Camp

Winter Road

Hartley Creek

Swamp Creek

Hartley Road

Hartley Creek

Willow Road

Hartleys Landing

Winter Road

4200 4000 3500 3000 2500

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 850+ ppm
- 735–850 ppm
- 585–735 ppm
- 250–585 ppm
- 0–250 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 1/2

Ba ppm Rock Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 6

Fri Feb 07 14:56:09 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#10

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E

502000E

503000

504000E

505000E

506000E

6994000N

6993000N

6992000N

6991000N

6990000N

6989000N

6988000N

6987000N

6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup

Old Airstrip

Soya Creek

Hartley Road

Rocky Road

Swamp Creek

Longline Camp

Hartleys Camp

Winter Road

Hartley Road

Creek

Swamp Creek

Hartley

Hartleys Landing

Willow Road

Winter Road

4200

3500

4000

4400

3000

2500

3600

3200

3400

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

290+ ppm

189–290 ppm

100–189 ppm

50–100 ppm

0–50 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 #2

As ppm Rock Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 7

Fri Feb 07 14:57:55 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#11

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N 6993000N 6992000N 6991000N 6990000N 6989000N 6988000N 6987000N 6986000N

N

Kate Creek

MOOSEHORN RANGE

Owens Creek

Kenyon Creek Ridge

Creek

Airstrip

Kenyon Creek Road

Kenyon Creek

Camp Road

Airport Pup

Old Airstrip

Saya Creek

Hartley Road

Rocky Road

Swamp Creek

Longline Camp

Hartleys Camp

Winter Road

Kenyon Creek Road

Creek

Hartley Road

Creek

Swamp

Hartley

Hartleys Landing

Willow Road

Winter Road

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 12+ ppm
- 8.5–12 ppm
- 6–8.5 ppm
- 2–6 ppm
- 0–2 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 ½

Sb ppm Rock Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 8

Fri Feb 07 14:58:45 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#12

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E

502000E

503000

504000E

505000E

506000E

6994000N

6993000N

6992000N

6991000N

6990000N

6989000N

6988000N

6987000N

6986000N

N

Kate Creek

MOOSEHORN RANGE

Owens Creek

Kenyon Creek Ridge

Creek

Airstrip

Kenyon Creek Road

Kenyon Creek

Camp Road

Airport Pup

Old Airstrip

Swamp Creek

Hartley Road

Rocky Road

Swamp

Longline Camp

Hartleys Camp

Winter Road

Kenyon Creek Road

Creek

Hartley Road

Creek

Swamp

Hartley

Hartleys Landing

Willow Road

Winter Road

2500

3000

3500

4000

4400

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 30+ ppm
- 26-30 ppm
- 17-26 ppm
- 8-17 ppm
- 0-8 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT - YUKON TERRITORY

093610 1/2

Cu ppm Rock Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 9

Fri Feb 07 14:56:30 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#13

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N

6993000N

6992000N

6991000N

6990000N

6989000N

6988000N

6987000N

6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup

Old Airstrip

Swamp Creek

Saya Creek

Hartley Road

Rocky Road

Longline Camp

Winter Road

Hartleys Camp

Hartley Creek

Hartleys Landing

Willow Road

4200 3500 4000 3000 2500

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 41+ ppm
- 26–41 ppm
- 12–26 ppm
- 4–12 ppm
- 0–4 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 1/2

Pb ppm Rock Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 10

Fri Feb 07 14:58:37 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#14

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N 6993000N 6992000N 6991000N 6990000N 6989000N 6988000N 6987000N 6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup

Old Airstrip

Swamp Creek

Longline Camp

Saya Creek

Hartley Road

Rocky Road

Hartleys Camp

Winter Road

Creek

Swamp Creek

Hartley Road

Hartley Creek

Hartleys Landing

Willow Road

Winter Road

4200 3500 3000 2500

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 127+ ppm
- 102–127 ppm
- 82–102 ppm
- 50–82 ppm
- 0–50 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 1/2

Zn ppm Rock Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 11

Fri Feb 07 14:58:51 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#15

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N

6993000N

6992000N

6991000N

6990000N

6989000N

6988000N

6987000N

6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup Creek

Old Airstrip

Soya Creek

Hartley Road

Rocky Road

Swamp Creek

Longline Camp

Winter Road

Swamp Creek

Hartleys Camp

Kenyon Creek Road

Hartley Road

Creek

Swamp Creek

Hartley

Willow Road

Hartleys Landing

Winter Road

4200 4000 3500 3000 2500

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

77+ ppb

52–77 ppb

38–52 ppb

16–38 ppb

0–16 ppb

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 1/2

Au ppb Soil Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 12

Fri Feb 07 15:00:21 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#16

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N

6993000N

6992000N

6991000N

6990000N

6989000N

6988000N

6987000N

6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup

Old Airstrip

Swamp Creek

Saya Creek

Hartley Road

Rocky Road

Longline Camp

Hartley Camp

Winter Road

Swamp Creek

Hartley Road

Creek

Hartley

Willow Road

Hartleys Landing

Winter Road

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 740+ ppm
- 580–740 ppm
- 420–580 ppm
- 280–420 ppm
- 0–280 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610

Ba ppm Soil Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 13

Fri Feb 07 15:00:32 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#2

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N

6993000N

6992000N

6991000N

6990000N

6989000N

6988000N

6987000N

6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Old Airstrip

Camp Road

Airport Pup Creek

Soya Creek

Hartley Road

Rocky Road

Swamp Creek

Longline Camp

Winter Road

Hartley Camp

Hartley Creek

Willow Road

Hartleys Landing

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

184+ ppm

133–184 ppm

88–133 ppm

54–88 ppm

0–54 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 ½

As ppm Soil Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 14

Fri Feb 07 15:00:10 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#3

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N 6993000N 6992000N 6991000N 6990000N 6989000N 6988000N 6987000N 6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup

Old Airstrip

Swamp Creek

Soya Creek

Hartley Road

Rocky Road

Longline Camp

Hartleys Camp

Winter Road

Hartley Creek

Willow Road

Hartleys Landing

3500 3000 4000 4400 2500

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 10+ ppm
- 6-10 ppm
- 4-6 ppm
- 2-4 ppm
- 0-2 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT - YUKON TERRITORY

093610½

Sb ppm Soil Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 15

Fri Feb 07 15:15:09 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#4

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N 6993000N 6992000N 6991000N 6990000N 6989000N 6988000N 6987000N 6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup Creek

Old Airstrip

Soya Creek

Hartley Road

Rocky Road

Swamp Creek

Longline Camp

Winter Road

Hartley Camp

Hartley Creek

Swamp Creek

Hartley Road

Hartleys Landing

Willow Road

Kenyon Creek Road

Winter Road

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 50+ ppb
- 40–50 ppb
- 30–40 ppb
- 10–30 ppb
- 0–10 ppb

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 ½

Hg ppb Soil Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 16

Fri Feb 07 15:02:26 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#5

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N 6993000N 6992000N 6991000N 6990000N 6989000N 6988000N 6987000N 6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup

Old Airstrip

Swamp Creek

Soya Creek

Hartley Road

Rocky Road

Longline Camp

Hartleys Camp

Winter Road

Swamp Creek

Hartley Road

Hartley Creek

Willow Road

Hartleys Landing

Winter Road

4200 3500 3000 2500

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 36+ ppm
- 30-36 ppm
- 22-30 ppm
- 14-22 ppm
- 0-14 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT - YUKON TERRITORY

093610 ½

Cu ppm Soil Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 17

Fri Feb 07 15:02:14 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#6

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E

502000E

503000

504000E

505000E

506000E

6994000N

6993000N

6992000N

6991000N

6990000N

6989000N

6988000N

6987000N

6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Kenyon Creek

Airstrip

Camp Road

Airport Pup

Old Airstrip

Soya Creek

Swamp Creek

Longline Camp

Hartley Road

Hartley Camp

Winter Road

Rocky Road

Hartley Creek

Swamp Creek

Hartleys Landing

Willow Road

Winter Road

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 26+ ppm
- 18-26 ppm
- 12-18 ppm
- 6-12 ppm
- 0-6 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT - YUKON TERRITORY

Pb ppm Soil Geochemistry

093610 1/2

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 18

Fri Feb 07 15:02:39 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#7

141°0'00"

140°2'00"

63°5'00"

63°0'00"

501000E 502000E 503000 504000E 505000E 506000E

6994000N 6993000N 6992000N 6991000N 6990000N 6989000N 6988000N 6987000N 6986000N

N

MOOSEHORN RANGE

Kate Creek

Owens Creek

Kenyon Creek Ridge

Kenyon Creek Road

Airstrip

Camp Road

Airport Pup

Old Airstrip

Swamp Creek

Saya Creek

Hartley Road

Rocky Road

Longline Camp

Hartleys Camp

Winter Road

Kenyon Creek Road

Swamp Creek

Hartley Road

Willow Road

Creek

Hartley

Hartleys Landing

Winter Road

ALASKA

NORTHWEST TERRITORIES

DawsonCity

YUKON

Whitehorse

SCALE 1 : 10,000

0 100 300 500 750 1000

Metres

LEGEND

- 112+ ppm
- 100–112 ppm
- 83–100 ppm
- 68–83 ppm
- 0–68 ppm

BARRAMUNDI GOLD LTD

LONGLINE PROJECT – YUKON TERRITORY

093610 1/2

Zn ppm Soil Geochemistry

AUTHOR : SEARS and HEATON	DATE : February, 1997
DRAWN : P.Mouchakkaa	ENCLOSURE No.
SCALE : 1: 10,000	Figure 19

Fri Feb 07 15:15:21 1997 Pascal Mouchakkaa Barramundi Gold Ltd.

#8