MAP NO: 105H/4,5

Minfile #:105-16

ASSESSMENT REPORT: X

PROSPECTUS:

CONFIDENTIAL: X

OPEN FILE:

DOCUMENT NO:093622

MINING DISTRICT: Watson Lake

TYPE OF WORK: G,GC

REPORT FILED UNDER:Westmin Resources Limited

DATE PERFORMED: June-October, 1996

DATE FILED: March 19, 1997

LATITUDE: 61 15

AREA: Zinchuk Lake

LONGITUDE:129 45

VALUE:$103,100

CLAIM NAME AND #:Hang, Tack

WORK DONE BY:David Terry, Andrew Turner, Terry Tucker, Geoff Bradshaw

---

WORK DONE FOR: Westmin Resources Limited

Remarks: Geological mapping, prospecting, soil sampling.

Claims in Good Standing	

1996 ASSESSMENT REPORT DESCRIBING GEOLOGICAL AND GEOCHEMICAL SURVEYS CARRIED OUT ON THE TUCHITUA PROJECT (HANG 18-40, 62-80, 103-120, 148-160, 187-200, 211-218, 221-252, 258-291, 300, 302-328, 342-366, 383-416 and TACK 1-550), FINLAYSON LAKE AREA, YUKON TERRITORY

NTS 105H/4, 5
61°15'N/129°45'W
Watson Lake Mining Division

Prepared for

Westmin Resources Limited
Suite 904-1055 Dunsmuir Street
P.O. Box 49066, The Bentall Centre
Vancouver, B.C., Canada
V7X 1C4

by

David A. Terry
Andrew Turner
Terry L. Tucker
Geoff Bradshaw

February 3, 1997

093622

RPt/97-006

[illegible] has been examined by
the Geological Evaluation Unit
and, in Section 52 (4) Yukon Quartz
Mining Act and is allowed as
[illegible] work in the amount
of $ 103,100.

M. Burke

for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENTS

1.0 INTRODUCTION.....6

2.0 LOCATION, ACCESS, AND PHYSIOGRAPHY.....6

3.0 LIST OF CLAIMS AND OWNERSHIP.....8

4.0 PREVIOUS WORK.....8

5.0 REGIONAL GEOLOGY.....8

6.0 PROPERTY GEOLOGY.....14

7.0 AIRBORNE GEOPHYISICS16.....16

8.0 SOIL AND SILT GEOCHEMISTRY.....17

9.0 CONCLUSIONS AND RECCOMENDATIONS.....18

REFERENCES.....20

APPENDIX

LIST OF TABLES

8.1 Soil Geochemical Statistics.....18

8.2 Silt Geochemical Statistics.....19

LIST OF FIGURES

1.0 Property Location Sketch.....3

2.1 Claim Location Sketch.....9
2.2a Claim Map 105H/4 (1:100,000 Scale).....Appendix H
2.2b Claim Map 105H/5 (1:100,000 Scale).....Appendix H

3.1 Tectonic Setting Map.....11
3.2 Regional Geology Map.....13

4.1 Property Geology Map, Sheet #1 (1:20,000 Scale).....Appendix I

5.1 Sample Location Map, Sheet #1 (1:20,000 Scale).....Appendix I
5.2 Sample Location Map, Sheet #2 (1:20,000 Scale).....Appendix I

6.1a Ag in Rock, Silt, and Soil, Sheet #1 (1:20,000 Scale).....Appendix I
6.1b Au in Rock, Silt, and Soil, Sheet #1 (1:20,000 Scale)..... Appendix I
6.1c Cu in Rock, Silt, and Soil, Sheet #1 (1:20,000 Scale)..... Appendix I
6.1d Pb in Rock, Silt, and Soil, Sheet #1 (1:20,000 Scale)..... Appendix I
6.1e Zn in Rock, Silt, and Soil, Sheet #1 (1:20,000 Scale)..... Appendix I
6.1f Ba in Rock, Silt, and Soil, Sheet #1 (1:20,000 Scale)..... Appendix I

6.2a Ag in Rock, Silt, and Soil, Sheet #2 (1:20,000 Scale)..... Appendix I
6.2b Au in Rock, Silt, and Soil, Sheet #2 (1:20,000 Scale)..... Appendix I
6.2c Cu in Rock, Silt, and Soil, Sheet #2 (1:20,000 Scale)..... Appendix I
6.2d Pb in Rock, Silt, and Soil, Sheet #2(1:20,000 Scale)..... Appendix I
6.2e Zn in Rock, Silt, and Soil, Sheet #2 (1:20,000 Scale)..... Appendix I
6.2f Ba in Rock, Silt, and Soil, Sheet #2 (1:20,000 Scale).....Appendix I

APPENDICIES

A Statement of Expenditures

B List of Claims

C List of Personnel

D Geologists Certificates

E Rock Descriptions

F Minigrid Soil Plots

G Assay Certificates

H Claim Location Maps

I Oversize Figures

1.0 INTRODUCTION

The Tuchitua project encompasses part of the Hang claim block and all of the Tack claim block. The Hang claim portion of the Tuchitua project area was covered by an airborne geophysical survey during late 1995, carried out by Dighem of Mississauga, Ontario. The 1996 field exploration program commenced June 1, 1996 and continued through to early October, 1996. The field work included regional soil sampling along claim lines, silt sampling, and some geologic mapping and rock sampling. All rock soil and silt samples were analysed by Chemex Labs of North Vancouver, B.C. Exploration work was supervised by David A. Terry and Terry L. Tucker and was carried out by Westmin Resources field personnel.

2.0 LOCATION, ACCESS, AND PHYSIOGRAPHY

The claim area is located 165 km southeast of the village of Ross River and 50 km northwest of Watson Lake in the southeastern Yukon. The claims are centered about 61°15'N and 129°45'W and cover portions of the NTS map sheets 105H/4,5. Access to the property is by helicopter which can be chartered in either Ross River or Watson Lake. The Robert Campbell Highway which runs between Ross River and Watson Lake is approximately 5 km east of the eastern Hang claim boundary. A tractor trail accesses the southeastern portion of the Hang claims from the Robert Campbell Highway.

The Tuchitua Project area lies mainly within the Campbell Range of the Pelly Mountains, a sub-division of the Yukon Plateau physiographic region of the northern Cordillera. Elevation in the Campbell Range varies between 1000 meters and 2350 meters above sea level. In the project area elevations range from 1200 meters to 1900 meters above sea level. The Campbell Range is bounded on the northeast by the Yukon Plateau. Glaciation in the area between



WESTMIN	WESTMIN RESOURCES LIMITED
Work By: Westmin	TUCHITUA PROJECT
Date Drafted: Nov. 24, 1998	Property Location Sketch
Drafted By: A. Turner	
N.T.S. Number	50 0 50 100 150km
File Name: Figure1.dwg	Scale 1 : 5 000 000
	Figur 1.

26.5 ka and 10 ka resulted in the formation of broad anastamosing valleys, isolated mountains and small mountain ranges. Tributaries to drainages occupying the valleys commonly originate in cirque valleys. Wide valleys are commonly infilled with glaciofluvial sediments. Vegetation throughout the claim area ranges from thick buckbrush and small cedar groves in the valleys to sparsely vegetated areas with abundant outcrop at higher elevations

3.0 LIST OF CLAIMS

Claim names, record numbers, record dates, and expiry dates for the claims covered in this report are given in Appendix B. The claims are 100% held by Westmin Resources Limited of Vancouver, B.C..

4.0 PREVIOUS WORK

Very limited mineral exploratory work is known to have been carried out in the area covered by this report. Aside from government mapping, geochemical and geophysical surveys no work in the area prior to several reconnaissance mapping and sampling traverses carried out by Westmin Resources Limited in 1995. Most previous work in the area concentrated on the area around the Wolverine Deposit. A brief summary of that work is given in Baknes and Weber (1996).

5.0 REGIONAL GEOLOGY

The property is situated within the Finlayson Lake belt of the southeastern Yukon, an elongate composite body bounded on the southwest by the Tintina Fault Zone and on the northeast by the Finlayson Lake Fault Zone (Figure 3.1). The Tintina Fault Zone is a major transcurrent structure along which approximately 450 km of dextral offset occurred in Late Cretaceous and/or early


To Ross River
Finlayson Lake
425,000 E
450,000 E
ROBERT
Finlayson
ROPE
FYD
CAMPBELL
River
6,825,000 N
6,825,000 N
TOE/JILL
FOOT
COMINCO
KUDZ ZE KAYAH
DEPOSIT
WOLVERINE
DEPOSIT
HIGHWAY
Wolverine Lake
To Watson Lake
NAIL
Creek
Sheet 1
PAK
Money
NAIL
HANG
6,800,000 N
BUT
TACK
UTM
GRID
NORTH
N
WIKA/YT
425,000 E
450,000 E
Sheet 2
LOCATION MAP
YUKON
TERRITORY
TUCHITUA
Project Area
LEGEND
WESTMIN (100%) Property Outline
TUCHITUA & WIKA/YT PROJECTS
WESTMIN/ATNA (60%/40%)
Joint Venture Property Outline
WOLVERINE REGIONAL PROJECT(S)
Sheet 1
Sheet Index Number Referring to
Appended Geology and Geochemistry Maps
Westmin Resources Limited
Work By
T.L. Tucker
Date Drafted
04/10/95
Drafted By
R.A. Ivany
Date Revised
29/01/97
Revised By
Andrew Turner
N.T.S. Number
105 O & H
File Name
Figure22.dwg
TUCHITUA PROJECT
Claim Location Sketch
3.5 0 3.5 7.0 10.5
KILOMETRES
Figure
2.1

Tertiary time (Tempelman-Kluit et al., 1976). The Finlayson Lake Fault Zone is described by Mortensen (1996, personal communication) as a complex structure which may in part represent a transpressive dextral paleosuture.

Much of the Finlayson Lake belt is underlain by rocks grouped with the Yukon Tanana Terrane (YTT) by Mortensen and Jilson (1985). The YTT underlies a large area of western to southeastern Yukon and east-central Alaska. The YTT rocks in the Finlayson Lake Belt are believed to be offset along the Tintina Fault from the main body of the YTT in the western Yukon. Mortensen (1992) has divided the YTT in the Yukon into 3 main structural assemblages: 1) the Nisling assemblage, a lower quartzite and marble package of possible Proterozoic and/or Cambrian age; 2) the middle Nasina assemblage, a package of Late Devonian to mid Mississippian carbonaceous metasedimentary and mafic to felsic metavolcanic rocks; and 3) an upper package of mid-Permian felsic metavolcanics (Klondike Schist) and metaplutonic rocks. Recent interpretations conclude that the YTT represents a mid-Paleozoic volcanic-plutonic arc assemblage built on continental crust (Nokleberg and Aleinikoff, 1985; Mortensen and Jilson, 1985; Foster et al., 1987; and Mortensen, 1992). Although the andesitic volcanics one would expect to be voluminous in a continental margin arc setting are seemingly not present in the Finlayson Lake Belt, Mortensen (1996, personal communication) suggests that large K-feldspar megacrystic granitoids which form part of the core of the belt are intermediate in composition and therefore, together with the volcanics, represent a differentiated igneous suite.

Regional metamorphism throughout the YTT ranges from very low grade to amphibolite facies. Radiometric dating suggests that metamorphic events may have occurred at different times in different subterranes. Mortensen and Jilson (1985) have subdivided the YTT in the Finlayson Lake Belt into six major lithologic packages: 1) a sequence of layered metasediments and metamorphic



LEGEND

- North American Miogeoclinal Strata
- Yukon – Tanana Terrane
- Slide Mountain Terrane
- Thrust Fault
- Strike–Slip Fault, with sense of movement
  - FLFZ – Finlayson Lake Fault Zone
  - TFZ – Tintina Fault Zone
  - DFZ – Denali Fault Zone

WESTMIN	WESTMIN RESOURCES LIMITED
Work By	TUCHITUA PROJECT
Date Drafted: Nov. 24, 1996	Tectonic Setting
Drafted By: A.T. & J.K.	after Mortensen and Jilson (1985)
N.T.S. Number	100 0 100 200 250km
File Name: Figure3a.dwg	Scale1 : 10 000 000
	Figure 3.1

rocks; 2) Paleozoic metaplutonic rocks; 3) middle to late Paleozoic mafic and ultramafic igneous rocks and chert; 4) early Mesozoic clastic rocks; 5) Mesozoic plutonic rocks; and 6) Late Cretaceous and/or early Tertiary volcanic rocks (Figure 3.2). The layered metamorphic package (LMP) is approximately 3 km thick and is divisible into: 1) a lower Devonian and older quartz+mica+/-garnet schist and quartzite package with an upper marble/calcareous schist unit; 2) a middle dark siliceous to carbonaceous phyllite unit interlayered with mafic and felsic volcanics. U-Pb zircon ages of the felsic metavolcanics range from Late Devonian to mid-Mississippian; and 3) an upper white carbonate/quartzite package of Early Pennsylvanian to Permian age (Mortensen and Jilson, 1985). Paleozoic metaplutonic rocks are divided by Mortensen and Jilson (1985) into: 1) the Simpson range plutonic suite of quartz-monzonite to quartz-diorite (349-359 Ma, U-Pb zircon); 2) augen orthogneiss (342 Ma, Rb-Sr); and 3) monzonitic orthogneiss (340-345 Ma, U-Pb zircon). The first two are considered to have an intrusive relationship with the lower LMP due to pyritization of wallrocks in the case of the Simpson suite and a hornfelsed aureole bordering the augen orthogneiss.

Large bodies of massive to pillowed greenstone, chert, and variably serpentinized ultramafic to mafic plutonic rocks are common in the northeastern portion of the Finlayson Lake belt and have been interpreted (Tempelman-Kluit, 1979 and Mortensen and Jilson, 1985) as fragments of a dismembered ophiolite. Tempelman-Kluit (1979) mapped these rocks as part of the Anvil allochthon whereas they are referred to as the Campbell Range Belt by Mortensen and Jilson (1985). They are thought to correlate with the Slide Mountain terrane in British Columbia and based upon U-Pb zircon dates and fossil ages they range from latest Devonian to Early Permian in age. The southern portion of the Finlayson Lake Fault Zone adjacent to the Wolverine Lake area is overlapped by thrust sheets of the Campbell Range Belt in a flower-fault structural relationship (Mortensen, 1996 personal communication). The ophiolitic package


ABM
DEPOSIT
WOLVERINE
DEPOSIT
Robert
Campbell
Finlayson Lake
Tintina Fault Zone
Highway
GEOLOGICAL LEGEND
Slide Mountain Terrane
Carbonate Rocks
Metavolcanic Rocks and Cherts
Ultramafic Rocks
Nisutlin Subterrane and
Pelly Gneissic Terrane
Intrusive Rocks : para- and orthogneisses
Upper Unit : carbonate and quartzite
Middle Unit : mafic and felsic volcanics and carbonaceous sediments
Lower Unit : quartzite and marble
Autocthonous North American Rocks
Cambrian Limestones and Shales
Displaced Cambrian Limestones and Shales lying in and west of the Tintina Fault Zone
Minor Faults
Thrust Faults
Westmin (100%) Tuchitua Project Outline
WESTMIN RESOURCES LIMITED
TUCHITUA PROJECT
Regional Geology Map
Modified after Mortensen and Jilson (1985)
Work By
WESTMIN
Date Drafted
Nov. 24, 1996
Drafted By
A. Turner
Date Revised
Revised By
N.T.S. Number
File Name
Figure3c.dwg
4 0 4 8 12km
SCALE 1 : 400.000
Figure
3.2

is interpreted to have been thrust from northeast to southwest overtop of the middle package of the LMP in the Wolverine Lake area.

The middle division of the LMP comprises dark fine-grained strongly carbonaceous metasediments interlayered with massive to schistose felsic volcanic to tuffaceous rocks and chloritic to amphibolitic schists after mafic tuffaceous rocks. The most significant massive sulphide occurrences in the Finlayson Lake area (Wolverine, ABM/Kudz Ze Kayah, and Fire Lake) are hosted by this volcano-sedimentary package and are associated with carbonaceous metasediments and/or felsic metavolcanics.

6.0 PROPERTY GEOLOGY

During the period between June 1 and September 30, 1996 a program of geological mapping and prospecting traverses was carried out over the project area covered in this report. Efforts were made to traverse across stratigraphy where possible and to select traverses were the most outcrop could be examined. The abundance of outcrop varied considerably throughout the property as it is large and covers rather steep mountainous areas and till-covered areas with very little vertical relief. Most of the mapping was carried out using 1:20,000 scale topographic maps for plotting and location purposes. Brunton compasses and altimeters were used to aid mappers in locating themselves on the topographic map. Since outcrop was poor in many of the areas, inferred lithologic contacts shown on the geology map (Figure 4.1) were in part interpreted from the airborne geophysical data, as well as from field relations. Some of the major east to northeasterly trending structures which cross-cut the stratigraphy were interpreted from LANDSAT images. In some cases evidence of significant faulting was also observed on the ground.

The eastern portion of the Hang claims covered by this report is largely underlain by thick sequences of massive to pillowed mafic flows with minor interlayered cherty to argillaceous sediments. Layering in these units trends southeast and where weak foliation is developed it trends southeast, subparallel to layering, with variable dips. A laterally extensive southeasterly trending serpentinized ultramafic unit bounds the mafic dominated assemblage on its southwest boundary. It is possible that the serpentinite sits along a thrust contact between mafic dominated Slide Mountain terrane type rocks to the north and the volcaniclastic sediments and argillites to the southwest. However, this cannot be confirmed due to the paucity of exposures along the length of the serpentinite. The serpentinized ultramafic body forms a prominent linear anomaly on the aeromagnetic map.

In the northeastern corner of the Tack claims a sequence of cherts and phyllites are interlayered with mafic schists to the north of the serpentinite which outcrops in a southeasterly trending saddle at the termination of the tractor trail which connects with the Robert Campbell highway. It seems that the soapstone associated with the serpentinite body was likely the reason for the road. Southwest of the serpentinite a sequence of chert, argillite and black phyllite outcrops on the knob. A tuffaceous component to some of the sediments here is evidenced by the incorporation of quartz-eyes in the siliceous sediments. The quartz-eye content increases to the south until outcrops along the main southwest trending creek are quartz-eye arenites in composition.

In the southwestern most corner of the Hang claims the mafic package and serpentinite are bounded to the southwest by carbonceous argillites which form a large conductive domain on the airborne EM map. Southwest of the argillites is the northwestern extension of the quartz-eye arenite package which is more chloritic (green coloured) and locally coarser grained in this area. In

some outcrops primary bedding is well preserved. It subparallels the weak to moderate fabric and trends southeast and dips moderately to steeply northeast.

There is too little geological control to correlate the carbonaceous argillite and quartz-eye bearing units of the southern Hang and northern Tack claims with the Yukon-Tanana terrane rocks further northwest in the Wolverine Lake area. However, these lithologies are markedly different from the mafic-dominated Slide Mountain terrane type rocks to the north. Therefore they are interpreted as part of the Yukon-Tanana terrane assemblage although their structural/stratigraphic position with respect to the Wolverine stratigraphy is unclear. No mineralized occurrences were discovered during the limited mapping and prospecting traverses carried out in the project area. Representative samples of the lithologies observed were collected and selected samples were submitted for geochemical analysis. Short descriptions of these samples are given in Appendix E. Sample locations are plotted on Figure 5.1 and 5.2. Au, Ag, Cu, Pb, Zn, and Ba values are plotted on Figures 6.1 and 6.2.

7.0 AIRBORNE GEOPHYISICS

An airborne geophysical survey was flown by Dighem over the Hang claim portion of the area covered by this report. The detailed report by Garrie (1996) covering this work has been submitted to the Yukon government separately. Some of the early traversing was designed to follow-up on linear magnetic anomalies and conductive packages which mirrored the Wolverine section. Many of the linear magnetic highs, however, turned out to be serpentinite bodies, not magnetite iron formation as is found in the hangingwall of the Wolverine Deposit. The airborne geophysical survey did however prove invaluable in mapping out the distribution of lithologies in areas with little or no outcrop and in identifying structural features. The costs of this survey as they pertain to this project are outlined in the summary of costs in Appendix A .

8.0 SOIL AND SILT GEOCHEMISTRY

780 B-horizon soils were collected at 200 meter intervals along easterly trending claim lines on the Hang claims and southeasterly trending claim lines on the Tack claims. Silt samples were collected where streams were traversed across. Au, Ag, Cu, Pb, Zn, and Ba values are plotted on Figure 6.1(a-f) and 6.2 (a-f), sheet 1 and sheet 2 respectively. Figure 6.1 covers the Hang and northern Tack portion of the project area while Figure 6.2 covers the southern portion of the Tack property. In some cases where anomalies were detected, follow-up minigrids were established to provide tighter control and further evaluate the anomaly.

Two Ag anomalies up to 12 ppm Ag occur on the northern portion of the Hang property. These were both followed up with minigrids. The remainder of the sampling detected no significant Ag concentrations in soil. A single sample from the southeastern Hang property returned a value of 50 ppb Au and one sample from the northern Tack ran 180 ppb Au; the remainder of the soil samples returning low Au values. Two silts from the northern Hang claims, however, ran 35 and 25 ppb Au. Ba values were generally low and no anomalies were detected. An area of anomalous Cu values occurs in the central portion of the northern Tack property were values range up to 181 ppm Cu. To the southeast scattered high Cu values range up to 195 ppm Cu. Pb concentration in soil ranges up to 66 ppm, with most of the higher values concentrated in the north central portion of the Tack claim block. Similarly the highest Zn value, 350 ppm Zn, is located in the north central portion of the Tack claims.

Minigrids AF and AG were located in the northern Hang claims over two samples highly anomalous in Ag. Plots showing Au, Ag, Cu, Pb, Zn, and Ba for

the minigrid samples are located in Appendix F. Minigrid AG detected a north-south oriented Ag anomaly over 100 meters long of up to 4.6 ppm Ag centered around the initial anomalous sample. Minigrid AF detected several scattered anomalous Ag values of up to 3.6 ppm Ag and up to 50 ppb Au. Cu ranges up to 157 ppm and Zn up to 400 ppm on minigrid AF. No significant contiguous anomalies, however, were defined by the sampling.

Table 8.1 Soil Geochemical Statistics

	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ba (ppm)
Minimum	<5	<0.2	6	<2	8	120
Maximum	125	12	376	90	400	8620
Average	3	0	38	9	81	1237
Percentiles						
95th	5	1	87	24	142	2722
90th	2.5	0.6	70	16	124	2152
80th	2.5	0.2	51	12	100	1492
75th	2.5	0.1	46	12	94	1350
50th	2.5	0.1	28	8	74	1010
10th	2.5	0.1	16	1	48	670

In total 12 stream sediment samples were collected on the Tuchitua project property. The statistical analysis of this small data set is given below in Table 8.2 and values are plotted on Figures 6.1 and 6.2 (a-f).

9.0 CONCLUSIONS AND RECCOMENDATIONS

A great deal more regional mapping and prospecting traverses are needed in the are of the northern Tack claims to constrain the geology and fully evaluate its mineral potential. The mafic rocks which underlie much of the central Hang claims do not seem to be highly prospective, however, the Ag-Au anomalies in the northern portion of the claim block are interesting and little is known about the geology in the immediate area of the anomalies. Almost nothing is known about the geology of the southern Tack property, as mapping

Table 8.2 Silt Geochemical Statistics

	Au (ppb)	Ag (ppm)	Cu (ppm)	Pb (ppm)	Zn (ppm)	Ba (ppm)
Minimum	<5	<0.2	22	2	68	320
Maximum	25	1.4	55	12	170	1750
Average	8	0	42	5	116	1181
Percentiles						
95th	23	1	52	10	163	1698
90th	22	0.6	49	7	156	1646
80th	13	0.4	47	6	138	1542
75th	7	0.4	47	6	128	1490
50th	2.5	0.1	45	4	116	1420
10th	2.5	0.1	30	2	84	496

in this area was not part of this work program. Further exploration on the Tuchitua project area should focus on more detailed mapping in the north central portion of the Tack claims and regional mapping traverses throughout the southern portion of the claims. Detailed follow-up sampling should also be carried out around the area of scattered polymetallic base metal anomalies in the north-central Tack claims. As well, an airborne geophysical survey over the southern portion of the Tack claims would greatly assist in the regional mapping of this area.

REFERENCES

Aleinikoff, J.N. and Nokleberg, W.J. 1985. Age of Devonian igneous arc terranes in the northern Mount Hayes quadrangle, eastern Alaska Range, Alaska. U.S. Geological Survey Circular 967, pp. 44-49.

Foster, H.L., Keith, T.E.C., and Menzie, W.D. 1987. Geology of East-Central Alaska. U.S. Geological Survey Open-File Report 87-188m, 59 pp.

Garrie, D.G. 1996. Dighem survey for Westmin Resources Limited, Wolverine Lake Project,

Mortensen, J.K. 1992. Pre-Mesozoic tectonic evolution of the Yukon-Tanana terrane, Yukon and Alaska. Tectonics, 11(4): 836-853.

Mortensen, J.K. and Jilson, G.A. 1985. Evolution of the Yukon-Tanana terrane: Evidence from the southeastern Yukon Territory. Geology, 13: 806-810.

Nokleberg W.J. and Aleinikoff, J.N. 1985. Summary of stratigraphy, structure, and metamorphism of Devonian igneous-arc terranes, northeastern Mount Hayes quadrangle, eastern Alaska Range. U. S. Geological Survey Circular 967, pp. 66-71.

Tempelman-Kluit, D.J. 1979. Transported cataclasite, ophiolite, and granodiorite in Yukon: evidence of arc-continent collision. Geological Survey of Canada Paper 79-14, 27 p.

Tempelman-Kluit, D.J. 1977. Quiet Lake (105F) and Finlayson Lake (105G) map areas. Geological Survey of Canada Open-File 486, scale= 1:250,000.

Tempelman-Kluit, D.J., Gordey, S.P., and Read, B.C. 1976. Stratigraphic and structural studies in the Pelly Mountains, Yukon Territory. Geological Survey of Canada Paper 76-1A, p. 97-106.

APPENDIX A

STATEMENT OF EXPENDITURES

STATEMENT OF EXPENDITURES

I, Andrew J. Turner, as agent for Westmin Resources Limited, #904-1055 Dunsmuir Street, Vancouver, B.C., do believe that an airborne geophyisical survey was carried out over the HANG claims between November 3 and December 5, 1995. In addition I solemnly declare that a field program consisting of soil sampling, silt sampling, rock sampling, and geologic mapping on the HANG 18-40, 62-80, 103-120, 148-160, 187-200, 211-218, 221-252, 258-291, 300, 302-328, 342-366, 383-416 and TACK 1-550 claims was carried out between June 1 and October 1, 1996.

The following expenses were incurred during the course of this work.

Labour	$12,083.00
Camp costs	$4,000.00
Travel	$1,025.00
Helicopter	$16,706.00
Fixed Wing	$1,165.00
Miscellaneous field and report costs	$14,561.75
Miscellaneous expenditures	$7,192.00
Airborne geophysics	$30,057.60
Geochemistry	$16,320.00
Total expenditures	**$103,110.35**

Notes:

1. Wages are based on actual man days spent on the property
2. Helicopter charges are based on actual hours flown
3. Assay charges are based on actual numbers of samples from the property
4. Travel expenses relate only to travel to and from the project within the Yukon Territory

And I make this solemn declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath and by virtue of the Canada Evidence Act.

Dated at Vancouver in the Province of British Columbia this 28 day of February, 1997.

Andrew J. Turner, P.Geol.

RPT/97-006

APPENDIX B

LIST OF CLAIMS

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
HANG	18		69542	06 Oct 95	06 Oct 96
HANG	19		69543	06 Oct 95	06 Oct 96
HANG	20		69544	06 Oct 95	06 Oct 96
HANG	21		69545	06 Oct 95	06 Oct 96
HANG	22		69546	06 Oct 95	06 Oct 96
HANG	23		69547	06 Oct 95	06 Oct 96
HANG	24		69548	06 Oct 95	06 Oct 96
HANG	25		69549	06 Oct 95	06 Oct 96
HANG	26		69550	06 Oct 95	06 Oct 96
HANG	27		69551	06 Oct 95	06 Oct 96
HANG	28		69552	06 Oct 95	06 Oct 96
HANG	29		69553	06 Oct 95	06 Oct 96
HANG	30		69554	06 Oct 95	06 Oct 96
HANG	31		69555	06 Oct 95	06 Oct 96
HANG	32		69556	06 Oct 95	06 Oct 96
HANG	33		69557	06 Oct 95	06 Oct 96
HANG	34		69558	06 Oct 95	06 Oct 96
HANG	35		69559	06 Oct 95	06 Oct 96
HANG	36		69560	06 Oct 95	06 Oct 96
HANG	37		69561	06 Oct 95	06 Oct 96
HANG	38		69562	06 Oct 95	06 Oct 96
HANG	39		69563	06 Oct 95	06 Oct 96
HANG	40		69564	06 Oct 95	06 Oct 96
HANG	62		69586	06 Oct 95	06 Oct 96
HANG	63		69587	06 Oct 95	06 Oct 96
HANG	64		69588	06 Oct 95	06 Oct 96
HANG	65		69589	06 Oct 95	06 Oct 96
HANG	66		69590	06 Oct 95	06 Oct 96
HANG	67		69591	06 Oct 95	06 Oct 96
HANG	68		69592	06 Oct 95	06 Oct 96
HANG	69		69593	06 Oct 95	06 Oct 96
HANG	70		69594	06 Oct 95	06 Oct 96
HANG	71		69595	06 Oct 95	06 Oct 96
HANG	72		69596	06 Oct 95	06 Oct 96
HANG	73		69597	06 Oct 95	06 Oct 96
HANG	74		69598	06 Oct 95	06 Oct 96
HANG	75		69599	06 Oct 95	06 Oct 96
HANG	76		69600	06 Oct 95	06 Oct 96
HANG	77		69601	06 Oct 95	06 Oct 96
HANG	78		69602	06 Oct 95	06 Oct 96
HANG	79		69603	06 Oct 95	06 Oct 96
HANG	80		69604	06 Oct 95	06 Oct 96
HANG	103		69627	06 Oct 95	06 Oct 96
HANG	104		69628	06 Oct 95	06 Oct 96
HANG	105		69629	06 Oct 95	06 Oct 96
HANG	106		69630	06 Oct 95	06 Oct 96
HANG	107		69631	06 Oct 95	06 Oct 96
HANG	108		69632	06 Oct 95	06 Oct 96
HANG	109		69633	06 Oct 95	06 Oct 96
HANG	110		69634	06 Oct 95	06 Oct 96
HANG	111		69635	06 Oct 95	06 Oct 96
HANG	112		69636	06 Oct 95	06 Oct 96
HANG	113		69637	06 Oct 95	06 Oct 96
HANG	114		69638	06 Oct 95	06 Oct 96

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
HANG	115		69639	06 Oct 95	06 Oct 96
HANG	116		69640	06 Oct 95	06 Oct 96
HANG	117		69641	06 Oct 95	06 Oct 96
HANG	118		69642	06 Oct 95	06 Oct 96
HANG	119		69643	06 Oct 95	06 Oct 96
HANG	120		69644	06 Oct 95	06 Oct 96
HANG	148		69672	06 Oct 95	06 Oct 96
HANG	149		69673	06 Oct 95	06 Oct 96
HANG	150		69674	06 Oct 95	06 Oct 96
HANG	151		69675	06 Oct 95	06 Oct 96
HANG	152		69676	06 Oct 95	06 Oct 96
HANG	153		69677	06 Oct 95	06 Oct 96
HANG	154		69678	06 Oct 95	06 Oct 96
HANG	155		69679	06 Oct 95	06 Oct 96
HANG	156		69680	06 Oct 95	06 Oct 96
HANG	157		69681	06 Oct 95	06 Oct 96
HANG	158		69682	06 Oct 95	06 Oct 96
HANG	159		69683	06 Oct 95	06 Oct 96
HANG	160		69684	06 Oct 95	06 Oct 96
HANG	187		69711	06 Oct 95	06 Oct 96
HANG	188		69712	06 Oct 95	06 Oct 96
HANG	189		69713	06 Oct 95	06 Oct 96
HANG	190		69714	06 Oct 95	06 Oct 96
HANG	191		69715	06 Oct 95	06 Oct 96
HANG	192		69716	06 Oct 95	06 Oct 96
HANG	193		69717	06 Oct 95	06 Oct 96
HANG	194		69718	06 Oct 95	06 Oct 96
HANG	195		69719	06 Oct 95	06 Oct 96
HANG	196		69720	06 Oct 95	06 Oct 96
HANG	197		69721	06 Oct 95	06 Oct 96
HANG	198		69722	06 Oct 95	06 Oct 96
HANG	199		69723	06 Oct 95	06 Oct 96
HANG	200		69724	06 Oct 95	06 Oct 96
HANG	211		69735	06 Oct 95	06 Oct 96
HANG	212		69736	06 Oct 95	06 Oct 96
HANG	213		69737	06 Oct 95	06 Oct 96
HANG	214		69738	06 Oct 95	06 Oct 96
HANG	215		69739	06 Oct 95	06 Oct 96
HANG	216		69740	06 Oct 95	06 Oct 96
HANG	217		69741	06 Oct 95	06 Oct 96
HANG	218		69742	06 Oct 95	06 Oct 96
HANG	221		69745	20 Sep 95	20 Sep 96
HANG	222		69746	20 Sep 95	20 Sep 96
HANG	223		69747	20 Sep 95	20 Sep 96
HANG	224		69748	20 Sep 95	20 Sep 96
HANG	225		69749	20 Sep 95	20 Sep 96
HANG	226		69750	20 Sep 95	20 Sep 96
HANG	227		69751	20 Sep 95	20 Sep 96
HANG	228		69752	20 Sep 95	20 Sep 96
HANG	229		69753	20 Sep 95	20 Sep 96
HANG	230		69754	20 Sep 95	20 Sep 96
HANG	231		69755	20 Sep 95	20 Sep 96
HANG	232		69756	20 Sep 95	20 Sep 96
HANG	233		69757	20 Sep 95	20 Sep 96

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
HANG	234		69758	20 Sep 95	20 Sep 96
HANG	235		69759	20 Sep 95	20 Sep 96
HANG	236		69760	20 Sep 95	20 Sep 96
HANG	237		69761	20 Sep 95	20 Sep 96
HANG	238		69762	20 Sep 95	20 Sep 96
HANG	239		69763	20 Sep 95	20 Sep 96
HANG	240		69764	20 Sep 95	20 Sep 96
HANG	241		69765	20 Sep 95	20 Sep 96
HANG	242		69766	20 Sep 95	20 Sep 96
HANG	243		69767	20 Sep 95	20 Sep 96
HANG	244		69768	20 Sep 95	20 Sep 96
HANG	245		69769	20 Sep 95	20 Sep 96
HANG	246		69770	20 Sep 95	20 Sep 96
HANG	247		69771	20 Sep 95	20 Sep 96
HANG	248		69772	20 Sep 95	20 Sep 96
HANG	249		69773	20 Sep 95	20 Sep 96
HANG	250		69774	20 Sep 95	20 Sep 96
HANG	251		69775	20 Sep 95	20 Sep 96
HANG	252		69776	20 Sep 95	20 Sep 96
HANG	258		69782	20 Sep 95	20 Sep 96
HANG	259		69783	20 Sep 95	20 Sep 96
HANG	260		69784	20 Sep 95	20 Sep 96
HANG	261		69785	20 Sep 95	20 Sep 96
HANG	262		69786	20 Sep 95	20 Sep 96
HANG	263		69787	20 Sep 95	20 Sep 96
HANG	264		69788	20 Sep 95	20 Sep 96
HANG	265		69789	20 Sep 95	20 Sep 96
HANG	266		69790	20 Sep 95	20 Sep 96
HANG	267		69791	20 Sep 95	20 Sep 96
HANG	268		69792	20 Sep 95	20 Sep 96
HANG	269		69793	20 Sep 95	20 Sep 96
HANG	270		69794	20 Sep 95	20 Sep 96
HANG	271		69795	20 Sep 95	20 Sep 96
HANG	272		69796	20 Sep 95	20 Sep 96
HANG	273		69797	20 Sep 95	20 Sep 96
HANG	274		69798	20 Sep 95	20 Sep 96
HANG	275		69799	20 Sep 95	20 Sep 96
HANG	276		69800	20 Sep 95	20 Sep 96
HANG	277		69801	20 Sep 95	20 Sep 96
HANG	278		69802	20 Sep 95	20 Sep 96
HANG	279		69803	20 Sep 95	20 Sep 96
HANG	280		69804	20 Sep 95	20 Sep 96
HANG	281		69805	20 Sep 95	20 Sep 96
HANG	282		69806	20 Sep 95	20 Sep 96
HANG	283		69807	20 Sep 95	20 Sep 96
HANG	284		69808	20 Sep 95	20 Sep 96
HANG	285		69809	20 Sep 95	20 Sep 96
HANG	286		69810	20 Sep 95	20 Sep 96
HANG	287		69811	20 Sep 95	20 Sep 96
HANG	288		69812	20 Sep 95	20 Sep 96
HANG	289		69813	20 Sep 95	20 Sep 96
HANG	290		69814	20 Sep 95	20 Sep 96
HANG	291		69815	20 Sep 95	20 Sep 96
HANG	300		69824	20 Sep 95	20 Sep 96

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
HANG	302		69826	20 Sep 95	20 Sep 96
HANG	303		69827	20 Sep 95	20 Sep 96
HANG	304		69828	20 Sep 95	20 Sep 96
HANG	305		69829	20 Sep 95	20 Sep 96
HANG	306		69830	20 Sep 95	20 Sep 96
HANG	307		69831	20 Sep 95	20 Sep 96
HANG	308		69832	20 Sep 95	20 Sep 96
HANG	309		69833	20 Sep 95	20 Sep 96
HANG	310		69834	20 Sep 95	20 Sep 96
HANG	311		69835	20 Sep 95	20 Sep 96
HANG	312		69836	20 Sep 95	20 Sep 96
HANG	313		69837	20 Sep 95	20 Sep 96
HANG	314		69838	20 Sep 95	20 Sep 96
HANG	315		69839	20 Sep 95	20 Sep 96
HANG	316		69840	20 Sep 95	20 Sep 96
HANG	317		69841	20 Sep 95	20 Sep 96
HANG	318		69842	20 Sep 95	20 Sep 96
HANG	319		69843	20 Sep 95	20 Sep 96
HANG	320		69844	20 Sep 95	20 Sep 96
HANG	321		69845	20 Sep 95	20 Sep 96
HANG	322		69846	20 Sep 95	20 Sep 96
HANG	323		69847	20 Sep 95	20 Sep 96
HANG	324		69848	20 Sep 95	20 Sep 96
HANG	325		69849	20 Sep 95	20 Sep 96
HANG	326		69850	20 Sep 95	20 Sep 96
HANG	327		69851	20 Sep 95	20 Sep 96
HANG	328		69852	20 Sep 95	20 Sep 96
HANG	342		69866	20 Sep 95	20 Sep 96
HANG	343		69867	20 Sep 95	20 Sep 96
HANG	344		69868	20 Sep 95	20 Sep 96
HANG	345		69869	20 Sep 95	20 Sep 96
HANG	346		69870	20 Sep 95	20 Sep 96
HANG	347		69871	20 Sep 95	20 Sep 96
HANG	348		69872	20 Sep 95	20 Sep 96
HANG	349		69873	20 Sep 95	20 Sep 96
HANG	350		69874	20 Sep 95	20 Sep 96
HANG	351		69875	20 Sep 95	20 Sep 96
HANG	352		69876	20 Sep 95	20 Sep 96
HANG	353		69877	20 Sep 95	20 Sep 96
HANG	354		69878	20 Sep 95	20 Sep 96
HANG	355		69879	20 Sep 95	20 Sep 96
HANG	356		69880	20 Sep 95	20 Sep 96
HANG	357		69881	20 Sep 95	20 Sep 96
HANG	358		69882	20 Sep 95	20 Sep 96
HANG	359		69883	20 Sep 95	20 Sep 96
HANG	360		69884	20 Sep 95	20 Sep 96
HANG	361		69885	20 Sep 95	20 Sep 96
HANG	362		69886	20 Sep 95	20 Sep 96
HANG	363		69887	20 Sep 95	20 Sep 96
HANG	364		69888	20 Sep 95	20 Sep 96
HANG	365		69889	20 Sep 95	20 Sep 96
HANG	366		69890	20 Sep 95	20 Sep 96
HANG	383		69907	20 Sep 95	20 Sep 96
HANG	384		69908	20 Sep 95	20 Sep 96

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
HANG	385		69909	20 Sep 95	20 Sep 96
HANG	386		69910	20 Sep 95	20 Sep 96
HANG	387		69911	20 Sep 95	20 Sep 96
HANG	388		69912	20 Sep 95	20 Sep 96
HANG	389		69913	20 Sep 95	20 Sep 96
HANG	390		69914	20 Sep 95	20 Sep 96
HANG	391		69915	20 Sep 95	20 Sep 96
HANG	392		69916	20 Sep 95	20 Sep 96
HANG	393		69917	20 Sep 95	20 Sep 96
HANG	415		69939	06 Oct 95	06 Oct 96
HANG	416		69940	06 Oct 95	06 Oct 96
HANG	394		69918	20 Sep 95	20 Sep 96
HANG	395		69919	20 Sep 95	20 Sep 96
HANG	396		69920	20 Sep 95	20 Sep 96
HANG	397		69921	20 Sep 95	20 Sep 96
HANG	398		69922	20 Sep 95	20 Sep 96
HANG	399		69923	20 Sep 95	20 Sep 96
HANG	400		69924	20 Sep 95	20 Sep 96
HANG	401		69925	20 Sep 95	20 Sep 96
HANG	402		69926	20 Sep 95	20 Sep 96
HANG	403		69927	20 Sep 95	20 Sep 96
HANG	404		69928	20 Sep 95	20 Sep 96
HANG	405		69929	20 Sep 95	20 Sep 96
HANG	406		69930	20 Sep 95	20 Sep 96
HANG	407		69931	20 Sep 95	20 Sep 96
HANG	408		69932	20 Sep 95	20 Sep 96
HANG	409		69933	20 Sep 95	20 Sep 96
HANG	410		69934	20 Sep 95	20 Sep 96
HANG	411		69935	20 Sep 95	20 Sep 96
HANG	412		69936	20 Sep 95	20 Sep 96
HANG	413		69937	20 Sep 95	20 Sep 96
HANG	414		69938	20 Sep 95	20 Sep 96
TACK	1				✓
TACK	2				✓
TACK	3				✓
TACK	4				✓
TACK	5				✓
TACK	6				✓
TACK	7				✓
TACK	8				✓
TACK	9				✓
TACK	10				✓
TACK	11				✓
TACK	12				✓
TACK	13				✓
TACK	14				✓
TACK	15				✓
TACK	16				✓
TACK	17				✓
TACK	18				✓
TACK	19				✓
TACK	20				✓
TACK	21				✓
TACK	22				✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	23				✓
TACK	24				✓
TACK	25				✓
TACK	26				✓
TACK	27				✓
TACK	28				✓
TACK	29				✓
TACK	30				✓
TACK	31				✓
TACK	32				✓
TACK	33				✓
TACK	34				✓
TACK	35				✓
TACK	36				✓
TACK	37				✓
TACK	38				✓
TACK	39				✓
TACK	40				✓
TACK	41				✓
TACK	42				✓
TACK	43				✓
TACK	44				✓
TACK	45				✓
TACK	46				✓
TACK	47				✓
TACK	48				✓
TACK	49				✓
TACK	50				✓
TACK	51				✓
TACK	52				✓
TACK	53				✓
TACK	54				✓
TACK	55				✓
TACK	56				✓
TACK	57				✓
TACK	58				✓
TACK	59				✓
TACK	60				✓
TACK	61				✓
TACK	62				✓
TACK	63				✓
TACK	64				✓
TACK	65				✓
TACK	66				✓
TACK	67				✓
TACK	68				✓
TACK	69				✓
TACK	70				✓
TACK	71				✓
TACK	72				✓
TACK	73				✓
TACK	74				✓
TACK	75				✓
TACK	76				✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	77				
TACK	78				
TACK	79				
TACK	80				
TACK	81				
TACK	82				
TACK	83				
TACK	84				
TACK	85				
TACK	86				
TACK	87				
TACK	88				
TACK	89				
TACK	90				
TACK	91				
TACK	92				
TACK	93				
TACK	94				
TACK	95				
TACK	96				
TACK	97				
TACK	98				
TACK	99				
TACK	100				
TACK	101				
TACK	102				
TACK	103				
TACK	104				
TACK	105				
TACK	106				
TACK	107				
TACK	108				
TACK	109				
TACK	110				
TACK	111				
TACK	112				
TACK	113				
TACK	114				
TACK	115				
TACK	116				
TACK	117				
TACK	118				
TACK	119				
TACK	120				
TACK	121				
TACK	122				
TACK	123				
TACK	124				
TACK	125				
TACK	126				
TACK	127				
TACK	128				
TACK	129				
TACK	130				

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	131				✓
TACK	132				✓
TACK	133				✓
TACK	134				✓
TACK	135				✓
TACK	136				✓
TACK	137				✓
TACK	138				✓
TACK	139				✓
TACK	140				✓
TACK	141				✓
TACK	142				✓
TACK	143				✓
TACK	144				✓
TACK	145				✓
TACK	146				✓
TACK	147				✓
TACK	148				✓
TACK	149				✓
TACK	150				✓
TACK	151				✓
TACK	152				✓
TACK	153				✓
TACK	154				✓
TACK	155				✓
TACK	156				✓
TACK	157				✓
TACK	158				✓
TACK	159				✓
TACK	160				✓
TACK	161				✓
TACK	162				✓
TACK	163				✓
TACK	164				✓
TACK	165				
TACK	166				
TACK	167				
TACK	168				
TACK	169				✓
TACK	170				✓
TACK	171				✓
TACK	172				✓
TACK	173				✓
TACK	174				✓
TACK	175				✓
TACK	176				✓
TACK	177				✓
TACK	178				✓
TACK	179				✓
TACK	180				✓
TACK	181				✓
TACK	182				✓
TACK	183				✓
TACK	184				✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	185				✓
TACK	186				✓
TACK	187				✓
TACK	188				✓
TACK	189				✓
TACK	190				✓
TACK	191				✓
TACK	192				✓
TACK	193				✓
TACK	194				✓
TACK	195				✓
TACK	196				✓
TACK	197				✓
TACK	198				✓
TACK	199				✓
TACK	200				✓
TACK	201				✓
TACK	202				✓
TACK	203				✓
TACK	204				✓
TACK	205				✓
TACK	206				✓
TACK	207				✓
TACK	208				✓
TACK	209				✓
TACK	210				✓
TACK	211				✓
TACK	212				✓
TACK	213				✓
TACK	214				✓
TACK	215				✓
TACK	216				✓
TACK	217				✓
TACK	218				✓
TACK	219				✓
TACK	220				✓
TACK	221				✓
TACK	222				✓
TACK	223				✓
TACK	224				✓
TACK	225				✓
TACK	226				✓
TACK	227				✓
TACK	228				✓
TACK	229				✓
TACK	230				✓
TACK	231				✓
TACK	232				✓
TACK	233				PL
TACK	234				PL
TACK	235				✓
TACK	236				✓
TACK	237				✓
TACK	238				✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	239				✓
TACK	240				✓
TACK	241				✓
TACK	242				✓
TACK	243				✓
TACK	244				✓
TACK	245				✓
TACK	246				✓
TACK	247				✓
TACK	248				✓
TACK	249				✓
TACK	250				✓
TACK	251				✓
TACK	252				✓
TACK	253				✓
TACK	254				✓
TACK	255				✓
TACK	256				✓
TACK	257				✓
TACK	258				✓
TACK	259				✓
TACK	260				✓
TACK	261				✓
TACK	262				✓
TACK	263				✓
TACK	264				✓
TACK	265				✓
TACK	266				✓
TACK	267				✓
TACK	268				✓
TACK	269				✓
TACK	270				✓
TACK	271				✓
TACK	272				✓
TACK	273				✓
TACK	274				✓
TACK	275				✓
TACK	276				✓
TACK	277				✓
TACK	278				✓
TACK	279				PL
TACK	280				P...
TACK	281				P...
TACK	282				P...
TACK	283				—
TACK	284				—
TACK	285				—
TACK	286				✓
TACK	287				✓
TACK	288				✓
TACK	289				—
TACK	290				✓
TACK	291				✓
TACK	292				✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.	RECORD DATE	EXPIRY DATE
TACK	293			✓
TACK	294			✓
TACK	295			✓
TACK	296			✓
TACK	297			✓
TACK	298			✓
TACK	299			✓
TACK	300			✓
TACK	301			✓
TACK	302			✓
TACK	303			✓
TACK	304			✓
TACK	305			✓
TACK	306			✓
TACK	307			✓
TACK	308			✓
TACK	309			✓
TACK	310			✓
TACK	311			✓
TACK	312			✓
TACK	313			✓
TACK	314			✓
TACK	315			✓
TACK	316			✓
TACK	317			✓
TACK	318			✓
TACK	319			✓
TACK	320			✓
TACK	321			✓
TACK	322			✓
TACK	323			✓
TACK	324			✓
TACK	325			✓
TACK	326			
TACK	327			
TACK	328			
TACK	329			
TACK	330			✓
TACK	331			
TACK	332			✓
TACK	333			✓
TACK	334			✓
TACK	335			✓
TACK	336			✓
TACK	337			✓
TACK	338			✓
TACK	339			✓
TACK	340			✓
TACK	341			✓
TACK	342			✓
TACK	343			✓
TACK	344			✓
TACK	345			✓
TACK	346			✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	347				✓
TACK	348				✓
TACK	349				✓
TACK	350				✓
TACK	351				✓
TACK	352				✓
TACK	353				✓
TACK	354				✓
TACK	355				✓
TACK	356				
TACK	357				
TACK	358				✓
TACK	359				✓
TACK	360				✓
TACK	361				✓
TACK	362				✓
TACK	363				✓
TACK	364				✓
TACK	365				✓
TACK	366				✓
TACK	367				✓
TACK	368				✓
TACK	369				✓
TACK	370				✓
TACK	371				✓
TACK	372				✓
TACK	373				✓
TACK	374				✓
TACK	375				✓
TACK	376				✓
TACK	377				✓
TACK	378				✓
TACK	379				✓
TACK	380				✓
TACK	381				✓
TACK	382				✓
TACK	383				✓
TACK	384				✓
TACK	385				✓
TACK	386				✓
TACK	387				✓
TACK	388				✓
TACK	389				✓
TACK	390				✓
TACK	391				✓
TACK	392				✓
TACK	393				✓
TACK	394				✓
TACK	395				✓
TACK	396				✓
TACK	397				✓
TACK	398				✓
TACK	399				✓
TACK	400				✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	401				✓
TACK	402				✓
TACK	403				✓
TACK	404				✓
TACK	405				✓
TACK	406				✓
TACK	407				✓
TACK	408				✓
TACK	409				✓
TACK	410				✓
TACK	411				✓
TACK	412				✓
TACK	413				✓
TACK	414				✓
TACK	415				✓
TACK	416				✓
TACK	417				✓
TACK	418				✓
TACK	419				✓
TACK	420				✓
TACK	421				✓
TACK	422				✓
TACK	423				✓
TACK	424				✓
TACK	425				✓
TACK	426				✓
TACK	427				✓
TACK	428				✓
TACK	429				✓
TACK	430				✓
TACK	431				✓
TACK	432				✓
TACK	433				✓
TACK	434				✓
TACK	435				✓
TACK	436				✓
TACK	437				✓
TACK	438				✓
TACK	439				✓
TACK	440				✓
TACK	441				✓
TACK	442				✓
TACK	443				✓
TACK	444				✓
TACK	445				✓
TACK	446				✓
TACK	447				✓
TACK	448				✓
TACK	449				✓
TACK	450				✓
TACK	451				✓
TACK	452				✓
TACK	453				✓
TACK	454				✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	455				✓
TACK	456				✓
TACK	457				✓
TACK	458				✓
TACK	459				✓
TACK	460				✓
TACK	461				✓
TACK	462				✓
TACK	463				✓
TACK	464				✓
TACK	465				✓
TACK	466				✓
TACK	467				✓
TACK	468				✓
TACK	469				✓
TACK	470				✓
TACK	471				✓
TACK	472				✓
TACK	473				✓
TACK	474				✓
TACK	475				✓
TACK	476				✓
TACK	477				✓
TACK	478				✓
TACK	479				✓
TACK	480				✓
TACK	481				✓
TACK	482				✓
TACK	483				✓
TACK	484				✓
TACK	485				✓
TACK	486				✓
TACK	487				✓
TACK	488				
TACK	489				✓
TACK	490				✓
TACK	491				✓
TACK	492				✓
TACK	493				✓
TACK	494				✓
TACK	495				✓
TACK	496				✓
TACK	497				✓
TACK	498				✓
TACK	499				✓
TACK	500				✓
TACK	501				✓
TACK	502				—
TACK	503				—
TACK	504				—
TACK	505				—
TACK	506				✓
TACK	507				✓
TACK	508				✓

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE
TACK	509				✓
TACK	510				✓
TACK	511				✓
TACK	512				✓
TACK	513				✓
TACK	514				✓
TACK	515				✓
TACK	516				✓
TACK	517				✓
TACK	518				✓
TACK	519				✓
TACK	520				✓
TACK	521				✓
TACK	522				✓
TACK	523				✓
TACK	524				✓
TACK	525				✓
TACK	526				✓
TACK	527				✓
TACK	528				✓
TACK	529				✓
TACK	530				PL
TACK	531				✓
TACK	532				PL
TACK	533				PL
TACK	534				✓
TACK	535				✓
TACK	536				—
TACK	537				—
TACK	538				✓
TACK	539				✓
TACK	540				✓
TACK	541				✓
TACK	542				✓
TACK	543				✓
TACK	544				✓
TACK	545				✓
TACK	546				✓
TACK	547				✓
TACK	548				✓
TACK	549				✓
TACK	550				✓
TACK	551				✓
	552				✓
	553				✓
	554				✓
	555				✓
	556				✓
	557				✓

1997/03/[illegible]

Indian and Northern Affairs Canada

Affaires indiennes et du Nord Canada

We are able to confirm the status of the following claims:

Claim Name	Claim No.	Grant No.	Expiry Date	Registered Owner	% Ownd
[illegible]CK	1 - 282	YB78704 - YB78985	1997/03/06	WESTMIN RESOURCES LIMITED	100
	286 - 288	YB78986 - YB78988		WESTMIN RESOURCES LIMITED	100
	290 - 357	YB78989 - YB79056		WESTMIN RESOURCES LIMITED	100
	358 - 501	YB79059 - YB79202		WESTMIN RESOURCES LIMITED	100
	506 - 535	YB79203 - YB79232		WESTMIN RESOURCES LIMITED	100
	538 - 557	YB79233 - YB79252		WESTMIN RESOURCES LIMITED	100

Canada

Tuchitua claims
(expiry dates previous to this report)

CLAIM NAME	CLAIM NO.	GRANT NO.		RECORD DATE	EXPIRY DATE

APPENDIX C

LIST OF PERSONNEL

LIST OF PERSONNEL

Geoff Bradshaw (Geologist)
#904-1055 Dunsmuir St.
Vancouver, B.C.
V7X 1C4

Mike Bradshaw (Field Assistant)
Box 935 Sechelt, B.C.
V0N 3AO

Nathalie Boisvert (Field Assistant)
755 de Maricourt
Longueuil, Quebec
J4H 285

Shanif Habib (Geologist)
#65-1478 Adelaide Street North
London, Ontario
N5X 1K4

David Hladky (Field Assistant)
3418-111A Street
Edmonton, Alberta
T6J 3L2

Geoff Horner (Field Assistant)
3290 Cypress Street
Vancouver, B.C.
V6J 3N6

Stewart McCallion (Field Assisitant)
#904-1055 Dunsmuir St.
Vancouver, B.C.
V7X 1C4

Alana Rawlings (Field Assistant)
c/o Ross River Dena Development Corporation
Ross River, YT

David Schmidt (Field Assistant)
c/o #904-1055 Dunsmuir St.
Vancouver, B.C.
V7X 1C4

David A. Terry (Project Geologist)
#904-1055 Dunsmuir St.
Vancouver, B.C.
V7X 1C4

Yvonne Thornton (Field Assistant)
3341 Lakeside Roade
Whistler, B.C.
V0N 1B3

Jan Tindle (Field Assistant)
3341 Lakeside Roade
Whistler, B.C.
V0N 1B3

Terry Tucker (Project Geologist)
#904-1055 Dunsmuir St.
Vancouver, B.C.
V7X 1C4

Andrew Turner (Geologist)
#904-1055 Dunsmuir St.
Vancouver, B.C.
V7X 1C4

Brian Wakeman (Geologist)
5728 South Ferrall Court
Spokane, Washington
99223

APPENDIX D

GEOLOGISTS CERTIFICATES

GEOLOGISTS CERTIFICATE

I, David A. Terry of 1568 Maplehurst Circle, Burnaby, in the Province of British Columbia, DO HEREBY CERTIFY:

1. THAT I am a Project Geologist with Westmin Resources Limited with offices at #904-1055 Dunsmuir Street, Vancouver, British Columbia.

2. THAT I have practiced my profession with various mining companies in Ontario, Quebec, British Columbia, Yukon, and Alaska for eight years.

3. THAT I am a graduate of the University of Western Ontario (1988) and hold a Honors Bachelor of Science in Geology.

4. THAT I am a member of the Prospectors and Developers Association of Canada, the Canadian Institute of Mining and Metallurgy, the Geological Society of America, and the Society of Economic Geologists.

5. THAT this report is based on property work I personally supervised between June 1 and October 1, 1996.

6. THAT I have no direct interest in the property described herein, nor do I expect to receive any interest.

DATED at Vancouver, British Columbia this 6 day of February, 1997.

David A. Terry, Project Geologist

WESTMIN

6.0 STATEMENT OF QUALIFICATIONS

I, Terry L. Tucker, of the City of North Vancouver, in the Province of British Columbia, do hereby certify that:

I am registered as a professional geoscientist with the Association of Professional Engineers and Geoscientists of the Province of British Columbia (20108), residing at 1541 Mahon Avenue, North Vancouver, British Columbia, V7M 2S6 with a business address at #904 - 1055 Dunsmuir Street, P.O. Box 49066, The Bentall Centre, Vancouver, British Columbia, V7X 1C4.

I am a graduate of the University of Alberta, Edmonton, Alberta (1989) with a Bachelor of Science degree specialisation in Geology).

I am a member of the Canadian Institute of Mining and Metallurgy, Prospectors and Developers Association of Canada, British Columbia Chamber of Mines and the Yukon Chamber of Mines.

I have been a practising geologist in Canada, Australia, the United States and Papua New Guinea since 1987.

I directly performed or supervised the work which is described in this report.

DATED this 7 day of February 1997 at Vancouver, British Columbia.

Terry L. Tucker, P.Geo.
Project Geologist

Professional Seal

GEOLOGISTS CERTIFICATE

I, Geoffrey D. Bradshaw of 8046 Redrooffs Road, Sechelt, in the Province of British Columbia, DO HEREBY CERTIFY:

1. THAT I am a Geologist with Westmin Resources Limited with offices at #904-1055 Dunsmuir Street, Vancouver, British Columbia.

2. THAT I am a graduate of the University of British Columbia (1996) and hold an Honours Bachelor of Science in Geology.

3. THAT I am a member of the Association of British Columbia Professional Engineers and Geoscientists registered as a Professional Geoscientist in Training.

4. THAT this report is based on property work I personally completed and/or supervised between June 1 and October 1, 1996.

5. THAT I have no direct interest in the property described herein, nor do I expect to receive any interest.

DATED at Vancouver, British Columbia this ____ day of _____, 1997.

_____

Geoffrey D. Bradshaw, Geologist

APPENDIX E

ROCK SAMPLE DESCRIPTIONS

Sample	Certificate	Sheet	Claims	Lithology	Easting	Northing	Au	Ag	Cu	Pb	Zn	Ba
134201	A9622568	6	Hang	vfg CH	458621.3	6798189	<5	<0.2	28	10	32	410
134202	A9622568	6	Hang	vfg CH	458314.9	6797889	<5	<0.2	52	10	82	180
134203	A9622568	6	Hang	A-B	458001.2	6797635	<5	<0.2	67	<2	72	100
134204	A9622568	6	Hang	A-B	456404.2	6796726	<5	<0.2	74	14	48	70
134205	A9622568	6	Hang	A-B	455969.2	6796514	<5	<0.2	54	<2	80	120
134206	A9622568	6	Hang	A-B	455044.6	6797302	<5	<0.2	38	<2	110	70
134207	A9622568	6	Hang	PH-CH	458152.8	6794700	<5	<0.2	32	<2	24	830
134208	A9622568	6	Hang	serp'd UM	457862.4	6794345	<5	<0.2	7	<2	38	20
134209	A9622568	6	Hang	fg dk CH'y ARG	457862.4	6794345	<5	<0.2	19	<2	20	820
134210	A9622568	6	Hang	fg banded CH	457862.4	6794345	<5	<0.2	34	<2	26	10000
134211	A9622568	6	Hang	PH'c CH	457747.9	6794205	<5	<0.2	19	2	20	640
134212	A9622568	6	Hang	lam'd py'c CH	457426.7	6794188	<5	<0.2	14	<2	14	3230
134213	A9622568	6	Hang	qcS/A?	457117.2	6793864	<5	<0.2	52	<2	62	140
134251	A9632812	6	Tack	q GRIT	456459	6794485	25	<0.2	145	<2	84	260
134252	A9632812	6	Tack	A-B	456204.8	6795527	<5	<0.2	62	<2	80	170
134253	A9632812	6	Tack	A-B	456070.4	6796006	<5	<0.2	60	<2	60	210
134254	A9632812	6	Hang	A-B	456063.3	6796100	<5	<0.2	70	<2	74	220
134351	A9632812	6	Hang	qeRt/tGRIT	452859	6796255	<5	<0.2	29	<2	52	290
134352	A9632812	6	Hang	CH'y ARG	453118.8	6796498	<5	<0.2	27	<2	48	2030
134353	A9632812	6	Hang	A-B	454850.6	6797759	<5	<0.2	52	<2	74	130
134354	A9632812	6	Hang	GB; po, py	454388.2	6798087	<5	<0.2	62	<2	68	460
134355	A9632812	6	Hang	serp'd UM	454078	6798456	<5	<0.2	3	<2	52	10
134356	A9632812	6	Hang	serp'd UM	454078	6798456	<5	<0.2	6	<2	80	10
134357	A9632812	6	Hang	serp'd UM	454078	6798456	<5	<0.2	6	<2	26	5

APPENDIX F

MINIGRID SOIL PLOTS

1100N -	<5	<5	<5	<5	<5
	<5	<5	<5	<5	<5
1050N -	<5	<5	<5	<5	<5
	<5	<5	5	<5	<5
1000N -	<5	<5	S-130528	<5	<5
	<5	<5	<5	<5	<5
950N -	<5	<5	<5	<5	<5
	<5	<5	<5	<5	<5
900N -	<5	<5	<5	<5	<5
	900E	950E	1000E	1050E	1100E

Minigrid "AF" HANG Claims - Au (ppb)
1:2500

1100N -	<0.2	<0.2	1.0	0.8	0.6
	0.8	<0.2	1.6	<0.2	<0.2
1050N -	<0.2	<0.2	4.6	2.0	0.6
	<0.2	<0.2	2.0	<0.2	0.6
1000N -	0.4	<0.2	S-130528	0.4	<0.2
	<0.2	<0.2	1.4	<0.2	<0.2
950N -	<0.2	<0.2	1.2	<0.2	<0.2
	<0.2	<0.2	0.4	<0.2	<0.2
900N -	0.6	<0.2	1.6	<0.2	<0.2
	900E	**950E**	**1000E**	**1050E**	**1100E**

Minigrid "AF" HANG Claims - Ag (ppm)
1:2500

1100N -	55	48	46	68	26
	70	32	83	49	28
1050N -	47	66	107	72	48
	23	29	82	87	39
1000N -	51	55	S-130528	76	19
	42	33	78	25	16
950N -	36	48	52	46	28
	44	33	56	56	36
900N -	69	42	33	29	19
	900E	**950E**	**1000E**	**1050E**	**1100E**

Minigrid "AF" HANG Claims - Cu (ppm)
1:2500

1100N -	14	24	6	10	6
	10	6	10	6	10
1050N -	12	12	10	10	10
	10	14	16	10	14
1000N -	28	12	S-130528	10	4
	10	12	10	6	6
950N -	12	10	8	10	12
	10	8	8	12	10
900N -	12	10	12	6	6
	900E	**950E**	**1000E**	**1050E**	**1100E**

Minigrid "AF" HANG Claims - Pb (ppm)
1:2500

1100N -	118	82	120	180	68
	140	86	166	178	54
1050N -	124	172	124	96	54
	74	104	194	116	108
1000N -	78	114	S-130628	204	44
	126	90	158	74	58
950N -	92	104	142	124	92
	110	106	172	112	102
900N -	170	160	140	62	64
	900E	**950E**	**1000E**	**1050E**	**1100E**

Minigrid "AF" HANG Claims - Zn (ppm)
1:2500

1100N -	2550	3630	2630	1650	2240
	2740	2240	3830	8620	2320
1050N -	1890	2930	3810	2990	2600
	1400	1720	3040	2850	3420
1000N -	4530	3410	S-130528	3330	1300
	2340	1570	3650	4050	1370
950N -	2890	1960	3160	2040	1620
	1900	2530	3030	2240	1530
900N -	2620	2160	3180	1900	1630
	900E	**950E**	**1000E**	**1050E**	**1100E**

Minigrid "AF" HANG Claims - Ba (ppm)
1:2500

1100N -	<5	<5	<5	<5	<5
	35	<5	<5	<5	<5
1050N -	<5	10	<5	<5	<5
	5	35	10	<5	<5
1000N -	<5	<5	**S-130539**	15	<5
	<5	<5	<5	50	15
950N -	5	<5	<5	<5	<5
	<5	<5	<5	<5	10
900N -	<5	<5	<5	<5	20
	900 E	**950 E**	**1000 E**	**1050 E**	**1100 E**

Minigrid "AG" HANG Claims - Au (ppb)

	900 E	950 E	1000 E	1050 E	1100 E
1100N -	<0.2	0.8	0.4	1.8	<0.2
	0.4	0.4	2.4	0.4	<0.2
1050N -	0.6	0.4	0.4	0.8	2.0
	0.4	0.6	1.4	1.8	1.2
1000N -	0.6	0.4	**S-130539**	0.8	<0.2
	0.4	<0.2	<0.2	3.6	2.2
950N -	1.0	<0.2	<0.2	0.4	2.0
	0.8	0.6	<0.2	<0.2	1.6
900N -	0.4	0.4	0.6	0.2	3.2

Minigrid "AG" HANG Claims - Ag (ppm)

1100N -	61	43	40	43	26
	157	57	58	36	39
1050N -	44	65	31	35	80
	44	58	63	47	105
1000N -	24	28	**S-130539**	51	45
	23	23	28	151	100
950N -	79	37	31	50	74
	43	52	20	55	57
900N -	34	31	41	63	99
	900 E	**950 E**	**1000 E**	**1050 E**	**1100 E**

Minigrid "AG" HANG Claims - Cu (ppm)

1100N -	34	20	8	8	6
	6	10	6	10	8
1050N -	10	8	6	10	14
	6	10	10	<2	12
1000N -	6	8	**S-130539**	10	10
	10	8	6	20	14
950N -	12	8	8	10	14
	8	12	6	8	12
900N -	10	10	12	6	14
	900 E	**950 E**	**1000 E**	**1050 E**	**1100 E**

Minigrid "AG" HANG Claims - Pb (ppm)

1100N -	96	114	100	106	64
	400	160	74	50	84
1050N -	78	134	74	86	88
	106	142	90	90	116
1000N -	64	76	**S-130539**	112	108
	52	74	70	252	142
950N -	132	84	86	120	80
	106	118	62	122	96
900N -	90	74	104	212	182
	900 E	**950 E**	**1000 E**	**1050 E**	**1100 E**

Minigrid "AG" HANG Claims - Zn (ppm)

1100N -	▫ 2080	▫ 3540	▫ 3380	▫ 2700	▫ 1690
	□6840	▫ 2830	▫ 2560	▫ 2310	▫ 2680
1050N -	▫ 2510	▫ 3320	▫ 2340	▫ 3110	▫ 3070
	▫ 2760	▫ 2500	▫ 3250	▫ 3600	▫ 3660
1000N -	▫ 2500	▫ 2450	▫ **S-130539**	□ 4430	▫ 2130
	▫ 1530	▫ 1600	▫ 3420	□7820	▫ 4110
950N -	▫ 2600	▫ 1950	▫ 1830	▫ 2720	▫ 2650
	▫ 2210	▫ 2160	▫ 1710	▫ 2510	▫ 2830
900N -	▫ 1740	▫ 2330	▫ 1980	□ 4380	□ 4410
	900 E	**950 E**	**1000 E**	**1050 E**	**1100 E**

Minigrid "AG" HANG Claims - Ba (ppm)

APPENDIX G

ASSAY CERTIFICATES

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Comments: ATTN:DAVID TERRY

G.

A9621868

CERTIFICATE A9621868

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 3-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	200	Dry, sieve to -80 mesh
202	200	save reject
285	200	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	193	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	200	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	200	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	200	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	200	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	200	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	200	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	200	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	200	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	200	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	200	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	200	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	200	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	200	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	200	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	200	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	200	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	200	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	200	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	200	Pb ppm: 24 element, rock & core	AAS	2	10000
582	200	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	200	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	200	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	200	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	200	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 03-JUL-96
Invoice No. : I9621868
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130001	201	202	< 5	< 0.2	5.43	730	2.0	< 2	1.50	< 0.5	9	77	12	2.76	1.56	0.85
130002	201	202	< 5	< 0.2	5.37	790	1.0	< 2	1.08	0.5	8	111	15	2.68	1.39	0.68
130003	201	202	< 5	< 0.2	4.75	720	2.0	2	1.01	< 0.5	6	65	6	2.18	1.75	0.56
130004	201	202	< 5	< 0.2	6.06	940	2.0	< 2	1.23	< 0.5	9	91	11	2.71	1.96	0.95
130005	201	202	< 5	< 0.2	6.03	810	1.5	< 2	2.02	0.5	13	97	74	2.76	1.41	1.08
130006	201	202	< 5	< 0.2	4.60	750	0.5	< 2	2.74	0.5	14	65	135	2.74	0.90	0.98
130007	201	202	< 5	< 0.2	8.16	630	1.0	< 2	0.72	< 0.5	28	59	122	7.02	1.16	2.13
130008	201	202	< 5	1.6	6.34	1250	1.5	< 2	1.37	0.5	13	85	62	2.94	1.49	0.74
130009	201	202	< 5	< 0.2	6.18	1340	1.5	< 2	0.86	< 0.5	24	114	47	5.24	1.26	1.54
130010	201	202	< 5	< 0.2	6.66	1200	1.0	< 2	1.75	< 0.5	16	95	41	3.84	1.39	1.32
130011	201	202	35	1.0	7.16	1590	1.5	< 2	0.33	1.0	13	104	34	4.61	1.75	1.09
130012	201	202	< 5	0.2	5.89	1300	1.5	< 2	0.37	0.5	10	105	42	4.19	1.53	0.78
130013	201	202	< 5	0.4	5.82	1110	1.0	< 2	1.60	0.5	18	61	37	2.48	1.47	0.79
130014	201	202	< 5	0.8	5.65	1100	1.5	< 2	0.60	0.5	11	117	36	3.70	1.40	0.99
130015	201	202	< 5	< 0.2	5.81	1310	0.5	< 2	1.37	< 0.5	15	170	42	3.61	1.32	1.65
130016	201	202	< 5	< 0.2	5.70	1170	1.5	< 2	1.20	0.5	18	230	33	3.05	1.29	1.77
130017	201	202	< 5	< 0.2	5.76	970	1.5	< 2	0.57	< 0.5	37	809	22	6.38	1.62	3.34
130018	201	202	< 5	< 0.2	4.73	720	1.0	< 2	0.51	0.5	53	1040	20	4.76	1.21	8.36
130019	201	202	< 5	< 0.2	6.58	800	1.0	< 2	1.42	0.5	13	137	18	2.25	1.87	1.19
130020	201	202	< 5	< 0.2	5.21	770	0.5	< 2	0.69	< 0.5	39	829	16	5.87	1.14	3.66
130021	201	202	< 5	0.4	5.89	850	0.5	< 2	0.93	1.5	11	216	15	2.15	1.46	1.26
130022	201	202	< 5	< 0.2	6.71	900	1.5	< 2	0.61	1.0	12	147	21	3.76	1.60	0.92
130023	201	202	< 5	< 0.2	6.51	820	1.0	< 2	1.41	0.5	6	18	20	1.47	1.87	0.47
130024	201	202	< 5	< 0.2	7.10	190	0.5	< 2	2.49	0.5	28	245	52	5.36	0.33	4.63
130025	201	202	< 5	< 0.2	6.37	300	0.5	< 2	2.14	< 0.5	31	162	64	5.69	0.32	3.46
130026	201	202	< 5	< 0.2	1.86	200	< 0.5	< 2	1.68	< 0.5	5	28	69	1.23	0.27	0.63
130027	201	202	< 5	< 0.2	6.60	420	0.5	< 2	2.40	< 0.5	28	270	55	4.75	0.66	3.78
130028	201	202	< 5	0.4	4.58	540	0.5	< 2	1.91	< 0.5	24	202	113	2.68	0.75	1.84
130029	201	202	< 5	< 0.2	5.85	330	0.5	< 2	2.62	< 0.5	33	543	37	5.17	0.53	5.66
130030	201	202	< 5	< 0.2	5.24	500	0.5	< 2	1.65	< 0.5	51	906	19	5.62	0.72	7.22
130031	201	202	< 5	< 0.2	4.83	320	< 0.5	< 2	1.60	< 0.5	58	1180	27	5.81	0.49	10.25
130032	201	202	< 5	< 0.2	5.71	560	0.5	< 2	1.60	0.5	22	445	24	5.25	0.89	3.96
130033	201	202	< 5	< 0.2	6.57	410	0.5	< 2	1.83	< 0.5	34	510	27	6.71	0.80	4.41
130034	201	202	< 5	< 0.2	6.20	690	0.5	< 2	1.10	0.5	16	82	20	4.14	1.44	0.73
130035	201	202	< 5	< 0.2	7.06	840	1.0	< 2	1.60	0.5	6	5	18	1.45	2.06	0.48
130036	201	202	< 5	< 0.2	5.84	510	0.5	< 2	2.60	0.5	24	202	37	4.99	0.67	2.63
130037	201	202	< 5	< 0.2	6.48	630	0.5	< 2	1.24	< 0.5	12	112	20	3.73	1.17	1.10
130038	201	202	< 5	< 0.2	5.74	250	0.5	< 2	1.91	< 0.5	22	54	54	4.77	0.47	2.30
130039	201	202	< 5	< 0.2	6.63	790	1.0	< 2	1.61	< 0.5	6	6	19	1.51	1.88	0.51
130040	201	202	< 5	< 0.2	3.47	210	< 0.5	< 2	2.59	< 0.5	16	43	57	3.14	0.26	2.14

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-B
Total : 5
Certificate Date: 03-JUL-96
Invoice No. : I9621868
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
130001	201 202	350	1	1.27	21	450	12	125	0.35	105	< 10	48
130002	201 202	400	1	1.16	28	680	8	109	0.43	125	< 10	58
130003	201 202	380	1	1.13	14	1470	16	93	0.28	79	< 10	42
130004	201 202	395	< 1	1.35	25	730	10	130	0.40	113	< 10	54
130005	201 202	610	1	1.69	40	760	4	301	0.31	82	< 10	62
130006	201 202	905	< 1	0.76	24	860	2	165	0.22	98	< 10	84
130007	201 202	1255	< 1	1.19	17	330	< 2	102	0.34	253	< 10	100
130008	201 202	845	6	1.62	24	1150	6	322	0.24	215	< 10	102
130009	201 202	1000	1	1.15	36	740	10	142	0.65	209	< 10	100
130010	201 202	615	2	1.49	39	680	4	271	0.40	136	< 10	90
130011	201 202	330	1	0.51	34	710	10	69	0.45	165	< 10	108
130012	201 202	335	3	0.52	39	1190	8	93	0.47	193	< 10	134
130013	201 202	1455	1	1.73	35	1170	6	348	0.22	74	< 10	64
130014	201 202	390	4	0.76	39	880	8	103	0.43	172	< 10	110
130015	201 202	615	< 1	0.92	67	670	8	115	0.42	144	< 10	98
130016	201 202	380	< 1	1.09	117	580	10	129	0.39	121	< 10	88
130017	201 202	675	< 1	0.84	285	340	8	80	0.40	155	< 10	166
130018	201 202	835	< 1	0.61	591	470	4	69	0.26	106	< 10	128
130019	201 202	625	1	2.39	57	480	6	449	0.21	46	< 10	60
130020	201 202	795	< 1	1.03	301	610	6	128	0.38	134	< 10	136
130021	201 202	815	1	1.61	48	520	8	245	0.29	103	< 10	88
130022	201 202	490	3	1.27	40	460	14	181	0.40	137	< 10	122
130023	201 202	305	1	2.37	5	410	8	443	0.20	40	< 10	44
130024	201 202	1045	< 1	3.10	66	320	< 2	111	0.70	248	< 10	62
130025	201 202	1325	< 1	2.50	59	1060	< 2	152	0.57	230	< 10	76
130026	201 202	175	< 1	0.34	54	850	2	170	0.05	26	< 10	22
130027	201 202	875	< 1	2.50	190	350	< 2	176	0.56	192	< 10	68
130028	201 202	655	< 1	1.00	583	1030	2	235	0.14	71	< 10	62
130029	201 202	780	< 1	2.13	288	300	< 2	137	0.51	187	< 10	56
130030	201 202	995	< 1	1.45	281	280	< 2	163	0.32	131	< 10	76
130031	201 202	865	< 1	1.00	415	310	< 2	120	0.21	104	< 10	58
130032	201 202	765	< 1	1.40	124	510	2	127	0.49	170	< 10	82
130033	201 202	940	< 1	2.11	158	590	< 2	184	0.54	209	< 10	84
130034	201 202	805	1	2.00	21	710	4	264	0.51	138	< 10	170
130035	201 202	335	1	2.74	5	390	4	520	0.19	30	< 10	46
130036	201 202	1025	1	2.08	69	720	2	165	0.56	188	< 10	88
130037	201 202	605	1	2.30	24	660	8	230	0.71	193	< 10	58
130038	201 202	795	1	1.95	36	790	< 2	112	0.49	167	< 10	68
130039	201 202	320	1	2.54	4	360	4	505	0.19	32	< 10	44
130040	201 202	520	< 1	0.68	31	650	< 2	93	0.15	74	< 10	50

CERTIFICATION: Ivan Bridley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 2-A
Total : 5
Certificate Date: 03-JUL-96
Invoice No. : I9621868
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130041	201	202	< 5	0.2	5.27	830	0.5	< 2	1.11	< 0.5	10	83	22	2.76	1.20	0.93
130042	201	202	< 5	< 0.2	5.56	750	0.5	< 2	1.04	< 0.5	12	127	24	3.65	1.03	1.27
130043	201	202	< 5	< 0.2	6.94	800	1.0	< 2	1.73	0.5	7	12	18	1.66	1.96	0.59
130044	201	202	< 5	< 0.2	5.48	590	0.5	< 2	1.89	< 0.5	26	456	24	4.54	0.73	3.54
130045	201	202	< 5	< 0.2	5.51	610	0.5	< 2	2.00	0.5	18	264	54	2.70	1.22	2.74
130046	201	202	< 5	< 0.2	6.45	860	0.5	< 2	0.86	< 0.5	17	126	21	5.19	1.22	1.98
130047	201	202	< 5	< 0.2	6.40	630	0.5	< 2	1.34	< 0.5	11	74	22	3.33	1.30	1.04
130048	201	202	< 5	< 0.2	6.87	230	0.5	< 2	2.53	< 0.5	25	151	41	5.26	0.45	2.68
130049	201	202	< 5	< 0.2	6.02	840	1.0	< 2	0.78	< 0.5	13	77	20	4.57	1.31	0.82
130050	201	202	< 5	< 0.2	6.32	620	0.5	< 2	0.92	0.5	18	108	16	4.95	0.89	1.28
130051	201	202	< 5	< 0.2	4.90	920	1.0	< 2	2.29	0.5	6	12	31	1.42	1.28	0.50
130052	201	202	< 5	< 0.2	5.71	980	2.0	< 2	1.94	< 0.5	15	89	58	2.87	1.73	1.44
130053	201	202	< 5	< 0.2	6.95	900	1.5	< 2	1.59	< 0.5	6	19	21	1.50	2.07	0.53
130054	201	202	< 5	< 0.2	6.15	810	1.0	< 2	2.11	0.5	8	35	67	1.77	1.68	0.60
130055	201	202	< 5	< 0.2	6.28	890	1.5	< 2	1.10	0.5	14	102	23	3.53	1.50	1.13
130056	201	202	< 5	< 0.2	6.47	840	1.0	< 2	1.58	0.5	7	23	36	1.65	1.74	0.58
130057	201	202	< 5	< 0.2	6.97	790	1.0	< 2	1.35	1.0	11	62	27	3.55	1.53	0.99
130058	201	202	< 5	< 0.2	6.49	860	1.5	< 2	1.60	0.5	15	70	73	3.70	1.26	1.19
130059	201	202	< 5	< 0.2	6.35	910	1.5	< 2	1.68	< 0.5	15	106	99	3.69	1.26	1.34
130060	201	202	< 5	< 0.2	6.68	1290	1.5	< 2	1.64	0.5	16	139	38	3.84	1.48	1.57
130061	201	202	< 5	< 0.2	6.45	1410	1.5	< 2	1.55	1.5	19	152	53	3.99	1.36	1.46
130062	201	202	< 5	< 0.2	2.68	740	0.5	2	2.28	0.5	33	110	25	2.90	0.58	1.06
130063	201	202	< 5	< 0.2	5.62	920	1.0	< 2	1.52	1.0	11	92	39	2.14	1.35	0.81
130064	201	202	< 5	< 0.2	6.53	1260	1.5	< 2	1.43	0.5	18	157	45	3.54	1.42	1.61
130065	201	202	< 5	< 0.2	6.60	1000	1.5	2	0.58	0.5	17	133	31	4.37	1.57	1.09
130066	201	202	not/ss	< 0.2	0.50	160	< 0.5	< 2	1.17	2.5	2	12	9	0.32	0.15	0.16
130067	201	202	not/ss	0.4	0.55	450	< 0.5	2	2.91	1.0	1	8	40	0.42	0.12	0.24
130068	201	202	< 5	< 0.2	5.39	820	1.0	< 2	2.29	< 0.5	16	260	26	2.78	1.09	2.15
130069	201	202	< 5	< 0.2	5.65	700	0.5	< 2	1.79	0.5	14	213	19	3.69	1.06	1.64
130070	201	202	< 5	< 0.2	5.49	750	0.5	< 2	2.49	0.5	16	243	22	2.75	1.00	2.30
130071	201	202	< 5	< 0.2	6.11	670	0.5	< 2	3.49	< 0.5	23	287	47	3.26	0.91	3.26
130072	201	202	< 5	< 0.2	2.61	460	< 0.5	< 2	1.15	1.0	7	30	13	0.83	0.59	0.46
130073	201	202	< 5	< 0.2	5.70	740	1.0	2	1.88	< 0.5	12	216	22	2.38	1.19	1.63
130074	201	202	< 5	< 0.2	5.61	680	0.5	< 2	2.68	0.5	18	281	73	3.00	0.91	2.61
130075	201	202	< 5	< 0.2	5.92	650	0.5	< 2	2.44	< 0.5	16	234	32	2.92	1.05	2.35
130076	201	202	< 5	< 0.2	6.21	860	1.0	2	1.80	< 0.5	12	112	23	2.92	1.55	1.48
130077	201	202	< 5	< 0.2	5.77	770	0.5	< 2	1.47	0.5	5	77	20	1.43	1.71	0.58
130078	201	202	< 5	< 0.2	6.72	670	0.5	< 2	1.61	0.5	10	139	19	3.94	1.32	1.04
130079	201	202	< 5	< 0.2	7.05	850	1.0	< 2	1.82	< 0.5	7	16	21	1.69	2.02	0.65
130080	201	202	< 5	< 0.2	7.46	850	1.0	< 2	1.83	< 0.5	6	5	21	1.71	2.17	0.57

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 03-JUL-96
Invoice No. :I9621868
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130041	201	202	460	< 1	1.47	27	620	< 2	182	0.38	109	< 10	60			
130042	201	202	490	1	1.54	37	510	2	172	0.47	155	< 10	58			
130043	201	202	350	1	2.66	5	310	2	521	0.21	42	< 10	46			
130044	201	202	840	1	1.36	171	260	6	131	0.44	160	< 10	66			
130045	201	202	670	< 1	1.91	160	1230	4	429	0.20	58	< 10	50			
130046	201	202	880	< 1	2.47	29	570	4	216	0.78	269	< 10	58			
130047	201	202	420	< 1	2.11	25	550	6	305	0.46	129	< 10	50			
130048	201	202	780	< 1	2.81	51	250	< 2	227	0.68	225	< 10	54			
130049	201	202	815	< 1	1.29	23	940	8	154	0.53	188	< 10	136			
130050	201	202	710	< 1	2.00	26	510	2	154	0.64	205	< 10	114			
130051	201	202	815	1	1.65	23	820	6	379	0.15	31	< 10	40			
130052	201	202	675	1	1.08	49	710	10	184	0.30	95	< 10	94			
130053	201	202	330	1	2.53	7	290	4	462	0.22	41	< 10	48			
130054	201	202	675	< 1	2.11	14	390	2	412	0.23	51	< 10	78			
130055	201	202	495	1	1.34	33	270	4	127	0.37	117	< 10	62			
130056	201	202	395	1	2.22	7	620	< 2	416	0.24	53	< 10	54			
130057	201	202	825	< 1	1.86	14	770	2	243	0.35	143	< 10	90			
130058	201	202	720	< 1	1.35	27	680	< 2	168	0.29	127	< 10	104			
130059	201	202	755	< 1	1.23	48	820	< 2	168	0.33	129	< 10	92			
130060	201	202	670	1	1.42	58	410	6	186	0.46	138	< 10	84			
130061	201	202	875	1	1.09	69	1300	4	176	0.36	142	< 10	118			
130062	201	202	1415	< 1	0.47	82	1160	< 2	149	0.16	63	< 10	68			
130063	201	202	685	1	1.59	54	1510	2	320	0.21	62	< 10	62			
130064	201	202	645	1	1.28	76	670	2	166	0.38	133	< 10	84			
130065	201	202	1090	1	0.91	51	370	8	110	0.41	134	< 10	98			
130066	201	202	65	< 1	0.09	10	770	< 2	85	0.03	9	< 10	46			
130067	201	202	120	< 1	0.06	15	840	< 2	76	0.01	8	< 10	36			
130068	201	202	480	< 1	1.32	67	570	< 2	144	0.40	128	< 10	54			
130069	201	202	465	< 1	1.01	46	710	< 2	102	0.37	138	< 10	86			
130070	201	202	455	< 1	1.30	63	500	< 2	132	0.38	129	< 10	50			
130071	201	202	580	< 1	1.34	85	410	< 2	126	0.38	145	< 10	52			
130072	201	202	1310	1	0.74	12	1280	< 2	158	0.09	28	< 10	38			
130073	201	202	380	< 1	1.49	50	560	< 2	209	0.31	99	< 10	48			
130074	201	202	550	< 1	1.39	79	500	< 2	131	0.42	139	< 10	72			
130075	201	202	475	1	1.47	75	340	< 2	178	0.38	116	< 10	56			
130076	201	202	425	< 1	1.75	38	540	2	269	0.37	114	< 10	66			
130077	201	202	295	1	2.12	27	350	2	412	0.18	33	< 10	46			
130078	201	202	370	1	2.01	31	280	< 2	301	0.47	136	< 10	70			
130079	201	202	340	1	2.64	9	460	2	536	0.22	42	< 10	48			
130080	201	202	365	2	2.79	1	490	4	560	0.20	37	< 10	48			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 03-JUL-96
Invoice No. : 19621868
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130081	201	202	< 5	< 0.2	6.70	810	1.0	2	1.66	0.5	7	21	22	1.56	1.97	0.56
130082	201	202	< 5	< 0.2	5.57	750	1.0	< 2	3.38	0.5	7	17	349	1.34	1.44	0.46
130083	201	202	< 5	< 0.2	4.11	740	0.5	< 2	2.25	< 0.5	44	697	110	3.52	0.52	5.91
130084	201	202	< 5	< 0.2	4.81	1310	1.5	10	0.65	1.0	13	215	12	2.94	1.37	1.33
130085	201	202	< 5	< 0.2	5.37	1670	1.5	2	0.89	0.5	28	372	36	3.95	1.52	2.38
130086	201	202	not/ss	< 0.2	0.31	270	< 0.5	< 2	1.39	1.5	1	7	18	0.20	0.09	0.41
130087	201	202	not/ss	< 0.2	1.04	930	< 0.5	< 2	3.22	2.5	9	28	110	0.99	0.17	0.91
130088	201	202	< 5	< 0.2	6.26	1280	0.5	< 2	1.27	1.0	7	235	21	2.30	1.61	0.90
130089	201	202	< 5	< 0.2	4.89	1340	1.5	4	1.72	2.0	22	266	40	3.07	1.17	2.06
130090	201	202	< 5	< 0.2	6.97	840	1.0	< 2	2.26	0.5	8	9	19	1.63	2.00	0.68
130091	201	202	< 5	< 0.2	5.95	720	1.0	< 2	1.84	1.0	10	70	23	1.82	1.56	1.04
130092	201	202	< 5	< 0.2	5.80	630	0.5	< 2	1.54	0.5	7	79	25	1.67	1.31	0.77
130093	201	202	< 5	< 0.2	4.95	430	< 0.5	< 2	2.34	0.5	15	183	20	3.10	0.62	2.38
130094	201	202	< 5	< 0.2	5.17	470	0.5	2	2.49	1.5	19	191	21	3.22	0.71	2.51
130095	201	202	< 5	< 0.2	4.74	570	0.5	2	1.24	0.5	7	57	26	1.28	1.15	0.61
130096	201	202	10	< 0.2	5.15	770	< 0.5	< 2	1.76	0.5	27	593	19	2.91	1.01	4.49
130097	201	202	< 5	< 0.2	8.28	950	0.5	< 2	1.95	0.5	8	68	30	2.05	2.24	0.77
130098	201	202	< 5	< 0.2	5.61	770	< 0.5	< 2	1.81	< 0.5	30	844	32	4.46	0.93	5.83
130099	201	202	< 5	< 0.2	4.86	730	< 0.5	< 2	1.66	< 0.5	28	848	29	3.50	0.91	6.53
130100	201	202	< 5	< 0.2	8.84	1060	1.0	< 2	1.83	0.5	5	11	23	1.61	2.64	0.53
130101	201	202	< 5	1.0	5.85	1740	0.5	< 2	1.05	1.5	18	266	93	3.66	1.57	2.16
130102	201	202	< 5	< 0.2	6.29	1930	0.5	< 2	1.09	1.5	20	240	81	4.34	1.72	2.13
130103	201	202	< 5	< 0.2	5.74	1310	0.5	< 2	1.63	1.5	11	172	40	2.16	1.51	1.02
130104	201	202	< 5	0.2	6.19	1290	0.5	< 2	1.35	0.5	13	144	53	3.10	1.52	1.39
130105	201	202	< 5	< 0.2	6.38	1290	0.5	< 2	2.15	1.5	15	134	36	3.24	1.49	1.40
130106	201	202	< 5	< 0.2	5.80	920	< 0.5	< 2	2.31	< 0.5	16	139	35	3.86	1.08	1.33
130107	201	202	< 5	< 0.2	3.09	830	< 0.5	< 2	4.56	0.5	16	92	36	2.89	0.67	0.66
130108	201	202	< 5	< 0.2	7.58	1090	< 0.5	< 2	1.18	0.5	13	126	32	4.28	1.18	0.88
130109	201	202	< 5	< 0.2	6.79	1350	0.5	< 2	1.80	< 0.5	16	161	43	3.80	1.43	1.51
130110	201	202	< 5	< 0.2	5.81	990	< 0.5	< 2	1.54	< 0.5	30	466	40	4.31	0.93	4.41
130111	201	202	< 5	0.2	6.84	970	0.5	< 2	1.91	0.5	11	146	22	2.60	1.71	1.24
130112	201	202	< 5	< 0.2	6.28	1100	< 0.5	< 2	1.15	< 0.5	16	322	14	3.87	1.42	2.05
130113	201	202	< 5	< 0.2	4.99	820	< 0.5	< 2	0.84	< 0.5	13	312	12	3.36	1.13	1.88
130114	201	202	< 5	< 0.2	5.88	1100	1.5	< 2	1.00	0.5	16	170	23	3.17	1.66	1.47
130115	201	202	< 5	< 0.2	5.75	1410	1.5	2	1.25	0.5	24	339	31	3.61	1.20	2.83
130116	201	202	< 5	< 0.2	4.70	1360	1.5	< 2	1.56	0.5	31	602	44	3.71	0.98	5.38
130117	201	202	< 5	< 0.2	3.87	940	1.0	< 2	0.70	0.5	34	970	28	3.68	0.94	9.42
130118	201	202	< 5	< 0.2	5.71	820	1.0	< 2	1.22	1.0	14	258	16	3.64	1.27	1.33
130119	201	202	< 5	< 0.2	4.81	990	1.5	< 2	0.63	0.5	35	926	27	4.15	1.02	4.95
130120	201	202	< 5	< 0.2	5.45	1190	1.5	< 2	0.88	0.5	32	529	24	3.85	1.35	3.60

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 03-JUL-96
Invoice No. :I9621868
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130081	201	202	345	2	2.57	6	370	8	507	0.20	41	< 10	50			
130082	201	202	335	1	1.87	43	560	6	398	0.14	25	< 10	40			
130083	201	202	675	< 1	0.48	659	650	2	103	0.17	106	< 10	78			
130084	201	202	530	1	0.62	67	1230	14	83	0.29	210	< 10	156			
130085	201	202	995	1	0.63	139	720	18	65	0.33	170	< 10	114			
130086	201	202	65	< 1	0.07	15	730	6	57	0.01	6	< 10	46			
130087	201	202	5060	3	0.09	207	1190	4	127	0.02	21	< 10	98			
130088	201	202	490	1	1.42	29	320	16	205	0.44	111	< 10	106			
130089	201	202	495	1	0.64	154	780	12	93	0.31	162	< 10	122			
130090	201	202	380	1	2.71	6	430	10	569	0.20	41	< 10	52			
130091	201	202	405	< 1	2.07	29	690	6	397	0.22	61	< 10	50			
130092	201	202	385	1	1.68	21	1190	10	310	0.19	51	< 10	46			
130093	201	202	625	< 1	0.82	67	790	6	71	0.26	96	< 10	134			
130094	201	202	740	< 1	0.91	77	1030	6	80	0.27	110	< 10	138			
130095	201	202	230	1	1.45	64	1290	6	296	0.14	38	< 10	36			
130096	201	202	460	< 1	1.17	272	430	8	144	0.33	98	< 10	54			
130097	201	202	420	3	2.94	29	580	12	571	0.23	44	< 10	56			
130098	201	202	690	< 1	1.03	330	390	8	112	0.34	127	10	74			
130099	201	202	545	< 1	1.07	456	190	6	120	0.33	101	10	56			
130100	201	202	370	3	3.36	8	310	12	608	0.19	26	< 10	56			
130101	201	202	940	1	0.65	163	820	18	86	0.36	155	< 10	184			
130102	201	202	950	1	0.86	128	780	24	111	0.41	163	< 10	152			
130103	201	202	1120	1	1.32	52	530	12	218	0.38	98	< 10	108			
130104	201	202	710	< 1	0.95	60	870	14	154	0.34	128	< 10	116			
130105	201	202	970	< 1	0.99	55	790	10	151	0.37	139	< 10	132			
130106	201	202	885	< 1	1.27	52	520	6	157	0.50	151	< 10	88			
130107	201	202	1125	3	0.42	25	700	2	96	0.27	94	< 10	88			
130108	201	202	585	2	1.83	33	380	12	194	0.61	177	< 10	74			
130109	201	202	615	1	1.39	74	620	14	164	0.47	142	< 10	80			
130110	201	202	645	< 1	1.13	372	170	10	120	0.45	145	< 10	70			
130111	201	202	470	< 1	1.98	64	620	10	356	0.33	84	< 10	74			
130112	201	202	555	< 1	1.47	103	190	14	160	0.51	131	< 10	74			
130113	201	202	460	< 1	1.01	84	250	10	105	0.39	114	< 10	52			
130114	201	202	535	1	1.19	70	700	12	132	0.41	126	< 10	90			
130115	201	202	685	< 1	1.09	169	620	4	121	0.36	135	< 10	74			
130116	201	202	945	< 1	0.87	366	760	< 2	120	0.29	124	< 10	86			
130117	201	202	560	< 1	0.75	650	390	< 2	78	0.25	105	< 10	74			
130118	201	202	505	1	1.62	67	510	< 2	216	0.43	130	< 10	72			
130119	201	202	800	< 1	0.75	423	1470	< 2	93	0.27	114	< 10	108			
130120	201	202	845	< 1	1.07	235	860	4	126	0.35	135	< 10	102			

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 4-A
Total Pages : 5
Certificate Date: 03-JUL-96
Invoice No. : I9621868
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130121	201	202	< 5	< 0.2	5.19	940	1.5	< 2	1.15	0.5	14	174	24	3.11	1.20	1.71
130122	201	202	< 5	< 0.2	5.59	1280	1.5	< 2	1.23	1.0	19	181	52	3.05	1.32	1.71
130123	201	202	< 5	< 0.2	5.51	1200	1.5	< 2	1.22	1.0	20	169	77	2.13	1.30	1.48
130124	201	202	< 5	< 0.2	5.84	650	1.5	2	1.63	0.5	27	205	83	4.42	1.21	1.40
130125	201	202	< 5	< 0.2	6.41	450	1.5	< 2	2.03	1.0	35	499	36	5.79	0.61	4.48
130126	201	202	< 5	< 0.2	5.99	790	1.5	4	1.19	0.5	14	241	20	3.64	1.41	1.71
130127	201	202	< 5	< 0.2	5.64	760	1.0	< 2	1.21	0.5	11	88	28	2.71	1.30	0.75
130128	201	202	< 5	< 0.2	6.46	930	1.5	< 2	1.13	0.5	10	103	21	3.00	1.56	1.04
130137	201	202	< 5	< 0.2	2.70	550	1.5	4	1.06	0.5	44	154	69	6.16	0.47	1.03
130138	201	202	< 5	< 0.2	5.68	1190	1.5	2	1.61	0.5	16	274	23	2.77	1.25	2.16
130139	201	202	< 5	< 0.2	5.24	700	1.0	< 2	1.27	0.5	16	126	18	2.29	1.28	0.96
130140	201	202	< 5	< 0.2	0.28	490	< 0.5	2	4.77	< 0.5	3	8	11	0.19	0.09	0.26
130141	201	202	< 5	< 0.2	6.48	1220	1.5	< 2	1.44	0.5	14	178	35	3.25	1.47	1.75
130142	201	202	< 5	< 0.2	5.62	680	1.0	2	2.74	< 0.5	7	12	19	1.39	1.57	0.53
130143	201	202	not/ss	< 0.2	0.64	190	< 0.5	4	2.82	0.5	3	7	16	0.26	0.19	0.16
130144	201	202	< 5	< 0.2	5.72	960	1.5	< 2	0.87	0.5	14	138	26	4.36	1.05	1.44
130145	201	202	< 5	< 0.2	6.28	790	1.0	< 2	1.39	0.5	10	73	24	2.85	1.62	0.82
130146	201	202	< 5	0.4	6.68	770	1.5	< 2	1.28	2.0	15	131	30	4.11	1.34	1.38
130147	201	202	< 5	0.4	6.30	850	1.5	2	1.98	0.5	9	19	32	1.99	1.83	0.68
130148	201	202	< 5	< 0.2	6.43	820	1.0	< 2	1.38	0.5	7	42	21	1.88	1.82	0.61
130149	201	202	< 5	0.4	7.70	1040	1.5	< 2	1.60	0.5	11	45	43	2.58	2.14	0.96
130150	201	202	< 5	< 0.2	6.88	850	1.5	2	1.68	< 0.5	6	5	20	1.52	2.11	0.51
130151	201	202	< 5	< 0.2	5.34	900	2.5	< 2	1.96	1.0	11	74	37	2.77	1.81	1.03
130152	201	202	< 5	0.4	5.16	850	2.0	< 2	1.55	0.5	11	55	46	2.67	1.37	0.75
130153	201	202	< 5	0.2	5.74	900	1.5	< 2	1.73	0.5	8	32	36	2.24	1.55	0.59
130154	201	202	< 5	< 0.2	4.13	1170	1.5	< 2	2.56	1.0	7	23	61	1.51	1.06	0.47
130155	201	202	< 5	< 0.2	5.67	800	2.0	< 2	1.45	0.5	8	79	15	2.19	1.91	0.76
130156	201	202	< 5	< 0.2	6.37	1070	2.0	8	1.33	< 0.5	15	130	16	3.32	1.87	1.27
130157	201	202	< 5	< 0.2	6.04	990	2.0	< 2	1.47	0.5	12	128	24	2.67	1.69	1.14
130158	201	202	< 5	< 0.2	6.72	1140	1.5	< 2	1.35	1.0	17	106	54	3.87	1.51	1.38
130159	201	202	< 5	< 0.2	7.20	1120	2.0	< 2	1.11	0.5	16	102	70	4.25	1.82	1.32
130160	201	202	< 5	< 0.2	6.68	1090	1.5	< 2	1.69	0.5	17	92	74	3.35	1.68	1.32
130161	201	202	< 5	< 0.2	6.77	970	1.5	< 2	1.75	0.5	22	228	60	4.20	1.62	2.21
130162	201	202	< 5	< 0.2	5.41	920	1.0	< 2	2.34	1.0	5	10	45	1.26	1.57	0.41
130163	201	202	< 5	< 0.2	1.22	520	< 0.5	2	3.10	2.5	3	15	59	0.48	0.28	0.24
130164	201	202	10	2.8	5.47	1420	1.5	4	1.49	5.0	14	78	107	2.67	1.36	0.74
130165	201	202	not/ss	0.4	5.42	830	1.0	< 2	1.37	1.5	5	25	21	1.41	1.56	0.45
130166	201	202	not/ss	0.2	1.63	670	< 0.5	2	1.76	1.0	4	20	29	0.56	0.39	0.29
130167	201	202	< 5	0.6	3.51	820	1.5	6	1.91	0.5	8	53	72	2.06	0.82	0.54
130168	201	202	< 5	< 0.2	7.23	1710	2.0	< 2	0.61	0.5	22	186	50	4.15	1.69	1.16

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :4-B
Total Pages :5
Certificate Date: 03-JUL-96
Invoice No. :I9621868
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130121	201	202	395	< 1	1.21	75	1000	< 2	145	0.34	118	< 10	84			
130122	201	202	445	5	1.31	140	700	< 2	165	0.36	129	< 10	98			
130123	201	202	315	3	1.33	255	790	< 2	181	0.32	121	< 10	94			
130124	201	202	2150	1	1.65	95	820	< 2	193	0.46	195	< 10	98			
130125	201	202	1145	< 1	1.72	185	1020	< 2	121	0.50	185	< 10	106			
130126	201	202	630	< 1	1.61	55	530	< 2	150	0.57	163	< 10	92			
130127	201	202	625	< 1	1.94	30	2480	< 2	298	0.34	105	< 10	46			
130128	201	202	485	1	2.12	29	380	< 2	294	0.40	125	< 10	56			
130137	201	202	9680	4	0.46	554	1420	< 2	91	0.13	67	< 10	56			
130138	201	202	530	< 1	1.50	114	780	< 2	158	0.41	126	< 10	66			
130139	201	202	1685	< 1	1.58	40	890	< 2	273	0.25	85	< 10	58			
130140	201	202	3970	2	0.08	15	1790	< 2	134	0.01	8	< 10	48			
130141	201	202	495	< 1	1.57	66	690	< 2	178	0.44	143	< 10	76			
130142	201	202	440	< 1	2.12	7	560	< 2	434	0.17	38	< 10	52			
130143	201	202	215	< 1	0.17	11	990	< 2	88	0.02	11	< 10	40			
130144	201	202	615	< 1	1.59	44	430	< 2	140	0.53	187	< 10	58			
130145	201	202	415	< 1	2.35	17	580	< 2	325	0.48	140	< 10	54			
130146	201	202	605	2	2.35	29	550	< 2	233	0.60	209	< 10	72			
130147	201	202	635	2	2.46	13	1040	< 2	514	0.20	57	< 10	52			
130148	201	202	365	2	2.58	10	540	< 2	413	0.34	87	< 10	44			
130149	201	202	475	2	2.54	23	560	< 2	478	0.23	86	< 10	74			
130150	201	202	345	2	2.75	1	480	< 2	532	0.18	34	< 10	46			
130151	201	202	750	1	1.05	42	1040	6	235	0.25	85	< 10	122			
130152	201	202	870	1	1.01	37	1390	4	220	0.18	74	< 10	98			
130153	201	202	450	1	1.80	21	1120	< 2	383	0.17	53	< 10	60			
130154	201	202	1385	< 1	1.24	44	1440	< 2	326	0.12	30	< 10	74			
130155	201	202	350	< 1	1.57	18	530	6	169	0.31	89	< 10	40			
130156	201	202	545	< 1	1.42	38	480	6	147	0.43	134	< 10	60			
130157	201	202	560	< 1	1.36	38	580	6	150	0.35	112	< 10	72			
130158	201	202	835	< 1	1.51	43	620	6	165	0.35	153	< 10	96			
130159	201	202	790	< 1	1.24	44	780	4	140	0.35	141	< 10	112			
130160	201	202	570	1	1.19	38	910	< 2	185	0.31	125	< 10	100			
130161	201	202	700	2	1.57	91	590	< 2	196	0.46	140	< 10	90			
130162	201	202	315	1	2.05	11	820	< 2	447	0.14	27	< 10	36			
130163	201	202	310	< 1	0.24	23	1070	< 2	187	0.04	18	< 10	66			
130164	201	202	955	3	1.04	71	1470	< 2	276	0.18	127	< 10	162			
130165	201	202	320	1	1.90	11	1210	< 2	397	0.15	40	< 10	50			
130166	201	202	640	< 1	0.41	31	1420	< 2	204	0.05	16	< 10	30			
130167	201	202	320	< 1	0.45	41	1720	< 2	257	0.15	60	< 10	46			
130168	201	202	1290	< 1	0.99	97	1050	18	142	0.32	132	< 10	100			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 03-JUL-96
Invoice No. :I9621868
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130169	201 202	< 5	0.8	5.44	810	1.0	< 2	0.66	0.5	6	82	10	1.66	1.54	0.57
130170	201 202	< 5	< 0.2	6.20	1020	1.5	< 2	0.92	1.5	13	189	26	3.63	1.62	1.34
130171	201 202	< 5	< 0.2	8.37	1000	0.5	< 2	1.78	< 0.5	6	19	26	1.99	2.39	0.60
130172	201 202	< 5	< 0.2	5.82	850	1.5	< 2	0.85	< 0.5	8	88	19	3.66	1.47	0.70
130173	201 202	< 5	< 0.2	6.67	830	1.5	2	1.24	0.5	7	52	25	1.80	1.92	0.58
130174	201 202	< 5	< 0.2	5.58	1070	1.5	< 2	0.87	0.5	18	231	19	3.19	1.17	1.95
130175	201 202	< 5	< 0.2	5.70	950	1.5	< 2	0.85	0.5	14	228	18	3.11	1.30	1.64
130176	201 202	< 5	< 0.2	5.78	730	1.0	4	1.27	0.5	8	34	22	1.68	1.62	0.52
130177	201 202	< 5	< 0.2	6.54	810	1.5	< 2	1.28	0.5	10	93	20	2.78	1.58	0.91
130178	201 202	< 5	< 0.2	6.22	780	1.0	< 2	2.46	0.5	7	14	28	1.53	1.70	0.62
130179	201 202	< 5	< 0.2	6.21	720	1.5	< 2	1.82	1.0	20	226	25	4.49	1.01	1.98
130180	201 202	< 5	< 0.2	6.43	790	1.5	< 2	1.15	0.5	10	77	17	3.19	1.54	0.80
130181	201 202	< 5	< 0.2	6.77	710	1.5	2	1.60	< 0.5	11	36	80	2.40	1.63	0.75
130182	201 202	< 5	0.4	6.49	1380	1.5	< 2	0.55	0.5	10	87	38	3.88	1.76	1.00
130183	201 202	< 5	0.2	6.55	1060	1.5	< 2	1.31	0.5	7	32	21	1.74	1.86	0.61
130184	201 202	< 5	1.0	6.64	1760	2.0	< 2	1.18	1.5	16	120	71	4.44	1.31	1.04
130185	201 202	< 5	< 0.2	6.49	1050	1.5	< 2	1.24	0.5	10	39	21	1.77	1.89	0.58
130186	201 202	< 5	< 0.2	5.85	970	1.5	< 2	0.73	1.5	9	90	44	3.05	1.23	0.60
130187	201 202	< 5	< 0.2	6.27	970	1.5	< 2	0.78	0.5	13	128	34	3.78	1.28	1.18
130188	201 202	< 5	< 0.2	6.55	700	1.5	< 2	1.33	0.5	14	52	44	3.52	1.43	0.82
130189	201 202	< 5	< 0.2	6.34	830	3.0	2	1.15	0.5	8	98	11	3.28	2.06	0.80
130190	201 202	< 5	< 0.2	6.26	900	2.5	< 2	1.31	0.5	8	83	11	1.90	2.19	0.71
130191	201 202	25	< 0.2	4.93	810	1.0	< 2	1.11	0.5	9	149	13	2.74	1.28	0.81
130192	201 202	< 5	< 0.2	2.87	830	0.5	4	1.71	1.5	13	117	60	1.77	0.69	1.34
130193	201 202	< 5	< 0.2	6.04	1190	2.0	2	0.88	2.0	38	462	214	4.72	1.31	2.20
130194	201 202	< 5	< 0.2	5.69	1230	1.5	4	1.81	< 0.5	17	144	42	2.70	1.66	1.22
130195	201 202	< 5	0.4	6.25	1310	2.0	2	1.85	1.5	16	130	65	2.65	1.86	1.17
130196	201 202	< 5	< 0.2	6.30	1440	1.5	6	0.69	0.5	17	116	30	3.15	1.89	0.98
130197	201 202	< 5	< 0.2	5.79	2470	1.5	< 2	0.97	2.0	36	442	72	3.24	1.71	1.78
130198	201 202	< 5	< 0.2	4.55	1160	1.0	4	0.87	1.0	9	110	13	2.38	1.48	0.81
130199	201 202	< 5	< 0.2	5.86	1940	1.5	< 2	1.69	0.5	32	539	33	3.79	1.11	4.59
130200	201 202	< 5	< 0.2	5.66	3990	1.5	< 2	0.96	0.5	12	124	20	3.34	1.73	1.09
130201	201 202	10	0.4	8.06	2070	2.5	2	0.74	0.5	22	186	206	5.22	2.33	1.69
130202	201 202	< 5	< 0.2	5.82	1950	2.0	< 2	0.56	0.5	11	148	73	3.51	2.03	1.18
130203	201 202	< 5	< 0.2	7.03	1220	2.0	6	0.87	< 0.5	13	165	15	4.10	1.92	1.43
130204	201 202	< 5	< 0.2	5.19	730	1.0	2	2.23	0.5	8	17	23	1.36	1.51	0.54
130205	201 202	< 5	< 0.2	5.20	1310	1.5	6	1.96	2.0	14	117	59	2.46	1.56	1.19
130206	201 202	< 5	< 0.2	4.30	1120	1.0	2	2.46	1.5	12	100	35	1.68	1.21	0.78
130207	201 202	< 5	< 0.2	5.59	1470	1.5	2	1.15	1.0	13	150	31	2.74	1.70	1.39
130208	201 202	< 5	0.4	6.34	940	1.0	< 2	1.45	1.0	8	27	20	1.63	1.89	0.56

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 03-JUL-96
Invoice No. : 19621868
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621868

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130169	201	202	230	< 1	1.35	17	550	< 2	155	0.40	90	< 10	36			
130170	201	202	470	< 1	1.31	47	390	< 2	194	0.43	158	< 10	72			
130171	201	202	360	3	3.04	3	320	< 2	551	0.27	56	< 10	54			
130172	201	202	410	< 1	1.64	18	860	< 2	219	0.59	192	< 10	50			
130173	201	202	320	< 1	2.35	23	610	< 2	425	0.20	50	< 10	48			
130174	201	202	490	< 1	1.28	119	410	< 2	126	0.39	130	< 10	66			
130175	201	202	460	< 1	1.36	89	490	< 2	151	0.40	123	< 10	62			
130176	201	202	455	2	2.06	14	1510	< 2	383	0.19	49	< 10	42			
130177	201	202	430	< 1	2.16	24	530	< 2	335	0.39	109	< 10	48			
130178	201	202	425	< 1	2.35	11	870	< 2	521	0.19	40	< 10	48			
130179	201	202	660	1	1.66	66	460	< 2	172	0.52	179	< 10	86			
130180	201	202	460	1	1.92	19	490	< 2	283	0.45	131	< 10	72			
130181	201	202	825	1	2.38	10	1320	< 2	424	0.23	75	< 10	42			
130182	201	202	505	4	1.28	30	1420	< 2	138	0.37	146	< 10	114			
130183	201	202	320	1	2.32	10	670	< 2	412	0.24	63	< 10	54			
130184	201	202	1175	7	1.08	48	2850	< 2	223	0.28	252	< 10	120			
130185	201	202	670	3	2.29	10	760	< 2	393	0.28	72	< 10	52			
130186	201	202	810	1	1.37	20	1980	< 2	160	0.46	148	< 10	84			
130187	201	202	685	< 1	1.65	33	680	< 2	163	0.53	169	< 10	66			
130188	201	202	885	1	1.80	19	1840	< 2	337	0.28	114	< 10	58			
130189	201	202	485	< 1	1.62	27	1110	16	160	0.39	103	< 10	78			
130190	201	202	910	1	1.94	18	380	12	240	0.37	78	< 10	66			
130191	201	202	565	< 1	1.12	27	900	6	117	0.46	151	< 10	78			
130192	201	202	1280	< 1	0.43	257	1100	< 2	121	0.10	54	< 10	86			
130193	201	202	1295	< 1	0.52	586	980	8	109	0.22	178	< 10	90			
130194	201	202	670	< 1	0.80	79	840	8	179	0.32	121	< 10	82			
130195	201	202	730	< 1	0.96	125	900	4	257	0.16	104	< 10	112			
130196	201	202	490	< 1	1.05	47	710	20	160	0.37	113	< 10	104			
130197	201	202	1820	< 1	1.06	111	610	8	134	0.37	133	< 10	154			
130198	201	202	675	< 1	0.99	31	980	4	129	0.43	101	< 10	60			
130199	201	202	800	< 1	1.24	335	320	4	167	0.37	117	< 10	66			
130200	201	202	725	< 1	1.13	36	830	4	147	0.55	134	< 10	100			
130201	201	202	1040	5	0.80	103	930	14	126	0.38	205	< 10	130			
130202	201	202	605	4	0.68	78	800	6	86	0.36	194	< 10	96			
130203	201	202	650	< 1	1.45	34	690	6	123	0.76	185	< 10	90			
130204	201	202	805	2	1.99	19	890	< 2	436	0.16	38	< 10	42			
130205	201	202	1235	< 1	0.87	119	1220	10	169	0.24	106	< 10	140			
130206	201	202	555	1	0.75	35	1070	4	185	0.22	89	< 10	88			
130207	201	202	450	< 1	0.91	79	580	8	131	0.29	131	< 10	86			
130208	201	202	380	1	2.32	14	440	< 2	440	0.20	48	< 10	56			

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9621869

Comments: ATTN:DAVID TERRY

CERTIFICATE A9621869

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 2-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	169	Dry, sieve to -80 mesh
202	169	save reject
285	169	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	168	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	169	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	169	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	169	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	169	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	169	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	169	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	169	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	169	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	169	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	169	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	169	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	169	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	169	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	169	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	169	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	169	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	169	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	169	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	169	Pb ppm: 24 element, rock & core	AAS	2	10000
582	169	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	169	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	169	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	169	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	169	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :1-A
Total Pages :5
Certificate Date: 02-JUL-96
Invoice No. :I9621869
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130209	201	202	< 5	< 0.2	5.08	1330	1.5	< 2	1.32	0.5	12	138	37	2.54	1.52	1.26
130210	201	202	< 5	< 0.2	4.68	1210	1.0	< 2	1.63	0.5	11	113	33	2.15	1.35	1.16
130211	201	202	< 5	< 0.2	5.36	1200	1.0	< 2	1.29	< 0.5	9	104	24	2.29	1.52	0.94
130212	201	202	< 5	< 0.2	7.01	830	1.0	< 2	2.12	0.5	6	7	19	1.62	1.99	0.69
130213	201	202	< 5	< 0.2	6.20	1110	1.5	< 2	1.51	0.5	10	59	25	2.29	1.80	0.85
130214	201	202	< 5	< 0.2	3.29	880	0.5	< 2	2.34	0.5	6	44	27	1.19	0.91	0.84
130215	201	202	< 5	< 0.2	6.04	970	1.0	< 2	1.11	< 0.5	6	68	16	1.89	1.86	0.73
130216	201	202	< 5	< 0.2	6.57	950	1.0	< 2	1.55	0.5	8	47	24	1.87	1.94	0.80
130217	201	202	< 5	< 0.2	5.23	1350	1.5	< 2	0.89	< 0.5	13	167	30	2.62	1.55	1.41
130218	201	202	< 5	2.6	5.54	1400	1.5	< 2	1.71	1.0	13	123	159	3.02	1.35	1.01
130219	201	202	< 5	< 0.2	5.86	1570	1.5	< 2	0.94	< 0.5	17	164	42	3.18	1.66	1.39
130220	201	202	< 5	< 0.2	6.81	840	1.0	< 2	1.54	< 0.5	5	6	18	1.41	2.13	0.47
130221	201	202	< 5	< 0.2	4.52	1180	0.5	< 2	1.77	0.5	7	124	27	1.74	1.14	1.03
130222	201	202	< 5	< 0.2	5.30	910	0.5	< 2	2.51	1.0	7	27	38	1.36	1.51	0.57
130223	201	202	< 5	< 0.2	4.42	700	0.5	< 2	2.84	0.5	4	11	33	1.02	1.23	0.48
130224	201	202	< 5	< 0.2	5.74	1370	1.5	< 2	0.95	< 0.5	13	142	33	2.64	1.75	1.34
130225	201	202	< 5	< 0.2	5.30	1310	1.5	< 2	0.86	0.5	14	138	40	2.67	1.69	1.37
130226	201	202	< 5	< 0.2	5.16	1050	0.5	< 2	0.95	0.5	18	269	17	3.25	1.21	2.01
130227	201	202	< 5	0.2	7.06	890	1.0	< 2	1.58	0.5	5	10	23	1.50	2.17	0.50
130228	201	202	< 5	< 0.2	6.31	1060	1.5	< 2	0.43	0.5	8	116	10	3.14	1.80	0.99
130229	201	202	< 5	1.2	7.13	900	1.0	< 2	1.59	0.5	6	15	22	1.57	2.10	0.54
130230	201	202	< 5	< 0.2	5.97	1180	1.5	< 2	0.91	< 0.5	12	110	28	2.93	1.90	1.06
130231	201	202	< 5	< 0.2	5.91	870	1.5	< 2	1.61	0.5	9	76	25	2.33	2.01	0.77
130232	201	202	< 5	< 0.2	6.52	1230	1.5	< 2	1.39	0.5	11	78	30	2.69	2.03	1.08
130233	201	202	< 5	0.6	5.21	1380	1.5	< 2	2.35	0.5	10	69	57	2.31	1.73	0.79
130234	201	202	< 5	0.4	4.20	1150	0.5	< 2	2.58	2.0	11	67	65	1.86	1.29	0.88
130235	201	202	< 5	< 0.2	6.90	780	0.5	< 2	1.75	0.5	13	82	24	4.00	1.76	1.06
130236	201	202	< 5	0.4	5.45	870	1.0	< 2	2.31	0.5	9	44	100	1.71	1.55	0.67
130237	201	202	< 5	0.4	6.81	1550	1.5	< 2	1.57	0.5	16	132	48	3.46	2.28	1.27
130238	201	202	< 5	0.6	5.85	1370	0.5	< 2	0.60	0.5	16	157	27	4.08	1.28	0.97
130239	201	202	< 5	< 0.2	6.17	830	0.5	< 2	1.19	< 0.5	11	81	23	2.28	1.63	0.58
130240	201	202	< 5	< 0.2	6.18	1380	1.5	< 2	1.15	0.5	11	118	42	2.74	2.04	1.22
130241	201	202	5	< 0.2	5.46	1530	1.5	< 2	0.83	< 0.5	13	154	44	2.90	1.71	1.47
130242	201	202	< 5	< 0.2	5.12	680	0.5	< 2	2.03	0.5	6	10	25	1.29	1.47	0.53
130243	201	202	< 5	< 0.2	5.78	1430	1.0	< 2	0.31	< 0.5	17	96	50	3.35	1.79	0.80
130244	201	202	< 5	0.4	2.99	840	0.5	< 2	0.81	< 0.5	62	85	34	1.61	0.71	0.95
130245	201	202	< 5	< 0.2	4.22	1190	0.5	< 2	0.36	< 0.5	4	62	12	1.55	1.41	0.47
130246	201	202	< 5	< 0.2	4.23	1060	0.5	< 2	0.37	0.5	6	84	12	2.30	1.13	0.62
130247	201	202	< 5	0.4	4.54	1340	0.5	< 2	1.44	< 0.5	11	73	62	2.08	1.05	0.86
130248	201	202	< 5	< 0.2	4.40	950	0.5	< 2	0.55	< 0.5	6	85	10	2.16	1.05	0.58

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number : 1-B
Total Pages : 5
Certificate Date: 02-JUL-96
Invoice No. : I9621869
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130209	201	202	720	1	0.81	81	960	8	113	0.30	118	< 10	108			
130210	201	202	835	1	0.82	65	890	10	147	0.25	101	< 10	98			
130211	201	202	380	3	0.83	41	600	6	148	0.26	108	< 10	74			
130212	201	202	345	3	2.67	5	400	2	556	0.21	38	< 10	46			
130213	201	202	555	3	1.75	32	870	6	324	0.25	90	< 10	106			
130214	201	202	520	1	0.69	45	870	< 2	189	0.10	45	< 10	52			
130215	201	202	325	1	1.78	21	410	4	305	0.25	67	< 10	52			
130216	201	202	365	< 1	2.23	23	370	< 2	423	0.23	59	< 10	54			
130217	201	202	430	< 1	0.73	86	660	6	81	0.33	119	< 10	76			
130218	201	202	1335	3	0.73	128	1150	10	197	0.14	110	< 10	112			
130219	201	202	560	1	0.74	86	690	6	97	0.34	150	< 10	108			
130220	201	202	325	1	2.68	1	370	2	502	0.17	28	< 10	46			
130221	201	202	415	1	0.71	46	920	8	148	0.25	99	< 10	72			
130222	201	202	500	2	1.81	46	800	6	395	0.15	36	< 10	60			
130223	201	202	330	1	1.57	27	620	< 2	376	0.12	25	< 10	44			
130224	201	202	450	< 1	0.85	74	710	10	102	0.35	125	< 10	84			
130225	201	202	585	1	0.78	88	750	14	101	0.29	105	< 10	84			
130226	201	202	455	< 1	0.78	113	370	10	72	0.32	116	< 10	68			
130227	201	202	330	2	2.71	4	450	6	506	0.19	36	< 10	46			
130228	201	202	345	1	0.75	29	250	8	70	0.37	121	< 10	80			
130229	201	202	340	1	2.62	8	420	6	492	0.20	42	< 10	52			
130230	201	202	510	< 1	0.73	50	580	12	91	0.27	95	< 10	70			
130231	201	202	525	1	0.89	38	730	10	186	0.19	60	< 10	84			
130232	201	202	495	2	1.18	32	750	10	205	0.27	87	< 10	90			
130233	201	202	1020	2	0.61	43	1020	6	194	0.20	107	< 10	114			
130234	201	202	1500	4	0.61	65	1030	2	204	0.14	73	< 10	96			
130235	201	202	640	1	2.38	21	340	2	393	0.44	152	< 10	86			
130236	201	202	600	1	1.80	27	820	4	383	0.17	55	< 10	48			
130237	201	202	1255	2	0.64	71	760	14	83	0.30	110	< 10	90			
130238	201	202	725	3	0.94	39	420	12	99	0.40	170	< 10	130			
130239	201	202	915	2	2.18	15	640	8	339	0.25	75	< 10	100			
130240	201	202	375	< 1	0.95	65	610	12	144	0.27	121	< 10	96			
130241	201	202	420	1	0.91	91	810	14	90	0.32	127	< 10	106			
130242	201	202	250	1	1.87	13	510	6	388	0.17	34	< 10	46			
130243	201	202	750	3	0.54	55	730	20	86	0.40	137	< 10	110			
130244	201	202	3650	4	0.52	60	1350	54	93	0.12	54	< 10	48			
130245	201	202	180	2	0.65	14	460	4	85	0.31	129	< 10	48			
130246	201	202	230	1	0.57	25	350	8	63	0.29	132	< 10	64			
130247	201	202	545	1	0.78	41	820	8	150	0.24	89	< 10	50			
130248	201	202	260	1	0.85	17	170	8	99	0.39	127	< 10	44			

CERTIFICATION: Ian Bachlet

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 02-JUL-96
Invoice No. :19621869
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130249	201 202	< 5	< 0.2	6.10	1400	1.0	< 2	0.95	< 0.5	12	88	48	3.15	1.55	0.83
130250	201 202	< 5	< 0.2	5.09	1130	0.5	< 2	0.66	< 0.5	7	77	17	2.35	1.43	0.67
130251	201 202	< 5	< 0.2	5.24	610	0.5	< 2	1.28	0.5	34	385	109	3.29	0.84	3.95
130252	201 202	< 5	< 0.2	5.47	660	0.5	< 2	2.94	0.5	22	778	36	3.24	0.96	3.58
130253	201 202	< 5	< 0.2	5.31	1050	0.5	< 2	1.32	< 0.5	14	245	28	2.53	1.30	2.07
130254	201 202	< 5	< 0.2	5.21	1020	1.0	< 2	0.72	< 0.5	12	137	22	2.83	1.24	1.14
130255	201 202	< 5	< 0.2	4.86	550	0.5	< 2	2.59	< 0.5	73	854	92	3.61	0.87	7.86
130256	201 202	< 5	< 0.2	3.70	990	0.5	< 2	0.37	< 0.5	7	80	8	1.75	1.19	0.64
130257	201 202	< 5	< 0.2	5.39	4560	1.5	< 2	0.95	0.5	20	122	122	3.23	1.37	1.22
130258	201 202	< 5	< 0.2	4.61	1520	0.5	< 2	1.51	1.5	30	242	79	2.13	1.28	1.77
130259	201 202	not/ss	< 0.2	0.51	510	< 0.5	2	1.49	< 0.5	4	19	120	0.31	0.13	0.47
130260	201 202	< 5	< 0.2	5.79	810	0.5	< 2	2.23	0.5	5	8	50	1.18	1.71	0.52
130261	201 202	< 5	< 0.2	5.00	1150	0.5	< 2	1.00	0.5	18	370	13	3.06	1.21	1.68
130262	201 202	< 5	< 0.2	5.29	1250	1.0	< 2	1.31	0.5	23	440	99	3.17	1.05	1.99
130263	201 202	< 5	< 0.2	6.34	1480	1.0	< 2	1.02	< 0.5	33	648	106	4.87	1.01	2.87
130264	201 202	< 5	< 0.2	5.74	1260	0.5	< 2	0.89	< 0.5	11	168	18	2.53	1.28	1.19
130265	201 202	< 5	< 0.2	5.86	610	0.5	< 2	3.32	< 0.5	22	448	13	3.86	0.89	3.30
130266	201 202	< 5	< 0.2	4.74	850	0.5	< 2	0.60	< 0.5	9	123	11	2.56	0.96	0.99
130267	201 202	< 5	< 0.2	5.43	760	0.5	< 2	1.13	< 0.5	40	1030	28	4.99	0.98	7.13
130268	201 202	< 5	< 0.2	5.16	930	0.5	< 2	0.93	< 0.5	19	282	30	2.81	1.35	1.47
130269	201 202	< 5	< 0.2	6.47	920	1.0	< 2	1.15	< 0.5	16	191	55	2.93	1.41	1.33
130270	201 202	10	< 0.2	5.07	1170	1.0	< 2	0.55	0.5	8	124	9	2.62	1.52	1.12
130271	201 202	< 5	< 0.2	4.75	670	0.5	< 2	2.66	0.5	5	8	19	1.20	1.32	0.54
130272	201 202	< 5	< 0.2	1.65	680	< 0.5	< 2	4.30	1.0	3	13	53	0.62	0.41	0.54
130273	201 202	< 5	0.8	5.93	1820	2.5	< 2	2.17	1.0	11	70	62	2.40	1.71	1.01
130274	201 202	< 5	< 0.2	4.72	1300	0.5	< 2	2.20	0.5	7	49	34	1.61	1.26	0.71
130275	201 202	< 5	< 0.2	6.09	1630	1.5	< 2	1.14	0.5	14	187	46	3.15	1.78	1.63
130276	201 202	< 5	< 0.2	6.44	1570	1.5	< 2	0.57	0.5	12	124	15	2.84	1.92	1.10
130277	201 202	< 5	< 0.2	6.64	1630	1.5	< 2	0.58	0.5	10	116	17	2.94	1.98	1.11
130278	201 202	< 5	< 0.2	5.60	1110	0.5	< 2	0.39	< 0.5	8	91	15	3.16	1.29	0.86
130279	201 202	< 5	< 0.2	5.71	1650	1.5	< 2	0.82	< 0.5	10	141	22	2.45	1.81	1.26
130301	201 202	< 5	< 0.2	6.96	810	0.5	< 2	1.48	< 0.5	12	42	49	2.85	1.46	1.04
130302	201 202	< 5	< 0.2	6.12	780	0.5	< 2	1.17	0.5	16	90	27	5.24	1.36	0.88
130303	201 202	< 5	< 0.2	6.28	1060	1.0	< 2	0.52	0.5	12	161	22	3.71	1.48	1.23
130304	201 202	< 5	< 0.2	5.21	880	0.5	< 2	1.01	< 0.5	9	164	14	2.24	1.39	1.15
130305	201 202	< 5	< 0.2	4.74	1000	0.5	< 2	0.80	< 0.5	22	424	19	3.43	0.99	3.31
130306	201 202	< 5	< 0.2	4.79	750	0.5	< 2	1.97	2.5	10	107	27	1.65	1.53	0.70
130307	201 202	< 5	< 0.2	1.50	320	< 0.5	< 2	0.21	< 0.5	60	1675	20	4.13	0.27	>15.00
130308	201 202	5	< 0.2	5.05	1110	1.0	< 2	0.54	< 0.5	13	207	41	3.51	1.34	1.90
130309	201 202	< 5	< 0.2	6.11	1200	1.5	< 2	0.63	0.5	13	153	48	3.70	1.61	1.33

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 02 JUL-96
Invoice No. : I9621869
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130249	201 202	490	2	1.36	33	370	12	211	0.41	122	< 10	98			
130250	201 202	405	3	1.11	21	270	10	143	0.36	110	< 10	74			
130251	201 202	450	1	0.86	636	930	2	149	0.14	76	< 10	74			
130252	201 202	475	< 1	1.21	161	320	6	129	0.32	126	10	58			
130253	201 202	345	1	1.21	172	370	8	164	0.29	106	< 10	76			
130254	201 202	280	< 1	1.04	77	190	10	118	0.36	132	< 10	70			
130255	201 202	675	< 1	0.97	783	350	2	115	0.19	104	10	52			
130256	201 202	160	1	0.58	30	140	8	65	0.25	126	< 10	40			
130257	201 202	700	2	0.97	43	570	14	117	0.39	143	< 10	76			
130258	201 202	3940	4	0.64	215	770	6	111	0.24	132	< 10	118			
130259	201 202	115	< 1	0.04	146	560	2	49	0.01	14	< 10	26			
130260	201 202	285	1	2.28	33	570	6	467	0.15	25	< 10	40			
130261	201 202	365	1	0.87	125	340	6	92	0.32	126	< 10	90			
130262	201 202	900	1	0.72	192	1080	8	85	0.31	133	< 10	80			
130263	201 202	785	1	0.45	452	1890	10	63	0.22	177	< 10	124			
130264	201 202	450	< 1	1.06	57	580	12	141	0.32	122	< 10	62			
130265	201 202	590	< 1	1.20	108	500	4	109	0.34	151	< 10	68			
130266	201 202	235	1	0.70	41	260	8	62	0.29	125	< 10	62			
130267	201 202	580	< 1	0.85	471	430	4	97	0.26	115	< 10	158			
130268	201 202	800	3	1.05	80	530	6	135	0.30	117	< 10	72			
130269	201 202	410	1	1.60	165	1020	6	265	0.17	83	< 10	70			
130270	201 202	315	2	0.66	34	320	8	57	0.32	142	< 10	66			
130271	201 202	245	1	1.76	10	570	4	418	0.15	31	< 10	42			
130272	201 202	200	< 1	0.36	77	890	4	243	0.05	15	< 10	48			
130273	201 202	460	3	0.76	64	1050	48	246	0.13	83	< 10	186			
130274	201 202	640	3	1.29	37	910	8	316	0.16	58	< 10	62			
130275	201 202	620	3	0.69	87	720	14	100	0.32	160	< 10	120			
130276	201 202	490	< 1	0.92	37	530	10	91	0.39	103	< 10	96			
130277	201 202	330	2	1.10	40	240	16	109	0.37	98	< 10	68			
130278	201 202	305	2	0.86	29	180	12	72	0.37	132	< 10	80			
130279	201 202	375	2	1.01	62	540	14	86	0.32	108	< 10	76			
130301	201 202	560	1	1.89	32	1080	8	350	0.22	74	< 10	58			
130302	201 202	1240	< 1	1.71	27	1200	4	248	0.50	168	< 10	80			
130303	201 202	635	4	1.11	44	400	12	97	0.46	178	< 10	90			
130304	201 202	345	< 1	1.43	48	220	8	181	0.34	101	< 10	60			
130305	201 202	590	1	1.05	186	410	10	95	0.33	115	< 10	60			
130306	201 202	285	< 1	0.93	25	560	12	196	0.24	70	< 10	72			
130307	201 202	655	< 1	0.33	1385	80	4	28	0.08	51	< 10	34			
130308	201 202	430	3	0.76	109	490	10	93	0.40	163	< 10	116			
130309	201 202	385	3	0.99	75	630	8	150	0.39	187	< 10	132			

CERTIFICATION: Stan Buchle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 02-JUL-96
Invoice No. : I9621869
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130310	201	202	< 5	0.4	6.32	1190	1.0	< 2	0.47	0.5	7	78	39	2.51	1.58	0.68
130311	201	202	< 5	0.4	6.01	430	0.5	< 2	1.49	< 0.5	44	80	45	10.20	0.32	2.93
130312	201	202	< 5	< 0.2	5.53	740	1.0	< 2	0.54	< 0.5	8	71	19	4.30	1.29	0.77
130313	201	202	< 5	< 0.2	5.61	1110	1.0	< 2	0.74	< 0.5	10	107	26	3.19	1.59	0.97
130314	201	202	< 5	< 0.2	5.39	1210	1.0	< 2	0.64	0.5	8	147	45	2.63	1.49	0.93
130315	201	202	< 5	< 0.2	5.96	1170	1.0	< 2	0.69	0.5	14	151	31	4.43	1.33	1.48
130316	201	202	< 5	< 0.2	5.60	1100	1.5	< 2	1.26	0.5	13	118	26	2.78	1.49	1.18
130317	201	202	< 5	0.2	5.95	1110	1.5	< 2	0.87	0.5	11	189	24	3.12	1.52	1.37
130318	201	202	< 5	< 0.2	7.08	1060	1.5	< 2	0.43	< 0.5	8	89	16	3.13	2.33	0.82
130319	201	202	< 5	0.4	5.91	1150	1.5	< 2	1.04	0.5	11	60	35	2.29	1.64	0.50
130320	201	202	< 5	< 0.2	6.42	770	1.0	< 2	1.87	< 0.5	6	9	31	1.59	1.76	0.50
130321	201	202	< 5	0.8	5.27	1070	1.5	< 2	1.81	< 0.5	12	95	132	2.83	1.11	0.92
130322	201	202	< 5	< 0.2	6.35	750	0.5	< 2	1.41	0.5	6	60	20	1.81	1.80	0.50
130323	201	202	< 5	< 0.2	6.81	820	1.0	< 2	1.63	< 0.5	6	5	17	1.48	2.08	0.51
130324	201	202	< 5	< 0.2	5.67	840	1.0	< 2	0.83	< 0.5	10	71	18	3.70	1.38	0.83
130325	201	202	< 5	< 0.2	6.33	750	1.0	< 2	1.55	< 0.5	7	18	19	1.97	1.82	0.57
130326	201	202	< 5	< 0.2	6.83	820	1.0	< 2	1.79	< 0.5	8	21	21	2.24	1.95	0.74
130327	201	202	< 5	< 0.2	6.92	850	1.5	< 2	0.95	< 0.5	15	99	26	4.10	1.44	1.42
130328	201	202	< 5	< 0.2	6.60	780	0.5	< 2	1.27	0.5	15	133	29	3.75	1.19	1.46
130329	201	202	< 5	< 0.2	6.27	780	1.0	< 2	1.39	< 0.5	5	20	20	1.52	1.87	0.48
130330	201	202	50	< 0.2	6.65	780	0.5	< 2	1.58	0.5	44	364	55	4.90	1.00	3.60
130331	201	202	< 5	0.4	5.86	1120	1.0	< 2	0.86	0.5	9	99	26	2.72	1.16	0.88
130332	201	202	5	< 0.2	6.09	1270	0.5	< 2	1.56	0.5	33	203	52	6.02	0.82	2.05
130333	201	202	< 5	< 0.2	5.94	1410	1.5	< 2	1.32	< 0.5	13	139	30	3.23	1.49	1.33
130334	201	202	< 5	0.6	4.60	860	0.5	< 2	2.75	1.0	14	101	85	2.59	0.93	0.91
130335	201	202	< 5	< 0.2	5.84	820	0.5	< 2	0.88	< 0.5	9	97	20	2.72	1.28	0.90
130336	201	202	< 5	0.2	5.74	850	1.0	< 2	0.66	0.5	6	72	30	2.44	1.49	0.57
130337	201	202	< 5	0.4	6.49	810	1.0	< 2	1.49	0.5	6	10	25	1.61	1.98	0.49
130338	201	202	< 5	< 0.2	4.82	740	0.5	< 2	0.63	< 0.5	8	44	46	2.24	1.41	0.41
130339	201	202	< 5	< 0.2	5.17	890	1.0	< 2	0.54	< 0.5	7	50	36	2.90	1.63	0.50
130340	201	202	< 5	< 0.2	6.81	1180	2.0	< 2	0.71	< 0.5	16	92	43	3.62	1.82	1.05
130341	201	202	< 5	< 0.2	6.82	990	1.5	< 2	1.42	< 0.5	11	59	27	2.69	2.10	0.97
130342	201	202	< 5	1.0	5.84	1030	2.0	< 2	1.72	1.5	14	73	97	3.30	1.28	0.90
130343	201	202	< 5	< 0.2	6.35	1010	1.5	< 2	1.31	0.5	11	65	24	3.13	1.67	0.95
130344	201	202	< 5	< 0.2	3.73	1160	1.0	< 2	2.82	1.0	10	73	57	1.95	1.01	1.06
130345	201	202	< 5	< 0.2	5.26	1230	1.0	< 2	0.82	1.0	17	170	20	3.27	1.57	1.28
130346	201	202	< 5	< 0.2	5.71	1030	1.5	2	2.01	< 0.5	21	198	65	3.63	1.22	1.99
130347	201	202	< 5	< 0.2	6.28	980	1.5	< 2	1.97	< 0.5	21	100	122	3.54	1.32	1.47
130348	201	202	< 5	< 0.2	5.88	790	1.0	< 2	1.91	< 0.5	27	110	31	4.42	1.33	1.60
130349	201	202	< 5	< 0.2	5.92	720	1.0	< 2	1.88	< 0.5	24	100	36	4.74	1.08	1.61

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 02 JUL-96
Invoice No. : I9621869
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130310	201	202	220	1	1.00	22	820	10	108	0.45	166	< 10	100			
130311	201	202	2010	< 1	1.30	30	1450	18	60	1.69	459	< 10	154			
130312	201	202	395	< 1	0.92	21	730	8	104	0.49	153	< 10	70			
130313	201	202	340	1	1.04	37	580	8	127	0.46	153	< 10	76			
130314	201	202	275	3	0.84	42	360	6	108	0.43	152	< 10	76			
130315	201	202	440	1	0.88	60	360	8	102	0.49	169	< 10	102			
130316	201	202	445	1	1.25	46	820	10	166	0.41	123	< 10	84			
130317	201	202	495	1	1.13	76	1400	6	159	0.31	114	< 10	78			
130318	201	202	390	2	0.99	18	650	6	82	0.46	147	< 10	58			
130319	201	202	1105	2	1.70	20	2150	14	291	0.25	69	< 10	66			
130320	201	202	380	1	2.34	6	880	4	448	0.19	36	< 10	44			
130321	201	202	675	2	1.15	57	2350	8	208	0.24	85	< 10	56			
130322	201	202	315	1	2.43	12	350	4	404	0.34	65	< 10	44			
130323	201	202	330	1	2.67	4	370	4	510	0.19	32	< 10	44			
130324	201	202	365	1	1.17	25	480	12	141	0.40	126	< 10	78			
130325	201	202	455	1	2.38	5	950	4	454	0.24	55	< 10	48			
130326	201	202	420	1	2.78	8	370	4	508	0.29	70	< 10	52			
130327	201	202	635	1	1.72	32	580	6	195	0.54	153	< 10	70			
130328	201	202	505	< 1	2.17	42	350	6	252	0.54	152	< 10	56			
130329	201	202	305	3	2.46	5	450	8	430	0.27	52	< 10	46			
130330	201	202	1485	3	1.79	236	780	6	167	0.45	168	< 10	90			
130331	201	202	345	2	1.21	34	1960	4	166	0.38	137	< 10	62			
130332	201	202	2900	1	1.66	45	1280	2	105	0.53	195	< 10	124			
130333	201	202	555	3	1.33	49	560	8	149	0.41	146	< 10	80			
130334	201	202	1045	1	1.14	33	1580	6	211	0.24	105	< 10	48			
130335	201	202	345	2	1.52	24	560	10	164	0.53	140	< 10	54			
130336	201	202	245	2	1.13	20	860	14	166	0.36	141	< 10	72			
130337	201	202	310	2	2.44	8	640	4	460	0.21	47	< 10	62			
130338	201	202	585	1	1.11	12	830	10	188	0.33	93	< 10	58			
130339	201	202	450	1	0.97	17	860	10	138	0.38	117	< 10	66			
130340	201	202	775	1	1.18	48	570	14	135	0.40	125	< 10	104			
130341	201	202	565	1	1.93	24	640	14	294	0.29	83	< 10	80			
130342	201	202	1175	1	1.16	47	1560	14	208	0.24	95	< 10	132			
130343	201	202	625	1	1.73	19	380	14	167	0.34	122	< 10	126			
130344	201	202	425	< 1	0.58	61	710	10	161	0.20	75	< 10	78			
130345	201	202	705	1	0.94	58	500	12	110	0.37	132	< 10	130			
130346	201	202	710	< 1	1.02	101	780	6	130	0.38	142	< 10	96			
130347	201	202	830	1	1.32	49	680	6	205	0.34	134	< 10	92			
130348	201	202	730	2	1.48	31	410	6	144	0.50	173	< 10	136			
130349	201	202	710	< 1	1.43	34	590	6	153	0.54	181	< 10	126			

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 02-JUL-96
Invoice No. : 19621869
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130350	201 202	< 5	< 0.2	5.57	820	1.5	< 2	1.32	0.5	16	147	18	3.75	1.17	1.36
130401	201 202	< 5	< 0.2	3.07	910	0.5	< 2	2.64	0.5	7	44	71	1.11	0.72	0.49
130402	201 202	< 5	< 0.2	5.78	1130	1.5	< 2	0.93	1.0	12	146	28	4.10	1.38	1.06
130403	201 202	< 5	< 0.2	4.95	680	0.5	< 2	1.85	< 0.5	13	75	71	1.70	1.25	1.08
130501	201 202	< 5	< 0.2	5.43	970	2.5	< 2	1.89	1.5	15	105	28	3.30	1.45	1.20
130502	201 202	< 5	< 0.2	5.07	790	1.0	< 2	2.13	1.5	6	15	36	1.26	1.37	0.50
130503	201 202	< 5	< 0.2	4.26	1260	1.5	< 2	1.28	< 0.5	14	163	35	2.81	1.22	1.44
130504	201 202	< 5	< 0.2	4.90	880	0.5	< 2	1.01	0.5	8	84	15	2.21	1.33	0.61
130505	201 202	< 5	< 0.2	4.23	1040	0.5	< 2	0.70	0.5	11	100	12	2.70	1.14	0.84
130506	201 202	< 5	< 0.2	4.98	1730	1.5	< 2	0.76	0.5	22	207	42	3.52	1.28	1.88
130507	201 202	< 5	0.4	6.25	910	1.0	< 2	1.65	1.0	11	125	17	1.77	1.73	1.42
130508	201 202	< 5	< 0.2	5.35	1150	1.5	< 2	0.74	1.0	36	730	20	5.26	1.35	3.24
130509	201 202	< 5	< 0.2	6.71	1010	1.0	< 2	1.75	0.5	6	17	24	1.35	2.07	0.45
130510	201 202	< 5	< 0.2	4.70	1480	1.0	2	0.97	0.5	12	91	22	2.82	1.23	0.90
130511	201 202	< 5	< 0.2	6.60	910	1.5	< 2	1.58	0.5	30	213	99	5.55	1.10	2.19
130512	201 202	< 5	< 0.2	6.88	890	1.5	< 2	1.60	0.5	10	42	47	2.32	1.72	0.72
130513	201 202	< 5	< 0.2	5.91	690	1.0	< 2	1.85	0.5	11	67	26	4.45	1.27	0.73
130514	201 202	< 5	< 0.2	6.96	880	1.0	< 2	1.65	< 0.5	6	9	19	1.47	2.12	0.50
130515	201 202	< 5	< 0.2	5.17	490	1.0	< 2	2.29	0.5	64	1005	23	5.68	0.59	5.22
130516	201 202	< 5	< 0.2	2.19	310	< 0.5	< 2	1.21	< 0.5	13	159	150	1.88	0.15	2.03
130517	201 202	< 5	0.6	5.34	1080	1.5	< 2	1.97	2.0	23	325	88	3.19	1.39	2.51
130601	201 202	< 5	< 0.2	5.97	990	1.5	< 2	1.60	0.5	13	79	19	3.39	1.44	0.90
130651	201 202	< 5	0.4	6.11	890	1.5	< 2	2.18	0.5	14	102	44	3.28	1.34	1.19
130652	201 202	< 5	< 0.2	6.00	740	1.5	< 2	0.35	0.5	12	82	20	3.14	1.80	0.65
130653	201 202	< 5	< 0.2	5.48	1400	1.5	< 2	0.93	0.5	14	188	20	2.72	1.50	1.23
130654	201 202	< 5	< 0.2	4.07	780	1.5	< 2	0.75	1.0	96	1365	22	6.75	0.92	6.55
130655	201 202	10	< 0.2	5.33	920	1.0	4	1.16	< 0.5	58	915	23	5.13	0.99	3.83
130656	201 202	< 5	< 0.2	5.59	1300	1.0	2	1.62	0.5	24	374	25	3.98	0.99	2.75
130657	201 202	20	0.8	5.70	2060	1.0	< 2	1.21	0.5	13	147	105	2.50	1.08	1.07
130658	201 202	< 5	< 0.2	5.13	1450	1.0	2	0.99	0.5	15	212	35	4.22	1.04	1.45
130659	201 202	< 5	< 0.2	5.60	1090	1.0	< 2	1.16	0.5	13	288	22	2.75	1.34	1.10
130660	201 202	< 5	< 0.2	7.25	550	0.5	< 2	2.93	1.5	36	1050	42	4.43	0.59	4.71
130661	201 202	< 5	< 0.2	6.45	1960	1.0	< 2	1.95	0.5	27	440	93	4.14	0.82	3.10
130662	201 202	< 5	< 0.2	6.29	820	1.0	< 2	1.52	0.5	32	222	43	3.21	1.28	1.53
130663	201 202	< 5	< 0.2	3.35	260	0.5	< 2	1.22	< 0.5	113	585	68	5.51	0.33	12.85
130664	201 202	< 5	< 0.2	5.99	530	< 0.5	< 2	3.07	< 0.5	26	677	27	4.21	0.64	4.39
130665	201 202	< 5	< 0.2	6.19	610	< 0.5	< 2	2.54	0.5	29	685	18	3.70	0.85	3.91
130666	201 202	< 5	< 0.2	6.09	550	< 0.5	< 2	1.86	< 0.5	25	543	22	3.54	1.13	3.55
130667	201 202	< 5	< 0.2	6.74	550	< 0.5	< 2	2.57	0.5	38	574	33	3.94	0.98	3.93
130668	201 202	< 5	< 0.2	4.98	470	< 0.5	< 2	2.75	< 0.5	27	444	87	3.60	0.47	3.17

CERTIFICATION: Ian Bridden

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :4-B
Total Pages :5
Certificate Date: 02-JUL-96
Invoice No. :I9621869
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130350	201	202	620	1	1.24	50	470	6	137	0.49	163	< 10	80			
130401	201	202	470	< 1	0.69	27	1120	4	200	0.13	39	< 10	46			
130402	201	202	515	< 1	1.29	39	520	8	175	0.41	138	< 10	78			
130403	201	202	560	< 1	1.62	222	820	< 2	369	0.15	40	< 10	46			
130501	201	202	1615	1	1.14	48	910	10	132	0.34	104	< 10	106			
130502	201	202	515	1	1.81	50	790	6	411	0.15	28	< 10	36			
130503	201	202	665	1	0.63	74	830	6	95	0.32	120	< 10	86			
130504	201	202	505	< 1	1.34	20	710	6	213	0.33	97	< 10	76			
130505	201	202	590	1	0.79	30	880	10	94	0.34	118	< 10	96			
130506	201	202	1620	2	0.72	139	930	12	62	0.30	131	< 10	88			
130507	201	202	910	1	2.03	39	750	8	376	0.24	64	< 10	98			
130508	201	202	970	4	0.53	187	860	20	55	0.34	173	< 10	144			
130509	201	202	480	1	2.56	5	500	8	484	0.19	32	< 10	70			
130510	201	202	535	< 1	1.00	33	910	6	135	0.48	134	< 10	64			
130511	201	202	925	< 1	1.13	86	800	6	117	0.53	220	< 10	110			
130512	201	202	600	< 1	2.16	19	760	10	438	0.28	79	< 10	60			
130513	201	202	815	< 1	1.66	14	780	6	267	0.66	184	< 10	72			
130514	201	202	355	1	2.76	1	420	8	532	0.18	32	< 10	46			
130515	201	202	1065	< 1	1.00	391	370	< 2	129	0.31	139	< 10	72			
130516	201	202	325	< 1	0.08	241	1260	< 2	43	0.05	41	< 10	42			
130517	201	202	350	4	0.57	240	640	8	143	0.23	147	< 10	148			
130601	201	202	640	< 1	1.67	25	830	< 2	250	0.43	128	< 10	76			
130651	201	202	465	1	0.93	35	750	12	176	0.42	149	< 10	124			
130652	201	202	500	1	0.57	19	820	16	71	0.51	118	< 10	100			
130653	201	202	680	< 1	1.04	61	450	8	139	0.40	112	< 10	70			
130654	201	202	2020	< 1	0.81	563	810	6	126	0.22	110	< 10	244			
130655	201	202	1075	< 1	1.18	349	330	4	164	0.36	122	< 10	82			
130656	201	202	765	< 1	0.95	180	480	4	131	0.45	144	< 10	72			
130657	201	202	420	1	0.97	105	1520	8	221	0.17	88	< 10	68			
130658	201	202	540	1	0.90	58	400	6	121	0.56	175	< 10	64			
130659	201	202	530	< 1	1.47	51	870	8	224	0.43	118	< 10	56			
130660	201	202	700	< 1	1.10	268	360	2	106	0.32	144	< 10	68			
130661	201	202	1130	< 1	0.98	264	880	6	128	0.29	151	< 10	78			
130662	201	202	1550	1	1.66	85	680	8	268	0.32	126	< 10	76			
130663	201	202	1075	< 1	0.48	1125	230	< 2	94	0.09	65	< 10	48			
130664	201	202	520	< 1	1.27	246	190	4	121	0.38	147	< 10	54			
130665	201	202	595	< 1	1.43	303	80	6	146	0.34	117	< 10	52			
130666	201	202	570	< 1	1.55	230	230	4	229	0.27	93	< 10	54			
130667	201	202	1025	< 1	1.48	266	620	6	224	0.26	104	< 10	64			
130668	201	202	665	< 1	0.81	370	1510	2	104	0.23	101	< 10	50			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 02-JUL-96
Invoice No. :19621869
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130669	201	202	10	< 0.2	4.70	580	< 0.5	< 2	2.58	< 0.5	14	149	151	2.55	0.86	1.63
130670	201	202	< 5	< 0.2	5.39	600	< 0.5	< 2	2.46	1.0	28	469	96	3.86	0.69	3.23
130671	201	202	< 5	< 0.2	6.65	450	< 0.5	< 2	2.63	0.5	35	689	22	4.63	0.63	5.43
130672	201	202	< 5	< 0.2	6.24	610	< 0.5	< 2	1.59	0.5	58	574	77	5.50	0.76	3.87
130673	201	202	< 5	< 0.2	7.35	770	< 0.5	< 2	1.77	0.5	23	274	39	4.58	1.00	2.86
130674	201	202	< 5	< 0.2	6.62	500	< 0.5	< 2	1.80	< 0.5	22	293	33	5.38	0.63	3.29
130675	201	202	< 5	< 0.2	7.08	350	< 0.5	< 2	2.28	< 0.5	20	157	25	5.34	0.42	3.22
130676	201	202	< 5	< 0.2	6.16	400	< 0.5	< 2	1.42	< 0.5	17	227	30	5.08	0.57	2.81
130677	201	202	< 5	0.4	5.23	1050	0.5	< 2	1.50	< 0.5	12	110	39	2.98	0.97	1.46

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 02-JUL-96
Invoice No. : 19621869
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621869

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130669	201	202	740	< 1	1.05	116	950	6	233	0.17	84	< 10	52			
130670	201	202	715	< 1	0.79	293	2050	6	127	0.21	98	< 10	66			
130671	201	202	730	< 1	1.34	306	270	4	105	0.32	128	< 10	66			
130672	201	202	1760	< 1	1.23	251	700	8	146	0.30	145	< 10	104			
130673	201	202	815	1	2.28	110	400	6	201	0.53	185	< 10	90			
130674	201	202	730	< 1	2.03	98	120	2	129	0.60	215	< 10	76			
130675	201	202	680	< 1	2.56	57	170	2	152	0.65	223	< 10	64			
130676	201	202	640	1	2.24	79	210	4	157	0.63	217	< 10	60			
130677	201	202	410	3	1.28	43	470	6	156	0.34	130	< 10	72			

CERTIFICATION: Stewart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9622711

Comments: ATTN: DAVID TERRY

CERTIFICATE A9622711

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 13-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	185	Dry, sieve to -80 mesh
202	185	save reject
285	185	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	178	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	185	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	185	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	185	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	185	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	185	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	185	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	185	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	185	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	185	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	185	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	185	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	185	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	185	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	185	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	185	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	185	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	185	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	185	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	185	Pb ppm: 24 element, rock & core	AAS	2	10000
582	185	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	185	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	185	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	185	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	185	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Certificate Date: 13-JUL-96
Invoice No. : I9622711
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130280	201	202	< 5	< 0.2	5.64	1160	1.5	< 2	1.64	< 0.5	18	131	46	3.35	1.45	1.62
130281	201	202	< 5	< 0.2	4.85	1270	0.5	< 2	1.53	< 0.5	23	333	46	3.19	1.15	3.27
130282	201	202	< 5	< 0.2	5.75	1350	1.0	< 2	1.55	< 0.5	17	150	90	3.18	1.30	1.74
130283	201	202	< 5	< 0.2	4.57	1180	0.5	< 2	1.13	< 0.5	21	257	24	3.35	1.11	2.03
130284	201	202	< 5	< 0.2	4.37	2070	0.5	< 2	0.35	< 0.5	10	101	41	3.26	1.00	0.91
130285	201	202	< 5	< 0.2	5.34	940	0.5	< 2	0.95	< 0.5	9	161	18	3.18	1.21	0.71
130286	201	202	< 5	< 0.2	5.39	1230	0.5	< 2	1.69	< 0.5	40	579	24	4.55	1.05	3.21
130287	201	202	< 5	< 0.2	5.46	920	0.5	< 2	2.03	< 0.5	24	232	137	4.93	0.95	2.49
130288	201	202	< 5	< 0.2	5.34	1100	0.5	< 2	1.46	< 0.5	20	277	24	4.04	1.11	2.44
130289	201	202	< 5	< 0.2	5.25	1110	0.5	< 2	0.61	< 0.5	15	171	20	4.14	1.23	1.51
130290	201	202	< 5	0.2	6.08	1120	0.5	< 2	1.84	< 0.5	6	26	29	1.58	1.58	0.59
130291	201	202	< 5	< 0.2	1.38	930	< 0.5	< 2	1.73	< 0.5	3	22	34	0.85	0.24	0.40
130292	201	202	< 5	< 0.2	8.01	1410	1.5	< 2	0.26	< 0.5	16	147	40	4.70	2.61	0.87
130293	201	202	< 5	< 0.2	1.98	1430	< 0.5	< 2	4.29	< 0.5	4	12	19	0.66	0.49	0.43
130294	201	202	< 5	< 0.2	5.76	1730	0.5	< 2	0.83	< 0.5	25	307	39	3.88	1.56	3.18
130295	201	202	< 5	< 0.2	5.83	1100	0.5	< 2	0.92	< 0.5	11	78	23	2.92	1.30	0.98
130296	201	202	< 5	0.6	6.84	1430	0.5	< 2	0.99	< 0.5	19	78	89	3.71	1.07	1.01
130297	201	202	20	< 0.2	7.57	1520	1.5	< 2	0.45	< 0.5	14	107	77	4.75	1.76	1.57
130298	201	202	< 5	< 0.2	6.76	1110	0.5	< 2	0.48	< 0.5	9	87	25	3.76	1.37	1.02
130299	201	202	5	< 0.2	6.67	1000	0.5	< 2	0.68	< 0.5	10	142	21	3.45	1.03	1.42
130300	201	202	not/ss	< 0.2	4.86	1010	1.5	< 2	1.59	< 0.5	12	94	22	2.60	1.47	1.12
130351	--	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
130352	--	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
130353	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130354	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130355	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130356	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130357	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130358	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130359	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130360	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130361	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130362	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130363	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130364	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130365	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130366	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130367	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130368	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130369	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page Number : 1-B
Total Pages : 6
Certificate Date: 13-JUL-96
Invoice No. : I9622711
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130280	201	202	1010	1	1.06	99	1060	10	129	0.32	119	< 10	126			
130281	201	202	785	< 1	0.86	219	860	< 2	109	0.33	126	< 10	84			
130282	201	202	625	< 1	1.18	74	550	4	160	0.32	116	< 10	76			
130283	201	202	980	1	0.92	109	760	2	117	0.33	123	< 10	86			
130284	201	202	585	1	0.50	38	440	< 2	65	0.34	120	< 10	64			
130285	201	202	840	2	1.28	30	590	< 2	187	0.48	153	< 10	52			
130286	201	202	785	< 1	0.85	319	460	4	133	0.35	154	10	72			
130287	201	202	935	1	0.67	155	1050	< 2	157	0.23	165	10	150			
130288	201	202	810	1	1.10	100	350	< 2	108	0.47	156	< 10	66			
130289	201	202	530	2	0.99	57	350	< 2	79	0.42	153	< 10	86			
130290	201	202	405	1	2.20	17	830	< 2	457	0.17	38	< 10	44			
130291	201	202	150	1	0.24	39	960	< 2	144	0.04	20	< 10	32			
130292	201	202	635	3	0.71	54	910	12	83	0.40	144	< 10	86			
130293	201	202	350	1	0.52	12	850	< 2	220	0.06	20	< 10	18			
130294	201	202	890	3	0.75	167	340	2	85	0.33	134	< 10	82			
130295	201	202	815	3	1.36	24	360	8	126	0.36	131	< 10	78			
130296	201	202	1895	4	1.30	32	1790	4	174	0.30	148	< 10	110			
130297	201	202	590	5	0.94	53	980	6	87	0.39	181	< 10	114			
130298	201	202	350	3	1.14	23	280	< 2	100	0.39	163	< 10	62			
130299	201	202	400	1	1.25	54	230	< 2	113	0.42	152	< 10	58			
130300	201	202	1285	1	1.08	62	810	< 2	103	0.27	99	< 10	82			
130351	--	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
130352	--	--	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
130353	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130354	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130355	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130356	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130357	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130358	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130359	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130360	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130361	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130362	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130363	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130364	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130365	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130366	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130367	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130368	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130369	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			

CERTIFICATION: Stuart Bridden

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Certificate Date: 13-JUL-96
Invoice No. : I9622711
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130370	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130371	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130372	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130373	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130374	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130375	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130376	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130377	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130378	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130379	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130380	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130381	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130382	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130383	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130384	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130385	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130386	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130387	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130388	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130389	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130390	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130391	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130392	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130393	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130394	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130395	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130396	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130397	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130398	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130399	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130400	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130401	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130402	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130403	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130404	201	202	< 5	< 0.2	3.07	720	0.5	< 2	2.74	0.5	3	5	35	0.73	0.80	0.38
130405	201	202	< 5	< 0.2	5.44	800	0.5	< 2	1.16	< 0.5	13	124	16	2.43	1.39	0.80
130406	201	202	< 5	< 0.2	4.58	970	1.0	< 2	1.09	< 0.5	19	196	20	2.98	1.13	1.33
130407	201	202	< 5	< 0.2	5.61	1090	0.5	< 2	1.33	< 0.5	16	203	22	3.17	1.40	1.16
130408	201	202	< 5	< 0.2	4.95	1440	1.0	< 2	2.35	< 0.5	14	128	211	2.23	1.12	1.24
130409	201	202	< 5	< 0.2	5.13	1640	0.5	< 2	1.59	< 0.5	17	113	19	3.12	1.24	0.84

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Certificate Date: 13-JUL-96
Invoice No. : I9622711
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130370	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130371	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130372	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130373	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130374	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130375	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130376	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130377	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130378	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130379	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130380	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130381	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130382	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130383	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130384	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130385	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130386	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130387	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130388	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130389	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130390	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130391	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130392	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130393	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130394	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130395	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130396	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130397	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130398	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130399	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130400	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130401	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130402	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130403	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
130404	201	202	185	1	1.09	30	570	< 2	283	0.08	16	< 10	58			
130405	201	202	975	1	1.68	33	620	< 2	294	0.28	84	< 10	60			
130406	201	202	570	< 1	0.86	101	570	4	95	0.29	110	10	60			
130407	201	202	855	3	1.43	58	840	4	252	0.30	104	< 10	132			
130408	201	202	820	3	0.94	76	810	4	230	0.17	119	< 10	66			
130409	201	202	1520	1	1.37	32	630	4	216	0.41	121	< 10	52			

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page :3-A
Total Pages :6
Certificate Date: 13-JUL-96
Invoice No. :I9622711
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130410	201	202	5	< 0.2	5.77	1310	0.5	< 2	3.48	< 0.5	8	53	17	1.70	1.64	0.61
130411	201	202	< 5	< 0.2	5.71	1040	0.5	< 2	1.49	< 0.5	11	85	22	2.66	1.42	0.89
130412	201	202	< 5	< 0.2	6.68	910	1.0	< 2	1.48	< 0.5	10	53	21	2.26	1.72	0.82
130413	201	202	300	< 0.2	6.00	1000	0.5	< 2	0.99	< 0.5	13	117	23	3.27	1.30	1.12
130414	201	202	< 5	< 0.2	6.81	840	1.0	< 2	1.35	< 0.5	8	37	21	1.88	1.77	0.63
130415	201	202	30	< 0.2	6.11	610	0.5	< 2	1.81	< 0.5	22	223	23	4.28	0.70	2.61
130416	201	202	< 5	< 0.2	6.15	790	0.5	< 2	1.72	< 0.5	14	62	38	2.71	1.38	1.31
130417	201	202	< 5	< 0.2	5.88	1030	0.5	< 2	0.85	< 0.5	16	148	23	3.98	1.04	1.54
130418	201	202	< 5	< 0.2	4.74	1370	1.0	< 2	0.52	< 0.5	9	101	29	2.52	1.36	0.76
130419	201	202	< 5	0.6	5.32	1240	0.5	< 2	1.74	< 0.5	6	24	26	1.30	1.40	0.51
130420	201	202	< 5	< 0.2	5.61	1950	1.5	< 2	0.39	< 0.5	9	108	39	3.59	1.58	0.72
130421	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130422	201	202	< 5	< 0.2	5.94	1070	1.0	< 2	0.42	< 0.5	10	119	26	4.95	1.58	0.99
130423	201	202	< 5	< 0.2	5.55	1190	1.0	< 2	0.50	< 0.5	11	91	34	3.67	1.42	0.99
130424	201	202	< 5	< 0.2	6.68	1710	1.5	< 2	0.42	< 0.5	18	169	77	4.56	1.59	2.04
130425	201	202	< 5	< 0.2	7.81	1520	1.0	< 2	0.31	1.0	19	137	59	5.53	1.79	1.57
130426	201	202	< 5	< 0.2	6.64	1070	0.5	< 2	1.48	0.5	7	38	25	2.22	1.68	0.71
130427	201	202	< 5	< 0.2	6.05	1160	0.5	< 2	0.41	0.5	9	109	22	3.10	1.56	1.23
130428	201	202	< 5	< 0.2	1.68	1050	< 0.5	< 2	3.54	0.5	4	16	20	0.58	0.46	0.34
130429	201	202	< 5	< 0.2	4.20	1750	0.5	< 2	2.00	0.5	9	86	38	2.08	1.47	1.15
130430	201	202	< 5	0.6	4.10	1450	0.5	< 2	2.26	< 0.5	11	145	62	2.15	0.87	1.55
130431	201	202	10	0.6	6.29	1510	0.5	< 2	0.62	< 0.5	18	380	14	4.05	1.42	3.34
130432	201	202	< 5	< 0.2	1.14	600	< 0.5	< 2	2.33	1.5	7	47	24	0.79	0.24	0.51
130433	201	202	< 5	< 0.2	5.72	1380	0.5	< 2	0.16	1.5	14	222	45	3.28	1.45	0.62
130434	201	202	< 5	< 0.2	5.82	1350	< 0.5	< 2	0.52	1.0	37	632	20	6.76	1.42	2.01
130435	201	202	5	0.4	5.53	1960	0.5	< 2	0.53	1.0	25	459	54	4.22	1.59	4.15
130436	201	202	10	< 0.2	5.83	1430	0.5	< 2	0.94	0.5	25	299	30	3.92	1.56	2.51
130437	201	202	25	0.4	5.16	1460	< 0.5	< 2	1.10	3.0	44	448	48	5.03	1.45	2.58
130438	201	202	< 5	< 0.2	6.28	1260	0.5	< 2	1.17	3.5	22	260	23	4.21	1.75	1.21
130439	201	202	< 5	< 0.2	5.43	1150	< 0.5	< 2	0.94	0.5	29	750	12	4.10	1.23	2.50
130440	201	202	not/ss	< 0.2	0.37	270	< 0.5	< 2	1.35	< 0.5	1	21	12	0.24	0.07	1.20
130441	201	202	< 5	< 0.2	5.24	1090	< 0.5	< 2	0.87	0.5	35	840	14	4.99	0.94	4.96
130442	201	202	< 5	0.2	5.39	900	< 0.5	< 2	0.83	< 0.5	33	772	18	6.17	0.94	3.69
130443	201	202	< 5	< 0.2	6.80	1040	1.0	< 2	1.37	0.5	9	67	22	2.22	1.90	0.78
130444	201	202	< 5	0.6	4.97	1150	0.5	< 2	0.72	0.5	9	135	11	2.23	1.43	1.13
130445	201	202	< 5	< 0.2	1.81	620	< 0.5	< 2	2.56	1.0	6	26	16	0.72	0.44	0.45
130446	201	202	< 5	< 0.2	6.94	1180	1.5	< 2	0.76	0.5	11	136	12	3.04	2.39	0.92
130447	201	202	< 5	< 0.2	5.33	1130	0.5	< 2	0.59	0.5	9	144	9	2.76	1.42	1.13
130448	201	202	< 5	< 0.2	4.70	1160	0.5	< 2	2.48	3.5	12	59	54	1.97	1.33	0.74
130449	201	202	not/ss	< 0.2	0.34	230	< 0.5	< 2	1.38	5.5	5	10	25	0.84	0.06	0.10

CERTIFICATION: David Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page Number :3-B
Total Pages :6
Certificate Date: 13-JUL-96
Invoice No. :I9622711
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
130410	201 202	1845	1	1.90	13	1370	< 2	377	0.29	68	< 10	188
130411	201 202	470	1	1.62	23	640	< 2	258	0.44	115	< 10	56
130412	201 202	470	1	2.23	27	590	< 2	407	0.28	74	< 10	54
130413	201 202	555	2	1.29	37	570	4	170	0.52	167	< 10	64
130414	201 202	345	1	2.30	13	410	< 2	414	0.25	64	< 10	44
130415	201 202	655	1	1.95	88	310	< 2	150	0.53	184	< 10	58
130416	201 202	530	3	2.04	35	640	< 2	366	0.24	81	< 10	58
130417	201 202	505	1	1.50	54	320	< 2	117	0.49	172	< 10	60
130418	201 202	350	2	0.72	38	620	< 2	90	0.33	113	< 10	68
130419	201 202	310	3	1.69	13	970	< 2	374	0.15	51	< 10	42
130420	201 202	360	4	0.75	26	1730	8	85	0.42	193	< 10	90
130421	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130422	201 202	670	3	0.84	32	1750	6	75	0.42	201	< 10	90
130423	201 202	590	4	0.71	36	420	< 2	90	0.38	141	< 10	68
130424	201 202	760	1	0.68	104	400	< 2	64	0.38	159	< 10	102
130425	201 202	815	4	0.68	79	490	< 2	60	0.46	180	< 10	94
130426	201 202	390	3	1.97	9	890	6	332	0.30	117	< 10	54
130427	201 202	380	1	0.83	41	290	< 2	82	0.36	140	< 10	58
130428	201 202	380	< 1	0.35	14	1130	< 2	178	0.06	21	< 10	72
130429	201 202	505	< 1	0.51	69	760	< 2	150	0.19	67	< 10	76
130430	201 202	560	1	0.89	151	910	< 2	250	0.16	61	< 10	44
130431	201 202	480	1	1.17	154	240	6	103	0.36	139	10	66
130432	201 202	545	2	0.11	64	1150	< 2	81	0.04	28	< 10	36
130433	201 202	410	< 1	0.41	96	400	2	86	0.42	149	< 10	72
130434	201 202	1270	< 1	0.94	208	1290	< 2	75	0.50	190	10	130
130435	201 202	730	1	0.67	288	710	< 2	70	0.37	183	10	140
130436	201 202	775	< 1	1.08	141	370	2	126	0.38	149	10	110
130437	201 202	1570	3	0.85	228	650	10	133	0.32	151	10	238
130438	201 202	665	< 1	1.67	96	870	4	248	0.42	146	< 10	194
130439	201 202	680	< 1	1.38	191	350	< 2	161	0.37	112	10	88
130440	201 202	70	1	0.06	155	740	< 2	81	0.01	7	< 10	34
130441	201 202	555	< 1	1.06	349	180	< 2	93	0.39	133	10	64
130442	201 202	705	< 1	1.03	260	830	< 2	90	0.42	145	< 10	104
130443	201 202	395	2	2.14	37	510	< 2	389	0.26	76	< 10	60
130444	201 202	310	< 1	0.87	52	410	2	86	0.32	104	< 10	46
130445	201 202	2540	3	0.36	46	750	< 2	143	0.05	26	< 10	54
130446	201 202	435	3	1.18	29	640	14	142	0.37	142	< 10	66
130447	201 202	320	1	0.88	52	270	10	83	0.35	124	< 10	54
130448	201 202	3390	2	1.07	84	1180	8	267	0.16	59	< 10	144
130449	201 202	255	< 1	0.04	27	880	< 2	62	< 0.01	3	< 10	74

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page Number : 4-A
Total Pages : 6
Certificate Date: 13-JUL-96
Invoice No. : I9622711
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130450	201 202	< 5	< 0.2	6.78	1510	1.0	< 2	0.65	1.0	17	129	23	3.49	2.16	1.09
130451	201 202	< 5	< 0.2	5.74	1020	0.5	< 2	1.01	0.5	6	82	16	1.74	1.61	0.62
130452	201 202	< 5	< 0.2	4.88	1250	0.5	< 2	0.86	1.0	19	223	28	2.75	1.33	2.05
130453	201 202	< 5	< 0.2	5.65	1200	0.5	< 2	0.61	0.5	14	161	33	3.29	1.43	1.22
130454	201 202	< 5	< 0.2	5.60	1490	0.5	< 2	0.74	0.5	13	179	30	2.78	1.59	1.40
130455	201 202	< 5	< 0.2	5.09	910	1.0	< 2	0.71	< 0.5	7	83	13	2.25	1.43	0.71
130456	201 202	< 5	< 0.2	6.09	1260	0.5	< 2	0.82	0.5	8	137	19	2.48	1.83	0.79
130457	201 202	< 5	< 0.2	6.02	990	0.5	< 2	0.83	1.0	21	221	17	3.68	1.55	1.73
130458	201 202	< 5	< 0.2	5.86	920	0.5	< 2	1.69	1.5	7	103	24	1.60	1.51	0.71
130459	201 202	< 5	< 0.2	5.15	1180	0.5	< 2	1.11	< 0.5	14	181	21	2.49	1.38	1.65
130460	201 202	< 5	< 0.2	5.18	1280	0.5	< 2	1.30	1.0	19	175	27	2.78	1.33	1.28
130461	201 202	< 5	< 0.2	5.72	1160	1.0	< 2	1.31	0.5	15	132	33	2.83	1.61	1.42
130462	201 202	< 5	< 0.2	5.56	980	0.5	< 2	1.83	0.5	13	110	31	2.47	1.33	1.17
130463	201 202	< 5	< 0.2	5.67	1090	1.5	< 2	1.05	1.0	11	125	22	2.71	1.56	1.27
130464	201 202	< 5	< 0.2	5.52	1010	0.5	< 2	1.52	1.5	14	115	35	2.74	1.37	1.20
130465	201 202	< 5	< 0.2	5.32	820	1.5	< 2	0.99	1.0	10	99	11	3.20	1.50	1.03
130466	201 202	< 5	< 0.2	5.90	1070	0.5	< 2	0.96	1.0	14	120	21	3.43	1.66	1.29
130467	201 202	10	< 0.2	6.19	1450	1.0	< 2	1.40	0.5	12	142	24	2.71	1.63	1.41
130468	201 202	< 5	< 0.2	6.11	720	0.5	< 2	1.76	1.0	10	86	19	3.39	1.34	1.05
130469	201 202	< 5	0.8	5.94	1280	0.5	< 2	0.89	0.5	14	125	68	3.15	1.13	1.08
130470	201 202	< 5	< 0.2	4.16	830	0.5	< 2	3.31	0.5	8	55	62	1.55	0.93	0.75
130471	201 202	< 5	< 0.2	3.27	650	< 0.5	< 2	2.30	0.5	3	11	24	0.83	0.83	0.34
130472	201 202	< 5	< 0.2	7.03	670	< 0.5	< 2	2.21	2.0	27	218	42	5.46	1.02	2.55
130473	201 202	< 5	< 0.2	6.56	800	0.5	< 2	2.06	1.0	11	98	22	3.36	1.35	1.19
130474	201 202	< 5	< 0.2	4.35	570	0.5	< 2	2.31	1.5	6	20	39	1.22	1.12	0.52
130475	201 202	< 5	< 0.2	3.22	570	0.5	< 2	2.34	1.5	5	14	35	0.86	0.85	0.44
130476	201 202	< 5	< 0.2	6.40	880	0.5	< 2	1.46	1.5	10	97	22	3.54	1.62	0.93
130477	201 202	< 5	< 0.2	6.54	980	0.5	< 2	1.69	1.0	12	71	29	2.56	1.61	1.02
130478	201 202	< 5	< 0.2	5.85	1230	0.5	< 2	2.36	2.5	16	119	46	3.39	1.16	1.58
130479	201 202	< 5	< 0.2	6.34	860	0.5	< 2	1.70	0.5	10	47	24	2.39	1.67	0.82
130480	201 202	< 5	0.4	5.67	1550	0.5	< 2	1.68	0.5	11	65	62	2.38	1.36	0.99
130481	201 202	< 5	< 0.2	6.27	1360	0.5	< 2	1.85	1.0	16	98	39	3.65	1.32	1.46
130482	201 202	< 5	0.4	5.19	1030	0.5	< 2	1.90	0.5	8	30	40	1.74	1.34	0.52
130483	201 202	< 5	0.2	6.55	1040	0.5	< 2	1.65	0.5	9	53	23	2.35	1.62	0.89
130484	201 202	< 5	< 0.2	13.05	2340	1.0	< 2	3.11	3.0	36	241	53	9.39	2.45	3.18
130485	201 202	< 5	< 0.2	5.72	830	< 0.5	< 2	1.44	1.5	28	320	26	5.73	1.24	2.00
130486	201 202	< 5	< 0.2	6.85	940	< 0.5	< 2	2.18	1.5	27	168	55	5.24	1.00	2.40
130487	201 202	< 5	< 0.2	5.89	1210	0.5	< 2	1.27	1.0	15	113	35	3.26	1.32	1.42
130488	201 202	< 5	< 0.2	6.34	630	0.5	< 2	1.09	1.5	13	139	23	4.41	1.15	1.37
130489	201 202	< 5	< 0.2	5.91	550	< 0.5	< 2	1.36	1.0	17	207	29	5.63	1.07	1.89

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page Number : 4-B
Total Pages : 6
Certificate Date: 13-JUL-96
Invoice No. : I9622711
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130450	201	202	580	< 1	1.12	61	900	16	146	0.29	104	< 10	80			
130451	201	202	270	1	1.63	24	510	6	275	0.28	82	< 10	44			
130452	201	202	670	< 1	0.82	204	610	12	83	0.32	118	< 10	74			
130453	201	202	400	< 1	0.86	89	440	12	86	0.33	129	< 10	78			
130454	201	202	440	< 1	0.87	87	690	12	85	0.30	119	< 10	80			
130455	201	202	360	1	1.05	23	340	6	102	0.35	108	< 10	46			
130456	201	202	290	1	1.45	28	370	6	169	0.39	122	< 10	60			
130457	201	202	630	< 1	1.23	113	810	6	147	0.42	128	< 10	98			
130458	201	202	370	< 1	1.67	38	670	4	305	0.25	71	< 10	64			
130459	201	202	360	< 1	1.07	104	790	10	123	0.35	111	< 10	68			
130460	201	202	2030	2	0.86	126	1080	14	115	0.29	116	< 10	88			
130461	201	202	450	< 1	1.26	73	810	12	143	0.39	123	< 10	74			
130462	201	202	690	3	1.41	64	1090	6	269	0.28	92	< 10	80			
130463	201	202	380	1	1.31	55	830	8	125	0.41	132	< 10	70			
130464	201	202	680	2	1.13	67	1100	10	223	0.25	108	10	98			
130465	201	202	335	< 1	1.39	42	740	12	120	0.33	97	< 10	54			
130466	201	202	645	1	1.20	50	780	14	123	0.37	120	< 10	80			
130467	201	202	385	< 1	1.29	52	790	10	144	0.41	117	< 10	68			
130468	201	202	425	< 1	1.77	23	440	2	278	0.49	138	< 10	48			
130469	201	202	475	1	0.63	66	1460	12	120	0.18	105	< 10	80			
130470	201	202	450	1	1.12	64	930	4	325	0.17	52	< 10	46			
130471	201	202	160	3	1.12	17	550	< 2	312	0.10	22	< 10	26			
130472	201	202	745	< 1	1.33	103	290	4	145	0.62	203	10	72			
130473	201	202	435	2	1.66	28	440	4	263	0.54	164	< 10	48			
130474	201	202	635	1	1.50	41	970	4	343	0.13	29	< 10	44			
130475	201	202	315	3	1.13	38	880	4	281	0.10	23	< 10	34			
130476	201	202	420	1	1.93	29	1080	6	301	0.44	134	< 10	56			
130477	201	202	420	< 1	1.93	31	780	6	331	0.32	91	< 10	54			
130478	201	202	995	< 1	1.13	75	970	4	184	0.42	140	10	96			
130479	201	202	575	3	2.12	18	990	8	362	0.34	87	< 10	52			
130480	201	202	710	3	1.53	31	840	12	247	0.30	84	< 10	56			
130481	201	202	570	< 1	1.44	33	580	6	166	0.52	152	10	66			
130482	201	202	500	2	1.62	13	1280	8	366	0.17	41	< 10	38			
130483	201	202	385	1	1.94	16	600	10	336	0.41	101	< 10	48			
130484	201	202	1360	< 1	2.53	74	650	24	243	1.15	348	30	136			
130485	201	202	805	< 1	1.19	116	860	8	126	0.55	196	10	104			
130486	201	202	855	< 1	1.31	67	340	2	131	0.65	205	10	78			
130487	201	202	490	< 1	1.33	44	410	8	136	0.48	139	< 10	60			
130488	201	202	530	< 1	1.56	48	940	8	143	0.67	216	< 10	80			
130489	201	202	580	< 1	1.39	90	490	4	163	0.57	196	10	72			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page : 5-A
Total Pages : 6
Certificate Date: 13-JUL-96
Invoice No. : I9622711
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130490	201	202	15	< 0.2	4.57	1950	0.5	< 2	0.50	0.5	12	82	50	2.60	1.21	0.91
130491	201	202	< 5	< 0.2	5.52	1580	0.5	< 2	0.80	1.0	16	105	52	3.04	1.40	1.15
130492	201	202	< 5	< 0.2	5.27	920	0.5	< 2	1.79	0.5	14	127	41	2.83	1.37	1.10
130493	201	202	< 5	< 0.2	4.32	1030	0.5	< 2	0.71	0.5	9	108	20	2.78	1.26	0.83
130494	201	202	< 5	< 0.2	5.64	1100	0.5	< 2	0.45	1.5	11	130	17	3.56	1.65	0.86
130495	201	202	< 5	< 0.2	6.18	1540	1.0	< 2	0.95	1.0	13	126	57	2.79	1.43	0.87
130496	201	202	< 5	< 0.2	4.82	1980	0.5	< 2	0.72	0.5	10	75	30	2.22	1.41	0.85
130497	201	202	< 5	< 0.2	1.85	1710	0.5	< 2	1.72	0.5	2	16	63	0.68	0.39	0.28
130498	201	202	< 5	< 0.2	7.06	970	1.0	< 2	1.63	0.5	7	25	22	1.82	2.08	0.60
130499	201	202	< 5	< 0.2	4.57	540	0.5	< 2	1.37	0.5	9	26	32	2.20	1.14	0.61
130500	201	202	< 5	< 0.2	5.69	1070	0.5	< 2	0.95	1.0	9	112	23	3.02	1.55	0.73
130518	201	202	not/ss	< 0.2	1.74	630	< 0.5	< 2	2.41	2.0	5	16	19	0.61	0.40	0.29
130519	201	202	< 5	< 0.2	5.99	1200	0.5	< 2	1.45	2.0	14	242	28	3.32	1.25	1.73
130520	201	202	not/ss	< 0.2	2.10	670	< 0.5	< 2	1.55	1.0	2	11	14	0.65	0.56	0.26
130521	201	202	< 5	< 0.2	7.15	870	0.5	< 2	1.61	0.5	6	11	19	1.52	2.21	0.51
130522	201	202	< 5	< 0.2	5.28	1040	0.5	< 2	0.45	< 0.5	6	107	14	2.05	1.23	0.75
130523	201	202	< 5	< 0.2	6.64	1270	0.5	< 2	1.22	1.0	5	35	17	1.41	1.94	0.50
130524	201	202	< 5	12.0	5.17	1850	1.0	< 2	1.28	3.0	8	55	48	2.35	1.20	0.52
130525	201	202	< 5	2.0	6.92	910	0.5	< 2	1.62	1.0	5	16	18	1.53	2.06	0.55
130526	201	202	< 5	10.0	6.82	1520	1.0	< 2	1.40	1.5	6	31	23	1.58	2.11	0.53
130527	201	202	< 5	< 0.2	5.65	1340	0.5	< 2	0.49	0.5	7	90	21	2.35	1.35	0.69
130528	201	202	not/ss	< 0.2	0.45	2520	< 0.5	< 2	0.53	2.0	3	3	23	0.40	0.13	0.11
130529	201	202	< 5	< 0.2	4.26	2350	0.5	< 2	0.63	1.0	15	106	32	2.48	1.07	1.08
130530	201	202	10	< 0.2	6.22	2620	1.0	2	0.28	0.5	16	159	65	3.83	1.76	1.44
130531	201	202	< 5	< 0.2	6.40	920	0.5	< 2	1.88	< 0.5	6	7	24	1.54	1.79	0.54
130532	201	202	< 5	< 0.2	6.06	1170	0.5	< 2	1.82	1.0	20	169	48	3.94	1.43	1.75
130533	201	202	< 5	< 0.2	6.49	930	0.5	< 2	1.30	0.5	17	135	35	4.10	1.50	1.76
130534	201	202	5	< 0.2	5.70	830	0.5	< 2	2.32	0.5	18	176	47	3.71	0.94	1.85
130535	201	202	< 5	< 0.2	4.21	1100	0.5	< 2	1.55	< 0.5	18	74	146	2.58	0.91	0.89
130536	201	202	< 5	< 0.2	5.99	800	< 0.5	< 2	1.23	0.5	17	142	35	4.70	1.15	1.57
130537	201	202	< 5	< 0.2	5.84	770	< 0.5	< 2	2.01	0.5	11	87	21	3.58	1.26	1.03
130538	201	202	< 5	< 0.2	7.14	640	< 0.5	< 2	4.01	1.5	25	192	34	5.13	0.82	2.11
130539	201	202	< 5	< 0.2	6.48	570	< 0.5	< 2	1.86	0.5	23	141	45	6.76	0.98	2.24
130540	201	202	< 5	< 0.2	6.26	740	0.5	2	1.41	0.5	11	57	23	3.61	1.61	0.84
130541	201	202	< 5	< 0.2	6.52	580	0.5	< 2	2.42	0.5	17	75	22	3.96	1.43	1.51
130542	201	202	< 5	< 0.2	6.83	580	< 0.5	< 2	3.25	< 0.5	24	124	25	5.26	1.11	2.15
130543	201	202	< 5	< 0.2	6.51	590	< 0.5	< 2	2.03	0.5	22	126	39	6.09	1.06	2.15
130544	201	202	< 5	< 0.2	3.74	790	0.5	< 2	2.94	0.5	10	51	74	1.81	0.93	0.80
130545	201	202	< 5	< 0.2	4.34	820	0.5	< 2	0.73	0.5	10	100	21	3.70	1.05	0.95
130546	201	202	< 5	< 0.2	5.46	1660	1.0	< 2	1.09	< 0.5	15	73	47	3.20	1.62	1.08

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page Number :5-B
Total Pages :6
Certificate Date: 13-JUL-96
Invoice No. :I9622711
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130490	201	202	1160	1	0.85	36	390	10	89	0.43	121	< 10	58			
130491	201	202	1075	< 1	1.07	47	630	10	125	0.44	142	10	70			
130492	201	202	570	< 1	1.28	40	780	10	178	0.52	125	10	52			
130493	201	202	325	1	0.70	33	770	6	81	0.31	153	< 10	78			
130494	201	202	380	1	0.80	47	820	14	115	0.29	156	< 10	92			
130495	201	202	715	1	1.32	39	1150	10	225	0.27	139	< 10	64			
130496	201	202	630	< 1	1.01	35	610	6	127	0.33	102	< 10	66			
130497	201	202	335	< 1	0.42	34	1230	2	158	0.06	18	< 10	26			
130498	201	202	365	1	2.63	9	450	6	493	0.24	55	< 10	48			
130499	201	202	325	1	1.50	14	1490	< 2	275	0.28	78	< 10	42			
130500	201	202	370	1	1.36	28	690	8	208	0.38	141	< 10	70			
130518	201	202	285	2	0.45	18	1030	< 2	195	0.06	15	< 10	64			
130519	201	202	410	3	1.21	72	490	10	137	0.37	170	10	92			
130520	201	202	115	< 1	0.67	11	640	< 2	190	0.07	16	< 10	30			
130521	201	202	355	1	2.82	4	480	2	532	0.19	35	< 10	46			
130522	201	202	270	2	0.95	24	630	6	84	0.49	164	< 10	56			
130523	201	202	290	1	2.25	8	640	6	408	0.29	67	< 10	44			
130524	201	202	1960	3	1.03	32	3390	4	238	0.19	93	< 10	84			
130525	201	202	340	1	2.66	4	830	4	522	0.20	46	< 10	44			
130526	201	202	320	< 1	2.43	8	850	4	467	0.21	68	< 10	48			
130527	201	202	335	3	1.01	23	890	6	100	0.48	161	< 10	64			
130528	201	202	145	< 1	0.04	32	1160	< 2	37	0.01	6	< 10	30			
130529	201	202	1595	1	0.54	69	1210	4	82	0.20	104	< 10	68			
130530	201	202	750	3	0.49	87	680	6	69	0.36	196	< 10	130			
130531	201	202	550	1	2.39	17	770	4	477	0.18	32	< 10	42			
130532	201	202	730	< 1	0.95	77	630	6	110	0.41	166	10	98			
130533	201	202	550	1	1.23	46	460	6	105	0.47	154	< 10	78			
130534	201	202	590	2	1.09	62	720	4	142	0.47	162	< 10	66			
130535	201	202	1345	4	0.77	44	1190	4	156	0.18	76	< 10	72			
130536	201	202	580	1	1.06	49	540	6	114	0.57	181	10	88			
130537	201	202	460	< 1	1.37	20	790	4	196	0.57	172	< 10	64			
130538	201	202	1055	< 1	1.29	41	800	< 2	164	0.58	230	10	132			
130539	201	202	735	< 1	0.91	44	1250	< 2	92	0.66	263	< 10	158			
130540	201	202	910	< 1	1.71	16	1040	4	266	0.44	142	< 10	98			
130541	201	202	690	< 1	1.98	21	910	< 2	252	0.54	154	< 10	90			
130542	201	202	915	1	1.58	36	580	< 2	164	0.63	212	< 10	82			
130543	201	202	1040	< 1	1.27	40	1330	< 2	108	0.65	226	10	90			
130544	201	202	590	< 1	0.90	27	810	< 2	174	0.19	63	< 10	54			
130545	201	202	395	1	0.75	39	800	< 2	76	0.31	123	< 10	62			
130546	201	202	1210	1	1.32	34	1060	4	144	0.66	138	< 10	80			

CERTIFICATION: Stuart Bickler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page Number :6-A
Total Pages :6
Certificate Date: 13-JUL-96
Invoice No. :I9622711
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130547	201	202	< 5	< 0.2	5.46	2080	0.5	< 2	1.02	0.5	18	118	75	3.41	1.37	1.52
130548	201	202	< 5	< 0.2	5.30	1770	0.5	2	0.86	1.0	21	120	51	3.48	1.45	1.45
130549	201	202	< 5	< 0.2	5.51	910	1.0	< 2	0.53	2.0	24	234	21	4.94	1.18	1.23
130550	201	202	< 5	< 0.2	7.25	880	1.0	2	1.67	0.5	6	11	18	1.54	2.21	0.52
130551	201	202	< 5	< 0.2	4.32	1180	0.5	< 2	1.43	0.5	13	103	47	2.66	1.15	1.17
130552	201	202	< 5	< 0.2	5.20	1220	0.5	< 2	1.12	1.0	17	108	28	3.26	1.26	1.14
130553	201	202	< 5	6.0	3.02	790	1.0	< 2	3.85	1.0	8	42	512	1.33	0.59	0.59
130554	201	202	< 5	< 0.2	5.39	1320	0.5	< 2	1.77	1.5	11	63	65	2.56	1.33	0.89
130555	201	202	< 5	< 0.2	6.04	1240	1.0	< 2	1.49	1.5	25	74	32	4.84	1.44	1.29
130556	201	202	< 5	< 0.2	5.13	900	0.5	< 2	2.56	1.0	14	104	72	2.67	0.98	1.16
130557	201	202	< 5	< 0.2	6.83	670	0.5	< 2	1.59	1.0	25	119	41	5.32	1.03	1.98
130558	201	202	< 5	< 0.2	6.94	1230	1.5	2	1.38	0.5	25	127	106	4.13	1.52	1.53
130559	201	202	< 5	< 0.2	6.00	1010	1.0	< 2	1.07	1.5	15	84	34	4.35	1.38	1.19
130560	201	202	< 5	< 0.2	6.21	790	1.0	< 2	1.16	1.5	16	72	25	2.79	1.63	0.71
130561	201	202	< 5	< 0.2	6.50	600	0.5	< 2	2.32	1.5	21	138	47	5.54	1.15	1.72
130562	201	202	< 5	4.0	5.89	770	1.5	4	2.30	0.5	17	110	281	3.05	1.22	1.37
130563	201	202	< 5	< 0.2	5.48	1730	0.5	< 2	0.54	0.5	5	44	21	1.86	1.26	0.52
130564	201	202	< 5	< 0.2	6.22	670	0.5	4	1.94	1.0	13	45	24	3.10	1.50	1.21
130565	201	202	< 5	< 0.2	7.01	950	0.5	< 2	1.61	1.5	14	100	29	3.85	1.37	1.31
130566	201	202	< 5	< 0.2	7.03	810	0.5	< 2	2.10	1.0	22	143	13	4.25	1.39	1.56
130567	201	202	< 5	< 0.2	6.37	680	0.5	2	2.25	1.5	15	111	25	3.88	1.30	1.36
130568	201	202	< 5	< 0.2	5.93	820	2.0	< 2	1.24	1.5	7	94	10	2.46	1.84	0.67
130569	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130570	201	202	< 5	< 0.2	3.89	680	0.5	< 2	3.67	1.0	5	29	42	1.36	1.24	0.54
130571	201	202	not/ss	< 0.2	3.00	630	0.5	< 2	3.07	2.0	6	47	51	1.28	0.98	0.62
130572	201	202	< 5	< 0.2	10.95	1200	3.0	2	0.33	1.5	15	99	21	4.19	4.46	0.98
130573	201	202	< 5	< 0.2	7.87	1520	2.0	< 2	0.33	1.5	11	149	21	2.92	2.73	0.83
130574	201	202	< 5	< 0.2	6.19	1320	1.0	2	0.71	1.0	13	141	29	3.33	1.78	1.59
130575	201	202	< 5	< 0.2	6.63	1390	1.5	< 2	0.60	1.0	11	70	33	3.85	1.54	1.64
130576	201	202	< 5	< 0.2	5.95	1230	0.5	< 2	0.72	1.5	9	74	25	3.79	1.79	1.22
130577	201	202	< 5	< 0.2	6.20	1160	1.0	< 2	0.75	0.5	14	168	19	3.26	1.98	1.44
130578	201	202	< 5	< 0.2	7.78	1690	1.5	< 2	0.29	1.0	14	95	23	4.96	2.13	2.07
130579	201	202	< 5	< 0.2	6.11	1390	1.0	6	0.40	< 0.5	9	104	16	3.18	1.72	1.45
130580	201	202	< 5	< 0.2	7.26	1730	1.5	2	0.38	0.5	12	101	19	3.57	2.39	1.42
130581	201	202	< 5	< 0.2	5.57	1040	0.5	< 2	0.43	0.5	11	109	16	3.62	1.26	1.23
130582	201	202	< 5	2.0	6.28	1340	1.5	< 2	0.64	0.5	12	97	28	2.93	2.01	1.04
130583	201	202	< 5	< 0.2	6.09	1160	1.5	4	0.73	< 0.5	11	107	20	2.64	1.93	1.06
130584	201	202	45	< 0.2	7.90	1130	1.5	< 2	0.46	1.0	14	85	25	4.28	3.14	0.71
130585	201	202	15	< 0.2	6.50	1470	1.5	< 2	0.58	0.5	13	109	33	3.17	2.01	1.12
130586	201	202	< 5	< 0.2	6.71	1280	1.0	< 2	0.50	1.0	12	175	28	4.91	1.87	1.22

CERTIFICATION: Ian Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Certificate Date: 13-JUL-96
Invoice No. :I9622711
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9622711

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
130547	201 202	1355	< 1	1.18	48	670	10	117	0.43	149	< 10	76
130548	201 202	1145	1	0.93	56	770	10	99	0.43	144	10	84
130549	201 202	855	1	0.83	91	1120	12	80	0.37	160	< 10	108
130550	201 202	365	2	2.92	5	580	4	548	0.20	37	< 10	48
130551	201 202	590	< 1	0.87	45	830	4	104	0.33	122	< 10	80
130552	201 202	550	1	0.93	42	470	4	98	0.37	143	< 10	98
130553	201 202	550	1	0.66	36	1730	< 2	220	0.11	44	< 10	34
130554	201 202	635	4	1.16	31	820	2	196	0.25	107	< 10	80
130555	201 202	1385	1	1.28	26	1120	2	208	0.56	190	10	122
130556	201 202	425	< 1	0.87	36	1180	< 2	175	0.27	107	< 10	70
130557	201 202	855	< 1	0.98	39	1040	< 2	113	0.60	216	10	146
130558	201 202	740	< 1	1.06	61	270	12	124	0.44	177	10	146
130559	201 202	670	< 1	1.20	29	1290	< 2	153	0.48	161	< 10	180
130560	201 202	860	1	1.55	17	540	8	210	0.48	126	< 10	88
130561	201 202	750	< 1	1.26	40	1390	4	163	0.59	227	10	120
130562	201 202	815	< 1	1.33	44	760	12	182	0.40	135	10	58
130563	201 202	340	1	0.99	7	310	< 2	168	0.31	96	< 10	58
130564	201 202	630	1	2.12	16	900	2	314	0.40	129	< 10	68
130565	201 202	530	1	1.81	30	440	8	223	0.44	157	< 10	122
130566	201 202	770	< 1	1.63	31	500	< 2	135	0.52	174	10	112
130567	201 202	635	< 1	1.76	30	940	6	174	0.45	167	10	86
130568	201 202	510	< 1	1.68	20	530	8	161	0.38	93	< 10	84
130569	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
130570	201 202	270	1	0.84	20	650	4	248	0.11	40	< 10	70
130571	201 202	490	< 1	0.36	45	730	2	130	0.11	44	< 10	76
130572	201 202	370	< 1	0.66	30	430	8	41	0.31	106	10	74
130573	201 202	385	3	0.68	34	390	10	95	0.29	126	< 10	76
130574	201 202	575	1	0.92	64	740	8	154	0.31	128	< 10	94
130575	201 202	660	2	1.05	28	490	6	313	0.37	163	< 10	88
130576	201 202	575	1	1.37	19	1190	8	225	0.26	118	< 10	90
130577	201 202	585	< 1	1.25	46	520	8	251	0.29	114	< 10	70
130578	201 202	455	< 1	0.97	25	330	14	177	0.32	163	< 10	90
130579	201 202	325	1	0.83	28	230	4	70	0.35	131	< 10	60
130580	201 202	495	1	1.00	22	420	10	101	0.34	136	< 10	84
130581	201 202	425	1	1.12	39	680	4	72	0.53	138	< 10	62
130582	201 202	555	2	0.87	42	930	12	105	0.27	153	< 10	106
130583	201 202	305	1	0.99	42	790	10	104	0.25	108	< 10	80
130584	201 202	345	1	0.62	34	1230	10	65	0.31	140	< 10	100
130585	201 202	670	1	0.88	56	770	12	91	0.25	128	< 10	96
130586	201 202	445	1	1.12	60	1010	10	97	0.32	137	< 10	70

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9623654

Comments: ATTN:DAVID TERRY

CERTIFICATE A9623654

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 23-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	208	Dry, sieve to -80 mesh
202	208	save reject
285	207	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	208	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	208	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	207	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	207	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	207	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	207	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	207	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	207	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	207	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	207	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	207	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	207	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	207	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	207	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	207	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	207	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	207	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	207	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	207	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	208	Pb ppm: 24 element, rock & core	AAS	2	10000
582	207	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	207	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	207	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	207	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	207	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131831	201	202	< 5	< 0.2	6.61	600	< 0.5	< 2	2.14	< 0.5	14	160	20	4.35	1.55	1.36
131832	201	202	< 5	< 0.2	5.63	790	0.5	< 2	0.75	< 0.5	27	119	16	4.75	1.41	0.81
131833	201	202	< 5	< 0.2	5.39	920	0.5	< 2	0.94	0.5	9	83	18	3.31	1.59	0.77
131834	201	202	< 5	< 0.2	5.56	990	0.5	< 2	1.06	0.5	13	95	40	3.05	1.77	1.03
131835	201	202	< 5	< 0.2	5.23	1800	0.5	< 2	0.84	0.5	17	131	53	3.41	1.69	1.46
131836	201	202	< 5	< 0.2	6.26	650	0.5	< 2	2.00	2.0	38	325	203	4.76	1.13	3.34
131837	201	202	< 5	< 0.2	3.78	510	< 0.5	< 2	0.65	0.5	68	1320	21	7.33	0.87	6.14
131838	201	202	< 5	< 0.2	7.34	780	0.5	< 2	1.35	0.5	19	146	105	3.74	1.47	1.82
131839	201	202	< 5	< 0.2	6.96	630	0.5	< 2	1.33	0.5	16	103	95	3.16	1.48	1.53
131840	201	202	< 5	< 0.2	7.34	590	0.5	< 2	1.58	0.5	25	157	108	4.25	1.36	2.17
131841	201	202	< 5	< 0.2	1.85	230	< 0.5	< 2	1.87	< 0.5	4	26	33	0.96	0.38	0.33
131842	201	202	< 5	< 0.2	6.70	720	0.5	< 2	1.63	0.5	11	66	36	2.65	1.72	1.05
131843	201	202	< 5	< 0.2	6.75	660	0.5	< 2	1.83	0.5	14	120	23	3.77	1.77	1.35
131844	201	202	< 5	< 0.2	7.13	480	< 0.5	< 2	1.31	< 0.5	32	364	49	6.09	1.01	2.58
131845	201	202	< 5	< 0.2	7.28	790	0.5	< 2	1.60	0.5	14	93	28	2.42	2.06	1.13
131846	201	202	< 5	< 0.2	6.95	760	1.0	< 2	2.28	< 0.5	9	26	51	2.10	1.78	0.81
131847	201	202	< 5	< 0.2	6.43	940	0.5	< 2	1.19	< 0.5	9	54	26	2.18	1.79	0.81
131848	201	202	< 5	< 0.2	6.06	1090	0.5	< 2	0.87	< 0.5	14	104	79	3.82	1.25	0.97
131849	201	202	< 5	< 0.2	7.19	970	0.5	< 2	2.14	< 0.5	10	33	32	2.51	1.83	0.99
131850	201	202	< 5	< 0.2	7.64	660	0.5	< 2	2.07	0.5	32	216	102	5.60	1.10	2.81
131851	201	202	< 5	< 0.2	6.77	590	0.5	< 2	2.05	0.5	21	61	48	4.65	1.27	1.56
131852	201	202	< 5	< 0.2	7.27	580	0.5	< 2	3.28	0.5	27	90	101	4.83	1.21	2.10
131853	201	202	< 5	< 0.2	6.95	530	0.5	< 2	3.66	1.0	27	69	88	5.16	1.02	2.20
131854	201	202	< 5	< 0.2	6.76	510	0.5	< 2	3.43	0.5	23	78	49	5.12	0.99	1.91
131855	201	202	< 5	< 0.2	6.42	390	< 0.5	< 2	4.52	< 0.5	28	57	71	6.20	1.11	3.09
131856	201	202	< 5	< 0.2	7.36	480	0.5	< 2	4.10	1.5	32	131	95	5.82	1.11	2.62
131857	201	202	< 5	< 0.2	7.71	510	0.5	< 2	4.08	0.5	23	188	45	5.48	1.71	2.04
131858	201	202	< 5	< 0.2	7.77	500	0.5	< 2	3.47	< 0.5	23	169	48	5.10	1.59	2.14
131859	201	202	< 5	< 0.2	7.33	360	0.5	< 2	3.94	0.5	28	106	67	5.68	1.10	2.80
131860	201	202	< 5	< 0.2	7.34	370	< 0.5	< 2	4.54	1.0	21	119	49	5.67	0.88	2.07
131861	201	202	< 5	< 0.2	6.42	470	0.5	< 2	1.77	0.5	26	93	55	4.73	1.16	2.48
131862	201	202	< 5	< 0.2	7.39	460	0.5	< 2	3.88	0.5	21	137	43	5.13	1.32	1.81
131863	201	202	< 5	< 0.2	7.36	1360	0.5	< 2	1.29	0.5	35	325	98	4.71	1.72	2.43
131864	201	202	< 5	< 0.2	6.71	670	0.5	< 2	2.41	0.5	18	202	33	4.09	1.12	2.02
131865	201	202	< 5	< 0.2	6.07	610	0.5	< 2	1.60	0.5	15	159	31	3.58	1.36	1.43
131866	201	202	< 5	< 0.2	6.32	1040	1.0	< 2	1.99	< 0.5	19	169	67	3.88	1.59	1.66
131867	201	202	< 5	< 0.2	7.07	940	0.5	< 2	2.54	0.5	22	252	70	3.88	1.74	2.86
131868	201	202	10	< 0.2	7.55	570	0.5	< 2	3.73	0.5	29	333	64	4.92	1.31	2.95
131869	201	202	< 5	< 0.2	3.94	460	0.5	< 2	2.58	0.5	9	55	94	1.72	0.78	0.80
131870	201	202	< 5	< 0.2	7.11	1300	0.5	< 2	1.81	0.5	12	58	25	2.96	1.83	0.96

CERTIFICATION: [illegible]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-B
Total : 6
Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
131831	201 202	550	1	1.83	40	610	< 2	247	0.61	182	10	54
131832	201 202	3600	2	1.07	23	1850	8	121	0.53	173	10	76
131833	201 202	355	2	1.21	23	760	6	144	0.45	161	< 10	72
131834	201 202	790	1	1.12	38	930	4	152	0.41	124	< 10	70
131835	201 202	795	1	0.84	58	610	10	87	0.44	120	< 10	74
131836	201 202	915	< 1	1.44	197	690	4	150	0.64	177	10	604
131837	201 202	1280	< 1	0.74	486	1150	6	73	0.35	135	10	122
131838	201 202	725	2	1.67	45	1430	2	227	0.38	133	10	80
131839	201 202	540	< 1	1.79	34	1140	< 2	279	0.30	104	< 10	66
131840	201 202	795	1	1.88	49	1310	< 2	243	0.46	150	< 10	76
131841	201 202	165	1	0.45	8	1110	< 2	99	0.11	29	< 10	28
131842	201 202	445	2	2.16	19	990	< 2	391	0.33	86	< 10	54
131843	201 202	525	< 1	1.99	26	530	< 2	281	0.64	169	10	60
131844	201 202	1130	1	1.27	138	740	< 2	124	0.61	203	10	64
131845	201 202	525	3	2.51	31	500	< 2	426	0.30	87	< 10	54
131846	201 202	460	1	2.52	12	930	< 2	520	0.25	59	< 10	50
131847	201 202	440	2	2.07	15	510	4	325	0.30	85	< 10	56
131848	201 202	1040	1	1.02	23	2490	10	158	0.48	180	< 10	60
131849	201 202	425	2	2.50	11	1200	< 2	526	0.33	82	< 10	52
131850	201 202	885	< 1	1.22	72	990	< 2	139	0.57	205	10	84
131851	201 202	745	< 1	1.79	26	1380	< 2	242	0.65	191	10	74
131852	201 202	740	< 1	1.71	38	750	< 2	207	0.63	226	10	70
131853	201 202	905	< 1	1.64	33	820	< 2	211	0.65	232	10	70
131854	201 202	820	< 1	1.61	29	1120	< 2	197	0.74	239	10	70
131855	201 202	915	< 1	1.45	31	850	< 2	203	0.91	252	20	72
131856	201 202	995	< 1	1.81	52	1060	< 2	193	0.79	248	10	78
131857	201 202	930	< 1	1.99	57	1740	< 2	249	1.11	223	10	66
131858	201 202	810	1	1.90	58	1590	< 2	211	0.92	221	10	68
131859	201 202	835	1	2.13	42	1250	< 2	178	0.98	262	10	70
131860	201 202	900	< 1	2.14	36	1190	< 2	244	0.89	256	10	60
131861	201 202	720	< 1	1.86	44	1560	< 2	89	0.77	184	10	82
131862	201 202	775	< 1	1.99	46	1310	< 2	266	0.87	220	10	64
131863	201 202	3370	< 1	0.78	109	1330	4	161	0.69	202	< 10	88
131864	201 202	960	1	1.92	55	1270	2	193	0.61	171	10	62
131865	201 202	510	1	1.47	43	1290	4	142	0.62	156	< 10	58
131866	201 202	1105	< 1	1.22	56	990	6	165	0.53	166	< 10	70
131867	201 202	750	< 1	1.44	78	1400	< 2	228	0.61	174	10	64
131868	201 202	895	< 1	1.91	92	1290	< 2	187	0.76	224	10	72
131869	201 202	530	< 1	0.79	18	1240	< 2	163	0.14	63	< 10	44
131870	201 202	640	1	1.98	16	1080	< 2	369	0.38	116	< 10	58

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131871	201	202	< 5	< 0.2	6.17	510	0.5	< 2	2.08	1.0	26	125	68	3.82	1.31	1.72
131872	201	202	< 5	< 0.2	7.30	450	< 0.5	< 2	1.43	< 0.5	37	293	141	6.63	1.45	3.43
131873	201	202	5	< 0.2	6.62	1180	0.5	< 2	1.15	< 0.5	28	158	110	5.10	1.58	2.02
131874	201	202	< 5	< 0.2	4.83	280	< 0.5	< 2	3.53	0.5	30	163	110	4.00	0.83	2.13
131875	201	202	< 5	< 0.2	1.22	570	< 0.5	< 2	2.31	1.5	3	19	30	0.57	0.28	0.46
131876	201	202	< 5	0.4	1.76	640	0.5	< 2	3.15	2.0	7	34	38	1.07	0.40	0.62
131877	201	202	< 5	0.2	6.74	1250	1.5	< 2	1.27	0.5	13	101	36	2.68	1.81	0.99
131878	201	202	10	< 0.2	6.32	1520	1.5	< 2	0.86	0.5	15	125	35	2.89	2.02	1.23
131879	201	202	< 5	< 0.2	6.33	1620	1.5	< 2	1.28	1.0	12	113	41	3.01	2.00	1.24
131880	201	202	< 5	< 0.2	7.05	1120	1.5	< 2	1.45	< 0.5	10	94	23	2.36	2.18	1.11
131881	201	202	< 5	< 0.2	5.32	970	1.0	< 2	1.37	< 0.5	12	180	16	2.78	1.35	1.35
131882	201	202	< 5	< 0.2	6.38	1170	1.5	< 2	1.71	0.5	18	144	37	3.41	1.80	1.62
131883	201	202	< 5	< 0.2	5.45	800	1.5	< 2	1.26	0.5	17	166	18	2.68	1.58	1.62
131884	201	202	< 5	< 0.2	5.54	1100	1.0	< 2	2.43	1.5	16	133	39	2.75	1.48	1.42
131885	201	202	< 5	< 0.2	5.84	1060	1.5	< 2	1.48	0.5	15	187	28	3.06	1.61	1.66
131886	201	202	< 5	0.2	6.40	1360	1.5	< 2	1.47	0.5	19	201	33	3.40	1.83	1.62
131887	201	202	< 5	0.8	5.39	1190	1.0	< 2	1.69	0.5	14	124	66	2.92	1.30	1.22
131888	201	202	< 5	0.4	7.30	1440	1.5	< 2	1.59	0.5	14	121	49	3.23	2.08	1.38
131889	201	202	< 5	< 0.2	2.37	700	0.5	< 2	2.50	2.0	7	41	41	1.08	0.62	0.71
131890	201	202	< 5	0.2	5.62	1210	1.5	< 2	1.32	< 0.5	14	136	33	2.65	1.69	1.33
131891	201	202	< 5	< 0.2	6.05	1160	1.5	< 2	1.30	0.5	13	125	14	2.73	1.90	1.31
131892	201	202	< 5	< 0.2	5.30	1070	1.5	< 2	1.47	0.5	15	152	24	2.73	1.38	1.29
131893	201	202	< 5	0.4	7.07	1800	2.0	< 2	1.23	0.5	16	190	77	3.82	2.04	1.52
131894	201	202	< 5	< 0.2	6.28	1340	1.5	< 2	1.36	< 0.5	14	168	26	3.20	1.90	1.72
131895	201	202	< 5	< 0.2	6.72	950	1.0	< 2	2.44	0.5	23	141	49	4.42	1.59	2.14
131896	201	202	< 5	< 0.2	7.04	670	0.5	< 2	2.59	< 0.5	14	63	29	3.82	1.70	1.35
131897	201	202	< 5	< 0.2	6.79	700	0.5	< 2	2.93	0.5	19	113	28	4.45	1.54	1.56
131898	201	202	< 5	< 0.2	6.08	1130	1.5	2	1.35	< 0.5	11	114	20	2.68	1.88	1.07
131899	201	202	< 5	< 0.2	6.40	920	1.0	< 2	1.37	0.5	10	102	14	2.64	1.98	0.85
131900	201	202	< 5	< 0.2	6.48	920	1.0	< 2	1.28	< 0.5	8	61	16	2.12	2.04	0.69
131907	201	202	< 5	< 0.2	5.76	640	0.5	< 2	1.30	< 0.5	13	127	30	4.63	1.29	1.15
131908	201	202	< 5	< 0.2	7.03	530	0.5	< 2	2.03	< 0.5	26	115	50	5.24	1.26	2.09
131909	201	202	< 5	< 0.2	5.85	560	0.5	< 2	2.86	2.0	21	118	50	4.36	1.07	1.39
131910	201	202	< 5	< 0.2	6.48	450	0.5	< 2	3.03	< 0.5	18	99	36	4.80	1.06	1.53
131911	201	202	< 5	< 0.2	6.66	370	0.5	< 2	4.16	< 0.5	20	96	31	5.79	0.95	1.76
131912	201	202	< 5	< 0.2	6.94	820	1.0	< 2	1.59	< 0.5	6	8	24	1.46	2.32	0.45
131913	201	202	< 5	< 0.2	6.61	1180	0.5	< 2	2.21	0.5	23	196	59	4.97	1.42	2.17
131914	201	202	< 5	< 0.2	7.33	270	< 0.5	< 2	5.25	0.5	29	208	79	5.12	0.57	2.71
131915	201	202	< 5	< 0.2	7.88	440	< 0.5	< 2	4.82	< 0.5	22	215	57	4.58	1.02	2.10
131916	201	202	< 5	< 0.2	7.39	780	1.0	< 2	1.36	0.5	30	212	78	4.06	1.51	1.83

CERTIFICATION: Ian Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : 19623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
131871	201 202	1225	1	1.58	35	1560	< 2	261	0.37	124	< 10	98
131872	201 202	1740	< 1	0.83	52	740	2	61	0.69	258	10	84
131873	201 202	1560	2	0.78	58	980	< 2	75	0.58	217	< 10	120
131874	201 202	1210	< 1	0.81	61	1750	12	127	0.33	125	< 10	56
131875	201 202	300	1	0.19	62	950	< 2	156	0.04	21	< 10	54
131876	201 202	885	1	0.16	59	1520	4	175	0.05	34	< 10	74
131877	201 202	655	1	1.45	60	1250	6	254	0.26	117	< 10	80
131878	201 202	465	< 1	0.98	61	940	10	105	0.35	149	< 10	100
131879	201 202	475	3	0.75	78	990	12	120	0.27	148	< 10	140
131880	201 202	400	1	2.14	54	650	< 2	347	0.31	95	< 10	68
131881	201 202	455	1	1.31	62	930	6	144	0.43	117	< 10	58
131882	201 202	620	1	1.36	67	1010	6	145	0.47	151	< 10	82
131883	201 202	550	1	1.49	99	900	4	179	0.31	91	< 10	72
131884	201 202	1050	3	1.18	98	1230	4	218	0.33	114	< 10	118
131885	201 202	475	< 1	1.35	96	780	4	158	0.40	125	< 10	74
131886	201 202	635	3	1.15	89	1320	14	150	0.35	132	< 10	108
131887	201 202	545	3	0.65	93	1530	6	158	0.18	113	< 10	132
131888	201 202	525	3	1.43	85	1170	10	263	0.31	132	< 10	120
131889	201 202	690	< 1	0.35	61	1360	< 2	157	0.07	37	< 10	70
131890	201 202	605	3	1.10	83	920	6	150	0.30	118	< 10	90
131891	201 202	430	1	1.56	49	530	4	184	0.41	121	< 10	72
131892	201 202	605	1	1.18	73	1210	4	157	0.34	114	< 10	62
131893	201 202	625	3	1.21	117	1120	12	174	0.32	145	< 10	114
131894	201 202	510	4	1.33	86	890	4	150	0.39	127	< 10	78
131895	201 202	800	< 1	1.62	71	940	16	172	0.58	183	< 10	78
131896	201 202	570	1	2.32	22	980	< 2	338	0.55	155	< 10	58
131897	201 202	800	< 1	1.88	38	810	< 2	276	0.66	200	10	56
131898	201 202	435	1	1.59	33	540	8	205	0.41	119	< 10	60
131899	201 202	640	3	2.00	23	380	4	272	0.41	118	< 10	54
131900	201 202	535	1	2.07	13	250	< 2	313	0.33	91	< 10	48
131907	201 202	510	1	1.27	31	890	< 2	140	0.59	169	< 10	60
131908	201 202	825	2	1.50	44	2380	< 2	122	0.70	189	< 10	96
131909	201 202	1085	2	1.32	36	3260	< 2	149	0.60	193	< 10	76
131910	201 202	715	2	1.63	29	1690	< 2	202	0.72	200	10	64
131911	201 202	720	< 1	1.68	28	820	< 2	195	0.92	283	10	62
131912	201 202	355	3	2.79	4	970	4	491	0.18	30	< 10	44
131913	201 202	1350	< 1	1.07	60	1220	< 2	136	0.63	203	< 10	74
131914	201 202	930	< 1	1.76	58	580	< 2	186	0.64	230	10	60
131915	201 202	710	< 1	1.83	55	550	< 2	201	0.60	218	10	56
131916	201 202	690	< 1	1.37	71	740	12	115	0.46	152	< 10	78

CERTIFICATION: Stan Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131917	201	202	< 5	< 0.2	6.88	800	1.0	2	1.89	0.5	9	29	37	2.22	1.75	0.77
131918	201	202	< 5	< 0.2	7.22	510	0.5	< 2	3.83	0.5	29	170	49	4.49	1.04	2.20
131919	201	202	< 5	< 0.2	6.98	500	0.5	< 2	3.30	< 0.5	20	139	49	3.95	1.15	2.09
131920	201	202	< 5	< 0.2	6.55	330	< 0.5	< 2	3.50	0.5	24	233	45	5.50	0.65	2.88
131921	201	202	< 5	< 0.2	6.48	980	1.0	2	1.50	0.5	17	152	26	3.30	1.57	1.49
131922	201	202	< 5	0.4	6.40	670	0.5	< 2	1.26	< 0.5	10	74	26	5.09	1.53	0.68
131923	201	202	< 5	0.4	6.20	710	0.5	< 2	0.98	< 0.5	16	147	60	3.20	1.22	1.51
131924	201	202	< 5	< 0.2	6.90	800	1.0	2	1.71	< 0.5	8	42	22	2.24	1.96	0.71
131925	201	202	< 5	< 0.2	6.87	740	0.5	2	1.62	0.5	13	143	25	4.11	1.69	1.33
131926	201	202	< 5	< 0.2	5.14	590	1.0	< 2	1.59	0.5	11	262	217	2.29	1.13	1.27
131927	201	202	< 5	< 0.2	6.19	630	0.5	< 2	1.17	< 0.5	31	228	27	5.58	1.31	2.12
131928	201	202	< 5	< 0.2	7.90	440	0.5	< 2	5.07	0.5	33	222	90	5.18	0.82	2.34
131929	201	202	< 5	< 0.2	7.44	840	1.0	< 2	1.88	0.5	8	9	19	1.73	2.08	0.61
131930	201	202	< 5	< 0.2	7.05	690	0.5	< 2	2.43	0.5	24	172	112	4.61	1.13	2.06
131931	201	202	< 5	< 0.2	7.11	630	0.5	2	3.33	0.5	27	189	72	4.67	0.98	2.19
131932	201	202	< 5	< 0.2	6.54	510	< 0.5	< 2	3.18	0.5	19	120	33	6.28	0.74	1.86
131933	201	202	< 5	< 0.2	6.89	1110	1.0	4	3.00	0.5	19	111	36	4.09	1.36	1.86
131934	201	202	< 5	< 0.2	6.94	540	< 0.5	< 2	3.12	< 0.5	16	108	26	5.12	0.92	1.74
131935	201	202	< 5	< 0.2	7.11	1790	1.5	< 2	1.34	1.0	14	114	42	3.41	2.37	1.38
131936	201	202	< 5	< 0.2	6.73	1490	1.5	2	1.09	0.5	14	106	29	3.26	2.00	1.17
131937	201	202	5	< 0.2	7.16	1320	1.5	< 2	0.85	1.0	15	79	22	2.78	2.36	0.87
131938	201	202	15	< 0.2	7.33	1740	2.0	2	0.84	1.5	18	103	45	3.56	2.45	1.11
131939	201	202	50	3.4	6.60	2190	1.5	< 2	0.91	1.5	20	111	71	4.16	2.15	1.10
131940	201	202	10	1.6	6.17	1400	1.0	4	1.65	1.0	14	106	36	2.81	1.67	1.23
131941	201	202	5	0.4	5.83	1040	1.0	< 2	1.95	1.0	9	42	70	2.12	1.48	0.72
131942	201	202	< 5	< 0.2	5.63	990	1.0	< 2	1.96	2.0	17	68	31	2.50	1.41	0.82
131943	201	202	< 5	< 0.2	6.32	1360	1.5	2	1.21	0.5	13	113	34	3.53	1.72	1.26
131944	201	202	< 5	< 0.2	6.16	1390	1.5	< 2	0.77	0.5	12	84	20	2.74	1.80	0.99
131945	201	202	10	< 0.2	6.05	1260	1.5	< 2	1.85	1.5	14	89	84	2.96	1.57	0.90
131946	201	202	< 5	< 0.2	6.14	1260	1.0	< 2	1.29	0.5	19	89	34	3.85	1.79	1.06
131947	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
131948	201	202	15	< 0.2	6.84	1550	1.5	< 2	0.88	< 0.5	15	112	35	3.47	2.03	1.24
131949	201	202	< 5	< 0.2	6.65	1420	1.5	< 2	0.96	0.5	8	72	14	2.40	2.40	0.86
131950	201	202	< 5	1.0	7.33	1490	1.5	8	1.25	1.0	12	97	18	2.65	2.46	1.03
131951	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
131952	201	202	< 5	0.6	6.62	1350	1.5	4	1.59	0.5	15	103	43	3.04	1.89	1.16
131953	201	202	< 5	0.2	6.86	1560	1.5	< 2	1.16	0.5	17	117	25	3.61	2.31	1.39
131954	201	202	< 5	0.4	6.60	1310	1.5	< 2	1.71	1.0	10	46	33	2.46	2.15	0.86
131955	201	202	< 5	< 0.2	6.42	1430	1.5	< 2	1.44	0.5	16	150	35	3.29	1.67	1.52
131956	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
131917	201	202	460	2	2.40	10	1700	10	486	0.28	67	< 10	52			
131918	201	202	935	3	1.67	37	600	< 2	218	0.52	197	10	74			
131919	201	202	675	2	1.90	39	1160	4	255	0.47	158	10	64			
131920	201	202	820	< 1	1.39	51	1250	< 2	99	0.70	209	10	70			
131921	201	202	520	3	1.57	58	810	4	187	0.49	145	< 10	72			
131922	201	202	545	5	1.89	14	2010	6	282	0.55	186	< 10	56			
131923	201	202	385	4	1.26	111	1520	4	218	0.25	109	< 10	76			
131924	201	202	430	4	2.61	12	580	6	450	0.32	81	< 10	48			
131925	201	202	480	< 1	2.03	46	820	6	321	0.48	149	< 10	56			
131926	201	202	295	2	1.42	272	1870	4	277	0.16	61	< 10	44			
131927	201	202	1095	2	1.80	112	1070	6	250	0.53	182	< 10	90			
131928	201	202	1005	1	1.55	52	710	< 2	222	0.62	251	10	68			
131929	201	202	380	1	2.93	4	630	6	563	0.21	41	< 10	48			
131930	201	202	680	1	1.21	47	1410	8	150	0.54	196	10	90			
131931	201	202	870	1	1.31	50	1010	< 2	151	0.53	196	10	82			
131932	201	202	750	< 1	1.46	35	1050	4	188	0.89	266	10	64			
131933	201	202	670	1	1.78	38	870	6	184	0.66	193	10	72			
131934	201	202	720	3	1.88	31	1400	< 2	224	0.88	248	10	76			
131935	201	202	1680	2	0.93	47	1210	6	175	0.38	138	< 10	96			
131936	201	202	595	1	1.14	42	1010	10	138	0.37	135	< 10	92			
131937	201	202	750	1	0.87	30	1000	18	118	0.27	115	< 10	84			
131938	201	202	675	1	1.01	54	1070	16	121	0.35	142	< 10	126			
131939	201	202	2340	5	0.69	70	1210	14	112	0.28	145	< 10	168			
131940	201	202	545	3	1.52	46	1150	6	295	0.31	124	< 10	110			
131941	201	202	920	4	1.69	34	1280	6	395	0.20	67	< 10	74			
131942	201	202	2520	3	1.70	36	1400	4	353	0.28	74	< 10	80			
131943	201	202	455	3	1.23	52	1040	8	155	0.36	131	< 10	104			
131944	201	202	455	2	1.11	32	720	10	126	0.34	121	< 10	76			
131945	201	202	1280	3	1.22	82	1280	10	284	0.24	107	< 10	118			
131946	201	202	1140	2	1.23	40	1360	8	206	0.28	116	< 10	102			
131947	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
131948	201	202	475	3	1.01	51	860	16	102	0.37	140	< 10	94			
131949	201	202	315	1	1.17	24	440	6	150	0.31	88	< 10	62			
131950	201	202	465	< 1	1.49	35	480	10	217	0.34	108	< 10	68			
131951	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
131952	201	202	670	< 1	1.51	36	800	14	242	0.37	116	< 10	74			
131953	201	202	830	2	1.23	39	620	30	129	0.45	143	< 10	126			
131954	201	202	460	1	1.90	24	810	12	337	0.28	77	< 10	84			
131955	201	202	515	3	1.35	75	960	16	155	0.42	141	< 10	90			
131956	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131957	201	202	< 5	< 0.2	6.43	1220	1.5	< 2	1.10	0.5	10	100	20	2.66	1.84	1.05
131958	201	202	< 5	< 0.2	6.28	1410	1.5	< 2	1.02	< 0.5	13	120	23	3.02	1.68	1.22
131959	201	202	< 5	< 0.2	5.91	1140	1.5	2	1.32	0.5	12	114	16	2.67	1.58	1.38
131960	201	202	5	< 0.2	6.49	1140	1.0	< 2	2.09	< 0.5	23	173	35	4.01	1.44	2.07
131961	201	202	< 5	0.6	5.32	930	1.5	< 2	0.94	< 0.5	11	139	16	2.86	1.29	1.17
131962	201	202	< 5	< 0.2	6.30	1010	1.0	< 2	1.11	< 0.5	12	119	21	3.13	1.56	1.18
131963	201	202	< 5	< 0.2	5.92	870	1.0	< 2	1.02	0.5	12	127	18	3.37	1.50	1.13
131964	201	202	< 5	< 0.2	6.26	940	1.0	< 2	1.82	< 0.5	16	126	39	3.29	1.38	1.53
131965	201	202	< 5	< 0.2	7.01	830	0.5	< 2	2.09	0.5	15	78	33	3.07	1.75	1.28
131966	201	202	< 5	< 0.2	6.08	1060	1.5	2	1.70	0.5	17	139	31	3.20	1.45	1.56
131967	201	202	< 5	< 0.2	6.10	1230	2.0	4	1.20	< 0.5	16	138	26	3.01	1.72	1.50
131968	201	202	< 5	< 0.2	5.98	1220	1.5	< 2	1.25	0.5	15	142	28	2.98	1.69	1.54
131969	201	202	< 5	< 0.2	6.34	1290	1.5	< 2	1.24	< 0.5	14	135	33	3.22	1.83	1.43
131970	201	202	< 5	< 0.2	6.40	1100	1.5	< 2	1.25	0.5	11	105	25	2.77	1.80	1.15
131971	201	202	5	< 0.2	5.64	1080	1.5	< 2	1.24	< 0.5	13	148	25	2.94	1.53	1.43
131972	201	202	< 5	< 0.2	6.01	1380	0.5	< 2	1.84	0.5	17	157	35	3.17	1.25	1.66
131973	201	202	< 5	< 0.2	5.29	1050	0.5	< 2	2.29	0.5	16	185	41	3.06	1.10	1.84
131974	201	202	< 5	< 0.2	6.05	1290	0.5	< 2	1.89	0.5	18	187	42	3.28	1.28	1.85
131975	201	202	< 5	0.2	6.14	1720	1.0	< 2	1.52	< 0.5	14	157	34	3.03	1.55	1.49
131976	201	202	5	< 0.2	6.07	1500	1.0	< 2	1.82	< 0.5	15	161	40	2.87	1.48	1.41
131977	201	202	< 5	< 0.2	5.35	1430	1.0	4	1.74	0.5	17	144	44	2.94	1.14	1.12
131978	201	202	< 5	< 0.2	5.61	1140	1.5	2	1.16	< 0.5	14	133	24	2.72	1.51	1.27
132078	201	202	< 5	< 0.2	7.06	950	0.5	2	1.27	0.5	18	157	14	3.24	1.74	0.97
132079	201	202	< 5	< 0.2	6.97	860	0.5	4	0.79	0.5	31	431	16	4.66	2.10	1.68
132080	201	202	< 5	< 0.2	8.22	850	1.0	2	0.39	0.5	13	86	20	4.28	2.82	0.65
132081	201	202	< 5	< 0.2	7.53	590	0.5	2	0.54	< 0.5	7	43	11	2.52	2.18	0.43
132082	201	202	< 5	< 0.2	7.96	840	0.5	2	0.72	< 0.5	10	62	16	3.09	2.37	0.63
132083	201	202	< 5	< 0.2	7.98	850	1.0	6	0.33	< 0.5	12	78	14	4.03	2.55	0.73
132084	201	202	< 5	< 0.2	8.47	870	1.0	2	0.34	< 0.5	11	77	12	3.81	2.57	0.68
132085	201	202	< 5	< 0.2	8.96	820	1.0	2	0.40	< 0.5	12	62	24	3.66	2.76	0.55
132086	201	202	< 5	< 0.2	6.77	840	1.5	8	0.47	< 0.5	18	251	29	2.79	2.35	1.65
132087	201	202	< 5	< 0.2	5.47	1010	0.5	8	0.59	0.5	26	357	23	3.02	1.26	1.81
132088	201	202	20	< 0.2	4.08	710	< 0.5	< 2	0.73	< 0.5	44	1060	28	4.03	0.86	8.81
132089	201	202	< 5	< 0.2	5.56	910	0.5	10	0.88	< 0.5	21	533	19	3.27	1.44	4.02
132090	201	202	< 5	< 0.2	4.11	630	0.5	6	1.50	< 0.5	37	657	28	2.51	0.99	6.49
132091	201	202	< 5	< 0.2	4.36	1640	0.5	2	1.05	2.5	16	161	35	2.97	1.39	1.56
132092	201	202	< 5	< 0.2	5.43	700	< 0.5	6	3.00	0.5	20	144	137	4.23	0.88	2.00
132151	201	202	< 5	< 0.2	7.14	1100	1.5	6	1.64	< 0.5	21	132	55	3.47	2.71	1.04
132152	201	202	10	0.8	5.57	2190	1.0	6	2.90	< 0.5	12	98	66	2.45	1.73	1.03
132153	201	202	< 5	0.2	5.00	1430	0.5	8	3.40	< 0.5	9	47	56	1.73	1.25	0.68

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
131957	201	202	385	3	1.55	33	650	22	212	0.36	113	< 10	70			
131958	201	202	445	1	1.28	50	660	12	143	0.41	129	< 10	78			
131959	201	202	405	1	1.47	47	920	12	145	0.43	127	< 10	64			
131960	201	202	765	1	1.46	73	920	4	145	0.57	174	10	88			
131961	201	202	410	3	1.31	54	560	6	128	0.41	130	< 10	58			
131962	201	202	430	3	1.66	53	640	8	207	0.42	120	< 10	64			
131963	201	202	460	2	1.59	49	920	8	214	0.41	120	< 10	70			
131964	201	202	555	2	1.66	59	930	4	211	0.45	136	< 10	64			
131965	201	202	565	2	2.31	34	600	6	371	0.41	114	< 10	62			
131966	201	202	525	3	1.49	61	980	6	153	0.50	151	< 10	72			
131967	201	202	505	4	1.46	70	1040	10	146	0.44	137	< 10	84			
131968	201	202	540	2	1.44	85	1010	12	146	0.44	133	< 10	86			
131969	201	202	475	1	1.49	68	1020	12	153	0.47	149	< 10	92			
131970	201	202	415	2	1.79	47	720	6	246	0.39	119	< 10	76			
131971	201	202	470	2	1.41	74	1030	8	142	0.44	133	< 10	80			
131972	201	202	530	1	1.05	86	1230	2	160	0.43	131	< 10	154			
131973	201	202	755	< 1	0.99	100	1070	< 2	168	0.41	125	< 10	104			
131974	201	202	650	1	1.15	85	1110	4	189	0.44	134	< 10	98			
131975	201	202	420	< 1	1.04	58	930	< 2	167	0.39	128	< 10	90			
131976	201	202	570	1	1.14	57	1220	< 2	211	0.35	131	< 10	88			
131977	201	202	1705	3	0.76	71	1680	< 2	213	0.24	116	< 10	108			
131978	201	202	510	3	1.45	63	950	< 2	144	0.41	126	< 10	76			
132078	201	202	855	< 1	1.69	60	310	2	207	0.37	104	< 10	56			
132079	201	202	550	1	1.51	149	440	4	200	0.30	85	< 10	80			
132080	201	202	410	2	1.12	27	780	20	85	0.34	95	< 10	126			
132081	201	202	285	1	1.74	12	370	6	167	0.25	58	< 10	88			
132082	201	202	470	2	1.52	16	390	8	176	0.34	87	< 10	94			
132083	201	202	1130	2	1.22	18	590	6	88	0.38	101	< 10	98			
132084	201	202	570	1	1.27	17	570	6	88	0.41	100	< 10	112			
132085	201	202	450	5	1.37	19	310	8	114	0.30	80	< 10	66			
132086	201	202	560	< 1	1.15	382	890	6	73	0.29	64	< 10	64			
132087	201	202	820	1	1.11	362	470	< 2	140	0.30	109	< 10	68			
132088	201	202	705	1	0.78	823	470	< 2	95	0.34	105	< 10	74			
132089	201	202	455	1	1.34	406	370	< 2	153	0.36	102	< 10	66			
132090	201	202	585	< 1	0.92	645	760	< 2	159	0.19	69	< 10	50			
132091	201	202	840	3	0.59	121	1200	< 2	107	0.29	143	< 10	340			
132092	201	202	1020	1	1.22	79	850	< 2	174	0.49	169	< 10	128			
132151	201	202	995	2	0.88	82	730	26	103	0.25	76	< 10	86			
132152	201	202	815	1	0.72	63	940	< 2	184	0.22	102	< 10	106			
132153	201	202	865	3	1.26	32	1210	< 2	306	0.19	64	< 10	60			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132154	201	202	5	0.8	5.25	2710	0.5	< 2	2.31	< 0.5	10	74	44	2.15	1.31	0.75
132155	201	202	< 5	0.4	6.06	1100	0.5	< 2	0.47	< 0.5	5	46	16	2.15	1.64	0.64
132156	201	202	< 5	< 0.2	4.86	1110	0.5	< 2	1.01	0.5	16	551	26	3.08	1.26	3.29
132157	201	202	< 5	< 0.2	4.81	820	0.5	< 2	0.61	< 0.5	2	55	9	0.94	1.40	0.36
132158	201	202	< 5	< 0.2	5.58	1280	0.5	< 2	1.15	< 0.5	29	269	43	3.36	1.36	2.33
132159	201	202	5	< 0.2	5.24	1480	0.5	< 2	1.73	0.5	22	240	73	3.22	1.20	2.47
132160	201	202	< 5	< 0.2	3.11	1160	< 0.5	< 2	3.38	< 0.5	24	349	76	1.86	0.65	2.49
132161	201	202	< 5	0.2	4.14	1940	0.5	< 2	1.64	< 0.5	23	419	95	2.68	1.05	3.04
132162	201	202	< 5	< 0.2	4.79	990	0.5	< 2	0.94	< 0.5	28	684	34	3.61	0.98	4.94
132163	201	202	< 5	< 0.2	5.79	1160	0.5	< 2	1.26	< 0.5	12	64	59	3.87	1.09	0.94
132164	201	202	< 5	< 0.2	5.56	940	0.5	< 2	1.57	< 0.5	12	64	52	3.87	1.10	1.22
132165	201	202	< 5	< 0.2	5.74	2150	0.5	< 2	1.87	< 0.5	13	58	61	3.29	1.22	1.07
132166	201	202	< 5	< 0.2	5.27	1520	0.5	< 2	1.07	< 0.5	8	74	32	2.73	1.29	1.07
132167	201	202	< 5	< 0.2	6.22	840	0.5	< 2	1.57	< 0.5	13	102	19	2.01	1.85	0.89
132168	201	202	< 5	< 0.2	1.44	230	< 0.5	< 2	0.45	< 0.5	99	1950	13	4.45	0.19	12.85
132169	201	202	< 5	< 0.2	4.38	710	0.5	< 2	0.75	< 0.5	36	670	20	4.01	1.13	5.08
132170	201	202	< 5	< 0.2	2.03	270	< 0.5	< 2	0.56	< 0.5	75	1470	13	3.64	0.37	12.10
132171	201	202	< 5	< 0.2	3.41	590	< 0.5	< 2	0.58	< 0.5	66	1600	22	4.83	0.68	9.08
132172	201	202	< 5	< 0.2	3.73	630	< 0.5	< 2	0.81	< 0.5	26	1040	18	3.28	0.84	8.15
132173	201	202	< 5	< 0.2	5.59	870	< 0.5	< 2	1.09	< 0.5	55	474	36	4.84	1.23	3.11
132174	201	202	5	< 0.2	6.77	1010	1.0	< 2	0.54	< 0.5	15	221	23	3.45	2.10	1.87
132175	201	202	< 5	0.4	5.99	990	1.0	< 2	0.93	2.0	40	539	195	3.58	1.23	1.62
132176	201	202	< 5	< 0.2	5.84	970	0.5	< 2	1.03	< 0.5	21	451	19	3.51	1.27	3.26
132177	201	202	< 5	< 0.2	5.34	770	0.5	< 2	0.94	0.5	45	828	21	3.74	1.26	3.31
132178	201	202	< 5	< 0.2	4.76	900	< 0.5	< 2	1.40	< 0.5	38	946	11	4.54	1.04	4.84
132179	201	202	< 5	< 0.2	4.40	670	< 0.5	2	0.83	< 0.5	66	1100	11	4.66	1.06	5.24
132180	201	202	< 5	< 0.2	4.92	840	< 0.5	4	0.80	< 0.5	35	647	10	3.28	1.27	3.62
132181	201	202	< 5	< 0.2	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss
132182	201	202	< 5	< 0.2	4.17	630	< 0.5	< 2	0.64	< 0.5	69	1155	17	4.16	0.98	7.18
132183	201	202	< 5	< 0.2	6.28	940	< 0.5	2	1.20	0.5	13	90	75	2.70	1.95	0.94
132184	201	202	< 5	< 0.2	6.91	670	< 0.5	< 2	1.04	< 0.5	6	29	14	1.72	1.77	0.45
132185	201	202	< 5	< 0.2	7.84	640	< 0.5	< 2	0.38	< 0.5	11	56	17	4.04	2.07	0.56
132186	201	202	10	1.8	6.42	1350	< 0.5	< 2	0.51	10.0	26	105	252	3.96	1.91	0.59
132187	201	202	5	0.4	5.77	1090	< 0.5	< 2	0.53	0.5	5	71	29	2.11	1.70	0.45
132188	201	202	< 5	0.6	5.57	1320	< 0.5	< 2	0.63	0.5	7	71	34	2.77	1.47	0.57
132189	201	202	< 5	< 0.2	5.66	1250	< 0.5	< 2	1.09	0.5	11	103	37	2.70	1.48	0.95
132190	201	202	< 5	< 0.2	4.64	760	< 0.5	< 2	2.30	0.5	6	17	29	1.44	1.25	0.51
132191	201	202	< 5	< 0.2	6.17	1450	< 0.5	< 2	0.83	0.5	10	89	27	3.21	1.65	0.95
132192	201	202	< 5	< 0.2	6.13	1260	< 0.5	2	1.49	< 0.5	18	111	22	3.49	1.60	1.24
132193	201	202	< 5	< 0.2	5.55	1230	< 0.5	< 2	1.18	< 0.5	11	113	33	2.74	1.57	1.04

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
132154	201 202	1075	1	0.84	35	1310	10	202	0.23	96	< 10	68
132155	201 202	255	< 1	1.12	14	340	10	121	0.31	103	< 10	54
132156	201 202	485	< 1	0.95	232	610	8	127	0.35	98	< 10	74
132157	201 202	240	< 1	1.22	11	250	6	165	0.42	72	< 10	28
132158	201 202	955	1	1.20	224	840	8	154	0.40	118	< 10	86
132159	201 202	645	1	0.99	356	980	8	191	0.34	124	< 10	128
132160	201 202	510	< 1	0.60	1190	1080	< 2	231	0.11	54	< 10	54
132161	201 202	355	< 1	0.94	843	850	6	172	0.20	86	< 10	74
132162	201 202	525	< 1	1.10	490	320	6	126	0.34	103	< 10	62
132163	201 202	775	< 1	1.54	25	610	6	158	0.43	132	< 10	80
132164	201 202	600	1	1.42	26	770	6	197	0.45	129	< 10	70
132165	201 202	955	1	1.57	29	810	8	226	0.45	132	< 10	66
132166	201 202	730	1	1.06	33	490	4	117	0.33	114	< 10	68
132167	201 202	680	2	2.34	34	580	4	443	0.22	48	< 10	50
132168	201 202	1210	< 1	0.22	1025	1170	< 2	24	0.08	54	< 10	90
132169	201 202	640	1	1.07	639	310	8	127	0.28	84	< 10	60
132170	201 202	1000	< 1	0.49	1105	500	4	84	0.11	52	< 10	50
132171	201 202	1205	< 1	0.63	822	1210	4	57	0.19	93	< 10	82
132172	201 202	425	< 1	0.93	774	410	2	115	0.26	82	< 10	56
132173	201 202	1565	1	1.44	138	780	6	193	0.37	121	< 10	80
132174	201 202	625	3	1.22	104	290	10	117	0.63	100	< 10	88
132175	201 202	925	1	1.24	427	830	20	223	0.30	112	< 10	70
132176	201 202	475	< 1	1.39	229	170	6	162	0.44	119	< 10	74
132177	201 202	795	1	1.43	483	710	6	248	0.28	75	< 10	64
132178	201 202	855	1	1.22	259	260	< 2	137	0.42	112	< 10	72
132179	201 202	905	< 1	1.24	519	330	4	175	0.21	71	10	66
132180	201 202	565	< 1	1.25	446	290	10	152	0.29	90	10	60
132181	201 202	not/ss	not/ss	not/ss	not/ss	not/ss	2	not/ss	not/ss	not/ss	not/ss	not/ss
132182	201 202	825	< 1	1.04	793	450	4	119	0.23	84	10	56
132183	201 202	635	2	1.44	137	570	34	226	0.23	89	< 10	156
132184	201 202	275	1	2.23	9	340	6	328	0.22	50	< 10	48
132185	201 202	390	1	1.39	23	430	22	107	0.20	75	< 10	54
132186	201 202	1500	6	0.98	67	2390	14	202	0.30	246	< 10	354
132187	201 202	270	1	1.25	20	740	8	152	0.51	168	< 10	68
132188	201 202	260	3	1.15	21	1370	10	147	0.42	150	< 10	98
132189	201 202	385	< 1	1.31	45	1020	8	163	0.38	129	< 10	106
132190	201 202	460	1	1.77	15	760	4	378	0.17	39	< 10	60
132191	201 202	415	1	1.29	32	450	16	143	0.40	130	< 10	76
132192	201 202	610	1	1.48	41	820	12	179	0.41	124	< 10	90
132193	201 202	475	1	1.38	47	640	12	144	0.37	106	< 10	70

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :6-A
Total Pages :6
Certificate Date: 23-JUL-96
Invoice No. :19623654
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132194	201 202	< 5	0.2	5.92	910	< 0.5	< 2	1.07	0.5	5	61	16	1.44	1.70	0.52
132195	201 202	< 5	0.2	5.70	940	< 0.5	< 2	1.03	0.5	7	69	16	2.63	1.50	0.58
132196	201 202	< 5	0.2	6.55	1340	< 0.5	< 2	0.89	0.5	17	141	35	3.87	1.58	1.19
132197	201 202	< 5	0.2	5.67	970	< 0.5	2	0.91	< 0.5	9	110	10	3.23	1.37	0.89
132198	201 202	< 5	0.2	5.62	980	< 0.5	< 2	0.91	0.5	11	83	12	2.88	1.50	0.79
132199	201 202	< 5	0.2	5.68	1050	< 0.5	< 2	1.14	0.5	15	165	17	3.90	1.38	1.18
132200	201 202	20	0.2	6.51	1350	< 0.5	< 2	1.33	0.5	12	92	23	3.35	1.60	1.06
132201	201 202	5	0.2	5.46	1030	0.5	< 2	1.14	< 0.5	8	69	15	2.11	1.79	0.74
132202	201 202	< 5	< 0.2	5.99	1330	< 0.5	< 2	1.04	1.5	9	63	24	2.87	1.91	0.67
132203	201 202	< 5	0.6	6.19	1160	< 0.5	< 2	1.15	0.5	8	77	23	2.83	1.70	0.72
132204	201 202	< 5	1.8	5.09	1530	< 0.5	< 2	3.09	1.5	11	62	74	2.65	1.33	0.75

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :6-B
Total Pages :6
Certificate Date: 23-JUL-96
Invoice No. : I9623654
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623654

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
132194	201 202	255	1	1.89	13	560	6	282	0.32	92	< 10	48
132195	201 202	395	< 1	1.45	15	960	6	179	0.44	131	< 10	56
132196	201 202	815	1	1.24	62	820	10	145	0.37	138	< 10	98
132197	201 202	410	< 1	1.34	33	440	12	117	0.42	125	< 10	54
132198	201 202	545	1	1.41	21	870	6	158	0.43	111	< 10	96
132199	201 202	780	1	1.38	52	1210	4	157	0.39	126	< 10	86
132200	201 202	525	1	1.31	40	480	26	178	0.36	112	< 10	120
132201	201 202	370	1	1.58	22	650	10	160	0.33	87	< 10	54
132202	201 202	340	4	1.40	26	410	14	162	0.36	115	< 10	134
132203	201 202	345	1	1.44	27	570	20	167	0.34	112	< 10	118
132204	201 202	590	2	0.99	54	1420	8	229	0.20	86	< 10	158

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9623655

Comments: ATTN:DAVID TERRY

CERTIFICATE A9623655

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 22-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	194	Dry, sieve to -80 mesh
202	194	save reject
285	194	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	194	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	194	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	194	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	194	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	194	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	194	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	194	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	194	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	194	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	194	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	194	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	194	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	194	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	194	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	194	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	194	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	194	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	194	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	194	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	194	Pb ppm: 24 element, rock & core	AAS	2	10000
582	194	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	194	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	194	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	194	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	194	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 22-JUL-96
Invoice No. : I9623655
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132251	201	202	< 5	0.2	4.50	850	< 0.5	< 2	1.68	0.5	12	66	93	2.48	1.01	0.81
132252	201	202	< 5	< 0.2	6.12	800	< 0.5	< 2	0.89	0.5	7	63	116	2.46	1.66	0.55
132253	201	202	< 5	0.4	6.68	760	< 0.5	< 2	1.03	1.5	8	71	26	3.41	1.39	0.74
132254	201	202	10	0.2	5.89	830	< 0.5	10	1.17	1.5	16	145	23	4.53	1.18	1.17
132255	201	202	< 5	< 0.2	6.01	840	< 0.5	8	0.86	1.0	13	142	26	4.49	1.31	1.08
132256	201	202	< 5	< 0.2	5.52	1020	< 0.5	10	0.60	1.5	7	60	19	3.12	1.60	0.61
132257	201	202	< 5	< 0.2	5.53	1420	< 0.5	10	0.96	0.5	12	109	26	3.19	1.22	1.20
132258	201	202	< 5	< 0.2	6.03	890	< 0.5	6	1.09	0.5	6	36	19	2.20	1.55	0.59
132259	201	202	< 5	1.0	5.40	1200	0.5	6	1.46	0.5	7	65	48	2.52	0.89	0.59
132260	201	202	< 5	< 0.2	3.91	540	< 0.5	8	0.52	< 0.5	9	72	16	1.95	1.07	0.65
132261	201	202	< 5	< 0.2	6.23	910	< 0.5	10	0.81	0.5	12	122	28	3.40	1.45	1.15
132262	201	202	< 5	0.4	7.58	1110	0.5	12	1.06	0.5	7	53	24	2.25	1.98	0.56
132263	201	202	< 5	< 0.2	7.12	800	< 0.5	10	0.36	0.5	9	90	18	3.52	2.00	0.59
132264	201	202	< 5	< 0.2	6.77	790	< 0.5	12	0.30	0.5	6	79	12	2.78	2.09	0.47
132265	201	202	< 5	< 0.2	7.57	970	1.0	12	1.23	0.5	13	82	43	3.35	3.04	0.97
132266	201	202	< 5	< 0.2	6.87	910	< 0.5	12	0.63	0.5	14	83	23	3.58	2.16	0.85
132267	201	202	< 5	< 0.2	9.22	970	1.0	14	0.30	1.0	12	85	21	3.36	3.59	0.68
132268	201	202	< 5	0.4	8.40	950	1.0	8	1.17	0.5	10	58	27	2.89	3.22	0.58
132269	201	202	< 5	< 0.2	6.28	790	< 0.5	< 2	2.39	< 0.5	6	13	21	1.47	1.80	0.56
132270	201	202	< 5	< 0.2	5.13	1380	< 0.5	2	0.90	1.0	11	37	20	2.07	1.70	0.85
132271	201	202	< 5	< 0.2	6.78	960	0.5	< 2	1.37	0.5	6	19	30	1.65	1.99	0.43
132272	201	202	5	< 0.2	6.20	820	0.5	< 2	0.68	< 0.5	7	54	20	3.26	1.75	0.77
132273	201	202	< 5	< 0.2	5.78	920	0.5	< 2	1.19	< 0.5	15	69	39	3.75	1.50	1.00
132274	201	202	< 5	< 0.2	5.95	710	0.5	< 2	3.00	< 0.5	19	217	58	4.36	1.30	1.94
132275	201	202	< 5	< 0.2	6.09	1370	0.5	< 2	0.86	1.0	10	40	20	2.90	2.05	0.99
132276	201	202	< 5	< 0.2	6.28	1000	1.0	4	1.31	0.5	9	39	15	2.32	1.69	0.61
132277	201	202	< 5	< 0.2	6.66	970	0.5	< 2	0.78	2.0	14	54	14	2.60	2.14	0.67
132278	201	202	< 5	0.2	6.93	980	1.5	2	1.00	0.5	14	58	32	3.53	2.56	0.90
132279	201	202	< 5	0.2	5.19	680	1.0	< 2	2.15	0.5	8	34	32	2.13	1.90	0.50
132280	201	202	< 5	< 0.2	7.27	830	1.0	< 2	0.90	< 0.5	7	38	12	2.24	2.45	0.45
132281	201	202	10	0.2	9.43	1410	2.5	< 2	1.02	0.5	22	114	69	3.89	3.89	1.08
132282	201	202	< 5	0.2	7.07	910	1.0	< 2	0.47	< 0.5	17	211	13	4.65	2.24	1.05
132283	201	202	< 5	< 0.2	6.72	930	1.5	< 2	0.74	< 0.5	12	84	14	3.60	2.16	0.61
132284	201	202	< 5	< 0.2	6.44	910	1.0	< 2	1.37	1.5	6	22	29	1.55	2.02	0.42
132285	201	202	< 5	< 0.2	7.86	1120	1.5	2	0.48	< 0.5	23	191	16	4.86	2.45	0.90
132286	201	202	< 5	< 0.2	6.00	810	1.0	2	0.55	< 0.5	21	240	25	4.21	2.21	1.34
132287	201	202	< 5	< 0.2	4.70	1240	1.0	2	1.67	0.5	16	189	34	2.14	1.37	1.48
132288	201	202	5	< 0.2	4.72	990	1.0	2	1.70	< 0.5	16	173	31	2.27	1.46	1.59
132289	201	202	< 5	< 0.2	4.80	970	1.0	4	2.49	0.5	9	54	24	1.78	1.59	0.64
132290	201	202	< 5	< 0.2	3.53	980	0.5	< 2	3.17	0.5	7	41	29	1.32	0.98	0.61

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 22-JUL-96
Invoice No. :19623655
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132251	201	202	1185	2	0.87	35	1360	12	162	0.19	71	< 10	64			
132252	201	202	530	< 1	1.67	16	970	38	228	0.36	102	< 10	76			
132253	201	202	435	1	1.83	23	520	90	306	0.38	123	< 10	134			
132254	201	202	795	1	1.60	41	770	8	172	0.46	161	10	74			
132255	201	202	890	1	1.52	41	1130	6	132	0.44	173	10	84			
132256	201	202	545	< 1	1.18	15	1690	12	144	0.35	110	< 10	94			
132257	201	202	955	1	1.16	35	1510	8	129	0.33	116	< 10	70			
132258	201	202	470	1	1.90	12	1500	4	304	0.23	66	< 10	48			
132259	201	202	325	< 1	0.94	27	3260	14	154	0.19	75	< 10	48			
132260	201	202	365	< 1	0.92	30	280	24	74	0.21	66	< 10	42			
132261	201	202	430	1	1.33	52	500	20	136	0.35	127	< 10	72			
132262	201	202	260	2	1.42	16	1980	14	229	0.21	75	< 10	52			
132263	201	202	250	1	1.10	27	550	12	72	0.29	105	< 10	62			
132264	201	202	180	1	0.90	21	860	16	63	0.33	110	< 10	58			
132265	201	202	565	1	0.66	28	770	22	80	0.30	84	< 10	66			
132266	201	202	655	1	1.20	32	640	30	118	0.35	105	< 10	74			
132267	201	202	425	< 1	0.73	27	820	30	76	0.24	99	< 10	82			
132268	201	202	405	< 1	1.15	18	900	18	188	0.22	77	< 10	78			
132269	201	202	350	1	2.29	5	660	6	439	0.17	37	< 10	46			
132270	201	202	600	< 1	0.45	25	480	12	53	0.21	69	< 10	180			
132271	201	202	445	< 1	2.20	8	770	10	399	0.23	44	< 10	56			
132272	201	202	480	< 1	1.04	16	1530	10	123	0.37	123	10	62			
132273	201	202	700	1	1.27	25	1000	10	173	0.40	125	10	80			
132274	201	202	565	< 1	1.36	80	920	12	214	0.57	145	10	74			
132275	201	202	1215	< 1	1.07	16	750	12	146	0.38	105	10	90			
132276	201	202	560	< 1	1.50	13	530	10	233	0.31	86	10	74			
132277	201	202	1005	< 1	1.46	10	510	12	182	0.32	99	10	222			
132278	201	202	1565	< 1	1.07	28	660	30	175	0.25	85	10	88			
132279	201	202	610	< 1	0.86	15	870	14	224	0.17	45	< 10	48			
132280	201	202	310	1	1.73	9	420	12	246	0.26	67	< 10	74			
132281	201	202	655	< 1	0.77	71	890	36	93	0.30	117	10	120			
132282	201	202	675	< 1	1.15	60	840	20	102	0.34	118	20	112			
132283	201	202	635	1	1.51	24	790	16	190	0.31	100	10	104			
132284	201	202	370	1	2.24	9	690	12	399	0.20	44	< 10	78			
132285	201	202	1905	1	1.32	62	910	30	105	0.32	113	20	180			
132286	201	202	730	< 1	1.16	103	1180	28	118	0.22	83	10	76			
132287	201	202	650	< 1	0.70	184	890	12	161	0.24	125	10	98			
132288	201	202	410	< 1	0.72	134	730	12	164	0.22	92	10	72			
132289	201	202	580	< 1	0.88	32	870	22	198	0.17	58	< 10	46			
132290	201	202	670	< 1	0.96	43	860	8	228	0.13	40	< 10	36			

CERTIFICATION: Ian Bickler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 22-JUL-96
Invoice No. :I9623655
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132291	201	202	< 5	< 0.2	5.37	770	0.5	< 2	0.78	0.5	7	43	17	2.23	1.34	0.64
132292	201	202	< 5	< 0.2	6.29	1310	0.5	< 2	0.54	< 0.5	13	76	45	3.51	1.74	0.93
132293	201	202	< 5	< 0.2	6.02	1260	1.0	< 2	1.56	0.5	12	65	27	2.77	1.58	1.10
132294	201	202	< 5	< 0.2	5.24	1610	0.5	< 2	1.14	0.5	10	48	32	2.48	1.30	0.69
132295	201	202	< 5	0.6	7.83	3210	1.0	< 2	1.16	1.5	12	49	58	2.70	2.45	0.96
132296	201	202	10	< 0.2	8.87	1880	1.5	< 2	0.57	0.5	29	81	80	4.38	2.91	1.10
132297	201	202	< 5	< 0.2	6.29	1350	0.5	< 2	0.24	< 0.5	7	66	28	2.09	2.04	0.44
132298	201	202	< 5	< 0.2	6.00	1090	0.5	< 2	1.20	< 0.5	16	81	57	2.88	1.45	0.97
132299	201	202	< 5	< 0.2	4.83	600	< 0.5	< 2	0.55	< 0.5	60	950	89	5.08	0.85	7.01
132300	201	202	< 5	< 0.2	6.92	1180	1.0	< 2	0.36	< 0.5	28	161	49	4.10	2.24	1.34
132301	201	202	< 5	< 0.2	6.44	1120	1.0	< 2	0.50	< 0.5	11	67	31	3.34	2.01	0.79
132302	201	202	< 5	0.6	7.35	1440	1.0	< 2	0.27	< 0.5	14	77	35	4.07	2.26	0.75
132303	201	202	< 5	1.2	5.58	1170	0.5	< 2	0.35	< 0.5	6	59	23	2.36	1.51	0.50
132304	201	202	5	0.4	6.83	1290	0.5	< 2	0.38	< 0.5	8	72	23	3.20	1.87	0.80
132305	201	202	< 5	< 0.2	7.35	970	0.5	< 2	1.55	< 0.5	7	25	21	1.88	2.07	0.66
132306	201	202	< 5	< 0.2	6.80	830	0.5	< 2	1.68	< 0.5	6	6	18	1.55	2.05	0.47
132307	201	202	< 5	0.6	6.46	1330	0.5	< 2	0.28	< 0.5	8	69	21	3.85	1.77	0.77
132308	201	202	< 5	< 0.2	6.98	800	0.5	< 2	1.31	< 0.5	10	69	21	4.00	1.58	0.95
132309	201	202	< 5	< 0.2	6.97	830	0.5	< 2	1.07	0.5	10	80	22	3.40	1.81	0.95
132310	201	202	< 5	< 0.2	6.40	830	0.5	< 2	0.80	< 0.5	6	52	13	1.83	1.66	0.55
132311	201	202	< 5	< 0.2	6.57	1050	0.5	< 2	0.76	1.5	12	95	18	3.57	1.96	0.88
132312	201	202	< 5	< 0.2	6.17	910	0.5	< 2	1.34	< 0.5	13	125	28	3.59	1.79	1.32
132313	201	202	< 5	< 0.2	5.78	760	0.5	< 2	3.00	< 0.5	21	256	46	4.66	1.11	2.40
132314	201	202	< 5	< 0.2	1.10	120	< 0.5	< 2	0.42	< 0.5	7	26	26	0.90	0.20	0.35
132315	201	202	< 5	< 0.2	5.56	770	0.5	< 2	1.79	< 0.5	37	416	66	4.79	1.04	2.94
132316	201	202	< 5	< 0.2	5.11	1670	0.5	< 2	0.39	< 0.5	30	96	110	2.88	1.47	1.09
132317	201	202	< 5	< 0.2	8.16	1370	1.5	< 2	0.30	< 0.5	14	67	35	3.73	2.74	0.83
132318	201	202	< 5	0.4	8.71	2050	1.0	< 2	0.09	< 0.5	40	62	42	4.80	2.37	1.20
132319	201	202	< 5	< 0.2	7.08	1860	0.5	< 2	0.52	0.5	7	56	19	2.61	2.10	0.89
132320	201	202	< 5	0.2	6.35	1610	0.5	2	0.31	< 0.5	12	60	29	3.17	1.60	1.38
132321	201	202	< 5	< 0.2	6.86	730	0.5	< 2	0.72	0.5	13	129	11	3.10	1.50	1.02
132322	201	202	< 5	< 0.2	7.63	960	1.0	< 2	1.28	< 0.5	6	40	22	1.70	2.37	0.53
132323	201	202	< 5	< 0.2	6.63	860	0.5	< 2	1.27	0.5	7	51	25	1.61	1.69	0.60
132324	201	202	< 5	< 0.2	5.90	1340	0.5	< 2	0.59	0.5	11	112	16	2.58	1.46	0.97
132325	201	202	< 5	< 0.2	6.56	1100	1.0	< 2	1.48	< 0.5	10	83	45	2.08	1.81	0.88
132326	201	202	< 5	< 0.2	6.87	760	0.5	< 2	0.40	< 0.5	16	177	18	4.57	2.15	1.18
132327	201	202	< 5	< 0.2	7.37	810	0.5	< 2	0.43	0.5	14	132	11	3.96	1.96	0.65
132328	201	202	< 5	< 0.2	5.76	760	0.5	< 2	2.75	1.0	11	78	81	2.44	1.65	0.75
132329	201	202	< 5	< 0.2	6.47	850	0.5	< 2	1.58	0.5	15	114	33	3.58	1.73	0.87
132330	201	202	< 5	< 0.2	7.47	740	0.5	< 2	0.72	1.0	11	46	24	2.41	2.00	0.47

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 22-JUL-96
Invoice No. : I9623655
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132291	201	202	330	1	1.63	16	530	14	211	0.31	75	< 10	64			
132292	201	202	560	3	1.08	24	380	18	130	0.32	109	< 10	74			
132293	201	202	715	1	1.45	29	910	16	181	0.33	104	< 10	78			
132294	201	202	545	5	1.22	31	1500	12	170	0.27	86	< 10	96			
132295	201	202	710	3	1.28	38	1390	14	218	0.27	124	< 10	174			
132296	201	202	1705	3	0.97	36	1010	46	171	0.37	133	< 10	122			
132297	201	202	160	3	0.64	20	1250	20	71	0.34	115	< 10	68			
132298	201	202	815	1	0.96	36	1260	14	148	0.31	105	< 10	78			
132299	201	202	980	1	0.78	810	790	6	81	0.28	134	10	92			
132300	201	202	865	3	0.83	98	1080	32	95	0.39	126	10	154			
132301	201	202	380	3	1.01	30	710	20	110	0.39	109	10	90			
132302	201	202	515	2	0.77	29	830	26	93	0.41	131	< 10	108			
132303	201	202	300	1	0.85	18	1810	14	92	0.33	104	< 10	54			
132304	201	202	330	1	1.16	24	820	12	111	0.40	125	< 10	62			
132305	201	202	385	1	2.64	8	570	10	477	0.25	55	< 10	54			
132306	201	202	335	2	2.92	3	570	8	537	0.20	33	< 10	44			
132307	201	202	305	1	1.01	19	970	10	81	0.37	126	< 10	60			
132308	201	202	485	3	2.01	20	460	< 2	186	0.47	136	< 10	58			
132309	201	202	405	2	1.68	24	460	8	168	0.43	136	< 10	58			
132310	201	202	270	< 1	1.76	12	560	10	199	0.45	104	< 10	48			
132311	201	202	595	< 1	1.25	27	1160	14	128	0.49	133	< 10	86			
132312	201	202	435	3	1.34	48	860	14	155	0.45	119	< 10	72			
132313	201	202	740	< 1	1.67	92	1220	6	230	0.63	148	10	72			
132314	201	202	115	< 1	0.25	16	160	< 2	30	0.12	28	< 10	14			
132315	201	202	1440	< 1	1.17	237	1470	16	166	0.44	128	10	88			
132316	201	202	3200	1	0.55	67	1460	24	73	0.32	110	< 10	132			
132317	201	202	325	3	0.93	29	460	18	87	0.42	133	< 10	100			
132318	201	202	3110	5	0.94	32	1100	16	87	0.35	145	< 10	140			
132319	201	202	320	3	1.38	14	620	14	158	0.42	118	< 10	76			
132320	201	202	460	1	1.03	31	400	16	75	0.45	95	< 10	84			
132321	201	202	830	1	1.76	25	460	14	132	0.43	115	< 10	62			
132322	201	202	275	2	2.33	6	370	10	402	0.30	67	< 10	50			
132323	201	202	290	3	2.20	9	380	10	360	0.27	66	< 10	54			
132324	201	202	405	3	1.12	61	610	10	128	0.32	123	< 10	88			
132325	201	202	490	1	1.73	82	970	10	309	0.21	61	< 10	60			
132326	201	202	830	< 1	1.49	54	660	28	102	0.27	89	< 10	82			
132327	201	202	430	2	1.24	35	420	18	91	0.40	109	< 10	146			
132328	201	202	510	1	1.23	57	1280	18	295	0.18	54	< 10	106			
132329	201	202	635	< 1	1.05	46	740	46	153	0.31	83	< 10	246			
132330	201	202	1040	1	1.76	12	420	26	210	0.30	73	< 10	124			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :3-A
Total Pages :5
Certificate Date: 22-JUL-96
Invoice No. :I9623655
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132331	201	202	< 5	< 0.2	2.16	260	< 0.5	4	0.36	< 0.5	4	18	6	0.94	0.53	0.19
132332	201	202	< 5	< 0.2	6.65	1050	0.5	2	0.42	< 0.5	11	84	10	3.89	1.62	0.85
132333	201	202	< 5	0.2	6.81	1110	0.5	< 2	1.37	0.5	9	37	32	2.39	1.82	0.69
132334	201	202	< 5	< 0.2	5.68	1160	0.5	< 2	0.80	0.5	6	50	19	3.06	1.67	0.54
132335	201	202	< 5	< 0.2	6.41	1170	0.5	< 2	0.57	0.5	7	50	20	2.39	1.95	0.47
132336	201	202	< 5	0.6	7.83	2090	1.0	< 2	1.06	< 0.5	18	47	53	3.50	2.05	1.33
132337	201	202	< 5	0.2	6.52	1680	0.5	6	0.16	< 0.5	6	70	31	4.11	2.02	0.60
132338	201	202	< 5	< 0.2	6.62	900	1.0	< 2	0.53	< 0.5	9	64	14	3.68	1.76	0.73
132339	201	202	< 5	< 0.2	6.84	800	0.5	< 2	0.73	0.5	10	56	20	4.46	1.92	0.72
132340	201	202	< 5	< 0.2	12.25	1940	2.0	< 2	1.11	1.0	19	100	38	5.40	2.95	1.69
132341	201	202	< 5	< 0.2	6.45	960	0.5	< 2	0.51	< 0.5	11	46	18	2.81	1.49	0.92
132342	201	202	< 5	< 0.2	6.00	1080	1.0	< 2	0.63	< 0.5	10	80	21	2.82	1.68	0.78
132343	201	202	< 5	< 0.2	6.35	850	0.5	< 2	0.24	< 0.5	6	53	19	2.63	1.63	0.44
132344	201	202	< 5	< 0.2	5.33	850	1.0	< 2	0.45	0.5	9	47	16	1.74	1.35	0.36
132345	201	202	< 5	< 0.2	4.96	1270	0.5	2	0.33	< 0.5	6	42	25	1.94	1.10	0.46
132346	201	202	< 5	< 0.2	6.14	750	< 0.5	2	1.53	< 0.5	20	192	35	4.92	0.95	1.90
132347	201	202	< 5	< 0.2	6.03	1540	0.5	< 2	0.78	< 0.5	15	92	42	2.91	1.49	1.15
132348	201	202	< 5	< 0.2	6.40	1150	0.5	< 2	1.11	< 0.5	14	73	44	3.42	1.37	1.20
132349	201	202	< 5	< 0.2	6.21	690	0.5	< 2	1.27	0.5	8	43	36	2.60	1.48	0.68
132350	201	202	< 5	< 0.2	6.80	650	0.5	< 2	1.25	< 0.5	18	174	78	3.99	1.14	1.54
132471	201	202	< 5	< 0.2	7.35	790	0.5	< 2	2.09	0.5	22	152	65	4.40	1.71	1.87
132472	201	202	< 5	< 0.2	6.94	770	0.5	< 2	1.77	0.5	9	45	20	2.07	1.72	0.74
132473	201	202	< 5	< 0.2	5.87	870	0.5	< 2	1.41	0.5	18	105	37	3.98	1.36	1.36
132474	201	202	< 5	< 0.2	6.94	1030	0.5	< 2	1.07	0.5	20	144	44	4.71	1.51	1.56
132475	201	202	< 5	< 0.2	6.71	1050	0.5	< 2	1.26	< 0.5	17	102	45	3.60	1.39	1.31
132476	201	202	< 5	< 0.2	12.00	1800	1.5	< 2	2.85	0.5	31	248	95	6.99	2.51	2.65
132477	201	202	< 5	< 0.2	6.27	1180	0.5	< 2	1.27	< 0.5	20	79	76	4.56	1.39	1.25
132478	201	202	< 5	< 0.2	5.91	1190	0.5	< 2	1.33	< 0.5	18	78	69	3.81	1.42	1.22
132479	201	202	< 5	< 0.2	6.47	1300	0.5	< 2	1.28	0.5	19	130	48	3.93	1.40	1.61
132480	201	202	< 5	< 0.2	5.99	700	< 0.5	< 2	1.35	< 0.5	19	164	40	5.78	1.02	1.43
132481	201	202	< 5	< 0.2	8.14	2050	< 0.5	< 2	2.57	< 0.5	37	310	109	6.23	1.58	3.03
132482	201	202	< 5	< 0.2	7.59	940	0.5	< 2	1.92	< 0.5	11	50	34	2.46	2.11	0.90
132483	201	202	< 5	< 0.2	7.61	720	0.5	2	2.65	1.0	28	281	118	4.23	1.73	2.00
132484	201	202	< 5	< 0.2	8.37	610	0.5	< 2	3.52	0.5	35	401	101	5.75	1.53	2.73
132485	201	202	< 5	< 0.2	7.10	1300	0.5	< 2	3.48	0.5	25	330	49	4.78	1.18	2.74
132486	201	202	< 5	< 0.2	7.73	920	0.5	< 2	3.88	< 0.5	33	404	78	5.11	1.49	3.31
132487	201	202	< 5	< 0.2	7.57	690	1.0	< 2	3.81	< 0.5	37	408	97	5.38	1.81	3.13
132488	201	202	< 5	< 0.2	6.85	710	0.5	< 2	2.98	1.5	26	200	42	5.72	1.29	2.03
132489	201	202	< 5	< 0.2	6.53	590	0.5	< 2	2.48	0.5	20	213	28	6.29	1.17	1.77
132490	201	202	< 5	< 0.2	5.93	550	0.5	< 2	2.41	< 0.5	15	76	24	3.13	1.21	1.32

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 22-JUL-96
Invoice No. :I9623655
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132331	201	202	260	< 1	0.50	7	270	8	74	0.13	31	< 10	78			
132332	201	202	365	1	1.21	20	340	16	97	0.40	133	< 10	68			
132333	201	202	320	1	1.80	16	870	10	331	0.24	76	< 10	64			
132334	201	202	180	1	1.09	11	580	8	130	0.35	117	< 10	72			
132335	201	202	225	< 1	1.39	12	720	16	173	0.39	111	< 10	92			
132336	201	202	615	3	0.71	33	800	14	118	0.26	120	< 10	116			
132337	201	202	125	3	0.53	13	670	44	104	0.38	148	< 10	70			
132338	201	202	350	1	1.09	18	520	18	113	0.43	109	< 10	68			
132339	201	202	345	1	1.27	17	1370	16	192	0.37	102	< 10	66			
132340	201	202	705	1	3.21	37	960	24	250	0.67	177	< 10	132			
132341	201	202	390	< 1	1.86	21	470	10	123	0.37	91	< 10	70			
132342	201	202	415	1	1.22	26	680	16	120	0.39	107	< 10	70			
132343	201	202	200	< 1	1.07	11	1540	10	69	0.40	113	< 10	54			
132344	201	202	635	1	0.75	12	3280	14	83	0.29	84	< 10	38			
132345	201	202	285	< 1	0.83	9	2490	8	73	0.39	95	< 10	42			
132346	201	202	1170	1	1.75	50	1700	6	135	0.44	192	< 10	112			
132347	201	202	500	1	1.42	41	590	8	120	0.54	111	< 10	70			
132348	201	202	550	1	1.78	26	620	10	137	0.40	131	< 10	72			
132349	201	202	410	1	1.84	12	1650	8	238	0.32	110	< 10	54			
132350	201	202	590	1	2.07	60	480	6	128	0.36	130	< 10	72			
132471	201	202	710	< 1	1.81	34	1110	8	239	0.58	169	10	86			
132472	201	202	360	1	2.29	8	890	8	390	0.33	85	< 10	46			
132473	201	202	820	< 1	1.19	30	1250	8	147	0.50	151	< 10	88			
132474	201	202	1170	1	1.00	38	1510	6	115	0.52	189	< 10	86			
132475	201	202	825	3	1.42	46	1040	10	172	0.41	134	< 10	100			
132476	201	202	1005	2	2.77	83	1380	14	333	0.93	288	20	138			
132477	201	202	1320	1	1.00	31	1230	24	123	0.52	171	< 10	84			
132478	201	202	960	< 1	1.08	28	750	16	132	0.54	148	< 10	74			
132479	201	202	650	1	0.98	41	600	6	94	0.59	165	< 10	74			
132480	201	202	1175	3	1.04	30	1670	6	98	0.75	234	< 10	82			
132481	201	202	1665	1	1.94	79	1110	< 2	125	1.14	226	10	84			
132482	201	202	525	< 1	2.80	15	800	10	515	0.33	66	< 10	54			
132483	201	202	740	< 1	2.11	59	1210	4	260	0.75	162	< 10	76			
132484	201	202	1020	< 1	1.89	89	1160	4	243	0.91	213	10	90			
132485	201	202	845	1	1.72	97	1240	4	190	1.02	188	10	66			
132486	201	202	875	< 1	1.90	120	1610	< 2	164	0.88	207	10	74			
132487	201	202	1110	< 1	2.02	113	1670	< 2	147	0.97	218	10	88			
132488	201	202	910	< 1	1.54	49	940	4	178	0.90	223	< 10	68			
132489	201	202	670	< 1	1.61	42	1040	< 2	128	0.89	240	< 10	58			
132490	201	202	485	1	1.79	22	1660	4	287	0.53	135	< 10	48			

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page [illegible]er : 4-A
Total Pages : 5
Certificate Date: 22-JUL-96
Invoice No. : I9623655
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132491	201	202	< 5	< 0.2	7.25	540	0.5	< 2	3.82	0.5	29	249	56	5.52	1.15	2.75
132492	201	202	< 5	< 0.2	5.67	1080	0.5	< 2	0.92	< 0.5	10	86	22	4.15	1.38	0.87
132493	201	202	< 5	< 0.2	6.73	950	0.5	< 2	1.64	0.5	19	305	16	2.91	1.80	1.38
132494	201	202	< 5	< 0.2	5.59	800	0.5	< 2	1.89	0.5	45	669	24	3.17	1.52	2.06
132495	201	202	20	< 0.2	6.16	1320	1.5	< 2	0.50	0.5	29	311	49	4.92	1.79	2.44
132496	201	202	< 5	< 0.2	7.10	990	1.5	< 2	1.48	< 0.5	13	102	24	2.72	2.12	1.22
132497	201	202	< 5	< 0.2	6.69	910	0.5	< 2	1.60	0.5	20	210	20	3.70	1.80	1.91
132498	201	202	20	0.4	6.93	1190	1.0	< 2	1.07	0.5	10	74	24	3.22	2.16	0.99
132499	201	202	< 5	0.4	5.16	1210	1.0	< 2	2.12	0.5	13	196	68	2.73	1.35	1.50
132500	201	202	< 5	< 0.2	6.02	1290	1.0	< 2	0.82	< 0.5	7	95	17	2.22	1.82	0.99
132501	201	202	< 5	< 0.2	3.36	910	0.5	< 2	2.66	5.0	8	78	28	1.39	0.81	0.86
132502	201	202	< 5	< 0.2	8.74	830	0.5	< 2	2.22	0.5	31	330	90	4.20	1.43	2.55
132503	201	202	< 5	< 0.2	5.06	1100	1.0	< 2	0.53	< 0.5	8	75	37	2.59	1.23	0.68
132504	201	202	< 5	< 0.2	6.06	1090	1.0	< 2	1.22	< 0.5	12	85	45	3.13	1.47	0.97
132505	201	202	< 5	< 0.2	5.87	1060	1.0	< 2	1.17	< 0.5	16	94	48	3.46	1.62	0.90
132506	201	202	< 5	< 0.2	7.55	510	< 0.5	< 2	3.24	< 0.5	40	286	140	6.26	1.13	3.26
132507	201	202	< 5	< 0.2	5.43	960	0.5	< 2	1.88	0.5	14	143	26	3.61	1.13	1.44
132508	201	202	< 5	< 0.2	7.53	610	0.5	< 2	4.75	0.5	29	234	71	4.88	0.79	2.79
132509	201	202	< 5	< 0.2	6.07	420	0.5	< 2	2.27	< 0.5	22	172	85	4.25	0.82	2.24
132510	201	202	< 5	< 0.2	6.01	420	0.5	< 2	2.49	< 0.5	27	181	96	4.43	0.79	2.75
132511	201	202	< 5	< 0.2	6.92	580	0.5	< 2	2.36	< 0.5	24	129	85	3.61	1.22	1.81
132512	201	202	< 5	< 0.2	6.54	300	< 0.5	< 2	5.15	0.5	14	190	33	3.84	0.57	1.72
132513	201	202	< 5	< 0.2	7.31	290	< 0.5	< 2	5.44	0.5	26	253	60	4.88	0.53	2.78
132514	201	202	< 5	< 0.2	6.24	660	0.5	< 2	1.78	0.5	11	27	28	1.86	1.60	0.67
132515	201	202	< 5	< 0.2	7.11	450	0.5	< 2	5.08	0.5	17	195	41	4.03	0.82	1.95
132516	201	202	< 5	< 0.2	7.20	480	0.5	< 2	3.99	0.5	23	207	91	4.38	0.82	2.58
132517	201	202	< 5	< 0.2	7.33	330	< 0.5	< 2	5.22	< 0.5	32	257	100	5.14	0.60	3.63
132518	201	202	< 5	< 0.2	7.36	360	< 0.5	< 2	4.29	0.5	27	247	103	4.92	0.56	3.23
132519	201	202	< 5	< 0.2	7.39	230	< 0.5	< 2	3.97	0.5	38	310	101	5.93	0.43	4.85
132520	201	202	< 5	< 0.2	7.02	790	0.5	< 2	3.72	0.5	27	237	70	4.40	1.18	2.44
132521	201	202	< 5	< 0.2	6.51	860	0.5	< 2	2.19	0.5	12	69	36	2.57	1.63	1.07
132522	201	202	< 5	< 0.2	6.03	1140	1.0	< 2	2.08	< 0.5	13	117	43	3.30	1.48	1.41
132523	201	202	< 5	0.6	6.77	1030	1.0	< 2	1.42	0.5	10	76	21	2.27	2.01	0.77
132524	201	202	< 5	0.2	6.35	1300	1.0	< 2	1.14	1.5	7	106	25	2.42	1.83	1.02
132525	201	202	< 5	0.4	8.09	1740	1.5	< 2	1.07	< 0.5	19	236	65	3.37	2.68	2.25
132526	201	202	< 5	0.2	5.44	1500	0.5	< 2	1.82	< 0.5	30	995	59	4.24	1.41	5.83
132527	201	202	< 5	0.4	6.52	1620	1.5	< 2	1.30	< 0.5	20	571	82	3.85	1.90	4.01
132528	201	202	< 5	< 0.2	6.79	1970	1.5	< 2	1.03	< 0.5	22	415	56	4.02	2.02	3.02
132529	201	202	10	< 0.2	6.51	1770	2.0	< 2	1.64	0.5	16	147	41	3.23	1.95	1.66
132530	201	202	< 5	< 0.2	6.74	1580	1.5	< 2	0.71	0.5	11	87	61	3.83	2.07	0.97

CERTIFICATION: [illegible]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page :4-B
Total :5
Certificate Date: 22-JUL-96
Invoice No. :I9623655
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132491	201	202	1005	< 1	1.98	83	1060	4	214	0.88	248	10	70			
132492	201	202	590	1	0.90	22	900	8	110	0.57	181	< 10	52			
132493	201	202	615	2	2.18	55	410	8	372	0.31	91	< 10	70			
132494	201	202	810	1	1.97	602	610	< 2	408	0.16	52	< 10	58			
132495	201	202	1165	3	0.98	183	1090	18	155	0.45	147	< 10	110			
132496	201	202	715	1	1.62	54	880	10	309	0.25	77	< 10	68			
132497	201	202	610	2	1.48	71	440	8	212	0.34	119	< 10	126			
132498	201	202	560	4	2.02	25	700	10	347	0.37	103	< 10	90			
132499	201	202	560	3	0.54	216	1260	10	164	0.22	126	< 10	110			
132500	201	202	285	2	1.25	32	400	10	192	0.33	134	< 10	64			
132501	201	202	1750	1	0.68	80	1230	6	219	0.11	46	< 10	90			
132502	201	202	1195	< 1	1.57	84	700	< 2	166	0.41	158	< 10	72			
132503	201	202	505	1	0.47	27	2220	12	62	0.33	119	< 10	62			
132504	201	202	725	1	1.07	26	1630	12	179	0.40	136	< 10	66			
132505	201	202	860	3	1.00	35	940	16	133	0.42	152	< 10	76			
132506	201	202	1380	< 1	1.39	94	650	< 2	108	0.55	198	20	82			
132507	201	202	1535	< 1	1.00	29	1820	8	96	0.48	167	< 10	86			
132508	201	202	860	< 1	1.35	58	580	< 2	175	0.59	219	< 10	62			
132509	201	202	680	< 1	1.26	51	2730	< 1	168	0.50	138	< 10	64			
132510	201	202	760	1	1.62	62	1510	< 1	171	0.52	122	< 10	72			
132511	201	202	940	1	1.83	43	1520	2	294	0.47	118	< 10	64			
132512	201	202	590	2	1.10	34	1550	4	174	0.49	229	< 10	42			
132513	201	202	850	< 1	1.35	53	650	< 2	165	0.57	239	10	56			
132514	201	202	635	1	2.22	8	1500	4	424	0.21	50	< 10	40			
132515	201	202	645	< 1	1.45	36	460	4	209	0.50	224	< 10	50			
132516	201	202	800	1	1.27	64	1120	4	144	0.53	188	< 10	66			
132517	201	202	885	< 1	1.52	75	450	< 2	130	0.60	221	10	60			
132518	201	202	800	< 1	1.12	73	700	< 2	113	0.56	199	10	66			
132519	201	202	1160	< 1	1.34	102	700	< 2	61	0.59	190	10	80			
132520	201	202	875	< 1	1.22	80	720	10	137	0.54	204	< 10	70			
132521	201	202	840	< 1	1.98	20	1360	6	356	0.35	100	< 10	58			
132522	201	202	535	3	1.15	42	820	10	133	0.43	149	< 10	72			
132523	201	202	530	1	2.30	26	520	6	397	0.26	74	< 10	60			
132524	201	202	375	2	1.78	38	680	8	268	0.33	127	< 10	82			
132525	201	202	410	2	1.37	164	690	16	252	0.29	130	< 10	96			
132526	201	202	510	1	0.64	528	450	4	79	0.26	124	10	88			
132527	201	202	405	< 1	0.65	324	580	8	91	0.26	132	< 10	84			
132528	201	202	530	< 1	0.76	272	680	10	97	0.27	138	< 10	108			
132529	201	202	575	< 1	1.12	74	1040	20	148	0.40	142	< 10	112			
132530	201	202	455	4	1.24	41	660	16	185	0.33	139	< 10	108			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 22-JUL-96
Invoice No. : I9623655
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132531	201 202	< 5	0.4	6.28	1440	1.5	< 2	1.33	0.5	14	120	51	3.37	2.06	1.31
132532	201 202	25	0.6	7.83	1570	2.0	< 2	1.07	0.5	15	144	54	3.87	2.83	1.62
132533	201 202	< 5	< 0.2	0.24	190	< 0.5	6	4.58	2.0	2	6	9	0.12	0.12	0.28
132534	201 202	< 5	0.6	7.33	1560	1.5	< 2	1.37	0.5	16	95	32	3.38	2.51	1.17
132535	201 202	< 5	0.8	6.71	1770	1.5	< 2	1.55	1.5	15	164	51	3.25	2.02	1.62
132536	201 202	< 5	0.4	6.22	1580	1.5	< 2	1.50	1.0	18	187	42	3.63	1.75	1.65
132537	201 202	< 5	0.2	6.54	1020	1.0	< 2	1.39	0.5	10	58	24	2.44	1.86	0.90
132538	201 202	< 5	0.4	6.32	970	1.0	< 2	1.33	0.5	13	86	26	2.91	1.81	1.02
132539	201 202	< 5	< 0.2	6.52	1070	1.0	< 2	0.81	< 0.5	15	211	24	4.93	1.61	1.74
132540	201 202	< 5	< 0.2	5.76	900	0.5	< 2	1.04	0.5	14	134	19	3.58	1.58	0.98
132541	201 202	180	< 0.2	5.95	910	0.5	< 2	1.04	< 0.5	11	114	17	3.11	1.64	0.75
132542	201 202	< 5	< 0.2	6.02	1000	0.5	< 2	1.00	< 0.5	11	138	20	3.80	1.55	0.97
132543	201 202	< 5	< 0.2	6.14	1040	1.0	< 2	0.96	0.5	12	183	14	3.64	1.47	1.35
132544	201 202	< 5	0.4	6.57	1100	1.0	< 2	1.27	0.5	11	137	31	2.43	1.72	1.08
132545	201 202	< 5	< 0.2	6.06	1000	1.0	< 2	1.25	0.5	12	166	17	2.69	1.58	1.27
132546	201 202	< 5	< 0.2	6.55	900	1.0	< 2	1.43	< 0.5	19	107	18	3.79	1.61	1.17
132547	201 202	< 5	< 0.2	6.07	1090	1.0	2	1.16	1.5	23	234	47	3.64	1.52	2.22
132548	201 202	< 5	< 0.2	5.62	990	0.5	< 2	1.32	2.5	15	90	53	2.35	1.49	0.90
132549	201 202	< 5	< 0.2	5.22	940	1.0	< 2	1.69	< 0.5	7	31	37	1.41	1.49	0.57
132550	201 202	< 5	1.4	4.02	850	1.0	< 2	1.78	0.5	7	108	60	1.70	0.93	0.78
132551	201 202	< 5	1.2	6.43	1430	1.5	< 2	1.47	0.5	14	85	78	2.91	2.05	1.05
132552	201 202	< 5	< 0.2	6.00	1180	1.5	< 2	1.30	< 0.5	13	104	20	2.82	1.95	1.17
132553	201 202	< 5	< 0.2	5.97	1190	1.5	< 2	1.34	0.5	12	121	20	2.92	1.86	1.21
132554	201 202	< 5	< 0.2	4.56	1050	0.5	4	2.01	1.0	12	67	34	2.08	1.24	0.81
132555	201 202	< 5	< 0.2	6.35	1310	1.5	4	1.33	0.5	13	118	28	2.97	1.86	1.15
132556	201 202	< 5	< 0.2	4.28	830	0.5	< 2	2.18	1.0	10	92	29	2.01	1.15	0.67
132557	201 202	< 5	< 0.2	5.04	940	1.0	4	2.03	0.5	10	93	42	1.81	1.38	0.71
132558	201 202	< 5	< 0.2	5.81	1140	1.0	< 2	2.13	1.5	9	59	40	2.01	1.81	0.78
132559	201 202	< 5	< 0.2	2.97	560	0.5	< 2	2.30	1.0	3	8	23	0.85	0.80	0.40
132560	201 202	< 5	0.6	2.55	720	0.5	< 2	2.46	< 0.5	6	21	43	0.99	0.54	0.35
132561	201 202	< 5	< 0.2	3.64	860	0.5	< 2	2.01	2.0	11	67	31	1.72	0.96	0.72
132562	201 202	< 5	< 0.2	5.11	1000	0.5	2	1.55	1.0	12	97	30	2.56	1.43	0.97
132563	201 202	< 5	< 0.2	6.48	1140	1.0	2	1.20	1.5	29	145	40	3.38	1.62	1.13
132564	201 202	< 5	< 0.2	6.61	910	1.0	< 2	1.57	0.5	10	83	21	2.29	1.95	0.65

CERTIFICATION: Ian A Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 22-JUL-96
Invoice No. : I9623655
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623655

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132531	201	202	495	2	0.90	68	920	14	132	0.35	140	< 10	122			
132532	201	202	440	1	0.93	70	600	12	132	0.43	212	< 10	134			
132533	201	202	390	2	0.07	5	740	< 2	242	0.01	7	< 10	42			
132534	201	202	880	1	0.94	48	500	10	175	0.31	150	< 10	118			
132535	201	202	560	2	1.01	124	1110	16	203	0.22	120	< 10	146			
132536	201	202	820	1	1.22	95	1100	14	195	0.31	139	< 10	118			
132537	201	202	455	3	2.00	28	630	12	325	0.30	87	< 10	64			
132538	201	202	585	2	2.03	42	1270	12	338	0.29	91	< 10	80			
132539	201	202	660	3	1.36	77	1970	10	141	0.41	159	< 10	108			
132540	201	202	980	1	1.58	42	1260	10	213	0.43	127	< 10	86			
132541	201	202	660	< 1	1.66	30	1110	10	239	0.42	117	< 10	62			
132542	201	202	1200	1	1.48	43	1760	12	186	0.47	147	< 10	74			
132543	201	202	495	2	1.33	47	530	8	140	0.56	150	< 10	68			
132544	201	202	565	1	1.72	35	700	12	226	0.47	131	< 10	64			
132545	201	202	525	< 1	1.77	47	520	10	260	0.36	101	< 10	64			
132546	201	202	780	1	1.94	28	630	6	258	0.72	157	< 10	72			
132547	201	202	780	1	1.51	158	850	8	216	0.33	119	< 10	100			
132548	201	202	850	1	1.86	81	950	8	322	0.25	68	< 10	76			
132549	201	202	475	1	1.99	72	830	8	406	0.14	31	< 10	36			
132550	201	202	290	1	1.12	147	1500	6	235	0.11	42	< 10	38			
132551	201	202	745	< 1	1.20	56	1200	16	215	0.23	99	< 10	114			
132552	201	202	465	< 1	1.15	39	910	10	132	0.35	118	< 10	86			
132553	201	202	605	2	1.16	47	1160	10	150	0.34	118	< 10	100			
132554	201	202	1190	1	0.82	47	1260	14	223	0.17	73	< 10	92			
132555	201	202	590	1	1.04	49	1290	16	156	0.31	120	< 10	100			
132556	201	202	1335	1	1.13	52	930	4	244	0.28	81	< 10	80			
132557	201	202	420	< 1	1.54	49	1250	6	326	0.22	68	< 10	56			
132558	201	202	580	2	1.48	46	990	8	329	0.18	70	< 10	92			
132559	201	202	150	< 1	1.10	25	820	< 2	311	0.10	20	< 10	50			
132560	201	202	370	1	0.62	62	1000	6	243	0.06	23	< 10	34			
132561	201	202	1105	1	1.02	52	950	4	224	0.18	58	< 10	80			
132562	201	202	665	1	1.33	53	970	10	220	0.30	93	< 10	80			
132563	201	202	1500	1	1.82	48	720	12	245	0.41	125	< 10	96			
132564	201	202	725	1	2.40	17	680	8	380	0.38	90	< 10	60			

CERTIFICATION: Ivan Bridden

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9623656

Comments: ATTN:DAVID TERRY

CERTIFICATE A9623656

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 19-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	144	Dry, sieve to -80 mesh
202	144	save reject
285	144	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	144	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	144	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	144	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	144	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	144	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	144	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	144	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	144	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	144	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	144	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	144	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	144	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	144	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	144	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	144	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	144	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	144	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	144	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	144	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	144	Pb ppm: 24 element, rock & core	AAS	2	10000
582	144	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	144	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	144	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	144	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	144	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. : I9623656
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623656

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132565	201	202	< 5	0.2	6.56	1470	1.0	< 2	0.80	1.0	13	93	34	3.61	1.90	1.16
132566	201	202	< 5	< 0.2	6.16	1130	1.0	< 2	1.90	< 0.5	19	180	35	3.51	1.44	1.88
132567	201	202	< 5	< 0.2	3.98	910	0.5	8	2.40	0.5	15	111	34	2.35	0.84	1.34
132568	201	202	< 5	< 0.2	5.24	920	1.0	2	1.96	0.5	12	67	26	2.03	1.39	0.96
132569	201	202	< 5	< 0.2	6.09	1160	1.5	< 2	2.10	< 0.5	20	159	40	3.65	1.49	1.80
132570	201	202	< 5	< 0.2	5.09	840	0.5	< 2	2.53	0.5	14	101	22	2.62	1.15	1.15
132571	201	202	< 5	< 0.2	4.74	820	1.0	< 2	1.67	< 0.5	18	225	31	3.00	1.23	2.23
132572	201	202	< 5	< 0.2	3.46	700	0.5	< 2	1.91	0.5	16	76	31	1.76	0.78	0.76
132573	201	202	< 5	< 0.2	3.52	680	0.5	< 2	3.14	0.5	11	53	49	1.98	0.75	1.03
132574	201	202	< 5	< 0.2	7.16	670	0.5	< 2	3.10	< 0.5	22	108	40	5.70	1.27	2.13
132575	201	202	< 5	< 0.2	6.16	1450	1.5	2	0.93	1.0	19	118	44	3.39	2.05	1.37
132576	201	202	< 5	< 0.2	6.71	920	0.5	< 2	2.02	< 0.5	10	45	26	2.75	1.83	0.95
132577	201	202	< 5	0.4	6.67	1150	1.5	< 2	1.82	0.5	14	100	58	2.97	1.76	0.96
132578	201	202	< 5	0.6	6.78	1160	1.5	< 2	1.62	< 0.5	13	112	38	3.03	1.77	1.04
132579	201	202	< 5	< 0.2	5.87	1260	1.0	< 2	0.99	< 0.5	11	111	21	2.73	1.78	1.24
132580	201	202	< 5	< 0.2	5.84	1190	1.0	< 2	1.24	< 0.5	11	100	25	2.75	1.64	1.18
132581	201	202	< 5	< 0.2	5.80	1320	1.0	< 2	1.44	< 0.5	17	146	36	3.32	1.52	1.55
132582	201	202	< 5	< 0.2	6.43	1400	1.0	< 2	1.32	< 0.5	13	138	28	2.95	1.83	1.17
132583	201	202	< 5	1.0	6.67	1260	1.5	< 2	1.43	0.5	23	122	60	3.39	1.58	1.27
132584	201	202	< 5	0.8	5.23	1920	1.5	< 2	1.91	< 0.5	14	137	76	3.06	1.14	1.36
132585	201	202	< 5	0.4	8.35	1990	2.0	< 2	0.84	1.0	25	239	81	5.38	1.97	1.46
132586	201	202	< 5	< 0.2	1.80	1170	0.5	< 2	2.62	1.0	5	31	54	0.93	0.45	0.55
132587	201	202	< 5	< 0.2	4.91	1230	0.5	< 2	2.13	< 0.5	16	138	26	2.89	1.26	1.54
132588	201	202	< 5	< 0.2	3.90	850	0.5	< 2	2.61	< 0.5	9	32	35	1.71	0.98	0.83
132589	201	202	< 5	< 0.2	6.60	830	0.5	< 2	1.55	< 0.5	18	155	27	4.64	1.38	1.54
132590	201	202	35	< 0.2	6.96	850	0.5	< 2	2.47	0.5	18	81	32	3.30	1.70	1.42
132591	201	202	< 5	0.4	6.95	1720	2.0	< 2	1.59	< 0.5	19	124	49	3.46	2.07	1.78
132592	201	202	< 5	0.4	6.37	1500	1.5	< 2	1.41	< 0.5	14	99	42	2.84	1.87	1.44
132593	201	202	< 5	0.4	6.27	1580	1.5	< 2	0.93	0.5	19	150	34	3.52	2.23	1.58
132594	201	202	< 5	< 0.2	6.57	1580	1.5	< 2	0.68	0.5	16	101	20	3.27	2.35	1.22
132595	201	202	< 5	< 0.2	5.85	1430	1.0	< 2	1.52	1.5	13	105	32	2.68	1.77	1.11
132596	201	202	< 5	1.2	6.61	1620	1.5	< 2	1.36	1.0	13	107	62	3.08	1.92	1.01
132597	201	202	< 5	< 0.2	6.59	1410	1.5	< 2	0.99	0.5	15	124	26	3.19	2.16	1.29
132598	201	202	< 5	< 0.2	5.82	990	0.5	< 2	1.10	1.0	10	144	19	3.15	1.58	0.91
132599	201	202	< 5	1.0	4.14	750	0.5	< 2	2.27	0.5	4	26	32	1.11	1.10	0.43
132600	201	202	< 5	< 0.2	5.92	1080	1.0	< 2	1.18	0.5	13	157	23	3.36	1.74	1.20
132601	201	202	< 5	0.4	5.87	930	1.0	< 2	1.18	0.5	8	88	17	2.56	1.79	0.70
132602	201	202	< 5	0.2	6.85	850	0.5	< 2	2.20	1.0	16	80	21	3.95	1.59	1.41
132603	201	202	< 5	< 0.2	6.70	1070	1.0	< 2	1.19	0.5	11	91	15	3.74	1.89	1.04
132604	201	202	< 5	0.2	0.63	280	< 0.5	2	4.47	< 0.5	3	95	117	0.31	0.10	0.17

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. : I9623656
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623656

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132565	201	202	525	3	1.43	36	420	12	157	0.39	129	< 10	84			
132566	201	202	625	1	1.53	98	1040	8	164	0.47	152	< 10	84			
132567	201	202	665	< 1	0.86	94	1340	6	169	0.28	97	< 10	60			
132568	201	202	1315	3	1.77	61	1330	6	313	0.24	69	< 10	62			
132569	201	202	710	1	1.62	78	1060	6	163	0.55	162	< 10	84			
132570	201	202	1115	< 1	1.54	49	1300	8	243	0.36	104	< 10	58			
132571	201	202	405	< 1	1.38	133	1000	8	165	0.39	107	< 10	74			
132572	201	202	1040	1	0.89	54	1540	6	206	0.13	50	< 10	50			
132573	201	202	745	< 1	0.97	52	1390	4	235	0.23	68	< 10	56			
132574	201	202	740	1	2.07	36	560	2	219	0.83	255	< 10	74			
132575	201	202	505	2	1.02	87	980	14	91	0.37	144	< 10	110			
132576	201	202	485	5	2.48	14	480	6	387	0.44	118	< 10	52			
132577	201	202	575	2	2.01	91	960	8	363	0.24	86	< 10	90			
132578	201	202	515	3	1.95	74	1070	8	361	0.22	95	< 10	80			
132579	201	202	395	3	1.09	46	710	8	105	0.38	132	< 10	70			
132580	201	202	410	1	1.25	41	760	4	142	0.37	129	< 10	68			
132581	201	202	560	1	1.18	70	850	8	121	0.43	147	< 10	76			
132582	201	202	555	3	1.30	49	770	10	190	0.36	138	< 10	80			
132583	201	202	1200	3	1.48	85	1090	10	276	0.22	111	< 10	90			
132584	201	202	740	1	0.38	143	1140	12	114	0.13	112	< 10	110			
132585	201	202	900	1	1.10	143	1090	22	162	0.33	190	< 10	130			
132586	201	202	500	< 1	0.40	80	900	< 2	169	0.05	25	< 10	40			
132587	201	202	550	1	1.02	72	1100	6	175	0.36	106	< 10	86			
132588	201	202	550	1	1.10	35	1010	4	261	0.17	51	< 10	56			
132589	201	202	885	< 1	1.67	57	840	2	184	0.56	176	< 10	86			
132590	201	202	1200	< 1	2.24	38	660	< 2	355	0.46	128	< 10	68			
132591	201	202	750	2	0.99	83	990	42	158	0.28	120	< 10	116			
132592	201	202	500	1	1.16	64	1270	14	178	0.24	107	< 10	90			
132593	201	202	765	1	0.94	72	740	16	100	0.35	136	< 10	118			
132594	201	202	730	< 1	1.18	48	510	18	115	0.35	115	< 10	112			
132595	201	202	685	1	1.05	57	1170	8	182	0.27	108	< 10	114			
132596	201	202	645	4	0.89	89	1170	12	186	0.19	107	< 10	148			
132597	201	202	480	1	1.06	50	950	12	122	0.38	132	< 10	96			
132598	201	202	505	1	1.69	33	720	6	190	0.45	145	< 10	78			
132599	201	202	210	1	1.32	25	1380	< 2	336	0.11	28	< 10	42			
132600	201	202	690	1	1.52	43	920	8	192	0.39	132	< 10	96			
132601	201	202	565	1	1.78	17	910	8	258	0.40	109	10	60			
132602	201	202	840	< 1	1.73	24	540	12	202	0.60	183	< 10	66			
132603	201	202	440	1	1.17	23	490	10	121	0.50	173	< 10	68			
132604	201	202	110	< 1	0.07	1365	1020	< 2	124	0.02	8	< 10	8			

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. : I9623656
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623656

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132605	201	202	< 5	0.8	6.27	2000	1.5	< 2	1.05	0.5	9	100	30	2.44	1.96	0.86
132606	201	202	< 5	1.6	5.70	1200	1.0	< 2	1.71	0.5	17	220	26	2.94	1.37	2.18
132901	201	202	< 5	< 0.2	6.79	840	1.0	< 2	1.66	0.5	7	17	18	1.65	2.07	0.54
132902	201	202	< 5	< 0.2	6.39	750	0.5	< 2	1.27	< 0.5	6	42	18	1.77	1.64	0.56
132903	201	202	< 5	< 0.2	6.40	940	1.0	< 2	1.36	0.5	6	20	18	1.68	1.62	0.47
132904	201	202	< 5	< 0.2	6.04	1010	1.0	< 2	0.83	< 0.5	11	83	35	3.38	1.29	0.91
132905	201	202	< 5	< 0.2	9.63	1140	2.0	< 2	0.19	< 0.5	9	80	20	4.19	3.53	0.83
132906	201	202	< 5	< 0.2	6.12	830	1.0	< 2	0.80	1.0	12	86	25	3.39	1.48	0.74
132907	201	202	< 5	< 0.2	6.15	1120	1.0	< 2	0.72	0.5	12	92	24	2.72	1.68	0.73
132908	201	202	< 5	< 0.2	5.89	790	0.5	6	0.97	< 0.5	12	107	16	3.21	1.35	0.95
132909	201	202	< 5	< 0.2	6.88	870	1.0	< 2	1.68	< 0.5	7	30	22	1.93	1.90	0.69
132910	201	202	< 5	0.2	6.48	850	1.0	< 2	1.41	0.5	6	27	20	1.68	1.86	0.52
132911	201	202	< 5	< 0.2	5.90	950	1.5	< 2	0.94	< 0.5	10	80	19	2.73	1.71	0.87
133012	201	202	< 5	< 0.2	6.93	1050	1.5	< 2	1.21	0.5	11	74	23	3.03	2.01	0.90
133014	201	202	< 5	< 0.2	6.13	950	1.5	< 2	0.79	1.0	10	108	19	3.49	2.28	0.80
133015	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
133016	201	202	< 5	0.4	6.91	2160	1.5	< 2	0.81	0.5	14	140	46	3.39	2.02	2.06
133017	201	202	< 5	1.0	5.02	1030	1.0	< 2	1.02	< 0.5	8	50	32	2.26	1.35	0.61
133018	201	202	< 5	0.4	7.10	1470	1.5	< 2	0.64	0.5	10	78	27	3.12	2.17	0.81
133090	201	202	< 5	< 0.2	4.38	620	1.0	< 2	1.97	0.5	11	77	84	2.38	0.76	0.86
133091	201	202	< 5	< 0.2	7.39	890	1.0	< 2	2.31	< 0.5	30	259	103	4.47	1.61	2.49
133092	201	202	< 5	< 0.2	6.47	410	0.5	< 2	3.74	0.5	26	97	71	5.41	0.95	2.32
133093	201	202	< 5	< 0.2	6.99	580	1.0	< 2	2.49	0.5	30	218	80	4.85	1.21	2.77
133094	201	202	< 5	< 0.2	6.56	560	0.5	< 2	2.65	< 0.5	30	256	83	4.92	1.08	2.81
133095	201	202	< 5	< 0.2	4.15	1110	0.5	< 2	1.50	< 0.5	17	369	73	2.71	0.91	2.31
133096	201	202	< 5	< 0.2	6.22	1310	1.5	< 2	1.29	< 0.5	18	106	59	3.50	1.60	1.12
133097	201	202	< 5	< 0.2	5.45	840	0.5	< 2	1.76	0.5	25	160	156	4.06	0.92	1.87
133098	201	202	< 5	< 0.2	6.60	440	0.5	< 2	2.41	0.5	33	191	154	4.59	0.78	2.66
133099	201	202	< 5	< 0.2	5.24	360	0.5	< 2	2.07	< 0.5	21	104	96	3.35	0.65	1.52
133110	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
133111	201	202	< 5	< 0.2	5.28	950	0.5	< 2	2.51	0.5	14	111	36	2.84	1.11	1.23
133112	201	202	< 5	< 0.2	5.59	1030	0.5	< 2	1.68	< 0.5	17	146	36	3.23	1.51	1.49
133113	201	202	< 5	< 0.2	6.44	940	1.5	< 2	0.94	1.0	18	145	46	3.68	2.20	1.18
133114	201	202	< 5	< 0.2	6.47	1660	1.5	< 2	1.25	1.0	14	86	38	3.05	2.11	1.52
133115	201	202	< 5	< 0.2	5.89	950	1.5	< 2	0.97	1.0	13	146	19	2.97	2.14	1.05
133116	201	202	< 5	< 0.2	7.63	1750	1.5	< 2	0.48	0.5	15	72	32	3.91	2.58	1.59
133117	201	202	< 5	< 0.2	7.59	1920	1.5	< 2	0.21	0.5	24	83	39	3.88	2.64	1.05
133118	201	202	< 5	< 0.2	6.79	1340	1.0	< 2	1.51	0.5	15	126	45	3.40	1.26	1.28
133167	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
133168	201	202	20	2.8	8.00	1450	2.0	< 2	1.15	0.5	18	93	80	4.16	2.33	0.92

CERTIFICATION: Ian Ruddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. : I9623656
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623656

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132605	201	202	320	3	1.70	39	530	6	246	0.40	113	< 10	84			
132606	201	202	500	< 1	1.58	121	510	< 2	210	0.33	130	< 10	60			
132901	201	202	360	2	2.72	5	490	< 2	488	0.23	47	< 10	44			
132902	201	202	330	1	2.11	9	1020	6	288	0.36	89	< 10	36			
132903	201	202	1065	3	2.01	7	2180	4	375	0.20	49	< 10	48			
132904	201	202	570	3	1.68	28	620	6	145	0.41	119	< 10	64			
132905	201	202	265	3	0.54	15	720	4	46	0.55	126	< 10	78			
132906	201	202	595	< 1	1.38	32	620	14	159	0.39	103	< 10	62			
132907	201	202	430	1	1.56	36	480	12	149	0.42	107	< 10	62			
132908	201	202	685	2	1.66	26	810	8	149	0.48	139	< 10	54			
132909	201	202	385	< 1	2.51	16	1210	4	456	0.23	44	< 10	50			
132910	201	202	330	1	2.34	9	1110	6	410	0.23	45	< 10	46			
132911	201	202	430	1	1.64	31	610	8	166	0.42	89	< 10	60			
133012	201	202	505	< 1	1.76	30	890	10	255	0.38	98	< 10	80			
133014	201	202	495	< 1	1.18	48	530	6	99	0.29	73	< 10	64			
133015	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
133016	201	202	530	< 1	1.03	190	980	10	88	0.30	104	< 10	100			
133017	201	202	555	1	0.95	24	1340	8	162	0.22	69	< 10	88			
133018	201	202	450	< 1	1.08	32	780	8	122	0.36	108	< 10	100			
133090	201	202	755	1	0.76	36	2200	6	121	0.22	84	< 10	108			
133091	201	202	1055	1	1.68	85	1590	< 2	198	0.58	160	< 10	84			
133092	201	202	940	< 1	1.84	41	1400	< 2	237	0.75	227	< 10	82			
133093	201	202	915	1	1.63	82	1390	< 2	160	0.62	189	< 10	88			
133094	201	202	860	< 1	1.54	94	1400	< 2	169	0.63	195	< 10	82			
133095	201	202	515	1	0.57	429	1120	4	110	0.17	93	< 10	116			
133096	201	202	1070	1	1.03	50	1080	14	132	0.42	143	< 10	88			
133097	201	202	955	< 1	0.73	53	1530	2	56	0.36	132	< 10	90			
133098	201	202	1100	< 1	1.21	81	1930	< 2	115	0.55	140	< 10	92			
133099	201	202	785	1	1.02	38	2330	< 2	135	0.35	119	< 10	56			
133110	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
133111	201	202	1130	1	1.48	50	1610	4	240	0.29	93	< 10	108			
133112	201	202	990	1	1.34	69	1030	4	110	0.28	112	< 10	96			
133113	201	202	775	< 1	0.86	46	900	68	74	0.26	102	< 10	150			
133114	201	202	780	< 1	1.02	52	850	10	90	0.29	93	< 10	110			
133115	201	202	430	< 1	1.12	70	900	12	86	0.24	81	< 10	92			
133116	201	202	700	< 1	1.00	30	740	12	62	0.32	126	< 10	100			
133117	201	202	2840	5	0.72	37	700	14	45	0.40	135	< 10	126			
133118	201	202	575	< 1	1.62	56	1090	6	147	0.34	120	< 10	138			
133167	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
133168	201	202	700	1	0.59	59	1340	26	109	0.21	131	< 10	130			

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 3-A
Total Pages : 4
Certificate Date: 19-JUL-96
Invoice No. : I9623656
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623656

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
133223	201	202	45	< 0.2	5.51	1330	1.5	< 2	1.48	1.5	15	121	37	2.92	1.73	1.27
133224	201	202	< 5	< 0.2	5.69	1470	1.5	< 2	1.26	1.5	13	96	38	2.74	1.82	1.18
133225	201	202	< 5	0.4	5.30	1360	1.5	< 2	1.19	1.0	12	104	28	2.57	1.72	1.21
133226	201	202	< 5	< 0.2	5.34	1410	1.5	< 2	1.30	0.5	14	137	40	2.85	1.73	1.46
133227	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
133256	201	202	< 5	< 0.2	7.59	730	1.0	< 2	1.97	0.5	36	339	104	4.95	1.64	3.01
133353	201	202	< 5	< 0.2	6.44	650	0.5	< 2	1.96	0.5	16	126	90	3.19	1.28	1.38
133354	201	202	< 5	< 0.2	6.42	700	0.5	< 2	2.78	0.5	26	138	75	4.41	1.11	2.05
133355	201	202	< 5	< 0.2	5.31	550	0.5	< 2	2.61	< 0.5	15	126	118	3.19	0.95	1.57
133356	201	202	< 5	< 0.2	6.36	1090	1.0	< 2	1.61	0.5	23	167	87	3.93	1.26	1.88
133357	201	202	< 5	< 0.2	5.34	1180	1.5	< 2	1.73	1.0	14	127	35	2.65	1.51	1.34
133359	201	202	< 5	< 0.2	4.53	920	1.0	< 2	1.59	1.0	12	115	31	2.20	1.27	1.24
133403	201	202	< 5	< 0.2	6.64	710	0.5	< 2	3.06	0.5	30	232	110	4.89	1.12	2.57
133451	201	202	< 5	< 0.2	6.82	640	1.0	< 2	2.23	0.5	31	121	72	5.08	1.26	2.38
270001	201	202	< 5	1.2	6.63	2030	1.5	< 2	1.39	0.5	10	97	77	2.71	2.77	1.67
270002	201	202	< 5	< 0.2	6.58	1840	1.5	< 2	0.90	< 0.5	15	121	43	3.15	2.70	1.76
270003	201	202	< 5	0.4	5.20	1360	1.0	< 2	1.39	1.0	14	109	82	2.76	1.69	1.29
270004	201	202	< 5	< 0.2	7.16	2120	2.5	< 2	0.91	1.0	13	79	20	2.59	2.89	1.67
270005	201	202	< 5	< 0.2	6.84	2280	2.0	< 2	1.12	0.5	17	118	27	3.16	2.35	1.98
270006	201	202	< 5	< 0.2	6.37	1550	1.5	< 2	0.95	2.5	13	108	27	2.82	2.04	1.04
270007	201	202	< 5	< 0.2	5.46	970	1.5	< 2	1.01	< 0.5	15	140	26	3.14	1.37	1.28
270008	201	202	< 5	1.0	5.38	1220	1.0	< 2	2.27	0.5	11	80	54	2.40	1.39	0.88
270009	201	202	< 5	0.6	2.33	720	0.5	< 2	3.06	1.5	5	24	41	0.80	0.58	0.49
270010	201	202	< 5	0.2	3.73	700	0.5	< 2	2.14	0.5	6	13	23	0.95	1.02	0.48
270011	201	202	< 5	0.8	3.96	1030	0.5	< 2	2.41	0.5	7	45	47	1.39	1.00	0.68
270012	201	202	< 5	0.2	7.08	860	1.0	< 2	2.06	0.5	6	12	19	1.48	2.06	0.53
270013	201	202	< 5	1.4	4.11	690	0.5	< 2	1.53	< 0.5	4	11	21	1.01	1.11	0.36
270014	201	202	< 5	0.2	7.12	880	1.0	< 2	1.67	< 0.5	6	10	19	1.54	2.14	0.50
270015	201	202	< 5	< 0.2	5.96	900	0.5	< 2	1.06	< 0.5	5	74	14	1.66	1.61	0.51
270016	201	202	< 5	< 0.2	6.34	950	1.0	< 2	1.34	< 0.5	7	80	15	1.78	1.77	0.74
270021	201	202	< 5	< 0.2	3.99	1020	0.5	< 2	2.03	< 0.5	11	134	36	1.59	0.89	0.86
270022	201	202	< 5	1.2	5.29	1230	0.5	< 2	1.37	< 0.5	26	105	42	3.30	1.17	0.85
270023	201	202	< 5	< 0.2	1.66	790	< 0.5	< 2	2.48	1.5	4	23	35	0.63	0.38	0.54
270024	201	202	< 5	0.4	3.51	1020	0.5	< 2	1.35	1.0	18	170	46	2.40	0.74	1.62
270025	201	202	< 5	< 0.2	6.01	1180	1.5	< 2	1.08	0.5	24	202	31	3.56	1.55	2.25
270026	201	202	< 5	< 0.2	5.07	1170	1.0	< 2	1.01	< 0.5	11	115	19	2.14	1.44	1.11
270027	201	202	< 5	< 0.2	5.96	1400	1.0	< 2	1.23	0.5	18	167	42	3.04	1.62	1.67
270028	201	202	< 5	< 0.2	6.00	1180	1.0	< 2	1.20	0.5	20	207	36	3.46	1.52	1.82
270029	201	202	< 5	0.6	5.50	1220	0.5	< 2	1.55	1.5	9	101	43	2.34	1.31	0.94
270030	201	202	< 5	< 0.2	2.08	580	< 0.5	< 2	2.20	1.0	7	45	24	0.95	0.46	0.57

CERTIFICATION: Ian A. Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. : I9623656
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623656

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
133223	201	202	995	< 1	0.99	86	1000	12	136	0.31	108	< 10	162			
133224	201	202	725	2	0.94	53	980	12	123	0.28	131	< 10	112			
133225	201	202	585	1	0.94	53	1050	14	112	0.29	131	< 10	110			
133226	201	202	555	2	0.87	86	980	14	112	0.31	142	< 10	126			
133227	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
133256	201	202	1380	< 1	1.39	115	1510	< 2	94	0.67	205	< 10	104			
133353	201	202	650	< 1	1.65	68	1520	6	289	0.33	125	< 10	186			
133354	201	202	1545	< 1	1.51	55	1390	6	203	0.54	174	< 10	90			
133355	201	202	545	< 1	1.11	52	1300	6	161	0.35	140	< 10	54			
133356	201	202	1225	1	0.95	60	1280	10	113	0.43	167	< 10	126			
133357	201	202	740	< 1	1.13	80	1150	12	149	0.35	112	< 10	120			
133359	201	202	495	< 1	1.01	73	1140	10	140	0.31	97	< 10	88			
133403	201	202	1175	< 1	1.26	84	1010	2	134	0.55	193	< 10	96			
133451	201	202	915	< 1	1.80	55	1560	< 2	120	0.68	189	< 10	102			
270001	201	202	550	3	0.76	64	1060	40	146	0.20	95	< 10	108			
270002	201	202	650	3	0.79	50	580	40	91	0.38	112	< 10	118			
270003	201	202	515	1	0.84	68	970	126	144	0.25	100	< 10	176			
270004	201	202	670	< 1	1.18	49	660	40	104	0.27	82	< 10	118			
270005	201	202	850	2	1.20	77	800	22	110	0.32	112	< 10	112			
270006	201	202	680	1	1.26	47	410	14	150	0.34	118	< 10	64			
270007	201	202	420	3	1.22	62	350	10	116	0.40	124	< 10	66			
270008	201	202	425	1	0.97	69	960	8	276	0.17	85	< 10	88			
270009	201	202	270	1	0.56	44	970	< 2	267	0.07	24	< 10	52			
270010	201	202	255	1	1.34	23	750	2	326	0.12	24	< 10	38			
270011	201	202	445	1	1.02	64	1090	4	280	0.12	48	< 10	46			
270012	201	202	350	1	2.75	4	420	8	549	0.19	34	< 10	46			
270013	201	202	200	1	1.48	14	680	6	322	0.11	21	< 10	38			
270014	201	202	350	2	2.80	4	440	< 2	525	0.20	37	< 10	48			
270015	201	202	335	2	1.76	12	530	2	246	0.41	90	< 10	56			
270016	201	202	360	1	1.97	14	450	4	310	0.37	87	< 10	50			
270021	201	202	440	1	0.94	78	1230	8	215	0.21	62	< 10	56			
270022	201	202	2220	5	1.09	82	1710	10	234	0.16	98	< 10	74			
270023	201	202	515	1	0.42	80	1040	< 2	173	0.05	17	< 10	76			
270024	201	202	940	2	0.68	173	1240	8	151	0.13	66	< 10	96			
270025	201	202	675	1	1.36	154	650	8	168	0.34	132	< 10	108			
270026	201	202	385	1	1.08	50	770	6	129	0.35	112	< 10	68			
270027	201	202	675	1	1.02	102	820	12	104	0.38	149	< 10	106			
270028	201	202	750	3	1.33	128	730	12	187	0.32	124	< 10	94			
270029	201	202	330	1	1.11	97	990	10	239	0.14	89	< 10	98			
270030	201	202	935	< 1	0.41	46	1130	4	122	0.10	39	< 10	42			

CERTIFICATION: [illegible]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page :4-A
Total Pages :4
Certificate Date: 19-JUL-96
Invoice No. :I9623656
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623656

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
270951	201	202	< 5	< 0.2	5.96	490	< 0.5	< 2	3.23	0.5	18	184	35	4.40	0.78	2.45
270952	201	202	< 5	0.4	5.80	480	0.5	< 2	1.97	< 0.5	13	114	82	2.81	0.87	1.43
270953	201	202	< 5	< 0.2	6.22	680	0.5	< 2	2.78	< 0.5	14	152	35	4.03	1.03	1.74
270954	201	202	< 5	< 0.2	6.48	510	0.5	< 2	3.41	0.5	21	178	55	4.61	0.86	2.43
270955	201	202	< 5	< 0.2	6.85	410	< 0.5	< 2	3.98	< 0.5	22	202	34	4.86	0.87	2.86
270956	201	202	< 5	< 0.2	7.51	520	0.5	< 2	2.69	< 0.5	30	194	59	3.78	1.30	2.88
270957	201	202	< 5	< 0.2	7.06	540	0.5	< 2	3.40	< 0.5	19	170	36	4.19	1.17	2.39
270958	201	202	< 5	< 0.2	7.09	530	0.5	< 2	3.36	< 0.5	18	163	28	4.26	1.25	2.03
270959	201	202	< 5	0.4	6.96	470	0.5	< 2	3.44	< 0.5	21	177	30	4.31	1.20	2.45
270960	201	202	< 5	0.8	6.63	840	1.5	< 2	1.52	1.5	13	72	50	3.29	1.86	0.91
270961	201	202	< 5	< 0.2	6.57	990	1.5	< 2	1.93	1.0	10	68	22	2.59	1.89	1.00
270962	201	202	< 5	< 0.1	6.68	780	2.0	< 2	2.00	1.5	14	95	26	3.76	1.67	1.50
270963	201	202	< 5	0.4	6.19	870	2.5	< 2	1.01	< 0.5	12	90	13	2.94	2.23	0.84
270964	201	202	< 5	0.6	6.48	800	2.5	< 2	2.27	1.0	12	77	30	3.45	1.81	1.05
270965	201	202	< 5	< 0.2	7.07	330	0.5	< 2	3.59	0.5	29	148	43	5.66	1.00	2.98
270966	201	202	< 5	< 0.2	7.99	610	1.0	< 2	3.76	0.5	19	167	16	3.48	1.45	1.84
270967	201	202	< 5	< 0.2	8.25	300	< 0.5	< 2	4.87	< 0.5	37	312	26	5.38	0.76	3.97
270968	201	202	< 5	< 0.2	6.26	890	4.0	6	1.16	0.5	11	86	12	2.52	2.29	0.98
270969	201	202	< 5	< 0.2	6.13	760	1.5	< 2	1.86	0.5	16	91	12	2.80	1.78	1.12
270970	201	202	< 5	< 0.2	7.76	130	< 0.5	< 2	4.62	1.0	52	385	107	6.70	0.53	3.25
270971	201	202	< 5	< 0.2	8.32	690	0.5	< 2	3.51	0.5	25	209	25	4.40	1.38	2.18
270972	201	202	< 5	0.4	6.96	840	1.5	< 2	2.27	< 0.5	16	131	23	3.43	1.60	1.51
270973	201	202	< 5	< 0.2	6.31	950	2.0	< 2	1.62	0.5	11	75	21	2.43	1.98	1.03
270974	201	202	< 5	< 0.2	6.21	1000	1.5	< 2	1.23	0.5	8	61	10	2.32	1.97	0.70
270975	201	202	< 5	< 0.2	6.22	980	1.5	< 2	1.24	< 0.5	7	29	13	1.58	2.11	0.52
270976	201	202	< 5	< 0.2	6.26	1020	1.5	< 2	1.58	< 0.5	12	82	20	3.02	1.67	1.08
270977	201	202	< 5	< 0.2	5.28	820	2.0	< 2	1.29	< 0.5	9	98	11	2.50	1.78	0.92
270978	201	202	< 5	< 0.2	5.54	930	1.5	< 2	0.78	< 0.5	7	62	8	2.12	1.97	0.56

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. : I9623656
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623656

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
270951	201	202	940	< 1	1.07	44	1160	4	93	0.57	192	< 10	78			
270952	201	202	445	1	1.41	25	1860	2	171	0.35	112	< 10	46			
270953	201	202	610	1	1.08	32	1450	4	120	0.51	175	< 10	56			
270954	201	202	755	< 1	1.28	50	990	4	128	0.51	178	< 10	68			
270955	201	202	845	3	1.74	45	650	< 2	141	0.63	206	< 10	80			
270956	201	202	870	< 1	1.90	77	760	2	210	0.42	128	< 10	88			
270957	201	202	660	1	2.02	39	390	4	218	0.56	177	< 10	64			
270958	201	202	655	< 1	1.88	31	310	2	209	0.55	185	< 10	56			
270959	201	202	715	1	2.08	43	430	4	182	0.55	171	< 10	66			
270960	201	202	495	3	1.77	24	800	18	231	0.42	109	< 10	158			
270961	201	202	480	3	1.74	14	630	10	252	0.38	114	< 10	82			
270962	201	202	665	< 1	1.83	28	800	6	177	0.53	130	< 10	96			
270963	201	202	495	2	1.59	28	580	18	161	0.43	86	< 10	72			
270964	201	202	805	3	1.56	27	1210	20	173	0.51	100	< 10	122			
270965	201	202	835	< 1	1.85	50	800	< 2	136	0.62	216	< 10	80			
270966	201	202	695	< 1	2.01	34	450	20	225	0.44	136	< 10	108			
270967	201	202	855	1	1.57	104	230	< 2	126	0.49	174	< 10	68			
270968	201	202	400	1	1.57	27	420	20	128	0.36	85	20	58			
270969	201	202	1020	1	1.54	22	710	10	141	0.38	114	< 10	66			
270970	201	202	780	< 1	1.59	106	570	< 2	117	0.64	196	< 10	100			
270971	201	202	825	< 1	2.04	58	560	6	219	0.50	158	< 10	80			
270972	201	202	600	3	1.60	35	610	14	138	0.46	140	< 10	98			
270973	201	202	440	< 1	1.65	25	940	10	181	0.32	100	< 10	62			
270974	201	202	690	1	1.53	13	710	16	164	0.41	97	< 10	130			
270975	201	202	770	1	1.98	8	520	12	301	0.24	57	< 10	62			
270976	201	202	960	3	1.61	32	1320	12	161	0.33	114	< 10	134			
270977	201	202	405	2	1.37	28	1410	16	112	0.30	90	< 10	90			
270978	201	202	370	1	1.30	13	380	14	104	0.31	87	< 10	60			

CERTIFICATION: Stewart B. Bird Jr.

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9623669

Comments: ATTN:DAVID TERRY

CERTIFICATE A9623669

(GP W) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 19-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	194	Dry, sieve to -80 mesh
202	194	save reject
285	194	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	194	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	194	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	194	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	194	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	194	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	194	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	194	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	194	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	194	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	194	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	194	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	194	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	194	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	194	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	194	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	194	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	194	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	194	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	194	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	194	Pb ppm: 24 element, rock & core	AAS	2	10000
582	194	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	194	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	194	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	194	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	194	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. : I9623669
P.O. Number :
Account : GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130918	201	202	< 5	< 0.2	7.38	1010	1.0	6	1.09	0.5	16	120	50	4.03	1.57	1.21
130919	201	202	< 5	< 0.2	6.49	730	0.5	2	1.55	0.5	16	112	30	4.53	1.32	1.28
130920	201	202	< 5	< 0.2	6.80	890	1.0	4	1.33	< 0.5	15	97	30	3.26	1.57	1.14
130921	201	202	< 5	< 0.2	5.42	950	0.5	2	1.09	0.5	17	109	27	3.43	1.14	1.16
130922	201	202	< 5	< 0.2	5.52	1270	0.5	2	1.59	0.5	8	103	33	1.70	1.39	0.56
130923	201	202	< 5	< 0.2	6.27	1330	1.5	6	0.79	0.5	18	125	34	3.60	1.53	1.30
130924	201	202	< 5	< 0.2	7.01	1410	1.0	2	0.39	< 0.5	11	124	60	4.49	1.40	0.78
130925	201	202	< 5	1.0	5.53	1220	0.5	4	1.63	1.0	19	367	75	3.76	0.91	1.50
130926	201	202	< 5	< 0.2	6.02	2010	1.0	6	0.96	1.0	25	339	34	3.28	1.44	2.66
130927	201	202	< 5	< 0.2	5.39	610	< 0.5	2	1.74	0.5	6	46	23	2.39	0.78	0.56
130928	201	202	< 5	< 0.2	6.27	1190	0.5	< 2	1.03	0.5	7	32	21	1.92	1.85	0.54
130929	201	202	< 5	< 0.2	5.83	3140	1.0	2	0.87	0.5	14	52	52	3.22	1.39	1.62
130930	201	202	< 5	< 0.2	5.41	1480	0.5	2	0.96	0.5	12	38	53	3.04	1.27	0.79
130931	201	202	< 5	< 0.2	6.17	1020	0.5	< 2	1.12	0.5	8	27	21	2.51	1.66	0.58
130932	201	202	< 5	< 0.2	6.06	1220	0.5	6	1.52	0.5	18	173	31	2.90	1.62	1.32
130933	201	202	< 5	< 0.2	4.77	1020	0.5	6	0.81	1.0	81	1005	17	6.58	1.31	4.39
130934	201	202	< 5	< 0.2	6.56	930	0.5	6	1.64	0.5	25	254	151	4.21	1.32	1.86
130935	201	202	< 5	< 0.2	6.40	1000	1.0	8	1.40	< 0.5	41	290	76	3.12	1.48	1.72
130936	201	202	< 5	< 0.2	5.09	840	0.5	8	0.97	1.0	35	744	18	4.76	1.27	4.53
130937	201	202	< 5	0.4	5.02	1290	1.0	4	1.59	0.5	13	145	84	2.73	1.00	1.06
130938	201	202	5	0.6	5.11	1250	1.0	6	1.81	1.0	18	261	181	2.86	1.33	1.36
130939	201	202	< 5	< 0.2	7.31	720	1.5	< 2	0.36	< 0.5	6	63	8	2.18	2.39	0.54
130940	201	202	< 5	< 0.2	5.70	810	0.5	2	2.03	0.5	7	22	27	1.96	1.50	0.53
130941	201	202	< 5	< 0.2	5.63	1210	0.5	2	2.02	< 0.5	14	87	55	3.18	1.16	1.24
130942	201	202	< 5	< 0.2	6.81	1110	0.5	6	1.57	< 0.5	16	97	91	4.06	1.40	1.30
130943	201	202	< 5	< 0.2	5.52	880	0.5	2	2.66	0.5	19	93	126	3.85	1.17	1.47
130944	201	202	< 5	< 0.2	4.68	660	0.5	< 2	2.85	0.5	6	19	376	1.64	0.99	0.44
130945	201	202	< 5	0.2	6.19	860	0.5	< 2	1.63	< 0.5	11	58	80	2.56	1.46	0.72
130946	201	202	< 5	< 0.2	5.44	1020	1.0	2	1.95	0.5	11	72	52	2.57	1.35	1.02
130947	201	202	< 5	0.4	6.34	1190	1.5	2	1.64	0.5	20	129	96	3.80	1.19	1.35
130948	201	202	< 5	< 0.2	5.91	1060	0.5	2	0.95	0.5	14	89	28	3.53	1.36	1.15
130949	201	202	< 5	< 0.2	5.21	750	1.0	4	1.11	< 0.5	10	99	37	2.32	1.15	0.98
130950	201	202	< 5	< 0.2	6.12	690	0.5	6	0.76	< 0.5	23	412	22	4.70	1.02	3.60
131204	201	202	< 5	< 0.2	6.21	650	0.5	4	1.99	0.5	9	77	30	2.47	1.40	0.87
131251	201	202	< 5	< 0.2	6.37	760	1.0	4	1.26	0.5	20	142	125	4.43	1.11	1.42
131252	201	202	< 5	< 0.2	5.23	750	0.5	< 2	2.14	0.5	8	46	46	1.75	1.31	0.62
131253	201	202	180	< 0.2	6.51	760	1.0	2	1.97	4.0	9	18	27	1.77	1.73	0.54
131254	201	202	< 5	< 0.2	5.77	1250	0.5	4	2.03	0.5	9	33	29	1.91	1.34	0.74
131255	201	202	< 5	< 0.2	6.42	1020	1.0	2	1.17	1.0	6	32	34	1.69	1.57	0.55
131256	201	202	< 5	< 0.2	5.52	1020	0.5	2	0.46	< 0.5	6	62	19	2.14	1.17	0.61

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. :I9623669
P.O. Number :
Account :GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
130918	201 202	805	4	1.66	65	1410	6	300	0.31	151	< 10	90
130919	201 202	575	< 1	1.96	31	730	4	276	0.54	168	10	68
130920	201 202	635	< 1	2.02	39	680	< 2	289	0.40	125	< 10	70
130921	201 202	2100	2	1.42	42	1450	6	164	0.39	124	< 10	64
130922	201 202	655	2	1.83	22	1840	6	357	0.20	55	< 10	42
130923	201 202	595	3	1.44	62	500	10	142	0.42	133	< 10	86
130924	201 202	595	6	0.64	51	2920	10	75	0.33	206	< 10	128
130925	201 202	705	2	0.81	217	1890	2	174	0.21	112	< 10	100
130926	201 202	900	< 1	1.43	213	1790	< 2	227	0.32	105	< 10	102
130927	201 202	295	< 1	1.28	11	1280	4	246	0.49	172	< 10	32
130928	201 202	1100	2	1.97	9	1360	2	332	0.33	76	< 10	50
130929	201 202	1405	< 1	1.17	39	810	4	129	0.32	98	< 10	74
130930	201 202	1610	< 1	1.44	18	1540	2	158	0.38	108	< 10	52
130931	201 202	655	1	1.94	9	1160	2	277	0.36	88	< 10	60
130932	201 202	1305	2	1.81	81	1040	< 2	337	0.32	86	< 10	88
130933	201 202	1525	< 1	1.10	427	1210	2	119	0.34	107	10	134
130934	201 202	785	< 1	1.58	137	810	< 2	248	0.28	121	< 10	76
130935	201 202	1860	3	1.67	302	1210	10	302	0.23	82	< 10	86
130936	201 202	700	< 1	1.23	361	760	< 2	158	0.36	121	10	108
130937	201 202	800	2	0.91	101	2030	14	144	0.23	90	< 10	68
130938	201 202	855	2	0.85	288	1490	22	145	0.21	88	< 10	78
130939	201 202	215	< 1	1.21	14	480	10	97	0.31	81	< 10	48
130940	201 202	350	2	2.00	6	650	4	368	0.23	60	< 10	56
130941	201 202	755	1	1.27	44	950	8	203	0.32	131	< 10	72
130942	201 202	640	2	1.41	43	840	4	165	0.34	148	< 10	102
130943	201 202	630	< 1	1.32	48	980	6	245	0.31	157	< 10	78
130944	201 202	390	1	1.33	12	1500	6	293	0.13	40	< 10	64
130945	201 202	805	6	1.66	46	800	6	332	0.16	63	< 10	68
130946	201 202	830	< 1	1.07	29	1110	6	188	0.29	101	< 10	72
130947	201 202	955	1	0.94	77	1480	10	144	0.30	137	< 10	108
130948	201 202	685	< 1	1.39	34	770	6	155	0.43	139	< 10	78
130949	201 202	370	1	1.59	61	2080	2	261	0.29	73	< 10	44
130950	201 202	540	< 1	1.28	218	350	6	116	0.47	153	< 10	76
131204	201 202	460	1	1.84	15	1650	2	306	0.38	109	< 10	48
131251	201 202	935	3	1.29	74	1890	6	167	0.39	142	< 10	138
131252	201 202	335	1	1.69	23	1150	4	359	0.21	54	< 10	56
131253	201 202	960	1	2.23	11	1000	6	437	0.20	44	< 10	156
131254	201 202	405	< 1	1.55	16	1350	6	296	0.21	64	< 10	50
131255	201 202	475	< 1	1.81	10	1950	4	301	0.30	64	< 10	50
131256	201 202	415	1	1.36	14	2350	< 2	119	0.24	100	< 10	40

CERTIFICATION: Ian A Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number : 2-A
Total Pages : 5
Certificate Date: 19-JUL-96
Invoice No. : I9623669
P.O. Number :
Account : GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131257	201	202	< 5	< 0.2	5.96	1060	0.5	< 2	1.85	0.5	9	64	28	2.12	1.72	0.62
131258	201	202	< 5	< 0.2	8.38	1570	1.0	2	0.39	< 0.5	21	157	70	4.30	2.33	1.17
131259	201	202	< 5	< 0.2	3.08	970	0.5	< 2	0.17	< 0.5	5	31	13	1.03	0.97	0.24
131260	201	202	< 5	< 0.2	3.88	1650	0.5	2	0.58	< 0.5	5	34	20	1.31	1.21	0.44
131261	201	202	< 5	2.2	4.60	1120	1.0	2	2.41	1.0	8	16	73	1.81	1.00	0.45
131262	201	202	< 5	< 0.2	7.74	940	1.5	2	0.36	0.5	14	69	35	3.63	2.47	0.72
131263	201	202	15	< 0.2	10.65	1610	3.0	2	0.07	1.0	4	119	16	2.68	4.39	0.50
131264	201	202	< 5	< 0.2	5.60	940	1.0	< 2	0.52	< 0.5	8	51	17	1.87	1.43	0.39
131265	201	202	< 5	1.0	9.95	1250	2.5	< 2	0.22	1.0	10	90	19	4.16	3.83	0.88
131266	201	202	< 5	1.0	7.59	950	1.5	2	1.11	3.5	20	57	95	3.36	2.64	0.67
131267	201	202	< 5	< 0.2	8.42	1030	2.0	2	1.14	2.0	16	74	65	3.53	2.95	0.66
131268	201	202	< 5	< 0.2	6.96	900	1.5	< 2	0.50	< 0.5	7	58	17	2.55	2.44	0.49
131269	201	202	< 5	< 0.2	7.96	1130	1.5	2	0.56	1.0	18	77	25	3.88	2.81	0.68
131270	201	202	< 5	< 0.2	8.22	800	1.5	< 2	0.33	0.5	15	71	24	4.38	3.04	0.57
131271	201	202	< 5	< 0.2	7.87	810	1.5	< 2	0.54	0.5	8	49	14	2.68	2.67	0.48
131272	201	202	< 5	< 0.2	7.66	850	1.5	2	1.16	1.0	13	66	24	2.93	2.79	0.78
131273	201	202	< 5	< 0.2	11.20	1120	2.5	2	0.22	0.5	11	93	25	3.14	4.58	0.73
131274	201	202	< 5	< 0.2	10.10	920	2.0	< 2	0.40	0.5	8	56	17	2.28	3.79	0.59
131275	201	202	20	< 0.2	7.33	910	1.5	< 2	1.21	0.5	14	58	35	2.44	2.38	0.69
131276	201	202	< 5	< 0.2	8.82	970	1.0	2	0.49	< 0.5	14	41	7	4.08	2.72	1.71
131277	201	202	< 5	< 0.2	7.78	730	1.0	6	0.45	0.5	8	55	11	3.27	2.25	0.61
131278	201	202	< 5	< 0.2	7.93	950	1.5	2	0.46	< 0.5	13	59	20	3.56	2.96	0.87
131279	201	202	< 5	< 0.2	8.67	1090	2.0	2	0.65	< 0.5	13	74	27	3.27	3.15	0.82
131280	201	202	< 5	0.2	7.03	960	0.5	2	1.22	1.0	11	47	21	2.35	1.82	0.59
131281	201	202	< 5	< 0.2	7.94	880	1.5	< 2	0.42	0.5	14	75	26	3.67	2.79	0.78
131282	201	202	< 5	< 0.2	5.29	620	0.5	2	0.36	< 0.5	3	51	13	1.17	1.01	0.34
131283	201	202	< 5	2.2	7.44	1200	1.0	< 2	1.62	< 0.5	14	62	60	3.22	1.59	0.74
131284	201	202	< 5	< 0.2	6.64	860	0.5	< 2	1.42	0.5	5	10	20	1.39	1.85	0.48
131285	201	202	< 5	< 0.2	6.38	1120	0.5	< 2	0.43	< 0.5	4	43	14	1.40	1.68	0.43
131286	201	202	< 5	0.4	6.09	1440	1.0	< 2	0.35	< 0.5	7	54	34	2.57	1.61	0.83
131287	201	202	< 5	< 0.2	6.54	1400	0.5	< 2	0.41	< 0.5	11	49	36	3.49	1.67	1.10
131288	201	202	< 5	< 0.2	5.95	1000	1.0	2	0.78	0.5	10	73	26	3.33	1.62	0.86
131289	201	202	< 5	0.4	7.23	1820	1.0	2	0.33	< 0.5	9	52	42	3.30	2.07	1.22
131290	201	202	< 5	< 0.2	9.63	1980	1.5	< 2	0.26	0.5	14	33	26	3.65	2.71	1.57
131291	201	202	< 5	< 0.2	4.67	1370	0.5	2	0.58	< 0.5	8	28	35	2.40	1.22	1.39
131292	201	202	< 5	< 0.2	6.85	1540	0.5	< 2	0.20	< 0.5	14	66	37	3.79	1.81	1.41
131293	201	202	< 5	< 0.2	5.67	1610	1.0	< 2	3.34	1.0	10	65	49	2.48	1.66	1.07
131294	201	202	< 5	< 0.2	6.72	2290	1.5	< 2	0.38	1.0	10	16	49	2.04	1.76	1.60
131295	201	202	< 5	< 0.2	6.55	2450	1.0	4	0.57	< 0.5	17	44	64	3.15	1.46	1.76
131296	201	202	20	0.4	10.35	2620	1.5	2	0.36	0.5	23	170	84	5.14	3.76	1.60

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :2-B
Total Pages :5
Certificate Date: 19-JUL-96
Invoice No. : I9623669
P.O. Number :
Account :GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
131257	201	202	590	1	1.05	10	1270	6	194	0.15	80	< 10	56			
131258	201	202	355	1	0.97	36	540	20	51	0.18	165	10	86			
131259	201	202	990	1	0.53	10	530	< 2	51	0.17	68	< 10	42			
131260	201	202	255	2	0.92	13	820	2	107	0.24	72	< 10	48			
131261	201	202	405	1	1.21	31	2500	4	315	0.12	35	< 10	76			
131262	201	202	390	< 1	1.26	25	770	14	104	0.31	94	< 10	116			
131263	201	202	60	2	0.50	12	400	60	47	0.34	198	< 10	92			
131264	201	202	1840	< 1	0.78	12	2960	6	81	0.19	71	< 10	30			
131265	201	202	335	< 1	0.79	20	630	8	51	0.40	119	< 10	68			
131266	201	202	1365	< 1	1.35	21	1360	26	204	0.22	73	< 10	350			
131267	201	202	965	< 1	0.77	27	1620	66	113	0.20	80	< 10	184			
131268	201	202	255	< 1	1.37	14	410	12	128	0.34	99	< 10	66			
131269	201	202	855	< 1	1.29	29	690	30	101	0.32	97	< 10	98			
131270	201	202	325	< 1	1.13	24	570	34	77	0.30	80	< 10	88			
131271	201	202	220	< 1	1.42	12	500	8	182	0.33	75	< 10	50			
131272	201	202	920	< 1	1.18	23	890	24	155	0.28	80	< 10	98			
131273	201	202	230	1	0.93	26	810	16	53	0.36	104	< 10	80			
131274	201	202	255	1	1.10	15	560	14	106	0.27	82	< 10	64			
131275	201	202	3530	1	0.87	26	1020	16	146	0.19	74	< 10	96			
131276	201	202	385	< 1	1.47	10	460	4	88	0.31	130	< 10	72			
131277	201	202	290	< 1	1.46	13	600	10	118	0.35	97	< 10	62			
131278	201	202	645	1	1.12	27	650	18	47	0.29	75	< 10	86			
131279	201	202	480	2	0.93	28	880	24	83	0.30	85	< 10	94			
131280	201	202	2300	1	1.93	25	540	12	335	0.23	59	< 10	94			
131281	201	202	410	< 1	1.18	33	330	28	98	0.28	76	< 10	72			
131282	201	202	155	< 1	1.07	9	500	6	109	0.47	93	< 10	38			
131283	201	202	685	3	1.42	32	1710	16	303	0.21	83	< 10	70			
131284	201	202	300	1	2.43	6	940	2	443	0.22	38	< 10	42			
131285	201	202	165	1	1.44	8	410	8	150	0.39	102	< 10	46			
131286	201	202	250	1	1.08	23	1020	10	101	0.30	96	< 10	62			
131287	201	202	395	1	1.34	25	920	14	104	0.32	101	< 10	84			
131288	201	202	460	1	1.19	28	970	12	133	0.40	114	< 10	80			
131289	201	202	330	1	1.00	27	1250	12	77	0.33	114	< 10	92			
131290	201	202	490	< 1	1.59	12	700	16	57	0.23	79	< 10	86			
131291	201	202	870	< 1	0.53	20	950	6	60	0.26	76	< 10	70			
131292	201	202	625	1	1.08	21	730	14	74	0.26	106	< 10	76			
131293	201	202	505	1	0.76	46	1440	12	96	0.28	91	< 10	104			
131294	201	202	315	1	1.10	13	980	10	50	0.21	68	< 10	52			
131295	201	202	1045	1	1.13	28	1000	10	90	0.35	112	< 10	94			
131296	201	202	285	4	0.58	56	1590	28	133	0.33	210	< 10	152			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :3-A
Total Pages :5
Certificate Date: 19-JUL-96
Invoice No. :19623669
P.O. Number :
Account :GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131297	201	202	< 5	< 0.2	6.06	1140	0.5	< 2	0.67	0.5	5	36	18	2.04	1.57	0.64
131298	201	202	< 5	< 0.2	5.72	1070	0.5	2	2.39	< 0.5	25	234	80	3.01	1.40	1.99
131299	201	202	< 5	< 0.2	4.83	970	0.5	6	2.09	0.5	31	329	36	2.86	1.24	2.17
131300	201	202	< 5	< 0.2	5.16	1080	0.5	4	1.96	< 0.5	22	343	70	2.66	1.32	2.83
131387	201	202	< 5	< 0.2	7.06	680	< 0.5	2	2.30	< 0.5	20	93	72	5.97	0.98	2.08
131621	201	202	< 5	< 0.2	5.57	820	0.5	< 2	1.20	< 0.5	19	458	17	4.53	1.02	2.22
131622	201	202	< 5	< 0.2	7.16	730	0.5	2	2.40	0.5	27	169	88	5.25	1.01	2.57
131623	201	202	< 5	< 0.2	6.59	780	0.5	< 2	1.49	< 0.5	11	106	26	4.20	1.38	1.20
131624	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
131625	201	202	< 5	3.0	6.12	630	0.5	2	1.32	< 0.5	15	65	51	4.43	1.17	1.39
131626	201	202	< 5	< 0.2	7.14	1450	< 0.5	< 2	2.11	< 0.5	29	114	155	6.09	1.79	2.98
131627	201	202	5	< 0.2	7.87	1770	0.5	< 2	1.86	0.5	33	54	109	5.56	1.91	1.25
131628	201	202	< 5	0.4	6.21	670	< 0.5	< 2	1.53	0.5	17	58	65	4.58	0.98	1.21
131629	201	202	< 5	< 0.2	6.42	1230	0.5	< 2	1.53	< 0.5	17	120	94	3.72	1.30	1.47
131630	201	202	< 5	< 0.2	6.58	1020	0.5	2	1.43	< 0.5	18	123	65	4.23	1.29	1.57
131631	201	202	< 5	< 0.2	7.05	720	0.5	2	2.15	< 0.5	31	440	128	5.72	1.35	3.36
131632	201	202	< 5	< 0.2	6.62	840	0.5	2	1.26	0.5	33	626	94	5.53	0.92	3.96
131633	201	202	< 5	< 0.2	6.10	1010	0.5	2	0.61	0.5	12	71	40	4.45	1.18	1.09
131634	201	202	< 5	< 0.2	6.78	1060	1.0	6	1.75	0.5	25	66	91	3.84	1.54	1.18
131635	201	202	< 5	< 0.2	6.50	1060	0.5	2	1.47	< 0.5	18	163	48	4.04	1.36	1.90
131636	201	202	< 5	< 0.2	6.46	1170	1.0	6	1.58	0.5	18	143	39	3.41	1.56	1.70
131637	201	202	< 5	< 0.2	6.56	1030	1.0	< 2	0.71	< 0.5	15	73	47	3.49	1.45	1.04
131638	201	202	< 5	< 0.2	6.81	990	1.5	2	0.70	< 0.5	13	58	49	3.75	1.77	1.00
131639	201	202	< 5	< 0.2	6.15	1510	1.5	2	0.75	0.5	17	78	49	4.01	1.80	1.00
131640	201	202	< 5	1.0	5.83	890	1.0	2	0.65	< 0.5	12	68	24	3.77	1.46	0.76
131641	201	202	10	< 0.2	8.15	1140	1.5	2	0.37	0.5	28	82	42	5.84	2.78	0.78
131642	201	202	< 5	< 0.2	7.02	1150	1.5	< 2	0.82	1.0	11	69	34	3.74	2.19	0.70
131643	201	202	< 5	< 0.2	8.40	860	1.5	< 2	0.32	0.5	8	60	14	3.27	2.95	0.58
131644	201	202	< 5	< 0.2	8.00	1060	1.5	4	0.46	0.5	13	109	22	4.11	2.47	0.97
131645	201	202	125	0.2	7.58	860	1.5	< 2	0.26	< 0.5	13	96	21	3.72	2.19	0.84
131646	201	202	< 5	< 0.2	5.03	1150	0.5	6	0.66	< 0.5	14	114	20	3.13	1.24	1.06
131647	201	202	< 5	< 0.2	8.52	720	1.5	2	0.33	0.5	12	62	18	3.78	2.87	0.54
131648	201	202	< 5	< 0.2	7.57	1050	1.5	6	0.43	< 0.5	17	113	24	3.71	2.76	0.96
131649	201	202	< 5	< 0.2	7.87	720	1.5	< 2	0.23	< 0.5	9	53	13	4.50	2.63	0.54
131650	201	202	< 5	< 0.2	7.64	860	0.5	2	1.64	1.0	20	47	129	4.43	1.50	1.42
131651	201	202	< 5	< 0.2	6.76	1120	0.5	4	0.32	0.5	10	108	29	4.60	1.80	1.25
131652	201	202	< 5	< 0.2	6.26	840	0.5	2	0.85	0.5	10	120	25	3.65	1.41	0.97
131653	201	202	< 5	< 0.2	5.92	700	0.5	6	1.61	1.0	12	67	45	5.65	1.01	1.07
131654	201	202	< 5	< 0.2	4.39	620	0.5	6	1.38	< 0.5	53	640	26	3.65	0.92	5.05
131655	201	202	< 5	< 0.2	5.31	880	0.5	< 2	1.13	< 0.5	13	96	72	3.30	1.09	0.68

CERTIFICATION: Ian Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. :19623669
P.O. Number :
Account :GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
131297	201	202	245	1	1.71	12	450	8	196	0.37	80	< 10	56			
131298	201	202	815	2	0.97	165	970	12	210	0.18	99	< 10	72			
131299	201	202	995	< 1	1.03	241	950	12	168	0.26	90	< 10	68			
131300	201	202	430	< 1	0.85	371	900	4	173	0.21	97	< 10	84			
131387	201	202	745	< 1	1.79	26	310	6	280	0.43	261	10	62			
131621	201	202	645	< 1	1.31	123	550	4	125	0.39	158	< 10	88			
131622	201	202	870	< 1	1.42	90	540	2	247	0.37	220	10	74			
131623	201	202	480	1	1.81	31	320	8	215	0.52	167	< 10	58			
131624	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
131625	201	202	725	< 1	1.58	18	1140	4	174	0.32	192	< 10	66			
131626	201	202	990	< 1	1.48	26	660	2	166	0.30	270	10	72			
131627	201	202	1810	5	1.86	22	1190	10	235	0.30	193	10	126			
131628	201	202	770	< 1	1.27	16	860	< 2	150	0.33	196	< 10	74			
131629	201	202	540	< 1	1.66	49	660	6	206	0.46	152	< 10	74			
131630	201	202	560	< 1	1.64	52	920	6	191	0.43	148	< 10	86			
131631	201	202	935	< 1	1.68	143	1000	6	201	0.40	176	10	98			
131632	201	202	715	< 1	1.32	226	890	< 2	144	0.49	180	10	90			
131633	201	202	565	< 1	1.61	28	1270	8	114	0.38	143	< 10	82			
131634	201	202	675	< 1	1.78	28	850	8	288	0.41	145	< 10	74			
131635	201	202	580	< 1	1.61	80	910	6	191	0.40	124	< 10	80			
131636	201	202	770	2	1.92	63	810	6	210	0.52	124	< 10	72			
131637	201	202	740	< 1	2.09	31	550	10	141	0.39	106	< 10	72			
131638	201	202	765	1	2.02	26	620	8	139	0.37	104	< 10	76			
131639	201	202	730	1	1.22	36	1010	12	130	0.42	139	< 10	96			
131640	201	202	315	1	1.04	35	1000	16	124	0.32	116	< 10	76			
131641	201	202	1105	3	0.89	36	1150	62	109	0.26	112	< 10	138			
131642	201	202	615	1	1.33	29	1240	24	189	0.35	104	< 10	100			
131643	201	202	245	1	1.11	13	870	6	100	0.29	93	< 10	68			
131644	201	202	295	1	1.15	48	420	24	85	0.29	93	< 10	88			
131645	201	202	275	1	0.96	48	430	16	63	0.30	98	< 10	74			
131646	201	202	630	3	1.05	55	580	10	109	0.34	131	< 10	74			
131647	201	202	250	< 1	1.21	20	510	16	88	0.26	90	< 10	80			
131648	201	202	525	1	1.04	44	760	18	53	0.33	96	< 10	82			
131649	201	202	270	1	1.07	17	660	16	66	0.26	83	< 10	70			
131650	201	202	820	2	1.98	30	680	4	318	0.43	148	< 10	100			
131651	201	202	345	1	0.88	38	640	10	62	0.34	134	< 10	82			
131652	201	202	490	< 1	1.40	40	640	8	172	0.46	138	< 10	62			
131653	201	202	760	< 1	1.40	34	1890	< 2	201	0.52	178	< 10	80			
131654	201	202	680	1	1.06	949	440	4	131	0.30	99	< 10	60			
131655	201	202	955	1	1.28	36	1530	4	151	0.41	137	< 10	56			

CERTIFICATION: Stan Bachlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 19-JUL-96
Invoice No. : I9623669
P.O. Number :
Account : GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131656	201 202	10	< 0.2	6.31	1020	1.0	< 2	0.95	< 0.5	9	48	28	2.78	1.76	0.73
131657	201 202	10	0.4	7.29	1010	1.0	6	1.72	0.5	9	61	34	2.68	1.74	0.95
131658	201 202	20	< 0.2	6.38	1080	1.0	< 2	0.96	< 0.5	13	50	33	3.67	1.68	0.90
131659	201 202	< 5	< 0.2	5.60	860	1.0	2	0.98	< 0.5	15	75	44	3.77	1.35	0.99
131660	201 202	< 5	< 0.2	5.93	760	0.5	2	0.75	< 0.5	7	62	22	2.58	1.39	0.84
131661	201 202	< 5	< 0.2	6.36	980	1.0	2	0.89	< 0.5	18	99	42	4.00	1.48	1.27
131662	201 202	< 5	< 0.2	4.82	700	0.5	6	2.16	1.5	18	80	54	2.40	1.04	0.90
131663	201 202	< 5	< 0.2	5.58	760	0.5	< 2	1.93	< 0.5	11	70	49	2.35	1.36	0.83
131664	201 202	< 5	< 0.2	5.92	760	0.5	< 2	1.75	1.0	11	59	40	2.41	1.51	0.81
131665	201 202	< 5	< 0.2	7.42	780	1.0	2	1.70	< 0.5	11	41	30	3.70	1.88	0.90
131666	201 202	< 5	< 0.2	6.92	820	1.0	< 2	0.87	0.5	10	35	22	4.22	1.91	0.76
131667	201 202	< 5	< 0.2	6.80	850	1.5	2	0.86	0.5	13	79	37	4.01	1.59	0.97
131668	201 202	< 5	< 0.2	4.12	520	0.5	2	1.07	< 0.5	13	125	22	3.15	1.07	1.25
131669	201 202	< 5	< 0.2	6.60	810	1.5	2	1.35	0.5	25	248	48	4.97	1.53	2.71
131670	201 202	< 5	< 0.2	6.63	640	0.5	4	3.29	0.5	28	328	70	7.41	1.51	3.28
131671	201 202	< 5	< 0.2	6.48	920	0.5	2	0.90	0.5	8	69	17	3.27	1.71	0.81
131672	201 202	< 5	< 0.2	7.02	1160	1.0	2	1.78	< 0.5	24	221	50	4.42	1.93	2.23
131673	201 202	< 5	0.2	5.57	1150	1.0	< 2	1.81	1.0	12	97	48	2.82	1.53	0.99
131674	201 202	< 5	0.4	6.12	1550	1.5	< 2	0.69	0.5	15	147	43	3.19	1.63	1.35
131675	201 202	< 5	< 0.2	5.66	1210	1.0	< 2	0.76	0.5	12	197	74	2.93	1.48	1.11
131676	201 202	< 5	< 0.2	6.66	910	1.0	< 2	0.33	< 0.5	14	113	15	4.13	1.78	0.78
131677	201 202	< 5	< 0.2	7.48	1030	1.5	< 2	0.70	< 0.5	11	79	21	4.04	2.56	0.97
131678	201 202	< 5	< 0.2	3.46	660	0.5	< 2	3.36	< 0.5	5	23	37	1.18	0.93	0.39
131679	201 202	< 5	< 0.2	5.71	1280	0.5	< 2	0.31	< 0.5	8	84	17	3.43	1.31	0.82
131680	201 202	< 5	< 0.2	6.47	1010	0.5	< 2	0.69	< 0.5	10	64	18	3.10	1.91	0.68
131681	201 202	< 5	< 0.2	5.62	1020	0.5	< 2	1.61	0.5	10	85	26	2.56	1.69	0.92
131682	201 202	< 5	< 0.2	0.46	410	< 0.5	< 2	4.30	< 0.5	1	10	19	0.23	0.11	0.18
131683	201 202	< 5	< 0.2	6.08	980	0.5	< 2	1.13	< 0.5	8	30	16	2.26	2.10	0.53
131684	201 202	< 5	< 0.2	6.43	1070	0.5	< 2	0.78	< 0.5	7	55	22	3.06	1.84	0.73
131685	201 202	< 5	< 0.2	5.96	870	0.5	< 2	0.43	< 0.5	4	49	16	2.30	1.59	0.38
131686	201 202	< 5	< 0.2	5.86	780	0.5	< 2	0.87	0.5	7	21	31	1.72	1.49	0.34
131687	201 202	< 5	< 0.2	5.69	720	0.5	< 2	0.52	0.5	7	47	13	3.15	1.33	0.57
131688	201 202	< 5	< 0.2	4.94	1140	0.5	4	0.30	< 0.5	5	45	30	2.82	1.39	0.79
131689	201 202	< 5	< 0.2	5.73	820	< 0.5	< 2	0.31	0.5	7	38	15	3.79	1.16	0.85
131690	201 202	< 5	< 0.2	5.49	930	0.5	< 2	0.52	< 0.5	4	43	16	2.20	1.56	0.46
131691	201 202	< 5	< 0.2	5.70	1000	0.5	< 2	0.61	< 0.5	5	59	19	2.80	1.66	0.75
131692	201 202	< 5	< 0.2	5.02	1030	0.5	< 2	0.38	1.5	4	45	18	2.27	1.52	0.45
131693	201 202	< 5	< 0.2	5.59	1320	0.5	< 2	0.30	1.5	11	51	24	2.94	1.75	0.71
131694	201 202	< 5	< 0.2	4.71	790	0.5	< 2	0.80	2.0	8	23	20	2.15	1.30	0.35
131695	201 202	< 5	< 0.2	5.29	860	0.5	< 2	1.00	1.5	4	24	15	1.37	1.44	0.47

CERTIFICATION: [illegible]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number : 4 B
Total Pages : 5
Certificate Date: 19-JUL-96
Invoice No. : I9623669
P.O. Number :
Account : GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
131656	201	202	970	3	1.70	19	1590	8	280	0.32	101	< 10	64			
131657	201	202	385	1	2.13	20	1350	6	457	0.31	129	< 10	56			
131658	201	202	1000	1	1.86	24	600	10	239	0.37	97	< 10	72			
131659	201	202	755	1	1.49	32	1050	8	163	0.33	111	< 10	80			
131660	201	202	345	1	1.60	26	1370	4	204	0.32	108	< 10	46			
131661	201	202	695	< 1	1.46	50	840	8	149	0.33	138	< 10	86			
131662	201	202	1240	9	0.79	40	1660	10	179	0.29	100	< 10	64			
131663	201	202	780	7	1.31	29	1270	10	246	0.30	90	< 10	64			
131664	201	202	635	6	1.65	23	1010	10	290	0.30	84	< 10	62			
131665	201	202	625	1	2.53	16	940	6	412	0.34	87	< 10	66			
131666	201	202	1005	< 1	2.07	12	1870	4	162	0.40	90	< 10	92			
131667	201	202	430	2	1.33	31	530	10	161	0.40	128	< 10	82			
131668	201	202	505	< 1	0.96	57	760	6	116	0.34	90	< 10	54			
131669	201	202	705	1	1.47	157	630	6	171	0.44	123	10	90			
131670	201	202	1100	1	1.54	151	480	< 2	228	0.66	188	10	98			
131671	201	202	340	< 1	1.67	19	540	8	221	0.40	108	< 10	60			
131672	201	202	815	2	1.30	90	780	12	175	0.46	133	10	96			
131673	201	202	970	3	0.82	62	940	12	179	0.29	132	< 10	130			
131674	201	202	740	10	0.81	82	980	12	97	0.41	181	< 10	146			
131675	201	202	230	3	0.84	102	990	24	96	0.26	118	< 10	96			
131676	201	202	460	1	0.92	40	440	16	77	0.35	117	< 10	122			
131677	201	202	225	2	1.06	41	580	16	79	0.26	86	< 10	96			
131678	201	202	365	1	0.84	13	800	4	228	0.11	26	< 10	24			
131679	201	202	360	1	0.71	29	430	10	78	0.37	145	< 10	74			
131680	201	202	410	2	1.40	16	290	12	184	0.26	90	< 10	152			
131681	201	202	465	< 1	1.00	19	800	8	164	0.27	85	< 10	74			
131682	201	202	220	1	0.07	3	730	< 2	187	0.02	10	< 10	10			
131683	201	202	1085	3	1.63	7	490	8	287	0.27	61	< 10	48			
131684	201	202	285	2	1.42	19	360	12	193	0.31	88	< 10	70			
131685	201	202	250	3	1.12	10	890	6	112	0.35	104	< 10	70			
131686	201	202	515	1	1.53	7	2660	12	253	0.21	51	< 10	52			
131687	201	202	420	3	1.46	12	810	6	133	0.35	109	< 10	96			
131688	201	202	210	1	0.87	19	550	8	81	0.36	81	< 10	72			
131689	201	202	395	1	1.40	10	1040	4	93	0.35	102	< 10	82			
131690	201	202	235	1	1.17	9	780	6	149	0.33	98	< 10	54			
131691	201	202	250	2	1.11	18	490	8	135	0.35	97	< 10	64			
131692	201	202	330	1	0.75	13	1630	10	79	0.29	89	< 10	48			
131693	201	202	505	2	0.76	18	900	12	65	0.27	94	< 10	82			
131694	201	202	855	< 1	1.24	8	3110	12	213	0.17	48	< 10	50			
131695	201	202	285	1	1.54	7	1030	12	265	0.21	50	< 10	44			

CERTIFICATION: Hartt Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :5-A
Total Pages :5
Certificate Date: 19-JUL-96
Invoice No. : I9623669
P.O. Number :
Account : GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131696	201 202	< 5	< 0.2	5.23	1350	1.0	6	0.49	< 0.5	7	44	22	2.67	1.54	0.69
131697	201 202	< 5	< 0.2	5.74	840	1.0	< 2	0.36	< 0.5	9	49	21	2.76	1.67	0.61
131698	201 202	< 5	< 0.2	7.00	920	2.0	< 2	0.60	0.5	12	64	19	3.10	2.19	0.83
131751	201 202	< 5	< 0.2	5.23	860	0.5	2	2.13	1.0	6	22	34	1.41	1.43	0.67
131752	201 202	< 5	< 0.2	6.48	1540	1.5	4	1.52	1.0	19	166	84	3.52	1.65	1.74
131753	201 202	< 5	< 0.2	5.89	1310	1.5	6	2.17	2.0	14	107	63	2.52	1.46	1.39
131754	201 202	< 5	< 0.2	1.10	580	< 0.5	4	2.70	1.5	3	20	35	0.42	0.21	0.62
131755	201 202	< 5	0.4	5.29	980	1.0	< 2	1.59	0.5	11	59	60	2.23	1.20	0.71
131756	201 202	< 5	< 0.2	6.46	930	1.0	2	1.76	1.5	9	40	43	1.88	1.75	0.73
131757	201 202	< 5	< 0.2	6.55	880	1.0	< 2	1.73	0.5	9	23	35	2.06	1.80	0.59
131758	201 202	< 5	< 0.2	6.62	1000	1.0	< 2	1.66	1.0	8	34	33	1.94	1.72	0.70
131759	201 202	< 5	< 0.2	6.44	790	0.5	< 2	1.50	0.5	9	101	16	2.30	1.54	0.94
131760	201 202	25	< 0.2	5.69	1110	1.0	< 2	1.45	0.5	20	224	21	3.30	1.34	2.12
131761	201 202	< 5	< 0.2	5.98	1030	1.0	< 2	1.74	< 0.5	11	76	31	2.09	1.51	0.92
131762	201 202	< 5	< 0.2	4.92	870	0.5	< 2	1.70	1.5	11	44	29	1.59	1.19	0.75
131763	201 202	< 5	< 0.2	5.64	1360	1.0	< 2	1.03	0.5	16	147	21	2.92	1.50	1.40
131764	201 202	< 5	< 0.2	5.91	1200	1.0	< 2	1.37	0.5	12	132	25	2.38	1.59	1.24
131765	201 202	< 5	< 0.2	5.91	1090	1.0	< 2	1.67	0.5	9	95	29	1.92	1.51	0.98
131766	201 202	< 5	< 0.2	4.96	1010	1.0	6	2.05	2.0	24	140	34	2.45	1.12	1.16
131767	201 202	< 5	< 0.2	2.38	1080	0.5	2	2.40	4.0	56	106	52	2.45	0.47	0.95
131768	201 202	< 5	< 0.2	3.88	770	0.5	4	2.07	1.5	8	200	48	1.55	0.82	1.15
131769	201 202	< 5	< 0.2	1.47	580	< 0.5	4	3.16	3.0	6	35	41	0.67	0.32	0.63
131770	201 202	< 5	< 0.2	5.29	1390	1.0	< 2	1.44	1.5	22	154	49	2.69	1.23	1.01
131771	201 202	< 5	< 0.2	2.67	660	0.5	< 2	2.07	0.5	9	96	35	1.40	0.60	0.98
131772	201 202	< 5	< 0.2	4.90	1050	1.0	< 2	1.54	4.5	11	133	77	1.90	1.19	0.66
131773	201 202	5	< 0.2	5.76	1300	1.5	2	0.91	0.5	17	144	33	2.92	1.64	1.31
131774	201 202	< 5	< 0.2	4.30	790	0.5	< 2	1.53	0.5	10	72	37	1.61	0.94	0.63
131775	201 202	< 5	< 0.2	4.85	1030	1.0	< 2	1.52	0.5	25	162	47	2.24	1.09	1.32
131776	201 202	< 5	< 0.2	6.81	890	0.5	< 2	3.29	0.5	30	196	67	4.53	0.91	2.22
131777	201 202	< 5	< 0.2	7.03	590	0.5	2	4.08	0.5	29	191	71	4.69	0.79	2.14
131778	201 202	< 5	< 0.2	7.18	430	0.5	2	4.51	0.5	25	194	60	5.53	0.68	1.91
131779	201 202	< 5	< 0.2	7.31	380	< 0.5	6	4.75	1.0	32	214	78	5.96	0.70	2.63
131780	201 202	< 5	< 0.2	7.17	390	0.5	2	3.45	1.0	26	223	67	5.12	1.01	2.30
131781	201 202	< 5	< 0.2	7.10	600	0.5	< 2	2.97	< 0.5	28	163	73	4.08	0.97	2.19
131782	201 202	< 5	< 0.2	6.37	850	1.0	2	2.12	0.5	32	142	102	4.08	1.10	1.94

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.
PROJECT: WOLVERINE
P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :5-B
Total Pages :5
Certificate Date: 19-JUL-96
Invoice No. :I9623669
P.O. Number :
Account :GP W

CERTIFICATE OF ANALYSIS A9623669

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
131696	201 202	295	1	0.87	18	940	8	101	0.35	94	< 10	64
131697	201 202	330	1	0.82	21	840	10	78	0.39	92	< 10	64
131698	201 202	430	< 1	1.19	26	860	16	117	0.46	91	< 10	72
131751	201 202	345	1	1.78	37	730	16	385	0.15	38	< 10	60
131752	201 202	825	1	0.91	126	1170	14	158	0.27	131	< 10	142
131753	201 202	830	1	1.18	99	1310	10	271	0.20	87	< 10	108
131754	201 202	190	< 1	0.14	72	980	4	122	0.02	15	< 10	52
131755	201 202	795	3	1.42	80	1320	12	322	0.15	51	< 10	58
131756	201 202	435	1	2.15	59	900	10	436	0.17	45	< 10	64
131757	201 202	515	2	2.34	36	710	10	463	0.17	42	< 10	58
131758	201 202	355	< 1	2.12	31	790	6	438	0.20	52	< 10	60
131759	201 202	380	2	1.98	21	430	4	280	0.50	120	< 10	48
131760	201 202	555	< 1	1.11	108	1000	4	121	0.44	140	< 10	82
131761	201 202	820	1	1.73	66	1160	4	346	0.23	74	< 10	58
131762	201 202	1135	1	1.44	71	1210	8	318	0.17	50	< 10	50
131763	201 202	1615	1	1.00	82	790	10	125	0.31	121	< 10	84
131764	201 202	470	1	1.19	78	950	10	185	0.28	104	< 10	86
131765	201 202	525	1	1.44	72	920	8	276	0.23	81	< 10	74
131766	201 202	3510	2	1.33	133	1420	2	265	0.23	75	< 10	84
131767	201 202	6940	5	0.42	235	1410	< 2	137	0.10	51	< 10	94
131768	201 202	225	< 1	0.78	109	1270	6	174	0.18	63	< 10	66
131769	201 202	775	3	0.26	99	1090	< 2	132	0.06	27	< 10	62
131770	201 202	2920	3	1.16	163	1420	8	211	0.21	82	< 10	108
131771	201 202	400	1	0.50	111	1190	6	137	0.12	49	< 10	68
131772	201 202	760	1	1.02	71	890	6	179	0.30	97	< 10	112
131773	201 202	350	1	0.85	84	880	16	86	0.32	128	< 10	90
131774	201 202	585	1	1.00	54	1390	4	213	0.15	53	< 10	44
131775	201 202	930	1	0.85	102	1370	6	174	0.19	87	20	78
131776	201 202	1115	< 1	1.08	55	640	4	135	0.51	195	< 10	74
131777	201 202	885	< 1	1.23	52	590	2	185	0.54	209	< 10	90
131778	201 202	945	< 1	1.44	47	550	< 2	192	0.59	229	10	60
131779	201 202	1015	< 1	1.82	54	480	< 2	152	0.66	239	10	64
131780	201 202	815	< 1	1.64	48	480	< 2	168	0.61	195	10	60
131781	201 202	1045	< 1	1.24	74	750	4	286	0.48	167	< 10	70
131782	201 202	890	< 1	1.32	55	830	10	177	0.50	170	< 10	76

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9624113

Comments: ATTN:DAVID TERRY

CERTIFICATE A9624113

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 21-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	196	Dry, sieve to -80 mesh
202	196	save reject
285	196	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	196	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	196	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	196	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	196	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	196	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	196	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	196	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	196	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	196	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	196	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	196	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	196	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	196	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	196	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	196	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	196	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	196	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	196	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	196	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	196	Pb ppm: 24 element, rock & core	AAS	2	10000
582	196	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	196	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	196	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	196	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	196	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 21-JUL-96
Invoice No. : I9624113
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131699	201	202	< 5	< 0.2	6.08	900	< 0.5	< 2	0.43	1.0	8	75	19	3.49	1.85	0.62
131700	201	202	< 5	< 0.2	6.56	1270	0.5	2	0.51	< 0.5	7	66	22	2.50	1.94	0.78
131701	201	202	< 5	< 0.2	5.41	1080	< 0.5	2	1.30	0.5	8	54	21	2.35	1.08	0.56
131702	201	202	< 5	1.2	5.05	780	< 0.5	< 2	1.20	0.5	6	55	30	1.98	0.85	0.50
131703	201	202	< 5	0.4	5.42	1320	< 0.5	< 2	0.31	0.5	6	75	26	2.25	1.32	0.48
131704	201	202	< 5	< 0.2	6.42	910	< 0.5	2	0.79	0.5	7	59	17	2.20	1.95	0.56
131705	201	202	< 5	< 0.2	8.25	1410	0.5	< 2	0.69	1.0	10	75	25	3.13	2.06	0.67
131706	201	202	< 5	< 0.2	6.00	810	< 0.5	4	0.73	1.5	10	94	15	4.55	1.45	0.79
131707	201	202	< 5	< 0.2	1.11	460	< 0.5	< 2	0.54	0.5	13	5	6	4.79	0.09	0.12
131708	201	202	< 5	0.6	6.82	1020	< 0.5	< 2	0.55	1.0	14	109	37	3.61	1.48	0.83
131709	201	202	< 5	< 0.2	6.95	960	< 0.5	4	0.70	1.5	21	126	34	3.54	1.59	1.27
131710	201	202	< 5	0.2	5.79	970	0.5	< 2	0.71	0.5	10	70	17	2.42	1.63	0.75
131711	201	202	< 5	< 0.2	5.91	910	0.5	4	0.70	0.5	11	72	17	2.56	1.72	0.78
131712	201	202	< 5	< 0.2	5.85	940	0.5	2	0.70	0.5	10	70	20	2.41	1.73	0.68
131713	201	202	< 5	< 0.2	6.93	790	< 0.5	< 2	0.41	1.5	11	65	20	4.75	1.98	0.71
131714	201	202	< 5	< 0.2	6.11	740	< 0.5	< 2	1.15	0.5	5	17	14	1.42	1.63	0.47
131715	201	202	< 5	< 0.2	6.38	960	< 0.5	< 2	0.41	1.0	12	111	23	4.92	1.84	0.98
131716	201	202	< 5	< 0.2	5.97	910	< 0.5	< 2	0.69	1.0	9	82	15	3.10	1.55	0.69
131717	201	202	< 5	< 0.2	5.52	1130	< 0.5	< 2	0.70	0.5	12	163	29	3.46	1.27	1.24
131718	201	202	< 5	< 0.2	6.30	1570	< 0.5	4	0.94	1.0	12	69	21	3.36	1.50	0.88
131719	201	202	< 5	< 0.2	5.79	1010	< 0.5	2	0.75	0.5	8	75	14	2.92	1.49	0.76
131720	201	202	< 5	0.6	6.41	1080	< 0.5	2	0.80	0.5	9	63	22	3.47	1.65	0.82
131721	201	202	< 5	< 0.2	6.16	1330	< 0.5	2	0.64	1.0	10	70	26	3.03	1.73	0.89
131722	201	202	< 5	< 0.2	5.73	1370	< 0.5	2	0.68	0.5	7	51	15	2.73	1.63	0.79
131723	201	202	< 5	< 0.2	5.74	780	1.5	2	0.84	1.5	5	41	18	1.53	1.70	0.35
131724	201	202	< 5	< 0.2	6.73	1170	1.5	< 2	1.00	0.5	6	45	14	2.12	2.49	0.56
131725	201	202	< 5	0.6	6.94	1470	0.5	2	1.12	2.5	11	69	24	2.87	1.75	0.86
131726	201	202	15	0.6	7.37	1260	0.5	4	1.22	1.0	11	59	31	3.43	1.93	0.84
131727	201	202	< 5	0.4	5.43	870	1.0	< 2	0.88	1.0	6	38	37	2.35	1.13	0.45
131728	201	202	< 5	< 0.2	6.29	1500	< 0.5	2	0.79	2.0	12	118	27	3.54	1.99	1.06
131729	201	202	< 5	< 0.2	6.04	1370	0.5	< 2	0.91	1.5	8	105	18	2.21	2.02	0.64
131730	201	202	< 5	< 0.2	5.45	920	1.0	2	0.86	0.5	7	51	12	2.19	1.80	0.60
131731	201	202	< 5	< 0.2	5.88	1190	< 0.5	< 2	0.71	2.0	7	64	20	3.02	1.85	0.56
131732	201	202	< 5	< 0.2	6.47	1270	< 0.5	< 2	0.73	2.5	10	54	24	3.40	1.77	0.71
131733	201	202	< 5	< 0.2	5.90	1560	< 0.5	4	0.53	1.0	10	63	28	3.18	1.79	0.59
131734	201	202	< 5	< 0.2	5.46	820	0.5	4	4.94	5.0	11	39	29	2.30	1.35	2.65
131735	201	202	< 5	< 0.2	6.26	1150	0.5	2	0.99	1.5	9	62	15	2.64	1.92	0.75
131736	201	202	< 5	< 0.2	6.48	1370	0.5	2	0.97	1.5	10	71	17	2.97	2.04	0.85
131979	201	202	< 5	< 0.2	0.22	280	< 0.5	2	3.50	2.0	1	16	21	0.12	0.11	0.39
131980	201	202	< 5	< 0.2	2.55	450	< 0.5	< 2	2.08	1.0	4	19	19	0.76	0.68	0.37

CERTIFICATION: Ian Buchan

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-B
Total Pages : 5
Certificate Date: 21-JUL-96
Invoice No. : I9624113
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
131699	201	202	340	< 1	1.02	23	1620	8	99	0.40	98	< 10	70			
131700	201	202	240	1	1.14	24	440	6	114	0.44	95	< 10	66			
131701	201	202	405	1	1.07	21	2070	6	177	0.25	66	< 10	48			
131702	201	202	255	2	1.07	32	3220	4	251	0.18	58	< 10	42			
131703	201	202	420	2	0.57	18	2780	4	78	0.39	149	< 10	40			
131704	201	202	330	2	1.76	18	570	8	215	0.36	72	< 10	48			
131705	201	202	340	1	1.17	24	1540	8	158	0.30	90	< 10	64			
131706	201	202	500	1	1.34	25	660	4	141	0.46	156	< 10	64			
131707	201	202	1945	< 1	0.10	11	2370	< 2	56	0.02	11	< 10	8			
131708	201	202	585	2	0.93	42	1610	12	108	0.37	137	< 10	82			
131709	201	202	695	1	1.33	53	460	10	131	0.42	132	< 10	82			
131710	201	202	385	1	1.38	24	270	8	140	0.41	95	< 10	54			
131711	201	202	410	< 1	1.42	25	300	12	129	0.43	88	< 10	54			
131712	201	202	375	2	1.50	24	340	10	155	0.44	84	< 10	50			
131713	201	202	545	1	1.15	21	1610	14	122	0.35	97	< 10	92			
131714	201	202	245	2	1.93	8	1520	4	353	0.22	48	< 10	36			
131715	201	202	735	2	0.89	29	2260	10	68	0.43	169	< 10	72			
131716	201	202	340	1	1.16	25	320	18	135	0.41	122	< 10	62			
131717	201	202	550	4	0.86	58	1030	10	96	0.44	163	< 10	72			
131718	201	202	675	1	1.04	25	510	20	131	0.37	106	< 10	112			
131719	201	202	340	3	1.23	23	570	12	129	0.39	118	< 10	58			
131720	201	202	470	3	1.41	26	940	20	168	0.37	103	< 10	80			
131721	201	202	335	< 1	1.15	32	430	14	129	0.33	115	< 10	78			
131722	201	202	280	3	1.27	20	350	14	140	0.32	97	< 10	56			
131723	201	202	310	1	1.43	19	1550	14	212	0.23	48	< 10	56			
131724	201	202	320	3	1.74	15	740	16	190	0.34	84	< 10	66			
131725	201	202	620	3	1.15	44	860	24	184	0.27	89	< 10	286			
131726	201	202	460	4	1.55	37	860	24	282	0.26	99	< 10	186			
131727	201	202	475	6	1.32	21	3360	20	228	0.18	59	< 10	60			
131728	201	202	595	2	1.36	48	1440	18	141	0.34	130	< 10	146			
131729	201	202	690	2	1.46	25	840	18	205	0.35	95	< 10	92			
131730	201	202	305	1	1.37	16	490	16	134	0.29	82	< 10	48			
131731	201	202	325	3	1.22	20	970	16	155	0.37	108	< 10	84			
131732	201	202	455	1	1.34	17	700	14	182	0.39	124	< 10	144			
131733	201	202	325	4	0.92	21	690	16	137	0.43	180	< 10	88			
131734	201	202	1105	1	1.25	18	1090	20	214	0.22	76	< 10	108			
131735	201	202	385	< 1	1.25	27	620	20	130	0.35	101	< 10	110			
131736	201	202	415	2	1.43	24	510	16	143	0.39	139	< 10	106			
131979	201	202	175	5	0.04	45	850	< 2	123	< 0.01	7	< 10	82			
131980	201	202	245	1	0.80	14	990	6	216	0.09	24	< 10	40			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 21-JUL-96
Invoice No. : I9624113
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
131981	201	202	< 5	< 0.2	2.21	1480	< 0.5	< 2	2.69	1.5	6	18	30	0.75	0.50	0.40
132201	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
132202	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
132203	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
132204	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
132205	201	202	< 5	< 0.2	5.16	1010	< 0.5	< 2	0.99	1.0	12	129	27	3.00	1.33	1.00
132206	201	202	< 5	< 0.2	7.45	1800	< 0.5	< 2	0.81	1.0	10	77	32	2.99	1.70	0.67
132207	201	202	< 5	< 0.2	5.02	1600	< 0.5	< 2	0.98	0.5	6	68	25	2.03	1.44	0.48
132208	201	202	< 5	< 0.2	5.32	940	< 0.5	2	0.43	0.5	6	71	22	2.74	1.68	0.47
132209	201	202	< 5	< 0.2	5.84	1210	< 0.5	2	0.54	0.5	9	78	31	2.99	1.97	0.68
132210	201	202	< 5	< 0.2	6.02	1640	0.5	2	0.69	1.0	6	87	37	1.98	1.82	0.57
132211	201	202	< 5	< 0.2	6.06	1270	< 0.5	6	0.81	1.0	8	63	28	2.66	1.92	0.63
132212	201	202	< 5	< 0.2	5.06	1050	< 0.5	< 2	0.35	1.0	8	69	51	2.92	1.45	0.41
132213	201	202	< 5	< 0.2	5.36	1020	< 0.5	< 2	0.29	1.0	17	63	34	3.18	1.78	0.45
132214	201	202	< 5	< 0.2	5.47	1000	< 0.5	< 2	0.45	< 0.5	19	73	50	3.61	1.79	0.67
132215	201	202	< 5	< 0.2	6.47	1270	< 0.5	< 2	0.59	1.5	12	66	46	4.22	1.66	0.74
132216	201	202	< 5	< 0.2	6.33	1340	0.5	< 2	1.28	0.5	7	30	29	2.08	1.53	0.59
132217	201	202	< 5	< 0.2	5.62	1440	< 0.5	< 2	1.27	1.0	9	62	28	2.40	1.44	0.69
132218	201	202	< 5	< 0.2	6.19	1220	< 0.5	2	0.94	1.0	10	86	23	2.79	1.85	0.85
132219	201	202	< 5	< 0.2	5.41	1040	< 0.5	2	0.60	0.5	6	67	15	2.86	1.67	0.53
132220	201	202	< 5	< 0.2	5.56	1120	< 0.5	2	0.73	0.5	8	75	21	3.42	1.56	0.68
132221	201	202	< 5	< 0.2	5.42	1430	0.5	2	0.62	1.5	6	80	27	2.29	1.59	0.51
132222	201	202	< 5	< 0.2	5.72	1140	< 0.5	2	0.75	1.5	10	95	34	3.01	1.65	0.81
132223	201	202	< 5	0.6	5.97	1720	0.5	< 2	0.85	0.5	8	79	46	2.44	1.53	0.63
132224	201	202	< 5	< 0.2	5.74	940	< 0.5	2	0.69	0.5	8	85	19	2.83	1.64	0.69
132225	201	202	< 5	1.2	7.52	1240	< 0.5	< 2	1.17	1.0	10	72	53	3.15	2.01	0.76
132226	201	202	< 5	< 0.2	5.90	1010	< 0.5	< 2	0.47	1.0	5	76	19	1.92	1.79	0.55
132227	201	202	< 5	0.6	5.70	1180	< 0.5	4	0.82	0.5	10	89	22	2.11	1.53	0.78
132228	201	202	< 5	< 0.2	5.48	1060	< 0.5	2	0.73	0.5	8	83	20	2.38	1.73	0.66
132229	201	202	< 5	< 0.2	5.77	870	< 0.5	2	0.92	0.5	8	95	20	2.58	1.56	0.78
132230	201	202	< 5	< 0.2	5.99	960	0.5	2	0.84	1.0	8	67	25	2.27	1.83	0.65
132231	201	202	< 5	< 0.2	5.72	900	< 0.5	2	0.91	0.5	6	48	24	2.42	1.79	0.51
132232	201	202	< 5	0.4	6.34	1600	0.5	2	0.93	0.5	12	96	24	2.49	1.94	0.97
132233	201	202	< 5	0.2	6.34	1190	< 0.5	4	0.52	1.0	7	79	19	2.45	1.88	0.71
132234	201	202	< 5	< 0.2	5.54	1340	< 0.5	2	0.99	1.5	11	82	14	2.63	1.82	0.71
132235	201	202	< 5	< 0.2	6.62	1580	< 0.5	6	0.77	0.5	14	96	40	3.40	1.84	0.92
132236	201	202	< 5	< 0.2	6.01	1910	< 0.5	< 2	1.20	1.5	13	54	15	2.22	1.82	0.59
132237	201	202	< 5	< 0.2	5.85	910	< 0.5	< 2	0.74	1.5	11	62	14	3.19	1.65	0.62
132238	201	202	< 5	< 0.2	6.95	1190	1.5	6	1.61	1.0	12	80	19	2.86	2.32	1.22
132239	201	202	< 5	< 0.2	6.42	1090	0.5	2	1.44	1.0	13	46	46	2.20	1.71	0.66

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page er :2-B
Total s :5
Certificate Date: 21-JUL-96
Invoice No. :19624113
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
131981	201	202	1340	1	0.53	39	1160	4	224	0.07	24	< 10	58			
132201	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
132202	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
132203	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
132204	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
132205	201	202	495	< 1	1.22	51	680	10	134	0.37	113	< 10	72			
132206	201	202	485	1	1.07	31	2170	14	183	0.27	112	< 10	76			
132207	201	202	310	1	0.95	16	2390	12	171	0.33	109	< 10	66			
132208	201	202	280	1	0.85	18	2260	10	104	0.36	108	< 10	70			
132209	201	202	340	3	0.90	23	640	16	138	0.42	124	< 10	76			
132210	201	202	305	7	1.08	16	1790	14	224	0.33	314	< 10	62			
132211	201	202	305	3	1.29	20	920	16	230	0.39	148	< 10	82			
132212	201	202	615	4	0.66	21	3200	12	108	0.49	184	< 10	108			
132213	201	202	4230	1	0.69	16	950	12	81	0.51	124	< 10	70			
132214	201	202	1780	3	0.76	37	1160	14	118	0.44	134	< 10	90			
132215	201	202	535	2	0.86	34	2210	10	176	0.60	144	< 10	86			
132216	201	202	550	2	1.49	17	1980	8	312	0.18	65	< 10	56			
132217	201	202	525	1	1.15	24	2220	8	240	0.26	92	< 10	82			
132218	201	202	395	3	1.30	31	760	12	176	0.41	118	< 10	92			
132219	201	202	265	< 1	1.03	14	580	12	118	0.40	127	< 10	60			
132220	201	202	300	3	1.10	21	1400	12	140	0.39	159	< 10	70			
132221	201	202	435	1	0.89	19	1890	12	122	0.38	124	< 10	44			
132222	201	202	520	3	0.96	37	1160	12	133	0.34	123	< 10	76			
132223	201	202	485	3	1.12	27	2420	10	202	0.27	107	< 10	56			
132224	201	202	380	1	1.17	23	430	14	134	0.40	114	< 10	52			
132225	201	202	460	3	1.67	45	1440	10	343	0.21	101	< 10	76			
132226	201	202	320	2	0.96	14	470	8	124	0.49	118	< 10	44			
132227	201	202	450	< 1	1.22	33	1060	6	163	0.35	102	< 10	58			
132228	201	202	410	1	1.11	28	550	10	134	0.42	129	< 10	54			
132229	201	202	410	3	1.35	24	750	6	177	0.41	128	< 10	56			
132230	201	202	405	3	1.33	20	670	10	196	0.35	100	< 10	60			
132231	201	202	330	3	1.53	10	720	10	271	0.32	94	< 10	50			
132232	201	202	530	3	1.22	38	880	14	171	0.34	110	< 10	78			
132233	201	202	430	< 1	1.09	17	1120	4	127	0.40	116	< 10	72			
132234	201	202	795	1	1.39	24	590	8	166	0.33	101	< 10	66			
132235	201	202	755	3	1.04	37	850	10	153	0.39	154	< 10	88			
132236	201	202	1575	1	1.64	17	1060	8	258	0.33	83	< 10	72			
132237	201	202	450	1	1.28	18	1030	10	136	0.38	107	< 10	150			
132238	201	202	445	1	1.51	29	800	12	160	0.39	104	< 10	80			
132239	201	202	725	2	1.82	27	1260	6	301	0.23	65	< 10	74			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 21-JUL-96
Invoice No. : I9624113
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132240	201 202	< 5	< 0.2	5.60	930	0.5	< 2	1.06	0.5	8	64	10	3.01	1.89	0.82
132241	201 202	< 5	< 0.2	5.52	930	1.0	< 2	0.87	0.5	6	62	7	2.23	1.98	0.60
132242	201 202	< 5	< 0.2	5.23	800	1.5	< 2	0.81	0.5	6	52	7	1.80	1.86	0.50
132243	201 202	< 5	< 0.2	5.64	980	0.5	< 2	1.07	0.5	5	55	11	1.76	1.91	0.52
132244	201 202	< 5	< 0.2	5.31	900	0.5	< 2	0.83	0.5	7	62	9	2.85	1.95	0.65
132245	201 202	< 5	< 0.2	6.79	910	2.0	< 2	1.11	1.5	11	71	11	2.76	2.45	0.79
132246	201 202	< 5	< 0.2	7.03	770	3.0	< 2	1.01	1.5	13	80	12	2.72	2.48	0.82
132247	201 202	< 5	< 0.2	5.85	860	1.5	< 2	1.19	1.0	9	54	12	2.61	2.19	0.78
132248	201 202	< 5	< 0.2	6.69	730	< 0.5	2	2.32	1.5	23	167	66	4.10	1.27	2.26
132249	201 202	< 5	< 0.2	6.60	680	< 0.5	< 2	3.17	0.5	21	160	54	3.89	1.26	1.95
132250	201 202	< 5	< 0.2	5.74	830	0.5	< 2	1.68	1.0	6	71	11	2.15	1.84	0.62
132607	201 202	< 5	< 0.2	5.64	820	< 0.5	2	1.16	0.5	8	87	15	2.20	1.50	0.87
132608	201 202	< 5	< 0.2	7.20	970	< 0.5	< 2	1.44	1.5	12	54	29	2.27	1.98	0.69
132609	201 202	< 5	< 0.2	6.47	880	< 0.5	< 2	1.33	1.0	10	111	20	2.73	1.63	0.79
132610	201 202	< 5	0.4	4.96	1390	< 0.5	2	1.26	0.5	13	143	56	2.86	1.24	1.16
132611	201 202	< 5	< 0.2	6.63	1010	< 0.5	6	1.46	0.5	18	171	20	2.12	1.93	1.72
132612	201 202	< 5	< 0.2	5.62	960	< 0.5	< 2	1.06	1.5	13	175	20	3.27	1.42	1.23
132613	201 202	< 5	< 0.2	4.85	690	< 0.5	6	0.68	< 0.5	12	2060	18	3.34	0.89	1.78
132614	201 202	< 5	< 0.2	5.93	920	< 0.5	< 2	0.97	1.0	8	140	19	2.70	1.64	0.82
132615	201 202	< 5	< 0.2	6.15	860	< 0.5	< 2	1.19	1.0	8	77	20	2.61	1.67	0.67
132616	201 202	< 5	< 0.2	6.19	950	< 0.5	2	0.94	1.0	11	123	27	4.45	1.63	1.06
132617	201 202	< 5	< 0.2	5.72	1040	< 0.5	2	0.99	1.0	9	121	23	2.83	1.45	0.79
132618	201 202	< 5	< 0.2	6.63	980	< 0.5	6	1.28	1.0	9	73	22	2.04	1.95	0.74
132619	201 202	< 5	< 0.2	6.28	840	< 0.5	< 2	1.38	1.5	5	31	29	1.41	1.79	0.45
132620	201 202	< 5	< 0.2	6.29	850	< 0.5	4	0.84	1.5	14	207	17	4.63	1.38	1.11
132621	201 202	< 5	< 0.2	6.83	1340	< 0.5	4	0.88	1.0	6	145	19	2.15	2.16	0.88
132622	201 202	< 5	< 0.2	6.51	1380	< 0.5	< 2	0.73	1.5	8	115	23	2.25	1.99	0.89
132623	201 202	< 5	< 0.2	6.24	840	< 0.5	< 2	1.53	3.0	6	35	41	1.54	1.68	0.51
132624	201 202	< 5	< 0.2	6.29	1580	< 0.5	< 2	0.83	2.5	21	206	77	3.96	1.55	1.15
132625	201 202	< 5	< 0.2	6.53	880	< 0.5	< 2	1.77	1.0	6	23	37	1.68	1.82	0.52
132626	201 202	< 5	< 0.2	5.59	1090	< 0.5	2	0.56	0.5	8	102	10	2.69	1.45	0.89
132627	201 202	< 5	< 0.2	6.39	970	< 0.5	4	0.33	0.5	10	248	11	3.17	1.32	1.78
132628	201 202	< 5	< 0.2	6.44	1230	< 0.5	2	0.49	0.5	10	135	15	2.77	1.63	1.05
132629	201 202	< 5	< 0.2	5.40	1010	< 0.5	< 2	0.46	< 0.5	4	73	12	1.51	1.54	0.53
132630	201 202	< 5	< 0.2	6.12	1260	< 0.5	2	0.73	0.5	14	198	27	3.75	1.63	1.52
132631	201 202	< 5	< 0.2	5.29	1490	< 0.5	4	0.72	0.5	13	160	33	2.76	1.48	1.28
132632	201 202	< 5	0.4	4.35	1520	< 0.5	2	1.99	0.5	9	65	52	2.06	0.98	0.74
132633	201 202	< 5	< 0.2	5.67	1090	< 0.5	< 2	1.07	0.5	7	171	14	1.93	1.59	0.95
132634	201 202	< 5	< 0.2	5.21	1380	< 0.5	2	0.57	0.5	9	118	19	2.83	1.44	0.93
132635	201 202	< 5	< 0.2	5.17	1400	< 0.5	< 2	0.51	0.5	9	110	23	2.89	1.39	0.96

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :3-B
Total Pages :5
Certificate Date: 21-JUL-96
Invoice No. : I9624113
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132240	201	202	335	2	1.24	21	840	6	111	0.32	108	< 10	54			
132241	201	202	325	< 1	1.21	14	890	14	106	0.33	94	< 10	62			
132242	201	202	250	1	1.22	20	340	10	105	0.27	72	< 10	34			
132243	201	202	725	1	1.57	13	760	12	178	0.36	88	< 10	72			
132244	201	202	350	1	1.18	18	1480	10	106	0.29	104	< 10	72			
132245	201	202	485	1	1.48	23	830	20	146	0.38	75	< 10	88			
132246	201	202	415	< 1	1.63	28	730	22	149	0.35	69	< 10	94			
132247	201	202	545	< 1	1.23	20	1010	14	123	0.32	72	< 10	70			
132248	201	202	675	< 1	1.44	50	1360	6	120	0.46	161	< 10	86			
132249	201	202	805	< 1	1.53	42	1100	< 2	151	0.46	166	< 10	78			
132250	201	202	345	2	1.62	14	240	8	195	0.37	101	< 10	42			
132607	201	202	375	2	1.76	26	530	4	262	0.39	103	< 10	56			
132608	201	202	625	2	2.44	28	450	8	446	0.25	73	< 10	74			
132609	201	202	410	1	2.04	25	880	6	312	0.43	114	< 10	68			
132610	201	202	495	3	0.54	113	1380	8	109	0.17	111	< 10	104			
132611	201	202	675	2	2.18	121	600	6	391	0.26	78	< 10	78			
132612	201	202	545	4	1.42	51	850	6	179	0.40	125	< 10	74			
132613	201	202	645	1	1.12	237	910	18	145	0.37	150	< 10	94			
132614	201	202	365	< 1	1.45	28	610	4	181	0.41	134	< 10	72			
132615	201	202	375	< 1	1.86	18	950	6	301	0.37	105	< 10	60			
132616	201	202	630	2	1.50	40	2390	10	187	0.42	150	< 10	76			
132617	201	202	495	1	1.46	28	680	8	176	0.45	137	< 10	78			
132618	201	202	485	2	2.15	20	400	4	351	0.29	81	< 10	66			
132619	201	202	300	1	2.45	9	430	4	443	0.21	40	< 10	46			
132620	201	202	795	1	1.33	46	1100	8	139	0.52	178	< 10	92			
132621	201	202	310	1	1.53	28	230	6	192	0.44	137	< 10	54			
132622	201	202	395	1	1.38	27	340	10	180	0.36	120	< 10	68			
132623	201	202	450	< 1	2.31	17	550	4	430	0.22	48	< 10	72			
132624	201	202	1730	3	1.06	104	820	8	140	0.34	147	< 10	260			
132625	201	202	420	2	2.48	27	1010	6	473	0.19	40	< 10	68			
132626	201	202	325	1	0.96	34	310	10	95	0.34	118	< 10	64			
132627	201	202	275	1	0.99	106	330	8	68	0.34	144	< 10	74			
132628	201	202	280	1	0.99	47	290	8	85	0.34	135	< 10	62			
132629	201	202	180	2	0.99	14	560	10	111	0.32	116	< 10	42			
132630	201	202	480	3	0.94	84	720	12	104	0.36	153	< 10	92			
132631	201	202	475	1	0.84	77	620	10	82	0.34	132	< 10	84			
132632	201	202	550	2	0.97	93	1020	6	246	0.11	64	< 10	66			
132633	201	202	465	2	1.69	33	510	8	254	0.32	87	< 10	52			
132634	201	202	330	2	0.90	43	370	6	96	0.33	127	< 10	66			
132635	201	202	310	1	0.78	45	560	8	73	0.33	136	< 10	76			

CERTIFICATION: Ian J. Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 21-JUL-96
Invoice No. :I9624113
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132636	201	202	< 5	< 0.1	4.77	1250	< 0.5	2	0.85	1.0	11	127	24	2.37	1.28	1.01
132637	201	202	< 5	< 0.1	6.39	1250	< 0.5	< 2	1.18	0.5	7	66	25	1.94	1.84	0.70
132638	201	202	< 5	< 0.1	5.14	1310	< 0.5	< 2	0.72	3.0	7	92	27	2.72	1.59	0.67
132639	201	202	< 5	< 0.1	5.67	1000	< 0.5	< 2	0.99	1.0	7	87	11	2.10	1.37	0.77
132640	201	202	< 5	< 0.1	5.42	1070	< 0.5	< 2	0.52	0.5	11	108	20	3.23	1.46	1.00
132701	201	202	< 5	< 0.1	5.95	1160	< 0.5	< 2	1.40	1.0	11	98	35	2.85	1.43	1.09
132702	201	202	< 5	< 0.1	6.73	1400	< 0.5	< 2	0.91	1.5	14	119	43	3.27	1.54	1.30
132703	201	202	< 5	< 0.1	7.05	800	< 0.5	< 2	1.87	0.5	7	13	23	1.92	1.87	0.65
132704	201	202	< 5	< 0.1	6.79	1140	< 0.5	< 2	1.32	1.5	14	82	60	4.20	1.54	1.11
132705	201	202	< 5	< 0.1	6.89	870	< 0.5	2	1.88	1.0	16	76	89	3.75	1.30	1.26
132706	201	202	< 5	< 0.1	6.53	850	< 0.5	< 2	1.35	1.0	11	67	36	2.66	1.38	1.06
132707	201	202	< 5	< 0.1	6.26	960	< 0.5	4	1.34	0.5	13	88	47	3.29	1.44	1.10
132708	201	202	< 5	< 0.1	6.50	500	< 0.5	< 2	1.75	1.5	12	65	38	5.05	0.93	1.19
132709	201	202	< 5	< 0.1	5.86	1340	< 0.5	4	1.70	1.5	15	43	65	3.68	1.38	0.96
132710	201	202	< 5	< 0.1	4.20	510	< 0.5	< 2	1.49	1.0	61	959	33	4.21	0.89	8.17
132711	201	202	< 5	< 0.1	5.85	1380	< 0.5	< 2	1.55	1.5	31	267	30	3.52	1.34	2.53
132712	201	202	< 5	< 0.1	7.52	960	0.5	2	0.70	1.5	11	94	13	2.84	2.50	0.89
132713	201	202	< 5	< 0.1	6.91	660	< 0.5	< 2	0.82	0.5	7	49	15	2.39	1.99	0.47
132714	201	202	< 5	< 0.1	5.80	870	1.0	< 2	1.41	1.0	6	110	10	1.98	1.88	0.62
132715	201	202	< 5	< 0.2	5.91	940	0.5	< 2	0.89	1.5	8	98	11	1.91	2.04	0.56
132716	201	202	< 5	< 0.2	5.48	990	1.0	< 2	0.84	1.0	6	79	15	1.87	1.92	0.66
132717	201	202	< 5	< 0.2	5.99	980	1.5	< 2	0.94	< 0.5	7	84	10	1.85	2.23	0.58
132718	201	202	< 5	< 0.2	2.62	690	0.5	< 2	1.84	3.0	14	88	19	1.67	0.64	0.91
132719	201	202	< 5	< 0.2	6.36	1140	2.5	< 2	1.13	0.5	6	43	14	2.18	2.84	0.75
132720	201	202	< 5	< 0.2	6.74	1170	2.5	< 2	0.83	0.5	8	40	13	2.36	3.08	0.77
132721	201	202	< 5	< 0.2	3.80	630	< 0.5	< 2	2.40	0.5	4	7	18	1.52	1.07	0.31
132722	201	202	< 5	< 0.2	6.52	1340	2.5	< 2	1.22	1.0	7	46	15	2.42	2.44	0.74
132723	201	202	< 5	< 0.2	6.84	1130	3.0	< 2	0.99	0.5	8	53	13	2.07	3.02	0.72
132724	201	202	< 5	< 0.2	6.30	1220	0.5	< 2	1.45	1.0	13	98	24	2.94	1.77	0.90
132725	201	202	< 5	< 0.2	6.20	920	1.5	< 2	0.93	0.5	5	38	11	1.73	2.24	0.45
132726	201	202	< 5	< 0.2	6.48	1020	1.5	< 2	0.61	0.5	7	63	10	2.81	2.41	0.61
132727	201	202	< 5	< 0.2	5.65	870	1.5	< 2	0.74	0.5	7	51	9	2.00	2.22	0.51
132728	201	202	< 5	< 0.2	5.82	850	2.5	< 2	0.77	0.5	6	71	10	1.70	2.40	0.69
132729	201	202	< 5	< 0.2	7.27	960	0.5	2	1.19	0.5	15	119	32	3.04	2.11	1.04
132730	201	202	< 5	< 0.2	7.05	1180	2.0	2	0.86	2.0	10	136	24	2.31	2.55	1.13
132731	201	202	< 5	< 0.2	6.05	790	1.5	< 2	0.93	1.0	6	64	12	2.42	1.86	0.60
132873	201	202	< 5	< 0.2	6.48	730	< 0.5	2	3.06	1.5	11	104	14	3.29	1.35	1.40
132874	201	202	< 5	< 0.2	6.21	990	0.5	< 2	1.44	1.0	8	71	17	2.56	1.98	0.83
132875	201	202	< 5	< 0.2	6.87	830	1.5	< 2	1.31	1.5	9	81	17	2.86	2.01	0.98
132876	201	202	< 5	< 0.2	6.93	970	2.0	2	1.26	1.0	12	81	19	2.94	2.34	1.18

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 21-JUL-96
Invoice No. : I9624113
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
132636	201 202	435	1	1.09	60	690	8	142	0.28	105	< 10	74
132637	201 202	320	1	1.90	30	420	8	330	0.26	92	< 10	66
132638	201 202	230	3	1.05	28	550	10	150	0.29	135	< 10	90
132639	201 202	340	1	1.37	19	230	4	181	0.40	121	< 10	48
132640	201 202	370	3	0.81	46	640	12	83	0.32	138	< 10	82
132701	201 202	475	1	1.47	44	520	10	213	0.38	126	< 10	82
132702	201 202	620	3	1.36	44	800	10	127	0.40	151	< 10	98
132703	201 202	390	2	2.73	5	610	4	541	0.26	56	< 10	48
132704	201 202	875	2	1.58	53	1080	8	176	0.46	142	< 10	86
132705	201 202	660	1	1.75	35	860	8	238	0.45	153	< 10	80
132706	201 202	425	< 1	1.87	30	510	8	221	0.38	118	< 10	60
132707	201 202	515	1	1.68	39	710	6	190	0.42	128	< 10	70
132708	201 202	975	1	1.87	28	2160	2	216	0.50	167	< 10	98
132709	201 202	1455	1	1.50	24	2310	6	231	0.41	122	< 10	78
132710	201 202	805	< 1	0.99	836	400	4	128	0.24	98	< 10	60
132711	201 202	1475	1	1.54	246	1440	8	205	0.36	100	< 10	84
132712	201 202	350	1	1.36	35	270	12	134	0.31	79	< 10	74
132713	201 202	265	1	1.82	13	310	6	249	0.24	65	< 10	62
132714	201 202	650	1	1.78	18	610	16	183	0.45	85	< 10	56
132715	201 202	470	1	1.65	46	540	14	199	0.33	71	< 10	66
132716	201 202	385	< 1	1.57	29	510	10	138	0.31	84	< 10	76
132717	201 202	310	2	1.67	25	380	24	176	0.34	78	< 10	48
132718	201 202	4810	11	0.54	30	1470	4	212	0.08	24	< 10	36
132719	201 202	400	1	1.46	19	560	22	124	0.33	55	< 10	64
132720	201 202	445	1	1.33	16	450	22	123	0.32	53	< 10	62
132721	201 202	1635	6	1.41	8	680	4	361	0.10	22	< 10	34
132722	201 202	425	3	1.57	19	980	30	155	0.30	55	< 10	100
132723	201 202	360	1	1.61	20	770	26	136	0.32	56	< 10	60
132724	201 202	670	1	1.49	26	450	20	165	0.43	117	< 10	98
132725	201 202	285	2	1.73	11	600	18	222	0.28	55	< 10	40
132726	201 202	295	2	1.28	23	430	20	113	0.34	80	< 10	62
132727	201 202	390	1	1.46	18	690	18	142	0.28	71	< 10	68
132728	201 202	255	1	1.49	35	410	22	121	0.26	54	< 10	44
132729	201 202	625	4	1.81	70	460	16	268	0.29	91	< 10	84
132730	201 202	355	2	1.43	86	730	22	166	0.31	78	< 10	84
132731	201 202	470	1	1.68	22	670	16	169	0.34	78	< 10	84
132873	201 202	470	1	1.69	20	370	6	142	0.43	159	< 10	52
132874	201 202	355	3	1.41	17	300	12	137	0.37	120	< 10	50
132875	201 202	405	1	1.67	22	480	14	176	0.42	88	< 10	84
132876	201 202	440	1	1.58	30	710	18	145	0.42	96	< 10	72

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page [illegible]er : 5-A
Total [illegible]s : 5
Certificate Date: 21-JUL-96
Invoice No. : I9624113
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132877	201 202	< 5	< 0.2	6.58	990	1.5	2	1.24	0.5	12	86	26	3.14	2.04	1.12
132878	201 202	< 5	< 0.2	6.61	1130	1.5	2	1.60	1.0	16	84	21	3.17	2.11	1.19
132879	201 202	< 5	< 0.2	7.21	1130	2.0	2	1.45	0.5	14	107	28	3.15	2.65	1.25
132880	201 202	< 5	< 0.2	5.80	850	1.0	< 2	1.33	0.5	7	65	9	2.40	2.04	0.74
132881	201 202	< 5	< 0.2	5.70	720	0.5	< 2	1.71	0.5	6	71	10	2.90	1.55	0.68
132882	201 202	< 5	< 0.2	5.83	870	1.0	< 2	1.39	0.5	5	40	8	1.47	1.86	0.49
132883	201 202	< 5	< 0.2	5.82	940	< 0.5	< 2	1.32	1.5	9	70	28	2.41	1.52	0.88
132884	201 202	< 5	< 0.2	5.39	910	< 0.5	< 2	1.29	0.5	6	53	11	2.06	1.60	0.57
132885	201 202	< 5	< 0.2	5.77	860	1.5	< 2	0.86	0.5	3	50	5	0.98	2.17	0.48
132886	201 202	< 5	< 0.2	6.00	960	1.5	< 2	0.77	0.5	8	63	11	2.28	2.11	0.70
132887	201 202	< 5	< 0.2	5.11	880	1.5	< 2	0.83	0.5	4	53	7	1.28	2.02	0.58
132888	201 202	< 5	< 0.2	7.12	1350	1.5	< 2	1.36	0.5	14	91	30	3.32	2.27	1.37
132889	201 202	< 5	< 0.2	6.21	910	0.5	< 2	1.48	1.5	9	66	17	2.40	1.83	0.68
132913	201 202	< 5	0.4	5.76	880	0.5	< 2	1.19	0.5	5	39	26	1.90	1.39	0.40
132914	201 202	< 5	0.6	3.93	680	0.5	< 2	2.42	1.0	7	18	118	1.60	0.70	0.29
132915	201 202	< 5	< 0.2	5.10	860	< 0.5	2	0.92	0.5	7	119	11	2.45	1.29	0.75
132916	201 202	< 5	< 0.2	6.16	1610	0.5	< 2	0.56	0.5	4	83	14	1.67	1.66	0.50
132917	201 202	< 5	< 0.2	6.32	1360	< 0.5	< 2	1.44	1.0	14	103	36	3.05	1.77	0.94
132918	201 202	< 5	< 0.2	6.36	1330	0.5	2	1.40	0.5	11	82	34	2.86	1.84	0.90
132919	201 202	< 5	0.6	6.47	1760	< 0.5	< 2	1.25	1.0	13	80	42	3.03	1.73	0.94
132920	201 202	< 5	< 0.2	6.96	1490	0.5	< 2	0.80	0.5	6	72	19	1.96	2.13	0.64
132921	201 202	< 5	< 0.2	6.00	1550	< 0.5	2	0.75	1.0	10	72	24	2.63	1.85	0.92
132922	201 202	< 5	0.4	4.79	1630	< 0.5	< 2	1.57	1.0	11	148	36	2.20	1.36	0.96
132923	201 202	< 5	0.2	6.11	1860	< 0.5	< 2	1.22	0.5	12	107	32	2.80	1.70	1.16
132924	201 202	< 5	< 0.2	6.02	1260	< 0.5	2	0.93	1.0	13	117	25	3.16	1.58	1.12
132925	201 202	< 5	< 0.2	5.95	1360	< 0.5	< 2	1.27	0.5	12	116	30	2.86	1.57	1.15
132926	201 202	< 5	< 0.2	6.59	1320	0.5	< 2	1.00	1.5	12	86	30	3.17	1.86	0.93
132927	201 202	< 5	< 0.2	5.76	1230	0.5	< 2	1.18	1.0	11	108	32	3.04	1.64	0.92
132928	201 202	< 5	< 0.2	5.50	1040	< 0.5	< 2	0.93	0.5	6	79	9	2.23	1.70	0.67
132929	201 202	< 5	< 0.2	5.89	1100	< 0.5	< 2	0.98	< 0.5	10	62	83	3.59	1.17	0.75
132930	201 202	< 5	< 0.2	5.83	840	< 0.5	< 2	0.97	0.5	7	32	20	2.98	1.56	0.46
132931	201 202	< 5	< 0.2	6.26	940	< 0.5	< 2	0.85	1.0	9	55	24	3.76	1.46	0.65
132932	201 202	< 5	0.8	5.28	1000	< 0.5	< 2	1.77	0.5	12	70	67	2.55	1.16	0.77
132933	201 202	< 5	< 0.2	7.32	900	0.5	< 2	1.55	0.5	5	17	21	1.70	2.10	0.47
132934	201 202	< 5	< 0.2	6.51	1430	< 0.5	< 2	1.13	0.5	13	110	38	3.10	1.61	1.13
132935	201 202	< 5	< 0.2	6.08	1230	< 0.5	2	0.90	1.0	9	80	27	2.90	1.77	0.82
132936	201 202	< 5	< 0.2	5.58	960	0.5	< 2	1.26	0.5	7	78	13	2.18	1.56	0.84
132937	201 202	< 5	< 0.2	5.70	1340	0.5	< 2	1.00	0.5	11	75	21	2.53	1.86	0.89
132938	201 202	< 5	0.4	6.60	1090	< 0.5	< 2	1.33	1.5	9	48	27	2.20	1.83	0.69
132939	201 202	< 5	< 0.2	6.07	1450	< 0.5	< 2	0.99	0.5	7	75	20	2.29	2.15	0.66

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 21-JUL-96
Invoice No. : I9624113
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624113

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132877	201	202	440	1	1.50	30	460	14	140	0.37	99	< 10	66			
132878	201	202	925	2	1.45	38	820	12	137	0.39	102	< 10	88			
132879	201	202	565	2	1.68	38	780	26	160	0.43	97	< 10	94			
132880	201	202	425	< 1	1.38	16	450	12	130	0.36	96	< 10	64			
132881	201	202	390	2	1.33	15	730	12	133	0.41	115	< 10	48			
132882	201	202	300	1	1.71	7	270	10	221	0.32	74	< 10	38			
132883	201	202	380	2	1.40	23	1370	6	211	0.29	97	< 10	76			
132884	201	202	315	1	1.29	12	510	8	152	0.34	111	< 10	78			
132885	201	202	165	1	1.32	8	300	14	114	0.35	80	< 10	20			
132886	201	202	280	2	1.25	28	410	12	99	0.29	85	< 10	50			
132887	201	202	200	< 1	1.21	15	860	6	104	0.24	71	< 10	30			
132888	201	202	515	1	1.38	33	750	14	134	0.39	114	< 10	108			
132889	201	202	1235	< 1	1.67	15	510	10	187	0.39	99	< 10	90			
132913	201	202	260	1	1.59	13	1580	6	301	0.17	48	< 10	42			
132914	201	202	750	1	0.94	20	3620	20	228	0.10	30	< 10	48			
132915	201	202	375	1	1.28	24	480	6	126	0.41	130	< 10	42			
132916	201	202	315	1	0.91	13	250	10	96	0.49	133	< 10	46			
132917	201	202	685	1	1.04	39	1120	12	149	0.37	114	< 10	90			
132918	201	202	515	2	1.09	30	830	10	165	0.33	106	< 10	100			
132919	201	202	655	3	1.00	36	960	14	165	0.30	111	< 10	106			
132920	201	202	300	3	1.38	14	460	6	202	0.35	109	< 10	52			
132921	201	202	380	1	1.08	32	490	12	138	0.33	102	< 10	110			
132922	201	202	465	< 1	0.96	54	850	8	155	0.23	73	< 10	66			
132923	201	202	495	2	1.15	46	780	12	143	0.36	121	< 10	94			
132924	201	202	560	3	1.33	46	460	10	153	0.40	125	< 10	78			
132925	201	202	540	1	1.36	49	790	10	182	0.38	115	< 10	86			
132926	201	202	520	2	1.51	37	630	14	198	0.38	117	< 10	90			
132927	201	202	595	1	1.33	42	800	12	127	0.32	115	< 10	88			
132928	201	202	300	3	1.29	16	180	8	121	0.38	102	< 10	38			
132929	201	202	340	3	1.31	24	670	6	155	0.38	121	< 10	80			
132930	201	202	490	1	1.90	8	1400	6	278	0.34	86	< 10	106			
132931	201	202	510	1	1.77	16	1450	8	208	0.46	139	< 10	140			
132932	201	202	1015	4	1.02	37	1420	8	212	0.20	88	< 10	72			
132933	201	202	360	1	2.81	6	270	6	498	0.22	42	< 10	50			
132934	201	202	535	2	1.45	39	560	8	162	0.42	129	< 10	80			
132935	201	202	415	2	1.31	28	540	14	155	0.32	125	< 10	92			
132936	201	202	310	3	1.50	24	590	6	135	0.32	97	< 10	52			
132937	201	202	535	3	1.40	30	730	12	129	0.33	100	< 10	82			
132938	201	202	810	3	2.09	19	860	8	358	0.30	78	< 10	104			
132939	201	202	350	3	0.92	17	460	8	169	0.33	102	< 10	60			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9624114

Comments: ATTN:DAVID TERRY

CERTIFICATE A9624114

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 23-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	161	Dry, sieve to -80 mesh
202	161	save reject
285	161	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	160	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	161	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	161	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	161	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	161	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	161	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	161	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	161	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	161	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	161	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	161	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	161	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	161	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	161	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	161	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	161	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	161	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	161	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	161	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	161	Pb ppm: 24 element, rock & core	AAS	2	10000
582	161	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	161	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	161	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	161	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	161	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-A
Total Pages : 5
Certificate Date: 23-JUL-96
Invoice No. : I9624114
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
132940	201 202	< 5	< 0.2	6.13	940	< 0.5	< 2	1.02	0.5	10	66	14	2.44	1.65	0.77
132941	201 202	< 5	< 0.2	6.17	890	< 0.5	2	1.03	< 0.5	9	97	25	2.90	1.42	0.88
132942	201 202	< 5	0.2	6.50	2020	< 0.5	< 2	1.41	0.5	18	322	51	3.91	0.99	1.75
132943	201 202	< 5	< 0.2	5.35	1010	< 0.5	< 2	0.69	0.5	11	125	30	3.09	1.11	1.17
132944	201 202	< 5	< 0.2	5.46	990	< 0.5	< 2	0.67	< 0.5	5	72	21	1.85	1.62	0.49
132945	201 202	< 5	0.8	3.20	940	< 0.5	< 2	3.41	2.0	6	32	37	1.21	0.63	0.42
132946	201 202	< 5	0.4	5.44	1310	< 0.5	< 2	0.48	1.0	10	105	31	3.48	1.33	0.97
132947	201 202	5	0.2	6.10	1600	< 0.5	< 2	0.17	0.5	16	134	46	4.53	1.92	0.65
132948	201 202	< 5	0.4	5.86	1200	< 0.5	< 2	0.63	2.5	17	187	36	4.24	1.40	1.05
132949	201 202	< 5	< 0.2	6.65	1090	< 0.5	2	0.37	0.5	7	84	33	2.98	1.41	0.78
132950	201 202	< 5	1.4	3.48	860	< 0.5	< 2	3.97	3.0	7	64	84	1.50	0.73	0.67
270017	201 202	< 5	< 0.2	1.74	550	< 0.5	< 2	3.03	2.0	6	51	38	0.81	0.42	0.60
270018	201 202	< 5	< 0.2	3.03	870	< 0.5	< 2	2.86	1.0	9	99	42	1.43	0.70	0.90
270019	201 202	< 5	< 0.2	0.16	150	< 0.5	< 2	0.46	0.5	< 1	8	5	0.08	0.07	0.05
270020	201 202	< 5	< 0.2	0.25	200	< 0.5	< 2	2.55	2.0	1	12	10	0.12	0.09	0.31
270036	201 202	< 5	< 0.2	4.78	1240	< 0.5	< 2	1.57	1.0	17	69	43	1.26	1.22	0.56
270037	201 202	< 5	< 0.2	0.54	870	< 0.5	< 2	1.86	< 0.5	1	24	29	0.29	0.08	0.37
270038	201 202	< 5	0.4	0.95	1300	< 0.5	2	2.50	1.5	4	52	33	0.52	0.09	0.37
270039	201 202	< 5	0.8	2.48	1430	< 0.5	< 2	2.30	0.5	5	51	49	0.93	0.51	0.38
270040	201 202	< 5	0.4	3.64	1430	< 0.5	< 2	1.39	1.0	11	56	35	1.65	0.92	0.64
270041	201 202	< 5	< 0.2	6.12	1020	< 0.5	< 2	0.99	0.5	5	63	12	1.77	1.78	0.68
270042	201 202	< 5	< 0.2	5.08	1080	< 0.5	< 2	0.58	0.5	6	93	8	2.05	1.51	0.81
270043	201 202	< 5	< 0.2	5.85	1160	< 0.5	2	0.66	0.5	10	101	11	2.27	1.66	0.92
270044	201 202	< 5	< 0.2	5.60	1090	< 0.5	2	0.65	1.5	9	99	9	1.99	1.47	0.79
270045	201 202	< 5	< 0.2	5.97	1460	< 0.5	2	0.75	0.5	16	136	30	3.13	1.70	1.21
270046	201 202	< 5	0.8	6.75	1480	< 0.5	< 2	0.86	1.0	12	85	22	2.70	1.95	0.93
270047	201 202	< 5	0.6	6.19	1690	< 0.5	< 2	0.76	1.0	15	138	38	3.60	1.83	1.11
270048	201 202	< 5	< 0.2	4.27	670	< 0.5	< 2	1.73	< 0.5	75	2010	54	4.77	0.59	11.45
270049	201 202	< 5	< 0.2	4.78	1160	< 0.5	< 2	1.46	0.5	14	261	34	2.69	1.14	1.82
270050	201 202	5	< 0.2	6.45	1650	< 0.5	4	0.98	1.0	15	189	40	3.57	1.87	1.86
270051	201 202	< 5	< 0.2	6.60	990	< 0.5	< 2	1.85	0.5	6	33	21	1.62	1.81	0.67
270052	201 202	< 5	< 0.2	3.54	970	< 0.5	< 2	2.35	0.5	8	62	27	1.60	0.95	0.87
270053	201 202	< 5	0.4	2.62	560	< 0.5	< 2	2.23	0.5	3	9	16	0.67	0.69	0.36
270054	201 202	< 5	0.2	3.78	910	< 0.5	2	2.26	1.5	8	79	39	1.57	0.88	0.80
270055	201 202	< 5	< 0.2	0.36	240	< 0.5	2	3.26	0.5	1	12	18	0.18	0.08	0.40
270056	201 202	< 5	0.2	4.06	930	< 0.5	< 2	2.41	1.0	10	143	35	1.91	0.96	1.14
270057	201 202	< 5	< 0.2	1.91	540	< 0.5	2	2.40	0.5	5	72	28	0.94	0.47	0.68
270058	201 202	5	< 0.2	5.65	950	< 0.5	2	1.49	1.5	14	167	17	3.40	1.45	1.08
270059	201 202	< 5	0.2	4.59	1010	< 0.5	2	2.02	1.5	11	153	37	2.17	1.17	1.20
270060	201 202	< 5	0.2	4.21	920	< 0.5	< 2	2.44	1.5	9	105	41	1.71	1.02	0.88

CERTIFICATION: Ian Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-B
Total Pages : 5
Certificate Date: 23-JUL-96
Invoice No. : I9624114
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
132940	201	202	520	3	1.75	21	690	6	230	0.33	94	< 10	58			
132941	201	202	465	2	1.85	21	1050	6	207	0.62	157	< 10	52			
132942	201	202	725	2	1.16	109	1640	6	150	0.42	143	< 10	100			
132943	201	202	485	3	1.33	63	530	< 2	132	0.41	118	< 10	68			
132944	201	202	275	3	1.41	18	630	< 2	195	0.38	118	< 10	56			
132945	201	202	490	2	0.57	21	2390	< 2	263	0.11	48	< 10	40			
132946	201	202	350	3	0.76	42	680	6	86	0.45	161	< 10	94			
132947	201	202	1270	3	0.48	45	1950	6	42	0.54	206	< 10	114			
132948	201	202	590	1	1.14	79	990	2	148	0.51	166	< 10	128			
132949	201	202	295	6	1.44	22	590	2	157	0.55	221	< 10	88			
132950	201	202	465	2	0.76	35	1610	< 2	291	0.13	64	< 10	70			
270017	201	202	635	1	0.27	86	970	< 2	141	0.07	37	< 10	98			
270018	201	202	875	1	0.45	111	1150	< 2	150	0.14	62	< 10	82			
270019	201	202	45	< 1	0.04	7	700	< 2	25	< 0.01	2	< 10	78			
270020	201	202	290	3	0.06	29	980	< 2	96	< 0.01	4	< 10	56			
270036	201	202	1790	2	1.46	113	510	< 2	315	0.19	51	< 10	42			
270037	201	202	95	< 1	0.07	104	1130	< 2	111	0.01	6	< 10	14			
270038	201	202	130	< 1	0.06	83	1490	< 2	141	0.01	9	< 10	44			
270039	201	202	470	1	0.58	48	1480	< 2	211	0.06	25	< 10	34			
270040	201	202	1750	1	0.73	62	1430	< 2	162	0.12	54	< 10	64			
270041	201	202	260	2	1.52	15	630	6	233	0.30	93	< 10	52			
270042	201	202	235	1	0.89	25	420	4	85	0.33	120	< 10	50			
270043	201	202	425	3	1.14	27	430	< 2	132	0.34	121	< 10	64			
270044	201	202	575	1	1.04	19	470	6	105	0.38	125	< 10	76			
270045	201	202	555	< 1	0.88	75	500	6	100	0.32	140	< 10	92			
270046	201	202	700	3	1.38	32	590	4	208	0.29	102	< 10	68			
270047	201	202	430	3	1.06	52	540	10	148	0.32	138	< 10	94			
270048	201	202	955	1	0.20	1335	220	< 2	52	0.08	107	< 10	76			
270049	201	202	540	1	0.98	118	730	4	170	0.20	93	< 10	78			
270050	201	202	555	2	0.87	87	710	8	103	0.36	150	< 10	106			
270051	201	202	310	1	2.31	13	520	< 2	461	0.22	52	< 10	48			
270052	201	202	375	< 1	0.63	46	830	< 2	191	0.14	61	< 10	48			
270053	201	202	140	1	0.88	23	730	< 2	225	0.08	19	< 10	22			
270054	201	202	630	1	0.67	78	780	< 2	166	0.16	69	< 10	80			
270055	201	202	100	3	0.06	60	830	< 2	106	0.01	9	< 10	28			
270056	201	202	475	1	0.70	108	1120	< 2	164	0.19	79	< 10	82			
270057	201	202	305	1	0.29	83	880	< 2	113	0.07	35	< 10	60			
270058	201	202	635	1	1.57	69	720	4	256	0.36	102	< 10	92			
270059	201	202	495	1	0.87	121	1250	< 2	167	0.21	85	< 10	100			
270060	201	202	670	1	0.89	101	1130	< 2	196	0.16	65	< 10	80			

CERTIFICATION: Ivan J. Bachlet

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9624114
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
270061	201	202	< 5	< 0.2	3.43	420	< 0.5	4	2.34	1.0	11	104	43	1.51	0.73	0.86
270062	201	202	< 5	< 0.2	3.15	440	< 0.5	< 2	2.25	< 0.5	7	99	38	1.35	0.73	0.76
270063	201	202	< 5	< 0.2	5.67	1270	< 0.5	< 2	1.14	0.5	23	317	34	3.52	1.51	3.39
270064	201	202	< 5	0.4	5.49	950	< 0.5	8	1.20	0.5	22	340	65	2.77	1.25	2.55
270065	201	202	< 5	< 0.2	0.54	300	< 0.5	8	1.58	0.5	4	21	35	0.33	0.13	0.75
270066	201	202	< 5	< 0.2	6.98	490	< 0.5	< 2	4.01	0.5	29	142	72	6.03	0.85	3.05
270067	201	202	< 5	0.4	5.04	820	< 0.5	< 2	1.94	1.5	17	127	41	1.68	1.26	0.99
270068	201	202	< 5	< 0.2	2.89	900	< 0.5	< 2	2.40	2.0	38	43	43	1.35	0.73	0.37
270069	201	202	< 5	< 0.2	2.61	680	< 0.5	2	2.18	1.0	39	45	48	2.41	0.57	0.43
270070	201	202	< 5	< 0.2	1.00	520	< 0.5	< 2	2.66	0.5	4	17	33	0.41	0.21	0.43
270071	201	202	not/ss	< 0.2	0.31	310	< 0.5	6	1.80	< 0.5	1	10	22	0.17	0.08	0.55
270072	201	202	< 5	< 0.2	6.67	930	< 0.5	< 2	2.00	0.5	9	50	30	2.17	1.71	0.90
270073	201	202	< 5	< 0.2	5.92	1150	< 0.5	< 2	1.40	0.5	12	84	34	2.20	1.53	0.93
270074	201	202	< 5	< 0.2	6.20	1070	< 0.5	2	0.97	0.5	17	183	14	3.12	1.65	1.62
270075	201	202	< 5	< 0.2	6.62	1060	< 0.5	2	1.42	0.5	11	105	30	2.25	1.75	0.98
270076	201	202	< 5	< 0.2	6.82	900	< 0.5	< 2	1.66	0.5	8	32	16	1.79	1.94	0.70
270077	201	202	< 5	< 0.2	6.18	1250	< 0.5	4	0.63	0.5	7	85	15	2.40	1.37	0.68
270078	201	202	< 5	< 0.2	5.51	820	< 0.5	< 2	0.89	< 0.5	7	87	15	2.25	1.35	0.59
270079	201	202	< 5	< 0.2	6.16	860	< 0.5	< 2	0.58	0.5	3	61	7	1.51	1.81	0.45
270080	201	202	< 5	< 0.2	5.90	910	< 0.5	< 2	0.57	1.0	8	68	27	2.73	1.87	0.47
270081	201	202	< 5	< 0.2	5.63	800	< 0.5	< 2	0.60	0.5	6	62	26	2.85	1.78	0.63
270082	201	202	< 5	< 0.2	5.88	880	< 0.5	< 2	0.53	< 0.5	6	73	20	2.54	2.05	0.47
270083	201	202	< 5	1.0	6.41	960	0.5	< 2	1.27	0.5	6	48	32	2.33	1.46	0.61
270084	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
270085	201	202	< 5	< 0.2	6.64	950	< 0.5	2	1.42	0.5	5	27	28	1.62	1.75	0.53
270086	201	202	< 5	< 0.2	6.66	900	< 0.5	< 2	1.31	1.0	6	17	25	1.75	1.81	0.49
270087	201	202	< 5	< 0.2	6.31	1110	< 0.5	< 2	0.59	0.5	10	63	24	3.19	1.91	0.58
270088	201	202	< 5	< 0.2	6.26	810	< 0.5	< 2	1.19	0.5	6	24	17	1.94	1.75	0.50
270089	201	202	< 5	< 0.2	5.95	870	< 0.5	< 2	0.62	0.5	7	55	18	3.13	1.72	0.66
270090	201	202	< 5	< 0.2	6.02	930	0.5	< 2	0.56	1.0	7	74	30	2.52	1.47	0.60
270091	201	202	< 5	< 0.2	6.10	1190	< 0.5	< 2	1.06	0.5	6	43	20	2.08	1.78	0.54
270092	201	202	< 5	< 0.2	5.39	800	< 0.5	< 2	0.78	< 0.5	8	73	19	2.93	1.56	0.64
270093	201	202	< 5	< 0.2	6.81	1480	< 0.5	< 2	0.57	0.5	11	78	30	3.43	2.31	0.80
270094	201	202	< 5	< 0.2	6.06	1170	< 0.5	< 2	0.89	1.5	9	50	21	2.40	1.99	0.55
270095	201	202	< 5	< 0.2	6.39	860	< 0.5	< 2	1.12	0.5	6	33	23	2.20	1.93	0.53
270096	201	202	< 5	< 0.2	9.39	1620	< 0.5	< 2	1.23	1.5	25	133	126	5.44	2.72	1.25
270097	201	202	< 5	< 0.2	5.33	850	< 0.5	2	0.55	< 0.5	7	65	25	3.04	1.41	0.54
270098	201	202	< 5	< 0.2	5.44	820	< 0.5	< 2	0.77	< 0.5	6	49	19	2.10	1.59	0.45
270099	201	202	< 5	< 0.2	5.82	940	< 0.5	< 2	1.03	0.5	7	36	18	2.00	1.88	0.48
270100	201	202	< 5	< 0.2	3.61	670	< 0.5	< 2	1.56	0.5	3	12	20	0.97	0.94	0.36

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 2-B
Total Pages : 5
Certificate Date: 23-JUL-96
Invoice No. : I9624114
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
270061	201	202	880	1	0.54	123	1290	6	145	0.13	60	< 10	58			
270062	201	202	220	1	0.49	80	1240	8	135	0.12	55	10	62			
270063	201	202	550	1	1.09	276	930	10	117	0.42	133	< 10	88			
270064	201	202	555	1	1.12	288	960	12	204	0.21	95	< 10	76			
270065	201	202	425	< 1	0.11	121	840	< 2	79	0.01	12	< 10	36			
270066	201	202	900	< 1	2.02	83	760	< 2	163	0.81	252	10	80			
270067	201	202	1570	1	1.70	258	960	4	357	0.15	40	< 10	70			
270068	201	202	6330	8	0.95	215	1210	6	237	0.07	29	< 10	56			
270069	201	202	1725	3	0.78	126	1560	< 2	213	0.08	26	< 10	30			
270070	201	202	1240	1	0.22	96	1170	< 2	127	0.03	10	< 10	40			
270071	201	202	130	< 1	0.06	77	830	< 2	76	< 0.01	5	< 10	26			
270072	201	202	395	1	2.32	64	880	6	495	0.22	61	< 10	60			
270073	201	202	555	< 1	1.63	73	800	6	286	0.26	81	< 10	62			
270074	201	202	505	1	1.32	79	540	10	170	0.37	120	< 10	98			
270075	201	202	635	1	2.09	59	890	8	382	0.23	68	< 10	68			
270076	201	202	530	1	2.59	18	580	4	494	0.22	48	< 10	50			
270077	201	202	300	< 1	1.27	23	410	8	129	0.43	115	< 10	54			
270078	201	202	755	1	1.53	20	1240	8	193	0.38	99	< 10	50			
270079	201	202	260	< 1	1.23	8	390	8	147	0.51	106	< 10	28			
270080	201	202	1705	1	1.02	15	1200	10	177	0.49	110	< 10	86			
270081	201	202	330	1	1.06	19	640	8	193	0.38	106	< 10	56			
270082	201	202	640	1	1.05	13	1280	8	166	0.48	117	< 10	64			
270083	201	202	325	1	1.32	17	2440	6	299	0.21	71	< 10	48			
270084	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
270085	201	202	330	1	2.06	9	1470	< 2	424	0.20	70	< 10	46			
270086	201	202	600	1	2.15	8	1590	6	406	0.24	50	< 10	56			
270087	201	202	820	2	1.01	15	1060	6	158	0.38	99	< 10	66			
270088	201	202	320	1	2.00	9	980	< 2	365	0.25	60	< 10	60			
270089	201	202	325	1	1.22	16	520	8	175	0.37	99	< 10	70			
270090	201	202	575	2	0.76	20	1400	12	125	0.29	129	< 10	72			
270091	201	202	395	1	1.81	13	630	4	327	0.38	72	< 10	48			
270092	201	202	495	2	1.29	21	940	8	176	0.39	116	< 10	58			
270093	201	202	420	1	1.11	26	770	10	131	0.45	123	< 10	82			
270094	201	202	860	1	1.54	16	890	8	228	0.41	93	< 10	106			
270095	201	202	385	1	1.90	9	990	8	331	0.33	70	< 10	64			
270096	201	202	1730	6	2.21	58	1760	30	273	0.75	236	< 10	132			
270097	201	202	320	4	0.94	19	800	14	138	0.43	144	< 10	62			
270098	201	202	365	2	1.29	12	810	18	208	0.41	99	< 10	54			
270099	201	202	1745	1	1.78	10	860	14	262	0.32	70	< 10	58			
270100	201	202	245	1	1.17	10	1030	4	312	0.12	27	< 10	32			

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. :I9624114
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
270101	201	202	< 5	1.4	3.01	620	< 0.5	< 2	0.93	< 0.5	5	15	29	1.06	0.69	0.25
270102	201	202	< 5	< 0.2	6.30	1590	0.5	< 2	0.96	0.5	13	85	28	3.03	1.86	0.97
270103	201	202	< 5	< 0.2	6.49	1530	< 0.5	< 2	0.58	0.5	7	58	17	2.41	2.24	0.53
270104	201	202	< 5	< 0.2	5.84	1360	< 0.5	2	1.36	1.5	12	84	20	2.83	1.76	0.86
270105	201	202	< 5	< 0.2	5.75	1350	0.5	< 2	0.75	0.5	6	48	17	2.06	1.84	0.47
270106	201	202	< 5	0.6	6.08	1480	< 0.5	< 2	0.57	0.5	8	76	23	4.12	1.82	0.68
270851	201	202	< 5	< 0.2	0.16	190	< 0.5	4	2.68	2.5	< 1	4	9	0.10	0.13	0.31
270852	201	202	< 5	< 0.2	2.64	1420	< 0.5	< 2	2.07	2.0	10	33	24	1.32	0.60	0.50
270853	201	202	< 5	0.4	2.81	1510	< 0.5	< 2	1.89	0.5	10	75	30	1.96	0.64	0.68
270854	201	202	< 5	0.2	5.85	1310	< 0.5	< 2	1.76	0.5	7	21	25	1.59	1.53	0.48
270855	201	202	< 5	0.4	1.45	1040	< 0.5	6	2.35	0.5	3	21	16	0.65	0.33	0.25
270856	201	202	< 5	< 0.2	6.37	1110	< 0.5	< 2	1.20	0.5	8	59	18	2.04	1.80	0.72
270857	201	202	< 5	0.4	6.36	880	< 0.5	< 2	1.37	0.5	8	24	20	1.81	1.75	0.51
270858	201	202	< 5	1.0	7.02	1380	< 0.5	< 2	1.10	0.5	8	62	29	2.57	1.78	0.64
270859	201	202	< 5	< 0.2	6.24	990	< 0.5	< 2	1.07	< 0.5	5	48	12	1.54	1.79	0.53
270860	201	202	< 5	0.4	6.98	950	< 0.5	2	1.50	0.5	8	51	20	2.20	1.84	0.74
270861	201	202	< 5	< 0.2	7.28	1110	< 0.5	2	1.46	0.5	7	55	27	1.85	2.01	0.71
270862	201	202	< 5	< 0.2	6.16	1180	< 0.5	2	0.51	< 0.5	6	91	8	2.35	1.66	0.80
270863	201	202	< 5	< 0.2	6.71	870	< 0.5	< 2	1.49	0.5	5	21	17	1.52	1.87	0.50
270864	201	202	< 5	< 0.2	5.69	1080	< 0.5	< 2	0.56	< 0.5	8	125	12	3.51	1.57	1.01
270865	201	202	< 5	< 0.2	5.86	940	< 0.5	2	0.71	0.5	4	86	8	1.47	1.43	0.70
270866	201	202	< 5	< 0.2	5.15	900	< 0.5	< 2	0.77	< 0.5	5	88	7	1.88	1.27	0.73
270867	201	202	< 5	< 0.2	6.45	1000	< 0.5	< 2	1.12	0.5	5	77	12	1.56	1.77	0.65
270868	201	202	< 5	< 0.2	6.08	1540	< 0.5	6	0.52	1.5	25	393	72	6.53	1.65	1.94
270869	201	202	< 5	< 0.2	0.18	200	< 0.5	< 2	2.37	3.5	1	7	8	0.11	0.08	0.32
270870	201	202	< 5	< 0.2	1.45	540	< 0.5	< 2	3.16	0.5	3	48	36	0.67	0.35	0.56
270871	201	202	< 5	< 0.2	2.87	750	< 0.5	< 2	2.46	2.0	7	68	30	1.18	0.70	0.53
270872	201	202	< 5	< 0.2	1.32	450	< 0.5	< 2	2.93	1.0	4	35	28	0.58	0.31	0.40
270873	201	202	< 5	< 0.2	0.74	330	< 0.5	< 2	1.92	0.5	3	20	20	0.40	0.19	0.23
270874	201	202	< 5	< 0.2	0.11	320	< 0.5	< 2	1.44	0.5	< 1	6	7	0.06	0.06	0.07
270875	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
270876	201	202	< 5	< 0.2	1.94	500	< 0.5	< 2	2.78	< 0.5	4	35	21	0.75	0.54	0.55
270877	201	202	< 5	< 0.2	4.64	1230	< 0.5	< 2	1.72	2.0	16	128	50	2.79	1.05	0.99
270878A	201	202	< 5	< 0.2	4.21	580	< 0.5	< 2	1.93	0.5	5	16	18	1.08	1.11	0.41
270878B	201	202	< 5	< 0.2	1.64	780	< 0.5	6	3.05	2.0	10	57	48	0.97	0.38	0.61
270879	201	202	< 5	< 0.2	4.89	1530	< 0.5	2	1.77	1.0	16	130	33	2.90	1.14	1.17
270880	201	202	< 5	< 0.2	2.09	1240	< 0.5	< 2	2.09	2.0	22	67	29	11.40	0.51	0.61
270884	201	202	< 5	< 0.2	4.56	1270	< 0.5	< 2	2.09	1.0	12	129	35	2.60	1.09	1.17
270981	201	202	< 5	< 0.2	5.84	800	< 0.5	2	0.88	0.5	19	192	15	3.99	1.41	1.72
270982	201	202	< 5	< 0.2	6.06	1080	< 0.5	< 2	0.92	1.0	29	330	24	4.29	1.49	2.75

CERTIFICATION: Ian Bachler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. :I9624114
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
270101	201	202	255	1	0.80	13	2130	8	208	0.08	23	< 10	26			
270102	201	202	760	3	1.14	39	840	22	160	0.35	112	< 10	124			
270103	201	202	380	2	1.20	21	670	18	149	0.36	110	< 10	96			
270104	201	202	710	1	1.20	32	570	12	175	0.33	101	< 10	122			
270105	201	202	305	< 1	1.41	13	430	12	161	0.36	97	< 10	80			
270106	201	202	380	2	1.02	26	1240	18	120	0.34	143	< 10	116			
270851	201	202	165	< 1	0.03	12	780	< 2	94	< 0.01	5	< 10	170			
270852	201	202	2040	2	0.54	41	1660	2	179	0.10	42	< 10	86			
270853	201	202	770	2	0.22	44	1390	2	119	0.12	83	< 10	66			
270854	201	202	335	1	2.03	26	870	4	420	0.16	36	< 10	46			
270855	201	202	485	1	0.27	24	1000	< 2	145	0.05	25	< 10	32			
270856	201	202	405	1	1.93	20	1110	2	334	0.27	80	< 10	64			
270857	201	202	785	2	2.22	9	1410	2	422	0.19	54	< 10	56			
270858	201	202	365	2	1.80	29	2210	8	337	0.21	106	< 10	82			
270859	201	202	260	1	1.82	11	930	6	296	0.29	89	< 10	42			
270860	201	202	390	2	2.31	17	580	8	406	0.29	83	< 10	62			
270861	201	202	375	1	2.46	18	650	6	448	0.25	66	< 10	56			
270862	201	202	225	1	1.10	26	440	4	123	0.35	128	< 10	46			
270863	201	202	340	1	2.39	5	870	6	441	0.23	50	< 10	42			
270864	201	202	275	1	0.90	34	410	8	88	0.35	133	10	58			
270865	201	202	200	1	1.28	19	310	< 2	148	0.43	105	< 10	42			
270866	201	202	225	< 1	1.06	18	280	6	111	0.40	123	< 10	38			
270867	201	202	285	1	1.87	15	350	6	290	0.36	86	< 10	48			
270868	201	202	545	3	0.81	125	1410	4	55	0.30	153	< 10	96			
270869	201	202	205	1	0.05	13	680	< 2	96	< 0.01	4	< 10	174			
270870	201	202	235	1	0.23	96	1150	4	137	0.07	33	< 10	50			
270871	201	202	895	1	0.67	75	1280	6	186	0.12	45	< 10	72			
270872	201	202	770	1	0.24	76	1080	4	133	0.05	25	< 10	72			
270873	201	202	450	1	0.14	53	860	2	95	0.03	17	< 10	56			
270874	201	202	95	< 1	0.03	10	730	< 2	64	< 0.01	1	< 10	134			
270875	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
270876	201	202	460	1	0.48	67	1020	2	162	0.07	26	< 10	44			
270877	201	202	1440	1	0.82	108	1340	4	160	0.18	93	< 10	102			
270878A	201	202	370	1	1.52	44	890	4	328	0.13	26	< 10	32			
270878B	201	202	3860	3	0.22	180	1490	4	132	0.07	39	< 10	104			
270879	201	202	2290	1	0.81	100	1090	8	151	0.24	106	< 10	102			
270880	201	202	4720	4	0.32	94	2450	< 2	135	0.09	94	< 10	88			
270884	201	202	615	< 1	0.82	79	1000	6	164	0.23	100	< 10	96			
270981	201	202	655	< 1	1.38	105	1040	6	193	0.38	116	< 10	88			
270982	201	202	870	1	1.23	175	1130	10	151	0.37	127	< 10	108			

CERTIFICATION: Stewart Bachelor

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : 19624114
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
270983	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
270984	201	202	< 5	< 0.2	7.02	850	< 0.5	< 2	2.01	0.5	7	22	21	1.65	1.93	0.67
270985	201	202	< 5	< 0.2	5.32	1110	< 0.5	2	0.88	1.0	25	372	45	3.77	1.11	2.18
270986	201	202	< 5	0.8	5.51	2430	< 0.5	< 2	0.89	1.5	18	271	110	3.36	1.16	1.45
270987	201	202	< 5	< 0.2	6.57	930	< 0.5	< 2	0.74	1.5	22	282	18	5.36	1.51	1.79
270988	201	202	< 5	< 0.2	5.93	930	< 0.5	< 2	1.15	0.5	15	150	18	3.64	1.53	1.22
270989	201	202	< 5	< 0.2	5.15	1020	< 0.5	< 2	1.24	1.0	9	65	35	1.98	1.24	0.66
270990	201	202	< 5	1.0	5.30	1370	< 0.5	2	1.33	1.0	16	185	74	2.99	1.17	1.32
270993	201	202	< 5	0.6	3.12	890	< 0.5	2	2.09	1.0	6	49	62	1.41	0.65	0.69
270994	201	202	< 5	0.6	1.58	950	< 0.5	2	3.04	0.5	4	28	107	0.70	0.25	0.59
270995	201	202	< 5	0.8	4.96	1440	< 0.5	< 2	1.64	0.5	10	169	86	3.08	1.33	1.37
270996	201	202	< 5	0.4	4.76	970	< 0.5	< 2	2.10	0.5	6	25	45	1.35	1.23	0.63
270997	201	202	< 5	0.4	6.01	850	< 0.5	< 2	1.86	0.5	7	21	39	1.57	1.60	0.57
270998	201	202	< 5	2.0	5.52	1120	< 0.5	< 2	1.78	1.5	21	97	77	2.39	1.31	0.92
270999	201	202	< 5	< 0.2	8.76	2720	< 0.5	< 2	0.22	1.0	6	96	24	6.73	2.75	1.19
271000	201	202	< 5	< 0.2	7.58	850	< 0.5	2	2.14	0.5	7	6	17	1.80	2.07	0.70
271001	201	202	< 5	< 0.2	6.06	1090	< 0.5	< 2	1.00	0.5	9	81	19	2.37	1.45	0.80
271002	201	202	< 5	< 0.2	5.73	1120	< 0.5	< 2	0.83	0.5	8	108	15	2.57	1.45	0.99
271003	201	202	< 5	< 0.2	6.22	1150	< 0.5	< 2	0.61	0.5	7	90	9	2.58	1.74	0.87
271004	201	202	< 5	< 0.2	6.08	960	< 0.5	< 2	0.59	0.5	6	76	10	2.97	1.61	0.69
271005	201	202	< 5	< 0.2	6.84	1300	< 0.5	< 2	0.55	0.5	16	127	35	3.62	1.68	1.27
271006	201	202	10	< 0.2	4.85	990	< 0.5	< 2	0.61	< 0.5	7	119	10	2.18	1.24	0.91
271007	201	202	< 5	< 0.2	7.82	1120	< 0.5	6	1.88	0.5	10	57	23	2.20	2.20	0.89
271008	201	202	< 5	< 0.2	5.63	1610	< 0.5	< 2	0.92	0.5	12	134	21	2.63	1.38	1.34
271009	201	202	< 5	< 0.2	5.94	1490	< 0.5	< 2	1.06	0.5	13	136	20	2.89	1.60	1.43
271010	201	202	< 5	< 0.2	6.40	1210	< 0.5	< 2	0.96	1.0	10	102	26	3.07	1.53	1.02
271011	201	202	< 5	< 0.2	6.11	1360	< 0.5	< 2	0.54	0.5	10	113	15	3.51	1.39	1.18
271012	201	202	< 5	< 0.2	5.44	940	< 0.5	< 2	0.83	< 0.5	6	70	10	1.98	1.49	0.68
271013	201	202	< 5	< 0.2	5.21	1080	< 0.5	< 2	0.62	0.5	6	96	10	2.43	1.36	0.81
271014	201	202	< 5	< 0.2	5.22	1100	< 0.5	< 2	0.56	0.5	10	104	19	2.85	1.40	0.94
271015	201	202	< 5	< 0.2	5.91	1190	< 0.5	< 2	0.97	0.5	7	154	13	2.15	1.50	1.03
271016	201	202	< 5	< 0.2	4.81	1550	< 0.5	< 2	0.59	1.0	48	687	26	5.00	1.30	4.43
271017	201	202	< 5	< 0.2	6.15	1190	< 0.5	2	1.09	1.0	30	322	20	3.31	1.76	2.13
271018	201	202	< 5	< 0.2	5.92	880	< 0.5	< 2	1.26	0.5	6	68	21	1.95	1.70	0.61
271019	201	202	< 5	< 0.2	7.14	1010	< 0.5	2	1.90	1.0	7	11	26	1.56	2.06	0.55
271020	201	202	< 5	1.0	3.53	1150	< 0.5	< 2	2.31	3.0	8	66	77	1.72	0.79	0.58
271021	201	202	< 5	< 0.2	5.97	1260	< 0.5	< 2	0.58	0.5	15	112	26	3.25	1.54	1.15
271051	201	202	< 5	< 0.2	5.67	1170	< 0.5	2	0.79	0.5	9	104	13	2.27	1.62	0.92
271052	201	202	10	< 0.2	5.23	1070	< 0.5	< 2	0.82	0.5	10	130	20	2.73	1.51	1.17
271053	201	202	< 5	< 0.2	6.26	980	< 0.5	< 2	1.52	1.0	7	40	49	1.56	1.74	0.50

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9624114
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
270983	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
270984	201	202	375	1	2.76	43	650	4	556	0.21	37	< 10	46			
270985	201	202	865	1	1.04	182	960	12	128	0.31	118	20	114			
270986	201	202	540	1	0.73	390	1220	14	111	0.31	122	10	92			
270987	201	202	480	3	1.25	132	1060	8	136	0.48	167	< 10	90			
270988	201	202	490	1	1.58	67	910	8	230	0.36	119	< 10	86			
270989	201	202	325	1	1.49	101	1040	8	305	0.14	53	< 10	62			
270990	201	202	710	1	0.69	234	1490	10	143	0.18	112	< 10	116			
270993	201	202	610	1	0.77	167	1300	4	224	0.10	36	< 10	48			
270994	201	202	425	< 1	0.27	271	1050	< 2	171	0.03	12	< 10	20			
270995	201	202	485	1	0.75	149	1620	4	133	0.31	108	< 10	96			
270996	201	202	370	< 1	1.62	78	810	6	359	0.14	31	< 10	40			
270997	201	202	425	1	2.16	49	840	6	431	0.16	34	< 10	46			
270998	201	202	1225	2	1.27	141	1210	12	283	0.15	73	< 10	84			
270999	201	202	125	1	1.18	27	840	20	71	0.20	119	< 10	72			
271000	201	202	370	1	2.99	6	550	6	603	0.23	44	< 10	48			
271001	201	202	405	1	1.54	31	370	10	240	0.28	95	< 10	70			
271002	201	202	320	< 1	1.21	36	460	10	147	0.34	109	< 10	66			
271003	201	202	265	1	1.10	24	340	12	109	0.38	118	< 10	58			
271004	201	202	285	1	0.97	18	420	14	99	0.37	126	< 10	58			
271005	201	202	465	2	0.92	78	510	14	92	0.33	130	< 10	84			
271006	201	202	275	< 1	0.83	35	310	8	80	0.33	116	< 10	46			
271007	201	202	435	1	2.81	28	810	18	529	0.27	70	< 10	86			
271008	201	202	555	< 1	0.92	53	830	12	101	0.32	126	< 10	78			
271009	201	202	535	< 1	1.09	56	940	10	117	0.36	129	< 10	76			
271010	201	202	400	1	1.10	34	890	12	151	0.32	153	< 10	78			
271011	201	202	505	2	0.94	42	550	16	91	0.36	148	< 10	80			
271012	201	202	440	2	1.21	16	440	8	159	0.33	113	< 10	48			
271013	201	202	275	1	1.08	26	490	6	119	0.34	118	< 10	50			
271014	201	202	345	1	0.90	40	500	8	94	0.33	123	< 10	74			
271015	201	202	360	1	1.33	34	620	10	135	0.42	127	< 10	64			
271016	201	202	1310	1	0.82	264	1380	14	101	0.30	127	10	128			
271017	201	202	1045	2	1.71	140	1000	6	281	0.28	93	< 10	100			
271018	201	202	310	2	2.13	18	580	8	349	0.27	64	< 10	72			
271019	201	202	375	< 1	2.82	22	700	4	539	0.19	34	< 10	52			
271020	201	202	790	1	0.64	150	1830	10	201	0.09	43	< 10	136			
271021	201	202	435	1	0.86	62	380	14	82	0.34	139	< 10	84			
271051	201	202	525	< 1	1.18	31	650	8	151	0.32	116	< 10	64			
271052	201	202	335	< 1	1.00	53	860	8	108	0.32	114	< 10	78			
271053	201	202	280	2	2.11	60	790	6	404	0.18	47	< 10	62			

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 5-A
Total Pages : 5
Certificate Date: 23-JUL-96
Invoice No. : I9624114
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
271054	201	202	25	< 0.2	5.55	1230	< 0.5	< 2	0.76	0.5	11	144	12	2.92	1.53	1.14
271055	201	202	< 5	< 0.2	4.91	940	< 0.5	< 2	0.73	0.5	8	120	10	2.76	1.36	0.98
271056	201	202	< 5	< 0.2	4.99	790	< 0.5	< 2	0.99	0.5	5	77	5	2.09	1.20	0.72
271057	201	202	< 5	< 0.2	6.06	980	< 0.5	< 2	0.50	0.5	10	118	10	3.71	1.77	0.91

CERTIFICATION: Stuart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9624114
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9624114

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
271054	201	202	455	1	0.91	47	630	12	92	0.33	125	< 10	86
271055	201	202	320	1	0.85	35	620	8	79	0.33	119	< 10	58
271056	201	202	270	< 1	1.00	16	270	10	111	0.38	123	< 10	38
271057	201	202	745	1	0.74	32	1320	12	69	0.33	140	< 10	80

CERTIFICATION: Jonathan Bridges

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9622690

Comments: ATTN:DAVID TERRY

CERTIFICATE A9622690

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 10-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	48	Dry, sieve to -80 mesh
202	48	save reject
285	48	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	48	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	48	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	48	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	48	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	48	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	48	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	48	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	48	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	48	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	48	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	48	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	48	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	48	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	48	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	48	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	48	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	48	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	48	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	48	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	48	Pb ppm: 24 element, rock & core	AAS	2	10000
582	48	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	48	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	48	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	48	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	48	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-A
Total Pages : 2
Certificate Date: 10-JUL-96
Invoice No. : I9622690
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622690

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
130421	201	202	< 5	0.8	3.22	1350	0.5	< 2	2.03	0.5	11	34	80	1.71	0.65	0.61
133007	201	202	< 5	< 0.2	4.94	1330	0.5	< 2	1.78	< 0.5	23	269	25	2.79	1.08	2.49
133008	201	202	< 5	< 0.2	6.57	1700	1.5	< 2	1.01	< 0.5	19	153	40	3.60	2.17	1.60
133009	201	202	< 5	< 0.2	9.00	1080	2.5	< 2	0.49	< 0.5	15	81	24	4.19	3.44	1.19
133010	201	202	< 5	< 0.2	4.93	1190	0.5	< 2	1.27	< 0.5	20	277	23	3.29	1.44	2.45
133011	201	202	< 5	< 0.2	4.90	1010	0.5	< 2	1.19	< 0.5	16	174	29	2.42	1.43	1.76
133015	201	202	< 5	< 0.2	4.28	1090	0.5	< 2	1.62	< 0.5	11	111	31	2.02	1.19	1.16
133053	201	202	< 5	< 0.2	4.97	1360	1.0	< 2	1.68	0.5	11	86	36	2.18	1.28	0.90
133054	201	202	< 5	< 0.2	6.05	820	0.5	< 2	2.84	< 0.5	15	155	36	3.68	1.02	1.71
133055	201	202	< 5	2.0	7.78	1870	2.0	< 2	1.46	< 0.5	28	104	110	5.33	1.71	1.25
133056	201	202	< 5	< 0.2	6.17	1190	0.5	< 2	2.37	< 0.5	21	143	56	4.08	1.18	1.70
133057	201	202	< 5	< 0.2	5.85	1350	1.0	< 2	1.85	0.5	17	163	37	3.03	1.33	1.65
133058	201	202	< 5	< 0.2	5.04	940	1.0	< 2	1.63	< 0.5	14	156	24	2.59	1.18	1.45
133059	201	202	< 5	< 0.2	4.77	930	0.5	< 2	1.45	< 0.5	18	292	25	2.82	1.10	2.12
133060	201	202	< 5	< 0.2	4.98	1400	0.5	< 2	1.93	< 0.5	15	154	31	2.16	1.17	1.30
133061	201	202	< 5	0.6	4.60	1840	0.5	< 2	1.84	2.0	20	106	66	3.46	1.21	1.01
133062	201	202	< 5	< 0.2	3.70	1100	0.5	< 2	2.06	3.5	13	92	62	2.08	1.14	0.82
133063	201	202	45	< 0.2	4.84	1930	0.5	< 2	0.79	< 0.5	31	449	58	4.11	1.38	4.53
133064	201	202	10	< 0.2	5.81	3170	1.0	< 2	0.96	< 0.5	19	165	54	3.29	2.03	1.78
133065	201	202	35	< 0.2	6.18	1500	1.5	< 2	0.72	0.5	21	278	96	3.94	1.62	2.74
133076	201	202	< 5	< 0.2	4.53	1400	0.5	< 2	1.55	< 0.5	16	158	84	2.73	1.12	1.46
133077	201	202	< 5	< 0.2	5.13	1110	0.5	< 2	2.52	0.5	22	272	41	3.19	0.89	2.77
133078	201	202	< 5	0.4	5.50	1950	1.0	< 2	1.92	< 0.5	15	114	72	2.89	1.51	1.17
133079	201	202	< 5	0.4	5.28	2090	1.0	< 2	1.26	< 0.5	13	120	53	2.82	1.52	1.10
133080	201	202	25	< 0.2	5.00	1620	0.5	< 2	1.13	< 0.5	19	241	55	3.45	1.35	2.07
133081	201	202	< 5	< 0.2	5.20	1210	1.0	< 2	1.00	< 0.5	15	144	32	2.57	1.39	1.18
133102	201	202	< 5	< 0.2	5.24	790	1.0	< 2	1.64	< 0.5	16	122	77	3.03	1.54	1.35
133103	201	202	30	< 0.2	2.49	1370	0.5	< 2	0.47	< 0.5	17	222	28	2.23	0.73	1.96
133104	201	202	< 5	< 0.2	4.77	1310	0.5	< 2	1.79	< 0.5	18	130	72	3.47	1.16	1.39
133105	201	202	< 5	< 0.2	4.80	1660	0.5	< 2	1.13	0.5	34	520	44	4.08	1.14	3.49
133106	201	202	< 5	< 0.2	5.58	1360	1.0	< 2	1.17	0.5	16	162	58	2.61	1.46	1.45
133107	201	202	< 5	< 0.2	4.83	1360	0.5	< 2	0.98	0.5	36	628	33	4.36	1.18	3.26
133153	201	202	< 5	< 0.2	4.66	1240	0.5	< 2	1.85	< 0.5	22	501	24	2.51	0.83	3.58
133160	201	202	< 5	1.4	6.53	1750	1.0	< 2	1.36	2.5	12	216	45	2.71	1.51	2.03
133161	201	202	< 5	0.2	5.36	1470	1.0	< 2	1.11	0.5	13	202	43	3.24	1.31	1.41
133162	201	202	< 5	< 0.2	4.22	970	0.5	< 2	1.52	< 0.5	11	108	38	2.12	1.11	1.11
133163	201	202	< 5	< 0.2	4.33	1040	0.5	< 2	1.31	< 0.5	11	120	19	2.06	1.11	1.20
133164	201	202	< 5	< 0.2	5.09	1110	0.5	< 2	1.22	< 0.5	14	142	31	2.60	1.38	1.32
133165	201	202	< 5	< 0.2	5.15	1150	1.0	< 2	1.35	< 0.5	15	133	33	2.58	1.37	1.27
133208	201	202	< 5	< 0.2	4.94	1050	0.5	< 2	1.39	< 0.5	19	300	33	3.06	1.27	2.20

CERTIFICATION: Stewart Bowden

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-B
Total Pages : 2
Certificate Date: 10-JUL-96
Invoice No. : I9622690
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622690

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
130421	201 202	2310	2	0.58	42	1980	8	180	0.12	50	< 10	72			
133007	201 202	650	< 1	1.17	147	710	4	162	0.38	117	10	66			
133008	201 202	830	< 1	0.76	91	810	16	109	0.31	124	< 10	166			
133009	201 202	440	1	0.85	32	780	24	53	0.27	88	< 10	118			
133010	201 202	2190	< 1	0.79	149	830	6	123	0.30	114	10	86			
133011	201 202	530	< 1	0.88	111	790	12	135	0.30	105	< 10	76			
133015	201 202	550	< 1	0.78	73	690	6	153	0.23	93	< 10	74			
133053	201 202	865	< 1	0.88	73	1290	6	190	0.21	111	< 10	110			
133054	201 202	520	2	1.20	74	660	4	210	0.55	154	10	76			
133055	201 202	1060	6	0.70	49	1570	60	186	0.26	118	< 10	128			
133056	201 202	1705	2	1.07	96	900	6	161	0.48	157	< 10	122			
133057	201 202	935	2	1.01	116	1170	6	160	0.36	139	< 10	136			
133058	201 202	525	< 1	1.15	76	1030	8	145	0.40	109	< 10	92			
133059	201 202	585	1	0.80	136	1070	6	118	0.33	106	< 10	118			
133060	201 202	1015	< 1	0.80	103	1150	4	150	0.26	97	< 10	134			
133061	201 202	>10000	6	0.67	136	1470	8	161	0.20	91	< 10	180			
133062	201 202	2760	1	0.46	83	1240	10	128	0.18	65	< 10	132			
133063	201 202	1040	1	0.75	331	730	6	86	0.32	133	< 10	134			
133064	201 202	1240	1	0.59	118	840	6	89	0.24	108	10	152			
133065	201 202	975	3	0.67	205	980	10	89	0.36	113	10	154			
133076	201 202	790	4	0.80	80	700	6	192	0.33	123	10	70			
133077	201 202	1025	< 1	1.36	126	780	4	142	0.38	145	10	108			
133078	201 202	670	3	0.85	71	1030	4	199	0.31	138	< 10	122			
133079	201 202	560	2	0.56	72	1230	6	122	0.31	142	10	172			
133080	201 202	1005	< 1	0.69	151	980	6	103	0.35	102	10	128			
133081	201 202	505	1	0.86	77	790	6	115	0.28	115	< 10	86			
133102	201 202	450	4	0.51	75	1030	6	90	0.30	139	< 10	122			
133103	201 202	505	< 1	0.33	155	430	2	45	0.17	69	< 10	64			
133104	201 202	975	2	0.85	56	1140	4	128	0.37	130	< 10	132			
133105	201 202	875	< 1	0.65	373	860	4	82	0.31	142	10	144			
133106	201 202	415	< 1	0.69	112	730	8	102	0.25	122	< 10	128			
133107	201 202	875	< 1	0.63	362	820	4	77	0.31	134	10	128			
133153	201 202	380	< 1	1.13	251	680	2	163	0.29	95	10	64			
133160	201 202	275	2	1.20	105	900	6	150	0.31	266	< 10	152			
133161	201 202	525	2	0.63	124	1020	10	93	0.31	149	< 10	176			
133162	201 202	425	< 1	0.85	50	910	6	154	0.28	107	< 10	76			
133163	201 202	385	< 1	0.84	52	820	< 2	116	0.29	107	< 10	78			
133164	201 202	705	< 1	0.81	74	820	6	130	0.31	111	< 10	92			
133165	201 202	735	< 1	0.83	69	900	2	132	0.31	112	< 10	100			
133208	201 202	665	1	0.83	166	740	< 2	130	0.37	114	< 10	98			

CERTIFICATION: David Bidder

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page :2-A
Total Pages :2
Certificate Date: 10-JUL-96
Invoice No. :19622690
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9622690

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
133209	201	202	< 5	0.4	5.04	2460	0.5	< 2	2.12	< 0.5	26	131	268	3.66	1.01	2.52
133210	201	202	< 5	< 0.2	4.70	1340	0.5	< 2	2.31	0.5	22	227	51	3.48	0.97	2.39
133211	201	202	< 5	< 0.2	4.31	1120	0.5	< 2	1.96	< 0.5	17	209	66	2.47	0.85	1.67
133212	201	202	< 5	< 0.2	4.60	1120	0.5	< 2	1.61	< 0.5	15	192	39	2.34	0.97	1.61
133213	201	202	< 5	< 0.2	4.12	1800	0.5	< 2	2.17	< 0.5	20	220	63	2.88	0.90	2.36
133214	201	202	< 5	< 0.2	6.28	670	1.0	< 2	3.66	< 0.5	16	133	41	4.13	0.96	1.47
133251	201	202	< 5	< 0.2	5.04	1630	1.0	< 2	1.65	1.0	16	171	60	2.92	1.27	1.59
133252	201	202	< 5	< 0.2	5.13	1160	1.0	< 2	1.49	< 0.5	23	226	34	3.26	1.45	2.60

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 10-JUL-96
Invoice No. : I9622690
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622690

SAMPLE	PREP CODE	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
133209	201 202	1470	< 1	0.76	103	1150	< 2	106	0.28	129	< 10	118
133210	201 202	1520	1	0.95	150	990	< 2	148	0.34	124	10	128
133211	201 202	1050	1	0.94	174	1090	< 2	163	0.27	99	< 10	78
133212	201 202	815	< 1	1.11	135	890	< 2	161	0.31	97	< 10	82
133213	201 202	1360	1	0.77	168	1070	< 2	154	0.29	104	10	140
133214	201 202	1035	< 1	1.20	39	1280	< 2	187	0.59	185	10	74
133251	201 202	1410	1	0.74	120	1140	4	137	0.28	124	< 10	128
133252	201 202	1730	1	0.70	213	850	4	144	0.25	112	< 10	92

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9623849

Comments: ATTN:DAVID TERRY

CERTIFICATE A9623849

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 23-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	109	Dry, sieve to -80 mesh
202	109	save reject
229	109	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	108	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	109	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	109	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	109	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	109	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	109	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	109	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	109	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	109	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	109	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	109	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	109	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	109	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	109	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	109	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	109	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	109	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	109	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	109	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	109	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	109	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	109	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	109	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	109	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	109	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	109	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	109	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	109	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	109	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	109	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	109	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	109	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	109	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :1-A
Total Pages :3
Certificate Date: 23-JUL-96
Invoice No. :I9623849
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
131901	201	202	< 5	< 0.2	0.43	< 2	30	< 0.5	< 2	0.15	< 0.5	2	4	5	0.50	< 10	< 1	0.03	< 10	0.06	30
131902	201	202	< 5	< 0.2	1.79	6	150	< 0.5	< 2	0.77	< 0.5	16	54	49	2.64	< 10	< 1	0.05	10	1.06	320
131903	201	202	< 5	< 0.2	2.80	2	170	< 0.5	< 2	0.59	0.5	21	82	23	3.68	< 10	< 1	0.06	< 10	0.76	1015
131904	201	202	< 5	< 0.2	2.06	4	150	< 0.5	< 2	0.79	< 0.5	19	71	64	2.73	< 10	< 1	0.07	10	1.19	460
131905	201	202	< 5	< 0.2	0.55	< 2	80	< 0.5	< 2	0.25	< 0.5	5	15	18	0.78	< 10	< 1	0.03	< 10	0.21	205
131906	201	202	< 5	< 0.2	1.61	4	90	< 0.5	< 2	0.55	< 0.5	15	55	22	2.32	< 10	< 1	0.03	< 10	1.00	340
132401	201	202	5	0.8	2.16	22	520	0.5	< 2	0.72	1.5	28	20	90	4.19	< 10	< 1	0.13	10	0.39	4470
132402	201	202	40	< 0.2	1.34	38	200	< 0.5	< 2	0.45	0.5	15	24	16	3.30	< 10	< 1	0.12	10	0.38	745
132403	201	202	< 5	0.4	1.62	14	290	0.5	< 2	0.79	0.5	19	19	21	2.58	< 10	< 1	0.21	30	0.33	1090
132404	201	202	< 5	0.2	1.41	6	210	< 0.5	< 2	0.58	< 0.5	13	23	29	2.27	< 10	< 1	0.27	10	0.40	500
132405	201	202	< 5	0.2	1.41	14	170	< 0.5	< 2	1.83	1.0	22	23	47	2.43	< 10	< 1	0.10	< 10	0.59	1460
132406	201	202	< 5	< 0.2	2.83	12	140	< 0.5	< 2	0.83	0.5	53	57	100	5.64	< 10	< 1	0.12	< 10	1.74	1095
132407	201	202	< 5	< 0.2	2.00	6	130	< 0.5	< 2	0.59	< 0.5	17	56	47	3.14	< 10	< 1	0.07	< 10	0.93	455
132408	201	202	< 5	< 0.2	1.68	6	120	< 0.5	< 2	0.56	0.5	11	41	23	2.69	< 10	< 1	0.15	< 10	0.73	385
132409	201	202	< 5	0.2	1.71	6	290	< 0.5	< 2	1.73	< 0.5	12	48	68	2.48	< 10	< 1	0.14	10	0.87	485
132410	201	202	< 5	< 0.2	1.39	8	150	< 0.5	< 2	0.30	1.0	15	59	16	2.91	< 10	< 1	0.09	< 10	0.83	460
132411	201	202	< 5	0.4	1.17	6	190	< 0.5	< 2	0.42	< 0.5	8	28	12	2.66	< 10	< 1	0.15	10	0.39	400
132412	201	202	< 5	0.4	1.25	2	300	< 0.5	< 2	1.89	< 0.5	5	22	39	1.33	< 10	< 1	0.09	< 10	0.28	195
132413	201	202	not/ss	0.6	1.53	6	540	0.5	< 2	2.93	< 0.5	6	27	62	1.49	< 10	< 1	0.10	< 10	0.41	560
132414	201	202	< 5	< 0.2	0.73	8	150	< 0.5	< 2	0.25	< 0.5	7	18	10	1.86	< 10	< 1	0.12	20	0.21	185
132415	201	202	< 5	0.2	1.63	4	280	< 0.5	< 2	0.20	0.5	16	34	9	2.55	< 10	< 1	0.10	10	0.36	775
132416	201	202	< 5	< 0.2	0.90	6	120	< 0.5	< 2	0.27	< 0.5	7	36	11	1.69	< 10	< 1	0.05	< 10	0.44	405
132417	201	202	< 5	< 0.2	1.38	2	110	< 0.5	< 2	0.35	0.5	13	59	15	2.86	< 10	< 1	0.06	< 10	0.84	285
132418	201	202	< 5	< 0.2	1.23	6	140	< 0.5	< 2	0.90	< 0.5	11	50	14	2.90	< 10	< 1	0.08	< 10	0.69	400
132419	201	202	< 5	< 0.2	1.31	6	100	< 0.5	< 2	0.27	< 0.5	13	62	11	2.48	< 10	< 1	0.05	< 10	0.86	300
132420	201	202	< 5	< 0.2	1.47	< 2	100	< 0.5	< 2	0.26	< 0.5	13	54	17	2.76	< 10	< 1	0.06	< 10	0.78	335
132421	201	202	< 5	< 0.2	1.16	8	140	< 0.5	< 2	0.73	< 0.5	11	52	17	2.49	< 10	< 1	0.14	< 10	0.78	450
132422	201	202	< 5	0.2	0.67	< 2	140	< 0.5	< 2	0.43	2.0	12	14	29	1.23	< 10	< 1	0.10	< 10	0.13	1740
132423	201	202	< 5	< 0.2	0.93	2	110	< 0.5	< 2	0.39	0.5	8	41	9	1.45	< 10	< 1	0.08	< 10	0.54	365
132424	201	202	< 5	< 0.2	2.00	12	170	< 0.5	< 2	0.67	< 0.5	21	76	33	3.26	< 10	1	0.19	< 10	1.34	530
132425	201	202	< 5	0.4	1.83	< 2	590	0.5	< 2	1.01	2.0	18	58	30	2.80	< 10	< 1	0.22	< 10	1.01	1255
132426	201	202	< 5	0.4	1.84	12	280	0.5	< 2	0.31	1.0	22	41	21	2.93	< 10	< 1	0.13	10	0.65	1235
132427	201	202	145	1.0	0.95	88	100	< 0.5	< 2	0.04	< 0.5	6	8	45	6.09	< 10	< 1	0.06	< 10	0.04	365
132428	201	202	< 5	< 0.2	1.56	2	100	< 0.5	< 2	0.16	< 0.5	14	59	24	3.64	< 10	< 1	0.05	< 10	0.72	345
132429	201	202	< 5	< 0.2	1.50	4	140	< 0.5	< 2	0.24	0.5	15	62	19	3.05	< 10	< 1	0.09	< 10	0.86	485
132430	201	202	< 5	< 0.2	0.74	4	70	< 0.5	< 2	0.23	< 0.5	6	25	10	1.37	< 10	< 1	0.05	< 10	0.25	160
132431	201	202	< 5	0.2	0.81	2	130	< 0.5	< 2	0.32	0.5	9	29	8	1.43	< 10	< 1	0.08	< 10	0.26	585
132432	201	202	60	< 0.2	1.28	6	140	< 0.5	< 2	0.31	< 0.5	16	41	8	2.74	< 10	< 1	0.15	< 10	0.53	800
132433	201	202	< 5	< 0.2	0.57	14	90	< 0.5	< 2	0.10	< 0.5	7	6	27	2.75	< 10	< 1	0.05	10	0.07	785
132434	201	202	< 5	0.2	0.45	6	120	< 0.5	< 2	0.05	< 0.5	6	8	22	2.01	< 10	< 1	0.06	< 10	0.05	230

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-B
Total : 3
Certificate Date: 23-JUL-96
Invoice No. : I9623849
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
131901	201 202	< 1	0.09	1	440	2	< 2	< 1	8	0.03	< 10	< 10	18	< 10	8
131902	201 202	< 1	< 0.01	27	680	4	< 2	7	27	0.23	< 10	< 10	75	< 10	56
131903	201 202	< 1	< 0.01	28	930	6	< 2	5	17	0.19	< 10	< 10	105	< 10	70
131904	201 202	< 1	< 0.01	43	510	4	< 2	7	27	0.24	< 10	< 10	70	< 10	60
131905	201 202	< 1	0.06	9	500	< 2	< 2	< 1	6	0.04	< 10	< 10	20	< 10	14
131906	201 202	< 1	< 0.01	26	390	6	< 2	4	13	0.20	< 10	< 10	58	< 10	46
132401	201 202	3	0.03	29	810	38	< 2	3	42	0.04	< 10	< 10	68	< 10	404
132402	201 202	2	< 0.01	15	390	16	< 2	1	26	0.04	< 10	< 10	43	< 10	188
132403	201 202	3	0.02	22	710	20	< 2	1	38	< 0.01	< 10	< 10	28	< 10	226
132404	201 202	1	0.02	25	690	12	< 2	1	23	0.01	< 10	< 10	30	< 10	98
132405	201 202	1	0.04	20	690	6	< 2	4	61	0.02	< 10	< 10	66	< 10	50
132406	201 202	1	0.01	53	570	8	< 2	14	21	0.15	< 10	< 10	128	< 10	72
132407	201 202	1	< 0.01	30	430	6	< 2	6	13	0.14	< 10	< 10	88	< 10	70
132408	201 202	< 1	0.03	21	540	8	< 2	3	17	0.10	< 10	< 10	68	< 10	80
132409	201 202	< 1	< 0.01	36	1010	6	< 2	7	33	0.11	< 10	< 10	52	< 10	104
132410	201 202	< 1	< 0.01	24	1340	8	< 2	3	10	0.13	< 10	< 10	68	< 10	90
132411	201 202	1	0.01	16	570	10	< 2	2	13	0.05	< 10	< 10	46	< 10	88
132412	201 202	2	0.05	23	770	6	< 2	3	39	0.02	< 10	< 10	22	< 10	38
132413	201 202	1	0.02	30	1060	6	< 2	4	63	0.02	< 10	< 10	24	< 10	52
132414	201 202	< 1	< 0.01	15	240	18	< 2	1	10	0.03	< 10	< 10	23	< 10	68
132415	201 202	< 1	< 0.01	17	390	8	< 2	3	9	0.06	< 10	< 10	57	< 10	212
132416	201 202	< 1	0.01	11	320	4	< 2	1	9	0.17	< 10	< 10	52	< 10	40
132417	201 202	< 1	< 0.01	20	450	6	< 2	3	9	0.25	< 10	< 10	85	< 10	48
132418	201 202	1	< 0.01	18	600	6	< 2	3	18	0.22	< 10	< 10	89	< 10	68
132419	201 202	< 1	< 0.01	19	580	6	< 2	3	7	0.22	< 10	< 10	78	< 10	58
132420	201 202	< 1	< 0.01	19	520	6	< 2	3	12	0.21	< 10	< 10	88	< 10	72
132421	201 202	1	< 0.01	19	760	6	< 2	3	16	0.19	< 10	< 10	78	< 10	104
132422	201 202	1	0.05	8	340	6	< 2	1	12	0.05	< 10	< 10	30	< 10	188
132423	201 202	< 1	0.03	14	330	4	< 2	1	10	0.14	< 10	< 10	47	< 10	46
132424	201 202	1	< 0.01	32	750	6	< 2	5	16	0.24	< 10	< 10	77	< 10	74
132425	201 202	1	0.01	32	1970	8	< 2	4	51	0.14	< 10	< 10	52	< 10	266
132426	201 202	< 1	0.01	28	1330	10	< 2	3	14	0.10	< 10	< 10	57	< 10	244
132427	201 202	< 1	0.03	6	1400	20	30	6	9	0.01	< 10	< 10	47	< 10	62
132428	201 202	< 1	< 0.01	21	570	8	< 2	3	8	0.26	< 10	< 10	96	< 10	64
132429	201 202	< 1	< 0.01	23	630	6	< 2	3	9	0.23	< 10	< 10	79	< 10	66
132430	201 202	< 1	< 0.01	8	270	8	< 2	2	9	0.16	< 10	< 10	51	< 10	26
132431	201 202	1	0.01	7	300	6	< 2	1	10	0.13	< 10	< 10	49	< 10	46
132432	201 202	1	< 0.01	13	280	10	< 2	3	10	0.17	< 10	< 10	72	< 10	74
132433	201 202	1	0.03	5	1000	8	< 2	1	8	< 0.01	< 10	< 10	43	< 10	74
132434	201 202	1	0.03	14	510	12	< 2	1	5	0.02	< 10	< 10	29	< 10	82

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :2-A
Total Pages :3
Certificate Date: 23-JUL-96
Invoice No. :I9623849
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
132435	201	202	< 5	0.2	1.91	2	90	< 0.5	< 2	0.14	< 0.5	12	69	23	3.44	< 10	1	0.05	< 10	0.82	295
132436	201	202	< 5	< 0.2	2.59	12	260	0.5	< 2	0.18	< 0.5	16	76	49	3.98	< 10	< 1	0.12	10	0.78	385
132437	201	202	< 5	< 0.2	0.81	2	70	< 0.5	< 2	0.19	< 0.5	6	47	7	2.06	< 10	1	0.05	< 10	0.31	250
132438	201	202	< 5	< 0.2	1.94	2	100	0.5	< 2	0.30	< 0.5	13	58	35	3.29	< 10	< 1	0.21	< 10	1.03	390
132439	201	202	< 5	< 0.2	1.67	2	120	< 0.5	< 2	0.28	< 0.5	12	58	12	2.98	< 10	2	0.07	< 10	0.93	275
132440	201	202	< 5	< 0.2	1.52	2	120	< 0.5	< 2	0.19	< 0.5	10	54	7	2.90	< 10	1	0.08	< 10	0.77	300
132441	201	202	< 5	0.2	1.48	4	310	< 0.5	< 2	0.41	< 0.5	15	43	42	2.24	< 10	1	0.11	< 10	0.72	650
132442	201	202	< 5	< 0.2	1.39	< 2	100	0.5	< 2	0.14	< 0.5	7	46	5	2.64	< 10	< 1	0.10	10	0.50	195
132443	201	202	< 5	< 0.2	1.38	4	160	0.5	< 2	0.25	< 0.5	6	49	6	2.32	< 10	< 1	0.10	10	0.59	195
132444	201	202	< 5	0.4	1.85	2	150	< 0.5	< 2	0.52	0.5	16	71	13	3.27	< 10	< 1	0.11	< 10	1.28	395
132445	201	202	< 5	0.2	1.56	< 2	110	0.5	< 2	0.15	< 0.5	8	55	6	3.10	< 10	< 1	0.13	10	0.62	390
132446	201	202	< 5	< 0.2	1.26	2	130	< 0.5	< 2	0.15	< 0.5	6	38	5	2.24	< 10	< 1	0.09	10	0.50	200
132447	201	202	< 5	< 0.2	0.73	< 2	280	< 0.5	< 2	0.30	0.5	5	30	4	1.43	< 10	< 1	0.10	< 10	0.35	240
132448	201	202	< 5	< 0.2	1.27	< 2	150	< 0.5	< 2	0.21	< 0.5	10	42	7	2.24	< 10	< 1	0.10	< 10	0.69	620
132449	201	202	< 5	< 0.2	1.70	< 2	210	< 0.5	< 2	0.13	< 0.5	9	48	8	2.75	< 10	< 1	0.06	< 10	0.70	240
132450	201	202	< 5	< 0.2	1.36	2	120	< 0.5	< 2	0.16	< 0.5	7	37	5	2.15	< 10	< 1	0.06	< 10	0.64	215
132451	201	202	< 5	0.2	1.69	< 2	160	< 0.5	< 2	0.18	< 0.5	9	44	9	2.41	< 10	< 1	0.06	< 10	0.71	235
132452	201	202	< 5	< 0.2	1.16	2	150	< 0.5	< 2	0.14	< 0.5	5	28	4	1.89	< 10	1	0.05	10	0.40	140
132453	201	202	< 5	< 0.2	1.48	< 2	120	< 0.5	< 2	0.17	< 0.5	7	42	5	2.46	< 10	3	0.07	10	0.59	195
132454	201	202	< 5	< 0.2	1.82	2	240	< 0.5	< 2	0.44	0.5	14	60	16	2.89	< 10	1	0.11	< 10	0.95	585
132455	201	202	< 5	< 0.2	1.64	< 2	250	< 0.5	< 2	0.52	< 0.5	13	57	15	2.25	< 10	1	0.12	< 10	0.99	610
132456	201	202	< 5	< 0.2	0.92	< 2	80	< 0.5	< 2	0.14	< 0.5	4	29	3	1.55	< 10	< 1	0.06	< 10	0.42	185
132457	201	202	60	< 0.2	0.52	< 2	70	< 0.5	< 2	0.12	< 0.5	1	14	1	0.63	< 10	< 1	0.05	< 10	0.15	85
132458	201	202	< 5	< 0.2	1.21	< 2	120	< 0.5	< 2	0.19	< 0.5	6	38	5	2.34	< 10	1	0.06	< 10	0.53	325
132459	201	202	< 5	< 0.2	1.58	< 2	140	< 0.5	< 2	0.18	< 0.5	5	38	4	2.33	< 10	1	0.05	< 10	0.54	180
132460	201	202	< 5	< 0.2	1.34	< 2	80	< 0.5	< 2	0.21	< 0.5	8	42	6	2.20	< 10	< 1	0.04	< 10	0.62	205
132461	201	202	< 5	< 0.2	0.89	2	60	< 0.5	< 2	0.20	< 0.5	3	26	3	1.17	< 10	< 1	0.05	10	0.36	105
132462	201	202	< 5	< 0.2	1.18	< 2	130	< 0.5	< 2	0.18	< 0.5	6	34	4	1.91	< 10	1	0.06	< 10	0.51	240
132463	201	202	< 5	< 0.2	1.63	< 2	130	< 0.5	< 2	0.17	< 0.5	7	43	5	2.59	< 10	1	0.05	< 10	0.57	240
132464	201	202	< 5	< 0.2	1.07	< 2	120	< 0.5	< 2	0.23	< 0.5	4	30	3	1.60	< 10	< 1	0.06	10	0.39	130
132465	201	202	< 5	< 0.2	1.46	< 2	110	< 0.5	< 2	0.24	< 0.5	8	49	7	2.40	< 10	< 1	0.10	10	0.76	240
132466	201	202	< 5	< 0.2	1.02	2	90	< 0.5	< 2	0.18	< 0.5	4	36	3	1.74	< 10	< 1	0.06	10	0.51	165
132467	201	202	< 5	0.2	1.86	< 2	140	0.5	< 2	0.19	< 0.5	9	53	6	2.67	< 10	< 1	0.09	< 10	0.73	225
132468	201	202	< 5	< 0.2	1.46	2	140	< 0.5	< 2	0.27	< 0.5	6	35	4	1.84	< 10	< 1	0.08	10	0.54	220
132469	201	202	< 5	< 0.2	1.39	< 2	120	< 0.5	< 2	0.20	< 0.5	8	38	10	1.94	< 10	1	0.07	10	0.57	260
132470	201	202	< 5	< 0.2	1.43	< 2	130	< 0.5	< 2	0.24	< 0.5	7	41	4	1.94	< 10	< 1	0.05	10	0.62	190
133012	201	202	20	< 0.2	1.16	2	330	< 0.5	< 2	0.84	0.5	10	52	20	2.00	< 10	< 1	0.09	10	0.76	435
133013	201	202	< 5	0.2	1.45	6	410	< 0.5	< 2	0.71	< 0.5	14	74	42	2.84	< 10	< 1	0.20	10	1.05	845
133020	201	202	< 5	< 0.2	1.10	2	130	< 0.5	< 2	0.52	< 0.5	10	42	25	1.84	< 10	< 1	0.14	10	0.67	370
133082	201	202	< 5	0.2	0.89	48	520	< 0.5	< 2	1.10	3.5	12	62	45	2.46	< 10	< 1	0.09	10	0.79	785

CERTIFICATION: Stewart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623849
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
132435	201	202	< 1	< 0.01	22	460	8	2	3	8	0.21	< 10	< 10	94	< 10	52
132436	201	202	< 1	< 0.01	83	450	10	4	5	12	0.07	< 10	< 10	68	< 10	96
132437	201	202	< 1	0.01	17	1040	8	< 2	1	7	0.10	< 10	< 10	65	< 10	34
132438	201	202	< 1	< 0.01	29	670	6	2	5	11	0.19	< 10	< 10	65	< 10	64
132439	201	202	< 1	< 0.01	24	390	4	< 2	3	10	0.22	< 10	< 10	85	< 10	50
132440	201	202	< 1	< 0.01	20	910	6	< 2	3	8	0.18	< 10	< 10	84	< 10	68
132441	201	202	1	0.03	22	580	6	< 2	3	13	0.12	< 10	< 10	59	< 10	68
132442	201	202	< 1	< 0.01	20	900	12	2	3	7	0.10	< 10	< 10	56	< 10	60
132443	201	202	1	< 0.01	23	400	12	< 2	3	12	0.11	< 10	< 10	48	< 10	50
132444	201	202	< 1	< 0.01	31	460	6	2	3	18	0.25	< 10	< 10	87	< 10	64
132445	201	202	< 1	< 0.01	30	2560	14	2	3	6	0.09	< 10	< 10	58	< 10	100
132446	201	202	1	< 0.01	17	550	12	< 2	2	8	0.09	< 10	< 10	50	< 10	72
132447	201	202	< 1	< 0.01	14	260	6	< 2	1	13	0.08	< 10	< 10	39	< 10	38
132448	201	202	< 1	< 0.01	23	1030	10	< 2	2	8	0.07	< 10	< 10	43	< 10	104
132449	201	202	< 1	< 0.01	25	360	12	2	3	5	0.09	< 10	< 10	55	< 10	58
132450	201	202	< 1	< 0.01	18	480	8	< 2	2	8	0.08	< 10	< 10	42	< 10	48
132451	201	202	< 1	< 0.01	27	480	8	< 2	2	9	0.09	< 10	< 10	47	< 10	56
132452	201	202	< 1	< 0.01	11	290	10	2	1	9	0.09	< 10	< 10	45	< 10	32
132453	201	202	< 1	< 0.01	19	440	8	< 2	3	8	0.12	< 10	< 10	59	< 10	46
132454	201	202	< 1	< 0.01	28	670	4	< 2	3	16	0.15	< 10	< 10	72	< 10	72
132455	201	202	< 1	0.01	26	300	2	< 2	3	11	0.17	< 10	< 10	60	< 10	46
132456	201	202	< 1	< 0.01	11	350	10	2	1	5	0.08	< 10	< 10	37	< 10	44
132457	201	202	< 1	0.01	4	180	8	< 2	< 1	6	0.06	< 10	< 10	19	< 10	26
132458	201	202	< 1	< 0.01	17	1830	8	2	2	7	0.07	< 10	< 10	50	< 10	62
132459	201	202	< 1	< 0.01	15	620	8	< 2	2	9	0.13	< 10	< 10	56	< 10	54
132460	201	202	< 1	< 0.01	14	490	2	< 2	2	7	0.18	< 10	< 10	67	< 10	56
132461	201	202	< 1	< 0.01	8	200	8	< 2	1	8	0.12	< 10	< 10	39	< 10	20
132462	201	202	< 1	0.01	13	590	6	< 2	2	8	0.14	< 10	< 10	55	< 10	56
132463	201	202	< 1	< 0.01	14	420	6	< 2	2	8	0.18	< 10	< 10	71	< 10	40
132464	201	202	< 1	< 0.01	11	510	10	< 2	1	11	0.10	< 10	< 10	41	< 10	32
132465	201	202	< 1	< 0.01	22	560	8	< 2	3	9	0.13	< 10	< 10	53	< 10	52
132466	201	202	< 1	< 0.01	14	340	10	< 2	2	8	0.12	< 10	< 10	45	< 10	38
132467	201	202	< 1	< 0.01	22	430	6	< 2	3	7	0.12	< 10	< 10	52	< 10	52
132468	201	202	< 1	< 0.01	12	370	12	< 2	3	11	0.13	< 10	< 10	55	< 10	46
132469	201	202	< 1	0.01	25	540	8	< 2	2	8	0.09	< 10	< 10	39	< 10	42
132470	201	202	< 1	< 0.01	15	240	8	< 2	3	10	0.13	< 10	< 10	52	< 10	46
133012	201	202	1	< 0.01	50	940	12	2	3	40	0.02	< 10	< 10	38	< 10	96
133013	201	202	1	< 0.01	68	810	18	2	5	73	0.02	< 10	< 10	48	< 10	92
133020	201	202	< 1	< 0.01	30	810	8	2	4	15	0.11	< 10	< 10	41	< 10	50
133082	201	202	3	< 0.01	100	1500	12	2	3	58	0.02	< 10	< 10	36	< 10	416

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623849
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
133083	201	202	< 5	< 0.2	0.85	4	360	< 0.5	< 2	1.78	1.5	7	36	31	1.30	< 10	< 1	0.07	< 10	0.57	1090
133084	201	202	< 5	0.2	1.37	2	440	< 0.5	< 2	1.25	0.5	13	50	35	2.57	< 10	< 1	0.15	< 10	0.80	1755
133085	201	202	20	0.2	1.46	6	600	0.5	< 2	1.75	0.5	15	50	55	3.12	< 10	< 1	0.14	< 10	0.83	4760
133086	201	202	< 5	< 0.2	0.93	6	570	< 0.5	< 2	1.15	< 0.5	8	27	18	2.02	< 10	1	0.07	< 10	0.55	2310
133087	201	202	< 5	0.2	1.64	2	370	< 0.5	< 2	1.56	0.5	23	178	154	2.44	< 10	< 1	0.05	< 10	1.75	730
133088	201	202	< 5	< 0.2	2.05	2	240	< 0.5	< 2	1.25	< 0.5	15	66	38	2.91	< 10	< 1	0.08	< 10	1.05	795
133089	201	202	< 5	0.2	1.11	6	180	< 0.5	< 2	3.13	0.5	7	58	137	1.30	< 10	< 1	0.12	30	0.55	310
133108	201	202	< 5	0.2	2.87	8	190	0.5	< 2	1.09	< 0.5	12	85	52	1.95	< 10	< 1	0.04	10	0.83	540
133109S	201	202	< 5	0.2	1.78	4	310	< 0.5	< 2	1.41	< 0.5	13	26	30	2.25	< 10	< 1	0.07	10	0.94	465
133110S	201	202	< 5	0.2	2.66	6	400	0.5	< 2	1.13	< 0.5	13	58	68	3.10	< 10	< 1	0.09	20	0.83	785
133166 (SILT)	201	202	< 5	< 0.2	1.27	2	270	< 0.5	< 2	1.55	< 0.5	10	60	91	2.09	< 10	1	0.10	< 10	0.98	905
133167	201	202	< 5	< 0.2	1.08	4	280	< 0.5	< 2	1.11	0.5	10	62	37	1.99	< 10	< 1	0.10	10	0.98	510
133215	201	202	< 5	0.2	2.00	4	470	0.5	< 2	2.08	2.0	6	28	61	1.71	< 10	< 1	0.09	10	0.38	840
133216	201	202	< 5	0.2	1.37	2	630	< 0.5	< 2	1.58	0.5	8	130	59	1.69	< 10	< 1	0.12	< 10	1.00	380
133217	201	202	< 5	0.2	1.32	4	400	< 0.5	< 2	1.10	0.5	9	69	34	2.06	< 10	< 1	0.09	10	0.93	605
133218	201	202	< 5	< 0.2	1.15	2	390	< 0.5	< 2	1.12	< 0.5	10	72	25	2.06	< 10	< 1	0.10	10	0.97	635
133219	201	202	< 5	< 0.2	1.44	2	260	< 0.5	< 2	0.72	< 0.5	12	83	24	2.22	< 10	< 1	0.09	10	1.15	375
133220	201	202	< 5	0.2	1.63	6	380	< 0.5	< 2	0.90	0.5	10	65	27	2.19	< 10	< 1	0.12	10	0.91	480
133221	201	202	< 5	0.2	1.74	12	320	< 0.5	< 2	0.81	0.5	14	127	43	2.90	< 10	1	0.08	10	1.46	435
133222	201	202	< 5	0.2	1.65	< 2	400	< 0.5	< 2	0.77	< 0.5	15	103	29	2.54	< 10	1	0.10	10	1.21	375
133253	201	202	< 5	< 0.2	1.67	2	160	0.5	< 2	0.37	< 0.5	11	52	23	2.41	< 10	< 1	0.16	10	0.83	305
133254	201	202	< 5	< 0.2	1.26	< 2	270	< 0.5	< 2	0.65	< 0.5	11	75	18	2.27	< 10	< 1	0.09	10	1.05	370
133255	201	202	< 5	0.2	1.39	6	350	< 0.5	< 2	1.25	0.5	13	85	32	2.49	< 10	< 1	0.09	10	1.10	805
133351	201	202	< 5	0.4	1.34	6	1310	0.5	< 2	3.64	< 0.5	6	89	399	1.24	< 10	4	0.04	70	0.49	590
133352	201	202	< 5	< 0.2	2.10	< 2	450	< 0.5	< 2	0.83	< 0.5	43	754	84	3.14	< 10	< 1	0.04	< 10	6.99	1200
133401	201	202	5	0.2	1.39	6	400	< 0.5	< 2	0.54	< 0.5	23	246	60	3.17	< 10	< 1	0.09	10	3.95	575
133404	201	202	< 5	< 0.2	1.93	2	110	< 0.5	< 2	0.52	< 0.5	14	59	31	2.52	< 10	1	0.05	< 10	1.13	425
NO NUMBER	201	202	< 5	< 0.2	0.27	2	260	< 0.5	< 2	11.80	2.0	1	17	21	0.84	< 10	< 1	0.04	< 10	0.33	110
NO NUMBER	201	202	< 5	< 0.2	0.15	2	240	< 0.5	< 2	3.74	< 0.5	1	11	6	0.33	< 10	< 1	0.03	< 10	0.33	155

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :3-B
Total Pages :3
Certificate Date: 23-JUL-96
Invoice No. :19623849
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
133083	201	202	1	< 0.01	57	1000	6	2	2	78	0.01	< 10	< 10	26	< 10	162
133084	201	202	1	0.01	48	980	14	< 2	5	131	0.01	< 10	< 10	35	< 10	120
133085	201	202	3	0.01	66	940	14	2	4	127	0.01	< 10	< 10	49	< 10	152
133086	201	202	< 1	< 0.01	30	780	6	2	2	46	0.02	< 10	< 10	27	< 10	92
133087	201	202	< 1	0.01	320	1090	4	< 2	9	74	0.07	< 10	< 10	97	< 10	64
133088	201	202	< 1	< 0.01	34	1090	8	< 2	8	30	0.16	< 10	< 10	82	< 10	76
133089	201	202	< 1	0.01	48	1550	6	< 2	4	64	0.05	< 10	< 10	32	< 10	156
133108	201	202	< 1	< 0.01	34	1300	6	2	6	20	0.09	< 10	< 10	58	< 10	104
133109S	201	202	< 1	< 0.01	27	1200	4	2	4	47	0.19	< 10	< 10	58	< 10	106
133110S	201	202	1	0.01	47	1440	12	< 2	6	35	0.07	< 10	< 10	70	< 10	114
133166 (SILT)	201	202	< 1	0.01	74	830	8	2	4	65	0.04	< 10	< 10	44	< 10	100
133167	201	202	< 1	< 0.01	60	860	14	2	3	54	0.04	< 10	< 10	38	< 10	136
133215	201	202	1	0.01	21	1360	4	< 2	5	85	0.01	< 10	< 10	30	< 10	170
133216	201	202	1	0.01	232	1160	6	2	6	64	0.01	< 10	< 10	34	< 10	104
133217	201	202	1	< 0.01	89	900	16	< 2	4	63	0.01	< 10	< 10	31	< 10	110
133218	201	202	1	< 0.01	63	870	12	< 2	3	53	0.03	< 10	< 10	32	< 10	90
133219	201	202	< 1	< 0.01	75	930	10	< 2	4	36	0.08	< 10	< 10	43	< 10	94
133220	201	202	< 1	< 0.01	66	970	14	2	5	51	0.07	< 10	< 10	40	< 10	102
133221	201	202	< 1	< 0.01	143	840	12	< 2	4	39	0.03	< 10	< 10	38	< 10	108
133222	201	202	1	< 0.01	96	920	14	< 2	4	42	0.07	< 10	< 10	41	< 10	114
133253	201	202	< 1	< 0.01	31	680	10	2	4	12	0.12	< 10	< 10	51	< 10	68
133254	201	202	< 1	< 0.01	61	880	10	< 2	4	32	0.04	< 10	< 10	41	< 10	76
133255	201	202	1	0.01	79	800	12	< 2	4	60	0.03	< 10	< 10	42	< 10	94
133351	201	202	1	0.01	57	1660	6	2	6	106	0.01	< 10	< 10	40	< 10	28
133352	201	202	< 1	< 0.01	838	530	< 2	2	6	56	0.04	< 10	< 10	44	< 10	42
133401	201	202	< 1	< 0.01	299	790	10	< 2	5	36	0.05	< 10	< 10	43	< 10	94
133404	201	202	< 1	< 0.01	36	580	6	< 2	3	14	0.17	< 10	< 10	60	< 10	54
NO NUMBER	201	202	1	< 0.01	27	280	6	< 2	1	233	< 0.01	< 10	< 10	6	< 10	54
NO NUMBER	201	202	< 1	0.03	10	490	6	< 2	< 1	237	< 0.01	< 10	< 10	5	< 10	26

CERTIFICATION: Stewart Bradley

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. :I9623849
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
131901	201	202	< 5	< 0.2	0.43	< 2	30	< 0.5	< 2	0.15	< 0.5	2	4	5	0.50	< 10	< 1	0.03	< 10	0.06	30
131902	201	202	< 5	< 0.2	1.79	6	150	< 0.5	< 2	0.77	< 0.5	16	54	49	2.64	< 10	< 1	0.05	10	1.06	320
131903	201	202	< 5	< 0.2	2.80	2	170	< 0.5	< 2	0.59	0.5	21	82	23	3.68	< 10	< 1	0.06	< 10	0.76	1015
131904	201	202	< 5	< 0.2	2.06	4	150	< 0.5	< 2	0.79	< 0.5	19	71	64	2.73	< 10	< 1	0.07	10	1.19	460
131905	201	202	< 5	< 0.2	0.55	< 2	80	< 0.5	< 2	0.25	< 0.5	5	15	18	0.78	< 10	< 1	0.03	< 10	0.21	205
131906	201	202	< 5	< 0.2	1.61	4	90	< 0.5	< 2	0.55	< 0.5	15	55	22	2.32	< 10	< 1	0.03	< 10	1.00	340
132401	201	202	5	0.8	2.16	22	520	0.5	< 2	0.72	1.5	28	20	90	4.19	< 10	< 1	0.13	10	0.39	4470
132402	201	202	40	< 0.2	1.34	38	200	< 0.5	< 2	0.45	0.5	15	24	16	3.30	< 10	< 1	0.12	10	0.38	745
132403	201	202	< 5	0.4	1.62	14	290	0.5	< 2	0.79	0.5	19	19	21	2.58	< 10	< 1	0.21	30	0.33	1090
132404	201	202	< 5	0.2	1.41	6	210	< 0.5	< 2	0.58	< 0.5	13	23	29	2.27	< 10	< 1	0.27	10	0.40	500
132405	201	202	< 5	0.2	1.41	14	170	< 0.5	< 2	1.83	1.0	22	23	47	2.43	< 10	< 1	0.10	< 10	0.59	1460
132406	201	202	< 5	< 0.2	2.83	12	140	< 0.5	< 2	0.83	0.5	53	57	100	5.64	< 10	< 1	0.12	< 10	1.74	1095
132407	201	202	< 5	< 0.2	2.00	6	130	< 0.5	< 2	0.59	< 0.5	17	56	47	3.14	< 10	< 1	0.07	< 10	0.93	455
132408	201	202	< 5	< 0.2	1.68	6	120	< 0.5	< 2	0.56	0.5	11	41	23	2.69	< 10	< 1	0.15	< 10	0.73	385
132409	201	202	< 5	0.2	1.71	6	290	< 0.5	< 2	1.73	< 0.5	12	48	68	2.48	< 10	< 1	0.14	10	0.87	485
132410	201	202	< 5	< 0.2	1.39	8	150	< 0.5	< 2	0.30	1.0	15	59	16	2.91	< 10	< 1	0.09	< 10	0.83	460
132411	201	202	< 5	0.4	1.17	6	190	< 0.5	< 2	0.42	< 0.5	8	28	12	2.66	< 10	< 1	0.15	10	0.39	400
132412	201	202	< 5	0.4	1.25	2	300	< 0.5	< 2	1.89	< 0.5	5	22	39	1.33	< 10	< 1	0.09	< 10	0.28	195
132413	201	202	not/as	0.6	1.53	6	540	0.5	< 2	2.93	< 0.5	6	27	62	1.49	< 10	< 1	0.10	< 10	0.41	560
132414	201	202	< 5	< 0.2	0.73	8	150	< 0.5	< 2	0.25	< 0.5	7	18	10	1.86	< 10	< 1	0.12	20	0.21	185
132415	201	202	< 5	0.2	1.63	4	280	< 0.5	< 2	0.20	0.5	16	34	9	2.55	< 10	< 1	0.10	10	0.36	775
132416	201	202	< 5	< 0.2	0.90	6	120	< 0.5	< 2	0.27	< 0.5	7	36	11	1.69	< 10	< 1	0.05	< 10	0.44	405
132417	201	202	< 5	< 0.2	1.38	2	110	< 0.5	< 2	0.35	0.5	13	59	15	2.86	< 10	< 1	0.06	< 10	0.84	285
132418	201	202	< 5	< 0.2	1.23	6	140	< 0.5	< 2	0.90	< 0.5	11	50	14	2.90	< 10	< 1	0.08	< 10	0.69	400
132419	201	202	< 5	< 0.2	1.31	6	100	< 0.5	< 2	0.27	< 0.5	13	62	11	2.48	< 10	< 1	0.05	< 10	0.86	300
132420	201	202	< 5	< 0.2	1.47	< 2	100	< 0.5	< 2	0.26	< 0.5	13	54	17	2.76	< 10	< 1	0.06	< 10	0.78	335
132421	201	202	< 5	< 0.2	1.16	8	140	< 0.5	< 2	0.73	< 0.5	11	52	17	2.49	< 10	< 1	0.14	< 10	0.78	450
132422	201	202	< 5	0.2	0.67	< 2	140	< 0.5	< 2	0.43	2.0	12	14	29	1.23	< 10	< 1	0.10	< 10	0.13	1740
132423	201	202	< 5	< 0.2	0.93	2	110	< 0.5	< 2	0.39	0.5	8	41	9	1.45	< 10	< 1	0.08	< 10	0.54	365
132424	201	202	< 5	< 0.2	2.00	12	170	< 0.5	< 2	0.67	< 0.5	21	76	33	3.26	< 10	1	0.19	< 10	1.34	530
132425	201	202	< 5	0.4	1.83	< 2	590	0.5	< 2	1.01	2.0	18	58	30	2.80	< 10	< 1	0.22	< 10	1.01	1255
132426	201	202	< 5	0.4	1.84	12	280	0.5	< 2	0.31	1.0	22	41	21	2.93	< 10	< 1	0.13	10	0.65	1235
132427	201	202	145	1.0	0.95	88	100	< 0.5	< 2	0.04	< 0.5	6	8	45	6.09	< 10	< 1	0.06	< 10	0.04	365
132428	201	202	< 5	< 0.2	1.56	2	100	< 0.5	< 2	0.16	< 0.5	14	59	24	3.64	< 10	< 1	0.05	< 10	0.72	345
132429	201	202	< 5	< 0.2	1.50	4	140	< 0.5	< 2	0.24	0.5	15	62	19	3.05	< 10	< 1	0.09	< 10	0.86	485
132430	201	202	< 5	< 0.2	0.74	4	70	< 0.5	< 2	0.23	< 0.5	6	25	10	1.37	< 10	< 1	0.05	< 10	0.25	160
132431	201	202	< 5	0.2	0.81	2	130	< 0.5	< 2	0.32	0.5	9	29	8	1.43	< 10	< 1	0.08	< 10	0.26	585
132432	201	202	60	< 0.2	1.28	6	140	< 0.5	< 2	0.31	< 0.5	16	41	8	2.74	< 10	< 1	0.15	< 10	0.53	800
132433	201	202	< 5	< 0.2	0.57	14	90	< 0.5	< 2	0.10	< 0.5	7	6	27	2.75	< 10	< 1	0.05	10	0.07	785
132434	201	202	< 5	0.2	0.45	6	120	< 0.5	< 2	0.05	< 0.5	6	8	22	2.01	< 10	< 1	0.06	< 10	0.05	230

CERTIFICATION: [illegible]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page No. :1-B
Total Pages :3
Certificate Date: 23-JUL-96
Invoice No. :I9623849
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
131901	201	202	< 1	0.09	1	440	2	< 2	< 1	8	0.03	< 10	< 10	18	< 10	8
131902	201	202	< 1	< 0.01	27	680	4	< 2	7	27	0.23	< 10	< 10	75	< 10	56
131903	201	202	< 1	< 0.01	28	930	6	< 2	5	17	0.19	< 10	< 10	105	< 10	70
131904	201	202	< 1	< 0.01	43	510	4	< 2	7	27	0.24	< 10	< 10	70	< 10	60
131905	201	202	< 1	0.06	9	500	< 2	< 2	< 1	6	0.04	< 10	< 10	20	< 10	14
131906	201	202	< 1	< 0.01	26	390	6	< 2	4	13	0.20	< 10	< 10	58	< 10	46
132401	201	202	3	0.03	29	810	38	< 2	3	42	0.04	< 10	< 10	68	< 10	404
132402	201	202	2	< 0.01	15	390	16	< 2	1	26	0.04	< 10	< 10	43	< 10	188
132403	201	202	3	0.02	22	710	20	< 2	1	38	< 0.01	< 10	< 10	28	< 10	226
132404	201	202	1	0.02	25	690	12	< 2	1	23	0.01	< 10	< 10	30	< 10	98
132405	201	202	1	0.04	20	690	6	< 2	4	61	0.02	< 10	< 10	66	< 10	50
132406	201	202	1	0.01	53	570	8	< 2	14	21	0.15	< 10	< 10	128	< 10	72
132407	201	202	1	< 0.01	30	430	6	< 2	6	13	0.14	< 10	< 10	88	< 10	70
132408	201	202	< 1	0.03	21	540	8	< 2	3	17	0.10	< 10	< 10	68	< 10	80
132409	201	202	< 1	< 0.01	36	1010	6	< 2	7	33	0.11	< 10	< 10	52	< 10	104
132410	201	202	< 1	< 0.01	24	1340	8	< 2	3	10	0.13	< 10	< 10	68	< 10	90
132411	201	202	1	0.01	16	570	10	< 2	2	13	0.05	< 10	< 10	46	< 10	88
132412	201	202	2	0.05	23	770	6	< 2	3	39	0.02	< 10	< 10	22	< 10	38
132413	201	202	1	0.02	30	1060	6	< 2	4	63	0.02	< 10	< 10	24	< 10	52
132414	201	202	< 1	< 0.01	15	240	18	< 2	1	10	0.03	< 10	< 10	23	< 10	68
132415	201	202	< 1	< 0.01	17	390	8	< 2	3	9	0.06	< 10	< 10	57	< 10	212
132416	201	202	< 1	0.01	11	320	4	< 2	1	9	0.17	< 10	< 10	52	< 10	40
132417	201	202	< 1	< 0.01	20	450	6	< 2	3	9	0.25	< 10	< 10	85	< 10	48
132418	201	202	1	< 0.01	18	600	6	< 2	3	18	0.22	< 10	< 10	89	< 10	68
132419	201	202	< 1	< 0.01	19	580	6	< 2	3	7	0.22	< 10	< 10	78	< 10	58
132420	201	202	< 1	< 0.01	19	520	6	< 2	3	12	0.21	< 10	< 10	88	< 10	72
132421	201	202	1	< 0.01	19	760	6	< 2	3	16	0.19	< 10	< 10	78	< 10	104
132422	201	202	1	0.05	8	340	6	< 2	1	12	0.05	< 10	< 10	30	< 10	188
132423	201	202	< 1	0.03	14	330	4	< 2	1	10	0.14	< 10	< 10	47	< 10	46
132424	201	202	1	< 0.01	32	750	6	< 2	5	16	0.24	< 10	< 10	77	< 10	74
132425	201	202	1	0.01	32	1970	8	< 2	4	51	0.14	< 10	< 10	52	< 10	266
132426	201	202	< 1	0.01	28	1330	10	< 2	3	14	0.10	< 10	< 10	57	< 10	244
132427	201	202	< 1	0.03	6	1400	20	30	6	9	0.01	< 10	< 10	47	< 10	62
132428	201	202	< 1	< 0.01	21	570	8	< 2	3	8	0.26	< 10	< 10	96	< 10	64
132429	201	202	< 1	< 0.01	23	630	6	< 2	3	9	0.23	< 10	< 10	79	< 10	66
132430	201	202	< 1	< 0.01	8	270	8	< 2	2	9	0.16	< 10	< 10	51	< 10	26
132431	201	202	1	0.01	7	300	6	< 2	1	10	0.13	< 10	< 10	49	< 10	46
132432	201	202	1	< 0.01	13	280	10	< 2	3	10	0.17	< 10	< 10	72	< 10	74
132433	201	202	1	0.03	5	1000	8	< 2	1	8	< 0.01	< 10	< 10	43	< 10	74
132434	201	202	1	0.03	14	510	12	< 2	1	5	0.02	< 10	< 10	29	< 10	82

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page N : 2-A
Total Pa : 3
Certificate Date: 23-JUL-96
Invoice No. : I9623849
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
132435	201	202	< 5	0.2	1.91	2	90	< 0.5	< 2	0.14	< 0.5	12	69	23	3.44	< 10	1	0.05	< 10	0.82	295
132436	201	202	< 5	< 0.2	2.59	12	260	0.5	< 2	0.18	< 0.5	16	76	49	3.98	< 10	< 1	0.12	10	0.78	385
132437	201	202	< 5	< 0.2	0.81	2	70	< 0.5	< 2	0.19	< 0.5	6	47	7	2.06	< 10	1	0.05	< 10	0.31	250
132438	201	202	< 5	< 0.2	1.94	2	100	0.5	< 2	0.30	< 0.5	13	58	35	3.29	< 10	< 1	0.21	< 10	1.03	390
132439	201	202	< 5	< 0.2	1.67	2	120	< 0.5	< 2	0.28	< 0.5	12	58	12	2.98	< 10	2	0.07	< 10	0.93	275
132440	201	202	< 5	< 0.2	1.52	2	120	< 0.5	< 2	0.19	< 0.5	10	54	7	2.90	< 10	1	0.08	< 10	0.77	300
132441	201	202	< 5	0.2	1.48	4	310	< 0.5	< 2	0.41	< 0.5	15	43	42	2.24	< 10	1	0.11	< 10	0.72	650
132442	201	202	< 5	< 0.2	1.39	< 2	100	0.5	< 2	0.14	< 0.5	7	46	5	2.64	< 10	< 1	0.10	10	0.50	195
132443	201	202	< 5	< 0.2	1.38	4	160	0.5	< 2	0.25	< 0.5	6	49	6	2.32	< 10	< 1	0.10	10	0.59	195
132444	201	202	< 5	0.4	1.85	2	150	< 0.5	< 2	0.52	0.5	16	71	13	3.27	< 10	< 1	0.11	< 10	1.28	395
132445	201	202	< 5	0.2	1.56	< 2	110	0.5	< 2	0.15	< 0.5	8	55	6	3.10	< 10	< 1	0.13	10	0.62	390
132446	201	202	< 5	< 0.2	1.26	2	130	< 0.5	< 2	0.15	< 0.5	6	38	5	2.24	< 10	< 1	0.09	10	0.50	200
132447	201	202	< 5	< 0.2	0.73	< 2	280	< 0.5	< 2	0.30	0.5	5	30	4	1.43	< 10	< 1	0.10	< 10	0.35	240
132448	201	202	< 5	< 0.2	1.27	< 2	150	< 0.5	< 2	0.21	< 0.5	10	42	7	2.24	< 10	< 1	0.10	< 10	0.69	620
132449	201	202	< 5	< 0.2	1.70	< 2	210	< 0.5	< 2	0.13	< 0.5	9	48	8	2.75	< 10	< 1	0.06	< 10	0.70	240
132450	201	202	< 5	< 0.2	1.36	2	120	< 0.5	< 2	0.16	< 0.5	7	37	5	2.15	< 10	< 1	0.06	< 10	0.64	215
132451	201	202	< 5	0.2	1.69	< 2	160	< 0.5	< 2	0.18	< 0.5	9	44	9	2.41	< 10	< 1	0.06	< 10	0.71	235
132452	201	202	< 5	< 0.2	1.16	2	150	< 0.5	< 2	0.14	< 0.5	5	28	4	1.89	< 10	1	0.05	10	0.40	140
132453	201	202	< 5	< 0.2	1.48	< 2	120	< 0.5	< 2	0.17	< 0.5	7	42	5	2.46	< 10	3	0.07	10	0.59	195
132454	201	202	< 5	< 0.2	1.82	2	240	< 0.5	< 2	0.44	0.5	14	60	16	2.89	< 10	1	0.11	< 10	0.95	585
132455	201	202	< 5	< 0.2	1.64	< 2	250	< 0.5	< 2	0.52	< 0.5	13	57	15	2.25	< 10	1	0.12	< 10	0.99	610
132456	201	202	< 5	< 0.2	0.92	< 2	80	< 0.5	< 2	0.14	< 0.5	4	29	3	1.55	< 10	< 1	0.06	< 10	0.42	185
132457	201	202	60	< 0.2	0.52	< 2	70	< 0.5	< 2	0.12	< 0.5	1	14	1	0.63	< 10	< 1	0.05	< 10	0.15	85
132458	201	202	< 5	< 0.2	1.21	< 2	120	< 0.5	< 2	0.19	< 0.5	6	38	5	2.34	< 10	1	0.06	< 10	0.53	325
132459	201	202	< 5	< 0.2	1.58	< 2	140	< 0.5	< 2	0.18	< 0.5	5	38	4	2.33	< 10	1	0.05	< 10	0.54	180
132460	201	202	< 5	< 0.2	1.34	< 2	80	< 0.5	< 2	0.21	< 0.5	8	42	6	2.20	< 10	< 1	0.04	< 10	0.62	205
132461	201	202	< 5	< 0.2	0.89	2	60	< 0.5	< 2	0.20	< 0.5	3	26	3	1.17	< 10	< 1	0.05	10	0.36	105
132462	201	202	< 5	< 0.2	1.18	< 2	130	< 0.5	< 2	0.18	< 0.5	6	34	4	1.91	< 10	1	0.06	< 10	0.51	240
132463	201	202	< 5	< 0.2	1.63	< 2	130	< 0.5	< 2	0.17	< 0.5	7	43	5	2.59	< 10	1	0.05	< 10	0.57	240
132464	201	202	< 5	< 0.2	1.07	< 2	120	< 0.5	< 2	0.23	< 0.5	4	30	3	1.60	< 10	< 1	0.06	10	0.39	130
132465	201	202	< 5	< 0.2	1.46	< 2	110	< 0.5	< 2	0.24	< 0.5	8	49	7	2.40	< 10	< 1	0.10	10	0.76	240
132466	201	202	< 5	< 0.2	1.02	2	90	< 0.5	< 2	0.18	< 0.5	4	36	3	1.74	< 10	< 1	0.06	10	0.51	165
132467	201	202	< 5	0.2	1.86	< 2	140	0.5	< 2	0.19	< 0.5	9	53	6	2.67	< 10	< 1	0.09	< 10	0.73	225
132468	201	202	< 5	< 0.2	1.46	2	140	< 0.5	< 2	0.27	< 0.5	6	35	4	1.84	< 10	< 1	0.08	10	0.54	220
132469	201	202	< 5	< 0.2	1.39	< 2	120	< 0.5	< 2	0.20	< 0.5	8	38	10	1.94	< 10	1	0.07	10	0.57	260
132470	201	202	< 5	< 0.2	1.43	< 2	130	< 0.5	< 2	0.24	< 0.5	7	41	4	1.94	< 10	< 1	0.05	10	0.62	190
133012	201	202	20	< 0.2	1.16	2	330	< 0.5	< 2	0.84	0.5	10	52	20	2.00	< 10	< 1	0.09	10	0.76	435
133013	201	202	< 5	0.2	1.45	6	410	< 0.5	< 2	0.71	< 0.5	14	74	42	2.84	< 10	< 1	0.20	10	1.05	845
133020	201	202	< 5	< 0.2	1.10	2	130	< 0.5	< 2	0.52	< 0.5	10	42	25	1.84	< 10	< 1	0.14	10	0.67	370
133082	201	202	< 5	0.2	0.89	48	520	< 0.5	< 2	1.10	3.5	12	62	45	2.46	< 10	< 1	0.09	10	0.79	785

CERTIFICATION: Hank Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 23-JUL-96
Invoice No. : I9623849
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
132435	201	202	< 1	< 0.01	22	460	8	2	3	8	0.21	< 10	< 10	94	< 10	52
132436	201	202	< 1	< 0.01	83	450	10	4	5	12	0.07	< 10	< 10	68	< 10	96
132437	201	202	< 1	0.01	17	1040	8	< 2	1	7	0.10	< 10	< 10	65	< 10	34
132438	201	202	< 1	< 0.01	29	670	6	2	5	11	0.19	< 10	< 10	65	< 10	64
132439	201	202	< 1	< 0.01	24	390	4	< 2	3	10	0.22	< 10	< 10	85	< 10	50
132440	201	202	< 1	< 0.01	20	910	6	< 2	3	8	0.18	< 10	< 10	84	< 10	68
132441	201	202	1	0.03	22	580	6	< 2	3	13	0.12	< 10	< 10	59	< 10	68
132442	201	202	< 1	< 0.01	20	900	12	2	3	7	0.10	< 10	< 10	56	< 10	60
132443	201	202	1	< 0.01	23	400	12	< 2	3	12	0.11	< 10	< 10	48	< 10	50
132444	201	202	< 1	< 0.01	31	460	6	2	3	18	0.25	< 10	< 10	87	< 10	64
132445	201	202	< 1	< 0.01	30	2560	14	2	3	6	0.09	< 10	< 10	58	< 10	100
132446	201	202	1	< 0.01	17	550	12	< 2	2	8	0.09	< 10	< 10	50	< 10	72
132447	201	202	< 1	< 0.01	14	260	6	< 2	1	13	0.08	< 10	< 10	39	< 10	38
132448	201	202	< 1	< 0.01	23	1030	10	< 2	2	8	0.07	< 10	< 10	43	< 10	104
132449	201	202	< 1	< 0.01	25	360	12	2	3	5	0.09	< 10	< 10	55	< 10	58
132450	201	202	< 1	< 0.01	18	480	8	< 2	2	8	0.08	< 10	< 10	42	< 10	48
132451	201	202	< 1	< 0.01	27	480	8	< 2	2	9	0.09	< 10	< 10	47	< 10	56
132452	201	202	< 1	< 0.01	11	290	10	2	1	9	0.09	< 10	< 10	45	< 10	32
132453	201	202	< 1	< 0.01	19	440	8	< 2	3	8	0.12	< 10	< 10	59	< 10	46
132454	201	202	< 1	< 0.01	28	670	4	< 2	3	16	0.15	< 10	< 10	72	< 10	72
132455	201	202	< 1	0.01	26	300	2	< 2	3	11	0.17	< 10	< 10	60	< 10	46
132456	201	202	< 1	< 0.01	11	350	10	2	1	5	0.08	< 10	< 10	37	< 10	44
132457	201	202	< 1	0.01	4	180	8	< 2	< 1	6	0.06	< 10	< 10	19	< 10	26
132458	201	202	< 1	< 0.01	17	1830	8	2	2	7	0.07	< 10	< 10	50	< 10	62
132459	201	202	< 1	< 0.01	15	620	8	< 2	2	9	0.13	< 10	< 10	56	< 10	54
132460	201	202	< 1	< 0.01	14	490	2	< 2	2	7	0.18	< 10	< 10	67	< 10	56
132461	201	202	< 1	< 0.01	8	200	8	< 2	1	8	0.12	< 10	< 10	39	< 10	20
132462	201	202	< 1	0.01	13	590	6	< 2	2	8	0.14	< 10	< 10	55	< 10	56
132463	201	202	< 1	< 0.01	14	420	6	< 2	2	8	0.18	< 10	< 10	71	< 10	40
132464	201	202	< 1	< 0.01	11	510	10	< 2	1	11	0.10	< 10	< 10	41	< 10	32
132465	201	202	< 1	< 0.01	22	560	8	< 2	3	9	0.13	< 10	< 10	53	< 10	52
132466	201	202	< 1	< 0.01	14	340	10	< 2	2	8	0.12	< 10	< 10	45	< 10	38
132467	201	202	< 1	< 0.01	22	430	6	< 2	3	7	0.12	< 10	< 10	52	< 10	52
132468	201	202	< 1	< 0.01	12	370	12	< 2	3	11	0.13	< 10	< 10	55	< 10	46
132469	201	202	< 1	0.01	25	540	8	< 2	2	8	0.09	< 10	< 10	39	< 10	42
132470	201	202	< 1	< 0.01	15	240	8	< 2	3	10	0.13	< 10	< 10	52	< 10	46
133012	201	202	1	< 0.01	50	940	12	2	3	40	0.02	< 10	< 10	38	< 10	96
133013	201	202	1	< 0.01	68	810	18	2	5	73	0.02	< 10	< 10	48	< 10	92
133020	201	202	< 1	< 0.01	30	810	8	2	4	15	0.11	< 10	< 10	41	< 10	50
133082	201	202	3	< 0.01	100	1500	12	2	3	58	0.02	< 10	< 10	36	< 10	416

CERTIFICATION: J. J. B. S. ...

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page N :3-A
Total Pa :3
Certificate Date: 23-JUL-96
Invoice No. :I9623849
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
133083	201	202	< 5	< 0.2	0.85	4	360	< 0.5	< 2	1.78	1.5	7	36	31	1.30	< 10	< 1	0.07	< 10	0.57	1090
133084	201	202	< 5	0.2	1.37	2	440	< 0.5	< 2	1.25	0.5	13	50	35	2.57	< 10	< 1	0.15	< 10	0.80	1755
133085	201	202	20	0.2	1.46	6	600	0.5	< 2	1.75	0.5	15	50	55	3.12	< 10	< 1	0.14	< 10	0.83	4760
133086	201	202	< 5	< 0.2	0.93	6	570	< 0.5	< 2	1.15	< 0.5	8	27	18	2.02	< 10	1	0.07	< 10	0.55	2310
133087	201	202	< 5	0.2	1.64	2	370	< 0.5	< 2	1.56	0.5	23	178	154	2.44	< 10	< 1	0.05	< 10	1.75	730
133088	201	202	< 5	< 0.2	2.05	2	240	< 0.5	< 2	1.25	< 0.5	15	66	38	2.91	< 10	< 1	0.08	< 10	1.05	795
133089	201	202	< 5	0.2	1.11	6	180	< 0.5	< 2	3.13	0.5	7	58	137	1.30	< 10	< 1	0.12	30	0.55	310
133108	201	202	< 5	0.2	2.87	8	190	0.5	< 2	1.09	< 0.5	12	85	52	1.95	< 10	< 1	0.04	10	0.83	540
133109S	201	202	< 5	0.2	1.78	4	310	< 0.5	< 2	1.41	< 0.5	13	26	30	2.25	< 10	< 1	0.07	10	0.94	465
133110S	201	202	< 5	0.2	2.66	6	400	0.5	< 2	1.13	< 0.5	13	58	68	3.10	< 10	< 1	0.09	20	0.83	785
133166 (SILT)	201	202	< 5	< 0.2	1.27	2	270	< 0.5	< 2	1.55	< 0.5	10	60	91	2.09	< 10	1	0.10	< 10	0.98	905
133167	201	202	< 5	< 0.2	1.08	4	280	< 0.5	< 2	1.11	0.5	10	62	37	1.99	< 10	< 1	0.10	10	0.98	510
133215	201	202	< 5	0.2	2.00	4	470	0.5	< 2	2.08	2.0	6	28	61	1.71	< 10	< 1	0.09	10	0.38	840
133216	201	202	< 5	0.2	1.37	2	630	< 0.5	< 2	1.58	0.5	8	130	59	1.69	< 10	< 1	0.12	< 10	1.00	380
133217	201	202	< 5	0.2	1.32	4	400	< 0.5	< 2	1.10	0.5	9	69	34	2.06	< 10	< 1	0.09	10	0.93	605
133218	201	202	< 5	< 0.2	1.15	2	390	< 0.5	< 2	1.12	< 0.5	10	72	25	2.06	< 10	< 1	0.10	10	0.97	635
133219	201	202	< 5	< 0.2	1.44	2	260	< 0.5	< 2	0.72	< 0.5	12	83	24	2.22	< 10	< 1	0.09	10	1.15	375
133220	201	202	< 5	0.2	1.63	6	380	< 0.5	< 2	0.90	0.5	10	65	27	2.19	< 10	< 1	0.12	10	0.91	480
133221	201	202	< 5	0.2	1.74	12	320	< 0.5	< 2	0.81	0.5	14	127	43	2.90	< 10	1	0.08	10	1.46	435
133222	201	202	< 5	0.2	1.65	< 2	400	< 0.5	< 2	0.77	< 0.5	15	103	29	2.54	< 10	1	0.10	10	1.21	375
133253	201	202	< 5	< 0.2	1.67	2	160	0.5	< 2	0.37	< 0.5	11	52	23	2.41	< 10	< 1	0.16	10	0.83	305
133254	201	202	< 5	< 0.2	1.26	< 2	270	< 0.5	< 2	0.65	< 0.5	11	75	18	2.27	< 10	< 1	0.09	10	1.05	370
133255	201	202	< 5	0.2	1.39	6	350	< 0.5	< 2	1.25	0.5	13	85	32	2.49	< 10	< 1	0.09	10	1.10	805
133351	201	202	< 5	0.4	1.34	6	1310	0.5	< 2	3.64	< 0.5	6	89	399	1.24	< 10	4	0.04	70	0.49	590
133352	201	202	< 5	< 0.2	2.10	< 2	450	< 0.5	< 2	0.83	< 0.5	43	754	84	3.14	< 10	< 1	0.04	< 10	6.99	1200
133401	201	202	5	0.2	1.39	6	400	< 0.5	< 2	0.54	< 0.5	23	246	60	3.17	< 10	< 1	0.09	10	3.95	575
133404	201	202	< 5	< 0.2	1.93	2	110	< 0.5	< 2	0.52	< 0.5	14	59	31	2.52	< 10	1	0.05	< 10	1.13	425
NO NUMBER	201	202	< 5	< 0.2	0.27	2	260	< 0.5	< 2	11.80	2.0	1	17	21	0.84	< 10	< 1	0.04	< 10	0.33	110
NO NUMBER	201	202	< 5	< 0.2	0.15	2	240	< 0.5	< 2	3.74	< 0.5	1	11	6	0.33	< 10	< 1	0.03	< 10	0.33	155

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page N :3-B
Total Pa... :3
Certificate Date: 23-JUL-96
Invoice No. :I9623849
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS A9623849

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
133083	201	202	1	< 0.01	57	1000	6	2	2	78	0.01	< 10	< 10	26	< 10	162
133084	201	202	1	0.01	48	980	14	< 2	5	131	0.01	< 10	< 10	35	< 10	120
133085	201	202	3	0.01	66	940	14	2	4	127	0.01	< 10	< 10	49	< 10	152
133086	201	202	< 1	< 0.01	30	780	6	2	2	46	0.02	< 10	< 10	27	< 10	92
133087	201	202	< 1	0.01	320	1090	4	< 2	9	74	0.07	< 10	< 10	97	< 10	64
133088	201	202	< 1	< 0.01	34	1090	8	< 2	8	30	0.16	< 10	< 10	82	< 10	76
133089	201	202	< 1	0.01	48	1550	6	< 2	4	64	0.05	< 10	< 10	32	< 10	156
133108	201	202	< 1	< 0.01	34	1300	6	2	6	20	0.09	< 10	< 10	58	< 10	104
133109S	201	202	< 1	< 0.01	27	1200	4	2	4	47	0.19	< 10	< 10	58	< 10	106
133110S	201	202	1	0.01	47	1440	12	< 2	6	35	0.07	< 10	< 10	70	< 10	114
133166 (SILT)	201	202	< 1	0.01	74	830	8	2	4	65	0.04	< 10	< 10	44	< 10	100
133167	201	202	< 1	< 0.01	60	860	14	2	3	54	0.04	< 10	< 10	38	< 10	136
133215	201	202	1	0.01	21	1360	4	< 2	5	85	0.01	< 10	< 10	30	< 10	170
133216	201	202	1	0.01	232	1160	6	2	6	64	0.01	< 10	< 10	34	< 10	104
133217	201	202	1	< 0.01	89	900	16	< 2	4	63	0.01	< 10	< 10	31	< 10	110
133218	201	202	1	< 0.01	63	870	12	< 2	3	53	0.03	< 10	< 10	32	< 10	90
133219	201	202	< 1	< 0.01	75	930	10	< 2	4	36	0.08	< 10	< 10	43	< 10	94
133220	201	202	< 1	< 0.01	66	970	14	2	5	51	0.07	< 10	< 10	40	< 10	102
133221	201	202	< 1	< 0.01	143	840	12	< 2	4	39	0.03	< 10	< 10	38	< 10	108
133222	201	202	1	< 0.01	96	920	14	< 2	4	42	0.07	< 10	< 10	41	< 10	114
133253	201	202	< 1	< 0.01	31	680	10	2	4	12	0.12	< 10	< 10	51	< 10	68
133254	201	202	< 1	< 0.01	61	880	10	< 2	4	32	0.04	< 10	< 10	41	< 10	76
133255	201	202	1	0.01	79	800	12	< 2	4	60	0.03	< 10	< 10	42	< 10	94
133351	201	202	1	0.01	57	1660	6	2	6	106	0.01	< 10	< 10	40	< 10	28
133352	201	202	< 1	< 0.01	838	530	< 2	2	6	56	0.04	< 10	< 10	44	< 10	42
133401	201	202	< 1	< 0.01	299	790	10	< 2	5	36	0.05	< 10	< 10	43	< 10	94
133404	201	202	< 1	< 0.01	36	580	6	< 2	3	14	0.17	< 10	< 10	60	< 10	54
NO NUMBER	201	202	1	< 0.01	27	280	6	< 2	1	233	< 0.01	< 10	< 10	6	< 10	54
NO NUMBER	201	202	< 1	0.03	10	490	6	< 2	< 1	237	< 0.01	< 10	< 10	5	< 10	26

CERTIFICATION: Hart Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9621962

Comments: ATTN: DAIVD TERRY

CERTIFICATE A9621962

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 2-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
254	30	Sieve less than 63 u
202	30	save reject
285	29	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	26	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	29	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	29	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	29	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	29	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	29	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	29	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	29	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	29	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	29	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	29	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	29	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	29	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	29	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	29	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	29	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	29	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	29	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	29	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	29	Pb ppm: 24 element, rock & core	AAS	2	10000
582	29	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	29	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	29	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	29	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	29	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAIVD TERRY

Certificate Date: 02-JUL-96
Invoice No. : 19621962
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621962

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
133001	254	202	10	1.0	7.07	1360	1.5	< 2	1.35	1.5	25	331	129	4.46	1.66	2.46
133002	254	202	< 5	0.4	4.98	780	0.5	< 2	2.17	< 0.5	36	1030	43	4.02	0.63	8.66
133003	254	202	< 5	< 0.2	4.42	710	0.5	< 2	2.30	< 0.5	45	909	76	3.64	0.56	6.82
133004	254	202	< 5	< 0.2	5.92	840	0.5	< 2	2.29	0.5	25	460	43	2.60	1.14	3.85
133005	254	202	not/ss	< 0.2	6.43	1070	1.0	< 2	1.11	0.5	24	474	81	3.39	1.14	2.84
133006	254	202	< 5	< 0.2	4.98	1510	1.0	< 2	1.66	1.5	16	172	39	2.24	1.37	1.48
133051	254	202	< 5	0.2	6.39	1250	1.5	4	1.34	< 0.5	11	79	32	2.64	2.20	1.02
133052	254	202	< 5	< 0.2	6.43	1180	1.5	< 2	0.89	0.5	15	85	38	3.03	2.14	1.10
133066	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
133067	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
133068	254	202	< 5	0.6	5.18	1360	1.5	< 2	1.71	1.0	14	130	36	2.45	1.54	1.20
133069	254	202	< 5	< 0.2	4.92	1170	1.0	< 2	1.38	0.5	11	128	23	2.20	1.34	1.06
133070	254	202	< 5	< 0.2	5.23	1400	1.5	2	1.40	0.5	14	149	26	2.68	1.56	1.39
133101	254	202	not/ss	0.4	6.89	1420	1.5	< 2	1.36	2.0	20	144	47	4.41	1.46	1.85
133151	254	202	< 5	0.4	6.17	1420	1.5	< 2	1.64	2.0	16	150	54	3.24	1.60	1.44
133152	254	202	< 5	0.4	6.27	1420	1.5	< 2	1.64	1.0	18	148	54	3.59	1.66	1.42
133153	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
133154	254	202	< 5	< 0.2	6.58	1420	1.5	2	1.63	0.5	23	405	47	3.01	1.46	2.84
133155	254	202	< 5	< 0.2	6.38	1200	1.5	< 2	1.27	0.5	13	120	45	2.98	1.73	1.19
133156	254	202	< 5	0.4	4.76	1490	1.0	2	2.33	1.0	10	394	42	2.09	1.03	0.96
133157	254	202	< 5	< 0.2	5.17	870	0.5	< 2	1.84	0.5	13	107	22	2.96	1.02	1.17
133158	254	202	< 5	< 0.2	5.13	1050	1.0	4	1.49	0.5	19	323	35	2.68	1.26	2.31
133159	254	202	< 5	< 0.2	5.38	1280	1.5	2	1.36	1.5	28	135	32	3.97	1.42	1.23
133201	254	202	not/ss	< 0.2	3.46	320	0.5	< 2	1.64	0.5	8	40	32	1.59	0.48	0.43
133202	254	202	not/ss	< 0.2	3.18	540	0.5	< 2	1.37	1.0	9	63	44	2.15	0.61	0.65
133203	254	202	< 5	< 0.2	5.76	1160	1.5	< 2	1.30	0.5	11	63	32	2.44	1.61	0.78
133204	254	202	< 5	< 0.2	5.74	910	1.5	2	1.64	1.0	9	54	31	2.19	2.17	0.60
133205	254	202	< 5	< 0.2	7.66	1060	2.0	2	1.08	0.5	14	72	34	3.10	2.89	0.80
133206	254	202	< 5	< 0.2	4.89	810	0.5	6	1.94	0.5	30	231	94	3.30	0.82	2.36
133207	254	202	< 5	< 0.2	5.10	1360	0.5	2	2.15	2.0	17	160	41	3.27	1.15	1.66
NO NUMBER A	254	202	< 5	0.4	4.95	910	1.0	< 2	1.94	2.0	13	78	112	2.37	1.31	1.00
NO NUMBER B	254	202	< 5	< 0.2	4.86	1190	1.0	2	1.91	0.5	13	112	50	2.29	1.34	1.04
NO NUMBER C	254	202	< 5	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAIVD TERRY

Certificate Date: 02 JUL-96
Invoice No. : I9621962
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9621962

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
133001	254	202	635	1	1.02	241	690	14	126	0.39	175	< 10	158			
133002	254	202	600	< 1	0.53	708	620	2	86	0.28	104	10	94			
133003	254	202	775	< 1	0.69	564	510	< 2	92	0.26	114	10	70			
133004	254	202	450	< 1	1.36	276	520	2	156	0.32	96	< 10	52			
133005	254	202	475	< 1	0.82	429	1180	4	126	0.21	124	< 10	94			
133006	254	202	1115	< 1	0.76	108	880	12	129	0.24	105	< 10	126			
133051	254	202	430	< 1	0.69	61	820	14	110	0.23	87	< 10	128			
133052	254	202	420	3	0.74	45	1080	18	96	0.30	90	< 10	118			
133066	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
133067	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
133068	254	202	1285	< 1	0.87	86	1170	12	144	0.29	115	< 10	130			
133069	254	202	765	< 1	1.02	57	950	4	151	0.34	105	< 10	70			
133070	254	202	1090	< 1	0.94	82	1010	8	137	0.33	125	< 10	104			
133101	254	202	1145	1	1.43	76	890	12	127	0.39	179	< 10	170			
133151	254	202	750	< 1	1.14	92	880	8	173	0.36	133	< 10	144			
133152	254	202	1280	< 1	0.89	83	1030	12	142	0.38	152	< 10	138			
133153	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd			
133154	254	202	440	< 1	1.47	213	870	6	204	0.43	144	< 10	126			
133155	254	202	375	< 1	1.27	42	720	2	175	0.40	149	< 10	108			
133156	254	202	505	< 1	0.69	79	1490	2	192	0.20	85	< 10	92			
133157	254	202	490	< 1	1.52	40	1150	2	225	0.38	107	< 10	88			
133158	254	202	575	< 1	1.04	184	760	2	165	0.36	106	< 10	92			
133159	254	202	2660	< 1	0.74	75	1040	8	155	0.30	119	< 10	128			
133201	254	202	875	< 1	0.51	26	1520	4	102	0.13	44	< 10	116			
133202	254	202	900	1	0.54	34	1720	2	113	0.16	72	< 10	68			
133203	254	202	405	1	0.96	33	1250	10	134	0.26	79	< 10	156			
133204	254	202	295	< 1	0.67	24	1010	18	112	0.19	60	< 10	108			
133205	254	202	520	3	0.85	29	860	20	106	0.29	79	< 10	118			
133206	254	202	1965	< 1	1.33	239	900	< 2	178	0.34	136	< 10	80			
133207	254	202	1780	< 1	1.09	92	970	4	168	0.40	128	< 10	118			
NO NUMBER A	254	202	1090	< 1	1.01	92	1190	8	194	0.32	85	< 10	132			
NO NUMBER B	254	202	820	< 1	1.00	104	1190	6	172	0.27	90	< 10	120			
NO NUMBER C	254	202	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss			

CERTIFICATION: Frank Pecchio

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project: 6410
Comments: ATTN:DAVID TERRY

QC F 1-A
Tot QC Pg: 1
Date: 09-JUL-96
Invoice #: I9622568
P.O. #:

GP

* PLEASE NOTE

QC DATA OF CERTIFICATE A9622568

STD/DUP/BLANK DESCRIPTION	QC TYPE	PAGE NO.	Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
BL-C	Blnk	1	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHEMEX MEAN	---	---	< 5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CKR-W	Std1	1	80	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHEMEX MEAN	---	---	81	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CSB-93	Std1	2	885	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHEMEX MEAN	---	---	904	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
G90-TOT	Std1	1	-----	-----	6.90	770	1.5	8	2.16	2.0	21	149	221	3.85	1.77	1.02
G90-TOT	Std2	1	-----	-----	6.88	770	1.5	8	2.13	1.5	21	134	223	3.88	1.83	1.01
G90-TOT	Std1	2	-----	-----	7.55	850	1.5	8	2.34	0.5	22	151	247	4.36	1.97	1.09
CHEMEX MEAN	---	---	-----	-----	7.07	766	0.9	5	2.12	0.9	19	141	221	3.98	1.76	1.00
GEO-90	Std1	1	-----	2.6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
GEO-90	Std2	1	-----	2.6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
GEO-90	Std1	2	-----	2.6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHEMEX MEAN	---	---	-----	3.0	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
NG-94	Std2	1	330	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHEMEX MEAN	---	---	334	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SIO2-G2	Blnk	1	-----	< 0.2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
CHEMEX MEAN	---	---	-----	< 0.2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
SIO2-T3	Blnk	1	-----	-----	0.30	30	< 0.5	< 2	0.03	< 0.5	< 1	3	1	0.07	0.05	0.01
CHEMEX MEAN	---	---	-----	-----	0.24	13	< 0.5	< 2	0.01	< 0.5	< 1	5	2	0.05	0.03	< 0.01
134003	Dup	1-01	< 5	< 0.2	1.29	510	0.5	4	0.06	< 0.5	1	337	45	0.65	0.66	0.20
	Orig	1-01	< 5	< 0.2	1.27	510	0.5	2	0.05	< 0.5	1	318	45	0.66	0.64	0.20

CERTIFICATION: Hart Bichler

* INTERFERENCE: Mg on Bi and P

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project: 6410
Comments: ATTN:DAVID TERRY

QC P. 1-B
Tot QC Pg: 1
Date: 09-JUL-96
Invoice #: 19622568
P.O. #:

GP

* PLEASE NOTE

QC DATA OF CERTIFICATE A9622568

STD/DUP/BLANK DESCRIPTION	QC TYPE	PAGE NO.	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
BL-C	Blnk	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
CHEMEX MEAN	---	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
CKR-W	Std1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
CHEMEX MEAN	---	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
CSB-93	Std1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
CHEMEX MEAN	---	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
G90-TOT	Std1	1	1040	7	1.78	75	1060	-----	324	0.35	106	10	240			
G90-TOT	Std2	1	1025	7	1.85	73	1030	-----	321	0.34	104	10	236			
G90-TOT	Std1	2	1145	10	1.97	83	1170	-----	353	0.37	114	20	256			
CHEMEX MEAN	---	---	1015	7	1.74	76	1120	-----	320	0.34	103	< 10	246			
GEO-90	Std1	1	-----	-----	-----	-----	-----	190	-----	-----	-----	-----	-----			
GEO-90	Std2	1	-----	-----	-----	-----	-----	180	-----	-----	-----	-----	-----			
GEO-90	Std1	2	-----	-----	-----	-----	-----	190	-----	-----	-----	-----	-----			
CHEMEX MEAN	---	---	-----	-----	-----	-----	-----	195	-----	-----	-----	-----	-----			
NG-94	Std2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
CHEMEX MEAN	---	---	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----			
SIO2-G2	Blnk	1	-----	-----	-----	-----	-----	4	-----	-----	-----	-----	-----			
CHEMEX MEAN	---	---	-----	-----	-----	-----	-----	< 2	-----	-----	-----	-----	-----			
SIO2-T3	Blnk	1	< 5	< 1	0.01	1	200	-----	183	0.01	3	< 10	< 2			
CHEMEX MEAN	---	---	20	< 1	< 0.01	< 1	207	-----	178	< 0.01	2	< 10	< 2			
134003	Dup	1-01	50	3	0.08	10	330	< 2	12	0.06	145	< 10	12			
	Orig	1-01	50	2	0.07	10	350	< 2	12	0.06	146	< 10	12			

CERTIFICATION: Ian Bradley

* INTERFERENCE: Mg on Bi and P

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9622568

Comments: ATTN:DAVID TERRY

CERTIFICATE A9622568

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 9-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	52	Geochem ring to approx 150 mesh
226	52	0-3 Kg crush and split
3202	52	Rock - save entire reject
285	52	ICP - HF digestion charge

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	52	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
578	52	Ag ppm: 24 element, rock & core	AAS	0.2	200
573	52	Al %: 24 element, rock & core	ICP-AES	0.01	25.0
565	52	Ba ppm: 24 element, rock & core	ICP-AES	10	10000
575	52	Be ppm: 24 element, rock & core	ICP-AES	0.5	1000
561	52	Bi ppm: 24 element, rock & core	ICP-AES	2	10000
576	52	Ca %: 24 element, rock & core	ICP-AES	0.01	25.0
562	52	Cd ppm: 24 element, rock & core	ICP-AES	0.5	500
563	52	Co ppm: 24 element, rock & core	ICP-AES	1	10000
569	52	Cr ppm: 24 element, rock & core	ICP-AES	1	10000
577	52	Cu ppm: 24 element, rock & core	ICP-AES	1	10000
566	52	Fe %: 24 element, rock & core	ICP-AES	0.01	25.0
584	52	K %: 24 element, rock & core	ICP-AES	0.01	10.00
570	52	Mg %: 24 element, rock & core	ICP-AES	0.01	15.00
568	52	Mn ppm: 24 element, rock & core	ICP-AES	5	10000
554	52	Mo ppm: 24 element, rock & core	ICP-AES	1	10000
583	52	Na %: 24 element, rock & core	ICP-AES	0.01	10.00
564	52	Ni ppm: 24 element, rock & core	ICP-AES	1	10000
559	52	P ppm: 24 element, rock & core	ICP-AES	10	10000
560	52	Pb ppm: 24 element, rock & core	AAS	2	10000
582	52	Sr ppm: 24 element, rock & core	ICP-AES	1	10000
579	52	Ti %: 24 element, rock & core	ICP-AES	0.01	10.00
572	52	V ppm: 24 element, rock & core	ICP-AES	1	10000
556	52	W ppm: 24 element, rock & core	ICP-AES	10	10000
558	52	Zn ppm: 24 element, rock & core	ICP-AES	2	10000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Certificate Date: 09-JUL-96
Invoice No. : 19622568
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622568

* PLEASE NOTE

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
134003	205	226	< 5	< 0.2	1.27	510	0.5	2	0.05	< 0.5	1	318	45	0.66	0.64	0.20
134006	205	226	< 5	< 0.2	1.51	1580	< 0.5	6	0.52	< 0.5	11	82	212	1.40	0.75	0.49
134007	205	226	< 5	< 0.2	6.43	840	< 0.5	2	1.69	< 0.5	14	95	29	4.80	0.72	1.65
134201	205	226	< 5	< 0.2	4.32	410	1.5	< 2	0.23	< 0.5	2	42	28	0.83	0.24	0.07
134202	205	226	< 5	< 0.2	4.80	180	< 0.5	2	2.00	< 0.5	21	114	52	4.73	0.30	2.45
134203	205	226	< 5	< 0.2	7.55	100	< 0.5	2	6.22	0.5	32	112	67	6.18	0.41	3.52
134204	205	226	< 5	< 0.2	4.17	70	< 0.5	4	0.18	< 0.5	8	82	74	2.43	0.06	1.14
134205	205	226	< 5	< 0.2	6.79	120	< 0.5	6	4.85	0.5	33	173	54	6.37	0.14	3.41
134206	205	226	< 5	< 0.2	8.01	70	< 0.5	4	6.14	0.5	39	220	38	7.38	0.12	3.22
134207	205	226	< 5	< 0.2	1.28	830	< 0.5	< 2	0.08	< 0.5	9	61	32	0.89	0.50	0.29
134208	205	226	< 5	< 0.2	0.62	20	< 0.5	Intf*	0.78	< 0.5	71	1755	7	4.42	< 0.01	>15.00
134209	205	226	< 5	< 0.2	1.28	820	0.5	< 2	0.02	< 0.5	1	200	19	0.62	0.63	0.32
134210	205	226	< 5	< 0.2	2.60	>10000	< 0.5	4	0.04	0.5	10	97	34	1.49	1.50	0.66
134211	205	226	< 5	< 0.2	1.95	640	0.5	4	< 0.01	< 0.5	2	208	19	0.96	0.95	0.31
134212	205	226	< 5	< 0.2	0.99	3230	< 0.5	2	< 0.01	< 0.5	2	100	14	0.69	0.37	0.06
134213	205	226	< 5	< 0.2	5.78	140	< 0.5	2	0.99	< 0.5	6	78	52	3.11	0.10	0.39
134214	205	226	60	1.2	1.08	260	< 0.5	2	0.01	< 0.5	1	239	26	1.22	0.49	0.05
134215	205	226	< 5	< 0.2	4.65	320	< 0.5	< 2	0.07	0.5	4	299	7	1.43	1.21	0.15
134216	205	226	< 5	< 0.2	4.80	330	0.5	2	1.46	< 0.5	4	145	4	0.96	1.23	0.22
134217	205	226	< 5	< 0.2	5.72	420	1.0	2	0.47	0.5	7	127	4	1.90	2.03	0.45
134218	205	226	< 5	< 0.2	8.41	840	1.5	< 2	1.88	0.5	6	78	4	1.40	2.24	0.40
134219	205	226	< 5	< 0.2	1.95	190	< 0.5	6	2.62	< 0.5	5	126	11	2.18	0.98	0.65
134220	205	226	< 5	< 0.2	11.30	1080	3.0	6	0.43	0.5	6	105	29	3.13	5.60	0.88
134221	205	226	< 5	< 0.2	6.42	450	< 0.5	< 2	1.52	< 0.5	9	62	46	3.97	0.67	0.58
134222	205	226	< 5	< 0.2	8.28	130	< 0.5	< 2	8.60	1.5	30	327	42	5.30	0.36	2.99
134223	205	226	< 5	< 0.2	1.83	1830	< 0.5	2	0.14	< 0.5	6	130	9	3.21	0.83	0.87
134224	205	226	< 5	< 0.2	1.42	1790	< 0.5	6	0.46	< 0.5	3	139	18	0.86	0.57	0.38
134225	205	226	< 5	< 0.2	6.94	70	< 0.5	< 2	18.15	0.5	25	864	55	2.67	0.04	5.08
134226	205	226	10	< 0.2	1.02	3790	< 0.5	10	0.73	< 0.5	14	115	1	20.2	0.01	0.60
134227	205	226	10	< 0.2	1.84	3950	0.5	2	0.13	< 0.5	4	87	19	1.35	0.77	0.56
134228	205	226	< 5	< 0.2	0.13	4600	< 0.5	< 2	0.06	< 0.5	2	133	5	2.76	0.05	0.04
134229	205	226	< 5	< 0.2	2.38	2030	0.5	< 2	0.52	< 0.5	12	198	23	1.44	0.85	0.59
134230	205	226	< 5	< 0.2	7.68	960	< 0.5	< 2	4.37	0.5	32	44	88	7.24	1.15	2.85
134231	205	226	10	< 0.2	3.83	770	< 0.5	2	0.28	< 0.5	6	109	38	2.21	0.32	1.39
134232	205	226	< 5	< 0.2	5.18	270	< 0.5	< 2	2.34	0.5	16	83	34	3.19	0.50	0.86
134233	205	226	< 5	< 0.2	3.08	700	< 0.5	< 2	0.37	< 0.5	19	69	31	2.35	0.95	0.65
134234	205	226	< 5	< 0.2	1.37	640	< 0.5	64	1.47	< 0.5	57	134	344	0.82	0.04	0.36
134235	205	226	< 5	< 0.2	3.00	1830	0.5	2	0.06	< 0.5	10	124	4	2.14	0.97	0.82
134236	205	226	< 5	< 0.2	1.83	2160	< 0.5	20	1.73	< 0.5	29	163	215	1.27	0.06	0.58
134237	205	226	< 5	< 0.2	7.49	100	< 0.5	< 2	5.72	0.5	34	107	66	7.67	0.40	3.19

CERTIFICATION:

* INTERFERENCE: Mg on Bi and P

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page : 1-B
Total Pages : 2
Certificate Date: 09-JUL-96
Invoice No. : I9622568
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622568

* PLEASE NOTE

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
134003	205	226	50	2	0.07	10	350	< 2	12	0.06	146	< 10	12			
134006	205	226	730	1	0.07	44	340	< 2	14	0.08	37	< 10	40			
134007	205	226	1175	< 1	2.45	10	190	6	97	0.19	111	< 10	102			
134201	205	226	160	< 1	4.45	5	100	10	254	0.09	12	< 10	32			
134202	205	226	1200	< 1	1.95	46	610	10	208	0.53	188	10	82			
134203	205	226	1095	< 1	3.19	46	500	< 2	229	0.72	274	10	72			
134204	205	226	720	< 1	2.47	36	320	14	64	0.20	69	< 10	48			
134205	205	226	1080	< 1	3.63	59	550	< 2	123	0.82	276	10	80			
134206	205	226	1255	< 1	3.21	77	710	< 2	91	0.96	321	30	110			
134207	205	226	1140	< 1	0.10	23	120	< 2	5	0.07	33	< 10	24			
134208	205	226	795	< 1	0.04	1820	Intf*	< 2	1	0.02	54	40	38			
134209	205	226	70	1	0.03	18	130	< 2	11	0.07	36	< 10	20			
134210	205	226	110	< 1	0.04	24	190	< 2	52	0.14	36	< 10	26			
134211	205	226	110	< 1	0.02	7	110	2	10	0.10	31	< 10	20			
134212	205	226	15	< 1	0.03	9	80	< 2	13	0.05	16	< 10	14			
134213	205	226	520	1	3.60	4	290	< 2	138	0.20	26	< 10	62			
134214	205	226	25	< 1	0.06	7	110	10	11	0.04	26	< 10	8			
134215	205	226	320	2	1.86	9	250	10	36	0.09	27	< 10	56			
134216	205	226	430	< 1	2.39	6	120	14	51	0.05	15	< 10	16			
134217	205	226	200	< 1	1.47	14	120	10	29	0.14	36	< 10	34			
134218	205	226	295	< 1	3.80	3	430	< 2	304	0.14	33	< 10	58			
134219	205	226	510	1	0.10	12	230	8	77	0.05	23	< 10	42			
134220	205	226	50	1	0.47	26	2020	20	46	0.33	106	< 10	76			
134221	205	226	910	< 1	3.03	5	400	4	185	0.19	57	< 10	68			
134222	205	226	900	< 1	2.44	81	560	< 2	444	0.69	230	30	56			
134223	205	226	600	< 1	0.04	21	80	6	45	0.09	36	< 10	60			
134224	205	226	160	< 1	0.10	9	60	< 2	24	0.07	35	< 10	28			
134225	205	226	645	3	0.19	146	40	< 2	13	0.13	99	30	24			
134226	205	226	565	< 1	< 0.01	36	250	< 2	94	0.03	60	< 10	28			
134227	205	226	80	2	0.12	25	110	< 2	22	0.11	79	< 10	36			
134228	205	226	125	< 1	< 0.01	3	170	< 2	66	< 0.01	7	< 10	2			
134229	205	226	5130	4	0.43	31	210	4	41	0.12	52	< 10	46			
134230	205	226	1305	< 1	3.05	23	530	< 2	186	0.74	351	10	78			
134231	205	226	645	1	1.85	25	170	4	16	0.24	82	< 10	56			
134232	205	226	1310	< 1	1.91	15	470	8	271	0.30	82	< 10	58			
134233	205	226	3280	< 1	0.78	28	240	8	45	0.21	66	< 10	44			
134234	205	226	>10000	52	0.54	62	790	6	245	0.07	161	< 10	60			
134235	205	226	2320	3	0.05	42	250	< 2	15	0.19	66	< 10	24			
134236	205	226	>10000	13	0.71	77	1010	4	454	0.11	76	< 10	76			
134237	205	226	2190	< 1	2.81	35	520	< 2	126	0.82	337	20	90			

CERTIFICATION:

* INTERFERENCE: Mg on Bi and P

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page er :2-A
Total Pages :2
Certificate Date: 09-JUL-96
Invoice No. :I9622568
P.O. Number :
Account :GP

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9622568

SAMPLE	PREP CODE		Au ppb FA+AA	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
134238	205	226	< 5	< 0.2	2.65	2730	< 0.5	< 2	0.07	< 0.5	6	112	25	1.47	1.11	0.62
134239	205	226	5	< 0.2	2.12	4850	< 0.5	< 2	0.34	< 0.5	7	101	17	1.03	0.87	0.49
134240	205	226	< 5	< 0.2	3.25	4000	0.5	< 2	0.11	< 0.5	3	90	33	1.71	1.23	0.78
134241	205	226	< 5	< 0.2	1.45	3980	< 0.5	2	0.05	< 0.5	3	118	26	0.83	0.51	0.34
134242	205	226	< 5	< 0.2	1.13	280	< 0.5	2	0.04	< 0.5	5	125	17	0.93	0.45	0.27
134243	205	226	15	< 0.2	3.36	4130	0.5	4	0.16	< 0.5	7	95	37	1.62	1.31	0.60
134244	205	226	< 5	< 0.2	6.03	1440	0.5	< 2	0.09	< 0.5	11	107	49	4.02	2.32	1.00
134245	205	226	< 5	< 0.2	3.73	2070	< 0.5	2	0.35	< 0.5	12	88	49	2.66	1.32	1.04
134246	205	226	< 5	< 0.2	2.87	3030	< 0.5	< 2	0.35	< 0.5	10	124	34	1.69	0.98	0.79
134247	205	226	< 5	< 0.2	1.36	330	< 0.5	2	0.01	< 0.5	3	217	19	0.86	0.33	0.51
134248	205	226	275	< 0.2	0.45	110	< 0.5	< 2	0.37	< 0.5	3	199	16	5.11	0.07	0.26
134249	205	226	< 5	< 0.2	1.45	560	< 0.5	< 2	0.01	< 0.5	2	187	13	0.89	0.52	0.27

CERTIFICATION:

* INTERFERENCE: Mg on Bi and P

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN:DAVID TERRY

Page Number :2-B
Total Pages :2
Certificate Date: 09-JUL-96
Invoice No. :I9622568
P.O. Number :
Account :GP

* PLEASE NOTE

CERTIFICATE OF ANALYSIS A9622568

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	P ppm (ICP)	Pb ppm AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)			
134238	205	226	765	1	0.03	33	290	< 2	6	0.13	53	< 10	42			
134239	205	226	435	< 1	0.05	19	150	8	55	0.12	75	< 10	38			
134240	205	226	355	< 1	0.17	17	140	6	26	0.16	75	< 10	48			
134241	205	226	150	1	0.01	13	90	2	29	0.07	32	< 10	22			
134242	205	226	90	< 1	0.01	22	60	6	20	0.06	26	< 10	22			
134243	205	226	840	1	0.05	25	130	8	13	0.19	90	< 10	62			
134244	205	226	340	< 1	1.14	12	270	6	35	0.28	119	< 10	60			
134245	205	226	1300	< 1	0.17	24	340	4	15	0.19	63	< 10	56			
134246	205	226	1050	1	0.13	29	210	6	28	0.17	58	< 10	58			
134247	205	226	160	1	0.01	28	90	12	73	0.07	96	< 10	10			
134248	205	226	1910	2	< 0.01	8	120	< 2	70	0.01	48	< 10	14			
134249	205	226	155	10	0.01	20	80	8	4	0.07	47	< 10	8			

CERTIFICATION: Hart Bichler

* INTERFERENCE: Mg on Bi and P

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

TO: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

INVOICE NUMBER I9622570

BILLING INFORMATION

Date: 16-JUL-96
Project: 6410
P.O. No.:
Account: GP

Comments:

Billing: For analysis performed on Certificate A9622570

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum) charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
17	299 - Pulp; prepped on other workorder	0.00		
	A-413 XRF - Basic W.R.A.	21.00		
	Whole Rock add on suite	9.00	30.00	510.00
1	299 - Pulp; prepped on other workorder	0.00		
	A-413 XRF - Basic W.R.A.	21.00	21.00	21.00

Total Cost $	531.00
Client Discount (25%) $	-132.75
Net Cost $	398.25
(Reg# R100938885) GST $	27.88
TOTAL PAYABLE (CDN) $	**426.13**

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project: 6410
Comments: ATTN: DAVID TERRY

QC P 1
Tot QC Pg: 1
Date: 16-JUL-96
Invoice #: I9622570
P.O. #:

GP

QC DATA OF CERTIFICATE A9622570

STD/DUP/BLANK DESCRIPTION	QC TYPE	PAGE NO.	Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %	Ba ppm	Rb ppm	Sr ppm	Nb ppm	Zr ppm	Y ppm
GEO-90	Std1	1	13.37	3.19	0.03	6.12	2.39	1.85	0.15	2.45	0.26	59.74	0.68	9.02	99.25	860	100	334	50	216	40
CHEMEX MEAN	---	---	13.31	3.25	0.03	6.14	2.25	1.84	0.14	2.48	0.27	60.21	0.68	9.30	99.65	850	100	340	52	225	42
134201	Dup	1-01	12.45	0.43	0.03	1.37	0.47	0.26	0.01	6.75	0.04	76.35	0.16	0.86	99.18	555	16	492	12	144	30
	Orig	1-01	12.51	0.45	0.01	1.35	0.49	0.25	0.01	6.78	0.04	76.39	0.15	0.86	99.29	550	16	494	14	147	32

CERTIFICATION: Stuart Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9622570

Comments: ATTN: DAVID TERRY

CERTIFICATE A9622570

(GP) - WESTMIN RESOURCES LTD.

Project: 6410
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 16-JUL-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
299	18	Pulp; prepped on other workorder

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
902	18	Al2O3 %: XRF	XRF	0.01	100.00
906	18	CaO %: XRF	XRF	0.01	100.00
2590	18	Cr2O3 %: XRF	XRF	0.01	100.00
903	18	Fe2O3 %: XRF	XRF	0.01	100.00
908	18	K2O %: XRF	XRF	0.01	100.00
905	18	MgO %: XRF	XRF	0.01	100.00
1989	18	MnO %: XRF	XRF	0.01	100.00
907	18	Na2O %: XRF	XRF	0.01	100.00
909	18	P2O5 %: XRF	XRF	0.01	100.00
901	18	SiO2 %: XRF	XRF	0.01	100.00
904	18	TiO2 %: XRF	XRF	0.01	100.00
910	18	LOI %: XRF	XRF	0.01	100.00
2540	18	Total %	CALCULATION	0.01	105.00
2891	17	Ba ppm: XRF	XRF	5	50000
2067	17	Rb ppm: XRF	XRF	2	50000
2898	17	Sr ppm: XRF	XRF	2	50000
2973	17	Nb ppm: XRF	XRF	2	50000
2978	17	Zr ppm: XRF	XRF	3	50000
2974	17	Y ppm: XRF	XRF	2	50000

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6410
Comments: ATTN: DAVID TERRY

Page Number : 1
Total Pages : 1
Certificate Date: 16-JUL-96
Invoice No. : 19622570
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS A9622570

SAMPLE	PREP CODE		Al2O3 % XRF	CaO % XRF	Cr2O3 % XRF	Fe2O3 % XRF	K2O % XRF	MgO % XRF	MnO % XRF	Na2O % XRF	P2O5 % XRF	SiO2 % XRF	TiO2 % XRF	LOI % XRF	TOTAL %	Ba ppm	Rb ppm	Sr ppm	Nb ppm	Zr ppm	Y ppm
134201	299	--	12.51	0.45	0.01	1.35	0.49	0.25	0.01	6.78	0.04	76.39	0.15	0.86	99.29	550	16	494	14	147	32
134203	299	--	14.66	9.85	0.03	10.21	0.46	6.41	0.16	4.27	0.12	48.30	1.30	3.55	99.32	110	12	234	< 2	90	26
134204	299	--	8.25	0.26	0.01	3.86	0.13	2.12	0.10	3.73	0.08	78.30	0.38	1.97	99.19	90	6	64	12	123	18
134206	299	--	15.67	9.59	0.03	12.01	0.14	5.83	0.18	4.25	0.17	46.00	1.74	3.67	99.28	85	4	84	8	102	32
134213	299	--	11.48	1.51	0.01	4.88	0.13	0.70	0.06	5.18	0.08	73.29	0.34	1.35	99.01	145	6	146	6	45	24
134215	299	--	8.91	0.10	0.02	2.25	1.76	0.28	0.04	2.73	0.07	80.51	0.39	1.48	98.54	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss
134216	299	--	9.18	2.16	0.03	1.47	1.71	0.41	0.06	3.23	0.03	78.14	0.13	2.55	99.10	345	66	40	6	90	10
134217	299	--	10.80	0.71	0.03	2.90	2.70	0.83	0.02	1.97	0.04	76.58	0.43	2.08	99.09	465	116	18	12	315	20
134218	299	--	14.99	2.69	0.02	2.14	2.94	0.69	0.04	5.04	0.10	66.34	0.28	3.43	98.70	890	94	286	14	129	8
134221	299	--	12.55	2.45	0.02	6.59	0.89	1.07	0.13	4.27	0.11	68.35	0.36	1.89	98.68	560	20	196	4	63	20
134222	299	--	15.75	13.70	0.02	8.95	0.42	5.31	0.13	3.21	0.14	46.49	1.26	3.80	99.18	165	10	418	4	81	26
134225	299	--	12.44	27.51	0.02	4.37	0.05	8.54	0.09	0.19	0.01	44.19	0.23	1.78	99.42	70	2	< 2	2	18	8
134230	299	--	15.07	7.03	< 0.01	11.92	1.44	5.20	0.19	4.20	0.13	50.30	1.36	2.24	99.08	1035	30	202	< 2	87	24
134231	299	--	7.11	0.42	0.03	3.24	0.45	2.45	0.08	2.41	0.05	80.94	0.42	1.64	99.24	805	16	6	12	114	18
134233	299	--	5.87	0.57	0.01	3.53	1.33	1.15	0.44	1.02	0.06	83.59	0.38	1.11	99.06	745	52	34	10	96	14
134235	299	--	5.78	0.10	0.03	3.26	1.32	1.52	0.21	0.01	0.06	84.75	0.35	1.87	99.26	1930	46	6	12	111	14
134237	299	--	14.33	9.07	0.02	12.60	0.47	5.70	0.26	3.62	0.13	48.16	1.48	3.06	98.90	130	10	124	2	90	26
134241	299	--	2.79	0.09	0.01	1.24	0.72	0.63	0.01	< 0.01	0.02	92.50	0.15	0.97	99.13	3970	30	18	6	48	8

CERTIFICATION: David Bradley

APPENDIX H

CLAIM LOCATION MAPS

WESTMIN	Westmin Resources Limited ATNA Resources Ltd.
Figure	TUCHITUA PROJECT
2.2a	Claim Map

SHEET 105-H-4

LATITUDE 61°00'To 61°15'
LONGITUDE 129°30'To 130°00'

TUCHITUA RIVER

CANADA
DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES
NORTHERN ADMINISTRATION BRANCH
RESOURCES DIVISION

SCALE: ½ MILE To 1 INCH

FT. 800 0 1500 3000 4500 6000 7500 9000 10500 FT.

ISSUED UNDER THE AUTHORITY OF THE MINISTER
OF
NORTHERN AFFAIRS AND NATIONAL RESOURCES

105-G-8	105-H-5	105-H-6
105-G-1	105-H-4	105-H-3
105-B-16	105-A-13	105-A-14

Note: Entry on certain lands is withdrawn from staking in cross-hatched areas to facilitate the settlement of Native Land Claims without prejudice to Existing Surface and Subsurface Rights.

NOTICE

THIS MAP IS ISSUED AS A PRELIMINARY GUIDE FOR WHICH THE DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT WILL ACCEPT NO RESPONSIBILITY FOR ANY ERRORS, INACCURACIES OR OMISSIONS WHATSOEVER.

? NOV 88
3 OCT 73
WHITEHORSE 26 APR 60

093622

(1)

105H-4

093622

(2)

WESTMIN	Westmin Resources Limited ATNA Resources Ltd.
Figure	TUCHITUA PROJECT
22b	Claim Map

SHEET 105-H-5

LATITUDE 61° 15' To 61° 30'
LONGITUDE 129° 30' To 130° 00'

CANADA
DEPARTMENT OF NORTHERN AFFAIRS AND NATIONAL RESOURCES
NORTHERN ADMINISTRATION AND LANDS BRANCH
MINING AND LANDS DIVISION

SCALE: ½ MILE To 1 INCH

FT. 1500 0 1500 3000 4500 6000 7500 9000 10500 FT.

ISSUED UNDER THE AUTHORITY OF THE MINISTER
OF
NORTHERN AFFAIRS AND NATIONAL RESOURCES

NOTICE

THIS MAP IS ISSUED AS A PRELIMINARY GUIDE FOR WHICH THE DEPARTMENT OF INDIAN AFFAIRS AND NORTHERN DEVELOPMENT WILL ACCEPT NO RESPONSIBILITY FOR ANY ERRORS, INACCURACIES OR OMISSIONS WHATSOEVER

WHITEHORSE 16 Jan 59

2 JAN 59
10 SEP 71
25 JAN 91
25 JAN 91
25 JAN 91
25 JAN 91
12 OCT 73
1 MAY 68
25 JAN 91
25 JAN 91
25 JAN 91
25 JAN 91

APPENDIX I

OVERSIZE FIGURES



INDEX MAP



UTM GRID NORTH

Location Map
Scale 1 : 15 000 000



LEGEND

Symbols
- Lake
- Creek
- 1200 Topographic Contours (100m intervals)
- Lithological Contact (defined, inferred)
- Fault Contact (defined, inferred)
- Shear Zone
- Outcrop
- Talus, Float
- Trench
- Bedding
- Foliation
- Lineation
- Fold Axis
- Joint

Geological Symbols

Intrusive Rocks

UM	Ultramafic
DN	Dunite
GB	Gabbro
DI	Diorite
SY	Syenite
MZ	Monzonite
GD	Granodiorite
G	Granite

Volcanic Rocks

B	Basalt
A	Andesite
D	Dacite
RD	Rhyodacite
R	Rhyolite

Mineral Prefixes

q	quartz
qe	quartz–eye
s	sericite
c	chlorite
m	muscovite
b	biotite
gr	graphite
f	feldspar
serp	serpentine
cr	carbonaceous

Volcanic Modifiers

f	flow
t	tuff
xt	crystal tuff
lt	lapilli tuff
dt	dust tuff
bx	breccia
tbx	tuff breccia
amyg	amygdaloidal
aph	aphyric

Sedimentary Rocks

CG	Conglomerate
GT	Grit
SS	Sandstone
AR	Arenite
LS	Limestone
SH	Shale
MS	Mudstone
ARG	Argillite
J	Jasper
CH	Chert

Metamorphic Rocks

PH	Phyllite
S	Schist
GN	Gneiss
QTZ	Quartzite

Volcanic/Intrusive Modifiers

P	Porphyry

Mineralization

po	pyrrhotite
py	pyrite
cp	chalcopyrite
sp	sphalerite
gl	galena
az	azurite
ml	malachite
hm	hematite
mt	magnetite
rd	rhodonite
rc	rhodochrsite
Ba	Barite
Baex	Barite exhalite
Qex	Quartz exhalite
Mnox	Manganese oxide

Colours

gy	grey
bk	black
gn	green
bn	brown
bf	buff

093622

	Westmin Resources Limited
Work By	TUCHITUA PROJECT
D. Terry	
Date Drafted	Property Geology Map
Nov. 29, 1996	
Drafted By	SHEET 1 (3)
J.M. Klein	
Date Revised	
Jan. 29, 1997	
Revised By	
A. Turner	
N.T.S. Number	Figure
105 H/5	4.1
File Name	400 0 400 800 1200m
SHEET_6b.dwg	SCALE 1 : 20,000

MONEY

NAIL

NAIL

NAIL

NAIL

ERA

ERA

HANG

HANG

MONY

TACK

WESTMIN / ATNA
Joint Venture
Wolverine Regional Project

WESTMIN 100%
Tuchitua Project

1200

1500

1400

1300

1100

6809000
6808000
6807000
6806000
6805000
6804000
6803000
6802000
6801000
6800000
6799000
6798000
6797000
6796000
6795000
6794000
6793000

449000
450000
451000
452000
453000
454000
455000
456000
457000
458000
459000
460000

INDEX MAP

130°30'
130°00'
61°30'
61°15'
105O/8
105O/9
105H/5
1
2
4
0 10 20km

Geochemical Legend

Rock Samples

A134203

Silt (Stream Sediment) Samples

⊡133201

Soil Samples

⊡130188

Location Map
Scale 1 : 15 000 000
YUKON TERRITORY
TUCHITUA Project Area

UTM GRID NORTH

N

LEGEND

Symbols

Lake
Creek
1200 Topographic Contours (100m intervals)

093622

WESTMIN	Westmin Resources Limited
Work By: D. Terry	TUCHITUA PROJECT
Date Drafted: Nov. 29, 1996	Sample Location Map
Drafted By: J.M. Klein	SHEET 1 (4)
Date Revised: Jan. 29, 1997	
Revised By: A. Turner	
N.T.S. Number: 105 H/5	400 0 400 800 1200m
File Name: SHEET_6b.dwg	SCALE 1 : 20,000
	Figure 5.1

MUDHEN

TACK

TACK

MONY

JAYS

JAYS

TACK

I.R.

I.R.

I.R.

1700 1500 1700 1500 1500 1500 1300 1500 1800 1500

6793000 6792000 6791000 6790000 6789000 6788000 6787000 6786000 6785000 6784000

452000 453000 454000 455000 456000 457000 458000 459000 460000 461000 462000 463000 464000 465000 466000 467000

Location Map
Scale 1 : 15 000 000

YUKON TERRITORY

TUCHITUA Project Area

INDEX MAP

UTM GRID NORTH

Geochemical Legend

Soil Samples

Silt (Stream Sediment) Samples

LEGEND

Symbols

Lake
Creek
1200 Topographic Contours (100m intervals)

WESTMIN

Westmin Resources Limited

TUCHITUA PROJECT

0936-22

Sample Location Map

SHEET 2 (5)

Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 23, 1997
Revised By	A. Turner
N.T.S. Number	105 H/4 & 5
File Name	SHEET_7.dwg

400 0 400 800 1200m
SCALE 1 : 20,000

Figure 5.2

MONEY

NAIL

NAIL

NAIL

NAIL

ERA

ERA

HANG

HANG

MONY

TACK

WESTMIN / ATNA
Joint Venture
Wolverine Regional Project

WESTMIN 100%
Tuchitua Project

1200

1000

1500

1400

1300

1700

6809000
6808000
6807000
6806000
6805000
6804000
6803000
6802000
6801000
6800000
6799000
6798000
6797000
6796000
6795000
6794000
6793000

449000
450000
451000
452000
453000
454000
455000
456000
457000
458000
459000
460000

INDEX MAP



Geochemical Legend

Rock Samples
MAX △ 1.2
MIN ▵ <0.2

Silt (Stream Sediment) Samples
MAX ○ 2.8
MIN ∘ <0.2

Soil Samples
MAX □ 12.0
MIN ▫ <0.2

note: Statistics based upon the entire Wolverine regional geochemical database

UTM
GRID
NORTH



LEGEND

Symbols
Lake
Creek
1200 Topographic Contours (100m intervals)

093622

WESTMIN	Westmin Resources Limited
Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 29, 1997
Revised By	A. Turner
N.T.S. Number	105 H/5
File Name	SHEET_6b.dwg
	TUCHITUA PROJECT
	Ag (ppm) in Rock, Silt, and Soil
	SHEET 1 (6)
	400 0 400 800 1200m
	SCALE 1 : 20,000
	Figure 6.1a

Trim Line

MONEY
NAIL
NAIL
NAIL
HANG
NAIL
ERA
ERA
WESTMIN / ATNA
Joint Venture
Wolverine Regional Project
WESTMIN 100%
Tuchitua Project
HANG
MONY
TACK

INDEX MAP



Geochemical Legend

Rock Samples
MAX △ 365
MIN ▲ <5

Silt (Stream Sediment) Samples
MAX ○ 35
MIN ∘ <5

Soil Samples
MAX □ 300
MIN ▫ <5

note: Statistics based upon the entire Wolverine regional geochemical database



UTM GRID NORTH

N

LEGEND

Symbols
Lake
Creek
1200 Topographic Contours (100m intervals)

093622

WESTMIN	Westmin Resources Limited
Work By: D. Terry	TUCHITUA PROJECT
Date Drafted: Nov. 29, 1996	Au (ppb) in Rock, Silt and Soil
Drafted By: J.M. Klein	SHEET 1 (7)
Date Revised: Jan. 29, 1997	
Revised By: A. Turner	
N.T.S. Number: 105 H/5	SCALE 1 : 20,000 (400 0 400 800 1200m)
File Name: SHEET_6b.dwg	Figure: 6.1b

MONEY

NAIL

NAIL

NAIL

NAIL

HANG

ERA

ERA

WESTMIN / ATNA
Joint Venture
Wolverine Regional Project

WESTMIN 100%
Tuchitua Project

MONY

TACK

HANG

6809000
6808000
6807000
6806000
6805000
6804000
6803000
6802000
6801000
6800000
6799000
6798000
6797000
6796000
6795000
6794000
6793000

449000
450000
451000
452000
453000
454000
455000
456000
457000
458000
459000
460000

INDEX MAP



Geochemical Legend

Rock Samples

MAX △ >10000

MIN ▵ <10

Silt (Stream Sediment) Samples

MAX ◯ 3170

MIN ○ 300

Soil Samples

MAX □ >10000

MIN ▫ 80

note: Statistics based upon the entire Wolverine regional geochemical database

UTM
GRID
NORTH



LEGEND

Symbols

Lake

Creek

1200 Topographic Contours (100m intervals)

093622

WESTMIN	Westmin Resources Limited
Work By: D. Terry	TUCHITUA PROJECT
Date Drafted: Nov. 29, 1996	Ba (ppm) in Rock, Silt, and Soil
Drafted By: J.M. Klein	SHEET 1 (8)
Date Revised: Jan. 29, 1997	
Revised By: A. Turner	
N.T.S. Number: 105 H/5	400 0 400 800 1200m
File Name: SHEET_6b.dwg	SCALE 1 : 20,000
	Figure: 6.1.c

MONEY

NAIL

NAIL

NAIL

NAIL

HANG

ERA

ERA

WESTMIN / ATNA
Joint Venture
Wolverine Regional Project

WESTMIN 100%
Tuchitua Project

HANG

MONY

TACK

6809000
6808000
6807000
6806000
6805000
6804000
6803000
6802000
6801000
6800000
6799000
6798000
6797000
6796000
6795000
6794000
6793000

449000
450000
451000
452000
453000
454000
455000
456000
457000
458000
459000
460000

INDEX MAP



Geochemical Legend

Rock Samples

MAX △ 1240

MIN ▵ <1

Silt (Stream Sediment) Samples

MAX ○ 268

MIN ∘ 10

Soil Samples

MAX □ 1760

MIN ▫ 5

note: Statistics based upon the entire Wolverine regional geochemical database

UTM
GRID
NORTH



LEGEND

Symbols

Lake

Creek

1200 Topographic Contours (100m intervals)

093622

WESTMIN	Westmin Resources Limited
Work By	TUCHITUA PROJECT
D. Terry	
Date Drafted	Cu (ppm) in Rock, Silt, and Soil
Nov. 29, 1996	
Drafted By	SHEET 1 (9)
J.M. Klein	
Date Revised	
Jan. 29, 1997	
Revised By	
A. Turner	
N.T.S. Number	400 0 400 800 1200m
105 H/5	SCALE 1 : 20,000
File Name	Figure
SHEET_6b.dwg	6.1d

Trim Line

MONEY

NAIL

NAIL

NAIL

NAIL

ERA

ERA

HANG

HANG

MONY

TACK

WESTMIN / ATNA
Joint Venture
Wolverine Regional Project

WESTMIN 100%
Tuchitua Project

1200

1000

1500

1400

1300

1700

6809000
6808000
6807000
6806000
6805000
6804000
6803000
6802000
6801000
6800000
6799000
6798000
6797000
6796000
6795000
6794000
6793000

449000
450000
451000
452000
453000
454000
455000
456000
457000
458000
459000
460000

INDEX MAP

130°30'
130°00'
61°30'
61°15'
105G/8
105H/5
1
2
4
0 10 20km

Geochemical Legend

Rock Samples

MAX △ 100

MIN ▲ <2

Silt (Stream Sediment) Samples

MAX ○ 68

MIN ● <2

Soil Samples

MAX □ 180

MIN ■ <2

note: Statistics based upon the entire Wolverine regional geochemical database

UTM
GRID
NORTH

Location Map
Scale 1 : 15 000 000

YUKON TERRITORY

TUCHITUA Project Area

LEGEND

Symbols

Lake

Creek

1200 Topographic Contours (100m intervals)

093622

WESTMIN

Westmin Resources Limited

TUCHITUA PROJECT

Pb (ppm) in Rock, Silt, and Soil

SHEET 1 (10)

Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 29, 1997
Revised By	A. Turner
N.T.S. Number	105 H/5
File Name	SHEET_6b.dwg

400 0 400 800 1200m

SCALE 1 : 20,000

Figure 6.1.e

MONEY

NAIL

NAIL

NAIL

NAIL

ERA

ERA

HANG

HANG

MONY

TACK

WESTMIN / ATNA
Joint Venture
Wolverine Regional Project

WESTMIN 100%
Tuchitua Project

1200

1000

1500

1400

1300

1700

6809000
6808000
6807000
6806000
6805000
6804000
6803000
6802000
6801000
6800000
6799000
6798000
6797000
6796000
6795000
6794000
6793000

449000
450000
451000
452000
453000
454000
455000
456000
457000
458000
459000
460000

INDEX MAP



Geochemical Legend

Rock Samples

MAX	△	1285
MIN	▵	2

Silt (Stream Sediment) Samples

MAX	○	186
MIN	∘	50

Soil Samples

MAX	□	4610
MIN	▫	8

note: Statistics based upon the entire Wolverine regional geochemical database

UTM GRID NORTH

Location Map
Scale 1 : 15 000 000



LEGEND

Symbols

- Lake
- Creek
- 1200 Topographic Contours (100m intervals)

093622

WESTMIN

Westmin Resources Limited

TUCHITUA PROJECT

Zn (ppm) in Rock, Silt, and Soil

SHEET 1 (11)

Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 29, 1997
Revised By	A. Turner
N.T.S. Number	105 H/5
File Name	SHEET_6b.dwg

400 0 400 800 1200m

SCALE 1 : 20,000

Figure 6.1f

MUDHEN

TACK

IR

TACK

I.R.

MONY

JAYS

TACK

JAYS

I.R.

6793000
6792000
6791000
6790000
6789000
6788000
6787000
6786000
6785000
6784000

452000 453000 454000 455000 456000 457000 458000 459000 460000 461000 462000 463000 464000 465000 466000 467000

Location Map

Scale 1 : 15 000 000





UTM GRID NORTH

Geochemical Legend

Soil Samples

MAX □ 12.0

MIN ▫ <0.2

Silt (Stream Sediment) Samples

MAX ○ 2.8

MIN ◦ <0.2

note: Statistics based upon the entire Wolverine regional geochemical database

LEGEND

Symbols

Lake

Creek

1200 Topographic Contours (100m intervals)

093622

Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 23, 1997
Revised By	A. Turner
N.T.S. Number	105 H/4 & 5
File Name	SHEET_7.dwg

WESTMIN

Westmin Resources Limited

TUCHITUA PROJECT

Ag (ppm) in Silt and Soil

SHEET 2 (12)

400 0 400 800 1200m

SCALE 1 : 20,000

Figure 6.2.a

MUDHEN

TACK

TACK

TACK

MONY

JAYS

JAYS

I.R.

I.R.

I.R.

1700

1500

1300

6793000
6792000
6791000
6790000
6789000
6788000
6787000
6786000
6785000
6784000

452000 453000 454000 455000 456000 457000 458000 459000 460000 461000 462000 463000 464000 465000 466000 467000

Location Map
Scale 1 : 15 000 000

YUKON TERRITORY

TUCHITUA Project Area

INDEX MAP

UTM GRID NORTH

Geochemical Legend

Soil Samples

MAX □ 300

MIN ◦ <5

Silt (Stream Sediment) Samples

MAX ○ 35

MIN ◦ <5

note: Statistics based upon the entire Wolverine regional geochemical database

LEGEND

Symbols

Lake

Creek

1200 Topographic Contours (100m intervals)

093622

WESTMIN

Westmin Resources Limited

TUCHITUA PROJECT

Au (ppb) in Silt and Soil

SHEET 2 (13)

Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 23, 1997
Revised By	A. Turner
N.T.S. Number	105 H/4 & 5
File Name	SHEET_7.dwg

400 0 400 800 1200m

SCALE 1 : 20,000

Figure 6.2.b

MUDHEN

TACK

IR

TACK

I.R.

MONY

JAYS

JAYS

TACK

I.R.

6793000
6792000
6791000
6790000
6789000
6788000
6787000
6786000
6785000
6784000

452000 453000 454000 455000 456000 457000 458000 459000 460000 461000 462000 463000 464000 465000 466000 467000

Location Map

Scale 1 : 15 000 000

YUKON TERRITORY

TUCHITUA Project Area

INDEX MAP

UTM GRID NORTH

Geochemical Legend

Soil Samples

MAX □ >10000

MIN ▫ 80

Silt (Stream Sediment) Samples

MAX ○ 3170

MIN ▫ 300

note: Statistics based upon the entire Wolverine regional geochemical database

LEGEND

Symbols

Lake

Creek

1200 Topographic Contours (100m intervals)

093622

WESTMIN

Westmin Resources Limited

TUCHITUA PROJECT

Ba (ppm) in Silt and Soil

SHEET 2 (14)

Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 23, 1997
Revised By	A. Turner
N.T.S. Number	105 H/4 & 5
File Name	SHEET_7.dwg

400 0 400 800 1200m

SCALE 1 : 20,000

Figure 6.2c

TACK

MUDHEN

IR

TACK

I.R.

MONY

JAYS

JAYS

TACK

I.R.

6793000
6792000
6791000
6790000
6789000
6788000
6787000
6786000
6785000
6784000

452000 453000 454000 455000 456000 457000 458000 459000 460000 461000 462000 463000 464000 465000 466000 467000

Location Map
Scale 1 : 15 000 000





UTM
GRID
NORTH

Geochemical Legend

Soil Samples

MAX □ 1760

MIN ▫ 5

Silt (Stream Sediment) Samples

MAX ○ 268

MIN ◦ 10

note: Statistics based upon the entire Wolverine regional geochemical database

LEGEND

Symbols

Lake

Creek

1200 Topographic Contours (100m intervals)

,083622

WESTMIN

Westmin Resources Limited

TUCHITUA PROJECT

Cu (ppm) in Silt and Soil

SHEET 2 (15)

Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 23, 1997
Revised By	A. Turner
N.T.S. Number	105 H/4 & 5
File Name	SHEET_7.dwg

400 0 400 800 1200m

SCALE 1 : 20,000

Figure 6.2.d

MUDHEN

TACK

IR

TACK

I.R.

MONY

TACK

JAYS

JAYS

I.R.

6793000
6792000
6791000
6790000
6789000
6788000
6787000
6786000
6785000
6784000

452000 453000 454000 455000 456000 457000 458000 459000 460000 461000 462000 463000 464000 465000 466000 467000

1700 1500 1500 1600 1100 1300 1500 1800 1500

Location Map
Scale 1 : 15 000 000





UTM GRID NORTH

Geochemical Legend

Soil Samples
MAX □ 180
MIN ▫ <2

Silt (Stream Sediment) Samples
MAX ○ 68
MIN ◦ <2

note: Statistics based upon the entire Wolverine regional geochemical database

LEGEND

Symbols
Lake
Creek
1200 Topographic Contours (100m intervals)

093622

WESTMIN	Westmin Resources Limited
Work By: D. Terry	TUCHITUA PROJECT
Date Drafted: Nov. 29, 1996	Pb (ppm) in Silt and Soil
Drafted By: J.M. Klein	SHEET 2 (16)
Date Revised: Jan. 23, 1997	
Revised By: A. Turner	
N.T.S. Number: 105 H/4 & 5	400 0 400 800 1200m
File Name: SHEET_7.dwg	SCALE 1 : 20,000
	Figure 6.2.e

TACK

MUDHEN

IR

TACK

IR

MONY

JAYS

JAYS

TACK

I.R.

6793000
6792000
6791000
6790000
6789000
6788000
6787000
6786000
6785000
6784000

452000 453000 454000 455000 456000 457000 458000 459000 460000 461000 462000 463000 464000 465000 466000 467000

Location Map

Scale 1 : 15 000 000

YUKON TERRITORY

TUCHITUA Project Area

INDEX MAP

UTM GRID NORTH

Geochemical Legend

Soil Samples

MAX 4610

MIN 8

Silt (Stream Sediment) Samples

MAX 186

MIN 50

note: Statistics based upon the entire Wolverine regional geochemical database

LEGEND

Symbols

Lake

Creek

1200 Topographic Contours (100m intervals)

093622

WESTMIN

Westmin Resources Limited

TUCHITUA PROJECT

Zn (ppm) in Silt and Soil

SHEET 2 (17)

Work By	D. Terry
Date Drafted	Nov. 29, 1996
Drafted By	J.M. Klein
Date Revised	Jan. 23, 1997
Revised By	A. Turner
N.T.S. Number	105 H/4 & 5
File Name	SHEET_7.dwg

400 0 400 800 1200m

SCALE 1 : 20,000

Figure 6.21