

093628

FER PROPERTY

1996 ASSESSMENT REPORT

FER 1 TO 76 MINERAL CLAIMS

GEOLOGICAL MAPPING AND SOIL SAMPLING SURVEYS

DATES WORKED: JULY 8 to JULY 20, 1996

**WATSON LAKE MINING DISTRICT
NTS MAP AREAS 105H/15
LATITUDE 61° 55'00" N, LONGITUDE 128° 35'00" W**

**CLAIM OWNER
WESTMIN RESOURCES LIMITED**

**OPERATOR
WESTMIN RESOURCES LIMITED**

**REPORT BY
MURRAY I. JONES, M.Sc., P. Geo.
WESTMIN RESOURCES LIMITED**

FEBRUARY, 1997

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act. This report represents
the amount
of \$ 38,000.

M. B. H.

for Regional Director, Exploration and
Geological Services, or Commissioner
of Yukon Territory.

TABLE OF CONTENTS

	Page
1.0 SUMMARY	1
2.0 INTRODUCTION.....	1
2.1 Geography, Physiography and Access.....	1
2.2 Property Description.....	3
2.3 Exploration History	3
2.4 Summary of the 1996 Program.....	3
3.0 GEOLOGY.....	5
3.1 Regional Geology.....	5
3.2 Property Geology	8
3.3 Structure.....	9
3.4 Mineralization.....	9
3.5 Rock Geochemistry	10
4.0 SOIL GEOCHEMICAL SURVEY.....	11
4.1 Scope of Sampling.....	11
4.2 Results.....	12
5.0 CONCLUSIONS.....	13
6.0 RECOMMENDATIONS.....	14
7.0 REFERENCES.....	15

LIST OF APPENDICES

Appendix		Page
A	Statement of Qualifications	A1
B	Personnel	B1
C	Statement of Expenditures	C1
D	Geochemical Sample Descriptions	D1
E	Analytical Results, Rock Samples	E1
F	Analytical Results, Soil and Silt Samples	F1

LIST OF FIGURES

Figure		Page
1	Location Map.....	2
2	Claim Map	4
3	Regional Geology	6
4	Property Geology.....	(Back Pocket)
5	Rock Geochemistry, FER Property	
	a) Au Results	(Back Pocket)
	b) As Results	(Back Pocket)
6	Soil Geochemistry, FER Property	
	a) Sample Locations	(Back Pocket)
	b) Au Results.....	(Back Pocket)
	c) As Results.....	(Back Pocket)

1.0 SUMMARY

A first pass exploration program was done on the FER Property in the period July 7 to 21, 1996. This program consisted of geological mapping at a 1:10,000 scale in conjunction with extensive contour soil sampling. The initial part of the program was focused on covering the existing FER 1-76 claims which were staked in early June, 1996. Later in the program additional claims were added to the FER Property.

The FER Claims were staked to cover a significant gold anomaly detected in a regional stream sediment sampling program conducted by Westmin Resources Limited in 1994. Anomalous gold results were also detected in this area by the NGR survey done by the GSC in the 1970's (Hornbrook and Friske, 1989). Although samples from streams draining the Hyland Group are generally anomalous in arsenic in this area the FER Property stands out as having a cluster of samples with anomalous gold values, as well.

The FER Claims are underlain by a relatively homoclinal sequence of silici-clastic, phyllitic and limy units of the late Proterozoic to early Cambrian Hyland Group. The silici-clastic units are locally silicified, fractured and mineralized. The mineralization is mostly oxidized on surface and mineralized areas are identified by large gossan zones. Where primary sulphide mineralization remains, pyrite is dominant, as disseminations and in quartz veins, with minor arsenopyrite and very rarely galena. Large ferricrete deposits have formed in several areas of the property. They are likely the result of weathering of hydrothermally introduced iron-rich minerals as the local stratigraphy is not likely to have contained significant amounts of leachable iron.


Soil and rock sampling has identified several areas of very significant gold and arsenic values. Gold values range up to 1970 ppb in rock and up to 1870 ppb in soil samples. Arsenic values are commonly greater than 100 ppm in rock, ranging up to greater than 1%, and commonly greater than 100 ppm in soil ranging up to 2330 ppm. The anomalous geochemical results are from areas of gossanous silici-clastic rocks.

Detailed geological mapping and grid soil sampling is recommended in 1997 to better delineate the anomalous areas discovered in the 1996 program. Also, a rock sampling program should be undertaken in the anomalous areas to determine if there is a diminishing effect from weathering of the mineralization. Once controls on mineralization have been established, a second phase involving trenching or diamond drilling should be done in the most promising areas.



2.0 INTRODUCTION

2.1 Geography, Physiography and Access

The FER Property is located on the north side of the Hyland River valley approximately 30 kilometres above its confluence with the Little Hyland River. The nearest centre is Watson Lake, Yukon, located 200 kilometres south of the property (Figure 1). The property lies within NTS 1:50,000 map sheet 105H/15, and is centred at approximately 61° 55' N latitude and 128° 35' W longitude. The northeast corner of the property is approximately 6 kilometres south-southwest of the Nahanni Range Road,



**FER PROPERTY
Project Area**

	WESTMIN RESOURCES LIMITED	
	FER PROPERTY	
	Property Location Sketch	
	N.T.S. Number 105H/15 File Name FER-LOC.DWG	 Scale 1 : 5 000 000

which runs north from the Robert Campbell Highway in the Yukon to Tungsten, in the Northwest Territories. Direct access to the property can be gained by helicopter, or off horse trails along the Hyland River valley.

Elevations on the property range from about 1200 metres in the Hyland valley to over 2000 metres on ridge peaks. Treeline is at approximately 1200 metres with only patches of small trees, low spruce bush and alpine vegetation above that elevation.

2.2 Property Description

The property currently consists of 118 contiguous quartz mineral claims. This report covers the FER 1 to FER 76 claims which were recorded prior to the exploration program. The claims are shown on Figure 2 and are tabulated below. The expiry dates shown are those in effect prior to the current exploration work being applied as assessment.

Claim Name	Grant No.	Expiry Date	Owner
FER 1-76	YB84329-YB84404 inclusive	06/08/1997	Westmin Resources Limited

The 1996 exploration program was operated by Westmin Resources Limited.


2.3 Exploration History

No indication of previous exploration on the FER 1-76 Claims has been located in the government records. There is some evidence of a primitive camp located at the ferricrete zone near the centre of the property but that may have been related to guiding activities in the area. No minfile occurrence is noted.

The area has been covered by regional stream sediment sampling conducted by the federal government in the 1970's. This data is available in Geological Survey of Canada Open File 1649, National Geochemical Reconnaissance Survey for NTS map 105H (Hornbrook and Friske, 1989). As well, the area was covered by an airborne magnetic survey conducted by the federal government in 1961 (GSC, Aeromagnetic Series).

2.4 Summary of the 1996 Program

The 1996 exploration program consisted of 1:10,000 geological mapping, in conjunction with rock sampling, and contour soil sampling. This work was designed to follow up anomalous stream sediment samples from earlier government surveys and a more recent regional sampling program conducted by



WESTMIN RESOURCES LIMITED	
Work By M. Jones	FER PROPERTY
Date Drafted Feb. 5, 1997	FER 1-76 CLAIMS Claim Map
Drafted By J. Keim	
N.T.S. Number 1004716	500 0 500 1000 1500m Scale 1 : 50,000
File Name FERCLAIM.CDR	Figure 2

Westmin Resources Limited. The program lasted from July 7 to 21, 1996. The program was based from helicopter-supported fly camp located near the centre of the property.

A total of 16 man/days were spent mapping and collecting a total of 105 rock samples and 2 silt samples. Sixteen man/days were spent soil sampling collecting a total of 378 standard soil samples.

3.0 GEOLOGY



3.1 Regional Geology

The FER Claims are predominantly underlain by Hyland Group meta-sediments of Upper Proterozoic to Lower Cambrian age (Figure 3). The Hyland Group consists of greater than 3,000 metres of siliciclastic and bioclastic, platformal or continental margin sedimentary rocks. A lower section is comprised primarily of quartzite, quartz grit, and quartz pebble conglomerate units interbedded with phyllite. Limestone beds are also present within the section. The upper 500 metres consists almost exclusively of shale (phyllites).

Cross-cutting the Hyland Group sedimentary rocks are Cretaceous-aged granitic intrusions. These intrusions seem to fall into two categories although they have not been separated on the regional geological maps. The first type is apparent on regional airborne magnetic surveys characterized by a strong magnetic response (GSC, Geophysics Paper 7007G). These intrusions, south and south east of the FER Property, are commonly batholithic in proportion and have ill defined margins consisting of mixed intrusive, migmatitic and gneissic rocks. The second type of intrusion tends to be smaller in size, with sharp contacts and pronounced metamorphic aureoles characterized by gossanous rocks (after pyrite?). This type has a very weak or negative magnetic response relative to the country rocks as measured by government airborne surveys. An example of this type of intrusion outcrops about 5 kilometres southeast of the FER Property, south of the Hyland River. This intrusive body has a long, linear shape, oriented sub-parallel to the river.

The Hyland Group rocks have been weakly metamorphosed in general. Regional deformation has imposed a fabric most evident in the pelitic rocks of the Hyland Group. Quartz-rich rocks have been strongly fractured, likely by this same regional deformation event, and quartz veins are very common. These quartz veins are possibly due in part to remobilization of quartz from the sediments into open spaces created by the deformation. Notably, many quartz veins have been deformed, with minor folds apparent. The limestone has been recrystallized by regional metamorphism and deformation.

Generally, bedding and fold axes trend northwest, turning westerly to the west of the FER Property, with moderate to steep dips. Linear valleys are common in this area and indicate the presence of significant faults although most evidence of these features is buried under unconsolidated valley fill. The Hyland River lies in a linear valley trending north-northwest in the area of the FER Claims. Several north-south structures are evident in the drainage patterns and apparent left lateral off set can be inferred from examination of the airborne geophysical maps available for this area (GSC, Aeromagnetic Series, 1961).



* LEGEND ON FOLLOWING PAGE

<p>Westmin Resources Limited</p>	
<p>FER PROPERTY REGIONAL GEOLOGY</p>	
<p>Work By M. Jones Date Drafted Feb. 13, 1997 Drafted By J.M. Kwon Date Revised Revised By</p>	<p>N.T.S. Number 105415.16 File Name FERRGEO</p>
<p>SCALE 1:250,000</p>	
<p>Figure 3</p>	

LEGEND

MESOZOIC CENOZOIC	QUATERNARY	
	16	Unconsolidated glacial and alluvial deposits
	CRETACEOUS (?)	
	15	Fine- to medium-grained biotite-quartz monzonite, granodiorite, minor diorite and gneiss; 15a, fine- and medium-grained biotite hornblende quartz monzonite and granodiorite, in part porphyritic; 15b, hornblende syenite
	DEVONIAN AND (?) MISSISSIPPIAN	
	13	Brown and black shale, black and grey chert, quartzite, greywacke, chert-pebble conglomerate; 13a, fine-grained light grey limestone and minor dolomite; 13b, greenstone; 13c, serpentinite
	14	Rusty brown weathering fine-grained schistose and spotted biotite hornfels, fine-grained quartzite, black pyritic argillite, dense light green to grey calc-silicate hornfels and fine-grained marble; minor slate, silty limestone and greywacke; 14a, light grey thin-bedded fine-grained marble and calc-silicate hornfels. May include some 1 and 2
	SILURIAN AND DEVONIAN (?)	
	12	Fine-grained light to dark grey dolomite and quartzite; minor buff-grey dolomitic quartzite and silty to sandy dolomite
	ORDOVICIAN AND SILURIAN	
11	Black shale, slate; minor chert, siltstone, dark limestone	
PALAEOZOIC	CAMBRIAN	
	MIDDLE AND LATE CAMBRIAN	
	9	Light grey and brownish grey weathering, intercalated platy argillaceous silty limestone, siltstone, and fine-grained grey limestone
	10	Dark grey and brown silty shale and finely laminated siltstone, dark grey slate, thin-bedded brown-grey fine-grained sandstone; minor hornfels
	EARLY AND/OR MIDDLE CAMBRIAN	
	7	Buff-weathering dolomite, silty and sandy dolomite; minor sandstone and shale
	6	Bright yellow and orange-weathering silty and sandy dolomite
	8	Dark brown-grey to black, in part pyritic, calcareous argillite, slate, shale, and minor thin-bedded argillaceous limestone
	EARLY CAMBRIAN	
	5	Sandstone, buff-weathering sandy and silty dolomite, dolomite, minor quartzite and argillaceous limestone; basic volcanic flows
4	'Swiss-cheese' limestone, irregular interbedded dolomitic siltstone and argillaceous to silty limestone; pods and lenses of limestone; minor blue-grey fine-grained limestone and orange-weathering dolomite	
CAMBRIAN AND/OR EARLIER		
3	Brown to red-brown weathering slate, phyllite, siltstone and fine-grained quartzite; 3a, green-grey slate and phyllite	
PROTEROZOIC	1	Brown, grey, maroon and green shale; grey to green slate and phyllite, gritty feldspathic quartzite, quartz- and feldspar-pebble conglomerate, sandstone; 1a, minor limestone; 1b, light grey weathering, fine-grained grey limestone; 1c, mainly grey to green slate and phyllite; 1d, maroon and green shale and slate; 1e, mainly brown and grey shale and slate, minor maroon and green shale. 1d and 1e are probably equivalent and perhaps correlative with 1c
	2	Quartz-feldspar-mica gneiss and schist, granitoid gneiss, feldspathic and micaceous quartzite, biotite schist, minor marble and skarn; numerous small granitic bodies, aplite and pegmatite; 2a, fine- to coarse-grained marble
	A	Highly altered, green to brown, megacrystic, coarse-grained biotite-quartz monzonite or granodiorite. Age uncertain

Legend for Figure 3 (preceding page): Taken from Geology of Francis Lake Sheet (NTS 105H), Map 1966-6, Geological Survey of Canada.

Rocks of the Hyland Group host the Hyland gold occurrence (Bremner and Ouellette, 1990), about 150 kilometres to the south-southeast. This sediment-hosted gold deposit has indicated oxide reserves totalling 6.75 Mt at a grade of just under 2.0 g/t Au. Mineralization is controlled by north-south oriented structures which have preferentially brecciated, altered and mineralized Hyland Group quartzite and grit units.

3.2 Property Geology

The FER Property is underlain completely by Hyland Group sediments (Figure 4). The rocks include quartzite, quartz grit, quartz pebble conglomerate, phyllite, shaley phyllite, dolomite, and limestone. There is quite a bit more limestone in the section relative to descriptions of the Group on a regional scale. Also, many of the quartzite and quartz grit units contain substantial amounts of calcium carbonate in their matrix. These units tend to weather with their quartz-rich grains in strong relief creating a very rough surface.

The quartzite to quartz pebble conglomerate rocks occur as massive, commonly cliff forming units. Although quartz grains are most common, there is a strong component of clay altered clasts in most units, probably representing altered feldspar grains. The grain size of these rocks is variable so it is possible to find a couple of the rock types within a single map unit. Commonly, the grain size of these units seems to fine toward the contact of the unit, possibly indicating graded bedding. Phyllitic interbeds are commonly present in these silici-clastic units, ranging from rare layers to equal proportions to the quartz-rich rocks. The matrix of the quartz-rich rocks is generally sericitic or siliceous and commonly vuggy. Silica in the matrix may be a result of metamorphic re-crystallization.

Limy silici-clastic beds are more common in the north half of the property. These rocks have a strong calcite component in their matrix, resulting in the rough weathered surface described above. These rocks are commonly found interbedded with limestone.

Phyllitic units also show some gradations in composition and texture. Siltstone and shaley phyllite are mapped within phyllitic units. The phyllites are usually sericitic, with local silicification, possibly reflecting a more silicic component to the original sediment.

Limestone on the FER Property is quite variable. There are not any thick, massive, reef-like limestone beds on the property. The units tend to be thin, with clastic components, and interbedded with either quartz-rich or pelitic sediments. The limestone is commonly dark grey to black, possibly fetid locally, and generally recrystallized to marble. Some limestone units weather orange-brown but generally they are grey on their weathered surface.

Dolomitic phyllite and minor phyllitic dolomite occurs in the central area of the property. This unit weathers brown commonly with a sericitic sheen on foliated surfaces. Unlike the limestone and limy silici-clastic units, the dolomitic units do not fizz on addition of dilute hydrochloric acid.

3.3 Structure

The general trend of the rock units on the FER Property is northwest-southeast, with variable dips. Generally, the dips of the rocks are shallow, less than 60 degrees with a predominantly southwest dip in the north part of the property and a northeast dip in the south area. This change possibly reflects a broad fold, whose axis would track southeast across the south central area of the property. Minor folds can be mapped in many locations within the map area. Commonly these folds are the result of deformation of beds along local fault structures. Consequently they do not show very consistent patterns or any obvious relationship to the apparent broad fold. Near the north edge of the property, a Z-fold observed on the contact between quartz grit and shaley phyllite indicates a fold verging, and possibly plunging shallowly, to the southeast.

Tops indicators are not common on the property. Graded bedding was observed in several localities but the tops indications obtained are conflicting. It appears that in the northeast area, on the north limb of the hypothesized fold, bedding is overturned.

Faulting is prominent on the FER Property. The area is crossed by several faults trending roughly north-south. These faults have strikes ranging from 20° west of north to 20° east of north, and dip steeply east or west. Offset on these faults appears to be normal, or at least having some normal component. In one instance an apparent left lateral offset of 300 metres can be seen on the contact of a distinctive quartz grit unit in the south slope area of the property. Slickenslides measured on the fault surfaces indicate steep movement although shear indicators are ambiguous regarding which side is up. Bedding offset indicates that the sense of movement is east side up.

There is also evidence of a series of approximately east-west oriented faults on the property. These faults have an apparent left lateral off-set associated with them. The main east-west fault is located in the central valley on the property, where the camp was located. This fault is mostly buried and its presence is deduced from offsets on projections of geologic units. Interestingly, a series of large ferricrete deposits are developed along the trace of this fault (Figure 4).

3.4 Alteration and Mineralization

The most common alteration observed on the FER Property is silicification. This occurs mostly in the silici-clastic sedimentary rocks but also locally in phyllitic sedimentary rocks. Zones of intense quartz veining and silica flooding occur in several areas. Extensive development of this alteration occurs on the south slope of the property, overlooking the Hyland River. Here, narrow, linear stockworks of quartz veining stretching several hundred metres have been observed. As well, smaller, more rounded areas of similar vein development occur, usually forming resistant knobs. On the south slope these quartz-rich zones occur in the upper part of a silici-clastic unit, just below the contact with a limestone to limy phyllite unit. Although there is not apparently strong mineralization developed in these quartz stockwork zones, some of the more anomalous gold values come from the immediate vicinity of these zones.

Other areas of extensive quartz stockwork development occur on the east side of the FER Property around samples 96JSR-016 to 96JSR-018 and in the central part of the claims immediately south of the camp. These zones are generally areas of veining with less pervasive silicification apparent.

Sulphide mineralization was not commonly observed on the FER Property. Rather, there is widespread gossan development associated with silici-clastic sedimentary rocks in particular. Limonite is ubiquitous on fracture walls and on weathered surfaces where these rocks are strongly fractured and silicified. Common iron oxide minerals include jarosite (after pyrite) and goethite. Manganese oxide staining is also common, especially in the areas of strongest iron oxide development. Locally, there is some sulphide preserved, although it is commonly strongly weathered as well.

Numerous large ferricrete zones have been mapped on the FER Property. These can be quite extensive, measuring almost 300 x 200 metres in one instance. The ferricrete zones are found in several areas but are best developed in the central valley near the camp, on the south slope of the property, and near the valley bottom east of the property.

Pyrite is the most common sulphide usually occurring in fractures or as concentrated disseminations in the quartz-rich rocks. Minor pyrite was observed in quartz veins. Massive pods of pyrite were found in altered quartzites just east of camp in the floor of the cirque. These pods appeared to be replacements within the altered rocks. At sample 550385, pyrite occurs as blebs and small masses along foliation in phyllite, spreading out from a small shear structure.

Arsenopyrite was observed in two localities. In the northeast part of the property, a large, vuggy, quartz vein within a stockwork zone in limy quartz grit rock contained massive pods of arsenopyrite and pyrite. This was apparently an isolated occurrence as no other arsenopyrite was located in the stockwork. Another arsenopyrite occurrence was found on the south slope of the property within silicified and gossanous quartzite and quartz grit rocks. This arsenopyrite occurs with pyrite as disseminations in silicified host rock and as blebs and masses in veins. Scorodite was noted in several rocks in this area.

One float boulder found near the head of the cirque above the camp contained significant disseminated galena as well as pyrite in a silicified silici-clastic sedimentary rock. A bedrock source was not determined for this mineralization.

3.5 Rock Geochemistry

Figures 5a and 5b show the results for gold and arsenic for rock samples collected during the 1996 exploration program. A total of 105 samples have been included for the calculation of expenditures although the maps show a greater number of samples, including those too far off property to be considered for expenditures. The rocks were submitted to Chemex Labs in North Vancouver, B.C. to be analysed for 32 elements by ICP-AES and gold by fire assay-atomic absorption. Complete analytical results can be found in Appendix E.

Several samples returned highly anomalous gold results. These samples are silicified quartzite with quartz veining and mineralized with sulphides, particularly arsenopyrite and pyrite. Three samples returned greater than 100 ppb Au (up to 1380 ppb) in rocks on the south slope of the property. These samples come from the strongly gossanous quartzite unit and are associated with silicification and quartz veining near a major north-south trending fault. Arsenic is also strongly elevated in these samples.

The area at the head of the cirque east of the camp has several highly anomalous rock samples. A composite chip sample over 8 metres returned 1970 ppb Au. This sample includes chips from several massive pyrite pods (replacements?). Another sample from this area, located in float only, returned 1080 ppb Au from a heavily Mn-stained rock with 5-10% disseminated pyrite. Additional sampling turned up several other analyses greater than 100 ppb Au in this area.

A lone chip sample from a quartz-arsenopyrite-pyrite vein in the northeast corner of the property returned greater than 1% arsenic but only 55 ppb Au. Other samples in this area contained anomalous As with no anomalous gold values.

Anomalous arsenic values are common in gossanous quartzite units which are found on the property. The quartzite-quartz grit unit which outcrops on the south slope of the property is quite consistently anomalous in arsenic with values in the 40-300 ppm range.

4.0 SOIL GEOCHEMICAL SURVEY

4.1 Scope of Sampling

Contour soil sampling was done over most of the FER Property. The samples were taken every 100 metres along contour lines spaced 100 to 200 metres apart in elevation. In some areas only one line was done, generally near the base of the slope for maximum coverage. Samples of B-horizon material were taken in all instances except where soil development was poor. In these instances, samples were generally of talus fines or other C-horizon type material.

Soil sample stations were marked in the field with a flag and tyvek tag with the sample number written on it. Samples were numbered sequentially by the individual sampler using the year, the sampler's first and last initial, S for sample type, followed by the sample number. For example, James Snell's 200th soil sample in 1996 would be numbered: 96JSS-200.

Samples were partially dried in the field and then shipped to Chemex Labs in North Vancouver, B.C. for analysis. They were subsequently dried, sieved to -80 mesh, pulverized and then analysed for 32 elements using ICP-AES and Au by fire assay-atomic absorption. The results are found in Appendix E.

A total of 378 soil samples pertaining to this report were collected on the FER Property. A total of 16 man/days were required for this sampling program.

4.2 Results

Several gold and arsenic anomalies have been identified by the soil sampling survey (Figures 6a to c). Most other elements have not shown significantly elevated results in the soil samples. However, elements such as copper, cobalt and lead show some association with gold and arsenic.

The most significant soil anomaly occurs just off the FER 1 to 76 Claims, in an area staked during the course of the 1996 exploration program. On the south slope of the property, a series of 10 samples in a row (96JSS-206 to 215) contain very anomalous gold values. These values range from 30 ppb to 1870 ppb, averaging 344 ppb over the ten samples. Arsenic is also strongly elevated in these samples ranging from 88 to 2330 ppm. The arsenic anomaly is more continuous and wide spread than the gold anomaly. Lead is also anomalous, including the highest value in the survey at 646 ppm Pb coinciding with the highest gold and arsenic. Another series of anomalous samples occurs just east of this anomaly (96JSS-195 to 199) with lesser, but still highly significant gold values and coincident arsenic and lead. This anomaly is apparently continuous to the northwest, on the FER 1-76 Claim block, following a gossanous quartzite-quartz grit unit across the west end of the ridge.

Another major gold soil anomaly occurs east of the ridge east of camp. A series of about 14 samples in this cirque contain anomalous values in Au (20-220 ppb), As (46-1070 ppm), Cu (38-172 ppm), Co (25-104 ppm), Pb (52-176 ppm), and Fe (up to 9.42%). Most of the sample results represent greater than the 85th percentile for each element. This anomaly is associated with quartzite and quartz grit rocks although they are largely hidden under talus of shaley phyllite.

A third, less defined anomaly, occurs at the head of the cirque east of camp. Spotty Au (up to 70 ppb) and As (up to 204 ppm) values characterize this anomaly. However, the associated elements, such as copper, cobalt and lead show much more consistently anomalous values and a more focused anomaly at the head of the cirque. The anomaly is roughly associated with a gossanous quartzite and quartz grit unit which crosses the head of the cirque. It is possible that this camp cirque anomaly is merely a western extension to the stronger anomaly east of the ridge. The host quartzites appear to project through the ridge which is capped by relatively flat-lying limestone and phyllite.

There is a poorly defined multi-element anomaly present near the north boundary of the property. This anomaly occurs on the west facing slope in the pass north of camp. The anomaly covers two parallel contour soil lines, 300 metres apart. Gold values are relatively weak with one sample on each line and a maximum value of 80 ppb. Anomalous arsenic values are more widespread with values ranging from 70 to 470 ppm As. There is also a distinct anomaly in lead (58 to 142 ppm) but only spotty elevated cobalt and copper values.

Several other relatively isolated anomalies occur on the FER Property. The small size of these anomalies makes their significance difficult to determine at this time.

5.0 CONCLUSIONS

The FER Property is underlain by silici-clastic, phyllitic, and limy rocks of the late Proterozoic to early Cambrian Hyland Group. The nearest intrusive rocks outcrop several kilometres southwest of the property. The Hyland Group rocks form a generally homoclinal to broadly folded sequence whose dominant strike changes from northwest to west in the vicinity of the property. Local minor folding suggests that the package may have been isoclinally folded. Numerous faults cut this package of rocks on the FER Property. Predominant fault strike directions are roughly north-south and east-west. Both of these sets of faults show apparent left lateral offset although there is evidence to suggest a significant normal component to the north-south faulting. The Hyland River valley, immediately south of the property, and the Little Hyland River valley, northwest of the property, trend north-northwest, and likely represent large, buried fault systems, similar in type but smaller in scale to the Tintina Fault about 250 kilometres to the southwest.

Mineralization on the FER Property is primarily hosted in quartz-rich sedimentary rocks. The mineralized quartzite and quartz grit units are strongly fractured with abundant limonite (jarosite and goethite) on fractures and exposed surfaces. This gossan is likely the result of weathering of sulphides from the fractures. The best examples of gossan and mineralization in the quartz-rich rocks can be found in contact with limy phyllite and limestone units. Other characteristics of the mineralized rocks are silicification and zones of quartz veining.

Sulphide mineralization occurs locally on the property, generally in vuggy quartz veins cross-cutting silica-flooded rocks. The most common sulphide observed is pyrite which was found in disseminations and veins. Arsenopyrite is much less common, observed only in veins. Galena was noted in a float sample.

Rock and soil sampling has shown that the mineralization on the FER Property is primarily arsenic and gold rich. Minor metal associations include copper, cobalt and lead. Not surprisingly, iron tends to be elevated in the gossanous, mineralized areas. It is important to note that the strength and continuity of the soil anomalies is greater than indicated in the rock sampling done in the same areas. The more anomalous soil sample values may be a result of surface enrichment of bedrock mineralization by a process of oxidation and erosion of bedrock. Alternatively, it is possible that the leaching of the bedrock by weathering processes is giving depleted abundances in rock samples.

It is envisaged that the mineralization on the FER Claims is related to a hydrothermal system driven by the emplacement of Cretaceous-aged, intrusive rocks present to the southwest. Fluids emanating from these intrusions were channelled along major fractures. These fractures, which may have controlled the emplacement of the intrusions, may be the result of extension of the crust in an area of flexure, such as the flexure evident by the change in strike of the Hyland Group rocks in the vicinity of the FER Claims (Figure 3). At a critical distance from their source intrusion (e.g. the south part of the FER Property), the fluids deposited any dissolved metals. The preferred host for metal precipitation were reactive, permeable rocks adjacent to the fluid conduits. The quartz-rich rocks on the FER Claims provided ample open space as a result of their brittle reaction to deformation. Also, the presence of limy quartzites and quartz grit units on the property suggests that the mineralized rocks may have been quite

reactive, due to carbonate in their matrix, resulting in pervasive decalcification and silicification. Further fracturing and fluid incursions resulted in pyrite-arsenopyrite mineralization in veins and locally disseminated in the host rocks.

The description of the geological setting, mineralization and alteration present on the FER Property fits the general descriptions of large, sediment-hosted, gold deposits elsewhere in the world. These include the Telfer Deposit in West Australia, and the deposits of the Carlin Trend in northern Nevada, U.S.A.. Despite the early stage of the exploration on the FER Property, the potential for an extensive gold deposit is already apparent.

6.0 RECOMMENDATIONS

The 1996 exploration program on the FER Claims was a quick, first pass. The program was successful in proving that there is gold mineralization present on the FER Claims and the mineralization has the potential to be very extensive. This conclusion does need to be tested further and the mineralized zones defined more completely.

It is recommended that exploration continue in two stages in 1997. The first stage should involve a relatively inexpensive program of more mapping and sampling. Particular attention should be paid to delineating the areas of silicification and other alteration in the silici-clastic units on the property, as well as, examining the apparent structural control on mineralization. This may be accomplished by more detailed, grid-style mapping in conjunction with a more detailed soil survey. "Blind" rock sampling should also be a priority. The strongly weathered nature of the mineralized zones suggests that it may be very easy to miss significant mineralization. Therefore, rock sampling should be as systematic as possible, covering gossanous and altered areas. The rock sampling must be evaluated to decide whether this surface work is providing a "representative" sample of the mineralization. In other words, is there a dilution effect as a result of the apparently extensive leaching of mineralized outcrops?

Following the first phase of exploration, target prioritization and evaluation should be done. Target testing may involve trenching and/or diamond drilling in areas deemed most promising. An induced polarization survey may lead to areas of sulphide concentration not apparent on surface due to the leaching of the rocks.

7.0 REFERENCES

Bremner, T., and Ouellette, D., 1990. Hyland Gold: Report in Yukon Exploration 1990. Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada, Part C, pp. 36-37.

Geological Survey of Canada, 1966. Geology of Frances Lake Sheet (NTS 105H), Yukon Territory and District of Mackenzie, Map 6-1966, 1" to 4 miles.

Geological Survey of Canada, 1961. Frances Lake, Yukon Territory, Map 105H, Aeromagnetic Series, Geophysics Paper 7007G, 1" to 4 miles.

Geological Survey of Canada, 1961. Shannon Creek, Yukon Territory, Map 105H/15, Aeromagnetic Series, Geophysics Paper 1410, 1" to 1 mile.

Hornbrook, E.H.W. and Friske, P.W.B., 1989. Regional Stream and Water Geochemical Data, Southeast Yukon, Map 105H: Open File 1649, Geological Survey of Canada.


APPENDIX A
STATEMENT OF QUALIFICATIONS

Statement of Qualifications

I, Murray I. Jones, of the City of Surrey, in the Province of British Columbia, hereby certify that:

1. I am registered as a professional geoscientist with the Association of Professional Engineers and Geoscientists of the Province of British Columbia (registration #20063), residing at 8606 - 144A Street, Surrey, British Columbia, V3S 2Y2 with a business address at #904 - 1055 Dunsmuir Street, P.O. Box 49066, The Bentall Centre, Vancouver, British Columbia, V7X 1C4.
2. I graduated with a B.Sc. (Honours) in Geology from the University of British Columbia, Vancouver, B.C. in 1982 and with a M.Sc. in Geology from the University of Ottawa, Ottawa, Ontario in 1992.
3. I have practised geology in Canada from 1979 to 1996.
4. I performed and supervised the work which is described in this report.

DATED this 7th day of April, 1997 at Vancouver, British Columbia.



Murray I. Jones, M.Sc., P. Geo.
Project Geologist
Westmin Resources Limited

APPENDIX B

PERSONNEL

APPENDIX B	
PERSONNEL	
Name	Position
Geoff Horner Place Vanier Residence (UBC) Box 321, 1935 Lower Mall Vancouver, B.C. V6T 1X1	Soil Sampler
Murray Jones, M.Sc., P.Geo. 8606 144A St. Surrey, B.C. V3S 2Y2	Project Geologist
Dave Pawliuk, B.Sc., P.Geo. R.R.#2, Box 133, Garry Oaks Nanoose Bay, B.C. V0R 2R0	Geologist
James Snell 917 Douglas St. Kamloops, B.C. V2C 3C8	Geological Assistant, Sampler

APPENDIX C

STATEMENT OF EXPENDITURES

APPENDIX C**STATEMENT OF EXPENDITURES
(FER 1-76 MINERAL CLAIMS)**


CANADA - In the matter of geological and geochemical assessment work filed on the FER 1-76 mineral claims:

I, Murray I. Jones, agent for Westmin Resources Limited, #904 - 1055 Dunsmuir Street, Vancouver, British Columbia, do solemnly declare that a program consisting of geological mapping, soil sampling was carried out on the FER 1-76 Mineral Claims during the period July 7 to July 21, 1996.

The expenses to follow on the next few pages were incurred during the course of this work and in the compilation and reporting of the results.

I make this solemn declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath and by virtue of the Canada Evidence Act.

DATED this 7th day of April, 1997 at Vancouver in the Province of British Columbia.

A handwritten signature in black ink, reading "Murray I. Jones". The signature is written in a cursive style and is enclosed within a faint, circular dotted line.

Murray I. Jones, M.Sc., P. Geo.
Project Geologist
Westmin Resources Limited

WESTMIN RESOURCES LIMITED - EXPENDITURES						
FER PROPERTY - FER 1 - 76 CLAIMS						
1.0	PREFIELD (pre-July 8/96, include travel time)					
	Murray Jones - Project Geologist	6 days @	\$305	\$1,830		
	Dave Pawliuk - Field Geo.	3 days @	\$240	\$720		
	James Snell - Field Assistant	6 days @	\$161	\$966		
	Geoff Horner - Field Assistant	2 days @	\$155	\$310		
	Drafting			\$194		
	Field Maps & Mylars			\$457		
					\$4,477	\$4,477
2.0	FIELD PROGRAM					
	PERSONNEL					
	Murray Jones - project geologist	10 days @	\$305	\$3,050		
	Dave Pawliuk - geologist	10 days @	\$240	\$2,400		
	James Snell - Field Assistant	10 days @	\$161	\$1,610		
	Geoff Horner - Field Assistant	10 days @	\$155	\$1,550		
					\$8,610	
3.0	CAMP SUPPORT					
	Accommodation (Belvedere Motel)	2 days @	\$300	\$600		
	Meals			\$164		
	Warehouse (Twilight Services)	6 month @	\$100	\$600		
	Groceries (Campground Supplies)			\$1,389		
	Field Supplies			\$3,114		
	Expediting (Twilight Services)			\$1,880		
	Repairs			\$25		
	Radio rentals	2 unit/mo @	\$90	\$180		
	Computer Rental	0.5 month @	\$255	\$128		
	Rentals			\$209		
	Camp Fuel			\$169		
	Delivery and Courier			\$53		
	Freight			\$621		
	Telephone			\$193		
					\$9,325	
4.0	GEOCHEMISTRY AND ASSAYS					
	Drill Core, Rock Geochem	105 smpl @	\$16	\$1,721		
	Soils	378 smpl @	\$14	\$5,345		
	Silts	2 smpl @	\$18	\$36		
					\$7,101	
5.0	TRANSPORTATION					
	Travel, 25% Van-Whitehorse, plus charters			\$1,499		
	Truck rental	12 days @	\$45	\$540		
	Fuel			\$77		
	Helicopter, Frontier Helicopters	12.1 hrs @	\$635	\$7,684	\$9,799	
	Total Field					\$34,835
6.0	POST FIELD					
	Murray Jones - project geologist	5 days @	\$305	\$1,525		
	James Snell - Field Assistant	2 days @	\$161	\$322		
	Drafting			\$2,000		
	Maps, Reproductions			\$648	\$4,495	\$4,495
7.0	SUBTOTAL					
						\$43,808
8.0	Secretarial, Photocopy, etc.					
					\$879	\$879
9.0	TOTAL					
		CANADIAN DOLLARS				\$44,687

APPENDIX D
GEOCHEMICAL SAMPLE DESCRIPTIONS

Mineral Abbreviations

MU	muscovite
MS	sericite
CL	chlorite
BI	biotite
EP	epidote
GA	garnet
SI	silica, silicification
QZ	quartz
PY	pyrite
PO	pyrrhotite
SL	sphalerite
GL	galena
FD	feldspar
CA	calcite
CB	carbonate
CP	chalcopyrite
CY	clay
MG	magnetite
JA	jarosite
GE	goethite
AS	arsenopyrite
HE	hematite
SC	scorodite
AK	ankerite
DO	dolomite

Nb: See Figure 4 for rock type abbreviations.

ROCK SAMPLE DESCRIPTIONS

- 550351 grab, sheared phyllite-quartzite, MS-QZ alt'n, GE, QZ-AK veining near contact with limestone.
- 550352 float, limy phyllite, CA-DO alt,n, trace PY as large pods in preferred layers, rusty surface.
- 550353 float, phyllitic dolomite, DO-MS alt,n, tr PY as replacements along preferred layers, rusty.
- 550354 float, quartz grit, sericitic matrix (phyllitic), MS-QZ alt'n, quartz veining common.
- 550355 grab, phyllitic quartz grit, MS-QZ alt'n, tr PY as small masses to diss'ns, gossanous patches.
- 550356 grab, sheared quartz grit, MS-QZ alt'n, limonitic.
- 550357 grab, phyllitic quartz grit, mod QZ-SI alt'n, wk DO-MS, adjacent to heavy ferricrete zone.
- 550358 float, phyllitic quartz grit, mod. MS-QZ-SI, clay altered clasts (arkosic), tr PY, limonite.
- 550359 float, quartz grit, arkosic (CY), QZ-SI alt'n, tr PY, quartz vein/breccia , limonite common.
- 550360 grab, quartz grit, QZ veining common, arkosic, wk CB, GE-JA weathering.
- 550361 grab, phyllite-quartzite, wk SI, tr diss'd PY, QZ veins, SI throughout.
- 550362 grab, phyllite, strongly sheared, mod.MS, wk CL, 2-5% PY.
- 550363 float, limy quartz grit to quartz pebble conglomerate, mod. CB-SI, gossanous weathering from Fe dolomite?
- 550364 select, silicified quartz grit, QZ veining, intense SI, 2-3% PY as f.gr. patches, GE-JA weathering.
- 550365 composite grab over 8 m, silic'd quartz grit-phyllite, wk MS-CY, strong SI-QZ, PY occurs as pods, blebs, strong JA, wk GE
- 550366 grab, arkosic grit (QZ-FD clasts), CY altered clasts, mod. QZ-SI, 5% QZ veins, tr PY.
- 550367 float, arkosic grit,int. SI, wk MS-QZ, 2% PY, 0.5% GL, sulphides occur in patches.
- 550368 float, altered quartzite?, Mn-Fe stained rock, mod.SI, 5-10% f.gr. PY as pods and disseminations.
- 550369 grab, arkosic grit,mod. SI, tr PY, from gossan zone below phyllite contact.
- 550370 grab, arkosic grit to quartz pebble conglomerate, mod.SI, tr PY, strong JA, matrix of grit is bleached and vuggy.
- 550371 grab, quartzite to quartz grit, mod. SI, minor CY clasts, JA-GE on weathered surfaces.
- 550372 float, grit, arkosic, SI alt'n, 1% PY in fractures and QZ veinlets, JA-GE limonite.
- 550373 grab, grit, arkosic, mod. QZ-SI, HE-JA limonite.
- 550374 grab, quartzite, strong SI, wk MS-QZ, tr PY as diss'd blebs, rock consists of glassy looking lenses with sericitic partings.
- 550375 grab, grit, arkosic, mod. SI, wk QZ, 1% PY as diss'd blebs, in veins, in fractures, GE-JA limonite.
- 550376 grab, brown quartzite, arkosic, mod. SI, wk QZ-MS, cse crystalline PY in veins, small blebs in host rock, sample concentrated on veins.

- 550377 very local float, cse. gr. quartz grit, mod, SI-MS, 508% granular PY in matrix of grit, GE-JA limonite.
- 550378 grab, sulphidic quartz vein in limy quartz grit, arkosic, mod. SI, wk CB-CA, 2-3% AS, tr PY, as blebs, small masses in veins.
- 550379 1.5 m chip, limy grit, mod. SI, wk CB, no sulphides but concentrated, sheeted quartz vein set.
- 550380 grab, QZ stockwork in limy quartz grit, mod. CL, wk CA-CB-QZ-SI, strong GE, weak JA limonite.
- 550381 3 m chip, very intense quartz veining in limy quartz grit, bull QZ and vuggy, gossanous veins, QZ-SI-CA alt'n.
- 550382 grab, quartzite(?) bed in shale-grit section, mod. QZ-SI, tr PY in veinlets, diss'ns.
- 550383 grab, quartzite, mod SI, wk QZ-CA alt'n, GE-JA limonite.
- 550384 grab, limy quartzite, mod QZ veining, wk CA.
- 550385 grab, phyllite, wk MS-CL(?), 5-8% PY occurs in 5-10 cm wide alt'n zone in footwall of shear(?), perpendicular to cleavage.
- 550386 grab, quartz grit, arkosic, wk QZ-SI, tr PY.
- 550387 grab, quartz grit, arkosic, mod. SI, wk QZ, 0.5% PY as replacement pods in matrix.
- 550388 grab, quartz grit, arkosic, mod. SI, wk QZ, limonitic weathering.
- 550389 grab, quartz grit-quartzite, arkosic, mod. SI, wk QZ veining, limonitic.
- 550390 grab, quartz grit, arkosic, mod. SI, wk QZ veining, limonitic.
- 550391 float, quartz vein in phyllite, wk CL-MS-QZ alt'n, 2-3% diss'd PY around vein.
- 550392 float, ferricrete, large blocks of ferricrete, obviously local, goethitic matrix.
- 550393 grab, quartz grit, mod. SI, wk CL, 1-2% PY as replacement pods in matrix.
- 550394 grab, quartz grit, arkosic, mod SI, wk QZ veining, limonitic.
- 550395 grab, quartzite?, arkosic, strong SI, limonitic.
- 550396 very local rubble off outcrop, quartz grit, arkosic, strongly altered, strong SI, 1% PY and AS, not typical of outcrop which has strong gossan but no sulphides.
- 550408 grab, quartz grit, arkosic, strong QZ vein stockwork, wk SI-MS, strongly bleached looking, near fault and 550396.
- 550409 local float, quartz grit, arkosic, strong QZ veining, wk SI-MS, tr PY and 1% AS, in veins, diss'ns, with scorodite on weathered surfaces.
- 550410 grab, quartz grit, arkosic, mod. SI, QZ vein stockwork, strongly bleached appearance, veins commonly vuggy, GE-JA limonite.
- 550411 grab, quartz grit to quartzite, arkosic, mod SI, QZ veining, sheared gossanous QZ vein-breccia zone, with abundant JA-GE limonite.
- 550456 grab, arkosic quartzite, cse.gr., w. local 2% limonite, wk SI.
- 550457 grab, arkosic (10%) pebbly grit, limonite stain, mod. SI, no sulphides observed.
- 550458 grab, limonitic fault breccia, wk to mod. CY, wk QZ, yellowy-orange gossan.
- 550459 grab, arkosic quartzite, med.gr., limonitic.
- 550501 grab, quartzite, med. grain, 5% off white quartz veinlets, 1-2% PY.
- 550502 grab, quartzite, silicified, quartz veins to 50 cm, tr-1% PY.
- 550503 grab, quartzite, med. to cse. grain, silic'd, w. 10% quartz veins, limonite, 1% PY.
- 550504 float, quartzite, 1-3% PY, strong gossan.
- 550505 grab, quartzite, 40% quartz vein, SI, moderately fractured, massive outcrop.

- 550506 grab, quartzite, cse. grain, weak to mod. SI, limonitic, 70% quartz vein material, trace PY
- 550507 float, cse quartzite-quartz grit, pebbles to 6 mm, wk to mod. SI, tr PY, tr CL
- 550508 grab, sericitic quartzite, med. grain, local limonite, wk SI
- 550509 float, grit, limonite, patchy white to yellow clay alteration (clasts?), wk to mod SI, 1% QZ veins.
- 550510 grab, cse gr. quartzite-grit, w. 1% limonite, mod QZ.
- 550511 grab, massive grit-cse. gr. quartzite, w. limonite, wk clay alt'n.
- 550512 float, grit, mod SI, to 10% limonite locally, appears well mineralized.
- 550513 grab, grit w. MS, limonite, clay, mod. SI, outcrop in creek.
- 550514 grab, grit to cse. gr. quartzite, trace pervasive limonite.
- 550515 grab, cse-med gr quartzite, abundant limonite, wk QZ, irregular fractures.
- 550516 2.0 m chip, silic'd grit, 5% limonite, minor CY alt'n, possibly sheared.
- 550517 1.75 m chip, quartzite, MS, med. gr., locally 5% limonite, wk QZ.
- 550518 float, f.gr. quartz pebble conglomerate-grit, clasts to 12 mm, local 2-3% limonite.
- 550519 subcrop, grit w. 1% pervasive limonite in matrix, wk QZ.
- 550520 subcrop to outcrop, grit, silica and clay altered, limonitic.
- 550521 grab, limestone, light greyish green, rusty weathering, 0.5% QZ veins, tr PY, rare subhedral PY crystals, odd looking unit.
- 550522 discontinuous 4 m chip, frost shattered outcrop, white quartz veining, patchy limonite.
- 550523 grab, grit, silic'd, sericitic, clay alt'd, limonite on weathered surfaces.
- 550524 grab, med. gr. quartzite, intense SI gives dark grey colour, abundant white QZ veining, <0.5% PY as irreg. masses around QZ fragments.
- 550525 grab, grit, mod. SI, w. off-white clay (after feldspar) grains to 2 mm, tr to 2% PY.
- 550526 grab, arkosic grit, 30% vein QZ, mod. SI, limonitic, possibly tr PO.
- 550527 grab, quartzite, f.gr. silic'd, brecciated, with minor grey phyllite.
- 550528 grab, quartzitic limestone/calcareous quartzite, light greyish green, minor watery grey quartz veinlets, tr PY, irregular masses to 1 mm.
- 550529 float, brecciated quartzite, fine gr., brownish green, w. yellow-brown limonite rind.
- 550530 float, quartzite, brownish grey, silica indurated, 5-10% light grey quartz veinlets to 3 mm wide, tr PY as sub-hedral masses to 5 mm.
- 550531 grab, brecciated quartzite, limonitic matrix, moderate to strong QZ alt'n, JA on surfaces.
- 550532 float, quartzite w. limonite, wk to mod QZ, tr disseminated PY, also as crystals in QZ vein, malachite?
- 550533 1 m chip, steel grey phyllite, 0.5% diss. PY spots to 3 mm across.
- 550534 1 m discontinuous chip, steel grey phyllite, w. f.gr. quartzite interbeds to 10 mm, 1% PY as crystals in quartzite.
- 550535 float, quartzite, mod SI, rusty weathering, cse. gr., 0.5% white QZ veins.
- 550536 grab, quartzite, mod. to strong SI, med.gr., rusty weathering, tr PY in QZ veins.
- 550537 grab, quartzite, mod. SI, rusty, tr PY and one 4 mm PO bleb observed, magnetic.
- 550538 grab, quartzite, med.gr., light grey-brown, wk MS and SI, rare PY xtals to 1.5 mm.
- 550539 grab, quartzite, light green-grey, cse.gr., re-crystallized, wk MS and SI.

- 550540 grab, grit, massive, brown, minor matrix, wk to mod. MS, wk QZ, tr limonite, monotonous unit.
- 550541 grab, quartzite, light greyish green, rusty, med.gr., wk MS, mod. SI, tr PY, JA on surfaces.
- 550542 grab, phyllitic quartzite, f.gr., silty, med. grey, wk MS and SI, tr-3% PY as masses to 8 mm in quartzite bed.
- 550543 grab, arkosic quartzite, cse.gr., mod to intense SI, w. 10% QZ veins, limonite on surface.
- 550544 grab, calcareous quartzite, light green, weathers light brown to rusty orange, wk SI, tr PY, 0.5-1% white QZ veinlets.
- 550545 grab, arkosic (tr-0.5%) quartzite, light greyish green, med. to cse.gr., mod to int. SI, local limonitic weathering.
- 550546 grab, arkosic (2%) quartzite, med.gr., mod to int. SI, tr f.gr. diss. PY.
- 550547 grab, grit, mod. SI, rusty, wk MS and QZ, tr PY, arkosic but not all feldspars clay altered, above 96JSS195 site.
- 550548 grab, cse gr. quartzite to grit, arkosic, rusty, 10% QZ veinlets, re PY, outcrop immediately below phyllite contact.
- 550549 grab, grit to cse.gr. quartzite, mod. SI, rusty, wk MS, tr PY?.
- 96MJS006 float, select, quartz grit, well mineralized vein-breccia material near top of quartz grit outcrop, mod SI, QZ veining, wk MS, 2-3% AS-PY in fractures and veins, near 550396, 550408.
- 96JSS001 grab, quartz grit, strongly gossanous, JA-GE, quartz veining, PY, just up creek south from camp.
- 96JSS002 10 m chip, phyllite-quartzite, in quartz stockwork zone, PY noted.
- 96JSS003 grab, quartzite, gossanous, strong quartz stockwork-veining.
- 96JSS004 float, quartzite, mod. QZ veining, limonitic, PY noted.
- 96JSS005 select, quartz vein in quartzite, very gossanous, bleached rock.
- 96JSS016 quartz grit, med. gr., from extensive stockwork zone (stratabound?), gossanous.
- 96JSS017 grab, grit?, same stockwork zone as 016.
- 96JSS018 grab, grit?, stock work zone again, along strike.

APPENDIX E
ANALYTICAL RESULTS, ROCK SAMPLES



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9626025

Comments: ATTN:M.JONES

CERTIFICATE

A9626025

(GP) - WESTMIN RESOURCES LTD.

Project: 6405
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 8-AUG-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	125	Geochem ring to approx 150 mesh
226	125	0-3 Kg crush and split
3202	125	Rock - save entire reject
229	125	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	125	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	125	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	125	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	125	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	125	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	125	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	125	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	125	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	125	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	125	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	125	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	125	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	125	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	125	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	125	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	125	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	125	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	125	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	125	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	125	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	125	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	125	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	125	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	125	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	125	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	125	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	125	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	125	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	125	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	125	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	125	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	125	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	125	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :1-A
 Total Pages :4
 Certificate Date: 08-AUG-96
 Invoice No. :19626025
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626025

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
550351	205	226	25	< 0.2	0.68	84	10	< 0.5	< 2	4.46	< 0.5	4	133	5	1.93	< 10	< 1	0.04	< 10	0.59	860
550352	205	226	10	< 0.2	2.14	26	80	< 0.5	2	0.93	< 0.5	29	66	17	5.30	< 10	< 1	0.16	< 10	1.10	5460
550353	205	226	< 5	0.6	2.47	34	40	< 0.5	10	0.15	< 0.5	25	56	156	6.17	< 10	1	0.16	< 10	1.24	710
550354	205	226	< 5	< 0.2	0.43	10	40	< 0.5	< 2	0.27	< 0.5	3	174	3	0.90	< 10	1	0.03	< 10	0.14	350
550355	205	226	15	< 0.2	0.74	50	20	< 0.5	< 2	0.18	< 0.5	12	168	7	3.38	< 10	< 1	0.04	< 10	0.27	120
550356	205	226	< 5	< 0.2	0.38	2	10	< 0.5	< 2	0.01	< 0.5	1	132	7	1.27	< 10	< 1	0.05	10	0.07	30
550357	205	226	< 5	< 0.2	0.26	8	10	< 0.5	< 2	1.15	< 0.5	3	110	5	0.88	< 10	< 1	0.05	10	0.07	300
550358	205	226	< 5	< 0.2	0.68	2	10	< 0.5	< 2	< 0.01	< 0.5	2	136	5	1.24	< 10	< 1	0.06	10	0.20	55
550359	205	226	10	< 0.2	0.29	118	10	< 0.5	< 2	< 0.01	< 0.5	1	157	10	2.08	< 10	1	0.04	< 10	< 0.01	25
550360	205	226	10	< 0.2	0.35	368	30	< 0.5	< 2	< 0.01	< 0.5	< 1	154	10	1.41	< 10	< 1	0.13	20	0.01	5
550361	205	226	< 5	< 0.2	0.36	686	< 10	< 0.5	< 2	0.02	< 0.5	5	165	7	1.25	< 10	< 1	0.02	10	0.11	120
550362	205	226	< 5	< 0.2	1.79	14	70	< 0.5	< 2	0.66	< 0.5	9	38	18	4.00	< 10	< 1	0.24	< 10	0.83	190
550363	205	226	< 5	< 0.2	0.23	2	10	< 0.5	< 2	14.10	< 0.5	3	45	3	1.03	< 10	< 1	0.07	< 10	0.25	315
550364	205	226	125	1.2	0.08	44	< 10	< 0.5	< 2	0.03	< 0.5	< 1	117	2	1.42	< 10	< 1	0.03	< 10	< 0.01	10
550365	205	226	1970	1.4	0.28	56	10	< 0.5	< 2	0.25	< 0.5	< 1	129	5	1.32	< 10	< 1	0.09	< 10	0.01	20
550366	205	226	35	< 0.2	0.27	176	10	< 0.5	< 2	0.03	< 0.5	< 1	154	1	0.71	< 10	< 1	0.06	< 10	0.05	15
550367	205	226	30	5.6	0.16	168	10	< 0.5	8	0.01	< 0.5	1	124	7	1.35	< 10	< 1	0.05	< 10	< 0.01	15
550368	205	226	1080	26.8	0.06	88	< 10	< 0.5	< 2	< 0.01	< 0.5	5	108	9	9.15	< 10	< 1	0.01	< 10	< 0.01	105
550369	205	226	< 5	< 0.2	0.17	4	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	161	1	0.32	< 10	< 1	0.05	< 10	< 0.01	15
550370	205	226	< 5	< 0.2	0.18	2	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	134	2	0.40	< 10	< 1	0.04	< 10	< 0.01	10
550371	205	226	15	< 0.2	0.25	26	10	< 0.5	< 2	0.01	< 0.5	2	162	7	1.07	< 10	< 1	0.06	10	0.01	35
550372	205	226	< 5	0.2	0.38	20	10	< 0.5	< 2	< 0.01	< 0.5	1	179	13	1.38	< 10	< 1	0.08	10	0.01	20
550373	205	226	40	0.2	0.22	10	< 10	< 0.5	< 2	< 0.01	< 0.5	1	187	6	1.03	< 10	< 1	0.03	< 10	< 0.01	30
550374	205	226	10	< 0.2	0.35	4	< 10	< 0.5	< 2	< 0.01	< 0.5	1	136	10	0.89	< 10	< 1	0.04	10	0.08	25
550375	205	226	< 5	< 0.2	0.26	10	20	< 0.5	< 2	< 0.01	< 0.5	1	190	6	1.23	< 10	< 1	0.10	< 10	< 0.01	55
550376	205	226	< 5	< 0.2	0.16	162	30	< 0.5	< 2	0.40	< 0.5	20	122	11	2.02	< 10	< 1	0.09	< 10	0.01	65
550377	205	226	< 5	0.2	0.20	118	40	< 0.5	< 2	< 0.01	< 0.5	6	129	5	5.89	< 10	< 1	0.15	< 10	< 0.01	25
550378	205	226	55	< 0.2	0.15	>10000	10	< 0.5	< 2	2.55	< 0.5	9	105	1	3.99	< 10	3	0.07	< 10	0.01	160
550379	205	226	< 5	< 0.2	0.16	50	20	< 0.5	< 2	0.78	< 0.5	1	158	2	0.50	< 10	< 1	0.09	< 10	0.01	190
550380	205	226	< 5	< 0.2	0.27	66	20	< 0.5	< 2	1.82	< 0.5	3	153	2	1.29	< 10	< 1	0.08	10	0.03	190
550381	205	226	< 5	< 0.2	0.25	264	10	< 0.5	< 2	0.63	< 0.5	4	168	4	1.23	< 10	< 1	0.07	< 10	0.04	295
550382	205	226	< 5	< 0.2	0.76	8	40	< 0.5	< 2	1.80	< 0.5	5	62	5	1.29	< 10	< 1	0.17	10	0.31	145
550383	205	226	< 5	< 0.2	0.11	6	10	< 0.5	< 2	5.46	< 0.5	1	99	1	0.43	< 10	< 1	0.05	< 10	0.02	285
550384	205	226	< 5	< 0.2	0.37	14	30	< 0.5	< 2	3.10	< 0.5	4	110	4	1.13	< 10	< 1	0.09	10	0.12	250
550385	205	226	15	0.6	7.21	86	30	< 0.5	20	0.36	< 0.5	83	123	90	14.10	10	< 1	0.04	< 10	2.99	1630
550386	205	226	< 5	< 0.2	1.60	18	< 10	< 0.5	< 2	0.04	< 0.5	5	176	8	3.08	< 10	< 1	0.05	10	0.66	260
550387	205	226	20	< 0.2	1.23	82	< 10	< 0.5	< 2	0.04	< 0.5	10	164	8	2.92	< 10	< 1	0.01	< 10	0.50	320
550388	205	226	25	< 0.2	0.27	198	20	< 0.5	< 2	< 0.01	< 0.5	< 1	160	2	0.54	< 10	< 1	0.09	10	< 0.01	15
550389	205	226	30	< 0.2	0.22	182	10	< 0.5	< 2	< 0.01	< 0.5	< 1	175	3	0.84	< 10	< 1	0.08	10	< 0.01	15
550390	205	226	15	< 0.2	0.24	204	20	< 0.5	< 2	0.01	< 0.5	< 1	170	4	0.92	< 10	< 1	0.08	10	< 0.01	20



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number : 1-B
 Total Pages : 4
 Certificate Date: 08-AUG-96
 Invoice No. : 19626025
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9626025

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
550351	205 226	< 1	< 0.01	7	40	2	2	< 1	68	< 0.01	< 10	< 10	7	< 10	12
550352	205 226	< 1	< 0.01	69	760	40	2	3	42	< 0.01	< 10	< 10	13	< 10	66
550353	205 226	2	< 0.01	44	460	294	< 2	1	10	< 0.01	< 10	< 10	16	< 10	72
550354	205 226	< 1	< 0.01	7	80	2	< 2	< 1	3	< 0.01	< 10	< 10	2	< 10	16
550355	205 226	< 1	0.02	14	90	42	< 2	< 1	6	< 0.01	< 10	< 10	9	< 10	22
550356	205 226	< 1	< 0.01	5	110	8	< 2	< 1	2	< 0.01	< 10	< 10	4	< 10	10
550357	205 226	< 1	< 0.01	8	80	6	< 2	1	7	< 0.01	< 10	< 10	4	< 10	18
550358	205 226	< 1	< 0.01	6	90	6	< 2	< 1	5	< 0.01	< 10	< 10	6	< 10	14
550359	205 226	< 1	< 0.01	3	300	8	2	< 1	8	< 0.01	< 10	< 10	3	< 10	8
550360	205 226	< 1	< 0.01	2	140	24	6	< 1	5	< 0.01	< 10	< 10	5	< 10	6
550361	205 226	< 1	0.02	11	70	12	< 2	< 1	4	< 0.01	< 10	< 10	3	< 10	24
550362	205 226	< 1	0.01	27	2660	36	6	1	60	< 0.01	< 10	< 10	12	< 10	64
550363	205 226	< 1	< 0.01	5	150	12	< 2	1	761	< 0.01	< 10	< 10	1	< 10	12
550364	205 226	< 1	< 0.01	1	30	6	8	< 1	3	< 0.01	< 10	< 10	1	< 10	< 2
550365	205 226	< 1	< 0.01	3	50	10	8	< 1	14	< 0.01	< 10	< 10	3	< 10	4
550366	205 226	< 1	< 0.01	3	160	12	< 2	< 1	3	< 0.01	< 10	< 10	2	< 10	2
550367	205 226	< 1	< 0.01	3	50	4550	2	< 1	7	< 0.01	< 10	< 10	1	< 10	4
550368	205 226	< 1	< 0.01	6	10	16	40	< 1	1	< 0.01	< 10	< 10	< 1	< 10	28
550369	205 226	< 1	< 0.01	3	30	30	< 2	< 1	1	< 0.01	< 10	< 10	1	< 10	< 2
550370	205 226	< 1	< 0.01	3	40	12	< 2	< 1	2	< 0.01	< 10	< 10	1	< 10	< 2
550371	205 226	< 1	< 0.01	6	100	6	6	< 1	3	< 0.01	< 10	< 10	2	< 10	16
550372	205 226	< 1	< 0.01	6	190	14	2	< 1	3	< 0.01	< 10	< 10	2	< 10	12
550373	205 226	< 1	< 0.01	4	90	2	4	< 1	1	< 0.01	< 10	< 10	2	< 10	12
550374	205 226	< 1	< 0.01	3	40	8	< 2	< 1	1	< 0.01	< 10	< 10	3	< 10	6
550375	205 226	< 1	< 0.01	5	40	12	4	< 1	3	< 0.01	< 10	< 10	2	< 10	4
550376	205 226	< 1	0.01	18	70	6	2	< 1	15	< 0.01	< 10	< 10	1	< 10	14
550377	205 226	< 1	0.02	13	70	54	< 2	< 1	3	< 0.01	< 10	< 10	1	< 10	< 2
550378	205 226	< 1	0.01	10	80	20	8	< 1	110	< 0.01	< 10	< 10	< 1	< 10	18
550379	205 226	< 1	< 0.01	4	80	6	< 2	< 1	40	< 0.01	< 10	< 10	1	< 10	2
550380	205 226	< 1	0.01	8	110	2	< 2	< 1	84	< 0.01	< 10	< 10	1	< 10	6
550381	205 226	< 1	0.01	11	130	6	< 2	< 1	15	< 0.01	< 10	< 10	1	< 10	12
550382	205 226	< 1	0.03	10	110	8	< 2	< 1	62	< 0.01	< 10	< 10	5	< 10	20
550383	205 226	< 1	< 0.01	2	90	6	< 2	< 1	172	< 0.01	< 10	< 10	< 1	< 10	< 2
550384	205 226	< 1	0.03	7	80	4	< 2	1	155	< 0.01	< 10	< 10	2	< 10	10
550385	205 226	< 1	< 0.01	74	1810	170	< 2	4	20	< 0.01	< 10	< 10	63	< 10	214
550386	205 226	< 1	< 0.01	16	200	24	2	< 1	4	< 0.01	< 10	< 10	10	< 10	50
550387	205 226	< 1	< 0.01	13	180	40	< 2	< 1	3	< 0.01	< 10	< 10	8	< 10	46
550388	205 226	< 1	< 0.01	3	70	10	< 2	< 1	4	< 0.01	< 10	< 10	2	< 10	< 2
550389	205 226	< 1	< 0.01	3	80	8	< 2	< 1	3	< 0.01	< 10	< 10	1	< 10	6
550390	205 226	< 1	< 0.01	3	160	12	< 2	< 1	29	< 0.01	< 10	< 10	3	< 10	2



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :2-A
 Total Pages :4
 Certificate Date: 08-AUG-96
 Invoice No. :19626025
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626025

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
550391	205	226	< 5	< 0.2	0.74	42	10	< 0.5	< 2	0.03	< 0.5	12	132	18	4.07	< 10	< 1	0.06	< 10	0.25	100
550392	205	226	45	< 0.2	0.25	318	10	< 0.5	< 2	< 0.01	< 0.5	1	121	8	3.23	< 10	< 1	0.05	10	< 0.01	25
550393	205	226	< 5	< 0.2	0.29	142	20	< 0.5	< 2	< 0.01	< 0.5	< 1	170	1	0.75	< 10	< 1	0.08	10	< 0.01	5
550394	205	226	< 5	< 0.2	0.26	14	30	< 0.5	< 2	0.01	< 0.5	1	158	5	1.00	< 10	< 1	0.09	10	0.01	10
550395	205	226	< 5	< 0.2	0.28	36	20	< 0.5	< 2	< 0.01	< 0.5	< 1	149	< 1	0.39	< 10	< 1	0.08	10	< 0.01	10
550396	205	226	890	0.4	0.17	>10000	10	< 0.5	< 2	< 0.01	< 0.5	< 1	144	10	1.92	< 10	< 1	0.05	< 10	< 0.01	15
550397	205	226	< 5	< 0.2	2.90	28	40	0.5	< 2	0.48	< 0.5	102	53	111	4.85	< 10	< 1	0.13	50	1.26	1345
550398	205	226	35	0.2	0.38	446	10	< 0.5	< 2	< 0.01	< 0.5	5	151	27	2.27	< 10	< 1	0.05	10	0.09	65
550399	205	226	< 5	< 0.2	0.37	12	< 10	< 0.5	< 2	0.02	< 0.5	2	188	12	1.25	< 10	< 1	0.03	< 10	0.21	90
550400	205	226	< 5	< 0.2	0.24	8	10	< 0.5	< 2	3.31	< 0.5	3	163	2	1.18	< 10	1	0.08	< 10	0.03	255
550401	205	226	< 5	< 0.2	1.06	6	50	< 0.5	< 2	< 0.01	< 0.5	3	36	26	3.47	< 10	< 1	0.19	30	0.52	75
550402	205	226	< 5	< 0.2	0.46	2	< 10	< 0.5	< 2	0.04	< 0.5	2	219	5	1.32	< 10	< 1	0.01	< 10	0.22	60
550403	205	226	< 5	< 0.2	0.29	2	10	< 0.5	< 2	13.00	< 0.5	3	69	6	1.25	< 10	1	0.07	< 10	0.21	320
550404	205	226	< 5	< 0.2	0.05	< 2	< 10	< 0.5	< 2	>15.00	< 0.5	1	7	4	0.23	< 10	< 1	0.01	< 10	0.19	40
550405	205	226	< 5	< 0.2	0.36	10	10	< 0.5	< 2	3.23	< 0.5	8	98	8	1.87	< 10	< 1	0.05	< 10	0.14	525
550406	205	226	< 5	< 0.2	0.30	2	10	< 0.5	< 2	1.55	< 0.5	5	84	6	1.37	< 10	< 1	0.05	< 10	0.24	565
550407	205	226	< 5	< 0.2	1.05	12	30	< 0.5	< 2	3.66	< 0.5	12	86	35	3.15	< 10	< 1	0.08	< 10	0.83	850
550408	205	226	35	0.2	0.20	94	10	< 0.5	< 2	0.04	< 0.5	< 1	141	< 1	0.29	< 10	< 1	0.07	10	< 0.01	15
550409	205	226	105	< 0.2	0.26	4280	30	< 0.5	< 2	0.02	< 0.5	< 1	147	2	0.81	< 10	< 1	0.10	10	< 0.01	15
550410	205	226	40	< 0.2	0.22	322	30	< 0.5	< 2	< 0.01	< 0.5	< 1	135	1	0.33	< 10	< 1	0.08	10	< 0.01	5
550411	205	226	30	< 0.2	0.26	310	10	< 0.5	< 2	< 0.01	< 0.5	1	129	4	2.11	< 10	< 1	0.07	10	< 0.01	20
550501	205	226	35	< 0.2	0.16	42	< 10	< 0.5	< 2	< 0.01	< 0.5	1	167	2	0.53	< 10	< 1	0.01	< 10	0.02	20
550502	205	226	< 5	< 0.2	0.27	8	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	133	1	0.47	< 10	< 1	0.03	10	0.05	25
550503	205	226	< 5	< 0.2	0.50	4	< 10	< 0.5	< 2	0.01	< 0.5	2	175	4	0.96	< 10	< 1	0.02	10	0.16	80
550504	205	226	< 5	0.4	0.15	8	< 10	< 0.5	< 2	< 0.01	< 0.5	1	110	2	0.91	< 10	< 1	0.04	< 10	< 0.01	15
550505	205	226	< 5	< 0.2	0.17	2	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	176	2	0.46	< 10	< 1	0.03	< 10	0.01	25
550506	205	226	< 5	< 0.2	0.77	8	10	< 0.5	< 2	0.08	< 0.5	4	185	6	1.68	< 10	< 1	0.03	10	0.31	165
550507	205	226	20	< 0.2	0.78	194	30	< 0.5	< 2	0.33	< 0.5	4	148	6	1.64	< 10	< 1	0.03	< 10	0.39	500
550508	205	226	< 5	< 0.2	1.20	6	10	< 0.5	< 2	0.01	< 0.5	5	133	5	1.81	< 10	< 1	0.04	10	0.40	270
550509	205	226	< 5	< 0.2	0.29	2	10	< 0.5	< 2	< 0.01	< 0.5	< 1	198	4	0.59	< 10	< 1	0.07	10	0.01	20
550510	205	226	< 5	< 0.2	0.22	34	10	< 0.5	< 2	< 0.01	< 0.5	1	148	1	0.89	< 10	< 1	0.05	10	< 0.01	25
550511	205	226	< 5	< 0.2	0.41	6	10	< 0.5	< 2	0.01	< 0.5	3	140	5	1.13	< 10	< 1	0.06	10	0.06	65
550512	205	226	< 5	< 0.2	0.29	646	30	< 0.5	< 2	< 0.01	< 0.5	1	124	15	2.42	< 10	< 1	0.11	10	< 0.01	15
550513	205	226	< 5	< 0.2	0.35	12	10	< 0.5	< 2	0.01	< 0.5	1	157	4	0.78	< 10	< 1	0.09	10	0.04	60
550514	205	226	< 5	< 0.2	0.12	6	10	< 0.5	< 2	< 0.01	< 0.5	< 1	178	1	0.52	< 10	< 1	0.03	< 10	< 0.01	15
550515	205	226	< 5	< 0.2	0.33	18	10	< 0.5	< 2	< 0.01	< 0.5	1	139	6	1.10	< 10	< 1	0.07	10	< 0.01	15
550516	205	226	< 5	< 0.2	0.24	8	10	< 0.5	< 2	< 0.01	< 0.5	1	127	9	0.91	< 10	< 1	0.05	10	< 0.01	15
550517	205	226	< 5	< 0.2	0.26	76	10	< 0.5	< 2	< 0.01	< 0.5	1	146	9	1.64	< 10	< 1	0.06	10	< 0.01	35
550518	205	226	< 5	< 0.2	0.27	72	10	< 0.5	< 2	< 0.01	< 0.5	< 1	155	5	0.98	< 10	< 1	0.06	10	< 0.01	5
550519	205	226	< 5	< 0.2	0.22	6	10	< 0.5	< 2	< 0.01	< 0.5	< 1	150	3	1.05	< 10	< 1	0.06	10	< 0.01	10



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :2-B
 Total Pages :4
 Certificate Date: 08-AUG-96
 Invoice No. : I9626025
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9626025

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
550391	205	226	< 1 < 0.01		19	230	36	2	< 1	3 < 0.01	< 10	< 10	6	< 10	52	
550392	205	226	1 < 0.01		2	610	6	< 2	< 1	29 < 0.01	< 10	< 10	8	< 10	14	
550393	205	226	< 1 < 0.01		2	220	8	< 2	< 1	10 < 0.01	< 10	< 10	4	< 10	< 2	
550394	205	226	< 1 < 0.01		4	200	14	< 2	< 1	10 < 0.01	< 10	< 10	3	< 10	4	
550395	205	226	< 1 < 0.01		3	90	6	< 2	< 1	8 < 0.01	< 10	< 10	3	< 10	< 2	
550396	205	226	1 < 0.01		3	90	22	10	< 1	15 < 0.01	< 10	< 10	1	< 10	< 2	
550397	205	226	< 1 < 0.03		135	2360	38	< 2	3	16 < 0.01	< 10	< 10	18	< 10	190	
550398	205	226	< 1 < 0.01		10	100	10	2	< 1	2 < 0.01	< 10	< 10	3	< 10	18	
550399	205	226	< 1 < 0.01		6	110	16	< 2	< 1	2 < 0.01	< 10	< 10	3	< 10	20	
550400	205	226	< 1 < 0.01		4	450	6	< 2	< 1	59 < 0.01	< 10	< 10	1	< 10	4	
550401	205	226	< 1 < 0.01		4	270	16	< 2	< 1	5 < 0.01	< 10	< 10	7	< 10	44	
550402	205	226	< 1 < 0.01		7	140	< 2	< 2	< 1	3 < 0.01	< 10	< 10	4	< 10	16	
550403	205	226	< 1 < 0.01		5	780	14	2	< 1	329 < 0.01	< 10	< 10	2	< 10	14	
550404	205	226	< 1 < 0.01		1	110	6	6	< 1	810 < 0.01	< 10	10	< 1	< 10	4	
550405	205	226	< 1 < 0.01		12	160	12	2	< 1	65 < 0.01	< 10	< 10	2	< 10	16	
550406	205	226	< 1 < 0.01		11	100	12	< 2	< 1	33 < 0.01	< 10	< 10	1	< 10	36	
550407	205	226	< 1 < 0.01		16	>10000	42	< 2	1	300 < 0.01	< 10	< 10	11	< 10	48	
550408	205	226	< 1 < 0.01		2	50	10	< 2	< 1	9 < 0.01	< 10	< 10	1	< 10	< 2	
550409	205	226	< 1 < 0.01		3	120	24	2	< 1	11 < 0.01	< 10	< 10	2	< 10	< 2	
550410	205	226	< 1 < 0.01		3	50	8	< 2	< 1	5 < 0.01	< 10	< 10	1	< 10	< 2	
550411	205	226	< 1 < 0.01		4	170	10	2	< 1	23 < 0.01	< 10	< 10	2	< 10	12	
550501	205	226	< 1 < 0.01		3	50	4	< 2	< 1	1 < 0.01	< 10	< 10	2	< 10	2	
550502	205	226	< 1 < 0.01		4	50	4	< 2	< 1	1 < 0.01	< 10	< 10	3	< 10	4	
550503	205	226	< 1 < 0.01		6	70	2	< 2	< 1	1 < 0.01	< 10	< 10	5	< 10	14	
550504	205	226	< 1 < 0.01		3	40	8	4	< 1	1 < 0.01	< 10	< 10	2	< 10	2	
550505	205	226	< 1 < 0.01		3	40	4	2	< 1	1 < 0.01	< 10	< 10	2	< 10	< 2	
550506	205	226	< 1 < 0.01		12	380	2	< 2	< 1	5 < 0.01	< 10	< 10	7	< 10	52	
550507	205	226	< 1 < 0.01		12	110	8	< 2	< 1	9 < 0.01	< 10	< 10	7	< 10	28	
550508	205	226	< 1 < 0.01		12	100	8	< 2	< 1	3 < 0.01	< 10	< 10	12	< 10	30	
550509	205	226	< 1 < 0.01		3	70	8	< 2	< 1	3 < 0.01	< 10	< 10	2	< 10	2	
550510	205	226	< 1 < 0.01		4	80	8	< 2	< 1	2 < 0.01	< 10	< 10	2	< 10	4	
550511	205	226	< 1 < 0.01		6	120	8	< 2	< 1	3 < 0.01	< 10	< 10	2	< 10	12	
550512	205	226	< 1 < 0.01		3	380	18	2	< 1	22 < 0.01	< 10	< 10	6	< 10	10	
550513	205	226	< 1 < 0.01		5	90	12	< 2	< 1	4 < 0.01	< 10	< 10	3	< 10	14	
550514	205	226	< 1 < 0.01		3	100	2	< 2	< 1	2 < 0.01	< 10	< 10	1	< 10	2	
550515	205	226	< 1 < 0.01		2	130	4	4	< 1	4 < 0.01	< 10	< 10	3	< 10	6	
550516	205	226	< 1 < 0.01		2	80	2	< 2	< 1	1 < 0.01	< 10	< 10	4	< 10	6	
550517	205	226	< 1 < 0.01		2	190	8	< 2	< 1	2 < 0.01	< 10	< 10	3	< 10	12	
550518	205	226	< 1 < 0.01		2	170	10	< 2	< 1	9 < 0.01	< 10	< 10	2	< 10	2	
550519	205	226	< 1 < 0.01		2	80	2	< 2	< 1	6 < 0.01	< 10	< 10	2	< 10	2	

11 10 00



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :3-A
 Total Pages :4
 Certificate Date: 08-AUG-96
 Invoice No. :I9626025
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626025

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
550520	205	226	65	< 0.2	0.65	204	30	< 0.5	< 2	< 0.01	< 0.5	3	236	7	2.86	< 10	2	0.15	10	0.01	25
550521	205	226	< 5	< 0.2	1.81	20	110	< 0.5	< 2	5.18	< 0.5	15	176	118	4.89	< 10	1	0.14	10	2.91	755
550522	205	226	< 5	< 0.2	0.50	42	10	< 0.5	< 2	0.04	< 0.5	3	367	6	1.19	< 10	< 1	0.05	< 10	0.11	120
550523	205	226	< 5	< 0.2	0.51	6	20	< 0.5	< 2	0.01	< 0.5	1	218	5	1.11	< 10	< 1	0.09	10	0.06	45
550524	205	226	15	< 0.2	0.59	< 2	10	< 0.5	< 2	< 0.01	< 0.5	1	268	2	1.03	< 10	< 1	0.09	10	0.05	40
550525	205	226	10	< 0.2	0.36	22	10	< 0.5	< 2	< 0.01	< 0.5	1	179	4	1.26	< 10	< 1	0.07	10	0.04	15
550526	205	226	< 5	< 0.2	0.60	402	30	< 0.5	< 2	< 0.01	0.5	< 1	270	1	0.75	< 10	< 1	0.13	10	0.02	15
550527	205	226	180	1.0	0.53	140	40	< 0.5	< 2	< 0.01	< 0.5	< 1	132	1	1.11	< 10	< 1	0.15	20	< 0.01	20
550528	205	226	< 5	< 0.2	3.60	18	60	0.5	< 2	3.60	< 0.5	21	312	10	3.69	< 10	1	0.16	10	3.64	615
550529	205	226	< 5	< 0.2	1.31	86	40	0.5	< 2	0.91	< 0.5	25	102	36	3.04	< 10	< 1	0.16	20	0.21	360
550530	205	226	< 5	< 0.2	0.69	144	10	< 0.5	< 2	1.56	< 0.5	8	244	19	2.35	< 10	< 1	0.14	< 10	0.23	465
550531	205	226	55	1.0	0.40	834	20	< 0.5	< 2	0.01	1.5	1	334	9	1.76	< 10	< 1	0.09	< 10	0.01	30
550532	205	226	< 5	< 0.2	0.79	72	30	< 0.5	< 2	0.03	< 0.5	6	229	25	2.57	< 10	< 1	0.14	10	0.20	430
550533	205	226	< 5	< 0.2	2.46	< 2	40	< 0.5	< 2	0.04	< 0.5	17	40	40	4.60	< 10	< 1	0.15	30	0.91	390
550534	205	226	< 5	< 0.2	2.24	12	50	< 0.5	< 2	< 0.01	< 0.5	6	53	18	5.05	< 10	< 1	0.23	30	0.92	255
550535	205	226	< 5	< 0.2	0.80	10	30	< 0.5	< 2	0.01	< 0.5	1	235	4	1.38	< 10	< 1	0.11	10	0.18	60
550536	205	226	< 5	< 0.2	1.33	< 2	10	< 0.5	< 2	0.01	< 0.5	6	163	18	3.84	< 10	< 1	0.09	10	0.50	210
550537	205	226	< 5	< 0.2	2.38	< 2	10	< 0.5	< 2	0.04	< 0.5	5	158	17	4.40	< 10	< 1	0.06	< 10	1.09	310
550538	205	226	< 5	< 0.2	0.52	2	10	< 0.5	< 2	0.03	< 0.5	4	218	4	1.63	< 10	< 1	0.07	10	0.12	160
550539	205	226	< 5	< 0.2	1.38	2	10	< 0.5	< 2	0.03	< 0.5	7	197	6	2.56	< 10	< 1	0.07	10	0.56	215
550540	205	226	< 5	< 0.2	0.63	6	10	< 0.5	< 2	0.48	< 0.5	3	261	5	1.05	< 10	< 1	0.07	10	0.18	370
550541	205	226	10	< 0.2	1.71	30	20	< 0.5	< 2	0.14	< 0.5	10	156	25	3.14	< 10	< 1	0.10	10	0.82	575
550542	205	226	15	< 0.2	2.30	42	40	< 0.5	< 2	0.05	< 0.5	20	77	19	5.86	< 10	< 1	0.20	< 10	0.93	280
550543	205	226	< 5	< 0.2	0.34	28	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	252	3	0.70	< 10	< 1	0.04	< 10	0.04	20
550544	205	226	< 5	< 0.2	3.09	38	30	< 0.5	< 2	2.66	< 0.5	24	273	12	4.03	< 10	< 1	0.07	10	3.36	790
550545	205	226	< 5	< 0.2	0.75	46	10	< 0.5	< 2	0.06	< 0.5	3	223	6	1.28	< 10	< 1	0.08	10	0.25	190
550546	205	226	< 5	< 0.2	0.58	48	< 10	< 0.5	< 2	0.03	< 0.5	4	216	4	1.16	< 10	< 1	0.05	10	0.16	65
550547	205	226	< 5	< 0.2	0.75	22	< 10	< 0.5	< 2	0.03	< 0.5	3	221	8	1.48	< 10	< 1	0.05	10	0.20	75
550548	205	226	< 5	< 0.2	0.60	130	10	< 0.5	< 2	0.01	< 0.5	3	193	3	1.39	< 10	< 1	0.06	10	0.15	180
550549	205	226	< 5	< 0.2	1.82	6	20	< 0.5	< 2	0.04	< 0.5	11	123	16	3.36	< 10	< 1	0.10	20	0.61	310
550550	205	226	< 5	0.2	0.98	26	30	< 0.5	< 2	0.19	0.5	5	222	35	1.94	< 10	< 1	0.14	10	0.33	230
550451	205	226	10	< 0.2	0.50	270	30	< 0.5	< 2	0.54	0.5	6	141	22	1.64	< 10	< 1	0.07	10	0.23	610
550452	205	226	< 5	< 0.2	0.46	178	10	< 0.5	< 2	2.24	< 0.5	4	196	10	1.57	< 10	< 1	0.06	< 10	0.15	380
550453	205	226	< 5	< 0.2	0.80	2	30	< 0.5	< 2	1.02	< 0.5	3	232	5	1.32	< 10	< 1	0.06	10	0.24	335
550454	205	226	< 5	< 0.2	0.41	20	90	< 0.5	< 2	0.04	< 0.5	8	218	5	2.17	< 10	< 1	0.06	10	0.08	395
550455	205	226	200	< 0.2	0.33	58	10	< 0.5	< 2	< 0.01	< 0.5	1	198	5	1.54	< 10	< 1	0.10	10	< 0.01	20
550456	205	226	30	< 0.2	0.31	96	20	< 0.5	< 2	< 0.01	< 0.5	< 1	312	1	0.49	< 10	< 1	0.11	10	< 0.01	15
550457	205	226	< 5	< 0.2	0.56	48	20	< 0.5	< 2	0.01	< 0.5	1	313	3	1.07	< 10	< 1	0.10	10	0.06	55
550458	205	226	< 5	< 0.2	0.36	128	20	< 0.5	< 2	< 0.01	< 0.5	2	310	7	2.59	< 10	< 1	0.09	< 10	< 0.01	30
550459	205	226	< 5	< 0.2	0.51	50	40	< 0.5	< 2	< 0.01	< 0.5	3	192	4	0.94	< 10	< 1	0.13	10	< 0.01	120



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :3-B
 Total Pages :4
 Certificate Date: 08-AUG-96
 Invoice No. :19626025
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS

A9626025

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
550520	205	226	1 < 0.01		8	390	10	< 2	< 1	5 < 0.01	< 10	< 10	6	< 10		30
550521	205	226	1 < 0.01		79	1350	6	< 2	8	204 < 0.01	< 10	< 10	40	< 10		88
550522	205	226	< 1 < 0.01		10	100	12	< 2	< 1	3 < 0.01	< 10	< 10	5	< 10		16
550523	205	226	1 < 0.01		7	80	10	< 2	< 1	4 < 0.01	< 10	< 10	5	< 10		16
550524	205	226	< 1 < 0.01		5	60	8	4	< 1	3 < 0.01	< 10	< 10	5	< 10		4
550525	205	226	1 < 0.01		4	180	12	2	< 1	4 < 0.01	< 10	< 10	4	< 10		6
550526	205	226	< 1 < 0.01		4	70	8	2	< 1	2 < 0.01	< 10	< 10	4	< 10		2
550527	205	226	< 1 < 0.01		2	130	10	14	< 1	5 < 0.01	< 10	< 10	5	< 10		4
550528	205	226	< 1	0.03	58	370	16	2	11	97 < 0.01	< 10	< 10	83	< 10		46
550529	205	226	1	0.01	37	270	12	< 2	1	12 < 0.01	< 10	< 10	11	< 10		114
550530	205	226	1 < 0.01		17	210	14	< 2	1	25 < 0.01	< 10	< 10	6	< 10		44
550531	205	226	1 < 0.01		5	120	38	4	< 1	4 < 0.01	< 10	< 10	3	< 10		8
550532	205	226	< 1 < 0.01		16	120	10	< 2	1	4 < 0.01	< 10	< 10	6	< 10		34
550533	205	226	< 1	0.03	25	320	22	< 2	1	12 < 0.01	< 10	< 10	17	< 10		86
550534	205	226	1	0.02	8	210	28	2	1	10 < 0.01	< 10	< 10	18	< 10		58
550535	205	226	< 1 < 0.01		6	80	6	< 2	< 1	3 < 0.01	< 10	< 10	7	< 10		14
550536	205	226	< 1	0.02	18	110	16	< 2	1	5 < 0.01	< 10	< 10	10	< 10		80
550537	205	226	1	0.01	20	90	6	< 2	2	4 < 0.01	< 10	< 10	13	< 10		78
550538	205	226	< 1	0.02	9	190	8	< 2	< 1	5 < 0.01	< 10	< 10	5	< 10		20
550539	205	226	< 1	0.03	17	70	6	< 2	1	3 < 0.01	< 10	< 10	12	< 10		46
550540	205	226	1 < 0.01		7	140	12	< 2	< 1	8 < 0.01	< 10	< 10	3	< 10		14
550541	205	226	< 1 < 0.01		29	580	30	< 2	2	9 < 0.01	< 10	< 10	19	< 10		64
550542	205	226	4	0.03	39	470	212	< 2	1	14 < 0.01	< 10	< 10	14	< 10		64
550543	205	226	< 1 < 0.01		4	80	6	< 2	< 1	1 < 0.01	< 10	< 10	3	< 10		8
550544	205	226	< 1	0.04	69	390	10	2	12	50 < 0.01	< 10	< 10	73	< 10		62
550545	205	226	< 1 < 0.01		10	70	6	< 2	< 1	3 < 0.01	< 10	< 10	6	< 10		24
550546	205	226	< 1 < 0.01		9	80	12	< 2	< 1	2 < 0.01	< 10	< 10	5	< 10		18
550547	205	226	< 1 < 0.01		10	170	8	< 2	< 1	3 < 0.01	< 10	< 10	5	< 10		24
550548	205	226	< 1 < 0.01		9	100	6	< 2	< 1	2 < 0.01	< 10	< 10	4	< 10		20
550549	205	226	< 1	0.01	28	160	16	< 2	1	5 < 0.01	< 10	< 10	14	< 10		68
550550	205	226	< 1	0.01	21	290	2	< 2	1	8 < 0.01	< 10	< 10	7	< 10		184
550451	205	226	< 1 < 0.01		14	150	22	< 2	< 1	21 < 0.01	< 10	< 10	3	< 10		116
550452	205	226	1 < 0.01		10	70	6	< 2	< 1	57 < 0.01	< 10	< 10	3	< 10		30
550453	205	226	< 1 < 0.01		10	130	6	< 2	< 1	12 < 0.01	< 10	< 10	5	< 10		22
550454	205	226	< 1 < 0.01		19	180	16	< 2	< 1	6 < 0.01	< 10	< 10	4	< 10		30
550455	205	226	< 1 < 0.01		5	140	2	6	< 1	3 < 0.01	< 10	< 10	3	< 10		8
550456	205	226	< 1 < 0.01		4	50	12	2	< 1	4 < 0.01	< 10	< 10	3	< 10		2
550457	205	226	< 1 < 0.01		7	100	8	< 2	< 1	4 < 0.01	< 10	< 10	4	< 10		14
550458	205	226	< 1 < 0.01		5	400	18	2	< 1	22 < 0.01	< 10	< 10	4	< 10		8
550459	205	226	< 1 < 0.01		7	110	14	< 2	< 1	6 < 0.01	< 10	< 10	5	< 10		12



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4


Project : 6405
 Comments: ATTN:M.JONES

Page Number : 4-A
 Total Pages : 4
 Certificate Date: 08-AUG-96
 Invoice No. : 19626025
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9626025

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
96JSR001	205	226	30	0.4	0.32	86	< 10	< 0.5	< 2	0.02	3.0	45	261	44	1.39	< 10	< 1	0.05	< 10	0.04	30
96JSR002	205	226	30	< 0.2	0.53	12	10	< 0.5	< 2	0.02	1.5	5	243	10	1.17	< 10	< 1	0.07	10	0.10	100
96JSR003	205	226	< 5	< 0.2	0.70	10	20	< 0.5	< 2	< 0.01	< 0.5	5	201	5	1.06	< 10	1	0.10	10	0.13	40
96JSR004	205	226	10	0.2	0.42	48	20	< 0.5	< 2	< 0.01	< 0.5	3	210	9	1.21	< 10	< 1	0.10	10	0.01	15
96JSR005	205	226	< 5	< 0.2	0.13	2	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	249	1	0.34	< 10	< 1	0.03	< 10	< 0.01	10



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6405
Comments: ATTN:M.JONES

Page Number :4-B
Total Pages :4
Certificate Date: 08-AUG-96
Invoice No. :19626025
P.O. Number :
Account :GP

CERTIFICATE OF ANALYSIS

A9626025

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96JSR001	205	226	< 1	< 0.01	5	120	34	2	< 1	3	< 0.01	< 10	< 10	3	< 10	802
96JSR002	205	226	< 1	< 0.01	7	100	54	< 2	< 1	3	< 0.01	< 10	< 10	5	< 10	296
96JSR003	205	226	< 1	0.01	6	80	8	< 2	< 1	3	< 0.01	< 10	< 10	5	< 10	22
96JSR004	205	226	< 1	< 0.01	4	140	44	< 2	< 1	3	< 0.01	< 10	< 10	4	< 10	20
96JSR005	205	226	< 1	< 0.01	4	10	2	< 2	< 1	< 1	< 0.01	< 10	< 10	1	< 10	2



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9627453

Comments: ATTN:MURRAY JONES

CERTIFICATE

A9627453

(GP) - WESTMIN RESOURCES LTD.

Project: 6405
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 20-AUG-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
205	34	Geochem ring to approx 150 mesh
226	34	0-3 Kg crush and split
3202	34	Rock - save entire reject
229	34	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	34	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	34	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	34	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	34	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	34	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	34	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	34	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	34	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	34	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	34	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	34	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	34	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	34	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	34	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	34	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	34	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	34	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	34	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	34	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	34	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	34	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	34	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	34	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	34	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	34	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	34	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	34	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	34	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	34	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	34	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	34	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	34	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	34	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:MURRAY JONES

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 20-AUG-96
 Invoice No. : I9627453
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9627453

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
96JSR006	205 226	15 < 0.2	0.05	< 2	< 10	< 0.5	< 2	1.20	< 0.5	< 1	200	< 1	0.03	< 10	< 1	0.03	< 10	0.01	< 10	125
96JSR008	205 226	< 5 < 0.2	0.92	< 2	< 10	< 0.5	< 2	0.01	< 0.5	4	194	10	1.58	< 10	< 1	0.18	10	0.17	125	
96JSR009	205 226	< 5 < 0.2	0.26	< 2	< 10	< 0.5	< 2	0.03	< 0.5	1	318	7	2.51	< 10	< 1	0.05	< 10	0.05	35	
96JSR010	205 226	< 5 < 0.2	0.48	< 2	20	< 0.5	< 2	< 0.01	< 0.5	2	200	2	1.60	< 10	< 1	0.11	10	0.01	90	
96JSR011	205 226	< 5 < 0.2	0.33	< 2	10	< 0.5	< 2	< 0.01	< 0.5	1	201	1	1.51	< 10	< 1	0.07	10	< 0.01	30	
96JSR012	205 226	< 5 < 0.2	0.46	< 2	10	< 0.5	< 2	< 0.01	< 0.5	5	170	5	4.24	< 10	< 1	0.07	10	< 0.01	225	
96JSR013	205 226	< 5 < 0.2	0.36	< 2	10	< 0.5	< 2	< 0.01	< 0.5	2	155	9	1.80	< 10	< 1	0.07	10	0.03	135	
96JSR014	205 226	< 5 < 0.2	0.26	< 2	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	253	< 1	0.77	< 10	< 1	0.03	< 10	< 0.01	< 5	
96JSR015	205 226	< 5 < 0.2	0.26	< 2	< 10	< 0.5	< 2	< 0.01	< 0.5	< 1	164	< 1	0.86	< 10	< 1	0.05	< 10	< 0.01	< 5	
96JSR016	205 226	< 5 < 0.2	0.18	40	20	< 0.5	< 2	10.50	< 0.5	2	68	< 1	0.86	< 10	< 1	0.12	< 10	0.11	205	
96JSR017	205 226	< 5 < 0.2	0.26	94	20	< 0.5	< 2	4.11	< 0.5	4	122	< 1	1.51	< 10	< 1	0.10	< 10	0.13	305	
96JSR018	205 226	< 5 < 0.2	0.36	10	20	< 0.5	< 2	1.45	< 0.5	3	165	1	1.06	< 10	< 1	0.13	< 10	0.08	150	
96JSR020	205 226	< 5 < 0.2	0.06	< 2	< 10	< 0.5	< 2	11.00	< 0.5	< 1	40	< 1	1.11	< 10	< 1	0.04	< 10	0.03	210	
96MJR001	205 226	< 5 < 0.2	0.43	< 2	20	< 0.5	< 2	0.21	< 0.5	1	233	< 1	1.58	< 10	< 1	0.11	< 10	< 0.01	15	
96MJR002	205 226	< 5 < 0.2	0.34	< 2	10	< 0.5	< 2	1.70	< 0.5	3	174	3	1.33	< 10	< 1	0.10	10	0.03	95	
96MJR003	205 226	< 5 < 0.2	0.53	< 2	40	< 0.5	< 2	< 0.01	< 0.5	4	216	5	2.45	< 10	< 1	0.18	< 10	< 0.01	< 5	
96MJR004	205 226	< 5 < 0.2	0.26	< 2	10	< 0.5	< 2	< 0.01	< 0.5	1	182	< 1	1.59	< 10	< 1	0.10	< 10	< 0.01	< 5	
96MJR005	205 226	< 5 < 0.2	0.44	< 2	10	< 0.5	< 2	1.87	< 0.5	3	194	< 1	1.56	< 10	< 1	0.08	10	0.14	405	
96MJR006	205 226	1380	0.8	0.22	>10000	10	< 0.5	< 2	< 0.01	< 0.5	< 1	169	12	2.33	< 10	< 1	0.08	< 10	< 0.01	< 5
550112	205 226	< 5 < 0.2	0.10	30	< 10	< 0.5	< 2	2.15	< 0.5	2	105	2	2.01	< 10	< 1	0.00	< 10	0.70	1000	
550113	205 226	< 5 < 0.2	0.53	30	< 10	< 0.5	< 2	< 0.01	< 0.5	1	101	5	1.03	< 10	< 1	0.10	< 10	0.00	00	
550114	205 226	< 5 < 0.2	0.09	< 2	< 10	< 0.5	< 2	0.13	< 0.5	0	053	0	1.50	< 10	< 1	0.11	< 10	0.05	500	
550115	205 226	< 5 < 0.2	0.06	0	< 10	< 0.5	< 2	< 0.01	< 0.5	2	243	2	0.00	< 10	< 1	0.13	< 10	0.00	100	
550116	205 226	< 5 < 0.2	0.17	200	< 10	< 0.5	< 2	< 0.01	< 0.5	1	200	12	2.00	< 10	< 1	0.00	< 10	0.01	000	
550117	205 226	< 5 < 0.2	0.17	200	< 10	< 0.5	< 2	< 0.01	< 0.5	2	210	15	1.01	< 10	< 1	0.11	< 10	0.01	05	
550118	205 226	< 5 < 0.2	0.10	2	< 10	< 0.5	< 2	6.37	< 0.5	1	115	< 1	2.21	< 10	< 1	0.00	< 10	1.00	2550	
550119	205 226	< 5 < 0.2	0.35	6	< 10	< 0.5	< 2	< 0.01	< 0.5	2	101	< 1	2.00	< 10	< 1	0.15	< 10	0.01	065	
550120	205 226	< 5 < 0.2	0.12	< 2	< 10	< 0.5	< 2	0.05	< 0.5	1	201	< 1	0.37	< 10	< 1	0.00	< 10	0.01	150	
550121	205 226	< 5 < 0.2	1.05	1	200	< 0.5	< 2	0.01	< 0.5	2	167	2250	2.05	< 10	< 1	0.15	< 10	0.30	155	
550122	205 226	< 5 < 0.2	0.11	< 2	< 10	< 0.5	< 2	12.00	< 0.5	2	05	2	2.11	< 10	< 1	0.00	< 10	1.00	1110	
550123	205 226	< 5 < 0.2	0.27	104	< 10	< 0.5	< 2	0.01	< 0.5	6	202	21	1.61	< 10	< 1	0.11	< 10	0.02	650	
550124	205 226	< 5 < 0.2	0.20	16	< 10	< 0.5	< 2	3.77	< 0.5	1	135	< 1	0.72	< 10	< 1	0.10	< 10	0.00	100	
550125	205 226	< 5 < 0.2	0.01	0	< 10	< 0.5	< 2	0.17	< 0.5	1	310	< 1	0.15	< 10	< 1	0.01	< 10	0.01	120	
550126	205 226	< 5 < 0.2	0.06	6	< 10	< 0.5	< 2	2.25	< 0.5	1	241	< 1	1.71	< 10	< 1	0.00	< 10	0.10	060	

11 JR 00



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:MURRAY JONES

Page Number : 1-B
 Total Pages : 1
 Certificate Date: 20-AUG-96
 Invoice No. : 19627453
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9627453

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
96JSR006	205 226	< 1 < 0.01	3	30	< 2	< 2	< 1	5 < 0.01	< 10	< 10	< 1	< 10	< 10	< 10	4
96JSR008	205 226	< 1 < 0.01	10	< 10	12	< 2	< 1	6 < 0.01	< 10	< 10	9	< 10	< 10	< 10	36
96JSR009	205 226	< 1 < 0.01	7	140	54	< 2	< 1	3 < 0.01	< 10	< 10	1	< 10	< 10	< 10	22
96JSR010	205 226	< 1 < 0.01	6	< 10	2	< 2	< 1	3 < 0.01	< 10	< 10	5	< 10	< 10	< 10	14
96JSR011	205 226	< 1 < 0.01	5	< 10	< 2	< 2	< 1	1 < 0.01	< 10	< 10	2	< 10	< 10	< 10	6
96JSR012	205 226	< 1 < 0.01	17	< 10	< 2	2	1	1 < 0.01	< 10	< 10	8	< 10	< 10	< 10	28
96JSR013	205 226	< 1 < 0.01	9	< 10	< 2	< 2	< 1	3 < 0.01	< 10	< 10	7	< 10	< 10	< 10	16
96JSR014	205 226	< 1 < 0.01	2	< 10	< 2	< 2	< 1	< 1 < 0.01	< 10	< 10	5	< 10	< 10	< 10	< 2
96JSR015	205 226	< 1 < 0.01	< 1	< 10	< 2	< 2	< 1	< 1 < 0.01	< 10	< 10	8	< 10	< 10	< 10	< 2
96JSR016	205 226	< 1 < 0.03	5	290	12	< 2	< 1	613 < 0.01	< 10	< 10	< 1	< 10	< 10	< 10	6
96JSR017	205 226	< 1 < 0.02	7	450	4	< 2	1	178 < 0.01	< 10	< 10	< 1	< 10	< 10	< 10	4
96JSR018	205 226	< 1 < 0.04	7	< 10	< 2	< 2	< 1	47 < 0.01	< 10	< 10	1	< 10	< 10	< 10	4
96JSR020	205 226	< 1 < 0.03	6	< 10	< 2	< 2	< 1	200 < 0.01	< 10	< 10	< 1	< 10	< 10	< 10	10
96MJR001	205 226	< 1 < 0.01	6	< 10	8	2	< 1	11 < 0.01	< 10	< 10	3	< 10	< 10	< 10	4
96MJR002	205 226	< 1 < 0.01	8	< 10	8	< 2	< 1	56 < 0.01	< 10	< 10	2	< 10	< 10	< 10	18
96MJR003	205 226	< 1 < 0.01	9	< 10	16	< 2	< 1	12 < 0.01	< 10	< 10	4	< 10	< 10	< 10	18
96MJR004	205 226	< 1 < 0.02	4	< 10	26	< 2	< 1	3 < 0.01	< 10	< 10	< 1	< 10	< 10	< 10	4
96MJR005	205 226	< 1 < 0.01	7	< 10	< 2	< 2	1	17 < 0.01	< 10	< 10	5	< 10	< 10	< 10	14
96MJR006	205 226	< 1 < 0.01	2	< 10	36	14	< 1	12 < 0.01	< 10	< 10	< 1	< 10	< 10	< 10	< 2
550413	205 226	< 1 < 0.01	6	< 10	2	< 2	< 1	140 < 0.01	< 10	< 10	5	< 10	< 10	< 10	11
550413	205 226	< 1 < 0.01	6	270	< 2	< 2	< 1	13 < 0.01	< 10	< 10	4	< 10	< 10	< 10	10
550414	205 226	< 1 < 0.01	10	< 10	< 2	< 2	< 1	6 < 0.01	< 10	< 10	4	< 10	< 10	< 10	10
550415	205 226	< 1 < 0.01	6	< 10	< 2	< 2	< 1	4 < 0.01	< 10	< 10	3	< 10	< 10	< 10	0
550416	205 226	< 1 < 0.01	8	< 10	10	< 2	< 1	4 < 0.01	< 10	< 10	1	< 10	< 10	< 10	0
550417	205 226	< 1 < 0.01	5	< 10	< 2	< 2	< 1	1 < 0.01	< 10	< 10	1	< 10	< 10	< 10	2
550418	205 226	< 1 < 0.01	3	< 10	< 2	< 2	< 1	301 < 0.01	< 10	< 10	1	< 10	< 10	< 10	2
550419	205 226	< 1 < 0.01	6	< 10	< 2	< 2	< 1	1 < 0.01	< 10	< 10	2	< 10	< 10	< 10	0
550420	205 226	< 1 < 0.01	1	< 10	< 2	< 2	< 1	4 < 0.01	< 10	< 10	1	< 10	< 10	< 10	0
550421	205 226	5 < 0.01	10	670	2740	< 2	2	5 < 0.01	< 10	< 10	111	< 10	< 10	< 10	266
550422	205 226	< 1 < 0.01	5	370	11	< 2	< 1	860 < 0.01	< 10	< 10	1	< 10	< 10	< 10	33
550423	205 226	< 1 < 0.01	10	30	11	< 2	< 1	0 < 0.01	< 10	< 10	3	< 10	< 10	< 10	53
550424	205 226	< 1 < 0.01	5	830	< 2	< 2	< 1	50 < 0.01	< 10	< 10	1	< 10	< 10	< 10	10
550425	205 226	< 1 < 0.01	1	< 10	< 2	< 2	< 1	20 < 0.01	< 10	< 10	1	< 10	< 10	< 10	2
550426	205 226	< 1 < 0.01	6	< 10	< 2	< 2	< 1	35 < 0.01	< 10	< 10	1	< 10	< 10	< 10	2

APPENDIX F
ANALYTICAL RESULTS, SOIL AND SILT SAMPLES



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

A9626026

Comments: ATTN:M.JONES

CERTIFICATE

A9626026

(GP) - WESTMIN RESOURCES LTD.

Project: 6405
P.O. #:

Samples submitted to our lab in Vancouver, BC.
This report was printed on 8-AUG-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	200	Dry, sieve to -80 mesh
202	200	save reject
229	200	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	199	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	200	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	200	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	200	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	200	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	200	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	200	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	200	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	200	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	200	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	200	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	200	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	200	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	200	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	200	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	200	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	200	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	200	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	200	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	200	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	200	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	200	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	200	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	200	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	200	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	200	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	200	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	200	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	200	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	200	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	200	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	200	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	200	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number : 1-A
 Total Pages : 5
 Certificate Date: 08-AUG-96
 Invoice No. : 19626026
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9626026

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	
			FA+AA																			
96JSS001	201	202	3 < 0.2	1.59	42	30 < 0.5	< 2	0.03 < 0.5	11	17	29	3.23	< 10	< 1	0.04	20	0.42	440				
96JSS002	201	202	15 < 0.2	2.11	48	40 < 0.5	< 2	0.06 < 0.5	13	29	44	4.88	< 10	< 1	0.06	40	0.67	490				
96JSS003	201	202	< 5 < 0.2	1.47	26	40 < 0.5	< 2	0.08 < 0.5	10	16	45	2.78	< 10	< 1	0.05	20	0.43	355				
96JSS004	201	202	< 5 < 0.2	1.17	20	20 < 0.5	< 2	0.04 < 0.5	13	13	25	2.20	< 10	< 1	0.04	10	0.33	615				
96JSS005	201	202	< 5 < 0.2	1.62	14	30 < 0.5	< 2	0.08 < 0.5	14	25	35	3.69	< 10	< 1	0.07	10	0.52	515				
96JSS006	201	202	< 5 < 0.2	2.35	40	50	0.5	< 2	0.08 < 0.5	37	24	75	5.14	< 10	< 1	0.02	10	0.80	2150			
96JSS007	201	202	10 < 0.2	2.84	60	60	1.0	< 2	0.41 < 0.5	54	28	103	6.06	< 10	< 1	0.05	10	1.09	3230			
96JSS008	201	202	< 5 < 0.2	1.19	8	20 < 0.5	< 2	0.10 < 0.5	11	11	27	1.84	< 10	< 1	0.04	< 10	0.25	340				
96JSS009	201	202	15 < 0.2	1.42	58	40 < 0.5	2	0.09 < 0.5	10	20	39	3.52	< 10	< 1	0.07	10	0.41	260				
96JSS010	201	202	< 5 < 0.2	2.15	72	40	0.5	< 2	0.05 < 0.5	28	28	64	4.84	< 10	< 1	0.05	20	0.71	975			
96JSS011	201	202	< 5 < 0.2	2.17	48	80	1.0	< 2	0.72 < 0.5	30	18	80	6.72	< 10	< 1	0.05	20	0.74	5650			
96JSS012	201	202	< 5 < 0.2	2.74	106	40	0.5	< 2	0.03 < 0.5	41	34	113	6.48	< 10	< 1	0.07	20	0.92	1370			
96JSS013	201	202	55 < 0.2	2.42	204	40	1.5	< 2	0.11 < 0.5	55	29	127	6.56	< 10	< 1	0.05	30	0.91	2210			
96JSS014	201	202	70 < 0.2	0.87	180	40	0.5	< 2	1.11 < 0.5	24	13	54	5.61	< 10	< 1	0.03	30	0.15	1140			
96JSS015	201	202	15 < 0.2	2.82	56	40 < 0.5	< 2	0.02 < 0.5	15	29	29	4.46	< 10	< 1	0.06	30	1.23	645				
96JSS016	201	202	15 < 0.2	2.53	136	30 < 0.5	< 2	0.01 < 0.5	12	31	31	4.30	< 10	< 1	0.05	30	1.06	665				
96JSS017	201	202	20 < 0.2	3.37	150	40	0.5	< 2	0.06 < 0.5	27	40	73	5.60	< 10	< 1	0.10	50	1.37	1250			
96JSS018	201	202	< 5 < 0.2	2.83	50	40	0.5	< 2	0.08 < 0.5	34	33	83	5.13	< 10	< 1	0.05	30	1.12	1275			
96JSS019	201	202	< 5 < 0.2	2.37	98	30 < 0.5	< 2	0.02 < 0.5	14	34	21	5.95	< 10	< 1	0.04	30	0.77	850				
96JSS020	201	202	105 < 0.2	3.08	16	20	0.5	< 2	0.17 < 0.5	35	32	50	4.87	< 10	< 1	0.03	20	1.50	1725			
96JSS021	201	202	< 5 < 0.2	1.23	8	30 < 0.5	< 2	0.03 < 0.5	10	13	26	2.39	< 10	< 1	0.04	< 10	0.22	895				
96JSS022	201	202	< 5 < 0.2	1.86	12	60 < 0.5	< 2	0.03 < 0.5	19	33	28	3.92	< 10	< 1	0.05	10	0.58	2720				
96JSS023	201	202	< 5 < 0.2	1.85	10	40 < 0.5	< 2	0.03 < 0.5	10	24	14	3.79	< 10	< 1	0.04	10	0.57	940				
96JSS024	201	202	5 < 0.2	3.25	66	30	0.5	< 2	0.24 < 0.5	54	42	61	5.34	< 10	< 1	0.03	30	1.46	575			
96JSS025	201	202	< 5 < 0.2	1.71	128	60 < 0.5	< 2	0.15 < 0.5	31	12	44	3.11	< 10	< 1	0.04	10	0.41	1830				
96JSS026	201	202	< 5 < 0.2	2.85	30	40	0.5	< 2	0.07 < 0.5	71	36	114	5.25	< 10	< 1	0.03	20	1.14	1150			
96JSS027	201	202	10 < 0.2	2.77	144	50	0.5	< 2	0.09 < 0.5	55	32	83	4.79	< 10	< 1	0.03	30	1.30	1625			
96JSS028	201	202	< 5 < 0.2	2.64	38	30	0.5	< 2	0.03 < 0.5	20	33	41	6.03	< 10	< 1	0.04	20	0.82	1110			
96JSS029	201	202	< 5 < 0.2	2.19	90	50 < 0.5	< 2	0.03 < 0.5	8	29	17	4.15	< 10	< 1	0.05	20	0.63	420				
96JSS030	201	202	< 5 < 0.2	2.52	36	30 < 0.5	< 2	0.05 < 0.5	11	36	35	4.87	< 10	< 1	0.04	50	0.84	505				
96JSS031	201	202	< 5 < 0.2	2.48	188	50 < 0.5	< 2	0.07 < 0.5	18	26	43	3.57	< 10	< 1	0.05	10	0.85	660				
96JSS032	201	202	< 5 < 0.2	0.93	158	40 < 0.5	< 2	0.01 < 0.5	5	14	13	3.99	< 10	< 1	0.04	30	0.15	185				
96JSS033	201	202	not/ss	< 0.2	1.16	8	30 < 0.5	< 2	0.10 < 0.5	10	16	28	3.37	< 10	< 1	0.06	10	0.31	235			
96JSS034	201	202	< 5 < 0.2	1.29	30	40 < 0.5	< 2	0.18 < 0.5	25	18	47	4.64	< 10	< 1	0.05	30	0.41	1085				
96JSS035	201	202	< 5 < 0.2	1.88	50	40	0.5	< 2	0.43 < 0.5	31	20	74	6.34	< 10	< 1	0.03	20	0.71	1170			
96JSS036	201	202	40 < 0.2	0.90	268	40 < 0.5	< 2	0.07 < 0.5	13	10	37	3.46	< 10	< 1	0.04	10	0.22	690				
96JSS037	201	202	65 < 0.2	1.09	246	30 < 0.5	< 2	0.01 < 0.5	25	15	51	5.35	< 10	< 1	0.04	30	0.31	785				
96JSS038	201	202	< 5 < 0.2	1.45	28	30 < 0.5	< 2	0.02 < 0.5	12	22	22	4.56	< 10	< 1	0.04	30	0.47	490				
96JSS039	201	202	30 < 0.2	2.10	130	30 < 0.5	< 2	0.06 < 0.5	18	27	51	5.25	< 10	< 1	0.04	20	0.77	500				
96JSS040	201	202	40 < 0.2	1.17	222	30 < 0.5	< 2	0.03 < 0.5	10	14	26	3.20	< 10	< 1	0.05	10	0.30	480				



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :1-B
 Total Pages :5
 Certificate Date: 08-AUG-96
 Invoice No. : I9626026
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9626026

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96JSS001	201	202	< 1	0.02	18	720	22	< 2	1	6	0.01	< 10	< 10	18	< 10	62
96JSS002	201	202	1	< 0.01	31	840	32	2	2	11	0.01	< 10	< 10	26	< 10	100
96JSS003	201	202	< 1	0.05	18	700	26	< 2	1	9	0.01	< 10	< 10	16	< 10	58
96JSS004	201	202	< 1	0.06	14	840	26	< 2	< 1	5	0.01	< 10	< 10	16	< 10	44
96JSS005	201	202	1	< 0.01	23	970	34	< 2	1	9	< 0.01	< 10	< 10	19	< 10	72
96JSS006	201	202	1	< 0.01	42	610	66	< 2	4	7	< 0.01	< 10	< 10	15	< 10	108
96JSS007	201	202	1	< 0.01	57	740	84	2	7	15	< 0.01	< 10	< 10	16	< 10	140
96JSS008	201	202	< 1	0.06	11	770	26	< 2	< 1	8	0.01	< 10	< 10	13	< 10	42
96JSS009	201	202	1	< 0.01	22	790	46	< 2	1	13	0.01	< 10	< 10	21	< 10	76
96JSS010	201	202	1	< 0.01	34	960	68	2	1	10	< 0.01	< 10	< 10	18	< 10	118
96JSS011	201	202	1	< 0.01	49	1960	68	2	10	28	< 0.01	< 10	< 10	16	< 10	146
96JSS012	201	202	1	< 0.01	38	1220	124	< 2	3	7	0.01	< 10	< 10	26	< 10	116
96JSS013	201	202	1	< 0.01	65	920	86	2	4	10	0.01	< 10	< 10	23	< 10	200
96JSS014	201	202	1	< 0.01	49	670	44	4	6	33	< 0.01	< 10	< 10	11	< 10	108
96JSS015	201	202	< 1	< 0.01	40	570	14	< 2	1	4	< 0.01	< 10	< 10	20	< 10	78
96JSS016	201	202	< 1	< 0.01	40	530	14	< 2	1	4	< 0.01	< 10	< 10	18	< 10	84
96JSS017	201	202	< 1	< 0.01	55	570	30	< 2	3	10	< 0.01	< 10	< 10	22	< 10	116
96JSS018	201	202	< 1	< 0.01	45	700	50	2	3	8	< 0.01	< 10	< 10	20	< 10	116
96JSS019	201	202	1	< 0.01	28	990	34	< 2	1	6	< 0.01	< 10	< 10	30	< 10	74
96JSS020	201	202	1	< 0.01	42	620	56	2	1	10	< 0.01	< 10	< 10	20	< 10	94
96JSS021	201	202	< 1	0.05	9	800	18	< 2	< 1	6	0.01	< 10	< 10	17	< 10	32
96JSS022	201	202	< 1	0.01	29	1320	42	< 2	< 1	6	< 0.01	< 10	< 10	23	< 10	54
96JSS023	201	202	2	0.02	22	1250	14	< 2	< 1	6	< 0.01	< 10	< 10	23	< 10	56
96JSS024	201	202	1	< 0.01	55	410	38	< 2	1	16	< 0.01	< 10	< 10	18	< 10	146
96JSS025	201	202	< 1	0.04	26	960	70	< 2	1	11	< 0.01	< 10	< 10	13	< 10	86
96JSS026	201	202	1	< 0.01	40	650	82	< 2	1	7	< 0.01	< 10	< 10	18	< 10	116
96JSS027	201	202	1	< 0.01	45	510	70	< 2	2	7	< 0.01	< 10	< 10	20	< 10	96
96JSS028	201	202	1	< 0.01	37	960	32	< 2	2	5	< 0.01	< 10	< 10	25	< 10	86
96JSS029	201	202	2	0.01	20	810	18	< 2	< 1	7	0.01	< 10	< 10	30	< 10	66
96JSS030	201	202	1	0.01	31	830	30	< 2	1	7	< 0.01	< 10	< 10	26	< 10	82
96JSS031	201	202	1	0.03	28	830	32	2	1	8	< 0.01	< 10	< 10	20	< 10	72
96JSS032	201	202	1	< 0.01	10	460	20	< 2	< 1	7	0.01	< 10	< 10	44	< 10	36
96JSS033	201	202	1	< 0.01	20	720	44	< 2	1	13	0.02	< 10	< 10	19	< 10	60
96JSS034	201	202	1	< 0.01	39	720	44	2	3	16	< 0.01	< 10	< 10	13	< 10	102
96JSS035	201	202	1	< 0.01	58	680	46	< 2	4	19	< 0.01	< 10	< 10	12	< 10	136
96JSS036	201	202	1	0.04	23	580	48	2	1	25	< 0.01	< 10	< 10	9	< 10	58
96JSS037	201	202	1	< 0.01	44	600	38	2	2	19	< 0.01	< 10	< 10	10	< 10	124
96JSS038	201	202	1	< 0.01	29	610	24	< 2	1	8	< 0.01	< 10	< 10	20	< 10	84
96JSS039	201	202	< 1	< 0.01	42	460	40	< 2	3	13	< 0.01	< 10	< 10	13	< 10	114
96JSS040	201	202	< 1	0.03	19	740	32	2	< 1	19	< 0.01	< 10	< 10	13	< 10	60

11 3.12.96



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.


P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :2-A
 Total Pages :5
 Certificate Date: 08-AUG-96
 Invoice No. :19626026
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626026

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA		< 0.2	< 0.2	< 0.2	< 0.2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10	< 10	< 10	< 10	< 10	
96JSS041	201	202	10	< 0.2	1.94	88	40	< 0.5	2	0.09	< 0.5	19	24	39	4.27	< 10	< 1	0.04	40	0.74	565
96JSS042	201	202	5	< 0.2	1.32	52	30	< 0.5	< 2	0.04	< 0.5	13	18	37	3.76	< 10	< 1	0.05	40	0.33	340
96JSS043	201	202	< 5	< 0.2	1.26	120	30	< 0.5	< 2	0.06	< 0.5	15	15	24	3.02	< 10	< 1	0.06	30	0.33	745
96JSS044	201	202	30	< 0.2	1.26	460	40	< 0.5	< 2	0.14	< 0.5	14	14	24	3.21	< 10	< 1	0.07	50	0.32	485
96JSS045	201	202	< 5	< 0.2	2.45	70	50	< 0.5	2	0.05	< 0.5	22	30	42	4.67	< 10	< 1	0.06	30	0.89	1060
96JSS046	201	202	< 5	< 0.2	1.80	72	40	< 0.5	< 2	0.07	< 0.5	28	26	65	4.05	< 10	< 1	0.05	30	0.66	840
96JSS047	201	202	< 5	< 0.2	2.39	36	60	< 0.5	< 2	0.03	< 0.5	16	31	33	4.40	< 10	< 1	0.04	20	0.83	520
96JSS048	201	202	< 5	< 0.2	2.37	32	40	< 0.5	< 2	0.03	< 0.5	13	32	36	4.68	< 10	< 1	0.03	30	0.93	465
96JSS049	201	202	< 5	< 0.2	0.84	12	30	< 0.5	< 2	0.01	< 0.5	4	11	8	1.84	< 10	< 1	0.04	10	0.13	220
96JSS050	201	202	< 5	< 0.2	2.38	46	50	< 0.5	2	< 0.01	< 0.5	14	32	26	4.78	< 10	< 1	0.04	30	0.86	450
96JSS051	201	202	25	< 0.2	3.07	68	10	< 0.5	< 2	0.14	< 0.5	36	40	65	5.80	< 10	< 1	0.01	70	1.29	810
96JSS052	201	202	5	< 0.2	0.91	20	30	< 0.5	< 2	0.01	< 0.5	5	13	25	3.09	< 10	< 1	0.04	40	0.19	140
96JSS053	201	202	< 5	< 0.2	1.64	40	40	< 0.5	< 2	0.03	< 0.5	9	21	29	4.23	< 10	< 1	0.05	30	0.43	450
96JSS054	201	202	< 5	< 0.2	0.70	10	20	< 0.5	< 2	0.05	< 0.5	1	6	14	1.22	< 10	< 1	0.03	10	0.04	80
96JSS055	201	202	35	< 0.2	1.33	298	30	< 0.5	< 2	0.04	< 0.5	7	23	47	4.75	< 10	< 1	0.06	20	0.40	120
96JSS056	201	202	25	< 0.2	1.28	268	50	< 0.5	< 2	0.03	< 0.5	5	20	19	3.73	< 10	< 1	0.07	30	0.12	155
96JSS057	201	202	30	< 0.2	1.13	124	50	< 0.5	< 2	0.10	< 0.5	6	15	12	2.44	< 10	< 1	0.04	20	0.25	220
96JSS058	201	202	25	< 0.2	1.81	334	50	< 0.5	2	0.06	< 0.5	20	23	27	4.29	< 10	< 1	0.07	30	0.48	1165
96JSS059	201	202	75	< 0.2	2.43	924	50	< 0.5	< 2	0.09	< 0.5	24	29	32	4.77	< 10	< 1	0.06	30	0.90	1340
96JSS060	201	202	< 5	< 0.2	2.90	12	60	< 0.5	< 2	0.30	< 0.5	24	167	14	4.82	< 10	< 1	0.03	20	1.85	235
96JSS061	201	202	< 5	< 0.2	1.15	8	40	< 0.5	< 2	0.13	< 0.5	4	36	12	1.53	< 10	< 1	0.03	10	0.29	145
96JSS062	201	202	< 5	< 0.2	2.24	16	50	< 0.5	< 2	0.14	< 0.5	14	66	27	2.83	< 10	< 1	0.03	10	1.03	575
96JSS063	201	202	< 5	< 0.2	2.55	26	30	< 0.5	< 2	0.05	< 0.5	16	58	33	4.92	< 10	< 1	0.03	30	1.10	490
96JSS064	201	202	< 5	< 0.2	2.09	26	40	< 0.5	< 2	0.04	< 0.5	10	36	23	4.06	< 10	< 1	0.04	20	0.66	565
96JSS065	201	202	< 5	< 0.2	1.28	44	80	< 0.5	< 2	0.11	< 0.5	23	23	17	2.67	< 10	< 1	0.05	10	0.39	1790
96JSS066	201	202	< 5	< 0.2	2.60	30	50	< 0.5	2	0.06	< 0.5	23	36	47	4.64	< 10	< 1	0.05	50	0.99	590
96JSS067	201	202	< 5	< 0.2	1.67	46	50	< 0.5	< 2	0.07	< 0.5	15	21	29	2.81	< 10	1	0.07	20	0.42	515
96JSS068	201	202	< 5	< 0.2	2.63	34	30	< 0.5	< 2	0.05	< 0.5	12	34	30	4.80	< 10	< 1	0.04	60	1.04	530
96JSS069	201	202	< 5	< 0.2	0.82	8	10	< 0.5	< 2	0.07	< 0.5	2	8	11	1.26	< 10	< 1	0.03	< 10	0.18	110
96JSS070	201	202	< 5	< 0.2	1.40	18	40	< 0.5	< 2	0.05	< 0.5	7	19	19	2.76	< 10	< 1	0.05	10	0.32	295
96JSS071	201	202	< 5	< 0.2	2.08	34	40	< 0.5	< 2	0.03	< 0.5	20	27	41	4.45	< 10	< 1	0.06	40	0.74	540
96JSS072	201	202	< 5	< 0.2	1.92	30	40	< 0.5	2	0.02	< 0.5	16	24	38	3.87	< 10	< 1	0.06	40	0.66	395
96JSS073	201	202	< 5	< 0.2	2.09	24	30	< 0.5	2	0.01	< 0.5	12	25	34	4.07	< 10	< 1	0.06	30	0.73	425
96JSS074	201	202	< 5	< 0.2	2.34	32	20	< 0.5	2	0.01	< 0.5	14	30	41	4.48	< 10	< 1	0.05	30	0.87	390
96JSS075	201	202	< 5	< 0.2	0.76	48	40	< 0.5	< 2	0.62	< 0.5	7	8	12	2.46	< 10	1	0.03	10	0.21	470
96JSS076	201	202	< 5	< 0.2	1.46	30	50	< 0.5	< 2	0.80	< 0.5	6	13	15	2.58	< 10	< 1	0.05	10	0.23	410
96JSS077	201	202	< 5	< 0.2	1.96	14	50	< 0.5	< 2	0.29	< 0.5	12	24	24	3.79	< 10	< 1	0.06	20	0.71	490
96JSS078	201	202	< 5	< 0.2	1.63	26	30	< 0.5	< 2	0.09	< 0.5	15	18	25	3.54	< 10	< 1	0.03	30	0.48	595
96JSS079	201	202	< 5	< 0.2	1.55	54	60	< 0.5	< 2	0.24	< 0.5	12	19	19	4.35	< 10	< 1	0.04	20	0.41	430
96JSS080	201	202	< 5	< 0.2	1.33	16	30	< 0.5	< 2	0.41	< 0.5	8	14	14	2.43	< 10	< 1	0.04	10	0.35	400



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4


Project : 6405
Comments: ATTN:M.JONES

Page Number :2-B
Total Pages :5
Certificate Date: 08-AUG-96
Invoice No. : I9626026
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS

A9626026

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96JSS041	201	202	< 1	0.01	37	620	30	< 2	1	15	< 0.01	< 10	< 10	16	< 10	102
96JSS042	201	202	< 1	< 0.01	26	670	30	< 2	1	16	0.01	< 10	< 10	18	< 10	78
96JSS043	201	202	< 1	0.02	20	960	32	4	< 1	14	0.01	< 10	< 10	19	< 10	62
96JSS044	201	202	< 1	< 0.01	23	1020	36	2	1	28	0.01	< 10	< 10	15	< 10	70
96JSS045	201	202	< 1	0.01	38	610	36	4	2	9	0.01	< 10	< 10	22	< 10	102
96JSS046	201	202	< 1	< 0.01	35	670	46	6	2	13	0.01	< 10	< 10	20	< 10	96
96JSS047	201	202	< 1	< 0.01	30	650	24	< 2	2	6	< 0.01	< 10	< 10	21	< 10	84
96JSS048	201	202	< 1	< 0.01	32	320	22	2	1	6	< 0.01	< 10	< 10	17	< 10	90
96JSS049	201	202	< 1	0.04	6	710	8	< 2	< 1	4	< 0.01	< 10	< 10	16	< 10	22
96JSS050	201	202	< 1	< 0.01	35	490	26	< 2	1	5	< 0.01	< 10	< 10	18	< 10	98
96JSS051	201	202	< 1	< 0.01	52	790	38	4	1	11	< 0.01	< 10	< 10	18	< 10	136
96JSS052	201	202	< 1	< 0.01	12	640	32	< 2	1	8	< 0.01	< 10	< 10	15	< 10	42
96JSS053	201	202	< 1	0.01	20	970	32	6	1	6	0.01	< 10	< 10	24	< 10	64
96JSS054	201	202	< 1	0.04	4	580	12	< 2	< 1	7	0.01	< 10	< 10	17	< 10	16
96JSS055	201	202	< 1	< 0.01	21	1140	58	< 2	2	21	< 0.01	< 10	< 10	15	< 10	62
96JSS056	201	202	1	< 0.01	11	900	42	2	< 1	14	0.02	< 10	< 10	49	< 10	42
96JSS057	201	202	< 1	0.02	12	810	18	< 2	1	32	< 0.01	< 10	< 10	13	< 10	60
96JSS058	201	202	< 1	0.01	23	1470	62	10	1	14	0.02	< 10	< 10	27	< 10	78
96JSS059	201	202	< 1	< 0.01	37	1160	54	4	2	11	< 0.01	< 10	< 10	21	< 10	104
96JSS060	201	202	< 1	< 0.01	93	1480	6	2	3	25	0.03	< 10	< 10	55	< 10	68
96JSS061	201	202	< 1	0.05	13	1180	2	< 2	< 1	10	< 0.01	< 10	< 10	22	< 10	20
96JSS062	201	202	< 1	0.05	37	960	20	4	3	10	0.01	< 10	< 10	26	< 10	50
96JSS063	201	202	< 1	< 0.01	47	820	22	4	1	7	0.01	< 10	< 10	32	< 10	88
96JSS064	201	202	< 1	0.01	24	1110	20	< 2	< 1	5	0.01	< 10	< 10	29	< 10	68
96JSS065	201	202	< 1	0.02	16	1030	38	< 2	< 1	10	< 0.01	< 10	< 10	20	< 10	48
96JSS066	201	202	< 1	< 0.01	43	590	32	< 2	2	6	0.01	< 10	< 10	27	< 10	108
96JSS067	201	202	1	0.03	22	1060	30	< 2	1	8	0.02	< 10	< 10	25	< 10	68
96JSS068	201	202	< 1	< 0.01	36	630	22	< 2	1	6	0.01	< 10	< 10	24	< 10	96
96JSS069	201	202	< 1	0.05	5	610	10	< 2	< 1	5	0.02	< 10	< 10	16	< 10	22
96JSS070	201	202	< 1	0.03	13	790	18	2	< 1	7	0.03	< 10	< 10	27	< 10	46
96JSS071	201	202	1	< 0.01	29	580	42	6	1	6	0.01	< 10	< 10	21	< 10	98
96JSS072	201	202	< 1	0.02	23	450	32	2	1	7	0.01	< 10	< 10	18	< 10	82
96JSS073	201	202	< 1	< 0.01	21	610	46	6	1	6	< 0.01	< 10	< 10	16	< 10	86
96JSS074	201	202	< 1	< 0.01	27	530	30	4	1	6	< 0.01	< 10	< 10	17	< 10	98
96JSS075	201	202	< 1	< 0.01	14	630	24	< 2	1	23	< 0.01	< 10	< 10	7	< 10	50
96JSS076	201	202	< 1	0.01	14	1760	20	2	< 1	52	< 0.01	< 10	< 10	18	< 10	50
96JSS077	201	202	< 1	< 0.01	27	1300	26	< 2	1	17	< 0.01	< 10	< 10	18	< 10	98
96JSS078	201	202	< 1	0.01	28	780	30	< 2	2	9	< 0.01	< 10	< 10	13	< 10	78
96JSS079	201	202	< 1	< 0.01	21	1170	24	< 2	< 1	24	< 0.01	< 10	< 10	16	< 10	56
96JSS080	201	202	< 1	0.02	16	750	18	< 2	1	33	0.01	< 10	< 10	15	< 10	56



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :3-A
 Total Pages :5
 Certificate Date: 08-AUG-96
 Invoice No. :19626026
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626026

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	1	2	FA+AA																		
96JSS081	201	202	< 5	< 0.2	1.72	52	30	< 0.5	< 2	0.06	< 0.5	18	21	28	4.08	< 10	< 1	0.03	30	0.70	475
96JSS082	201	202	< 5	< 0.2	1.12	46	40	< 0.5	< 2	0.29	< 0.5	9	11	16	2.52	< 10	< 1	0.03	20	0.26	350
96JSS083	201	202	< 5	< 0.2	1.30	128	40	0.5	2	0.14	< 0.5	27	13	45	6.00	< 10	< 1	0.05	30	0.33	925
96JSS084	201	202	< 5	< 0.2	0.94	34	30	0.5	2	0.86	< 0.5	23	9	49	5.47	< 10	< 1	0.06	10	0.27	745
96JSS085	201	202	< 5	< 0.2	1.92	94	60	0.5	< 2	0.04	< 0.5	23	21	29	5.25	< 10	< 1	0.05	30	0.45	1010
96JSS086	201	202	< 5	< 0.2	1.92	50	50	0.5	< 2	0.07	< 0.5	12	22	26	3.90	< 10	< 1	0.08	30	0.51	270
96JSS087	201	202	20	< 0.2	2.59	616	50	1.0	2	0.03	0.5	54	23	65	5.10	< 10	< 1	0.07	50	0.65	1430
96JSS088	201	202	5	0.2	2.54	650	50	1.5	< 2	0.08	1.5	131	25	98	4.86	< 10	< 1	0.06	50	0.78	1565
96JSS089	201	202	< 5	< 0.2	1.42	220	80	< 0.5	< 2	0.03	< 0.5	139	19	28	4.46	< 10	< 1	0.08	30	0.28	1860
96JSS090	201	202	< 5	< 0.2	1.89	24	40	< 0.5	2	0.02	< 0.5	17	21	32	4.03	< 10	< 1	0.05	30	0.54	385
96JSS091	201	202	< 5	< 0.2	1.86	46	30	< 0.5	2	0.05	< 0.5	22	21	37	4.68	< 10	< 1	0.05	30	0.63	730
96JSS092	201	202	< 5	< 0.2	2.02	28	50	< 0.5	2	0.02	< 0.5	16	22	27	4.13	< 10	< 1	0.04	30	0.76	425
96JSS093	201	202	< 5	< 0.2	1.95	40	50	< 0.5	< 2	0.03	< 0.5	14	21	23	3.84	< 10	< 1	0.06	30	0.70	320
96JSS094	201	202	< 5	< 0.2	2.01	58	40	< 0.5	2	0.02	< 0.5	11	22	33	4.19	< 10	< 1	0.05	30	0.69	255
96JSS095	201	202	< 5	< 0.2	1.94	222	50	< 0.5	< 2	< 0.01	< 0.5	6	23	47	5.59	< 10	< 1	0.08	40	0.61	180
96JSS096	201	202	< 5	< 0.2	1.44	202	50	< 0.5	< 2	0.02	< 0.5	5	19	22	3.57	< 10	< 1	0.08	30	0.31	145
96JSS097	201	202	< 5	0.2	1.76	370	70	< 0.5	2	0.03	< 0.5	6	23	41	4.90	< 10	< 1	0.09	40	0.29	170
96JSS098	201	202	< 5	< 0.2	1.87	74	50	< 0.5	2	0.05	< 0.5	8	24	26	3.81	< 10	< 1	0.06	30	0.57	315
96JSS099	201	202	< 5	< 0.2	1.52	78	50	< 0.5	< 2	0.01	< 0.5	5	21	23	4.38	< 10	< 1	0.07	40	0.31	190
96JSS100	201	202	< 5	< 0.2	1.82	54	60	< 0.5	< 2	0.01	< 0.5	7	27	22	4.17	< 10	< 1	0.06	30	0.54	385
96JSS101	201	202	< 5	< 0.2	2.31	26	40	< 0.5	< 2	0.03	< 0.5	10	31	51	4.73	< 10	< 1	0.05	40	0.84	355
96JSS102	201	202	< 5	< 0.2	2.40	32	50	< 0.5	< 2	0.01	< 0.5	8	32	48	5.23	< 10	< 1	0.04	30	0.76	340
96JSS103	201	202	< 5	< 0.2	2.40	122	30	0.5	< 2	0.17	< 0.5	32	30	53	5.02	< 10	< 1	0.04	10	1.06	1360
96JSS104	201	202	< 5	0.6	1.69	62	20	0.5	2	0.01	< 0.5	25	20	40	11.40	< 10	< 1	0.04	10	0.22	235
96JSS105	201	202	30	< 0.2	1.38	112	30	< 0.5	< 2	< 0.01	< 0.5	5	25	36	7.01	< 10	< 1	0.05	30	0.34	145
96JSS106	201	202	< 5	0.2	1.01	28	30	< 0.5	< 2	0.01	< 0.5	3	16	13	2.97	< 10	< 1	0.04	30	0.23	100
96JSS107	201	202	< 5	< 0.2	0.84	82	10	< 0.5	6	< 0.01	< 0.5	8	19	35	>15.00	< 10	< 1	0.03	20	0.10	90
96JSS108	201	202	< 5	< 0.2	1.82	36	40	< 0.5	< 2	0.14	< 0.5	9	25	13	3.99	< 10	< 1	0.05	40	0.73	330
96JSS109	201	202	< 5	< 0.2	1.90	40	40	< 0.5	2	0.23	< 0.5	17	24	21	3.82	< 10	< 1	0.05	30	0.77	490
96JSS110	201	202	< 5	< 0.2	2.14	68	60	< 0.5	< 2	0.30	< 0.5	17	32	24	6.19	< 10	< 1	0.07	30	0.69	765
96JSS111	201	202	< 5	< 0.2	2.43	40	30	< 0.5	< 2	0.04	< 0.5	19	33	30	4.89	< 10	< 1	0.05	30	0.91	775
96JSS112	201	202	< 5	< 0.2	1.67	52	20	< 0.5	< 2	0.01	< 0.5	7	18	15	3.13	< 10	< 1	0.03	30	0.40	385
96JSS113	201	202	< 5	< 0.2	2.07	22	30	< 0.5	< 2	0.01	< 0.5	10	39	18	3.92	< 10	< 1	0.04	30	0.72	345
96JSS114	201	202	< 5	< 0.2	1.66	112	30	< 0.5	< 2	0.01	< 0.5	8	30	22	3.51	< 10	< 1	0.04	20	0.48	230
96JSS115	201	202	< 5	< 0.2	1.50	78	30	< 0.5	< 2	0.46	< 0.5	25	15	27	2.57	< 10	< 1	0.05	10	0.53	395
96JSS116	201	202	< 5	0.2	1.60	18	30	< 0.5	< 2	0.02	< 0.5	8	22	13	3.14	< 10	1	0.04	40	0.60	330
96JSS117	201	202	< 5	< 0.2	2.22	30	30	< 0.5	2	0.01	< 0.5	22	29	45	5.79	< 10	< 1	0.04	10	0.83	1525
96JSS118	201	202	< 5	< 0.2	1.82	26	50	0.5	2	0.38	< 0.5	25	21	45	4.28	< 10	< 1	0.04	10	0.52	1430
96JSS119	201	202	< 5	0.2	2.53	30	40	0.5	< 2	0.03	< 0.5	37	32	86	6.92	< 10	< 1	0.04	10	0.63	1605
96JSS120	201	202	15	< 0.2	1.77	30	40	< 0.5	< 2	0.50	< 0.5	32	16	28	1.99	< 10	< 1	0.01	10	0.39	590



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.


P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :3-B
 Total Pages :5
 Certificate Date: 08-AUG-96
 Invoice No. : 19626026
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626026

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96JSS081	201	202	< 1	< 0.01	36	550	32	< 2	1	6	< 0.01	< 10	< 10	12	< 10	88
96JSS082	201	202	< 1	0.03	17	630	18	< 2	1	21	0.01	< 10	< 10	12	< 10	46
96JSS083	201	202	< 1	< 0.01	50	830	68	6	1	14	< 0.01	< 10	< 10	10	< 10	128
96JSS084	201	202	< 1	< 0.01	49	530	78	6	4	57	< 0.01	< 10	< 10	5	< 10	120
96JSS085	201	202	< 1	< 0.01	33	490	44	2	1	6	< 0.01	< 10	< 10	17	< 10	96
96JSS086	201	202	< 1	< 0.01	32	750	28	< 2	1	7	< 0.01	< 10	< 10	15	< 10	92
96JSS087	201	202	< 1	< 0.01	55	840	116	6	2	10	< 0.01	< 10	< 10	18	< 10	182
96JSS088	201	202	< 1	< 0.01	109	320	54	6	1	11	< 0.01	< 10	< 10	14	< 10	210
96JSS089	201	202	1	< 0.01	16	740	78	< 2	< 1	7	< 0.01	< 10	< 10	23	< 10	66
96JSS090	201	202	< 1	0.01	31	720	22	2	1	5	< 0.01	< 10	< 10	18	< 10	82
96JSS091	201	202	< 1	< 0.01	40	870	40	4	2	5	< 0.01	< 10	< 10	12	< 10	112
96JSS092	201	202	< 1	< 0.01	32	400	28	< 2	1	4	< 0.01	< 10	< 10	12	< 10	92
96JSS093	201	202	< 1	< 0.01	30	330	22	2	1	5	< 0.01	< 10	< 10	12	< 10	86
96JSS094	201	202	< 1	< 0.01	29	660	28	8	1	5	< 0.01	< 10	< 10	15	< 10	88
96JSS095	201	202	1	< 0.01	16	610	42	< 2	1	4	< 0.01	< 10	< 10	16	< 10	80
96JSS096	201	202	1	0.01	10	680	40	< 2	< 1	8	< 0.01	< 10	< 10	23	< 10	52
96JSS097	201	202	1	< 0.01	14	880	104	6	1	11	< 0.01	< 10	< 10	26	< 10	66
96JSS098	201	202	< 1	0.03	18	810	26	< 2	1	10	0.01	< 10	< 10	22	< 10	56
96JSS099	201	202	< 1	0.01	12	1000	28	6	< 1	8	0.01	< 10	< 10	33	< 10	50
96JSS100	201	202	1	0.01	17	870	24	< 2	< 1	8	0.01	< 10	< 10	25	< 10	56
96JSS101	201	202	1	0.01	26	640	38	6	1	8	0.01	< 10	< 10	25	< 10	72
96JSS102	201	202	< 1	< 0.01	24	740	46	2	1	8	0.01	< 10	< 10	25	< 10	68
96JSS103	201	202	< 1	< 0.01	55	740	40	4	2	10	< 0.01	< 10	< 10	16	< 10	128
96JSS104	201	202	< 1	< 0.01	10	1320	48	2	1	1	< 0.01	< 10	< 10	15	< 10	66
96JSS105	201	202	< 1	< 0.01	11	930	32	2	< 1	2	< 0.01	< 10	< 10	20	< 10	42
96JSS106	201	202	< 1	0.01	7	600	10	2	< 1	4	< 0.01	< 10	< 10	21	< 10	28
96JSS107	201	202	< 1	< 0.01	6	610	18	2	1	1	< 0.01	< 10	< 10	16	< 10	116
96JSS108	201	202	< 1	< 0.01	19	470	18	4	1	9	< 0.01	< 10	< 10	14	< 10	78
96JSS109	201	202	< 1	0.01	31	450	22	6	1	11	< 0.01	< 10	< 10	13	< 10	92
96JSS110	201	202	1	< 0.01	28	860	46	12	1	23	< 0.01	< 10	< 10	18	< 10	94
96JSS111	201	202	< 1	< 0.01	32	770	40	4	1	5	< 0.01	< 10	< 10	20	< 10	92
96JSS112	201	202	< 1	< 0.01	14	610	18	< 2	< 1	3	< 0.01	< 10	< 10	18	< 10	52
96JSS113	201	202	< 1	0.01	28	500	16	6	1	4	0.01	< 10	< 10	28	< 10	58
96JSS114	201	202	< 1	< 0.01	22	860	22	6	< 1	4	< 0.01	< 10	< 10	25	< 10	56
96JSS115	201	202	< 1	0.01	24	690	30	< 2	< 1	28	< 0.01	< 10	< 10	9	< 10	74
96JSS116	201	202	< 1	< 0.01	20	1120	14	2	< 1	3	< 0.01	< 10	< 10	19	< 10	50
96JSS117	201	202	< 1	0.01	31	1220	44	4	1	4	< 0.01	< 10	< 10	20	< 10	92
96JSS118	201	202	< 1	0.01	30	1070	38	4	2	12	< 0.01	< 10	< 10	14	< 10	78
96JSS119	201	202	< 1	< 0.01	36	1320	76	2	1	16	< 0.01	< 10	< 10	20	< 10	122
96JSS120	201	202	< 1	0.03	21	580	34	6	1	11	< 0.01	< 10	< 10	11	< 10	48



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :4-A
 Total Pages :5
 Certificate Date: 08-AUG-96
 Invoice No. : I9626026
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9626026

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
96JSS121	201	202	< 5	< 0.2	2.18	30	40	< 0.5	2	0.04	< 0.5	27	26	52	5.08	< 10	< 1	0.01	10	0.75	1980
96JSS122	201	202	< 5	< 0.2	1.78	20	40	< 0.5	2	0.01	< 0.5	9	26	34	4.83	< 10	< 1	0.04	10	0.48	530
96JSS123	201	202	< 5	< 0.2	1.68	20	30	< 0.5	< 2	0.01	< 0.5	12	24	22	5.11	< 10	< 1	0.04	30	0.47	480
96JSS124	201	202	15	< 0.2	2.64	104	70	< 0.5	< 2	0.03	< 0.5	14	34	33	4.83	< 10	< 1	0.08	40	0.94	505
96JSS125	201	202	< 5	< 0.2	2.39	84	70	< 0.5	2	0.05	< 0.5	9	30	27	4.73	< 10	< 1	0.09	40	0.75	375
96JSS126	201	202	< 5	< 0.2	2.30	54	70	< 0.5	< 2	0.49	< 0.5	13	38	18	3.72	< 10	< 1	0.04	20	0.95	565
96JSS127	201	202	< 5	< 0.2	1.92	40	60	< 0.5	< 2	0.22	< 0.5	8	33	19	2.71	< 10	< 1	0.04	20	0.82	265
96JSS128	201	202	< 5	< 0.2	2.51	20	90	< 0.5	< 2	0.09	< 0.5	12	35	18	4.09	10	< 1	0.05	30	0.92	505
96JSS129	201	202	< 5	< 0.2	3.39	30	70	0.5	2	0.01	< 0.5	18	49	40	5.38	< 10	< 1	0.08	50	1.39	645
96JSS130	201	202	< 5	< 0.2	1.92	100	50	< 0.5	< 2	0.02	< 0.5	6	32	12	3.75	< 10	< 1	0.06	30	0.49	215
96JSS131	201	202	20	< 0.2	2.69	74	50	< 0.5	2	0.03	< 0.5	16	38	26	4.41	< 10	< 1	0.06	30	1.09	655
96JSS132	201	202	< 5	< 0.2	2.44	36	70	< 0.5	< 2	0.08	< 0.5	16	32	26	3.97	< 10	< 1	0.05	40	0.87	550
96JSS133	201	202	< 5	< 0.2	2.14	74	50	< 0.5	2	0.14	< 0.5	12	26	25	4.01	< 10	< 1	0.04	20	0.81	500
96JSS134	201	202	< 5	< 0.2	2.01	40	40	0.5	< 2	0.07	< 0.5	27	24	47	4.31	< 10	< 1	0.05	40	0.74	1060
96JSS135	201	202	< 5	< 0.2	1.93	50	80	0.5	< 2	0.21	< 0.5	11	20	31	3.26	< 10	< 1	0.05	30	0.50	385
96JSS136	201	202	< 5	< 0.2	0.95	30	30	< 0.5	< 2	0.01	< 0.5	8	13	14	3.86	< 10	1	0.05	40	0.13	240
96JSS137	201	202	< 5	< 0.2	2.04	70	50	< 0.5	2	0.07	< 0.5	13	26	23	4.28	< 10	< 1	0.06	30	0.64	610
96JSS138	201	202	< 5	< 0.2	1.93	158	80	< 0.5	< 2	0.11	< 0.5	15	21	33	3.61	< 10	< 1	0.06	20	0.56	565
96JSS139	201	202	60	< 0.2	1.92	78	50	< 0.5	2	0.13	< 0.5	10	29	31	4.58	< 10	< 1	0.07	30	0.55	305
96JSS140	201	202	< 5	< 0.2	2.56	96	30	1.0	2	0.08	< 0.5	66	28	120	5.68	< 10	< 1	0.08	50	1.00	1630
96JSS141	201	202	< 5	0.2	2.14	26	30	0.5	< 2	0.69	< 0.5	29	26	68	5.93	< 10	< 1	0.04	20	1.11	525
96JSS142	201	202	< 5	< 0.2	1.87	10	30	0.5	< 2	0.38	< 0.5	21	22	45	4.73	< 10	< 1	0.03	20	0.90	590
96JSS143	201	202	< 5	< 0.2	0.97	822	60	< 0.5	< 2	0.81	< 0.5	11	6	23	3.08	< 10	< 1	0.05	10	0.13	450
96JSS144	201	202	< 5	< 0.2	0.76	146	50	< 0.5	< 2	0.54	< 0.5	9	4	15	2.82	< 10	< 1	0.05	10	0.09	720
96JSS145	201	202	< 5	< 0.2	1.70	46	30	0.5	< 2	0.33	< 0.5	22	20	41	4.63	< 10	< 1	0.05	30	0.66	545
96JSS146	201	202	< 5	< 0.2	1.83	14	40	0.5	< 2	0.40	< 0.5	24	21	41	5.01	< 10	< 1	0.05	10	0.62	600
96JSS147	201	202	< 5	< 0.2	1.35	192	40	< 0.5	2	0.22	< 0.5	13	14	27	3.68	< 10	< 1	0.04	20	0.44	435
96JSS148	201	202	< 5	< 0.2	1.36	34	30	< 0.5	< 2	0.22	< 0.5	21	15	34	4.28	< 10	< 1	0.04	30	0.56	525
96JSS149	201	202	< 5	< 0.2	1.27	38	30	< 0.5	< 2	0.26	< 0.5	18	15	28	3.87	< 10	< 1	0.03	40	0.48	505
96JSS150	201	202	< 5	< 0.2	1.99	18	30	< 0.5	< 2	0.42	< 0.5	19	24	36	4.74	< 10	< 1	0.03	40	0.76	615
96JSS151	201	202	< 5	< 0.2	2.43	14	30	< 0.5	2	0.17	< 0.5	33	30	61	5.54	< 10	< 1	0.03	70	0.89	1080
96JSS152	201	202	< 5	< 0.2	1.03	2	30	< 0.5	2	0.03	< 0.5	10	14	26	3.87	< 10	< 1	0.07	40	0.23	310
96JSS153	201	202	< 5	< 0.2	1.19	6	40	< 0.5	< 2	0.13	< 0.5	13	10	20	2.50	< 10	< 1	0.04	30	0.31	415
96JSS154	201	202	< 5	< 0.2	2.21	8	50	0.5	< 2	0.09	< 0.5	23	25	39	4.20	< 10	< 1	0.07	50	0.71	1280
96JSS155	201	202	< 5	< 0.2	1.68	16	60	0.5	< 2	0.25	< 0.5	21	16	57	3.94	< 10	< 1	0.06	50	0.48	1125
96JSS156	201	202	< 5	< 0.2	1.76	18	60	0.5	2	0.34	< 0.5	14	18	25	3.93	< 10	< 1	0.05	30	0.49	565
96JSS157	201	202	< 5	< 0.2	1.27	10	40	< 0.5	< 2	0.06	< 0.5	10	12	18	2.33	< 10	< 1	0.04	10	0.25	680
96JSS158	201	202	< 5	< 0.2	1.50	10	40	< 0.5	< 2	0.06	< 0.5	20	17	29	3.67	< 10	< 1	0.04	30	0.48	560
96JSS159	201	202	< 5	< 0.2	1.59	10	30	< 0.5	< 2	0.07	< 0.5	14	18	24	3.11	< 10	< 1	0.04	10	0.47	665
96JSS160	201	202	< 5	< 0.2	1.83	< 2	30	< 0.5	< 2	0.04	< 0.5	14	23	23	3.86	< 10	< 1	0.04	30	0.69	690



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :4-B
 Total Pages :5
 Certificate Date: 08-AUG-96
 Invoice No. :19626026
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626026

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96JSS121	201	202	< 1	< 0.01	37	700	46	10	2	5	< 0.01	< 10	< 10	14	< 10	98
96JSS122	201	202	< 1	0.01	18	1470	36	4	< 1	9	< 0.01	< 10	< 10	26	< 10	60
96JSS123	201	202	< 1	< 0.01	20	850	26	2	1	5	< 0.01	< 10	< 10	25	< 10	66
96JSS124	201	202	< 1	< 0.01	34	530	22	8	2	6	< 0.01	< 10	< 10	21	< 10	96
96JSS125	201	202	< 1	< 0.01	23	670	22	8	1	8	< 0.01	< 10	< 10	21	< 10	72
96JSS126	201	202	1	0.02	30	1060	20	4	1	21	< 0.01	< 10	< 10	23	< 10	82
96JSS127	201	202	< 1	0.03	26	540	10	2	1	17	< 0.01	< 10	< 10	20	< 10	62
96JSS128	201	202	1	0.01	31	1350	18	2	2	12	< 0.01	< 10	< 10	21	< 10	80
96JSS129	201	202	< 1	< 0.01	48	260	28	8	3	6	< 0.01	< 10	< 10	24	< 10	92
96JSS130	201	202	< 1	< 0.01	15	1320	20	4	< 1	5	< 0.01	< 10	< 10	28	< 10	44
96JSS131	201	202	< 1	0.01	35	800	28	8	1	5	< 0.01	< 10	< 10	25	< 10	82
96JSS132	201	202	< 1	< 0.01	29	530	24	2	1	7	< 0.01	< 10	< 10	24	< 10	70
96JSS133	201	202	< 1	0.01	30	640	24	6	1	13	< 0.01	< 10	< 10	16	< 10	70
96JSS134	201	202	< 1	< 0.01	33	900	48	8	3	7	0.01	< 10	< 10	19	< 10	106
96JSS135	201	202	< 1	0.02	21	1350	30	2	2	14	0.01	< 10	< 10	17	< 10	76
96JSS136	201	202	< 1	< 0.01	13	500	20	< 2	1	5	0.01	< 10	< 10	34	< 10	46
96JSS137	201	202	< 1	< 0.01	25	1050	32	< 2	1	9	0.01	< 10	< 10	23	< 10	88
96JSS138	201	202	< 1	0.02	27	860	32	< 2	1	10	< 0.01	< 10	< 10	17	< 10	96
96JSS139	201	202	1	< 0.01	24	1640	46	2	2	22	0.04	< 10	< 10	41	< 10	82
96JSS140	201	202	< 1	< 0.01	63	780	84	2	2	5	< 0.01	< 10	< 10	16	< 10	172
96JSS141	201	202	1	< 0.01	58	450	68	6	3	60	< 0.01	< 10	< 10	11	< 10	152
96JSS142	201	202	< 1	< 0.01	44	870	58	8	4	33	< 0.01	< 10	< 10	10	< 10	122
96JSS143	201	202	< 1	0.01	19	840	32	< 2	1	46	< 0.01	< 10	< 10	7	< 10	62
96JSS144	201	202	< 1	< 0.01	17	830	28	4	1	24	< 0.01	< 10	< 10	5	< 10	36
96JSS145	201	202	< 1	< 0.01	43	600	42	6	3	29	< 0.01	< 10	< 10	10	< 10	122
96JSS146	201	202	1	< 0.01	47	680	48	2	3	31	< 0.01	< 10	< 10	11	< 10	126
96JSS147	201	202	< 1	< 0.01	29	730	32	6	2	15	< 0.01	< 10	< 10	9	< 10	98
96JSS148	201	202	< 1	< 0.01	39	520	44	2	3	16	< 0.01	< 10	< 10	8	< 10	92
96JSS149	201	202	< 1	< 0.01	34	590	30	< 2	3	23	< 0.01	< 10	< 10	9	< 10	72
96JSS150	201	202	< 1	< 0.01	38	910	40	6	5	23	< 0.01	< 10	< 10	13	< 10	110
96JSS151	201	202	< 1	< 0.01	45	960	50	14	2	12	< 0.01	< 10	< 10	16	< 10	128
96JSS152	201	202	< 1	< 0.01	20	860	18	2	< 1	5	< 0.01	< 10	< 10	23	< 10	36
96JSS153	201	202	< 1	0.04	23	590	26	6	1	9	0.01	< 10	< 10	14	< 10	64
96JSS154	201	202	1	0.01	30	1040	32	2	2	8	0.01	< 10	< 10	22	< 10	80
96JSS155	201	202	< 1	0.01	33	810	34	< 2	3	12	< 0.01	< 10	< 10	13	< 10	70
96JSS156	201	202	< 1	< 0.01	29	930	26	< 2	2	15	< 0.01	< 10	< 10	13	< 10	60
96JSS157	201	202	< 1	0.03	12	940	22	8	< 1	4	0.01	< 10	< 10	16	< 10	42
96JSS158	201	202	< 1	0.01	37	580	36	< 2	1	5	< 0.01	< 10	< 10	14	< 10	86
96JSS159	201	202	< 1	0.02	21	720	30	< 2	< 1	5	< 0.01	< 10	< 10	16	< 10	72
96JSS160	201	202	< 1	< 0.01	25	790	20	8	< 1	4	< 0.01	< 10	< 10	15	< 10	82



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :5-A
 Total Pages :5
 Certificate Date: 08-AUG-96
 Invoice No. : 19626026
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9626026

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
96JSS161	201	202	60 < 0.2	2.21	116	50	1.0	2	0.65 < 0.5	63	19	108	6.92 < 10	< 1	0.04	10	0.81	2340			
96JSS162	201	202	20 < 0.2	2.31	62	40	0.5	< 2	1.85 < 0.5	48	22	89	5.15 < 10	< 1	0.05	10	0.94	1945			
96JSS163	201	202	30 0.2	2.75	100	50	1.5	2	0.42 < 0.5	82	32	172	5.40 < 10	< 1	0.05	40	1.07	1725			
96JSS164	201	202	65 < 0.2	1.97	258	60	1.5	< 2	0.39 < 0.5	49	18	97	6.12 < 10	< 1	0.04	40	0.63	2890			
96JSS165	201	202	45 < 0.2	2.64	586	80	0.5	< 2	0.10 < 0.5	35	25	61	4.84 < 10	< 1	0.06	50	0.87	555			
96JSS166	201	202	10 < 0.2	1.31	264	60	0.5	< 2	0.87 < 0.5	25	11	45	4.82 < 10	< 1	0.08	30	0.38	585			
96JSS167	201	202	< 5 < 0.2	1.65	18	40	0.5	< 2	1.40 < 0.5	25	19	48	4.99 < 10	< 1	0.04	20	0.77	520			
96JSS168	201	202	< 5 < 0.2	1.98	12	40	0.5	< 2	0.38 < 0.5	20	23	45	4.62 < 10	< 1	0.04	20	0.75	645			
96JSS169	201	202	< 5 < 0.2	1.33	28	40	< 0.5	< 2	0.18 < 0.5	9	15	16	3.14 < 10	< 1	0.04	20	0.40	270			
96JSS170	201	202	< 5 < 0.2	1.30	48	30	0.5	2	0.33 < 0.5	24	15	48	5.12 < 10	< 1	0.05	50	0.43	725			
96JSS171	201	202	< 5 < 0.2	1.02	36	40	< 0.5	< 2	0.58 < 0.5	23	12	40	4.44 < 10	< 1	0.06	30	0.37	440			
96JSS172	201	202	< 5 < 0.2	0.66	80	90	< 0.5	< 2	0.16 < 0.5	11	7	12	2.36 < 10	< 1	0.05	10	0.14	1890			
96JSS173	201	202	< 5 < 0.2	1.92	14	30	0.5	< 2	0.32 < 0.5	31	23	52	5.08 < 10	< 1	0.05	30	0.74	975			
96JSS174	201	202	< 5 < 0.2	1.44	66	30	< 0.5	2	0.35 < 0.5	23	17	36	4.33 < 10	< 1	0.05	30	0.54	870			
96JSS175	201	202	< 5 < 0.2	1.25	50	20	< 0.5	< 2	0.49 < 0.5	13	14	34	3.71 < 10	< 1	0.02	30	0.49	205			
96JSS176	201	202	< 5 < 0.2	1.80	30	20	< 0.5	< 2	0.10 < 0.5	35	23	49	4.80 < 10	< 1	0.03	20	0.63	720			
96JSS177	201	202	< 5 < 0.2	1.87	18	50	< 0.5	< 2	0.14 < 0.5	45	20	65	3.98 < 10	< 1	0.03	30	0.58	1420			
96JSS178	201	202	< 5 < 0.2	2.45	12	30	0.5	< 2	0.28 < 0.5	31	32	67	5.31 < 10	< 1	0.04	30	0.94	1010			
96JSS179	201	202	< 5 < 0.2	2.06	6	30	0.5	< 2	1.17 < 0.5	26	26	54	5.06 < 10	< 1	0.05	20	0.87	940			
96JSS180	201	202	< 5 < 0.2	1.89	12	30	< 0.5	< 2	2.38 < 0.5	22	21	46	4.60 < 10	< 1	0.05	30	0.76	615			
96JSS181	201	202	10 < 0.2	1.10	1420	30	0.5	< 2	0.09 < 0.5	20	6	18	3.44 < 10	< 1	0.03	30	0.19	610			
96JSS182	201	202	220 0.4	1.29	1070	50	1.5	2	0.03 < 0.5	104	11	139	9.42 < 10	< 1	0.05	10	0.21	3680			
96JSS183	201	202	95 0.6	1.58	960	70	1.5	2	0.38 0.5	72	13	158	8.43 < 10	< 1	0.06	20	0.44	3640			
96JSS184	201	202	15 < 0.2	2.19	46	40	0.5	< 2	0.39 < 0.5	33	26	66	5.36 < 10	< 1	0.03	40	0.93	785			
96JSS185	201	202	10 < 0.2	1.49	72	50	0.5	< 2	0.51 < 0.5	17	14	38	4.04 < 10	< 1	0.04	20	0.52	380			
96JSS186	201	202	5 < 0.2	2.20	108	50	1.0	< 2	0.34 < 0.5	57	21	95	5.89 < 10	< 1	0.06	50	0.72	1920			
96JSS187	201	202	< 5 < 0.2	1.93	554	50	0.5	< 2	0.69 < 0.5	33	20	60	5.32 < 10	< 1	0.06	30	0.83	445			
96JSS188	201	202	5 < 0.2	1.43	78	40	0.5	< 2	0.53 < 0.5	27	16	55	4.73 < 10	< 1	0.04	20	0.52	525			
96JSS189	201	202	< 5 < 0.2	1.31	16	30	< 0.5	< 2	0.65 < 0.5	16	14	43	4.33 < 10	< 1	0.03	10	0.62	225			
96JSS190	201	202	< 5 < 0.2	1.99	120	60	0.5	< 2	0.22 < 0.5	22	15	22	5.14 < 10	< 1	0.07	20	0.43	1295			
96JSS191	201	202	< 5 < 0.2	1.70	56	60	0.5	< 2	0.25 < 0.5	28	8	62	4.31 < 10	< 1	0.05	30	0.66	1320			
96JSS192	201	202	< 5 < 0.2	1.45	34	20	< 0.5	< 2	0.05 < 0.5	8	16	29	2.35 < 10	1	0.03	10	0.39	230			
96JSS193	201	202	< 5 < 0.2	1.98	98	30	< 0.5	< 2	0.03 < 0.5	17	24	24	3.93 < 10	< 1	0.04	20	0.76	1060			
96JSS194	201	202	< 5 < 0.2	2.63	66	30	< 0.5	< 2	0.03 < 0.5	37	35	47	5.49 10	< 1	0.05	30	0.92	1520			
96JSS195	201	202	125 0.6	1.71	1790	40	< 0.5	< 2	0.05 < 0.5	18	22	78	6.70 < 10	< 1	0.05	30	0.46	460			
96JSS196	201	202	35 < 0.2	2.19	336	30	0.5	< 2	0.04 < 0.5	24	26	65	6.23 < 10	< 1	0.04	40	0.67	635			
96JSS197	201	202	45 < 0.2	1.79	190	40	< 0.5	< 2	0.05 < 0.5	14	27	36	5.15 < 10	< 1	0.06	50	0.58	715			
96JSS198	201	202	10 < 0.2	1.16	94	30	< 0.5	< 2	0.02 < 0.5	8	14	21	3.10 < 10	< 1	0.05	30	0.28	255			
96JSS199	201	202	20 < 0.2	1.23	90	40	< 0.5	< 2	0.02 < 0.5	14	18	28	4.31 < 10	< 1	0.05	30	0.23	730			
96JSS200	201	202	< 5 0.2	0.71	22	20	< 0.5	< 2	0.01 < 0.5	4	8	11	1.67 < 10	< 1	0.03	10	0.11	410			



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :5-B
 Total Pages :5
 Certificate Date: 08-AUG-96
 Invoice No. :19626026
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626026

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96JSS161	201	202	1 < 0.01		67	680	96	2	6	22 < 0.01	< 10	< 10	12	< 10	152	
96JSS162	201	202	1 < 0.01		49	780	78	4	5	36 < 0.01	< 10	< 10	13	< 10	134	
96JSS163	201	202	< 1 0.01		55	970	118	6	4	15 < 0.01	< 10	< 10	17	< 10	146	
96JSS164	201	202	1 < 0.01		60	720	96	10	7	16 < 0.01	< 10	< 10	11	< 10	132	
96JSS165	201	202	< 1 < 0.01		48	490	52	6	3	12 < 0.01	< 10	< 10	15	< 10	134	
96JSS166	201	202	< 1 < 0.01		45	650	52	10	3	44 < 0.01	< 10	< 10	6	< 10	124	
96JSS167	201	202	< 1 < 0.01		49	760	54	< 2	5	118 < 0.01	< 10	< 10	8	< 10	158	
96JSS168	201	202	< 1 < 0.01		39	750	42	2	3	34 < 0.01	< 10	< 10	11	< 10	122	
96JSS169	201	202	< 1 < 0.01		20	860	20	4	1	26 < 0.01	< 10	< 10	10	< 10	64	
96JSS170	201	202	< 1 < 0.01		45	560	44	8	3	29 < 0.01	< 10	< 10	9	< 10	114	
96JSS171	201	202	< 1 < 0.01		46	650	48	6	3	39 < 0.01	< 10	< 10	8	< 10	112	
96JSS172	201	202	< 1 < 0.01		11	1090	26	< 2	< 1	13 < 0.01	< 10	< 10	10	< 10	86	
96JSS173	201	202	< 1 < 0.01		53	590	56	4	2	30 < 0.01	< 10	< 10	11	< 10	138	
96JSS174	201	202	< 1 < 0.01		38	580	42	< 2	2	30 < 0.01	< 10	< 10	8	< 10	102	
96JSS175	201	202	< 1 < 0.01		31	610	32	2	3	28 < 0.01	< 10	< 10	7	< 10	80	
96JSS176	201	202	< 1 < 0.01		33	900	96	8	1	8 < 0.01	< 10	< 10	15	< 10	118	
96JSS177	201	202	< 1 0.03		37	640	78	12	1	11 < 0.01	< 10	< 10	14	< 10	84	
96JSS178	201	202	< 1 < 0.01		50	810	68	< 2	3	19 < 0.01	< 10	< 10	16	< 10	138	
96JSS179	201	202	< 1 < 0.01		50	1090	54	2	3	50 < 0.01	< 10	< 10	13	< 10	138	
96JSS180	201	202	< 1 < 0.01		44	650	40	2	2	60 < 0.01	< 10	< 10	11	< 10	116	
96JSS181	201	202	< 1 < 0.01		25	450	18	6	1	6 < 0.01	< 10	< 10	5	< 10	42	
96JSS182	201	202	3 0.02		67	1190	164	10	4	4 < 0.01	< 10	< 10	12	< 10	216	
96JSS183	201	202	1 0.02		87	1380	176	10	7	19 < 0.01	< 10	< 10	13	< 10	280	
96JSS184	201	202	< 1 < 0.01		50	770	66	8	4	24 < 0.01	< 10	< 10	13	< 10	166	
96JSS185	201	202	< 1 0.01		35	680	44	2	3	40 < 0.01	< 10	< 10	9	< 10	116	
96JSS186	201	202	< 1 < 0.01		78	760	106	10	6	27 < 0.01	< 10	< 10	11	< 10	184	
96JSS187	201	202	< 1 < 0.01		58	570	58	4	3	53 < 0.01	< 10	< 10	10	< 10	152	
96JSS188	201	202	< 1 < 0.01		44	830	56	< 2	3	39 < 0.01	< 10	< 10	9	< 10	132	
96JSS189	201	202	< 1 0.01		38	550	48	8	3	54 < 0.01	< 10	< 10	9	< 10	114	
96JSS190	201	202	< 1 < 0.01		32	760	32	6	3	14 < 0.01	< 10	< 10	15	< 10	68	
96JSS191	201	202	< 1 < 0.01		36	380	44	6	4	21 < 0.01	< 10	< 10	6	< 10	62	
96JSS192	201	202	< 1 0.03		15	840	24	6	< 1	4 < 0.01	< 10	< 10	13	< 10	42	
96JSS193	201	202	< 1 0.02		26	1290	26	6	< 1	3 < 0.01	< 10	< 10	18	< 10	66	
96JSS194	201	202	< 1 < 0.01		36	1340	58	< 2	1	4 < 0.01	< 10	< 10	22	< 10	112	
96JSS195	201	202	< 1 0.01		26	1730	74	10	2	21 < 0.01	< 10	< 10	17	< 10	86	
96JSS196	201	202	< 1 0.01		37	1180	46	4	2	13 0.01	< 10	< 10	20	< 10	124	
96JSS197	201	202	< 1 < 0.01		26	1140	48	8	1	12 0.01	< 10	< 10	23	< 10	82	
96JSS198	201	202	< 1 0.03		15	600	24	6	< 1	8 0.01	< 10	< 10	19	< 10	50	
96JSS199	201	202	< 1 < 0.01		18	1390	34	6	< 1	5 < 0.01	< 10	< 10	21	< 10	60	
96JSS200	201	202	< 1 0.04		6	810	10	4	< 1	4 < 0.01	< 10	< 10	18	< 10	22	



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

A9626027

Comments: ATTN:M.JONES

CERTIFICATE

A9626027

(GP) - WESTMIN RESOURCES LTD.

Project: 6405
 P.O.#:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 8-AUG-96.

SAMPLE PREPARATION


CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	93	Dry, sieve to -80 mesh
202	93	save reject
229	93	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	93	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	93	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	93	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	93	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	93	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	93	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	93	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	93	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	93	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	93	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	93	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	93	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	93	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	93	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	93	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	93	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	93	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	93	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	93	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	93	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	93	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	93	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	93	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	93	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	93	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	93	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	93	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	93	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	93	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	93	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	93	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	93	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	93	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number : 1-A
 Total Pages : 3
 Certificate Date: 08-AUG-96
 Invoice No. : 19626027
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9626027

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
96JSS201	201	202	< 5	< 0.2	1.85	48	30	< 0.5	< 2	0.02	< 0.5	11	29	29	3.79	< 10	< 1	0.03	20	0.59	555
96JSS202	201	202	< 5	< 0.2	1.32	94	80	< 0.5	< 2	0.03	< 0.5	9	19	23	4.58	< 10	< 1	0.04	10	0.12	1255
96JSS203	201	202	30	0.2	2.31	148	30	< 0.5	< 2	0.01	< 0.5	17	32	59	5.76	< 10	< 1	0.04	20	0.68	585
96JSS204	201	202	< 5	0.2	2.10	300	20	< 0.5	< 2	0.40	< 0.5	19	31	39	4.59	< 10	< 1	0.04	10	0.66	815
96JSS205	201	202	< 5	< 0.2	1.89	308	60	< 0.5	< 2	0.01	< 0.5	16	29	31	5.67	< 10	1	0.05	20	0.38	1810
96JSS206	201	202	60	< 0.2	2.50	114	20	< 0.5	< 2	0.05	< 0.5	18	33	48	4.95	< 10	< 1	0.04	40	0.84	550
96JSS207	201	202	150	< 0.2	1.91	200	40	< 0.5	< 2	0.07	< 0.5	12	24	23	3.72	< 10	< 1	0.05	50	0.59	430
96JSS208	201	202	1870	2.0	1.27	2330	60	< 0.5	< 2	0.03	< 0.5	18	17	32	4.34	< 10	< 1	0.07	40	0.40	1485
96JSS209	201	202	560	< 0.2	0.90	990	40	< 0.5	< 2	0.05	< 0.5	5	11	19	3.18	< 10	< 1	0.05	20	0.19	205
96JSS210	201	202	345	0.2	0.65	260	30	< 0.5	< 2	0.03	< 0.5	3	7	10	1.82	< 10	< 1	0.05	40	0.12	155
96JSS211	201	202	145	< 0.2	1.48	304	40	< 0.5	< 2	0.01	< 0.5	22	21	38	6.12	< 10	< 1	0.04	40	0.28	1175
96JSS212	201	202	35	< 0.2	2.70	302	40	< 0.5	< 2	0.08	< 0.5	27	35	48	5.36	< 10	< 1	0.04	30	0.98	1375
96JSS213	201	202	30	0.4	1.89	88	40	< 0.5	< 2	0.02	< 0.5	13	23	29	4.66	< 10	< 1	0.03	30	0.55	570
96JSS214	201	202	140	0.2	0.79	530	20	< 0.5	< 2	0.01	< 0.5	6	12	22	4.63	< 10	< 1	0.04	20	0.14	145
96JSS215	201	202	100	0.4	1.04	174	40	< 0.5	< 2	0.01	< 0.5	8	14	15	2.68	< 10	< 1	0.06	20	0.34	335
96JSS216	201	202	< 5	< 0.2	0.68	16	40	< 0.5	< 2	0.01	< 0.5	4	9	10	1.92	< 10	< 1	0.05	10	0.07	325
96JSS217	201	202	< 5	0.2	0.73	12	40	< 0.5	< 2	0.05	< 0.5	3	4	7	1.44	< 10	< 1	0.03	10	0.04	260
96JSS218	201	202	< 5	< 0.2	1.33	36	50	< 0.5	< 2	0.02	< 0.5	7	22	17	4.91	< 10	< 1	0.04	10	0.17	555
96JSS219	201	202	< 5	< 0.2	2.28	46	30	< 0.5	< 2	0.09	< 0.5	26	29	42	5.47	< 10	< 1	0.04	20	0.74	1205
96JSS220	201	202	< 5	< 0.2	1.63	20	30	< 0.5	< 2	0.06	< 0.5	9	23	19	3.60	< 10	< 1	0.04	10	0.41	650
96JSS221	201	202	< 5	< 0.2	0.98	12	30	< 0.5	< 2	0.08	< 0.5	7	10	13	1.56	< 10	< 1	0.04	< 10	0.34	795
96JSS223	201	202	< 5	< 0.2	2.04	8	40	< 0.5	< 2	0.06	< 0.5	21	31	56	5.09	< 10	< 1	0.04	60	0.86	1855
96JSS224	201	202	< 5	< 0.2	1.25	132	20	< 0.5	< 2	0.04	< 0.5	14	15	24	4.20	< 10	< 1	0.04	40	0.38	500
96JSS225	201	202	35	< 0.2	0.92	490	30	< 0.5	< 2	0.01	< 0.5	10	12	28	4.26	< 10	< 1	0.06	40	0.20	480
96JSS226	201	202	10	< 0.2	1.56	182	40	< 0.5	< 2	0.05	< 0.5	15	21	26	5.06	< 10	< 1	0.05	30	0.33	770
96JSS227	201	202	< 5	< 0.2	1.21	136	40	< 0.5	< 2	0.06	< 0.5	10	16	22	4.43	< 10	< 1	0.05	10	0.12	785
96JSS228	201	202	< 5	< 0.2	0.72	360	40	< 0.5	< 2	0.08	< 0.5	7	8	12	2.44	< 10	< 1	0.06	10	0.07	875
96JSS229	201	202	< 5	< 0.2	1.09	36	30	< 0.5	< 2	0.18	< 0.5	17	6	14	1.77	< 10	< 1	0.03	10	0.13	1010
96JSS230	201	202	< 5	< 0.2	2.04	16	30	< 0.5	< 2	0.05	< 0.5	19	31	33	4.50	< 10	< 1	0.06	50	0.88	745
96JSS231	201	202	< 5	< 0.2	1.65	8	50	< 0.5	< 2	0.09	< 0.5	18	23	21	3.84	< 10	< 1	0.06	30	0.63	805
96JSS232	201	202	< 5	< 0.2	1.57	8	40	< 0.5	< 2	0.12	< 0.5	16	17	27	3.57	< 10	< 1	0.06	20	0.52	740
96JSS233	201	202	< 5	< 0.2	1.67	10	40	< 0.5	< 2	0.08	< 0.5	8	20	29	3.23	< 10	1	0.04	10	0.49	350
96JSS234	201	202	< 5	< 0.2	1.63	12	30	< 0.5	< 2	0.66	< 0.5	24	18	49	4.36	< 10	< 1	0.04	60	0.70	890
96JSS235	201	202	< 5	< 0.2	0.75	12	30	< 0.5	< 2	2.06	< 0.5	15	8	28	3.20	< 10	< 1	0.07	30	0.33	680
96JSS236	201	202	< 5	< 0.2	1.30	12	30	< 0.5	< 2	1.23	< 0.5	23	13	50	4.44	< 10	< 1	0.06	20	0.50	1050
96JSS237	201	202	< 5	< 0.2	1.50	8	10	< 0.5	< 2	0.81	< 0.5	23	16	58	5.01	< 10	1	0.04	30	0.62	885
96JSS238	201	202	< 5	< 0.2	1.96	20	30	< 0.5	< 2	0.20	< 0.5	24	21	71	5.34	< 10	< 1	0.04	50	0.71	1110
96JSS239	201	202	< 5	< 0.2	0.75	< 2	10	< 0.5	< 2	< 0.01	< 0.5	4	10	16	3.37	< 10	< 1	0.03	40	0.36	200
96JSS240	201	202	< 5	< 0.2	1.81	16	40	< 0.5	< 2	0.14	< 0.5	21	20	38	5.00	< 10	1	0.03	30	0.63	610
96JSS241	201	202	< 5	< 0.2	1.78	80	20	< 0.5	< 2	0.10	< 0.5	22	21	49	4.11	< 10	< 1	0.04	30	0.72	435



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
VANCOUVER, BC
V7X 1C4

Project : 6405
Comments: ATTN:M.JONES

Page Number :1-B
Total Pages :3
Certificate Date: 08-AUG-96
Invoice No. : I9626027
P.O. Number :
Account : GP

CERTIFICATE OF ANALYSIS

A9626027

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
96JSS201	201 202	< 1	0.01	24	730	18	< 2	< 1	4	< 0.01	< 10	< 10	20	< 10	62
96JSS202	201 202	< 1	0.03	10	2530	18	< 2	< 1	8	< 0.01	< 10	< 10	27	< 10	40
96JSS203	201 202	< 1	< 0.01	36	900	48	< 2	1	10	< 0.01	< 10	< 10	20	< 10	106
96JSS204	201 202	< 1	0.01	35	1000	28	< 2	2	22	< 0.01	< 10	10	13	< 10	96
96JSS205	201 202	< 1	< 0.01	21	2690	54	< 2	1	8	< 0.01	< 10	< 10	25	< 10	88
96JSS206	201 202	< 1	0.01	37	840	52	< 2	1	7	< 0.01	< 10	< 10	23	< 10	102
96JSS207	201 202	< 1	< 0.01	30	520	30	< 2	1	9	0.02	< 10	< 10	22	< 10	78
96JSS208	201 202	< 1	< 0.01	24	650	646	6	3	25	0.01	< 10	< 10	15	< 10	72
96JSS209	201 202	< 1	0.04	11	830	42	< 2	< 1	36	0.01	< 10	< 10	19	< 10	38
96JSS210	201 202	< 1	0.02	6	460	32	2	< 1	11	0.01	< 10	< 10	12	< 10	24
96JSS211	201 202	< 1	< 0.01	31	980	52	2	1	7	0.01	< 10	< 10	22	< 10	98
96JSS212	201 202	< 1	0.01	44	810	48	< 2	3	12	< 0.01	< 10	< 10	21	< 10	128
96JSS213	201 202	< 1	< 0.01	28	600	38	< 2	1	16	< 0.01	< 10	< 10	18	< 10	84
96JSS214	201 202	< 1	< 0.01	11	1010	36	4	1	40	< 0.01	< 10	< 10	7	< 10	34
96JSS215	201 202	< 1	< 0.01	17	390	38	2	< 1	15	< 0.01	< 10	< 10	13	< 10	46
96JSS216	201 202	< 1	0.01	8	1270	16	< 2	< 1	7	< 0.01	< 10	< 10	19	< 10	28
96JSS217	201 202	< 1	0.05	5	610	10	< 2	< 1	6	< 0.01	< 10	< 10	12	< 10	28
96JSS218	201 202	< 1	0.01	14	1210	20	< 2	< 1	7	0.01	< 10	< 10	40	< 10	50
96JSS219	201 202	< 1	< 0.01	36	790	38	< 2	1	8	< 0.01	< 10	< 10	21	< 10	88
96JSS220	201 202	< 1	0.05	17	1190	16	< 2	< 1	6	0.01	< 10	< 10	24	< 10	46
96JSS221	201 202	< 1	0.06	9	870	24	< 2	< 1	7	0.01	< 10	< 10	16	< 10	26
96JSS223	201 202	< 1	< 0.01	35	720	20	< 2	1	8	0.03	< 10	< 10	30	< 10	108
96JSS224	201 202	< 1	< 0.01	28	820	24	< 2	< 1	5	< 0.01	< 10	< 10	11	< 10	78
96JSS225	201 202	< 1	< 0.01	21	1580	32	2	< 1	11	< 0.01	< 10	< 10	11	< 10	62
96JSS226	201 202	< 1	< 0.01	27	1250	36	< 2	1	7	< 0.01	< 10	< 10	18	< 10	90
96JSS227	201 202	< 1	< 0.01	19	1740	28	< 2	< 1	8	< 0.01	< 10	< 10	16	< 10	68
96JSS228	201 202	< 1	0.02	10	1910	16	< 2	< 1	9	< 0.01	< 10	< 10	13	< 10	36
96JSS229	201 202	< 1	0.05	10	920	32	< 2	< 1	8	< 0.01	< 10	< 10	10	< 10	32
96JSS230	201 202	< 1	< 0.01	36	620	22	< 2	2	6	< 0.01	< 10	< 10	20	< 10	76
96JSS231	201 202	< 1	< 0.01	28	890	26	< 2	1	7	< 0.01	< 10	< 10	15	< 10	70
96JSS232	201 202	< 1	0.02	31	1080	30	< 2	1	10	< 0.01	< 10	< 10	12	< 10	102
96JSS233	201 202	< 1	0.03	23	770	16	< 2	< 1	6	< 0.01	< 10	< 10	14	< 10	64
96JSS234	201 202	< 1	< 0.01	47	1610	54	< 2	3	42	< 0.01	< 10	< 10	9	< 10	140
96JSS235	201 202	< 1	< 0.01	30	880	28	< 2	1	112	< 0.01	< 10	< 10	4	< 10	90
96JSS236	201 202	< 1	< 0.01	44	1010	40	< 2	1	54	< 0.01	< 10	< 10	7	< 10	108
96JSS237	201 202	< 1	< 0.01	51	710	40	< 2	1	31	< 0.01	< 10	< 10	7	< 10	118
96JSS238	201 202	< 1	< 0.01	54	820	46	< 2	1	18	0.01	< 10	< 10	11	< 10	120
96JSS239	201 202	< 1	< 0.01	7	410	36	< 2	< 1	3	< 0.01	< 10	< 10	7	< 10	44
96JSS240	201 202	< 1	< 0.01	51	750	40	< 2	1	14	< 0.01	< 10	< 10	13	< 10	112
96JSS241	201 202	< 1	< 0.01	37	570	24	< 2	1	10	< 0.01	< 10	< 10	12	< 10	86

11 10 90



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :2-A
 Total Pages :3
 Certificate Date: 08-AUG-96
 Invoice No. : 19626027
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9626027

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
96JSS242	201	202	< 5	< 0.2	1.26	74	10	< 0.5	< 2	0.06	< 0.5	22	13	39	2.75	< 10	< 1	0.04	10	0.40	405
96JSS243	201	202	< 5	< 0.2	2.55	32	30	< 0.5	< 2	0.38	< 0.5	25	32	50	4.99	< 10	< 1	0.04	40	1.07	795
96JSS244	201	202	< 5	< 0.2	1.92	16	10	< 0.5	< 2	1.73	< 0.5	22	25	52	4.82	< 10	< 1	0.04	30	0.80	360
96JSS245	201	202	< 5	< 0.2	2.28	10	30	< 0.5	< 2	0.50	< 0.5	22	30	51	4.68	< 10	< 1	0.05	30	0.86	505
96JSS246	201	202	< 5	< 0.2	2.06	10	30	< 0.5	< 2	0.30	< 0.5	26	26	51	4.43	< 10	< 1	0.04	30	0.81	620
96JSS247	201	202	< 5	< 0.2	1.30	6	30	< 0.5	< 2	0.11	< 0.5	31	14	47	4.76	< 10	< 1	0.04	30	0.48	960
96JSS248	201	202	< 5	< 0.2	1.38	48	30	< 0.5	< 2	0.23	< 0.5	25	15	49	5.05	< 10	< 1	0.06	30	0.55	620
96JSS249	201	202	10	0.2	1.43	66	20	< 0.5	< 2	0.20	< 0.5	47	16	93	6.50	< 10	< 1	0.06	30	0.55	1060
96JSS250	201	202	< 5	< 0.2	1.69	26	10	< 0.5	< 2	0.17	< 0.5	36	22	71	5.35	< 10	< 1	0.04	20	0.73	860
96JSS251	201	202	< 5	< 0.2	1.47	64	10	< 0.5	< 2	0.22	< 0.5	39	18	80	6.59	< 10	< 1	0.04	30	0.62	940
96JSS252	201	202	< 5	< 0.2	1.61	32	20	< 0.5	< 2	0.73	< 0.5	32	19	64	5.24	< 10	< 1	0.04	30	0.68	765
96JSS253	201	202	< 5	< 0.2	1.34	20	10	< 0.5	< 2	0.68	< 0.5	23	16	60	5.33	< 10	< 1	0.03	30	0.59	550
96JSS254	201	202	< 5	< 0.2	2.35	50	20	< 0.5	< 2	0.24	< 0.5	37	32	75	5.29	< 10	< 1	0.05	40	0.93	645
96JSS255	201	202	< 5	< 0.2	1.49	24	10	< 0.5	< 2	0.21	< 0.5	26	20	51	5.10	< 10	< 1	0.03	30	0.69	520
96JSS256	201	202	< 5	< 0.2	1.25	8	10	< 0.5	< 2	0.34	< 0.5	30	16	76	4.98	< 10	< 1	0.04	30	0.58	545
96JSS257	201	202	40	< 0.2	1.26	20	30	< 0.5	< 2	0.84	< 0.5	24	13	53	4.44	< 10	< 1	0.07	10	0.47	695
96JSS258	201	202	< 5	< 0.2	1.86	84	10	< 0.5	< 2	0.20	< 0.5	51	30	109	6.55	< 10	< 1	0.03	80	0.95	610
96JSS259	201	202	< 5	< 0.2	1.77	30	10	< 0.5	< 2	0.32	< 0.5	36	24	80	5.87	< 10	< 1	0.03	70	0.82	650
96JSS260	201	202	< 5	< 0.2	2.06	38	10	< 0.5	< 2	0.55	< 0.5	49	28	87	5.80	< 10	< 1	0.03	60	0.91	580
96JSS261	201	202	< 5	< 0.2	1.67	20	20	< 0.5	< 2	0.21	< 0.5	17	21	29	3.85	< 10	< 1	0.04	20	0.68	755
96JSS262	201	202	< 5	< 0.2	1.74	20	20	< 0.5	< 2	0.23	< 0.5	37	20	60	5.10	< 10	< 1	0.05	40	0.73	1070
96JSS263	201	202	< 5	< 0.2	1.62	24	20	< 0.5	< 2	0.29	< 0.5	35	18	61	4.94	< 10	< 1	0.07	40	0.68	750
96JSS264	201	202	< 5	< 0.2	1.58	26	10	< 0.5	< 2	0.49	< 0.5	27	17	39	4.62	< 10	< 1	0.05	40	0.70	640
96JSS265	201	202	< 5	< 0.2	1.45	128	30	< 0.5	< 2	0.26	< 0.5	27	17	57	4.75	< 10	< 1	0.06	30	0.54	725
96JSS266	201	202	< 5	< 0.2	1.67	26	10	< 0.5	< 2	0.17	< 0.5	22	19	42	4.44	< 10	< 1	0.05	50	0.69	685
96JSS267	201	202	< 5	< 0.2	1.53	46	20	< 0.5	< 2	0.38	< 0.5	18	18	35	4.17	< 10	< 1	0.06	40	0.58	850
96JSS268	201	202	30	< 0.2	1.21	474	10	< 0.5	< 2	0.22	< 0.5	22	17	49	4.95	< 10	< 1	0.04	30	0.47	680
96JSS269	201	202	15	< 0.2	0.71	276	40	< 0.5	< 2	0.31	< 0.5	8	6	13	2.18	< 10	< 1	0.04	10	0.13	315
96JSS270	201	202	10	< 0.2	0.83	52	30	< 0.5	< 2	0.20	< 0.5	20	8	30	3.87	< 10	< 1	0.07	30	0.26	915
96JSS271	201	202	25	< 0.2	1.05	300	30	< 0.5	< 2	0.16	< 0.5	24	13	36	4.63	< 10	< 1	0.05	50	0.42	895
96JSS272	201	202	35	< 0.2	1.06	120	170	< 0.5	< 2	0.18	< 0.5	36	12	42	4.38	< 10	1	0.04	50	0.35	6180
96JSS273	201	202	< 5	< 0.2	1.70	14	60	< 0.5	< 2	0.20	< 0.5	22	20	36	4.37	< 10	< 1	0.04	30	0.61	1090
96JSS274	201	202	30	< 0.2	1.97	18	10	< 0.5	< 2	0.18	< 0.5	32	22	51	4.97	< 10	< 1	0.04	50	0.79	760
96JSS275	201	202	< 5	< 0.2	2.18	14	20	< 0.5	< 2	0.11	< 0.5	34	25	77	4.86	< 10	< 1	0.04	40	0.83	1030
96JSS276	201	202	< 5	< 0.2	1.44	50	20	< 0.5	< 2	0.18	< 0.5	24	18	58	4.85	< 10	< 1	0.05	40	0.55	990
96JSS277	201	202	< 5	< 0.2	1.02	30	20	< 0.5	< 2	0.66	< 0.5	20	12	34	4.16	< 10	< 1	0.06	40	0.40	855
96JSS278	201	202	< 5	< 0.2	0.99	58	10	< 0.5	< 2	0.46	< 0.5	19	13	31	4.14	< 10	< 1	0.05	40	0.38	680
96JSS279	201	202	< 5	< 0.2	0.78	132	10	< 0.5	< 2	0.21	< 0.5	23	11	42	5.18	< 10	< 1	0.06	50	0.27	850
96JSS280	201	202	< 5	< 0.2	1.35	4	50	< 0.5	< 2	0.04	< 0.5	12	21	26	3.27	< 10	< 1	0.05	50	0.45	600
96JSS281	201	202	< 5	< 0.2	1.94	< 2	40	< 0.5	< 2	0.03	< 0.5	23	24	36	4.08	< 10	< 1	0.05	30	0.80	1220



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :2-B
 Total Pages :3
 Certificate Date: 08-AUG-96
 Invoice No. : I9626027
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9626027

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96JSS242	201	202	< 1	0.04	19	620	34	< 2	< 1	7	< 0.01	< 10	< 10	9	< 10	54
96JSS243	201	202	< 1	0.01	49	620	26	< 2	2	19	< 0.01	< 10	< 10	17	< 10	120
96JSS244	201	202	< 1	< 0.01	47	730	26	< 2	2	71	< 0.01	< 10	< 10	12	< 10	112
96JSS245	201	202	< 1	0.01	46	630	32	< 2	3	32	< 0.01	< 10	< 10	16	< 10	116
96JSS246	201	202	< 1	0.01	46	690	34	< 2	1	24	< 0.01	< 10	< 10	17	< 10	102
96JSS247	201	202	< 1	0.02	52	680	52	< 2	1	15	< 0.01	< 10	< 10	10	< 10	116
96JSS248	201	202	< 1	< 0.01	53	790	38	< 2	1	32	< 0.01	< 10	< 10	7	< 10	116
96JSS249	201	202	< 1	< 0.01	90	790	56	< 2	1	27	< 0.01	< 10	< 10	7	< 10	158
96JSS250	201	202	< 1	< 0.01	63	530	54	< 2	1	19	< 0.01	< 10	< 10	11	< 10	126
96JSS251	201	202	< 1	< 0.01	75	600	60	< 2	1	22	< 0.01	< 10	< 10	8	< 10	146
96JSS252	201	202	< 1	< 0.01	63	620	46	< 2	2	50	< 0.01	< 10	< 10	9	< 10	130
96JSS253	201	202	< 1	< 0.01	54	610	50	< 2	2	42	< 0.01	< 10	< 10	7	< 10	136
96JSS254	201	202	< 1	< 0.01	69	640	38	< 2	2	24	< 0.01	< 10	< 10	16	< 10	128
96JSS255	201	202	< 1	< 0.01	55	570	30	< 2	1	17	< 0.01	< 10	< 10	9	< 10	110
96JSS256	201	202	< 1	< 0.01	65	650	36	< 2	1	24	< 0.01	< 10	< 10	7	< 10	122
96JSS257	201	202	< 1	< 0.01	52	750	34	< 2	1	48	< 0.01	< 10	< 10	6	< 10	88
96JSS258	201	202	< 1	< 0.01	106	590	56	< 2	3	22	< 0.01	< 10	< 10	16	< 10	176
96JSS259	201	202	< 1	< 0.01	77	770	48	< 2	2	25	< 0.01	< 10	< 10	11	< 10	134
96JSS260	201	202	< 1	< 0.01	96	670	46	< 2	2	38	< 0.01	< 10	< 10	14	< 10	144
96JSS261	201	202	< 1	0.01	36	850	22	< 2	1	16	< 0.01	< 10	< 10	13	< 10	70
96JSS262	201	202	< 1	< 0.01	68	640	30	< 2	1	15	< 0.01	< 10	< 10	10	< 10	76
96JSS263	201	202	< 1	< 0.01	63	600	26	< 2	1	17	< 0.01	< 10	< 10	8	< 10	60
96JSS264	201	202	< 1	< 0.01	50	540	26	< 2	1	19	< 0.01	< 10	< 10	8	< 10	96
96JSS265	201	202	< 1	< 0.01	53	730	46	< 2	1	15	< 0.01	< 10	< 10	9	< 10	120
96JSS266	201	202	< 1	< 0.01	43	600	30	< 2	1	11	< 0.01	< 10	< 10	9	< 10	82
96JSS267	201	202	< 1	< 0.01	39	660	34	< 2	1	14	< 0.01	< 10	< 10	8	< 10	104
96JSS268	201	202	< 1	< 0.01	47	740	38	< 2	2	17	< 0.01	< 10	< 10	10	< 10	120
96JSS269	201	202	< 1	0.04	15	710	16	< 2	< 1	20	< 0.01	< 10	< 10	10	< 10	34
96JSS270	201	202	< 1	< 0.01	39	820	40	< 2	1	17	< 0.01	< 10	< 10	5	< 10	72
96JSS271	201	202	< 1	< 0.01	46	550	28	< 2	1	14	< 0.01	< 10	< 10	7	< 10	82
96JSS272	201	202	< 1	< 0.01	66	650	32	< 2	2	28	< 0.01	< 10	< 10	7	< 10	68
96JSS273	201	202	< 1	0.01	37	830	46	< 2	1	18	< 0.01	< 10	< 10	15	< 10	118
96JSS274	201	202	< 1	< 0.01	49	670	44	< 2	1	14	< 0.01	< 10	< 10	11	< 10	130
96JSS275	201	202	< 1	< 0.01	53	500	66	< 2	1	10	< 0.01	< 10	< 10	13	< 10	132
96JSS276	201	202	< 1	< 0.01	44	610	46	< 2	2	12	< 0.01	< 10	< 10	10	< 10	100
96JSS277	201	202	< 1	< 0.01	41	490	40	< 2	2	24	< 0.01	< 10	< 10	6	< 10	102
96JSS278	201	202	< 1	< 0.01	40	630	32	< 2	1	19	< 0.01	< 10	< 10	7	< 10	90
96JSS279	201	202	< 1	< 0.01	49	670	32	< 2	2	11	< 0.01	< 10	< 10	7	< 10	108
96JSS280	201	202	< 1	0.01	20	650	14	< 2	< 1	8	0.01	< 10	< 10	21	< 10	62
96JSS281	201	202	< 1	< 0.01	33	540	14	< 2	< 1	7	0.01	< 10	< 10	13	< 10	94



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :3-A
 Total Pages :3
 Certificate Date: 08-AUG-96
 Invoice No. :19626027
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS

A9626027

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
96JSS282	201	202	< 5	< 0.2	1.66	16	70	< 0.5	< 2	0.18	< 0.5	25	21	42	3.92	< 10	< 1	0.06	30	0.61	1545
96JSS283	201	202	< 5	< 0.2	1.80	16	40	< 0.5	< 2	0.01	< 0.5	28	24	47	4.70	< 10	< 1	0.06	40	0.79	555
96JSS284	201	202	< 5	< 0.2	1.29	8	30	< 0.5	< 2	0.01	< 0.5	12	16	19	2.93	< 10	< 1	0.04	10	0.46	385
96JSS285	201	202	< 5	< 0.2	1.70	80	20	< 0.5	< 2	0.01	< 0.5	8	33	18	4.82	< 10	< 1	0.03	40	0.58	250
96JSS286	201	202	< 5	0.2	1.98	104	30	< 0.5	2	0.01	< 0.5	11	34	26	4.56	10	< 1	0.03	40	0.71	305
96JSS287	201	202	< 5	< 0.2	1.09	30	30	< 0.5	< 2	0.02	< 0.5	6	16	16	3.68	< 10	< 1	0.03	30	0.25	250
96JSS288	201	202	< 5	< 0.2	1.17	52	30	< 0.5	< 2	0.04	< 0.5	9	51	15	2.53	< 10	< 1	0.03	10	0.47	360
96JSS289	201	202	< 5	0.2	1.62	36	20	< 0.5	< 2	0.03	< 0.5	16	18	41	4.32	< 10	< 1	0.04	40	0.43	460
96JSS290	201	202	< 5	0.6	2.45	28	30	< 0.5	< 2	0.01	< 0.5	11	30	34	5.21	10	< 1	0.04	40	0.77	340
96JSS291	201	202	< 5	< 0.2	1.81	22	40	< 0.5	< 2	0.01	< 0.5	9	22	26	3.83	< 10	< 1	0.04	30	0.57	400
96JSS292	201	202	< 5	< 0.2	0.99	20	40	< 0.5	< 2	0.02	< 0.5	5	13	11	1.97	< 10	< 1	0.04	20	0.20	155
96JSS293	201	202	20	< 0.2	1.64	310	40	< 0.5	< 2	0.33	< 0.5	17	25	43	4.12	< 10	< 1	0.04	20	0.58	780
96JSS294	201	202	< 5	< 0.2	2.05	106	40	< 0.5	2	0.01	< 0.5	8	28	21	4.85	< 10	< 1	0.05	30	0.58	300



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :3-B
 Total Pages :3
 Certificate Date: 08-AUG-96
 Invoice No. :19626027
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS

A9626027

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96JSS282	201	202	1 < 0.01		25	670	90	< 2	1	27	0.01	< 10	< 10	11	< 10	88
96JSS283	201	202	1 < 0.01		27	450	36	< 2	1	7	0.01	< 10	< 10	12	< 10	92
96JSS284	201	202	< 1	0.01	17	700	22	< 2	< 1	3	< 0.01	< 10	< 10	11	< 10	52
96JSS285	201	202	< 1	< 0.01	22	760	14	< 2	1	6	< 0.01	< 10	< 10	19	< 10	64
96JSS286	201	202	< 1	< 0.01	30	460	24	< 2	1	6	< 0.01	< 10	< 10	18	< 10	84
96JSS287	201	202	< 1	< 0.01	12	1030	22	< 2	< 1	5	< 0.01	< 10	< 10	25	< 10	40
96JSS288	201	202	1	0.02	26	750	12	< 2	< 1	7	< 0.01	< 10	< 10	32	< 10	44
96JSS289	201	202	1	< 0.01	30	590	50	< 2	1	5	< 0.01	< 10	< 10	12	< 10	82
96JSS290	201	202	< 1	< 0.01	29	630	22	< 2	1	4	< 0.01	< 10	< 10	17	< 10	92
96JSS291	201	202	1	< 0.01	22	640	18	< 2	< 1	6	< 0.01	< 10	< 10	14	< 10	62
96JSS292	201	202	< 1	0.03	10	430	12	< 2	< 1	6	< 0.01	< 10	< 10	15	< 10	36
96JSS293	201	202	1	< 0.01	35	680	44	< 2	2	16	< 0.01	< 10	< 10	13	< 10	120
96JSS294	201	202	1	< 0.01	21	510	22	< 2	1	5	< 0.01	< 10	< 10	16	< 10	64



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

A9626028

Comments: ATTN:M.JONES

CERTIFICATE

A9626028

(GP) - WESTMIN RESOURCES LTD.

Project: 6405
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 9-AUG-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	233	Dry, sieve to -80 mesh save reject ICP - AQ Digestion charge
202	233	
229	233	
* NOTE 1:		

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
983	232	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	233	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	233	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	233	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	233	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	233	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	233	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	233	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	233	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	233	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	233	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	233	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	233	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	233	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	233	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	233	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	233	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	233	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	233	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	233	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	233	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	233	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	233	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	233	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	233	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	233	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	233	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	233	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	233	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	233	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	233	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	233	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	233	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :1-A
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. :19626028
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626028

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
96GHS-001	201	202	30 < 0.2	2.47	222	30 < 0.5	< 2	0.03 < 0.5	16	29	40	4.34	10	< 1	0.06	10	1.08	1045			
96GHS-002	201	202	15 < 0.2	2.55	122	40 < 0.5	< 2	< 0.01 < 0.5	12	27	44	4.10	< 10	< 1	0.06	< 10	1.10	600			
96GHS-003	201	202	15	0.2	1.74	380	40 < 0.5	< 2	0.03 < 0.5	22	20	50	4.14	< 10	< 1	0.04	< 10	0.65	995		
96GHS-004	201	202	10 < 0.2	1.57	34	50	0.5	< 2	0.38 < 0.5	17	12	61	4.10	< 10	< 1	0.04	10	0.48	4400		
96GHS-005	201	202	< 5 < 0.2	3.16	20	40	0.5	< 2	1.46 < 0.5	22	24	99	6.98	< 10	< 1	0.03	10	1.50	8470		
96GHS-006	201	202	< 5 < 0.2	1.18	38	10	< 0.5	< 2	0.06 < 0.5	3	11	13	2.42	< 10	< 1	0.03	< 10	0.15	115		
96GHS-007	201	202	5	0.2	1.21	34	30	< 0.5	< 2	0.06 < 0.5	5	11	24	1.90	< 10	< 1	0.05	< 10	0.27	125	
96GHS-008	201	202	10 < 0.2	2.44	86	30	0.5	< 2	< 0.01 < 0.5	19	28	69	5.09	10	< 1	0.05	20	0.87	545		
96GHS-009	201	202	< 5 < 0.2	1.00	8	60	< 0.5	< 2	0.77 < 0.5	3	9	17	0.90	< 10	< 1	0.04	< 10	0.13	165		
96GHS-010	201	202	< 5	0.2	2.38	40	120	0.5	< 2	1.35 < 0.5	12	22	65	2.90	< 10	< 1	0.13	< 10	0.58	510	
96GHS-011	201	202	< 5	0.2	2.08	38	100	0.5	< 2	0.38 < 0.5	13	22	33	4.03	10	< 1	0.14	10	0.53	445	
96GHS-012	201	202	15 < 0.2	2.05	94	40	0.5	< 2	0.37 < 0.5	19	27	46	4.08	10	< 1	0.06	10	0.80	690		
96GHS-013	201	202	5 < 0.2	2.45	44	30	0.5	< 2	0.05 < 0.5	24	30	61	5.10	< 10	< 1	0.06	30	1.11	1055		
96GHS-014	201	202	< 5	0.2	1.10	20	40	< 0.5	< 2	0.10 < 0.5	5	14	15	1.97	< 10	< 1	0.06	20	0.29	195	
96GHS-015	201	202	< 5 < 0.2	2.67	36	90	0.5	< 2	0.29 < 0.5	13	30	36	3.85	10	< 1	0.15	30	0.91	685		
96GHS-016	201	202	< 5 < 0.2	1.23	20	70	< 0.5	< 2	0.04 < 0.5	5	12	18	1.59	< 10	< 1	0.12	< 10	0.26	155		
96GHS-017	201	202	< 5	0.2	2.53	82	100	< 0.5	2	0.14 < 0.5	15	28	30	3.99	10	< 1	0.12	30	0.90	715	
96GHS-018	201	202	< 5 < 0.2	2.38	50	50	< 0.5	< 2	0.05 < 0.5	15	26	36	3.79	10	< 1	0.08	40	0.89	380		
96GHS-019	201	202	< 5	< 0.2	2.29	32	40	< 0.5	< 2	0.05 < 0.5	11	26	27	3.86	10	< 1	0.08	40	0.89	420	
96GHS-020	201	202	< 5	0.2	1.27	18	30	< 0.5	< 2	0.02 < 0.5	5	16	9	2.69	< 10	< 1	0.04	10	0.33	170	
96GHS-021	201	202	< 5 < 0.2	1.09	16	10	< 0.5	< 2	0.01 < 0.5	4	14	7	2.11	< 10	< 1	0.03	10	0.35	135		
96GHS-022	201	202	< 5 < 0.2	1.38	18	30	< 0.5	< 2	< 0.01 < 0.5	4	18	9	2.26	< 10	< 1	0.07	30	0.43	145		
96GHS-023	201	202	< 5	0.2	2.07	140	70	< 0.5	< 2	0.15 < 0.5	12	25	24	3.47	< 10	< 1	0.09	30	0.72	380	
96GHS-024	201	202	< 5 < 0.2	1.54	144	110	< 0.5	< 2	0.09 < 0.5	8	18	20	2.41	< 10	< 1	0.12	30	0.35	245		
96GHS-025	201	202	< 5 < 0.2	2.33	36	50	< 0.5	2	0.09 < 0.5	8	29	16	3.86	< 10	< 1	0.08	40	0.93	315		
96GHS-026	201	202	< 5 < 0.2	2.48	34	40	< 0.5	< 2	0.01 < 0.5	11	31	30	4.39	< 10	< 1	0.09	50	0.93	385		
96GHS-027	201	202	< 5	0.2	1.32	12	70	< 0.5	< 2	0.07 < 0.5	5	14	16	1.76	< 10	< 1	0.12	10	0.31	145	
96GHS-028	201	202	< 5 < 0.2	2.73	54	110	< 0.5	< 2	0.11 < 0.5	17	31	42	4.40	< 10	< 1	0.15	30	0.80	420		
96GHS-029	201	202	< 5 < 0.2	1.11	10	30	< 0.5	< 2	0.01 < 0.5	3	16	8	2.10	< 10	< 1	0.05	50	0.35	145		
96GHS-030	201	202	< 5 < 0.2	0.90	6	30	< 0.5	< 2	0.04 < 0.5	3	17	10	0.86	< 10	< 1	0.04	< 10	0.19	55		
96GHS-031	201	202	< 5 < 0.2	2.04	16	20	< 0.5	< 2	0.01 < 0.5	10	22	22	3.15	< 10	< 1	0.03	10	0.76	370		
96GHS-032	201	202	20 < 0.2	2.29	114	60	0.5	< 2	0.04 < 0.5	44	27	38	4.06	< 10	< 1	0.03	20	0.74	1555		
96GHS-033	201	202	< 5 < 0.2	2.44	< 2	110	< 0.5	< 2	0.06 < 0.5	29	187	16	5.60	10	< 1	0.04	10	1.47	2100		
96GHS-034	201	202	40 < 0.2	2.49	340	40	0.5	< 2	0.01 < 0.5	14	46	70	4.83	< 10	< 1	0.04	20	0.88	435		
96GHS-035	201	202	< 5 < 0.2	2.23	38	30	< 0.5	< 2	0.07 < 0.5	17	50	21	3.97	< 10	< 1	0.04	30	0.95	725		
96GHS-036	201	202	< 5 < 0.2	2.86	36	50	< 0.5	< 2	0.13 < 0.5	27	53	41	4.83	< 10	< 1	0.04	40	1.29	815		
96GHS-037	201	202	< 5 < 0.2	2.85	8	50	< 0.5	< 2	0.07 < 0.5	15	40	37	4.69	< 10	< 1	0.04	30	1.18	450		
96GHS-038	201	202	< 5 < 0.2	1.99	144	20	< 0.5	< 2	0.02 < 0.5	11	25	22	3.77	< 10	< 1	0.04	10	0.62	270		
96GHS-039	201	202	< 5 < 0.2	1.80	16	40	< 0.5	< 2	0.03 < 0.5	10	14	11	1.92	< 10	< 1	0.03	10	0.45	895		
96GHS-040	201	202	< 5 < 0.2	2.66	14	40	< 0.5	< 2	0.20 < 0.5	26	38	33	4.57	< 10	< 1	0.06	10	1.36	2930		



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :1-B
 Total Pages :6
 Certificate Date:09-AUG-96
 Invoice No. :I9626028
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS

A9626028

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96GHS-001	201	202	< 1	< 0.01	40	700	22	< 2	2	7	< 0.01	< 10	< 10	18	< 10	84
96GHS-002	201	202	< 1	< 0.01	41	510	18	< 2	2	4	< 0.01	< 10	< 10	17	< 10	84
96GHS-003	201	202	1	0.01	31	890	50	< 2	1	10	< 0.01	< 10	< 10	17	< 10	90
96GHS-004	201	202	< 1	0.04	30	1610	46	< 2	7	15	0.01	< 10	< 10	12	< 10	88
96GHS-005	201	202	1	< 0.01	59	1730	62	< 2	12	35	< 0.01	< 10	< 10	23	< 10	160
96GHS-006	201	202	< 1	0.04	7	720	16	< 2	< 1	9	0.01	< 10	< 10	14	< 10	22
96GHS-007	201	202	< 1	0.04	10	820	20	< 2	< 1	10	0.01	< 10	< 10	18	< 10	32
96GHS-008	201	202	< 1	< 0.01	38	760	36	< 2	3	6	< 0.01	< 10	< 10	17	< 10	102
96GHS-009	201	202	< 1	0.05	7	1010	4	< 2	< 1	34	0.01	< 10	< 10	9	< 10	14
96GHS-010	201	202	1	0.03	30	840	18	< 2	3	55	< 0.01	< 10	< 10	13	< 10	82
96GHS-011	201	202	1	0.05	31	980	16	< 2	2	23	< 0.01	< 10	< 10	16	< 10	150
96GHS-012	201	202	< 1	< 0.01	36	690	40	< 2	3	20	< 0.01	< 10	< 10	14	< 10	100
96GHS-013	201	202	1	< 0.01	43	500	44	< 2	2	7	< 0.01	< 10	< 10	17	< 10	108
96GHS-014	201	202	< 1	< 0.01	12	750	12	< 2	< 1	9	< 0.01	< 10	< 10	15	< 10	36
96GHS-015	201	202	1	< 0.01	35	720	20	< 2	3	18	< 0.01	< 10	< 10	19	< 10	98
96GHS-016	201	202	< 1	0.06	13	380	12	< 2	1	8	< 0.01	< 10	< 10	13	< 10	36
96GHS-017	201	202	< 1	0.01	41	690	24	< 2	2	13	< 0.01	< 10	< 10	18	< 10	106
96GHS-018	201	202	< 1	< 0.01	48	390	24	< 2	2	8	< 0.01	< 10	< 10	16	< 10	94
96GHS-019	201	202	< 1	< 0.01	30	330	22	< 2	1	8	< 0.01	< 10	< 10	16	< 10	86
96GHS-020	201	202	1	< 0.01	11	480	16	< 2	< 1	6	0.01	< 10	< 10	23	< 10	38
96GHS-021	201	202	< 1	< 0.01	10	500	10	< 2	< 1	3	< 0.01	< 10	< 10	12	< 10	32
96GHS-022	201	202	< 1	0.01	12	730	12	2	< 1	4	< 0.01	< 10	< 10	15	< 10	38
96GHS-023	201	202	< 1	0.01	26	1030	26	2	1	11	< 0.01	< 10	< 10	16	< 10	84
96GHS-024	201	202	< 1	0.04	19	920	20	< 2	< 1	10	< 0.01	< 10	< 10	15	< 10	70
96GHS-025	201	202	< 1	< 0.01	24	470	24	< 2	1	8	< 0.01	< 10	< 10	16	< 10	82
96GHS-026	201	202	< 1	< 0.01	28	330	26	2	1	4	< 0.01	< 10	< 10	17	< 10	84
96GHS-027	201	202	< 1	0.03	14	780	16	< 2	< 1	9	< 0.01	< 10	< 10	12	< 10	40
96GHS-028	201	202	1	0.01	43	850	34	8	2	13	< 0.01	< 10	< 10	21	< 10	122
96GHS-029	201	202	< 1	0.01	10	460	8	< 2	< 1	3	< 0.01	< 10	< 10	12	< 10	36
96GHS-030	201	202	< 1	0.06	7	540	12	< 2	< 1	4	< 0.01	< 10	< 10	9	< 10	14
96GHS-031	201	202	< 1	0.01	21	530	30	< 2	< 1	1	< 0.01	< 10	< 10	16	< 10	54
96GHS-032	201	202	< 1	< 0.01	47	580	54	< 2	1	3	< 0.01	< 10	< 10	19	< 10	98
96GHS-033	201	202	1	< 0.01	74	1800	16	< 2	2	7	0.01	< 10	< 10	67	< 10	74
96GHS-034	201	202	1	< 0.01	34	800	42	< 2	1	15	< 0.01	< 10	< 10	25	< 10	94
96GHS-035	201	202	< 1	0.01	37	770	26	< 2	1	6	< 0.01	< 10	< 10	23	< 10	76
96GHS-036	201	202	< 1	< 0.01	49	820	38	< 2	1	12	< 0.01	< 10	< 10	22	< 10	98
96GHS-037	201	202	< 1	< 0.01	42	450	24	2	1	8	< 0.01	< 10	< 10	17	< 10	100
96GHS-038	201	202	< 1	< 0.01	23	590	30	< 2	< 1	3	< 0.01	< 10	< 10	19	< 10	64
96GHS-039	201	202	< 1	< 0.01	11	470	36	2	< 1	3	< 0.01	< 10	< 10	10	< 10	42
96GHS-040	201	202	1	< 0.01	44	1240	44	< 2	1	9	< 0.01	< 10	< 10	20	< 10	96



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :2-A
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. :I9626028
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626028

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
96GHS-041	201	202	< 5	< 0.2	2.40	16	30	< 0.5	< 2	0.02	< 0.5	15	29	21	4.96	< 10	1	0.04	20	1.01	1050
96GHS-042	201	202	< 5	< 0.2	2.85	16	20	< 0.5	< 2	0.04	< 0.5	11	37	25	4.85	< 10	< 1	0.04	20	1.03	740
96GHS-043	201	202	20	< 0.2	2.30	72	40	< 0.5	< 2	0.04	< 0.5	28	27	53	5.42	< 10	< 1	0.04	30	0.74	1600
96GHS-044	201	202	< 5	< 0.2	2.93	24	40	< 0.5	< 2	0.11	< 0.5	26	33	51	5.52	< 10	< 1	0.05	30	1.06	1260
96GHS-045	201	202	< 5	< 0.2	2.67	34	60	< 0.5	< 2	0.22	< 0.5	30	26	68	5.29	< 10	< 1	0.06	20	0.93	2010
96GHS-046	201	202	< 5	< 0.2	1.90	24	20	< 0.5	< 2	0.04	< 0.5	14	29	32	4.41	< 10	< 1	0.04	10	0.68	605
96GHS-047	201	202	< 5	< 0.2	2.79	14	30	< 0.5	< 2	0.05	< 0.5	24	30	61	4.39	< 10	< 1	0.04	10	1.15	1975
96GHS-048	201	202	< 5	< 0.2	2.26	18	30	< 0.5	< 2	0.01	< 0.5	14	57	25	4.71	< 10	< 1	0.04	10	0.93	550
96GHS-049	201	202	< 5	< 0.2	0.92	10	30	< 0.5	< 2	0.15	< 0.5	5	11	13	2.02	< 10	< 1	0.04	10	0.27	260
96GHS-050	201	202	< 5	< 0.2	0.97	4	20	< 0.5	< 2	0.01	< 0.5	3	11	8	1.50	< 10	< 1	0.05	20	0.27	105
96GHS-051	201	202	< 5	0.2	0.53	< 2	10	< 0.5	< 2	0.06	< 0.5	1	5	8	0.88	< 10	< 1	0.04	< 10	0.10	45
96GHS-052	201	202	< 5	< 0.2	1.26	12	40	< 0.5	< 2	0.02	< 0.5	6	17	12	2.87	< 10	< 1	0.06	10	0.33	390
96GHS-053	201	202	< 5	0.6	0.44	2	30	< 0.5	< 2	0.10	< 0.5	4	6	10	0.91	< 10	< 1	0.06	< 10	0.11	220
96GHS-054	201	202	10	< 0.2	0.63	20	30	< 0.5	< 2	0.03	< 0.5	5	9	11	2.30	< 10	< 1	0.05	20	0.14	355
96GHS-055	201	202	< 5	< 0.2	1.36	20	40	< 0.5	< 2	0.01	< 0.5	6	20	16	4.08	< 10	< 1	0.05	30	0.34	335
96GHS-056	201	202	< 5	< 0.2	0.86	104	30	< 0.5	< 2	0.03	< 0.5	4	10	20	2.24	< 10	< 1	0.05	< 10	0.08	95
96GHS-057	201	202	< 5	< 0.2	1.14	28	40	< 0.5	< 2	0.09	< 0.5	4	12	16	2.14	< 10	< 1	0.05	10	0.21	155
96GHS-058	201	202	20	< 0.2	2.27	118	30	< 0.5	< 2	0.11	< 0.5	30	33	61	5.40	< 10	< 1	0.04	10	1.02	1585
96GHS-059	201	202	25	< 0.2	2.19	80	40	< 0.5	< 2	0.22	< 0.5	18	25	43	3.94	< 10	< 1	0.04	< 10	0.78	1020
96GHS-060	201	202	20	< 0.2	2.92	100	20	< 0.5	< 2	0.24	< 0.5	54	58	67	5.46	< 10	< 1	0.03	< 10	1.37	2720
96GHS-061	201	202	20	< 0.2	2.33	88	10	< 0.5	< 2	0.07	< 0.5	18	33	47	4.63	< 10	< 1	0.02	10	0.88	645
96GHS-062	201	202	10	< 0.2	2.27	182	30	0.5	< 2	0.04	< 0.5	37	28	54	5.21	< 10	< 1	0.04	30	0.73	3150
96GHS-063	201	202	< 5	< 0.2	0.55	14	10	< 0.5	< 2	0.09	< 0.5	4	5	17	0.78	< 10	< 1	0.03	< 10	0.17	195
96GHS-064	201	202	< 5	< 0.2	2.64	14	30	< 0.5	< 2	0.09	< 0.5	24	35	58	4.71	< 10	1	0.05	30	1.09	4840
96GHS-065	201	202	< 5	< 0.2	0.76	< 2	30	< 0.5	< 2	0.08	< 0.5	6	6	11	1.29	< 10	< 1	0.04	< 10	0.09	720
96GHS-066	201	202	< 5	< 0.2	1.87	22	30	< 0.5	< 2	0.02	< 0.5	29	23	71	5.64	< 10	< 1	0.04	30	0.68	3040
96GHS-067	201	202	< 5	< 0.2	1.40	< 2	30	< 0.5	< 2	0.03	< 0.5	8	12	7	2.22	< 10	< 1	0.03	< 10	0.59	495
96GHS-068	201	202	< 5	0.2	2.71	8	30	0.5	< 2	0.10	< 0.5	38	29	190	5.29	< 10	< 1	0.05	10	1.21	2400
96GHS-069	201	202	< 5	< 0.2	2.66	90	40	< 0.5	< 2	0.03	< 0.5	28	34	61	5.74	< 10	< 1	0.04	10	0.97	4810
96GHS-070	201	202	< 5	< 0.2	2.04	18	50	< 0.5	< 2	0.08	< 0.5	11	25	32	2.89	< 10	< 1	0.04	< 10	0.73	535
96GHS-071	201	202	< 5	< 0.2	2.19	22	20	< 0.5	< 2	0.05	< 0.5	18	31	32	3.98	< 10	< 1	0.03	< 10	0.90	715
96GHS-072	201	202	30	< 0.2	1.56	324	40	< 0.5	< 2	0.05	< 0.5	15	11	16	2.98	< 10	< 1	0.02	< 10	0.31	960
96GHS-073	201	202	110	0.2	2.61	420	80	0.5	< 2	0.08	< 0.5	48	31	89	5.10	< 10	< 1	0.03	10	0.90	730
96GHS-074	201	202	< 5	< 0.2	1.34	36	40	< 0.5	< 2	0.07	< 0.5	4	7	12	1.59	< 10	< 1	0.03	< 10	0.24	250
96GHS-075	201	202	15	< 0.2	2.14	44	30	< 0.5	< 2	0.04	< 0.5	26	26	61	4.90	< 10	< 1	0.04	10	0.63	660
96GHS-076	201	202	< 5	< 0.2	1.36	100	30	< 0.5	< 2	0.10	< 0.5	16	13	30	3.06	< 10	< 1	0.05	10	0.37	855
96GHS-077	201	202	< 5	< 0.2	1.74	42	50	< 0.5	< 2	0.04	< 0.5	17	17	25	3.10	< 10	< 1	0.04	10	0.46	1345
96GHS-078	201	202	< 5	< 0.2	1.97	54	50	< 0.5	< 2	0.04	< 0.5	13	23	28	3.69	< 10	< 1	0.05	20	0.62	525
96GHS-079	201	202	50	< 0.2	2.49	350	50	< 0.5	< 2	0.05	< 0.5	27	29	54	4.63	< 10	< 1	0.05	20	0.87	1055
96GHS-080	201	202	30	< 0.2	2.79	366	240	< 0.5	< 2	0.11	< 0.5	15	32	55	4.95	< 10	< 1	0.04	10	0.93	520



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :2-B
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. : I9626028
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9626028

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
96GHS-041	201 202	< 1	0.01	33	1130	20	< 2	< 1	4	< 0.01	< 10	< 10	23	< 10	74
96GHS-042	201 202	< 1	0.01	37	600	20	< 2	1	5	< 0.01	< 10	< 10	20	< 10	98
96GHS-043	201 202	< 1	< 0.01	40	760	46	< 2	2	5	< 0.01	< 10	< 10	18	< 10	98
96GHS-044	201 202	< 1	0.01	47	600	30	< 2	2	7	< 0.01	< 10	< 10	18	< 10	116
96GHS-045	201 202	< 1	0.03	43	790	46	< 2	4	10	< 0.01	< 10	< 10	18	< 10	112
96GHS-046	201 202	< 1	< 0.01	26	1360	26	< 2	< 1	5	< 0.01	< 10	< 10	24	< 10	72
96GHS-047	201 202	< 1	0.01	44	640	30	< 2	1	6	< 0.01	< 10	< 10	19	< 10	88
96GHS-048	201 202	< 1	< 0.01	38	750	22	< 2	1	5	0.01	< 10	< 10	32	< 10	72
96GHS-049	201 202	< 1	0.02	10	1220	14	< 2	< 1	10	< 0.01	< 10	< 10	15	< 10	28
96GHS-050	201 202	< 1	0.03	8	900	10	< 2	< 1	5	< 0.01	< 10	< 10	11	< 10	22
96GHS-051	201 202	< 1	0.07	4	890	8	< 2	< 1	6	< 0.01	< 10	< 10	10	< 10	14
96GHS-052	201 202	< 1	0.03	11	1040	16	< 2	< 1	6	< 0.01	< 10	< 10	19	< 10	38
96GHS-053	201 202	< 1	0.06	5	1060	10	< 2	< 1	9	< 0.01	< 10	< 10	9	< 10	28
96GHS-054	201 202	< 1	0.03	9	1080	18	< 2	< 1	7	< 0.01	< 10	< 10	18	< 10	30
96GHS-055	201 202	< 1	0.01	14	940	16	< 2	< 1	6	< 0.01	< 10	< 10	24	< 10	48
96GHS-056	201 202	< 1	0.04	7	890	16	< 2	< 1	6	0.01	< 10	< 10	32	< 10	32
96GHS-057	201 202	< 1	0.04	10	870	16	< 2	< 1	7	0.01	< 10	< 10	20	< 10	38
96GHS-058	201 202	< 1	0.01	48	620	34	< 2	3	9	< 0.01	< 10	< 10	20	< 10	106
96GHS-059	201 202	< 1	0.01	30	670	36	< 2	1	14	< 0.01	< 10	< 10	15	< 10	78
96GHS-060	201 202	< 1	< 0.01	68	950	22	< 2	3	15	< 0.01	< 10	< 10	24	< 10	96
96GHS-061	201 202	< 1	< 0.01	39	400	30	< 2	1	6	< 0.01	< 10	< 10	16	< 10	98
96GHS-062	201 202	< 1	< 0.01	63	700	28	< 2	3	6	< 0.01	< 10	< 10	21	< 10	88
96GHS-063	201 202	< 1	0.07	5	570	10	< 2	< 1	7	0.01	< 10	< 10	11	< 10	16
96GHS-064	201 202	< 1	0.02	65	1000	24	< 2	3	12	< 0.01	< 10	< 10	22	< 10	90
96GHS-065	201 202	< 1	0.06	10	620	14	< 2	< 1	7	0.01	< 10	< 10	10	< 10	20
96GHS-066	201 202	< 1	0.01	47	560	56	< 2	3	8	< 0.01	< 10	< 10	20	< 10	102
96GHS-067	201 202	< 1	0.05	16	490	12	< 2	< 1	5	0.01	< 10	< 10	17	< 10	36
96GHS-068	201 202	< 1	< 0.01	46	420	134	< 2	4	11	< 0.01	< 10	< 10	20	< 10	114
96GHS-069	201 202	< 1	< 0.01	50	1170	22	< 2	2	7	< 0.01	< 10	< 10	26	< 10	104
96GHS-070	201 202	< 1	0.04	25	840	20	< 2	< 1	8	< 0.01	< 10	< 10	15	< 10	58
96GHS-071	201 202	< 1	0.03	32	800	44	< 2	1	6	< 0.01	< 10	< 10	18	< 10	74
96GHS-072	201 202	< 1	< 0.01	16	870	28	< 2	< 1	5	< 0.01	< 10	< 10	8	< 10	52
96GHS-073	201 202	< 1	< 0.01	48	570	44	< 2	2	17	< 0.01	< 10	< 10	14	< 10	124
96GHS-074	201 202	< 1	0.04	6	740	12	< 2	< 1	6	< 0.01	< 10	< 10	10	< 10	24
96GHS-075	201 202	< 1	< 0.01	34	750	40	< 2	2	6	< 0.01	< 10	< 10	15	< 10	100
96GHS-076	201 202	< 1	0.02	24	790	46	< 2	1	7	< 0.01	< 10	< 10	10	< 10	72
96GHS-077	201 202	< 1	0.02	21	610	30	< 2	1	6	< 0.01	< 10	< 10	15	< 10	74
96GHS-078	201 202	< 1	0.01	26	800	24	< 2	1	6	< 0.01	< 10	< 10	18	< 10	80
96GHS-079	201 202	< 1	< 0.01	40	640	42	< 2	3	7	< 0.01	< 10	< 10	19	< 10	108
96GHS-080	201 202	< 1	< 0.01	40	480	30	< 2	1	11	< 0.01	< 10	< 10	17	< 10	100



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.


P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :3-A
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. :I9626028
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626028

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
			FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
96GHS-081	201	202	< 5	< 0.2	0.83	28	50	< 0.5	< 2	0.05	< 0.5	3	18	12	2.62	< 10	< 1	0.07	20	0.11	125
96GHS-082	201	202	< 5	< 0.2	2.07	110	60	< 0.5	< 2	0.12	< 0.5	14	28	38	4.06	< 10	< 1	0.07	40	0.69	435
96GHS-083	201	202	< 5	< 0.2	1.73	22	40	< 0.5	< 2	0.04	< 0.5	7	24	28	3.62	< 10	1	0.06	20	0.51	380
96GHS-084	201	202	< 5	< 0.2	2.21	144	70	< 0.5	< 2	0.03	< 0.5	11	27	72	4.55	< 10	< 1	0.09	20	0.50	315
96GHS-085	201	202	< 5	< 0.2	1.12	70	30	< 0.5	< 2	0.04	< 0.5	2	12	17	2.27	< 10	< 1	0.05	10	0.22	110
96GHS-086	201	202	80	0.2	0.61	474	40	< 0.5	< 2	0.01	< 0.5	3	10	22	2.54	< 10	< 1	0.07	70	0.13	85
96GHS-087	201	202	< 5	< 0.2	1.36	192	40	< 0.5	< 2	0.03	< 0.5	3	16	17	3.86	< 10	< 1	0.06	30	0.32	170
96GHS-088	201	202	5	0.4	1.29	62	30	< 0.5	< 2	0.01	< 0.5	5	14	50	5.41	< 10	< 1	0.05	20	0.14	135
96GHS-089	201	202	< 5	< 0.2	1.36	8	10	< 0.5	< 2	1.09	< 0.5	24	13	50	5.05	< 10	< 1	0.03	10	0.60	485
96GHS-090	201	202	< 5	< 0.2	1.31	266	30	< 0.5	< 2	0.24	< 0.5	17	13	39	4.74	< 10	< 1	0.04	20	0.53	570
96GHS-091	201	202	< 5	< 0.2	1.67	12	30	< 0.5	< 2	0.15	< 0.5	20	19	49	5.30	< 10	< 1	0.04	10	0.59	660
96GHS-092	201	202	< 5	< 0.2	1.62	44	40	< 0.5	< 2	0.29	< 0.5	17	16	37	4.46	< 10	< 1	0.05	30	0.53	430
96GHS-093	201	202	< 5	< 0.2	1.69	28	30	< 0.5	< 2	0.68	< 0.5	18	19	39	4.53	< 10	< 1	0.04	20	0.68	570
96GHS-094	201	202	< 5	< 0.2	1.76	70	50	< 0.5	< 2	0.32	< 0.5	19	17	36	4.33	< 10	< 1	0.05	10	0.53	555
96GHS-095	201	202	< 5	< 0.2	1.71	20	50	< 0.5	< 2	0.62	< 0.5	9	17	24	3.76	< 10	1	0.03	10	0.54	175
96GHS-096	201	202	< 5	< 0.2	1.50	18	20	< 0.5	< 2	0.52	< 0.5	17	19	43	4.99	< 10	< 1	0.03	10	0.72	275
96GHS-097	201	202	< 5	< 0.2	0.67	< 2	20	< 0.5	< 2	0.08	< 0.5	1	3	6	0.77	< 10	< 1	0.03	< 10	0.06	40
96GHS-098	201	202	< 5	< 0.2	1.77	68	30	< 0.5	< 2	0.04	< 0.5	11	23	29	3.44	< 10	< 1	0.05	10	0.45	345
96GHS-099	201	202	< 5	< 0.2	2.11	8	40	< 0.5	< 2	0.13	< 0.5	16	27	32	4.49	< 10	< 1	0.03	20	0.75	770
96GHS-100	201	202	< 5	< 0.2	1.35	12	40	< 0.5	< 2	0.37	< 0.5	9	17	20	3.30	< 10	< 1	0.05	10	0.34	365
96GHS-101	201	202	< 5	< 0.2	1.52	14	30	< 0.5	< 2	0.23	< 0.5	13	16	32	3.75	< 10	< 1	0.04	40	0.52	465
96GHS-102	201	202	< 5	< 0.2	1.63	8	50	< 0.5	< 2	0.19	< 0.5	11	18	18	3.09	< 10	< 1	0.05	20	0.42	650
96GHS-103	201	202	< 5	< 0.2	0.83	10	40	< 0.5	< 2	0.05	< 0.5	4	12	8	2.15	< 10	< 1	0.05	20	0.11	235
96GHS-104	201	202	< 5	< 0.2	1.80	8	50	< 0.5	< 2	0.14	< 0.5	12	23	20	3.97	< 10	< 1	0.04	50	0.65	360
96GHS-105	201	202	< 5	< 0.2	1.18	8	120	< 0.5	< 2	0.15	< 0.5	8	9	13	1.56	< 10	< 1	0.05	10	0.12	1485
96GHS-106	201	202	< 5	< 0.2	2.38	30	50	< 0.5	< 2	0.01	< 0.5	9	34	10	4.20	< 10	< 1	0.06	30	0.82	445
96GHS-107	201	202	< 5	0.2	0.91	12	30	< 0.5	< 2	0.02	< 0.5	2	12	9	1.56	< 10	< 1	0.05	10	0.14	125
96GHS-108	201	202	30	< 0.2	1.64	116	60	0.5	2	0.12	< 0.5	17	15	51	4.35	< 10	< 1	0.02	10	0.49	625
96GHS-109	201	202	30	< 0.2	1.17	138	40	< 0.5	< 2	0.05	< 0.5	16	15	38	3.27	< 10	< 1	0.04	10	0.39	545
96GHS-110	201	202	25	0.2	2.16	130	80	< 0.5	< 2	0.28	< 0.5	40	24	88	5.36	< 10	< 1	0.05	10	0.69	2060
96GHS-111	201	202	< 5	< 0.2	2.25	26	50	< 0.5	< 2	0.02	< 0.5	12	33	22	4.81	< 10	< 1	0.06	30	0.75	525
96GHS-112	201	202	10	< 0.2	0.47	32	10	< 0.5	< 2	0.10	< 0.5	13	19	33	3.48	< 10	< 1	0.03	30	0.08	340
96GHS-113	201	202	< 5	< 0.2	1.32	10	40	< 0.5	< 2	0.07	< 0.5	3	15	7	1.74	< 10	< 1	0.05	10	0.34	110
96GHS-114	201	202	< 5	0.8	1.71	20	50	< 0.5	< 2	0.07	< 0.5	6	17	48	2.22	< 10	< 1	0.07	10	0.28	205
96GHS-115	201	202	< 5	< 0.2	0.86	6	40	< 0.5	< 2	0.05	< 0.5	1	10	4	1.08	< 10	< 1	0.07	10	0.16	70
96GHS-116	201	202	< 5	< 0.2	2.26	44	60	< 0.5	< 2	0.02	< 0.5	12	35	41	5.36	< 10	< 1	0.08	30	0.61	440
96GHS-117	201	202	< 5	< 0.2	1.07	12	40	< 0.5	< 2	0.01	< 0.5	3	14	5	1.73	< 10	< 1	0.06	30	0.21	100
96GHS-118	201	202	< 5	< 0.2	1.29	50	90	< 0.5	< 2	0.06	< 0.5	7	14	14	2.16	< 10	< 1	0.08	< 10	0.15	655
96GHS-119	201	202	15	< 0.2	1.72	52	90	< 0.5	< 2	0.04	< 0.5	8	24	16	3.24	< 10	< 1	0.10	20	0.39	620
96GHS-120	201	202	< 5	< 0.2	1.49	14	30	< 0.5	< 2	0.03	< 0.5	4	17	10	2.24	< 10	< 1	0.05	20	0.41	175



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4


Project: 6405
 Comments: ATTN:M.JONES

Page Number :3-B
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. :19626028
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS

A9626028

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96GHS-081	201	202	1 < 0.01		9	1120	20 < 2	< 1		9	0.01	< 10	< 10	48 < 10		36
96GHS-082	201	202	< 1 < 0.01		32	850	26 < 2	3		18	0.04	< 10	< 10	29 < 10		92
96GHS-083	201	202	< 1 0.02		18	990	24 < 2	< 1		8	0.01	< 10	< 10	26 < 10		56
96GHS-084	201	202	1 0.02		27	870	50 < 2	1		13	0.01	< 10	< 10	30 < 10		88
96GHS-085	201	202	< 1 0.04		6	870	68 < 2	< 1		9	0.02	< 10	< 10	22 < 10		28
96GHS-086	201	202	< 1 < 0.01		6	490	142 < 2	1		15	< 0.01	< 10	< 10	9 < 10		22
96GHS-087	201	202	< 1 0.03		9	860	126 < 2	< 1		7	0.01	< 10	< 10	21 < 10		58
96GHS-088	201	202	< 1 0.01		12	1220	58 < 2	< 1		11	0.01	< 10	< 10	29 < 10		56
96GHS-089	201	202	< 1 < 0.01		47	180	46 < 2	2		61	< 0.01	< 10	< 10	6 < 10		122
96GHS-090	201	202	< 1 < 0.01		41	520	46 < 2	3		27	< 0.01	< 10	< 10	7 < 10		114
96GHS-091	201	202	< 1 < 0.01		52	480	48 < 2	2		17	< 0.01	< 10	< 10	9 < 10		132
96GHS-092	201	202	< 1 < 0.01		37	620	40 < 2	3		25	< 0.01	< 10	< 10	9 < 10		110
96GHS-093	201	202	< 1 < 0.01		41	690	38 < 2	4		54	< 0.01	< 10	< 10	10 < 10		114
96GHS-094	201	202	< 1 0.01		37	650	42 < 2	3		26	< 0.01	< 10	< 10	9 < 10		98
96GHS-095	201	202	< 1 0.01		29	750	26 < 2	3		45	< 0.01	< 10	< 10	10 < 10		76
96GHS-096	201	202	< 1 < 0.01		47	460	42 < 2	3		35	< 0.01	< 10	< 10	8 < 10		126
96GHS-097	201	202	< 1 0.09		1	650	2 < 2	< 1		6	0.02	< 10	< 10	20 < 10		8
96GHS-098	201	202	< 1 0.03		24	920	30 < 2	< 1		6	0.01	< 10	< 10	21 < 10		60
96GHS-099	201	202	< 1 < 0.01		38	750	26 < 2	2		10	< 0.01	< 10	< 10	16 < 10		98
96GHS-100	201	202	< 1 < 0.01		22	1040	28 < 2	1		17	< 0.01	< 10	< 10	14 < 10		84
96GHS-101	201	202	< 1 < 0.01		30	560	20 < 2	1		10	< 0.01	< 10	< 10	9 < 10		68
96GHS-102	201	202	< 1 0.04		19	1140	16 < 2	< 1		11	0.01	< 10	< 10	20 < 10		54
96GHS-103	201	202	< 1 0.02		8	800	6 < 2	< 1		7	< 0.01	< 10	< 10	22 < 10		28
96GHS-104	201	202	< 1 < 0.01		30	490	24 < 2	1		10	0.01	< 10	< 10	17 < 10		86
96GHS-105	201	202	< 1 0.05		8	1140	16 < 2	< 1		13	0.01	< 10	< 10	19 < 10		30
96GHS-106	201	202	< 1 0.01		28	490	16 < 2	1		4	< 0.01	< 10	< 10	19 < 10		62
96GHS-107	201	202	< 1 0.01		5	780	12 < 2	< 1		7	< 0.01	< 10	< 10	16 < 10		14
96GHS-108	201	202	< 1 < 0.01		38	470	56 < 2	3		28	< 0.01	< 10	< 10	9 < 10		102
96GHS-109	201	202	< 1 0.03		26	580	44 < 2	1		14	< 0.01	< 10	< 10	10 < 10		76
96GHS-110	201	202	< 1 0.01		46	1350	82 < 2	5		18	< 0.01	< 10	< 10	15 < 10		146
96GHS-111	201	202	< 1 0.01		31	590	24 < 2	1		6	< 0.01	< 10	< 10	24 < 10		88
96GHS-112	201	202	< 1 < 0.01		28	470	30 < 2	2		5	< 0.01	< 10	< 10	11 < 10		82
96GHS-113	201	202	< 1 0.03		10	720	10 < 2	< 1		6	< 0.01	< 10	< 10	16 < 10		26
96GHS-114	201	202	< 1 0.04		17	1490	40 < 2	< 1		8	< 0.01	< 10	< 10	15 < 10		42
96GHS-115	201	202	< 1 0.04		5	910	8 < 2	< 1		7	< 0.01	< 10	< 10	13 < 10		16
96GHS-116	201	202	< 1 < 0.01		28	740	20 < 2	1		7	0.01	< 10	< 10	28 < 10		76
96GHS-117	201	202	< 1 0.01		7	710	8 < 2	< 1		6	< 0.01	< 10	< 10	14 < 10		22
96GHS-118	201	202	< 1 0.04		10	1590	24 < 2	< 1		16	< 0.01	< 10	< 10	16 < 10		40
96GHS-119	201	202	< 1 0.03		18	1450	16 < 2	1		9	< 0.01	< 10	< 10	21 < 10		68
96GHS-120	201	202	< 1 0.05		13	380	10 < 2	< 1		4	0.01	< 10	< 10	14 < 10		38



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number : 4-A
 Total Pages : 6
 Certificate Date: 09-AUG-96
 Invoice No. : 19626028
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9626028

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
96GHS-121	201	202	< 5	< 0.2	1.17	44	30	< 0.5	< 2	< 0.01	< 0.5	4	17	8	2.51	< 10	< 1	0.04	10	0.34	200
96GHS-122	201	202	< 5	< 0.2	1.41	22	50	< 0.5	< 2	0.01	< 0.5	6	22	13	3.49	< 10	< 1	0.04	10	0.31	200
96GHS-123	201	202	< 5	< 0.2	1.86	42	40	< 0.5	< 2	< 0.01	< 0.5	9	27	16	4.40	< 10	< 1	0.03	20	0.67	365
96GHS-124	201	202	< 5	< 0.2	0.92	16	50	< 0.5	< 2	0.01	< 0.5	5	12	25	1.43	< 10	< 1	0.05	10	0.12	250
96GHS-125	201	202	< 5	< 0.2	1.70	30	40	< 0.5	< 2	0.01	< 0.5	7	22	12	3.91	< 10	< 1	0.06	30	0.47	335
96GHS-126	201	202	< 5	< 0.2	0.65	< 2	30	< 0.5	< 2	0.11	< 0.5	3	4	6	0.84	< 10	< 1	0.03	< 10	0.07	245
96GHS-127	201	202	< 5	< 0.2	2.47	26	30	< 0.5	< 2	0.03	< 0.5	22	40	57	4.93	< 10	< 1	0.05	40	0.91	535
96GHS-128	201	202	< 5	< 0.2	1.95	36	40	< 0.5	< 2	< 0.01	< 0.5	9	26	13	4.30	< 10	< 1	0.07	30	0.64	365
96GHS-129	201	202	< 5	< 0.2	1.62	52	30	< 0.5	< 2	0.01	< 0.5	9	25	17	4.76	< 10	< 1	0.05	20	0.43	435
96GHS-130	201	202	< 5	< 0.2	1.03	42	80	< 0.5	< 2	< 0.01	< 0.5	14	20	29	4.18	< 10	< 1	0.05	10	0.25	2240
96GHS-131	201	202	60	0.2	2.54	126	40	0.5	< 2	0.02	< 0.5	43	41	110	6.83	< 10	< 1	0.06	< 10	0.92	865
96GHS-132	201	202	< 5	< 0.2	0.26	18	10	< 0.5	< 2	0.03	< 0.5	2	4	7	0.76	< 10	< 1	0.04	< 10	0.03	85
96GHS-133	201	202	< 5	0.2	1.90	50	70	< 0.5	< 2	0.03	< 0.5	6	26	36	3.96	< 10	< 1	0.10	10	0.47	270
96GHS-134	201	202	< 5	< 0.2	0.97	44	30	< 0.5	< 2	< 0.01	< 0.5	3	16	14	3.21	< 10	< 1	0.06	30	0.23	135
96GHS-135	201	202	< 5	< 0.2	1.78	22	40	< 0.5	< 2	< 0.01	< 0.5	4	29	12	3.61	< 10	< 1	0.06	20	0.61	200
96GHS-136	201	202	25	< 0.2	1.93	48	30	< 0.5	< 2	< 0.01	< 0.5	7	30	28	4.69	< 10	< 1	0.05	40	0.70	305
96GHS-137	201	202	< 5	0.2	0.67	14	20	< 0.5	< 2	0.01	< 0.5	2	8	9	1.61	< 10	< 1	0.04	10	0.15	65
96GHS-138	201	202	125	0.6	0.93	18	10	< 0.5	< 2	< 0.01	< 0.5	3	14	12	2.88	< 10	< 1	0.04	30	0.26	125
96GHS-139	201	202	< 5	< 0.2	1.65	24	20	< 0.5	< 2	< 0.01	< 0.5	6	22	19	4.09	< 10	< 1	0.03	30	0.55	235
96GHS-140	201	202	< 5	0.2	1.14	14	40	< 0.5	< 2	0.01	< 0.5	3	14	9	1.92	< 10	< 1	0.04	20	0.23	100
96GHS-141	201	202	< 5	0.2	0.23	< 2	10	< 0.5	< 2	0.02	< 0.5	< 1	2	1	0.42	< 10	< 1	0.02	< 10	0.02	10
96GHS-142	201	202	< 5	< 0.2	1.20	50	20	< 0.5	< 2	0.01	< 0.5	5	15	22	2.96	< 10	< 1	0.03	10	0.35	155
96GHS-143	201	202	< 5	< 0.2	1.70	120	40	< 0.5	< 2	< 0.01	< 0.5	8	23	31	5.19	< 10	< 1	0.06	20	0.38	330
96GHS-144	201	202	< 5	0.2	0.65	26	100	< 0.5	< 2	0.03	< 0.5	7	8	10	1.61	< 10	< 1	0.05	< 10	0.10	1565
96GHS-145	201	202	< 5	< 0.2	1.74	52	80	0.5	< 2	0.22	< 0.5	12	17	31	2.90	< 10	< 1	0.09	10	0.44	1110
96GHS-146	201	202	10	< 0.2	2.31	82	50	< 0.5	< 2	0.06	< 0.5	20	32	45	4.64	< 10	< 1	0.08	10	0.76	1210
96GHS-147	201	202	15	< 0.2	1.33	150	20	< 0.5	< 2	0.07	< 0.5	25	22	38	4.59	< 10	< 1	0.04	50	0.51	935
96GHS-148	201	202	35	< 0.2	2.20	164	30	< 0.5	< 2	0.03	< 0.5	24	28	48	4.59	< 10	< 1	0.05	50	0.82	725
96GHS-149	201	202	< 5	< 0.2	2.20	170	30	< 0.5	< 2	0.03	< 0.5	24	30	42	4.40	< 10	< 1	0.04	30	0.79	840
96GHS-150	201	202	20	< 0.2	1.98	196	30	0.5	< 2	0.03	< 0.5	28	30	46	4.30	< 10	< 1	0.04	30	0.65	1065
96GHS-151	201	202	10	< 0.2	1.84	66	20	< 0.5	< 2	0.03	< 0.5	14	21	26	3.67	< 10	< 1	0.03	30	0.63	520
96GHS-152	201	202	< 5	< 0.2	2.20	32	30	< 0.5	< 2	0.05	< 0.5	26	27	29	3.93	< 10	< 1	0.03	10	1.02	2250
96GHS-153	201	202	not/see	< 0.2	2.01	102	40	< 0.5	< 2	0.13	< 0.5	26	27	25	4.16	< 10	< 1	0.04	< 10	0.81	2250
96GHS-154	201	202	< 5	< 0.2	2.35	18	30	< 0.5	< 2	0.05	< 0.5	30	28	29	4.33	< 10	< 1	0.04	10	1.06	2040
96GHS-155	201	202	40	< 0.2	2.94	230	30	< 0.5	< 2	0.09	< 0.5	50	36	71	5.03	< 10	< 1	0.03	30	1.29	1540
96GHS-156	201	202	10	< 0.2	2.81	140	30	< 0.5	< 2	0.09	< 0.5	30	34	53	4.83	< 10	< 1	0.03	20	1.19	1485
96GHS-157	201	202	< 5	< 0.2	1.94	124	40	< 0.5	< 2	0.03	< 0.5	15	24	44	3.62	< 10	< 1	0.04	10	0.68	670
96GHS-158	201	202	5	< 0.2	2.82	34	30	< 0.5	< 2	0.05	< 0.5	10	37	49	4.89	< 10	< 1	0.04	10	1.04	485
96GHS-159	201	202	10	< 0.2	2.46	106	40	< 0.5	< 2	0.02	< 0.5	36	27	43	4.12	< 10	< 1	0.04	30	1.08	1345
96GHS-160	201	202	< 5	< 0.2	2.56	54	30	< 0.5	< 2	0.01	< 0.5	24	33	38	4.35	< 10	< 1	0.03	20	1.14	880



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.


P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :4-B
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. : I9626028
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9626028

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96GHS-121	201	202	< 1	< 0.01	13	920	14	< 2	< 1	4	< 0.01	< 10	< 10	15	< 10	34
96GHS-122	201	202	< 1	< 0.01	14	690	22	< 2	< 1	5	< 0.01	< 10	< 10	31	< 10	42
96GHS-123	201	202	< 1	< 0.01	23	630	14	< 2	< 1	3	< 0.01	< 10	< 10	17	< 10	64
96GHS-124	201	202	< 1	0.01	7	1000	50	< 2	< 1	6	< 0.01	< 10	< 10	15	< 10	24
96GHS-125	201	202	< 1	< 0.01	17	640	12	< 2	< 1	6	< 0.01	< 10	< 10	21	< 10	50
96GHS-126	201	202	< 1	0.07	3	500	6	< 2	< 1	8	0.01	< 10	< 10	10	< 10	14
96GHS-127	201	202	< 1	0.01	57	530	48	< 2	1	8	< 0.01	< 10	< 10	24	< 10	120
96GHS-128	201	202	< 1	0.01	24	510	16	< 2	1	5	< 0.01	< 10	< 10	19	< 10	62
96GHS-129	201	202	< 1	< 0.01	19	790	24	< 2	< 1	5	0.01	< 10	< 10	27	< 10	62
96GHS-130	201	202	< 1	< 0.01	19	1320	26	< 2	< 1	5	< 0.01	< 10	< 10	25	< 10	60
96GHS-131	201	202	< 1	< 0.01	49	790	48	< 2	3	6	< 0.01	< 10	< 10	22	< 10	144
96GHS-132	201	202	< 1	0.06	2	410	8	< 2	< 1	5	< 0.01	< 10	< 10	12	< 10	12
96GHS-133	201	202	< 1	0.03	19	1040	26	< 2	< 1	9	< 0.01	< 10	< 10	21	< 10	54
96GHS-134	201	202	< 1	0.01	9	1180	12	< 2	< 1	6	< 0.01	< 10	< 10	19	< 10	30
96GHS-135	201	202	< 1	0.01	18	670	14	< 2	< 1	4	< 0.01	< 10	< 10	20	< 10	42
96GHS-136	201	202	< 1	< 0.01	22	670	30	< 2	1	5	< 0.01	< 10	< 10	19	< 10	68
96GHS-137	201	202	< 1	0.04	6	430	12	< 2	< 1	4	< 0.01	< 10	< 10	15	< 10	18
96GHS-138	201	202	< 1	0.03	9	820	12	< 2	< 1	4	< 0.01	< 10	< 10	20	< 10	28
96GHS-139	201	202	< 1	0.01	18	620	20	< 2	< 1	4	< 0.01	< 10	< 10	19	< 10	50
96GHS-140	201	202	< 1	0.01	7	720	18	< 2	< 1	7	< 0.01	< 10	< 10	17	< 10	22
96GHS-141	201	202	< 1	0.04	< 1	420	2	< 2	< 1	4	< 0.01	< 10	< 10	8	< 10	2
96GHS-142	201	202	< 1	0.01	14	1090	20	< 2	< 1	4	< 0.01	< 10	< 10	17	< 10	44
96GHS-143	201	202	< 1	< 0.01	20	970	22	< 2	< 1	6	< 0.01	< 10	< 10	24	< 10	90
96GHS-144	201	202	< 1	0.03	6	1260	18	< 2	< 1	6	< 0.01	< 10	< 10	14	< 10	26
96GHS-145	201	202	< 1	0.02	27	1100	18	< 2	< 1	13	< 0.01	< 10	< 10	18	< 10	80
96GHS-146	201	202	< 1	0.01	38	1080	28	< 2	2	8	< 0.01	< 10	< 10	26	< 10	92
96GHS-147	201	202	< 1	< 0.01	43	490	24	< 2	2	9	< 0.01	< 10	< 10	15	< 10	98
96GHS-148	201	202	< 1	< 0.01	38	610	40	< 2	1	9	< 0.01	< 10	< 10	19	< 10	100
96GHS-149	201	202	< 1	0.01	32	820	28	< 2	1	9	< 0.01	< 10	< 10	21	< 10	86
96GHS-150	201	202	< 1	0.01	35	800	36	< 2	1	9	< 0.01	< 10	< 10	22	< 10	94
96GHS-151	201	202	< 1	0.01	26	660	24	< 2	1	7	< 0.01	< 10	< 10	17	< 10	80
96GHS-152	201	202	< 1	< 0.01	32	1120	26	< 2	< 1	6	< 0.01	< 10	< 10	18	< 10	82
96GHS-153	201	202	< 1	< 0.01	30	1500	62	< 2	< 1	8	< 0.01	< 10	< 10	19	< 10	86
96GHS-154	201	202	< 1	0.01	32	1570	42	< 2	1	5	< 0.01	< 10	< 10	21	< 10	72
96GHS-155	201	202	< 1	< 0.01	49	520	54	< 2	2	8	< 0.01	< 10	< 10	23	< 10	110
96GHS-156	201	202	< 1	< 0.01	48	830	30	< 2	1	7	< 0.01	< 10	< 10	22	< 10	90
96GHS-157	201	202	< 1	0.03	26	900	22	< 2	1	7	< 0.01	< 10	< 10	18	< 10	68
96GHS-158	201	202	< 1	0.01	39	620	36	< 2	2	10	< 0.01	< 10	< 10	21	< 10	92
96GHS-159	201	202	< 1	0.01	36	630	36	< 2	2	6	< 0.01	< 10	< 10	22	< 10	84
96GHS-160	201	202	< 1	< 0.01	38	690	22	< 2	1	5	< 0.01	< 10	< 10	21	< 10	90



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.


P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :5-A
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. : I9626028
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS A9626028

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA	AA																			
96GHS-161	201	202	< 5	< 0.2	2.97	34	60	0.5	< 2	0.08	< 0.5	62	40	96	5.18	< 10	< 1	0.04	60	1.18	945
96GHS-162	201	202	< 5	< 0.2	2.77	26	10	< 0.5	< 2	0.05	< 0.5	13	37	59	4.96	< 10	< 1	0.02	30	0.96	510
96GHS-163	201	202	< 5	< 0.2	3.05	32	30	< 0.5	< 2	0.06	< 0.5	27	40	86	5.11	< 10	< 1	0.03	30	1.10	765
96GHS-164	201	202	< 5	< 0.2	2.19	24	20	< 0.5	< 2	0.02	< 0.5	11	30	33	4.22	< 10	1	0.02	10	0.73	505
96GHS-165	201	202	10	< 0.2	1.67	56	30	< 0.5	< 2	0.03	< 0.5	22	25	43	4.82	< 10	< 1	0.02	20	0.60	855
96GHS-166	201	202	< 5	< 0.2	1.12	8	20	< 0.5	< 2	0.03	< 0.5	3	10	9	1.62	< 10	< 1	0.03	< 10	0.27	200
96GHS-167	201	202	10	< 0.2	1.69	20	20	< 0.5	< 2	0.03	< 0.5	12	20	19	3.51	< 10	< 1	0.03	< 10	0.52	560
96GHS-168	201	202	5	< 0.2	2.85	50	50	< 0.5	< 2	0.06	< 0.5	28	40	57	5.23	< 10	< 1	0.04	10	0.99	1115
96GHS-169	201	202	55	< 0.2	2.45	378	40	< 0.5	< 2	0.03	< 0.5	20	30	40	4.48	< 10	< 1	0.04	10	1.07	1080
96GHS-170	201	202	5	< 0.2	2.75	20	30	< 0.5	< 2	0.05	< 0.5	16	33	34	4.41	< 10	1	0.04	20	1.14	1035
96GHS-171	201	202	< 5	< 0.2	1.26	16	30	< 0.5	< 2	0.08	< 0.5	6	16	16	2.18	< 10	< 1	0.03	10	0.40	290
96GHS-172	201	202	< 5	< 0.2	2.58	30	30	< 0.5	< 2	0.05	< 0.5	23	33	56	4.69	< 10	< 1	0.04	10	0.94	650
96GHS-173	201	202	< 5	< 0.2	1.64	32	30	< 0.5	< 2	0.09	< 0.5	14	20	24	3.02	< 10	< 1	0.06	10	0.54	805
96GHS-174	201	202	< 5	< 0.2	1.45	78	60	< 0.5	< 2	0.11	< 0.5	5	27	18	2.27	< 10	< 1	0.05	< 10	0.35	185
96GHS-175	201	202	< 5	< 0.2	1.46	46	60	< 0.5	< 2	0.04	< 0.5	6	20	15	2.50	< 10	< 1	0.07	10	0.30	485
96GHS-176	201	202	25	< 0.2	2.73	90	50	0.5	< 2	0.09	< 0.5	38	33	80	5.05	< 10	< 1	0.05	30	0.93	1065
96GHS-177	201	202	< 5	< 0.2	3.00	26	40	< 0.5	< 2	0.04	< 0.5	11	38	39	5.38	< 10	< 1	0.05	30	1.05	570
96GHS-178	201	202	< 5	< 0.2	2.84	28	40	< 0.5	< 2	< 0.01	< 0.5	5	39	26	5.31	< 10	< 1	0.05	20	0.97	575
96GHS-179	201	202	< 5	< 0.2	1.76	16	30	< 0.5	< 2	0.01	< 0.5	7	26	19	4.21	< 10	< 1	0.04	20	0.50	590
96GHS-180	201	202	< 5	< 0.2	2.95	24	10	< 0.5	< 2	0.01	< 0.5	9	41	52	5.39	< 10	< 1	0.03	30	1.01	600
96GHS-181	201	202	< 5	< 0.2	1.78	22	20	< 0.5	< 2	0.01	< 0.5	8	30	25	5.06	< 10	< 1	0.01	30	0.53	450
96GHS-182	201	202	< 5	< 0.2	1.52	24	30	< 0.5	< 2	0.02	< 0.5	8	26	29	4.52	< 10	< 1	0.03	10	0.41	330
96GHS-183	201	202	< 5	< 0.2	3.18	94	30	0.5	< 2	0.05	< 0.5	49	42	193	6.10	< 10	< 1	0.04	70	1.15	705
96GHS-184	201	202	< 5	< 0.2	2.13	12	20	< 0.5	< 2	0.02	< 0.5	4	31	21	4.40	< 10	< 1	0.04	30	0.88	320
96GHS-185	201	202	< 5	< 0.2	1.74	18	30	< 0.5	< 2	0.03	< 0.5	18	23	104	4.14	< 10	< 1	0.04	20	0.56	470
96GHS-186	201	202	< 5	< 0.2	2.28	32	20	< 0.5	< 2	0.07	< 0.5	16	31	36	4.01	< 10	< 1	0.03	20	0.88	565
96GHS-187	201	202	< 5	< 0.2	2.84	30	20	< 0.5	< 2	0.03	< 0.5	11	39	29	5.37	< 10	< 1	0.05	30	1.05	765
96GHS-188	201	202	< 5	< 0.2	2.09	80	30	< 0.5	< 2	0.07	< 0.5	17	25	39	3.74	< 10	< 1	0.04	40	0.96	620
96GHS-189	201	202	< 5	< 0.2	1.84	6	60	< 0.5	< 2	0.12	< 0.5	17	71	66	3.64	< 10	< 1	0.04	10	0.81	610
96GHS-190	201	202	< 5	< 0.2	1.67	54	50	< 0.5	< 2	0.05	< 0.5	8	23	20	3.80	< 10	< 1	0.05	10	0.57	450
96GHS-191	201	202	< 5	< 0.2	1.62	56	20	< 0.5	< 2	0.10	< 0.5	9	27	24	4.84	< 10	< 1	0.04	10	0.62	390
96GHS-192	201	202	< 5	< 0.2	2.33	6	20	< 0.5	< 2	0.08	< 0.5	19	31	26	3.91	< 10	< 1	0.04	60	1.44	1430
96GHS-193	201	202	< 5	< 0.2	1.99	76	60	1.5	< 2	0.13	< 0.5	29	44	131	3.83	< 10	< 1	0.05	60	0.91	920
96GHS-194	201	202	< 5	< 0.2	1.51	22	20	< 0.5	< 2	0.03	< 0.5	7	20	13	3.21	< 10	< 1	0.04	20	0.46	255
96GHS-195	201	202	< 5	< 0.2	1.68	4	20	< 0.5	< 2	0.05	< 0.5	9	17	6	2.34	< 10	< 1	0.02	10	0.79	385
96GHS-196	201	202	< 5	< 0.2	2.52	68	20	< 0.5	< 2	0.05	< 0.5	36	28	67	5.02	< 10	1	0.03	30	1.09	1610
96GHS-197	201	202	< 5	< 0.2	1.63	40	20	< 0.5	< 2	0.04	< 0.5	5	21	19	3.08	< 10	< 1	0.04	20	0.53	295
96GHS-198	201	202	< 5	< 0.2	2.13	26	30	< 0.5	< 2	0.01	< 0.5	8	33	23	4.65	< 10	< 1	0.05	20	0.75	550
96GHS-199	201	202	< 5	< 0.2	2.66	46	20	< 0.5	< 2	< 0.01	< 0.5	15	34	88	6.49	< 10	< 1	0.06	50	1.09	1170
96GHS-200	201	202	< 5	< 0.2	2.78	54	40	0.5	< 2	0.21	< 0.5	50	32	108	6.07	< 10	< 1	0.06	50	1.15	1240



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4


Project: 6405
 Comments: ATTN:M.JONES

Page Number :5-B
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. :19626028
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS

A9626028

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96GHS-161	201	202	< 1	< 0.01	49	630	50	< 2	2	23	< 0.01	< 10	< 10	21	< 10	116
96GHS-162	201	202	< 1	0.01	39	700	48	2	1	6	< 0.01	< 10	< 10	23	< 10	102
96GHS-163	201	202	< 1	< 0.01	45	630	52	< 2	2	6	< 0.01	< 10	< 10	21	< 10	116
96GHS-164	201	202	< 1	< 0.01	29	900	34	< 2	< 1	6	< 0.01	< 10	< 10	19	< 10	74
96GHS-165	201	202	< 1	< 0.01	43	460	30	2	1	9	< 0.01	< 10	< 10	18	< 10	108
96GHS-166	201	202	< 1	0.04	9	620	8	< 2	< 1	4	< 0.01	< 10	< 10	10	< 10	30
96GHS-167	201	202	< 1	< 0.01	22	920	22	< 2	< 1	4	< 0.01	< 10	< 10	13	< 10	68
96GHS-168	201	202	< 1	< 0.01	44	820	44	< 2	1	10	< 0.01	< 10	< 10	24	< 10	114
96GHS-169	201	202	< 1	< 0.01	31	940	20	< 2	< 1	5	< 0.01	< 10	< 10	21	< 10	78
96GHS-170	201	202	< 1	0.01	37	740	22	< 2	1	6	< 0.01	< 10	< 10	21	< 10	92
96GHS-171	201	202	< 1	0.05	14	770	12	< 2	< 1	7	0.01	< 10	< 10	18	< 10	38
96GHS-172	201	202	< 1	< 0.01	38	760	40	< 2	1	5	< 0.01	< 10	< 10	20	< 10	100
96GHS-173	201	202	< 1	0.04	21	950	28	2	1	8	0.02	< 10	< 10	26	< 10	62
96GHS-174	201	202	< 1	0.04	14	980	16	< 2	< 1	9	0.01	< 10	< 10	29	< 10	36
96GHS-175	201	202	< 1	0.03	13	1200	18	2	< 1	7	< 0.01	< 10	< 10	23	< 10	42
96GHS-176	201	202	< 1	< 0.01	42	800	46	2	1	9	< 0.01	< 10	< 10	19	< 10	114
96GHS-177	201	202	< 1	0.01	27	770	66	< 2	1	14	< 0.01	< 10	< 10	19	< 10	92
96GHS-178	201	202	< 1	< 0.01	19	1010	42	< 2	1	15	< 0.01	< 10	< 10	19	< 10	82
96GHS-179	201	202	< 1	< 0.01	16	1800	30	< 2	< 1	5	< 0.01	< 10	< 10	23	< 10	66
96GHS-180	201	202	< 1	< 0.01	29	470	64	< 2	1	4	< 0.01	< 10	< 10	19	< 10	94
96GHS-181	201	202	< 1	< 0.01	17	1450	34	< 2	< 1	5	< 0.01	< 10	< 10	23	< 10	60
96GHS-182	201	202	< 1	< 0.01	17	1420	26	< 2	< 1	5	< 0.01	< 10	< 10	24	< 10	64
96GHS-183	201	202	1	< 0.01	90	730	54	< 2	3	9	< 0.01	< 10	< 10	23	< 10	166
96GHS-184	201	202	< 1	< 0.01	13	800	12	< 2	1	6	< 0.01	< 10	< 10	18	< 10	76
96GHS-185	201	202	< 1	0.03	29	830	52	< 2	1	7	< 0.01	< 10	< 10	16	< 10	80
96GHS-186	201	202	< 1	0.02	30	700	28	< 2	1	6	< 0.01	< 10	< 10	21	< 10	82
96GHS-187	201	202	< 1	0.01	27	900	34	< 2	1	5	< 0.01	< 10	< 10	25	< 10	94
96GHS-188	201	202	< 1	0.03	32	650	20	< 2	1	9	< 0.01	< 10	< 10	19	< 10	82
96GHS-189	201	202	< 1	0.03	38	1030	6	< 2	1	11	0.01	< 10	< 10	36	< 10	62
96GHS-190	201	202	< 1	< 0.01	19	1470	16	< 2	< 1	8	< 0.01	< 10	< 10	19	< 10	62
96GHS-191	201	202	< 1	< 0.01	23	930	26	< 2	< 1	8	< 0.01	< 10	< 10	21	< 10	70
96GHS-192	201	202	< 1	< 0.01	39	530	12	2	1	7	< 0.01	< 10	< 10	21	< 10	100
96GHS-193	201	202	< 1	0.01	60	780	26	2	2	12	< 0.01	< 10	< 10	23	< 10	102
96GHS-194	201	202	< 1	< 0.01	16	870	12	< 2	< 1	5	< 0.01	< 10	< 10	23	< 10	50
96GHS-195	201	202	< 1	0.03	17	730	4	< 2	< 1	4	< 0.01	< 10	< 10	15	< 10	46
96GHS-196	201	202	1	0.02	39	940	62	< 2	1	7	< 0.01	< 10	< 10	24	< 10	82
96GHS-197	201	202	< 1	0.04	16	650	18	< 2	< 1	6	0.01	< 10	< 10	22	< 10	48
96GHS-198	201	202	< 1	< 0.01	22	960	26	< 2	1	6	< 0.01	< 10	< 10	27	< 10	78
96GHS-199	201	202	< 1	< 0.01	16	910	50	2	3	7	< 0.01	< 10	< 10	21	< 10	78
96GHS-200	201	202	< 1	< 0.01	82	610	56	< 2	3	11	< 0.01	< 10	< 10	18	< 10	148



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :6-A
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. :19626028
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626028

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
96GHS-201	201	202	< 5	< 0.2	2.52	32	30	< 0.5	< 2	0.21	< 0.5	37	31	80	5.18	< 10	< 1	0.06	40	1.03	835
96GHS-202	201	202	< 5	< 0.2	2.43	76	40	0.5	< 2	0.17	< 0.5	70	24	132	7.59	< 10	< 1	0.03	80	1.05	2370
96GHS-203	201	202	40	0.2	2.61	178	40	0.5	< 2	0.27	< 0.5	57	30	107	6.05	< 10	< 1	0.07	50	1.02	1230
96GHS-204	201	202	5	< 0.2	2.33	212	50	0.5	< 2	0.21	< 0.5	54	27	107	5.46	< 10	< 1	0.06	70	0.95	1205
96GHS-205	201	202	5	< 0.2	2.21	108	30	0.5	< 2	0.26	< 0.5	47	26	93	6.37	< 10	< 1	0.03	40	0.98	1060
96GHS-206	201	202	55	< 0.2	2.63	218	20	0.5	< 2	0.18	< 0.5	65	36	203	5.23	< 10	< 1	0.03	50	1.08	760
96GHS-207	201	202	< 5	< 0.2	1.96	36	20	< 0.5	< 2	1.36	< 0.5	42	23	90	5.88	< 10	1	0.03	50	0.94	860
96GHS-208	201	202	< 5	< 0.2	2.53	48	30	0.5	< 2	0.16	< 0.5	53	34	156	4.61	< 10	< 1	0.03	50	1.00	710
96GHS-209	201	202	< 5	< 0.2	1.54	4	30	< 0.5	< 2	0.01	< 0.5	12	26	8	3.85	< 10	< 1	0.04	20	0.72	605
96GHS-210	201	202	15	< 0.2	1.65	1085	30	< 0.5	< 2	0.06	< 0.5	13	18	57	3.30	< 10	< 1	0.04	10	0.61	275
96GHS-211	201	202	< 5	< 0.2	2.31	126	40	< 0.5	< 2	0.04	< 0.5	19	30	39	4.84	< 10	< 1	0.05	20	0.74	555
96GHS-212	201	202	< 5	< 0.2	2.13	26	30	< 0.5	< 2	0.03	< 0.5	14	27	42	4.68	< 10	< 1	0.06	20	0.76	525
96GHS-213	201	202	< 5	0.2	1.51	44	20	< 0.5	< 2	0.06	< 0.5	15	27	54	6.72	< 10	< 1	0.05	10	0.45	160
96GHS-214	201	202	< 5	< 0.2	0.79	2	20	< 0.5	< 2	0.02	< 0.5	1	5	6	1.02	< 10	< 1	0.04	< 10	0.12	70
96GHS-215	201	202	< 5	< 0.2	1.22	24	40	< 0.5	< 2	0.07	< 0.5	16	17	24	3.58	< 10	< 1	0.06	< 10	0.46	785
96GHS-216	201	202	< 5	< 0.2	1.05	26	30	< 0.5	< 2	0.04	< 0.5	4	8	9	1.83	< 10	< 1	0.04	10	0.16	85
96GHS-217	201	202	< 5	< 0.2	1.92	26	20	< 0.5	< 2	0.04	< 0.5	10	25	29	4.31	< 10	< 1	0.05	< 10	0.69	345
96GHS-218	201	202	< 5	< 0.2	1.60	8	20	< 0.5	< 2	0.04	< 0.5	4	20	13	3.27	< 10	< 1	0.04	10	0.57	120
96GHS-219	201	202	< 5	< 0.2	1.62	14	50	< 0.5	< 2	0.59	< 0.5	8	19	20	3.60	< 10	< 1	0.03	30	0.42	200
96GHS-220	201	202	< 5	< 0.2	1.88	24	40	< 0.5	< 2	0.07	< 0.5	18	23	33	4.07	< 10	< 1	0.04	20	0.58	715
96GHS-221	201	202	< 5	< 0.2	1.87	16	60	< 0.5	< 2	0.53	< 0.5	15	20	43	4.75	< 10	< 1	0.05	10	0.49	345
96GHS-222	201	202	< 5	0.2	2.07	28	30	< 0.5	< 2	1.65	< 0.5	16	28	59	4.65	< 10	< 1	0.03	10	0.81	340
96GHS-223	201	202	< 5	< 0.2	1.55	30	30	< 0.5	< 2	0.04	< 0.5	7	25	15	3.61	< 10	< 1	0.04	20	0.64	280
96GHS-224	201	202	10	0.2	1.47	60	30	< 0.5	< 2	0.03	< 0.5	7	18	14	3.16	< 10	< 1	0.04	20	0.42	250
96GHS-225	201	202	< 5	< 0.2	0.90	48	20	< 0.5	< 2	0.01	< 0.5	3	11	9	2.04	< 10	< 1	0.03	10	0.14	120
96GHS-226	201	202	< 5	0.2	0.27	6	30	< 0.5	< 2	0.01	< 0.5	1	3	3	0.44	< 10	< 1	0.04	< 10	0.02	20
96GHS-227	201	202	< 5	0.2	0.17	20	10	< 0.5	< 2	0.04	< 0.5	< 1	1	3	0.39	< 10	1	0.03	< 10	0.01	25
96GHS-228	201	202	35	< 0.2	1.96	204	30	< 0.5	< 2	0.07	< 0.5	27	26	44	4.91	< 10	< 1	0.03	30	0.73	1090
96GHS-229	201	202	30	0.2	0.55	14	30	< 0.5	< 2	< 0.01	< 0.5	2	6	9	0.74	< 10	< 1	0.03	50	0.07	45
96GHS-230	201	202	< 5	< 0.2	1.87	28	30	< 0.5	< 2	< 0.01	< 0.5	8	25	22	4.64	< 10	< 1	0.03	40	0.54	265
96GHS-231	201	202	< 5	< 0.2	0.23	< 2	10	< 0.5	< 2	0.02	< 0.5	1	1	1	0.34	< 10	< 1	0.03	< 10	0.03	15
96GHS-232	201	202	< 5	0.2	0.95	20	40	< 0.5	< 2	0.01	< 0.5	4	12	17	3.16	< 10	< 1	0.04	40	0.13	250
96GHS-233	201	202	< 5	0.2	1.02	18	40	< 0.5	< 2	0.01	< 0.5	5	13	19	3.14	< 10	< 1	0.05	40	0.14	200



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4


Project: 6405
 Comments: ATTN:M.JONES

Page Number :6-B
 Total Pages :6
 Certificate Date: 09-AUG-96
 Invoice No. : 19626028
 P.O. Number :
 Account : GP

CERTIFICATE OF ANALYSIS

A9626028

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96GHS-201	201	202	< 1	< 0.01	62	530	46	< 2	2	12	< 0.01	< 10	< 10	16	< 10	124
96GHS-202	201	202	< 1	< 0.01	140	540	82	< 2	3	12	< 0.01	< 10	< 10	14	< 10	178
96GHS-203	201	202	< 1	< 0.01	96	610	118	< 2	3	20	< 0.01	< 10	< 10	16	< 10	172
96GHS-204	201	202	< 1	< 0.01	78	560	70	< 2	2	13	< 0.01	< 10	< 10	15	< 10	140
96GHS-205	201	202	< 1	< 0.01	83	650	50	< 2	3	13	< 0.01	< 10	< 10	14	< 10	146
96GHS-206	201	202	< 1	< 0.01	74	690	64	< 2	2	10	< 0.01	< 10	< 10	18	< 10	148
96GHS-207	201	202	< 1	< 0.01	75	640	46	< 2	3	28	< 0.01	< 10	< 10	12	< 10	136
96GHS-208	201	202	< 1	< 0.01	59	700	64	< 2	2	11	< 0.01	< 10	< 10	17	< 10	130
96GHS-209	201	202	< 1	< 0.01	26	540	4	< 2	< 1	4	0.01	< 10	< 10	23	< 10	76
96GHS-210	201	202	1	0.03	19	690	64	< 2	1	6	< 0.01	< 10	< 10	13	< 10	60
96GHS-211	201	202	< 1	0.01	34	950	30	< 2	1	7	< 0.01	< 10	< 10	25	< 10	78
96GHS-212	201	202	< 1	< 0.01	30	910	24	< 2	1	7	0.01	< 10	< 10	20	< 10	78
96GHS-213	201	202	< 1	< 0.01	21	580	56	< 2	1	8	< 0.01	< 10	< 10	14	< 10	98
96GHS-214	201	202	< 1	0.06	4	420	2	< 2	< 1	4	0.01	< 10	< 10	17	< 10	26
96GHS-215	201	202	< 1	< 0.01	22	700	32	< 2	< 1	7	< 0.01	< 10	< 10	11	< 10	98
96GHS-216	201	202	< 1	0.04	8	440	10	< 2	< 1	6	0.01	< 10	< 10	16	< 10	40
96GHS-217	201	202	< 1	< 0.01	20	1020	22	< 2	< 1	5	< 0.01	< 10	< 10	15	< 10	78
96GHS-218	201	202	< 1	< 0.01	9	550	30	< 2	1	20	< 0.01	< 10	< 10	12	< 10	54
96GHS-219	201	202	< 1	< 0.01	27	1060	28	< 2	4	29	< 0.01	< 10	< 10	18	< 10	80
96GHS-220	201	202	< 1	0.01	36	730	28	< 2	2	9	0.01	< 10	< 10	19	< 10	98
96GHS-221	201	202	< 1	0.01	38	1090	32	< 2	2	39	< 0.01	< 10	< 10	16	< 10	140
96GHS-222	201	202	< 1	< 0.01	45	680	30	< 2	3	71	< 0.01	< 10	< 10	17	< 10	126
96GHS-223	201	202	< 1	< 0.01	22	510	16	< 2	1	9	< 0.01	< 10	< 10	19	< 10	78
96GHS-224	201	202	< 1	0.01	17	480	16	< 2	< 1	7	< 0.01	< 10	< 10	17	< 10	60
96GHS-225	201	202	< 1	0.03	8	360	16	< 2	< 1	7	< 0.01	< 10	< 10	16	< 10	34
96GHS-226	201	202	< 1	0.05	1	540	2	< 2	< 1	5	< 0.01	< 10	< 10	10	< 10	16
96GHS-227	201	202	< 1	0.06	1	270	2	< 2	< 1	6	< 0.01	< 10	< 10	8	< 10	18
96GHS-228	201	202	< 1	< 0.01	39	740	44	< 2	1	12	< 0.01	< 10	< 10	17	< 10	118
96GHS-229	201	202	< 1	0.01	4	520	12	< 2	< 1	5	< 0.01	< 10	< 10	7	< 10	20
96GHS-230	201	202	< 1	< 0.01	20	680	16	< 2	< 1	5	< 0.01	< 10	< 10	21	< 10	70
96GHS-231	201	202	< 1	0.07	< 1	300	< 2	< 2	< 1	4	< 0.01	< 10	< 10	7	< 10	14
96GHS-232	201	202	< 1	< 0.01	9	1140	16	< 2	< 1	6	< 0.01	< 10	< 10	24	< 10	46
96GHS-233	201	202	< 1	0.01	9	910	16	< 2	< 1	7	< 0.01	< 10	< 10	26	< 10	46



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

A9626024

Comments: ATTN:M.JONES

CERTIFICATE

A9626024

(GP) - WESTMIN RESOURCES LTD.

Project: 6405
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 8-AUG-96.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
254	12	Sieve less than 63 u
202	12	save reject
229	11	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
866	12	Fusion weight in grams	BALANCE	0.01	30.00
983	12	Au ppb: Fuse 30 g sample	FA-AAS	5	10000
2118	11	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	200
2119	11	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	11	As ppm: 32 element, soil & rock	ICP-AES	2	10000
2121	11	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	11	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	11	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	11	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	11	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2126	11	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	11	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	11	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	11	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	11	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	11	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	11	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	11	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	11	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	11	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	11	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	11	Na %: 32 element, soil & rock	ICP-AES	0.01	5.00
2138	11	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	11	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	11	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
2141	11	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	11	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	11	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	11	Ti %: 32 element, soil & rock	ICP-AES	0.01	5.00
2145	11	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	11	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	11	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	11	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	11	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.

P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project: 6405
 Comments: ATTN:M.JONES

Page Number :1-A
 Total Pages :1
 Certificate Date: 08-AUG-96
 Invoice No. :19626024
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626024

SAMPLE	PREP		fusion	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	
	CODE		wt. gm	ppb FA+AA	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	
96DPV001	254	202	15.00	< 5	0.2	2.24	72	50	0.5	< 2	0.35	< 0.5	21	31	46	4.16	< 10	< 1	0.07	30	0.76	
96DPV002	254	202	5.00	< 5	0.2	2.41	154	20	0.5	2	0.15	< 0.5	32	39	71	4.98	10	< 1	0.03	40	1.01	
96DPV003	254	202	10.00	< 5	< 0.2	2.60	34	30	0.5	2	0.11	< 0.5	16	34	55	4.69	10	< 1	0.04	60	1.00	
96DPV004	254	202	15.00	< 5	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss
96DPV005	254	202	5.00	< 5	< 0.2	2.06	100	20	0.5	< 2	0.32	< 0.5	26	28	53	4.76	10	< 1	0.04	40	0.79	
96DPV006	254	202	15.00	< 5	< 0.2	1.81	38	10	< 0.5	< 2	1.20	< 0.5	23	24	49	4.77	< 10	< 1	0.03	50	0.84	
96DPV007	254	202	30.00	< 5	< 0.2	1.51	24	50	0.5	< 2	0.84	< 0.5	16	20	26	3.20	< 10	< 1	0.09	40	0.56	
96DPV008	254	202	30.00	< 5	< 0.2	1.72	28	30	< 0.5	< 2	1.16	< 0.5	19	26	36	3.82	< 10	< 1	0.06	50	0.83	
96DPV009	254	202	30.00	< 5	< 0.2	1.55	8	30	< 0.5	< 2	0.36	< 0.5	18	23	30	4.02	< 10	< 1	0.05	50	0.85	
96DPV010	254	202	10.00	75	< 0.2	2.89	54	40	1.5	2	0.48	< 0.5	145	35	27	4.22	10	< 1	0.05	210	0.96	
96DPV011	254	202	15.00	< 5	< 0.2	2.23	110	20	< 0.5	2	0.52	< 0.5	18	29	50	3.41	< 10	< 1	0.05	70	0.93	
96DPV012	254	202	15.00	40	< 0.2	1.62	186	30	< 0.5	< 2	0.49	0.5	19	23	39	3.79	< 10	< 1	0.06	20	0.56	

11 10 20



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: WESTMIN RESOURCES LTD.


P.O. BOX 49066, THE BENTALL CENTRE
 VANCOUVER, BC
 V7X 1C4

Project : 6405
 Comments: ATTN:M.JONES

Page Number :1-B
 Total Pages :1
 Certificate Date: 08-AUG-96
 Invoice No. :I9626024
 P.O. Number :
 Account :GP

CERTIFICATE OF ANALYSIS A9626024

SAMPLE	PREP		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
96DPV001	254	202	645	1 < 0.01		45	680	38	< 2	2	24 < 0.01	< 10	< 10	14	< 10	142	
96DPV002	254	202	845	1 < 0.01		50	580	44	< 2	2	12 < 0.01	< 10	< 10	16	< 10	128	
96DPV003	254	202	600	1 < 0.01		50	670	40	< 2	1	12 < 0.01	< 10	< 10	16	< 10	112	
96DPV004	254	202	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss	not/ss
96DPV005	254	202	760	1 < 0.01		45	620	50	< 2	2	25 < 0.01	< 10	< 10	13	< 10	130	
96DPV006	254	202	620	< 1 < 0.01		46	800	34	< 2	1	70 < 0.01	< 10	< 10	10	< 10	110	
96DPV007	254	202	590	< 1 < 0.01		31	770	22	< 2	1	64 0.01	< 10	< 10	12	< 10	84	
96DPV008	254	202	490	< 1 < 0.01		42	780	24	< 2	1	70 0.03	< 10	< 10	13	< 10	96	
96DPV009	254	202	370	2 < 0.01		37	930	24	< 2	1	35 0.01	< 10	< 10	16	< 10	80	
96DPV010	254	202	1420	1 < 0.01		135	1110	40	< 2	2	27 < 0.01	< 10	< 10	16	< 10	256	
96DPV011	254	202	750	1 < 0.01		38	910	32	< 2	1	22 < 0.01	< 10	20	13	< 10	94	
96DPV012	254	202	685	< 1 < 0.01		37	1020	40	< 2	1	34 < 0.01	< 10	< 10	12	< 10	98	



093628

GEOLOGICAL LEGEND

- qt quartzite
- qg quartz grit
- qc quartz pebble conglomerate
- phy qt phyllitic quartzite
- Ag argillite
- ph phyllite
- dot ph dolomitic phyllite
- shl ph shaley phyllite
- slst siltstone
- ser ph seritic phyllite
- ls limestone


ABBREVIATIONS

- PY pyrite
- AS arsenopyrite
- GL galena
- SC scordite
- MS sericite
- CY clay
- SI silica
- CL chlorite
- JA jarosite
- GE goethite
- QV quartz veins
- goss gossan
- bx breccia

SYMBOLS

- Westmin Claims
- Contour - 100 metre intervals
- Creek
- 123456 Rock sample - bedrock, float
- 123456 Silt sample
- Foliation, S1=compositional layering
- Bedding
- Bedding overturned
- Fault
- Fault with sense of offset
- Minor fold hinge
- Geological contact
- Outcrop
- Ferricrete deposits
- Quartz vein stockwork

093628




Westmin Resources Limited

Work By
M. Jones
Date Drafted
Mar 10, 1997
Drafted By
J.M. Klein
Date Revised
Revised By

HYLAND PROJECT
GEOLOGY
FER PROPERTY

Figure 4
Scale 1:10,000
Scale bar showing 0, 200, 400, 600m



UTM
GRID
NORTH



093628

SYMBOLS

- Westmin Claims
- 3000- Contour 100 metre interval
- Creek

093628

FER PROPERTY
1996 ROCK SAMPLES
Au in ppb

MAX	△	1970ppb
95th %ile	△	100ppb
82th %ile	△	30ppb
68th %ile	△	5ppb
MIN	*	<5ppb

Westmin Resources Limited

Work By
M. Jones
Date Drafted
Mar 10, 1997
Drafted By
M. Klein
Date Revised
Revised By


HYLAND PROJECT
ROCK GEOCHEMISTRY - Au results
FER PROPERTY

2


W.R.S. Number
1054
File Name
FER-CHEM.DWG



5a



093628



SYMBOLS

- Westmin Claims
- 3000- Contour 100 metre interval
- ~ Creek

093628

FER PROPERTY
1996 ROCK SAMPLES
As in ppm

MAX	△	10000ppm
95th %ile	△	500ppm
85th %ile	△	175ppm
50th %ile	△	28ppm
MIN	*	1ppm



WESTMIN Westmin Resources Limited


Work By
M. Jones
Date Drafted
Mar. 10, 1997
Drafted By
J.M. Klein
Date Revised
Revised By

HYLAND PROJECT
ROCK GEOCHEMISTRY - As results
FER PROPERTY

N.T.S. Number
1004
File Name
FER-CHEM.DWG



Figure
3
5b




UTM
GRID
NORTH




093628


- SYMBOLS**
- Westmin Claims
 - 3000- Contour 100 metre interval
 - Creek


093628



Westmin Resources Limited



Work By M. Jones Date Drafted Mar 10, 1997 Drafted By J.M. Klein Date Revised Revised By	<p>HYLAND PROJECT</p> <p>SOIL SAMPLE LOCATIONS</p> <p>FER PROPERTY</p>
N.T.S. Number 105H File Name FER-CHEM.DWG	 <p>SCALE 1 : 10,000</p>



6a



UTM
GRID
NORTH



093628

SYMBOLS

- Westmin Claims
- 3000- Contour 100 metre interval
- ~ Creek

093623

**1996 SOIL SAMPLES
FER PROPERTY
Au in ppb**

MAX	1870ppb
95th%ile	50ppb
85th%ile	20ppb
75th%ile	5ppb
MIN	<5ppb



WESTMIN Westmin Resources Limited

Work By
M. Jones
Date Drafted
May 10, 1997
Drafted By
J.M. Klein
Date Revised
Revised By

**HYLAND PROJECT
SOIL GEOCHEMISTRY - Au results
FER PROPERTY**

N.T.S. Number
105H
File Name
FER-CHEM.DWG



5

Figure
6b



UTM
GRID
NORTH



093628

SYMBOLS

- Westmin Claims
- 3000- Contour 100 metre interval
- ~ Creek

1996 SOIL SAMPLES
FER PROPERTY
As in ppm

MAX	□	2330ppm
95th%ile	□	350ppm
85th%ile	□	145ppm
50th%ile	□	42ppm
MIN	□	<1ppm

093628

WESTMIN Westmin Resources Limited

Work By
M. Jones
Date Drafted
Mar. 10, 1997
Drafted By
J.M. Klein
Date Revised
Revised By

HYLAND PROJECT
SOIL GEOCHEMISTRY - As results
FER PROPERTY




Figure
6c