

ARCHER, CATHRO

& ASSOCIATES (1981) LIMITED

CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688 - 2568 • FAX (604) 688 - 2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING, GEOCHEMISTRY AND CLAIM SURVEYS

on the

COACH PROPERTY

Coach 1-20 Claims YB69038-YB69057

Latitude 61°31' N; Longitude 131°01' W

NTS 105G/10 & 11

in the

WATSON LAKE MINING DISTRICT


YUKON TERRITORY

Prepared by

Archer, Cathro & Associates (1981) Limited

for

EXPATRIATE RESOURCES LTD.



093642

A. Burgert, B.Sc.
March, 1997

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 9000.

M. Bush

So Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	2
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	4
REGIONAL MINERALIZATION	8
REGIONAL GEOCHEMISTRY	10
REGIONAL GEOPHYSICS	12
PROPERTY GEOLOGY AND MINERALIZATION	13
PROPERTY GEOCHEMISTRY	15
CONCLUSIONS AND RECOMMENDATIONS	17
SELECTED REFERENCES	18

APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II GPS DATA
- III CERTIFICATES OF ANALYSIS

FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location	Following Page 2
2	Claim Location	Following Page 2
3	Tectonic Setting	Following Page 4
4	Regional Geology	Following Page 4
5	Property Geology	Following Page 13
6	Sample Location	Following Page 15
7	Copper Geochemistry	Following Page 15
8	Lead Geochemistry	Following Page 15
9	Zinc Geochemistry	Following Page 15
10	Molybdenum Geochemistry	Following Page 15

INTRODUCTION

Expatriate Resources Ltd. has a 100% interest in the Coach property which protects a previously unstaked volcanogenic massive sulphide (VMS) target selected from a regional data base documenting results of 1973 exploration by a joint venture managed by Archer, Cathro & Associates Limited. Twenty claims were staked in fall 1995 over two soil sample sites that had yielded moderately anomalous copper and zinc values.

Field exploration was conducted during summer 1996 by crews working from Expatriate's base camp on Finlayson Lake. The work consisted of reconnaissance soil geochemistry, geological mapping, prospecting and claim surveys. The program was managed by Archer, Cathro & Associates (1981) Limited and the work was compiled by the author. Appendix I contains the Author's Statement of Qualifications.

PROPERTY, LOCATION AND ACCESS

The property is located in southeastern Yukon at latitude 61°31'N and longitude 131°01'W on NTS map sheets 105G/10 & 11 (Figure 1). It is comprised of twenty contiguous mineral claims (Figure 2) registered with the Watson Lake Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Expatriate Resources Ltd. Claim registration data is listed below.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Coach 1-20	YB69038-YB69057	March 17, 2001

*Expiry dates include 1996 work filed for assessment credit but not yet accepted.

In 1996 the property was accessed by helicopter from Expatriate's base camp on Finlayson Lake (Km 232 on the Robert Campbell Highway). The property lies 29 km southwest of the base camp and 235 km northeast of Whitehorse. Helicopter support was provided by a Bell 206B Jet Ranger and an Aerospatiale 350B contracted from Kluane Helicopters of Haines Junction, Yukon. Both helicopters were stationed at Expatriate's base camp for the summer.

During the 1996 exploration program most claim post locations were surveyed using Trimble Geoexplorer GPS units. Field readings were corrected using base station data from Westmin Resources Limited's camp at Wolverine Lake. GPS survey data appears in Appendix II.

130°00'

Figure 1


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

COACH PROPERTY

EXPATRIATE RESOURCES LTD.

62°00'



COACH PROPERTY

FINLAYSON LAKE FAULT ZONE - NORTHEASTERN LIMIT OF FAVOURABLE ROCKS

Kudz Ze Kayah Deposit

Wolverine Zone

TITINA FAULT ZONE - 480 km RIGHT LATERAL OFFSET

Robert

Campbell


Hwy

61°00'

-  Expatriate Resources Ltd.
-  Cominco Ltd.
-  Westmin Resources Ltd. and various joint venture partners
-  Others
-  Native Land Claims



August 28, 1990
 Note: Claim boundaries are approximate
 Expatriate Resources Ltd. does not assume responsibility for errors or omissions



- ★ Post location with standard GPS fix
- ⊠ Post location with poor GPS fix
- ⊙ Post location with no GPS fix



FIGURE 2
 Archer, Cathro & Associates (1981) Limited
CLAIM LOCATION
COACH PROPERTY
EXPATRIATE RESOURCES LTD.
 SCALE: 1:20,000 FILE: CC-CLI.DWG
 DRAWN: AB PROJ: FP DATE: 28-FEB-87

GEOMORPHOLOGY

The Coach property covers rounded knolls in the foothills of the Pelly Mountains about 22 km northeast of the Tintina Trench and 25 km south of Finlayson Lake. Creeks draining the property flow into the Big Campbell Creek, which is part of the Pelly River watershed.

Elevations range from 1450 m on a broad south facing slope at the property's southern margin to 1740 m atop a hill near the centre of the claim block. Topographic relief is low to moderate, typically 5 to 20°, with a few resistant outcrops in the southeastern end of the property forming impressive cliffs and knobs.


Vegetation consists of dense growths of willow and buckbrush with sparsely distributed black spruce on the lower slopes, giving way to heather, grasses and moss at higher elevations.

REGIONAL GEOLOGY

The Coach property is located within the Finlayson Block, a 380 by 60 km area comprised primarily of the Yukon-Tanana and Slide Mountain geologic terranes (Figure 3). These terranes represent the innermost of the accreted or "suspect" terranes in the Canadian Cordillera (Mortensen and Jilson, 1985). The northeastern margin of the block is the Finlayson Lake Fault Zone, a complex zone of steep and shallow faults related to transpressive suturing. The southwestern boundary of the block is the Tintina Fault, a major strike-slip fault with at least 450 km of dextral displacement during Late Cretaceous and/or Early Tertiary time (Tempelman-Kluit et al, 1976).

Regional mapping of the Finlayson Lake area was completed by the Geological Survey of Canada (GSC) in the mid to late 1970's (Tempelman-Kluit, 1977, 1979). More recent regional studies have been published by Mortensen and Jilson (1985) and Mortensen (1992). The following discussion of the regional geology (Figure 4) is based partly on the published work and partly on unpublished mapping completed in 1996 (Tempelman-Kluit, personal communication, 1996).

The Yukon-Tanana Terrane consists largely of Paleozoic continental margin and/or arc stratigraphy deposited on a continental basement of uncertain origin (Mortensen, 1992). The Yukon-Tanana Terrane in the Finlayson Lake area contains three major packages, collectively termed the Layered Metamorphic Sequence. The lowermost unit consists of garnet-mica schist with interbanded marbles, calc-silicates and calcareous schists near the top. The middle unit is a carbonaceous quartzite, schist or phyllite with rare conglomerates and locally extensive felsic and mafic volcanic interbands. Radiometric dating of the felsic metavolcanics in the Finlayson Block has consistently resulted in Late Devonian to Mississippian crystallization ages. Immediately









-  Thrust fault
-  Steep fault
-  Yukon-Tanana Terrane
-  Slide Mountain Terrane
-  Stikinia and other Terranes
-  North American Miogeoclinal Strata

FIGURE 3
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TECTONIC SETTING
 COACH PROPERTY
 EXPATRIATE RESOURCES LTD.




Modified after Mortensen and Jilson (1985), Mortensen (1992) and Johnston and Mortensen (1994).

REGIONAL GEOLOGY

COACH PROPERTY
EXPATRIATE RESOURCES LTD.

62°00'



COACH
PROPERTY

North American Miogeoclinal

Pre-Triassic sedimentary and volcanic

Slide Mountain Terrane

Chert, ultramafic, greenstone, metavolcanics, and carbonate rocks

Yukon-Tanana Terrane

Paleozoic Metaplutonic Rocks

Paleozoic Layered Metamorphic Sequence

Units common to all three terranes

Young Volcanic Rocks

Mesozoic Plutonic Rocks

Mesozoic Clastic Rocks

Geological contacts

Steep fault

Thrust fault

Properties held by Expatriate Resources Ltd.

0 10 20 30 40 50

Kilometres

61°00'

south of Finlayson Lake, large isolated outcrops of marble and quartzite which are poorly dated as Early Pennsylvanian to Early Permian (Tempelman-Kluit, 1979) form the uppermost unit of the Yukon-Tanana Terrane.

This sequence of units is generally correlative with a similar stratigraphic sequence in ancestral North America (Mortensen and Jilson, 1985; Tempelman-Kluit, personal communication, 1996). The lowermost is correlated with the Lower Cambrian Atan Group and the middle carbonaceous assemblage is correlated with the offshore, Silurian-Devonian Nasina quartzite assemblage. The felsic volcanics are most similar to locally extensive Mississippian siliceous volcanics in the North American stratigraphy. Local calcareous phyllites and massive greenstones near the top of the lower unit are lithologically similar to the Kechika Group and Lower Paleozoic alkalic and potassic greenstones, respectively.

Gneiss and augen gneiss invariably occur low in the Yukon-Tanana succession beneath either the lowermost calcareous unit or the middle carbonaceous unit. Mortensen and Jilson (1985) considered the gneisses to be metamorphosed Mid-Paleozoic plutonic rocks. Conversely Tempelman-Kluit (personal communication, 1996) considers these gneisses to be at least in part recrystallization of earlier stratigraphy. Radiometric dating of the gneisses has consistently resulted in Late Devonian to Mississippian ages (Mortensen, 1992). The gneisses occur in structural culminations with diameters on the order of 10 km and structural relief up to about 1 km.

The Devonian-Mississippian Simpson Suite (Mortensen, 1992) forms thick intervals of hornblende granodiorite and quartz monzonite higher in the Yukon-Tanana stratigraphic sequence. Mortensen and Jilson (1985) interpreted this suite as intrusive. Tempelman-Kluit (1979, 1996) mapped the suite as an allochthonous slice emplaced on top of the structural pile.

Slide Mountain Terrane consists of Late Devonian to Late Triassic disrupted oceanic crust (Mortensen, 1992). Lithologies include massive and sheared greenstone, chert and mafic to ultramafic plutonic rocks occurring as fault-bounded slices along thrust faults and steep faults. These units are most abundant near the northeastern edge of the Finlayson Block but are also found throughout it.

Younger units unconformably overlie units from Slide Mountain, Yukon-Tanana and North American Terranes. Mesozoic clastic rocks are Late Triassic, immature sediments containing cobbles from both Slide Mountain and Yukon-Tanana Terranes. Young volcanic rocks consist of Late Cretaceous to Tertiary felsic volcanic flows and volcanoclastic deposits. They are usually found in close proximity to the Tintina Fault Zone.

Mesozoic intrusive activity in the Finlayson Block includes two suites. The first is comprised of several unmetamorphosed Early Jurassic mafic and intermediate composition plutons. The second suite consists of Late Cretaceous two-mica quartz monzonite and granite (Mortensen and Jilson, 1985).

Structurally Yukon-Tanana schists and gneisses contain a pervasive, flat- to gently-dipping foliation. Close examination of this fabric indicates that it commonly is a closely spaced crenulation cleavage. Large scale folds related to this fabric can rarely be mapped in the field. In most cases bedding and earlier fabrics are transposed into near parallelism with this dominant fabric. Later crenulation cleavages are present only locally. Some of the Cretaceous intrusions have a mild deformation fabric, others are massive and do not contain a foliation.

Thrust faults within the Finlayson Block juxtapose lithologic sequences with similar *deformation fabrics*. *Thrusting postdates the Late Paleozoic Slide Mountain lithologies and predates the Cretaceous intrusives*. Recent mapping also suggests, but does not definitively prove, the presence of major late extensional faults juxtaposing differing sequences (Tempelman-Kluit, personal communication, 1996). East-northeast trending, steep normal faults disrupt all earlier deformation fabrics.

Metamorphic grades range from lower greenschist facies to middle amphibolite facies. Contact hornfels around plutonic units occur locally.

Metamorphism and deformation are tentatively correlated with transpressive suturing of these suspect terranes with ancestral North America. Suture is restricted to the time interval of post-Triassic continuing into the Cretaceous. Whether deformation is continuous or sporadic has not been fully verified at present.

The discovery of the Kudz Ze Kayah and Wolverine VMS deposits within the Finlayson Block in the last few years (Johnston and Mortensen, 1994) has refocused exploration activities in the area. Both deposits occur within metasedimentary and metavolcanic sequences of the Yukon-Tanana Terrane and are associated with felsic volcanics present in the middle unit of that terrane.

REGIONAL MINERALIZATION

A total of fifty-one mineral occurrences have been reported within the Finlayson Block (DIAND, 1995). Of these, twenty-one are known or suspected to be volcanogenic in origin while veins, skarns and asbestos occurrences comprise most of the remainder. Although the better known volcanogenic occurrences are thought to be of the Kuroko-type, some Besshi-type mineralization is also present (Morin, 1981; Johnston and Mortensen, 1994) and the recently discovered Ice Deposit appears to be Cyprus-type. Two occurrences have definite economic potential, the Kudz Ze Kayah and Wolverine Deposits (Figure 4). These Kuroko-type occurrences are the main "type-deposits" for Expatriate's exploration in the district and are briefly described below.

The Kudz Ze Kayah (ABM) Deposit lies within Yukon-Tanana Terrane near the centre of the block (Cominco Exploration, 1995; Whiteway, 1995). It is a VMS deposit hosted by an overturned assemblage of felsic pyroclastics, aphanitic massive rhyolites and metasiliclastic rocks belonging to the middle unit of the Layered Metamorphic Sequence. Although both the sulphides and wallrocks are highly strained and exhibit pervasive schistosity, compositional layering in the vicinity of the deposit is relatively undeformed with a consistent, shallow northerly dip.

Sphalerite, chalcopyrite and galena are the main economic minerals while the gangue includes various mixtures of magnetite, barite, pyrrhotite, pyrite and carbonate. The deposit averages about 18 m thick and has been traced 700 m along strike and up to 400 m downdip. Open pit mineable ore reserves are reported to be 11 million tonnes grading 5.9% zinc, 0.9% copper, 1.5% lead, 130 g/t silver and 1.3 g/t gold (Schultze, 1996). Preliminary studies suggest that satisfactory

lead, zinc and copper concentrates can be produced using conventional flotation processes (Cominco Exploration, 1995). The mineralization responds well to magnetic and electromagnetic surveys but geochemical response is somewhat erratic because the entire deposit is covered by 2 to 10 m of glacial till.

The Wolverine Deposit is located 25 km east of the Kudz Ze Kayah property near a contact between Yukon-Tanana and overlying Slide Mountain rocks. It consists of the Wolverine and Lynx Zones which are hosted by rhyolitic metavolcanics and argillites lying within the middle unit of the Layered Metamorphic Sequence. The mineralization consists primarily of semi-massive to massive pyrite and sphalerite with varying amounts of galena, chalcopyrite, tetrahedrite and native gold. The surface expression of the Wolverine Zone is marked by a vegetation kill zone containing weakly malachite-stained argillite while the Lynx Zone is blanketed by glacial till. Westmin has traced the deposit 700 m along strike and up to 450 m downdip and it is still open. The mineralization averages 6.1 m thick and dips shallowly to the north. Both zones contain significantly more zinc and precious metals than Kudz Ze Kayah. The current geological inventory is reported to be 5,311,000 tonnes grading 12.96% zinc, 1.41% copper, 1.53% lead, 359.1 g/t silver and 1.81 g/t gold (Westmin News Release, November 30, 1996). Soil geochemistry outlined weakly to moderately anomalous values along the projected surface trace of the deposit while magnetic surveys easily traced a laterally extensive, banded iron formation which occurs about 80 m up-section from the massive sulphide horizon. Interpretation of electromagnetic results is complicated by the presence of graphite within the argillite.

REGIONAL GEOCHEMISTRY

Published geochemical data for the Finlayson Lake area are limited to reconnaissance scale stream sediment sampling conducted in the late 1980's by the GSC (Hornbrook and Friske, 1988; Friske et al, 1990). The sampling was done at an approximate density of one sample per 10 sq km. Each sample was analyzed for twenty elements including common indicator elements for VMS deposits such as copper, lead, zinc, silver and arsenic. Anomalous results were obtained from creeks draining some previously known VMS occurrences (DIAND, 1995, Yukon Minfile 105G/32, 34 and 40) but many others, including the streams draining the Wolverine Deposit, produced near background values. Anomalous results were also obtained from several drainages where there were no known mineral occurrences. Follow-up exploration has since located showings in many of the anomalous creeks with the most significant discovery to date being the Kudz Ze Kayah Deposit.

Expatriate was able to supplement the published reports with private data summarizing results of 1973 exploration managed by Archer Cathro on behalf of a joint venture (Cathro, 1973). The reconnaissance prospecting and geochemical sampling program explored for lead-zinc mineralization in the lower unit of the Layered Metamorphic Sequence but because the data provides relatively uniform coverage over the entire region, it is also suitable for evaluating areas underlain by the favourable middle unit. The Archer Cathro samples included approximately 5000 soils and stream sediments collected at a density of approximately one sample per sq km. They were all analyzed for lead, zinc, copper and molybdenum. As might be expected, this closer

spaced sampling outlined many more areas of anomalous geochemical response than the government survey. Almost all of the known volcanogenic occurrences showed up as anomalies on this survey, including Kudz Ze Kayah and Wolverine.

The following table illustrates regional geochemical backgrounds for the metals and anomalous thresholds used for target selection.

GEOCHEMICAL BACKGROUNDS AND ANOMALOUS THRESHOLDS

	<u>Background</u>	<u>Anomalous Thresholds (ppm)</u>			<u>Peak Value</u>
		<u>Weak</u>	<u>Moderate</u>	<u>Strong</u>	
Copper	25	50	100	200	1720
Lead	30	50	100	200	>4000
Zinc	80	200	500	1000	>4000
Molybdenum	<1	2	5	10	65

The Coach property was staked to protect a target selected from the Archer Cathro data. Peak values from 1973 sampling at Coach were 142 ppm copper, 39 ppm lead, 305 ppm zinc and 3 ppm molybdenum.

Copper, lead and zinc are major metals in most VMS occurrences in the Finlayson Lake area and are obvious indicator elements. Molybdenum is present in anomalous quantities in the banded iron formation overlying the Wolverine Deposit (Meade, personal communication, 1995) and appears to be slightly enriched in the felsic metavolcanic rocks. Based on the geochemical signature in the vicinity of known occurrences its presence can be used to distinguish copper anomalies associated with volcanogenic mineralization from those derived from ultramafic rocks.

REGIONAL GEOPHYSICS

The only published geophysical data for the Finlayson Lake area resulted from airborne magnetic surveys conducted in 1961 by the GSC on behalf of the Department of Mines and Technical Surveys. The surveys were flown with fixed-wing aircraft at a nominal elevation of 300 m above ground level on east-west lines spaced approximately 1.6 km apart. Results are presented on a 1:250,000 scale map (DMTS, 1961) and in more detail on a series of 1:50,000 maps.

The largest, most intense areas of positive magnetic response are associated with obducted ultramafic rocks belonging to the Slide Mountain Terrane. Within the Campbell Range Belt where dips are usually moderate to steep, the anomalies are narrow and elongate while in the remainder of the block where the ultramafic rocks occur along shallowly-dipping thrust faults, they are much broader.

A series of secondary positive anomalies was also recorded over Yukon-Tanana rocks but until recently they had no obvious explanation. Prospecting and mapping have now shown that magnetite occurs locally within schists of the middle unit of the Layered Metamorphic Sequence. The greatest documented concentration of magnetite is found in the hanging wall of the Wolverine Deposit where it forms several thin horizons approximately 80 m up-section from the massive sulphide mineralization. Magnetite is also a significant constituent of the mineralization at Kudz Ze Kayah. The Coach property straddles the northern margin of a strong northeast-trending positive magnetic anomaly and covers an adjacent aeromagnetic low.

PROPERTY GEOLOGY AND MINERALIZATION


Bedrock exposure is rare and is generally restricted to small strips near ridge tops. Seven major rock types were mapped, as shown on Figure 5. The first six form a coherent package of metasedimentary and meta-igneous units belonging to the Layered Metamorphic Sequence. The last is part of the Slide Mountain Terrane that has been thrust over the other units.

Two foliations are present in most of the units. The dominant feature is a crenulation cleavage which forms a strong planar fabric. This cleavage dips gently to moderately to the east and is the surface on which all structural measurements were made. The other feature is fine scale microlithon on the crenulation cleavage. Only scattered minor folds were observed.

Unit 1 is silvery green chlorite-muscovite phyllite which is soft and noncalcareous. This unit crops out west of the Coach claim group and has distinct bedding laminations on foliation surfaces.

Unit 2 is foliated chloritic phyllite. This massive, homogeneous rock locally exhibits a relict igneous texture with former feldspar phenocrysts being readily visible. Over much of the area the phyllite has been partially to extensively carbonate altered with development of a tan dolomite or ankerite replacing feldspar grains or matrix.

Unit 3 is sooty black siltstone/quartzite that is soft and noncalcareous. Typically it contains thin white quartz bands which bear disseminated pyrite. In its lower portion, this unit contains bands of unit 2.



- 7B Altered ultramafite
- 7A Serpentinite
- 6 Cherty tuff
- 5 Gabbro
- 4 Calcareous phyllite
- 3 Siltstone/quartzite
- 2 Chloritic phyllite
- 1 Chlorite-muscovite phyllite

- Normal fault
- Outcrop boundary
- Stream
- Foliation with strike and dip
- Inferred geological contact
- Claim boundary



FIGURE 5

Archer, Cathro & Associates (1981) Limited

PROPERTY GEOLOGY
COACH PROPERTY

EXPATRIATE RESOURCES LTD.

SCALE: 1:20,000	FILE: CC-GEOL.DWG
DRAWN: AS	PROJ: FP
DATE: 28-FEB-87	

Unit 4 is calcareous phyllite that was only observed in float. It is medium grey with 1 cm thick calcareous quartz siltstone interbeds. The siltstone interbeds typically weather to a pale tan colour.

Unit 5 is coarsely crystalline, foliated plagioclase-mafic gabbro. Feldspar forms up to 50% of the unit, giving it an overall medium to dark grey colour. The mafic consists dominantly of dark green hornblende. The unit exhibits a relict igneous texture which has been variously modified by cleavage. Tan dolomite and ankerite alteration is developed locally.

Unit 6 is cherty tuff which is fine grained, hard, pale to medium green and finely laminated. It weathers to a pale silvery green and breaks with very planar faces.

Unit 7 is ultramafic which has been thrust over the other units and is comprised of two subunits, 7A and 7B. Subunit 7A consists of bright green, locally magnetic serpentinite. The rocks sit structurally on top of Subunit 7B which occurs in the immediate hanging wall of the thrust fault. It consists of intense quartz-carbonate altered ultramafic and crops out as bright orange cliffs at the southeastern end of the property. The rocks are heavily fractured and contain quartz and carbonate (dolomite or magnesite) with lesser mariposite.

PROPERTY GEOCHEMISTRY


Reconnaissance soil sampling was done at 100 m intervals along the claim lines and on two contour lines. Sample locations were marked with 50 cm wooden lath bearing aluminum tags inscribed with sample numbers.

The samples were sent to Chemex Labs Ltd. in North Vancouver where they were screened to -80 mesh, digested in nitric-aqua regia and geochemically analyzed for 32 elements using the Induced Coupled Plasma (ICP) technique. Sample locations are shown on Figure 6 while Certificates of Analysis are listed in Appendix III. Results for four indicator elements (copper, lead, zinc and molybdenum) are plotted on Figures 7 to 10 while anomalous thresholds and peak values for six VMS pathfinder metals are as follows.

<u>Element</u>	<u>Weak</u>	<u>Threshold Values (ppm)</u>			<u>Peak Value</u>
		<u>Moderate</u>	<u>Strong</u>		
Copper	50	100	200	493	
Lead	50	NA*	NA*	72	
Zinc	200	500	NA*	852	
Silver	1	2	NA*	3.8	
Molybdenum	2	5	10	13	
Cobalt	30	50	80	113	

*NA = not applicable because property values did not reach regional thresholds.

The most interesting target is in the northwestern corner of the property and is composed of weakly to moderately anomalous copper, zinc and molybdenum values. The target is about 200 m wide and 500 m long and forms a linear northeasterly trend perpendicular to topography. The target is bounded by two normal faults and is underlain by chloritic phyllite and the siltstone/quartzite unit.



— Claim boundary
 .98 Sample location with copper value in ppm



FIGURE 7


Archer, Cathro & Associates (1981) Limited

COPPER GEOCHEMISTRY

COACH PROPERTY

EXPATRIATE RESOURCES LTD.


SCALE: 1:20,000	FILE: CC-CU.DWG
DRAWN: AB	PROJ: FP
DATE: 28-FEB-87	



— Claim boundary
 .98 Sample location with lead value in ppm

FIGURE 8
 Archer, Cathro & Associates (1981) Limited
LEAD GEOCHEMISTRY
COACH PROPERTY
EXPATRIATE RESOURCES LTD.
 SCALE: 1:20,000 FILE: CC-P8.DWG
 DRAWN: AB PROJ: FP DATE: 28-FEB-87





— Claim boundary
 .96 Sample location with zinc value in ppm

FIGURE 9

Archer, Cathro & Associates (1981) Limited

**ZINC GEOCHEMISTRY
 COACH PROPERTY**

EXPATRIATE RESOURCES LTD.

0 100 200 400 600 800 1000 m


SCALE: 1:20,000

FILE: CC-ZN.DWG

DRAWN: AB

PROJ: FP

DATE: 28-FEB-87





-  Claim boundary
-  Sample location with molybdenum value in ppm

FIGURE 10

Archer, Cathro & Associates (1981) Limited

**MOLYBDENUM GEOCHEMISTRY
COACH PROPERTY**

EXPATRIATE RESOURCES LTD.

SCALE: 1:20,000

FILE: CC-MD.DWG

DRAWN: AB

PROJ: FP

DATE: 28-FEB-87



Copper backgrounds are high over most of the property with more than half of the samples reaching the weakly anomalous threshold. The best cluster of values is in the southeastern corner where moderately to strongly anomalous results were obtained downhill from quartz-carbonate altered ultramafic. The copper values are generally not supported by any of the other VMS pathfinder metals.


CONCLUSIONS AND RECOMMENDATIONS

The Coach property is partially underlain by rocks of the Layered Metamorphic Sequence which hosts VMS mineralization elsewhere in the Finlayson Lake area. Unfortunately no felsic volcanics or their metamorphosed equivalents were identified within the sequence. Reconnaissance soil sampling outlined two areas of anomalous geochemical response, one of which is associated with the Layered Metamorphic Sequence rocks.

Detailed geological mapping and prospecting is recommended in the vicinity of both of the geochemical anomalies to determine the source of the metals. If results of this work are encouraging, closer spaced grid soil sampling should be done to better define the anomalies.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


A. Burgert, B.Sc.

SELECTED REFERENCES

Cathro, R.J.

1973 Final Report, Finlayson Joint Venture; November 30, 1973, p.44.

Cominco Exploration

1995 Kudz Ze Kayah Program, Yukon; Information handout from Cordilleran Roundup, Spring 1995.

DIAND

1995 Yukon Minfile, November/95; Exploration Geological Services Division, Indian and Northern Affairs Canada.

DMTS

1961 Finlayson Lake (105G), Airborne Magnetic Map; Department of Mines and Technical Surveys, Geophysical Paper 70006G.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.

1990 Regional stream sediment and water geochemical data, central Yukon; Geological Survey of Canada Open File 2174 (105K East).

Hornbrook, E.H.W. and Friske, P.W.B.

1988 Regional stream sediment and water geochemical data, southeastern Yukon; Geological Survey of Canada Open File 1648 (105G).

Johnston, S.T. and Mortensen, J.K.

1994 Regional setting of porphyry Cu-Mo deposits, volcanogenic massive sulphide deposits, and mesothermal gold deposits in the Yukon-Tanana Terrane, Yukon; Yukon Metallogeny: Recent Developments, Canadian-Yukon Economic Development Agreement, pp.30-34.

Morin, J.A.

1981 Volcanogenic iron and base metal occurrences in Klondike Schist, Yukon Geology and Exploration 1979-80, Department of Indian and Northern Affairs, pp.91-97.

Mortensen, J.K.

1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; Tectonics, Vol.11, No.4, pp.836-853.

Mortensen, J.K. and Jilson, G.A.

- 1985 Evolution of the Yukon-Tanana Terrane: evidence from southeastern Yukon Territory; *Geology*, V.13, pp.806-810.

Schultze, H.C.

- 1996 Summary of the Kudz Ze Kayah Project, volcanic hosted massive sulphide deposit Yukon Territory; *in*: Yukon Exploration and Geology, 1995, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp.29-32.

Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.

- 1976 Stratigraphic and structural studies in the Pelly Mountains, Yukon Territory; Geological Survey of Canada Paper 76-1A, pp.97-106.

Tempelman-Kluit, D.J.

- 1977 Quiet Lake (105F) and Finlayson Lake (105G) map areas; Geological Survey of Canada Open File 486.

- 1979 Transported Cataclasite, Ophiolite and Granodiorite in Yukon: Evidence of Arc-Continent Collision. Geological Survey of Canada, Paper 79-14, 27 pages.

Westmin Resources Limited

- 1996 News Release, Joint Release with Atna Resources Ltd; November 30, 1996, p.2.

Whiteway, P.

- 1995 "Fast-Tracking" ABM; *in* Canadian Mining Journal, June 1995, pp.17-21.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Arnd Burgert, geologist, with business addresses in Whitehorse, Yukon Territory and in Vancouver, British Columbia and residential address in White Rock, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 1995 with a B.Sc. in geology.
2. From 1989 to present, I have been actively engaged in mineral exploration in British Columbia, the Northwest Territories and the Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in field work in the Finlayson Lake region in 1996 and have compiled the information reported herein.



A. Burgert, B.Sc.

APPENDIX II

GPS DATA

Coach Property
GPS Survey Coordinates

Data Quality: Standard = The surveyed positions were recorded in 3D mode and were differentially corrected. The reported UTM coordinates are within 1 to 5 meters of their actual locations; Poor = >25% of the surveyed positions were recorded in 2D mode; Uncorrected = The surveyed positions were not differentially corrected; N/S = No survey data available.

Base Station: W = Westmin Resources Limited base station at Wolverine Lake; WL = Ministry of Environment, Lands and Parks base station at Williams Lake; DL = Ministry of Environment, Lands and Parks base station at Dease Lake; RR = Department of Renewable Resources (Forestry) at Whitehorse.

A. Expatriate Resources Ltd. Claim Posts

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date	
			Northing	Easting				
67	Coach	1, 2	-	6823067	392040	Standard	W	05-Jul-96
68		3, 4	1, 2	6822823	392414	Standard	W	05-Jul-96
69		5, 6	3, 4	6822593	392797	Standard	W	05-Jul-96
70		7, 8	5, 6	6822347	393169	Standard	W	05-Jul-96
71		9, 10	7, 8	6822116	393527	Standard	W	05-Jul-96
72		-	9, 10	6821879	393905	Standard	W	05-Jul-96
73	Coach	11, 12	-	6823815	392529	Standard	W	05-Jul-96
74		13, 14	11, 12	6823581	392900	Standard	W	05-Jul-96
75		15, 16	13, 14	-	-	N/S	-	-
76		17, 18	15, 16	6823159	393584	Standard	W	05-Jul-96
77		19, 20	17, 18	6822899	393919	Standard	W	05-Jul-96
78		-	19, 20	6822667	394305	Standard	W	05-Jul-96

B. Geological Stations

Claim	Station	UTM Coordinates		Data Quality	Base Station	Date
		Northing	Easting			
Coach	0+00 SS	6823829	392605	Standard	W	08-Jul-96
	11+00 SS	6823796	393677	Standard	W	08-Jul-96

C. Claim Posts From Adjoining Claim Blocks

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date
			Northing	Easting			
NIK	3, 4	1, 2	6822891	391137	Standard	W	08-Jul-96
	5, 6	3, 4	6822635	391517	Standard	W	08-Jul-96
	7, 8	5, 6	6822389	391865	Standard	W	08-Jul-96
	-	7, 8	6822145	392240	Standard	W	08-Jul-96
	-	9, 10	6822362	393163	Standard	W	08-Jul-96
	11, 12	-	6822348	392146	Standard	W	08-Jul-96

APPENDIX III
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project : COACH
 Comments:

Page Number : 1-A
 Total Pages : 1
 Certificate Date: 31-JUL-96
 Invoice No. : I9625239
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS A9625239

SAMPLE	PREP CODE		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo
			ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm
BB06650	201	202	0.2	1.88	62	160	< 0.5	< 2	1.80	0.5	32	133	71	6.58	< 10	< 1	0.07	20	1.35	1225	1
BB06651	201	202	0.2	1.87	148	120	0.5	< 2	1.24	< 0.5	59	108	81	8.62	< 10	1	0.06	40	0.91	1545	< 1
BB06652	201	202	0.4	1.91	204	140	0.5	< 2	0.78	0.5	53	97	88	9.83	< 10	< 1	0.07	20	0.94	2270	2
BB06653	201	202	0.2	2.89	74	110	0.5	< 2	0.94	< 0.5	44	146	73	7.37	< 10	< 1	0.05	20	1.77	1120	1
BB06654	201	202	0.4	1.77	102	170	< 0.5	< 2	1.15	0.5	30	96	71	5.80	< 10	< 1	0.07	20	1.03	1010	4
BB06655	201	202	0.6	1.63	126	100	< 0.5	< 2	1.03	1.0	32	58	90	5.80	< 10	< 1	0.06	10	0.99	520	8
BB06656	201	202	< 0.2	1.84	218	170	0.5	< 2	0.47	0.5	23	59	90	5.70	< 10	< 1	0.04	10	0.73	610	6
BB06657	201	202	0.2	1.68	94	170	< 0.5	< 2	0.85	< 0.5	29	96	70	5.28	< 10	< 1	0.06	10	1.22	885	2
BB06658	201	202	3.8	0.74	208	170	< 0.5	< 2	1.33	11.5	24	30	168	6.55	< 10	1	0.09	10	0.23	1310	15
BB06659	201	202	0.2	0.77	50	140	< 0.5	< 2	0.41	< 0.5	20	26	62	5.63	< 10	< 1	0.06	20	0.24	650	3
BB06660	201	202	0.2	1.34	66	110	< 0.5	< 2	0.33	1.0	17	60	78	4.50	< 10	< 1	0.07	30	0.90	485	7
BB06661	201	202	0.4	1.02	466	220	0.5	< 2	0.50	< 0.5	47	399	49	4.74	< 10	< 1	0.09	10	2.99	525	1
BB06662	201	202	< 0.2	1.56	160	150	< 0.5	2	0.20	< 0.5	41	572	47	4.21	< 10	< 1	0.09	< 10	6.10	555	< 1
BB06663	201	202	< 0.2	0.49	108	50	< 0.5	2	0.04	< 0.5	78	1305	17	4.18	10	< 1	0.02	< 10	14.25	820	< 1
BB06664	201	202	< 0.2	0.98	76	130	< 0.5	< 2	0.21	< 0.5	44	776	24	3.80	< 10	< 1	0.05	< 10	8.55	455	< 1
BB06665	201	202	< 0.2	0.79	42	130	< 0.5	< 2	0.28	< 0.5	40	444	14	2.74	< 10	< 1	0.06	10	6.21	380	< 1
BB06666	201	202	< 0.2	1.18	18	180	< 0.5	< 2	0.28	< 0.5	18	409	21	2.92	< 10	< 1	0.06	10	4.36	250	< 1
BB06667	201	202	< 0.2	1.51	40	170	< 0.5	2	0.58	< 0.5	32	488	43	3.69	< 10	< 1	0.07	10	4.82	385	< 1
BB06668	201	202	< 0.2	1.79	42	200	< 0.5	< 2	0.67	< 0.5	38	611	72	4.62	< 10	< 1	0.09	10	4.90	525	< 1
BB06669	201	202	< 0.2	1.97	8	190	< 0.5	< 2	2.39	< 0.5	19	66	84	7.88	< 10	< 1	0.30	10	1.54	410	< 1
BB06670	201	202	< 0.2	1.77	16	290	< 0.5	2	0.91	< 0.5	16	117	106	5.59	< 10	< 1	0.32	< 10	1.61	310	< 1
BB06671	201	202	< 0.2	1.97	6	350	< 0.5	< 2	1.25	< 0.5	25	241	127	5.04	< 10	< 1	0.40	< 10	2.27	325	< 1

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : COACH
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 31-JUL-96
Invoice No. : 19625239
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS A9625239

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB06650	201 202	0.01	137	2200	10	2	10	39	0.03	< 10	< 10	77	< 10	134
BB06651	201 202	0.01	171	2680	12	< 2	11	29	0.01	< 10	< 10	73	< 10	118
BB06652	201 202	0.01	153	2950	20	2	11	25	0.02	< 10	< 10	75	< 10	202
BB06653	201 202	< 0.01	152	2360	10	< 2	18	26	0.01	< 10	< 10	154	< 10	154
BB06654	201 202	0.01	108	2770	14	2	9	38	0.01	< 10	< 10	74	< 10	162
BB06655	201 202	< 0.01	103	4270	22	< 2	6	43	0.02	< 10	< 10	77	< 10	310
BB06656	201 202	0.01	67	2070	72	< 2	3	21	< 0.01	< 10	< 10	69	< 10	244
BB06657	201 202	0.01	146	1480	12	< 2	5	38	0.03	< 10	< 10	70	< 10	122
BB06658	201 202	0.01	136	7930	34	8	1	85	< 0.01	< 10	< 10	94	< 10	852
BB06659	201 202	< 0.01	34	1030	24	< 2	4	28	< 0.01	< 10	< 10	27	< 10	78
BB06660	201 202	< 0.01	71	840	24	< 2	4	33	0.01	< 10	< 10	67	< 10	342
BB06661	201 202	0.01	912	1200	12	10	7	51	0.01	< 10	< 10	46	< 10	170
BB06662	201 202	0.01	474	410	16	2	7	17	0.07	< 10	< 10	89	< 10	50
BB06663	201 202	< 0.01	1550	240	6	8	9	3	< 0.01	10	< 10	18	< 10	20
BB06664	201 202	0.01	839	700	4	2	7	17	0.04	< 10	< 10	49	< 10	48
BB06665	201 202	0.01	619	690	4	< 2	4	20	0.05	< 10	< 10	38	< 10	46
BB06666	201 202	0.02	456	920	8	< 2	6	20	0.05	< 10	< 10	53	< 10	50
BB06667	201 202	0.01	399	1250	6	2	6	32	0.08	< 10	< 10	86	< 10	52
BB06668	201 202	0.01	462	1630	10	2	9	41	0.10	< 10	< 10	110	< 10	72
BB06669	201 202	0.07	25	7960	8	< 2	9	113	0.04	< 10	< 10	366	< 10	62
BB06670	201 202	0.05	26	2400	8	< 2	7	49	0.13	< 10	< 10	176	< 10	50
BB06671	201 202	0.03	65	3850	4	< 2	5	70	0.11	< 10	< 10	173	< 10	56

CERTIFICATION: *K. B. Bieder*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: COACH
 Comments:

Page Number: 1-A
 Total Pages: 2
 Certificate Date: 01-AUG-96
 Invoice No.: I9625238
 P.O. Number:
 Account: MPO

CERTIFICATE OF ANALYSIS A9625238

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB5072	201 202	< 0.2	2.62	68	130	0.5	< 2	0.77	< 0.5	52	209	97	8.08	< 10	< 1	0.04	30	1.57	1370	< 1
BB5073	201 202	< 0.2	1.80	106	120	0.5	< 2	1.54	< 0.5	52	167	133	9.14	< 10	< 1	0.04	20	1.17	1805	1
BB5074	201 202	< 0.2	2.15	72	110	0.5	< 2	1.32	< 0.5	45	134	81	7.73	< 10	< 1	0.05	20	1.25	1350	1
BB5075	201 202	< 0.2	2.48	72	110	0.5	< 2	1.10	< 0.5	47	160	86	7.36	< 10	< 1	0.05	20	1.27	1550	1
BB5076	201 202	< 0.2	2.45	110	120	0.5	< 2	1.10	< 0.5	49	129	81	8.74	< 10	< 1	0.05	20	1.12	1440	1
BB5077	201 202	< 0.2	2.29	134	110	0.5	< 2	1.11	< 0.5	44	177	76	7.78	< 10	< 1	0.04	20	1.41	1650	2
BB5078	201 202	0.4	1.34	54	140	< 0.5	< 2	1.35	< 0.5	27	85	77	6.51	< 10	< 1	0.05	< 10	1.05	1210	2
BB5079	201 202	0.6	1.07	64	140	< 0.5	< 2	0.66	< 0.5	35	56	62	8.11	< 10	1	0.05	10	0.53	1965	4
BB5080	201 202	0.2	1.65	52	170	< 0.5	< 2	0.72	0.5	21	183	65	3.96	< 10	< 1	0.07	10	1.64	380	3
BB5081	201 202	0.2	1.76	60	240	< 0.5	< 2	0.94	< 0.5	21	116	52	4.43	< 10	< 1	0.10	10	0.92	780	3
BB5082	201 202	1.0	0.93	92	190	< 0.5	< 2	0.78	5.0	13	43	104	3.02	< 10	< 1	0.08	10	0.42	310	13
BB5083	201 202	0.6	2.10	82	330	< 0.5	< 2	0.55	< 0.5	25	151	76	4.79	< 10	2	0.11	10	1.36	535	3
BB5084	201 202	0.2	1.58	122	150	< 0.5	< 2	0.72	< 0.5	17	70	74	4.12	< 10	< 1	0.07	10	0.94	450	3
BB5085	201 202	< 0.2	2.24	132	280	< 0.5	< 2	1.30	< 0.5	30	109	111	6.62	< 10	< 1	0.11	10	1.99	705	1
BB5086	201 202	< 0.2	1.98	30	310	< 0.5	< 2	1.12	< 0.5	23	128	44	4.98	< 10	< 1	0.09	< 10	2.03	565	< 1
BB5087	201 202	< 0.2	1.67	110	270	< 0.5	< 2	0.44	< 0.5	15	222	32	4.61	< 10	< 1	0.07	10	1.82	270	< 1
BB5088	201 202	< 0.2	0.30	82	70	0.5	< 2	3.75	< 0.5	113	857	14	5.37	< 10	< 1	0.01	< 10	10.75	830	< 1
BB5089	201 202	< 0.2	1.38	20	200	< 0.5	< 2	0.31	< 0.5	24	324	24	3.17	< 10	< 1	0.08	10	3.18	485	< 1
BB5090	201 202	< 0.2	0.94	18	130	< 0.5	< 2	0.25	< 0.5	28	386	16	2.71	< 10	< 1	0.05	10	4.57	330	< 1
BB5091	201 202	< 0.2	0.51	44	50	< 0.5	2	0.07	< 0.5	52	862	17	2.77	10	< 1	0.01	< 10	13.30	355	< 1
BB5092	201 202	< 0.2	1.46	116	150	< 0.5	< 2	0.48	< 0.5	28	374	36	3.62	< 10	< 1	0.09	10	3.82	395	< 1
BB5093	201 202	0.2	1.04	84	120	< 0.5	< 2	0.27	< 0.5	40	534	28	3.15	< 10	< 1	0.05	< 10	6.16	545	< 1
BB5094	201 202	< 0.2	1.87	886	210	0.5	< 2	0.43	< 0.5	74	285	95	7.20	< 10	< 1	0.10	< 10	2.12	1590	< 1
BB5095	201 202	0.2	1.56	154	290	< 0.5	< 2	0.31	< 0.5	39	258	72	4.49	< 10	< 1	0.13	10	2.00	1710	< 1
BB5096	201 202	< 0.2	0.91	488	240	< 0.5	< 2	0.40	< 0.5	23	207	41	3.01	< 10	< 1	0.20	30	1.97	450	< 1
BB5097	201 202	0.2	0.87	236	170	< 0.5	< 2	0.33	< 0.5	19	192	33	3.15	< 10	< 1	0.20	30	1.89	415	< 1
BB5098	201 202	0.2	1.26	188	200	< 0.5	< 2	0.52	< 0.5	38	302	79	4.08	< 10	< 1	0.16	10	2.71	705	< 1
BB5099	201 202	0.4	1.44	166	150	< 0.5	< 2	0.88	< 0.5	33	291	115	4.88	< 10	< 1	0.10	10	3.09	640	1
BB5100	201 202	0.2	1.66	238	310	0.5	< 2	0.33	< 0.5	41	326	57	6.15	< 10	< 1	0.07	20	2.11	1005	< 1
BB5184	201 202	0.2	2.35	74	150	< 0.5	< 2	1.08	< 0.5	39	153	68	7.41	< 10	< 1	0.06	30	1.30	1230	2
BB5185	201 202	0.2	2.14	82	170	< 0.5	< 2	1.24	< 0.5	34	93	55	7.35	< 10	< 1	0.05	30	0.95	1570	1
BB5186	201 202	< 0.2	0.93	68	60	< 0.5	< 2	0.65	< 0.5	16	29	23	2.72	< 10	< 1	0.03	< 10	0.30	475	< 1
BB5187	201 202	< 0.2	1.88	104	170	< 0.5	< 2	0.72	< 0.5	28	93	43	5.33	< 10	< 1	0.06	10	0.98	885	3
BB5188	201 202	0.2	1.58	100	130	< 0.5	< 2	0.75	0.5	22	77	63	4.56	< 10	< 1	0.06	10	1.01	520	4
BB5189	201 202	0.6	1.79	94	230	< 0.5	< 2	0.69	0.5	13	65	39	4.51	< 10	< 1	0.05	10	0.71	645	5
BB5190	201 202	< 0.2	1.39	142	140	< 0.5	< 2	0.40	0.5	19	56	34	9.57	< 10	< 1	0.04	< 10	0.68	1605	5
BB5191	201 202	< 0.2	0.72	182	70	< 0.5	< 2	0.58	2.0	18	64	62	5.09	< 10	< 1	0.08	10	0.42	400	9
BB5192	201 202	< 0.2	0.97	536	280	0.5	< 2	0.44	< 0.5	46	104	57	6.33	< 10	< 1	0.04	30	0.61	995	1
BB5193	201 202	< 0.2	1.09	138	210	< 0.5	< 2	0.57	< 0.5	26	232	77	3.36	< 10	< 1	0.11	30	2.02	425	< 1
BB5194	201 202	< 0.2	0.92	132	260	< 0.5	< 2	0.32	< 0.5	13	174	29	3.00	< 10	< 1	0.12	40	1.14	355	< 1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : COACH
Comments:

Page Number : 1-B
Total Pages : 2
Certificate Date: 01-AUG-96
Invoice No. : 19625238
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS A9625238

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB5072	201 202	< 0.01	206	2140	14	< 2	15	24	0.01	< 10	< 10	105	< 10	92
BB5073	201 202	< 0.01	235	1780	18	< 2	14	25	< 0.01	< 10	< 10	89	< 10	82
BB5074	201 202	< 0.01	148	2010	10	< 2	11	27	0.01	< 10	< 10	80	< 10	86
BB5075	201 202	< 0.01	133	1900	10	< 2	13	26	0.01	< 10	< 10	89	< 10	102
BB5076	201 202	< 0.01	118	1860	12	< 2	14	25	< 0.01	< 10	< 10	88	< 10	110
BB5077	201 202	< 0.01	165	1700	14	< 2	14	23	< 0.01	< 10	< 10	103	< 10	120
BB5078	201 202	< 0.01	116	2570	8	< 2	8	41	< 0.01	< 10	< 10	66	< 10	172
BB5079	201 202	< 0.01	85	2000	24	< 2	4	22	0.01	< 10	< 10	53	< 10	108
BB5080	201 202	0.01	106	2370	12	< 2	5	39	0.05	< 10	< 10	92	< 10	166
BB5081	201 202	0.01	60	2560	16	< 2	3	41	0.01	< 10	< 10	100	< 10	170
BB5082	201 202	0.01	83	3600	22	6	3	48	0.03	< 10	< 10	71	< 10	476
BB5083	201 202	0.01	115	1970	14	< 2	4	33	0.03	< 10	< 10	97	< 10	128
BB5084	201 202	0.01	89	1470	12	< 2	4	38	0.04	< 10	< 10	60	< 10	94
BB5085	201 202	0.01	77	3860	10	< 2	8	70	0.08	< 10	< 10	185	< 10	104
BB5086	201 202	0.04	65	2950	10	< 2	7	63	0.09	< 10	< 10	179	< 10	62
BB5087	201 202	0.01	181	1450	22	4	6	26	0.03	< 10	< 10	68	< 10	144
BB5088	201 202	< 0.01	2250	130	2	2	8	119	< 0.01	< 10	< 10	22	< 10	30
BB5089	201 202	0.01	384	680	6	< 2	7	21	0.07	< 10	< 10	63	< 10	58
BB5090	201 202	0.01	421	520	6	< 2	5	15	0.04	< 10	< 10	43	< 10	54
BB5091	201 202	< 0.01	1310	260	2	< 2	6	5	0.01	< 10	< 10	24	< 10	20
BB5092	201 202	0.01	293	1400	10	2	7	31	0.08	< 10	< 10	92	< 10	54
BB5093	201 202	0.03	583	800	10	4	6	30	0.05	< 10	< 10	56	< 10	40
BB5094	201 202	< 0.01	612	780	10	10	26	39	0.06	< 10	< 10	149	< 10	84
BB5095	201 202	0.02	260	700	16	< 2	13	27	0.04	< 10	< 10	68	< 10	82
BB5096	201 202	0.01	181	1240	32	< 2	4	51	0.04	< 10	< 10	44	< 10	76
BB5097	201 202	0.01	145	1030	46	2	4	42	0.04	< 10	< 10	39	< 10	64
BB5098	201 202	< 0.01	287	1350	16	4	8	42	0.06	< 10	< 10	69	< 10	68
BB5099	201 202	< 0.01	319	1270	16	2	11	42	0.04	< 10	< 10	56	< 10	108
BB5100	201 202	< 0.01	274	720	12	4	14	27	0.01	< 10	< 10	64	< 10	86
BB5184	201 202	0.01	148	2340	10	2	10	30	0.03	< 10	< 10	86	< 10	128
BB5185	201 202	0.01	110	2600	12	2	10	30	0.01	< 10	< 10	70	< 10	120
BB5186	201 202	0.07	39	1300	6	< 2	2	16	0.02	< 10	< 10	31	< 10	36
BB5187	201 202	0.01	80	1820	16	2	6	24	0.03	< 10	< 10	73	< 10	128
BB5188	201 202	0.01	82	2570	16	2	5	32	0.02	< 10	< 10	69	< 10	168
BB5189	201 202	0.01	50	4930	18	2	3	29	< 0.01	< 10	< 10	71	< 10	132
BB5190	201 202	< 0.01	60	2740	22	2	2	16	< 0.01	< 10	< 10	65	< 10	228
BB5191	201 202	< 0.01	87	3090	26	< 2	2	27	< 0.01	< 10	< 10	75	< 10	290
BB5192	201 202	< 0.01	163	1000	22	< 2	7	24	< 0.01	< 10	< 10	28	< 10	120
BB5193	201 202	0.01	191	1600	16	< 2	5	37	0.05	< 10	< 10	58	< 10	76
BB5194	201 202	0.01	92	1110	22	< 2	4	27	0.01	< 10	< 10	35	< 10	64

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: COACH
 Comments:

Page Number : 2-A
 Total Pages : 2
 Certificate Date: 01-AUG-96
 Invoice No. : I9625238
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS A9625238

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB5195	201 202	< 0.2	0.87	104	400	< 0.5	< 2	0.13	< 0.5	9	61	17	2.39	< 10	< 1	0.06	50	0.31	275	< 1
BB6672	201 202	< 0.2	2.97	6	740	< 0.5	2	1.68	< 0.5	31	150	101	5.28	< 10	1	1.20	< 10	2.62	475	< 1
BB6673	201 202	< 0.2	2.77	10	620	< 0.5	< 2	1.46	< 0.5	31	109	179	6.65	< 10	< 1	1.05	< 10	2.47	360	< 1
BB6674	201 202	< 0.2	2.70	6	660	< 0.5	2	1.98	< 0.5	50	136	493	7.39	< 10	< 1	0.82	10	2.76	340	1
BB6675	201 202	< 0.2	2.78	8	1070	< 0.5	6	0.68	< 0.5	39	133	349	3.70	< 10	< 1	1.11	< 10	3.58	240	< 1
BB6676	201 202	< 0.2	1.98	26	230	< 0.5	< 2	0.80	< 0.5	18	244	34	2.69	< 10	< 1	0.12	< 10	2.66	280	< 1
BB6677	201 202	< 0.2	2.29	26	260	< 0.5	2	0.89	< 0.5	20	203	55	4.19	< 10	< 1	0.11	< 10	2.12	295	1
BB6678	201 202	< 0.2	1.79	12	330	< 0.5	< 2	0.36	< 0.5	13	152	26	3.37	< 10	< 1	0.08	< 10	1.40	310	< 1
BB6679	201 202	< 0.2	1.79	24	170	< 0.5	< 2	0.59	< 0.5	19	162	48	3.69	< 10	< 1	0.08	10	1.75	350	1
BB6680	201 202	< 0.2	1.68	16	170	< 0.5	< 2	0.36	< 0.5	14	145	28	3.67	< 10	< 1	0.08	< 10	1.20	425	2
BB6681	201 202	< 0.2	1.78	16	290	< 0.5	< 2	0.51	< 0.5	15	149	38	4.06	< 10	< 1	0.11	< 10	1.22	475	2
BB6682	201 202	0.2	1.67	80	250	0.5	< 2	1.12	< 0.5	17	94	42	4.28	< 10	< 1	0.08	10	0.88	750	3
BB6683	201 202	< 0.2	1.45	26	200	< 0.5	< 2	0.42	1.5	14	118	26	3.25	< 10	< 1	0.08	10	0.71	390	3
BB6684	201 202	< 0.2	2.08	40	300	< 0.5	< 2	0.63	1.0	19	222	41	3.78	< 10	< 1	0.10	10	1.41	590	3
BB6685	201 202	0.6	1.48	50	210	< 0.5	< 2	1.10	0.5	23	123	76	4.99	< 10	< 1	0.09	< 10	0.90	760	3
BB6686	201 202	< 0.2	1.85	42	220	< 0.5	< 2	0.59	< 0.5	16	132	30	4.10	< 10	< 1	0.08	10	0.79	690	4
BB6687	201 202	0.2	2.24	748	120	0.5	< 2	1.48	< 0.5	71	263	126	7.87	< 10	< 1	0.06	30	1.52	1135	6
BB6688	201 202	< 0.2	1.99	58	110	< 0.5	< 2	1.07	< 0.5	34	106	81	7.35	< 10	< 1	0.05	20	0.99	1010	3
BB6689	201 202	< 0.2	2.95	40	140	0.5	< 2	0.90	< 0.5	46	191	66	7.25	< 10	< 1	0.06	30	1.61	1330	1
BB6690	201 202	< 0.2	2.44	64	150	0.5	< 2	0.89	< 0.5	31	141	45	6.83	< 10	< 1	0.05	20	1.23	1085	2
BB6691	201 202	< 0.2	2.33	46	130	0.5	< 2	1.44	< 0.5	29	122	45	5.83	< 10	< 1	0.04	10	1.10	880	2
BB6692	201 202	< 0.2	2.16	296	140	0.5	< 2	0.73	< 0.5	77	195	112	11.10	< 10	< 1	0.04	30	1.07	2670	3
BB6693	201 202	< 0.2	2.71	56	120	0.5	< 2	1.12	< 0.5	39	153	61	7.15	< 10	< 1	0.03	30	1.67	1150	1
BB6694	201 202	< 0.2	2.36	70	100	0.5	< 2	1.66	< 0.5	43	229	76	7.31	< 10	< 1	0.04	10	1.56	1185	1
BB13594	201 202	0.6	0.62	240	110	0.5	< 2	0.25	0.5	24	22	115	5.87	< 10	< 1	0.05	20	0.15	1410	7
BB13595	201 202	0.6	1.14	212	190	< 0.5	< 2	0.97	3.5	51	59	114	8.11	< 10	< 1	0.06	10	0.70	1655	9
BB13596	201 202	0.2	2.03	150	180	< 0.5	< 2	0.62	0.5	34	84	85	6.23	< 10	1	0.05	10	1.11	885	8
BB13597	201 202	0.4	1.85	58	100	< 0.5	< 2	0.66	< 0.5	37	50	67	7.39	< 10	< 1	0.04	30	0.96	735	4
BB13598	201 202	< 0.2	2.68	112	160	0.5	< 2	0.78	< 0.5	38	158	81	6.94	< 10	< 1	0.07	10	1.71	860	5
BB13599	201 202	< 0.2	3.11	80	110	0.5	< 2	1.08	< 0.5	44	184	74	7.39	10	< 1	0.04	20	1.85	790	3
BB13600	201 202	< 0.2	1.63	212	90	0.5	< 2	0.65	< 0.5	76	94	101	9.35	< 10	1	0.04	30	0.82	1755	2

CERTIFICATION:

Hunter Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: COACH
Comments:

Page Number : 2-B
Total Pages : 2
Certificate Date: 01-AUG-96
Invoice No. : I9625238
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS A9625238

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Tl %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
	BB5195	201	202	< 0.01	31	570	30	< 2	1	13	< 0.01	< 10	< 10	16	< 10
BB6672	201	202	0.05	32	5250	4	< 2	7	107	0.15	< 10	< 10	177	< 10	64
BB6673	201	202	0.02	34	5190	12	< 2	7	97	0.13	< 10	< 10	273	< 10	62
BB6674	201	202	0.01	55	6800	2	< 2	16	107	0.11	< 10	< 10	306	< 10	58
BB6675	201	202	< 0.01	50	1460	< 2	< 2	7	28	0.21	< 10	< 10	118	< 10	36
BB6676	201	202	0.01	76	1700	2	< 2	6	46	0.11	< 10	< 10	82	< 10	60
BB6677	201	202	0.01	63	1660	8	< 2	5	53	0.15	< 10	< 10	128	< 10	50
BB6678	201	202	0.01	61	840	10	< 2	5	27	0.09	< 10	< 10	90	< 10	54
BB6679	201	202	< 0.01	88	950	10	< 2	5	36	0.10	< 10	< 10	84	< 10	70
BB6680	201	202	0.01	58	1210	8	< 2	2	24	0.03	< 10	< 10	61	< 10	96
BB6681	201	202	0.02	50	960	10	< 2	5	31	0.10	< 10	< 10	127	< 10	60
BB6682	201	202	< 0.01	52	2040	18	< 2	5	57	0.03	< 10	< 10	57	< 10	82
BB6683	201	202	0.01	35	1800	16	< 2	2	25	0.03	< 10	< 10	75	< 10	112
BB6684	201	202	0.01	58	3030	16	< 2	3	36	0.03	< 10	< 10	94	< 10	306
BB6685	201	202	< 0.01	64	1690	12	< 2	1	34	0.01	< 10	< 10	66	< 10	136
BB6686	201	202	0.01	60	2590	12	< 2	1	26	0.01	< 10	< 10	99	< 10	134
BB6687	201	202	< 0.01	280	2610	12	< 2	17	34	0.01	< 10	< 10	105	< 10	342
BB6688	201	202	< 0.01	92	1360	14	< 2	12	29	0.03	< 10	< 10	65	< 10	102
BB6689	201	202	< 0.01	120	2170	8	< 2	16	28	0.03	< 10	< 10	93	< 10	124
BB6690	201	202	< 0.01	89	1510	16	< 2	11	23	0.02	< 10	< 10	76	< 10	96
BB6691	201	202	0.01	93	1980	6	< 2	8	28	0.01	< 10	< 10	73	< 10	74
BB6692	201	202	< 0.01	279	2220	10	< 2	17	22	0.01	< 10	< 10	99	< 10	110
BB6693	201	202	< 0.01	108	2030	8	< 2	12	27	0.03	< 10	< 10	97	< 10	90
BB6694	201	202	< 0.01	170	1600	14	< 2	12	29	0.01	< 10	< 10	89	< 10	86
BB13594	201	202	< 0.01	72	1300	22	< 2	5	31	< 0.01	< 10	< 10	28	< 10	192
BB13595	201	202	< 0.01	142	3780	18	< 2	9	40	0.01	< 10	< 10	62	< 10	360
BB13596	201	202	< 0.01	97	2840	24	< 2	8	25	0.01	< 10	< 10	94	< 10	218
BB13597	201	202	< 0.01	81	2850	18	< 2	7	29	0.01	< 10	< 10	62	< 10	140
BB13598	201	202	< 0.01	129	2660	20	< 2	11	30	0.02	< 10	< 10	101	< 10	218
BB13599	201	202	< 0.01	143	2260	10	< 2	15	28	0.01	< 10	< 10	123	< 10	160
BB13600	201	202	< 0.01	214	2690	12	< 2	12	18	0.01	< 10	< 10	58	< 10	124

CERTIFICATION: *Hart Buchler*

QAZ4833.

ARCHER, CATHRO
* ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

Box 4127, 2054 SECOND AVENUE, WHITEHORSE, Y.T. Y1A 3S9 TEL (403) 667 - 4415

AFFIDAVIT

I, Joan Mariacher, of WHITEHORSE, YUKON make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on the COACH 1-20 mineral claims on Claim Sheet 1056/10 & 11 is accurate.




Joan Mariacher

Sworn before me at WHITEHORSE, YUKON
this 27TH day of
SEPTEMBER, 1996



Notary, Yukon Territory




**Statement of Expenditures
Coach 1-20 Mineral Claims
September 23, 1996**

Labour

D. Tempelman-Kluit, geologist - July 22 - 1 day @ \$500/day	\$ 535.00
L. Pigage, geologist - July 5, 8 - 2 days @ \$300/day	642.00
M. Bedard, geologist - July 5, 8 - 2 days @ \$232.50/day	497.55
I. Gibson, field assistant - July 8 - 1 day @ \$202.50/day	216.68
D. Robinson, field assistant - July 5 - 1 day @ \$187.50/day	200.63
J. Young, field assistant - July 5 - 1 day @ \$165/day	<u>176.55</u>
	\$2,268.41
Less claim tagging costs - .5 mandays @ \$187.50/day, plus room and board @ \$115/day	<u>161.84</u>
	\$2,106.57

Expenses

Field room and board - 8 days @ \$115/day	984.40
Kluane Helicopters - 3.0 hrs Bell 206B @ \$585/hr, plus fuel and 0.6 A-Star @ \$900/hr, plus fuel	2,923.67
Chemex Labs Ltd.	679.15
Supervision, claim surveys, data entry - pro rated	<u>2,747.83</u>
	\$7,335.05
TOTAL	<u>\$9,441.62</u>



In Account With

Project —

FINLAYSON PROJECT

Date —

JULY 31, 1996

BOUR Field		
	A. ARCHER - 59 HRS AT 60/HR	3540.00
	D. EATON - 220 HRS AT 50/HR	11000.00
	T. BECKER - 248 HRS AT 40/HR	9920.00
	G. LOWEY - 1 DAY AT 300/DAY	300.00
	G. MCBOWBALL - 26 DAYS AT 300/DAY	7800.00
	K. SAY - 24 DAYS AT 270/DAY	6480.00
	A. BURGERT - 30 DAYS AT 247.50/DAY	7425.00
	M. BEARD - 15 DAYS AT 231.50/DAY	3487.50
	J. O'ROULKE - 30 DAYS AT 225/DAY	6750.00
	G. BELL - 25 DAYS AT 210/DAY	5250.00
	I. GIBSON - 21 DAYS AT 207.50/DAY	4357.50
	J. OWERKO - 1 DAY AT 207.50/DAY	207.50
	D. ROBINSON - 31 DAYS AT 187.50/DAY	5812.50
	J. MCPHEE - 31 DAYS AT 180/DAY	5580.00
	K. WOJCIK - 23 DAYS AT 180/DAY	4140.00
	C. COWAN - 31 DAYS AT 177.50/DAY	5547.50
	P. MOORES - 12 DAYS AT 177.50/DAY	2130.00
	R. BAINES - 26 DAYS AT 165/DAY	4290.00
	B. NODWELL - 24 DAYS AT 165/DAY	3960.00
	D. REBEHL - 24 DAYS AT 165/DAY	3960.00
	T. RESZAT - 15 DAYS AT 165/DAY	2475.00
	S. SCHNEIDER - 26 DAYS AT 165/DAY	4290.00
	S. TAYLOR - 9 DAYS AT 165/DAY	1485.00
	J. YOUNG - 31 DAYS AT 165/DAY	5115.00
	S. DE LA BARRE - 24 DAYS AT 267.50/DAY	6300.00
	N. EDELSON - 25 DAYS AT 165/DAY	4125.00

TEMPELMAN-KLUIT CONSULTING
STATEMENT FOR JULY 1996
RE FINLAYSON LAKE PROJECT

TO
EXPATRIATE RESOURCES LTD

FOR PROFESSIONAL SERVICES OF DIRK AND ANNE TEMPELMAN-KLUIT
DURING 20 DAYS OF FIELD AND OFFICE WORK AS SUMMARIZED IN
ATTACHED ACTIVITY REPORT AND DETAILED IN TRAVERSE REPORTS
SUBMITTED TO TOM BECKER

20 DAYS @ \$500	=	\$10,000
GST @ 7%	=	\$ 700

TOTAL		\$10,700

GST # 85024842

Handwritten notes:
JRL Aug 07 96
HMK

Handwritten signature:
Dirk Tempelman-Kluit

Dirk Tempelman-Kluit
TEMPELMAN-KLUIT CONSULTING

L.C. PIGAGE CONSULTING
2 Rosewood Place
Whitehorse, Yukon Territory
Y1A 4X3
(403) 633-4742
FAX (403) 667-6593
e-mail lcpigage@polarcom.com
GST# 13713 7667 RT

INVOICE FOR SERVICES

To: Expatriate Resources Ltd.
Box 4127, 2054 Second Ave.
Whitehorse, YT Y1A 3S9
Attn: Joan Mariacher


Date: July 17, 1996
P.O.#:
Job #: J96-11(3)
Your Job #:

Geological consulting services for July 01-July 15, 1996 inclusive
supervising drilling programs on LEAGUE, SLAPSHOT, HAT TRICK, ICE
geology for properties ICE, LEAGUE, HAT TRICK, SLAPSHOT, COACH,
OVERTIME, STICK

see attached sheet for more detailed times for each property

15 days at \$300.00 per day		\$ 4,500.00
	G.S.T.	\$ 315.00
	Total	\$ 4,815.00

Thank you.


Lee C. Pigage, P. Geo., Ph.D.

TERMS: Net 30 days

*John July 17/96
274*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 2 5 2 3 8

BILLING INFORMATION

Date: 2-AUG-96
Project: COACH
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9625238

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
71	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	ICP-32	7.00	9.10	646.10
Total Cost \$				646.10
Client Discount (25%) \$				<u>-161.53</u>
Net Cost \$				484.57
(Reg# R100938885) GST \$				<u>33.92</u>
TOTAL PAYABLE (CDN) \$				518.49



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 2 5 2 3 9

BILLING INFORMATION

Date: 1-AUG-96
Project: COACH
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9625239

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
22	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	ICP-32	7.00	9.10	200.20
				Total Cost \$ 200.20
				Client Discount (25%) \$ -50.05
				Net Cost \$ 150.15
				(Reg# R100938885) GST \$ 10.51
				TOTAL PAYABLE (CDN) \$ 160.66