

ARCHER, CATHRO
A ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688 - 2568 • FAX (604) 688 - 2578

ASSESSMENT REPORT

describing

PROSPECTING, GEOCHEMISTRY AND CLAIM SURVEYS

on the

MASK PROPERTY

Mask 1-38 Claims YB63540-YB63577
39-90 Claims YB77943-YB77994

Latitude 61°13' N; Longitude 130°06' W

NTS 105G/1 and 105G/8

in the

WATSON LAKE MINING DISTRICT

YUKON TERRITORY

Prepared by

Archer, Cathro & Associates (1981) Limited

for

EXPATRIATE RESOURCES LTD.



093644

A. Burgert, B.Sc.
February, 1997

This report has been examined by
the Biological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 30,200.

M.B.H.

for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	2
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	4
REGIONAL MINERALIZATION	8
REGIONAL GEOCHEMISTRY	10
REGIONAL GEOPHYSICS	12
PROPERTY GEOLOGY AND MINERALIZATION	13
PROPERTY GEOCHEMISTRY	14
CONCLUSIONS AND RECOMMENDATIONS	16
SELECTED REFERENCES	17

APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II GPS DATA
- III CERTIFICATES OF ANALYSIS

FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location	Following Page 2
2	Claim Location	Following Page 2
3	Tectonic Setting	Following Page 4
4	Regional Geology	Following Page 4
5	Property Geology	Following Page 13
6	Sample Location	Following Page 14
7	Copper Geochemistry	Following Page 14
8	Lead Geochemistry	Following Page 14
9	Zinc Geochemistry	Following Page 14
10	Molybdenum Geochemistry	Following Page 14

INTRODUCTION

Expatriate Resources Ltd. has a 100% interest in the Mask property which protects a previously unstaked volcanogenic massive sulphide (VMS) target selected from a data base documenting results of 1973 exploration by a joint venture managed by Archer, Cathro & Associates Limited. Ninety claims were staked in 1995 and spring 1996 over scattered sample sites that had yielded moderately to strongly anomalous copper, lead, zinc and molybdenum values.

Field exploration was conducted during summer 1996 by crews working from Expatriate's base camp on Finlayson Lake. The work consisted of reconnaissance and grid soil geochemistry, prospecting and claim surveys. The program was managed by Archer, Cathro & Associates (1981) Limited and compiled by the author. Appendix I contains the Author's Statement of Qualifications.

PROPERTY, LOCATION AND ACCESS

The property is located in southeastern Yukon at latitude 61°13'N and longitude 130°06'W on NTS map sheets 105G/1 & 8 (Figure 1). It is comprised of ninety contiguous mineral claims (Figure 2) registered with the Watson Lake Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Expatriate Resources Ltd. Claim registration data is listed below.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Mask 1-38	YB63540-YB63577	March 17, 2000
39-90	YB77943-YB77994	March 17, 2001

*Expiry dates include 1996 work filed for assessment credit but not yet accepted.

In 1996 the property was accessed by helicopter from Expatriate's base camp on Finlayson Lake (Km 232 on the Robert Campbell Highway). The property lies 53 km southeast of the base camp and 275 km east-northeast of Whitehorse. Helicopter support was provided by a Bell 206B Jet Ranger contracted from Kluane Helicopters of Haines Junction, Yukon. The helicopter was stationed at Expatriate's base camp for the summer.

During the 1996 exploration program most claim post locations were surveyed using Trimble Geoexplorer GPS units. Field readings were corrected using base station data from Westmin Resources Limited's camp at Wolverine Lake. GPS survey data appears in Appendix II.

130°00'


Figure 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

MASK PROPERTY EXPATRIATE RESOURCES LTD.

62°00'



132°00'
FINLAYSON LAKE FAULT ZONE - NORTHEASTERN LIMIT OF FAVOURABLE ROCKS

TINTINA FAULT ZONE - 450 km RIGHT LATERAL OFFSET

Kudz Ze Kayah Deposit

Wolverine Zone

MASK PROPERTY


Robert

61°00'

-  Expatriate Resources Ltd.
-  Cominco Ltd.
-  Westmin Resources Ltd. and various joint venture partners
-  Others
-  Native Land Claims



August 25, 1996
 Note: Claim boundaries are approximate
 Expatriate Resources Ltd. does not assume responsibility for errors or omissions



- Claim boundary
- ◆ Post location with standard GPS fix
- ⬢ Post location with poor GPS fix
- ◇ Post location with no GPS fix




FIGURE 2
 Archer, Cathro & Associates (1981) Limited
CLAIM LOCATION
MASK PROPERTY
EXPATRIATE RESOURCES LTD.

SCALE: 1: 30,000 FILE: MA-CLI.DWG
 DRAWN: TCB PROJ: FP DATE: Feb. 20, 1997

GEOMORPHOLOGY

The Mask property is located in the Pelly Mountains about 25 km south of Wolverine Lake. Creeks draining the property flow to the south and east into Liard River.

The claims cover parts of two ridges and the surrounding valley bottoms. Elevations range from 1150 m in a valley at the property's northern margin to 1700 m atop a ridge in the southwest corner. Topographic relief is moderate, typically 15 to 30°. The valley bottoms are covered with Pleistocene glacial till deposits.


Vegetation consists of dense growths of balsam and black spruce in the valleys, giving way to buckbrush, willow and moss above 1500 m.

REGIONAL GEOLOGY

The Mask property is located within the Finlayson Block, a 380 by 60 km area comprised primarily of the Yukon-Tanana and Slide Mountain geologic terranes (Figure 3). These terranes represent the innermost of the accreted or "suspect" terranes in the Canadian Cordillera (Mortensen and Jilson, 1985). The northeastern margin of the block is the Finlayson Lake Fault Zone, a complex zone of steep and shallow faults related to transpressive suturing. The southwestern boundary of the block is the Tintina Fault, a major strike-slip fault with at least 450 km of dextral displacement during Late Cretaceous and/or Early Tertiary time (Tempelman-Kluit et al, 1976).

Regional mapping of the Finlayson Lake area was completed by the Geological Survey of Canada (GSC) in the mid to late 1970's (Tempelman-Kluit, 1977, 1979). More recent regional studies have been published by Mortensen and Jilson (1985) and Mortensen (1992). The following discussion of the regional geology (Figure 4) is based partly on the published work and partly on unpublished mapping completed in 1996 (Tempelman-Kluit, personal communication, 1996).

The Yukon-Tanana Terrane consists largely of Paleozoic continental margin and/or arc stratigraphy deposited on a continental basement of uncertain origin (Mortensen, 1992). The Yukon-Tanana Terrane in the Finlayson Lake area contains three major packages, collectively termed the Layered Metamorphic Sequence. The lowermost unit consists of garnet-mica schist with interbanded marbles, calc-silicates and calcareous schists near the top. The middle unit is a carbonaceous quartzite, schist or phyllite with rare conglomerates and locally extensive felsic and mafic volcanic interbands. Radiometric dating of the felsic metavolcanics in the Finlayson Block has consistently resulted in Late Devonian to Mississippian crystallization ages. Immediately south of Finlayson Lake, large isolated outcrops of marble and quartzite which are poorly dated as Early









-  Thrust fault
-  Steep fault
-  Yukon-Tanana Terrane
-  Slide Mountain Terrane
-  Stikinia and other Terranes
-  North American Miogeoclinal Strata

FIGURE 3
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TECTONIC SETTING
 MASK PROPERTY
 EXPATRIATE RESOURCES LTD.



Modified after Mortensen and Jileon (1985), Mortensen (1992) and Johnston and Mortensen (1994).


130°00'

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY
MASK PROPERTY
 EXPATRIATE RESOURCES LTD.

82°00'



Pennsylvanian to Early Permian (Tempelman-Kluit, 1979) form the uppermost unit of the Yukon-Tanana Terrane.

This sequence of units is generally correlative with a similar stratigraphic sequence in ancestral North America (Mortensen and Jilson, 1985; Tempelman-Kluit, personal communication, 1996). The lowermost is correlated with the Lower Cambrian Atan Group and the middle carbonaceous assemblage is correlated with the offshore, Silurian-Devonian Nasina quartzite assemblage. The felsic volcanics are most similar to locally extensive Mississippian siliceous volcanics in the North American stratigraphy. Local calcareous phyllites and massive greenstones near the top of the lower unit are lithologically similar to the Kechika Group and Lower Paleozoic alkalic and potassic greenstones, respectively.

Gneiss and augen gneiss invariably occur low in the Yukon-Tanana succession beneath either the lowermost calcareous unit or the middle carbonaceous unit. Mortensen and Jilson (1985) considered the gneisses to be metamorphosed Mid-Paleozoic plutonic rocks. Conversely Tempelman-Kluit (personal communication, 1996) considers these gneisses to be at least in part recrystallization of earlier stratigraphy. Radiometric dating of the gneisses has consistently resulted in Late Devonian to Mississippian ages (Mortensen, 1992). The gneisses occur in structural culminations with diameters on the order of 10 km and structural relief up to about 1 km.

The Devonian-Mississippian Simpson Suite (Mortensen, 1992) forms thick intervals of hornblende granodiorite and quartz monzonite higher in the Yukon-Tanana stratigraphic sequence. Mortensen and Jilson (1985) interpreted this suite as intrusive. Tempelman-Kluit (1979, 1996) mapped the suite as an allochthonous slice emplaced on top of the structural pile.

Slide Mountain Terrane consists of Late Devonian to Late Triassic disrupted oceanic crust (Mortensen, 1992). Lithologies include massive and sheared greenstone, chert and mafic to ultramafic plutonic rocks occurring as fault-bounded slices along thrust faults and steep faults. These units are most abundant near the northeastern edge of the Finlayson Block but are also found throughout it.

Younger units unconformably overlie units from Slide Mountain, Yukon-Tanana and North American Terranes. Mesozoic clastic rocks are Late Triassic, immature sediments containing cobbles from both Slide Mountain and Yukon-Tanana Terranes. Young volcanic rocks consist of Late Cretaceous to Tertiary felsic volcanic flows and volcanoclastic deposits. They are usually found in close proximity to the Tintina Fault Zone.

Mesozoic intrusive activity in the Finlayson Block includes two suites. The first is comprised of several unmetamorphosed Early Jurassic mafic and intermediate composition plutons. The second suite consists of Late Cretaceous two-mica quartz monzonite and granite (Mortensen and Jilson, 1985).

Structurally Yukon-Tanana schists and gneisses contain a pervasive, flat- to gently-dipping foliation. Close examination of this fabric indicates that it commonly is a closely spaced crenulation cleavage. Large-scale folds related to this fabric can rarely be mapped in the field. In most cases bedding and earlier fabrics are transposed into near parallelism with this dominant fabric. Later crenulation cleavages are present only locally. Some of the Cretaceous intrusions have a mild deformation fabric, others are massive and do not contain a foliation.

Thrust faults within the Finlayson Block juxtapose lithologic sequences with similar deformation fabrics. Thrusting postdates the Late Paleozoic Slide Mountain lithologies and predates the Cretaceous intrusives. Recent mapping also suggests, but does not definitively prove, the presence of major late extensional faults juxtaposing differing sequences (Tempelman-Kluit, personal communication, 1996). East-northeast trending, steep normal faults disrupt all earlier deformation fabrics.

Metamorphic grades range from lower greenschist facies to middle amphibolite facies. Contact hornfels around plutonic units occur locally.

Metamorphism and deformation are tentatively correlated with transpressive suturing of these suspect terranes with ancestral North America. Suturing is restricted to the time interval of post-Triassic continuing into the Cretaceous. Whether deformation is continuous or sporadic has not been fully verified at present.

The discovery of the Kudz Ze Kayah and Wolverine VMS deposits within the Finlayson Block in the last few years (Johnston and Mortensen, 1994) has refocused exploration activities in the area. Both deposits occur within metasedimentary and metavolcanic sequences of the Yukon-Tanana Terrane and are associated with felsic volcanics present in the middle unit of that terrane.

REGIONAL MINERALIZATION

A total of fifty-one mineral occurrences have been reported within the Finlayson Block (DIAND, 1995). Of these, twenty-one are known or suspected to be volcanogenic in origin while veins, skarns and asbestos occurrences comprise most of the remainder. Although the better known volcanogenic occurrences are thought to be of the Kuroko-type, some Besshi-type mineralization is also present (Morin, 1981; Johnston, Mortensen, 1994) and the recently discovered Ice Deposit appears to be Cyprus-type. Two occurrences have definite economic potential, the Kudz Ze Kayah and Wolverine Deposits (Figure 4). These Kuroko-type occurrences are the main "type-deposits" for Expatriate's exploration in the district and are briefly described below.

The Kudz Ze Kayah (ABM) Deposit lies within Yukon-Tanana Terrane near the centre of the block (Cominco Exploration, 1995; Whiteway, 1995). It is a VMS deposit hosted by an overturned assemblage of felsic pyroclastics, aphanitic massive rhyolites and metasiliclastic rocks belonging to the middle unit of the Layered Metamorphic Sequence. Although both the sulphides and wallrocks are highly strained and exhibit pervasive schistosity, compositional layering in the vicinity of the deposit is relatively undeformed with a consistent, shallow northerly dip. Sphalerite, chalcopyrite and galena are the main economic minerals while the gangue includes various mixtures of magnetite, barite, pyrrhotite, pyrite and carbonate. The deposit averages about 18 m thick and has been traced 700 m along strike and up to 400 m downdip. Open pit mineable ore reserves are reported to be 11 million tonnes grading 5.9% zinc, 0.9% copper, 1.5% lead, 130 g/t silver and 1.3 g/t gold (Schultze, 1996). Preliminary studies suggest that satisfactory

lead, zinc and copper concentrates can be produced using conventional flotation processes (Cominco Exploration, 1995). The mineralization responds well to magnetic and electromagnetic surveys but geochemical response is somewhat erratic because the entire deposit is covered by 2 to 10 m of glacial till.

The Wolverine Deposit is located 25 km east of the Kudz Ze Kayah property near a contact between Yukon-Tanana and overlying Slide Mountain rocks. It consists of the Wolverine and Lynx Zones which are hosted by rhyolitic metavolcanics and argillites lying within the middle unit of the Layered Metamorphic Sequence. The mineralization consists primarily of semi-massive to massive pyrite and sphalerite with varying amounts of galena, chalcopyrite, tetrahedrite and native gold. The surface expression of the Wolverine Zone is marked by a vegetation kill zone containing weakly malachite-stained argillite while the Lynx Zone is blanketed by glacial till. Westmin has traced the deposit 700 m along strike and up to 450 m downdip and it is still open. The mineralization averages 6.1 m thick and dips shallowly to the north. Both zones contain significantly more zinc and precious metals than Kudz Ze Kayah. The current geological inventory is reported to be 5,311,000 tonnes grading 12.96% zinc, 1.41% copper, 1.53% lead, 359.1 g/t silver and 1.81 g/t gold (Westmin News Release, November 30, 1996). Soil geochemistry outlined weakly to moderately anomalous values along the projected surface trace of the deposit while magnetic surveys easily traced a laterally extensive, banded iron formation which occurs about 80 m up-section from the massive sulphide horizon. Interpretation of electromagnetic results is complicated by the presence of graphite within the argillite.

REGIONAL GEOCHEMISTRY

Published geochemical data for the Finlayson Lake area are limited to reconnaissance scale stream sediment sampling conducted in the late 1980's by the GSC (Hornbrook and Friske, 1988; Friske et al, 1990). The sampling was done at an approximate density of one sample per 10 sq km. Each sample was analyzed for twenty elements including common indicator elements for VMS deposits such as copper, lead, zinc, silver and arsenic. Anomalous results were obtained from creeks draining some previously known VMS occurrences (DIAND, 1995, Yukon Minfile 105G/32, 34 and 40) but many others, including the streams draining the Wolverine Deposit, produced near background values. Anomalous results were also obtained from several drainages where there were no known mineral occurrences. Follow-up exploration has since located showings in many of the anomalous creeks with the most significant discovery to date being the Kudz Ze Kayah Deposit.

Expatriate was able to supplement the published reports with private data summarizing results of 1973 exploration managed by Archer Cathro on behalf of a joint venture (Cathro, 1973). The reconnaissance prospecting and geochemical sampling program explored for lead-zinc mineralization in the lower unit of the Layered Metamorphic Sequence but because the data provides relatively uniform coverage over the entire region, it is also suitable for evaluating areas underlain by the favourable middle unit. The Archer Cathro samples included approximately 5000 soils and stream sediments collected at a density of approximately one sample per sq km. They were all analyzed for lead, zinc, copper and molybdenum. As might be expected, this closer spaced sampling outlined many more areas of anomalous geochemical response than the

government survey. Almost all of the known volcanogenic occurrences showed up as anomalies on this survey, including Kudz Ze Kayah and Wolverine.

The following table illustrates regional geochemical backgrounds for the metals and anomalous thresholds used for target selection.

GEOCHEMICAL BACKGROUNDS AND ANOMALOUS THRESHOLDS

	<u>Background</u>	<u>Anomalous Thresholds (ppm)</u>			<u>Peak Value</u>
		<u>Weak</u>	<u>Moderate</u>	<u>Strong</u>	
Copper	25	50	100	200	1720
Lead	30	50	100	200	>4000
Zinc	80	200	500	1000	>4000
Molybdenum	<1	2	5	10	65
Cobalt	30	50	80	110	292

The Mask property was staked to protect a target selected from the Archer Cathro data.

Peak values from 1973 sampling at Mask were 242 ppm copper, 107 ppm lead, 330 ppm zinc and 39 ppm molybdenum.

Copper, lead and zinc are major metals in most VMS occurrences in the Finlayson Lake area and are obvious indicator elements. Molybdenum is present in anomalous quantities in the banded iron formation overlying the Wolverine Deposit (Meade, personal communication, 1995) and appears to be slightly enriched in the felsic metavolcanic rocks. Based on the geochemical signature in the vicinity of known occurrences its presence can be used to distinguish copper anomalies associated with volcanogenic mineralization from those derived from ultramafic rocks.

REGIONAL GEOPHYSICS

The only published geophysical data for the Finlayson Lake area resulted from airborne magnetic surveys conducted in 1961 by the GSC on behalf of the Department of Mines and Technical Surveys. The surveys were flown with fixed-wing aircraft at a nominal elevation of 300 m above ground level on east-west lines spaced approximately 1.6 km apart. Results are presented on a 1:250,000 scale map (DMTS, 1961) and in more detail on a series of 1:50,000 maps.

The largest, most intense areas of positive magnetic response are associated with obducted ultramafic rocks belonging to the Slide Mountain Terrane. Within the Campbell Range Belt where dips are usually moderate to steep, the anomalies are narrow and elongate while in the remainder of the block where the ultramafic rocks occur along shallowly-dipping thrust faults, they are much broader.

A series of secondary positive anomalies was also recorded over Yukon-Tanana rocks but until recently they had no obvious explanation. Prospecting and mapping have now shown that magnetite occurs locally within schists of the middle unit of the Layered Metamorphic Sequence. The greatest documented concentration of magnetite is found in the hanging wall of the Wolverine Deposit where it forms several thin horizons approximately 80 m up-section from the massive sulphide mineralization. Magnetite is also a significant constituent of the mineralization at Kudz Ze Kayah. The Mask property lies in an area of low aeromagnetic response.


PROPERTY GEOLOGY AND MINERALIZATION




Bedrock exposure is rare in most parts of the property. The geology map (Figure 5) was compiled from prospecting traverses done in 1973 and 1996. The three main rock types all belong to the Layered Metamorphic Sequence and are described below.

Granodiorite gneiss occurs lowest in the sequence. It weathers to form creamy white to grey, strongly foliated blocks. Quartz bands up to 10 cm thick and occasional augen of quartz and feldspar are present. No significant mineralization has been reported in this unit.

Chlorite schist overlies the gneiss. It is dull green-grey weathering and dark green on fresh surfaces. The rocks are well foliated and variably fissile. Fine pyrite disseminations are common, locally comprising up to 5% of the rock.

Quartz-muscovite schist is the highest stratigraphic unit encountered on the property. It varies from tan to dark grey and is well foliated with muscovite aligned along foliation planes. Fresh surfaces are slightly vitreous. Pyrite occurs as rare finely disseminated grains.



-  Quartz-muscovite schist
-  Chlorite schist
-  Granodiorite gneiss




-  Claim boundary
-  Geology boundary
-  Foliation with dip



FIGURE 5
 Archer, Cathro & Associates (1981) Limited
PROPERTY GEOLOGY
MASK PROPERTY
EXPATRIATE RESOURCES LTD.

SCALE: 1: 30,000 FILE: MA-GEOL.DWG
 DRAWN: TCB PROJ: FP DATE: Feb. 20, 1997


PROPERTY GEOCHEMISTRY

Reconnaissance soil sampling was carried out at 100 m intervals along the claim lines and on five contour lines. Two small grids were also established, each covering an area of about 1.5 sq km and centred on soil sample sites that had returned anomalous values during the 1973 survey. These are referred to as the north and south grids. All sample locations are marked with wooden lath bearing aluminum tags inscribed with sample numbers. Figure 6 illustrates the sample locations.

The samples were sent to Chemex Labs. Ltd. in North Vancouver, where they were screened to -80 mesh, digested in nitric-aqua regia and geochemically analyzed for 32 elements using the Induced Coupled Plasma (ICP) technique. Certificates of Analysis are in Appendix III. Results for four VMS indicator elements (copper, lead, zinc and molybdenum) are plotted on Figures 7 to 10 while anomalous thresholds and peak values for six pathfinder metals are as follows.

<u>Element</u>	<u>Threshold Values (ppm)</u>				<u>Peak Value</u>
	<u>Weak</u>	<u>Moderate</u>	<u>Strong</u>	<u>Extreme</u>	
Copper	50	100	200	NA*	231
Lead	50	100	200	NA*	362
Zinc	200	500	NA*	NA*	630
Molybdenum	2	5	10	20	29
Silver	1	2	NA*	NA*	2.8
Cobalt	30	50	80	110	200

*NA = not applicable because property values did not reach the threshold.



- Claim boundary
- ₈₅₄ Sample location with number
All sample numbers prefixed with BB

0 200 400 800 1200 1600 2000

FIGURE 6

Archer, Cathro & Associates (1981) Limited

**SAMPLE LOCATION
MASK PROPERTY**


EXPATRIATE RESOURCES LTD.

SCALE: 1: 30,000 FILE: MA-SNO.OWG

DRAWN: TCB

PROJ: FP

DATE: Feb.20,1997



- Claim boundary
- Sample location with copper value in ppm
- ≥ 200 ppm Cu
- ≥ 100 < 200 ppm Cu
- ≥ 50 < 100 ppm Cu




FIGURE 7


Archer, Cathro & Associates (1981) Limited

COPPER GEOCHEMISTRY

MASK PROPERTY

EXPATRIATE RESOURCES LTD.

SCALE: 1: 30,000	FILE: MA-CU.DWG
DRAWN: TCB	PROJ: FP
DATE: Feb. 20, 1987	








-  Claim boundary
-  Sample location with lead value in ppm
-  ≥ 200 ppm Pb
-  ≥ 100 < 200 ppm Pb
-  ≥ 50 < 100 ppm Pb



FIGURE 8


Archer, Cathro & Associates (1981) Limited






LEAD GEOCHEMISTRY

MASK PROPERTY

EXPATRIATE RESOURCES LTD.

SCALE: 1: 30,000	FILE: MA-P8.DWG
DRAWN: TCB	PROJ: FP
DATE: Feb. 20, 1997	



-  Claim boundary
-  Sample location with zinc value in ppm
-  ≥ 1000 ppm Zn
-  ≥ 500 < 1000 ppm Zn
-  ≥ 200 < 500 ppm Zn




FIGURE 9


Archer, Cathra & Associates (1981) Limited

ZINC GEOCHEMISTRY

MASK PROPERTY

EXPATRIATE RESOURCES LTD.

SCALE: 1: 30,000	FILE: MA-ZN.DWG
DRAWN: TCB	PROJ: FP
DATE: Feb. 20, 1997	



- Claim boundary
- Sample location with molybdenum value in ppm
- ◻ ≥ 10 ppm Mo
- ◻ ≥ 5 < 10 ppm Mo
- ◻ ≥ 2 < 5 ppm Mo




FIGURE 10
 Archer, Cathro & Associates (1981) Limited
MOLYBDENUM GEOCHEMISTRY
MASK PROPERTY
EXPATRIATE RESOURCES LTD.
 SCALE: 1: 30,000 FILE: MA-MO.DWG
 DRAWN: TCB PROJ: FP DATE: Feb.20,1997

One area of anomalous values was outlined on each of the grids, confirming the 1973 results. On the north grid, a 1200 m long linear anomaly trends northwesterly, parallel to topography and bedrock foliation attitude. It consists of weakly to strongly anomalous copper values with scattered lead and molybdenum support. A cluster of weakly anomalous values to the southwest of the main anomaly probably reflects downhill dispersion. The area of interest is underlain by quartz-muscovite schist.

On the south grid, a 500 m long linear target is comprised of weakly to strongly anomalous copper, lead, zinc and molybdenum values. This target trends perpendicular to topography and may reflect downhill dispersion from a point source near the ridge crest. The apparent source is located along the claim boundary and may extend onto the adjacent Cominco claims. The target is mapped as covering chlorite schist.

The reconnaissance sampling elsewhere on the property returned numerous weakly to moderately anomalous copper and molybdenum values with occasional weak zinc support. Most areas of anomalous response are underlain by quartz-monzonite schist.

Cobalt values are all at or near background except for one sample taken in the core of the anomaly on the north grid. That sample returned 200 ppm cobalt along with 231 ppm copper, 29 ppm molybdenum and 75 ppm lead. Only two samples collected by Expatriate in the Finlayson Lake area contained more cobalt; one from the Ice property returned 292 ppm and the other from the Shutout property yielded 225 ppm.


CONCLUSIONS AND RECOMMENDATIONS

The Mask property covers rocks of the Layered Metamorphic Sequence which is a favourable sequence for VMS mineralization. Soil sampling on two small grids confirmed anomalous geochemical values obtained during a regional program conducted during 1973 and better defined the anomalous zones. Reconnaissance soil sampling along claim and contour lines outlined other areas of similar response.

Detailed geological mapping and prospecting are recommended to explain the geochemical anomalies on the grids. Additional grid soil sampling should be done if encouraging mineralization or alteration is discovered in the vicinity of the known anomalies.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


A. Burgert, B.Sc.

SELECTED REFERENCES

Cathro, R.J.

1973 Final Report, Finlayson Joint Venture; November 30, 1973, p.44.

Cominco Exploration

1995 Kudz Ze Kayah Program, Yukon; Information handout from Cordilleran Roundup, Spring 1995.

DIAND

1995 Yukon Minfile, November/95; Exploration Geological Services Division, Indian and Northern Affairs Canada.

DMTS

1961 Finlayson Lake (105G), Airborne Magnetic Map; Department of Mines and Technical Surveys, Geophysical Paper 70006G.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.

1990 Regional stream sediment and water geochemical data, central Yukon; Geological Survey of Canada Open File 2174 (105K East).

Hornbrook, E.H.W. and Friske, P.W.B.

1988 Regional stream sediment and water geochemical data, southeastern Yukon; Geological Survey of Canada Open File 1648 (105G).

Johnston, S.T. and Mortensen, J.K.

1994 Regional setting of porphyry Cu-Mo deposits, volcanogenic massive sulphide deposits, and mesothermal gold deposits in the Yukon-Tanana Terrane, Yukon; Yukon Metallogeny: Recent Developments, Canadian-Yukon Economic Development Agreement, pp.30-34.

Morin, J.A.

1981 Volcanogenic iron and base metal occurrences in Klondike Schist, Yukon Geology and Exploration 1979-80, Department of Indian and Northern Affairs, pp.91-97.

Mortensen, J.K.

1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; Tectonics, Vol.11, No.4, pp.836-853.

Mortensen, J.K. and Jilson, G.A.

- 1985 Evolution of the Yukon-Tanana Terrane: evidence from southeastern Yukon Territory; *Geology*, V.13, pp.806-810.

Schultze, H.C.

- 1996 Summary of the Kudz Ze Kayah Project, volcanic hosted massive sulphide deposit Yukon Territory; *in*: Yukon Exploration and Geology, 1995, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp.29-32.

Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.

- 1976 Stratigraphic and structural studies in the Pelly Mountains, Yukon Territory; Geological Survey of Canada Paper 76-1A, pp.97-106.

Tempelman-Kluit, D.J.

- 1977 Quiet Lake (105F) and Finlayson Lake (105G) map areas; Geological Survey of Canada Open File 486.
- 1979 Transported Cataclasite, Ophiolite and Granodiorite in Yukon: Evidence of Arc-Continent Collision. Geological Survey of Canada, Paper 79-14, 27 pages.

Westmin Resources Limited

- 1996 News Release, Joint Release with Atna Resources Ltd; November 30, 1996, p.2.

Whiteway, P.

- 1995 "Fast-Tracking" ABM; *in* Canadian Mining Journal, June 1995, pp.17-21.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Arnd Burgert, geologist, with business addresses in Whitehorse, Yukon Territory and in Vancouver, British Columbia and residential address in White Rock, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 1995 with a B.Sc. in geology.
2. From 1989 to present, I have been actively engaged in mineral exploration in British Columbia, the Northwest Territories and the Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in the field work in the Finlayson Lake region in 1966 and have compiled the information reported herein.


A. Burgert, B.Sc.

APPENDIX II

GPS DATA

Mask Property
GPS Survey Coordinates

Data Quality: Standard = The surveyed positions were recorded in 3D mode and were differentially corrected. The reported UTM coordinates are within 1 to 5 meters of their actual locations; Poor = >25% of the surveyed positions were recorded in 2D mode; Uncorrected = The surveyed positions were not differentially corrected; N/S = No survey data available.

Base Station: W = Westmin Resources Limited base station at Wolverine Lake; WL = Ministry of Environment, Lands and Parks base station at Williams Lake; DL = Ministry of Environment, Lands and Parks base station at Dease Lake; RR = Department of Renewable Resources (Forestry) at Whitehorse.

A. Expatriate Resources Ltd. Claim Posts

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date	
			Northing	Easting				
131	Mask	1, 2	-	6785479	440617	Standard	W	07-Aug-96
132		3, 4	1, 2	6785943	440588	Standard	W	07-Aug-96
133		5, 6	3, 4	6786384	440553	Standard	W	07-Aug-96
134		7, 8	5, 6	6786791	440505	Standard	W	07-Aug-96
135		9, 10	7, 8	6787214	440448	Standard	W	07-Aug-96
136		11, 12	9, 10	6787664	440396	Standard	RR	08-Aug-96
137		13, 14	11, 12	6788121	440369	Standard	RR	08-Aug-96
138		-	13, 14	6788555	440334	Standard	RR	08-Aug-96
139	Mask	15, 16	-	6784597	441521	Standard	W	09-Aug-96
140		17, 18	15, 16	6785061	441502	Standard	W	09-Aug-96
141		19, 20	17, 18	6785494	441476	Standard	W	09-Aug-96
142		21, 22	19, 20	6785954	441448	Standard	W	09-Aug-96
143		23, 24	21, 22	6786400	441416	Standard	W	09-Aug-96
144		25, 26	23, 24	6786866	441383	Standard	RR	08-Aug-96
145		27, 28	25, 26	6787315	441371	Standard	RR	08-Aug-96
146		29, 30	27, 28	6787780	441343	Standard	RR	08-Aug-96
147		31, 32	29, 30	6788217	441306	Standard	RR	08-Aug-96
148		-	31, 32	6788669	441271	Standard	RR	08-Aug-96
149	Mask	33, 34	-	-	-	N/S	-	11-Aug-96
150		35, 36	33, 34	6787831	442229	Poor	W	11-Aug-96
151		37, 38	35, 36	6788288	442189	Standard	W	12-Aug-96
152B		-	37, 38	6788735	442156	Poor	W	13-Aug-96
1472	Mask	39, 40	-	6783413	442436	Standard	RR	10-Aug-96
1473		41, 42	39, 40	6783866	442414	Standard	RR	10-Aug-96
1474		43, 44	41, 42	6784327	442382	Standard	RR	10-Aug-96
1475		45, 46	43, 44	6784741	442363	Standard	RR	10-Aug-96
1476		47, 48	45, 46	6785158	442354	Standard	RR	10-Aug-96
1477		49, 50	47, 48	6785681	442294	Poor	W	11-Aug-96
1478		51, 52	49, 50	6786103	442267	Poor	W	11-Aug-96
1479		53, 54	51, 52	6786570	442266	Poor	W	11-Aug-96
149A		-	53, 54	6787026	442234	Poor	W	11-Aug-96
138b	Mask	55, 56	-	6788810	440465	Uncorrected	-	13-Aug-96
1480		57, 58	55, 56	6789042	440363	Uncorrected	-	13-Aug-96
1481		59, 60	57, 58	6789516	440364	Uncorrected	-	13-Aug-96
1482		61, 62	59, 60	6789917	440396	Uncorrected	-	13-Aug-96
1483		63, 64	61, 62	6790441	440406	Uncorrected	-	13-Aug-96
1484		65, 66	63, 64	6790739	440389	Uncorrected	-	13-Aug-96
1485		-	65, 66	6791265	440391	Uncorrected	-	13-Aug-96
148	Mask	67, 68	-	6788669	441271	Standard	RR	08-Aug-96
1486		69, 70	67, 68	6789038	441319	Uncorrected	-	12-Aug-96
1487		71, 72	69, 70	6789547	441269	Uncorrected	-	12-Aug-96

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date
			Northing	Easting			
1488	73, 74	71, 72	6789995	441423	Uncorrected	-	12-Aug-96
1489	75, 76	73, 74	6790470	441374	Uncorrected	-	12-Aug-96
1490	77, 78	75, 76	6790882	441402	Uncorrected	-	12-Aug-96
1491	-	77, 78	6791319	441413	Uncorrected	-	12-Aug-96
152A Mask	79, 80	-	6788226	442195	Standard	W	12-Aug-96
1492	81, 82	79, 80	6788705	442183	Standard	W	12-Aug-96
1493	83, 84	81, 82	6789121	442201	Standard	W	12-Aug-96
1494	85, 86	83, 84	6789568	442205	Standard	W	12-Aug-96
1495	87, 88	85, 86	6790010	442202	Standard	W	12-Aug-96
1496	89, 90	87, 88	6790442	442204	Standard	W	12-Aug-96
1497	-	89, 90	6790904	442203	Standard	W	12-Aug-96

B. Claim Posts From Adjoining Claim Blocks

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date
			Northing	Easting			
Expo	121, 122	119, 120	6785861	439725	Standard	W	07-Aug-96
	123, 124	121, 122	6786266	439714	Standard	W	07-Aug-96
	125, 126	123, 124	6786684	439680	Standard	W	07-Aug-96
	127, 128	125, 126	6787083	439616	Standard	W	07-Aug-96
	129, 130	127, 128	6787473	439566	Standard	W	07-Aug-96
Expo	383, 384	-	6783691	442391	Standard	RR	10-Aug-96

APPENDIX III
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Client: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8


Page Number : 1-A
Total Pages : 1
Certificate Date: 06-SEP-96
Invoice No. : I9629809
P.O. Number :
Account : MPO

Project : MASK
Comments:

CERTIFICATE OF ANALYSIS A9629809

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
N 110034	205 226	< 5	0.4	2.71	< 2	160	< 0.5	< 2	1.00	< 0.5	20	295	55	6.07	< 10	1	0.07	10	2.95	545

CERTIFICATION: Haut Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Page Number : 1-B
Total Pages : 1
Certificate Date: 06-SEP-96
Invoice No. : I9629809
P.O. Number :
Account : MPO

Project : MASK
Comments:


CERTIFICATE OF ANALYSIS

A9629809

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
N 110034	205	226	< 1	< 0.01	161	990	8	2	3	58	0.39	< 10	< 10	65	< 10	52

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: MASK
Comments:


Page Number : 1-A
Total Pages : 3
Certificate Date: 06-SEP-96
Invoice No. : I9629808
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS A9629808

SAMPLE	PREP CODE		Au ppb	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn
	FA+AA	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm
BB 10501	201	202	< 5	< 0.2	1.30	32	80	< 0.5	< 2	0.07	< 0.5	15	30	28	4.73	< 10	< 1	0.08	10	0.45	1305
BB 10502	201	202	< 5	< 0.2	2.42	10	80	< 0.5	< 2	0.08	< 0.5	14	77	24	5.30	10	< 1	0.04	10	1.35	810
BB 10503	201	202	< 5	< 0.2	2.01	14	90	< 0.5	< 2	0.13	< 0.5	17	55	28	4.82	< 10	< 1	0.15	30	1.18	670
BB 10504	201	202	< 5	< 0.2	1.96	16	80	< 0.5	< 2	0.06	< 0.5	10	34	32	4.23	10	< 1	0.06	10	0.55	295
BB 10505	201	202	< 5	< 0.2	1.79	2	160	< 0.5	< 2	0.13	< 0.5	11	17	13	3.75	< 10	< 1	0.08	10	0.79	790
BB 10506	201	202	< 5	< 0.2	2.05	14	200	0.5	< 2	0.23	< 0.5	27	24	19	4.20	10	1	0.16	20	0.85	1295
BB 10507	201	202	< 5	< 0.2	2.22	6	150	< 0.5	< 2	0.36	< 0.5	10	14	14	4.10	10	< 1	0.14	10	1.11	400
BB 10508	201	202	< 5	< 0.2	1.51	10	130	< 0.5	< 2	0.16	< 0.5	8	16	20	2.99	< 10	< 1	0.07	10	0.45	345
BB 10509	201	202	< 5	< 0.2	2.22	< 2	240	< 0.5	< 2	0.37	< 0.5	13	24	19	4.33	10	< 1	0.10	20	1.06	505
BB 10510	201	202	< 5	< 0.2	1.87	< 2	320	< 0.5	< 2	0.57	< 0.5	11	69	19	2.96	< 10	< 1	0.07	10	1.11	585
BB 10511	201	202	< 5	< 0.2	0.92	2	60	< 0.5	< 2	0.15	< 0.5	4	12	10	1.34	< 10	< 1	0.04	10	0.20	105
BB 10512	201	202	< 5	< 0.2	1.24	10	100	< 0.5	< 2	0.23	< 0.5	8	40	30	2.95	< 10	< 1	0.05	10	0.42	180
BB 10513	201	202	< 5	0.2	1.87	8	200	0.5	< 2	0.13	< 0.5	37	27	30	3.93	< 10	< 1	0.05	20	0.56	2780
BB 10514	201	202	< 5	< 0.2	1.30	< 2	150	< 0.5	< 2	0.12	< 0.5	5	18	13	1.67	< 10	< 1	0.06	< 10	0.40	170
BB 10515	201	202	< 5	< 0.2	1.77	14	100	< 0.5	2	0.20	< 0.5	22	47	84	4.96	< 10	< 1	0.05	20	0.98	1140
BB 10516	201	202	< 5	< 0.2	1.23	18	80	< 0.5	< 2	0.04	< 0.5	14	34	52	4.93	< 10	< 1	0.04	10	0.46	465
BB 10517	201	202	< 5	< 0.2	1.40	38	100	< 0.5	< 2	0.03	< 0.5	13	23	96	4.67	< 10	< 1	0.05	30	0.68	290
BB 10518	201	202	< 5	0.2	0.46	12	50	< 0.5	< 2	0.01	< 0.5	5	9	31	1.70	< 10	< 1	0.02	20	0.05	85
BB 10519	201	202	< 5	< 0.2	0.41	46	90	< 0.5	< 2	0.01	< 0.5	9	10	70	3.59	< 10	< 1	0.05	10	0.08	150
BB 10520	201	202	< 5	< 0.2	0.42	66	140	< 0.5	2	0.01	< 0.5	7	8	85	2.81	< 10	< 1	0.06	10	0.09	115
BB 10521	201	202	< 5	< 0.2	0.73	24	160	< 0.5	< 2	0.07	< 0.5	13	19	71	6.15	< 10	< 1	0.03	20	0.27	450
BB 10522	201	202	< 5	< 0.2	0.65	32	180	< 0.5	< 2	0.04	< 0.5	22	12	107	6.08	< 10	< 1	0.04	30	0.07	485
BB 10523	201	202	< 5	< 0.2	0.66	24	170	< 0.5	< 2	0.03	0.5	9	9	34	2.56	< 10	< 1	0.03	30	0.05	140
BB 10524	201	202	< 5	< 0.2	0.81	6	170	< 0.5	< 2	0.08	< 0.5	7	17	42	2.10	< 10	< 1	0.05	10	0.15	245
BB 10525	201	202	< 5	1.0	1.34	12	210	< 0.5	2	0.08	0.5	19	25	56	4.18	< 10	< 1	0.05	10	0.31	1315
BB 10526	201	202	< 5	0.4	0.91	< 2	140	< 0.5	< 2	0.10	< 0.5	6	11	35	1.71	< 10	< 1	0.04	< 10	0.14	520
BB 10527	201	202	< 5	0.2	0.90	16	160	< 0.5	< 2	0.07	< 0.5	11	17	46	3.32	< 10	< 1	0.04	10	0.25	430
BB 10528	201	202	< 5	0.2	1.06	< 2	630	< 0.5	< 2	0.35	< 0.5	3	13	9	1.34	< 10	< 1	0.03	10	0.28	255
BB 10529	201	202	< 5	< 0.2	0.90	16	310	< 0.5	< 2	0.11	< 0.5	10	18	33	3.03	< 10	< 1	0.06	10	0.15	565
BB 10530	201	202	< 5	0.2	1.30	6	250	< 0.5	< 2	0.07	< 0.5	6	16	24	2.65	< 10	< 1	0.07	10	0.23	460
BB 10531	201	202	< 5	0.2	0.96	8	160	< 0.5	< 2	0.06	< 0.5	7	15	21	2.67	< 10	< 1	0.08	10	0.16	435
BB 10532	201	202	< 5	< 0.2	0.62	10	80	< 0.5	< 2	0.02	< 0.5	6	12	25	2.00	< 10	< 1	0.07	10	0.10	200
BB 10533	201	202	< 5	< 0.2	1.53	< 2	120	< 0.5	< 2	0.15	< 0.5	5	7	10	2.34	< 10	< 1	0.07	10	0.22	535
BB 10534	201	202	< 5	0.2	1.78	2	240	< 0.5	< 2	0.28	< 0.5	8	14	33	3.89	< 10	< 1	0.10	20	0.61	460
BB 10535	201	202	< 5	0.6	1.26	30	220	< 0.5	2	0.08	< 0.5	21	24	100	4.96	< 10	1	0.10	10	0.39	6280
BB 10536	201	202	< 5	< 0.2	1.55	10	140	< 0.5	< 2	0.09	< 0.5	8	29	23	3.31	< 10	1	0.08	20	0.42	510
BB 10537	201	202	< 5	< 0.2	1.31	24	130	< 0.5	< 2	0.13	< 0.5	11	32	36	3.24	< 10	< 1	0.07	10	0.45	460
BB 10538	201	202	< 5	< 0.2	2.13	50	100	< 0.5	< 2	0.20	< 0.5	19	59	38	5.62	10	1	0.07	10	1.06	1305
BB 10539	201	202	< 5	< 0.2	1.43	14	130	< 0.5	< 2	0.21	< 0.5	12	31	25	3.23	< 10	< 1	0.07	10	0.72	640
BB 10540	201	202	< 5	0.2	2.23	20	150	< 0.5	< 2	0.07	< 0.5	17	40	57	5.73	10	1	0.10	30	0.77	755

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

Client: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Page Number : 1-B
 Total Pages : 3
 Certificate Date: 06-SEP-96
 Invoice No. : I9629808
 P.O. Number :
 Account : MPO


Project : MASK
 Comments:

CERTIFICATE OF ANALYSIS A9629808

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 10501	201	202	1 < 0.01		28	1370	40	2	1	11	0.04	< 10	< 10	62	< 10	80
BB 10502	201	202	1 < 0.01		33	610	8	2	5	10	0.07	< 10	< 10	103	< 10	76
BB 10503	201	202	2 < 0.01		52	800	28	2	3	20	0.05	< 10	< 10	62	< 10	84
BB 10504	201	202	3 < 0.01		29	760	18	2	3	9	0.07	< 10	< 10	79	< 10	72
BB 10505	201	202	3 < 0.01		16	1030	12	< 2	< 1	16	0.05	< 10	< 10	40	< 10	56
BB 10506	201	202	3 < 0.01		22	1750	16	2	2	37	0.12	< 10	< 10	45	< 10	72
BB 10507	201	202	2 < 0.01		15	1660	12	2	1	39	0.15	< 10	< 10	34	< 10	54
BB 10508	201	202	2 < 0.01		14	1410	8	2	< 1	15	0.01	< 10	< 10	32	< 10	40
BB 10509	201	202	3 < 0.01		21	1370	10	2	1	33	0.11	< 10	< 10	48	< 10	58
BB 10510	201	202	1 < 0.01		48	1800	6	< 2	1	31	0.09	< 10	< 10	53	< 10	58
BB 10511	201	202	< 1	0.04	9	390	6	< 2	< 1	14	0.04	< 10	< 10	30	< 10	28
BB 10512	201	202	1 < 0.01		23	920	12	< 2	1	19	0.09	< 10	< 10	45	< 10	38
BB 10513	201	202	4 < 0.01		30	1490	18	2	1	16	0.03	< 10	< 10	40	< 10	84
BB 10514	201	202	1 < 0.01		8	510	6	< 2	< 1	15	0.01	< 10	< 10	29	< 10	22
BB 10515	201	202	5 < 0.01		51	1150	12	2	3	17	0.07	< 10	< 10	53	< 10	72
BB 10516	201	202	4 < 0.01		37	1220	16	< 2	< 1	9	0.01	< 10	< 10	53	< 10	50
BB 10517	201	202	4 < 0.01		43	800	10	< 2	< 1	12	0.01	< 10	< 10	37	< 10	52
BB 10518	201	202	4 < 0.01		23	340	6	< 2	< 1	7	0.01	< 10	< 10	34	< 10	50
BB 10519	201	202	6 < 0.01		35	660	8	< 2	< 1	11	< 0.01	< 10	< 10	30	< 10	76
BB 10520	201	202	20 < 0.01		50	850	16	2	< 1	22	< 0.01	< 10	< 10	50	< 10	132
BB 10521	201	202	6 < 0.01		53	820	10	2	1	21	0.01	< 10	< 10	36	< 10	102
BB 10522	201	202	8 < 0.01		71	1090	80	2	1	30	< 0.01	< 10	< 10	65	< 10	230
BB 10523	201	202	4 < 0.01		31	660	18	6	< 1	12	< 0.01	< 10	< 10	49	< 10	134
BB 10524	201	202	4 < 0.01		22	1280	12	< 2	< 1	15	< 0.01	< 10	< 10	40	< 10	58
BB 10525	201	202	5 < 0.01		32	2500	36	2	< 1	14	< 0.01	< 10	< 10	50	< 10	86
BB 10526	201	202	1 < 0.03		18	1860	10	< 2	< 1	11	< 0.01	< 10	< 10	22	< 10	32
BB 10527	201	202	6 < 0.01		35	1140	12	2	< 1	15	< 0.01	< 10	< 10	44	< 10	80
BB 10528	201	202	1 < 0.01		9	2840	2	2	< 1	32	< 0.01	< 10	< 10	19	< 10	26
BB 10529	201	202	4 < 0.01		32	940	16	4	< 1	20	< 0.01	< 10	< 10	36	< 10	98
BB 10530	201	202	3 < 0.01		19	2090	12	< 2	< 1	13	< 0.01	< 10	< 10	33	< 10	50
BB 10531	201	202	4 < 0.01		16	860	20	< 2	< 1	14	0.01	< 10	< 10	43	< 10	52
BB 10532	201	202	2 < 0.01		17	550	8	< 2	< 1	9	< 0.01	< 10	< 10	34	< 10	58
BB 10533	201	202	1 < 0.02		6	780	10	< 2	< 1	17	0.01	< 10	< 10	31	< 10	42
BB 10534	201	202	1 < 0.01		20	520	22	2	3	22	0.22	< 10	< 10	41	< 10	90
BB 10535	201	202	5 < 0.01		34	1120	26	< 2	3	26	0.03	< 10	< 10	41	< 10	88
BB 10536	201	202	3 < 0.01		23	890	16	2	1	15	0.04	< 10	< 10	53	< 10	68
BB 10537	201	202	4 < 0.01		33	700	18	8	1	23	0.06	< 10	< 10	53	< 10	84
BB 10538	201	202	3 < 0.01		41	1510	20	4	4	19	0.09	< 10	< 10	68	< 10	92
BB 10539	201	202	1 < 0.01		29	840	18	2	1	20	0.05	< 10	< 10	46	< 10	66
BB 10540	201	202	1 < 0.01		36	1260	12	4	4	16	0.04	< 10	< 10	90	< 10	88

CERTIFICATION:

Hait Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : MASK
Comments:


Page Number : 2-A
Total Pages : 3
Certificate Date: 06-SEP-96
Invoice No. : 19629808
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS A9629808

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
BB 10541	201	202	< 5	< 0.2	0.89	26	80	< 0.5	< 2	0.06	< 0.5	7	15	30	3.12	< 10	< 1	0.06	30	0.12	160
BB 10542	201	202	< 5	< 0.2	1.05	8	120	< 0.5	< 2	0.03	< 0.5	5	13	38	2.27	< 10	< 1	0.03	20	0.08	70
BB 10543	201	202	< 5	< 0.2	0.21	16	40	< 0.5	2	0.01	< 0.5	6	8	36	1.74	< 10	< 1	0.01	10	0.01	110
BB 10544	201	202	< 5	0.2	2.03	28	90	< 0.5	< 2	0.15	< 0.5	13	61	62	4.39	< 10	< 1	0.05	10	0.90	550
BB 10545	201	202	< 5	0.6	1.38	14	120	< 0.5	6	0.06	< 0.5	10	34	40	4.31	< 10	< 1	0.06	10	0.57	465
BB 10546	201	202	< 5	0.2	2.10	36	120	< 0.5	2	0.10	< 0.5	14	39	51	4.71	< 10	< 1	0.07	20	0.90	570
BB 10547	201	202	< 5	0.6	1.32	64	460	< 0.5	2	0.05	< 0.5	8	29	39	5.12	< 10	1	0.07	10	0.34	315
BB 10548	201	202	< 5	< 0.2	2.35	22	150	< 0.5	< 2	0.06	< 0.5	11	45	30	3.95	< 10	< 1	0.07	10	0.91	515
BB 10549	201	202	< 5	0.2	1.87	38	190	< 0.5	2	0.06	< 0.5	13	45	50	4.66	< 10	< 1	0.07	20	0.76	490
BB 10550	201	202	< 5	0.2	2.28	44	360	< 0.5	2	0.05	< 0.5	9	47	64	5.51	10	< 1	0.11	30	0.89	285
BB 10551	201	202	< 5	0.4	1.57	30	130	< 0.5	2	0.01	< 0.5	14	31	42	4.90	< 10	< 1	0.05	30	0.60	260
BB 10552	201	202	< 5	0.6	1.58	< 2	110	< 0.5	2	0.05	< 0.5	1	47	9	1.04	< 10	< 1	0.04	20	0.34	95
BB 10553	201	202	< 5	0.2	1.85	70	120	< 0.5	2	0.06	< 0.5	12	38	29	5.93	10	1	0.05	10	0.50	535
BB 10554	201	202	< 5	0.2	1.23	48	130	< 0.5	2	0.07	< 0.5	9	24	30	3.62	< 10	< 1	0.07	20	0.40	320
BB 10555	201	202	< 5	0.6	1.83	26	100	< 0.5	< 2	0.13	< 0.5	17	45	38	5.15	< 10	< 1	0.06	10	0.90	780
BB 10556	201	202	< 5	0.2	1.62	18	140	< 0.5	< 2	0.12	< 0.5	17	49	32	5.01	< 10	1	0.07	10	0.63	1130
BB 10557	201	202	< 5	0.6	1.51	60	270	< 0.5	2	0.26	< 0.5	20	39	66	5.02	< 10	< 1	0.09	30	0.87	1720
BB 10558	201	202	< 5	0.4	1.61	46	180	< 0.5	< 2	0.17	< 0.5	18	47	55	6.43	< 10	< 1	0.05	10	0.65	1935
BB 11001	201	202	< 5	0.8	2.85	76	350	0.5	2	0.99	< 0.5	24	164	85	4.64	< 10	1	0.37	40	2.50	1320
BB 11002	201	202	< 5	1.0	1.43	14	330	< 0.5	< 2	0.60	0.5	18	29	45	3.40	< 10	1	0.08	20	0.79	2140
BB 11003	201	202	165	0.6	2.25	20	260	< 0.5	< 2	0.32	< 0.5	34	59	47	5.48	10	1	0.08	30	1.31	1360
BB 11004	201	202	< 5	0.8	1.75	30	370	< 0.5	2	0.97	0.5	22	33	93	4.07	< 10	< 1	0.11	30	1.14	740
BB 11005	201	202	< 5	< 0.2	2.83	2	370	0.5	6	1.05	0.5	23	41	37	5.23	10	< 1	0.18	10	2.03	960
BB 11006	201	202	< 5	< 0.2	3.82	< 2	500	0.5	2	1.61	< 0.5	25	120	38	6.89	10	1	0.49	30	2.72	1315
BB 11007	201	202	< 5	0.4	3.20	10	660	0.5	< 2	0.95	0.5	23	134	43	6.63	< 10	1	0.51	30	2.56	910
BB 11008	201	202	< 5	0.2	2.56	18	350	0.5	< 2	0.85	< 0.5	28	44	42	5.53	< 10	< 1	0.24	20	2.00	1395
BB 11009	201	202	< 5	0.6	2.43	14	260	0.5	2	0.57	< 0.5	18	20	26	5.11	10	< 1	0.22	20	1.57	800
BB 11010	201	202	< 5	0.6	2.71	22	670	0.5	< 2	0.73	< 0.5	27	37	64	6.25	10	1	0.26	40	1.69	1555
BB 11011	201	202	< 5	< 0.2	2.96	10	630	0.5	< 2	1.13	< 0.5	23	57	26	5.30	10	< 1	0.34	40	1.98	1205
BB 11012	201	202	< 5	0.2	1.63	82	150	< 0.5	< 2	0.22	< 0.5	20	47	37	5.85	< 10	< 1	0.09	10	0.72	1325
BB 11013	201	202	25	0.2	2.71	8	540	0.5	< 2	0.74	< 0.5	23	26	43	5.60	10	< 1	0.48	30	1.78	1260
BB 11014	201	202	20	< 0.2	2.11	42	160	0.5	< 2	0.41	< 0.5	23	31	62	5.11	< 10	< 1	0.13	60	1.35	1455
BB 11015	201	202	< 5	0.2	2.98	18	200	0.5	8	0.64	< 0.5	30	44	49	6.22	< 10	1	0.27	30	2.28	1195
BB 11016	201	202	< 5	< 0.2	4.91	2	470	1.0	2	1.08	< 0.5	57	184	148	8.66	< 10	1	0.44	30	4.41	1900
BB 11017	201	202	< 5	< 0.2	1.61	8	90	< 0.5	< 2	0.17	< 0.5	20	33	47	4.57	< 10	1	0.07	20	0.70	630
BB 11018	201	202	15	0.6	1.92	12	130	0.5	2	0.13	< 0.5	25	35	74	4.77	< 10	1	0.08	10	0.82	980
BB 11019	201	202	20	0.2	2.72	4	350	0.5	< 2	0.46	< 0.5	18	71	109	5.59	10	1	0.47	30	1.59	1340
BB 11020	201	202	30	< 0.2	3.12	10	290	0.5	< 2	0.63	< 0.5	14	84	99	4.24	< 10	< 1	0.18	50	2.32	545
BB 11021	201	202	5	0.6	1.53	28	370	< 0.5	< 2	0.25	< 0.5	15	40	73	4.17	< 10	< 1	0.13	40	0.90	405
BB 11022	201	202	< 5	< 0.2	0.68	2	250	< 0.5	< 2	0.20	< 0.5	3	4	10	1.04	< 10	< 1	0.15	50	0.21	150

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Page Number : 2-B
 Total Pages : 3
 Certificate Date: 06-SEP-96
 Invoice No. : 19629808
 P.O. Number :
 Account : MPO


Project : MASK
 Comments:

CERTIFICATE OF ANALYSIS A9629808

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 10541	201	202	3	< 0.01	20	670	12	2	1	12	0.04	< 10	< 10	45	< 10	50
BB 10542	201	202	2	< 0.01	11	1280	12	2	< 1	14	< 0.01	< 10	< 10	23	< 10	24
BB 10543	201	202	5	0.01	20	270	6	< 2	< 1	4	0.02	< 10	< 10	39	< 10	44
BB 10544	201	202	6	< 0.01	40	690	12	4	3	27	0.06	< 10	< 10	52	< 10	66
BB 10545	201	202	2	< 0.01	29	1280	14	4	2	20	0.09	< 10	< 10	51	< 10	48
BB 10546	201	202	5	< 0.01	35	1240	20	4	3	16	0.04	< 10	< 10	50	< 10	82
BB 10547	201	202	5	0.01	23	1980	26	6	2	37	0.05	< 10	< 10	59	< 10	64
BB 10548	201	202	3	< 0.01	34	690	16	4	3	14	0.05	< 10	< 10	56	< 10	74
BB 10549	201	202	5	< 0.01	42	1040	28	2	3	22	0.05	< 10	< 10	52	< 10	94
BB 10550	201	202	6	< 0.01	38	1950	26	6	3	43	0.04	< 10	< 10	63	< 10	82
BB 10551	201	202	22	< 0.01	52	690	14	2	2	14	0.01	< 10	< 10	39	< 10	34
BB 10552	201	202	1	< 0.01	11	320	28	2	< 1	12	0.03	< 10	< 10	38	< 10	14
BB 10553	201	202	4	< 0.01	30	2340	30	4	3	14	0.06	< 10	< 10	90	< 10	82
BB 10554	201	202	5	< 0.01	27	1230	32	4	1	17	0.04	< 10	< 10	70	< 10	62
BB 10555	201	202	3	< 0.01	38	1600	14	2	2	13	0.07	< 10	< 10	54	< 10	108
BB 10556	201	202	2	< 0.01	35	1210	24	2	1	15	0.06	< 10	< 10	55	< 10	80
BB 10557	201	202	4	< 0.01	54	1290	54	6	3	24	0.05	< 10	< 10	44	< 10	168
BB 10558	201	202	3	< 0.01	38	2020	24	2	2	17	0.06	< 10	< 10	59	< 10	90
BB 11001	201	202	3	< 0.01	94	1630	32	4	7	62	0.11	< 10	< 10	88	< 10	104
BB 11002	201	202	3	0.01	35	1100	30	2	3	39	0.04	< 10	< 10	47	< 10	110
BB 11003	201	202	3	< 0.01	65	1520	22	4	4	31	0.08	< 10	< 10	84	< 10	156
BB 11004	201	202	4	< 0.01	45	1580	34	2	4	68	0.06	< 10	< 10	56	< 10	134
BB 11005	201	202	1	0.01	26	1940	12	< 2	5	87	0.23	< 10	< 10	115	< 10	102
BB 11006	201	202	1	< 0.01	29	1760	12	2	15	99	0.28	< 10	< 10	199	< 10	112
BB 11007	201	202	1	< 0.01	39	1730	16	4	15	58	0.21	< 10	< 10	164	< 10	164
BB 11008	201	202	3	< 0.01	50	2180	16	2	5	64	0.12	< 10	< 10	89	< 10	116
BB 11009	201	202	4	< 0.01	22	2050	14	< 2	3	50	0.14	< 10	< 10	66	< 10	76
BB 11010	201	202	3	< 0.01	46	2290	42	4	5	70	0.13	< 10	< 10	80	< 10	134
BB 11011	201	202	4	0.01	37	1670	8	2	4	96	0.19	< 10	< 10	91	< 10	68
BB 11012	201	202	4	< 0.01	45	2170	44	4	3	22	0.07	< 10	< 10	64	< 10	140
BB 11013	201	202	3	< 0.01	32	1360	18	2	4	50	0.22	< 10	< 10	84	< 10	92
BB 11014	201	202	2	< 0.01	43	1190	24	2	4	34	0.07	< 10	< 10	47	< 10	88
BB 11015	201	202	1	< 0.01	44	1650	10	2	4	45	0.23	< 10	< 10	108	< 10	94
BB 11016	201	202	1	< 0.01	125	1770	10	6	7	60	0.45	< 10	< 10	154	< 10	118
BB 11017	201	202	3	< 0.01	39	940	14	< 2	3	20	0.07	< 10	< 10	59	< 10	74
BB 11018	201	202	4	< 0.01	44	660	20	4	3	32	0.09	< 10	< 10	61	< 10	148
BB 11019	201	202	2	0.01	21	690	28	2	9	30	0.09	< 10	< 10	85	< 10	110
BB 11020	201	202	4	0.01	41	900	2	2	9	42	0.05	< 10	< 10	84	< 10	62
BB 11021	201	202	6	0.01	51	680	22	2	2	26	< 0.01	< 10	< 10	36	< 10	178
BB 11022	201	202	< 1	< 0.01	7	210	6	< 2	< 1	27	< 0.01	< 10	< 10	11	< 10	40

CERTIFICATION:

[Handwritten Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: MASK
Comments:

Page Number: 3-A
Total Pages: 3
Certificate Date: 06-SEP-96
Invoice No.: 19629808
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS A9629808

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
BB 11023	201	202	< 5	< 0.2	0.64	12	170	< 0.5	< 2	0.05	< 0.5	4	8	16	1.48	< 10	< 1	0.07	30	0.13	110
BB 11024	201	202	< 5	< 0.2	1.67	10	350	< 0.5	< 2	0.07	< 0.5	8	21	14	3.41	< 10	< 1	0.10	30	0.64	485
BB 11025	201	202	< 5	0.6	3.54	2	1130	1.5	< 2	0.20	< 0.5	14	37	47	4.94	10	< 1	0.17	30	1.15	1070
BB 11026	201	202	< 5	< 0.2	1.39	12	130	< 0.5	< 2	0.04	< 0.5	7	18	18	3.08	< 10	< 1	0.09	20	0.65	355
BB 11027	201	202	< 5	< 0.2	1.41	12	160	< 0.5	< 2	0.03	< 0.5	7	14	24	2.90	< 10	< 1	0.08	20	0.52	245
BB 11028	201	202	< 5	0.6	1.79	< 2	690	0.5	< 2	1.20	1.5	11	25	50	2.72	< 10	1	0.13	30	0.72	890
BB 11029	201	202	< 5	< 0.2	1.66	42	140	< 0.5	< 2	0.15	< 0.5	27	33	42	4.06	< 10	< 1	0.11	40	0.71	890
BB 11030	201	202	< 5	< 0.2	1.84	4	140	< 0.5	< 2	0.26	< 0.5	15	53	28	3.95	10	< 1	0.07	20	1.22	575
BB 11031	201	202	< 5	0.2	2.34	14	140	< 0.5	2	0.47	< 0.5	15	110	32	4.41	< 10	< 1	0.07	20	1.98	600
BB 11032	201	202	< 5	< 0.2	1.66	14	100	< 0.5	< 2	0.15	< 0.5	11	34	31	3.43	10	< 1	0.06	10	0.93	365
BB 11033	201	202	< 5	0.2	1.48	30	140	< 0.5	< 2	0.11	< 0.5	9	29	24	3.53	< 10	< 1	0.06	20	0.40	300
BB 11034	201	202	< 5	< 0.2	2.01	6	120	< 0.5	2	0.41	< 0.5	14	28	30	4.47	10	< 1	0.12	20	1.17	540
BB 11035	201	202	< 5	< 0.2	2.68	6	150	< 0.5	6	0.41	< 0.5	16	22	20	5.38	10	< 1	0.17	10	1.52	555
BB 11036	201	202	< 5	1.8	3.02	24	430	0.5	< 2	0.29	< 0.5	22	40	36	6.15	10	1	0.08	30	0.87	830
BB 11037	201	202	< 5	< 0.2	1.36	26	70	< 0.5	2	0.10	< 0.5	9	26	21	3.54	< 10	< 1	0.05	20	0.37	240
BB 11038	201	202	< 5	< 0.2	2.19	< 2	620	< 0.5	2	0.82	< 0.5	15	25	20	4.40	10	< 1	0.21	30	1.41	550
BB 11039	201	202	< 5	< 0.2	1.90	< 2	370	< 0.5	< 2	0.82	< 0.5	15	40	24	3.71	< 10	1	0.09	20	1.14	605
BB 11040	201	202	< 5	< 0.2	2.01	6	250	0.5	< 2	0.79	< 0.5	12	43	28	3.32	< 10	1	0.08	30	1.15	460
BB 11041	201	202	< 5	0.2	1.73	10	240	< 0.5	< 2	0.60	< 0.5	10	26	26	2.81	< 10	1	0.06	30	0.74	620
BB 11042	201	202	< 5	0.6	2.00	6	300	0.5	< 2	1.00	0.5	10	30	40	3.09	< 10	1	0.13	40	0.79	550
BB 11043	201	202	< 5	< 0.2	1.38	4	100	< 0.5	< 2	0.18	< 0.5	8	32	25	2.85	< 10	1	0.06	10	0.67	360
BB 11044	201	202	< 5	< 0.2	1.17	< 2	150	< 0.5	< 2	0.08	< 0.5	8	26	29	2.40	< 10	< 1	0.07	20	0.35	270
BB 11045	201	202	< 5	< 0.2	0.46	12	40	< 0.5	< 2	0.01	< 0.5	3	10	32	2.36	< 10	< 1	0.02	< 10	0.10	95
BB 11046	201	202	< 5	< 0.2	1.77	2	200	< 0.5	< 2	0.13	< 0.5	10	40	34	3.67	< 10	< 1	0.09	20	0.71	390
BB 11047	201	202	< 5	0.4	1.54	20	540	< 0.5	2	0.05	< 0.5	8	32	72	4.21	< 10	< 1	0.27	20	0.21	225
BB 11048	201	202	< 5	< 0.2	0.79	80	170	< 0.5	4	0.03	< 0.5	12	18	67	3.44	< 10	< 1	0.06	20	0.34	455
BB 11049	201	202	< 5	0.2	1.22	12	460	< 0.5	2	0.23	< 0.5	14	8	61	5.99	< 10	1	0.11	10	0.67	1015
BB 11050	201	202	< 5	0.2	1.06	28	490	< 0.5	< 2	0.73	< 0.5	13	21	76	4.33	< 10	< 1	0.11	10	0.47	815
BB 11051	201	202	< 5	0.2	0.80	20	800	< 0.5	< 2	0.57	< 0.5	11	15	119	4.43	< 10	< 1	0.09	30	0.23	445
BB 11052	201	202	< 5	0.2	1.24	42	410	< 0.5	2	0.37	< 0.5	20	26	55	4.63	< 10	< 1	0.08	20	0.72	1260
BB 11053	201	202	< 5	0.6	1.26	14	410	< 0.5	2	0.57	0.5	8	21	76	3.12	< 10	< 1	0.06	30	0.50	405
BB 11054	201	202	< 5	0.2	1.10	24	520	< 0.5	2	0.68	1.5	14	26	139	3.85	< 10	< 1	0.06	10	0.52	860
BB 11055	201	202	< 5	1.6	1.73	< 2	460	< 0.5	< 2	0.93	1.5	10	23	41	2.90	< 10	< 1	0.12	20	0.73	1405
BB 11056	201	202	< 5	0.2	1.75	6	470	< 0.5	< 2	0.31	< 0.5	11	23	24	3.14	< 10	< 1	0.08	10	0.67	1020
BB 11057	201	202	< 5	< 0.2	0.79	20	80	< 0.5	< 2	0.03	< 0.5	8	13	39	3.39	< 10	< 1	0.03	10	0.15	270
BB 11058	201	202	< 5	< 0.2	0.70	28	100	< 0.5	< 2	0.03	< 0.5	10	11	57	3.24	< 10	< 1	0.05	20	0.18	225
BB 11059	201	202	< 5	< 0.2	1.61	< 2	90	< 0.5	< 2	0.11	< 0.5	5	18	14	2.50	< 10	1	0.10	20	0.38	240

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: MASK
 Comments:

Page Number: 3-B
 Total Pages: 3
 Certificate Date: 06-SEP-96
 Invoice No.: 19629808
 P.O. Number:
 Account: MPO

CERTIFICATE OF ANALYSIS A9629808

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Ti	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 11023	201	202	1	0.01	12	280	8	< 2	< 1	9	< 0.01	< 10	< 10	25	< 10	44
BB 11024	201	202	2	< 0.01	15	330	20	2	1	14	0.01	< 10	< 10	38	< 10	88
BB 11025	201	202	4	< 0.01	36	710	20	2	5	25	0.01	< 10	< 10	54	< 10	140
BB 11026	201	202	3	< 0.01	17	520	14	< 2	1	9	0.01	< 10	< 10	38	< 10	82
BB 11027	201	202	3	< 0.01	16	190	12	2	1	9	0.01	< 10	< 10	41	< 10	68
BB 11028	201	202	< 1	0.01	33	1040	18	2	4	81	0.03	< 10	< 10	33	< 10	116
BB 11029	201	202	< 1	< 0.01	43	880	38	2	2	21	0.03	< 10	< 10	40	< 10	88
BB 11030	201	202	3	< 0.01	41	730	14	2	3	16	0.15	< 10	< 10	62	< 10	76
BB 11031	201	202	2	< 0.01	83	1430	20	< 2	4	29	0.15	< 10	< 10	70	< 10	78
BB 11032	201	202	3	< 0.01	33	570	14	< 2	1	12	0.07	< 10	< 10	76	< 10	62
BB 11033	201	202	3	< 0.01	25	930	24	2	2	14	0.06	< 10	< 10	66	< 10	80
BB 11034	201	202	3	< 0.01	32	1590	14	2	1	31	0.10	< 10	< 10	48	< 10	90
BB 11035	201	202	2	< 0.01	32	1480	10	2	3	27	0.20	< 10	< 10	71	< 10	66
BB 11036	201	202	4	< 0.01	38	2040	18	6	4	35	0.03	< 10	< 10	61	< 10	72
BB 11037	201	202	2	< 0.01	19	650	18	2	2	15	0.10	< 10	< 10	58	< 10	50
BB 11038	201	202	2	< 0.01	25	2290	8	2	2	82	0.13	< 10	< 10	43	< 10	58
BB 11039	201	202	1	< 0.01	38	1600	10	< 2	3	56	0.15	< 10	< 10	47	< 10	58
BB 11040	201	202	1	< 0.01	27	1130	6	< 2	5	47	0.08	< 10	< 10	47	< 10	50
BB 11041	201	202	3	< 0.01	27	1210	8	< 2	3	34	0.04	< 10	< 10	35	< 10	64
BB 11042	201	202	1	0.01	28	970	6	< 2	5	54	0.03	< 10	< 10	34	< 10	114
BB 11043	201	202	3	< 0.01	24	560	6	< 2	1	15	0.03	< 10	< 10	40	< 10	46
BB 11044	201	202	1	0.01	19	540	8	2	< 1	15	0.01	< 10	< 10	34	< 10	36
BB 11045	201	202	1	< 0.01	8	310	2	< 2	< 1	8	0.01	< 10	< 10	13	< 10	14
BB 11046	201	202	4	< 0.01	28	760	10	< 2	1	20	0.09	< 10	< 10	56	< 10	46
BB 11047	201	202	7	0.01	36	1620	14	2	< 1	28	< 0.01	< 10	< 10	64	< 10	64
BB 11048	201	202	7	0.01	42	630	10	2	< 1	15	0.01	< 10	< 10	36	< 10	86
BB 11049	201	202	9	< 0.01	56	1780	16	< 2	1	39	< 0.01	< 10	< 10	29	< 10	130
BB 11050	201	202	5	< 0.01	41	1110	14	2	1	54	0.02	< 10	< 10	40	< 10	70
BB 11051	201	202	5	< 0.01	59	1130	12	4	3	55	< 0.01	< 10	< 10	38	< 10	96
BB 11052	201	202	4	< 0.01	32	1110	56	2	3	29	0.03	< 10	< 10	56	< 10	156
BB 11053	201	202	4	0.01	47	1870	40	< 2	1	47	0.01	< 10	< 10	35	< 10	134
BB 11054	201	202	5	< 0.01	65	1920	30	2	2	56	0.01	< 10	< 10	37	< 10	184
BB 11055	201	202	4	< 0.01	32	1710	22	< 2	2	72	0.03	< 10	< 10	30	< 10	136
BB 11056	201	202	1	0.01	30	1330	26	< 2	< 1	29	0.01	< 10	< 10	34	< 10	110
BB 11057	201	202	4	< 0.01	24	910	16	< 2	< 1	9	0.02	< 10	< 10	52	< 10	68
BB 11058	201	202	6	< 0.01	32	830	20	< 2	1	13	0.02	< 10	< 10	47	< 10	84
BB 11059	201	202	1	< 0.01	15	500	18	2	1	14	0.04	< 10	< 10	32	< 10	54

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : MASK
Comments:

Page Number : 1-A
Total Pages : 5
Certificate Date : 06-SEP-96
Invoice No. : 19629807
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS A9629807

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BB 08543	201 202	< 5	< 0.2	0.81	30	80	< 0.5	< 2	0.05	< 0.5	10	17	32	2.61	< 10	< 1	0.05	20	0.19	305
BB 08544	201 202	< 5	0.2	0.87	< 2	380	< 0.5	< 2	0.32	< 0.5	1	10	30	0.90	< 10	< 1	0.03	40	0.12	225
BB 08545	201 202	< 5	0.2	0.86	14	80	< 0.5	< 2	0.05	< 0.5	7	16	27	2.05	< 10	< 1	0.04	10	0.21	200
BB 08546	201 202	< 5	< 0.2	1.92	28	260	0.5	< 2	0.35	< 0.5	29	57	90	6.82	< 10	< 1	0.08	20	1.10	1815
BB 08547	201 202	< 5	< 0.2	0.75	30	130	< 0.5	< 2	0.20	< 0.5	16	14	51	3.59	< 10	< 1	0.05	10	0.29	885
BB 08548	201 202	< 5	< 0.2	1.17	28	450	< 0.5	< 2	0.15	< 0.5	19	31	72	4.47	< 10	< 1	0.07	10	0.64	1180
BB 08549	201 202	< 5	< 0.2	0.34	2	60	< 0.5	< 2	0.03	< 0.5	3	4	6	0.78	< 10	< 1	0.03	< 10	0.07	350
BB 08550	201 202	< 5	< 0.2	0.81	18	110	< 0.5	< 2	0.04	< 0.5	11	11	41	2.65	< 10	< 1	0.03	10	0.19	215
BB 08551	201 202	< 5	< 0.2	1.51	18	230	< 0.5	< 2	0.19	< 0.5	14	43	33	3.86	< 10	< 1	0.06	10	0.93	675
BB 08552	201 202	< 5	< 0.2	1.63	20	110	< 0.5	< 2	0.18	< 0.5	10	25	25	3.37	< 10	< 1	0.05	10	0.72	515
BB 08553	201 202	< 5	0.4	1.56	28	510	< 0.5	< 2	0.52	< 0.5	20	27	77	3.75	< 10	< 1	0.11	30	0.92	1320
BB 08554	201 202	< 5	< 0.2	0.93	14	150	< 0.5	< 2	0.10	< 0.5	8	14	24	1.93	< 10	< 1	0.06	30	0.20	285
BB 08555	201 202	< 5	< 0.2	1.57	22	90	< 0.5	< 2	0.05	< 0.5	9	33	23	3.29	< 10	< 1	0.05	10	0.53	340
BB 08556	201 202	< 5	< 0.2	0.65	4	70	< 0.5	< 2	0.06	< 0.5	5	11	17	1.43	< 10	< 1	0.05	10	0.08	125
BB 08557	201 202	< 5	0.2	1.64	18	270	< 0.5	< 2	0.87	< 0.5	12	37	35	3.08	< 10	< 1	0.08	10	0.89	760
BB 08558	201 202	< 5	< 0.2	1.97	8	240	< 0.5	< 2	0.66	< 0.5	13	39	24	3.42	< 10	< 1	0.27	20	1.37	830
BB 08559	201 202	< 5	< 0.2	1.18	8	100	< 0.5	< 2	0.11	< 0.5	6	22	14	1.83	< 10	< 1	0.04	20	0.26	320
BB 08560	201 202	< 5	< 0.2	1.36	8	120	< 0.5	< 2	0.05	< 0.5	7	31	12	2.98	< 10	< 1	0.06	10	0.24	170
BB 08561	201 202	< 5	< 0.2	0.73	4	240	< 0.5	< 2	0.22	0.5	7	13	16	1.21	< 10	< 1	0.06	10	0.19	570
BB 08562	201 202	< 5	< 0.2	0.81	6	100	< 0.5	< 2	0.12	< 0.5	5	12	14	1.54	< 10	< 1	0.04	10	0.18	170
BB 08563	201 202	< 5	0.2	1.36	16	230	< 0.5	< 2	0.22	< 0.5	8	26	18	2.76	< 10	< 1	0.06	10	0.59	545
BB 08564	201 202	< 5	< 0.2	0.89	18	110	< 0.5	< 2	0.11	< 0.5	10	17	45	2.87	< 10	< 1	0.04	20	0.24	255
BB 08565	201 202	< 5	0.2	0.76	14	140	< 0.5	< 2	0.04	< 0.5	6	7	18	1.98	< 10	< 1	0.04	20	0.22	285
BB 08566	201 202	< 5	0.2	0.95	20	170	< 0.5	< 2	0.06	< 0.5	9	22	47	3.29	< 10	< 1	0.07	20	0.20	425
BB 08567	201 202	< 5	< 0.2	2.74	8	180	< 0.5	< 2	0.36	< 0.5	29	236	36	4.97	< 10	< 1	0.09	10	2.49	1710
BB 08568	201 202	< 5	0.2	1.43	56	240	< 0.5	< 2	0.18	0.5	24	37	69	4.47	< 10	< 1	0.08	10	0.77	1585
BB 08569	201 202	< 5	< 0.2	1.10	72	170	< 0.5	< 2	0.28	< 0.5	24	23	82	4.76	< 10	< 1	0.05	20	0.49	1195
BB 08570	201 202	< 5	1.0	1.42	64	350	< 0.5	< 2	0.10	< 0.5	8	40	86	3.45	< 10	< 1	0.10	10	0.27	405
BB 08571	201 202	< 5	0.2	1.89	82	340	< 0.5	< 2	0.47	0.5	28	68	96	5.22	< 10	< 1	0.08	20	1.09	1340
BB 08572	201 202	< 5	< 0.2	1.25	16	370	< 0.5	< 2	0.27	< 0.5	10	6	24	3.13	< 10	< 1	0.06	10	0.47	905
BB 08573	201 202	< 5	< 0.2	1.93	18	400	< 0.5	< 2	0.33	< 0.5	21	82	42	4.66	< 10	< 1	0.10	20	1.52	1475
BB 08574	201 202	< 5	< 0.2	0.63	10	430	< 0.5	< 2	0.07	< 0.5	8	16	21	2.39	< 10	< 1	0.04	< 10	0.16	310
BB 08575	201 202	< 5	0.2	2.02	58	150	< 0.5	< 2	0.11	< 0.5	17	46	46	4.50	< 10	< 1	0.07	20	0.77	775
BB 08576	201 202	< 5	< 0.2	0.68	22	80	< 0.5	< 2	0.03	< 0.5	10	14	50	2.99	< 10	< 1	0.04	30	0.10	195
BB 08577	201 202	< 5	< 0.2	1.52	54	450	< 0.5	< 2	0.33	1.0	24	50	59	4.95	< 10	< 1	0.07	10	1.05	1540
BB 08578	201 202	< 5	0.2	0.90	126	230	< 0.5	< 2	0.19	< 0.5	10	13	42	3.47	< 10	< 1	0.08	20	0.25	770
BB 08579	201 202	15	0.6	1.14	78	300	< 0.5	< 2	0.21	0.5	11	19	55	3.45	< 10	< 1	0.08	20	0.36	850
BB 08580	201 202	35	0.6	0.81	90	380	< 0.5	< 2	0.13	0.5	17	20	76	3.80	< 10	< 1	0.07	30	0.19	670
BB 08581	201 202	< 5	0.6	1.11	64	470	< 0.5	< 2	0.13	1.0	26	28	78	3.58	< 10	< 1	0.07	10	0.41	1985
BB 08582	201 202	< 5	< 0.2	0.94	22	670	< 0.5	< 2	0.21	< 0.5	20	7	49	3.75	< 10	< 1	0.04	20	0.40	1850

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : MASK
Comments:

Page Number : 1-B
Total Pages : 5
Certificate Date: 06-SEP-96
Invoice No. : 19629807
P.O. Number :
Account : MPO

CERTIFICATE OF ANALYSIS

A9629807

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 08543	201	202	3	0.02	26	670	18	2	< 1	19	0.01	< 10	< 10	49	< 10	76
BB 08544	201	202	< 1	0.04	8	570	10	< 2	< 1	36	0.05	< 10	< 10	21	< 10	18
BB 08545	201	202	1	0.03	20	550	14	2	< 1	12	0.02	< 10	< 10	35	< 10	52
BB 08546	201	202	2	0.01	77	1480	10	8	10	29	0.07	< 10	< 10	86	< 10	88
BB 08547	201	202	5	0.02	35	1500	18	2	1	28	0.01	< 10	< 10	30	< 10	90
BB 08548	201	202	8	< 0.01	57	1050	18	2	3	22	< 0.01	< 10	< 10	37	< 10	102
BB 08549	201	202	< 1	0.05	4	550	6	< 2	< 1	5	< 0.01	< 10	< 10	15	< 10	16
BB 08550	201	202	3	< 0.01	24	790	16	2	< 1	13	0.01	< 10	< 10	57	< 10	76
BB 08551	201	202	3	< 0.01	40	860	18	2	2	17	0.08	< 10	< 10	58	< 10	92
BB 08552	201	202	3	< 0.01	27	710	18	< 2	2	17	0.11	< 10	< 10	53	< 10	70
BB 08553	201	202	3	< 0.01	35	1260	18	< 2	4	51	0.04	< 10	< 10	34	< 10	88
BB 08554	201	202	2	0.01	17	440	18	< 2	1	19	0.05	< 10	< 10	37	< 10	52
BB 08555	201	202	1	0.01	26	580	16	4	1	12	0.04	< 10	< 10	58	< 10	60
BB 08556	201	202	1	0.02	10	350	10	< 2	< 1	14	0.02	< 10	< 10	32	< 10	38
BB 08557	201	202	1	< 0.01	32	1230	14	< 2	3	49	0.04	< 10	< 10	42	< 10	72
BB 08558	201	202	< 1	< 0.01	30	860	8	< 2	4	39	0.09	< 10	< 10	42	< 10	86
BB 08559	201	202	< 1	< 0.01	13	370	14	< 2	1	14	0.03	< 10	< 10	49	< 10	40
BB 08560	201	202	2	0.01	11	380	6	< 2	6	8	0.02	< 10	< 10	70	< 10	44
BB 08561	201	202	1	0.03	9	590	10	< 2	< 1	25	0.02	< 10	< 10	22	< 10	42
BB 08562	201	202	1	0.01	13	300	14	< 2	1	12	0.07	< 10	< 10	29	< 10	42
BB 08563	201	202	3	0.02	18	1020	20	< 2	1	22	0.04	< 10	< 10	43	< 10	54
BB 08564	201	202	3	0.02	27	960	20	4	< 1	17	0.03	< 10	< 10	46	< 10	62
BB 08565	201	202	1	0.02	14	680	12	< 2	< 1	12	< 0.01	< 10	< 10	21	< 10	46
BB 08566	201	202	4	< 0.01	28	770	18	4	< 1	17	0.03	< 10	< 10	61	< 10	92
BB 08567	201	202	< 1	< 0.01	134	940	12	< 2	4	20	0.27	< 10	< 10	117	< 10	72
BB 08568	201	202	4	0.02	69	1340	40	4	3	34	0.01	< 10	< 10	49	< 10	138
BB 08569	201	202	5	0.01	71	2310	20	14	1	34	0.01	< 10	< 10	46	< 10	146
BB 08570	201	202	6	< 0.01	51	2480	84	10	< 1	33	< 0.01	< 10	< 10	75	< 10	138
BB 08571	201	202	4	< 0.01	98	2590	30	10	4	55	0.06	< 10	< 10	72	< 10	168
BB 08572	201	202	1	0.03	19	1090	14	< 2	1	21	< 0.01	< 10	< 10	23	< 10	66
BB 08573	201	202	3	< 0.01	75	1160	24	< 2	3	30	0.07	< 10	< 10	75	< 10	90
BB 08574	201	202	3	0.03	25	500	14	4	1	11	0.05	< 10	< 10	53	< 10	90
BB 08575	201	202	3	< 0.01	51	880	18	10	3	19	0.05	< 10	< 10	61	< 10	108
BB 08576	201	202	3	< 0.01	34	630	20	4	< 1	11	0.01	< 10	< 10	38	< 10	86
BB 08577	201	202	3	< 0.01	66	1770	46	10	3	33	0.06	< 10	< 10	58	< 10	204
BB 08578	201	202	3	0.01	32	1300	20	12	1	28	< 0.01	< 10	< 10	31	< 10	116
BB 08579	201	202	4	0.01	44	1270	20	12	2	33	0.01	< 10	< 10	44	< 10	140
BB 08580	201	202	4	< 0.01	55	1260	32	20	1	40	0.01	< 10	< 10	37	< 10	176
BB 08581	201	202	5	0.02	58	1730	34	6	< 1	33	< 0.01	< 10	< 10	46	< 10	154
BB 08582	201	202	1	0.01	31	880	22	2	3	22	< 0.01	< 10	< 10	22	< 10	96

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project : MASK
 Comments :


Page Number : 2-A
 Total Pages : 5
 Certificate Date : 06-SEP-96
 Invoice No. : 19629807
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS A9629807

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BB 08583	201 202	< 5	0.2	1.65	22	270	< 0.5	< 2	0.28	< 0.5	20	20	63	5.60	< 10	< 1	0.07	30	0.73	2070
BB 08584	201 202	< 5	< 0.2	2.61	2	220	< 0.5	< 2	0.34	< 0.5	11	81	19	5.12	< 10	< 1	0.03	20	1.77	1890
BB 08585	201 202	< 5	0.2	1.12	48	170	< 0.5	< 2	0.11	< 0.5	19	72	39	4.61	< 10	< 1	0.08	20	0.56	775
BB 08586	201 202	< 5	< 0.2	1.13	16	70	< 0.5	< 2	0.03	< 0.5	10	19	37	3.10	< 10	< 1	0.03	10	0.39	360
BB 08587	201 202	< 5	0.2	1.08	24	120	< 0.5	< 2	0.07	< 0.5	11	23	51	3.13	< 10	< 1	0.06	20	0.21	360
BB 08588	201 202	< 5	0.2	1.31	18	110	< 0.5	< 2	0.13	< 0.5	13	45	40	3.25	< 10	< 1	0.06	20	0.73	845
BB 08589	201 202	< 5	< 0.2	0.81	20	70	< 0.5	< 2	0.04	< 0.5	9	19	38	2.70	< 10	< 1	0.03	20	0.15	245
BB 08590	201 202	< 5	< 0.2	0.68	10	200	< 0.5	< 2	0.46	< 0.5	6	9	20	1.53	< 10	< 1	0.05	10	0.16	180
BB 08591	201 202	< 5	< 0.2	1.35	14	280	< 0.5	< 2	0.10	< 0.5	8	19	13	2.74	< 10	< 1	0.05	30	0.28	785
BB 08592	201 202	< 5	< 0.2	0.91	20	130	< 0.5	< 2	0.17	< 0.5	13	25	31	2.82	< 10	< 1	0.05	20	0.34	525
BB 08593	201 202	< 5	< 0.2	1.56	14	110	< 0.5	< 2	0.19	< 0.5	9	36	24	3.02	< 10	< 1	0.05	10	0.60	325
BB 08594	201 202	< 5	< 0.2	1.90	16	100	< 0.5	< 2	0.13	< 0.5	11	39	35	3.51	< 10	< 1	0.04	10	0.74	460
BB 08595	201 202	< 5	< 0.2	2.05	22	100	< 0.5	< 2	0.07	< 0.5	15	76	51	4.33	< 10	< 1	0.04	10	0.82	580
BB 08596	201 202	< 5	< 0.2	0.85	20	160	< 0.5	< 2	0.06	< 0.5	9	12	30	2.30	< 10	< 1	0.04	40	0.13	325
BB 08597	201 202	< 5	< 0.2	1.87	22	90	< 0.5	< 2	0.05	< 0.5	9	53	19	3.43	< 10	< 1	0.03	10	0.82	430
BB 08598	201 202	< 5	< 0.2	1.38	10	280	< 0.5	< 2	0.35	< 0.5	7	27	21	2.17	< 10	< 1	0.04	10	0.48	300
BB 08599	201 202	< 5	< 0.2	1.47	16	170	< 0.5	< 2	0.59	< 0.5	10	37	32	2.62	< 10	< 1	0.07	20	0.88	575
BB 08600	201 202	< 5	< 0.2	1.45	14	170	< 0.5	< 2	0.37	< 0.5	15	39	20	3.69	< 10	< 1	0.08	10	0.95	685
BB 08601	201 202	< 5	< 0.2	1.01	12	70	< 0.5	< 2	0.03	< 0.5	5	16	17	2.34	< 10	< 1	0.03	10	0.26	230
BB 08602	201 202	< 5	< 0.2	0.97	14	140	< 0.5	< 2	0.38	< 0.5	12	29	36	2.60	< 10	< 1	0.07	10	0.66	575
BB 08603	201 202	< 5	< 0.2	0.81	16	240	< 0.5	< 2	0.10	< 0.5	6	12	25	1.88	< 10	< 1	0.04	10	0.15	215
BB 08604	201 202	< 5	< 0.2	1.39	62	110	< 0.5	< 2	0.05	< 0.5	16	37	56	5.90	< 10	< 1	0.05	20	0.53	835
BB 08605	201 202	< 5	0.8	0.73	2	90	< 0.5	< 2	0.04	< 0.5	4	10	13	1.59	< 10	< 1	0.06	10	0.13	195
BB 08606	201 202	< 5	< 0.2	1.55	32	170	< 0.5	< 2	0.33	< 0.5	11	42	25	3.35	< 10	< 1	0.07	30	0.61	545
BB 08607	201 202	< 5	0.2	1.64	6	90	< 0.5	< 2	0.07	< 0.5	9	29	22	3.43	< 10	< 1	0.09	40	0.61	535
BB 08608	201 202	< 5	0.8	0.90	46	240	< 0.5	< 2	0.37	0.5	38	72	90	9.30	< 10	< 1	0.05	10	0.25	3000
BB 08609	201 202	< 5	< 0.2	0.92	22	140	< 0.5	< 2	0.22	< 0.5	21	24	42	5.02	< 10	< 1	0.12	70	0.33	870
BB 08610	201 202	< 5	< 0.2	1.17	6	120	< 0.5	< 2	0.02	< 0.5	11	14	21	3.47	< 10	< 1	0.13	60	0.30	395
BB 08611	201 202	10	0.2	1.79	22	160	< 0.5	< 2	0.06	< 0.5	12	63	54	5.20	< 10	< 1	0.06	20	1.15	465
BB 08612	201 202	30	0.2	1.23	36	230	< 0.5	< 2	0.09	< 0.5	13	37	64	6.52	< 10	< 1	0.06	30	0.44	390
BB 08613	201 202	15	0.2	1.86	24	250	< 0.5	< 2	0.25	< 0.5	27	60	107	6.19	< 10	< 1	0.07	30	1.17	635
BB 08614	201 202	10	< 0.2	0.60	28	280	< 0.5	< 2	0.02	< 0.5	9	20	104	5.97	< 10	< 1	0.06	40	0.19	175
BB 08615	201 202	10	0.6	0.85	36	590	< 0.5	< 2	0.02	< 0.5	7	28	79	4.67	< 10	< 1	0.14	20	0.20	225
BB 08616	201 202	10	0.2	0.78	24	290	< 0.5	< 2	0.15	< 0.5	12	33	96	5.13	< 10	< 1	0.04	30	0.21	185
BB 08617	201 202	< 5	< 0.2	1.05	6	140	< 0.5	< 2	0.15	< 0.5	8	16	18	4.24	< 10	< 1	0.07	70	0.28	285
BB 08618	201 202	< 5	< 0.2	1.82	8	110	< 0.5	< 2	0.20	< 0.5	11	84	22	3.61	< 10	< 1	0.07	10	0.77	425
BB 08619	201 202	< 5	< 0.2	1.01	6	290	< 0.5	< 2	0.11	< 0.5	30	19	25	4.24	< 10	< 1	0.07	30	0.21	9140
BB 08620	201 202	< 5	< 0.2	0.92	14	130	< 0.5	< 2	0.02	< 0.5	6	11	13	2.79	< 10	< 1	0.05	30	0.15	335
BB 08621	201 202	< 5	0.6	1.20	10	150	< 0.5	< 2	0.28	< 0.5	6	38	13	2.65	< 10	< 1	0.06	10	0.62	495
BB 08622	201 202	< 5	0.6	1.94	18	370	0.5	< 2	0.40	0.5	24	164	50	7.00	< 10	< 1	0.07	10	1.08	1195

CERTIFICATION:

David Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Page Number : 2-B
 Total Pages : 5
 Certificate Date: 06-SEP-96
 Invoice No. : I9629807
 P.O. Number :
 Account : MPO

Project : MASK
 Comments:

CERTIFICATE OF ANALYSIS

A9629807

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 08583	201	202	3	< 0.01	38	1670	70	2	4	31	0.01	< 10	< 10	35	< 10	168
BB 08584	201	202	< 1	0.01	51	1050	10	< 2	1	28	0.12	< 10	< 10	85	< 10	58
BB 08585	201	202	5	< 0.01	95	1010	34	18	3	18	0.03	< 10	< 10	49	< 10	132
BB 08586	201	202	1	0.01	23	680	16	2	< 1	10	0.01	< 10	< 10	63	< 10	72
BB 08587	201	202	4	< 0.01	30	580	20	6	1	20	0.06	< 10	< 10	68	< 10	94
BB 08588	201	202	2	< 0.01	33	850	18	< 2	1	17	0.03	< 10	< 10	45	< 10	74
BB 08589	201	202	5	< 0.01	24	360	14	< 2	1	11	0.04	< 10	< 10	53	< 10	74
BB 08590	201	202	2	0.02	14	480	8	< 2	< 1	36	0.03	< 10	< 10	32	< 10	44
BB 08591	201	202	1	< 0.01	10	590	24	< 2	1	16	0.03	< 10	< 10	41	< 10	54
BB 08592	201	202	3	< 0.01	25	610	18	< 2	1	20	0.06	< 10	< 10	51	< 10	72
BB 08593	201	202	1	< 0.01	26	830	18	< 2	2	16	0.04	< 10	< 10	44	< 10	70
BB 08594	201	202	1	< 0.01	29	630	20	< 2	3	13	0.06	< 10	< 10	49	< 10	72
BB 08595	201	202	1	< 0.01	43	730	18	2	1	10	0.04	< 10	< 10	71	< 10	88
BB 08596	201	202	2	0.01	18	780	16	2	< 1	15	< 0.01	< 10	< 10	31	< 10	56
BB 08597	201	202	2	< 0.01	25	380	14	< 2	4	11	0.04	< 10	< 10	78	< 10	62
BB 08598	201	202	1	0.03	20	440	12	2	1	22	0.04	< 10	< 10	43	< 10	56
BB 08599	201	202	1	0.01	31	1110	10	2	3	38	0.04	< 10	< 10	40	< 10	64
BB 08600	201	202	2	< 0.01	31	660	18	< 2	3	28	0.10	< 10	< 10	49	< 10	100
BB 08601	201	202	3	0.01	13	360	12	< 2	< 1	7	0.02	< 10	< 10	40	< 10	40
BB 08602	201	202	1	0.01	28	880	14	2	1	30	0.03	< 10	< 10	39	< 10	86
BB 08603	201	202	2	0.02	17	800	64	2	< 1	14	< 0.01	< 10	< 10	30	< 10	56
BB 08604	201	202	4	< 0.01	56	1700	24	2	3	17	0.04	< 10	< 10	51	< 10	120
BB 08605	201	202	< 1	0.03	10	1280	14	< 2	< 1	6	< 0.01	< 10	< 10	21	< 10	30
BB 08606	201	202	< 1	0.02	47	1420	14	< 2	< 1	20	0.01	< 10	< 10	35	< 10	72
BB 08607	201	202	< 1	< 0.01	27	490	14	< 2	1	11	0.03	< 10	< 10	39	< 10	68
BB 08608	201	202	7	< 0.01	115	3370	16	< 2	1	19	0.01	< 10	< 10	126	< 10	78
BB 08609	201	202	1	< 0.01	51	1380	28	< 2	3	23	< 0.01	< 10	< 10	29	< 10	122
BB 08610	201	202	< 1	< 0.01	22	420	38	< 2	1	14	0.01	< 10	< 10	15	< 10	68
BB 08611	201	202	5	< 0.01	41	800	16	< 2	3	17	0.12	< 10	< 10	46	< 10	62
BB 08612	201	202	20	< 0.01	39	1150	74	< 2	4	37	0.03	< 10	< 10	78	< 10	106
BB 08613	201	202	6	< 0.01	97	1790	12	< 2	5	41	0.03	< 10	< 10	65	< 10	84
BB 08614	201	202	17	< 0.01	56	1400	6	< 2	1	34	< 0.01	< 10	< 10	51	< 10	54
BB 08615	201	202	7	< 0.01	46	1550	10	< 2	< 1	28	< 0.01	< 10	< 10	48	< 10	72
BB 08616	201	202	15	< 0.01	81	2200	20	< 2	3	55	0.02	< 10	< 10	56	< 10	56
BB 08617	201	202	1	< 0.01	19	1390	22	< 2	1	28	< 0.01	< 10	< 10	20	< 10	96
BB 08618	201	202	< 1	< 0.01	25	900	12	< 2	3	22	0.03	< 10	< 10	56	< 10	70
BB 08619	201	202	< 1	< 0.01	24	1260	42	< 2	< 1	11	< 0.01	< 10	< 10	40	< 10	64
BB 08620	201	202	1	0.01	15	1760	14	< 2	< 1	8	< 0.01	< 10	< 10	19	< 10	74
BB 08621	201	202	1	0.02	25	2360	6	< 2	< 1	12	< 0.01	< 10	< 10	35	< 10	36
BB 08622	201	202	2	< 0.01	113	2210	6	< 2	3	20	0.04	< 10	< 10	113	< 10	152

CERTIFICATION:

[Handwritten signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: MASK
 Comments:

Page Number: 3-A
 Total Pages: 5
 Certificate Date: 06-SEP-96
 Invoice No.: 19629807
 P.O. Number:
 Account: MPO

CERTIFICATE OF ANALYSIS A9629807

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
BB 08623	201	202	< 5	< 0.2	1.23	4	70	< 0.5	< 2	0.06	< 0.5	8	23	20	2.65	< 10	< 1	0.06	30	0.39	300
BB 08624	201	202	< 5	< 0.2	1.52	44	160	< 0.5	< 2	0.21	< 0.5	16	54	34	4.40	< 10	< 1	0.08	30	0.83	720
BB 08625	201	202	< 5	0.2	1.34	2	230	< 0.5	< 2	0.35	< 0.5	8	51	19	2.29	< 10	< 1	0.05	10	0.76	265
BB 08626	201	202	< 5	< 0.2	0.77	26	180	< 0.5	< 2	0.10	0.5	22	24	43	7.25	< 10	< 1	0.02	10	0.12	1015
BB 08627	201	202	< 5	0.2	1.35	6	410	< 0.5	< 2	1.04	< 0.5	14	38	63	3.98	< 10	< 1	0.10	90	0.71	1025
BB 08628	201	202	30	< 0.2	2.94	18	470	0.5	< 2	0.50	0.5	200	198	94	9.21	< 10	2	0.03	30	2.15	5460
BB 08629	201	202	< 5	< 0.2	1.42	18	150	< 0.5	< 2	0.14	< 0.5	23	28	27	4.63	< 10	< 1	0.09	70	0.37	1275
BB 08630	201	202	< 5	< 0.2	0.85	12	130	< 0.5	< 2	0.21	< 0.5	9	30	21	2.30	< 10	< 1	0.06	10	0.24	690
BB 08631	201	202	< 5	0.2	1.36	20	260	< 0.5	< 2	0.64	0.5	13	54	37	3.19	< 10	< 1	0.05	30	0.62	780
BB 08632	201	202	< 5	< 0.2	1.37	48	350	0.5	< 2	1.77	< 0.5	29	118	44	7.10	< 10	< 1	0.03	30	0.61	1500
BB 08633	201	202	< 5	< 0.2	1.89	82	300	0.5	< 2	0.54	< 0.5	37	126	61	6.95	< 10	< 1	0.05	40	1.09	1310
BB 08634	201	202	< 5	0.2	0.34	26	140	< 0.5	< 2	0.04	< 0.5	17	7	41	2.96	< 10	< 1	0.05	40	0.08	610
BB 08635	201	202	< 5	0.2	1.13	40	210	< 0.5	< 2	0.67	< 0.5	9	75	24	3.59	< 10	< 1	0.04	10	0.30	310
BB 08636	201	202	< 5	< 0.2	0.91	34	160	< 0.5	< 2	0.49	< 0.5	16	53	34	3.02	< 10	< 1	0.03	< 10	0.38	1305
BB 08637	201	202	< 5	< 0.2	0.31	34	150	< 0.5	< 2	0.09	2.0	21	12	62	3.22	< 10	< 1	0.05	< 10	0.07	2850
BB 08638	201	202	< 5	1.0	1.44	46	240	< 0.5	< 2	0.87	< 0.5	33	60	61	6.97	< 10	< 1	0.08	40	0.93	1290
BB 08639	201	202	< 5	0.4	1.52	6	220	< 0.5	< 2	1.69	< 0.5	10	32	30	3.08	< 10	< 1	0.07	40	0.77	505
BB 08640	201	202	< 5	0.2	0.63	8	60	< 0.5	< 2	0.05	< 0.5	15	26	34	3.94	< 10	< 1	0.07	70	0.11	285
BB 08641	201	202	< 5	< 0.2	1.53	12	90	< 0.5	< 2	0.44	< 0.5	13	77	41	3.65	< 10	< 1	0.05	10	0.76	330
BB 08642	201	202	< 5	< 0.2	0.56	4	90	< 0.5	< 2	0.04	< 0.5	9	15	23	3.18	< 10	< 1	0.03	10	0.04	365
BB 08643	201	202	< 5	0.2	1.65	24	580	0.5	< 2	0.53	1.5	14	44	47	3.38	< 10	< 1	0.11	30	0.84	480
BB 08644	201	202	< 5	0.4	1.57	10	510	< 0.5	< 2	0.52	2.5	9	34	30	2.51	< 10	< 1	0.06	20	0.64	525
BB 08645	201	202	< 5	0.4	1.89	14	450	0.5	< 2	0.78	1.5	12	40	38	2.87	< 10	< 1	0.11	30	0.86	515
BB 08646	201	202	< 5	< 0.2	1.34	28	180	< 0.5	< 2	0.17	< 0.5	7	34	22	3.85	< 10	< 1	0.09	10	0.45	245
BB 08647	201	202	< 5	0.2	1.99	18	360	0.5	< 2	0.79	< 0.5	12	43	40	3.12	< 10	< 1	0.16	20	0.97	560
BB 08648	201	202	< 5	0.4	1.68	8	330	< 0.5	< 2	0.76	< 0.5	11	35	29	2.76	< 10	< 1	0.13	30	0.84	610
BB 08649	201	202	< 5	< 0.2	1.86	18	290	0.5	< 2	0.72	0.5	15	32	51	3.72	< 10	< 1	0.13	60	0.87	605
BB 08650	201	202	< 5	< 0.2	0.90	14	230	< 0.5	< 2	0.27	< 0.5	14	19	36	3.96	< 10	< 1	0.12	20	0.48	1065
BB 08651	201	202	< 5	< 0.2	2.52	22	330	< 0.5	< 2	0.23	< 0.5	18	47	31	4.78	< 10	< 1	0.27	20	1.79	995
BB 08652	201	202	< 5	0.2	1.07	14	200	< 0.5	< 2	0.18	< 0.5	12	19	34	3.33	< 10	< 1	0.08	30	0.41	470
BB 08653	201	202	< 5	0.2	1.09	8	80	< 0.5	< 2	0.12	< 0.5	9	25	23	3.08	< 10	< 1	0.09	10	0.58	330
BB 08654	201	202	< 5	0.2	0.35	38	90	< 0.5	< 2	0.01	< 0.5	5	10	98	3.16	< 10	< 1	0.05	10	0.04	125
BB 08655	201	202	< 5	0.2	1.47	16	130	< 0.5	< 2	0.11	< 0.5	12	24	31	3.34	< 10	< 1	0.09	10	0.68	365
BB 08656	201	202	< 5	0.6	2.02	< 2	110	< 0.5	< 2	0.05	< 0.5	8	156	11	2.60	< 10	< 1	0.10	10	1.56	320
BB 08657	201	202	< 5	0.8	1.39	6	100	< 0.5	< 2	0.07	< 0.5	6	24	8	3.46	< 10	< 1	0.07	10	0.18	255
BB 08658	201	202	< 5	< 0.2	1.09	< 2	110	< 0.5	< 2	0.07	< 0.5	5	15	10	1.98	< 10	< 1	0.11	10	0.30	210
BB 08659	201	202	< 5	< 0.2	0.88	2	80	< 0.5	< 2	0.07	< 0.5	6	13	19	1.80	< 10	< 1	0.06	10	0.22	195
BB 08660	201	202	5	< 0.2	1.77	8	400	< 0.5	< 2	0.32	< 0.5	29	27	25	2.98	< 10	< 1	0.06	10	0.77	3140
BB 08661	201	202	45	< 0.2	1.40	10	110	< 0.5	< 2	0.15	< 0.5	10	34	36	3.22	< 10	< 1	0.06	20	0.77	495
BB 08662	201	202	15	< 0.2	1.48	18	100	< 0.5	< 2	0.11	< 0.5	15	30	65	3.83	< 10	< 1	0.05	30	0.83	480

CERTIFICATION: *North Van*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: MASK
 Comments:

Page Number : 3-B
 Total Pages : 5
 Certificate Date: 06-SEP-96
 Invoice No. : 19629807
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS

A9629807

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 08623	201	202	1	< 0.01	24	500	16	< 2	< 1	9	0.01	< 10	< 10	29	< 10	62
BB 08624	201	202	1	0.01	63	1060	16	< 2	2	19	0.01	< 10	< 10	40	< 10	90
BB 08625	201	202	1	0.02	37	530	8	< 2	2	20	0.10	< 10	< 10	44	< 10	50
BB 08626	201	202	5	0.01	51	1080	12	< 2	3	31	0.02	< 10	< 10	117	< 10	128
BB 08627	201	202	2	0.02	53	1320	16	< 2	5	52	< 0.01	< 10	< 10	36	< 10	68
BB 08628	201	202	17	< 0.01	367	1770	4	< 2	13	45	0.19	< 10	< 10	120	< 10	136
BB 08629	201	202	3	< 0.01	38	1320	26	< 2	2	21	< 0.01	< 10	< 10	23	< 10	82
BB 08630	201	202	1	0.03	31	990	12	< 2	< 1	18	0.01	< 10	< 10	34	< 10	58
BB 08631	201	202	3	0.01	59	2040	8	< 2	3	27	< 0.01	< 10	< 10	56	< 10	72
BB 08632	201	202	1	0.01	106	2030	12	< 2	8	35	0.01	< 10	< 10	109	< 10	92
BB 08633	201	202	1	< 0.01	165	1160	26	< 2	11	22	0.03	< 10	< 10	97	< 10	104
BB 08634	201	202	5	< 0.01	29	310	18	< 2	1	27	< 0.01	< 10	< 10	9	< 10	68
BB 08635	201	202	1	0.02	48	2040	8	< 2	4	24	< 0.01	< 10	< 10	65	< 10	52
BB 08636	201	202	2	0.03	51	1790	10	< 2	1	21	< 0.01	< 10	< 10	53	< 10	54
BB 08637	201	202	2	< 0.01	59	700	108	< 2	1	22	< 0.01	< 10	< 10	23	< 10	248
BB 08638	201	202	6	< 0.01	110	2280	24	< 2	6	43	0.01	< 10	< 10	62	< 10	138
BB 08639	201	202	4	0.01	39	1540	12	< 2	3	55	< 0.01	< 10	< 10	26	< 10	92
BB 08640	201	202	2	< 0.01	37	720	24	< 2	1	20	< 0.01	< 10	< 10	38	< 10	82
BB 08641	201	202	2	0.01	39	520	10	< 2	4	43	0.07	< 10	< 10	79	< 10	60
BB 08642	201	202	3	0.01	21	400	10	< 2	< 1	16	0.03	< 10	< 10	48	< 10	50
BB 08643	201	202	4	0.01	54	950	30	< 2	6	34	0.07	< 10	< 10	56	< 10	344
BB 08644	201	202	3	0.01	36	610	18	< 2	4	35	0.06	< 10	< 10	45	< 10	226
BB 08645	201	202	3	0.01	43	910	22	< 2	5	47	0.07	< 10	< 10	51	< 10	266
BB 08646	201	202	2	< 0.01	27	930	18	< 2	3	20	0.10	< 10	< 10	102	< 10	112
BB 08647	201	202	1	0.01	35	620	16	< 2	6	45	0.08	< 10	< 10	61	< 10	116
BB 08648	201	202	3	0.01	27	690	14	< 2	5	47	0.05	< 10	< 10	51	< 10	104
BB 08649	201	202	3	0.01	37	620	26	< 2	6	47	0.05	< 10	< 10	49	< 10	126
BB 08650	201	202	< 1	0.01	28	750	8	< 2	3	47	0.02	< 10	< 10	41	< 10	88
BB 08651	201	202	1	< 0.01	31	680	18	< 2	5	20	0.13	< 10	< 10	99	< 10	106
BB 08652	201	202	1	0.01	26	530	8	< 2	2	22	0.04	< 10	< 10	36	< 10	58
BB 08653	201	202	1	0.03	15	780	10	< 2	2	15	0.12	< 10	< 10	61	< 10	48
BB 08654	201	202	12	0.02	10	780	10	< 2	< 1	24	0.02	< 10	< 10	39	< 10	30
BB 08655	201	202	1	< 0.01	19	570	12	< 2	3	14	0.08	< 10	< 10	58	< 10	50
BB 08656	201	202	< 1	0.02	15	370	4	< 2	5	7	0.04	< 10	< 10	65	< 10	38
BB 08657	201	202	1	< 0.01	11	370	10	< 2	3	11	0.06	< 10	< 10	61	< 10	62
BB 08658	201	202	1	0.01	8	400	6	< 2	2	10	0.05	< 10	< 10	41	< 10	32
BB 08659	201	202	2	< 0.01	13	320	8	< 2	1	12	0.03	< 10	< 10	37	< 10	34
BB 08660	201	202	1	0.02	24	950	6	< 2	3	22	0.03	< 10	< 10	35	< 10	58
BB 08661	201	202	2	< 0.01	30	700	8	< 2	2	13	0.05	< 10	< 10	39	< 10	56
BB 08662	201	202	4	< 0.01	32	700	18	< 2	2	13	0.03	< 10	< 10	40	< 10	72

CERTIFICATION:

[Handwritten signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Page Number : 4-A
 Total Pages : 5
 Certificate Date: 06-SEP-96
 Invoice No. : 19629807
 P.O. Number :
 Account : MPO

Project : MASK
 Comments :

CERTIFICATE OF ANALYSIS A9629807

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
BB 08663	201	202	10	< 0.2	1.33	16	130	< 0.5	< 2	0.15	< 0.5	13	36	48	4.01	< 10	< 1	0.05	20	0.61	600
BB 08664	201	202	< 5	< 0.2	1.27	12	100	< 0.5	< 2	0.08	< 0.5	10	23	37	3.05	< 10	< 1	0.06	10	0.31	920
BB 08665	201	202	< 5	0.2	1.16	8	140	< 0.5	< 2	0.06	< 0.5	6	16	35	2.06	< 10	< 1	0.06	30	0.18	215
BB 08666	201	202	< 5	< 0.2	1.69	16	130	< 0.5	< 2	0.05	< 0.5	13	41	48	4.76	< 10	< 1	0.07	30	0.87	500
BB 08667	201	202	< 5	< 0.2	1.22	16	360	< 0.5	< 2	0.26	< 0.5	13	38	84	4.82	< 10	< 1	0.06	30	0.41	300
BB 08668	201	202	< 5	< 0.2	1.21	14	210	< 0.5	< 2	0.19	< 0.5	12	40	52	4.30	< 10	< 1	0.06	30	0.42	290
BB 08669	201	202	< 5	< 0.2	1.35	16	210	< 0.5	< 2	0.20	< 0.5	18	58	94	4.90	< 10	< 1	0.06	30	0.67	355
BB 08670	201	202	< 5	< 0.2	1.63	12	330	0.5	< 2	0.38	1.5	12	40	31	2.74	< 10	< 1	0.07	30	0.72	470
BB 08671	201	202	< 5	< 0.2	1.21	20	560	< 0.5	< 2	0.61	2.5	12	36	34	2.58	< 10	< 1	0.10	20	0.77	610
BB 08672	201	202	10	0.2	1.72	28	660	0.5	< 2	0.68	1.5	13	49	51	3.34	< 10	< 1	0.11	30	0.95	610
BB 08673	201	202	15	0.6	1.56	12	230	< 0.5	< 2	0.66	0.5	10	26	49	2.58	< 10	< 1	0.16	10	1.03	830
BB 08674	201	202	< 5	< 0.2	1.53	10	210	< 0.5	< 2	0.50	< 0.5	9	32	17	2.11	< 10	< 1	0.20	< 10	1.15	575
BB 08675	201	202	< 5	0.2	1.50	14	520	< 0.5	< 2	0.57	< 0.5	13	26	38	2.87	< 10	< 1	0.22	10	0.98	605
BB 08676	201	202	< 5	0.2	2.02	< 2	310	0.5	< 2	1.05	0.5	16	22	53	3.69	< 10	< 1	0.25	30	1.35	900
BB 08677	201	202	< 5	< 0.2	0.44	2	60	< 0.5	< 2	0.02	< 0.5	5	9	23	2.08	< 10	< 1	0.03	10	0.09	140
BB 08678	201	202	< 5	0.2	2.98	4	440	0.5	< 2	1.60	0.5	22	92	41	5.64	10	1	0.34	20	2.02	1045
BB 08679	201	202	< 5	0.2	1.84	12	380	< 0.5	< 2	1.09	< 0.5	17	40	43	4.02	< 10	< 1	0.15	40	1.26	880
BB 08680	201	202	< 5	0.2	2.42	30	530	0.5	< 2	0.70	< 0.5	26	36	32	5.09	< 10	< 1	0.21	50	1.37	2000
BB 08681	201	202	< 5	< 0.2	2.68	12	590	0.5	< 2	0.60	< 0.5	23	19	22	5.98	10	< 1	0.38	30	1.44	1000
BB 08682	201	202	< 5	< 0.2	2.07	4	310	0.5	< 2	0.97	< 0.5	16	17	17	4.83	< 10	< 1	0.42	30	0.99	685
BB 08683	201	202	< 5	< 0.2	1.68	14	190	< 0.5	< 2	0.48	< 0.5	15	23	23	3.70	< 10	1	0.09	20	0.98	860
BB 08684	201	202	< 5	0.2	1.11	20	110	< 0.5	< 2	0.06	< 0.5	8	20	21	2.84	< 10	< 1	0.04	10	0.27	240
BB 08685	201	202	< 5	0.4	1.35	10	70	< 0.5	< 2	0.12	< 0.5	9	32	27	3.31	< 10	< 1	0.04	10	0.75	280
BB 08686	201	202	< 5	0.6	1.31	8	80	< 0.5	< 2	0.10	< 0.5	7	19	17	2.68	< 10	< 1	0.05	10	0.68	275
BB 08687	201	202	< 5	< 0.2	1.54	12	130	< 0.5	< 2	0.24	< 0.5	12	21	23	3.95	< 10	< 1	0.10	10	0.72	605
BB 08688	201	202	< 5	0.2	1.71	6	160	< 0.5	< 2	0.07	< 0.5	9	13	13	3.47	< 10	< 1	0.06	10	0.65	475
BB 08689	201	202	< 5	0.2	1.50	8	190	< 0.5	< 2	0.07	< 0.5	7	17	15	3.13	< 10	< 1	0.06	10	0.43	280
BB 08690	201	202	< 5	< 0.2	1.79	10	180	< 0.5	< 2	0.13	< 0.5	10	18	13	3.88	< 10	< 1	0.09	10	0.64	640
BB 08691	201	202	< 5	< 0.2	2.49	10	240	0.5	< 2	0.17	< 0.5	16	21	25	5.71	< 10	< 1	0.11	20	0.84	800
BB 08692	201	202	< 5	0.2	1.42	30	230	0.5	< 2	0.22	< 0.5	26	24	42	6.05	< 10	< 1	0.13	40	0.48	1165
BB 08693	201	202	< 5	0.2	2.17	8	200	< 0.5	< 2	0.05	< 0.5	10	37	27	4.59	< 10	< 1	0.11	60	1.05	530
BB 08694	201	202	< 5	0.2	1.08	48	250	< 0.5	< 2	0.09	< 0.5	13	29	27	4.10	< 10	< 1	0.06	10	0.25	3790
BB 08695	201	202	< 5	1.0	1.32	108	580	< 0.5	< 2	0.18	< 0.5	25	63	67	6.80	< 10	3	0.18	20	0.78	535
BB 08696	201	202	< 5	0.8	1.31	8	230	< 0.5	< 2	0.14	< 0.5	7	13	18	2.24	< 10	< 1	0.09	10	0.66	745
BB 08697	201	202	20	0.2	1.15	10	150	< 0.5	< 2	0.17	< 0.5	4	15	18	1.90	< 10	< 1	0.04	10	0.16	280
BB 08698	201	202	5	< 0.2	1.40	16	190	< 0.5	< 2	0.42	< 0.5	11	32	28	2.85	< 10	< 1	0.05	20	0.68	605
BB 08699	201	202	15	< 0.2	1.51	14	230	< 0.5	< 2	0.36	< 0.5	11	35	46	3.36	< 10	< 1	0.08	30	0.67	615
BB 08700	201	202	< 5	0.2	0.71	10	170	< 0.5	< 2	0.14	< 0.5	6	9	22	1.80	< 10	< 1	0.04	30	0.09	130
BB 08701	201	202	< 5	< 0.2	1.57	10	330	< 0.5	< 2	0.65	0.5	6	35	20	2.46	< 10	1	0.04	10	0.61	445
BB 08702	201	202	< 5	< 0.2	1.00	4	330	< 0.5	< 2	0.26	< 0.5	7	20	17	2.12	< 10	< 1	0.04	10	0.39	745

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project : MASK
 Comments :

Page Number : 4-B
 Total Pages : 5
 Certificate Date : 06-SEP-96
 Invoice No. : 19629807
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS

A9629807

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 08663	201	202	3 < 0.01		33	700	8	< 2	3	15	0.05	< 10	< 10	43	< 10	62
BB 08664	201	202	2 0.03		21	1250	8	< 2	< 1	10	0.02	< 10	< 10	43	< 10	56
BB 08665	201	202	3 0.02		16	810	8	< 2	< 1	10	0.01	< 10	< 10	35	< 10	30
BB 08666	201	202	5 < 0.01		48	920	14	< 2	1	14	0.02	< 10	< 10	49	< 10	72
BB 08667	201	202	13 < 0.01		80	2190	12	< 2	3	58	0.03	< 10	< 10	104	< 10	76
BB 08668	201	202	10 < 0.01		59	1470	10	< 2	3	41	0.03	< 10	< 10	95	< 10	60
BB 08669	201	202	9 < 0.01		64	1590	10	< 2	4	41	0.03	< 10	< 10	70	< 10	68
BB 08670	201	202	2 < 0.01		41	650	22	< 2	5	26	0.07	< 10	< 10	51	< 10	266
BB 08671	201	202	3 < 0.01		51	870	18	< 2	4	33	0.06	< 10	< 10	45	< 10	306
BB 08672	201	202	5 < 0.01		58	960	32	< 2	6	40	0.08	< 10	< 10	60	< 10	340
BB 08673	201	202	1 < 0.01		26	500	16	< 2	5	37	0.06	< 10	< 10	42	< 10	102
BB 08674	201	202	1 < 0.01		20	240	10	< 2	4	28	0.10	< 10	< 10	59	< 10	80
BB 08675	201	202	2 < 0.01		28	730	16	< 2	4	41	0.07	< 10	< 10	54	< 10	102
BB 08676	201	202	1 0.01		34	740	12	< 2	6	62	0.09	< 10	< 10	64	< 10	132
BB 08677	201	202	7 < 0.01		14	240	6	< 2	1	5	0.03	< 10	< 10	98	< 10	38
BB 08678	201	202	1 < 0.01		25	1510	10	< 2	14	94	0.23	< 10	< 10	158	< 10	104
BB 08679	201	202	2 < 0.01		39	1180	20	< 2	5	71	0.12	< 10	< 10	68	< 10	106
BB 08680	201	202	3 < 0.01		34	1900	22	< 2	4	56	0.12	< 10	< 10	66	< 10	126
BB 08681	201	202	2 < 0.01		22	2130	22	< 2	3	56	0.18	< 10	< 10	66	< 10	210
BB 08682	201	202	1 < 0.01		18	2670	14	< 2	1	66	0.11	< 10	< 10	39	< 10	212
BB 08683	201	202	4 0.01		30	1300	14	< 2	3	29	0.09	< 10	< 10	43	< 10	80
BB 08684	201	202	3 < 0.01		22	720	22	< 2	1	8	0.04	< 10	< 10	52	< 10	72
BB 08685	201	202	2 < 0.01		30	690	16	< 2	2	10	0.04	< 10	< 10	49	< 10	66
BB 08686	201	202	2 0.01		20	760	10	< 2	< 1	9	0.03	< 10	< 10	31	< 10	64
BB 08687	201	202	3 < 0.01		21	1740	16	< 2	< 1	21	0.02	< 10	< 10	38	< 10	70
BB 08688	201	202	1 < 0.01		13	1180	12	< 2	< 1	9	0.03	< 10	< 10	33	< 10	54
BB 08689	201	202	1 < 0.01		14	1120	16	< 2	< 1	9	< 0.01	< 10	< 10	34	< 10	52
BB 08690	201	202	1 < 0.01		15	1270	14	< 2	< 1	13	0.02	< 10	< 10	37	< 10	72
BB 08691	201	202	4 < 0.01		24	1390	10	< 2	1	19	0.05	< 10	< 10	66	< 10	92
BB 08692	201	202	3 < 0.01		45	1700	30	< 2	4	21	0.03	< 10	< 10	56	< 10	110
BB 08693	201	202	4 < 0.01		26	670	46	< 2	2	11	< 0.01	< 10	< 10	25	< 10	102
BB 08694	201	202	4 0.02		28	2310	30	< 2	< 1	9	< 0.01	< 10	< 10	48	< 10	82
BB 08695	201	202	4 < 0.01		65	1230	6	< 2	3	59	0.11	< 10	< 10	46	< 10	84
BB 08696	201	202	2 0.03		14	1760	12	< 2	< 1	12	< 0.01	< 10	< 10	21	< 10	44
BB 08697	201	202	1 0.03		13	1360	14	< 2	< 1	18	< 0.01	< 10	< 10	29	< 10	36
BB 08698	201	202	1 0.01		36	1070	12	< 2	3	31	0.06	< 10	< 10	43	< 10	80
BB 08699	201	202	1 < 0.01		36	1090	16	< 2	4	31	0.06	< 10	< 10	47	< 10	94
BB 08700	201	202	2 0.03		19	720	8	< 2	< 1	20	< 0.01	< 10	< 10	21	< 10	42
BB 08701	201	202	1 0.02		24	1870	10	< 2	< 1	36	0.01	< 10	< 10	34	< 10	62
BB 08702	201	202	< 1 0.03		20	1210	8	< 2	< 1	19	0.01	< 10	< 10	25	< 10	38

CERTIFICATION:

Handwritten signature: Hans Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: MASK
 Comments:


Page: 5-A
 Total Pages: 5
 Certificate Date: 06-SEP-96
 Invoice No.: 19629807
 P.O. Number:
 Account: MPO

CERTIFICATE OF ANALYSIS A9629807

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BB 08703	201 202	< 5	< 0.2	1.81	14	300	< 0.5	< 2	0.78	< 0.5	25	87	36	5.86	< 10	3	0.06	20	1.41	1320
BB 08704	201 202	< 5	< 0.2	1.80	12	200	< 0.5	< 2	0.45	< 0.5	16	48	45	4.50	< 10	3	0.06	30	1.22	975
BB 08705	201 202	< 5	< 0.2	1.65	2	100	< 0.5	< 2	0.46	< 0.5	22	69	30	3.96	< 10	< 1	0.04	< 10	1.26	445
BB 08706	201 202	< 5	0.8	1.92	6	350	0.5	< 2	0.80	0.5	12	36	57	4.96	< 10	1	0.09	30	0.87	1880
BB 08707	201 202	< 5	< 0.2	1.43	22	200	< 0.5	< 2	0.40	< 0.5	36	254	75	7.50	< 10	< 1	0.04	10	0.98	1105
BB 08708	201 202	< 5	0.4	0.66	28	100	< 0.5	< 2	0.11	< 0.5	9	16	49	3.57	< 10	< 1	0.04	10	0.13	555
BB 08709	201 202	< 5	< 0.2	0.90	16	190	< 0.5	< 2	0.13	< 0.5	7	14	26	2.41	< 10	< 1	0.05	30	0.30	330
BB 08710	201 202	< 5	< 0.2	1.26	22	220	< 0.5	< 2	0.33	0.5	12	19	37	2.87	< 10	< 1	0.07	10	0.50	1055
BB 08711	201 202	< 5	0.2	1.83	26	290	< 0.5	< 2	0.86	< 0.5	14	64	45	4.24	< 10	1	0.06	20	1.23	885
BB 08712	201 202	< 5	< 0.2	2.24	12	150	< 0.5	< 2	0.46	< 0.5	22	106	32	4.52	< 10	< 1	0.12	10	1.86	945
BB 08713	201 202	< 5	0.4	1.82	32	230	< 0.5	< 2	0.16	< 0.5	8	47	27	3.28	< 10	1	0.04	30	0.82	330
BB 08714	201 202	< 5	< 0.2	1.98	20	110	< 0.5	< 2	0.06	< 0.5	11	28	38	4.53	< 10	< 1	0.04	20	0.69	560
BB 08715	201 202	< 5	< 0.2	0.54	6	80	< 0.5	< 2	0.01	< 0.5	8	14	22	2.43	< 10	< 1	0.04	20	0.14	475
BB 08716	201 202	< 5	< 0.2	1.07	12	110	< 0.5	< 2	0.08	< 0.5	10	21	30	3.46	< 10	< 1	0.05	20	0.55	500
BB 08717	201 202	< 5	< 0.2	0.69	< 2	120	< 0.5	< 2	0.08	< 0.5	5	13	18	1.38	< 10	< 1	0.05	10	0.10	165
BB 08718	201 202	< 5	< 0.2	1.35	6	140	< 0.5	< 2	0.06	< 0.5	8	6	33	3.51	< 10	< 1	0.05	40	0.23	320
BB 08719	201 202	< 5	< 0.2	1.09	2	180	< 0.5	< 2	0.08	< 0.5	3	10	7	1.49	< 10	< 1	0.11	10	0.18	240
BB 08720	201 202	< 5	< 0.2	1.00	6	170	< 0.5	< 2	0.06	< 0.5	3	11	10	1.24	< 10	< 1	0.09	10	0.17	170
BB 08721	201 202	< 5	0.2	1.24	20	130	< 0.5	< 2	0.10	< 0.5	13	36	23	4.06	< 10	< 1	0.06	20	0.66	855
BB 08722	201 202	< 5	< 0.2	1.09	4	100	< 0.5	< 2	0.03	< 0.5	4	13	11	2.03	< 10	< 1	0.09	10	0.20	345
BB 08723	201 202	< 5	< 0.2	1.66	30	160	< 0.5	< 2	0.08	< 0.5	18	70	36	6.58	< 10	1	0.05	10	0.79	1080
BB 08724	201 202	< 5	0.2	1.45	28	200	< 0.5	< 2	0.08	< 0.5	15	52	39	4.83	< 10	< 1	0.05	10	0.60	560
BB 08725	201 202	< 5	< 0.2	1.32	24	100	< 0.5	< 2	0.05	< 0.5	13	29	34	4.56	< 10	< 1	0.05	30	0.36	440
BB 08726	201 202	< 5	0.2	1.01	34	130	< 0.5	< 2	0.09	< 0.5	15	50	35	4.50	< 10	< 1	0.05	10	0.33	665
BB 08727	201 202	< 5	< 0.2	0.96	10	110	< 0.5	< 2	0.05	< 0.5	7	10	24	2.13	< 10	1	0.07	20	0.14	315
BB 08728	201 202	< 5	0.2	0.92	6	180	< 0.5	< 2	0.03	< 0.5	6	12	17	1.78	< 10	< 1	0.07	10	0.09	985
BB 08729	201 202	< 5	< 0.2	1.04	6	160	< 0.5	< 2	0.05	< 0.5	5	17	15	1.89	< 10	< 1	0.08	10	0.13	305
BB 08730	201 202	< 5	< 0.2	1.06	2	140	< 0.5	< 2	0.03	< 0.5	5	30	12	1.86	< 10	< 1	0.10	10	0.21	520
BB 08731	201 202	< 5	< 0.2	1.10	6	140	< 0.5	< 2	0.05	< 0.5	4	18	14	1.67	< 10	< 1	0.11	20	0.16	190
BB 08732	201 202	< 5	< 0.2	1.17	10	200	< 0.5	< 2	0.16	< 0.5	11	23	16	2.55	< 10	< 1	0.12	10	0.30	1610
BB 08733	201 202	< 5	< 0.2	1.31	14	160	< 0.5	< 2	0.07	< 0.5	6	24	17	2.47	< 10	< 1	0.10	20	0.31	285
BB 08734	201 202	< 5	0.2	1.90	14	380	0.5	< 2	0.28	< 0.5	9	44	27	3.07	< 10	< 1	0.06	60	0.56	1645

CERTIFICATION: _____

[Handwritten Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Page Number : 1-A
 Total Pages : 7
 Certificate Date: 06-SEP-96
 Invoice No. : I9629805
 P.O. Number :
 Account : MPO


Project : MASK
 Comments:

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BB 02828	201 202	< 5	0.4	0.74	46	160	< 0.5	< 2	0.04	< 0.5	10	16	43	2.77	< 10	< 1	0.04	20	0.07	425
BB 02829	201 202	< 5	0.4	0.96	44	140	< 0.5	< 2	0.10	< 0.5	13	23	43	3.13	< 10	< 1	0.04	20	0.27	395
BB 02830	201 202	< 5	0.4	0.91	52	130	< 0.5	< 2	0.07	0.5	13	22	50	3.96	< 10	< 1	0.06	10	0.25	490
BB 02831	201 202	5	1.0	0.67	140	80	< 0.5	< 2	0.08	< 0.5	14	17	52	3.78	< 10	< 1	0.05	10	0.15	685
BB 02832	201 202	20	0.8	0.88	238	250	< 0.5	< 2	0.10	0.5	30	18	64	4.22	< 10	< 1	0.05	10	0.24	2370
BB 02833	201 202	< 5	0.8	0.33	84	290	< 0.5	< 2	0.10	< 0.5	13	9	55	3.10	< 10	< 1	0.05	10	0.04	1360
BB 02834	201 202	< 5	0.6	1.22	86	200	< 0.5	< 2	0.19	< 0.5	16	29	41	4.14	< 10	< 1	0.09	10	0.40	710
BB 02835	201 202	< 5	0.6	0.59	86	160	< 0.5	< 2	0.04	< 0.5	12	13	51	3.38	< 10	< 1	0.04	20	0.08	360
BB 02836	201 202	< 5	0.4	1.07	76	290	< 0.5	< 2	0.12	< 0.5	18	27	44	3.61	< 10	< 1	0.07	10	0.31	805
BB 02837	201 202	< 5	0.2	1.04	62	140	< 0.5	< 2	0.09	< 0.5	21	34	55	4.11	< 10	< 1	0.06	20	0.40	670
BB 02838	201 202	< 5	0.2	0.59	42	120	< 0.5	< 2	0.05	< 0.5	10	16	45	3.26	< 10	< 1	0.04	10	0.10	395
BB 02839	201 202	< 5	< 0.2	1.57	38	140	< 0.5	< 2	0.11	< 0.5	15	31	42	3.36	< 10	< 1	0.06	20	0.49	610
BB 02840	201 202	< 5	0.2	1.59	22	250	< 0.5	< 2	0.13	< 0.5	12	28	33	3.49	< 10	< 1	0.05	10	0.41	785
BB 02841	201 202	< 5	< 0.2	1.36	50	420	< 0.5	< 2	0.27	< 0.5	15	33	38	3.94	< 10	< 1	0.06	30	0.62	715
BB 02842	201 202	< 5	< 0.2	1.13	32	410	< 0.5	< 2	0.14	< 0.5	17	32	42	3.62	< 10	< 1	0.05	10	0.31	720
BB 02843	201 202	< 5	< 0.2	1.63	50	160	< 0.5	< 2	0.14	< 0.5	18	75	35	4.38	< 10	< 1	0.05	10	0.89	640
BB 02844	201 202	< 5	0.2	0.92	20	260	< 0.5	< 2	0.18	< 0.5	8	17	28	1.93	< 10	< 1	0.04	10	0.18	210
BB 02845	201 202	< 5	0.2	0.78	22	170	< 0.5	< 2	0.13	< 0.5	17	21	49	3.06	< 10	< 1	0.05	10	0.19	285
BB 02846	201 202	< 5	< 0.2	1.91	32	210	< 0.5	< 2	0.07	0.5	13	38	35	4.48	< 10	< 1	0.05	10	0.67	705
BB 02847	201 202	< 5	0.2	1.54	28	500	0.5	< 2	0.39	< 0.5	8	39	15	2.47	< 10	< 1	0.06	10	0.42	745
BB 02848	201 202	< 5	0.2	1.61	14	380	< 0.5	< 2	0.53	< 0.5	8	30	19	2.52	< 10	< 1	0.07	20	0.50	210
BB 02849	201 202	< 5	0.2	1.36	12	670	< 0.5	< 2	0.37	< 0.5	5	26	19	2.10	< 10	< 1	0.07	10	0.39	410
BB 02850	201 202	< 5	< 0.2	0.60	28	200	< 0.5	< 2	0.05	< 0.5	7	10	32	1.92	< 10	< 1	0.04	10	0.06	605
BB 02851	201 202	< 5	< 0.2	0.47	56	530	< 0.5	< 2	0.04	< 0.5	14	12	44	2.96	< 10	< 1	0.04	10	0.06	840
BB 02852	201 202	< 5	0.4	0.83	88	180	< 0.5	< 2	0.16	< 0.5	17	19	56	3.28	< 10	< 1	0.03	10	0.22	925
BB 02853	201 202	< 5	0.6	0.93	74	130	< 0.5	< 2	0.06	< 0.5	17	21	62	3.66	< 10	< 1	0.03	10	0.18	935
BB 02854	201 202	15	1.0	0.49	134	110	< 0.5	< 2	0.33	1.0	28	12	119	4.74	< 10	< 1	0.03	10	0.10	1875
BB 02855	201 202	10	0.4	0.43	202	130	< 0.5	< 2	0.05	< 0.5	21	16	85	3.57	< 10	< 1	0.04	10	0.10	830
BB 02856	201 202	< 5	1.0	0.33	90	80	< 0.5	< 2	0.05	< 0.5	10	7	55	3.84	< 10	< 1	0.05	20	0.05	930
BB 02857	201 202	35	0.8	2.33	128	340	< 0.5	< 2	1.88	< 0.5	33	7	115	8.33	< 10	< 1	0.05	30	1.76	3340
BB 02858	201 202	30	0.2	0.84	272	110	< 0.5	< 2	0.10	0.5	17	19	70	3.90	< 10	< 1	0.05	10	0.20	750
BB 02859	201 202	< 5	0.2	1.23	66	220	< 0.5	< 2	0.05	< 0.5	12	24	39	3.57	< 10	< 1	0.06	10	0.19	910
BB 02860	201 202	< 5	0.4	0.65	62	580	< 0.5	< 2	0.05	< 0.5	19	30	58	3.74	< 10	< 1	0.03	10	0.14	485
BB 02861	201 202	< 5	< 0.2	0.89	52	150	< 0.5	< 2	0.05	< 0.5	14	26	49	3.68	< 10	< 1	0.05	10	0.25	475
BB 02862	201 202	< 5	< 0.2	0.80	8	80	< 0.5	< 2	0.18	< 0.5	2	6	16	0.79	< 10	< 1	0.02	< 10	0.11	70
BB 02863	201 202	< 5	< 0.2	1.56	16	330	< 0.5	< 2	0.82	0.5	12	33	25	3.08	< 10	< 1	0.08	10	0.83	870
BB 02864	201 202	< 5	< 0.2	1.77	30	160	< 0.5	< 2	0.18	< 0.5	14	22	27	5.62	< 10	< 1	0.06	10	0.53	1400
BB 02865	201 202	< 5	< 0.2	2.11	30	160	< 0.5	< 2	0.13	< 0.5	14	26	35	4.93	< 10	< 1	0.05	30	0.78	385
BB 02866	201 202	< 5	0.4	1.42	24	110	< 0.5	< 2	0.15	< 0.5	11	34	31	3.80	< 10	< 1	0.05	10	0.63	555
BB 02867	201 202	< 5	0.2	1.21	28	150	< 0.5	< 2	0.09	< 0.5	9	26	27	2.68	< 10	< 1	0.07	10	0.39	525

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project : MASK
Comments:

Page Number : 1-B
Total Pages : 7
Certificate Date: 06-SEP-96
Invoice No. : I9629805
P.O. Number :
Account : MPO


CERTIFICATE OF ANALYSIS

A9629805

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 02828	201 202	3 < 0.01		26	590	34	10	< 1	14	0.02	< 10	< 10	45	< 10	96
BB 02829	201 202	3 < 0.01		31	1010	30	6	1	13	0.02	< 10	< 10	34	< 10	106
BB 02830	201 202	4 < 0.01		34	1300	28	4	1	12	0.02	< 10	< 10	45	< 10	146
BB 02831	201 202	6 < 0.01		33	1800	36	12	1	16	0.02	< 10	< 10	35	< 10	114
BB 02832	201 202	6 < 0.01		46	1620	24	10	3	22	0.01	< 10	< 10	34	< 10	116
BB 02833	201 202	4 < 0.01		23	1730	126	14	< 1	15	< 0.01	< 10	< 10	29	< 10	174
BB 02834	201 202	2 < 0.01		35	2450	28	4	3	18	0.03	< 10	< 10	48	< 10	98
BB 02835	201 202	5 < 0.01		31	880	30	14	1	23	0.03	< 10	< 10	41	< 10	102
BB 02836	201 202	4 < 0.01		41	1120	46	8	2	20	0.03	< 10	< 10	43	< 10	130
BB 02837	201 202	3 < 0.01		54	720	22	< 2	3	17	0.03	< 10	< 10	43	< 10	104
BB 02838	201 202	4 < 0.01		28	1110	28	< 2	1	14	0.03	< 10	< 10	41	< 10	98
BB 02839	201 202	2 < 0.01		37	870	26	< 2	3	12	0.04	< 10	< 10	41	< 10	104
BB 02840	201 202	2 < 0.01		25	1980	16	2	< 1	13	< 0.01	< 10	< 10	36	< 10	88
BB 02841	201 202	2 < 0.01		39	840	26	2	2	21	0.01	< 10	< 10	42	< 10	102
BB 02842	201 202	3 < 0.01		33	2400	30	6	< 1	14	< 0.01	< 10	< 10	38	< 10	106
BB 02843	201 202	1 < 0.01		61	1130	18	2	2	13	0.08	< 10	< 10	65	< 10	102
BB 02844	201 202	2 < 0.01		19	940	18	2	< 1	21	0.01	< 10	< 10	36	< 10	54
BB 02845	201 202	4 < 0.01		34	820	20	2	1	22	0.04	< 10	< 10	50	< 10	100
BB 02846	201 202	1 < 0.01		29	1020	24	6	< 1	10	0.03	< 10	< 10	58	< 10	76
BB 02847	201 202	1 < 0.01		19	3680	12	< 2	< 1	24	< 0.01	< 10	< 10	35	< 10	40
BB 02848	201 202	< 1	0.01	23	1140	14	2	3	26	0.02	< 10	< 10	33	< 10	92
BB 02849	201 202	1	0.01	19	2680	16	< 2	< 1	32	< 0.01	< 10	< 10	30	< 10	54
BB 02850	201 202	2	0.04	16	860	28	< 2	< 1	9	< 0.01	< 10	< 10	26	< 10	58
BB 02851	201 202	5 < 0.01		31	1020	34	< 2	< 1	11	< 0.01	< 10	< 10	39	< 10	104
BB 02852	201 202	7 < 0.01		38	1450	38	8	1	15	0.01	< 10	< 10	28	< 10	120
BB 02853	201 202	3 < 0.01		38	1110	68	6	< 1	10	< 0.01	< 10	< 10	34	< 10	134
BB 02854	201 202	9 < 0.01		47	2850	362	26	< 1	35	< 0.01	< 10	< 10	34	< 10	490
BB 02855	201 202	5 < 0.01		35	750	36	46	< 1	14	0.01	< 10	< 10	37	< 10	112
BB 02856	201 202	2 < 0.01		20	600	306	14	1	13	< 0.01	< 10	< 10	15	< 10	348
BB 02857	201 202	11 < 0.01		31	8880	20	12	4	140	< 0.01	< 10	< 10	47	< 10	128
BB 02858	201 202	3 < 0.01		42	1130	46	14	1	32	0.01	< 10	< 10	31	< 10	130
BB 02859	201 202	5 < 0.01		25	1910	32	6	1	11	0.02	< 10	< 10	42	< 10	96
BB 02860	201 202	4 < 0.01		55	1600	58	8	< 1	13	< 0.01	< 10	< 10	46	< 10	110
BB 02861	201 202	3 < 0.01		38	950	32	8	< 1	13	0.01	< 10	< 10	47	< 10	118
BB 02862	201 202	< 1	0.06	5	550	6	2	< 1	12	0.02	< 10	< 10	19	< 10	18
BB 02863	201 202	1	0.01	29	2180	10	2	1	43	0.02	< 10	< 10	35	< 10	110
BB 02864	201 202	3	0.01	21	3670	22	4	< 1	21	0.01	< 10	< 10	43	< 10	70
BB 02865	201 202	3	0.01	22	1570	16	2	1	25	0.03	< 10	< 10	40	< 10	50
BB 02866	201 202	2	0.02	28	1990	20	< 2	1	17	0.05	< 10	< 10	47	< 10	78
BB 02867	201 202	4	0.01	23	930	22	10	< 1	16	0.03	< 10	< 10	39	< 10	66

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project : MASK
 Comments:

Page Number : 2-A
 Total Pages : 7
 Certificate Date: 06-SEP-96
 Invoice No. : I9629805
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BB 02868	201 202	< 5	0.4	1.36	44	150	< 0.5	< 2	0.16	< 0.5	18	36	60	4.76	< 10	< 1	0.06	10	0.67	805
BB 02869	201 202	< 5	< 0.2	1.20	22	90	< 0.5	< 2	0.06	< 0.5	7	23	21	2.77	< 10	< 1	0.07	20	0.45	530
BB 02870	201 202	< 5	0.2	1.23	20	170	< 0.5	< 2	0.09	< 0.5	10	25	28	2.75	< 10	< 1	0.08	10	0.55	475
BB 02871	201 202	< 5	< 0.2	1.00	38	270	< 0.5	< 2	0.06	< 0.5	14	22	44	3.97	< 10	< 1	0.06	10	0.35	990
BB 02872	201 202	< 5	< 0.2	1.12	64	110	< 0.5	< 2	0.14	< 0.5	14	28	52	3.25	< 10	< 1	0.04	20	0.41	720
BB 02873	201 202	< 5	< 0.2	0.65	98	120	< 0.5	< 2	0.08	< 0.5	14	18	65	3.32	< 10	< 1	0.03	10	0.11	935
BB 02874	201 202	< 5	0.4	0.67	100	140	< 0.5	< 2	0.25	0.5	18	13	87	3.39	< 10	< 1	0.03	20	0.17	1160
BB 02875	201 202	35	1.0	0.47	190	260	< 0.5	< 2	0.08	0.5	26	12	119	4.12	< 10	< 1	0.04	30	0.08	1870
BB 02876	201 202	10	1.2	1.08	74	190	< 0.5	< 2	0.15	< 0.5	8	19	49	3.80	< 10	< 1	0.11	20	0.29	395
BB 02877	201 202	65	0.8	1.08	252	190	< 0.5	< 2	0.14	< 0.5	16	21	83	3.27	< 10	< 1	0.05	10	0.28	630
BB 02878	201 202	20	1.0	0.85	190	330	< 0.5	< 2	0.21	0.5	6	22	63	2.95	< 10	< 1	0.07	10	0.24	320
BB 02879	201 202	20	1.4	0.96	212	170	< 0.5	2	0.19	0.5	11	19	99	3.64	< 10	< 1	0.04	10	0.19	390
BB 02880	201 202	10	0.4	1.27	52	90	< 0.5	< 2	0.10	0.5	13	22	71	3.16	< 10	< 1	0.04	10	0.31	880
BB 02881	201 202	65	1.2	0.29	542	850	< 0.5	< 2	0.17	< 0.5	33	26	80	5.68	< 10	< 1	0.05	20	0.08	2260
BB 02882	201 202	20	0.2	0.74	164	170	< 0.5	< 2	0.11	< 0.5	18	21	76	3.82	< 10	< 1	0.03	10	0.19	1105
BB 02883	201 202	< 5	0.2	1.56	104	90	< 0.5	< 2	0.07	< 0.5	32	46	56	4.83	< 10	< 1	0.03	20	0.87	1810
BB 02884	201 202	20	< 0.2	0.86	40	100	< 0.5	< 2	0.07	< 0.5	15	22	50	3.51	< 10	< 1	0.04	10	0.27	455
BB 02885	201 202	< 5	< 0.2	1.51	20	150	< 0.5	< 2	0.14	< 0.5	9	35	23	2.91	< 10	< 1	0.07	10	0.71	395
BB 02886	201 202	< 5	0.6	1.31	20	150	< 0.5	< 2	0.10	< 0.5	8	29	45	2.95	< 10	< 1	0.06	10	0.44	475
BB 02887	201 202	< 5	0.2	1.30	40	210	< 0.5	2	0.06	< 0.5	13	28	49	4.07	< 10	< 1	0.05	10	0.43	575
BB 02888	201 202	< 5	0.2	1.22	24	90	< 0.5	< 2	0.05	< 0.5	9	26	28	3.81	< 10	< 1	0.06	10	0.45	510
BB 02889	201 202	< 5	0.2	1.12	12	90	< 0.5	< 2	0.11	< 0.5	7	20	21	2.43	< 10	< 1	0.03	10	0.21	545
BB 02890	201 202	< 5	0.2	1.66	38	120	< 0.5	2	0.13	< 0.5	17	38	59	5.45	10	< 1	0.06	10	0.80	680
BB 02891	201 202	< 5	0.2	0.97	28	210	< 0.5	2	0.08	< 0.5	14	20	55	3.37	< 10	< 1	0.05	10	0.23	420
BB 02892	201 202	< 5	< 0.2	0.93	34	190	< 0.5	< 2	0.16	< 0.5	11	19	39	3.22	< 10	< 1	0.05	10	0.26	430
BB 02893	201 202	< 5	0.2	0.69	24	170	< 0.5	< 2	0.03	< 0.5	11	16	39	2.54	< 10	< 1	0.04	10	0.15	1185
BB 02894	201 202	< 5	0.4	1.24	32	110	< 0.5	< 2	0.17	0.5	19	27	51	3.71	< 10	< 1	0.05	20	0.47	870
BB 02895	201 202	< 5	< 0.2	0.97	24	160	< 0.5	< 2	0.10	< 0.5	10	16	39	2.84	< 10	< 1	0.06	10	0.21	370
BB 02896	201 202	< 5	0.2	1.77	38	120	< 0.5	< 2	0.15	< 0.5	16	36	48	5.53	< 10	< 1	0.06	10	0.84	620
BB 02897	201 202	< 5	< 0.2	1.51	26	120	< 0.5	< 2	0.09	< 0.5	11	34	30	3.65	< 10	< 1	0.06	20	0.83	500
BB 02898	201 202	< 5	0.2	1.79	34	160	< 0.5	< 2	0.06	< 0.5	14	47	42	5.27	< 10	< 1	0.06	20	0.79	695
BB 02899	201 202	< 5	< 0.2	1.26	22	270	< 0.5	< 2	0.09	< 0.5	11	26	35	3.02	< 10	< 1	0.07	30	0.44	830
BB 02900	201 202	< 5	< 0.2	1.77	14	420	< 0.5	< 2	0.58	0.5	23	47	39	3.89	< 10	< 1	0.10	10	1.15	2290
BB 02901	201 202	< 5	0.2	1.28	24	210	< 0.5	< 2	0.15	< 0.5	12	26	44	3.72	< 10	< 1	0.06	10	0.49	535
BB 02902	201 202	< 5	0.6	1.34	28	250	< 0.5	< 2	0.09	< 0.5	13	26	48	3.49	< 10	< 1	0.07	10	0.35	425
BB 02903	201 202	< 5	< 0.2	1.25	38	140	< 0.5	< 2	0.09	< 0.5	17	30	47	4.11	< 10	< 1	0.05	10	0.43	1075
BB 02904	201 202	< 5	0.2	0.64	68	80	< 0.5	< 2	0.08	< 0.5	12	20	53	4.11	< 10	< 1	0.05	10	0.15	1235
BB 02905	201 202	< 5	< 0.2	2.00	18	230	< 0.5	< 2	0.38	< 0.5	13	24	20	3.91	< 10	< 1	0.25	< 10	1.21	945
BB 02906	201 202	< 5	0.2	0.68	86	190	< 0.5	< 2	0.31	0.5	27	26	90	5.19	< 10	< 1	0.05	30	0.34	2130
BB 02907	201 202	70	1.0	0.50	308	250	< 0.5	< 2	0.11	1.5	18	13	98	4.11	< 10	< 1	0.05	30	0.13	1350

CERTIFICATION:

David ...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project : MASK
 Comments:


Page Number : 2-B
 Total Pages : 7
 Certificate Date: 06-SEP-96
 Invoice No. : 19629805
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 02868	201 202	4 < 0.01		52	1630	32	8	3	23	0.05	< 10	< 10	59	< 10	132
BB 02869	201 202	1 < 0.01		21	620	10	6	1	9	0.03	< 10	< 10	44	< 10	62
BB 02870	201 202	1 < 0.01		22	770	12	4	< 1	12	0.01	< 10	< 10	35	< 10	60
BB 02871	201 202	2 < 0.01		32	1300	28	8	< 1	13	0.01	< 10	< 10	44	< 10	88
BB 02872	201 202	2 < 0.01		40	1020	32	8	1	16	0.01	< 10	< 10	35	< 10	100
BB 02873	201 202	5 < 0.01		43	1350	26	12	< 1	18	< 0.01	< 10	< 10	29	< 10	100
BB 02874	201 202	8 < 0.01		41	1720	44	14	1	27	0.01	< 10	< 10	25	< 10	130
BB 02875	201 202	13 < 0.01		63	1250	76	26	1	31	< 0.01	< 10	< 10	23	< 10	166
BB 02876	201 202	2 < 0.01		21	1640	272	16	2	48	0.03	< 10	< 10	33	< 10	218
BB 02877	201 202	5 < 0.01		33	820	36	112	1	34	0.03	< 10	< 10	36	< 10	100
BB 02878	201 202	3 < 0.01		31	1520	22	22	1	63	0.01	< 10	< 10	45	< 10	98
BB 02879	201 202	6 < 0.01		42	1770	22	28	1	40	0.01	< 10	< 10	44	< 10	130
BB 02880	201 202	1 < 0.01		39	810	26	42	2	13	0.02	< 10	< 10	32	< 10	126
BB 02881	201 202	5 < 0.01		84	1140	24	30	4	28	< 0.01	< 10	< 10	28	< 10	130
BB 02882	201 202	4 < 0.01		50	1210	60	22	1	19	0.01	< 10	< 10	34	< 10	140
BB 02883	201 202	3 < 0.01		49	710	72	6	3	10	0.05	< 10	< 10	47	< 10	112
BB 02884	201 202	3 < 0.01		37	670	22	6	1	14	0.03	< 10	< 10	51	< 10	96
BB 02885	201 202	1 < 0.01		29	760	20	2	2	13	0.04	< 10	< 10	40	< 10	78
BB 02886	201 202	3 < 0.01		25	1740	24	2	< 1	16	< 0.01	< 10	< 10	36	< 10	66
BB 02887	201 202	4 < 0.01		41	1030	22	10	1	19	0.05	< 10	< 10	63	< 10	118
BB 02888	201 202	2 < 0.01		26	1040	18	2	1	12	0.05	< 10	< 10	58	< 10	78
BB 02889	201 202	2 < 0.01		14	510	18	2	< 1	18	0.09	< 10	< 10	64	< 10	54
BB 02890	201 202	3 < 0.01		51	1400	18	12	3	24	0.10	< 10	< 10	82	< 10	126
BB 02891	201 202	3 < 0.01		37	790	26	10	1	22	0.05	< 10	< 10	57	< 10	106
BB 02892	201 202	2 < 0.01		26	740	22	8	< 1	18	0.01	< 10	< 10	49	< 10	82
BB 02893	201 202	3 < 0.01		25	760	22	8	< 1	10	0.01	< 10	< 10	40	< 10	90
BB 02894	201 202	2 < 0.01		41	1070	22	6	1	17	0.03	< 10	< 10	40	< 10	98
BB 02895	201 202	3 < 0.01		28	570	16	8	1	18	0.06	< 10	< 10	54	< 10	88
BB 02896	201 202	3 < 0.01		40	1780	22	6	2	22	0.07	< 10	< 10	68	< 10	96
BB 02897	201 202	3 < 0.01		34	660	24	6	1	14	0.04	< 10	< 10	48	< 10	84
BB 02898	201 202	5 < 0.01		50	960	14	6	3	14	0.02	< 10	< 10	59	< 10	86
BB 02899	201 202	2 < 0.01		24	900	16	2	1	17	0.03	< 10	< 10	36	< 10	68
BB 02900	201 202	1 < 0.01		43	1940	16	4	1	39	0.04	< 10	< 10	45	< 10	112
BB 02901	201 202	3 < 0.01		36	900	20	18	1	18	0.07	< 10	< 10	54	< 10	104
BB 02902	201 202	3 < 0.01		32	1020	18	10	< 1	20	0.02	< 10	< 10	61	< 10	92
BB 02903	201 202	3 < 0.01		36	1180	26	8	< 1	16	0.04	< 10	< 10	62	< 10	90
BB 02904	201 202	3 < 0.01		32	1630	32	12	< 1	13	< 0.01	< 10	< 10	38	< 10	110
BB 02905	201 202	1 < 0.01		38	1780	10	6	1	21	0.05	< 10	< 10	84	< 10	86
BB 02906	201 202	4 < 0.01		63	2070	30	24	3	38	< 0.01	< 10	< 10	29	< 10	154
BB 02907	201 202	3 < 0.01		50	950	16	20	3	30	< 0.01	< 10	< 10	21	< 10	128

CERTIFICATION:

[Handwritten signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8


Project: MASK
 Comments:

Page Number: 3-A
 Total Pages: 7
 Certificate Date: 06-SEP-96
 Invoice No.: I9629805
 P.O. Number:
 Account: MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
BB 02908	201 202	< 5	< 0.2	4.71	54	390	1.5	2	0.77	2.0	65	554	136	9.54	10	1	0.28	30	5.43	2160
BB 02909	201 202	20	0.8	1.35	142	190	< 0.5	< 2	0.09	0.5	13	33	57	4.23	< 10	< 1	0.08	30	0.41	495
BB 02910	201 202	5	0.2	1.35	54	190	< 0.5	< 2	0.18	< 0.5	9	26	44	3.38	< 10	< 1	0.08	20	0.40	555
BB 02911	201 202	< 5	0.2	1.17	50	150	< 0.5	< 2	0.11	< 0.5	11	20	61	3.68	< 10	< 1	0.07	30	0.29	350
BB 02912	201 202	< 5	0.6	0.96	58	150	< 0.5	< 2	0.21	< 0.5	6	17	44	2.73	< 10	< 1	0.04	10	0.16	415
BB 02913	201 202	< 5	< 0.2	1.55	34	530	< 0.5	< 2	0.33	< 0.5	9	34	29	3.02	< 10	< 1	0.04	10	0.79	445
BB 02914	201 202	< 5	< 0.2	1.28	48	150	< 0.5	< 2	0.08	< 0.5	15	34	44	4.67	< 10	< 1	0.05	10	0.33	710
BB 02915	201 202	< 5	0.2	1.26	26	120	< 0.5	< 2	0.06	< 0.5	10	21	36	3.97	< 10	< 1	0.05	20	0.21	620
BB 02916	201 202	< 5	0.2	1.51	18	180	< 0.5	< 2	0.33	< 0.5	18	41	52	5.07	< 10	< 1	0.10	90	0.77	845
BB 02917	201 202	< 5	0.4	3.65	20	1010	0.5	6	0.81	< 0.5	49	269	77	7.78	10	< 1	0.17	10	3.37	1440
BB 02918	201 202	< 5	2.8	1.03	28	120	< 0.5	< 2	0.09	< 0.5	14	36	45	4.17	< 10	< 1	0.07	10	0.29	455
BB 02919	201 202	25	0.8	1.54	36	220	< 0.5	< 2	0.26	< 0.5	14	84	42	5.56	< 10	< 1	0.10	20	0.86	805
BB 02920	201 202	< 5	0.2	0.88	22	110	< 0.5	< 2	0.16	< 0.5	13	25	27	4.12	< 10	< 1	0.09	30	0.31	605
BB 02921	201 202	< 5	0.2	0.90	8	220	< 0.5	< 2	0.67	< 0.5	11	8	26	6.22	< 10	< 1	0.20	90	0.28	720
BB 02922	201 202	< 5	< 0.2	1.43	36	110	< 0.5	< 2	0.23	< 0.5	19	29	48	5.75	< 10	< 1	0.11	60	0.67	865
BB 02923	201 202	< 5	< 0.2	1.25	24	80	< 0.5	< 2	0.14	< 0.5	11	47	45	4.51	< 10	< 1	0.07	20	0.49	635
BB 02924	201 202	10	< 0.2	0.89	14	220	< 0.5	< 2	0.05	< 0.5	26	39	65	5.16	< 10	< 1	0.06	40	0.31	815
BB 02925	201 202	< 5	0.2	0.56	26	110	< 0.5	< 2	0.03	< 0.5	11	27	76	4.85	< 10	< 1	0.03	20	0.13	195
BB 02926	201 202	10	0.2	0.98	28	150	< 0.5	< 2	0.07	< 0.5	14	39	100	4.99	< 10	< 1	0.04	30	0.48	425
BB 02927	201 202	15	2.4	1.47	56	160	< 0.5	2	0.01	< 0.5	22	82	77	5.66	< 10	< 1	0.04	30	1.03	710
BB 02928	201 202	< 5	0.6	1.33	70	70	< 0.5	< 2	0.03	< 0.5	23	49	47	5.11	< 10	< 1	0.07	50	0.67	1015
BB 02929	201 202	< 5	< 0.2	2.18	12	210	0.5	< 2	0.67	< 0.5	25	195	58	5.48	< 10	1	0.27	70	1.45	830
BB 02930	201 202	< 5	< 0.2	1.64	10	90	< 0.5	< 2	0.46	< 0.5	18	105	56	4.49	< 10	< 1	0.12	20	1.00	780
BB 02931	201 202	< 5	< 0.2	1.41	10	100	< 0.5	< 2	0.39	< 0.5	12	27	21	3.71	< 10	< 1	0.07	30	0.64	595
BB 02932	201 202	< 5	0.6	1.38	22	230	0.5	< 2	0.31	< 0.5	28	116	85	6.61	< 10	< 1	0.06	20	0.69	1370
BB 02933	201 202	< 5	0.2	1.65	38	170	< 0.5	< 2	0.32	< 0.5	23	75	43	5.52	< 10	< 1	0.09	10	1.09	860
BB 02934	201 202	90	0.8	2.85	14	680	0.5	2	0.68	< 0.5	33	157	118	6.51	< 10	< 1	0.06	20	2.38	985
BB 02935	201 202	< 5	1.0	2.00	36	250	< 0.5	< 2	0.36	< 0.5	21	101	79	6.42	< 10	< 1	0.07	30	1.30	745
BB 02936	201 202	< 5	0.4	2.45	24	340	0.5	2	1.06	< 0.5	23	44	47	6.40	10	< 1	0.25	30	1.74	1025
BB 02937	201 202	30	0.4	2.77	24	630	0.5	2	0.92	< 0.5	49	87	115	7.94	< 10	< 1	0.47	40	2.08	1540
BB 02938	201 202	< 5	0.4	3.39	30	340	0.5	16	1.20	< 0.5	53	242	108	8.65	10	< 1	0.12	10	3.22	1045
BB 02939	201 202	< 5	0.2	2.68	4	850	0.5	6	1.17	< 0.5	38	246	76	5.89	< 10	< 1	0.06	10	2.89	660
BB 02940	201 202	< 5	< 0.2	1.50	16	100	< 0.5	< 2	0.15	< 0.5	19	34	43	5.53	< 10	< 1	0.08	50	0.62	880
BB 02941	201 202	< 5	0.2	1.51	18	200	< 0.5	< 2	0.11	< 0.5	12	28	40	6.47	< 10	< 1	0.15	70	0.45	730
BB 02942	201 202	< 5	< 0.2	0.16	8	40	< 0.5	< 2	0.01	< 0.5	3	9	16	1.14	< 10	< 1	0.03	< 10	0.05	160
BB 02943	201 202	< 5	0.2	0.88	34	110	< 0.5	< 2	0.06	< 0.5	11	22	35	4.39	< 10	< 1	0.05	20	0.35	785
BB 02944	201 202	20	1.6	0.85	82	300	< 0.5	< 2	0.06	< 0.5	12	28	62	3.98	< 10	< 1	0.04	20	0.23	350
BB 02945	201 202	< 5	0.6	0.82	102	340	< 0.5	2	0.02	< 0.5	11	32	58	4.53	< 10	< 1	0.04	30	0.24	325
BB 02946	201 202	< 5	0.6	2.00	10	410	< 0.5	< 2	1.20	< 0.5	17	72	42	4.10	< 10	< 1	0.06	20	1.30	630
BB 02947	201 202	< 5	0.4	2.30	10	610	0.5	< 2	1.28	< 0.5	16	72	35	4.50	< 10	< 1	0.06	20	1.50	810

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: MASK
Comments:

Page Number: 3-B
Total Pages: 7
Certificate Date: 06-SEP-96
Invoice No.: I9629805
P.O. Number:
Account: MPO


CERTIFICATE OF ANALYSIS

A9629805

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 02908	201 202	1 < 0.01		539	2370	6	10	22	53	0.08	< 10	< 10	210	< 10	402
BB 02909	201 202	1 < 0.01		60	760	20	72	4	26	0.04	< 10	< 10	55	< 10	156
BB 02910	201 202	1 < 0.01		37	820	12	18	3	26	0.05	< 10	< 10	44	< 10	90
BB 02911	201 202	2 < 0.01		52	710	16	10	2	19	0.03	< 10	< 10	32	< 10	104
BB 02912	201 202	3	0.04	23	1290	18	8	< 1	20	< 0.01	< 10	< 10	30	< 10	48
BB 02913	201 202	< 1	0.04	43	1070	12	6	3	27	0.01	< 10	< 10	48	< 10	90
BB 02914	201 202	2 < 0.01		33	1540	20	12	< 1	14	0.02	< 10	< 10	59	< 10	96
BB 02915	201 202	3 < 0.01		26	690	24	10	1	21	0.04	< 10	< 10	50	< 10	80
BB 02916	201 202	< 1	< 0.01	58	980	24	2	3	28	0.03	< 10	< 10	31	< 10	94
BB 02917	201 202	2 < 0.01		189	1060	2	6	6	27	0.45	< 10	< 10	156	< 10	80
BB 02918	201 202	5 < 0.01		44	1400	18	< 2	< 1	13	0.01	< 10	< 10	65	< 10	62
BB 02919	201 202	3 < 0.01		58	1800	14	< 2	1	19	0.02	< 10	< 10	69	< 10	62
BB 02920	201 202	1 < 0.01		41	1350	12	2	< 1	19	< 0.01	< 10	< 10	48	< 10	72
BB 02921	201 202	4 < 0.01		21	3440	28	2	1	122	< 0.01	< 10	< 10	12	< 10	150
BB 02922	201 202	1 < 0.01		54	1340	28	4	2	37	0.01	< 10	< 10	36	< 10	110
BB 02923	201 202	1 < 0.01		26	990	14	< 2	2	25	0.02	< 10	< 10	43	< 10	68
BB 02924	201 202	2 < 0.01		78	750	12	< 2	3	16	< 0.01	< 10	< 10	35	< 10	70
BB 02925	201 202	10 < 0.01		66	1560	10	2	1	17	0.01	< 10	< 10	71	< 10	48
BB 02926	201 202	11 < 0.01		85	1280	18	< 2	1	16	< 0.01	< 10	< 10	64	< 10	70
BB 02927	201 202	14 < 0.01		93	1200	14	2	7	28	< 0.01	< 10	< 10	68	< 10	44
BB 02928	201 202	3 < 0.01		67	730	20	2	3	14	< 0.01	< 10	< 10	42	< 10	102
BB 02929	201 202	< 1	0.01	91	1280	20	< 2	14	46	0.03	< 10	< 10	92	< 10	86
BB 02930	201 202	1	0.01	41	870	16	< 2	4	47	0.07	< 10	< 10	78	< 10	86
BB 02931	201 202	1 < 0.01		28	1660	10	< 2	3	34	0.04	< 10	< 10	38	< 10	90
BB 02932	201 202	4	0.01	142	1980	14	2	2	26	0.01	< 10	< 10	90	< 10	86
BB 02933	201 202	3 < 0.01		70	1370	14	< 2	3	16	0.01	< 10	< 10	61	< 10	52
BB 02934	201 202	3 < 0.01		141	1270	6	4	7	27	0.14	< 10	< 10	92	< 10	56
BB 02935	201 202	3 < 0.01		98	1030	14	2	5	19	0.06	< 10	< 10	70	< 10	68
BB 02936	201 202	3 < 0.01		55	3030	12	2	5	68	0.13	< 10	< 10	59	< 10	78
BB 02937	201 202	4 < 0.01		106	2590	8	6	6	53	0.23	< 10	< 10	91	< 10	64
BB 02938	201 202	< 1	< 0.01	206	1520	2	2	9	43	0.32	< 10	< 10	114	< 10	56
BB 02939	201 202	< 1	< 0.01	218	1080	< 2	4	6	47	0.37	< 10	< 10	94	< 10	62
BB 02940	201 202	1 < 0.01		46	1040	20	2	3	34	0.01	< 10	< 10	34	< 10	114
BB 02941	201 202	4	0.01	36	2520	42	2	1	107	< 0.01	< 10	< 10	35	< 10	102
BB 02942	201 202	1 < 0.01		7	290	6	< 2	< 1	16	< 0.01	< 10	< 10	11	< 10	18
BB 02943	201 202	5 < 0.01		31	730	12	2	1	13	0.02	< 10	< 10	46	< 10	94
BB 02944	201 202	17 < 0.01		46	1040	10	2	3	57	0.02	< 10	< 10	56	< 10	46
BB 02945	201 202	8 < 0.01		54	960	18	2	2	54	0.01	< 10	< 10	57	< 10	54
BB 02946	201 202	2 < 0.01		59	1450	12	2	4	56	0.09	< 10	< 10	58	< 10	68
BB 02947	201 202	1	0.01	57	1230	4	6	5	51	0.12	< 10	< 10	62	< 10	46

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: MASK
 Comments:

Page Number: 4-A
 Total Pages: 7
 Certificate Date: 06-SEP-96
 Invoice No.: 19629805
 P.O. Number:
 Account: MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
BB 02948	201	202	< 5	0.6	2.02	6	300	< 0.5	< 2	1.46	< 0.5	17	67	53	4.27	< 10	< 1	0.07	20	1.45	770
BB 02949	201	202	< 5	0.2	2.77	6	520	< 0.5	4	1.54	< 0.5	31	207	61	4.50	< 10	< 1	0.22	10	3.21	690
BB 02950	201	202	< 5	0.2	2.60	86	170	< 0.5	< 2	0.92	< 0.5	36	250	30	6.33	< 10	< 1	0.05	30	2.35	1145
BB 02951	201	202	< 5	< 0.2	0.80	4	140	< 0.5	< 2	0.48	< 0.5	7	14	16	2.51	< 10	< 1	0.10	40	0.20	230
BB 02952	201	202	< 5	1.0	2.47	48	220	< 0.5	8	0.09	< 0.5	36	267	190	11.20	< 10	< 1	0.05	10	1.83	805
BB 02953	201	202	< 5	2.2	1.04	56	100	< 0.5	2	0.03	< 0.5	7	37	36	3.95	< 10	< 1	0.08	50	0.59	290
BB 02954	201	202	< 5	0.6	1.12	40	80	< 0.5	< 2	0.13	< 0.5	12	40	26	4.34	< 10	< 1	0.07	30	0.47	390
BB 02955	201	202	< 5	0.2	1.19	42	80	< 0.5	< 2	0.04	< 0.5	12	21	39	5.24	< 10	< 1	0.05	20	0.22	545
BB 02956	201	202	< 5	0.6	1.38	44	160	< 0.5	< 2	0.01	4.0	30	26	20	5.13	< 10	< 1	0.04	30	0.10	5010
BB 02957	201	202	< 5	0.6	2.24	38	170	< 0.5	2	0.16	< 0.5	14	62	24	4.55	< 10	< 1	0.07	20	2.12	670
BB 02958	201	202	< 5	< 0.2	1.99	28	130	< 0.5	< 2	0.08	< 0.5	16	38	35	5.78	< 10	< 1	0.07	10	0.93	865
BB 02959	201	202	< 5	0.2	1.62	10	160	< 0.5	< 2	0.13	< 0.5	16	21	37	5.48	< 10	< 1	0.06	20	0.54	660
BB 02960	201	202	< 5	1.2	2.07	66	140	< 0.5	2	0.10	< 0.5	30	147	83	7.87	< 10	< 1	0.06	10	1.59	1125
BB 02961	201	202	30	1.2	2.89	48	160	< 0.5	84	0.19	< 0.5	40	295	112	10.70	< 10	< 1	0.01	< 10	2.84	1130
BB 02962	201	202	< 5	1.6	0.66	218	140	< 0.5	< 2	< 0.01	< 0.5	20	25	231	8.50	< 10	< 1	0.06	20	0.05	475
BB 02963	201	202	< 5	0.2	0.85	30	120	< 0.5	< 2	0.23	< 0.5	16	20	38	5.20	< 10	< 1	0.09	40	0.25	640
BB 02964	201	202	< 5	1.2	2.88	48	160	< 0.5	< 2	1.72	< 0.5	31	81	60	5.01	< 10	< 1	0.11	70	2.75	1215
BB 02965	201	202	< 5	0.2	1.89	6	300	< 0.5	< 2	1.13	< 0.5	22	120	47	3.47	< 10	< 1	0.05	< 10	1.79	540
BB 02966	201	202	< 5	< 0.2	1.97	34	140	< 0.5	2	0.18	< 0.5	14	101	36	5.53	< 10	< 1	0.07	10	1.32	625
BB 02967	201	202	15	1.2	2.83	102	220	0.5	< 2	0.45	< 0.5	54	244	58	9.30	< 10	< 1	0.04	50	2.84	2570
BB 02968	201	202	< 5	0.2	1.28	40	70	< 0.5	2	0.14	< 0.5	20	74	54	5.25	< 10	< 1	0.04	30	0.69	495
BB 02969	201	202	< 5	0.6	1.92	14	350	< 0.5	< 2	0.93	< 0.5	16	54	39	4.32	< 10	< 1	0.06	40	1.04	720
BB 02970	201	202	< 5	0.4	1.35	26	170	< 0.5	< 2	0.80	< 0.5	12	41	27	4.19	< 10	< 1	0.06	40	0.79	440
BB 02971	201	202	< 5	0.8	1.90	48	180	< 0.5	< 2	0.86	< 0.5	34	85	66	6.81	< 10	< 1	0.10	50	1.57	1255
BB 02972	201	202	< 5	0.2	2.71	62	210	0.5	< 2	0.82	< 0.5	28	87	55	6.67	< 10	< 1	0.06	50	2.15	1210
BB 02973	201	202	< 5	0.4	1.16	86	350	0.5	2	1.51	< 0.5	35	161	76	8.52	< 10	< 1	0.04	40	0.61	1260
BB 02974	201	202	< 5	0.2	2.31	28	230	0.5	< 2	0.14	< 0.5	21	91	40	5.92	< 10	< 1	0.05	20	1.01	1845
BB 02975	201	202	< 5	< 0.2	2.34	34	880	0.5	< 2	0.46	< 0.5	18	86	40	6.14	< 10	< 1	0.07	40	1.32	995
BB 02976	201	202	< 5	< 0.2	3.64	28	270	0.5	2	0.58	< 0.5	29	121	59	6.41	10	< 1	0.06	40	3.27	1000
BB 02977	201	202	< 5	< 0.2	0.86	26	250	< 0.5	< 2	0.20	< 0.5	14	21	44	3.30	< 10	< 1	0.06	10	0.41	920
BB 02978	201	202	< 5	0.4	1.84	16	520	0.5	< 2	2.70	< 0.5	13	52	115	3.29	< 10	< 1	0.03	50	0.97	875
BB 02979	201	202	< 5	0.2	1.71	28	460	< 0.5	2	0.75	< 0.5	25	69	40	5.12	< 10	< 1	0.08	30	1.10	1210
BB 02980	201	202	< 5	0.6	2.28	24	340	0.5	< 2	0.86	< 0.5	18	77	43	4.74	< 10	< 1	0.06	30	1.69	775
BB 02981	201	202	< 5	0.2	1.77	12	310	< 0.5	2	0.66	0.5	18	116	31	4.24	< 10	< 1	0.07	10	1.38	645
BB 02982	201	202	< 5	< 0.2	1.87	60	210	< 0.5	2	0.32	< 0.5	30	63	59	6.17	< 10	< 1	0.09	10	1.16	1650
BB 02983	201	202	< 5	2.6	1.93	12	290	1.0	< 2	0.37	7.0	5	19	141	3.24	< 10	< 1	0.04	40	0.17	325
BB 03392	201	202	< 5	1.0	1.94	18	350	0.5	< 2	0.91	0.5	13	34	43	4.01	< 10	< 1	0.07	40	0.94	1610
BB 03393	201	202	< 5	< 0.2	1.68	< 2	170	< 0.5	< 2	0.35	< 0.5	12	35	25	3.37	< 10	< 1	0.05	10	1.17	490
BB 03394	201	202	< 5	< 0.2	0.70	< 2	160	< 0.5	< 2	0.05	< 0.5	6	15	15	2.50	< 10	< 1	0.05	40	0.29	250
BB 03395	201	202	< 5	< 0.2	0.65	24	120	< 0.5	< 2	0.12	< 0.5	14	23	40	3.79	< 10	< 1	0.06	30	0.25	655

CERTIFICATION: *Hart Buchler*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: MASK
Comments:


Page Number: 4-B
Total Pages: 7
Certificate Date: 06-SEP-96
Invoice No.: I9629805
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 02948	201 202	1 < 0.01		62	1170	8	6	6	55	0.09	< 10	< 10	64	< 10	56
BB 02949	201 202	1 < 0.01		171	1330	< 2	2	3	84	0.33	< 10	< 10	81	< 10	52
BB 02950	201 202	< 1	0.01	258	1050	10	2	7	24	< 0.01	< 10	< 10	74	< 10	116
BB 02951	201 202	< 1	0.01	17	930	12	2	< 1	33	< 0.01	< 10	< 10	22	< 10	64
BB 02952	201 202	14 < 0.01		179	1880	40	2	6	32	0.24	< 10	< 10	136	< 10	118
BB 02953	201 202	7 < 0.01		37	1060	72	2	1	15	< 0.01	< 10	< 10	30	< 10	102
BB 02954	201 202	1 < 0.01		49	1030	22	2	1	15	0.03	< 10	< 10	57	< 10	80
BB 02955	201 202	3 < 0.01		30	940	24	< 2	2	15	0.02	< 10	< 10	63	< 10	74
BB 02956	201 202	1 < 0.01		43	1050	20	2	3	21	< 0.01	< 10	< 10	35	< 10	630
BB 02957	201 202	4 < 0.01		65	1620	18	< 2	4	27	< 0.01	< 10	< 10	75	< 10	54
BB 02958	201 202	2 < 0.01		48	1660	8	< 2	1	13	0.01	< 10	< 10	76	< 10	94
BB 02959	201 202	3 < 0.01		34	2430	8	2	< 1	16	0.01	< 10	< 10	102	< 10	78
BB 02960	201 202	3 < 0.01		123	1650	24	< 2	2	15	0.05	< 10	< 10	109	< 10	82
BB 02961	201 202	4 < 0.01		181	1450	22	2	3	25	0.43	< 10	< 10	128	< 10	100
BB 02962	201 202	29 < 0.01		71	1830	76	8	1	82	< 0.01	< 10	< 10	105	< 10	138
BB 02963	201 202	< 1 < 0.01		40	790	64	2	1	31	0.01	< 10	< 10	29	< 10	76
BB 02964	201 202	4 < 0.01		106	2230	22	2	6	67	0.03	< 10	< 10	82	< 10	62
BB 02965	201 202	1	0.01	100	1240	2	2	2	55	0.20	< 10	< 10	58	< 10	34
BB 02966	201 202	2 < 0.01		79	990	28	2	2	19	0.19	< 10	< 10	83	< 10	124
BB 02967	201 202	3 < 0.01		344	1340	12	6	12	42	0.03	< 10	< 10	107	< 10	120
BB 02968	201 202	4 < 0.01		89	1000	30	< 2	3	18	0.08	< 10	< 10	72	< 10	98
BB 02969	201 202	3 < 0.01		74	1580	14	2	4	45	0.03	< 10	< 10	37	< 10	96
BB 02970	201 202	3	0.01	52	1650	16	< 2	3	43	0.01	< 10	< 10	39	< 10	92
BB 02971	201 202	5 < 0.01		122	2500	22	2	7	45	0.01	< 10	< 10	76	< 10	148
BB 02972	201 202	2 < 0.01		97	1860	14	< 2	9	34	0.09	< 10	< 10	79	< 10	108
BB 02973	201 202	< 1 < 0.01		164	2810	10	2	16	59	0.01	< 10	< 10	134	< 10	104
BB 02974	201 202	< 1 < 0.01		66	1950	22	2	1	13	0.07	< 10	< 10	94	< 10	92
BB 02975	201 202	2 < 0.01		71	2080	20	< 2	4	32	0.04	< 10	< 10	71	< 10	108
BB 02976	201 202	1 < 0.01		106	1340	16	< 2	9	40	0.10	< 10	< 10	108	< 10	122
BB 02977	201 202	2 < 0.01		39	570	60	2	2	27	0.01	< 10	< 10	28	< 10	116
BB 02978	201 202	< 1 < 0.01		51	2790	14	2	3	103	0.01	< 10	10	40	< 10	60
BB 02979	201 202	1 < 0.01		67	1350	24	< 2	5	48	0.07	< 10	< 10	62	< 10	100
BB 02980	201 202	1 < 0.01		69	1800	20	< 2	7	45	0.06	< 10	< 10	58	< 10	106
BB 02981	201 202	1 < 0.01		74	740	10	2	1	23	0.29	< 10	< 10	105	< 10	72
BB 02982	201 202	4 < 0.01		75	2200	36	2	3	25	0.12	< 10	< 10	62	< 10	132
BB 02983	201 202	< 1 < 0.01		55	3190	18	2	1	36	0.01	< 10	< 10	27	< 10	102
BB 03392	201 202	1	0.01	51	1850	10	< 2	5	56	< 0.01	< 10	< 10	39	< 10	146
BB 03393	201 202	1	0.01	32	880	6	< 2	2	28	0.15	< 10	< 10	58	< 10	62
BB 03394	201 202	< 1 < 0.01		21	240	2	< 2	1	12	0.03	< 10	< 10	18	< 10	82
BB 03395	201 202	3 < 0.01		40	520	10	< 2	2	23	0.05	< 10	< 10	43	< 10	102

CERTIFICATION:

David Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project : MASK
 Comments :


Page Number : 5-A
 Total Pages : 7
 Certificate Date: 06-SEP-96
 Invoice No. : 19629805
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
BB 03396	201	202	< 5	0.2	1.15	2	240	< 0.5	< 2	0.01	< 0.5	6	12	22	2.20	< 10	< 1	0.05	70	0.31	305
BB 03397	201	202	< 5	0.6	1.58	12	410	< 0.5	< 2	0.68	< 0.5	11	33	42	3.37	< 10	< 1	0.07	40	0.73	715
BB 03398	201	202	< 5	< 0.2	1.09	12	180	< 0.5	< 2	0.27	< 0.5	8	19	29	3.02	< 10	< 1	0.06	40	0.37	540
BB 03399	201	202	20	6.8	2.56	56	100	< 0.5	2	0.59	< 0.5	19	38	148	5.58	< 10	< 1	0.04	60	2.06	965
BB 03400	201	202	< 5	< 0.2	2.30	22	90	< 0.5	< 2	0.51	< 0.5	12	64	23	2.42	< 10	< 1	0.03	10	1.96	1070
BB 03401	201	202	< 5	< 0.2	1.58	14	210	< 0.5	< 2	0.33	< 0.5	11	27	27	2.85	< 10	< 1	0.05	10	0.79	405
BB 03402	201	202	< 5	< 0.2	1.55	22	90	< 0.5	< 2	0.07	< 0.5	8	31	23	3.12	< 10	< 1	0.04	10	0.50	315
BB 03403	201	202	< 5	< 0.2	1.41	28	190	< 0.5	< 2	0.09	< 0.5	11	31	24	3.16	< 10	< 1	0.06	10	0.61	595
BB 03404	201	202	< 5	< 0.2	1.24	10	80	< 0.5	2	0.03	< 0.5	8	29	19	2.09	< 10	< 1	0.04	20	0.17	155
BB 03405	201	202	< 5	< 0.2	1.52	20	230	< 0.5	< 2	0.81	< 0.5	9	26	46	2.79	< 10	< 1	0.09	50	0.66	745
BB 03406	201	202	< 5	0.2	1.87	42	140	< 0.5	2	0.11	< 0.5	13	37	29	5.19	< 10	< 1	0.18	10	0.95	585
BB 03407	201	202	< 5	< 0.2	1.69	42	110	< 0.5	< 2	0.24	< 0.5	17	33	56	5.52	< 10	< 1	0.08	20	0.87	780
BB 03408	201	202	< 5	< 0.2	1.15	12	130	< 0.5	< 2	0.05	< 0.5	8	18	34	2.10	< 10	< 1	0.04	30	0.10	160
BB 03409	201	202	< 5	0.6	2.27	38	120	< 0.5	< 2	0.09	< 0.5	10	33	31	4.47	< 10	< 1	0.07	20	0.65	405
BB 03410	201	202	< 5	0.2	1.83	30	110	< 0.5	< 2	0.05	< 0.5	9	35	28	4.37	< 10	< 1	0.04	10	0.56	415
BB 03411	201	202	< 5	< 0.2	1.62	36	100	< 0.5	< 2	0.06	< 0.5	11	42	35	4.54	< 10	< 1	0.06	10	0.90	440
BB 03412	201	202	< 5	< 0.2	0.85	34	90	< 0.5	2	0.05	< 0.5	11	21	29	3.18	< 10	< 1	0.04	< 10	0.35	280
BB 03413	201	202	< 5	< 0.2	1.09	34	90	< 0.5	< 2	0.05	< 0.5	10	22	30	3.42	< 10	< 1	0.03	10	0.47	335
BB 03414	201	202	< 5	< 0.2	1.61	26	160	< 0.5	< 2	0.04	< 0.5	6	20	11	3.21	< 10	< 1	0.06	30	0.49	415
BB 03415	201	202	< 5	0.4	1.26	58	180	< 0.5	< 2	0.20	< 0.5	17	30	50	4.04	< 10	< 1	0.05	10	0.66	835
BB 03416	201	202	< 5	0.6	1.50	44	130	< 0.5	4	0.24	< 0.5	15	43	44	4.22	< 10	< 1	0.08	20	0.93	740
BB 03417	201	202	< 5	< 0.2	1.22	26	100	< 0.5	< 2	0.03	< 0.5	7	28	19	3.70	< 10	< 1	0.05	10	0.26	630
BB 03418	201	202	< 5	0.2	1.30	20	190	< 0.5	2	0.12	< 0.5	4	47	25	2.70	< 10	< 1	0.17	10	0.97	295
BB 03419	201	202	< 5	0.2	1.86	30	150	< 0.5	2	0.08	< 0.5	9	49	31	4.25	< 10	< 1	0.04	20	0.91	375
BB 03420	201	202	10	1.0	2.90	62	670	< 0.5	10	0.09	< 0.5	9	246	85	7.67	10	< 1	0.05	10	3.09	1130
BB 03421	201	202	15	0.2	1.50	46	210	< 0.5	2	0.03	< 0.5	9	44	50	5.57	< 10	< 1	0.06	10	0.87	405
BB 03422	201	202	< 5	0.4	1.31	22	160	< 0.5	2	0.10	< 0.5	8	31	46	3.21	< 10	< 1	0.06	10	0.69	420
BB 03423	201	202	< 5	0.2	3.04	40	100	< 0.5	2	0.12	< 0.5	16	108	68	6.75	10	< 1	0.10	< 10	2.52	1115
BB 03424	201	202	< 5	1.0	1.77	28	290	< 0.5	2	0.29	< 0.5	8	40	47	3.49	< 10	< 1	0.06	20	0.89	440
BB 03425	201	202	< 5	0.2	1.39	60	80	< 0.5	2	0.08	< 0.5	21	43	49	5.94	< 10	< 1	0.04	10	0.85	925
BB 03426	201	202	< 5	0.4	1.53	68	200	< 0.5	< 2	0.27	1.0	28	38	55	4.04	< 10	< 1	0.06	30	0.75	1175
BB 03427	201	202	< 5	0.2	1.61	32	140	< 0.5	2	0.10	< 0.5	15	41	31	4.90	< 10	< 1	0.06	10	0.70	1115
BB 03428	201	202	< 5	0.4	1.51	22	190	< 0.5	< 2	0.05	0.5	9	34	51	3.78	< 10	< 1	0.06	10	0.43	585
BB 03429	201	202	< 5	0.2	1.89	96	140	< 0.5	2	0.07	< 0.5	13	40	41	5.87	< 10	< 1	0.05	10	0.73	560
BB 03430	201	202	< 5	0.2	1.91	48	230	< 0.5	2	0.05	< 0.5	14	44	33	4.90	< 10	< 1	0.05	10	0.75	770
BB 03431	201	202	< 5	0.6	1.87	48	130	< 0.5	2	0.04	< 0.5	11	37	28	4.37	< 10	< 1	0.04	10	0.70	830
BB 03432	201	202	< 5	0.8	1.68	80	390	< 0.5	8	0.03	< 0.5	11	38	69	6.13	< 10	< 1	0.07	10	0.66	450
BB 03433	201	202	< 5	0.4	0.54	74	50	< 0.5	2	0.01	< 0.5	14	19	57	5.26	< 10	< 1	0.03	10	0.23	410
BB 03434	201	202	< 5	0.6	1.23	16	130	< 0.5	2	0.07	< 0.5	6	30	40	2.61	< 10	< 1	0.05	10	0.35	210
BB 03435	201	202	25	< 0.2	0.71	36	170	< 0.5	< 2	0.01	< 0.5	9	12	54	5.06	< 10	< 1	0.07	40	0.11	240

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project : MASK
 Comments:


Page Number : 5-B
 Total Pages : 7
 Certificate Date: 06-SEP-96
 Invoice No. : 19629805
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS

A9629805

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 03396	201 202	< 1	0.01	15	310	26	2	1	15	< 0.01	< 10	< 10	14	< 10	38
BB 03397	201 202	< 1	0.01	43	2130	16	2	3	48	0.01	< 10	< 10	35	< 10	108
BB 03398	201 202	2	0.01	25	990	14	< 2	< 1	25	< 0.01	< 10	< 10	35	< 10	68
BB 03399	201 202	11	< 0.01	43	1850	30	6	4	30	0.03	< 10	< 10	51	< 10	68
BB 03400	201 202	< 1	< 0.01	20	540	14	< 2	8	27	0.03	< 10	< 10	44	< 10	24
BB 03401	201 202	1	< 0.01	22	960	10	2	3	23	0.06	< 10	< 10	38	< 10	52
BB 03402	201 202	3	< 0.01	24	410	12	< 2	3	11	0.05	< 10	< 10	54	< 10	48
BB 03403	201 202	3	< 0.01	27	620	12	4	3	14	0.06	< 10	< 10	60	< 10	58
BB 03404	201 202	1	< 0.01	35	420	12	2	1	9	0.06	< 10	< 10	51	< 10	38
BB 03405	201 202	< 1	0.03	31	1440	4	4	1	49	0.01	< 10	< 10	28	< 10	48
BB 03406	201 202	1	< 0.01	30	1000	18	2	3	12	0.08	< 10	< 10	70	< 10	66
BB 03407	201 202	3	< 0.01	40	2640	22	6	1	29	0.03	< 10	< 10	53	< 10	80
BB 03408	201 202	1	< 0.01	17	320	8	< 2	1	13	0.05	< 10	< 10	56	< 10	36
BB 03409	201 202	3	< 0.01	25	1140	12	< 2	3	13	0.05	< 10	< 10	54	< 10	66
BB 03410	201 202	2	< 0.01	25	920	18	< 2	3	9	0.05	< 10	< 10	46	< 10	68
BB 03411	201 202	3	< 0.01	35	1080	16	< 2	1	10	0.03	< 10	< 10	47	< 10	70
BB 03412	201 202	2	< 0.01	30	860	16	6	1	9	0.06	< 10	< 10	47	< 10	86
BB 03413	201 202	2	< 0.01	29	950	20	6	1	9	0.05	< 10	< 10	46	< 10	84
BB 03414	201 202	1	< 0.01	16	820	10	2	1	10	0.03	< 10	< 10	34	< 10	54
BB 03415	201 202	3	< 0.01	41	1150	50	2	3	17	0.04	< 10	< 10	40	< 10	138
BB 03416	201 202	2	< 0.01	43	1120	30	2	2	17	0.09	< 10	< 10	50	< 10	118
BB 03417	201 202	2	< 0.01	16	860	20	< 2	1	8	0.04	< 10	< 10	53	< 10	68
BB 03418	201 202	3	< 0.01	46	830	28	< 2	1	18	0.09	< 10	< 10	48	< 10	54
BB 03419	201 202	4	< 0.01	30	1190	20	< 2	3	17	0.08	< 10	< 10	58	< 10	56
BB 03420	201 202	2	< 0.01	116	1470	78	2	9	28	0.03	< 10	< 10	116	< 10	224
BB 03421	201 202	3	< 0.01	38	970	22	< 2	3	17	0.06	< 10	< 10	45	< 10	84
BB 03422	201 202	3	0.02	29	740	22	< 2	1	14	0.02	< 10	< 10	36	< 10	64
BB 03423	201 202	2	< 0.01	76	1060	10	4	5	7	0.16	< 10	< 10	108	< 10	94
BB 03424	201 202	3	< 0.01	34	1690	18	2	3	24	0.03	< 10	< 10	44	< 10	72
BB 03425	201 202	4	< 0.01	45	1940	20	2	2	11	0.05	< 10	< 10	61	< 10	62
BB 03426	201 202	5	< 0.01	58	1520	30	2	3	22	0.05	< 10	< 10	40	< 10	236
BB 03427	201 202	3	< 0.01	34	1370	18	< 2	3	11	0.10	< 10	< 10	55	< 10	80
BB 03428	201 202	3	0.01	25	2220	20	4	< 1	9	0.01	< 10	< 10	43	< 10	64
BB 03429	201 202	4	< 0.01	42	1050	46	6	3	9	0.04	< 10	< 10	46	< 10	124
BB 03430	201 202	3	< 0.01	39	1090	42	6	3	8	0.06	< 10	< 10	51	< 10	120
BB 03431	201 202	2	< 0.01	29	1050	20	2	3	8	0.04	< 10	< 10	46	< 10	76
BB 03432	201 202	4	< 0.01	34	2140	46	6	4	39	0.06	< 10	< 10	62	< 10	98
BB 03433	201 202	10	< 0.01	37	1080	18	102	1	5	0.01	< 10	< 10	35	< 10	76
BB 03434	201 202	3	0.01	23	1450	18	2	< 1	14	< 0.01	< 10	< 10	35	< 10	48
BB 03435	201 202	18	< 0.01	21	1700	20	12	1	40	< 0.01	< 10	< 10	45	< 10	50

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project : MASK
 Comments :


Page Number : 6-A
 Total Pages : 7
 Certificate Date : 06-SEP-96
 Invoice No. : I9629805
 P.O. Number :
 Account : MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
			FA+AA																		
BB 03436	201	202	< 5	< 0.2	0.93	30	70	< 0.5	2	0.03	< 0.5	10	16	31	3.52	< 10	< 1	0.03	10	0.21	190
BB 03437	201	202	< 5	0.2	2.04	44	110	< 0.5	< 2	0.12	< 0.5	12	55	35	6.38	< 10	< 1	0.06	10	0.99	665
BB 03438	201	202	10	0.2	1.49	18	100	< 0.5	< 2	0.07	< 0.5	7	33	76	3.10	< 10	< 1	0.04	20	0.41	470
BB 03439	201	202	< 5	< 0.2	1.03	42	350	< 0.5	< 2	0.51	< 0.5	21	26	35	6.07	< 10	< 1	0.07	20	0.69	2380
BB 03440	201	202	< 5	< 0.2	2.14	36	140	< 0.5	< 2	0.24	< 0.5	26	59	49	6.97	< 10	< 1	0.07	10	1.29	1575
BB 03441	201	202	5	0.4	1.54	26	270	< 0.5	2	0.52	< 0.5	15	29	54	4.37	< 10	< 1	0.08	30	0.95	445
BB 03442	201	202	< 5	< 0.2	2.01	22	110	< 0.5	2	0.21	< 0.5	15	45	55	4.38	< 10	< 1	0.05	10	1.36	475
BB 03443	201	202	15	< 0.2	2.35	24	200	< 0.5	2	0.34	< 0.5	23	60	68	4.65	< 10	< 1	0.05	30	1.90	405
BB 03444	201	202	< 5	< 0.2	1.14	12	130	< 0.5	< 2	0.03	< 0.5	7	17	33	2.51	< 10	< 1	0.03	10	0.13	130
BB 03445	201	202	< 5	0.2	1.84	14	370	0.5	< 2	0.36	< 0.5	14	40	53	3.94	< 10	< 1	0.08	30	0.73	1195
BB 03446	201	202	< 5	0.2	1.04	66	140	< 0.5	< 2	0.03	< 0.5	27	57	62	5.91	< 10	< 1	0.04	10	0.54	505
BB 03447	201	202	< 5	0.2	1.42	8	280	< 0.5	< 2	0.16	< 0.5	8	24	18	2.91	< 10	< 1	0.10	30	0.36	455
BB 03448	201	202	< 5	< 0.2	1.71	14	250	< 0.5	< 2	0.44	< 0.5	9	42	21	3.18	< 10	< 1	0.09	30	0.86	395
BB 03449	201	202	< 5	< 0.2	1.22	2	250	< 0.5	< 2	0.20	0.5	9	12	17	2.59	< 10	< 1	0.14	30	0.23	945
BB 03450	201	202	< 5	< 0.2	1.24	2	250	< 0.5	< 2	0.48	0.5	7	25	18	2.49	< 10	< 1	0.14	10	0.56	375
BB 03451	201	202	< 5	< 0.2	1.15	8	130	< 0.5	< 2	0.03	< 0.5	7	10	10	2.47	< 10	< 1	0.13	20	0.22	350
BB 03452	201	202	< 5	< 0.2	1.45	< 2	520	< 0.5	< 2	0.06	< 0.5	7	13	13	3.06	< 10	< 1	0.10	20	0.26	285
BB 03453	201	202	< 5	< 0.2	1.23	12	350	< 0.5	< 2	0.19	< 0.5	7	16	14	2.73	< 10	< 1	0.11	10	0.41	320
BB 03454	201	202	< 5	< 0.2	1.74	< 2	740	0.5	< 2	0.45	< 0.5	3	9	6	1.47	< 10	< 1	0.09	10	0.27	885
BB 03455	201	202	< 5	< 0.2	1.11	< 2	200	< 0.5	< 2	0.65	< 0.5	10	14	21	2.45	< 10	< 1	0.08	30	0.58	180
BB 03456	201	202	< 5	< 0.2	1.51	14	100	< 0.5	< 2	0.07	< 0.5	8	28	34	3.70	< 10	< 1	0.06	10	0.54	340
BB 03457	201	202	< 5	< 0.2	1.67	16	110	< 0.5	< 2	0.08	< 0.5	9	28	28	3.27	< 10	< 1	0.06	10	0.52	385
BB 03458	201	202	< 5	0.2	2.06	14	130	< 0.5	< 2	0.07	< 0.5	12	35	34	3.59	< 10	< 1	0.07	10	0.68	430
BB 03459	201	202	< 5	< 0.2	1.86	16	120	< 0.5	< 2	0.09	< 0.5	8	33	23	3.62	< 10	< 1	0.07	10	0.52	445
BB 03460	201	202	< 5	0.2	2.44	34	150	< 0.5	< 2	0.13	< 0.5	22	102	38	6.03	< 10	< 1	0.06	10	1.39	600
BB 03461	201	202	< 5	< 0.2	0.26	< 2	40	< 0.5	< 2	0.03	< 0.5	< 1	1	1	0.22	< 10	< 1	0.03	< 10	0.03	10
BB 03462	201	202	< 5	< 0.2	1.17	2	190	< 0.5	< 2	0.05	< 0.5	3	9	8	1.54	< 10	< 1	0.06	30	0.17	160
BB 03463	201	202	< 5	< 0.2	0.77	2	450	< 0.5	< 2	0.10	< 0.5	9	5	6	1.03	< 10	< 1	0.07	40	0.07	3140
BB 03464	201	202	< 5	< 0.2	0.65	6	130	< 0.5	< 2	0.04	< 0.5	3	7	13	1.18	< 10	< 1	0.03	20	0.06	85
BB 03465	201	202	< 5	0.8	1.19	6	190	< 0.5	< 2	0.63	< 0.5	8	18	43	2.44	< 10	< 1	0.05	10	0.65	475
BB 03466	201	202	< 5	0.6	0.45	24	120	< 0.5	< 2	0.30	< 0.5	6	4	31	1.86	< 10	< 1	0.04	< 10	0.11	340
BB 03467	201	202	< 5	1.0	0.91	42	290	< 0.5	< 2	0.81	0.5	12	13	77	3.14	< 10	< 1	0.07	10	0.37	1085
BB 03468	201	202	< 5	0.2	1.22	20	260	< 0.5	< 2	0.53	0.5	11	25	45	3.11	< 10	< 1	0.07	10	0.60	735
BB 03469	201	202	< 5	0.4	1.53	30	300	< 0.5	< 2	0.64	< 0.5	10	27	44	3.25	< 10	< 1	0.08	20	0.73	685
BB 03470	201	202	< 5	0.4	1.77	40	530	< 0.5	< 2	0.56	0.5	19	30	47	4.05	< 10	< 1	0.11	20	0.84	2250
BB 03471	201	202	15	0.4	2.50	66	400	0.5	4	0.64	< 0.5	27	37	95	5.61	< 10	< 1	0.10	20	1.65	1470
BB 03472	201	202	< 5	< 0.2	1.15	16	370	< 0.5	< 2	0.39	< 0.5	8	22	32	3.05	< 10	< 1	0.05	30	0.48	465
BB 03473	201	202	15	< 0.2	0.71	12	120	< 0.5	< 2	0.03	< 0.5	5	14	27	2.04	< 10	< 1	0.04	20	0.06	130
BB 03474	201	202	10	< 0.2	0.65	28	140	< 0.5	2	0.03	< 0.5	10	13	49	3.27	< 10	< 1	0.05	20	0.13	235
BB 03475	201	202	< 5	1.6	1.52	18	510	< 0.5	< 2	0.98	< 0.5	8	14	60	2.60	< 10	< 1	0.11	10	0.50	760

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: MASK
 Comments:

Page Number: 6-B
 Total Pages: 7
 Certificate Date: 06-SEP-96
 Invoice No.: 19629805
 P.O. Number:
 Account: MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 03436	201 202	3 < 0.01	24	830	18	2	1	7	0.05	< 10	< 10	71	< 10	44	
BB 03437	201 202	3 < 0.01	41	2950	14	< 2	3	14	0.06	< 10	< 10	64	< 10	70	
BB 03438	201 202	2 < 0.01	19	2110	12	2	< 1	10	0.01	< 10	< 10	43	< 10	32	
BB 03439	201 202	4 < 0.01	51	1270	12	< 2	3	33	0.02	< 10	< 10	34	< 10	118	
BB 03440	201 202	2 < 0.01	52	1680	26	2	1	16	0.07	< 10	< 10	68	< 10	92	
BB 03441	201 202	3 < 0.01	41	1200	16	2	4	34	0.02	< 10	< 10	35	< 10	84	
BB 03442	201 202	3 < 0.01	42	820	10	< 2	4	15	0.06	< 10	< 10	48	< 10	68	
BB 03443	201 202	15 < 0.01	64	1560	12	< 2	4	26	0.01	< 10	< 10	51	< 10	54	
BB 03444	201 202	1 < 0.01	22	870	8	< 2	< 1	6	0.01	< 10	< 10	35	< 10	34	
BB 03445	201 202	1 < 0.01	42	800	14	< 2	4	16	0.01	< 10	< 10	34	< 10	68	
BB 03446	201 202	2 < 0.01	47	1360	14	2	1	8	0.05	< 10	< 10	90	< 10	58	
BB 03447	201 202	1 < 0.01	23	1150	18	< 2	< 1	13	< 0.01	< 10	< 10	27	< 10	56	
BB 03448	201 202	< 1 < 0.01	31	1020	12	< 2	2	38	0.04	< 10	< 10	39	< 10	58	
BB 03449	201 202	1 < 0.01	16	830	12	< 2	1	34	0.01	< 10	< 10	26	< 10	100	
BB 03450	201 202	< 1 < 0.01	22	1690	6	< 2	2	52	0.01	< 10	< 10	30	< 10	110	
BB 03451	201 202	< 1 < 0.01	9	430	10	< 2	1	9	< 0.01	< 10	< 10	17	< 10	46	
BB 03452	201 202	< 1 < 0.01	10	500	10	2	2	12	< 0.01	< 10	< 10	24	< 10	56	
BB 03453	201 202	1 < 0.01	14	660	8	< 2	1	21	0.01	< 10	< 10	32	< 10	62	
BB 03454	201 202	< 1 < 0.01	4	1870	14	< 2	3	41	< 0.01	< 10	< 10	16	< 10	36	
BB 03455	201 202	< 1 < 0.01	22	2420	24	< 2	3	59	0.03	< 10	< 10	28	< 10	74	
BB 03456	201 202	3 < 0.01	28	900	20	2	2	11	0.05	< 10	< 10	44	< 10	78	
BB 03457	201 202	2 < 0.01	26	730	18	2	2	11	0.04	< 10	< 10	40	< 10	74	
BB 03458	201 202	2 < 0.01	34	600	16	2	3	11	0.05	< 10	< 10	45	< 10	84	
BB 03459	201 202	1 < 0.01	24	960	14	< 2	3	11	0.05	< 10	< 10	48	< 10	74	
BB 03460	201 202	1 < 0.01	98	1590	10	< 2	1	13	0.04	< 10	< 10	99	< 10	78	
BB 03461	201 202	< 1 0.08	< 1	120	< 2	< 2	< 1	4	0.01	< 10	< 10	6	< 10	2	
BB 03462	201 202	1 < 0.01	8	210	6	< 2	1	9	0.01	< 10	< 10	19	< 10	42	
BB 03463	201 202	1 0.03	1	330	24	< 2	< 1	16	0.01	< 10	< 10	15	< 10	24	
BB 03464	201 202	1 < 0.01	9	270	8	2	< 1	8	0.01	< 10	< 10	26	< 10	28	
BB 03465	201 202	1 0.02	25	960	16	2	2	38	0.03	< 10	< 10	26	< 10	72	
BB 03466	201 202	1 0.02	14	420	28	2	< 1	21	< 0.01	< 10	< 10	11	< 10	56	
BB 03467	201 202	3 0.01	36	1470	34	< 2	3	57	< 0.01	< 10	< 10	22	< 10	118	
BB 03468	201 202	2 < 0.01	45	1030	10	< 2	3	39	0.04	< 10	< 10	38	< 10	114	
BB 03469	201 202	2 < 0.01	30	1300	16	< 2	4	47	0.05	< 10	< 10	45	< 10	106	
BB 03470	201 202	3 0.01	33	1640	28	< 2	4	48	0.04	< 10	< 10	52	< 10	126	
BB 03471	201 202	1 < 0.01	39	1630	64	< 2	5	45	0.16	< 10	< 10	77	< 10	218	
BB 03472	201 202	2 < 0.01	23	870	22	< 2	2	31	0.02	< 10	< 10	38	< 10	82	
BB 03473	201 202	2 < 0.01	13	320	20	< 2	< 1	10	0.02	< 10	< 10	44	< 10	56	
BB 03474	201 202	5 < 0.01	28	740	16	< 2	< 1	11	0.03	< 10	< 10	59	< 10	68	
BB 03475	201 202	2 0.04	22	1570	18	2	2	72	0.02	< 10	< 10	28	< 10	88	

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 1016 - 510 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1L8

Project: MASK
 Comments:

Page Number: 7-A
 Total Pages: 7
 Certificate Date: 06-SEP-96
 Invoice No.: I9629805
 P.O. Number:
 Account: MPO

CERTIFICATE OF ANALYSIS A9629805

SAMPLE	PREP CODE		Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
	FA+AA																				
BB 03476	201	202	< 5	0.2	1.48	28	450	< 0.5	< 2	0.57	1.5	18	33	112	4.81	< 10	< 1	0.10	30	0.69	1160
BB 03477	201	202	< 5	< 0.2	1.47	40	590	< 0.5	< 2	0.41	0.5	17	41	81	5.22	< 10	< 1	0.11	30	0.73	815
BB 03478	201	202	< 5	< 0.2	1.25	30	200	< 0.5	< 2	0.13	< 0.5	19	49	54	4.53	< 10	< 1	0.07	10	0.78	1305
BB 03479	201	202	< 5	0.2	1.69	12	350	< 0.5	< 2	0.31	< 0.5	14	30	40	3.48	< 10	1	0.10	30	0.78	580
BB 03480	201	202	< 5	< 0.2	0.60	20	140	< 0.5	< 2	0.06	< 0.5	13	16	45	3.16	< 10	< 1	0.04	10	0.20	600
BB 03481	201	202	< 5	< 0.2	1.34	20	390	< 0.5	< 2	0.18	0.5	13	31	48	4.24	< 10	< 1	0.05	10	0.43	1310
BB 03482	201	202	< 5	< 0.2	1.07	18	290	< 0.5	2	0.14	< 0.5	11	18	48	3.56	< 10	< 1	0.05	20	0.35	460
BB 03483	201	202	< 5	< 0.2	0.85	8	300	< 0.5	< 2	0.10	< 0.5	6	22	23	2.36	< 10	< 1	0.07	10	0.24	285
BB 03484	201	202	< 5	< 0.2	1.42	6	170	< 0.5	< 2	0.04	< 0.5	4	16	15	1.85	< 10	< 1	0.06	10	0.17	260
BB 03485	201	202	< 5	< 0.2	1.67	2	110	< 0.5	< 2	0.20	< 0.5	8	13	14	3.23	< 10	< 1	0.09	10	0.64	430
BB 03486	201	202	< 5	< 0.2	1.71	6	160	0.5	< 2	0.20	< 0.5	13	22	22	3.44	< 10	< 1	0.17	20	0.78	670
BB 03487	201	202	< 5	0.2	1.39	6	150	< 0.5	< 2	0.13	< 0.5	8	31	30	3.60	< 10	< 1	0.06	10	0.52	550
BB 03488	201	202	< 5	0.2	1.61	24	150	< 0.5	< 2	0.08	< 0.5	11	38	44	4.59	< 10	< 1	0.08	10	0.56	430
BB 03489	201	202	< 5	< 0.2	2.06	8	230	0.5	< 2	0.08	< 0.5	7	33	22	2.90	< 10	1	0.09	10	0.50	710

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

Project: MASK
Comments:

Page Number: 7-B
Total Pages: 7
Certificate Date: 06-SEP-96
Invoice No.: I9629805
P.O. Number:
Account: MPO

CERTIFICATE OF ANALYSIS

A9629805

SAMPLE	PREP CODE		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 03476	201	202	5 < 0.01		70	1590	36	< 2	4	49	0.03	< 10	< 10	50	< 10	192
BB 03477	201	202	6 < 0.01		63	1060	32	< 2	4	43	0.02	< 10	< 10	52	< 10	194
BB 03478	201	202	5 < 0.01		44	920	26	< 2	2	22	0.04	< 10	< 10	55	< 10	136
BB 03479	201	202	3 < 0.01		52	1120	22	< 2	3	31	0.04	< 10	< 10	38	< 10	148
BB 03480	201	202	5 < 0.01		35	1140	20	< 2	< 1	15	< 0.01	< 10	< 10	44	< 10	114
BB 03481	201	202	4 < 0.01		37	2330	18	< 2	< 1	20	< 0.01	< 10	< 10	50	< 10	102
BB 03482	201	202	6 < 0.01		36	1360	14	< 2	< 1	21	< 0.01	< 10	< 10	48	< 10	90
BB 03483	201	202	4 < 0.01		22	1020	10	< 2	< 1	18	< 0.01	< 10	< 10	40	< 10	56
BB 03484	201	202	3 < 0.01		11	1570	12	< 2	< 1	10	< 0.01	< 10	< 10	31	< 10	42
BB 03485	201	202	1 < 0.01		12	720	8	< 2	1	15	0.06	< 10	< 10	37	< 10	64
BB 03486	201	202	1 < 0.01		21	690	16	< 2	4	20	0.09	< 10	< 10	42	< 10	84
BB 03487	201	202	2 < 0.01		23	990	20	< 2	< 1	17	0.05	< 10	< 10	62	< 10	58
BB 03488	201	202	3 < 0.01		38	780	18	< 2	3	17	0.06	< 10	< 10	51	< 10	86
BB 03489	201	202	1 < 0.01		21	1770	10	< 2	< 1	12	0.01	< 10	< 10	41	< 10	88

CERTIFICATION:

Handwritten signature

ARCHER, CATHRO
* ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

Box 4127, 2054 SECOND AVENUE, WHITEHORSE, Y.T. Y1A 3S9 Tel (403) 667 - 4415

AFFIDAVIT

I, Joan Mariacher, of WHITEHORSE, YUKON make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on the MASK 1-90 mineral claims on Claim Sheet 105611 is accurate.




Joan Mariacher

Sworn before me at WHITEHORSE, YUKON
this 27TH day of
SEPTEMBER, 1996



Notary, Yukon Territory




**Statement of Expenditures
Mask 1-90 Mineral Claims
September 23, 1996**

Labour

K. Sax, geologist - August 6-15 - 10 days @ \$270/day	\$2,889.00
K. Wojcik, field assistant - August 13-15 - 3 days @ \$180/day	577.80
C. Cowan, field assistant - August 6-13 - 8 days @ \$172.50/day	1,476.60
T. Reszat, field assistant - August 6-15 - 10 days @ \$165/day	<u>1,765.50</u>
	\$6,708.90
Less claim tagging costs - 2.25 mandays @ \$165/day, plus room and board @ \$115/day	<u>674.10</u>
	\$6,034.80

Expenses

Field room and board - 31 days @ \$115/day	3,814.55
Kluane Helicopters - 5.9 hrs Bell 206B @ \$585/hr, plus fuel	4,412.79
Chemex Labs Ltd.	8,516.57
Supervision, claim surveys, data entry - pro rated	8,243.48
Coureur des Bois - stand up posts	<u>1,016.50</u>
	\$26,003.89
TOTAL	<u>\$32,038.69</u>



KLUANE

CHARTER TICKET: KH 0714

HELICOPTERS A DIVISION OF 528470 ALBERTA LIMITED
 P.O. BOX 2128, HAINES JUNCTION, YUKON TERRITORY, CANADA Y0B 1L0
 TELEPHONE: (403) 634-2224 • FAX: (403) 634-2226

CHARTERER: EXPATRIATE Res.

ADDRESS: _____

DATE:	A/C TYPE	A/C REG.	PURCHASE ORDER #	FORESTRY TICKET No.		
08-06-96	B206	FH04				
FLIGHT DESCRIPTION		TIME UP	TIME DOWN	HOURS	RATE	SUB-TOTAL
D.O. 5 PK & SLING		0738				MASK
FUEL MOVE CAMP & P.U. SAMPLES			1116	3.0		1755.00
CONTRACT No.	CONTRACT DAYS	MINIMUM HOURS	DAILY MINIMUMS	FUEL:		
				SUPPLIED		
CHARTERER FUEL:		COMPANY FUEL:		OIL:		
DRUMS:	GALLONS	\$	/GAL.	MEALS:		
GALLONS	LITRES:	\$	/LTR.	LODGING:		
LITRES:						
				G.S.T. REG. 132709809	122.85	
CHARTERER AUTHORIZATION:		PILOT:		TOTAL: \$ 1877.85		
<i>I.C. Bank</i>		<i>[Signature]</i>				

SIGNING OF THIS TICKET BY AUTHORIZED REPRESENTATIVES CONSTITUTES THE RIGHT BY THE CARRIER TO CHARGE 3% PER MONTH INTEREST ON ALL ACCOUNTS OVER 30 DAYS.



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 2 9 8 0 5

BILLING INFORMATION

Date: 6-SEP-96
Project: MASK
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9629805

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
254	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	ICP-32	7.00		
	983 - Au ppb FA+AA	9.75	18.85	4787.90
				Total Cost \$ 4787.90
				Client Discount (25%) \$ <u>-1196.98</u>
				Net Cost \$ 3590.92
(Reg# R100938885)				GST \$ <u>251.36</u>
				TOTAL PAYABLE (CDN) \$ 3842.28



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 2 9 8 0 8

BILLING INFORMATION

Date: 6-SEP-96
Project: MASK
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9629808

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
117	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	ICP-32	7.00		
	983 - Au ppb FA+AA	9.75	18.85	2205.45
Total Cost \$				2205.45
Client Discount (25%) \$				<u>-551.36</u>
Net Cost \$				1654.09
(Reg# R100938885) GST \$				<u>115.79</u>
TOTAL PAYABLE (CDN) \$				1769.88



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221

To: EXPATRIATE RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W. HASTINGS ST.
VANCOUVER, BC
V6B 1L8

INVOICE NUMBER

I 9 6 2 9 8 0 7

BILLING INFORMATION

Date: 6-SEP-96
Project: MASK
P.O. No.:
Account: MPO

Comments:

Billing: For analysis performed on
Certificate A9629807

Terms: Payment due on receipt of invoice
1.25% per month (15% per annum)
charged on overdue accounts

Please Remit Payments to:

CHEMEX LABS LTD.
212 Brooksbank Ave.,
North Vancouver, B.C.
Canada V7J 2C1

# OF SAMPLES	ANALYSED FOR CODE - DESCRIPTION	UNIT PRICE	SAMPLE PRICE	AMOUNT
192	201 - Dry, sieve to -80 mesh	1.25		
	202 - save reject	0.85		
	ICP-32	7.00		
	983 - Au ppb FA+AA	9.75	18.85	3619.20
				Total Cost \$ 3619.20
				Client Discount (25%) \$ -904.80
				Net Cost \$ 2714.40
				(Reg# R100938885) GST \$ 190.01
				TOTAL PAYABLE (CDN) \$ 2904.41

COUREUR DES BOIS

LTD./LTEE

BOX 5301, WHITEHORSE, YUKON Y1A 4Z2

Telephone: (403) 668-2593



DI-5900
Fr-27700 21600
Fr-9075
61-2560.75
789177.75

BILL TO: ARCHER CATHKO & Associates
(1981) Limited
Box 4127 Whitehorse
YUKON Y1A3S9

INVOICE No 322

paid out 11/18 ✓
Oct 4/95

QUANTITY	JOB DESCRIPTION	PRICE PER	AMOUNT
	ATT: MR. DOUG EATON RE: HEABUE line cutting SEPT 4 to 24/95 SEPT 4 1/2 DAY. 2 MEN	\$ 137. ⁵⁰	275. ⁰⁰
40 32 x	MAN DAY SEPT 5 to 24/95 RE. FIDELITY STAKE 5-11 + 16-24	\$ 275.	11000.⁰⁰ 8800. ⁰⁰
54 x	SHOT 75-128 SHOT QUARTZ CLAIMS STAKED RECORD TRANSFER	80. ⁰⁰	4320. ⁰⁰
54 x	SHOT QUARTZ CLAIMS LIFTUP POST DI	25. ⁰⁰	1350. ⁰⁰
124 x	RINK 237-144 LIFTUP POST RINK QUARTZ CLAIMS STAKE RECORD TRANSFER	\$ 105.	13,020. ⁰⁰
20 x	RINK 9+20 LIFTUP POST. Fr-9970 DI-2600	\$ 25.	500. ⁰⁰
38 x	MASK QUARTZ CLAIMS STAKED RECORD + TRANSFER AND LIFTUP POST. Fr-3040 DI-950	\$ 105.	3990. ⁰⁰
54 x	SKATE QUARTZ CLAIMS STAKED RECORD TRANSFER - parts out	80.	4320. ⁰⁰
	GST. R 101175909	70%	2714.25
	Thank you Dennis [Signature]		2560.25
			39,135.25

INVOICE TOTAL

~~11,489.25~~
39,135.25