

ARCHER, CATHRO
& ASSOCIATES (1981) LIMITED
CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688 - 2568 • FAX (604) 688 - 2578

ASSESSMENT REPORT

09364

describing

**GEOLOGICAL MAPPING, PROSPECTING,
SOIL GEOCHEMISTRY AND GEOPHYSICAL SURVEYS**

on the

QB PROPERTY

QB 1-28 Claims YB75490-YB75517
29-104 YB83119-YB83194


Latitude 60°26' N; Longitude 130°26' W

NTS 105B/8

in the

WATSON LAKE MINING DISTRICT

YUKON TERRITORY



Prepared by

Archer, Cathro & Associates (1981) Limited

for

NORDAC RESOURCES LTD.

W.A. Wengzynowski, B.A.Sc.
April, 1997

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 52,000.

M. B. K.
for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	2
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	4
REGIONAL MINERALIZATION	5
REGIONAL GEOCHEMISTRY	6
PROPERTY GEOLOGY AND MINERALIZATION	7
PROPERTY GEOCHEMISTRY	11
PROPERTY GEOPHYSICS	13
CONCLUSIONS AND RECOMMENDATIONS	14
SELECTED REFERENCES	16

APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II GROUND TOTAL MAGNETIC FIELD AND HLEM SURVEY OF THE QB AND SIMPSON PROPERTIES, SOUTHERN YUKON TERRITORY, M.A. POWER, JANUARY 7, 1997 .
- III GPS DATA
- IV SAMPLE DESCRIPTIONS
- V GALENA LEAD ISOTOPE ANALYSIS
- VI CERTIFICATES OF ANALYSIS

FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location	Following Page 2
2	Claim Location	Following Page 2
3	Tectonic Setting	Following Page 4
4	Regional Geology	Following Page 4
5	Property Geology	In Pocket
6	Rock Sample Location (Compilation)	In Pocket
7	Soil Sample Location	In Pocket
8	Silver Geochemistry	In Pocket
9	Lead Geochemistry	In Pocket
10	Zinc Geochemistry	In Pocket
11	Copper Geochemistry	In Pocket

INTRODUCTION

Nordac Resources Ltd. has a 100% interest in the QB property which consists of 104 mineral claims staked in the winter of 1996. The ground was previously staked as the Eagle claims in July 1979 by Regional Resources Ltd. which explored with geological mapping, prospecting, soil geochemistry and geophysical surveys later that year. In 1980 the claims were optioned to Amax of Canada Limited which performed additional geophysical surveys. During that time period grid soil sampling outlined a 1400 by 200 m area of coincident, moderately to strongly anomalous lead and zinc response. Prospecting discovered sulphide float on the banks of a large stream bisecting the claim block. Most of the float was reportedly massive pyrrhotite but some specimens contained minor galena and sphalerite and returned up to 3.70% zinc, 1.15% lead, 0.71% copper and 83 g/t silver (Verley, 1980). Galena and sphalerite were also discovered in schist float and outcrops. One schist specimen returned 8.55% zinc, 0.14% lead, 0.09% copper and 14 g/t silver. Twenty-one line kilometres of VLF-mag-IP surveys were conducted across the geochemical anomalies and outlined several areas of anomalous response. Some targets were hand trenched but none were tested by mechanized methods. The claims were transferred to Fairfield Minerals Limited in 1988 but no additional work has been reported.

This report describes geological mapping, prospecting, grid soil sampling and a total magnetic field plus HLEM geophysical survey conducted on the QB 1-104 claims in 1996 by Nordac. The work was performed by a four- to six-person crew working from a fly camp on the property. It was managed by Archer, Cathro & Associates (1981) Limited and supervised by the author. Appendix I contains the Author's Statement of Qualifications. The 1996 geophysical results are briefly described in the Property Geophysics section and are fully documented in a report by M.A. Power, a copy of which appears in Appendix II.

PROPERTY, LOCATION AND ACCESS

The property is located in the Rancheria area of southeastern Yukon at latitude 60°26'N and longitude 130°26'W on NTS map sheet 105B/8 (Figure 1). It is comprised of 104 contiguous mineral claims (Figure 2) registered with the Watson Lake Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Nordac Resources Ltd. Claim registration data is listed below.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
QB 1-28	YB75490-YB75517	February 15, 2002
29-104	YB83119-YB83194	February 15, 2002

*Expiry dates include work done in 1996 which has been filed but not yet accepted for credit.

GPS survey data was acquired for most claim post locations using a handheld Trimble Geoexplorer GPS unit. Data was corrected using Westmin Resources Limited's base station data accumulated near Wolverine Lake, some 115 km north. This data appears in Appendix III.


In 1996 the property was accessed by helicopter from a microwave site 2 km west of Shilsky Lake. The microwave site is accessible by a government-maintained gravel road extending 2 km north from Km 1148 on the Alaska Highway, some 328 km east of Whitehorse. Helicopter support was provided by Bell 206B Jet Rangers operated by Frontier Helicopters Ltd. and Trans North Helicopters from permanent bases in Watson Lake.

In March 1997 a wide pad Caterpillar D6 bulldozer and Hitachi UOH9 excavator were walked to the property under terms of Land Use Permit YA6F237. The excavator was left onsite for use in summer 1997 while the bulldozer was immediately demobilized. The access utilized the Logan airstrip winter trail which originates at Km 1107 on the Alaska Highway.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


PROPERTY LOCATION QB PROPERTY

NORDAC RESOURCES LTD.



December, 1996

- Nordac property or royalty interest
- ✕ Present or past producer owned by others
- ★ Undeveloped deposit owned by others






FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATION
QB PROPERTY
NORDAC RESOURCES LTD.

0 500 1000 2000 3000
metres

GEOMORPHOLOGY

The QB property covers an area of low rolling hills at the eastern edge of the Cassiar Mountains immediately west of the Liard Plain. Creeks draining the property flow eastward into the Little Moose River, a tributary of the Liard River watershed.



Local elevations range from 980 m near Little Moose River to a maximum of 1240 m. Topographic relief is gentle averaging 10° with occasional steeper areas in the vicinity of creek cuts. Pleistocene valley glaciers deposited a blanket of till ranging from 0.2 to 10 m thick over most of the property. Some areas are hummocky, resembling "kame and kettle"-type topography. The entire property lies below treeline and vegetation consists of dense growths of spruce, birch and pine trees with alder and buckbrush undergrowth.

REGIONAL GEOLOGY

The QB property lies within a belt of metamorphic rocks belonging to the Yukon-Tanana Terrane and Cassiar Platform (Figure 3). This belt extends from northern B.C. across the Yukon into Alaska. The northeastern edge is defined by the Tintina Fault Zone, a series of subparallel transcurrent faults which have produced about 450 km of dextral offset in Late Cretaceous and/or Early Tertiary times (Tempelman-Kluit, et al, 1976). The southwestern side is bound by the Teslin Suture, a deep-seated high angle fault zone.

Yukon-Tanana Terrane and Cassiar Platform rocks are composed largely of Paleozoic stratigraphy which has been intruded by Jurassic to Cretaceous plutons as illustrated on Figure 4. Both terranes are considered "suspect terranes" representing variably distal metamorphosed equivalents of North American Continental Margin sediments. Yukon-Tanana, the furthest outboard of the two terranes, is overthrust onto Cassiar Platform rocks by the D'Abbadie Thrust Fault. Some imbrication of the two terranes is also recognized and the structural position is further complicated by normal faulting. The regional metamorphic fabric within both terranes trends northwesterly and dips moderately toward the northeast.

Geology in the Rancheria area was mapped at 1:250,000 scale in 1960 by the Geological Survey of Canada [GSC] (Poole et al, 1960). More detailed mapping in the Rancheria District (105B/1,2,7 & 8) was done in 1985 and 1986 at 1:50,000 scale by the Department of Indian and Northern Affairs [DIAND] (Lowey and Lowey, 1986; Amuken and Lowey, 1987) in response to numerous base and precious metal discoveries in the area.




-  Thrust fault
-  Steep fault
-  Yukon-Tanana Terrane
-  Slide Mountain Terrane
-  Stikinia and other Terranes
-  North American Miogeoclinal Strata

FIGURE 3
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TECTONIC SETTING
 QB PROPERTY
 NORDAC RESOURCES LTD.



Modified after Mortensen and Jilson (1985), Mortensen (1992) and Johnston and Mortensen (1994).




- North American Miogeocline
- Pre-Triassic sedimentary and volcanic rocks
- Slide Mountain Terrane
- Chert, ultramafic, greenstone, metavolcanic and carbonate rocks
- Yukon-Tanana Terrane
- Paleozoic metasediments and metavolcanic rocks
- Cassiar Platform
- Paleozoic metasediments and metavolcanic rocks
- Intrusive Suites
- Paleozoic metaplutonic rocks
- Mesozoic plutonic rocks
- Native land claim
- Property owned 100% by Nordac Resources Ltd.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

QB PROPERTY

NORDAC RESOURCES LTD.



REGIONAL MINERALIZATION

The Cassiar Platform and intrusive rocks of the Rancheria area are host to numerous mineral occurrences including: silver-lead-zinc±copper±gold veins, tin-tungsten-zinc skarns and lead-zinc-silver replacement bodies. The most significant discoveries in this region to date are the Midway, Logan and Silver Hart Deposits. The Midway Deposit is classified as a manto replacement body hosted in Devonian age strata and has drill-indicated reserves of 1.9 million tonnes grading 410 g/t silver, 7.0% lead and 9.6% zinc (NBCMI, 1991). Vein and shear-hosted mineralization occurs within the Cretaceous Marker Lake Batholith at the Logan Deposit where reserves are estimated at 12.3 million tonnes grading 6.17% zinc and 26 g/t silver (DIAND, 1995). The Silver Hart Deposit consists of a series of high grade silver-bearing veins reportedly containing 99,000 kg of silver (DIAND, 1995).

REGIONAL GEOCHEMISTRY

Published geochemical data for the Rancheria area is limited to reconnaissance scale stream sediment sampling conducted in the late 1970's by the GSC (Hornbrook, 1980). The sampling was done at an approximate density of one sample per thirteen sq km. Each sample was analyzed for twenty elements including copper, lead, zinc and silver.

Nordac was able to supplement the published reports with private data summarizing results of 1971-72 exploration managed by Archer Cathro on behalf of the Wolf Lake Joint Venture (Archer and Cathro, 1971-72). The Archer Cathro samples include approximately 3600 soils and stream sediments collected at a density of about one sample per three sq km. They were analyzed for lead, zinc, silver, copper, molybdenum and tungsten and provide relatively uniform coverage over most of the region.

The following table illustrates regional geochemical background for pathfinder metals and anomalous thresholds used for target selection.

GEOCHEMICAL BACKGROUNDS AND ANOMALOUS THRESHOLDS (ppm)

<u>Metal</u>	<u>Background</u>	<u>A n o m a l o u s T h r e s h o l d s</u>			<u>Peak Value</u>
		<u>Weak</u>	<u>Moderate</u>	<u>Strong</u>	
Silver	0.1	1	2	5	20
Lead	25	50	100	200	1000
Zinc	80	200	500	1000	5000
Copper	15	50	100	200	554

Reconnaissance soil and stream sediment sampling in the vicinity of the QB claim block returned only weakly anomalous values for zinc (240 pm), lead (60 ppm), copper (50 ppm) and silver (2 ppm). However none of the GSC or 1971 Archer Cathro reconnaissance samples were taken in the vicinity of the 1979 Regional Resources geochemical anomalies.

PROPERTY GEOLOGY AND MINERALIZATION

Geology

Bedrock exposure on the property is poor (<1%) and generally restricted to creek cuts. The property is underlain by two types of schist plus a limestone unit. Most exposures are moderately to strongly foliated with northeasterly strikes and undulating but relatively flat dips. Structural interpretation is limited due to lack of outcrop but there is evidence of a synformal structure with an easterly trending axis (Figure 5). The main rock types recognized on the property are described below in approximate order of formation.

Quartz-muscovite±chlorite±feldspar schist is tan weathering, medium-grained, well foliated and pink to pale green. Quartz and feldspar augens are present in some layers with the feldspar often weathering to kaolinite. Foliaform quartz sheaves are common while manganese stained fractures and minor limonite stringers are rare. This schist varies from hard and massive to crenulated and highly fissile.

Quartz-biotite±muscovite±chlorite schist is well foliated, grey to dark green weathering and moderately fissile. This unit is easily distinguishable from the other schist by its 5 to 30% biotite content. It is not discernable whether the quartz/muscovite and quartz/biotite schists had felsic to intermediate volcanic protoliths or were simply arkoses and pelites.

Limestone is white and coarse crystalline or pale greenish-grey and fine grained. The finer material contains metasedimentary impurities and schistose partings/laminations. Limestone outcrops are most abundant in the western part of the property.

Mineralization

Seven types of mineralization were found on the property by Nordac. These are described below together with assay results from mineralized specimens. The specimens were sent to Chemex Labs Ltd. in North Vancouver where they were geochemically analyzed for 32 elements and/or assayed for lead, zinc, copper and silver. Brief descriptions of specimens are given in Appendix IV while Certificates of Analysis are included in Appendix V. Specimen locations are shown on Figure 6.

Massive pyrite-pyrrhotite-sphalerite-galena±chalcopyrite float boulders up to 42 cm across were found in five locations on the property with the majority located at 9+100E, 10+425N (see Area A on Figure 6). Sphalerite and galena occur as thin (1 to 10 mm) laminations or as blebby, irregular aggregates within massive fine- to coarse-grained pyrite and/or pyrrhotite. Gangue minerals include angular carbonate clasts, white opaque quartz and ankerite(?). Most boulders are encapsulated by a 5 to 20 mm rind of surface oxide. Assay results from ten specimens averaged 9.98% zinc, 9.10% lead, 0.13% copper and 144 g/t silver with peak values up to 20.20% zinc, 18.70% lead, 0.28% copper and 281 g/t silver.

Banded massive pyrrhotite±pyrite float was found in Area C (see Figure 6) and along the banks of the main creek bisecting the property. Specimens are tabular, up to 40 cm thick and consist of moderately laminated pyrrhotite with occasional silicified bands and schistose partings. One boulder consisted of massive pyrrhotite grading sharply into fine-grained banded pyrite. Intrinsic magnetism of pyrrhotite is variable from specimen to specimen. This type of mineralization generally returned low values for most metals however sample 59009 assayed 0.05% zinc, 0.03% lead, 0.10% copper, 4.80 g/t silver and 670 ppb gold.

Disseminated to aggregated sulphide clots in limestone/dolomite was found as float in a drainage on the west side of the property (see Area B on Figure 6). Specimens 59017 and 59018 contain disseminated sphalerite and galena in a soft grey-green limestone matrix. Both were cobbles from soil and showed partial leaching of sulphides. Specimen 59017 returned 1.26% zinc, 9.74% lead, 0.06% copper and 778 g/t silver while specimen 59018 returned 7.66% zinc, 2.36% lead, 0.06% copper and 727 g/t silver.

Sphalerite-chalcopryrite stringers crosscutting quartz+muscovite±chlorite schist was located in outcrop adjacent to the main creek (see Area D on Figure 6). The stringers are 1 to 5 mm wide and discontinuous. They may represent sulphides remobilized by burial metamorphism. Three specimens returned an average of 0.90% zinc, 0.04% lead, 0.08% copper and 7.5 g/t silver.

Sphalerite-galena fracture fillings in crystalline limestone was found in bedrock within an old blast trench at 8+600E, 10+500N (see Area E on Figure 6) and as float boulders further to the west. Coarse crystalline sphalerite and galena occupy conjugate fractures in coarse-grained white limestone. A 30 cm chip sample (59020) from bedrock on the trench floor assayed 1.88% zinc, 1.04% lead, 0.03% copper and 46.6 g/t silver.

Chalcopryrite±sphalerite stockwork in silicified, quartz-muscovite schist float was found in a swampy area in the southeastern part of the grid (see Area F on Figure 6). Mineralized stringers crosscut foliation in the schist. A specimen (58105) returned 0.59% zinc, 0.22% lead, 0.85% copper and 36.3 g/t silver.

Disseminated to massive pyrite±pyrrhotite in a dark blue-green chlorite schist was found as float boulders in several parts of the property. Pyrite comprises up to 30% of the rock mass and occurs as irregular bands and fine-grained aggregates. One specimen was analyzed (59010) and returned relatively low values for all metals.

Three galena-rich specimens from Areas A and E were sent to the University of British Columbia Department of Earth and Ocean Sciences Geochronology Laboratory for galena-lead isotope analyses. Radiogenic values were obtained which suggests the mineralization is mainly of upper crustal origin. These results appear in Appendix V.

PROPERTY GEOCHEMISTRY

Grid soil sampling was conducted using the cut baseline that was used for the 1980 geophysical surveys. One metre lath bearing aluminum tags inscribed with grid coordinates were placed at 100 m slope corrected intervals along the baseline. Soil sample lines were run perpendicular to the baseline and each sample was marked with a 0.5 m lath and inscribed aluminum tag. Samples were taken at 100 by 100 m spacing, except in the core of the old anomaly where 100 by 25 m spacing was used. Twenty-one stream sediment samples were collected from a creek along the northern edge of the previously defined anomaly.

Samples were sent to Chemex where they were screened to -80 mesh, digested in nitric-aqua regia and geochemically analyzed for 32 elements using the Induced Coupled Plasma (ICP) technique. Soil sample locations are shown on Figure 7 and Certificates of Analysis are contained in Appendix VI. Results for four indicator elements (silver, lead, zinc and copper) are plotted on Figures 8 to 11 while anomalous thresholds and peak values are as follows.

Anomalous Thresholds (ppm) and Peak Values (ppm)

<u>Element</u>	<u>Weak</u>	<u>Moderate</u>	<u>Strong</u>	<u>Peak</u>
Silver	1	NA	NA	1.6
Lead	50	100	200	1618
Zinc	200	500	1000	>10,000
Copper	50	100	200	239

NA = not applicable as values did not exceed regional anomalous thresholds.

Geochemical response for lead and zinc outlined a 2400 by 500 m east-trending anomalous zone in the northern half of the grid. A strongly anomalous lead-zinc core measuring 800 by 200 m lies at the west end of the anomaly and coincides with the majority of the high grade massive sulphide float discovered to date in Area A. Local glacial direction is believed to be along the trend of the geochemical anomaly with movement from west to east. The northern edge of the anomaly is defined by a narrow, relatively inactive drainage flanked by an extensive glaciofluvial terrace. Secondary clusters of similar magnitude values are scattered to the east and south of the core area and may represent down-ice dispersion. Many of these targets have not yet been prospected. Anomalous silver and copper values occur within the area of anomalous lead-zinc response but are relatively subdued by comparison.

Reconnaissance soil lines immediately west of the grid area returned scattered, anomalous values for lead and zinc.

PROPERTY GEOPHYSICS

Phoenix Geophysics Limited performed a 23 line km VLF/IP/Total Field Magnetic survey on the property in 1980. This work identified two primary zones of IP response coupled with scattered magnetic anomalies and one VLF conductor (Cartwright and Hallof, 1981). None of the 1980 geophysical features show a strong correlation to geochemical anomalies or areas of mineralization.

In 1996 Amerok Geosciences Ltd. conducted a 16.7 line km Ground Total Magnetic Field and HLEM survey on the property using the 1980 survey grid. The work was performed by a two-person crew operating from a fly camp on the property.

The HLEM survey identified four conductors ≤ 400 m in length with trends roughly parallel to the trend of the geochemical anomalies. Conductances are generally low and there is no associated magnetic response. Three of the targets are located immediately along strike to the west and slightly south of the core area of geochemical response as illustrated on Figure 6. The fourth conductor is located on the northern edge of Area A and coincides with a section of the creek defining the edge of the soil geochemical anomaly.

Elevated magnetic response is scattered over the entire survey area but no apparent trends were outlined. Prospecting in the vicinity of several magnetic highs located massive pyrrhotite and/or high grade massive sulphide boulders. Not all anomalies were ground checked.

CONCLUSIONS AND RECOMMENDATIONS

The QB property is underlain by metasediments believed to be part of the Cassiar Platform. Geochemical sampling has outlined a broad area of eastward-trending lead-zinc response within which is an 800 by 200 m core of strongly anomalous values. The anomaly is open to the west and has a sharp boundary along its northern edge where it flanks a large glaciofluvial terrace. Local glacial direction is believed to be from west to east thus weak to moderate response in the eastern section of the anomaly is most likely attributable to glacial smearing. Massive sulphide boulders and cobbles were located within glacial till in most areas of strong geochemical response. In the eastern section of the anomaly all float was found within 0.5 m of the surface while to the west high grade massive sulphide cobbles have been discovered from surface to a depth of approximately 3 m into the till.

Ten pyrrhotite-pyrite-sphalerite-galena bearing float specimens collected over a 2000 m length within the soil geochemical anomaly returned an arithmetic average of 9.98% zinc, 9.10% lead, 0.13% copper and 144 g/t silver. The source of the mineralization is not certain but lead isotope analyses returned radiogenic data. Skarns, epigenetic veins and replacement deposits in the northern cordillera generally have similar isotopic signatures. Mineralization at the QB property is most likely from a manto replacement body because skarn minerals and vein features such as banding, slickensides or selvage alteration are absent.

The QB property appears to have potential for hosting a substantial quantity of sulphide mineralization. Mechanized trenching is recommended for the next stage of exploration because the area of anomalous response is too large to be tested initially by diamond drilling. Local structural and stratigraphic information will also be required as there is a lack of outcrop within the geochemical anomaly. If a bedrock target is discovered and partially outlined, a diamond drill program should be implemented in conjunction with continued trenching.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

A handwritten signature in dark ink, appearing to read 'B. Wengzynowski' with a stylized flourish at the end.

W.A. Wengzynowski, B.A.Sc.

SELECTED REFERENCES

Amuken, S.E. and Lowey, G.W.

1987 Geology of the Sab Lake Map Area (105B/7), Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1987-1.

1987 Geology of the Meister Lake Map Area (105B/8), Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1987-1.

Archer, A.R. and Cathro, R.J.

1971 Final Report, Wolf Lake Joint Venture, December 1971, p.59.

1972 Wolf Lake Joint Venture, Final Report, November 1972, p.52.

Cartwright, P.A. and Hallof, P.G.

1981 Report on the Combined Geophysical Surveys on the Eagle Claim Group for Cordilleran Engineering, Phoenix Geophysics Limited, January 1981, p.13.

DIAND

1995 Yukon Minfile, WP 5.1 Version, 20 Nov/95. Exploration and Geological Services, Indian and Northern Affairs Canada, Map 105B and occurrences 105B/21 and 99.

Hornbrook, E.H.W.

1980 Regional Stream Sediment and Water Geochemical Reconnaissance Data, Yukon Territory 1978, GSC OF 563 (Rev.80), NGR 43-1978, NTS 105B.

Lowey, G.W. and Lowey, J.F.

1986 Geology and Spencer Creek (105B/1) and Daughney Lake (105B/2) map Areas, Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1986-1.

NBCMI

1991 Northern British Columbia Mineral Inventory, Archer, Cathro & Associates (1981) Limited, May 1991.

Poole, W.H., Roddick J.A. and Green, L.H.

1960 Geology of Wolf Lake (105B), Yukon Territory, Geological Survey of Canada, Map 10-1960.

- Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.
1976 Stratigraphic and Structural Studies in the Pelly Mountains, Yukon Territory;
 Geological Survey of Canada Paper 76-1A, pp.97-106.
- Verley, C.G.
1980 Geological and Geochemical Report on the Moose Claim Group for Amax
 Minerals Exploration, Cordilleran Engineering; A.R. 090676, p.14.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 1993 with a B.A.Sc. in geological engineering, option 1, mineral and fuel exploration.
2. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in and supervised the field work reported herein.

B. Wengzynowski
W.A. Wengzynowski, B.A.Sc.

APPENDIX II

**GROUND TOTAL MAGNETIC FIELD AND HLEM SURVEY
OF THE QB AND SIMPSON PROPERTIES,
SOUTHERN YUKON TERRITORY
M.A. POWER, JANUARY 7, 1997**

NORDAC RESOURCES LTD.

**GROUND TOTAL MAGNETIC FIELD
AND HLEM SURVEY OF THE QB AND
SIMPSON PROPERTIES, SOUTHERN
YUKON TERRITORY**

M.A. Power M.Sc. P. Geo.

PROPERTIES

QB
SIMPSON

Centred at:
NTS: 105 A12, 13 / 105 B8
Mining District: Watson Lake, YT
Date: January 7, 1997

SUMMARY

During the periods of June 22 - 27 and August 11 - 15, 1996, Amerok Geosciences Ltd. conducted ground horizontal loop electromagnetic (HLEM) and total magnetic field surveys on the QB and Simpson properties held by Nordac Resources Ltd. in the southern Yukon. On the QB Property, the surveys identified five moderately dipping weak conductors with no associated magnetic response. On the Simpson Property, the HLEM survey delineated an area of high positive in-phase with minimal to flat quadrature responses possibly caused by a flat to very shallow dipping conductor coincident with the BW and RFG showings. Detailed discussions of anomalies of interest are included in descriptions of the results from each property.

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	GRIDS AND GRID REGISTRATION	1
3.0	HLEM THEORY AND INTERPRETATION PROCEDURES	3
4.0	SURVEY PROCEDURES	6
5.0	DATA PRESENTATION AND FORMATS	7
6.0	QB PROPERTY	8
6.1	Survey specifications	8
6.2	Data	8
6.3	Results and interpretation	9
6.4	Conclusions	10
7.0	SIMPSON PROPERTY	10
7.1	Survey specifications	10
7.2	Data	11
7.3	Results and interpretation	11
7.4	Conclusions	12
8.0	CONCLUSION	12
	REFERENCES CITED	13

1.0 INTRODUCTION

Amerok Geosciences Ltd. was retained by Nordac Resources Ltd. to conduct ground total magnetic field and horizontal loop electromagnetic field (HLEM) surveys on properties held by the company in the south central Yukon Territory. The surveys were conducted in June through August 1996 in support of an exploration program for volcanogenic massive sulphide deposits. This report is intended as a summary technical report from which extracts may be taken to incorporate into formal assessment reports for each property described.

The geophysical surveys were performed on the following properties:

Property	Surveys performed
QB	HLEM / magnetic field
Simpson	HLEM / magnetic field

This report consists of two parts. Sections 2.0 through 5.0 descriptions of the grids and grid registration procedures, HLEM and magnetic field theory, common survey procedures, and a description of the common data formats and presentation layouts. Sections 6.0 and 7.0 are descriptions of the data and results for each property. Plots of the data for each property are appended to the end of this report grouped by property.

2.0 GRIDS AND GRID REGISTRATION

The geophysical surveys were conducted over grids centred on favourable geology or promising geochemical or airborne geophysical responses. The grids normally consisted of a cut slope corrected base line and cut, slope chained (not slope corrected) survey lines. Maxmin surveys were performed on slope chained survey grids while some magnetometer surveys were conducted over slope corrected soil geochemical grids. Most of the grid stations were picketed with tagged and flagged survey lathe and should be recoverable for several years hence.

All geophysical survey data in this report has been registered in Universal Transverse Mercator coordinates to the 1927 North American Datum (NAD27). This geodetic datum was used in the construction of available NTS topographic maps and while it has been superseded by NAD83, it remains the most useful datum for field work in this area of the Yukon. Points on most of the grids were surveyed with Trimble Geo-Explorer differential global positioning system (DGPS) receivers. These receivers

record the detailed orbital records of the GPS satellites used in a location determination and correct these records for dithering and propagation delay errors using records from a stationary base station GPS receiver. The manufacturer asserts that horizontal locations can be determined to within ± 3 m using these instruments. On other grids, best estimates of the location of key points were made using non-differential GPS receivers or using topographic maps.

Registration procedure used was two widely separated DGPS surveyed points on a base line, these were used to position the base line and to determine its true azimuth.

The calculation of UTM coordinates was performed using one of two methods. If the available survey data consisted of one DGPS point and a base line azimuth or of two widely separated DGPS points, the following procedure was used. This procedure consists of three steps:

1. Assign the location of the known survey point on the grid as the local origin and express the location of all points on the grid relative to this new local origin:

$$x' = x - x_0$$

$$y' = y - y_0$$

2. Using the known azimuth of the base line in UTM coordinates (ϕ), rotate the grid so that the coordinates are correctly oriented with respect to the local origin. The new location of the grid points, rotated relative to the local origin, is (x'' , y''):

$$x'' = x' \cos \phi - y' \sin \phi$$

$$y'' = y' \cos \phi + x' \sin \phi$$

3. Finally, translate the grid to the UTM coordinates of the registration point (UTME, UTMN) to determine the UTM coordinates of any point on the grid (x_{UTM} , y_{UTM}):

$$x_{UTM} = x'' + UTME$$

$$y_{UTM} = y'' + UTMN$$

In the situation where the grid had been digitized and then best-fit to several DGPS points, the following procedure was used:

1. Determine the location of the end points of each line and the point of intersection between the survey line and the base line by reading off the coordinates from the digitized grid map. These are fixed registration points.
2. Interpolate the location of the stations between the registration points using the UTM coordinates of each of the two registration points at either end of the line segment.

All grid registration was performed using a spread sheet computer program.

3.0 HLEM THEORY AND INTERPRETATION PROCEDURES

The horizontal loop EM method is well described in standard texts such as Telford *et. al.* (1990) and Ketola and Puranen (1967). This section summarizes the key features of the HLEM method and describes the interpretation algorithms used in this survey program.

The HLEM method involves the use of a pair of separated horizontal coils (Figure 1). Most commonly, the surveys are conducted in the frequency domain. In this method, a sine wave of variable frequency is sent through one of the coils to create a time-varying vertical magnetic dipole source. The second coil is a receiver which detects both the primary signal from the transmitting coil and a secondary signal created by magnetic induction in a conductive target in the earth. There are two variants of the method in the frequency domain are the Slingram or conventional HLEM method and the Genie method.

The Slingram method (normally referred to as HLEM) requires that a sample of the transmitted signal be sent along a wire to the receiver where it is used to synchronize the phase of the receiver with the transmitter. This permits the receiver to remove the effect of the transmitter signal (primary field) and to split the remaining secondary field into two components. One component represents the portion of the secondary field





Figure 1. HLEM source field. The field from the transmitter loop produces an oscillating vertical magnetic dipole. This induces a secondary field in a conductive body in the earth. At the receiver coil, both the primary field and secondary field are received.



which is synchronized or in-phase with the primary field (in-phase component). The second component is the portion of the secondary field which lags the primary field by one quarter cycle (90°) (quadrature component). The ratio of the in-phase to quadrature components is used to determine the electrical conductance of a target.

HLEM instruments remove the primary field from the signal to leave only the secondary field. By convention, a secondary field in the same direction as the primary field is recorded as positive while a secondary field in the opposite direction to the primary field is recorded as negative. HLEM data is commonly plotted as profiles with the reading plotted at the midpoint between the transmitter and receiver. The reason for this is that the response from a steeply dipping conductor, the most common target of this method, is strongest when the two coils straddle the conductor. Normally, the in-phase response is plotted as a solid line and the quadrature response as a dashed line.

The HLEM response of a flat lying body is shown in Figure 2(a). Magnetic field lines (flux) are directed primarily into the region beneath the transmitter loop. Lenz's Law dictates that the induced secondary field will oppose the primary field. Consequently, at the receiver, both the primary and secondary field will be in the same direction. As a result, the response from a flat lying conductor consists of a positive response over the target. At the edge of the conductor, there is a negative response which occurs when both coils are straddling the edge of the conductor. When either the transmitter or receiver coil is over the edge of the conductor, there is no secondary field and the response is zero. As the depth to the flat lying conductor increases, the strength of the response is attenuated. The effective depth of investigation of the HLEM method for flat lying conductors is approximately 1.5 times the coil spacing.

The HLEM response of a steeply dipping conductor is shown in Figure 2(b). Field lines from the transmitter are horizontal at a point midway between the two coils and in this orientation, cut the conductor at right angles creating the best coupling. Lenz's Law dictates that the secondary field will oppose the primary field and at the receiver coil, the secondary field is in the opposite direction to the primary field. As a result, the response when profiling over a steeply dipping conductor consists of a trough with peak negative value occurring when the coils straddle the conductor. The flanking positive peaks result from induction effects as the pair of coils are close to but not straddling the conductor. When either of the coils is directly over the target, the response is zero because the primary field is not well coupled with the target (ie it is perpendicular to the edge of the conductor) and little secondary field is created.

A dipping tabular conductor can be specified by the dip and dip direction, depth to top, target width and electrical conductance (conductivity thickness product or σt). The effect of varying these parameters is shown in Figure 3 for the case of a response from a single isolated HLEM conductor. Asymmetry in the positive shoulders indicates




Figure 3. HLEM response of dipping tabular conductors. (a) Effect of dip on HLEM response. (b) Effect of depth. (c) Effect of conductor width. (d) Effect of conductance.

the dip direction and the ratio of the positive shoulder responses can be used to estimate the dip (Figure 3(a)). The strength of the response is largely determined by the depth to the top of the conductor. Increasing the depth to the top of the conductor decreases the amplitude of the response but does not otherwise change the shape of the response (Figure 3(b)). The effective depth of investigation of the HLEM method for steeply dipping targets is approximately one half the coil spacing. If the conductor is wide, the location of the zero crossovers, normally equal to the coil spacing, will increase. If the width reaches approximately one half the coil spacing, the trough of the response for shallow targets will start to deflect slightly to the positive. If the width of the target approaches that of the coil spacing, the positive return in the trough will be apparent at any depth to target (Figure 3(c)). As noted above, the electrical conductance controls the ratio of the in-phase to quadrature response. Weak targets show only a quadrature response. As the target conductance increases the strength of the in-phase component will increase. Very high conductance targets are characterized by strong in-phase responses and weak to very weak quadrature responses (Figure 3(d)).

Interpretation procedures for HLEM data are dependent upon the model to which the data is to be fitted. In most cases, the characteristic shape of the response will dictate the likely overall geometry of the source and thus the model to which the response should be fitted. Flat lying targets can be directly modelled with computerized calculations of target responses. Dipping tabular body responses on the other hand cannot be numerically modelled and must either be approximated through finite-element models or interpreted using characteristic curves. Characteristic curves for tabular dipping conductors incorporate several key features of the responses described in Figure 3 into simple charts. These responses are derived from model experiments. The ratio of positive shoulders responses and the ratio of in-phase to quadrature peak negative values are the commonly used features of the response. An example of these charts is shown in Figure 4.

The data contained in this report was interpreted using characteristic curves developed by Ketola and Puranen (1967). The procedure, normally done by hand, has been automated in proprietary software (MMPLLOT) developed by Amerok Geosciences Ltd. The characteristics of each response are entered into a computer program which creates a batch plotting file. The data is plotted directly on a CADD diagram with each of the characteristic curves on a different layer. The operator is able to quickly match the data to the curve which best fits the data by selecting different characteristic curves (ie. by changing layers). Where the data falls between two curves, the conductance and depth to top parameters can be interpolated but the dip cannot be reliably interpolated.

4.0 SURVEY PROCEDURES

The geophysical surveys were performed with the following instruments:

HLEM instruments

Apex Parametrics Maxmin I-9 with attached MMC (datalogger/computer). This instrument operates at 110, 220, 440, 880, 1760, 3520, 7040, 14,080 and 28,160 Hz. Cables at lengths of 50, 100 and 150 m were used in the surveys.

Magnetic field instruments

2 Omni Plus proton precession magnetometers, 1 Omni IV proton precession magnetometer.

Other

P-75 laptop computer, Fujitsu colour printer, Trimble Scout non-differential GPS. All data was processed and plotted in GEOPAK.

The HLEM surveys were performed using the 100 m cable and frequencies of 220, 880 and 3520 Hz on the first pass. Detailed surveys were performed over anomalies of interest using 50 and 150 m coils and the same frequencies. Readings were taken at 25 m stations except on detail surveys with 50 m coils where readings were taken every 12.5 m. The HLEM method requires that the coils be held a constant distance apart and be coplanar. In steep irregular terrain, the coils will frequently be less than the nominal coil spacing (short coiling) and may not be coplanar. These variations in coil geometry produce strong in-phase errors and must be removed from the data before plotting and interpretation. The method used to mitigate these effects requires a slope chained grid and requires the operator to measure the station to station terrain slope in percent with a clinometer. This is normally done by the receiver operator who was in the lead position on most surveys. The correct slope required to maintain the coils coplanar is the arithmetic average of the station to station slopes in the interval between the two coils. The operators hold the coils coplanar during the surveys by holding their coils at this orientation which is calculated and displayed for each reading station by the Maxmin MMC. The effect of short coiling created by irregular topography was removed with Apex Parametrics data processing software (MMCFIX1). The numerical method is described in Varre (1990)(pp AII-3-4).

The magnetic field surveys were conducted using a 12.5 m station spacing. The base station magnetometer was synchronized with the field units daily, prior to the surveys and cycled at 15 to 20 s during the surveys. Corrections to the field data for temporal geomagnetic variation during the surveys were performed either by on-board software

or, after dumping, by computer software. When a grid was surveyed with the base station in more than 1 location, the data sets were levelled by surveying a common interval, calculating the mean difference between the two data sets and applying the appropriate correction to one data set to level it to the other.

5.0 DATA PRESENTATION AND FORMATS

Digital data is appended to this report in ASCII XYZ format. Each file has a header on the first line showing the data contained in the columns beneath. For the magnetic field data, the common format is:

```
Line  Station  UTM_Easting  UTM_Northing  Corr_mag
```

For the HLEM data, the common format is:

```
Line  Station  UTM_Easting  UTM_Northing  220IP  220Q  880IP  880Q  3520IP  3520Q
```

Corr_mag denote total magnetic field data corrected for diurnal variation. xxxIP and xxxQ denotes in-phase and quadrature components at the prefixing frequency in percent of the vertical primary magnetic field (H_z).

HLEM data is displayed in stacked profile plots showing the survey grid and the in-phase and quadrature readings as solid and dashed line profiles. The zero level on each profile is coincident with the survey line and the direction of the positive response is shown by an arrow near the grid and diagrammatically in the legend. Where possible, a scale of 10% H_z per cm was used in the plotting. The locations of the grid lines have been registered to UTM coordinates with the best data available at the time of writing and UTM registration marks are shown on both HLEM and magnetic field plots. Along the grid lines, the small tick marks show the station locations and every 100 m is indicated by a larger tick. On some plots, alternate station ticks were suppressed by the plotting software. The north arrow in each plot indicates grid north. Conductors of interest are indicated with symbols at each intersection. All anomalies were interpreted as thin tabular conductors unless otherwise indicated. The squares indicating an anomaly are filled where required to indicate the calculated target conductance. Calculated depth to the top of the conductor and any excess width in the response which might indicate a wide target are shown numerically on opposite sides of the anomaly symbols. Conductor axes formed by linking similar line-to-line responses are indicated by thick dashed lines.

Total magnetic field data is displayed in colour contoured maps. These show the locations of the grid lines, marked in the same fashion as in the HLEM plots and contoured values of the total magnetic field. Superimposed on this is a full colour

contour plot and any HLEM conductor axes.

6.0 QB PROPERTY

Ground total magnetic field surveys and horizontal loop electromagnetic field surveys were conducted on the QB Property on June 22 - 27, 1996. The surveys were conducted by C.Lee / P. Chidzey.

6.1 Survey specifications

A cut grid consisting of 16.7 line-km with a baseline azimuth of 28.9° was centred over a strong lead geochemical anomaly. Survey lines were straight chained (not slope corrected) and picketed with survey lathe. The base line was slope corrected. The magnetic field survey covered 16.7 line-km and the HLEM survey covered 13.9 line-km of this grid. The surveys were conducted using the standard specifications described in section 5.0. One detail survey was conducted.

6.2 Data

The survey grid location was registered to UTM NAD27 coordinates using the differential GPS location of two widely separated points on the base line.

Copies of the digital data are appended to this report in the standard format. Plots of the data collected are contained in the back pockets of this report in the QB section. The following figures display the data collected on this property:

Figure	Location	Description
QB-1	Pocket	Total magnetic field colour contour map.
QB-2	Pocket	Maxmin I-9 / 220 Hz -100 m coils stacked profiles
QB-3	Pocket	Maxmin I-9 / 880 Hz - 100 m coils stacked profiles
QB-4	Pocket	Maxmin I-9 / 3520 Hz - 100 m coils stacked profiles
QB-5	Report	Detailed Maxmin profiles - Line 8500E

The in-phase component of the data has a short wavelength noise envelope of approximately $\pm 2\%$ and shows some positive variation apparently due to overburden effects based on its long wavelength. There are several "busts" where the in-phase or quadrature component makes a single station excursion from the background level;

these are believed to be reading error. The total magnetic field data shows several isolated dipole anomalies which may be due to local magnetic sources within overburden.

6.3 Results and interpretation

The HLEM survey located five anomalies labelled **QB-1** to **QB-5**. These anomalies trend roughly parallel to the base line. Conductances were calculated using the 3520 Hz responses. The conductors are discussed in turn.

Anomaly **QB-1** is a 400 m long, northeast trending HLEM anomaly. The response consists of a moderate quadrature response with a weak associated in-phase response. Interpreted conductor parameters for those responses on **QB-1** which can be interpreted are summarized below:

Apex location	Depth to top (m)	Dip / dip direction	Excess width (m)	Conductance (S)
L8800E 10220N	30	30°-40°	10	0.63
L8900E 10270N	50	25°-35°	0	0.63

Anomaly **QB-2** extends from line 8100E to 8500E and exhibit subtle anomalous quadrature responses. Interpreted conductor parameters for the response on **QB-2** which can be interpreted is summarized below:

Apex location	Depth to top (m)	Dip / dip direction	Excess width (m)	Conductance (S)
L8300E 10200N	60	30°/?	0	1.89

Anomaly **QB-3** is a short 100 m long anomaly with weak in-phase and quadrature responses. Due to the nature of the responses on **QB-3**, were difficult to extract conductance parameters were difficult to extract and therefore could not be interpreted.

Anomaly **QB-4** extends from line 9100E to 9300E and consists of positive anomalous quadrature and associated weak in-phase responses. Interpreted conductor parameters for **QB-4** are summarized below:

Apex location	Depth to top (m)	Dip / dip direction	Excess width (m)	Conductance (S)
L9100E 10550N	60	vertical	0	0.63
L9200E 10550N	25	35°-55°/?	0	0.63
L9300E 10590N	30	20°-30°/?	0	1.08

Anomaly **QB-5** is a one line anomalous positive quadrature response with no associated in-phase response. Due to the nature of the in-phase response, conductor parameters could not be extracted.

6.4 Conclusions

Conductors **QB-1**, **QB-2**, **QB-3**, **QB-4**, and **QB-5** have no associated magnetic response and show very low conductances. These anomalies do not appear to be caused by conductive massive pyrrhotite; the conductances are quite low and there is no associated magnetic response. Non-magnetic pyrrhotite (troilite) could account for the absence of magnetic response and the absence of electrical conductance may be caused by silica encapsulation or some other insulation mechanism but this is unlikely in this setting. It appears that the HLEM survey did not detect a source for the pyrrhotite rich boulders found on the property. The low conductance of the conductors does not preclude their being caused by stratabound zinc rich massive sulphide horizons as these commonly show conductances in the low end of the range expected for massive sulphide occurrences (1-40S). Positive HLEM responses appear to be coincident with locally thick overburden.

7.0 SIMPSON PROPERTY

Ground total magnetic field surveys and horizontal loop electromagnetic field surveys were conducted on the Simpson Property. The surveys were conducted by C.Lee and R. Kamnitzer on August 11-15, 1996.

7.1 Survey specifications

A cut grid consisting of 5.4 line-km with a base line azimuth of 115° was centred over mineral showings on the property. Survey lines were straight chained (not slope corrected) and picketed with survey lathe. The base line was slope corrected. The magnetic field survey covered 5.4 line-km and the HLEM survey covered 5.0 line-km

of this grid. The surveys were conducted using the standard specifications described in section 5.0. No detail surveys were conducted.

7.2 Data

The survey grid location was registered to UTM NAD27 coordinates using the differential GPS location of two widely separated points on the base line.

Copies of the digital data are appended to this report in the standard format. Plots of the data collected are contained in the back pockets of this report in the SIMPSON section. The following figures display the data collected on this property:

Figure	Location	Description
SP-1	Pocket	Total magnetic field colour contour map.
SP-2	Pocket	Maxmin I-9 / 220 Hz -100 m coils stacked profiles
SP-3	Pocket	Maxmin I-9 / 880 Hz - 100 m coils stacked profiles
SP-4	Pocket	Maxmin I-9 / 3520 Hz - 100 m coils stacked profiles

7.3 Results and interpretation

Responses on the grid are unusual and consist of high amplitude positive in-phase responses and associated flat quadrature responses. There are no significant negative responses which would normally be expected in an area with targets dipping at 30° or more. The positive in-phase responses change somewhat with increasing frequency and do not appear to be caused by coil control errors. The topography on the grid while steep has a consistent slope and is unlikely to have created any significant in-phase errors. Non-conductive magnetic bodies can cause in-phase responses with no quadrature response. There is no significant magnetic field response in this area which could account for the in-phase response however.

This unusual response can be interpreted as arising from a flat lying or very shallow dipping conductor. The high in-phase to quadrature ratio would normally suggest that the target is of fairly high conductance but this does not correlate with airborne survey results in this area. The boundaries of the inferred flat lying conductor are shown in blue on the attached figures; the hatchure marks point to the interior of the conductor. The inferred trace of the mineralized horizon which is assumed to contain both the RFG and BW zones is shown on the diagrams in green for comparison. It appears that the inferred conductor is generally coincident with the trace of the mineralized horizon.

7.4 Conclusions

The responses on the Simpson grid do not indicate the presence of any moderate to steeply dipping conductors. The anomalous positive in-phase responses can be interpreted as arising from a flat-lying or very shallow dipping conductor containing the inferred mineralized horizon. There is an unexplained discrepancy between the airborne and ground survey conductances in this area. There is no positive magnetic response associated with the conductor but this does not preclude the conductor being caused by a massive sulphide horizon, particularly if it is zinc-rich. The HLEM results on this property should be viewed as weakly corroborative and any decision to drill the showings should be based on available geological evidence rather than the geophysical responses.

8.0 CONCLUSION

The results of the geophysical surveys will have to be evaluated together with the geology to determine if any of the conductors are of economic interest. The low conductances of the targets on the QB property does not preclude them from originating in zinc-rich stratabound massive sulphide horizons unless the apparent dips are inconsistent with the mapped geology. The data on the Simpson Property admit only the interpretation of a shallow dipping to flat lying conductor of apparently high conductance. The discrepancy between the HLEM and HEM conductances in this area is a concern since the target would undoubtedly outcrop and an accurate determination of conductances should be possible with both methods.

Respectfully submitted
AMEROK GEOSCIENCES LTD.



M. A. Power M.Sc. P.Geo.
 Geophysicist


REFERENCES CITED

- Telford, W.M., L.P. Geldart and R.E. Sheriff (1990) Applied Geophysics (2nd Edition)
New York: Cambridge University Press.
- Ketola, M. and M. Puranen (1967) Type curves for the interpretation of Slingram
(horizontal loop) anomalies over tabular bodies. Geological Survey of Finland
Report of Investigations No. 1.
- Varre, T. (1990) Apex Parametrics Maxmin I-9 manual. Uxbridge: Apex Parametrics.

+ 6701000N
418100E


+ 6701000N
418100E

+ 6700000N
418100E





LEGEND

Conductance (3520 Hz)



CONDUCTOR AXIS



CONTOUR INTERVAL: 10 nT



SCALE: 1:5000

NORDAC RESOURCES LTD.

QB PROPERTY

NTS: 105 B/8
(Grid registered to UTM Datum NAD 27)

TOTAL MAGNETIC FIELD SURVEY
CONTOUR MAP

FIG. QB - 1

AMEROK GEOSCIENCES LTD.



093674




+ 6701000N
418100E

+ 6701000N
419100E

+ 6700000N
418100E



LEGEND
Conductance (3520 Hz)



0 metres 200

SCALE: 1:5000

NORDAC RESOURCES LTD.

QB PROPERTY

NTS: 105 B/8
(Grid registered to UTM Datum NAD 27)

MAXMIN I-9 SURVEY
100 m COILS - 220 Hz

STACKED PROFILES

FIG. QB - 2

AMEROK GEOSCIENCES LTD.

+ 6701000N
418100E

+ 6701000N
419100E

+

+



+ 6700000N
418100E

+


+



LEGEND
Conductance (3520 Hz)



CONDUCTOR AXIS



0 metres 200

SCALE: 1:5000

NORDAC RESOURCES LTD.

QB PROPERTY

NTS: 105 B/8
(Grid registered to UTM Datum NAD 27)


MAXMIN I-9 SURVEY
100 m COILS - 880 Hz

STACKED PROFILES

FIG. QB - 3

AMEROK GEOSCIENCES LTD.

093674




LEGEND

Conductance (3520 Hz)

- > 50 S
- 20 - 50 S
- 5 - 20 S
- 1 - 5 S
- < 1 S
- CONDUCTANCE UNKNOWN

Depth (m)
50
0
Excess width (m)



0 metres 200

SCALE: 1:5000

NORDAC RESOURCES LTD.

QB PROPERTY

NTS: 105 B/8
(Grid registered to UTM Datum NAD 27)

MAXMIN I-9 SURVEY
100 m COILS - 3520 Hz

STACKED PROFILES

FIG. QB - 4

AMEROK GEOSCIENCES LTD.

093674

APPENDIX III

GPS DATA

QB Property
GPS Survey Coordinates

Data Quality: Standard = The surveyed positions were recorded in 3D mode and were differentially corrected. The reported UTM coordinates are within 1 to 5 meters of their actual locations; Poor = >25% of the surveyed positions were recorded in 2D mode; Uncorrected = The surveyed positions were not differentially corrected; N/S = No survey data available.

Base Station: W = Westmin Resources Limited base station at Wolverine Lake; WL = Ministry of Environment, Lands and Parks base station at Williams Lake; DL = Ministry of Environment, Lands and Parks base station at Dease Lake; RR = Department of Renewable Resources (Forestry) at Whitehorse.

A. Grid Station Points

	Grid Coordinates		UTM Coordinates		Data Quality	Base Station	Date
	Northing	Easting	Northing	Easting			
BL84E	10+000 N	8+400 E	6698938	419096	Poor	W	22-Jun-96

C. Nordac Resources Ltd. Claim Posts

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date
			Northing	Easting			
QB	1, 2	35, 36	6699697	418861	Poor	W	23-Jun-96
	3, 4	1, 2	6699805	419200	Uncorrected	-	-
	5, 6	3, 4	6699678	419700	Poor	W	19-Jun-96
	7, 8	5, 6	6700115	420050	Uncorrected	-	-
	9, 10	7, 8	6700254	420420	Uncorrected	-	-
	11, 12	9, 10	6700440	420840	Uncorrected	-	-
	13, 14	11, 12	6700640	421275	Uncorrected	-	-
	61, 62	13, 14	6700919	421551	Uncorrected	-	-
QB	15, 16	43, 44	6699049	419040	Poor	W	19-Jun-96
	17, 18	15, 16	6699180	419490	Uncorrected	-	-
	19, 20	17, 18	6699310	419900	Uncorrected	-	-
	21, 22	19, 20	6699440	420300	Uncorrected	-	-
	23, 24	21, 22	6699590	420760	Uncorrected	-	-
	25, 26	23, 24	6699750	421170	Uncorrected	-	-
	27, 28	25, 26	6699926	421589	Uncorrected	-	-
	85, 86	27, 28	6700045	421997	Uncorrected	-	-
QB	29, 30	-	6698939	417209	Poor	W	23-Jun-96
	31, 32	29, 30	6699102	417620	Uncorrected	-	23-Jun-96
	33, 34	31, 32	6699322	418017	Poor	W	23-Jun-96
	35, 36	33, 34	6699503	418431	Poor	W	23-Jun-96
	1, 2	35, 36	6699697	418861	Poor	W	23-Jun-96
QB	37, 38	-					
	39, 40	37, 38	6698753	417835	Poor	W	23-Jun-96
	41, 42	39, 40	6698813	418183	Poor	W	23-Jun-96
	43, 44	41, 42	6698939	418622	Poor	W	23-Jun-96
	15, 16	43, 44	6699049	419040	Poor	W	23-Jun-96
QB	45, 46	-	6697510	417261	Standard	W	26-Jun-96
	47, 48	45, 46	6697798	418100	Standard	W	26-Jun-96
	49, 50	47, 48	6697913	418526	Standard	W	26-Jun-96
	51, 52	49, 50	6698080	418929	Standard	W	26-Jun-96
	53, 54	51, 52	6698218	419359	Standard	W	26-Jun-96
	55, 56	53, 54	6698361	419794	Standard	W	26-Jun-96
	57, 58	55, 56	6698494	420246	Standard	W	26-Jun-96
	59, 60	57, 58	6698602	420653	Standard	W	26-Jun-96

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date
			Northing	Easting			
	-	59, 60	6698730	421065	Standard	W	26-Jun-96
QB	61, 62	-					
	63, 64	61, 62	6700996	422051	Uncorrected	-	-
	65, 66	63, 64	6701239	422441	Uncorrected	-	-
	67, 68	65, 66	6701231	422872	Uncorrected	-	-
	69, 70	67, 68	6701483	423355	Uncorrected	-	-
	71, 72	69, 70	6701507	423819	Uncorrected	-	-
	73, 74	71, 72	6701798	423979	Uncorrected	-	-
	75, 76	73, 74	6701943	424531	Uncorrected	-	-
	77, 78	75, 76	6702058	424950	Uncorrected	-	-
	79, 80	77, 78	6702237	425356	Uncorrected	-	-
	81, 82	79, 80	6702373	425780	Uncorrected	-	-
	83, 84	81, 82	6702521	426216	Uncorrected	-	-
	-	83, 84	6702645	426621	Uncorrected	-	-
QB	85, 86	-	6700045	421997	Uncorrected	-	-
	87, 88	85, 86	6700315	422452	Uncorrected	-	-
	89, 90	87, 88	6700398	422764	Uncorrected	-	-
	91, 92	89, 90	6700525	423294	Uncorrected	-	-
	93, 94	91, 92	6700718	423619	Uncorrected	-	-
	95, 96	93, 94	6700909	424072	Uncorrected	-	-
	97, 98	95, 96	6701087	424428	Uncorrected	-	-
	99, 100	97, 98	6701295	424864	Uncorrected	-	-
	101, 102	99, 100	6701523	425317	Uncorrected	-	-
	103, 104	101, 102	6701654	425720	Uncorrected	-	-
	-	103, 104	6701987	425513	Uncorrected	-	-

APPENDIX IV
SAMPLE DESCRIPTIONS

APPENDIX IV

1996 QB SAMPLE DESCRIPTIONS

- 59001 Thin sphalerite±pyrite±chalcopyrite stringers in quartz-muscovite schist. Outcrop.
- 59002 Thin sphalerite±pyrite±chalcopyrite stringers in quartz-muscovite schist. Outcrop.
- 59003 Thin sphalerite±pyrite±chalcopyrite stringers in quartz-muscovite schist. Outcrop.
- 59004 Yellow, limonitic fault breccia in quartz-muscovite schist. Outcrop.
- 59005 Banded limonite with traces of galena and anglesite. Float. 5 x 10 x 5 cm.
- 59006 2 cm thick limonite stringer crosscutting quartz-muscovite schist. Float.
- 59007 Massive pyrrhotite float with 2% galena. 10 x 5 x 5 cm.
- 59008 Composite sample of 10 small pieces of pyrrhotite float.
- 59009 30 cm chip sample across stratified massive pyrrhotite boulder. Float. 40 x 50 x 30 cm.
- 59010 Blue-green chlorite altered matrix with 10% pyrrhotite in veinlets and disseminations. Float.
- 59011 Blue-green chlorite altered matrix with 20% pyrrhotite in veinlets and disseminations. Float.
- 59012 Blue-green chlorite altered rock with vuggy quartz fractures and pyrrhotite stockwork. Float.
- 59013 Massive banded pyrrhotite boulder. 30 x 30 x 30 cm. Subangular float.
- 59014 Massive banded pyrrhotite boulder. 10 x 10 x 20 cm. Subangular float.
- 59015 Massive pyrrhotite with trace galena. 5 x 3 x 2 cm. Float.
- 59016 Limestone with sphalerite fracture filling. Float.
- 59017 Fine-grained disseminated galena in dark green, soft matrix. Rounded flat boulder. 10 x 10 x 5 cm.
- 59018 Subangular boulder of pale greenish aphanitic rock with 20% disseminated coarse crystalline sphalerite. Float. 10 x 5 x 20 cm.

APPENDIX IV - Page 2

- 59019 10 cm wide pyritic, calcite vein crosscutting bedded limestone. Outcrop.
- 59020 Fracture fillings and disseminations of galena and sphalerite in limestone. Outcrop.
30 cm chip sample.
- 59021 3 cm thick foliaform sulphide lens within limestone. Mostly pyrite with trace sphalerite and galena. Outcrop.
- 59022 3 cm wide limonitic pyrite vein with 2 to 3% galena. Float. 5 x 10 x 4 cm.
- 59023 Limestone boulder with fracture fillings of sphalerite and galena. Float. 10 x 5 x 5 cm.
- 59024 Heavily oxidized, banded pyrite with 2% galena. Float.
- 59025 Limestone+muscovite with limonitic pyrite vein. Trace galena. Float. 15 x 5 x 3 cm.
- 59026 Muscovite schist with disseminated pyrite and sphalerite along fractures. Float.
- 59027 Complete oxidized and leached, banded limonite float, trace pyrite.
- 59028 Complete oxidized and leached, banded limonite float, trace pyrite
- 59029 Angular limestone clasts in a matrix of fine-grained galena and sphalerite. Well rounded float boulder. 15 x 10 x 10 cm.
- 59030 Massive, laminated pyrrhotite with interbedded schist. Angular float. 70 x 50 x 50 cm.
- 59031 Massive pyrrhotite. Angular float boulder. 40 x 25 x 25 cm.
- 59032 2 cm thick foliaform limonite layer in interbedded limestone and muscovite schist. Trace pyrite. Float.
- 59033 Light green, tuffaceous looking float boulder. Aphanitic groundmass with rare shards of quartz and 0.5% disseminated pyrite throughout. Slight fizz in Hcl.
- 59034 Limonitic quartz, carbonate vein with pyrrhotite and trace galena and sphalerite. Float.
- 58201 Banded pyrite, galena, sphalerite and pyrrhotite. Float. 5 x 3 x 3 cm.
- 58102 Ferricrete breccia. Glacial pebbles and muscovite schist fragments in a limonitic matrix. Float. 100 x 50 x 30 cm.

APPENDIX IV - Page 3

- 58103 Massive sulphide cobble. 80% pyrite with 20% interlaminated sphalerite and galena. Float. 7 x 5 x 5 cm.
- 58104 Limonite with remnant muscovite schist fragments and trace galena and anglesite. Float. 20 x 20 x 10 cm.
- 58105 Silicified quartz-muscovite schist with 2 to 3% chalcopyrite in crosscutting veinlets. Trace sphalerite. Float. 15 x 20 x 10 cm.
- 58106 42 cm chip sample across stratified massive sulphide boulder. Laminated pyrite, pyrrhotite, sphalerite and galena. Minor silicification. Float boulder. 42 x 56 x 25 cm.
- 58107 36 cm chip sample across opposite face of massive sulphide boulder from which sample 58106 was taken.
- 58108 Strongly silicified quartz-feldspar schist with fine-grained disseminated pyrite. Float. 20 x 10 x 10 cm.
- 58109 Massive pyrrhotite and pyrite with blue/grey silicification. Float. 50 x 40 x 30 cm.
- 58110 Semi-massive sulphides, 40% pyrrhotite, 20% pyrite and 1% galena in a grey-blue siliceous, chloritic matrix. Float.
- 58111 Strongly oxidized, fractured massive sulphide. Contains unidentified soft black sulphide with greasy black streak. Float. 10 x 10 x 5 cm.
- 58112 Same as sample 58111 with more intense oxidation. Float.
- 58113 Strongly oxidized, fine-grained, compact, layered ferricrete with abundant muscovite flakes throughout. Float. 10 x 6 x 4 cm.
- 58115 Massive pyrite, pyrrhotite, galena and sphalerite. Discovery Zone float.
- 58116 Massive pyrite, pyrrhotite, galena and sphalerite. Discovery Zone float.
- 58117 Massive pyrite, pyrrhotite, galena and sphalerite. Discovery Zone float.
- 58118 Massive pyrite, pyrrhotite, galena and sphalerite. Discovery Zone float.
- 58119 Massive pyrite, pyrrhotite, galena and sphalerite. Discovery Zone float.
- 58120 Irregularly banded massive sulphide, dominantly pyrite (60%) with interbands and patches of galena, sphalerite and pyrrhotite.

APPENDIX V
GALENA LEAD ISOTOPE ANALYSES

Galena Lead Isotope Analyses from Samples submitted by Nordac Resources.

Janet E. Gabites, Geochronology Laboratory, U.B.C.

Lead isotopic compositions were determined for six galena samples. The data have been plotted on a $^{207}\text{Pb}/^{204}\text{Pb}$ v. $^{206}\text{Pb}/^{204}\text{Pb}$ diagram in Figure 1. The shale curve has been plotted in the figure to provide an isotopic reference. This curve was calculated from data from sediment-hosted stratiform deposits in the miogeocline of the Canadian Cordillera, and thus provides a reference curve for continental and upper crustal environments in this broad region (Godwin *et al.*, 1988). It also closely approximates the isotopic evaluation of Pb in the adjacent Yukon-Tanana Terrane (Mortenson unpublished data).

All the samples analysed plot near the shale curve (Figure 1), which implies that the lead in the mineralization is mainly of upper crustal origin. All except one are very radiogenic, consistent with being either very young or derived from a highly radiogenic source. Lead in carbonate-hosted deposits and in epigenetic silver-bearing veins and replacement deposits in the northern cordillera tends to be very radiogenic, commonly plotting near or beyond the end of the shale curve (Godwin *et al.*, 1988).

Sample D2-1 is relatively non-radiogenic and plots well below the shale curve. This analysis gives a Silurian model age, which may indicate an early or mid-Paleozoic age of formation..

Analytical Techniques

Small clean cubes of galena were handpicked, washed, and dissolved in dilute hydrochloric acid. Approximately 10-25ng of the lead in chloride form was loaded on a rhenium filament and isotopic compositions were determined using a modified VG54R thermal ionization mass spectrometer. The measured ratios were corrected for instrumental mass fractionation of 0.12% per mass unit based on repeated measurements of the N.B.S. SRM 981 Standard Isotopic Reference Material. Errors reported in Table 1 were obtained by propagating all mass fractionation and analytical errors through the calculation.

References

- Godwin, C.J., Gabites, J.E., and Andrew, A. 1988. LEADTABLE: A galena lead isotope database for the Canadian Cordillera. *B.C. Geological Survey Branch Paper* 1988-4. 188p.
- Godwin, C.J. and Sinclair, A.J., 1982. Average lead isotope growth curves for shale-hosted zinc-lead deposits, Canadian Cordillera. *Economic Geology*, Volume 7, pages 675-690.

Table 1. Galena Lead Isotope Data.

Sample Number	$^{206}\text{Pb}/^{204}\text{Pb}$	Error %	$^{207}\text{Pb}/^{204}\text{Pb}$	Error %	$^{208}\text{Pb}/^{204}\text{Pb}$	Error %	$^{207}\text{Pb}/^{206}\text{Pb}$	Error %	$^{208}\text{Pb}/^{206}\text{Pb}$	Error %
pigskin	19.5697	0.014	15.7311	0.013	39.6604	0.015	0.8039	0.007	2.0266	0.005
QB-1	19.4190	0.014	15.7171	0.013	39.5953	0.017	0.8094	0.007	2.0390	0.011
D2-1	18.6400	0.008	15.6489	0.006	38.5511	0.009	0.8395	0.005	2.0682	0.003
Q6-1	19.6396	0.005	15.7380	0.005	39.7800	0.005	0.8013	0.001	2.0253	0.002
QB-3	19.4269	0.009	15.7240	0.008	39.5795	0.012	0.8094	0.004	2.0374	0.008
EZ-1	19.5371	0.01	15.7499	0.008	39.8362	0.011	0.8062	0.005	2.0390	0.006
EZ-2	19.5242	0.00	15.7326	0.002	39.7819	0.003	0.8058	0.001	2.0376	0.002




Figure 1. $^{207}\text{Pb}/^{204}\text{Pb}$ v. $^{206}\text{Pb}/^{204}\text{Pb}$ plot of lead isotope analyses of samples.
Shale curve of Godwin and Sinclair (1982) for reference

Janet E. Gabites

Janet E. Gabites
The Geochronology Laboratory,
Department of Earth and Ocean Sciences,
The University of British Columbia,
Vancouver, B.C. V6T 2Z4
Phone (604) 822-6654
Fax (604) 822-6088

APPENDIX VI
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists **Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments: ATTN: B. WENGZYNOVSKI

Page : 1
Total Pages : 1
Certificate Date: 23-DEC-96
Invoice No. : I9643376
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9643376

SAMPLE	PREP CODE		Pb %									
058120M	244	--	9.74									

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments: ATTN: B. WENGZYNOVSKI

Page Number : 1-A
Total Pages : 1
Certificate Date: 10-DEC-96
Invoice No. : 19642096
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9642096

SAMPLE	PREP CODE		Au g/t FA+AA	Ag FA g/t	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)
058120M	208	226	0.015	169	165.0	0.70	< 100	< 10	< 20	0.30	10	20	70	1370	>30.0	< 0.1

CERTIFICATION:

Handwritten signature: Hans B. Zichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments: ATTN: B. WENGZYNOWSKI

Page Number: 1-B
Total Pages: 1
Certificate Date: 10-DEC-96
Invoice No.: 19642096
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9642096

SAMPLE	PREP CODE		Mg % (ICP)	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	Pb % AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	Zn ppm (ICP)				
058120M	208	226	0.30	4060	10	< 0.05	30	>10.00	< 10	< 0.05	< 10	2540				

CERTIFICATION:

Frank Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page Number: 1-A
Total Pages: 2
Certificate Date: 21-OCT-96
Invoice No.: 19636271
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9636271

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
23001	201	202	0.2	2.08	6	80	0.5	< 2	0.49	< 0.5	9	27	14	2.52	< 10	< 1	0.20	30	0.62	315	< 1
23002	201	202	< 0.2	2.68	12	90	0.5	< 2	0.24	< 0.5	11	30	13	3.17	< 10	< 1	0.20	20	0.80	255	< 1
23003	201	202	< 0.2	2.93	4	90	0.5	< 2	0.34	< 0.5	11	33	15	3.05	< 10	< 1	0.16	30	0.77	270	< 1
23004	201	202	< 0.2	3.29	8	80	1.0	< 2	0.30	< 0.5	14	36	15	3.95	< 10	< 1	0.14	30	1.04	420	< 1
23005	201	202	0.6	2.42	28	80	1.0	< 2	1.57	0.5	14	29	36	3.91	< 10	< 1	0.13	40	1.00	605	< 1
23006	201	202	< 0.2	3.20	28	40	2.0	< 2	0.41	< 0.5	16	30	16	5.51	< 10	< 1	0.10	40	0.91	1005	< 1
23007	201	202	1.6	1.86	26	70	1.0	< 2	2.36	3.0	11	24	73	2.57	< 10	< 1	0.12	30	0.57	1105	< 1
23008	201	202	0.6	2.46	32	60	1.5	< 2	0.59	1.0	10	28	12	3.79	< 10	< 1	0.09	40	0.85	325	< 1
23009	201	202	0.2	2.04	28	40	1.5	< 2	0.40	< 0.5	10	21	10	3.06	< 10	< 1	0.08	20	0.66	390	< 1
23010	201	202	0.4	2.04	26	60	1.0	< 2	0.33	0.5	11	25	19	2.94	< 10	< 1	0.14	30	0.76	455	< 1
23011	201	202	< 0.2	2.11	14	60	0.5	< 2	0.29	< 0.5	8	23	9	2.63	< 10	< 1	0.11	20	0.69	290	< 1
23012	201	202	< 0.2	2.56	20	60	1.0	< 2	0.24	< 0.5	10	26	12	3.16	< 10	< 1	0.13	20	0.71	270	< 1
23013	201	202	0.2	2.38	32	70	1.0	< 2	0.43	0.5	9	24	9	3.40	< 10	< 1	0.12	30	0.85	365	< 1
23014	201	202	0.4	2.27	22	60	1.0	< 2	0.51	< 0.5	10	29	12	3.20	< 10	< 1	0.14	40	0.90	475	< 1
23015	201	202	0.2	2.20	22	60	0.5	2	1.19	0.5	12	28	18	3.31	< 10	< 1	0.11	30	0.76	765	< 1
23016	201	202	0.6	1.60	30	50	1.0	< 2	4.68	1.5	9	20	22	2.31	< 10	< 1	0.19	30	0.64	470	< 1
23017	201	202	0.2	2.21	34	70	0.5	2	2.28	1.0	11	25	21	2.91	< 10	< 1	0.27	30	0.82	415	< 1
23018	201	202	< 0.2	1.23	10	40	< 0.5	< 2	0.09	0.5	15	17	21	5.77	< 10	< 1	0.05	20	0.21	570	< 1
23019	201	202	< 0.2	2.77	4	60	1.0	< 2	0.50	< 0.5	11	25	14	3.43	< 10	< 1	0.10	30	0.91	290	< 1
23020	201	202	0.4	2.92	< 2	100	1.0	< 2	0.54	< 0.5	9	30	17	3.45	< 10	< 1	0.13	30	0.91	355	< 1
23021	201	202	0.2	3.23	6	80	1.5	< 2	0.12	< 0.5	13	31	19	3.31	< 10	< 1	0.12	30	0.71	210	< 1
23022	201	202	< 0.2	2.03	8	50	0.5	< 2	0.07	< 0.5	6	22	7	2.96	< 10	< 1	0.11	20	0.43	190	< 1
23023	201	202	< 0.2	2.14	< 2	90	0.5	< 2	0.45	< 0.5	7	25	8	2.33	< 10	< 1	0.18	20	0.61	230	< 1
23024	201	202	0.4	2.29	48	60	1.5	< 2	1.43	2.0	13	26	28	4.39	< 10	< 1	0.12	50	1.02	1055	< 1
23025	201	202	0.4	1.79	10	50	0.5	< 2	1.38	1.5	6	18	18	2.23	< 10	< 1	0.16	30	0.65	185	< 1
23026	201	202	0.4	2.08	18	60	1.5	< 2	1.95	1.0	8	25	19	2.54	< 10	< 1	0.22	30	0.88	320	< 1
23027	201	202	0.4	1.96	22	60	1.5	< 2	1.28	0.5	8	23	18	2.47	< 10	< 1	0.23	30	0.75	350	< 1
23028	201	202	0.4	1.90	18	50	1.0	< 2	2.10	1.5	8	21	19	2.52	< 10	< 1	0.17	30	0.70	355	< 1
23029	201	202	0.4	2.11	20	50	1.5	2	1.91	1.5	10	21	30	3.11	< 10	< 1	0.14	40	0.75	445	< 1
23030	201	202	0.2	1.39	8	30	0.5	2	3.71	0.5	8	15	12	2.04	< 10	< 1	0.14	30	0.59	290	< 1
23031	201	202	< 0.2	1.45	14	30	0.5	< 2	1.70	0.5	8	16	12	2.13	< 10	< 1	0.12	30	0.58	280	< 1
23032	201	202	< 0.2	1.41	14	40	0.5	< 2	2.70	0.5	8	16	13	2.18	< 10	< 1	0.13	20	0.58	355	< 1
23033	201	202	0.2	1.60	16	40	0.5	< 2	1.94	0.5	8	18	16	2.53	< 10	< 1	0.14	20	0.63	390	< 1
23034	201	202	< 0.2	1.33	16	30	0.5	2	1.41	0.5	7	13	11	2.09	< 10	< 1	0.09	10	0.55	665	< 1
23035	201	202	0.2	1.59	16	50	0.5	< 2	1.70	0.5	8	18	15	2.62	< 10	< 1	0.13	20	0.62	985	< 1
23036	201	202	0.2	1.71	18	50	0.5	< 2	1.58	1.5	10	19	16	2.78	< 10	< 1	0.13	20	0.66	980	< 1
23037	201	202	0.6	1.85	12	40	0.5	< 2	1.85	2.0	10	20	19	2.96	< 10	< 1	0.14	20	0.72	840	< 1
23038	201	202	0.6	1.94	14	40	0.5	2	2.04	2.5	11	21	19	3.09	< 10	< 1	0.14	20	0.80	770	< 1
23039	201	202	0.8	1.99	20	40	0.5	2	1.85	3.5	11	22	22	3.25	< 10	< 1	0.14	30	1.01	1020	< 1
23040	201	202	0.8	1.98	20	40	0.5	< 2	1.35	5.0	11	23	20	3.25	< 10	< 1	0.13	30	0.98	1325	< 1

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1-B
Total Pages : 2
Certificate Date: 21-OCT-96
Invoice No. : I9636271
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9636271

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
23001	201	202	0.03	18	240	24	< 2	3	85	0.06	< 10	< 10	27	< 10	74
23002	201	202	0.01	25	260	44	< 2	3	47	0.05	< 10	< 10	28	< 10	94
23003	201	202	0.02	25	210	44	< 2	3	71	0.06	< 10	< 10	31	< 10	96
23004	201	202	0.01	27	160	42	2	4	47	0.05	< 10	< 10	35	< 10	102
23005	201	202	0.02	32	740	46	< 2	5	114	0.05	< 10	< 10	32	< 10	144
23006	201	202	< 0.01	93	340	72	< 2	4	35	0.01	< 10	< 10	27	< 10	150
23007	201	202	0.01	26	990	32	< 2	2	139	0.03	< 10	< 10	23	< 10	218
23008	201	202	< 0.01	21	350	78	< 2	5	59	0.04	< 10	< 10	32	< 10	452
23009	201	202	0.01	17	210	60	< 2	3	48	0.01	< 10	< 10	20	< 10	132
23010	201	202	0.01	21	140	68	< 2	3	40	0.04	< 10	< 10	25	< 10	120
23011	201	202	< 0.01	18	110	42	< 2	3	32	0.03	< 10	< 10	23	< 10	100
23012	201	202	< 0.01	19	160	56	2	3	41	0.03	< 10	< 10	25	< 10	200
23013	201	202	0.01	19	210	52	< 2	4	48	0.03	< 10	< 10	24	< 10	168
23014	201	202	< 0.01	21	370	44	< 2	5	62	0.05	< 10	< 10	27	< 10	122
23015	201	202	0.02	19	940	42	< 2	4	107	0.05	< 10	< 10	32	< 10	204
23016	201	202	0.01	18	870	48	< 2	3	197	0.03	< 10	< 10	17	< 10	632
23017	201	202	0.02	21	480	58	< 2	3	150	0.05	< 10	< 10	24	< 10	210
23018	201	202	< 0.01	14	440	36	< 2	1	13	0.03	< 10	< 10	36	< 10	116
23019	201	202	< 0.01	25	240	28	< 2	3	44	0.01	< 10	< 10	23	< 10	88
23020	201	202	0.01	25	340	32	< 2	4	63	0.04	< 10	< 10	31	< 10	114
23021	201	202	< 0.01	29	160	40	< 2	3	48	0.05	< 10	< 10	31	< 10	116
23022	201	202	< 0.01	11	360	38	2	2	17	0.06	< 10	< 10	36	< 10	64
23023	201	202	< 0.01	14	170	18	< 2	3	60	0.07	< 10	< 10	29	< 10	68
23024	201	202	0.01	22	1060	66	< 2	5	112	0.06	< 10	< 10	32	< 10	268
23025	201	202	0.02	14	1150	40	< 2	3	102	0.04	< 10	< 10	17	< 10	232
23026	201	202	0.01	19	510	56	6	3	87	0.05	< 10	< 10	22	< 10	324
23027	201	202	0.02	16	800	52	2	3	100	0.04	< 10	< 10	19	< 10	392
23028	201	202	0.01	17	850	42	2	3	138	0.04	< 10	< 10	18	< 10	360
23029	201	202	0.01	24	990	40	< 2	3	136	0.04	< 10	< 10	21	< 10	312
23030	201	202	0.01	14	790	26	2	2	177	0.04	< 10	< 10	14	< 10	178
23031	201	202	0.01	14	840	32	< 2	2	103	0.04	< 10	< 10	15	< 10	204
23032	201	202	0.01	14	680	36	2	2	119	0.03	< 10	< 10	15	< 10	212
23033	201	202	0.01	16	700	44	2	3	121	0.03	< 10	< 10	17	< 10	230
23034	201	202	0.01	13	630	32	< 2	1	93	0.02	< 10	< 10	13	< 10	196
23035	201	202	0.01	16	660	42	2	2	113	0.03	< 10	< 10	17	< 10	244
23036	201	202	0.01	18	660	102	< 2	3	106	0.03	< 10	< 10	18	< 10	430
23037	201	202	0.01	18	670	212	< 2	3	114	0.03	< 10	< 10	19	< 10	680
23038	201	202	0.01	19	650	278	< 2	3	119	0.03	< 10	< 10	20	< 10	860
23039	201	202	0.01	20	660	400	6	3	107	0.03	< 10	< 10	21	< 10	1205
23040	201	202	0.01	19	620	456	< 2	3	86	0.03	< 10	< 10	22	< 10	1755

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB

Comments:

Page: 2-A
Total Pages: 2
Certificate Date: 21-OCT-96
Invoice No.: 19636271
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9636271

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
23041	201	202	0.8	1.93	16	60	0.5	< 2	1.90	8.0	11	21	21	3.16	< 10	< 1	0.13	30	0.92	1935	< 1
23042	201	202	0.4	1.56	14	40	0.5	2	1.07	4.5	9	19	15	2.68	< 10	< 1	0.11	20	0.79	1280	< 1
23043	201	202	< 0.2	1.14	12	30	< 0.5	< 2	0.79	0.5	6	14	8	1.95	< 10	< 1	0.09	20	0.52	795	< 1
23044	201	202	0.2	1.25	12	40	0.5	< 2	0.80	2.5	7	15	8	2.19	< 10	< 1	0.10	30	0.54	1190	< 1
23045	201	202	0.6	1.88	16	50	0.5	< 2	1.27	4.5	10	23	15	2.86	< 10	< 1	0.16	30	0.77	1245	< 1
23046	201	202	0.2	1.86	6	40	0.5	< 2	0.95	< 0.5	6	19	14	1.85	< 10	< 1	0.15	30	0.48	350	< 1
24523	201	202	0.2	2.11	32	50	1.0	< 2	1.43	1.5	11	26	25	3.55	< 10	< 1	0.14	30	0.85	475	1
24524	201	202	< 0.2	2.02	14	60	1.5	< 2	0.44	1.0	16	18	13	3.60	< 10	< 1	0.09	30	0.65	805	1
24525	201	202	< 0.2	2.67	18	70	1.5	< 2	0.36	0.5	11	29	14	3.15	< 10	< 1	0.11	30	0.92	300	< 1
24526	201	202	< 0.2	1.94	2	50	0.5	2	0.10	< 0.5	7	23	9	3.07	< 10	< 1	0.10	30	0.55	150	< 1
24739	201	202	< 0.2	2.70	8	80	1.0	2	0.32	< 0.5	10	28	11	2.93	< 10	< 1	0.15	30	0.77	245	< 1
24740	201	202	< 0.2	2.31	6	60	0.5	< 2	0.17	0.5	8	26	10	2.84	< 10	< 1	0.19	10	0.65	240	< 1
24741	201	202	< 0.2	2.17	8	50	0.5	< 2	0.53	0.5	10	28	8	2.97	< 10	< 1	0.09	10	0.64	285	< 1

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 1 of 2
Total Pages: 2
Certificate Date: 21-OCT-96
Invoice No.: 19636271
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9636271

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
23041	201	202	0.01	20	790	418	2	3	104	0.03	< 10	< 10	21	< 10	1725
23042	201	202	0.01	16	740	304	< 2	3	65	0.02	< 10	< 10	18	< 10	1230
23043	201	202	0.01	12	770	144	< 2	1	55	0.02	< 10	< 10	13	< 10	550
23044	201	202	0.01	12	850	148	< 2	2	57	0.03	< 10	< 10	14	< 10	678
23045	201	202	0.01	19	720	220	4	3	88	0.03	< 10	< 10	20	< 10	1150
23046	201	202	0.01	15	770	20	< 2	2	96	0.04	< 10	< 10	16	< 10	108
24523	201	202	0.03	23	1210	40	< 2	4	92	0.05	< 10	< 10	27	< 10	320
24524	201	202	< 0.01	17	500	30	< 2	2	37	0.01	< 10	< 10	23	< 10	206
24525	201	202	0.01	24	170	26	< 2	3	44	0.03	< 10	< 10	26	< 10	108
24526	201	202	< 0.01	14	220	28	2	1	13	0.05	< 10	< 10	42	< 10	100
24739	201	202	0.01	26	150	38	< 2	3	42	0.04	< 10	< 10	25	< 10	100
24740	201	202	< 0.01	19	310	36	< 2	2	25	0.04	< 10	< 10	25	< 10	160
24741	201	202	0.02	20	210	38	< 2	3	70	0.07	< 10	< 10	30	< 10	120

CERTIFICATION:

Hart Bickler



212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Project : QB
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 25-OCT-96
Invoice No. : I9636269
P.O. Number :
Account : MTT

A9636269

CERTIFICATION:

Sard / Linga



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1-A
Total Pages : 1
Certificate Date: 21-OCT-96
Invoice No. : 19636268
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9636268

SAMPLE	PREP CODE	Au g/t FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
58102	205 294	-----	4.6	0.42	12	30	< 0.5	12	0.02	< 0.5	5	66	131	>15.00	< 10	< 1	0.14	< 10	0.05	85
58108	205 294	< 0.005	0.2	0.37	6	20	< 0.5	< 2	0.04	< 0.5	< 1	87	4	0.96	< 10	< 1	0.19	20	0.04	40
58109	205 294	< 0.005	9.6	0.67	20	< 10	< 0.5	12	0.01	< 0.5	53	11	1005	>15.00	< 10	< 1	< 0.01	< 10	0.10	275
58110	205 294	< 0.005	12.2	1.08	< 2	< 10	< 0.5	18	0.04	< 0.5	43	24	986	>15.00	< 10	< 1	< 0.01	< 10	0.19	385
58111	205 294	0.130	3.0	0.36	8	< 10	< 0.5	60	< 0.01	< 0.5	35	6	1160	>15.00	< 10	< 1	< 0.01	< 10	0.08	75
58112	205 294	-----	2.6	0.91	10	< 10	< 0.5	60	< 0.01	< 0.5	32	11	1365	>15.00	< 10	< 1	< 0.01	< 10	0.25	140
58113	205 294	-----	0.6	0.33	28	10	< 0.5	10	< 0.01	< 0.5	5	40	230	>15.00	< 10	< 1	0.04	< 10	0.01	35

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1-B
Total Pages : 1
Certificate Date: 21-OCT-96
Invoice No. : I9636268
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9636268

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
58102	205	294	< 1	< 0.01	3	310	1310	4	< 1	6	0.03	< 10	< 10	10	< 10	68
58108	205	294	3	< 0.01	1	30	18	< 2	< 1	4	< 0.01	< 10	< 10	< 1	< 10	6
58109	205	294	< 1	< 0.01	11	50	562	6	< 1	< 1	< 0.01	< 10	< 10	8	< 10	122
58110	205	294	< 1	< 0.01	12	150	958	8	1	< 1	< 0.01	< 10	< 10	11	< 10	108
58111	205	294	< 1	< 0.01	6	40	16	10	< 1	< 1	< 0.01	< 10	< 10	6	10	26
58112	205	294	< 1	< 0.01	5	80	18	2	1	< 1	< 0.01	< 10	< 10	11	10	36
58113	205	294	< 1	< 0.01	< 1	170	44	6	< 1	1	< 0.01	< 10	< 10	6	< 10	62

CERTIFICATION:

Haiti Becher

Chemex Labs Ltd.

Analytical Chemists * Geochemists **Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page Number : 1
 Total Pages : 1
 Certificate Date: 20-OCT-96
 Invoice No. : 19636206
 P.O. Number :
 Account : MTT

CERTIFICATE OF ANALYSIS

A9636206

[illegible]

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1
Total : 1
Certificate Date: 15-AUG-96
Invoice No. : 19626236
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9626236

SAMPLE	PREP CODE	Sn ppm	Ge ppm	Pb %	Zn %						
58201M	244 --	30	< 5	----	----						
59017	244 --	30	< 5	----	----						
59018	244 --	13	< 5	----	----						
59029	244 --	15	< 5	----	----						
59009	244 --	< 2	-----	----	----						
59034	244 --	5	< 5	3.66	2.65						

CERTIFICATION:

Sarah Leina



Chemex Labs Ltd.

Analytical Chemists *Geochemists* Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1
Total Pages : 1
Certificate Date: 12-JUL-96
Invoice No. : 19623403
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623403

SAMPLE	PREP CODE		Au ppb FA+AA	Ag oz/T	Cu %	Pb %	Zn %					
059029	208	226	< 5	3.83	0.10	16.40	17.30					

CERTIFICATION:

Saint George

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB

Project:
Comments:

Page 1 of 1
 Total Pages: 1
 Certificate Date: 15-JUL-96
 Invoice No.: 19623402
 P.O. Number :
 Account : MTT

CERTIFICATE OF ANALYSIS

A9623402

[illegible]

CERTIFICATION:

1. Jant Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page Number: 1-A
Total Pages: 3
Certificate Date: 15-JUL-96
Invoice No.: 19623400
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623400

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB-21338	201 202	0.4	2.10	34	70	1.0	< 2	0.70	0.5	10	27	16	3.56	< 10	< 1	0.17	40	0.81	480	< 1
BB-21339	201 202	0.4	1.78	14	40	0.5	< 2	0.91	1.0	10	25	43	2.77	< 10	< 1	0.16	30	0.87	640	< 1
BB-21340	201 202	0.4	1.82	20	50	0.5	< 2	0.35	0.5	8	24	65	2.67	< 10	< 1	0.10	50	0.58	215	< 1
BB-21341	201 202	< 0.2	1.47	6	50	< 0.5	< 2	0.05	< 0.5	5	17	5	2.47	< 10	< 1	0.15	30	0.41	170	< 1
BB-21342	201 202	< 0.2	1.68	8	70	< 0.5	< 2	0.32	< 0.5	8	17	14	2.69	< 10	< 1	0.18	40	0.45	365	< 1
BB-21343	201 202	< 0.2	1.58	2	60	< 0.5	< 2	0.29	< 0.5	8	16	11	2.54	< 10	< 1	0.17	30	0.40	310	< 1
BB-21344	201 202	0.2	1.48	2	50	< 0.5	< 2	0.10	< 0.5	6	18	4	1.99	< 10	< 1	0.16	30	0.42	305	< 1
BB-21345	201 202	< 0.2	1.52	2	60	< 0.5	< 2	0.20	< 0.5	6	17	8	2.20	< 10	< 1	0.16	30	0.44	215	< 1
BB-21346	201 202	0.2	1.29	12	60	< 0.5	< 2	0.11	0.5	10	20	8	3.58	< 10	< 1	0.17	30	0.29	505	< 1
BB-21347	201 202	< 0.2	1.39	6	50	< 0.5	< 2	0.14	< 0.5	6	19	5	2.42	< 10	< 1	0.12	30	0.35	205	< 1
BB-21348	201 202	< 0.2	2.11	2	70	< 0.5	< 2	0.29	< 0.5	6	27	4	2.98	< 10	< 1	0.12	20	0.73	225	< 1
BB-21349	201 202	< 0.2	1.89	< 2	80	< 0.5	< 2	0.14	< 0.5	5	21	5	2.54	< 10	< 1	0.13	30	0.45	215	< 1
BB-21350	201 202	< 0.2	1.73	2	60	< 0.5	< 2	0.10	< 0.5	6	18	5	2.68	< 10	< 1	0.13	30	0.41	180	< 1
BB-21351	201 202	< 0.2	1.71	10	50	< 0.5	< 2	0.07	< 0.5	6	19	5	2.99	< 10	< 1	0.09	20	0.33	195	< 1
BB-21352	201 202	0.2	2.74	< 2	90	0.5	< 2	0.17	< 0.5	12	39	11	4.08	< 10	< 1	0.20	20	0.71	250	< 1
BB-21353	201 202	< 0.2	1.29	2	30	< 0.5	< 2	0.08	< 0.5	5	21	5	3.00	< 10	< 1	0.08	30	0.32	180	< 1
BB-21354	201 202	< 0.2	2.25	< 2	70	< 0.5	< 2	0.11	< 0.5	8	36	8	3.88	< 10	< 1	0.19	20	0.60	235	< 1
BB-21355	201 202	0.2	1.22	10	30	< 0.5	6	0.05	< 0.5	6	15	7	3.31	< 10	< 1	0.07	30	0.18	140	< 1
BB-21356	201 202	< 0.2	2.07	12	70	0.5	< 2	0.13	< 0.5	9	28	11	4.18	< 10	< 1	0.10	20	0.51	290	< 1
BB-21357	201 202	0.4	2.25	30	80	0.5	< 2	0.09	< 0.5	17	31	14	5.84	< 10	< 1	0.16	30	0.76	2010	< 1
BB-21358	201 202	< 0.2	1.65	2	40	< 0.5	< 2	0.11	< 0.5	6	23	9	2.72	< 10	< 1	0.16	10	0.40	200	< 1
BB-21359	201 202	< 0.2	2.36	< 2	90	0.5	< 2	0.31	< 0.5	11	31	15	3.28	< 10	< 1	0.33	10	0.72	305	< 1
BB-21360	201 202	< 0.2	1.80	< 2	50	< 0.5	< 2	0.13	< 0.5	7	28	10	2.89	< 10	< 1	0.24	10	0.61	240	< 1
BB-21361	201 202	< 0.2	2.47	< 2	50	< 0.5	< 2	0.26	< 0.5	9	43	9	3.88	10	< 1	0.10	10	0.83	220	< 1
BB-21362	201 202	0.2	2.39	< 2	130	0.5	< 2	0.60	< 0.5	9	35	21	2.59	< 10	< 1	0.18	20	0.69	260	< 1
BB-21363	201 202	0.4	1.97	< 2	120	0.5	< 2	2.43	0.5	7	18	30	1.70	< 10	< 1	0.16	20	0.33	415	< 1
BB-21364	201 202	< 0.2	2.07	4	90	0.5	< 2	0.55	< 0.5	15	29	13	2.91	< 10	< 1	0.13	10	0.52	490	< 1
BB-21365	201 202	0.2	2.25	< 2	130	0.5	< 2	1.61	< 0.5	12	26	41	2.41	< 10	< 1	0.23	30	0.57	575	< 1
BB-21366	201 202	0.2	2.29	< 2	120	0.5	< 2	1.34	< 0.5	11	27	36	2.42	< 10	< 1	0.24	20	0.60	480	< 1
BB-21367	201 202	< 0.2	2.36	< 2	120	0.5	< 2	1.58	< 0.5	7	28	22	2.39	< 10	< 1	0.32	20	0.60	290	< 1
BB-21368	201 202	0.2	2.79	< 2	100	0.5	< 2	0.59	0.5	12	37	23	3.29	< 10	< 1	0.30	10	0.76	400	< 1
BB-21369	201 202	< 0.2	1.75	< 2	60	< 0.5	< 2	0.23	< 0.5	8	25	15	2.36	< 10	< 1	0.25	30	0.68	230	< 1
BB-21370	201 202	< 0.2	2.29	< 2	130	0.5	< 2	1.93	< 0.5	9	28	28	2.77	< 10	< 1	0.42	10	0.71	305	< 1
BB-21371	201 202	< 0.2	2.74	< 2	70	0.5	< 2	0.53	< 0.5	15	38	29	3.57	< 10	< 1	0.42	10	0.97	395	< 1
BB-21372	201 202	< 0.2	1.22	< 2	40	< 0.5	< 2	0.15	< 0.5	5	23	4	1.99	< 10	< 1	0.12	10	0.40	130	< 1
BB-21373	201 202	< 0.2	1.08	< 2	50	< 0.5	< 2	0.14	< 0.5	5	19	4	2.45	< 10	< 1	0.13	20	0.31	160	< 1
BB-21374	201 202	0.2	2.45	< 2	40	0.5	< 2	0.21	< 0.5	9	36	6	3.42	10	< 1	0.25	10	0.62	195	< 1
BB-21375	201 202	< 0.2	2.04	< 2	60	< 0.5	< 2	0.16	< 0.5	9	33	8	3.34	< 10	< 1	0.21	30	0.69	245	< 1
BB-21376	201 202	< 0.2	0.64	< 2	30	< 0.5	< 2	0.06	< 0.5	1	8	< 1	0.61	< 10	< 1	0.09	30	0.15	65	< 1
BB-21380	201 202	0.2	1.20	2	40	< 0.5	< 2	0.32	< 0.5	6	16	8	1.76	< 10	< 1	0.10	20	0.42	285	< 1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 1-B
Total Pages: 3
Certificate Date: 15-JUL-96
Invoice No.: 19623400
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623400

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB-21338	201	202	0.01	24	420	80	< 2	6	59	0.04	< 10	< 10	28	< 10	168
BB-21339	201	202	0.03	23	940	34	< 2	4	83	0.05	< 10	< 10	25	< 10	156
BB-21340	201	202	0.01	26	220	34	< 2	4	42	0.06	< 10	< 10	28	< 10	72
BB-21341	201	202	< 0.01	10	200	24	< 2	1	8	0.04	< 10	< 10	23	< 10	66
BB-21342	201	202	< 0.01	16	270	40	2	2	25	0.03	< 10	< 10	18	< 10	138
BB-21343	201	202	< 0.01	15	200	40	< 2	2	27	0.03	< 10	< 10	18	< 10	120
BB-21344	201	202	< 0.01	10	190	38	< 2	2	14	0.05	< 10	< 10	27	< 10	150
BB-21345	201	202	< 0.01	15	320	38	< 2	2	22	0.04	< 10	< 10	17	< 10	124
BB-21346	201	202	< 0.01	14	370	42	< 2	2	16	0.06	< 10	< 10	38	< 10	188
BB-21347	201	202	< 0.01	11	210	52	< 2	2	17	0.06	< 10	< 10	33	< 10	198
BB-21348	201	202	< 0.01	9	230	48	2	3	22	0.11	< 10	< 10	35	< 10	132
BB-21349	201	202	< 0.01	11	270	48	< 2	2	15	0.05	< 10	< 10	29	< 10	158
BB-21350	201	202	< 0.01	12	250	28	< 2	2	12	0.03	< 10	< 10	21	< 10	138
BB-21351	201	202	< 0.01	11	390	48	< 2	2	10	0.04	< 10	< 10	29	< 10	146
BB-21352	201	202	< 0.01	23	390	18	< 2	3	39	0.11	< 10	< 10	49	< 10	128
BB-21353	201	202	< 0.01	10	390	12	< 2	1	13	0.08	< 10	< 10	54	< 10	60
BB-21354	201	202	< 0.01	18	550	10	< 2	3	18	0.10	< 10	< 10	56	< 10	106
BB-21355	201	202	< 0.01	10	280	14	< 2	1	9	0.05	< 10	< 10	43	< 10	60
BB-21356	201	202	< 0.01	18	360	14	< 2	3	23	0.05	< 10	< 10	46	< 10	80
BB-21357	201	202	< 0.01	26	730	28	2	3	11	0.03	< 10	< 10	41	< 10	146
BB-21358	201	202	< 0.01	13	280	8	< 2	2	15	0.09	< 10	< 10	52	< 10	52
BB-21359	201	202	0.01	30	580	10	< 2	3	35	0.08	< 10	< 10	35	< 10	84
BB-21360	201	202	< 0.01	18	410	12	< 2	3	15	0.08	< 10	< 10	40	< 10	64
BB-21361	201	202	0.01	18	630	18	< 2	3	50	0.17	< 10	< 10	88	< 10	126
BB-21362	201	202	0.03	21	340	8	< 2	4	65	0.09	< 10	< 10	37	< 10	90
BB-21363	201	202	0.02	16	1090	2	2	3	194	0.02	< 10	< 10	18	< 10	42
BB-21364	201	202	0.03	20	240	24	< 2	3	87	0.11	< 10	< 10	52	< 10	106
BB-21365	201	202	0.05	32	770	12	< 2	3	158	0.06	< 10	< 10	28	< 10	54
BB-21366	201	202	0.06	30	710	10	< 2	3	148	0.06	< 10	< 10	28	< 10	54
BB-21367	201	202	0.07	21	810	8	< 2	3	150	0.07	< 10	< 10	27	< 10	46
BB-21368	201	202	0.05	26	370	12	2	4	80	0.09	< 10	< 10	39	< 10	60
BB-21369	201	202	0.01	19	530	8	< 2	3	29	0.06	< 10	< 10	23	< 10	46
BB-21370	201	202	0.01	26	700	8	< 2	3	119	0.06	< 10	< 10	27	< 10	62
BB-21371	201	202	0.07	33	530	10	< 2	4	107	0.09	< 10	< 10	34	< 10	70
BB-21372	201	202	0.01	10	150	6	< 2	2	25	0.11	< 10	< 10	45	< 10	36
BB-21373	201	202	< 0.01	9	290	12	< 2	1	23	0.10	< 10	< 10	58	< 10	62
BB-21374	201	202	0.03	17	530	14	< 2	3	47	0.12	< 10	< 10	48	< 10	96
BB-21375	201	202	< 0.01	20	270	14	< 2	3	30	0.10	< 10	< 10	43	< 10	72
BB-21376	201	202	< 0.01	3	120	8	< 2	< 1	9	0.05	< 10	< 10	13	< 10	16
BB-21380	201	202	0.01	12	670	14	< 2	1	30	0.03	< 10	< 10	16	< 10	78

CERTIFICATION:

Paul Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page 2-A
Total Pages 3
Certificate Date: 15-JUL-96
Invoice No. : I9623400
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623400

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB-21389	201 202	0.2	2.30	24	100	0.5	< 2	1.51	0.5	10	29	16	2.92	< 10	< 1	0.25	30	0.79	435	< 1
BB-21390	201 202	< 0.2	1.77	2	60	< 0.5	< 2	0.14	< 0.5	5	23	6	2.45	< 10	< 1	0.15	30	0.51	200	< 1
BB-21391	201 202	0.2	1.79	10	60	0.5	< 2	1.24	< 0.5	6	24	17	2.29	< 10	< 1	0.18	20	0.62	200	< 1
BB-21395	201 202	< 0.2	2.52	10	60	0.5	< 2	0.31	< 0.5	10	31	9	3.28	< 10	< 1	0.13	20	0.93	265	< 1
BB-21396	201 202	< 0.2	2.14	34	70	0.5	< 2	0.24	< 0.5	8	27	10	3.20	< 10	< 1	0.12	20	0.75	250	< 1
BB-21397	201 202	< 0.2	2.09	8	70	0.5	< 2	0.13	< 0.5	8	27	8	3.31	< 10	< 1	0.11	20	0.64	275	< 1
BB-21398	201 202	< 0.2	1.99	14	50	0.5	< 2	0.23	< 0.5	8	24	8	3.21	< 10	< 1	0.08	10	0.55	195	< 1
BB-21399	201 202	< 0.2	2.31	14	60	0.5	< 2	0.29	< 0.5	11	31	9	3.42	< 10	< 1	0.09	20	0.77	330	< 1
BB-21407	201 202	< 0.2	1.98	16	50	0.5	< 2	0.24	< 0.5	7	23	6	3.16	< 10	< 1	0.09	20	0.51	185	< 1
BB-21408	201 202	< 0.2	1.79	22	80	0.5	< 2	0.52	0.5	9	24	11	3.05	< 10	< 1	0.14	20	0.73	635	< 1
BB-21409	201 202	< 0.2	2.06	26	60	0.5	< 2	0.33	< 0.5	10	25	10	3.69	< 10	< 1	0.10	30	0.83	605	< 1
BB-21410	201 202	0.2	2.18	14	70	0.5	< 2	0.72	0.5	9	29	9	3.30	< 10	< 1	0.15	30	0.84	365	< 1
BB-21411	201 202	0.4	2.08	22	80	0.5	< 2	1.20	0.5	8	27	19	3.02	< 10	< 1	0.29	30	0.89	490	< 1
BB-21412	201 202	0.6	2.45	20	70	0.5	< 2	0.72	0.5	9	28	11	3.61	< 10	< 1	0.09	20	0.76	495	< 1
BB-21413	201 202	< 0.2	2.42	24	70	1.0	< 2	0.43	< 0.5	10	24	10	3.20	< 10	< 1	0.13	20	0.73	340	< 1
BB-21414	201 202	< 0.2	2.51	24	80	1.0	< 2	0.46	0.5	11	30	12	3.42	< 10	< 1	0.17	40	0.85	515	< 1
BB-21415	201 202	0.2	2.95	22	110	2.0	< 2	0.75	0.5	10	27	8	7.70	< 10	< 1	0.06	10	1.42	1205	< 1
BB-21416	201 202	< 0.2	3.26	8	90	1.5	< 2	0.68	0.5	12	30	9	4.32	< 10	< 1	0.11	20	0.81	575	< 1
BB-21417	201 202	0.2	2.87	8	100	1.0	< 2	0.31	0.5	9	30	13	3.18	< 10	< 1	0.16	30	0.79	310	< 1
BB-21418	201 202	0.2	2.71	16	90	1.5	< 2	0.43	1.0	10	32	14	3.68	< 10	< 1	0.12	30	0.83	325	< 1
BB-21419	201 202	< 0.2	1.83	2	60	0.5	< 2	0.29	< 0.5	8	23	8	2.61	< 10	< 1	0.07	30	0.54	280	< 1
BB-21420	201 202	0.2	2.98	10	120	1.5	< 2	0.54	0.5	11	28	13	3.42	< 10	< 1	0.12	20	0.77	655	< 1
BB-21421	201 202	< 0.2	2.87	8	100	1.5	< 2	0.37	0.5	12	31	13	3.53	< 10	< 1	0.18	30	0.91	445	< 1
BB-21422	201 202	< 0.2	2.83	12	70	1.5	< 2	0.32	< 0.5	12	31	16	3.53	< 10	< 1	0.16	30	0.97	390	< 1
BB-21423	201 202	< 0.2	3.10	10	100	1.5	< 2	0.50	< 0.5	12	36	14	3.94	< 10	< 1	0.15	40	1.23	475	< 1
BB-21424	201 202	< 0.2	2.93	18	110	0.5	< 2	0.45	0.5	11	33	12	3.53	< 10	< 1	0.15	20	0.81	245	< 1
BB-21425	201 202	0.8	2.02	22	60	0.5	< 2	1.60	0.5	11	26	68	2.91	< 10	< 1	0.21	40	0.79	415	< 1
BB-21426	201 202	< 0.2	2.60	18	100	1.5	< 2	1.01	1.5	14	30	21	4.21	< 10	< 1	0.18	50	0.99	715	< 1
BB-21427	201 202	0.6	3.32	10	100	2.0	10	2.60	2.0	14	35	42	4.38	< 10	< 1	0.18	50	2.63	790	< 1
BB-21428	201 202	< 0.2	1.92	8	70	1.0	< 2	0.87	< 0.5	11	27	19	3.41	< 10	< 1	0.10	40	0.70	260	< 1
BB-21429	201 202	< 0.2	2.67	< 2	80	2.0	< 2	1.44	0.5	15	28	10	5.63	< 10	< 1	0.10	70	0.90	1335	< 1
BB-21430	201 202	< 0.2	2.93	< 2	100	1.5	< 2	1.02	< 0.5	15	37	8	5.11	< 10	< 1	0.14	40	0.91	505	< 1
BB-21431	201 202	< 0.2	4.76	2	70	3.0	2	2.38	< 0.5	14	41	14	9.37	10	< 1	0.09	60	2.62	730	< 1
BB-21432	201 202	< 0.2	2.29	14	70	0.5	< 2	0.40	< 0.5	10	29	13	2.97	< 10	< 1	0.17	30	0.75	325	< 1
BB-21433	201 202	< 0.2	2.65	8	100	1.5	< 2	1.23	< 0.5	14	31	34	4.44	< 10	< 1	0.13	50	0.80	565	< 1
BB-21434	201 202	0.2	2.43	6	50	0.5	< 2	0.30	1.5	12	32	13	3.35	< 10	< 1	0.14	20	0.70	305	< 1
BB-21435	201 202	< 0.2	2.82	10	90	0.5	< 2	0.30	< 0.5	12	30	9	3.65	< 10	< 1	0.16	20	0.82	245	< 1
BB-21436	201 202	0.6	2.23	6	90	0.5	< 2	0.93	1.0	10	27	14	3.25	< 10	< 1	0.20	30	0.84	475	< 1
BB-21437	201 202	< 0.2	2.17	10	70	1.0	< 2	0.84	< 0.5	10	26	15	3.55	< 10	< 1	0.13	40	0.81	385	< 1
BB-21438	201 202	< 0.2	3.07	16	70	1.5	< 2	0.39	0.5	15	31	11	4.77	< 10	< 1	0.14	30	0.86	385	< 1

CERTIFICATION:

Paul Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page Number : 2-B
Total Pages : 3
Certificate Date: 15-JUL-96
Invoice No. : I9623400
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623400

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB-21389	201	202	0.02	22	510	48	< 2	4	102	0.05	< 10	< 10	27	< 10	212
BB-21390	201	202	< 0.01	13	290	16	< 2	3	26	0.07	< 10	< 10	34	< 10	70
BB-21391	201	202	0.01	15	970	16	< 2	3	127	0.05	< 10	< 10	24	< 10	106
BB-21395	201	202	0.01	21	400	26	2	3	51	0.06	< 10	< 10	33	< 10	88
BB-21396	201	202	< 0.01	19	290	32	< 2	3	41	0.04	< 10	< 10	29	< 10	134
BB-21397	201	202	< 0.01	17	160	28	< 2	2	29	0.05	< 10	< 10	34	< 10	84
BB-21398	201	202	< 0.01	16	170	32	< 2	2	32	0.05	< 10	< 10	35	< 10	98
BB-21399	201	202	0.01	17	250	24	< 2	2	56	0.06	< 10	< 10	37	< 10	152
BB-21407	201	202	< 0.01	15	140	26	< 2	2	32	0.05	< 10	< 10	36	< 10	98
BB-21408	201	202	< 0.01	16	510	44	2	3	42	0.05	< 10	< 10	31	< 10	132
BB-21409	201	202	0.01	21	260	48	< 2	4	43	0.05	< 10	< 10	30	< 10	142
BB-21410	201	202	0.01	20	360	30	< 2	4	66	0.06	< 10	< 10	34	< 10	118
BB-21411	201	202	0.01	20	910	48	2	4	99	0.05	< 10	< 10	27	< 10	228
BB-21412	201	202	< 0.01	15	410	58	< 2	3	49	0.05	< 10	< 10	41	< 10	250
BB-21413	201	202	0.01	19	210	62	2	3	41	0.03	< 10	< 10	26	< 10	184
BB-21414	201	202	0.01	23	220	44	< 2	5	42	0.04	< 10	< 10	31	< 10	118
BB-21415	201	202	< 0.01	17	750	52	2	4	40	0.02	< 10	< 10	35	< 10	164
BB-21416	201	202	0.01	22	480	64	< 2	4	55	0.05	< 10	< 10	40	< 10	196
BB-21417	201	202	0.01	23	190	62	< 2	4	41	0.04	< 10	< 10	29	< 10	206
BB-21418	201	202	0.01	24	330	84	2	4	42	0.06	< 10	< 10	38	< 10	250
BB-21419	201	202	0.01	18	210	26	< 2	3	32	0.05	< 10	< 10	29	< 10	120
BB-21420	201	202	0.01	18	260	84	< 2	3	63	0.03	< 10	< 10	30	< 10	274
BB-21421	201	202	0.01	23	140	54	< 2	4	44	0.04	< 10	< 10	32	< 10	210
BB-21422	201	202	0.01	24	140	304	< 2	4	38	0.03	< 10	< 10	30	< 10	272
BB-21423	201	202	0.01	27	190	66	< 2	5	61	0.04	< 10	< 10	38	< 10	166
BB-21424	201	202	0.02	23	190	64	< 2	3	57	0.06	< 10	< 10	40	< 10	264
BB-21425	201	202	0.02	25	1290	42	< 2	5	94	0.05	< 10	< 10	27	< 10	252
BB-21426	201	202	0.01	31	290	56	< 2	7	71	0.06	< 10	< 10	37	< 10	564
BB-21427	201	202	0.01	35	950	40	< 2	9	128	0.07	< 10	< 10	43	< 10	406
BB-21428	201	202	0.01	29	370	32	2	4	62	0.06	< 10	< 10	33	< 10	88
BB-21429	201	202	0.01	23	300	182	2	6	91	0.01	< 10	< 10	33	< 10	112
BB-21430	201	202	< 0.01	28	190	20	< 2	6	85	0.01	< 10	< 10	33	< 10	50
BB-21431	201	202	< 0.01	20	430	84	< 2	7	78	0.06	< 10	< 10	48	< 10	188
BB-21432	201	202	0.04	24	150	44	< 2	4	77	0.07	< 10	< 10	29	< 10	88
BB-21433	201	202	0.02	43	290	36	< 2	6	84	0.07	< 10	< 10	39	< 10	176
BB-21434	201	202	0.01	20	310	44	< 2	3	56	0.10	< 10	< 10	42	< 10	398
BB-21435	201	202	< 0.01	22	150	40	< 2	3	35	0.04	< 10	< 10	34	< 10	138
BB-21436	201	202	0.04	20	530	46	< 2	4	95	0.04	< 10	< 10	27	< 10	172
BB-21437	201	202	0.01	25	360	26	< 2	5	60	0.04	< 10	< 10	32	< 10	136
BB-21438	201	202	0.01	27	240	68	< 2	4	41	0.03	< 10	< 10	39	< 10	366

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 3-A
Total Pages: 3
Certificate Date: 15-JUL-96
Invoice No.: 19623400
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623400

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB-21439	201 202	0.2	3.90	60	70	1.0	< 2	1.13	0.5	15	47	22	4.35	< 10	< 1	0.14	30	1.01	380	< 1
BB-21440	201 202	< 0.2	3.38	20	110	1.5	< 2	0.33	< 0.5	13	36	11	4.09	< 10	< 1	0.16	30	1.33	430	< 1
BB-21441	201 202	0.2	2.67	12	80	1.0	< 2	0.42	0.5	13	29	8	3.84	< 10	< 1	0.18	30	0.99	495	< 1
BB-21442	201 202	< 0.2	2.72	20	80	1.0	< 2	0.31	< 0.5	13	32	10	3.64	< 10	< 1	0.20	30	1.04	325	< 1
BB-21443	201 202	0.6	2.34	10	90	0.5	< 2	1.33	1.5	12	29	25	3.66	< 10	< 1	0.14	30	1.00	570	< 1
BB-21444	201 202	0.2	2.49	18	100	0.5	< 2	0.82	0.5	12	30	23	3.47	< 10	< 1	0.24	30	1.03	380	< 1
BB-21445	201 202	0.4	2.41	30	100	0.5	< 2	2.58	1.5	9	28	40	3.12	< 10	< 1	0.23	20	0.97	240	< 1
BB-21446	201 202	< 0.2	2.56	< 2	80	0.5	< 2	0.32	< 0.5	9	29	10	3.06	< 10	< 1	0.15	20	0.91	255	< 1
BB-21447	201 202	< 0.2	2.34	18	70	0.5	< 2	0.34	< 0.5	13	28	11	3.25	< 10	< 1	0.08	30	0.67	220	< 1
BB-21448	201 202	< 0.2	2.26	10	60	0.5	< 2	0.10	< 0.5	7	25	9	2.92	< 10	< 1	0.11	30	0.61	190	< 1
BB-21554	201 202	< 0.2	1.35	10	30	< 0.5	< 2	0.08	< 0.5	5	20	14	2.40	< 10	< 1	0.12	40	0.46	175	< 1
BB-21555	201 202	< 0.2	1.24	6	40	< 0.5	< 2	0.76	< 0.5	6	19	8	1.85	< 10	< 1	0.16	30	0.51	360	< 1
BB-21556	201 202	< 0.2	2.33	14	90	0.5	< 2	3.81	< 0.5	12	30	23	2.97	< 10	< 1	0.45	30	0.89	430	< 1
BB-21557	201 202	< 0.2	1.38	8	30	0.5	< 2	0.34	< 0.5	6	19	8	1.92	< 10	< 1	0.09	30	0.42	225	< 1
BB-21558	201 202	0.4	2.00	14	70	0.5	< 2	0.77	< 0.5	9	28	20	3.20	< 10	< 1	0.17	30	0.82	380	< 1
BB-21559	201 202	< 0.2	2.87	6	80	0.5	< 2	0.25	< 0.5	10	32	11	3.41	< 10	< 1	0.13	30	0.99	285	< 1
BB-21560	201 202	< 0.2	1.84	10	50	0.5	< 2	2.15	< 0.5	10	33	17	2.90	< 10	< 1	0.15	20	0.75	260	< 1
BB-21561	201 202	< 0.2	1.35	12	50	< 0.5	< 2	1.49	< 0.5	7	20	14	2.07	< 10	< 1	0.19	20	0.57	325	< 1
BB-21562	201 202	< 0.2	2.62	< 2	70	0.5	< 2	0.24	< 0.5	9	37	15	3.75	< 10	< 1	0.18	10	0.83	280	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 3-B
Total Pages: 3
Certificate Date: 15-JUL-96
Invoice No.: 19623400
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623400

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB-21439	201	202	0.14	42	260	36	< 2	5	159	0.13	< 10	< 10	48	< 10	322
BB-21440	201	202	0.01	27	170	52	< 2	4	43	0.06	< 10	< 10	41	< 10	244
BB-21441	201	202	0.01	21	200	50	< 2	3	50	0.05	< 10	< 10	35	< 10	310
BB-21442	201	202	0.03	24	160	44	< 2	3	51	0.07	< 10	< 10	36	< 10	158
BB-21443	201	202	0.03	24	560	50	< 2	4	102	0.06	< 10	< 10	35	< 10	344
BB-21444	201	202	0.04	28	370	52	< 2	4	87	0.06	< 10	< 10	31	< 10	172
BB-21445	201	202	0.03	24	1100	40	< 2	3	158	0.04	< 10	< 10	26	< 10	402
BB-21446	201	202	0.01	19	140	34	< 2	3	43	0.05	< 10	< 10	30	< 10	120
BB-21447	201	202	0.03	28	300	80	< 2	3	57	0.06	< 10	< 10	32	< 10	122
BB-21448	201	202	< 0.01	16	180	26	< 2	2	16	0.05	< 10	< 10	35	< 10	76
BB-21554	201	202	< 0.01	18	370	10	< 2	1	16	0.05	< 10	< 10	26	< 10	46
BB-21555	201	202	0.02	13	1010	14	< 2	2	74	0.05	< 10	< 10	18	< 10	60
BB-21556	201	202	0.02	26	640	24	< 2	3	245	0.07	< 10	< 10	30	< 10	86
BB-21557	201	202	< 0.01	20	260	18	< 2	2	48	0.04	< 10	< 10	18	< 10	44
BB-21558	201	202	0.01	25	440	44	< 2	5	84	0.04	< 10	< 10	26	< 10	124
BB-21559	201	202	< 0.01	23	190	36	< 2	3	44	0.04	< 10	< 10	32	< 10	160
BB-21560	201	202	0.05	27	450	20	< 2	4	362	0.06	< 10	< 10	32	< 10	64
BB-21561	201	202	0.01	16	670	20	< 2	2	106	0.04	< 10	< 10	19	< 10	72
BB-21562	201	202	< 0.01	24	280	10	< 2	3	63	0.06	< 10	< 10	48	< 10	74

CERTIFICATION:

Handwritten signature



212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Page 2r : 1
Total : 1
Certificate Date: 09-JUL-96
Invoice No. : I9623330
P.O. Number :
Account : MTT

A9623330

[illegible]

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1-A
Total : 6
Certificate Date: 03-JUL-96
Invoice No. : 19622353
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21218	201 202	< 0.2	1.61	2	80	< 0.5	< 2	0.11	0.5	8	27	7	3.57	< 10	< 1	0.09	20	0.42	350	< 1
BB 21219	201 202	1.6	2.18	36	90	1.5	< 2	0.34	2.0	12	22	10	2.91	< 10	< 1	0.16	10	0.44	1400	< 1
BB 21220	201 202	< 0.2	1.79	4	70	< 0.5	< 2	0.11	< 0.5	8	25	9	2.52	< 10	< 1	0.09	10	0.44	325	< 1
BB 21221	201 202	0.4	1.48	10	40	0.5	< 2	0.26	1.5	13	24	38	3.87	< 10	< 1	0.11	50	0.44	280	< 1
BB 21222	201 202	0.2	2.15	6	70	0.5	< 2	0.10	< 0.5	7	26	8	2.96	< 10	< 1	0.11	30	0.52	160	< 1
BB 21223	201 202	0.2	1.57	< 2	50	0.5	< 2	0.03	< 0.5	10	18	20	4.47	< 10	< 1	0.08	30	0.35	240	< 1
BB 21224	201 202	< 0.2	1.10	< 2	70	0.5	< 2	0.26	0.5	8	14	21	3.01	< 10	< 1	0.09	50	0.32	330	< 1
BB 21225	201 202	1.2	1.55	20	50	0.5	< 2	0.80	3.5	13	24	37	3.96	< 10	< 1	0.15	30	0.65	575	1
BB 21226	201 202	< 0.2	1.61	12	50	0.5	< 2	0.10	< 0.5	7	20	12	3.13	< 10	< 1	0.07	30	0.48	235	< 1
BB 21227	201 202	< 0.2	1.38	12	40	0.5	< 2	0.30	< 0.5	10	18	28	3.86	< 10	< 1	0.09	50	0.39	245	< 1
BB 21228	201 202	< 0.2	1.75	2	50	< 0.5	< 2	0.08	< 0.5	6	26	8	3.61	< 10	< 1	0.08	20	0.45	190	< 1
BB 21229	201 202	< 0.2	2.32	12	50	0.5	< 2	0.29	0.5	10	30	11	3.25	< 10	< 1	0.08	10	0.59	265	< 1
BB 21230	201 202	0.2	2.49	16	70	0.5	< 2	0.20	0.5	14	30	15	4.52	< 10	< 1	0.12	20	0.85	765	1
BB 21231	201 202	< 0.2	2.04	6	80	0.5	< 2	0.58	< 0.5	11	30	21	3.47	< 10	< 1	0.10	30	0.77	210	< 1
BB 21232	201 202	< 0.2	1.97	8	80	0.5	< 2	0.72	1.0	15	28	31	3.90	< 10	< 1	0.28	40	0.80	490	< 1
BB 21233	201 202	< 0.2	1.86	2	100	0.5	< 2	0.52	1.0	17	24	33	4.44	< 10	< 1	0.46	40	0.62	645	< 1
BB 21234	201 202	< 0.2	1.78	< 2	80	0.5	< 2	0.26	< 0.5	9	22	15	3.06	< 10	< 1	0.24	40	0.63	195	< 1
BB 21235	201 202	< 0.2	2.23	10	70	0.5	< 2	0.21	0.5	13	27	18	3.68	< 10	< 1	0.14	30	0.61	260	< 1
BB 21236	201 202	< 0.2	1.94	< 2	60	0.5	< 2	0.21	< 0.5	9	23	8	3.73	< 10	< 1	0.11	30	0.46	255	< 1
BB 21237	201 202	< 0.2	1.71	< 2	70	< 0.5	< 2	0.11	0.5	8	22	7	3.29	< 10	< 1	0.09	30	0.46	295	< 1
BB 21238	201 202	0.6	0.82	18	40	0.5	< 2	0.33	1.5	5	11	16	1.77	< 10	< 1	0.11	30	0.23	585	< 1
BB 21239	201 202	0.8	2.01	10	60	0.5	< 2	0.09	0.5	6	22	13	3.40	< 10	< 1	0.12	10	0.36	245	< 1
BB 21240	201 202	< 0.2	1.48	< 2	60	< 0.5	< 2	0.07	1.0	9	17	17	3.99	< 10	< 1	0.07	30	0.40	465	< 1
BB 21241	201 202	0.2	2.59	14	70	0.5	< 2	0.13	1.0	11	28	10	4.49	< 10	< 1	0.07	10	0.45	795	< 1
BB 21242	201 202	< 0.2	2.19	68	80	0.5	14	0.13	0.5	18	30	16	4.81	< 10	< 1	0.11	10	0.67	380	< 1
BB 21243	201 202	0.6	1.29	12	50	0.5	< 2	1.19	22.0	11	19	239	2.56	< 10	< 1	0.16	40	0.75	545	1
BB 21244	201 202	0.2	1.73	30	60	0.5	< 2	0.69	0.5	9	25	17	3.47	< 10	< 1	0.27	30	0.71	210	< 1
BB 21245	201 202	0.4	1.62	132	80	0.5	< 2	0.47	2.0	13	23	38	4.03	< 10	1	0.29	40	0.65	445	< 1
BB 21246	201 202	0.2	1.47	4	80	< 0.5	< 2	0.14	0.5	7	18	6	2.95	< 10	< 1	0.15	30	0.37	245	< 1
BB 21247	201 202	0.2	1.33	10	50	< 0.5	< 2	0.06	1.5	10	18	13	3.82	< 10	< 1	0.09	30	0.31	480	< 1
BB 21248	201 202	0.2	1.44	10	60	0.5	< 2	0.99	1.0	13	19	26	2.93	< 10	< 1	0.25	30	0.52	505	< 1
BB 21249	201 202	< 0.2	1.52	6	60	< 0.5	< 2	0.37	0.5	8	22	5	2.31	< 10	< 1	0.11	10	0.37	665	1
BB 21250	201 202	< 0.2	0.94	< 2	40	< 0.5	< 2	0.15	< 0.5	3	12	2	1.03	< 10	< 1	0.06	20	0.23	90	< 1
BB 21251	201 202	< 0.2	1.97	14	50	0.5	< 2	0.21	0.5	9	23	8	3.08	< 10	< 1	0.08	20	0.55	260	< 1
BB 21252	201 202	< 0.2	1.96	10	50	1.0	< 2	0.23	0.5	9	22	8	3.25	< 10	< 1	0.08	20	0.72	305	1
BB 21253	201 202	< 0.2	2.20	10	50	1.5	< 2	0.24	0.5	10	24	9	3.58	< 10	< 1	0.10	20	0.73	275	< 1
BB 21254	201 202	0.2	3.21	26	60	1.5	2	0.28	< 0.5	14	35	36	5.22	< 10	1	0.14	30	1.31	1550	< 1
BB 21255	201 202	0.4	3.01	22	60	1.5	2	0.85	0.5	12	31	35	4.97	< 10	1	0.13	30	1.56	1700	1
BB 21256	201 202	< 0.2	1.95	10	60	0.5	< 2	0.24	< 0.5	10	24	10	2.79	< 10	< 1	0.18	30	0.76	315	< 1
BB 21257	201 202	< 0.2	2.64	106	70	1.5	< 2	0.80	2.0	13	25	9	4.23	< 10	< 1	0.12	30	1.02	380	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1-B
Total : 6
Certificate Date: 03-JUL-96
Invoice No. : 19622353
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21218	201	202	< 0.01	13	430	44	< 2	2	13	0.07	< 10	< 10	44	< 10	246
BB 21219	201	202	0.02	11	570	132	< 2	3	63	0.08	< 10	< 10	31	< 10	234
BB 21220	201	202	< 0.01	13	360	14	< 2	2	27	0.06	< 10	< 10	35	< 10	158
BB 21221	201	202	0.01	30	600	152	< 2	4	27	0.03	< 10	< 10	21	< 10	1070
BB 21222	201	202	< 0.01	17	350	42	< 2	3	14	0.04	< 10	< 10	27	< 10	144
BB 21223	201	202	< 0.01	23	420	64	< 2	3	7	< 0.01	< 10	< 10	20	< 10	282
BB 21224	201	202	< 0.01	17	490	92	< 2	3	18	< 0.01	< 10	< 10	13	< 10	498
BB 21225	201	202	0.02	30	1140	556	< 2	5	52	0.04	< 10	< 10	21	< 10	712
BB 21226	201	202	< 0.01	20	230	96	< 2	3	11	0.01	< 10	< 10	20	< 10	160
BB 21227	201	202	< 0.01	30	270	90	2	5	24	0.01	< 10	< 10	16	< 10	222
BB 21228	201	202	< 0.01	12	190	26	< 2	2	18	0.08	< 10	< 10	46	< 10	168
BB 21229	201	202	0.01	20	190	50	< 2	3	32	0.06	< 10	< 10	35	< 10	342
BB 21230	201	202	0.01	23	550	100	< 2	3	32	0.05	< 10	< 10	36	< 10	250
BB 21231	201	202	0.01	31	400	34	< 2	4	40	0.05	< 10	< 10	26	< 10	130
BB 21232	201	202	0.02	35	900	72	< 2	5	43	0.07	< 10	< 10	26	< 10	270
BB 21233	201	202	< 0.01	31	540	274	2	4	31	0.07	< 10	< 10	22	< 10	490
BB 21234	201	202	< 0.01	20	640	30	< 2	3	15	0.06	< 10	< 10	20	< 10	86
BB 21235	201	202	< 0.01	31	310	172	2	3	18	0.06	< 10	< 10	32	< 10	324
BB 21236	201	202	< 0.01	16	240	24	< 2	3	20	0.02	< 10	< 10	26	< 10	124
BB 21237	201	202	< 0.01	16	270	60	< 2	2	12	0.03	< 10	< 10	28	< 10	278
BB 21238	201	202	< 0.01	8	950	58	< 2	1	20	0.03	< 10	< 10	12	< 10	326
BB 21239	201	202	< 0.01	13	680	40	< 2	2	23	0.04	< 10	< 10	33	< 10	290
BB 21240	201	202	< 0.01	19	400	68	2	1	11	0.01	< 10	< 10	25	< 10	254
BB 21241	201	202	< 0.01	17	510	86	2	2	19	0.04	< 10	< 10	40	< 10	176
BB 21242	201	202	< 0.01	23	410	60	< 2	3	17	0.05	< 10	< 10	33	< 10	196
BB 21243	201	202	0.05	39	890	194	< 2	3	67	0.04	< 10	< 10	20	< 10	>10000
BB 21244	201	202	0.01	23	1090	144	2	4	38	0.08	< 10	< 10	23	< 10	394
BB 21245	201	202	0.01	30	860	316	2	4	30	0.07	< 10	< 10	21	< 10	758
BB 21246	201	202	< 0.01	12	260	64	< 2	2	14	0.04	< 10	< 10	26	< 10	358
BB 21247	201	202	< 0.01	16	370	196	2	2	9	0.01	< 10	< 10	26	< 10	444
BB 21248	201	202	0.01	24	640	96	2	3	63	0.04	< 10	< 10	18	< 10	332
BB 21249	201	202	0.01	10	170	14	< 2	2	35	0.08	< 10	< 10	32	< 10	354
BB 21250	201	202	< 0.01	4	110	8	< 2	1	21	0.04	< 10	< 10	19	< 10	122
BB 21251	201	202	< 0.01	17	140	72	< 2	2	24	0.03	< 10	< 10	27	< 10	188
BB 21252	201	202	< 0.01	17	170	46	< 2	2	23	0.03	< 10	< 10	29	< 10	142
BB 21253	201	202	< 0.01	19	180	46	< 2	3	24	0.04	< 10	< 10	31	< 10	156
BB 21254	201	202	0.01	26	210	226	< 2	5	27	0.04	< 10	< 10	33	< 10	302
BB 21255	201	202	0.01	25	210	224	2	5	26	0.04	< 10	< 10	29	< 10	290
BB 21256	201	202	0.01	18	260	38	< 2	3	25	0.04	< 10	< 10	23	< 10	310
BB 21257	201	202	0.01	20	280	52	2	4	52	0.03	< 10	< 10	28	< 10	312

CERTIFICATION:

Jan Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 1 of 2-A
Total: 6
Certificate Date: 03-JUL-96
Invoice No.: 19622353
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21258	201 202	< 0.2	1.99	10	90	1.0	< 2	0.42	< 0.5	13	24	16	3.12	< 10	< 1	0.19	40	0.83	400	< 1
BB 21259	201 202	< 0.2	2.05	10	110	1.0	< 2	0.45	< 0.5	12	25	18	3.00	< 10	< 1	0.24	40	0.82	410	< 1
BB 21260	201 202	0.2	1.90	24	50	1.0	< 2	2.63	0.5	11	22	15	2.97	< 10	< 1	0.24	40	0.69	440	< 1
BB 21261	201 202	< 0.2	1.58	22	40	0.5	< 2	4.54	0.5	9	19	13	2.42	< 10	< 1	0.20	20	0.59	325	< 1
BB 21262	201 202	0.6	1.53	104	50	0.5	< 2	2.32	3.0	10	18	23	2.74	< 10	< 1	0.13	20	0.67	925	< 1
BB 21263	201 202	2.2	1.52	72	40	0.5	< 2	2.22	3.5	12	18	28	3.11	< 10	< 1	0.13	20	0.67	1080	< 1
BB 21264	201 202	0.2	1.46	32	50	0.5	< 2	2.21	0.5	10	19	16	2.61	< 10	< 1	0.16	30	0.67	440	< 1
BB 21265	201 202	0.2	1.92	22	80	0.5	< 2	1.20	0.5	13	23	20	3.07	< 10	< 1	0.13	30	0.74	730	< 1
BB 21266	201 202	< 0.2	2.76	12	90	1.5	< 2	0.67	< 0.5	12	31	18	4.14	< 10	< 1	0.14	30	0.95	510	< 1
BB 21267	201 202	< 0.2	2.33	2	90	0.5	< 2	0.84	5.0	10	25	8	3.93	< 10	< 1	0.05	10	0.84	825	< 1
BB 21268	201 202	< 0.2	1.81	2	70	0.5	< 2	0.25	< 0.5	6	23	9	2.18	< 10	< 1	0.15	20	0.55	195	< 1
BB 21269	201 202	< 0.2	2.01	6	70	0.5	< 2	0.33	< 0.5	7	29	7	2.63	< 10	< 1	0.15	20	0.64	215	< 1
BB 21270	201 202	< 0.2	2.91	18	110	1.5	< 2	0.47	< 0.5	11	35	16	3.68	< 10	< 1	0.20	40	1.03	325	< 1
BB 21271	201 202	< 0.2	2.87	12	110	1.0	< 2	0.42	< 0.5	12	37	15	3.92	< 10	< 1	0.14	30	0.83	355	< 1
BB 21272	201 202	< 0.2	3.03	6	110	1.5	< 2	0.42	< 0.5	12	36	15	3.89	< 10	< 1	0.18	30	0.98	325	< 1
BB 21273	201 202	< 0.2	2.55	14	80	1.5	< 2	0.31	0.5	16	29	13	4.38	< 10	< 1	0.12	30	0.86	425	< 1
BB 21274	201 202	< 0.2	1.93	2	80	0.5	< 2	0.24	< 0.5	8	27	7	2.56	< 10	< 1	0.12	20	0.54	195	< 1
BB 21275	201 202	< 0.2	2.11	2	90	0.5	< 2	0.36	< 0.5	8	30	9	2.61	< 10	< 1	0.20	20	0.59	210	< 1
BB 21276	201 202	< 0.2	1.51	14	70	0.5	< 2	3.35	< 0.5	8	18	20	2.21	< 10	< 1	0.15	10	0.59	370	< 1
BB 21277	201 202	< 0.2	1.63	18	70	0.5	< 2	8.38	0.5	10	19	19	2.32	< 10	< 1	0.27	20	0.72	415	< 1
BB 21278	201 202	< 0.2	1.42	14	50	0.5	< 2	1.56	1.0	9	18	13	2.31	< 10	< 1	0.14	10	0.60	955	< 1
BB 21279	201 202	0.2	1.54	12	60	0.5	< 2	1.68	1.0	9	19	15	2.46	< 10	< 1	0.15	20	0.63	1030	< 1
BB 21280	201 202	0.2	1.64	18	60	0.5	< 2	1.71	1.0	9	19	21	2.55	< 10	< 1	0.16	30	0.63	430	< 1
BB 21281	201 202	0.2	1.45	18	40	0.5	< 2	5.76	1.5	8	16	21	2.24	< 10	< 1	0.17	10	0.58	285	< 1
BB 21282	201 202	< 0.2	3.02	26	50	1.0	< 2	0.16	0.5	12	38	13	5.17	< 10	< 1	0.11	20	0.91	275	< 1
BB 21283	201 202	< 0.2	2.15	2	110	0.5	< 2	0.63	< 0.5	10	27	13	2.66	< 10	< 1	0.18	30	0.73	395	< 1
BB 21284	201 202	< 0.2	2.22	< 2	80	0.5	< 2	0.27	< 0.5	10	27	10	2.95	< 10	< 1	0.19	30	0.75	415	< 1
BB 21285	201 202	< 0.2	2.20	6	70	0.5	< 2	0.24	< 0.5	8	27	7	2.87	< 10	< 1	0.11	30	0.75	300	< 1
BB 21286	201 202	< 0.2	1.69	22	50	0.5	< 2	0.24	0.5	9	18	9	3.00	< 10	< 1	0.08	10	0.55	795	< 1
BB 21287	201 202	< 0.2	1.49	6	40	0.5	< 2	0.43	< 0.5	7	17	8	2.38	< 10	< 1	0.08	30	0.48	360	< 1
BB 21288	201 202	< 0.2	1.54	12	40	0.5	< 2	0.23	0.5	8	18	10	2.66	< 10	< 1	0.11	30	0.47	335	< 1
BB 21289	201 202	0.2	1.37	10	50	0.5	< 2	0.34	3.0	8	17	11	2.56	< 10	< 1	0.11	20	0.46	875	< 1
BB 21290	201 202	< 0.2	1.63	10	60	0.5	< 2	0.22	< 0.5	7	20	7	2.59	< 10	< 1	0.10	30	0.53	370	< 1
BB 21291	201 202	0.6	1.56	14	70	0.5	< 2	1.79	3.0	11	22	37	3.29	< 10	< 1	0.19	30	0.76	340	< 1
BB 21292	201 202	0.2	1.74	24	50	0.5	< 2	0.57	1.5	11	22	79	3.80	< 10	< 1	0.09	40	0.64	630	< 1
BB 21293	201 202	1.0	1.34	30	40	0.5	< 2	1.41	2.0	10	18	39	3.03	< 10	< 1	0.14	20	0.66	635	< 1
BB 21294	201 202	1.2	1.04	12	50	< 0.5	< 2	2.30	2.5	4	10	20	1.73	< 10	< 1	0.06	10	0.31	745	< 1
BB 21295	201 202	< 0.2	1.62	10	60	0.5	< 2	0.13	< 0.5	5	15	6	1.99	< 10	< 1	0.17	10	0.37	175	< 1
BB 21296	201 202	< 0.2	1.11	6	30	0.5	< 2	0.47	< 0.5	5	14	6	1.57	< 10	< 1	0.13	10	0.36	230	< 1
BB 21297	201 202	0.4	1.24	18	40	0.5	< 2	1.46	1.5	9	16	31	3.15	< 10	< 1	0.13	30	0.53	450	< 1

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 2-B
Total : 6
Certificate Date: 03-JUL-96
Invoice No. : I9622353
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21258	201 202	0.01	26	240	32	2	4	47	0.03	< 10	< 10	22	< 10	92
BB 21259	201 202	0.02	25	250	32	< 2	5	51	0.04	< 10	< 10	22	< 10	92
BB 21260	201 202	0.01	21	420	70	2	5	110	0.04	< 10	< 10	21	< 10	170
BB 21261	201 202	0.01	18	480	54	< 2	3	171	0.04	< 10	< 10	18	< 10	154
BB 21262	201 202	0.03	18	600	228	< 2	3	114	0.03	< 10	< 10	17	< 10	700
BB 21263	201 202	0.02	19	580	616	2	3	110	0.03	< 10	< 10	16	< 10	860
BB 21264	201 202	0.02	21	720	72	< 2	3	105	0.03	< 10	< 10	17	< 10	268
BB 21265	201 202	0.01	22	590	42	< 2	4	82	0.02	< 10	< 10	21	< 10	174
BB 21266	201 202	0.01	26	300	238	2	5	51	0.03	< 10	< 10	29	< 10	228
BB 21267	201 202	0.01	12	400	56	< 2	3	48	0.03	< 10	< 10	43	< 10	498
BB 21268	201 202	0.01	13	210	22	< 2	2	28	0.04	< 10	< 10	26	< 10	102
BB 21269	201 202	< 0.01	14	160	22	< 2	3	30	0.06	< 10	< 10	36	< 10	128
BB 21270	201 202	0.03	29	200	38	< 2	5	81	0.05	< 10	< 10	29	< 10	162
BB 21271	201 202	0.01	26	210	30	< 2	4	53	0.07	< 10	< 10	42	< 10	214
BB 21272	201 202	0.03	29	170	36	< 2	4	74	0.05	< 10	< 10	35	< 10	302
BB 21273	201 202	0.01	21	280	96	< 2	3	30	0.01	< 10	< 10	33	< 10	302
BB 21274	201 202	< 0.01	13	170	26	< 2	3	24	0.06	< 10	< 10	35	< 10	186
BB 21275	201 202	< 0.01	15	250	24	< 2	3	35	0.06	< 10	< 10	36	< 10	118
BB 21276	201 202	0.01	17	490	32	< 2	3	165	0.03	< 10	< 10	17	< 10	132
BB 21277	201 202	0.01	19	520	42	2	3	342	0.05	< 10	< 10	18	< 10	158
BB 21278	201 202	0.02	16	600	36	< 2	3	91	0.03	< 10	< 10	16	< 10	236
BB 21279	201 202	0.02	16	660	40	< 2	3	97	0.03	< 10	< 10	17	< 10	256
BB 21280	201 202	0.02	19	690	40	< 2	3	99	0.03	< 10	< 10	18	< 10	282
BB 21281	201 202	0.01	18	540	38	< 2	3	198	0.03	< 10	< 10	14	< 10	250
BB 21282	201 202	< 0.01	22	270	128	< 2	3	18	0.05	< 10	< 10	43	< 10	368
BB 21283	201 202	0.03	20	310	26	< 2	3	75	0.05	< 10	< 10	25	< 10	126
BB 21284	201 202	< 0.01	18	240	22	< 2	3	30	0.04	< 10	< 10	27	< 10	120
BB 21285	201 202	< 0.01	17	150	32	< 2	3	25	0.05	< 10	< 10	30	< 10	234
BB 21286	201 202	< 0.01	16	380	60	2	2	23	0.01	< 10	< 10	20	< 10	252
BB 21287	201 202	0.01	14	310	108	< 2	3	41	0.02	< 10	< 10	16	< 10	238
BB 21288	201 202	< 0.01	16	450	162	< 2	2	22	0.04	< 10	< 10	18	< 10	158
BB 21289	201 202	0.01	13	560	264	< 2	2	31	0.04	< 10	< 10	21	< 10	436
BB 21290	201 202	0.01	15	370	68	< 2	2	28	0.04	< 10	< 10	19	< 10	372
BB 21291	201 202	0.01	23	840	254	< 2	4	86	0.05	< 10	< 10	22	< 10	656
BB 21292	201 202	0.02	23	160	194	< 2	5	46	0.03	< 10	< 10	20	< 10	438
BB 21293	201 202	0.02	20	790	336	< 2	3	72	0.03	< 10	< 10	18	< 10	584
BB 21294	201 202	0.04	9	730	220	< 2	1	117	0.01	< 10	< 10	13	< 10	396
BB 21295	201 202	< 0.01	9	410	20	< 2	1	24	0.05	< 10	< 10	20	< 10	146
BB 21296	201 202	0.01	8	840	32	< 2	1	38	0.05	< 10	< 10	17	< 10	124
BB 21297	201 202	0.01	19	500	136	< 2	4	76	0.01	< 10	< 10	16	< 10	450

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 3-A
Total: 6
Certificate Date: 03-JUL-96
Invoice No.: I9622353
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21298	201 202	< 0.2	1.54	< 2	100	0.5	< 2	0.79	0.5	17	19	26	5.72	< 10	< 1	0.23	40	0.47	670	1
BB 21299	201 202	< 0.2	1.73	10	60	0.5	< 2	0.24	1.5	9	23	8	3.04	< 10	< 1	0.06	20	0.47	1055	< 1
BB 21300	201 202	< 0.2	1.40	< 2	60	< 0.5	< 2	0.04	< 0.5	4	12	5	2.93	< 10	< 1	0.09	30	0.21	185	< 1
BB 21301	201 202	< 0.2	2.14	< 2	50	0.5	< 2	0.18	< 0.5	8	28	5	2.98	< 10	< 1	0.10	20	0.55	240	< 1
BB 21302	201 202	0.4	1.81	10	70	< 0.5	< 2	0.17	0.5	8	25	9	3.02	< 10	< 1	0.14	30	0.43	335	< 1
BB 21303	201 202	< 0.2	1.25	6	50	< 0.5	< 2	0.09	< 0.5	6	24	5	3.05	< 10	< 1	0.14	30	0.32	255	< 1
BB 21304	201 202	0.6	2.45	40	80	0.5	2	0.32	1.0	8	25	14	3.90	< 10	< 1	0.12	10	0.37	175	< 1
BB 21305	201 202	< 0.2	1.52	20	60	< 0.5	< 2	1.03	0.5	8	21	13	2.47	< 10	< 1	0.19	20	0.47	385	1
BB 21306	201 202	< 0.2	1.97	12	60	0.5	< 2	0.75	0.5	10	23	9	2.57	< 10	< 1	0.22	10	0.50	375	< 1
BB 21307	201 202	0.2	3.14	< 2	60	0.5	< 2	1.92	0.5	15	50	38	3.49	10	< 1	0.22	20	1.71	690	< 1
BB 21308	201 202	0.6	1.89	30	70	0.5	< 2	0.70	0.5	9	34	17	3.64	< 10	< 1	0.22	20	0.73	510	< 1
BB 21309	201 202	0.2	1.27	12	40	0.5	< 2	0.54	1.0	9	17	30	2.87	< 10	< 1	0.16	30	0.42	400	< 1
BB 21310	201 202	< 0.2	2.07	10	70	0.5	< 2	0.29	< 0.5	12	23	13	3.91	< 10	< 1	0.13	20	0.40	910	< 1
BB 21311	201 202	< 0.2	1.31	18	40	< 0.5	< 2	0.10	< 0.5	6	18	10	2.80	< 10	< 1	0.11	30	0.35	155	< 1
BB 21312	201 202	0.4	1.81	8	80	0.5	< 2	0.16	1.0	13	23	16	3.05	< 10	< 1	0.19	20	0.42	675	< 1
BB 21313	201 202	< 0.2	1.09	6	80	0.5	< 2	1.23	2.5	12	7	20	3.07	< 10	< 1	0.16	40	0.11	1185	1
BB 21314	201 202	0.2	1.01	< 2	50	< 0.5	< 2	0.16	< 0.5	4	17	5	2.28	< 10	< 1	0.09	20	0.21	135	< 1
BB 21315	201 202	< 0.2	1.67	8	50	0.5	< 2	0.18	< 0.5	6	21	7	2.66	< 10	< 1	0.11	30	0.43	230	< 1
BB 21316	201 202	0.4	1.38	12	60	< 0.5	< 2	0.10	< 0.5	7	22	10	3.58	< 10	< 1	0.16	30	0.34	300	< 1
BB 21317	201 202	0.2	1.45	8	50	< 0.5	< 2	0.53	0.5	8	22	13	2.45	< 10	< 1	0.13	30	0.47	190	< 1
BB 21318	201 202	0.6	2.31	12	120	1.0	< 2	0.51	1.5	15	28	28	4.33	< 10	< 1	0.17	30	0.42	5350	< 1
BB 21319	201 202	< 0.2	1.57	14	50	0.5	< 2	0.19	< 0.5	6	20	13	3.10	< 10	< 1	0.16	30	0.41	200	< 1
BB 21320	201 202	0.6	2.84	4	70	1.0	2	0.41	1.5	18	33	17	4.29	10	< 1	0.13	20	0.47	695	< 1
BB 21321	201 202	< 0.2	2.83	< 2	100	0.5	< 2	0.73	< 0.5	13	32	16	4.69	< 10	< 1	0.54	50	0.93	165	< 1
BB 21322	201 202	1.2	1.86	10	70	0.5	< 2	1.07	1.5	9	24	19	3.33	< 10	< 1	0.21	20	0.60	1105	< 1
BB 21323	201 202	0.6	1.72	16	70	0.5	< 2	0.72	0.5	10	24	35	3.25	< 10	< 1	0.24	30	0.59	545	< 1
BB 21324	201 202	< 0.2	5.83	2	60	1.5	< 2	0.91	< 0.5	21	63	22	5.62	10	< 1	0.21	10	1.10	280	< 1
BB 21325	201 202	0.2	1.45	30	60	0.5	< 2	0.78	1.0	11	20	27	3.34	< 10	< 1	0.21	30	0.50	520	< 1
BB 21326	201 202	0.2	2.14	8	60	0.5	< 2	0.34	1.5	12	33	8	3.54	< 10	< 1	0.13	20	0.63	425	< 1
BB 21327	201 202	< 0.2	1.82	10	70	0.5	< 2	0.16	1.0	8	23	11	3.02	< 10	< 1	0.12	30	0.44	230	< 1
BB 21328	201 202	< 0.2	2.36	20	50	0.5	< 2	0.29	0.5	13	32	15	3.96	< 10	< 1	0.28	30	0.76	285	< 1
BB 21329	201 202	0.4	2.08	12	60	0.5	< 2	0.39	< 0.5	11	26	24	2.97	< 10	< 1	0.29	20	0.61	255	< 1
BB 21330	201 202	< 0.2	0.91	6	30	< 0.5	< 2	0.06	< 0.5	3	14	5	1.63	< 10	< 1	0.07	30	0.18	100	< 1
BB 21331	201 202	0.6	2.24	10	110	0.5	< 2	1.97	0.5	9	30	27	2.91	< 10	< 1	0.27	20	0.74	375	< 1
BB 21332	201 202	< 0.2	2.39	18	100	0.5	< 2	0.79	0.5	13	32	29	3.52	< 10	< 1	0.40	30	0.90	455	1
BB 21333	201 202	0.8	1.35	14	60	< 0.5	< 2	0.08	1.5	7	22	10	3.49	< 10	< 1	0.09	20	0.31	265	< 1
BB 21334	201 202	< 0.2	1.99	2	60	< 0.5	< 2	0.12	< 0.5	8	28	7	3.53	< 10	< 1	0.08	20	0.53	245	< 1
BB 21335	201 202	0.2	1.72	< 2	50	< 0.5	< 2	0.09	< 0.5	6	26	5	2.68	< 10	< 1	0.19	20	0.50	170	< 1
BB 21336	201 202	< 0.2	2.38	10	130	0.5	< 2	0.36	1.5	17	35	38	4.29	< 10	< 1	0.44	30	0.82	765	< 1
BB 21337	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 3-B
Total: 6
Certificate Date: 03-JUL-96
Invoice No.: 19622353
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21298	201 202	< 0.01	31	750	66	< 2	5	50	0.05	< 10	< 10	19	< 10	228
BB 21299	201 202	0.01	14	300	178	< 2	2	24	0.03	< 10	< 10	31	< 10	506
BB 21300	201 202	< 0.01	9	200	18	< 2	1	10	< 0.01	< 10	< 10	16	< 10	76
BB 21301	201 202	0.01	13	160	14	< 2	3	37	0.07	< 10	< 10	39	< 10	110
BB 21302	201 202	0.01	14	280	96	< 2	2	24	0.05	< 10	< 10	31	< 10	370
BB 21303	201 202	< 0.01	10	250	30	< 2	2	14	0.10	< 10	< 10	47	< 10	188
BB 21304	201 202	0.01	15	350	82	< 2	2	37	0.09	< 10	< 10	42	< 10	348
BB 21305	201 202	0.01	13	300	34	< 2	3	65	0.08	< 10	< 10	27	< 10	288
BB 21306	201 202	0.01	12	240	34	< 2	3	55	0.09	< 10	< 10	32	< 10	326
BB 21307	201 202	0.05	44	1650	16	< 2	6	111	0.17	< 10	< 10	47	< 10	166
BB 21308	201 202	0.01	21	340	126	< 2	4	58	0.05	< 10	< 10	29	< 10	294
BB 21309	201 202	0.01	22	640	126	< 2	4	45	0.03	< 10	< 10	17	< 10	314
BB 21310	201 202	0.01	20	250	52	< 2	3	36	0.03	< 10	< 10	26	< 10	138
BB 21311	201 202	< 0.01	12	420	66	< 2	2	13	0.03	< 10	< 10	24	< 10	334
BB 21312	201 202	0.02	17	360	170	< 2	2	26	0.04	< 10	< 10	26	< 10	384
BB 21313	201 202	0.01	18	310	56	< 2	1	79	< 0.01	< 10	< 10	12	< 10	280
BB 21314	201 202	< 0.01	9	150	26	< 2	1	18	0.07	< 10	< 10	40	< 10	126
BB 21315	201 202	< 0.01	13	140	68	< 2	2	22	0.06	< 10	< 10	29	< 10	234
BB 21316	201 202	< 0.01	14	270	40	< 2	2	16	0.08	< 10	< 10	40	< 10	312
BB 21317	201 202	< 0.01	17	300	20	< 2	3	54	0.05	< 10	< 10	22	< 10	106
BB 21318	201 202	0.01	25	400	40	2	5	50	0.04	< 10	< 10	32	< 10	208
BB 21319	201 202	< 0.01	15	360	88	2	2	18	0.03	< 10	< 10	23	< 10	410
BB 21320	201 202	0.04	24	470	182	< 2	4	59	0.07	< 10	< 10	45	< 10	560
BB 21321	201 202	< 0.01	31	310	12	< 2	5	56	0.16	< 10	< 10	31	< 10	90
BB 21322	201 202	0.01	18	590	214	< 2	4	70	0.06	< 10	< 10	23	< 10	320
BB 21323	201 202	0.01	24	660	132	< 2	4	62	0.05	< 10	< 10	23	< 10	296
BB 21324	201 202	0.19	42	540	38	< 2	5	717	0.19	< 10	< 10	50	< 10	242
BB 21325	201 202	0.02	21	770	182	2	4	75	0.04	< 10	< 10	20	< 10	372
BB 21326	201 202	0.01	17	230	54	< 2	3	41	0.11	< 10	< 10	49	< 10	340
BB 21327	201 202	0.01	15	190	132	< 2	3	30	0.04	< 10	< 10	26	< 10	418
BB 21328	201 202	0.03	27	180	108	2	3	57	0.09	< 10	< 10	32	< 10	620
BB 21329	201 202	0.01	26	330	56	< 2	3	48	0.08	< 10	< 10	27	< 10	132
BB 21330	201 202	< 0.01	6	140	6	< 2	1	11	0.08	< 10	< 10	43	< 10	72
BB 21331	201 202	0.01	21	820	42	< 2	4	133	0.05	< 10	< 10	31	< 10	210
BB 21332	201 202	0.01	30	620	42	< 2	5	61	0.06	< 10	< 10	32	< 10	178
BB 21333	201 202	< 0.01	11	330	108	< 2	2	11	0.07	< 10	< 10	44	< 10	226
BB 21334	201 202	< 0.01	14	220	28	< 2	3	16	0.06	< 10	< 10	45	< 10	196
BB 21335	201 202	< 0.01	12	230	32	< 2	3	11	0.13	< 10	< 10	35	< 10	126
BB 21336	201 202	0.01	34	630	124	< 2	5	43	0.11	< 10	< 10	36	< 10	236
BB 21337	-- --	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed	NotRed

CERTIFICATION:

David Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 4-A
Total : 6
Certificate Date: 03-JUL-96
Invoice No. : 19622353
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21338	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21339	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21340	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21341	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21342	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21343	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21344	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21345	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21346	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21347	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21348	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21349	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21350	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21351	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21352	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21353	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21354	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21355	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21356	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21357	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21358	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21359	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21360	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21361	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21362	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21363	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21364	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21365	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21366	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21381	201 202	< 0.2	1.87	6	70	0.5	< 2	0.14	< 0.5	7	22	7	2.82	< 10	< 1	0.10	30	0.54	265	< 1
BB 21382	201 202	< 0.2	1.57	12	40	0.5	< 2	0.13	< 0.5	8	18	9	2.33	< 10	< 1	0.08	30	0.46	385	< 1
BB 21383	201 202	< 0.2	1.23	12	50	0.5	< 2	1.69	< 0.5	7	16	16	2.29	< 10	< 1	0.15	20	0.59	370	< 1
BB 21384	201 202	< 0.2	1.69	14	50	0.5	< 2	0.31	< 0.5	8	20	5	3.31	< 10	< 1	0.07	30	0.58	405	< 1
BB 21385	201 202	< 0.2	1.68	16	40	0.5	< 2	0.31	< 0.5	6	18	6	2.45	< 10	< 1	0.08	30	0.46	185	< 1
BB 21386	201 202	< 0.2	1.69	16	30	0.5	< 2	0.31	< 0.5	9	21	14	3.27	< 10	< 1	0.15	20	0.53	660	< 1
BB 21387	201 202	< 0.2	1.83	8	90	< 0.5	< 2	0.21	< 0.5	8	24	8	2.94	< 10	< 1	0.11	30	0.51	545	< 1
BB 21388	201 202	< 0.2	1.77	20	60	0.5	< 2	0.17	< 0.5	7	20	8	3.20	< 10	< 1	0.10	20	0.47	380	< 1
BB 21401	201 202	< 0.2	1.73	14	60	0.5	< 2	0.21	< 0.5	8	21	7	2.79	< 10	< 1	0.06	20	0.54	440	< 1
BB 21402	201 202	< 0.2	0.13	< 2	30	< 0.5	< 2	7.30	3.5	< 1	1	11	0.18	< 10	< 1	0.02	< 10	0.09	245	< 1
BB 21403	201 202	< 0.2	1.84	22	70	0.5	< 2	0.27	0.5	6	18	6	3.13	< 10	< 1	0.09	30	0.37	190	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 4-B
Total Pages : 6
Certificate Date: 03-JUL-96
Invoice No. : 19622353
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21338	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21339	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21340	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21341	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21342	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21343	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21344	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21345	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21346	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21347	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21348	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21349	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21350	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21351	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21352	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21353	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21354	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21355	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21356	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21357	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21358	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21359	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21360	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21361	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21362	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21363	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21364	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21365	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21366	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB 21381	201 202	< 0.01	15	240	26	< 2	2	16	0.05	< 10	< 10	30	< 10	160
BB 21382	201 202	< 0.01	16	160	78	< 2	2	20	0.04	< 10	< 10	18	< 10	124
BB 21383	201 202	0.01	16	870	84	< 2	3	84	0.04	< 10	< 10	17	< 10	240
BB 21384	201 202	< 0.01	11	290	202	< 2	3	27	0.03	< 10	< 10	22	< 10	436
BB 21385	201 202	< 0.01	15	250	82	< 2	3	27	0.03	< 10	< 10	19	< 10	204
BB 21386	201 202	< 0.01	21	190	424	< 2	4	24	0.03	< 10	< 10	22	< 10	204
BB 21387	201 202	< 0.01	15	250	26	< 2	3	26	0.07	< 10	< 10	38	< 10	220
BB 21388	201 202	< 0.01	14	300	32	< 2	2	17	0.04	< 10	< 10	26	< 10	156
BB 21401	201 202	< 0.01	16	250	54	< 2	3	24	0.03	< 10	< 10	20	< 10	192
BB 21402	201 202	0.01	2	570	10	< 2	< 1	248	< 0.01	< 10	< 10	1	< 10	188
BB 21403	201 202	< 0.01	12	140	122	< 2	1	20	0.01	< 10	< 10	21	< 10	592

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 5-A
Total: 6
Certificate Date: 03-JUL-96
Invoice No.: I9622353
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21458	201 202	< 0.2	1.81	< 2	70	0.5	< 2	0.54	< 0.5	18	23	30	4.99	< 10	< 1	0.22	50	0.67	835	< 1
BB 21459	201 202	0.2	1.67	8	60	0.5	< 2	0.42	< 0.5	11	22	28	3.72	< 10	< 1	0.14	40	0.60	320	< 1
BB 21460	201 202	1.2	2.36	24	60	0.5	< 2	0.23	< 0.5	9	30	11	3.75	< 10	< 1	0.07	30	0.64	260	< 1
BB 21461	201 202	0.4	1.50	14	60	< 0.5	< 2	0.08	0.5	8	19	15	4.22	< 10	< 1	0.07	30	0.33	480	< 1
BB 21462	201 202	< 0.2	1.80	< 2	100	0.5	< 2	0.70	< 0.5	14	21	28	4.82	< 10	< 1	0.28	40	0.58	235	< 1
BB 21463	201 202	0.8	1.15	26	50	0.5	< 2	0.43	1.5	11	18	30	3.56	< 10	< 1	0.11	30	0.45	585	< 1
BB 21464	201 202	< 0.2	1.35	8	40	0.5	< 2	0.27	< 0.5	9	20	11	3.82	< 10	< 1	0.13	40	0.29	395	< 1
BB 21465	201 202	0.4	1.69	2	50	0.5	< 2	0.49	2.0	17	24	40	3.84	< 10	< 1	0.17	40	0.61	215	< 1
BB 21466	201 202	0.2	1.77	8	60	0.5	< 2	0.76	0.5	7	24	20	2.10	< 10	< 1	0.19	20	0.64	165	< 1
BB 21467	201 202	0.2	1.42	8	50	0.5	< 2	0.57	< 0.5	7	18	15	1.62	< 10	< 1	0.13	20	0.50	170	< 1
BB 21468	201 202	< 0.2	1.16	8	40	< 0.5	< 2	0.16	< 0.5	4	11	4	1.47	< 10	< 1	0.09	10	0.24	115	< 1
BB 21469	201 202	< 0.2	1.57	14	80	0.5	< 2	0.14	< 0.5	7	18	7	2.56	< 10	< 1	0.07	20	0.47	560	< 1
BB 21470	201 202	0.4	1.67	22	50	0.5	< 2	0.80	0.5	10	20	12	2.95	< 10	< 1	0.09	30	0.60	640	< 1
BB 21471	201 202	0.2	1.41	26	80	0.5	< 2	5.32	0.5	8	18	16	3.15	< 10	< 1	0.08	10	0.60	970	< 1
BB 21472	201 202	< 0.2	1.29	< 2	40	0.5	< 2	0.66	< 0.5	10	17	21	3.59	< 10	1	0.13	40	0.46	335	< 1
BB 21473	201 202	0.2	1.76	22	60	0.5	< 2	0.63	< 0.5	15	24	26	6.48	< 10	< 1	0.14	40	0.71	330	< 1
BB 21474	201 202	< 0.2	1.04	8	40	< 0.5	< 2	1.59	< 0.5	7	13	16	1.88	< 10	< 1	0.14	30	0.42	140	< 1
BB 21475	201 202	< 0.2	1.22	18	30	0.5	< 2	0.09	< 0.5	5	12	5	1.66	< 10	< 1	0.12	10	0.27	125	< 1
BB 21476	201 202	0.4	1.37	62	40	0.5	< 2	0.55	< 0.5	8	19	23	2.86	< 10	< 1	0.10	30	0.53	285	< 1
BB 21477	201 202	< 0.2	1.37	< 2	40	0.5	< 2	0.91	< 0.5	7	18	16	2.30	< 10	1	0.14	20	0.59	160	< 1
BB 21478	201 202	0.4	1.36	14	50	0.5	< 2	0.59	0.5	9	18	25	2.66	< 10	< 1	0.17	30	0.55	195	< 1
BB 21479	201 202	< 0.2	1.83	2	60	0.5	< 2	0.57	0.5	15	25	36	4.21	< 10	< 1	0.21	40	0.67	275	< 1
BB 21480	201 202	< 0.2	1.89	2	60	1.0	< 2	0.57	< 0.5	19	23	47	4.70	< 10	< 1	0.14	60	0.64	315	< 1
BB 21481	201 202	< 0.2	2.74	6	70	0.5	< 2	0.22	< 0.5	10	32	11	3.60	< 10	< 1	0.13	30	0.79	255	< 1
BB 21482	201 202	< 0.2	2.35	28	70	0.5	< 2	0.44	< 0.5	10	28	13	3.85	< 10	< 1	0.15	30	0.73	400	< 1
BB 21483	201 202	0.4	2.06	12	80	0.5	< 2	1.60	0.5	9	24	24	2.82	< 10	< 1	0.29	10	0.79	340	< 1
BB 21484	201 202	0.8	2.17	18	70	0.5	< 2	1.58	6.0	12	25	25	3.51	< 10	< 1	0.16	20	1.01	1670	< 1
BB 21485	201 202	0.6	2.15	16	70	0.5	< 2	1.43	2.0	10	23	26	3.21	< 10	< 1	0.14	30	0.98	580	< 1
BB 21486	201 202	0.6	2.20	16	80	0.5	< 2	0.60	2.0	11	24	26	4.20	< 10	< 1	0.20	40	0.83	1480	< 1
BB 21487	201 202	0.8	2.03	30	60	0.5	< 2	4.49	2.5	11	22	35	3.32	< 10	< 1	0.24	30	1.18	935	1
BB 21488	201 202	1.0	2.07	36	60	0.5	< 2	6.58	4.5	13	22	37	3.47	< 10	< 1	0.26	30	1.17	1265	< 1
BB 21489	201 202	0.2	1.96	6	80	0.5	< 2	1.42	0.5	8	21	20	2.72	< 10	< 1	0.22	30	0.72	490	1
BB 21490	201 202	0.2	2.17	8	80	0.5	< 2	0.62	< 0.5	10	25	27	3.38	< 10	< 1	0.30	40	0.80	400	< 1
BB 21491	201 202	< 0.2	2.98	8	90	1.0	< 2	2.17	0.5	14	32	31	4.01	< 10	< 1	0.38	40	1.46	785	< 1
BB 21492	201 202	< 0.2	2.59	< 2	100	0.5	< 2	0.48	< 0.5	17	33	7	3.28	< 10	< 1	0.31	10	0.83	625	< 1
BB 21493	201 202	< 0.2	2.10	2	60	0.5	< 2	0.57	< 0.5	8	24	15	2.99	< 10	< 1	0.16	40	0.78	230	< 1
BB 21494	201 202	< 0.2	1.72	10	70	0.5	< 2	0.48	< 0.5	7	19	10	2.29	< 10	< 1	0.09	30	0.59	225	< 1
BB 21495	201 202	< 0.2	1.77	4	70	0.5	< 2	0.47	0.5	8	22	9	2.44	< 10	< 1	0.10	20	0.61	335	< 1
BB 21496	201 202	< 0.2	1.56	6	70	0.5	< 2	0.36	< 0.5	7	19	10	2.10	< 10	< 1	0.09	10	0.57	285	< 1
BB 21497	201 202	< 0.2	1.48	2	80	0.5	< 2	1.95	1.0	7	16	14	1.86	< 10	< 1	0.09	10	0.47	360	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 5-B
Total: 6
Certificate Date: 03-JUL-96
Invoice No.: 19622353
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21458	201 202	< 0.01	45	720	58	< 2	5	34	0.03	< 10	< 10	23	< 10	180
BB 21459	201 202	< 0.01	27	480	134	< 2	5	34	0.05	< 10	< 10	22	< 10	204
BB 21460	201 202	< 0.01	26	270	228	< 2	4	42	0.05	< 10	< 10	30	< 10	552
BB 21461	201 202	< 0.01	18	300	100	< 2	2	9	0.02	< 10	< 10	30	< 10	316
BB 21462	201 202	< 0.01	32	580	64	< 2	5	47	0.04	< 10	< 10	22	< 10	176
BB 21463	201 202	< 0.01	23	790	338	< 2	3	37	0.03	< 10	< 10	17	< 10	528
BB 21464	201 202	< 0.01	22	260	30	< 2	4	30	0.01	< 10	< 10	20	< 10	98
BB 21465	201 202	< 0.01	37	1130	284	< 2	5	28	0.03	< 10	< 10	23	< 10	900
BB 21466	201 202	< 0.01	18	640	72	< 2	4	71	0.05	< 10	< 10	23	< 10	276
BB 21467	201 202	< 0.01	13	720	72	< 2	3	62	0.04	< 10	< 10	19	< 10	290
BB 21468	201 202	< 0.01	7	540	10	< 2	1	15	0.03	< 10	< 10	17	< 10	134
BB 21469	201 202	< 0.01	13	250	52	< 2	1	19	0.03	< 10	< 10	22	< 10	184
BB 21470	201 202	< 0.02	19	470	134	< 2	4	74	0.03	< 10	< 10	19	< 10	254
BB 21471	201 202	< 0.01	16	530	82	< 2	3	260	0.03	< 10	< 10	20	< 10	264
BB 21472	201 202	< 0.01	27	720	22	< 2	3	39	0.02	< 10	< 10	17	< 10	110
BB 21473	201 202	< 0.01	26	790	216	< 2	5	47	0.03	< 10	< 10	23	< 10	250
BB 21474	201 202	< 0.01	15	740	66	< 2	2	53	0.03	< 10	< 10	14	< 10	180
BB 21475	201 202	< 0.01	8	270	16	< 2	1	14	0.03	< 10	< 10	16	< 10	130
BB 21476	201 202	< 0.01	19	570	134	< 2	4	38	0.03	< 10	< 10	19	< 10	294
BB 21477	201 202	< 0.01	16	760	60	< 2	3	56	0.04	< 10	< 10	17	< 10	182
BB 21478	201 202	< 0.01	20	730	206	< 2	3	40	0.04	< 10	< 10	19	< 10	336
BB 21479	201 202	< 0.01	40	840	102	< 2	5	31	0.03	< 10	< 10	23	< 10	224
BB 21480	201 202	< 0.01	48	750	60	< 2	5	30	0.01	< 10	< 10	20	< 10	214
BB 21481	201 202	< 0.01	23	170	30	< 2	3	41	0.05	< 10	< 10	34	< 10	106
BB 21482	201 202	< 0.01	25	240	90	< 2	4	44	0.02	< 10	< 10	27	< 10	148
BB 21483	201 202	< 0.01	20	600	106	< 2	3	99	0.05	< 10	< 10	24	< 10	474
BB 21484	201 202	< 0.01	23	700	462	< 2	4	89	0.03	< 10	< 10	24	< 10	1780
BB 21485	201 202	< 0.01	23	460	420	< 2	4	72	0.02	< 10	< 10	24	< 10	466
BB 21486	201 202	< 0.01	23	560	286	< 2	4	48	0.03	< 10	< 10	24	< 10	788
BB 21487	201 202	< 0.01	23	590	442	< 2	4	169	0.03	< 10	< 10	23	< 10	840
BB 21488	201 202	< 0.01	26	570	608	< 2	4	233	0.03	< 10	< 10	22	< 10	1235
BB 21489	201 202	< 0.02	20	690	58	< 2	3	88	0.03	< 10	< 10	22	< 10	204
BB 21490	201 202	< 0.01	25	700	58	< 2	4	50	0.04	< 10	< 10	27	< 10	212
BB 21491	201 202	< 0.01	32	710	36	< 2	5	107	0.05	< 10	< 10	33	< 10	220
BB 21492	201 202	< 0.01	24	200	42	< 2	3	37	0.11	< 10	< 10	41	< 10	206
BB 21493	201 202	< 0.01	21	550	32	< 2	4	45	0.04	< 10	< 10	24	< 10	92
BB 21494	201 202	< 0.02	16	470	22	< 2	3	44	0.03	< 10	< 10	20	< 10	98
BB 21495	201 202	< 0.01	15	340	22	< 2	3	39	0.05	< 10	< 10	27	< 10	126
BB 21496	201 202	< 0.01	15	360	24	< 2	2	36	0.03	< 10	< 10	21	< 10	102
BB 21497	201 202	< 0.03	14	650	22	< 2	2	126	0.02	< 10	< 10	16	< 10	100

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 6-A
Total : 6
Certificate Date: 03-JUL-96
Invoice No. : 19622353
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21498	201 202	< 0.2	2.14	2	60	0.5	< 2	0.23	< 0.5	8	23	6	3.03	< 10	< 1	0.10	30	0.70	200	< 1

CERTIFICATION:

David Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 6-B
Total : 6
Certificate Date: 03-JUL-96
Invoice No. : I9622353
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622353

SAMPLE	PREP		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Ti	U	V	W	Zn
	CODE		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB 21498	201	202	< 0.01	16	130	18	< 2	2	19	0.03	< 10	< 10	29	< 10	140

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 1-A
Total: 5
Certificate Date: 03-JUL-96
Invoice No.: 19622352
P.O. Number:
Account: MTT


CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21001	201 202	< 0.2	1.56	8	80	< 0.5	< 2	0.20	0.5	9	18	7	3.45	< 10	< 1	0.07	10	0.41	1780	< 1
BB 21002	201 202	0.8	2.03	< 2	120	1.0	< 2	2.57	4.0	11	16	56	2.64	< 10	< 1	0.10	70	0.32	1975	< 1
BB 21003	201 202	< 0.2	1.78	6	80	0.5	< 2	1.14	< 0.5	7	27	14	2.64	< 10	< 1	0.15	30	0.93	265	< 1
BB 21004	201 202	< 0.2	1.84	8	60	< 0.5	< 2	0.15	< 0.5	7	24	8	2.85	< 10	< 1	0.13	30	0.61	235	< 1
BB 21005	201 202	< 0.2	2.01	12	40	0.5	< 2	0.27	< 0.5	10	22	11	3.01	< 10	< 1	0.10	30	0.59	225	< 1
BB 21006	201 202	< 0.2	1.33	16	50	0.5	< 2	0.12	< 0.5	3	14	6	2.25	< 10	< 1	0.11	10	0.27	150	< 1
BB 21007	201 202	< 0.2	0.45	4	10	< 0.5	< 2	0.11	< 0.5	1	6	3	0.71	< 10	< 1	0.10	< 10	0.14	155	< 1
BB 21008	201 202	1.0	2.34	22	100	0.5	< 2	1.24	3.0	12	29	28	3.69	< 10	< 1	0.20	30	0.91	1860	< 1
BB 21009	201 202	0.6	1.46	28	40	0.5	< 2	2.43	2.0	10	20	39	3.33	< 10	< 1	0.14	30	0.88	775	< 1
BB 21010	201 202	0.2	1.38	16	50	0.5	< 2	1.50	1.0	8	18	27	2.63	< 10	< 1	0.21	40	0.64	600	< 1
BB 21011	201 202	0.2	1.32	20	50	0.5	< 2	0.93	1.5	9	19	24	2.47	< 10	< 1	0.17	30	0.66	595	< 1
BB 21012	201 202	< 0.2	1.39	12	30	0.5	< 2	0.26	0.5	7	16	9	2.13	< 10	< 1	0.09	30	0.46	430	< 1
BB 21013	201 202	< 0.2	1.40	6	40	< 0.5	< 2	0.13	0.5	5	16	7	2.05	< 10	< 1	0.11	30	0.42	280	< 1
BB 21014	201 202	< 0.2	2.73	40	50	1.5	< 2	0.28	1.5	11	25	11	3.92	< 10	< 1	0.10	20	0.72	305	< 1
BB 21015	201 202	0.6	1.21	18	40	< 0.5	< 2	6.76	3.0	7	15	27	2.10	< 10	< 1	0.18	30	0.60	495	< 1
BB 21016	201 202	0.4	2.35	24	70	0.5	< 2	0.65	2.5	12	29	14	3.58	< 10	< 1	0.09	40	0.82	1410	< 1
BB 21017	201 202	0.8	1.74	18	60	0.5	< 2	1.72	2.5	7	18	27	2.81	< 10	< 1	0.13	30	0.57	655	< 1
BB 21018	201 202	0.4	1.19	14	40	< 0.5	< 2	2.29	1.0	6	15	21	2.07	< 10	< 1	0.15	30	0.71	395	< 1
BB 21019	201 202	0.2	1.23	14	40	< 0.5	< 2	1.74	1.0	7	16	19	2.12	< 10	< 1	0.14	30	0.59	535	< 1
BB 21020	201 202	0.4	1.24	16	40	< 0.5	< 2	4.17	1.5	9	15	21	2.13	< 10	< 1	0.16	30	0.62	620	< 1
BB 21021	201 202	< 0.2	1.45	6	20	0.5	< 2	0.20	< 0.5	7	19	7	2.38	< 10	< 1	0.10	20	0.43	190	< 1
BB 21022	201 202	< 0.2	1.04	8	30	< 0.5	< 2	0.48	0.5	5	13	10	1.65	< 10	< 1	0.12	30	0.43	160	< 1
BB 21023	201 202	< 0.2	1.83	14	50	0.5	< 2	0.22	< 0.5	8	21	9	2.46	< 10	< 1	0.10	40	0.52	260	< 1
BB 21024	201 202	0.2	1.43	16	40	0.5	< 2	0.61	< 0.5	7	17	12	2.40	< 10	< 1	0.10	40	0.53	305	< 1
BB 21025	201 202	< 0.2	2.10	14	50	0.5	< 2	0.21	< 0.5	9	23	11	2.70	< 10	< 1	0.10	30	0.53	305	< 1
BB 21026	201 202	< 0.2	1.74	6	60	0.5	< 2	0.27	< 0.5	6	23	8	2.33	< 10	< 1	0.12	40	0.74	245	< 1
BB 21027	201 202	< 0.2	2.16	6	80	< 0.5	< 2	0.26	< 0.5	7	23	6	2.28	< 10	< 1	0.09	30	0.66	245	< 1
BB 21028	201 202	< 0.2	1.91	10	80	0.5	< 2	1.63	0.5	9	26	17	2.79	< 10	< 1	0.25	30	0.76	455	< 1
BB 21029	201 202	< 0.2	2.15	8	70	0.5	< 2	0.16	< 0.5	8	23	9	2.48	< 10	< 1	0.11	30	0.58	200	< 1
BB 21030	201 202	< 0.2	2.99	14	90	1.0	< 2	0.18	0.5	12	37	12	4.10	< 10	< 1	0.17	30	0.79	510	< 1
BB 21031	201 202	0.8	1.33	26	70	0.5	< 2	2.31	1.0	6	16	25	2.20	< 10	< 1	0.10	20	0.44	565	< 1
BB 21032	201 202	< 0.2	1.22	12	50	< 0.5	< 2	1.03	0.5	6	16	8	1.93	< 10	< 1	0.13	30	0.48	645	< 1
BB 21033	201 202	0.8	1.50	22	50	0.5	< 2	6.14	2.0	11	18	24	2.48	< 10	< 1	0.18	30	0.80	600	< 1
BB 21034	201 202	< 0.2	2.24	14	80	0.5	< 2	0.54	< 0.5	9	27	20	3.41	< 10	< 1	0.18	40	0.82	405	< 1
BB 21035	201 202	0.2	1.36	8	60	< 0.5	< 2	2.57	1.0	5	14	18	1.81	< 10	< 1	0.11	10	0.44	470	< 1
BB 21036	201 202	< 0.2	2.35	12	80	0.5	< 2	0.53	< 0.5	8	27	25	3.42	< 10	< 1	0.17	40	0.74	350	< 1
BB 21037	201 202	< 0.2	1.78	4	60	0.5	< 2	1.18	< 0.5	7	27	20	2.43	< 10	< 1	0.22	30	0.65	385	< 1
BB 21038	201 202	< 0.2	1.53	2	50	0.5	< 2	0.82	< 0.5	6	24	14	2.11	< 10	< 1	0.18	30	0.57	305	< 1
BB 21039	201 202	0.2	1.25	20	50	< 0.5	< 2	5.34	< 0.5	8	16	19	2.00	< 10	< 1	0.19	30	0.49	415	< 1
BB 21040	201 202	< 0.2	1.44	18	40	0.5	< 2	1.00	< 0.5	8	19	16	2.28	< 10	< 1	0.16	50	0.53	415	< 1

CERTIFICATION:

Harry Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 1-B
Total: 5
Certificate Date: 03-JUL-96
Invoice No.: I9622352
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21001	201 202	< 0.01	10	350	46	< 2	1	20	0.03	< 10	< 10	34	< 10	168
BB 21002	201 202	0.01	27	1090	100	< 2	1	148	0.03	< 10	< 10	22	< 10	300
BB 21003	201 202	0.01	17	580	24	< 2	3	69	0.06	< 10	< 10	25	< 10	92
BB 21004	201 202	< 0.01	15	230	24	< 2	2	17	0.06	< 10	< 10	32	< 10	110
BB 21005	201 202	0.01	19	160	66	< 2	3	33	0.04	< 10	< 10	23	< 10	96
BB 21006	201 202	< 0.01	.7	420	12	< 2	1	17	0.05	< 10	< 10	23	< 10	126
BB 21007	201 202	0.01	4	410	12	< 2	< 1	5	0.01	< 10	< 10	7	< 10	42
BB 21008	201 202	0.02	25	660	374	< 2	5	95	0.04	< 10	< 10	27	< 10	1320
BB 21009	201 202	0.01	21	670	276	< 2	3	102	0.04	< 10	< 10	20	< 10	642
BB 21010	201 202	0.01	18	830	162	< 2	3	81	0.05	< 10	< 10	18	< 10	432
BB 21011	201 202	0.01	18	810	196	< 2	3	57	0.04	< 10	< 10	19	< 10	334
BB 21012	201 202	< 0.01	16	460	120	< 2	2	24	0.03	< 10	< 10	14	< 10	232
BB 21013	201 202	< 0.01	12	260	94	< 2	1	17	0.04	< 10	< 10	18	< 10	316
BB 21014	201 202	0.01	21	400	114	2	3	31	0.03	< 10	< 10	28	< 10	496
BB 21015	201 202	0.01	16	690	262	< 2	2	292	0.03	< 10	< 10	15	< 10	612
BB 21016	201 202	0.04	22	330	496	< 2	5	58	0.04	< 10	< 10	27	< 10	874
BB 21017	201 202	0.03	15	660	268	2	3	99	0.03	< 10	< 10	19	< 10	716
BB 21018	201 202	0.01	14	760	148	< 2	2	96	0.03	< 10	< 10	15	< 10	398
BB 21019	201 202	0.01	14	810	192	< 2	2	85	0.03	< 10	< 10	15	< 10	382
BB 21020	201 202	0.01	16	740	268	< 2	2	182	0.03	< 10	< 10	15	< 10	376
BB 21021	201 202	< 0.01	14	270	38	< 2	2	27	0.04	< 10	< 10	20	< 10	76
BB 21022	201 202	0.01	12	800	52	< 2	1	40	0.03	< 10	< 10	13	< 10	144
BB 21023	201 202	0.01	17	140	32	< 2	3	34	0.04	< 10	< 10	21	< 10	78
BB 21024	201 202	0.01	16	420	96	< 2	3	48	0.03	< 10	< 10	17	< 10	194
BB 21025	201 202	0.01	18	420	88	< 2	2	25	0.04	< 10	< 10	24	< 10	104
BB 21026	201 202	0.01	15	310	22	< 2	3	25	0.05	< 10	< 10	22	< 10	72
BB 21027	201 202	< 0.01	14	160	24	< 2	3	28	0.05	< 10	< 10	26	< 10	156
BB 21028	201 202	0.02	19	670	30	< 2	3	93	0.06	< 10	< 10	24	< 10	214
BB 21029	201 202	0.01	18	130	32	< 2	2	19	0.05	< 10	< 10	23	< 10	72
BB 21030	201 202	0.03	25	250	50	< 2	3	119	0.05	< 10	< 10	35	< 10	172
BB 21031	201 202	0.01	14	870	58	< 2	2	186	0.01	< 10	< 10	17	< 10	162
BB 21032	201 202	0.01	12	820	36	< 2	2	70	0.04	< 10	< 10	15	< 10	130
BB 21033	201 202	0.02	18	690	498	< 2	3	262	0.03	< 10	< 10	18	< 10	564
BB 21034	201 202	0.02	23	220	84	< 2	4	51	0.04	< 10	< 10	26	< 10	242
BB 21035	201 202	0.04	11	670	72	< 2	1	146	0.02	< 10	< 10	16	< 10	270
BB 21036	201 202	0.02	24	360	108	< 2	4	50	0.03	< 10	< 10	30	< 10	406
BB 21037	201 202	0.02	20	770	14	< 2	3	126	0.05	< 10	< 10	22	< 10	92
BB 21038	201 202	0.02	17	720	14	< 2	3	97	0.05	< 10	< 10	20	< 10	78
BB 21039	201 202	0.01	15	680	40	< 2	2	253	0.04	< 10	< 10	16	< 10	110
BB 21040	201 202	0.01	17	550	42	< 2	4	67	0.04	< 10	< 10	19	< 10	100

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

3: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 2-A
Total: 15
Certificate Date: 03-JUL-96
Invoice No.: 19622352
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21041	201 202	0.8	1.89	44	50	0.5	< 2	2.30	2.5	10	24	31	3.34	< 10	< 1	0.17	40	0.86	855	< 1
BB 21042	201 202	0.8	2.27	14	80	0.5	< 2	0.55	1.5	10	30	23	3.74	< 10	< 1	0.21	40	0.78	1230	< 1
BB 21043	201 202	0.6	2.41	26	60	1.0	< 2	0.58	2.0	12	27	20	3.93	< 10	< 1	0.17	60	0.82	2010	< 1
BB 21044	201 202	0.6	2.33	24	60	1.0	< 2	0.45	2.0	10	27	19	3.73	< 10	< 1	0.14	50	0.76	1665	< 1
BB 21045	201 202	0.6	2.45	28	60	1.0	2	0.48	2.0	11	28	22	4.09	< 10	< 1	0.16	60	0.80	2250	< 1
BB 21046	201 202	< 0.2	2.31	8	50	0.5	< 2	0.22	< 0.5	9	26	8	3.06	< 10	< 1	0.14	40	0.79	275	< 1
BB 21047	201 202	< 0.2	2.48	14	90	0.5	< 2	0.70	< 0.5	8	28	9	3.27	< 10	< 1	0.14	40	1.23	450	< 1
BB 21048	201 202	< 0.2	2.54	12	70	0.5	< 2	0.27	< 0.5	10	32	13	3.33	< 10	< 1	0.20	40	0.87	300	< 1
BB 21049	201 202	< 0.2	1.90	12	50	0.5	< 2	0.19	< 0.5	8	25	10	2.76	< 10	< 1	0.13	30	0.70	230	< 1
BB 21050	201 202	< 0.2	1.90	16	50	0.5	< 2	0.20	< 0.5	8	23	8	3.06	< 10	< 1	0.07	20	0.56	250	< 1
BB 21051	201 202	< 0.2	1.89	10	80	0.5	< 2	0.36	< 0.5	9	23	10	3.45	< 10	< 1	0.12	10	0.58	455	< 1
BB 21052	201 202	< 0.2	1.14	8	40	< 0.5	< 2	0.07	< 0.5	5	20	5	2.91	< 10	< 1	0.08	10	0.27	135	< 1
BB 21053	201 202	0.2	1.79	10	100	0.5	< 2	1.99	1.5	9	21	18	3.35	< 10	< 1	0.09	30	0.68	845	< 1
BB 21054	201 202	< 0.2	1.44	4	70	< 0.5	< 2	1.57	< 0.5	6	19	17	2.10	< 10	< 1	0.18	20	0.54	240	< 1
BB 21055	201 202	< 0.2	1.90	14	50	0.5	< 2	0.29	< 0.5	9	22	9	2.82	< 10	< 1	0.11	30	0.58	280	< 1
BB 21056	201 202	< 0.2	1.95	8	80	< 0.5	< 2	0.13	< 0.5	7	27	8	2.88	< 10	< 1	0.11	40	0.57	435	< 1
BB 21057	201 202	0.2	1.33	16	50	< 0.5	< 2	2.18	0.5	7	17	15	2.37	< 10	< 1	0.15	10	0.61	585	< 1
BB 21059	201 202	< 0.2	1.34	14	40	0.5	< 2	0.48	0.5	9	19	15	2.61	< 10	< 1	0.15	40	0.47	305	< 1
BB 21060	201 202	0.6	1.63	24	50	0.5	< 2	1.88	2.0	10	19	26	3.18	< 10	< 1	0.16	30	0.62	615	< 1
BB 21061	201 202	0.8	1.73	10	90	0.5	< 2	1.79	3.5	10	27	47	3.33	< 10	< 1	0.17	30	0.78	570	< 1
BB 21062	201 202	< 0.2	2.76	26	40	1.5	2	0.33	1.5	11	31	12	4.60	< 10	< 1	0.08	30	0.70	680	< 1
BB 21063	201 202	< 0.2	0.94	6	60	0.5	< 2	0.61	0.5	18	13	21	3.63	< 10	< 1	0.19	50	0.21	460	< 1
BB 21064	201 202	< 0.2	1.73	8	60	0.5	< 2	0.36	< 0.5	8	24	23	2.62	< 10	< 1	0.21	30	0.65	285	< 1
BB 21065	201 202	< 0.2	0.99	6	40	< 0.5	< 2	0.09	0.5	5	15	4	2.22	< 10	< 1	0.04	20	0.25	195	< 1
BB 21066	201 202	< 0.2	1.61	8	50	< 0.5	< 2	0.42	< 0.5	7	26	9	2.72	< 10	< 1	0.16	10	0.66	290	< 1
BB 21067	201 202	< 0.2	1.88	12	70	0.5	< 2	0.17	< 0.5	9	24	8	3.25	< 10	< 1	0.06	20	0.45	275	< 1
BB 21068	201 202	0.2	1.62	4	50	0.5	< 2	1.04	< 0.5	7	23	24	3.15	< 10	< 1	0.16	40	0.57	205	< 1
BB 21069	201 202	< 0.2	1.14	8	40	< 0.5	< 2	0.55	< 0.5	6	15	14	2.10	< 10	< 1	0.13	30	0.45	505	< 1
BB 21070	201 202	< 0.2	1.26	12	40	< 0.5	< 2	0.09	< 0.5	3	12	4	1.55	< 10	< 1	0.09	10	0.24	215	< 1
BB 21071	201 202	0.4	1.45	10	70	0.5	< 2	0.55	0.5	5	15	14	1.77	< 10	< 1	0.11	10	0.44	200	< 1
BB 21072	201 202	0.2	2.20	6	90	0.5	< 2	0.96	0.5	9	34	28	2.63	< 10	< 1	0.23	30	0.80	225	< 1
BB 21073	201 202	< 0.2	1.85	4	60	0.5	< 2	0.45	< 0.5	17	28	42	4.97	< 10	< 1	0.31	70	0.73	380	< 1
BB 21074	201 202	< 0.2	1.78	8	50	< 0.5	< 2	0.25	< 0.5	8	24	11	3.72	< 10	< 1	0.10	30	0.44	220	< 1
BB 21075	201 202	0.6	1.34	20	50	0.5	< 2	0.59	2.5	13	20	50	4.41	< 10	< 1	0.20	30	0.59	870	< 1
BB 21076	201 202	< 0.2	2.50	2	120	0.5	< 2	0.68	< 0.5	16	33	42	3.48	< 10	< 1	0.27	40	1.06	235	< 1
BB 21077	201 202	< 0.2	1.60	8	70	0.5	< 2	0.64	< 0.5	9	21	25	3.56	< 10	< 1	0.19	40	0.63	345	< 1
BB 21078	201 202	< 0.2	1.09	16	50	< 0.5	< 2	0.08	< 0.5	3	12	5	1.74	< 10	< 1	0.09	20	0.25	155	< 1
BB 21079	201 202	0.2	1.42	20	50	0.5	< 2	0.69	< 0.5	6	19	9	2.99	< 10	< 1	0.11	30	0.45	320	< 1
BB 21080	201 202	0.2	2.00	38	80	0.5	< 2	1.38	1.0	10	26	23	7.62	< 10	< 1	0.14	30	0.62	370	< 1
BB 21081	201 202	0.4	1.73	10	60	0.5	< 2	0.71	0.5	11	21	28	4.06	< 10	< 1	0.10	50	0.41	290	< 1

CERTIFICATION:

Heidi Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 2-B
Total Pages : 5
Certificate Date: 03-JUL-96
Invoice No. : 19622352
P.O. Number :
Account : MTT


CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21041	201 202	0.02	23	610	456	< 2	4	114	0.04	< 10	< 10	23	< 10	1130
BB 21042	201 202	0.01	25	290	388	< 2	6	56	0.04	< 10	< 10	29	< 10	502
BB 21043	201 202	0.01	24	200	484	< 2	6	54	0.02	< 10	< 10	26	< 10	824
BB 21044	201 202	0.01	23	210	462	< 2	5	44	0.02	< 10	< 10	25	< 10	930
BB 21045	201 202	0.01	24	230	448	< 2	6	48	0.02	< 10	< 10	27	< 10	1260
BB 21046	201 202	0.01	19	140	38	< 2	3	27	0.05	< 10	< 10	26	< 10	78
BB 21047	201 202	0.01	18	290	32	< 2	4	52	0.05	< 10	< 10	31	< 10	124
BB 21048	201 202	0.01	25	360	60	< 2	3	27	0.06	< 10	< 10	30	< 10	134
BB 21049	201 202	< 0.01	20	260	42	< 2	2	19	0.04	< 10	< 10	24	< 10	102
BB 21050	201 202	< 0.01	16	130	70	< 2	2	23	0.03	< 10	< 10	26	< 10	184
BB 21051	201 202	< 0.01	15	320	36	< 2	1	29	0.03	< 10	< 10	34	< 10	140
BB 21052	201 202	< 0.01	9	190	28	< 2	1	12	0.07	< 10	< 10	44	< 10	126
BB 21053	201 202	0.01	16	880	56	< 2	4	121	0.03	< 10	< 10	24	< 10	238
BB 21054	201 202	0.01	16	590	20	< 2	2	95	0.03	< 10	< 10	18	< 10	116
BB 21055	201 202	0.01	21	150	32	< 2	3	29	0.04	< 10	< 10	22	< 10	70
BB 21056	201 202	< 0.01	15	280	32	< 2	2	17	0.07	< 10	< 10	38	< 10	166
BB 21057	201 202	0.01	16	830	78	< 2	2	102	0.04	< 10	< 10	18	< 10	256
BB 21059	201 202	0.01	19	710	76	< 2	3	44	0.05	< 10	< 10	20	< 10	206
BB 21060	201 202	0.01	21	670	256	< 2	3	98	0.03	< 10	< 10	20	< 10	650
BB 21061	201 202	0.01	23	870	260	< 2	5	106	0.06	< 10	< 10	26	< 10	356
BB 21062	201 202	0.01	25	320	454	< 2	3	36	0.03	< 10	< 10	31	< 10	820
BB 21063	201 202	< 0.01	35	480	66	< 2	6	37	< 0.01	< 10	< 10	16	< 10	226
BB 21064	201 202	0.01	22	570	44	< 2	3	41	0.05	< 10	< 10	22	< 10	100
BB 21065	201 202	< 0.01	7	150	74	< 2	1	11	0.05	< 10	< 10	34	< 10	204
BB 21066	201 202	< 0.01	14	180	60	< 2	2	42	0.07	< 10	< 10	29	< 10	370
BB 21067	201 202	< 0.01	16	180	48	< 2	1	27	0.05	< 10	< 10	37	< 10	176
BB 21068	201 202	0.01	22	710	44	< 2	3	61	0.04	< 10	< 10	20	< 10	138
BB 21069	201 202	0.01	15	820	54	< 2	2	43	0.03	< 10	< 10	15	< 10	164
BB 21070	201 202	< 0.01	7	590	14	< 2	1	9	0.03	< 10	< 10	18	< 10	142
BB 21071	201 202	0.06	12	560	108	< 2	2	60	0.03	< 10	< 10	17	< 10	408
BB 21072	201 202	0.01	23	760	56	< 2	4	122	0.06	< 10	< 10	27	< 10	262
BB 21073	201 202	< 0.01	46	900	42	< 2	5	30	0.04	< 10	< 10	28	< 10	138
BB 21074	201 202	< 0.01	16	220	46	< 2	2	25	0.04	< 10	< 10	33	< 10	174
BB 21075	201 202	0.01	26	750	370	< 2	3	44	0.04	< 10	< 10	20	< 10	498
BB 21076	201 202	0.02	45	760	42	< 2	4	43	0.05	< 10	< 10	29	< 10	142
BB 21077	201 202	0.01	23	800	64	< 2	4	42	0.04	< 10	< 10	25	< 10	210
BB 21078	201 202	< 0.01	5	360	14	< 2	1	13	0.04	< 10	< 10	21	< 10	164
BB 21079	201 202	0.01	11	800	58	< 2	2	72	0.03	< 10	< 10	19	< 10	182
BB 21080	201 202	0.01	22	890	124	< 2	4	103	0.04	< 10	< 10	32	< 10	530
BB 21081	201 202	< 0.01	24	300	106	< 2	4	50	0.01	< 10	< 10	22	< 10	234

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 3-A
Total Pages: 5
Certificate Date: 03-JUL-96
Invoice No.: I9622352
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21082	201 202	0.6	1.38	20	40	0.5	< 2	0.48	0.5	11	20	37	4.04	< 10	< 1	0.16	40	0.53	410	< 1
BB 21083	201 202	0.2	1.86	8	60	0.5	< 2	0.45	< 0.5	8	25	19	3.79	< 10	< 1	0.08	50	0.59	230	< 1
BB 21084	201 202	< 0.2	1.60	2	40	< 0.5	< 2	0.05	< 0.5	6	18	7	2.96	< 10	< 1	0.11	30	0.42	170	< 1
BB 21085	201 202	< 0.2	1.61	2	60	0.5	< 2	0.35	< 0.5	8	22	11	3.26	< 10	< 1	0.12	30	0.61	335	< 1
BB 21086	201 202	< 0.2	2.14	8	40	0.5	< 2	0.14	< 0.5	9	31	12	3.71	< 10	< 1	0.17	10	0.81	270	< 1
BB 21087	201 202	0.6	1.97	40	100	0.5	< 2	1.02	4.5	13	26	80	3.19	< 10	< 1	0.12	20	0.51	1975	< 1
BB 21088	201 202	0.2	1.29	46	60	< 0.5	< 2	0.14	0.5	7	21	7	3.37	< 10	< 1	0.07	20	0.33	325	< 1
BB 21089	201 202	< 0.2	1.59	10	50	0.5	< 2	0.42	< 0.5	8	23	14	2.61	< 10	< 1	0.10	30	0.59	260	< 1
BB 21090	201 202	< 0.2	2.06	10	80	0.5	< 2	0.40	0.5	16	30	28	4.46	< 10	< 1	0.23	40	0.79	285	< 1
BB 21091	201 202	0.2	1.60	< 2	150	0.5	< 2	1.54	2.5	18	17	32	4.16	< 10	< 1	0.05	30	0.52	505	< 1
BB 21092	201 202	0.2	1.83	8	50	0.5	< 2	0.40	< 0.5	9	32	15	3.06	< 10	< 1	0.10	30	0.72	255	< 1
BB 21093	201 202	< 0.2	2.09	< 2	70	< 0.5	< 2	0.10	< 0.5	9	27	7	3.90	< 10	< 1	0.10	30	0.61	355	< 1
BB 21094	201 202	< 0.2	3.13	14	80	0.5	< 2	0.09	< 0.5	6	32	11	4.11	< 10	< 1	0.11	10	0.41	245	< 1
BB 21095	201 202	< 0.2	1.53	16	70	< 0.5	< 2	0.24	< 0.5	5	21	5	2.68	< 10	< 1	0.12	10	0.35	200	< 1
BB 21096	201 202	0.8	2.53	12	90	1.0	< 2	0.71	0.5	7	29	48	2.72	< 10	< 1	0.13	40	0.67	240	< 1
BB 21097	201 202	< 0.2	1.56	< 2	50	0.5	< 2	0.45	< 0.5	16	20	40	4.36	< 10	< 1	0.14	50	0.49	440	< 1
BB 21098	201 202	0.4	1.72	8	60	0.5	< 2	0.50	0.5	11	25	30	4.04	< 10	< 1	0.15	40	0.68	395	< 1
BB 21099	201 202	0.4	2.21	< 2	50	0.5	< 2	0.08	< 0.5	9	24	16	4.49	< 10	< 1	0.07	40	0.52	190	< 1
BB 21100	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
BB 21102	201 202	< 0.2	2.22	10	90	0.5	< 2	0.47	< 0.5	11	29	10	3.17	< 10	< 1	0.19	30	0.90	390	< 1
BB 21106	201 202	0.2	1.84	22	60	0.5	< 2	1.19	2.0	12	23	27	3.06	< 10	< 1	0.14	30	0.76	510	< 1
BB 21107	201 202	< 0.2	1.29	22	30	0.5	< 2	0.15	0.5	7	16	9	2.52	< 10	< 1	0.06	10	0.47	355	< 1
BB 21108	201 202	< 0.2	1.28	10	40	0.5	< 2	0.54	< 0.5	6	19	10	2.07	< 10	< 1	0.18	20	0.53	225	< 1
BB 21109	201 202	< 0.2	1.78	14	50	0.5	< 2	0.33	< 0.5	8	24	11	2.75	< 10	< 1	0.19	30	0.73	435	< 1
BB 21110	201 202	< 0.2	1.62	2	60	< 0.5	< 2	0.12	< 0.5	6	23	7	2.37	< 10	< 1	0.15	20	0.66	190	< 1
BB 21111	201 202	< 0.2	1.89	2	70	0.5	< 2	0.16	< 0.5	6	25	7	2.55	< 10	< 1	0.11	20	0.63	225	< 1
BB 21112	201 202	0.2	2.73	26	80	1.5	< 2	0.63	0.5	16	31	17	4.45	< 10	< 1	0.19	40	1.07	445	< 1
BB 21113	201 202	< 0.2	1.97	10	90	0.5	< 2	0.82	< 0.5	9	24	15	2.90	< 10	< 1	0.18	30	0.77	315	< 1
BB 21114	201 202	< 0.2	2.46	14	70	1.0	< 2	0.82	1.0	15	30	12	5.18	< 10	< 1	0.15	30	0.88	820	< 1
BB 21115	201 202	0.2	3.74	12	90	2.0	< 2	0.94	1.0	13	39	17	4.74	< 10	< 1	0.18	30	1.13	1955	< 1
BB 21116	201 202	< 0.2	3.75	26	330	1.0	< 2	1.69	0.5	21	32	20	6.71	< 10	< 1	0.11	50	1.48	1640	< 1
BB 21117	201 202	< 0.2	2.53	20	130	1.5	< 2	0.65	1.5	14	23	12	5.17	< 10	< 1	0.10	30	0.51	1710	< 1
BB 21118	201 202	< 0.2	1.74	< 2	50	< 0.5	< 2	0.31	< 0.5	5	11	4	3.02	< 10	< 1	0.03	30	0.08	130	< 1
BB 21119	201 202	< 0.2	2.08	2	60	0.5	< 2	0.19	< 0.5	7	25	8	3.23	< 10	< 1	0.17	20	0.75	260	< 1
BB 21120	201 202	< 0.2	1.93	24	60	1.0	< 2	0.98	1.0	14	25	24	3.65	< 10	< 1	0.14	30	0.79	520	< 1
BB 21121	201 202	0.2	1.72	14	60	0.5	< 2	1.82	1.0	11	22	16	2.78	< 10	< 1	0.13	20	0.77	660	< 1
BB 21122	201 202	< 0.2	2.45	12	70	1.0	< 2	0.43	< 0.5	13	29	19	3.55	< 10	< 1	0.19	30	0.87	325	< 1
BB 21123	201 202	< 0.2	2.05	2	90	0.5	< 2	0.60	< 0.5	9	23	11	2.75	< 10	< 1	0.15	30	0.64	265	< 1
BB 21124	201 202	0.2	2.27	48	60	< 0.5	< 2	0.12	0.5	10	28	12	3.91	< 10	< 1	0.07	30	0.64	250	< 1
BB 21125	201 202	< 0.2	3.41	< 2	40	1.5	2	0.60	3.0	19	33	15	6.03	< 10	< 1	0.08	30	0.70	205	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 3-B
Total: 5
Certificate Date: 03-JUL-96
Invoice No.: I9622352
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21082	201	202	0.01	27	880	216	< 2	4	33	0.03	< 10	< 10	19	< 10	418
BB 21083	201	202	0.01	24	280	160	2	6	38	0.02	< 10	< 10	22	< 10	190
BB 21084	201	202	< 0.01	14	340	52	< 2	2	8	0.03	< 10	< 10	21	< 10	86
BB 21085	201	202	< 0.01	18	440	52	< 2	3	24	0.05	< 10	< 10	23	< 10	158
BB 21086	201	202	< 0.01	19	200	36	< 2	3	19	0.07	< 10	< 10	35	< 10	146
BB 21087	201	202	0.03	33	470	168	< 2	5	74	0.06	< 10	< 10	28	< 10	1010
BB 21088	201	202	< 0.01	10	150	50	< 2	1	18	0.07	< 10	< 10	48	< 10	282
BB 21089	201	202	0.01	21	370	74	< 2	3	38	0.04	< 10	< 10	22	< 10	114
BB 21090	201	202	0.01	34	570	98	< 2	4	30	0.06	< 10	< 10	27	< 10	246
BB 21091	201	202	0.01	30	1020	70	< 2	4	84	0.01	< 10	< 10	17	< 10	222
BB 21092	201	202	0.01	25	320	90	< 2	4	30	0.05	< 10	< 10	26	< 10	226
BB 21093	201	202	< 0.01	15	500	56	< 2	3	10	0.05	< 10	< 10	37	< 10	112
BB 21094	201	202	< 0.01	14	810	30	< 2	3	18	0.11	< 10	< 10	55	< 10	202
BB 21095	201	202	< 0.01	8	330	14	< 2	2	33	0.10	< 10	< 10	44	< 10	118
BB 21096	201	202	0.02	21	840	80	< 2	4	83	0.04	< 10	20	33	< 10	202
BB 21097	201	202	< 0.01	37	500	40	2	5	20	< 0.01	< 10	< 10	21	< 10	158
BB 21098	201	202	0.01	29	670	134	< 2	5	39	0.05	< 10	< 10	26	< 10	292
BB 21099	201	202	< 0.01	20	280	54	< 2	3	11	0.03	< 10	< 10	25	< 10	182
BB 21100	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
BB 21102	201	202	0.03	20	300	46	< 2	4	65	0.06	< 10	< 10	26	< 10	152
BB 21106	201	202	0.02	23	560	74	< 2	4	80	0.03	< 10	< 10	21	< 10	276
BB 21107	201	202	0.01	15	110	80	< 2	1	19	0.02	< 10	< 10	16	< 10	286
BB 21108	201	202	0.01	15	520	20	< 2	3	46	0.04	< 10	< 10	18	< 10	70
BB 21109	201	202	0.01	19	280	30	< 2	4	44	0.05	< 10	< 10	23	< 10	96
BB 21110	201	202	< 0.01	14	210	20	< 2	2	19	0.05	< 10	< 10	23	< 10	94
BB 21111	201	202	< 0.01	14	120	18	< 2	3	17	0.06	< 10	< 10	30	< 10	138
BB 21112	201	202	0.04	32	230	64	< 2	6	84	0.06	< 10	< 10	27	< 10	118
BB 21113	201	202	0.02	21	250	32	< 2	4	66	0.04	< 10	< 10	22	< 10	94
BB 21114	201	202	0.01	23	370	84	< 2	5	61	0.04	< 10	< 10	34	< 10	266
BB 21115	201	202	0.07	29	240	50	< 2	7	132	0.09	< 10	< 10	50	< 10	248
BB 21116	201	202	< 0.01	21	1040	52	< 2	15	131	0.09	< 10	< 10	78	< 10	208
BB 21117	201	202	0.01	23	270	72	2	7	68	< 0.01	< 10	< 10	28	< 10	440
BB 21118	201	202	< 0.01	11	170	10	8	1	26	< 0.01	< 10	< 10	18	< 10	42
BB 21119	201	202	0.01	16	200	22	< 2	3	22	0.06	< 10	< 10	33	< 10	104
BB 21120	201	202	0.03	28	460	100	< 2	4	75	0.04	< 10	< 10	26	< 10	218
BB 21121	201	202	0.02	19	650	56	< 2	3	98	0.03	< 10	< 10	20	< 10	246
BB 21122	201	202	0.02	27	180	52	< 2	4	47	0.04	< 10	< 10	26	< 10	122
BB 21123	201	202	0.02	20	330	28	< 2	3	62	0.04	< 10	< 10	22	< 10	86
BB 21124	201	202	0.01	16	290	126	2	3	12	0.07	< 10	< 10	53	< 10	506
BB 21125	201	202	0.01	31	180	38	< 2	7	91	< 0.01	< 10	< 10	26	< 10	208

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page per : 4-A
Total : 5
Certificate Date: 03-JUL-96
Invoice No. : 19622352
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21126	201 202	< 0.2	2.66	10	60	2.5	< 2	0.90	< 0.5	22	16	27	4.16	< 10	< 1	0.10	40	0.96	485	< 1
BB 21127	201 202	< 0.2	0.63	14	40	< 0.5	< 2	11.00	1.0	3	5	3	2.92	< 10	< 1	0.03	< 10	5.96	2700	< 1
BB 21128	201 202	< 0.2	1.92	10	150	0.5	< 2	0.62	< 0.5	8	21	10	2.63	< 10	< 1	0.15	20	0.64	455	< 1
BB 21129	201 202	< 0.2	1.79	6	80	0.5	< 2	0.43	< 0.5	9	21	14	2.54	< 10	< 1	0.21	40	0.66	335	< 1
BB 21130	201 202	< 0.2	2.35	10	100	1.0	< 2	0.28	< 0.5	9	26	13	2.92	< 10	< 1	0.19	30	0.81	300	< 1
BB 21131	201 202	< 0.2	2.10	10	70	1.0	< 2	0.64	0.5	9	24	13	3.41	< 10	< 1	0.10	30	0.81	380	< 1
BB 21132	201 202	< 0.2	2.31	8	100	0.5	< 2	0.27	< 0.5	9	26	13	2.78	< 10	< 1	0.18	30	0.75	315	< 1
BB 21133	201 202	< 0.2	2.34	10	80	1.0	< 2	0.27	< 0.5	10	29	13	3.51	< 10	< 1	0.12	30	0.71	505	< 1
BB 21134	201 202	< 0.2	2.05	14	90	0.5	< 2	0.73	0.5	12	26	22	2.94	< 10	< 1	0.12	30	0.65	585	< 1
BB 21135	201 202	< 0.2	1.88	10	80	1.0	< 2	1.70	1.0	10	22	24	2.73	< 10	< 1	0.14	20	0.66	560	4
BB 21138	201 202	< 0.2	0.75	< 2	60	< 0.5	< 2	4.15	1.5	3	6	17	0.80	< 10	< 1	0.04	< 10	0.20	245	3
BB 21139	201 202	0.2	1.67	14	60	0.5	< 2	1.53	2.0	9	20	19	2.40	< 10	< 1	0.14	20	0.66	485	< 1
BB 21140	201 202	1.0	2.45	22	70	1.0	< 2	1.31	5.0	12	28	38	3.81	< 10	< 1	0.18	30	1.01	870	< 1
BB 21141	201 202	0.2	2.02	16	100	0.5	< 2	1.99	1.0	10	23	18	2.84	< 10	< 1	0.15	10	0.74	620	< 1
BB 21142	201 202	< 0.2	1.61	16	70	0.5	< 2	0.91	0.5	8	21	15	2.55	< 10	< 1	0.17	20	0.61	750	< 1
BB 21143	201 202	0.2	1.74	14	70	0.5	< 2	1.86	1.0	10	22	26	2.78	< 10	< 1	0.17	30	0.76	420	< 1
BB 21144	201 202	< 0.2	2.21	< 2	70	0.5	< 2	0.97	0.5	14	26	18	3.32	< 10	< 1	0.16	40	0.82	880	< 1
BB 21145	201 202	< 0.2	0.59	< 2	40	< 0.5	< 2	4.41	1.5	1	3	17	0.50	< 10	< 1	0.03	< 10	0.10	210	1
BB 21146	201 202	0.6	1.73	8	60	0.5	< 2	2.04	1.5	7	18	30	2.50	< 10	< 1	0.15	30	0.57	400	3
BB 21147	201 202	< 0.2	1.61	8	70	0.5	< 2	1.22	0.5	8	19	20	2.43	< 10	< 1	0.14	20	0.62	315	2
BB 21148	201 202	0.2	2.35	12	70	1.0	< 2	0.61	0.5	9	29	14	2.93	< 10	< 1	0.15	30	0.73	355	< 1
BB 21149	201 202	0.4	2.48	18	110	1.0	< 2	1.82	1.5	11	30	36	3.93	< 10	< 1	0.16	30	1.01	1265	< 1
BB 21150	201 202	0.4	1.94	14	70	0.5	< 2	1.50	1.5	10	24	23	3.09	< 10	< 1	0.15	20	0.91	635	< 1
BB 21153	201 202	0.8	2.04	14	60	0.5	< 2	1.03	2.0	10	25	19	3.09	< 10	< 1	0.19	20	0.84	495	< 1
BB 21154	201 202	< 0.2	1.53	10	50	0.5	< 2	1.68	0.5	9	19	17	2.16	< 10	< 1	0.30	20	0.60	380	< 1
BB 21155	201 202	< 0.2	1.78	8	80	0.5	< 2	1.12	< 0.5	8	23	14	2.46	< 10	< 1	0.22	10	0.65	305	< 1
BB 21156	201 202	< 0.2	2.16	8	80	0.5	< 2	0.23	< 0.5	10	30	9	3.16	< 10	< 1	0.17	20	0.87	340	< 1
BB 21157	201 202	< 0.2	1.71	4	80	0.5	< 2	0.38	0.5	7	19	10	2.25	< 10	< 1	0.12	30	0.60	305	< 1
BB 21158	201 202	< 0.2	1.91	8	70	0.5	< 2	0.22	< 0.5	8	24	8	2.61	< 10	< 1	0.10	30	0.61	250	< 1
BB 21159	201 202	< 0.2	2.18	2	100	0.5	< 2	0.31	0.5	14	28	8	3.72	< 10	< 1	0.13	10	0.59	755	< 1
BB 21160	201 202	< 0.2	2.76	12	120	1.0	< 2	0.34	0.5	13	33	11	4.50	< 10	< 1	0.17	30	0.79	1200	< 1
BB 21161	201 202	< 0.2	1.59	< 2	40	< 0.5	< 2	0.07	< 0.5	11	14	25	3.95	< 10	< 1	0.13	30	0.39	165	< 1
BB 21162	201 202	< 0.2	1.67	14	40	0.5	< 2	0.13	< 0.5	10	18	21	2.64	< 10	< 1	0.09	30	0.50	235	< 1
BB 21163	201 202	< 0.2	2.74	< 2	60	0.5	< 2	0.65	< 0.5	12	49	7	3.99	< 10	< 1	0.13	20	1.06	295	< 1
BB 21164	201 202	0.2	1.65	2	60	0.5	< 2	0.49	< 0.5	6	22	3	2.38	< 10	< 1	0.06	10	0.50	155	< 1
BB 21165	201 202	< 0.2	1.71	4	60	0.5	< 2	0.16	< 0.5	7	21	15	2.27	< 10	< 1	0.09	10	0.51	195	< 1
BB 21166	201 202	0.2	3.71	290	110	2.0	< 2	0.49	3.0	21	33	17	6.03	10	1	0.14	30	1.29	1255	< 1
BB 21167	201 202	0.2	3.74	44	70	2.0	< 2	0.53	1.5	14	39	14	5.33	< 10	< 1	0.14	30	1.13	565	< 1
BB 21168	201 202	< 0.2	5.44	< 2	70	1.0	< 2	0.64	< 0.5	26	63	21	6.04	10	< 1	0.06	10	2.56	620	< 1
BB 21169	201 202	0.2	3.95	8	120	2.0	< 2	2.24	< 0.5	13	29	14	5.39	< 10	< 1	0.27	30	4.22	3510	< 1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page per : 4-B
Total : 5
Certificate Date: 03-JUL-96
Invoice No. : I9622352
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21126	201	202	< 0.01	28	250	30	6	9	59	< 0.01	< 10	< 10	14	< 10	50
BB 21127	201	202	0.01	5	610	180	< 2	1	95	< 0.01	< 10	< 10	11	< 10	90
BB 21128	201	202	0.03	17	250	28	< 2	4	66	0.03	< 10	< 10	22	< 10	124
BB 21129	201	202	0.02	20	240	30	< 2	5	43	0.05	< 10	< 10	20	< 10	78
BB 21130	201	202	0.01	22	250	30	< 2	4	33	0.05	< 10	< 10	25	< 10	92
BB 21131	201	202	0.02	19	410	34	< 2	5	54	0.04	< 10	< 10	26	< 10	192
BB 21132	201	202	0.01	21	230	32	< 2	4	35	0.04	< 10	< 10	25	< 10	96
BB 21133	201	202	0.01	21	290	46	< 2	4	40	0.06	< 10	< 10	35	< 10	168
BB 21134	201	202	0.03	22	360	38	< 2	4	76	0.04	< 10	< 10	28	< 10	158
BB 21135	201	202	0.03	20	570	40	< 2	3	117	0.03	< 10	< 10	22	< 10	168
BB 21138	201	202	0.03	8	720	10	< 2	< 1	226	0.01	< 10	10	9	< 10	52
BB 21139	201	202	0.03	19	480	68	< 2	3	101	0.02	< 10	< 10	19	< 10	380
BB 21140	201	202	0.01	25	470	570	< 2	5	86	0.03	< 10	< 10	25	< 10	2320
BB 21141	201	202	0.02	20	650	100	< 2	4	119	0.05	< 10	< 10	23	< 10	432
BB 21142	201	202	0.02	18	670	42	< 2	4	77	0.04	< 10	< 10	21	< 10	168
BB 21143	201	202	0.03	23	610	132	< 2	4	104	0.04	< 10	< 10	21	< 10	408
BB 21144	201	202	0.01	27	590	20	< 2	4	74	0.05	< 10	< 10	27	< 10	120
BB 21145	201	202	0.02	6	810	10	< 2	< 1	220	< 0.01	< 10	10	5	< 10	56
BB 21146	201	202	0.03	16	820	58	< 2	3	127	0.03	< 10	< 10	17	< 10	290
BB 21147	201	202	0.02	18	630	36	< 2	3	85	0.03	< 10	< 10	19	< 10	160
BB 21148	201	202	0.04	22	200	68	< 2	5	62	0.03	< 10	< 10	26	< 10	210
BB 21149	201	202	0.06	26	860	146	< 2	6	135	0.03	< 10	< 10	29	< 10	336
BB 21150	201	202	0.02	23	720	168	< 2	4	96	0.03	< 10	< 10	23	< 10	702
BB 21153	201	202	0.01	20	470	272	< 2	4	71	0.04	< 10	< 10	22	< 10	1130
BB 21154	201	202	0.01	17	500	48	< 2	3	85	0.06	< 10	< 10	19	< 10	186
BB 21155	201	202	0.02	19	500	22	< 2	3	109	0.05	< 10	< 10	22	< 10	82
BB 21156	201	202	0.01	20	290	30	< 2	3	30	0.06	< 10	< 10	29	< 10	124
BB 21157	201	202	0.02	16	420	26	< 2	3	40	0.04	< 10	< 10	19	< 10	94
BB 21158	201	202	< 0.01	16	200	22	< 2	3	25	0.06	< 10	< 10	27	< 10	118
BB 21159	201	202	< 0.01	17	280	32	< 2	3	30	0.09	< 10	< 10	42	< 10	380
BB 21160	201	202	< 0.01	22	310	42	< 2	4	41	0.05	< 10	< 10	41	< 10	366
BB 21161	201	202	0.03	27	310	16	< 2	1	9	0.03	< 10	< 10	23	< 10	86
BB 21162	201	202	0.01	22	210	84	< 2	2	19	0.03	< 10	< 10	19	< 10	122
BB 21163	201	202	0.03	23	340	24	< 2	6	100	0.16	< 10	< 10	43	< 10	92
BB 21164	201	202	< 0.01	11	260	22	< 2	3	36	0.05	< 10	< 10	31	< 10	214
BB 21165	201	202	0.01	17	90	18	< 2	3	28	0.06	< 10	< 10	20	< 10	74
BB 21166	201	202	0.02	27	450	80	< 2	5	65	0.11	< 10	< 10	64	< 10	366
BB 21167	201	202	0.01	30	620	68	< 2	4	71	0.07	< 10	< 10	44	< 10	294
BB 21168	201	202	< 0.01	44	140	12	< 2	4	76	0.31	< 10	< 10	54	< 10	198
BB 21169	201	202	0.01	24	360	34	< 2	7	76	0.03	< 10	< 10	32	< 10	204

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page: 5-A
Total: 5
Certificate Date: 03-JUL-96
Invoice No.: 19622352
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21170	201 202	1.2	3.25	54	150	3.0	< 2	0.95	6.5	14	35	36	5.47	10	< 1	0.14	40	2.64	6730	1
BB 21171	201 202	0.2	5.10	< 2	120	4.0	< 2	2.10	< 0.5	18	8	9	6.57	10	2	0.06	10	1.41	465	< 1
BB 21172	201 202	< 0.2	3.29	10	100	1.5	< 2	0.41	< 0.5	13	39	18	4.25	< 10	< 1	0.16	30	0.95	630	1
BB 21173	201 202	0.6	3.27	< 2	80	1.5	< 2	0.64	3.0	14	35	18	4.38	< 10	< 1	0.10	50	0.65	600	< 1
BB 21174	201 202	< 0.2	2.58	< 2	90	0.5	< 2	0.31	< 0.5	9	32	9	3.06	< 10	< 1	0.19	30	0.74	250	< 1
BB 21175	201 202	0.2	2.92	< 2	110	1.5	< 2	0.62	0.5	11	34	19	3.43	< 10	< 1	0.18	30	0.88	315	< 1
BB 21176	201 202	< 0.2	2.93	8	90	1.0	< 2	0.28	< 0.5	11	33	12	3.78	< 10	< 1	0.17	30	1.00	335	< 1
BB 21177	201 202	< 0.2	2.21	16	80	0.5	< 2	0.55	0.5	11	31	12	3.84	< 10	< 1	0.15	30	1.06	660	< 1
BB 21178	201 202	0.2	1.87	12	60	0.5	< 2	1.13	0.5	8	24	15	2.53	< 10	< 1	0.23	30	0.72	305	< 1
BB 21179	201 202	< 0.2	2.50	< 2	80	0.5	< 2	0.47	< 0.5	9	27	12	3.16	< 10	< 1	0.19	40	0.77	225	< 1
BB 21180	201 202	< 0.2	3.03	4	80	1.0	< 2	0.46	< 0.5	11	29	12	3.47	< 10	< 1	0.16	40	0.85	260	< 1
BB 21181	201 202	< 0.2	2.62	8	80	1.0	< 2	0.37	0.5	11	34	13	3.46	< 10	< 1	0.13	30	0.82	375	< 1
BB 21182	201 202	< 0.2	3.86	12	120	1.5	< 2	0.46	1.0	13	41	25	4.26	< 10	< 1	0.22	30	1.29	350	< 1
BB 21183	201 202	< 0.2	2.89	14	110	1.5	< 2	0.56	< 0.5	12	29	16	4.05	< 10	1	0.19	40	1.00	390	< 1
BB 21184	201 202	< 0.2	1.91	44	60	1.0	< 2	0.65	< 0.5	13	24	18	3.29	< 10	< 1	0.18	40	0.77	390	< 1
BB 21185	201 202	0.2	2.86	30	80	1.0	< 2	1.44	1.5	14	37	19	4.51	< 10	< 1	0.13	40	0.87	645	< 1
BB 21186	201 202	0.6	1.83	12	60	0.5	< 2	0.73	1.0	12	25	41	4.45	< 10	< 1	0.24	40	0.67	435	< 1
BB 21187	201 202	0.2	1.78	16	60	0.5	< 2	0.63	0.5	18	23	46	5.00	< 10	< 1	0.21	50	0.57	700	< 1
BB 21188	201 202	< 0.2	1.60	< 2	70	0.5	< 2	0.49	0.5	10	21	25	1.75	< 10	< 1	0.12	20	0.54	190	< 1
BB 21197	201 202	0.6	2.38	12	80	1.5	< 2	0.36	3.5	14	25	14	2.99	< 10	< 1	0.14	20	0.44	1095	1
BB 21198	201 202	0.2	1.26	12	40	0.5	< 2	0.32	0.5	10	17	13	2.14	< 10	< 1	0.17	40	0.40	555	< 1
BB 21199	201 202	< 0.2	1.50	< 2	50	< 0.5	< 2	0.68	< 0.5	6	22	9	2.08	< 10	< 1	0.20	20	0.60	215	< 1
BB 21200	201 202	0.2	1.61	12	80	0.5	< 2	1.67	0.5	8	25	13	2.50	< 10	< 1	0.24	10	0.62	255	< 1
BB 21201	201 202	0.2	1.79	22	50	0.5	< 2	0.12	0.5	6	25	7	3.48	< 10	< 1	0.07	10	0.37	180	< 1
BB 21202	201 202	0.2	1.25	12	80	< 0.5	< 2	3.43	1.5	6	19	17	1.66	< 10	< 1	0.16	< 10	0.48	525	< 1
BB 21203	201 202	0.6	2.10	42	40	0.5	< 2	0.24	1.0	13	28	14	4.16	< 10	< 1	0.13	30	0.56	250	< 1
BB 21204	201 202	0.6	1.32	24	50	< 0.5	2	0.07	1.0	6	19	12	3.91	< 10	< 1	0.09	30	0.24	170	< 1
BB 21205	201 202	< 0.2	1.96	2	90	0.5	< 2	0.37	< 0.5	11	26	26	3.45	< 10	< 1	0.42	50	0.69	320	< 1
BB 21206	201 202	0.4	1.71	8	70	< 0.5	< 2	0.17	0.5	8	25	7	2.72	< 10	< 1	0.13	20	0.49	235	< 1
BB 21207	201 202	< 0.2	2.22	< 2	80	< 0.5	< 2	0.08	< 0.5	8	30	8	3.36	< 10	< 1	0.27	20	0.62	140	< 1
BB 21208	201 202	< 0.2	1.26	2	50	< 0.5	< 2	0.11	< 0.5	4	17	2	2.81	< 10	< 1	0.15	40	0.35	225	< 1
BB 21209	201 202	0.2	1.36	18	50	0.5	< 2	0.30	0.5	7	17	14	2.12	< 10	< 1	0.16	30	0.39	615	< 1
BB 21210	201 202	< 0.2	2.26	< 2	90	0.5	< 2	0.24	< 0.5	9	29	9	2.60	< 10	< 1	0.13	30	0.59	425	< 1
BB 21211	201 202	0.2	1.52	6	60	< 0.5	< 2	0.67	0.5	6	19	9	1.97	< 10	< 1	0.10	20	0.29	390	1
BB 21212	201 202	< 0.2	0.44	< 2	40	< 0.5	< 2	0.08	< 0.5	1	6	4	0.78	< 10	< 1	0.07	10	0.07	50	< 1
BB 21213	201 202	0.2	1.42	10	50	0.5	< 2	0.54	0.5	11	20	32	3.38	< 10	< 1	0.17	30	0.49	375	1
BB 21214	201 202	< 0.2	1.91	24	60	0.5	< 2	0.41	0.5	10	25	15	3.10	< 10	< 1	0.22	20	0.71	610	< 1
BB 21215	201 202	< 0.2	1.80	10	70	< 0.5	< 2	0.89	1.5	10	25	8	2.31	< 10	< 1	0.21	10	0.54	575	< 1
BB 21216	201 202	1.4	1.87	18	70	0.5	< 2	2.48	1.5	7	31	33	2.97	< 10	< 1	0.31	10	0.70	415	< 1
BB 21217	201 202	< 0.2	1.93	14	70	0.5	4	0.16	0.5	6	25	11	3.30	< 10	< 1	0.10	30	0.48	230	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 5-B
Total Pages : 5
Certificate Date: 03-JUL-96
Invoice No. : 19622352
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622352

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21170	201 202	0.03	31	910	62	< 2	10	76	0.06	< 10	< 10	43	< 10	1505
BB 21171	201 202	0.02	6	2680	2	< 2	9	100	0.28	< 10	< 10	160	< 10	92
BB 21172	201 202	0.05	27	420	38	< 2	4	129	0.07	< 10	< 10	40	< 10	178
BB 21173	201 202	0.01	24	290	92	< 2	7	58	0.06	< 10	< 10	42	< 10	492
BB 21174	201 202	0.01	20	210	28	< 2	4	49	0.07	< 10	< 10	36	< 10	152
BB 21175	201 202	0.01	26	350	30	< 2	5	71	0.05	< 10	< 10	33	< 10	120
BB 21176	201 202	0.01	22	200	34	< 2	4	33	0.04	< 10	< 10	33	< 10	106
BB 21177	201 202	0.01	20	530	26	< 2	4	40	0.05	< 10	< 10	36	< 10	328
BB 21178	201 202	0.03	18	590	52	< 2	4	84	0.05	< 10	< 10	21	< 10	194
BB 21179	201 202	0.01	19	260	16	< 2	4	48	0.03	< 10	< 10	27	< 10	110
BB 21180	201 202	0.01	22	190	22	< 2	3	39	0.02	< 10	< 10	28	< 10	114
BB 21181	201 202	0.01	24	210	30	< 2	4	49	0.07	< 10	< 10	39	< 10	178
BB 21182	201 202	0.04	29	160	102	< 2	4	62	0.06	< 10	< 10	39	< 10	1020
BB 21183	201 202	0.01	27	290	26	< 2	5	56	0.02	< 10	< 10	28	< 10	112
BB 21184	201 202	0.03	28	520	36	< 2	5	59	0.05	< 10	< 10	23	< 10	140
BB 21185	201 202	0.05	27	740	58	2	6	142	0.08	< 10	< 10	36	< 10	330
BB 21186	201 202	0.01	30	720	206	< 2	5	52	0.05	< 10	< 10	23	< 10	478
BB 21187	201 202	0.01	41	530	158	2	6	42	0.03	< 10	< 10	21	< 10	374
BB 21188	201 202	0.01	15	600	72	< 2	3	59	0.06	< 10	< 10	22	< 10	214
BB 21197	201 202	0.03	17	320	196	< 2	3	40	0.08	< 10	< 10	32	< 10	642
BB 21198	201 202	0.01	12	810	62	< 2	2	30	0.04	< 10	< 10	17	< 10	182
BB 21199	201 202	0.03	14	740	18	< 2	3	100	0.05	< 10	< 10	20	< 10	78
BB 21200	201 202	0.01	15	640	44	< 2	3	146	0.07	< 10	< 10	25	< 10	224
BB 21201	201 202	< 0.01	12	420	60	< 2	2	19	0.08	< 10	< 10	52	< 10	144
BB 21202	201 202	0.01	11	490	20	< 2	2	221	0.08	< 10	< 10	20	< 10	210
BB 21203	201 202	0.01	20	250	176	< 2	3	29	0.07	< 10	< 10	31	< 10	378
BB 21204	201 202	< 0.01	10	320	80	< 2	1	12	0.07	< 10	< 10	46	< 10	260
BB 21205	201 202	< 0.01	28	550	50	< 2	3	34	0.11	< 10	< 10	24	< 10	184
BB 21206	201 202	0.01	13	180	106	< 2	2	20	0.08	< 10	< 10	36	< 10	604
BB 21207	201 202	< 0.01	18	230	142	< 2	3	8	0.10	< 10	< 10	31	< 10	172
BB 21208	201 202	< 0.01	7	630	24	< 2	1	10	0.05	< 10	< 10	28	< 10	102
BB 21209	201 202	0.01	11	760	84	< 2	2	29	0.05	< 10	< 10	18	< 10	208
BB 21210	201 202	0.01	18	230	22	< 2	3	59	0.08	< 10	< 10	32	< 10	178
BB 21211	201 202	0.01	9	200	30	< 2	3	75	0.06	< 10	< 10	31	< 10	232
BB 21212	201 202	0.01	3	110	4	< 2	< 1	14	0.03	< 10	< 10	16	< 10	32
BB 21213	201 202	0.01	24	510	162	< 2	4	56	0.04	< 10	< 10	19	< 10	404
BB 21214	201 202	0.01	20	310	90	< 2	4	43	0.04	< 10	< 10	25	< 10	244
BB 21215	201 202	0.03	13	190	86	< 2	3	77	0.10	< 10	< 10	28	< 10	820
BB 21216	201 202	0.03	20	1120	284	< 2	4	172	0.10	< 10	< 10	29	< 10	506
BB 21217	201 202	< 0.01	13	300	104	< 2	2	18	0.04	< 10	< 10	30	< 10	328

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1-A
Total Pages : 1
Certificate Date: 02-JUL-96
Invoice No. : 19622198
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622198

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
59004	205 226	12.4	0.98	10	30	< 0.5	24	0.01	4.0	< 1	192	318	8.03	< 10	< 1	0.37	10	0.03	50	< 1
59006	205 226	14.2	0.40	12	30	< 0.5	20	0.01	6.5	5	148	308	10.55	< 10	< 1	0.21	20	0.01	310	< 1
59008	205 226	29.4	1.22	58	10	< 0.5	34	0.06	26.0	29	36	2780	>15.00	< 10	2	0.05	< 10	0.14	370	< 1
59010	205 226	1.6	4.11	72	< 10	1.5	< 2	0.02	0.5	1	65	658	>15.00	10	1	0.01	< 10	0.38	530	< 1
59012	205 226	0.6	5.62	12	< 10	< 0.5	< 2	0.03	< 0.5	2	109	190	>15.00	10	< 1	< 0.01	< 10	0.95	620	< 1
59013	205 226	0.6	0.97	380	< 10	< 0.5	14	0.05	1.0	2	20	971	>15.00	< 10	1	< 0.01	< 10	0.19	430	< 1
59014	205 226	1.0	0.47	16	< 10	< 0.5	26	0.04	1.0	26	15	1375	>15.00	< 10	< 1	< 0.01	< 10	0.12	155	< 1
59015	205 226	42.4	0.17	72	< 10	< 0.5	38	0.01	5.0	73	37	628	>15.00	< 10	1	0.01	< 10	< 0.01	1745	3
59019	205 226	21.6	0.61	142	10	0.5	32	0.09	9.5	78	52	563	>15.00	< 10	2	0.01	< 10	0.08	2920	3

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : QB
Comments:

Page : 1-B
Total pages : 1
Certificate Date: 02-JUL-96
Invoice No. : 19622198
P.O. Number :
Account : MTT


CERTIFICATE OF ANALYSIS

A9622198

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
59004	205 226	< 0.01	4	180	932	2	1	3	< 0.01	< 10	< 10	18	< 10	1250
59006	205 226	< 0.01	10	80	968	6	1	3	< 0.01	< 10	< 10	7	< 10	3170
59008	205 226	< 0.01	31	220	1820	18	2	3	< 0.01	< 10	< 10	11	< 10	6830
59010	205 226	< 0.01	7	200	74	< 2	6	5	< 0.01	< 10	< 10	35	< 10	100
59012	205 226	< 0.01	10	190	20	< 2	9	3	0.01	< 10	< 10	45	< 10	104
59013	205 226	< 0.01	5	40	16	< 2	1	3	< 0.01	< 10	< 10	11	< 10	54
59014	205 226	< 0.01	4	< 10	18	< 2	< 1	< 1	< 0.01	< 10	< 10	10	< 10	50
59015	205 226	< 0.01	11	< 10	6280	14	< 1	8	< 0.01	< 10	< 10	4	< 10	2110
59019	205 226	< 0.01	49	40	1405	4	< 1	10	< 0.01	< 10	< 10	7	< 10	1960

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: QB
Comments:

Page Number: 1
Total Pages: 1
Certificate Date: 03-JUL-96
Invoice No.: 19622195
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9622195

SAMPLE	PREP CODE		Au ppb FA+AA	Ag oz/T	Cu %	Pb %	Zn %					
59001	208	226	< 5	0.27	0.13	0.05	0.23					
59002	208	226	< 5	0.26	0.04	0.05	1.10					
59003	208	226	< 5	0.15	0.08	0.03	1.38					
59005	208	226	< 5	>10.00	0.15	4.75	0.23					
59007	208	226	< 5	1.20	0.07	2.44	3.06					
59009	208	226	670	0.14	0.10	0.03	0.05					
59011	208	226	< 5	0.95	0.06	0.40	0.01					
59016	208	226	< 5	0.07	< 0.01	0.17	0.34					
59017	208	226	< 5	>10.00	0.06	9.74	12.60					
59018	208	226	20	>10.00	0.06	2.36	7.66					
59020	208	226	< 5	1.36	0.03	1.04	1.88					
59021	208	226	< 5	0.72	0.06	0.55	0.96					
59022	208	226	< 5	2.72	0.09	6.55	1.88					
59023	208	226	< 5	0.28	0.01	0.17	0.42					
59024	208	226	< 5	3.34	0.10	2.50	2.01					
59025	208	226	< 5	1.10	0.08	2.21	0.85					
59026	208	226	< 5	2.38	0.47	0.22	7.84					
59027	208	226	< 5	0.12	0.04	0.02	0.02					
59028	208	226	15	0.11	0.04	0.02	0.02					

CERTIFICATION:

Sard / Cetina



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : 98
Comments:

Page : 1-A
Total : 1
Certificate Date: 04-JUL-96
Invoice No. : 19622097
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9622097

SAMPLE	PREP CODE		Au g/t FA+AA	Ag FA g/t	Pb %	Zn %	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)
058201 M	208	226	< 0.005	230	18.70	5.95	>200	0.35	< 100	< 10	40	0.05	280	50	110	410

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

J: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : **QB**
Comments:

Page : 1-B
Total : 1
Certificate Date: 04-JUL-96
Invoice No. : 19622097
P.O. Number :
Account : MTT


CERTIFICATE OF ANALYSIS

A9622097



SAMPLE	PREP CODE		Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	Pb % AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	Zn ppm (ICP)		
058201 M	208	226	28.9	< 0.1	0.15	750	< 10	< 0.05	60	>10.00	< 10	< 0.05	< 10	59400		

CERTIFICATION:

Hart Bickler



1° 05'
 Grid North
 True North
 UTM Zone 9
 NTS 105B/8
 contour interval 20m

-  Foliation attitude
-  Claim boundary
-  1 Quartz-muscovite $\pm$ chlorite $\pm$ feldspar schist
-  2 Quartz-biotite $\pm$ muscovite $\pm$ chlorite schist
-  3 Limestone

1093674

FIGURE 5
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY GEOLOGY
 QB PROPERTY
 NORDAC RESOURCES LTD.
 Scale 1:10,000
 0 100 200 400 600 800 1000 m
 April, 1997



1' 05"
Grid North
True North

UTM Zone 9
NTS 105B/8
contour interval 20m

SIGNIFICANT ASSAYS

Area	Sample No.	Zn %	Pb %	Cu %	Ag g/t
A	58115	13.80	2.61	0.15	65
	58116	10.70	11.00	0.28	281
	58117	7.73	9.35	0.13	182
	58118	10.00	7.60	0.10	134
	58119	20.20	3.88	0.20	101
	58120*	0.25	9.74	0.13	165
	58106	2.95	15.00	0.09	196
	58107	7.60	5.08	0.10	65
South of D	58201	5.95	18.70	0.04	230
North of F	58103	3.58	1.33	0.09	54
F	58104*	0.78	4.25	0.11	104
	58105*	0.59	0.22	0.85	36
B	59017*	12.60	9.74	0.06	778
	59018*	7.66	2.36	0.06	727
	59029	17.30	16.40	0.10	131
ARITHMETIC AVERAGE		9.98	9.10	0.13	144

* Assay not included in calculated average

- Claim boundary
- Rock sample location with sample number
- ≥100ppm Pb anomaly
- 1996 hand pits
- 1981 blast trench
- 1996 HLEM conductor

FIGURE 6


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ROCK SAMPLE LOCATION
(COMPILATION)

QB PROPERTY
NORDAC RESOURCES LTD.

Scale 1:10,000

0 100 200 400 600 800 1000 m



1' 05"

Grid North
True North

UTM Zone 9
NTS 1058/8
contour interval 20m

- Claim boundary
- Soil sample location with sample number
- Silt sample location with sample number

093674

FIGURE 7


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATION

QB PROPERTY
NORDAC RESOURCES LTD.

Scale 1:10,000

0 100 200 400 600 800 1000 m



- Claim boundary
- Soil sample location with lead value in ppm
- Silt sample location with lead value in ppm

- ≥ 200 ppm Pb
- $\geq 100 < 200$ ppm Pb
- $\geq 50 < 100$ ppm Pb

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
LEAD GEOCHEMISTRY
QB PROPERTY
NORDAC RESOURCES LTD.
Scale 1:10,000
0 100 200 400 600 800 1000 m
April, 1997

093674



