

ARCHER, CATHRO

& ASSOCIATES (1981) LIMITED

CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688 - 2568 • FAX (604) 688 - 2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING, SOIL GEOCHEMISTRY AND GEOPHYSICAL SURVEYS

on the

CONVERT PROPERTY

093675

Convert 1-10	YB60028-YB60037
11-30	YB63774-YB63793
31-320	YB75068-YB75357


Latitude 60°20' N; Longitude 131°47' W

NTS 105B/5

in the

WATSON LAKE MINING DISTRICT

YUKON TERRITORY



Prepared by

Archer, Cathro & Associates (1981) Limited

for

NORDAC RESOURCES LTD.

W.A. Wengzynowski, B.A.Sc.
April, 1997

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 118,566.19.

for M. B. K.

Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENTS

	<u>PAGE</u>
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	2
GEOMORPHOLOGY	3
REGIONAL GEOLOGY	4
REGIONAL MINERALIZATION	6
REGIONAL GEOCHEMISTRY	10
PROPERTY GEOLOGY AND STRUCTURE	12
PROPERTY MINERALIZATION AND GEOCHEMISTRY	15
GEOPHYSICS	20
CONCLUSIONS AND RECOMMENDATIONS	21
SELECTED REFERENCES	23

APPENDICES

- I AUTHOR'S STATEMENT OF QUALIFICATIONS
- II MAGNETOMER/VLF SURVEY CONDUCTED AT THE CONVERT PROPERTY DURING MARCH 9 TO 14, 1996. MEMORANDUM PREPARED FOR NORDAC RESOURCES LTD. BY AMEROK GEOSCIENCES LTD. OF WHITEHORSE
- III GPS DATA
- IV CERTIFICATES OF ANALYSIS

FIGURES

<u>NO.</u>	<u>DESCRIPTION</u>	<u>LOCATION</u>
1	Property Location	Following Page 2
2	Claim Location	Following Page 2
3	Tectonic Setting	Following Page 4
4	Regional Geology	Following Page 4
5	Regional Deposit Location	Following Page 7
6	Property Geology, Grid 1	In Pocket
7	Property Geology, Grid 2 and Grid 3	In Pocket
8	Property Geology, Grid 4	In Pocket
9	Sample Location, Grid 1	In Pocket
10	Sample Location, Grid 2 and Grid 3	In Pocket
11	Sample Location, Grid 4	In Pocket
12	Geochemical Compilation	Following Page 15
13	Lead Geochemistry, Grid 1	In Pocket
14	Zinc Geochemistry, Grid 1	In Pocket
15	Copper Geochemistry, Grid 1	In Pocket
16	Silver Geochemistry, Grid 1	In Pocket
17	Lead Geochemistry, Grid 2 and Grid 3	In Pocket
18	Zinc Geochemistry, Grid 2 and Grid 3	In Pocket
19	Copper Geochemistry, Grid 2 and Grid 3	In Pocket
20	Silver Geochemistry, Grid 2 and Grid 3	In Pocket
21	Lead Geochemistry, Grid 4	In Pocket
22	Zinc Geochemistry, Grid 4	In Pocket
23	Copper Geochemistry, Grid 4	In Pocket
24	Silver Geochemistry, Grid 4	In Pocket

INTRODUCTION

Nordac Resources Ltd. has a 100% interest in the Convert property which protects a previously unstaked volcanogenic massive sulphide (VMS) target that was identified in 1971 by Wolf Lake Joint Venture during a regional exploration program managed by Archer, Cathro & Associates Limited. In 1985 Archer, Cathro & Associates (1981) Limited geologists briefly revisited the target and discovered a prominent kill zone which yielded strongly anomalous multi-element response. Nordac staked the first ten claims to cover the core of the target in summer 1995 and later conducted grid soil sampling, prospecting and mapping which outlined a strongly coincident lead-zinc-copper-silver geochemical anomaly in the vicinity of two limonitic kill zones. Three hundred and ten claims were added in early 1996 bringing the total to three hundred and twenty.

This report describes field exploration conducted by Nordac in summer 1996 with two four-person crews working from fly camps on the property. Work consisted of geological mapping and prospecting plus grid and reconnaissance soil sampling. The program was managed by Archer Cathro and supervised by the author. Appendix I contains the Author's Statement of Qualifications.

Airborne and ground geophysical surveys were also performed in early 1996. The airborne EM-resistivity-magnetic survey was conducted over the entire claim block by Dighem of Ontario. A copy of the report on the Simpson and Convert Properties by Dighem dated April 12, 1996 has been filed as a separate document. Appendix II contains a report describing a magnetometer-VLF ground survey done in the vicinity of the 1995 soil geochemical anomalies by Amerok Geosciences Ltd.

PROPERTY, LOCATION AND ACCESS

The property is located in southeastern Yukon at latitude 60°20'N and longitude 131°47'W on NTS map sheet 105B/5 (Figure 1). It is comprised of 320 contiguous mineral claims (Figure 2) registered with the Watson Lake Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Nordac Resources Ltd. Claim registration data is listed below.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
Convert 1-10	YB60028-YB60037	February 15, 2005
11-30	YB63774-YB63793	February 15, 2001
31-320	YB75068-YB75357	February 15, 2002


*Expiry dates include work done in 1996 which has been filed but not yet accepted for credit.

GPS data was collected at each claim post location using hand held Trimble Geoexplorer GPS units. The data was corrected using Westmin Resources Limited's base station data collected daily from Wolverine Lake in the Finlayson Lake area and is documented in Appendix III.

In 1996 the property was accessed by helicopter from the Pine Lake airstrip which lies 53 km to the southeast, immediately north of the Alaska Highway, some 300 km east of Whitehorse. Bell 206B Jet Ranger helicopter support was provided by Frontier Helicopters Ltd. and Trans North Helicopters from their permanent bases in Watson Lake and by Pacific Western Helicopters Ltd. operating from its base in Dease Lake.


FIGURE 1
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION
 CONVERT PROPERTY
 NORDAC RESOURCES LTD.



April, 1997

- ⊗ Nordac property or royalty interest
- ⊗ Present or past producer owned by others
- ★ Undeveloped deposit owned by others






Figure 2
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATION
 CONVERT PROPERTY
 NORDAC RESOURCES LTD.
 0 500 1000 1500 2000
 metres
 APRIL, 1997

GEOMORPHOLOGY

The Convert property covers a series of broad knolls and ridges on the flanks of the Morley River within the Cassiar Mountains. Creeks draining the property flow southward into the Morley River, a tributary of the Yukon River watershed.


Local elevations range from 900 m at the banks of the Morley River to 1915 m on a ridge top in the southeastern part of the property. Topographic relief is gentle over most of the property averaging 10° with steeper areas along creek cuts and at higher elevations (>1300 m). Pleistocene valley glaciers carved prominent cirques in the far southeastern part of the property and deposited a blanket of till ranging from 0.5 to 10 m thick over the valley floors and up to about 1300 m elevation. The property is below treeline with the exception of two areas in the northwestern and southeastern corners. Vegetation consists of dense growths of mature spruce and pine intermixed with alder and willow giving way to stunted black spruce with buckbrush and eventually alpine grass and moss above 1400 m.

REGIONAL GEOLOGY

The Convert property lies within a belt of metamorphic rocks belonging to the Yukon-Tanana Terrane and Cassiar Platform (Figure 3). This belt extends from northern B.C. across the Yukon into Alaska. The northeastern edge is defined by the Tintina Fault Zone, a series of subparallel transcurrent faults which have produced about 450 km of dextral offset in Late Cretaceous and/or Early Tertiary times (Tempelman-Kluit et al, 1976). The southwestern side is bound by the Teslin Suture, a deep-seated high angle fault zone.

Yukon-Tanana Terrane and Cassiar Platform rocks are composed largely of Paleozoic stratigraphy which has been intruded by Jurassic to Cretaceous plutons as illustrated on Figure 4. Both terranes are considered "suspect terranes" representing variably distal metamorphosed equivalents of North American Continental Margin sediments. Yukon-Tanana, the furthest outboard of the two terranes, is overthrust onto Cassiar Platform rocks by the D'Abbadie Thrust Fault. Some imbrication of the two terranes is also recognized and the structural position is further complicated by normal faulting. The regional metamorphic fabric within both terranes trends northwesterly and dips moderately toward the northeast.

Geology in the Rancheria area was mapped at 1:250,000 scale in 1960 by the Geological Survey of Canada [GSC] (Poole et al, 1960). More detailed mapping in the Rancheria District (105B/1,2,7 & 8) was done in 1985 and 1986 at 1:50,000 scale by the Department of Indian and Northern Affairs [DIAND] (Lowey and Lowey, 1986; Amuken and Lowey, 1987) in response to numerous base and precious metal discoveries in the area.



-  Thrust fault
-  Steep fault
-  Yukon-Tanana Terrane
-  Slide Mountain Terrane
-  Stikinia and other Terranes
-  North American Miogeoclinal Strata


FIGURE 3
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

CONVERT PROPERTY
NORDAC RESOURCES LTD.




Modified after Mortensen and Jileon (1985), Mortensen (1992) and Johnston and Mortensen (1994).



- North American Miogeocline
- Pre-Triassic sedimentary and volcanic rocks
- Slide Mountain Terrane
- Chert, ultramafic, greenstone, metavolcanic and carbonate rocks
- Yukon-Tanana Terrane
- Paleozoic metasediments and metavolcanic rocks
- Cassiar Platform
- Paleozoic metasediments and metavolcanic rocks
- Intrusive Suites
- Paleozoic metaplutonic rocks
- Mesozoic plutonic rocks
- Native land claim
- Property owned 100% by Nordac Resources Ltd.

FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY CONVERT PROPERTY NORDAC RESOURCES LTD.



Yukon-Tanana Terrane stratigraphy is the offset extension of similar rocks in the Finlayson Lake region some 85 km to the northeast. The Finlayson Lake rocks host the Kudzu Ze Kayah and Wolverine VMS deposits. The favourable stratigraphy is Devonian-Mississippian in age and consists predominantly of dark siliceous phyllite that becomes increasingly carbonaceous toward the base of the section where it is interfingered with widespread mafic volcanic schists (Mortensen and Jilson, 1985). Localized felsic metavolcanic centres are also found throughout the section and are intimately associated with the deposits. This sequence is collectively referred to as the Layered Metamorphic Sequence. Slide Mountain Terrane is an ophiolitic assemblage of massive and sheared greenstone, chert and mafic to ultramafic plutonic rocks found at the northern edge of the Yukon-Tanana Terrane as well as thrust slices within it (Mortenson, 1992).

Rocks of similar age and composition are recognized in the Rancheria area within the Yukon-Tanana Terrane and Cassiar Platform. Regional mapping has not differentiated metavolcanic stratigraphy largely because it is usually thin, lacks regional continuity and often exhibits strong metamorphism and thermal overprinting by large igneous bodies such as the Cassiar Batholith.

REGIONAL MINERALIZATION


Over 140 mineral occurrences have been reported within the Yukon-Tanana Terrane and Cassiar Platform rocks on NTS mapsheet 105B (DIAND, 1995). The majority of the occurrences are found in the Rancheria area and consist of silver-lead-zinc $\pm$ copper $\pm$ gold veins with lesser tungsten-zinc skarns. Several lead-zinc-silver replacement-type occurrences are also noted. The most significant discoveries in this region to date are vein and replacement-type mineralization at the Logan, Midway and Silver Hart Deposits. The Midway Deposit is classified as a manto replacement-type of Devonian age and has drill indicated reserves of 1.9 million tonnes grading 410 g/t silver, 7.0% lead and 9.6% zinc (NBCMI, 1991). Vein/shear-hosted mineralization occurs within the Cretaceous Marker Lake Batholith at the Logan Deposit where reserves are estimated at 12.3 million tonnes grading 6.17% zinc and 26 g/t silver (DIAND, 1995). The Silver Hart Deposit consists of a series of high grade silver-bearing veins reportedly containing 99,000 kg of silver (DIAND, 1995).

Recent VMS discoveries within Yukon-Tanana Terrane north of Rancheria (Finlayson Lake) have prompted renewed focus toward exploration in similar stratigraphy elsewhere in the region. A total of fifty-one mineral occurrences have been reported within the Finlayson Block (DIAND, 1995). Of these, twenty-one are known or suspected to be volcanogenic in origin while veins, skarns and asbestos occurrences comprise most of the remainder. Although the better known volcanogenic occurrences are thought to be of the Kuroko-type, some Besshi-type mineralization is also present (Morin, 1981; Johnston and Mortensen, 1994) and the recently discovered Ice Deposit appears to be Cyprus-type. Two occurrences have definite economic

potential, the Kudz Ze Kayah and Wolverine Deposits (Figure 5). These Kuroko-type occurrences are the main "type-deposits" for Nordac's exploration in the Rancheria district and are briefly described below.

The Kudz Ze Kayah (ABM) Deposit is a VMS deposit hosted by an overturned assemblage of felsic pyroclastics, aphanitic massive rhyolites and metasiliclastic rocks belonging to the middle unit of the Layered Metamorphic Sequence. (Cominco Exploration, 1995; Whiteway, 1995)

Although both the sulphides and wallrocks are highly strained and exhibit pervasive schistosity, compositional layering in the vicinity of the deposit is relatively undeformed with a consistent, shallow northerly dip. Sphalerite, chalcopyrite and galena are the main economic minerals while the gangue includes various mixtures of magnetite, barite, pyrrhotite, pyrite and carbonate. The deposit averages about 18 m thick and has been traced 700 m along strike and up to 400 m downdip. Open pit mineable ore reserves are reported to be 11 million tonnes grading 5.9% zinc, 0.9% copper, 1.5% lead, 130 g/t silver and 1.3 g/t gold (Schultze, 1996). Preliminary studies suggest that satisfactory lead, zinc and copper concentrates can be produced using conventional flotation processes (Cominco Exploration, 1995). The mineralization responds well to magnetic and electromagnetic surveys but geochemical response is somewhat erratic because the entire deposit is covered by 2 to 10 m of glacial till.



- ▲▲ Thrust fault
- Steep fault
- Yukon-Tanana Terrane
- Slide Mountain Terrane
- Stikinia and other Terranes
- North American Miogeoclinal Strata

FIGURE 5
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
 REGIONAL DEPOSIT LOCATION
 CONVERT PROPERTY
 NORDAC RESOURCES LTD.



Modified after Mortensen and Jilson (1985), Mortensen (1992) and Johnston and Mortensen (1994).

The Wolverine Deposit is located 25 km east of the Kudz Ze Kayah property near a contact between Yukon-Tanana and overlying Slide Mountain rocks. It consists of the Wolverine and Lynx Zones which are hosted by rhyolitic metavolcanics and argillites lying within the middle unit of the Layered Metamorphic Sequence. The mineralization consists primarily of semi-massive to massive pyrite and sphalerite with varying amounts of galena, chalcopyrite, tetrahedrite and native gold. The surface expression of the Wolverine Zone is marked by a vegetation kill zone containing weakly malachite-stained argillite while the Lynx Zone is blanketed by glacial till. Westmin has traced the deposit 700 m along strike and up to 450 m downdip and it is still open. The mineralization averages 6.1 m thick and dips shallowly to the north. Both zones contain significantly more zinc and precious metals than Kudz Ze Kayah. The current geological inventory is reported to be 5,311,000 tonnes grading 12.96% zinc, 1.41% copper, 1.53% lead, 359.1 g/t silver and 1.81 g/t gold (Westmin News Release, November 30, 1996). Soil geochemistry outlined weakly to moderately anomalous values along the projected surface trace of the deposit while magnetic surveys easily traced a laterally extensive, banded iron formation which occurs about 80 m up-section from the massive sulphide horizon. Interpretation of electromagnetic results is complicated by the presence of graphite within the argillite.

The Fyre Lake Deposit is a Besshi-type VMS deposit hosted by chloritic±actinolite±quartz schist belonging to the middle unit of the Layered Metamorphic Sequence. The host stratigraphy is structurally overlain by phyllitic metasediments with a basal unit of quartz-chlorite-mica schist

(Roberts, 1997). Drilling in 1996 traced a 70 to 80 m thick section containing three horizons of massive to semi-massive sulphide and magnetite over a length of 1000 m and width of 100 m. Intersections on the Lower Horizon averaged 1.2% copper, 0.12% cobalt and 0.77 g/t gold over 7 m while those on the Upper Horizon averaged 1.9% copper, 0.12% cobalt and 0.53 g/t gold over 13 m (Columbia Gold Mines Ltd., News Release, December 2, 1996). The Middle Horizon is more discontinuous and no averages have been reported for it.

In fall 1996 Cyprus-type VMS mineralization was discovered by Expatriate Resources Ltd. at its Ice property. The sulphide horizon is hosted by mafic basalts of the Slide Mountain Terrane and consists of coarse-grained pyrite, bornite, chalcopyrite and intergrowths of diagenite. A 20.56 m intersection returned 5.20% copper, 0.06% cobalt, 25.1 g/t silver and 0.60 g/t gold (Expatriate News Release, November 5, 1996).

REGIONAL GEOCHEMISTRY

Published geochemical data for the Rancheria area are limited to reconnaissance scale stream sediment sampling conducted in the late 1970's by the GSC (Hornbrook, 1980). The sampling was done at an approximate density of one sample per thirteen sq km. Each sample was analyzed for twenty elements including such common indicator elements for VMS deposits as copper, lead, zinc, silver and arsenic.

Nordac was able to supplement the published reports with private data summarizing results of 1971-72 exploration managed by Archer Cathro on behalf of the Wolf Lake Joint Venture (Archer and Cathro, 1971 and 1972). The Archer Cathro samples include approximately 3600 soils and stream sediments collected at a density of about one sample per three sq km. They were analyzed for lead, zinc, silver, copper, molybdenum and tungsten and provide relatively uniform coverage over most of the region.

The following table illustrates regional geochemical background for four of the VMS pathfinder metals and anomalous thresholds used for target selection.

GEOCHEMICAL BACKGROUNDS AND ANOMALOUS THRESHOLDS (ppm)

<u>Metal</u>	<u>Background</u>	<u>A n o m a l o u s T h r e s h o l d s</u>			<u>Peak Value</u>
		<u>Weak</u>	<u>Moderate</u>	<u>Strong</u>	
Silver	0.1	1	2	5	20
Lead	25	50	100	200	1000
Zinc	80	200	500	1000	5000
Copper	15	50	100	200	554

Stream sediment and soil samples taken by the GSC in 1978 and Archer Cathro in 1971 in the vicinity of the Convert property returned strongly anomalous values for zinc (4500 ppm), lead (670 ppm) and silver (7.8 ppm). Copper values were only moderately anomalous with a peak value of 140 ppm.

PROPERTY GEOLOGY AND STRUCTURE

Geology

Outcrop exposure is poor at lower elevations, not exceeding 1% and is sporadic in upland areas ranging from 2 to 5%. Foliation is generally well developed and trends north to northwest with variable dips (Figures 6 to 8). Nine rock types recognized within the claim block are described below in approximate order of formation.

Quartz-muscovite±biotite±chlorite schist is well foliated and varies in colour from tan to pale green to green and white banded. This unit most commonly occurs on the southern part of the property. Quartz content is generally high ($\geq 30\%$) and in several locations quartz eyes are present (up to 2 mm across). Muscovite, biotite and chlorite are well developed defining the foliation. Minor graphite occurs in some outcrops while specimens vary from non- to moderately calcareous.

Metaquartzite/chert is most abundant in the northern part of the claim block. It is moderately foliated/banded, white to grey to tan in colour and thick to thinly laminated. Muscovite content varies from 0 to 20% and in places this unit grades into quartz-muscovite schist. Minor pyrite and hematite parallel foliation in several areas while magnetite laminae parallelling foliation was observed in float boulders on Grid 1 in the northern part of the claim block.

Phyllite has only been identified in the northern part of the property. It is well foliated, dark grey in colour and in places contains thin quartz and/or graphite laminae. Crenulations are common and minor disseminated pyrite is usually present.

Quartz-feldspar-muscovite±biotite grit is found south of the Morley River. It is tan or yellow and weakly to moderately foliated. Quartz content ranges between 20 and 40% and exhibits a sucrosic texture. Pitting is common, likely resulting from feldspar weathering to clay.

Limestone is grey to white, buff weathering and thinly bedded. Disseminated pyrite is present in minor quantities. This unit was identified in the southeastern part of the property.

Peridotite outcrops in the most southerly part of the claim block. It is greenish black, moderately to strongly serpentinized and weakly to moderately magnetic. Narrow discontinuous bands of chrysotile (≤ 1 mm) are present in some float boulders.

Quartz-feldspar porphyry occurs within a concentrated float train in the southeastern corner of the property. It is white to tan and non-foliated. Quartz and feldspar phenocrysts range in size from 1 to 4 mm and are relatively unstrained.

Andesite is grey to orange weathering, green on broken surfaces, aphanitic and moderately foliated. This unit is generally strongly fractured and contains foliaform quartz-carbonate veins and crosscutting veinlets. Trace amounts of pyrite are present in some outcrops.

Granodiorite is tan, grey or white, generally blocky weathering and non-foliated. This unit weathers to fine, uniform pebble-sized material where feldspar is dominant. Composition is variable throughout the property ranging from granite to hornblende diorite. The two largest exposures are found on the east and west flanks of the claim block while smaller dykes and sills outcrop in the southeastern part of the property.

Structure

Property scale faults are observed both subparallel and perpendicular to foliation.

Displacement of these faults is not known however, associated features include peripheral brecciation and slickensides. Outcrop scale folding occurs throughout the property. In the north folds are generally broad high-amplitude structures whereas in the south low-amplitude isoclinal folds are dominant. Quartz±carbonate veins and veinlets are common in all units except the granodiorite and porphyry.

PROPERTY MINERALIZATION AND GEOCHEMISTRY

Grid soil sampling was conducted over four areas where previous reconnaissance samples had returned anomalous values. Compass controlled baselines were cleared to line-of-sight where possible and marked every 100 m with one metre lath bearing aluminum tags inscribed with grid coordinates. Soil samples were collected at 100 m intervals along lines spaced 100 m apart and run perpendicular to the baseline. Each sample site was marked by a 0.5 m lath bearing an aluminum tag inscribed with grid coordinates and sample number. Prospecting traverses were performed mostly within or directly adjacent to the soil geochemical grids.

Rock and soil samples were sent to Chemex Labs Ltd. in North Vancouver. Soil samples were screened to -80 mesh, digested in nitric-aqua regia and analyzed geochemically for 32 elements using the Induced Coupled Plasma (ICP) technique. Rock samples were geochemically analyzed for 32 elements and/or assayed for lead, zinc, copper and silver. Several samples were also analyzed for gold by atomic absorption and fire assay. Sample locations are shown on Figures 9 to 11 while Certificates of Analyses are in Appendix IV.

Eight target areas were outlined as illustrated in Figure 12 and discussed in the following paragraphs. Mineralization discovered within the geochemical targets is described where applicable. Table I lists the threshold values chosen for contouring geochemical results while Table II illustrates peak values for six VMS pathfinder elements in each target area. Geochemical results for lead, zinc, copper and silver from various parts of the property are illustrated on Figures 13 to 24.




TABLE 1
Anomalous Threshold Values (ppm)

<u>Element</u>	<u>Weak</u>	<u>Moderate</u>	<u>Strong</u>
Lead	50	100	200
Zinc	200	500	1000
Copper	50	100	200
Silver	1	2	5

TABLE II
Peak Values (ppm)

<u>Target</u>	<u>Lead</u>	<u>Zinc</u>	<u>Copper</u>	<u>Cobalt</u>	<u>Molybdenum</u>	<u>Silver</u>
A	682	9720	306	165	16	10.6
B	348	>10000	1345	458	11	10.6
C	4050	5320	499	38	3	21.0
D	300	754	88	22	2	1.8
E	3500	3410	100	42	10	14.6
F	3270	2070	369	59	19	139.0
G	602	542	119	27	4	1.2
H	182	1235	68	17	4	5.4

Target A is a 700 by 300 m area of strong lead-zinc response within which are scattered copper and silver values. The anomaly trends to the northwest and is associated with a gossanous kill zone at its southern end. The highest cobalt values were obtained in areas where ferricrete has been deposited.

Target B is best characterized by zinc response outlining an area approximately 900 by 250 m. The anomaly is arcuate with the strongest zinc values occurring within and immediately downhill from a ferricrete kill zone. Lead and silver response crosscuts the zinc trend and is best developed above the kill zone. Copper and cobalt values are highest in the immediate vicinity of the gossan.

Targets A and B occupy an area of the claim block underlain by quartz-muscovite schist, chlorite schist and phyllite which trends roughly parallel to the areas of geochemical response and dip gently to the southwest. Detailed sampling across the kill zones within these target areas systematically returned elevated values for several metals. A ferricrete sample taken from the Target B kill zone in 1995 returned 3280 ppm zinc, 1585 ppm copper, 1780 ppm cobalt, 1100 ppm nickel, 1440 ppm barium and 345 ppm gold (Carne, 1996). The only sulphide mineral discovered in the vicinity of this kill zone was a trace of galena in a chlorite subcrop located downhill from it. Ferricrete taken from a less developed gossan 900 m to the north returned elevated values for zinc (406 ppm), copper (105 ppm) and cobalt (67 ppm).

Target C consists of a 1500 by 250 m northerly-trending cluster of coincident lead-zinc response within which are scattered copper and silver values. The anomaly is roughly parallel to foliation and open to the north. Rocks in the vicinity of the grid are foliated andesite with minor limestone. These units are underlain by metaquartzite/chert and phyllite.

Skarn float discovered within the anomalous trend is dominantly calcsilicate with magnetite and patchy or disseminated galena and sphalerite (up to 20% combined). One specimen returned

4.83% zinc, 5.37% lead, 69 g/t silver and 20 ppb gold. Several fragments of strongly oxidized material collected from the grid area in 1971 (actual location is unknown) reportedly yielded 21.3% zinc (Archer and Cathro, 1971).

Chalcopyrite and malachite bearing mafic metavolcanic float was discovered 1200 m to the northeast of Target C. Four boulders located at the base of a talus slope were moderately foliated and brecciated with clay altered feldspar porphyrocrysts. Chalcopyrite occurs as fine disseminations throughout the matrix and along fractures but only comprises about 3% of the rock. No samples were sent for analysis.

Target D is located in the southeastern corner of Grid 2 and consists of two strongly anomalous lead-zinc values with weakly elevated copper and silver.

Target E occupies a 600 by 300 m area in southern part of Grid 3. The anomaly is defined by strong lead response with a zinc-rich core. Copper and silver numbers are elevated in the vicinity of the strongest lead-zinc response. A skarn float specimen collected 600 m north of the anomaly returned 0.74% lead, 0.38% zinc and 7.4 g/t silver.

Target F trends due north across the western part of Grid 4. The target is outlined by lead response (1700 by 600 m) with clusters of zinc, silver and copper support. The anomalous trend is open to the north and south. Mineralized float located peripheral to the anomaly consists of disseminated pyrrhotite, galena and sphalerite in actinolite to diopside skarn, specimens of which returned up to 1.86% zinc, 0.45% lead and 47 g/t silver with low values for most other metals. Discontinuous semi-massive pyrrhotite lenses within quartz-muscovite schist were also discovered within the anomalous zone but samples returned low values for most metals.

Target G is a 1300 m string of strongly anomalous lead, zinc and copper values obtained from reconnaissance samples taken along a claim line. The samples are located 700 m from the western edge of Grid 4. A pyrrhotite-galena-sphalerite bearing diopside skarn float specimen was discovered 1 km west of this target and returned 1.73% lead, 0.89% zinc and 97 g/t silver.

Target H is a 900 m string of strongly anomalous lead, zinc and silver values collected on a reconnaissance line downhill and north of Target F.

A previously discovered mineral occurrence (105B 120) located 4 km northwest of the property was revisited during the 1996 program. The showing consists of relatively flat-lying, massive and semi-massive sulphide lenses within calc-silicate rocks exposed in a narrow saddle. Sulphides are dominantly fine-grained pyrrhotite with variable amounts of net-textured and disseminated sphalerite, chalcopyrite and pyrite. Oxides present include minor magnetite and cassiterite. One float specimen (58203) yielded 4.54% zinc, 0.43% copper and 0.07% tin while a second specimen (58202M) returned 2.88% zinc, 0.41% tin, 0.10% bismuth and 370 ppb gold.

GEOPHYSICS

A helicopter-borne EM-resistivity-magnetic survey was conducted over the Convert property in early 1996 and was followed shortly after by a magnetometer-VLF ground geophysical survey over the soil geochemical anomaly previously outlined on Grid 1.

Three strong airborne EM conductors were identified, two of which roughly coincide with soil geochemical anomalies. The strongest conductor is located at the south end of Target A and strikes approximately northwest parallel to the trend of the geochemical anomaly. The conductor extends 600 m southeast beyond the area of soil geochemical coverage. A similar conductor is located immediately east of the soil geochemical anomaly on Grid 3. It strikes northeasterly at an acute angle to the geochemical trend. The third conductor is a point anomaly near the Morley River where no soil samples have been collected.

Airborne magnetic response is elevated on and near Grids 2 and 4. Target C is directly correlated with a strong northerly-trending 900 m long magnetic anomaly while scattered northwesterly-trending magnetic highs occur over the centre of the geochemical anomaly at Target F. The northern projection of the Target F geochemical anomaly coincides with a 1500 by 400 m area of positive magnetic response.

The ground geophysical survey identified two conjugate sets of VLF conductors in the immediate vicinity of Targets A and B. One of the conductors passes directly through the ferricrete kill zone in Target B and roughly parallels foliation in nearby outcrops. Magnetic response from the ground surface was relatively flat which confirms results from the airborne survey in that part of the property.

CONCLUSIONS AND RECOMMENDATIONS

The Convert property lies within metasedimentary rocks of the Yukon-Tanana Terrane. Reconnaissance and grid soil sampling outlined eight geochemical anomalies on four grids. Four of the targets are of particular interest.

Targets A and B are located on Grid 1 and consist of strong lead-zinc-copper-silver±gold±cobalt anomalies in the vicinity of two ferricrete kill zones approximately 1600 m apart. The gossans are bleeding out of a gently southwesterly-dipping hillside immediately below hematitic quartz-muscovite schist stratigraphy. The hydromorphically transported limonite returned up to 3280 ppm zinc, 1780 ppm cobalt, 1585 ppm copper and 345 ppb gold. Although lead is not present in the limonite, soil geochemical response is indicative of a Kuroko-type VMS signature. Helicopter supported diamond drilling is recommended to further test this target. The first hole should be collared immediately downslope from the upper edge of the gossan and drilled eastward into the hill to test the apparent source of the metals in the ferricrete kill zone. Additional grid soil sampling is also required over the southeastern projection of Target A in the area where an airborne electromagnetic conductor was outlined.

Target C, located on Grid 2, requires additional grid soil sampling to further delineate the anomaly at its northern and southern ends. Detailed mapping and prospecting should also be done to the south where the anomalous trend coincides with a strong aeromagnetic anomaly.

Target F on Grid 4 also requires additional grid soil sampling and prospecting to the northwest and south where reconnaissance sample lines returned strong geochemical values.

area to the north is of particular interest as it coincides with a strong magnetic high and coincident EM conductor.

Work on Targets C and F should be done in conjunction with the drilling on Grid 1. If positive results are obtained these targets should also be tested while the drill is on the property.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


W.A. Wengzynowski, B.A.Sc.

SELECTED REFERENCES

Amuken, S.E. and Lowey, G.W.

1987 Geology of the Sab Lake Map Area (105B/7), Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1987-1.

1987 Geology of the Meister Lake Map Area (105B/8), Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1987-1.

Archer, A.R. and Cathro, R.J.

1971 Final Report, Wolf Lake Joint Venture, December 1971, p.59.

1972 Wolf Lake Joint Venture, Final Report, November 1972, p.52.

Carne, R.C.

1996 Prospecting and Geochemical Summary Report on the Convert 1-30 Claims, Watson Lake Mining District, Yukon Territory, April 1996, p.15.

Columbia Gold Mines Ltd.

1996 News Release, December 2, 1996.

Cominco Exploration

1995 Kudz Ze Kayah Program, Yukon; Information handout from Cordilleran Roundup, Spring 1995.

DIAND

1995 Yukon Minfile, WP 5.1 Version, 20 Nov/95. Exploration and Geological Services, Indian and Northern Affairs Canada, Map 105B and occurrences 105B/21 and 99.

Expatriate Resources Ltd.

1995 News Release, November 5, 1996.

Hornbrook, E.H.W.

1980 Regional Stream Sediment and Water Geochemical Reconnaissance Data, Yukon Territory 1978, GSC OF 563 (Rev.80), NGR 43-1978, NTS 105B.

Johnston, S.T. and Mortensen, J.K.

1994 Regional setting of porphyry Cu-Mo deposits, volcanogenic massive sulphide deposits, and mesothermal gold deposits in the Yukon-Tanana Terrane, Yukon; Yukon Metallogeny: Recent Developments, Canadian-Yukon Economic Development Agreement, pp.30-34.

- Lowey, G.W. and Lowey, J.F.
1986 Geology of Spencer Creek (105B/1) and Daughney Lake (105B/2) Map Areas, Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1986-1.
- Morin, J.A.
1981 Volcanogenic iron and base metal occurrences in Klondike Schist, Yukon Geology and Exploration 1979-80, Department of Indian and Northern Affairs, pp.91-97.
- Mortensen, J.K.
1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; Tectonics, Vol.11, No.4, pp.836-853.
- Mortensen, J.K. and Jilson, G.A.
1985 Evolution of the Yukon-Tanana: Evidence from Southeastern Yukon Territory; Geology, V.13, pp.806-810.
- NBCMI
1991 Northern British Columbia Mineral Inventory, Archer, Cathro & Associates (1981) Limited, May 1991.
- Poole, W.H., Roddick J.A. and Green, L.H.
1960 Geology of Wolf Lake (105B), Yukon Territory, Geological Survey of Canada, Map 10-1960.
- Roberts, W.
1997 Abstract, 1997 Cordilleran Roundup, January 28-31, 1997, pp.31-32.
- Schultze, H.C.
1996 Summary of the Kudz Ze Kayah Project, volcanic hosted massive sulphide deposit Yukon Territory; *in*: Yukon Exploration and Geology, 1995, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, pp.29-32.
- Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.
1976 Stratigraphic and Structural Studies in the Pelly Mountains, Yukon Territory; Geological Survey of Canada Paper 76-1A, pp.97-106.
- Westmin Resources Limited
1996 News Release, Joint Release with Atna Resources Ltd; November 30, 1996, p.2.
- Whiteway, P.
1995 "Fast-Tracking" ABM; *in* Canadian Mining Journal, June 1995, pp.17-21.

APPENDIX I
AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in North Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 1993 with a B.A.Sc. in geological engineering, option 1, mineral and fuel exploration.
2. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory and am presently employed with Archer, Cathro & Associates (1981) Limited.
3. I have personally participated in and supervised the field work reported herein.

B. Wengzynowski
W.A. Wengzynowski, B.A.Sc.

APPENDIX II

**MAGNETOMER/VLF SURVEY CONDUCTED AT THE CONVERT PROPERTY
DURING MARCH 9 TO 14, 1996. MEMORANDUM PREPARED FOR NORDAC
RESOURCES LTD. BY AMEROK GEOSCIENCES LTD. OF WHITEHORSE.**

MEMORANDUM

AMEROK GEOSCIENCES LTD.

Site 6, Comp 11
Whitehorse, Yukon
Y1A 5V8
(403) 668-7672 (Phone/Fax)
amerok@yknet.yk.ca

March 18, 1996

File: 96-01

To: Doug Eaton
Archer, Cathro & Associates (1981) Ltd.

From: Mike Power

Re: Field Report - Convert Property

This memorandum describes a magnetometer / VLF survey conducted at the Convert Property during March 9 to 14, 1996.

a. Personnel and instruments. A two man crew consisting of Mike Power and Phil Chidgzy was mobilized to the property. The crew was equipped with a Maxmin I-10 and MMC, 2 Omni Plus magnetometer/VLF receivers, 1 Omni IV base station magnetometer, 486DX66 laptop computer, Trimble GPS and a winter camp.

b. Survey grid. Surveys were conducted over a grid consisting of approximately 15.1 line-km of cut survey line. Lines were straight chained (no slope correction) for the Maxmin survey and marked with full length lathe. Stations were marked with metal tags affixed to the survey lathe.

c. Survey parameters and corrections. The Maxmin survey was suspended after the transmitter failed during phase mixing calibrations prior to the survey. The crew decided to continue with VLF-EM and total magnetic surveys as a substitute. The Jim Creek, Washington (Station NLK) transmitter was used during the survey. Apparent azimuth to the transmitting station on the Convert property is approximately 150°. Readings of the in-phase, quadrature and total field strength were taken at 12.5 m intervals along the survey lines. The total magnetic field survey was also conducted at a 12.5 m station spacing. The base station was synchronized with the field units daily, prior to surveying and cycled at a 15 s interval. The geomagnetic field was quiet during the total magnetic field survey. To ensure that no levelling errors occurred, operators used the same instruments each day and surveyed a common section of the grid for levelling. An 8 nT difference in instruments was identified and corrected for in the field data.

d. Geometric correction. Tie points along the base line were surveyed with the GPS and checked against each other for internal consistency. Points not consistent with the others in terms of distance from the origin were rejected. A series of 8 points with an average discrepancy between grid distances and GPS indicated distances of 42 m was selected from a set of 13 points and will be used to register the grid to UTM coordinates. The data supplied with this field report has not been transformed to UTM coordinates.

e. Preliminary results. Corrected digital data are appended to this report in GEOPAK format on the enclosed disk. The files MAG.XYZ and VLF_NLK.XYZ list the magnetic field and VLF data in the following formats:

Line Station X Y Corrected_mag

Line Station X Y In-phase Quadrature Total_field Direction_to_station


✓
C Preliminary total magnetic field and Fraser-filtered in-phase VLF colour plots are appended to this report. The magnetic field is quite flat in the survey area, matching the airborne survey results. In the Fraser-filter plot, only positive values are contoured and these indicate the location of conductor axes.

Once the field data has been geometrically corrected, contour plots in DXF format will be forwarded to you together with a formal report.

Respectfully Submitted,
AMEROK GEOSCIENCES LTD.



M.A. Power M.Sc. P.Geo.
Geophysicist




Amerok Geosciences Ltd.

Total Magnetic Field

Convert Property
Nordac Resources Ltd.

Contour Interval: 20 nT

Scale 1:5,000
0 250
Metres



Amerok Geosciences Ltd.

Fraser Filter VLF (In Phase)

Nordac Resources Ltd.
Convert Property

Contour Interval 2% Hz

Scale 1:5,000



APPENDIX III

GPS DATA

Convert Property GPS Survey Coordinates

Data Quality: Standard = The surveyed positions were recorded in 3D mode and were differentially corrected. The reported UTM coordinates are within 1 to 5 meters of their actual locations; Poor = >25% of the surveyed positions were recorded in 2D mode; Uncorrected = The surveyed positions were not differentially corrected; N/S = No survey data available.

Base Station: W = Westmin Resources Limited base station at Wolverine Lake; WL = Ministry of Environment, Lands and Parks base station at Williams Lake; DL = Ministry of Environment, Lands and Parks base station at Dease Lake; RR = Department of Renewable Resources (Forestry) at Whitehorse.

A. Nordac Resources Ltd. Claim Posts

Claim	Posts 1	Posts 2	UTM Coordinates		Data Quality	Base Station	Date
			Northing	Easting			
Convert	1, 2, 5, 6	-	6694408	344935	Uncorrected	-	-
	3, 4	1, 2	6694700	344793	Uncorrected	-	-
	-	3, 4	6695233	344485	Uncorrected	-	-
Convert	5, 6, 1, 2	-	6694408	344935	Uncorrected	-	-
	7, 8	5, 6	6694009	345150	Uncorrected	-	-
	9, 10	7, 8	6693598	345450	Uncorrected	-	-
	11, 12	9, 10	6693231	345650	Uncorrected	-	-
	-	11, 12	-	-	MS	-	-
Convert	13,14, 37,38	-	6695682	345218	Uncorrected	-	-
	15, 16	13, 14	6695222	345495	Uncorrected	-	-
	17, 18	15, 16	6694895	345680	Uncorrected	-	-
	-	17, 18	-	-	MS	-	-
Convert	19,20, 31,32	-	-	-	-	-	-
	21, 22	19, 20	6694103	344011	Uncorrected	-	-
	23, 24	21, 22	6693937	344146	Uncorrected	-	-
	25, 26	23, 24	6693590	344398	Uncorrected	-	-
	27, 28	25, 26	6693181	344676	Uncorrected	-	-
	29, 30	27, 28	6692805	345009	Uncorrected	-	-
Convert	-	29, 30	-	-	MS	-	-
	31,32, 19,20	-	6694645	343684	Uncorrected	-	-
	-	31, 32	6694971	343565	Uncorrected	-	-
	33, 34	3, 4	6695061	344428	Uncorrected	-	-
	35, 36	33, 34	6695407	344118	Uncorrected	-	-
Convert	-	35, 36	6695832	343897	Uncorrected	-	-
	37,38, 13,14	-	6695521	345106	Uncorrected	-	-
	39, 40	37, 38	6695904	344805	Uncorrected	-	-
	41, 42	39, 40	6696343	344602	Uncorrected	-	-
Convert	-	41, 42	-	-	MS	-	-
	43, 44	-	-	-	MS	-	-
	45, 46	43, 44	-	-	MS	-	-
	47, 48	45, 46	-	-	MS	-	-
	49, 50	47, 48	-	-	MS	-	-
	51, 52	49, 50	-	-	MS	-	-
	53, 54	51, 52	-	-	MS	-	-
Convert	-	53, 54	-	-	MS	-	-
	55, 56	-	6691840	343192	Standard	W	05-Jun-96
	57, 58	55, 56	-	-	MS	-	-
	59, 60	57, 58	-	-	MS	-	-
Convert	61, 62	59, 60	-	-	MS	-	-
	-	-	-	-	-	-	-

Claim	Posts 1	Posts 2	Northing	Easting	Data Quality	Base Station	Date
	63, 64	61, 62	-	-	NIS	-	-
	65, 66	63, 64	-	-	NIS	-	-
	67, 68	65, 66	-	-	NIS	-	-
	69, 70	67, 68	-	-	NIS	-	-
	71, 72	69, 70	6688809	345210	Uncorrected	-	-
	73, 74	71, 72	6688467	345460	Uncorrected	-	-
	75, 76	73, 74	6688106	345719	Uncorrected	-	-
	77, 78	75, 76	6687663	346000	Uncorrected	-	-
	79, 80	77, 78	6687446	346222	Uncorrected	-	-
	-	79, 80	-	-	NIS	-	-
Convert	81, 82	-	6692677	344087	Standard	W	05-Jun-96
	83, 84	81, 82	-	-	NIS	-	-
	85, 86	83, 84	-	-	NIS	-	-
	87, 88	85, 86	-	-	NIS	-	-
	89, 90	87, 88	-	-	NIS	-	-
	91, 92	89, 90	-	-	NIS	-	-
	93, 94	91, 92	-	-	NIS	-	-
	95, 96	93, 94	-	-	NIS	-	-
	97, 98	95, 96	-	-	NIS	-	-
	99, 100	97, 98	6688948	346146	Uncorrected	-	-
	101, 102	99, 100	6688539	346457	Uncorrected	-	-
	103, 104	101, 102	6688208	346667	Uncorrected	-	-
	105, 106	103, 104	6687784	346882	Uncorrected	-	-
	-	105, 106	6687461	347144	Uncorrected	-	-
Convert	107, 108	315, 316	6692050	345505	Uncorrected	-	-
	109, 110	107, 108	-	-	NIS	-	-
	111, 112	109, 110	6691415	345730	Standard	W	04-Jun-96
	113, 114	111, 112	6691037	346006	Standard	W	04-Jun-96
	115, 116	113, 114	6690682	346271	poor	W	04-Jun-96
	117, 118	115, 116	6690327	346476	poor	W	04-Jun-96
	119, 120	117, 118	6689903	346749	poor	W	04-Jun-96
	121, 122	119, 120	-	-	NIS	-	-
	123, 124	121, 122	-	-	NIS	-	-
	125, 126	123, 124	6688917	347396	Uncorrected	-	-
	127, 128	125, 126	6688479	347590	Uncorrected	-	-
	129, 130	127, 128	6688105	347805	Uncorrected	-	-
	131, 132	129, 130	6687777	348076	Uncorrected	-	-
	-	131, 132	6687411	348359	Uncorrected	-	-
Convert	133, 134	317, 318	6692628	348202	Uncorrected	-	-
	135, 136	133, 134	-	-	NIS	-	-
	137, 138	135, 136	6691751	346501	Standard	W	04-Jun-96
	139, 140	137, 138	-	-	NIS	-	-
	141, 142	139, 140	-	-	NIS	-	-
	143, 144	141, 142	6690839	347289	Standard	W	04-Jun-96
	145, 146	143, 144	-	-	NIS	-	-
	147, 148	145, 146	6689875	347828	Uncorrected	-	-
	149, 150	147, 148	6689500	348132	Uncorrected	-	-
	151, 152	149, 150	6689077	348275	Uncorrected	-	-
	153, 154	151, 152	6688666	348451	Uncorrected	-	-
	155, 156	153, 154	6688343	348766	Uncorrected	-	-
	157, 158	155, 156	6688011	348972	Uncorrected	-	-
	-	157, 158	-	-	NIS	-	-
Convert	159, 160	319, 320	6694101	346205	Uncorrected	-	-
	161, 162	159, 160	6693812	346222	Uncorrected	-	-
	163, 164	161, 162	6693394	346589	Uncorrected	-	-
	165, 166	163, 164	6692982	346829	Uncorrected	-	-
	167, 168	165, 166	-	-	NIS	-	-
	169, 170	167, 168	6692242	347153	Poor	W	04-Jun-96
	171, 172	169, 170	6691857	347376	Standard	W	04-Jun-96
	173, 174	171, 172	6691531	347579	Standard	W	04-Jun-96
	175, 176	173, 174	6691127	347839	Standard	W	04-Jun-96
	177, 178	175, 176	-	-	NIS	-	-

Claim	Posts 1	Posts 2	Northing	Easting	Data Quality	Base Station	Date
	179, 180	177, 178	6690444	348395	Uncorrected	-	-
	181, 182	179, 180	6690163	348609	Uncorrected	-	-
	183, 184	181, 182	6689613	348909	Uncorrected	-	-
	185, 186	183, 184	6689196	349148	Uncorrected	-	-
	187, 188	185, 186	6688963	349352	Uncorrected	-	-
	189, 190	187, 188	6688487	349710	Uncorrected	-	-
	-	189, 190	-	-	NS	-	-
	191, 192, 201, 202		-	-	NS	-	-
Convert	193, 194	191, 192	6695823	346221	Uncorrected	-	-
	195, 196	193, 194	6696127	345931	Uncorrected	-	-
	197, 198	195, 196	6696483	345623	Uncorrected	-	-
	199, 200	197, 198	-	-	NS	-	-
	-	199, 200	-	-	NS	-	-
Convert	201, 202, 191, 192		6695466	346430	Uncorrected	-	-
	203, 204	201, 202	6695079	346645	Uncorrected	-	-
	205, 206	203, 204	6694677	346929	Uncorrected	-	-
	207, 208	205, 206	6694338	347180	Uncorrected	-	-
	-	207, 208	6693918	347405	Uncorrected	-	-
Convert	209, 210	-	6689934	349624	Uncorrected	-	-
	211, 212	209, 210	6689513	349860	Uncorrected	-	-
	213, 214	211, 212	6689248	350088	Uncorrected	-	-
	215, 216	213, 214	6688772	350364	Uncorrected	-	-
	217, 218	215, 216	6688419	350662	Uncorrected	-	-
	219, 220	217, 218	6688059	350741	Uncorrected	-	-
	221, 222	219, 220	6687665	351091	Uncorrected	-	-
	223, 224	221, 222	6687263	351301	Uncorrected	-	-
	225, 226	223, 224	-	-	NS	-	-
	227, 228	225, 226	-	-	NS	-	-
	229, 230	227, 228	-	-	NS	-	-
	-	229, 230	-	-	NS	-	-
Convert	231, 232	-	-	-	NS	-	-
	233, 234	231, 232	6690476	350517	Standard	W	17-Jun-96
	235, 236	233, 234	6690096	350757	Standard	W	17-Jun-96
	237, 238	235, 236	6689734	350926	Standard	W	17-Jun-96
	239, 240	237, 238	6689326	351129	Standard	W	17-Jun-96
	241, 242	239, 240	6688964	351330	Standard	W	17-Jun-96
	243, 244	241, 242	-	-	NS	-	-
	245, 246	243, 244	6688214	351773	Standard	W	17-Jun-96
	247, 248	245, 246	6687872	351983	Standard	W	17-Jun-96
	249, 250	247, 248	6687505	352247	Standard	W	17-Jun-96
	251, 252	249, 250	6687052	352615	Standard	W	18-Jun-96
	-	251, 252	6687052	352615	Witnessed	W	18-Jun-96
Convert	253, 254	-	6691181	350821	Standard	W	17-Jun-96
	255, 256	253, 254	6690823	351088	Standard	W	17-Jun-96
	257, 258	255, 256	6690488	351364	Standard	W	17-Jun-96
	259, 260	257, 258	6690154	351606	Standard	W	17-Jun-96
	261, 262	259, 260	6689789	351866	Standard	W	17-Jun-96
	263, 264	261, 262	6689520	352054	Standard	W	17-Jun-96
	265, 266	263, 264	6689092	352304	Standard	W	17-Jun-96
	267, 268	265, 266	6688751	352546	Standard	W	17-Jun-96
	269, 270	267, 268	6688322	352777	Standard	W	17-Jun-96
	271, 272	269, 270	6687927	352973	Standard	W	17-Jun-96
	273, 274	271, 272	6687494	353121	Standard	W	17-Jun-96
	-	273, 274	6687494	353121	witnessed	-	-
Convert	275, 276	-	6691852	351540	Standard	W	18-Jun-96
	277, 278	275, 276	6691356	351878	Standard	W	18-Jun-96
	279, 280	277, 278	6690993	352128	Standard	W	18-Jun-96
	281, 282	279, 280	6690616	352363	Standard	W	18-Jun-96
	283, 284	281, 282	6690256	352613	Standard	W	18-Jun-96
	285, 286	283, 284	6689872	352882	Standard	W	18-Jun-96
	287, 288	285, 286	6689520	353094	Standard	W	18-Jun-96

Claim	Posts 1	Posts 2	Northing	Easting	Data Quality	Base Station	Date
	288, 290	287, 288	-	-	Posts Missing	-	-
	291, 292	289, 290	6688760	353538	Standard	W	18-Jun-96
	293, 294	291, 292	6688357	353750	Standard	W	18-Jun-96
	295, 296	293, 294	6687965	353971	Standard	W	18-Jun-96
	-	295, 296	-	-	NS	-	-
Convert	297, 298	-	6691147	353013	Standard	W	19-Jun-96
	299, 300	297, 298	6690760	353220	Standard	W	19-Jun-96
	301, 302	299, 300	6690424	353436	Uncorrected	-	-
	303, 304	301, 302	6689979	353691	Standard	W	19-Jun-96
	305, 306	303, 304	6689635	353946	Uncorrected	-	-
	307, 308	305, 306	6689264	354200	Uncorrected	-	-
	309, 310	307, 308	6688927	354454	Uncorrected	-	-
	311, 312	309, 310	6688559	354697	Uncorrected	-	-
	313, 314	311, 312	6688177	354988	Uncorrected	-	-
	-	313, 314	6687788	355276	Uncorrected	-	-
Convert	315, 316	-	-	-	NS	-	-
	107, 108	315, 316	-	-	NS	-	-
Convert	317, 318	-	6692819	345966	Uncorrected	-	-
	133, 134	317, 318	6692628	346202	Uncorrected	-	-
Convert	319, 320	-	6694544	345951	Uncorrected	-	-
	159, 160	319, 320	-	-	NS	-	-

APPENDIX IV
CERTIFICATES OF ANALYSIS



Chemex Labs Ltd.

Analytical Chemists * Geochemists **Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT

Comments: FAX:NORDAC RESOURCES-WHITEHORSE FAX:NORDAC RESOURCES-VAN.

Page 1 of 1
Total : 1
Certificate Date: 03-SEP-96
Invoice No. : 19630429
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9630429

SAMPLE	PREP CODE	Au ppb FA+AA									
58205	244 --	60									

CERTIFICATION:

Theresa Vank



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT

Comments: ATTN:NORDAC RESOURCES-WHITEHORSE FAX:NORDAC RESOURCES-VAN.

Page : 1
Total : 1
Certificate Date: 03-SEP-96
Invoice No. : I9630428
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9630428

SAMPLE	PREP CODE		Zn %									
58202 M	244	--	2.88									

CERTIFICATION:

Signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Page 3r :1-A
Total :1
Certificate Date: 15-AUG-96
Invoice No. :19627526
P.O. Number :
Account :MTT

Project : CONVERT
Comments: FAX:NORDAC RESOURCES-WHITEHORSE FAX:NORDAC RESOURCES-VAN.

CERTIFICATE OF ANALYSIS

A9627526

SAMPLE	PREP CODE		Cu %	Zn %	Sn %	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)
58203	208	226	0.43	4.54	0.07	7.0	0.95	< 100	< 10	280	10.45	280	60	40	4650	25.9
58204	208	226	0.01	7.62	0.05	3.0	2.45	100	< 10	< 20	14.60	390	30	60	180	14.35

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Page : 1-B
Total : 1
Certificate Date: 15-AUG-96
Invoice No. : 19627526
P.O. Number :
Account : MTT

Project : CONVERT
Comments: FAX:NORDAC RESOURCES-WHITEHORSE FAX:NORDAC RESOURCES-VAN.

CERTIFICATE OF ANALYSIS

A9627526

SAMPLE	PREP CODE	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	Pb % AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	Zn ppm (ICP)			
58203	208 226	< 0.1	0.50	6330	< 10	0.05	40	0.004	< 10	0.05	20	41300			
58204	208 226	0.2	1.15	8820	< 10	0.05	10	0.007	40	0.15	40	71700			

CERTIFICATION: Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT

Comments: FAX:NORDAC RESOURCES-WHITEHORSE FAX:NORDAC RESOURCES-VAN.

Page: 1-A
Total: 1
Certificate Date: 20-AUG-96
Invoice No.: 19627524
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9627524

SAMPLE	PREP CODE	Sn ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
58205	205 226	29	13.0	0.91	96	10	1.5	74	0.76	4.5	4	31	7720	4.84	10	< 1	0.01	< 10	0.14	390

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT

Comments: FAX:NORDAC RESOURCES-WHITEHORSE FAX:NORDAC RESOURCES-VAN.

Page: 1-B
Total: 1
Certificate Date: 20-AUG-96
Invoice No.: 19627524
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9627524

SAMPLE	PREP		Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
58205	205	226	< 1	0.04	< 1	260	116	< 2	< 1	15	0.03	< 10	< 10	9	< 10	870

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT

Comments: ATTN:NORDAC RESOURCES-WHITEHORSE FAX:NORDAC RESOURCES-VAN.

Page 1 of 1
Total : 1
Certificate Date: 20-AUG-96
Invoice No. : I9627510
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9627510

SAMPLE	PREP CODE	Au ppb FA+AA	Sn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
58202 M	208 226	370	0.41	4.2	2.26	6160	10	< 0.5	1060	14.15	>100.0	89	92	275	13.55	< 10	< 1	< 0.01	< 10	0.07

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT

Comments: ATTN:NORDAC RESOURCES-WHITEHORSE FAX:NORDAC RESOURCES-VAN.

Page 1 of 1
Total Pages : 1
Certificate Date: 20-AUG-96
Invoice No. : 19627510
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9627510

SAMPLE	PREP CODE		Mn	Mo	Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
			ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
58202 M	208	226	2320	< 1	< 0.01	22	530	110	< 2	5	< 1	0.05	< 10	< 10	36	30	>10000

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 1-A
Total: 5
Certificate Date: 07-AUG-96
Invoice No.: 19625934
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 22219	201 202	0.2	1.61	46	120	< 0.5	2	0.24	< 0.5	8	44	20	2.59	< 10	< 1	0.10	10	0.67	405	2
BB 22220	201 202	0.2	2.06	62	130	< 0.5	4	0.31	< 0.5	7	48	10	3.51	< 10	< 1	0.09	10	0.86	320	2
BB 22257	201 202	< 0.2	2.16	64	90	< 0.5	2	0.27	< 0.5	9	53	17	4.32	< 10	< 1	0.07	10	0.96	335	2
BB 22258	201 202	0.2	2.29	86	160	0.5	2	0.46	0.5	18	61	36	3.58	< 10	< 1	0.11	10	1.19	730	2
BB 22259	201 202	< 0.2	1.78	16	120	< 0.5	< 2	0.24	< 0.5	7	28	9	2.83	< 10	< 1	0.10	10	0.38	435	1
BB 22260	201 202	< 0.2	1.89	6	220	< 0.5	2	0.58	< 0.5	9	62	22	2.56	< 10	< 1	0.11	10	0.98	325	< 1
BB 22261	201 202	< 0.2	3.59	36	190	0.5	< 2	0.22	0.5	21	76	59	4.88	< 10	< 1	0.13	10	1.76	895	2
BB 22262	201 202	< 0.2	1.84	14	110	< 0.5	< 2	0.18	< 0.5	11	55	22	3.51	< 10	< 1	0.07	< 10	0.74	520	1
BB 22263	201 202	< 0.2	2.59	10	160	< 0.5	< 2	0.23	< 0.5	10	62	21	3.54	< 10	< 1	0.09	10	1.12	360	1
BB 22264	201 202	0.2	2.96	26	300	1.0	< 2	0.47	< 0.5	10	78	48	3.54	< 10	< 1	0.12	30	1.02	430	1
BB 22265	201 202	< 0.2	2.24	10	190	0.5	< 2	0.33	< 0.5	8	58	24	2.88	< 10	< 1	0.07	10	0.88	365	2
BB 22266	201 202	< 0.2	2.12	8	150	< 0.5	2	0.31	< 0.5	10	66	19	3.37	< 10	< 1	0.12	10	1.00	445	1
BB 22267	201 202	< 0.2	1.88	60	130	< 0.5	2	0.41	0.5	10	56	25	3.36	< 10	< 1	0.08	10	0.98	430	2
BB 22268	201 202	1.0	2.59	72	340	2.0	2	0.46	1.0	19	51	94	4.26	< 10	< 1	0.07	30	0.44	1135	5
BB 22269	201 202	0.2	2.26	14	270	< 0.5	6	0.19	< 0.5	8	93	61	6.50	< 10	< 1	0.14	10	0.86	480	5
BB 22270	201 202	< 0.2	1.46	62	110	< 0.5	2	0.21	< 0.5	8	40	12	2.83	< 10	< 1	0.06	< 10	0.69	280	2
BB 22271	201 202	< 0.2	1.66	34	110	< 0.5	2	0.19	< 0.5	7	47	14	2.71	< 10	< 1	0.05	< 10	0.82	275	1
BB 22272	201 202	< 0.2	1.67	6	90	< 0.5	2	0.24	< 0.5	12	45	17	3.62	< 10	< 1	0.08	< 10	0.86	465	1
BB 22273	201 202	< 0.2	1.83	6	120	< 0.5	2	0.28	< 0.5	7	57	16	2.74	< 10	< 1	0.10	10	0.74	275	1
BB 22274	201 202	< 0.2	1.25	2	80	< 0.5	2	0.16	< 0.5	2	28	5	1.30	< 10	< 1	0.05	10	0.26	100	1
BB 22275	201 202	< 0.2	1.97	2	170	< 0.5	4	0.28	< 0.5	4	47	12	2.36	< 10	< 1	0.08	10	0.51	240	1
BB 22276	201 202	< 0.2	1.79	6	170	< 0.5	< 2	0.23	< 0.5	6	59	25	2.54	< 10	< 1	0.11	10	0.54	350	1
BB 22277	201 202	< 0.2	1.87	6	140	< 0.5	< 2	0.20	< 0.5	7	58	19	2.68	< 10	< 1	0.11	10	0.47	400	1
BB 22278	201 202	< 0.2	2.20	8	110	0.5	< 2	0.32	< 0.5	13	83	37	3.33	< 10	< 1	0.10	10	0.94	460	1
BB 22279	201 202	< 0.2	2.21	18	200	0.5	2	0.34	< 0.5	12	92	27	4.42	< 10	< 1	0.12	10	1.04	645	3
BB 22280	201 202	< 0.2	2.23	26	180	< 0.5	2	0.32	< 0.5	11	55	16	3.06	< 10	< 1	0.07	10	0.88	495	3
BB 22281	201 202	0.2	2.14	130	140	0.5	2	0.29	0.5	17	57	35	4.03	< 10	< 1	0.08	10	0.92	575	2
BB 22282	201 202	< 0.2	2.37	10	170	0.5	2	0.26	< 0.5	11	101	34	3.99	< 10	< 1	0.12	10	0.97	425	2
BB 22283	201 202	< 0.2	1.64	4	150	< 0.5	4	0.26	< 0.5	7	81	17	2.54	< 10	< 1	0.13	10	0.72	375	1
BB 22284	201 202	< 0.2	1.86	2	160	< 0.5	2	0.26	< 0.5	5	76	17	2.61	< 10	< 1	0.15	10	0.81	265	1
BB 22285	201 202	< 0.2	1.62	8	380	0.5	4	0.62	< 0.5	10	63	32	3.40	< 10	< 1	0.14	20	0.71	400	1
BB 22286	201 202	< 0.2	2.18	6	120	0.5	2	0.36	< 0.5	9	56	22	3.03	< 10	< 1	0.07	10	0.81	315	1
BB 22287	201 202	< 0.2	1.91	8	150	< 0.5	2	0.32	< 0.5	8	57	18	3.08	< 10	< 1	0.11	10	0.81	400	1
BB 22288	201 202	< 0.2	1.95	6	180	< 0.5	< 2	0.32	< 0.5	7	52	26	2.54	< 10	< 1	0.09	10	0.56	290	1
BB 22289	201 202	< 0.2	1.75	4	130	< 0.5	2	0.45	< 0.5	9	44	20	2.64	< 10	< 1	0.09	10	0.66	335	1
BB 22290	201 202	< 0.2	1.92	8	150	< 0.5	2	0.55	< 0.5	11	44	25	2.66	< 10	< 1	0.09	10	0.75	395	1
BB 22291	201 202	< 0.2	1.94	30	280	0.5	< 2	0.30	< 0.5	10	38	28	2.82	< 10	< 1	0.07	10	0.63	450	1
BB 22292	201 202	< 0.2	3.10	30	240	0.5	2	0.26	< 0.5	16	53	50	4.20	< 10	< 1	0.12	10	0.87	605	1
BB 22293	201 202	< 0.2	2.36	2	120	< 0.5	2	0.17	< 0.5	9	41	16	3.44	< 10	< 1	0.08	10	0.62	280	1
BB 22294	201 202	< 0.2	1.85	6	150	< 0.5	2	0.17	< 0.5	9	36	15	3.17	< 10	< 1	0.07	10	0.53	320	1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 1-B
Total: 5
Certificate Date: 07-AUG-96
Invoice No.: I9625934
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 22219	201 202	< 0.01	19	500	30	< 2	3	26	0.10	< 10	< 10	67	< 10	74
BB 22220	201 202	< 0.01	18	310	24	2	5	31	0.16	< 10	< 10	98	< 10	72
BB 22257	201 202	< 0.01	23	670	30	2	4	24	0.12	< 10	< 10	75	< 10	114
BB 22258	201 202	< 0.01	38	800	46	2	5	36	0.12	< 10	< 10	68	< 10	154
BB 22259	201 202	< 0.01	10	580	18	< 2	3	33	0.08	< 10	< 10	56	< 10	52
BB 22260	201 202	< 0.01	36	880	20	< 2	4	37	0.15	< 10	< 10	65	< 10	86
BB 22261	201 202	< 0.01	52	370	42	< 2	6	20	0.09	< 10	< 10	80	< 10	186
BB 22262	201 202	< 0.01	27	720	26	< 2	2	14	0.09	< 10	< 10	67	< 10	90
BB 22263	201 202	< 0.01	33	490	32	< 2	3	19	0.08	< 10	< 10	71	< 10	104
BB 22264	201 202	< 0.01	40	1100	30	< 2	8	32	0.08	< 10	< 10	90	< 10	118
BB 22265	201 202	< 0.01	31	640	20	< 2	5	24	0.09	< 10	< 10	68	< 10	80
BB 22266	201 202	< 0.01	33	590	14	< 2	4	24	0.12	< 10	< 10	75	< 10	100
BB 22267	201 202	< 0.01	31	750	30	2	4	27	0.12	< 10	< 10	66	< 10	110
BB 22268	201 202	< 0.01	21	1620	74	2	2	34	0.05	< 10	< 10	84	< 10	84
BB 22269	201 202	< 0.01	23	1380	24	< 2	4	22	0.20	< 10	< 10	169	< 10	80
BB 22270	201 202	< 0.01	16	420	20	< 2	3	19	0.12	< 10	< 10	78	< 10	72
BB 22271	201 202	< 0.01	21	310	28	< 2	3	15	0.12	< 10	< 10	62	< 10	72
BB 22272	201 202	< 0.01	20	820	14	< 2	4	18	0.16	< 10	< 10	88	< 10	90
BB 22273	201 202	< 0.01	25	550	20	< 2	3	21	0.14	< 10	< 10	78	< 10	80
BB 22274	201 202	< 0.01	7	300	20	< 2	1	18	0.14	< 10	< 10	52	< 10	30
BB 22275	201 202	< 0.01	16	380	18	< 2	3	30	0.16	< 10	< 10	74	< 10	54
BB 22276	201 202	< 0.01	22	1000	20	< 2	1	23	0.08	< 10	< 10	76	< 10	52
BB 22277	201 202	< 0.01	21	1330	14	< 2	1	21	0.08	< 10	< 10	68	< 10	62
BB 22278	201 202	< 0.01	54	1040	14	2	3	22	0.12	< 10	< 10	76	< 10	90
BB 22279	201 202	< 0.01	45	900	18	< 2	5	23	0.18	< 10	< 10	109	< 10	110
BB 22280	201 202	< 0.01	25	390	28	2	4	20	0.13	< 10	< 10	74	< 10	118
BB 22281	201 202	< 0.01	34	630	44	2	4	23	0.12	< 10	< 10	75	< 10	128
BB 22282	201 202	< 0.01	51	700	18	< 2	4	22	0.15	< 10	< 10	102	< 10	118
BB 22283	201 202	< 0.01	31	590	18	< 2	3	21	0.14	< 10	< 10	86	< 10	84
BB 22284	201 202	< 0.01	23	740	14	< 2	4	20	0.17	< 10	< 10	93	< 10	60
BB 22285	201 202	< 0.01	50	1000	16	< 2	5	55	0.18	< 10	< 10	110	< 10	58
BB 22286	201 202	< 0.01	32	800	14	< 2	4	26	0.13	< 10	< 10	61	< 10	70
BB 22287	201 202	< 0.01	26	450	14	< 2	4	29	0.13	< 10	< 10	71	< 10	72
BB 22288	201 202	< 0.01	22	940	12	< 2	2	34	0.09	< 10	< 10	67	< 10	52
BB 22289	201 202	< 0.01	24	570	12	< 2	4	41	0.14	< 10	< 10	59	< 10	54
BB 22290	201 202	< 0.01	26	540	12	< 2	5	49	0.15	< 10	< 10	60	< 10	52
BB 22291	201 202	< 0.01	20	820	12	< 2	3	24	0.09	< 10	< 10	50	< 10	52
BB 22292	201 202	< 0.01	32	680	20	< 2	5	23	0.11	< 10	< 10	75	< 10	78
BB 22293	201 202	< 0.01	24	390	8	< 2	4	14	0.15	< 10	< 10	70	< 10	46
BB 22294	201 202	< 0.01	18	270	16	< 2	3	16	0.12	< 10	< 10	61	< 10	110

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 1 of 2-A
Total: 5
Certificate Date: 07-AUG-96
Invoice No.: 19625934
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 22295	201 202	< 0.2	2.15	6	140	< 0.5	2	0.20	< 0.5	11	44	13	3.44	< 10	< 1	0.09	10	0.70	350	2
BB 22296	201 202	< 0.2	2.50	6	120	< 0.5	4	0.26	< 0.5	12	47	21	3.44	< 10	< 1	0.10	10	0.71	350	2
BB 22297	201 202	< 0.2	2.29	10	150	0.5	2	0.41	< 0.5	14	46	29	3.31	< 10	< 1	0.11	10	0.87	475	1
BB 22298	201 202	< 0.2	2.45	6	180	< 0.5	2	0.87	< 0.5	15	27	38	3.25	< 10	< 1	0.06	10	0.96	690	1
BB 22299	201 202	< 0.2	2.24	4	210	< 0.5	2	0.50	< 0.5	13	50	30	3.03	< 10	< 1	0.09	10	0.84	480	1
BB 22300	201 202	< 0.2	1.69	6	110	< 0.5	2	0.56	< 0.5	11	39	23	2.48	< 10	< 1	0.07	10	0.78	375	1
BB 22301	201 202	< 0.2	1.90	6	150	< 0.5	2	0.51	< 0.5	10	50	26	2.52	< 10	< 1	0.06	10	0.81	315	1
BB 22302	201 202	< 0.2	1.86	4	130	< 0.5	2	0.41	< 0.5	11	49	29	2.84	< 10	< 1	0.09	10	0.79	355	1
BB 22303	201 202	< 0.2	1.74	< 2	120	< 0.5	2	0.37	< 0.5	9	45	21	2.53	< 10	< 1	0.06	10	0.69	285	1
BB 22304	201 202	< 0.2	1.87	2	120	< 0.5	2	0.39	< 0.5	8	41	19	2.62	< 10	< 1	0.08	10	0.69	290	1
BB 22305	201 202	< 0.2	2.02	4	120	< 0.5	2	0.39	< 0.5	8	41	20	2.65	< 10	< 1	0.07	10	0.69	300	1
BB 22306	201 202	< 0.2	3.27	6	340	0.5	2	0.46	< 0.5	14	146	41	2.80	< 10	< 1	0.25	10	1.23	415	< 1
BB 22307	201 202	< 0.2	1.92	8	160	0.5	2	0.34	< 0.5	8	52	27	2.93	< 10	< 1	0.08	10	0.76	310	< 1
BB 22308	201 202	< 0.2	1.74	6	160	< 0.5	2	0.35	< 0.5	9	42	23	2.43	< 10	< 1	0.07	10	0.72	295	< 1
BB 22309	201 202	< 0.2	1.83	4	210	< 0.5	2	0.40	< 0.5	9	43	24	2.41	< 10	< 1	0.07	10	0.71	300	1
BB 22310	201 202	< 0.2	1.96	2	210	0.5	2	0.34	< 0.5	10	45	29	2.67	< 10	< 1	0.08	10	0.75	375	1
BB 22311	201 202	< 0.2	2.11	10	180	0.5	2	0.35	< 0.5	13	39	36	2.94	< 10	< 1	0.06	10	0.86	460	1
BB 22312	201 202	< 0.2	1.66	20	160	< 0.5	< 2	0.30	< 0.5	7	34	26	2.46	< 10	< 1	0.06	10	0.59	305	1
BB 22313	201 202	< 0.2	1.79	18	180	< 0.5	< 2	0.43	< 0.5	9	38	25	2.34	< 10	< 1	0.08	10	0.63	375	1
BB 22314	201 202	< 0.2	1.68	8	150	< 0.5	2	0.48	< 0.5	10	38	57	2.49	< 10	< 1	0.07	10	0.78	390	1
BB 22315	201 202	< 0.2	1.75	34	140	0.5	2	0.57	< 0.5	9	41	131	2.48	< 10	< 1	0.05	10	0.81	285	1
BB 22316	201 202	< 0.2	1.39	< 2	170	< 0.5	< 2	0.23	< 0.5	3	20	8	1.48	< 10	< 1	0.07	< 10	0.35	140	1
BB 22317	201 202	< 0.2	1.57	4	160	< 0.5	2	0.27	< 0.5	8	40	21	2.29	< 10	< 1	0.05	10	0.70	235	< 1
BB 22318	201 202	< 0.2	1.88	8	150	< 0.5	< 2	0.29	< 0.5	9	44	20	2.68	< 10	< 1	0.07	10	0.72	270	1
BB 22319	201 202	< 0.2	1.64	4	150	< 0.5	< 2	0.21	< 0.5	7	37	103	2.56	< 10	< 1	0.07	10	0.64	275	1
BB 22320	201 202	< 0.2	1.27	2	230	< 0.5	2	0.24	< 0.5	4	24	15	1.84	< 10	< 1	0.12	10	0.34	185	1
BB 22321	201 202	< 0.2	2.19	4	210	0.5	2	0.32	< 0.5	8	50	31	3.04	< 10	< 1	0.10	10	0.62	455	1
BB 22322	201 202	< 0.2	2.08	2	130	< 0.5	2	0.72	< 0.5	11	38	24	2.63	< 10	< 1	0.06	10	0.72	440	1
BB 22323	201 202	< 0.2	2.27	6	200	0.5	2	0.38	< 0.5	11	48	29	3.24	< 10	< 1	0.13	10	0.71	465	1
BB 22324	201 202	< 0.2	1.86	4	200	< 0.5	2	0.38	< 0.5	8	48	23	2.96	< 10	< 1	0.12	10	0.67	365	1
BB 22325	201 202	< 0.2	1.60	2	180	< 0.5	2	0.35	< 0.5	7	45	20	3.00	< 10	< 1	0.10	10	0.68	330	< 1
BB 22326	201 202	< 0.2	1.76	2	120	< 0.5	2	0.49	< 0.5	8	42	22	2.46	< 10	< 1	0.09	20	0.62	320	1
BB 22327	201 202	< 0.2	1.67	2	170	< 0.5	2	0.35	< 0.5	7	42	24	2.57	< 10	< 1	0.10	10	0.57	310	1
BB 22328	201 202	< 0.2	2.21	6	240	< 0.5	2	0.35	< 0.5	7	48	21	2.98	< 10	< 1	0.10	10	0.61	350	< 1
BB 22329	201 202	< 0.2	2.67	4	280	0.5	< 2	0.43	< 0.5	8	54	26	3.14	< 10	< 1	0.10	10	0.78	390	1
BB 22330	201 202	< 0.2	2.08	< 2	130	0.5	< 2	0.32	< 0.5	9	56	27	3.07	< 10	< 1	0.15	10	0.58	585	< 1
BB 22331	201 202	< 0.2	1.61	4	200	< 0.5	2	0.32	< 0.5	6	45	19	2.55	< 10	< 1	0.07	10	0.61	235	1
BB 22332	201 202	< 0.2	1.90	2	180	< 0.5	2	0.25	< 0.5	7	54	19	3.03	< 10	< 1	0.09	10	0.70	330	1
BB 22333	201 202	< 0.2	1.59	2	210	< 0.5	2	0.24	< 0.5	6	57	11	2.45	< 10	< 1	0.07	< 10	0.64	470	1
BB 22334	201 202	< 0.2	2.02	6	190	< 0.5	2	0.40	< 0.5	8	42	18	2.87	< 10	< 1	0.06	< 10	0.80	290	1

CERTIFICATION:

Heath Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 2-B
Total: 5
Certificate Date: 07-AUG-96
Invoice No.: 19625934
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 22295	201 202	< 0.01	24	300	10	< 2	4	16	0.15	< 10	< 10	74	< 10	60
BB 22296	201 202	< 0.01	29	520	10	< 2	5	23	0.15	< 10	< 10	75	< 10	62
BB 22297	201 202	< 0.01	28	460	10	< 2	5	32	0.16	< 10	< 10	69	< 10	68
BB 22298	201 202	< 0.01	15	630	20	< 2	8	77	0.19	< 10	< 10	73	< 10	56
BB 22299	201 202	< 0.01	25	650	10	< 2	6	40	0.15	< 10	< 10	72	< 10	62
BB 22300	201 202	< 0.01	25	720	8	< 2	4	38	0.15	< 10	< 10	58	< 10	52
BB 22301	201 202	< 0.01	23	550	8	< 2	6	40	0.15	< 10	< 10	64	< 10	52
BB 22302	201 202	< 0.01	30	740	12	< 2	5	27	0.14	< 10	< 10	65	< 10	62
BB 22303	201 202	< 0.01	27	650	10	< 2	4	24	0.13	< 10	< 10	56	< 10	52
BB 22304	201 202	< 0.01	23	520	8	< 2	4	29	0.14	< 10	< 10	58	< 10	54
BB 22305	201 202	< 0.01	22	550	6	< 2	4	28	0.15	< 10	< 10	59	< 10	50
BB 22306	201 202	0.01	62	470	10	2	5	27	0.17	< 10	< 10	59	< 10	64
BB 22307	201 202	< 0.01	29	340	8	< 2	4	24	0.17	< 10	< 10	67	< 10	50
BB 22308	201 202	< 0.01	27	470	8	< 2	4	25	0.14	< 10	< 10	51	< 10	44
BB 22309	201 202	< 0.01	27	690	8	< 2	4	27	0.13	< 10	< 10	52	< 10	52
BB 22310	201 202	< 0.01	30	510	6	< 2	5	25	0.13	< 10	< 10	57	< 10	52
BB 22311	201 202	< 0.01	26	710	12	< 2	4	26	0.12	< 10	< 10	60	< 10	54
BB 22312	201 202	< 0.01	18	770	8	< 2	3	18	0.06	< 10	< 10	37	< 10	52
BB 22313	201 202	< 0.01	23	790	10	< 2	4	26	0.10	< 10	< 10	45	< 10	58
BB 22314	201 202	< 0.01	30	660	8	< 2	4	30	0.12	< 10	< 10	48	< 10	56
BB 22315	201 202	< 0.01	27	720	10	< 2	5	43	0.11	< 10	< 10	54	< 10	50
BB 22316	201 202	0.01	8	300	8	< 2	1	20	0.06	< 10	< 10	33	< 10	30
BB 22317	201 202	< 0.01	27	520	8	< 2	3	17	0.10	< 10	< 10	44	< 10	44
BB 22318	201 202	< 0.01	27	480	12	< 2	4	20	0.13	< 10	< 10	54	< 10	52
BB 22319	201 202	< 0.01	20	230	10	< 2	3	16	0.11	< 10	< 10	50	< 10	46
BB 22320	201 202	< 0.01	11	270	10	< 2	2	22	0.09	< 10	< 10	40	< 10	34
BB 22321	201 202	< 0.01	26	620	20	< 2	5	30	0.12	< 10	< 10	66	< 10	66
BB 22322	201 202	< 0.01	17	410	6	< 2	6	61	0.15	< 10	< 10	63	< 10	50
BB 22323	201 202	< 0.01	27	520	10	< 2	5	35	0.14	< 10	< 10	70	< 10	68
BB 22324	201 202	< 0.01	24	690	10	< 2	5	34	0.13	< 10	< 10	65	< 10	62
BB 22325	201 202	< 0.01	24	640	8	< 2	4	27	0.16	< 10	< 10	64	< 10	60
BB 22326	201 202	< 0.01	24	590	10	< 2	4	40	0.16	< 10	< 10	55	< 10	50
BB 22327	201 202	< 0.01	23	410	8	< 2	4	35	0.13	< 10	< 10	58	< 10	56
BB 22328	201 202	< 0.01	24	530	8	2	4	35	0.13	< 10	< 10	69	< 10	56
BB 22329	201 202	< 0.01	28	780	12	< 2	6	37	0.13	< 10	< 10	66	< 10	68
BB 22330	201 202	< 0.01	23	1110	8	< 2	2	26	0.10	< 10	< 10	64	< 10	60
BB 22331	201 202	< 0.01	21	460	10	2	3	22	0.12	< 10	< 10	59	< 10	52
BB 22332	201 202	< 0.01	24	650	16	< 2	4	17	0.14	< 10	< 10	71	< 10	86
BB 22333	201 202	< 0.01	20	280	14	< 2	3	17	0.17	< 10	< 10	74	< 10	50
BB 22334	201 202	< 0.01	21	400	12	< 2	4	24	0.13	< 10	< 10	61	< 10	52

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 3-A
Total: 5
Certificate Date: 07-AUG-96
Invoice No.: 19625934
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 22335	201 202	< 0.2	1.92	8	120	< 0.5	4	0.33	< 0.5	7	71	15	2.76	< 10	< 1	0.12	10	0.83	385	2
BB 22336	201 202	< 0.2	2.02	8	140	< 0.5	4	0.25	< 0.5	8	57	21	3.29	< 10	< 1	0.11	10	0.70	310	3
BB 22337	201 202	< 0.2	1.72	12	110	< 0.5	2	0.31	< 0.5	7	53	14	2.94	< 10	< 1	0.09	10	0.71	305	1
BB 22338	201 202	< 0.2	1.63	6	170	< 0.5	2	0.50	< 0.5	12	60	35	2.73	< 10	< 1	0.11	10	0.87	550	1
BB 22339	201 202	0.2	2.35	38	140	1.0	< 2	0.43	1.5	18	46	67	3.26	< 10	1	0.09	10	0.75	1275	2
BB 22340	201 202	< 0.2	2.09	6	160	0.5	4	0.44	< 0.5	14	51	35	2.95	< 10	< 1	0.13	10	0.83	500	1
BB 22341	201 202	< 0.2	2.13	8	170	0.5	2	0.47	< 0.5	14	61	37	3.01	< 10	< 1	0.12	10	0.89	530	1
BB 22342	201 202	< 0.2	2.52	6	170	0.5	2	0.36	< 0.5	15	64	40	3.66	< 10	< 1	0.15	10	0.94	495	1
BB 22343	201 202	< 0.2	1.78	8	160	< 0.5	2	0.41	< 0.5	12	51	34	2.81	< 10	< 1	0.10	10	0.89	395	1
BB 22344	201 202	< 0.2	2.49	4	160	0.5	2	0.50	< 0.5	15	58	48	3.37	< 10	< 1	0.16	10	0.91	505	1
BB 22345	201 202	< 0.2	2.53	12	180	0.5	4	0.50	1.5	13	64	35	3.40	< 10	< 1	0.20	10	0.92	595	< 1
BB 22346	201 202	< 0.2	1.91	2	170	< 0.5	2	0.48	< 0.5	13	70	37	2.88	< 10	< 1	0.14	10	0.95	400	1
BB 22347	201 202	< 0.2	1.96	2	210	0.5	2	0.53	< 0.5	13	68	37	2.92	< 10	< 1	0.23	20	0.91	440	1
BB 22348	201 202	< 0.2	2.14	2	170	0.5	4	0.38	< 0.5	11	60	34	2.91	< 10	< 1	0.15	20	0.80	395	1
BB 22349	201 202	10.6	3.16	72	280	0.5	< 2	0.26	2.0	19	83	24	5.05	< 10	1	0.11	10	1.07	1535	3
BB 22350	201 202	2.4	2.74	54	230	0.5	< 2	0.27	1.5	16	83	16	4.71	< 10	1	0.12	10	0.99	1250	2
BB 22351	201 202	1.4	3.11	48	220	0.5	2	0.27	2.0	15	84	19	4.92	< 10	< 1	0.11	10	1.02	850	3
BB 22352	201 202	0.6	2.50	28	270	0.5	< 2	0.67	0.5	13	65	42	3.18	< 10	< 1	0.14	30	1.08	630	2
BB 22353	201 202	0.2	2.23	18	120	< 0.5	6	0.33	< 0.5	11	63	14	3.72	< 10	< 1	0.14	10	0.88	510	1
BB 22354	201 202	0.8	3.86	54	110	1.0	2	0.29	< 0.5	14	66	29	4.13	< 10	< 1	0.15	10	0.98	355	3
BB 22355	201 202	0.2	2.52	32	230	0.5	< 2	0.57	< 0.5	14	52	43	3.36	< 10	< 1	0.21	20	1.05	1775	3
BB 22356	201 202	< 0.2	2.44	66	140	0.5	2	0.54	< 0.5	17	68	33	3.93	< 10	< 1	0.18	10	1.34	745	2
BB 22357	201 202	< 0.2	1.23	20	80	< 0.5	2	0.27	< 0.5	4	32	5	1.90	< 10	< 1	0.09	10	0.44	225	3
BB 22358	201 202	0.4	2.47	24	160	0.5	2	0.54	< 0.5	8	47	16	3.24	< 10	< 1	0.11	10	0.84	345	5
BB 22359	201 202	< 0.2	2.20	34	150	0.5	< 2	0.30	< 0.5	10	49	25	3.13	< 10	< 1	0.11	10	1.06	405	3
BB 22360	201 202	0.2	2.38	46	190	1.0	< 2	0.38	< 0.5	17	51	51	3.57	< 10	< 1	0.14	20	1.17	670	2
BB 22361	201 202	0.6	2.29	72	280	0.5	< 2	0.90	1.5	13	52	34	3.50	< 10	< 1	0.15	10	0.97	1480	5
BB 22362	201 202	< 0.2	2.04	42	170	< 0.5	< 2	0.40	< 0.5	12	66	25	2.99	< 10	< 1	0.09	10	1.10	445	1
BB 22363	201 202	< 0.2	2.01	42	120	< 0.5	4	0.27	0.5	7	49	10	3.51	< 10	1	0.08	10	0.83	330	2
BB 22364	201 202	< 0.2	2.12	14	180	< 0.5	2	0.31	< 0.5	9	47	13	2.75	< 10	< 1	0.08	10	0.79	300	1
BB 22365	201 202	< 0.2	1.61	16	140	< 0.5	2	0.56	< 0.5	9	46	25	2.52	< 10	< 1	0.10	10	0.80	380	1
BB 22366	201 202	< 0.2	2.12	30	180	0.5	< 2	0.54	< 0.5	13	52	29	3.11	< 10	< 1	0.13	10	0.90	645	2
BB 22367	201 202	1.0	2.15	90	160	0.5	4	0.24	2.0	11	58	18	4.80	< 10	1	0.11	10	0.75	695	3
BB 22368	201 202	0.6	2.80	66	200	0.5	2	0.27	2.5	16	62	37	5.02	< 10	< 1	0.19	10	0.98	640	4
BB 22369	201 202	0.2	2.34	200	120	0.5	6	0.21	1.5	15	61	36	6.38	< 10	< 1	0.09	< 10	0.69	405	4
BB 22370	201 202	1.0	2.69	38	140	0.5	2	0.27	0.5	12	62	17	4.13	< 10	< 1	0.09	10	0.86	380	1
BB 22371	201 202	1.0	2.87	234	290	1.5	< 2	0.53	3.0	16	72	68	4.03	< 10	< 1	0.19	30	1.13	835	3
BB 22372	201 202	1.0	3.38	294	290	1.5	< 2	0.64	9.0	17	79	62	4.58	< 10	< 1	0.20	20	1.35	1040	3
BB 22373	201 202	0.6	2.67	62	200	0.5	< 2	0.24	0.5	12	53	34	3.35	< 10	1	0.15	10	0.92	345	3
BB 22374	201 202	1.2	2.54	198	300	1.0	< 2	1.04	9.5	15	64	55	3.47	< 10	< 1	0.20	20	1.12	1245	2

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments: FAX: NORDAC RESOURCES

Page : 3-B
Total Pages : 5
Certificate Date: 07-AUG-96
Invoice No. : 19625934
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 22335	201 202	< 0.01	24	350	12	< 2	4	23	0.19	< 10	< 10	76	< 10	62
BB 22336	201 202	< 0.01	29	350	14	< 2	4	19	0.17	< 10	< 10	90	< 10	90
BB 22337	201 202	< 0.01	22	500	12	< 2	4	22	0.15	< 10	< 10	85	< 10	62
BB 22338	201 202	< 0.01	48	950	72	< 2	5	32	0.13	< 10	< 10	59	< 10	118
BB 22339	201 202	< 0.01	41	900	488	< 2	5	81	0.11	< 10	< 10	61	< 10	466
BB 22340	201 202	< 0.01	42	890	12	< 2	4	39	0.16	< 10	< 10	66	< 10	82
BB 22341	201 202	< 0.01	46	760	16	< 2	5	34	0.18	< 10	< 10	68	< 10	88
BB 22342	201 202	< 0.01	55	860	14	< 2	5	24	0.18	< 10	< 10	78	< 10	90
BB 22343	201 202	< 0.01	46	820	10	< 2	4	24	0.15	< 10	< 10	61	< 10	60
BB 22344	201 202	< 0.01	43	1210	8	< 2	5	31	0.19	< 10	< 10	72	< 10	72
BB 22345	201 202	< 0.01	37	1310	64	< 2	5	37	0.18	< 10	< 10	76	< 10	230
BB 22346	201 202	< 0.01	57	950	8	< 2	4	28	0.17	< 10	< 10	69	< 10	66
BB 22347	201 202	< 0.01	48	960	8	< 2	5	41	0.18	< 10	< 10	73	< 10	76
BB 22348	201 202	< 0.01	38	850	8	< 2	5	25	0.17	< 10	< 10	69	< 10	66
BB 22349	201 202	< 0.01	46	750	118	< 2	5	86	0.10	< 10	< 10	93	< 10	482
BB 22350	201 202	< 0.01	34	820	100	< 2	5	57	0.09	< 10	< 10	90	< 10	488
BB 22351	201 202	< 0.01	29	500	44	< 2	5	48	0.12	< 10	< 10	97	< 10	678
BB 22352	201 202	< 0.01	45	970	54	< 2	7	49	0.08	< 10	< 10	57	< 10	218
BB 22353	201 202	< 0.01	25	610	20	< 2	5	24	0.21	< 10	< 10	89	< 10	130
BB 22354	201 202	< 0.01	43	590	46	< 2	6	26	0.15	< 10	< 10	64	< 10	104
BB 22355	201 202	< 0.01	47	450	60	< 2	6	49	0.11	< 10	< 10	57	< 10	134
BB 22356	201 202	< 0.01	46	670	42	< 2	6	38	0.15	< 10	< 10	74	< 10	148
BB 22357	201 202	< 0.01	10	170	18	< 2	3	27	0.15	< 10	< 10	73	< 10	52
BB 22358	201 202	< 0.01	26	350	42	< 2	4	36	0.10	< 10	< 10	65	< 10	90
BB 22359	201 202	< 0.01	29	470	22	< 2	4	28	0.09	< 10	< 10	53	< 10	104
BB 22360	201 202	< 0.01	44	650	50	< 2	5	29	0.09	< 10	< 10	54	< 10	152
BB 22361	201 202	< 0.01	46	1040	42	< 2	5	60	0.06	< 10	< 10	51	< 10	200
BB 22362	201 202	< 0.01	45	600	24	< 2	4	26	0.09	< 10	< 10	50	< 10	108
BB 22363	201 202	< 0.01	19	200	20	< 2	4	27	0.15	< 10	< 10	82	< 10	84
BB 22364	201 202	< 0.01	25	380	22	< 2	4	29	0.12	< 10	< 10	53	< 10	76
BB 22365	201 202	< 0.01	24	790	28	< 2	4	41	0.11	< 10	< 10	52	< 10	94
BB 22366	201 202	< 0.01	31	680	38	< 2	5	41	0.11	< 10	< 10	59	< 10	114
BB 22367	201 202	< 0.01	26	580	64	< 2	4	27	0.15	< 10	< 10	91	< 10	318
BB 22368	201 202	< 0.01	34	610	74	< 2	5	31	0.17	< 10	< 10	99	< 10	492
BB 22369	201 202	< 0.01	27	540	62	< 2	4	22	0.18	< 10	< 10	97	< 10	250
BB 22370	201 202	< 0.01	29	370	34	< 2	5	33	0.16	< 10	< 10	84	< 10	236
BB 22371	201 202	< 0.01	71	960	182	< 2	8	42	0.08	< 10	< 10	62	< 10	726
BB 22372	201 202	< 0.01	84	620	168	< 2	8	48	0.06	< 10	< 10	72	< 10	1235
BB 22373	201 202	< 0.01	46	520	90	< 2	5	23	0.08	< 10	< 10	54	< 10	226
BB 22374	201 202	< 0.01	85	970	122	< 2	7	64	0.07	< 10	< 10	53	< 10	640

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 4-A
Total: 5
Certificate Date: 07-AUG-96
Invoice No.: I9625934
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 22375	201 202	5.4	3.70	192	90	1.5	2	0.16	1.5	14	87	24	6.01	< 10	< 1	0.10	10	0.86	445	1
BB 22376	201 202	0.4	2.35	74	220	0.5	< 2	0.60	1.0	16	44	52	3.65	< 10	< 1	0.16	10	1.09	565	1
BB 22377	201 202	0.2	2.54	40	160	0.5	< 2	0.29	0.5	15	46	44	3.48	< 10	1	0.16	10	1.14	525	1
BB 22378	201 202	0.2	2.78	40	170	0.5	< 2	0.29	0.5	10	52	28	3.50	< 10	< 1	0.14	10	1.08	350	1
BB 22379	201 202	< 0.2	1.63	8	120	< 0.5	< 2	0.29	< 0.5	6	35	14	2.09	< 10	< 1	0.07	10	0.69	250	< 1
BB 22380	201 202	0.2	1.50	12	160	< 0.5	< 2	0.52	< 0.5	9	40	24	2.37	< 10	< 1	0.10	10	0.74	340	< 1
BB 22381	201 202	0.2	1.66	24	180	< 0.5	< 2	0.73	1.0	9	46	41	2.25	< 10	< 1	0.13	20	0.74	270	1
BB 22382	201 202	< 0.2	2.00	10	140	< 0.5	2	0.44	< 0.5	9	43	21	2.72	< 10	< 1	0.10	10	0.86	350	< 1
BB 22383	201 202	< 0.2	1.97	8	190	< 0.5	2	0.48	< 0.5	10	45	24	2.78	< 10	< 1	0.09	20	0.91	440	< 1
BB 22384	201 202	1.0	2.37	72	90	0.5	2	0.26	0.5	13	60	18	4.39	< 10	< 1	0.08	10	0.79	410	1
BB 22385	201 202	0.8	2.48	80	210	0.5	2	0.45	2.0	19	64	34	4.56	< 10	< 1	0.16	10	1.05	885	1
BB 22386	201 202	0.2	2.18	44	170	< 0.5	2	0.23	2.0	14	44	14	3.96	< 10	< 1	0.10	10	0.69	750	1
BB 22387	201 202	1.6	2.82	130	190	0.5	< 2	0.48	2.0	21	54	32	5.38	< 10	< 1	0.13	10	0.84	710	3
BB 22388	201 202	0.6	3.15	204	130	1.0	4	0.26	0.5	15	57	33	6.54	< 10	< 1	0.12	10	0.89	410	3
BB 22389	201 202	0.2	1.83	52	100	< 0.5	2	0.28	0.5	8	71	13	3.16	< 10	< 1	0.07	10	0.83	305	1
BB 22390	201 202	0.2	1.78	54	140	0.5	< 2	0.37	0.5	16	54	26	2.84	< 10	< 1	0.07	10	0.86	635	1
BB 22391	201 202	0.4	1.70	62	100	< 0.5	2	0.22	0.5	15	60	24	3.45	< 10	< 1	0.08	10	0.72	990	1
BB 22392	201 202	0.2	1.50	50	150	< 0.5	2	0.34	1.5	17	49	22	2.75	< 10	< 1	0.07	10	0.88	955	< 1
BB 22393	201 202	< 0.2	1.28	54	130	< 0.5	< 2	0.42	1.0	18	40	23	2.66	< 10	< 1	0.08	10	0.74	1005	1
BB 22394	201 202	< 0.2	1.65	2	70	< 0.5	2	0.45	< 0.5	18	42	77	2.49	< 10	< 1	0.05	10	0.63	310	< 1
BB 22395	201 202	< 0.2	2.28	8	90	< 0.5	4	0.73	< 0.5	43	47	132	3.91	< 10	< 1	0.05	< 10	0.82	650	< 1
BB 22396	201 202	< 0.2	2.09	6	110	0.5	< 2	0.31	< 0.5	14	58	53	3.22	< 10	< 1	0.11	10	0.82	510	1
BB 22397	201 202	< 0.2	1.67	6	100	< 0.5	2	0.36	< 0.5	14	46	34	2.88	< 10	< 1	0.07	10	0.75	400	< 1
BB 22398	201 202	< 0.2	2.17	2	120	0.5	< 2	0.41	< 0.5	13	53	30	3.01	< 10	< 1	0.10	30	0.75	440	< 1
BB 22399	201 202	0.2	2.16	12	130	1.0	2	0.38	< 0.5	19	50	33	3.33	< 10	< 1	0.11	30	0.75	585	< 1
BB 22400	201 202	< 0.2	2.54	8	150	1.0	2	0.48	< 0.5	19	47	47	4.27	< 10	< 1	0.18	30	0.90	830	< 1
BB 22401	201 202	< 0.2	1.86	8	140	0.5	2	0.27	< 0.5	11	42	27	2.95	< 10	< 1	0.12	10	0.62	400	< 1
BB 22402	201 202	< 0.2	1.93	6	120	0.5	< 2	0.29	< 0.5	12	42	40	3.20	< 10	< 1	0.13	20	0.69	365	< 1
BB 22403	201 202	< 0.2	1.84	4	90	0.5	2	0.28	< 0.5	10	39	17	2.73	< 10	< 1	0.11	20	0.60	350	< 1
BB 22404	201 202	< 0.2	2.14	8	130	0.5	< 2	0.36	< 0.5	13	45	34	2.82	< 10	< 1	0.12	30	0.73	455	< 1
BB 22405	201 202	< 0.2	2.08	10	130	0.5	< 2	0.43	< 0.5	14	48	22	2.98	< 10	< 1	0.15	30	0.80	440	< 1
BB 22406	201 202	< 0.2	2.26	10	110	0.5	2	0.34	< 0.5	18	55	27	3.27	< 10	< 1	0.17	30	0.77	555	< 1
BB 22407	201 202	< 0.2	2.84	24	100	0.5	2	0.72	< 0.5	17	58	44	2.73	< 10	< 1	0.13	20	0.89	495	< 1
BB 22408	201 202	< 0.2	1.84	14	130	0.5	2	0.23	< 0.5	14	70	40	2.86	< 10	< 1	0.10	10	0.74	415	< 1
BB 22409	201 202	< 0.2	2.37	16	190	< 0.5	2	0.43	< 0.5	20	162	42	3.15	< 10	< 1	0.20	10	1.59	465	< 1
BB 22410	201 202	0.8	3.02	8	240	0.5	2	0.71	< 0.5	22	72	102	3.75	< 10	< 1	0.19	10	1.26	1080	< 1
BB 22411	201 202	< 0.2	2.31	6	140	< 0.5	2	0.52	< 0.5	19	58	33	2.65	< 10	< 1	0.08	10	0.83	575	< 1
BB 22412	201 202	0.2	3.17	8	240	0.5	< 2	0.78	0.5	33	63	99	3.96	< 10	< 1	0.10	10	1.05	700	< 1
BB 22413	201 202	< 0.2	1.92	8	130	0.5	< 2	0.36	< 0.5	12	49	30	2.70	< 10	< 1	0.12	10	0.79	465	< 1
BB 22414	201 202	< 0.2	2.01	8	170	0.5	< 2	0.34	< 0.5	14	50	33	2.92	< 10	< 1	0.16	10	0.74	530	< 1

CERTIFICATION:

Harry Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments: FAX: NORDAC RESOURCES

Page : 4-B
Total : 5
Certificate Date: 07-AUG-96
Invoice No. : I9625934
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 22375	201	202	< 0.01	51	730	122	2	5	15	0.13	< 10	< 10	85	< 10	502
BB 22376	201	202	0.01	41	650	24	2	5	45	0.08	< 10	< 10	58	< 10	152
BB 22377	201	202	< 0.01	38	500	20	< 2	4	26	0.06	< 10	< 10	52	< 10	122
BB 22378	201	202	< 0.01	38	560	26	2	4	23	0.08	< 10	< 10	55	< 10	164
BB 22379	201	202	< 0.01	17	440	16	< 2	4	23	0.10	< 10	< 10	43	< 10	60
BB 22380	201	202	< 0.01	24	720	20	< 2	5	33	0.09	< 10	< 10	48	< 10	82
BB 22381	201	202	0.01	32	860	26	2	5	45	0.09	< 10	< 10	48	< 10	104
BB 22382	201	202	< 0.01	22	460	16	< 2	5	35	0.15	< 10	< 10	60	< 10	68
BB 22383	201	202	< 0.01	25	520	16	< 2	6	38	0.14	< 10	< 10	60	< 10	66
BB 22384	201	202	< 0.01	28	690	32	2	4	29	0.15	< 10	< 10	83	< 10	146
BB 22385	201	202	< 0.01	44	520	56	< 2	5	48	0.13	< 10	< 10	92	< 10	314
BB 22386	201	202	< 0.01	21	280	32	< 2	4	25	0.14	< 10	< 10	94	< 10	290
BB 22387	201	202	< 0.01	42	410	66	< 2	4	34	0.13	< 10	< 10	80	< 10	240
BB 22388	201	202	< 0.01	34	830	58	2	5	26	0.13	< 10	< 10	92	< 10	266
BB 22389	201	202	< 0.01	36	520	48	< 2	3	20	0.10	< 10	< 10	54	< 10	134
BB 22390	201	202	< 0.01	34	760	36	< 2	4	27	0.08	< 10	< 10	50	< 10	108
BB 22391	201	202	< 0.01	26	580	40	< 2	3	18	0.09	< 10	< 10	73	< 10	88
BB 22392	201	202	< 0.01	30	780	30	< 2	4	23	0.08	< 10	< 10	49	< 10	114
BB 22393	201	202	< 0.01	24	890	30	< 2	3	27	0.07	< 10	< 10	44	< 10	90
BB 22394	201	202	< 0.01	36	620	6	< 2	3	23	0.14	< 10	< 10	63	< 10	44
BB 22395	201	202	< 0.01	45	690	6	< 2	6	27	0.22	< 10	< 10	95	< 10	52
BB 22396	201	202	< 0.01	44	720	8	2	4	25	0.15	< 10	< 10	84	< 10	86
BB 22397	201	202	< 0.01	38	670	6	< 2	3	21	0.15	< 10	< 10	62	< 10	54
BB 22398	201	202	< 0.01	35	770	10	< 2	4	32	0.15	< 10	< 10	66	< 10	60
BB 22399	201	202	< 0.01	41	800	20	< 2	5	45	0.16	< 10	< 10	61	< 10	72
BB 22400	201	202	< 0.01	37	1210	12	< 2	5	66	0.17	< 10	< 10	71	< 10	96
BB 22401	201	202	< 0.01	33	780	10	< 2	4	19	0.10	< 10	< 10	58	< 10	64
BB 22402	201	202	< 0.01	35	900	8	< 2	4	21	0.09	< 10	< 10	61	< 10	66
BB 22403	201	202	< 0.01	26	670	10	< 2	3	23	0.11	< 10	< 10	51	< 10	54
BB 22404	201	202	< 0.01	38	800	10	< 2	4	94	0.10	< 10	< 10	59	< 10	90
BB 22405	201	202	< 0.01	34	600	8	< 2	4	70	0.16	< 10	< 10	63	< 10	64
BB 22406	201	202	< 0.01	45	560	18	< 2	4	49	0.12	< 10	< 10	61	< 10	74
BB 22407	201	202	0.02	47	570	8	< 2	5	77	0.10	< 10	< 10	60	< 10	64
BB 22408	201	202	< 0.01	55	730	8	< 2	3	24	0.12	< 10	< 10	66	< 10	78
BB 22409	201	202	< 0.01	127	850	8	2	4	37	0.20	< 10	< 10	77	< 10	78
BB 22410	201	202	0.01	48	1010	44	< 2	8	153	0.18	< 10	< 10	106	< 10	98
BB 22411	201	202	< 0.01	43	650	10	< 2	4	109	0.15	< 10	< 10	60	< 10	52
BB 22412	201	202	0.02	51	1140	10	< 2	7	113	0.15	< 10	< 10	96	< 10	108
BB 22413	201	202	< 0.01	40	840	8	< 2	4	26	0.12	< 10	< 10	63	< 10	60
BB 22414	201	202	< 0.01	40	730	16	< 2	4	34	0.14	< 10	< 10	70	< 10	104

CERTIFICATION:

John A. B. ...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 5-A
Total: 5
Certificate Date: 07-AUG-96
Invoice No.: 19625934
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 22415	201	202	< 0.2	1.59	6	130	< 0.5	< 2	0.21	< 0.5	10	42	24	2.58	< 10	< 1	0.09	10	0.57	475	< 1
BB 22418	201	202	< 0.2	1.42	12	80	0.5	< 2	0.23	< 0.5	9	34	52	3.10	< 10	< 1	0.08	20	0.52	360	< 1
BB 22419	201	202	< 0.2	1.93	6	90	0.5	2	0.47	< 0.5	25	45	65	4.09	< 10	< 1	0.18	50	0.88	635	< 1
BB 22420	201	202	< 0.2	1.50	6	110	< 0.5	< 2	0.31	< 0.5	14	46	33	2.62	< 10	< 1	0.06	10	0.69	350	< 1
BB 22421	201	202	< 0.2	1.70	6	90	< 0.5	2	0.24	< 0.5	21	46	48	2.81	< 10	< 1	0.07	10	0.59	440	< 1
BB 22422	201	202	< 0.2	1.34	2	80	< 0.5	2	0.23	< 0.5	10	40	19	2.58	< 10	< 1	0.07	10	0.58	270	< 1
BB 22423	201	202	< 0.2	1.69	2	150	0.5	< 2	0.25	< 0.5	12	52	24	2.85	< 10	< 1	0.09	10	0.65	425	< 1
BB 22424	201	202	< 0.2	1.88	6	160	< 0.5	< 2	0.26	0.5	10	105	32	2.92	< 10	< 1	0.12	10	1.04	345	< 1
BB 22425	201	202	< 0.2	1.74	< 2	110	0.5	< 2	0.26	< 0.5	10	40	22	2.78	< 10	< 1	0.10	30	0.70	340	< 1
BB 22426	201	202	0.2	2.24	8	170	0.5	< 2	0.84	< 0.5	21	89	45	3.40	< 10	< 1	0.10	10	1.34	685	< 1
BB 22427	201	202	< 0.2	1.99	6	90	0.5	< 2	0.29	< 0.5	15	99	45	3.06	< 10	< 1	0.11	10	1.18	435	< 1
BB 22428	201	202	< 0.2	1.84	4	80	< 0.5	2	0.42	< 0.5	17	47	47	2.79	< 10	< 1	0.06	10	0.67	355	< 1
BB 22429	201	202	< 0.2	1.73	4	90	< 0.5	2	0.31	< 0.5	20	39	48	2.77	< 10	< 1	0.06	10	0.53	345	< 1

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments: FAX: NORDAC RESOURCES

Page : 5-B
Total : 5
Certificate Date: 07-AUG-96
Invoice No. : 19625934
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625934

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 22415	201	202	< 0.01	29	670	12	2	3	33	0.09	< 10	< 10	57	< 10	56
BB 22418	201	202	< 0.01	21	710	8	< 2	3	19	0.07	< 10	< 10	48	< 10	46
BB 22419	201	202	< 0.01	55	1550	6	< 2	4	26	0.13	< 10	< 10	59	< 10	78
BB 22420	201	202	< 0.01	47	790	6	< 2	3	19	0.11	< 10	< 10	53	< 10	52
BB 22421	201	202	< 0.01	41	400	8	< 2	4	20	0.14	< 10	< 10	61	< 10	48
BB 22422	201	202	< 0.01	27	550	6	< 2	3	15	0.12	< 10	< 10	55	< 10	44
BB 22423	201	202	< 0.01	35	700	8	< 2	3	19	0.11	< 10	< 10	60	< 10	58
BB 22424	201	202	< 0.01	70	840	8	< 2	4	17	0.10	< 10	< 10	73	< 10	112
BB 22425	201	202	< 0.01	35	700	6	< 2	3	25	0.09	< 10	< 10	51	< 10	48
BB 22426	201	202	0.01	66	1030	10	< 2	6	54	0.15	< 10	< 10	73	< 10	84
BB 22427	201	202	< 0.01	75	820	6	< 2	4	21	0.11	< 10	< 10	77	< 10	72
BB 22428	201	202	< 0.01	35	610	6	< 2	4	27	0.16	< 10	< 10	69	< 10	46
BB 22429	201	202	< 0.01	32	760	6	< 2	3	21	0.13	< 10	< 10	64	< 10	46

CERTIFICATION:

John D. Sullivan



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 1-A
Total Pages: 6
Certificate Date: 04-AUG-96
Invoice No.: I9625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB22020	201 202	< 0.2	1.46	22	120	< 0.5	< 2	0.35	< 0.5	11	40	28	2.63	< 10	< 1	0.05	10	0.90	465	1
BB22021	201 202	< 0.2	1.64	28	170	< 0.5	< 2	0.41	< 0.5	12	44	27	2.80	< 10	< 1	0.06	10	0.97	475	1
BB22022	201 202	0.2	1.73	56	220	0.5	< 2	0.66	0.5	12	48	35	2.84	< 10	< 1	0.09	10	1.04	515	1
BB22023	201 202	0.2	2.30	18	220	0.5	< 2	0.68	0.5	14	55	39	3.64	< 10	1	0.21	10	1.30	560	1
BB22024	201 202	< 0.2	2.23	26	270	0.5	< 2	0.64	0.5	15	56	44	3.40	< 10	< 1	0.14	10	1.20	650	2
BB22025	201 202	0.2	2.04	38	230	< 0.5	< 2	0.33	0.5	12	49	35	3.11	< 10	< 1	0.10	10	0.96	440	1
BB22026	201 202	0.2	2.45	30	240	0.5	< 2	0.26	0.5	11	53	35	3.36	< 10	< 1	0.10	10	1.00	320	1
BB22027	201 202	< 0.2	2.13	16	140	< 0.5	< 2	0.20	< 0.5	9	41	14	3.21	< 10	< 1	0.05	< 10	0.82	275	1
BB22028	201 202	< 0.2	2.08	22	140	< 0.5	< 2	0.22	< 0.5	11	45	15	3.10	< 10	< 1	0.05	< 10	0.90	345	1
BB22029	201 202	< 0.2	2.25	10	190	0.5	< 2	0.36	< 0.5	14	46	49	2.93	< 10	< 1	0.05	< 10	1.04	410	< 1
BB22030	201 202	< 0.2	2.16	10	400	< 0.5	< 2	0.29	< 0.5	13	34	33	2.85	< 10	< 1	0.04	< 10	0.96	260	1
BB22031	201 202	< 0.2	1.59	38	150	< 0.5	< 2	0.45	0.5	11	49	28	2.54	< 10	< 1	0.05	10	0.87	405	< 1
BB22032	201 202	0.2	1.80	90	100	< 0.5	< 2	0.29	0.5	10	45	34	2.96	< 10	< 1	0.06	< 10	0.96	380	1
BB22033	201 202	< 0.2	1.39	26	70	< 0.5	< 2	0.22	0.5	5	33	10	1.78	< 10	< 1	0.03	< 10	0.59	160	< 1
BB22034	201 202	0.2	3.47	40	310	0.5	< 2	0.56	< 0.5	15	57	78	4.04	< 10	< 1	0.11	10	1.08	490	1
BB22035	201 202	< 0.2	1.94	14	250	< 0.5	< 2	0.26	< 0.5	9	38	22	2.63	< 10	< 1	0.06	10	0.72	360	1
BB22036	201 202	0.4	1.80	74	90	< 0.5	< 2	0.26	0.5	8	41	31	2.71	< 10	< 1	0.06	< 10	0.80	310	1
BB22037	201 202	0.6	2.26	150	120	0.5	< 2	0.17	0.5	15	46	62	4.05	< 10	< 1	0.06	10	1.01	440	3
BB22038	201 202	0.2	1.93	40	130	< 0.5	< 2	0.22	< 0.5	13	57	24	3.35	< 10	< 1	0.10	< 10	0.90	910	3
BB22039	201 202	< 0.2	1.75	20	80	< 0.5	< 2	0.29	< 0.5	10	29	15	3.14	< 10	1	0.04	< 10	0.86	390	1
BB22040	201 202	< 0.2	2.25	24	150	0.5	< 2	0.27	< 0.5	13	42	25	3.21	< 10	< 1	0.06	10	0.89	400	1
BB22041	201 202	< 0.2	1.38	8	80	< 0.5	< 2	0.16	< 0.5	7	32	11	2.06	< 10	< 1	0.06	< 10	0.49	305	1
BB22042	201 202	< 0.2	2.41	22	200	< 0.5	< 2	0.16	< 0.5	11	48	17	3.63	< 10	< 1	0.06	< 10	0.81	295	1
BB22043	201 202	0.2	2.54	36	270	0.5	< 2	0.30	0.5	12	54	36	3.55	< 10	< 1	0.11	10	1.06	355	1
BB22044	201 202	< 0.2	1.91	30	240	< 0.5	< 2	0.52	< 0.5	13	50	36	3.15	< 10	< 1	0.10	10	1.07	565	1
BB22045	201 202	0.2	2.65	22	310	0.5	< 2	0.64	1.0	17	61	58	4.03	< 10	1	0.22	10	1.39	765	2
BB22046	201 202	0.2	2.37	24	230	0.5	< 2	0.46	0.5	16	55	49	3.73	< 10	< 1	0.18	10	1.20	685	3
BB22047	201 202	< 0.2	2.28	14	240	0.5	< 2	0.50	0.5	13	51	37	3.43	< 10	< 1	0.14	10	1.10	575	1
BB22048	201 202	< 0.2	2.35	28	200	< 0.5	< 2	0.35	< 0.5	12	53	36	3.56	< 10	< 1	0.10	10	1.21	485	1
BB22049	201 202	0.2	1.84	62	140	< 0.5	< 2	0.20	0.5	8	34	13	3.47	< 10	< 1	0.04	< 10	0.66	285	1
BB22050	201 202	< 0.2	1.67	10	150	< 0.5	< 2	0.34	< 0.5	11	38	37	2.46	< 10	< 1	0.06	< 10	0.87	475	1
BB22051	201 202	< 0.2	1.62	6	210	< 0.5	< 2	0.34	< 0.5	10	33	25	2.40	< 10	< 1	0.05	< 10	0.79	320	1
BB22052	201 202	< 0.2	2.37	34	470	0.5	< 2	0.47	0.5	15	52	152	3.57	< 10	< 1	0.05	10	1.08	585	< 1
BB22053	201 202	< 0.2	1.69	50	70	< 0.5	< 2	0.18	< 0.5	9	40	19	3.03	< 10	< 1	0.05	< 10	0.71	370	1
BB22054	201 202	0.2	2.11	122	160	0.5	< 2	0.31	0.5	16	53	50	3.48	< 10	< 1	0.07	< 10	1.17	570	< 1
BB22055	201 202	0.2	2.45	48	150	0.5	< 2	0.32	0.5	20	47	48	3.46	< 10	< 1	0.08	< 10	1.03	690	1
BB22056	201 202	< 0.2	1.83	12	80	< 0.5	< 2	0.18	< 0.5	8	38	55	2.90	< 10	< 1	0.04	< 10	0.63	240	< 1
BB22057	201 202	< 0.2	1.58	78	80	< 0.5	< 2	0.22	0.5	20	44	42	3.70	< 10	< 1	0.06	10	0.92	805	3
BB22058	201 202	0.2	1.71	6	120	< 0.5	< 2	0.25	0.5	17	82	35	2.54	< 10	< 1	0.07	< 10	0.91	440	< 1
BB22059	201 202	0.2	1.68	6	60	< 0.5	< 2	0.15	1.0	8	63	25	3.36	< 10	< 1	0.07	< 10	0.60	445	< 1

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 1-B
Total: 6
Certificate Date: 04-AUG-96
Invoice No.: I9625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB22020	201 202	< 0.01	30	610	24	< 2	4	21	0.11	< 10	< 10	48	< 10	70
BB22021	201 202	< 0.01	29	690	28	< 2	4	26	0.11	< 10	< 10	53	< 10	84
BB22022	201 202	< 0.01	31	740	28	< 2	5	37	0.11	< 10	< 10	53	< 10	100
BB22023	201 202	< 0.01	39	730	24	< 2	6	41	0.12	< 10	< 10	64	< 10	132
BB22024	201 202	< 0.01	43	700	26	< 2	6	37	0.11	< 10	< 10	59	< 10	122
BB22025	201 202	< 0.01	31	400	30	< 2	4	23	0.08	< 10	< 10	56	< 10	114
BB22026	201 202	< 0.01	43	530	22	< 2	4	18	0.08	< 10	< 10	52	< 10	110
BB22027	201 202	< 0.01	25	410	16	< 2	3	13	0.09	< 10	< 10	51	< 10	88
BB22028	201 202	< 0.01	29	360	16	< 2	3	15	0.10	< 10	< 10	53	< 10	94
BB22029	201 202	< 0.01	36	360	20	< 2	5	20	0.10	< 10	< 10	53	< 10	76
BB22030	201 202	< 0.01	23	190	14	< 2	4	20	0.11	< 10	< 10	54	< 10	54
BB22031	201 202	< 0.01	37	680	22	< 2	4	27	0.10	< 10	< 10	49	< 10	92
BB22032	201 202	< 0.01	28	790	32	< 2	4	19	0.08	< 10	< 10	53	< 10	102
BB22033	201 202	< 0.01	14	280	20	< 2	3	16	0.10	< 10	< 10	40	< 10	46
BB22034	201 202	< 0.01	46	1000	18	< 2	8	33	0.09	< 10	< 10	67	< 10	148
BB22035	201 202	< 0.01	27	540	14	< 2	3	16	0.09	< 10	< 10	44	< 10	66
BB22036	201 202	< 0.01	27	1400	26	< 2	1	18	0.05	< 10	< 10	41	< 10	90
BB22037	201 202	< 0.01	42	450	40	< 2	4	15	0.06	< 10	< 10	50	< 10	156
BB22038	201 202	< 0.01	26	710	22	< 2	4	18	0.13	< 10	< 10	68	< 10	104
BB22039	201 202	< 0.01	15	580	10	< 2	3	20	0.14	< 10	< 10	79	< 10	62
BB22040	201 202	< 0.01	30	550	146	< 2	4	16	0.09	< 10	< 10	57	< 10	164
BB22041	201 202	< 0.01	14	370	20	< 2	3	12	0.09	< 10	< 10	53	< 10	96
BB22042	201 202	< 0.01	30	310	22	< 2	4	14	0.11	< 10	< 10	67	< 10	76
BB22043	201 202	< 0.01	43	450	30	< 2	4	22	0.09	< 10	< 10	56	< 10	112
BB22044	201 202	< 0.01	36	740	24	< 2	5	32	0.11	< 10	< 10	57	< 10	104
BB22045	201 202	< 0.01	55	670	26	< 2	7	42	0.11	< 10	< 10	68	< 10	148
BB22046	201 202	< 0.01	46	700	24	< 2	6	34	0.12	< 10	< 10	62	< 10	130
BB22047	201 202	< 0.01	36	490	22	< 2	5	32	0.11	< 10	< 10	62	< 10	112
BB22048	201 202	< 0.01	38	490	26	< 2	5	27	0.11	< 10	< 10	60	< 10	108
BB22049	201 202	< 0.01	16	310	44	< 2	3	15	0.08	< 10	< 10	58	< 10	80
BB22050	201 202	< 0.01	32	520	20	< 2	4	19	0.09	< 10	< 10	43	< 10	124
BB22051	201 202	< 0.01	23	250	14	< 2	3	18	0.06	< 10	< 10	38	< 10	58
BB22052	201 202	< 0.01	27	680	18	< 2	13	29	0.05	< 10	< 10	60	< 10	70
BB22053	201 202	< 0.01	20	700	24	< 2	3	12	0.08	< 10	< 10	63	< 10	72
BB22054	201 202	< 0.01	41	590	44	< 2	5	21	0.09	< 10	< 10	55	< 10	140
BB22055	201 202	< 0.01	38	770	34	< 2	5	19	0.09	< 10	< 10	60	< 10	100
BB22056	201 202	< 0.01	25	470	8	< 2	3	13	0.11	< 10	< 10	56	< 10	48
BB22057	201 202	< 0.01	39	740	46	< 2	3	19	0.07	< 10	< 10	55	< 10	116
BB22058	201 202	< 0.01	111	490	32	< 2	4	15	0.09	< 10	< 10	56	< 10	100
BB22059	201 202	< 0.01	32	760	38	< 2	3	11	0.10	< 10	< 10	71	< 10	100

CERTIFICATION:

Hart Bechler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 2-A
Total: 6
Certificate Date: 04-AUG-96
Invoice No.: 19625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB22060	201 202	6.0	6.71	68	610	1.5	< 2	0.42	2.0	32	195	200	5.47	10	< 1	0.17	10	1.20	1095	3
BB22061	201 202	0.2	1.70	2	100	< 0.5	< 2	0.35	0.5	11	57	38	2.52	< 10	< 1	0.09	< 10	0.75	370	< 1
BB22062	201 202	0.2	2.13	6	180	0.5	< 2	0.23	0.5	15	74	57	3.10	< 10	< 1	0.10	< 10	0.80	560	< 1
BB22063	201 202	0.2	2.05	4	140	0.5	< 2	0.26	0.5	17	65	64	3.10	< 10	< 1	0.11	< 10	0.86	530	< 1
BB22064	201 202	0.4	2.98	4	280	0.5	< 2	0.51	0.5	24	93	84	3.65	< 10	1	0.14	10	1.12	930	1
BB22065	201 202	0.4	3.22	6	280	0.5	< 2	0.42	0.5	20	91	75	4.38	< 10	< 1	0.14	10	1.11	860	1
BB22066	201 202	0.2	1.68	2	110	< 0.5	< 2	0.31	0.5	12	56	32	2.47	< 10	1	0.07	< 10	0.68	425	< 1
BB22067	201 202	< 0.2	1.86	4	150	< 0.5	< 2	0.53	0.5	15	68	49	2.68	< 10	< 1	0.09	10	0.85	450	< 1
BB22068	201 202	< 0.2	1.67	2	120	< 0.5	< 2	0.35	< 0.5	11	59	32	2.32	< 10	< 1	0.07	10	0.70	265	< 1
BB22069	201 202	< 0.2	2.13	< 2	180	0.5	< 2	0.47	0.5	16	99	59	3.14	< 10	< 1	0.17	10	1.09	455	< 1
BB22070	201 202	0.2	2.37	10	190	0.5	< 2	0.29	< 0.5	18	96	60	3.43	< 10	< 1	0.12	10	1.03	760	< 1
BB22071	201 202	0.2	2.23	6	200	0.5	< 2	0.25	0.5	17	109	58	3.41	< 10	< 1	0.11	< 10	0.91	620	< 1
BB22072	201 202	0.8	3.54	8	310	0.5	< 2	0.33	1.0	23	92	91	4.34	< 10	< 1	0.15	10	1.19	850	1
BB22073	201 202	0.2	2.64	< 2	230	0.5	< 2	0.46	0.5	20	112	85	3.68	< 10	< 1	0.16	10	1.11	720	< 1
BB22074	201 202	0.2	3.10	4	280	0.5	< 2	0.22	0.5	21	143	75	3.99	< 10	< 1	0.17	10	1.28	760	< 1
BB22075	201 202	0.2	1.49	< 2	80	< 0.5	< 2	0.18	< 0.5	9	43	25	2.27	< 10	< 1	0.06	< 10	0.53	360	< 1
BB22076	201 202	0.6	3.29	2	290	0.5	< 2	0.37	0.5	20	124	81	4.00	< 10	1	0.11	10	1.01	725	< 1
BB22077	201 202	1.8	6.29	76	460	1.0	< 2	0.45	1.5	57	313	198	7.06	10	1	0.14	< 10	1.31	1380	1
BB22078	201 202	0.4	1.51	6	70	< 0.5	< 2	0.15	0.5	8	70	39	3.18	< 10	< 1	0.06	< 10	0.60	300	1
BB22079	201 202	0.2	1.31	6	80	< 0.5	< 2	0.15	< 0.5	7	42	19	2.15	< 10	< 1	0.05	< 10	0.58	315	< 1
BB22080	201 202	0.2	2.04	14	70	< 0.5	< 2	0.14	0.5	9	72	30	4.12	< 10	< 1	0.05	< 10	0.84	355	< 1
BB22081	201 202	0.6	1.45	50	90	1.0	< 2	0.32	1.0	9	47	31	2.36	< 10	< 1	0.07	10	0.72	425	< 1
BB22082	201 202	0.2	1.49	14	110	0.5	< 2	0.30	1.0	38	63	24	3.04	< 10	< 1	0.12	< 10	0.77	2330	1
BB22083	201 202	1.2	1.81	24	100	1.5	< 2	0.30	0.5	9	58	46	2.56	< 10	< 1	0.08	10	0.77	515	1
BB22084	201 202	0.2	1.45	4	110	0.5	< 2	0.28	0.5	8	45	23	2.41	< 10	< 1	0.07	10	0.64	375	< 1
BB22085	201 202	0.6	1.98	8	100	0.5	< 2	0.34	1.0	15	60	48	3.04	< 10	< 1	0.09	10	0.85	1310	1
BB22086	201 202	0.2	1.60	6	110	< 0.5	< 2	0.29	< 0.5	11	47	28	2.57	< 10	< 1	0.10	10	0.69	455	< 1
BB22087	201 202	0.2	1.85	2	110	0.5	< 2	0.33	0.5	13	51	45	2.79	< 10	< 1	0.16	10	0.80	740	< 1
BB22088	201 202	0.2	1.50	6	90	< 0.5	< 2	0.35	< 0.5	9	45	35	2.80	< 10	< 1	0.09	10	0.65	385	< 1
BB22089	201 202	0.2	2.47	4	220	1.0	< 2	0.48	0.5	32	78	47	4.11	< 10	< 1	0.14	10	0.86	2110	1
BB22090	201 202	< 0.2	1.62	8	130	< 0.5	< 2	0.34	0.5	13	52	33	2.70	< 10	< 1	0.09	10	0.86	385	< 1
BB22091	201 202	< 0.2	1.41	4	110	< 0.5	< 2	0.28	< 0.5	13	44	33	2.68	< 10	< 1	0.08	10	0.79	510	< 1
BB22092	201 202	0.2	1.78	6	110	0.5	< 2	0.30	0.5	18	59	57	3.15	< 10	< 1	0.07	10	0.83	510	1
BB22093	201 202	< 0.2	1.64	2	120	< 0.5	< 2	0.18	< 0.5	11	64	28	2.81	< 10	< 1	0.08	< 10	0.75	420	< 1
BB22094	201 202	< 0.2	1.46	2	100	< 0.5	< 2	0.23	< 0.5	9	43	26	2.36	< 10	1	0.07	< 10	0.70	295	< 1
BB22095	201 202	< 0.2	2.19	6	190	0.5	< 2	0.34	< 0.5	15	79	42	3.05	< 10	< 1	0.12	10	0.96	580	< 1
BB22096	201 202	0.4	2.63	8	180	0.5	< 2	0.30	0.5	17	67	56	3.50	< 10	< 1	0.19	10	0.96	910	< 1
BB22097	201 202	0.2	2.18	4	150	0.5	< 2	0.34	< 0.5	14	69	45	3.00	< 10	< 1	0.12	< 10	0.89	575	1
BB22098	201 202	0.4	1.58	2	160	< 0.5	< 2	0.25	< 0.5	14	71	26	2.45	< 10	< 1	0.07	< 10	0.61	1015	1
BB22099	201 202	0.6	2.62	12	100	1.0	< 2	0.46	< 0.5	29	166	84	3.43	< 10	1	0.05	10	2.00	1635	< 1

CERTIFICATION:

David Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 2-B
Total: 6
Certificate Date: 04-AUG-96
Invoice No.: I9625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB22060	201	202	0.01	177	1040	362	< 2	14	39	0.11	< 10	< 10	129	< 10	484
BB22061	201	202	< 0.01	42	610	30	< 2	4	20	0.12	< 10	< 10	57	< 10	82
BB22062	201	202	< 0.01	56	550	52	< 2	5	18	0.10	< 10	< 10	68	< 10	114
BB22063	201	202	< 0.01	56	610	48	< 2	4	17	0.12	< 10	< 10	67	< 10	110
BB22064	201	202	< 0.01	69	1160	88	< 2	6	40	0.10	< 10	< 10	84	< 10	140
BB22065	201	202	< 0.01	63	1160	76	< 2	6	50	0.13	< 10	< 10	102	< 10	162
BB22066	201	202	< 0.01	35	530	36	< 2	4	20	0.14	< 10	< 10	63	< 10	68
BB22067	201	202	< 0.01	47	810	54	< 2	6	30	0.14	< 10	< 10	65	< 10	100
BB22068	201	202	< 0.01	40	690	18	< 2	4	21	0.14	< 10	< 10	60	< 10	64
BB22069	201	202	< 0.01	75	920	16	< 2	6	31	0.16	< 10	< 10	79	< 10	126
BB22070	201	202	< 0.01	81	620	20	< 2	6	22	0.13	< 10	< 10	83	< 10	104
BB22071	201	202	< 0.01	86	730	46	< 2	6	17	0.12	< 10	< 10	80	< 10	106
BB22072	201	202	< 0.01	72	960	62	< 2	7	30	0.11	< 10	< 10	95	< 10	162
BB22073	201	202	< 0.01	76	380	62	< 2	9	31	0.16	< 10	< 10	89	< 10	132
BB22074	201	202	< 0.01	148	570	38	< 2	7	21	0.12	< 10	< 10	92	< 10	124
BB22075	201	202	< 0.01	30	650	12	< 2	3	12	0.09	< 10	< 10	50	< 10	56
BB22076	201	202	< 0.01	97	570	76	< 2	10	29	0.14	< 10	< 10	93	< 10	136
BB22077	201	202	< 0.01	496	1520	154	< 2	16	38	0.11	< 10	< 10	166	< 10	322
BB22078	201	202	< 0.01	46	760	24	< 2	2	13	0.11	< 10	< 10	67	< 10	80
BB22079	201	202	< 0.01	29	300	48	< 2	2	15	0.10	< 10	< 10	52	< 10	86
BB22080	201	202	< 0.01	40	530	26	< 2	3	11	0.15	< 10	< 10	102	< 10	84
BB22081	201	202	< 0.01	50	670	186	< 2	3	18	0.08	< 10	< 10	44	< 10	342
BB22082	201	202	< 0.01	35	950	92	< 2	2	21	0.13	< 10	< 10	71	< 10	100
BB22083	201	202	< 0.01	49	860	82	< 2	4	20	0.09	< 10	< 10	52	< 10	250
BB22084	201	202	< 0.01	31	670	56	< 2	3	21	0.09	< 10	< 10	47	< 10	168
BB22085	201	202	< 0.01	54	810	182	< 2	4	19	0.12	< 10	< 10	63	< 10	214
BB22086	201	202	< 0.01	37	670	26	< 2	3	17	0.11	< 10	< 10	53	< 10	74
BB22087	201	202	< 0.01	44	700	34	< 2	4	21	0.13	< 10	< 10	57	< 10	92
BB22088	201	202	< 0.01	32	870	194	< 2	3	23	0.12	< 10	< 10	57	< 10	114
BB22089	201	202	< 0.01	54	1430	70	< 2	4	48	0.13	< 10	< 10	80	< 10	106
BB22090	201	202	< 0.01	48	920	20	< 2	4	19	0.11	< 10	< 10	57	< 10	78
BB22091	201	202	< 0.01	42	850	14	< 2	3	17	0.09	< 10	< 10	52	< 10	70
BB22092	201	202	< 0.01	59	960	20	< 2	5	18	0.09	< 10	< 10	66	< 10	122
BB22093	201	202	< 0.01	49	790	14	< 2	3	16	0.09	< 10	< 10	61	< 10	68
BB22094	201	202	< 0.01	36	780	14	< 2	3	13	0.08	< 10	< 10	50	< 10	64
BB22095	201	202	< 0.01	62	830	20	< 2	4	30	0.10	< 10	< 10	65	< 10	84
BB22096	201	202	< 0.01	53	820	28	< 2	5	28	0.10	< 10	< 10	67	< 10	112
BB22097	201	202	< 0.01	50	960	38	< 2	4	24	0.10	< 10	< 10	67	< 10	98
BB22098	201	202	< 0.01	54	1240	24	< 2	1	24	0.07	< 10	< 10	59	< 10	50
BB22099	201	202	< 0.01	220	580	18	< 2	6	50	0.09	< 10	< 10	66	< 10	102

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 3-A
Total Pages: 6
Certificate Date: 04-AUG-96
Invoice No.: 19625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB22100	201	202	0.2	2.00	2	90	< 0.5	< 2	0.20	< 0.5	19	99	27	3.99	< 10	< 1	0.10	< 10	1.27	2300	< 1
BB22101	201	202	0.4	2.49	2	100	1.5	< 2	0.15	0.5	11	59	29	3.65	< 10	< 1	0.08	< 10	0.60	515	< 1
BB22102	201	202	0.2	1.59	6	80	0.5	< 2	0.27	0.5	10	48	19	2.75	< 10	< 1	0.07	< 10	0.62	505	< 1
BB22103	201	202	1.8	2.09	42	80	3.5	< 2	0.38	0.5	17	63	26	3.57	< 10	< 1	0.11	< 10	1.01	1065	1
BB22104	201	202	< 0.2	1.82	6	70	< 0.5	< 2	0.28	0.5	9	49	16	2.96	< 10	< 1	0.08	< 10	0.60	290	< 1
BB22105	201	202	1.0	1.75	54	100	0.5	< 2	0.27	2.0	10	50	24	2.76	< 10	< 1	0.06	10	0.76	625	1
BB22106	201	202	1.4	2.49	116	110	2.0	< 2	0.43	4.5	14	67	40	3.26	< 10	< 1	0.08	10	0.79	1135	1
BB22107	201	202	0.2	1.91	48	90	0.5	< 2	0.30	1.0	13	53	38	3.07	< 10	< 1	0.08	10	0.73	545	1
BB22108	201	202	0.2	1.64	10	80	< 0.5	< 2	0.21	0.5	7	46	17	2.90	< 10	< 1	0.05	10	0.51	305	< 1
BB22109	201	202	0.6	1.90	12	120	0.5	< 2	0.36	1.0	14	46	36	3.05	< 10	< 1	0.09	10	0.78	1050	1
BB22110	201	202	0.2	1.90	4	90	0.5	< 2	0.27	0.5	12	45	23	2.89	< 10	1	0.07	10	0.71	370	< 1
BB22111	201	202	0.2	1.93	6	100	0.5	< 2	0.22	< 0.5	10	49	31	3.24	< 10	< 1	0.08	10	0.70	405	< 1
BB22112	201	202	0.4	2.03	8	110	0.5	< 2	0.33	< 0.5	14	51	41	2.99	< 10	< 1	0.13	10	0.81	515	< 1
BB22113	201	202	< 0.2	2.07	2	80	0.5	< 2	0.16	< 0.5	9	46	29	2.71	< 10	< 1	0.08	< 10	0.57	410	< 1
BB22114	201	202	< 0.2	1.90	4	110	0.5	< 2	0.28	< 0.5	13	56	31	3.04	< 10	< 1	0.08	10	0.74	455	< 1
BB22115	201	202	< 0.2	2.39	2	100	0.5	< 2	0.35	< 0.5	17	59	43	3.53	< 10	< 1	0.18	10	0.88	710	< 1
BB22116	201	202	0.8	2.66	10	160	1.0	< 2	0.56	1.5	23	61	71	3.93	< 10	< 1	0.17	20	1.10	1050	< 1
BB22117	201	202	< 0.2	2.34	4	140	0.5	< 2	0.42	0.5	20	69	43	3.75	< 10	< 1	0.19	10	1.06	920	< 1
BB22118	201	202	< 0.2	1.76	< 2	110	0.5	< 2	0.32	< 0.5	13	53	33	2.82	< 10	< 1	0.09	10	0.84	385	< 1
BB22119	201	202	0.2	1.99	6	140	0.5	< 2	0.39	0.5	18	59	48	2.93	< 10	< 1	0.12	10	0.93	615	< 1
BB22120	201	202	0.2	1.88	2	100	0.5	< 2	0.32	< 0.5	18	47	55	3.01	< 10	< 1	0.10	10	0.79	650	< 1
BB22121	201	202	0.2	1.80	4	90	0.5	< 2	0.26	0.5	13	49	25	2.87	< 10	< 1	0.08	< 10	0.76	420	< 1
BB22122	201	202	0.2	2.12	2	150	0.5	< 2	0.39	< 0.5	16	59	48	3.01	< 10	< 1	0.09	10	0.87	580	< 1
BB22123	201	202	0.2	1.98	< 2	100	0.5	< 2	0.36	0.5	13	55	40	2.91	< 10	< 1	0.07	10	0.84	600	< 1
BB22124	201	202	1.2	1.95	46	100	0.5	< 2	0.32	1.5	13	49	40	3.29	< 10	< 1	0.07	10	0.71	1185	1
BB22125	201	202	0.6	2.01	12	110	0.5	< 2	0.28	1.0	12	58	33	3.18	< 10	< 1	0.09	10	0.78	710	1
BB22126	201	202	0.2	1.09	30	90	< 0.5	< 2	0.22	1.5	5	43	16	1.96	< 10	< 1	0.08	10	0.35	270	< 1
BB22127	201	202	0.4	1.52	16	120	0.5	< 2	0.25	1.5	8	49	21	2.45	< 10	< 1	0.06	10	0.54	460	1
BB22128	201	202	< 0.2	1.72	12	80	< 0.5	< 2	0.25	1.0	9	48	22	3.21	< 10	< 1	0.06	10	0.69	330	< 1
BB22129	201	202	0.4	2.38	12	80	< 0.5	< 2	0.27	1.5	14	78	24	4.79	< 10	< 1	0.06	< 10	0.94	640	< 1
BB22130	201	202	0.2	2.73	62	100	0.5	< 2	0.45	2.0	45	87	30	5.27	< 10	< 1	0.07	< 10	1.29	2830	1
BB22131	201	202	2.2	1.76	82	70	< 0.5	< 2	0.22	1.0	8	52	27	2.98	< 10	< 1	0.04	< 10	0.51	340	< 1
BB22132	201	202	0.4	2.07	12	110	0.5	< 2	0.38	0.5	15	66	45	2.96	< 10	< 1	0.08	< 10	0.86	520	< 1
BB22133	201	202	< 0.2	1.82	14	100	0.5	< 2	0.21	0.5	9	55	26	3.62	< 10	< 1	0.08	< 10	0.66	400	1
BB22134	201	202	0.2	2.01	18	140	0.5	< 2	0.38	0.5	14	57	44	3.19	< 10	< 1	0.12	10	0.73	565	< 1
BB22135	201	202	< 0.2	1.75	8	110	< 0.5	< 2	0.32	< 0.5	13	48	25	2.81	< 10	< 1	0.10	10	0.76	465	< 1
BB22136	201	202	< 0.2	1.88	8	110	< 0.5	< 2	0.29	0.5	10	56	26	2.90	< 10	< 1	0.10	10	0.76	365	< 1
BB22137	201	202	< 0.2	2.24	6	130	0.5	< 2	0.32	< 0.5	17	68	49	3.15	< 10	< 1	0.13	10	0.85	510	< 1
BB22138	201	202	< 0.2	1.86	6	110	0.5	< 2	0.32	< 0.5	12	54	32	2.58	< 10	< 1	0.10	10	0.74	355	< 1
BB22139	201	202	< 0.2	1.79	2	130	0.5	< 2	0.33	< 0.5	13	53	29	2.57	< 10	< 1	0.09	10	0.75	390	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 3-B
Total: 6
Certificate Date: 04-AUG-96
Invoice No.: I9625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB22100	201 202	< 0.01	72	730	60	< 2	4	11	0.19	< 10	< 10	93	< 10	134
BB22101	201 202	< 0.01	38	670	82	< 2	4	12	0.14	< 10	< 10	68	< 10	116
BB22102	201 202	< 0.01	34	880	62	< 2	3	14	0.12	< 10	< 10	56	< 10	96
BB22103	201 202	< 0.01	32	860	162	< 2	4	23	0.13	< 10	< 10	69	< 10	176
BB22104	201 202	< 0.01	29	610	44	< 2	3	14	0.14	< 10	< 10	58	< 10	110
BB22105	201 202	< 0.01	33	680	270	< 2	3	16	0.09	< 10	< 10	51	< 10	358
BB22106	201 202	< 0.01	43	1330	668	< 2	4	25	0.07	< 10	< 10	57	< 10	820
BB22107	201 202	< 0.01	39	940	154	< 2	3	17	0.11	< 10	< 10	62	< 10	184
BB22108	201 202	< 0.01	24	1000	46	< 2	2	14	0.10	< 10	< 10	54	< 10	70
BB22109	201 202	< 0.01	37	890	158	< 2	4	23	0.11	< 10	< 10	55	< 10	192
BB22110	201 202	< 0.01	36	610	54	< 2	3	15	0.12	< 10	< 10	56	< 10	84
BB22111	201 202	< 0.01	36	720	104	< 2	3	17	0.11	< 10	< 10	64	< 10	110
BB22112	201 202	< 0.01	39	800	92	< 2	4	22	0.14	< 10	< 10	61	< 10	114
BB22113	201 202	< 0.01	29	830	16	< 2	2	13	0.11	< 10	< 10	56	< 10	62
BB22114	201 202	< 0.01	39	830	20	< 2	3	22	0.13	< 10	< 10	62	< 10	74
BB22115	201 202	< 0.01	42	1120	18	< 2	4	33	0.18	< 10	< 10	62	< 10	96
BB22116	201 202	< 0.01	58	910	152	< 2	6	70	0.17	< 10	< 10	67	< 10	298
BB22117	201 202	< 0.01	49	1070	54	< 2	4	57	0.16	< 10	< 10	69	< 10	122
BB22118	201 202	< 0.01	47	810	20	< 2	3	22	0.13	< 10	< 10	58	< 10	76
BB22119	201 202	< 0.01	55	990	32	< 2	5	25	0.13	< 10	< 10	61	< 10	108
BB22120	201 202	< 0.01	44	900	54	< 2	5	27	0.13	< 10	< 10	62	< 10	106
BB22121	201 202	< 0.01	41	700	72	< 2	3	17	0.13	< 10	< 10	60	< 10	86
BB22122	201 202	< 0.01	45	860	78	< 2	5	31	0.15	< 10	< 10	65	< 10	120
BB22123	201 202	< 0.01	42	860	132	< 2	4	19	0.13	< 10	< 10	58	< 10	176
BB22124	201 202	< 0.01	37	990	338	< 2	4	18	0.10	< 10	< 10	58	< 10	284
BB22125	201 202	< 0.01	32	1120	120	< 2	3	21	0.10	< 10	< 10	68	< 10	148
BB22126	201 202	< 0.01	16	690	114	< 2	2	18	0.09	< 10	< 10	50	< 10	104
BB22127	201 202	< 0.01	22	560	158	< 2	3	17	0.11	< 10	< 10	54	< 10	162
BB22128	201 202	< 0.01	28	570	52	< 2	3	14	0.12	< 10	< 10	65	< 10	106
BB22129	201 202	< 0.01	32	530	30	< 2	6	15	0.19	< 10	< 10	125	< 10	182
BB22130	201 202	< 0.01	40	1230	148	< 2	7	24	0.21	< 10	< 10	139	< 10	286
BB22131	201 202	< 0.01	19	1210	258	< 2	2	11	0.09	< 10	< 10	67	< 10	214
BB22132	201 202	< 0.01	40	590	82	< 2	6	14	0.17	< 10	< 10	66	< 10	150
BB22133	201 202	< 0.01	32	960	48	< 2	3	13	0.09	< 10	< 10	65	< 10	116
BB22134	201 202	< 0.01	42	860	120	< 2	6	23	0.14	< 10	< 10	65	< 10	158
BB22135	201 202	< 0.01	37	750	24	< 2	4	18	0.13	< 10	< 10	59	< 10	88
BB22136	201 202	< 0.01	40	710	22	< 2	4	17	0.14	< 10	< 10	63	< 10	80
BB22137	201 202	< 0.01	55	750	18	< 2	5	20	0.15	< 10	< 10	66	< 10	104
BB22138	201 202	< 0.01	44	750	18	< 2	4	19	0.13	< 10	< 10	55	< 10	76
BB22139	201 202	< 0.01	44	750	14	< 2	4	19	0.12	< 10	< 10	55	< 10	68

CERTIFICATION:

[Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments: ATTN:NORDAC RESOURCES

Page : 4-A
Total : 6
Certificate Date: 04-AUG-96
Invoice No. : 19625761
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB22140	201	202	< 0.2	1.77	6	120	0.5	< 2	0.46	< 0.5	12	55	35	2.66	< 10	< 1	0.14	10	0.73	435	< 1
BB22141	201	202	< 0.2	2.88	10	190	0.5	2	0.45	< 0.5	19	87	63	3.60	< 10	< 1	0.21	10	1.12	815	< 1
BB22142	201	202	0.2	2.64	6	210	0.5	< 2	0.44	0.5	17	76	54	3.28	< 10	< 1	0.17	10	1.10	670	1
BB22143	201	202	< 0.2	1.85	6	110	< 0.5	2	0.30	< 0.5	11	50	25	2.73	< 10	< 1	0.10	10	0.70	380	< 1
BB22144	201	202	0.2	1.95	8	140	< 0.5	2	0.41	< 0.5	15	62	46	2.81	< 10	< 1	0.14	10	0.88	615	< 1
BB22145	201	202	< 0.2	2.34	4	130	0.5	< 2	0.35	< 0.5	15	61	49	3.10	< 10	< 1	0.16	10	0.93	685	1
BB22146	201	202	0.2	1.68	8	110	< 0.5	2	0.25	< 0.5	9	42	21	2.43	< 10	< 1	0.09	< 10	0.69	350	< 1
BB22147	201	202	0.2	1.70	6	110	< 0.5	< 2	0.31	< 0.5	10	41	30	2.60	< 10	< 1	0.10	10	0.70	425	< 1
BB22148	201	202	0.2	1.95	8	140	0.5	< 2	0.31	1.0	12	53	43	2.99	< 10	< 1	0.10	10	0.84	720	< 1
BB22149	201	202	0.2	1.64	12	70	< 0.5	< 2	0.21	< 0.5	8	45	27	2.64	< 10	< 1	0.06	10	0.63	365	< 1
BB22150	201	202	0.2	1.85	16	80	< 0.5	2	0.29	0.5	9	45	31	2.95	< 10	< 1	0.08	10	0.74	440	< 1
BB22151	201	202	5.8	2.89	62	160	0.5	2	0.27	2.0	8	60	44	3.37	< 10	< 1	0.08	10	0.62	585	1
BB22152	201	202	0.2	1.59	18	90	< 0.5	< 2	0.36	0.5	12	48	20	2.86	< 10	< 1	0.06	< 10	0.79	455	1
BB22153	201	202	< 0.2	1.62	12	90	< 0.5	< 2	0.27	< 0.5	8	60	29	2.40	< 10	< 1	0.05	< 10	0.74	240	< 1
BB22154	201	202	0.4	2.14	18	130	0.5	< 2	0.26	< 0.5	17	145	37	3.04	< 10	< 1	0.09	10	1.07	405	< 1
BB22155	201	202	0.2	2.02	2	100	< 0.5	< 2	0.23	< 0.5	11	45	24	2.53	< 10	< 1	0.07	< 10	0.74	255	< 1
BB22156	201	202	6.6	1.91	116	100	< 0.5	8	0.23	2.0	12	49	69	3.15	< 10	< 1	0.07	< 10	0.79	335	< 1
BB22157	201	202	0.2	2.83	10	150	0.5	2	0.38	< 0.5	15	70	63	3.60	< 10	< 1	0.13	10	0.88	610	< 1
BB22158	201	202	0.6	2.59	12	160	0.5	< 2	0.37	< 0.5	13	69	37	3.42	< 10	< 1	0.13	10	0.82	625	1
BB22159	201	202	< 0.2	2.09	8	100	0.5	2	0.30	< 0.5	13	61	38	3.10	< 10	< 1	0.15	10	0.78	405	< 1
BB22160	201	202	< 0.2	1.75	< 2	130	0.5	< 2	0.36	< 0.5	13	53	36	2.66	< 10	< 1	0.13	10	0.76	420	< 1
BB22161	201	202	< 0.2	1.80	6	120	0.5	< 2	0.27	< 0.5	11	52	34	2.85	< 10	< 1	0.10	10	0.70	415	< 1
BB22162	201	202	< 0.2	1.50	6	80	< 0.5	< 2	0.20	< 0.5	12	45	24	2.67	< 10	< 1	0.10	< 10	0.56	570	< 1
BB22163	201	202	< 0.2	1.82	< 2	130	< 0.5	< 2	0.26	< 0.5	11	54	38	2.64	< 10	< 1	0.09	< 10	0.67	330	< 1
BB22164	201	202	< 0.2	1.46	6	90	< 0.5	2	0.42	< 0.5	11	48	40	2.34	< 10	< 1	0.08	10	0.68	295	< 1
BB22165	201	202	< 0.2	1.65	6	80	< 0.5	2	0.28	< 0.5	14	45	66	2.72	< 10	< 1	0.05	< 10	0.76	300	< 1
BB22166	201	202	< 0.2	2.81	16	110	0.5	2	0.31	< 0.5	25	90	54	4.03	< 10	< 1	0.11	10	1.25	470	1
BB22167	201	202	< 0.2	1.90	2	90	< 0.5	2	0.36	< 0.5	17	56	65	2.97	< 10	< 1	0.07	< 10	0.88	565	< 1
BB22168	201	202	< 0.2	2.26	14	120	0.5	2	0.27	< 0.5	10	54	33	3.60	< 10	< 1	0.10	< 10	0.72	370	1
BB22169	201	202	< 0.2	1.59	6	100	< 0.5	< 2	0.32	< 0.5	10	40	21	2.43	< 10	< 1	0.07	10	0.70	260	< 1
BB22170	201	202	< 0.2	2.77	16	160	0.5	2	0.36	< 0.5	18	82	55	3.71	< 10	< 1	0.23	10	0.98	580	< 1
BB22171	201	202	< 0.2	2.11	10	130	0.5	< 2	0.36	< 0.5	15	57	38	2.96	< 10	< 1	0.16	10	0.85	525	< 1
BB22172	201	202	< 0.2	2.17	12	130	0.5	< 2	0.35	< 0.5	13	56	34	3.01	< 10	< 1	0.13	10	0.82	475	< 1
BB22173	201	202	0.2	1.74	30	100	< 0.5	< 2	0.33	< 0.5	15	78	44	2.94	< 10	< 1	0.05	< 10	0.94	340	1
BB22174	201	202	< 0.2	1.85	18	80	< 0.5	< 2	0.26	< 0.5	17	125	32	2.91	< 10	< 1	0.06	< 10	1.14	335	< 1
BB22175	201	202	1.4	2.37	28	160	0.5	2	0.26	3.5	20	168	44	4.19	< 10	< 1	0.09	10	1.45	1380	1
BB22176	201	202	0.2	1.98	70	100	< 0.5	< 2	0.16	1.0	15	99	36	4.33	< 10	< 1	0.06	< 10	0.76	560	1
BB22177	201	202	< 0.2	2.33	16	140	0.5	2	0.30	< 0.5	15	67	34	3.67	< 10	< 1	0.14	10	0.92	595	1
BB22178	201	202	< 0.2	2.60	74	200	0.5	< 2	0.95	0.5	25	69	49	3.80	< 10	< 1	0.13	10	0.91	1155	1
BB22179	201	202	0.2	1.91	56	130	0.5	< 2	0.51	0.5	12	64	56	3.16	< 10	< 1	0.09	30	0.81	650	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page : 4-B
Total : 6
Certificate Date: 04-AUG-96
Invoice No. : 19625761
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB22140	201 202	< 0.01	43	740	18	< 2	5	31	0.14	< 10	< 10	61	< 10	72
BB22141	201 202	< 0.01	66	750	56	< 2	6	34	0.16	< 10	< 10	84	< 10	154
BB22142	201 202	< 0.01	58	910	44	< 2	5	34	0.14	< 10	< 10	83	< 10	128
BB22143	201 202	< 0.01	38	790	46	< 2	3	29	0.12	< 10	< 10	63	< 10	92
BB22144	201 202	< 0.01	54	910	36	< 2	4	24	0.13	< 10	< 10	68	< 10	100
BB22145	201 202	< 0.01	52	720	58	< 2	4	20	0.14	< 10	< 10	72	< 10	108
BB22146	201 202	< 0.01	33	510	12	< 2	3	17	0.11	< 10	< 10	52	< 10	54
BB22147	201 202	< 0.01	34	830	38	< 2	4	17	0.10	< 10	< 10	53	< 10	94
BB22148	201 202	< 0.01	41	880	98	< 2	4	15	0.10	< 10	< 10	62	< 10	152
BB22149	201 202	< 0.01	28	890	94	< 2	3	11	0.08	< 10	< 10	55	< 10	104
BB22150	201 202	< 0.01	32	880	140	< 2	3	14	0.09	< 10	< 10	58	< 10	170
BB22151	201 202	< 0.01	36	2020	198	< 2	4	20	0.05	< 10	< 10	68	< 10	316
BB22152	201 202	< 0.01	31	670	54	< 2	4	19	0.12	< 10	< 10	60	< 10	216
BB22153	201 202	< 0.01	51	600	28	< 2	3	14	0.10	< 10	< 10	59	< 10	88
BB22154	201 202	< 0.01	145	720	62	< 2	4	15	0.10	< 10	< 10	65	< 10	116
BB22155	201 202	< 0.01	36	380	16	< 2	3	14	0.12	< 10	< 10	53	< 10	56
BB22156	201 202	< 0.01	34	350	372	< 2	4	14	0.12	< 10	< 10	67	< 10	214
BB22157	201 202	< 0.01	43	720	50	< 2	6	24	0.18	< 10	< 10	89	< 10	126
BB22158	201 202	< 0.01	43	1020	32	< 2	4	30	0.13	< 10	< 10	80	< 10	96
BB22159	201 202	< 0.01	48	630	12	< 2	4	20	0.16	< 10	< 10	70	< 10	72
BB22160	201 202	< 0.01	46	750	14	< 2	4	23	0.12	< 10	< 10	58	< 10	72
BB22161	201 202	< 0.01	38	680	14	< 2	3	18	0.12	< 10	< 10	61	< 10	68
BB22162	201 202	< 0.01	29	720	14	< 2	2	14	0.10	< 10	< 10	59	< 10	60
BB22163	201 202	< 0.01	40	680	10	< 2	3	15	0.12	< 10	< 10	59	< 10	62
BB22164	201 202	< 0.01	31	680	8	< 2	4	19	0.12	< 10	< 10	55	< 10	58
BB22165	201 202	< 0.01	29	310	8	< 2	3	27	0.15	< 10	< 10	63	< 10	44
BB22166	201 202	< 0.01	71	460	14	< 2	4	33	0.16	< 10	< 10	72	< 10	78
BB22167	201 202	< 0.01	40	680	18	< 2	4	21	0.14	< 10	< 10	68	< 10	70
BB22168	201 202	< 0.01	33	760	20	< 2	4	20	0.14	< 10	< 10	74	< 10	88
BB22169	201 202	< 0.01	31	700	8	< 2	3	17	0.12	< 10	< 10	53	< 10	46
BB22170	201 202	< 0.01	59	690	20	< 2	6	27	0.19	< 10	< 10	84	< 10	90
BB22171	201 202	< 0.01	50	760	34	< 2	4	22	0.14	< 10	< 10	64	< 10	88
BB22172	201 202	< 0.01	45	790	20	< 2	4	22	0.13	< 10	< 10	64	< 10	84
BB22173	201 202	< 0.01	92	640	34	< 2	4	16	0.13	< 10	< 10	73	< 10	76
BB22174	201 202	< 0.01	129	560	26	< 2	3	13	0.11	< 10	< 10	61	< 10	78
BB22175	201 202	< 0.01	134	710	324	< 2	6	15	0.08	< 10	< 10	88	< 10	684
BB22176	201 202	< 0.01	47	820	42	< 2	2	11	0.08	< 10	< 10	73	< 10	158
BB22177	201 202	< 0.01	40	960	24	< 2	3	25	0.11	< 10	< 10	77	< 10	86
BB22178	201 202	< 0.01	46	1910	66	< 2	5	43	0.08	< 10	< 10	72	< 10	232
BB22179	201 202	< 0.01	42	910	94	< 2	5	28	0.07	< 10	< 10	57	< 10	198

CERTIFICATION:

Heidi Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

0: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 5-A
Total Pages: 6
Certificate Date: 04-AUG-96
Invoice No.: 19625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB22180	201 202	0.2	1.92	24	110	< 0.5	< 2	0.45	< 0.5	12	64	33	2.76	< 10	< 1	0.08	10	0.97	470	< 1
BB22181	201 202	< 0.2	1.72	12	110	< 0.5	< 2	0.37	< 0.5	12	75	24	2.91	< 10	< 1	0.07	10	0.93	415	< 1
BB22182	201 202	0.2	1.89	18	120	0.5	< 2	0.34	0.5	15	61	42	3.03	< 10	< 1	0.10	10	0.89	420	< 1
BB22183	201 202	0.4	2.21	16	270	0.5	< 2	1.00	1.0	18	65	56	4.35	< 10	< 1	0.09	10	1.27	1350	< 1
BB22184	201 202	< 0.2	1.47	6	120	< 0.5	2	0.28	< 0.5	8	47	18	2.65	< 10	< 1	0.10	< 10	0.59	280	< 1
BB22185	201 202	< 0.2	1.90	12	120	0.5	< 2	0.36	< 0.5	15	60	40	2.93	< 10	< 1	0.17	10	0.83	505	< 1
BB22186	201 202	< 0.2	1.83	14	120	< 0.5	< 2	0.31	< 0.5	13	80	33	2.79	< 10	< 1	0.09	10	0.85	430	< 1
BB22187	201 202	< 0.2	2.12	8	130	0.5	< 2	0.83	< 0.5	16	69	33	2.99	< 10	< 1	0.06	10	1.35	800	< 1
BB22188	201 202	0.4	2.23	58	140	0.5	< 2	0.46	0.5	21	140	73	3.80	< 10	< 1	0.09	10	1.33	745	< 1
BB22189	201 202	< 0.2	2.52	12	120	0.5	2	0.51	< 0.5	24	116	107	3.60	< 10	< 1	0.09	< 10	1.27	705	< 1
BB22190	201 202	< 0.2	1.81	6	60	< 0.5	2	0.34	< 0.5	18	37	75	2.42	< 10	< 1	0.04	< 10	0.49	410	< 1
BB22191	201 202	0.2	1.77	14	90	< 0.5	< 2	0.40	< 0.5	15	73	54	2.58	< 10	< 1	0.07	< 10	0.98	375	< 1
BB22192	201 202	< 0.2	2.21	26	120	0.5	< 2	0.39	< 0.5	19	89	69	3.59	< 10	< 1	0.07	10	1.18	585	< 1
BB22193	201 202	< 0.2	1.94	10	70	< 0.5	2	0.34	< 0.5	13	68	66	3.20	< 10	< 1	0.04	< 10	0.85	385	< 1
BB22194	201 202	< 0.2	1.84	24	70	< 0.5	2	0.32	< 0.5	17	126	50	3.61	< 10	< 1	0.06	< 10	1.08	680	< 1
BB22195	201 202	< 0.2	1.77	34	80	0.5	< 2	1.53	< 0.5	13	35	27	3.34	< 10	< 1	0.11	10	1.58	955	< 1
BB22196	201 202	0.2	2.02	20	120	0.5	< 2	0.56	< 0.5	13	52	45	3.01	< 10	< 1	0.08	10	1.11	500	< 1
BB22197	201 202	0.2	2.19	8	140	< 0.5	2	0.24	< 0.5	10	66	24	3.11	< 10	< 1	0.12	10	0.78	435	< 1
BB22198	201 202	< 0.2	2.15	10	80	< 0.5	< 2	0.31	< 0.5	10	55	26	3.13	< 10	< 1	0.09	10	0.73	340	< 1
BB22199	201 202	0.2	1.99	8	150	< 0.5	< 2	0.29	0.5	21	314	22	3.00	< 10	< 1	0.07	< 10	1.94	720	< 1
BB22200	201 202	0.2	1.47	8	140	< 0.5	2	0.16	< 0.5	7	64	13	2.71	< 10	< 1	0.07	< 10	0.57	200	< 1
BB22201	201 202	< 0.2	1.24	8	120	< 0.5	< 2	0.35	0.5	11	45	20	2.35	< 10	< 1	0.07	< 10	0.81	300	< 1
BB22202	201 202	< 0.2	2.10	14	150	< 0.5	< 2	0.62	< 0.5	12	53	26	3.13	< 10	< 1	0.07	< 10	1.02	460	< 1
BB22203	201 202	< 0.2	1.88	8	140	< 0.5	< 2	0.33	< 0.5	9	47	20	2.59	< 10	< 1	0.07	< 10	0.89	285	< 1
BB22204	201 202	< 0.2	2.23	14	70	< 0.5	< 2	0.19	< 0.5	9	52	21	3.84	< 10	< 1	0.07	< 10	0.70	320	< 1
BB22205	201 202	< 0.2	1.88	10	80	< 0.5	2	0.20	< 0.5	10	65	27	3.37	< 10	< 1	0.09	< 10	0.74	360	< 1
BB22206	201 202	< 0.2	1.81	6	70	< 0.5	< 2	0.32	< 0.5	10	50	26	2.70	< 10	< 1	0.09	< 10	0.72	370	< 1
BB22207	201 202	< 0.2	1.88	16	100	< 0.5	< 2	0.33	< 0.5	11	87	19	2.76	< 10	< 1	0.09	< 10	0.97	340	< 1
BB22208	201 202	< 0.2	2.18	10	90	< 0.5	< 2	0.22	< 0.5	11	57	14	3.01	< 10	< 1	0.07	10	0.67	425	< 1
BB22209	201 202	0.2	1.88	18	80	< 0.5	< 2	0.19	< 0.5	7	42	13	3.38	< 10	< 1	0.06	< 10	0.60	275	< 1
BB22210	201 202	0.2	2.92	22	120	0.5	2	0.29	0.5	14	61	38	3.48	< 10	< 1	0.09	10	1.02	485	< 1
BB22211	201 202	1.4	2.29	28	140	0.5	< 2	0.99	1.5	12	77	29	2.46	< 10	< 1	0.12	10	0.76	775	< 1
BB22212	201 202	< 0.2	2.55	14	200	0.5	2	0.31	< 0.5	10	62	28	3.74	< 10	< 1	0.09	10	1.00	370	< 1
BB22213	201 202	< 0.2	2.30	22	150	< 0.5	2	0.34	< 0.5	11	59	29	3.51	< 10	< 1	0.10	10	0.96	410	< 1
BB22214	201 202	< 0.2	2.34	18	130	< 0.5	2	0.39	< 0.5	12	64	29	3.87	< 10	< 1	0.11	10	1.08	420	1
BB22215	201 202	< 0.2	2.32	20	150	< 0.5	2	0.44	< 0.5	12	61	36	3.29	< 10	< 1	0.15	< 10	0.99	470	< 1
BB22216	201 202	0.2	2.29	16	90	< 0.5	< 2	0.20	< 0.5	9	56	21	3.72	< 10	< 1	0.09	< 10	0.77	345	< 1
BB22217	201 202	< 0.2	2.85	16	120	0.5	< 2	0.23	0.5	14	62	34	4.07	< 10	< 1	0.11	10	0.97	510	< 1
BB22218	201 202	< 0.2	2.48	16	110	0.5	2	0.27	< 0.5	14	56	33	3.82	< 10	< 1	0.15	< 10	0.73	595	< 1
BB22221	201 202	< 0.2	1.86	28	80	< 0.5	< 2	0.22	< 0.5	9	56	28	3.20	< 10	< 1	0.06	< 10	0.83	325	1

CERTIFICATION:

John P. Baker



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 5-B
Total Pages: 6
Certificate Date: 04-AUG-96
Invoice No.: 19625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB22180	201 202	< 0.01	45	520	24	2	4	22	0.13	< 10	< 10	58	< 10	106
BB22181	201 202	< 0.01	61	830	38	< 2	3	19	0.12	< 10	< 10	65	< 10	116
BB22182	201 202	< 0.01	57	920	34	< 2	3	18	0.11	< 10	< 10	64	< 10	138
BB22183	201 202	0.01	60	1230	44	< 2	7	33	0.10	< 10	< 10	71	< 10	170
BB22184	201 202	< 0.01	24	360	18	< 2	3	23	0.15	< 10	< 10	68	< 10	68
BB22185	201 202	< 0.01	47	850	26	< 2	4	21	0.13	< 10	< 10	62	< 10	94
BB22186	201 202	< 0.01	73	780	18	< 2	4	17	0.12	< 10	< 10	63	< 10	72
BB22187	201 202	< 0.01	74	1580	16	< 2	4	30	0.10	< 10	< 10	56	< 10	66
BB22188	201 202	0.01	142	1060	46	< 2	4	21	0.08	< 10	< 10	79	< 10	182
BB22189	201 202	0.01	86	790	24	< 2	7	24	0.17	< 10	< 10	95	< 10	110
BB22190	201 202	0.03	23	1040	10	< 2	2	22	0.11	< 10	< 10	68	< 10	44
BB22191	201 202	< 0.01	83	890	168	< 2	3	21	0.11	< 10	< 10	57	< 10	126
BB22192	201 202	< 0.01	79	810	34	< 2	5	22	0.13	< 10	< 10	73	< 10	114
BB22193	201 202	< 0.01	35	630	22	< 2	4	29	0.14	< 10	< 10	85	< 10	72
BB22194	201 202	< 0.01	70	780	32	< 2	4	16	0.14	< 10	< 10	90	< 10	100
BB22195	201 202	< 0.01	30	2300	22	< 2	4	30	0.09	< 10	< 10	49	< 10	76
BB22196	201 202	< 0.01	48	1170	32	< 2	4	26	0.11	< 10	< 10	62	< 10	100
BB22197	201 202	< 0.01	33	600	26	< 2	4	22	0.16	< 10	< 10	81	< 10	86
BB22198	201 202	< 0.01	34	780	22	< 2	3	18	0.13	< 10	< 10	70	< 10	74
BB22199	201 202	0.01	129	1010	30	< 2	2	21	0.06	< 10	< 10	67	< 10	74
BB22200	201 202	< 0.01	29	360	20	< 2	3	11	0.13	< 10	< 10	82	< 10	50
BB22201	201 202	< 0.01	57	910	10	< 2	2	17	0.09	< 10	< 10	48	< 10	72
BB22202	201 202	< 0.01	38	600	26	< 2	4	24	0.10	< 10	< 10	63	< 10	98
BB22203	201 202	< 0.01	29	270	24	< 2	3	18	0.11	< 10	< 10	59	< 10	78
BB22204	201 202	< 0.01	24	470	22	< 2	3	13	0.12	< 10	< 10	77	< 10	86
BB22205	201 202	< 0.01	45	350	20	< 2	3	15	0.16	< 10	< 10	82	< 10	82
BB22206	201 202	< 0.01	35	820	28	< 2	3	18	0.11	< 10	< 10	59	< 10	78
BB22207	201 202	< 0.01	53	310	22	< 2	3	15	0.14	< 10	< 10	73	< 10	88
BB22208	201 202	< 0.01	30	410	24	< 2	3	15	0.13	< 10	< 10	62	< 10	84
BB22209	201 202	< 0.01	16	400	20	< 2	3	19	0.13	< 10	< 10	83	< 10	56
BB22210	201 202	< 0.01	46	720	30	< 2	4	20	0.12	< 10	< 10	65	< 10	122
BB22211	201 202	0.01	63	1270	28	< 2	4	65	0.09	< 10	< 10	58	< 10	132
BB22212	201 202	< 0.01	38	580	24	< 2	4	23	0.13	< 10	< 10	76	< 10	110
BB22213	201 202	< 0.01	40	770	26	< 2	4	25	0.12	< 10	< 10	67	< 10	108
BB22214	201 202	< 0.01	43	530	26	< 2	4	28	0.15	< 10	< 10	83	< 10	102
BB22215	201 202	< 0.01	41	730	38	< 2	4	24	0.14	< 10	< 10	77	< 10	152
BB22216	201 202	< 0.01	27	460	28	< 2	4	18	0.11	< 10	< 10	72	< 10	82
BB22217	201 202	< 0.01	42	410	24	< 2	4	20	0.13	< 10	< 10	73	< 10	122
BB22218	201 202	< 0.01	37	650	18	< 2	4	25	0.15	< 10	< 10	79	< 10	80
BB22221	201 202	< 0.01	34	530	32	< 2	3	15	0.12	< 10	< 10	76	< 10	86

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page: 6-A
Total: 6
Certificate Date: 04-AUG-96
Invoice No.: 19625761
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB22222	201	202	< 0.2	2.77	28	170	0.5	2	0.24	< 0.5	15	58	38	3.97	< 10	< 1	0.10	10	1.48	630	1
BB22223	201	202	0.2	2.38	24	160	0.5	< 2	0.45	0.5	16	77	52	3.31	< 10	< 1	0.12	10	0.93	620	< 1
BB22224	201	202	< 0.2	2.76	22	150	< 0.5	< 2	0.32	< 0.5	14	58	31	3.84	< 10	< 1	0.13	10	1.33	610	< 1
BB22225	201	202	< 0.2	3.00	28	150	< 0.5	2	0.28	< 0.5	15	68	35	4.53	< 10	< 1	0.17	10	1.39	710	1
BB22226	201	202	< 0.2	3.08	24	170	0.5	< 2	0.37	0.5	15	74	39	4.53	< 10	< 1	0.16	10	1.40	545	1
BB22227	201	202	0.2	2.36	12	230	< 0.5	< 2	0.34	< 0.5	13	59	25	3.33	< 10	< 1	0.16	10	0.88	570	< 1
BB22228	201	202	0.6	2.36	20	150	0.5	< 2	0.26	0.5	9	49	23	2.82	< 10	< 1	0.07	< 10	0.78	315	< 1
BB22229	201	202	< 0.2	2.27	22	150	0.5	2	0.39	< 0.5	14	61	46	3.18	< 10	< 1	0.09	10	1.05	460	1
BB22230	201	202	< 0.2	2.51	28	90	0.5	2	0.31	< 0.5	10	65	37	3.35	< 10	< 1	0.07	< 10	0.91	340	< 1
BB22231	201	202	< 0.2	1.83	22	220	0.5	< 2	0.19	0.5	10	53	23	3.34	< 10	< 1	0.07	< 10	0.69	340	1
BB22232	201	202	< 0.2	2.95	22	80	0.5	2	0.17	< 0.5	9	61	24	4.88	< 10	< 1	0.10	< 10	0.61	365	1
BB22233	201	202	< 0.2	1.89	4	80	< 0.5	< 2	0.20	< 0.5	7	42	17	2.21	< 10	< 1	0.08	< 10	0.54	305	< 1
BB22234	201	202	< 0.2	2.56	12	110	< 0.5	< 2	0.25	< 0.5	12	60	36	3.31	< 10	< 1	0.09	< 10	0.93	395	< 1
BB22235	201	202	0.2	2.47	16	90	< 0.5	2	0.26	< 0.5	12	77	35	4.74	< 10	< 1	0.11	< 10	0.83	390	< 1
BB22236	201	202	0.2	2.39	20	100	< 0.5	< 2	0.25	0.5	12	57	29	3.28	< 10	< 1	0.07	< 10	0.84	405	1
BB22237	201	202	0.4	2.86	24	250	1.5	< 2	0.52	< 0.5	26	110	100	4.47	< 10	< 1	0.13	20	1.36	1000	2
BB22238	201	202	0.6	3.67	26	270	1.5	< 2	0.23	0.5	23	69	69	4.15	< 10	< 1	0.13	10	1.01	945	1
BB22239	201	202	< 0.2	2.37	24	120	0.5	2	0.30	< 0.5	10	63	30	3.49	< 10	< 1	0.10	10	0.96	325	1
BB22240	201	202	< 0.2	2.24	16	130	< 0.5	< 2	0.28	< 0.5	11	56	30	3.46	< 10	< 1	0.10	10	0.98	410	1
BB22241	201	202	< 0.2	2.31	22	200	0.5	< 2	0.58	< 0.5	19	70	42	3.95	< 10	< 1	0.16	10	1.02	945	< 1
BB22242	201	202	0.2	1.90	14	120	< 0.5	< 2	0.47	< 0.5	9	67	35	2.80	< 10	< 1	0.11	< 10	0.74	330	< 1
BB22243	201	202	< 0.2	2.55	44	170	0.5	2	0.20	< 0.5	11	53	43	3.71	< 10	< 1	0.11	10	1.03	400	1
BB22244	201	202	< 0.2	2.00	26	110	< 0.5	< 2	0.23	< 0.5	13	55	33	2.93	< 10	< 1	0.05	10	0.89	400	< 1
BB22245	201	202	0.4	2.07	84	110	0.5	< 2	0.30	0.5	20	45	54	3.18	< 10	< 1	0.08	10	1.03	745	< 1
BB22246	201	202	< 0.2	2.13	82	150	0.5	2	0.35	< 0.5	19	48	61	3.38	< 10	< 1	0.09	10	1.17	775	1
BB22247	201	202	< 0.2	2.48	30	110	< 0.5	< 2	0.26	0.5	11	50	26	3.32	< 10	< 1	0.06	< 10	0.99	410	1
BB22248	201	202	1.0	2.41	62	120	0.5	2	0.21	< 0.5	13	51	22	3.81	< 10	< 1	0.07	< 10	0.91	430	1
BB22249	201	202	< 0.2	3.37	48	160	0.5	< 2	0.26	0.5	16	73	57	3.78	< 10	< 1	0.10	< 10	1.29	460	< 1
BB22250	201	202	< 0.2	1.89	22	160	0.5	2	0.35	< 0.5	13	56	40	3.01	< 10	< 1	0.07	10	1.01	485	< 1
BB22251	201	202	< 0.2	2.09	16	100	< 0.5	< 2	0.20	< 0.5	10	58	26	3.72	< 10	< 1	0.08	< 10	0.84	340	< 1
BB22252	201	202	< 0.2	2.52	10	100	< 0.5	< 2	0.28	< 0.5	11	58	26	3.02	< 10	< 1	0.07	< 10	0.85	325	< 1
BB22253	201	202	< 0.2	3.02	16	110	0.5	< 2	0.27	< 0.5	11	65	35	3.53	< 10	< 1	0.09	10	0.98	365	< 1
BB22254	201	202	< 0.2	1.68	10	100	< 0.5	< 2	0.15	< 0.5	5	36	13	1.93	< 10	< 1	0.09	10	0.40	260	1
BB22255	201	202	< 0.2	2.49	10	70	< 0.5	< 2	0.32	< 0.5	13	73	32	4.15	< 10	< 1	0.11	< 10	0.91	440	< 1
BB22256	201	202	< 0.2	2.19	16	80	< 0.5	< 2	0.28	< 0.5	12	63	34	3.16	< 10	< 1	0.09	< 10	0.82	355	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES

Page :6-B
Total :6
Certificate Date: 04-AUG-96
Invoice No. :19625761
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS

A9625761

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB22222	201 202	< 0.01	36	330	32	< 2	5	22	0.09	< 10	< 10	69	< 10	130
BB22223	201 202	< 0.01	60	600	36	< 2	5	29	0.12	< 10	< 10	72	< 10	126
BB22224	201 202	< 0.01	35	440	30	2	5	30	0.11	< 10	< 10	76	< 10	124
BB22225	201 202	< 0.01	40	380	32	< 2	5	27	0.13	< 10	< 10	99	< 10	134
BB22226	201 202	< 0.01	46	530	32	< 2	5	30	0.12	< 10	< 10	88	< 10	146
BB22227	201 202	< 0.01	30	460	30	< 2	4	28	0.13	< 10	< 10	80	< 10	114
BB22228	201 202	< 0.01	30	810	46	< 2	3	16	0.08	< 10	< 10	54	< 10	84
BB22229	201 202	< 0.01	51	660	30	< 2	4	25	0.12	< 10	< 10	63	< 10	114
BB22230	201 202	< 0.01	42	900	30	< 2	4	20	0.10	< 10	< 10	58	< 10	88
BB22231	201 202	< 0.01	32	330	24	2	3	17	0.11	< 10	< 10	74	< 10	98
BB22232	201 202	< 0.01	25	720	26	< 2	4	14	0.16	< 10	< 10	90	< 10	76
BB22233	201 202	< 0.01	19	600	34	< 2	1	20	0.08	< 10	< 10	55	< 10	66
BB22234	201 202	< 0.01	43	700	30	< 2	4	19	0.09	< 10	< 10	60	< 10	94
BB22235	201 202	< 0.01	37	780	26	< 2	4	20	0.14	< 10	< 10	94	< 10	94
BB22236	201 202	< 0.01	37	800	44	< 2	3	17	0.09	< 10	< 10	57	< 10	100
BB22237	201 202	< 0.01	102	1000	52	< 2	6	48	0.08	< 10	< 10	88	< 10	206
BB22238	201 202	< 0.01	64	820	44	< 2	5	18	0.07	< 10	< 10	70	< 10	206
BB22239	201 202	< 0.01	40	670	32	2	4	20	0.11	< 10	< 10	64	< 10	108
BB22240	201 202	< 0.01	37	600	28	< 2	4	21	0.10	< 10	< 10	68	< 10	96
BB22241	201 202	< 0.01	54	950	44	< 2	4	38	0.10	< 10	< 10	80	< 10	144
BB22242	201 202	< 0.01	43	770	36	< 2	3	30	0.11	< 10	< 10	65	< 10	100
BB22243	201 202	< 0.01	35	350	30	< 2	4	20	0.08	< 10	< 10	70	< 10	120
BB22244	201 202	< 0.01	38	460	36	< 2	3	18	0.10	< 10	< 10	57	< 10	86
BB22245	201 202	< 0.01	37	700	36	2	4	21	0.08	< 10	< 10	50	< 10	124
BB22246	201 202	< 0.01	37	780	38	2	5	25	0.09	< 10	< 10	58	< 10	124
BB22247	201 202	< 0.01	33	710	26	< 2	4	19	0.08	< 10	< 10	56	< 10	108
BB22248	201 202	< 0.01	32	590	30	< 2	4	16	0.09	< 10	< 10	66	< 10	120
BB22249	201 202	< 0.01	53	550	36	< 2	5	20	0.10	< 10	< 10	67	< 10	122
BB22250	201 202	< 0.01	38	550	28	< 2	5	26	0.12	< 10	< 10	61	< 10	88
BB22251	201 202	< 0.01	33	590	26	< 2	4	16	0.11	< 10	< 10	73	< 10	78
BB22252	201 202	< 0.01	37	710	24	< 2	4	20	0.11	< 10	< 10	56	< 10	94
BB22253	201 202	< 0.01	41	680	30	< 2	4	20	0.12	< 10	< 10	62	< 10	90
BB22254	201 202	< 0.01	14	310	26	< 2	1	18	0.09	< 10	< 10	59	< 10	46
BB22255	201 202	< 0.01	41	780	32	< 2	4	20	0.13	< 10	< 10	76	< 10	96
BB22256	201 202	< 0.01	40	720	32	< 2	3	17	0.11	< 10	< 10	61	< 10	88

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 1-A
Total: 5
Certificate Date: 04-AUG-96
Invoice No.: I9625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
T18685	201 202	0.6	1.86	44	190	0.5	< 2	0.94	2.0	13	71	49	2.75	< 10	< 1	0.11	10	0.97	510	1
BB20787	201 202	2.0	3.28	30	200	1.0	< 2	0.61	0.5	20	129	89	3.59	< 10	< 1	0.13	10	1.47	715	< 1
BB20788	201 202	0.8	2.05	8	150	0.5	< 2	0.45	1.5	20	83	55	2.62	< 10	< 1	0.09	10	0.93	1070	< 1
BB20805	201 202	0.8	1.37	10	120	< 0.5	< 2	0.19	0.5	7	54	29	1.94	< 10	< 1	0.05	< 10	0.41	240	< 1
BB20806	201 202	< 0.2	1.55	10	150	< 0.5	< 2	0.39	< 0.5	11	46	30	2.52	< 10	< 1	0.06	10	0.87	390	1
BB20826	201 202	< 0.2	2.36	14	190	< 0.5	< 2	0.18	0.5	10	47	12	3.44	< 10	< 1	0.04	< 10	0.60	325	< 1
BB20827	201 202	0.4	2.25	18	110	0.5	< 2	0.30	< 0.5	8	47	18	2.35	< 10	< 1	0.06	10	0.71	250	< 1
BB20828	201 202	0.8	2.52	58	140	0.5	< 2	0.34	< 0.5	15	66	25	3.69	< 10	< 1	0.10	10	1.00	380	< 1
BB20829	201 202	< 0.2	2.13	60	140	0.5	2	0.48	< 0.5	17	56	59	3.49	< 10	< 1	0.11	10	1.09	575	< 1
BB20830	201 202	0.6	1.61	48	120	0.5	< 2	0.25	0.5	10	44	23	2.65	< 10	1	0.09	10	0.62	370	2
BB20831	201 202	< 0.2	2.00	56	160	0.5	2	0.52	< 0.5	17	58	56	3.35	< 10	< 1	0.11	10	1.07	565	1
BB20832	201 202	< 0.2	2.16	44	150	< 0.5	< 2	0.35	< 0.5	11	54	32	3.40	< 10	< 1	0.09	10	1.01	380	1
BB20833	201 202	1.0	2.38	56	150	0.5	< 2	0.22	0.5	16	176	14	3.40	< 10	< 1	0.08	< 10	1.15	355	< 1
BB20834	201 202	0.2	2.39	18	120	0.5	< 2	0.28	0.5	13	60	27	2.62	< 10	< 1	0.07	< 10	0.88	305	< 1
BB20835	201 202	< 0.2	2.59	24	110	0.5	< 2	0.20	< 0.5	13	63	28	3.15	< 10	< 1	0.07	< 10	0.87	375	1
BB20836	201 202	< 0.2	2.38	16	100	< 0.5	< 2	0.18	< 0.5	10	48	15	3.47	< 10	< 1	0.04	10	0.87	295	1
BB20837	201 202	< 0.2	1.86	28	80	< 0.5	< 2	0.21	< 0.5	6	36	8	2.58	< 10	< 1	0.05	10	0.75	240	< 1
BB20838	201 202	0.2	0.89	12	110	< 0.5	< 2	0.14	0.5	6	27	15	1.49	< 10	2	0.06	10	0.17	295	1
BB20839	201 202	< 0.2	1.68	30	60	< 0.5	< 2	0.25	< 0.5	8	50	23	3.62	< 10	< 1	0.05	10	0.69	390	1
BB20840	201 202	1.0	1.77	56	120	0.5	< 2	0.39	1.0	21	41	38	3.22	< 10	< 1	0.08	10	0.90	900	2
BB20841	201 202	3.8	4.81	158	480	4.0	< 2	0.59	2.5	37	99	157	6.14	10	< 1	0.28	30	1.18	3230	7
BB20842	201 202	< 0.2	2.23	52	140	0.5	2	0.30	< 0.5	14	58	37	3.51	< 10	< 1	0.08	10	1.03	475	< 1
BB20843	201 202	1.2	2.28	< 2	70	< 0.5	< 2	0.25	< 0.5	8	73	22	3.60	< 10	< 1	0.06	< 10	0.68	485	1
BB20844	201 202	0.2	2.34	18	130	< 0.5	< 2	0.15	0.5	10	52	20	3.86	10	< 1	0.10	< 10	0.51	670	3
BB20845	201 202	< 0.2	2.54	22	110	< 0.5	< 2	0.27	< 0.5	13	56	24	3.30	< 10	< 1	0.07	10	0.99	365	1
BB20846	201 202	0.4	2.64	130	150	0.5	< 2	0.25	< 0.5	23	88	36	4.22	< 10	< 1	0.08	10	1.23	510	1
BB20847	201 202	0.2	1.98	42	110	0.5	< 2	0.30	< 0.5	16	46	56	3.45	< 10	< 1	0.08	10	0.96	610	1
BB20848	201 202	< 0.2	1.98	34	140	< 0.5	2	0.42	2.5	18	80	21	2.77	< 10	< 1	0.10	10	1.20	605	2
BB20849	201 202	< 0.2	1.40	44	70	< 0.5	< 2	0.22	< 0.5	9	55	16	3.56	< 10	< 1	0.06	10	0.50	295	1
BB20850	201 202	0.2	2.86	56	100	0.5	2	0.26	< 0.5	15	89	30	3.69	< 10	< 1	0.09	< 10	1.05	365	< 1
BB20851	201 202	< 0.2	1.84	36	150	0.5	< 2	0.37	< 0.5	15	45	40	3.05	< 10	< 1	0.09	10	0.98	585	1
BB20852	201 202	0.2	1.89	56	100	< 0.5	2	0.19	< 0.5	10	65	14	4.03	< 10	< 1	0.07	10	0.88	340	1
BB20853	201 202	< 0.2	2.35	18	120	< 0.5	< 2	0.24	< 0.5	14	65	37	3.05	< 10	< 1	0.06	< 10	0.85	295	< 1
BB20854	201 202	0.2	1.87	4	80	< 0.5	< 2	0.30	0.5	9	80	20	3.21	10	< 1	0.07	< 10	0.97	710	< 1
BB20855	201 202	0.4	2.82	88	110	0.5	< 2	0.33	1.0	20	55	47	3.44	< 10	< 1	0.09	10	0.89	655	< 1
BB20856	201 202	< 0.2	2.68	58	160	0.5	< 2	0.36	< 0.5	20	51	62	3.91	< 10	< 1	0.12	10	1.33	755	1
BB20857	201 202	0.6	2.01	48	100	0.5	< 2	0.40	1.5	14	46	31	3.31	< 10	< 1	0.08	10	0.88	515	1
BB20858	201 202	0.4	2.49	126	120	2.5	2	0.51	3.5	42	57	69	4.32	< 10	< 1	0.12	20	1.05	855	< 1
BB20859	201 202	1.4	1.82	32	160	0.5	< 2	0.61	8.5	14	50	33	2.52	< 10	< 1	0.07	20	0.71	1170	1
BB20860	201 202	< 0.2	1.95	34	130	0.5	< 2	0.59	2.0	12	54	61	2.95	< 10	< 1	0.09	10	0.81	470	1

CERTIFICATION:

Heidi Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 1-B
Total: 5
Certificate Date: 04-AUG-96
Invoice No.: I9625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
T18685	201	202	0.01	51	870	48	< 2	5	55	0.07	< 10	< 10	46	< 10	172
BB20787	201	202	0.01	134	830	106	< 2	7	65	0.11	< 10	< 10	78	< 10	262
BB20788	201	202	0.01	76	960	96	< 2	3	51	0.05	< 10	< 10	55	< 10	166
BB20805	201	202	0.01	33	440	58	6	1	28	0.05	< 10	< 10	57	< 10	76
BB20806	201	202	< 0.01	33	750	20	< 2	4	25	0.09	< 10	< 10	48	< 10	94
BB20826	201	202	< 0.01	24	260	28	< 2	3	16	0.15	< 10	< 10	77	< 10	82
BB20827	201	202	< 0.01	26	520	24	2	4	23	0.10	< 10	< 10	49	< 10	92
BB20828	201	202	< 0.01	52	250	46	4	5	28	0.13	< 10	< 10	65	< 10	98
BB20829	201	202	< 0.01	39	700	30	< 2	5	36	0.13	< 10	< 10	61	< 10	102
BB20830	201	202	0.01	22	290	40	6	3	27	0.08	< 10	< 10	54	< 10	102
BB20831	201	202	0.01	52	580	44	< 2	5	39	0.11	< 10	< 10	56	< 10	114
BB20832	201	202	< 0.01	35	440	22	< 2	4	29	0.11	< 10	< 10	65	< 10	86
BB20833	201	202	< 0.01	85	430	46	10	4	19	0.10	< 10	< 10	64	< 10	136
BB20834	201	202	< 0.01	55	520	26	< 2	4	19	0.11	< 10	< 10	49	< 10	86
BB20835	201	202	< 0.01	40	230	36	< 2	4	15	0.14	< 10	< 10	63	< 10	128
BB20836	201	202	< 0.01	25	440	18	< 2	4	12	0.10	< 10	< 10	53	< 10	88
BB20837	201	202	< 0.01	16	400	18	6	3	18	0.07	< 10	< 10	47	< 10	60
BB20838	201	202	< 0.01	10	450	24	4	1	19	0.05	< 10	< 10	41	< 10	42
BB20839	201	202	< 0.01	20	740	26	2	3	19	0.10	< 10	< 10	89	< 10	64
BB20840	201	202	< 0.01	32	730	46	< 2	3	32	0.06	< 10	< 10	51	< 10	152
BB20841	201	202	0.01	97	1830	142	< 2	11	49	0.06	< 10	< 10	91	< 10	588
BB20842	201	202	< 0.01	42	560	34	4	4	24	0.10	< 10	< 10	61	< 10	96
BB20843	201	202	< 0.01	34	720	42	2	4	21	0.15	< 10	< 10	89	< 10	106
BB20844	201	202	< 0.01	25	490	76	< 2	4	23	0.13	< 10	< 10	114	< 10	126
BB20845	201	202	< 0.01	38	550	24	< 2	4	18	0.11	< 10	< 10	56	< 10	86
BB20846	201	202	< 0.01	90	300	62	2	5	21	0.09	< 10	< 10	61	< 10	112
BB20847	201	202	< 0.01	32	700	26	8	4	25	0.07	< 10	< 10	57	< 10	102
BB20848	201	202	< 0.01	46	260	22	< 2	4	64	0.11	< 10	< 10	54	< 10	396
BB20849	201	202	< 0.01	22	310	26	< 2	3	22	0.11	< 10	< 10	80	< 10	64
BB20850	201	202	< 0.01	50	290	42	< 2	4	21	0.13	< 10	< 10	61	< 10	74
BB20851	201	202	< 0.01	33	560	22	< 2	5	28	0.10	< 10	< 10	52	< 10	98
BB20852	201	202	< 0.01	31	270	44	2	3	17	0.13	< 10	< 10	71	< 10	90
BB20853	201	202	< 0.01	52	360	36	< 2	4	19	0.12	< 10	< 10	57	< 10	70
BB20854	201	202	< 0.01	49	480	46	< 2	4	21	0.18	< 10	< 10	112	< 10	100
BB20855	201	202	< 0.01	44	740	36	2	5	24	0.10	< 10	< 10	54	< 10	124
BB20856	201	202	< 0.01	42	630	32	6	6	32	0.09	< 10	< 10	60	< 10	150
BB20857	201	202	< 0.01	33	700	28	2	4	28	0.09	< 10	< 10	55	< 10	164
BB20858	201	202	< 0.01	92	620	566	< 2	5	32	0.14	< 10	< 10	65	< 10	2070
BB20859	201	202	< 0.01	35	900	84	6	6	38	0.11	< 10	< 10	56	< 10	452
BB20860	201	202	< 0.01	36	340	60	6	5	33	0.13	< 10	< 10	66	< 10	356

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 2-A
Total: 5
Certificate Date: 04-AUG-96
Invoice No.: 19625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20861	201	202	0.2	2.23	38	210	0.5	< 2	0.96	3.0	22	62	33	4.25	10	< 1	0.13	10	0.97	1060	1
BB20862	201	202	0.2	2.03	56	140	0.5	< 2	0.44	1.5	14	58	33	3.42	< 10	< 1	0.09	10	1.04	775	1
BB20863	201	202	0.2	1.14	60	140	< 0.5	< 2	0.22	0.5	7	33	16	2.58	< 10	< 1	0.08	< 10	0.31	340	1
BB20864	201	202	1.2	3.74	162	180	2.0	< 2	0.10	0.5	13	77	43	7.12	10	< 1	0.09	< 10	0.88	455	2
BB20865	201	202	139.0	2.42	1020	80	2.0	2	0.21	2.5	26	68	61	7.74	< 10	< 1	0.15	10	0.84	2930	1
BB20866	201	202	0.8	1.97	18	140	0.5	< 2	0.07	0.5	7	26	24	3.81	< 10	< 1	0.10	20	0.26	355	3
BB20867	201	202	7.0	2.19	328	160	2.0	< 2	1.42	7.0	13	52	110	2.73	< 10	< 1	0.10	50	0.53	1085	1
BB20868	201	202	1.6	1.76	190	170	1.0	2	0.18	2.5	13	47	35	5.14	< 10	< 1	0.12	10	0.46	595	4
BB20869	201	202	3.4	2.83	66	140	1.0	< 2	0.41	0.5	12	67	31	4.25	< 10	< 1	0.11	10	1.26	440	2
BB20870	201	202	0.2	1.85	28	160	< 0.5	< 2	0.45	< 0.5	6	37	15	2.61	< 10	< 1	0.09	10	0.81	250	1
BB20871	201	202	< 0.2	2.42	32	130	< 0.5	< 2	0.26	< 0.5	13	51	22	4.23	< 10	< 1	0.09	10	1.05	430	1
BB20872	201	202	1.4	2.15	44	230	1.0	< 2	1.35	9.0	11	44	94	2.82	< 10	< 1	0.09	20	0.78	950	< 1
BB20873	201	202	0.2	2.07	72	170	0.5	< 2	0.65	5.0	14	47	18	2.84	< 10	< 1	0.09	10	0.97	595	< 1
BB20874	201	202	< 0.2	1.99	70	200	0.5	< 2	0.70	5.5	10	49	25	3.51	< 10	< 1	0.13	10	1.08	470	1
BB20875	201	202	0.6	1.96	90	80	< 0.5	< 2	0.30	1.0	12	63	28	3.61	< 10	< 1	0.06	10	0.65	375	1
BB20876	201	202	0.2	1.81	708	70	< 0.5	< 2	0.22	0.5	10	68	43	4.85	10	< 1	0.06	< 10	0.69	435	< 1
BB20877	201	202	< 0.2	2.30	24	130	< 0.5	< 2	0.31	< 0.5	9	45	12	2.92	< 10	< 1	0.08	10	0.94	280	< 1
BB20878	201	202	5.0	3.80	198	180	2.5	2	0.91	39.0	33	90	86	5.81	< 10	< 1	0.06	40	0.81	6850	1
BB20879	201	202	0.4	2.98	202	110	1.0	2	0.56	7.0	59	619	48	6.32	10	< 1	0.07	10	2.91	1960	1
BB20880	201	202	< 0.2	2.60	32	180	0.5	< 2	0.31	< 0.5	22	59	73	4.01	< 10	< 1	0.11	10	1.32	705	1
BB20881	201	202	0.2	2.17	28	270	< 0.5	< 2	1.02	4.0	14	52	62	3.06	< 10	< 1	0.09	10	0.83	485	< 1
BB20882	201	202	1.2	2.39	538	70	1.0	< 2	0.19	< 0.5	12	78	24	6.92	< 10	< 1	0.08	< 10	0.69	525	1
BB20883	201	202	0.2	1.92	60	100	< 0.5	2	0.27	0.5	11	77	16	5.16	10	< 1	0.09	< 10	0.77	385	1
BB20884	201	202	1.4	1.69	66	100	0.5	2	0.43	1.5	15	52	37	3.04	< 10	< 1	0.10	10	0.92	545	< 1
BB20885	201	202	1.2	2.39	50	120	0.5	< 2	0.19	0.5	14	58	31	3.53	< 10	< 1	0.05	< 10	0.72	355	< 1
BB20886	201	202	0.6	2.33	42	180	0.5	< 2	0.44	0.5	16	45	78	3.65	< 10	< 1	0.06	10	1.00	455	1
BB20887	201	202	0.2	1.86	30	130	< 0.5	< 2	0.59	1.0	14	43	37	3.20	< 10	< 1	0.06	< 10	0.95	410	< 1
BB20888	201	202	< 0.2	1.33	26	70	< 0.5	< 2	0.11	0.5	6	34	15	3.74	< 10	< 1	0.04	< 10	0.38	275	1
BB20889	201	202	0.4	1.11	64	170	0.5	< 2	0.87	7.0	4	25	84	2.67	< 10	< 1	0.05	10	0.21	260	< 1
BB20890	201	202	< 0.2	1.57	14	70	< 0.5	< 2	0.24	< 0.5	9	57	22	3.24	< 10	< 1	0.06	< 10	0.71	330	1
BB20891	201	202	< 0.2	1.63	26	70	< 0.5	< 2	0.16	0.5	13	49	28	4.22	< 10	< 1	0.05	< 10	0.56	525	< 1
BB20892	201	202	1.2	1.80	328	50	0.5	2	0.09	2.0	31	72	173	10.25	< 10	< 1	0.03	< 10	0.20	735	< 1
BB20893	201	202	< 0.2	2.42	8	40	< 0.5	< 2	0.43	< 0.5	17	78	68	4.57	< 10	< 1	0.05	< 10	1.58	690	< 1
BB20894	201	202	6.6	2.58	314	110	2.5	< 2	1.49	2.0	21	58	369	3.70	< 10	< 1	0.06	10	0.67	1275	< 1
BB20895	201	202	< 0.2	2.08	< 2	150	< 0.5	< 2	0.35	< 0.5	13	47	33	2.73	< 10	< 1	0.07	< 10	0.85	410	< 1
BB20896	201	202	< 0.2	2.22	22	80	< 0.5	< 2	0.27	0.5	17	112	21	4.68	10	< 1	0.08	< 10	1.34	700	1
BB20897	201	202	0.6	3.74	90	320	1.5	< 2	0.33	3.5	50	191	151	9.47	10	< 1	0.14	10	3.08	1165	19
BB20898	201	202	< 0.2	1.76	40	70	< 0.5	< 2	0.47	1.0	14	92	18	4.04	< 10	< 1	0.07	< 10	1.31	620	2
BB20899	201	202	< 0.2	2.17	48	160	0.5	2	0.33	0.5	18	59	44	3.48	< 10	< 1	0.09	10	1.25	735	1
BB20900	201	202	0.8	2.05	192	120	0.5	< 2	0.13	2.0	14	95	18	4.80	< 10	< 1	0.06	< 10	1.02	610	< 1

CERTIFICATION:

David B. Baker



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 2-B
Total: 5
Certificate Date: 04-AUG-96
Invoice No.: 19625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20861	201 202	< 0.01	29	320	120	6	5	61	0.14	< 10	< 10	98	< 10	322
BB20862	201 202	< 0.01	35	300	130	< 2	4	31	0.11	< 10	< 10	61	< 10	286
BB20863	201 202	< 0.01	15	350	62	6	3	22	0.12	< 10	< 10	89	< 10	64
BB20864	201 202	< 0.01	28	440	110	12	5	14	0.14	< 10	< 10	158	< 10	414
BB20865	201 202	< 0.01	27	1040	3270	148	4	16	0.04	< 10	< 10	72	< 10	812
BB20866	201 202	< 0.01	15	430	48	< 2	2	11	0.02	< 10	< 10	66	< 10	100
BB20867	201 202	0.01	66	1280	394	6	2	71	0.03	< 10	< 10	39	< 10	914
BB20868	201 202	< 0.01	27	410	194	< 2	3	20	0.12	< 10	< 10	79	< 10	384
BB20869	201 202	< 0.01	44	330	60	6	5	38	0.11	< 10	< 10	67	< 10	172
BB20870	201 202	< 0.01	19	220	18	< 2	4	39	0.09	< 10	< 10	57	< 10	88
BB20871	201 202	< 0.01	30	440	20	4	4	25	0.12	< 10	< 10	71	< 10	100
BB20872	201 202	0.01	34	1060	56	< 2	4	80	0.05	< 10	< 10	48	< 10	564
BB20873	201 202	< 0.01	27	480	72	< 2	4	47	0.10	< 10	< 10	60	< 10	542
BB20874	201 202	< 0.01	26	580	72	6	5	50	0.11	< 10	< 10	69	< 10	288
BB20875	201 202	< 0.01	25	300	34	2	4	24	0.17	< 10	< 10	83	< 10	306
BB20876	201 202	< 0.01	19	400	72	< 2	5	16	0.20	< 10	< 10	152	< 10	162
BB20877	201 202	< 0.01	19	190	22	6	4	30	0.13	< 10	< 10	72	< 10	68
BB20878	201 202	< 0.01	83	1900	600	2	13	28	0.04	< 10	< 10	64	< 10	1800
BB20879	201 202	< 0.01	313	860	172	< 2	9	28	0.12	< 10	< 10	165	< 10	472
BB20880	201 202	< 0.01	48	420	26	8	6	25	0.11	< 10	< 10	64	< 10	130
BB20881	201 202	0.01	60	530	42	< 2	5	59	0.07	< 10	< 10	60	< 10	194
BB20882	201 202	< 0.01	31	640	272	10	3	20	0.14	< 10	< 10	96	< 10	342
BB20883	201 202	< 0.01	29	310	32	< 2	4	34	0.23	< 10	< 10	124	< 10	102
BB20884	201 202	< 0.01	49	630	288	6	4	32	0.11	< 10	< 10	56	< 10	232
BB20885	201 202	< 0.01	44	270	118	2	3	19	0.10	< 10	< 10	52	< 10	294
BB20886	201 202	< 0.01	45	530	40	< 2	4	29	0.06	< 10	< 10	42	< 10	126
BB20887	201 202	< 0.01	33	500	22	2	3	37	0.08	< 10	< 10	46	< 10	150
BB20888	201 202	< 0.01	15	260	34	< 2	1	13	0.13	< 10	< 10	87	< 10	108
BB20889	201 202	< 0.01	18	380	210	< 2	2	46	0.09	< 10	< 10	69	< 10	608
BB20890	201 202	< 0.01	32	650	20	2	3	14	0.11	< 10	< 10	65	< 10	84
BB20891	201 202	< 0.01	21	580	62	< 2	3	12	0.12	< 10	< 10	94	< 10	132
BB20892	201 202	< 0.01	32	470	96	< 2	15	7	< 0.01	< 10	< 10	187	< 10	616
BB20893	201 202	< 0.01	31	510	28	< 2	6	10	0.23	< 10	< 10	106	< 10	132
BB20894	201 202	0.01	36	1250	324	6	31	40	0.05	< 10	< 10	52	< 10	338
BB20895	201 202	< 0.01	34	530	10	< 2	4	21	0.14	< 10	< 10	58	< 10	62
BB20896	201 202	< 0.01	49	720	30	< 2	4	19	0.22	< 10	< 10	107	< 10	98
BB20897	201 202	< 0.01	122	1470	134	22	7	11	0.04	< 10	< 10	201	< 10	1200
BB20898	201 202	< 0.01	50	390	26	< 2	5	27	0.17	< 10	< 10	97	< 10	128
BB20899	201 202	< 0.01	50	530	32	< 2	5	25	0.09	< 10	< 10	57	< 10	120
BB20900	201 202	< 0.01	38	380	176	< 2	3	9	0.08	< 10	< 10	74	< 10	312

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 3-A
Total Pages: 5
Certificate Date: 04-AUG-96
Invoice No.: 19625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20901	201 202	0.2	1.74	52	230	0.5	< 2	0.17	8.0	11	43	42	3.53	< 10	< 1	0.05	< 10	0.63	420	1
BB20902	201 202	1.2	2.64	76	60	0.5	< 2	0.15	< 0.5	10	50	19	3.52	< 10	< 1	0.04	< 10	0.66	340	< 1
BB20903	201 202	0.8	2.06	74	350	0.5	2	0.50	1.0	12	74	24	3.41	< 10	< 1	0.09	< 10	0.88	1170	1
BB20904	201 202	< 0.2	1.82	22	120	0.5	2	0.23	< 0.5	19	153	44	3.27	< 10	< 1	0.05	10	1.34	470	1
BB20905	201 202	0.2	1.91	84	90	< 0.5	< 2	0.20	0.5	41	224	32	5.78	< 10	< 1	0.06	< 10	1.44	1915	2
BB20906	201 202	< 0.2	4.13	< 2	230	< 0.5	< 2	0.29	< 0.5	51	216	10	4.08	10	< 1	0.06	< 10	5.43	560	< 1
BB20907	201 202	2.0	2.40	352	170	2.0	< 2	0.91	7.0	24	132	164	4.04	< 10	< 1	0.06	30	0.87	1685	2
BB20908	201 202	1.4	2.17	216	70	0.5	< 2	0.18	1.5	21	77	72	3.77	< 10	< 1	0.04	< 10	0.98	595	< 1
BB20909	201 202	0.2	2.27	170	160	1.0	2	0.70	< 0.5	13	66	91	3.39	< 10	< 1	0.08	10	1.06	640	2
BB20910	201 202	< 0.2	1.62	20	110	< 0.5	< 2	0.22	1.5	14	114	28	3.93	< 10	< 1	0.05	< 10	0.75	745	1
BB20911	201 202	0.4	1.89	38	100	< 0.5	2	0.25	0.5	14	84	32	3.47	< 10	< 1	0.04	< 10	0.96	540	< 1
BB20912	201 202	< 0.2	1.76	6	110	< 0.5	< 2	0.34	< 0.5	8	52	16	2.74	< 10	< 1	0.04	< 10	0.67	225	< 1
BB20913	201 202	< 0.2	1.75	166	100	< 0.5	< 2	0.30	0.5	13	73	30	3.38	< 10	< 1	0.05	< 10	0.97	485	< 1
BB20914	201 202	< 0.2	1.91	40	90	< 0.5	< 2	0.17	< 0.5	11	58	22	3.61	< 10	< 1	0.06	< 10	0.93	385	1
BB20915	201 202	< 0.2	1.34	16	90	0.5	< 2	0.11	< 0.5	27	226	25	2.91	< 10	< 1	0.03	< 10	3.07	410	< 1
BB20916	201 202	< 0.2	1.34	12	90	< 0.5	< 2	0.11	< 0.5	14	287	9	3.00	< 10	< 1	0.04	< 10	1.85	255	< 1
BB20917	201 202	0.6	1.79	54	290	1.0	< 2	1.24	1.5	30	157	37	3.81	< 10	< 1	0.08	< 10	1.37	1270	1
BB20918	201 202	0.2	1.73	26	160	0.5	< 2	0.53	0.5	34	593	37	3.88	< 10	< 1	0.04	< 10	2.27	715	< 1
BB20919	201 202	1.0	1.50	96	130	0.5	< 2	0.47	0.5	13	70	38	2.90	< 10	< 1	0.06	10	1.03	590	< 1
BB20920	201 202	0.2	1.81	110	130	0.5	< 2	0.62	1.0	13	59	36	3.06	< 10	< 1	0.09	10	1.25	590	< 1
BB20921	201 202	0.6	2.16	158	140	1.0	< 2	0.48	1.5	37	357	92	4.74	< 10	< 1	0.11	10	1.68	875	1
BB20922	201 202	< 0.2	2.00	76	120	< 0.5	< 2	0.34	0.5	29	290	21	5.31	< 10	< 1	0.09	< 10	1.70	865	1
BB20923	201 202	< 0.2	4.32	8	230	1.5	2	0.61	< 0.5	41	200	78	7.16	10	2	0.26	10	3.34	995	< 1
BB20924	201 202	1.2	2.37	194	80	0.5	< 2	0.24	0.5	30	333	29	5.36	< 10	< 1	0.09	< 10	2.21	875	1
BB20925	201 202	0.2	2.21	34	140	0.5	2	0.20	< 0.5	15	57	25	3.45	< 10	< 1	0.06	10	0.91	375	1
BB20926	201 202	0.2	2.10	22	100	< 0.5	4	0.18	< 0.5	12	101	23	3.69	< 10	< 1	0.08	< 10	1.02	375	< 1
BB20927	201 202	< 0.2	1.53	6	100	< 0.5	< 2	0.33	< 0.5	12	125	29	2.31	< 10	< 1	0.05	10	1.05	250	< 1
BB20928	201 202	< 0.2	1.59	8	70	< 0.5	2	0.15	< 0.5	6	44	12	3.41	< 10	< 1	0.06	10	0.34	290	< 1
BB20929	201 202	0.2	1.99	34	140	0.5	2	0.39	0.5	14	65	30	3.08	< 10	< 1	0.07	10	1.02	385	< 1
BB20930	201 202	< 0.2	2.43	186	140	1.0	2	0.34	< 0.5	25	82	32	4.80	< 10	< 1	0.16	10	1.16	1180	3
BB20931	201 202	< 0.2	1.79	68	130	< 0.5	2	0.29	< 0.5	10	44	15	2.85	< 10	< 1	0.07	10	0.81	315	2
BB20932	201 202	0.2	1.68	286	180	2.0	8	0.14	< 0.5	5	18	81	5.67	< 10	< 1	0.12	10	0.24	205	2
BB20933	201 202	< 0.2	2.12	918	110	2.0	2	0.92	1.5	4	17	57	3.45	< 10	1	0.05	40	0.48	100	2
BB20934	201 202	< 0.2	2.43	64	150	0.5	< 2	0.20	0.5	14	204	23	5.04	10	< 1	0.10	< 10	1.21	395	1
BB20935	201 202	0.2	2.37	392	180	0.5	2	0.61	1.5	31	95	29	4.20	< 10	< 1	0.10	10	1.15	895	2
BB20936	201 202	0.8	2.05	280	140	1.5	< 2	0.76	0.5	14	62	55	3.17	< 10	< 1	0.11	30	1.08	520	1
BB20937	201 202	0.6	2.83	246	190	1.5	2	0.47	1.0	18	65	66	4.10	< 10	< 1	0.14	10	1.36	720	1
BB20938	201 202	0.8	2.96	194	90	1.0	4	0.12	0.5	17	86	33	4.08	< 10	< 1	0.07	< 10	0.69	345	1
BB20939	201 202	< 0.2	1.37	824	90	0.5	2	0.07	< 0.5	8	14	25	3.68	< 10	< 1	0.06	< 10	0.08	485	2
BB20940	201 202	0.2	2.00	98	160	0.5	2	0.53	< 0.5	18	58	39	3.11	< 10	< 1	0.09	10	1.06	755	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 3-B
Total Pages: 5
Certificate Date: 04-AUG-96
Invoice No.: I9625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20901	201 202	< 0.01	21	230	56	< 2	3	20	0.05	< 10	< 10	52	< 10	192
BB20902	201 202	< 0.01	31	660	62	2	3	11	0.08	< 10	< 10	45	< 10	122
BB20903	201 202	< 0.01	70	840	86	< 2	3	34	0.05	< 10	< 10	64	< 10	248
BB20904	201 202	< 0.01	137	570	18	< 2	4	12	0.06	< 10	< 10	50	< 10	88
BB20905	201 202	< 0.01	159	1130	128	< 2	4	12	0.11	< 10	< 10	105	< 10	156
BB20906	201 202	< 0.01	199	90	46	< 2	4	5	0.18	< 10	< 10	118	< 10	96
BB20907	201 202	< 0.01	176	2190	120	2	6	37	0.01	< 10	< 10	58	< 10	516
BB20908	201 202	< 0.01	64	330	208	< 2	4	11	0.08	< 10	< 10	61	< 10	370
BB20909	201 202	< 0.01	48	940	40	< 2	7	33	0.12	< 10	< 10	64	< 10	142
BB20910	201 202	< 0.01	43	600	60	2	3	14	0.14	< 10	< 10	117	< 10	138
BB20911	201 202	< 0.01	55	700	108	< 2	3	14	0.09	< 10	< 10	60	< 10	336
BB20912	201 202	< 0.01	28	370	22	< 2	3	24	0.10	< 10	< 10	61	< 10	82
BB20913	201 202	< 0.01	41	570	112	2	3	30	0.08	< 10	< 10	61	< 10	248
BB20914	201 202	< 0.01	38	410	24	6	3	11	0.08	< 10	< 10	55	< 10	80
BB20915	201 202	< 0.01	325	180	20	12	4	8	0.05	< 10	< 10	42	< 10	64
BB20916	201 202	< 0.01	169	170	16	< 2	3	8	0.08	< 10	< 10	61	< 10	72
BB20917	201 202	< 0.01	176	860	44	< 2	7	58	0.05	< 10	< 10	65	< 10	120
BB20918	201 202	< 0.01	464	440	36	< 2	8	25	0.05	< 10	< 10	60	< 10	68
BB20919	201 202	< 0.01	77	490	132	< 2	4	28	0.08	< 10	< 10	47	< 10	198
BB20920	201 202	< 0.01	65	720	48	2	5	38	0.08	< 10	< 10	53	< 10	142
BB20921	201 202	< 0.01	547	460	56	12	10	33	0.07	< 10	< 10	69	< 10	318
BB20922	201 202	< 0.01	126	550	34	10	5	26	0.15	< 10	< 10	111	< 10	190
BB20923	201 202	< 0.01	159	990	18	10	16	25	0.07	< 10	< 10	120	< 10	102
BB20924	201 202	< 0.01	157	890	98	6	5	16	0.11	< 10	< 10	113	< 10	196
BB20925	201 202	< 0.01	41	330	18	14	5	20	0.10	< 10	< 10	62	< 10	80
BB20926	201 202	< 0.01	42	490	22	4	6	15	0.12	< 10	< 10	92	< 10	80
BB20927	201 202	< 0.01	104	780	14	< 2	3	16	0.10	< 10	< 10	53	< 10	84
BB20928	201 202	< 0.01	16	630	16	8	3	13	0.17	< 10	< 10	103	< 10	50
BB20929	201 202	< 0.01	51	490	46	6	4	26	0.12	< 10	< 10	62	< 10	136
BB20930	201 202	< 0.01	37	1360	52	10	4	27	0.13	< 10	< 10	84	< 10	140
BB20931	201 202	< 0.01	20	270	16	4	4	25	0.11	< 10	< 10	68	< 10	76
BB20932	201 202	< 0.01	13	730	82	12	3	27	< 0.01	< 10	< 10	24	< 10	234
BB20933	201 202	< 0.01	7	390	8	14	1	49	< 0.01	< 10	< 10	16	< 10	184
BB20934	201 202	< 0.01	95	320	26	2	5	23	0.15	< 10	< 10	121	< 10	114
BB20935	201 202	< 0.01	59	500	84	4	5	51	0.10	< 10	< 10	73	< 10	322
BB20936	201 202	< 0.01	50	470	80	4	6	54	0.11	< 10	< 10	59	< 10	212
BB20937	201 202	< 0.01	46	750	66	6	7	39	0.09	< 10	< 10	69	< 10	238
BB20938	201 202	< 0.01	50	240	100	10	3	8	0.10	< 10	< 10	63	< 10	408
BB20939	201 202	< 0.01	13	240	24	10	1	6	0.01	< 10	< 10	34	< 10	98
BB20940	201 202	< 0.01	36	510	42	< 2	5	30	0.08	< 10	< 10	59	< 10	150

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 4-A
Total: 5
Certificate Date: 04-AUG-96
Invoice No.: I9625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20941	201 202	< 0.2	1.89	782	90	0.5	2	0.47	< 0.5	15	73	42	4.36	< 10	< 1	0.08	< 10	0.93	665	4
BB20942	201 202	< 0.2	2.01	26	100	< 0.5	< 2	0.19	< 0.5	9	35	12	2.80	10	< 1	0.11	< 10	0.66	325	1
BB20943	201 202	< 0.2	2.34	142	140	0.5	< 2	0.19	0.5	15	66	20	3.79	< 10	< 1	0.08	< 10	0.90	365	2
BB20944	201 202	< 0.2	1.54	246	100	< 0.5	< 2	0.43	0.5	26	305	22	3.18	< 10	< 1	0.07	< 10	1.81	575	< 1
BB20945	201 202	< 0.2	2.03	36	120	0.5	< 2	0.32	< 0.5	19	65	36	3.07	< 10	< 1	0.09	10	0.90	665	1
BB20946	201 202	< 0.2	2.21	42	90	< 0.5	< 2	0.16	0.5	11	57	19	3.70	< 10	< 1	0.06	< 10	0.80	415	2
BB20947	201 202	< 0.2	2.13	64	150	< 0.5	2	0.28	< 0.5	12	57	17	4.49	10	< 1	0.11	10	0.96	430	4
BB20948	201 202	< 0.2	1.70	42	110	< 0.5	< 2	0.27	< 0.5	15	82	20	3.43	< 10	< 1	0.10	10	0.93	620	1
BB20949	201 202	< 0.2	2.72	26	120	0.5	2	0.24	0.5	10	57	27	3.21	< 10	< 1	0.09	10	0.81	305	1
BB20950	201 202	< 0.2	2.33	72	100	< 0.5	2	0.22	0.5	8	43	13	3.01	< 10	3	0.08	10	0.88	285	1
BB20951	201 202	0.2	2.17	80	140	0.5	2	0.24	0.5	18	48	28	4.08	< 10	< 1	0.06	< 10	0.84	560	1
BB20952	201 202	< 0.2	2.29	88	150	0.5	< 2	0.32	< 0.5	22	80	57	3.60	< 10	< 1	0.11	10	1.29	640	1
BB20953	201 202	< 0.2	2.22	60	170	< 0.5	< 2	0.19	0.5	19	162	25	4.03	< 10	2	0.08	< 10	1.38	410	< 1
BB20954	201 202	< 0.2	2.22	108	170	0.5	< 2	0.26	< 0.5	28	177	24	3.92	< 10	< 1	0.08	< 10	1.44	500	1
BB20955	201 202	< 0.2	1.91	156	80	0.5	2	0.20	< 0.5	16	98	18	3.99	< 10	< 1	0.07	< 10	0.93	510	< 1
BB20956	201 202	1.2	2.39	80	130	0.5	< 2	0.29	< 0.5	17	54	34	3.30	< 10	< 1	0.07	< 10	1.04	390	< 1
BB20957	201 202	< 0.2	1.72	62	90	< 0.5	< 2	0.21	< 0.5	10	57	16	3.02	< 10	< 1	0.06	< 10	0.87	290	< 1
BB20958	201 202	0.2	2.92	52	130	0.5	< 2	0.28	0.5	19	54	28	3.18	< 10	< 1	0.07	< 10	1.07	395	< 1
BB20959	201 202	< 0.2	2.35	48	130	< 0.5	< 2	0.19	< 0.5	13	44	23	3.36	< 10	< 1	0.05	< 10	0.82	255	1
BB20960	201 202	0.2	4.49	94	120	7.5	2	0.38	< 0.5	21	43	58	5.76	< 10	< 1	0.05	10	0.63	1730	< 1
BB20961	201 202	< 0.2	1.49	38	60	< 0.5	< 2	0.15	< 0.5	7	28	7	2.46	< 10	< 1	0.04	< 10	0.51	175	1
BB20962	201 202	< 0.2	1.72	34	140	0.5	< 2	0.70	0.5	18	50	24	2.78	< 10	< 1	0.11	< 10	1.07	480	< 1
BB20963	201 202	1.0	1.76	70	150	0.5	< 2	0.40	< 0.5	24	60	25	2.91	< 10	< 1	0.06	10	0.89	930	2
BB20964	201 202	1.0	1.71	152	140	0.5	< 2	0.37	0.5	21	61	60	3.15	< 10	< 1	0.07	10	0.98	660	< 1
BB20965	201 202	0.2	1.74	94	100	0.5	< 2	0.34	0.5	21	46	20	2.92	< 10	< 1	0.05	< 10	0.89	450	< 1
BB20966	201 202	< 0.2	1.67	40	120	0.5	< 2	0.44	< 0.5	18	64	37	2.93	< 10	< 1	0.07	10	1.07	535	1
BB20967	201 202	0.2	1.76	62	130	0.5	< 2	0.42	< 0.5	20	148	33	3.06	< 10	< 1	0.08	10	1.68	455	< 1
BB20968	201 202	< 0.2	1.84	84	150	0.5	< 2	0.47	0.5	14	58	37	3.29	< 10	< 1	0.08	10	1.01	530	1
BB20969	201 202	0.2	2.63	102	130	0.5	< 2	0.26	< 0.5	15	56	25	4.17	< 10	< 1	0.07	10	1.19	415	1
BB20970	201 202	< 0.2	1.62	70	180	0.5	< 2	0.19	< 0.5	14	42	44	3.00	< 10	< 1	0.06	10	0.79	445	< 1
BB20971	201 202	< 0.2	1.38	82	260	0.5	< 2	0.79	< 0.5	13	35	39	2.73	< 10	< 1	0.06	10	0.58	785	2
BB20972	201 202	< 0.2	0.99	20	100	< 0.5	< 2	0.11	0.5	7	22	19	1.85	< 10	< 1	0.04	< 10	0.27	885	< 1
BB20973	201 202	< 0.2	1.82	46	170	0.5	< 2	0.42	0.5	20	45	56	3.44	< 10	< 1	0.10	10	1.26	725	1
BB20974	201 202	0.2	1.80	44	140	0.5	2	0.29	< 0.5	12	40	38	3.09	< 10	< 1	0.08	< 10	0.87	350	1
BB20975	201 202	< 0.2	2.24	122	140	0.5	< 2	0.21	1.0	32	276	28	4.76	< 10	< 1	0.08	< 10	2.71	475	< 1
BB20976	201 202	< 0.2	1.81	132	70	< 0.5	< 2	0.15	0.5	35	523	24	5.74	< 10	< 1	0.06	< 10	2.35	625	< 1
BB20977	201 202	< 0.2	2.67	532	130	1.0	< 2	0.20	< 0.5	17	156	27	6.00	10	< 1	0.11	< 10	1.12	445	1
BB20978	201 202	0.6	2.63	134	130	1.0	< 2	0.25	1.0	40	321	18	5.90	10	< 1	0.11	< 10	2.49	920	1
BB20979	201 202	< 0.2	2.89	158	80	0.5	2	0.19	< 0.5	16	121	20	6.79	10	< 1	0.09	< 10	1.08	855	1
BB20980	201 202	0.2	2.11	112	90	0.5	< 2	0.20	< 0.5	11	77	20	4.66	< 10	< 1	0.07	< 10	0.87	450	< 1

CERTIFICATION:

Hunt Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 4-B
Total: 5
Certificate Date: 04-AUG-96
Invoice No.: 19625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20941	201 202	< 0.01	51	420	98	6	4	30	0.09	< 10	< 10	77	< 10	176
BB20942	201 202	< 0.01	16	290	8	8	3	21	0.21	< 10	< 10	62	< 10	62
BB20943	201 202	< 0.01	32	130	20	6	4	18	0.13	< 10	< 10	78	< 10	118
BB20944	201 202	< 0.01	155	340	34	8	4	36	0.09	< 10	< 10	59	< 10	158
BB20945	201 202	0.01	49	620	36	6	4	23	0.11	< 10	< 10	60	< 10	100
BB20946	201 202	< 0.01	25	340	20	6	4	15	0.13	< 10	< 10	72	< 10	94
BB20947	201 202	< 0.01	23	460	18	6	4	27	0.16	< 10	< 10	104	< 10	96
BB20948	201 202	< 0.01	39	370	18	2	4	22	0.14	< 10	< 10	82	< 10	80
BB20949	201 202	< 0.01	31	530	26	6	4	21	0.13	< 10	< 10	64	< 10	104
BB20950	201 202	< 0.01	21	400	20	10	4	22	0.10	< 10	< 10	63	< 10	100
BB20951	201 202	< 0.01	33	570	38	8	4	20	0.09	< 10	< 10	64	< 10	100
BB20952	201 202	< 0.01	59	640	44	10	6	25	0.09	< 10	< 10	64	< 10	152
BB20953	201 202	< 0.01	99	260	28	6	4	21	0.13	< 10	< 10	86	< 10	118
BB20954	201 202	< 0.01	147	440	56	4	4	21	0.10	< 10	< 10	67	< 10	224
BB20955	201 202	< 0.01	49	360	40	8	4	19	0.11	< 10	< 10	68	< 10	104
BB20956	201 202	< 0.01	41	690	58	12	4	20	0.08	< 10	< 10	55	< 10	166
BB20957	201 202	< 0.01	28	280	26	6	3	18	0.11	< 10	< 10	63	< 10	86
BB20958	201 202	< 0.01	34	340	44	12	5	30	0.10	< 10	< 10	59	< 10	112
BB20959	201 202	< 0.01	26	180	36	2	4	21	0.12	< 10	< 10	61	< 10	82
BB20960	201 202	0.01	20	630	6	2	13	26	< 0.01	< 10	< 10	86	< 10	86
BB20961	201 202	< 0.01	10	120	24	6	2	17	0.13	< 10	< 10	57	< 10	42
BB20962	201 202	< 0.01	27	650	34	2	4	50	0.11	< 10	< 10	51	< 10	130
BB20963	201 202	< 0.01	34	890	118	< 2	4	25	0.07	< 10	< 10	47	< 10	176
BB20964	201 202	< 0.01	49	800	210	4	6	25	0.09	< 10	< 10	49	< 10	248
BB20965	201 202	< 0.01	29	820	30	2	3	28	0.10	< 10	< 10	46	< 10	88
BB20966	201 202	< 0.01	55	960	32	< 2	4	27	0.11	< 10	< 10	52	< 10	110
BB20967	201 202	< 0.01	121	800	50	2	4	26	0.10	< 10	< 10	55	< 10	132
BB20968	201 202	< 0.01	35	510	40	6	4	33	0.10	< 10	< 10	54	< 10	126
BB20969	201 202	< 0.01	32	440	32	2	4	22	0.09	< 10	< 10	61	< 10	168
BB20970	201 202	< 0.01	26	640	32	10	3	18	0.06	< 10	< 10	52	< 10	92
BB20971	201 202	< 0.01	20	860	32	6	2	38	0.04	< 10	< 10	46	< 10	102
BB20972	201 202	0.01	9	580	20	< 2	< 1	11	0.02	< 10	< 10	40	< 10	48
BB20973	201 202	< 0.01	39	900	32	4	5	28	0.08	< 10	< 10	51	< 10	134
BB20974	201 202	< 0.01	25	490	28	4	3	21	0.06	< 10	< 10	51	< 10	100
BB20975	201 202	< 0.01	201	390	78	12	4	17	0.08	< 10	< 10	67	< 10	264
BB20976	201 202	< 0.01	224	980	54	4	4	15	0.11	< 10	< 10	105	< 10	188
BB20977	201 202	< 0.01	64	730	40	10	5	21	0.14	< 10	< 10	115	< 10	148
BB20978	201 202	< 0.01	163	600	50	6	6	20	0.16	< 10	< 10	90	< 10	200
BB20979	201 202	< 0.01	49	810	46	6	4	19	0.22	< 10	< 10	120	< 10	114
BB20980	201 202	< 0.01	39	440	48	2	4	17	0.15	< 10	< 10	87	< 10	116

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page 5-A
Total 5
Certificate Date: 04-AUG-96
Invoice No. : 19625687
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20981	201 202	0.6	1.24	30	120	< 0.5	< 2	0.34	< 0.5	4	32	13	1.66	< 10	< 1	0.04	< 10	0.57	160	1
BB20982	201 202	< 0.2	1.60	44	120	< 0.5	< 2	0.31	0.5	8	37	14	2.72	< 10	1	0.05	< 10	0.79	255	1
BB20983	201 202	1.2	1.86	62	220	0.5	< 2	0.87	1.0	12	48	37	2.56	< 10	< 1	0.07	10	0.73	935	1
BB20984	201 202	0.6	1.30	48	110	< 0.5	< 2	0.37	< 0.5	7	41	22	1.96	< 10	< 1	0.05	< 10	0.74	285	1
BB20985	201 202	0.8	1.71	176	80	0.5	< 2	0.16	0.5	14	148	15	4.74	< 10	< 1	0.07	< 10	1.00	560	1
BB20986	201 202	< 0.2	2.49	96	100	< 0.5	< 2	0.49	< 0.5	14	85	81	4.70	10	< 1	0.39	< 10	1.13	585	1
BB20987	201 202	0.6	2.14	196	80	0.5	< 2	0.13	< 0.5	9	73	30	4.36	< 10	< 1	0.11	< 10	0.71	415	< 1
BB20988	201 202	0.2	2.14	124	140	0.5	< 2	0.27	0.5	18	82	27	3.34	< 10	< 1	0.07	< 10	0.99	385	< 1
BB20989	201 202	< 0.2	2.50	186	190	0.5	< 2	0.75	1.5	13	124	36	4.04	10	< 1	0.15	< 10	1.42	720	1
BB20990	201 202	< 0.2	1.15	70	50	< 0.5	< 2	0.09	0.5	18	393	14	3.96	< 10	< 1	0.04	< 10	1.51	770	< 1
BB20991	201 202	< 0.2	2.10	46	90	< 0.5	< 2	0.27	< 0.5	12	94	26	3.66	< 10	< 1	0.06	< 10	0.99	370	1
BB20992	201 202	< 0.2	1.97	28	90	< 0.5	< 2	0.22	< 0.5	9	58	22	3.41	< 10	< 1	0.05	< 10	0.87	340	1
BB20993	201 202	< 0.2	1.47	10	90	< 0.5	< 2	0.19	< 0.5	6	41	13	2.99	< 10	< 1	0.04	< 10	0.45	300	< 1
BB20994	201 202	0.2	1.53	86	60	< 0.5	< 2	0.17	0.5	7	44	13	3.69	< 10	< 1	0.04	< 10	0.60	255	1
BB20995	201 202	0.2	1.59	26	350	< 0.5	< 2	0.80	0.5	10	60	25	2.41	< 10	< 1	0.05	< 10	0.84	465	1
BB20996	201 202	0.4	1.72	24	320	< 0.5	< 2	0.84	0.5	10	47	35	2.36	< 10	< 1	0.06	10	0.76	390	< 1
BB20997	201 202	0.2	1.91	50	130	0.5	< 2	0.20	0.5	11	49	24	3.04	< 10	< 1	0.05	< 10	0.81	685	1
BB20998	201 202	< 0.2	1.82	18	140	< 0.5	< 2	0.25	0.5	9	41	25	2.74	< 10	< 1	0.05	< 10	0.87	310	1
BB20999	201 202	0.2	1.84	54	260	0.5	< 2	0.57	0.5	14	42	49	2.91	< 10	< 1	0.07	10	0.96	675	1
BB21000	201 202	< 0.2	1.23	22	110	< 0.5	< 2	0.19	< 0.5	5	29	12	1.98	< 10	< 1	0.05	< 10	0.58	195	1
BB21001	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB22001	201 202	0.2	1.46	44	170	< 0.5	< 2	0.44	< 0.5	12	39	31	2.53	< 10	< 1	0.06	10	0.87	570	1
BB22002	201 202	0.2	1.96	336	100	0.5	< 2	0.31	1.5	15	91	42	4.36	< 10	< 1	0.06	< 10	1.21	375	1
BB22003	201 202	0.4	2.74	166	230	0.5	< 2	0.40	1.5	30	68	72	4.37	< 10	< 1	0.10	10	1.16	1370	2
BB22004	201 202	0.2	1.71	78	210	0.5	< 2	0.47	0.5	13	47	52	3.01	< 10	< 1	0.08	10	1.06	570	1
BB22005	201 202	< 0.2	1.62	62	140	< 0.5	< 2	0.51	0.5	14	63	29	2.78	< 10	< 1	0.07	10	1.00	440	1
BB22006	201 202	0.6	1.33	60	140	0.5	< 2	0.57	0.5	11	56	35	2.24	< 10	< 1	0.06	10	0.75	420	1
BB22007	201 202	< 0.2	1.43	38	130	< 0.5	< 2	0.48	< 0.5	10	52	24	2.52	< 10	< 1	0.06	10	0.86	370	< 1
BB22008	201 202	0.2	1.49	26	240	< 0.5	< 2	0.53	< 0.5	11	62	22	2.30	< 10	< 1	0.05	< 10	0.84	420	1
BB22009	201 202	< 0.2	1.71	30	180	< 0.5	< 2	0.28	0.5	12	56	28	3.00	< 10	< 1	0.07	< 10	0.87	470	1
BB22010	201 202	1.2	1.73	90	420	0.5	< 2	1.39	2.0	16	57	106	2.54	< 10	1	0.06	30	0.71	980	2
BB22011	201 202	0.2	0.99	64	100	< 0.5	2	0.07	0.5	6	27	21	2.10	< 10	< 1	0.03	< 10	0.22	305	1
BB22012	201 202	< 0.2	1.52	80	60	< 0.5	< 2	0.12	< 0.5	10	39	11	3.90	< 10	< 1	0.04	< 10	0.89	575	< 1
BB22013	201 202	0.2	1.92	152	100	0.5	< 2	0.21	0.5	13	52	19	3.77	< 10	< 1	0.06	< 10	1.06	485	< 1
BB22014	201 202	< 0.2	1.71	38	90	< 0.5	< 2	0.21	0.5	9	44	17	3.39	< 10	< 1	0.05	< 10	0.85	305	1
BB22015	201 202	0.2	2.19	80	160	0.5	< 2	0.26	0.5	13	43	40	3.16	< 10	< 1	0.05	10	0.99	395	1
BB22016	201 202	< 0.2	1.48	38	150	< 0.5	< 2	0.40	< 0.5	11	45	33	2.57	< 10	< 1	0.04	10	0.92	415	< 1
BB22017	201 202	< 0.2	1.57	26	80	< 0.5	< 2	0.23	0.5	10	41	16	3.42	< 10	< 1	0.06	< 10	0.82	395	1
BB22018	201 202	< 0.2	1.87	26	170	< 0.5	< 2	0.27	< 0.5	10	43	23	2.86	< 10	< 1	0.05	< 10	0.88	325	1
BB22019	201 202	< 0.2	1.84	12	230	< 0.5	< 2	0.40	0.5	10	42	25	2.46	< 10	< 1	0.06	< 10	0.82	365	1

CERTIFICATION:

David B. Miller



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: FAX: NORDAC RESOURCES

Page: 5-B
Total: 5
Certificate Date: 04-AUG-96
Invoice No.: 19625687
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625687

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20981	201 202	< 0.01	17	310	72	< 2	3	21	0.08	< 10	< 10	37	< 10	70
BB20982	201 202	< 0.01	20	280	24	< 2	3	25	0.10	< 10	< 10	58	< 10	72
BB20983	201 202	< 0.01	37	970	52	< 2	5	49	0.06	< 10	< 10	41	< 10	134
BB20984	201 202	< 0.01	25	460	78	< 2	3	20	0.07	< 10	< 10	38	< 10	108
BB20985	201 202	< 0.01	89	440	84	< 2	4	12	0.12	< 10	< 10	81	< 10	126
BB20986	201 202	< 0.01	38	420	20	< 2	6	23	0.34	< 10	< 10	109	< 10	66
BB20987	201 202	< 0.01	45	540	36	< 2	4	12	0.13	< 10	< 10	74	< 10	88
BB20988	201 202	< 0.01	80	280	28	< 2	4	23	0.12	< 10	< 10	57	< 10	98
BB20989	201 202	< 0.01	54	700	20	2	6	39	0.03	< 10	< 10	95	< 10	162
BB20990	201 202	< 0.01	140	700	54	< 2	3	8	0.09	< 10	< 10	94	< 10	94
BB20991	201 202	< 0.01	62	580	44	< 2	4	18	0.12	< 10	< 10	62	< 10	136
BB20992	201 202	< 0.01	32	520	30	< 2	4	15	0.11	< 10	< 10	64	< 10	100
BB20993	201 202	< 0.01	16	530	18	< 2	3	12	0.16	< 10	< 10	85	< 10	60
BB20994	201 202	< 0.01	17	460	22	< 2	3	16	0.12	< 10	< 10	86	< 10	82
BB20995	201 202	< 0.01	40	680	36	< 2	4	41	0.07	< 10	< 10	46	< 10	98
BB20996	201 202	< 0.01	33	720	20	< 2	5	47	0.08	< 10	< 10	43	< 10	84
BB20997	201 202	< 0.01	37	510	48	< 2	3	14	0.07	< 10	< 10	49	< 10	114
BB20998	201 202	< 0.01	29	500	24	< 2	3	15	0.08	< 10	< 10	47	< 10	80
BB20999	201 202	< 0.01	31	700	32	< 2	5	35	0.06	< 10	< 10	48	< 10	114
BB21000	201 202	< 0.01	16	170	22	< 2	3	14	0.10	< 10	< 10	47	< 10	58
BB21001	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
BB22001	201 202	< 0.01	27	750	24	< 2	4	24	0.08	< 10	< 10	44	< 10	96
BB22002	201 202	< 0.01	63	310	94	< 2	4	21	0.09	< 10	< 10	63	< 10	266
BB22003	201 202	< 0.01	55	770	78	2	6	26	0.09	< 10	< 10	62	< 10	240
BB22004	201 202	< 0.01	36	770	38	< 2	5	31	0.10	< 10	< 10	52	< 10	132
BB22005	201 202	< 0.01	43	810	36	< 2	4	33	0.09	< 10	< 10	53	< 10	132
BB22006	201 202	< 0.01	37	720	32	< 2	4	32	0.08	< 10	< 10	45	< 10	96
BB22007	201 202	< 0.01	36	840	30	< 2	4	29	0.10	< 10	< 10	51	< 10	86
BB22008	201 202	< 0.01	41	650	32	< 2	4	28	0.07	< 10	< 10	45	< 10	92
BB22009	201 202	< 0.01	38	520	32	< 2	4	19	0.08	< 10	< 10	53	< 10	104
BB22010	201 202	< 0.01	40	800	50	< 2	6	60	0.03	< 10	< 10	39	< 10	120
BB22011	201 202	< 0.01	10	370	26	< 2	1	8	0.07	< 10	< 10	66	< 10	40
BB22012	201 202	< 0.01	17	350	22	< 2	3	9	0.09	< 10	< 10	59	< 10	94
BB22013	201 202	< 0.01	30	570	40	< 2	4	17	0.08	< 10	< 10	53	< 10	112
BB22014	201 202	< 0.01	25	360	22	< 2	3	14	0.08	< 10	< 10	55	< 10	90
BB22015	201 202	< 0.01	37	650	36	< 2	4	16	0.07	< 10	< 10	44	< 10	132
BB22016	201 202	< 0.01	34	600	20	< 2	4	22	0.10	< 10	< 10	46	< 10	72
BB22017	201 202	< 0.01	23	380	14	< 2	3	16	0.11	< 10	< 10	65	< 10	64
BB22018	201 202	< 0.01	33	460	22	< 2	3	16	0.09	< 10	< 10	48	< 10	70
BB22019	201 202	< 0.01	26	680	20	< 2	4	25	0.08	< 10	< 10	45	< 10	86

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver

British Columbia, Canada V7J 2C1

PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES LTD.

Page: 1-A
Total: 1
Certificate Date: 06-AUG-96
Invoice No.: 19625601
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625601

SAMPLE	PREP CODE		Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
935937	208	226	97.0	3.75	< 100	< 10	180	8.15	160	70	60	450	9.80	< 0.1	4.20	3910
935938	208	226	16.0	4.05	< 100	< 10	< 20	9.25	100	40	140	220	7.65	< 0.1	4.40	76200

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments: ATTN:NORDAC RESOURCES LTD.

Page : 1-B
Total : 1
Certificate Date: 06-AUG-96
Invoice No. : 19625601
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625601

SAMPLE	PREP CODE		Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	Pb % AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	Zn ppm (ICP)						
935937	208	226	< 10	0.05	< 10	1.730	110	< 0.05	120	8860						
935938	208	226	< 10	0.05	70	0.048	60	0.10	110	16020						

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments: ATTN:NORDAC RESOURCES LTD.

Page : 1-A
Total : 1
Certificate Date: 30-JUL-96
Invoice No. : 19625600
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625600

SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %
935931	208 226	-----	1	0.55	30	20	< 5	< 10	0.96	< 5	35	140	445	14.25	< 10	0.05	0.25	450	10	0.08
935932	208 226	60	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
935933	208 226	-----	< 1	0.87	10	20	< 5	< 10	0.38	< 5	80	2720	30	5.95	< 10	0.01	7.91	780	< 5	0.03
935934	208 226	-----	< 1	2.48	< 10	120	< 5	< 10	0.27	< 5	90	2320	30	6.63	< 10	0.04	3.15	1790	< 5	0.04
935935	208 226	-----	47	1.88	10	180	< 5	40	4.77	235	25	40	205	7.37	< 10	0.12	1.99	5870	< 5	0.08
935936	208 226	-----	42	7.56	110	660	20	< 10	0.84	25	35	310	355	13.80	< 10	2.40	5.71	4940	< 5	< 0.01

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments: ATTN:NORDAC RESOURCES LTD.

Page 1 of 1
Total : 1
Certificate Date: 30-JUL-96
Invoice No. : I9625600
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625600

SAMPLE	PREP CODE	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935931	208 226	90	2300	15	< 10	< 5	20	0.04	< 20	< 20	60	< 20	120
935932	208 226	---	---	---	---	---	---	---	---	---	---	---	---
935933	208 226	935	< 100	10	< 10	< 5	5	0.01	< 20	< 20	60	< 20	50
935934	208 226	1310	200	10	< 10	5	20	< 0.01	< 20	< 20	80	< 20	75
935935	208 226	25	100	4350	< 10	< 5	80	0.18	< 20	< 20	60	< 20	18600
935936	208 226	140	400	10320	10	20	40	0.09	< 20	< 20	180	< 20	5160

CERTIFICATION:

Harry Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments:

Page : 1-A
Total : 1
Certificate Date: 22-JUL-96
Invoice No. : I9623817
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623817

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
935930	205 226	0.2	0.20	6	180	< 0.5	< 2	0.14	< 0.5	5	215	34	1.00	< 10	< 1	0.07	< 10	0.03	260	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments:

Page : 1-B
Total : 1
Certificate Date: 22-JUL-96
Invoice No. : I9623817
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623817

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935930	205 226	< 0.01	15	950	20	2	3	29	< 0.01	< 10	< 10	8	< 10	68

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments:

Page 1 of 1
Total : 5
Certificate Date: 21-JUL-96
Invoice No. : 19623815
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20635	201 202	0.2	2.67	6	180	0.5	< 2	0.23	0.5	16	60	41	3.02	< 10	< 1	0.06	10	0.39	1000	< 1
BB20636	201 202	< 0.2	1.63	8	100	< 0.5	< 2	0.19	< 0.5	11	39	53	3.61	< 10	< 1	0.05	10	0.42	330	< 1
BB20637	201 202	0.2	1.24	6	90	< 0.5	< 2	0.17	< 0.5	9	34	31	3.48	< 10	< 1	0.08	10	0.31	470	< 1
BB20638	201 202	< 0.2	2.02	< 2	140	< 0.5	< 2	0.23	< 0.5	9	41	17	2.80	< 10	< 1	0.06	10	0.59	330	< 1
BB20639	201 202	< 0.2	1.57	< 2	140	< 0.5	< 2	0.29	0.5	9	42	26	3.07	< 10	< 1	0.07	10	0.66	355	1
BB20640	201 202	< 0.2	2.20	< 2	90	< 0.5	< 2	0.16	< 0.5	7	35	8	2.84	< 10	< 1	0.08	10	0.44	285	1
BB20641	201 202	0.8	1.92	2	410	0.5	< 2	0.56	0.5	12	44	29	2.64	< 10	< 1	0.09	10	0.63	645	< 1
BB20642	201 202	0.2	2.29	28	130	< 0.5	< 2	0.27	0.5	9	44	17	2.86	< 10	< 1	0.08	10	0.63	275	< 1
BB20643	201 202	< 0.2	1.19	< 2	50	< 0.5	< 2	0.13	< 0.5	5	29	13	2.24	< 10	< 1	0.04	10	0.29	185	< 1
BB20644	201 202	< 0.2	1.61	< 2	130	< 0.5	< 2	0.22	< 0.5	9	38	31	3.14	< 10	< 1	0.10	10	0.45	365	< 1
BB20645	201 202	< 0.2	2.32	4	180	< 0.5	< 2	0.19	0.5	8	49	23	3.32	< 10	< 1	0.09	10	0.57	325	< 1
BB20646	201 202	< 0.2	1.30	< 2	160	< 0.5	< 2	0.22	< 0.5	10	25	30	2.36	< 10	< 1	0.09	10	0.28	375	1
BB20647	201 202	0.6	2.35	10	110	< 0.5	< 2	0.22	< 0.5	7	48	19	3.09	< 10	< 1	0.08	10	0.55	235	1
BB20648	201 202	0.6	2.03	< 2	70	< 0.5	< 2	0.22	< 0.5	6	33	11	2.29	< 10	< 1	0.06	10	0.43	225	< 1
BB20649	201 202	0.6	1.74	24	100	< 0.5	< 2	0.26	0.5	6	37	20	2.63	< 10	< 1	0.07	10	0.53	250	< 1
BB20650	201 202	< 0.2	2.00	< 2	130	< 0.5	< 2	0.36	< 0.5	10	45	18	2.57	< 10	< 1	0.06	10	0.68	265	< 1
BB20651	201 202	1.0	2.25	4	100	< 0.5	< 2	0.18	0.5	7	35	16	2.91	< 10	< 1	0.05	10	0.34	385	< 1
BB20652	201 202	< 0.2	1.37	2	90	< 0.5	< 2	0.23	< 0.5	7	42	20	3.02	< 10	< 1	0.06	10	0.49	230	< 1
BB20653	201 202	0.2	1.88	< 2	150	< 0.5	< 2	0.18	< 0.5	8	31	12	3.01	< 10	< 1	0.13	< 10	0.65	475	1
BB20656	201 202	< 0.2	1.34	8	110	< 0.5	< 2	0.21	< 0.5	7	38	11	2.72	< 10	< 1	0.08	10	0.54	290	< 1
BB20657	201 202	0.4	1.92	< 2	360	< 0.5	< 2	0.17	< 0.5	5	42	36	2.47	< 10	< 1	0.09	10	0.47	185	< 1
BB20658	201 202	< 0.2	2.31	8	110	< 0.5	< 2	0.19	< 0.5	10	43	21	3.82	< 10	< 1	0.09	10	0.62	320	< 1
BB20659	201 202	0.2	1.44	< 2	100	< 0.5	< 2	0.26	< 0.5	5	34	15	2.29	< 10	< 1	0.08	10	0.44	265	< 1
BB20660	201 202	0.2	2.02	4	110	< 0.5	< 2	0.20	0.5	19	51	238	3.30	< 10	< 1	0.06	10	0.41	2400	1
BB20661	201 202	0.2	1.55	8	80	< 0.5	2	0.23	0.5	8	36	14	3.04	< 10	< 1	0.09	< 10	0.50	340	< 1
BB20662	201 202	0.4	1.50	< 2	110	< 0.5	< 2	0.18	< 0.5	6	33	30	2.63	< 10	< 1	0.07	10	0.35	195	< 1
BB20663	201 202	0.6	1.29	10	90	< 0.5	< 2	0.08	< 0.5	6	25	21	2.55	< 10	< 1	0.06	10	0.22	390	< 1
BB20664	201 202	< 0.2	0.81	< 2	90	< 0.5	< 2	0.09	< 0.5	5	34	22	2.37	< 10	< 1	0.04	10	0.09	185	< 1
BB20665	201 202	0.4	2.23	< 2	130	< 0.5	< 2	0.20	< 0.5	8	48	20	3.11	< 10	< 1	0.07	10	0.59	250	3
BB20666	201 202	0.4	1.57	< 2	70	< 0.5	< 2	0.17	< 0.5	6	37	11	2.28	< 10	< 1	0.07	< 10	0.38	240	1
BB20667	201 202	0.2	0.76	< 2	40	< 0.5	< 2	0.07	< 0.5	1	6	6	0.73	< 10	< 1	0.03	< 10	0.09	30	< 1
BB20668	201 202	0.2	1.36	< 2	80	< 0.5	< 2	0.20	< 0.5	6	36	15	2.09	< 10	< 1	0.05	< 10	0.43	195	< 1
BB20670	201 202	0.2	1.27	< 2	100	< 0.5	< 2	0.06	< 0.5	1	19	22	1.69	< 10	< 1	0.04	10	0.08	95	< 1
BB20671	201 202	0.2	1.67	< 2	80	< 0.5	< 2	0.19	< 0.5	8	35	28	2.47	< 10	< 1	0.05	10	0.55	210	< 1
BB20673	201 202	0.2	1.86	14	80	< 0.5	< 2	0.15	< 0.5	9	43	13	3.25	< 10	< 1	0.07	< 10	0.42	530	< 1
BB20674	201 202	0.2	1.74	< 2	100	< 0.5	< 2	0.16	< 0.5	7	35	16	3.03	< 10	< 1	0.07	10	0.41	325	< 1
BB20675	201 202	< 0.2	2.05	8	100	< 0.5	< 2	0.34	0.5	12	42	18	2.86	< 10	< 1	0.08	10	0.61	350	< 1
BB20676	201 202	0.2	1.33	< 2	100	< 0.5	< 2	0.17	< 0.5	5	30	15	2.29	< 10	< 1	0.07	10	0.40	205	< 1
BB20677	201 202	< 0.2	1.53	20	150	< 0.5	< 2	0.29	0.5	11	34	18	3.07	< 10	1	0.09	10	0.60	530	< 1
BB20678	201 202	0.2	1.73	12	180	< 0.5	< 2	0.26	0.5	9	38	20	2.84	< 10	< 1	0.08	10	0.61	320	< 1

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments:

Page: 1-B
Total: 5
Certificate Date: 21-JUL-96
Invoice No.: 19623815
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20635	201 202	< 0.01	24	1420	18	10	1	20	0.05	< 10	< 10	40	< 10	122
BB20636	201 202	< 0.01	28	420	12	< 2	3	15	0.10	< 10	< 10	52	< 10	112
BB20637	201 202	< 0.01	16	1000	26	8	1	16	0.10	< 10	< 10	83	< 10	72
BB20638	201 202	< 0.01	25	580	36	6	2	12	0.09	< 10	< 10	46	< 10	118
BB20639	201 202	< 0.01	31	820	60	4	3	19	0.10	< 10	< 10	52	< 10	168
BB20640	201 202	< 0.01	11	550	24	4	1	16	0.07	< 10	< 10	64	< 10	62
BB20641	201 202	< 0.01	25	940	48	8	5	46	0.07	< 10	< 10	48	< 10	512
BB20642	201 202	< 0.01	26	690	30	2	3	15	0.10	< 10	< 10	52	< 10	66
BB20643	201 202	< 0.01	9	470	12	8	2	10	0.09	< 10	< 10	63	< 10	52
BB20644	201 202	< 0.01	19	980	20	10	2	23	0.08	< 10	< 10	62	< 10	86
BB20645	201 202	< 0.01	24	570	16	10	4	18	0.12	< 10	< 10	65	< 10	82
BB20646	201 202	< 0.01	16	720	18	8	< 1	26	0.03	< 10	< 10	46	< 10	84
BB20647	201 202	< 0.01	22	710	16	8	3	17	0.11	< 10	< 10	55	< 10	112
BB20648	201 202	< 0.01	12	790	16	4	1	18	0.10	< 10	< 10	50	< 10	46
BB20649	201 202	< 0.01	24	710	16	6	2	19	0.10	< 10	< 10	52	< 10	80
BB20650	201 202	< 0.01	30	850	12	6	3	20	0.12	< 10	< 10	50	< 10	78
BB20651	201 202	< 0.01	12	930	16	< 2	1	13	0.05	< 10	< 10	47	< 10	54
BB20652	201 202	< 0.01	19	830	12	< 2	3	18	0.13	< 10	< 10	70	< 10	60
BB20653	201 202	< 0.01	17	850	16	< 2	3	12	0.12	< 10	< 10	76	< 10	70
BB20656	201 202	< 0.01	15	510	12	6	2	15	0.12	< 10	< 10	64	< 10	74
BB20657	201 202	< 0.01	27	680	18	2	1	22	0.05	< 10	< 10	54	< 10	100
BB20658	201 202	< 0.01	21	310	24	4	3	14	0.11	< 10	< 10	55	< 10	92
BB20659	201 202	< 0.01	14	710	16	8	1	20	0.08	< 10	< 10	54	< 10	66
BB20660	201 202	< 0.01	31	770	8	2	1	21	0.08	< 10	10	52	< 10	110
BB20661	201 202	< 0.01	14	910	16	< 2	1	16	0.12	< 10	< 10	77	< 10	54
BB20662	201 202	< 0.01	18	800	14	4	1	20	0.07	< 10	< 10	47	< 10	64
BB20663	201 202	< 0.01	12	770	16	< 2	< 1	10	0.02	< 10	< 10	34	< 10	48
BB20664	201 202	< 0.01	9	670	8	10	1	12	0.09	< 10	< 10	72	< 10	46
BB20665	201 202	< 0.01	22	440	8	2	3	13	0.12	< 10	< 10	63	< 10	58
BB20666	201 202	< 0.01	11	530	14	4	1	13	0.07	< 10	< 10	60	< 10	50
BB20667	201 202	< 0.07	2	460	2	2	< 1	8	0.04	< 10	< 10	17	< 10	10
BB20668	201 202	< 0.01	18	650	10	10	1	15	0.08	< 10	< 10	43	< 10	48
BB20670	201 202	< 0.01	6	740	12	6	< 1	14	< 0.01	< 10	< 10	41	< 10	34
BB20671	201 202	< 0.01	26	450	8	10	2	13	0.08	< 10	< 10	40	< 10	62
BB20673	201 202	< 0.01	14	920	16	12	1	12	0.08	< 10	< 10	65	< 10	68
BB20674	201 202	< 0.01	16	600	18	4	1	16	0.08	< 10	< 10	59	< 10	64
BB20675	201 202	< 0.01	28	790	28	8	3	19	0.10	< 10	< 10	53	< 10	106
BB20676	201 202	< 0.01	15	360	16	10	1	14	0.09	< 10	< 10	50	< 10	64
BB20677	201 202	< 0.01	24	790	24	6	2	20	0.09	< 10	< 10	50	< 10	92
BB20678	201 202	< 0.01	28	530	22	10	3	16	0.10	< 10	< 10	51	< 10	118

CERTIFICATION:

[Signature]



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments:

Page: 2-A
Total: 5
Certificate Date: 21-JUL-96
Invoice No.: I9623815
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20679	201 202	0.4	1.61	16	240	< 0.5	< 2	0.16	2.0	13	33	21	3.32	< 10	< 1	0.08	10	0.45	640	1
BB20680	201 202	0.8	1.72	14	140	< 0.5	< 2	0.19	1.0	9	35	16	3.50	< 10	< 1	0.07	10	0.52	330	1
BB20681	201 202	0.2	1.61	16	200	< 0.5	< 2	0.25	< 0.5	8	37	12	3.26	< 10	< 1	0.07	< 10	0.57	380	1
BB20682	201 202	0.6	1.83	12	170	< 0.5	< 2	0.13	0.5	11	38	23	3.33	< 10	< 1	0.10	< 10	0.39	2480	3
BB20683	201 202	< 0.2	1.36	24	130	< 0.5	< 2	0.30	< 0.5	13	35	27	4.03	< 10	1	0.08	10	0.50	1005	3
BB20684	201 202	0.2	1.27	< 2	320	< 0.5	< 2	0.36	0.5	7	34	14	2.00	< 10	< 1	0.06	< 10	0.42	355	1
BB20685	201 202	0.2	1.40	16	80	< 0.5	< 2	0.11	< 0.5	7	29	14	2.55	< 10	< 1	0.05	< 10	0.32	260	2
BB20686	201 202	0.4	1.44	2	70	< 0.5	< 2	0.13	< 0.5	8	32	16	2.85	< 10	< 1	0.05	< 10	0.41	290	2
BB20687	201 202	0.4	2.01	16	70	< 0.5	< 2	0.14	< 0.5	10	39	20	3.23	< 10	< 1	0.05	< 10	0.48	345	3
BB20688	201 202	< 0.2	1.71	8	90	< 0.5	< 2	0.18	< 0.5	9	40	33	3.47	< 10	< 1	0.07	< 10	0.52	325	1
BB20689	201 202	< 0.2	1.97	18	150	0.5	< 2	0.20	< 0.5	14	38	24	2.92	< 10	< 1	0.07	< 10	0.53	290	3
BB20690	201 202	0.4	1.31	14	180	< 0.5	< 2	0.03	< 0.5	10	16	48	3.45	< 10	< 1	0.09	10	0.21	620	4
BB20691	201 202	< 0.2	1.53	8	100	< 0.5	< 2	0.17	< 0.5	8	38	18	3.17	< 10	< 1	0.06	< 10	0.46	270	2
BB20692	201 202	0.2	1.95	12	120	< 0.5	< 2	0.17	< 0.5	10	38	21	2.97	< 10	< 1	0.06	< 10	0.49	245	1
BB20693	201 202	0.2	1.75	8	140	< 0.5	< 2	0.14	< 0.5	6	29	10	2.54	< 10	< 1	0.05	10	0.30	290	4
BB20694	201 202	0.2	2.03	12	100	< 0.5	< 2	0.21	< 0.5	9	32	23	3.21	< 10	< 1	0.06	10	0.50	330	1
BB20695	201 202	0.4	1.33	26	100	< 0.5	< 2	0.19	< 0.5	16	26	31	4.01	< 10	< 1	0.08	10	0.49	920	2
BB20696	201 202	2.6	2.35	28	460	1.0	< 2	0.19	2.0	66	34	101	7.42	< 10	< 1	0.09	10	0.46	>10000	5
BB20697	201 202	< 0.2	1.64	8	290	< 0.5	< 2	0.29	0.5	11	40	19	3.19	< 10	< 1	0.12	10	0.61	750	1
BB20698	201 202	2.4	1.57	66	300	< 0.5	< 2	0.07	< 0.5	11	22	25	3.59	< 10	1	0.10	10	0.50	725	4
BB20699	201 202	2.6	4.96	104	490	1.5	< 2	0.46	< 0.5	13	66	82	5.43	10	3	0.32	10	1.07	495	4
BB20700	201 202	< 0.2	1.44	54	160	< 0.5	< 2	0.51	< 0.5	11	39	27	2.60	< 10	< 1	0.10	10	0.69	455	1
BB20701	201 202	< 0.2	1.87	60	260	0.5	< 2	0.46	< 0.5	10	40	37	2.97	< 10	< 1	0.13	10	0.85	350	< 1
BB20702	201 202	< 0.2	1.36	44	230	0.5	< 2	0.44	< 0.5	8	30	30	2.34	< 10	< 1	0.11	10	0.55	295	3
BB20703	201 202	0.2	3.99	18	620	0.5	< 2	0.14	< 0.5	6	38	55	5.51	< 10	< 1	0.49	10	0.98	215	1
BB20704	201 202	< 0.2	2.69	16	260	0.5	< 2	0.52	< 0.5	18	56	40	3.86	< 10	1	0.17	10	1.07	500	3
BB20705	201 202	< 0.2	1.82	18	170	< 0.5	< 2	0.28	< 0.5	13	31	32	2.87	< 10	< 1	0.10	10	0.77	460	2
BB20706	201 202	< 0.2	2.38	20	280	0.5	< 2	0.39	0.5	15	49	33	3.41	< 10	< 1	0.13	10	0.87	550	1
BB20707	201 202	< 0.2	2.26	20	270	0.5	< 2	0.38	< 0.5	12	49	32	3.21	< 10	< 1	0.12	10	0.82	440	< 1
BB20708	201 202	0.2	2.70	60	280	0.5	< 2	0.64	< 0.5	16	34	71	3.51	< 10	< 1	0.15	30	0.66	560	2
BB20709	201 202	< 0.2	1.09	< 2	240	< 0.5	< 2	0.21	< 0.5	3	38	16	0.96	< 10	< 1	0.07	10	0.16	65	3
BB20710	201 202	< 0.2	1.13	< 2	70	< 0.5	< 2	0.03	< 0.5	4	13	13	2.10	< 10	< 1	0.10	10	0.45	125	3
BB20711	201 202	0.2	2.35	< 2	140	< 0.5	< 2	0.08	< 0.5	4	23	13	2.56	10	< 1	0.11	< 10	0.62	145	3
BB20712	201 202	< 0.2	2.15	132	280	< 0.5	< 2	0.11	< 0.5	5	28	45	4.88	< 10	< 1	0.36	10	0.65	170	5
BB20713	201 202	< 0.2	1.52	< 2	180	< 0.5	< 2	0.41	< 0.5	13	46	22	2.63	< 10	< 1	0.07	10	0.72	350	2
BB20714	201 202	< 0.2	1.48	20	300	< 0.5	< 2	0.47	< 0.5	8	37	19	2.38	< 10	3	0.08	10	0.63	370	1
BB20715	201 202	< 0.2	1.51	2	190	< 0.5	< 2	0.48	< 0.5	9	39	22	2.34	< 10	< 1	0.11	10	0.58	265	1
BB20716	201 202	< 0.2	2.27	18	210	< 0.5	< 2	0.50	0.5	11	39	30	2.81	< 10	3	0.13	10	0.72	250	2
BB20717	201 202	< 0.2	2.90	52	490	< 0.5	< 2	0.27	< 0.5	10	28	50	4.13	< 10	< 1	0.20	10	0.77	225	3
BB20718	201 202	< 0.2	3.02	30	370	0.5	< 2	0.32	< 0.5	14	38	35	4.00	< 10	< 1	0.26	10	0.78	340	3

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments:

Page : 2-B
Total : 5
Certificate Date: 21-JUL-96
Invoice No. : I9623815
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20679	201 202	< 0.01	23	580	70	6	1	13	0.07	< 10	< 10	58	< 10	666
BB20680	201 202	< 0.01	20	510	24	6	3	13	0.10	< 10	10	61	< 10	158
BB20681	201 202	< 0.01	19	410	24	< 2	3	17	0.13	< 10	< 10	66	< 10	136
BB20682	201 202	< 0.01	29	620	38	2	1	16	0.06	< 10	< 10	65	< 10	162
BB20683	201 202	< 0.01	25	840	24	4	2	17	0.08	< 10	< 10	54	< 10	80
BB20684	201 202	< 0.01	16	770	14	6	1	23	0.05	< 10	< 10	37	< 10	84
BB20685	201 202	< 0.01	12	770	14	2	1	9	0.05	< 10	< 10	43	< 10	54
BB20686	201 202	< 0.01	16	860	16	6	1	8	0.06	< 10	< 10	47	< 10	64
BB20687	201 202	< 0.01	22	670	14	6	2	6	0.06	< 10	< 10	46	< 10	76
BB20688	201 202	< 0.01	21	1000	14	< 2	1	13	0.06	< 10	< 10	48	< 10	54
BB20689	201 202	< 0.01	30	500	16	2	3	10	0.08	< 10	< 10	46	< 10	70
BB20690	201 202	< 0.01	25	910	26	4	< 1	7	< 0.01	< 10	< 10	33	< 10	90
BB20691	201 202	< 0.01	18	620	16	< 2	2	11	0.09	< 10	< 10	53	< 10	54
BB20692	201 202	< 0.01	23	450	12	6	2	10	0.10	< 10	< 10	54	< 10	74
BB20693	201 202	< 0.01	12	470	16	6	2	11	0.07	< 10	< 10	42	< 10	66
BB20694	201 202	< 0.01	24	680	14	10	3	12	0.07	< 10	< 10	39	< 10	86
BB20695	201 202	< 0.01	29	1370	30	4	2	17	0.05	< 10	< 10	46	< 10	266
BB20696	201 202	< 0.01	277	950	26	12	8	13	0.08	< 10	10	47	< 10	1425
BB20697	201 202	< 0.01	27	590	22	< 2	3	22	0.10	< 10	< 10	55	< 10	198
BB20698	201 202	< 0.01	17	450	194	2	1	13	0.03	< 10	< 10	37	< 10	302
BB20699	201 202	< 0.01	53	1410	56	< 2	8	29	0.08	< 10	10	81	< 10	232
BB20700	201 202	< 0.01	24	700	28	2	4	26	0.13	< 10	< 10	53	< 10	80
BB20701	201 202	< 0.01	26	770	14	< 2	5	24	0.14	< 10	< 10	64	< 10	80
BB20702	201 202	< 0.01	20	620	26	2	3	23	0.11	< 10	< 10	44	< 10	88
BB20703	201 202	< 0.01	20	720	14	8	4	71	0.13	< 10	10	62	< 10	68
BB20704	201 202	< 0.01	46	650	14	< 2	6	26	0.16	< 10	< 10	75	< 10	110
BB20705	201 202	< 0.01	25	560	38	8	3	17	0.09	< 10	< 10	43	< 10	100
BB20706	201 202	< 0.01	35	650	20	4	5	22	0.12	< 10	< 10	64	< 10	108
BB20707	201 202	< 0.01	29	800	16	2	5	21	0.11	< 10	< 10	62	< 10	96
BB20708	201 202	< 0.01	31	850	44	8	5	31	0.07	< 10	< 10	49	< 10	176
BB20709	201 202	< 0.01	13	230	42	6	1	22	0.07	< 10	< 10	23	< 10	26
BB20710	201 202	< 0.01	7	180	16	6	1	8	0.14	< 10	< 10	47	< 10	30
BB20711	201 202	< 0.01	13	190	20	4	4	7	0.15	< 10	< 10	70	< 10	50
BB20712	201 202	< 0.01	23	430	48	6	3	41	0.10	< 10	< 10	77	< 10	50
BB20713	201 202	< 0.01	32	690	12	2	3	20	0.14	< 10	< 10	60	< 10	52
BB20714	201 202	< 0.01	21	510	38	< 2	3	21	0.11	< 10	< 10	49	< 10	84
BB20715	201 202	< 0.01	20	580	14	< 2	4	25	0.14	< 10	< 10	51	< 10	60
BB20716	201 202	< 0.01	24	540	14	< 2	4	26	0.12	< 10	< 10	53	< 10	74
BB20717	201 202	< 0.01	36	290	8	6	4	41	0.12	< 10	10	47	< 10	106
BB20718	201 202	< 0.01	32	450	18	2	5	32	0.14	< 10	< 10	65	< 10	86

CERTIFICATION:

H. A. Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments:

Page : 3-A
Total : 5
Certificate Date: 21-JUL-96
Invoice No. : 19623815
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20719	201 202	< 0.2	1.66	8	140	< 0.5	< 2	0.34	< 0.5	10	35	21	2.34	< 10	1	0.09	10	0.57	250	2
BB20720	201 202	< 0.2	1.76	58	170	< 0.5	4	0.15	< 0.5	8	30	19	3.39	< 10	< 1	0.14	10	0.60	285	4
BB20721	201 202	0.2	2.34	70	180	< 0.5	2	0.06	< 0.5	7	32	45	5.40	< 10	< 1	0.14	10	0.63	215	2
BB20722	201 202	< 0.2	4.21	16	200	0.5	6	0.13	< 0.5	9	41	33	3.68	< 10	< 1	0.09	10	0.52	190	2
BB20723	201 202	0.2	3.96	146	210	1.0	2	0.18	< 0.5	8	36	33	3.80	< 10	< 1	0.13	10	0.57	210	2
BB20724	201 202	0.2	1.70	210	120	< 0.5	4	0.08	< 0.5	4	20	19	3.06	< 10	< 1	0.13	10	0.30	115	1
BB20725	201 202	< 0.2	3.54	102	170	0.5	2	0.14	< 0.5	9	37	37	3.59	< 10	1	0.10	10	0.60	225	1
BB20726	201 202	< 0.2	2.76	238	210	0.5	6	0.19	< 0.5	10	35	39	3.71	< 10	< 1	0.12	10	0.58	180	1
BB20727	201 202	< 0.2	2.47	84	240	0.5	< 2	0.23	0.5	9	35	26	3.73	< 10	< 1	0.13	10	0.63	230	3
BB20728	201 202	< 0.2	1.86	18	240	< 0.5	< 2	0.25	< 0.5	9	31	31	2.92	< 10	< 1	0.11	10	0.57	250	1
BB20729	201 202	0.2	2.41	18	250	< 0.5	< 2	0.27	< 0.5	8	31	19	3.48	< 10	< 1	0.11	10	0.72	210	2
BB20730	201 202	0.6	2.49	26	270	< 0.5	< 2	0.10	0.5	7	31	35	3.57	< 10	3	0.09	20	0.42	215	4
BB20731	201 202	< 0.2	1.65	20	150	< 0.5	< 2	0.34	< 0.5	8	36	11	2.78	< 10	< 1	0.08	10	0.61	295	1
BB20732	201 202	< 0.2	1.56	12	250	< 0.5	< 2	0.49	< 0.5	9	39	23	2.42	< 10	< 1	0.10	10	0.64	280	1
BB20733	201 202	0.2	2.40	28	160	0.5	4	0.23	< 0.5	14	46	39	3.50	< 10	< 1	0.12	10	0.56	550	3
BB20734	201 202	0.2	1.59	8	420	1.0	< 2	0.46	< 0.5	11	36	20	2.25	< 10	< 1	0.07	10	0.50	995	2
BB20735	201 202	0.2	1.75	12	340	1.5	< 2	0.46	< 0.5	9	40	21	2.48	< 10	< 1	0.07	10	0.51	475	3
BB20736	201 202	< 0.2	1.71	18	130	< 0.5	< 2	0.29	0.5	11	41	44	2.62	< 10	< 1	0.09	10	0.52	365	2
BB20737	201 202	< 0.2	2.34	6	180	0.5	< 2	0.51	< 0.5	12	43	27	2.81	< 10	< 1	0.11	10	0.71	330	1
BB20738	201 202	< 0.2	1.95	46	130	< 0.5	< 2	0.26	< 0.5	11	74	17	3.23	< 10	< 1	0.09	10	1.05	335	3
BB20739	201 202	0.2	4.97	54	640	0.5	< 2	0.27	< 0.5	10	44	46	4.83	10	< 1	0.68	10	1.68	285	1
BB20740	201 202	0.2	1.70	118	220	< 0.5	< 2	0.62	0.5	10	44	35	2.68	< 10	< 1	0.13	10	0.64	645	1
BB20741	201 202	< 0.2	1.67	8	210	< 0.5	< 2	0.31	< 0.5	12	37	20	2.51	< 10	< 1	0.09	10	0.56	395	1
BB20742	201 202	< 0.2	1.21	12	90	< 0.5	2	0.13	< 0.5	6	29	13	2.56	< 10	< 1	0.07	< 10	0.44	190	< 1
BB20743	201 202	0.6	2.94	168	410	1.5	< 2	0.78	0.5	14	37	164	4.53	< 10	< 1	0.18	60	0.74	370	3
BB20744	201 202	< 0.2	2.35	48	220	< 0.5	< 2	0.04	< 0.5	5	24	16	3.60	10	< 1	0.22	< 10	1.19	300	3
BB20745	201 202	1.4	3.40	278	540	2.5	< 2	0.79	< 0.5	27	45	183	4.54	< 10	1	0.23	50	0.64	1400	5
BB20746	201 202	0.2	2.29	24	150	< 0.5	< 2	0.18	< 0.5	7	36	18	3.78	< 10	< 1	0.13	10	0.62	255	1
BB20747	201 202	< 0.2	0.91	16	90	< 0.5	< 2	0.06	< 0.5	3	15	8	1.92	< 10	< 1	0.05	10	0.15	80	3
BB20748	201 202	< 0.2	1.36	12	230	< 0.5	< 2	0.27	< 0.5	9	29	21	2.33	< 10	3	0.07	10	0.53	365	1
BB20749	201 202	0.6	1.58	16	220	< 0.5	< 2	0.27	0.5	5	29	24	2.10	< 10	1	0.14	10	0.35	270	2
BB20750	201 202	< 0.2	1.92	6	150	< 0.5	< 2	0.23	0.5	10	35	14	3.24	< 10	< 1	0.14	10	0.57	415	2
BB20751	201 202	0.2	1.93	10	370	0.5	< 2	0.62	0.5	15	51	34	2.94	< 10	< 1	0.17	10	0.73	450	4
BB20752	201 202	< 0.2	1.23	< 2	230	< 0.5	< 2	0.55	< 0.5	9	38	21	2.08	< 10	< 1	0.09	10	0.55	330	< 1
BB20753	201 202	0.2	1.86	10	430	< 0.5	< 2	0.54	< 0.5	10	44	27	2.52	< 10	< 1	0.12	10	0.66	515	3
BB20754	201 202	< 0.2	1.56	6	190	< 0.5	< 2	0.52	< 0.5	10	35	20	2.06	< 10	< 1	0.09	10	0.52	265	< 1
BB20755	201 202	< 0.2	0.97	< 2	90	< 0.5	< 2	0.35	< 0.5	5	28	10	1.47	< 10	2	0.04	10	0.37	185	2
BB20756	201 202	< 0.2	1.15	< 2	220	< 0.5	< 2	0.43	< 0.5	8	28	17	1.93	< 10	< 1	0.07	10	0.52	305	1
BB20757	201 202	< 0.2	1.20	4	320	< 0.5	< 2	0.30	0.5	10	28	25	2.26	< 10	1	0.08	10	0.50	385	1
BB20758	201 202	0.2	1.14	< 2	320	< 0.5	< 2	0.37	< 0.5	5	27	13	1.79	< 10	< 1	0.06	10	0.48	205	1

CERTIFICATION:

Frank Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments:

Page: 3-B
Total: 5
Certificate Date: 21-JUL-96
Invoice No.: I9623815
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20719	201 202	< 0.01	23	520	16	< 2	3	21	0.11	< 10	< 10	51	< 10	68
BB20720	201 202	< 0.01	15	390	38	10	3	16	0.10	< 10	< 10	69	< 10	82
BB20721	201 202	< 0.01	30	500	54	4	3	10	0.06	< 10	< 10	67	< 10	86
BB20722	201 202	< 0.01	20	510	74	8	4	13	0.08	< 10	< 10	45	< 10	102
BB20723	201 202	< 0.01	22	670	40	12	4	15	0.08	< 10	10	47	< 10	98
BB20724	201 202	< 0.01	9	320	24	< 2	2	11	0.09	< 10	< 10	73	< 10	36
BB20725	201 202	< 0.01	22	350	16	6	4	11	0.10	< 10	< 10	62	< 10	180
BB20726	201 202	< 0.01	21	280	14	2	4	23	0.12	< 10	< 10	59	< 10	70
BB20727	201 202	< 0.01	19	170	38	2	4	21	0.12	< 10	< 10	63	< 10	82
BB20728	201 202	< 0.01	23	240	72	< 2	3	22	0.10	< 10	10	48	< 10	98
BB20729	201 202	< 0.01	21	260	24	12	4	21	0.11	< 10	< 10	50	< 10	106
BB20730	201 202	< 0.01	21	380	172	8	2	23	0.04	< 10	< 10	36	< 10	152
BB20731	201 202	< 0.01	16	210	26	2	3	23	0.16	< 10	< 10	58	< 10	82
BB20732	201 202	< 0.01	26	520	28	2	3	28	0.12	< 10	< 10	51	< 10	72
BB20733	201 202	< 0.01	22	720	30	2	4	16	0.12	< 10	< 10	65	< 10	122
BB20734	201 202	< 0.01	25	870	30	2	3	30	0.06	< 10	< 10	43	< 10	162
BB20735	201 202	< 0.01	25	750	32	4	3	26	0.07	< 10	< 10	48	< 10	178
BB20736	201 202	< 0.01	21	800	12	6	3	20	0.09	< 10	< 10	52	< 10	90
BB20737	201 202	< 0.01	35	730	28	8	3	28	0.10	< 10	< 10	49	< 10	90
BB20738	201 202	< 0.01	29	190	26	8	4	18	0.13	< 10	< 10	69	< 10	94
BB20739	201 202	< 0.01	27	420	38	8	7	141	0.08	< 10	< 10	89	< 10	122
BB20740	201 202	< 0.01	25	820	30	2	5	30	0.12	< 10	< 10	55	< 10	118
BB20741	201 202	< 0.01	19	490	38	2	3	19	0.10	< 10	< 10	53	< 10	82
BB20742	201 202	< 0.01	12	290	44	6	2	9	0.17	< 10	< 10	76	< 10	62
BB20743	201 202	0.01	41	1400	56	2	7	68	0.10	< 10	< 10	61	< 10	280
BB20744	201 202	< 0.01	12	170	12	2	3	17	0.10	< 10	< 10	58	< 10	66
BB20745	201 202	0.01	39	2360	54	8	5	39	0.04	< 10	< 10	62	< 10	238
BB20746	201 202	< 0.01	18	260	32	2	3	13	0.10	< 10	< 10	63	< 10	84
BB20747	201 202	< 0.01	4	160	42	< 2	1	8	0.09	< 10	< 10	58	< 10	32
BB20748	201 202	< 0.01	19	500	68	2	2	17	0.07	< 10	< 10	40	< 10	108
BB20749	201 202	< 0.01	10	360	78	< 2	2	18	0.07	< 10	< 10	60	< 10	86
BB20750	201 202	< 0.01	17	950	16	4	3	16	0.14	< 10	< 10	72	< 10	70
BB20751	201 202	< 0.01	32	740	38	6	6	35	0.13	< 10	< 10	62	< 10	136
BB20752	201 202	< 0.01	16	800	24	< 2	4	32	0.12	< 10	< 10	47	< 10	72
BB20753	201 202	< 0.01	26	910	34	8	5	30	0.10	< 10	< 10	54	< 10	118
BB20754	201 202	< 0.01	20	700	16	< 2	4	28	0.10	< 10	< 10	44	< 10	70
BB20755	201 202	< 0.01	16	720	18	< 2	1	16	0.09	< 10	< 10	35	< 10	40
BB20756	201 202	< 0.01	20	740	46	2	2	22	0.08	< 10	< 10	37	< 10	78
BB20757	201 202	< 0.01	19	660	70	6	2	19	0.08	< 10	< 10	39	< 10	118
BB20758	201 202	< 0.01	12	730	56	2	2	20	0.07	< 10	< 10	34	< 10	88

CERTIFICATION:

Hunter Bickler



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments:

Page: 4-A
Total: 5
Certificate Date: 21-JUL-96
Invoice No.: 19623815
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20759	201 202	< 0.2	1.00	6	200	< 0.5	< 2	0.40	< 0.5	7	26	13	1.77	< 10	< 1	0.06	10	0.49	315	< 1
BB20760	201 202	< 0.2	1.00	2	140	< 0.5	< 2	0.41	< 0.5	6	27	10	1.76	< 10	< 1	0.06	10	0.50	220	< 1
BB20761	201 202	< 0.2	1.17	6	170	< 0.5	< 2	0.49	< 0.5	7	29	15	1.98	< 10	< 1	0.08	10	0.53	350	< 1
BB20762	201 202	< 0.2	1.28	< 2	270	< 0.5	< 2	0.48	0.5	7	36	19	2.02	< 10	< 1	0.09	10	0.55	320	< 1
BB20763	201 202	0.4	1.78	8	620	< 0.5	< 2	0.51	0.5	8	41	19	2.45	< 10	< 1	0.10	10	0.60	480	< 1
BB20764	201 202	< 0.2	1.37	12	270	< 0.5	< 2	0.43	0.5	8	34	18	2.19	< 10	< 1	0.09	10	0.56	480	1
BB20765	201 202	< 0.2	1.69	8	300	< 0.5	< 2	0.58	0.5	10	46	27	2.73	< 10	< 1	0.14	10	0.67	545	< 1
BB20766	201 202	< 0.2	1.68	22	290	< 0.5	< 2	0.60	0.5	11	38	25	3.15	< 10	< 1	0.10	10	0.66	435	3
BB20767	201 202	< 0.2	1.28	2	220	< 0.5	< 2	0.44	< 0.5	6	32	16	2.00	< 10	< 1	0.08	10	0.57	280	< 1
BB20768	201 202	< 0.2	1.23	2	260	< 0.5	< 2	0.36	< 0.5	7	26	16	2.16	< 10	< 1	0.07	10	0.61	280	< 1
BB20770	201 202	< 0.2	1.48	4	230	< 0.5	< 2	0.37	< 0.5	7	36	24	2.37	< 10	< 1	0.10	10	0.53	325	< 1
BB20771	201 202	0.2	1.86	8	330	0.5	2	0.41	< 0.5	6	38	15	2.24	< 10	< 1	0.11	10	0.46	175	1
BB20773	201 202	0.2	2.06	6	420	0.5	< 2	0.85	0.5	8	46	18	2.28	< 10	< 1	0.09	10	0.66	235	< 1
BB20774	201 202	< 0.2	1.79	12	220	< 0.5	2	0.63	0.5	13	41	15	3.08	10	< 1	0.13	< 10	0.82	620	< 1
BB20775	201 202	< 0.2	1.66	2	200	< 0.5	< 2	0.36	< 0.5	9	33	13	2.54	< 10	< 1	0.08	10	0.64	350	1
BB20776	201 202	< 0.2	1.11	2	90	< 0.5	< 2	0.32	< 0.5	5	27	13	1.78	< 10	< 1	0.05	10	0.43	230	< 1
BB20777	201 202	0.2	1.83	6	120	0.5	< 2	0.21	0.5	8	36	17	2.38	< 10	< 1	0.07	10	0.55	265	< 1
BB20778	201 202	< 0.2	1.70	2	220	< 0.5	< 2	0.55	0.5	13	41	24	2.72	< 10	< 1	0.12	10	0.70	405	< 1
BB20779	201 202	< 0.2	1.35	< 2	240	< 0.5	< 2	0.60	0.5	8	35	16	1.94	< 10	< 1	0.08	10	0.60	300	< 1
BB20780	201 202	< 0.2	1.23	2	180	< 0.5	< 2	0.48	< 0.5	7	32	14	1.94	< 10	< 1	0.07	10	0.53	220	< 1
BB20781	201 202	< 0.2	1.34	10	350	< 0.5	< 2	0.54	1.5	12	32	18	2.94	< 10	< 1	0.08	10	0.55	1510	3
BB20782	201 202	< 0.2	1.06	6	150	< 0.5	< 2	0.46	< 0.5	7	30	15	1.79	< 10	< 1	0.08	10	0.43	270	< 1
BB20783	201 202	< 0.2	1.44	18	260	1.0	< 2	0.36	< 0.5	9	35	18	2.44	< 10	< 1	0.07	10	0.47	340	1
BB20784	201 202	< 0.2	1.34	6	150	< 0.5	< 2	0.45	< 0.5	7	32	12	2.03	< 10	< 1	0.07	10	0.54	275	< 1
BB20785	201 202	0.2	1.61	10	260	< 0.5	< 2	0.64	0.5	10	40	21	2.49	< 10	< 1	0.11	10	0.62	380	< 1
BB20786	201 202	< 0.2	1.76	8	200	< 0.5	< 2	0.17	0.5	8	30	26	2.96	< 10	< 1	0.10	10	0.39	405	< 1
BB20789	201 202	< 0.2	1.24	8	200	< 0.5	< 2	0.52	< 0.5	7	34	17	2.10	< 10	< 1	0.07	10	0.65	270	< 1
BB20790	201 202	< 0.2	2.04	6	300	0.5	< 2	0.68	0.5	10	48	29	3.09	10	< 1	0.15	10	0.86	555	< 1
BB20791	201 202	< 0.2	0.92	< 2	120	< 0.5	< 2	0.45	< 0.5	5	25	12	1.63	< 10	< 1	0.06	10	0.45	210	< 1
BB20792	201 202	< 0.2	1.48	2	280	< 0.5	< 2	0.56	0.5	10	40	18	2.47	< 10	< 1	0.08	10	0.57	835	2
BB20793	201 202	< 0.2	1.03	2	150	< 0.5	< 2	0.43	< 0.5	5	26	8	1.66	< 10	< 1	0.07	10	0.49	205	< 1
BB20794	201 202	0.2	1.50	6	270	< 0.5	2	0.54	0.5	8	34	15	2.42	10	< 1	0.08	10	0.58	360	< 1
BB20795	201 202	0.2	1.21	10	190	< 0.5	2	0.59	< 0.5	7	29	12	2.18	< 10	< 1	0.08	< 10	0.49	535	1
BB20796	201 202	< 0.2	1.58	8	250	< 0.5	2	0.50	0.5	9	40	32	2.55	< 10	< 1	0.13	10	0.63	590	< 1
BB20797	201 202	< 0.2	0.96	2	120	< 0.5	< 2	0.38	< 0.5	6	27	13	1.58	< 10	< 1	0.06	10	0.46	250	< 1
BB20798	201 202	< 0.2	0.83	< 2	110	< 0.5	< 2	0.29	< 0.5	6	23	10	1.51	< 10	< 1	0.04	< 10	0.45	260	< 1
BB20799	201 202	< 0.2	1.17	2	230	< 0.5	2	0.58	< 0.5	8	37	22	2.03	< 10	< 1	0.07	< 10	0.51	340	< 1
BB20800	201 202	< 0.2	1.15	4	190	< 0.5	< 2	0.39	< 0.5	6	30	20	1.86	< 10	< 1	0.07	< 10	0.52	270	< 1
BB20801	201 202	< 0.2	1.38	6	280	0.5	< 2	0.45	< 0.5	5	30	26	1.82	< 10	< 1	0.06	10	0.38	200	< 1
BB20802	201 202	< 0.2	1.63	10	250	0.5	< 2	0.32	< 0.5	7	38	17	1.79	< 10	< 1	0.06	10	0.49	185	< 1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT
Comments:

Page: 4-B
Total: 5
Certificate Date: 21-JUL-96
Invoice No.: 19623815
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP	CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20759	201	202	< 0.01	12	670	42	< 2	3	22	0.09	< 10	< 10	36	< 10	72
BB20760	201	202	< 0.01	15	600	22	< 2	3	20	0.09	< 10	< 10	36	< 10	74
BB20761	201	202	< 0.01	18	540	18	< 2	3	22	0.08	< 10	< 10	40	< 10	70
BB20762	201	202	< 0.01	19	700	20	< 2	4	28	0.11	< 10	< 10	43	< 10	76
BB20763	201	202	< 0.01	20	710	42	< 2	4	29	0.09	< 10	< 10	49	< 10	108
BB20764	201	202	< 0.01	18	760	24	< 2	3	24	0.10	< 10	< 10	44	< 10	80
BB20765	201	202	< 0.01	29	750	24	< 2	6	33	0.12	< 10	< 10	53	< 10	98
BB20766	201	202	< 0.01	22	900	32	< 2	5	30	0.10	< 10	< 10	53	< 10	136
BB20767	201	202	< 0.01	17	750	22	< 2	3	25	0.10	< 10	< 10	43	< 10	70
BB20768	201	202	< 0.01	15	680	44	< 2	3	23	0.11	< 10	< 10	44	< 10	82
BB20770	201	202	< 0.01	20	680	30	< 2	4	22	0.11	< 10	< 10	47	< 10	82
BB20771	201	202	< 0.01	20	800	32	< 2	3	27	0.06	< 10	< 10	45	< 10	126
BB20773	201	202	< 0.01	24	990	22	< 2	5	36	0.07	< 10	< 10	50	< 10	220
BB20774	201	202	< 0.01	21	690	22	< 2	4	29	0.13	< 10	< 10	70	< 10	122
BB20775	201	202	< 0.01	23	350	20	< 2	3	19	0.09	< 10	< 10	46	< 10	86
BB20776	201	202	< 0.01	16	520	12	< 2	2	16	0.09	< 10	< 10	37	< 10	54
BB20777	201	202	< 0.01	23	520	18	< 2	4	15	0.09	< 10	< 10	44	< 10	70
BB20778	201	202	< 0.01	26	720	26	< 2	5	26	0.09	< 10	< 10	50	< 10	136
BB20779	201	202	< 0.01	20	730	20	< 2	4	28	0.10	< 10	< 10	43	< 10	112
BB20780	201	202	< 0.01	16	550	20	< 2	4	26	0.10	< 10	< 10	42	< 10	78
BB20781	201	202	< 0.01	23	790	28	< 2	4	28	0.10	< 10	< 10	45	< 10	124
BB20782	201	202	< 0.01	16	690	18	< 2	3	26	0.11	< 10	< 10	40	< 10	62
BB20783	201	202	< 0.01	23	690	22	< 2	4	23	0.09	< 10	< 10	47	< 10	128
BB20784	201	202	< 0.01	19	670	16	< 2	3	24	0.10	< 10	< 10	41	< 10	52
BB20785	201	202	< 0.01	22	810	26	< 2	5	32	0.11	< 10	< 10	50	< 10	94
BB20786	201	202	< 0.01	15	430	22	< 2	3	16	0.05	< 10	< 10	48	< 10	68
BB20789	201	202	< 0.01	18	750	16	< 2	4	27	0.09	< 10	< 10	44	< 10	66
BB20790	201	202	< 0.01	28	800	26	< 2	6	34	0.13	< 10	< 10	59	< 10	116
BB20791	201	202	< 0.01	13	650	14	< 2	2	21	0.09	< 10	< 10	34	< 10	58
BB20792	201	202	< 0.01	23	840	20	< 2	5	26	0.09	< 10	< 10	48	< 10	92
BB20793	201	202	< 0.01	13	670	14	< 2	3	21	0.08	< 10	< 10	33	< 10	74
BB20794	201	202	< 0.01	16	390	22	< 2	3	25	0.08	< 10	< 10	49	< 10	138
BB20795	201	202	< 0.01	17	760	12	< 2	3	26	0.07	< 10	< 10	43	< 10	70
BB20796	201	202	< 0.01	29	680	24	< 2	5	27	0.10	< 10	< 10	49	< 10	90
BB20797	201	202	< 0.01	15	570	14	< 2	3	20	0.09	< 10	< 10	33	< 10	54
BB20798	201	202	< 0.01	13	350	18	< 2	1	13	0.06	< 10	< 10	29	< 10	60
BB20799	201	202	< 0.01	25	620	18	< 2	4	26	0.07	< 10	< 10	37	< 10	72
BB20800	201	202	< 0.01	19	530	24	< 2	3	17	0.07	< 10	< 10	33	< 10	80
BB20801	201	202	< 0.01	18	920	20	< 2	3	21	0.05	< 10	< 10	32	< 10	82
BB20802	201	202	< 0.01	23	640	22	< 2	3	19	0.08	< 10	< 10	43	< 10	114

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments:

Page : 5-A
Total : 5
Certificate Date: 21-JUL-96
Invoice No. : 19623815
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20803	201 202	< 0.2	1.44	2	300	< 0.5	< 2	0.47	0.5	8	37	25	2.42	< 10	< 1	0.08	10	0.58	530	< 1
BB20804	201 202	< 0.2	1.41	2	340	< 0.5	2	0.50	0.5	8	42	21	2.40	< 10	< 1	0.09	10	0.62	435	1
BB20807	201 202	< 0.2	1.09	< 2	160	< 0.5	< 2	0.38	< 0.5	6	28	17	1.83	< 10	< 1	0.05	10	0.54	270	< 1
BB20810	201 202	< 0.2	1.30	< 2	150	< 0.5	< 2	0.19	< 0.5	5	20	10	1.69	< 10	< 1	0.05	10	0.46	175	< 1
BB20812	201 202	< 0.2	1.55	6	260	< 0.5	2	0.64	0.5	12	40	34	2.80	< 10	< 1	0.14	10	0.79	725	< 1
BB20813	201 202	< 0.2	1.46	4	200	< 0.5	< 2	0.41	0.5	12	32	28	2.54	< 10	< 1	0.15	< 10	0.66	700	< 1
BB20814	201 202	< 0.2	1.59	6	140	< 0.5	< 2	0.31	< 0.5	10	35	26	2.39	< 10	< 1	0.08	10	0.63	425	< 1
BB20815	201 202	< 0.2	1.06	4	150	< 0.5	< 2	0.41	< 0.5	8	30	19	2.07	< 10	< 1	0.06	10	0.54	370	< 1
BB20816	201 202	< 0.2	1.34	6	220	< 0.5	< 2	0.49	< 0.5	7	34	19	2.00	< 10	< 1	0.06	10	0.54	225	< 1
BB20817	201 202	< 0.2	1.21	2	170	< 0.5	< 2	0.51	< 0.5	7	31	13	1.82	< 10	< 1	0.07	10	0.51	200	< 1
BB20818	201 202	0.6	2.44	8	450	0.5	2	0.68	0.5	15	47	29	3.53	10	< 1	0.16	10	0.77	1025	1
BB20819	201 202	0.2	1.52	12	210	< 0.5	< 2	0.39	< 0.5	8	30	18	2.33	< 10	< 1	0.14	10	0.53	400	< 1
BB20820	201 202	0.2	1.18	< 2	140	< 0.5	< 2	0.24	< 0.5	4	34	9	1.46	< 10	< 1	0.09	10	0.35	140	< 1
BB20821	201 202	< 0.2	1.65	16	390	< 0.5	< 2	0.43	0.5	10	34	29	3.00	10	< 1	0.12	10	0.62	565	1
BB20822	201 202	< 0.2	1.25	< 2	220	< 0.5	< 2	0.32	< 0.5	6	25	12	1.95	< 10	< 1	0.07	10	0.44	240	1
BB20823	201 202	< 0.2	1.12	6	110	< 0.5	2	0.30	< 0.5	10	27	17	2.05	< 10	< 1	0.06	10	0.44	445	< 1
BB20824	201 202	0.4	1.89	8	300	< 0.5	< 2	0.46	0.5	11	45	25	2.86	10	< 1	0.11	10	0.64	565	1
BB20825	201 202	< 0.2	1.15	4	190	< 0.5	< 2	0.45	< 0.5	7	30	15	1.86	< 10	< 1	0.07	10	0.53	310	< 1
T18683	201 202	2.2	1.52	< 2	580	< 0.5	2	0.89	2.5	7	30	56	2.40	< 10	< 1	0.09	< 10	0.32	385	1
T18684	201 202	0.4	0.96	12	840	< 0.5	< 2	0.61	2.0	4	12	44	13.65	< 10	2	0.04	< 10	0.23	2790	1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT
Comments:

Page: 5-B
Total: 5
Certificate Date: 21-JUL-96
Invoice No.: 19623815
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623815

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20803	201	202	< 0.01	22	680	38	< 2	4	26	0.10	< 10	< 10	46	< 10	98
BB20804	201	202	< 0.01	22	780	46	< 2	4	26	0.10	< 10	< 10	46	< 10	120
BB20807	201	202	< 0.01	17	680	20	< 2	3	19	0.08	< 10	< 10	34	< 10	56
BB20810	201	202	< 0.01	11	280	22	< 2	1	11	0.05	< 10	< 10	26	< 10	54
BB20812	201	202	0.01	33	850	22	< 2	5	32	0.12	< 10	< 10	54	< 10	96
BB20813	201	202	< 0.01	24	750	22	< 2	4	21	0.09	< 10	< 10	46	< 10	92
BB20814	201	202	< 0.01	25	620	24	< 2	3	16	0.10	< 10	< 10	44	< 10	82
BB20815	201	202	< 0.01	22	740	16	< 2	3	23	0.08	< 10	< 10	39	< 10	80
BB20816	201	202	< 0.01	19	850	26	< 2	4	21	0.07	< 10	< 10	39	< 10	80
BB20817	201	202	< 0.01	19	880	22	< 2	3	23	0.08	< 10	< 10	35	< 10	86
BB20818	201	202	< 0.01	27	920	36	< 2	5	33	0.08	< 10	< 10	63	< 10	152
BB20819	201	202	< 0.01	18	600	26	< 2	3	25	0.10	< 10	< 10	49	< 10	74
BB20820	201	202	< 0.01	9	300	24	< 2	2	16	0.07	< 10	< 10	32	< 10	44
BB20821	201	202	< 0.01	26	430	34	< 2	4	26	0.08	< 10	< 10	50	< 10	124
BB20822	201	202	< 0.01	13	330	22	< 2	3	17	0.07	< 10	< 10	38	< 10	70
BB20823	201	202	< 0.01	16	610	20	< 2	2	17	0.09	< 10	< 10	40	< 10	56
BB20824	201	202	< 0.01	23	790	42	< 2	4	25	0.07	< 10	< 10	54	< 10	134
BB20825	201	202	< 0.01	18	840	20	< 2	3	22	0.08	< 10	< 10	35	< 10	90
T18683	201	202	< 0.01	48	1230	34	< 2	1	53	0.01	< 10	< 10	25	< 10	408
T18684	201	202	< 0.01	19	770	34	< 2	1	70	0.01	< 10	< 10	13	< 10	304

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 1-A
Total : 1
Certificate Date: 16-JUL-96
Invoice No. : I9623236
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623236

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
935929	205 226	< 0.2	0.15	< 2	70	< 0.5	< 2	< 0.01	< 0.5	2	3	29	>15.00	< 10	< 1	0.04	< 10	0.01	190	< 1

CERTIFICATION:

Hank Borchers



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: convert
Comments:

Page: 1-B
Total: 1
Certificate Date: 16-JUL-96
Invoice No.: 19623236
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623236

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935929	205 226	< 0.01	< 1	50	46	< 2	< 1	1	< 0.01	< 10	10	< 1	< 10	184

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 1-A
Total : 5
Certificate Date: 13-JUL-96
Invoice No. : I9623235
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20469	201	202	< 0.2	1.69	12	210	0.5	< 2	0.64	< 0.5	13	43	34	2.88	< 10	< 1	0.13	10	0.93	535	1
BB20470	201	202	< 0.2	1.71	8	310	2.0	< 2	0.47	0.5	6	34	20	1.72	< 10	1	0.08	10	0.47	220	3
BB20471	201	202	< 0.2	1.07	10	160	< 0.5	< 2	0.19	0.5	9	30	18	2.74	< 10	< 1	0.06	10	0.30	1350	< 1
BB20472	201	202	0.2	1.80	20	150	< 0.5	< 2	0.15	< 0.5	9	27	35	3.25	< 10	< 1	0.07	10	0.62	430	< 1
BB20473	201	202	0.2	1.41	4	350	< 0.5	< 2	0.37	< 0.5	8	32	19	2.41	< 10	1	0.07	10	0.54	455	1
BB20474	201	202	< 0.2	1.35	12	260	< 0.5	< 2	0.20	< 0.5	8	26	25	2.32	< 10	2	0.06	10	0.49	385	< 1
BB20475	201	202	< 0.2	1.24	16	160	< 0.5	< 2	0.17	< 0.5	7	25	25	2.26	< 10	< 1	0.07	10	0.39	395	< 1
BB20476	201	202	< 0.2	1.84	16	200	< 0.5	< 2	0.17	< 0.5	6	32	29	2.69	< 10	1	0.08	10	0.52	315	1
BB20477	201	202	1.2	1.94	16	150	< 0.5	< 2	0.17	< 0.5	6	36	13	2.62	< 10	< 1	0.08	10	0.44	210	< 1
BB20478	201	202	0.4	1.36	12	520	< 0.5	< 2	0.33	0.5	9	25	26	2.35	< 10	1	0.08	10	0.35	910	1
BB20479	201	202	1.2	2.06	6	160	< 0.5	< 2	0.12	< 0.5	7	37	20	3.35	< 10	1	0.07	10	0.40	230	< 1
BB20480	201	202	0.2	1.15	4	120	< 0.5	< 2	0.20	< 0.5	4	26	11	2.32	< 10	< 1	0.05	10	0.32	190	1
BB20481	201	202	2.0	2.35	6	120	< 0.5	< 2	0.20	< 0.5	6	49	21	3.64	< 10	1	0.06	10	0.44	245	1
BB20482	201	202	0.4	1.20	10	610	< 0.5	< 2	0.26	< 0.5	5	22	29	1.98	< 10	1	0.10	20	0.31	925	2
BB20483	201	202	2.0	1.96	6	130	< 0.5	< 2	0.12	< 0.5	6	38	14	3.10	< 10	1	0.09	10	0.44	280	1
BB20484	201	202	0.4	1.29	8	220	< 0.5	< 2	0.24	< 0.5	6	28	31	2.71	< 10	< 1	0.05	10	0.39	265	1
BB20485	201	202	< 0.2	1.41	12	120	< 0.5	< 2	0.07	< 0.5	6	24	23	3.90	< 10	1	0.06	10	0.29	550	1
BB20486	201	202	0.4	1.50	< 2	620	< 0.5	< 2	0.39	< 0.5	6	25	27	2.18	< 10	< 1	0.08	10	0.45	550	3
BB20487	201	202	0.4	1.21	6	210	< 0.5	< 2	0.39	< 0.5	6	25	17	2.23	< 10	< 1	0.07	10	0.36	280	1
BB20488	201	202	0.8	2.08	10	850	0.5	< 2	0.48	0.5	7	33	26	2.84	< 10	3	0.10	10	0.40	1145	2
BB20489	201	202	< 0.2	1.18	2	510	< 0.5	< 2	0.20	< 0.5	3	15	14	1.61	< 10	1	0.10	20	0.29	200	< 1
BB20490	201	202	< 0.2	0.79	4	150	< 0.5	< 2	0.18	< 0.5	3	17	11	1.37	< 10	1	0.05	10	0.25	160	< 1
BB20491	201	202	0.8	2.45	8	150	< 0.5	< 2	0.12	< 0.5	9	44	28	3.24	< 10	1	0.08	10	0.41	325	1
BB20492	201	202	0.6	1.26	10	80	< 0.5	< 2	0.09	< 0.5	6	28	16	3.08	< 10	1	0.05	< 10	0.31	245	< 1
BB20493	201	202	1.6	1.57	14	100	< 0.5	< 2	0.14	< 0.5	8	35	27	3.47	< 10	1	0.08	10	0.50	340	1
BB20494	201	202	< 0.2	1.88	18	610	< 0.5	< 2	0.34	< 0.5	9	37	57	3.04	< 10	< 1	0.10	10	0.58	600	1
BB20495	201	202	0.4	1.75	20	190	< 0.5	< 2	0.12	< 0.5	7	33	33	4.28	< 10	1	0.07	10	0.47	300	< 1
BB20496	201	202	0.2	1.93	8	680	< 0.5	< 2	0.32	< 0.5	9	36	23	2.91	< 10	3	0.10	10	0.53	565	1
BB20497	201	202	< 0.2	1.18	10	290	< 0.5	< 2	0.30	< 0.5	7	23	25	2.24	< 10	1	0.07	10	0.46	405	1
BB20498	201	202	0.2	1.81	12	540	< 0.5	< 2	0.50	< 0.5	12	38	24	3.18	< 10	< 1	0.11	10	0.59	825	1
BB20499	201	202	< 0.2	1.02	10	260	< 0.5	< 2	0.30	< 0.5	9	26	20	2.40	< 10	1	0.06	10	0.38	890	1
BB20500	201	202	0.2	1.03	8	360	< 0.5	< 2	0.29	0.5	7	20	27	1.79	< 10	< 1	0.05	10	0.28	640	2
BB20501	201	202	0.2	2.18	18	170	< 0.5	< 2	0.10	< 0.5	7	33	34	2.94	< 10	1	0.07	< 10	0.40	250	1
BB20502	201	202	1.2	1.35	14	160	< 0.5	< 2	0.05	< 0.5	4	26	48	4.42	< 10	< 1	0.05	< 10	0.16	200	3
BB20503	201	202	0.2	1.43	10	210	< 0.5	< 2	0.19	< 0.5	6	28	15	2.72	< 10	1	0.07	10	0.34	425	1
BB20504	201	202	0.8	2.01	8	670	< 0.5	< 2	0.52	< 0.5	6	33	21	2.68	< 10	2	0.10	10	0.48	375	< 1
BB20505	201	202	< 0.2	0.93	8	160	< 0.5	< 2	0.33	< 0.5	8	30	33	2.32	< 10	< 1	0.07	10	0.46	315	2
BB20506	201	202	< 0.2	1.38	24	110	< 0.5	< 2	0.11	< 0.5	6	24	28	3.33	< 10	1	0.06	10	0.32	315	1
BB20507	201	202	< 0.2	1.58	22	130	< 0.5	< 2	0.09	0.5	13	23	45	3.00	< 10	1	0.07	10	0.38	535	1
BB20508	201	202	0.6	1.57	18	810	< 0.5	< 2	0.38	0.5	6	36	29	2.36	< 10	< 1	0.06	10	0.40	150	2

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: convert
Comments:

Page: 1-B
Total: 5
Certificate Date: 13-JUL-96
Invoice No.: 19623235
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20469	201	202	0.01	35	760	12	< 2	5	28	0.13	< 10	< 10	55	< 10	74
BB20470	201	202	0.01	24	740	26	< 2	3	28	0.07	< 10	< 10	38	< 10	180
BB20471	201	202	< 0.01	19	790	30	< 2	1	14	0.04	< 10	< 10	35	< 10	215
BB20472	201	202	< 0.01	22	580	32	< 2	2	12	0.04	< 10	< 10	33	< 10	161
BB20473	201	202	< 0.01	22	560	22	< 2	3	30	0.07	< 10	< 10	39	< 10	224
BB20474	201	202	< 0.01	20	390	28	< 2	3	16	0.06	< 10	< 10	37	< 10	99
BB20475	201	202	< 0.01	17	440	38	< 2	2	14	0.07	< 10	< 10	36	< 10	96
BB20476	201	202	< 0.01	23	440	34	< 2	3	13	0.06	< 10	< 10	44	< 10	160
BB20477	201	202	< 0.01	14	330	22	< 2	4	13	0.12	< 10	< 10	48	< 10	84
BB20478	201	202	0.01	28	650	54	< 2	3	31	0.03	< 10	< 10	27	< 10	518
BB20479	201	202	< 0.01	20	340	44	< 2	4	11	0.09	< 10	< 10	57	< 10	95
BB20480	201	202	< 0.01	14	490	20	< 2	2	14	0.07	< 10	< 10	33	< 10	63
BB20481	201	202	< 0.01	20	690	48	< 2	4	13	0.12	< 10	< 10	54	< 10	114
BB20482	201	202	< 0.01	27	400	38	< 2	3	30	0.03	< 10	< 10	23	< 10	178
BB20483	201	202	< 0.01	16	350	22	< 2	4	11	0.10	< 10	< 10	51	< 10	92
BB20484	201	202	< 0.01	22	620	42	< 2	1	16	0.05	< 10	< 10	40	< 10	169
BB20485	201	202	< 0.01	15	590	64	< 2	1	8	0.04	< 10	< 10	32	< 10	140
BB20486	201	202	0.01	22	620	60	< 2	4	43	0.03	< 10	< 10	26	< 10	209
BB20487	201	202	< 0.01	21	630	46	< 2	3	40	0.04	< 10	< 10	24	< 10	224
BB20488	201	202	0.01	30	1290	52	< 2	4	48	0.01	< 10	< 10	33	< 10	576
BB20489	201	202	< 0.01	14	350	44	< 2	1	26	0.02	< 10	< 10	23	< 10	126
BB20490	201	202	< 0.01	11	270	12	< 2	1	14	0.05	< 10	< 10	26	< 10	67
BB20491	201	202	< 0.01	25	430	26	< 2	4	11	0.08	< 10	< 10	42	< 10	117
BB20492	201	202	< 0.01	16	410	24	< 2	2	8	0.06	< 10	< 10	40	< 10	84
BB20493	201	202	< 0.01	22	490	36	< 2	3	10	0.08	< 10	< 10	49	< 10	103
BB20494	201	202	0.01	32	610	50	< 2	4	39	0.06	< 10	< 10	44	< 10	297
BB20495	201	202	< 0.01	22	450	64	< 2	3	14	0.07	< 10	< 10	49	< 10	138
BB20496	201	202	< 0.01	26	770	28	< 2	4	27	0.07	< 10	< 10	46	< 10	253
BB20497	201	202	< 0.01	20	530	26	< 2	2	25	0.06	< 10	< 10	30	< 10	152
BB20498	201	202	< 0.01	25	850	38	< 2	4	43	0.08	< 10	< 10	49	< 10	321
BB20499	201	202	< 0.01	21	630	36	< 2	3	22	0.06	< 10	< 10	34	< 10	193
BB20500	201	202	0.02	23	640	34	< 2	2	28	0.04	< 10	< 10	26	< 10	282
BB20501	201	202	< 0.01	24	360	68	< 2	3	11	0.04	< 10	< 10	35	< 10	137
BB20502	201	202	< 0.01	12	680	82	< 2	1	9	0.03	< 10	< 10	44	< 10	141
BB20503	201	202	< 0.01	18	830	38	< 2	1	16	0.03	< 10	< 10	29	< 10	251
BB20504	201	202	0.01	25	1690	36	< 2	3	54	0.02	< 10	< 10	30	< 10	287
BB20505	201	202	< 0.01	25	740	18	< 2	3	34	0.08	< 10	< 10	39	< 10	82
BB20506	201	202	< 0.01	18	360	58	< 2	2	10	0.04	< 10	< 10	35	< 10	137
BB20507	201	202	< 0.01	29	390	72	< 2	2	10	0.03	< 10	< 10	26	< 10	257
BB20508	201	202	< 0.01	21	690	50	< 2	3	41	0.01	< 10	< 10	29	< 10	370

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 2-A
Total : 5
Certificate Date: 13-JUL-96
Invoice No. : 19623235
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20509	201 202	< 0.2	1.07	< 2	250	< 0.5	< 2	0.33	< 0.5	4	24	5	1.11	< 10	< 1	0.04	< 10	0.42	110	< 1
BB20510	201 202	0.4	1.46	< 2	310	< 0.5	< 2	0.31	0.5	7	21	31	2.28	< 10	1	0.08	20	0.49	340	1
BB20511	201 202	0.6	2.07	10	540	< 0.5	< 2	0.36	< 0.5	7	37	23	3.06	< 10	< 1	0.10	10	0.61	430	< 1
BB20512	201 202	< 0.2	1.75	14	270	0.5	< 2	0.18	0.5	13	33	40	2.47	< 10	1	0.07	10	0.34	345	1
BB20513	201 202	< 0.2	2.27	12	170	0.5	< 2	0.34	< 0.5	12	44	24	3.04	< 10	< 1	0.15	10	0.70	420	1
BB20514	201 202	< 0.2	2.60	18	130	0.5	< 2	0.26	< 0.5	10	42	30	3.08	< 10	1	0.15	10	0.63	350	< 1
BB20515	201 202	< 0.2	2.20	18	170	0.5	< 2	0.30	< 0.5	14	45	27	2.94	< 10	< 1	0.14	10	0.72	490	1
BB20516	201 202	< 0.2	2.76	22	160	0.5	< 2	0.30	< 0.5	14	51	29	3.44	< 10	1	0.18	10	0.84	425	< 1
BB20517	201 202	< 0.2	3.07	38	190	0.5	< 2	0.30	< 0.5	14	49	30	3.79	< 10	< 1	0.14	10	0.79	470	< 1
BB20518	201 202	< 0.2	2.91	48	190	0.5	< 2	0.35	< 0.5	17	45	37	3.08	< 10	1	0.16	10	0.73	395	< 1
BB20519	201 202	< 0.2	2.40	42	200	0.5	< 2	0.35	< 0.5	10	38	31	3.22	< 10	< 1	0.16	10	0.74	405	2
BB20520	201 202	< 0.2	2.41	36	190	0.5	< 2	0.25	< 0.5	8	38	28	3.18	< 10	< 1	0.15	10	0.64	315	< 1
BB20521	201 202	< 0.2	2.03	52	240	0.5	< 2	0.52	< 0.5	9	38	31	2.92	< 10	1	0.13	10	0.66	365	2
BB20522	201 202	0.6	3.71	36	320	0.5	< 2	0.42	< 0.5	8	58	45	3.51	10	< 1	0.25	10	0.62	205	3
BB20523	201 202	< 0.2	1.46	8	150	< 0.5	< 2	0.18	< 0.5	11	27	30	2.69	< 10	1	0.07	20	0.46	390	1
BB20524	201 202	< 0.2	1.44	10	160	< 0.5	< 2	0.23	< 0.5	11	33	34	2.57	< 10	1	0.06	10	0.47	505	1
BB20525	201 202	< 0.2	1.18	6	90	< 0.5	< 2	0.16	< 0.5	6	22	13	2.41	< 10	< 1	0.08	10	0.36	345	1
BB20526	201 202	0.2	1.93	14	130	< 0.5	< 2	0.25	< 0.5	15	36	31	2.89	< 10	< 1	0.08	10	0.53	590	< 1
BB20527	201 202	< 0.2	0.95	< 2	280	< 0.5	< 2	0.34	< 0.5	6	24	36	1.30	< 10	1	0.06	10	0.37	130	1
BB20528	201 202	< 0.2	0.95	2	220	< 0.5	< 2	0.28	< 0.5	6	19	18	1.84	< 10	< 1	0.05	10	0.35	330	< 1
BB20529	201 202	< 0.2	1.76	4	180	< 0.5	< 2	0.17	0.5	12	27	40	2.80	< 10	1	0.13	10	0.43	920	2
BB20530	201 202	0.6	1.46	6	560	< 0.5	< 2	0.31	0.5	9	30	24	2.40	< 10	1	0.10	10	0.38	810	1
BB20531	201 202	< 0.2	1.68	10	110	< 0.5	< 2	0.28	< 0.5	8	34	12	2.56	< 10	< 1	0.07	10	0.48	405	1
BB20532	201 202	0.2	1.93	20	150	< 0.5	< 2	0.28	< 0.5	14	32	38	2.81	< 10	< 1	0.09	10	0.49	820	2
BB20533	201 202	< 0.2	1.87	6	150	< 0.5	< 2	0.10	< 0.5	6	24	18	2.84	< 10	1	0.06	10	0.38	340	1
BB20534	201 202	0.2	1.78	20	350	< 0.5	< 2	0.22	< 0.5	7	32	31	3.00	< 10	1	0.09	10	0.52	425	1
BB20535	201 202	< 0.2	2.00	20	200	0.5	< 2	0.41	< 0.5	12	41	27	3.05	< 10	2	0.12	< 10	0.73	485	1
BB20536	201 202	< 0.2	1.92	26	260	0.5	< 2	0.66	< 0.5	10	45	33	2.98	< 10	< 1	0.16	10	0.77	395	3
BB20537	201 202	< 0.2	2.55	38	230	0.5	< 2	0.42	< 0.5	13	53	44	3.32	< 10	1	0.15	10	0.95	490	< 1
BB20538	201 202	< 0.2	2.45	24	160	0.5	< 2	0.21	< 0.5	13	43	25	2.92	< 10	1	0.11	10	0.72	345	< 1
BB20539	201 202	< 0.2	1.91	12	120	< 0.5	< 2	0.28	< 0.5	11	38	23	2.43	< 10	< 1	0.07	10	0.63	370	< 1
BB20540	201 202	< 0.2	2.94	50	180	0.5	< 2	0.27	< 0.5	11	42	24	3.23	< 10	< 1	0.12	10	0.66	325	2
BB20541	201 202	< 0.2	1.27	14	160	< 0.5	< 2	0.33	< 0.5	4	26	9	1.82	< 10	< 1	0.09	10	0.44	185	< 1
BB20542	201 202	< 0.2	2.66	42	130	0.5	< 2	0.25	< 0.5	12	43	26	2.76	< 10	< 1	0.09	< 10	0.65	295	< 1
BB20543	201 202	< 0.2	2.05	30	250	0.5	< 2	0.63	< 0.5	13	45	39	2.83	< 10	1	0.12	10	0.73	455	1
BB20544	201 202	< 0.2	1.74	46	170	0.5	< 2	0.43	< 0.5	11	32	33	2.38	< 10	1	0.15	10	0.67	310	1
BB20545	201 202	0.2	1.50	22	140	< 0.5	< 2	0.08	< 0.5	9	18	44	3.17	< 10	< 1	0.14	10	0.29	510	1
BB20546	201 202	0.2	1.77	22	120	< 0.5	< 2	0.10	< 0.5	13	30	65	3.80	< 10	1	0.10	10	0.45	675	1
BB20547	201 202	< 0.2	1.61	10	110	< 0.5	< 2	0.31	0.5	7	41	21	3.29	< 10	< 1	0.06	10	0.57	235	< 1
BB20548	201 202	< 0.2	1.60	4	190	< 0.5	< 2	0.07	< 0.5	5	23	22	2.80	< 10	< 1	0.09	10	0.23	340	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: convert
Comments:

Page: 2-B
Total: 5
Certificate Date: 13-JUL-96
Invoice No.: 19623235
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20509	201 202	< 0.01	19	710	22	< 2	2	22	0.06	< 10	< 10	23	< 10	109
BB20510	201 202	< 0.01	27	740	22	< 2	3	25	0.03	< 10	< 10	22	< 10	585
BB20511	201 202	0.01	25	760	32	< 2	4	29	0.06	< 10	< 10	45	< 10	242
BB20512	201 202	0.01	50	650	56	< 2	3	16	0.06	< 10	< 10	42	< 10	385
BB20513	201 202	< 0.01	27	530	18	< 2	5	22	0.15	< 10	< 10	62	< 10	82
BB20514	201 202	< 0.01	31	600	20	< 2	5	17	0.13	< 10	< 10	55	< 10	100
BB20515	201 202	< 0.01	31	530	14	< 2	5	20	0.14	< 10	< 10	59	< 10	75
BB20516	201 202	< 0.01	34	780	16	< 2	5	20	0.16	< 10	< 10	65	< 10	97
BB20517	201 202	< 0.01	34	710	20	< 2	5	20	0.13	< 10	< 10	65	< 10	160
BB20518	201 202	0.01	34	740	20	< 2	5	21	0.13	< 10	< 10	60	< 10	90
BB20519	201 202	< 0.01	25	660	24	< 2	5	22	0.13	< 10	< 10	62	< 10	87
BB20520	201 202	< 0.01	25	510	16	< 2	4	16	0.11	< 10	< 10	60	< 10	95
BB20521	201 202	< 0.01	23	450	20	< 2	4	27	0.12	< 10	< 10	60	< 10	104
BB20522	201 202	0.01	36	830	22	< 2	5	31	0.09	< 10	< 10	64	< 10	126
BB20523	201 202	< 0.01	24	560	38	< 2	3	17	0.07	< 10	< 10	38	< 10	131
BB20524	201 202	< 0.01	23	480	24	< 2	3	19	0.09	< 10	< 10	42	< 10	135
BB20525	201 202	< 0.01	13	690	34	< 2	2	15	0.07	< 10	< 10	39	< 10	86
BB20526	201 202	< 0.01	29	750	32	< 2	3	21	0.08	< 10	< 10	42	< 10	148
BB20527	201 202	< 0.01	22	730	46	< 2	3	28	0.05	< 10	< 10	27	< 10	172
BB20528	201 202	< 0.01	17	530	26	< 2	2	24	0.05	< 10	< 10	25	< 10	115
BB20529	201 202	< 0.01	26	600	64	< 2	3	15	0.07	< 10	< 10	38	< 10	240
BB20530	201 202	< 0.01	27	650	72	< 2	3	35	0.04	< 10	< 10	31	< 10	339
BB20531	201 202	< 0.01	20	760	22	< 2	3	16	0.09	< 10	< 10	45	< 10	54
BB20532	201 202	< 0.01	33	710	46	< 2	3	18	0.09	< 10	< 10	42	< 10	164
BB20533	201 202	< 0.01	16	400	42	< 2	1	10	0.03	< 10	< 10	32	< 10	275
BB20534	201 202	< 0.01	23	600	46	< 2	2	21	0.05	< 10	< 10	49	< 10	251
BB20535	201 202	< 0.01	29	640	16	< 2	4	21	0.13	< 10	< 10	59	< 10	90
BB20536	201 202	0.01	29	710	14	< 2	6	27	0.13	< 10	< 10	56	< 10	88
BB20537	201 202	< 0.01	37	630	12	< 2	6	22	0.15	< 10	< 10	64	< 10	77
BB20538	201 202	< 0.01	32	640	20	< 2	5	14	0.12	< 10	< 10	53	< 10	88
BB20539	201 202	< 0.01	24	480	12	< 2	4	16	0.13	< 10	< 10	52	< 10	57
BB20540	201 202	< 0.01	29	590	18	< 2	4	18	0.11	< 10	< 10	54	< 10	109
BB20541	201 202	< 0.01	10	320	14	< 2	3	20	0.11	< 10	< 10	45	< 10	51
BB20542	201 202	< 0.01	31	530	10	< 2	4	15	0.12	< 10	< 10	56	< 10	77
BB20543	201 202	< 0.01	30	650	12	< 2	5	27	0.13	< 10	< 10	59	< 10	87
BB20544	201 202	< 0.01	20	610	14	< 2	4	25	0.12	< 10	< 10	49	< 10	87
BB20545	201 202	< 0.01	19	380	66	< 2	1	9	0.03	< 10	< 10	27	< 10	116
BB20546	201 202	< 0.01	38	320	46	< 2	2	10	0.04	< 10	< 10	38	< 10	130
BB20547	201 202	< 0.01	27	850	44	< 2	3	19	0.11	< 10	< 10	50	< 10	100
BB20548	201 202	< 0.01	13	590	66	< 2	< 1	13	0.01	< 10	< 10	38	< 10	127

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 3-A
Total : 5
Certificate Date: 13-JUL-96
Invoice No. : 19623235
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20549	201 202	0.8	1.56	8	470	< 0.5	< 2	0.34	< 0.5	7	32	18	2.16	< 10	1	0.07	10	0.49	560	< 1
BB20550	201 202	0.8	1.77	6	440	< 0.5	< 2	0.54	0.5	7	30	20	2.29	< 10	1	0.08	10	0.53	265	1
BB20551	201 202	0.6	1.39	10	340	< 0.5	< 2	0.53	0.5	9	24	19	2.19	< 10	< 1	0.06	10	0.45	585	1
BB20552	201 202	0.2	0.92	< 2	430	< 0.5	< 2	0.34	< 0.5	6	19	22	1.87	< 10	1	0.07	10	0.34	465	1
BB20553	201 202	0.2	1.15	26	440	< 0.5	< 2	0.32	< 0.5	12	28	39	3.30	< 10	1	0.06	10	0.36	745	3
BB20554	201 202	0.4	1.83	8	130	< 0.5	< 2	0.18	< 0.5	8	36	18	2.47	< 10	1	0.06	10	0.49	225	< 1
BB20555	201 202	< 0.2	0.99	8	120	< 0.5	< 2	0.23	1.0	7	26	14	2.07	< 10	< 1	0.11	10	0.26	520	2
BB20556	201 202	< 0.2	1.68	16	230	< 0.5	< 2	0.52	< 0.5	10	38	24	2.64	< 10	2	0.10	10	0.77	425	1
BB20557	201 202	< 0.2	2.64	48	180	0.5	< 2	0.26	< 0.5	12	49	37	3.57	< 10	2	0.12	10	0.80	360	< 1
BB20558	201 202	0.2	2.82	22	150	< 0.5	< 2	0.20	< 0.5	9	43	20	3.48	< 10	< 1	0.11	< 10	0.70	280	< 1
BB20559	201 202	< 0.2	2.07	10	180	< 0.5	< 2	0.35	< 0.5	8	37	14	2.82	< 10	1	0.12	10	0.66	265	1
BB20560	201 202	< 0.2	1.56	2	210	< 0.5	< 2	0.39	< 0.5	7	37	18	2.18	< 10	< 1	0.09	10	0.63	275	< 1
BB20561	201 202	0.2	2.40	26	180	0.5	< 2	0.27	< 0.5	8	29	16	3.26	< 10	1	0.12	< 10	0.58	385	1
BB20562	201 202	< 0.2	1.34	18	240	< 0.5	< 2	0.42	< 0.5	6	28	13	2.62	< 10	1	0.08	< 10	0.54	230	1
BB20563	201 202	< 0.2	1.63	28	130	< 0.5	< 2	0.32	< 0.5	6	30	20	2.30	< 10	1	0.10	10	0.59	225	1
BB20564	201 202	< 0.2	2.34	26	170	0.5	< 2	0.25	< 0.5	11	38	23	3.00	< 10	1	0.11	10	0.69	310	1
BB20565	201 202	< 0.2	2.09	20	170	0.5	< 2	0.25	< 0.5	12	39	32	2.81	< 10	1	0.09	10	0.67	380	< 1
BB20566	201 202	< 0.2	1.98	16	90	< 0.5	< 2	0.22	< 0.5	7	36	16	2.84	< 10	< 1	0.08	< 10	0.57	220	1
BB20567	201 202	< 0.2	1.45	8	190	< 0.5	< 2	0.54	< 0.5	6	29	14	2.11	< 10	< 1	0.10	10	0.58	270	1
BB20568	201 202	< 0.2	2.01	16	140	< 0.5	< 2	0.19	< 0.5	8	30	21	2.22	< 10	1	0.07	< 10	0.54	230	< 1
BB20569	201 202	< 0.2	1.51	22	130	< 0.5	< 2	0.21	< 0.5	5	28	16	2.03	< 10	< 1	0.07	< 10	0.47	175	< 1
BB20570	201 202	< 0.2	2.62	40	170	0.5	< 2	0.25	< 0.5	9	39	25	3.01	< 10	< 1	0.12	10	0.67	260	1
BB20571	201 202	< 0.2	2.71	16	130	< 0.5	< 2	0.21	0.5	8	39	17	3.39	< 10	< 1	0.11	< 10	0.68	245	1
BB20572	201 202	< 0.2	2.83	16	170	0.5	< 2	0.22	< 0.5	11	45	28	3.38	< 10	< 1	0.12	10	0.74	300	< 1
BB20573	201 202	< 0.2	1.85	26	160	< 0.5	< 2	0.27	< 0.5	11	40	25	2.92	< 10	< 1	0.11	< 10	0.68	315	< 1
BB20574	201 202	< 0.2	1.28	12	240	< 0.5	< 2	0.47	< 0.5	9	36	34	2.26	< 10	< 1	0.11	10	0.56	340	1
BB20575	201 202	< 0.2	1.74	14	180	< 0.5	< 2	0.52	< 0.5	13	45	35	3.21	< 10	< 1	0.14	10	0.91	475	2
BB20576	201 202	0.6	0.80	16	110	< 0.5	< 2	0.03	< 0.5	6	11	49	2.32	< 10	< 1	0.07	20	0.04	420	1
BB20577	201 202	0.2	1.65	16	120	< 0.5	< 2	0.11	< 0.5	9	30	57	3.29	< 10	1	0.08	10	0.41	530	1
BB20578	201 202	0.2	1.62	34	1320	0.5	< 2	0.58	1.0	17	25	50	3.83	< 10	< 1	0.13	10	0.38	3080	1
BB20579	201 202	< 0.2	1.68	16	110	< 0.5	< 2	0.13	< 0.5	10	33	102	4.47	< 10	< 1	0.08	10	0.42	330	1
BB20580	201 202	0.4	1.80	14	620	< 0.5	< 2	0.36	< 0.5	8	39	34	2.73	< 10	< 1	0.08	10	0.50	585	1
BB20581	201 202	< 0.2	0.89	10	130	< 0.5	< 2	0.17	< 0.5	4	19	15	1.60	< 10	< 1	0.06	10	0.15	195	1
BB20582	201 202	0.6	1.98	16	350	0.5	< 2	0.37	< 0.5	9	44	36	3.03	< 10	< 1	0.12	< 10	0.47	1045	1
BB20583	201 202	< 0.2	1.39	8	100	< 0.5	< 2	0.17	< 0.5	11	34	33	2.96	< 10	< 1	0.09	10	0.45	640	1
BB20584	201 202	0.2	1.65	10	110	< 0.5	< 2	0.11	< 0.5	5	23	15	2.83	< 10	< 1	0.08	10	0.30	225	1
BB20585	201 202	< 0.2	1.34	12	90	< 0.5	< 2	0.28	< 0.5	6	34	7	2.37	< 10	< 1	0.08	10	0.54	335	1
BB20586	201 202	< 0.2	1.37	8	250	< 0.5	< 2	0.38	< 0.5	6	28	10	1.96	< 10	< 1	0.07	10	0.44	290	1
BB20587	201 202	1.2	3.01	24	690	1.0	< 2	0.71	1.5	16	53	80	3.84	< 10	< 1	0.18	50	0.63	2450	5
BB20588	201 202	< 0.2	1.54	< 2	290	< 0.5	< 2	0.57	< 0.5	5	28	12	1.98	< 10	< 1	0.09	10	0.58	290	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 3-B
Total : 5
Certificate Date: 13-JUL-96
Invoice No. : 19623235
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20549	201	202	< 0.01	20	860	30	< 2	3	26	0.04	< 10	< 10	38	< 10	195
BB20550	201	202	0.01	26	1110	40	< 2	3	50	0.03	< 10	< 10	35	< 10	463
BB20551	201	202	0.01	24	950	46	< 2	3	47	0.03	< 10	< 10	29	< 10	347
BB20552	201	202	< 0.01	19	640	36	< 2	2	31	0.04	< 10	< 10	23	< 10	175
BB20553	201	202	< 0.01	30	850	40	2	4	31	0.06	< 10	< 10	43	< 10	174
BB20554	201	202	< 0.01	24	590	22	< 2	3	12	0.08	< 10	< 10	40	< 10	93
BB20555	201	202	< 0.01	12	590	14	< 2	1	14	0.06	< 10	< 10	46	< 10	73
BB20556	201	202	0.01	24	900	10	< 2	4	28	0.12	< 10	< 10	57	< 10	68
BB20557	201	202	< 0.01	36	500	16	< 2	5	17	0.13	< 10	< 10	65	< 10	104
BB20558	201	202	< 0.01	27	480	18	2	5	14	0.12	< 10	< 10	56	< 10	108
BB20559	201	202	< 0.01	19	520	16	< 2	4	21	0.15	< 10	< 10	55	< 10	75
BB20560	201	202	< 0.01	19	480	16	< 2	4	27	0.13	< 10	< 10	49	< 10	63
BB20561	201	202	< 0.01	17	560	20	< 2	4	16	0.10	< 10	< 10	63	< 10	79
BB20562	201	202	< 0.01	14	360	14	< 2	3	22	0.12	< 10	< 10	62	< 10	79
BB20563	201	202	< 0.01	17	510	14	< 2	4	19	0.10	< 10	< 10	53	< 10	93
BB20564	201	202	< 0.01	26	500	16	< 2	4	17	0.12	< 10	< 10	59	< 10	79
BB20565	201	202	< 0.01	30	580	20	< 2	4	15	0.10	< 10	< 10	53	< 10	72
BB20566	201	202	< 0.01	19	460	18	< 2	3	13	0.10	< 10	< 10	49	< 10	61
BB20567	201	202	0.01	17	690	12	< 2	3	24	0.09	< 10	< 10	42	< 10	80
BB20568	201	202	0.01	20	390	12	< 2	3	13	0.09	< 10	< 10	45	< 10	46
BB20569	201	202	< 0.01	17	430	14	< 2	3	13	0.08	< 10	< 10	48	< 10	48
BB20570	201	202	0.01	26	640	16	< 2	5	19	0.11	< 10	< 10	57	< 10	74
BB20571	201	202	< 0.01	21	460	10	< 2	5	16	0.13	< 10	< 10	62	< 10	87
BB20572	201	202	< 0.01	29	540	14	< 2	5	18	0.14	< 10	< 10	60	< 10	94
BB20573	201	202	< 0.01	26	520	14	< 2	5	17	0.12	< 10	< 10	67	< 10	85
BB20574	201	202	0.01	27	690	40	< 2	4	25	0.09	< 10	< 10	47	< 10	100
BB20575	201	202	0.01	35	830	10	< 2	5	25	0.13	< 10	< 10	67	< 10	83
BB20576	201	202	< 0.01	23	350	38	< 2	< 1	6	0.01	< 10	< 10	39	< 10	145
BB20577	201	202	< 0.01	31	340	32	< 2	3	12	0.05	< 10	< 10	42	< 10	100
BB20578	201	202	0.01	33	2310	94	< 2	2	77	0.02	< 10	< 10	37	< 10	318
BB20579	201	202	< 0.01	37	310	94	< 2	3	10	0.08	< 10	< 10	42	< 10	283
BB20580	201	202	< 0.01	30	1040	26	< 2	5	32	0.06	< 10	< 10	44	< 10	258
BB20581	201	202	< 0.01	9	360	36	< 2	1	15	0.06	< 10	< 10	45	< 10	97
BB20582	201	202	0.01	34	1880	34	< 2	4	43	0.03	< 10	< 10	48	< 10	277
BB20583	201	202	< 0.01	25	360	30	< 2	3	14	0.09	< 10	< 10	47	< 10	92
BB20584	201	202	< 0.01	11	790	26	< 2	1	12	0.04	< 10	< 10	59	< 10	69
BB20585	201	202	< 0.01	14	730	22	< 2	3	19	0.10	< 10	< 10	47	< 10	108
BB20586	201	202	< 0.01	13	520	14	< 2	3	29	0.09	< 10	< 10	45	< 10	250
BB20587	201	202	0.02	34	1630	78	< 2	8	73	0.05	< 10	< 10	64	< 10	943
BB20588	201	202	< 0.01	14	720	22	< 2	3	44	0.08	< 10	< 10	37	< 10	227

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: convert
Comments:

Page: 4-A
Total: 5
Certificate Date: 13-JUL-96
Invoice No.: 19623235
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20589	201	202	< 0.2	1.97	6	340	0.5	< 2	0.48	< 0.5	7	40	15	2.70	< 10	< 1	0.09	10	0.65	360	1
BB20590	201	202	< 0.2	1.51	16	100	< 0.5	< 2	0.12	< 0.5	7	25	32	3.11	< 10	< 1	0.06	10	0.40	335	1
BB20591	201	202	< 0.2	1.74	12	140	< 0.5	< 2	0.09	< 0.5	5	21	15	2.11	< 10	< 1	0.09	20	0.35	230	< 1
BB20592	201	202	0.4	0.99	< 2	100	< 0.5	< 2	0.17	< 0.5	2	20	8	1.16	< 10	< 1	0.06	10	0.22	85	< 1
BB20593	201	202	< 0.2	1.03	10	170	< 0.5	< 2	0.46	< 0.5	9	29	24	2.01	< 10	< 1	0.09	10	0.54	425	1
BB20594	201	202	0.6	1.24	40	190	< 0.5	< 2	0.41	< 0.5	15	27	50	3.20	< 10	< 1	0.09	10	0.48	995	1
BB20595	201	202	< 0.2	0.83	94	770	< 0.5	< 2	0.29	< 0.5	16	15	54	3.83	< 10	< 1	0.11	10	0.19	2170	2
BB20596	201	202	< 0.2	0.65	4	60	< 0.5	< 2	0.09	< 0.5	1	12	8	0.79	< 10	< 1	0.04	10	0.07	85	< 1
BB20597	201	202	0.4	1.27	26	180	< 0.5	< 2	0.16	< 0.5	14	27	66	3.24	< 10	< 1	0.09	10	0.35	1030	3
BB20598	201	202	0.6	1.06	12	390	< 0.5	< 2	0.63	< 0.5	9	18	25	2.16	< 10	< 1	0.08	10	0.26	855	3
BB20599	201	202	0.2	1.50	18	90	< 0.5	< 2	0.22	< 0.5	10	34	28	2.51	< 10	< 1	0.07	10	0.42	420	1
BB20600	201	202	1.0	1.26	24	110	< 0.5	< 2	0.12	< 0.5	7	30	39	3.46	< 10	1	0.08	10	0.31	260	2
BB20601	201	202	0.2	1.35	18	120	< 0.5	< 2	0.13	< 0.5	6	30	49	4.01	< 10	< 1	0.07	10	0.27	265	1
BB20602	201	202	< 0.2	0.54	18	330	< 0.5	< 2	0.24	< 0.5	6	12	19	1.67	< 10	< 1	0.06	< 10	0.13	445	1
BB20603	201	202	0.2	0.73	20	100	< 0.5	< 2	0.04	< 0.5	4	14	28	2.28	< 10	< 1	0.03	< 10	0.12	225	2
BB20604	201	202	0.6	0.62	10	430	< 0.5	< 2	0.13	< 0.5	1	11	8	0.84	< 10	< 1	0.04	< 10	0.10	160	1
BB20605	201	202	1.8	1.38	6	290	< 0.5	< 2	0.10	< 0.5	2	18	27	1.27	< 10	< 1	0.06	10	0.13	115	1
BB20606	201	202	1.4	1.92	22	110	< 0.5	< 2	0.11	< 0.5	8	39	43	3.11	< 10	< 1	0.05	10	0.39	320	2
BB20607	201	202	0.4	1.62	8	140	< 0.5	< 2	0.11	< 0.5	6	24	19	2.22	< 10	< 1	0.05	10	0.42	175	< 1
BB20608	201	202	0.2	1.69	10	390	< 0.5	< 2	0.19	0.5	65	33	47	3.08	< 10	< 1	0.08	10	0.56	4390	3
BB20609	201	202	< 0.2	1.14	6	110	< 0.5	< 2	0.17	< 0.5	9	24	16	2.03	< 10	< 1	0.05	< 10	0.38	640	1
BB20610	201	202	< 0.2	0.82	6	80	< 0.5	< 2	0.14	< 0.5	7	31	20	2.44	< 10	< 1	0.03	< 10	0.29	215	< 1
BB20611	201	202	0.8	1.25	8	120	< 0.5	< 2	0.14	< 0.5	3	21	7	2.18	< 10	< 1	0.05	10	0.28	115	1
BB20612	201	202	< 0.2	1.53	14	150	< 0.5	< 2	0.06	< 0.5	5	25	17	2.09	< 10	< 1	0.04	< 10	0.23	125	< 1
BB20613	201	202	< 0.2	1.29	10	190	< 0.5	< 2	0.23	< 0.5	8	35	30	2.68	< 10	< 1	0.05	10	0.48	325	< 1
BB20614	201	202	< 0.2	2.62	12	100	< 0.5	< 2	0.21	< 0.5	9	37	17	3.03	< 10	< 1	0.06	10	0.48	370	< 1
BB20615	201	202	< 0.2	1.78	14	110	< 0.5	< 2	0.11	< 0.5	20	28	48	3.58	< 10	< 1	0.06	10	0.47	1310	1
BB20616	201	202	0.2	1.43	20	1270	< 0.5	< 2	0.25	0.5	19	27	27	4.93	< 10	< 1	0.06	10	0.49	1700	1
BB20617	201	202	2.4	2.51	8	110	< 0.5	< 2	0.10	< 0.5	9	46	28	3.72	< 10	1	0.06	< 10	0.57	315	1
BB20618	201	202	< 0.2	1.88	12	150	< 0.5	< 2	0.10	0.5	9	37	74	2.67	< 10	< 1	0.04	< 10	0.45	365	1
BB20619	201	202	1.0	1.69	16	1240	0.5	< 2	0.05	9.0	196	51	59	13.05	< 10	1	0.04	< 10	0.14	>10000	1
BB20620	201	202	0.6	1.32	16	180	< 0.5	< 2	0.08	< 0.5	12	33	36	3.34	< 10	< 1	0.06	< 10	0.41	610	< 1
BB20621	201	202	0.4	1.64	20	150	< 0.5	< 2	0.08	< 0.5	9	31	32	3.89	< 10	< 1	0.06	< 10	0.47	385	1
BB20622	201	202	0.2	1.32	12	260	< 0.5	< 2	0.17	1.0	8	32	27	2.97	< 10	< 1	0.06	< 10	0.42	405	1
BB20623	201	202	0.2	1.44	8	260	< 0.5	< 2	0.12	1.0	13	32	28	2.70	< 10	< 1	0.07	< 10	0.36	960	1
BB20624	201	202	< 0.2	1.87	12	360	2.0	< 2	0.39	< 0.5	10	39	26	2.49	< 10	< 1	0.08	10	0.50	500	3
BB20625	201	202	< 0.2	1.52	18	150	< 0.5	< 2	0.47	< 0.5	12	40	24	2.74	< 10	< 1	0.13	< 10	0.81	420	1
BB20626	201	202	< 0.2	1.53	12	280	< 0.5	< 2	0.71	< 0.5	9	37	38	2.49	< 10	< 1	0.11	10	0.61	460	1
BB20627	201	202	< 0.2	1.41	18	140	< 0.5	< 2	0.34	< 0.5	12	40	23	2.55	< 10	< 1	0.08	< 10	0.67	385	< 1
BB20628	201	202	< 0.2	2.03	16	160	< 0.5	< 2	0.30	< 0.5	10	43	26	2.94	< 10	< 1	0.10	< 10	0.72	320	< 1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 4-B
Total : 5
Certificate Date: 13-JUL-96
Invoice No. : 19623235
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20589	201	202	< 0.01	24	760	24	< 2	3	35	0.07	< 10	< 10	50	< 10	175
BB20590	201	202	< 0.01	21	570	30	< 2	1	14	0.03	< 10	< 10	29	< 10	105
BB20591	201	202	< 0.01	14	430	60	< 2	2	8	0.03	< 10	< 10	23	< 10	204
BB20592	201	202	< 0.01	8	440	22	< 2	1	11	0.05	< 10	< 10	29	< 10	32
BB20593	201	202	< 0.01	24	740	16	< 2	3	29	0.09	< 10	< 10	41	< 10	69
BB20594	201	202	< 0.01	34	720	62	< 2	3	33	0.06	< 10	< 10	37	< 10	175
BB20595	201	202	< 0.01	24	560	80	< 2	1	38	0.04	< 10	< 10	50	< 10	177
BB20596	201	202	< 0.01	5	220	18	< 2	< 1	10	0.04	< 10	< 10	28	< 10	26
BB20597	201	202	< 0.01	41	710	56	< 2	3	18	0.07	< 10	< 10	40	< 10	172
BB20598	201	202	< 0.01	15	800	32	< 2	1	45	0.02	< 10	< 10	36	< 10	104
BB20599	201	202	< 0.01	25	650	30	< 2	2	15	0.08	< 10	< 10	40	< 10	110
BB20600	201	202	< 0.01	23	640	48	< 2	2	14	0.04	< 10	< 10	48	< 10	132
BB20601	201	202	< 0.01	22	660	66	< 2	1	16	0.04	< 10	< 10	31	< 10	113
BB20602	201	202	< 0.01	14	430	28	< 2	< 1	33	0.01	< 10	< 10	20	< 10	106
BB20603	201	202	< 0.01	12	480	46	< 2	< 1	8	0.01	< 10	< 10	30	< 10	96
BB20604	201	202	< 0.01	5	230	72	< 2	< 1	19	0.04	< 10	< 10	22	< 10	51
BB20605	201	202	0.01	12	820	32	< 2	< 1	11	< 0.01	< 10	< 10	19	< 10	50
BB20606	201	202	< 0.01	31	660	36	< 2	3	10	0.05	< 10	< 10	36	< 10	112
BB20607	201	202	< 0.01	20	530	20	< 2	1	11	0.03	< 10	< 10	31	< 10	115
BB20608	201	202	0.01	65	730	28	< 2	3	21	0.05	< 10	< 10	47	< 10	268
BB20609	201	202	< 0.01	18	590	18	< 2	1	13	0.04	< 10	< 10	31	< 10	111
BB20610	201	202	< 0.01	22	640	30	< 2	1	9	0.05	< 10	< 10	49	< 10	65
BB20611	201	202	< 0.01	8	990	42	< 2	1	10	0.04	< 10	< 10	41	< 10	61
BB20612	201	202	< 0.01	15	160	30	< 2	1	7	0.04	< 10	< 10	37	< 10	67
BB20613	201	202	< 0.01	26	860	30	< 2	2	16	0.08	< 10	< 10	53	< 10	88
BB20614	201	202	< 0.01	18	840	18	< 2	3	14	0.08	< 10	< 10	55	< 10	105
BB20615	201	202	< 0.01	32	700	34	< 2	2	20	0.04	< 10	< 10	41	< 10	160
BB20616	201	202	< 0.01	43	880	46	< 2	3	27	0.04	< 10	< 10	36	< 10	315
BB20617	201	202	< 0.01	25	440	30	< 2	4	11	0.10	< 10	< 10	58	< 10	174
BB20618	201	202	< 0.01	51	590	22	< 2	3	11	0.06	< 10	< 10	47	< 10	372
BB20619	201	202	0.03	194	2270	20	< 2	1	16	0.02	< 10	< 10	42	< 10	2740
BB20620	201	202	< 0.01	30	580	72	< 2	2	16	0.04	< 10	< 10	58	< 10	313
BB20621	201	202	< 0.01	25	690	46	< 2	1	13	0.04	< 10	< 10	54	< 10	241
BB20622	201	202	< 0.01	23	740	64	< 2	1	17	0.05	< 10	< 10	55	< 10	222
BB20623	201	202	0.01	24	850	90	< 2	1	14	0.05	< 10	< 10	51	< 10	295
BB20624	201	202	0.01	28	950	30	< 2	3	28	0.06	< 10	< 10	49	< 10	170
BB20625	201	202	0.01	28	870	8	< 2	4	27	0.11	< 10	< 10	56	< 10	81
BB20626	201	202	0.01	28	670	20	< 2	5	31	0.09	< 10	< 10	49	< 10	102
BB20627	201	202	< 0.01	26	860	10	< 2	4	19	0.12	< 10	< 10	64	< 10	72
BB20628	201	202	< 0.01	32	840	14	< 2	4	18	0.11	< 10	< 10	59	< 10	86

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 5-A
Total : 5
Certificate Date: 13-JUL-96
Invoice No. : 19623235
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20629	201	202	< 0.2	1.94	24	220	0.5	< 2	0.54	< 0.5	10	46	42	2.99	< 10	< 1	0.11	10	0.81	440	3
BB20630	201	202	< 0.2	1.58	20	220	< 0.5	< 2	0.53	< 0.5	10	40	25	2.49	< 10	< 1	0.09	10	0.78	320	< 1
BB20631	201	202	< 0.2	2.24	8	100	0.5	< 2	0.20	< 0.5	10	36	18	2.48	< 10	1	0.05	< 10	0.52	245	4
BB20632	201	202	< 0.2	1.66	92	260	< 0.5	< 2	0.51	< 0.5	8	31	34	2.68	< 10	< 1	0.15	< 10	0.80	325	1
BB20633	201	202	< 0.2	1.70	36	310	0.5	< 2	0.48	< 0.5	7	32	31	2.57	< 10	< 1	0.12	10	0.68	320	< 1
BB20634	201	202	< 0.2	1.51	32	190	< 0.5	< 2	0.24	< 0.5	10	33	26	2.46	< 10	< 1	0.08	10	0.68	380	< 1
T18681	201	202	< 0.2	0.79	52	380	< 0.5	< 2	0.39	< 0.5	9	20	10	10.45	< 10	< 1	0.06	< 10	0.27	1240	1
T18682	201	202	0.8	1.36	4	170	< 0.5	< 2	0.20	< 0.5	8	12	21	3.64	< 10	< 1	0.03	10	0.48	575	1
T16620	201	202	< 0.2	1.44	10	190	< 0.5	< 2	0.34	< 0.5	8	34	14	2.14	< 10	< 1	0.08	10	0.52	230	1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: convert
Comments:

Page: 5-B
Total: 5
Certificate Date: 13-JUL-96
Invoice No.: I9623235
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623235

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20629	201	202	0.01	32	870	16	< 2	6	30	0.09	< 10	< 10	60	< 10	98
BB20630	201	202	0.01	26	970	12	< 2	4	29	0.12	< 10	< 10	56	< 10	75
BB20631	201	202	< 0.01	27	710	18	< 2	3	12	0.07	< 10	< 10	41	< 10	72
BB20632	201	202	0.01	20	690	14	< 2	5	27	0.09	< 10	< 10	55	< 10	86
BB20633	201	202	0.01	23	710	18	< 2	4	28	0.07	< 10	< 10	47	< 10	78
BB20634	201	202	< 0.01	22	620	20	< 2	4	16	0.10	< 10	< 10	51	< 10	71
T18681	201	202	< 0.01	17	530	14	< 2	3	22	0.06	< 10	< 10	27	< 10	58
T18682	201	202	< 0.01	12	700	16	< 2	1	15	< 0.01	< 10	< 10	16	< 10	121
T16620	201	202	< 0.01	20	620	16	< 2	3	18	0.06	< 10	< 10	44	< 10	145

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: convert
Comments:

Page /er : 1-A
Total /s : 5
Certificate Date: 16-JUL-96
Invoice No. : I9623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20269	201	202	< 0.2	1.59	6	120	< 0.5	< 2	0.32	< 0.5	7	34	15	2.13	< 10	< 1	0.09	10	0.50	250	< 1
BB20270	201	202	< 0.2	1.25	6	140	< 0.5	< 2	0.43	< 0.5	7	33	16	1.71	< 10	< 1	0.07	10	0.52	210	< 1
BB20271	201	202	< 0.2	2.90	12	380	2.0	6	0.66	1.5	14	54	36	2.63	10	< 1	0.12	10	0.65	325	1
BB20272	201	202	0.2	2.92	16	300	1.5	2	0.45	< 0.5	5	46	19	2.73	10	< 1	0.14	10	0.45	140	1
BB20273	201	202	0.2	2.55	32	390	0.5	8	0.45	< 0.5	10	54	15	3.15	10	< 1	0.13	10	0.58	355	1
BB20274	201	202	< 0.2	1.13	8	200	< 0.5	< 2	0.56	< 0.5	5	29	10	1.66	< 10	< 1	0.06	10	0.40	505	< 1
BB20275	201	202	< 0.2	1.84	10	100	< 0.5	< 2	0.21	< 0.5	8	35	14	2.55	10	< 1	0.08	10	0.48	325	< 1
BB20276	201	202	< 0.2	2.05	8	440	< 0.5	< 2	0.43	0.5	8	41	15	2.50	10	< 1	0.09	10	0.57	955	< 1
BB20277	201	202	0.2	1.59	18	320	0.5	2	0.44	< 0.5	11	37	15	2.69	< 10	< 1	0.08	10	0.44	585	< 1
BB20278	201	202	0.2	1.41	18	340	< 0.5	< 2	0.42	< 0.5	5	31	16	2.10	< 10	< 1	0.06	10	0.38	360	< 1
BB20279	201	202	0.8	2.01	50	730	0.5	< 2	0.48	0.5	18	46	37	3.96	10	< 1	0.10	10	0.51	2530	3
BB20280	201	202	0.2	1.16	14	300	< 0.5	< 2	0.37	0.5	8	32	35	2.39	< 10	< 1	0.07	10	0.42	450	< 1
BB20281	201	202	0.4	1.29	8	250	< 0.5	< 2	0.24	< 0.5	7	29	16	1.95	< 10	< 1	0.06	10	0.37	385	< 1
BB20282	201	202	0.4	1.29	16	340	< 0.5	< 2	0.16	0.5	13	27	29	2.82	< 10	< 1	0.07	10	0.29	1125	1
BB20283	201	202	1.0	1.29	18	350	< 0.5	< 2	0.14	< 0.5	4	21	29	1.70	< 10	< 1	0.09	10	0.23	180	1
BB20284	201	202	0.6	1.35	12	120	< 0.5	< 2	0.13	< 0.5	5	22	18	2.34	< 10	< 1	0.07	10	0.29	215	< 1
BB20285	201	202	< 0.2	1.47	24	100	< 0.5	< 2	0.21	< 0.5	8	31	31	3.06	< 10	< 1	0.07	10	0.51	360	< 1
BB20286	201	202	0.6	2.00	36	470	0.5	< 2	0.53	0.5	8	39	14	4.50	10	< 1	0.08	10	0.49	785	5
BB20287	201	202	< 0.2	1.34	8	100	0.5	< 2	0.29	< 0.5	5	27	11	1.77	< 10	< 1	0.07	10	0.37	170	< 1
BB20288	201	202	< 0.2	1.36	10	190	< 0.5	< 2	0.35	< 0.5	5	30	13	2.28	10	< 1	0.10	10	0.44	285	< 1
BB20289	201	202	< 0.2	1.73	14	230	0.5	< 2	0.45	< 0.5	10	40	17	2.34	< 10	< 1	0.09	10	0.53	355	1
BB20290	201	202	< 0.2	1.50	10	230	0.5	4	0.48	< 0.5	6	37	15	2.05	10	< 1	0.09	10	0.50	215	< 1
BB20291	201	202	< 0.2	2.33	12	280	1.5	< 2	0.65	< 0.5	8	44	15	2.59	10	< 1	0.11	10	0.54	315	< 1
BB20292	201	202	< 0.2	1.08	8	160	0.5	< 2	0.45	< 0.5	7	31	16	1.72	< 10	< 1	0.06	10	0.44	255	< 1
BB20293	201	202	< 0.2	1.76	12	210	0.5	< 2	0.32	< 0.5	10	42	25	2.66	< 10	< 1	0.10	10	0.61	410	< 1
BB20294	201	202	< 0.2	1.39	8	520	< 0.5	6	0.32	< 0.5	7	34	19	2.13	< 10	< 1	0.06	10	0.56	280	< 1
BB20295	201	202	< 0.2	1.31	10	410	< 0.5	< 2	0.38	< 0.5	7	32	23	2.18	< 10	< 1	0.06	10	0.47	370	< 1
BB20296	201	202	0.2	1.55	16	100	< 0.5	< 2	0.31	0.5	7	39	13	2.63	10	< 1	0.08	10	0.54	290	< 1
BB20297	201	202	0.2	1.82	26	470	0.5	< 2	0.41	0.5	13	46	43	2.83	< 10	< 1	0.10	10	0.59	345	1
BB20298	201	202	< 0.2	1.07	36	280	< 0.5	4	0.39	0.5	13	37	46	2.86	< 10	< 1	0.08	10	0.39	2680	1
BB20299	201	202	0.8	1.14	28	270	< 0.5	< 2	0.25	0.5	9	31	30	2.42	< 10	< 1	0.07	10	0.35	455	3
BB20300	201	202	< 0.2	1.17	14	180	< 0.5	2	0.24	0.5	7	27	19	2.06	< 10	< 1	0.07	10	0.39	315	< 1
BB20301	201	202	0.2	1.25	12	260	< 0.5	< 2	0.22	0.5	6	28	20	1.94	< 10	< 1	0.07	10	0.34	210	< 1
BB20302	201	202	< 0.2	1.32	20	90	< 0.5	< 2	0.14	< 0.5	9	26	34	3.04	< 10	< 1	0.08	10	0.38	500	< 1
BB20303	201	202	0.4	1.23	14	270	< 0.5	< 2	0.32	0.5	8	35	17	2.14	< 10	< 1	0.07	10	0.40	380	< 1
BB20304	201	202	< 0.2	1.22	14	80	< 0.5	< 2	0.17	< 0.5	5	28	15	2.78	< 10	< 1	0.06	10	0.29	285	< 1
BB20305	201	202	< 0.2	1.52	12	130	0.5	< 2	0.33	0.5	8	33	13	2.49	10	< 1	0.09	10	0.53	355	1
BB20306	201	202	< 0.2	1.57	2	220	0.5	< 2	0.62	0.5	5	30	13	1.77	10	< 1	0.22	40	0.44	210	< 1
BB20307	201	202	< 0.2	1.65	8	210	0.5	< 2	0.45	0.5	7	35	24	2.23	10	< 1	0.14	10	0.54	395	< 1
BB20308	201	202	< 0.2	1.42	6	210	0.5	6	0.44	0.5	7	35	13	2.04	< 10	< 1	0.10	20	0.46	370	< 1

CERTIFICATION:

Harry Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page 1 of 1-A
Total P : 5
Certificate Date: 16-JUL-98
Invoice No. : 19623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20269	201 202	< 0.2	1.59	6	120	< 0.5	< 2	0.32	< 0.5	7	34	15	2.13	< 10	< 1	0.09	10	0.50	250	< 1
BB20270	201 202	< 0.2	1.25	6	140	< 0.5	< 2	0.43	< 0.5	7	33	16	1.71	< 10	< 1	0.07	10	0.52	210	< 1
BB20271	201 202	< 0.2	2.90	12	380	2.0	6	0.66	1.5	14	54	36	2.63	10	< 1	0.12	10	0.65	325	1
BB20272	201 202	0.2	2.92	16	300	1.5	2	0.45	< 0.5	5	46	19	2.73	10	< 1	0.14	10	0.45	140	1
BB20273	201 202	0.2	2.55	32	390	0.5	8	0.45	< 0.5	10	54	15	3.15	10	< 1	0.13	10	0.58	355	1
BB20274	201 202	< 0.2	1.13	8	200	< 0.5	< 2	0.56	< 0.5	5	29	10	1.66	< 10	< 1	0.06	10	0.40	505	< 1
BB20275	201 202	< 0.2	1.84	10	100	< 0.5	< 2	0.21	< 0.5	8	35	14	2.55	10	< 1	0.08	10	0.48	325	< 1
BB20276	201 202	< 0.2	2.05	8	440	< 0.5	< 2	0.43	0.5	8	41	15	2.50	10	< 1	0.09	10	0.57	955	< 1
BB20277	201 202	0.2	1.59	18	320	0.5	2	0.44	< 0.5	11	37	15	2.69	< 10	< 1	0.08	10	0.44	585	< 1
BB20278	201 202	0.2	1.41	18	340	< 0.5	< 2	0.42	< 0.5	5	31	16	2.10	< 10	< 1	0.06	10	0.38	360	< 1
BB20279	201 202	0.8	2.01	50	730	0.5	< 2	0.48	0.5	18	46	37	3.96	10	< 1	0.10	10	0.51	2530	3
BB20280	201 202	0.2	1.16	14	300	< 0.5	< 2	0.37	0.5	8	32	35	2.39	< 10	< 1	0.07	10	0.42	450	< 1
BB20281	201 202	0.4	1.29	8	250	< 0.5	< 2	0.24	< 0.5	7	29	16	1.95	< 10	< 1	0.06	10	0.37	385	< 1
BB20282	201 202	0.4	1.29	16	340	< 0.5	< 2	0.16	0.5	13	27	29	2.82	< 10	< 1	0.07	10	0.29	1125	1
BB20283	201 202	1.0	1.29	18	350	< 0.5	< 2	0.14	< 0.5	4	21	29	1.70	< 10	< 1	0.09	10	0.23	180	1
BB20284	201 202	0.6	1.35	12	120	< 0.5	< 2	0.13	< 0.5	5	22	18	2.34	< 10	< 1	0.07	10	0.29	215	< 1
BB20285	201 202	< 0.2	1.47	24	100	< 0.5	< 2	0.21	< 0.5	8	31	31	3.06	< 10	< 1	0.07	10	0.51	360	< 1
BB20286	201 202	0.6	2.00	36	470	0.5	< 2	0.53	0.5	8	39	14	4.50	10	< 1	0.08	10	0.49	785	5
BB20287	201 202	< 0.2	1.34	8	100	0.5	< 2	0.29	< 0.5	5	27	11	1.77	< 10	< 1	0.07	10	0.37	170	< 1
BB20288	201 202	< 0.2	1.36	10	190	< 0.5	< 2	0.35	< 0.5	5	30	13	2.28	10	< 1	0.10	10	0.44	285	< 1
BB20289	201 202	< 0.2	1.73	14	230	0.5	< 2	0.45	< 0.5	10	40	17	2.34	< 10	< 1	0.09	10	0.53	355	1
BB20290	201 202	< 0.2	1.50	10	230	0.5	4	0.48	< 0.5	6	37	15	2.05	10	< 1	0.09	10	0.50	215	< 1
BB20291	201 202	< 0.2	2.33	12	280	1.5	< 2	0.65	< 0.5	8	44	15	2.59	10	< 1	0.11	10	0.54	315	< 1
BB20292	201 202	< 0.2	1.08	8	160	0.5	< 2	0.45	< 0.5	7	31	16	1.72	< 10	< 1	0.06	10	0.44	255	< 1
BB20293	201 202	< 0.2	1.76	12	210	0.5	< 2	0.32	< 0.5	10	42	25	2.66	< 10	< 1	0.10	10	0.61	410	< 1
BB20294	201 202	< 0.2	1.39	8	520	< 0.5	6	0.32	< 0.5	7	34	19	2.13	< 10	< 1	0.06	10	0.56	280	< 1
BB20295	201 202	< 0.2	1.31	10	410	< 0.5	< 2	0.38	< 0.5	7	32	23	2.18	< 10	< 1	0.06	10	0.47	370	< 1
BB20296	201 202	0.2	1.55	16	100	< 0.5	< 2	0.31	0.5	7	39	13	2.63	10	< 1	0.08	10	0.54	290	< 1
BB20297	201 202	0.2	1.82	26	470	0.5	< 2	0.41	0.5	13	46	43	2.83	< 10	< 1	0.10	10	0.59	345	1
BB20298	201 202	< 0.2	1.07	36	280	< 0.5	4	0.39	0.5	13	37	46	2.86	< 10	< 1	0.08	10	0.39	2680	1
BB20299	201 202	0.8	1.14	28	270	< 0.5	< 2	0.25	0.5	9	31	30	2.42	< 10	< 1	0.07	10	0.35	455	3
BB20300	201 202	< 0.2	1.17	14	180	< 0.5	2	0.24	0.5	7	27	19	2.06	< 10	< 1	0.07	10	0.39	315	< 1
BB20301	201 202	0.2	1.25	12	260	< 0.5	< 2	0.22	0.5	6	28	20	1.94	< 10	< 1	0.07	10	0.34	210	< 1
BB20302	201 202	< 0.2	1.32	20	90	< 0.5	< 2	0.14	< 0.5	9	26	34	3.04	< 10	< 1	0.08	10	0.38	500	< 1
BB20303	201 202	0.4	1.23	14	270	< 0.5	< 2	0.32	0.5	8	35	17	2.14	< 10	< 1	0.07	10	0.40	380	< 1
BB20304	201 202	< 0.2	1.22	14	80	< 0.5	< 2	0.17	< 0.5	5	28	15	2.78	< 10	< 1	0.06	10	0.29	285	< 1
BB20305	201 202	< 0.2	1.52	12	130	0.5	< 2	0.33	0.5	8	33	13	2.49	10	< 1	0.09	10	0.53	355	1
BB20306	201 202	< 0.2	1.57	2	220	0.5	< 2	0.62	0.5	5	30	13	1.77	10	< 1	0.22	40	0.44	210	< 1
BB20307	201 202	< 0.2	1.65	8	210	0.5	< 2	0.45	0.5	7	35	24	2.23	10	< 1	0.14	10	0.54	395	< 1
BB20308	201 202	< 0.2	1.42	6	210	0.5	6	0.44	0.5	7	35	13	2.04	< 10	< 1	0.10	20	0.46	370	< 1

CERTIFICATION:

Hart Buehler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 1-B
Total : 5
Certificate Date: 16-JUL-96
Invoice No. : 19623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP		Na	Ni	P	Pb	Sb	Sc	Sr	Ti	Tl	U	V	W	Zn
	CODE		%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
BB20269	201	202	< 0.01	18	540	18	< 2	3	19	0.12	10	< 10	45	< 10	62
BB20270	201	202	< 0.01	16	690	10	< 2	4	24	0.11	10	< 10	45	< 10	50
BB20271	201	202	< 0.01	40	670	34	< 2	7	32	0.11	10	< 10	57	< 10	212
BB20272	201	202	< 0.01	22	700	20	< 2	5	28	0.09	10	< 10	54	< 10	82
BB20273	201	202	< 0.01	24	730	22	< 2	6	29	0.09	10	< 10	67	< 10	102
BB20274	201	202	< 0.01	13	770	10	< 2	3	31	0.08	10	< 10	32	< 10	58
BB20275	201	202	< 0.01	20	640	12	< 2	3	14	0.10	10	< 10	48	< 10	62
BB20276	201	202	< 0.01	20	660	14	< 2	5	35	0.09	10	< 10	47	< 10	82
BB20277	201	202	< 0.01	19	650	24	< 2	4	37	0.09	10	< 10	52	< 10	80
BB20278	201	202	< 0.01	17	700	16	< 2	4	34	0.07	10	< 10	38	< 10	80
BB20279	201	202	< 0.01	34	910	32	< 2	7	47	0.08	10	< 10	54	< 10	152
BB20280	201	202	< 0.01	25	600	36	< 2	4	26	0.09	10	< 10	38	< 10	126
BB20281	201	202	< 0.01	17	480	30	< 2	2	16	0.06	10	< 10	33	< 10	104
BB20282	201	202	< 0.01	43	400	28	< 2	3	22	0.05	10	< 10	34	< 10	188
BB20283	201	202	< 0.01	19	480	44	< 2	1	20	0.02	10	< 10	29	< 10	84
BB20284	201	202	< 0.01	14	360	40	< 2	1	10	0.05	10	< 10	34	< 10	84
BB20285	201	202	< 0.01	26	610	48	< 2	2	15	0.06	10	< 10	40	< 10	128
BB20286	201	202	< 0.01	20	710	32	< 2	6	29	0.08	10	< 10	57	< 10	122
BB20287	201	202	< 0.01	13	490	14	< 2	3	16	0.09	10	< 10	36	< 10	40
BB20288	201	202	< 0.01	14	510	14	< 2	3	23	0.10	10	< 10	51	< 10	68
BB20289	201	202	< 0.01	20	630	16	< 2	5	23	0.11	10	< 10	54	< 10	84
BB20290	201	202	< 0.01	18	640	20	< 2	4	25	0.10	10	< 10	45	< 10	98
BB20291	201	202	< 0.01	27	720	16	< 2	5	28	0.09	10	< 10	47	< 10	164
BB20292	201	202	< 0.01	17	620	10	< 2	3	20	0.09	10	< 10	38	< 10	54
BB20293	201	202	< 0.01	26	590	14	< 2	5	19	0.12	10	< 10	49	< 10	70
BB20294	201	202	< 0.01	19	380	12	< 2	4	21	0.11	10	< 10	44	< 10	60
BB20295	201	202	< 0.01	20	510	16	< 2	4	29	0.08	10	< 10	40	< 10	72
BB20296	201	202	< 0.01	21	740	18	< 2	3	17	0.10	10	< 10	51	< 10	70
BB20297	201	202	< 0.01	39	800	22	< 2	6	43	0.11	10	< 10	55	< 10	136
BB20298	201	202	< 0.01	44	810	18	< 2	4	38	0.10	10	< 10	50	< 10	170
BB20299	201	202	< 0.01	21	830	34	< 2	3	44	0.07	10	< 10	43	< 10	94
BB20300	201	202	< 0.01	18	530	24	< 2	2	17	0.07	10	< 10	37	< 10	78
BB20301	201	202	< 0.01	17	420	24	< 2	2	16	0.06	10	< 10	38	< 10	74
BB20302	201	202	< 0.01	24	500	44	< 2	2	10	0.05	10	< 10	42	< 10	112
BB20303	201	202	< 0.01	19	700	26	< 2	2	21	0.07	< 10	< 10	40	< 10	94
BB20304	201	202	< 0.01	14	550	26	< 2	1	12	0.06	10	< 10	44	< 10	68
BB20305	201	202	< 0.01	19	490	16	< 2	4	20	0.12	10	< 10	47	< 10	54
BB20306	201	202	< 0.01	14	570	18	< 2	5	22	0.12	30	< 10	31	< 10	72
BB20307	201	202	< 0.01	22	540	12	< 2	5	23	0.12	10	< 10	50	< 10	102
BB20308	201	202	< 0.01	15	580	22	< 2	4	24	0.12	10	< 10	45	< 10	106

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 2-A
Total : 5
Certificate Date: 16-JUL-96
Invoice No. : 19623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20309	201 202	0.2	1.62	12	230	0.5	< 2	0.46	< 0.5	9	34	15	1.95	< 10	< 1	0.10	10	0.46	355	< 1
BB20310	201 202	< 0.2	2.35	14	110	0.5	< 2	0.28	< 0.5	9	40	19	2.81	< 10	< 1	0.12	10	0.49	405	< 1
BB20311	201 202	< 0.2	2.00	12	180	0.5	< 2	0.43	< 0.5	8	39	23	2.66	< 10	< 1	0.10	10	0.63	305	< 1
BB20312	201 202	< 0.2	1.53	10	310	0.5	< 2	0.56	< 0.5	6	34	21	2.25	< 10	< 1	0.08	10	0.55	190	< 1
BB20313	201 202	< 0.2	1.48	18	260	< 0.5	< 2	0.47	0.5	11	39	27	2.52	< 10	< 1	0.09	10	0.62	655	< 1
BB20314	201 202	0.4	2.13	14	700	< 0.5	< 2	0.43	0.5	9	40	23	2.49	< 10	< 1	0.09	10	0.48	495	< 1
BB20315	201 202	0.2	1.41	18	550	0.5	< 2	0.45	< 0.5	9	38	27	2.40	< 10	< 1	0.08	10	0.46	735	< 1
BB20316	201 202	< 0.2	1.12	14	280	< 0.5	< 2	0.32	< 0.5	6	28	18	2.03	< 10	< 1	0.06	10	0.39	220	< 1
BB20317	201 202	0.4	1.24	24	140	< 0.5	< 2	0.22	< 0.5	6	31	18	2.45	< 10	< 1	0.07	10	0.41	230	< 1
BB20318	201 202	0.2	0.90	10	210	< 0.5	< 2	0.13	< 0.5	2	16	10	1.01	< 10	< 1	0.06	20	0.16	85	< 1
BB20319	201 202	0.2	1.28	22	110	< 0.5	< 2	0.21	0.5	9	32	22	2.68	< 10	< 1	0.07	10	0.43	435	< 1
BB20320	201 202	0.6	1.43	14	100	< 0.5	< 2	0.18	< 0.5	6	30	16	2.56	< 10	< 1	0.07	10	0.35	295	< 1
BB20321	201 202	0.4	1.47	22	100	< 0.5	< 2	0.18	< 0.5	5	32	10	3.23	< 10	< 1	0.07	10	0.33	285	< 1
BB20322	201 202	0.2	0.67	24	40	< 0.5	< 2	0.09	< 0.5	7	13	24	2.15	< 10	< 1	0.03	< 10	0.18	550	< 1
BB20323	201 202	0.2	1.99	22	110	< 0.5	< 2	0.14	< 0.5	9	33	39	4.07	< 10	< 1	0.07	10	0.47	435	< 1
BB20324	201 202	0.6	1.76	20	110	< 0.5	< 2	0.11	< 0.5	7	29	31	3.40	< 10	< 1	0.06	10	0.36	335	< 1
BB20325	201 202	0.8	1.44	18	150	< 0.5	< 2	0.19	< 0.5	6	26	28	2.49	< 10	< 1	0.08	10	0.40	175	< 1
BB20326	201 202	0.2	0.90	14	110	< 0.5	< 2	0.13	< 0.5	5	15	20	2.20	< 10	< 1	0.07	10	0.26	360	< 1
BB20327	201 202	0.6	1.36	46	230	< 0.5	< 2	0.10	< 0.5	7	25	64	2.77	< 10	< 1	0.07	10	0.32	205	< 1
BB20328	201 202	1.0	2.27	22	110	< 0.5	< 2	0.10	< 0.5	8	38	36	3.39	< 10	< 1	0.06	10	0.42	280	< 1
BB20329	201 202	0.6	1.53	14	150	< 0.5	< 2	0.20	< 0.5	6	32	15	2.64	< 10	< 1	0.07	< 10	0.38	240	< 1
BB20330	201 202	0.2	1.14	26	130	< 0.5	< 2	0.19	< 0.5	5	25	19	2.53	< 10	< 1	0.05	10	0.31	175	< 1
BB20331	201 202	0.2	1.21	20	100	< 0.5	< 2	0.19	< 0.5	6	28	15	2.27	< 10	< 1	0.08	< 10	0.45	210	< 1
BB20332	201 202	< 0.2	1.14	14	350	< 0.5	< 2	0.36	< 0.5	5	27	16	1.83	< 10	< 1	0.07	10	0.36	285	< 1
BB20333	201 202	0.6	1.78	18	580	< 0.5	< 2	0.43	0.5	7	37	18	2.49	< 10	< 1	0.08	10	0.46	490	< 1
BB20334	201 202	0.2	2.06	12	420	< 0.5	< 2	0.36	< 0.5	7	40	17	2.50	< 10	< 1	0.11	10	0.49	295	< 1
BB20335	201 202	0.2	1.67	16	350	< 0.5	< 2	0.57	2.5	18	37	63	2.69	< 10	< 1	0.09	10	0.56	805	< 1
BB20336	201 202	< 0.2	1.79	14	290	0.5	< 2	0.64	< 0.5	7	40	19	2.55	< 10	< 1	0.11	10	0.67	295	< 1
BB20337	201 202	< 0.2	1.92	18	300	0.5	< 2	0.60	0.5	10	48	26	2.87	< 10	< 1	0.14	20	0.65	370	< 1
BB20338	201 202	< 0.2	1.38	10	120	0.5	< 2	0.33	< 0.5	6	29	16	2.19	< 10	< 1	0.08	10	0.43	265	< 1
BB20339	201 202	< 0.2	2.74	6	400	1.5	< 2	0.48	0.5	5	43	35	1.91	< 10	< 1	0.12	20	0.31	180	< 1
BB20340	201 202	0.2	2.24	14	300	0.5	< 2	0.62	0.5	12	45	20	3.10	< 10	< 1	0.12	20	0.58	650	< 1
BB20341	201 202	< 0.2	1.54	10	200	0.5	< 2	0.50	< 0.5	6	30	14	2.19	< 10	< 1	0.07	10	0.50	315	< 1
BB20342	201 202	< 0.2	1.04	10	110	< 0.5	< 2	0.46	< 0.5	6	28	11	1.96	< 10	< 1	0.07	10	0.47	255	< 1
BB20343	201 202	< 0.2	1.77	16	230	0.5	< 2	0.43	0.5	7	32	24	2.44	< 10	< 1	0.11	10	0.52	335	< 1
BB20344	201 202	< 0.2	1.03	8	150	0.5	< 2	0.37	< 0.5	5	25	10	1.71	< 10	< 1	0.07	10	0.37	220	< 1
BB20345	201 202	1.6	3.15	14	810	0.5	< 2	0.73	1.5	10	49	30	3.02	< 10	< 1	0.12	10	0.59	355	< 1
BB20346	201 202	< 0.2	1.33	10	300	< 0.5	< 2	0.42	0.5	9	35	23	2.13	< 10	< 1	0.06	10	0.53	270	< 1
BB20347	201 202	0.2	1.17	4	320	< 0.5	< 2	0.41	0.5	9	28	21	1.90	< 10	< 1	0.07	10	0.43	290	< 1
BB20348	201 202	0.4	1.55	6	250	< 0.5	< 2	0.29	< 0.5	5	33	12	1.99	< 10	< 1	0.08	10	0.43	185	< 1

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page 1 of 2-B
Total : 5
Certificate Date: 16-JUL-96
Invoice No. : 19623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20309	201 202	< 0.01	18	750	28	< 2	4	25	0.10	10	< 10	42	< 10	86
BB20310	201 202	< 0.01	22	750	18	< 2	4	16	0.12	20	< 10	46	< 10	82
BB20311	201 202	< 0.01	26	680	22	< 2	4	25	0.12	10	< 10	50	< 10	126
BB20312	201 202	< 0.01	19	600	36	< 2	4	33	0.09	10	< 10	43	< 10	170
BB20313	201 202	< 0.01	25	700	18	< 2	4	30	0.11	10	< 10	47	< 10	100
BB20314	201 202	< 0.01	21	910	24	< 2	4	38	0.05	10	< 10	41	< 10	84
BB20315	201 202	< 0.01	25	750	22	< 2	4	38	0.07	10	< 10	42	< 10	84
BB20316	201 202	< 0.01	17	710	18	< 2	3	23	0.08	10	< 10	36	< 10	64
BB20317	201 202	< 0.01	18	640	24	< 2	2	15	0.07	< 10	< 10	50	< 10	62
BB20318	201 202	< 0.01	7	200	24	< 2	1	20	0.06	10	< 10	26	< 10	36
BB20319	201 202	< 0.01	20	510	24	< 2	2	21	0.09	10	< 10	46	< 10	82
BB20320	201 202	< 0.01	14	610	24	< 2	2	13	0.08	10	< 10	44	< 10	64
BB20321	201 202	< 0.01	11	620	28	< 2	3	12	0.11	10	< 10	73	< 10	50
BB20322	201 202	< 0.01	13	450	30	< 2	< 1	7	0.02	< 10	< 10	27	< 10	58
BB20323	201 202	< 0.01	26	580	54	< 2	2	11	0.04	10	< 10	38	< 10	146
BB20324	201 202	< 0.01	20	460	42	< 2	2	10	0.05	10	< 10	36	< 10	116
BB20325	201 202	< 0.01	19	960	20	< 2	2	31	0.05	10	< 10	42	< 10	56
BB20326	201 202	< 0.01	11	570	24	< 2	1	12	0.05	10	< 10	37	< 10	60
BB20327	201 202	< 0.01	22	410	160	< 2	2	28	0.06	10	< 10	37	< 10	104
BB20328	201 202	< 0.01	26	360	32	< 2	3	10	0.07	10	< 10	43	< 10	122
BB20329	201 202	< 0.01	15	860	26	< 2	2	14	0.05	< 10	< 10	46	< 10	72
BB20330	201 202	< 0.01	16	590	36	< 2	1	27	0.06	10	< 10	45	< 10	62
BB20331	201 202	< 0.01	12	600	22	< 2	2	15	0.08	< 10	< 10	51	< 10	52
BB20332	201 202	< 0.01	15	640	18	< 2	3	28	0.08	10	< 10	35	< 10	58
BB20333	201 202	< 0.01	20	680	20	< 2	4	38	0.08	10	< 10	43	< 10	96
BB20334	201 202	< 0.01	18	650	24	< 2	4	29	0.09	10	< 10	48	< 10	82
BB20335	201 202	< 0.01	48	600	64	< 2	5	46	0.12	10	< 10	49	< 10	900
BB20336	201 202	< 0.01	20	660	18	< 2	5	35	0.14	10	< 10	51	< 10	110
BB20337	201 202	< 0.01	28	750	22	< 2	6	32	0.13	10	< 10	54	< 10	126
BB20338	201 202	< 0.01	15	520	16	< 2	3	20	0.10	10	< 10	45	< 10	58
BB20339	201 202	< 0.01	19	840	18	< 2	6	26	0.07	10	< 10	43	< 10	72
BB20340	201 202	< 0.01	26	730	18	< 2	6	31	0.12	10	< 10	55	< 10	92
BB20341	201 202	< 0.01	15	600	12	< 2	4	25	0.10	10	< 10	46	< 10	56
BB20342	201 202	< 0.01	16	660	12	< 2	3	21	0.10	10	< 10	40	< 10	52
BB20343	201 202	< 0.01	24	600	22	< 2	4	33	0.08	10	< 10	43	< 10	188
BB20344	201 202	< 0.01	13	590	14	< 2	3	22	0.09	10	< 10	31	< 10	82
BB20345	201 202	< 0.01	39	1550	34	< 2	6	65	0.05	10	< 10	46	< 10	410
BB20346	201 202	< 0.01	21	510	22	< 2	4	28	0.10	10	< 10	44	< 10	128
BB20347	201 202	< 0.01	21	550	100	< 2	3	32	0.08	10	< 10	36	< 10	296
BB20348	201 202	< 0.01	15	590	24	< 2	3	21	0.08	10	< 10	41	< 10	74

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: convert
Comments:

Page: 3-A
Total: 5
Certificate Date: 16-JUL-96
Invoice No.: 19623234
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20349	201 202	0.2	1.48	12	270	< 0.5	< 2	0.44	< 0.5	6	35	17	2.12	< 10	< 1	0.08	10	0.48	265	< 1
BB20350	201 202	0.4	1.54	22	440	< 0.5	< 2	0.36	< 0.5	9	33	36	2.65	< 10	< 1	0.09	10	0.43	485	< 1
BB20351	201 202	0.2	1.30	22	280	< 0.5	< 2	0.19	< 0.5	7	26	22	2.33	< 10	< 1	0.07	10	0.34	335	< 1
BB20352	201 202	0.6	1.16	24	390	< 0.5	< 2	0.27	< 0.5	6	23	23	2.08	< 10	< 1	0.09	10	0.29	295	< 1
BB20353	201 202	0.6	1.63	18	250	< 0.5	< 2	0.33	< 0.5	8	28	28	2.77	< 10	< 1	0.07	10	0.41	450	< 1
BB20354	201 202	0.2	0.81	14	90	< 0.5	< 2	0.09	< 0.5	4	16	16	1.84	< 10	< 1	0.06	10	0.15	265	< 1
BB20355	201 202	0.6	1.71	16	120	< 0.5	< 2	0.11	< 0.5	5	28	14	3.02	< 10	< 1	0.11	10	0.30	370	< 1
BB20356	201 202	0.2	1.86	18	120	< 0.5	< 2	0.07	< 0.5	6	24	19	3.39	< 10	< 1	0.08	10	0.33	305	< 1
BB20357	201 202	0.6	2.11	14	130	< 0.5	< 2	0.16	0.5	8	34	21	2.98	< 10	< 1	0.07	10	0.47	285	< 1
BB20358	201 202	0.4	1.42	22	100	< 0.5	< 2	0.09	< 0.5	9	20	46	3.02	< 10	< 1	0.09	20	0.35	465	< 1
BB20359	201 202	0.2	1.64	20	320	< 0.5	< 2	0.48	0.5	9	34	30	2.60	< 10	< 1	0.11	10	0.62	410	< 1
BB20360	201 202	< 0.2	2.01	14	150	0.5	< 2	0.23	0.5	8	33	20	2.59	< 10	< 1	0.08	10	0.53	355	< 1
BB20361	201 202	< 0.2	1.62	20	220	1.5	< 2	0.28	< 0.5	8	32	23	2.50	< 10	< 1	0.12	30	0.44	380	< 1
BB20362	201 202	< 0.2	1.24	12	200	0.5	< 2	0.44	< 0.5	8	36	21	2.08	< 10	< 1	0.07	10	0.49	545	< 1
BB20363	201 202	< 0.2	1.29	14	140	0.5	< 2	0.37	< 0.5	7	28	12	2.07	< 10	< 1	0.08	20	0.42	330	< 1
BB20364	201 202	< 0.2	1.94	16	110	0.5	< 2	0.25	< 0.5	9	35	18	2.61	< 10	< 1	0.11	30	0.46	410	< 1
BB20365	201 202	< 0.2	1.59	10	310	0.5	< 2	0.54	0.5	7	36	17	2.34	< 10	< 1	0.10	10	0.57	450	< 1
BB20366	201 202	< 0.2	2.24	16	110	0.5	< 2	0.23	0.5	11	37	16	2.79	< 10	< 1	0.11	10	0.59	385	< 1
BB20367	201 202	0.2	2.18	10	140	< 0.5	< 2	0.12	< 0.5	6	22	17	2.90	< 10	< 1	0.07	10	0.46	265	< 1
BB20368	201 202	< 0.2	1.89	20	170	< 0.5	< 2	0.13	< 0.5	6	26	14	2.57	< 10	< 1	0.06	10	0.38	280	< 1
BB20369	201 202	0.2	1.37	12	290	< 0.5	< 2	0.30	< 0.5	7	31	16	2.05	< 10	< 1	0.07	10	0.46	290	< 1
BB20370	201 202	< 0.2	1.30	12	200	< 0.5	< 2	0.36	< 0.5	6	30	11	1.92	< 10	< 1	0.07	10	0.47	230	< 1
BB20371	201 202	1.2	1.88	20	540	0.5	< 2	0.48	0.5	11	55	27	3.00	< 10	< 1	0.11	10	0.56	785	< 1
BB20372	201 202	0.2	1.84	34	200	0.5	< 2	0.20	0.5	8	31	33	2.79	< 10	< 1	0.08	10	0.39	300	< 1
BB20373	201 202	0.2	1.27	32	130	< 0.5	< 2	0.13	< 0.5	7	25	25	2.92	< 10	< 1	0.07	20	0.35	265	< 1
BB20374	201 202	0.2	1.20	20	190	< 0.5	< 2	0.30	< 0.5	7	22	26	2.40	< 10	< 1	0.08	20	0.40	325	< 1
BB20375	201 202	0.8	1.69	22	460	< 0.5	< 2	0.51	< 0.5	8	32	25	3.03	< 10	< 1	0.11	10	0.42	515	< 1
BB20376	201 202	< 0.2	1.70	16	100	< 0.5	< 2	0.09	< 0.5	9	27	26	2.82	< 10	< 1	0.07	10	0.38	380	< 1
BB20377	201 202	0.8	2.22	20	120	< 0.5	< 2	0.04	< 0.5	7	22	30	3.48	< 10	< 1	0.10	20	0.35	225	< 1
BB20378	201 202	0.6	1.66	22	90	< 0.5	< 2	0.06	< 0.5	7	25	23	3.08	< 10	< 1	0.09	20	0.36	305	< 1
BB20379	201 202	0.8	2.28	42	440	0.5	< 2	0.32	0.5	10	29	33	3.02	< 10	< 1	0.10	10	0.44	1220	< 2
BB20380	201 202	< 0.2	1.71	16	190	< 0.5	< 2	0.12	< 0.5	4	13	9	2.31	< 10	< 1	0.08	30	0.33	190	< 1
BB20381	201 202	0.6	1.96	16	150	< 0.5	< 2	0.17	0.5	9	36	34	3.16	< 10	< 1	0.06	10	0.37	410	< 1
BB20382	201 202	0.2	1.46	14	340	< 0.5	< 2	0.33	0.5	7	34	36	2.52	< 10	< 1	0.08	10	0.45	525	< 1
BB20383	201 202	< 0.2	1.93	24	130	< 0.5	< 2	0.11	< 0.5	9	32	34	3.19	< 10	< 1	0.10	10	0.51	390	< 1
BB20384	201 202	0.6	1.52	20	130	< 0.5	< 2	0.07	< 0.5	3	18	10	2.58	< 10	< 1	0.06	10	0.21	115	< 1
BB20385	201 202	< 0.2	1.31	116	210	< 0.5	< 2	0.16	< 0.5	5	21	19	2.11	< 10	< 1	0.09	10	0.29	220	< 2
BB20386	201 202	0.4	1.58	24	80	< 0.5	< 2	0.14	< 0.5	6	32	19	3.03	< 10	< 1	0.06	10	0.35	260	< 1
BB20387	201 202	0.8	2.14	14	490	< 0.5	< 2	0.47	0.5	7	37	27	2.72	< 10	< 1	0.11	10	0.58	410	< 1
BB20388	201 202	0.4	1.45	16	240	< 0.5	< 2	0.40	< 0.5	6	32	23	2.22	< 10	< 1	0.10	20	0.51	280	< 1

CERTIFICATION:

Wendy Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 3-B
Total : 5
Certificate Date: 16-JUL-96
Invoice No. : I9623234
P.O. Number :
Account : MTT


CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20349	201 202	< 0.01	18	670	18	< 2	3	35	0.10	10	< 10	43	< 10	74
BB20350	201 202	< 0.01	27	650	26	< 2	4	30	0.07	10	< 10	41	< 10	114
BB20351	201 202	< 0.01	19	500	26	< 2	2	19	0.05	10	< 10	33	< 10	82
BB20352	201 202	< 0.01	15	480	32	< 2	1	40	0.04	10	< 10	36	< 10	74
BB20353	201 202	< 0.01	24	630	32	< 2	3	35	0.05	10	< 10	37	< 10	92
BB20354	201 202	< 0.01	10	390	26	< 2	1	16	0.05	10	< 10	41	< 10	40
BB20355	201 202	< 0.01	11	650	34	< 2	2	14	0.11	10	< 10	53	< 10	62
BB20356	201 202	< 0.01	15	380	36	< 2	2	7	0.03	10	< 10	33	< 10	78
BB20357	201 202	< 0.01	21	400	26	< 2	3	12	0.08	10	< 10	41	< 10	96
BB20358	201 202	< 0.01	22	440	40	< 2	1	10	0.03	10	< 10	36	< 10	118
BB20359	201 202	< 0.01	25	670	24	< 2	5	28	0.09	10	< 10	45	< 10	118
BB20360	201 202	< 0.01	22	550	20	< 2	3	32	0.09	10	< 10	42	< 10	98
BB20361	201 202	< 0.01	23	460	16	< 2	6	20	0.10	20	< 10	45	< 10	56
BB20362	201 202	< 0.01	21	600	10	< 2	4	24	0.11	10	< 10	46	< 10	56
BB20363	201 202	< 0.01	13	480	16	< 2	4	21	0.11	10	< 10	40	< 10	50
BB20364	201 202	< 0.01	20	430	14	< 2	4	15	0.12	30	< 10	47	< 10	56
BB20365	201 202	< 0.01	25	930	14	< 2	4	40	0.09	10	< 10	47	< 10	180
BB20366	201 202	< 0.01	25	510	18	< 2	4	14	0.11	10	< 10	47	< 10	86
BB20367	201 202	< 0.01	14	410	22	< 2	2	10	0.05	10	< 10	29	< 10	70
BB20368	201 202	< 0.01	14	400	26	< 2	3	10	0.06	10	< 10	36	< 10	66
BB20369	201 202	< 0.01	16	610	34	< 2	3	22	0.08	10	< 10	41	< 10	140
BB20370	201 202	< 0.01	16	660	16	< 2	3	22	0.08	10	< 10	37	< 10	72
BB20371	201 202	< 0.01	35	720	74	< 2	5	48	0.08	10	< 10	48	< 10	356
BB20372	201 202	< 0.01	26	710	28	< 2	3	36	0.05	10	< 10	34	< 10	96
BB20373	201 202	< 0.01	18	550	24	< 2	2	27	0.04	10	< 10	38	< 10	72
BB20374	201 202	< 0.01	19	600	14	< 2	2	38	0.04	10	< 10	30	< 10	74
BB20375	201 202	< 0.01	20	790	40	< 2	3	52	0.03	< 10	< 10	47	< 10	192
BB20376	201 202	< 0.01	19	450	28	< 2	2	9	0.04	10	< 10	31	< 10	96
BB20377	201 202	< 0.01	15	540	32	< 2	2	6	0.01	10	< 10	26	< 10	82
BB20378	201 202	< 0.01	18	350	44	< 2	1	7	0.03	10	< 10	29	< 10	110
BB20379	201 202	< 0.01	28	1360	30	< 2	3	23	0.01	10	< 10	34	< 10	182
BB20380	201 202	< 0.01	9	350	36	< 2	1	9	0.01	10	< 10	24	< 10	110
BB20381	201 202	< 0.01	23	580	78	< 2	3	13	0.05	10	< 10	39	< 10	140
BB20382	201 202	< 0.01	25	400	96	< 2	3	22	0.06	10	< 10	39	< 10	376
BB20383	201 202	< 0.01	24	420	46	< 2	3	11	0.06	10	< 10	40	< 10	114
BB20384	201 202	< 0.01	8	260	36	< 2	1	8	0.05	10	< 10	36	< 10	40
BB20385	201 202	< 0.01	15	580	38	< 2	2	26	0.06	10	< 10	43	< 10	72
BB20386	201 202	< 0.01	16	610	36	< 2	3	12	0.07	10	< 10	49	< 10	72
BB20387	201 202	< 0.01	25	900	30	< 2	5	37	0.07	10	< 10	45	< 10	180
BB20388	201 202	< 0.01	18	460	24	< 2	4	30	0.10	10	< 10	44	< 10	162

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 1 of 4-A
Total : 5
Certificate Date: 16-JUL-96
Invoice No. : 19623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20389	201	202	< 0.2	1.80	8	280	< 0.5	2	0.33	< 0.5	7	37	16	1.97	< 10	< 1	0.10	20	0.42	340	1
BB20390	201	202	< 0.2	1.86	16	100	0.5	2	0.21	< 0.5	10	37	21	2.55	< 10	< 1	0.11	10	0.48	350	2
BB20391	201	202	< 0.2	2.16	18	450	2.5	2	0.63	1.5	10	42	26	2.69	< 10	< 1	0.12	20	0.57	1655	3
BB20392	201	202	< 0.2	1.20	2	200	0.5	< 2	0.38	< 0.5	5	30	12	1.66	< 10	< 1	0.06	10	0.39	245	1
BB20393	201	202	< 0.2	1.49	8	190	0.5	2	0.40	< 0.5	6	37	18	2.20	< 10	< 1	0.10	10	0.50	230	1
BB20394	201	202	< 0.2	1.37	12	250	< 0.5	< 2	0.42	< 0.5	10	38	30	2.41	< 10	< 1	0.09	10	0.62	420	1
BB20395	201	202	< 0.2	1.56	4	110	< 0.5	< 2	0.32	< 0.5	5	32	13	1.80	< 10	< 1	0.08	10	0.42	165	< 1
BB20396	201	202	< 0.2	2.10	22	270	0.5	2	0.34	< 0.5	9	40	32	2.93	< 10	< 1	0.13	30	0.64	480	1
BB20397	201	202	< 0.2	1.66	12	110	< 0.5	< 2	0.22	< 0.5	6	30	18	2.16	< 10	< 1	0.09	10	0.44	260	1
BB20398	201	202	0.2	1.94	10	100	< 0.5	2	0.17	< 0.5	6	40	15	3.45	< 10	< 1	0.10	10	0.44	280	2
BB20399	201	202	< 0.2	1.40	8	120	< 0.5	< 2	0.20	< 0.5	4	23	12	1.63	< 10	< 1	0.08	10	0.29	145	1
BB20400	201	202	0.2	1.37	10	120	< 0.5	2	0.23	< 0.5	4	28	11	1.78	< 10	< 1	0.09	10	0.35	155	2
BB20401	201	202	< 0.2	1.31	12	300	< 0.5	2	0.44	< 0.5	8	32	22	2.17	< 10	< 1	0.08	20	0.46	415	1
BB20402	201	202	< 0.2	1.86	16	150	< 0.5	2	0.27	< 0.5	7	37	23	2.95	< 10	< 1	0.11	10	0.54	370	2
BB20403	201	202	0.4	1.58	6	110	< 0.5	< 2	0.16	< 0.5	4	31	15	2.09	< 10	< 1	0.07	10	0.31	170	1
BB20404	201	202	0.4	1.48	16	80	< 0.5	< 2	0.17	< 0.5	4	32	15	2.62	< 10	< 1	0.07	10	0.35	185	1
BB20405	201	202	0.2	1.66	18	120	< 0.5	2	0.12	< 0.5	7	32	25	2.91	< 10	< 1	0.06	10	0.38	310	3
BB20406	201	202	0.2	1.69	36	340	< 0.5	2	0.24	< 0.5	13	34	45	2.71	< 10	< 1	0.07	10	0.47	440	1
BB20407	201	202	< 0.2	2.26	16	110	0.5	< 2	0.21	< 0.5	10	40	24	2.84	< 10	< 1	0.13	10	0.55	360	1
BB20408	201	202	< 0.2	1.80	14	190	0.5	2	0.26	< 0.5	10	37	27	2.42	< 10	< 1	0.09	10	0.55	360	1
BB20409	201	202	< 0.2	1.75	8	230	0.5	2	0.37	0.5	5	60	18	1.74	< 10	< 1	0.09	10	0.43	170	1
BB20410	201	202	< 0.2	1.99	26	270	1.0	2	0.42	< 0.5	5	35	25	2.42	< 10	< 1	0.12	20	0.34	255	1
BB20411	201	202	< 0.2	4.08	38	540	2.5	2	0.52	< 0.5	10	67	43	4.16	< 10	< 1	0.15	30	0.84	470	2
BB20412	201	202	< 0.2	2.76	36	170	0.5	2	0.17	< 0.5	7	44	24	3.61	< 10	< 1	0.18	10	0.48	350	2
BB20413	201	202	< 0.2	1.33	10	120	< 0.5	2	0.37	< 0.5	7	33	14	1.94	< 10	< 1	0.06	10	0.52	275	< 1
BB20414	201	202	< 0.2	2.72	14	200	0.5	< 2	0.26	< 0.5	9	44	24	3.01	< 10	< 1	0.14	10	0.56	475	1
BB20415	201	202	< 0.2	1.99	14	140	0.5	< 2	0.31	< 0.5	8	42	23	2.65	< 10	< 1	0.11	20	0.58	360	1
BB20416	201	202	< 0.2	1.32	8	170	0.5	2	0.41	< 0.5	6	32	16	1.94	< 10	< 1	0.09	20	0.44	275	1
BB20417	201	202	< 0.2	1.69	14	260	0.5	2	0.51	< 0.5	11	42	24	2.50	< 10	< 1	0.09	10	0.66	530	1
BB20418	201	202	< 0.2	2.84	74	500	2.0	4	0.81	0.5	16	55	46	4.50	< 10	< 1	0.15	10	0.72	2180	3
BB20419	201	202	< 0.2	1.48	10	120	< 0.5	< 2	0.20	< 0.5	9	32	24	2.44	< 10	< 1	0.07	10	0.48	405	1
BB20420	201	202	< 0.2	1.85	10	190	< 0.5	4	0.35	< 0.5	13	37	35	2.78	< 10	< 1	0.10	10	0.64	600	< 1
BB20421	201	202	< 0.2	1.99	18	250	2.0	< 2	0.35	1.5	11	36	19	2.78	< 10	< 1	0.11	10	0.51	1040	3
BB20422	201	202	0.2	1.58	12	290	< 0.5	6	0.28	< 0.5	7	32	20	2.31	< 10	< 1	0.08	10	0.56	350	1
BB20423	201	202	0.8	1.85	12	440	< 0.5	4	0.29	< 0.5	8	35	21	2.50	< 10	< 1	0.10	10	0.49	465	1
BB20424	201	202	0.6	1.72	14	550	< 0.5	2	0.40	0.5	12	38	38	2.60	< 10	< 1	0.11	20	0.49	550	1
BB20425	201	202	0.2	1.36	10	380	< 0.5	2	0.43	< 0.5	8	33	18	2.28	< 10	< 1	0.08	10	0.43	470	1
BB20426	201	202	0.8	1.75	10	530	< 0.5	< 2	0.46	< 0.5	8	37	19	2.90	< 10	< 1	0.10	10	0.48	685	2
BB20427	201	202	0.2	1.47	16	180	< 0.5	2	0.21	< 0.5	11	35	46	2.71	< 10	< 1	0.07	10	0.45	530	1
BB20428	201	202	0.2	1.80	8	110	< 0.5	< 2	0.09	< 0.5	7	34	25	3.43	< 10	< 1	0.05	10	0.34	360	1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 4-B
Total : 5
Certificate Date: 16-JUL-96
Invoice No. : 19623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20389	201 202	< 0.01	15	550	20	< 2	4	21	0.10	< 10	< 10	44	< 10	84
BB20390	201 202	< 0.01	20	460	18	< 2	3	12	0.11	< 10	< 10	49	< 10	60
BB20391	201 202	< 0.01	31	1000	26	< 2	4	40	0.07	< 10	< 10	50	< 10	268
BB20392	201 202	< 0.01	13	630	12	< 2	2	23	0.10	< 10	< 10	38	< 10	40
BB20393	201 202	< 0.01	18	540	12	< 2	3	22	0.12	< 10	< 10	48	< 10	62
BB20394	201 202	< 0.01	29	690	16	< 2	4	27	0.11	< 10	< 10	51	< 10	84
BB20395	201 202	< 0.01	20	620	14	< 2	1	18	0.09	< 10	< 10	39	< 10	48
BB20396	201 202	< 0.01	26	390	20	< 2	5	26	0.15	< 10	< 10	55	< 10	80
BB20397	201 202	< 0.01	16	370	18	< 2	3	16	0.11	< 10	< 10	43	< 10	72
BB20398	201 202	< 0.01	14	380	26	< 2	3	9	0.12	< 10	< 10	60	< 10	82
BB20399	201 202	< 0.01	10	270	24	< 2	2	13	0.08	< 10	< 10	36	< 10	50
BB20400	201 202	< 0.01	11	400	22	< 2	2	16	0.09	< 10	< 10	39	< 10	60
BB20401	201 202	< 0.01	19	770	108	< 2	3	30	0.10	< 10	< 10	43	< 10	238
BB20402	201 202	< 0.01	22	720	30	< 2	3	19	0.09	< 10	< 10	55	< 10	102
BB20403	201 202	< 0.01	13	430	26	< 2	1	13	0.10	< 10	< 10	49	< 10	52
BB20404	201 202	< 0.01	14	490	20	< 2	2	14	0.10	< 10	< 10	51	< 10	54
BB20405	201 202	< 0.01	19	450	24	< 2	1	18	0.06	< 10	< 10	41	< 10	68
BB20406	201 202	< 0.01	35	540	26	< 2	3	30	0.06	< 10	< 10	40	< 10	106
BB20407	201 202	< 0.01	24	610	16	< 2	4	8	0.11	< 10	< 10	50	< 10	64
BB20408	201 202	< 0.01	28	530	18	< 2	3	20	0.10	< 10	< 10	49	< 10	66
BB20409	201 202	< 0.01	19	430	18	< 2	3	20	0.10	< 10	< 10	49	< 10	60
BB20410	201 202	< 0.01	15	500	16	< 2	3	18	0.11	< 10	< 10	53	< 10	64
BB20411	201 202	< 0.01	45	800	14	< 2	8	28	0.16	< 10	< 10	75	< 10	116
BB20412	201 202	< 0.01	26	1610	16	< 2	4	8	0.14	< 10	< 10	75	< 10	106
BB20413	201 202	< 0.01	17	470	10	< 2	3	21	0.12	< 10	< 10	44	< 10	42
BB20414	201 202	< 0.01	24	480	14	< 2	4	15	0.10	< 10	< 10	54	< 10	86
BB20415	201 202	< 0.01	21	430	14	< 2	4	18	0.14	< 10	< 10	54	< 10	58
BB20416	201 202	< 0.01	14	470	14	< 2	4	17	0.12	< 10	< 10	39	< 10	50
BB20417	201 202	< 0.01	25	600	12	< 2	5	29	0.14	< 10	< 10	54	< 10	60
BB20418	201 202	< 0.01	35	1660	12	< 2	3	35	0.05	< 10	< 10	78	< 10	192
BB20419	201 202	< 0.01	21	560	26	< 2	2	13	0.08	< 10	< 10	42	< 10	84
BB20420	201 202	< 0.01	37	780	24	< 2	3	19	0.10	< 10	< 10	48	< 10	122
BB20421	201 202	< 0.01	22	880	22	< 2	2	24	0.05	< 10	< 10	48	< 10	178
BB20422	201 202	< 0.01	18	590	28	< 2	3	15	0.07	< 10	< 10	41	< 10	130
BB20423	201 202	< 0.01	25	680	40	< 2	3	23	0.06	< 10	< 10	41	< 10	270
BB20424	201 202	< 0.01	32	630	48	< 2	4	31	0.08	< 10	< 10	41	< 10	240
BB20425	201 202	< 0.01	19	660	26	< 2	3	31	0.08	< 10	< 10	40	< 10	126
BB20426	201 202	< 0.01	23	680	44	< 2	3	35	0.06	< 10	< 10	41	< 10	226
BB20427	201 202	< 0.01	26	580	48	< 2	2	14	0.07	< 10	< 10	42	< 10	144
BB20428	201 202	< 0.01	18	410	34	< 2	2	4	0.07	< 10	< 10	48	< 10	96

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 5-A
Total : 5
Certificate Date: 16-JUL-96
Invoice No. : 19623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB20429	201 202	0.4	1.57	10	80	< 0.5	2	0.15	< 0.5	4	32	17	2.58	< 10	< 1	0.05	10	0.35	180	1
BB20430	201 202	0.2	1.89	14	150	< 0.5	< 2	0.19	< 0.5	6	33	26	2.80	< 10	< 1	0.07	10	0.42	255	1
BB20431	201 202	0.2	1.57	20	90	< 0.5	4	0.12	< 0.5	6	41	23	3.48	< 10	< 1	0.07	10	0.42	285	2
BB20432	201 202	< 0.2	1.24	6	70	< 0.5	< 2	0.16	< 0.5	4	29	7	2.34	< 10	< 1	0.04	< 10	0.30	175	1
BB20433	201 202	0.8	1.73	18	350	< 0.5	2	0.24	< 0.5	6	35	20	2.36	< 10	< 1	0.06	10	0.40	255	1
BB20434	201 202	0.2	1.38	16	390	< 0.5	< 2	0.25	0.5	7	25	33	2.55	< 10	< 1	0.08	20	0.43	615	1
BB20435	201 202	< 0.2	1.58	8	200	0.5	2	0.27	0.5	9	33	14	3.15	< 10	< 1	0.11	10	0.53	675	1
BB20436	201 202	< 0.2	1.48	14	310	< 0.5	2	0.33	< 0.5	7	36	25	2.45	< 10	< 1	0.08	20	0.55	410	1
BB20437	201 202	< 0.2	1.88	6	180	< 0.5	2	0.14	< 0.5	7	38	22	3.01	< 10	< 1	0.13	10	0.44	400	1
BB20438	201 202	0.6	2.15	18	130	< 0.5	< 2	0.10	< 0.5	7	34	24	3.33	< 10	< 1	0.08	10	0.51	375	3
BB20439	201 202	0.6	2.02	18	160	< 0.5	2	0.12	0.5	10	38	29	2.83	< 10	< 1	0.08	10	0.42	485	1
BB20440	201 202	< 0.2	1.53	16	200	< 0.5	< 2	0.15	< 0.5	8	28	34	2.62	< 10	< 1	0.07	20	0.43	390	1
BB20441	201 202	0.2	1.55	16	280	< 0.5	< 2	0.23	0.5	5	34	28	2.68	< 10	< 1	0.06	10	0.44	200	1
BB20442	201 202	0.2	1.44	< 2	520	< 0.5	< 2	0.31	< 0.5	6	35	26	2.18	< 10	< 1	0.08	10	0.43	360	< 1
BB20443	201 202	< 0.2	1.19	12	290	< 0.5	2	0.31	< 0.5	10	29	39	2.53	< 10	< 1	0.08	10	0.41	665	1
BB20444	201 202	0.4	2.11	40	700	< 0.5	2	0.37	0.5	11	52	50	3.61	< 10	< 1	0.12	10	0.46	730	2
BB20445	201 202	< 0.2	1.76	22	340	< 0.5	4	0.10	< 0.5	67	26	105	14.55	< 10	< 1	0.12	10	0.35	6420	4
BB20446	201 202	0.2	2.13	14	110	< 0.5	4	0.11	< 0.5	11	32	29	3.08	< 10	< 1	0.07	10	0.49	540	2
BB20447	201 202	0.2	2.20	22	960	< 0.5	2	0.53	0.5	10	48	34	3.85	< 10	< 1	0.11	10	0.50	1175	4
BB20448	201 202	0.2	1.58	14	130	< 0.5	2	0.21	< 0.5	7	29	46	2.75	< 10	< 1	0.06	10	0.40	390	1
BB20449	201 202	0.2	1.02	12	260	< 0.5	2	0.34	< 0.5	7	23	27	2.45	< 10	< 1	0.07	10	0.36	515	1
BB20450	201 202	0.2	1.53	14	460	< 0.5	2	0.30	< 0.5	5	31	28	2.58	< 10	< 1	0.10	10	0.41	415	1
BB20451	201 202	0.2	2.25	16	970	< 0.5	< 2	0.38	0.5	10	35	30	3.93	< 10	< 1	0.13	10	0.40	3320	3
BB20452	201 202	< 0.2	1.23	6	310	< 0.5	< 2	0.35	< 0.5	5	26	14	1.84	< 10	< 1	0.08	10	0.38	365	1
BB20453	201 202	< 0.2	1.27	6	350	< 0.5	2	0.33	< 0.5	6	28	24	2.36	< 10	< 1	0.09	10	0.39	350	2
BB20454	201 202	< 0.2	2.97	70	600	3.0	< 2	0.51	0.5	22	63	30	4.84	< 10	< 1	0.11	20	0.58	1235	2
BB20455	201 202	< 0.2	2.30	34	130	0.5	< 2	0.24	< 0.5	8	40	23	3.48	< 10	< 1	0.16	10	0.62	420	2
BB20456	201 202	< 0.2	1.38	34	170	< 0.5	2	0.54	< 0.5	9	35	21	2.48	< 10	< 1	0.10	10	0.66	350	< 1
BB20457	201 202	0.2	2.11	16	220	< 0.5	4	0.41	< 0.5	6	37	22	2.34	< 10	< 1	0.13	10	0.49	185	2
BB20458	201 202	< 0.2	1.99	22	230	0.5	< 2	0.65	< 0.5	11	46	32	3.52	< 10	< 1	0.13	10	0.88	600	1
BB20459	201 202	< 0.2	2.62	26	220	0.5	2	0.15	< 0.5	9	44	26	3.67	< 10	< 1	0.18	10	0.65	400	2
BB20460	201 202	< 0.2	1.53	20	190	0.5	< 2	0.38	< 0.5	8	34	21	2.41	< 10	< 1	0.09	10	0.61	345	1
BB20461	201 202	0.2	2.23	50	570	0.5	2	0.54	< 0.5	11	43	44	3.13	< 10	< 1	0.12	10	0.69	475	3
BB20462	201 202	< 0.2	1.52	20	210	0.5	< 2	0.40	< 0.5	9	37	23	2.43	< 10	< 1	0.08	10	0.60	410	< 1
BB20463	201 202	< 0.2	2.49	174	570	0.5	10	0.31	0.5	16	42	81	3.41	< 10	< 1	0.09	10	0.54	860	5
BB20464	201 202	< 0.2	1.80	28	190	0.5	< 2	0.36	< 0.5	9	41	24	2.71	< 10	< 1	0.08	10	0.68	360	1
BB20465	201 202	< 0.2	1.71	16	90	< 0.5	< 2	0.17	< 0.5	4	29	12	2.13	< 10	< 1	0.11	10	0.37	160	1
BB20466	201 202	< 0.2	2.99	24	120	0.5	2	0.29	< 0.5	13	54	31	3.63	< 10	< 1	0.13	< 10	0.91	465	< 1
BB20467	201 202	< 0.2	2.29	18	130	1.0	2	0.22	< 0.5	9	41	20	3.02	< 10	< 1	0.15	10	0.65	345	< 1
BB20468	201 202	< 0.2	2.17	14	280	0.5	< 2	0.74	< 0.5	15	53	55	3.62	< 10	< 1	0.20	10	1.20	745	1

CERTIFICATION:

Stanley B. ...



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : convert
Comments:

Page : 5-B
Total : 5
Certificate Date: 16-JUL-96
Invoice No. : 19623234
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623234

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB20429	201	202	< 0.01	15	640	28	< 2	1	13	0.07	< 10	< 10	39	< 10	62
BB20430	201	202	< 0.01	20	450	32	< 2	2	14	0.07	< 10	< 10	42	< 10	90
BB20431	201	202	< 0.01	18	1120	30	< 2	3	5	0.08	< 10	< 10	50	< 10	96
BB20432	201	202	< 0.01	11	590	12	< 2	1	9	0.07	< 10	< 10	41	< 10	46
BB20433	201	202	< 0.01	22	540	38	< 2	1	19	0.05	< 10	< 10	38	< 10	166
BB20434	201	202	< 0.01	26	410	40	< 2	2	26	0.04	< 10	< 10	29	< 10	290
BB20435	201	202	< 0.01	18	700	14	< 2	2	16	0.12	< 10	< 10	68	< 10	82
BB20436	201	202	< 0.01	20	550	28	< 2	3	29	0.09	< 10	< 10	38	< 10	120
BB20437	201	202	< 0.01	19	500	28	< 2	3	13	0.09	< 10	< 10	50	< 10	116
BB20438	201	202	< 0.01	19	480	42	< 2	3	10	0.06	< 10	< 10	39	< 10	116
BB20439	201	202	< 0.01	33	620	44	< 2	3	15	0.06	< 10	< 10	40	< 10	258
BB20440	201	202	< 0.01	22	460	24	< 2	2	18	0.04	< 10	< 10	32	< 10	114
BB20441	201	202	< 0.01	21	500	48	< 2	2	24	0.06	< 10	< 10	43	< 10	104
BB20442	201	202	< 0.01	21	330	40	< 2	4	30	0.09	< 10	< 10	36	< 10	114
BB20443	201	202	< 0.01	27	520	36	< 2	4	23	0.09	< 10	< 10	39	< 10	122
BB20444	201	202	< 0.01	37	670	46	< 2	3	47	0.04	< 10	< 10	56	< 10	280
BB20445	201	202	< 0.01	66	640	28	< 2	5	24	0.08	< 10	< 10	43	< 10	406
BB20446	201	202	< 0.01	23	450	38	< 2	2	11	0.05	< 10	< 10	34	< 10	142
BB20447	201	202	< 0.01	31	1610	42	< 2	2	54	0.02	< 10	< 10	43	< 10	290
BB20448	201	202	< 0.01	29	590	64	< 2	2	16	0.07	< 10	< 10	35	< 10	128
BB20449	201	202	< 0.01	19	760	36	< 2	2	36	0.06	< 10	< 10	31	< 10	152
BB20450	201	202	< 0.01	21	530	34	< 2	3	37	0.06	< 10	< 10	38	< 10	152
BB20451	201	202	< 0.01	37	890	48	< 2	3	51	0.02	< 10	< 10	38	< 10	422
BB20452	201	202	< 0.01	15	520	28	< 2	1	26	0.07	< 10	< 10	30	< 10	120
BB20453	201	202	< 0.01	19	500	42	< 2	2	27	0.07	< 10	< 10	36	< 10	126
BB20454	201	202	0.01	40	1350	12	< 2	6	29	0.09	< 10	< 10	81	< 10	160
BB20455	201	202	< 0.01	24	730	16	< 2	4	17	0.16	< 10	< 10	75	< 10	72
BB20456	201	202	< 0.01	19	820	8	< 2	4	36	0.13	< 10	< 10	55	< 10	60
BB20457	201	202	< 0.01	18	470	14	< 2	3	24	0.10	< 10	< 10	51	< 10	58
BB20458	201	202	0.01	29	830	12	< 2	6	41	0.16	< 10	< 10	66	< 10	72
BB20459	201	202	< 0.01	23	400	20	< 2	4	16	0.09	< 10	< 10	68	< 10	114
BB20460	201	202	< 0.01	17	580	12	< 2	4	30	0.13	< 10	< 10	50	< 10	56
BB20461	201	202	< 0.01	26	760	20	< 2	5	31	0.11	< 10	< 10	61	< 10	102
BB20462	201	202	< 0.01	20	670	14	< 2	4	23	0.12	< 10	< 10	48	< 10	68
BB20463	201	202	< 0.01	27	460	32	< 2	3	24	0.07	< 10	< 10	66	< 10	106
BB20464	201	202	< 0.01	23	580	14	< 2	4	24	0.12	< 10	< 10	53	< 10	68
BB20465	201	202	< 0.01	12	380	18	< 2	3	10	0.11	< 10	< 10	41	< 10	44
BB20466	201	202	< 0.01	37	1030	14	< 2	5	18	0.14	< 10	< 10	67	< 10	90
BB20467	201	202	< 0.01	25	440	16	< 2	4	13	0.13	< 10	< 10	53	< 10	76
BB20468	201	202	< 0.01	48	840	12	< 2	7	37	0.16	< 10	< 10	70	< 10	84

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT(GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page: 1-A
Total Pages: 7
Certificate Date: 04-AUG-96
Invoice No.: 19625618
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21642	201 202	< 0.2	1.88	< 2	100	< 0.5	< 2	0.25	< 0.5	7	34	12	2.34	< 10	< 1	0.05	10	0.66	225	< 1
BB 21643	201 202	< 0.2	2.07	6	120	< 0.5	< 2	0.34	< 0.5	8	32	13	2.67	< 10	< 1	0.09	10	0.67	290	< 1
BB 21644	201 202	< 0.2	2.26	8	110	< 0.5	< 2	0.17	< 0.5	6	35	11	2.60	< 10	< 1	0.08	10	0.52	250	< 1
BB 21645	201 202	0.2	2.68	2	170	< 0.5	< 2	0.95	< 0.5	17	272	8	3.14	< 10	< 1	0.16	< 10	2.28	420	< 1
BB 21646	201 202	< 0.2	1.87	18	120	< 0.5	< 2	0.33	< 0.5	7	42	16	2.76	< 10	< 1	0.12	10	0.73	305	< 1
BB 21647	201 202	< 0.2	1.18	6	130	< 0.5	< 2	0.54	< 0.5	9	31	18	1.97	< 10	< 1	0.06	< 10	0.54	365	< 1
BB 21648	201 202	< 0.2	1.83	18	170	< 0.5	< 2	0.27	< 0.5	9	37	25	2.73	< 10	< 1	0.11	10	0.65	255	< 1
BB 21649	201 202	0.8	2.39	8	240	0.5	< 2	0.89	5.0	18	42	34	2.89	< 10	< 1	0.09	20	0.68	1550	1
BB 21650	201 202	0.2	1.71	12	160	< 0.5	< 2	0.83	0.5	10	38	33	2.68	< 10	< 1	0.09	10	0.77	430	< 1
BB 21677	201 202	< 0.2	1.14	2	100	< 0.5	< 2	0.30	< 0.5	5	28	10	1.64	< 10	< 1	0.04	< 10	0.54	190	< 1
BB 21678	201 202	< 0.2	2.10	12	120	< 0.5	< 2	0.19	0.5	6	32	10	2.96	< 10	< 1	0.06	< 10	0.49	200	< 1
BB 21679	201 202	0.2	1.43	12	80	< 0.5	< 2	0.17	0.5	7	32	12	2.71	< 10	< 1	0.11	< 10	0.47	345	< 1
BB 21680	201 202	< 0.2	1.35	24	130	< 0.5	< 2	0.43	< 0.5	8	32	18	2.19	< 10	< 1	0.09	10	0.63	375	< 1
BB 21681	201 202	< 0.2	1.68	24	100	< 0.5	< 2	0.52	0.5	14	40	15	3.06	< 10	< 1	0.14	< 10	0.73	405	< 1
BB 21682	201 202	< 0.2	1.65	6	130	< 0.5	< 2	0.34	< 0.5	10	39	18	2.42	< 10	< 1	0.06	10	0.78	380	< 1
BB 21683	201 202	0.4	2.29	16	290	< 0.5	< 2	0.93	2.0	16	42	22	3.27	< 10	< 1	0.14	10	0.80	1365	1
BB 21684	201 202	0.2	1.94	18	170	< 0.5	< 2	1.23	0.5	10	41	28	2.75	< 10	< 1	0.20	10	0.79	585	< 1
BB 21685	201 202	< 0.2	2.34	28	140	< 0.5	< 2	0.23	< 0.5	9	45	24	3.28	< 10	< 1	0.09	10	0.64	270	< 1
BB 21686	201 202	0.8	1.79	14	150	< 0.5	< 2	0.92	1.0	8	45	37	2.77	< 10	< 1	0.18	10	0.75	480	1
BB 21687	201 202	0.2	2.23	8	150	< 0.5	< 2	0.32	< 0.5	9	41	19	3.01	< 10	< 1	0.09	10	0.71	325	< 1
BB 21688	201 202	0.4	1.51	6	200	< 0.5	< 2	0.74	0.5	9	32	25	1.98	< 10	< 1	0.08	10	0.57	335	1
BB 21689	201 202	< 0.2	1.35	16	110	< 0.5	< 2	0.49	< 0.5	9	32	14	2.21	< 10	< 1	0.09	10	0.66	400	1
BB 21690	201 202	< 0.2	2.25	12	100	< 0.5	< 2	0.14	< 0.5	5	34	11	3.22	< 10	< 1	0.10	10	0.44	200	< 1
BB 21691	201 202	< 0.2	1.05	2	80	< 0.5	< 2	0.41	< 0.5	5	22	6	1.45	< 10	< 1	0.05	< 10	0.37	165	< 1
BB 21692	201 202	< 0.2	1.94	8	160	< 0.5	< 2	0.24	< 0.5	7	31	7	2.56	< 10	< 1	0.08	10	0.43	185	< 1
BB 21693	201 202	< 0.2	1.71	4	120	< 0.5	< 2	0.58	0.5	8	38	31	2.48	< 10	< 1	0.15	10	0.72	335	< 1
BB 21694	201 202	< 0.2	1.76	4	100	< 0.5	< 2	0.23	< 0.5	5	27	5	2.04	< 10	< 1	0.08	10	0.43	160	< 1
BB 21695	201 202	0.2	1.93	2	90	< 0.5	< 2	0.16	< 0.5	3	22	3	2.12	< 10	< 1	0.10	10	0.32	265	< 1
BB 21696	201 202	0.2	1.87	12	100	< 0.5	< 2	0.21	1.0	7	34	10	2.75	< 10	< 1	0.07	< 10	0.58	255	< 1
BB 21697	201 202	0.2	2.23	22	110	< 0.5	< 2	0.18	< 0.5	8	44	13	3.97	< 10	< 1	0.16	10	0.69	305	< 1
BB 21698	201 202	0.2	2.55	14	140	< 0.5	< 2	0.19	< 0.5	7	43	10	3.86	< 10	< 1	0.14	10	0.64	245	< 1
BB 21699	201 202	< 0.2	1.75	10	90	< 0.5	< 2	0.16	< 0.5	5	31	7	3.00	< 10	< 1	0.13	10	0.47	205	< 1
BB 21700	201 202	0.2	1.17	2	70	< 0.5	< 2	0.24	< 0.5	1	13	1	0.90	< 10	< 1	0.12	< 10	0.18	75	< 1
BB 21701	201 202	< 0.2	2.33	38	70	< 0.5	< 2	0.14	< 0.5	8	43	33	5.21	< 10	< 1	0.10	< 10	0.58	250	1
BB 21702	201 202	< 0.2	2.01	4	190	< 0.5	< 2	0.58	< 0.5	12	46	19	2.78	< 10	< 1	0.13	10	0.84	420	1
BB 21703	201 202	< 0.2	1.82	18	150	< 0.5	< 2	0.41	< 0.5	9	42	22	2.75	< 10	< 1	0.17	10	0.78	400	< 1
BB 21704	201 202	0.2	1.79	16	140	< 0.5	< 2	0.95	< 0.5	9	38	20	2.48	< 10	< 1	0.16	10	0.75	500	1
BB 21705	201 202	0.6	1.18	< 2	160	< 0.5	< 2	0.55	< 0.5	5	21	24	1.33	< 10	< 1	0.09	10	0.32	380	1
BB 21706	201 202	< 0.2	0.79	< 2	50	< 0.5	< 2	0.11	< 0.5	< 1	10	3	0.42	< 10	< 1	0.04	10	0.09	50	2
BB 21707	201 202	< 0.2	1.64	6	160	< 0.5	< 2	0.56	< 0.5	9	37	16	2.57	< 10	< 1	0.13	20	0.76	340	1

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT (GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page : 1-B
Total Pages : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT


CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21642	201 202	< 0.01	15	220	16	< 2	3	15	0.15	< 10	< 10	53	< 10	68
BB 21643	201 202	< 0.01	23	370	30	< 2	3	31	0.11	< 10	< 10	42	< 10	100
BB 21644	201 202	< 0.01	17	290	30	< 2	3	16	0.10	< 10	< 10	50	< 10	88
BB 21645	201 202	0.03	142	130	20	< 2	3	40	0.20	< 10	< 10	67	< 10	196
BB 21646	201 202	< 0.01	26	500	32	< 2	3	21	0.11	< 10	< 10	53	< 10	138
BB 21647	201 202	< 0.01	20	610	10	< 2	3	23	0.09	< 10	< 10	43	< 10	56
BB 21648	201 202	< 0.01	27	480	24	< 2	3	17	0.09	< 10	< 10	50	< 10	110
BB 21649	201 202	< 0.01	31	1030	28	< 2	5	39	0.07	< 10	< 10	48	< 10	554
BB 21650	201 202	< 0.01	31	730	34	< 2	4	37	0.09	< 10	< 10	49	< 10	212
BB 21677	201 202	< 0.01	14	490	14	< 2	3	15	0.09	< 10	< 10	36	< 10	44
BB 21678	201 202	< 0.01	16	360	28	< 2	3	15	0.10	< 10	< 10	52	< 10	82
BB 21679	201 202	< 0.01	13	400	20	< 2	3	13	0.13	< 10	< 10	64	< 10	76
BB 21680	201 202	< 0.01	22	670	26	< 2	3	22	0.10	< 10	< 10	45	< 10	84
BB 21681	201 202	< 0.01	22	210	18	< 2	4	23	0.13	< 10	< 10	64	< 10	120
BB 21682	201 202	< 0.01	18	340	10	< 2	4	21	0.17	< 10	< 10	53	< 10	60
BB 21683	201 202	0.01	27	860	32	< 2	5	48	0.11	< 10	< 10	64	< 10	276
BB 21684	201 202	0.01	33	640	28	< 2	4	54	0.09	< 10	< 10	47	< 10	216
BB 21685	201 202	< 0.01	26	170	22	< 2	4	19	0.14	< 10	< 10	66	< 10	68
BB 21686	201 202	0.01	37	830	30	< 2	5	42	0.10	< 10	< 10	47	< 10	200
BB 21687	201 202	< 0.01	24	210	12	< 2	4	23	0.17	< 10	< 10	71	< 10	92
BB 21688	201 202	< 0.01	28	780	54	< 2	4	39	0.09	< 10	< 10	39	< 10	136
BB 21689	201 202	< 0.01	18	810	26	< 2	3	25	0.10	< 10	< 10	42	< 10	82
BB 21690	201 202	< 0.01	13	360	32	< 2	3	17	0.10	< 10	< 10	61	< 10	96
BB 21691	201 202	< 0.01	11	440	10	< 2	2	21	0.08	< 10	< 10	32	< 10	38
BB 21692	201 202	< 0.01	14	130	32	< 2	3	23	0.13	< 10	< 10	54	< 10	94
BB 21693	201 202	< 0.01	23	690	14	< 2	5	40	0.14	< 10	< 10	50	< 10	228
BB 21694	201 202	< 0.01	12	150	28	< 2	3	20	0.12	< 10	< 10	42	< 10	104
BB 21695	201 202	< 0.01	7	160	20	< 2	2	25	0.09	< 10	< 10	39	< 10	182
BB 21696	201 202	< 0.01	19	210	20	< 2	3	17	0.12	< 10	< 10	49	< 10	168
BB 21697	201 202	< 0.01	23	440	34	< 2	3	15	0.10	< 10	< 10	63	< 10	88
BB 21698	201 202	< 0.01	18	360	62	< 2	3	20	0.10	< 10	< 10	58	< 10	94
BB 21699	201 202	< 0.01	12	280	26	< 2	3	17	0.12	< 10	< 10	63	< 10	72
BB 21700	201 202	< 0.01	3	130	42	< 2	1	36	0.12	< 10	< 10	32	< 10	30
BB 21701	201 202	< 0.01	23	340	38	< 2	3	16	0.16	< 10	< 10	64	< 10	168
BB 21702	201 202	< 0.01	27	620	20	< 2	4	33	0.14	< 10	< 10	59	< 10	80
BB 21703	201 202	< 0.01	26	570	28	< 2	4	28	0.11	< 10	< 10	55	< 10	134
BB 21704	201 202	< 0.01	25	770	36	< 2	4	45	0.09	< 10	< 10	46	< 10	194
BB 21705	201 202	0.01	13	250	22	< 2	3	33	0.11	< 10	< 10	34	< 10	60
BB 21706	201 202	< 0.01	1	100	8	< 2	1	11	0.07	< 10	< 10	23	< 10	10
BB 21707	201 202	< 0.01	20	470	26	< 2	3	31	0.10	< 10	< 10	50	< 10	86

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT (GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page: 2-A
Total Pages: 7
Certificate Date: 04-AUG-96
Invoice No.: 19625618
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21708	201 202	0.2	1.80	4	150	< 0.5	< 2	0.19	0.5	4	29	21	2.00	< 10	< 1	0.15	20	0.42	170	< 1
BB 21709	201 202	< 0.2	1.75	12	90	< 0.5	< 2	0.15	< 0.5	4	29	5	2.39	< 10	< 1	0.09	10	0.45	175	< 1
BB 21710	201 202	2.4	4.31	84	640	1.5	< 2	1.85	14.5	42	65	100	5.81	< 10	1	0.43	100	0.86	8870	10
BB 21711	201 202	< 0.2	0.86	6	70	< 0.5	< 2	0.10	< 0.5	2	16	3	1.61	< 10	< 1	0.08	10	0.15	120	< 1
BB 21712	201 202	< 0.2	1.57	12	90	< 0.5	< 2	0.16	< 0.5	5	32	7	2.80	< 10	< 1	0.12	10	0.55	195	< 1
BB 21713	201 202	< 0.2	1.69	< 2	120	< 0.5	< 2	0.15	0.5	4	26	5	2.23	< 10	< 1	0.07	10	0.37	175	< 1
BB 21714	201 202	0.2	2.23	10	130	< 0.5	< 2	0.22	< 0.5	7	34	18	2.92	< 10	< 1	0.07	10	0.56	225	< 1
BB 21715	201 202	0.2	2.14	18	160	< 0.5	< 2	0.23	< 0.5	10	41	21	3.09	< 10	< 1	0.15	10	0.77	335	< 1
BB 21716	201 202	0.4	1.99	24	190	< 0.5	< 2	1.24	0.5	10	42	32	3.01	< 10	< 1	0.18	10	0.81	1035	< 1
BB 21717	201 202	0.4	2.20	12	290	0.5	< 2	0.87	2.0	12	42	32	2.78	< 10	< 1	0.17	10	0.63	2070	4
BB 21718	201 202	1.4	2.67	14	120	0.5	< 2	0.21	0.5	7	46	35	4.27	< 10	< 1	0.14	10	0.72	260	2
BB 21719	201 202	< 0.2	2.59	20	220	< 0.5	< 2	0.32	< 0.5	12	48	22	3.64	< 10	< 1	0.19	10	0.81	380	1
BB 21720	201 202	< 0.2	1.26	4	80	< 0.5	< 2	0.21	< 0.5	4	28	5	2.02	< 10	< 1	0.11	10	0.43	190	1
BB 21721	201 202	0.2	0.94	< 2	80	< 0.5	< 2	0.36	< 0.5	2	16	5	0.98	< 10	< 1	0.05	10	0.23	90	< 1
BB 21722	201 202	0.2	2.51	18	150	< 0.5	< 2	0.30	< 0.5	9	46	23	3.59	< 10	< 1	0.18	10	0.84	310	< 1
BB 21723	201 202	0.2	2.34	30	100	< 0.5	< 2	0.14	< 0.5	10	46	15	4.65	< 10	< 1	0.12	10	0.62	405	2
BB 21724	201 202	0.4	1.80	28	110	< 0.5	< 2	0.55	0.5	12	36	27	3.11	< 10	< 1	0.20	10	0.79	730	< 1
BB 21725	201 202	< 0.2	0.37	< 2	30	< 0.5	< 2	0.07	< 0.5	1	11	4	0.71	< 10	< 1	0.01	10	0.04	45	1
BB 21726	201 202	< 0.2	1.19	10	70	< 0.5	< 2	0.17	< 0.5	4	25	12	1.75	< 10	< 1	0.06	< 10	0.46	165	< 1
BB 21727	201 202	0.2	1.58	20	130	< 0.5	< 2	0.38	< 0.5	10	34	33	2.63	< 10	< 1	0.09	10	0.66	395	1
BB 21728	201 202	0.2	1.80	18	110	< 0.5	< 2	0.82	0.5	10	37	22	2.53	< 10	< 1	0.13	10	0.72	295	< 1
BB 21729	201 202	< 0.2	1.35	50	70	< 0.5	< 2	0.16	0.5	5	28	7	2.88	< 10	< 1	0.08	< 10	0.43	190	1
BB 21730	201 202	< 0.2	2.11	30	90	< 0.5	< 2	0.09	< 0.5	6	31	10	3.91	< 10	< 1	0.09	10	0.41	240	< 1
BB 21731	201 202	< 0.2	1.99	16	80	< 0.5	< 2	0.10	< 0.5	6	27	10	3.62	< 10	< 1	0.08	10	0.39	270	< 1
BB 21732	201 202	< 0.2	1.35	24	90	< 0.5	< 2	0.11	< 0.5	5	30	9	3.41	< 10	< 1	0.05	< 10	0.38	205	1
BB 21733	201 202	0.2	1.68	24	90	< 0.5	< 2	0.18	0.5	8	34	14	3.73	< 10	< 1	0.07	10	0.52	335	1
BB 21734	201 202	0.2	1.96	18	210	< 0.5	< 2	0.49	2.0	12	41	34	2.90	< 10	< 1	0.12	10	0.76	670	1
BB 21735	201 202	0.2	1.11	12	70	< 0.5	< 2	0.24	< 0.5	4	28	9	1.64	< 10	< 1	0.07	10	0.51	170	1
BB 21736	201 202	< 0.2	1.61	20	70	< 0.5	< 2	0.12	1.5	7	38	7	4.35	< 10	< 1	0.07	< 10	0.38	345	< 1
BB 21737	201 202	< 0.2	1.06	10	90	< 0.5	< 2	0.53	< 0.5	8	27	18	1.87	< 10	< 1	0.08	10	0.57	500	1
BB 21738	201 202	0.6	1.66	28	90	< 0.5	< 2	0.25	0.5	11	46	12	3.68	< 10	< 1	0.07	< 10	0.55	350	1
BB 21739	201 202	0.2	2.93	4	190	< 0.5	< 2	0.20	0.5	12	48	22	3.61	< 10	< 1	0.12	< 10	0.80	495	< 1
BB 21740	201 202	0.6	2.12	2	170	< 0.5	< 2	0.27	0.5	9	38	16	3.11	< 10	< 1	0.11	< 10	0.71	355	< 1
BB 21741	201 202	0.6	1.74	10	120	0.5	< 2	1.09	< 0.5	8	28	39	2.00	< 10	< 1	0.05	50	0.45	395	1
BB 21742	201 202	< 0.2	2.42	12	160	< 0.5	< 2	0.22	< 0.5	24	37	7	3.50	< 10	< 1	0.11	10	0.43	1145	< 1
BB 21743	201 202	< 0.2	1.92	10	90	< 0.5	< 2	0.17	< 0.5	9	77	10	3.82	< 10	< 1	0.09	< 10	0.66	365	1
BB 21744	201 202	< 0.2	1.85	8	100	< 0.5	< 2	0.45	< 0.5	7	38	12	2.70	< 10	< 1	0.14	10	0.75	285	< 1
BB 21745	201 202	0.2	2.31	34	210	< 0.5	< 2	1.25	1.0	12	47	38	3.25	< 10	< 1	0.19	10	0.83	600	1
BB 21746	201 202	0.2	1.97	18	150	< 0.5	< 2	0.82	0.5	13	51	38	3.21	< 10	< 1	0.23	30	0.83	510	< 1
BB 21747	201 202	0.6	2.37	56	130	< 0.5	< 2	0.23	< 0.5	12	51	26	4.94	< 10	< 1	0.11	10	0.66	305	2

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT(GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page : 2-B
Total Pages : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21708	201 202	0.02	15	380	36	< 2	3	17	0.06	< 10	< 10	41	< 10	82
BB 21709	201 202	< 0.01	11	160	26	< 2	3	17	0.12	< 10	< 10	57	< 10	50
BB 21710	201 202	0.03	77	1200	78	< 2	8	110	0.06	< 10	30	87	< 10	408
BB 21711	201 202	< 0.01	5	160	10	< 2	1	13	0.09	< 10	< 10	61	< 10	32
BB 21712	201 202	< 0.01	13	230	20	< 2	3	14	0.10	< 10	< 10	52	< 10	64
BB 21713	201 202	< 0.01	9	150	58	< 2	2	17	0.10	< 10	< 10	49	< 10	180
BB 21714	201 202	< 0.01	19	120	34	< 2	4	17	0.15	< 10	< 10	65	< 10	68
BB 21715	201 202	< 0.01	30	470	24	< 2	3	18	0.08	< 10	< 10	51	< 10	106
BB 21716	201 202	0.01	39	820	34	< 2	4	53	0.08	< 10	< 10	45	< 10	366
BB 21717	201 202	0.01	36	1320	22	< 2	4	55	0.06	< 10	< 10	49	< 10	150
BB 21718	201 202	< 0.01	26	730	20	< 2	3	17	0.08	< 10	< 10	62	< 10	100
BB 21719	201 202	< 0.01	29	410	40	< 2	4	24	0.10	< 10	< 10	69	< 10	118
BB 21720	201 202	< 0.01	9	120	20	< 2	2	20	0.13	< 10	< 10	57	< 10	40
BB 21721	201 202	< 0.01	5	110	18	< 2	1	23	0.10	< 10	< 10	30	< 10	28
BB 21722	201 202	< 0.01	31	270	26	< 2	4	24	0.12	< 10	< 10	57	< 10	112
BB 21723	201 202	< 0.01	24	460	32	< 2	3	13	0.10	< 10	< 10	64	< 10	114
BB 21724	201 202	< 0.01	28	710	152	2	3	26	0.07	< 10	< 10	42	< 10	264
BB 21725	201 202	< 0.01	3	150	12	< 2	< 1	5	0.08	< 10	< 10	35	< 10	18
BB 21726	201 202	< 0.01	13	240	26	< 2	2	12	0.09	< 10	< 10	39	< 10	54
BB 21727	201 202	< 0.01	27	650	68	< 2	3	26	0.10	< 10	< 10	45	< 10	130
BB 21728	201 202	< 0.01	27	690	72	< 2	4	43	0.12	< 10	< 10	43	< 10	238
BB 21729	201 202	< 0.01	13	170	38	< 2	2	15	0.11	< 10	< 10	49	< 10	86
BB 21730	201 202	< 0.01	14	330	50	< 2	2	11	0.13	< 10	< 10	55	< 10	192
BB 21731	201 202	< 0.01	13	230	54	< 2	2	11	0.11	< 10	< 10	55	< 10	228
BB 21732	201 202	< 0.01	13	520	30	< 2	2	11	0.12	< 10	< 10	91	< 10	88
BB 21733	201 202	< 0.01	19	370	40	< 2	3	15	0.13	< 10	< 10	74	< 10	148
BB 21734	201 202	< 0.01	32	690	38	< 2	4	34	0.11	< 10	< 10	54	< 10	148
BB 21735	201 202	< 0.01	12	250	12	< 2	3	17	0.10	< 10	< 10	42	< 10	54
BB 21736	201 202	< 0.01	15	480	24	< 2	3	13	0.16	< 10	< 10	96	< 10	150
BB 21737	201 202	0.01	21	840	16	< 2	3	31	0.09	< 10	< 10	36	< 10	68
BB 21738	201 202	< 0.01	21	650	20	< 2	3	18	0.13	< 10	< 10	69	< 10	70
BB 21739	201 202	< 0.01	31	800	10	< 2	4	15	0.13	< 10	< 10	72	< 10	130
BB 21740	201 202	< 0.01	22	460	10	< 2	4	22	0.15	< 10	< 10	67	< 10	80
BB 21741	201 202	0.01	26	1250	16	< 2	3	48	0.04	< 10	10	31	< 10	48
BB 21742	201 202	< 0.01	16	250	48	< 2	3	17	0.15	< 10	< 10	56	< 10	180
BB 21743	201 202	< 0.01	34	350	20	< 2	3	15	0.17	< 10	< 10	82	< 10	84
BB 21744	201 202	< 0.01	23	360	16	< 2	4	30	0.13	< 10	< 10	53	< 10	72
BB 21745	201 202	< 0.01	39	630	32	< 2	5	59	0.09	< 10	< 10	52	< 10	260
BB 21746	201 202	< 0.01	37	820	22	< 2	5	47	0.11	< 10	< 10	49	< 10	136
BB 21747	201 202	< 0.01	29	440	24	< 2	4	22	0.14	< 10	< 10	76	< 10	96

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT (GRID#3)
Comments: ATTN: NORDAC RESOURCES

Page: 3-A
Total Pages: 7
Certificate Date: 04-AUG-96
Invoice No.: 19625618
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21897	201 202	0.2	1.69	10	160	< 0.5	< 2	0.48	< 0.5	9	33	27	2.40	< 10	< 1	0.10	10	0.61	385	1
BB 21898	201 202	0.2	1.86	16	230	0.5	< 2	0.61	0.5	15	36	24	2.37	< 10	< 1	0.13	10	0.59	600	1
BB 21899	201 202	0.2	2.00	12	200	< 0.5	< 2	0.57	0.5	10	36	23	2.58	< 10	< 1	0.11	10	0.70	445	1
BB 21900	201 202	0.2	1.86	16	180	0.5	< 2	1.10	3.0	11	37	33	2.55	< 10	< 1	0.19	20	0.73	1170	< 1
BB 21901	201 202	< 0.2	2.05	16	90	< 0.5	< 2	0.17	< 0.5	5	29	8	2.81	10	< 1	0.09	10	0.51	250	< 1
BB 21902	201 202	< 0.2	2.09	12	130	< 0.5	< 2	0.21	< 0.5	7	34	7	3.27	< 10	< 1	0.10	10	0.54	265	1
BB 21903	201 202	< 0.2	1.87	12	100	< 0.5	< 2	0.24	1.0	9	28	8	2.50	< 10	< 1	0.08	10	0.49	285	1
BB 21904	201 202	< 0.2	1.92	12	110	< 0.5	< 2	0.24	0.5	7	32	13	2.80	< 10	< 1	0.09	10	0.57	255	1
BB 21905	201 202	0.2	1.63	10	200	0.5	< 2	1.20	1.5	9	30	27	2.27	< 10	< 1	0.15	10	0.61	715	1
BB 21906	201 202	< 0.2	1.70	22	150	0.5	< 2	0.37	< 0.5	12	33	30	2.57	< 10	< 1	0.17	30	0.70	540	1
BB 21907	201 202	0.2	1.83	16	70	< 0.5	< 2	0.24	0.5	9	30	13	2.87	< 10	< 1	0.07	10	0.50	345	1
BB 21908	201 202	< 0.2	1.60	16	60	< 0.5	2	0.10	< 0.5	3	21	6	2.83	< 10	1	0.05	10	0.19	185	< 1
BB 21909	201 202	0.4	1.89	6	240	< 0.5	2	0.66	0.5	7	32	22	2.12	< 10	< 1	0.11	10	0.55	295	< 1
BB 21910	201 202	0.2	1.91	12	150	< 0.5	2	0.31	0.5	10	33	25	2.52	< 10	< 1	0.09	10	0.62	360	< 1
BB 21911	201 202	< 0.2	2.02	10	140	0.5	< 2	0.21	< 0.5	10	32	14	2.58	< 10	< 1	0.08	10	0.54	270	< 1
BB 21912	201 202	< 0.2	1.92	8	150	< 0.5	< 2	0.27	0.5	8	33	10	2.92	< 10	2	0.09	10	0.56	275	1
BB 21913	201 202	0.2	2.22	14	180	0.5	< 2	0.20	0.5	10	38	12	2.98	< 10	< 1	0.13	10	0.67	360	1
BB 21914	201 202	< 0.2	2.06	14	110	0.5	2	0.16	< 0.5	13	34	30	2.47	< 10	< 1	0.09	10	0.64	325	< 1
BB 21915	201 202	< 0.2	0.88	< 2	80	< 0.5	< 2	0.36	< 0.5	6	21	12	1.52	< 10	1	0.07	10	0.41	385	< 1
BB 21916	201 202	< 0.2	2.13	12	80	0.5	< 2	0.12	1.0	8	32	8	3.52	< 10	< 1	0.09	10	0.49	300	1
BB 21917	201 202	< 0.2	1.34	4	60	< 0.5	< 2	0.17	0.5	1	15	3	1.04	< 10	1	0.04	10	0.19	110	< 1
BB 21918	201 202	< 0.2	1.69	14	80	< 0.5	2	0.17	< 0.5	6	27	8	3.14	< 10	< 1	0.08	10	0.45	220	< 1
BB 21919	201 202	< 0.2	1.58	< 2	90	< 0.5	< 2	0.18	0.5	6	27	6	2.54	< 10	1	0.08	10	0.40	275	< 1
BB 21920	201 202	< 0.2	1.78	20	220	0.5	< 2	0.47	0.5	13	36	30	2.67	< 10	< 1	0.15	10	0.64	985	2
BB 21921	201 202	0.2	1.99	18	220	0.5	< 2	0.77	1.0	10	40	28	2.76	< 10	5	0.19	10	0.74	610	1
BB 21922	201 202	0.2	1.48	16	140	< 0.5	< 2	0.61	< 0.5	9	33	27	2.47	< 10	< 1	0.13	20	0.64	590	1
BB 21923	201 202	< 0.2	1.72	16	190	0.5	< 2	0.61	1.0	14	41	35	2.79	< 10	< 1	0.17	20	0.75	520	1
BB 21924	201 202	< 0.2	2.11	16	100	0.5	< 2	0.14	< 0.5	8	27	12	4.16	< 10	< 1	0.21	10	0.44	280	1
BB 21925	201 202	< 0.2	1.39	18	90	< 0.5	2	0.20	0.5	6	30	7	2.44	< 10	< 1	0.10	10	0.43	250	1
BB 21926	201 202	< 0.2	2.62	8	80	0.5	< 2	0.12	1.5	8	36	11	4.67	10	< 1	0.12	10	0.50	300	< 1
BB 21927	201 202	< 0.2	2.35	22	190	0.5	< 2	0.87	2.0	12	34	19	2.67	< 10	< 1	0.14	30	0.66	790	< 1
BB 21928	201 202	0.4	2.15	16	200	0.5	< 2	0.74	2.0	10	36	27	2.67	< 10	< 1	0.14	30	0.69	535	< 1
BB 21929	201 202	< 0.2	1.15	26	100	< 0.5	< 2	0.47	< 0.5	7	28	18	2.03	< 10	< 1	0.09	10	0.54	425	< 1
BB 21930	201 202	< 0.2	1.60	4	110	< 0.5	2	0.34	0.5	7	35	18	2.31	< 10	< 1	0.06	10	0.66	295	< 1
BB 21931	201 202	< 0.2	1.91	16	90	0.5	< 2	0.26	0.5	8	29	12	2.24	< 10	1	0.08	10	0.46	300	< 1
BB 21932	201 202	< 0.2	2.27	12	140	0.5	2	0.32	0.5	9	38	20	2.90	< 10	< 1	0.09	10	0.75	355	1
BB 21933	201 202	< 0.2	1.33	24	110	< 0.5	< 2	0.45	0.5	9	34	28	2.24	< 10	1	0.10	10	0.64	490	2
BB 21934	201 202	0.2	2.04	20	320	0.5	< 2	0.54	< 0.5	11	42	39	2.84	< 10	< 1	0.17	20	0.75	725	2
BB 21935	201 202	< 0.2	1.40	12	130	< 0.5	2	0.42	0.5	8	32	25	2.30	< 10	< 1	0.12	10	0.66	415	< 1
BB 21936	201 202	1.0	0.69	2	50	< 0.5	2	0.11	< 0.5	3	14	7	1.17	< 10	1	0.03	10	0.12	125	1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT(GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page : 3-B
Total Pages : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21897	201 202	< 0.01	25	480	32	< 2	4	26	0.12	< 10	< 10	49	< 10	100
BB 21898	201 202	< 0.01	27	620	40	2	5	36	0.09	< 10	< 10	45	< 10	104
BB 21899	201 202	< 0.01	24	640	26	2	5	32	0.10	< 10	< 10	50	< 10	138
BB 21900	201 202	< 0.01	33	690	42	2	5	53	0.08	< 10	< 10	45	< 10	334
BB 21901	201 202	< 0.01	13	110	30	< 2	4	15	0.16	< 10	< 10	59	< 10	130
BB 21902	201 202	< 0.01	17	200	24	4	19	18	0.13	< 10	< 10	60	< 10	134
BB 21903	201 202	< 0.01	15	220	26	4	13	20	0.13	< 10	< 10	49	< 10	150
BB 21904	201 202	< 0.01	19	170	32	< 2	4	19	0.13	< 10	< 10	56	< 10	152
BB 21905	201 202	< 0.01	25	690	40	2	4	64	0.07	< 10	< 10	40	< 10	170
BB 21906	201 202	< 0.01	26	580	36	< 2	4	30	0.11	< 10	< 10	42	< 10	170
BB 21907	201 202	< 0.01	22	660	34	< 2	3	15	0.09	< 10	< 10	40	< 10	148
BB 21908	201 202	< 0.01	7	190	102	< 2	2	13	0.12	< 10	< 10	67	< 10	46
BB 21909	201 202	< 0.01	22	780	20	< 2	4	36	0.06	< 10	< 10	39	< 10	142
BB 21910	201 202	< 0.01	25	350	20	< 2	4	20	0.12	< 10	< 10	50	< 10	154
BB 21911	201 202	< 0.01	22	140	20	2	3	16	0.11	< 10	< 10	47	< 10	58
BB 21912	201 202	< 0.01	20	240	28	8	3	22	0.12	< 10	< 10	58	< 10	156
BB 21913	201 202	< 0.01	26	180	32	< 2	4	18	0.10	< 10	< 10	53	< 10	148
BB 21914	201 202	< 0.01	30	220	42	2	3	10	0.08	< 10	< 10	39	< 10	90
BB 21915	201 202	< 0.01	15	570	16	4	3	22	0.08	< 10	< 10	30	< 10	54
BB 21916	201 202	< 0.01	15	340	24	< 2	3	12	0.12	< 10	< 10	57	< 10	254
BB 21917	201 202	< 0.01	5	90	42	2	2	16	0.11	< 10	< 10	35	< 10	80
BB 21918	201 202	< 0.01	12	240	20	< 2	3	13	0.12	< 10	< 10	54	< 10	88
BB 21919	201 202	< 0.01	10	480	14	2	3	13	0.15	< 10	< 10	61	< 10	64
BB 21920	201 202	< 0.01	33	660	26	4	5	25	0.08	< 10	< 10	46	< 10	160
BB 21921	201 202	< 0.01	38	690	26	< 2	5	36	0.08	< 10	< 10	47	< 10	176
BB 21922	201 202	< 0.01	28	690	26	< 2	4	28	0.07	< 10	< 10	39	< 10	190
BB 21923	201 202	< 0.01	35	720	30	6	5	33	0.12	< 10	< 10	53	< 10	114
BB 21924	201 202	< 0.01	15	530	20	< 2	3	20	0.16	< 10	< 10	62	< 10	88
BB 21925	201 202	< 0.01	13	240	22	< 2	3	16	0.12	< 10	< 10	59	< 10	64
BB 21926	201 202	< 0.01	17	350	24	< 2	3	15	0.16	< 10	< 10	68	< 10	174
BB 21927	201 202	< 0.01	22	570	34	< 2	6	53	0.10	< 10	< 10	45	< 10	486
BB 21928	201 202	< 0.01	26	780	40	10	6	37	0.10	< 10	< 10	48	< 10	296
BB 21929	201 202	< 0.01	20	630	20	< 2	3	26	0.10	< 10	< 10	40	< 10	72
BB 21930	201 202	< 0.01	19	400	6	< 2	4	22	0.16	< 10	< 10	51	< 10	50
BB 21931	201 202	< 0.01	20	530	40	4	3	16	0.09	< 10	< 10	41	< 10	188
BB 21932	201 202	< 0.01	24	300	30	6	5	21	0.15	< 10	< 10	58	< 10	136
BB 21933	201 202	< 0.01	28	710	30	< 2	3	25	0.09	< 10	< 10	42	< 10	90
BB 21934	201 202	< 0.01	35	770	24	8	5	29	0.07	< 10	< 10	52	< 10	128
BB 21935	201 202	< 0.01	26	660	24	< 2	4	24	0.08	< 10	< 10	43	< 10	92
BB 21936	201 202	< 0.01	5	140	12	< 2	< 1	11	0.06	< 10	< 10	42	< 10	34

CERTIFICATION:

David Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT(GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page : 4-A
Total Pages : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21937	201 202	0.2	1.69	24	160	< 0.5	2	0.64	< 0.5	9	46	27	2.69	< 10	< 1	0.16	10	0.80	435	1
BB 21938	201 202	0.2	1.77	16	170	0.5	2	1.19	< 0.5	9	41	32	2.63	< 10	< 1	0.19	10	0.73	520	1
BB 21939	201 202	< 0.2	1.51	18	160	< 0.5	< 2	0.50	< 0.5	6	36	20	2.19	< 10	< 1	0.14	10	0.58	280	1
BB 21940	201 202	< 0.2	2.51	18	140	0.5	2	0.34	< 0.5	15	47	35	3.56	< 10	< 1	0.14	10	0.81	410	1
BB 21941	201 202	< 0.2	1.48	2	120	< 0.5	2	0.19	< 0.5	5	12	10	2.80	< 10	< 1	0.27	10	0.20	100	1
BB 21942	201 202	0.2	1.63	16	150	< 0.5	< 2	1.12	0.5	10	34	34	2.27	< 10	< 1	0.09	10	0.64	460	1
BB 21943	201 202	< 0.2	1.64	16	120	< 0.5	2	0.16	< 0.5	6	29	8	2.61	< 10	< 1	0.12	10	0.53	220	1
BB 21944	201 202	< 0.2	2.00	6	120	0.5	2	0.30	< 0.5	25	70	49	3.17	< 10	< 1	0.10	10	0.77	500	1
BB 21945	201 202	< 0.2	2.80	16	180	0.5	2	0.25	< 0.5	14	56	32	3.36	< 10	< 1	0.11	< 10	0.92	355	1
BB 21946	201 202	< 0.2	1.46	6	130	< 0.5	2	0.38	0.5	6	30	8	1.90	< 10	< 1	0.11	10	0.50	295	1
BB 21947	201 202	< 0.2	2.30	14	150	0.5	2	0.34	< 0.5	11	41	20	2.82	< 10	< 1	0.12	< 10	0.72	330	1
BB 21948	201 202	< 0.2	2.04	8	140	< 0.5	2	0.34	< 0.5	7	42	12	2.94	< 10	< 1	0.08	< 10	0.68	250	< 1
BB 21949	201 202	< 0.2	2.31	22	200	< 0.5	2	0.33	0.5	10	42	10	3.23	< 10	< 1	0.16	10	0.64	505	1
BB 21950	201 202	< 0.2	1.46	22	140	< 0.5	2	0.48	< 0.5	9	34	17	2.29	< 10	< 1	0.13	10	0.61	400	< 1
BB 21951	201 202	< 0.2	1.92	4	100	< 0.5	4	0.26	< 0.5	6	34	10	2.40	< 10	< 1	0.07	< 10	0.56	215	1
BB 21952	201 202	0.6	1.83	14	130	< 0.5	2	0.33	< 0.5	7	35	9	2.60	< 10	< 1	0.12	< 10	0.58	255	1
BB 21953	201 202	< 0.2	1.96	10	110	< 0.5	2	0.34	< 0.5	5	31	11	2.73	< 10	< 1	0.11	< 10	0.50	235	1
BB 21954	201 202	0.2	1.38	10	110	< 0.5	4	0.27	< 0.5	5	28	6	2.07	< 10	< 1	0.11	10	0.45	250	1
BB 21955	201 202	0.4	1.71	8	140	< 0.5	4	0.31	< 0.5	7	31	6	2.35	< 10	< 1	0.07	< 10	0.56	235	< 1
BB 21956	201 202	< 0.2	3.41	14	170	0.5	4	0.22	< 0.5	8	50	18	4.08	< 10	< 1	0.14	10	0.59	255	1
BB 21957	201 202	< 0.2	3.09	14	170	0.5	2	0.23	< 0.5	10	50	21	3.10	< 10	< 1	0.10	< 10	0.73	305	1
BB 21958	201 202	< 0.2	1.75	2	110	< 0.5	2	0.36	< 0.5	6	38	12	2.31	< 10	< 1	0.07	10	0.70	245	1
BB 21959	201 202	< 0.2	2.65	16	120	0.5	2	0.19	0.5	8	39	13	2.51	< 10	< 1	0.08	< 10	0.52	235	1
BB 21960	201 202	< 0.2	1.11	16	90	< 0.5	< 2	0.11	< 0.5	3	18	10	1.49	< 10	< 1	0.07	< 10	0.27	125	< 1
BB 21961	201 202	0.2	1.32	6	170	< 0.5	2	0.20	0.5	4	25	14	1.73	< 10	< 1	0.07	< 10	0.29	145	< 1
BB 21962	201 202	< 0.2	1.55	8	130	< 0.5	2	0.32	< 0.5	6	32	13	2.38	< 10	< 1	0.10	< 10	0.59	260	< 1
BB 21963	201 202	0.2	1.57	12	90	< 0.5	2	0.26	< 0.5	6	32	11	2.47	< 10	< 1	0.10	< 10	0.51	215	< 1
BB 21964	201 202	0.2	2.18	6	150	< 0.5	2	0.24	< 0.5	7	38	9	2.87	< 10	< 1	0.08	< 10	0.56	235	< 1
BB 21965	201 202	< 0.2	2.12	2	120	< 0.5	4	0.35	< 0.5	7	41	17	2.59	< 10	< 1	0.07	10	0.75	265	< 1
BB 21966	201 202	< 0.2	2.25	6	110	< 0.5	2	0.20	< 0.5	6	37	11	2.96	< 10	< 1	0.09	< 10	0.48	265	1
BB 21967	201 202	< 0.2	2.71	4	140	0.5	4	0.19	< 0.5	7	43	16	3.44	< 10	< 1	0.09	10	0.58	300	1
BB 21968	201 202	0.2	2.35	40	160	0.5	2	0.65	20.5	14	49	51	3.81	< 10	< 1	0.31	30	0.98	710	1
BB 21969	201 202	0.2	2.29	18	130	< 0.5	4	0.30	1.0	7	44	12	3.46	< 10	< 1	0.18	10	0.66	285	1
BB 21970	201 202	< 0.2	1.93	22	90	< 0.5	2	0.22	0.5	5	33	9	3.53	< 10	< 1	0.17	10	0.58	245	1
BB 21971	201 202	0.2	2.11	16	150	< 0.5	2	0.30	0.5	7	39	19	2.96	< 10	< 1	0.21	10	0.69	310	1
BB 21972	201 202	0.2	1.99	16	140	< 0.5	2	0.30	0.5	7	38	19	2.84	< 10	< 1	0.19	10	0.67	315	1
BB 21973	201 202	< 0.2	1.94	22	150	0.5	< 2	0.32	0.5	6	35	19	2.85	< 10	< 1	0.15	30	0.59	270	1
BB 21974	201 202	0.6	2.29	12	250	0.5	< 2	1.98	< 0.5	9	45	47	2.67	< 10	< 1	0.19	30	0.74	385	1
BB 21975	201 202	< 0.2	3.31	38	500	1.0	< 2	1.01	0.5	19	65	49	3.64	< 10	< 1	0.29	20	0.76	1225	4
BB 21976	201 202	< 0.2	1.85	12	160	< 0.5	< 2	0.40	< 0.5	8	28	11	2.55	< 10	< 1	0.13	20	0.43	465	1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

3: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT (GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page : 4-B
Total Pages : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21937	201 202	< 0.01	31	850	28	< 2	5	35	0.12	< 10	< 10	54	< 10	102
BB 21938	201 202	0.01	33	750	22	< 2	4	54	0.09	< 10	< 10	48	< 10	142
BB 21939	201 202	< 0.01	20	300	24	< 2	3	33	0.10	< 10	< 10	46	< 10	80
BB 21940	201 202	< 0.01	43	590	102	< 2	4	22	0.11	< 10	< 10	55	< 10	154
BB 21941	201 202	< 0.01	8	150	12	< 2	1	10	0.11	< 10	< 10	37	< 10	36
BB 21942	201 202	< 0.01	29	620	22	< 2	4	51	0.07	< 10	< 10	38	< 10	126
BB 21943	201 202	< 0.01	16	260	20	< 2	2	14	0.07	< 10	< 10	38	< 10	70
BB 21944	201 202	< 0.01	64	650	16	< 2	4	47	0.12	< 10	< 10	65	< 10	98
BB 21945	201 202	< 0.01	36	410	10	2	5	16	0.14	< 10	< 10	70	< 10	64
BB 21946	201 202	< 0.01	13	520	18	< 2	3	24	0.13	< 10	< 10	46	< 10	76
BB 21947	201 202	< 0.01	28	690	16	< 2	4	20	0.13	< 10	< 10	56	< 10	80
BB 21948	201 202	< 0.01	19	520	8	< 2	4	25	0.15	< 10	< 10	67	< 10	46
BB 21949	201 202	< 0.01	19	710	18	< 2	4	24	0.12	< 10	< 10	67	< 10	102
BB 21950	201 202	< 0.01	20	670	24	< 2	4	30	0.11	< 10	< 10	50	< 10	62
BB 21951	201 202	< 0.01	14	260	10	< 2	4	19	0.17	< 10	< 10	58	< 10	50
BB 21952	201 202	< 0.01	17	550	14	< 2	4	22	0.12	< 10	< 10	56	< 10	68
BB 21953	201 202	< 0.01	14	590	10	< 2	4	22	0.13	< 10	< 10	63	< 10	66
BB 21954	201 202	< 0.01	10	450	24	< 2	3	20	0.14	< 10	< 10	56	< 10	68
BB 21955	201 202	< 0.01	13	260	18	2	3	24	0.15	< 10	< 10	56	< 10	66
BB 21956	201 202	< 0.01	18	430	26	2	5	20	0.15	< 10	< 10	83	< 10	84
BB 21957	201 202	< 0.01	28	260	20	2	5	19	0.15	< 10	< 10	67	< 10	78
BB 21958	201 202	< 0.01	15	450	12	< 2	4	23	0.16	< 10	< 10	53	< 10	54
BB 21959	201 202	< 0.01	18	310	20	< 2	4	14	0.11	< 10	< 10	50	< 10	106
BB 21960	201 202	0.02	8	310	18	< 2	1	10	0.05	< 10	< 10	33	< 10	48
BB 21961	201 202	0.01	11	440	18	< 2	2	17	0.08	< 10	< 10	38	< 10	42
BB 21962	201 202	< 0.01	15	280	12	< 2	3	19	0.12	< 10	< 10	57	< 10	64
BB 21963	201 202	< 0.01	18	470	18	< 2	3	17	0.10	< 10	< 10	49	< 10	60
BB 21964	201 202	< 0.01	17	350	16	< 2	4	20	0.15	< 10	< 10	65	< 10	72
BB 21965	201 202	< 0.01	16	230	12	< 2	5	26	0.18	< 10	< 10	61	< 10	56
BB 21966	201 202	< 0.01	15	380	18	< 2	4	19	0.13	< 10	< 10	69	< 10	76
BB 21967	201 202	< 0.01	17	320	24	2	4	17	0.14	< 10	< 10	76	< 10	90
BB 21968	201 202	< 0.01	42	810	112	2	6	43	0.11	< 10	< 10	56	< 10	3410
BB 21969	201 202	< 0.01	18	170	46	< 2	4	26	0.15	< 10	< 10	66	< 10	172
BB 21970	201 202	< 0.01	15	260	38	< 2	3	22	0.13	< 10	< 10	65	< 10	84
BB 21971	201 202	< 0.01	21	450	56	< 2	4	23	0.09	< 10	< 10	55	< 10	114
BB 21972	201 202	< 0.01	22	460	52	< 2	4	23	0.08	< 10	< 10	52	< 10	108
BB 21973	201 202	< 0.01	19	340	56	2	4	25	0.08	< 10	< 10	53	< 10	160
BB 21974	201 202	< 0.01	36	850	20	4	5	75	0.04	< 10	10	45	< 10	100
BB 21975	201 202	0.01	49	720	36	4	7	74	0.04	< 10	10	66	< 10	204
BB 21976	201 202	< 0.01	14	240	18	< 2	3	33	0.08	< 10	< 10	51	< 10	72

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT(GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page : 5-A
Total Pages : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 21977	201 202	0.2	2.43	16	170	0.5	2	0.31	< 0.5	9	49	25	3.48	< 10	< 1	0.25	10	0.84	435	1
BB 21978	201 202	0.2	1.43	6	90	< 0.5	2	0.20	< 0.5	4	27	5	1.88	< 10	< 1	0.16	10	0.38	185	3
BB 21979	201 202	< 0.2	1.47	26	70	< 0.5	4	0.14	0.5	5	27	8	3.46	< 10	< 1	0.15	10	0.29	245	1
BB 21980	201 202	< 0.2	2.55	18	110	< 0.5	2	0.25	< 0.5	6	40	8	3.93	< 10	< 1	0.22	10	0.65	250	1
BB 21981	201 202	1.2	2.37	40	130	0.5	< 2	0.29	0.5	9	39	10	3.13	< 10	< 1	0.17	10	0.70	335	3
BB 21982	201 202	14.6	2.63	914	60	0.5	< 2	0.18	2.5	10	38	56	5.12	< 10	< 1	0.12	10	0.51	560	3
BB 21983	201 202	< 0.2	3.03	38	110	0.5	2	0.16	0.5	9	44	21	4.25	< 10	< 1	0.16	10	0.71	350	4
BB 21984	201 202	< 0.2	2.74	34	100	0.5	2	0.13	0.5	7	38	13	4.20	< 10	< 1	0.11	10	0.54	330	1
BB 21985	201 202	0.6	2.15	10	60	< 0.5	2	0.16	1.0	6	27	8	3.33	< 10	< 1	0.07	< 10	0.40	260	1
BB 21986	201 202	< 0.2	1.94	22	80	< 0.5	2	0.13	< 0.5	5	34	7	3.58	< 10	< 1	0.12	10	0.46	290	1
BB 21987	201 202	0.2	2.73	44	120	0.5	2	0.13	0.5	7	41	19	3.38	< 10	< 1	0.11	10	0.59	280	1
BB 21988	201 202	0.6	0.95	30	60	< 0.5	2	0.13	0.5	3	18	9	1.80	< 10	< 1	0.09	10	0.24	150	1
BB 21989	201 202	< 0.2	2.11	18	60	< 0.5	2	0.08	< 0.5	8	33	18	4.72	< 10	< 1	0.06	< 10	0.47	175	1
BB 21990	201 202	< 0.2	0.87	4	50	< 0.5	2	0.12	< 0.5	3	17	4	1.54	< 10	< 1	0.05	< 10	0.26	110	< 1
BB 21991	201 202	< 0.2	1.16	8	70	< 0.5	2	0.08	< 0.5	3	18	7	2.29	< 10	< 1	0.05	10	0.19	140	3
BB 21992	201 202	< 0.2	1.89	10	100	< 0.5	4	0.17	< 0.5	4	29	3	2.60	< 10	< 1	0.11	10	0.43	175	< 1
BB 21993	201 202	0.2	2.24	16	110	< 0.5	2	0.24	< 0.5	7	48	6	3.70	< 10	< 1	0.16	10	0.84	255	1
BB 21994	201 202	< 0.2	2.04	16	80	< 0.5	2	0.13	< 0.5	5	30	6	3.43	10	< 1	0.11	10	0.37	250	1
BB 21995	201 202	0.2	3.61	4	260	0.5	4	0.18	< 0.5	15	103	39	5.80	10	< 1	0.17	10	1.19	660	2
BB 21996	201 202	< 0.2	2.02	14	120	0.5	2	0.64	< 0.5	13	42	35	3.29	< 10	< 1	0.21	30	0.87	475	1
BB 21997	201 202	< 0.2	1.81	12	110	< 0.5	2	0.61	< 0.5	11	39	32	3.05	< 10	< 1	0.18	20	0.82	355	1
BB 21998	201 202	0.2	1.67	10	100	< 0.5	2	0.15	< 0.5	6	33	17	2.28	< 10	< 1	0.10	10	0.45	260	< 1
BB 21999	201 202	0.2	1.30	40	160	< 0.5	2	0.60	< 0.5	10	43	19	2.50	< 10	< 1	0.08	< 10	0.45	480	2
BB 22000	201 202	0.4	1.98	36	180	0.5	2	0.77	< 0.5	12	60	32	2.86	< 10	< 1	0.15	10	1.00	590	1
BB 22501	201 202	< 0.2	2.09	8	150	0.5	2	0.51	< 0.5	23	57	82	3.02	< 10	< 1	0.10	10	0.87	505	1
BB 22502	201 202	0.2	2.60	46	250	0.5	2	0.59	0.5	25	86	85	3.32	< 10	< 1	0.13	10	1.07	705	1
BB 22503	201 202	0.8	2.68	16	120	0.5	2	0.51	0.5	20	70	119	3.52	< 10	< 1	0.11	10	1.09	720	1
BB 22504	201 202	< 0.2	1.88	6	110	< 0.5	2	0.35	< 0.5	13	49	43	2.58	< 10	< 1	0.09	10	0.67	480	1
BB 22505	201 202	0.2	2.22	6	140	0.5	2	0.58	0.5	21	78	92	3.52	< 10	< 1	0.12	30	0.85	550	3
BB 22506	201 202	0.2	3.38	10	200	1.0	4	0.44	< 0.5	27	89	80	4.86	< 10	< 1	0.16	10	1.00	1095	4
BB 22507	201 202	1.2	2.77	14	190	0.5	6	0.73	4.5	22	61	77	3.64	< 10	< 1	0.17	10	1.15	1170	2
BB 22508	201 202	< 0.2	2.26	14	140	0.5	4	0.46	1.0	19	95	56	3.61	< 10	< 1	0.15	10	1.13	705	2
BB 22509	201 202	0.4	2.95	16	150	1.0	4	0.53	0.5	20	69	65	3.52	< 10	< 1	0.12	30	1.01	645	3
BB 22510	201 202	< 0.2	1.95	28	80	< 0.5	2	0.26	< 0.5	7	54	23	3.39	< 10	< 1	0.10	10	0.59	275	2
BB 22511	201 202	< 0.2	1.82	38	120	0.5	2	0.50	< 0.5	13	55	42	2.96	< 10	< 1	0.09	10	1.02	555	2
BB 22512	201 202	< 0.2	1.59	30	140	< 0.5	4	0.28	< 0.5	5	34	8	2.41	< 10	< 1	0.10	10	0.65	225	3
BB 22513	201 202	0.4	1.52	30	120	< 0.5	2	0.34	< 0.5	6	43	13	2.21	< 10	< 1	0.08	10	0.65	245	2
BB 22514	201 202	0.2	1.32	20	100	< 0.5	2	0.18	< 0.5	6	35	10	2.34	< 10	< 1	0.05	< 10	0.45	245	1
BB 22515	201 202	< 0.2	1.77	18	170	< 0.5	2	0.46	< 0.5	11	51	31	2.75	< 10	< 1	0.07	10	0.84	450	3
BB 22516	201 202	0.2	1.95	32	180	0.5	2	0.54	< 0.5	13	56	39	3.12	< 10	< 1	0.14	10	1.04	570	2

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT (GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page : 5-B
Total Pages : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 21977	201 202	< 0.01	28	510	26	< 2	5	24	0.09	< 10	< 10	60	< 10	120
BB 21978	201 202	< 0.01	9	200	16	< 2	3	20	0.09	< 10	< 10	44	< 10	40
BB 21979	201 202	< 0.01	12	490	18	< 2	2	16	0.16	< 10	< 10	97	< 10	78
BB 21980	201 202	< 0.01	15	200	200	2	4	25	0.15	< 10	< 10	72	< 10	240
BB 21981	201 202	< 0.01	21	340	128	< 2	4	21	0.09	< 10	< 10	48	< 10	250
BB 21982	201 202	< 0.01	17	820	3500	12	3	17	0.07	< 10	< 10	52	< 10	714
BB 21983	201 202	< 0.01	25	260	208	2	4	17	0.10	< 10	< 10	55	< 10	266
BB 21984	201 202	< 0.01	18	370	96	2	3	16	0.12	< 10	< 10	58	< 10	270
BB 21985	201 202	< 0.01	11	190	324	< 2	3	17	0.13	< 10	< 10	54	< 10	260
BB 21986	201 202	< 0.01	13	270	50	< 2	3	14	0.10	< 10	< 10	64	< 10	112
BB 21987	201 202	< 0.01	21	250	232	2	4	15	0.09	< 10	< 10	56	< 10	284
BB 21988	201 202	< 0.01	8	210	82	< 2	1	15	0.07	< 10	< 10	40	< 10	80
BB 21989	201 202	< 0.01	19	390	18	< 2	3	10	0.12	< 10	< 10	67	< 10	74
BB 21990	201 202	< 0.01	7	90	18	< 2	1	9	0.09	< 10	< 10	41	< 10	38
BB 21991	201 202	< 0.01	9	210	24	< 2	1	10	0.12	< 10	< 10	55	< 10	64
BB 21992	201 202	< 0.01	8	270	28	< 2	3	18	0.12	< 10	< 10	61	< 10	54
BB 21993	201 202	< 0.01	23	380	24	2	3	20	0.13	< 10	< 10	63	< 10	88
BB 21994	201 202	< 0.01	10	190	34	< 2	3	16	0.12	< 10	< 10	74	< 10	78
BB 21995	201 202	< 0.01	47	690	90	2	6	19	0.15	< 10	< 10	131	< 10	334
BB 21996	201 202	< 0.01	35	620	30	< 2	5	37	0.12	< 10	< 10	44	< 10	98
BB 21997	201 202	< 0.01	32	650	20	< 2	4	31	0.10	< 10	< 10	39	< 10	88
BB 21998	201 202	< 0.01	16	260	26	< 2	3	13	0.08	< 10	< 10	47	< 10	64
BB 21999	201 202	< 0.01	16	400	30	< 2	3	35	0.09	< 10	< 10	67	< 10	64
BB 22000	201 202	< 0.01	40	780	32	< 2	5	47	0.08	< 10	< 10	54	< 10	112
BB 22501	201 202	< 0.01	49	1210	32	< 2	5	44	0.15	< 10	< 10	70	< 10	120
BB 22502	201 202	< 0.01	63	1290	198	< 2	6	44	0.16	< 10	< 10	87	< 10	210
BB 22503	201 202	< 0.01	53	1020	448	2	6	50	0.17	< 10	< 10	85	< 10	516
BB 22504	201 202	< 0.01	34	630	42	< 2	4	27	0.15	< 10	< 10	61	< 10	124
BB 22505	201 202	< 0.01	72	1210	94	< 2	6	56	0.16	< 10	< 10	111	< 10	244
BB 22506	201 202	< 0.01	54	1070	208	2	6	52	0.17	< 10	< 10	112	< 10	194
BB 22507	201 202	< 0.01	51	1290	602	2	6	106	0.13	< 10	< 10	74	< 10	542
BB 22508	201 202	< 0.01	76	1020	80	2	5	42	0.17	< 10	< 10	81	< 10	200
BB 22509	201 202	< 0.01	46	700	332	< 2	7	72	0.16	< 10	< 10	81	< 10	284
BB 22510	201 202	< 0.01	24	690	28	< 2	3	24	0.13	< 10	< 10	80	< 10	76
BB 22511	201 202	< 0.01	42	780	36	< 2	5	37	0.12	< 10	< 10	58	< 10	100
BB 22512	201 202	< 0.01	13	220	26	< 2	3	29	0.15	< 10	< 10	75	< 10	64
BB 22513	201 202	< 0.01	18	380	28	< 2	3	27	0.10	< 10	< 10	51	< 10	72
BB 22514	201 202	< 0.01	16	280	26	< 2	2	16	0.11	< 10	< 10	56	< 10	60
BB 22515	201 202	< 0.01	35	690	34	2	4	29	0.10	< 10	< 10	54	< 10	96
BB 22516	201 202	< 0.01	42	740	28	2	5	34	0.11	< 10	< 10	57	< 10	118

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT (GRID#3)
Comments: ATTN: NORDAC RESOURCES

Page: 6-A
Total Pages: 7
Certificate Date: 04-AUG-96
Invoice No.: 19625618
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 22517	201 202	< 0.2	1.29	32	70	< 0.5	2	0.17	< 0.5	4	34	6	2.28	< 10	< 1	0.09	10	0.40	190	1
BB 22518	201 202	< 0.2	1.80	22	100	< 0.5	2	0.38	< 0.5	6	58	12	2.49	< 10	< 1	0.10	10	0.83	225	1
BB 22519	201 202	< 0.2	1.82	8	70	< 0.5	6	0.24	< 0.5	1	32	4	1.72	< 10	< 1	0.04	10	0.21	90	1
BB 22520	201 202	< 0.2	2.79	36	180	< 0.5	2	0.28	< 0.5	11	57	11	3.94	< 10	< 1	0.10	10	1.10	355	3
BB 22521	201 202	< 0.2	2.99	42	140	< 0.5	2	0.36	< 0.5	12	55	31	3.17	< 10	< 1	0.13	10	0.98	345	1
BB 22522	201 202	0.8	2.37	22	270	< 0.5	< 2	1.31	< 0.5	14	48	81	2.63	< 10	< 1	0.09	20	0.78	690	3
BB 22523	201 202	< 0.2	1.98	26	150	< 0.5	< 2	0.38	< 0.5	9	47	25	2.86	< 10	< 1	0.10	10	0.95	335	2
BB 22524	201 202	< 0.2	1.79	22	180	< 0.5	< 2	1.73	< 0.5	11	40	31	2.41	< 10	< 1	0.11	10	0.82	685	2
BB 22525	201 202	< 0.2	1.91	14	130	< 0.5	< 2	0.22	< 0.5	6	42	13	2.53	< 10	< 1	0.08	10	0.78	270	1
BB 22526	201 202	< 0.2	1.91	8	140	< 0.5	2	0.22	< 0.5	9	71	11	2.71	< 10	< 1	0.06	< 10	0.73	285	3
BB 22527	201 202	< 0.2	2.67	34	190	< 0.5	< 2	0.33	< 0.5	8	57	21	3.90	< 10	< 1	0.18	10	0.91	275	4
BB 22528	201 202	0.2	2.98	36	210	< 0.5	2	0.24	< 0.5	15	62	41	3.56	< 10	< 1	0.16	10	0.98	450	2
BB 22529	201 202	< 0.2	1.91	10	170	< 0.5	2	0.85	< 0.5	11	42	27	2.75	< 10	< 1	0.12	10	0.78	495	1
BB 22530	201 202	< 0.2	2.34	36	150	< 0.5	2	0.35	< 0.5	11	40	21	2.82	< 10	< 1	0.11	10	0.73	305	1
BB 22531	201 202	< 0.2	1.80	10	180	< 0.5	2	0.84	< 0.5	13	43	30	2.75	< 10	< 1	0.15	10	0.76	620	1
BB 22532	201 202	< 0.2	2.06	8	200	< 0.5	2	0.89	< 0.5	11	49	36	3.15	< 10	< 1	0.19	10	0.91	415	1
BB 22533	201 202	0.2	1.91	40	250	< 0.5	2	0.59	< 0.5	13	40	45	2.60	< 10	< 1	0.13	10	0.56	590	2
BB 22534	201 202	< 0.2	1.85	8	180	< 0.5	2	0.86	< 0.5	9	41	22	2.56	< 10	< 1	0.11	10	0.75	370	1
BB 22535	201 202	< 0.2	1.65	8	170	< 0.5	2	0.60	< 0.5	9	39	17	2.35	< 10	< 1	0.07	10	0.72	340	< 1
BB 22536	201 202	< 0.2	1.65	18	150	< 0.5	2	0.45	< 0.5	12	44	28	2.67	< 10	< 1	0.10	10	0.77	535	1
BB 22537	201 202	< 0.2	1.54	16	160	< 0.5	< 2	0.86	< 0.5	11	41	33	2.49	< 10	< 1	0.15	10	0.69	485	1
BB 22538	201 202	< 0.2	1.90	14	170	< 0.5	2	0.71	< 0.5	13	51	36	3.03	< 10	< 1	0.13	10	0.79	350	1
BB 22539	201 202	< 0.2	1.94	6	170	< 0.5	2	0.83	< 0.5	10	45	26	2.67	< 10	< 1	0.11	10	0.83	395	1
BB 22540	201 202	< 0.2	2.04	14	190	< 0.5	2	0.67	< 0.5	12	45	51	3.17	< 10	< 1	0.13	10	0.89	450	2
BB 22541	201 202	0.2	2.09	16	220	< 0.5	< 2	1.38	< 0.5	12	42	43	2.67	< 10	< 1	0.15	10	0.75	510	1
BB 22542	201 202	< 0.2	1.41	12	210	< 0.5	2	0.92	< 0.5	8	34	20	2.21	< 10	< 1	0.12	10	0.62	385	1
BB 22543	201 202	0.4	2.00	14	210	< 0.5	2	1.11	< 0.5	12	46	45	2.84	< 10	< 1	0.17	10	0.81	460	2
BB 22544	201 202	< 0.2	2.34	14	250	< 0.5	< 2	1.72	< 0.5	12	45	58	2.97	< 10	< 1	0.14	20	0.81	640	2
BB 22545	201 202	0.2	2.09	26	200	< 0.5	2	0.72	< 0.5	14	51	49	3.10	< 10	< 1	0.25	10	0.94	575	3
BB 22701	201 202	0.4	2.10	26	170	< 0.5	< 2	0.47	< 0.5	10	61	23	2.62	< 10	< 1	0.13	10	0.87	440	1
BB 22702	201 202	< 0.2	2.98	24	110	< 0.5	4	0.21	< 0.5	8	69	14	4.73	< 10	< 1	0.10	10	0.60	325	3
BB 22703	201 202	0.2	1.91	26	150	< 0.5	< 2	1.08	< 0.5	18	55	84	3.14	< 10	< 1	0.16	40	0.94	1225	4
BB 22704	201 202	< 0.2	1.86	14	140	< 0.5	< 2	1.05	< 0.5	7	38	66	2.10	< 10	< 1	0.13	20	0.66	260	2
BB 22705	201 202	0.6	2.34	24	180	< 0.5	< 2	1.41	< 0.5	18	55	76	3.34	< 10	< 1	0.18	20	0.90	950	4
BB 22706	201 202	< 0.2	2.66	18	190	< 0.5	< 2	0.18	< 0.5	9	60	11	3.73	< 10	< 1	0.07	10	0.54	395	1
BB 22707	201 202	< 0.2	2.25	18	130	< 0.5	2	0.21	< 0.5	7	48	15	3.33	< 10	< 1	0.12	10	0.68	275	2
BB 22708	201 202	< 0.2	2.30	14	120	< 0.5	2	0.26	< 0.5	8	47	17	3.94	< 10	< 1	0.13	10	0.78	330	1
BB 22709	201 202	< 0.2	2.62	26	200	< 0.5	2	0.32	< 0.5	10	53	23	3.45	< 10	< 1	0.10	10	0.85	360	1
BB 22710	201 202	< 0.2	2.52	10	200	< 0.5	2	0.36	< 0.5	11	54	22	3.03	< 10	< 1	0.10	10	0.93	360	1
BB 22711	201 202	< 0.2	1.92	28	220	< 0.5	< 2	0.34	< 0.5	9	43	27	2.71	< 10	< 1	0.12	10	0.79	540	1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT (GRID#3)
Comments: ATTN: NORDAC RESOURCES

Page : 6-B
Total : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 22517	201 202	< 0.01	11	340	30	< 2	3	20	0.13	< 10	< 10	76	< 10	56
BB 22518	201 202	< 0.01	25	330	26	< 2	4	31	0.12	< 10	< 10	60	< 10	120
BB 22519	201 202	< 0.01	4	100	48	< 2	3	25	0.17	< 10	< 10	78	< 10	104
BB 22520	201 202	< 0.01	25	180	16	< 2	4	30	0.12	< 10	< 10	77	< 10	90
BB 22521	201 202	< 0.01	36	640	30	< 2	5	28	0.10	< 10	< 10	57	< 10	112
BB 22522	201 202	< 0.01	43	690	16	< 2	5	69	0.05	< 10	10	55	< 10	96
BB 22523	201 202	< 0.01	28	650	16	< 2	4	34	0.06	< 10	< 10	52	< 10	90
BB 22524	201 202	< 0.01	32	750	22	< 2	4	76	0.04	< 10	< 10	42	< 10	140
BB 22525	201 202	< 0.01	25	220	30	< 2	3	17	0.06	< 10	< 10	40	< 10	96
BB 22526	201 202	< 0.01	17	170	20	< 2	3	28	0.09	< 10	< 10	90	< 10	100
BB 22527	201 202	< 0.01	38	430	30	2	4	23	0.08	< 10	< 10	61	< 10	110
BB 22528	201 202	< 0.01	52	490	72	2	5	21	0.08	< 10	< 10	56	< 10	148
BB 22529	201 202	< 0.01	28	640	10	2	5	42	0.13	< 10	< 10	57	< 10	82
BB 22530	201 202	< 0.01	26	240	14	< 2	4	23	0.13	< 10	< 10	57	< 10	62
BB 22531	201 202	< 0.01	31	750	10	< 2	6	45	0.14	< 10	< 10	57	< 10	102
BB 22532	201 202	< 0.01	33	760	8	< 2	7	47	0.14	< 10	< 10	64	< 10	102
BB 22533	201 202	< 0.01	39	510	14	< 2	6	41	0.10	< 10	< 10	49	< 10	106
BB 22534	201 202	< 0.01	24	550	12	< 2	5	43	0.12	< 10	< 10	55	< 10	66
BB 22535	201 202	< 0.01	20	630	10	< 2	4	32	0.13	< 10	< 10	53	< 10	52
BB 22536	201 202	< 0.01	27	640	32	< 2	5	28	0.12	< 10	< 10	54	< 10	72
BB 22537	201 202	< 0.01	31	790	24	< 2	4	36	0.09	< 10	< 10	45	< 10	112
BB 22538	201 202	< 0.01	34	700	18	< 2	6	35	0.12	< 10	< 10	59	< 10	108
BB 22539	201 202	< 0.01	23	770	8	< 2	5	40	0.14	< 10	< 10	57	< 10	64
BB 22540	201 202	< 0.01	47	580	16	< 2	5	34	0.13	< 10	< 10	56	< 10	146
BB 22541	201 202	< 0.01	33	780	20	2	5	61	0.10	< 10	10	50	< 10	116
BB 22542	201 202	< 0.01	22	620	14	< 2	4	44	0.10	< 10	< 10	43	< 10	64
BB 22543	201 202	< 0.01	38	810	18	< 2	6	52	0.12	< 10	< 10	54	< 10	94
BB 22544	201 202	< 0.01	34	900	14	2	6	76	0.09	< 10	10	55	< 10	80
BB 22545	201 202	< 0.01	42	770	38	2	6	41	0.11	< 10	< 10	59	< 10	134
BB 22701	201 202	< 0.01	30	430	26	2	4	36	0.06	< 10	< 10	57	< 10	168
BB 22702	201 202	< 0.01	18	350	22	< 2	4	25	0.14	< 10	< 10	102	< 10	122
BB 22703	201 202	< 0.01	61	960	26	2	6	51	0.08	< 10	< 10	54	< 10	152
BB 22704	201 202	< 0.01	37	590	18	< 2	4	58	0.07	< 10	< 10	41	< 10	126
BB 22705	201 202	< 0.01	53	970	50	2	6	70	0.07	< 10	< 10	57	< 10	304
BB 22706	201 202	< 0.01	18	160	64	2	4	20	0.04	< 10	< 10	95	< 10	196
BB 22707	201 202	< 0.01	18	150	24	< 2	4	20	0.10	< 10	< 10	75	< 10	80
BB 22708	201 202	< 0.01	23	260	16	< 2	5	21	0.16	< 10	< 10	88	< 10	80
BB 22709	201 202	< 0.01	31	420	20	< 2	5	23	0.13	< 10	< 10	70	< 10	70
BB 22710	201 202	< 0.01	31	200	28	< 2	5	27	0.12	< 10	< 10	64	< 10	70
BB 22711	201 202	< 0.01	30	540	18	< 2	4	23	0.09	< 10	< 10	52	< 10	98

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT (GRID#3)
Comments: ATTN: NORDAC RESOURCES

Page: 7-A
Total: 7
Certificate Date: 04-AUG-96
Invoice No.: 19625618
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
BB 22712	201	202	< 0.2	2.21	4	180	< 0.5	4	0.35	< 0.5	8	40	13	2.70	< 10	< 1	0.11	10	0.70	360	1
BB 22713	201	202	< 0.2	2.03	22	150	< 0.5	2	0.31	< 0.5	7	43	11	2.80	< 10	< 1	0.11	10	0.51	205	1
BB 22714	201	202	< 0.2	1.48	24	160	< 0.5	2	0.96	< 0.5	10	42	28	2.45	< 10	< 1	0.11	10	0.68	720	2
BB 22715	201	202	0.2	2.02	8	170	< 0.5	4	0.72	< 0.5	11	44	23	3.03	< 10	< 1	0.14	10	0.77	500	1
BB 22716	201	202	< 0.2	1.60	22	110	< 0.5	2	0.22	0.5	9	44	11	3.97	< 10	< 1	0.12	10	0.50	495	2
BB 22717	201	202	< 0.2	3.33	10	270	0.5	< 2	0.34	< 0.5	16	39	3	6.05	< 10	< 1	0.10	< 10	0.34	370	2
BB 22718	201	202	< 0.2	3.29	14	160	< 0.5	4	0.25	< 0.5	7	77	9	4.30	10	< 1	0.06	10	0.72	230	2
BB 22719	201	202	< 0.2	2.35	18	170	0.5	2	0.48	< 0.5	18	95	39	3.36	< 10	< 1	0.17	10	1.05	550	1
BB 22720	201	202	< 0.2	1.03	6	80	< 0.5	2	0.29	< 0.5	3	32	5	1.30	< 10	< 1	0.07	< 10	0.29	190	1
BB 22721	201	202	< 0.2	2.08	2	150	< 0.5	2	0.27	< 0.5	6	42	9	2.05	< 10	< 1	0.10	< 10	0.57	175	< 1
BB 22722	201	202	0.2	1.89	10	120	< 0.5	2	0.25	< 0.5	7	54	9	2.92	< 10	< 1	0.08	< 10	0.72	245	1
BB 22723	201	202	< 0.2	1.32	16	130	< 0.5	2	0.34	< 0.5	5	43	10	2.07	< 10	< 1	0.09	< 10	0.55	175	1
BB 22724	201	202	< 0.2	2.01	22	150	< 0.5	2	0.27	< 0.5	8	58	13	3.26	< 10	< 1	0.09	< 10	0.84	375	2
BB 22725	201	202	< 0.2	1.45	12	120	< 0.5	2	0.22	< 0.5	4	29	5	1.99	< 10	< 1	0.04	< 10	0.28	200	1
BB 22726	201	202	0.2	2.78	54	150	0.5	2	0.32	< 0.5	11	66	15	4.26	< 10	< 1	0.10	< 10	0.87	350	3
BB 22727	201	202	0.2	1.91	22	140	< 0.5	2	0.34	< 0.5	6	44	7	2.67	< 10	< 1	0.10	10	0.79	275	2
BB 22728	201	202	0.2	1.79	10	150	< 0.5	2	0.30	< 0.5	4	32	5	1.93	< 10	< 1	0.07	10	0.44	195	1
BB 22729	201	202	0.2	2.22	24	160	< 0.5	6	0.34	< 0.5	10	56	8	3.73	< 10	< 1	0.13	< 10	0.78	345	2
BB 22730	201	202	< 0.2	2.30	14	100	< 0.5	6	0.25	< 0.5	9	47	12	4.86	10	< 1	0.09	< 10	0.75	395	1
BB 22731	201	202	< 0.2	1.60	28	80	< 0.5	2	0.22	< 0.5	5	35	7	2.81	< 10	< 1	0.07	10	0.52	200	1
BB 22732	201	202	< 0.2	0.63	< 2	40	< 0.5	2	0.18	< 0.5	1	18	3	0.71	< 10	< 1	0.05	< 10	0.14	75	< 1
BB 22733	201	202	0.6	1.56	18	150	0.5	2	0.17	0.5	6	28	29	2.14	< 10	< 1	0.05	10	0.38	660	1
BB 22734	201	202	0.2	1.08	6	90	< 0.5	4	0.12	0.5	5	24	4	2.12	< 10	< 1	0.04	< 10	0.27	395	1
BB 22735	201	202	< 0.2	1.31	16	80	< 0.5	< 2	0.30	< 0.5	6	36	17	2.10	< 10	< 1	0.06	< 10	0.63	210	1
BB 22736	201	202	< 0.2	2.12	24	140	< 0.5	2	0.34	< 0.5	9	50	14	2.95	< 10	< 1	0.07	10	0.81	320	3
BB 22737	201	202	< 0.2	1.87	18	120	< 0.5	2	0.39	< 0.5	9	49	18	2.56	< 10	< 1	0.11	10	0.87	270	1
BB 22738	201	202	0.2	1.64	20	120	< 0.5	2	0.34	< 0.5	6	50	8	2.53	< 10	< 1	0.10	10	0.72	265	2
BB 22739	201	202	< 0.2	1.87	16	140	< 0.5	2	0.44	< 0.5	7	54	11	2.66	< 10	< 1	0.12	10	0.83	325	1
BB 22740	201	202	< 0.2	1.41	12	110	< 0.5	2	0.32	< 0.5	5	37	7	2.27	< 10	< 1	0.11	< 10	0.53	240	1
BB 22741	201	202	0.2	2.13	12	130	< 0.5	2	0.49	< 0.5	9	51	21	2.98	< 10	< 1	0.15	< 10	0.79	325	1
BB 22742	201	202	< 0.2	1.48	12	120	< 0.5	2	0.30	< 0.5	4	36	5	1.73	< 10	< 1	0.08	10	0.50	170	1
BB 22743	201	202	0.2	0.95	2	70	< 0.5	8	0.21	< 0.5	1	28	5	1.24	< 10	< 1	0.04	< 10	0.14	125	< 1
BB 22744	201	202	< 0.2	1.40	12	80	< 0.5	6	0.15	0.5	7	34	8	3.95	< 10	< 1	0.07	< 10	0.33	360	1
BB 22745	201	202	< 0.2	2.18	20	100	< 0.5	4	0.21	< 0.5	8	42	14	3.96	< 10	< 1	0.09	< 10	0.53	305	< 1
BB 22746	201	202	< 0.2	1.93	6	140	< 0.5	4	0.19	< 0.5	11	36	9	3.08	< 10	< 1	0.07	< 10	0.51	365	1
BB 22747	201	202	0.6	3.15	28	170	0.5	6	0.24	< 0.5	15	59	18	4.77	< 10	< 1	0.11	< 10	0.85	585	1
BB 22748	201	202	< 0.2	0.90	4	90	< 0.5	2	0.47	1.5	3	20	9	1.66	< 10	< 1	0.10	10	0.18	175	1

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT(GRID#3)
Comments: ATTN:NORDAC RESOURCES

Page 1 of 1
Total : 7
Certificate Date: 04-AUG-96
Invoice No. : 19625618
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625618

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
BB 22712	201 202	< 0.01	17	410	12	< 2	5	27	0.15	< 10	< 10	66	< 10	76
BB 22713	201 202	< 0.01	18	320	22	< 2	4	27	0.11	< 10	< 10	66	< 10	62
BB 22714	201 202	< 0.01	26	880	26	2	5	48	0.08	< 10	< 10	45	< 10	94
BB 22715	201 202	< 0.01	22	370	14	< 2	5	41	0.14	< 10	< 10	69	< 10	102
BB 22716	201 202	< 0.01	17	780	14	2	3	21	0.13	< 10	< 10	125	< 10	88
BB 22717	201 202	< 0.01	26	520	2	4	7	15	< 0.01	< 10	< 10	52	< 10	66
BB 22718	201 202	< 0.01	17	220	20	< 2	5	34	0.15	< 10	< 10	116	< 10	62
BB 22719	201 202	< 0.01	34	580	22	2	6	43	0.12	< 10	< 10	77	< 10	114
BB 22720	201 202	< 0.01	6	200	16	< 2	2	30	0.15	< 10	< 10	56	< 10	30
BB 22721	201 202	< 0.01	15	360	14	< 2	4	19	0.12	< 10	< 10	50	< 10	50
BB 22722	201 202	< 0.01	18	340	14	< 2	3	23	0.12	< 10	< 10	63	< 10	60
BB 22723	201 202	< 0.01	13	220	12	< 2	3	27	0.11	< 10	< 10	61	< 10	64
BB 22724	201 202	< 0.01	23	680	16	< 2	3	25	0.10	< 10	< 10	71	< 10	86
BB 22725	201 202	< 0.01	8	260	14	< 2	2	22	0.11	< 10	< 10	66	< 10	42
BB 22726	201 202	< 0.01	27	590	16	2	5	29	0.13	< 10	< 10	76	< 10	108
BB 22727	201 202	< 0.01	16	440	16	< 2	4	30	0.12	< 10	< 10	68	< 10	76
BB 22728	201 202	< 0.01	9	170	18	< 2	3	29	0.12	< 10	< 10	58	< 10	46
BB 22729	201 202	< 0.01	22	440	20	< 2	4	30	0.19	< 10	< 10	102	< 10	108
BB 22730	201 202	< 0.01	15	690	22	2	5	21	0.24	< 10	< 10	127	< 10	124
BB 22731	201 202	< 0.01	12	400	14	2	3	22	0.12	< 10	< 10	75	< 10	58
BB 22732	201 202	< 0.01	4	120	16	< 2	1	19	0.12	< 10	< 10	30	< 10	18
BB 22733	201 202	< 0.01	13	240	70	2	3	21	0.10	< 10	< 10	49	< 10	66
BB 22734	201 202	< 0.01	6	240	20	2	1	9	0.13	< 10	< 10	64	< 10	66
BB 22735	201 202	< 0.01	25	530	14	< 2	3	19	0.08	< 10	< 10	41	< 10	54
BB 22736	201 202	< 0.01	21	160	12	< 2	4	27	0.11	< 10	< 10	61	< 10	70
BB 22737	201 202	< 0.01	25	250	12	< 2	4	31	0.13	< 10	< 10	57	< 10	74
BB 22738	201 202	< 0.01	15	290	12	2	3	30	0.12	< 10	< 10	67	< 10	48
BB 22739	201 202	< 0.01	20	330	14	< 2	4	33	0.14	< 10	< 10	66	< 10	58
BB 22740	201 202	< 0.01	12	300	14	< 2	3	25	0.12	< 10	< 10	64	< 10	70
BB 22741	201 202	< 0.01	28	470	14	2	4	30	0.14	< 10	< 10	68	< 10	72
BB 22742	201 202	< 0.01	10	180	14	< 2	3	27	0.13	< 10	< 10	62	< 10	40
BB 22743	201 202	< 0.01	3	250	38	< 2	1	18	0.26	< 10	< 10	55	< 10	54
BB 22744	201 202	< 0.01	10	660	18	< 2	3	13	0.17	< 10	< 10	110	< 10	118
BB 22745	201 202	< 0.01	19	490	14	< 2	4	16	0.15	< 10	< 10	89	< 10	60
BB 22746	201 202	< 0.01	14	290	10	< 2	3	17	0.16	< 10	< 10	74	< 10	70
BB 22747	201 202	< 0.01	28	790	18	2	5	19	0.18	< 10	< 10	94	< 10	112
BB 22748	201 202	< 0.01	7	210	30	< 2	1	30	0.11	< 10	< 10	48	< 10	130

CERTIFICATION:

Hart Bichler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT(GRID#3)
Comments: FAX:NORDAC RESOURCES LTD.

Page : 1-A
Total : 1
Certificate Date: 04-AUG-96
Invoice No. : I9625599
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625599

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
059038	205 226	< 0.2	2.12	< 2	10	< 0.5	< 2	1.38	1.0	20	60	233	5.63	< 10	< 1	0.04	< 10	1.08	725	1
059039	205 226	0.6	0.92	8	130	0.5	< 2	0.06	5.0	12	197	122	10.05	< 10	< 1	0.20	10	0.17	485	19
059040	205 226	7.4	1.24	26	180	0.5	< 2	0.89	46.0	19	112	9	2.52	< 10	< 1	0.26	< 10	0.54	6370	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT(GRID#3)
Comments: FAX:NORDAC RESOURCES LTD.

Page : 1-B
Total : 1
Certificate Date: 04-AUG-96
Invoice No. : 19625599
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9625599

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
059038	205 226	0.14	6	2050	6	< 2	11	10	0.14	< 10	< 10	92	< 10	354
059039	205 226	< 0.01	39	890	32	2	1	17	0.03	< 10	< 10	87	< 10	400
059040	205 226	< 0.01	25	390	7380	4	3	29	0.15	< 10	< 10	28	< 10	3780

CERTIFICATION:

Heidi Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page 1-A
Total 7
Certificate Date: 21-JUL-96
Invoice No. : 19623792
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
21449	201	202	0.2	1.46	12	270	< 0.5	< 2	0.15	< 0.5	12	25	41	2.51	< 10	< 1	0.09	10	0.57	550	< 1
21450	201	202	1.6	3.21	30	310	1.5	< 2	0.45	9.0	19	93	158	3.73	10	< 1	0.20	10	0.89	695	1
21451	201	202	0.6	1.19	58	220	0.5	< 2	0.33	1.5	7	35	22	2.19	< 10	< 1	0.06	10	0.51	370	< 1
21452	201	202	1.4	3.10	198	350	2.0	4	0.28	2.0	18	102	38	5.72	10	< 1	0.23	10	1.19	940	2
21453	201	202	0.6	2.04	100	510	1.0	2	0.64	3.0	16	62	78	3.73	10	< 1	0.18	10	0.81	795	1
21454	201	202	0.2	1.56	16	190	< 0.5	< 2	0.28	0.5	6	31	19	2.45	< 10	< 1	0.14	10	0.56	295	< 1
21455	201	202	0.4	1.59	22	350	< 0.5	< 2	0.48	0.5	9	30	29	2.58	< 10	< 1	0.16	10	0.62	570	< 1
21456	201	202	0.8	1.02	8	120	< 0.5	< 2	0.14	< 0.5	3	17	4	1.27	< 10	< 1	0.09	10	0.28	120	< 1
21457	201	202	0.2	1.50	8	270	< 0.5	< 2	0.33	2.0	7	23	16	2.29	10	< 1	0.10	20	0.52	320	1
21501	201	202	0.4	1.61	66	160	< 0.5	< 2	0.15	1.5	10	31	12	5.09	10	< 1	0.07	10	0.31	565	2
21502	201	202	< 0.2	2.01	16	440	< 0.5	< 2	0.47	0.5	12	30	50	3.40	10	< 1	0.21	10	0.83	605	1
21503	201	202	0.2	2.08	10	460	0.5	< 2	0.30	0.5	11	33	34	3.08	10	< 1	0.19	10	0.65	580	< 1
21504	201	202	0.2	1.64	10	180	< 0.5	< 2	0.20	< 0.5	6	27	26	2.75	10	< 1	0.12	10	0.65	305	1
21505	201	202	0.2	1.48	8	200	< 0.5	2	0.18	< 0.5	8	25	30	2.63	< 10	< 1	0.10	10	0.58	385	< 1
21506	201	202	< 0.2	1.25	8	160	< 0.5	< 2	0.04	< 0.5	4	15	7	2.12	< 10	< 1	0.06	10	0.27	135	< 1
21507	201	202	0.6	1.31	2	130	< 0.5	< 2	0.11	< 0.5	4	25	9	1.67	< 10	< 1	0.05	< 10	0.34	130	< 1
21508	201	202	0.4	1.18	8	180	< 0.5	< 2	0.09	0.5	4	19	6	1.75	< 10	< 1	0.06	10	0.30	140	< 1
21509	201	202	0.2	1.37	20	200	< 0.5	< 2	0.20	0.5	7	26	19	2.59	< 10	< 1	0.10	10	0.53	430	1
21510	201	202	2.6	3.30	24	620	1.5	< 2	0.56	3.0	19	39	99	4.02	10	< 1	0.15	20	0.56	1215	2
21511	201	202	0.2	1.25	8	300	< 0.5	< 2	0.10	0.5	5	18	5	2.37	< 10	< 1	0.10	10	0.33	210	< 1
21512	201	202	0.2	1.69	10	190	< 0.5	< 2	0.10	< 0.5	5	24	9	2.81	< 10	< 1	0.09	10	0.45	205	< 1
21513	201	202	< 0.2	0.98	2	240	< 0.5	< 2	0.10	< 0.5	2	11	3	0.94	< 10	< 1	0.05	10	0.12	80	< 1
21514	201	202	0.2	1.84	6	230	< 0.5	< 2	0.13	< 0.5	6	27	7	3.04	10	< 1	0.10	10	0.49	210	< 1
21515	201	202	0.4	2.39	16	210	0.5	< 2	0.15	0.5	8	38	21	3.51	< 10	< 1	0.13	10	0.64	295	1
21516	201	202	0.4	1.45	10	200	< 0.5	2	0.16	0.5	11	27	27	2.44	< 10	< 1	0.07	< 10	0.52	500	< 1
21517	201	202	5.0	3.49	16	780	1.0	2	0.18	3.0	13	49	77	5.07	10	< 1	0.20	10	0.63	625	3
21518	201	202	5.2	2.29	6	1020	0.5	< 2	0.27	2.5	7	28	64	1.92	< 10	< 1	0.15	10	0.40	190	< 1
21519	201	202	0.6	1.35	16	310	< 0.5	2	0.39	0.5	10	25	43	2.82	< 10	< 1	0.12	10	0.63	615	< 1
21520	201	202	0.6	1.50	8	550	< 0.5	< 2	0.50	1.5	8	25	31	2.32	10	< 1	0.12	10	0.46	770	< 1
21521	201	202	0.2	1.24	6	150	< 0.5	< 2	0.07	< 0.5	3	16	6	1.82	< 10	< 1	0.07	10	0.30	130	< 1
21522	201	202	0.6	1.38	48	220	< 0.5	< 2	0.16	1.0	11	23	11	3.63	< 10	< 1	0.05	< 10	0.34	835	1
21523	201	202	< 0.2	1.45	10	320	< 0.5	< 2	0.39	< 0.5	8	28	26	2.43	< 10	< 1	0.10	20	0.61	455	< 1
21524	201	202	0.6	2.43	10	270	< 0.5	< 2	0.10	< 0.5	6	30	22	2.87	< 10	< 1	0.11	10	0.54	215	< 1
21525	201	202	< 0.2	1.55	10	170	< 0.5	< 2	0.10	< 0.5	4	21	14	2.22	< 10	< 1	0.08	20	0.52	215	< 1
21526	201	202	< 0.2	1.35	4	240	< 0.5	2	0.13	< 0.5	3	14	4	2.20	< 10	< 1	0.06	10	0.28	125	< 1
21527	201	202	0.2	1.38	12	280	< 0.5	< 2	0.32	< 0.5	9	27	28	2.51	< 10	< 1	0.10	10	0.61	470	< 1
21528	201	202	0.2	1.61	4	180	< 0.5	< 2	0.11	< 0.5	4	19	4	2.09	< 10	< 1	0.08	10	0.20	210	< 1
21529	201	202	< 0.2	1.22	8	80	< 0.5	< 2	0.08	< 0.5	5	22	7	3.15	10	< 1	0.05	< 10	0.26	230	< 1
21530	201	202	0.2	1.37	24	120	< 0.5	< 2	0.13	< 0.5	7	25	12	4.06	10	< 1	0.06	< 10	0.35	285	2
21531	201	202	0.2	2.20	12	150	< 0.5	< 2	0.06	< 0.5	6	33	15	4.31	10	< 1	0.07	10	0.46	255	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page ber : 1-B
Total ss : 7
Certificate Date: 21-JUL-96
Invoice No. : 19623792
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
21449	201 202	< 0.01	21	240	28	< 2	3	11	0.04	< 10	< 10	33	< 10	70
21450	201 202	< 0.01	48	1020	4050	< 2	7	31	0.09	< 10	< 10	69	< 10	5320
21451	201 202	< 0.01	22	540	110	< 2	3	18	0.06	< 10	< 10	38	< 10	376
21452	201 202	< 0.01	49	760	164	4	6	22	0.13	< 10	< 10	97	< 10	784
21453	201 202	< 0.01	39	700	104	< 2	6	30	0.10	< 10	< 10	68	< 10	464
21454	201 202	< 0.01	17	540	42	< 2	3	17	0.07	< 10	< 10	46	< 10	126
21455	201 202	< 0.01	21	760	40	< 2	4	28	0.06	< 10	< 10	41	< 10	108
21456	201 202	< 0.01	6	200	36	< 2	1	11	0.07	< 10	< 10	29	< 10	52
21457	201 202	< 0.01	16	430	24	< 2	3	20	0.04	< 10	< 10	33	< 10	252
21501	201 202	< 0.01	13	450	68	< 2	3	14	0.13	< 10	< 10	91	< 10	190
21502	201 202	< 0.01	31	610	40	< 2	4	30	0.05	< 10	< 10	42	< 10	170
21503	201 202	< 0.01	25	590	32	< 2	3	23	0.03	< 10	< 10	45	< 10	116
21504	201 202	< 0.01	19	600	22	< 2	3	12	0.05	< 10	< 10	40	< 10	92
21505	201 202	< 0.01	20	610	26	< 2	2	12	0.03	< 10	< 10	34	< 10	86
21506	201 202	< 0.01	8	250	20	< 2	1	5	0.01	< 10	< 10	27	< 10	34
21507	201 202	< 0.01	13	260	26	< 2	1	9	0.07	< 10	< 10	31	< 10	54
21508	201 202	< 0.01	9	170	26	< 2	1	7	0.05	< 10	< 10	32	< 10	58
21509	201 202	< 0.01	17	440	40	< 2	3	14	0.05	< 10	< 10	41	< 10	102
21510	201 202	< 0.01	46	710	82	< 2	6	37	0.05	< 10	< 10	53	< 10	816
21511	201 202	< 0.01	9	420	22	< 2	1	9	0.03	< 10	< 10	37	< 10	68
21512	201 202	< 0.01	11	290	30	< 2	2	8	0.03	< 10	< 10	41	< 10	72
21513	201 202	< 0.01	3	70	16	< 2	1	9	0.04	< 10	< 10	26	< 10	18
21514	201 202	< 0.01	13	330	38	< 2	3	11	0.06	< 10	< 10	47	< 10	78
21515	201 202	< 0.01	24	450	52	< 2	4	12	0.05	< 10	< 10	47	< 10	116
21516	201 202	< 0.01	24	530	56	< 2	2	10	0.03	< 10	< 10	31	< 10	186
21517	201 202	< 0.01	46	1800	150	< 2	4	19	0.01	< 10	< 10	46	< 10	496
21518	201 202	< 0.01	36	1340	54	< 2	4	22	0.01	< 10	< 10	30	< 10	166
21519	201 202	< 0.01	26	750	64	< 2	4	22	0.03	< 10	< 10	33	< 10	150
21520	201 202	< 0.01	22	680	36	< 2	2	30	0.01	< 10	< 10	30	< 10	132
21521	201 202	< 0.01	7	160	16	< 2	1	6	0.03	< 10	< 10	25	< 10	38
21522	201 202	< 0.01	13	370	86	< 2	2	14	0.07	< 10	< 10	53	< 10	182
21523	201 202	< 0.01	20	390	28	< 2	4	23	0.07	< 10	< 10	38	< 10	84
21524	201 202	< 0.01	20	330	24	< 2	3	11	0.03	< 10	< 10	32	< 10	62
21525	201 202	< 0.01	13	310	18	< 2	1	9	0.02	< 10	< 10	28	< 10	50
21526	201 202	< 0.01	9	240	16	< 2	1	10	0.01	< 10	< 10	22	< 10	34
21527	201 202	< 0.01	22	740	28	< 2	3	20	0.06	< 10	< 10	36	< 10	80
21528	201 202	< 0.01	7	180	24	< 2	2	10	0.04	< 10	< 10	37	< 10	44
21529	201 202	< 0.01	9	450	20	< 2	2	9	0.14	< 10	< 10	94	< 10	58
21530	201 202	< 0.01	12	680	22	< 2	3	11	0.13	< 10	< 10	99	< 10	76
21531	201 202	< 0.01	16	380	24	< 2	3	12	0.04	< 10	< 10	59	< 10	74

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page: 2-A
Total: 7
Certificate Date: 21-JUL-96
Invoice No.: 19623792
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
21532	201 202	0.2	1.81	10	170	< 0.5	< 2	0.07	< 0.5	7	20	15	3.39	< 10	< 1	0.04	< 10	0.43	220	< 1
21533	201 202	< 0.2	1.40	12	290	< 0.5	< 2	0.26	3.0	8	44	11	3.43	< 10	< 1	0.07	< 10	0.63	370	< 1
21534	201 202	0.8	1.39	8	150	< 0.5	< 2	0.06	< 0.5	3	14	5	2.23	< 10	< 1	0.05	10	0.23	175	< 1
21535	201 202	< 0.2	2.92	4	200	0.5	< 2	0.43	1.0	26	319	16	4.99	10	< 1	0.15	< 10	2.20	420	< 1
21536	201 202	0.6	1.55	8	280	< 0.5	< 2	0.40	1.5	10	76	7	2.84	< 10	< 1	0.13	10	0.86	300	< 1
21537	201 202	< 0.2	1.04	6	140	< 0.5	< 2	0.18	< 0.5	5	21	5	1.58	< 10	< 1	0.09	10	0.31	240	< 1
21538	201 202	0.2	1.42	12	170	< 0.5	< 2	0.23	0.5	6	35	8	2.46	< 10	< 1	0.11	10	0.58	285	< 1
21539	201 202	< 0.2	1.32	16	180	< 0.5	< 2	0.10	< 0.5	5	26	12	2.82	< 10	< 1	0.09	10	0.40	215	< 1
21540	201 202	< 0.2	1.39	12	160	< 0.5	< 2	0.09	< 0.5	4	22	8	2.74	< 10	< 1	0.09	10	0.37	245	< 1
21541	201 202	0.8	0.81	32	620	< 0.5	< 2	0.05	< 0.5	2	15	23	2.86	< 10	< 1	0.09	< 10	0.12	95	1
21542	201 202	< 0.2	2.49	20	420	0.5	< 2	1.32	1.5	22	103	35	3.74	< 10	< 1	0.52	10	1.58	1055	< 1
21543	201 202	0.2	1.49	26	90	< 0.5	< 2	0.10	< 0.5	6	27	10	4.64	10	< 1	0.05	< 10	0.30	220	< 1
21544	201 202	0.8	3.96	138	420	5.0	< 2	1.34	12.5	25	128	499	5.14	< 10	< 1	0.22	40	1.36	1355	1
21545	201 202	0.2	0.76	2	220	< 0.5	< 2	0.71	2.5	8	47	12	1.29	< 10	< 1	0.09	< 10	0.40	540	1
21546	201 202	< 0.2	3.57	16	240	0.5	< 2	0.51	< 0.5	25	224	12	4.75	10	< 1	0.31	< 10	2.09	415	< 1
21547	201 202	0.2	2.01	18	210	< 0.5	< 2	0.14	< 0.5	5	28	34	2.90	< 10	< 1	0.08	< 10	0.53	225	< 1
21548	201 202	< 0.2	2.09	14	110	< 0.5	< 2	0.10	0.5	8	35	14	3.81	< 10	< 1	0.07	< 10	0.70	295	< 1
21549	201 202	1.0	1.17	6	470	0.5	< 2	0.41	0.5	3	17	22	1.27	< 10	< 1	0.05	< 10	0.16	115	1
21550	201 202	< 0.2	1.49	10	220	< 0.5	< 2	0.82	< 0.5	11	37	24	2.16	< 10	< 1	0.06	< 10	0.63	455	< 1
21551	201 202	0.2	2.33	16	250	0.5	< 2	0.10	< 0.5	10	29	21	3.16	< 10	< 1	0.07	10	0.58	285	< 1
21552	201 202	0.2	1.62	18	300	< 0.5	< 2	0.10	< 0.5	6	26	10	2.74	< 10	< 1	0.07	10	0.42	195	1
21553	201 202	0.8	1.22	12	290	< 0.5	< 2	0.20	1.0	7	17	16	2.29	< 10	< 1	0.08	< 10	0.35	335	< 1
21563	201 202	0.2	2.40	16	380	0.5	< 2	0.60	0.5	13	116	17	3.93	< 10	< 1	0.15	10	1.35	610	< 1
21564	201 202	< 0.2	2.21	22	290	0.5	< 2	0.29	< 0.5	15	117	15	3.65	< 10	< 1	0.11	10	1.15	390	< 1
21565	201 202	0.2	1.98	12	220	< 0.5	< 2	0.17	0.5	6	26	10	2.56	< 10	1	0.09	10	0.55	225	< 1
21566	201 202	0.2	1.60	20	170	< 0.5	< 2	0.11	< 0.5	6	32	12	3.14	< 10	< 1	0.12	< 10	0.54	325	< 1
21567	201 202	< 0.2	1.27	26	370	0.5	< 2	0.19	1.0	8	29	22	2.41	< 10	< 1	0.10	< 10	0.42	390	< 1
21568	201 202	0.2	1.58	74	220	0.5	< 2	0.12	0.5	9	50	21	3.99	< 10	< 1	0.14	< 10	0.54	555	1
21569	201 202	0.2	1.61	16	250	< 0.5	< 2	0.13	< 0.5	8	30	27	2.76	< 10	< 1	0.10	< 10	0.65	465	< 1
21570	201 202	0.6	0.94	24	350	< 0.5	< 2	0.01	< 0.5	1	10	21	4.62	< 10	< 1	0.16	10	0.07	85	1
21571	201 202	< 0.2	1.27	10	380	< 0.5	< 2	0.31	< 0.5	6	21	8	2.17	< 10	< 1	0.06	10	0.60	295	< 1
21572	201 202	< 0.2	1.44	10	290	< 0.5	< 2	0.27	< 0.5	6	25	18	2.16	< 10	< 1	0.08	10	0.65	315	< 1
21573	201 202	0.2	2.20	18	480	< 0.5	< 2	0.25	< 0.5	10	37	25	3.07	< 10	< 1	0.16	10	0.69	425	< 1
21574	201 202	0.2	1.33	6	340	< 0.5	< 2	0.48	< 0.5	7	23	17	2.16	< 10	< 1	0.08	10	0.55	380	1
21575	201 202	2.0	3.09	22	690	1.0	< 2	0.94	3.5	14	49	69	3.47	< 10	< 1	0.15	10	0.62	1990	3
21576	201 202	0.2	0.95	4	180	< 0.5	< 2	0.11	< 0.5	6	9	6	3.15	< 10	< 1	0.04	< 10	0.20	365	< 1
21577	201 202	1.0	0.90	6	220	< 0.5	< 2	5.83	12.0	13	9	15	2.44	< 10	< 1	0.04	< 10	2.92	4860	2
21578	201 202	< 0.2	2.47	14	230	< 0.5	< 2	0.16	0.5	9	25	18	4.54	10	< 1	0.23	< 10	0.83	590	< 1
21579	201 202	< 0.2	1.85	14	150	< 0.5	< 2	0.18	< 0.5	7	30	11	2.67	< 10	< 1	0.10	< 10	0.55	300	1
21580	201 202	< 0.2	1.87	14	170	< 0.5	< 2	0.08	< 0.5	6	24	8	2.99	< 10	< 1	0.08	10	0.41	230	< 1

CERTIFICATION:

Handwritten signature



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page 2-B
Total : 7
Certificate Date: 21-JUL-96
Invoice No. : 19623792
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
21532	201 202	< 0.01	7	180	24	< 2	3	37	0.10	< 10	< 10	79	< 10	50
21533	201 202	< 0.01	18	590	14	< 2	3	21	0.14	< 10	< 10	82	< 10	122
21534	201 202	< 0.01	6	210	18	< 2	1	6	0.04	< 10	< 10	32	< 10	56
21535	201 202	< 0.01	106	540	6	< 2	7	19	0.40	< 10	< 10	186	< 10	186
21536	201 202	< 0.01	26	630	54	< 2	3	16	0.20	< 10	< 10	73	< 10	144
21537	201 202	< 0.01	7	310	46	< 2	2	11	0.11	< 10	< 10	47	< 10	72
21538	201 202	< 0.01	15	540	36	< 2	3	13	0.08	< 10	< 10	53	< 10	104
21539	201 202	< 0.01	12	330	32	< 2	2	9	0.07	< 10	< 10	53	< 10	70
21540	201 202	< 0.01	9	310	28	< 2	2	9	0.07	< 10	< 10	44	< 10	60
21541	201 202	< 0.01	5	770	22	< 1	7	0.04	< 10	< 10	< 10	61	< 10	48
21542	201 202	< 0.01	68	1100	44	< 2	5	27	0.20	< 10	< 10	71	< 10	176
21543	201 202	< 0.01	9	610	18	< 2	2	8	0.16	< 10	< 10	104	< 10	52
21544	201 202	< 0.01	185	1520	58	< 2	8	50	0.10	< 10	< 10	79	< 10	4620
21545	201 202	< 0.01	14	500	26	< 2	2	15	0.11	< 10	< 10	35	< 10	108
21546	201 202	< 0.01	94	810	76	< 2	5	14	0.33	< 10	< 10	108	< 10	338
21547	201 202	< 0.01	20	310	32	< 2	3	31	0.03	< 10	< 10	43	< 10	86
21548	201 202	< 0.01	17	220	22	< 2	4	7	0.08	< 10	< 10	63	< 10	88
21549	201 202	< 0.01	13	780	28	< 2	< 1	24	0.01	< 10	< 10	24	< 10	56
21550	201 202	< 0.01	25	690	8	< 2	4	27	0.08	< 10	< 10	44	< 10	60
21551	201 202	< 0.01	28	280	30	< 2	3	6	0.03	< 10	< 10	30	< 10	92
21552	201 202	< 0.01	16	370	28	< 2	2	6	0.03	< 10	< 10	29	< 10	90
21553	201 202	< 0.01	10	430	72	< 2	3	17	0.06	< 10	< 10	47	< 10	120
21563	201 202	< 0.01	46	1100	84	< 2	4	20	0.16	< 10	< 10	89	< 10	372
21564	201 202	< 0.01	50	470	34	< 2	4	14	0.18	< 10	< 10	71	< 10	304
21565	201 202	< 0.01	14	180	48	< 2	3	12	0.08	< 10	< 10	39	< 10	234
21566	201 202	< 0.01	16	370	40	< 2	3	8	0.05	< 10	< 10	49	< 10	124
21567	201 202	< 0.01	16	360	36	< 2	1	18	0.03	< 10	< 10	47	< 10	116
21568	201 202	< 0.01	22	1050	52	< 2	3	10	0.06	< 10	< 10	93	< 10	218
21569	201 202	< 0.01	19	470	52	< 2	3	9	0.03	< 10	< 10	40	< 10	110
21570	201 202	0.03	2	480	46	< 10	< 1	14	0.01	< 10	< 10	34	< 10	24
21571	201 202	< 0.01	11	330	24	< 2	2	13	0.04	< 10	< 10	36	< 10	54
21572	201 202	< 0.01	16	560	22	< 2	3	15	0.04	< 10	< 10	34	< 10	78
21573	201 202	< 0.01	30	430	32	< 2	4	17	0.06	< 10	< 10	42	< 10	158
21574	201 202	< 0.01	18	500	34	< 2	2	26	0.03	< 10	< 10	28	< 10	62
21575	201 202	0.01	45	1630	54	< 2	6	51	0.04	< 10	< 10	49	< 10	376
21576	201 202	< 0.01	4	370	12	< 2	4	8	0.14	< 10	< 10	76	< 10	76
21577	201 202	< 0.01	19	1550	194	< 2	< 1	33	0.01	< 10	< 10	14	< 10	1205
21578	201 202	< 0.01	14	390	18	< 2	6	10	0.10	< 10	< 10	99	< 10	194
21579	201 202	< 0.01	14	350	16	< 2	3	14	0.10	< 10	< 10	51	< 10	104
21580	201 202	< 0.01	12	510	20	< 2	3	8	0.04	< 10	< 10	52	< 10	62

CERTIFICATION:

Heidi Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATTHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page: 3-A
Total: 7
Certificate Date: 21-JUL-96
Invoice No.: I9623792
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
21581	201 202	< 0.2	1.59	14	180	< 0.5	< 2	0.10	< 0.5	5	23	7	3.42	< 10	< 1	0.09	10	0.49	250	< 1
21582	201 202	< 0.2	2.68	10	280	< 0.5	< 2	0.34	< 0.5	14	57	41	3.55	< 10	1	0.10	< 10	0.95	395	< 1
21583	201 202	< 0.2	1.33	14	120	< 0.5	< 2	0.05	< 0.5	5	20	11	3.01	< 10	< 1	0.07	10	0.31	260	1
21584	201 202	< 0.2	1.84	14	210	< 0.5	< 2	0.07	< 0.5	4	24	12	3.42	< 10	< 1	0.07	10	0.44	215	1
21585	201 202	< 0.2	1.85	12	310	< 0.5	< 2	0.18	< 0.5	6	32	12	3.25	< 10	< 1	0.09	10	0.64	355	1
21586	201 202	< 0.2	2.58	22	220	0.5	< 2	0.42	0.5	13	87	15	3.83	< 10	< 1	0.12	10	1.29	525	< 1
21587	201 202	0.2	2.29	18	500	< 0.5	< 2	0.51	0.5	15	96	23	3.65	< 10	< 1	0.15	10	1.30	640	< 1
21588	201 202	< 0.2	2.18	12	240	< 0.5	< 2	0.28	0.5	10	61	12	3.23	< 10	< 1	0.14	10	0.89	345	< 1
21589	201 202	0.4	1.93	10	590	0.5	< 2	0.44	1.5	12	59	29	2.79	< 10	< 1	0.18	10	0.75	560	< 1
21590	201 202	0.2	2.78	18	320	< 0.5	< 2	0.22	< 0.5	7	41	20	3.44	< 10	< 1	0.17	10	0.71	315	< 1
21591	201 202	0.4	3.26	30	330	0.5	< 2	0.17	< 0.5	10	44	18	4.25	< 10	< 1	0.17	10	0.64	345	< 1
21592	201 202	< 0.2	1.39	18	240	< 0.5	< 2	0.51	1.0	9	39	25	2.93	< 10	< 1	0.16	10	0.72	415	1
21593	201 202	0.2	2.26	18	260	< 0.5	< 2	0.18	< 0.5	9	55	27	4.03	< 10	< 1	0.14	10	0.74	355	< 1
21594	201 202	1.4	2.60	16	650	0.5	< 2	1.28	1.5	15	93	41	3.78	< 10	1	0.18	10	1.39	1165	1
21595	201 202	< 0.2	1.75	16	340	< 0.5	< 2	0.66	0.5	9	37	15	2.65	< 10	< 1	0.15	10	0.78	530	< 1
21596	201 202	0.2	2.59	20	420	0.5	< 2	0.37	0.5	13	94	15	4.05	< 10	< 1	0.17	10	1.15	420	< 1
21597	201 202	0.6	2.77	16	410	0.5	< 2	0.47	0.5	11	68	18	4.35	< 10	< 1	0.22	10	1.02	480	< 1
21598	201 202	< 0.2	1.62	10	170	< 0.5	< 2	0.30	< 0.5	8	44	16	2.71	< 10	< 1	0.16	10	0.71	415	< 1
21599	201 202	< 0.2	2.48	14	490	< 0.5	< 2	0.14	0.5	8	33	20	3.55	< 10	< 1	0.14	10	0.67	350	< 1
21600	201 202	0.8	5.29	22	1320	1.0	< 2	1.12	< 0.5	16	82	81	5.94	10	< 1	0.28	10	1.12	520	1
21601	201 202	< 0.2	1.52	6	200	< 0.5	< 2	0.10	< 0.5	4	19	6	1.95	< 10	< 1	0.07	10	0.41	185	< 1
21602	201 202	0.6	2.37	8	340	0.5	< 2	0.14	2.0	12	34	27	4.19	< 10	< 1	0.08	< 10	0.46	530	< 1
21603	201 202	< 0.2	2.04	8	130	< 0.5	< 2	0.27	< 0.5	7	36	11	2.73	< 10	< 1	0.06	< 10	0.47	190	< 1
21604	201 202	< 0.2	2.11	22	180	< 0.5	< 2	0.15	< 0.5	8	34	10	4.82	10	< 1	0.15	< 10	0.52	505	1
21605	201 202	0.2	1.45	12	270	< 0.5	< 2	1.58	< 0.5	7	27	20	2.21	< 10	< 1	0.11	10	0.69	575	1
21606	201 202	< 0.2	1.86	12	140	< 0.5	< 2	0.26	0.5	8	41	8	3.08	< 10	< 1	0.10	< 10	0.66	270	< 1
21607	201 202	0.2	1.85	10	140	< 0.5	< 2	0.25	0.5	8	36	8	2.56	< 10	< 1	0.07	< 10	0.58	240	< 1
21608	201 202	< 0.2	2.75	16	160	0.5	< 2	0.29	< 0.5	10	47	11	3.20	< 10	< 1	0.10	< 10	0.71	285	< 1
21609	201 202	0.2	1.89	12	140	< 0.5	< 2	0.32	< 0.5	8	37	8	2.85	< 10	< 1	0.09	10	0.62	255	< 1
21610	201 202	0.2	1.68	14	180	< 0.5	< 2	0.39	< 0.5	8	37	11	2.39	< 10	< 1	0.09	10	0.63	290	< 1
21611	201 202	< 0.2	1.95	12	140	< 0.5	< 2	0.28	< 0.5	9	39	10	2.88	< 10	< 1	0.12	10	0.77	325	< 1
21612	201 202	< 0.2	2.01	10	150	< 0.5	< 2	0.42	< 0.5	11	44	19	2.91	< 10	< 1	0.12	10	0.85	375	< 1
21613	201 202	< 0.2	1.93	20	210	< 0.5	< 2	0.38	< 0.5	11	39	23	2.93	< 10	< 1	0.13	10	0.72	505	< 1
21614	201 202	0.2	2.90	12	250	< 0.5	< 2	0.26	1.5	15	52	14	3.44	< 10	< 1	0.12	10	0.87	420	< 1
21615	201 202	0.2	2.17	10	190	< 0.5	< 2	0.24	< 0.5	10	40	12	2.84	< 10	< 1	0.08	10	0.59	255	< 1
21616	201 202	0.6	1.84	24	370	0.5	< 2	0.73	1.5	12	41	71	2.64	< 10	< 1	0.13	< 10	0.81	600	< 1
21617	201 202	< 0.2	1.19	26	170	0.5	< 2	0.39	0.5	10	29	30	2.93	< 10	< 1	0.12	10	0.67	475	< 1
21618	201 202	< 0.2	2.01	8	220	0.5	< 2	0.69	< 0.5	13	49	30	3.06	< 10	< 1	0.18	10	0.96	500	< 1
21619	201 202	< 0.2	2.44	32	210	0.5	< 2	0.28	0.5	14	48	32	3.83	< 10	< 1	0.23	10	0.83	685	1
21620	201 202	< 0.2	2.98	24	330	0.5	< 2	0.20	< 0.5	13	46	26	3.43	< 10	< 1	0.17	10	0.81	390	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page 3-B
Total 7
Certificate Date: 21-JUL-96
Invoice No. : I9623792
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
21581	201 202	< 0.01	11	350	26	< 2	2	9	0.04	< 10	< 10	49	< 10	68
21582	201 202	< 0.01	43	670	12	< 2	6	19	0.13	< 10	< 10	71	< 10	76
21583	201 202	< 0.01	9	430	26	< 2	1	6	0.07	< 10	< 10	61	< 10	58
21584	201 202	< 0.01	11	250	36	2	2	7	0.04	< 10	< 10	49	< 10	72
21585	201 202	< 0.01	17	660	98	< 2	3	12	0.03	< 10	< 10	45	< 10	188
21586	201 202	< 0.01	43	1340	56	2	4	17	0.09	< 10	< 10	64	< 10	220
21587	201 202	< 0.01	43	1150	66	< 2	4	23	0.14	< 10	< 10	72	< 10	208
21588	201 202	< 0.01	28	560	28	< 2	4	17	0.12	< 10	< 10	56	< 10	136
21589	201 202	< 0.01	30	580	40	< 2	3	28	0.10	< 10	< 10	56	< 10	158
21590	201 202	< 0.01	24	380	38	< 2	4	15	0.08	< 10	< 10	51	< 10	148
21591	201 202	< 0.01	26	460	76	< 2	4	14	0.07	< 10	< 10	54	< 10	130
21592	201 202	< 0.01	23	990	24	2	3	25	0.10	< 10	< 10	45	< 10	292
21593	201 202	< 0.01	25	440	42	2	4	14	0.11	< 10	< 10	58	< 10	136
21594	201 202	< 0.01	50	2210	66	2	6	40	0.10	< 10	< 10	70	< 10	372
21595	201 202	< 0.01	19	650	58	< 2	3	23	0.07	< 10	< 10	53	< 10	168
21596	201 202	< 0.01	41	780	44	< 2	5	20	0.17	< 10	< 10	74	< 10	156
21597	201 202	< 0.01	33	1530	76	< 2	4	21	0.10	< 10	< 10	68	< 10	254
21598	201 202	< 0.01	21	700	38	< 2	3	16	0.11	< 10	< 10	59	< 10	104
21599	201 202	< 0.01	22	340	32	2	3	12	0.03	< 10	< 10	47	< 10	108
21600	201 202	0.01	75	1200	28	< 2	12	51	0.04	< 10	< 10	86	< 10	158
21601	201 202	< 0.01	10	230	40	< 2	1	8	0.04	< 10	< 10	39	< 10	86
21602	201 202	< 0.01	17	590	78	< 2	3	12	0.09	< 10	< 10	65	< 10	596
21603	201 202	< 0.01	15	450	14	< 2	4	18	0.13	< 10	< 10	54	< 10	64
21604	201 202	< 0.01	12	680	24	< 2	4	19	0.14	< 10	< 10	109	< 10	102
21605	201 202	0.01	15	780	26	2	3	28	0.07	< 10	< 10	40	< 10	72
21606	201 202	< 0.01	18	670	22	< 2	4	14	0.14	< 10	< 10	66	< 10	94
21607	201 202	< 0.01	19	480	20	< 2	3	13	0.12	< 10	< 10	52	< 10	70
21608	201 202	< 0.01	26	850	20	< 2	4	14	0.13	< 10	< 10	56	< 10	122
21609	201 202	< 0.01	18	510	26	< 2	3	17	0.13	< 10	< 10	55	< 10	76
21610	201 202	< 0.01	17	650	26	< 2	4	20	0.13	< 10	< 10	54	< 10	74
21611	201 202	< 0.01	18	530	16	< 2	5	19	0.19	< 10	< 10	68	< 10	92
21612	201 202	< 0.01	24	590	14	2	5	26	0.18	< 10	< 10	64	< 10	70
21613	201 202	< 0.01	23	750	38	< 2	5	20	0.12	< 10	< 10	59	< 10	98
21614	201 202	< 0.01	24	270	22	< 2	5	19	0.19	< 10	< 10	72	< 10	188
21615	201 202	< 0.01	22	330	24	< 2	4	15	0.15	< 10	< 10	56	< 10	74
21616	201 202	0.01	35	950	16	2	3	24	0.03	< 10	< 10	45	< 10	224
21617	201 202	< 0.01	27	780	56	< 2	4	17	0.08	< 10	< 10	53	< 10	140
21618	201 202	< 0.01	36	700	14	< 2	6	33	0.17	< 10	< 10	63	< 10	74
21619	201 202	< 0.01	28	700	40	2	5	16	0.11	< 10	< 10	69	< 10	138
21620	201 202	< 0.01	32	440	54	< 2	5	16	0.11	< 10	< 10	56	< 10	94

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page: 4-A
Total: 7
Certificate Date: 21-JUL-96
Invoice No.: I9623792
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
21621	201 202	< 0.2	2.35	10	150	0.5	< 2	0.16	< 0.5	12	45	19	3.35	< 10	< 1	0.13	10	0.99	385	< 1
21622	201 202	< 0.2	1.17	6	120	< 0.5	< 2	0.23	< 0.5	9	30	8	2.54	< 10	< 1	0.05	< 10	0.46	380	< 1
21623	201 202	0.2	2.58	20	340	0.5	< 2	0.62	0.5	14	55	44	3.90	< 10	< 1	0.20	10	1.11	550	< 1
21624	201 202	0.2	2.26	20	180	< 0.5	< 2	0.32	1.0	12	44	16	3.18	< 10	< 1	0.12	10	0.98	440	< 1
21625	201 202	< 0.2	3.06	12	220	0.5	< 2	0.24	0.5	13	51	26	3.99	< 10	< 1	0.14	10	1.04	420	< 1
21626	201 202	< 0.2	3.38	14	240	0.5	< 2	0.25	0.5	17	59	28	4.04	< 10	< 1	0.14	10	1.12	485	< 1
21627	201 202	< 0.2	2.11	2	140	< 0.5	< 2	0.39	0.5	10	42	16	2.54	< 10	< 1	0.08	10	0.88	300	< 1
21628	201 202	0.2	1.69	28	240	< 0.5	< 2	0.23	0.5	6	30	7	2.28	< 10	< 1	0.10	10	0.56	505	< 1
21629	201 202	< 0.2	1.77	8	160	< 0.5	< 2	0.19	0.5	8	32	11	2.51	< 10	< 1	0.08	< 10	0.64	265	< 1
21630	201 202	< 0.2	1.34	6	140	< 0.5	< 2	0.19	< 0.5	7	25	8	1.95	< 10	< 1	0.06	< 10	0.52	235	< 1
21631	201 202	1.4	1.17	30	550	< 0.5	< 2	0.68	2.5	15	19	44	2.93	< 10	< 1	0.06	< 10	0.37	2290	1
21632	201 202	0.2	1.87	18	380	< 0.5	< 2	0.38	< 0.5	13	36	16	4.26	< 10	< 1	0.11	10	0.46	755	1
21633	201 202	0.2	3.37	16	300	0.5	< 2	0.18	< 0.5	12	46	16	3.32	< 10	< 1	0.08	10	0.65	265	< 1
21634	201 202	< 0.2	1.85	12	220	< 0.5	< 2	0.23	< 0.5	8	32	7	2.80	< 10	< 1	0.08	10	0.64	285	< 1
21635	201 202	1.2	2.66	22	310	0.5	< 2	0.15	< 0.5	12	43	24	3.60	< 10	< 1	0.10	10	0.81	335	< 1
21636	201 202	0.6	3.33	16	370	0.5	< 2	0.11	< 0.5	11	52	28	3.70	< 10	< 1	0.08	10	0.79	315	< 1
21637	201 202	0.2	2.78	38	300	0.5	< 2	0.11	< 0.5	11	46	39	4.46	< 10	< 1	0.09	10	0.76	410	< 1
21638	201 202	< 0.2	1.97	12	160	< 0.5	< 2	0.32	0.5	12	41	19	3.15	< 10	< 1	0.12	< 10	0.84	455	< 1
21639	201 202	< 0.2	1.47	4	140	< 0.5	< 2	0.35	< 0.5	9	35	14	2.24	< 10	< 1	0.06	10	0.70	295	< 1
21640	201 202	0.2	1.79	8	160	< 0.5	< 2	0.29	< 0.5	10	35	13	2.56	< 10	< 1	0.09	< 10	0.71	315	< 1
21641	201 202	0.8	2.04	20	230	0.5	< 2	0.35	1.5	10	36	22	2.75	< 10	< 1	0.16	10	0.65	625	1
21651	201 202	< 0.2	1.03	16	110	< 0.5	< 2	0.08	< 0.5	6	20	10	2.99	< 10	< 1	0.08	< 10	0.30	300	1
21652	201 202	< 0.2	0.69	2	80	< 0.5	< 2	0.13	< 0.5	6	18	5	1.86	< 10	< 1	0.04	< 10	0.22	295	< 1
21653	201 202	0.2	0.80	2	320	< 0.5	< 2	0.21	1.5	1	11	5	0.88	< 10	< 1	0.06	10	0.08	185	< 1
21654	201 202	< 0.2	1.19	18	110	< 0.5	< 2	0.13	0.5	8	24	8	3.39	< 10	< 1	0.06	< 10	0.27	395	< 1
21655	201 202	0.2	1.02	6	340	< 0.5	< 2	0.63	0.5	8	24	8	2.12	< 10	< 1	0.13	< 10	0.47	580	1
21656	201 202	0.4	1.82	20	180	< 0.5	< 2	0.15	< 0.5	5	26	26	2.91	< 10	< 1	0.09	10	0.58	210	< 1
21657	201 202	< 0.2	1.01	6	190	< 0.5	< 2	0.39	< 0.5	8	29	19	2.09	< 10	< 1	0.07	< 10	0.60	355	< 1
21658	201 202	0.2	1.69	20	320	< 0.5	< 2	0.23	0.5	11	28	30	3.25	< 10	< 1	0.12	< 10	0.60	775	1
21659	201 202	< 0.2	1.95	10	250	< 0.5	< 2	0.13	< 0.5	7	31	8	2.85	< 10	< 1	0.05	< 10	0.70	245	< 1
21660	201 202	0.2	1.17	14	110	< 0.5	< 2	0.08	< 0.5	8	19	9	3.41	< 10	< 1	0.04	< 10	0.40	320	< 1
21661	201 202	< 0.2	1.91	8	260	< 0.5	< 2	0.16	< 0.5	7	32	5	2.10	< 10	< 1	0.06	10	0.82	200	< 1
21662	201 202	< 0.2	1.71	6	170	< 0.5	< 2	0.53	0.5	10	41	19	2.53	< 10	< 1	0.11	10	0.77	310	< 1
21663	201 202	0.2	2.84	16	170	< 0.5	< 2	0.26	1.5	12	47	20	3.27	< 10	< 1	0.08	< 10	0.77	310	< 1
21664	201 202	< 0.2	1.83	14	140	< 0.5	< 2	0.38	0.5	8	31	5	2.15	< 10	< 1	0.07	10	0.68	250	< 1
21665	201 202	0.2	1.84	38	240	< 0.5	< 2	0.18	0.5	8	35	26	3.30	< 10	< 1	0.11	10	0.57	435	1
21666	201 202	< 0.2	1.23	14	300	< 0.5	< 2	0.08	< 0.5	4	17	10	2.28	< 10	< 1	0.05	10	0.20	155	1
21667	201 202	0.2	1.47	14	510	< 0.5	< 2	0.32	< 0.5	7	29	22	2.25	< 10	< 1	0.06	< 10	0.57	225	< 1
21668	201 202	< 0.2	1.93	14	250	< 0.5	< 2	0.61	< 0.5	12	40	18	2.69	< 10	< 1	0.08	< 10	0.84	405	< 1
21669	201 202	< 0.2	2.67	14	260	0.5	< 2	0.62	< 0.5	16	45	23	3.52	< 10	< 1	0.16	10	1.02	670	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page: 4-B
Total: 7
Certificate Date: 21-JUL-96
Invoice No.: 19623792
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
21621	201 202	< 0.01	27	210	16	< 2	5	11	0.13	< 10	< 10	59	< 10	94
21622	201 202	< 0.01	11	370	14	< 2	2	10	0.14	< 10	< 10	63	< 10	54
21623	201 202	< 0.01	40	770	30	< 2	8	32	0.13	< 10	< 10	70	< 10	142
21624	201 202	< 0.01	22	430	50	< 2	5	19	0.16	< 10	< 10	62	< 10	136
21625	201 202	< 0.01	30	290	20	< 2	6	18	0.14	< 10	< 10	71	< 10	94
21626	201 202	< 0.01	37	340	14	< 2	7	21	0.19	< 10	< 10	82	< 10	94
21627	201 202	< 0.01	19	290	16	< 2	5	23	0.20	< 10	< 10	56	< 10	98
21628	201 202	< 0.01	14	390	56	< 2	3	15	0.10	< 10	< 10	46	< 10	196
21629	201 202	< 0.01	17	400	24	< 2	3	12	0.11	< 10	< 10	50	< 10	84
21630	201 202	< 0.01	12	350	34	< 2	2	12	0.10	< 10	< 10	44	< 10	60
21631	201 202	0.01	34	610	54	< 2	2	88	0.03	< 10	< 10	29	< 10	492
21632	201 202	< 0.01	19	340	36	< 2	3	40	0.11	< 10	< 10	59	< 10	234
21633	201 202	< 0.01	31	330	20	< 2	5	14	0.11	< 10	< 10	60	< 10	64
21634	201 202	< 0.01	14	300	14	< 2	3	15	0.11	< 10	< 10	57	< 10	52
21635	201 202	< 0.01	32	540	26	< 2	4	11	0.05	< 10	< 10	54	< 10	72
21636	201 202	< 0.01	39	440	18	< 2	4	9	0.04	< 10	< 10	51	< 10	96
21637	201 202	< 0.01	38	350	24	< 2	4	11	0.03	< 10	< 10	52	< 10	106
21638	201 202	< 0.01	22	240	8	< 2	4	23	0.15	< 10	< 10	70	< 10	80
21639	201 202	< 0.01	16	330	8	< 2	4	22	0.15	< 10	< 10	52	< 10	48
21640	201 202	< 0.01	18	190	16	< 2	4	21	0.16	< 10	< 10	56	< 10	100
21641	201 202	< 0.01	23	550	20	< 2	3	25	0.07	< 10	< 10	54	< 10	98
21651	201 202	< 0.01	8	390	18	< 2	1	9	0.12	< 10	< 10	91	< 10	72
21652	201 202	< 0.01	9	310	16	< 2	1	9	0.13	< 10	< 10	67	< 10	40
21653	201 202	< 0.01	4	230	12	< 2	< 1	18	0.05	< 10	< 10	28	< 10	42
21654	201 202	< 0.01	8	590	22	< 2	2	35	0.15	< 10	< 10	85	< 10	110
21655	201 202	< 0.01	12	330	20	< 2	3	34	0.09	< 10	< 10	42	< 10	68
21656	201 202	< 0.01	18	520	26	< 2	2	10	0.04	< 10	< 10	35	< 10	76
21657	201 202	< 0.01	20	800	10	< 2	3	20	0.08	< 10	< 10	43	< 10	54
21658	201 202	0.01	20	510	18	< 2	3	15	0.03	< 10	< 10	45	< 10	78
21659	201 202	< 0.01	11	160	12	< 2	3	8	0.08	< 10	< 10	62	< 10	42
21660	201 202	0.01	8	770	18	< 2	3	7	0.06	< 10	< 10	79	< 10	62
21661	201 202	0.01	9	150	14	< 2	4	12	0.07	< 10	< 10	59	< 10	70
21662	201 202	< 0.01	22	710	10	< 2	5	29	0.14	< 10	< 10	57	< 10	64
21663	201 202	< 0.01	23	230	50	< 2	5	21	0.20	< 10	< 10	77	< 10	182
21664	201 202	< 0.01	13	210	32	< 2	4	23	0.17	< 10	< 10	55	< 10	88
21665	201 202	< 0.01	23	560	28	< 2	3	14	0.07	< 10	< 10	51	< 10	98
21666	201 202	< 0.01	8	410	36	< 2	1	10	0.03	< 10	< 10	45	< 10	46
21667	201 202	< 0.01	21	500	18	< 2	3	26	0.06	< 10	< 10	41	< 10	50
21668	201 202	< 0.01	22	190	10	< 2	5	44	0.15	< 10	< 10	60	< 10	68
21669	201 202	< 0.01	32	230	14	< 2	6	40	0.14	< 10	< 10	67	< 10	84

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page: 5-A
Total: 7
Certificate Date: 21-JUL-96
Invoice No.: 19623792
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
21670	201 202	< 0.2	1.15	10	80	< 0.5	< 2	0.26	< 0.5	6	28	8	2.12	< 10	< 1	0.05	< 10	0.50	190	< 1
21671	201 202	< 0.2	1.55	8	130	< 0.5	< 2	0.27	< 0.5	9	33	15	2.22	< 10	< 1	0.07	< 10	0.65	255	< 1
21672	201 202	0.2	1.41	12	170	< 0.5	< 2	0.49	< 0.5	12	40	33	2.76	< 10	< 1	0.10	10	0.74	450	< 1
21673	201 202	0.2	1.80	14	230	< 0.5	< 2	0.11	< 0.5	10	38	7	3.04	< 10	< 1	0.05	10	0.35	285	< 1
21674	201 202	< 0.2	1.26	12	250	< 0.5	< 2	0.45	< 0.5	8	34	19	1.96	< 10	< 1	0.06	10	0.57	285	< 1
21675	201 202	0.4	1.27	10	110	< 0.5	< 2	0.28	< 0.5	7	26	10	1.91	< 10	< 1	0.05	< 10	0.38	185	< 1
21676	201 202	< 0.2	1.73	20	290	0.5	< 2	0.22	< 0.5	11	39	29	2.51	< 10	1	0.07	10	0.53	310	< 1
21751	201 202	0.2	1.04	2	150	< 0.5	< 2	0.26	0.5	5	17	6	2.02	< 10	< 1	0.07	< 10	0.27	275	1
21752	201 202	0.2	1.30	34	150	< 0.5	< 2	0.21	0.5	10	34	16	4.34	< 10	< 1	0.07	< 10	0.43	430	2
21753	201 202	0.2	1.61	26	160	< 0.5	< 2	0.16	0.5	12	27	19	3.71	< 10	< 1	0.07	< 10	0.60	735	< 1
21754	201 202	< 0.2	1.03	6	180	< 0.5	< 2	0.10	< 0.5	3	16	5	1.41	< 10	< 1	0.09	10	0.27	160	< 1
21755	201 202	0.2	1.83	10	250	< 0.5	< 2	0.12	< 0.5	5	26	19	3.02	< 10	< 1	0.10	10	0.55	215	< 1
21756	201 202	< 0.2	0.87	8	190	< 0.5	< 2	0.17	< 0.5	3	13	5	1.16	< 10	< 1	0.10	10	0.20	130	< 1
21757	201 202	1.2	2.41	14	650	0.5	< 2	1.40	1.0	9	36	44	2.98	< 10	< 1	0.20	10	0.72	915	< 1
21758	201 202	0.6	1.46	22	370	0.5	< 2	0.76	2.5	9	38	45	2.12	< 10	< 1	0.05	10	0.59	505	1
21759	201 202	0.6	1.14	26	150	< 0.5	< 2	0.26	2.5	10	31	10	2.76	< 10	< 1	0.08	< 10	0.36	1060	< 1
21760	201 202	0.2	1.11	32	190	< 0.5	< 2	0.11	< 0.5	5	20	8	2.13	< 10	< 1	0.10	10	0.34	195	< 1
21761	201 202	1.0	2.80	32	580	0.5	< 2	0.26	0.5	10	41	57	4.74	< 10	< 1	0.41	10	0.56	685	2
21762	201 202	< 0.2	1.26	6	190	< 0.5	< 2	0.12	< 0.5	4	19	5	2.19	< 10	< 1	0.08	10	0.36	190	< 1
21763	201 202	< 0.2	1.85	12	170	< 0.5	< 2	0.18	< 0.5	14	181	2	3.14	10	< 1	0.15	10	1.01	485	< 1
21764	201 202	< 0.2	2.50	16	330	< 0.5	< 2	0.13	< 0.5	7	33	12	3.95	< 10	< 1	0.10	10	0.50	305	< 1
21765	201 202	0.6	2.20	14	870	< 0.5	< 2	0.62	1.0	13	31	40	3.19	< 10	< 1	0.21	10	0.66	2210	1
21766	201 202	< 0.2	2.51	16	440	< 0.5	< 2	0.10	< 0.5	7	29	7	3.07	< 10	< 1	0.07	10	0.53	235	< 1
21767	201 202	< 0.2	2.52	10	280	< 0.5	< 2	0.08	< 0.5	6	28	15	3.80	< 10	< 1	0.09	10	0.51	250	< 1
21768	201 202	1.0	2.10	12	420	0.5	< 2	1.07	1.5	9	32	27	2.74	< 10	< 1	0.16	10	0.71	625	1
21769	201 202	< 0.2	1.43	8	190	< 0.5	< 2	0.69	< 0.5	9	35	19	2.28	< 10	< 1	0.11	< 10	0.68	320	< 1
21770	201 202	< 0.2	2.05	6	380	0.5	< 2	0.93	< 0.5	11	43	34	2.77	< 10	< 1	0.15	10	0.77	530	< 1
21771	201 202	< 0.2	1.57	12	90	< 0.5	< 2	0.17	0.5	7	31	8	2.51	< 10	< 1	0.04	< 10	0.34	195	< 1
21772	201 202	< 0.2	1.97	50	190	0.5	< 2	0.41	0.5	7	48	16	3.77	< 10	< 1	0.11	10	0.67	565	< 1
21773	201 202	< 0.2	1.41	8	250	< 0.5	< 2	0.18	0.5	4	21	7	2.36	< 10	< 1	0.11	10	0.39	270	< 1
21774	201 202	0.2	1.92	24	390	0.5	< 2	0.26	0.5	9	32	11	3.11	< 10	< 1	0.13	10	0.47	570	< 1
21775	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
21776	201 202	< 0.2	1.25	24	150	< 0.5	< 2	0.17	< 0.5	7	46	11	2.48	< 10	< 1	0.13	10	0.43	550	< 1
21777	201 202	< 0.2	1.45	10	140	< 0.5	< 2	0.14	< 0.5	4	20	5	1.99	< 10	< 1	0.08	10	0.24	235	< 1
21778	201 202	< 0.2	1.61	16	130	< 0.5	< 2	0.12	< 0.5	4	19	4	2.31	< 10	< 1	0.10	10	0.43	180	< 1
21779	201 202	0.2	2.90	24	350	0.5	< 2	0.37	0.5	11	30	25	3.64	< 10	< 1	0.37	10	1.00	605	< 1
21780	201 202	0.6	2.71	14	380	0.5	< 2	0.36	0.5	8	27	26	3.11	< 10	< 1	0.30	10	0.79	445	< 1
21781	201 202	0.2	1.44	68	180	< 0.5	< 2	0.21	< 0.5	5	21	11	2.14	< 10	< 1	0.10	10	0.40	260	1
21782	201 202	< 0.2	1.35	16	280	< 0.5	< 2	0.14	< 0.5	5	19	10	2.50	< 10	< 1	0.08	10	0.40	180	< 1
21783	201 202	< 0.2	1.69	16	160	< 0.5	< 2	0.14	< 0.5	5	24	11	2.80	< 10	< 1	0.09	10	0.40	270	< 1

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page : 5-B
Total : 7
Certificate Date: 21-JUL-96
Invoice No. : 19623792
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
21670	201 202	< 0.01	16	490	8	< 2	2	13	0.08	< 10	< 10	39	< 10	36
21671	201 202	< 0.01	19	460	8	< 2	3	15	0.10	< 10	< 10	47	< 10	48
21672	201 202	< 0.01	28	700	16	< 2	5	25	0.12	< 10	< 10	57	< 10	72
21673	201 202	< 0.01	16	220	12	< 2	3	10	0.06	< 10	< 10	58	< 10	124
21674	201 202	< 0.01	18	620	20	< 2	4	25	0.11	< 10	< 10	43	< 10	62
21675	201 202	< 0.01	15	460	18	< 2	2	16	0.09	< 10	< 10	39	< 10	40
21676	201 202	< 0.01	21	150	30	< 2	5	18	0.11	< 10	< 10	51	< 10	74
21751	201 202	< 0.01	7	240	20	< 2	1	21	0.10	< 10	< 10	58	< 10	62
21752	201 202	< 0.01	17	360	36	< 2	2	14	0.10	< 10	< 10	74	< 10	96
21753	201 202	< 0.01	19	370	44	< 2	3	11	0.07	< 10	< 10	48	< 10	152
21754	201 202	< 0.01	9	210	20	< 2	1	9	0.03	< 10	< 10	24	< 10	46
21755	201 202	< 0.01	17	440	24	< 2	2	9	0.03	< 10	< 10	37	< 10	84
21756	201 202	0.01	5	330	20	< 2	1	14	0.04	< 10	< 10	25	< 10	34
21757	201 202	0.01	28	1230	34	2	4	37	0.03	< 10	< 10	42	< 10	108
21758	201 202	< 0.01	29	680	36	< 2	4	33	0.10	< 10	< 10	45	< 10	216
21759	201 202	< 0.01	11	660	80	< 2	2	14	0.11	< 10	< 10	75	< 10	226
21760	201 202	< 0.01	11	320	22	< 2	1	8	0.03	< 10	< 10	37	< 10	70
21761	201 202	0.01	24	790	68	< 2	3	22	0.03	< 10	< 10	79	< 10	162
21762	201 202	< 0.01	9	370	22	< 2	1	9	0.05	< 10	< 10	38	< 10	60
21763	201 202	< 0.01	51	260	26	< 2	4	8	0.28	< 10	< 10	99	< 10	124
21764	201 202	< 0.01	17	300	30	< 2	3	10	0.06	< 10	< 10	49	< 10	78
21765	201 202	< 0.01	17	530	40	< 2	4	36	0.04	< 10	< 10	54	< 10	172
21766	201 202	< 0.01	16	200	36	< 2	3	8	0.04	< 10	< 10	38	< 10	86
21767	201 202	< 0.01	13	280	46	< 2	3	8	0.04	< 10	< 10	48	< 10	92
21768	201 202	0.01	22	600	42	< 2	4	25	0.04	< 10	< 10	42	< 10	252
21769	201 202	0.01	23	710	6	< 2	5	30	0.13	< 10	< 10	51	< 10	46
21770	201 202	0.01	33	870	12	< 2	7	36	0.12	< 10	< 10	56	< 10	96
21771	201 202	< 0.01	12	430	12	< 2	3	11	0.13	< 10	< 10	57	< 10	110
21772	201 202	< 0.01	19	1960	32	2	3	17	0.09	< 10	< 10	67	< 10	306
21773	201 202	< 0.01	9	510	26	< 2	2	13	0.07	< 10	< 10	42	< 10	84
21774	201 202	< 0.01	12	800	42	< 2	3	12	0.06	< 10	< 10	58	< 10	396
21775	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
21776	201 202	< 0.01	12	350	24	< 2	3	13	0.07	< 10	< 10	75	< 10	84
21777	201 202	< 0.01	6	170	26	< 2	2	11	0.11	< 10	< 10	63	< 10	50
21778	201 202	< 0.01	8	250	16	< 2	3	14	0.08	< 10	< 10	50	< 10	120
21779	201 202	< 0.01	27	720	28	< 2	6	33	0.10	< 10	< 10	60	< 10	182
21780	201 202	< 0.01	25	840	24	< 2	5	33	0.08	< 10	< 10	49	< 10	158
21781	201 202	< 0.01	11	160	36	< 2	2	14	0.06	< 10	< 10	48	< 10	96
21782	201 202	< 0.01	10	210	40	< 2	2	12	0.08	< 10	< 10	52	< 10	114
21783	201 202	< 0.01	12	190	26	< 2	2	15	0.05	< 10	< 10	42	< 10	118

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page: 6-A
Total: 7
Certificate Date: 21-JUL-96
Invoice No.: I9623792
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
21784	201 202	< 0.2	1.75	6	160	< 0.5	< 2	0.13	< 0.5	4	23	6	2.70	< 10	< 1	0.12	10	0.48	240	< 1
21785	201 202	0.2	1.65	8	270	< 0.5	< 2	0.17	0.5	5	20	10	1.96	< 10	< 1	0.14	10	0.44	255	< 1
21786	201 202	1.4	3.10	60	370	1.5	< 2	0.11	0.5	7	83	164	7.30	10	< 1	0.94	20	0.94	910	< 1
21787	201 202	< 0.2	1.00	6	140	< 0.5	< 2	0.59	< 0.5	7	27	18	1.93	< 10	< 1	0.10	10	0.57	265	< 1
21788	201 202	< 0.2	1.85	18	240	< 0.5	< 2	0.33	< 0.5	10	39	24	2.84	< 10	< 1	0.16	10	0.71	415	< 1
21789	201 202	< 0.2	1.47	6	140	< 0.5	< 2	0.30	< 0.5	8	31	11	2.31	< 10	< 1	0.09	< 10	0.54	220	< 1
21790	201 202	0.2	1.75	12	200	< 0.5	< 2	0.40	< 0.5	7	37	20	2.49	< 10	< 1	0.11	10	0.63	200	< 1
21791	201 202	0.6	1.39	22	150	< 0.5	< 2	0.26	1.5	8	35	17	2.93	< 10	< 1	0.11	10	0.44	345	< 1
21792	201 202	0.2	1.60	4	230	< 0.5	< 2	0.15	< 0.5	4	19	6	1.84	< 10	< 1	0.10	10	0.28	205	< 1
21793	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
21794	201 202	0.2	2.74	14	260	0.5	< 2	0.65	< 0.5	19	51	25	3.76	< 10	< 1	0.16	10	0.93	935	< 1
21795	201 202	0.2	2.60	12	250	0.5	< 2	0.69	0.5	19	49	25	3.65	< 10	< 1	0.16	10	0.96	995	< 1
21796	201 202	< 0.2	2.11	14	210	< 0.5	< 2	0.62	< 0.5	15	43	23	2.92	< 10	< 1	0.13	10	0.79	785	< 1
21797	201 202	0.2	1.91	12	220	< 0.5	< 2	0.31	0.5	12	33	8	2.76	< 10	< 1	0.13	10	0.60	450	< 1
21798	201 202	< 0.2	1.42	6	160	< 0.5	< 2	0.24	< 0.5	5	24	7	1.69	< 10	< 1	0.10	10	0.33	175	< 1
21799	201 202	0.6	1.22	8	240	< 0.5	< 2	0.18	< 0.5	5	19	5	1.63	< 10	< 1	0.12	10	0.40	150	< 1
21803	201 202	4.6	2.61	40	230	1.5	< 2	0.26	7.5	10	31	98	3.17	< 10	< 1	0.09	10	0.52	750	1
21804	201 202	0.8	1.60	16	140	< 0.5	< 2	0.16	1.5	6	24	9	2.80	< 10	< 1	0.07	10	0.48	285	< 1
21805	201 202	< 0.2	1.49	12	170	< 0.5	< 2	0.12	2.0	6	22	9	2.71	< 10	< 1	0.06	< 10	0.59	250	< 1
21806	201 202	0.4	1.28	14	160	< 0.5	< 2	0.28	1.0	9	29	10	2.57	< 10	< 1	0.08	< 10	0.52	315	< 1
21807	201 202	< 0.2	1.26	16	220	< 0.5	< 2	0.14	1.5	7	22	9	2.39	< 10	< 1	0.08	< 10	0.36	280	1
21808	201 202	0.6	1.11	12	320	< 0.5	< 2	0.21	1.5	6	22	18	2.21	< 10	< 1	0.10	< 10	0.31	350	1
21851	201 202	1.6	2.44	80	310	0.5	< 2	0.64	2.5	18	39	77	4.40	< 10	< 1	0.12	10	0.76	2750	1
21852	201 202	1.2	2.55	54	180	< 0.5	< 2	0.13	0.5	12	39	21	5.90	< 10	< 1	0.08	< 10	0.60	670	< 1
21853	201 202	0.6	1.44	34	150	< 0.5	< 2	0.24	0.5	12	28	17	4.24	< 10	< 1	0.08	< 10	0.66	945	1
21854	201 202	< 0.2	1.47	22	140	< 0.5	< 2	0.23	1.5	13	28	11	3.89	< 10	< 1	0.09	< 10	0.74	865	1
21855	201 202	0.6	1.96	32	340	0.5	< 2	0.28	0.5	12	28	28	3.18	< 10	< 1	0.06	< 10	0.54	365	3
21856	201 202	0.2	1.48	12	340	< 0.5	< 2	0.16	3.0	7	21	10	2.42	< 10	< 1	0.07	10	0.37	315	< 1
21857	201 202	< 0.2	1.90	14	200	< 0.5	< 2	0.17	0.5	9	34	9	3.63	< 10	< 1	0.13	10	0.68	450	< 1
21858	201 202	0.2	2.04	20	190	< 0.5	< 2	0.15	< 0.5	7	34	11	3.00	< 10	< 1	0.10	10	0.58	250	< 1
21859	201 202	< 0.2	1.99	16	150	< 0.5	< 2	0.11	0.5	7	33	12	3.66	< 10	< 1	0.10	< 10	0.63	255	< 1
21860	201 202	0.4	2.31	18	240	0.5	< 2	0.18	< 0.5	9	35	16	3.19	< 10	< 1	0.11	10	0.67	285	< 1
21861	201 202	0.2	1.94	22	200	< 0.5	< 2	0.17	< 0.5	8	32	27	3.25	< 10	< 1	0.12	10	0.61	390	< 1
21862	201 202	0.2	1.57	10	180	< 0.5	< 2	0.16	< 0.5	6	25	11	2.43	< 10	< 1	0.12	10	0.58	190	< 1
21863	201 202	< 0.2	1.05	10	160	< 0.5	< 2	0.11	< 0.5	4	15	5	1.56	< 10	< 1	0.07	10	0.32	140	< 1
21864	201 202	0.2	1.42	18	230	< 0.5	< 2	0.20	0.5	14	30	19	2.93	< 10	< 1	0.08	< 10	0.64	1270	1
21865	201 202	< 0.2	1.85	14	240	< 0.5	< 2	0.18	< 0.5	10	38	21	3.26	< 10	< 1	0.10	< 10	0.79	420	< 1
21866	201 202	< 0.2	1.00	8	390	< 0.5	< 2	0.08	< 0.5	3	13	4	1.46	< 10	< 1	0.05	10	0.24	135	< 1
21867	201 202	< 0.2	1.17	6	120	< 0.5	< 2	0.12	< 0.5	2	16	10	0.92	< 10	< 1	0.07	10	0.14	65	< 1
21868	201 202	< 0.2	2.17	20	200	< 0.5	< 2	0.11	< 0.5	8	28	38	3.05	< 10	< 1	0.09	10	0.63	255	< 1

CERTIFICATION:

Harry Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page: 6-B
Total F: 7
Certificate Date: 21-JUL-96
Invoice No.: 19623792
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
21784	201 202	< 0.01	10	160	18	< 2	3	14	0.07	< 10	< 10	51	< 10	102
21785	201 202	0.02	10	220	24	< 2	3	20	0.06	< 10	< 10	44	< 10	178
21786	201 202	< 0.01	20	1530	106	10	9	82	0.08	< 10	< 10	193	< 10	144
21787	201 202	0.01	18	680	10	< 2	3	24	0.10	< 10	< 10	43	< 10	44
21788	201 202	< 0.01	23	550	26	< 2	4	18	0.10	< 10	< 10	56	< 10	108
21789	201 202	< 0.01	15	270	10	< 2	3	16	0.15	< 10	< 10	59	< 10	68
21790	201 202	< 0.01	20	760	18	< 2	4	21	0.13	< 10	< 10	55	< 10	74
21791	201 202	< 0.01	17	910	32	< 2	2	14	0.10	< 10	< 10	78	< 10	200
21792	201 202	< 0.01	7	260	26	< 2	2	13	0.09	< 10	< 10	34	< 10	46
21793	-- --	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
21794	201 202	< 0.01	29	420	26	< 2	6	30	0.17	< 10	< 10	86	< 10	132
21795	201 202	< 0.01	29	500	26	< 2	6	32	0.16	< 10	< 10	80	< 10	124
21796	201 202	< 0.01	24	550	20	< 2	5	29	0.14	< 10	< 10	65	< 10	98
21797	201 202	< 0.01	15	420	50	< 2	4	26	0.15	< 10	< 10	61	< 10	140
21798	201 202	< 0.01	8	170	40	< 2	3	20	0.14	< 10	< 10	47	< 10	46
21799	201 202	< 0.01	8	240	14	< 2	2	15	0.05	< 10	< 10	35	< 10	46
21803	201 202	< 0.01	18	690	1470	< 2	5	16	0.08	< 10	< 10	53	< 10	1800
21804	201 202	< 0.01	9	320	56	< 2	3	12	0.09	< 10	< 10	61	< 10	270
21805	201 202	< 0.01	13	270	48	< 2	2	7	0.04	< 10	< 10	44	< 10	214
21806	201 202	< 0.01	17	490	16	< 2	1	18	0.06	< 10	< 10	49	< 10	210
21807	201 202	< 0.01	12	210	26	< 2	1	10	0.06	< 10	< 10	45	< 10	258
21808	201 202	< 0.01	11	340	38	< 2	1	14	0.05	< 10	< 10	51	< 10	174
21851	201 202	< 0.01	46	530	176	2	7	32	0.10	< 10	< 10	63	< 10	682
21852	201 202	< 0.01	18	930	68	2	4	10	0.11	< 10	< 10	84	< 10	392
21853	201 202	< 0.01	17	870	50	< 2	3	15	0.07	< 10	< 10	60	< 10	182
21854	201 202	< 0.01	14	210	34	< 2	3	14	0.08	< 10	< 10	69	< 10	260
21855	201 202	< 0.01	29	380	64	< 2	3	21	0.06	< 10	< 10	46	< 10	202
21856	201 202	< 0.01	11	230	128	< 2	3	13	0.05	< 10	< 10	53	< 10	242
21857	201 202	< 0.01	13	460	24	< 2	4	12	0.08	< 10	< 10	63	< 10	96
21858	201 202	< 0.01	16	320	16	< 2	3	10	0.06	< 10	< 10	46	< 10	74
21859	201 202	< 0.01	17	480	16	< 2	3	8	0.05	< 10	< 10	48	< 10	72
21860	201 202	< 0.01	23	470	20	< 2	3	12	0.05	< 10	< 10	46	< 10	78
21861	201 202	< 0.01	20	540	26	< 2	3	11	0.05	< 10	< 10	47	< 10	82
21862	201 202	< 0.01	13	310	16	< 2	3	11	0.04	< 10	< 10	37	< 10	54
21863	201 202	< 0.01	7	260	16	< 2	1	8	0.04	< 10	< 10	33	< 10	44
21864	201 202	< 0.01	16	750	28	< 2	2	11	0.03	< 10	< 10	48	< 10	104
21865	201 202	< 0.01	22	480	20	< 2	4	10	0.05	< 10	< 10	52	< 10	90
21866	201 202	< 0.01	6	180	28	< 2	1	7	0.05	< 10	< 10	29	< 10	28
21867	201 202	< 0.01	3	350	46	< 2	< 1	9	0.03	< 10	< 10	24	< 10	22
21868	201 202	< 0.01	18	160	26	< 2	3	8	0.03	< 10	< 10	40	< 10	78

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page: 7-A
Total Pages: 7
Certificate Date: 21-JUL-96
Invoice No.: 19623792
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
21869	201 202	0.6	1.59	20	180	< 0.5	< 2	0.16	< 0.5	5	22	9	2.40	< 10	< 1	0.10	10	0.36	210	< 1
21870	201 202	1.4	1.48	26	180	< 0.5	< 2	0.14	1.0	12	22	14	3.69	< 10	< 1	0.08	< 10	0.47	1245	< 1
21871	201 202	1.8	4.11	126	280	0.5	< 2	0.31	1.0	22	27	88	7.35	< 10	< 1	0.27	< 10	1.69	1105	< 1
21872	201 202	< 0.2	1.71	18	240	< 0.5	< 2	0.15	< 0.5	8	25	32	2.92	< 10	< 1	0.09	20	0.60	405	< 1
21873	201 202	< 0.2	1.19	14	210	< 0.5	< 2	0.28	< 0.5	6	24	19	2.03	< 10	< 1	0.08	10	0.53	305	< 1
21874	201 202	1.2	1.64	48	400	0.5	< 2	0.22	2.0	12	24	21	4.14	< 10	< 1	0.07	< 10	0.38	540	1
21875	201 202	0.2	2.17	20	340	< 0.5	< 2	0.09	< 0.5	6	26	22	2.98	< 10	< 1	0.11	10	0.49	225	< 1
21876	201 202	< 0.2	2.50	42	210	0.5	< 2	0.18	< 0.5	11	54	24	3.13	< 10	< 1	0.10	< 10	0.68	320	< 1
21877	201 202	1.2	2.30	196	160	1.5	2	0.19	2.5	15	69	29	4.50	< 10	< 1	0.12	< 10	0.77	905	< 1
21878	201 202	< 0.2	1.17	12	150	< 0.5	< 2	0.15	< 0.5	4	21	5	1.77	< 10	< 1	0.11	10	0.41	185	< 1
21879	201 202	0.2	1.85	12	250	< 0.5	< 2	0.15	0.5	5	29	8	2.70	< 10	< 1	0.16	10	0.46	225	< 1
21880	201 202	3.0	4.03	24	280	0.5	< 2	0.28	1.5	7	50	21	4.99	10	< 1	0.17	< 10	1.12	685	1
21881	201 202	< 0.2	1.37	10	280	< 0.5	< 2	0.27	< 0.5	7	26	25	2.21	< 10	< 1	0.13	10	0.53	340	< 1
21882	201 202	0.2	3.64	20	470	1.0	< 2	0.97	0.5	38	319	19	5.93	10	< 1	0.46	< 10	2.73	1365	< 1
21883	201 202	< 0.2	1.69	4	160	< 0.5	< 2	0.10	< 0.5	3	21	5	1.72	< 10	< 1	0.06	10	0.28	130	< 1
21884	201 202	< 0.2	1.29	12	120	< 0.5	< 2	0.13	< 0.5	4	22	10	2.54	< 10	< 1	0.10	10	0.35	225	< 1
21885	201 202	< 0.2	1.53	30	240	< 0.5	< 2	0.57	< 0.5	5	24	12	1.95	< 10	< 1	0.12	10	0.59	270	< 1
21886	201 202	21.8	1.60	978	210	< 0.5	< 2	0.18	< 0.5	5	24	16	2.13	< 10	< 1	0.12	10	0.40	175	< 1
21887	201 202	0.2	1.78	14	180	< 0.5	< 2	0.18	< 0.5	6	26	9	2.75	< 10	< 1	0.10	10	0.49	210	< 1
21888	201 202	< 0.2	1.10	8	150	< 0.5	< 2	0.49	< 0.5	5	28	15	1.58	< 10	< 1	0.06	< 10	0.49	160	< 1
21889	201 202	0.2	1.79	14	400	< 0.5	< 2	0.56	0.5	7	45	25	2.39	< 10	< 1	0.09	< 10	0.86	330	< 1
21890	201 202	< 0.2	0.80	6	160	< 0.5	< 2	0.27	< 0.5	3	18	8	1.01	< 10	< 1	0.03	< 10	0.26	110	< 1
21891	201 202	< 0.2	1.18	12	150	< 0.5	< 2	0.33	< 0.5	7	27	11	1.98	< 10	< 1	0.07	10	0.47	410	< 1
21892	201 202	0.2	3.03	60	300	1.5	< 2	0.90	1.0	20	90	52	4.62	< 10	1	0.16	10	1.18	1050	< 1
21893	201 202	0.2	2.93	54	370	1.0	< 2	1.31	9.5	13	69	60	4.42	< 10	< 1	0.41	10	1.27	1230	1
21894	201 202	< 0.2	3.12	20	260	0.5	< 2	0.19	0.5	8	30	29	2.89	< 10	< 1	0.15	10	0.74	365	< 1

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

to: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT GRID #2
Comments:

Page : 7-B
Total : 7
Certificate Date: 21-JUL-96
Invoice No. : 19623792
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623792

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
21869	201 202	< 0.01	10	320	94	< 2	2	12	0.06	< 10	< 10	42	< 10	122
21870	201 202	< 0.01	14	460	74	< 2	3	13	0.08	< 10	< 10	61	< 10	216
21871	201 202	< 0.01	22	560	300	2	9	20	0.27	< 10	< 10	149	< 10	754
21872	201 202	< 0.01	20	410	26	< 2	3	11	0.04	< 10	< 10	34	< 10	80
21873	201 202	< 0.01	15	600	22	< 2	3	17	0.05	< 10	< 10	32	< 10	74
21874	201 202	< 0.01	20	720	100	< 2	2	20	0.04	< 10	< 10	46	< 10	330
21875	201 202	< 0.01	18	330	32	< 2	3	8	0.02	< 10	< 10	34	< 10	112
21876	201 202	< 0.01	30	330	50	< 2	4	12	0.12	< 10	< 10	58	< 10	196
21877	201 202	< 0.01	42	510	178	6	5	15	0.09	< 10	< 10	77	< 10	934
21878	201 202	< 0.01	9	320	20	< 2	2	12	0.06	< 10	< 10	38	< 10	56
21879	201 202	< 0.01	13	490	44	< 2	3	12	0.06	< 10	< 10	52	< 10	90
21880	201 202	< 0.01	9	520	834	10	8	17	0.04	< 10	< 10	116	< 10	1190
21881	201 202	< 0.01	18	580	32	< 2	3	18	0.06	< 10	< 10	35	< 10	74
21882	201 202	< 0.01	139	760	32	< 2	9	34	0.66	< 10	< 10	193	< 10	524
21883	201 202	< 0.01	7	110	28	< 2	2	8	0.06	< 10	< 10	37	< 10	46
21884	201 202	< 0.01	9	220	24	< 2	2	13	0.10	< 10	< 10	67	< 10	82
21885	201 202	< 0.01	11	300	24	< 2	3	29	0.08	< 10	< 10	44	< 10	118
21886	201 202	< 0.01	9	330	456	16	3	16	0.09	< 10	< 10	45	< 10	86
21887	201 202	< 0.01	13	250	16	< 2	3	17	0.08	< 10	< 10	54	< 10	100
21888	201 202	< 0.01	15	750	12	< 2	3	23	0.09	< 10	< 10	34	< 10	70
21889	201 202	< 0.01	19	1000	20	< 2	4	22	0.09	< 10	< 10	51	< 10	118
21890	201 202	< 0.01	7	430	14	< 2	1	13	0.05	< 10	< 10	23	< 10	48
21891	201 202	< 0.01	14	280	18	< 2	3	15	0.09	< 10	< 10	41	< 10	152
21892	201 202	< 0.01	57	2870	32	6	5	29	0.13	< 10	< 10	88	< 10	670
21893	201 202	< 0.01	43	1240	32	< 2	7	40	0.10	< 10	< 10	68	< 10	1970
21894	201 202	< 0.01	26	310	26	< 2	5	15	0.10	< 10	< 10	52	< 10	216

CERTIFICATION:

Hart Bickler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT GRID#2
Comments:

Page : 1
Total Pages : 1
Certificate Date: 13-JUL-96
Invoice No. : 19623791
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623791

SAMPLE	PREP CODE		Au ppb FA+AA	Ag oz/T	Cu %	Pb %	Zn %					
59037	208	226	20	2.02	0.02	5.37	4.83					

CERTIFICATION:

Sand Leina



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

TO: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project: CONVERT GRID #2
Comments:

Page 1 of 1
Total Pages: 1
Certificate Date: 21-JUL-96
Invoice No.: 19623790
P.O. Number:
Account: MTT

CERTIFICATE OF ANALYSIS

A9623790

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
59035	205 226	33.2	2.92	2800	30	< 0.5	< 2	0.44	>100.0	57	261	215	6.87	20	< 1	0.61	< 10	2.26	270	1
59036	205 226	0.8	3.15	72	80	0.5	14	1.11	1.0	10	71	349	5.58	10	< 1	0.19	< 10	0.81	430	2

CERTIFICATION:

Hart Buchler



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

o: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : CONVERT GRID #2
Comments:

Page : 1-B
Total : 1
Certificate Date: 21-JUL-96
Invoice No. : 19623790
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS

A9623790

SAMPLE	PREP CODE	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
59035	205	< 0.01	174	2330	>10000	46	4	24	0.06	< 10	< 10	105	< 10	8010
59036	205	0.25	5	410	120	< 2	7	50	0.07	< 10	< 10	43	< 10	128

CERTIFICATION:

Hart Bickler



2° 23' N
Grid North
True North
UTM Zone 9
NTS 105B/5

- Outcrop
- Geological contact, inferred
- Foliation orientation
- Gossanous kill zone
- Claim boundary

- 1 Quartz-muscovite $\pm$ biotite $\pm$ chlorite schist
- 2 Metaquartzite/chert
- 3 Phyllite
- 8 Andesite
- 9 Granodiorite

093675

FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



PROPERTY GEOLOGY
CONVERT PROPERTY
GRID 1
(NORTH SHEET)
NORDAC RESOURCES LTD.

Scale 1:10,000

0 100 200 400 600 800 1000 m

1


April, 1997




- 2 Metaquartzite/chert
- 3 Phyllite
- 4 Quartz-feldspar-muscovite $\pm$ biotite grit
- 8 Andesite
- 9 Granodiorite

093675

FIGURE 7
 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY GEOLOGY
 CONVERT PROPERTY
 GRID 2 AND GRID 3
 (SOUTH SHEET)
 NORDAC RESOURCES LTD.



2




- Claim boundary
- 20449 Soil sample location with sample number
- △ 18683 Silt sample location with sample number
- 935929 Rock sample location with sample number

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SAMPLE LOCATION
CONVERT PROPERTY
GRID 1
(NORTH SHEET)
NORDAC RESOURCES LTD.

Scale 1:10,000
0 100 200 400 600 800 1000 m

093675



- Claim boundary
- 20449 Soil sample location with sample number
- 935929 Rock sample location with sample number

093675

FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
SAMPLE LOCATION
CONVERT PROPERTY
GRID 2 AND GRID 3
(SOUTH SHEET)
NORDAC RESOURCES LTD.

Scale 1:10,000
0 100 200 400 600 800 1000 m

5

—	Claim boundary
○ 205980	Soil sample location with sample number
× 22381	Silt sample location with sample number
■ 935932	Rock sample location with sample number

093675

FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SAMPLE LOCATION

CONVERT PROPERTY
GRID 4
(EAST SHEET)

NORDAC RESOURCES LTD.

Scale 1:10,000

0 100 200 400 600 800 1000 m

⑥



2' 23'
Grid North
True North
UTM Zone 9
NTS 105B/5

- Claim boundary
- ¹⁹⁴ Soil sample location with Pb value in ppm
- ×⁵⁶ Silt sample location with Pb value in ppm
- ³⁴ Rock sample location with Pb value in ppm
- ≥ 200 ppm Pb
- ≥ 100 < 200 ppm Pb
- ≥ 50 < 100 ppm Pb


093675


FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
LEAD GEOCHEMISTRY
CONVERT PROPERTY
GRID 1
(NORTH SHEET)
NORDAC RESOURCES LTD.


Scale 1:10,000
0 100 200 400 600 800 1000 m


7

April, 1997










April, 1997



- Claim boundary
- 238 Soil sample location with Cu value in ppm
- 34 Rock sample location with Cu value in ppm

- ≥ 200 ppm Cu
- ≥ 100 < 200 ppm Cu
- ≥ 50 < 100 ppm Cu


093675

FIGURE 19
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
COPPER GEOCHEMISTRY
CONVERT PROPERTY
GRID 2 AND GRID 3
(SOUTH SHEET)
NORDAC RESOURCES LTD.

Scale 1:10,000
0 100 200 400 600 800 1000 m

13

April, 1997



UTM North
True North
Z23°
UTM Zone 9
NTS 105B/5


- Claim boundary
- Soil sample location with Pb value in ppm
- Silt sample location with Pb value in ppm
- Rock sample location with Pb value in ppm
- ≥ 200 ppm Pb
- ≥ 100 < 200 ppm Pb
- ≥ 50 < 100 ppm Pb

FIGURE 21
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
LEAD GEOCHEMISTRY
CONVERT PROPERTY
GRID 4
(EAST SHEET)
NORDAC RESOURCES LTD.

Scale 1:10,000
0 100 200 400 600 800 1000 m

15

April, 1997



UTM North
True North
2°23'

UTM Zone 9
NTS 105B/5

- Claim boundary
- 302 Soil sample location with Zn value in ppm
- x 218 Silt sample location with Zn value in ppm
- 129 Rock sample location with Zn value in ppm
- ≥ 1000 ppm Zn
- ≥ 500 < 1000 ppm Zn
- ≥ 200 < 500 ppm Zn

093675

FIGURE 22
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC GEOCHEMISTRY
CONVERT PROPERTY
GRID 4
(EAST SHEET)
NORDAC RESOURCES LTD.

Scale 1:10,000

0 100 200 400 600 800 1000 m

UTM North

True North

2°23'

UTM Zone 9

NTS 105B/5

- Claim boundary
- 238 Soil sample location with Cu value in ppm
- 56 Silt sample location with Cu value in ppm
- 445 Rock sample location with Cu value in ppm
- ☐ ≥ 200 ppm Cu
- ☐ ≥ 100 < 200 ppm Cu
- ☐ ≥ 50 < 100 ppm Cu

093675

FIGURE 23

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

CONVERT PROPERTY

GRID 4

(EAST SHEET)

NORDAC RESOURCES LTD.

Scale 1:10,000



