ARCHER, CATHRO
& ASSOCIATES (1981) LIMITED

CONSULTING GEOLOGICAL ENGINEERS

1016 - 510 WEST HASTINGS STREET, VANCOUVER, B.C. V6B 1L8 TEL (604) 688-2568 • FAX (604) 688-2578

053997

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING, SOIL GEOCHEMISTRY, GROUND MAGNETICS AND EXCAVATOR TRENCHING

on the

BLUE HEAVEN PROPERTY

Blue 1-2	YB34963-YB34964
H 1-2	YB34965-YB34966
Heaven 1-80	YB91140-YB91219
81-92	YB91396-YB91407
93-102	YB91552-YB91561
103-114	YB91630-YB91641



Latitude 60°19' N; Longitude 130°41' W

NTS 105B/7

in the

WATSON LAKE MINING DISTRICT

YUKON TERRITORY

Prepared by

Archer, Cathro & Associates (1981) Limited

for

NORDAC RESOURCES LTD.

T. C. Becker, B.Sc., P.Geo.
March, 1999

BOX 4127, 2054 SECOND AVENUE, WHITEHORSE, Y.T. Y1A 3S9 TEL (867) 667-4415

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $ $7,500.00$.

M. Burke

Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

TABLE OF CONTENTS

	PAGE
SUMMARY AND RECOMMENDATIONS	1
INTRODUCTION	4
LOCATION, CLAIM STATUS AND ACCESS	5
PREVIOUS HISTORY	7
GEOMORPHOLOGY	11
REGIONAL GEOLOGY	12
REGIONAL MINERALIZATION	14
PROPERTY GEOLOGY	15
PROPERTY GEOCHEMISTRY	18
PROPERTY GEOPHYSICS	21
SURFACE MINERALIZATION AND TRENCHING	22
DISCUSSION AND CONCLUSIONS	38
SELECTED REFERENCES	40

PHOTOGRAPHS

NO.	DESCRIPTION	LOCATION
1	Blue Heaven Property - Looking North	Following Page 22
2	Blue Heaven Property - Looking South	Following Page 22
3	H Zone - Stripped Area	Following Page 27

APPENDICES

I AUTHOR'S STATEMENT OF QUALIFICATIONS

II GPS DATA

III CERTIFICATES OF ANALYSIS

IV ROCK SAMPLE DESCRIPTIONS

FIGURES

NO.	DESCRIPTION	LOCATION
1	Property Location	Following Page 5
2	Claim Location	Following Page 5
3	Access	Following Page 5
4	Historical Compilation	Following Page 9
5	Tectonic Setting	Following Page 12
6	Regional Geology	Following Page 12
7	Property Geology	In Pocket
8	Foliation Stereonet	Following Page 16
9	Joints Stereonet	Following Page 17
10	Mineralized Vein Stereonet	Following Page 17
11	Unmineralized Vein Stereonet	Following Page 17
12	Sample Location	In Pocket
13	Silver Geochemistry	In Pocket
14	Lead Geochemistry	In Pocket
15	Zinc Geochemistry	In Pocket
16	Copper Geochemistry	In Pocket
17	Tungsten Geochemistry	In Pocket
18	Ground Magnetics	Following Page 21
19	Compilation	Following Page 22
20	Blue Zone	Following Page 24

FIGURES (cont'd)

NO.	DESCRIPTION	LOCATION
21	Blue Zone Results	Following Page 25
22	Blue Zone Trenches	Following Page 25
23	TR98-08	Following Page 26
24	H Zone	Following Page 27
25	H Zone Detail	Following Page 27
26	H Zone Results	Following Page 27
27	Orly South Zone	Following Page 28
28	Orly North Zone	Following Page 29
29	Hope Zone	Following Page 29
30	TR98-01	Following Page 29
31	TR98-02, 03 & -09	Following Page 29
32	TR98-10 and Moar Zone	Following Page 30
33	TR98-12	Following Page 30
34	Desire Zone	Following Page 30
35	Desire Zone Results	Following Page 30
36	Triumph Zone	Following Page 32
37	Triumph Zone Results	Following Page 32
38	Faith Zone	Following Page 33
39	Creek NE Zone	Following Page 33
40	Creek SW Zone	Following Page 33
41	Glory Zone	Following Page 34
42	Detail Tungsten Grid	Following Page 36
43	Valour Zone	Following Page 37
44	Nirvana Zone	Following Page 37

SUMMARY AND RECOMMENDATIONS

Nordac Resources Ltd. has a 100% interest in the Blue Heaven property which consists of 118 claims covering 1975 hectares. The property is subject to a net smelter royalty of 2% on ores milled before smelting and 10% on ore not milled before smelting. Exploration has identified numerous high grade silver-lead-zinc veins, lead-zinc-silver replacement bodies and tungsten± copper skarns.

The property is located 355 km east of Whitehorse in southern Yukon. The Alaska Highway lies 25 km south of the property. A 40 km road extends from the highway to an abandoned camp site on the adjacent Silver Hart property and from there a system of four-wheel drive roads continues into the main areas of interest on the Blue Heaven property.

Topography in most parts of the property is gentle, consisting of broad glacial valleys and 10 to 20° slopes. The southwestern corner is higher and characterized by talus covered cirques and plateaus. Elevations range from 1050 to 1600 m. Soil development is good with glacial till common at lower elevations. Most of the property is heavily vegetated.

The property straddles the contact between metamorphic rocks belonging to the Cassiar Platform and a large mid-Cretaceous pluton called the Cassiar Batholith. The metamorphic rocks consist of schists, carbonate rich metasediments and skarns. The southwestern part of the property is underlain by granodiorite of the Cassiar Batholith while the remainder covers metamorphic rocks and smaller granodiorite stocks.

Three types of mineralization have been identified on the property. The most common is high grade silver-lead-zinc mineralization within northeast-trending quartz veins. The strongest and best mineralized veins are found in the granodiorite and schist units. The second type consists of lead-

zinc-silver replacement mineralization which occurs at the intersection of the northeast-trending veins and a thick, southeast-trending belt of carbonate rich metasediments. This mineralization is lower grade than the veins but has much greater tonnage potential. Finally, tungsten±copper mineralization within skarn horizons has been found in two parts of the property. The most promising skarn showings are hosted by the same belt of carbonate rich metasediments as the lead-zinc-silver replacement mineralization.

Nordac has identified five zones that are high priority targets: two high grade veins and three replacement prospects. The high priority zones are described in the following paragraphs. The other zones and untested soil geochemical targets are assigned a lower exploration priority but require additional work before they can be fully evaluated.

The H and Blue Zones are comprised of northeast-trending quartz veins containing high grade silver with galena, sphalerite, pyrite, arsenopyrite, tetrahedrite and rare sulfosalts. Both of these zones could support small scale, high grade mining using shallow open pits and hand sorting and have potential for larger scale underground mining coupled with milling. High grade potential is supported by assays such as 12,376 g/t silver across 20 cm from the Blue Zone and 10,561 g/t silver across 94 cm from the H Zone. Larger scale potential is indicated by three trenches across the Blue Zone which returned a weighted average of 1888 g/t silver across an average width of 148 cm for a strike length of 70 m.


The Desire, Triumph and Faith Zones consist of lead-zinc-silver replacement mineralization occurring intermittently along a 3 km belt that follows the surface trace of a 350 to 500 m wide band of carbonate rich metasediments. The mineralization consists of galena and sphalerite in

strongly weathered manganiferous siderite and jasperoid material developed where northeast-trending vein faults crosscut the carbonate rich metasediments. Most mineralized intervals are strongly oxidized where exposed in trenches. Galena is often encapsulated in anglesite but other sulphides are totally oxidized. Some zinc has likely been leached from the rock. Chip samples from a trench in the Desire Zone, which ended in mineralization, yielded a weighted average of 5.0% lead, 3.6% zinc and 65.5 g/t silver over a width of 35.8 m.

Future exploration should focus on the high grade veins and carbonate replacement mineralization but tungsten±copper mineralization should be sampled when encountered. A two part program is recommended. Small scale, high grade mining in shallow open pits should test the grade and continuity of the H and Blue Zones while detailed stratigraphic and alteration mapping, ground magnetic and electromagnetic surveys and excavator trenching are recommended for the high priority vein and replacement targets.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



T.C. Becker, B.Sc., P.Geo.

INTRODUCTION

The Blue Heaven property is owned 100% by Nordac Resources Ltd. and consists of 118 mineral claims covering 1975 hectares. Nordac acquired the Blue 1-2 and H 1-2 claims in February 1998 from W4 Joint Venture and subsequently staked 114 Heaven claims within a surrounding 5 km radius area of interest. All 118 claims are subject to a net smelter royalty.

This report describes exploration conducted between mid-June and late September 1998. The program utilized a two- to four-person crew working from a camp located on the property. Work included staking an additional 34 claims plus geological mapping, prospecting, grid and reconnaissance soil sampling, ground magnetic surveys, hand trenching and 1759 m of excavator trenching in 39 trenches. The program was managed by Archer, Cathro & Associates (1981) Limited and supervised by the author. Appendix I contains the Author's Statement of Qualifications.

LOCATION, CLAIM STATUS AND ACCESS


The Blue Heaven property consists of 118 contiguous mineral claims located in southern Yukon at latitude 60°19' north and longitude 130°41' west on NTS 105B/7 (Figures 1 and 2). They are registered with the Watson Lake Mining Recorder in the name of Archer, Cathro & Associates (1981) Limited which holds them in trust for Nordac. Claim data are listed below while claim locations are shown on Figure 3.


Claim Name	Grant Number	Expiry Date*
Blue 1-2	YB34963-YB34964	March 11, 2005
H 1-2	YB34965-YB34966	March 11, 2005
Heaven 1-80	YB91140-YB91219	February 24, 2004
Heaven 81-92	YB91396-YB91407	February 24, 2004
Heaven 93-102	YB91552-YB91561	February 24, 2004
Heaven 103-114	YB91630-YB91641	February 24, 2004

*Expiry dates include 1998 work filed for assessment credit but not yet accepted.

Access is provided by a 40 km road extending from Km 1160 on the Alaska Highway to an abandoned camp site on the adjacent Silver Hart property (Figure 2). The road is suitable for four-wheel drive vehicles but could be easily upgraded for two-wheel drive use. A system of four-wheel drive roads extends from the Silver Hart camp site onto the Blue Heaven property however, because the roads are eroded in places, access to all but the most important parts of the property is limited to off-road vehicles.

Whitehorse, the capital and largest community in Yukon, is located 355 km by road west of the property while Watson Lake, where most exploration services are available, lies 180 km to the east. Whitehorse receives daily scheduled air service from Vancouver. The closest all-season deep


NORDAC RESOURCES LTD.
FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
BLUE HEAVEN PROPERTY
0 50 100 150 200 km
0 20 60 100 140 miles
FILE: NORDAC\BLUE\ACAD98\BL-PLOC1.DWG FEBRUARY, 1999
Nordac property or royalty interest
Present or past producer owned by others
Undeveloped deposit owned by others
IVAVIK NATIONAL PARK
VUNTUT NAT. PARK
INUVIK
ALASKA
YUKON
TERRITORY
NORTHWEST TERRITORIES
BRITISH COLUMBIA
KL
IGOR
PIKE
CORD
PTERD
JOLI
STEEL
BOND
CLINTON CREEK
RIVER
TRACK
TOP
DAWSON
BREWERY CREEK
BLENDE
DUBLIN GULCH
WAYNE
MARG
KENO HILL
EUREKA & ARMENIUS
KLONDIKE
SCHEELITE DOME
MAYO
HWY
YUKON
MACTUNG
TOM-JASON
CASINO (NPI)
MINTO
CARMACKS COPPER
CARMACKS
ANVIL RANGE
FARO
HOWARDS PASS
VAN
CANTUNG
ARN
GOLDEN REVENUE
NARNIA
Mt. NANSEN
ROSS RIVER
ICE
KUDZ ZE KAYAH
KETZA
WELLGREEN
DIVISION MTN.
BURWASH
RIVER
BOOT
WOLVERINE (NSR INTEREST)
FYRE
KLUANE
NATIONAL PARK
HAINES JUNCTION
DDL
WHITEHORSE
WHITEHORSE COPPER
SKUKUM
SIMPSON
SA DENA HES
HYLAND GOLD
CUZ
TOUCHDOWN
LOGAN
END ZONE
SILVER HART
QB
CONVERT
ALASKA HWY
WATSON LAKE
MIDWAY
PUNT
TACKLE
FIELD GOAL
NORTHERN DANCER
CASSIAR
ERICKSON
BLUE HEAVEN PROPERTY
WINDY CRAGGY
ATLIN
SKAGWAY
HAINES
ALASKA



TRUE NORTH
LITM GRID NORTH
MAGN. NORTH

NTS 105 B/7
UTM ZONE 9
CONTOUR INTERVAL 50m

- Post location with standard GPS fix
- Post location with poor GPS fix
- Post location with uncorrected or no GPS fix

NORDAC RESOURCES LTD.


FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION

BLUE HEAVEN PROPERTY

0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-CLI.DWG	DATE: FEBRUARY, 1999



NORDAC RESOURCES LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ACCESS

BLUE HEAVEN PROPERTY

0 2.5 5 7.5 10 km

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-LOC1.DWG	DATE: FEBRUARY, 1999

water seaport is at Skagway, Alaska 430 km by road to the west-southwest. The nearest railhead is at Fort Nelson, B.C., 720 km to the east-southeast.

During the 1998 exploration program claim post locations and selected grid and geological points were surveyed using Trimble Geoexplorer GPS units. Field readings were corrected using base station data obtained from the Department of Renewable Resources (Forestry) at Whitehorse. GPS survey data appear in Appendix II.

In August 1998 a Hitachi UH09 excavator was mobilized from the Alaska Highway to the Blue Heaven property along the Silver Hart Road. Minor improvements were made to the road in accordance with the Land Use Permit YA6F155. The excavator was demobilized along the same route in late September. Extensive reclamation work was performed during the trenching program.

PREVIOUS WORK

The first reported activity on ground now covered by the Blue Heaven property occurred in 1971 when the Nite occurrence, a scheelite-bearing skarn, was staked by Wolf Lake Joint Venture (Ashland Oil Canada Ltd., Caltor Syndicate, Canadian Industrial Gas and Oil Ltd. and Rayrock Mines Ltd). The joint venture explored that year with geological mapping, reconnaissance and grid soil geochemistry, bulldozer trenching and 476.5 m of diamond drilling in eight holes. Although trench results were encouraging, the best drill intersection was 0.17% tungsten over a width of 22.9 m (Archer, 1971; Archer and Cathro , 1972). The property was transferred to Archer, Cathro & Associates Limited in 1976 and was reduced to four claims. Nordac Mining Corporation (a company unrelated to the Nordac Resources Ltd. for which this report has been prepared) purchased the claims in 1988 and explored that summer with grid soil sampling and prospecting (Main, 1988). No further work was done before the claims expired. Most of the scheelite-bearing skarn zone is now situated on the Blue Heaven property.

Silver-lead-zinc mineralization was first recognized in 1973 when Hudson Bay Mining and Smelting Co. Ltd. staked the Buc claims covering what is now called the Orly Zone. They carried out mapping and sampling later that year. In 1978 the showing was restaked as the Com claims by the Wolf Lake Project (Comaplex Resources International Limited and Dayton Creek Silver Mines Limited). The showing is described as a zone of highly fractured granodiorite surrounding a 15.2 cm quartz vein containing pyrite and galena (Allen, 1979). This area was restaked in 1983 as part of a much larger group of claims, described in the following paragraph, and was explored in 1987 by bulldozer trenching. Two quartz veins containing galena and sphalerite were exposed over

a 9 m strike length. A specimen taken in 1987 returned 8671.2 g/t silver and chip samples returned 2077.7 g/t silver over a true width of 21 cm from the south vein and 2022.8 g/t silver over 24 cm from the north vein (DIAND, 1995).

Silver-lead-zinc mineralization north of Oake Creek was first recognized in 1980 when prospector Wally Hyde followed up anomalous soil geochemical values defined by Wolf Lake JV and discovered a high grade galena vein about 2.5 km southwest of the Nite occurrence. He and two partners staked a large claim block (part of which covered the area that is now the Blue Heaven property) and performed hand trenching before optioning the property to BRX Mining and Petroleum Corporation in 1982. BRX conducted geological mapping, soil sampling and 197 m of diamond drilling in two holes later that year (DIAND, 1995) before dropping its option. In 1983 Hyde and his partners did more hand trenching and briefly optioned the claims to United Greenwood Exploration Limited and Consolidated Montclerg Mines Limited.


Large scale exploration began in 1984 when the property was optioned to a joint venture consisting of Shakwak Exploration Company Limited and Silver Hart Mines Limited. Subsequent exploration was managed by Silver Hart and included geological mapping, prospecting, reconnaissance and grid soil geochemistry, bulldozer trenching and stripping, 3658 m of diamond drilling in fifty holes and 673 m of underground development from an adit (DIAND, 1995). Silver Hart also constructed a road to the property.

Work completed by Silver Hart in 1985, 1986 and 1987 identified an extensive vein system including the Blue, H, Orly and Creek Zones in the area that is now the Blue Heaven property

(Figure 4) but none of these targets received serious exploration. Diamond drilling, stripping and underground development focussed on the TM, FM, SM and Meteorite Zones located 1 km northwest of the Blue Heaven property. In 1987 a resource of 97,000 tonnes grading 1025 g/t silver was calculated assuming an underground operation with a 1.5 m minimum mining width (DIAND, 1995 and Silver Hart, 1987a). The reserve is localized in a small area in the central part of Silver Hart's property and there is good potential for exploration along strike, down dip or on parallel veins.

Silver prices dropped sharply in the late 1980's and for the next several years the property was inactive. During this period a number of claims were allowed to expire. In 1991 and 1992 Silver Hart performed additional trenching and environmental reclamation before relinquishing its option. A similar program was done in 1993 by Hyde and his partners and since that time the property has been dormant. The remaining claims owned by Hyde and his partners are referred to subsequently in this report as the "Silver Hart property" and their camp site as the "Silver Hart camp". No work was done on the Silver Hart property in 1998 and no plans have been announced for 1999.

In fall 1991 W4 Joint Venture staked the Blue claim after Silver Hart claims in that area had expired. Prospecting the following year showed that the Blue claim was mislocated. W4 JV then staked the Blue 1-2, H 1-2 and Orly 1-2 claims to protect veins exposed in old Silver Hart trenches. In 1994 W4 JV performed prospecting and trench sampling on the claims and staked fourteen Glory claims around them. An additional 24 Glory claims were staked in 1995 and minor reconnaissance soil sampling and prospecting were done. This work was not filed for assessment and the original Blue, both Orly and all 38 Glory claims were allowed to expire.



Pre-1998 equipment trench

1971 diamond drill hole

Property boundary

Road

Creek

Fault

NORDAC RESOURCES LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

HISTORICAL COMPILATION

BLUE HEAVEN PROPERTY

0 130 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-HCOMP.DWG	DATE: FEBRUARY, 1999

Nordac acquired the Blue 1-2 and H 1-2 claims in February 1998 and staked the Heaven 1-80 claims within a surrounding 5 km radius area of interest. All 84 claims, and any other claims that Nordac subsequently stakes within the area of interest, are subject to a 2% net smelter royalty on any ores which are milled before smelting or a 10% net smelter royalty on ores which are not milled before smelting. The net smelter royalties are payable to W4 JV.

GEOMORPHOLOGY

The property is situated in the Cassiar Mountains. Local elevations range from 1050 m on Oake Creek to 1600 m on a ridge crest along the southern edge of the claim block. Creeks draining the property flow into the Meister River, a tributary of the Liard River watershed.

Vegetation includes thick stands of mature balsam and spruce interspersed with willow below 1300 m giving way to buckbrush and stunted balsam and finally grasses and lichen above 1500 m. Linear vegetation-depleted zones up to 15 m wide and 100 m long are developed along the surface trace of some known and suspected mineral occurrences. Bedrock is generally obscured by talus above 1400 m or by glacial till at lower elevations.


Climate in the area is categorized as continental and characterized by relatively long cold winters and warm dry summers. Daylight hours range from a minimum of about 6 in December to a maximum of 22 in June. Annual precipitation averages approximately 450 mm. Snow can occur in any month and normally covers the ground from October to May. Maximum snow depth is about 150 cm. Permafrost is common in the area but is not pervasive. The local streams usually breakup in late May and freeze over in early November.

REGIONAL GEOLOGY

The Blue Heaven property lies within a belt of metamorphic rocks belonging to the Yukon-Tanana Terrane and Cassiar Platform (Figure 5). This belt extends from northern B.C. across the Yukon into Alaska. The northeastern edge of the belt is defined by the Tintina Fault Zone, a series of subparallel transcurrent faults which produced about 450 km of dextral offset in Late Cretaceous and/or Early Tertiary times (Tempelman-Kluit, et al, 1976). The southwestern side is bounded by the Teslin Suture, an enigmatic zone composed of folds plus thrust and high angle faults.

Yukon-Tanana Terrane and Cassiar Platform rocks are composed of Paleozoic stratigraphy which has been intruded by Jurassic to Cretaceous plutons as illustrated on Figure 6. Both of the major geological packages are considered "suspect terranes" representing variably distal metamorphosed equivalents of North American continental margin sediments. Yukon-Tanana, the furthest outboard of the two terranes, is thrust onto Cassiar Platform rocks by the D'Abbadie Thrust Fault. The regional metamorphic fabric within both terranes strikes northwesterly and dips moderately toward the northeast.

Although rocks of the Yukon-Tanana Terrane and Cassiar Platform are generally similar and approximately the same age, the two packages are distinguished by higher proportions of carbonate strata in the Cassiar Platform and metavolcanics in the Yukon-Tanana Terrane. The Blue Heaven claims straddle the contact between the Cassiar Platform and the Cassiar Batholith, a mid-Cretaceous pluton up to 20 km wide and 400 km long that extends from northeastern British Columbia into southeastern Yukon. The batholith is cut by a major dextral strike-slip fault, the Cassiar Fault. The sense of motion of this structure and the Tintina Fault Zone resulted in a series of extensional, northeast-trending faults in the Blue Heaven area.



Thrust fault

Steep fault

Yukon–Tanana Terrane

Slide Mountain Terrane

Stikinia and other Terranes

Cassiar Platform and other North American Miogeoclinal Strata

Modified after Mortensen and Jilson (1985), Mortensen (1992) and Johnston and Mortensen (1994).

NORDAC RESOURCES LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TECTONIC SETTING

BLUE HEAVEN PROPERTY

0 100 200 300 400

KILOMETRES

DRAWN/REVISED BY: TCB/AG	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TECTO	DATE: FEBRUARY, 1999


ROAD
CANOL
SOUTH
UTM NAD
TN
mN
D'ABBADIE THRUST
ROBERT CAMPBELL HIGHWAY
SIMPSON
TINTINA FAULT ZONE
MARKER LAKE BATHOLITH
END ZONE
LOGAN
TOUCHDOWN
PIGSKIN
SILVER HART
QB
CASSIAR BATHOLITH
CASSIAR FAULT
BLUE HEAVEN PROPERTY
CONVERT
RAM STOCK
TACKLE
FIELD GOAL
NORTHERN DANCER
PUNT
TESLIN SUTURE
YUKON TERRITORY
BRITISH COLUMBIA
ALASKA HIGHWAY
SILVERTIP
North American Miogeocline
Pre-Triassic sedimentary and volcanic rocks
Slide Mountain Terrane
Chert, ultramafic, metavolcanic, and carbonate rocks
Yukon-Tanana Terrane
Paleozoic metasedimentary and metavolcanic rocks
Cassiar Platform
Paleozoic metasedimentary and metavolcanic rocks
Intrusive Suites
Paleozoic metaplutonic rocks
Mesozoic plutonic rocks
Property owned by Nordac Resources Ltd.
Deposit owned by others
Access road to property
NORDAC RESOURCES LTD.
FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
REGIONAL GEOLOGY
BLUE HEAVEN PROPERTY
0 10 20 30 40 50 Km
DRAWN/REVISED BY: TCB/AG
PROJECT:
FILE: NORDAC\BL\ACAD96\BL-RGEL.DWG
DATE: FEBRUARY, 1996

Geology in the Rancheria area was mapped at 1:250,000 scale in 1960 by the Geological Survey of Canada (Poole, et al, 1960). More detailed mapping in the Rancheria District (105B/1, 2, 7 and 8) was done in 1985 and 1986 at 1:50,000 scale by DIAND (Lowey and Lowey, 1986; Amuken and Lowey, 1987) in response to numerous base and precious metal discoveries in the area.

REGIONAL MINERALIZATION

The Cassiar Platform and intrusive rocks of the Rancheria area are host to numerous mineral occurrences including: silver-lead-zinc±copper±gold veins, tin-tungsten-zinc skarns, and lead-zinc-silver replacement bodies. The most significant discoveries in this region to date are the Silvertip (Midway), Logan and Silver Hart Deposits. The locations of these deposits are shown on Figure 6.

The Silvertip Deposit is classified as a manto replacement body hosted in Devonian-age strata. Diamond drilling and underground development have outlined a mineral resource of 2,570,000 tonnes with an average grade of 325.0 g/t silver, 6.4% lead, 8.8% zinc and 0.63 g/t gold (GCNL #10, January 15, 1998). Vein- and shear-hosted mineralization occurs within the Cretaceous Marker Lake Batholith at the Logan Deposit where reserves are estimated at 12.3 million tonnes grading 6.17% zinc and 26.0 g/t silver (DIAND, 1995). The Silver Hart Deposit consists of a series of high grade silver-bearing veins reportedly containing 99,000 kg of silver (DIAND, 1995). The Silver Hart Deposit is discussed in more detail in the Surface Mineralization and Trenching section.

Most high grade silver veins and lead-zinc-silver replacement bodies in the Rancheria area are associated with northeast-trending extensional faults.

PROPERTY GEOLOGY

Bedrock exposure on the property is poor (<5%) and generally restricted to creek cuts, outcrops above treeline or small windows through the glacial till cover. The main units are Lower Cambrian schists, limestone and skarns belonging to the Cassiar Platform and granitic rocks of the mid-Cretaceous Cassiar Batholith. Mineralized quartz veins crosscut both the metasedimentary and plutonic rocks but are in turn crosscut by younger felsic and mafic dykes.

Geology for the entire property is shown on Figure 7. The main rock types are described below and followed by a few paragraphs on structural geology.

Schist is a tan to dark brown weathering, medium grained, well foliated and light grey to pale green coloured rock. It varies from hard and massive to crenulated and highly fissile. The unit consists of a combination of quartz-muscovite±biotite±chlorite±feldspar and was subdivided during outcrop and trench mapping but for the purpose of this report all schist units have been grouped together. Quartz and feldspar augen are present in some layers with the feldspar often weathering to kaolinite. Foliaform quartz sweats are minor while manganese and limonite stained fractures and stringers are common.


Limestone is white and coarsely crystalline or pale greenish grey and fine grained. The finer grained material contains biotite and muscovite along schistose partings and laminations. Trace amounts of pyrite and pyrrhotite occur as thin laminae (2 to 4 mm wide). This unit forms interbeds with schist in a 350 to 500 m wide band that trends southwesterly across the centre of the property. Limestone outcrops are rare and locally exhibit weak skarnification which grades into rocks assigned to the skarn unit.

Skarn is moderately banded, resistant weathering and varies in colour from green to white. The unit typically consists of alternating diopside and diopside-garnet rich bands but occasionally contains 60 to 80% coarse almandine garnet (<20 mm in diameter) in a white marble matrix. This unit contains up to 50% thinly interbedded schist in some exposures but averages less then 10%. Skarnified rocks occur in two main belts. The largest belt is 350 to 500 m wide and trends southeast across the central part of the property. The other belt is 200 to 300 m wide and centred on the Nite Zone in the northeastern part of the property.

Granodiorite is grey, non-foliated and blocky weathering. Composition is relatively consistent with approximately 60% feldspar, 20% quartz, 15% biotite and 5% muscovite. The southwestern part of the property is underlain by the Cassiar Batholith while a 1.5 by 2.0 km plug of similar material occurs along a ridge in the northeastern part of the property. The contact between plutonic and metasedimentary rocks is irregular and marked by increased weathering and fracturing.

Felsic or Mafic Dykes are uncommon and have only been found in a few outcrops. Both dykes are aphanitic with the felsic dykes having quartz and albite phenocrysts in a light grey groundmass and the mafic dykes having biotite and rare augite phenocrysts in a dark green groundmass. The dykes are generally less than 1 m wide and altered to green clay near surface.

Foliation is well developed within the metasedimentary rocks and consistently strikes southeast with moderate dips toward the northeast (Figure 8). It appears to parallel compositional layering and relic bedding. All units are conformable and there is no evidence of large scale folding.



Equal Area – Lower Hemisphere Contour Plot

SCHMIDT POLE CONCENTRATIONS

Minimum Contour	=	2.5%
Contour Interval	=	2.5%
Max.Concentration	=	17.2%

▫ Pole to foliation
29 poles plotted

NORDAC RESOURCES LTD.

FIGURE 8
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FOLIATION STEREONET


BLUE HEAVEN PROPERTY

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-SN-FO.DWG	DATE: FEBRUARY, 1999

Jointing is well developed in all rock types and three sets of orientations predominate (Figure 9). The strongest jointing strikes northeast and dips moderately northwest. The second set strikes east and dips steeply to the south. The weakest joints strike north and dip near vertical. Mineralized veins approximately parallel the strongest joint set, striking northeast and dipping to the northwest, while unmineralized veins strike east and dip moderately to the north (Figures 10 and 11).

Two sets of topographic linears have been identified on airphotos. The strongest linears trend northeast and are best developed on ridge tops within the granodiorite. On surface these zones are marked by depressions from 2 to 20 m deep and up to 20 m wide. They can be easily followed for up to 800 m. Most are U-shaped with the flat bottoms containing intermittent streams and angular granodiorite boulders. These linears are interpreted as faults or zones of increased jointing. They parallel mineralized veins and the dominant joints.

The second set of topographic linears trend southeast and occur within the metasedimentary units. These linears are found at lower elevations and range from 2 to 4 m deep and average 5 m wide. They are usually filled with intermittent streams, overburden and thick vegetation. This set of linears appears to have developed due to differential weathering of the metasedimentary units.



I = Strongest joint set III = Weakest joint set

Equal Area – Lower Hemisphere Contour Plot

SCHMIDT POLE CONCENTRATIONS

Minimum Contour	=	1.5%
Contour Interval	=	1.5%
Max.Concentration	=	9.5%

▫ Pole to joint
74 poles plotted


NORDAC RESOURCES LTD.

FIGURE 9
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

JOINTS STEREONET

BLUE HEAVEN PROPERTY

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-SN-JN.DWG	DATE: FEBRUARY, 1999



Equal Area – Lower Hemisphere Contour Plot

SCHMIDT POLE CONCENTRATIONS

Minimum Contour	=	4%
Contour Interval	=	4%
Max.Concentration	=	25%

▫ Pole to mineralized vein
20 poles plotted


NORDAC RESOURCES LTD.

FIGURE 10
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MINERALIZED VEIN STEREONET

BLUE HEAVEN PROPERTY

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-SN-VN.DWG	DATE: FEBRUARY, 1999



Equal Area – Lower Hemisphere Contour Plot

SCHMIDT POLE CONCENTRATIONS

Minimum Contour	=	3.5%
Contour Interval	=	3.5%
Max.Concentration	=	21.7%

▫ Pole to mineralized vein
23 poles plotted

NORDAC RESOURCES LTD.

FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

UNMINERALIZED VEIN STEREONET

BLUE HEAVEN PROPERTY

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-SN-UN.DWG	DATE: FEBRUARY, 1999

PROPERTY GEOCHEMISTRY

Soil samples were collected between June and early September 1998 from two soil sample grids. The largest grid covers a south-facing slope on the north side of Oake Creek. This grid is contiguous with samples collected in 1988 from the Nite Zone. A smaller grid was established along the southern edge of the claims to test for mineralized veins in the Cassiar Batholith.

The sampling was conducted using baselines cut to line-of-site. Survey control was provided by GPS readings at several points along the cut lines. Lath bearing aluminum tags inscribed with grid coordinates were placed at 50 m slope corrected intervals along baselines. Soil sample lines were run perpendicular to the baselines and each sample site was marked with a 0.5 m lath and inscribed aluminum tag. Samples were normally taken at 50 m intervals along lines spaced 100 m apart. Infill soil samples were later collected in areas of anomalous response. These samples were taken at 50 m interval along lines spaced 50 m apart. Reconnaissance soil samples were collected at 100 m intervals along contour and claim lines outside the grid area.

All samples were sent to Chemex Labs in North Vancouver where they were screened to -80 mesh, digested in aqua regia and geochemically analyzed for 32 elements using the Induced Coupled Plasma (ICP) technique. When a sample exceeded detection limit for silver, lead or zinc it was reanalyzed using standard assay techniques. Digestion by the aqua regia technique results in some elements being only partially leached. Analytical results for the partially leached elements can be used to identify anomalies but do not provide quantitative data. On the Blue Heaven property tungsten is the most important pathfinder element that has been partially leached. If an ICP analysis

returned a strongly anomalous value for tungsten, the sample was reanalyzed using a complete digestion preparation.

Soil sample locations for the 1988 and 1998 grids are shown on Figure 12 while Certificates of Analysis for the 1998 samples are contained in Appendix III. Results for five indicator elements (silver, lead, zinc, copper and tungsten) are plotted on Figures 13 to 17 while anomalous thresholds and peak values are as follows.

Anomalous Thresholds (ppm) and Peak Values (ppm)

Element	Weak	Moderate	Strong	Peak
Silver	1	2	5	67
Lead	50	100	200	5960
Zinc	200	500	1000	24,000
Copper	50	100	200	646
Tungsten	20	50	100	1880

A broad band of strongly anomalous lead and zinc response extends across the full length of the larger grid. This band roughly corresponds to a southeast-trending belt of skarn and carbonate rich medasedimentary rocks. Clusters of silver, copper and tungsten values occur intermittently along the same belt. Other areas of strongly anomalous silver, lead, zinc and copper response are attributed to northeast-trending mineralized quartz veins. Twenty-eight areas of mineralization have been identified on the property and most of these are discussed, along with their characteristic geochemical response, in the Surface Mineralization and Trenching section.

Local glacial direction is believed to be from west to east. In some areas unmineralized glacial till may have returned low geochemical values masking an area of interest while in others


glacier smearing may be partially responsible for the large area of anomalous lead and zinc response. Hydromorphic dispersion of zinc probably explains its broad distribution compared to lead.

The smaller grid along the southern boundary of the property returned moderately to strongly anomalous silver and lead response from two areas of known mineralization but generally disappointing results elsewhere. Reconnaissance samples yielded only weakly elevated values for most metals.

PROPERTY GEOPHYSICS

During the 1998 program a ground magnetics survey was performed over a 350 by 1000 m area where prospecting had previously identified massive pyrrhotite-pyrite mineralization. The survey utilized a Barringer GM-122 proton magnetometer and was conducted by the exploration crew. Base stations were established at 50 m intervals along line 8900 N from 6200 E to 7200 E and line 8600 N from 6200 E to 6400 E. Readings were taken at 10 m intervals along lines spaced 50 m apart. Adjacent lines were run as a loop and readings were corrected by integrating the magnetic drift determined from base station readings taken at the start and end of each loop.

The survey produced considerable relief as shown on Figure 18. The strongest magnetic response was from the Moar Zone where prospecting and trenching had located massive pyrrhotite and pyrite in a horizon up to 3 m wide. The areas of high response near the Nirvana and Valour Zones are due to disseminated sulphides in skarns. The magnetic low near TR98-22 may be related to deeper weathering or, possible alteration of pyrrhotite to pyrite, adjacent to a northeast-trending fracture zone. These areas of mineralization are discussed in greater detail in the following section of this report.



Geological contact

Ground magnetic contours, 2000 mgal intervals

Fault

Linear

Trench TR98-03

Soil sample location

GPS survey station

Road

1 Granodiorite

2 Schist

3 Skarn and carbonate rich metasediments

NORDAC RESOURCES LTD.

FIGURE 18

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GROUND MAGNETICS

BLUE HEAVEN PROPERTY

0 300 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-MAG.DWG	DATE: FEBRUARY, 1999

SURFACE MINERALIZATION AND HAND TRENCHING

Prospecting on the Blue Heaven property has identified three types of mineralization. The most common type is silver-lead-zinc mineralization in northeast-trending quartz veins. These veins crosscut both intrusive rocks and metasediments. Work on the property prior to and including 1998 has identified twenty-three northeast-trending veins, the best seventeen of which are assigned to six zones. These veins were tested in 1998 by nineteen excavator trenches and one hand trench. The second type of mineralization is lead-zinc-silver which occurs with manganiferous siderite and jasperoid in the southeast-trending belt of carbonate metasedimentary rocks. The deposits containing this type of mineralization are commonly referred to as Carbonate Replacement Deposits (CRD). CRD mineralization was found in eight areas which were tested with seventeen excavator trenches and three hand trenches. The last type is tungsten±copper mineralization occurring in two belts of skarnified metasedimentary rocks. The skarn mineralization was found in five areas, four within the same belt of carbonate metasedimentary as hosts the CRD mineralization. These areas were explored with three excavator trenches and two hand trenches in 1998. The excavator trenching was confined to relatively accessible areas, therefore many promising soil geochemical anomalies were not tested.

The three types of mineralization and areas on the property where they occur are discussed below. Figure 19 is a compilation map showing the location of all mineralized zones, access roads and various types of work performed on the property. Photos 1 and 2 show views of the property looking north and south, respectively. A description of individual rock samples collected during prospecting, prior to and including 1998, is in Appendix III.




Photo 1 - Blue Heaven Property - Looking North





Photo 2 - Blue Heaven Property - Looking South

93997



- Pre–1998 and 1998 hand/equipment trench
- 1971 diamond drill hole collar
- Property boundary
- Road
- Creek
- Geological contact
- Fault
- 1 Schist
- 2 Skarn and carbonate rich metasediments
- 3 Granodiorite

NORDAC RESOURCES LTD.

FIGURE 19

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COMPILATION

BLUE HEAVEN PROPERTY

0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-COMP.DWG	DATE: FEBRUARY, 1999

All rock samples were sent to Chemex Labs where they were geochemically analyzed for 32 elements using the ICP technique. When a sample exceeded the detection limit for silver, lead, zinc or copper it was reanalyzed using standard assay techniques. Selected samples were also checked for gold, tin and germanium. The problem of partial leaching selected elements, as described for soil samples, also applies for rock samples. If a sample was relatively anomalous for tungsten it was reanalyzed using assay techniques. Certificates of Analysis for the 1998 samples are included in Appendix IV.

Silver-Lead-Zinc Vein Mineralization

The following paragraphs contain descriptions of veins comprising the Silver Hart Deposit and the best zones on the Blue Heaven property. The descriptions of the Silver Hart veins are included for the sake of comparison.

The **Silver Hart Deposit** consists of high grade silver-lead-zinc veins that were discovered and explored during the 1980's, as described in the History section. The main workings are located 1 km northwest of the Blue Heaven property but relatively unexplored, parallel structures are scattered across the entire Silver Hart property. The following description of the Silver Hart vein system is based on a regional overview (Abbott, 1983), a summary of assessment reports (Bremner, 1988), various Silver Hart news releases and annual reports from the period 1984 to 1987, and observations by geologists working for Archer Cathro.


Silver bearing veins occur in both granitic and metasedimentary rocks but the granite-hosted structures generally have better continuity and exhibit higher silver to lead ratios. Most veins strike 045 to 060° and dip 40° to near vertical toward the northwest. They typically show

symmetrical banding and are mineralized with argentiferous galena, sphalerite and tetrahedrite plus lesser amounts of arsenopyrite, pyrite, chalcopyrite, pyrargyrite, covellite, chalcocite and hematite. The common gangue minerals are quartz and siderite with minor calcite, dolomite, sericite, chlorite, plagioclase and potassium feldspar. A variety of secondary minerals commonly replace sulphides at surface and, of these, black manganese oxide (which occurs in the veins and adjacent wallrocks) has proven to be the most useful indicator mineral for prospecting.

Hydrothermal alteration is usually developed in wallrocks (particularly granitic rocks) adjacent to vein faults even if they are unmineralized. Although argillic alteration is most prevalent, silicification and propylitization are also common. In a few areas mineralization has replaced carbonate rich horizons adjacent to veins.

The veins are cut by post-mineralization cross faults and andesite dykes. The cross faults consistently show left lateral offsets and usually exhibit less than 15 m of horizontal and 30 m of vertical displacement. Two main sets of cross faults have been recognized, one striking east and dipping steeply south and the other striking east-northeast and dipping steeply toward the northwest. The dykes intrude along cross faults and are pervasively altered to green clay.

The **Blue Zone** consists of a 40 m wide system of subparallel veins that have been intermittently exposed over a 260 m strike length within a granodiorite stock near its contact with metasedimentary country rocks. Stripping prior to 1998 exposed a quartz vein for a length of 125 m (Figure 20). This vein (B1 Vein) averages 20 cm wide, strikes about 050° and dips 30 to 60° northwest. A series of narrower (10 cm average) veins are developed between this vein and a parallel, poorly exposed vein located 10 m into the hanging wall. The narrower veins trend 085°



RESULTS

Year	Sample interval(cm)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	Au (g/t)
1988		K7701	24.3	0.08%	5.74%		0.55
1988		K7702	37.4	0.22%	0.41%		2.81
1988		K7703	26.1	0.10%	1.22%		0.82
1988		K7704	29657.1	1.65%	1.85%		9.81
1988		K7705	31234.3	4.31%	2.50%		5.35
1988		K7706	7062.8	0.63%	4.79%		1.71
1988		T5345	12445.7	73.0%	2320	7060	0.10
1988		T5346	156.0	8390	>10000	1410	1.41
1988		T5347	3462.9	52.2%	>10000	3560	0.69
1994	20	934701	456.0	3.70%			0.62
1994	17	934702	41.1	0.38%			0.69
1994	22	934703	<3.4	0.04			0.38
1994	7	934704	157.7	0.96			4.42
1994	43	934705	10.3	0.33			0.17
1994		934706	726.8	3.94			0.51
1994	12	934707	6.9	<0.01			0.38
1994	15	934708	<3.4	<0.01			0.14
1994	11	934709	<3.4	<0.01			0.17
1994	13	934713	17.1	0.04			
1998		059428	1615	79.7%	10240	470	
1998		059429	15579.5	70.7%	27400	18210	
1998		059430	22460.0	59.6%	38700	26700	
1998		451700	3080	>5%	9.24%	5230	

NORDAC RESOURCES LTD.

FIGURE 20

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BLUE ZONE

BLUE HEAVEN PROPERTY

0 5 10 20 30 40 50 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-BLUE.DWG	DATE: FEBRUARY, 1999

and dip 30 to 65° north. Mineralization in all veins within the Bl Vein stripped area averages less than 10% total sulphides, which typically consist of finely disseminated pyrite, arsenopyrite and sphalerite with lesser galena and tetrahedrite in a quartz-siderite matrix. The grade is generally low but some lenses of high grade mineralization are present (Einsiedel, 1998). Although selected specimens collected between 1988 and 1994 assayed up to 31,234 g/t silver, seven chip samples taken across the main vein returned disappointing values ranging from trace to 456 g/t silver over true widths of 7 to 45 cm. Other samples taken from the hanging wall vein and the narrower veins between the two returned similarly low values.

Prospecting along strike to the northeast in 1992 and 1994 located a massive galena lens about 20 cm wide and 2 m long. A specimen taken from it assayed 12,445 g/t silver and 73.0% lead while a sample of galena float about 45 m further along strike returned 3463 g/t silver and 52.2% lead. This northeasterly extension of the Blue Vein system was tested with eight excavator trenches in 1998. Figure 20 shows trench locations while Figures 21 and 22 illustrate trench results. This work traces the Blue Vein system for another 135 m along strike for a total of 260 m. The system now consists of the original B1 Vein, the B2 Vein about 15 m into the hanging wall and the B3 Vein, 25 m further into the hanging wall. The mineralized float found in 1992 and 1994 is derived from the B3 Vein.

Although the projected northeasterly strike extension of the B1 Vein corresponds with a linear depression, the two trenches which crossed this structure (TR98-2 and -05) exposed only narrow, weakly mineralized veins.

TR98-04 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	Au (ppb)
5.70	6.20	0.50	935792	4	795	2190	60	90
9.30	11.30	2.00	935793	2.6	450	1305	18	
11.30	11.70	0.40	935794	40	560	1420	90	1130
11.70	16.40	4.70	935795	4.4	164	978	37	
16.40	17.40	1.00	935796	4	380	1595	20	
17.40	17.80	0.40	935797	5206.4	22.6%	15460	3500	2740
17.80	18.80	1.00	935798	45	1790	7740	215	
18.80	21.80	3.00	935799	5.4	350	1570	30	
21.80	27.30	5.50	935800	1.4	232	2040	18	
27.30	28.50	1.20	059401	1	65	690	15	
28.50	28.90	0.40	059402	3	460	610	20	
28.90	30.50	1.60	059403	2	230	1060	10	

TR98-05 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	Au (ppb)
2.30	4.30	2.00	059413	7.6	870	1650	15	
4.30	5.30	1.00	059414	76	6880	3620	130	<5
5.30	5.55	0.25	059415	5990.1	7130	9690	1310	735
5.55	6.60	1.05	059416	72	1070	3540	130	60
6.60	8.60	2.00	059417	497	20600	3210	345	120
8.60	8.80	0.20	059418	736	43000	27100	1075	65
8.80	10.80	2.00	059419	13	515	2620	70	

TR98-06 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	Au (ppb)
4.20	6.20	2.00	059408	3.8	490	1735	56	
6.20	7.20	1.00	059409	1240	19480	9390	1575	265
7.20	7.60	0.40	059410	4746.4	47.4%	32500	5610	200
7.60	8.60	1.00	059411	141	11520	4020	480	75
8.60	10.60	2.00	059412	9.4	2970	2200	140	

TR98-07 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	Au (ppb)
5.50	6.50	1.00	059404	96.8	6360	4130	213	
9.50	10.50	1.00	059405	3.2	320	600	59	
10.50	12.50	2.00	059406	146	13020	900	335	85
12.50	13.50	1.00	059407	80	8120	2200	195	75

TR98-24 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
9.00	11.00	2.00	451556	1	355	560	10
11.00	12.55	1.55	451557	<1	225	565	5
12.55	12.60	0.05	451558	2190	5.90%	10570	1680
12.60	13.60	1.00	451559	6	740	1470	15
19.50	20.50	1.00	451560	1.0	590	948	9
20.50	21.50	1.00	451561	1.8	530	1050	12
21.50	22.50	1.00	451562	0.2	116	782	6
22.50	23.80	1.30	451564	1	205	535	5
23.80	23.90	0.10	451565	5	395	865	70
23.90	24.90	1.00	451566	1	45	310	10
27.40	28.80	1.40	451567	<0.2	54	610	448
38.40	40.00	1.60	451563	17	940	2460	120

TR98-25 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
1.00	1.50	0.50	451568	1.2	148	408	17
1.50	1.52	0.02	451569	12	1135	1560	65
1.52	2.02	0.50	451570	4.8	412	604	34
2.02	6.70	4.68	451571	7.2	296	962	106
6.70	7.70	1.00	451575	11.0	1930	1680	71
7.70	7.90	0.20	451576	12376.0	26.8%	9310	8370
7.90	8.30	0.40	451577	9.0	3300	996	145
8.30	8.50	0.20	451578	5873.6	18.10%	7550	5590
8.50	9.50	1.00	451579	36.2	4300	1605	349
9.50	11.50	2.00	451580	1.8	838	1195	37
11.50	12.60	1.10	451581	2.2	354	1235	33
12.60	13.20	0.60	451583	3.0	382	432	34
13.20	15.20	2.00	451582	2.6	698	1090	40
16.20	17.60	1.40	451584	1.0	1250	1090	103

TR98-26 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
6.60	7.60	1.00	451587	10.8	720	808	147
7.60	7.70	0.10	451588	35	1980	810	100
7.70	8.70	1.00	451589	9.6	946	514	95
12.00	13.00	1.00	451590	9.6	1050	954	109
13.00	13.10	0.10	451591	26.0	728	460	128
13.10	14.10	1.00	451592	2.6	266	634	147
16.80	17.80	1.00	451593	1.4	104	886	148
17.80	18.80	1.00	451594	2.2	84	638	110
18.80	19.80	1.00	451595	9.6	818	1760	122
22.30	24.00	1.70	451596	174	1.25%	1340	681
24.00	24.50	0.30	451597	96	5260	17320	340
24.50	25.50	1.00	451598	53.0	946	172	30
25.50	29.00	3.50	451599	13.6	1220	724	145
29.00	34.00	5.00	451600	4.8	240	880	74
34.00	39.00	5.00	451601	5.6	424	1210	70
39.00	44.00	5.00	451602	2.6	144	1040	94
44.00	47.00	3.00	451603	2.6	162	720	55
47.00	52.00	5.00	451604	0.6	62	966	68
52.00	57.00	5.00	451605	1.0	44	404	54
57.00	62.00	5.00	451606	0.8	24	376	61
62.00	65.00	3.00	451607	3.4	226	714	73
65.00	67.00	2.00	451608	3.0	32	266	61
67.00	70.30	3.30	451609	1.2	58	738	112
70.30	75.00	4.70	451610	0.8	32	1010	101

TR98-36 VEIN SAMPLE RESULTS

From (m)	To (m)	Vein Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
1.00	1.30	0.03	451694	1670	>5%	6180	1405
10.90	15.30	0.05	451695	12102.0	62.8%	9300	11370
38.50	46.50	0.10	451696	5226.0	71.1%	9600	5070
41.50	45.50	0.05	451697	6753.2	61.0%	20800	7550
57.50	62.50	0.15	451698	6922.0	59.0%	17570	8330

NORDAC RESOURCES LTD.

FIGURE 21

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BLUE ZONE RESULTS

BLUE HEAVEN PROPERTY

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-BL-AS.DWG	DATE: FEBRUARY, 1999

TR98-04

0.0-39.0m Granodiorite, hard, blocky, very weak weathering and weak limonite/ manganese coating. The rock has increased weathering and is softer toward quartz veins.

6.1m 7-10 cm zone of silicified granodiorite, trace sulphides.
11.5m 3-10 cm wide quartz vein with <3% pyrite and minor fine grained black sulphides.
17.8m 3-10 cm wide galena vein, averages 6 cm wide, within a 40 cm vein zone. The vein consists of quartz with galena, sphalerite, chalcopyrite, pyrite, and fine-grained black sulphides. The vein zone consists of clay gouge and silicified granodiorite.
28.7m 40 cm wide vein zone with a 7 cm wide quartz vein. The vein has minor fine-grained black sulphides and pyrite while the vein zone is mainly silicified granodiorite with some narrow unmineralized quartz veinlets.

TR98-05

0.0-44.0m Granodiorite, hard, blocky, very weak weathering and weak limonite/ manganese coating. The rock has increased weathering and is softer toward quartz veins.

2.7m 8 cm wide zone of hairline fractures and weakly silicified granodiorite.
5.4m 25 cm wide vein zone with brown clay gouge, a 3-7 cm quartz vein and strongly silicified granodiorite. The quartz vein has up to 35% fine-grained black sulphides.
8.7m 3 to 20 cm wide quartz vein with up to 40% fine-grained black sulphides, minor pyrite and fine grained galena.
12.2m 1 cm silicified granodiorite around a hairline fracture.
40.3m 40 cm vein zone of strongly weathered granodiorite centred on a 3 cm wide white quartz vein with no sulphides.

TR98-06

0.0-29.0m Granodiorite, hard, blocky, weakly weathered and very weak limonite and manganese coating. The rock is more weathered and softer toward the quartz veins.

1.0m 3 cm wide white quartz vein with no visible sulphides.
3.2m 5 to 10 cm wide zone of silicified granodiorite with a quartz veinlet. Up to 5% fine grained pyrite.
7.4m 40 cm wide vein zone with a 6 to 14 cm wide galena vein. The vein is massive galena with an anglesite coating and steel or banded texture. Minor sphalerite, chalcopyrite and pyrite. The vein zone consists of soft crumbly clay gouge and silicified granodiorite.
14.0m Minor hairline fractures and silicified granodiorite.
23.0m 5 cm wide zone with 6 hairline fractures.
25.5m 2 cm white quartz vein within a 10 cm broken and weathered granodiorite band.

TR98-07

0.0-12.5m Granodiorite, hard, blocky, weakly weathered and weakly coated by limonite and manganese. Increased broken and weathered near quartz vein and area of fractures.
12.5-29.5m Overburden. Large fragments of massive galena were pulled out of the trench in this area.

2.5m Hairline fractures and <2mm wide quartz veinlets.
10.0m 10 cm wide white quartz vein with <3% fine-grained black sulphides and numerous small vugs and pits. No visible galena or sphalerite.
10.3m 6 mm wide quartz vein with trace black sulphides.

TR98-24

0.0-45.0m Granodiorite, hard, blocky, weakly weathered and weak limonite and manganese coating. Toward quartz vein or areas of fracturing the rock is stronger weathered with strong limonite/manganese.

12.6m 1 to 3 cm wide quartz vein within a 5 to 7 cm vein zone. The vein has up to 10% fine black sulphides, 10 to 20% boxwork limonite, no visible galena or sphalerite and a light greenish tinge.
20.4m 1 to 3 cm wide vein zone with a < 1 cm wide quartz vein.
20.95m 1 cm vein zone.
23.8m 5 to 8 cm wide vein zone with a 2 to 3 cm white quartz vein containing trace sulphides.

TR98-25

0.0-23.5m Granodiorite, hard, blocky, weakly weathered and weak limonite/ manganese coating. The rock has stronger weathering and limonite/manganese coating toward areas with quartz veins and increased fracturing.

1.5m 1 to 2 cm wide quartz vein with fine-grained black sulphides and trace galena, sphalerite and pyrite.
7.8m 20 cm wide vein zone with a massive galena vein from 7 to 20 cm wide. The vein consists of massive galena with minor chalcopyrite, pyrite and fine-grained black sulphides. The vein zone consists of quartz veinlets and silicified granodiorite with a light green colour and good boxwork limonite texture.
8.4m 10 to 20 cm wide vein zone consisting of medium brown clay gouge with strongly altered and silicified granodiorite. Within the zone is a 3 to 5 cm wide massive galena band.
12.9m Weak vein zone with minor white quartz veins within a brown to white clay gouge band.
15.7m 1.0 m wide vein zone of clay altered material with numerous veinlets up to 8 mm wide within the zone.
17.8m 30 cm wide vein zone with strongly clay altered granodiorite and trace quartz veinlets.

TR98-26

0.0-70.3m Granodiorite, hard, blocky, weakly weathered and weak to moderate limonite/manganese coating. The rock has stronger weathering and limonite/manganese coating toward areas with quartz veinlets and increased fractures.
70.3-80.0m Schist, strongly weathered, well foliated, moderate limonite/manganese coating.

7.6m 10 to 12 cm wide vein zone with a 5-7 cm wide white to grey quartz vein. The vein contains very fine-grained sulphides with boxwork texture. The rest of the zone is silicified granodiorite.
13.0m 1 to 2 cm wide quartz vein within a 5 cm vein zone.
17.3m 1 m wide vein zone of soft crumbly granodiorite. Narrow quartz vein in the centre of the zone, silicified granodiorite on each side.
24.2m 30 to 40 cm wide quartz vein containing white to grey quartz with 5 to 30% fine-grained black sulphides and trace galena, sphalerite and pyrite.
27.0m 2 to 3 cm wide quartz vein with trace sulphides.
28.8m <1 cm wide white quartz vein with silicified granodiorite on each side.

TR98-36

0.0-1.3m 0.2 to 4.0 cm wide vein with up to 10% anglesite coated galena, sphalerite, pyrite and fine-grained black sulphides.
1.3-9.7m Vein zone with <1 cm wide quartz vein containing minor sulphides.
9.7-19.0m Galena vein from 1 to 15 cm wide with areas of massive galena, and minor sphalerite, chalcopyrite and pyrite.
19.0-26.0m Vein zone with a <1 cm wide quartz vein.
26.0-37.5m No visible vein in this area. Numerous small veinlets in a vein zone.
37.5-46.5m Two galena veins are visible in this area. The footwall vein is up to 15 cm of massive galena with minor sphalerite, chalcopyrite, pyrite and fine-grained black sulphides. The hanging wall vein starts as a narrow quartz vein in the hanging wall and blowout as it strikes toward the footwall vein before the two veins appear to join at 46.5m.
46.5-49.0m Vein pinches from 25 cm at 46.5 to 3 cm at 49.0m. The vein consists of mainly quartz with up to 30% sulphides.
49.0-57.5m 3 to 17 cm wide zone of brown to black clay gouge with local quartz vein material up to 5 cm wide.
57.5-62.4m Galena vein from 7 to 22 cm wide with an average of 15 cm. The vein consists of nearly massive galena with chalcopyrite, pyrite, fine-grained black sulphides and minor boxwork texture. Parts of the vein split into quartz rich and galena rich bands.
62.4-64.0m Quartz vein up to 20 cm wide with minor galena, sphalerite, pyrite and fine-grained black sulphides.

NORDAC RESOURCES LTD.

FIGURE 22

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BLUE ZONE TRENCHES


BLUE HEAVEN PROPERTY

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-BL-TX.DWG	DATE: FEBRUARY, 1999

The B2 Vein appears to be a relatively weak structure but oxidized material from an exposure in TR98-04 averaged 1519.7 g/t silver over 1.4 m. Most of the 1998 trenching was done on the B3 Vein which was stripped for a 70 m strike length and ranges from massive galena lenses up to 20 cm wide and 8 m long, through quartz veins with weak galena, sphalerite and fine black sulphides, to a narrow zone of sheared and broken granodiorite with less then 1 cm wide quartz veins. The best mineralization occurs where narrow east-striking hanging wall quartz veins intersect the main northeast-trending structure. Near the junctions both veins are better mineralized and increase in width. Four massive galena lenses occur at the junctions of these veins. They average 7750.8 g/t silver and 63% lead over an average width of 9 cm for lengths of 4 to 8 m. Samples from three trenches across the stripped portion of the B3 Vein returned a weighted average of 1888 g/t silver across an average width of 148 cm. TR98-07 and -26 tested the northeast extension of the B3 Vein, both exposed strong veins but unfortunately they were only weakly mineralized and returned disappointingly low silver values (average 1.58 g/t over 1.85 m). Further to the northeast the vein projects into a heavily vegetated, till covered area. Intermittent lead-silver soil anomalies suggest that the vein system could extend to the edge of the grid, a distance of about 800 m.

TR98-08 tested a linear depression 100 m south of the Blue Zone (Figure 23). It returned only background values from sheared and strongly weathered granodiorite.

The **H Zone** lies approximately 600 m south of the Blue Zone. In 1987 Silver Hart exposed a quartz vein in a roadcut and subsequently trenched obliquely along strike for a length of 50 m. Near the southwest end of the trench a second vein was exposed which contained a lens of



TR98-08

0.0–9.0m Granodiorite, hard, blocky, weakly weathered with weak to moderate limonite/manganese coating. Good jointing with common limonite coated fractures.

9.0–10.2m Granodiorite with increased weathering, jointing and limonite/manganese coating. The rock becomes softer and easily broken toward 10.2 m.

10.2–11.7m Sheared granodiorite, soft, strongly weathered with a light brown clay zone in the middle of the unit. Very minor white quartz vein material with no sulphides. Toward both contacts the rock becomes less broken and weathered.

11.7–15.4m Granodiorite, strong to moderate weathering, moderate to strong limonite and manganese coating. The rock is well jointed with minor hairline fractures.

15.4–25.0m Granodiorite, hard, blocky, weakly weathered, weak to moderate limonite and manganese coating and minor joints.

1998 RESULTS

From (m)	To (m)	Sample interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
9.20	10.20	1.00	451572	2.8	24	234	57
10.20	11.70	1.50	451573	0.8	44	290	68
11.70	12.70	1.00	451574	1.2	174	298	34

..... Limit of outcrop

Fault

Linear

1998 excavator trench

× GPS survey station with standard fix

*934722 Rock sample location with sample number

o1463 Soil sample location with sample number

* Mineralized float

110 / 88 Joint

Granodiorite

NORDAC RESOURCES LTD.

FIGURE 23

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TR98-08

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR-08.DWG	DATE: FEBRUARY, 1999

massive galena and sphalerite. Samples taken across the lens by Silver Hart returned 2969 g/t silver across a width of 1.3 m (Silver Hart, 1987b). In 1998 this zone was stripped along strike for a distance of 25 m and tested across its width by a long trench which also tested for parallel veins (Figures 24, 25 and 26 and Photo 3).

Detailed mapping and sampling of the main vein at the H Zone has defined an approximately 2 m wide structure which strikes about 035° and dips steeply to the northwest. The vein cuts schist and contains two sulphide rich bands separated by 1 to 1.5 m of broken wallrock. The stronger and better mineralized hanging wall band contains disseminated to lensy massive sphalerite, galena, arsenopyrite and tetrahedrite in a gangue of quartz with minor carbonate. Narrow veinlets splay off the hanging wall band and extend up to 2 m into the broken wallrock in the core of the vein. Where exposed the footwall band is strongly weathered and the sulphides are replaced by soft white secondary minerals. The best mineralization occurs near the southwest end of the stripped area where the two bands come together and consists of a 3 m long nearly massive galena and sphalerite lens. Southwest of this galena blowout a cross fault offsets the vein 1.5 m to the northwest. The vein is weakly and poorly mineralized to the southwest of the cross fault. Four chip samples taken at 1 m intervals over the widest part of the massive galena-sphalerite lens averaged 6264.3 g/t silver, 44.5% lead and 17.6% zinc over an average width of 58.5 cm. Chip samples taken southwest of the lens returned disappointing results with peak values of 322 g/t silver, 14.2% lead and 4.41% zinc. The best chip sample northeast of the lens was 7462.9 g/t silver, 18.1% lead and 7.36% zinc across a 25 cm width on the footwall band. Other samples in this area returned lower but encouraging silver grades.





Photo 3 - Blue Heaven Property - H Zone Stripped Area



TR98-11

0.0-47.0 and 70.0-81.0 Quartz-muscovite schist, medium to light brown, weakly weathered, well foliated and weakly jointed. Weakly limonite and manganese coated except near areas of veins or fracturing when the coating becomes moderate to strong.

4.7-5.7m Vein with a 5-10 cm wide quartz band. The quartz band contains fine grained sulfides which turn the band light blue and trace pyrite and chalcopyrite. The rest of the zone is silicified schist with numerous narrow grey quartz veinlets.

30.4-31.4m Vein with a 20 cm wide quartz band. The quartz band is white to light grey, with fine grained black sulphides, pyrite and trace galena. This is the same vein as exposed in the top of the cat trench. The rest of the vein consists of silicified schist where the foliation is mostly destroyed by the quartz flooding. This vein contains trace pyrite and fine gained sulphides.

47.0-70.0m Trench was not safe to enter and bedrock was very poorly exposed. From 67.0 to 70.0 the trench appeared to intersect a clay gouge zone. One sample was taken from the spill pile in this area.

TR98-11 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
3.70	4.70	1.00	059431	11	700	435	55
4.70	5.70	1.00	059432	4	405	545	25
5.70	6.70	1.00	059433	9	200	475	60
29.40	30.40	1.00	059434	4	195	575	30
30.40	31.20	0.80	059435	16	1010	4190	50
31.20	31.40	0.20	059436	53	1335	14130	260
31.40	32.40	1.00	059437	4	135	1255	35
67.00			451519	3	375	315	40

RESULTS

Year	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Au (g/t)
1992		935851	2.4	0.06%	0.22%	0.48
1992		935852	2050.3	21.0%	17.5%	6.31
1992		935853	93.9	0.1%	31.5%	2.43
1994	0.20	934710	3.4	0.04%		0.34
1994		934711	9428.4	76.70%		0.34
1994	0.15	934714	4405.6	46.2%		
1994	0.04	934715	3562.2	55.0%		
1994	0.20	934716	10045.5	23.9%		
1994	0.47	934717	1869.5	49.9%		
1994		934719	37.7	1.5%	5.02%	0.65
1994		934720	236.6	1.5%	0.09%	1.37
1994		934721	4676.5	6.4%	31.2%	0.58
1998	Waste	451701	478	2.42%	21.5%	

Limit of outcrop
Fault
Linear
Cat or excavator trench
GPS survey station with standard fix
934722 Rock sample location with sample number
1463 Soil sample location with sample number
Mineralized float
110/88 Joint
080/42 Mineralized vein
080/42 Unmineralized vein
Schist
Vein

NORDAC RESOURCES LTD.

FIGURE 24


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

H ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-H.DWG	DATE: FEBRUARY, 1999



Area cleaned to bedrock in 1998 or outcrop

Fault

Linear

Pre–1998 cat trench

1998 chip sample

934722 Rock sample location with sample number

1463 Soil sample location with sample number

Mineralized float

110/88 Joint

080/42 Mineralized vein

080/42 Foliation

Vein

Mineralized vein with ≥ 50% galena

Mineralized vein with ≥25 < 50% galena

Mineralized vein with ≥10 < 25% galena

Mineralized vein with ≥2.5 < 10% galena

Mineralized vein with <2.5 galena

S Sphalerite

P Pyrite

A Anglesite

C Chalcopyrite

Schist

NORDAC RESOURCES LTD.

FIGURE 25

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

H ZONE DETAIL

BLUE HEAVEN PROPERTY

0 0.5 1 2 3 4 5 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-H-DE.DWG	DATE: FEBRUARY, 1999

15.0 m N

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
5.26W	4.26W	1.00	451529	2	225	810	20
4.26W	4.19W	0.07	451528	82	1425	8.64%	1150
4.19W	3.19W	1.00	451527	4	<5	1940	30

12.0 m N

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
4.42W	3.42W	1.00	451523	28	1510	4020	105
3.42W	2.42W	1.00	451522	896	44800	19460	1715
2.42W	2.10W	0.32	451521	3190	18.00%	11.00%	6780
2.10W	1.10W	1.00	451520	1	80	590	30

10.0 m N

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
3.75W	3.02W	0.73	451526	6	610	3150	50
3.02W	2.55W	0.47	451525	224	25600	10.30%	1220
2.55W	1.95W	0.60	451524	231	4630	5530	675

9.0 m N

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
3.35W	2.35W	1.00	451517	39	1300	30000	515
2.35W	1.35W	1.00	451514	52	1545	6.54%	415
1.35W	1.10W	0.25	451515	7462.9	18.10%	7.36%	7300
1.10W	0.00W	1.10	451516	64	3940	2190	385

9.0 m N after deepening

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
2.57W	2.45W	0.12	451693	93	3150	8.20%	1005
2.45W	1.35W	1.10	451692	40	1570	43400	410

6.0 m N

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
2.50W	1.72W	0.78	451518	66	2300	2590	160
1.72W	0.53W	1.19	451511	10	1105	1940	75
0.53W	0.39W	0.14	451512	108	10370	7.29%	535
0.39W	0.61E	1.00	451513	38	6650	2540	195
0.61E	1.61E	1.00	451536	3	690	770	40

6.0 m N after deepening

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
2.08W	2.00W	0.08	451691	963	>50000	25.2%	2780
2.00W	1.52W	0.48	451690	29	11570	1390	185
1.52W	1.45W	0.07	451689	845	7620	24.4%	44100
1.45W	0.53W	0.92	451688	11	1220	2430	185

3.0 m N

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
1.28W	0.88W	0.40	451687	1435	>50000	19.90%	5270
0.88W	0.33E	1.21	451508	8	640	3870	60
0.33E	0.55E	0.22	451509	1070	5.85%	6.83%	715
0.55E	1.55E	1.00	451510	27	3250	4880	95

0.0 m

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
2.00W	1.00W	1.00	451538	4.4	146	1205	32
1.00W	0.38W	0.62	451537	839	8.30%	14.40%	2790
0.38W	0.22E	0.60	934729	2510	21.2%	28.3%	4970

1.0 m S

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
0.49W	0.16W	0.33	934730	1800	27.2%	764	4080
0.16W	0.30E	0.46	934731	3830.3	49.0%	20.4%	7230

2.0 m S

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
0.56W	0.38E	0.94	934732	10561.0	59.8%	11.60%	19460

3.0 m S

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
0.44W	0.10E	0.54	934733	4303.6	37.2%	11.40%	13370
0.10E	0.38E	0.48	451530	74	7940	17450	390
0.38E	0.73E	0.35	934734	535	4090	17.50%	4280
0.73E	1.73E	1.00	451531	308	21000	11470	895

4.0 m S

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
0.18W	0.12E	0.30	934735	1610	3.76%	21.3%	6700

5.0 m S

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
1.30W	0.95W	0.35	934736	80.7	2570	2.17%	877

6.0 m S

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
2.20W	1.16W	1.04	451532	4	410	1320	55
1.16W	0.78W	0.38	934737	111.0	2.84%	4.41%	796
0.78W	0.24E	1.02	451533	57	590	2750	195
0.24E	1.24E	1.00	451534	322	25500	39100	1195
1.24E	2.24E	1.00	451535	7	1455	1105	90

7.0 m S

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
0.97W	0.62W	0.35	934738	14.7	7610	5480	58

8.0 m S

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
1.37W	1.22W	0.15	934739	14.4	4220	7650	150
0.75W	0.35W	0.40	934740	361	14.20%	1.54%	167

NORDAC RESOURCES LTD.

FIGURE 26

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

H ZONE RESULTS

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB

PROJECT:

FILE: NORDAC\BLUE\ACAD98\BL-H-AS.DWG


DATE: FEBRUARY, 1999

To the southwest the vein projects into a pond formed where material was pushed from the old cat trench into a glacial till covered area. To the northeast the vein appears to bend and projects toward the quartz vein originally exposed by Silver Hart in the roadcut. This exposure was deepened as part of TR98-11. In the trench the quartz vein contains disseminated arsenopyrite, pyrite and sphalerite and returned 53 g/t silver and 1.41% zinc over 20 cm.

The **Orly South Zone** was first worked in the 1970's and cat trenched in 1987 as described in the Previous Work section of this report. The zone consists of three veins that cut coarse grained granodiorite and contain galena and sphalerite in a quartz-carbonate gangue (Figure 27). The veins strike 060°and dip 35 to 45° to the northeast.

In 1998 a 15 cm wide quartz vein was found in a cat trench just east of Orly Creek. A specimen of well mineralized vein returned 1675 g/t silver, 15.0% lead and 3.97% zinc while a sample of massive galena found in the creek bed just below the trench returned 5063.2 g/t silver and 59.7% lead. Two other veins were found in the area but they were weakly mineralized and discontinuous. An area of weakly mineralized float at the top of the trench returned encouraging values from small pieces of vein material. Grid soil sampling along strike from this zone returned background values. Airphotos reveal several strong, northeast-trending linear depressions but prospecting failed to identify any mineralization.

The **Orly North Zone** was found in 1998 but old flagging in the area indicates it may have been discovered in the 1980's. Three areas of interest have been identified in this zone and each is associated with a prominent northeast-trending linear depression. The best assay came from a 5 cm wide quartz vein containing galena, sphalerite and native silver. A specimen of this material



1998 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
			935782	5063.2	59.7%	17190	3140
			AA1682	<0.2	10	30	2
			934726	1675	15.0%	3.97%	1020
			451709	41.4	522	2.50%	219
			BB28028	1.6	306	1035	17
			AA1681	<0.2	10	30	3

Limit of outcrop
Fault
Linear
Pre-1998 cat trench
GPS survey station with standard fix
934722 Rock sample location with sample number
4214 Soil sample location with sample number
1682 Silt sample location with sample number
110 Joint
080 Mineralized vein
080 Unmineralized vein
Granodiorite
Bulldozer workings
Vein
Mineralized float

NORDAC RESOURCES LTD.

FIGURE 27

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ORLY SOUTH ZONE

BLUE HEAVEN PROPERTY

0 50 m


DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-ORLY.DWG	DATE: FEBRUARY, 1999

returned 3748.3 g/t silver, 8.87% lead and 5.9% zinc. Just upstream is a 2 m wide gougy vein with quartz-carbonate bands on either side. No mineralization was found in this structure and no sample was taken (Figure 28).

Approximately 35 m further downstream is a 10 by 15 m area of strongly manganese and limonite stained float. A sample of this material returned 64 g/t silver and 12.3% zinc. Hand Pit HP98-06 was dug across a linear depression at the top of this float train but no mineralization or significant structures were exposed.

The **Hope Zone** occurs at the top of a granodiorite ridge along the southern edge of the property. In 1998 a single, 18 cm in diameter, quartz vein float boulder containing galena, sphalerite and pyrite was found on an old bulldozer road (Figure 29). A specimen of the highest grade part of the boulder returned 2750 g/t silver and 11.3% lead. Three excavator trenches tested a nearby northeast-trending linear depression which was hoped to be the source of the vein float. No mineralization was found in the trenches and samples returned low values for all elements. Soil samples taken in this area returned moderately to strongly anomalous silver and lead values but prospecting failed to find any more mineralized float.

TR98-01, -02, -03 and -09 explored four northeast-trending linear depression located in two areas approximately 300 and 500 m northwest of the Blue Zone (Figures 30 and 31). All of the trenches intersected narrow quartz veins but assay results were disappointing. Soil sampling near TR98-01, -02 and -03 returned only weakly anomalous values but samples taken near TR98-09 were moderately to strongly anomalous. TR98-09 occurs at the top of a prominent vegetation-depleted zone. A soil sample taken in 1995, immediately downhill from where the vegetation-



1998 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
5.0	6.0	1.0	451708	1.0	314	460	7
			935781	64	1795	12.30%	325
			BB28026	<0.2	10	32	3
			BB28027	<0.2	34	96	2
			935380	3748.3	8.87%	59000	1030

- Limit of outcrop
- Fault
- Linear
- 1998 hand trench
- GPS survey station with standard fix
- 934722 Rock sample location, with sample number
- 1463 Soil sample location with sample number
- Mineralized float
- 110/88 Joint
- 080/43 Mineralized vein
- 080/42 Unmineralized vein
- Granodiorite
- Vein

NORDAC RESOURCES LTD.

FIGURE 28


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ORLY NORTH ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-OR-CK.DWG	DATE: FEBRUARY, 1999



1998 RESULTS

Trench	From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
				934728	2750	11.30%	1740	1385
				AA1199	2.4	122	28	13
TR98-18	6.50	7.50	1.00	451504	<1	15	60	<5
TR98-18	7.50	7.85	0.35	451505	<1	65	80	<5
TR98-18	7.85	8.85	1.00	451506	<1	15	70	<5
TR98-19	9.00	10.10	1.10	451507	<1	45	85	<5

- Limit of outcrop
- Fault
- Linear
- 1998 excavator trench
- GPS survey station with standard fix
- 934722 Rock sample location, with sample number
- 1463 Soil sample location with sample number
- Mineralized float
- 110 / 88 Joint
- 080 / 43 Mineralized vein
- 080 / 42 Unmineralized vein
- Granodiorite
- Vein

NORDAC RESOURCES LTD.

FIGURE 29


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

HOPE ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-HOPE.DWG	DATE: FEBRUARY, 1999



NORDAC RESOURCES LTD.

FIGURE 30


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TR98-01

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR-01.DWG	DATE: FEBRUARY, 1999



1998 RESULTS

Trench	From (m)	To (m)	Sample interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
TR98-03	35.50	36.00	0.50	935791	4	500	960	30
TR98-09	7.80	8.80	1.00	059420	68	730	1185	170
TR98-09	8.80	9.30	0.50	059421	80	955	1830	405
TR98-09	9.30	11.00	1.70	059422	28	1010	2240	330

NORDAC RESOURCES LTD.

FIGURE 31

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TR98-02, -03 & -09

BLUE HEAVEN PROPERTY

0 5 10 20 30 40 50 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR-02.DWG	DATE: FEBRUARY, 1999

depleted zone crosses a road, returned 69.2 ppm silver, 2140 ppm lead and 5640 ppm zinc (Einsiedel, 1998). Quartz vein float with traces of galena and sphalerite was found above the roadcut but the excavator trench returned only weakly anomalous values from a 50 cm wide vein. The vein cut in TR98-09 is likely an extension of one of three veins exposed in TR98-03.

TR98-10 tested an area of mineralized float exposed in a road cut 400 m northwest of the H Zone (Figure 32). This trench exposed a quartz vein which returned 56.6 g/t silver and 11.9% zinc over a 10 cm width. A 4.8 m zone of silicified granodiorite beside the vein returned anomalous values for silver, lead and zinc. Soil samples in this area were only weakly to moderately anomalous.

TR98-12 tested a northeast-trending linear depression 200 m southeast of the H Zone (Figure 33). This trench intersected altered and silicified schist but no significant mineralization. An old bulldozer trench 100 m southeast of TR98-12 exposed a 7 cm wide quartz vein with fine grained black sulphides. This vein was not sampled.

Lead-Zinc-Silver Carbonate Replacement Mineralization

The **Desire Zone** is marked by strongly anomalous soil geochemical response centred on a 30 by 30 m vegetation-depleted area containing mineralized float. A specimen of well mineralized float (935790) returned 8.32% lead, 12.10% zinc and 107 g/t silver. An old hand trench dating from the 1980's or earlier was found in the centre of the vegetation-depleted area but no reference to the zone exists in old reports. In 1998 eight excavator trenches were dug in the vicinity of this zone (Figures 34 and 35). Five of the trenches tested for carbonate replacement mineralization near the vegetation-depleted area while the others explored for vein mineralization.

TR98-34

0.0–8.0m Schist, moderately to strongly weathered, well foliated with <1% disseminated pyrite.

8.0–10.3m Garnet–diopside skarn, with some schist bands. Zone is hard and difficult to dig.

10.3–12.7m Schist, strongly weathered, well foliated and jointed, plus breaks easily.

12.7–17.0m Garnet–diopside skarn, with 30% schist bands. Greyish green to light pink in color with moderate to stong limonite/manganese, hard and blocky.

17.0–20.5m Pyrite–pyrrhotite–chalcopyrite skarn with some interbedded clay bands. About 30 % of the zone is massive sulphides while the rest is skarn. The zone has strong to intense limonite and manganese coating.

20.5–25.0m Garnet–diopside skarn, medium brown color with strong limonite coating. Most of the zone is hard and blocky with some visible foliation/bedding and minor sulphides along some skarn bands.

TR98-10

0.0–4.5m Moderate to strongly weathered granodiorite with minor hairline fractures.

4.4–4.5m 10 to 15 cm wide quartz vein within a larger vein zone of silicified granodiorite. The quartz vein contains sphalerite with minor galena, chalcopyrite and pyrite.

4.5–7.8m Granodiorite and silicified granodiorite with numerous hairline fractures and veinlets Sulphides are scattered across the zone in veins and wallrock.

7.8–9.3m Granodiorite, altered and partially silicified with minor sulphides and strong limonite/ manganese coating. Trench produces good water at 9.3m.

9.3–20.0m Granodiorite, with a sharp contact at 9.3m. Mainly weakly weathered, hard and and blocky rock, but locally grades into strongly weathered, soft and crumbly granodiorite.

An area with abundant manganese stained quartz vein float. There is no visible sulphides and the veins appear to be of the unmineralized type.

TR98-35

0.0–9.0m Moderately weathered schist with weak to moderate limonite and manganese coating and good foliation. Generally hard and blocky with only minor fractures.

9.0–12.7m Overburden, no bedrock

12.7–25.0m Moderate to strongly weathered schist. Light grey on fresh surface but dark brown on weathered surface due to limonite and manganese coating. Very minor pyrite or veinlets.

2 by 2 m outcrop of massive pyrrhotite and pyrite with minor chalcopyrite and scheelite. The outcrop is strongly manganese and limonite coated with a dark brown to black surface and a fresh surface which tarnishes very quickly. The sample is strongly magnetic. No wall rock is visible but skarn float is very common in the area.

1998 RESULTS

Trench	From (m)	To (m)	Sample interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	W (ppm)	WO3 (%)
				934727	1.4	10	42	1110	300	1.32%
TR98-10	3.40	4.40	1.00	059423	2.2	1150	1575	17	<10	
TR98-10	4.40	4.50	0.10	059424	56.6	264	11.90%	873	<10	
TR98-10	4.50	5.50	1.00	059425	3.4	954	6940	71	<10	
TR98-10	5.50	7.80	2.30	059426	19.0	6070	1.65%	122	<10	
TR98-10	7.80	9.30	1.50	059427	2.6	1110	1985	20	<10	
TR98-34	6.00	10.30	4.30	451677	0.2	74	354	42	20	
TR98-34	10.30	12.70	2.40	451678	0.6	50	238	98	<10	
TR98-34	12.70	15.00	2.30	451679	<0.2	6	144	235	90	
TR98-34	15.00	17.00	2.00	451680	<0.2	<2	258	130	20	
TR98-34	17.00	19.00	2.00	451681	2.2	8	264	1540	800	0.33%
TR98-34	19.00	20.50	1.50	451682	3.4	6	138	5180	1120	0.29%
TR98-34	20.50	25.00	4.50	451683	<0.2	<2	74	263	230	
TR98-35	3.80	8.50	4.70	451684	<0.2	6	82	97	10	
TR98-35	13.00	14.30	1.30	451685	0.2	18	78	462	<10	

- Limit of outcrop
- Fault
- Linear
- 1998 excavator trench
- × GPS survey station with standard fix
- ▪934722 Rock sample location with sample number
- o1463 Soil sample location with sample number
- * Mineralized float
- 110/88 Joint
- 080/42 Mineralized vein
- 080/42 Foliation
- Granodiorite
- Schist or skarn
- Vein
- Geological contact

NORDAC RESOURCES LTD.

FIGURE 32


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TR98-10 AND MOAR ZONE

BLUE HEAVEN PROPERTY

0 5 10 20 30 40 50 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR-10.DWG	DATE: FEBRUARY, 1999



NORDAC RESOURCES LTD.

FIGURE 33


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TR98-12

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR-12.DWG	DATE: FEBRUARY, 1999



TR98-31

0.0–22.0m Garnet–diopside skarn, fresh to weakly weathered, trace limonite/manganese, hard and blocky. Foliation is weak but appears to parallel bedding.

22.0–28.5m Garnet–diopside skarn with schist bands. Strongly weathered rock with strong limonite/manganese coating and rock easily crumbles.

28.5–33.0m Weakly mineralized and altered garnet–diopside skarn. The rock has strong to intense limonite/manganese coating, good foliation and weak jointing. Sulphides occur as fine disseminations most commonly in areas with boxwork texture.

33.0–35.5m Garnet–diopside skarn with moderate weathering, strong limonite/manganese coating and gradational contacts into the surrounding units.

35.5–50.0m Garnet–diopside skarn. The rock is hard, blocky, weakly weathered with weak limonite/manganese coating. Foliation is visible and appears to parallel bedding.

TR98-32

0.0–24.5m Schist, hard, blocky and weakly weathered. Rock is light to medium brown in color, no reaction to HCl and has <1% disseminated pyrite.

24.5–39.0m Garnet–diopside skarn, hard, blocky and weakly weathered. Rock is light grey to light pink in color with trace limonite/manganese coating.

39.0–44.5m Schist with moderate weathering, well fractured and moderate limonite/manganese coating.

44.5–51.0m Garnet–diopside skarn, hard, blocky, weakly weathered with trace limonite/manganese coating.

51.0–60.0m Schist with minor garnet–diopside skarn bands. Medium brown with good foliation and moderate weathering.

60.0–65.0m Garnet–diopside skarn, hard, blocky, weakly weathered with trace limonite/manganese coating.

TR98-21

0.0–4.5m Limestone, hard, blocky, weakly weathered with minor limonite and manganese coating. This area is weakly jointed with good foliation apparently parallel to bedding.

4.5–14.9m Schist, medium brown, moderate limonite coating, weakly weathered and jointed rock. After 8.0 m the rock has trace pyrite and is slightly magnetic.

14.9–24.3m Mineralized and altered rock. This zone consists of dark brown to black, strongly weathered, and strongly limonite/manganese coated rock. Galena occurs as narrow bands less than 3 mm wide or as blebs up to 1 cm in size. The rock is strongly pitted with a good boxwork texture and sphalerite is difficult to identify. Jointing is weak but foliation is well developed. Locally soft white clay is present parallel to foliation.

24.3–33.3m Schist, medium brown, moderately to strongly weathered with moderate limonite/manganese. The rock is weakly to moderately jointed and well foliated.

33.3–39.0m Mineralized and altered rock. Strongly weathered and limonite/manganese coated rock. Galena occurs as small blebs and as bands rarely up to 10 cm wide. The rock is strongly pitted with a good boxwork limonite texture.

39.0–47.0m Limestone and garnet–diopside skarn. Very hard, fresh to weakly weathered with no limonite/manganese coating. The rock is blocky, weakly jointed with bedding parallel to foliation.

TR98-27

0.0–15.2W Garnet–diopside skarn, hard, blocky, weakly weathered with a weak limonite/manganese coating. The rock is light pink to greenish grey and reacts in HCl.

15.2–17.5m Schist, well foliated, moderate limonite/manganese and light brown.

17.5–30.0m Garnet–diopside skarn, hard, block, weakly weathered and foliated.

30.0–32.5m Schist with minor skarn bands. The rock is well foliated, soft and easily crumbles. Harder skarn bands up to 5 cm thick occur locally.

32.5–43.0m Garnet–diopside skarn, hard, blocky with weak weathering.

43.0–50.0m Schist with some skarn bands. The schist is light brown, well foliated with moderate to strong weathering.

50.0–80.0W Garnet–diopside skarn, hard, blocky, weakly weathered with trace limonite/manganese coating.

0.0–27.0mE Garnet–diopside skarn with some schist bands. The rocks are hard, blocky and weakly weathered with very weak limonite/manganese coating.

TR98-22

0.0–19.0m Schist, generally a well foliated, moderately weathered, moderately limonite/manganese coated rock except in area of increased jointing where the rock is stronger weathered and broken. At 12.0 m is a steel galena vein less than 1 cm wide. It occurs within a 5 cm band of deep brown limonite stained and broken rock.

19.0–26.0m Limestone/garnet–diopside skarn. On fresh surface the rock is light pink to greenish grey with a strong limonite/manganese coating.

26.0–29.0m Schist, brown, well foliated and strongly limonite/manganese coated. The rock is strongly weathered and crumbles easily.

29.0–35.0m Limestone/garnet–diopside skarn. The rock is weakly weathered with weak to moderate limonite/manganese coating and calcite is still present.

TR98-28

0.0–19.0m Schist, well jointed and foliated. Trace pyrite along bands parallel to foliation. Toward 19.0 m the rock becomes softer with stronger weathering.

19.0–20.0m Garnet–dioside skarn, hard, blocky with strong limonite/manganese coating and weathering. Weak galena and sphalerite as fine disseminations parallel to foliation.

20.0–27.0m Garnet–diopside skarn, hard, blocky, weakly weathered with trace limonite and manganese coating.

TR98-29

0.0–10.0m Schist with skarn bands. Well jointed and foliated rock with moderate weathering and moderate limonite/manganese coating. Skarn bands are up to 1 m wide and occur parallel to foliation.

10.0–10.5m Vein zone consisting of 2 quartz veins each less than 8 mm wide with no visible sulphides. Between and around the veinlets are hairline fractures. There is a weak boxwork texture to the rock.

10.5–15.0m Schist with skarn bands as above.

TR98-30

0.0–23.0m Schist, medium brown in color, moderate to strongly weathered with a strong limonite/manganese coating. The rock is well foliated with weak jointing. From 5.3 to 7.8 m and again at 14.0 m a galena vein is visible in the floor and walls of the trench. The vein pinches and swells along strike reaching a maximum thickness of 8 cm. The vein consists of coarse grained galena and trace sphalerite.

23.0–26.7m Weakly mineralized and altered garnet–diopside skarn. Strongly weathered with limonite/manganese throughout the rock. Minor flecks of galena and disseminated sphalerite.

26.7–31.5m Mineralized and altered skarn. Dark brown to black rock with strong limonite/manganese locally replacing the rock. Good boxwork texture and minor disseminated galena and sphalerite. Some bands of weakly mineralized skarn appear to parallel foliation.

31.5–32.5m TR98-21 is exposed in both trench walls

32.5–38.8m Mineralized and altered skarn. Zone consists of moderate to strongly weathered, moderate limonite/manganese coated and medium brown to black colored rock. Galena and sphalerite are disseminated in areas with the highest weathering/boxwork textured areas.

38.8–40.3m Garnet–diopside skarn, hard, weakly weathered with trace limonite/manganese coating and a light greyish green to pink color.

40.3–65.5m Weakly mineralized and altered skarn. This zone alternates between local bands of dark black to brown, soft, strongly weathered, strong limonite/manganese coated rock and bands of light grey to pink, hard, moderately weathered and moderately coated rock.

65.5–68.7m Mineralized and altered rock with a brown to black color, strong weathering and strong to intense limonite/manganese coating. Sulphides are disseminated within the rock and more common in areas of boxwork texture.

68.7–71.7m Weakly mineralized and altered skarn. Dark brown to black, well foliated with some schist bands parallel to foliation.

Limit of outcrop

Fault

Linear

1998 excavator trench

× GPS survey station with standard fix

934722 Rock sample location with sample number

1463 Soil sample location with sample number

* Mineralized float

110/88 Joint

080/42 Mineralized vein

080/42 Foliation

Limestone or garnet–diopside skarn

Schist

Mineralized and altered rock

Vein

Geological contact

NORDAC RESOURCES LTD.

FIGURE 34

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DESIRE ZONE

BLUE HEAVEN PROPERTY

0 5 10 20 30 40 50 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-DES.DWG	DATE: FEBRUARY, 1999

TR98-21 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
7.00	9.00	2.00	451539	0.2	22	250	23
9.00	14.30	5.30	451540	2	445	3430	65
14.30	14.90	0.60	451541	1.0	182	3.53%	78
14.90	17.00	2.10	451542	75	26000	5.31%	80
17.00	18.20	1.20	451543	21.2	1.33%	12.80%	71
18.20	20.00	1.80	451544	5.2	1515	6.20%	28
20.00	22.00	2.00	451545	317	15.30%	27000	125
22.00	24.30	2.30	451546	68.2	2.01%	1.83%	106
24.30	27.00	2.70	451547	4.8	806	6070	48
27.00	33.30	6.30	451548	58.4	1.84%	7030	63
33.30	35.00	1.70	451549	543	11.35%	2.97%	52
35.00	38.00	3.00	451550	45	24900	44000	35
38.00	39.00	1.00	451551	363	20.10%	9.88%	65
39.00	40.00	1.00	451552	1.0	378	1200	7

TR98-22 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
11.00	12.00	1.00	451553	5	495	1480	400
12.00	13.00	1.00	451554	161	16290	41500	490
13.00	14.00	1.00	451555	6	1100	24600	55
12.00		Grab	451651	1835	16.65%	6.66%	1055

TR98-27 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
13.00W	15.20	2.20	451611	<0.2	14	92	47
15.20	17.50	2.30	451612	0.2	10	62	288
17.50	23.00	5.50	451613	<0.2	18	408	27
23.00	27.00	4.00	451614	<0.2	12	166	9
27.00	30.00	3.00	451615	<0.2	14	346	11
30.00	32.50	2.50	451616	<0.2	12	282	9
32.50	35.00	2.50	451617	<0.2	10	338	3
43.00	47.00	4.00	451618	<0.2	10	262	40
47.00	50.00W	3.00	451619	<0.2	32	106	13
20.00E	25.00E	5.00	451620	1.4	182	822	72

TR98-28 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
4.00	6.00	2.00	451621	<0.2	8	94	60
14.80	16.80	2.00	451622	<0.2	10	232	23
16.80	19.00	2.20	451623	4.8	1590	1970	41
19.00	20.00	1.00	451624	12.6	4440	1.66%	83
20.00	22.00	2.00	451625	<0.2	38	1190	22

TR98-29 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
9.90	10.90	1.00	451626	1.6	72	362	209

TR98-30 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
3.00	8.00	5.00	451627	50.2	1.68%	3620	49
7.00		GRAB	451628	1425	58.8%	12300	115
8.00	13.00	5.00	451629	3.6	890	2690	58
13.00	18.00	5.00	451630	2.4	356	2620	80
18.00	23.00	5.00	451631	2.4	942	6620	71
23.00	26.00	3.00	451632	3.6	1685	1.43%	125
26.00	26.70	0.70	451633	7	635	26400	20
26.70	27.70	1.00	451634	57.4	3.31%	2.88%	48
27.70	28.70	1.00	451635	33	4170	6.40%	105
28.70	29.80	1.10	451636	24.6	1.40%	6.88%	52
29.80	31.50	1.70	451637	106	7.45%	6.88%	105
32.50	34.00	1.50	451638	51	30000	38700	55
34.00	35.00	1.00	451639	704	38.4%	38100	105
35.00	38.80	3.80	451640	24	4970	25300	125
38.80	40.30	1.50	451641	3.4	318	5360	125
40.30	44.00	3.70	451642	21	8840	38000	90
44.00	46.00	2.00	451643	20	11390	36500	75
46.00	50.50	4.50	451699	25	2360	30600	115
50.50	53.00	2.50	451644	54	10350	36700	435
53.00	56.30	3.30	451645	49	28600	37500	135
65.50	67.40	1.90	451646	89	48700	12970	80
67.40	68.70	1.30	451647	223	57.3%	25300	95
68.70	71.70	3.00	451653	54	38400	19660	50

TR98-31 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
22.00	26.50	4.50	451648	2.8	2330	3870	37
26.50	30.00	3.50	451649	5	4270	21700	45
30.00	33.00	3.00	451650	5	1365	17400	45
33.00	35.00	2.00	451652	1.4	140	2690	39

NORDAC RESOURCES LTD.

FIGURE 35

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DESIRE ZONE RESULTS

BLUE HEAVEN PROPERTY

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-DES-A.DWG	DATE: FEBRUARY, 1999

CRD are characterized by strong structural and stratigraphic controls. The Desire Zone appears to follow this model and is formed where northeast-trending structures intersect a belt of skarn and carbonate rich metasedimentary rocks. Detailed mapping of this zone was hampered by the strong weathering of mineralized rocks. Many of the original textures have been destroyed and most of the sulphide minerals have been partially replaced by limonite.


Trenches TR98-21 and TR98-30 provide the best exposure of the mineralization. TR98-21 exposed hard and blocky skarnified limestone on either side of dark brown to black, strongly weathered manganiferous siderite and jasperoid material containing disseminated grains of residual galena and sphalerite. The mineralized exposure averaged 4.2% lead, 3.4% zinc and 115.6 g/t silver over 24.1 m. TR98-30 was oriented approximately perpendicular to foliation and the mineralized interval cut in TR98-21. It intersected similar material and graded 5.0% lead, 3.6% zinc and 65.5 g/t silver over 35.8 m ending in mineralization. Two trenches east of the mineralization intersected barren limestone and schist but a trench about 35 m to the west intersected an 11.0 m zone of strongly weathered, weakly mineralized material.

Northeast-trending structures are present within this area but strong surface weathering made them difficult to map. At the top of TR98-30, a 4 to 8 cm wide discontinuous galena vein was found in the middle of the trench. A specimen from the vein returned 1425 g/t silver and 58.8% lead. Three trenches dug uphill to the northwest tested a linear depression and intersected northeast-trending structures. One trench (TR98-22) exposed a narrow discontinuous galena vein, a specimen of which returned 1835 g/t silver, 16.65% lead and 6.66% zinc. A chip sample across this vein and adjacent wallrocks assayed 161 g/t silver, 1.63% lead and 4.15% zinc over 1.0 m.

The **Triumph Zone** lies 750 m southeast of the Desire Zone in the same belt of skarn and carbonate rich metasediments. This zone was found in 1998 during soil sampling. The discovery showing consists of a 20 by 20 m area of vegetation-depletion containing mineralized float. It is in the centre of a strong to intense multi-element soil geochemical anomaly. The anomaly is 500 m long and up to 200 m wide.

Three excavator trenches were cut in the vicinity of the discovery showing (Figures 36 and 37). TR98-37 was designed to test beneath the showing and a nearby northeast-trending linear depression. In the area of the linear the trench exposed interbedded, light grey, weakly weathered limestone and dark brown to black strongly weathered, limonite/manganese rich material which assayed 0.28% lead, 1.52% zinc and 8.4 g/t silver over 16.0 m. The trench failed to reach bedrock under the original showing but did expose a 1 to 2 m thick band of weathered and mineralized float within the glacial till profile. TR98-38, dug about 10 m to the east but perpendicular to TR98-37, also intersected the mineralized till horizon but failed to reach bedrock. TR98-39 tested up-ice for the source of the mineralized float. It exposed a wide band of strongly weathered manganiferous siderite and jasperoid material with a boxwork texture and minor disseminated sphalerite and galena. This band averaged 0.28% lead, 2.04% zinc and 5.7 g/t silver over 52.5 m.

The **Faith Zone** is in the same belt of skarn and carbonate rich metasedimentary rocks as the other carbonate replacement zones. It was found while following up a very strong single point multi-element soil geochemical anomaly. A float sample taken from the soil site returned 7.62% lead, 0.96% zinc and 366.0 g/t silver. This sample consisted of brown to black, strongly weathered material with good boxwork texture and no visible sulphides. One excavator trench tested this



TR98-37

0.0–7.0m Light grey schist with good foliation, weak weathering and minor limonite/manganese coating. Toward the contact at 7.0 m the unit becomes stronger weathered with a black to brown color.

7.0–29.0m Limestone interbedded with schist. Trenching is parallel to bedding/foliation. The trench alternates between bands of light grey weakly weathered limestone and dark brown to black. Strongly weathered bands of material with disseminated galena, sphalerite and pyrite. The sulphides occur as fine disseminations and usually have a pitted rim to the grains. At 14.0 m is a 40 cm band of increased fractures with numerous bands up to 4 mm wide of clay gauge. This fault/fracture zone occurs beneath a small dry creek bed which trends at 060° up the slope.

29.0–35.0m Light grey weakly weathered bands of limestone and schist.

35.0– 64.0m Trench was not safe to enter and did not reach bedrock. The trench walls expose a 2 m thick band of dark brown to black, weathered and mineralized rock. Above and below the band is glacial till with no mineralization in it.

TR98-38

0.0–43.0m The trench does not reach solid bedrock. The floor of the trench is hard, blocky, weakly weathered limestone and skarnified limestone. This rock is light grey to slightly pinkish with good banding, weak limonite/manganese coating and visible sulphides. Within the trench wall dark brown to black, weathered and mineralized float is visible starting at 13.0 m and increasing to a 3 m thick band at 35 m where it abruptly pinches to less than half a metre. This material appears to have been smeared out by glaciers and the source maybe downslope to the southwest.

TR98-39

0.0–12.5m Limestone to very weakly skarnified limestone. Medium brown to slightly reddish color with moderate limonite/manganese coating, reacts briskly to HCl.

12.5–14.0m Biotite schist, with a silvery white color, weak weathering and weak limonite/manganese.

14.0–50.5m Limestone to weakly skarnified limestone. Mainly hard, blocky, weakly weathered with a weak limonite/manganese coating. Trace disseminated pyrite and pyrrhotite.

50.5–60.7m Alternating bands of moderately weathered and weakly mineralized limestone/skarn and strongly weath galena, sphalerite and pyrite.

60.7–103.0m Dark brown to black strongly weathered rock with minor disseminated galena, sphalerite and pyrite. The rock is completely replaced by limonite/manganese and boxwork textures are common. There is no evidence of major structure cutting the trench or quartz veining in this zone.

103.0–117.0m Fairly sharp contact with the above unit and a weakly weathered, unmineralized schist. This unit is non-calcareous with only minor limonite/manganese.

.....	Limit of outcrop		
	Fault		Overburden
— —	Linear		Limestone
	1998 excavator trench		Quartz-muscovite schist
×	GPS survey station with standard fix		Mineralized and altered rock
*934722	Rock sample location with sample number		Vein
o1463	Soil sample location with sample number		
*	Mineralized float		
110 / 88	Joint		
080 / 42	Mineralized vein		
080 / 42	Foliation		

NORDAC RESOURCES LTD.

FIGURE 36

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRIUMPH ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR-36.DWG	DATE: FEBRUARY, 1999

TR98–37 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
1.50	3.00	1.50	451715	<0.2	20	764	13
3.00	5.00	2.00	451716	0.8	56	1390	21
5.00	7.00	2.00	451717	1.6	414	2450	23
7.00	10.00	3.00	451718	11.0	4460	2.50%	50
10.00	13.80	3.80	451719	12.6	5500	1.68%	56
13.80	14.80	1.00	451720	1.6	192	6170	27
14.80	17.00	2.20	451721	2.4	584	7830	29
17.00	20.00	3.00	451722	10.0	1520	1.37%	139
20.00	23.00	3.00	451723	5.6	1740	1.32%	23
23.00	26.00	3.00	451724	3.8	1090	7980	22
26.00	29.00	3.00	451725	6.4	2610	8850	31

TR98–38 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
			451726	1340	71.2%	4110	50

TR98–39 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
3.00	8.00	5.00	451727	0.2	40	1.55%	33
8.00	12.50	4.50	451728	2.8	1565	3620	71
38.00	39.20	1.20	451729	0.2	74	1390	28
39.20	40.50	1.30	451730	0.8	268	2370	30
40.50	44.00	3.50	451731	0.2	46	1040	28
44.00	49.50	5.50	451732	0.8	282	1870	27
49.50	50.50	1.00	451733	6	3420	19110	75
50.50	52.70	2.20	451734	2	1190	18720	45
52.70	54.50	1.80	451735	1	120	23200	50
54.50	56.00	1.50	451736	3	685	25700	55
56.00	58.00	2.00	451737	88	44400	38600	265
58.00	60.70	2.70	451738	<1	270	8800	35
60.70	63.00	2.30	451739	3	485	18920	55
63.00	66.00	3.00	451740	<1	140	13970	35
66.00	69.00	3.00	451741	1	195	17610	40
69.00	72.00	3.00	451742	<1	170	17910	30
72.00	75.00	3.00	451743	<1	150	10500	30
75.00	78.00	3.00	451744	1	95	16700	45
78.00	81.00	3.00	451745	3	375	21700	60
81.00	84.00	3.00	451746	4	595	18100	85
84.00	87.00	3.00	451747	3	425	26900	45
87.00	90.00	3.00	451748	3	670	19390	40
90.00	93.00	3.00	451749	2	1080	25700	40
93.00	96.00	3.00	451750	6	7020	26700	65
96.00	98.00	2.00	451751	2	2400	22500	45
98.00	101.00	3.00	451752	4	4400	22500	35
101.00	103.00	2.00	451753	1	320	17300	30
103.00	106.00	3.00	451754	<1	5	5820	110

NORDAC RESOURCES LTD.

FIGURE 37

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TRIUMPH ZONE RESULTS

BLUE HEAVEN PROPERTY

0 50 m


DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR36A.DWG	DATE: FEBRUARY, 1999

zone (Figure 38). The trench intersected a zone of strongly weathered material with finely disseminated galena and sphalerite. The zone returned 2.01% lead, 2.22% zinc and 99.3 g/t silver over 4.4 m.

The **Creek NE Zone** consists of four outcrops containing lead, zinc and silver mineralization. They were tested by three hand trenches and one excavator trench (Figure 39). Three outcrops on the south bank of Oake Creek had been hand trenched in the 1980's by Silver Hart and in 1998 these trenches were deepened and lengthened. The outcrops are covered on the uphill side by a thick layer of glacial till which probably explains why soil sampling returned only background values in this area. The fourth outcrop is on the north side of the creek. It was not hand trenched and a nearby excavator trench exposed barren schist.

All four outcrops consist of brown to black, strongly weathered material which has been coated and partially replaced by manganese and limonite. The outcrop contains trace amounts of galena and sphalerite either as disseminations or along narrow quartz veinlets. The best exposure was HP98-03 which graded 1.16% lead, 1.93% zinc and 39.6 g/t silver over 5.0 m, stopping in mineralization at both ends.

The **Creek SW Zone** is 300 m southwest from the Creek NE Zone. It was explored by Silver Hart in the 1980's with two bulldozer trenches and in 1998 with two excavator trenches (Figure 40). The zone is marked by a strongly anomalous single point soil geochemical anomaly from a sample taken along an old bulldozer road. Thick glacial till cover may account for background soil geochemical values in the surrounding area.



0.0–14.8m Quartz–muscovite schist, hard, blocky, weakly weathered and weak limonite coating.

14.8–19.2m Dark brown to black, strongly weathered and limonite/manganese coated schist. Minor galena, sphalerite and pyrite occur as fine disseminations in bands parallel to foliation.

18.2–21.5m Light to medium brown strongly weathered schist with weak limonite and manganese coating.

21.5–36.0m Blocky, hard and weakly weathered quartz–muscovite schist. This area digs poorly and is poorly exposed.

36.0–41.5m Medium to dark brown, strongly limonite and weak manganese coating schist. Well developed foliation with fine disseminated pyrite along some foliation bands. Rock is weakly jointed with no evidence for crosscutting structures.

41.5–42.0m Hard, blocky and weakly weathered schist.

1998 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
			AA3895	26.2	1.39%	1125	25
			935381	366.0	7.62%	9560	120
14.80	16.80	2.00	059444	54	11250	20100	140
16.80	19.20	2.40	059445	137	28700	24000	60
19.20	21.50	2.30	059446	6	955	2740	20
36.00	38.00	2.00	059447	<1	35	325	25
38.00	40.00	2.00	059448	<1	120	355	20
40.00	42.00	2.00	059449	<1	20	125	15

Limit of outcrop
Fault
Linear
1998 excavator trench
GPS survey station with standard fix
*934722 Rock sample location with sample number
o1463 Soil sample location with sample number
Mineralized float
110 Joint
080 Mineralized vein
080 Foliation
Quartz–muscovite schist
Vein

NORDAC RESOURCES LTD.

FIGURE 38

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

FAITH ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR-16.DWG	DATE: FEBRUARY, 1999

Most of the trench is hard, blocky and weakly weathered quartz-muscovite schist. From 22.3 to 26.3 m there is <3% pyrite disseminated within the rock and moderate to strong limonite and manganese coating fractures. No calcite is present in this trench and no base metal sulphides were visible.

140 / 55
163 / 52
0.00
TR98-17
TB-142

An outcrop of strongly limonite and manganese stained rock with minor disseminated galena, sphalerite and pyrite.

2446
2447
1050
6,886,200 N

140 / 55
TB-71
176
934748
AA0782
0.00
HP98-05
E55

From 0.0 to 0.7 m the trench exposes light brown weakly limonite and manganese coated quartz-muscovite schist. From 0.7 to 3.0 m the trench contains dark black, strongly manganese and limonite coated quartz-muscovite schist. The rock type is difficult to determine in this area due to the strong weathering and oxide minerals. Galena, sphalerite and pyrite occur as <1mm randomly disseminated grains and occasionally as blebs up to 3 mm in size. Minor 1 to 2 mm wide quartz veinlets with galena and sphalerite.

789
788

Strong manganese and limonite coating a broken and weathered outcrop of what appears to be quartz-muscovite schist. The rock is dark brown to black in color and well foliated. No large quartz veins but common 1-2 mm wide quartz veinlets with manganese, limonite and very minor galena or sphalerite. Galena, sphalerite and pyrite are also found as very minor disseminations in the rock.

62 / 108
AA0781
65 / 134
0.00
HP98-04

787

78 / 106
934745
TB-70
142 / 64
AA0780
0.00
HP98-03

786

Strong to intense manganese and limonite coating weathered and broken rock. The original rock type is not apparent due to the complete replacement by manganese and limonite. Minor quartz veinlets up to 3 mm wide with galena and sphalerite. Difficult to get an orientation on the veinlets but they appear to be spaced about 15 cm apart. Minor disseminated galena, sphalerite and pyrite across the entire interval. The hand trench is at the break in slope just above high water mark and uphill is a thick layer of glacial till.

8700 E
8600 N
Cat road
Oake Creek
790
791
792
407,900 E

1998 RESULTS

Trench	From (m)	To (m)	Sample interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
HP98-03				AA0780	124	1.10%	2.28%	259
HP98-03				934745	26.0	2.54%	5.76%	14
HP98-03	0.00	2.00	2.00	935783	24	6280	10660	95
HP98-03	2.00	5.00	3.00	935784	50	15200	25100	105
HP98-04				AA0781	46.8	5640	8360	137
HP98-04	0.00	1.20	1.20	935788	43	19150	34100	120
HP98-05				AA0782	4.0	1825	5480	26
HP98-05				934746	46.8	2.62%	3.20%	189
HP98-05	0.00	0.70	0.70	935785	3	215	400	15
HP98-05	0.70	2.00	1.30	935786	13	5770	20300	30
HP98-05	2.00	3.00	1.00	935787	10	4080	19850	70
TR98-17	21.30	22.30	1.00	059450	<1	45	80	25
TR98-17	22.30	22.90	0.60	451501	<1	30	85	80
TR98-17	22.90	24.90	2.00	451502	<1	<5	115	30
TR98-17	24.90	26.90	2.00	451503	<1	35	100	50

N

- ..... Limit of outcrop
- Fault
- Linear
- 1998 excavator or hand trench
- × GPS survey station with standard fix
- ▪934722 Rock sample location with sample number
- ○1463 Soil sample location with sample number
- ✱ Mineralized float
- 110 / 88 Joint
- 080 / 42 Mineralized vein
- 080 / 42 Foliation
- Mineralized and altered rock
- Quartz-muscovite schist
- Vein

NORDAC RESOURCES LTD.

FIGURE 39


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CREEK NE ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-0A-CK.DWG	DATE: FEBRUARY, 1999



SIGNIFICANT RESULTS

Trench	From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)
				T7964	87.6	4390	3280	364
				545099	109.0	0.012%	>10%	540
TR98-13	9.20	11.20	2.00	059438	2	<5	1940	15
TR98-13	11.20	12.20	1.00	059439	<1	55	1495	5
TR98-13	12.20	12.40	0.20	059440	1	95	24000	40

- ..... Limit of outcrop
- —— —— Linear
- Pre-1998 cat trench
- 1998 excavator trench
- × GPS survey station with standard fix
- *834722 Rock sample location with sample number
- o1463 Soil sample location with sample number
- * Mineralized float
- 110 / 88 Joint
- 080 / 42 Mineralized vein
- 080 / 42 Foliation
- Limestone
- Schist
- Vein

NORDAC RESOURCES LTD.

FIGURE 40

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CREEK SW ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-OAKE.DWG	DATE: FEBRUARY, 1999


This zone appears to have developed where a northeast-trending vein zone intersected a band of limestone. Trench TR98-13 exposes a zone of broken limestone containing sphalerite in a calcite matrix which returned 2.4% zinc over 20 cm. Along strike to the southwest this zone reaches a maximum width of 40 cm before it pinches out further along strike. One specimen taken in the area returned greater than 10% zinc and 109.0 g/t silver.

The **Glory Zone** is the most southerly of the showings within the belt of skarn and carbonate rich metasediments, lying some 2.6 km southeast of the Desire Zone. It was found in 1995 while prospecting along an old bulldozer road and was tested in 1998 by one excavator trench (Figure 41).

The mineralization developed at the intersection of a northeast-trending structure and a band of hard, blocky and weakly weathered limestone. The mineralized zone consists of clay gouge and rock fragments beside a 0.35 m band of altered limestone containing disseminated sphalerite and galena. The zone returned 7.02% zinc, 0.31% lead and 16.5 g/t silver over 0.55 m.

Tungsten±Copper Mineralization in Skarnified Metasediments

The **Nite Zone** is a scheelite bearing skarn that was discovered and explored in the 1970's as described in the Previous Work section. The zone is exposed on a low hill on the north flank of a gentle ridge. A small granodiorite stock outcrops a few hundred metres to the southwest and is separated from the mineralized skarn by a depression underlain by quartz-mica schist. The mineralized rocks occur in a belt of skarn and carbonate rich metasedimentary rocks which trend southeast and dips gently northeast. The highest concentration of scheelite is in a skarn band composed of cinnamon brown garnet with lesser quartz, dark green diopside and minor tremolite (Archer, 1971). The mineralized band is overlain to the northeast by more quartz-mica schists.



SIGNIFICANT RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cd (ppm)
			545100	>200	>10.00%	15300	20
			AA1173	0.8	90	282	13
14.30	16.20	1.90	059441	3	505	23100	90
16.20	16.40	0.20	059442	14	5580	14680	120
16.40	16.75	0.35	059443	18	1740	10.20%	355

- Limit of outcrop
- Fault
- Linear
- 1998 excavator trench
- GPS survey station with standard fix
- Rock sample location with sample number
- Soil sample location with sample number
- Mineralized float
- Joint
- Mineralized vein
- Foliation
- Limestone
- Vein

NORDAC RESOURCES LTD.

FIGURE 41

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GLORY ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-GLORY.DWG	DATE: FEBRUARY, 1999

Although general stratigraphy is a fairly simple sequence, trenching and drilling showed a wide range of rock types within the belt of skarn and carbonate rich metasediments (Archer, 1971). The belt has been sub-divided into three varieties of skarn (massive garnet-diopside, banded garnet-diopside and garnet-actinolite), two varieties of hornfels (garnet-biotite and biotite hornfels), garnetiferous marble and finely banded limestone. The only tungsten and sulphide minerals seen are scheelite, molybdenite, pyrite, pyrrhotite and sphalerite. Scheelite and molybdenite occur as fine disseminations with a weak alignment parallel to stratigraphy or in narrow veinlets. Pyrite and pyrrhotite are not common and usually occur as disseminated crystals near fractures. Sphalerite was noted in narrow veins in drill holes and in oxidized veins on surface.

Drill holes and trenches which tested beneath areas of high grade scheelite returned disappointing results. For example, at the main showing the average of nine high grade specimens was 3.6% WO_3 and 0.184 MoS_2 while representative samples from the same area graded approximately 0.5% WO_3. However, chip sampling of bedrock in a bulldozer trench (T4N) cut across the showing returned 0.22% WO_3 over 7.62 m and drilling beneath the trench (Hole N71-04) returned even lower values (Archer, 1971).

Prospecting and grid soil sampling done in 1988 confirmed the location of the tungsten mineralization and identified two silver-lead-zinc anomalies. The strongest soil anomaly occurs at the southern edge of the grid and may be the result of a mineralized vein in the hanging wall of the Blue Zone. The second lies 500 m to the north and consists of a 100 by 200 m area with moderately anomalous silver, lead and zinc values. Both areas are covered by thick vegetation and have not been thoroughly prospected. Eleven rock samples from the Nite Zone were analyzed for


silver and base metals in 1988. These samples returned peak values of 138.0 g/t silver, >1.0% lead and 2.58% zinc. No work was performed on this zone in 1998.

A detailed soil grid was established in an area approximately 1600 m along strike to the southeast of the Nite Zone. Although initial soil sampling in the area returned values of 960 and 1880 ppm tungsten (Figure 42), the detail grid yielded only background values. Float and outcrop in the area are skarnified metasediments but prospecting failed to locate any mineralization.

The **Moar Zone** is in the other belt of skarn and carbonate rich metasedimentary rocks on the west side of the ridge near the Desire Zone and other carbonate replacement targets. The zone was discovered in 1998 during soil sampling and was tested with two excavator trenches and a ground magnetic survey (Figure 32).

The discovery outcrop is less than a metre across and is exposed where a tree was blown over. A specimen of massive sulphides from it returned 1.32% WO_3 and 0.11% copper. The outcrop is in the middle of a 150 m long southeast-trending magnetic high but was not trenched because it is difficult to access. TR98-54 was cut across the northwest end of the magnetic high and exposed a 12.3 m wide band of garnet-diopside skarn which contains a 3.5 m wide zone of interlayered pyrite-pyrrhotite-chalcopyrite mixed with skarn. A chip sample across the zone returned 0.31% WO_3 and 0.31% copper over 3.5 m. Soil samples collected in this area returned strongly anomalous tungsten and copper values.

A second soil geochemical anomaly 90 m northeast of the discovery outcrop was tested with TR98-35. This trench did not intersect any carbonate or skarn rocks and returned low assays for all metals.



..... Limit of outcrop

10 °3863 Soil sample location with tungsten value in ppm over sample number

Skarn

080 / 42 Foliation

NORDAC RESOURCES LTD.

FIGURE 42

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAIL TUNGSTEN GRID


BLUE HEAVEN PROPERTY

0 100 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-W.DWG	DATE: FEBRUARY, 1999

The **Valour Zone** is located approximately 800 m west of the Moar Zone. While following up a strong copper soil geochemical anomaly prospecting located a float sample of garnet-diopside skarn with disseminated pyrite, chalcopyrite and scheelite. This sample returned 0.84% WO_3. The zone was later tested with two hand trenches and a ground magnetic survey (Figure 43). Both trenches lie within a southeast-trending 150 m long magnetic anomaly and exposed garnet-diopside skarn bands with weak tungsten and copper mineralization. The best result was from Trench HP98-02 which returned 0.13 WO_3 over 4.0 m. The south end of trench HP98-02 exposed strongly weathered granodiorite. Granodiorite was also found in a nearby outcrop and may represent a small intrusive plug or dyke swarm.

The **Nirvana Zone** consists of an area with moderate to strong copper and tungsten soil geochemical values and a 300 m long magnetic anomaly. Two excavator trenches tested this zone (Figure 44). Both trenches were cut downhill from the magnetic anomaly and did not adequately test the target. The top part of TR98-33 intersected a garnet-diopside skarn zone which returned 0.13% WO_3 over 4.5 m. The bottom of TR98-33 intersected a broken and weathered band of garnet-diopside skarn which returned 0.30% WO_3 over 9.3 m.



1998 RESULTS

Trench	From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	W (ppm)	WO3 (%)
HP98-01	27.0			BB28046	1.8	40	114	78	20	
HP98-01	27.0			BB28047	9.2	474	846	669	110	
HP98-01	0.00	3.00	3.00	451710	10.0	<2	98	776	230	
HP98-01	3.00	5.50	2.50	451711	2.4	<2	86	860	340	
HP98-01	5.50	9.00	3.50	451712	<0.2	<2	86	6	<10	
HP98-01	9.00	12.00	3.00	451760	<0.2	<2	174	22	10	
HP98-01	12.00	15.00	3.00	451761	<0.2	<2	154	27	10	
HP98-01	15.00	18.00	3.00	451762	0.2	<2	504	56	10	
HP98-01	18.00	21.00	3.00	451763	0.6	10	1360	83	<10	
HP98-02				AA0440	3.8	14	1185	1500	1540	
HP98-02				935789	5	<5	130	1405	1120	0.84%
HP98-02	2.80	5.80	3.00	451755	2.4	20	86	398	20	
HP98-02	5.80	7.30	1.50	451756	4.0	38	416	1200	10	
HP98-02	7.30	8.50	1.20	451757	1.8	78	422	128	190	0.06
HP98-02	8.50	10.50	2.00	451758	0.2	<2	124	23	120	0.09
HP98-02	10.50	12.50	2.00	451759	<0.2	<2	110	61	630	0.18

HP98-01

0.0–5.5m Garnet–diopside skarn, hard, blocky, weakly weathered with strong limonite/manganese coating. <1% fine grained disseminated chalcopyrite with trace pyrite and scheelite visible under UV. The rock is well jointed but poorly foliated.

5.5–21.0m Garnet–diopside skarn, similar to above unit but with no visible sulphides. Poorly exposed and trench is up to 1.5 m deep.

21.0–27.0m Overburden. The trench just into bedrock but to deep to sample.

TR98-02

0.0–7.3m Granodiorite, moderate to strong weathering with strong limonite/manganese coating. The granodiorite appears to be medium grained with no visible veins but increasing weathering toward the contact at 7.3 m. There appears to be fragments of the skarn in the granodiorite at the contact.

7.3–12.5m Garnet–diopside skarn, hard, weakly weathered, blocky with moderate limonite/manganese coating surfaces. The rock contains pink garnets and light green diopside within a carbonate–quartz rich rock. Good mineral banding approximately parallel to weak foliation.

Limit of outcrop
Ground magnetics grid
Linear
1998 hand trench
× GPS survey station with standard fix
*934722 Rock sample location with sample number
o1463 Soil sample location with sample number
* Mineralized float
110/88 Joint
080/42 Mineralized vein
080/42 Unmineralized veins

Granodiorite
Schist
Garnet–diopside skarn

NORDAC RESOURCES LTD.

FIGURE 43

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

VALOUR ZONE

BLUE HEAVEN PROPERTY

0 50 m


DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-V.DWG	DATE: FEBRUARY, 1999

TR98–23 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	W (ppm)	WO_3 (%)
Grab			451686	<0.2	8	88	237	710	0.13

TR98–33 RESULTS

From (m)	To (m)	Sample Interval(m)	Sample No.	Ag (ppm)	Pb (ppm)	Zn (ppm)	Cu (ppm)	W (ppm)	WO_3 (%)
1.00	6.00	5.00	451654	0.2	20	132	305	120	0.03
6.00	11.00	5.00	451655	0.8	14	264	188	230	0.05
11.00	16.70	5.70	451656	0.2	<2	92	240	50	0.02
16.70	19.00	2.30	451657	<0.2	<2	86	309	430	0.11
19.00	21.00	2.00	451658	<0.2	4	80	89	240	0.05
21.00	26.00	5.00	451659	<0.2	6	66	80	30	<0.01
26.00	30.50	4.50	451660	<0.2	<2	78	85	440	0.13
30.50	37.00	6.50	451661	0.4	<2	460	279	80	
37.00	43.00	6.00	451662	0.4	<2	196	263	50	
43.00	48.00	5.00	451663	<0.2	6	108	38	<10	
48.00	51.00	3.00	451664	<0.2	<2	96	83	20	
51.00	53.00	2.00	451665	<0.2	<2	84	112	40	
53.00	56.00	3.00	451666	<0.2	16	104	81	10	
56.00	58.00	2.00	451667	<0.2	2	102	123	<10	
58.00	62.00	4.00	451668	<0.2	2	86	156	30	
71.80	77.00	5.20	451669	<0.2	8	296	94	160	
77.00	81.00	4.00	451670	0.6	28	280	75	310	
81.00	85.00	4.00	451671	4.0	92	394	677	780	0.17
85.00	87.00	2.00	451672	<0.2	2	216	113	200	0.14
87.00	88.30	1.30	451673	1.0	<2	190	535	1860	0.65
88.30	90.30	2.00	451674	<0.2	<2	232	194	900	0.36
90.30	93.00	2.70	451675	<0.2	<2	318	88	210	
93.00	98.00	5.00	451676	0.2	228	812	240	60	



TR98–23

0.0–11.0 Garnet–diopside skarn, strongly limonite coated, trace manganese, dark brown in color, broken and crumbly rock. Rock has minor fine grained disseminated pyrite and trace pyrrhotite. The rock is slightly magnetic.

TR98–33

0.0–4.5m Garnet–diopside skarn, medium to dark brown with strong weathering. the rock is well foliated and jointed with trace disseminated pyrite and pyrrhotite.

4.5–6.5m Schist, medium brown, soft and breaks easily.

6.5–14.0m Garnet–diopside skarn, similar to 0–4.5 m except with more schist bands.

14.0–16.7m Schist, light brown strongly weathered with strong limonite/manganese coating.

16.7–30.5m Garnet–diopside skarn, hard, blocky, black to dark brown in color with strong limonite/manganese coating and trace pyrite/pyrrhotite.

30.5–43.0m Schist, strongly weathered, well foliated with strong limonite/manganese.

43.0–58.0m Garnet–diopside skarn, hard, well jointed, moderately weathered with a dark brown to black color. The rock contains trace disseminated pyrite and pyrrhotite.

58.0–71.8m Schist, light to medium brown, well foliated, strongly weathered rock with some harder schist bands.

71.8–85.0m Garnet–diopside skarn, mixed bands of skarn and schist.

85.0–87.0m Weathered and broken skarn with strong limonite/manganese.

87.0–115.0m Garnet–diopside skarn, becomes harder, blocky and less weathered away from 87.0m.

Limit of outcrop

Fault

Linear

1998 excavator trench

× GPS survey station with standard fix

*934722 Rock sample location with sample number

o1463 Soil sample location with sample number

* Mineralized float

88 110 Joint

42 080 Mineralized vein

42 080 Unmineralized veins

Schist

Garnet–diopside skarn

NORDAC RESOURCES LTD.

FIGURE 44

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

NIRVANA ZONE

BLUE HEAVEN PROPERTY

0 50 m

DRAWN\REVISED BY: TCB	PROJECT:
FILE: NORDAC\BLUE\ACAD98\BL-TR-23.DWG	DATE: FEBRUARY, 1999

DISCUSSION AND CONCLUSIONS

Nordac is exploring the Blue Heaven property using established carbonate-hosted lead-zinc-silver±copper±gold replacement and skarn deposits (CRD) as its primary exploration model. All the zones and types of mineralization observed on the property fit within the established model. The following is a summary of the main characteristics of CRD with comments concerning their relevance to targets on the Blue Heaven property.

CRD are epigenetic, intrusion-related, high temperature, sulphide-dominant lead-zinc-silver± copper±gold deposits that typically form lenses, elongate pipes or elongate tabular bodies referred to as mantos or chimneys (Megaw, 1998 and 1999). The deposits commonly exhibit strong structural controls and are stratigraphically discordant. Mineralization typically occurs below relatively impermeable shaly units with veins extending upwards through the impermeable cap rocks. CRD grade from almost 100% polymetallic sulphide bodies to sulphide rich skarns and are usually associated with significant vein mineralization.

Several features make CRD highly desirable mining targets. CRD have good size potential averaging 10 to 13 Mt with the largest deposits exceeding 50 Mt. Ore bodies comprising the deposits occur in clusters individually averaging 0.5 to 2 Mt with some up to 20 Mt. CRD are dominantly composed of a simple assemblage of galena, sphalerite, chalcopyrite, arsenopyrite, pyrite and pyrrhotite with subordinate carbonate, sulphate, fluorite and quartz gangue. Metal contents characteristically range from 2 to 12% lead, 2 to 18% zinc, 60 to 600 g/t silver, trace to 2% copper and trace to 6 g/t gold (Megaw, 1998). Typically CRD are metallurgically straightforward, amenable to low-cost mining methods and have a minimal environmental impact.

Nordac is using information from major CRD districts such as those in the U.S. Great Basin and Northern Mexico to establish geological criteria for evaluating the Blue Heaven property and its other properties in the Rancheria district. Detailed geological mapping, soil geochemistry, geophysical surveys and prospecting will be used to evaluate and systematically prioritize the potential of its various targets.

At the present time five zones on the Blue Heaven property are assigned a high priority. Two of these zones cover northeast-trending quartz veins. Both of these zones demonstrate good potential to host small scale, high grade open pit mining and larger scale underground mining coupled with milling. The other three zones consist of CRD replacement occurring at the intersection of northeast-trending vein faults and a band of southeast-trending carbonate rich metasediments. The intersection of these two structures trends about 007° and plunges 43° and may control pipe-shaped ore shoots.

Although other vein and CRD zones on the property are considered lower priority exploration targets, they should be re-evaluated if exploration of the high priority targets is successful. Similarly, a number of strong multi-element soil geochemical anomalies have not yet been tested. Some of these anomalies are in areas difficult to access but others are directly adjacent to high priority targets.

The tungsten-copper skarn zones are interesting but are too low grade to be of economic interest at current metal prices. Exploration should not focus on these targets but they should definitely be sampled where exposed.

SELECTED REFERENCES

Abbott, G.
1983 Silver-Bearing Veins and Replacement Deposits of the Rancheria District, Yukon Exploration and Geology 1983, pp.34-44.

Allen, G.
1979 Report of Investigations on the Buc prospect, Edgar Lake Area, Watson Lake Mining District, September, 1979.

Amuken, S.E. and Lowey, G.W.
1987 Geology of the Sab Lake Map Area (105B/7), Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1987-1.

1987 Geology of the Meister Lake Map Area (105B/8), Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1987-1.

Archer, A.R.
1971 Final Report, Wolf Lake Joint Venture, Private Report, Archer Cathro files, December 15, 1971.

Archer, A.R. and Cathro, R.J.
1972 Wolf Lake Joint Venture Final Report, Private Report, Archer Cathro files, November 30, 1972.

Bremner
1988 Summary of the Moonlight (Mid) claims, Yukon Exploration 1987, DIAND, pp.76-77.

DIAND
1995 Yukon Minfile, WP 5.1 Version, 20 Nov/95. Exploration and Geological Services, Indian and Northern Affairs Canada, Map 105B and occurrences 105B/21, 57 and 99.

Einsiedel, C. von
1998 Summary Report on the Blue Heaven Property for Nordac Resources Ltd., April 1998.

George Cross News Letter Ltd.
1998 Imperial Metals Corp., Silvertip Resource Update; GCNL #10, January 15.

Johnston, S.T. and Mortensen, J.K.
1994 Regional setting of porphyry Cu-Mo deposits, volcanogenic massive sulphide deposits, and mesothermal gold deposits in the Yukon-Tanana Terrane, Yukon; Yukon Metallogeny: Recent Developments, Canadian-Yukon Economic Development Agreement, pp.30-34.

Lowey, G.W. and Lowey, J.F.
1986 Geology of Spencer Creek (105B/1) and Daughney Lake (105B/2) map Areas, Rancheria District, Southeast Yukon, Indian and Northern Affairs Canada, OF 1986-1.

Main, C.A.
1988 Hand Trenching Program, Nite Property, Edgar Lake Area, Yukon Territory for Big Creek Resources Ltd., November 8, 1988.

Megaw, P.K.M.
1998 Carbonate-Hosted Pb-Zn-Ag-Cu-Au Replacement Deposits: An Exploration Perspective *in* Mineralogical Association of Canada Short Course Series, Mineralized Intrusion-Related Skarn System, Short Course Volume 26, Quebec City, Quebec, 1998.

1999 The High-Temperature, Ag-Pb-Zn-(Cu) Carbonate-Replacement Deposits of Central Mexico *in* VMS and Carbonate-Hosted Polymetallic Deposits of Central Mexico, B.C. and Yukon Chamber of Mines, Vancouver: Where Discoveries Start, Cordilleran Roundup, January 1999.

Mortensen, J.K.
1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; Tectonics, Vol.11, No.4, pp.836-853.

Mortensen, J.K. and Jilson, G.A.
1985 Evolution of the Yukon-Tanana Terrane: evidence from southeastern Yukon Territory; Geology, V.13, pp.806-810.

Poole, W.H., Roddick J.A. and Green, L.H.
1960 Geology of Wolf Lake (105B), Yukon Territory, Geological Survey of Canada, Map 10-1960.

Silver Hart
1987a News Release, Silver Hart Mines Limited, December 22, 1987.

1987b Report to Shareholders for the nine months ending September 30, 1987; Silver Hart Mines Limited.

Tempelman-Kluit, D.J., Gordey, S.P. and Read, B.C.
1976 Stratigraphic and Structural Studies in the Pelly Mountains, Yukon Territory; Geological Survey of Canada Paper 76-1A, pp.97-106.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Thomas C. Becker, geologist, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address in Port Moody, British Columbia, do hereby certify that:

1. I graduated from the University of Alberta in 1989 with a B.Sc. (Honours) in Geological Sciences.
2. I am a member of the Association of Professional Engineers and Geoscientists of British Columbia in the Province of British Columbia (registration number 20021).
3. I have been actively involved in mineral exploration in the Northern Cordillera since 1984.
4. I have personally participated in or supervised the field work reported herein.

T. C. Becker

Thomas C. Becker, B.Sc., P.Geo.

APPENDIX II

GPS DATA

Blue Property

GPS Survey Coordinates

Data Quality: Standard = The surveyed positions were recorded in 3D mode and were differentially corrected. The reported UTM coordinates are within 1 to 5 meters of their actual locations; Poor = less then 120 reading were taken at a site; Uncorrected = The surveyed positions were not differentially corrected; N/S = No survey data available.

Base Station: RR = Department of Renewable Resources (Foretry) at Whitehorse

Nordac Resources Ltd. Claim Posts

Claim	Post 1	Post 2	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
H	1,2	-	-	-	N/S		
	-	1,2	6687140	407357	Standard	RR	05-Jul-98
Blue	1,2	-	-	-	N/S		
	-	1,2	-	-	N/S		
Heven	1,2	-	6686496	403954	Standard	RR	23-Jun-98
	3,4	1,2	6686694	404198	Standard	RR	24-Jun-98
	5,6	3,4	6686957	404835	Standard	RR	23-Jun-98
	7,8	5,6	6687258	405143	Standard	RR	30-Jun-98
	9,10	7,8	6687575	405467	Standard	RR	30-Jun-98
	11,12	9,10	6687883	405734	Standard	RR	30-Jun-98
	13,14	11,12	6688210	406055	Standard	RR	30-Jun-98
	15,16	13,14	6688478	406354	Standard	RR	04-Jul-98
	17,18	15,16	6688775	406557	Standard	RR	04-Jul-98
	19,20	17,18	6689031	406823	Standard	RR	04-Jul-98
	103,104	19,20	6689273	407230	Standard	RR	04-Jul-98
Heaven	21,22	-	6685115	405433	Standard	RR	27-Jun-98
	23,24	21,22	6685407	405165	Standard	RR	27-Jun-98
	93,94	23,24	6685669	404908	Standard	RR	27-Jun-98
Heaven	25,26	-	6685608	405871	Standard	RR	27-Jun-98
	27,28	25,26	6685904	405586	Standard	RR	27-Jun-98
	29,30	27,28	6686217	405297	Standard	RR	27-Jun-98
	31,32	29,30	6686350	405058	Standard	RR	28-Jun-98
	-	31,32	6686663	404764	Standard	RR	28-Jun-98
Heaven	33,34	-	-	-	N/S		
	35,36	33,34	6684795	407847	Poor	RR	27-Jun-98
	37,38	35,36	6685097	407561	Standard	RR	27-Jun-98
	39,40	37,38	6685390	407273	Standard	RR	27-Jun-98
	41,42	39,40	6685673	406977	Standard	RR	28-Jun-98
	43,44	41,42	6685967	406595	Poor	RR	28-Jun-98
	45,46	43,44	6686294	406294	Standard	RR	28-Jun-98
	-	45,46	-	-	N/S		
Heaven	47,48	65,66	6687319	406180	Standard	RR	05-Jul-98
	49,50	47,48	6687029	405910	Standard	RR	05-Jul-98
	-	49,50	6686755	405599	Standard	RR	24-Jun-98
Heaven	51,52	-	6684915	408723	Standard	RR	02-Jul-98
	53,54	51,52	6685208	408439	Standard	RR	02-Jul-98
	55,56	53,54	6685481	408173	Standard	RR	02-Jul-98

Claim	Post 1	Post 2	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
	57,58	55,56	6685779	407902	Poor	RR	02-Jul-98
	59,60	57,58	6686066	407627	Standard	RR	02-Jul-98
	61,62	59,60	6686373	407381	Standard	RR	13-Jul-98
	-	61,62	6686537	407274	Standard	RR	13-Jul-98
Heaven	63,64	-	6687685	406613	Standard	RR	05-Jul-98
	65,66	63,64	6687575	406464	Standard	RR	05-Jul-98
	47,48	65,66	6687319	406180	Standard	RR	05-Jul-98
Heaven	67,68	-	-	-	N/S		
	69,70	67,68	6687295	407484	Standard	RR	13-Jul-98
	-	69,70	6687617	407182	Standard	RR	13-Jul-98
Heaven	71,72	-	6687950	406906	Standard	RR	20-Jun-98
	-	71,72	6688306	406575	Standard	RR	26-Jun-98
Heaven	73,74	-	6687317	408098	Standard	RR	04-Jul-98
	75,76	73,74	6687648	407866	Standard	RR	04-Jul-98
	77,78	75,76	6688002	407664	Standard	RR	04-Jul-98
	79,80	77,78	6688326	407400	Standard	RR	04-Jul-98
	-	79,80	6688647	407195	Standard	RR	04-Jul-98
Heaven	81,82	-	6685059	404443	Standard	RR	10-Jul-98
	83,84	81,82	6684769	404719	Standard	RR	10-Jul-98
	-	83,84	6684464	404968	Standard	RR	10-Jul-98
Heaven	85,86	-	6685115	405433	Standard	RR	27-Jun-98
	87,88	85,86	6684816	405718	Standard	RR	10-Jul-98
	-	87,88	6684523	406043	Standard	RR	10-Jul-98
Heaven	89,90	-	6685492	406116	Standard	RR	10-Jul-98
	91,92	89,90	6685176	406384	Standard	RR	10-Jul-98
	-	91,92	6684877	406658	Standard	RR	10-Jul-98
Heaven	93,94	23,24	6685669	404908	Standard	RR	27-Jun-98
	95,96	93,94	6685964	404663	Standard	RR	05-Aug-98
	-	95,96	6686261	404414	Standard	RR	05-Aug-98
Heaven	97,98	-	6687097	407927	Standard	RR	06-Aug-98
	99,100	97,98	6686803	408162	Standard	RR	06-Aug-98
	101,102	99,100	6686468	408414	Standard	RR	06-Aug-98
	-	101,102	6686160	408680	Standard	RR	06-Aug-98
Heaven	103,104	19,20	6689273	407230	Standard	RR	04-Jul-98
	105,106	103,104	6689522	407550	Standard	RR	24-Aug-98
	-	105,106	6689816	407873	Standard	RR	24-Aug-98
Heaven	107,108	-	6689196	407824	Standard	RR	24-Aug-98
	109,110	107,108	6688861	408089	Standard	RR	24-Aug-98
	111,112	109,110	6688522	408375	Standard	RR	24-Aug-98
	113,114	111.112	6688188	408655	Standard	RR	24-Aug-98
	-	113,114	6687849	408935	Standard	RR	24-Aug-98

B. Grid Station Points

Grid Coordinates Northing	Easting	Sample	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
8900	6000		6688354	406183	Standard	RR	09-Aug-98
9400	6000		6688678	406565	Standard	RR	06-Aug-98

Grid Coordinates Northing	Easting	Sample	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
8360	6200		6687879	405918	Standard	RR	09-Aug-98
8600	6200		6688026	406094	Standard	RR	09-Aug-98
8800	6200		6688135	406237	Standard	RR	09-Aug-98
9200	6850		6687893	406930	Standard	RR	09-Aug-98
8700	7000		6687478	406651	Standard	RR	08-Aug-98
8800	7000		6687539	406721	Poor	RR	05-Jul-98
8900	7000		6687597	406800	Standard	RR	08-Aug-98
9000	7000		6687660	406878	Standard	RR	08-Aug-98
9200	7000	AA3771	6687789	407031	Standard	RR	07-Aug-98
9400	7000	AA3809	6687915	407182	Standard	RR	07-Aug-98
9600	7000	AA3839	6688044	407336	Standard	RR	04-Jul-98
10300	7000		6688488	407877	Standard	RR	17-Aug-98
8700	7200		6687341	406795	Standard	RR	08-Aug-98
8900	7200		6687458	406939	Standard	RR	08-Aug-98
9000	7200		6687518	407007	Standard	RR	08-Aug-98
10300	7750		6687934	408342	Standard	RR	17-Aug-98
9600	8000	AA3867	6687378	407874	Standard	RR	04-Jul-98
10300	8000		6687899	408338	Standard	RR	17-Aug-98
5500	8200		6684526	404910	Standard	RR	10-Jul-98
6300	8200		6685024	405511	Standard	RR	10-Jul-98
6700	8200		6685264	405821	Standard	RR	10-Jul-98
8000	8800		6685643	407290	Standard	RR	03-Jul-98
8800	9000		6685990	408003	Standard	RR	18-Aug-98
9600	9000		6686483	408611	Standard	RR	19-Aug-98

C. Geological Mapping Stations

Station	Comments	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
TB-3		6687343	406237	Poor	RR	20-Jun-98
TB-5	AA1674	6687364	406773	Standard	RR	20-Jun-98
TB-6		6687735	406792	Standard	RR	20-Jun-98
TB-7		6687425	406992	Standard	RR	20-Jun-98
TB-11	Kill Zone	6688001	406706	Standard	RR	20-Jun-98
TB-12	AA1675	6687930	406364	Poor	RR	20-Jun-98
TB-13		6686946	405490	Standard	RR	22-Jun-98
TB-15		6686244	406768	Standard	RR	22-Jun-98
TB-16		6686212	407497	Standard	RR	22-Jun-98
TB-18		6687041	407451	Standard	RR	22-Jun-98
TB-20		6687137	407356	Standard	RR	22-Jun-98
TB-21		6687462	406964	Standard	RR	22-Jun-98
TB-23	Quartz Zone	6687585	406887	Standard	RR	22-Jun-98
TB-24		6687254	406931	Standard	RR	22-Jun-98
TB-25	AA1678	6686242	404426	Standard	RR	23-Jun-98
TB-26	AA1679	6685756	404238	Standard	RR	23-Jun-98
TB-29		6685043	404923	Standard	RR	23-Jun-98
TB-31		6688116	406837	Standard	RR	26-Jun-98
TB-33		6688167	404828	Standard	RR	26-Jun-98
TB-35		6688243	405616	Standard	RR	26-Jun-98
TB-36	Cat Trench	6688583	406244	Standard	RR	26-Jun-98

Station	Comments	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
TB-39		6688232	406797	Standard	RR	26-Jun-98
TB-43		6688002	407003	Standard	RR	26-Jun-98
TB-47	AA1182	6684663	407273	Standard	RR	27-Jun-98
TB-49	AA1183	6684458	406150	Standard	RR	27-Jun-98
TB-50	AA1173	6685677	407875	Standard	RR	28-Jun-98
TB-51	AA1186	6684917	405616	Standard	RR	27-Jun-98
TB-61	AA1247	6685604	405732	Poor	RR	02-Jul-98
TB-70	AA0780	6686067	407866	Standard	RR	05-Jul-98
TB-71	AA0782	6686077	407717	Uncorrected	RR	05-Jul-98
TB-74		6685613	404034	Standard	RR	08-Jul-98
TB-75	AA0300	6685327	403959	Standard	RR	08-Jul-98
TB-76	AA0301	6685217	403958	Standard	RR	08-Jul-98
TB-77	AA0302	6684872	403771	Standard	RR	08-Jul-98
TB-79	AA0303	6684302	405452	Standard	RR	08-Jul-98
TB-80	AA0304	6685327	405636	Standard	RR	08-Jul-98
TB-81		6684919	406139	Standard	RR	10-Jul-98
TB-130	Vein	6685472	404919	Standard	RR	05-Aug-98
TB-133	BB28026	6685540	404907	Standard	RR	05-Aug-98
TB-134		6685799	404989	Standard	RR	05-Aug-98
TB-135		6685818	405009	Standard	RR	05-Aug-98
TB-136		6686017	405032	Standard	RR	05-Aug-98
TB-137		6686284	405045	Standard	RR	05-Aug-98
TB-138		6688722	406446	Standard	RR	06-Aug-98
TB-141		6686226	407692	Standard	RR	09-Aug-98
TB-156	AA0441	6688261	407546	Standard	RR	12-Aug-98

D. Survey Stations

Station	Comments	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
CAMP		6686676	403919	Poor	RR	20-Jun-98
ROAD		6686934	404470	Standard	RR	20-Jun-98
ROAD		6687049	405254	Standard	RR	20-Jun-98
H-ZONE		6687276	407193	Standard	RR	20-Jun-98
BLUE		6687792	406967	Standard	RR	20-Jun-98
N/E.ROAD		6688359	406662	Standard	RR	26-Jun-98
E ROAD	AA1220	6684868	408471	Poor	RR	02-Jul-98
TR-275m		6688012	406909	Standard	RR	09-Aug-98
CK-RD		6686558	404020	Standard	RR	05-Aug-98
RD		6686269	404054	Standard	RR	05-Aug-98
RD		6686264	404593	Standard	RR	05-Aug-98
AA1224	400m	6684884	408078	Standard	RR	02-Jul-98
AA1229	900m	6684890	407616	Poor	RR	02-Jul-98
AA1232	1200m	6684882	407332	Standard	RR	02-Jul-98
AA1236	1600m	6685013	406960	Standard	RR	02-Jul-98
AA1240	2000m	6685169	406593	Standard	RR	02-Jul-98
AA1245	2500m	6685398	406172	Standard	RR	02-Jul-98
AA0754	600m	6685703	406715	Standard	RR	03-Jul-98
AA0759	1000m	6685694	406338	Standard	RR	03-Jul-98
AA0764	1500m	6685967	405936	Standard	RR	03-Jul-98
AA0769	2000m	6686013	405418	Standard	RR	03-Jul-98
AA0774	2500m	6686167	404995	Standard	RR	03-Jul-98
AA0779	3000m	6686091	404504	Standard	RR	03-Jul-98

Station	Comments	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
TR98-01		6688293	406779	Standard	RR	13-Aug-98
TR98-02		6688124	406835	Standard	RR	13-Aug-98
TR98-03		6688068	406905	Standard	RR	13-Aug-98
TR98-04		6687877	407026	Standard	RR	13-Aug-98
TR98-05		6687906	407064	Standard	RR	14-Aug-98
TR98-06		6687923	407080	Standard	RR	14-Aug-98
TR98-07		6687945	407098	Standard	RR	14-Aug-98
TR98-08		6687739	407008	Standard	RR	15-Aug-98
TR98-09		6688011	406708	Standard	RR	15-Aug-98
TR98-10		6687545	406901	Standard	RR	15-Aug-98
TR98-11		6687329	407184	Standard	RR	15-Aug-98
TR98-13		6685934	407579	Standard	RR	17-Aug-98
TR98-14		6685923	407548	Standard	RR	17-Aug-98
TR98-15		6685660	407879	Standard	RR	17-Aug-98
TR98-16		6686487	407196	Standard	RR	18-Aug-98
TR98-17		6686234	407709	Standard	RR	18-Aug-98
TR98-18		6684453	405991	Standard	RR	19-Aug-98
TR98-19		6684489	406029	Standard	RR	19-Aug-98
TR98-20		6684496	406056	Standard	RR	19-Aug-98
TR98-21		6687782	406271	Standard	RR	21-Aug-98
TR98-22		6687834	406363	Standard	RR	21-Aug-98
TR98-23		6688101	406271	Poor	RR	22-Aug-98
TR98-24		6687895	407037	Standard	RR	22-Aug-98
TR98-25		6687936	407089	Standard	RR	23-Aug-98
TR98-26		6687974	407106	Standard	RR	23-Aug-98
TR98-27		6687743	406316	Standard	RR	26-Aug-98
TR98-28		6687810	406312	Standard	RR	26-Aug-98
TR98-29		6687813	406376	Standard	RR	27-Aug-98
TR98-30		6687779	406313	Standard	RR	27-Aug-98
TR98-32		6687721	406348	Standard	RR	28-Aug-98

E. Nite Showing, Survey Data

Station	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
T5013	6688495	406929	Standard	RR	26-Jun-98
T5103	6688500	407195	Standard	RR	04-Jul-98
T5125	6688511	407284	Standard	RR	04-Jul-98
T5219	6689464	406833	Standard	RR	06-Aug-98
T5159	6688338	407146	Standard	RR	07-Aug-98
N71-01	6689478	406799	Standard	RR	06-Aug-98
N71-02	6689481	406890	Standard	RR	06-Aug-98
N71-03	6689418	406765	Standard	RR	06-Aug-98
N71-04	6689186	406874	Standard	RR	06-Aug-98
N71-05	6689206	406920	Standard	RR	06-Aug-98
N71-06	6688715	407115	Standard	RR	06-Aug-98
N71-07	6688756	407199	Standard	RR	06-Aug-98
N71-08	6688871	407125	Standard	RR	06-Aug-98
T4N	6689104	406744	Standard	RR	06-Aug-98
T4N	6689162	406806	Standard	RR	06-Aug-98
T8N	6689206	406668	Standard	RR	06-Aug-98
T8N	6689361	406848	Standard	RR	06-Aug-98
T13N	6689508	406775	Standard	RR	06-Aug-98
T13N	6689376	406613	Standard	RR	06-Aug-98

Station	UTM Coordinates Northing	Easting	Data Quality	Base Station	Date
T16N	6689493	406626	Standard	RR	06-Aug-98
T16N	6689563	406813	Standard	RR	06-Aug-98
T17N	6689559	406653	Standard	RR	06-Aug-98
T3S	6688980	406876	Standard	RR	06-Aug-98
T3S	6689007	406986	Standard	RR	06-Aug-98
T8S	6688847	406996	Standard	RR	06-Aug-98
T8S	6688892	407091	Standard	RR	06-Aug-98
T13S	6688758	407144	Standard	RR	06-Aug-98
T13S	6688634	407000	Standard	RR	06-Aug-98
T15S	6688643	407055	Standard	RR	07-Aug-98
T15S	6688705	407142	Standard	RR	07-Aug-98
T17S	6688578	407052	Standard	RR	07-Aug-98
T17S	6688608	407147	Poor	RR	07-Aug-98

APPENDIX III

CERTIFICATES OF ANALYSIS

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 14-NOV-1998
Invoice No. : I9835046
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9835046

SAMPLE	PREP CODE	Au ppb FA+AA	Sn ppm	Ge ppm
451549	244 --	15	78	< 5
059445	244 --	5	27	< 5
451737	244 --	40	62	< 5
451711	244 --	< 5	31	60

CERTIFICATION: Hawk Richards

RERUNS from A9830532

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 09-OCT-1998
Invoice No. : I9832928
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832928

SAMPLE	PREP CODE		Ag FA g/t									
451726	244	--	1340									

CERTIFICATION: _____

OVERLIMITS from A9832449

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page : 1
Total Pages : 1
Certificate Date: 07-OCT-1998
Invoice No. : I9832820
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832820

SAMPLE	PREP CODE	Zn %
451709	244 --	2.50
451718	244 --	1.68
451719	244 --	2.10
451722	244 --	1.37
451723	244 --	1.32
451727	244 --	1.55

CERTIFICATION: _____

OVERLIMITS from A9832448

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 07-OCT-1998
Invoice No. : I9832818
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832818

SAMPLE	PREP CODE	Zn %
AA1920	244 --	2.40
AA1921	244 --	1.10

CERTIFICATION:

OVERLIMITS from A9832445

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

F ...er : 1-A
Total Pages : 1
Certificate Date: 08-OCT-1998
Invoice No. : I9832449
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832449

SAMPLE	PREP CODE		Pb %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %
451726	208	226	71.2	>200	0.17	20	< 20	< 5	< 10	0.10	15	< 5	20	50	2.05	< 10	0.09	< 0.01	12770	< 5	0.03

CERTIFICATION: Hart Richler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

P[illegible]er : 1-B
To[illegible] Pages : 1
Certificate Date: 08-OCT-1998
Invoice No. : I9832449
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832449

SAMPLE	PREP CODE		Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
451726	208	226	< 5	300	>50000	1430	< 5	10	< 0.01	< 20	< 20	< 20	< 20	4110

CERTIFICATION: [signature]

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 05-OCT-1998
Invoice No. : I9832448
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832448

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
451708	205	226	1.0	1.39	34	90	1.0	< 2	1.62	0.5	3	84	7	1.71	< 10	< 1	0.35	30	0.35	1390	< 1
451709	205	226	41.4	0.15	22	50	< 0.5	8	0.17	57.5	5	12	219	>15.00	< 10	9	0.05	< 10	0.28	>10000	< 1
451710	205	226	10.0	1.67	4	< 10	2.0	224	11.50	< 0.5	3	33	776	12.65	50	3	0.01	< 10	0.10	7400	29
451711	205	226	2.4	2.10	16	10	2.5	12	12.45	< 0.5	2	55	860	10.10	40	1	0.01	< 10	0.11	7930	5
451712	205	226	< 0.2	3.90	4	< 10	2.5	12	9.98	< 0.5	3	97	6	2.16	10	< 1	< 0.01	30	0.17	3150	< 1
451713	205	226	9.4	0.14	8550	120	< 0.5	< 2	0.08	23.0	4	38	22	>15.00	< 10	7	0.13	< 10	< 0.01	>10000	2
451714	205	226	55.2	0.33	1395	30	< 0.5	< 2	0.03	0.5	< 1	140	508	0.86	< 10	< 1	0.18	10	0.01	75	8
451715	205	226	< 0.2	2.59	26	40	0.5	< 2	0.48	< 0.5	16	56	13	3.96	< 10	< 1	0.50	50	1.27	430	< 1
451716	205	226	0.8	2.40	74	40	1.0	< 2	2.00	1.5	16	65	21	4.92	< 10	1	0.43	70	1.06	1475	< 1
451717	205	226	1.6	0.84	168	30	0.5	2	10.60	4.5	9	22	23	3.21	< 10	4	0.29	30	0.25	6120	< 1
451718	205	226	11.0	0.88	102	40	1.0	< 2	1.75	30.5	9	24	50	9.62	< 10	8	0.35	40	0.14	>10000	< 1
451719	205	226	12.6	0.59	58	10	0.5	< 2	4.79	35.0	11	10	56	8.72	< 10	4	0.19	30	0.13	>10000	< 1
451720	205	226	1.6	1.50	228	30	1.0	< 2	7.39	8.0	7	29	27	4.15	< 10	1	0.34	40	0.51	6330	< 1
451721	205	226	2.4	1.07	564	30	1.5	< 2	0.50	14.0	12	23	29	7.37	< 10	< 1	0.32	50	0.32	>10000	< 1
451722	205	226	10.0	1.65	1810	30	1.0	< 2	0.53	27.5	18	46	139	11.10	< 10	4	0.38	40	0.45	>10000	< 1
451723	205	226	5.6	0.73	1140	30	1.0	< 2	0.20	22.5	15	19	23	9.21	< 10	5	0.41	50	0.05	>10000	< 1
451724	205	226	3.8	0.99	1330	30	1.5	< 2	0.40	10.5	15	45	22	5.24	< 10	< 1	0.50	60	0.11	9060	< 1
451725	205	226	6.4	0.90	1680	30	1.5	< 2	0.24	17.5	12	39	31	8.43	< 10	3	0.40	50	0.16	>10000	< 1
451727	205	226	0.2	2.72	56	40	1.5	< 2	3.98	7.0	21	70	33	4.17	< 10	< 1	0.33	60	0.97	4190	< 1
451728	205	226	2.8	1.90	70	10	1.0	< 2	3.20	4.0	13	43	71	3.59	< 10	< 1	0.19	40	0.82	1410	1
451729	205	226	0.2	2.40	42	90	2.0	< 2	2.64	1.0	13	63	28	3.38	< 10	< 1	0.35	50	0.68	1420	< 1
451730	205	226	0.8	1.81	66	50	1.5	< 2	0.93	3.0	16	42	30	4.82	< 10	< 1	0.29	50	0.64	5810	< 1
451731	205	226	0.2	2.97	52	60	1.5	< 2	1.73	0.5	13	71	28	4.09	< 10	< 1	0.46	50	1.04	1745	1
451732	205	226	0.8	2.16	46	30	1.0	< 2	2.58	3.0	14	44	27	5.09	< 10	1	0.21	50	0.74	9300	< 1

CERTIFICATION: Hawthicklen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :1-B
Total Pages :1
Certificate Date: 05-OCT-1998
Invoice No. :19832448
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9832448

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
451708	205	226	< 0.01	2	540	314	< 2	1	81	< 0.01	< 10	< 10	14	< 10	460
451709	205	226	< 0.01	14	50	522	< 2	2	21	< 0.01	10	10	4	< 10	>10000
451710	205	226	< 0.01	2	210	< 2	< 2	1	4	0.01	< 10	10	50	230	98
451711	205	226	< 0.01	4	210	< 2	< 2	1	7	0.01	< 10	10	54	340	86
451712	205	226	< 0.01	9	250	< 2	< 2	4	192	0.08	< 10	< 10	25	< 10	86
451713	205	226	< 0.01	8	90	2460	18	3	59	< 0.01	10	< 10	3	330	4290
451714	205	226	< 0.01	1	110	3720	8	< 1	4	< 0.01	< 10	< 10	1	< 10	494
451715	205	226	0.03	33	240	20	< 2	5	42	0.07	< 10	< 10	35	< 10	764
451716	205	226	< 0.01	42	330	56	2	7	85	< 0.01	< 10	< 10	35	< 10	1390
451717	205	226	< 0.01	23	430	414	< 2	4	643	< 0.01	< 10	< 10	8	< 10	2450
451718	205	226	< 0.01	25	470	4460	8	6	232	< 0.01	10	< 10	9	< 10	>10000
451719	205	226	< 0.01	23	460	5500	4	4	426	< 0.01	10	< 10	5	< 10	>10000
451720	205	226	< 0.01	24	400	192	< 2	5	236	< 0.01	< 10	< 10	11	< 10	6170
451721	205	226	< 0.01	26	560	584	2	7	72	< 0.01	< 10	< 10	14	< 10	7830
451722	205	226	< 0.01	29	400	1520	4	6	130	< 0.01	10	< 10	21	< 10	>10000
451723	205	226	< 0.01	23	510	1740	12	7	131	< 0.01	10	< 10	8	< 10	>10000
451724	205	226	< 0.01	25	560	1090	2	7	37	< 0.01	< 10	< 10	10	< 10	7980
451725	205	226	< 0.01	27	530	2610	6	5	82	< 0.01	< 10	< 10	11	< 10	8850
451727	205	226	0.03	47	550	40	< 2	6	273	0.03	< 10	< 10	30	< 10	>10000
451728	205	226	0.01	30	410	1565	4	5	131	0.01	< 10	< 10	23	< 10	3620
451729	205	226	0.03	31	530	74	< 2	6	134	0.07	< 10	< 10	31	< 10	1390
451730	205	226	0.01	35	530	268	< 2	5	76	0.01	< 10	< 10	24	< 10	2370
451731	205	226	0.05	37	420	46	< 2	6	112	0.04	< 10	< 10	34	< 10	1040
451732	205	226	0.02	32	430	282	< 2	6	196	0.06	< 10	< 10	27	< 10	1870

CERTIFICATION: Ian Fichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :1-A
Total Pages :1
Certificate Date: 06-OCT-1998
Invoice No. :I9832446
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9832446

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm
451733	208	226	6	0.48	2400	20	< 5	< 10	1.92	45	< 5	10	75	23.0	10	0.25	0.14	>50000	< 5	0.01	15
451734	208	226	2	1.70	970	80	< 5	< 10	0.45	30	10	30	45	16.15	< 10	0.33	0.45	>50000	5	0.03	40
451735	208	226	1	0.41	40	< 20	< 5	< 10	0.27	55	< 5	10	50	27.5	< 10	0.23	0.31	>50000	< 5	0.01	5
451736	208	226	3	1.49	210	20	< 5	< 10	0.19	50	5	10	55	24.6	< 10	0.26	0.33	>50000	5	0.02	15
451737	208	226	88	1.67	330	20	< 5	< 10	0.17	105	5	10	265	23.4	20	0.22	0.35	>50000	10	0.01	20
451738	208	226	< 1	1.80	150	40	< 5	< 10	0.25	5	10	70	35	5.07	< 10	0.55	0.70	6140	5	0.04	35
451739	208	226	3	0.50	100	20	< 5	< 10	0.30	55	< 5	10	55	25.2	< 10	0.32	0.11	>50000	< 5	0.01	15
451740	208	226	< 1	0.62	110	20	< 5	< 10	0.27	45	5	10	35	27.9	< 10	0.31	0.10	>50000	< 5	0.02	15
451741	208	226	1	0.57	140	20	< 5	< 10	0.23	55	< 5	20	40	25.6	< 10	0.35	0.03	>50000	5	0.02	15
451742	208	226	< 1	0.54	190	20	< 5	< 10	0.18	50	10	10	30	28.4	10	0.31	0.04	>50000	< 5	0.02	15
451743	208	226	< 1	0.56	130	20	< 5	< 10	0.18	35	5	10	30	26.2	10	0.38	0.06	>50000	< 5	0.01	10
451744	208	226	1	0.31	80	20	< 5	< 10	0.25	60	5	10	45	>30.0	10	0.19	0.04	>50000	< 5	0.02	15
451745	208	226	3	0.25	140	< 20	< 5	< 10	0.30	75	< 5	10	60	>30.0	10	0.14	0.09	>50000	10	0.01	5
451746	208	226	4	0.55	1340	20	< 5	< 10	0.25	70	5	10	85	22.1	< 10	0.23	0.08	>50000	10	0.02	10
451747	208	226	3	0.43	5030	40	< 5	< 10	0.33	80	15	10	45	23.3	10	0.25	0.04	>50000	15	0.02	20
451748	208	226	3	0.62	4050	20	< 5	< 10	0.37	65	20	10	40	24.5	< 10	0.36	0.07	>50000	< 5	0.02	10
451749	208	226	2	0.73	500	20	< 5	< 10	0.26	60	5	10	40	18.05	< 10	0.50	0.05	>50000	20	0.02	20
451750	208	226	6	0.62	250	20	< 5	< 10	0.24	75	5	10	65	24.1	10	0.39	0.03	>50000	15	0.01	15
451751	208	226	2	0.65	150	20	< 5	< 10	0.32	70	5	10	45	20.7	10	0.39	0.05	>50000	< 5	0.01	15
451752	208	226	4	0.72	110	20	< 5	< 10	0.29	50	5	50	35	14.30	< 10	0.45	0.07	>50000	< 5	0.02	20
451753	208	226	1	0.62	1440	20	< 5	< 10	0.27	40	5	50	30	15.35	10	0.25	0.06	>50000	20	0.03	15
451754	208	226	< 1	3.25	190	100	< 5	< 10	2.50	5	20	80	110	4.41	< 10	0.41	1.10	3640	5	0.05	25

CERTIFICATION: Hartrichler.

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :1-B
Total Pages :1
Certificate Date: 06-OCT-1998
Invoice No. :19832446
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9832446

SAMPLE	PREP CODE		P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
451733	208	226	100	3420	30	< 5	305	< 0.01	20	< 20	< 20	< 20	19110
451734	208	226	400	1190	20	< 5	290	0.01	< 20	< 20	< 20	< 20	18720
451735	208	226	300	120	30	< 5	65	< 0.01	< 20	< 20	< 20	< 20	23200
451736	208	226	300	685	< 10	< 5	205	< 0.01	< 20	< 20	< 20	< 20	25700
451737	208	226	300	44400	40	< 5	180	< 0.01	20	< 20	< 20	< 20	38600
451738	208	226	700	270	10	< 5	30	< 0.01	< 20	< 20	20	< 20	8800
451739	208	226	300	485	30	< 5	180	< 0.01	< 20	< 20	< 20	< 20	18920
451740	208	226	300	140	40	< 5	130	< 0.01	< 20	< 20	< 20	< 20	13970
451741	208	226	300	195	40	< 5	260	< 0.01	< 20	< 20	< 20	< 20	17610
451742	208	226	300	170	30	< 5	205	< 0.01	< 20	< 20	< 20	< 20	17910
451743	208	226	400	150	10	< 5	105	< 0.01	< 20	< 20	< 20	< 20	10500
451744	208	226	300	95	< 10	< 5	290	< 0.01	< 20	< 20	< 20	< 20	16700
451745	208	226	400	375	10	< 5	235	< 0.01	20	< 20	< 20	< 20	21700
451746	208	226	300	595	< 10	< 5	285	< 0.01	20	< 20	< 20	< 20	18100
451747	208	226	100	425	30	< 5	460	< 0.01	< 20	< 20	< 20	< 20	26900
451748	208	226	300	670	30	< 5	350	< 0.01	20	< 20	< 20	< 20	19390
451749	208	226	400	1080	10	5	305	< 0.01	20	< 20	< 20	< 20	25700
451750	208	226	300	7020	30	< 5	400	< 0.01	20	< 20	< 20	< 20	26700
451751	208	226	300	2400	30	< 5	310	< 0.01	20	< 20	< 20	< 20	22500
451752	208	226	400	4400	30	< 5	185	< 0.01	20	< 20	< 20	< 20	22200
451753	208	226	100	320	< 10	< 5	245	< 0.01	< 20	< 20	< 20	< 20	17300
451754	208	226	600	5	30	5	80	0.09	< 20	< 20	40	< 20	5820

CERTIFICATION: Hartfichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :1-A
Total Pages :3
Certificate Date: 05-OCT-1998
Invoice No. :I9832445
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9832445

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0659	201	202	1.0	1.79	264	130	1.5	6	0.82	9.0	22	22	80	3.11	< 10	< 1	0.09	10	0.28	4850	11
AA0660	201	202	< 0.2	0.92	20	40	< 0.5	< 2	0.19	1.5	5	11	8	1.53	< 10	< 1	0.06	30	0.24	300	4
AA0661	201	202	0.4	1.77	8	110	1.5	< 2	0.75	6.0	28	26	22	3.90	< 10	< 1	0.10	10	0.36	2440	5
AA0662	201	202	1.4	2.44	8	70	3.0	22	1.19	2.5	34	20	385	3.86	< 10	< 1	0.07	50	0.31	2150	85
AA1907	201	202	0.8	1.66	94	40	0.5	< 2	0.32	< 0.5	12	23	11	2.77	< 10	< 1	0.12	30	0.44	445	< 1
AA1908	201	202	0.2	2.06	44	60	0.5	< 2	0.57	< 0.5	8	25	9	2.79	< 10	< 1	0.14	30	0.53	355	< 1
AA1909	201	202	0.6	2.87	54	60	1.0	< 2	1.20	1.0	16	40	11	4.02	< 10	1	0.08	40	0.63	565	< 1
AA1910	201	202	0.2	2.53	54	30	0.5	< 2	0.37	0.5	18	47	8	4.68	10	< 1	0.07	30	0.60	205	< 1
AA1911	201	202	< 0.2	2.77	24	70	0.5	< 2	0.26	< 0.5	13	32	7	3.78	< 10	< 1	0.09	20	0.48	400	< 1
AA1912	201	202	0.6	2.70	44	50	0.5	< 2	0.44	0.5	15	44	8	4.40	< 10	< 1	0.08	30	0.65	255	< 1
AA1913	201	202	< 0.2	2.32	34	60	0.5	< 2	0.32	< 0.5	8	29	5	3.00	< 10	< 1	0.08	30	0.60	240	< 1
AA1914	201	202	0.2	1.37	12	50	< 0.5	< 2	0.12	0.5	7	20	5	2.43	< 10	< 1	0.05	30	0.29	525	< 1
AA1915	201	202	8.4	1.92	262	90	1.5	< 2	0.80	8.5	17	27	34	4.75	< 10	1	0.09	50	0.42	>10000	< 1
AA1916	201	202	0.2	1.60	40	30	0.5	2	0.34	2.0	11	28	8	3.46	< 10	1	0.08	10	0.44	985	< 1
AA1917	201	202	0.4	2.21	130	80	0.5	< 2	0.97	3.0	11	28	14	4.17	< 10	< 1	0.15	30	0.65	4160	1
AA1918	201	202	1.0	2.84	4480	80	2.0	< 2	0.66	15.0	19	31	25	6.23	< 10	< 1	0.07	50	0.52	4610	< 1
AA1919	201	202	0.2	1.55	34	50	0.5	< 2	0.42	2.5	12	25	11	3.04	< 10	< 1	0.10	20	0.38	940	< 1
AA1920	201	202	32.8	1.13	70	20	0.5	< 2	0.24	32.0	13	15	80	6.30	< 10	3	0.16	40	0.25	>10000	< 1
AA1921	201	202	5.4	1.02	154	130	0.5	< 2	0.74	22.5	4	12	34	9.94	< 10	< 1	0.15	40	0.06	>10000	1
AA1922	201	202	0.6	1.45	16	40	0.5	< 2	0.26	4.5	13	25	10	3.15	< 10	< 1	0.07	20	0.27	990	1
AA1923	201	202	0.4	1.96	16	40	0.5	6	0.58	2.5	14	30	11	3.61	< 10	< 1	0.13	20	0.52	685	2
AA1924	201	202	0.6	2.04	18	50	1.0	< 2	1.46	4.0	11	27	13	3.73	< 10	< 1	0.09	30	0.53	260	1
AA1925	201	202	0.6	1.86	52	70	0.5	< 2	0.91	3.0	10	26	26	3.10	< 10	< 1	0.08	20	0.47	560	< 1
AA1926	201	202	4.0	2.13	26	70	2.0	6	1.03	5.5	9	28	134	2.73	< 10	< 1	0.12	50	0.47	685	1
AA1927	201	202	0.4	2.52	18	120	1.0	4	0.38	1.5	14	28	47	3.38	< 10	< 1	0.18	30	0.54	640	6
AA1928	201	202	0.8	1.14	6	90	0.5	6	0.68	9.0	22	21	12	3.00	< 10	< 1	0.10	10	0.31	2270	4
AA1929	201	202	0.8	1.35	30	50	1.0	< 2	1.96	3.5	6	30	112	1.95	< 10	< 1	0.06	40	0.38	465	1
AA1930	201	202	0.2	2.40	14	40	0.5	2	0.48	< 0.5	14	34	16	3.92	< 10	< 1	0.27	30	0.63	340	1
AA1931	201	202	0.6	2.21	14	60	0.5	< 2	0.45	2.0	15	38	13	4.43	< 10	< 1	0.14	20	0.59	350	< 1
AA1932	201	202	0.6	2.40	90	40	1.5	< 2	0.54	0.5	16	35	11	4.39	< 10	< 1	0.14	40	0.61	560	< 1
AA1933	201	202	< 0.2	2.06	4	50	0.5	2	0.30	< 0.5	18	40	9	4.82	< 10	< 1	0.09	10	0.35	350	< 1
AA1934	201	202	0.6	2.21	44	60	0.5	< 2	0.41	0.5	12	37	15	3.56	< 10	< 1	0.26	30	0.66	895	< 1
AA1935	201	202	< 0.2	0.94	12	60	< 0.5	< 2	0.23	< 0.5	7	19	3	1.84	< 10	< 1	0.06	20	0.24	265	1
AA1936	201	202	< 0.2	2.60	24	40	0.5	< 2	2.90	3.0	21	36	9	4.64	< 10	1	0.07	30	0.64	635	< 1
AA1937	201	202	0.8	1.38	38	30	< 0.5	< 2	0.79	1.5	7	21	10	2.50	< 10	< 1	0.19	20	0.38	300	1
AA1938	201	202	0.2	2.47	162	40	0.5	< 2	0.82	< 0.5	19	33	24	3.96	< 10	3	0.20	30	0.69	705	1
AA1939	201	202	0.4	2.61	26	80	1.0	< 2	1.42	1.0	55	74	196	2.85	< 10	< 1	0.05	50	0.84	1055	< 1
AA1940	201	202	< 0.2	2.69	64	80	0.5	< 2	0.33	< 0.5	15	48	34	3.95	< 10	1	0.10	30	0.94	245	< 1
AA1941	201	202	< 0.2	1.39	2	40	< 0.5	< 2	0.19	< 0.5	6	14	5	2.13	< 10	< 1	0.14	40	0.40	210	< 1
AA1942	201	202	0.4	2.84	408	70	0.5	< 2	1.17	< 0.5	18	38	21	4.14	< 10	< 1	0.10	40	0.72	810	< 1

CERTIFICATION: Hawthickler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 3
Certificate Date: 05-OCT-1998
Invoice No. : 19832445
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832445

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0659	201	202	< 0.01	28	1330	68	< 2	1	71	0.03	< 10	< 10	31	< 10	1275
AA0660	201	202	< 0.01	6	280	12	< 2	1	22	0.05	< 10	< 10	23	< 10	344
AA0661	201	202	0.01	19	1010	50	< 2	2	74	0.07	< 10	< 10	39	< 10	1045
AA0662	201	202	0.01	49	1190	16	< 2	3	76	0.04	< 10	10	28	30	788
AA1907	201	202	< 0.01	19	420	114	< 2	3	39	0.06	< 10	< 10	34	< 10	496
AA1908	201	202	< 0.01	20	460	72	< 2	3	55	0.05	< 10	< 10	34	< 10	318
AA1909	201	202	0.05	27	920	428	< 2	5	178	0.05	< 10	< 10	39	< 10	782
AA1910	201	202	< 0.01	35	260	46	< 2	4	56	0.10	< 10	< 10	53	< 10	406
AA1911	201	202	< 0.01	29	220	36	2	3	63	0.07	< 10	< 10	42	< 10	362
AA1912	201	202	0.01	32	230	86	< 2	4	61	0.09	< 10	< 10	49	< 10	550
AA1913	201	202	< 0.01	18	180	28	< 2	3	106	0.05	< 10	< 10	35	< 10	342
AA1914	201	202	< 0.01	9	110	42	< 2	1	20	0.06	< 10	< 10	37	< 10	356
AA1915	201	202	< 0.01	33	730	1650	< 2	8	74	0.03	< 10	< 10	33	< 10	3220
AA1916	201	202	< 0.01	14	320	160	2	2	35	0.09	< 10	< 10	45	< 10	1240
AA1917	201	202	0.01	23	490	416	< 2	4	92	0.08	< 10	< 10	38	< 10	4070
AA1918	201	202	0.01	23	1390	922	4	7	130	0.01	< 10	< 10	29	< 10	2250
AA1919	201	202	< 0.01	15	240	84	2	2	58	0.08	< 10	< 10	39	< 10	1180
AA1920	201	202	< 0.01	21	1250	4560	< 2	4	31	0.01	10	< 10	18	< 10	>10000
AA1921	201	202	0.04	13	860	374	< 2	6	122	< 0.01	< 10	< 10	8	< 10	>10000
AA1922	201	202	< 0.01	10	270	274	< 2	1	23	0.10	< 10	< 10	47	< 10	1220
AA1923	201	202	< 0.01	18	300	248	2	3	52	0.08	< 10	< 10	43	< 10	1285
AA1924	201	202	< 0.01	23	430	70	< 2	4	118	0.07	< 10	< 10	37	< 10	740
AA1925	201	202	< 0.01	22	370	44	< 2	3	77	0.07	< 10	< 10	38	< 10	612
AA1926	201	202	0.01	26	890	68	< 2	5	101	0.04	< 10	10	28	10	1170
AA1927	201	202	< 0.01	20	470	54	< 2	4	57	0.07	< 10	< 10	45	< 10	528
AA1928	201	202	< 0.01	11	290	44	< 2	1	30	0.08	< 10	< 10	40	20	858
AA1929	201	202	< 0.01	33	910	28	< 2	3	136	0.03	< 10	< 10	21	< 10	1530
AA1930	201	202	< 0.01	29	300	38	< 2	4	35	0.08	< 10	< 10	42	< 10	678
AA1931	201	202	< 0.01	28	350	46	< 2	3	46	0.12	< 10	< 10	47	< 10	986
AA1932	201	202	< 0.01	19	160	140	2	4	47	0.01	< 10	< 10	36	< 10	2270
AA1933	201	202	< 0.01	24	250	44	< 2	3	142	0.14	< 10	< 10	59	< 10	784
AA1934	201	202	< 0.01	19	290	36	< 2	4	38	0.10	< 10	< 10	46	< 10	876
AA1935	201	202	< 0.01	6	120	40	< 2	1	20	0.09	< 10	< 10	40	< 10	374
AA1936	201	202	0.04	34	1030	20	< 2	3	251	0.08	< 10	< 10	35	< 10	2840
AA1937	201	202	< 0.01	10	240	54	< 2	3	54	0.06	< 10	< 10	37	40	812
AA1938	201	202	0.03	31	390	128	< 2	4	91	0.08	< 10	< 10	35	30	914
AA1939	201	202	0.03	127	530	46	< 2	4	140	0.15	< 10	< 10	49	< 10	946
AA1940	201	202	< 0.01	53	160	12	< 2	4	101	0.09	< 10	< 10	52	< 10	140
AA1941	201	202	< 0.01	8	220	10	< 2	2	20	0.07	< 10	< 10	34	< 10	92
AA1942	201	202	0.06	42	550	58	< 2	4	203	0.07	< 10	< 10	38	< 10	354

CERTIFICATION: Hart Richler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :3
Certificate Date: 05-OCT-1998
Invoice No. :19832445
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9832445

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1943	201	202	0.2	3.37	< 2	30	0.5	2	5.88	< 0.5	16	32	12	3.89	< 10	< 1	0.11	70	0.48	390	< 1
AA1944	201	202	< 0.2	3.17	14	20	0.5	2	0.76	< 0.5	17	41	11	4.71	10	< 1	0.06	40	0.53	175	< 1
AA1945	201	202	2.2	3.80	56	100	2.5	6	0.98	< 0.5	17	48	47	5.25	10	< 1	0.08	30	0.71	675	< 1
AA1946	201	202	0.2	1.95	< 2	10	0.5	8	8.13	< 0.5	17	14	22	2.66	< 10	< 1	0.03	30	0.16	565	< 1
AA1947	201	202	0.2	2.13	28	50	0.5	4	0.35	< 0.5	7	29	15	3.66	10	< 1	0.12	30	0.48	230	2
AA1948	201	202	3.8	2.85	38	160	3.5	6	1.11	15.5	42	32	259	4.24	< 10	< 1	0.18	30	0.40	6760	2
AA1949	201	202	3.6	2.66	1370	60	2.0	26	0.62	2.0	14	39	143	6.84	10	< 1	0.17	30	0.68	1200	4
AA1950	201	202	0.2	1.49	10	50	0.5	2	0.19	< 0.5	6	30	11	2.66	< 10	< 1	0.09	20	0.46	275	1
AA1951	201	202	0.4	1.78	48	60	1.0	8	0.32	2.5	17	28	27	3.73	< 10	< 1	0.14	30	0.38	890	2
AA1952	201	202	< 0.2	2.03	14	60	0.5	2	0.20	3.0	16	28	16	3.52	10	< 1	0.10	30	0.39	585	1
AA1953	201	202	1.6	1.52	26	60	0.5	30	0.33	1.0	5	20	14	3.16	10	< 1	0.13	30	0.33	255	2
AA1954	201	202	1.0	1.09	24	140	0.5	< 2	0.38	4.0	19	14	39	1.67	< 10	< 1	0.07	30	0.14	2840	1
AA1955	201	202	1.4	2.23	18	110	1.5	288	2.49	2.5	20	29	90	3.71	< 10	< 1	0.08	50	0.28	>10000	< 1
AA1956	201	202	2.4	1.74	64	80	4.0	14	1.45	7.0	17	19	730	3.13	< 10	< 1	0.07	60	0.26	1640	29
AA1957	201	202	1.4	1.88	58	50	1.0	6	0.21	0.5	10	29	24	3.77	< 10	< 1	0.14	20	0.52	380	4
AA1958	201	202	0.2	1.38	16	80	0.5	148	0.38	1.0	5	20	11	2.96	< 10	< 1	0.03	10	0.13	560	2
AA1959	201	202	0.2	0.78	6	30	0.5	< 2	0.19	< 0.5	1	8	9	1.24	< 10	< 1	0.03	30	0.16	145	2
AA1960	201	202	0.4	0.90	2	40	< 0.5	< 2	0.27	< 0.5	3	15	5	1.58	< 10	< 1	0.05	30	0.22	190	< 1
AA1961	201	202	0.2	1.69	< 2	70	0.5	6	0.57	6.0	19	39	16	4.28	10	< 1	0.06	10	0.48	1350	1
AA1962	201	202	0.2	1.83	14	70	0.5	4	0.52	4.0	8	25	17	3.20	< 10	< 1	0.12	30	0.49	455	8
AA1963	201	202	0.6	1.54	< 2	80	< 0.5	< 2	0.09	< 0.5	1	12	13	1.01	< 10	< 1	0.06	20	0.10	90	2
AA1964	201	202	0.6	0.96	< 2	40	0.5	< 2	0.51	< 0.5	3	10	22	1.37	< 10	< 1	0.06	30	0.28	165	2
AA1965	201	202	< 0.2	0.77	< 2	20	< 0.5	2	0.34	< 0.5	1	8	1	0.79	< 10	< 1	0.04	30	0.17	135	< 1
AA1966	201	202	< 0.2	0.68	< 2	50	< 0.5	< 2	0.17	< 0.5	1	8	3	1.07	< 10	< 1	0.04	20	0.08	115	1
AA1967	201	202	2.0	1.62	44	90	2.0	< 2	1.15	9.0	5	12	144	1.78	< 10	< 1	0.10	40	0.30	570	5
AA1968	201	202	1.4	1.69	64	80	1.5	< 2	0.76	5.0	6	14	63	2.14	< 10	< 1	0.12	30	0.33	675	6
AA1969	201	202	2.8	1.72	28	120	2.0	2	1.63	3.5	4	11	71	1.64	< 10	< 1	0.13	50	0.27	520	5
AA1970	201	202	0.6	0.95	< 2	70	0.5	< 2	0.59	0.5	3	11	22	1.27	< 10	< 1	0.04	30	0.22	265	1
AA1971	201	202	2.2	1.69	24	100	0.5	< 2	0.49	< 0.5	4	20	20	2.25	< 10	< 1	0.10	20	0.42	215	1
AA1972	201	202	0.2	1.58	16	70	0.5	< 2	0.34	0.5	15	25	17	3.10	< 10	< 1	0.10	10	0.40	520	6
AA1973	201	202	2.8	1.26	6	80	1.5	< 2	1.05	3.0	3	12	64	1.45	< 10	< 1	0.16	20	0.23	215	3
AA1974	201	202	0.6	2.01	46	60	1.5	14	0.62	2.0	15	24	44	4.65	< 10	< 1	0.10	10	0.36	570	8
AA1975	201	202	1.0	3.50	138	80	2.0	10	0.51	< 0.5	19	41	241	6.77	< 10	< 1	0.13	20	0.83	605	3
AA1976	201	202	< 0.2	3.34	514	120	3.0	< 2	0.87	< 0.5	27	29	19	6.43	< 10	< 1	0.07	30	0.64	800	< 1
AA1977	201	202	< 0.2	1.17	2	40	< 0.5	2	0.37	1.5	7	21	20	3.60	< 10	< 1	0.13	20	0.27	165	1
AA1978	201	202	0.2	4.18	8	50	1.5	< 2	3.82	0.5	16	26	15	4.42	< 10	< 1	0.05	40	0.50	275	< 1
AA1979	201	202	0.2	2.31	32	50	0.5	< 2	0.47	< 0.5	13	31	18	3.34	< 10	< 1	0.13	20	0.65	205	< 1
AA1980	201	202	0.4	2.70	68	80	0.5	2	0.44	< 0.5	25	191	24	4.13	< 10	< 1	0.08	10	1.30	360	< 1
AA1981	201	202	0.4	2.70	38	50	1.5	< 2	0.46	< 0.5	12	41	10	4.16	< 10	< 1	0.10	20	0.65	385	1
AA1982	201	202	0.8	2.15	58	50	0.5	< 2	0.46	0.5	14	39	15	3.76	< 10	< 1	0.11	20	0.61	540	< 1

CERTIFICATION: Ian Ruckle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-B
Total Pages :3
Certificate Date: 05-OCT-1998
Invoice No. :19832445
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9832445

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1943	201	202	0.13	35	670	26	< 2	6	484	0.07	< 10	< 10	29	10	76
AA1944	201	202	0.05	36	250	20	< 2	4	106	0.10	< 10	< 10	40	< 10	222
AA1945	201	202	< 0.01	52	300	56	< 2	6	89	0.01	< 10	< 10	46	< 10	298
AA1946	201	202	0.11	34	440	14	< 2	2	615	0.05	< 10	< 10	9	30	38
AA1947	201	202	< 0.01	14	260	30	< 2	4	35	0.08	< 10	< 10	52	< 10	422
AA1948	201	202	< 0.01	92	1760	240	< 2	5	125	0.04	< 10	20	32	< 10	2280
AA1949	201	202	< 0.01	30	490	852	8	5	65	0.03	< 10	< 10	37	50	2150
AA1950	201	202	< 0.01	17	190	42	< 2	2	18	0.11	< 10	< 10	44	60	324
AA1951	201	202	< 0.01	14	360	70	< 2	3	26	0.06	< 10	< 10	39	30	566
AA1952	201	202	< 0.01	17	250	34	< 2	3	25	0.08	< 10	< 10	53	< 10	1080
AA1953	201	202	< 0.01	9	220	50	< 2	3	21	0.15	< 10	< 10	67	30	328
AA1954	201	202	< 0.01	14	480	76	< 2	1	37	0.05	< 10	< 10	28	< 10	418
AA1955	201	202	< 0.01	37	330	136	< 2	5	159	0.07	< 10	< 10	34	< 10	1010
AA1956	201	202	< 0.01	44	1850	114	< 2	1	165	0.01	< 10	90	28	10	996
AA1957	201	202	< 0.01	20	280	70	< 2	3	27	0.09	< 10	< 10	50	10	424
AA1958	201	202	< 0.01	7	330	24	< 2	1	129	0.08	< 10	< 10	48	20	512
AA1959	201	202	< 0.01	3	350	30	< 2	1	15	0.04	< 10	< 10	21	< 10	306
AA1960	201	202	< 0.01	5	340	16	< 2	1	27	0.06	< 10	< 10	31	< 10	124
AA1961	201	202	0.01	22	470	42	< 2	3	54	0.10	< 10	< 10	55	< 10	1380
AA1962	201	202	< 0.01	12	200	42	< 2	3	80	0.09	< 10	< 10	47	< 10	1270
AA1963	201	202	< 0.01	3	410	44	< 2	< 1	17	0.02	< 10	< 10	23	< 10	104
AA1964	201	202	< 0.01	6	540	18	2	2	42	0.07	< 10	10	23	< 10	196
AA1965	201	202	< 0.01	1	80	8	< 2	1	20	0.07	< 10	< 10	19	< 10	72
AA1966	201	202	< 0.01	1	170	24	< 2	< 1	14	0.08	< 10	< 10	28	< 10	74
AA1967	201	202	< 0.01	23	1060	58	2	1	112	0.02	< 10	40	21	< 10	2310
AA1968	201	202	< 0.01	16	770	78	< 2	3	66	0.03	< 10	10	26	< 10	1920
AA1969	201	202	< 0.01	11	1120	72	< 2	3	178	0.01	< 10	40	19	< 10	658
AA1970	201	202	< 0.01	6	990	24	< 2	1	55	0.02	< 10	40	21	< 10	194
AA1971	201	202	< 0.01	10	400	56	< 2	3	61	0.06	< 10	< 10	33	< 10	582
AA1972	201	202	< 0.01	17	280	34	< 2	3	32	0.10	< 10	< 10	49	< 10	386
AA1973	201	202	0.01	11	1230	36	< 2	1	117	0.01	< 10	10	18	< 10	650
AA1974	201	202	< 0.01	19	800	124	< 2	2	69	0.06	< 10	< 10	43	10	654
AA1975	201	202	< 0.01	45	220	62	4	5	42	0.06	< 10	< 10	47	250	332
AA1976	201	202	0.03	46	570	12	< 2	5	431	0.01	< 10	< 10	33	< 10	394
AA1977	201	202	< 0.01	13	390	12	< 2	1	49	0.06	< 10	< 10	51	30	272
AA1978	201	202	0.24	38	740	18	< 2	6	1070	0.07	< 10	< 10	23	< 10	84
AA1979	201	202	< 0.01	31	100	42	2	3	71	0.07	< 10	< 10	39	< 10	142
AA1980	201	202	0.01	74	290	14	< 2	5	45	0.07	< 10	< 10	93	< 10	162
AA1981	201	202	< 0.01	30	160	88	2	5	39	0.04	< 10	< 10	47	< 10	198
AA1982	201	202	0.01	44	150	108	< 2	4	49	0.08	< 10	< 10	51	< 10	796

CERTIFICATION: Hartfuchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-A
Total Pages :3
Certificate Date: 05-OCT-1998
Invoice No. :19832445
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9832445

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1983	201	202	0.6	2.77	< 2	50	1.5	< 2	0.84	0.5	16	34	10	3.99	< 10	< 1	0.16	40	0.60	545	< 1
AA1984	201	202	0.2	1.63	46	40	0.5	< 2	0.65	0.5	10	23	20	2.67	< 10	< 1	0.06	10	0.36	255	< 1
AA1985	201	202	0.2	2.83	14	60	0.5	< 2	0.50	< 0.5	21	50	55	4.56	< 10	< 1	0.17	20	0.87	270	< 1
AA1986	201	202	0.2	2.25	10	50	0.5	< 2	0.52	< 0.5	13	33	10	4.25	< 10	< 1	0.14	10	0.59	250	< 1
AA1987	201	202	< 0.2	2.00	< 2	10	0.5	< 2	0.38	< 0.5	10	22	9	3.14	< 10	< 1	0.03	20	0.24	250	< 1
AA1988	201	202	0.2	2.64	2	60	0.5	< 2	1.16	0.5	22	29	36	3.95	< 10	< 1	0.08	20	0.57	1180	< 1
AA1989	201	202	< 0.2	2.22	32	40	0.5	< 2	0.38	< 0.5	14	31	18	3.99	< 10	< 1	0.17	20	0.57	215	< 1
AA1990	201	202	< 0.2	1.95	< 2	50	0.5	< 2	0.27	< 0.5	13	26	11	3.53	< 10	< 1	0.13	10	0.39	265	< 1
AA1991	201	202	< 0.2	1.95	26	50	0.5	< 2	4.05	< 0.5	12	35	19	5.10	< 10	< 1	0.12	40	0.71	340	< 1
AA1992	201	202	< 0.2	2.66	14	80	0.5	< 2	0.73	0.5	19	48	18	4.49	< 10	< 1	0.33	40	0.86	630	< 1
AA1993	201	202	0.2	1.63	< 2	110	0.5	< 2	0.47	3.5	15	23	25	3.47	< 10	< 1	0.15	30	0.44	1385	1
AA1994	201	202	0.2	1.39	20	10	0.5	< 2	12.35	1.5	7	20	49	2.07	< 10	< 1	0.14	20	0.40	275	< 1
AA1995	201	202	0.8	3.11	38	40	1.0	< 2	0.89	1.5	24	34	35	4.37	< 10	< 1	0.11	30	0.57	890	< 1
AA1996	201	202	0.2	0.80	46	< 10	< 0.5	< 2	12.95	< 0.5	16	6	29	2.62	< 10	< 1	0.03	10	0.20	255	< 1
AA1997	201	202	3.2	1.92	270	90	1.5	< 2	2.23	14.0	45	27	76	4.53	< 10	< 1	0.11	30	0.36	3020	< 1
AA1998	201	202	< 0.2	1.87	42	50	0.5	6	0.35	3.0	19	38	21	4.87	10	< 1	0.10	10	0.47	505	6
AA1999	201	202	0.6	1.76	8	110	0.5	< 2	0.35	1.0	18	23	14	2.54	< 10	< 1	0.09	30	0.41	1580	4
BB28026	201	202	< 0.2	0.44	< 2	30	< 0.5	< 2	0.23	< 0.5	1	3	3	0.88	< 10	< 1	0.08	30	0.14	190	< 1
BB28027	201	202	< 0.2	0.71	12	40	0.5	< 2	0.29	< 0.5	3	1	2	1.52	< 10	< 1	0.12	40	0.18	850	< 1
BB28028	201	202	1.6	1.78	< 2	240	2.0	< 2	0.32	5.5	8	19	17	3.14	< 10	< 1	0.18	30	0.42	7040	3
BB28029	201	202	0.2	3.16	8	70	1.0	< 2	0.44	< 0.5	13	42	24	4.68	< 10	< 1	0.14	40	0.69	270	6
BB28030	201	202	< 0.2	1.00	18	30	0.5	2	0.31	< 0.5	4	9	18	1.44	< 10	< 1	0.04	20	0.19	310	< 1
BB28031	201	202	0.2	1.32	22	50	< 0.5	< 2	0.10	1.0	7	14	10	3.45	< 10	< 1	0.07	30	0.12	360	1
BB28032	201	202	< 0.2	2.00	< 2	50	< 0.5	< 2	0.07	< 0.5	6	29	8	2.43	< 10	< 1	0.07	10	0.47	215	1
BB28033	201	202	0.8	1.25	32	40	< 0.5	< 2	0.17	0.5	5	27	21	2.94	< 10	< 1	0.05	10	0.17	255	4
BB28034	201	202	0.2	0.97	8	40	< 0.5	4	0.30	< 0.5	3	10	13	1.55	< 10	< 1	0.07	30	0.19	215	3
BB28035	201	202	0.6	1.39	10	40	0.5	2	0.33	< 0.5	7	17	12	2.67	< 10	< 1	0.05	10	0.25	315	13
BB28036	201	202	0.4	1.13	30	20	< 0.5	< 2	0.20	< 0.5	2	9	12	1.43	< 10	< 1	0.03	10	0.15	140	< 1
BB28037	201	202	0.2	1.15	10	50	< 0.5	< 2	0.09	< 0.5	5	16	7	2.66	< 10	< 1	0.05	30	0.22	200	1
BB28038	201	202	0.4	1.25	< 2	50	0.5	< 2	0.07	< 0.5	7	15	10	2.87	< 10	< 1	0.05	30	0.17	440	< 1
BB28039	201	202	0.4	1.07	6	30	< 0.5	< 2	0.13	< 0.5	4	11	7	1.97	< 10	< 1	0.06	10	0.15	190	< 1
BB28040	201	202	0.2	1.15	26	40	< 0.5	< 2	0.13	< 0.5	4	14	7	2.49	< 10	< 1	0.07	30	0.22	175	1
BB28041	201	202	< 0.2	1.05	12	50	0.5	< 2	0.35	< 0.5	6	15	17	1.95	< 10	< 1	0.07	20	0.27	340	4
BB28042	201	202	< 0.2	0.62	10	30	< 0.5	< 2	0.32	< 0.5	3	8	10	1.28	< 10	< 1	0.05	30	0.19	160	< 1
BB28043	201	202	< 0.2	1.47	12	40	< 0.5	2	0.24	< 0.5	6	18	8	2.66	< 10	< 1	0.07	30	0.28	225	9
BB28044	201	202	0.2	2.05	26	60	0.5	< 2	0.41	< 0.5	7	25	33	3.22	< 10	< 1	0.12	40	0.44	445	18
BB28045	201	202	0.2	1.76	70	70	0.5	2	0.56	0.5	6	22	31	3.07	< 10	< 1	0.18	40	0.38	460	7

CERTIFICATION: Hawthrichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-B
Total Pages :3
Certificate Date: 05-OCT-1998
Invoice No. :I9832445
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9832445

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1983	201	202	< 0.01	23	330	20	< 2	3	81	< 0.01	< 10	< 10	34	< 10	306
AA1984	201	202	< 0.01	31	210	50	4	2	46	0.08	< 10	< 10	37	< 10	322
AA1985	201	202	0.02	105	110	58	2	6	207	0.15	< 10	< 10	53	< 10	672
AA1986	201	202	< 0.01	26	210	32	< 2	3	57	0.11	< 10	< 10	55	< 10	202
AA1987	201	202	0.03	27	290	10	< 2	3	30	0.08	< 10	< 10	25	< 10	90
AA1988	201	202	0.06	54	440	10	2	4	150	0.07	< 10	< 10	37	< 10	192
AA1989	201	202	< 0.01	31	200	80	< 2	3	40	0.08	< 10	< 10	43	< 10	238
AA1990	201	202	< 0.01	25	190	10	< 2	2	27	0.10	< 10	< 10	45	< 10	240
AA1991	201	202	0.01	24	400	30	< 2	8	165	0.05	< 10	< 10	42	< 10	88
AA1992	201	202	0.06	42	600	36	< 2	7	121	0.12	< 10	< 10	52	< 10	152
AA1993	201	202	< 0.01	17	360	26	< 2	3	49	0.06	< 10	< 10	41	< 10	552
AA1994	201	202	0.01	23	550	26	< 2	3	560	0.02	< 10	< 10	18	< 10	1235
AA1995	201	202	0.04	51	400	54	< 2	4	160	0.07	< 10	< 10	36	< 10	968
AA1996	201	202	< 0.01	33	670	18	< 2	1	693	0.01	< 10	< 10	8	< 10	190
AA1997	201	202	0.03	61	1220	514	< 2	3	142	0.03	< 10	< 10	29	< 10	1585
AA1998	201	202	< 0.01	25	450	60	< 2	3	37	0.08	< 10	< 10	52	< 10	716
AA1999	201	202	< 0.01	13	550	28	< 2	2	33	0.05	< 10	< 10	34	< 10	384
BB28026	201	202	< 0.01	1	650	10	< 2	< 1	12	0.03	< 10	< 10	13	< 10	32
BB28027	201	202	< 0.01	< 1	690	34	< 2	1	14	< 0.01	< 10	< 10	9	< 10	96
BB28028	201	202	< 0.01	16	640	306	< 2	3	44	0.03	< 10	< 10	21	< 10	1035
BB28029	201	202	< 0.01	26	210	44	< 2	5	34	0.03	< 10	< 10	40	< 10	372
BB28030	201	202	< 0.01	6	540	208	< 2	1	11	0.03	< 10	< 10	21	30	172
BB28031	201	202	< 0.01	10	310	20	< 2	1	9	0.04	< 10	< 10	32	< 10	214
BB28032	201	202	< 0.01	8	180	14	< 2	3	7	0.06	< 10	< 10	38	< 10	92
BB28033	201	202	< 0.01	13	310	68	2	1	14	0.03	< 10	< 10	53	< 10	246
BB28034	201	202	< 0.01	5	180	18	2	1	17	0.04	< 10	< 10	23	10	142
BB28035	201	202	< 0.01	11	170	82	4	1	18	0.07	< 10	< 10	41	10	334
BB28036	201	202	< 0.01	5	470	170	2	< 1	7	0.03	< 10	< 10	19	20	228
BB28037	201	202	< 0.01	9	210	28	< 2	1	8	0.06	< 10	< 10	41	< 10	138
BB28038	201	202	< 0.01	9	270	26	< 2	1	7	0.04	< 10	< 10	33	< 10	234
BB28039	201	202	< 0.01	5	180	22	< 2	1	9	0.04	< 10	< 10	28	10	118
BB28040	201	202	< 0.01	5	280	20	< 2	1	8	0.05	< 10	< 10	28	10	70
BB28041	201	202	< 0.01	10	330	18	< 2	1	22	0.06	< 10	< 10	27	< 10	236
BB28042	201	202	< 0.01	6	420	12	< 2	1	14	0.04	< 10	< 10	19	< 10	60
BB28043	201	202	< 0.01	8	110	18	< 2	2	13	0.08	< 10	< 10	39	10	212
BB28044	201	202	< 0.01	15	250	56	< 2	3	27	0.03	< 10	< 10	33	10	238
BB28045	201	202	< 0.01	10	470	58	< 2	1	34	0.01	< 10	< 10	28	10	244

CERTIFICATION: Hawthrichlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 05-OCT-1998
Invoice No. : 19832408
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832408

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0707	201	202	0.6	3.10	14	70	0.5	< 2	2.28	0.5	11	43	12	3.56	< 10	< 1	0.09	30	0.97	870	< 1
AA0708	201	202	0.6	2.74	34	120	0.5	< 2	0.50	< 0.5	8	27	21	3.18	< 10	1	0.23	30	0.44	270	1
AA0709	201	202	0.2	1.48	36	50	< 0.5	< 2	0.29	< 0.5	10	27	13	3.84	< 10	1	0.13	30	0.36	370	2
AA0710	201	202	< 0.2	5.65	2	30	1.5	< 2	0.29	< 0.5	16	48	14	4.63	10	< 1	0.06	40	0.56	250	< 1
AA0711	201	202	0.2	0.85	8	40	< 0.5	< 2	0.15	< 0.5	3	11	5	0.99	< 10	< 1	0.06	30	0.09	145	1
AA0712	201	202	< 0.2	1.62	14	70	0.5	< 2	0.33	< 0.5	8	27	15	2.55	< 10	1	0.20	50	0.57	300	1
AA0713	201	202	1.0	1.21	12	80	0.5	< 2	0.54	1.5	5	13	21	0.90	< 10	< 1	0.07	20	0.24	125	2
AA0714	201	202	0.6	1.23	10	60	< 0.5	< 2	0.13	< 0.5	6	23	10	3.30	< 10	< 1	0.09	20	0.27	325	4
AA0715	201	202	1.4	1.15	8	50	< 0.5	< 2	0.17	< 0.5	3	13	5	1.34	< 10	< 1	0.07	30	0.16	140	< 1
AA0716	201	202	0.2	1.12	6	30	< 0.5	< 2	0.21	< 0.5	4	16	6	1.78	< 10	< 1	0.07	30	0.28	250	3
AA0717	201	202	2.6	3.06	44	180	1.5	< 2	0.49	0.5	21	25	44	3.74	< 10	1	0.29	30	0.50	3180	12
AA0718	201	202	0.2	1.04	< 2	40	< 0.5	< 2	0.11	< 0.5	3	12	7	1.18	< 10	< 1	0.07	30	0.14	235	3
AA0719	201	202	0.4	0.77	2	40	< 0.5	< 2	0.08	< 0.5	1	7	4	0.59	< 10	< 1	0.06	30	0.07	75	1
AA0720	201	202	0.8	1.56	18	70	< 0.5	< 2	0.16	< 0.5	5	19	21	2.29	< 10	< 1	0.11	30	0.32	305	4
AA0721	201	202	4.8	2.34	118	150	2.0	< 2	2.38	17.0	9	17	241	2.43	< 10	< 1	0.20	60	0.46	1475	2
AA0722	201	202	1.0	1.47	58	90	0.5	< 2	0.20	1.5	4	15	36	1.72	< 10	< 1	0.10	30	0.16	200	3
AA0723	201	202	0.2	1.28	10	60	< 0.5	< 2	0.58	0.5	5	23	17	2.04	< 10	1	0.10	30	0.28	245	5
AA0724	201	202	1.4	2.43	24	90	1.5	< 2	0.72	0.5	9	30	56	3.26	< 10	2	0.15	50	0.52	400	6
AA0725	201	202	0.2	1.57	30	30	0.5	< 2	0.53	< 0.5	5	16	11	2.11	< 10	< 1	0.08	30	0.28	385	3
AA0726	201	202	1.2	2.33	22	110	1.0	< 2	0.76	1.0	6	20	23	2.17	< 10	< 1	0.14	40	0.39	415	9
AA0727	201	202	0.4	1.07	16	40	< 0.5	< 2	0.23	< 0.5	4	14	7	2.12	< 10	< 1	0.09	30	0.25	185	3
AA0728	201	202	< 0.2	1.50	2	50	0.5	4	0.90	< 0.5	6	22	14	2.00	< 10	< 1	0.07	30	0.44	470	3
AA0891	201	202	< 0.2	1.69	10	50	0.5	< 2	0.38	< 0.5	5	17	8	2.54	< 10	< 1	0.14	30	0.41	285	1
AA0892	201	202	< 0.2	1.28	2	50	< 0.5	< 2	0.43	< 0.5	6	27	6	2.19	< 10	< 1	0.08	20	0.38	330	3
AA0893	201	202	< 0.2	1.15	6	30	< 0.5	< 2	0.33	< 0.5	6	20	5	1.90	< 10	< 1	0.10	20	0.32	390	2
AA0894	201	202	0.2	1.14	< 2	50	< 0.5	< 2	0.19	< 0.5	3	12	4	1.39	< 10	< 1	0.06	10	0.23	155	3
AA0895	201	202	0.2	0.99	< 2	30	< 0.5	< 2	0.48	< 0.5	2	11	2	1.07	< 10	< 1	0.05	20	0.20	230	1
AA0896	201	202	< 0.2	0.66	2	20	< 0.5	< 2	0.41	< 0.5	2	6	3	1.19	< 10	< 1	0.06	30	0.06	200	1
AA0897	201	202	0.2	2.36	6	100	1.0	< 2	0.63	< 0.5	11	23	34	3.04	< 10	< 1	0.18	80	0.48	415	2
AA0898	201	202	< 0.2	1.96	20	80	0.5	< 2	0.32	< 0.5	6	16	14	2.40	< 10	< 1	0.12	30	0.37	335	2
AA0899	201	202	0.2	1.13	20	30	< 0.5	< 2	0.14	< 0.5	3	12	5	2.21	< 10	< 1	0.06	30	0.19	205	3
BB28046	201	202	1.8	1.96	34	50	6.0	298	1.38	< 0.5	8	26	78	4.69	< 10	< 1	0.11	30	0.50	2090	5
BB28047	201	202	9.2	1.75	1000	100	10.0	278	5.46	2.0	51	8	669	>15.00	10	5	0.26	10	0.42	5690	11

CERTIFICATION: Hartfichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 05-OCT-1998
Invoice No. : 19832408
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832408

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0707	201	202	0.13	18	640	72	< 2	6	170	0.08	< 10	< 10	46	< 10	218
AA0708	201	202	0.01	19	620	70	< 2	3	39	0.04	< 10	< 10	37	< 10	182
AA0709	201	202	< 0.01	16	640	34	< 2	2	17	0.07	< 10	< 10	48	20	268
AA0710	201	202	0.03	35	760	26	< 2	5	35	0.11	< 10	< 10	41	< 10	236
AA0711	201	202	< 0.01	4	220	26	< 2	< 1	10	0.03	< 10	< 10	20	< 10	68
AA0712	201	202	< 0.01	20	570	28	< 2	3	19	0.06	< 10	< 10	25	< 10	134
AA0713	201	202	0.01	13	730	32	< 2	1	41	0.03	< 10	< 10	14	< 10	110
AA0714	201	202	< 0.01	12	700	16	< 2	1	13	0.08	< 10	< 10	58	< 10	128
AA0715	201	202	0.01	5	310	30	< 2	< 1	10	0.03	< 10	< 10	19	< 10	112
AA0716	201	202	< 0.01	7	210	18	< 2	1	10	0.05	< 10	< 10	30	< 10	94
AA0717	201	202	< 0.01	20	1000	146	< 2	3	45	0.03	< 10	< 10	36	< 10	502
AA0718	201	202	< 0.01	5	190	28	< 2	< 1	9	0.03	< 10	< 10	25	< 10	82
AA0719	201	202	0.01	1	190	22	< 2	< 1	9	0.03	< 10	< 10	13	< 10	32
AA0720	201	202	< 0.01	10	330	30	< 2	1	15	0.04	< 10	< 10	33	< 10	384
AA0721	201	202	< 0.01	24	1410	42	< 2	4	165	0.01	< 10	40	21	< 10	4540
AA0722	201	202	0.01	9	550	38	< 2	< 1	20	0.03	< 10	< 10	28	< 10	386
AA0723	201	202	< 0.01	10	250	26	< 2	2	38	0.08	< 10	< 10	40	< 10	252
AA0724	201	202	< 0.01	26	1250	38	< 2	4	60	0.04	< 10	10	32	10	646
AA0725	201	202	< 0.01	10	690	28	4	1	11	0.03	< 10	< 10	20	40	136
AA0726	201	202	< 0.01	20	950	30	< 2	3	52	0.03	< 10	10	23	10	732
AA0727	201	202	< 0.01	8	330	12	< 2	1	13	0.04	< 10	< 10	35	10	88
AA0728	201	202	< 0.01	12	250	18	< 2	2	21	0.07	< 10	< 10	32	30	112
AA0891	201	202	< 0.01	11	480	14	< 2	2	18	0.06	< 10	< 10	32	< 10	94
AA0892	201	202	< 0.01	12	350	16	< 2	1	17	0.10	< 10	< 10	41	< 10	70
AA0893	201	202	< 0.01	10	340	14	< 2	1	12	0.04	< 10	< 10	30	< 10	64
AA0894	201	202	< 0.01	7	250	18	< 2	1	13	0.05	< 10	< 10	23	< 10	78
AA0895	201	202	< 0.01	4	130	10	< 2	1	10	0.04	< 10	< 10	19	10	42
AA0896	201	202	< 0.01	3	200	6	< 2	< 1	23	0.01	< 10	< 10	17	< 10	52
AA0897	201	202	< 0.01	38	450	24	< 2	4	36	0.05	< 10	< 10	35	< 10	168
AA0898	201	202	< 0.01	14	750	26	< 2	2	15	0.04	< 10	< 10	28	< 10	196
AA0899	201	202	< 0.01	4	230	20	< 2	1	8	0.07	< 10	< 10	44	< 10	78
BB28046	201	202	< 0.01	18	290	30	< 2	5	84	0.06	< 10	< 10	32	20	114
BB28047	201	202	< 0.01	19	290	474	< 2	3	113	0.04	< 10	10	25	110	846

CERTIFICATION: Hartfichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 05-OCT-1998
Invoice No. : 19832407
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832407

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
451755	205	294	2.4	1.26	16	70	0.5	< 2	0.17	< 0.5	4	51	398	4.95	< 10	1	0.25	30	0.15	65	129
451756	205	294	4.0	1.66	76	40	2.0	16	0.24	1.0	10	25	1200	8.75	< 10	< 1	0.22	30	0.19	145	214
451757	205	294	1.8	2.99	4	50	3.0	18	4.21	0.5	9	51	128	4.83	10	3	0.23	30	0.70	3470	9
451758	205	294	0.2	2.97	10	10	2.0	12	7.44	< 0.5	4	60	23	3.89	10	< 1	0.03	10	0.36	4680	6
451759	205	294	< 0.2	2.43	12	10	1.5	< 2	5.42	< 0.5	5	46	61	3.15	10	< 1	0.04	10	0.49	3760	13
451760	205	294	< 0.2	2.37	6	20	3.0	6	5.17	< 0.5	7	49	22	1.71	< 10	< 1	0.03	30	0.32	2540	6
451761	205	294	< 0.2	2.20	6	30	2.5	2	5.17	< 0.5	7	53	27	1.83	< 10	1	0.06	20	0.26	1600	3
451762	205	294	0.2	2.64	8	30	2.0	6	6.28	0.5	7	46	56	1.69	< 10	1	0.05	30	0.37	1860	3
451763	205	294	0.6	2.19	18	40	1.0	2	10.65	4.0	5	34	83	1.35	< 10	2	0.06	10	0.50	1520	< 1

CERTIFICATION: Hartwig Kuhlen

Chemex Labs Ltd.

Analytical Chemists *Geochemists *Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 05-OCT-1998
Invoice No. : I9832407
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9832407

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
451755	205	294	0.03	1	290	20	< 2	1	83	< 0.01	< 10	< 10	8	20	86
451756	205	294	0.01	9	390	38	< 2	1	31	< 0.01	< 10	20	8	10	416
451757	205	294	0.03	24	470	78	< 2	6	113	0.03	< 10	< 10	34	190	422
451758	205	294	0.04	15	180	< 2	< 2	4	92	0.08	< 10	< 10	32	120	124
451759	205	294	0.06	16	530	< 2	< 2	4	140	0.07	< 10	< 10	31	630	110
451760	205	294	0.02	17	410	< 2	2	4	146	0.08	< 10	< 10	19	10	174
451761	205	294	0.03	14	200	< 2	2	3	393	0.11	< 10	< 10	25	10	154
451762	205	294	0.06	15	160	< 2	< 2	4	505	0.12	< 10	< 10	26	10	504
451763	205	294	0.01	14	140	10	< 2	2	791	0.08	< 10	< 10	17	< 10	1360

CERTIFICATION: Ian Kuhlen

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 29-SEP-1998
Invoice No. : I9831826
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831826

SAMPLE	PREP CODE	Zn %	Ag con g/t
451687	244 --	19.90	-----
451689	244 --	24.4	-----
451691	244 --	25.2	-----
451693	244 --	8.20	-----
451695	244 --	-----	12102.0
451696	244 --	-----	5226.0
451697	244 --	-----	6753.2
451698	244 --	-----	6922.0
451700	244 --	9.24	-----
451701	244 --	21.5	-----

CERTIFICATION: +

OVERLIMITS from A9831083

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Pa ber :1
Tota, ages :1
Certificate Date: 23-SEP-1998
Invoice No. :I9831630
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9831630

SAMPLE	PREP CODE		Ag con g/t
451578	244	--	5873.6

CERTIFICATION: _____

OVERLIMITS from A9831493

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 22-SEP-1998
Invoice No. : I9831493
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831493

SAMPLE	PREP CODE		Ag FA g/t	Pb %	Zn %							
451578	244	--	>3500	18.10	-----							
451628	244	--	1425	58.8	-----							
451635	244	--	-----	-----	6.40							
451637	244	--	-----	7.45	6.88							
451639	244	--	704	38.4	-----							
451647	244	--	223	57.3	-----							
451651	244	--	1835	16.65	6.66							

CERTIFICATION: Said Getaz +

OVERLIMITS from A9830527

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :1
Total Pages :1
Certificate Date: 18-SEP-1998
Invoice No. :I9831232
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9831232

SAMPLE	PREP CODE	Ag FA g/t	Pb %	Zn %
059424	244 --	-----	-----	11.90
059426	244 --	-----	-----	1.65
451541	244 --	-----	-----	3.53
451543	244 --	-----	1.33	12.80
451544	244 --	-----	-----	6.20
451546	244 --	-----	2.01	1.83
451548	244 --	-----	1.84	-----
451549	244 --	543	11.35	2.97
451596	244 --	174	1.25	-----
451624	244 --	-----	-----	1.66
451627	244 --	-----	1.68	-----
451632	244 --	-----	-----	1.43
451634	244 --	-----	3.31	2.88
451636	244 --	-----	1.40	6.88

CERTIFICATION: Said Ketnath

OVERLIMITS from A9830532

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 22-SEP-1998
Invoice No. : I9831083
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831083

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm
451687	208	226	>200	0.19	21700	< 20	< 5	240	0.06	455	5	30	5270	5.91	30	0.12	0.09	7810	< 5	< 0.01	30
451688	208	226	11	0.48	330	20	< 5	10	0.10	15	5	60	185	3.47	< 10	0.38	0.19	4880	< 5	0.05	20
451689	208	226	>200	0.07	14450	< 20	< 5	420	0.03	585	< 5	30	44100	12.90	10	0.05	0.01	770	< 5	< 0.01	25
451690	208	226	29	0.49	240	40	< 5	10	0.18	15	5	10	185	6.61	< 10	0.44	0.41	18740	< 5	0.04	25
451691	208	226	>200	0.12	33700	< 20	< 5	80	0.05	580	10	30	2780	7.61	< 10	0.08	0.06	8410	< 5	< 0.01	40
451692	208	226	40	0.41	3870	20	< 5	< 10	0.08	95	5	60	410	3.68	< 10	0.30	0.17	6520	< 5	0.04	15
451693	208	226	93	0.28	>50000	20	< 5	40	0.04	175	15	50	1005	8.62	< 10	0.20	0.03	2750	< 5	0.03	45
451694	208	226	>200	0.15	>50000	40	< 5	80	0.03	30	< 5	30	1405	12.25	< 10	0.13	< 0.01	2160	5	0.04	< 5
451695	208	226	>200	0.06	2840	< 20	< 5	< 10	0.02	50	< 5	10	11370	1.80	< 10	0.04	< 0.01	460	< 5	0.04	5
451696	208	226	>200	0.03	350	< 20	< 5	80	0.02	40	< 5	< 10	5070	0.46	10	0.01	< 0.01	70	< 5	0.04	5
451697	208	226	>200	0.04	280	< 20	< 5	60	0.02	65	< 5	< 10	7550	0.72	< 10	0.01	< 0.01	140	< 5	0.04	< 5
451698	208	226	>200	0.08	6360	< 20	< 5	80	0.02	60	< 5	20	8330	2.43	< 10	0.02	< 0.01	840	< 5	0.04	< 5
451699	208	226	25	2.02	90	20	< 5	10	0.83	115	10	60	115	14.30	< 10	0.27	0.71	>50000	85	0.04	40
451700	208	226	>200	0.11	10020	< 20	< 5	10	0.05	240	< 5	70	5230	7.33	< 10	0.09	0.05	9650	< 5	0.02	< 5
451701	208	226	>200	0.17	44100	< 20	< 5	180	0.06	440	10	40	4370	11.20	20	0.11	0.11	16270	< 5	< 0.01	40

CERTIFICATION: David Fickler *+

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 22-SEP-1998
Invoice No. : 19831083
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831083

SAMPLE	PREP CODE		P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Ag FA g/t	Pb %
451687	208	226	< 100	>50000	620	< 5	15	< 0.01	< 20	< 20	< 20	< 20	>50000	1435	-----
451688	208	226	100	1220	< 10	< 5	10	< 0.01	20	< 20	< 20	< 20	5250	-----	-----
451689	208	226	< 100	7620	90	< 5	5	< 0.01	< 20	< 20	< 20	< 20	>50000	845	-----
451690	208	226	400	11570	10	< 5	5	< 0.01	< 20	< 20	< 20	< 20	5670	-----	-----
451691	208	226	< 100	>50000	370	< 5	10	< 0.01	< 20	< 20	< 20	< 20	>50000	963	-----
451692	208	226	100	1570	20	< 5	15	< 0.01	20	< 20	< 20	< 20	43400	-----	-----
451693	208	226	< 100	3150	90	< 5	15	< 0.01	< 20	< 20	< 20	< 20	>50000	93	-----
451694	208	226	100	>50000	1680	< 5	60	< 0.01	< 20	< 20	< 20	< 20	6180	1670	-----
451695	208	226	< 100	>50000	>10000	< 5	15	< 0.01	< 20	< 20	< 20	< 20	9300	>3500	62.8
451696	208	226	< 100	>50000	5450	< 5	5	< 0.01	< 20	< 20	< 20	< 20	9600	>3500	71.1
451697	208	226	< 100	>50000	6290	< 5	20	< 0.01	< 20	< 20	< 20	< 20	20800	>3500	61.0
451698	208	226	100	>50000	6370	< 5	20	< 0.01	< 20	< 20	< 20	< 20	17570	>3500	59.0
451699	208	226	800	2360	40	5	185	0.02	< 20	< 20	20	< 20	30600	-----	-----
451700	208	226	< 100	>50000	2880	< 5	10	< 0.01	< 20	< 20	< 20	< 20	>50000	3080	-----
451701	208	226	< 100	24200	190	< 5	10	< 0.01	< 20	< 20	< 20	< 20	>50000	478	-----

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 4
Certificate Date: 21-SEP-1998
Invoice No. : I9831074
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831074

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1849	201	202	0.6	1.71	28	70	0.5	< 2	0.20	< 0.5	10	28	8	2.93	< 10	< 1	0.16	40	0.47	250	< 1
AA1850	201	202	1.8	1.39	72	30	0.5	< 2	0.24	< 0.5	9	18	13	2.79	< 10	< 1	0.11	30	0.38	275	1
AA1851	201	202	0.2	1.59	50	60	1.0	< 2	0.19	0.5	16	27	13	3.32	< 10	< 1	0.14	30	0.38	420	2
AA1852	201	202	0.2	1.95	16	60	0.5	< 2	0.23	< 0.5	10	29	11	2.82	< 10	1	0.07	30	0.40	250	1
AA1853	201	202	0.2	0.98	8	80	< 0.5	< 2	0.12	0.5	13	16	8	2.08	< 10	< 1	0.05	20	0.17	1245	3
AA1854	201	202	0.4	1.60	8	120	0.5	< 2	0.24	< 0.5	10	19	12	2.42	< 10	< 1	0.09	20	0.29	355	9
AA1855	201	202	< 0.2	1.26	12	40	0.5	< 2	0.13	< 0.5	5	14	5	1.92	< 10	< 1	0.10	40	0.32	175	< 1
AA1856	201	202	0.8	1.49	46	50	1.0	2	0.31	1.5	16	23	22	2.73	< 10	< 1	0.09	30	0.33	1075	4
AA1857	201	202	0.4	1.86	60	70	0.5	< 2	0.36	1.0	15	30	18	4.22	< 10	1	0.08	30	0.48	560	3
AA1858	201	202	< 0.2	2.47	60	120	2.0	< 2	0.22	< 0.5	19	110	24	3.66	< 10	< 1	0.11	50	1.72	580	4
AA1859	201	202	0.2	1.20	34	70	0.5	< 2	0.17	0.5	6	17	9	2.22	< 10	1	0.09	20	0.32	205	1
AA1860	201	202	< 0.2	1.14	26	50	< 0.5	< 2	0.15	< 0.5	6	17	8	2.39	< 10	1	0.10	10	0.29	170	< 1
AA1861	201	202	0.2	1.63	40	50	0.5	< 2	0.16	< 0.5	8	24	11	3.37	< 10	1	0.09	10	0.37	195	1
AA1862	201	202	1.6	1.27	28	60	1.0	< 2	0.67	< 0.5	7	15	44	1.92	< 10	< 1	0.11	50	0.32	385	1
AA1863	201	202	0.2	1.61	42	70	0.5	< 2	0.19	< 0.5	10	24	7	3.19	< 10	< 1	0.10	30	0.43	550	1
AA1864	201	202	0.2	1.46	42	60	< 0.5	< 2	0.18	< 0.5	7	18	6	2.53	< 10	< 1	0.12	30	0.39	230	1
AA1865	201	202	< 0.2	0.72	8	30	< 0.5	< 2	0.06	< 0.5	3	8	3	1.44	< 10	< 1	0.08	30	0.19	100	< 1
AA1866	201	202	1.0	1.38	60	60	0.5	< 2	0.34	0.5	8	21	30	2.53	< 10	< 1	0.12	30	0.39	635	5
AA1867	201	202	< 0.2	1.28	40	40	< 0.5	< 2	0.14	< 0.5	4	18	4	2.07	< 10	2	0.09	20	0.30	180	< 1
AA1868	201	202	< 0.2	1.40	26	50	< 0.5	< 2	0.19	< 0.5	4	18	5	2.10	< 10	< 1	0.13	30	0.32	225	1
AA1869	201	202	0.2	1.24	22	60	0.5	< 2	0.41	0.5	7	18	28	1.91	< 10	< 1	0.08	20	0.33	705	4
AA1870	201	202	< 0.2	1.15	18	50	< 0.5	< 2	0.23	< 0.5	5	15	6	2.00	< 10	1	0.08	10	0.32	205	2
AA1871	201	202	< 0.2	0.49	6	40	< 0.5	< 2	0.22	< 0.5	1	7	9	0.67	< 10	< 1	0.05	10	0.11	90	< 1
AA1872	201	202	0.6	1.07	16	60	0.5	< 2	0.46	2.0	8	16	54	1.95	< 10	1	0.08	30	0.28	380	3
AA1873	201	202	0.2	1.80	24	90	0.5	< 2	0.61	< 0.5	7	18	31	2.41	< 10	< 1	0.13	40	0.40	320	3
AA1874	201	202	< 0.2	1.49	16	60	0.5	< 2	0.30	< 0.5	6	18	15	2.04	< 10	1	0.11	30	0.38	290	< 1
AA1875	201	202	1.2	3.59	34	140	3.5	< 2	0.42	0.5	53	36	82	4.39	< 10	< 1	0.18	50	0.51	1445	1
AA1876	201	202	< 0.2	1.41	72	50	0.5	2	0.34	0.5	9	24	19	3.02	< 10	1	0.10	30	0.37	235	1
AA1877	201	202	0.6	1.37	66	70	0.5	18	0.37	1.5	11	23	18	3.58	< 10	< 1	0.10	10	0.33	565	4
AA1878	201	202	0.4	1.71	78	70	0.5	< 2	0.25	0.5	13	44	12	4.05	< 10	1	0.10	20	0.49	440	4
AA1879	201	202	0.2	0.96	6	60	< 0.5	< 2	0.19	1.0	5	16	4	1.91	< 10	< 1	0.13	30	0.24	390	2
AA1880	201	202	0.6	1.48	34	70	0.5	< 2	0.26	0.5	14	24	9	2.91	< 10	< 1	0.11	20	0.37	760	1
AA1881	201	202	0.6	1.35	22	70	0.5	< 2	0.13	< 0.5	10	20	12	2.39	< 10	1	0.07	10	0.32	645	4
AA1882	201	202	< 0.2	1.14	16	30	< 0.5	< 2	0.08	< 0.5	4	14	5	2.12	< 10	1	0.05	10	0.30	150	< 1
AA1883	201	202	< 0.2	1.32	2	60	0.5	< 2	0.15	< 0.5	4	13	3	1.82	< 10	< 1	0.06	10	0.26	125	< 1
AA1884	201	202	0.6	1.08	8	50	0.5	< 2	0.09	< 0.5	23	18	13	2.06	< 10	1	0.08	10	0.33	665	3
AA1885	201	202	0.4	1.80	18	40	0.5	< 2	0.11	< 0.5	10	27	21	2.51	< 10	< 1	0.05	10	0.45	205	< 1
AA1886	201	202	< 0.2	1.35	12	80	0.5	< 2	0.23	1.5	28	23	9	3.21	< 10	1	0.06	10	0.30	1430	1
AA1887	201	202	0.4	1.41	6	110	0.5	< 2	0.28	0.5	88	19	12	2.42	< 10	2	0.05	10	0.19	3400	1
AA1888	201	202	0.2	1.74	< 2	60	0.5	< 2	0.08	< 0.5	11	24	9	2.82	< 10	< 1	0.10	30	0.42	255	< 1

CERTIFICATION: Ian Fuchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 4
Certificate Date: 21-SEP-1998
Invoice No. : 19831074
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831074

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1849	201	202	< 0.01	18	180	36	< 2	2	25	0.07	< 10	< 10	36	< 10	186
AA1850	201	202	< 0.01	20	610	212	< 2	1	23	0.04	< 10	< 10	28	< 10	264
AA1851	201	202	< 0.01	22	360	52	2	2	26	0.04	< 10	< 10	37	< 10	334
AA1852	201	202	< 0.01	19	140	32	< 2	2	21	0.10	< 10	< 10	46	< 10	246
AA1853	201	202	< 0.01	9	220	46	< 2	1	19	0.04	< 10	< 10	36	< 10	214
AA1854	201	202	< 0.01	12	260	46	< 2	1	30	0.04	< 10	< 10	37	< 10	222
AA1855	201	202	< 0.01	10	180	14	< 2	1	15	0.05	< 10	< 10	28	< 10	78
AA1856	201	202	< 0.01	17	320	162	< 2	2	32	0.07	< 10	< 10	37	< 10	554
AA1857	201	202	0.01	21	390	58	2	3	44	0.06	< 10	< 10	46	< 10	656
AA1858	201	202	< 0.01	51	460	18	2	7	22	0.04	< 10	< 10	62	< 10	252
AA1859	201	202	< 0.01	18	180	46	2	1	19	0.05	< 10	< 10	28	< 10	452
AA1860	201	202	< 0.01	10	200	30	< 2	1	20	0.04	< 10	< 10	34	< 10	172
AA1861	201	202	< 0.01	14	370	26	< 2	2	18	0.05	< 10	< 10	42	< 10	186
AA1862	201	202	< 0.01	28	570	88	< 2	3	47	0.03	< 10	10	22	< 10	268
AA1863	201	202	< 0.01	14	330	82	< 2	2	30	0.05	< 10	< 10	39	< 10	364
AA1864	201	202	< 0.01	11	440	42	< 2	2	24	0.06	< 10	< 10	37	< 10	210
AA1865	201	202	< 0.01	5	170	12	< 2	1	10	0.05	< 10	< 10	27	< 10	44
AA1866	201	202	< 0.01	17	550	96	2	3	33	0.04	< 10	< 10	28	< 10	566
AA1867	201	202	< 0.01	8	370	28	< 2	1	13	0.06	< 10	< 10	29	< 10	150
AA1868	201	202	< 0.01	10	420	30	< 2	1	18	0.07	< 10	< 10	31	< 10	230
AA1869	201	202	< 0.01	14	510	38	< 2	1	32	0.04	< 10	< 10	27	< 10	494
AA1870	201	202	< 0.01	9	210	22	< 2	1	19	0.05	< 10	< 10	30	< 10	314
AA1871	201	202	< 0.01	4	180	18	< 2	< 1	18	0.02	< 10	< 10	13	< 10	90
AA1872	201	202	< 0.01	20	320	34	< 2	1	36	0.04	< 10	< 10	25	< 10	502
AA1873	201	202	< 0.01	19	670	32	< 2	3	46	0.05	< 10	< 10	31	< 10	414
AA1874	201	202	< 0.01	15	290	26	< 2	2	25	0.06	< 10	< 10	31	< 10	170
AA1875	201	202	0.01	67	970	76	< 2	5	46	0.05	< 10	< 10	43	< 10	386
AA1876	201	202	< 0.01	16	390	60	< 2	2	30	0.07	< 10	< 10	37	< 10	336
AA1877	201	202	< 0.01	16	330	68	< 2	2	40	0.07	< 10	< 10	42	< 10	618
AA1878	201	202	< 0.01	20	500	46	< 2	2	28	0.05	< 10	< 10	49	10	294
AA1879	201	202	< 0.01	6	300	18	< 2	1	19	0.04	< 10	< 10	31	< 10	392
AA1880	201	202	< 0.01	14	370	50	< 2	2	29	0.08	< 10	< 10	43	< 10	410
AA1881	201	202	< 0.01	12	360	76	< 2	1	17	0.05	< 10	< 10	35	< 10	248
AA1882	201	202	< 0.01	7	360	20	< 2	1	10	0.03	< 10	< 10	30	< 10	156
AA1883	201	202	< 0.01	9	380	16	< 2	1	20	0.04	< 10	< 10	29	< 10	98
AA1884	201	202	< 0.01	11	260	82	< 2	1	12	0.06	< 10	< 10	30	< 10	202
AA1885	201	202	< 0.01	28	190	66	< 2	2	11	0.06	< 10	< 10	35	< 10	148
AA1886	201	202	< 0.01	21	280	48	2	1	21	0.07	< 10	< 10	40	< 10	576
AA1887	201	202	< 0.01	31	270	34	< 2	1	26	0.06	< 10	< 10	29	< 10	572
AA1888	201	202	< 0.01	19	320	14	2	1	13	0.03	< 10	< 10	30	< 10	144

CERTIFICATION: Ian Fichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :4
Certificate Date: 21-SEP-1998
Invoice No. : I9831074
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9831074

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1889	201	202	0.8	2.23	10	110	1.5	< 2	0.32	< 0.5	31	30	34	3.58	< 10	< 1	0.14	30	0.48	925	4
AA1890	201	202	0.2	1.46	8	50	0.5	< 2	0.14	< 0.5	8	18	6	2.25	< 10	< 1	0.12	30	0.37	205	< 1
AA1891	201	202	< 0.2	1.34	8	30	< 0.5	< 2	0.08	< 0.5	7	17	8	2.44	< 10	1	0.08	20	0.30	155	< 1
AA1892	201	202	< 0.2	0.73	6	40	< 0.5	< 2	0.10	< 0.5	3	9	5	1.46	< 10	< 1	0.07	30	0.12	90	< 1
AA1893	201	202	0.6	1.39	14	100	0.5	2	0.27	0.5	12	18	19	2.41	< 10	< 1	0.11	20	0.30	840	< 1
AA1894	201	202	0.6	0.65	8	30	< 0.5	< 2	0.12	1.0	5	12	12	1.66	< 10	< 1	0.07	10	0.11	170	4
AA1895	201	202	1.0	1.14	6	170	0.5	< 2	0.13	4.0	14	12	8	2.06	< 10	< 1	0.06	10	0.14	2830	5
AA1896	201	202	0.2	1.31	22	90	0.5	2	0.14	1.5	11	20	9	2.88	< 10	< 1	0.12	20	0.32	755	5
AA1897	201	202	0.8	0.96	10	70	< 0.5	< 2	0.11	< 0.5	6	14	14	1.80	< 10	1	0.07	10	0.28	320	4
AA1898	201	202	0.2	0.77	12	50	< 0.5	< 2	0.10	< 0.5	3	7	5	1.12	< 10	< 1	0.07	10	0.10	195	6
AA1899	201	202	0.4	1.59	14	40	0.5	< 2	0.19	< 0.5	6	13	5	2.11	< 10	< 1	0.09	30	0.32	155	< 1
AA1900	201	202	0.2	1.52	8	80	1.0	< 2	0.51	0.5	11	27	32	1.98	< 10	3	0.06	30	0.40	770	4
AA1901	201	202	0.6	1.89	8	190	1.0	< 2	0.68	0.5	24	52	49	2.88	< 10	< 1	0.11	20	0.54	1480	1
AA1902	201	202	< 0.2	1.50	20	30	0.5	< 2	0.14	< 0.5	8	22	7	2.72	< 10	< 1	0.13	30	0.39	215	< 1
AA1903	201	202	0.8	1.59	16	70	2.0	< 2	2.04	0.5	5	14	71	1.82	< 10	< 1	0.14	70	0.36	465	< 1
AA1904	201	202	0.4	1.18	8	60	< 0.5	< 2	0.64	< 0.5	4	13	20	1.42	< 10	< 1	0.10	30	0.30	175	1
AA1905	201	202	< 0.2	1.77	20	70	0.5	< 2	0.26	< 0.5	5	20	16	2.29	< 10	< 1	0.12	30	0.38	225	3
AA1906	201	202	< 0.2	0.87	2	40	< 0.5	< 2	0.14	< 0.5	2	12	6	1.08	< 10	< 1	0.06	20	0.20	115	1
AA2434	201	202	0.4	4.11	22	30	1.0	< 2	0.34	0.5	10	35	10	4.97	10	< 1	0.05	10	0.29	235	< 1
AA2435	201	202	0.2	1.58	44	50	0.5	< 2	0.19	< 0.5	5	21	5	2.53	< 10	< 1	0.09	30	0.41	350	< 1
AA2436	201	202	< 0.2	2.02	4	60	0.5	< 2	0.16	< 0.5	17	36	20	2.91	< 10	< 1	0.10	20	0.59	180	< 1
AA2437	201	202	< 0.2	1.67	24	40	0.5	< 2	0.18	< 0.5	9	27	7	3.18	< 10	< 1	0.09	30	0.43	165	< 1
AA2438	201	202	0.2	2.13	26	60	0.5	< 2	0.16	< 0.5	9	35	11	4.23	10	< 1	0.13	30	0.57	345	< 1
AA2439	201	202	< 0.2	1.64	< 2	70	0.5	< 2	0.27	< 0.5	12	23	4	2.65	< 10	< 1	0.12	20	0.41	385	< 1
AA2440	201	202	0.4	1.44	12	70	0.5	< 2	0.24	< 0.5	10	25	11	2.36	< 10	< 1	0.09	10	0.37	305	< 1
AA2441	201	202	< 0.2	1.32	2	60	< 0.5	< 2	0.21	< 0.5	10	28	5	2.77	< 10	< 1	0.07	10	0.38	360	< 1
AA2442	201	202	0.2	1.49	8	50	< 0.5	< 2	0.09	< 0.5	7	22	6	2.76	< 10	< 1	0.10	20	0.41	185	< 1
AA2443	201	202	1.0	2.19	46	60	1.0	< 2	0.28	0.5	39	46	22	4.07	< 10	< 1	0.22	20	0.78	395	< 1
AA2444	201	202	0.2	1.43	48	60	0.5	< 2	0.34	0.5	19	29	17	3.38	< 10	< 1	0.18	30	0.61	975	2
AA2445	201	202	< 0.2	1.40	46	60	< 0.5	< 2	0.42	< 0.5	7	19	13	1.82	< 10	< 1	0.08	30	0.36	340	2
AA2446	201	202	< 0.2	0.98	36	40	< 0.5	< 2	0.26	< 0.5	13	36	8	3.11	< 10	< 1	0.05	10	0.81	285	1
AA2447	201	202	0.6	1.98	78	60	1.5	< 2	0.82	1.5	29	40	67	3.88	< 10	< 1	0.11	40	0.71	940	3
AA2448	201	202	0.6	1.54	22	60	< 0.5	< 2	0.14	< 0.5	6	22	8	2.02	< 10	< 1	0.10	30	0.35	150	< 1
AA2449	201	202	< 0.2	1.39	12	40	< 0.5	< 2	0.12	< 0.5	5	14	4	2.15	< 10	< 1	0.07	30	0.29	140	< 1
AA2450	201	202	1.0	1.68	58	30	0.5	< 2	0.22	< 0.5	11	27	11	3.61	< 10	< 1	0.11	20	0.47	290	1
AA2451	201	202	0.2	1.37	24	30	0.5	< 2	0.21	0.5	10	25	6	3.01	< 10	< 1	0.09	20	0.38	400	< 1
AA2452	201	202	0.2	1.00	14	30	< 0.5	< 2	0.13	< 0.5	6	14	7	1.94	< 10	< 1	0.09	10	0.28	250	< 1
AA2453	201	202	0.2	1.90	34	50	1.5	< 2	0.15	< 0.5	28	26	45	4.96	< 10	< 1	0.07	10	0.47	495	4
AA2454	201	202	2.0	1.83	26	80	1.5	< 2	0.23	0.5	22	24	13	4.27	< 10	< 1	0.10	10	0.42	400	1
AA2455	201	202	2.0	1.93	70	50	1.0	< 2	0.31	< 0.5	15	38	23	3.32	< 10	< 1	0.08	20	0.53	360	9

CERTIFICATION: Ward Fuller

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218


To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-B
Total Pages :4
Certificate Date: 21-SEP-1998
Invoice No. :I9831074
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9831074

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1889	201	202	< 0.01	49	280	40	2	3	32	0.08	< 10	< 10	40	< 10	294
AA1890	201	202	< 0.01	14	290	14	< 2	1	14	0.06	< 10	< 10	31	< 10	76
AA1891	201	202	< 0.01	10	220	10	2	1	11	0.04	< 10	< 10	34	< 10	116
AA1892	201	202	< 0.01	5	140	10	< 2	< 1	14	0.04	< 10	< 10	25	< 10	38
AA1893	201	202	< 0.01	10	320	38	2	1	31	0.04	< 10	< 10	30	< 10	432
AA1894	201	202	< 0.01	6	230	58	< 2	< 1	11	0.07	< 10	< 10	30	< 10	162
AA1895	201	202	< 0.01	8	240	92	< 2	1	17	0.05	< 10	< 10	28	< 10	604
AA1896	201	202	< 0.01	11	320	52	< 2	1	18	0.05	< 10	< 10	38	< 10	456
AA1897	201	202	< 0.01	8	230	22	< 2	1	17	0.03	< 10	< 10	26	< 10	154
AA1898	201	202	< 0.01	3	210	64	2	< 1	62	0.01	< 10	< 10	17	< 10	96
AA1899	201	202	< 0.01	13	260	14	2	1	21	0.04	< 10	< 10	32	< 10	118
AA1900	201	202	< 0.01	33	480	28	< 2	3	42	0.05	< 10	< 10	26	< 10	404
AA1901	201	202	0.01	67	500	38	< 2	4	59	0.08	< 10	< 10	46	< 10	222
AA1902	201	202	< 0.01	14	190	14	2	2	16	0.07	< 10	< 10	35	< 10	108
AA1903	201	202	< 0.01	46	1080	20	< 2	3	122	0.03	< 10	10	21	< 10	194
AA1904	201	202	< 0.01	15	590	16	< 2	2	43	0.06	< 10	< 10	22	< 10	316
AA1905	201	202	< 0.01	15	280	28	< 2	3	25	0.07	< 10	< 10	36	< 10	316
AA1906	201	202	< 0.01	6	220	14	< 2	1	14	0.06	< 10	< 10	22	< 10	124
AA2434	201	202	0.02	22	570	96	< 2	3	61	0.07	< 10	< 10	42	< 10	652
AA2435	201	202	< 0.01	11	250	52	< 2	2	21	0.06	< 10	< 10	36	< 10	474
AA2436	201	202	< 0.01	50	240	98	< 2	3	22	0.10	< 10	< 10	47	< 10	360
AA2437	201	202	< 0.01	15	200	32	< 2	2	21	0.04	< 10	< 10	40	< 10	210
AA2438	201	202	< 0.01	17	350	32	< 2	3	29	0.11	< 10	< 10	63	< 10	380
AA2439	201	202	< 0.01	12	230	30	< 2	2	33	0.08	< 10	< 10	40	< 10	428
AA2440	201	202	< 0.01	23	230	46	< 2	2	29	0.10	< 10	< 10	39	< 10	324
AA2441	201	202	< 0.01	14	200	26	< 2	1	23	0.10	< 10	< 10	46	< 10	232
AA2442	201	202	< 0.01	15	410	18	< 2	2	10	0.06	< 10	< 10	39	< 10	94
AA2443	201	202	< 0.01	84	250	66	< 2	4	52	0.05	< 10	< 10	40	< 10	434
AA2444	201	202	< 0.01	29	570	52	< 2	3	31	0.04	< 10	< 10	29	< 10	400
AA2445	201	202	< 0.01	16	130	34	< 2	2	45	0.04	< 10	< 10	21	< 10	524
AA2446	201	202	< 0.01	40	150	8	< 2	1	19	0.11	< 10	< 10	55	< 10	130
AA2447	201	202	0.01	50	580	72	< 2	6	76	0.08	< 10	30	46	< 10	568
AA2448	201	202	< 0.01	12	130	60	< 2	2	17	0.04	< 10	< 10	31	< 10	152
AA2449	201	202	< 0.01	9	160	20	< 2	1	16	0.06	< 10	< 10	32	< 10	130
AA2450	201	202	< 0.01	20	260	58	< 2	2	27	0.06	< 10	< 10	41	< 10	618
AA2451	201	202	< 0.01	13	170	84	< 2	2	27	0.06	< 10	< 10	43	< 10	632
AA2452	201	202	< 0.01	11	290	24	< 2	1	16	0.03	< 10	< 10	26	< 10	142
AA2453	201	202	< 0.01	84	410	44	< 2	1	37	0.04	< 10	< 10	32	< 10	298
AA2454	201	202	< 0.01	35	290	372	< 2	1	29	0.02	< 10	< 10	38	< 10	892
AA2455	201	202	< 0.01	44	130	98	< 2	3	43	0.06	< 10	< 10	38	< 10	1240

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-A
Total Pages :4
Certificate Date: 21-SEP-1998
Invoice No. :19831074
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9831074

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA2456	201	202	< 0.2	0.86	8	50	< 0.5	< 2	0.14	< 0.5	4	18	1	1.50	< 10	< 1	0.03	30	0.11	95	3
AA2457	201	202	0.4	1.78	28	90	0.5	< 2	0.20	< 0.5	13	33	9	3.08	< 10	< 1	0.07	30	0.39	245	6
AA2458	201	202	1.2	2.78	14	80	1.5	< 2	0.09	< 0.5	17	40	17	4.08	10	< 1	0.05	10	0.30	185	4
AA2459	201	202	< 0.2	1.60	10	40	0.5	< 2	0.10	< 0.5	15	21	9	3.18	< 10	< 1	0.10	30	0.40	230	1
AA2460	201	202	< 0.2	1.91	14	60	0.5	< 2	0.24	< 0.5	9	23	8	2.73	< 10	< 1	0.16	30	0.53	200	2
AA2461	201	202	0.4	0.94	14	50	0.5	< 2	0.53	0.5	5	16	23	1.66	< 10	< 1	0.09	40	0.27	265	2
AA2462	201	202	0.2	1.57	8	40	0.5	< 2	0.10	< 0.5	10	25	8	2.58	< 10	< 1	0.15	20	0.44	145	1
AA2463	201	202	1.0	2.00	26	80	1.0	< 2	0.23	0.5	10	24	16	2.75	< 10	< 1	0.14	10	0.35	285	2
AA2464	201	202	< 0.2	1.34	14	50	< 0.5	< 2	0.27	< 0.5	5	19	6	1.80	< 10	< 1	0.07	20	0.39	215	< 1
AA2465	201	202	0.6	0.94	26	50	< 0.5	< 2	0.29	0.5	6	15	10	1.80	< 10	< 1	0.09	10	0.24	225	1
AA2466	201	202	0.8	1.63	48	50	0.5	2	0.14	< 0.5	9	21	9	2.78	< 10	< 1	0.14	20	0.44	250	1
AA2467	201	202	0.8	1.20	20	30	0.5	< 2	0.35	1.0	8	18	12	2.28	< 10	< 1	0.05	10	0.26	455	1
AA2468	201	202	0.4	0.60	2	20	< 0.5	< 2	0.05	< 0.5	3	9	< 1	1.30	< 10	< 1	0.05	20	0.11	125	< 1
AA2469	201	202	< 0.2	0.75	8	40	< 0.5	< 2	0.09	< 0.5	5	13	3	1.59	< 10	< 1	0.09	20	0.15	160	< 1
AA2470	201	202	< 0.2	1.40	46	40	< 0.5	2	0.27	1.5	6	20	5	2.90	< 10	< 1	0.07	20	0.27	265	1
AA2471	201	202	0.4	1.44	40	30	0.5	< 2	0.11	< 0.5	7	18	5	2.53	< 10	< 1	0.07	20	0.33	170	1
AA2472	201	202	1.0	3.56	134	170	3.5	22	0.71	0.5	62	283	155	6.55	< 10	< 1	0.16	70	2.08	1200	3
AA2473	201	202	2.2	1.74	72	50	1.0	4	0.21	0.5	17	49	13	3.13	< 10	< 1	0.10	20	0.58	240	1
AA2474	201	202	0.2	2.05	14	110	1.0	< 2	0.25	< 0.5	16	87	10	3.57	< 10	< 1	0.11	20	0.80	325	6
AA2475	201	202	0.2	1.26	16	50	0.5	< 2	0.25	0.5	13	29	5	2.97	< 10	< 1	0.06	10	0.34	445	9
AA2476	201	202	0.6	1.69	28	50	0.5	< 2	0.23	0.5	11	31	8	3.31	< 10	< 1	0.06	10	0.43	235	7
AA2477	201	202	< 0.2	1.62	26	40	0.5	2	0.16	< 0.5	11	31	19	2.97	< 10	< 1	0.04	10	0.40	180	1
AA2478	201	202	0.6	1.62	32	60	2.0	< 2	0.30	0.5	21	27	46	2.80	< 10	< 1	0.05	30	0.38	755	4
AA2479	201	202	0.4	1.46	16	50	1.0	< 2	0.25	1.5	27	18	17	3.93	< 10	< 1	0.06	10	0.25	600	3
AA2480	201	202	1.0	1.53	80	60	0.5	2	0.24	2.5	10	25	12	3.59	< 10	< 1	0.12	20	0.35	445	3
AA2481	201	202	0.4	2.15	136	60	1.0	4	0.28	1.5	29	34	43	5.36	< 10	< 1	0.19	20	0.63	2150	5
AA2482	201	202	< 0.2	1.59	62	40	0.5	2	0.11	1.0	10	27	10	4.03	10	< 1	0.10	10	0.43	340	1
AA2483	201	202	0.2	1.19	80	60	< 0.5	< 2	0.22	0.5	8	21	10	2.79	< 10	< 1	0.09	10	0.35	180	2
AA2484	201	202	0.4	0.89	26	50	< 0.5	< 2	0.07	< 0.5	4	10	7	1.79	< 10	< 1	0.07	10	0.25	135	1
AA2485	201	202	0.2	0.99	26	40	< 0.5	< 2	0.28	< 0.5	5	13	10	1.59	< 10	< 1	0.07	10	0.25	155	2
AA2486	201	202	0.4	1.78	22	90	1.0	< 2	0.23	0.5	13	30	11	3.72	< 10	< 1	0.19	30	0.39	385	1
AA2487	201	202	< 0.2	1.32	10	50	0.5	< 2	0.15	< 0.5	11	20	7	2.07	< 10	< 1	0.12	30	0.35	160	1
AA2488	201	202	0.8	0.99	12	100	< 0.5	< 2	0.16	0.5	10	19	4	2.28	< 10	< 1	0.11	20	0.22	410	1
AA2489	201	202	0.4	1.55	48	40	0.5	< 2	0.23	0.5	9	25	7	2.32	< 10	< 1	0.08	30	0.38	340	8
AA2490	201	202	0.8	1.58	64	80	0.5	< 2	0.26	1.5	19	22	8	2.71	< 10	< 1	0.10	30	0.29	1365	7
AA2491	201	202	0.4	1.33	80	70	0.5	< 2	0.20	< 0.5	10	26	9	3.39	< 10	< 1	0.12	20	0.36	295	7
AA2492	201	202	< 0.2	1.05	24	50	< 0.5	< 2	0.12	< 0.5	6	21	4	2.00	< 10	< 1	0.07	20	0.29	135	4
AA2493	201	202	0.2	1.08	8	30	< 0.5	< 2	0.26	< 0.5	4	18	4	2.09	< 10	< 1	0.09	20	0.27	125	7
AA2494	201	202	< 0.2	0.99	4	50	< 0.5	< 2	0.13	< 0.5	4	16	1	1.69	< 10	< 1	0.06	30	0.23	115	< 1
AA2495	201	202	0.2	1.31	28	40	0.5	< 2	0.27	< 0.5	8	26	8	2.77	< 10	< 1	0.10	30	0.34	170	5

CERTIFICATION: Ian Fuller

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Pa ber :3-B
To ages :4
Certificate Date: 21-SEP-1998
Invoice No. :19831074
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9831074

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA2456	201	202	< 0.01	5	60	12	< 2	1	14	0.08	< 10	< 10	49	< 10	100
AA2457	201	202	< 0.01	20	120	22	< 2	2	25	0.09	< 10	< 10	52	< 10	294
AA2458	201	202	< 0.01	25	270	90	< 2	2	11	0.11	< 10	< 10	62	< 10	222
AA2459	201	202	< 0.01	25	180	18	< 2	1	14	0.02	< 10	< 10	30	< 10	152
AA2460	201	202	< 0.01	19	380	24	< 2	3	21	0.07	< 10	< 10	41	< 10	96
AA2461	201	202	< 0.01	19	660	30	< 2	2	35	0.05	< 10	< 10	26	< 10	426
AA2462	201	202	< 0.01	19	220	14	< 2	2	13	0.05	< 10	< 10	33	< 10	148
AA2463	201	202	< 0.01	20	330	88	< 2	2	27	0.06	< 10	< 10	37	< 10	252
AA2464	201	202	< 0.01	10	140	26	< 2	2	22	0.05	< 10	< 10	27	< 10	274
AA2465	201	202	< 0.01	9	370	102	< 2	1	33	0.04	< 10	< 10	29	< 10	298
AA2466	201	202	< 0.01	19	330	48	< 2	2	18	0.05	< 10	< 10	32	< 10	248
AA2467	201	202	< 0.01	13	350	134	< 2	1	31	0.04	< 10	< 10	36	< 10	574
AA2468	201	202	< 0.01	3	160	20	< 2	< 1	6	0.04	< 10	< 10	28	< 10	126
AA2469	201	202	< 0.01	6	230	10	< 2	1	14	0.04	< 10	< 10	30	< 10	88
AA2470	201	202	< 0.01	9	260	66	< 2	1	21	0.05	< 10	< 10	49	10	466
AA2471	201	202	< 0.01	12	250	30	< 2	1	17	0.04	< 10	< 10	30	< 10	202
AA2472	201	202	< 0.01	188	320	20	< 2	16	61	0.07	< 10	< 10	101	< 10	138
AA2473	201	202	< 0.01	37	270	66	< 2	3	23	0.04	< 10	< 10	38	< 10	956
AA2474	201	202	< 0.01	31	280	40	< 2	3	37	0.03	< 10	< 10	65	< 10	392
AA2475	201	202	< 0.01	13	140	28	< 2	1	24	0.10	< 10	< 10	51	< 10	446
AA2476	201	202	< 0.01	24	250	28	< 2	2	30	0.10	< 10	< 10	46	< 10	414
AA2477	201	202	< 0.01	34	240	58	< 2	2	15	0.08	< 10	< 10	46	< 10	152
AA2478	201	202	< 0.01	82	190	108	< 2	2	43	0.09	< 10	< 10	35	< 10	906
AA2479	201	202	< 0.01	24	290	118	< 2	1	33	0.04	< 10	< 10	34	< 10	478
AA2480	201	202	< 0.01	14	310	192	< 2	2	27	0.07	< 10	< 10	46	< 10	798
AA2481	201	202	< 0.01	26	870	184	< 2	4	20	0.06	< 10	< 10	39	< 10	702
AA2482	201	202	< 0.01	14	380	52	< 2	3	17	0.06	< 10	< 10	55	< 10	448
AA2483	201	202	< 0.01	13	280	42	< 2	2	27	0.04	< 10	< 10	36	< 10	398
AA2484	201	202	< 0.01	7	250	38	< 2	1	11	0.04	< 10	< 10	29	< 10	138
AA2485	201	202	< 0.01	11	130	42	< 2	1	24	0.04	< 10	< 10	25	< 10	174
AA2486	201	202	< 0.01	18	340	24	< 2	1	33	0.01	< 10	< 10	40	< 10	210
AA2487	201	202	< 0.01	20	130	16	< 2	1	19	0.04	< 10	< 10	29	< 10	66
AA2488	201	202	< 0.01	8	170	42	< 2	1	19	0.11	< 10	< 10	45	< 10	284
AA2489	201	202	< 0.01	16	150	152	< 2	2	24	0.10	< 10	< 10	38	< 10	476
AA2490	201	202	< 0.01	12	220	150	< 2	2	31	0.07	< 10	< 10	39	< 10	532
AA2491	201	202	< 0.01	15	230	82	< 2	2	21	0.06	< 10	< 10	44	< 10	324
AA2492	201	202	< 0.01	10	150	26	< 2	1	17	0.06	< 10	< 10	36	< 10	218
AA2493	201	202	< 0.01	9	150	12	< 2	1	31	0.08	< 10	< 10	42	< 10	150
AA2494	201	202	< 0.01	7	120	8	< 2	1	18	0.06	< 10	< 10	34	< 10	134
AA2495	201	202	< 0.01	18	190	34	< 2	2	31	0.09	< 10	< 10	46	< 10	308

CERTIFICATION: Hart Fiddler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :4-A
Total Pages :4
Certificate Date: 21-SEP-1998
Invoice No. :19831074
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9831074

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA2496	201	202	0.2	0.71	18	60	< 0.5	< 2	0.18	< 0.5	5	14	3	1.66	< 10	< 1	0.08	30	0.13	495	< 1
AA2497	201	202	0.2	1.48	12	70	0.5	< 2	0.10	0.5	22	24	5	2.34	< 10	< 1	0.09	30	0.38	735	1
AA2498	201	202	0.8	2.28	28	100	1.5	2	0.24	0.5	57	56	23	4.84	10	< 1	0.09	20	0.60	795	3
AA2499	201	202	1.0	2.04	48	60	2.5	2	0.40	1.5	24	30	65	3.86	< 10	< 1	0.10	20	0.37	1270	3
AA2500	201	202	0.4	1.79	36	60	0.5	< 2	0.32	< 0.5	13	26	11	3.20	< 10	< 1	0.20	30	0.46	260	1
AA4491	201	202	15.4	2.87	< 2	90	4.5	2	0.92	0.5	13	33	40	4.12	< 10	< 1	0.38	60	1.20	3830	3

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 4-B
Total Pages : 4
Certificate Date: 21-SEP-1998
Invoice No. : I9831074
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831074

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA2496	201	202	< 0.01	6	200	26	< 2	1	25	0.07	< 10	< 10	39	< 10	190
AA2497	201	202	< 0.01	14	180	56	< 2	2	12	0.07	< 10	< 10	37	< 10	294
AA2498	201	202	< 0.01	52	350	142	< 2	3	37	0.10	< 10	< 10	75	< 10	386
AA2499	201	202	< 0.01	81	300	184	< 2	3	48	0.10	< 10	< 10	44	< 10	906
AA2500	201	202	< 0.01	26	220	32	< 2	3	37	0.07	< 10	< 10	37	< 10	236
AA4491	201	202	< 0.01	17	1070	132	< 2	5	85	< 0.01	< 10	< 10	37	< 10	228

CERTIFICATION: Hartfiller

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 15-SEP-1998
Invoice No. : I9831035
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831035

SAMPLE	PREP CODE	Ag con g/t
451515	244 --	7462.9

CERTIFICATION: _____

OVERLIMITS from A9830671

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 15-SEP-1998
Invoice No. : I9831033
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9831033

SAMPLE	PREP CODE		Ag con g/t
451576	244	--	12376.0

CERTIFICATION: _____

OVERLIMITS from A9830518

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 13-SEP-1998
Invoice No. : 19830671
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830671

SAMPLE	PREP CODE	Ag FA g/t	Pb %	Zn %
059443	244 --	-----	-----	10.20
451509	244 --	1070	5.85	6.83
451512	244 --	-----	-----	7.29
451514	244 --	-----	-----	6.54
451515	244 --	>3500	18.10	7.36
451521	244 --	3190	18.00	11.00
451522	244 --	896	-----	-----
451524	244 --	231	-----	-----
451525	244 --	224	-----	10.30
451528	244 --	-----	-----	8.64
451531	244 --	308	-----	-----
451534	244 --	322	-----	-----
451537	244 --	839	8.30	14.40
451542	244 --	-----	-----	5.31
451545	244 --	317	15.30	-----
451551	244 --	363	20.1	9.88
451558	244 --	2190	5.90	-----

CERTIFICATION: Said Leung +

OVERLIMITS from A9829682

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :1-A
Total Pages :4
Certificate Date: 16-SEP-1998
Invoice No. :I9830532
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9830532

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
059404	205	294	96.8	0.72	32	60	1.0	< 2	0.06	17.0	4	66	213	3.22	< 10	< 1	0.38	30	0.04	>10000	3
059405	205	294	3.2	1.12	64	80	1.0	< 2	0.10	0.5	2	94	59	1.61	< 10	< 1	0.35	40	0.17	220	10
059408	205	294	3.8	1.47	48	80	2.0	< 2	0.19	3.5	10	60	56	2.41	< 10	< 1	0.38	40	0.26	3870	2
059412	205	294	9.4	0.77	28	30	1.5	< 2	0.16	4.5	3	62	140	2.84	< 10	< 1	0.29	40	0.03	3200	73
059413	205	294	7.6	1.01	18	90	1.0	< 2	0.13	6.0	6	54	15	2.78	< 10	< 1	0.41	50	0.10	8780	1
059423	205	294	2.2	0.68	66	60	1.0	< 2	0.13	6.0	3	68	17	3.06	< 10	< 1	0.37	40	0.02	7540	7
059424	205	294	56.6	0.17	5300	30	0.5	< 2	0.08	241	4	58	873	11.85	< 10	< 1	0.08	< 10	0.21	>10000	< 1
059425	205	294	5.4	0.66	436	60	1.0	< 2	0.13	21.0	4	66	71	3.74	< 10	< 1	0.38	30	0.06	9990	8
059426	205	294	19.0	0.34	166	30	0.5	< 2	0.13	57.5	4	51	122	6.09	< 10	< 1	0.23	10	0.14	>10000	4
059427	205	294	2.6	0.48	52	50	1.0	< 2	0.17	9.0	5	51	20	2.23	< 10	< 1	0.30	30	0.03	4700	5
451538	205	294	4.4	0.72	128	60	1.0	< 2	0.18	3.0	17	15	32	4.07	< 10	< 1	0.38	10	0.33	6240	38
451539	205	294	0.2	2.69	6	40	0.5	< 2	1.89	0.5	14	59	23	2.79	< 10	< 1	0.26	30	0.72	155	3
451541	205	294	1.0	2.09	18	10	1.5	< 2	2.77	40.5	11	51	78	2.54	< 10	< 1	0.16	40	0.87	7260	57
451543	205	294	21.2	0.97	198	30	1.5	< 2	0.46	157.5	12	25	71	12.80	< 10	< 1	0.13	10	0.19	>10000	95
451544	205	294	5.2	2.65	58	50	1.5	< 2	3.49	58.5	9	47	28	4.28	< 10	< 1	0.13	20	0.51	>10000	44
451546	205	294	68.2	1.76	1225	30	2.0	< 2	0.38	36.5	12	44	106	5.61	< 10	< 1	0.28	50	0.39	>10000	9
451547	205	294	4.8	2.95	106	20	1.5	< 2	3.06	11.0	12	67	48	3.50	< 10	< 1	0.18	30	0.38	3960	6
451548	205	294	58.4	1.92	64	30	1.5	< 2	0.89	18.0	15	51	63	5.82	< 10	< 1	0.29	40	0.63	>10000	12
451549	205	294	>100.0	0.67	22	10	0.5	< 2	0.30	113.0	7	31	52	12.00	< 10	< 1	0.21	10	0.12	>10000	8
451552	205	294	1.0	0.99	< 2	< 10	< 0.5	2	>15.00	5.0	2	16	7	0.65	< 10	< 1	0.01	10	0.10	870	< 1
451560	205	294	1.0	1.03	8	60	1.5	< 2	0.27	1.5	6	38	9	2.16	< 10	< 1	0.27	50	0.18	2250	1
451561	205	294	1.8	0.85	34	40	1.0	< 2	0.68	2.0	4	38	12	2.66	< 10	< 1	0.24	40	0.09	5440	2
451562	205	294	0.2	0.86	10	30	1.0	< 2	0.19	1.0	6	43	6	2.09	< 10	< 1	0.19	50	0.07	3100	1
451567	205	294	< 0.2	0.73	14	40	1.5	< 2	0.19	0.5	5	41	6	1.84	< 10	< 1	0.25	40	0.09	990	< 1
451568	205	294	1.2	1.09	2	90	0.5	< 2	0.17	0.5	3	54	17	1.69	< 10	< 1	0.39	30	0.34	625	1
451570	205	294	4.8	1.09	8	60	0.5	< 2	0.16	1.5	4	54	34	1.88	< 10	< 1	0.35	30	0.28	2010	1
451571	205	294	7.2	0.92	42	50	1.0	< 2	0.18	2.5	7	56	106	1.90	< 10	< 1	0.27	30	0.16	2400	13
451572	205	294	2.8	0.60	50	60	0.5	< 2	0.11	< 0.5	1	51	57	1.52	< 10	< 1	0.30	20	0.04	205	11
451573	205	294	0.8	1.04	52	100	0.5	< 2	0.21	< 0.5	2	58	68	2.63	< 10	< 1	0.34	40	0.12	115	9
451574	205	294	1.2	1.01	108	60	0.5	< 2	0.18	< 0.5	2	58	34	2.32	< 10	< 1	0.31	40	0.13	240	16
451575	205	294	11.0	0.70	56	50	0.5	< 2	0.07	9.0	4	57	71	3.04	< 10	< 1	0.38	40	0.05	8870	2
451577	205	294	9.0	0.75	170	30	0.5	< 2	0.07	4.5	1	68	145	2.17	< 10	< 1	0.36	40	0.02	2940	1
451579	205	294	36.2	0.69	496	40	1.0	< 2	0.09	5.5	1	62	349	3.04	< 10	< 1	0.32	40	0.03	4600	1
451580	205	294	1.8	0.88	26	50	1.0	< 2	0.12	4.5	2	44	37	2.06	< 10	< 1	0.29	40	0.11	1700	1
451581	205	294	2.2	1.27	18	90	1.0	< 2	0.15	5.5	6	46	33	1.86	< 10	< 1	0.30	40	0.27	1580	3
451582	205	294	2.6	1.03	12	70	0.5	< 2	0.16	3.0	6	46	40	1.73	< 10	< 1	0.31	40	0.23	1445	1
451583	205	294	5.0	0.74	26	70	0.5	< 2	0.07	0.5	2	58	34	1.76	< 10	< 1	0.31	30	0.07	320	3
451584	205	294	1.0	0.89	6	90	0.5	< 2	0.16	1.5	5	49	103	2.01	< 10	< 1	0.28	30	0.25	530	3
451585	205	294	15.2	0.88	54	80	1.0	6	0.08	2.0	3	65	316	4.58	< 10	< 1	0.25	30	0.10	235	66
451586	205	294	2.0	1.09	6	130	< 0.5	< 2	0.19	0.5	4	51	66	1.84	< 10	< 1	0.39	30	0.37	355	1

CERTIFICATION: Ian Fuller

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218


To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 4
Certificate Date: 16-SEP-1998
Invoice No. : I9830532
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830532

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	WO3 %
059404	205	294	< 0.01	1	480	6360	36	1	15	< 0.01	< 10	< 10	4	< 10	4130	-----
059405	205	294	0.01	1	410	320	< 2	1	49	< 0.01	< 10	< 10	10	< 10	600	-----
059408	205	294	< 0.01	3	780	490	< 2	3	19	< 0.01	< 10	< 10	20	< 10	1735	-----
059412	205	294	< 0.01	< 1	1010	2970	4	2	18	< 0.01	< 10	10	5	< 10	2200	-----
059413	205	294	< 0.01	1	680	870	< 2	2	18	< 0.01	< 10	< 10	11	< 10	1650	-----
059423	205	294	< 0.01	3	570	1150	< 2	1	39	< 0.01	< 10	< 10	3	< 10	1575	-----
059424	205	294	0.87	1	80	264	26	< 1	29	< 0.01	< 10	10	3	< 10	>10000	-----
059425	205	294	0.01	4	530	954	2	1	31	< 0.01	< 10	10	3	< 10	6940	-----
059426	205	294	0.05	1	380	6070	2	1	20	< 0.01	< 10	< 10	2	< 10	>10000	-----
059427	205	294	< 0.01	4	610	1110	< 2	1	17	< 0.01	< 10	< 10	2	< 10	1885	-----
451538	205	294	< 0.01	43	560	146	< 2	2	11	< 0.01	< 10	< 10	7	< 10	1205	-----
451539	205	294	0.10	52	960	22	< 2	4	156	0.11	< 10	< 10	35	< 10	250	-----
451541	205	294	0.18	25	960	182	< 2	4	82	0.04	< 10	< 10	24	< 10	>10000	-----
451543	205	294	0.84	17	460	>10000	< 2	3	162	0.01	< 10	10	10	< 10	>10000	-----
451544	205	294	0.52	14	540	1515	< 2	4	158	0.07	< 10	< 10	44	< 10	>10000	-----
451546	205	294	0.07	34	480	>10000	14	6	29	< 0.01	< 10	< 10	33	< 10	>10000	-----
451547	205	294	0.03	46	460	806	< 2	6	98	0.06	< 10	< 10	42	< 10	6070	-----
451548	205	294	0.03	44	780	>10000	22	6	115	0.04	< 10	< 10	34	< 10	7030	-----
451549	205	294	0.12	7	1180	>10000	48	4	96	< 0.01	< 10	10	9	< 10	>10000	-----
451552	205	294	< 0.01	4	430	378	< 2	1	734	0.03	< 10	< 10	6	< 10	1200	-----
451560	205	294	< 0.01	3	610	590	< 2	2	17	< 0.01	< 10	< 10	13	< 10	948	-----
451561	205	294	< 0.01	3	490	530	< 2	1	42	< 0.01	< 10	< 10	9	< 10	1050	-----
451562	205	294	< 0.01	2	550	116	< 2	2	14	< 0.01	< 10	< 10	10	< 10	782	-----
451567	205	294	< 0.01	1	530	54	< 2	1	12	< 0.01	< 10	< 10	9	< 10	448	-----
451568	205	294	0.02	3	510	148	< 2	3	11	0.06	< 10	< 10	22	< 10	408	-----
451570	205	294	0.02	1	530	412	< 2	2	10	0.02	< 10	< 10	17	< 10	604	-----
451571	205	294	0.01	3	610	296	2	1	12	< 0.01	< 10	40	8	< 10	962	-----
451572	205	294	0.01	1	460	24	< 2	< 1	59	< 0.01	< 10	< 10	3	< 10	234	-----
451573	205	294	< 0.01	3	650	44	< 2	< 1	104	< 0.01	< 10	< 10	12	< 10	290	-----
451574	205	294	< 0.01	2	550	174	< 2	1	68	< 0.01	< 10	< 10	10	< 10	298	-----
451575	205	294	< 0.01	2	520	1930	6	1	10	< 0.01	< 10	< 10	4	< 10	1680	-----
451577	205	294	< 0.01	< 1	450	3300	8	1	28	< 0.01	< 10	< 10	3	< 10	996	-----
451579	205	294	< 0.01	< 1	530	4300	60	1	15	< 0.01	< 10	< 10	4	< 10	1605	-----
451580	205	294	< 0.01	1	660	838	2	2	20	< 0.01	< 10	< 10	12	< 10	1195	-----
451581	205	294	0.01	2	630	354	2	3	22	0.02	< 10	< 10	22	< 10	1235	-----
451582	205	294	0.02	2	610	698	< 2	2	11	0.01	< 10	< 10	18	< 10	1090	-----
451583	205	294	< 0.01	1	470	382	< 2	1	42	< 0.01	< 10	< 10	7	< 10	432	-----
451584	205	294	0.03	2	600	1250	< 2	3	14	0.03	< 10	< 10	22	< 10	1090	-----
451585	205	294	0.02	1	530	4430	22	1	31	< 0.01	< 10	< 10	12	< 10	1940	-----
451586	205	294	0.03	1	580	1960	< 2	4	14	0.07	< 10	< 10	32	< 10	762	-----

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :4
Certificate Date: 16-SEP-1998
Invoice No. :19830532
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9830532

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
451587	205	294	10.8	0.65	62	40	1.5	< 2	0.05	0.5	2	89	147	2.12	< 10	< 1	0.39	30	0.02	985	24
451589	205	294	9.6	0.66	132	70	0.5	< 2	0.04	< 0.5	1	69	95	2.25	< 10	< 1	0.42	30	0.05	155	20
451590	205	294	9.6	0.96	34	50	1.5	< 2	0.12	6.0	7	75	109	2.27	< 10	< 1	0.29	40	0.11	6340	15
451591	205	294	26.0	0.40	310	40	0.5	< 2	0.01	0.5	1	97	128	2.55	< 10	< 1	0.28	20	0.01	165	7
451592	205	294	2.6	1.05	40	90	0.5	< 2	0.14	5.5	13	78	147	1.66	< 10	< 1	0.31	30	0.28	3500	10
451593	205	294	1.4	0.81	26	60	0.5	< 2	0.15	3.0	6	83	148	1.53	< 10	< 1	0.27	30	0.16	1570	9
451594	205	294	2.2	0.99	112	110	0.5	< 2	0.16	1.5	3	91	110	2.51	< 10	< 1	0.40	30	0.14	250	21
451595	205	294	9.6	0.50	72	50	1.0	< 2	0.12	9.0	5	111	122	3.02	< 10	< 1	0.28	30	0.03	9090	12
451596	205	294	>100.0	0.61	1590	60	1.5	8	0.08	6.5	3	85	681	3.11	< 10	< 1	0.27	30	0.04	2820	62
451598	205	294	53.0	0.54	118	80	< 0.5	192	0.06	< 0.5	1	104	30	1.39	< 10	< 1	0.37	30	0.03	160	11
451599	205	294	13.6	1.06	154	70	0.5	140	0.18	3.0	11	95	145	2.41	< 10	< 1	0.27	30	0.16	1435	14
451600	205	294	4.8	0.63	216	40	0.5	2	0.12	2.5	4	95	74	1.59	< 10	< 1	0.28	30	0.05	1240	16
451601	205	294	5.6	0.63	162	50	0.5	< 2	0.12	4.0	5	98	70	2.25	< 10	< 1	0.29	30	0.07	1740	25
451602	205	294	2.6	0.72	142	50	0.5	< 2	0.21	5.0	4	78	94	1.73	< 10	< 1	0.28	30	0.09	2550	23
451603	205	294	2.6	0.77	112	50	0.5	< 2	0.22	2.0	4	105	55	1.71	< 10	< 1	0.31	30	0.11	1495	21
451604	205	294	0.6	0.85	36	40	1.0	< 2	0.17	3.5	6	112	68	1.59	< 10	< 1	0.27	30	0.10	3410	20
451605	205	294	1.0	0.93	68	80	0.5	< 2	0.16	0.5	5	101	54	1.97	< 10	< 1	0.34	30	0.14	435	13
451606	205	294	0.8	0.69	178	50	0.5	< 2	0.16	< 0.5	2	95	61	1.91	< 10	< 1	0.31	30	0.08	350	8
451607	205	294	3.4	0.59	186	50	0.5	< 2	0.18	3.0	4	127	73	1.88	< 10	< 1	0.25	20	0.05	2820	50
451608	205	294	3.0	0.51	136	60	0.5	2	0.09	< 0.5	1	115	61	1.92	< 10	< 1	0.37	30	0.02	105	9
451609	205	294	1.2	0.92	158	30	1.0	< 2	0.16	< 0.5	4	106	112	1.99	< 10	< 1	0.24	40	0.13	195	13
451610	205	294	0.8	1.43	72	40	1.5	< 2	0.18	1.5	8	130	65	2.68	< 10	< 1	0.27	30	0.32	1685	21
451611	205	294	< 0.2	3.03	< 2	30	0.5	< 2	6.97	< 0.5	10	50	47	2.28	< 10	< 1	0.12	30	0.60	135	3
451612	205	294	0.2	2.02	2	30	< 0.5	< 2	0.99	< 0.5	13	69	288	3.39	< 10	< 1	0.11	30	0.68	140	63
451613	205	294	< 0.2	0.51	< 2	< 10	< 0.5	< 2	>15.00	2.0	3	12	27	0.45	< 10	< 1	< 0.01	< 10	0.05	195	1
451614	205	294	< 0.2	0.48	< 2	< 10	< 0.5	< 2	>15.00	< 0.5	1	10	9	0.48	< 10	1	< 0.01	< 10	0.14	175	< 1
451615	205	294	< 0.2	0.63	< 2	< 10	0.5	< 2	>15.00	< 0.5	3	13	11	0.95	< 10	1	0.01	< 10	0.16	405	< 1
451616	205	294	< 0.2	0.58	< 2	10	< 0.5	< 2	>15.00	< 0.5	2	7	9	0.84	< 10	1	0.01	< 10	0.23	170	< 1
451617	205	294	< 0.2	1.17	< 2	< 10	0.5	4	>15.00	0.5	1	25	3	0.74	< 10	< 1	0.01	10	0.47	855	1
451618	205	294	< 0.2	1.26	< 2	20	0.5	2	>15.00	0.5	4	17	40	1.23	< 10	< 1	0.02	10	0.34	395	< 1
451619	205	294	< 0.2	1.35	4	10	0.5	< 2	>15.00	< 0.5	5	28	13	1.53	< 10	< 1	0.05	20	0.29	315	< 1
451620	205	294	1.4	2.90	86	30	1.5	< 2	3.15	2.5	16	64	72	3.58	< 10	< 1	0.34	50	0.76	1445	4
451621	205	294	< 0.2	3.34	6	10	1.0	22	2.35	< 0.5	15	58	60	3.84	10	< 1	0.18	40	0.69	185	3
451622	205	294	< 0.2	3.14	8	40	1.0	< 2	3.24	0.5	13	52	23	2.57	< 10	< 1	0.12	30	0.64	525	3
451623	205	294	4.8	3.39	62	30	2.0	< 2	3.79	6.0	19	78	41	5.28	10	< 1	0.26	50	1.39	3180	5
451624	205	294	12.6	1.64	14	30	1.5	4	11.60	51.5	8	25	83	3.55	< 10	< 1	0.18	20	0.41	>10000	1
451625	205	294	< 0.2	2.40	< 2	10	0.5	12	11.90	3.5	4	48	22	1.38	< 10	< 1	0.01	30	0.23	1025	1
451626	205	294	1.6	2.99	46	30	1.5	< 2	1.46	0.5	15	53	209	6.54	10	< 1	0.23	40	0.93	1960	16
451627	205	294	50.2	2.52	80	40	1.5	< 2	0.61	10.5	16	59	49	4.40	< 10	< 1	0.39	40	0.69	4240	10
451629	205	294	3.6	2.94	66	30	1.5	2	1.40	8.0	16	59	58	3.92	< 10	< 1	0.27	50	0.81	2420	5

CERTIFICATION: Hawthorne

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Pa ber :2-B
Tot ges :4
Certificate Date: 16-SEP-1998
Invoice No. :19830532
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9830532

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	WO3 %
451587	205	294	< 0.01	1	510	720	2	< 1	14	< 0.01	< 10	10	3	< 10	808	-----
451589	205	294	< 0.01	1	550	946	< 2	< 1	39	< 0.01	< 10	< 10	3	< 10	514	-----
451590	205	294	< 0.01	3	590	1050	< 2	1	10	< 0.01	< 10	< 10	8	< 10	954	-----
451591	205	294	< 0.01	1	220	728	6	< 1	17	< 0.01	< 10	< 10	3	< 10	460	-----
451592	205	294	0.03	5	500	266	< 2	2	11	0.03	< 10	< 10	17	< 10	634	-----
451593	205	294	0.02	4	530	104	< 2	1	14	0.01	< 10	< 10	10	< 10	886	-----
451594	205	294	0.01	2	540	84	< 2	1	70	< 0.01	< 10	< 10	12	< 10	638	-----
451595	205	294	< 0.01	4	500	818	2	1	20	< 0.01	< 10	< 10	3	< 10	1760	-----
451596	205	294	< 0.01	3	480	>10000	200	1	49	< 0.01	< 10	10	4	< 10	1340	-----
451598	205	294	< 0.01	1	240	946	6	< 1	47	< 0.01	< 10	< 10	4	< 10	172	-----
451599	205	294	0.01	4	570	1220	4	2	28	< 0.01	< 10	< 10	13	60	724	-----
451600	205	294	< 0.01	3	400	240	2	1	21	< 0.01	< 10	< 10	6	< 10	880	-----
451601	205	294	< 0.01	4	520	424	2	1	38	< 0.01	< 10	< 10	6	30	1210	-----
451602	205	294	< 0.01	4	550	144	< 2	1	49	< 0.01	< 10	< 10	6	< 10	1040	-----
451603	205	294	< 0.01	5	420	162	< 2	1	52	< 0.01	< 10	< 10	8	10	720	-----
451604	205	294	< 0.01	5	510	62	< 2	1	28	< 0.01	< 10	< 10	7	< 10	966	-----
451605	205	294	< 0.01	3	490	44	< 2	1	36	< 0.01	< 10	< 10	11	< 10	404	-----
451606	205	294	< 0.01	2	430	24	< 2	< 1	33	< 0.01	< 10	< 10	8	< 10	376	-----
451607	205	294	< 0.01	5	390	226	< 2	< 1	26	< 0.01	< 10	< 10	5	< 10	714	-----
451608	205	294	< 0.01	1	330	32	< 2	< 1	33	< 0.01	< 10	< 10	3	< 10	266	-----
451609	205	294	< 0.01	3	610	58	< 2	1	18	< 0.01	< 10	< 10	8	< 10	738	-----
451610	205	294	< 0.01	16	400	32	< 2	2	19	< 0.01	< 10	< 10	17	< 10	1010	-----
451611	205	294	0.17	30	780	14	< 2	4	552	0.09	< 10	< 10	32	< 10	92	-----
451612	205	294	0.07	30	1070	10	< 2	6	160	0.14	< 10	< 10	56	< 10	62	-----
451613	205	294	< 0.01	5	350	18	< 2	< 1	1005	0.01	< 10	< 10	3	< 10	408	-----
451614	205	294	0.01	6	290	12	< 2	< 1	2010	0.01	< 10	< 10	4	< 10	166	-----
451615	205	294	< 0.01	10	210	14	< 2	2	933	< 0.01	< 10	< 10	9	< 10	346	-----
451616	205	294	0.01	7	230	12	< 2	< 1	1275	0.01	< 10	< 10	6	< 10	282	-----
451617	205	294	< 0.01	6	460	10	< 2	1	792	0.05	< 10	< 10	9	< 10	338	-----
451618	205	294	0.01	11	410	10	< 2	2	1020	0.02	< 10	< 10	13	< 10	262	-----
451619	205	294	0.01	14	270	32	< 2	3	1170	< 0.01	< 10	< 10	17	< 10	106	-----
451620	205	294	0.05	47	520	182	< 2	7	243	0.10	< 10	< 10	36	< 10	822	-----
451621	205	294	0.09	28	420	8	< 2	6	369	0.13	< 10	< 10	35	< 10	94	-----
451622	205	294	0.01	28	350	10	< 2	5	228	0.11	< 10	< 10	27	< 10	232	-----
451623	205	294	< 0.01	51	370	1590	2	7	252	< 0.01	< 10	< 10	48	< 10	1970	-----
451624	205	294	0.08	14	620	4440	< 2	4	1290	0.03	< 10	< 10	11	< 10	>10000	-----
451625	205	294	0.03	10	570	38	< 2	3	908	0.08	< 10	< 10	13	< 10	1190	-----
451626	205	294	< 0.01	38	1250	72	2	6	45	0.01	< 10	< 10	38	< 10	562	-----
451627	205	294	0.04	35	420	>10000	20	6	61	0.02	< 10	< 10	28	< 10	3620	-----
451629	205	294	0.01	36	500	890	2	7	110	0.06	< 10	< 10	32	< 10	2690	-----

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Pa nber :3-A
Tota ages :4
Certificate Date: 16-SEP-1998
Invoice No. :I9830532
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9830532

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
451630	205	294	2.4	2.55	34	20	1.0	< 2	2.53	8.0	12	73	25	3.13	< 10	< 1	0.20	40	0.89	2200	3
451631	205	294	2.4	2.61	40	50	1.5	< 2	1.18	16.0	15	58	27	3.78	10	< 1	0.32	50	0.98	2820	16
451632	205	294	3.6	2.27	26	40	1.5	< 2	4.86	44.5	3	39	24	5.71	< 10	< 1	0.11	30	0.34	>10000	50
451634	205	294	57.4	1.03	88	10	1.5	18	0.12	110.5	2	18	51	10.90	< 10	< 1	0.42	40	0.07	>10000	4
451636	205	294	24.6	1.70	76	40	1.5	6	2.44	193.5	3	37	58	5.43	< 10	< 1	0.21	30	0.37	>10000	12
451641	205	294	3.4	1.46	< 2	10	1.0	8	>15.00	12.5	2	20	22	1.07	< 10	1	0.07	10	0.92	2560	11
451648	205	294	2.8	2.56	38	40	2.0	2	5.59	11.0	9	52	37	6.37	10	< 1	0.20	30	0.57	>10000	57
451652	205	294	1.4	3.07	48	40	0.5	< 2	2.90	2.5	12	50	39	3.37	10	< 1	0.14	30	0.51	1110	5
451654	205	294	0.2	3.63	12	50	2.0	< 2	4.30	< 0.5	16	66	305	4.98	10	< 1	0.20	30	0.82	2090	7
451655	205	294	0.8	2.80	36	20	2.0	< 2	8.31	< 0.5	7	51	188	6.46	20	< 1	0.14	30	0.64	4880	21
451656	205	294	0.2	2.42	12	40	2.0	< 2	1.00	< 0.5	14	78	240	4.08	10	< 1	0.21	40	0.81	1515	12
451657	205	294	< 0.2	2.52	4	30	0.5	< 2	5.09	0.5	16	70	309	6.31	20	1	0.13	10	0.74	2260	24
451658	205	294	< 0.2	1.96	2	50	0.5	< 2	1.54	< 0.5	8	90	89	4.38	10	< 1	0.49	10	1.00	805	13
451659	205	294	< 0.2	2.83	< 2	40	0.5	2	2.23	< 0.5	11	69	80	3.31	10	< 1	0.27	20	0.89	775	7
451660	205	294	< 0.2	2.69	10	10	0.5	< 2	5.51	< 0.5	8	67	85	5.38	10	< 1	0.13	10	0.77	1970	8
451661	205	294	0.4	3.18	2	30	1.5	< 2	3.55	1.0	14	68	279	4.96	10	< 1	0.18	30	0.98	1915	7
451662	205	294	0.4	3.57	6	60	1.0	< 2	0.99	< 0.5	19	89	263	5.13	10	< 1	0.54	40	1.34	580	4
451663	205	294	< 0.2	3.59	2	90	0.5	< 2	0.52	< 0.5	17	91	38	4.78	10	< 1	0.81	40	1.34	470	6
451664	205	294	< 0.2	3.58	12	60	0.5	< 2	2.83	< 0.5	16	78	83	4.43	10	< 1	0.51	30	1.00	1020	4
451665	205	294	< 0.2	2.43	4	30	0.5	< 2	1.58	< 0.5	14	70	112	3.99	10	1	0.22	40	0.83	635	4
451666	205	294	< 0.2	2.81	2	60	0.5	< 2	0.97	< 0.5	11	89	81	3.93	10	< 1	0.58	40	1.06	385	3
451667	205	294	< 0.2	2.32	6	30	0.5	< 2	1.06	< 0.5	14	69	123	3.82	10	< 1	0.14	40	0.74	335	4
451668	205	294	< 0.2	2.43	10	50	0.5	< 2	0.72	< 0.5	14	79	156	4.10	10	< 1	0.37	40	0.94	295	5
451669	205	294	< 0.2	3.06	26	30	0.5	< 2	2.62	0.5	15	158	94	5.80	10	< 1	0.28	20	1.20	1510	9
451670	205	294	0.6	2.76	24	40	0.5	< 2	1.60	< 0.5	14	76	75	5.26	10	< 1	0.48	30	1.02	1120	16
451671	205	294	4.0	2.24	420	40	1.5	334	0.49	1.0	12	51	677	7.21	10	< 1	0.44	50	0.53	625	22
451672	205	294	< 0.2	2.13	< 2	< 10	1.0	< 2	10.30	0.5	7	39	113	8.61	40	< 1	0.01	< 10	0.13	5190	83
451673	205	294	1.0	1.06	< 2	10	< 0.5	< 2	6.26	0.5	13	14	535	11.55	50	< 1	0.03	< 10	0.03	2840	361
451674	205	294	< 0.2	2.13	< 2	10	1.0	6	8.02	0.5	31	30	194	7.21	20	< 1	0.02	< 10	0.17	6860	78
451675	205	294	< 0.2	2.53	2	< 10	0.5	< 2	6.66	1.0	8	47	88	6.09	10	3	0.05	10	0.52	3090	24
451676	205	294	0.2	3.07	26	20	2.5	< 2	1.48	2.0	28	45	240	4.53	10	< 1	0.19	50	0.67	3030	45
451677	205	294	0.2	3.10	22	60	1.5	8	4.53	1.5	10	58	42	5.71	10	< 1	0.27	30	0.79	3470	6
451678	205	294	0.6	3.18	20	80	1.5	< 2	0.45	0.5	17	80	98	4.96	10	< 1	0.55	60	1.32	970	4
451679	205	294	< 0.2	3.71	2	70	1.5	10	2.01	< 0.5	17	71	235	5.50	10	< 1	0.32	50	1.23	1000	3
451680	205	294	< 0.2	3.19	10	30	2.5	4	5.19	0.5	8	62	130	3.79	10	1	0.13	40	0.89	2520	2
451681	205	294	2.2	3.23	44	30	4.5	2	3.50	0.5	17	46	1540	12.50	30	< 1	0.20	20	0.68	2730	9
451682	205	294	3.4	1.48	< 2	10	2.5	< 2	1.80	1.0	31	27	5180	>15.00	20	< 1	0.17	10	0.26	245	9
451683	205	294	< 0.2	2.66	8	30	10.0	44	3.52	0.5	9	56	265	5.31	10	< 1	0.19	30	0.64	1650	5
451684	205	294	< 0.2	2.20	20	80	0.5	< 2	0.30	< 0.5	12	78	97	3.87	10	3	0.73	20	0.89	655	1
451685	205	294	0.2	3.91	18	40	0.5	10	1.01	< 0.5	57	78	462	7.68	10	< 1	0.22	30	1.52	415	< 1

CERTIFICATION: Hawthorne

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-B
Total Pages :4
Certificate Date: 16-SEP-1998
Invoice No. :I9830532
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9830532

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	WO3 %
451630	205	294	0.02	28	350	356	2	6	160	0.07	< 10	< 10	33	< 10	2620	-----
451631	205	294	< 0.01	37	440	942	6	6	101	0.03	< 10	< 10	32	30	6620	-----
451632	205	294	< 0.01	14	470	1685	4	3	339	0.06	< 10	< 10	15	1410	>10000	-----
451634	205	294	< 0.01	6	510	>10000	28	6	43	< 0.01	< 10	< 10	10	< 10	>10000	-----
451636	205	294	< 0.01	21	310	>10000	8	4	89	0.01	< 10	< 10	14	< 10	>10000	-----
451641	205	294	< 0.01	7	370	318	< 2	1	1020	0.03	10	< 10	11	30	5360	-----
451648	205	294	< 0.01	22	630	2230	2	4	250	0.04	< 10	< 10	32	30	3870	-----
451652	205	294	0.07	40	1140	140	< 2	4	299	0.11	< 10	< 10	35	10	2690	-----
451654	205	294	0.10	31	610	20	2	6	218	0.05	< 10	< 10	43	120	132	-----
451655	205	294	< 0.01	23	520	14	< 2	5	293	0.02	< 10	< 10	41	230	264	-----
451656	205	294	0.02	34	370	< 2	< 2	5	90	< 0.01	< 10	< 10	41	50	92	-----
451657	205	294	0.12	30	670	< 2	< 2	4	95	0.03	< 10	< 10	52	430	86	-----
451658	205	294	0.01	19	450	4	2	4	16	0.04	< 10	< 10	46	240	80	-----
451659	205	294	0.08	25	500	6	< 2	5	119	0.10	< 10	< 10	43	30	66	-----
451660	205	294	0.04	20	420	< 2	< 2	4	65	0.06	< 10	< 10	41	440	78	-----
451661	205	294	0.04	36	510	< 2	< 2	6	134	0.09	< 10	< 10	43	80	460	-----
451662	205	294	0.06	39	530	< 2	< 2	8	110	0.12	< 10	< 10	63	50	196	-----
451663	205	294	0.05	36	480	6	< 2	8	48	0.13	< 10	< 10	64	< 10	108	-----
451664	205	294	0.11	33	760	< 2	< 2	6	273	0.13	< 10	< 10	51	20	96	-----
451665	205	294	0.10	33	500	< 2	< 2	6	176	0.15	< 10	< 10	48	40	84	-----
451666	205	294	0.12	29	590	16	< 2	8	97	0.16	< 10	< 10	58	10	104	-----
451667	205	294	0.12	34	520	2	< 2	5	124	0.13	< 10	< 10	44	< 10	102	-----
451668	205	294	0.09	33	470	2	6	6	82	0.11	< 10	< 10	51	30	86	-----
451669	205	294	0.04	54	540	8	4	6	94	0.07	< 10	< 10	54	160	296	-----
451670	205	294	0.01	31	470	28	< 2	4	29	0.02	< 10	< 10	44	310	280	-----
451671	205	294	0.06	24	510	92	8	6	60	0.02	< 10	< 10	27	780	394	-----
451672	205	294	< 0.01	11	410	2	< 2	2	18	0.03	< 10	10	24	200	216	-----
451673	205	294	< 0.01	4	1140	< 2	< 2	1	69	0.01	< 10	40	30	1860	190	-----
451674	205	294	< 0.01	14	700	< 2	2	2	54	0.03	< 10	10	27	900	232	-----
451675	205	294	0.06	17	490	< 2	< 2	3	161	0.04	< 10	< 10	23	210	318	-----
451676	205	294	0.10	33	510	228	< 2	6	203	0.07	< 10	< 10	30	60	812	-----
451677	205	294	0.03	30	520	74	< 2	5	127	0.05	< 10	< 10	32	20	354	-----
451678	205	294	0.03	35	530	50	< 2	7	44	0.02	< 10	< 10	57	< 10	238	-----
451679	205	294	0.13	37	650	6	< 2	6	121	0.12	< 10	< 10	52	90	144	-----
451680	205	294	0.06	26	880	< 2	< 2	6	138	0.10	< 10	< 10	44	20	258	-----
451681	205	294	0.03	20	530	8	< 2	5	53	0.05	< 10	< 10	44	800	264	0.33
451682	205	294	0.01	13	490	6	< 2	3	34	0.05	< 10	< 10	29	1120	138	0.29
451683	205	294	0.08	21	360	< 2	2	4	48	0.10	< 10	< 10	36	230	74	-----
451684	205	294	0.05	34	210	6	< 2	6	21	0.09	< 10	< 10	41	10	82	-----
451685	205	294	0.11	68	590	18	< 2	7	64	0.15	< 10	< 10	63	< 10	78	-----

CERTIFICATION: Ian Fischer

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 4-A
Total Pages : 4
Certificate Date: 16-SEP-1998
Invoice No. : I9830532
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830532

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
451686	205	294	< 0.2	2.49	68	130	0.5	< 2	3.12	< 0.5	17	54	237	5.26	< 10	< 1	0.13	20	0.93	1185	19
451793	205	294	2.6	1.00	14	50	1.0	< 2	0.22	2.5	5	60	18	1.99	< 10	< 1	0.33	50	0.14	3370	7
451795	205	294	4.4	0.93	58	40	1.0	< 2	0.20	2.5	4	77	37	1.92	< 10	< 1	0.26	40	0.12	3020	5
451799	205	294	5.4	1.14	16	40	1.0	< 2	0.21	5.0	3	60	30	1.81	< 10	< 1	0.24	50	0.15	2740	2
451800	205	294	1.4	0.75	24	30	1.0	< 2	0.18	4.0	4	72	18	1.81	< 10	< 1	0.29	40	0.08	3530	6

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 4-B
Total Pages : 4
Certificate Date: 16-SEP-1998
Invoice No. : I9830532
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830532

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	WO3 %
451686	205	294	0.02	41	260	8	< 2	4	168	0.06	< 10	< 10	34	710	88	-----
451793	205	294	< 0.01	3	580	450	< 2	1	18	< 0.01	< 10	< 10	6	< 10	1305	-----
451795	205	294	< 0.01	2	510	164	< 2	1	18	< 0.01	< 10	< 10	8	< 10	978	-----
451799	205	294	< 0.01	1	520	350	2	1	27	< 0.01	< 10	< 10	9	< 10	1570	-----
451800	205	294	< 0.01	2	550	232	< 2	1	14	< 0.01	< 10	< 10	6	< 10	2040	-----

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 18-SEP-1998
Invoice No. : 19830527
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830527

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm
451569	208	294	12	0.43	10	40	< 5	< 10	0.10	5	5	70	65	3.46	< 10	0.49	0.01	14440	< 5	< 0.01	< 5
451578	208	294	>200	0.67	1020	80	< 5	10	0.32	30	5	10	5590	10.35	< 10	0.24	0.25	27000	5	0.04	< 5
451588	208	294	35	0.61	250	40	< 5	< 10	0.04	< 5	< 5	10	100	3.24	< 10	0.70	0.02	190	130	< 0.01	< 5
451597	208	294	96	0.32	6720	40	< 5	20	0.05	50	5	80	340	2.44	< 10	0.27	0.02	2390	30	< 0.01	< 5
451628	208	294	>200	0.22	90	< 20	< 5	< 10	0.05	45	< 5	30	115	3.45	< 10	0.14	0.03	5610	45	< 0.01	< 5
451633	208	294	7	0.43	30	< 20	< 5	< 10	0.16	115	5	10	20	28.4	< 10	0.21	0.09	>50000	10	< 0.01	15
451635	208	294	33	0.60	60	< 20	< 5	< 10	0.08	390	5	10	105	>30.0	< 10	0.16	0.06	>50000	< 5	< 0.01	< 5
451637	208	294	106	0.41	90	20	< 5	< 10	0.33	145	< 5	10	105	21.1	< 10	0.11	0.13	>50000	55	< 0.01	10
451638	208	294	51	0.64	70	< 20	< 5	< 10	0.26	105	< 5	10	55	26.5	< 10	0.21	0.09	>50000	20	< 0.01	5
451639	208	294	>200	0.60	60	< 20	< 5	< 10	0.19	155	5	20	105	11.90	< 10	0.17	0.21	46900	40	< 0.01	5
451640	208	294	24	2.25	200	40	< 5	< 10	0.63	20	20	80	125	4.67	< 10	0.45	0.87	11100	25	0.01	40
451642	208	294	21	1.17	230	20	< 5	< 10	0.62	100	5	20	90	17.25	< 10	0.24	0.44	>50000	60	< 0.01	15
451643	208	294	20	0.72	120	20	< 5	< 10	0.19	185	15	10	75	27.1	< 10	0.18	0.14	>50000	110	< 0.01	15
451644	208	294	54	0.78	260	20	< 5	< 10	0.25	195	< 5	10	435	29.2	< 10	0.19	0.15	>50000	100	< 0.01	15
451645	208	294	49	1.30	290	40	< 5	< 10	0.30	130	10	40	135	21.3	< 10	0.22	0.32	>50000	35	< 0.01	30
451646	208	294	89	0.68	70	< 20	< 5	< 10	0.18	65	< 5	10	80	23.8	< 10	0.23	0.09	>50000	15	< 0.01	15
451647	208	294	>200	0.25	10	< 20	< 5	< 10	0.09	160	5	10	95	22.6	< 10	0.11	0.01	>50000	15	< 0.01	10
451649	208	294	5	0.33	20	< 20	< 5	< 10	0.24	60	5	< 10	45	>30.0	< 10	0.18	0.04	>50000	70	< 0.01	15
451650	208	294	5	0.65	80	20	< 5	< 10	0.23	60	5	10	45	28.0	< 10	0.16	0.13	>50000	25	< 0.01	10
451651	208	294	>200	0.21	2000	< 20	< 5	< 10	0.05	225	5	10	1055	3.59	< 10	0.09	0.01	4490	< 5	< 0.01	5
451653	208	294	54	0.52	50	< 20	< 5	< 10	0.12	95	15	10	50	27.0	< 10	0.20	0.06	>50000	< 5	< 0.01	5

CERTIFICATION: Hart Fichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 18-SEP-1998
Invoice No. : I9830527
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830527

SAMPLE	PREP CODE		P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
451569	208	294	600	1135	10	< 5	20	< 0.01	< 20	< 20	< 20	< 20	1560
451578	208	294	500	>50000	5090	< 5	20	0.05	< 20	< 20	20	< 20	7550
451588	208	294	500	1980	< 10	< 5	20	< 0.01	< 20	20	< 20	< 20	810
451597	208	294	200	5260	50	< 5	30	< 0.01	< 20	< 20	< 20	< 20	17320
451628	208	294	< 100	>50000	1080	< 5	40	< 0.01	< 20	< 20	< 20	< 20	12300
451633	208	294	400	635	10	< 5	205	< 0.01	< 20	< 20	< 20	< 20	26400
451635	208	294	600	4170	20	< 5	130	< 0.01	< 20	< 20	< 20	< 20	>50000
451637	208	294	400	>50000	40	< 5	105	0.01	< 20	< 20	< 20	< 20	>50000
451638	208	294	400	30000	30	< 5	270	< 0.01	< 20	< 20	< 20	40	38700
451639	208	294	600	>50000	320	< 5	65	< 0.01	< 20	< 20	< 20	< 20	38100
451640	208	294	1000	4970	10	5	50	0.01	< 20	< 20	40	< 20	25300
451642	208	294	500	8840	< 10	< 5	165	0.01	< 20	< 20	< 20	140	38000
451643	208	294	400	11390	50	< 5	325	< 0.01	< 20	< 20	< 20	< 20	36500
451644	208	294	600	10350	10	< 5	270	0.01	< 20	< 20	< 20	140	36700
451645	208	294	1000	28600	10	5	190	0.01	< 20	< 20	20	140	37500
451646	208	294	400	48700	70	< 5	130	< 0.01	< 20	< 20	< 20	< 20	12970
451647	208	294	300	>50000	140	< 5	130	< 0.01	< 20	< 20	< 20	< 20	25300
451649	208	294	400	4270	10	< 5	505	< 0.01	< 20	< 20	< 20	< 20	21700
451650	208	294	600	1365	10	< 5	265	< 0.01	< 20	< 20	< 20	< 20	17400
451651	208	294	< 100	>50000	1120	< 5	35	< 0.01	< 20	< 20	< 20	20	>50000
451653	208	294	500	38400	10	< 5	80	< 0.01	< 20	< 20	< 20	< 20	19660

CERTIFICATION: Ian Ruddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 15-SEP-1998
Invoice No. : I9830518
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830518

SAMPLE	PREP CODE		Ag FA g/t	Pb %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
451576	208	226	>3500	26.8	>100.0	0.04	952	< 10	< 0.5	146	< 0.01	58.0	< 1	7	8370	0.65	< 10	< 1	< 0.01	< 10	< 0.01

CERTIFICATION: Hart Richler *+

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 15-SEP-1998
Invoice No. : I9830518
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830518

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
451576	208	226	85	< 1	< 0.01	4	< 10	>10000	>10000	< 1	4	< 0.01	< 10	< 10	< 1	40	9310

CERTIFICATION: Ian Ritchie

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 10-SEP-1998
Invoice No. : I9830480
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9830480

SAMPLE	PREP CODE		Ag con g/t
059415	244	--	5990.1

CERTIFICATION: _____

OVERLIMITS from A9828898

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 04-SEP-1998
Invoice No. : I9829684
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9829684

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0439	201	202	1.0	2.13	22	30	0.5	6	0.50	< 0.5	27	30	737	9.89	< 10	< 1	0.06	30	0.32	1385	13
AA0440	201	202	3.8	2.14	58	80	9.5	288	3.01	4.0	35	20	1500	9.23	10	< 1	0.11	20	0.43	3820	24
AA0441	201	202	0.8	1.54	18	40	< 0.5	< 2	0.13	< 0.5	3	15	17	2.23	< 10	< 1	0.06	30	0.22	195	3
AA2301	201	202	< 0.2	0.53	2	30	< 0.5	< 2	0.12	< 0.5	1	7	3	0.68	< 10	< 1	0.04	20	0.10	65	< 1
AA2302	201	202	0.2	1.46	10	50	< 0.5	< 2	0.10	< 0.5	3	14	5	2.14	< 10	< 1	0.07	30	0.18	130	< 1
AA2303	201	202	< 0.2	0.97	66	30	< 0.5	< 2	0.21	< 0.5	2	11	6	1.80	< 10	< 1	0.06	30	0.17	155	1
AA2304	201	202	1.2	1.27	6	60	0.5	2	0.16	< 0.5	3	17	18	1.37	< 10	< 1	0.08	20	0.16	120	1
AA2305	201	202	< 0.2	1.26	22	40	< 0.5	< 2	0.13	< 0.5	4	15	9	2.35	< 10	< 1	0.07	30	0.20	225	1
AA2306	201	202	2.8	2.39	36	130	2.0	< 2	1.51	3.5	11	22	70	2.43	< 10	< 1	0.11	50	0.35	1880	3
AA2307	201	202	0.2	1.64	32	50	0.5	2	0.27	< 0.5	4	20	16	2.23	< 10	< 1	0.12	40	0.32	275	4
AA2308	201	202	0.2	1.65	32	40	0.5	< 2	0.19	< 0.5	4	17	37	2.93	< 10	< 1	0.08	30	0.27	220	3
AA2309	201	202	0.2	1.14	24	30	< 0.5	< 2	0.25	< 0.5	3	14	12	1.43	< 10	< 1	0.08	40	0.22	200	2
AA2310	201	202	< 0.2	1.92	8	40	0.5	< 2	0.15	< 0.5	3	21	15	2.69	< 10	< 1	0.07	30	0.23	255	2
AA2312	201	202	0.2	1.44	12	40	0.5	< 2	0.15	< 0.5	3	16	12	1.87	< 10	< 1	0.07	40	0.22	140	3
AA2313	201	202	0.6	1.12	8	30	< 0.5	< 2	0.09	< 0.5	2	13	11	1.73	< 10	< 1	0.05	30	0.14	105	4
AA2314	201	202	0.2	0.91	8	40	< 0.5	< 2	0.09	< 0.5	1	13	7	1.14	< 10	< 1	0.05	30	0.12	120	5
AA2315	201	202	< 0.2	1.69	10	40	< 0.5	< 2	0.05	< 0.5	7	33	9	4.24	< 10	1	0.07	30	0.32	235	2
AA2316	201	202	0.6	0.83	12	20	< 0.5	< 2	0.07	< 0.5	1	9	6	1.10	< 10	< 1	0.04	20	0.09	105	1
AA2317	201	202	1.6	2.52	26	70	0.5	< 2	0.08	< 0.5	3	21	39	2.55	< 10	< 1	0.09	20	0.19	190	6
AA2318	201	202	0.2	1.07	< 2	30	< 0.5	< 2	0.11	< 0.5	1	8	6	0.68	< 10	< 1	0.04	40	0.07	70	1
AA2319	201	202	2.6	2.37	38	110	1.0	< 2	0.11	< 0.5	5	21	30	2.59	< 10	< 1	0.12	10	0.21	485	7
AA2320	201	202	0.2	1.46	22	30	< 0.5	< 2	0.31	< 0.5	3	15	6	4.01	10	< 1	0.05	30	0.13	445	19
AA2321	201	202	0.8	1.12	< 2	50	< 0.5	< 2	0.11	< 0.5	2	14	14	1.06	< 10	< 1	0.05	20	0.11	100	7
AA2322	201	202	1.0	1.37	10	40	< 0.5	< 2	0.16	< 0.5	3	17	8	1.77	< 10	< 1	0.09	30	0.23	170	2
AA2323	201	202	0.2	1.18	12	40	< 0.5	< 2	0.15	< 0.5	2	15	6	1.75	< 10	< 1	0.06	40	0.21	140	4
AA2324	201	202	0.6	1.10	12	60	< 0.5	< 2	0.10	< 0.5	6	12	15	2.09	< 10	< 1	0.06	30	0.08	190	4
AA2325	201	202	0.8	1.58	< 2	80	0.5	< 2	0.30	< 0.5	7	26	37	1.94	< 10	< 1	0.08	50	0.33	95	1
AA2326	201	202	< 0.2	1.32	6	70	< 0.5	< 2	0.31	< 0.5	11	20	14	2.01	< 10	< 1	0.09	30	0.36	705	2
AA2327	201	202	0.6	1.40	12	30	< 0.5	< 2	0.18	< 0.5	4	16	7	2.36	< 10	< 1	0.06	30	0.24	210	1
AA2328	201	202	< 0.2	1.12	16	30	< 0.5	< 2	0.26	< 0.5	3	14	10	1.79	< 10	< 1	0.09	30	0.26	205	1
AA2329	201	202	< 0.2	1.01	20	30	< 0.5	< 2	0.23	< 0.5	3	14	7	1.76	< 10	< 1	0.06	30	0.22	160	2
AA2330	201	202	1.0	0.94	< 2	40	< 0.5	< 2	0.17	< 0.5	1	13	12	0.82	< 10	< 1	0.08	30	0.12	85	1
AA2331	201	202	2.6	2.97	50	160	2.0	< 2	1.60	1.0	9	25	90	3.19	< 10	< 1	0.16	60	0.43	850	4
AA2332	201	202	1.0	1.63	14	90	0.5	< 2	0.52	< 0.5	5	22	16	2.10	< 10	< 1	0.10	40	0.40	250	1
AA2333	201	202	1.6	3.02	40	90	0.5	< 2	0.24	0.5	7	27	28	3.34	< 10	< 1	0.23	20	0.35	395	7
AA2334	201	202	< 0.2	1.03	24	40	< 0.5	< 2	0.21	< 0.5	4	15	11	1.57	< 10	< 1	0.08	40	0.26	260	< 1
AA2335	201	202	0.2	0.98	16	30	< 0.5	< 2	0.14	< 0.5	3	12	7	1.47	< 10	< 1	0.06	30	0.16	130	1
AA2336	201	202	1.2	1.30	10	30	< 0.5	< 2	0.12	< 0.5	3	16	6	1.92	< 10	< 1	0.07	30	0.22	170	1
AA2337	201	202	2.0	2.47	32	110	2.0	< 2	1.43	< 0.5	8	14	88	2.49	< 10	< 1	0.14	10	0.27	800	6
AA2338	201	202	3.0	2.52	14	150	1.5	< 2	1.31	0.5	9	14	29	2.19	< 10	< 1	0.09	40	0.22	1675	27

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 4
Certificate Date: 04-SEP-1998
Invoice No. : I9829684
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9829684

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0439	201	202	< 0.01	17	660	64	< 2	5	10	0.03	< 10	< 10	22	20	166
AA0440	201	202	0.01	14	600	14	< 2	4	63	0.06	< 10	< 10	42	1540	1185
AA0441	201	202	< 0.01	6	380	30	< 2	1	8	0.03	< 10	< 10	25	< 10	106
AA2301	201	202	< 0.01	3	170	14	< 2	< 1	10	0.05	< 10	< 10	15	< 10	32
AA2302	201	202	< 0.01	5	340	18	2	1	9	0.07	< 10	< 10	32	< 10	84
AA2303	201	202	< 0.01	5	420	42	< 2	1	10	0.05	< 10	< 10	25	< 10	164
AA2304	201	202	0.02	7	560	64	< 2	< 1	17	0.01	< 10	< 10	18	< 10	102
AA2305	201	202	< 0.01	7	240	28	< 2	1	8	0.03	< 10	< 10	26	10	148
AA2306	201	202	0.02	25	2350	26	< 2	1	94	0.01	< 10	30	20	< 10	590
AA2307	201	202	0.01	9	350	44	< 2	1	18	0.03	< 10	< 10	27	10	184
AA2308	201	202	< 0.01	9	370	24	< 2	1	10	0.04	< 10	< 10	33	10	132
AA2309	201	202	< 0.01	6	270	22	2	1	13	0.03	< 10	< 10	21	10	104
AA2310	201	202	< 0.01	8	500	34	< 2	1	10	0.06	< 10	< 10	36	10	102
AA2312	201	202	< 0.01	8	380	28	< 2	< 1	16	0.01	< 10	< 10	23	< 10	130
AA2313	201	202	< 0.01	5	460	42	< 2	< 1	9	0.01	< 10	< 10	25	< 10	70
AA2314	201	202	< 0.01	5	230	30	< 2	< 1	9	0.03	< 10	< 10	25	< 10	50
AA2315	201	202	< 0.01	20	590	18	2	1	8	0.05	< 10	< 10	46	< 10	92
AA2316	201	202	0.01	3	290	44	< 2	< 1	8	0.03	< 10	< 10	24	< 10	44
AA2317	201	202	< 0.01	14	1250	68	< 2	< 1	11	0.01	< 10	< 10	32	< 10	196
AA2318	201	202	0.01	2	380	28	< 2	< 1	9	0.01	< 10	< 10	12	< 10	34
AA2319	201	202	0.01	11	2120	120	< 2	< 1	22	0.01	< 10	< 10	34	< 10	280
AA2320	201	202	< 0.01	5	590	46	< 2	1	7	0.07	< 10	< 10	55	< 10	84
AA2321	201	202	0.01	6	480	38	< 2	< 1	13	0.01	< 10	< 10	18	< 10	50
AA2322	201	202	0.01	7	570	28	2	< 1	12	0.01	< 10	< 10	24	< 10	104
AA2323	201	202	< 0.01	6	250	28	< 2	1	13	0.05	< 10	< 10	27	< 10	92
AA2324	201	202	0.02	12	1000	46	< 2	< 1	12	< 0.01	< 10	< 10	18	< 10	94
AA2325	201	202	0.01	17	600	66	< 2	1	35	0.05	< 10	< 10	24	< 10	174
AA2326	201	202	< 0.01	12	390	30	< 2	1	27	0.05	< 10	< 10	25	< 10	154
AA2327	201	202	< 0.01	6	310	22	< 2	1	10	0.04	< 10	< 10	29	< 10	162
AA2328	201	202	< 0.01	7	520	20	< 2	1	12	0.03	< 10	< 10	23	< 10	92
AA2329	201	202	< 0.01	7	430	26	< 2	1	12	0.04	< 10	< 10	24	< 10	88
AA2330	201	202	0.01	4	290	40	< 2	< 1	13	0.02	< 10	< 10	14	< 10	94
AA2331	201	202	0.01	35	1680	50	< 2	3	106	0.02	< 10	10	27	< 10	870
AA2332	201	202	0.01	13	620	34	< 2	1	34	0.03	< 10	< 10	23	10	148
AA2333	201	202	0.01	16	750	110	4	2	21	0.02	< 10	< 10	41	10	266
AA2334	201	202	< 0.01	9	460	44	< 2	1	12	0.05	< 10	< 10	23	< 10	88
AA2335	201	202	0.01	5	340	38	< 2	< 1	9	0.04	< 10	< 10	24	< 10	80
AA2336	201	202	< 0.01	6	360	58	< 2	1	12	0.05	< 10	< 10	29	< 10	92
AA2337	201	202	0.02	35	690	48	2	4	82	< 0.01	< 10	10	17	< 10	348
AA2338	201	202	0.02	16	2170	46	< 2	1	98	0.01	< 10	20	18	< 10	222

CERTIFICATION: Hawthichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :4
Certificate Date: 04-SEP-1998
Invoice No. :I9829684
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9829684

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA2339	201	202	0.2	0.84	8	50	< 0.5	< 2	0.18	< 0.5	3	13	14	1.76	< 10	< 1	0.07	40	0.10	175	4
AA2340	201	202	< 0.2	1.03	12	40	< 0.5	< 2	0.09	< 0.5	3	13	7	1.77	< 10	< 1	0.06	40	0.16	130	1
AA2341	201	202	< 0.2	1.10	10	40	< 0.5	< 2	0.07	< 0.5	4	18	6	2.75	10	< 1	0.07	30	0.22	175	1
AA2342	201	202	< 0.2	1.09	8	30	< 0.5	< 2	0.11	< 0.5	2	11	4	1.62	< 10	< 1	0.05	30	0.13	125	1
AA2343	201	202	0.2	1.51	28	60	0.5	< 2	0.28	< 0.5	6	25	21	2.29	< 10	< 1	0.05	30	0.41	515	1
AA2344	201	202	0.2	1.85	42	60	0.5	< 2	0.15	< 0.5	12	22	72	4.31	< 10	< 1	0.09	30	0.34	405	3
AA2345	201	202	< 0.2	1.00	18	40	< 0.5	< 2	0.15	< 0.5	3	15	7	1.67	< 10	< 1	0.07	30	0.20	155	1
AA2346	201	202	1.0	1.86	128	50	0.5	4	0.21	0.5	6	23	23	2.99	10	< 1	0.09	30	0.38	465	7
AA2347	201	202	2.0	1.85	500	80	0.5	2	0.17	1.5	7	22	25	3.27	< 10	< 1	0.10	30	0.30	740	2
AA2348	201	202	0.4	1.48	112	60	1.5	46	0.44	0.5	4	25	58	11.20	10	< 1	0.08	30	0.18	310	13
AA2349	201	202	1.2	2.70	8	40	2.0	2	2.15	0.5	7	32	231	5.62	10	< 1	0.06	40	0.44	540	125
AA2350	201	202	0.2	1.91	20	70	1.0	< 2	0.44	< 0.5	9	32	24	2.97	< 10	< 1	0.10	30	0.50	405	9
AA2351	201	202	0.2	2.02	8	40	1.0	< 2	0.18	< 0.5	8	30	20	2.97	< 10	< 1	0.08	20	0.42	230	4
AA2352	201	202	1.2	2.16	8	80	1.5	< 2	1.50	0.5	12	22	59	2.04	< 10	< 1	0.05	20	0.27	1395	11
AA2353	201	202	0.4	1.62	12	60	0.5	2	0.15	< 0.5	8	30	14	3.09	< 10	< 1	0.09	30	0.34	325	3
AA2354	201	202	< 0.2	1.15	10	50	< 0.5	< 2	0.11	< 0.5	4	23	7	2.97	10	< 1	0.05	30	0.16	180	2
AA2355	201	202	< 0.2	1.05	< 2	40	< 0.5	2	0.09	< 0.5	5	15	16	1.86	< 10	< 1	0.06	30	0.17	225	1
AA2356	201	202	< 0.2	1.68	28	40	0.5	< 2	0.18	< 0.5	8	33	16	3.53	10	< 1	0.10	30	0.41	270	3
AA2357	201	202	< 0.2	1.53	8	50	0.5	< 2	0.20	< 0.5	10	26	21	4.05	< 10	< 1	0.06	30	0.27	245	3
AA2358	201	202	0.6	1.50	12	80	0.5	< 2	0.13	0.5	8	21	25	2.53	< 10	< 1	0.10	30	0.25	500	2
AA2359	201	202	0.8	1.47	18	50	0.5	< 2	0.12	< 0.5	4	22	12	1.99	< 10	< 1	0.09	30	0.33	275	2
AA2360	201	202	4.6	2.23	48	100	1.5	< 2	0.53	2.5	9	21	52	2.47	< 10	< 1	0.11	40	0.29	1675	61
AA2361	201	202	1.2	1.46	24	40	0.5	< 2	0.29	< 0.5	5	15	15	1.82	< 10	< 1	0.08	50	0.27	290	1
AA2362	201	202	1.4	1.71	12	60	< 0.5	< 2	0.17	< 0.5	4	21	10	2.60	< 10	< 1	0.09	40	0.33	240	1
AA2363	201	202	< 0.2	1.33	46	40	< 0.5	< 2	0.13	< 0.5	4	17	8	2.01	< 10	< 1	0.07	40	0.26	205	1
AA2364	201	202	0.4	1.69	12	50	0.5	< 2	0.16	< 0.5	3	18	7	2.19	< 10	< 1	0.08	40	0.24	175	< 1
AA2365	201	202	< 0.2	2.58	18	60	0.5	< 2	0.10	< 0.5	7	38	12	3.68	10	< 1	0.11	30	0.50	225	1
AA2366	201	202	0.4	1.98	12	50	0.5	< 2	0.12	< 0.5	5	27	10	2.89	10	< 1	0.09	30	0.38	225	1
AA2367	201	202	0.2	2.43	24	50	0.5	< 2	0.18	< 0.5	7	30	20	2.92	< 10	< 1	0.09	30	0.46	300	3
AA2368	201	202	0.4	1.16	12	40	< 0.5	< 2	0.19	< 0.5	3	15	9	1.70	< 10	< 1	0.08	40	0.27	160	4
AA2369	201	202	< 0.2	1.05	8	40	< 0.5	< 2	0.13	< 0.5	3	17	10	1.67	< 10	< 1	0.06	30	0.19	175	8
AA2370	201	202	< 0.2	1.88	24	70	0.5	< 2	0.16	< 0.5	3	17	12	2.36	< 10	< 1	0.09	30	0.27	190	1
AA2371	201	202	< 0.2	2.01	26	60	0.5	< 2	0.13	< 0.5	6	24	14	2.82	< 10	< 1	0.07	30	0.34	255	4
AA2372	201	202	0.6	1.80	26	60	0.5	2	0.37	< 0.5	4	20	18	2.08	< 10	< 1	0.09	40	0.25	240	8
AA2373	201	202	1.4	2.70	44	120	2.0	2	0.36	2.0	8	28	55	3.64	< 10	< 1	0.19	30	0.32	725	8
AA2374	201	202	< 0.2	1.87	20	50	0.5	< 2	0.18	< 0.5	4	22	9	2.51	< 10	< 1	0.08	30	0.28	200	1
AA2375	201	202	< 0.2	2.03	30	50	0.5	2	0.14	< 0.5	7	30	14	4.17	10	< 1	0.13	40	0.39	240	1
AA2376	201	202	< 0.2	1.25	34	30	< 0.5	2	0.16	0.5	3	16	10	2.31	< 10	< 1	0.08	40	0.24	180	1
AA2377	201	202	0.2	1.23	86	50	< 0.5	2	0.23	0.5	6	20	17	2.75	< 10	< 1	0.09	40	0.25	365	3
AA2378	201	202	0.6	0.85	18	30	< 0.5	< 2	0.12	< 0.5	1	10	5	1.36	< 10	< 1	0.04	30	0.10	85	1

CERTIFICATION: Hartfichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 04-SEP-1998
Invoice No. : I9829684
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9829684

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA2339	201	202	< 0.01	8	250	16	< 2	< 1	13	0.05	< 10	< 10	41	< 10	96
AA2340	201	202	< 0.01	7	300	12	< 2	< 1	8	0.03	< 10	< 10	39	< 10	94
AA2341	201	202	< 0.01	8	330	16	< 2	1	5	0.08	< 10	< 10	47	< 10	86
AA2342	201	202	< 0.01	4	240	30	< 2	1	6	0.04	< 10	< 10	30	< 10	62
AA2343	201	202	0.01	14	500	64	< 2	2	22	0.04	< 10	< 10	30	< 10	362
AA2344	201	202	0.01	21	550	50	< 2	2	13	0.03	< 10	< 10	33	30	270
AA2345	201	202	< 0.01	6	160	30	< 2	1	13	0.06	< 10	< 10	32	< 10	158
AA2346	201	202	0.01	14	250	240	< 2	3	17	0.09	< 10	< 10	46	< 10	1030
AA2347	201	202	0.01	14	320	492	2	2	32	0.04	< 10	< 10	34	< 10	988
AA2348	201	202	0.01	7	890	146	8	1	16	0.04	< 10	< 10	44	1880	162
AA2349	201	202	0.01	32	840	14	< 2	5	93	0.03	< 10	30	31	960	328
AA2350	201	202	0.01	20	510	34	< 2	3	23	0.05	< 10	< 10	38	10	200
AA2351	201	202	< 0.01	17	310	30	< 2	2	15	0.07	< 10	< 10	41	10	246
AA2352	201	202	0.02	27	1530	16	2	1	93	0.01	< 10	30	22	< 10	454
AA2353	201	202	< 0.01	16	310	42	< 2	2	16	0.07	< 10	< 10	45	< 10	248
AA2354	201	202	< 0.01	9	300	18	< 2	1	11	0.11	< 10	< 10	65	< 10	164
AA2355	201	202	0.01	9	460	32	< 2	< 1	10	0.03	< 10	< 10	32	< 10	124
AA2356	201	202	0.01	20	360	36	< 2	3	17	0.06	< 10	< 10	50	< 10	222
AA2357	201	202	0.01	27	370	36	< 2	2	27	0.07	< 10	< 10	45	< 10	200
AA2358	201	202	0.01	17	810	86	< 2	< 1	15	0.03	< 10	< 10	39	< 10	248
AA2359	201	202	< 0.01	10	490	86	< 2	< 1	14	0.05	< 10	< 10	40	< 10	168
AA2360	201	202	0.01	19	1510	100	< 2	1	49	0.01	< 10	< 10	30	< 10	904
AA2361	201	202	0.01	9	660	102	< 2	2	12	0.03	< 10	< 10	24	< 10	188
AA2362	201	202	< 0.01	7	270	94	< 2	2	12	0.07	< 10	< 10	42	< 10	160
AA2363	201	202	< 0.01	9	310	28	< 2	1	13	0.06	< 10	< 10	34	< 10	116
AA2364	201	202	0.01	7	370	26	< 2	1	10	0.04	< 10	< 10	26	< 10	98
AA2365	201	202	< 0.01	20	340	34	< 2	4	12	0.12	< 10	< 10	60	< 10	290
AA2366	201	202	< 0.01	14	320	38	< 2	3	13	0.09	< 10	< 10	45	< 10	158
AA2367	201	202	0.01	18	360	40	< 2	3	16	0.04	< 10	< 10	38	< 10	540
AA2368	201	202	< 0.01	7	290	20	< 2	< 1	20	0.03	< 10	< 10	27	< 10	114
AA2369	201	202	0.01	8	220	20	< 2	1	13	0.04	< 10	< 10	34	< 10	74
AA2370	201	202	< 0.01	8	240	22	< 2	2	11	0.04	< 10	< 10	31	< 10	124
AA2371	201	202	< 0.01	11	380	50	< 2	2	12	0.10	< 10	< 10	44	< 10	204
AA2372	201	202	0.01	9	520	64	< 2	1	20	0.02	< 10	< 10	30	10	228
AA2373	201	202	0.01	18	1270	146	< 2	1	38	0.01	< 10	< 10	36	< 10	596
AA2374	201	202	< 0.01	9	250	16	< 2	2	13	0.07	< 10	< 10	34	10	126
AA2375	201	202	< 0.01	14	480	118	2	3	12	0.10	< 10	< 10	52	< 10	250
AA2376	201	202	0.01	7	230	36	< 2	1	13	0.05	< 10	< 10	35	10	302
AA2377	201	202	< 0.01	12	320	136	< 2	1	19	0.05	< 10	< 10	43	30	522
AA2378	201	202	< 0.01	4	200	38	< 2	1	10	0.05	< 10	< 10	23	< 10	60

CERTIFICATION: Hawthiller

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page ber :3-A
Total ges :4
Certificate Date: 04-SEP-1998
Invoice No. :19829684
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9829684

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA2379	201	202	< 0.2	0.92	16	30	< 0.5	< 2	0.12	< 0.5	3	12	4	1.65	< 10	< 1	0.06	30	0.16	115	< 1
AA2380	201	202	1.2	1.15	8	70	1.0	< 2	0.27	0.5	6	17	42	1.68	< 10	< 1	0.05	30	0.16	355	1
AA2387	201	202	0.8	1.17	12	40	< 0.5	< 2	0.12	< 0.5	4	18	6	2.24	< 10	< 1	0.06	20	0.23	240	3
AA2388	201	202	4.4	2.95	30	190	1.5	< 2	0.30	0.5	7	26	46	3.43	< 10	< 1	0.14	30	0.34	435	6
AA2389	201	202	0.2	1.07	10	60	< 0.5	< 2	0.17	< 0.5	3	14	11	1.50	< 10	< 1	0.08	30	0.19	130	2
AA2390	201	202	< 0.2	1.42	16	40	0.5	< 2	0.22	< 0.5	4	17	8	2.25	< 10	< 1	0.10	40	0.30	160	5
AA2391	201	202	2.8	1.47	10	110	0.5	< 2	0.37	0.5	3	14	22	1.59	< 10	< 1	0.11	20	0.18	115	1
AA2392	201	202	1.6	2.06	10	60	2.0	2	0.28	1.5	4	12	27	1.90	< 10	< 1	0.06	30	0.09	205	3
AA2393	201	202	3.4	2.98	50	140	2.0	2	0.84	2.5	26	25	58	3.84	< 10	< 1	0.14	60	0.30	2200	9
AA2394	201	202	1.0	2.35	50	200	1.5	2	0.92	4.0	29	27	42	9.86	< 10	< 1	0.18	60	0.51	2310	13
AA2395	201	202	2.0	2.22	12	140	1.0	2	1.28	1.5	5	21	39	1.60	< 10	< 1	0.12	40	0.32	235	6
AA2396	201	202	1.2	1.20	24	190	1.0	< 2	1.31	3.5	4	8	41	2.72	< 10	< 1	0.01	30	0.05	1605	30
AA2397	201	202	< 0.2	1.03	34	100	0.5	< 2	0.43	< 0.5	7	15	13	3.26	< 10	< 1	0.11	40	0.28	4880	4
AA2398	201	202	4.6	4.45	82	260	1.5	2	1.35	0.5	13	30	62	4.39	10	< 1	0.29	30	0.43	1085	8
AA2400	201	202	0.2	0.99	20	30	< 0.5	< 2	0.16	< 0.5	2	12	5	1.48	< 10	< 1	0.06	30	0.18	145	1
AA2401	201	202	< 0.2	1.37	10	60	< 0.5	< 2	0.31	< 0.5	3	17	10	1.76	< 10	< 1	0.10	40	0.25	205	3
AA2402	201	202	< 0.2	1.19	24	30	< 0.5	2	0.17	< 0.5	3	16	6	2.57	< 10	< 1	0.07	30	0.23	195	3
AA2403	201	202	2.6	2.26	34	170	1.5	2	1.00	1.5	9	24	52	2.87	< 10	< 1	0.14	40	0.40	790	5
AA2404	201	202	0.4	1.97	40	80	1.0	< 2	0.48	< 0.5	6	19	25	2.58	< 10	< 1	0.17	40	0.33	270	2
AA2405	201	202	0.4	1.23	24	60	0.5	< 2	0.53	< 0.5	7	18	17	1.89	< 10	< 1	0.16	40	0.33	310	3
AA2406	201	202	0.4	1.63	20	90	0.5	< 2	0.65	0.5	6	19	35	2.17	< 10	< 1	0.15	40	0.29	350	3
AA2407	201	202	0.8	1.98	26	100	1.0	< 2	0.34	< 0.5	5	19	43	2.42	< 10	< 1	0.19	50	0.35	285	3
AA2408	201	202	< 0.2	0.73	< 2	40	< 0.5	< 2	0.11	< 0.5	2	13	5	1.27	< 10	< 1	0.05	40	0.06	100	1
AA2409	201	202	0.2	1.39	< 2	60	< 0.5	< 2	0.14	< 0.5	4	23	5	2.21	< 10	< 1	0.10	20	0.27	200	1
AA2410	201	202	0.2	1.06	8	90	< 0.5	< 2	0.14	< 0.5	3	14	8	1.58	10	< 1	0.04	30	0.10	125	1
AA2411	201	202	0.2	0.79	4	40	< 0.5	< 2	0.12	< 0.5	1	12	4	1.00	< 10	< 1	0.05	30	0.09	90	2
AA2412	201	202	0.8	1.37	8	40	< 0.5	< 2	0.17	< 0.5	3	17	6	2.06	< 10	< 1	0.08	30	0.24	190	2
AA2413	201	202	0.8	1.11	6	40	< 0.5	< 2	0.19	< 0.5	2	17	8	1.46	< 10	< 1	0.06	30	0.15	140	3
AA2414	201	202	0.2	0.94	10	40	< 0.5	< 2	0.14	< 0.5	2	14	6	1.06	< 10	< 1	0.07	30	0.12	105	3
AA2415	201	202	6.2	3.55	62	220	2.0	2	0.53	< 0.5	12	25	39	3.89	10	< 1	0.21	30	0.42	1810	23
AA2416	201	202	0.2	1.26	24	30	< 0.5	< 2	0.13	< 0.5	4	16	8	2.36	< 10	< 1	0.06	20	0.24	205	3
AA2417	201	202	1.0	1.85	24	80	0.5	< 2	0.17	< 0.5	4	17	24	2.11	< 10	< 1	0.10	30	0.27	220	6
AA2418	201	202	3.8	2.22	60	130	1.5	< 2	0.94	1.5	7	19	46	2.90	< 10	< 1	0.11	40	0.30	1330	21
AA2419	201	202	< 0.2	0.81	10	20	< 0.5	< 2	0.13	< 0.5	3	14	6	1.49	10	< 1	0.06	30	0.12	120	3
AA2420	201	202	< 0.2	1.36	24	40	< 0.5	< 2	0.24	< 0.5	3	14	6	1.88	< 10	< 1	0.09	40	0.25	190	3
AA2421	201	202	< 0.2	2.70	18	60	0.5	< 2	0.15	< 0.5	5	25	8	3.41	< 10	< 1	0.10	40	0.35	240	1
AA2422	201	202	< 0.2	1.57	10	40	< 0.5	< 2	0.16	< 0.5	2	14	5	1.84	< 10	< 1	0.06	40	0.13	140	1
AA2423	201	202	0.4	2.03	18	90	0.5	< 2	0.16	< 0.5	7	25	18	3.09	10	< 1	0.15	30	0.33	530	4
AA2424	201	202	0.4	1.19	2	60	< 0.5	2	0.13	< 0.5	3	19	9	1.68	< 10	< 1	0.08	30	0.17	125	1
AA2425	201	202	0.8	2.25	32	110	0.5	32	0.90	< 0.5	9	24	31	3.31	< 10	< 1	0.14	40	0.56	715	2

CERTIFICATION: Hawthickler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-B
Total Pages :4
Certificate Date: 04-SEP-1998
Invoice No. :I9829684
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9829684

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA2379	201	202	0.01	6	160	18	< 2	1	13	0.06	< 10	< 10	27	< 10	78
AA2380	201	202	0.01	11	1340	124	< 2	< 1	26	< 0.01	< 10	< 10	25	< 10	118
AA2387	201	202	< 0.01	7	330	34	< 2	1	8	0.06	< 10	< 10	33	< 10	152
AA2388	201	202	0.01	26	2070	94	< 2	1	40	< 0.01	< 10	< 10	34	< 10	420
AA2389	201	202	0.01	9	600	26	< 2	< 1	17	0.01	< 10	< 10	19	< 10	100
AA2390	201	202	< 0.01	10	500	26	< 2	1	12	0.04	< 10	< 10	25	< 10	114
AA2391	201	202	0.03	12	1100	40	< 2	< 1	43	0.01	< 10	< 10	16	< 10	142
AA2392	201	202	0.01	13	830	76	< 2	< 1	26	0.01	< 10	< 10	27	10	140
AA2393	201	202	0.03	35	1440	74	< 2	3	70	0.03	< 10	< 10	28	< 10	446
AA2394	201	202	0.01	40	750	38	< 2	5	63	0.05	< 10	10	30	< 10	408
AA2395	201	202	0.02	20	1100	36	< 2	3	77	0.02	< 10	10	23	< 10	322
AA2396	201	202	0.01	17	1330	2	< 2	1	72	< 0.01	< 10	20	10	< 10	212
AA2397	201	202	0.01	10	440	24	< 2	2	27	0.06	< 10	< 10	24	< 10	94
AA2398	201	202	0.03	37	1570	138	< 2	3	100	0.02	< 10	< 10	35	10	480
AA2400	201	202	0.01	5	260	42	< 2	1	10	0.05	< 10	< 10	24	< 10	92
AA2401	201	202	0.01	7	180	42	< 2	1	20	0.05	< 10	< 10	31	< 10	116
AA2402	201	202	0.01	7	380	50	< 2	1	8	0.04	< 10	< 10	27	10	76
AA2403	201	202	0.01	24	1250	40	< 2	3	69	0.03	< 10	< 10	31	< 10	298
AA2404	201	202	0.01	14	460	40	< 2	3	31	0.04	< 10	< 10	28	10	208
AA2405	201	202	0.01	11	630	40	< 2	2	32	0.05	< 10	< 10	24	< 10	146
AA2406	201	202	0.01	15	500	32	< 2	3	44	0.05	< 10	< 10	29	< 10	206
AA2407	201	202	0.03	14	450	46	< 2	1	35	0.03	< 10	< 10	29	< 10	216
AA2408	201	202	< 0.01	5	190	26	< 2	< 1	12	0.07	< 10	< 10	37	< 10	56
AA2409	201	202	< 0.01	9	190	42	< 2	1	11	0.13	< 10	< 10	48	< 10	186
AA2410	201	202	< 0.01	6	200	36	< 2	1	13	0.10	< 10	< 10	48	< 10	44
AA2411	201	202	< 0.01	3	160	24	< 2	< 1	11	0.08	< 10	< 10	30	< 10	36
AA2412	201	202	< 0.01	7	430	34	< 2	1	10	0.05	< 10	< 10	33	< 10	136
AA2413	201	202	0.01	6	330	34	< 2	< 1	20	0.02	< 10	< 10	26	< 10	68
AA2414	201	202	< 0.01	5	240	36	< 2	< 1	13	0.04	< 10	< 10	23	< 10	58
AA2415	201	202	0.02	21	2180	176	< 2	3	41	0.02	< 10	< 10	40	< 10	686
AA2416	201	202	< 0.01	8	380	46	< 2	1	8	0.04	< 10	< 10	29	< 10	116
AA2417	201	202	0.01	9	690	56	< 2	1	12	0.01	< 10	< 10	25	< 10	270
AA2418	201	202	0.01	14	2000	54	< 2	1	57	0.01	< 10	< 10	25	< 10	452
AA2419	201	202	< 0.01	6	220	16	< 2	< 1	10	0.05	< 10	< 10	39	< 10	48
AA2420	201	202	0.01	7	400	26	< 2	1	11	0.04	< 10	< 10	28	< 10	106
AA2421	201	202	0.01	12	370	28	< 2	3	12	0.07	< 10	< 10	40	< 10	160
AA2422	201	202	< 0.01	5	250	28	< 2	1	12	0.06	< 10	< 10	31	< 10	102
AA2423	201	202	0.01	15	390	48	< 2	1	16	0.05	< 10	< 10	47	< 10	210
AA2424	201	202	< 0.01	8	230	52	< 2	1	15	0.08	< 10	< 10	36	< 10	108
AA2425	201	202	0.01	18	700	62	2	3	38	0.04	< 10	< 10	37	< 10	712

CERTIFICATION: Ian Fichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 04-SEP-1998
Invoice No. : I9829684
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9829684

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA2426	201	202	1.4	2.51	24	160	1.5	< 2	0.45	0.5	12	28	68	3.23	< 10	< 1	0.12	60	0.45	660	4
AA2427	201	202	1.0	2.19	30	110	1.0	< 2	0.68	0.5	9	25	28	2.90	< 10	< 1	0.16	30	0.47	630	3
AA2428	201	202	0.2	2.65	24	190	1.5	< 2	0.54	1.5	6	23	27	2.87	< 10	< 1	0.12	40	0.40	1390	5
AA2429	201	202	0.2	0.92	8	50	0.5	< 2	0.29	< 0.5	1	11	12	0.93	< 10	< 1	0.05	30	0.10	75	3
AA2430	201	202	< 0.2	0.98	12	30	< 0.5	< 2	0.18	< 0.5	1	12	4	1.28	< 10	< 1	0.05	40	0.14	110	1
AA2431	201	202	0.2	1.11	10	50	< 0.5	< 2	0.37	< 0.5	3	14	12	1.51	< 10	< 1	0.06	30	0.22	135	1
AA2432	201	202	0.2	1.17	30	40	< 0.5	2	0.13	< 0.5	3	15	7	2.26	< 10	< 1	0.06	30	0.21	155	2
AA2433	201	202	< 0.2	1.08	34	40	< 0.5	< 2	0.19	< 0.5	3	14	11	1.77	< 10	< 1	0.05	30	0.21	185	1

CERTIFICATION: Ian Richler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :4-B
Total Pages :4
Certificate Date: 04-SEP-1998
Invoice No. :19829684
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9829684

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA2426	201	202	0.01	26	960	66	< 2	2	42	0.04	< 10	< 10	36	< 10	320
AA2427	201	202	0.01	22	590	50	< 2	4	48	0.05	< 10	< 10	32	10	348
AA2428	201	202	0.01	21	980	30	< 2	4	50	0.03	< 10	< 10	28	< 10	402
AA2429	201	202	0.01	4	200	38	< 2	1	24	0.04	< 10	< 10	18	< 10	44
AA2430	201	202	< 0.01	3	150	20	< 2	1	10	0.06	< 10	< 10	25	< 10	56
AA2431	201	202	< 0.01	7	310	28	< 2	1	22	0.05	< 10	< 10	23	< 10	112
AA2432	201	202	< 0.01	6	240	32	< 2	1	7	0.05	< 10	< 10	33	80	90
AA2433	201	202	< 0.01	8	500	76	< 2	1	8	0.03	< 10	< 10	22	< 10	112

CERTIFICATION: Hartfuehler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :1-A
Total Pages :2
Certificate Date: 10-SEP-1998
Invoice No. :19829682
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9829682

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm
059438	208	294	2	0.60	80	20	< 5	< 10	26.9	< 5	5	20	15	1.84	< 10	0.28	0.41	3530	25	0.03	10
059439	208	294	< 1	0.56	< 10	20	< 5	30	>30.0	< 5	< 5	< 10	5	2.23	< 10	0.24	0.56	10990	10	0.02	15
059440	208	294	1	0.67	160	60	< 5	< 10	4.11	50	5	10	40	25.1	< 10	0.33	0.81	>50000	< 5	< 0.01	20
059441	208	294	3	0.40	80	500	< 5	< 10	0.53	55	5	20	90	27.0	< 10	0.27	0.18	>50000	< 5	< 0.01	30
059442	208	294	14	1.08	600	1500	< 5	< 10	0.74	45	10	20	120	21.2	< 10	0.41	0.12	>50000	20	0.01	100
059443	208	294	18	0.47	270	280	< 5	< 10	0.51	190	5	30	355	21.9	< 10	0.30	0.25	>50000	5	< 0.01	20
059444	208	294	54	2.61	170	20	< 5	< 10	0.59	50	5	40	140	14.15	< 10	0.61	0.62	45700	5	0.01	20
059445	208	294	137	2.18	70	20	< 5	< 10	1.18	65	5	40	60	11.40	< 10	1.00	0.15	49900	< 5	0.01	30
059446	208	294	6	2.40	< 10	40	< 5	< 10	15.95	< 5	5	50	20	3.21	< 10	0.44	0.83	2230	20	0.04	20
059447	208	294	< 1	2.77	60	80	< 5	< 10	3.31	< 5	15	70	25	4.04	< 10	0.47	0.82	490	5	0.24	35
059448	208	294	< 1	3.88	50	100	< 5	< 10	7.94	< 5	15	70	20	3.98	< 10	0.44	1.08	550	15	0.24	40
059449	208	294	< 1	2.09	< 10	20	< 5	< 10	15.20	< 5	5	40	15	2.31	< 10	0.17	0.54	320	5	0.23	20
059450	208	294	< 1	1.96	< 10	20	< 5	< 10	12.60	< 5	10	40	25	1.41	< 10	0.17	0.18	410	5	0.19	25
451501	208	294	< 1	2.73	< 10	60	< 5	< 10	1.28	< 5	30	80	80	4.43	10	0.49	0.69	200	< 5	0.22	55
451502	208	294	< 1	3.50	< 10	80	< 5	< 10	1.30	< 5	15	90	30	4.19	< 10	0.75	1.04	420	< 5	0.18	35
451503	208	294	< 1	2.67	< 10	60	< 5	< 10	1.01	< 5	20	80	50	4.40	< 10	0.50	1.10	400	5	0.23	45
451504	208	294	< 1	1.29	< 10	80	< 5	10	0.25	< 5	5	70	< 5	1.42	< 10	0.40	0.17	270	< 5	0.13	< 5
451505	208	294	< 1	1.04	< 10	80	< 5	< 10	0.21	< 5	< 5	60	< 5	1.04	< 10	0.42	0.09	300	< 5	0.06	< 5
451506	208	294	< 1	1.06	< 10	80	< 5	10	0.20	< 5	< 5	60	< 5	1.27	< 10	0.44	0.11	280	< 5	0.17	< 5
451507	208	294	< 1	1.56	< 10	120	< 5	< 10	0.31	< 5	< 5	50	< 5	1.74	< 10	0.45	0.26	380	< 5	0.11	< 5
451508	208	294	8	1.10	480	160	< 5	30	0.15	10	10	60	60	4.85	< 10	0.68	0.10	12550	20	0.04	25
451509	208	294	>200	0.44	14540	120	< 5	60	0.16	170	5	40	715	12.25	< 10	0.23	0.10	33000	30	0.01	15
451510	208	294	27	1.54	2230	120	< 5	30	0.11	15	25	50	95	5.68	< 10	0.64	0.33	5720	< 5	0.04	30
451511	208	294	10	0.72	530	80	< 5	10	0.12	5	15	70	75	3.47	< 10	0.42	0.15	7190	< 5	0.04	20
451512	208	294	108	1.08	6040	80	< 5	50	0.11	170	< 5	40	535	9.82	< 10	0.56	0.15	26400	5	0.01	25
451513	208	294	38	1.21	2450	120	< 5	10	0.17	5	15	60	195	3.86	< 10	0.67	0.07	6600	10	0.05	15
451514	208	294	52	0.70	1610	60	< 5	10	0.08	155	5	80	415	3.16	< 10	0.38	0.13	4510	< 5	0.03	5
451515	208	294	>200	0.31	23700	120	< 5	170	0.14	185	15	200	7300	11.15	< 10	0.10	0.04	11100	55	0.01	180
451516	208	294	64	1.17	1240	140	< 5	40	0.11	5	5	60	385	4.71	< 10	0.64	0.10	6920	20	0.05	15
451517	208	294	39	0.82	6270	80	< 5	30	0.12	75	5	60	515	3.77	< 10	0.46	0.12	5400	5	0.03	15
451518	208	294	66	0.88	830	60	< 5	20	0.15	5	5	100	160	2.72	< 10	0.50	0.19	2690	< 5	0.04	15
451519	208	294	3	1.81	200	60	< 5	30	0.30	< 5	15	70	40	3.09	< 10	0.48	0.61	740	< 5	0.04	20
451520	208	294	1	1.68	70	120	< 5	10	0.18	< 5	10	30	30	4.33	< 10	0.72	0.40	520	< 5	0.05	35
451521	208	294	>200	0.79	3360	20	< 5	120	0.11	235	< 5	50	6780	7.42	10	0.22	0.16	12660	5	0.01	5
451522	208	294	>200	1.40	5380	160	< 5	60	0.23	50	15	60	1715	8.85	< 10	0.54	0.29	14790	20	0.03	25
451523	208	294	28	1.50	420	120	< 5	20	0.26	5	25	50	105	5.90	< 10	0.70	0.41	9210	5	0.04	40
451524	208	294	>200	1.28	2320	100	< 5	20	0.17	15	10	80	675	4.32	< 10	0.61	0.19	4340	5	0.05	20
451525	208	294	>200	0.55	33000	20	< 5	70	0.05	225	20	100	1220	7.03	< 10	0.30	0.08	6230	< 5	0.01	30
451526	208	294	6	1.32	280	100	< 5	10	0.10	5	15	50	50	5.37	< 10	0.81	0.58	7440	< 5	0.04	50
451527	208	294	4	1.62	190	60	< 5	20	0.96	< 5	20	100	30	4.93	< 10	0.64	0.84	2920	< 5	0.04	40

CERTIFICATION: Hawthfuller

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 2
Certificate Date: 10-SEP-1998
Invoice No. : 19829682
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9829682

SAMPLE	PREP CODE		P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
059438	208	294	900	< 5	< 10	< 5	1225	< 0.01	20	< 20	< 20	< 20	1940
059439	208	294	600	55	20	< 5	1685	< 0.01	60	< 20	< 20	< 20	1495
059440	208	294	300	95	10	< 5	295	< 0.01	< 20	< 20	< 20	60	24000
059441	208	294	400	505	10	< 5	305	< 0.01	< 20	< 20	< 20	< 20	23100
059442	208	294	400	5580	30	5	285	< 0.01	< 20	< 20	< 20	20	14680
059443	208	294	300	1740	10	< 5	120	< 0.01	< 20	< 20	< 20	< 20	>50000
059444	208	294	500	11250	40	5	115	0.01	< 20	< 20	20	< 20	20100
059445	208	294	500	28700	20	5	70	0.04	< 20	< 20	20	< 20	24000
059446	208	294	500	955	< 10	5	500	0.03	< 20	< 20	20	< 20	2740
059447	208	294	400	55	< 10	5	280	0.15	< 20	< 20	40	< 20	325
059448	208	294	600	120	< 10	5	470	0.12	< 20	< 20	60	< 20	355
059449	208	294	800	20	< 10	< 5	675	0.10	< 20	< 20	20	< 20	125
059450	208	294	700	45	< 10	< 5	230	0.11	< 20	< 20	< 20	< 20	80
451501	208	294	1100	30	< 10	5	95	0.17	< 20	< 20	40	< 20	85
451502	208	294	800	< 5	< 10	5	105	0.16	< 20	< 20	60	< 20	115
451503	208	294	700	35	< 10	5	60	0.16	< 20	< 20	60	< 20	100
451504	208	294	600	15	< 10	< 5	20	0.02	< 20	< 20	< 20	< 20	60
451505	208	294	500	65	< 10	< 5	5	< 0.01	< 20	< 20	< 20	< 20	80
451506	208	294	500	15	< 10	< 5	15	0.01	< 20	< 20	< 20	< 20	70
451507	208	294	700	45	10	< 5	20	0.05	< 20	< 20	< 20	< 20	85
451508	208	294	500	640	10	< 5	35	0.03	< 20	< 20	< 20	< 20	3870
451509	208	294	100	>50000	200	< 5	55	< 0.01	< 20	20	< 20	20	>50000
451510	208	294	300	3250	10	5	25	0.03	< 20	< 20	< 20	< 20	4880
451511	208	294	100	1105	30	< 5	15	0.01	< 20	< 20	< 20	< 20	1940
451512	208	294	< 100	10370	50	< 5	30	0.03	< 20	< 20	< 20	< 20	>50000
451513	208	294	600	6650	30	< 5	25	0.02	< 20	< 20	< 20	< 20	2540
451514	208	294	< 100	1545	20	< 5	10	0.01	< 20	< 20	< 20	< 20	>50000
451515	208	294	< 100	>50000	1840	< 5	35	< 0.01	< 20	60	< 20	180	>50000
451516	208	294	400	3940	50	< 5	25	0.02	< 20	< 20	< 20	< 20	2190
451517	208	294	300	1300	50	< 5	20	0.01	< 20	< 20	< 20	< 20	30000
451518	208	294	200	2300	40	< 5	20	0.01	< 20	< 20	< 20	< 20	2590
451519	208	294	400	375	30	< 5	20	0.02	< 20	< 20	20	< 20	315
451520	208	294	400	80	< 10	< 5	15	0.02	< 20	< 20	< 20	< 20	590
451521	208	294	< 100	>50000	410	< 5	20	0.01	< 20	< 20	< 20	80	>50000
451522	208	294	200	44800	190	< 5	30	0.03	< 20	< 20	< 20	40	19460
451523	208	294	300	1510	30	< 5	20	0.03	< 20	< 20	< 20	< 20	4020
451524	208	294	300	4630	70	< 5	20	0.03	< 20	< 20	< 20	< 20	5530
451525	208	294	< 100	25600	110	< 5	15	0.01	< 20	< 20	< 20	< 20	>50000
451526	208	294	< 100	610	20	< 5	5	0.03	< 20	< 20	< 20	< 20	3150
451527	208	294	< 100	330	< 10	5	30	0.02	< 20	< 20	< 20	< 20	1590

CERTIFICATION: Hawthichler.

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :2
Certificate Date: 10-SEP-1998
Invoice No. :I9829682
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9829682

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm
451528	208	294	82	0.91	43800	20	< 5	80	0.12	175	45	40	1150	7.07	< 10	0.30	0.13	1560	< 5	0.01	60
451529	208	294	2	0.70	320	40	< 5	30	0.96	< 5	5	90	20	2.19	< 10	0.38	0.36	1110	5	0.03	20
451530	208	294	74	0.67	2690	60	< 5	10	0.10	40	5	60	390	3.05	< 10	0.43	0.14	7500	5	0.04	15
451531	208	294	>200	0.55	630	20	< 5	50	0.07	25	5	70	895	3.38	< 10	0.35	0.11	3950	5	0.04	10
451532	208	294	4	0.92	510	140	< 5	< 10	0.14	< 5	15	30	55	4.33	< 10	0.56	0.05	7920	5	0.05	30
451533	208	294	57	0.93	530	180	< 5	30	0.16	5	5	30	195	4.69	< 10	0.55	0.05	12260	5	0.04	45
451534	208	294	>200	1.35	2430	100	< 5	30	0.11	85	10	40	1195	4.94	< 10	0.47	0.35	6230	< 5	0.03	35
451535	208	294	7	2.09	290	80	< 5	< 10	0.14	< 5	15	40	90	4.14	< 10	0.47	0.69	2380	< 5	0.04	25
451536	208	294	3	1.64	170	60	< 5	< 10	0.10	< 5	5	70	40	3.26	< 10	0.44	0.47	1360	< 5	0.04	15
451537	208	294	>200	0.67	950	60	< 5	50	0.12	285	< 5	30	2790	4.95	10	0.36	0.21	14090	< 5	< 0.01	15
451540	208	294	2	3.24	140	40	< 5	< 10	1.84	5	15	80	65	3.93	< 10	0.42	1.02	1520	5	0.10	45
451542	208	294	75	0.81	90	< 20	< 5	20	0.88	220	< 5	10	80	23.8	< 10	0.18	0.13	>50000	35	< 0.01	15
451545	208	294	>200	0.48	120	< 20	< 5	20	0.08	150	< 5	10	125	24.0	< 10	0.11	0.06	>50000	5	0.01	10
451550	208	294	45	0.43	70	< 20	< 5	20	0.16	200	< 5	10	35	27.2	< 10	0.18	0.03	>50000	20	< 0.01	5
451551	208	294	>200	0.40	< 10	< 20	< 5	< 10	2.19	305	< 5	10	65	12.05	10	0.10	0.03	>50000	10	< 0.01	5
451553	208	294	5	3.82	300	20	< 5	10	7.53	< 5	20	40	400	13.35	< 10	0.09	0.94	8130	20	0.03	20
451554	208	294	161	1.73	3060	20	< 5	< 10	1.09	160	30	20	490	16.30	< 10	0.31	0.28	38300	45	0.01	30
451555	208	294	6	1.48	930	20	< 5	10	0.66	85	5	70	55	7.75	< 10	0.31	0.32	26900	35	0.03	15
451556	208	294	1	1.87	< 10	100	< 5	< 10	0.38	< 5	5	40	10	2.01	< 10	0.36	0.52	760	< 5	0.05	< 5
451557	208	294	< 1	1.38	90	100	< 5	< 10	0.20	< 5	< 5	50	5	2.08	< 10	0.44	0.37	1500	< 5	0.06	< 5
451558	208	294	>200	0.39	20600	60	< 5	50	0.03	50	15	70	1680	12.90	< 10	0.20	0.02	22000	5	0.03	< 5
451559	208	294	6	0.85	80	80	< 5	20	0.12	< 5	< 5	40	15	2.21	< 10	0.51	0.07	5570	< 5	0.04	< 5
451563	208	294	17	0.86	100	60	< 5	< 10	0.22	5	< 5	40	120	2.58	< 10	0.41	0.15	5800	< 5	0.04	< 5
451564	208	294	1	1.22	< 10	60	< 5	< 10	0.22	< 5	5	40	5	1.93	< 10	0.31	0.30	1240	< 5	0.05	< 5
451565	208	294	5	0.91	170	80	< 5	30	0.08	< 5	5	100	70	4.11	< 10	0.41	0.08	1730	15	0.05	< 5
451566	208	294	< 1	1.94	< 10	100	< 5	< 10	0.22	< 5	5	60	10	2.27	< 10	0.46	0.44	510	< 5	0.10	< 5

CERTIFICATION: Hartfichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-B
Total Pages :2
Certificate Date: 10-SEP-1998
Invoice No. :I9829682
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9829682

SAMPLE	PREP CODE		P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
451528	208	294	< 100	1425	50	< 5	40	< 0.01	< 20	< 20	< 20	< 20	>50000
451529	208	294	100	225	10	< 5	55	< 0.01	< 20	< 20	< 20	< 20	810
451530	208	294	200	7940	110	< 5	15	< 0.01	< 20	< 20	< 20	< 20	17450
451531	208	294	100	21000	320	< 5	5	< 0.01	< 20	< 20	< 20	< 20	11470
451532	208	294	500	410	10	< 5	25	< 0.01	< 20	< 20	< 20	< 20	1320
451533	208	294	500	590	30	< 5	40	< 0.01	< 20	< 20	< 20	< 20	2750
451534	208	294	200	25500	260	< 5	15	0.01	< 20	< 20	< 20	< 20	39100
451535	208	294	400	1455	10	< 5	10	0.01	< 20	< 20	< 20	< 20	1105
451536	208	294	100	690	10	< 5	10	0.01	< 20	< 20	< 20	< 20	770
451537	208	294	< 100	>50000	330	< 5	10	< 0.01	< 20	< 20	< 20	< 20	>50000
451540	208	294	1000	445	10	5	180	0.17	< 20	< 20	60	< 20	3430
451542	208	294	600	26000	60	< 5	110	0.03	< 20	< 20	< 20	20	>50000
451545	208	294	< 100	>50000	200	< 5	65	< 0.01	< 20	< 20	< 20	< 20	27000
451550	208	294	100	24900	70	< 5	140	< 0.01	20	< 20	< 20	< 20	44000
451551	208	294	< 100	>50000	210	< 5	120	< 0.01	< 20	< 20	< 20	< 20	>50000
451553	208	294	600	495	< 10	5	260	0.04	< 20	< 20	20	< 20	1480
451554	208	294	100	16290	10	< 5	55	0.01	< 20	< 20	< 20	20	41500
451555	208	294	< 100	1100	50	< 5	80	< 0.01	< 20	< 20	< 20	< 20	24600
451556	208	294	600	355	< 10	< 5	25	0.05	< 20	< 20	20	< 20	560
451557	208	294	500	225	10	< 5	15	0.06	< 20	< 20	20	< 20	565
451558	208	294	< 100	>50000	1920	< 5	35	< 0.01	< 20	< 20	< 20	20	10570
451559	208	294	700	740	20	< 5	15	< 0.01	< 20	< 20	< 20	< 20	1470
451563	208	294	500	940	30	< 5	20	< 0.01	< 20	< 20	< 20	< 20	2460
451564	208	294	600	205	< 10	< 5	15	0.02	< 20	< 20	20	< 20	535
451565	208	294	300	395	30	< 5	15	0.01	< 20	< 20	< 20	< 20	865
451566	208	294	700	45	< 10	< 5	20	0.06	< 20	< 20	20	< 20	310

CERTIFICATION: Hart Fiebler

Chemex Labs Ltd.

Analytical Chemists * Geochemists **Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 30-AUG-1998
Invoice No. : I9829237
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9829237

SAMPLE	PREP CODE	Ag con g/t
059410	244 --	4746.4
059429	244 --	15579.5
059430	244 --	22460
935797	244 --	5206.4

CERTIFICATION:

OVERLIMITS from A9828898

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 01-SEP-1998
Invoice No. : I9828898
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9828898

SAMPLE	PREP CODE		Au ppb FA+AA	Au FA oz/T	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm
059401	208	226	-----	-----	1	0.58	30	20	< 5	< 10	0.22	< 5	< 5	60	15	1.20	< 10	0.39	0.02	550	< 5
059402	208	226	-----	-----	3	0.43	70	20	< 5	< 10	0.09	< 5	< 5	70	20	1.43	< 10	0.43	0.01	2070	5
059403	208	226	-----	-----	2	0.53	20	20	< 5	< 10	0.10	< 5	< 5	60	10	3.31	< 10	0.52	0.02	10300	< 5
059406	208	226	85	-----	146	0.86	430	60	< 5	< 10	0.12	< 5	< 5	130	335	1.91	< 10	0.43	0.16	1010	20
059407	208	226	70	-----	80	1.02	1130	80	< 5	< 10	0.18	5	< 5	90	195	2.23	< 10	0.48	0.23	4680	15
059409	208	226	265	-----	>200	0.43	2120	20	< 5	< 10	0.08	25	< 5	60	1575	10.55	< 10	0.42	0.04	24900	35
059410	208	226	200	-----	>200	0.17	2740	< 20	< 5	20	0.03	90	< 5	20	5610	3.57	< 10	0.06	0.01	3130	5
059411	208	226	75	-----	141	0.53	1300	20	< 5	< 10	0.11	15	< 5	70	480	3.82	< 10	0.44	0.04	6580	5
059414	208	226	< 5	-----	76	0.54	90	60	< 5	< 10	0.12	15	< 5	80	130	3.64	< 10	0.49	0.05	12130	< 5
059415	208	226	735	-----	>200	0.26	10500	100	< 5	< 10	0.04	55	5	60	1310	14.95	< 10	0.19	0.02	29700	< 5
059416	208	226	60	-----	72	0.56	660	60	< 5	< 10	0.12	15	< 5	80	130	4.32	< 10	0.54	0.02	10400	< 5
059417	208	226	120	-----	>200	1.00	1340	80	< 5	< 10	0.18	10	5	90	345	2.80	< 10	0.41	0.21	4380	45
059418	208	226	65	-----	>200	0.34	760	20	< 5	< 10	0.04	70	< 5	110	1075	1.11	10	0.26	0.01	260	5
059419	208	226	-----	-----	13	0.75	20	40	< 5	< 10	0.17	5	< 5	70	70	2.07	< 10	0.44	0.03	2020	5
059420	208	226	350	-----	68	0.57	6040	20	< 5	< 10	0.07	30	< 5	110	170	1.58	< 10	0.51	0.01	70	< 5
059421	208	226	465	-----	80	0.43	10820	20	< 5	< 10	0.07	40	< 5	80	405	2.78	< 10	0.45	0.01	140	10
059422	208	226	65	-----	28	0.71	2140	40	< 5	< 10	0.15	50	< 5	50	330	2.29	< 10	0.42	0.10	390	< 5
059428	208	226	45	-----	>200	0.03	50	< 20	< 5	< 10	0.03	35	< 5	< 10	470	0.14	10	0.02	< 0.01	< 10	< 5
059429	208	226	-----	< 0.002	>200	0.01	530	< 20	< 5	< 10	0.03	85	< 5	< 10	18210	0.82	< 10	0.01	< 0.01	10	< 5
059430	208	226	-----	< 0.002	>200	0.01	910	< 20	< 5	10	0.02	130	< 5	< 10	26700	1.00	< 10	0.01	< 0.01	20	< 5
059431	208	226	85	-----	11	0.69	470	80	< 5	< 10	0.09	< 5	< 5	80	55	2.25	< 10	0.50	0.04	1310	5
059432	208	226	60	-----	4	0.43	560	40	< 5	< 10	0.24	< 5	< 5	80	25	1.93	< 10	0.34	0.08	1320	5
059433	208	226	20	-----	9	0.56	310	60	< 5	< 10	0.08	< 5	5	60	60	3.75	< 10	0.49	0.07	880	5
059434	208	226	35	-----	4	0.78	290	100	< 5	< 10	0.07	< 5	5	110	30	2.90	< 10	0.64	0.03	850	5
059435	208	226	110	-----	16	0.46	2670	40	< 5	< 10	0.16	15	5	80	50	4.68	< 10	0.38	0.10	6520	< 5
059436	208	226	570	-----	53	0.35	18480	20	< 5	< 10	0.08	30	25	80	260	6.16	< 10	0.29	0.16	6530	< 5
059437	208	226	20	-----	4	0.77	400	100	< 5	< 10	0.18	< 5	20	60	55	5.00	< 10	0.60	0.05	2980	10
935789	208	226	35	-----	5	1.38	60	20	< 5	80	11.35	< 5	< 5	40	1405	10.60	< 10	0.05	0.08	8960	30
935790	208	226	35	-----	107	0.36	30	< 20	< 5	< 10	0.15	345	< 5	30	270	15.30	< 10	0.09	0.04	>50000	< 5
935791	208	226	-----	-----	4	0.55	70	40	< 5	< 10	0.22	< 5	< 5	50	30	1.38	< 10	0.46	0.03	3360	40
935792	208	226	90	-----	4	0.42	2280	20	< 5	< 10	0.07	5	< 5	60	30	3.84	< 10	0.45	0.01	8320	20
935793	--	--	NotRcd	-----	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
935794	208	226	1130	-----	40	0.45	1630	20	< 5	< 10	0.07	< 5	< 5	90	70	2.76	< 10	0.41	0.02	5960	80
935795	--	--	NotRcd	-----	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
935796	208	226	-----	-----	4	0.77	20	40	< 5	< 10	0.12	< 5	< 5	60	20	2.23	< 10	0.56	0.08	5880	< 5
935797	208	226	2740	-----	>200	0.21	2000	< 20	< 5	10	0.03	35	< 5	100	3500	4.47	< 10	0.14	0.01	1070	5
935798	208	226	-----	-----	45	0.63	650	20	< 5	< 10	0.13	30	< 5	70	215	2.37	< 10	0.46	0.04	5250	< 5

CERTIFICATION: Hart Richler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 01-SEP-1998
Invoice No. : 19828898
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9828898

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Ag FA g/t	Zn %	Pb %	WO3 %
059401	208	226	0.03	< 5	600	65	10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	690	-----	-----	-----	-----
059402	208	226	0.03	< 5	400	460	< 10	< 5	10	< 0.01	< 20	< 20	< 20	< 20	610	-----	-----	-----	-----
059403	208	226	0.03	< 5	400	230	< 10	< 5	10	< 0.01	< 20	< 20	< 20	< 20	1060	-----	-----	-----	-----
059406	208	226	0.05	< 5	500	13020	100	< 5	15	0.01	< 20	< 20	< 20	20	900	-----	-----	-----	-----
059407	208	226	0.06	5	600	8120	30	< 5	15	0.03	< 20	< 20	< 20	< 20	2200	-----	-----	-----	-----
059409	208	226	0.02	5	400	19480	580	< 5	10	< 0.01	< 20	< 20	< 20	< 20	9390	1240	-----	-----	-----
059410	208	226	0.01	< 5	100	>50000	4180	< 5	15	< 0.01	< 20	< 20	< 20	160	32500	>3500	-----	47.4	-----
059411	208	226	0.03	< 5	500	11520	80	< 5	15	< 0.01	< 20	< 20	< 20	< 20	4020	-----	-----	-----	-----
059414	208	226	0.03	< 5	600	6880	40	< 5	20	< 0.01	< 20	< 20	< 20	< 20	3620	-----	-----	-----	-----
059415	208	226	0.01	< 5	100	7130	4650	< 5	20	< 0.01	< 20	< 20	< 20	220	9690	>3500	-----	-----	-----
059416	208	226	0.03	< 5	600	1070	10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	3540	-----	-----	-----	-----
059417	208	226	0.04	< 5	600	20600	220	< 5	15	0.01	< 20	< 20	< 20	20	3210	497	-----	-----	-----
059418	208	226	0.03	< 5	200	43000	250	< 5	25	< 0.01	< 20	< 20	< 20	20	27100	736	-----	-----	-----
059419	208	226	0.03	< 5	800	515	10	< 5	25	< 0.01	< 20	< 20	< 20	< 20	2620	-----	-----	-----	-----
059420	208	226	0.03	< 5	400	730	40	< 5	25	< 0.01	< 20	20	< 20	< 20	1185	-----	-----	-----	-----
059421	208	226	0.03	< 5	400	955	40	< 5	45	< 0.01	< 20	< 20	< 20	< 20	1830	-----	-----	-----	-----
059422	208	226	0.03	< 5	600	1010	10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	2240	-----	-----	-----	-----
059428	208	226	0.03	< 5	100	>50000	1630	< 5	5	< 0.01	< 20	< 20	< 20	80	10240	1615	-----	79.7	-----
059429	208	226	0.01	< 5	100	>50000	>10000	< 5	5	< 0.01	< 20	< 20	< 20	140	27400	>3500	-----	70.7	-----
059430	208	226	0.01	5	100	>50000	>10000	< 5	5	< 0.01	< 20	< 20	< 20	120	38700	>3500	-----	59.6	-----
059431	208	226	0.04	15	200	700	10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	435	-----	-----	-----	-----
059432	208	226	0.03	15	100	405	< 10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	545	-----	-----	-----	-----
059433	208	226	0.03	25	200	200	< 10	< 5	5	< 0.01	< 20	< 20	< 20	< 20	475	-----	-----	-----	-----
059434	208	226	0.03	15	100	195	10	< 5	10	< 0.01	< 20	< 20	< 20	< 20	575	-----	-----	-----	-----
059435	208	226	0.03	20	100	1010	20	< 5	20	< 0.01	< 20	< 20	< 20	< 20	4190	-----	-----	-----	-----
059436	208	226	0.02	30	100	1335	50	< 5	5	< 0.01	< 20	< 20	< 20	< 20	14130	-----	-----	-----	-----
059437	208	226	0.03	65	800	135	< 10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	1255	-----	-----	-----	-----
935789	208	226	0.03	5	400	< 5	< 10	< 5	< 5	0.01	< 20	20	80	1120	130	-----	-----	-----	0.84
935790	208	226	0.01	5	1300	>50000	40	< 5	15	< 0.01	60	< 20	< 20	40	>50000	-----	12.10	8.32	-----
935791	208	226	0.03	< 5	500	495	< 10	< 5	10	< 0.01	< 20	< 20	< 20	60	960	-----	-----	-----	-----
935792	208	226	0.03	< 5	300	795	< 10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	2190	-----	-----	-----	-----
935793	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
935794	208	226	0.03	< 5	300	560	10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	1420	-----	-----	-----	-----
935795	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
935796	208	226	0.03	< 5	500	380	< 10	< 5	15	< 0.01	< 20	< 20	< 20	< 20	1595	-----	-----	-----	-----
935797	208	226	0.01	< 5	100	>50000	3640	< 5	15	< 0.01	< 20	< 20	< 20	200	15460	>3500	-----	22.6	-----
935798	208	226	0.03	< 5	500	1790	10	< 5	10	< 0.01	< 20	< 20	< 20	< 20	7740	-----	-----	-----	-----

CERTIFICATION: Hart Richles +

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 20-AUG-98
Invoice No. : I9828325
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9828325

SAMPLE	PREP CODE		Ag con g/t									
935782	244	--	5063.2									

CERTIFICATION: _____

OVERLIMITS from A9828060

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 21-AUG-1998
Invoice No. : I9828060
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9828060

SAMPLE	PREP CODE	Ag FA g/t	Pb %	Zn %
935781	244 --	-----	-----	12.30
935782	244 --	>3500	59.7	-----

CERTIFICATION: Saidtsing +

OVERLIMITS from A9827684

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 16-AUG-98
Invoice No. : I9827886
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9827886

SAMPLE	PREP CODE	Pb %	Zn %
934745	244 --	2.54	5.76
934746	244 --	2.62	3.20

CERTIFICATION: Sara Leinad

OVERLIMITS from A9825217

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 16-AUG-98
Invoice No. : I9827684
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9827684

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm
935781	208	226	64	0.24	< 10	20	< 5	< 10	0.11	415	10	60	325	6.02	< 10	0.15	0.16	25400	< 5	0.03	< 5
935782	208	226	>200	0.09	90	< 20	< 5	< 10	0.03	65	< 5	30	3140	0.43	< 10	0.05	0.01	720	< 5	0.03	5
935783	208	226	24	0.79	240	20	< 5	10	0.07	45	5	30	95	12.45	< 10	0.40	0.12	23600	< 5	0.03	15
935784	208	226	50	0.66	80	120	< 5	30	0.14	100	< 5	30	105	28.4	< 10	0.28	0.14	>50000	< 5	0.03	10
935785	208	226	3	0.54	< 10	< 20	< 5	< 10	25.5	< 5	< 5	10	15	1.27	< 10	0.11	0.29	1590	< 5	0.06	5
935786	208	226	13	0.60	30	20	< 5	10	7.67	55	< 5	30	30	14.10	< 10	0.33	0.14	>50000	< 5	0.03	< 5
935787	208	226	10	0.58	40	20	< 5	< 10	5.13	60	5	20	70	16.30	< 10	0.28	0.22	>50000	< 5	0.04	10
935788	208	226	43	0.59	130	160	< 5	10	0.14	140	< 5	20	120	25.2	< 10	0.31	0.12	>50000	< 5	0.03	20

CERTIFICATION: Hart Bidlle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 16-AUG-98
Invoice No. : I9827684
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9827684

SAMPLE	PREP CODE		P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935781	208	226	< 100	1795	10	< 5	< 5	< 0.01	< 20	< 20	< 20	< 20	>50000
935782	208	226	< 100	>50000	3320	< 5	5	< 0.01	< 20	< 20	< 20	< 20	17190
935783	208	226	300	6280	< 10	< 5	20	< 0.01	< 20	< 20	< 20	< 20	10660
935784	208	226	300	15200	10	< 5	100	< 0.01	< 20	< 20	< 20	< 20	25100
935785	208	226	100	215	< 10	< 5	710	0.02	< 20	< 20	< 20	< 20	400
935786	208	226	100	5770	< 10	< 5	195	< 0.01	< 20	< 20	< 20	< 20	20300
935787	208	226	100	4080	< 10	< 5	210	< 0.01	< 20	< 20	< 20	< 20	19850
935788	208	226	300	19150	< 10	5	80	< 0.01	< 20	< 20	< 20	< 20	34100

CERTIFICATION: Ian Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 12-AUG-98
Invoice No. : I9827468
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9827468

SAMPLE	PREP CODE		Ag FA g/t
935381	244	--	366

CERTIFICATION: Mark Vinh

OVERLIMITS from A9826900

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 10-AUG-98
Invoice No. : 19826900
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826900

SAMPLE	PREP CODE		Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)
935381	208	226	>200	6.15	100	< 10	< 20	0.25	10	< 10	60	120	20.3	2.5	0.15	78100

CERTIFICATION: J. Richardson

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 10-AUG-98
Invoice No. : I9826900
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826900

SAMPLE	PREP CODE		Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	Pb % AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	Zn ppm (ICP)						
935381	208	226	< 10	0.10	10	7.62	40	0.20	50	9560						

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page ber : 1-A
Total Pages : 1
Certificate Date: 12-AUG-98
Invoice No. : I9826899
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826899

SAMPLE	PREP CODE		Ag FA g/t	Ag ppm AAS	Al % (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)
935380	208	226	>3500	>200	2.85	< 100	< 10	< 20	1.05	220	< 10	190	1030	3.95	1.2	0.20

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 12-AUG-98
Invoice No. : I9826899
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826899

SAMPLE	PREP CODE		Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)	Ni ppm (ICP)	Pb % AAS	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	Zn ppm (ICP)					
935380	208	226	16500	< 10	0.05	< 10	8.87	< 10	0.05	10	59000					

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 09-AUG-98
Invoice No. : 19826566
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4104	201	202	< 0.2	1.33	8	50	< 0.5	< 2	0.23	< 0.5	6	16	7	2.41	< 10	< 1	0.09	30	0.32	230	1
AA4105	201	202	0.4	1.72	14	50	2.0	< 2	0.50	1.0	7	18	18	2.10	< 10	< 1	0.06	30	0.39	925	1
AA4106	201	202	1.0	2.17	26	100	2.0	< 2	0.41	1.5	6	21	43	2.38	< 10	< 1	0.07	40	0.44	410	3
AA4107	201	202	0.2	1.16	10	70	< 0.5	< 2	0.13	< 0.5	4	15	6	1.62	< 10	< 1	0.05	20	0.31	280	1
AA4108	201	202	< 0.2	1.12	12	40	< 0.5	< 2	0.12	< 0.5	4	11	6	2.04	< 10	< 1	0.07	30	0.20	205	< 1
AA4109	201	202	1.2	1.84	50	40	1.5	< 2	0.22	0.5	4	13	16	2.41	< 10	< 1	0.09	30	0.30	380	6
AA4110	201	202	0.6	1.48	28	60	0.5	< 2	0.14	0.5	5	16	9	2.51	< 10	< 1	0.07	30	0.30	295	4
AA4111	201	202	0.6	1.84	40	60	0.5	< 2	0.26	0.5	7	21	23	2.95	< 10	< 1	0.08	30	0.41	250	7
AA4112	201	202	6.6	1.25	116	40	2.0	< 2	0.60	3.0	5	13	71	1.95	< 10	< 1	0.10	30	0.33	345	8
AA4113	201	202	1.2	1.21	26	50	2.5	< 2	0.45	2.0	5	12	49	1.63	< 10	< 1	0.08	30	0.32	385	3
AA4114	201	202	0.4	1.08	10	40	0.5	< 2	0.28	< 0.5	5	12	17	1.56	< 10	< 1	0.08	30	0.31	270	1
AA4115	201	202	1.0	2.43	32	110	1.5	< 2	0.52	2.0	10	17	63	2.69	< 10	< 1	0.16	30	0.47	1270	5
AA4116	201	202	< 0.2	1.49	16	50	0.5	< 2	0.16	< 0.5	5	15	12	2.33	< 10	< 1	0.09	30	0.39	325	3
AA4117	201	202	0.4	1.36	10	70	0.5	< 2	0.09	< 0.5	3	10	15	1.48	< 10	< 1	0.07	30	0.20	200	< 1
AA4118	201	202	0.2	1.80	10	90	0.5	< 2	0.57	< 0.5	5	17	21	2.11	< 10	< 1	0.12	30	0.49	425	5
AA4119	201	202	1.2	1.39	8	80	2.5	< 2	2.09	0.5	3	6	65	0.74	< 10	< 1	0.03	30	0.11	1060	4
AA4120	201	202	0.6	1.59	< 2	120	1.0	< 2	0.58	0.5	5	19	52	1.70	< 10	< 1	0.06	30	0.30	270	4
AA4121	201	202	0.6	1.94	34	50	1.0	< 2	0.20	0.5	7	20	83	2.60	< 10	< 1	0.06	30	0.37	345	1
AA4122	201	202	0.2	1.54	8	50	0.5	< 2	0.06	< 0.5	3	5	13	1.44	< 10	< 1	0.07	40	0.26	205	1
AA4123	201	202	0.2	1.24	6	60	< 0.5	< 2	0.06	< 0.5	3	7	9	1.40	< 10	< 1	0.09	40	0.26	255	1
AA4124	201	202	0.6	2.63	< 2	100	1.5	20	0.09	< 0.5	9	11	62	2.55	< 10	< 1	0.13	30	0.31	310	8
AA4125	201	202	0.2	1.16	< 2	60	< 0.5	< 2	0.06	< 0.5	3	6	4	1.26	< 10	< 1	0.10	30	0.24	135	< 1
AA4126	201	202	0.2	1.44	4	130	0.5	< 2	0.32	< 0.5	5	6	5	1.56	< 10	< 1	0.11	30	0.33	330	< 1
AA4127	201	202	0.2	1.27	8	100	0.5	< 2	1.18	< 0.5	5	10	9	1.50	< 10	< 1	0.16	30	0.45	280	1
AA4128	201	202	0.4	1.55	24	100	0.5	< 2	0.80	< 0.5	6	12	10	1.53	< 10	< 1	0.11	30	0.39	245	< 1
AA4129	201	202	0.6	1.50	8	110	0.5	< 2	1.55	< 0.5	7	15	13	1.56	< 10	< 1	0.08	30	0.39	225	1
AA4130	201	202	0.4	1.87	< 2	120	0.5	< 2	0.70	< 0.5	9	20	10	2.31	< 10	< 1	0.21	30	0.59	315	< 1
AA4131	201	202	1.2	1.59	6	100	0.5	< 2	0.44	< 0.5	7	15	7	1.72	< 10	< 1	0.15	40	0.45	310	< 1
AA4132	201	202	< 0.2	1.28	< 2	70	< 0.5	< 2	0.13	< 0.5	4	10	5	1.38	< 10	< 1	0.17	30	0.37	180	< 1
AA4133	201	202	< 0.2	1.11	2	70	< 0.5	< 2	0.27	< 0.5	4	7	4	1.39	< 10	< 1	0.19	50	0.35	190	< 1
AA4134	201	202	< 0.2	0.70	< 2	50	< 0.5	< 2	0.18	< 0.5	1	5	2	0.62	< 10	< 1	0.09	30	0.14	70	< 1
AA4135	201	202	< 0.2	0.96	2	40	< 0.5	< 2	0.05	< 0.5	3	6	4	1.28	< 10	< 1	0.12	30	0.24	140	< 1
AA4136	201	202	1.8	1.50	36	70	0.5	< 2	0.21	< 0.5	5	13	9	2.03	< 10	< 1	0.21	30	0.48	215	1
AA4137	201	202	0.4	1.04	8	50	< 0.5	< 2	0.21	< 0.5	4	9	4	1.25	< 10	< 1	0.13	30	0.30	145	< 1
AA4138	201	202	1.4	1.98	20	120	1.0	< 2	1.14	< 0.5	7	14	13	1.90	< 10	< 1	0.15	40	0.50	300	< 1
AA4139	201	202	< 0.2	1.25	6	60	0.5	< 2	0.34	< 0.5	5	11	6	1.41	< 10	< 1	0.06	40	0.32	205	< 1
AA4140	201	202	0.2	1.65	18	110	0.5	< 2	1.42	< 0.5	7	13	10	1.76	< 10	< 1	0.10	30	0.44	310	< 1
AA4141	201	202	0.4	1.65	10	110	0.5	< 2	1.17	< 0.5	5	8	9	1.52	< 10	< 1	0.12	40	0.37	235	1
AA4142	201	202	< 0.2	1.05	< 2	50	< 0.5	< 2	0.09	< 0.5	2	6	3	1.17	< 10	< 1	0.07	30	0.24	125	< 1
AA4143	201	202	< 0.2	0.41	< 2	60	< 0.5	< 2	0.25	< 0.5	< 1	1	1	0.31	< 10	< 1	0.04	30	0.05	35	< 1

CERTIFICATION: Hart Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218


To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page ber : 1-B
Total . . ges : 6
Certificate Date: 09-AUG-98
Invoice No. : 19826566
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4104	201	202	< 0.01	7	400	18	< 2	1	22	0.10	< 10	< 10	48	< 10	248
AA4105	201	202	< 0.01	10	510	48	< 2	3	50	0.07	< 10	10	28	< 10	1160
AA4106	201	202	0.01	12	530	152	< 2	3	50	0.05	< 10	40	33	< 10	1125
AA4107	201	202	< 0.01	6	250	64	< 2	1	15	0.07	< 10	< 10	34	< 10	260
AA4108	201	202	< 0.01	4	350	28	< 2	1	14	0.04	< 10	< 10	34	< 10	176
AA4109	201	202	< 0.01	6	360	86	< 2	1	20	0.02	< 10	< 10	24	< 10	720
AA4110	201	202	< 0.01	5	550	32	< 2	1	15	0.07	< 10	< 10	37	< 10	558
AA4111	201	202	< 0.01	11	250	40	< 2	2	17	0.04	< 10	< 10	32	< 10	532
AA4112	201	202	< 0.01	11	940	660	< 2	1	50	0.03	< 10	60	20	< 10	2540
AA4113	201	202	< 0.01	19	800	40	< 2	1	45	0.02	< 10	10	19	< 10	856
AA4114	201	202	< 0.01	9	490	24	< 2	1	13	0.03	< 10	< 10	20	10	274
AA4115	201	202	0.01	17	1500	102	< 2	1	59	0.03	< 10	< 10	28	< 10	1175
AA4116	201	202	< 0.01	8	600	20	< 2	1	11	0.07	< 10	< 10	37	10	124
AA4117	201	202	< 0.01	4	750	22	< 2	< 1	13	0.02	< 10	< 10	25	< 10	78
AA4118	201	202	0.01	8	1570	24	< 2	1	55	0.04	< 10	10	29	< 10	280
AA4119	201	202	0.02	5	1900	4	< 2	< 1	224	0.01	< 10	120	9	< 10	54
AA4120	201	202	< 0.01	7	1010	30	< 2	1	57	0.05	< 10	40	30	< 10	220
AA4121	201	202	< 0.01	11	770	40	< 2	1	31	0.07	< 10	10	37	< 10	120
AA4122	201	202	< 0.01	1	330	34	< 2	1	8	0.02	< 10	< 10	15	< 10	154
AA4123	201	202	< 0.01	2	260	18	< 2	1	9	0.03	< 10	< 10	20	< 10	134
AA4124	201	202	< 0.01	12	490	82	< 2	1	14	0.02	< 10	10	18	< 10	620
AA4125	201	202	< 0.01	2	460	16	< 2	1	8	0.03	< 10	< 10	22	< 10	50
AA4126	201	202	< 0.01	3	620	22	< 2	1	35	0.04	< 10	< 10	23	< 10	66
AA4127	201	202	0.01	6	710	10	< 2	3	145	0.07	< 10	30	22	< 10	82
AA4128	201	202	0.01	7	640	14	< 2	3	112	0.05	< 10	20	20	< 10	92
AA4129	201	202	0.02	11	540	18	< 2	2	196	0.04	< 10	20	18	< 10	140
AA4130	201	202	0.02	12	340	28	< 2	4	99	0.08	< 10	< 10	28	< 10	118
AA4131	201	202	0.01	7	680	52	< 2	3	57	0.06	< 10	< 10	23	< 10	118
AA4132	201	202	0.01	6	270	12	< 2	1	19	0.06	< 10	< 10	23	< 10	64
AA4133	201	202	< 0.01	1	980	12	< 2	1	15	0.06	< 10	< 10	23	< 10	52
AA4134	201	202	< 0.01	1	330	6	< 2	< 1	28	0.03	< 10	< 10	10	< 10	26
AA4135	201	202	< 0.01	4	280	10	< 2	1	8	0.04	< 10	< 10	22	< 10	46
AA4136	201	202	0.01	12	670	88	< 2	2	22	0.06	< 10	< 10	28	< 10	128
AA4137	201	202	0.01	5	470	30	< 2	1	28	0.05	< 10	< 10	20	< 10	84
AA4138	201	202	0.02	11	600	32	< 2	3	147	0.06	< 10	10	23	< 10	236
AA4139	201	202	0.01	7	500	10	< 2	2	50	0.05	< 10	< 10	18	< 10	96
AA4140	201	202	0.02	7	820	16	< 2	3	179	0.06	< 10	10	24	< 10	176
AA4141	201	202	0.01	4	620	16	< 2	3	181	0.05	< 10	30	21	< 10	88
AA4142	201	202	< 0.01	1	450	16	< 2	1	12	0.04	< 10	< 10	21	< 10	42
AA4143	201	202	0.01	< 1	110	6	< 2	< 1	56	0.03	< 10	< 10	7	< 10	12

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :6
Certificate Date: 09-AUG-98
Invoice No. :I9826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4144	201	202	0.4	1.39	6	90	0.5	< 2	1.15	< 0.5	6	11	10	1.55	< 10	< 1	0.09	30	0.38	365	< 1
AA4145	201	202	0.6	1.65	22	130	0.5	< 2	1.06	< 0.5	11	13	18	1.97	< 10	< 1	0.12	30	0.42	1890	3
AA4146	201	202	1.2	1.90	24	120	0.5	< 2	1.05	< 0.5	9	16	14	2.10	< 10	< 1	0.17	30	0.52	380	1
AA4147	201	202	1.0	0.97	16	70	< 0.5	< 2	0.51	< 0.5	5	10	4	1.42	< 10	< 1	0.20	30	0.35	250	2
AA4148	201	202	1.8	1.84	12	180	1.0	< 2	1.13	< 0.5	7	12	10	1.77	< 10	< 1	0.13	40	0.39	970	1
AA4149	201	202	0.2	1.20	< 2	80	0.5	< 2	0.57	< 0.5	4	7	6	1.40	< 10	< 1	0.15	30	0.34	305	1
AA4150	201	202	0.4	1.35	4	130	0.5	< 2	0.80	< 0.5	5	8	6	1.37	< 10	< 1	0.13	30	0.31	395	< 1
AA4151	201	202	0.2	1.26	< 2	80	< 0.5	< 2	0.37	< 0.5	4	7	3	1.25	< 10	< 1	0.14	40	0.34	205	< 1
AA4152	201	202	< 0.2	0.86	< 2	40	< 0.5	< 2	0.13	< 0.5	3	6	1	1.09	< 10	< 1	0.09	40	0.21	160	< 1
AA4153	201	202	0.6	1.60	< 2	80	0.5	< 2	0.16	< 0.5	4	11	6	1.48	< 10	< 1	0.14	30	0.35	170	< 1
AA4154	201	202	0.2	1.49	8	100	0.5	< 2	0.63	< 0.5	7	12	9	1.58	< 10	< 1	0.15	40	0.39	345	< 1
AA4155	201	202	< 0.2	1.13	< 2	70	< 0.5	< 2	0.42	< 0.5	6	11	4	1.40	< 10	< 1	0.13	30	0.39	295	< 1
AA4156	201	202	0.4	1.60	< 2	130	0.5	< 2	0.44	< 0.5	7	11	6	1.65	< 10	< 1	0.14	30	0.37	630	1
AA4157	201	202	0.2	0.94	2	90	< 0.5	< 2	0.39	< 0.5	1	7	3	0.80	< 10	< 1	0.08	30	0.21	95	< 1
AA4158	201	202	< 0.2	0.54	< 2	10	< 0.5	< 2	0.10	< 0.5	1	3	1	0.55	< 10	< 1	0.05	30	0.09	55	< 1
AA4159	201	202	0.6	1.29	2	120	0.5	< 2	0.71	< 0.5	5	9	7	1.57	< 10	< 1	0.11	30	0.30	410	3
AA4160	201	202	0.2	1.13	< 2	100	0.5	< 2	0.62	< 0.5	5	8	5	1.33	< 10	< 1	0.14	30	0.35	340	1
AA4161	201	202	0.8	1.15	40	40	< 0.5	< 2	0.25	< 0.5	6	11	6	1.66	< 10	< 1	0.14	30	0.37	325	< 1
AA4162	201	202	1.0	1.62	12	90	0.5	< 2	1.29	< 0.5	7	14	15	1.76	< 10	< 1	0.12	30	0.42	295	< 1
AA4163	201	202	0.4	1.43	8	80	0.5	< 2	1.23	< 0.5	5	11	12	1.52	< 10	< 1	0.10	30	0.38	330	< 1
AA4164	201	202	0.2	2.31	< 2	100	1.5	2	0.10	< 0.5	4	12	7	1.75	< 10	< 1	0.16	30	0.35	305	1
AA4165	201	202	< 0.2	0.85	< 2	30	< 0.5	< 2	0.05	< 0.5	1	5	1	0.64	< 10	< 1	0.07	30	0.15	90	< 1
AA4166	201	202	< 0.2	1.18	< 2	30	< 0.5	< 2	0.03	< 0.5	< 1	4	2	0.59	< 10	< 1	0.08	30	0.09	50	< 1
AA4167	201	202	< 0.2	0.46	< 2	10	< 0.5	< 2	0.01	< 0.5	< 1	1	< 1	0.24	< 10	< 1	0.04	30	0.04	30	< 1
AA4168	201	202	< 0.2	1.13	6	60	0.5	< 2	0.10	< 0.5	2	8	3	0.93	< 10	< 1	0.12	30	0.23	150	< 1
AA4169	201	202	0.6	1.05	2	50	0.5	< 2	0.14	< 0.5	3	10	3	1.12	< 10	< 1	0.10	20	0.24	225	< 1
AA4170	201	202	< 0.2	0.47	< 2	10	< 0.5	< 2	0.01	< 0.5	< 1	3	1	0.51	< 10	< 1	0.05	30	0.05	45	< 1
AA4171	201	202	< 0.2	0.71	< 2	30	< 0.5	< 2	0.02	< 0.5	3	12	1	0.79	< 10	< 1	0.04	30	0.11	70	< 1
AA4172	201	202	0.2	1.25	< 2	40	< 0.5	< 2	0.05	< 0.5	6	35	4	2.21	< 10	< 1	0.05	30	0.34	230	< 1
AA4173	201	202	< 0.2	0.82	< 2	100	0.5	< 2	0.27	< 0.5	5	24	5	1.08	< 10	< 1	0.07	30	0.41	195	1
AA4174	201	202	0.2	1.70	< 2	70	< 0.5	< 2	0.13	< 0.5	10	54	5	2.97	< 10	< 1	0.06	10	0.82	325	< 1
AA4175	201	202	0.2	0.44	< 2	10	< 0.5	< 2	0.01	< 0.5	1	4	1	0.46	< 10	< 1	0.03	40	0.03	40	< 1
AA4176	201	202	0.2	1.18	2	30	< 0.5	< 2	0.12	< 0.5	3	9	4	1.72	< 10	< 1	0.06	20	0.23	140	< 1
AA4177	201	202	< 0.2	1.17	< 2	30	< 0.5	< 2	0.04	< 0.5	1	5	2	1.10	< 10	< 1	0.06	30	0.20	115	< 1
AA4178	201	202	0.6	1.22	< 2	50	< 0.5	2	0.09	< 0.5	3	17	6	1.27	< 10	< 1	0.06	30	0.21	220	< 1
AA4179	201	202	0.2	2.00	4	80	< 0.5	< 2	0.14	< 0.5	8	59	6	2.80	< 10	< 1	0.11	30	0.83	265	< 1
AA4180	201	202	< 0.2	0.35	< 2	10	< 0.5	< 2	0.04	< 0.5	< 1	6	< 1	0.26	< 10	< 1	0.03	30	0.05	30	< 1
AA4181	201	202	0.4	1.57	< 2	130	0.5	< 2	0.36	< 0.5	6	46	5	1.76	< 10	< 1	0.07	30	0.61	190	1
AA4182	201	202	< 0.2	0.47	< 2	20	< 0.5	< 2	0.05	< 0.5	1	7	4	0.61	< 10	< 1	0.05	20	0.09	50	< 1
AA4183	201	202	< 0.2	0.30	< 2	20	< 0.5	< 2	0.15	< 0.5	1	4	1	0.43	< 10	< 1	0.04	20	0.10	140	< 1

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-B
Total Pages :6
Certificate Date: 09-AUG-98
Invoice No. :I9826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4144	201	202	0.01	8	560	18	< 2	3	150	0.05	< 10	10	20	< 10	108
AA4145	201	202	0.01	14	710	24	< 2	3	128	0.05	< 10	20	24	< 10	138
AA4146	201	202	0.01	13	590	38	< 2	4	127	0.06	< 10	20	25	< 10	210
AA4147	201	202	0.01	5	560	54	< 2	1	54	0.06	< 10	< 10	21	< 10	94
AA4148	201	202	0.01	8	860	70	< 2	3	120	0.05	< 10	10	23	< 10	160
AA4149	201	202	< 0.01	3	640	16	< 2	1	69	0.05	< 10	< 10	21	< 10	60
AA4150	201	202	0.01	5	470	22	< 2	1	87	0.04	< 10	< 10	20	< 10	70
AA4151	201	202	< 0.01	4	600	20	< 2	1	46	0.05	< 10	< 10	19	< 10	58
AA4152	201	202	< 0.01	1	260	14	< 2	1	19	0.04	< 10	< 10	17	< 10	42
AA4153	201	202	0.01	6	560	20	< 2	1	27	0.04	< 10	< 10	21	< 10	74
AA4154	201	202	0.01	8	660	24	< 2	3	65	0.06	< 10	10	21	< 10	84
AA4155	201	202	0.01	7	440	12	< 2	1	45	0.06	< 10	< 10	21	< 10	56
AA4156	201	202	0.01	7	720	22	< 2	2	56	0.05	< 10	10	22	< 10	98
AA4157	201	202	0.01	1	400	8	< 2	1	50	0.03	< 10	< 10	13	< 10	40
AA4158	201	202	0.01	< 1	190	6	< 2	< 1	14	0.02	< 10	< 10	10	< 10	20
AA4159	201	202	0.01	6	690	36	< 2	1	82	0.04	< 10	< 10	23	< 10	76
AA4160	201	202	< 0.01	5	900	18	< 2	1	62	0.05	< 10	< 10	20	< 10	64
AA4161	201	202	0.01	5	760	136	< 2	2	26	0.05	< 10	< 10	23	< 10	146
AA4162	201	202	0.01	10	540	28	< 2	3	114	0.05	< 10	20	21	< 10	176
AA4163	201	202	0.01	8	620	16	< 2	3	133	0.05	< 10	10	21	< 10	114
AA4164	201	202	0.01	6	750	26	< 2	< 1	19	0.01	< 10	< 10	21	< 10	86
AA4165	201	202	0.01	1	190	8	< 2	< 1	9	0.01	< 10	< 10	10	< 10	36
AA4166	201	202	< 0.01	< 1	480	16	< 2	< 1	8	< 0.01	< 10	< 10	8	< 10	26
AA4167	201	202	< 0.01	< 1	150	12	< 2	< 1	5	< 0.01	< 10	< 10	4	< 10	10
AA4168	201	202	0.01	2	390	12	< 2	< 1	14	0.01	< 10	< 10	11	< 10	56
AA4169	201	202	< 0.01	5	590	20	< 2	< 1	12	0.01	< 10	< 10	13	< 10	60
AA4170	201	202	< 0.01	< 1	140	4	< 2	< 1	5	0.01	< 10	< 10	10	< 10	14
AA4171	201	202	< 0.01	2	200	6	< 2	< 1	6	0.04	< 10	< 10	21	< 10	16
AA4172	201	202	< 0.01	14	430	18	< 2	1	11	0.04	< 10	< 10	44	< 10	46
AA4173	201	202	0.01	12	620	28	< 2	1	26	0.03	< 10	< 10	15	< 10	60
AA4174	201	202	< 0.01	27	870	26	< 2	1	17	0.07	< 10	< 10	54	< 10	72
AA4175	201	202	< 0.01	< 1	130	6	< 2	< 1	6	0.01	< 10	< 10	10	< 10	12
AA4176	201	202	< 0.01	3	510	60	< 2	< 1	15	0.05	< 10	< 10	24	< 10	42
AA4177	201	202	< 0.01	1	330	6	< 2	< 1	9	0.04	< 10	< 10	17	< 10	30
AA4178	201	202	0.01	4	490	136	< 2	< 1	15	0.03	< 10	< 10	21	< 10	70
AA4179	201	202	0.01	24	340	10	< 2	2	25	0.08	< 10	< 10	50	< 10	64
AA4180	201	202	0.02	< 1	120	2	< 2	< 1	8	0.03	< 10	< 10	9	< 10	6
AA4181	201	202	0.01	20	560	26	< 2	1	77	0.03	< 10	< 10	27	< 10	92
AA4182	201	202	0.02	2	310	8	< 2	< 1	12	0.01	< 10	< 10	10	< 10	22
AA4183	201	202	< 0.01	1	510	4	< 2	< 1	13	0.01	< 10	< 10	5	< 10	18

CERTIFICATION: Ian Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-A
Total Pages :6
Certificate Date: 09-AUG-98
Invoice No. :I9826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4184	201	202	< 0.2	0.52	< 2	10	< 0.5	< 2	0.02	< 0.5	< 1	3	< 1	0.39	< 10	< 1	0.04	40	0.06	40	< 1
AA4185	201	202	< 0.2	1.16	< 2	30	< 0.5	< 2	0.05	< 0.5	1	9	3	1.14	< 10	< 1	0.06	30	0.13	160	< 1
AA4186	201	202	< 0.2	1.15	< 2	70	0.5	2	0.17	< 0.5	4	13	4	1.28	< 10	< 1	0.12	30	0.26	375	< 1
AA4187	201	202	< 0.2	1.37	< 2	80	0.5	< 2	0.13	< 0.5	4	13	5	1.36	< 10	< 1	0.14	30	0.28	445	< 1
AA4188	201	202	< 0.2	1.39	< 2	80	0.5	< 2	0.11	< 0.5	3	12	4	1.30	< 10	< 1	0.13	20	0.28	445	< 1
AA4189	201	202	< 0.2	1.18	< 2	60	0.5	2	0.04	< 0.5	1	10	3	1.01	< 10	< 1	0.07	10	0.20	145	< 1
AA4190	201	202	< 0.2	0.92	< 2	50	0.5	2	0.11	< 0.5	2	11	3	1.05	< 10	< 1	0.09	20	0.20	255	< 1
AA4191	201	202	0.2	1.78	< 2	100	1.0	< 2	0.20	< 0.5	3	10	9	1.73	< 10	< 1	0.17	10	0.23	285	1
AA4192	201	202	< 0.2	1.44	< 2	40	< 0.5	< 2	0.01	< 0.5	1	8	4	1.37	< 10	< 1	0.11	20	0.23	220	< 1
AA4193	201	202	< 0.2	1.64	< 2	30	< 0.5	< 2	0.04	< 0.5	2	4	4	1.83	< 10	< 1	0.10	20	0.36	185	< 1
AA4194	201	202	< 0.2	1.07	< 2	50	0.5	< 2	0.13	< 0.5	1	6	4	1.11	< 10	1	0.11	30	0.19	170	< 1
AA4195	201	202	< 0.2	0.96	< 2	30	< 0.5	< 2	0.05	< 0.5	2	9	4	1.21	< 10	< 1	0.05	30	0.13	135	< 1
AA4196	201	202	< 0.2	1.13	< 2	30	< 0.5	< 2	0.05	< 0.5	1	7	1	1.80	< 10	< 1	0.08	30	0.18	145	2
AA4197	201	202	< 0.2	1.68	2	60	0.5	2	0.05	< 0.5	< 1	3	4	1.41	< 10	< 1	0.07	40	0.11	175	3
AA4198	201	202	< 0.2	1.36	< 2	110	< 0.5	< 2	0.11	< 0.5	5	64	1	1.08	< 10	< 1	0.06	30	0.66	95	< 1
AA4199	201	202	< 0.2	2.29	< 2	380	0.5	< 2	0.19	< 0.5	12	99	11	3.14	< 10	< 1	0.07	20	0.97	235	1
AA4200	201	202	< 0.2	0.51	< 2	40	< 0.5	2	0.06	< 0.5	1	11	1	0.52	< 10	< 1	0.04	20	0.11	45	< 1
AA4201	201	202	< 0.2	0.96	< 2	40	< 0.5	< 2	0.06	< 0.5	3	17	3	1.37	< 10	< 1	0.10	40	0.23	110	< 1
AA4202	201	202	< 0.2	0.66	< 2	40	< 0.5	< 2	0.07	< 0.5	< 1	4	1	0.43	< 10	< 1	0.03	30	0.04	35	< 1
AA4203	201	202	< 0.2	1.85	< 2	70	0.5	2	0.12	< 0.5	4	10	5	1.95	< 10	< 1	0.15	40	0.41	255	< 1
AA4204	201	202	< 0.2	1.41	< 2	60	0.5	< 2	0.09	< 0.5	2	8	5	1.35	< 10	< 1	0.13	20	0.25	195	< 1
AA4205	201	202	< 0.2	0.92	< 2	30	< 0.5	2	0.05	< 0.5	1	8	4	0.81	< 10	< 1	0.06	20	0.13	90	< 1
AA4206	201	202	< 0.2	1.20	< 2	40	< 0.5	< 2	0.06	< 0.5	2	8	4	1.19	< 10	< 1	0.11	20	0.26	155	< 1
AA4207	201	202	< 0.2	1.33	< 2	40	< 0.5	< 2	0.06	< 0.5	3	11	5	1.28	< 10	< 1	0.08	30	0.27	165	< 1
AA4208	201	202	1.0	3.28	< 2	200	1.5	< 2	0.32	< 0.5	5	20	12	2.35	< 10	< 1	0.25	20	0.51	355	< 1
AA4209	201	202	< 0.2	1.36	< 2	90	0.5	2	0.23	< 0.5	2	13	4	1.07	< 10	1	0.12	30	0.28	275	< 1
AA4210	201	202	0.4	0.56	< 2	30	< 0.5	< 2	0.06	< 0.5	< 1	6	< 1	0.33	< 10	< 1	0.04	40	0.05	45	< 1
AA4211	201	202	0.8	1.42	< 2	40	< 0.5	2	0.07	< 0.5	3	10	8	2.24	< 10	< 1	0.07	40	0.18	325	< 1
AA4212	201	202	0.2	0.88	< 2	50	< 0.5	< 2	0.17	< 0.5	5	23	3	1.05	< 10	< 1	0.04	30	0.28	280	1
AA4213	201	202	0.6	1.39	< 2	60	0.5	< 2	0.13	< 0.5	5	23	4	1.61	< 10	< 1	0.08	30	0.31	380	< 1
AA4214	201	202	0.4	1.19	< 2	40	0.5	< 2	0.11	< 0.5	3	10	4	1.58	< 10	< 1	0.08	30	0.24	210	1
AA4215	201	202	< 0.2	0.73	< 2	20	< 0.5	< 2	0.03	< 0.5	1	5	1	0.82	< 10	< 1	0.06	30	0.11	100	< 1
AA4216	201	202	0.2	0.91	< 2	70	0.5	< 2	0.34	< 0.5	3	9	4	1.09	< 10	< 1	0.12	30	0.26	225	< 1
AA4217	201	202	< 0.2	0.85	< 2	70	< 0.5	< 2	0.19	< 0.5	4	32	4	1.22	< 10	< 1	0.07	30	0.45	155	< 1
AA4218	201	202	< 0.2	0.60	< 2	30	< 0.5	< 2	0.04	< 0.5	1	8	5	0.95	< 10	1	0.07	30	0.12	105	< 1
AA4219	201	202	0.4	1.70	< 2	70	0.5	< 2	0.16	< 0.5	6	41	5	2.02	< 10	< 1	0.11	30	0.57	495	< 1
AA4220	201	202	0.6	1.30	< 2	50	< 0.5	< 2	0.09	< 0.5	3	25	4	1.33	< 10	< 1	0.06	20	0.36	145	< 1
AA4221	201	202	0.2	1.73	< 2	90	0.5	< 2	0.13	< 0.5	3	16	6	1.75	< 10	< 1	0.16	20	0.31	360	1
AA4222	201	202	0.2	1.55	< 2	70	0.5	< 2	0.06	< 0.5	2	12	6	1.32	< 10	< 1	0.10	10	0.27	135	< 1
AA4223	201	202	< 0.2	0.85	< 2	40	< 0.5	< 2	0.20	< 0.5	4	14	6	1.41	< 10	< 1	0.07	20	0.29	205	< 1

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page ber :3-B
Total es :6
Certificate Date: 09-AUG-98
Invoice No. :19826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4184	201	202	< 0.01	< 1	150	4	< 2	< 1	6	0.03	< 10	< 10	8	< 10	10
AA4185	201	202	< 0.01	3	210	18	< 2	< 1	9	0.05	< 10	< 10	21	< 10	30
AA4186	201	202	< 0.01	7	620	26	< 2	1	16	0.02	< 10	< 10	14	< 10	68
AA4187	201	202	< 0.01	7	560	28	< 2	1	14	0.03	< 10	< 10	15	< 10	72
AA4188	201	202	0.01	6	530	24	< 2	1	12	0.02	< 10	< 10	15	< 10	70
AA4189	201	202	< 0.01	5	490	14	< 2	< 1	8	0.01	< 10	< 10	13	< 10	48
AA4190	201	202	< 0.01	6	530	22	< 2	< 1	10	0.01	< 10	< 10	12	< 10	56
AA4191	201	202	< 0.01	5	790	14	< 2	< 1	40	0.01	< 10	< 10	23	< 10	102
AA4192	201	202	< 0.01	3	460	16	< 2	< 1	7	0.01	< 10	< 10	17	< 10	70
AA4193	201	202	< 0.01	2	480	10	< 2	1	5	0.01	< 10	< 10	20	< 10	58
AA4194	201	202	< 0.01	3	590	14	< 2	1	13	0.02	< 10	< 10	12	< 10	48
AA4195	201	202	< 0.01	4	420	10	< 2	< 1	7	0.04	< 10	< 10	21	< 10	26
AA4196	201	202	< 0.01	4	230	12	< 2	1	6	0.04	< 10	< 10	21	< 10	44
AA4197	201	202	< 0.01	1	410	26	< 2	< 1	13	< 0.01	< 10	< 10	9	< 10	110
AA4198	201	202	0.01	28	170	6	< 2	1	19	0.05	< 10	< 10	23	< 10	28
AA4199	201	202	< 0.01	37	460	14	< 2	3	73	0.09	< 10	< 10	62	< 10	50
AA4200	201	202	< 0.01	4	190	6	< 2	< 1	18	0.05	< 10	< 10	13	< 10	10
AA4201	201	202	< 0.01	6	380	8	< 2	1	13	0.07	< 10	< 10	27	< 10	40
AA4202	201	202	< 0.01	1	210	6	2	< 1	13	0.03	< 10	< 10	9	< 10	10
AA4203	201	202	< 0.01	6	450	10	< 2	1	14	0.06	< 10	< 10	27	< 10	74
AA4204	201	202	< 0.01	4	460	18	< 2	< 1	16	0.03	< 10	< 10	18	< 10	50
AA4205	201	202	< 0.01	2	180	24	< 2	< 1	10	0.05	< 10	< 10	17	< 10	30
AA4206	201	202	0.01	5	380	8	< 2	< 1	7	0.03	< 10	< 10	17	< 10	44
AA4207	201	202	< 0.01	6	280	12	< 2	< 1	8	0.03	< 10	< 10	20	< 10	56
AA4208	201	202	0.01	11	690	24	< 2	1	54	0.03	< 10	< 10	30	< 10	116
AA4209	201	202	0.01	6	510	30	< 2	1	29	0.03	< 10	< 10	13	< 10	68
AA4210	201	202	< 0.01	1	100	6	< 2	< 1	14	0.04	< 10	< 10	11	< 10	14
AA4211	201	202	< 0.01	4	290	24	< 2	1	12	0.01	< 10	< 10	19	< 10	192
AA4212	201	202	< 0.01	9	620	70	< 2	1	12	0.03	< 10	< 10	15	< 10	62
AA4213	201	202	0.01	10	760	66	< 2	< 1	13	0.03	< 10	< 10	19	< 10	78
AA4214	201	202	< 0.01	4	550	42	< 2	1	13	0.04	< 10	< 10	19	< 10	82
AA4215	201	202	< 0.01	2	230	20	< 2	< 1	13	0.03	< 10	< 10	16	< 10	32
AA4216	201	202	< 0.01	3	710	26	< 2	1	42	0.04	< 10	< 10	14	< 10	102
AA4217	201	202	0.01	13	610	14	< 2	1	14	0.04	< 10	< 10	20	< 10	48
AA4218	201	202	< 0.01	2	250	16	< 2	< 1	12	0.05	< 10	< 10	20	< 10	92
AA4219	201	202	0.01	19	780	28	< 2	1	13	0.05	< 10	< 10	30	< 10	202
AA4220	201	202	< 0.01	9	410	26	< 2	< 1	13	0.04	< 10	< 10	22	< 10	130
AA4221	201	202	0.01	6	500	26	< 2	1	27	0.01	< 10	< 10	23	< 10	104
AA4222	201	202	< 0.01	6	450	16	< 2	< 1	11	0.01	< 10	< 10	17	< 10	66
AA4223	201	202	< 0.01	10	610	8	< 2	1	13	0.05	< 10	< 10	24	< 10	42

CERTIFICATION: Ian Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :4-A
Total Pages :6
Certificate Date: 09-AUG-98
Invoice No. :19826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4224	201	202	< 0.2	1.64	< 2	50	< 0.5	< 2	0.12	< 0.5	5	16	9	2.27	< 10	< 1	0.12	20	0.34	290	< 1
AA4225	201	202	< 0.2	0.40	< 2	10	< 0.5	< 2	0.01	< 0.5	< 1	4	1	0.61	< 10	< 1	0.04	30	0.05	50	< 1
AA4226	201	202	< 0.2	1.47	< 2	50	< 0.5	< 2	0.07	< 0.5	4	8	4	1.30	< 10	< 1	0.13	30	0.28	210	< 1
AA4227	201	202	< 0.2	0.51	< 2	20	< 0.5	< 2	0.14	< 0.5	2	5	< 1	0.76	< 10	< 1	0.05	30	0.14	195	< 1
AA4228	201	202	0.8	3.24	< 2	160	2.0	< 2	0.20	< 0.5	5	14	17	2.82	10	1	0.31	20	0.50	480	< 1
AA4229	201	202	< 0.2	0.97	< 2	50	< 0.5	2	0.09	< 0.5	3	8	3	1.37	< 10	< 1	0.07	20	0.19	260	< 1
AA4230	201	202	0.6	3.13	< 2	130	3.5	< 2	0.19	< 0.5	5	16	14	2.84	< 10	< 1	0.17	40	0.44	795	1
AA4231	201	202	0.2	2.33	< 2	110	1.5	< 2	0.12	< 0.5	4	13	8	2.34	< 10	1	0.13	20	0.35	785	1
AA4232	201	202	< 0.2	1.52	< 2	90	1.0	< 2	0.13	< 0.5	5	17	7	1.83	< 10	1	0.13	30	0.29	665	< 1
AA4233	201	202	< 0.2	1.58	< 2	80	0.5	< 2	0.14	< 0.5	4	24	6	1.33	< 10	< 1	0.08	30	0.35	175	< 1
AA4234	201	202	< 0.2	1.81	< 2	110	1.0	2	0.22	< 0.5	8	34	8	1.87	< 10	< 1	0.09	20	0.55	765	1
AA4235	201	202	< 0.2	1.52	< 2	110	0.5	< 2	0.21	< 0.5	6	29	7	1.79	< 10	< 1	0.08	20	0.49	495	1
AA4236	201	202	< 0.2	1.62	< 2	110	0.5	< 2	0.14	< 0.5	5	27	8	2.06	< 10	< 1	0.11	20	0.40	475	1
AA4237	201	202	< 0.2	0.60	< 2	20	< 0.5	< 2	0.03	< 0.5	1	10	3	0.74	< 10	< 1	0.05	20	0.12	100	< 1
AA4238	201	202	< 0.2	0.75	< 2	30	< 0.5	< 2	0.04	< 0.5	1	6	2	0.78	< 10	< 1	0.05	20	0.18	95	< 1
AA4239	201	202	0.6	1.84	2	160	1.0	< 2	0.42	< 0.5	6	25	7	1.81	< 10	< 1	0.13	30	0.42	790	1
AA4240	201	202	3.6	3.06	< 2	450	2.0	< 2	0.75	0.5	6	36	21	2.38	< 10	< 1	0.26	30	0.57	440	1
AA4241	201	202	1.6	1.85	< 2	170	0.5	< 2	0.56	1.0	4	25	11	1.60	< 10	< 1	0.19	30	0.36	460	1
AA4242	201	202	< 0.2	1.34	< 2	30	< 0.5	< 2	0.12	< 0.5	4	67	11	1.97	< 10	< 1	0.06	10	0.27	165	1
AA4243	201	202	< 0.2	1.59	8	40	< 0.5	< 2	0.08	< 0.5	5	19	7	2.70	< 10	< 1	0.05	10	0.24	190	1
AA4244	201	202	0.2	1.22	< 2	50	0.5	2	0.04	< 0.5	1	10	6	1.05	< 10	< 1	0.06	20	0.16	135	< 1
AA4245	201	202	0.2	1.20	< 2	30	< 0.5	< 2	0.05	< 0.5	3	10	2	1.59	< 10	< 1	0.06	20	0.19	210	< 1
AA4246	201	202	< 0.2	1.53	< 2	30	< 0.5	< 2	0.08	< 0.5	3	10	5	2.16	< 10	< 1	0.09	20	0.27	170	< 1
AA4247	201	202	< 0.2	1.01	< 2	50	< 0.5	2	0.05	< 0.5	2	7	4	1.31	< 10	< 1	0.09	30	0.25	125	< 1
AA4248	201	202	< 0.2	1.51	< 2	60	< 0.5	< 2	0.11	< 0.5	4	17	5	2.14	< 10	< 1	0.14	10	0.41	200	< 1
AA4249	201	202	0.2	1.71	< 2	30	0.5	2	0.04	< 0.5	1	7	4	1.37	< 10	< 1	0.05	20	0.15	95	< 1
AA4250	201	202	0.6	1.08	< 2	30	< 0.5	< 2	0.07	< 0.5	4	11	5	1.53	< 10	< 1	0.05	20	0.26	135	< 1
AA4251	201	202	1.2	0.67	< 2	50	< 0.5	4	0.03	0.5	3	10	4	1.63	< 10	< 1	0.04	30	0.07	210	1
AA4252	201	202	0.6	1.74	< 2	40	< 0.5	< 2	0.09	< 0.5	4	11	5	2.34	< 10	< 1	0.10	30	0.39	245	1
AA4253	201	202	0.8	0.91	< 2	40	< 0.5	< 2	0.06	< 0.5	1	9	1	1.19	< 10	< 1	0.07	30	0.18	110	< 1
AA4254	201	202	2.6	1.87	2	90	1.0	< 2	0.31	< 0.5	8	61	10	2.54	< 10	< 1	0.14	40	0.79	525	< 1
AA4255	201	202	0.8	0.71	< 2	50	< 0.5	2	0.06	< 0.5	3	12	2	0.73	< 10	< 1	0.06	40	0.16	100	< 1
AA4256	201	202	0.4	1.39	< 2	70	0.5	< 2	0.08	< 0.5	4	13	7	2.21	< 10	< 1	0.08	30	0.26	215	< 1
AA4257	201	202	< 0.2	1.00	< 2	50	< 0.5	< 2	0.03	< 0.5	3	8	5	1.76	< 10	< 1	0.11	30	0.21	160	< 1
AA4258	201	202	0.4	2.51	< 2	60	1.0	< 2	0.24	< 0.5	6	3	14	2.46	< 10	< 1	0.26	30	0.60	320	< 1
AA4259	201	202	< 0.2	1.14	< 2	40	< 0.5	< 2	0.06	< 0.5	4	11	5	2.03	< 10	< 1	0.07	20	0.17	190	1
AA4260	201	202	< 0.2	1.02	< 2	50	< 0.5	< 2	0.06	< 0.5	4	8	3	2.10	< 10	< 1	0.05	20	0.18	260	< 1
AA4261	201	202	0.6	1.64	< 2	40	< 0.5	< 2	0.07	< 0.5	3	10	3	1.98	< 10	< 1	0.07	20	0.20	130	< 1
AA4262	201	202	< 0.2	1.38	< 2	40	< 0.5	< 2	0.07	< 0.5	4	12	4	2.00	< 10	< 1	0.07	10	0.19	175	1
AA4263	201	202	0.4	1.65	< 2	30	0.5	< 2	0.05	< 0.5	3	12	4	2.44	< 10	< 1	0.07	10	0.20	165	< 1

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 09-AUG-98
Invoice No. : 19826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4224	201	202	< 0.01	9	1010	14	< 2	1	10	0.06	< 10	< 10	33	< 10	74
AA4225	201	202	< 0.01	1	130	2	< 2	< 1	5	0.01	< 10	< 10	11	< 10	12
AA4226	201	202	< 0.01	4	420	10	< 2	1	11	0.04	< 10	< 10	20	< 10	50
AA4227	201	202	< 0.01	2	470	8	< 2	< 1	9	0.03	< 10	< 10	11	< 10	22
AA4228	201	202	0.01	9	1050	32	< 2	1	32	0.03	< 10	< 10	37	< 10	136
AA4229	201	202	< 0.01	3	270	10	< 2	1	11	0.05	< 10	< 10	22	< 10	54
AA4230	201	202	< 0.01	8	1610	36	< 2	1	30	0.01	< 10	50	34	< 10	132
AA4231	201	202	< 0.01	6	1210	20	< 2	< 1	18	0.01	< 10	< 10	33	< 10	120
AA4232	201	202	< 0.01	7	890	20	< 2	< 1	18	0.02	< 10	< 10	28	< 10	80
AA4233	201	202	0.01	11	520	14	< 2	< 1	25	0.01	< 10	< 10	22	< 10	52
AA4234	201	202	0.01	17	970	34	< 2	1	30	0.03	< 10	< 10	31	< 10	106
AA4235	201	202	< 0.01	15	590	28	< 2	1	25	0.03	< 10	< 10	28	< 10	136
AA4236	201	202	< 0.01	12	310	46	< 2	1	23	0.03	< 10	< 10	38	< 10	152
AA4237	201	202	< 0.01	4	140	14	< 2	< 1	7	0.01	< 10	< 10	15	< 10	74
AA4238	201	202	< 0.01	2	160	12	< 2	< 1	5	0.03	< 10	< 10	13	< 10	46
AA4239	201	202	< 0.01	13	660	36	< 2	2	58	0.02	< 10	10	24	< 10	160
AA4240	201	202	0.01	16	780	42	< 2	6	119	0.03	< 10	30	27	< 10	570
AA4241	201	202	0.01	10	880	26	< 2	2	90	0.03	< 10	< 10	21	< 10	460
AA4242	201	202	< 0.01	26	910	14	< 2	1	9	0.05	< 10	< 10	29	< 10	42
AA4243	201	202	< 0.01	8	560	14	< 2	1	12	0.10	< 10	< 10	58	< 10	46
AA4244	201	202	0.01	5	400	28	< 2	< 1	9	0.03	< 10	< 10	18	< 10	48
AA4245	201	202	< 0.01	3	290	12	< 2	1	6	0.05	< 10	< 10	24	< 10	70
AA4246	201	202	< 0.01	5	640	10	< 2	1	7	0.05	< 10	< 10	35	< 10	44
AA4247	201	202	< 0.01	3	170	10	< 2	1	12	0.08	< 10	< 10	29	< 10	32
AA4248	201	202	< 0.01	10	730	16	< 2	1	12	0.06	< 10	< 10	30	< 10	60
AA4249	201	202	< 0.01	3	480	18	< 2	< 1	6	0.03	< 10	< 10	18	< 10	32
AA4250	201	202	< 0.01	6	440	22	< 2	1	9	0.08	< 10	< 10	28	< 10	44
AA4251	201	202	< 0.01	4	330	16	< 2	< 1	8	0.06	< 10	< 10	32	< 10	98
AA4252	201	202	< 0.01	6	520	42	< 2	1	9	0.03	< 10	< 10	34	< 10	130
AA4253	201	202	< 0.01	4	220	16	< 2	1	8	0.05	< 10	< 10	23	< 10	56
AA4254	201	202	< 0.01	26	1000	58	< 2	4	24	0.04	< 10	30	37	< 10	440
AA4255	201	202	< 0.01	4	180	76	< 2	< 1	10	0.06	< 10	< 10	18	< 10	34
AA4256	201	202	< 0.01	5	400	42	< 2	1	13	0.05	< 10	< 10	35	< 10	114
AA4257	201	202	< 0.01	3	370	10	< 2	1	9	0.09	< 10	< 10	39	< 10	48
AA4258	201	202	< 0.01	1	790	20	< 2	3	16	0.02	< 10	< 10	42	< 10	68
AA4259	201	202	< 0.01	5	400	12	< 2	1	13	0.10	< 10	< 10	42	< 10	42
AA4260	201	202	< 0.01	3	800	8	< 2	1	7	0.07	< 10	< 10	34	< 10	124
AA4261	201	202	< 0.01	4	380	12	< 2	1	9	0.05	< 10	< 10	25	< 10	48
AA4262	201	202	< 0.01	4	460	14	< 2	1	10	0.10	< 10	< 10	34	< 10	46
AA4263	201	202	< 0.01	5	880	18	< 2	1	9	0.05	< 10	< 10	35	< 10	42

CERTIFICATION: Ian Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218


To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :5-A
Total Pages :6
Certificate Date: 09-AUG-98
Invoice No. :I9826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4264	201	202	< 0.2	1.42	< 2	30	< 0.5	< 2	0.09	< 0.5	1	9	2	1.84	< 10	< 1	0.06	10	0.21	130	< 1
AA4265	201	202	< 0.2	0.62	< 2	10	< 0.5	< 2	0.03	< 0.5	1	6	2	1.00	< 10	< 1	0.05	20	0.11	100	< 1
AA4266	201	202	< 0.2	1.59	< 2	60	0.5	< 2	0.22	< 0.5	5	21	11	2.26	< 10	< 1	0.07	10	0.42	315	1
AA4267	201	202	0.2	1.33	< 2	70	0.5	< 2	0.22	< 0.5	4	14	10	1.70	< 10	< 1	0.12	20	0.28	330	2
AA4268	201	202	< 0.2	1.12	< 2	30	< 0.5	< 2	0.09	< 0.5	3	11	3	1.46	< 10	< 1	0.08	30	0.28	160	< 1
AA4269	201	202	< 0.2	1.24	< 2	30	< 0.5	< 2	0.05	< 0.5	3	10	1	1.65	< 10	< 1	0.07	20	0.28	125	< 1
AA4270	201	202	0.4	0.87	< 2	20	< 0.5	< 2	0.05	< 0.5	1	8	1	0.95	< 10	< 1	0.04	30	0.13	70	< 1
AA4271	201	202	< 0.2	1.37	< 2	50	< 0.5	< 2	0.19	< 0.5	6	13	6	1.49	< 10	< 1	0.10	20	0.32	365	< 1
AA4272	201	202	< 0.2	1.30	< 2	60	< 0.5	< 2	0.15	< 0.5	4	17	3	1.85	< 10	< 1	0.11	20	0.39	185	< 1
AA4273	201	202	< 0.2	0.90	< 2	80	< 0.5	< 2	0.26	< 0.5	6	11	5	2.00	< 10	< 1	0.09	10	0.34	255	2
AA4274	201	202	< 0.2	1.64	< 2	30	0.5	< 2	0.07	< 0.5	4	16	5	2.32	< 10	< 1	0.07	10	0.24	135	1
AA4275	201	202	< 0.2	1.79	< 2	60	0.5	2	0.08	< 0.5	3	23	1	2.10	< 10	< 1	0.07	20	0.33	130	< 1
AA4276	201	202	< 0.2	1.00	< 2	60	0.5	2	0.06	< 0.5	3	9	4	1.27	< 10	< 1	0.07	30	0.26	140	< 1
AA4277	201	202	1.4	2.43	< 2	120	1.5	< 2	0.40	< 0.5	5	9	16	3.01	10	1	0.11	30	0.37	320	1
AA4278	201	202	< 0.2	1.34	< 2	90	0.5	< 2	0.09	< 0.5	4	7	7	1.99	< 10	< 1	0.10	40	0.25	275	< 1
AA4279	201	202	< 0.2	1.91	< 2	110	1.5	4	0.15	< 0.5	4	10	18	1.72	< 10	1	0.11	30	0.31	210	1
AA4280	201	202	0.6	1.57	< 2	100	0.5	< 2	0.18	< 0.5	3	12	10	1.24	< 10	1	0.07	20	0.27	140	1
AA4281	201	202	0.2	1.58	< 2	140	1.0	< 2	0.26	< 0.5	4	9	7	1.56	< 10	< 1	0.18	30	0.34	410	1
AA4282	201	202	< 0.2	1.80	< 2	60	0.5	< 2	0.13	< 0.5	4	8	3	1.69	< 10	< 1	0.14	20	0.28	335	< 1
AA4283	201	202	< 0.2	0.93	< 2	40	< 0.5	2	0.10	< 0.5	2	11	3	1.36	< 10	< 1	0.09	20	0.23	130	< 1
AA4284	201	202	< 0.2	1.28	2	30	< 0.5	< 2	0.10	< 0.5	2	8	3	1.45	< 10	< 1	0.08	20	0.19	140	< 1
AA4285	201	202	< 0.2	0.90	< 2	50	0.5	< 2	0.15	< 0.5	3	6	3	1.07	< 10	1	0.08	30	0.19	235	< 1
AA4286	201	202	< 0.2	1.33	< 2	40	0.5	< 2	0.08	< 0.5	3	7	3	1.25	< 10	1	0.09	30	0.21	170	< 1
AA4287	201	202	0.4	1.08	< 2	30	< 0.5	< 2	0.06	< 0.5	1	6	2	1.03	< 10	< 1	0.06	10	0.13	95	< 1
AA4288	201	202	0.4	1.23	< 2	50	< 0.5	< 2	0.09	< 0.5	5	19	4	2.28	< 10	< 1	0.09	20	0.31	235	1
AA4289	201	202	< 0.2	1.12	< 2	40	0.5	< 2	0.06	< 0.5	2	6	1	1.27	< 10	< 1	0.07	20	0.19	115	< 1
AA4290	201	202	< 0.2	0.54	< 2	50	< 0.5	< 2	0.18	< 0.5	3	12	2	0.76	< 10	< 1	0.05	20	0.20	195	< 1
AA4291	201	202	< 0.2	0.52	< 2	40	< 0.5	< 2	0.19	< 0.5	1	10	1	0.62	< 10	< 1	0.06	20	0.19	135	< 1
AA4292	201	202	< 0.2	0.55	< 2	50	< 0.5	2	0.06	< 0.5	3	10	3	0.84	< 10	< 1	0.07	10	0.14	70	< 1
AA4293	201	202	< 0.2	0.89	< 2	80	0.5	2	0.28	< 0.5	4	13	4	1.07	< 10	< 1	0.09	30	0.28	365	< 1
AA4294	201	202	< 0.2	0.56	< 2	70	< 0.5	< 2	0.13	< 0.5	1	6	1	0.85	< 10	< 1	0.06	20	0.18	110	< 1
AA4295	201	202	< 0.2	0.53	< 2	30	< 0.5	< 2	0.22	< 0.5	2	6	1	0.73	< 10	< 1	0.06	30	0.16	170	< 1
AA4296	201	202	0.2	1.15	< 2	80	0.5	< 2	0.08	< 0.5	4	11	5	1.61	< 10	1	0.08	20	0.23	140	< 1
AA4297	201	202	< 0.2	1.02	< 2	40	0.5	< 2	0.11	< 0.5	2	4	1	1.23	< 10	< 1	0.09	20	0.20	125	< 1
AA4298	201	202	< 0.2	0.86	< 2	50	< 0.5	2	0.10	< 0.5	4	8	4	1.40	< 10	< 1	0.13	30	0.27	420	< 1
AA4299	201	202	1.2	0.85	< 2	70	0.5	< 2	0.25	< 0.5	1	3	4	1.04	< 10	< 1	0.08	30	0.14	185	1
AA4300	201	202	2.8	2.12	< 2	120	2.0	4	0.25	< 0.5	4	12	20	2.00	< 10	< 1	0.16	30	0.36	610	1
AA4301	201	202	< 0.2	0.98	< 2	50	< 0.5	< 2	0.17	< 0.5	3	6	3	1.24	< 10	< 1	0.09	20	0.27	205	< 1
AA4302	201	202	< 0.2	0.89	< 2	40	< 0.5	< 2	0.15	< 0.5	1	5	3	0.97	< 10	< 1	0.07	20	0.20	175	< 1
AA4303	201	202	< 0.2	1.39	< 2	60	< 0.5	< 2	0.10	< 0.5	6	21	8	2.38	< 10	< 1	0.06	10	0.38	300	1

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 09-AUG-98
Invoice No. :I9826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4264	201	202	< 0.01	2	730	12	< 2	1	5	0.03	< 10	< 10	23	< 10	34
AA4265	201	202	< 0.01	3	180	10	< 2	< 1	6	0.06	< 10	< 10	26	< 10	22
AA4266	201	202	0.01	9	570	42	< 2	1	33	0.08	< 10	10	43	< 10	120
AA4267	201	202	< 0.01	6	810	30	< 2	< 1	34	0.04	< 10	< 10	34	< 10	80
AA4268	201	202	< 0.01	5	380	18	< 2	1	10	0.04	< 10	< 10	22	< 10	62
AA4269	201	202	< 0.01	3	370	12	< 2	1	8	0.05	< 10	< 10	24	< 10	42
AA4270	201	202	< 0.01	2	210	8	< 2	< 1	8	0.04	< 10	< 10	17	< 10	20
AA4271	201	202	< 0.01	9	700	16	< 2	1	11	0.05	< 10	< 10	22	< 10	62
AA4272	201	202	< 0.01	8	400	10	< 2	1	15	0.06	< 10	< 10	27	< 10	50
AA4273	201	202	< 0.01	5	290	14	< 2	1	23	0.18	< 10	< 10	54	< 10	34
AA4274	201	202	< 0.01	7	490	12	< 2	1	9	0.08	< 10	< 10	39	< 10	36
AA4275	201	202	< 0.01	8	350	12	< 2	1	8	0.06	< 10	< 10	29	< 10	30
AA4276	201	202	< 0.01	5	280	10	< 2	1	8	0.04	< 10	< 10	15	< 10	36
AA4277	201	202	< 0.01	6	630	52	< 2	2	46	0.03	< 10	< 10	36	< 10	98
AA4278	201	202	< 0.01	4	440	16	< 2	1	13	0.02	< 10	< 10	18	< 10	68
AA4279	201	202	< 0.01	5	710	24	< 2	1	19	0.01	< 10	< 10	17	< 10	94
AA4280	201	202	0.01	6	1050	20	< 2	< 1	29	0.01	< 10	< 10	18	< 10	46
AA4281	201	202	0.01	5	500	20	< 2	1	31	0.03	< 10	< 10	19	< 10	74
AA4282	201	202	< 0.01	4	1080	20	< 2	1	7	0.04	< 10	< 10	21	< 10	54
AA4283	201	202	< 0.01	5	460	16	< 2	< 1	7	0.04	< 10	< 10	18	< 10	34
AA4284	201	202	< 0.01	4	530	12	< 2	< 1	9	0.04	< 10	< 10	22	< 10	46
AA4285	201	202	< 0.01	4	530	18	< 2	1	8	0.01	< 10	< 10	11	< 10	44
AA4286	201	202	< 0.01	4	340	14	< 2	1	8	0.04	< 10	< 10	18	< 10	32
AA4287	201	202	< 0.01	3	500	24	< 2	< 1	6	0.02	< 10	< 10	13	< 10	24
AA4288	201	202	< 0.01	8	370	22	< 2	1	10	0.08	< 10	< 10	34	< 10	46
AA4289	201	202	< 0.01	3	290	8	< 2	< 1	8	0.03	< 10	< 10	18	< 10	30
AA4290	201	202	< 0.01	6	580	16	< 2	< 1	12	0.02	< 10	< 10	10	< 10	32
AA4291	201	202	< 0.01	5	630	12	< 2	< 1	10	0.01	< 10	< 10	8	< 10	30
AA4292	201	202	< 0.01	4	260	14	< 2	< 1	10	0.10	< 10	< 10	22	< 10	20
AA4293	201	202	< 0.01	7	760	36	< 2	1	22	0.03	< 10	< 10	12	< 10	62
AA4294	201	202	< 0.01	3	130	6	< 2	< 1	21	0.03	< 10	< 10	12	< 10	32
AA4295	201	202	< 0.01	3	710	12	< 2	< 1	13	0.03	< 10	< 10	10	< 10	30
AA4296	201	202	< 0.01	6	510	18	< 2	1	15	0.08	< 10	< 10	27	< 10	42
AA4297	201	202	< 0.01	3	500	10	< 2	1	6	0.03	< 10	< 10	15	< 10	34
AA4298	201	202	< 0.01	4	520	12	< 2	1	10	0.04	< 10	< 10	19	< 10	40
AA4299	201	202	< 0.01	1	540	10	< 2	< 1	26	0.01	< 10	< 10	10	< 10	78
AA4300	201	202	< 0.01	6	570	30	< 2	1	32	0.02	< 10	10	22	< 10	194
AA4301	201	202	< 0.01	4	540	14	< 2	1	11	0.04	< 10	< 10	17	< 10	50
AA4302	201	202	< 0.01	3	610	8	< 2	< 1	9	0.03	< 10	< 10	13	< 10	40
AA4303	201	202	< 0.01	10	340	26	< 2	1	14	0.12	< 10	< 10	50	< 10	66

CERTIFICATION: Hart Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 09-AUG-98
Invoice No. : I9826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4304	201	202	< 0.2	0.93	6	40	< 0.5	< 2	0.07	< 0.5	5	14	4	2.23	< 10	< 1	0.07	40	0.28	150	1
AA4305	201	202	0.2	1.25	< 2	50	< 0.5	< 2	0.06	< 0.5	3	13	5	1.55	< 10	< 1	0.07	10	0.25	140	< 1
AA4306	201	202	0.2	1.15	6	40	< 0.5	< 2	0.08	< 0.5	3	13	4	1.55	< 10	< 1	0.06	10	0.31	175	< 1
AA4307	201	202	< 0.2	0.38	< 2	20	< 0.5	< 2	0.12	< 0.5	1	3	1	0.51	< 10	< 1	0.05	10	0.09	50	< 1
AA4308	201	202	0.4	1.93	< 2	80	0.5	< 2	0.08	< 0.5	1	8	8	1.34	< 10	< 1	0.10	10	0.13	145	1
AA4309	201	202	0.2	1.19	< 2	50	0.5	< 2	0.06	< 0.5	1	6	3	0.75	< 10	< 1	0.05	20	0.09	60	< 1
AA4310	201	202	< 0.2	1.28	2	80	0.5	< 2	0.19	< 0.5	3	8	3	1.26	< 10	< 1	0.17	30	0.31	175	< 1
AA4311	201	202	< 0.2	1.64	8	60	0.5	< 2	0.11	< 0.5	9	33	8	4.13	10	1	0.07	30	0.43	400	2
AA4312	201	202	< 0.2	5.01	8	260	3.0	2	0.16	< 0.5	8	21	23	3.60	10	1	0.27	30	0.54	670	1
AA4313	201	202	< 0.2	1.44	< 2	50	0.5	< 2	0.09	< 0.5	3	6	3	1.39	< 10	< 1	0.13	30	0.24	170	< 1
AA4314	201	202	0.2	2.54	4	130	1.5	< 2	0.10	< 0.5	5	14	9	2.08	< 10	< 1	0.12	30	0.35	410	1
AA4315	201	202	< 0.2	1.63	< 2	80	1.0	< 2	0.11	< 0.5	4	12	6	1.55	< 10	< 1	0.09	30	0.29	315	< 1
AA4316	201	202	< 0.2	1.21	8	50	0.5	2	0.11	< 0.5	3	9	4	1.16	< 10	< 1	0.08	20	0.23	225	< 1
AA4317	201	202	< 0.2	1.70	< 2	60	0.5	< 2	0.11	< 0.5	4	9	4	1.58	< 10	< 1	0.10	20	0.27	320	< 1
AA4318	201	202	< 0.2	1.24	8	40	0.5	< 2	0.09	< 0.5	3	8	3	1.26	< 10	< 1	0.08	10	0.17	165	< 1
AA4319	201	202	< 0.2	1.08	< 2	30	< 0.5	< 2	0.06	< 0.5	2	7	1	1.23	< 10	< 1	0.09	10	0.18	160	< 1
AA4320	201	202	< 0.2	1.19	< 2	50	0.5	< 2	0.09	< 0.5	4	13	2	1.32	< 10	< 1	0.09	10	0.23	215	< 1
AA4321	201	202	< 0.2	1.22	4	60	0.5	< 2	0.06	< 0.5	3	12	4	1.70	< 10	< 1	0.08	10	0.22	240	< 1
AA4322	201	202	< 0.2	4.16	12	180	2.5	2	0.13	< 0.5	7	21	14	4.16	10	< 1	0.29	20	0.54	580	1
AA4323	201	202	< 0.2	1.05	< 2	40	< 0.5	< 2	0.04	< 0.5	3	9	2	1.47	< 10	< 1	0.09	20	0.16	160	< 1
AA4324	201	202	< 0.2	1.23	8	40	< 0.5	< 2	0.07	< 0.5	4	14	2	1.55	< 10	< 1	0.08	20	0.26	160	< 1
AA4325	201	202	< 0.2	1.73	2	60	< 0.5	< 2	0.06	< 0.5	4	11	4	1.76	< 10	< 1	0.09	20	0.29	190	< 1
AA4326	201	202	< 0.2	1.91	< 2	90	0.5	< 2	0.13	< 0.5	4	13	5	2.14	< 10	< 1	0.13	20	0.32	295	1
AA4327	201	202	0.2	1.98	6	70	0.5	2	0.10	< 0.5	4	12	6	1.82	< 10	1	0.13	20	0.31	425	1
AA4328	201	202	< 0.2	1.61	10	70	0.5	< 2	0.11	< 0.5	4	12	4	1.49	< 10	1	0.10	20	0.29	290	< 1
AA4329	201	202	< 0.2	1.54	< 2	80	0.5	< 2	0.19	< 0.5	5	13	4	1.53	< 10	1	0.12	30	0.34	355	< 1
AA4330	201	202	< 0.2	1.24	10	60	0.5	< 2	0.14	< 0.5	4	11	3	1.50	< 10	< 1	0.12	20	0.27	275	< 1
AA4331	201	202	< 0.2	1.96	2	100	0.5	< 2	0.24	< 0.5	5	8	8	2.22	< 10	< 1	0.31	20	0.44	315	< 1
AA4332	201	202	< 0.2	1.26	6	40	< 0.5	< 2	0.07	< 0.5	4	23	5	2.29	< 10	< 1	0.07	10	0.26	200	1
AA4333	201	202	< 0.2	1.84	4	80	1.0	< 2	0.28	< 0.5	6	5	4	2.28	< 10	< 1	0.25	30	0.46	425	< 1
AA4335	201	202	< 0.2	0.95	4	60	0.5	< 2	0.10	< 0.5	3	11	3	1.29	< 10	< 1	0.11	10	0.22	240	< 1
AA4336	201	202	< 0.2	1.25	8	30	< 0.5	2	0.08	< 0.5	4	16	5	2.07	< 10	< 1	0.07	10	0.28	200	< 1
AA4337	201	202	< 0.2	1.31	8	30	0.5	< 2	0.07	< 0.5	4	14	3	1.50	< 10	< 1	0.08	10	0.24	175	1
AA4338	201	202	< 0.2	1.10	2	70	0.5	< 2	0.09	< 0.5	3	11	3	1.18	< 10	< 1	0.09	20	0.18	165	< 1
AA4339	201	202	< 0.2	1.86	< 2	100	0.5	2	0.32	< 0.5	6	9	7	2.19	< 10	< 1	0.26	40	0.48	425	1
AA4340	201	202	< 0.2	1.44	4	90	0.5	< 2	0.21	< 0.5	5	18	4	1.72	< 10	< 1	0.14	30	0.31	400	< 1
AA4341	201	202	< 0.2	1.43	8	100	1.0	< 2	0.13	< 0.5	4	15	5	1.50	< 10	< 1	0.13	30	0.29	355	< 1
AA4342	201	202	< 0.2	1.39	8	100	0.5	< 2	0.22	< 0.5	4	14	4	1.45	< 10	< 1	0.16	30	0.30	420	< 1
AA4343	201	202	< 0.2	1.14	6	70	0.5	< 2	0.13	< 0.5	3	11	3	1.26	< 10	< 1	0.10	20	0.23	280	< 1
AA4344	201	202	< 0.2	1.40	2	80	0.5	2	0.11	< 0.5	4	13	4	1.42	< 10	< 1	0.10	20	0.24	280	< 1

CERTIFICATION: Hart Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :6-B
Total Pages :6
Certificate Date: 09-AUG-98
Invoice No. :19826566
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826566

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4304	201	202	< 0.01	6	450	8	< 2	< 1	13	0.05	< 10	< 10	33	< 10	42
AA4305	201	202	< 0.01	6	550	14	< 2	< 1	9	0.02	< 10	< 10	22	< 10	48
AA4306	201	202	< 0.01	6	450	16	< 2	< 1	7	0.03	< 10	< 10	23	< 10	64
AA4307	201	202	< 0.01	1	200	2	< 2	< 1	26	0.01	< 10	< 10	9	< 10	20
AA4308	201	202	0.01	3	1010	14	< 2	< 1	17	< 0.01	< 10	< 10	22	< 10	54
AA4309	201	202	< 0.01	1	650	14	< 2	< 1	12	< 0.01	< 10	< 10	12	< 10	26
AA4310	201	202	< 0.01	6	580	10	< 2	1	14	0.04	< 10	< 10	15	< 10	64
AA4311	201	202	< 0.01	12	340	30	< 2	2	17	0.25	< 10	< 10	66	< 10	74
AA4312	201	202	< 0.01	11	1000	46	< 2	2	31	0.02	< 10	< 10	39	< 10	160
AA4313	201	202	< 0.01	4	410	14	< 2	1	7	0.02	< 10	< 10	15	< 10	46
AA4314	201	202	0.01	8	840	26	< 2	1	15	0.02	< 10	< 10	24	< 10	86
AA4315	201	202	< 0.01	7	680	22	< 2	1	12	0.03	< 10	< 10	18	< 10	68
AA4316	201	202	< 0.01	4	570	12	< 2	< 1	7	0.03	< 10	< 10	15	< 10	44
AA4317	201	202	< 0.01	5	590	20	< 2	1	9	0.02	< 10	< 10	16	< 10	62
AA4318	201	202	< 0.01	5	430	16	< 2	< 1	10	0.02	< 10	< 10	14	< 10	36
AA4319	201	202	< 0.01	4	330	16	< 2	< 1	7	0.02	< 10	< 10	12	< 10	36
AA4320	201	202	< 0.01	6	440	16	< 2	< 1	8	0.02	< 10	< 10	15	< 10	54
AA4321	201	202	< 0.01	6	400	16	< 2	< 1	12	0.03	< 10	< 10	24	< 10	48
AA4322	201	202	< 0.01	12	300	44	< 2	3	26	0.02	< 10	< 10	37	< 10	198
AA4323	201	202	< 0.01	4	430	18	< 2	< 1	8	0.03	< 10	< 10	21	< 10	42
AA4324	201	202	< 0.01	7	280	12	< 2	1	9	0.04	< 10	< 10	21	< 10	50
AA4325	201	202	< 0.01	6	330	20	< 2	1	8	0.04	< 10	< 10	24	< 10	66
AA4326	201	202	< 0.01	6	240	22	< 2	1	24	0.04	< 10	< 10	32	< 10	90
AA4327	201	202	< 0.01	5	860	18	< 2	< 1	7	0.01	< 10	< 10	22	< 10	86
AA4328	201	202	< 0.01	6	320	22	< 2	1	14	0.02	< 10	< 10	19	< 10	70
AA4329	201	202	< 0.01	6	590	20	< 2	1	15	0.03	< 10	< 10	19	< 10	82
AA4330	201	202	< 0.01	6	570	30	< 2	1	12	0.04	< 10	< 10	20	< 10	66
AA4331	201	202	< 0.01	6	910	22	< 2	2	15	0.08	< 10	< 10	31	< 10	94
AA4332	201	202	< 0.01	9	650	16	< 2	1	9	0.08	< 10	< 10	35	< 10	44
AA4333	201	202	< 0.01	5	1090	20	< 2	2	12	0.06	< 10	< 10	29	< 10	66
AA4335	201	202	< 0.01	5	450	12	< 2	< 1	14	0.02	< 10	< 10	17	< 10	60
AA4336	201	202	< 0.01	8	300	22	< 2	1	10	0.07	< 10	< 10	31	< 10	52
AA4337	201	202	< 0.01	7	300	14	< 2	1	10	0.04	< 10	< 10	18	< 10	42
AA4338	201	202	< 0.01	5	500	14	< 2	< 1	15	0.01	< 10	< 10	15	< 10	42
AA4339	201	202	< 0.01	5	1090	18	< 2	2	20	0.07	< 10	< 10	30	< 10	78
AA4340	201	202	< 0.01	9	770	26	< 2	1	19	0.03	< 10	< 10	21	< 10	72
AA4341	201	202	< 0.01	8	520	44	< 2	1	15	0.01	< 10	< 10	15	< 10	96
AA4342	201	202	< 0.01	8	610	46	< 2	1	26	0.03	< 10	< 10	15	< 10	88
AA4343	201	202	< 0.01	5	520	28	< 2	1	12	0.02	< 10	< 10	13	< 10	66
AA4344	201	202	< 0.01	6	490	36	< 2	1	14	0.01	< 10	< 10	15	< 10	72

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 08-AUG-98
Invoice No. : I9826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0320	201	202	< 0.2	0.54	< 2	40	< 0.5	< 2	0.23	< 0.5	1	7	1	0.78	< 10	< 1	0.06	50	0.15	200	< 1
AA0321	201	202	1.6	2.18	< 2	210	1.0	< 2	0.30	< 0.5	6	25	7	2.87	10	1	0.13	30	0.74	465	< 1
AA0322	201	202	10.4	4.44	16	390	3.5	2	0.56	< 0.5	6	19	60	3.34	10	< 1	0.24	50	0.47	435	3
AA0323	201	202	1.0	0.98	6	50	< 0.5	< 2	0.08	< 0.5	3	11	3	1.72	< 10	< 1	0.07	30	0.18	160	1
AA0324	201	202	1.8	1.44	2	40	< 0.5	< 2	0.07	< 0.5	3	15	4	2.68	10	< 1	0.06	20	0.19	475	< 1
AA0325	201	202	< 0.2	0.62	2	40	< 0.5	< 2	0.19	< 0.5	1	7	1	0.78	< 10	< 1	0.07	40	0.16	170	< 1
AA0326	201	202	0.2	0.87	< 2	40	< 0.5	< 2	0.15	< 0.5	2	9	2	0.96	< 10	< 1	0.09	20	0.22	155	< 1
AA0327	201	202	< 0.2	0.93	< 2	70	0.5	< 2	0.18	< 0.5	4	13	3	1.07	< 10	< 1	0.12	30	0.26	330	< 1
AA0328	201	202	< 0.2	1.01	< 2	70	0.5	< 2	0.18	< 0.5	4	15	3	1.13	< 10	< 1	0.11	30	0.26	320	< 1
AA0329	201	202	0.2	1.14	< 2	60	0.5	< 2	0.13	< 0.5	2	6	2	1.18	< 10	< 1	0.10	30	0.20	165	< 1
AA0330	201	202	1.0	1.20	< 2	50	< 0.5	< 2	0.08	< 0.5	2	7	2	1.42	< 10	< 1	0.07	30	0.21	160	< 1
AA0331	201	202	< 0.2	0.84	2	60	0.5	< 2	0.21	< 0.5	3	10	1	0.93	< 10	< 1	0.08	30	0.24	280	< 1
AA0332	201	202	0.8	1.52	4	110	0.5	2	0.12	< 0.5	4	10	4	1.66	< 10	< 1	0.11	20	0.34	315	< 1
AA0333	201	202	< 0.2	1.33	< 2	60	0.5	< 2	0.06	< 0.5	3	8	3	1.44	< 10	1	0.17	20	0.24	275	< 1
AA0334	201	202	0.2	1.21	2	60	0.5	< 2	0.11	< 0.5	3	7	4	1.33	< 10	< 1	0.14	30	0.28	195	< 1
AA0335	201	202	< 0.2	1.40	< 2	80	0.5	< 2	0.17	< 0.5	3	9	4	1.37	< 10	< 1	0.17	30	0.26	180	< 1
AA0336	201	202	0.4	1.61	< 2	110	0.5	< 2	0.13	< 0.5	3	8	6	1.42	< 10	< 1	0.17	10	0.26	175	< 1
AA0337	201	202	0.6	1.37	< 2	90	0.5	< 2	0.15	< 0.5	3	7	4	1.15	< 10	< 1	0.11	20	0.26	185	< 1
AA0338	201	202	0.8	1.20	6	140	0.5	< 2	0.21	0.5	5	11	10	1.69	< 10	< 1	0.10	30	0.16	2470	< 1
AA0339	201	202	< 0.2	0.69	2	50	< 0.5	< 2	0.06	< 0.5	3	7	4	1.15	< 10	< 1	0.07	30	0.11	85	< 1
AA0340	201	202	0.4	0.91	< 2	40	< 0.5	< 2	0.05	< 0.5	1	7	4	0.71	< 10	< 1	0.05	10	0.08	70	< 1
AA0341	201	202	1.4	1.91	< 2	80	1.0	< 2	0.12	< 0.5	4	15	11	1.62	< 10	< 1	0.07	30	0.31	185	< 1
AA0342	201	202	1.4	1.38	6	100	0.5	< 2	0.16	< 0.5	3	25	8	1.41	< 10	< 1	0.09	20	0.30	270	< 1
AA0343	201	202	< 0.2	0.63	4	30	< 0.5	< 2	0.04	< 0.5	< 1	7	1	0.43	< 10	< 1	0.04	30	0.07	45	< 1
AA0344	201	202	0.6	1.43	< 2	40	< 0.5	< 2	0.07	< 0.5	3	19	4	1.52	< 10	< 1	0.07	20	0.28	110	< 1
AA0345	201	202	0.2	0.70	< 2	20	< 0.5	< 2	0.04	< 0.5	1	10	1	0.69	< 10	< 1	0.05	30	0.18	75	< 1
AA0346	201	202	< 0.2	1.48	6	60	0.5	< 2	0.13	< 0.5	4	19	4	2.12	< 10	< 1	0.13	20	0.38	285	< 1
AA0347	201	202	0.2	0.60	< 2	20	< 0.5	< 2	0.03	< 0.5	1	7	1	0.42	< 10	< 1	0.03	30	0.04	25	< 1
AA0348	201	202	0.2	1.51	4	50	0.5	< 2	0.12	< 0.5	4	15	8	1.92	< 10	< 1	0.06	30	0.30	180	< 1
AA0349	201	202	0.2	1.40	< 2	40	0.5	< 2	0.09	< 0.5	3	6	4	1.30	< 10	< 1	0.09	30	0.27	165	< 1
AA0350	201	202	0.8	1.88	4	50	1.0	< 2	0.13	< 0.5	4	16	9	2.21	< 10	< 1	0.09	20	0.33	330	1
AA0351	201	202	0.2	1.56	< 2	90	0.5	< 2	0.22	< 0.5	6	27	6	2.18	< 10	< 1	0.14	30	0.46	275	< 1
AA0352	201	202	< 0.2	0.47	< 2	30	< 0.5	< 2	0.05	< 0.5	1	7	3	0.71	< 10	< 1	0.07	10	0.06	145	< 1
AA0353	201	202	1.0	0.98	< 2	90	0.5	< 2	0.30	0.5	8	10	9	1.66	< 10	< 1	0.06	20	0.13	890	1
AA0354	201	202	0.2	1.39	< 2	60	0.5	< 2	0.12	< 0.5	3	8	5	1.75	< 10	< 1	0.10	30	0.32	220	< 1
AA0355	201	202	0.2	1.42	4	80	0.5	< 2	0.17	< 0.5	3	6	4	1.61	< 10	< 1	0.13	30	0.32	285	< 1
AA0356	201	202	0.2	2.15	6	100	1.5	< 2	0.30	< 0.5	5	3	5	2.30	< 10	< 1	0.20	40	0.44	755	< 1
AA0357	201	202	1.4	1.94	8	90	1.5	< 2	0.22	< 0.5	6	18	9	3.49	10	< 1	0.11	30	0.33	495	3
AA0358	201	202	0.8	1.48	6	40	0.5	< 2	0.14	< 0.5	4	11	4	2.00	< 10	< 1	0.09	20	0.30	175	< 1
AA0359	201	202	3.2	1.99	8	60	1.0	< 2	0.14	< 0.5	5	24	9	2.19	< 10	< 1	0.10	20	0.41	245	< 1

CERTIFICATION: Hart Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 08-AUG-98
Invoice No. :19826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0320	201	202	< 0.01	4	840	36	< 2	< 1	13	0.03	< 10	< 10	10	< 10	28
AA0321	201	202	< 0.01	11	680	58	< 2	4	49	0.10	< 10	10	46	< 10	116
AA0322	201	202	0.01	9	1440	142	< 2	3	74	0.04	< 10	50	42	< 10	148
AA0323	201	202	< 0.01	4	380	54	< 2	1	11	0.13	< 10	< 10	42	< 10	28
AA0324	201	202	< 0.01	5	340	84	< 2	1	10	0.14	< 10	< 10	56	< 10	38
AA0325	201	202	< 0.01	3	640	24	< 2	< 1	12	0.03	< 10	< 10	11	< 10	26
AA0326	201	202	0.01	5	530	18	< 2	< 1	8	0.03	< 10	< 10	13	< 10	28
AA0327	201	202	0.01	7	570	22	< 2	1	15	0.04	< 10	< 10	15	< 10	52
AA0328	201	202	0.01	7	560	32	< 2	1	15	0.04	< 10	< 10	14	< 10	58
AA0329	201	202	0.01	3	500	20	< 2	1	9	0.04	< 10	< 10	17	< 10	32
AA0330	201	202	< 0.01	3	450	26	< 2	1	8	0.04	< 10	< 10	21	< 10	40
AA0331	201	202	0.01	5	660	54	< 2	1	14	0.03	< 10	< 10	12	< 10	46
AA0332	201	202	< 0.01	5	460	36	2	1	17	0.04	< 10	< 10	23	< 10	78
AA0333	201	202	< 0.01	4	390	18	< 2	1	10	0.03	< 10	< 10	18	< 10	70
AA0334	201	202	< 0.01	5	490	10	< 2	1	10	0.04	< 10	< 10	18	< 10	56
AA0335	201	202	0.01	5	600	12	< 2	1	12	0.04	< 10	< 10	17	< 10	68
AA0336	201	202	0.03	4	870	14	< 2	< 1	19	0.04	< 10	< 10	21	< 10	66
AA0337	201	202	0.01	4	620	48	< 2	1	13	0.03	< 10	< 10	15	< 10	74
AA0338	201	202	< 0.01	6	1020	28	< 2	1	29	0.06	< 10	10	28	< 10	88
AA0339	201	202	< 0.01	3	500	6	< 2	< 1	14	0.03	< 10	< 10	23	< 10	30
AA0340	201	202	0.03	1	730	14	< 2	< 1	10	0.03	< 10	< 10	18	< 10	18
AA0341	201	202	0.01	7	640	28	< 2	1	15	0.06	< 10	10	31	< 10	70
AA0342	201	202	0.01	9	910	30	< 2	< 1	24	0.04	< 10	10	30	< 10	60
AA0343	201	202	< 0.01	1	210	20	< 2	< 1	9	0.09	< 10	< 10	15	< 10	12
AA0344	201	202	0.01	7	590	12	< 2	< 1	9	0.05	< 10	< 10	26	< 10	38
AA0345	201	202	< 0.01	3	270	8	< 2	< 1	8	0.03	< 10	< 10	14	< 10	24
AA0346	201	202	< 0.01	9	780	14	< 2	1	11	0.05	< 10	< 10	40	< 10	60
AA0347	201	202	< 0.01	1	400	8	< 2	< 1	8	0.02	< 10	< 10	12	< 10	12
AA0348	201	202	< 0.01	8	640	18	< 2	1	14	0.07	< 10	10	33	< 10	46
AA0349	201	202	0.01	3	830	12	< 2	< 1	9	0.03	< 10	< 10	21	< 10	46
AA0350	201	202	0.01	8	1480	20	< 2	< 1	19	0.04	< 10	10	37	< 10	52
AA0351	201	202	0.01	14	960	16	< 2	1	25	0.08	< 10	< 10	42	< 10	66
AA0352	201	202	0.02	1	640	6	< 2	< 1	10	0.04	< 10	< 10	21	< 10	22
AA0353	201	202	0.01	4	1050	62	< 2	< 1	39	0.06	< 10	10	39	< 10	52
AA0354	201	202	< 0.01	5	580	14	< 2	1	14	0.04	< 10	10	24	< 10	58
AA0355	201	202	< 0.01	4	810	18	< 2	1	13	0.04	< 10	< 10	23	< 10	64
AA0356	201	202	< 0.01	3	780	20	< 2	1	21	0.03	< 10	< 10	24	< 10	72
AA0357	201	202	< 0.01	9	1190	66	< 2	1	27	0.13	< 10	< 10	57	< 10	78
AA0358	201	202	< 0.01	5	620	22	< 2	1	9	0.07	< 10	< 10	33	< 10	50
AA0359	201	202	< 0.01	11	950	124	< 2	1	11	0.05	< 10	< 10	32	< 10	72

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :7
Certificate Date: 08-AUG-98
Invoice No. :I9826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0360	201	202	1.8	1.25	< 2	40	0.5	< 2	0.09	< 0.5	3	6	5	1.26	< 10	< 1	0.06	20	0.19	150	< 1
AA0361	201	202	1.8	1.38	< 2	120	0.5	< 2	0.14	< 0.5	4	37	7	1.46	< 10	< 1	0.09	20	0.42	160	1
AA0362	201	202	1.2	1.11	< 2	40	< 0.5	< 2	0.04	< 0.5	2	10	4	1.35	< 10	< 1	0.08	30	0.14	105	< 1
AA0363	201	202	0.4	1.04	2	50	< 0.5	< 2	0.09	< 0.5	3	17	3	1.43	< 10	< 1	0.07	30	0.14	160	< 1
AA0364	201	202	0.2	1.89	< 2	60	0.5	< 2	0.16	< 0.5	5	28	4	2.17	< 10	< 1	0.11	30	0.43	200	< 1
AA0365	201	202	< 0.2	1.02	< 2	40	< 0.5	< 2	0.06	< 0.5	3	17	4	1.93	< 10	1	0.08	30	0.21	170	< 1
AA0366	201	202	0.2	1.24	< 2	30	< 0.5	< 2	0.08	< 0.5	3	5	2	1.54	< 10	< 1	0.11	30	0.24	170	< 1
AA0367	201	202	0.2	1.28	< 2	40	0.5	< 2	0.12	< 0.5	2	10	8	1.31	< 10	< 1	0.06	30	0.19	125	< 1
AA0368	201	202	< 0.2	1.17	< 2	30	< 0.5	< 2	0.07	< 0.5	3	12	7	1.85	< 10	< 1	0.07	20	0.20	165	< 1
AA0369	201	202	< 0.2	1.89	2	50	0.5	< 2	0.18	< 0.5	4	9	6	2.02	< 10	< 1	0.21	30	0.37	320	< 1
AA0370	201	202	< 0.2	0.93	< 2	30	< 0.5	< 2	0.07	< 0.5	3	4	1	1.66	< 10	< 1	0.14	30	0.22	145	< 1
AA0371	201	202	0.4	0.92	< 2	60	< 0.5	< 2	0.17	< 0.5	3	3	2	1.26	< 10	< 1	0.09	40	0.25	135	< 1
AA0372	201	202	0.4	1.40	2	70	0.5	< 2	0.12	< 0.5	3	16	6	2.01	10	< 1	0.06	30	0.23	250	1
AA0373	201	202	1.2	1.11	< 2	100	0.5	< 2	0.20	< 0.5	2	8	6	1.05	< 10	< 1	0.09	10	0.21	140	< 1
AA0374	201	202	0.2	1.31	< 2	70	0.5	< 2	0.12	< 0.5	3	7	4	1.26	< 10	< 1	0.12	10	0.25	175	< 1
AA0375	201	202	1.0	1.02	< 2	50	0.5	< 2	0.09	< 0.5	3	8	5	1.54	< 10	< 1	0.07	30	0.22	160	< 1
AA0376	201	202	7.6	2.28	6	50	1.5	< 2	0.08	< 0.5	4	15	12	2.79	< 10	< 1	0.08	30	0.24	200	< 1
AA0377	201	202	1.2	0.69	< 2	60	< 0.5	< 2	0.08	< 0.5	2	7	3	1.04	< 10	< 1	0.13	20	0.17	110	< 1
AA0378	201	202	6.2	2.48	4	70	1.5	< 2	0.13	< 0.5	5	14	9	2.23	< 10	< 1	0.14	30	0.42	290	< 1
AA0379	201	202	0.8	1.39	2	30	0.5	< 2	0.06	< 0.5	2	8	1	1.69	< 10	< 1	0.06	30	0.14	125	< 1
AA0380	201	202	0.2	1.31	< 2	50	0.5	< 2	0.09	< 0.5	4	9	3	1.24	< 10	< 1	0.09	30	0.23	175	< 1
AA0381	201	202	0.2	0.96	< 2	30	< 0.5	< 2	0.08	< 0.5	2	9	3	1.37	< 10	< 1	0.09	30	0.17	140	< 1
AA0382	201	202	0.6	2.25	8	70	0.5	< 2	0.15	< 0.5	4	16	6	2.39	< 10	< 1	0.12	20	0.36	200	< 1
AA0383	201	202	2.2	1.99	< 2	70	0.5	< 2	0.10	< 0.5	4	14	6	2.11	< 10	< 1	0.11	30	0.32	235	< 1
AA0384	201	202	0.2	1.03	2	40	0.5	< 2	0.10	< 0.5	3	8	3	1.20	< 10	< 1	0.10	20	0.20	270	< 1
AA0385	201	202	0.6	0.99	< 2	60	0.5	< 2	0.14	< 0.5	3	5	3	1.88	< 10	< 1	0.12	30	0.22	320	< 1
AA0386	201	202	0.2	0.87	< 2	50	< 0.5	< 2	0.07	< 0.5	3	9	5	1.36	< 10	< 1	0.11	20	0.22	170	< 1
AA0387	201	202	< 0.2	1.27	< 2	60	< 0.5	< 2	0.08	< 0.5	4	13	5	2.31	< 10	< 1	0.07	20	0.29	195	< 1
AA0388	201	202	12.6	4.42	4	180	4.5	8	0.21	< 0.5	6	14	66	3.26	< 10	< 1	0.15	60	0.42	590	2
AA0389	201	202	0.4	1.13	2	50	0.5	< 2	0.08	< 0.5	5	20	7	3.33	10	< 1	0.05	30	0.25	380	1
AA0390	201	202	0.2	1.07	6	50	< 0.5	< 2	0.06	< 0.5	5	14	8	2.55	10	< 1	0.12	30	0.22	185	< 1
AA0391	201	202	0.2	1.42	4	60	0.5	< 2	0.12	< 0.5	5	14	7	1.93	< 10	< 1	0.10	20	0.36	215	< 1
AA0392	201	202	< 0.2	0.45	< 2	10	< 0.5	< 2	0.02	< 0.5	< 1	4	1	0.44	< 10	< 1	0.03	30	0.03	45	< 1
AA0393	201	202	0.2	1.48	2	40	0.5	< 2	0.08	< 0.5	3	7	4	1.63	< 10	< 1	0.11	30	0.20	245	< 1
AA0394	201	202	< 0.2	1.10	2	40	< 0.5	< 2	0.11	< 0.5	3	11	3	1.82	< 10	< 1	0.05	20	0.28	265	< 1
AA0395	201	202	0.2	0.82	2	30	< 0.5	< 2	0.08	< 0.5	1	7	1	1.13	< 10	< 1	0.09	40	0.16	110	< 1
AA0396	201	202	0.2	2.05	< 2	100	1.0	< 2	0.15	< 0.5	4	9	8	2.08	< 10	< 1	0.12	20	0.23	770	< 1
AA0397	201	202	0.2	1.32	< 2	60	0.5	< 2	0.12	< 0.5	3	7	4	1.39	< 10	< 1	0.10	30	0.24	305	< 1
AA0398	201	202	< 0.2	1.80	< 2	70	1.0	< 2	0.29	< 0.5	4	1	2	1.63	< 10	< 1	0.21	50	0.39	200	< 1
AA0399	201	202	0.2	1.26	< 2	70	0.5	2	0.09	< 0.5	1	9	6	0.99	< 10	< 1	0.07	30	0.14	80	< 1

CERTIFICATION: Hart Bidlle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-B
Total Pages :7
Certificate Date: 08-AUG-98
Invoice No. :19826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0360	201	202	< 0.01	3	610	150	< 2	< 1	6	0.02	< 10	< 10	18	< 10	40
AA0361	201	202	0.01	17	1360	140	< 2	< 1	21	0.02	< 10	10	33	< 10	38
AA0362	201	202	< 0.01	4	540	48	< 2	< 1	10	0.05	< 10	< 10	29	< 10	30
AA0363	201	202	< 0.01	5	420	28	< 2	1	13	0.08	< 10	< 10	34	< 10	32
AA0364	201	202	0.01	13	760	16	< 2	1	17	0.06	< 10	< 10	41	< 10	66
AA0365	201	202	< 0.01	6	380	12	< 2	1	10	0.10	< 10	< 10	48	< 10	46
AA0366	201	202	< 0.01	3	520	12	< 2	1	6	0.05	< 10	< 10	27	< 10	48
AA0367	201	202	0.03	4	800	12	< 2	< 1	14	0.04	< 10	< 10	23	< 10	38
AA0368	201	202	< 0.01	5	510	14	< 2	< 1	10	0.09	< 10	< 10	42	< 10	44
AA0369	201	202	< 0.01	5	1320	10	< 2	1	9	0.07	< 10	< 10	30	< 10	62
AA0370	201	202	< 0.01	1	440	6	< 2	1	5	0.05	< 10	< 10	23	< 10	36
AA0371	201	202	< 0.01	1	130	6	< 2	1	19	0.04	< 10	< 10	19	< 10	46
AA0372	201	202	< 0.01	7	690	48	< 2	< 1	20	0.08	< 10	10	51	< 10	42
AA0373	201	202	0.01	5	850	22	< 2	< 1	23	0.01	< 10	10	13	< 10	64
AA0374	201	202	0.01	5	540	14	< 2	< 1	12	0.02	< 10	< 10	15	< 10	62
AA0375	201	202	< 0.01	3	520	38	< 2	1	11	0.05	< 10	< 10	24	< 10	46
AA0376	201	202	< 0.01	8	520	266	< 2	1	12	0.06	< 10	< 10	40	< 10	64
AA0377	201	202	< 0.01	3	370	26	< 2	< 1	14	0.06	< 10	< 10	22	< 10	28
AA0378	201	202	< 0.01	10	540	334	< 2	2	11	0.04	< 10	< 10	31	< 10	90
AA0379	201	202	< 0.01	2	370	26	< 2	1	6	0.05	< 10	< 10	24	< 10	30
AA0380	201	202	< 0.01	5	390	22	< 2	1	9	0.03	< 10	< 10	16	< 10	44
AA0381	201	202	< 0.01	4	550	12	< 2	< 1	11	0.05	< 10	< 10	27	< 10	48
AA0382	201	202	< 0.01	10	800	24	< 2	1	12	0.05	< 10	< 10	31	< 10	56
AA0383	201	202	< 0.01	7	650	90	< 2	1	11	0.06	< 10	< 10	32	< 10	74
AA0384	201	202	< 0.01	5	530	44	< 2	< 1	8	0.02	< 10	< 10	14	< 10	54
AA0385	201	202	< 0.01	2	550	36	< 2	1	11	0.05	< 10	< 10	23	< 10	62
AA0386	201	202	0.01	5	530	6	< 2	< 1	11	0.04	< 10	< 10	22	< 10	60
AA0387	201	202	< 0.01	7	490	18	< 2	1	11	0.08	< 10	< 10	38	< 10	48
AA0388	201	202	0.01	7	1730	352	< 2	1	28	< 0.01	< 10	30	26	< 10	176
AA0389	201	202	< 0.01	9	410	28	< 2	1	11	0.23	< 10	< 10	75	< 10	52
AA0390	201	202	< 0.01	8	260	24	< 2	1	11	0.19	< 10	< 10	66	< 10	56
AA0391	201	202	< 0.01	10	470	14	< 2	1	13	0.09	< 10	< 10	35	< 10	58
AA0392	201	202	< 0.01	< 1	160	8	< 2	< 1	8	0.05	< 10	< 10	15	< 10	10
AA0393	201	202	< 0.01	3	590	14	< 2	< 1	9	0.03	< 10	< 10	22	< 10	56
AA0394	201	202	< 0.01	5	290	16	< 2	1	14	0.13	< 10	< 10	54	< 10	44
AA0395	201	202	< 0.01	1	290	14	< 2	1	12	0.08	< 10	< 10	24	< 10	32
AA0396	201	202	0.01	5	980	34	< 2	< 1	18	0.02	< 10	10	32	< 10	94
AA0397	201	202	< 0.01	4	530	10	< 2	< 1	13	0.02	< 10	< 10	18	< 10	50
AA0398	201	202	< 0.01	1	800	16	< 2	1	18	0.03	< 10	< 10	19	< 10	60
AA0399	201	202	< 0.01	4	340	22	< 2	1	14	0.07	< 10	< 10	21	< 10	30

CERTIFICATION: Ian Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 08-AUG-98
Invoice No. :19826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0400	201	202	< 0.2	1.32	4	60	0.5	< 2	0.14	< 0.5	5	14	7	1.77	< 10	< 1	0.06	30	0.31	270	1
AA0401	201	202	< 0.2	1.64	2	70	0.5	< 2	0.14	< 0.5	3	9	7	1.49	< 10	< 1	0.11	20	0.28	175	1
AA0402	201	202	< 0.2	0.69	2	50	< 0.5	< 2	0.11	< 0.5	4	11	4	1.65	< 10	< 1	0.07	20	0.13	220	< 1
AA0403	201	202	< 0.2	1.34	< 2	90	0.5	< 2	0.10	< 0.5	2	7	5	1.42	< 10	< 1	0.07	20	0.22	200	< 1
AA0404	201	202	< 0.2	1.22	< 2	20	< 0.5	< 2	0.05	< 0.5	1	7	2	1.18	< 10	< 1	0.06	30	0.13	100	< 1
AA0405	201	202	< 0.2	1.17	< 2	30	< 0.5	< 2	0.05	< 0.5	2	7	2	1.32	< 10	< 1	0.07	20	0.16	115	1
AA1341	201	202	1.4	1.42	8	90	0.5	< 2	0.65	< 0.5	5	12	8	1.73	< 10	< 1	0.19	40	0.43	270	< 1
AA1342	201	202	2.4	1.55	20	130	0.5	< 2	1.09	< 0.5	8	11	12	1.92	< 10	< 1	0.18	30	0.45	695	< 1
AA1343	201	202	2.0	1.33	14	100	0.5	< 2	0.77	< 0.5	4	10	8	1.61	< 10	< 1	0.18	40	0.41	265	1
AA1344	201	202	< 0.2	0.75	2	40	< 0.5	< 2	0.32	< 0.5	2	6	3	1.03	< 10	< 1	0.12	60	0.23	120	< 1
AA1345	201	202	0.2	1.28	< 2	80	0.5	< 2	0.57	< 0.5	5	13	6	1.44	< 10	< 1	0.11	20	0.37	260	< 1
AA1346	201	202	0.4	1.28	< 2	90	0.5	< 2	0.61	< 0.5	4	9	6	1.34	< 10	< 1	0.11	40	0.32	220	< 1
AA1347	201	202	0.4	1.51	< 2	100	0.5	< 2	1.42	< 0.5	5	13	10	1.64	< 10	< 1	0.12	40	0.40	360	1
AA1348	201	202	0.2	1.44	< 2	80	0.5	< 2	1.85	< 0.5	6	16	14	1.66	< 10	< 1	0.10	30	0.42	350	< 1
AA1349	201	202	0.2	1.23	10	90	0.5	< 2	1.25	< 0.5	5	12	10	1.50	< 10	< 1	0.10	30	0.35	265	< 1
AA1350	201	202	0.2	1.19	6	90	0.5	< 2	1.36	< 0.5	6	13	7	1.45	< 10	< 1	0.08	20	0.36	225	1
AA1351	201	202	< 0.2	2.11	< 2	30	0.5	< 2	0.21	< 0.5	12	20	6	2.74	< 10	< 1	0.07	30	0.44	165	< 1
AA1352	201	202	< 0.2	0.76	6	50	< 0.5	< 2	0.21	< 0.5	3	5	3	0.96	< 10	< 1	0.08	30	0.25	160	< 1
AA1353	201	202	0.2	1.10	2	80	0.5	< 2	0.73	< 0.5	4	8	4	1.36	< 10	< 1	0.10	30	0.33	300	< 1
AA1354	201	202	< 0.2	1.37	< 2	80	0.5	< 2	0.27	< 0.5	5	10	6	1.74	< 10	< 1	0.16	40	0.42	250	< 1
AA1355	201	202	0.2	1.22	< 2	70	0.5	< 2	0.65	< 0.5	4	9	5	1.30	< 10	< 1	0.11	30	0.31	280	< 1
AA1357	201	202	0.4	1.29	10	80	0.5	< 2	1.26	< 0.5	5	12	17	1.52	< 10	< 1	0.10	20	0.35	570	< 1
AA1358	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
AA1359	201	202	0.8	1.57	8	60	0.5	< 2	1.21	< 0.5	8	19	15	2.51	< 10	< 1	0.05	30	0.36	290	< 1
AA1360	201	202	0.2	1.51	< 2	90	0.5	< 2	1.27	< 0.5	8	18	12	1.92	< 10	< 1	0.10	30	0.46	325	1
AA1361	201	202	0.2	1.27	< 2	90	0.5	< 2	1.31	< 0.5	5	13	7	1.43	< 10	< 1	0.13	30	0.37	260	< 1
AA1362	201	202	< 0.2	1.16	< 2	60	0.5	< 2	0.66	< 0.5	4	11	6	1.33	< 10	< 1	0.13	30	0.36	215	< 1
AA1363	201	202	< 0.2	1.00	6	30	< 0.5	< 2	0.23	< 0.5	4	13	4	1.54	< 10	< 1	0.07	20	0.30	155	< 1
AA1364	201	202	0.6	1.54	12	70	0.5	< 2	1.54	< 0.5	10	21	18	2.18	< 10	< 1	0.09	30	0.49	405	1
AA1365	201	202	0.6	1.51	8	80	0.5	< 2	1.90	< 0.5	8	17	17	1.97	< 10	< 1	0.06	20	0.40	645	< 1
AA1366	201	202	< 0.2	1.39	10	60	0.5	< 2	1.11	< 0.5	8	18	16	1.90	< 10	< 1	0.08	30	0.43	355	< 1
AA1367	201	202	0.2	1.57	< 2	100	0.5	< 2	0.90	< 0.5	6	12	10	1.52	< 10	< 1	0.15	30	0.37	270	< 1
AA1368	201	202	0.6	1.38	38	70	0.5	< 2	0.67	< 0.5	7	13	7	1.86	< 10	< 1	0.14	30	0.43	420	< 1
AA1369	201	202	0.8	1.75	10	90	0.5	< 2	1.14	0.5	7	15	14	2.00	< 10	< 1	0.14	30	0.46	460	1
AA1370	201	202	< 0.2	2.29	< 2	50	0.5	< 2	0.99	< 0.5	11	23	9	2.63	< 10	< 1	0.07	30	0.51	425	1
AA1371	201	202	< 0.2	1.96	8	40	0.5	2	1.36	< 0.5	19	27	10	4.20	< 10	< 1	0.04	30	0.41	360	1
AA1372	201	202	< 0.2	1.45	10	50	< 0.5	< 2	0.23	< 0.5	7	24	7	3.01	< 10	< 1	0.07	10	0.52	285	2
AA1373	201	202	0.2	1.46	10	60	0.5	< 2	0.97	0.5	7	13	11	1.75	< 10	< 1	0.14	30	0.41	435	< 1
AA1374	201	202	0.2	1.81	12	70	0.5	< 2	1.77	0.5	13	28	21	2.65	< 10	< 1	0.11	20	0.64	405	1
AA1375	201	202	0.2	1.22	12	60	0.5	< 2	0.71	< 0.5	5	12	10	1.55	< 10	< 1	0.11	40	0.35	240	< 1

CERTIFICATION: Hart Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 08-AUG-98
Invoice No. : I9826565
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0400	201	202	< 0.01	11	520	22	< 2	1	11	0.05	< 10	< 10	24	< 10	70
AA0401	201	202	< 0.01	6	1060	10	< 2	< 1	17	0.02	< 10	< 10	21	< 10	46
AA0402	201	202	< 0.01	3	580	10	< 2	< 1	16	0.09	< 10	< 10	37	< 10	42
AA0403	201	202	< 0.01	2	530	12	< 2	< 1	14	0.02	< 10	< 10	18	< 10	54
AA0404	201	202	< 0.01	2	420	6	< 2	< 1	6	0.04	< 10	< 10	18	< 10	30
AA0405	201	202	< 0.01	3	360	12	< 2	< 1	7	0.05	< 10	< 10	24	< 10	26
AA1341	201	202	0.01	6	740	44	< 2	3	55	0.06	< 10	< 10	25	< 10	134
AA1342	201	202	0.01	9	670	160	< 2	3	110	0.06	< 10	< 10	25	< 10	146
AA1343	201	202	0.01	8	790	52	< 2	2	65	0.06	< 10	< 10	22	< 10	116
AA1344	201	202	< 0.01	3	870	14	< 2	1	25	0.04	< 10	< 10	16	< 10	38
AA1345	201	202	0.01	6	580	24	< 2	2	61	0.05	< 10	10	23	< 10	76
AA1346	201	202	0.01	6	600	20	< 2	2	56	0.04	< 10	< 10	18	< 10	66
AA1347	201	202	0.02	8	810	22	< 2	3	131	0.05	< 10	10	20	< 10	82
AA1348	201	202	0.02	12	590	18	< 2	3	149	0.05	< 10	< 10	20	< 10	118
AA1349	201	202	0.01	10	490	16	< 2	2	106	0.05	< 10	< 10	19	< 10	148
AA1350	201	202	0.01	8	450	22	< 2	2	119	0.04	< 10	< 10	18	< 10	78
AA1351	201	202	0.01	27	240	20	< 2	2	34	0.06	< 10	< 10	29	< 10	76
AA1352	201	202	< 0.01	3	470	14	< 2	1	17	0.04	< 10	< 10	16	< 10	38
AA1353	201	202	< 0.01	5	770	30	< 2	1	53	0.05	< 10	< 10	21	< 10	90
AA1354	201	202	< 0.01	6	790	26	< 2	2	22	0.07	< 10	< 10	25	< 10	76
AA1355	201	202	0.01	4	510	22	< 2	2	55	0.04	< 10	< 10	18	< 10	78
AA1357	201	202	0.03	12	700	16	< 2	2	106	0.05	< 10	< 10	19	< 10	122
AA1358	--	--	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd	NotRcd
AA1359	201	202	0.01	14	440	68	< 2	2	96	0.06	< 10	< 10	35	< 10	164
AA1360	201	202	0.02	15	650	24	< 2	3	113	0.06	< 10	< 10	24	< 10	114
AA1361	201	202	0.01	6	600	16	< 2	2	107	0.05	< 10	< 10	20	< 10	72
AA1362	201	202	0.02	8	540	16	< 2	2	62	0.05	< 10	< 10	18	< 10	72
AA1363	201	202	< 0.01	8	170	16	< 2	1	22	0.06	< 10	< 10	23	< 10	92
AA1364	201	202	0.03	19	620	56	2	3	131	0.06	< 10	< 10	26	< 10	148
AA1365	201	202	0.03	14	630	54	< 2	3	147	0.05	< 10	< 10	25	< 10	136
AA1366	201	202	0.03	16	550	32	< 2	3	97	0.05	< 10	< 10	23	< 10	188
AA1367	201	202	0.01	7	800	30	< 2	3	94	0.05	< 10	10	20	< 10	106
AA1368	201	202	0.01	9	750	180	< 2	2	60	0.06	< 10	< 10	24	< 10	310
AA1369	201	202	0.02	13	660	98	< 2	3	92	0.06	< 10	< 10	26	< 10	404
AA1370	201	202	0.04	26	490	20	< 2	3	111	0.08	< 10	< 10	32	< 10	80
AA1371	201	202	0.02	30	430	22	< 2	3	98	0.08	< 10	< 10	34	< 10	76
AA1372	201	202	< 0.01	17	510	8	< 2	2	16	0.11	< 10	< 10	51	< 10	50
AA1373	201	202	0.02	10	750	82	< 2	3	75	0.05	< 10	< 10	22	< 10	496
AA1374	201	202	0.02	27	390	20	< 2	3	132	0.08	< 10	< 10	32	< 10	220
AA1375	201	202	0.01	10	640	50	< 2	2	57	0.05	< 10	< 10	19	< 10	252

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 08-AUG-98
Invoice No. :19826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1376	201	202	0.4	1.52	14	60	0.5	< 2	1.43	< 0.5	9	19	25	2.12	< 10	< 1	0.11	30	0.48	450	< 1
AA1377	201	202	0.6	1.24	28	40	0.5	< 2	0.66	1.0	7	16	17	2.63	< 10	< 1	0.09	30	0.28	245	< 1
AA1378	201	202	0.4	1.34	12	60	0.5	< 2	1.35	< 0.5	8	18	15	1.86	< 10	< 1	0.10	30	0.46	360	< 1
AA1379	201	202	0.2	1.41	< 2	70	0.5	< 2	1.31	< 0.5	6	16	10	1.82	< 10	< 1	0.09	20	0.42	405	1
AA1380	201	202	0.4	1.41	8	90	0.5	< 2	1.56	< 0.5	6	13	11	1.61	< 10	< 1	0.14	30	0.41	305	< 1
AA1381	201	202	< 0.2	0.94	6	20	< 0.5	< 2	0.08	< 0.5	3	10	3	1.30	< 10	< 1	0.04	30	0.24	130	< 1
AA1382	201	202	< 0.2	1.36	< 2	150	0.5	< 2	0.29	< 0.5	3	14	4	1.22	< 10	< 1	0.10	10	0.31	545	< 1
AA1383	201	202	< 0.2	0.74	< 2	20	< 0.5	< 2	0.03	< 0.5	< 1	5	1	0.62	< 10	< 1	0.06	30	0.08	70	1
AA1384	201	202	< 0.2	1.50	< 2	70	1.0	< 2	0.46	< 0.5	2	5	4	1.19	< 10	< 1	0.13	30	0.42	375	1
AA1385	201	202	< 0.2	1.97	< 2	80	1.5	< 2	0.56	< 0.5	4	6	5	1.88	< 10	< 1	0.13	30	0.45	465	1
AA1386	201	202	< 0.2	1.07	6	30	< 0.5	< 2	0.05	< 0.5	1	4	1	1.32	< 10	< 1	0.07	30	0.19	135	< 1
AA1387	201	202	1.0	2.92	< 2	170	4.0	< 2	0.72	< 0.5	8	16	21	3.08	10	< 1	0.12	50	0.38	1300	8
AA1388	201	202	< 0.2	0.45	< 2	40	< 0.5	< 2	0.25	< 0.5	1	5	< 1	0.41	< 10	< 1	0.05	30	0.08	60	< 1
AA1389	201	202	0.4	2.25	< 2	120	2.5	< 2	0.53	< 0.5	3	8	8	1.54	< 10	< 1	0.10	40	0.29	885	3
AA1390	201	202	0.2	1.55	< 2	100	1.5	< 2	0.23	< 0.5	2	8	6	1.10	< 10	< 1	0.13	40	0.26	170	1
AA1391	201	202	0.8	3.01	< 2	220	1.5	< 2	1.15	< 0.5	5	17	11	2.23	< 10	< 1	0.36	20	0.53	460	1
AA1392	201	202	< 0.2	1.69	< 2	120	0.5	< 2	0.25	< 0.5	3	11	2	1.24	< 10	< 1	0.16	20	0.33	195	< 1
AA1393	201	202	1.4	3.76	< 2	370	1.5	< 2	0.58	< 0.5	3	18	8	2.05	10	< 1	0.28	10	0.41	235	3
AA1394	201	202	0.2	1.87	2	40	0.5	< 2	0.04	< 0.5	1	7	1	1.21	< 10	< 1	0.06	20	0.14	95	< 1
AA1395	201	202	1.2	0.97	6	40	< 0.5	< 2	0.04	< 0.5	2	8	3	1.87	< 10	< 1	0.06	30	0.14	225	< 1
AA1396	201	202	0.2	1.57	< 2	30	0.5	< 2	0.04	< 0.5	1	6	1	1.23	< 10	< 1	0.08	10	0.18	105	< 1
AA1397	201	202	< 0.2	0.70	< 2	50	< 0.5	< 2	0.10	< 0.5	1	11	< 1	0.70	< 10	< 1	0.03	10	0.14	55	< 1
AA1398	201	202	< 0.2	1.00	< 2	90	< 0.5	< 2	0.11	< 0.5	2	21	1	0.91	< 10	< 1	0.04	30	0.20	85	1
AA1399	201	202	< 0.2	0.49	< 2	20	< 0.5	< 2	0.03	< 0.5	< 1	3	< 1	0.35	< 10	< 1	0.03	40	0.04	45	< 1
AA1400	201	202	< 0.2	0.58	4	50	< 0.5	< 2	0.23	< 0.5	2	7	3	1.23	< 10	< 1	0.05	30	0.14	110	1
AA1401	201	202	< 0.2	0.68	< 2	40	0.5	< 2	0.19	< 0.5	3	8	2	1.05	< 10	< 1	0.07	30	0.28	160	< 1
AA1402	201	202	< 0.2	1.29	< 2	170	1.5	< 2	0.41	< 0.5	7	26	9	1.84	< 10	< 1	0.15	40	0.66	565	< 1
AA1403	201	202	< 0.2	0.46	< 2	30	< 0.5	< 2	0.03	< 0.5	< 1	2	< 1	0.38	< 10	< 1	0.04	10	0.05	30	< 1
AA1404	201	202	< 0.2	1.00	< 2	90	0.5	< 2	0.31	< 0.5	3	10	3	1.20	< 10	< 1	0.09	30	0.30	190	< 1
AA1405	201	202	< 0.2	1.12	< 2	50	0.5	< 2	0.17	< 0.5	3	7	4	1.20	< 10	< 1	0.12	40	0.23	425	< 1
AA1406	201	202	< 0.2	1.06	< 2	50	0.5	< 2	0.17	< 0.5	3	9	3	1.19	< 10	< 1	0.10	30	0.26	315	< 1
AA1407	201	202	< 0.2	0.91	< 2	30	< 0.5	< 2	0.11	< 0.5	1	7	1	0.93	< 10	< 1	0.07	30	0.18	170	< 1
AA1408	201	202	0.2	1.79	< 2	90	0.5	< 2	0.09	< 0.5	1	12	3	1.06	< 10	< 1	0.10	20	0.27	145	< 1
AA1409	201	202	0.2	2.14	< 2	100	1.0	< 2	0.10	< 0.5	3	13	6	1.65	< 10	< 1	0.16	20	0.30	390	2
AA1410	201	202	0.4	2.22	< 2	180	2.0	< 2	0.36	0.5	3	17	6	1.58	< 10	< 1	0.14	20	0.37	735	1
AA1411	201	202	< 0.2	0.23	< 2	10	< 0.5	< 2	0.04	< 0.5	< 1	1	1	0.15	< 10	< 1	0.03	40	0.01	30	< 1
AA1412	201	202	< 0.2	0.69	2	40	< 0.5	< 2	0.06	< 0.5	1	7	3	0.67	< 10	< 1	0.06	20	0.07	190	< 1
AA1413	201	202	< 0.2	0.60	< 2	30	< 0.5	< 2	0.19	< 0.5	2	6	1	0.83	< 10	< 1	0.09	40	0.17	205	< 1
AA1414	201	202	< 0.2	0.64	< 2	30	< 0.5	< 2	0.17	< 0.5	2	5	1	0.88	< 10	< 1	0.12	30	0.19	260	< 1
AA1415	201	202	0.2	0.66	< 2	30	< 0.5	< 2	0.16	< 0.5	< 1	3	< 1	0.28	< 10	< 1	0.04	30	0.07	25	< 1

CERTIFICATION: Hart Bidlle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :4-B
Total Pages :7
Certificate Date: 08-AUG-98
Invoice No. :I9826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1376	201	202	0.03	22	610	48	< 2	3	113	0.06	< 10	< 10	23	< 10	250
AA1377	201	202	0.01	15	260	90	< 2	1	53	0.06	< 10	< 10	31	< 10	168
AA1378	201	202	0.03	16	710	36	< 2	3	106	0.06	< 10	< 10	23	< 10	134
AA1379	201	202	0.02	11	540	32	< 2	3	113	0.05	< 10	< 10	22	< 10	96
AA1380	201	202	0.02	10	670	22	< 2	2	130	0.05	< 10	< 10	21	< 10	98
AA1381	201	202	< 0.01	5	130	10	< 2	1	10	0.07	< 10	< 10	32	< 10	40
AA1382	201	202	0.01	6	690	20	< 2	< 1	78	0.01	< 10	< 10	15	< 10	72
AA1383	201	202	< 0.01	1	290	10	< 2	< 1	9	0.04	< 10	< 10	14	< 10	22
AA1384	201	202	< 0.01	1	770	18	< 2	< 1	68	< 0.01	< 10	< 10	7	< 10	64
AA1385	201	202	< 0.01	2	980	28	< 2	1	83	< 0.01	< 10	< 10	12	< 10	102
AA1386	201	202	< 0.01	1	190	6	< 2	< 1	9	0.04	< 10	< 10	17	< 10	40
AA1387	201	202	0.01	7	2140	38	< 2	1	146	0.03	< 10	90	37	< 10	102
AA1388	201	202	< 0.01	< 1	120	10	< 2	< 1	47	0.07	< 10	< 10	12	< 10	12
AA1389	201	202	0.01	2	1580	38	< 2	< 1	102	0.01	< 10	60	19	< 10	76
AA1390	201	202	0.01	3	330	18	< 2	1	41	0.04	< 10	10	14	< 10	52
AA1391	201	202	0.01	10	640	14	< 2	4	159	0.05	< 10	30	24	< 10	130
AA1392	201	202	0.01	5	470	12	< 2	1	31	0.06	< 10	< 10	21	< 10	64
AA1393	201	202	0.04	8	1160	14	< 2	1	92	0.04	< 10	20	23	< 10	80
AA1394	201	202	< 0.01	1	260	8	< 2	1	5	0.04	< 10	< 10	15	< 10	22
AA1395	201	202	< 0.01	1	540	10	< 2	< 1	8	0.05	< 10	< 10	26	< 10	32
AA1396	201	202	< 0.01	1	280	10	< 2	< 1	5	0.03	< 10	< 10	14	< 10	38
AA1397	201	202	< 0.01	3	120	10	< 2	< 1	16	0.05	< 10	< 10	19	< 10	12
AA1398	201	202	< 0.01	5	170	14	< 2	1	20	0.08	< 10	< 10	26	< 10	16
AA1399	201	202	< 0.01	< 1	140	6	< 2	< 1	7	0.05	< 10	< 10	9	< 10	8
AA1400	201	202	< 0.01	3	280	8	< 2	< 1	40	0.07	< 10	< 10	25	< 10	22
AA1401	201	202	< 0.01	4	260	6	< 2	< 1	29	0.03	< 10	< 10	14	< 10	30
AA1402	201	202	0.01	22	890	24	< 2	3	46	0.03	< 10	< 10	20	< 10	70
AA1403	201	202	0.04	< 1	470	2	< 2	< 1	11	< 0.01	< 10	< 10	8	< 10	16
AA1404	201	202	< 0.01	4	450	12	< 2	1	61	0.05	< 10	< 10	18	< 10	48
AA1405	201	202	0.01	4	710	16	< 2	1	12	0.03	< 10	< 10	13	< 10	62
AA1406	201	202	< 0.01	4	600	20	< 2	< 1	19	0.03	< 10	< 10	13	< 10	102
AA1407	201	202	< 0.01	4	360	8	< 2	< 1	12	0.03	< 10	< 10	11	< 10	36
AA1408	201	202	0.01	6	580	20	< 2	< 1	16	0.01	< 10	< 10	13	< 10	82
AA1409	201	202	0.01	6	1200	24	< 2	< 1	27	0.01	< 10	10	21	< 10	90
AA1410	201	202	0.01	10	970	44	< 2	< 1	69	0.01	< 10	20	18	< 10	140
AA1411	201	202	< 0.01	< 1	130	2	< 2	< 1	9	< 0.01	< 10	< 10	3	< 10	8
AA1412	201	202	< 0.01	1	600	8	< 2	< 1	11	0.04	< 10	< 10	15	< 10	24
AA1413	201	202	< 0.01	1	600	10	< 2	< 1	11	0.04	< 10	< 10	11	< 10	28
AA1414	201	202	< 0.01	1	490	10	< 2	1	11	0.04	< 10	< 10	11	< 10	30
AA1415	201	202	< 0.01	< 1	260	10	< 2	< 1	23	0.01	< 10	< 10	5	< 10	12

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :5-A
Total Pages :7
Certificate Date: 08-AUG-98
Invoice No. :I9826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1416	201	202	< 0.2	1.03	6	30	< 0.5	< 2	0.07	< 0.5	1	6	1	1.12	< 10	< 1	0.07	20	0.16	105	< 1
AA1417	201	202	0.2	1.71	6	150	< 0.5	< 2	0.15	< 0.5	7	55	3	2.04	< 10	< 1	0.07	30	0.75	205	< 1
AA1418	201	202	< 0.2	0.41	< 2	30	< 0.5	< 2	0.05	< 0.5	1	5	< 1	0.38	< 10	< 1	0.04	40	0.05	65	< 1
AA1419	201	202	< 0.2	1.23	2	30	< 0.5	< 2	0.30	< 0.5	2	5	1	1.02	< 10	< 1	0.10	20	0.20	150	1
AA1420	201	202	0.2	0.66	< 2	20	< 0.5	< 2	0.21	< 0.5	< 1	4	< 1	0.57	< 10	< 1	0.03	30	0.06	70	< 1
AA1421	201	202	< 0.2	1.11	2	30	< 0.5	< 2	0.05	< 0.5	4	12	4	1.97	< 10	< 1	0.06	20	0.19	180	1
AA1422	201	202	< 0.2	0.73	2	40	< 0.5	< 2	0.18	< 0.5	3	8	3	0.94	< 10	< 1	0.09	40	0.21	230	< 1
AA1423	201	202	< 0.2	0.71	< 2	30	< 0.5	< 2	0.05	< 0.5	2	10	2	0.65	< 10	< 1	0.05	30	0.10	60	< 1
AA1424	201	202	< 0.2	1.11	< 2	30	< 0.5	< 2	0.07	< 0.5	2	15	3	1.02	< 10	< 1	0.07	30	0.21	130	2
AA1425	201	202	0.8	1.29	< 2	70	1.0	< 2	0.20	< 0.5	3	23	6	1.31	< 10	< 1	0.08	40	0.39	265	< 1
AA1426	201	202	0.2	1.05	2	50	0.5	< 2	0.27	< 0.5	5	15	5	1.39	< 10	< 1	0.10	40	0.35	500	< 1
AA1427	201	202	0.6	1.52	< 2	70	0.5	< 2	0.10	< 0.5	3	18	5	1.30	< 10	< 1	0.11	30	0.36	260	< 1
AA1428	201	202	< 0.2	1.21	2	50	< 0.5	< 2	0.08	< 0.5	3	15	4	1.30	< 10	< 1	0.09	30	0.33	220	< 1
AA1429	201	202	1.0	1.64	< 2	160	1.0	< 2	0.39	< 0.5	4	20	11	1.46	< 10	< 1	0.17	30	0.43	375	< 1
AA1430	201	202	2.8	2.48	12	200	1.0	< 2	0.18	< 0.5	5	27	13	2.01	< 10	< 1	0.24	30	0.48	320	< 1
AA1431	201	202	1.8	1.88	< 2	230	0.5	< 2	0.37	0.5	5	25	11	1.65	< 10	< 1	0.18	40	0.48	525	1
AA1432	201	202	0.6	1.04	< 2	120	< 0.5	< 2	0.21	< 0.5	2	12	4	0.80	< 10	< 1	0.10	40	0.25	135	< 1
AA1433	201	202	0.2	0.63	< 2	70	< 0.5	< 2	0.12	< 0.5	1	6	1	0.66	< 10	< 1	0.07	40	0.13	125	< 1
AA1434	201	202	1.0	1.22	< 2	90	< 0.5	< 2	0.19	< 0.5	2	14	3	0.90	< 10	< 1	0.12	30	0.28	120	1
AA1435	201	202	0.2	1.34	< 2	150	0.5	< 2	0.27	0.5	5	19	4	1.25	< 10	< 1	0.15	40	0.37	725	< 1
AA1436	201	202	< 0.2	1.16	< 2	100	0.5	< 2	0.21	< 0.5	3	16	3	1.11	< 10	< 1	0.11	40	0.36	210	< 1
AA1437	201	202	0.2	1.56	< 2	90	0.5	< 2	0.30	< 0.5	3	20	5	1.32	< 10	< 1	0.14	40	0.43	175	< 1
AA1438	201	202	0.2	1.09	2	90	0.5	< 2	0.45	< 0.5	4	23	5	1.25	< 10	< 1	0.10	30	0.45	265	< 1
AA1439	201	202	0.2	0.77	< 2	30	< 0.5	< 2	0.03	< 0.5	2	12	1	0.81	< 10	< 1	0.05	30	0.10	65	< 1
AA1440	201	202	0.2	0.49	< 2	10	< 0.5	< 2	0.03	< 0.5	1	4	< 1	0.43	< 10	< 1	0.04	40	0.06	55	< 1
AA1441	201	202	0.2	0.60	< 2	30	< 0.5	< 2	0.04	< 0.5	1	6	1	0.64	< 10	< 1	0.03	40	0.05	55	< 1
AA1442	201	202	< 0.2	0.54	< 2	30	< 0.5	< 2	0.04	< 0.5	1	6	1	0.59	< 10	< 1	0.04	40	0.06	60	< 1
AA1443	201	202	0.2	0.94	4	50	< 0.5	< 2	0.08	< 0.5	3	9	3	0.93	< 10	< 1	0.07	30	0.15	85	< 1
AA1444	201	202	< 0.2	0.96	6	50	< 0.5	< 2	0.06	< 0.5	4	20	2	1.24	< 10	< 1	0.04	30	0.19	130	< 1
AA1445	201	202	0.2	1.35	< 2	80	0.5	< 2	0.11	< 0.5	4	14	7	2.25	< 10	< 1	0.07	20	0.24	200	< 1
AA1446	201	202	< 0.2	1.99	< 2	120	0.5	< 2	0.13	< 0.5	7	27	6	1.89	< 10	< 1	0.14	30	0.50	305	< 1
AA1447	201	202	< 0.2	1.57	4	30	< 0.5	< 2	0.06	< 0.5	6	21	4	3.48	10	< 1	0.06	20	0.23	405	1
AA1448	201	202	< 0.2	0.88	< 2	30	< 0.5	< 2	0.06	< 0.5	3	9	3	1.05	< 10	< 1	0.08	30	0.17	115	< 1
AA1449	201	202	< 0.2	0.61	< 2	30	< 0.5	< 2	0.05	< 0.5	2	12	1	0.88	< 10	< 1	0.05	30	0.14	85	< 1
AA1450	201	202	< 0.2	1.97	< 2	50	0.5	< 2	0.10	< 0.5	2	11	5	1.87	< 10	< 1	0.09	30	0.23	335	1
AA1451	201	202	< 0.2	0.91	< 2	50	0.5	< 2	0.05	< 0.5	< 1	7	4	0.70	< 10	< 1	0.06	40	0.11	85	< 1
AA1452	201	202	0.2	1.15	8	60	0.5	< 2	0.17	< 0.5	2	10	4	0.97	< 10	< 1	0.07	50	0.22	110	< 1
AA1453	201	202	0.2	1.94	6	50	0.5	< 2	0.11	< 0.5	4	13	4	1.90	< 10	< 1	0.08	30	0.25	170	< 1
AA1454	201	202	< 0.2	1.08	2	30	< 0.5	< 2	0.02	< 0.5	1	3	4	0.90	< 10	< 1	0.04	50	0.07	105	< 1
AA1455	201	202	< 0.2	1.60	12	60	0.5	< 2	0.09	< 0.5	6	33	9	1.89	< 10	< 1	0.07	30	0.56	240	1

CERTIFICATION: Jan Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 5-B
Total Pages : 7
Certificate Date: 08-AUG-98
Invoice No. : I9826565
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1416	201	202	< 0.01	< 1	320	2	2	< 1	9	0.05	< 10	< 10	20	< 10	32
AA1417	201	202	0.01	21	260	14	< 2	2	25	0.09	< 10	< 10	48	< 10	36
AA1418	201	202	< 0.01	< 1	130	6	< 2	< 1	9	0.06	< 10	< 10	12	< 10	8
AA1419	201	202	< 0.01	< 1	490	8	< 2	< 1	38	0.04	< 10	< 10	12	< 10	26
AA1420	201	202	< 0.01	< 1	140	12	< 2	< 1	21	0.05	< 10	< 10	14	< 10	20
AA1421	201	202	< 0.01	5	300	20	< 2	1	8	0.14	< 10	< 10	47	< 10	34
AA1422	201	202	< 0.01	3	550	8	< 2	1	10	0.05	< 10	< 10	14	< 10	30
AA1423	201	202	< 0.01	1	230	14	< 2	< 1	9	0.06	< 10	< 10	18	< 10	18
AA1424	201	202	0.01	5	190	14	< 2	1	12	0.04	< 10	< 10	26	< 10	46
AA1425	201	202	0.01	12	530	30	< 2	1	23	0.03	< 10	10	22	< 10	96
AA1426	201	202	0.01	7	720	32	< 2	1	20	0.05	< 10	< 10	21	< 10	126
AA1427	201	202	0.01	7	270	28	< 2	1	16	0.03	< 10	< 10	22	< 10	130
AA1428	201	202	0.01	5	240	18	< 2	1	13	0.04	< 10	< 10	22	< 10	104
AA1429	201	202	0.01	10	580	24	< 2	2	53	0.04	< 10	< 10	20	< 10	224
AA1430	201	202	0.01	14	780	40	< 2	2	31	0.03	< 10	< 10	27	< 10	278
AA1431	201	202	0.01	13	700	46	< 2	3	50	0.04	< 10	< 10	25	< 10	374
AA1432	201	202	0.01	5	470	12	< 2	1	27	0.03	< 10	< 10	13	< 10	160
AA1433	201	202	0.01	3	180	10	< 2	< 1	18	0.03	< 10	< 10	14	< 10	68
AA1434	201	202	0.01	5	390	16	< 2	1	26	0.03	< 10	< 10	14	< 10	86
AA1435	201	202	0.01	7	460	20	< 2	2	34	0.05	< 10	< 10	23	< 10	120
AA1436	201	202	0.01	5	470	16	< 2	1	21	0.05	< 10	< 10	19	< 10	94
AA1437	201	202	0.01	9	700	16	< 2	3	35	0.04	< 10	< 10	21	< 10	122
AA1438	201	202	0.01	11	700	24	< 2	1	49	0.04	< 10	< 10	22	< 10	86
AA1439	201	202	0.01	3	230	10	< 2	< 1	10	0.03	< 10	< 10	16	< 10	24
AA1440	201	202	< 0.01	< 1	130	8	< 2	< 1	6	0.07	< 10	< 10	11	< 10	14
AA1441	201	202	< 0.01	< 1	220	8	< 2	< 1	8	0.07	< 10	< 10	18	< 10	12
AA1442	201	202	< 0.01	< 1	180	12	< 2	< 1	9	0.08	< 10	< 10	17	< 10	16
AA1443	201	202	< 0.01	2	400	16	< 2	< 1	15	0.07	< 10	< 10	21	< 10	30
AA1444	201	202	< 0.01	7	230	28	< 2	1	10	0.16	< 10	< 10	38	< 10	26
AA1445	201	202	< 0.01	5	530	12	< 2	1	17	0.13	< 10	< 10	44	< 10	38
AA1446	201	202	0.01	14	670	12	< 2	1	16	0.07	< 10	< 10	30	< 10	54
AA1447	201	202	< 0.01	6	460	16	< 2	1	9	0.26	< 10	< 10	74	< 10	52
AA1448	201	202	< 0.01	1	360	12	< 2	< 1	11	0.08	< 10	< 10	24	< 10	28
AA1449	201	202	< 0.01	2	140	10	< 2	< 1	9	0.06	< 10	< 10	20	< 10	22
AA1450	201	202	< 0.01	4	810	44	< 2	< 1	13	0.01	< 10	< 10	26	< 10	134
AA1451	201	202	0.01	1	300	14	< 2	< 1	11	0.04	< 10	< 10	15	< 10	34
AA1452	201	202	< 0.01	4	280	20	< 2	1	21	0.07	< 10	< 10	23	< 10	38
AA1453	201	202	< 0.01	5	400	16	< 2	1	14	0.07	< 10	< 10	28	< 10	68
AA1454	201	202	< 0.01	< 1	260	8	< 2	< 1	7	0.01	< 10	< 10	15	< 10	48
AA1455	201	202	< 0.01	16	290	12	< 2	1	17	0.04	< 10	< 10	34	< 10	206

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 08-AUG-98
Invoice No. : I9826565
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1456	201	202	0.2	1.38	6	60	0.5	< 2	0.08	< 0.5	1	11	6	1.15	< 10	< 1	0.08	30	0.22	110	< 1
AA1457	201	202	< 0.2	0.73	< 2	30	< 0.5	< 2	0.05	< 0.5	1	5	1	0.48	< 10	< 1	0.05	40	0.11	65	< 1
AA1458	201	202	0.2	1.04	< 2	40	< 0.5	< 2	0.06	< 0.5	< 1	6	2	0.59	< 10	< 1	0.08	40	0.13	60	< 1
AA1459	201	202	< 0.2	1.21	< 2	50	< 0.5	< 2	0.09	< 0.5	2	9	3	0.99	< 10	< 1	0.12	20	0.26	140	< 1
AA1460	201	202	< 0.2	0.82	4	40	< 0.5	< 2	0.07	< 0.5	3	17	3	1.54	< 10	< 1	0.04	30	0.14	125	< 1
AA1461	201	202	0.2	1.74	< 2	70	0.5	< 2	0.13	< 0.5	5	22	3	1.77	< 10	< 1	0.10	30	0.39	255	1
AA1462	201	202	0.2	1.24	< 2	40	< 0.5	< 2	0.10	< 0.5	4	17	3	1.89	< 10	< 1	0.08	20	0.26	140	< 1
AA1463	201	202	< 0.2	1.28	< 2	40	< 0.5	< 2	0.10	< 0.5	3	10	3	1.75	< 10	< 1	0.08	30	0.28	185	< 1
AA1464	201	202	< 0.2	1.31	< 2	60	0.5	< 2	0.07	< 0.5	3	9	3	1.54	< 10	< 1	0.10	30	0.22	135	< 1
AA1465	201	202	< 0.2	1.26	6	50	0.5	< 2	0.08	< 0.5	6	14	8	2.68	10	< 1	0.14	30	0.31	250	< 1
AA1466	201	202	0.2	0.75	< 2	40	0.5	< 2	0.13	< 0.5	1	5	4	0.56	< 10	< 1	0.05	40	0.06	65	< 1
AA1467	201	202	< 0.2	0.68	< 2	30	< 0.5	< 2	0.04	< 0.5	2	7	2	1.01	< 10	< 1	0.06	40	0.13	110	< 1
AA1468	201	202	< 0.2	0.99	2	30	< 0.5	< 2	0.04	< 0.5	3	13	3	1.54	< 10	< 1	0.05	30	0.18	155	< 1
AA1469	201	202	3.4	3.84	< 2	240	4.0	< 2	0.90	2.0	8	30	53	3.30	10	< 1	0.32	90	0.60	750	1
AA1471	201	202	0.6	1.48	2	80	0.5	< 2	0.26	< 0.5	3	12	7	1.35	< 10	< 1	0.12	30	0.34	240	< 1
AA1472	201	202	< 0.2	0.92	< 2	40	< 0.5	< 2	0.14	< 0.5	2	13	2	0.93	< 10	< 1	0.08	40	0.30	150	< 1
AA1473	201	202	< 0.2	0.84	< 2	30	< 0.5	< 2	0.10	< 0.5	1	9	2	0.90	< 10	< 1	0.09	40	0.24	135	< 1
AA1474	201	202	0.2	1.09	2	40	< 0.5	< 2	0.15	< 0.5	2	7	3	1.29	< 10	< 1	0.11	40	0.26	175	< 1
AA1475	201	202	0.2	1.41	< 2	40	< 0.5	< 2	0.13	< 0.5	3	7	4	1.52	< 10	< 1	0.12	30	0.29	180	< 1
AA1476	201	202	0.4	1.51	< 2	50	0.5	< 2	0.13	< 0.5	3	8	3	1.69	< 10	< 1	0.10	40	0.29	195	< 1
AA1477	201	202	1.0	1.45	< 2	40	< 0.5	< 2	0.08	< 0.5	4	18	5	2.52	< 10	< 1	0.07	30	0.29	280	1
AA1478	201	202	0.6	1.14	2	30	< 0.5	2	0.04	< 0.5	3	10	5	2.37	< 10	< 1	0.05	30	0.14	250	1
AA1479	201	202	< 0.2	2.23	< 2	40	0.5	< 2	0.08	< 0.5	3	7	2	1.58	< 10	< 1	0.09	30	0.24	165	< 1
AA1480	201	202	< 0.2	1.38	< 2	30	< 0.5	< 2	0.08	< 0.5	4	13	4	2.68	10	< 1	0.11	30	0.32	285	< 1
AA1481	201	202	0.2	1.37	8	60	0.5	< 2	0.13	< 0.5	4	17	4	1.94	< 10	< 1	0.11	20	0.40	215	1
AA1482	201	202	< 0.2	1.25	< 2	30	< 0.5	< 2	0.08	< 0.5	3	13	1	1.69	< 10	< 1	0.08	30	0.29	160	< 1
AA1483	201	202	< 0.2	0.82	< 2	30	< 0.5	< 2	0.05	< 0.5	2	8	2	1.10	< 10	< 1	0.07	30	0.18	110	< 1
AA1484	201	202	0.2	1.39	< 2	70	0.5	< 2	0.18	< 0.5	3	6	5	1.27	< 10	< 1	0.13	30	0.26	245	< 1
AA1485	201	202	< 0.2	1.28	2	40	< 0.5	< 2	0.04	< 0.5	5	15	4	3.02	10	< 1	0.05	10	0.16	290	< 1
AA1486	201	202	< 0.2	1.23	< 2	50	0.5	< 2	0.08	< 0.5	3	7	1	1.21	< 10	< 1	0.09	20	0.23	170	< 1
AA1487	201	202	< 0.2	1.20	< 2	30	< 0.5	< 2	0.10	< 0.5	2	8	2	1.61	< 10	< 1	0.08	30	0.23	165	1
AA1488	201	202	< 0.2	0.67	< 2	20	< 0.5	< 2	0.06	< 0.5	1	4	1	1.04	< 10	< 1	0.06	30	0.19	145	< 1
AA1489	201	202	0.6	2.66	< 2	80	0.5	< 2	0.12	< 0.5	7	24	14	2.86	10	< 1	0.11	30	0.50	355	1
AA1490	201	202	< 0.2	1.61	< 2	40	< 0.5	< 2	0.15	< 0.5	5	20	4	2.25	< 10	< 1	0.11	30	0.46	305	< 1
AA1491	201	202	< 0.2	1.38	< 2	70	< 0.5	< 2	0.13	< 0.5	5	38	4	1.84	< 10	< 1	0.12	30	0.56	440	< 1
AA1492	201	202	1.6	1.67	< 2	80	2.0	< 2	0.23	< 0.5	14	14	10	2.31	< 10	< 1	0.09	30	0.25	2190	2
AA1493	201	202	1.0	1.86	2	130	1.5	< 2	0.43	< 0.5	5	19	12	2.36	< 10	< 1	0.11	30	0.26	705	1
AA1494	201	202	0.2	0.73	< 2	30	< 0.5	< 2	0.08	< 0.5	2	4	1	0.95	< 10	< 1	0.06	30	0.22	120	< 1
AA1495	201	202	< 0.2	1.27	< 2	50	0.5	< 2	0.13	< 0.5	1	8	4	1.00	< 10	< 1	0.11	30	0.22	125	< 1
AA1496	201	202	< 0.2	1.13	< 2	40	< 0.5	< 2	0.11	< 0.5	2	6	3	0.87	< 10	< 1	0.09	20	0.20	120	< 1

CERTIFICATION: Jan Bidlle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :6-B
Total Pages :7
Certificate Date: 08-AUG-98
Invoice No. :I9826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1456	201	202	0.01	4	540	24	< 2	< 1	16	0.03	< 10	< 10	19	< 10	52
AA1457	201	202	0.01	1	250	10	< 2	< 1	8	0.02	< 10	< 10	10	< 10	20
AA1458	201	202	0.01	1	300	14	< 2	< 1	11	0.01	< 10	< 10	11	< 10	30
AA1459	201	202	0.01	4	400	16	< 2	1	11	0.04	< 10	< 10	17	< 10	60
AA1460	201	202	< 0.01	4	210	14	< 2	1	12	0.15	< 10	< 10	47	< 10	32
AA1461	201	202	0.01	9	400	20	< 2	1	14	0.09	< 10	< 10	32	< 10	74
AA1462	201	202	< 0.01	6	470	10	< 2	1	14	0.10	< 10	< 10	42	< 10	34
AA1463	201	202	< 0.01	4	700	12	< 2	1	14	0.10	< 10	< 10	35	< 10	48
AA1464	201	202	0.01	3	310	10	< 2	1	12	0.06	< 10	< 10	24	< 10	38
AA1465	201	202	< 0.01	5	510	16	< 2	2	11	0.22	< 10	< 10	57	< 10	52
AA1466	201	202	0.04	1	310	10	< 2	< 1	22	0.03	< 10	< 10	14	< 10	14
AA1467	201	202	< 0.01	2	170	10	< 2	< 1	8	0.11	< 10	< 10	25	< 10	22
AA1468	201	202	< 0.01	4	440	8	< 2	< 1	8	0.09	< 10	< 10	36	< 10	36
AA1469	201	202	0.02	16	650	64	< 2	4	99	0.04	< 10	70	41	< 10	356
AA1471	201	202	0.01	5	470	30	< 2	1	23	0.04	< 10	< 10	21	< 10	112
AA1472	201	202	0.01	4	280	10	< 2	1	12	0.05	< 10	< 10	17	< 10	44
AA1473	201	202	0.01	2	280	10	< 2	1	9	0.05	< 10	< 10	16	< 10	38
AA1474	201	202	< 0.01	3	660	20	< 2	1	8	0.05	< 10	< 10	20	< 10	54
AA1475	201	202	< 0.01	3	550	28	< 2	1	7	0.05	< 10	< 10	22	< 10	68
AA1476	201	202	< 0.01	3	600	34	< 2	1	8	0.05	< 10	< 10	24	< 10	80
AA1477	201	202	0.01	6	600	22	< 2	1	10	0.05	< 10	< 10	34	< 10	98
AA1478	201	202	< 0.01	2	450	16	< 2	1	8	0.10	< 10	< 10	42	< 10	54
AA1479	201	202	< 0.01	3	630	6	< 2	1	6	0.05	< 10	< 10	20	< 10	52
AA1480	201	202	< 0.01	5	840	8	< 2	1	9	0.12	< 10	< 10	47	< 10	60
AA1481	201	202	< 0.01	8	420	12	< 2	1	18	0.09	< 10	< 10	31	< 10	42
AA1482	201	202	< 0.01	4	470	8	< 2	1	6	0.06	< 10	< 10	32	< 10	30
AA1483	201	202	< 0.01	3	230	8	< 2	< 1	8	0.05	< 10	< 10	18	< 10	28
AA1484	201	202	< 0.01	3	560	12	< 2	1	18	0.03	< 10	< 10	15	< 10	64
AA1485	201	202	< 0.01	5	700	12	< 2	1	7	0.20	< 10	< 10	60	< 10	42
AA1486	201	202	< 0.01	3	430	10	< 2	< 1	10	0.04	< 10	< 10	17	< 10	36
AA1487	201	202	< 0.01	3	610	10	< 2	< 1	6	0.05	< 10	< 10	22	< 10	52
AA1488	201	202	< 0.01	< 1	420	8	< 2	1	5	0.06	< 10	< 10	19	< 10	32
AA1489	201	202	< 0.01	12	620	58	< 2	1	13	0.07	< 10	< 10	48	< 10	100
AA1490	201	202	< 0.01	8	970	8	< 2	1	8	0.08	< 10	< 10	37	< 10	90
AA1491	201	202	0.01	16	610	8	< 2	1	15	0.07	< 10	< 10	35	< 10	44
AA1492	201	202	0.01	5	1450	154	< 2	< 1	31	0.04	< 10	10	44	< 10	62
AA1493	201	202	0.01	8	2570	162	< 2	< 1	53	0.02	< 10	30	37	< 10	86
AA1494	201	202	< 0.01	< 1	210	12	2	< 1	9	0.04	< 10	< 10	14	< 10	40
AA1495	201	202	0.01	3	720	8	< 2	< 1	13	0.02	< 10	< 10	13	< 10	46
AA1496	201	202	0.01	3	720	12	< 2	< 1	8	0.02	< 10	< 10	11	< 10	36

CERTIFICATION: Ian Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 08-AUG-98
Invoice No. :I9826565
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1497	201	202	0.2	1.24	< 2	70	0.5	< 2	0.08	< 0.5	2	9	5	1.08	< 10	< 1	0.11	20	0.22	155	< 1
AA1498	201	202	< 0.2	1.61	6	50	0.5	< 2	0.10	< 0.5	3	10	4	1.39	< 10	< 1	0.10	30	0.27	220	1
AA1499	201	202	0.6	1.53	< 2	80	1.0	< 2	0.17	< 0.5	4	9	10	1.45	< 10	< 1	0.14	30	0.31	360	1
AA1500	201	202	0.6	1.40	< 2	40	0.5	< 2	0.09	< 0.5	3	10	5	1.55	< 10	< 1	0.09	30	0.22	160	< 1

CERTIFICATION: Hart Bidlle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 08-AUG-98
Invoice No. : 19826565
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9826565

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1497	201	202	< 0.01	4	460	14	< 2	< 1	13	0.02	< 10	< 10	13	< 10	54
AA1498	201	202	< 0.01	4	770	20	< 2	< 1	8	0.03	< 10	< 10	18	< 10	52
AA1499	201	202	< 0.01	5	520	50	< 2	1	17	0.03	< 10	< 10	15	< 10	74
AA1500	201	202	< 0.01	4	820	26	< 2	< 1	11	0.04	< 10	< 10	24	< 10	38

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 23-JUL-98
Invoice No. : I9825357
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825357

SAMPLE	PREP CODE		Pb %
AA 3895	244	--	1.39

CERTIFICATION: Sara Leinad

OVERLIMITS from A9824632

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 23-JUL-98
Invoice No. : I9825355
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825355

SAMPLE	PREP CODE	Ag FA g/t	Pb %	Zn %
AA 0273	244 --	-----	-----	4.38
AA 0780	244 --	124	1.10	2.28

CERTIFICATION:

OVERLIMITS from A9824630

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 6
Certificate Date: 26-JUL-98
Invoice No. : 19825219
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1301	201	202	1.8	1.30	8	100	1.0	< 2	0.31	2.0	4	16	76	1.68	< 10	< 1	0.06	20	0.24	265	16
AA1302	201	202	0.4	0.85	6	40	< 0.5	< 2	0.06	< 0.5	3	15	9	1.68	< 10	< 1	0.06	20	0.12	175	4
AA1303	201	202	5.8	2.26	32	70	5.0	< 2	0.22	4.0	4	16	646	2.05	< 10	< 1	0.08	110	0.21	280	34
AA1304	201	202	0.2	0.48	16	30	< 0.5	< 2	0.09	< 0.5	1	5	14	0.68	< 10	< 1	0.04	10	0.03	110	10
AA1305	201	202	0.2	1.19	26	40	< 0.5	< 2	0.11	< 0.5	4	15	15	2.20	< 10	< 1	0.06	10	0.16	245	22
AA1306	201	202	0.2	1.07	28	40	< 0.5	< 2	0.12	< 0.5	3	16	25	1.77	< 10	< 1	0.08	20	0.18	320	12
AA1307	201	202	1.0	1.33	56	30	0.5	< 2	0.30	< 0.5	4	11	40	1.95	< 10	< 1	0.10	30	0.20	325	22
AA1308	201	202	2.8	1.44	100	50	0.5	< 2	0.15	0.5	3	15	58	1.66	< 10	< 1	0.09	20	0.18	475	69
AA1309	201	202	1.4	1.37	26	40	0.5	< 2	0.14	< 0.5	4	14	25	2.25	< 10	< 1	0.10	30	0.27	275	14
AA1310	201	202	1.2	1.61	8	50	0.5	< 2	0.06	0.5	3	13	32	1.95	< 10	< 1	0.06	10	0.10	165	5
AA1311	201	202	0.2	1.65	20	60	1.0	< 2	0.14	< 0.5	6	13	48	2.20	< 10	< 1	0.09	30	0.27	240	5
AA1312	201	202	0.2	1.73	16	40	0.5	< 2	0.07	< 0.5	4	16	22	2.15	< 10	< 1	0.08	30	0.26	165	5
AA1313	201	202	0.2	1.24	14	30	< 0.5	< 2	0.06	< 0.5	3	10	18	2.06	< 10	< 1	0.07	30	0.18	135	9
AA1314	201	202	0.2	1.57	22	40	0.5	< 2	0.09	< 0.5	5	12	19	2.38	< 10	< 1	0.08	30	0.24	230	6
AA1315	201	202	< 0.2	1.20	14	30	0.5	< 2	0.08	< 0.5	3	8	9	1.77	< 10	< 1	0.07	30	0.16	205	4
AA1316	201	202	1.2	1.32	6	60	1.0	< 2	0.08	0.5	3	12	35	1.55	< 10	< 1	0.06	20	0.12	260	11
AA1317	201	202	0.4	1.61	24	50	0.5	< 2	0.11	< 0.5	4	7	20	2.18	< 10	< 1	0.11	30	0.18	250	6
AA1318	201	202	0.2	1.06	14	30	< 0.5	< 2	0.08	< 0.5	3	7	16	1.95	< 10	< 1	0.07	40	0.17	180	4
AA1319	201	202	< 0.2	1.00	8	50	< 0.5	< 2	0.06	< 0.5	3	9	9	1.34	< 10	< 1	0.09	30	0.18	195	6
AA1320	201	202	0.2	1.84	8	40	0.5	< 2	0.09	< 0.5	4	12	8	2.29	< 10	< 1	0.09	30	0.21	230	3
AA1321	201	202	< 0.2	0.63	< 2	30	< 0.5	< 2	0.04	< 0.5	1	7	4	0.92	< 10	< 1	0.06	30	0.08	80	3
AA1322	201	202	0.8	1.05	8	40	< 0.5	< 2	0.05	< 0.5	2	10	9	1.25	< 10	< 1	0.07	10	0.16	115	8
AA1323	201	202	0.6	0.64	6	30	< 0.5	< 2	0.03	< 0.5	1	5	10	0.80	< 10	< 1	0.06	10	0.06	100	13
AA1324	201	202	1.4	1.13	8	40	< 0.5	< 2	0.03	< 0.5	1	8	12	1.27	< 10	< 1	0.04	20	0.06	90	5
AA1325	201	202	< 0.2	1.07	8	30	< 0.5	< 2	0.04	< 0.5	2	7	9	1.46	< 10	< 1	0.05	20	0.11	155	5
AA1326	201	202	0.2	0.80	18	40	< 0.5	< 2	0.07	< 0.5	3	9	13	1.64	< 10	< 1	0.07	30	0.14	190	17
AA1327	201	202	0.2	1.08	14	40	< 0.5	< 2	0.07	< 0.5	3	8	18	1.64	< 10	< 1	0.08	30	0.15	210	8
AA1328	201	202	< 0.2	1.56	14	40	0.5	< 2	0.07	< 0.5	5	17	18	2.65	< 10	< 1	0.09	30	0.27	350	8
AA1329	201	202	0.2	1.57	18	50	0.5	< 2	0.16	< 0.5	7	13	19	2.08	< 10	< 1	0.15	50	0.28	380	7
AA1330	201	202	0.2	1.34	8	40	< 0.5	< 2	0.14	< 0.5	3	13	10	1.55	< 10	< 1	0.07	30	0.22	140	2
AA1331	201	202	0.2	1.33	10	40	< 0.5	< 2	0.13	< 0.5	3	13	14	1.49	< 10	< 1	0.06	20	0.22	135	3
AA1332	201	202	0.6	1.65	22	40	0.5	< 2	0.15	< 0.5	5	16	65	2.43	< 10	< 1	0.09	30	0.27	265	10
AA1333	201	202	0.2	1.13	20	40	< 0.5	< 2	0.12	< 0.5	4	17	15	2.37	< 10	< 1	0.08	20	0.18	265	9
AA1334	201	202	0.4	1.16	28	30	< 0.5	< 2	0.17	< 0.5	3	14	25	1.71	< 10	< 1	0.07	30	0.14	165	9
AA1335	201	202	0.2	1.16	40	40	0.5	< 2	0.15	< 0.5	4	15	32	2.19	< 10	< 1	0.09	40	0.25	245	13
AA1336	201	202	0.8	2.30	82	140	2.0	< 2	0.33	2.0	7	20	90	2.95	< 10	< 1	0.15	20	0.33	570	24
AA1337	201	202	2.4	1.37	46	80	0.5	< 2	0.08	1.0	4	11	70	2.25	< 10	< 1	0.09	10	0.12	175	48
AA1338	201	202	3.8	1.34	62	40	1.0	< 2	0.27	0.5	5	13	45	2.13	< 10	< 1	0.07	30	0.26	480	31
AA1339	201	202	1.0	1.14	40	50	0.5	< 2	0.28	0.5	5	18	44	1.94	< 10	< 1	0.08	20	0.33	305	17
AA1340	201	202	8.4	1.69	72	80	3.5	< 2	0.76	3.5	5	14	188	1.98	< 10	< 1	0.09	50	0.23	515	34

CERTIFICATION: Antal Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 26-JUL-98
Invoice No. :19825219
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1301	201	202	< 0.01	16	1090	62	< 2	< 1	32	0.01	< 10	< 10	26	< 10	496
AA1302	201	202	< 0.01	5	240	34	< 2	< 1	6	0.04	< 10	< 10	39	< 10	88
AA1303	201	202	< 0.01	25	1760	182	< 2	2	30	0.01	< 10	50	18	< 10	1470
AA1304	201	202	< 0.01	1	710	30	< 2	< 1	9	< 0.01	< 10	< 10	12	< 10	52
AA1305	201	202	< 0.01	5	560	38	< 2	< 1	10	0.01	< 10	< 10	31	< 10	86
AA1306	201	202	< 0.01	6	750	38	< 2	< 1	10	0.01	< 10	< 10	25	< 10	110
AA1307	201	202	< 0.01	5	750	64	< 2	1	9	0.01	< 10	< 10	18	10	200
AA1308	201	202	< 0.01	5	1020	258	< 2	< 1	16	0.01	< 10	10	22	10	184
AA1309	201	202	< 0.01	6	380	116	< 2	1	7	0.03	< 10	< 10	25	10	164
AA1310	201	202	< 0.01	4	1000	230	< 2	< 1	9	0.03	< 10	< 10	27	< 10	48
AA1311	201	202	< 0.01	7	490	52	< 2	1	13	0.01	< 10	< 10	24	< 10	186
AA1312	201	202	< 0.01	8	680	20	< 2	< 1	5	0.01	< 10	< 10	22	< 10	140
AA1313	201	202	< 0.01	4	380	28	< 2	1	3	0.01	< 10	< 10	21	< 10	152
AA1314	201	202	< 0.01	6	310	30	< 2	1	8	0.02	< 10	< 10	24	< 10	116
AA1315	201	202	< 0.01	3	390	34	< 2	< 1	8	0.03	< 10	< 10	24	< 10	88
AA1316	201	202	< 0.01	4	1760	38	< 2	< 1	11	< 0.01	< 10	30	20	< 10	112
AA1317	201	202	< 0.01	3	680	70	< 2	1	8	0.01	< 10	< 10	23	< 10	108
AA1318	201	202	< 0.01	2	490	62	< 2	1	6	0.01	< 10	< 10	27	< 10	96
AA1319	201	202	< 0.01	4	390	28	< 2	< 1	9	0.03	< 10	< 10	21	< 10	88
AA1320	201	202	< 0.01	4	680	40	< 2	< 1	8	0.04	< 10	< 10	31	< 10	78
AA1321	201	202	< 0.01	2	450	10	< 2	< 1	8	0.02	< 10	< 10	17	< 10	32
AA1322	201	202	< 0.01	3	540	28	< 2	< 1	7	0.01	< 10	< 10	21	< 10	52
AA1323	201	202	< 0.01	1	870	34	< 2	< 1	6	< 0.01	< 10	< 10	11	< 10	52
AA1324	201	202	0.01	1	880	44	< 2	< 1	6	< 0.01	< 10	< 10	18	< 10	42
AA1325	201	202	< 0.01	2	590	24	< 2	< 1	4	0.01	< 10	< 10	19	< 10	50
AA1326	201	202	< 0.01	3	520	34	< 2	< 1	8	0.04	< 10	< 10	29	< 10	86
AA1327	201	202	< 0.01	3	770	30	< 2	< 1	6	0.01	< 10	< 10	20	< 10	100
AA1328	201	202	< 0.01	7	540	24	< 2	< 1	7	0.03	< 10	< 10	34	< 10	88
AA1329	201	202	< 0.01	9	640	64	< 2	2	7	0.02	< 10	< 10	21	< 10	158
AA1330	201	202	< 0.01	5	630	20	< 2	< 1	8	0.02	< 10	< 10	22	< 10	62
AA1331	201	202	< 0.01	6	870	30	< 2	< 1	9	0.03	< 10	< 10	23	< 10	60
AA1332	201	202	< 0.01	8	560	34	< 2	1	8	0.03	< 10	< 10	27	10	128
AA1333	201	202	< 0.01	7	590	36	< 2	< 1	7	0.03	< 10	< 10	34	10	94
AA1334	201	202	< 0.01	5	490	42	< 2	< 1	9	0.01	< 10	< 10	22	< 10	102
AA1335	201	202	< 0.01	9	320	36	< 2	1	9	0.01	< 10	< 10	23	< 10	216
AA1336	201	202	< 0.01	16	1200	96	< 2	1	48	< 0.01	< 10	< 10	31	< 10	560
AA1337	201	202	< 0.01	7	750	118	< 2	< 1	10	< 0.01	< 10	< 10	24	< 10	292
AA1338	201	202	< 0.01	12	600	110	< 2	1	19	0.01	< 10	< 10	19	20	558
AA1339	201	202	< 0.01	19	450	44	< 2	2	27	0.03	< 10	< 10	21	< 10	978
AA1340	201	202	0.01	45	1720	76	< 2	1	80	0.01	< 10	30	18	< 10	1530

CERTIFICATION: Ian Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :6
Certificate Date: 26-JUL-98
Invoice No. :I9825219
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA3925	201	202	0.2	2.12	10	80	0.5	< 2	0.38	0.5	12	34	21	3.20	< 10	< 1	0.23	20	0.55	375	3
AA3926	201	202	0.2	2.25	30	90	0.5	2	0.51	0.5	12	36	24	3.66	< 10	< 1	0.29	20	0.61	675	3
AA3927	201	202	0.2	0.89	< 2	80	< 0.5	< 2	0.24	0.5	7	18	4	1.83	< 10	< 1	0.10	10	0.31	320	1
AA3928	201	202	0.2	1.03	6	90	< 0.5	< 2	0.15	0.5	6	18	4	1.93	< 10	< 1	0.11	10	0.29	260	2
AA3929	201	202	0.8	2.77	30	80	1.0	< 2	0.30	0.5	21	48	11	4.74	10	< 1	0.36	20	0.77	400	3
AA3930	201	202	< 0.2	1.18	8	60	< 0.5	< 2	0.14	< 0.5	9	21	4	2.23	< 10	< 1	0.09	10	0.28	195	1
AA3931	201	202	< 0.2	0.82	8	50	< 0.5	< 2	0.19	< 0.5	7	16	5	1.96	< 10	< 1	0.12	30	0.25	200	1
AA3932	201	202	< 0.2	0.94	6	30	< 0.5	< 2	0.19	< 0.5	5	13	6	1.95	< 10	< 1	0.11	10	0.29	155	2
AA3933	201	202	0.2	0.77	10	50	< 0.5	< 2	0.28	< 0.5	4	15	6	2.15	< 10	< 1	0.10	10	0.17	185	5
AA3934	201	202	< 0.2	1.47	10	60	0.5	< 2	0.35	0.5	9	27	8	2.58	< 10	< 1	0.24	20	0.60	490	2
AA3935	201	202	0.2	1.25	10	60	0.5	< 2	0.16	1.0	5	13	11	2.42	< 10	< 1	0.12	10	0.26	270	5
AA3936	201	202	0.4	1.62	8	40	0.5	< 2	0.11	< 0.5	5	14	6	2.11	< 10	< 1	0.12	30	0.33	180	4
AA3937	201	202	< 0.2	1.48	4	50	0.5	< 2	0.18	< 0.5	4	9	4	1.86	< 10	< 1	0.08	30	0.23	185	1
AA3938	201	202	0.2	1.69	8	60	0.5	< 2	0.13	< 0.5	4	17	4	2.31	< 10	< 1	0.06	20	0.25	165	1
AA3939	201	202	1.0	1.81	8	60	1.0	< 2	0.32	< 0.5	6	22	5	2.70	< 10	< 1	0.06	10	0.31	325	7
AA3940	201	202	0.2	1.51	6	60	0.5	< 2	0.18	< 0.5	5	16	4	2.18	< 10	< 1	0.09	30	0.34	215	1
AA3941	201	202	< 0.2	1.08	< 2	60	< 0.5	< 2	0.33	< 0.5	4	13	3	1.46	< 10	< 1	0.05	30	0.29	455	6
AA3942	201	202	0.2	1.51	< 2	70	0.5	< 2	0.48	0.5	6	19	8	2.54	< 10	< 1	0.14	20	0.39	195	7
AA3943	201	202	< 0.2	1.50	6	70	0.5	< 2	0.35	< 0.5	5	17	5	2.35	< 10	< 1	0.06	30	0.34	285	6
AA3944	201	202	< 0.2	1.01	4	60	< 0.5	< 2	0.22	< 0.5	3	15	5	1.99	< 10	< 1	0.09	30	0.21	140	7
AA3945	201	202	< 0.2	2.41	10	130	0.5	< 2	0.25	< 0.5	25	42	10	3.82	< 10	1	0.29	20	0.73	410	1
AA3946	201	202	0.4	0.83	10	70	< 0.5	< 2	0.10	< 0.5	6	20	13	2.75	< 10	< 1	0.13	10	0.22	185	1
AA3947	201	202	0.2	2.78	8	210	1.5	< 2	0.52	1.0	50	44	18	4.78	10	< 1	0.38	10	0.74	2070	3
AA3948	201	202	0.4	1.00	4	70	< 0.5	< 2	0.17	< 0.5	7	16	5	1.88	< 10	< 1	0.09	20	0.29	355	< 1
AA3949	201	202	0.4	2.23	< 2	190	0.5	< 2	0.24	0.5	44	36	12	4.01	< 10	< 1	0.34	10	0.63	875	1
AA3950	201	202	< 0.2	1.64	6	60	0.5	6	0.20	< 0.5	9	31	51	5.04	< 10	< 1	0.31	20	0.41	145	3
AA3951	201	202	< 0.2	0.92	6	130	< 0.5	< 2	0.23	0.5	9	17	5	1.96	< 10	< 1	0.10	10	0.22	485	1
AA3952	201	202	< 0.2	0.85	4	40	< 0.5	< 2	0.12	< 0.5	3	14	3	1.37	< 10	< 1	0.06	30	0.17	125	1
AA3953	201	202	< 0.2	1.63	8	30	0.5	< 2	0.15	< 0.5	7	25	6	2.90	< 10	< 1	0.15	30	0.40	165	5
AA3954	201	202	< 0.2	0.96	6	80	< 0.5	< 2	0.14	2.0	9	20	4	2.17	< 10	< 1	0.07	10	0.22	540	6
AA3955	201	202	0.2	0.99	18	60	< 0.5	< 2	0.08	< 0.5	6	17	4	2.26	< 10	< 1	0.08	20	0.24	180	3
AA3956	201	202	3.6	1.41	12	80	3.5	< 2	1.67	3.0	3	12	68	1.34	< 10	< 1	0.08	50	0.19	445	4
AA3957	201	202	0.2	0.63	2	40	< 0.5	< 2	0.16	< 0.5	3	9	2	1.23	< 10	< 1	0.09	20	0.13	150	1
AA3958	201	202	< 0.2	0.47	< 2	20	< 0.5	< 2	0.08	< 0.5	1	6	1	0.92	< 10	< 1	0.05	40	0.07	70	< 1
AA3959	201	202	0.2	1.24	< 2	30	0.5	< 2	0.10	< 0.5	3	9	1	1.52	< 10	< 1	0.05	20	0.15	115	1
AA3960	201	202	< 0.2	1.38	< 2	40	0.5	< 2	0.06	< 0.5	3	8	2	1.90	< 10	< 1	0.06	30	0.17	110	< 1
AA3961	201	202	< 0.2	0.91	2	30	< 0.5	< 2	0.19	< 0.5	2	7	2	1.60	< 10	< 1	0.06	30	0.15	170	1
AA3962	201	202	0.2	1.43	2	90	0.5	< 2	0.71	1.5	9	20	7	2.43	< 10	< 1	0.20	20	0.44	1285	6
AA3963	201	202	0.8	1.31	8	90	3.0	< 2	1.06	0.5	5	21	38	1.99	< 10	< 1	0.07	30	0.39	345	5
AA3964	201	202	< 0.2	1.49	8	100	0.5	< 2	0.31	0.5	6	14	6	2.89	< 10	< 1	0.13	30	0.37	1055	6

CERTIFICATION: Jan Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 2-B
Total Pages : 6
Certificate Date: 26-JUL-98
Invoice No. : 19825219
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA3925	201	202	< 0.01	22	410	26	< 2	4	46	0.08	< 10	< 10	42	< 10	204
AA3926	201	202	< 0.01	21	640	90	< 2	4	46	0.08	< 10	< 10	45	< 10	410
AA3927	201	202	< 0.01	9	430	20	< 2	1	21	0.09	< 10	< 10	36	< 10	256
AA3928	201	202	< 0.01	8	270	16	< 2	1	14	0.07	< 10	< 10	34	< 10	252
AA3929	201	202	< 0.01	34	260	52	< 2	5	38	0.09	< 10	< 10	57	< 10	632
AA3930	201	202	< 0.01	9	150	10	< 2	1	16	0.08	< 10	< 10	43	< 10	206
AA3931	201	202	< 0.01	7	200	16	< 2	1	24	0.10	< 10	< 10	43	< 10	96
AA3932	201	202	< 0.01	8	190	10	< 2	1	22	0.06	< 10	< 10	33	< 10	96
AA3933	201	202	< 0.01	6	450	12	< 2	1	28	0.08	< 10	< 10	44	< 10	80
AA3934	201	202	< 0.01	12	430	28	< 2	3	29	0.08	< 10	< 10	33	< 10	592
AA3935	201	202	< 0.01	6	380	38	< 2	1	18	0.07	< 10	< 10	36	< 10	768
AA3936	201	202	< 0.01	7	340	16	< 2	2	13	0.06	< 10	< 10	29	< 10	82
AA3937	201	202	< 0.01	5	1180	20	< 2	1	9	0.04	< 10	< 10	24	< 10	134
AA3938	201	202	< 0.01	7	700	16	< 2	1	10	0.07	< 10	< 10	37	< 10	174
AA3939	201	202	< 0.01	8	500	172	< 2	2	28	0.11	< 10	< 10	42	< 10	326
AA3940	201	202	< 0.01	7	980	18	< 2	2	16	0.07	< 10	< 10	34	< 10	170
AA3941	201	202	< 0.01	5	180	20	< 2	2	25	0.08	< 10	< 10	27	< 10	204
AA3942	201	202	< 0.01	8	370	56	< 2	3	50	0.11	< 10	< 10	45	< 10	272
AA3943	201	202	< 0.01	7	220	28	< 2	2	35	0.08	< 10	< 10	46	< 10	148
AA3944	201	202	< 0.01	6	210	28	< 2	1	29	0.10	< 10	< 10	51	< 10	92
AA3945	201	202	< 0.01	27	250	24	< 2	4	44	0.09	< 10	< 10	47	< 10	364
AA3946	201	202	< 0.01	8	250	22	< 2	1	19	0.09	< 10	< 10	50	< 10	104
AA3947	201	202	< 0.01	36	610	42	< 2	4	77	0.07	< 10	< 10	54	< 10	284
AA3948	201	202	< 0.01	8	470	134	< 2	1	12	0.06	< 10	< 10	31	< 10	230
AA3949	201	202	< 0.01	22	470	20	< 2	4	82	0.09	< 10	< 10	47	< 10	288
AA3950	201	202	< 0.01	10	510	28	< 2	3	37	0.05	< 10	< 10	45	< 10	144
AA3951	201	202	< 0.01	7	330	24	< 2	1	23	0.09	< 10	< 10	36	< 10	206
AA3952	201	202	< 0.01	5	210	10	< 2	1	11	0.09	< 10	< 10	31	< 10	74
AA3953	201	202	< 0.01	11	190	12	< 2	3	20	0.09	< 10	< 10	43	< 10	134
AA3954	201	202	< 0.01	7	190	30	< 2	1	15	0.11	< 10	< 10	47	< 10	354
AA3955	201	202	< 0.01	6	310	28	< 2	1	10	0.09	< 10	< 10	46	< 10	136
AA3956	201	202	< 0.01	7	1200	44	< 2	1	159	0.01	< 10	80	16	< 10	1280
AA3957	201	202	< 0.01	4	350	8	< 2	1	17	0.04	< 10	< 10	21	< 10	70
AA3958	201	202	< 0.01	1	150	6	< 2	< 1	7	0.03	< 10	< 10	17	< 10	48
AA3959	201	202	< 0.01	3	340	14	< 2	1	11	0.05	< 10	< 10	24	< 10	108
AA3960	201	202	< 0.01	3	390	12	< 2	1	6	0.05	< 10	< 10	31	< 10	68
AA3961	201	202	< 0.01	3	450	16	< 2	1	12	0.05	< 10	< 10	26	< 10	76
AA3962	201	202	< 0.01	8	290	34	< 2	3	65	0.11	< 10	< 10	36	< 10	366
AA3963	201	202	< 0.01	13	910	32	< 2	3	98	0.05	< 10	110	24	< 10	258
AA3964	201	202	< 0.01	6	440	22	< 2	2	38	0.04	< 10	< 10	36	< 10	220

CERTIFICATION: Jan Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 26-JUL-98
Invoice No. :19825219
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA3965	201	202	< 0.2	0.55	< 2	70	< 0.5	< 2	0.28	2.0	6	9	9	1.33	< 10	< 1	0.10	20	0.11	490	5
AA3966	201	202	0.2	1.03	6	80	< 0.5	< 2	0.30	1.5	4	16	11	2.42	< 10	< 1	0.10	20	0.19	185	9
AA3967	201	202	0.6	1.11	< 2	80	0.5	< 2	0.83	1.5	4	9	24	1.41	< 10	< 1	0.12	40	0.26	705	4
AA3968	201	202	0.2	1.40	< 2	100	0.5	< 2	0.66	2.0	9	17	17	2.16	< 10	< 1	0.15	20	0.34	1365	6
AA3969	201	202	< 0.2	1.81	6	50	0.5	< 2	0.08	< 0.5	3	8	2	1.57	< 10	< 1	0.07	30	0.18	120	1
AA3970	201	202	0.6	1.58	8	90	0.5	< 2	0.53	1.0	6	13	15	1.94	< 10	< 1	0.09	30	0.31	935	6
AA3971	201	202	< 0.2	0.56	4	20	< 0.5	< 2	0.17	< 0.5	1	5	1	1.05	< 10	< 1	0.05	30	0.09	75	1
AA3972	201	202	< 0.2	0.42	< 2	30	< 0.5	< 2	0.14	0.5	1	9	5	1.05	< 10	< 1	0.03	20	0.04	70	5
AA3973	201	202	1.8	2.06	26	90	3.0	< 2	1.27	3.5	7	15	127	2.04	< 10	< 1	0.11	50	0.29	885	11
AA3974	201	202	0.2	1.29	6	50	< 0.5	< 2	0.13	1.0	5	19	10	2.47	< 10	< 1	0.10	10	0.25	185	3
AA3975	201	202	< 0.2	0.53	< 2	30	< 0.5	< 2	0.09	1.5	3	10	6	1.37	< 10	< 1	0.05	10	0.08	90	3
AA3976	201	202	1.0	0.94	10	40	0.5	< 2	0.15	0.5	6	12	5	2.10	< 10	< 1	0.08	20	0.23	315	1
AA3977	201	202	0.4	0.97	6	90	0.5	< 2	0.38	4.0	14	17	9	2.42	< 10	< 1	0.15	10	0.30	810	1
AA3978	201	202	< 0.2	1.31	8	30	0.5	< 2	0.18	0.5	8	23	7	2.51	< 10	< 1	0.17	20	0.36	180	2
AA3979	201	202	0.2	1.19	4	100	< 0.5	< 2	0.13	4.0	34	22	10	2.62	< 10	< 1	0.14	10	0.26	1110	1
AA3980	201	202	0.2	0.77	6	40	< 0.5	< 2	0.12	< 0.5	4	13	3	1.50	< 10	< 1	0.07	30	0.19	130	< 1
AA3981	201	202	< 0.2	1.07	6	50	< 0.5	< 2	0.15	< 0.5	4	12	4	1.76	< 10	< 1	0.10	30	0.25	140	< 1
AA3982	201	202	4.8	2.67	154	110	3.5	24	1.76	12.0	14	32	26	4.12	< 10	< 1	0.16	30	0.54	8230	2
AA3983	201	202	1.0	2.16	24	40	0.5	< 2	0.23	< 0.5	14	34	33	4.42	< 10	< 1	0.11	20	0.55	270	3
AA3984	201	202	0.2	4.08	6	100	1.5	< 2	0.34	1.0	27	41	53	9.06	10	< 1	0.30	40	0.63	210	4
AA3985	201	202	0.6	1.25	10	100	< 0.5	< 2	0.22	1.5	9	21	9	2.49	< 10	< 1	0.17	20	0.31	910	2
AA3986	201	202	0.2	1.58	42	40	0.5	< 2	0.32	0.5	10	28	14	2.90	< 10	< 1	0.14	20	0.43	295	3
AA3987	201	202	< 0.2	1.83	18	100	0.5	< 2	0.27	3.0	11	33	33	5.30	< 10	< 1	0.39	10	0.56	245	3
AA3988	201	202	0.6	1.98	10	50	0.5	< 2	0.28	1.0	13	36	13	3.46	< 10	< 1	0.27	10	0.60	340	3
AA3989	201	202	0.6	1.05	8	50	< 0.5	< 2	0.13	0.5	5	15	6	2.23	< 10	< 1	0.12	10	0.28	165	1
AA3990	201	202	0.2	0.75	8	50	0.5	< 2	0.43	2.5	8	17	15	1.98	< 10	< 1	0.17	10	0.20	320	2
AA3991	201	202	< 0.2	0.69	6	60	< 0.5	< 2	0.19	6.5	8	14	14	1.72	< 10	< 1	0.13	10	0.13	690	1
AA3992	201	202	< 0.2	0.40	< 2	40	< 0.5	< 2	0.48	3.0	2	8	8	1.02	< 10	< 1	0.06	10	0.06	120	1
AA3993	201	202	1.2	1.02	6	60	< 0.5	< 2	0.08	0.5	4	14	6	2.08	< 10	< 1	0.08	30	0.20	170	1
AA3994	201	202	0.8	1.98	30	70	1.5	< 2	0.96	2.0	10	25	33	2.93	< 10	< 1	0.16	30	0.46	505	7
AA3995	201	202	< 0.2	1.08	4	50	< 0.5	< 2	0.10	0.5	5	15	4	1.95	< 10	< 1	0.10	30	0.24	185	1
AA3996	201	202	< 0.2	0.50	4	40	< 0.5	< 2	0.11	0.5	3	10	5	1.41	< 10	< 1	0.05	30	0.06	85	5
AA3997	201	202	< 0.2	0.52	< 2	20	< 0.5	< 2	0.10	< 0.5	1	4	1	0.99	< 10	< 1	0.02	20	0.10	65	2
AA3998	201	202	< 0.2	0.47	< 2	30	< 0.5	< 2	0.09	< 0.5	1	6	1	0.98	< 10	< 1	0.04	30	0.06	75	< 1
AA3999	201	202	< 0.2	0.73	2	10	< 0.5	< 2	0.07	< 0.5	2	5	1	1.44	< 10	< 1	0.05	30	0.11	90	1
AA4000	201	202	1.0	2.03	6	110	2.5	< 2	0.80	4.5	12	23	89	2.84	< 10	< 1	0.17	40	0.43	1510	6
AA4001	201	202	0.2	3.16	8	140	1.5	< 2	0.52	< 0.5	14	38	15	3.98	10	< 1	0.22	20	0.77	425	6
AA4002	201	202	0.2	1.89	8	100	1.5	< 2	0.42	4.0	11	29	26	3.01	< 10	< 1	0.18	30	0.53	1110	7
AA4003	201	202	< 0.2	1.70	8	90	0.5	< 2	0.17	2.0	6	20	8	2.96	< 10	< 1	0.11	20	0.41	260	8
AA4004	201	202	0.2	1.56	22	40	0.5	< 2	0.32	0.5	10	27	13	3.13	< 10	< 1	0.15	10	0.46	250	2

CERTIFICATION: Antoine Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 26-JUL-98
Invoice No. : I9825219
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA3965	201	202	< 0.01	3	210	10	< 2	1	28	0.06	< 10	< 10	24	< 10	132
AA3966	201	202	< 0.01	7	500	22	< 2	1	35	0.08	< 10	< 10	47	< 10	242
AA3967	201	202	< 0.01	6	510	14	< 2	2	86	0.04	< 10	30	22	< 10	232
AA3968	201	202	< 0.01	8	490	20	< 2	3	69	0.07	< 10	< 10	29	< 10	274
AA3969	201	202	< 0.01	4	390	16	< 2	1	7	0.04	< 10	< 10	22	< 10	56
AA3970	201	202	< 0.01	6	420	28	< 2	2	56	0.05	< 10	< 10	30	< 10	470
AA3971	201	202	< 0.01	1	120	10	< 2	< 1	19	0.05	< 10	< 10	22	< 10	72
AA3972	201	202	< 0.01	3	170	6	< 2	< 1	19	0.05	< 10	< 10	26	< 10	48
AA3973	201	202	< 0.01	18	1160	46	< 2	1	98	0.03	< 10	90	25	< 10	948
AA3974	201	202	< 0.01	8	370	20	< 2	1	14	0.06	< 10	< 10	41	< 10	208
AA3975	201	202	< 0.01	5	250	16	< 2	< 1	11	0.05	< 10	< 10	27	< 10	98
AA3976	201	202	< 0.01	7	340	26	< 2	1	18	0.05	< 10	< 10	31	< 10	232
AA3977	201	202	< 0.01	9	620	24	< 2	1	32	0.06	< 10	< 10	35	< 10	466
AA3978	201	202	< 0.01	11	270	12	< 2	2	17	0.07	< 10	< 10	40	< 10	238
AA3979	201	202	< 0.01	12	280	56	< 2	2	24	0.10	< 10	< 10	41	< 10	466
AA3980	201	202	< 0.01	5	100	6	< 2	1	12	0.09	< 10	< 10	33	< 10	92
AA3981	201	202	< 0.01	6	510	20	< 2	1	20	0.06	< 10	< 10	30	< 10	124
AA3982	201	202	< 0.01	23	630	604	< 2	7	92	< 0.01	< 10	< 10	21	< 10	3400
AA3983	201	202	< 0.01	40	290	30	< 2	3	40	0.07	< 10	< 10	48	< 10	228
AA3984	201	202	0.03	70	800	32	< 2	5	240	0.09	< 10	< 10	43	< 10	388
AA3985	201	202	< 0.01	11	320	44	< 2	2	33	0.08	< 10	< 10	43	< 10	368
AA3986	201	202	< 0.01	18	150	44	< 2	3	28	0.05	< 10	< 10	38	< 10	480
AA3987	201	202	0.01	25	770	34	< 2	3	73	0.05	< 10	< 10	49	< 10	366
AA3988	201	202	< 0.01	20	150	34	< 2	4	28	0.10	< 10	< 10	48	< 10	312
AA3989	201	202	< 0.01	8	280	22	< 2	1	16	0.07	< 10	< 10	40	< 10	274
AA3990	201	202	< 0.01	9	310	40	< 2	1	29	0.08	< 10	< 10	33	< 10	322
AA3991	201	202	< 0.01	7	350	16	< 2	1	19	0.07	< 10	< 10	32	< 10	376
AA3992	201	202	0.01	4	280	6	< 2	< 1	38	0.04	< 10	< 10	21	< 10	222
AA3993	201	202	< 0.01	6	330	18	< 2	1	11	0.09	< 10	< 10	39	< 10	150
AA3994	201	202	< 0.01	16	410	52	< 2	4	74	0.08	< 10	20	41	< 10	852
AA3995	201	202	< 0.01	6	240	16	< 2	1	11	0.09	< 10	< 10	37	< 10	198
AA3996	201	202	< 0.01	3	180	8	< 2	< 1	15	0.07	< 10	< 10	31	< 10	46
AA3997	201	202	< 0.01	1	140	4	< 2	< 1	12	0.04	< 10	< 10	21	< 10	44
AA3998	201	202	< 0.01	1	160	6	< 2	< 1	7	0.04	< 10	< 10	20	< 10	66
AA3999	201	202	< 0.01	1	180	6	< 2	< 1	5	0.04	< 10	< 10	26	< 10	46
AA4000	201	202	0.01	14	870	42	< 2	3	88	0.05	< 10	60	36	< 10	1805
AA4001	201	202	< 0.01	23	490	56	< 2	6	59	0.11	< 10	< 10	52	< 10	372
AA4002	201	202	< 0.01	14	770	30	< 2	3	51	0.07	< 10	10	40	< 10	1065
AA4003	201	202	< 0.01	9	420	66	< 2	2	28	0.05	< 10	< 10	45	< 10	416
AA4004	201	202	< 0.01	18	180	30	< 2	3	28	0.07	< 10	< 10	38	< 10	354

CERTIFICATION: Tank Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 26-JUL-98
Invoice No. :19825219
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4005	201	202	0.6	1.32	10	10	0.5	2	1.16	< 0.5	8	18	10	2.74	< 10	< 1	0.03	10	0.10	140	1
AA4006	201	202	< 0.2	2.49	26	60	1.0	2	0.30	< 0.5	21	40	54	4.52	< 10	< 1	0.46	30	0.79	405	2
AA4007	201	202	0.4	1.50	12	50	0.5	< 2	0.37	0.5	12	23	18	3.01	< 10	< 1	0.13	20	0.44	325	2
AA4008	201	202	0.4	1.12	8	60	0.5	8	0.40	2.0	13	25	7	2.59	< 10	< 1	0.12	10	0.31	740	1
AA4009	201	202	< 0.2	1.40	20	60	0.5	< 2	0.24	0.5	11	26	10	2.87	< 10	< 1	0.11	10	0.42	475	2
AA4010	201	202	< 0.2	1.19	6	70	0.5	< 2	0.27	1.5	9	17	6	1.82	< 10	< 1	0.11	20	0.31	480	1
AA4011	201	202	0.4	1.65	26	60	1.0	< 2	0.44	2.5	14	21	31	2.81	< 10	< 1	0.11	20	0.38	565	5
AA4012	201	202	< 0.2	1.84	16	60	1.0	10	0.20	1.5	13	30	39	6.05	< 10	< 1	0.17	10	0.37	270	11
AA4013	201	202	0.2	1.37	10	70	0.5	8	0.39	3.5	9	18	23	2.83	< 10	< 1	0.11	20	0.31	660	7
AA4014	201	202	0.2	1.53	22	80	1.0	< 2	0.47	4.0	17	25	18	3.08	< 10	< 1	0.19	20	0.43	785	4
AA4015	201	202	< 0.2	2.59	30	60	1.5	4	0.78	4.5	20	25	27	4.52	10	< 1	0.05	10	0.37	990	13
AA4016	201	202	0.8	1.11	22	60	1.5	8	0.31	6.5	6	4	337	6.77	< 10	< 1	0.10	10	0.06	320	83
AA4017	201	202	1.0	1.42	8	120	3.0	6	0.60	8.0	17	16	202	2.70	< 10	< 1	0.10	20	0.29	2450	13
AA4018	201	202	0.4	1.63	6	100	0.5	< 2	0.14	2.5	7	21	14	2.68	< 10	< 1	0.16	20	0.37	305	3
AA4019	201	202	< 0.2	0.98	8	70	< 0.5	< 2	0.31	0.5	4	13	8	2.19	< 10	< 1	0.10	20	0.20	135	3
AA4020	201	202	< 0.2	1.00	2	40	0.5	< 2	0.32	< 0.5	3	9	6	1.74	< 10	< 1	0.09	30	0.21	130	2
AA4021	201	202	0.6	1.52	8	90	1.5	< 2	0.09	1.5	8	11	34	1.91	< 10	< 1	0.09	30	0.28	1290	4
AA4022	201	202	0.6	1.75	6	120	1.0	< 2	0.16	1.5	9	21	15	3.22	10	< 1	0.12	20	0.39	1015	4
AA4023	201	202	2.2	1.79	10	130	2.5	< 2	0.57	6.0	10	14	75	2.39	< 10	< 1	0.11	30	0.27	1095	10
AA4024	201	202	0.4	2.29	6	90	1.5	< 2	0.11	< 0.5	5	11	7	2.79	< 10	< 1	0.08	30	0.34	325	2
AA4025	201	202	< 0.2	1.37	6	70	0.5	< 2	0.13	< 0.5	5	17	17	1.96	< 10	< 1	0.09	30	0.37	350	1
AA4026	201	202	0.2	2.05	14	70	2.0	< 2	0.35	2.5	10	34	68	3.17	< 10	< 1	0.15	40	0.57	935	4
AA4027	201	202	0.6	1.86	8	140	2.5	< 2	0.58	3.0	13	15	43	2.59	< 10	< 1	0.14	40	0.31	2710	4
AA4028	201	202	0.8	1.30	140	60	1.0	2	0.11	1.5	5	11	31	2.62	< 10	< 1	0.07	10	0.20	270	6
AA4029	201	202	0.6	1.27	124	90	2.5	2	0.55	2.5	9	16	63	3.38	< 10	< 1	0.07	10	0.30	1720	41
AA4030	201	202	79.2	1.27	28	40	0.5	8	0.47	6.0	12	35	36	3.41	< 10	< 1	0.10	10	0.42	945	14
AA4031	201	202	0.6	1.23	8	40	< 0.5	< 2	0.06	0.5	5	18	11	2.88	< 10	< 1	0.07	10	0.27	220	4
AA4032	201	202	0.2	2.74	314	60	1.0	6	0.55	2.5	12	39	36	4.88	< 10	< 1	0.11	30	0.76	520	4
AA4033	201	202	1.0	1.69	14	130	1.5	10	0.99	10.0	15	20	36	2.87	< 10	< 1	0.09	20	0.28	1590	3
AA4034	201	202	0.2	1.46	8	90	0.5	< 2	1.19	4.5	13	26	12	2.53	< 10	< 1	0.08	20	0.31	1635	3
AA4035	201	202	0.2	1.29	8	40	0.5	< 2	0.24	0.5	7	21	8	2.18	< 10	< 1	0.07	10	0.36	275	3
AA4036	201	202	< 0.2	0.94	2	110	1.5	2	1.71	10.0	16	18	11	2.15	< 10	< 1	0.01	30	0.08	7390	18
AA4037	201	202	< 0.2	1.23	10	50	0.5	< 2	0.36	0.5	7	16	6	2.16	< 10	< 1	0.11	10	0.29	230	1
AA4038	201	202	0.2	1.58	6	40	0.5	6	0.41	0.5	17	24	17	3.48	< 10	< 1	0.10	10	0.37	295	1
AA4039	201	202	0.6	2.42	52	50	1.5	< 2	0.74	7.0	42	65	32	5.91	10	< 1	0.10	20	0.76	1905	3
AA4040	201	202	4.6	2.23	6	30	2.5	6	2.08	5.0	22	28	57	3.00	< 10	< 1	0.04	40	0.30	4350	30
AA4041	201	202	10.8	2.26	28	30	2.0	< 2	0.48	3.5	9	35	23	3.36	< 10	< 1	0.07	20	0.53	555	4
AA4042	201	202	1.8	1.85	26	70	1.0	2	2.38	13.5	12	30	32	3.64	< 10	< 1	0.06	20	0.30	6170	5
AA4043	201	202	< 0.2	1.82	8	30	2.0	< 2	0.68	0.5	13	22	40	3.42	< 10	< 1	0.03	30	0.26	480	3
AA4044	201	202	0.2	2.03	6	70	3.5	108	2.66	5.5	16	31	20	4.54	< 10	< 1	0.07	10	0.55	6810	24

CERTIFICATION: Antoine Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 4-B
Total Pages : 6
Certificate Date: 26-JUL-98
Invoice No. : I9825219
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4005	201	202	< 0.01	13	290	12	< 2	1	22	0.04	< 10	< 10	20	100	140
AA4006	201	202	< 0.01	41	330	30	< 2	6	70	0.09	< 10	< 10	46	< 10	274
AA4007	201	202	< 0.01	20	320	122	< 2	3	71	0.07	< 10	< 10	40	< 10	270
AA4008	201	202	< 0.01	11	460	34	< 2	2	26	0.10	< 10	< 10	42	< 10	500
AA4009	201	202	< 0.01	12	280	30	< 2	2	28	0.09	< 10	< 10	46	< 10	388
AA4010	201	202	< 0.01	9	370	26	< 2	1	25	0.07	< 10	< 10	27	< 10	492
AA4011	201	202	< 0.01	14	600	88	< 2	1	44	0.07	< 10	< 10	37	< 10	614
AA4012	201	202	< 0.01	13	650	36	< 2	3	35	0.05	< 10	< 10	51	30	352
AA4013	201	202	< 0.01	10	440	26	< 2	2	31	0.04	< 10	< 10	40	30	548
AA4014	201	202	< 0.01	14	560	256	< 2	3	49	0.07	< 10	< 10	41	< 10	590
AA4015	201	202	< 0.01	31	860	20	< 2	2	64	0.07	< 10	< 10	34	< 10	2140
AA4016	201	202	< 0.01	1	430	18	< 2	1	53	< 0.01	< 10	< 10	16	30	502
AA4017	201	202	< 0.01	10	630	40	< 2	2	55	0.05	< 10	< 10	35	70	1055
AA4018	201	202	< 0.01	9	480	32	< 2	3	24	0.08	< 10	< 10	43	< 10	836
AA4019	201	202	< 0.01	5	420	18	< 2	1	42	0.05	< 10	< 10	41	< 10	132
AA4020	201	202	< 0.01	4	420	14	< 2	< 1	37	0.03	< 10	< 10	26	< 10	88
AA4021	201	202	< 0.01	6	610	70	< 2	< 1	16	0.03	< 10	< 10	27	< 10	476
AA4022	201	202	< 0.01	10	870	46	< 2	1	22	0.07	< 10	< 10	43	< 10	484
AA4023	201	202	0.01	10	1030	92	< 2	< 1	77	0.03	< 10	30	31	< 10	1120
AA4024	201	202	< 0.01	5	710	36	< 2	1	18	0.04	< 10	< 10	36	< 10	160
AA4025	201	202	< 0.01	8	370	42	< 2	2	17	0.07	< 10	< 10	32	< 10	258
AA4026	201	202	< 0.01	13	710	36	< 2	4	44	0.10	< 10	10	46	< 10	814
AA4027	201	202	< 0.01	8	2250	90	< 2	< 1	62	0.01	< 10	10	28	< 10	574
AA4028	201	202	< 0.01	5	680	84	< 2	< 1	17	0.01	< 10	< 10	26	< 10	388
AA4029	201	202	< 0.01	9	470	40	< 2	1	26	0.04	< 10	< 10	33	200	768
AA4030	201	202	< 0.01	22	630	394	24	1	70	0.06	< 10	< 10	46	30	694
AA4031	201	202	< 0.01	9	820	24	< 2	1	11	0.09	< 10	< 10	53	< 10	184
AA4032	201	202	< 0.01	23	320	40	< 2	4	96	0.04	< 10	< 10	47	< 10	796
AA4033	201	202	0.03	15	720	78	< 2	1	104	0.04	< 10	< 10	30	< 10	1300
AA4034	201	202	< 0.01	14	400	30	< 2	3	74	0.08	< 10	< 10	36	< 10	788
AA4035	201	202	< 0.01	10	260	28	< 2	2	24	0.08	< 10	< 10	36	< 10	464
AA4036	201	202	< 0.01	9	730	10	< 2	4	79	0.03	< 10	< 10	9	< 10	1010
AA4037	201	202	< 0.01	12	210	38	< 2	2	50	0.04	< 10	< 10	27	< 10	256
AA4038	201	202	< 0.01	21	260	104	< 2	2	36	0.08	< 10	< 10	33	< 10	380
AA4039	201	202	< 0.01	51	590	216	< 2	5	91	0.14	< 10	< 10	52	< 10	1465
AA4040	201	202	< 0.01	18	860	5960	< 2	3	93	0.07	< 10	< 10	30	140	1265
AA4041	201	202	< 0.01	22	440	4850	< 2	4	79	0.06	< 10	< 10	43	< 10	1575
AA4042	201	202	< 0.01	14	1390	448	< 2	3	110	0.04	< 10	< 10	26	< 10	6410
AA4043	201	202	< 0.01	23	750	44	< 2	4	91	0.01	< 10	< 10	19	< 10	214
AA4044	201	202	< 0.01	20	750	14	< 2	4	56	0.06	< 10	< 10	30	70	1365

CERTIFICATION: Antoni Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :5-A
Total Pages :6
Certificate Date: 26-JUL-98
Invoice No. :I9825219
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4045	201	202	0.6	1.46	40	40	1.5	8	0.49	1.5	6	19	66	2.74	< 10	< 1	0.07	20	0.36	1070	8
AA4046	201	202	0.4	1.36	30	60	0.5	6	0.12	0.5	4	15	18	2.27	< 10	< 1	0.07	20	0.27	335	4
AA4047	201	202	< 0.2	0.85	4	50	< 0.5	< 2	0.11	< 0.5	1	8	3	0.90	< 10	< 1	0.05	30	0.15	110	< 1
AA4048	201	202	< 0.2	1.33	8	60	0.5	< 2	0.13	< 0.5	3	13	7	2.22	< 10	< 1	0.09	30	0.33	230	2
AA4049	201	202	0.2	1.37	6	70	0.5	< 2	0.21	< 0.5	2	6	11	1.23	< 10	< 1	0.06	30	0.28	190	2
AA4050	201	202	0.8	1.33	10	100	2.0	2	0.24	1.0	3	10	60	1.46	< 10	< 1	0.07	30	0.25	350	3
AA4051	201	202	1.0	1.44	< 2	90	1.0	< 2	0.25	2.5	6	13	27	2.08	< 10	< 1	0.07	20	0.30	675	8
AA4052	201	202	0.2	1.41	< 2	60	0.5	< 2	0.17	0.5	3	12	12	1.98	< 10	< 1	0.06	20	0.20	345	7
AA4053	201	202	0.2	2.04	30	50	0.5	< 2	0.76	4.0	12	22	14	3.69	< 10	< 1	0.04	10	0.30	595	4
AA4054	201	202	4.0	2.45	90	60	2.0	10	0.72	20.0	31	32	63	4.64	< 10	< 1	0.11	30	0.41	5220	7
AA4055	201	202	0.6	1.59	6	90	0.5	< 2	1.42	6.0	25	29	29	2.94	< 10	< 1	0.06	10	0.41	4270	9
AA4056	201	202	< 0.2	2.64	< 2	30	0.5	12	1.00	2.0	22	46	60	4.94	< 10	< 1	0.02	10	0.65	590	4
AA4057	201	202	< 0.2	2.33	< 2	20	0.5	< 2	0.66	1.0	14	27	9	4.77	< 10	< 1	0.01	20	0.30	175	2
AA4058	201	202	0.2	1.41	6	40	0.5	< 2	1.37	8.0	14	20	18	3.50	< 10	< 1	0.03	10	0.31	935	2
AA4059	201	202	0.2	2.43	10	70	0.5	< 2	1.40	6.0	18	28	30	4.42	< 10	< 1	0.05	20	0.65	1305	3
AA4060	201	202	0.8	1.73	24	90	1.0	14	2.56	6.0	17	25	43	3.43	< 10	< 1	0.12	10	0.53	1850	4
AA4061	201	202	< 0.2	1.91	24	50	0.5	< 2	0.66	2.5	12	28	16	3.72	< 10	< 1	0.13	20	0.61	650	3
AA4062	201	202	0.6	2.31	34	50	0.5	< 2	0.53	< 0.5	8	36	17	3.53	< 10	< 1	0.22	30	0.67	360	4
AA4063	201	202	< 0.2	2.05	2	50	0.5	< 2	0.63	4.0	13	29	15	4.27	< 10	< 1	0.08	10	0.39	435	3
AA4064	201	202	0.2	0.79	10	30	< 0.5	< 2	0.32	< 0.5	3	13	7	1.40	< 10	< 1	0.09	30	0.27	190	3
AA4065	201	202	0.6	2.06	26	100	0.5	< 2	0.63	< 0.5	9	27	15	2.67	< 10	< 1	0.14	30	0.43	435	4
AA4066	201	202	1.4	1.63	64	70	1.5	< 2	0.68	4.5	5	16	46	2.13	< 10	< 1	0.11	30	0.33	630	7
AA4067	201	202	1.4	2.50	64	90	1.0	2	0.84	2.5	12	36	29	3.59	10	< 1	0.21	30	0.79	1065	7
AA4068	201	202	0.2	1.31	12	50	0.5	< 2	0.33	0.5	8	22	6	2.73	< 10	< 1	0.07	10	0.35	500	2
AA4069	201	202	< 0.2	1.47	14	70	0.5	8	0.36	2.0	24	30	18	4.50	< 10	< 1	0.10	20	0.45	2040	3
AA4070	201	202	0.4	1.65	< 2	70	0.5	< 2	0.20	1.5	12	29	17	3.37	10	< 1	0.09	10	0.44	560	4
AA4071	201	202	0.6	2.03	16	50	0.5	12	0.18	0.5	7	35	19	4.31	< 10	< 1	0.07	10	0.50	415	4
AA4072	201	202	0.2	1.68	6	20	1.5	60	2.27	1.5	23	27	9	3.93	< 10	< 1	0.01	20	0.19	3960	3
AA4073	201	202	< 0.2	1.84	12	70	0.5	2	0.35	2.5	8	33	18	3.70	10	< 1	0.14	30	0.56	555	5
AA4074	201	202	0.2	2.03	46	60	0.5	< 2	0.25	1.5	8	33	14	3.16	10	< 1	0.12	20	0.57	375	6
AA4075	201	202	< 0.2	1.69	8	50	0.5	2	0.22	< 0.5	8	18	12	2.39	< 10	< 1	0.11	30	0.41	370	5
AA4076	201	202	0.8	2.01	20	40	3.0	4	0.98	0.5	7	19	164	4.28	< 10	< 1	0.08	20	0.36	1840	77
AA4077	201	202	0.2	1.69	24	80	1.5	< 2	0.09	1.0	5	18	8	2.75	< 10	< 1	0.07	10	0.32	590	4
AA4078	201	202	0.2	0.95	10	50	0.5	< 2	0.05	0.5	2	8	15	1.56	< 10	< 1	0.05	20	0.08	285	1
AA4079	201	202	0.6	1.38	10	50	0.5	< 2	0.10	0.5	4	11	5	1.90	< 10	1	0.07	10	0.25	380	3
AA4080	201	202	0.2	1.39	10	60	0.5	< 2	0.35	< 0.5	4	17	15	1.91	< 10	< 1	0.06	20	0.31	310	4
AA4081	201	202	0.4	1.43	104	60	0.5	< 2	0.27	< 0.5	4	15	15	2.39	< 10	< 1	0.07	20	0.38	315	3
AA4082	201	202	1.6	1.48	6	50	0.5	< 2	0.09	< 0.5	3	12	25	1.87	< 10	< 1	0.07	30	0.32	255	3
AA4083	201	202	0.4	1.43	6	80	0.5	< 2	0.21	0.5	4	12	12	1.88	< 10	< 1	0.09	30	0.36	305	5
AA4084	201	202	4.0	2.63	20	130	2.5	< 2	0.89	1.5	6	21	82	2.57	< 10	< 1	0.12	40	0.44	650	10

CERTIFICATION: Ian Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 26-JUL-98
Invoice No. : I9825219
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4045	201	202	< 0.01	10	310	32	< 2	1	20	0.04	< 10	< 10	31	90	676
AA4046	201	202	< 0.01	7	340	50	< 2	1	15	0.05	< 10	< 10	35	< 10	408
AA4047	201	202	< 0.01	3	170	14	< 2	< 1	13	0.04	< 10	< 10	17	< 10	102
AA4048	201	202	< 0.01	7	490	16	< 2	2	13	0.07	< 10	< 10	32	< 10	132
AA4049	201	202	< 0.01	3	310	36	< 2	< 1	26	0.01	< 10	< 10	18	< 10	208
AA4050	201	202	0.01	4	630	90	< 2	< 1	32	0.01	< 10	10	22	10	328
AA4051	201	202	< 0.01	6	1180	44	2	< 1	39	0.02	< 10	10	30	< 10	432
AA4052	201	202	< 0.01	5	490	38	< 2	< 1	26	0.05	< 10	< 10	35	< 10	142
AA4053	201	202	0.03	28	800	36	< 2	2	124	0.04	< 10	< 10	26	< 10	712
AA4054	201	202	0.01	27	1130	578	< 2	4	55	0.04	< 10	< 10	38	< 10	3690
AA4055	201	202	< 0.01	21	940	1075	< 2	3	116	0.06	< 10	< 10	37	< 10	1255
AA4056	201	202	0.03	53	540	84	2	3	167	0.05	< 10	< 10	30	< 10	1245
AA4057	201	202	0.06	33	710	32	< 2	3	175	0.04	< 10	< 10	25	< 10	352
AA4058	201	202	0.01	30	1280	216	4	1	190	0.04	< 10	< 10	23	< 10	1530
AA4059	201	202	0.06	32	1700	64	< 2	3	171	0.03	< 10	< 10	25	< 10	1225
AA4060	201	202	0.01	27	1680	96	< 2	3	215	0.04	< 10	< 10	28	< 10	1270
AA4061	201	202	< 0.01	24	540	62	< 2	4	87	0.04	< 10	< 10	35	< 10	1170
AA4062	201	202	0.01	24	250	80	< 2	4	52	0.08	< 10	< 10	38	20	442
AA4063	201	202	0.01	20	440	48	< 2	3	107	0.05	< 10	< 10	42	< 10	634
AA4064	201	202	< 0.01	7	560	20	< 2	1	22	0.05	< 10	< 10	21	< 10	164
AA4065	201	202	0.01	16	580	58	< 2	4	81	0.07	< 10	< 10	33	< 10	452
AA4066	201	202	< 0.01	18	790	84	< 2	3	57	0.03	< 10	10	24	10	2150
AA4067	201	202	0.01	20	460	168	< 2	5	91	0.09	< 10	< 10	44	< 10	2550
AA4068	201	202	< 0.01	13	340	26	2	1	35	0.07	< 10	< 10	36	< 10	282
AA4069	201	202	< 0.01	23	650	50	2	1	34	0.03	< 10	< 10	39	< 10	454
AA4070	201	202	< 0.01	12	320	54	< 2	3	31	0.09	< 10	< 10	48	< 10	426
AA4071	201	202	< 0.01	22	360	278	< 2	3	57	0.08	< 10	< 10	41	< 10	804
AA4072	201	202	< 0.01	16	390	26	< 2	3	45	0.07	< 10	< 10	20	< 10	450
AA4073	201	202	< 0.01	16	330	32	< 2	4	35	0.09	< 10	< 10	59	20	714
AA4074	201	202	< 0.01	18	260	32	< 2	3	23	0.10	< 10	< 10	46	< 10	520
AA4075	201	202	< 0.01	12	160	34	< 2	3	16	0.08	< 10	< 10	35	< 10	336
AA4076	201	202	< 0.01	14	560	28	2	1	21	0.03	< 10	< 10	32	430	566
AA4077	201	202	< 0.01	8	510	50	< 2	1	12	0.07	< 10	< 10	38	< 10	650
AA4078	201	202	< 0.01	3	430	54	< 2	< 1	9	0.03	< 10	< 10	24	< 10	188
AA4079	201	202	< 0.01	4	480	46	< 2	1	12	0.04	< 10	< 10	29	< 10	282
AA4080	201	202	< 0.01	8	250	24	< 2	1	27	0.03	< 10	< 10	26	10	124
AA4081	201	202	< 0.01	7	240	22	< 2	2	26	0.09	< 10	< 10	37	< 10	156
AA4082	201	202	< 0.01	5	320	98	< 2	1	11	0.03	< 10	< 10	26	< 10	300
AA4083	201	202	< 0.01	6	410	28	< 2	1	25	0.04	< 10	< 10	26	< 10	340
AA4084	201	202	0.01	12	1650	54	2	2	97	0.03	< 10	230	34	< 10	710

CERTIFICATION: Jan Bible

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 26-JUL-98
Invoice No. :19825219
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA4085	201	202	0.2	1.14	< 2	40	< 0.5	< 2	0.06	< 0.5	3	10	6	1.42	< 10	< 1	0.05	20	0.24	175	2
AA4086	201	202	< 0.2	1.21	10	50	0.5	< 2	0.07	< 0.5	2	8	7	1.60	< 10	< 1	0.08	30	0.27	210	3
AA4087	201	202	< 0.2	1.63	10	60	0.5	< 2	0.06	< 0.5	3	10	7	1.99	< 10	< 1	0.08	30	0.31	240	1
AA4088	201	202	< 0.2	1.91	12	60	1.5	< 2	0.19	< 0.5	2	5	52	1.91	< 10	< 1	0.07	40	0.30	330	2
AA4089	201	202	0.8	1.50	54	40	0.5	< 2	0.15	< 0.5	5	9	15	2.20	< 10	< 1	0.11	30	0.32	255	2
AA4090	201	202	< 0.2	1.42	6	40	0.5	< 2	0.09	< 0.5	4	8	5	2.02	< 10	< 1	0.10	40	0.27	175	2
AA4091	201	202	0.4	1.98	12	90	1.0	< 2	0.18	0.5	8	27	49	3.36	< 10	< 1	0.11	20	0.46	775	9
AA4092	201	202	0.4	1.71	30	60	0.5	< 2	0.26	0.5	5	30	20	3.13	10	< 1	0.09	20	0.40	425	5
AA4093	201	202	0.2	1.48	6	60	0.5	2	0.17	< 0.5	5	19	25	2.58	< 10	< 1	0.07	10	0.22	545	5
AA4094	201	202	< 0.2	1.74	22	100	0.5	< 2	0.23	0.5	5	22	43	2.63	< 10	< 1	0.12	20	0.42	310	3
AA4095	201	202	< 0.2	1.26	14	60	0.5	< 2	0.33	0.5	5	15	17	2.14	< 10	< 1	0.08	30	0.32	350	4
AA4096	201	202	1.6	2.52	8	180	1.0	< 2	0.75	1.5	6	19	44	2.54	< 10	< 1	0.26	20	0.52	610	3
AA4097	201	202	0.6	1.06	8	40	0.5	< 2	0.18	0.5	3	11	8	1.71	< 10	< 1	0.05	20	0.21	230	1
AA4098	201	202	1.0	1.58	58	80	1.5	< 2	0.58	4.5	8	17	41	2.51	< 10	< 1	0.11	30	0.37	1005	8
AA4099	201	202	2.8	1.80	56	90	2.0	< 2	0.61	4.5	4	15	83	1.93	< 10	< 1	0.09	40	0.34	465	8
AA4100	201	202	0.4	1.55	22	40	0.5	< 2	0.30	2.0	6	20	19	2.61	< 10	< 1	0.05	20	0.34	560	6
AA4101	201	202	0.8	1.85	42	90	1.5	2	0.46	2.0	6	18	66	2.27	< 10	< 1	0.12	40	0.40	490	7
AA4102	201	202	< 0.2	1.67	34	50	0.5	< 2	0.16	2.0	4	20	21	2.71	< 10	< 1	0.06	30	0.32	235	7
AA4103	201	202	1.6	1.76	8	70	1.0	< 2	0.20	1.5	8	25	36	2.51	< 10	< 1	0.05	20	0.34	380	7

CERTIFICATION: Ian Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page ber : 6-B
Total ges : 6
Certificate Date: 26-JUL-98
Invoice No. : I9825219
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825219

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA4085	201	202	< 0.01	5	390	32	< 2	< 1	8	0.02	< 10	< 10	22	< 10	82
AA4086	201	202	< 0.01	4	300	22	< 2	< 1	9	0.03	< 10	< 10	21	< 10	142
AA4087	201	202	< 0.01	4	400	16	< 2	1	10	0.03	< 10	< 10	27	< 10	84
AA4088	201	202	< 0.01	9	270	76	< 2	1	21	< 0.01	< 10	< 10	17	< 10	202
AA4089	201	202	< 0.01	9	160	12	< 2	2	16	0.05	< 10	< 10	29	< 10	102
AA4090	201	202	< 0.01	6	180	14	< 2	1	9	0.05	< 10	< 10	27	< 10	44
AA4091	201	202	< 0.01	15	390	18	2	3	16	0.08	< 10	< 10	42	30	268
AA4092	201	202	< 0.01	12	440	60	< 2	2	15	0.06	< 10	< 10	46	120	182
AA4093	201	202	< 0.01	6	340	34	< 2	1	16	0.05	< 10	< 10	38	10	118
AA4094	201	202	0.01	15	670	42	2	1	22	0.04	< 10	< 10	35	20	228
AA4095	201	202	< 0.01	9	350	22	< 2	1	25	0.05	< 10	< 10	30	< 10	184
AA4096	201	202	0.01	21	940	44	2	4	82	0.05	< 10	< 10	31	< 10	362
AA4097	201	202	< 0.01	6	180	98	< 2	1	11	0.03	< 10	< 10	23	< 10	254
AA4098	201	202	0.01	17	690	92	< 2	3	53	0.03	< 10	10	27	10	1445
AA4099	201	202	0.01	19	1180	78	2	1	62	0.02	< 10	40	22	< 10	1550
AA4100	201	202	< 0.01	13	310	38	< 2	1	41	0.07	< 10	< 10	37	< 10	536
AA4101	201	202	0.01	13	650	48	< 2	3	48	0.04	< 10	30	27	< 10	1110
AA4102	201	202	< 0.01	9	160	54	< 2	2	17	0.07	< 10	< 10	41	< 10	924
AA4103	201	202	< 0.01	14	380	56	< 2	2	24	0.08	< 10	< 10	38	< 10	508

CERTIFICATION: Jan Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 4
Certificate Date: 26-JUL-98
Invoice No. : I9825218
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825218

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0279	201	202	< 0.2	1.27	22	60	< 0.5	< 2	0.39	0.5	7	27	11	2.12	< 10	< 1	0.05	10	0.45	270	1
AA0280	201	202	0.8	2.05	122	90	2.0	< 2	1.28	2.0	14	33	33	3.51	< 10	< 1	0.12	50	0.54	1320	3
AA0281	201	202	< 0.2	2.84	86	100	1.5	< 2	0.64	0.5	26	58	23	5.31	< 10	< 1	0.36	60	1.03	515	5
AA0282	201	202	0.6	2.44	46	260	1.5	< 2	0.55	0.5	7	16	14	2.56	< 10	< 1	0.13	40	0.42	875	1
AA0283	201	202	< 0.2	0.72	< 2	50	< 0.5	< 2	0.17	< 0.5	6	34	13	3.57	10	< 1	0.07	40	0.19	120	2
AA0284	201	202	< 0.2	1.23	2	50	< 0.5	< 2	0.11	< 0.5	6	16	5	2.06	< 10	< 1	0.10	40	0.33	160	1
AA0285	201	202	0.6	2.30	10	120	1.0	< 2	0.57	< 0.5	22	36	24	3.74	< 10	< 1	0.20	50	0.79	410	1
AA0286	201	202	0.6	2.19	16	80	1.0	< 2	0.26	< 0.5	10	35	12	3.55	< 10	< 1	0.09	40	0.67	220	1
AA0287	201	202	0.2	1.10	2	80	< 0.5	< 2	0.17	< 0.5	3	10	4	1.21	< 10	< 1	0.08	30	0.25	110	1
AA0288	201	202	0.6	1.61	4	200	0.5	< 2	0.51	< 0.5	5	13	8	1.77	< 10	< 1	0.13	30	0.40	250	1
AA0289	201	202	0.2	0.69	< 2	40	< 0.5	< 2	0.08	< 0.5	1	9	5	0.92	< 10	< 1	0.09	30	0.14	85	1
AA0290	201	202	0.2	1.40	6	170	0.5	< 2	0.59	< 0.5	4	9	6	1.64	< 10	< 1	0.11	30	0.32	310	1
AA0291	201	202	< 0.2	1.22	4	130	0.5	< 2	0.41	< 0.5	5	10	6	1.64	< 10	< 1	0.12	40	0.31	420	1
AA0292	201	202	< 0.2	1.28	< 2	140	0.5	< 2	0.48	< 0.5	4	8	6	1.50	< 10	< 1	0.11	40	0.28	240	1
AA0293	201	202	0.2	1.17	6	140	0.5	< 2	0.54	< 0.5	4	9	6	1.40	< 10	< 1	0.11	30	0.28	235	1
AA0294	201	202	0.2	1.52	8	140	0.5	< 2	0.58	< 0.5	5	11	10	1.69	< 10	< 1	0.13	40	0.36	300	2
AA0295	201	202	0.2	1.12	6	130	0.5	< 2	0.42	< 0.5	4	10	5	1.35	< 10	< 1	0.08	40	0.27	395	1
AA0296	201	202	0.2	1.24	20	120	0.5	< 2	0.40	< 0.5	5	12	6	1.59	< 10	< 1	0.09	30	0.32	300	1
AA0297	201	202	0.2	1.39	22	90	0.5	< 2	0.33	< 0.5	6	19	10	1.99	< 10	< 1	0.15	30	0.43	255	1
AA0298	201	202	0.8	2.53	24	120	0.5	< 2	0.71	< 0.5	15	41	14	3.51	< 10	< 1	0.34	30	1.01	310	1
AA0299	201	202	< 0.2	1.06	14	50	< 0.5	< 2	0.10	< 0.5	7	31	7	3.97	10	< 1	0.07	10	0.26	305	2
AA0300	201	202	< 0.2	1.62	6	50	0.5	< 2	0.14	< 0.5	4	17	5	2.40	< 10	< 1	0.06	10	0.32	155	1
AA0301	201	202	0.6	2.48	< 2	100	3.0	< 2	0.72	< 0.5	6	16	23	2.37	< 10	< 1	0.20	40	0.52	545	1
AA0302	201	202	0.2	1.48	< 2	40	< 0.5	< 2	0.06	< 0.5	2	14	4	1.31	< 10	< 1	0.04	20	0.19	100	1
AA0303	201	202	< 0.2	0.92	< 2	100	1.5	< 2	0.23	< 0.5	4	7	4	2.18	< 10	< 1	0.09	40	0.12	360	1
AA0304	201	202	1.4	3.97	8	190	3.5	< 2	0.23	< 0.5	6	31	23	3.26	10	< 1	0.26	50	0.62	445	1
AA0451	201	202	0.4	1.72	8	80	2.0	< 2	0.06	0.5	7	12	43	2.81	< 10	< 1	0.10	20	0.23	1090	8
AA0452	201	202	1.0	1.68	14	110	2.5	< 2	0.10	1.5	5	13	68	1.77	< 10	< 1	0.06	40	0.17	775	3
AA0453	201	202	0.8	1.51	8	60	0.5	< 2	0.06	< 0.5	4	8	18	1.88	< 10	< 1	0.08	30	0.26	250	1
AA0454	201	202	0.2	1.46	4	40	0.5	< 2	0.05	< 0.5	3	7	14	1.71	< 10	< 1	0.07	30	0.19	180	1
AA0455	201	202	2.4	1.94	6	70	2.0	< 2	0.14	2.0	7	15	69	2.71	< 10	< 1	0.10	20	0.31	635	1
AA0456	201	202	0.2	1.19	6	60	0.5	< 2	0.06	< 0.5	3	8	14	1.46	< 10	< 1	0.06	20	0.18	245	1
AA0457	201	202	0.2	1.18	8	80	1.5	< 2	0.10	1.0	4	9	55	1.78	< 10	< 1	0.08	20	0.17	445	1
AA0458	201	202	1.2	0.90	34	40	0.5	< 2	0.19	1.5	3	11	34	1.95	< 10	< 1	0.07	10	0.15	210	7
AA0459	201	202	1.8	1.34	18	90	2.5	< 2	0.21	6.5	13	19	174	2.85	< 10	< 1	0.13	30	0.28	1290	6
AA0460	201	202	1.0	1.39	20	60	0.5	< 2	0.18	0.5	4	13	34	1.78	< 10	< 1	0.09	30	0.26	220	5
AA0461	201	202	1.0	1.04	18	40	1.5	< 2	0.22	1.5	4	13	24	1.55	< 10	< 1	0.06	20	0.29	225	1
AA0462	201	202	8.2	1.69	20	70	6.0	< 2	0.27	1.5	4	12	133	1.71	< 10	< 1	0.09	40	0.28	325	6
AA0463	201	202	0.2	1.12	4	50	0.5	< 2	0.07	0.5	4	10	13	1.73	< 10	< 1	0.04	20	0.14	330	8
AA0464	201	202	0.4	1.17	8	100	1.0	2	0.17	0.5	4	9	10	1.67	< 10	< 1	0.07	10	0.21	485	7

CERTIFICATION: Hank Ixachilla

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 4
Certificate Date: 26-JUL-98
Invoice No. : I9825218
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825218

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0279	201	202	< 0.01	16	170	18	< 2	3	32	0.11	< 10	< 10	35	< 10	330
AA0280	201	202	0.01	18	520	218	< 2	6	150	0.04	< 10	20	36	< 10	958
AA0281	201	202	0.01	50	570	32	< 2	8	78	0.10	< 10	< 10	52	< 10	582
AA0282	201	202	< 0.01	8	600	70	< 2	4	72	0.05	< 10	20	36	< 10	430
AA0283	201	202	< 0.01	10	180	18	< 2	1	25	0.17	< 10	< 10	76	< 10	88
AA0284	201	202	< 0.01	10	120	20	< 2	2	17	0.09	< 10	< 10	35	< 10	88
AA0285	201	202	0.01	41	760	34	< 2	5	70	0.09	< 10	10	40	< 10	188
AA0286	201	202	< 0.01	21	610	52	< 2	4	37	0.09	< 10	< 10	41	< 10	194
AA0287	201	202	< 0.01	4	290	16	< 2	1	24	0.05	< 10	< 10	22	< 10	58
AA0288	201	202	< 0.01	7	560	24	< 2	3	70	0.05	< 10	< 10	26	< 10	104
AA0289	201	202	< 0.01	2	240	28	< 2	< 1	13	0.04	< 10	< 10	22	< 10	38
AA0290	201	202	< 0.01	4	590	20	< 2	2	109	0.04	< 10	10	26	< 10	76
AA0291	201	202	< 0.01	6	700	20	< 2	2	49	0.05	< 10	10	24	< 10	84
AA0292	201	202	< 0.01	4	630	16	< 2	2	60	0.05	< 10	10	24	< 10	66
AA0293	201	202	< 0.01	5	590	16	< 2	2	130	0.05	< 10	20	21	< 10	70
AA0294	201	202	< 0.01	7	620	16	< 2	3	126	0.05	< 10	10	23	< 10	96
AA0295	201	202	< 0.01	5	740	18	< 2	2	83	0.05	< 10	< 10	22	< 10	82
AA0296	201	202	< 0.01	6	600	26	< 2	2	58	0.06	< 10	10	26	< 10	132
AA0297	201	202	< 0.01	16	540	66	< 2	3	33	0.07	< 10	< 10	29	< 10	202
AA0298	201	202	< 0.01	35	740	142	< 2	5	75	0.16	< 10	< 10	42	< 10	276
AA0299	201	202	< 0.01	11	710	16	< 2	1	12	0.19	< 10	< 10	104	< 10	82
AA0300	201	202	< 0.01	7	570	24	< 2	1	13	0.06	< 10	< 10	36	< 10	48
AA0301	201	202	0.01	9	850	42	< 2	3	163	0.04	< 10	70	30	< 10	152
AA0302	201	202	< 0.01	5	310	104	< 2	1	9	0.06	< 10	< 10	27	< 10	26
AA0303	201	202	< 0.01	3	1000	32	< 2	1	16	< 0.01	< 10	< 10	13	< 10	118
AA0304	201	202	< 0.01	13	1010	48	< 2	3	45	0.03	< 10	40	49	< 10	244
AA0451	201	202	< 0.01	6	1350	98	< 2	< 1	11	0.01	< 10	10	28	< 10	260
AA0452	201	202	< 0.01	7	1400	84	< 2	< 1	15	0.01	< 10	40	25	< 10	168
AA0453	201	202	< 0.01	4	270	34	< 2	1	7	0.03	< 10	< 10	24	< 10	112
AA0454	201	202	< 0.01	3	480	20	< 2	< 1	11	0.02	< 10	< 10	22	< 10	90
AA0455	201	202	< 0.01	8	1230	48	< 2	< 1	21	0.03	< 10	< 10	36	< 10	974
AA0456	201	202	< 0.01	4	830	16	< 2	< 1	8	0.01	< 10	< 10	20	< 10	98
AA0457	201	202	< 0.01	6	1020	24	< 2	< 1	11	< 0.01	< 10	< 10	22	20	178
AA0458	201	202	< 0.01	8	660	136	< 2	< 1	21	0.01	< 10	< 10	23	10	498
AA0459	201	202	< 0.01	23	1020	214	< 2	< 1	23	0.03	< 10	10	37	70	528
AA0460	201	202	< 0.01	10	500	46	< 2	1	15	0.03	< 10	< 10	23	< 10	340
AA0461	201	202	< 0.01	16	420	20	< 2	1	24	0.02	< 10	< 10	20	< 10	802
AA0462	201	202	< 0.01	20	1690	50	< 2	1	23	0.01	< 10	30	19	10	914
AA0463	201	202	< 0.01	4	540	104	< 2	< 1	11	0.01	< 10	< 10	28	< 10	256
AA0464	201	202	< 0.01	5	660	22	< 2	< 1	25	0.01	< 10	< 10	22	< 10	214

CERTIFICATION: Hart Bidlle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :4
Certificate Date: 26-JUL-98
Invoice No. :19825218
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825218

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0465	201	202	11.0	1.86	426	130	4.0	< 2	0.29	39.5	7	14	157	2.21	< 10	< 1	0.09	40	0.19	1755	6
AA0466	201	202	0.6	1.37	50	50	1.5	< 2	0.20	1.5	5	13	19	2.00	< 10	< 1	0.07	30	0.25	780	4
AA0467	201	202	0.6	1.47	26	90	2.0	2	0.43	1.0	7	14	20	2.32	< 10	< 1	0.09	20	0.30	1015	4
AA0468	201	202	2.0	1.18	354	90	1.5	< 2	0.50	3.0	5	10	43	2.44	< 10	< 1	0.08	10	0.17	1470	5
AA0469	201	202	1.2	1.40	42	150	2.0	2	0.23	4.5	5	12	21	2.23	< 10	< 1	0.08	20	0.11	2140	9
AA0470	201	202	0.4	1.69	12	60	1.5	< 2	0.14	< 0.5	6	9	10	2.07	< 10	< 1	0.09	20	0.14	640	1
AA0471	201	202	0.4	1.42	18	70	0.5	< 2	0.05	0.5	3	10	13	1.83	< 10	< 1	0.09	30	0.10	470	2
AA0472	201	202	< 0.2	1.37	8	40	1.5	< 2	0.40	< 0.5	5	3	6	1.89	< 10	< 1	0.15	50	0.27	970	2
AA0473	201	202	4.0	1.54	30	50	1.5	2	0.09	1.5	6	20	50	2.72	< 10	< 1	0.06	10	0.27	535	2
AA0474	201	202	0.6	1.28	28	40	1.5	2	0.12	0.5	4	11	14	2.04	< 10	< 1	0.04	10	0.19	315	2
AA0475	201	202	3.6	1.42	78	40	1.0	2	0.12	0.5	6	17	70	2.79	< 10	< 1	0.05	10	0.26	580	3
AA0476	201	202	0.2	1.70	34	40	0.5	< 2	0.13	< 0.5	5	16	11	2.24	< 10	< 1	0.07	10	0.29	470	4
AA0477	201	202	1.2	1.60	42	50	1.0	< 2	0.10	1.5	6	16	24	2.52	< 10	< 1	0.09	10	0.24	1200	5
AA0478	201	202	1.0	1.73	32	70	2.0	< 2	0.11	2.0	4	11	25	2.57	< 10	< 1	0.07	10	0.12	800	10
AA0479	201	202	1.0	1.39	138	70	1.0	< 2	0.11	4.0	6	9	34	2.95	< 10	< 1	0.10	20	0.22	1590	9
AA0480	201	202	1.2	2.18	10	70	2.5	< 2	0.17	2.0	7	10	85	2.99	< 10	< 1	0.08	30	0.25	930	5
AA0481	201	202	1.2	1.57	20	100	2.5	< 2	0.13	1.0	8	14	62	3.05	< 10	< 1	0.09	30	0.17	785	9
AA0482	201	202	0.6	1.54	8	40	1.0	< 2	0.06	< 0.5	4	10	20	2.30	< 10	< 1	0.08	20	0.21	225	2
AA0483	201	202	0.2	1.49	8	50	0.5	< 2	0.05	0.5	5	16	15	2.24	< 10	< 1	0.07	20	0.22	330	1
AA0484	201	202	0.4	1.77	8	50	0.5	< 2	0.08	0.5	11	33	22	3.59	10	< 1	0.12	10	0.38	385	1
AA0485	201	202	< 0.2	1.47	10	40	0.5	< 2	0.09	< 0.5	4	13	9	2.19	< 10	< 1	0.08	30	0.23	235	2
AA0486	201	202	1.0	1.33	8	60	0.5	< 2	0.07	< 0.5	5	11	81	1.76	< 10	< 1	0.07	30	0.18	335	5
AA0487	201	202	1.8	1.57	8	90	2.0	< 2	0.08	0.5	5	8	175	1.33	< 10	< 1	0.05	20	0.08	1340	5
AA0488	201	202	0.2	1.12	8	30	< 0.5	< 2	0.08	< 0.5	3	10	16	1.65	< 10	< 1	0.06	10	0.18	275	1
AA0489	201	202	0.4	1.10	12	40	0.5	< 2	0.04	< 0.5	3	7	24	1.57	< 10	< 1	0.07	20	0.15	335	5
AA0490	201	202	0.2	1.11	8	40	< 0.5	2	0.05	< 0.5	3	9	16	1.70	< 10	< 1	0.06	20	0.14	190	2
AA0491	201	202	0.4	1.57	10	50	0.5	< 2	0.03	< 0.5	4	7	8	1.86	< 10	< 1	0.16	30	0.26	195	2
AA0492	201	202	1.0	1.59	38	40	1.0	< 2	0.05	< 0.5	5	13	9	2.42	< 10	< 1	0.08	10	0.20	435	4
AA0493	201	202	0.2	1.43	10	70	0.5	< 2	0.06	< 0.5	4	9	7	2.15	< 10	< 1	0.08	30	0.27	280	1
AA0494	201	202	0.4	1.56	8	60	0.5	< 2	0.15	< 0.5	3	6	4	1.50	< 10	< 1	0.07	30	0.17	200	1
AA0495	201	202	0.6	1.77	2	40	0.5	< 2	0.06	< 0.5	4	12	14	2.16	< 10	< 1	0.07	30	0.22	310	1
AA0496	201	202	0.2	1.71	20	20	1.0	< 2	0.13	< 0.5	4	5	106	2.77	< 10	< 1	0.12	40	0.31	170	4
AA0497	201	202	1.0	1.20	6	120	1.0	< 2	0.07	2.0	7	17	64	2.07	< 10	< 1	0.05	20	0.19	430	3
AA0498	201	202	0.6	1.12	6	60	0.5	< 2	0.08	1.0	4	10	65	1.66	< 10	< 1	0.06	30	0.19	465	8
AA0499	201	202	1.0	2.27	16	80	2.0	< 2	0.08	1.5	15	39	48	4.07	< 10	< 1	0.11	30	0.48	600	3
AA0500	201	202	1.6	1.24	26	40	1.5	< 2	0.12	0.5	5	13	25	2.03	< 10	< 1	0.08	30	0.21	200	3
AA0669	201	202	0.6	1.55	24	50	0.5	< 2	0.15	< 0.5	5	14	11	2.91	< 10	< 1	0.11	30	0.38	415	1
AA0670	201	202	0.2	0.89	2	60	< 0.5	< 2	0.16	< 0.5	3	8	3	1.14	< 10	< 1	0.04	30	0.20	110	< 1
AA0671	201	202	0.2	1.26	2	180	0.5	< 2	0.66	< 0.5	4	9	7	1.53	< 10	< 1	0.10	30	0.31	335	1
AA0672	201	202	0.2	1.43	2	200	0.5	< 2	0.63	< 0.5	5	9	7	1.76	< 10	< 1	0.12	30	0.35	350	1

CERTIFICATION: Ian Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-B
Total Pages :4
Certificate Date: 26-JUL-98
Invoice No. :19825218
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825218

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0465	201	202	< 0.01	8	2330	268	< 2	< 1	40	< 0.01	< 10	10	17	< 10	2730
AA0466	201	202	< 0.01	7	760	38	< 2	< 1	18	0.01	< 10	10	22	< 10	530
AA0467	201	202	< 0.01	8	1180	76	< 2	< 1	38	0.02	< 10	< 10	28	< 10	710
AA0468	201	202	< 0.01	6	1590	502	< 2	< 1	37	< 0.01	< 10	10	16	< 10	794
AA0469	201	202	< 0.01	7	1930	228	< 2	< 1	28	< 0.01	< 10	< 10	21	< 10	534
AA0470	201	202	< 0.01	5	1240	46	< 2	< 1	16	< 0.01	< 10	< 10	22	< 10	138
AA0471	201	202	< 0.01	4	630	102	< 2	< 1	13	< 0.01	< 10	< 10	19	< 10	290
AA0472	201	202	< 0.01	3	590	30	< 2	1	29	< 0.01	< 10	< 10	12	< 10	536
AA0473	201	202	< 0.01	12	630	370	< 2	< 1	11	0.06	< 10	< 10	37	< 10	372
AA0474	201	202	< 0.01	5	640	64	< 2	< 1	10	0.01	< 10	< 10	24	< 10	254
AA0475	201	202	< 0.01	10	1100	602	< 2	< 1	10	0.01	< 10	< 10	27	< 10	566
AA0476	201	202	< 0.01	8	530	38	< 2	< 1	10	0.03	< 10	< 10	31	< 10	214
AA0477	201	202	< 0.01	7	980	186	< 2	< 1	12	0.01	< 10	< 10	28	< 10	510
AA0478	201	202	< 0.01	6	1970	126	< 2	< 1	13	0.01	< 10	< 10	20	< 10	462
AA0479	201	202	< 0.01	5	1240	188	< 2	< 1	16	< 0.01	< 10	< 10	19	< 10	862
AA0480	201	202	< 0.01	5	1610	38	< 2	< 1	22	0.01	< 10	< 10	25	< 10	292
AA0481	201	202	< 0.01	8	1500	80	< 2	< 1	19	< 0.01	< 10	10	27	< 10	224
AA0482	201	202	< 0.01	5	1060	14	< 2	< 1	7	< 0.01	< 10	< 10	25	< 10	150
AA0483	201	202	< 0.01	7	790	26	< 2	< 1	7	0.03	< 10	< 10	32	< 10	92
AA0484	201	202	< 0.01	18	530	20	< 2	1	11	0.07	< 10	< 10	47	< 10	256
AA0485	201	202	< 0.01	6	500	24	< 2	1	6	0.03	< 10	< 10	28	< 10	82
AA0486	201	202	< 0.01	4	740	36	< 2	< 1	10	0.02	< 10	< 10	27	< 10	168
AA0487	201	202	< 0.01	4	2740	62	< 2	< 1	12	< 0.01	< 10	10	14	< 10	66
AA0488	201	202	< 0.01	4	880	22	< 2	< 1	7	< 0.01	< 10	< 10	22	< 10	58
AA0489	201	202	< 0.01	3	910	28	< 2	< 1	5	< 0.01	< 10	< 10	18	< 10	96
AA0490	201	202	< 0.01	3	710	36	< 2	< 1	7	0.01	< 10	< 10	27	< 10	112
AA0491	201	202	< 0.01	3	490	52	< 2	1	9	< 0.01	< 10	< 10	21	< 10	92
AA0492	201	202	< 0.01	6	600	40	< 2	< 1	6	0.01	< 10	< 10	25	< 10	136
AA0493	201	202	< 0.01	4	210	36	< 2	1	7	0.03	< 10	< 10	28	< 10	104
AA0494	201	202	< 0.01	2	680	32	< 2	1	7	0.03	< 10	< 10	19	< 10	88
AA0495	201	202	< 0.01	5	590	32	< 2	< 1	11	0.04	< 10	< 10	31	< 10	120
AA0496	201	202	< 0.01	1	510	22	< 2	1	11	< 0.01	< 10	< 10	20	< 10	220
AA0497	201	202	< 0.01	15	680	42	< 2	1	13	0.04	< 10	< 10	34	< 10	214
AA0498	201	202	< 0.01	4	570	24	< 2	1	6	0.02	< 10	< 10	22	< 10	748
AA0499	201	202	< 0.01	20	440	76	< 2	3	12	0.03	< 10	< 10	43	< 10	598
AA0500	201	202	< 0.01	12	270	52	< 2	1	14	0.04	< 10	< 10	29	< 10	172
AA0669	201	202	< 0.01	7	560	58	< 2	2	8	0.07	< 10	< 10	42	< 10	202
AA0670	201	202	< 0.01	3	450	18	< 2	1	21	0.04	< 10	< 10	19	< 10	48
AA0671	201	202	< 0.01	5	600	16	< 2	2	146	0.04	< 10	10	23	< 10	70
AA0672	201	202	< 0.01	5	660	16	< 2	2	122	0.04	< 10	10	25	< 10	80

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-A
Total Pages :4
Certificate Date: 26-JUL-98
Invoice No. :19825218
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825218

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA0673	201	202	0.2	1.32	< 2	170	0.5	< 2	0.57	< 0.5	5	9	6	1.61	< 10	< 1	0.10	20	0.36	225	1
AA0674	201	202	< 0.2	1.09	< 2	130	0.5	< 2	0.54	< 0.5	4	7	6	1.42	< 10	< 1	0.09	30	0.25	450	1
AA0675	201	202	0.4	1.52	< 2	180	0.5	< 2	0.60	< 0.5	5	9	7	1.67	< 10	< 1	0.13	30	0.33	355	1
AA0676	201	202	0.6	1.60	8	130	0.5	< 2	1.06	< 0.5	6	13	10	1.84	< 10	< 1	0.10	30	0.38	320	2
AA0677	201	202	0.2	2.06	6	100	0.5	< 2	0.35	< 0.5	13	34	17	3.43	< 10	< 1	0.11	30	0.66	405	< 1
AA0678	201	202	< 0.2	2.09	10	80	0.5	< 2	0.52	< 0.5	26	59	10	4.03	< 10	< 1	0.15	30	0.89	1170	1
AA0680	201	202	< 0.2	1.61	8	80	0.5	< 2	0.41	< 0.5	14	49	11	3.44	< 10	< 1	0.09	20	0.63	600	2
AA0681	201	202	< 0.2	1.10	24	40	< 0.5	2	0.07	< 0.5	6	37	7	3.27	10	< 1	0.08	10	0.33	210	1
AA0682	201	202	0.2	0.72	4	30	< 0.5	< 2	0.07	< 0.5	4	16	4	1.89	< 10	< 1	0.05	10	0.18	135	1
AA0683	201	202	0.2	1.67	6	50	< 0.5	< 2	0.20	< 0.5	10	61	8	4.54	10	< 1	0.05	10	0.61	195	1
AA0684	201	202	1.0	2.05	< 2	60	0.5	< 2	0.12	0.5	11	47	9	4.71	10	< 1	0.07	10	0.54	220	1
AA0685	201	202	0.2	2.68	8	50	1.0	< 2	0.05	< 0.5	10	37	30	5.57	< 10	< 1	0.20	30	0.77	170	2
AA0686	201	202	0.2	1.89	6	70	0.5	< 2	0.52	< 0.5	14	30	16	3.96	< 10	< 1	0.14	20	0.57	175	1
AA0687	201	202	0.2	2.11	24	60	0.5	< 2	0.03	< 0.5	11	28	15	7.26	10	< 1	0.09	30	0.24	375	1
AA0688	201	202	0.6	1.75	10	40	0.5	< 2	0.09	< 0.5	9	29	9	3.98	< 10	< 1	0.06	10	0.35	160	1
AA0689	201	202	0.8	1.42	4	110	0.5	< 2	0.69	< 0.5	6	16	11	1.95	< 10	< 1	0.11	30	0.43	225	1
AA1095	201	202	0.6	2.28	34	60	1.0	< 2	0.38	3.5	8	29	7	3.21	< 10	< 1	0.06	30	0.47	470	1
AA1096	201	202	0.4	1.36	6	130	0.5	< 2	0.64	< 0.5	4	11	6	1.66	< 10	< 1	0.08	30	0.30	215	1
AA1097	201	202	0.2	0.89	22	80	< 0.5	< 2	0.35	< 0.5	3	9	6	1.16	< 10	< 1	0.06	20	0.23	230	1
AA1098	201	202	< 0.2	0.92	20	40	< 0.5	< 2	0.16	< 0.5	3	9	4	1.70	< 10	< 1	0.06	30	0.24	175	1
AA1250	201	202	1.8	1.99	8	80	5.0	< 2	0.35	1.5	4	13	90	1.63	< 10	< 1	0.11	30	0.31	645	6
AA1251	201	202	0.4	1.46	18	80	1.0	< 2	0.16	0.5	7	20	22	2.39	< 10	< 1	0.12	20	0.36	435	5
AA1252	201	202	3.0	2.21	60	60	3.0	< 2	0.11	9.0	12	14	66	2.38	< 10	< 1	0.07	30	0.21	730	9
AA1253	201	202	1.4	1.45	38	40	0.5	< 2	0.15	0.5	5	15	13	2.80	< 10	< 1	0.08	20	0.30	210	3
AA1254	201	202	0.2	1.17	26	50	0.5	< 2	0.20	1.5	4	11	13	2.13	< 10	< 1	0.09	20	0.23	365	3
AA1255	201	202	0.6	1.33	152	90	2.0	< 2	0.29	1.0	5	7	12	1.94	< 10	< 1	0.11	30	0.20	645	3
AA1256	201	202	2.0	1.26	62	70	2.0	< 2	0.33	9.5	7	14	36	2.01	< 10	< 1	0.07	10	0.13	1520	3
AA1257	201	202	2.0	1.09	60	80	1.5	4	0.37	3.5	5	11	21	2.02	< 10	< 1	0.08	10	0.10	905	2
AA1258	201	202	0.4	1.91	20	50	1.5	2	0.19	0.5	7	20	17	3.15	< 10	< 1	0.07	30	0.32	945	2
AA1259	201	202	0.8	1.97	66	150	2.5	< 2	0.28	2.5	15	18	23	4.90	< 10	< 1	0.09	20	0.25	4350	3
AA1260	201	202	0.8	1.57	22	110	2.5	< 2	0.11	2.5	8	10	37	2.52	< 10	< 1	0.10	20	0.13	2420	1
AA1261	201	202	67.0	0.99	118	40	1.0	< 2	0.14	1.5	1	6	160	0.99	< 10	< 1	0.04	10	0.08	185	1
AA1262	201	202	4.4	1.11	8	70	1.5	< 2	0.23	1.5	9	15	53	2.28	< 10	< 1	0.07	20	0.26	1535	5
AA1263	201	202	2.0	1.00	18	80	1.0	< 2	0.17	3.5	7	20	65	2.65	< 10	< 1	0.08	10	0.17	900	8
AA1264	201	202	0.6	1.19	18	90	0.5	< 2	0.24	1.0	8	4	57	2.35	< 10	< 1	0.12	10	0.18	800	5
AA1265	201	202	0.4	1.25	10	60	0.5	< 2	0.06	< 0.5	3	1	15	2.00	< 10	< 1	0.19	50	0.10	550	1
AA1266	201	202	0.4	1.44	24	50	0.5	< 2	0.15	< 0.5	4	16	14	2.21	< 10	< 1	0.07	20	0.22	205	8
AA1267	201	202	0.2	1.40	10	80	1.0	< 2	0.30	< 0.5	5	11	9	2.15	< 10	< 1	0.12	20	0.25	820	2
AA1268	201	202	0.2	1.83	54	70	1.5	< 2	0.19	0.5	10	21	20	3.02	< 10	< 1	0.14	10	0.38	1465	4
AA1269	201	202	0.4	1.46	6	50	0.5	< 2	0.07	< 0.5	5	17	21	2.33	< 10	< 1	0.07	10	0.18	245	3

CERTIFICATION: Hart Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 26-JUL-98
Invoice No. :I9825218
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825218

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA0673	201	202	< 0.01	5	590	20	< 2	2	164	0.05	< 10	10	27	< 10	76
AA0674	201	202	< 0.01	4	740	24	< 2	1	76	0.03	< 10	10	19	< 10	82
AA0675	201	202	< 0.01	5	750	18	< 2	2	72	0.04	< 10	10	25	< 10	86
AA0676	201	202	< 0.01	9	540	22	< 2	3	147	0.05	< 10	20	25	< 10	110
AA0677	201	202	< 0.01	26	330	32	< 2	4	37	0.10	< 10	< 10	43	< 10	176
AA0678	201	202	< 0.01	28	520	28	< 2	4	50	0.11	< 10	< 10	50	< 10	132
AA0680	201	202	< 0.01	25	210	114	< 2	4	38	0.12	< 10	< 10	50	< 10	172
AA0681	201	202	< 0.01	14	270	26	< 2	1	10	0.15	< 10	< 10	83	< 10	78
AA0682	201	202	< 0.01	6	90	22	< 2	1	10	0.12	< 10	< 10	64	< 10	126
AA0683	201	202	< 0.01	26	250	28	< 2	3	28	0.14	< 10	< 10	73	< 10	118
AA0684	201	202	< 0.01	18	170	38	< 2	3	17	0.13	< 10	< 10	65	< 10	232
AA0685	201	202	< 0.01	20	260	26	< 2	4	13	0.07	< 10	< 10	46	< 10	118
AA0686	201	202	< 0.01	30	290	14	< 2	3	156	0.07	< 10	< 10	49	< 10	88
AA0687	201	202	< 0.01	17	350	30	< 2	1	6	0.06	< 10	< 10	55	< 10	102
AA0688	201	202	< 0.01	18	280	28	< 2	2	10	0.12	< 10	< 10	54	< 10	90
AA0689	201	202	< 0.01	11	680	20	< 2	3	93	0.05	< 10	10	25	< 10	116
AA1095	201	202	< 0.01	18	240	68	< 2	3	43	0.05	< 10	< 10	42	< 10	1000
AA1096	201	202	< 0.01	5	470	60	< 2	2	59	0.04	< 10	< 10	24	< 10	158
AA1097	201	202	< 0.01	5	410	26	< 2	1	48	0.05	< 10	< 10	21	< 10	62
AA1098	201	202	< 0.01	3	220	18	< 2	1	21	0.06	< 10	< 10	32	< 10	60
AA1250	201	202	< 0.01	22	1680	18	< 2	1	28	0.01	< 10	10	19	< 10	726
AA1251	201	202	< 0.01	11	590	34	< 2	< 1	13	0.03	< 10	< 10	32	10	200
AA1252	201	202	< 0.01	11	1250	132	< 2	< 1	15	0.01	< 10	< 10	23	< 10	878
AA1253	201	202	< 0.01	8	630	38	< 2	1	16	0.03	< 10	< 10	31	10	348
AA1254	201	202	< 0.01	5	650	32	< 2	< 1	20	0.01	< 10	< 10	25	< 10	484
AA1255	201	202	< 0.01	4	1220	38	< 2	< 1	29	< 0.01	< 10	< 10	17	< 10	380
AA1256	201	202	< 0.01	13	1550	258	< 2	< 1	32	< 0.01	< 10	10	22	< 10	702
AA1257	201	202	< 0.01	6	2010	194	< 2	< 1	36	< 0.01	< 10	< 10	21	< 10	500
AA1258	201	202	< 0.01	10	1310	88	< 2	1	20	0.03	< 10	10	34	< 10	342
AA1259	201	202	< 0.01	10	2500	206	< 2	1	37	0.01	< 10	10	29	< 10	808
AA1260	201	202	< 0.01	6	1670	102	< 2	< 1	15	0.01	< 10	30	20	< 10	858
AA1261	201	202	0.02	3	1440	4010	20	< 1	12	< 0.01	< 10	10	13	< 10	334
AA1262	201	202	< 0.01	9	830	482	< 2	< 1	25	0.02	< 10	< 10	28	< 10	728
AA1263	201	202	< 0.01	8	950	70	< 2	< 1	20	0.06	< 10	< 10	46	< 10	562
AA1264	201	202	< 0.01	2	1130	30	< 2	< 1	24	< 0.01	< 10	< 10	18	< 10	352
AA1265	201	202	< 0.01	< 1	550	34	< 2	< 1	16	< 0.01	< 10	< 10	11	< 10	272
AA1266	201	202	< 0.01	6	1080	34	< 2	< 1	15	0.01	< 10	< 10	25	< 10	154
AA1267	201	202	< 0.01	5	1040	28	< 2	< 1	25	0.01	< 10	< 10	27	< 10	152
AA1268	201	202	< 0.01	12	940	78	< 2	1	16	0.01	< 10	< 10	34	40	280
AA1269	201	202	< 0.01	8	760	26	< 2	< 1	10	0.01	< 10	< 10	28	100	98

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 4-A
Total Pages : 4
Certificate Date: 26-JUL-98
Invoice No. : 19825218
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825218

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1270	201	202	< 0.2	1.67	10	30	0.5	< 2	0.09	< 0.5	5	14	11	2.20	< 10	< 1	0.09	30	0.29	320	1
AA1271	201	202	0.2	1.29	10	40	0.5	< 2	0.07	< 0.5	4	10	12	1.94	< 10	< 1	0.08	30	0.21	280	1
AA1272	201	202	1.2	1.41	56	70	0.5	< 2	0.06	< 0.5	5	12	31	2.95	< 10	< 1	0.17	30	0.26	250	11
AA1273	201	202	0.6	1.36	58	50	0.5	< 2	0.05	< 0.5	5	15	21	2.83	< 10	< 1	0.12	30	0.24	190	6
AA1274	201	202	0.4	1.79	18	40	1.0	< 2	0.06	< 0.5	5	12	30	2.02	< 10	< 1	0.07	20	0.25	235	5
AA1275	201	202	0.6	1.17	12	40	< 0.5	< 2	0.05	< 0.5	3	8	15	1.68	< 10	< 1	0.05	20	0.12	120	2
AA1276	201	202	0.2	1.21	6	50	< 0.5	< 2	0.06	< 0.5	1	9	13	1.08	< 10	< 1	0.04	10	0.14	85	1
AA1277	201	202	1.0	1.42	8	80	0.5	< 2	0.05	1.0	5	13	54	2.17	< 10	< 1	0.06	10	0.14	435	9
AA1278	201	202	0.2	1.14	18	50	0.5	< 2	0.03	< 0.5	4	7	33	2.40	< 10	< 1	0.08	30	0.20	225	14
AA1279	201	202	1.2	1.33	14	30	0.5	2	0.03	< 0.5	3	8	18	2.15	< 10	< 1	0.06	20	0.12	155	25
AA1280	201	202	0.4	1.03	28	50	0.5	< 2	0.10	< 0.5	2	3	49	2.31	< 10	< 1	0.19	30	0.13	175	14
AA1281	201	202	0.4	1.69	10	60	0.5	< 2	0.19	< 0.5	6	11	25	2.12	< 10	< 1	0.21	40	0.35	395	4
AA1282	201	202	0.4	1.18	14	30	< 0.5	< 2	0.12	< 0.5	3	7	9	1.63	< 10	< 1	0.08	30	0.19	205	4
AA1283	201	202	0.6	1.35	28	40	0.5	< 2	0.15	< 0.5	5	6	47	2.11	< 10	< 1	0.11	30	0.23	390	35
AA1284	201	202	< 0.2	0.87	6	40	< 0.5	< 2	0.16	< 0.5	2	5	9	1.28	< 10	< 1	0.07	30	0.15	190	1
AA1285	201	202	0.6	1.60	10	70	0.5	< 2	0.18	< 0.5	5	9	23	2.04	< 10	< 1	0.19	40	0.36	485	3
AA1286	201	202	0.2	1.26	16	30	< 0.5	< 2	0.07	< 0.5	3	7	11	1.78	< 10	< 1	0.10	30	0.15	175	4
AA1287	201	202	0.6	1.64	20	60	0.5	< 2	0.05	< 0.5	5	14	25	2.90	< 10	< 1	0.09	40	0.21	190	12
AA1288	201	202	0.6	1.78	16	40	0.5	< 2	0.08	< 0.5	5	18	13	2.75	< 10	< 1	0.08	30	0.29	205	2
AA1289	201	202	0.2	1.28	22	40	< 0.5	< 2	0.07	< 0.5	4	16	15	2.79	< 10	< 1	0.08	30	0.23	200	8
AA1290	201	202	0.2	1.47	8	60	0.5	< 2	0.07	< 0.5	5	14	12	2.80	< 10	< 1	0.06	30	0.16	275	4
AA1291	201	202	0.2	1.60	12	40	0.5	< 2	0.10	< 0.5	4	10	10	2.00	< 10	< 1	0.08	30	0.17	195	1
AA1292	201	202	1.8	1.14	124	50	0.5	< 2	0.14	< 0.5	4	12	26	2.53	< 10	< 1	0.11	20	0.19	275	10
AA1293	201	202	0.2	1.17	30	40	< 0.5	< 2	0.14	< 0.5	4	15	14	2.24	< 10	< 1	0.08	20	0.19	285	3
AA1294	201	202	4.4	1.39	46	60	1.0	< 2	0.08	1.5	5	13	139	2.23	< 10	< 1	0.08	10	0.16	305	16
AA1295	201	202	0.6	1.45	20	40	0.5	< 2	0.20	< 0.5	3	11	13	1.86	< 10	< 1	0.08	30	0.19	295	6
AA1296	201	202	2.2	1.34	26	50	< 0.5	< 2	0.11	< 0.5	4	14	24	1.90	< 10	< 1	0.06	20	0.16	395	17
AA1297	201	202	0.6	1.38	54	40	0.5	2	0.16	< 0.5	5	14	59	2.31	< 10	< 1	0.08	20	0.21	400	21
AA1298	201	202	0.4	1.48	22	70	0.5	< 2	0.13	1.5	9	16	82	2.33	< 10	< 1	0.08	20	0.21	1130	15
AA1299	201	202	4.2	1.03	30	50	0.5	< 2	0.13	3.0	5	13	89	2.23	< 10	< 1	0.07	20	0.14	385	15
AA1300	201	202	2.0	1.01	22	30	< 0.5	< 2	0.14	< 0.5	3	8	14	1.42	< 10	< 1	0.05	30	0.16	160	10

CERTIFICATION: Hart Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :4-B
Total Pages :4
Certificate Date: 26-JUL-98
Invoice No. :19825218
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9825218

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1270	201	202	< 0.01	8	330	24	< 2	1	7	0.04	< 10	< 10	29	10	78
AA1271	201	202	< 0.01	5	380	20	< 2	1	6	0.03	< 10	< 10	25	< 10	90
AA1272	201	202	< 0.01	7	520	98	< 2	1	15	0.01	< 10	< 10	23	< 10	190
AA1273	201	202	< 0.01	7	360	52	< 2	1	12	0.01	< 10	< 10	24	< 10	122
AA1274	201	202	< 0.01	12	610	32	< 2	1	5	0.01	< 10	< 10	21	< 10	128
AA1275	201	202	< 0.01	3	630	32	< 2	< 1	6	0.01	< 10	< 10	20	20	62
AA1276	201	202	< 0.01	3	810	24	< 2	< 1	5	0.01	< 10	< 10	16	< 10	60
AA1277	201	202	< 0.01	5	1070	54	< 2	< 1	8	0.01	< 10	< 10	30	< 10	110
AA1278	201	202	< 0.01	3	440	52	< 2	< 1	8	0.01	< 10	< 10	28	< 10	108
AA1279	201	202	< 0.01	3	510	34	< 2	< 1	6	0.01	< 10	< 10	26	< 10	118
AA1280	201	202	< 0.01	1	860	18	< 2	1	17	< 0.01	< 10	< 10	16	< 10	66
AA1281	201	202	< 0.01	8	860	46	< 2	3	11	0.05	< 10	< 10	28	< 10	176
AA1282	201	202	< 0.01	3	750	50	< 2	< 1	7	0.01	< 10	< 10	21	< 10	102
AA1283	201	202	< 0.01	4	990	82	< 2	1	7	0.01	< 10	< 10	20	< 10	286
AA1284	201	202	< 0.01	2	610	28	< 2	1	6	0.03	< 10	< 10	18	< 10	78
AA1285	201	202	< 0.01	5	630	90	< 2	3	11	0.05	< 10	< 10	30	< 10	216
AA1286	201	202	< 0.01	3	510	28	< 2	< 1	7	0.01	< 10	< 10	23	< 10	66
AA1287	201	202	< 0.01	7	340	28	< 2	1	5	0.03	< 10	< 10	29	< 10	68
AA1288	201	202	< 0.01	10	350	44	< 2	1	7	0.05	< 10	< 10	31	< 10	118
AA1289	201	202	< 0.01	7	350	26	< 2	1	6	0.03	< 10	< 10	33	< 10	100
AA1290	201	202	< 0.01	5	350	40	< 2	1	8	0.07	< 10	< 10	45	< 10	74
AA1291	201	202	< 0.01	3	420	30	< 2	1	7	0.03	< 10	< 10	22	< 10	58
AA1292	201	202	< 0.01	5	870	86	< 2	< 1	15	< 0.01	< 10	< 10	22	10	136
AA1293	201	202	< 0.01	6	960	58	< 2	< 1	9	0.01	< 10	< 10	27	10	108
AA1294	201	202	< 0.01	6	940	476	< 2	< 1	13	0.02	< 10	< 10	26	< 10	196
AA1295	201	202	< 0.01	4	590	36	< 2	< 1	10	0.01	< 10	< 10	19	< 10	178
AA1296	201	202	< 0.01	4	630	70	< 2	< 1	11	0.01	< 10	< 10	27	< 10	110
AA1297	201	202	< 0.01	5	760	50	< 2	< 1	11	0.01	< 10	< 10	23	< 10	346
AA1298	201	202	< 0.01	13	830	56	< 2	< 1	14	0.01	< 10	< 10	28	< 10	352
AA1299	201	202	< 0.01	6	530	320	< 2	< 1	14	0.03	< 10	< 10	29	< 10	550
AA1300	201	202	< 0.01	3	290	90	< 2	< 1	11	0.01	< 10	< 10	20	< 10	340

CERTIFICATION: Hart Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 28-JUL-98
Invoice No. : 19825217
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825217

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
934745	205	226	26.0	0.41	28	10	< 0.5	6	5.91	100.0	6	18	14	9.48	< 10	< 1	0.13	< 10	0.43	>10000	1
934746	205	226	46.8	1.27	1090	10	< 0.5	< 2	2.12	70.0	3	23	189	>15.00	10	< 1	0.11	< 10	0.27	>10000	5

CERTIFICATION: Jan Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 28-JUL-98
Invoice No. : 19825217
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9825217

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
934745	205	226	< 0.01	8	180	>10000	6	4	126	< 0.01	< 10	60	5	< 10	>10000
934746	205	226	< 0.01	6	170	>10000	12	3	24	< 0.01	< 10	70	14	< 10	>10000

CERTIFICATION: Jan Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page per : 1
Total Pages : 1
Certificate Date: 20-JUL-98
Invoice No. : I9824882
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824882

SAMPLE	PREP CODE		Zn %									
AA1177	244	--	1.20									

CERTIFICATION: Said Tetrault

OVERLIMITS from A9824020

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 16-JUL-98
Invoice No. : I9824746
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824746

SAMPLE	PREP CODE		Ag FA g/t	Pb %	Zn %							
934734	244	--	535	-----	17.50							
934735	244	--	1610	3.76	21.3							
934736	244	--	-----	-----	2.17							
934737	244	--	-----	2.84	4.41							
934740	244	--	361	14.20	1.54							

CERTIFICATION: Saad Celnaid +

OVERLIMITS from A9824018

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 20-JUL-98
Invoice No. : I9824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA 3606	201	202	0.6	1.69	12	50	0.5	< 2	0.10	< 0.5	5	15	6	2.40	< 10	< 1	0.08	30	0.34	170	2
AA 3607	201	202	0.6	1.60	30	30	0.5	< 2	0.11	< 0.5	5	16	4	2.15	< 10	< 1	0.06	30	0.35	185	1
AA 3608	201	202	1.6	1.95	56	50	1.5	< 2	0.23	1.5	11	20	24	2.56	< 10	< 1	0.10	30	0.34	395	3
AA 3609	201	202	1.0	1.23	52	50	< 0.5	< 2	0.29	2.0	6	20	10	3.08	< 10	< 1	0.09	40	0.26	410	3
AA 3610	201	202	0.6	1.75	44	60	0.5	< 2	0.27	1.5	9	24	17	3.25	< 10	< 1	0.12	30	0.41	355	3
AA 3611	201	202	0.2	1.62	146	50	0.5	< 2	0.17	1.5	14	22	23	9.69	< 10	< 1	0.10	20	0.27	1475	7
AA 3612	201	202	0.4	1.42	18	60	0.5	< 2	0.24	2.0	18	19	12	2.80	< 10	< 1	0.10	20	0.32	680	4
AA 3613	201	202	0.2	1.64	58	60	0.5	< 2	0.20	0.5	6	20	5	2.38	< 10	< 1	0.08	30	0.37	455	2
AA 3614	201	202	5.0	1.53	114	80	1.5	< 2	1.02	10.0	17	20	114	3.17	< 10	< 1	0.16	30	0.36	1020	7
AA 3615	201	202	1.0	1.38	98	100	0.5	< 2	0.64	8.0	12	21	25	2.84	< 10	< 1	0.11	20	0.26	1625	7
AA 3616	201	202	0.2	1.74	78	60	0.5	< 2	0.27	< 0.5	6	16	7	2.20	< 10	1	0.08	30	0.31	265	3
AA 3617	201	202	0.2	1.27	50	50	0.5	6	0.25	< 0.5	4	18	20	3.11	< 10	< 1	0.07	30	0.22	300	1
AA 3618	201	202	< 0.2	1.00	18	40	< 0.5	< 2	0.19	< 0.5	3	15	5	1.72	< 10	< 1	0.06	30	0.22	145	1
AA 3619	201	202	0.2	1.93	36	50	0.5	6	0.22	< 0.5	7	27	14	3.51	< 10	< 1	0.11	30	0.45	335	3
AA 3620	201	202	0.6	1.77	24	50	0.5	2	0.22	< 0.5	6	20	9	2.75	< 10	< 1	0.08	30	0.31	235	2
AA 3621	201	202	0.8	1.45	38	50	< 0.5	< 2	0.28	0.5	5	20	12	3.07	< 10	< 1	0.08	30	0.30	295	4
AA 3622	201	202	0.4	1.20	10	50	< 0.5	< 2	0.19	0.5	3	11	6	1.92	< 10	1	0.09	30	0.27	165	3
AA 3623	201	202	0.4	1.23	6	150	1.0	< 2	0.19	1.0	11	13	16	2.37	< 10	< 1	0.07	20	0.19	1500	6
AA 3624	201	202	1.0	1.47	48	70	0.5	< 2	0.08	0.5	5	9	8	2.18	< 10	< 1	0.14	30	0.08	255	5
AA 3625	201	202	0.4	1.54	28	70	0.5	< 2	0.11	1.5	4	12	10	1.89	< 10	1	0.08	30	0.19	465	3
AA 3626	201	202	0.4	1.43	144	40	1.0	< 2	0.28	1.0	3	6	12	2.62	< 10	1	0.08	30	0.13	555	4
AA 3627	201	202	1.6	1.24	28	40	0.5	< 2	0.16	0.5	4	16	15	2.14	< 10	< 1	0.11	30	0.31	265	2
AA 3643	201	202	0.6	1.82	8	140	1.5	< 2	0.26	3.0	12	13	44	3.27	< 10	< 1	0.09	20	0.18	1300	10
AA 3644	201	202	0.2	1.55	8	170	0.5	< 2	0.13	< 0.5	10	13	14	2.70	< 10	< 1	0.09	30	0.28	1160	4
AA 3645	201	202	0.8	1.50	6	110	1.5	< 2	0.14	< 0.5	5	12	59	1.59	< 10	< 1	0.07	30	0.16	390	5
AA 3751	201	202	< 0.2	1.22	14	60	< 0.5	< 2	0.19	< 0.5	4	17	4	1.97	< 10	< 1	0.09	40	0.28	175	1
AA 3752	201	202	0.2	2.13	74	70	0.5	< 2	0.18	< 0.5	7	25	6	3.24	< 10	< 1	0.13	30	0.39	235	1
AA 3753	201	202	0.4	1.88	86	60	0.5	< 2	0.32	0.5	6	19	6	2.56	< 10	< 1	0.14	20	0.39	290	1
AA 3754	201	202	< 0.2	0.62	8	30	< 0.5	< 2	0.13	< 0.5	3	10	5	1.04	< 10	1	0.04	10	0.19	145	1
AA 3755	201	202	1.0	1.17	28	40	0.5	< 2	0.25	0.5	6	17	13	2.31	< 10	< 1	0.07	10	0.31	720	1
AA 3756	201	202	0.6	1.69	106	50	0.5	< 2	0.10	1.0	9	29	29	3.80	< 10	< 1	0.15	30	0.41	385	8
AA 3757	201	202	1.6	1.67	226	40	1.5	38	0.18	0.5	14	26	103	6.28	< 10	< 1	0.18	30	0.31	455	83
AA 3758	201	202	0.2	1.80	64	50	0.5	2	0.13	0.5	6	29	30	3.61	< 10	< 1	0.17	30	0.36	190	10
AA 3759	201	202	0.6	1.54	104	90	1.5	2	0.21	2.0	12	13	148	4.71	< 10	< 1	0.10	30	0.28	1480	8
AA 3760	201	202	0.6	1.16	112	100	0.5	< 2	0.20	0.5	4	14	23	2.19	< 10	< 1	0.11	30	0.19	1040	4
AA 3761	201	202	1.8	2.95	48	180	2.0	2	0.77	3.0	16	28	126	3.92	10	< 1	0.20	30	0.47	1885	14
AA 3762	201	202	0.4	1.48	18	50	0.5	< 2	0.27	0.5	5	19	23	1.85	< 10	< 1	0.10	30	0.39	255	4
AA 3763	201	202	0.6	1.69	26	100	1.5	< 2	0.18	1.0	7	14	76	5.06	< 10	< 1	0.09	20	0.22	275	13
AA 3764	201	202	< 0.2	1.08	22	40	0.5	< 2	0.16	0.5	2	4	8	1.66	< 10	< 1	0.12	60	0.09	150	1
AA 3765	201	202	0.8	1.26	18	110	0.5	< 2	0.42	3.0	12	13	27	2.43	< 10	1	0.12	30	0.25	2610	6

CERTIFICATION: Jack Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :1-B
Total Pages :5
Certificate Date: 20-JUL-98
Invoice No. :I9824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA 3606	201	202	< 0.01	9	190	34	2	2	15	0.08	< 10	< 10	40	< 10	148
AA 3607	201	202	< 0.01	11	160	44	< 2	1	14	0.07	< 10	< 10	33	< 10	200
AA 3608	201	202	0.01	21	270	526	< 2	3	24	0.07	< 10	< 10	31	< 10	852
AA 3609	201	202	< 0.01	9	300	68	< 2	2	29	0.08	< 10	< 10	56	< 10	314
AA 3610	201	202	0.01	13	330	138	< 2	2	27	0.05	< 10	< 10	41	< 10	520
AA 3611	201	202	< 0.01	20	570	118	4	4	17	0.04	< 10	< 10	40	10	420
AA 3612	201	202	< 0.01	19	220	162	< 2	1	27	0.09	< 10	< 10	39	< 10	596
AA 3613	201	202	< 0.01	13	150	60	< 2	2	18	0.08	< 10	< 10	35	< 10	618
AA 3614	201	202	0.01	27	1040	300	< 2	3	103	0.03	< 10	10	22	< 10	796
AA 3615	201	202	< 0.01	13	350	156	< 2	2	46	0.07	< 10	< 10	37	< 10	828
AA 3616	201	202	< 0.01	13	480	70	2	2	18	0.06	< 10	< 10	29	< 10	224
AA 3617	201	202	< 0.01	5	300	62	< 2	1	14	0.06	< 10	< 10	38	< 10	188
AA 3618	201	202	< 0.01	6	190	26	< 2	1	18	0.07	< 10	< 10	31	< 10	110
AA 3619	201	202	< 0.01	13	280	50	< 2	3	10	0.06	< 10	< 10	35	30	184
AA 3620	201	202	< 0.01	9	250	28	< 2	2	11	0.07	< 10	< 10	35	10	162
AA 3621	201	202	< 0.01	10	260	52	2	2	19	0.06	< 10	< 10	46	10	276
AA 3622	201	202	< 0.01	5	260	22	< 2	1	22	0.04	< 10	< 10	31	< 10	268
AA 3623	201	202	< 0.01	8	670	34	< 2	1	28	0.07	< 10	< 10	35	< 10	466
AA 3624	201	202	< 0.01	4	390	62	2	< 1	41	0.01	< 10	< 10	24	< 10	140
AA 3625	201	202	< 0.01	5	420	50	2	< 1	20	0.01	< 10	< 10	27	< 10	494
AA 3626	201	202	< 0.01	3	970	162	< 2	< 1	23	< 0.01	< 10	< 10	15	< 10	720
AA 3627	201	202	< 0.01	9	490	74	< 2	< 1	26	0.03	< 10	< 10	28	< 10	378
AA 3643	201	202	< 0.01	10	2180	38	< 2	< 1	38	0.01	< 10	20	34	< 10	356
AA 3644	201	202	< 0.01	5	470	42	< 2	1	14	0.05	< 10	< 10	37	< 10	258
AA 3645	201	202	< 0.01	4	570	48	< 2	< 1	21	0.01	< 10	< 10	25	< 10	128
AA 3751	201	202	< 0.01	8	390	18	< 2	1	19	0.09	< 10	< 10	37	< 10	154
AA 3752	201	202	< 0.01	17	380	56	< 2	3	21	0.09	< 10	< 10	42	< 10	266
AA 3753	201	202	< 0.01	15	660	140	< 2	2	25	0.06	< 10	< 10	32	< 10	522
AA 3754	201	202	< 0.01	5	370	44	< 2	< 1	10	0.04	< 10	< 10	20	< 10	78
AA 3755	201	202	< 0.01	10	390	152	< 2	1	22	0.04	< 10	< 10	30	< 10	378
AA 3756	201	202	< 0.01	17	320	90	< 2	2	14	0.02	< 10	< 10	33	< 10	440
AA 3757	201	202	< 0.01	22	820	82	2	2	30	0.02	< 10	< 10	31	< 10	354
AA 3758	201	202	< 0.01	11	380	50	< 2	2	24	0.03	< 10	< 10	40	< 10	306
AA 3759	201	202	0.01	9	880	212	< 2	1	29	0.03	< 10	< 10	33	< 10	760
AA 3760	201	202	< 0.01	6	390	98	< 2	1	28	0.03	< 10	< 10	25	< 10	570
AA 3761	201	202	0.01	18	1200	166	2	2	74	0.02	< 10	< 10	41	< 10	934
AA 3762	201	202	< 0.01	9	250	52	< 2	2	24	0.07	< 10	< 10	31	< 10	522
AA 3763	201	202	< 0.01	6	890	126	< 2	1	35	0.01	< 10	< 10	33	10	472
AA 3764	201	202	< 0.01	2	380	26	2	< 1	13	< 0.01	< 10	< 10	13	< 10	220
AA 3765	201	202	< 0.01	7	670	78	< 2	1	47	0.03	< 10	< 10	26	< 10	374

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 20-JUL-98
Invoice No. :I9824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA 3766	201	202	0.6	1.54	24	70	0.5	< 2	0.19	< 0.5	6	19	17	2.32	< 10	< 1	0.12	30	0.39	330	4
AA 3767	201	202	0.4	1.34	26	60	0.5	< 2	0.17	0.5	5	17	14	2.51	< 10	< 1	0.09	30	0.28	260	4
AA 3768	201	202	1.0	1.68	18	120	2.0	< 2	0.16	4.0	13	17	76	2.95	< 10	< 1	0.09	10	0.22	2670	3
AA 3769	201	202	0.8	1.25	18	100	< 0.5	2	0.07	< 0.5	7	15	27	2.66	< 10	< 1	0.07	20	0.21	455	6
AA 3770	201	202	3.2	1.62	24	60	0.5	< 2	0.14	0.5	3	14	27	1.99	< 10	< 1	0.07	30	0.20	295	6
AA 3771	201	202	2.6	2.52	18	120	3.0	< 2	0.12	3.0	7	25	42	3.64	10	< 1	0.04	40	0.19	530	5
AA 3772	201	202	0.6	1.26	30	40	0.5	< 2	0.18	0.5	4	15	8	2.07	< 10	< 1	0.08	30	0.25	170	4
AA 3773	201	202	0.4	0.56	48	30	0.5	< 2	0.23	1.5	2	3	6	1.87	< 10	< 1	0.11	40	0.04	140	4
AA 3774	201	202	0.2	0.86	46	100	0.5	< 2	0.03	< 0.5	7	3	191	4.86	< 10	< 1	0.16	30	0.09	180	119
AA 3775	201	202	0.2	1.35	18	60	0.5	< 2	0.29	< 0.5	6	17	17	2.11	< 10	< 1	0.07	30	0.27	330	3
AA 3776	201	202	1.0	2.40	46	140	1.5	< 2	0.52	< 0.5	8	25	110	2.75	< 10	< 1	0.15	30	0.48	430	4
AA 3777	201	202	0.8	1.75	48	70	0.5	< 2	0.40	0.5	8	23	47	2.73	< 10	< 1	0.12	30	0.45	410	4
AA 3778	201	202	0.4	1.25	194	50	0.5	2	0.54	1.5	6	15	40	2.41	< 10	< 1	0.07	30	0.22	350	4
AA 3779	201	202	0.4	1.52	66	60	0.5	< 2	0.25	0.5	5	16	14	2.60	< 10	< 1	0.13	30	0.28	240	3
AA 3780	201	202	0.8	1.45	64	60	0.5	2	0.25	1.5	6	20	16	3.34	< 10	< 1	0.13	30	0.30	310	7
AA 3781	201	202	0.6	1.87	74	60	0.5	< 2	0.20	1.0	6	23	8	2.99	< 10	< 1	0.10	30	0.37	835	3
AA 3782	201	202	0.2	0.92	16	40	< 0.5	< 2	0.12	< 0.5	3	12	3	1.57	< 10	< 1	0.05	20	0.18	155	1
AA 3783	201	202	1.0	1.98	60	40	0.5	2	0.25	0.5	6	19	5	2.35	< 10	1	0.10	30	0.31	345	1
AA 3784	201	202	0.8	1.20	22	70	< 0.5	< 2	0.16	2.0	5	16	4	1.84	< 10	< 1	0.07	30	0.23	1295	1
AA 3785	201	202	0.2	1.81	46	40	0.5	< 2	0.22	0.5	6	21	5	2.47	< 10	< 1	0.14	30	0.34	330	2
AA 3786	201	202	0.6	1.78	54	70	0.5	< 2	0.20	< 0.5	6	23	6	2.62	< 10	1	0.12	30	0.40	240	3
AA 3787	201	202	< 0.2	1.39	42	60	< 0.5	< 2	0.16	< 0.5	6	22	4	2.63	< 10	< 1	0.09	30	0.33	195	3
AA 3788	201	202	0.4	1.18	46	50	0.5	< 2	0.14	0.5	9	16	5	2.05	< 10	< 1	0.08	20	0.26	700	2
AA 3789	201	202	0.2	1.31	18	40	< 0.5	< 2	0.15	< 0.5	5	18	4	2.12	< 10	< 1	0.09	20	0.28	180	3
AA 3790	201	202	< 0.2	1.60	50	70	0.5	< 2	0.19	< 0.5	4	18	4	2.08	< 10	< 1	0.12	30	0.29	210	1
AA 3791	201	202	0.2	2.05	36	30	1.5	< 2	0.19	< 0.5	17	45	85	7.19	< 10	< 1	0.20	50	0.56	290	14
AA 3792	201	202	1.0	1.26	32	50	0.5	< 2	0.26	0.5	5	17	7	1.83	< 10	< 1	0.12	30	0.33	345	3
AA 3793	201	202	1.0	2.45	84	70	1.0	< 2	0.34	0.5	10	37	16	3.95	< 10	< 1	0.31	40	0.73	975	4
AA 3794	201	202	1.0	2.31	96	70	1.0	< 2	0.25	0.5	14	41	54	5.27	10	< 1	0.18	40	0.66	480	47
AA 3795	201	202	0.8	1.20	44	60	0.5	< 2	0.12	0.5	10	19	12	2.38	< 10	< 1	0.08	20	0.24	865	5
AA 3796	201	202	1.0	1.11	50	60	0.5	2	0.13	1.5	5	12	14	2.07	< 10	< 1	0.09	20	0.17	290	5
AA 3797	201	202	1.0	1.37	48	60	0.5	< 2	0.27	1.5	3	6	91	2.53	< 10	1	0.10	30	0.19	185	13
AA 3798	201	202	0.2	1.34	32	60	0.5	< 2	0.14	< 0.5	4	12	15	2.06	< 10	< 1	0.08	30	0.21	220	4
AA 3799	201	202	< 0.2	1.86	100	70	0.5	< 2	0.12	< 0.5	5	6	20	2.74	< 10	< 1	0.11	40	0.36	220	5
AA 3800	201	202	0.6	1.31	34	80	1.0	< 2	0.24	3.0	5	15	48	2.34	< 10	< 1	0.09	30	0.17	515	5
AA 3801	201	202	0.8	1.49	100	70	0.5	< 2	0.60	0.5	5	16	73	3.44	< 10	< 1	0.14	30	0.37	375	16
AA 3802	201	202	0.2	0.90	40	60	< 0.5	< 2	0.14	0.5	3	9	10	1.80	< 10	< 1	0.08	40	0.06	310	4
AA 3803	201	202	0.4	0.97	32	80	< 0.5	< 2	0.48	0.5	4	9	13	1.75	< 10	< 1	0.15	40	0.23	495	8
AA 3804	201	202	0.6	1.10	16	40	< 0.5	< 2	0.22	< 0.5	4	13	9	1.54	< 10	< 1	0.08	30	0.25	250	4
AA 3805	201	202	0.2	1.05	10	60	< 0.5	< 2	0.19	< 0.5	4	11	6	1.70	< 10	< 1	0.08	40	0.23	195	2

CERTIFICATION: Ian Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218


To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 20-JUL-98
Invoice No. :19824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA 3766	201	202	< 0.01	9	280	44	< 2	2	22	0.05	< 10	< 10	33	< 10	266
AA 3767	201	202	< 0.01	9	360	36	2	1	21	0.05	< 10	< 10	36	10	198
AA 3768	201	202	< 0.01	10	2210	74	< 2	< 1	23	0.01	< 10	10	28	< 10	490
AA 3769	201	202	< 0.01	6	420	66	< 2	1	25	0.06	< 10	< 10	43	< 10	222
AA 3770	201	202	< 0.01	5	840	446	2	< 1	17	0.01	< 10	10	27	< 10	268
AA 3771	201	202	< 0.01	12	810	378	< 2	1	16	0.07	< 10	30	50	< 10	1095
AA 3772	201	202	< 0.01	5	210	30	< 2	1	20	0.06	< 10	< 10	32	< 10	432
AA 3773	201	202	< 0.01	2	570	22	< 2	< 1	29	< 0.01	< 10	< 10	7	< 10	222
AA 3774	201	202	0.01	1	820	36	< 2	< 1	76	< 0.01	< 10	< 10	13	< 10	128
AA 3775	201	202	< 0.01	8	280	28	< 2	1	26	0.06	< 10	< 10	37	< 10	250
AA 3776	201	202	< 0.01	21	410	378	< 2	4	51	0.06	< 10	< 10	36	< 10	606
AA 3777	201	202	< 0.01	14	270	226	< 2	3	38	0.07	< 10	< 10	32	10	608
AA 3778	201	202	< 0.01	9	440	68	< 2	1	52	0.04	< 10	< 10	28	10	532
AA 3779	201	202	< 0.01	7	370	66	< 2	1	29	0.03	< 10	< 10	35	30	466
AA 3780	201	202	< 0.01	11	390	64	2	1	28	0.03	< 10	< 10	32	< 10	646
AA 3781	201	202	< 0.01	13	360	160	2	2	20	0.06	< 10	< 10	35	< 10	822
AA 3782	201	202	< 0.01	5	270	30	< 2	1	12	0.06	< 10	< 10	27	< 10	130
AA 3783	201	202	< 0.01	11	310	238	< 2	2	20	0.07	< 10	< 10	30	< 10	842
AA 3784	201	202	< 0.01	6	270	116	< 2	1	14	0.08	< 10	< 10	33	< 10	506
AA 3785	201	202	< 0.01	9	350	190	< 2	2	24	0.09	< 10	< 10	38	< 10	500
AA 3786	201	202	< 0.01	10	280	36	< 2	3	20	0.09	< 10	< 10	39	< 10	256
AA 3787	201	202	< 0.01	11	460	26	< 2	2	18	0.09	< 10	< 10	44	< 10	162
AA 3788	201	202	< 0.01	8	350	176	< 2	1	17	0.07	< 10	< 10	33	< 10	340
AA 3789	201	202	< 0.01	8	470	38	< 2	1	14	0.10	< 10	< 10	37	< 10	180
AA 3790	201	202	< 0.01	10	510	110	< 2	2	14	0.07	< 10	< 10	30	< 10	338
AA 3791	201	202	< 0.01	31	630	48	2	6	31	0.01	< 10	< 10	39	< 10	196
AA 3792	201	202	< 0.01	9	220	60	< 2	1	26	0.07	< 10	< 10	27	< 10	460
AA 3793	201	202	< 0.01	24	340	108	< 2	3	32	0.07	< 10	< 10	37	20	776
AA 3794	201	202	< 0.01	28	630	70	4	3	28	0.02	< 10	< 10	44	< 10	494
AA 3795	201	202	< 0.01	7	320	86	< 2	1	13	0.07	< 10	< 10	34	< 10	400
AA 3796	201	202	< 0.01	5	260	88	< 2	1	16	0.03	< 10	< 10	27	< 10	452
AA 3797	201	202	< 0.01	3	690	92	< 2	1	34	< 0.01	< 10	< 10	21	10	554
AA 3798	201	202	< 0.01	5	360	38	< 2	< 1	18	0.02	< 10	< 10	32	< 10	226
AA 3799	201	202	< 0.01	3	370	18	< 2	2	18	0.01	< 10	< 10	33	< 10	338
AA 3800	201	202	< 0.01	6	670	98	< 2	< 1	27	0.01	< 10	< 10	33	< 10	442
AA 3801	201	202	0.01	7	710	80	2	3	61	0.02	< 10	< 10	33	< 10	740
AA 3802	201	202	< 0.01	3	310	40	< 2	< 1	17	0.01	< 10	< 10	31	10	216
AA 3803	201	202	< 0.01	4	400	28	< 2	1	39	0.02	< 10	< 10	23	< 10	230
AA 3804	201	202	< 0.01	4	260	34	< 2	1	17	0.04	< 10	< 10	27	< 10	112
AA 3805	201	202	< 0.01	5	230	18	< 2	1	18	0.04	< 10	< 10	26	< 10	152

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-A
Total Pages :5
Certificate Date: 20-JUL-98
Invoice No. :19824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA 3806	201	202	< 0.2	1.05	14	50	< 0.5	< 2	0.19	< 0.5	3	12	11	1.88	< 10	1	0.07	30	0.20	175	3
AA 3807	201	202	< 0.2	1.01	8	80	0.5	< 2	0.07	0.5	4	11	12	2.24	< 10	< 1	0.11	30	0.18	480	3
AA 3808	201	202	0.2	1.08	16	70	< 0.5	< 2	0.11	0.5	5	14	14	2.54	< 10	< 1	0.07	10	0.23	595	3
AA 3809	201	202	32.8	3.98	230	140	4.5	2	0.98	8.0	10	29	599	4.36	10	< 1	0.39	80	0.66	1335	20
AA 3810	201	202	5.2	1.27	72	50	0.5	< 2	0.33	1.5	5	12	44	2.04	< 10	< 1	0.12	40	0.28	400	8
AA 3811	201	202	18.4	2.23	84	110	3.5	< 2	1.17	17.0	11	16	456	2.20	< 10	< 1	0.13	60	0.29	1270	23
AA 3812	201	202	4.8	0.97	24	40	0.5	< 2	0.53	2.5	3	10	43	1.30	< 10	< 1	0.10	40	0.23	280	5
AA 3813	201	202	4.4	2.33	74	100	2.0	< 2	0.76	9.5	6	21	210	2.82	< 10	< 1	0.18	40	0.43	560	17
AA 3814	201	202	6.4	2.44	60	140	2.5	< 2	0.89	20.5	8	24	402	3.30	< 10	< 1	0.18	40	0.42	750	20
AA 3815	201	202	0.6	1.78	38	60	0.5	< 2	0.24	< 0.5	4	16	12	3.00	< 10	< 1	0.08	30	0.30	295	3
AA 3816	201	202	1.0	1.63	34	60	0.5	< 2	0.16	0.5	6	20	8	3.12	< 10	< 1	0.10	20	0.30	390	6
AA 3817	201	202	4.0	2.56	558	110	2.5	< 2	0.97	1.5	10	20	177	4.83	< 10	< 1	0.22	40	0.35	465	47
AA 3818	201	202	0.8	1.59	32	50	< 0.5	< 2	0.22	< 0.5	3	14	16	2.69	< 10	< 1	0.08	30	0.23	225	4
AA 3819	201	202	0.2	1.07	14	50	< 0.5	6	0.19	< 0.5	3	14	8	2.09	< 10	< 1	0.07	30	0.18	205	5
AA 3820	201	202	0.4	2.09	30	70	0.5	< 2	0.19	< 0.5	5	23	8	3.44	< 10	< 1	0.07	30	0.38	270	4
AA 3821	201	202	0.6	1.00	120	40	< 0.5	< 2	0.18	0.5	3	12	6	1.79	< 10	< 1	0.06	30	0.22	135	3
AA 3822	201	202	0.2	0.75	8	30	< 0.5	< 2	0.09	< 0.5	1	7	9	0.99	< 10	< 1	0.05	30	0.07	75	3
AA 3823	201	202	0.4	0.65	72	40	< 0.5	< 2	0.24	0.5	3	9	19	1.94	< 10	< 1	0.08	20	0.09	160	11
AA 3824	201	202	2.8	2.51	108	70	1.5	< 2	0.39	4.0	11	33	23	4.26	< 10	< 1	0.15	30	0.51	1805	6
AA 3825	201	202	0.2	2.20	408	40	1.5	< 2	0.08	< 0.5	16	36	29	6.36	< 10	< 1	0.14	30	0.37	640	5
AA 3826	201	202	0.6	1.91	84	60	0.5	2	0.26	0.5	9	27	23	3.53	< 10	< 1	0.14	30	0.38	440	4
AA 3827	201	202	0.4	1.45	26	50	0.5	< 2	0.16	< 0.5	6	20	13	2.26	< 10	< 1	0.09	30	0.30	450	3
AA 3828	201	202	0.2	1.59	28	60	< 0.5	2	0.27	< 0.5	6	22	6	2.40	< 10	< 1	0.10	30	0.33	645	2
AA 3829	201	202	1.6	1.82	54	70	0.5	< 2	0.72	0.5	8	28	41	2.82	< 10	< 1	0.19	40	0.56	420	5
AA 3830	201	202	< 0.2	1.57	40	50	0.5	< 2	0.25	< 0.5	6	21	7	2.52	< 10	< 1	0.11	30	0.37	455	2
AA 3831	201	202	0.8	2.10	20	60	0.5	< 2	0.10	1.0	13	34	11	3.88	10	< 1	0.12	20	0.32	460	1
AA 3832	201	202	0.2	1.76	26	60	< 0.5	< 2	0.12	< 0.5	7	25	8	3.33	< 10	< 1	0.08	30	0.35	485	2
AA 3833	201	202	0.2	1.32	42	40	< 0.5	< 2	0.11	< 0.5	4	14	8	2.55	< 10	< 1	0.06	30	0.22	255	4
AA 3834	201	202	0.6	1.33	94	40	< 0.5	< 2	0.12	< 0.5	3	12	9	1.92	< 10	< 1	0.07	30	0.22	185	3
AA 3835	201	202	0.2	1.64	162	50	0.5	< 2	0.15	< 0.5	4	17	9	2.26	< 10	< 1	0.07	30	0.24	210	4
AA 3836	201	202	0.2	1.59	32	40	0.5	< 2	0.20	< 0.5	5	17	7	2.59	< 10	< 1	0.07	30	0.27	220	3
AA 3837	201	202	0.2	1.38	18	40	0.5	< 2	0.18	< 0.5	4	15	8	2.08	< 10	< 1	0.07	30	0.23	170	4
AA 3838	201	202	0.2	0.78	20	30	< 0.5	< 2	0.25	< 0.5	2	9	8	1.09	< 10	< 1	0.05	30	0.16	145	< 1
AA 3839	201	202	0.2	1.53	28	40	0.5	2	0.51	< 0.5	4	15	34	1.92	< 10	< 1	0.08	40	0.29	265	1
AA 3840	201	202	1.0	1.68	58	80	0.5	< 2	0.60	1.5	5	16	46	2.12	< 10	< 1	0.16	30	0.34	440	9
AA 3841	201	202	3.4	1.93	88	100	1.5	< 2	0.97	4.0	7	14	86	2.56	< 10	< 1	0.13	40	0.32	1285	18
AA 3842	201	202	3.6	3.27	78	130	2.0	< 2	1.23	3.5	12	18	59	3.55	< 10	< 1	0.22	30	0.48	500	9
AA 3843	201	202	3.4	2.23	38	120	2.0	< 2	1.24	3.0	6	14	91	2.38	< 10	< 1	0.18	30	0.35	610	8
AA 3844	201	202	< 0.2	1.13	8	60	< 0.5	< 2	0.37	< 0.5	2	9	5	1.23	< 10	< 1	0.08	40	0.30	175	3
AA 3845	201	202	0.4	1.11	12	50	< 0.5	< 2	0.33	< 0.5	3	10	6	1.63	< 10	< 1	0.07	40	0.23	190	1

CERTIFICATION: Ian Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218


To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 20-JUL-98
Invoice No. :I9824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA 3806	201	202	< 0.01	5	490	16	< 2	< 1	17	0.01	< 10	< 10	27	10	142
AA 3807	201	202	< 0.01	6	460	24	< 2	< 1	11	0.01	< 10	< 10	32	< 10	138
AA 3808	201	202	< 0.01	7	600	56	< 2	< 1	11	0.02	< 10	< 10	32	< 10	242
AA 3809	201	202	0.01	27	1140	982	4	6	108	0.04	< 10	60	38	< 10	3840
AA 3810	201	202	< 0.01	7	470	124	< 2	2	29	0.03	< 10	< 10	22	< 10	1640
AA 3811	201	202	0.01	9	2520	776	2	2	120	0.01	< 10	70	21	< 10	3540
AA 3812	201	202	< 0.01	7	950	66	< 2	1	36	0.03	< 10	< 10	16	< 10	1340
AA 3813	201	202	< 0.01	14	1580	104	2	3	79	0.03	< 10	30	31	< 10	3600
AA 3814	201	202	0.01	20	1350	104	< 2	3	97	0.03	< 10	30	31	< 10	5320
AA 3815	201	202	< 0.01	5	320	54	< 2	2	13	0.05	< 10	< 10	36	10	222
AA 3816	201	202	< 0.01	7	250	44	< 2	1	11	0.07	< 10	< 10	41	< 10	390
AA 3817	201	202	0.01	14	1260	262	2	4	104	0.01	< 10	40	30	< 10	672
AA 3818	201	202	< 0.01	4	390	52	< 2	1	11	0.04	< 10	< 10	37	10	110
AA 3819	201	202	< 0.01	4	270	18	< 2	1	13	0.08	< 10	< 10	42	< 10	84
AA 3820	201	202	< 0.01	10	230	70	< 2	2	14	0.08	< 10	< 10	51	< 10	248
AA 3821	201	202	< 0.01	6	230	52	< 2	1	20	0.06	< 10	< 10	29	< 10	310
AA 3822	201	202	< 0.01	2	180	58	< 2	< 1	11	0.01	< 10	< 10	17	< 10	62
AA 3823	201	202	< 0.01	3	270	72	< 2	< 1	23	0.03	< 10	< 10	29	< 10	144
AA 3824	201	202	< 0.01	20	360	276	2	3	39	0.04	< 10	< 10	36	< 10	1385
AA 3825	201	202	< 0.01	38	520	146	4	3	10	0.01	< 10	< 10	29	< 10	608
AA 3826	201	202	< 0.01	14	290	76	2	2	27	0.04	< 10	< 10	40	< 10	542
AA 3827	201	202	< 0.01	11	260	158	< 2	1	14	0.09	< 10	< 10	33	< 10	510
AA 3828	201	202	< 0.01	9	250	112	2	2	25	0.09	< 10	< 10	39	< 10	516
AA 3829	201	202	< 0.01	22	790	96	2	4	50	0.07	< 10	< 10	31	< 10	608
AA 3830	201	202	< 0.01	16	160	56	< 2	2	22	0.06	< 10	< 10	31	< 10	406
AA 3831	201	202	< 0.01	20	240	46	2	2	10	0.09	< 10	< 10	51	< 10	546
AA 3832	201	202	< 0.01	10	180	36	2	2	11	0.08	< 10	< 10	48	< 10	240
AA 3833	201	202	< 0.01	6	170	40	< 2	1	12	0.04	< 10	< 10	34	< 10	204
AA 3834	201	202	< 0.01	5	250	58	< 2	1	10	0.03	< 10	< 10	28	< 10	238
AA 3835	201	202	< 0.01	6	210	166	< 2	1	10	0.05	< 10	< 10	29	< 10	466
AA 3836	201	202	< 0.01	6	290	74	< 2	1	11	0.06	< 10	< 10	37	20	246
AA 3837	201	202	< 0.01	5	290	18	< 2	1	10	0.05	< 10	< 10	27	10	90
AA 3838	201	202	< 0.01	4	540	12	< 2	1	10	0.04	< 10	< 10	16	10	46
AA 3839	201	202	< 0.01	10	580	24	< 2	1	22	0.05	< 10	< 10	22	30	156
AA 3840	201	202	< 0.01	9	850	38	< 2	3	51	0.03	< 10	< 10	25	30	536
AA 3841	201	202	< 0.01	13	1020	82	< 2	3	89	0.01	< 10	20	23	< 10	1335
AA 3842	201	202	0.01	23	830	84	< 2	5	100	0.01	< 10	10	33	< 10	1400
AA 3843	201	202	0.05	35	1050	46	2	2	112	0.03	< 10	< 10	25	< 10	916
AA 3844	201	202	< 0.01	3	120	10	< 2	2	26	0.06	< 10	< 10	26	< 10	152
AA 3845	201	202	< 0.01	5	250	18	< 2	1	23	0.04	< 10	< 10	26	< 10	152

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 20-JUL-98
Invoice No. : I9824632
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA 3846	201	202	0.2	0.67	10	40	< 0.5	< 2	0.15	< 0.5	1	5	6	0.83	< 10	< 1	0.07	40	0.13	105	1
AA 3847	201	202	3.2	1.27	64	50	1.5	< 2	0.57	1.5	6	13	62	2.01	< 10	< 1	0.09	40	0.25	630	11
AA 3848	201	202	2.0	1.40	24	60	0.5	< 2	0.08	< 0.5	4	11	17	2.75	< 10	< 1	0.08	10	0.19	210	8
AA 3849	201	202	1.4	1.33	24	40	< 0.5	< 2	0.11	< 0.5	4	17	13	2.40	< 10	< 1	0.06	10	0.27	250	6
AA 3850	201	202	1.2	1.18	60	60	0.5	< 2	0.12	0.5	20	19	25	3.43	< 10	< 1	0.09	10	0.22	1815	11
AA 3851	201	202	0.2	1.61	46	50	0.5	< 2	0.16	< 0.5	6	20	15	3.55	< 10	< 1	0.08	20	0.29	260	5
AA 3852	201	202	0.2	1.53	52	40	0.5	< 2	0.20	< 0.5	7	23	15	3.29	< 10	< 1	0.08	30	0.31	250	5
AA 3853	201	202	2.0	2.39	66	100	2.0	< 2	0.71	2.5	11	24	89	3.36	< 10	< 1	0.17	40	0.41	1655	30
AA 3854	201	202	0.2	1.35	22	40	< 0.5	< 2	0.27	< 0.5	5	17	8	2.20	< 10	< 1	0.10	30	0.26	300	3
AA 3855	201	202	0.2	1.20	18	40	< 0.5	< 2	0.21	< 0.5	3	13	8	2.12	< 10	< 1	0.09	40	0.26	210	3
AA 3856	201	202	< 0.2	1.55	30	30	0.5	< 2	0.29	< 0.5	4	14	10	2.27	< 10	< 1	0.08	40	0.29	250	3
AA 3857	201	202	0.8	1.22	10	50	1.0	< 2	0.92	0.5	20	10	36	1.86	< 10	< 1	0.05	20	0.13	470	4
AA 3858	201	202	0.2	0.92	16	40	< 0.5	< 2	0.08	0.5	4	14	8	2.22	< 10	< 1	0.05	10	0.16	225	3
AA 3859	201	202	0.6	1.08	10	30	0.5	< 2	0.25	< 0.5	4	11	13	1.47	< 10	< 1	0.08	20	0.24	150	2
AA 3860	201	202	< 0.2	0.65	20	10	< 0.5	< 2	0.11	< 0.5	3	9	7	1.38	< 10	< 1	0.05	30	0.18	140	3
AA 3861	201	202	3.2	2.10	54	100	1.5	< 2	0.71	2.0	7	17	60	3.28	< 10	< 1	0.10	30	0.31	1635	14
AA 3862	201	202	2.8	1.87	54	100	1.5	2	0.98	3.5	7	16	65	2.88	< 10	1	0.09	30	0.29	1930	14
AA 3863	201	202	0.4	1.60	36	30	0.5	< 2	0.12	0.5	5	10	35	3.43	< 10	< 1	0.08	30	0.20	390	7
AA 3864	201	202	0.4	1.35	36	60	0.5	< 2	0.20	0.5	6	16	10	2.46	< 10	< 1	0.07	20	0.31	235	3
AA 3865	201	202	2.0	2.00	96	90	2.0	2	0.40	2.0	13	24	83	3.24	< 10	< 1	0.07	30	0.34	1885	14
AA 3866	201	202	0.8	1.71	68	50	1.0	< 2	0.27	0.5	10	18	22	2.93	< 10	< 1	0.10	30	0.37	835	7
AA 3867	201	202	1.2	1.21	22	50	< 0.5	< 2	0.09	0.5	4	18	9	2.67	< 10	< 1	0.05	10	0.26	215	2
AA 3868	201	202	5.8	1.57	76	30	< 0.5	< 2	10.40	2.5	15	27	41	4.39	< 10	< 1	0.13	10	0.57	725	3
AA 3869	201	202	< 0.2	1.42	8	130	< 0.5	< 2	0.22	< 0.5	10	25	7	2.76	< 10	< 1	0.06	10	0.41	405	2
AA 3870	201	202	0.6	3.08	18	40	1.0	< 2	1.09	0.5	17	18	11	2.93	< 10	< 1	0.08	10	0.24	370	4
AA 3871	201	202	0.2	1.66	44	50	0.5	< 2	0.28	< 0.5	16	31	8	3.55	< 10	< 1	0.27	10	0.52	690	3
AA 3872	201	202	< 0.2	1.99	6	80	0.5	< 2	0.52	0.5	16	39	15	4.05	< 10	< 1	0.23	10	0.58	580	3
AA 3873	201	202	0.2	1.19	2	60	< 0.5	< 2	0.59	2.0	10	15	10	2.18	< 10	1	0.05	10	0.23	625	3
AA 3874	201	202	< 0.2	2.74	2	50	0.5	< 2	0.28	< 0.5	28	56	20	5.47	10	< 1	0.47	20	0.95	355	3
AA 3875	201	202	0.2	1.84	10	70	0.5	< 2	0.33	0.5	13	44	9	4.55	10	< 1	0.10	10	0.52	410	4
AA 3876	201	202	0.2	1.37	12	60	< 0.5	< 2	0.13	0.5	9	26	6	2.71	< 10	1	0.07	10	0.46	415	3
AA 3877	201	202	< 0.2	1.57	16	90	< 0.5	< 2	0.16	0.5	9	32	6	3.26	< 10	< 1	0.05	10	0.46	320	3
AA 3878	201	202	0.8	1.17	22	70	< 0.5	< 2	0.25	< 0.5	9	27	8	2.76	< 10	< 1	0.06	10	0.47	230	3
AA 3879	201	202	0.2	2.10	20	50	0.5	< 2	0.45	1.5	28	38	17	3.92	< 10	< 1	0.24	10	0.61	715	4
AA 3880	201	202	< 0.2	2.21	8	50	0.5	2	0.16	< 0.5	21	48	20	6.97	10	< 1	0.13	10	0.62	445	3
AA 3881	201	202	0.2	2.60	26	70	1.0	< 2	0.22	< 0.5	15	35	8	4.71	< 10	< 1	0.12	10	0.56	600	8
AA 3882	201	202	< 0.2	3.05	< 2	40	0.5	< 2	0.40	< 0.5	24	45	17	4.93	10	< 1	0.15	20	0.66	255	3
AA 3883	201	202	< 0.2	1.11	10	70	< 0.5	< 2	0.21	< 0.5	13	26	6	2.81	< 10	< 1	0.09	10	0.35	945	1
AA 3884	201	202	< 0.2	1.11	6	40	< 0.5	< 2	0.17	< 0.5	8	17	3	1.87	< 10	< 1	0.10	30	0.33	380	1
AA 3885	201	202	< 0.2	2.39	< 2	60	0.5	< 2	0.64	< 0.5	14	34	20	5.08	< 10	< 1	0.40	30	0.70	180	3

CERTIFICATION: Ian Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :4-B
Total Pages :5
Certificate Date: 20-JUL-98
Invoice No. :19824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA 3846	201	202	< 0.01	3	160	14	< 2	< 1	13	0.03	< 10	< 10	15	< 10	108
AA 3847	201	202	< 0.01	19	430	196	< 2	2	52	0.01	< 10	< 10	19	< 10	800
AA 3848	201	202	< 0.01	6	470	130	2	< 1	11	0.01	< 10	< 10	33	< 10	296
AA 3849	201	202	< 0.01	7	340	60	< 2	< 1	9	0.01	< 10	< 10	27	< 10	182
AA 3850	201	202	< 0.01	10	730	200	< 2	< 1	14	0.01	< 10	< 10	38	< 10	306
AA 3851	201	202	< 0.01	10	460	72	2	< 1	17	0.01	< 10	< 10	33	< 10	336
AA 3852	201	202	< 0.01	18	330	32	< 2	1	24	0.01	< 10	< 10	29	< 10	192
AA 3853	201	202	< 0.01	35	1710	114	2	3	66	0.03	< 10	10	30	< 10	1430
AA 3854	201	202	< 0.01	7	250	28	< 2	1	16	0.05	< 10	< 10	35	< 10	166
AA 3855	201	202	0.01	6	410	26	< 2	1	13	0.04	< 10	< 10	25	< 10	100
AA 3856	201	202	< 0.01	7	330	44	< 2	1	15	0.04	< 10	< 10	27	< 10	152
AA 3857	201	202	0.01	18	680	36	< 2	< 1	49	0.01	< 10	< 10	21	< 10	214
AA 3858	201	202	< 0.01	6	220	26	< 2	1	10	0.05	< 10	< 10	44	< 10	214
AA 3859	201	202	< 0.01	10	260	24	< 2	1	17	0.02	< 10	< 10	20	10	72
AA 3860	201	202	< 0.01	4	90	10	< 2	1	8	0.04	< 10	< 10	26	< 10	58
AA 3861	201	202	< 0.01	20	1320	42	< 2	2	69	0.01	< 10	10	25	< 10	1055
AA 3862	201	202	< 0.01	25	1190	50	4	2	77	0.01	< 10	10	22	10	1230
AA 3863	201	202	< 0.01	7	300	44	2	1	12	< 0.01	< 10	< 10	23	< 10	290
AA 3864	201	202	< 0.01	10	310	48	< 2	1	20	0.05	< 10	< 10	32	< 10	266
AA 3865	201	202	< 0.01	24	1230	330	< 2	1	31	0.03	< 10	10	34	< 10	908
AA 3866	201	202	< 0.01	12	380	162	< 2	1	22	0.03	< 10	< 10	27	< 10	452
AA 3867	201	202	< 0.01	7	130	132	< 2	1	9	0.08	< 10	< 10	40	< 10	446
AA 3868	201	202	0.09	26	1200	538	< 2	3	701	0.02	< 10	< 10	22	< 10	934
AA 3869	201	202	< 0.01	17	300	14	< 2	1	19	0.09	< 10	< 10	46	< 10	168
AA 3870	201	202	0.10	36	570	36	< 2	1	152	0.04	< 10	< 10	20	< 10	200
AA 3871	201	202	< 0.01	26	420	138	< 2	4	33	0.07	< 10	< 10	38	< 10	618
AA 3872	201	202	< 0.01	32	300	24	< 2	4	68	0.08	< 10	< 10	46	< 10	192
AA 3873	201	202	0.02	10	280	14	< 2	1	73	0.05	< 10	< 10	28	< 10	484
AA 3874	201	202	0.01	59	360	18	< 2	7	340	0.13	< 10	< 10	57	< 10	170
AA 3875	201	202	< 0.01	21	310	26	< 2	3	30	0.14	< 10	< 10	71	< 10	258
AA 3876	201	202	< 0.01	13	150	26	< 2	1	13	0.11	< 10	< 10	49	< 10	210
AA 3877	201	202	< 0.01	16	260	22	< 2	1	15	0.10	< 10	< 10	53	< 10	306
AA 3878	201	202	< 0.01	21	270	10	< 2	1	19	0.09	< 10	< 10	44	< 10	126
AA 3879	201	202	< 0.01	27	350	32	< 2	3	41	0.07	< 10	< 10	47	< 10	464
AA 3880	201	202	< 0.01	33	400	18	< 2	3	28	0.10	< 10	< 10	48	< 10	198
AA 3881	201	202	< 0.01	27	330	72	< 2	3	41	0.05	< 10	< 10	43	< 10	162
AA 3882	201	202	0.03	51	540	18	< 2	4	339	0.09	< 10	< 10	44	< 10	94
AA 3883	201	202	< 0.01	12	280	12	< 2	1	16	0.09	< 10	< 10	45	< 10	250
AA 3884	201	202	< 0.01	6	130	18	< 2	1	16	0.08	< 10	< 10	33	< 10	232
AA 3885	201	202	0.01	27	380	14	2	3	65	0.09	< 10	< 10	37	< 10	138

CERTIFICATION: Ian Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 20-JUL-98
Invoice No. :19824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA 3886	201	202	0.8	4.01	< 2	30	0.5	< 2	10.65	< 0.5	21	36	31	5.47	10	< 1	0.08	30	0.53	280	4
AA 3887	201	202	< 0.2	3.26	24	80	1.0	< 2	0.23	< 0.5	60	47	32	7.14	10	< 1	0.14	20	0.85	955	3
AA 3888	201	202	0.4	1.78	20	50	0.5	< 2	0.57	< 0.5	15	30	34	2.94	< 10	< 1	0.06	20	0.53	235	3
AA 3889	201	202	0.2	2.08	8	50	0.5	< 2	1.47	0.5	18	41	12	4.34	< 10	< 1	0.17	30	0.60	745	3
AA 3890	201	202	< 0.2	3.06	< 2	80	1.0	< 2	0.34	< 0.5	5	58	35	6.32	10	< 1	0.65	30	1.11	165	5
AA 3891	201	202	0.4	2.69	36	50	0.5	< 2	0.69	< 0.5	20	35	18	4.33	< 10	< 1	0.21	30	0.73	255	3
AA 3892	201	202	< 0.2	1.76	8	160	0.5	< 2	0.16	0.5	15	31	9	3.54	< 10	< 1	0.09	10	0.46	1220	1
AA 3893	201	202	< 0.2	2.29	26	80	0.5	< 2	0.30	< 0.5	10	28	7	3.47	< 10	< 1	0.13	20	0.58	240	< 1
AA 3894	201	202	< 0.2	2.18	10	50	0.5	< 2	0.26	< 0.5	11	34	9	3.90	< 10	< 1	0.09	20	0.59	135	3
AA 3895	201	202	26.2	4.01	232	10	1.0	< 2	2.03	1.5	21	25	25	5.92	< 10	< 1	0.01	40	0.30	390	4
AA 3896	201	202	0.2	2.63	20	80	1.0	< 2	1.49	0.5	15	46	13	3.70	< 10	< 1	0.08	20	0.89	1115	4
AA 3897	201	202	0.2	2.13	28	40	0.5	< 2	0.42	< 0.5	9	34	9	3.53	< 10	< 1	0.11	20	0.59	160	4
AA 3898	201	202	0.2	1.80	16	30	0.5	< 2	0.32	< 0.5	9	23	7	2.69	< 10	1	0.16	20	0.50	220	1
AA 3899	201	202	0.4	2.05	24	40	1.5	< 2	0.54	< 0.5	14	31	9	3.85	< 10	< 1	0.21	50	0.65	455	2
AA 3900	201	202	0.2	1.16	398	30	1.0	< 2	0.74	6.0	19	30	129	5.44	< 10	< 1	0.06	60	0.47	270	5
AA 3901	201	202	2.2	1.25	64	50	0.5	2	1.87	2.0	10	22	67	2.41	< 10	< 1	0.08	20	0.48	320	1
AA 3902	201	202	1.8	2.01	64	80	1.5	2	1.07	3.5	14	33	109	3.38	< 10	< 1	0.14	30	0.56	675	1
AA 3903	201	202	0.2	3.24	< 2	70	1.0	< 2	0.35	< 0.5	31	101	69	7.93	10	< 1	0.07	20	0.78	225	4
AA 3904	201	202	0.2	1.94	10	100	0.5	2	0.31	0.5	27	36	17	4.17	< 10	< 1	0.09	10	0.45	1170	3
AA 3905	201	202	0.2	3.21	26	70	1.0	< 2	0.33	< 0.5	23	36	12	4.69	10	< 1	0.11	10	0.50	235	2
AA 3906	201	202	1.6	4.56	20	40	1.0	< 2	1.17	< 0.5	28	50	33	5.27	10	< 1	0.13	40	0.73	370	3
AA 3907	201	202	0.6	2.70	20	40	0.5	< 2	3.88	0.5	24	58	26	5.90	< 10	1	0.47	90	0.97	665	4
AA 3908	201	202	0.4	1.91	66	70	1.0	< 2	0.84	< 0.5	9	25	53	2.51	< 10	< 1	0.10	40	0.50	680	1
AA 3909	201	202	0.2	3.00	78	60	0.5	6	0.41	< 0.5	31	241	34	5.00	10	< 1	0.08	10	1.68	345	1
AA 3910	201	202	0.2	1.47	36	60	< 0.5	< 2	0.30	0.5	9	26	10	3.07	< 10	< 1	0.16	20	0.40	220	3
AA 3911	201	202	< 0.2	1.67	10	50	0.5	< 2	0.22	< 0.5	7	21	6	2.45	< 10	< 1	0.11	20	0.50	190	2
AA 3912	201	202	0.2	1.49	50	40	< 0.5	2	0.21	< 0.5	7	22	8	2.91	< 10	< 1	0.07	10	0.47	170	3
AA 3913	201	202	0.2	1.26	38	40	< 0.5	< 2	0.15	< 0.5	7	24	7	2.59	< 10	< 1	0.10	10	0.42	215	2
AA 3914	201	202	0.2	2.05	40	60	0.5	< 2	0.15	0.5	11	43	11	3.92	10	< 1	0.10	10	0.70	185	3
AA 3915	201	202	0.6	1.67	36	70	0.5	2	0.49	0.5	25	27	24	3.31	< 10	< 1	0.09	20	0.52	1515	2
AA 3916	201	202	0.2	1.65	20	60	0.5	< 2	0.21	< 0.5	13	28	10	2.62	< 10	< 1	0.08	10	0.39	170	1
AA 3917	201	202	< 0.2	2.21	8	50	0.5	< 2	0.28	< 0.5	20	35	14	3.59	< 10	< 1	0.10	20	0.57	210	1
AA 3918	201	202	0.4	1.78	30	40	0.5	< 2	0.14	< 0.5	11	27	15	3.07	< 10	< 1	0.11	20	0.51	135	2
AA 3919	201	202	0.2	1.55	46	40	0.5	< 2	0.26	0.5	12	24	12	2.51	< 10	< 1	0.06	10	0.40	455	1
AA 3920	201	202	0.6	2.10	38	50	0.5	< 2	0.47	0.5	21	53	18	3.40	< 10	< 1	0.11	20	0.71	615	3
AA 3921	201	202	0.2	1.67	24	40	0.5	< 2	0.20	< 0.5	14	28	9	3.22	< 10	< 1	0.18	20	0.52	280	3
AA 3922	201	202	0.2	2.21	28	50	0.5	< 2	0.06	< 0.5	14	28	13	4.05	< 10	< 1	0.09	30	0.58	185	3
AA 3923	201	202	0.8	1.64	36	80	< 0.5	< 2	0.13	< 0.5	11	34	10	3.19	< 10	< 1	0.11	20	0.48	250	3
AA 3924	201	202	1.0	1.45	34	60	1.0	< 2	0.72	0.5	8	20	49	1.99	< 10	< 1	0.11	40	0.38	355	3

CERTIFICATION: Hank Ficklin

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :5-B
Total Pages :5
Certificate Date: 20-JUL-98
Invoice No. :19824632
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824632

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA 3886	201	202	0.23	48	420	28	< 2	3	367	0.06	< 10	10	29	< 10	76
AA 3887	201	202	< 0.01	113	360	40	< 2	5	49	0.10	< 10	< 10	55	< 10	370
AA 3888	201	202	0.01	89	240	74	< 2	3	37	0.09	< 10	< 10	31	< 10	456
AA 3889	201	202	0.05	33	460	32	< 2	4	150	0.09	< 10	< 10	42	< 10	320
AA 3890	201	202	0.01	8	350	24	2	4	109	0.09	< 10	< 10	57	< 10	74
AA 3891	201	202	0.04	42	300	72	2	4	120	0.08	< 10	< 10	40	< 10	194
AA 3892	201	202	< 0.01	16	470	24	< 2	3	22	0.10	< 10	< 10	53	< 10	218
AA 3893	201	202	< 0.01	21	150	38	< 2	3	47	0.06	< 10	< 10	40	< 10	204
AA 3894	201	202	< 0.01	22	200	22	< 2	2	31	0.07	< 10	< 10	45	< 10	106
AA 3895	201	202	0.27	42	910	>10000	2	3	333	0.05	< 10	10	17	< 10	1125
AA 3896	201	202	0.03	33	670	70	2	4	112	0.04	< 10	< 10	40	< 10	188
AA 3897	201	202	< 0.01	17	160	42	2	3	45	0.07	< 10	< 10	45	< 10	236
AA 3898	201	202	< 0.01	17	130	44	< 2	3	32	0.06	< 10	< 10	32	< 10	164
AA 3899	201	202	< 0.01	25	340	76	< 2	7	49	0.03	< 10	< 10	32	< 10	128
AA 3900	201	202	< 0.01	63	490	36	4	4	61	< 0.01	< 10	< 10	27	< 10	3340
AA 3901	201	202	0.01	32	860	102	< 2	2	131	0.03	< 10	< 10	21	< 10	1340
AA 3902	201	202	0.03	57	610	150	< 2	5	92	0.05	< 10	< 10	28	< 10	1780
AA 3903	201	202	0.01	69	770	18	< 2	3	59	0.14	< 10	< 10	57	< 10	144
AA 3904	201	202	0.01	56	180	20	< 2	3	33	0.12	< 10	< 10	49	< 10	396
AA 3905	201	202	0.03	42	280	86	< 2	2	76	0.08	< 10	< 10	44	< 10	290
AA 3906	201	202	0.10	62	490	48	< 2	5	140	0.11	< 10	< 10	45	10	246
AA 3907	201	202	0.05	57	1070	22	< 2	11	212	0.14	< 10	< 10	45	< 10	166
AA 3908	201	202	0.01	23	860	68	< 2	4	68	0.05	< 10	10	28	< 10	908
AA 3909	201	202	0.01	99	350	18	< 2	5	43	0.08	< 10	< 10	97	< 10	182
AA 3910	201	202	< 0.01	13	240	28	< 2	2	41	0.06	< 10	< 10	45	< 10	278
AA 3911	201	202	< 0.01	15	140	18	< 2	2	44	0.05	< 10	< 10	31	< 10	118
AA 3912	201	202	< 0.01	13	190	18	< 2	1	41	0.04	< 10	< 10	32	< 10	156
AA 3913	201	202	< 0.01	12	200	20	< 2	2	18	0.05	< 10	< 10	38	< 10	370
AA 3914	201	202	< 0.01	22	430	24	< 2	2	23	0.03	< 10	< 10	44	< 10	352
AA 3915	201	202	< 0.01	27	510	160	< 2	3	48	0.08	< 10	< 10	37	< 10	530
AA 3916	201	202	< 0.01	27	100	50	2	2	20	0.10	< 10	< 10	41	< 10	480
AA 3917	201	202	< 0.01	38	230	54	2	3	28	0.10	< 10	< 10	44	< 10	314
AA 3918	201	202	< 0.01	23	160	14	< 2	2	18	0.08	< 10	< 10	36	< 10	126
AA 3919	201	202	< 0.01	28	180	52	< 2	1	24	0.08	< 10	< 10	36	< 10	218
AA 3920	201	202	0.03	38	380	204	2	3	50	0.10	< 10	< 10	43	< 10	618
AA 3921	201	202	< 0.01	18	150	28	< 2	2	18	0.06	< 10	< 10	35	< 10	160
AA 3922	201	202	< 0.01	29	170	18	< 2	2	16	0.03	< 10	< 10	33	< 10	168
AA 3923	201	202	< 0.01	17	200	36	< 2	2	17	0.08	< 10	< 10	48	< 10	192
AA 3924	201	202	< 0.01	27	610	50	< 2	3	48	0.04	< 10	10	22	< 10	470

CERTIFICATION: Ian Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 3
Certificate Date: 21-JUL-98
Invoice No. : I9824630
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824630

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA 0268	201	202	0.6	1.41	12	100	0.5	< 2	0.42	< 0.5	6	12	7	1.83	< 10	< 1	0.17	30	0.41	370	2
AA 0269	201	202	< 0.2	1.36	6	60	0.5	< 2	0.47	< 0.5	6	15	9	1.81	< 10	< 1	0.08	40	0.37	250	2
AA 0270	201	202	0.4	1.75	22	110	0.5	< 2	0.67	< 0.5	11	28	12	3.28	< 10	< 1	0.22	20	0.59	1075	2
AA 0271	201	202	< 0.2	3.92	< 2	70	2.5	< 2	1.07	< 0.5	12	49	10	6.81	< 10	< 1	0.07	50	1.05	700	3
AA 0272	201	202	0.2	1.58	2	40	0.5	< 2	5.16	< 0.5	13	24	14	3.91	< 10	< 1	0.14	20	0.55	250	2
AA 0273	201	202	75.6	0.67	6680	80	0.5	< 2	1.85	83.5	17	9	257	10.25	< 10	5	0.07	20	0.19	>10000	< 1
AA 0274	201	202	0.4	2.56	26	70	1.0	14	0.96	< 0.5	20	41	23	5.15	< 10	< 1	0.23	50	0.98	685	< 1
AA 0275	201	202	< 0.2	2.37	< 2	60	2.5	< 2	0.63	< 0.5	10	26	15	5.99	< 10	< 1	0.02	10	3.03	685	< 1
AA 0276	201	202	< 0.2	3.10	64	90	1.5	< 2	0.28	< 0.5	30	46	51	9.58	10	2	0.09	30	0.85	390	4
AA 0277	201	202	< 0.2	1.97	< 2	50	0.5	< 2	0.16	< 0.5	8	29	9	3.75	< 10	< 1	0.08	30	0.57	205	< 1
AA 0278	201	202	0.2	0.94	< 2	80	< 0.5	< 2	0.46	< 0.5	3	8	6	1.41	< 10	< 1	0.23	30	0.32	180	< 1
AA 0751	201	202	< 0.2	0.80	< 2	110	< 0.5	< 2	0.24	< 0.5	3	12	4	1.47	< 10	< 1	0.07	30	0.23	165	1
AA 0752	201	202	< 0.2	1.25	< 2	160	0.5	< 2	0.30	< 0.5	4	9	4	1.32	< 10	< 1	0.09	40	0.32	215	< 1
AA 0753	201	202	< 0.2	1.12	< 2	70	< 0.5	< 2	0.19	< 0.5	4	8	4	1.54	< 10	< 1	0.09	40	0.36	190	< 1
AA 0754	201	202	< 0.2	1.02	< 2	50	< 0.5	< 2	0.06	< 0.5	3	9	3	1.65	< 10	< 1	0.12	40	0.29	160	< 1
AA 0755	201	202	< 0.2	1.90	< 2	70	0.5	< 2	0.14	< 0.5	4	11	5	2.25	< 10	< 1	0.12	30	0.40	220	< 1
AA 0756	201	202	1.0	2.27	< 2	310	2.0	< 2	0.58	< 0.5	5	13	18	1.84	< 10	< 1	0.21	70	0.34	375	< 1
AA 0757	201	202	< 0.2	1.38	6	40	< 0.5	< 2	0.06	< 0.5	3	21	5	2.77	10	1	0.05	30	0.18	245	1
AA 0758	201	202	0.6	2.15	< 2	90	0.5	< 2	0.07	< 0.5	10	18	12	2.84	10	< 1	0.11	30	0.40	525	2
AA 0759	201	202	< 0.2	1.59	< 2	90	1.0	< 2	0.17	< 0.5	6	10	9	2.12	< 10	< 1	0.17	50	0.40	395	< 1
AA 0760	201	202	0.6	1.56	< 2	140	1.5	< 2	0.62	< 0.5	4	9	12	1.77	< 10	< 1	0.12	60	0.28	525	< 1
AA 0761	201	202	< 0.2	1.62	< 2	60	0.5	< 2	0.06	< 0.5	4	9	10	2.28	< 10	< 1	0.09	40	0.34	380	1
AA 0762	201	202	1.2	1.73	< 2	130	2.0	< 2	0.33	< 0.5	5	10	13	1.84	< 10	1	0.08	80	0.35	435	< 1
AA 0763	201	202	0.2	1.30	< 2	90	0.5	< 2	0.28	< 0.5	4	19	7	1.70	< 10	1	0.06	40	0.36	230	< 1
AA 0764	201	202	< 0.2	1.34	< 2	60	0.5	< 2	0.14	< 0.5	4	9	7	1.84	< 10	< 1	0.12	40	0.35	260	< 1
AA 0765	201	202	0.6	1.70	< 2	80	1.0	< 2	0.19	< 0.5	7	22	13	2.52	< 10	< 1	0.09	40	0.41	725	1
AA 0766	201	202	0.8	0.57	< 2	40	< 0.5	< 2	0.10	< 0.5	1	8	5	0.77	< 10	< 1	0.05	40	0.09	110	1
AA 0767	201	202	0.4	1.50	< 2	90	0.5	< 2	0.33	< 0.5	9	62	12	2.33	< 10	< 1	0.08	40	0.74	690	3
AA 0768	201	202	6.4	1.79	< 2	130	1.5	2	0.76	< 0.5	12	99	21	3.07	< 10	< 1	0.10	50	1.07	890	1
AA 0769	201	202	0.6	1.20	< 2	130	0.5	2	0.45	< 0.5	4	8	8	1.44	< 10	1	0.11	40	0.33	385	< 1
AA 0770	201	202	< 0.2	1.24	24	180	0.5	< 2	0.39	1.5	9	19	19	2.68	< 10	< 1	0.12	50	0.32	555	1
AA 0771	201	202	< 0.2	1.13	< 2	60	0.5	< 2	0.18	< 0.5	3	7	4	1.28	< 10	< 1	0.08	30	0.20	175	< 1
AA 0772	201	202	0.6	1.88	26	670	3.0	< 2	0.72	< 0.5	15	6	22	5.17	< 10	2	0.15	50	0.27	2260	1
AA 0773	201	202	< 0.2	0.99	< 2	40	< 0.5	< 2	0.15	< 0.5	2	8	1	1.15	< 10	< 1	0.07	50	0.22	130	< 1
AA 0774	201	202	< 0.2	2.29	< 2	60	0.5	< 2	0.08	< 0.5	4	15	5	2.79	< 10	< 1	0.09	30	0.26	165	1
AA 0775	201	202	< 0.2	1.20	< 2	40	< 0.5	< 2	0.07	< 0.5	4	8	3	2.17	10	< 1	0.11	40	0.30	180	1
AA 0776	201	202	0.8	1.68	< 2	40	0.5	< 2	0.10	< 0.5	4	9	4	3.26	< 10	< 1	0.10	30	0.29	235	< 1
AA 0777	201	202	1.0	1.42	< 2	110	1.5	< 2	0.70	1.0	3	11	11	1.21	< 10	< 1	0.08	50	0.24	255	1
AA 0778	201	202	< 0.2	0.82	< 2	50	< 0.5	< 2	0.12	< 0.5	3	12	4	2.32	10	< 1	0.07	40	0.15	145	1
AA 0779	201	202	0.2	1.32	< 2	50	< 0.5	< 2	0.12	< 0.5	3	9	4	2.63	10	< 1	0.13	50	0.26	190	< 1

CERTIFICATION: Hart Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-A
Total Pages :3
Certificate Date: 21-JUL-98
Invoice No. :I9824630
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824630

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA 0780	201	202	>100.0	1.14	110	120	1.0	< 2	0.76	166.0	8	11	259	8.52	< 10	7	0.08	30	0.09	>10000	4
AA 0781	201	202	46.8	2.27	174	100	2.5	< 2	2.38	22.5	19	24	137	5.06	< 10	1	0.09	60	0.34	4260	3
AA 0782	201	202	4.0	2.53	6	100	2.5	< 2	1.42	14.0	15	36	26	4.80	< 10	1	0.06	50	0.60	5570	< 1
AA 0783	201	202	0.2	1.50	< 2	60	0.5	< 2	0.78	< 0.5	10	19	15	2.44	< 10	< 1	0.09	40	0.41	340	< 1
AA 0784	201	202	0.2	1.99	< 2	100	0.5	2	0.19	< 0.5	7	30	9	4.17	10	< 1	0.08	20	0.47	260	1
AA 0785	201	202	< 0.2	2.08	2	60	0.5	< 2	0.17	< 0.5	7	34	9	3.67	< 10	< 1	0.06	20	0.46	225	< 1
AA 0786	201	202	< 0.2	2.44	10	100	0.5	< 2	0.23	< 0.5	9	42	16	4.07	< 10	1	0.08	20	0.56	320	1
AA 0787	201	202	< 0.2	2.70	6	80	0.5	< 2	0.13	< 0.5	10	39	10	4.55	10	< 1	0.07	10	0.42	310	1
AA 0788	201	202	< 0.2	1.90	18	70	0.5	< 2	0.16	< 0.5	9	35	12	4.43	10	< 1	0.06	10	0.47	655	2
AA 0789	201	202	< 0.2	2.45	< 2	< 10	0.5	< 2	0.98	< 0.5	28	27	27	6.41	< 10	1	< 0.01	60	0.18	585	< 1
AA 0790	201	202	< 0.2	1.40	< 2	60	< 0.5	< 2	0.19	< 0.5	8	29	8	3.77	10	< 1	0.08	10	0.39	250	1
AA 0791	201	202	0.2	3.24	< 2	120	0.5	< 2	0.12	< 0.5	4	50	36	5.92	10	< 1	0.15	10	1.24	345	1
AA 0792	201	202	0.2	1.02	8	50	0.5	< 2	0.44	< 0.5	5	13	5	1.56	< 10	< 1	0.10	40	0.33	225	< 1
AA 0793	201	202	< 0.2	1.65	< 2	60	< 0.5	2	0.17	< 0.5	10	85	6	3.14	< 10	< 1	0.06	20	0.80	340	1
AA 0794	201	202	0.2	2.62	< 2	40	1.5	< 2	0.50	0.5	22	26	13	3.48	< 10	< 1	0.09	50	0.48	445	< 1
AA 0795	201	202	0.8	1.21	2	60	0.5	< 2	0.83	< 0.5	5	13	8	1.67	< 10	< 1	0.09	40	0.37	290	< 1
AA 0796	201	202	0.2	1.32	< 2	40	0.5	< 2	3.75	< 0.5	12	24	19	2.88	< 10	1	0.06	30	0.47	380	< 1
AA 0797	201	202	< 0.2	1.71	< 2	40	0.5	< 2	0.35	< 0.5	9	17	6	2.70	< 10	< 1	0.09	30	0.37	205	< 1
AA 0798	201	202	0.2	2.84	22	70	1.0	< 2	1.60	< 0.5	21	40	27	4.96	< 10	< 1	0.08	50	0.73	400	1
AA 0799	201	202	< 0.2	2.70	< 2	60	1.0	< 2	1.34	< 0.5	17	37	25	4.35	< 10	< 1	0.11	50	0.90	475	< 1
AA 0800	201	202	1.8	1.21	20	60	0.5	< 2	0.62	< 0.5	5	12	8	1.76	< 10	1	0.18	60	0.36	300	< 1
AA 1209	201	202	< 0.2	1.23	< 2	50	0.5	< 2	0.12	< 0.5	1	6	2	1.25	< 10	< 1	0.12	50	0.19	160	< 1
AA 1210	201	202	< 0.2	1.67	< 2	50	< 0.5	< 2	0.06	< 0.5	1	4	3	1.65	< 10	< 1	0.08	30	0.20	180	< 1
AA 1211	201	202	0.6	2.21	4	140	0.5	< 2	0.21	< 0.5	4	12	12	2.08	< 10	< 1	0.12	40	0.41	330	4
AA 1212	201	202	< 0.2	1.62	8	70	0.5	< 2	0.09	< 0.5	4	17	6	2.81	< 10	< 1	0.09	40	0.33	190	4
AA 1213	201	202	< 0.2	1.83	< 2	100	1.5	< 2	0.32	0.5	6	17	9	2.78	< 10	< 1	0.10	30	0.28	330	6
AA 1214	201	202	< 0.2	1.27	< 2	40	< 0.5	< 2	0.21	< 0.5	4	15	4	2.24	< 10	< 1	0.10	30	0.29	185	2
AA 1215	201	202	0.6	1.69	6	100	0.5	< 2	0.50	< 0.5	7	14	9	2.07	< 10	< 1	0.13	50	0.44	385	< 1
AA 1216	201	202	< 0.2	2.59	< 2	60	1.0	< 2	0.83	< 0.5	17	37	7	4.43	< 10	< 1	0.06	30	0.58	430	< 1
AA 1217	201	202	< 0.2	1.13	< 2	70	0.5	< 2	0.57	< 0.5	4	12	7	1.47	< 10	< 1	0.10	30	0.30	250	< 1
AA 1218	201	202	0.4	1.58	< 2	110	0.5	< 2	0.70	< 0.5	7	14	17	1.77	< 10	< 1	0.16	30	0.39	195	< 1
AA 1219	201	202	< 0.2	1.18	< 2	50	< 0.5	< 2	0.18	< 0.5	4	14	6	1.54	< 10	< 1	0.09	30	0.37	160	< 1
AA 1220	201	202	< 0.2	1.97	< 2	110	0.5	< 2	0.59	< 0.5	9	22	11	2.53	< 10	< 1	0.23	40	0.60	265	< 1
AA 1221	201	202	< 0.2	1.82	12	120	0.5	< 2	0.64	< 0.5	8	22	11	2.55	< 10	< 1	0.19	40	0.59	365	< 1
AA 1222	201	202	< 0.2	1.07	2	50	< 0.5	< 2	0.44	< 0.5	4	13	4	1.53	< 10	< 1	0.11	50	0.33	180	< 1
AA 1223	201	202	< 0.2	1.67	< 2	60	0.5	< 2	0.94	< 0.5	8	28	9	2.70	< 10	1	0.15	40	0.49	245	2
AA 1224	201	202	0.2	2.33	< 2	130	1.5	< 2	0.79	< 0.5	7	16	19	2.33	< 10	< 1	0.15	40	0.44	640	1
AA 1225	201	202	< 0.2	1.18	< 2	80	0.5	< 2	0.31	< 0.5	5	11	7	1.50	< 10	< 1	0.20	40	0.34	400	< 1
AA 1226	201	202	< 0.2	1.62	< 2	80	0.5	< 2	1.15	< 0.5	8	17	8	1.95	< 10	< 1	0.16	30	0.42	410	1
AA 1227	201	202	< 0.2	1.89	< 2	90	0.5	< 2	0.60	< 0.5	7	20	9	2.05	< 10	< 1	0.16	30	0.49	290	1

CERTIFICATION: Hart Bidlle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :2-B
Total Pages :3
Certificate Date: 21-JUL-98
Invoice No. :I9824630
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824630

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA 0780	201	202	< 0.01	25	1570	>10000	24	2	113	0.01	10	40	13	< 10	>10000
AA 0781	201	202	0.04	46	730	5640	8	7	194	0.04	< 10	10	33	< 10	8360
AA 0782	201	202	< 0.01	22	740	1825	2	7	67	< 0.01	< 10	10	38	< 10	5480
AA 0783	201	202	0.03	19	710	28	< 2	3	85	0.07	< 10	< 10	29	< 10	140
AA 0784	201	202	< 0.01	15	410	14	< 2	3	20	0.16	< 10	< 10	81	< 10	122
AA 0785	201	202	< 0.01	18	430	8	< 2	3	16	0.12	< 10	< 10	66	< 10	52
AA 0786	201	202	0.01	24	570	12	< 2	3	19	0.15	< 10	10	79	< 10	76
AA 0787	201	202	< 0.01	16	520	16	< 2	3	12	0.24	< 10	< 10	82	< 10	102
AA 0788	201	202	< 0.01	18	560	12	< 2	3	16	0.16	< 10	< 10	86	< 10	88
AA 0789	201	202	0.08	45	820	18	< 2	5	105	0.08	< 10	10	22	< 10	40
AA 0790	201	202	< 0.01	13	320	10	< 2	2	17	0.14	< 10	< 10	72	< 10	124
AA 0791	201	202	< 0.01	11	560	14	2	7	28	0.23	< 10	20	79	< 10	138
AA 0792	201	202	0.02	8	870	42	< 2	2	41	0.05	< 10	< 10	20	< 10	86
AA 0793	201	202	< 0.01	32	170	20	2	3	25	0.15	< 10	< 10	72	< 10	170
AA 0794	201	202	0.01	41	460	64	< 2	4	54	0.07	< 10	< 10	30	< 10	354
AA 0795	201	202	0.01	9	680	42	2	3	63	0.06	< 10	< 10	23	< 10	124
AA 0796	201	202	0.04	30	640	22	2	4	221	0.07	< 10	< 10	31	< 10	66
AA 0797	201	202	0.01	18	210	24	< 2	2	44	0.08	< 10	< 10	32	< 10	72
AA 0798	201	202	0.10	47	560	22	< 2	6	215	0.10	< 10	< 10	43	< 10	246
AA 0799	201	202	0.05	46	640	28	< 2	6	115	0.09	< 10	10	45	10	90
AA 0800	201	202	0.02	9	1090	76	< 2	3	53	0.07	< 10	10	25	< 10	164
AA 1209	201	202	< 0.01	2	450	8	< 2	1	11	0.04	< 10	< 10	17	< 10	42
AA 1210	201	202	< 0.01	1	370	16	2	1	11	0.03	< 10	< 10	22	< 10	58
AA 1211	201	202	< 0.01	6	430	30	< 2	2	25	0.05	< 10	10	34	< 10	326
AA 1212	201	202	< 0.01	8	720	16	< 2	3	13	0.10	< 10	< 10	48	< 10	188
AA 1213	201	202	< 0.01	8	260	44	< 2	3	49	0.08	< 10	10	43	< 10	382
AA 1214	201	202	< 0.01	7	150	12	< 2	2	21	0.10	< 10	< 10	44	< 10	254
AA 1215	201	202	0.01	9	700	60	< 2	3	60	0.08	< 10	< 10	32	< 10	104
AA 1216	201	202	0.04	24	530	20	< 2	4	93	0.14	< 10	10	52	< 10	146
AA 1217	201	202	0.01	7	590	18	< 2	2	62	0.05	< 10	< 10	21	< 10	76
AA 1218	201	202	0.01	21	510	16	< 2	3	80	0.07	< 10	10	25	< 10	84
AA 1219	201	202	< 0.01	8	440	6	< 2	2	17	0.07	< 10	10	23	< 10	56
AA 1220	201	202	0.01	15	700	16	< 2	4	59	0.09	< 10	< 10	34	< 10	78
AA 1221	201	202	< 0.01	15	640	16	< 2	4	55	0.09	< 10	< 10	36	< 10	80
AA 1222	201	202	0.01	8	780	8	< 2	2	32	0.06	< 10	< 10	22	< 10	40
AA 1223	201	202	0.01	12	390	10	< 2	4	61	0.10	< 10	10	42	< 10	78
AA 1224	201	202	0.01	20	940	18	< 2	3	81	0.05	< 10	10	29	< 10	120
AA 1225	201	202	0.01	6	710	8	< 2	2	33	0.06	< 10	< 10	23	< 10	58
AA 1226	201	202	0.03	10	790	12	< 2	3	123	0.06	< 10	10	24	< 10	82
AA 1227	201	202	0.03	12	810	12	< 2	4	86	0.07	< 10	< 10	29	< 10	80

CERTIFICATION: Jan Bible

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page ber : 3-A
Total Pages : 3
Certificate Date: 21-JUL-98
Invoice No. : I9824630
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824630

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA 1228	201	202	< 0.2	1.82	< 2	110	1.0	< 2	0.48	< 0.5	5	16	8	2.03	< 10	< 1	0.14	40	0.45	270	1
AA 1229	201	202	< 0.2	1.10	< 2	40	< 0.5	< 2	0.08	< 0.5	2	7	4	1.19	< 10	1	0.11	40	0.27	165	< 1
AA 1230	201	202	< 0.2	1.29	< 2	50	< 0.5	< 2	0.09	< 0.5	2	8	6	1.49	< 10	2	0.08	10	0.24	185	1
AA 1231	201	202	< 0.2	1.83	< 2	120	0.5	< 2	0.12	< 0.5	4	11	6	1.77	< 10	< 1	0.12	30	0.30	350	< 1
AA 1232	201	202	< 0.2	1.61	< 2	60	0.5	< 2	0.10	< 0.5	3	8	5	1.60	< 10	< 1	0.09	30	0.30	205	< 1
AA 1233	201	202	< 0.2	1.85	< 2	110	0.5	< 2	0.18	< 0.5	5	10	8	1.88	< 10	3	0.18	30	0.37	295	< 1
AA 1234	201	202	< 0.2	2.43	< 2	160	1.5	< 2	0.10	< 0.5	4	10	13	2.25	< 10	< 1	0.13	40	0.37	365	1
AA 1235	201	202	< 0.2	1.78	< 2	110	1.0	< 2	0.11	< 0.5	4	9	8	1.83	< 10	< 1	0.11	30	0.32	265	< 1
AA 1236	201	202	< 0.2	1.80	< 2	120	1.0	< 2	0.11	< 0.5	5	13	14	2.08	< 10	< 1	0.13	30	0.33	405	1
AA 1237	201	202	< 0.2	1.19	< 2	30	< 0.5	< 2	0.07	< 0.5	2	5	4	1.05	< 10	< 1	0.06	30	0.16	100	1
AA 1238	201	202	< 0.2	1.34	< 2	50	< 0.5	< 2	0.05	< 0.5	3	12	5	1.74	< 10	< 1	0.10	30	0.25	165	< 1
AA 1239	201	202	< 0.2	1.51	< 2	40	< 0.5	< 2	0.04	< 0.5	3	11	2	2.10	10	< 1	0.07	40	0.25	150	1
AA 1240	201	202	< 0.2	2.31	< 2	90	0.5	< 2	0.19	< 0.5	6	10	7	2.47	< 10	< 1	0.19	40	0.47	275	< 1
AA 1241	201	202	0.2	1.69	< 2	130	1.5	< 2	0.13	< 0.5	4	8	10	1.64	< 10	< 1	0.12	60	0.28	340	< 1
AA 1242	201	202	< 0.2	1.00	< 2	40	< 0.5	< 2	0.06	< 0.5	3	11	5	1.36	< 10	1	0.07	30	0.20	120	1
AA 1243	201	202	< 0.2	2.00	< 2	40	0.5	< 2	0.11	< 0.5	3	10	4	1.91	< 10	< 1	0.09	30	0.30	165	1
AA 1244	201	202	< 0.2	2.99	< 2	100	1.5	< 2	0.10	< 0.5	7	21	18	3.16	10	< 1	0.15	50	0.61	415	1
AA 1245	201	202	< 0.2	1.51	< 2	50	< 0.5	< 2	0.07	< 0.5	4	23	7	3.38	10	< 1	0.08	20	0.30	285	1
AA 1246	201	202	< 0.2	0.76	6	30	< 0.5	< 2	0.04	< 0.5	2	7	2	0.84	< 10	< 1	0.05	30	0.18	105	< 1
AA 1247	201	202	< 0.2	2.40	< 2	50	0.5	< 2	0.07	< 0.5	5	14	8	3.45	10	2	0.10	30	0.44	350	1
AA 1248	201	202	< 0.2	1.37	< 2	30	< 0.5	< 2	0.05	< 0.5	3	12	4	2.55	< 10	< 1	0.05	40	0.21	145	< 1
AA 1249	201	202	0.4	2.12	< 2	260	1.5	< 2	0.78	< 0.5	6	12	9	2.12	< 10	< 1	0.17	50	0.44	620	< 1

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 21-JUL-98
Invoice No. :I9824630
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824630

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA 1228	201	202	0.01	8	920	12	< 2	3	46	0.06	< 10	< 10	30	< 10	76
AA 1229	201	202	< 0.01	3	330	10	< 2	1	9	0.05	< 10	< 10	21	< 10	46
AA 1230	201	202	< 0.01	3	580	16	< 2	< 1	7	0.02	< 10	< 10	20	< 10	48
AA 1231	201	202	< 0.01	6	700	28	2	< 1	17	0.01	< 10	< 10	24	< 10	98
AA 1232	201	202	< 0.01	4	570	12	2	1	8	0.03	< 10	< 10	26	< 10	56
AA 1233	201	202	< 0.01	7	740	18	< 2	2	12	0.05	< 10	< 10	27	< 10	68
AA 1234	201	202	< 0.01	6	620	24	< 2	1	12	0.03	< 10	< 10	33	< 10	82
AA 1235	201	202	< 0.01	5	770	18	< 2	1	12	0.02	< 10	< 10	24	< 10	70
AA 1236	201	202	< 0.01	7	560	16	< 2	1	12	0.04	< 10	10	34	< 10	96
AA 1237	201	202	< 0.01	1	600	10	< 2	< 1	6	0.03	< 10	< 10	16	< 10	26
AA 1238	201	202	< 0.01	5	570	14	< 2	< 1	8	0.04	< 10	< 10	30	< 10	44
AA 1239	201	202	< 0.01	4	350	6	2	1	8	0.09	< 10	< 10	38	< 10	36
AA 1240	201	202	< 0.01	7	810	10	< 2	3	13	0.09	< 10	< 10	41	< 10	82
AA 1241	201	202	0.01	5	700	14	< 2	1	17	0.03	< 10	30	21	< 10	74
AA 1242	201	202	< 0.01	5	340	12	< 2	< 1	12	0.06	< 10	< 10	27	< 10	40
AA 1243	201	202	< 0.01	4	690	10	2	1	9	0.07	< 10	< 10	29	< 10	54
AA 1244	201	202	< 0.01	11	600	28	< 2	3	24	0.06	< 10	10	50	< 10	102
AA 1245	201	202	< 0.01	9	490	44	< 2	2	12	0.14	< 10	< 10	60	< 10	72
AA 1246	201	202	< 0.01	3	200	8	< 2	< 1	7	0.04	< 10	< 10	16	< 10	30
AA 1247	201	202	< 0.01	6	810	22	< 2	1	8	0.03	< 10	< 10	50	< 10	88
AA 1248	201	202	< 0.01	4	240	14	< 2	1	7	0.08	< 10	< 10	47	< 10	58
AA 1249	201	202	0.01	7	670	32	< 2	3	142	0.06	< 10	30	32	< 10	120

CERTIFICATION: _____

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1
Total Pages : 1
Certificate Date: 15-JUL-98
Invoice No. : I9824492
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824492

SAMPLE	PREP CODE		Ag con g/t	Zn %								
934729	244	--	-----	28.3								
934730	244	--	-----	13.30								
934731	244	--	3830.3	20.4								
934732	244	--	10561.0	11.60								
934733	244	--	4303.6	11.40								

CERTIFICATION: _____

OVERLIMITS from A9824019

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 19-JUL-98
Invoice No. : I9824095
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824095

SAMPLE	PREP CODE		Au ppb FA+AA	WO3 %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
934727	205	226	10	1.32	1.4	1.04	10	< 10	3.0	24	2.09	1.5	40	11	1110	>15.00	< 10	4	< 0.01	10	0.34

CERTIFICATION: Scott Buchler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 19-JUL-98
Invoice No. : I9824095
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824095

SAMPLE	PREP CODE		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
934727	205	226	135	11	< 0.01	42	440	10	< 2	1	21	0.02	< 10	< 10	16	300	52

CERTIFICATION: Ivan Bichler

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number : 1
Total Pages : 1
Certificate Date: 15-JUL-98
Invoice No. : I9824087
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824087

SAMPLE	PREP CODE	Ag FA g/t	Pb %	Zn %	WO3 %
934724	244 --	211	24.0	-----	-----
934725	244 --	-----	-----	6.20	0.18
934726	244 --	1675	15.05	3.97	-----

CERTIFICATION:

OVERLIMITS from A9823293

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 16-JUL-98
Invoice No. : I9824020
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824020

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1173	201	202	0.8	1.89	8	110	0.5	< 2	0.86	0.5	8	16	13	2.26	< 10	< 1	0.20	50	0.45	1040	< 1
AA1174	201	202	1.2	1.62	140	50	0.5	2	0.13	0.5	3	15	22	2.85	< 10	< 1	0.12	30	0.24	230	3
AA1175	201	202	1.0	2.09	40	50	0.5	2	0.26	0.5	5	18	14	2.59	< 10	< 1	0.11	40	0.35	385	< 1
AA1176	201	202	0.4	1.82	74	60	0.5	< 2	0.08	< 0.5	5	18	18	2.98	< 10	< 1	0.17	40	0.33	290	3
AA1177	201	202	1.0	1.99	< 2	40	0.5	38	1.21	97.0	53	28	180	3.25	< 10	< 1	0.07	40	0.49	1750	11
AA1178	201	202	< 0.2	1.03	< 2	50	< 0.5	< 2	0.15	0.5	3	10	4	1.52	< 10	< 1	0.11	40	0.26	155	< 1
AA1179	201	202	0.6	1.85	< 2	100	0.5	< 2	0.41	< 0.5	11	22	13	2.86	< 10	< 1	0.27	40	0.52	350	< 1
AA1180	201	202	0.2	2.15	16	80	0.5	< 2	1.18	< 0.5	6	27	9	2.26	< 10	< 1	0.11	30	0.59	265	< 1
AA1181	201	202	0.2	1.09	< 2	50	< 0.5	< 2	0.11	< 0.5	3	11	2	1.67	< 10	< 1	0.08	30	0.24	155	< 1
AA1182	201	202	1.2	1.25	< 2	80	0.5	< 2	0.21	< 0.5	3	10	3	1.31	< 10	< 1	0.15	30	0.28	255	< 1
AA1183	201	202	0.6	1.76	< 2	40	0.5	< 2	0.09	< 0.5	3	16	5	1.91	< 10	< 1	0.07	30	0.24	165	< 1
AA1184	201	202	1.4	1.49	< 2	40	< 0.5	< 2	0.07	< 0.5	3	13	5	2.26	< 10	< 1	0.08	30	0.19	205	< 1
AA1185	201	202	0.4	1.76	< 2	70	0.5	< 2	0.17	< 0.5	4	10	5	1.79	< 10	< 1	0.18	30	0.33	380	< 1
AA1186	201	202	1.2	1.70	< 2	50	0.5	< 2	0.15	< 0.5	4	23	11	2.12	< 10	< 1	0.06	30	0.39	200	< 1
AA1187	201	202	< 0.2	2.34	< 2	160	1.0	< 2	0.14	< 0.5	7	36	8	2.46	< 10	< 1	0.18	40	0.55	455	< 1
AA1188	201	202	< 0.2	1.55	< 2	50	< 0.5	< 2	0.13	< 0.5	3	23	2	1.64	< 10	< 1	0.10	30	0.33	280	< 1
AA1189	201	202	< 0.2	1.60	< 2	50	< 0.5	< 2	0.06	< 0.5	3	12	3	2.28	< 10	< 1	0.09	30	0.26	225	2
AA1190	201	202	0.2	1.80	< 2	140	0.5	< 2	0.17	< 0.5	5	20	5	1.59	< 10	< 1	0.17	40	0.37	710	< 1
AA1191	201	202	< 0.2	2.69	< 2	70	0.5	< 2	0.06	< 0.5	4	8	3	2.34	< 10	< 1	0.12	30	0.38	250	< 1
AA1192	201	202	< 0.2	2.37	< 2	130	0.5	< 2	0.10	< 0.5	5	13	7	2.57	< 10	< 1	0.13	30	0.37	330	< 1
AA1193	201	202	< 0.2	1.15	< 2	80	< 0.5	< 2	0.21	< 0.5	3	9	3	1.41	< 10	< 1	0.09	40	0.32	210	< 1
AA1194	201	202	< 0.2	1.03	< 2	70	< 0.5	< 2	0.60	< 0.5	4	10	5	1.26	< 10	< 1	0.11	30	0.27	240	< 1
AA1195	201	202	< 0.2	1.35	< 2	50	< 0.5	< 2	0.98	< 0.5	7	17	10	1.90	< 10	< 1	0.10	30	0.41	315	< 1
AA1196	201	202	< 0.2	1.35	< 2	70	0.5	< 2	0.37	< 0.5	7	18	8	2.11	< 10	1	0.14	50	0.44	345	< 1
AA1197	201	202	< 0.2	1.58	< 2	50	< 0.5	< 2	0.08	< 0.5	3	16	1	1.63	< 10	< 1	0.07	30	0.26	175	< 1
AA1198	201	202	< 0.2	1.79	< 2	80	0.5	< 2	0.16	< 0.5	5	16	5	1.73	< 10	< 1	0.18	30	0.33	335	1
AA1199	201	202	2.4	1.70	< 2	40	< 0.5	< 2	0.08	< 0.5	3	13	8	1.70	< 10	< 1	0.07	30	0.22	235	< 1
AA1200	201	202	0.4	1.59	< 2	80	1.0	< 2	0.13	< 0.5	1	13	5	1.47	< 10	1	0.07	30	0.17	165	< 1
AA3521	201	202	< 0.2	2.23	16	80	0.5	< 2	0.26	< 0.5	9	25	6	2.91	< 10	< 1	0.10	30	0.54	325	< 1
AA3522	201	202	< 0.2	2.01	10	60	0.5	< 2	0.31	< 0.5	12	32	10	3.20	< 10	< 1	0.13	20	0.57	330	< 1
AA3523	201	202	< 0.2	2.58	4	60	0.5	4	0.41	< 0.5	13	37	11	3.99	< 10	< 1	0.06	20	0.58	200	1
AA3524	201	202	0.6	3.19	42	40	0.5	2	1.67	4.0	23	40	27	5.28	10	< 1	0.05	30	0.43	635	< 1
AA3525	201	202	< 0.2	2.36	< 2	20	1.0	10	2.22	0.5	13	25	18	3.24	< 10	< 1	0.04	20	0.28	175	< 1
AA3526	201	202	< 0.2	3.12	< 2	80	< 0.5	< 2	0.21	1.0	20	62	19	5.05	10	< 1	0.09	20	0.93	220	< 1
AA3527	201	202	0.2	3.62	< 2	40	1.0	< 2	1.27	1.5	14	27	9	3.11	< 10	< 1	0.05	20	0.39	220	< 1
AA3528	201	202	1.2	2.32	340	40	0.5	< 2	0.50	10.0	16	37	30	4.24	< 10	1	0.09	20	0.44	3740	1
AA3529	201	202	0.2	2.38	58	60	0.5	26	0.95	1.5	20	36	11	3.96	< 10	< 1	0.09	20	0.61	955	< 1
AA3530	201	202	0.8	1.78	110	50	0.5	2	0.46	2.5	14	29	14	4.53	< 10	< 1	0.17	30	0.52	4990	1
AA3531	201	202	0.2	2.41	30	80	0.5	2	0.73	4.0	12	29	15	4.00	< 10	1	0.06	20	0.50	1260	< 1
AA3532	201	202	0.4	1.65	30	60	0.5	< 2	0.58	4.0	13	24	12	3.33	< 10	< 1	0.15	20	0.44	3340	< 1

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 16-JUL-98
Invoice No. :I9824020
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824020

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1173	201	202	0.01	10	810	90	2	4	78	0.06	< 10	< 10	31	< 10	282
AA1174	201	202	< 0.01	5	610	86	2	< 1	120	0.01	< 10	< 10	28	< 10	232
AA1175	201	202	< 0.01	8	440	68	< 2	2	14	0.04	< 10	< 10	32	10	364
AA1176	201	202	< 0.01	9	500	84	< 2	1	19	0.02	< 10	< 10	29	< 10	134
AA1177	201	202	< 0.01	21	820	26	< 2	2	85	0.06	< 10	< 10	29	< 10	>10000
AA1178	201	202	< 0.01	4	290	20	< 2	1	30	0.03	< 10	< 10	24	< 10	224
AA1179	201	202	0.01	17	590	30	2	4	47	0.06	< 10	< 10	28	< 10	116
AA1180	201	202	0.04	12	640	16	< 2	4	173	0.07	< 10	< 10	29	< 10	78
AA1181	201	202	< 0.01	4	210	10	< 2	1	17	0.08	< 10	< 10	33	< 10	40
AA1182	201	202	< 0.01	5	700	12	< 2	1	15	0.05	< 10	< 10	17	< 10	44
AA1183	201	202	< 0.01	7	700	24	< 2	< 1	12	0.04	< 10	< 10	25	< 10	34
AA1184	201	202	< 0.01	5	530	24	2	1	10	0.06	< 10	< 10	38	< 10	44
AA1185	201	202	< 0.01	5	620	32	2	1	12	0.04	< 10	< 10	21	< 10	74
AA1186	201	202	< 0.01	9	600	114	< 2	1	17	0.07	< 10	< 10	36	< 10	54
AA1187	201	202	< 0.01	16	270	28	< 2	4	23	0.08	< 10	< 10	38	< 10	104
AA1188	201	202	< 0.01	8	540	26	< 2	1	13	0.05	< 10	< 10	24	< 10	64
AA1189	201	202	< 0.01	4	320	12	2	1	9	0.08	< 10	< 10	36	< 10	52
AA1190	201	202	< 0.01	7	470	26	< 2	1	27	0.04	< 10	< 10	26	< 10	148
AA1191	201	202	< 0.01	4	380	14	< 2	2	9	0.06	< 10	< 10	34	< 10	52
AA1192	201	202	< 0.01	6	550	28	< 2	2	11	0.05	< 10	< 10	35	< 10	138
AA1193	201	202	< 0.01	4	300	16	< 2	1	25	0.06	< 10	< 10	26	< 10	52
AA1194	201	202	0.01	6	490	14	< 2	1	64	0.04	< 10	< 10	16	< 10	46
AA1195	201	202	0.03	12	510	16	< 2	2	123	0.06	< 10	< 10	25	< 10	54
AA1196	201	202	< 0.01	10	840	22	< 2	3	33	0.06	< 10	< 10	26	< 10	52
AA1197	201	202	< 0.01	5	290	12	< 2	1	11	0.04	< 10	< 10	21	< 10	36
AA1198	201	202	< 0.01	7	570	28	< 2	2	13	0.05	< 10	< 10	21	< 10	48
AA1199	201	202	0.01	5	720	122	< 2	< 1	11	0.05	< 10	< 10	26	< 10	28
AA1200	201	202	< 0.01	3	1340	24	< 2	< 1	17	0.01	< 10	< 10	22	< 10	26
AA3521	201	202	< 0.01	14	180	22	< 2	3	61	0.07	< 10	< 10	41	< 10	200
AA3522	201	202	< 0.01	22	180	20	< 2	3	44	0.11	< 10	< 10	45	< 10	216
AA3523	201	202	< 0.01	21	170	30	2	3	243	0.10	< 10	< 10	56	< 10	204
AA3524	201	202	0.11	31	640	30	< 2	3	231	0.09	< 10	< 10	40	10	548
AA3525	201	202	< 0.01	16	290	14	< 2	2	221	0.10	< 10	< 10	30	< 10	132
AA3526	201	202	< 0.01	26	310	28	< 2	5	412	0.11	< 10	< 10	105	< 10	466
AA3527	201	202	0.10	34	270	32	< 2	2	384	0.09	< 10	< 10	36	< 10	584
AA3528	201	202	0.01	19	470	830	< 2	3	56	0.08	< 10	< 10	42	< 10	4490
AA3529	201	202	< 0.01	24	320	162	< 2	3	62	0.13	< 10	< 10	49	< 10	1220
AA3530	201	202	< 0.01	20	350	286	2	3	76	0.08	< 10	< 10	39	< 10	1785
AA3531	201	202	0.03	22	870	106	< 2	3	249	0.06	< 10	< 10	35	< 10	1635
AA3532	201	202	< 0.01	13	580	160	< 2	3	70	0.06	< 10	< 10	37	< 10	1920

CERTIFICATION: Hart Biddle.

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page ber :2-A
Total ages :3
Certificate Date: 16-JUL-98
Invoice No. : I9824020
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824020

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA3533	201	202	0.2	1.49	24	50	0.5	< 2	0.20	< 0.5	7	17	8	2.18	< 10	< 1	0.12	40	0.41	425	4
AA3534	201	202	0.4	1.48	30	40	0.5	< 2	0.26	2.5	7	26	6	3.04	< 10	< 1	0.09	20	0.33	525	3
AA3535	201	202	1.2	1.27	40	30	0.5	< 2	0.27	5.0	4	24	18	6.23	< 10	< 1	0.09	20	0.25	8810	2
AA3536	201	202	0.6	2.00	48	90	1.0	< 2	0.60	23.5	17	30	72	3.88	< 10	< 1	0.13	30	0.44	3510	2
AA3537	201	202	< 0.2	1.08	6	40	< 0.5	< 2	0.26	< 0.5	3	15	4	1.58	< 10	< 1	0.11	30	0.25	155	1
AA3538	201	202	< 0.2	0.95	8	40	< 0.5	< 2	0.18	< 0.5	6	19	4	1.69	< 10	< 1	0.07	20	0.25	340	1
AA3539	201	202	0.6	1.84	22	70	0.5	< 2	0.99	0.5	9	26	13	2.78	< 10	< 1	0.26	40	0.56	735	2
AA3540	201	202	0.8	1.17	22	60	0.5	< 2	0.70	1.5	6	18	51	1.91	< 10	< 1	0.12	30	0.32	520	4
AA3541	201	202	0.2	0.99	10	50	< 0.5	6	0.44	0.5	4	15	13	1.59	< 10	< 1	0.11	40	0.33	250	6
AA3542	201	202	0.2	1.62	24	50	0.5	6	0.47	1.0	8	24	33	2.66	< 10	< 1	0.13	20	0.42	385	8
AA3543	201	202	0.2	1.93	26	80	1.0	26	0.73	1.5	9	30	53	2.82	< 10	< 1	0.13	30	0.52	965	4
AA3544	201	202	0.8	2.54	14	30	1.5	32	0.21	2.0	10	38	75	5.25	10	< 1	0.09	20	0.57	455	4
AA3545	201	202	0.2	1.01	12	60	0.5	2	0.23	3.0	6	19	11	2.31	< 10	< 1	0.07	20	0.24	365	4
AA3546	201	202	0.2	1.88	18	70	0.5	12	0.25	1.5	15	35	36	4.04	10	< 1	0.09	10	0.53	1155	4
AA3547	201	202	0.4	2.19	172	60	0.5	2	0.13	< 0.5	9	29	18	3.82	< 10	< 1	0.08	20	0.49	320	3
AA3548	201	202	0.6	1.68	140	70	0.5	2	0.24	2.0	10	23	14	2.93	< 10	< 1	0.09	30	0.37	1210	3
AA3549	201	202	< 0.2	0.86	24	30	< 0.5	2	0.10	< 0.5	3	13	4	1.87	< 10	< 1	0.05	30	0.12	295	2
AA3550	201	202	< 0.2	1.02	8	40	< 0.5	< 2	0.12	< 0.5	3	14	4	1.85	< 10	< 1	0.07	30	0.23	270	1
AA3551	201	202	0.2	1.64	26	50	0.5	< 2	0.19	0.5	5	18	7	2.23	< 10	< 1	0.11	30	0.32	650	1
AA3552	201	202	1.0	1.56	184	40	0.5	< 2	0.43	4.0	8	23	9	2.90	< 10	< 1	0.10	20	0.37	790	2
AA3553	201	202	0.4	3.25	126	100	1.5	< 2	0.30	< 0.5	33	52	42	5.40	10	< 1	0.50	30	1.02	340	4
AA3554	201	202	2.0	2.88	116	80	1.0	< 2	0.49	< 0.5	14	45	24	4.33	10	< 1	0.18	30	0.91	465	3
AA3555	201	202	< 0.2	1.24	78	50	0.5	< 2	0.26	< 0.5	6	17	9	2.16	< 10	< 1	0.09	30	0.33	695	3
AA3556	201	202	< 0.2	1.22	28	40	< 0.5	2	0.24	0.5	7	22	9	2.65	< 10	< 1	0.09	30	0.34	400	2
AA3557	201	202	0.2	1.72	40	70	0.5	< 2	0.25	< 0.5	6	23	8	2.49	< 10	< 1	0.14	30	0.42	255	2
AA3558	201	202	0.8	1.15	56	50	0.5	< 2	0.72	1.5	7	18	29	1.93	< 10	< 1	0.11	20	0.35	745	2
AA3559	201	202	< 0.2	0.99	16	70	< 0.5	< 2	0.33	< 0.5	6	11	8	1.79	< 10	< 1	0.18	20	0.34	375	1
AA3560	201	202	< 0.2	1.02	14	40	< 0.5	< 2	0.15	< 0.5	8	17	5	2.19	< 10	< 1	0.09	20	0.30	195	1
AA3561	201	202	0.2	1.23	6	70	< 0.5	< 2	0.13	< 0.5	9	17	5	2.10	< 10	< 1	0.10	30	0.28	610	1
AA3562	201	202	0.8	2.27	80	40	0.5	2	0.64	0.5	14	34	12	3.31	10	< 1	0.12	20	0.56	935	4
AA3563	201	202	0.8	1.90	48	60	0.5	< 2	0.39	0.5	11	32	13	3.17	< 10	< 1	0.17	30	0.56	980	3
AA3564	201	202	0.2	0.88	6	30	< 0.5	< 2	0.14	1.0	5	20	4	2.13	< 10	< 1	0.05	20	0.18	160	1
AA3565	201	202	< 0.2	1.59	28	40	< 0.5	< 2	0.18	< 0.5	5	22	7	3.18	10	< 1	0.10	30	0.35	210	3
AA3566	201	202	0.4	1.43	44	40	0.5	< 2	0.39	2.0	11	23	15	2.89	< 10	< 1	0.11	30	0.39	1040	3
AA3567	201	202	0.8	1.98	76	60	0.5	< 2	0.43	1.5	13	31	15	3.32	< 10	< 1	0.14	30	0.52	540	3
AA3568	201	202	< 0.2	0.87	26	30	< 0.5	< 2	0.15	0.5	3	13	5	1.95	< 10	< 1	0.06	30	0.19	185	1
AA3569	201	202	1.4	3.39	38	60	1.0	< 2	0.66	0.5	12	36	15	4.29	10	< 1	0.10	30	0.55	205	3
AA3570	201	202	0.2	1.89	58	60	0.5	< 2	0.26	< 0.5	7	29	11	3.36	10	< 1	0.13	30	0.47	335	3
AA3571	201	202	0.2	1.30	16	70	< 0.5	< 2	0.28	1.5	7	21	5	2.32	< 10	< 1	0.08	10	0.32	500	2
AA3572	201	202	0.2	1.42	36	70	0.5	2	0.20	0.5	8	23	8	2.63	< 10	< 1	0.08	30	0.33	670	1

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Certificate Date: 16-JUL-98
Invoice No. :19824020
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824020

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA3533	201	202	< 0.01	8	190	38	< 2	2	21	0.07	< 10	< 10	32	< 10	726
AA3534	201	202	< 0.01	10	240	172	< 2	2	27	0.10	< 10	< 10	49	< 10	1660
AA3535	201	202	< 0.01	10	460	78	< 2	4	33	0.05	< 10	< 10	28	< 10	3790
AA3536	201	202	0.01	25	570	168	< 2	5	65	0.07	< 10	< 10	40	< 10	4890
AA3537	201	202	< 0.01	6	160	8	< 2	1	22	0.08	< 10	< 10	29	< 10	54
AA3538	201	202	< 0.01	5	190	20	< 2	1	15	0.12	< 10	< 10	39	< 10	192
AA3539	201	202	0.01	14	620	72	< 2	4	64	0.08	< 10	< 10	36	< 10	462
AA3540	201	202	0.01	17	630	32	< 2	3	66	0.06	< 10	< 10	26	< 10	344
AA3541	201	202	0.01	6	590	14	6	2	38	0.07	< 10	< 10	26	< 10	292
AA3542	201	202	< 0.01	15	320	20	< 2	3	39	0.07	< 10	< 10	36	< 10	792
AA3543	201	202	< 0.01	18	490	28	< 2	4	52	0.07	< 10	< 10	34	10	928
AA3544	201	202	< 0.01	18	260	24	< 2	3	26	0.01	< 10	< 10	49	60	726
AA3545	201	202	< 0.01	8	210	26	< 2	1	21	0.08	< 10	< 10	43	< 10	450
AA3546	201	202	< 0.01	23	450	76	< 2	4	15	0.08	< 10	< 10	51	70	592
AA3547	201	202	< 0.01	28	270	148	2	3	13	0.06	< 10	< 10	40	10	636
AA3548	201	202	< 0.01	14	300	192	2	2	21	0.05	< 10	< 10	35	< 10	788
AA3549	201	202	< 0.01	4	220	78	< 2	1	10	0.08	< 10	< 10	43	< 10	194
AA3550	201	202	< 0.01	4	160	30	< 2	1	10	0.10	< 10	< 10	37	< 10	256
AA3551	201	202	< 0.01	9	270	106	< 2	2	18	0.09	< 10	< 10	34	< 10	952
AA3552	201	202	0.01	13	540	776	< 2	3	40	0.07	< 10	< 10	34	< 10	1530
AA3553	201	202	0.01	53	280	78	< 2	6	48	0.12	< 10	< 10	53	< 10	408
AA3554	201	202	0.01	35	520	78	< 2	6	49	0.10	< 10	< 10	46	< 10	460
AA3555	201	202	0.01	12	290	94	< 2	2	24	0.06	< 10	< 10	28	< 10	408
AA3556	201	202	< 0.01	10	200	42	< 2	2	23	0.09	< 10	< 10	45	< 10	398
AA3557	201	202	< 0.01	14	270	68	< 2	3	28	0.06	< 10	< 10	36	< 10	446
AA3558	201	202	0.01	20	660	100	< 2	2	58	0.05	< 10	< 10	23	< 10	742
AA3559	201	202	< 0.01	7	460	30	< 2	2	28	0.06	< 10	< 10	29	< 10	240
AA3560	201	202	< 0.01	9	140	20	< 2	1	15	0.05	< 10	< 10	34	< 10	210
AA3561	201	202	< 0.01	8	170	50	< 2	1	16	0.08	< 10	< 10	37	< 10	370
AA3562	201	202	< 0.01	20	290	172	< 2	3	41	0.05	< 10	< 10	43	< 10	952
AA3563	201	202	< 0.01	19	360	42	< 2	4	35	0.08	< 10	< 10	41	< 10	706
AA3564	201	202	< 0.01	7	90	32	< 2	1	14	0.12	< 10	< 10	50	< 10	316
AA3565	201	202	< 0.01	12	170	32	< 2	2	22	0.09	< 10	< 10	45	< 10	306
AA3566	201	202	< 0.01	14	420	78	< 2	2	39	0.06	< 10	< 10	37	< 10	760
AA3567	201	202	< 0.01	16	360	78	< 2	3	40	0.07	< 10	< 10	44	30	856
AA3568	201	202	< 0.01	4	160	30	< 2	1	13	0.05	< 10	< 10	31	< 10	332
AA3569	201	202	0.07	26	840	54	< 2	4	116	0.10	< 10	< 10	44	< 10	412
AA3570	201	202	< 0.01	15	220	50	< 2	3	27	0.11	< 10	< 10	48	< 10	312
AA3571	201	202	0.01	8	230	66	< 2	2	27	0.08	< 10	< 10	39	< 10	602
AA3572	201	202	< 0.01	10	290	60	< 2	2	19	0.07	< 10	< 10	42	< 10	390

CERTIFICATION: Hart Bickle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-A
Total Pages :3
Certificate Date: 16-JUL-98
Invoice No. :19824020
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824020

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA3573	201	202	1.4	1.45	32	50	< 0.5	< 2	0.17	2.5	6	27	10	3.17	< 10	< 1	0.07	10	0.37	405	1
AA3574	201	202	0.2	1.50	50	50	0.5	< 2	0.19	0.5	5	21	6	2.69	< 10	< 1	0.06	20	0.33	340	1
AA3575	201	202	0.8	2.21	90	50	1.0	4	0.32	0.5	6	21	12	2.93	< 10	< 1	0.10	30	0.36	860	3
AA3576	201	202	< 0.2	1.23	26	50	< 0.5	< 2	0.26	< 0.5	3	15	7	1.80	< 10	< 1	0.07	30	0.28	290	3
AA3577	201	202	2.4	2.60	122	60	1.5	2	0.44	0.5	19	43	67	4.68	< 10	< 1	0.30	60	0.80	840	4
AA3578	201	202	0.2	1.30	42	40	0.5	2	0.30	< 0.5	4	18	20	2.99	< 10	< 1	0.07	30	0.29	280	2
AA3579	201	202	0.2	1.33	28	30	0.5	< 2	0.19	< 0.5	4	16	7	1.94	< 10	< 1	0.07	30	0.26	165	3
AA3580	201	202	0.8	2.68	74	60	2.0	26	0.32	0.5	12	43	122	5.55	10	< 1	0.22	30	0.63	835	25
AA3581	201	202	< 0.2	1.41	20	40	0.5	2	0.22	0.5	5	30	27	3.48	10	< 1	0.09	20	0.28	185	30
AA3582	201	202	7.2	0.83	< 2	10	3.0	50	1.55	< 0.5	< 1	9	110	>15.00	10	< 1	0.11	< 10	0.44	165	30
AA3583	201	202	0.6	1.78	40	90	1.0	2	0.71	2.0	10	30	78	3.11	< 10	< 1	0.11	30	0.48	905	4
AA3584	201	202	0.2	1.14	10	70	0.5	< 2	0.23	1.5	10	20	19	2.28	< 10	< 1	0.06	20	0.28	1015	7
AA3585	201	202	0.6	1.15	16	40	< 0.5	< 2	0.14	< 0.5	6	19	8	1.88	< 10	< 1	0.09	30	0.24	130	2
AA3586	201	202	0.2	1.20	14	40	< 0.5	< 2	0.11	< 0.5	4	14	4	1.94	< 10	< 1	0.12	30	0.27	165	1
AA3587	201	202	1.2	1.31	20	50	0.5	< 2	0.13	0.5	3	19	9	1.88	< 10	< 1	0.06	30	0.22	180	3
AA3588	201	202	1.0	1.10	30	50	< 0.5	2	0.28	2.0	5	19	21	2.26	< 10	< 1	0.09	20	0.24	295	4
AA3589	201	202	0.8	1.50	56	40	1.0	< 2	0.47	2.5	11	23	78	2.61	< 10	< 1	0.07	30	0.32	520	4
AA3590	201	202	0.8	1.94	20	70	0.5	< 2	0.37	1.0	5	30	18	3.86	< 10	< 1	0.11	30	0.42	215	5
AA3591	201	202	0.2	1.12	50	50	< 0.5	< 2	0.20	1.5	6	19	7	2.46	< 10	< 1	0.10	20	0.28	375	3
AA3592	201	202	< 0.2	1.01	12	40	< 0.5	< 2	0.18	< 0.5	3	13	3	1.17	< 10	< 1	0.07	30	0.24	135	1
AA3593	201	202	0.4	1.53	38	70	0.5	< 2	0.30	2.0	8	25	10	2.65	< 10	< 1	0.09	30	0.39	445	4
AA3594	201	202	0.2	1.21	48	70	< 0.5	< 2	0.28	1.0	5	20	12	2.76	< 10	< 1	0.11	30	0.29	320	4
AA3595	201	202	0.6	1.49	54	40	0.5	< 2	0.18	< 0.5	4	18	10	2.41	< 10	< 1	0.09	30	0.31	360	3
AA3596	201	202	0.2	1.37	58	60	0.5	4	0.34	1.0	7	25	17	2.82	< 10	< 1	0.15	30	0.33	360	4
AA3597	201	202	0.2	1.75	62	70	0.5	4	0.38	2.5	14	29	24	3.53	< 10	< 1	0.17	30	0.43	565	5
AA3598	201	202	0.8	2.17	46	80	1.0	6	0.38	< 0.5	10	32	33	3.88	10	< 1	0.15	30	0.59	510	5
AA3599	201	202	< 0.2	1.42	32	30	0.5	2	0.29	< 0.5	5	21	15	2.90	< 10	< 1	0.10	30	0.31	190	4
AA3600	201	202	< 0.2	1.27	30	30	0.5	4	0.17	0.5	6	19	8	2.48	< 10	< 1	0.11	30	0.28	205	1
AA3601	201	202	0.2	1.82	24	50	0.5	2	0.24	0.5	7	33	15	3.63	10	< 1	0.11	20	0.49	300	4
AA3602	201	202	0.2	0.98	22	50	0.5	6	0.30	3.0	5	22	73	10.65	10	< 1	0.07	10	0.17	255	11
AA3603	201	202	0.4	3.14	80	50	2.0	6	0.78	< 0.5	8	34	477	7.34	10	< 1	0.15	30	0.62	670	8
AA3604	201	202	0.6	2.72	108	60	1.5	28	0.26	0.5	12	44	46	5.03	10	< 1	0.21	40	0.73	680	5
AA3605	201	202	0.4	1.19	8	80	0.5	< 2	0.30	0.5	6	17	15	1.78	< 10	< 1	0.08	30	0.23	370	4

CERTIFICATION: Ian Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number :3-B
Total Pages :3
Certificate Date: 16-JUL-98
Invoice No. :I9824020
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9824020

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA3573	201	202	< 0.01	12	240	128	< 2	2	16	0.11	< 10	< 10	47	10	1120
AA3574	201	202	< 0.01	9	230	70	2	2	14	0.08	< 10	< 10	39	< 10	752
AA3575	201	202	< 0.01	13	460	140	< 2	3	15	0.05	< 10	< 10	30	< 10	808
AA3576	201	202	< 0.01	9	500	62	< 2	1	18	0.07	< 10	< 10	26	< 10	266
AA3577	201	202	< 0.01	44	310	202	< 2	6	54	0.06	< 10	< 10	38	10	828
AA3578	201	202	< 0.01	10	420	172	< 2	2	14	0.05	< 10	< 10	35	50	550
AA3579	201	202	< 0.01	10	200	56	< 2	1	16	0.07	< 10	< 10	31	< 10	246
AA3580	201	202	< 0.01	30	420	106	2	4	53	0.06	< 10	< 10	47	40	488
AA3581	201	202	< 0.01	11	230	18	< 2	2	16	0.09	< 10	< 10	55	50	278
AA3582	201	202	< 0.01	< 1	360	8	< 2	< 1	46	0.02	< 10	20	15	750	22
AA3583	201	202	0.01	21	570	56	2	3	86	0.08	< 10	< 10	35	40	1000
AA3584	201	202	< 0.01	10	360	40	< 2	1	28	0.07	< 10	< 10	40	< 10	272
AA3585	201	202	< 0.01	10	130	36	< 2	1	17	0.10	< 10	< 10	39	< 10	176
AA3586	201	202	< 0.01	7	210	24	< 2	1	15	0.07	< 10	< 10	31	< 10	182
AA3587	201	202	< 0.01	6	130	120	< 2	1	19	0.07	< 10	< 10	36	< 10	256
AA3588	201	202	< 0.01	16	160	80	< 2	1	31	0.07	< 10	< 10	34	< 10	786
AA3589	201	202	0.01	35	190	260	< 2	3	50	0.10	< 10	< 10	33	< 10	1300
AA3590	201	202	< 0.01	11	350	46	< 2	2	50	0.03	< 10	< 10	38	< 10	366
AA3591	201	202	< 0.01	9	220	48	< 2	1	23	0.07	< 10	< 10	40	< 10	384
AA3592	201	202	< 0.01	5	190	38	< 2	1	19	0.07	< 10	< 10	22	< 10	250
AA3593	201	202	< 0.01	12	310	218	< 2	3	32	0.09	< 10	< 10	41	< 10	1100
AA3594	201	202	< 0.01	10	340	62	< 2	2	34	0.09	< 10	< 10	46	10	416
AA3595	201	202	< 0.01	7	270	152	< 2	2	17	0.07	< 10	< 10	32	< 10	750
AA3596	201	202	< 0.01	12	420	60	< 2	2	35	0.08	< 10	< 10	41	10	408
AA3597	201	202	< 0.01	22	490	58	< 2	3	43	0.08	< 10	< 10	42	< 10	758
AA3598	201	202	< 0.01	21	490	110	2	4	44	0.08	< 10	< 10	43	20	596
AA3599	201	202	< 0.01	11	210	96	< 2	2	30	0.08	< 10	< 10	39	50	436
AA3600	201	202	< 0.01	10	140	34	< 2	2	14	0.08	< 10	< 10	35	10	358
AA3601	201	202	< 0.01	12	230	38	2	3	24	0.12	< 10	< 10	56	10	398
AA3602	201	202	< 0.01	6	510	26	< 2	1	14	0.09	< 10	< 10	48	1010	320
AA3603	201	202	< 0.01	23	330	74	< 2	5	21	0.05	< 10	< 10	38	230	240
AA3604	201	202	< 0.01	22	250	80	< 2	4	28	0.05	< 10	< 10	44	70	448
AA3605	201	202	0.01	7	630	56	< 2	< 1	42	0.03	< 10	< 10	34	< 10	204

CERTIFICATION: Hank Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 12-JUL-98
Invoice No. : 19824019
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824019

SAMPLE	PREP CODE		Ag FA g/t	Pb %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm
934728	208	226	2750	11.30	>200	0.26	< 10	160	< 5	< 10	0.05	5	< 5	70	1385	1.33	< 10	0.16	< 0.01	950	< 5
934729	208	226	2510	21.2	>200	0.17	4880	20	< 5	210	0.05	575	5	30	4970	4.07	< 10	0.10	0.07	7950	< 5
934730	208	226	1800	27.2	>200	0.54	1970	60	< 5	70	0.08	270	< 5	30	4080	2.70	< 10	0.23	0.11	2020	< 5
934731	208	226	>3500	49.0	>200	0.09	1610	20	< 5	190	0.03	430	< 5	< 10	7230	2.83	< 10	0.04	0.04	3340	< 5
934732	208	226	>3500	59.8	>200	0.04	1270	< 20	< 5	210	0.02	280	< 5	< 10	19460	2.00	< 10	0.03	0.01	2090	< 5
934733	208	226	>3500	37.2	>200	0.17	19360	20	< 5	250	0.04	245	5	30	13370	5.40	< 10	0.13	0.05	8110	< 5

CERTIFICATION: Ian Bridle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218


To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 12-JUL-98
Invoice No. : I9824019
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824019

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
934728	208	226	0.03	< 5	< 100	>50000	660	< 5	10	< 0.01	< 20	< 20	< 20	< 20	1740
934729	208	226	0.03	5	< 100	>50000	1270	< 5	< 5	< 0.01	< 20	< 20	< 20	< 20	>50000
934730	208	226	0.03	15	100	>50000	1290	< 5	5	< 0.01	< 20	< 20	< 20	< 20	>50000
934731	208	226	0.03	< 5	< 100	>50000	3310	< 5	< 5	< 0.01	< 20	< 20	< 20	< 20	>50000
934732	208	226	0.02	< 5	< 100	>50000	>10000	< 5	5	< 0.01	< 20	< 20	< 20	< 20	>50000
934733	208	226	0.03	5	< 100	>50000	4480	< 5	< 5	< 0.01	< 20	< 20	< 20	< 20	>50000

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-A
Total Pages : 1
Certificate Date: 15-JUL-98
Invoice No. : 19824018
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824018

SAMPLE	PREP CODE		Ag g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
934734	208	226	>350	>100.0	0.26	>10000	< 10	< 0.5	38	0.03	385	6	99	4280	4.79	< 10	8	0.10	< 10	0.06	4340
934735	208	226	>350	>100.0	0.13	>10000	10	< 0.5	74	0.08	491	< 1	40	6700	12.85	< 10	7	0.07	< 10	0.19	>10000
934736	208	226	80.7	76.0	0.46	8130	140	0.5	8	0.14	43.5	16	53	877	5.53	< 10	1	0.25	20	0.04	>10000
934737	208	226	111.0	>100.0	0.07	>10000	30	< 0.5	32	0.16	110.5	8	60	796	>15.00	< 10	12	0.04	< 10	0.32	>10000
934738	208	226	14.7	14.0	0.36	3640	170	< 0.5	8	0.10	22.5	4	51	58	10.70	< 10	< 1	0.20	20	0.06	>10000
934739	208	226	14.4	12.8	0.30	7660	30	< 0.5	6	0.03	21.5	5	88	150	4.56	< 10	< 1	0.15	< 10	0.04	6720
934740	208	226	>350	>100.0	0.27	>10000	70	< 0.5	216	0.14	41.5	4	46	167	>15.00	< 10	9	0.14	< 10	0.07	>10000

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments:

Page Number : 1-B
Total Pages : 1
Certificate Date: 15-JUL-98
Invoice No. : 19824018
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9824018

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
934734	208	226	< 1	< 0.01	15	< 10	4090	110	< 1	2	< 0.01	< 10	< 10	7	< 10	>10000
934735	208	226	< 1	< 0.01	12	< 10	>10000	822	1	10	< 0.01	< 10	< 10	1	< 10	>10000
934736	208	226	10	< 0.01	37	420	2570	52	1	37	< 0.01	< 10	< 10	4	< 10	>10000
934737	208	226	4	< 0.01	30	< 10	>10000	86	2	42	< 0.01	< 10	< 10	1	< 10	>10000
934738	208	226	8	< 0.01	26	130	7610	24	2	92	< 0.01	< 10	< 10	3	< 10	5480
934739	208	226	1	< 0.01	13	60	4220	48	1	21	< 0.01	< 10	< 10	3	< 10	7650
934740	208	226	16	< 0.01	21	150	>10000	182	3	115	< 0.01	< 10	10	3	10	>10000

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number : 1
Total Pages : 1
Certificate Date: 08-JUL-98
Invoice No. : I9823772
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823772

SAMPLE	PREP CODE	Ag con g/t	Pb %
935355	244 --	-----	6.34
935357	244 --	7430.6	39.6

CERTIFICATION: Said Eshaq

OVERLIMITS from A9823295

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number : 1-A
Total Pages : 1
Certificate Date: 06-JUL-98
Invoice No. : I9823295
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823295

SAMPLE	PREP CODE		Ag FA g/t	Pb %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm
935355	208	220	1515	6.37	>200	1.38	60	100	< 5	< 10	0.44	10	< 5	40	840	2.63	< 10	0.30	0.25	770	5
935356	208	220	200	0.85	>200	0.41	170	20	< 5	< 10	0.14	10	< 5	50	515	1.49	< 10	0.42	0.03	3230	5
935357	208	220	>3500	39.3	>200	0.16	2360	< 20	< 5	20	0.05	155	< 5	30	4840	3.15	< 10	0.17	0.02	8730	130

CERTIFICATION: Hans Lieble

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number : 1-B
Total Pages : 1
Certificate Date: 06-JUL-98
Invoice No. : 19823295
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823295

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935355	208	220	0.04	5	1100	>50000	160	< 5	5	0.02	20	< 20	20	120	7760
935356	208	220	0.04	< 5	600	8480	140	< 5	< 5	< 0.01	60	40	< 20	< 20	2240
935357	208	220	0.03	< 5	200	>50000	5710	< 5	< 5	< 0.01	< 20	120	< 20	< 20	3320

CERTIFICATION: Ian Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number : 1-A
Total Pages : 1
Certificate Date: 05-JUL-98
Invoice No. : I9823294
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823294

SAMPLE	PREP CODE		Ag g/t	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	K %	Mg %	Mn ppm	Mo ppm	Na %
935351	208	220	12.6	17	0.50	60	20	< 5	< 10	0.17	< 5	< 5	40	55	1.03	< 10	0.28	0.06	1590	< 5	0.05
935352	208	220	284	>200	0.33	670	20	< 5	< 10	0.06	5	< 5	50	495	3.01	< 10	0.27	0.01	5960	20	0.04
935353	208	220	12.9	14	0.46	60	20	< 5	< 10	0.19	5	< 5	40	55	1.38	< 10	0.32	0.03	3110	5	0.05
935354	208	220	28.5	30	0.34	60	40	< 5	< 10	0.13	< 5	< 5	50	100	1.41	< 10	0.37	0.03	2400	< 5	0.04
935358	208	220	105.5	109	0.37	220	20	< 5	10	0.14	25	< 5	70	580	2.71	< 10	0.35	0.04	9090	5	0.04

CERTIFICATION: Said Zeinab

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page ber : 1-B
Total ges : 1
Certificate Date: 05-JUL-98
Invoice No. : I9823294
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823294

SAMPLE	PREP CODE		Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
935351	208	220	< 5	500	550	< 10	< 5	15	< 0.01	< 20	20	< 20	< 20	860
935352	208	220	< 5	400	5170	80	< 5	< 5	< 0.01	< 20	< 20	< 20	< 20	1830
935353	208	220	< 5	500	530	< 10	< 5	5	< 0.01	20	100	< 20	< 20	1135
935354	208	220	< 5	500	530	< 10	< 5	< 5	< 0.01	20	< 20	< 20	< 20	1040
935358	208	220	< 5	500	4600	120	< 5	< 5	< 0.01	< 20	100	< 20	< 20	4820

CERTIFICATION:

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page ber : 1-A
Total ges : 1
Certificate Date: 08-JUL-98
Invoice No. : I9823293
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823293

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
934723	208	226	7.4	0.20	5360	< 10	1.0	6	0.03	3.0	4	73	298	>15.00	< 10	< 1	0.04	< 10	0.04	>10000	< 1
934724	208	226	>100.0	0.07	90	< 10	< 0.5	2	< 0.01	9.0	1	107	135	3.40	< 10	< 1	0.04	< 10	< 0.01	4800	62
934725	208	226	2.2	0.03	< 2	30	6.5	348	7.03	442	43	24	100	3.26	< 10	< 1	< 0.01	< 10	0.06	5830	6
934726	208	226	>100.0	0.14	54	20	0.5	2	0.07	106.5	4	89	1020	3.32	< 10	< 1	0.10	< 10	0.12	>10000	1

CERTIFICATION: Hank Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number : 1-B
Total Pages : 1
Certificate Date: 08-JUL-98
Invoice No. : I9823293
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823293

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
934723	208	226	< 0.01	< 1	90	30	8	1	6	< 0.01	< 10	130	< 1	< 10	1125
934724	208	226	< 0.01	1	90	>10000	122	< 1	17	< 0.01	< 10	20	< 1	< 10	3350
934725	208	226	< 0.01	< 1	220	872	< 2	< 1	30	< 0.01	< 10	10	< 1	650	>10000
934726	208	226	< 0.01	4	70	>10000	614	< 1	8	< 0.01	< 10	20	< 1	< 10	>10000

CERTIFICATION: Ian Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number : 1-A
Total Pages : 1
Certificate Date: 08-JUL-98
Invoice No. : I9823292
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823292

SAMPLE	PREP CODE		Zn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
934722	208	226	7.84	3.4	1.55	< 2	60	2.0	252	4.02	>500	85	69	744	6.44	< 10	< 1	0.10	< 10	0.23	2270

CERTIFICATION: Stewart Bidlake

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page ber : 1-B
Total ges : 1
Certificate Date: 08-JUL-98
Invoice No. : I9823292
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823292

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
934722	208	226	25	< 0.01	10	710	36	< 2	1	39	0.07	< 10	10	13	250	>10000

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number :1-A
Total Pages :4
Certificate Date: 09-JUL-98
Invoice No. :19823291
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9823291

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA1201	201	202	< 0.2	2.38	2	70	0.5	< 2	0.16	< 0.5	6	17	13	2.52	< 10	< 1	0.15	30	0.44	300	1
AA1202	201	202	0.4	2.55	< 2	150	1.5	< 2	0.23	< 0.5	6	18	26	2.36	< 10	< 1	0.10	40	0.45	250	1
AA1203	201	202	< 0.2	1.25	< 2	40	< 0.5	< 2	0.06	< 0.5	3	7	6	1.68	< 10	< 1	0.11	20	0.22	120	1
AA1204	201	202	< 0.2	1.12	< 2	80	< 0.5	< 2	0.28	< 0.5	4	5	11	1.68	< 10	< 1	0.25	40	0.40	200	< 1
AA1205	201	202	< 0.2	1.97	< 2	120	0.5	< 2	0.32	< 0.5	6	6	7	2.04	< 10	< 1	0.30	30	0.50	270	< 1
AA1206	201	202	< 0.2	2.22	< 2	100	0.5	< 2	0.13	< 0.5	6	8	13	2.71	10	< 1	0.33	10	0.63	400	< 1
AA1207	201	202	0.6	2.33	< 2	110	2.0	< 2	0.30	< 0.5	3	9	35	1.35	< 10	< 1	0.11	80	0.26	120	1
AA1208	201	202	0.2	1.59	< 2	100	1.5	< 2	0.33	< 0.5	4	6	12	1.63	< 10	< 1	0.19	30	0.38	295	< 1
AA1674	201	202	0.8	1.68	26	30	0.5	< 2	0.26	< 0.5	4	19	8	2.48	< 10	< 1	0.06	20	0.32	195	1
AA1675	201	202	1.8	1.69	124	50	1.5	6	0.32	< 0.5	5	18	193	5.81	< 10	< 1	0.09	20	0.24	335	5
AA1676	201	202	0.4	1.98	18	60	0.5	< 2	0.37	< 0.5	19	36	11	3.38	< 10	< 1	0.15	20	0.57	435	< 1
AA1677	201	202	0.2	1.71	54	40	1.0	< 2	0.71	< 0.5	8	24	27	3.67	< 10	< 1	0.06	10	0.38	730	14
AA1678	201	202	1.0	1.80	< 2	80	1.5	< 2	0.50	< 0.5	5	14	8	2.18	< 10	< 1	0.10	40	0.42	710	1
AA1679	201	202	1.0	2.03	< 2	90	2.0	< 2	0.79	< 0.5	4	9	13	1.68	< 10	< 1	0.12	30	0.28	510	1
AA1680	201	202	0.6	1.85	< 2	120	1.5	< 2	0.57	< 0.5	4	9	16	1.64	< 10	< 1	0.15	30	0.29	510	1
AA1681	201	202	< 0.2	0.41	< 2	40	< 0.5	< 2	0.20	< 0.5	1	6	3	0.65	< 10	< 1	0.06	20	0.14	195	< 1
AA1682	201	202	< 0.2	0.37	< 2	30	< 0.5	< 2	0.15	< 0.5	1	4	2	0.54	< 10	< 1	0.06	10	0.11	220	< 1
AA1683	201	202	0.4	0.52	< 2	50	< 0.5	< 2	0.28	< 0.5	3	10	4	0.98	< 10	< 1	0.08	10	0.22	355	< 1
AA3501	201	202	2.0	1.59	54	40	0.5	< 2	0.28	1.5	14	16	19	2.89	< 10	< 1	0.13	10	0.47	765	3
AA3502	201	202	0.6	1.34	8	80	0.5	< 2	0.87	0.5	6	16	27	1.77	< 10	< 1	0.11	10	0.36	260	3
AA3503	201	202	< 0.2	1.19	< 2	50	< 0.5	< 2	0.35	< 0.5	5	15	6	1.78	< 10	< 1	0.18	10	0.40	300	< 1
AA3504	201	202	< 0.2	0.77	< 2	30	< 0.5	< 2	0.16	< 0.5	4	13	3	1.47	< 10	< 1	0.07	10	0.24	135	< 1
AA3505	201	202	0.2	1.43	< 2	50	< 0.5	10	0.33	0.5	11	27	8	3.04	< 10	< 1	0.10	10	0.41	305	< 1
AA3506	201	202	0.6	2.27	86	40	1.5	< 2	0.42	< 0.5	16	34	11	4.13	< 10	< 1	0.13	30	0.62	470	2
AA3507	201	202	0.2	2.56	56	50	0.5	< 2	0.33	0.5	11	34	11	3.58	< 10	< 1	0.12	30	0.62	470	1
AA3508	201	202	0.2	1.22	64	30	< 0.5	< 2	0.21	< 0.5	8	24	7	2.56	< 10	< 1	0.09	10	0.37	315	1
AA3509	201	202	2.0	1.87	576	20	0.5	< 2	0.52	2.0	12	32	12	4.73	< 10	< 1	0.10	10	0.49	2980	< 1
AA3510	201	202	0.4	1.91	6	60	0.5	< 2	0.81	2.0	28	33	22	5.59	< 10	< 1	0.09	10	0.47	630	2
AA3511	201	202	0.2	1.70	26	60	0.5	< 2	0.73	0.5	11	20	8	3.00	< 10	< 1	0.09	10	0.21	440	2
AA3512	201	202	0.2	2.58	22	40	0.5	< 2	2.07	3.0	23	52	16	4.50	< 10	< 1	0.06	10	0.81	510	< 1
AA3513	201	202	0.2	3.30	10	30	1.0	< 2	0.84	< 0.5	23	48	14	5.34	< 10	< 1	0.05	30	0.73	980	1
AA3514	201	202	0.4	1.45	36	60	0.5	< 2	0.27	2.0	9	24	20	5.46	< 10	< 1	0.14	10	0.40	>10000	1
AA3515	201	202	0.2	2.71	6	60	1.0	< 2	1.03	< 0.5	16	41	15	4.50	< 10	< 1	0.08	10	0.73	190	< 1
AA3516	201	202	0.2	2.46	40	50	0.5	< 2	0.88	1.0	17	51	8	4.45	< 10	< 1	0.05	10	0.82	665	< 1
AA3517	201	202	0.4	2.35	124	40	1.5	< 2	0.91	< 0.5	10	33	20	3.60	< 10	< 1	0.10	30	0.72	210	< 1
AA3518	201	202	< 0.2	0.97	< 2	30	< 0.5	< 2	0.13	< 0.5	4	12	3	1.62	< 10	< 1	0.06	20	0.25	140	< 1
AA3519	201	202	< 0.2	1.08	10	30	< 0.5	< 2	0.13	< 0.5	7	18	4	2.22	< 10	< 1	0.06	10	0.31	165	< 1
AA3520	201	202	1.6	2.78	234	50	1.5	< 2	0.49	< 0.5	23	34	16	4.25	< 10	< 1	0.13	20	0.61	655	1
AA3628	201	202	< 0.2	1.11	< 2	50	< 0.5	< 2	0.12	< 0.5	4	15	3	1.72	< 10	< 1	0.05	10	0.24	120	< 1
AA3629	201	202	0.6	2.21	44	30	0.5	< 2	0.25	< 0.5	14	77	19	5.07	< 10	< 1	0.05	< 10	0.79	235	3

CERTIFICATION: Hart Bidlle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number : 1-B
Total Pages : 4
Certificate Date: 09-JUL-98
Invoice No. : 19823291
P.O. Number :
Account : MTT

CERTIFICATE OF ANALYSIS A9823291

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA1201	201	202	< 0.01	10	1240	14	< 2	1	18	0.06	< 10	< 10	49	< 10	64
AA1202	201	202	0.01	11	1060	20	< 2	1	58	0.04	< 10	10	39	< 10	72
AA1203	201	202	< 0.01	3	680	2	< 2	< 1	32	0.05	< 10	< 10	35	< 10	34
AA1204	201	202	< 0.01	4	1150	2	< 2	2	47	0.09	< 10	< 10	37	< 10	60
AA1205	201	202	0.01	5	1070	6	< 2	3	57	0.09	< 10	< 10	41	< 10	52
AA1206	201	202	< 0.01	5	930	4	< 2	2	95	0.13	< 10	< 10	64	< 10	100
AA1207	201	202	0.01	5	1460	12	< 2	< 1	63	0.01	< 10	30	24	< 10	44
AA1208	201	202	< 0.01	4	830	12	< 2	3	47	0.06	< 10	20	29	< 10	80
AA1674	201	202	< 0.01	11	210	96	< 2	1	16	0.05	< 10	< 10	31	< 10	730
AA1675	201	202	0.01	10	600	168	< 2	2	31	0.03	< 10	< 10	27	30	168
AA1676	201	202	0.01	31	220	52	< 2	3	42	0.11	< 10	< 10	46	< 10	238
AA1677	201	202	< 0.01	14	450	34	< 2	2	22	0.07	< 10	< 10	39	40	656
AA1678	201	202	< 0.01	8	710	84	< 2	3	87	0.03	< 10	50	26	< 10	296
AA1679	201	202	0.01	5	970	48	< 2	1	167	0.03	< 10	130	20	< 10	252
AA1680	201	202	0.01	5	700	34	< 2	2	106	0.05	< 10	30	22	< 10	178
AA1681	201	202	< 0.01	4	640	10	< 2	< 1	17	0.01	< 10	< 10	7	< 10	30
AA1682	201	202	< 0.01	3	470	10	< 2	< 1	16	0.01	< 10	< 10	6	< 10	30
AA1683	201	202	< 0.01	6	800	54	2	< 1	26	0.02	< 10	< 10	12	< 10	124
AA3501	201	202	< 0.01	21	380	156	< 2	2	98	0.04	< 10	< 10	29	< 10	1310
AA3502	201	202	< 0.01	11	690	24	2	3	71	0.05	< 10	< 10	25	< 10	574
AA3503	201	202	< 0.01	9	380	22	< 2	2	26	0.07	< 10	< 10	28	< 10	202
AA3504	201	202	< 0.01	6	150	2	< 2	1	15	0.08	< 10	< 10	31	< 10	90
AA3505	201	202	< 0.01	15	240	16	< 2	2	27	0.10	< 10	< 10	46	< 10	530
AA3506	201	202	< 0.01	18	160	110	< 2	3	32	0.01	< 10	< 10	36	< 10	2070
AA3507	201	202	< 0.01	18	140	70	< 2	4	42	0.05	< 10	< 10	43	< 10	1640
AA3508	201	202	< 0.01	12	190	38	< 2	1	22	0.07	< 10	< 10	42	< 10	632
AA3509	201	202	0.01	19	470	450	< 2	3	73	0.07	< 10	< 10	38	< 10	2490
AA3510	201	202	< 0.01	27	680	40	< 2	3	53	0.09	< 10	< 10	51	< 10	1170
AA3511	201	202	0.06	13	500	52	< 2	1	100	0.06	< 10	< 10	32	< 10	704
AA3512	201	202	0.04	40	630	18	< 2	4	276	0.06	< 10	< 10	39	< 10	1340
AA3513	201	202	0.07	44	450	30	< 2	4	140	0.07	< 10	< 10	45	< 10	400
AA3514	201	202	< 0.01	17	360	100	< 2	2	32	0.05	< 10	< 10	37	< 10	1185
AA3515	201	202	< 0.01	37	330	24	2	3	164	0.04	< 10	< 10	43	< 10	270
AA3516	201	202	0.02	28	320	30	< 2	4	126	0.03	< 10	< 10	41	< 10	1200
AA3517	201	202	0.03	30	420	26	< 2	6	142	0.03	< 10	< 10	32	< 10	190
AA3518	201	202	< 0.01	6	160	6	< 2	1	16	0.06	< 10	< 10	30	< 10	72
AA3519	201	202	< 0.01	10	140	12	< 2	1	27	0.07	< 10	< 10	40	< 10	150
AA3520	201	202	0.02	45	820	154	< 2	4	69	0.06	< 10	< 10	34	< 10	502
AA3628	201	202	< 0.01	6	240	2	< 2	1	14	0.07	< 10	< 10	36	< 10	68
AA3629	201	202	< 0.01	40	440	36	< 2	3	16	0.08	< 10	< 10	73	< 10	418

CERTIFICATION: 

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number :2-A
Total Pages :4
Certificate Date: 09-JUL-98
Invoice No. :I9823291
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9823291

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA3630	201	202	0.2	1.07	40	60	< 0.5	< 2	0.23	0.5	17	17	12	2.71	< 10	< 1	0.09	10	0.27	950	< 1
AA3631	201	202	1.6	2.95	< 2	50	0.5	< 2	0.49	< 0.5	19	34	28	6.19	10	< 1	0.12	10	0.53	225	2
AA3632	201	202	0.2	1.46	30	50	< 0.5	< 2	0.61	0.5	13	21	15	2.67	< 10	< 1	0.21	10	0.47	520	1
AA3633	201	202	0.2	2.09	46	70	0.5	< 2	0.27	< 0.5	29	35	25	3.62	< 10	< 1	0.13	10	0.58	485	< 1
AA3634	201	202	0.2	2.27	44	50	0.5	< 2	0.20	< 0.5	17	36	19	3.97	< 10	< 1	0.15	10	0.64	195	1
AA3635	201	202	< 0.2	1.82	< 2	40	0.5	< 2	0.15	< 0.5	9	28	12	3.39	< 10	< 1	0.18	10	0.59	170	< 1
AA3636	201	202	0.2	2.11	244	40	0.5	< 2	0.59	< 0.5	39	40	35	7.40	< 10	< 1	0.03	40	0.66	350	1
AA3637	201	202	0.2	3.10	28	110	1.0	< 2	0.32	< 0.5	33	192	61	4.59	< 10	< 1	0.15	10	1.70	250	1
AA3638	201	202	0.2	2.86	240	60	0.5	< 2	0.39	0.5	25	79	23	4.65	< 10	< 1	0.36	20	1.14	810	< 1
AA3639	201	202	0.4	2.90	12	60	1.5	< 2	0.22	< 0.5	24	45	22	5.50	< 10	< 1	0.35	10	0.87	210	1
AA3640	201	202	< 0.2	2.16	< 2	80	0.5	< 2	0.29	< 0.5	13	38	5	3.48	< 10	< 1	0.16	10	0.62	195	< 1
AA3641	201	202	0.8	2.50	56	80	1.5	< 2	1.29	2.5	18	41	49	4.32	< 10	< 1	0.13	30	0.54	795	1
AA3642	201	202	0.4	2.38	12	70	1.0	< 2	0.28	2.0	20	46	13	3.79	< 10	< 1	0.15	10	0.65	735	1
AA3651	201	202	< 0.2	1.68	10	50	0.5	< 2	0.28	< 0.5	10	32	6	3.23	< 10	< 1	0.12	10	0.45	295	< 1
AA3652	201	202	< 0.2	2.46	12	70	0.5	< 2	0.79	< 0.5	19	45	12	3.97	< 10	< 1	0.19	30	0.79	670	1
AA3653	201	202	< 0.2	1.21	8	30	< 0.5	< 2	0.16	< 0.5	9	21	4	2.55	< 10	< 1	0.08	10	0.33	270	< 1
AA3654	201	202	< 0.2	0.80	< 2	40	< 0.5	< 2	0.10	< 0.5	4	10	2	1.42	< 10	< 1	0.09	10	0.24	130	< 1
AA3655	201	202	< 0.2	0.56	< 2	50	< 0.5	< 2	0.09	< 0.5	3	9	2	1.22	< 10	< 1	0.07	10	0.15	85	< 1
AA3656	201	202	1.6	1.09	< 2	100	0.5	< 2	1.87	1.0	7	13	51	1.37	< 10	< 1	0.06	30	0.23	2230	1
AA3657	201	202	< 0.2	1.50	< 2	40	< 0.5	< 2	3.48	< 0.5	15	23	12	3.66	< 10	< 1	0.09	30	0.40	455	< 1
AA3658	201	202	< 0.2	1.46	< 2	30	< 0.5	< 2	0.63	< 0.5	11	27	6	3.38	< 10	< 1	0.03	10	0.30	305	< 1
AA3659	201	202	0.6	2.52	< 2	110	1.0	< 2	0.36	< 0.5	31	37	102	3.87	< 10	< 1	0.07	40	0.54	435	1
AA3660	201	202	0.2	2.04	< 2	70	0.5	< 2	0.21	< 0.5	10	34	11	5.60	< 10	< 1	0.24	10	0.64	170	1
AA3661	201	202	0.2	2.75	28	80	1.0	< 2	0.55	< 0.5	19	55	23	4.41	< 10	< 1	0.27	30	0.97	305	1
AA3662	201	202	0.4	1.38	28	90	0.5	< 2	0.36	< 0.5	12	25	13	2.90	< 10	< 1	0.15	10	0.45	835	1
AA3663	201	202	0.2	0.55	< 2	70	< 0.5	< 2	0.19	< 0.5	5	13	3	1.48	< 10	< 1	0.09	10	0.14	435	< 1
AA3664	201	202	0.2	1.74	144	40	0.5	< 2	0.49	0.5	13	26	14	2.92	< 10	< 1	0.12	10	0.54	645	< 1
AA3665	201	202	< 0.2	1.74	< 2	50	< 0.5	< 2	0.08	< 0.5	11	26	5	3.34	10	< 1	0.30	10	0.48	240	< 1
AA3666	201	202	0.2	3.21	60	90	1.5	< 2	0.50	< 0.5	39	57	40	6.36	10	< 1	0.33	10	1.08	995	3
AA3667	201	202	0.8	2.80	6	60	1.0	< 2	0.82	< 0.5	18	29	13	4.44	< 10	< 1	0.06	10	0.52	340	1
AA3668	201	202	0.4	1.80	38	60	0.5	< 2	0.19	< 0.5	12	30	9	3.50	< 10	< 1	0.13	10	0.52	415	1
AA3669	201	202	0.6	1.20	22	50	0.5	< 2	0.80	2.5	7	17	32	2.07	< 10	< 1	0.10	20	0.36	490	2
AA3670	201	202	0.2	2.37	< 2	90	1.5	< 2	0.23	< 0.5	25	48	43	7.47	< 10	< 1	0.45	10	0.70	305	11
AA3671	201	202	< 0.2	2.93	< 2	240	1.5	< 2	0.19	< 0.5	23	44	10	5.06	10	< 1	0.43	10	0.64	585	< 1
AA3672	201	202	< 0.2	1.29	< 2	60	< 0.5	< 2	0.16	< 0.5	13	28	5	2.95	< 10	< 1	0.05	10	0.32	1125	< 1
AA3673	201	202	< 0.2	1.17	< 2	50	< 0.5	< 2	0.28	< 0.5	10	26	3	2.78	< 10	< 1	0.08	10	0.31	590	< 1
AA3674	201	202	< 0.2	1.10	12	30	< 0.5	< 2	0.35	1.5	7	23	5	2.34	< 10	< 1	0.05	10	0.26	185	1
AA3675	201	202	< 0.2	0.93	10	40	< 0.5	< 2	0.16	< 0.5	5	17	3	1.86	< 10	< 1	0.07	10	0.27	130	< 1
AA3676	201	202	< 0.2	1.35	6	50	< 0.5	< 2	0.08	< 0.5	5	19	4	2.52	< 10	< 1	0.09	10	0.39	165	< 1
AA3677	201	202	< 0.2	1.83	16	110	0.5	< 2	0.08	< 0.5	8	30	9	3.81	< 10	< 1	0.15	10	0.52	285	< 1

CERTIFICATION: Ian Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number :2-B
Total Pages :4
Certificate Date: 09-JUL-98
Invoice No. :I9823291
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9823291

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA3630	201	202	< 0.01	10	270	32	< 2	1	19	0.06	< 10	< 10	36	< 10	430
AA3631	201	202	0.03	39	410	12	< 2	3	54	0.07	< 10	< 10	36	< 10	322
AA3632	201	202	< 0.01	21	370	34	< 2	3	54	0.07	< 10	< 10	32	< 10	430
AA3633	201	202	< 0.01	64	120	22	< 2	3	54	0.10	< 10	< 10	41	< 10	294
AA3634	201	202	< 0.01	34	190	24	< 2	3	27	0.07	< 10	< 10	43	< 10	156
AA3635	201	202	< 0.01	17	150	6	< 2	3	62	0.08	< 10	< 10	41	< 10	78
AA3636	201	202	0.07	74	340	16	< 2	6	202	0.04	< 10	< 10	36	< 10	352
AA3637	201	202	< 0.01	90	140	34	< 2	4	104	0.14	< 10	< 10	60	< 10	110
AA3638	201	202	< 0.01	77	190	30	< 2	6	46	0.12	< 10	< 10	57	< 10	1100
AA3639	201	202	< 0.01	44	200	38	< 2	4	47	0.06	< 10	< 10	46	< 10	362
AA3640	201	202	< 0.01	17	120	38	2	3	27	0.04	< 10	< 10	44	< 10	222
AA3641	201	202	0.01	67	330	68	2	5	99	0.07	< 10	< 10	41	< 10	1225
AA3642	201	202	0.01	39	250	86	< 2	3	40	0.11	< 10	< 10	48	< 10	1075
AA3651	201	202	< 0.01	15	140	32	< 2	2	38	0.08	< 10	< 10	48	< 10	168
AA3652	201	202	0.03	30	260	70	< 2	6	81	0.11	< 10	< 10	48	< 10	262
AA3653	201	202	< 0.01	9	170	14	< 2	1	16	0.10	< 10	< 10	42	< 10	222
AA3654	201	202	< 0.01	5	130	8	< 2	1	8	0.05	< 10	< 10	29	< 10	60
AA3655	201	202	< 0.01	4	160	6	< 2	< 1	10	0.06	< 10	< 10	27	< 10	40
AA3656	201	202	< 0.01	20	790	6	< 2	1	97	0.03	< 10	20	20	< 10	90
AA3657	201	202	0.04	32	490	14	< 2	3	115	0.05	< 10	< 10	25	< 10	40
AA3658	201	202	0.03	19	340	14	2	2	50	0.06	< 10	< 10	27	< 10	62
AA3659	201	202	0.01	87	250	20	< 2	5	65	0.13	< 10	< 10	39	< 10	222
AA3660	201	202	< 0.01	17	310	18	< 2	3	54	0.05	< 10	< 10	44	< 10	136
AA3661	201	202	< 0.01	30	290	22	< 2	7	49	0.15	< 10	10	52	< 10	234
AA3662	201	202	< 0.01	16	230	44	2	2	41	0.06	< 10	< 10	34	< 10	388
AA3663	201	202	< 0.01	4	140	10	< 2	1	20	0.07	< 10	< 10	33	< 10	132
AA3664	201	202	< 0.01	27	320	34	< 2	3	40	0.06	< 10	< 10	33	< 10	2340
AA3665	201	202	< 0.01	10	170	10	2	3	9	0.14	< 10	< 10	53	< 10	278
AA3666	201	202	< 0.01	49	280	98	< 2	6	43	0.08	< 10	< 10	54	< 10	652
AA3667	201	202	< 0.01	34	640	30	< 2	3	51	0.04	< 10	< 10	38	< 10	308
AA3668	201	202	< 0.01	19	220	28	< 2	2	24	0.03	< 10	< 10	41	< 10	328
AA3669	201	202	< 0.01	14	610	66	< 2	3	75	0.04	< 10	< 10	24	< 10	1410
AA3670	201	202	< 0.01	31	810	24	< 2	4	54	0.08	< 10	< 10	55	< 10	216
AA3671	201	202	< 0.01	17	690	24	2	4	43	0.04	< 10	< 10	55	< 10	380
AA3672	201	202	< 0.01	11	360	16	< 2	1	13	0.09	< 10	< 10	49	< 10	354
AA3673	201	202	< 0.01	10	180	38	< 2	1	23	0.10	< 10	< 10	46	< 10	292
AA3674	201	202	< 0.01	9	160	32	< 2	1	23	0.08	< 10	10	36	< 10	444
AA3675	201	202	< 0.01	6	80	6	< 2	1	14	0.07	< 10	< 10	37	< 10	92
AA3676	201	202	< 0.01	9	170	8	< 2	2	8	0.06	< 10	< 10	38	< 10	74
AA3677	201	202	< 0.01	13	390	24	< 2	3	15	0.08	< 10	< 10	53	< 10	146

CERTIFICATION: Ian Bielle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number :3-A
Total Pages :4
Certificate Date: 09-JUL-98
Invoice No. :I9823291
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9823291

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA3678	201	202	0.6	1.43	172	90	0.5	< 2	0.60	< 0.5	11	26	22	2.65	< 10	< 1	0.08	20	0.52	495	3
AA3679	201	202	0.2	1.20	10	60	< 0.5	< 2	0.28	< 0.5	6	20	7	1.76	< 10	< 1	0.10	20	0.37	225	1
AA3680	201	202	< 0.2	1.29	10	50	< 0.5	< 2	0.22	< 0.5	8	24	6	2.20	< 10	< 1	0.08	10	0.38	190	1
AA3681	201	202	< 0.2	0.65	10	30	< 0.5	< 2	0.10	< 0.5	3	14	4	1.58	< 10	< 1	0.13	10	0.17	85	2
AA3682	201	202	< 0.2	1.07	12	50	< 0.5	< 2	0.21	< 0.5	8	21	13	3.18	< 10	< 1	0.14	10	0.34	175	1
AA3683	201	202	0.6	1.54	54	90	0.5	4	0.30	< 0.5	11	22	15	3.38	< 10	< 1	0.15	10	0.42	560	4
AA3684	201	202	< 0.2	0.89	6	100	< 0.5	< 2	0.36	2.0	20	18	6	2.49	< 10	< 1	0.11	< 10	0.23	985	2
AA3685	201	202	0.2	1.32	20	60	< 0.5	< 2	0.34	1.0	8	19	7	2.68	< 10	< 1	0.12	10	0.35	260	3
AA3686	201	202	0.2	1.57	30	30	0.5	< 2	0.17	< 0.5	7	24	13	2.95	< 10	< 1	0.10	10	0.46	155	2
AA3687	201	202	< 0.2	0.88	8	40	< 0.5	< 2	0.09	0.5	4	15	6	2.45	< 10	< 1	0.08	10	0.15	245	< 1
AA3688	201	202	< 0.2	1.45	8	30	0.5	< 2	0.14	< 0.5	8	23	14	2.82	< 10	< 1	0.08	10	0.35	155	1
AA3689	201	202	< 0.2	1.00	< 2	40	< 0.5	< 2	0.14	< 0.5	5	16	4	1.94	< 10	< 1	0.08	10	0.29	155	< 1
AA3690	201	202	1.2	3.05	8	160	2.0	2	0.21	2.0	54	49	32	7.42	10	< 1	0.37	10	0.72	1260	3
AA3691	201	202	0.6	1.40	42	60	1.0	2	0.98	3.5	9	19	34	2.39	< 10	< 1	0.13	30	0.43	830	5
AA3692	201	202	0.2	2.13	8	110	0.5	< 2	0.25	0.5	19	31	12	4.06	10	< 1	0.22	20	0.56	705	2
AA3693	201	202	< 0.2	3.36	10	60	1.5	< 2	0.20	< 0.5	22	42	28	4.91	10	< 1	0.20	30	0.74	260	3
AA3694	201	202	< 0.2	1.24	10	40	< 0.5	< 2	0.17	0.5	10	25	17	3.78	< 10	< 1	0.11	10	0.36	230	3
AA3695	201	202	0.2	1.92	10	50	0.5	< 2	0.24	0.5	17	28	16	3.20	< 10	< 1	0.13	10	0.46	465	4
AA3696	201	202	0.8	1.50	62	60	1.0	10	1.01	5.0	10	21	39	2.77	< 10	< 1	0.14	30	0.47	1075	5
AA3697	201	202	0.6	2.06	22	60	0.5	< 2	0.52	< 0.5	15	29	15	3.23	< 10	< 1	0.16	20	0.57	250	1
AA3698	201	202	0.2	2.42	184	50	1.0	< 2	0.30	0.5	17	35	21	3.76	< 10	< 1	0.08	10	0.64	505	1
AA3699	201	202	0.6	2.71	10	170	0.5	< 2	0.27	1.5	16	50	24	6.47	10	< 1	0.28	10	0.72	1470	3
AA3700	201	202	1.2	1.97	562	40	0.5	< 2	0.49	3.0	35	28	64	3.36	< 10	< 1	0.05	50	0.50	630	1
AA3701	201	202	0.8	1.19	22	40	< 0.5	< 2	11.65	3.0	8	30	25	2.94	< 10	< 1	0.06	10	0.55	1885	< 1
AA3702	201	202	< 0.2	2.08	38	50	0.5	< 2	0.48	1.5	13	32	10	3.91	< 10	< 1	0.10	20	0.55	1720	2
AA3703	201	202	0.2	1.37	< 2	20	0.5	< 2	11.20	< 0.5	15	22	36	3.29	< 10	< 1	0.08	30	0.39	305	1
AA3704	201	202	0.2	1.32	42	20	< 0.5	< 2	10.65	3.5	25	6	32	5.19	< 10	< 1	0.02	10	0.11	400	1
AA3705	201	202	0.2	2.65	12	70	0.5	< 2	0.63	< 0.5	22	29	23	4.21	10	< 1	0.35	20	0.62	655	1
AA3706	201	202	< 0.2	2.45	8	90	0.5	< 2	0.78	< 0.5	35	33	30	4.48	10	< 1	0.38	20	0.64	1320	1
AA3707	201	202	< 0.2	2.42	10	110	0.5	< 2	0.58	< 0.5	21	32	13	3.80	< 10	< 1	0.35	10	0.66	1095	1
AA3708	201	202	< 0.2	1.63	12	40	0.5	< 2	0.35	< 0.5	16	18	12	2.28	< 10	< 1	0.15	10	0.34	440	1
AA3709	201	202	0.4	1.32	6	60	0.5	< 2	1.01	< 0.5	8	24	42	2.31	< 10	< 1	0.12	30	0.45	260	3
AA3710	201	202	< 0.2	1.94	< 2	70	< 0.5	< 2	0.18	< 0.5	13	41	13	3.95	10	< 1	0.11	10	0.60	175	3
AA3711	201	202	0.2	2.16	10	90	0.5	< 2	0.12	0.5	28	33	12	4.39	10	< 1	0.24	10	0.70	765	1
AA3712	201	202	0.2	1.03	2	50	< 0.5	< 2	0.08	< 0.5	14	22	4	2.52	< 10	< 1	0.07	10	0.28	630	2
AA3713	201	202	0.6	2.16	50	50	1.0	2	0.33	0.5	11	44	17	3.52	< 10	< 1	0.28	30	0.67	1200	2
AA3714	201	202	< 0.2	1.43	16	100	< 0.5	< 2	0.20	0.5	11	30	7	2.79	< 10	< 1	0.19	10	0.44	1270	2
AA3715	201	202	0.6	1.13	4	40	< 0.5	< 2	0.17	< 0.5	5	15	5	2.00	< 10	< 1	0.19	20	0.34	205	< 1
AA3716	201	202	< 0.2	1.32	6	40	< 0.5	< 2	0.12	< 0.5	8	25	4	2.55	< 10	< 1	0.19	30	0.39	125	1
AA3717	201	202	0.6	1.37	20	30	< 0.5	< 2	0.40	0.5	8	27	9	2.66	< 10	< 1	0.15	10	0.40	255	4

CERTIFICATION: Hart Biddle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number :3-B
Total Pages :4
Certificate Date: 09-JUL-98
Invoice No. :I9823291
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9823291

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA3678	201	202	0.01	25	570	18	< 2	3	40	0.09	< 10	10	37	< 10	234
AA3679	201	202	< 0.01	14	200	20	< 2	2	19	0.08	< 10	10	26	< 10	126
AA3680	201	202	< 0.01	13	150	18	< 2	1	17	0.09	< 10	< 10	38	< 10	90
AA3681	201	202	< 0.01	5	110	6	< 2	1	10	0.08	< 10	< 10	40	< 10	56
AA3682	201	202	< 0.01	12	340	10	< 2	1	22	0.07	< 10	10	45	< 10	162
AA3683	201	202	< 0.01	13	560	32	< 2	2	36	0.06	< 10	10	41	< 10	262
AA3684	201	202	< 0.01	8	210	48	< 2	1	25	0.08	< 10	< 10	41	< 10	432
AA3685	201	202	< 0.01	8	170	28	< 2	1	33	0.06	< 10	< 10	38	< 10	530
AA3686	201	202	< 0.01	14	140	20	< 2	2	21	0.05	< 10	< 10	37	< 10	212
AA3687	201	202	< 0.01	6	170	20	< 2	1	12	0.06	< 10	< 10	42	< 10	144
AA3688	201	202	< 0.01	19	160	10	< 2	2	17	0.06	< 10	< 10	43	< 10	294
AA3689	201	202	< 0.01	7	260	8	< 2	1	15	0.09	< 10	< 10	40	< 10	184
AA3690	201	202	< 0.01	41	600	54	< 2	5	40	0.12	< 10	10	62	< 10	868
AA3691	201	202	0.01	18	670	92	< 2	3	105	0.05	< 10	10	28	< 10	1590
AA3692	201	202	< 0.01	19	450	32	< 2	3	28	0.06	< 10	< 10	46	< 10	504
AA3693	201	202	< 0.01	56	200	24	< 2	5	34	0.06	< 10	< 10	48	< 10	126
AA3694	201	202	< 0.01	18	280	14	< 2	1	43	0.07	< 10	10	52	< 10	220
AA3695	201	202	< 0.01	26	260	58	< 2	3	28	0.08	< 10	< 10	42	< 10	446
AA3696	201	202	0.01	20	810	148	< 2	3	99	0.04	< 10	10	26	20	2240
AA3697	201	202	< 0.01	26	280	34	< 2	4	81	0.07	< 10	< 10	40	10	194
AA3698	201	202	< 0.01	32	180	178	< 2	5	32	0.07	< 10	< 10	44	< 10	848
AA3699	201	202	0.01	19	440	30	< 2	5	37	0.07	< 10	10	59	< 10	372
AA3700	201	202	0.01	55	370	330	< 2	4	46	0.07	< 10	10	31	< 10	5590
AA3701	201	202	0.03	19	870	260	< 2	4	686	0.02	< 10	10	26	< 10	2330
AA3702	201	202	0.03	21	280	202	< 2	4	65	0.06	< 10	< 10	39	< 10	770
AA3703	201	202	0.04	33	490	16	< 2	4	610	0.01	< 10	10	23	< 10	76
AA3704	201	202	0.07	42	720	32	< 2	1	430	0.01	< 10	20	6	< 10	570
AA3705	201	202	0.05	44	590	28	< 2	4	117	0.08	< 10	< 10	37	< 10	122
AA3706	201	202	0.04	50	480	20	< 2	4	79	0.09	< 10	10	38	< 10	106
AA3707	201	202	0.02	32	360	16	< 2	4	62	0.09	< 10	< 10	42	< 10	76
AA3708	201	202	0.03	29	330	10	< 2	2	34	0.06	< 10	10	25	< 10	52
AA3709	201	202	0.01	44	800	14	< 2	3	61	0.04	< 10	10	23	< 10	108
AA3710	201	202	< 0.01	23	180	2	< 2	4	190	0.10	< 10	10	52	< 10	72
AA3711	201	202	< 0.01	34	240	24	< 2	3	38	0.11	< 10	< 10	43	< 10	208
AA3712	201	202	< 0.01	9	230	20	< 2	1	8	0.09	< 10	10	47	< 10	304
AA3713	201	202	< 0.01	30	230	104	< 2	4	33	0.09	< 10	< 10	41	10	970
AA3714	201	202	< 0.01	17	210	28	< 2	2	20	0.09	< 10	< 10	42	< 10	238
AA3715	201	202	< 0.01	8	180	14	< 2	1	17	0.09	< 10	< 10	34	< 10	86
AA3716	201	202	< 0.01	11	140	6	< 2	3	12	0.07	< 10	< 10	43	< 10	94
AA3717	201	202	< 0.01	13	240	18	< 2	2	40	0.06	< 10	< 10	40	10	250

CERTIFICATION: Ian Bible

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Certificate Date: 09-JUL-98
Invoice No. :I9823291
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9823291

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm	Mo ppm
AA3718	201	202	0.6	2.26	48	70	1.0	< 2	1.41	1.0	12	37	45	3.63	< 10	< 1	0.29	30	0.77	400	2
AA3719	201	202	< 0.2	1.81	8	70	< 0.5	< 2	0.22	0.5	7	29	16	3.52	10	< 1	0.20	30	0.48	280	3
AA3720	201	202	< 0.2	1.59	32	50	0.5	< 2	0.39	1.0	9	22	36	2.59	< 10	< 1	0.12	30	0.40	420	3
AA3721	201	202	0.2	1.37	< 2	90	< 0.5	< 2	0.16	0.5	10	25	10	2.92	< 10	< 1	0.11	20	0.27	430	2
AA3722	201	202	0.2	0.74	24	10	1.0	< 2	4.70	5.5	7	19	137	1.16	< 10	< 1	0.06	40	0.24	575	3
AA3723	201	202	0.2	0.93	< 2	50	0.5	< 2	0.59	1.0	9	10	27	1.54	< 10	< 1	0.09	30	0.12	670	1
AA3724	201	202	0.4	1.86	20	80	0.5	2	0.24	1.0	28	31	17	4.63	< 10	< 1	0.21	10	0.52	970	2
AA3725	201	202	1.2	1.34	10	50	< 0.5	< 2	0.15	< 0.5	7	23	7	2.72	< 10	< 1	0.06	10	0.30	205	1
AA3726	201	202	< 0.2	0.58	< 2	40	< 0.5	< 2	0.11	0.5	5	14	4	1.49	< 10	< 1	0.07	10	0.14	165	< 1
AA3727	201	202	1.0	2.67	< 2	170	1.5	< 2	0.26	1.5	34	43	16	4.22	10	< 1	0.33	10	0.68	3450	1
AA3728	201	202	0.4	2.01	< 2	60	1.0	< 2	0.13	< 0.5	16	35	12	3.96	10	< 1	0.05	20	0.25	195	1
AA3729	201	202	0.8	1.11	22	50	1.0	< 2	1.31	2.0	7	15	59	1.68	< 10	< 1	0.11	30	0.30	395	3
AA3730	201	202	1.0	1.46	28	70	1.0	2	1.29	3.0	7	19	51	2.14	< 10	< 1	0.12	30	0.37	505	3
AA3731	201	202	0.6	1.55	32	60	1.0	< 2	0.89	3.0	8	21	48	2.35	< 10	< 1	0.13	30	0.38	475	4
AA3732	201	202	< 0.2	0.76	< 2	50	< 0.5	< 2	0.10	0.5	5	17	5	1.93	< 10	< 1	0.09	10	0.14	390	2
AA3733	201	202	0.4	1.00	28	40	0.5	< 2	2.13	1.5	6	24	97	1.52	< 10	< 1	0.08	30	0.33	260	1
AA3734	201	202	< 0.2	2.27	32	80	1.5	< 2	0.79	< 0.5	28	52	39	4.25	< 10	< 1	0.34	40	0.92	420	1
AA3735	201	202	0.2	1.25	< 2	70	< 0.5	< 2	0.15	2.0	26	22	12	3.75	< 10	< 1	0.20	30	0.34	980	2
AA3736	201	202	0.4	2.36	6	110	0.5	< 2	0.29	0.5	28	43	13	3.87	10	< 1	0.38	20	0.73	750	1
AA3737	201	202	0.2	1.57	8	70	0.5	6	0.40	< 0.5	11	29	28	2.88	< 10	< 1	0.14	30	0.38	410	1
AA3738	201	202	0.2	2.38	< 2	100	1.0	< 2	0.12	< 0.5	12	36	16	4.18	< 10	< 1	0.32	10	0.68	265	1
AA3739	201	202	0.4	0.96	2	50	< 0.5	< 2	0.08	0.5	14	17	8	2.06	< 10	< 1	0.20	10	0.29	305	< 1
AA3740	201	202	< 0.2	1.16	8	60	< 0.5	< 2	0.23	< 0.5	11	28	10	2.63	< 10	< 1	0.05	10	0.59	195	< 1
AA3741	201	202	< 0.2	3.36	< 2	100	2.0	< 2	0.15	< 0.5	30	49	30	6.06	10	< 1	0.33	20	0.89	175	3
AA3742	201	202	< 0.2	1.02	8	40	< 0.5	< 2	0.67	< 0.5	8	25	17	2.17	< 10	< 1	0.05	10	0.30	380	< 1
AA3743	201	202	< 0.2	0.92	28	40	< 0.5	< 2	0.61	< 0.5	6	20	11	1.83	< 10	< 1	0.05	10	0.30	625	1
AA3744	201	202	< 0.2	2.22	< 2	40	0.5	< 2	0.17	< 0.5	12	35	84	5.61	< 10	< 1	0.12	30	0.52	210	13
AA3745	201	202	0.6	1.15	66	40	0.5	< 2	0.71	2.5	6	23	52	2.26	< 10	< 1	0.05	10	0.33	285	3
AA3746	201	202	0.2	1.31	102	70	0.5	< 2	0.67	4.5	12	23	49	2.65	< 10	< 1	0.04	10	0.41	810	3
AA3747	201	202	< 0.2	0.50	6	30	< 0.5	< 2	0.14	< 0.5	1	13	3	1.23	< 10	< 1	0.11	10	0.11	100	< 1
AA3748	201	202	0.2	0.88	< 2	< 10	< 0.5	< 2	12.40	< 0.5	14	6	27	3.46	< 10	1	0.01	10	0.09	380	< 1

CERTIFICATION: Ian Bidle

Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

To: NORDAC RESOURCES LTD.
C/O ARCHER, CATHRO
BOX 4127, 2054 SECOND AVE.
WHITEHORSE, YT
Y1A 3S9

Project : BLUE HEAVEN
Comments: FAX: NORDAC RESOURCES c/o ARCHER, CATHRO

Page Number :4-B
Total Pages :4
Certificate Date: 09-JUL-98
Invoice No. :19823291
P.O. Number :
Account :MTT

CERTIFICATE OF ANALYSIS A9823291

SAMPLE	PREP CODE		Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
AA3718	201	202	0.01	36	520	58	< 2	5	94	0.10	< 10	< 10	39	< 10	434
AA3719	201	202	< 0.01	17	160	26	< 2	3	48	0.09	< 10	< 10	56	< 10	282
AA3720	201	202	< 0.01	16	310	76	< 2	3	39	0.07	< 10	< 10	32	< 10	1150
AA3721	201	202	< 0.01	10	200	18	< 2	2	17	0.08	< 10	< 10	46	< 10	212
AA3722	201	202	0.01	56	860	20	< 2	1	303	0.01	< 10	10	10	< 10	2500
AA3723	201	202	< 0.01	15	570	20	< 2	1	83	0.03	< 10	< 10	21	< 10	120
AA3724	201	202	< 0.01	26	340	62	< 2	3	52	0.04	< 10	< 10	40	< 10	348
AA3725	201	202	< 0.01	14	170	28	< 2	1	18	0.08	< 10	< 10	42	< 10	190
AA3726	201	202	< 0.01	6	90	14	< 2	1	15	0.06	< 10	< 10	35	< 10	122
AA3727	201	202	< 0.01	34	480	44	< 2	4	38	0.05	< 10	< 10	45	< 10	448
AA3728	201	202	< 0.01	28	170	64	< 2	2	11	0.13	< 10	< 10	57	< 10	166
AA3729	201	202	0.01	22	540	46	< 2	2	104	0.04	< 10	30	20	< 10	1020
AA3730	201	202	< 0.01	20	690	72	< 2	3	106	0.05	< 10	10	26	< 10	1630
AA3731	201	202	< 0.01	21	520	62	< 2	3	73	0.06	< 10	10	30	< 10	1595
AA3732	201	202	< 0.01	6	160	12	< 2	1	16	0.10	< 10	< 10	49	< 10	100
AA3733	201	202	< 0.01	38	720	26	< 2	2	123	0.04	< 10	< 10	17	< 10	518
AA3734	201	202	< 0.01	79	440	44	< 2	6	84	0.07	< 10	< 10	43	< 10	332
AA3735	201	202	< 0.01	11	300	16	< 2	2	21	0.08	< 10	< 10	42	< 10	240
AA3736	201	202	< 0.01	38	170	24	< 2	4	32	0.10	< 10	< 10	43	< 10	350
AA3737	201	202	< 0.01	25	200	30	< 2	3	40	0.09	< 10	< 10	39	< 10	248
AA3738	201	202	< 0.01	24	260	24	< 2	4	15	0.10	< 10	< 10	47	< 10	138
AA3739	201	202	< 0.01	11	220	12	< 2	1	10	0.06	< 10	< 10	25	< 10	90
AA3740	201	202	< 0.01	37	170	6	< 2	1	15	0.09	< 10	< 10	46	< 10	52
AA3741	201	202	< 0.01	63	180	12	< 2	6	20	0.22	< 10	< 10	61	< 10	232
AA3742	201	202	< 0.01	38	100	8	< 2	1	37	0.11	< 10	< 10	43	< 10	204
AA3743	201	202	< 0.01	26	140	6	< 2	1	33	0.09	< 10	< 10	32	< 10	196
AA3744	201	202	< 0.01	34	270	14	< 2	4	95	0.09	< 10	< 10	44	< 10	78
AA3745	201	202	< 0.01	33	170	10	< 2	2	41	0.08	< 10	< 10	30	< 10	1670
AA3746	201	202	0.01	37	410	30	< 2	3	162	0.06	< 10	< 10	26	< 10	2520
AA3747	201	202	< 0.01	6	180	6	< 2	< 1	12	0.08	< 10	< 10	35	< 10	70
AA3748	201	202	0.08	34	360	10	< 2	< 1	487	0.02	< 10	< 10	5	< 10	12

CERTIFICATION: Hart Biddle

APPENDIX IV

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions

Project: _____ Property: Blue Heaven

Sample Number							Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
K7701	Grid North:	N	Grid East:	E	Type:	Dimension:	24.3	0.08%	5.74%	
	UTM:	N	UTM:	E	Sample Width:	Abundance:	Au(g/t)			
	Elevation:	m					0.55			
Comments:	1988 sample from the Blue Vein									

Sample Number							Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
K7702	Grid North:	N	Grid East:	E	Type:	Dimension:	37.4	0.22%	0.41%	
	UTM:	N	UTM:	E	Sample Width:	Abundance:	Au(g/t)			
	Elevation:	m					2.81			
Comments:	1988 sample from the Blue Vein									

Sample Number							Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
K7703	Grid North:	N	Grid East:	E	Type:	Dimension:	26.1	0.10%	1.22%	
	UTM:	N	UTM:	E	Sample Width:	Abundance:	Au(g/t)			
	Elevation:	m					0.82			
Comments:	1988 sample from the Blue Vein									

Sample Number							Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
K7704	Grid North:	N	Grid East:	E	Type:	Dimension:	29657.1	1.65%	1.85%	
	UTM:	N	UTM:	E	Sample Width:	Abundance:	Au(g/t)			
	Elevation:	m					9.81			
Comments:	1988 sample from the Blue Vein									

Sample Number							Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
K7705	Grid North:	N	Grid East:	E	Type:	Dimension:	31234.3	4.31%	2.50%	
	UTM:	N	UTM:	E	Sample Width:	Abundance:	Au(g/t)			
	Elevation:	m					5.35			
Comments:	1988 sample from the Blue Vein									

Sample Number							Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
K7706	Grid North:	N	Grid East:	E	Type:	Dimension:	7062.8	0.63%	4.79%	
	UTM:	N	UTM:	E	Sample Width:	Abundance:	Au(g/t)			
	Elevation:	m					1.71			
Comments:	1988 sample from the Blue Vein									

Sample Number					Type:	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5248	UTM:	406725 N	UTM:	6689242 E	Sample Width:	Abundance:	15.0	554	>10000	146
	Elevation:	m					Au(ppb)			
Comments:	Nite property 1988 sample						2320			

Sample Number					Type:	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5249	UTM:	406800 N	UTM:	6689137 E	Sample Width:	Abundance:	11.6	3130	>10000	10
	Elevation:	m					Au(ppb)			
Comments:	Nite property 1988 sample						5			

Sample Number					Type:	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5250	UTM:	406795 N	UTM:	6689152 E	Sample Width:	Abundance:	3.4	814	6540	<1
	Elevation:	m					Au(ppb)			
Comments:	Nite property 1988 sample						5			

Sample Number					Type:	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5338	UTM:	407012 N	UTM:	6688857 E	Sample Width:	Abundance:	5.0	388	216	1100
	Elevation:	m								
Comments:	Nite property 1988 sample									

Sample Number					Type:	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5339	UTM:	406873 N	UTM:	6689120 E	Sample Width:	Abundance:	138.0	6140	2.58%	238
	Elevation:	m								
Comments:	Nite property 1988 sample									

Sample Number					Type:	Dimension:	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5340	UTM:	406903 N	UTM:	6689151 E	Sample Width:	Abundance:	33.4	1630	8340	51
	Elevation:	m								
Comments:	Nite property 1988 sample									

Sample Number:	Grid North:	N	Grid East:	E	Type:		Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5341	UTM:	406826 N	UTM:	6689107 E	Sample Width:		Abundance:		23.8	896	4830	9
	Elevation:	m										
Comments:	Nite property 1988 sample											

Sample Number:	Grid North:	N	Grid East:	E	Type:		Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5342	UTM:	406866 N	UTM:	6689114 E	Sample Width:		Abundance:		15.8	1030	3.43%	215
	Elevation:	m										
Comments:	Nite property 1988 sample											

Sample Number:	Grid North:	N	Grid East:	E	Type:		Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5343	UTM:	406921 N	UTM:	6688549 E	Sample Width:		Abundance:		6.2	250	1285	980
	Elevation:	m										
Comments:	Nite property 1988 sample											

Sample Number:	Grid North:	N	Grid East:	E	Type:		Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5344	UTM:	407091 N	UTM:	6688198 E	Sample Width:		Abundance:		2.6	280	704	834
	Elevation:	m										
Comments:	Nite property 1988 sample											

Sample Number:	Grid North:	N	Grid East:	E	Type:	Outcrop	Dimension:	30 cm vein	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5345	UTM:	407055 N	UTM:	6687893 E	Sample Width:		Abundance:		12,445.7	73.0%	2320	7060
	Elevation:	m										
Comments:	1988 sample from the Blue Vein area.											
	Sample of massive galena from a galena vein 30 cm wide.											

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5346	UTM:	407090 N	UTM:	6687898 E	Sample Width:		Abundance:		156.0	8390	>10000	1410
	Elevation:	m										
Comments:	1988 sample from the Blue Vein area.											
	Quartz and blebby galena vein float.											

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5347	UTM:	407127 N	UTM:	6687969 E	Sample Width:		Abundance:		3,462.9	52.2%	>10000	3560
	Elevation:	m										
Comments:	1988 sample from the Blue Vein area.											

Sample Number:	Grid North:	N	Grid East:	E	Type:		Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
T5348	UTM:	N	UTM:	E	Sample Width:		Abundance:		94.0	>10000	4860	263
	Elevation:	m										
Comments:	Nite property 1988 sample											

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	10 cm thick	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
935851	UTM:	N	UTM:	E	Sample Width:		Abundance:		2.4	0.06%	0.22%	
	Elevation:	m							Au(g/t)			
Comments:	1992 sample from the Orly Zone . 10 cm thick sample of banded quartz with disseminated sulphides.								0.48			

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	3 cm thick	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
935852	UTM:	N	UTM:	E	Sample Width:		Abundance:		2050.3	21.0%	17.5%	
	Elevation:	m							Au(g/t)			
Comments:	1992 sample from the H Vein. 3 cm thick band of nearly massive sulphides.								6.31			

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	4 cm thick	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
935853	UTM:	N	UTM:	E	Sample Width:		Abundance:		93.9	0.1%	31.5%	
	Elevation:	m							Au(g/t)			
Comments:	1992 sample from the H Vein. 4 cm thick band of nearly massive sphalerite with boxwork smithsonite and minor galena, pyrite and chalcopyrite								2.43			

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	1 cm thick	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
935854	UTM:	N	UTM:	E	Sample Width:		Abundance:		104.2	0.1%	16.5%	
	Elevation:	m							Au(g/t)			
Comments:	1992 sample from the H Vein. 1 cm thick band of nearly massive sphalerite with selvages of dolomite and minor disseminated sulphides.								0.10			

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934701	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	456.0	3.70%		
	UTM:	N	UTM:	E	Sample Width	20 cm	Abundance:	Au(g/t)			
	Elevation:	m						0.62			

Comments: 1994 sample from the Blue Vein. 20 cm chip of fine grained quartz with sulphides.

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934702	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	41.1	0.38%		
	UTM:	N	UTM:	E	Sample Width	17 cm	Abundance:	Au(g/t)			
	Elevation:	m						0.69			

Comments: 1994 sample from the Blue Vein. 20 cm chip of brecciated white to grey quartz with cavities of yellow limonite.

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934703	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	<3.4	0.04%		
	UTM:	N	UTM:	E	Sample Width	22 cm	Abundance:	Au(g/t)			
	Elevation:	m						0.38			

Comments: 1994 sample from the Blue Vein. 22 cm chip sample of slightly heavy, white to dark grey quartz with minor pyrite and very fine grained sulphides or sulfosalts. Rock slightly heavy with brown and yellow limonite.

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934704	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	157.7	0.96%		
	UTM:	N	UTM:	E	Sample Width	7 cm	Abundance:	Au(g/t)			
	Elevation:	m						4.42%			

Comments: 1994 sample from the Blue Vein. 7 cm chip of banded grey-white, fine grained quartz with bands of pyrite, chalcopyrite, sphalerite and galena plus fine grained sulphides or sulfosalts.

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934705	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	10.3	0.33%		
	UTM:	N	UTM:	E	Sample Width	45 cm	Abundance:	Au(g/t)			
	Elevation:	m						0.17			

Comments: 1994 sample from the Blue Vein. 45 cm chip sample of medium to dark brown strongly oxidized white to medium grey quartz with some disseminated sphalerite and galena.

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934706	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	726.8	3.94%		
	UTM:	N	UTM:	E	Sample Width:		Abundance:	Au(g/t)			
	Elevation:	m						0.51			

Comments: 1994 sample from the Blue Vein. Specimens of coarse, heavy material 30 cm NE of 934705. Contains abundant coarse sphalerite and galena plus finer grained disseminated grey and black sulphides and/or sulfosalts.

Sample Number:	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934707	UTM:	N	UTM:	E	Sample Width	12 cm	Abundance:	6.9	<0.01%		
	Elevation:	m						Au(g/t)			
Comments:	1994 sample from the Blue Vein. 12 cm chip sample of slightly heavy, medium brown to yellow-green stained medium grey quartz with strong boxwork and occational flecks of fine grained sulphides and sulfosalts.							0.38			

Sample Number:	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934708	UTM:	N	UTM:	E	Sample Width	15 cm	Abundance:	<3.4	<0.01		
	Elevation:	m						Au(g/t)			
Comments:	1994 sample from the Blue Vein. 15 cm chip sample of slightly heavy, medium grey quartz with medium brown limonite plus fine grained, disseminated pyrite and lesser galena.							0.14			

Sample Number:	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934709	UTM:	N	UTM:	E	Sample Width	11 cm	Abundance:	<3.4	<0.01		
	Elevation:	m						Au(g/t)			
Comments:	1994 sample from the Blue Vein. 11 cm chip sample of white to medium grey, fine to medium grained quartz with about 2% disseminated pyrite plus traces of galena.							0.17			

Sample Number:	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934710	UTM:	N	UTM:	E	Sample Width	20 cm	Abundance:	3.4	0.04%		
	Elevation:	m						Au(g/t)			
Comments:	1994 sample from the H Vein. 20 cm chip sample of moderately heavy, medium brown on exterior and yellow limonite on interior fractures, very fine grey sulphides or sulfosalts in medium to dark grey quartz bands.							0.34			

Sample Number:	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934711	UTM:	N	UTM:	E	Sample Width	30 cm	Abundance:	9428.4	76.70%		
	Elevation:	m						Au(g/t)			
Comments:	1994 sample from the H Vein. 30 cm chip sample of massive galena with abundant interstitial blebs and fractures filled with tetrahedrite and lesser chalcopyrite. Anglesite coated exterior. Quartz 7 cm wide with massive sphalerite band on footwall side not sampled.							0.34			

Sample Number:	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:	Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934713	UTM:	N	UTM:	E	Sample Width	5 cm	Abundance:	17.1	0.04%		
	Elevation:	m									
Comments:	1994 sample from the Blue Vein. 5 cm chip sample of quartz vein with dark grey bands and patches plus 1% fine disseminated pyrite. Yellow and brown limonite on fractures.										

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934714	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:				
	UTM:	N	UTM:	E	Sample Width	15 cm	Abundance:	4,405.6	46.2%		
	Elevation:	m									
Comments:	1994 sample from the H Vein. 15 cm chip sample of nearly massive galena and anglesite.										

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934715	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:				
	UTM:	N	UTM:	E	Sample Width	4 cm	Abundance:	3562.2	55.0%		
	Elevation:	m									
Comments:	1994 sample from the H Vein. 4 cm chip sample of nearly massive galena bands with sphalerite between the bands.										

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934716	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:				
	UTM:	N	UTM:	E	Sample Width	20 cm	Abundance:	10045.5	23.9%		
	Elevation:	m									
Comments:	1994 sample from the H Vein. 20 cm chip sample of galena, sphalerite and pyrite.										

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934717	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:				
	UTM:	N	UTM:	E	Sample Width	47 cm	Abundance:	11869.5	49.9%		
	Elevation:	m									
Comments:	1994 sample from the H Vein. 47 cm chip sample of nearly massive galena with sphalerite bands.										

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934718	Grid North:	N	Grid East:	E	Type:		Dimension:				
	UTM:	N	UTM:	E	Sample Width:		Abundance:	10594.3	66.4%	1.43%	
	Elevation:	m									
Comments:	1994 sample no location given.										

Sample Number								Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934719	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:				
	UTM:	N	UTM:	E	Sample Width:		Abundance:	37.7	1.48%	5.02%	
	Elevation:	m						Au(g/t)			
Comments:	1994 sample from the H Vein.							0.65			

Rock Sample Descriptions

Project: _____ Property: Blue Heaven

Sample Number												
934720	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:		Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
	UTM:	N	UTM:	E	Sample Width:		Abundance:		236.6	1.49%	0.09%	
	Elevation:	m							Au(g/t)			
Comments:	1994 sample from the H Vein.								1.5			

Sample Number												
934721	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:		Ag(g/t)	Pb(ppm)	Zn(ppm)	Cu(ppm)
	UTM:	N	UTM:	E	Sample Width:		Abundance:		4,676.5	6.39%	31.2%	
	Elevation:	m							Au(g/t)			
Comments:	1994 sample from the H Vein.								6.4			

Sample Number												
934722	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	5X5 m area	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
	UTM: 405414	N	UTM: 6688526	E	Sample Width:		Abundance:	common	3.4	36	7.84%	744
	Elevation:	m							W(ppm)			
Comments:	Sample taken beside soil sample AA1177 and at geology station TB-44. Site of TR98-01								250			
	Area of gossanous float samples with sphalerite. Outcrop nearby is a carbonate rich schist.											

Sample Number												
934723	Grid North:	N	Grid East:	E	Type:		Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
	UTM: 406254	N	UTM: 6688580	E	Sample Width:		Abundance:		7.4	30	1125	298
	Elevation:	m										
Comments:	Sample taken beside soil sample AA1176 and at geology station TB-32.											
	Linear structure with quartz vein material on road to the Blue zone. Weakly mineralized quartz vein material with deep red limonite coating.											

Sample Number												
934724	Grid North:	N	Grid East:	E	Type:	Chip	Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
	UTM:	N	UTM:	E	Sample Width	12 cm	Abundance:		211 g/t	24.0%	3350	135
	Elevation:	m										
Comments:	Sample taken at site of two old cat trenches and at geology station TB-36.											
	Trenches expose manganese stained granodiorite hosting a mineralized quartz vein. Sample taken from a 12 cm wide vein of siderite and quartz with galena and minor sphalerite											
	and trace tetrahedrite. Moderate limonite coating and weak manganes coating.											

Sample Number												
934725	Grid North:	N	Grid East:	E	Type:		Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
	UTM:	N	UTM:	E	Sample Width:		Abundance:		2.2	872	6.20%	100
	Elevation:	m							W(%)			
Comments:	Sample from a nearby property that was submitted by a local prospector.								0.18			

Sample Number									Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934726	Grid North:	N	Grid East:	E	Type:		Dimension:					
	UTM:	N	UTM:	E	Sample Width:		Abundance:		1675 g/t	15.05%	3.97%	1020
	Elevation:	m										

Comments: Sample taken at Orly Zone, below soil sample AA1681 and at geology station TB-30.
12 cm chip sample of mineralized vein found in an exposure in Orly creek below area of cat trenches.

Sample Number									Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934727	Grid North:	8800 N	Grid East:	7100 E	Type:	Specimen	Dimension:	2X2 m area				
	UTM:	N	UTM:	E	Sample Width:		Abundance:	Common	1.4	10	52	1110
	Elevation:	m							Au(ppb)	W(%)		
									10	1.32		

Comments: Sample taken beside soil sample AA3582 and at geology station TB-59.
Outcrop and common mineralized float found by Robert Moar while soil sampling. Material consists of nearly massive pyrrhotite with pyrite. Host rocks appear to be skarnified and partially silicified limestone with a weak to moderate reaction to HCl.

Sample Number									Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934728	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	18x20x20 cm				
	UTM:	N	UTM:	E	Sample Width:		Abundance:	Uncommon	2750g/t	11.30%	1740	1385
	Elevation:	m										

Comments: Sample taken at Hope Vein, near soil sample AA1199and at geology station TB-57. This area was tested with 3 excavator trenches.
A linear trends at 075 in an area of granodiorite outcrop and float. On an old cat road near the linear a float somple of vein material was found. The sample was taken from this float material which exposed an 18 cm wide vein. The vein is mainly quartz with bands up to 2 cm wide with galena, sphalerite and pyrite. The sample was taken from from the area with the highest galena content.

Sample Number									Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934745	Grid North:	N	Grid East:	E	Type:	Specimens	Dimension:	3X1 m area				
	UTM:	N	UTM:	E	Sample Width:		Abundance:	Common	26.0	2.54%	5.76%	14
	Elevation:	m										

Comments: Sample taken beside soil sample AA0780and at geology station TB-70. This site was also hand trenched.
3m long by 1 m high area of strongly manganese stained schist float and minor bedrock exposed very near Oake Creek. Random chip samples of strongly manganese stained material was taken for the sample but no sulphides were visible.

Sample Number									Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
934746	Grid North:	N	Grid East:	E	Type:	Specimens	Dimension:	2X1 m area				
	UTM:	N	UTM:	E	Sample Width:		Abundance:	Common	46.8	2.62%	3.20%	189
	Elevation:	m										

Comments: Sample taken beside soil sample AA0782 and at geology station TB-71. This site was also hand trenched.
2m long by 1 m high area of strongly manganese stained schists. Trace pyrite, galena and sphalerite was visible along 1 to 2 mm wide joints.

Sample Number									Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
935380	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	2-5 cm vein				
	UTM:	N	UTM:	E	Sample Width:		Abundance:	Small outcrop	3748.3	8.87%	59000	1030
	Elevation:	m										

Comments: Sample taken by Robert Moar from a quartz vein in Orly Creek and at geology station TB-130.
3x3 m outcrop of granodiorite with a 2-5 cm wide quartz vein cutting across it. Vein consists of clear quartz with galena, sphalerite, chalcopyrite and native silver.

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
059429	UTM:	N	UTM:	E	Sample Width:		Abundance:		15579.5	70.7%	27400	18210
	Elevation:	m										

Comments: Specimen from near excavator trench TR98-07.
Nearly massive galena. Sample can be divided into three parts. One part is medium grained galena similar to above sample, one part is fine grained to steel galena and the last part is dark black sphalerite with minor disseminated chalcopyrite and fine grained sulphides.

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
059430	UTM:	N	UTM:	E	Sample Width:		Abundance:		22460.0	59.6%	38700	26700
	Elevation:	m										

Comments: Specimen from near excavator trench TR98-07.
Nearly massive steel galena with some brecciated galena with a fine grained sulphide matrix. Some visible chalcopyrite.

Sample Number:	Grid North:	N	Grid East:	E	Type:	Specimen	Dimension:	2X2 m area	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
451709	UTM:	N	UTM:	E	Sample Width:		Abundance:	Common	41.4	522	2.50%	219
	Elevation:	m										

Comments: Vein zone found on Orly Creek above the Orly Zone.
Outcrops in the area are all granodiorite and exposure is a small hole dug into the east creek bank just at creek level. Sample material is strongly weathered and manganese stained.
Minor visible galena and up to 15 % sphalerite in some samples.

Sample Number:	Grid North:	8540 N	Grid East:	6300 E	Type:	Specimen	Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
451713	UTM:	N	UTM:	E	Sample Width:		Abundance:	Not common	9.4	2460	4290	22
	Elevation:	m							W(ppm)			
									330			

Comments: Sample taken at geology site TB-161 . The site consists of a fallen tree exposing some float boulders with strong manganese stains.
No visible sulphides but the rock is heavy and a speck of sheelite is visible under UV light.

Sample Number:	Grid North:	9250 N	Grid East:	6150 E	Type:	Specimen	Dimension:	3X4 m area	Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
451714	UTM:	N	UTM:	E	Sample Width:		Abundance:	Not common	55.2	3720	494	508
	Elevation:	m										

Comments: Sample taken from geology site TB-161. Site was identified by a local prospector.
A 3 by 4 m area with weakly mineralized vein float. Material consists of light grey to white quartz with light green colour in parts. 1 to 3% fine grained black sulphides with trace pyrite and galena.
Weak gossanous soil is in the area.

Sample Number:	Grid North:	N	Grid East:	E	Type:		Dimension:		Ag(ppm)	Pb(ppm)	Zn(ppm)	Cu(ppm)
545099	UTM:	N	UTM:	E	Sample Width:		Abundance:		109	0.012%	<10%	540
	Elevation:	m										

Comments: 1995 sample taken from the Oake Zone near soil sample T7964.

TRUE NORTH
UTM GRID NORTH
MAGN. NORTH

NTS 105 B/7
UTM ZONE 9
CONTOUR INTERVAL 50m

6,689,000 N
6,687,000 N
6,685,000 N
404,000 E
406,000 E
408,000 E
7000 E
8000 E
9000 E
6000N
7000N
8000N
9000N

Camp
Edgar Lake
Cake Creek
1988 soil sample grid
1998 soil sample grid
1975 Bulldozer Trail

- Geological contact
- Limit of outcrop
- Fault
- Linear depression
- Trench
- Diamond drill hole collar
- Property boundary
- Road
- Creek
- GPS survey station with standard fix
- Claim post location with standard GPS fix
- Claim post location with poor GPS fix
- Claim post location not found
- Rock sample location with sample number
- Mineralized float
- Bedding
- Foliation
- Joint
- Mineralized vein
- Cross fault
- Unmineralized vein
- 1 Schist
- 2 Skarn and carbonate rich metasediments
- 3 Granodiorite

093997
DIAND - YUKON REGION, LIBRARY
Duty (1)

NORDAC RESOURCES LTD.


FIGURE 7
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

BLUE HEAVEN PROPERTY

SCALE 1:10,000
0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB
FILE: D:\NORDAC\BLUE\ACAD98\BL-GEO
PROJECT:
DATE: FEBRUARY, 1999



DIAND - YUKON REGION, LIBRARY
093997
Dwg (2)

NORDAC RESOURCES LTD.

FIGURE 12

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


SAMPLE LOCATION

BLUE HEAVEN PROPERTY

SCALE 1:10,000

0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: D:\NORDAC\BLUE\ACAD98\BL-SNO	DATE: FEBRUARY, 1999



TRUE NORTH
UTM GRID NORTH
MAGN. NORTH

NTS 105 B/7
UTM ZONE 9
CONTOUR INTERVAL 50m

- 22 — Soil sample location with silver value in ppm
- 06 — Silt sample location with silver value in ppm
- ≥ 5 ppm Ag
- ≥ 2 < 5 ppm Ag
- ≥ 1 < 2 ppm Ag
- Trench
- Diamond drill hole collar
- Belt of carbonate rich metasedimentary rocks and skarns

DIAND - YUKON REGION, LIBRARY
093997
DWG(3)

NORDAC RESOURCES LTD.

FIGURE 13

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


SILVER GEOCHEMISTRY

BLUE HEAVEN PROPERTY

SCALE 1:10,000

0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: D:\NORDAC\BLUE\ACAD98\BL-SNO	DATE: FEBRUARY, 1999



TRUE NORTH
UTM GRID NORTH
MAGN. NORTH

NTS 105 B/7
UTM ZONE 9
CONTOUR INTERVAL 50m

38 Soil sample location with lead value in ppm

110 Silt sample location with lead value in ppm

≥ 200 ppm Pb

≥ 100 < 200 ppm Pb

≥ 50 < 100 ppm Pb

Trench

Diamond drill hole collar

Belt of carbonate rich metasedimentary rocks and skarns

DIAND - YUKON REGION. LIBRARY
093997
DWG (4)

NORDAC RESOURCES LTD.

FIGURE 14

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


LEAD GEOCHEMISTRY

BLUE HEAVEN PROPERTY

SCALE 1:10,000

0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: D:\NORDAC\BLUE\ACAD98\BL-SNO	DATE: FEBRUARY, 1999



093997
DIAND - YUKON REGION, LIBRARY
Dug(5)

NORDAC RESOURCES LTD.

FIGURE 15

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


ZINC GEOCHEMISTRY

BLUE HEAVEN PROPERTY

SCALE 1:10,000

0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB	PROJECT:
FILE: D:\NORDAC\BLUE\ACAD98\BL-SNO	DATE: FEBRUARY, 1999



093997
DIAND - YUKON REGION, LIBRARY
DwG (6)

NORDAC RESOURCES LTD.

FIGURE 16

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

BLUE HEAVEN PROPERTY

SCALE 1:10,000


0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB

PROJECT:

FILE: D:\NORDAC\BLUE\ACAD98\BL-SNO

DATE: FEBRUARY, 1999



TRUE NORTH
UTM GRID NORTH
MAGN. NORTH

NTS 105 B/7
UTM ZONE 9
CONTOUR INTERVAL 50m

- 380 — Soil sample location with tungsten value in ppm
- 110 — Silt sample location with tungsten value in ppm
- ≥ 100 ppm W
- ≥ 50 < 100 ppm W
- ≥ 20 < 50 ppm W
- Trench
- Diamond drill hole collar
- Belt of carbonate rich metasedimentary rocks and skarns

0933997
DIAND - YUKON REGION, LIBRARY
DWG (7)

NORDAC RESOURCES LTD.

FIGURE 17

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TUNGSTEN GEOCHEMISTRY

BLUE HEAVEN PROPERTY

SCALE 1:10,000

0 100 200 400 600 800 1000 m

DRAWN/REVISED BY: TCB

PROJECT:

FILE: D:\NORDAC\BLUE\ACAD98\BL-SNO

DATE: FEBRUARY, 1999