

**2001 TARGET EVALUATION PROGRAM**

**CANADIAN CREEK PROPERTY**

**WHITEHORSE MINING DISTRICT, YUKON TERRITORY**

NTS: 115J/10/11/15

Latitude 62° 44' N, Longitude 138° 56' W  
(centre)

**094244**


for

**WILDROSE RESOURCES LTD.  
(EASTFIELD RESOURCES LTD.)**

by

J.W. MORTON P.GEO.

Feb 1, 2002



This report has been examined by  
the Geological Evaluation Unit  
under Section 53 (4) Yukon Quartz  
Mining Act and is allowed as  
representation work in the amount  
of \$ 27,200.00.

*M. Bell*  
Regional Manager, Exploration and  
Geological Services for Commissioner  
of Yukon Territory.

## TABLE OF CONTENTS

	<b>PAGE</b>
SUMMARY	1
PROPERTY DESCRIPTION AND LOCATION	2
LOCATION MAP (FIGURE 1)	4
CLAIM MAP (FIGURE 2)	5
ACCESSIBILITY, CLIMATE, LOCAL RESOURCES INFRASTRUCTURE AND PHYSIOGRAPHY	6
HISTORY	6
GEOLOGICAL SETTING	7
2001 EXPLORATION ACTIVITIES	8
EXPLORATION COMPLETED IN THE KOFFEE BOWEL AREA	8
EXPLORATION COMPLETED IN THE ULTRAMAFIC TARGET	9
BARREL CLEANUP	10
EXPLORATION COMPLETED IN THE CASINO "B" AREA	10
RECOMMENDATIONS	11
COST STATEMENT	13
AUTHOR QUALIFICATIONS	14
CASINO "B" SOIL SAMPLE RESULTS TABLE	15
ROCK DESCRIPTIONS	17
ANALYTICAL CERTIFICATES	APPENDIX
PHOTOGRAPHS	APPENXIX
CHARGEABILITY MAP KOFFEE TARGET	APPENDIX
SAMPLE LOCATIONS CASINO "B" AREA	FIGURE 3
SAMPLE LOCATIONS KOFFEE AREA	FIGURE 4

## SUMMARY

In 2001 the Economic Development Branch of the Government of the Yukon awarded Wildrose Resources Ltd. a Mineral Incentive Grant consisting of a 50% reimbursement to a maximum of \$20,000. The work described in this report would not have been possible without this support.

The objective of the 2001 program was to conduct more general surface geochemical and prospecting work outbound from areas drill tested in 1993, 1994 and 2000 (areas previously overlooked because of budget constraints). In addition to completing geochemical and prospecting activities considerable resources were deployed in collecting and removing a great number of fuel barrels originating as far back as the mid 1970's. These barrels (diesel, gasoline, jet fuel and aviation gas), were transported to the Yukon River and then barged and trucked to Whitehorse.

Significant effort was expended in prospecting and rock sampling; first in the area east of drill hole 2000-01 (1.04 g/t Au over 26 metres) and second in the area in the central eastern side of the large induced polarization anomaly located in the Koffee bowl. Soil sampling was completed east of drill hole 2001-01 but was deferred until a later date in the Koffee bowl. Four strategic silt samples were obtained from the Canadian Creek watershed in an attempt to determine the PGE potential of the ultramafic rocks mapped 1.5 kilometres north of the Casino deposit

The planned 2001 program, with an estimated budget of \$43,060, was cut short on September 12 owing to the events of September 11. On September 11, Big Salmon Air notified the Canadian Creek camp that air traffic was closed and re-supplying the camp with food and supplies would not be possible for an indeterminate length of time. On September 12 Big Salmon air obtained a special military permit to evacuate the camp. A reduced project with an expenditure of \$35,014 was completed.

A recent placer gold mining operation started working the lower reaches of Canadian Creek in 1996. A new airstrip has since been made here on mine tailings and provided a useful service function to the 2001 program. Verbal communication with personnel at the placer mine indicates that upwards of 16,000 ounces of gold has been recovered from this operation over the last three seasons offering further evidence of the considerable permissiveness of the Canadian Creek watershed for gold mineralization.

## PROPERTY DESCRIPTION AND LOCATION

The Canadian Creek property is located in the Yukon Territory approximately 150 kilometres south of Dawson City. Exploration on the property had started by the current operators in 1993 and had continued (with some interruptions) to the year 2000. In 2000 \$426,000 was expended completing a drill program on the property.

Eastfield Resources Ltd. (later reorganized into Eastfield Resources Ltd. and Wildrose Resources Ltd.) purchased the first 46 claims in 1993 and then staked an additional 216 claims in 1994. Eastfield currently is the registered owner of the claims. A 1997 agreement allows Wildrose the right to gain a 100% ownership in the entire property.

The Great Basin claims included within the Canadian Creek project (acquired in 2000) consist of the 55 "Casino B" claims which are contiguous with the original Wildrose property and the "Casino A" claims (81 in number) which are contiguous with the "Casino B" claims and extend further to the east. Wildrose holds an option to earn a 100% interest in the "Casino B" claims. Wildrose assumes the responsibility to file eligible assessment work on both the "Casino A and "Casino B" groups.

The 317 claims which encompass the property cover an area of approximately 16,000 acres (~6500 hectares). A summary of the claim standing is as follows:

Claim Name	Grant #	Expiry
ANA 1-10	YA86735-YA86744	17-Feb-04
ANA 15-26	YA86749-YA86760	17-Feb-04
ANA 29-40	YA86763-YA86774	17-Feb-04
ANA 43-54	YA86777-YA86788	17-Feb-04
KOFFEE 1-58	YB37482-YB37539	17-Feb-04
AZTEC 1-10	YB37540-YB37529	21-Sep-03
AZTEK 11-12	YB37530-YB37531	21-Sep-02
AZTEC 17-28	YB37556-YB37567	21-Sep-02
AZTEC 33-52	YB37572-YB37591	21-Sep-02
MAYA 1-30	YB37592-YB37621	21-Sep-02
MAYA 31-40	YB37622-YB37631	21-Sep-03
ICE 1-74	YB37801-YB37874	27-Jan-04
Added May 2, 2000		
Casino "B" Claims		
CAS 31-36	TB36618-YB36623	25-Mar-05
CAT 63-70	95740-95747	25-Mar-05
E 23-25	YB37242-YB37244	25-Mar-06
E 27-32	YB37246-YB37251	25-Mar-06
F 27-28	YB37278-YB37279	25-Mar-06
I 1-4	YB37640YB37643	25-Mar-06
I 19-20	YB37658-YB37659	25-Mar-06
MOUSE 3-16	YB37194-YB37207	25-Mar-07
MOUSE 89-90	Y35483-Y35484	25-Mar-07
MOUSE 97-98	Y35491-Y35492	25-Mar-07
MOUSE 123-128	Y35517-Y35522	25-Mar-07

Added May 2, 2000

Claim Name	Grant #	Expiry
Casino "A" Claims	(Maintenance only)	
CAT 1-4	92201-92204	25-Mar-05
CAT 5-12	92205-92212	25-Mar-06
CAT 13-20	92213-92220	25-Mar-05
CAT 21-24	92221-92224	25-Mar-06
CAT 25	92766	25-Mar-05
CAT 35-42	92776-92783	25-Mar-05
CAT 47-50	95724-95727	25-Mar-06
CAT 51-56	95728-95733	25-Mar-05
CAT 57	95734	25-Mar-06
CAT 59-62	95736-95739	25-Mar-06
AIRPORT 1-6	56983-56992	25-Mar-05
AIRPORT 8	56993	25-Mar-05
HELICOPTER 1	4252	25-Mar-06
BOMBER 1-6	56979-56988	25-Mar-06
JOE 97	Y10701	25-Mar-07
JOE 100	Y10704	25-Mar-07
F 29	YB37280	25-Mar-06
F 31	YB37282	25-Mar-06
F 33	YB37284	25-Mar-06
CAT 1 FRACTION	Y51846	25-Mar-07
CAT 2 FRACTION	Y51847	25-Mar-07
CAT 3 FRACTION	Y39601	25-Mar-07
CAT 4 FRACTION	Y39602	25-Mar-07
CAT 23 FRACTION	Y39603	25-Mar-05
CAT 47 FRACTION	Y36687	25-Mar-07
CAT 48 FRACTION	Y36688	25-Mar-07
CAT 57 FRACTION	Y36689	25-Mar-07
CAT 62 FRACTION	Y36690	25-Mar-07
MOUSE 161	Y35582	25-Mar-07
MOUSE 162	Y35583	25-Mar-05
MOUSE 163	Y35584	25-Mar-05
LOST 1 FRACTION	Y35585	25-Mar-05
LOST 2 FRACTION	Y35586	25-Mar-05
LOST 3 FRACTION	Y35587	25-Mar-05
CAT 22 FRACTION	Y36686	25-Mar-05
CAT 58 FRACTION	95735	25-Mar-05


The Ana claims are subject to a 5% net profits interest in favour of Pacific Sentinel Gold Corp. now Great Basin Gold Ltd. (through the amalgamation of Big Creek Resources Ltd.). Breckenridge Resources Ltd., an earlier partner on the project, retains a diluting 16.7% working interest restricted to the Ana claims. Continuing dilution is anticipated.

The Casino "B" claims are subject to a 10% net profits interest in favour of Great Basin Gold Ltd.


The "Casino B" claims extend from the original Wildrose claim boundary eastward to within 700 meters of the Casino deposit (531 million tonnes grading 0.26% Cu, 0.025% Mo and 0.29 g/t Au)

J.W. Morton P.Geo., Consulting Geologist

LOCATION MAP



CLAIM MAP



## **ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PYSIOGRAPHY**

The Canadian Creek claims vary in elevation from 3300 feet (1006 m) in the lower reaches of Canadian Creek and 2300 feet (701 m) in the lower reaches of Coffee Creek to a high elevation of 5400 feet (1646 m) on a knob northwest of the Wildrose camp. Alpine grasses, moss and buckbrush dominate vegetation at the higher elevations while sparse stands of spruce dominate the lower elevations. With the exception of the very highest elevations, topography is subdued, weathering has been recessive and outcrop is scarce. This area of the Yukon is one of the few regions in Canada not subjected to Pleistocene glaciation. As a result it has undergone a long period of surface weathering, oxidation and surface leaching.

The Claims are accessible via two overland routes. Currently the most convenient route is by using a 65-ton barge from Minto or a 100-ton barge from Dawson City. A barge-landing site at the mouth of Britannia Creek connects with an all season dirt road to and through the Canadian Creek Property. Equipment and fuel are first barged to the landing site and then moved overland. An alternate route to the property is via a winter road extending from the Freegold Road approximately 90 kilometres to the southeast.

Air transport to the property is availed by a landing strip on the adjacent Casino property. This strip which handles aircraft up to DC-3 size, is road accessible from the Canadian Creek Property. Personnel and supplies are generally flown in from Whitehorse using this strip. Placer gold mining operators on the lower reaches of Canadian Creek have recently constructed an alternate airstrip on top of tailings. This lower airstrip was used once in the current program.

The climate of this region is both semiarid and subarctic. Non winter field season starts the end of April and extends until the end of September. Records indicate that precipitation for the closest weather station ( at the village of Carmacks 120 kilometres to the southeast of the property) averages 10.01 inches (25.4 cm) per year predominantly falling in the summer.

## **HISTORY**

In 1967 the porphyry potential of Patton Hill was recognized (discovery considered to have occurred in 1969) and Casino Silver Mines Limited was acquired by a syndicate including Teck Corporation, the Brynelson Group and Quintana Minerals Corporation. Between 1967 and 1971 this group completed a major exploration program and feasibility study on the deposit. A decline in metal prices led to a cessation in work in 1971.

In 1985 and 1986 Nordac Mining Corporation, using the technical services of Archer Cathro and Associates, completed soil geochemical surveys in the Canadian Creek watershed (largely in the area now within the Casino "B" claims).

In 1985 Archer Cathro and Associates optioned the Casino Silver Mines property and in 1991 vended this option into Big Creek Resources Ltd. In 1992 Pacific Sentinel Gold Corp. amalgamated with both Big Creek Resources Ltd. and Casino Silver Mines Limited to take control of the Casino deposit. Between 1991 and 1994 Big Creek and then Pacific Sentinel expended ~ 20 million dollars on evaluating the Casino deposit. This work led to a pre-feasibility report that showed the deposit, while positive, would not return a satisfactory return on investment. In 1997 Pacific Sentinel Gold Corp. was reorganized and renamed Great Basin Gold Ltd.

In 1985 Archer Cathro and Associates Ltd. staked the Ana claims and Eastfield purchased these same claims in 1993. In 1993 Eastfield Resources Ltd. established initial exploration grids and completed 6 diamond drill holes on the Ana claims and 1 drill hole on the Koffee claims. The 1993 and 1994 work was followed by extensive field programs consisting of induced polarization surveying, road construction and mechanical trenching in 1996, 1997 and 1999 (on the Ana, Koffee, Maya and Ice claims). These programs were completed preparatory to a year 2000 exploratory drill program.

In May of 2000 the Canadian Creek property was significantly expanded with the addition of 55 claims optioned from Great Basin Gold Ltd. (new total 317). The new claims extended the property in an eastern and northeastern direction by approximately 1.5 kilometres to within 700 metres of the 530 million tonne Casino deposit. Also in 2000 a twelve hole reconnaissance drill program (eleven holes reaching bedrock) totaling 2,066 metres (6,776feet) was completed between July 9 and August 14. Close to the end of the program, field crews discovered a mineralized angular boulder in the Koffee target. This material, which consists of a dark, biotite-altered intrusive, is mineralized by a network of millimeter to centimeter scale malachite and chalcopyrite veinlets. The material is high grade and returned an assay of 3.25 % copper with minor gold and molybdenum. The source area for the mineralized boulder is interpreted to occur upslope within or on the edge of the large (4 kilometre by 2 kilometre) IP chargeability response. An alternate potential source for the boulder is within the large and untested arsenic-zinc-silver target to the east of the Koffee geophysical target..

## **GEOLOGICAL SETTING**

Upper Cretaceous quartz-dioritic to quartz-monzonitic intrusives and related breccias named the Casino Complex occur throughout the property. Until recently these rocks were interpreted to significantly post date the mid Cretaceous Dawson Range batholithic rocks (quartz-diorite to granodiorite). The Dawson Range intrusive rocks in turn intrude Paleozoic aged Yukon Metamorphic Complex rocks. Recent work completed in 1997 by the Department of Earth and Atmospheric Sciences, University of Alberta (\*1), has determined that the age of the Casino Plutonic Suite is indistinguishable from the Dawson Range Batholith – namely 104 million years (mid Cretaceous). Rare earth element content indicates that magmas of the Casino Plutonic Suite are late stage fractionated magma derived from the Dawson Range Batholith. The batholith itself is interpreted to be the result of melting resulting from crustal thickening. A subsequent 70

million-year-old (subduction related) event then intruded the Casino Plutonic Suite. A diagnostic porphyritic unit locally named Patton Porphyry typifies this event. The recent University of Alberta work genetically correlates porphyry mineralization at Casino to the fractionation of the Casino Plutonic Suite. This hypothesis is at odds with earlier work completed by several groups (most recently Pacific Sentinel Gold 1993 and 1994) which concluded that the younger porphyry mineralization (Patton Porphyry) is temporally associated with mineralization.

(\*1) D. Selby, R. Creser and E. Nesbitt, Major and trace element compositions and Sr-Nd-Pb systematics of crystalline rocks from the Dawson Range, Yukon, Canada, Canadian Journal of Earth Sciences, September 1999.

The Yukon Metamorphic Belt Complex and the Dawson Range (including Casino Suite) Belt are in east-west fault contact along the northern edge of the Canadian Creek claim block. The fault (related to the Big Creek fault system) represents a major bounding structure across geologic terranes. The trace of the fault is marked by linear ultramafic bodies that are interpreted to mark a major (mantle tapping) fracture zone. Part of the objectives of the current proposal was to determine the PGM (platinum group metal) and gold potential of these ultramafics bodies.

## **2001 EXPLORATION ACTIVITIES**

Work on the Canadian Creek project in 2001 was completed in two one-week campaigns. In the first program, which occurred between July 21 and July 30, two field technicians provided by Tintina Trenching opened the camp and access road, completed some soil sampling and moved empty fuel barrels to a staging area on the access road. The second part of the program occurred between September 5 and September 13. During this period Bill Morton of Mincord Exploration and Bruce Cairns of Tintina Trenching prospected, collected soil and silt samples and transported the fuel barrels 18 kilometres along the Casino Road to the Yukon River. The second program was terminated earlier than planned as a consequence of the terrorist attacks in the United States.

### **A.) EXPLORATION COMPLETED IN THE KOFFE BOWL AREA (Porphyry Copper-Gold-Molybdenum)**

Between 1996 and 1997 significant effort was expended in developing road access into this area. In 2000 five diamond drill holes totalling 933 metres were completed in an east-west drill fence across the centre of a significant donut shaped induced polarization and magnetic anomaly (3 km by 2 km > 20mv/V). A strong pyrite dominant stockwork was discovered on the west end of the drill fence which progressed into a strong quartz dominant stockwork on the east end of the fence. A strong potassium enriched and magnetite rich centre corresponds to holes 2000-6, 7 and 9 drilled within the geophysical donut towards the east end of the anomaly. In essence it appears that phyllitic style alteration in holes 2000-4 and 5 (western end of the drill fence) is progressing into a more potassic style alteration in holes 2000-6,7 and 9 (eastern end of the drill fence). A

distinctive feldspar porphyry ("Patton Porphyry") locally intrudes the granodiorite in the eastern region of the drill fence. Late in the 2000 program a highly mineralised biotite altered sample of intrusive rubble was found in a ditch towards the west end of the drill fence. This material which assayed greater than 3% copper suggests that a highly valuable target remains to be found. No additional samples of this material was found in the recent program

A very pronounced arsenic-zinc-silver (+ or - gold) soil anomaly occupies a higher elevation area east and north of the copper-gold-molybdenum / chargeability anomaly. This anomaly, which is open ended to the north and east, encompasses an area of approximately 1 square kilometre. It is bisected along a ridgeline by a curvilinear + 20 mv/V chargeability response.

The 2001 program in the Koffee Bowl area was curtailed before a planned soil-sampling component could be completed. A program of diligent roadside prospecting focussing on the ditch bottoms was completed. Seven samples of mineralised rubble were found and sampled. The following noteworthy samples are summarised while the entire population is described in the appendix:

- ◆ Rubble sample 12-09-01-7, located in the vicinity of drill hole 2000-7, returned a value of 404.0 g/t silver (11.78 oz/T), 1.45g/t gold and 385.7 ppm bismuth from a siliceous altered boulder. This sample, with obvious disseminated galena and sphalerite, is also highly anomalous in lead, zinc, arsenic and antimony. It occurs down slope of a previously identified, strong and sizeable, arsenic- zinc-silver soil anomaly. The presence of such a high level of bismuth from the  $\pm$  104 million-year intrusive system in Tintina rocks may indicate potential for a "Pogo" style occurrence.

- ◆ Rubble sample 12-09-01-5, located approximately 650 metres north northwest of drill hole 2000-6, returned a value of 737 ppb gold and 508.4 ppm molybdenum from a chocolate coloured gossan. This sample is also anomalous in arsenic (984.1 ppm).

It should be noted that the copper-gold-molybdenum mineralization identified in drill holes 2000-4,5,6,7 and 9 contains very low levels of arsenic and suggests that both sample 12-09-01-5 and sample 12-09-01-7 source from an area above the 2000 drill program (to the east and north).

## **B.) EXPLORATION COMPLETED ON THE ULTRAMAFIC TARGET (Platinum Group Metals)**

The Yukon Metamorphic Belt and the Dawson Range (including Casino Suite) Belt are in east-west fault contact near the northern edge of the Canadian Creek claim block. The fault (related to the Big Creek fault system) represents a major bounding structure. Previous mappers have inferred the fault from mapped ultramafic units. In the recent program a single traverse was made along both banks of Canadian Creek to, and past, the area where these units are indicated as occurring. These mapped occurrences, dating back to the early 1970's, are quite cursory. No ultramafic units were confirmed on the traverse

that was completed. It was quickly ascertained that completing a soil sample in this area would be very difficult due to the presence of permafrost and angular talus rubble. As an alternate method of determining PGE potential from this area a series of silt sample were obtained from Canadian Creek above and below the area of the indicted ultramafic units. No PGE elements were detected in the analysis of these samples and this area is now considered to be of low priority.

### **C.) BARREL CLEAN UP (Reclamation)**

During the 2000 program it was noted that a great number of barrels originating from several unrelated exploration campaigns dating back to the 1970s littered the area proximal to the old placer mine (bend on Canadian Creek) and the air strip. Many of these barrels were partially filled with diesel fuel, jet fuel, aviation gas and straight gas. The barrels were collected in 2001 and then had their contents consolidated according to type. The consolidation of the diesel barrels resulted in 3 full barrels that were moved to the Wildrose camp to serve as stove oil for future programs. Dregs of aviation gas and straight gas were likewise consolidated and were then were shipped out via barge with the remainder of the empty barrels. In all 79 barrels were shipped by barge to Minto and then transported by truck to Whitehorse. Approximately half of these barrels were unrelated to the Alexis Resources Ltd.-Eastfield Resources Ltd.-Wildrose Resources Ltd. activities. The number of barrels exceeded estimates and necessitated a second barge trip.

### **D.) EXPLORATION COMPLETED IN THE CASINO "B" AREA (Porphyry Gold Target)**

This area of the property acquired in 2000 is in this author's opinion one of the truly outstanding targets on the Canadian Creek property. Three holes were drilled here in 1994 and 4 holes in 2000. Hole 94-319, drilled by Pacific Sentinel Gold Corporation intersected 150 metres averaging 0.49 g/t gold including 44 metres averaging 0.71 g/t in the south central region of this target. In 2000 Wildrose (with Alexis Resources Ltd.) drilled 2000-01 40 metres to the north of this hole. Hole 2000-01 intersected 26 metres grading 1.04 g/t gold from 18.5 metres to 69 metres. The hole encountered a second zone of mineralization at 119 metres with the last 30 metres of this hole grading 0.52 g/t gold. As a precursor to discussing the results of the 2001 program in this area it is appropriate to review the results of all the 1994 holes (94-319, 323 and 325) and all the 2000 holes (2000-1, 2, 11 and 12).

Holes 94-323 and 94-325 encountered full-length intercepts of a distinctive feldspar biotite porphyry considered to be a key and diagnostic unit at the adjacent Casino deposit. This unit, named "Patton Porphyry", was well altered in holes 94-323 and 94-325 but only weakly mineralised by copper. Hole 94-323 had consistent high molybdenum values with individual 3 metre samples returning up to 1555 ppm Mo. This hole and 94-325 contained a number of erratic gold values with values reaching 0.38 g/t Au in 94-323 and 0.25 g/t in 94-325. Hole 2000-2 intersected a small interval of Patton Porphyry followed

by a longer interval of granodiorite. This hole, while failing to intersect economic grades, was likewise anomalous in copper, molybdenum and gold throughout. Latite was not intersected in holes 94-319, 323, 325 or 2000-2.

Hole 94-319 (44 metres averaging 0.71 g/t Au) and hole 2000-1 (26 metres grading 1.04 g/t Au) both encountered similar styles of mineralization in which gold is associated with a quartz-pyrite stockwork spatially related to a ~25 metre thick latite dyke. Gold mineralization occurs in the latite and in the hosting granodiorite. It appears that the latite is striking easterly westerly and dipping 80° to 85° to the south. Gold mineralization in both of these holes is positively correlated with anomalous bismuth (to 52 ppm).

Hole 2000-11 and 2000-12, drilled further to the northwest, intersected granodiorite that was anomalous in copper and gold in several intervals. Hole 2000-11 returned gold values as high as 965 ppb associated with anomalous concentrations of arsenic. It should be noted that a +100 ppb soil gold response extends 200 metres up hill (south) immediately to the west of this hole. The absence of latite in hole 2000-11 suggests that this hole may be too far down the hill (to the north) to intersect the gold zone.

Much of the optimism for the Casino "B" porphyry gold target draws from a 1986 geochemical soil survey completed by Archer Cathro and Associates. One of the significant achievements of the 2000 program was to relocate sufficient 1986 sample sites to enable this older survey to be compiled with more recent work. The 1986 results were filled in and locally verified by collecting new samples and comparing them with the 1986 results.

Figure 3 compiles the soil survey results with the 1994 and 2000 drill results. It is apparent that the gold anomaly starts immediately below the talus apron on the hillside above 94-319. The anomaly continues to the edge of the survey ~1 kilometre to the east and 500 metres to the west of this hole and ~200-300 metres uphill (to the south).

## **RECOMMENDATIONS**

### **A.) Koffee Bowl**

The soil survey deferred in the current program should be completed, particularly infilling, and expanding the boundaries of, the arsenic-zinc-silver soil anomaly occurring east-north-east of the porphyry copper-gold-molybdenum target. More drilling is required to test the porphyry target. An access road that extends from ~200 metres southeast of hole 2000-7 to ~1200 metres to the north west of this hole would allow several permutations to be drill tested. These permutations include the inner circle of the IP "donut", an untested resistively anomaly associated with leached breccia and the high chargeability area upslope from the high-grade copper mineralized rubble discovered in 2000. Rubble sample 12-09-01-5, from the current program from a site approximately half way along this road, returned a value of 737 ppb gold, 325 ppm copper and 508 ppm molybdenum. This road was substantially improved in 2000.

**B.) Casino “B” Porphyry Gold Target**

It is recommended that an excavator again be brought into the project and that a drill access road be constructed at the toe of the talus apron for approximately 1 kilometre to the east and ½ kilometre to the west of hole 94-319. It is also recommended that an induced polarization survey be completed (north-south lines) in an attempt to locate areas of increased pyrite stockwork veining which appears to have a positive correlation with gold content. The Casino “B” Porphyry Gold Target would be ready for renewed drilling following the completion of these works.

## **COST STATEMENT**

### **Jul-21**

Personnel (Mincord) #1, M at \$450 day \$450

### **Jul-23**

Personnel (Tintina) #2, C and R at \$250 each \$500

### **July 24-29**

Personnel (Tintina) #2, C and R at \$250 each for 7 days \$3,500

Camp Rental 6 days at \$150 \$900

Equipment Rental Tintina \$500

Charter Air (Big Salmon) #4 \$2,200

### **Sep-05**

Personnel (Mincord) #1, M at \$450 day \$450

### **Sept 6-13**

Personnel (Mincord) #1, M at \$450 day for 8 days \$3,600

Personnel (Tintina) #2, C at \$250 day for 8 days \$2,000

Camp Rental 8 days at \$150 \$1,200

Equipment Rental Tintina \$500

Scheduled Air \$437

Charter Air (Big Salmon) #4 \$2,200

Barge Costs #3 (\$12,000 of \$16,000 total) \$12,000

Food and Field Supplies \$639

Trucking Tintina \$500

Analytical Costs \$1,688

Reporting M at \$450 day for 3 days \$1,350

Drafting \$400

**TOTAL \$35,014**

# 1 Mincord Exploration Consultants Ltd., Vancouver, BC.

# 2 Tintina Trenching Inc., Whitehorse, Yukon.

# 3 Jacobs Industries Ltd., Whitehorse, Yukon.

# 4 Big Salmon Air, Whitehorse, Yukon.

### Personnel Code

C - Bruce Cairns – Tintina Trenching Inc.

H - Randy Horton – Tintina Trenching Inc.

M - Bill Moron P.Geo – Mincord Exploration Consultants Ltd.

## **AUTHOR QUALIFICATIONS**

### **J. W. (Bill) Morton P.Ge.**

I, J.W. Morton am a graduate of Carleton University Ottawa with a B.Sc. (1972) in Geology and a graduate of the University of British Columbia with a M. Sc. (1976) in Graduate Studies.

I, J.W Morton have been a member of the Association of Professional Engineers and Geoscientists of the Province of BC (P.Ge.) since 1991.

I, J.W. Morton have practiced my profession since graduation throughout Western Canada, the Western USA and Mexico.

I, J.W. Morton have been actively involved in exploration at the Canadian Creek property since 1993 and supervised the exploration outlined in this report.

Signed this 30 day of November, 2001

---

J.W. (Bill) Morton P.Ge.

## CASINO "B" SOIL SAMPLE RESULTS TABLE

<b>ELEMENT</b>	<b>Au</b>	<b>Cu</b>	<b>Mo</b>	<b>Bi</b>	<b>As</b>	<b>Ag</b>	<b>Pb</b>	<b>Zn</b>
<b>SAMPLES</b>	<b>ppb</b>	<b>ppm</b>	<b>ppm</b>	<b>ppm</b>	<b>ppm</b>	<b>Ppb</b>	<b>Ppm</b>	<b>ppm</b>
01-N-0+00E	160.6	154.3	2.8	5.5	162.2	1936	111.5	152.6
01-N-0+50E	49.2	167.3	0.9	2.1	8.8	1367	28.7	48.1
01-N-1+00E	143.8	153.7	5.3	4.5	76.6	1765	76.7	105.0
01-N-1+50E	59.6	284.0	5.6	4.3	173.7	3147	87.9	169.9
01-N-2+00E	23.1	40.5	4.8	3.0	113.4	1687	121.3	149.4
01-N-2+50E	84.9	87.2	5.8	6.0	94.9	3841	547.5	225.6
01-N-3+00E	71.7	297.5	9.3	3.3	55.3	2505	132.0	154.4
01-N-3+50E	82.2	100.0	14.8	4.8	47.7	4223	144.8	169.2
01-N-4+00E	186.0	146.9	18.8	5.5	44.7	3123	147.7	128.5
01-N-4+50E	220.3	120.2	19.1	5.0	60.7	5976	303.0	157.6
01-N-5+00E	55.9	144.3	8.9	1.7	68.9	2469	95.5	95.0
01-N-5+25E	463.8	105.7	22.5	3.6	53.4	2332	83.6	79.0
01-N-5+50E	39.5	58.9	3.6	2.7	39.0	1322	112.0	110.9
01-N-6+00E	21.0	88.5	1.8	0.3	4.0	1733	21.3	121.2
01-N-6+50E	29.4	53.0	2.3	1.2	11.3	1702	33.8	93.9
01-N-7+00E	16.5	31.7	4.0	1.5	18.6	594	55.3	99.8
01-N-7+40E	22.6	35.3	7.5	3.2	33.8	1661	55.1	87.2
01-N-7+50E	67.1	29.5	4.7	4.7	31.7	1313	52.4	90.1
01-N-8+00E	35.5	40.0	3.9	3.6	32.2	608	37.3	85.7
01-N-8+50E	26.9	27.2	6.3	2.2	18.3	494	24.5	55.1
01-N-9+00E	17.0	42.1	4.4	1.0	12.3	1160	26.2	60.5
01-N-9+50E	12.3	52.4	4.4	0.3	12.9	1349	7.0	53.3
01-N-10+00E	29.3	51.2	10.1	2.1	19.3	914	50.1	177.2
01-S-0+00E	8.0	26.1	1.6	2.0	96.6	755	29.8	138.4
01-S-0+50E	4.1	30.4	1.5	0.3	12.5	559	9.5	167.6
01-S-1+00E	28.0	61.5	10.9	3.8	182.0	2937	72.1	675.4
01-S-1+50E	18.4	38.1	3.4	2.0	50.9	1539	70.8	144.8
01-S-2+00E	27.4	49.3	2.9	3.7	74.7	1891	74.6	242.5
01-S-2+50E	20.4	33.8	2.1	2.9	52.8	2199	153.7	284.1
01-S-2+80E	60.9	80.5	5.7	5.9	69.8	4438	153.6	223.1
01-S-3+00E	28.9	37.8	4.9	4.9	58.8	2475	143.6	241.1
01-S-3+50E	91.8	54.9	1.6	3.5	31.4	1631	83.8	202.3
01-S-4+00E	44.7	152.0	2.0	3.5	73.3	2182	493.2	1,040.1
01-S-4+50E	28.9	57.8	1.5	1.3	22.2	1948	62.1	170.9
01-S-5+00E	44.5	67.9	2.4	5.2	57.6	1126	60.9	213.4
01-S-5+50E	3.5	25.7	1.5	0.4	8.7	102	10.0	77.5
01-S-6+00E	57.4	59.2	2.3	5.5	73.0	3755	336.9	288.1
01-S-6+50E	37.5	69.5	1.8	4.5	64.2	2176	84.9	164.6
01-S-7+00E	28.1	68.6	3.0	2.4	27.5	1338	21.8	109.4
01-S-7+50E	8.7	49.4	1.5	0.9	9.2	362	11.5	84.7

<b>ELEMENT</b>	<b>Au</b>	<b>Cu</b>	<b>Mo</b>	<b>Bi</b>	<b>As</b>	<b>Ag</b>	<b>Pb</b>	<b>Zn</b>
<b>SAMPLES</b>	<b>ppb</b>	<b>ppm</b>	<b>ppm</b>	<b>ppm</b>	<b>ppm</b>	<b>Ppb</b>	<b>ppm</b>	<b>ppm</b>
01-S-8+00E	48.9	40.9	1.9	2.8	21.5	329	36.2	87.5
01-S-8+50E	79.9	356.5	1.5	6.3	33.3	772	37.6	267.8
01-S-9+00E	16.7	155.1	2.5	1.3	38.5	1220	8.5	44.1
01-S-9+50E	14.8	115.9	4.1	0.7	6.1	1218	10.5	589.8
01-S-10+00E	1.9	19.2	0.7	0.1	1.9	96	5.0	75.6
08-08-SL-2	78.4	180.9	28.4	2.2	21.5	1016	54.8	92.6
08-08-SL-7	554.1	147.6	90.3	4.1	30.0	1544	53.5	31.0
08-08-SL-9	357.5	122.6	57.1	4.6	55.2	2205	44.1	12.6
08-08-SL-11	719.3	112.0	15.8	4.2	37.1	2156	117.5	104.0
08-08-SL-13	134.0	66.3	2.6	5.9	101.7	1608	65.5	125.8
08-08-SL-15	201.1	130.0	7.0	5.2	72.1	2144	88.4	102.1
08-08-SL-16	122.5	211.6	20.1	3.6	67.4	1326	70.2	118.9
08-08-SL-17	142.1	140.5	7.6	3.5	62.8	1271	80.2	143.2
08-08-SL-18	82.5	79.3	3.3	7.3	83.0	4744	359.5	241.5
08-08-SL-19	95.6	117.2	35.0	4.5	47.3	8211	211.4	134.0
08-08-SL-21	67.1	98.2	15.6	4.5	102.6	2968	183.8	153.0
09-09-SL-1	24.0	30.3	3.3	2.6	31.9	392	32.9	106.3
09-09-SL-2	11.1	18.0	2.0	1.7	16.2	314	35.0	90.4
09-09-SL-3	23.5	17.9	1.5	1.6	40.2	331	30.1	112.0
09-09-SL-4	82.9	98.1	1.0	2.3	12.9	223	19.3	86.6
09-09-SL-5	227.8	49.7	3.0	13.3	43.4	5821	220.4	106.2
09-09-SL-6	30.5	52.1	1.3	3.0	31.6	625	152.6	289.6

**ROCK DESCRIPTIONS**

	<b>Au (ppb)</b>	<b>Cu (ppm)</b>	<b>Mo (ppm)</b>	<b>Ag (ppb)</b>
<b>Casino "B" Claims (south side)</b>				
07-09-1, silicified and carbonate altered angular rubble, could be quartzite, minor pyrrhotite	1.6	11.6	1.3	33
08-08-4, Limonitic siliceous breccia, bleached, contain leached pyrite cavities, good looking (strong) mm scale quartz veinlets, exposed in old 1970's? cat trench.	53.3	11.8	10.9	400
08-08-5, Limonitic siliceous breccia, clasts quartz feldspar porphyry, exposed in old 1970's? cat trench.	10.6	74.3	8.1	667
08-08-6, Limonitic siliceous breccia, clasts contain quartz eyes, buff sericite? altered matrix, exposed in old 1990's? cat trench.	246.2	50.6	49.2	1085
08-08-8, Limonitic and siliceous breccia exposed in old 1990's? cat trench.	173.1	31.5	39.5	844
08-08-10, Limonitic and siliceous breccia exposed in old 1990's? cat trench.	150.9	390.1	33.0	884
08-08-12, Limonitic siliceous breccia developed in feldspar porphyry, probably "Patton Porphyry", exposed in old 1990's? cat trench.	105.0	220.2	14.9	531
08-08-14 Siliceous rubble (01N, 1+00E Casino "B" grid), juicy somewhat limonitic, cm scale angular fragments, significant because this sample indicates that mineralization is still sourcing up the hill above the elevation of hole 94-319.	70.9	67.6	5.3	248
08-08-20, rubble, feldspar porphyry.	3.8	69.6	3.0	255
09-09-7, rubble, fine grained porphyritic rock, feldspars stained with iron carbonate, probably "Patton Porphyry"	8.0	85.1	2.8	417
<b>Casino "B" Claims (north side)</b>				
10-09-2 (Pb 973.0 ppm), rubble, quartz breccia consisting of subrounded cm scale clasts in buff coloured bleached matrix.	26.8	10.9	2.8	6007
10-09-3, rubble, siliceous granodiorite.	3.6	20.2	3.4	44
10-09-4, rubble, biotite altered granite or granodiorite, incipient foliation.	7.9	33.3	2.1	132
10-09-5 (Pb 928.2 ppm), rubble	26.6	7.5	3.8	6134

<b>Koffee Bowl</b>	<b>Au (ppb)</b>	<b>Cu (ppm)</b>	<b>Mo (ppm)</b>	<b>Ag (ppb)</b>
12-09-01-1, rubble, bleached light gray feldspar porphyry ("Patton Porphyry"), 2% pyrite.	22.6	13.4	7.8	180
12-09-01-2, rubble, fine grained gray intrusive, 3% fine grained pyrite.	17.8	32.6	3.5	111
12-09-01-3, rubble, quartz micro breccia in buff altered matrix.	24.4	13.0	2.1	225
12-09-01-4, rubble, silicified equigranular granodiorite, limonitic fractures.	19.8	113.9	31.1	255
12-09-01-5 (As 984.1 ppm), rubble, porous chocolate coloured gossan, sulfide cavities.	737.1	325.4	508.4	1510
12-09-01-6 (Zn 907.9 ppm), rubble, very siliceous almost vein like material, minor sphalerite.	202.3	65.6	7.2	1240
12-09-01-7, rubble, silica and sulfide rich rock, one face somewhat banded, minor cavities with quartz crystals, disseminated galena and sphalerite and copious pyrite, (Pb 18499.1 ppm, Zn 26358.4 ppm), (Sb 648.9 ppm, Bi 385.7 ppm,).	1422.7	9526.46	1.0	99999 (assay 404.0 gm/mt) (11.78 oz/T)

<b>Silt Samples</b>	<b>Au (ppb)</b>	<b>Cu (ppm)</b>	<b>Pt. (ppb)</b>	<b>Pd (ppb)</b>
08-08-ST-1 Canadian creek immediately above Britannia Creek (lower reaches).	31.8	53.7	<2	<10
07-09-ST-2 (1500 m down stream from the former placer gold mine on Canadian Creek)	330.5	103.0	<2	<10
07-09-St-3 (at the road ford at the former placer gold mine on Canadian Creek)	226.6	105.5	<2	<10
16-09-ST-1 (Canadian Creek at the drill access road for Wildrose hole 2000-1)	12.8	31.9	<2	<10




(Bottom Photo)

Fuel barrels transported to Yukon River barge landing site – September 2001.

(Top Photo)

Resistive intrusive units near the confluence of Britannia Creek and Canadian Creek (unglaciated terrain of the west central Yukon) – September 2001.

# KOFFEE TARGET (GEOPHYSICS)



Chargeability Mv/V

2000 drill holes 4,5,6,7,9  
1993 drill hole K-1

0 metres 1000



GEOCHEMICAL ANALYSIS CERTIFICATE



Wildrose Resources Ltd. PROJECT Canadian Creek File # A103653 Page 1

110 - 325 Howe St., Vancouver BC V6C 1Z7 Submitted by: Bill Morton

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm
G-1	.83	1.90	2.40	34.9	10	5.2	4.2	536	1.90	.2	3.0	.3	5.5	63.5	<.01	.03	.16	41	.51	.106	7.4	12.9	.54	214.3	.121	1	.89	.052	.45	2.0	1.2	.26	<.01	<.5	<.1	<.02	3.8	15.0
01-N-0+00E	2.84	154.34	111.52	152.6	1936	16.8	13.3	789	4.22	162.2	6.8	160.6	9.6	31.1	.43	5.37	5.50	76	.33	.100	28.1	30.1	.60	182.8	.053	2	2.37	.010	.11	.9	3.7	.23	.09	42	.4	.37	6.1	15.0
01-N-0+50E	.91	167.31	28.71	48.1	1367	16.0	3.5	110	.85	8.8	11.1	49.2	1.1	80.7	.79	2.08	2.09	19	.95	.211	71.7	23.9	.28	453.3	.018	2	1.48	.021	.05	.3	1.3	.21	.46	114	.9	.06	2.9	15.0
01-N-1+00E	5.31	153.73	76.66	105.0	1765	13.5	10.6	342	3.74	76.6	5.1	143.8	17.1	21.4	.37	5.05	4.46	62	.26	.097	20.5	26.2	.60	143.2	.054	<1	2.24	.007	.09	.8	2.9	.17	.01	44	.5	.30	5.5	15.0
01-N-1+50E	5.64	284.04	87.91	169.9	3147	18.7	10.5	395	4.45	173.7	7.3	59.6	5.0	31.4	1.00	4.02	4.25	82	.17	.108	24.6	35.5	.63	541.6	.029	1	2.72	.010	.08	.3	3.0	.25	.12	62	.3	.13	7.0	15.0
01-N-2+00E	4.78	40.51	121.28	149.4	1687	14.9	49.8	4351	6.90	113.4	4.0	23.1	7.6	34.3	1.03	4.96	2.97	68	.29	.090	19.1	27.9	.52	298.6	.035	<1	2.22	.008	.07	.3	2.8	.28	.07	41	.3	.24	6.4	15.0
01-N-2+50E	5.82	87.21	547.45	225.6	3841	16.5	17.4	905	5.83	94.9	5.0	84.9	7.5	28.5	.62	6.22	5.95	77	.27	.105	22.8	34.1	.58	227.0	.024	1	2.37	.009	.08	.6	3.0	.31	.03	69	.5	.34	7.2	15.0
01-N-3+00E	9.31	297.50	131.96	154.4	2505	16.7	31.3	2609	4.37	55.3	10.5	71.7	9.4	27.5	.56	3.91	3.30	70	.29	.084	26.9	33.2	.57	249.3	.053	1	2.43	.007	.08	.5	3.4	.22	.07	59	.5	.19	6.4	15.0
01-N-3+50E	14.80	99.98	144.77	169.2	4223	14.4	11.5	358	4.06	47.7	5.3	82.2	9.8	30.5	.67	6.30	4.82	67	.33	.092	20.1	31.4	.55	195.1	.037	<1	1.99	.008	.08	.6	2.9	.24	.06	67	.5	.23	6.4	15.0
01-N-4+00E	18.84	146.92	147.71	128.5	3123	12.5	9.4	333	4.84	44.7	5.5	186.0	19.4	30.8	.34	8.43	5.46	70	.26	.094	24.4	27.6	.56	215.7	.051	<1	1.81	.010	.11	1.5	3.1	.20	.12	38	.7	.37	6.3	15.0
01-N-4+50E	19.10	120.23	303.03	157.6	5976	16.8	11.9	215	4.17	60.7	5.5	220.3	9.3	41.5	5.64	7.53	4.96	57	.43	.128	30.8	26.8	.40	359.0	.024	1	2.00	.008	.07	.5	3.0	.33	.39	108	1.0	.32	5.7	15.0
01-N-5+00E	8.92	144.28	95.46	95.0	2469	14.5	45.9	4980	6.78	68.9	6.8	55.9	2.6	56.7	8.36	3.65	1.69	38	.72	.176	36.6	15.7	.18	553.7	.024	1	1.18	.013	.05	<.2	2.1	.27	.26	132	.9	.32	2.5	15.0
01-N-5+25E	22.49	105.73	83.64	79.0	2332	9.5	5.7	308	4.10	53.4	3.6	463.8	10.5	22.0	.16	8.00	3.62	57	.20	.099	20.8	23.7	.42	178.8	.033	<1	1.46	.009	.07	.4	2.6	.18	.08	66	.9	.30	5.0	15.0
01-N-5+50E	3.56	58.91	111.95	110.9	1322	13.3	9.5	297	4.21	39.0	3.7	39.5	10.4	24.2	.29	3.68	2.67	61	.27	.091	22.2	26.9	.56	167.2	.038	<1	2.05	.005	.08	<.2	2.6	.21	.05	58	.5	.25	6.3	15.0
01-N-6+00E	1.77	88.48	21.29	121.2	1733	19.8	6.6	12015	.84	4.0	9.3	21.0	.4	109.3	10.29	2.74	.34	7	1.32	.201	33.4	8.8	.16	529.9	.008	3	.69	.017	.06	<.2	.8	.10	.29	180	1.3	.12	1.2	7.5
01-N-6+50E	2.26	53.01	33.82	93.9	1702	12.1	16.6	3913	1.89	11.3	5.8	29.4	1.0	69.8	3.94	1.46	1.16	22	.82	.234	17.2	18.1	.19	445.2	.011	1	.98	.012	.08	<.2	1.4	.14	.27	185	.9	.13	2.9	15.0
01-N-7+00E	3.97	31.71	55.28	99.8	594	11.4	10.0	347	3.04	18.6	3.0	16.5	8.8	23.2	.30	1.60	1.49	52	.29	.083	20.7	22.0	.52	154.0	.042	<1	1.73	.008	.06	.2	2.6	.14	.02	36	.3	.12	4.9	15.0
01-N-7+40E	7.52	35.25	55.06	87.2	1661	11.6	81.0	9474	4.63	33.8	4.2	22.6	3.1	26.4	.90	1.34	3.20	59	.26	.178	17.9	28.7	.35	326.6	.025	<1	1.70	.007	.05	<.2	2.6	.25	.11	62	.6	.52	5.7	15.0
01-N-7+50E	4.69	29.50	52.36	90.1	1313	13.5	8.1	453	3.58	31.7	2.1	67.1	3.6	24.5	.30	1.21	4.72	74	.28	.117	19.1	26.9	.51	154.1	.033	<1	1.83	.007	.06	<.2	2.3	.19	.05	64	.3	.38	6.5	15.0
01-N-8+00E	3.94	40.03	37.26	85.7	608	13.8	7.3	246	3.19	32.2	3.6	35.5	6.8	25.0	.22	1.13	3.60	59	.26	.093	24.2	26.0	.49	86.0	.049	<1	1.89	.008	.07	<.2	2.5	.13	.05	34	.4	.31	5.5	15.0
RE 01-N-8+00E	3.62	38.62	35.62	85.1	586	13.1	7.2	243	3.15	29.8	3.4	32.1	6.6	23.1	.21	1.04	3.51	56	.26	.092	22.7	24.5	.49	82.5	.045	<1	1.84	.008	.07	<.2	2.3	.13	.05	37	.4	.29	5.1	15.0
01-N-8+50E	6.31	27.15	24.52	55.1	494	9.8	4.6	208	3.44	18.3	1.6	26.9	3.0	45.3	.18	.93	2.17	54	.30	.090	18.8	19.5	.40	108.3	.043	<1	1.20	.007	.06	<.2	1.5	.12	.09	43	.7	.18	5.2	15.0
01-N-9+00E	4.44	42.14	26.15	60.5	1160	12.4	29.8	869	2.16	12.3	3.8	17.0	.6	52.1	3.04	.54	.97	31	1.78	.177	16.1	23.1	.88	188.3	.022	3	1.31	.081	.09	<.2	1.7	.18	.31	177	1.1	.08	3.1	7.5
01-N-9+50E	4.44	52.40	6.98	53.3	1349	8.9	50.2	3515	2.37	12.9	5.1	12.3	.4	73.7	2.35	.76	.33	21	.92	.205	20.3	9.2	.15	280.2	.014	3	.55	.019	.07	12.2	1.1	.11	.31	168	.9	.09	1.1	7.5
01-N-10+00E	10.06	51.20	50.07	177.2	914	19.4	29.3	23846	4.00	19.3	3.4	29.3	4.7	33.6	5.80	1.11	2.12	66	.36	.117	20.6	29.2	.48	761.0	.038	<1	1.96	.010	.06	<.2	3.1	.30	.10	58	.7	.43	6.9	15.0
01-S-0+00E	1.60	26.09	29.77	138.4	755	12.2	7.1	757	2.00	96.6	2.6	8.0	1.0	46.5	1.72	1.89	1.98	49	.66	.094	14.7	19.0	.35	208.8	.041	2	1.13	.017	.11	<.2	1.8	.13	.12	149	.3	.06	4.2	15.0
01-S-0+50E	1.48	30.44	9.53	167.6	559	14.3	7.9	7135	.51	12.5	1.9	4.1	.3	92.3	11.30	1.05	.28	12	1.53	.148	17.4	6.3	.15	575.0	.010	4	.45	.020	.07	<.2	.6	.18	.19	168	.3	.06	1.0	7.5
01-S-1+00E	10.88	61.54	72.05	675.4	2937	46.6	31.0	19146	4.43	182.0	7.3	28.0	5.9	57.4	24.70	4.52	3.80	77	.89	.111	40.1	28.6	.59	725.4	.058	1	2.50	.013	.12	.3	4.0	.39	.13	123	.5	.16	7.7	15.0
01-S-1+50E	3.42	38.07	70.84	144.8	1539	13.8	9.5	2722	1.79	50.9	5.1	18.4	1.1	93.3	5.27	2.60	2.04	37	1.40	.158	22.7	15.4	.35	486.6	.025	3	1.18	.015	.11	<.2	1.6	.23	.24	137	.4	.09	3.7	15.0
01-S-2+00E	2.92	49.31	74.61	242.5	1891	20.5	12.5	761	3.50	74.7	5.5	27.4	10.7	40.6	1.19	2.46	3.66	79	.41	.081	23.0	34.5	.76	245.0	.089	1	2.37	.011	.12	.2	4.4	.30	.01	52	.2	.07	7.6	15.0
01-S-2+50E	2.13	33.77	153.70	284.1	2199	16.7	11.2	1186	3.05	52.8	4.7	20.4	6.4																									



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Sample
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	gm
G-1	.86	2.22	2.16	37.4	11	4.0	3.7	526	1.80	.3	2.6	<.2	4.8	65.0	<.01	.02	.17	38	.51	.104	7.4	12.4	.51	202.0	.114	1	.82	.060	.45	2.5	1.5	.28	<.01	<.5	<.1	<.02	4.5	15.0
01-S-4-00E	2.01	152.01	493.15	1040.1	2182	14.4	15.5	2446	3.50	73.3	12.4	44.7	8.6	42.6	22.68	4.10	3.45	70	.49	.096	32.5	25.9	.60	197.0	.059	1	1.97	.012	.11	.6	4.7	.20	.06	76	.2	.17	6.1	15.0
01-S-4-50E	1.45	57.81	62.10	170.9	1948	15.1	7.3	6646	1.37	22.2	5.2	28.9	1.4	77.5	11.30	2.34	1.30	23	1.04	.160	28.4	11.6	.20	512.2	.017	4	.73	.017	.11	.3	1.7	.19	.19	154	.5	.18	2.0	15.0
01-S-5-00E	2.40	67.85	60.86	213.4	1126	14.2	11.0	1295	3.56	57.6	4.9	44.5	7.9	45.8	1.83	2.44	5.17	62	.63	.099	28.0	23.9	.55	247.6	.043	1	1.64	.014	.11	.3	4.1	.20	.04	66	.4	.22	5.5	15.0
01-S-5-50E	1.54	25.72	9.98	77.5	102	18.4	9.6	580	2.39	8.7	2.5	3.5	2.6	33.7	.87	.69	.37	56	.44	.095	11.7	24.6	.48	168.6	.057	1	1.23	.033	.08	<.2	2.3	.13	.10	196	.7	.04	5.1	15.0
01-S-6-00E	2.26	59.18	336.90	288.1	3755	14.5	10.4	994	3.66	73.0	5.8	57.4	9.5	32.3	2.47	5.69	5.49	67	.49	.093	25.1	26.8	.61	227.4	.048	1	1.72	.013	.09	.3	4.1	.22	.03	64	.5	.22	6.0	15.0
01-S-6-50E	1.79	69.46	84.91	164.6	2176	15.5	14.2	2729	3.44	64.2	6.3	37.5	5.9	37.9	1.96	2.41	4.54	67	.55	.115	28.6	25.8	.60	312.0	.049	1	1.88	.013	.07	.3	3.8	.21	.05	63	.8	.18	5.9	15.0
01-S-7-00E	3.02	68.57	21.81	109.4	1338	16.9	23.8	10341	1.87	27.5	5.9	28.1	.8	93.4	5.32	1.94	2.44	29	1.31	.192	32.7	15.5	.24	609.7	.015	3	.91	.016	.07	<.2	1.4	.15	.32	173	1.0	.42	2.6	15.0
01-S-7-50E	1.48	49.41	11.52	84.7	362	15.9	6.0	2285	.99	9.2	2.6	8.7	.3	91.4	3.35	.79	.85	19	1.57	.160	14.5	11.5	.24	239.7	.011	4	.69	.020	.10	<.2	.8	.13	.20	112	.4	.13	1.8	15.0
01-S-8-00E	1.86	40.89	36.18	87.5	329	9.2	8.3	575	2.94	21.5	1.6	48.9	4.8	20.5	.30	.95	2.84	49	.34	.087	17.6	18.3	.34	131.9	.025	<1	1.22	.008	.07	<.2	2.1	.16	.01	32	.1	.27	4.1	15.0
01-S-8-50E	1.50	356.45	37.57	267.8	772	18.2	7.6	957	3.18	33.3	7.1	79.9	7.4	24.6	2.46	2.29	6.34	59	.31	.092	27.4	34.8	.56	181.7	.072	<1	1.70	.010	.09	<.2	4.1	.11	<.01	28	.2	.32	5.3	15.0
01-S-9-00E	2.46	155.11	8.46	44.1	1220	10.8	19.0	1709	2.17	38.5	5.2	16.7	.5	115.9	5.27	1.55	1.30	29	1.66	.191	19.9	12.8	.18	254.8	.012	4	.60	.017	.05	<.2	1.2	.10	.50	107	.7	.42	1.2	15.0
01-S-9-50E	4.06	115.90	10.45	589.8	1218	47.9	13.4	37308	.91	6.1	2.5	14.8	.4	129.5	13.15	1.80	.72	7	1.53	.230	17.6	7.2	.11	1970.8	.005	4	.44	.016	.10	<.2	.7	.08	.23	168	.4	.80	1.9	7.5
01-S-10-00E	.66	19.24	4.98	75.6	96	6.8	2.6	2555	.31	1.9	.9	1.9	.2	68.7	2.73	.63	.10	<2	1.03	.101	7.0	4.7	.13	223.3	.006	3	.23	.024	.06	<.2	.6	.03	.12	111	.2	.04	.5	7.5
08-08-SL-2	28.42	180.93	54.80	92.6	1016	7.8	9.7	624	3.62	21.5	4.0	78.4	9.6	35.0	.48	3.18	2.17	53	.30	.094	22.2	20.4	.48	164.7	.042	<1	1.18	.012	.12	1.1	2.6	.13	.10	17	.5	.15	4.8	15.0
RE 08-08-SL-2	28.10	179.50	54.74	90.5	996	7.5	9.1	582	3.61	22.1	4.0	63.9	9.8	34.5	.49	3.28	1.93	52	.28	.086	21.9	20.7	.48	160.3	.038	<1	1.20	.011	.12	.8	2.5	.12	.09	21	.6	.14	4.6	15.0
08-08-SL-7	90.28	147.62	53.45	31.0	1544	2.2	2.2	109	4.69	30.0	1.6	554.1	19.4	35.1	<.01	6.60	4.11	20	.10	.074	25.6	6.1	.18	227.2	.003	<1	.61	.023	.34	4.8	.9	19	.65	15	2.1	.65	2.3	15.0
08-08-SL-9	57.10	122.63	44.14	12.6	2205	1.1	.6	58	10.31	55.2	2.5	357.5	36.6	50.2	<.01	11.74	4.59	10	.12	.197	27.0	4.3	.11	221.8	.001	<1	.54	.069	1.64	.9	1.4	.93	3.30	10	4.3	.40	2.4	15.0
08-08-SL-11	15.77	112.02	117.49	104.0	2156	8.8	7.2	315	4.24	37.1	3.2	719.3	12.4	23.3	.31	7.08	4.22	66	.25	.080	18.5	22.4	.45	152.3	.044	<1	1.31	.010	.08	1.6	2.4	.15	.07	39	.8	.28	4.9	15.0
08-08-SL-13	2.60	66.34	65.48	125.8	1608	13.1	14.3	995	4.11	101.7	2.7	134.0	7.7	29.4	.36	3.44	5.92	68	.33	.081	14.7	25.0	.60	276.9	.025	<1	1.84	.006	.09	.7	2.5	.24	.03	39	.4	.43	7.2	15.0
08-08-SL-15	7.00	130.01	88.35	102.1	2144	9.7	7.7	294	4.14	72.1	3.7	201.1	16.1	18.0	.34	6.69	5.16	64	.19	.060	18.8	22.2	.56	142.6	.034	<1	1.76	.007	.08	.9	2.7	.19	.02	68	.9	.39	6.5	15.0
08-08-SL-16	20.06	211.64	70.23	118.9	1326	10.0	10.7	492	6.23	67.4	6.7	122.5	14.5	22.3	.25	4.68	3.64	64	.19	.082	19.1	22.5	.48	166.7	.055	<1	1.69	.008	.10	.6	2.6	.19	.09	36	.8	.29	6.7	15.0
08-08-SL-17	7.62	140.50	80.18	143.2	1271	12.4	12.2	555	5.71	62.8	4.4	142.1	12.9	23.1	.41	3.35	3.51	78	.24	.085	18.5	30.1	.58	236.5	.060	<1	2.04	.006	.09	.5	3.3	.20	.02	35	.5	.26	7.3	15.0
08-08-SL-18	3.25	79.29	359.46	241.5	4744	14.0	17.3	6508	5.12	83.0	4.7	82.5	11.2	38.1	7.19	12.47	7.34	61	.40	.096	33.1	21.3	.51	467.5	.033	<1	1.55	.009	.10	.6	3.5	.33	.10	62	.5	.65	6.4	15.0
08-08-SL-19	34.99	117.18	211.41	134.0	8211	12.1	39.0	4586	4.48	47.3	5.5	95.6	6.1	32.1	.95	7.38	4.53	58	.37	.112	22.2	23.3	.41	368.3	.019	<1	1.66	.007	.07	1.3	2.6	.36	.07	108	.6	.35	6.0	15.0
08-08-SL-21	15.58	98.24	183.82	153.0	2968	9.7	11.4	711	7.55	102.6	3.5	67.1	9.8	24.0	.49	8.94	4.51	77	.31	.087	17.0	23.6	.47	200.3	.029	<1	1.86	.007	.07	.5	2.3	.20	.05	47	.3	.36	6.4	15.0
09-09-SL-1	3.25	30.32	32.93	106.3	392	23.8	14.6	1091	3.13	31.9	4.4	24.0	7.6	27.2	.45	1.26	2.58	75	.40	.084	20.4	39.6	.71	294.7	.070	<1	2.09	.009	.06	<.2	4.1	.20	.06	36	.2	.05	7.1	15.0
09-09-SL-2	1.97	17.97	34.95	90.4	314	21.0	11.0	403	2.59	16.2	2.4	11.1	5.4	29.5	.15	.94	1.72	70	.41	.070	13.1	37.2	.73	255.9	.051	1	1.85	.009	.06	<.2	3.0	.21	.04	34	<.1	.04	7.3	15.0
09-09-SL-3	1.52	17.86	30.13	112.0	331	17.1	17.8	1913	3.49	40.2	4.1	23.5	9.2	30.8	.43	1.09	1.61	81	.49	.095	18.9	32.5	.71	309.0	.064	1	1.76	.008	.07	.2	3.9	.22	.04	30	.1	.06	7.0	15.0
09-09-SL-4	1.03	98.08	19.28	86.6	223	15.2	12.6	691	3.25	12.9	2.5	82.9	9.5	25.9	.22	.89	2.28	74	.44	.086	15.8	29.5	.73	244.3	.103	<1	1.82	.010	.07	<.2	3.4	.15	.03	20	.1	.14	6.4	15.0
09-09-SL-5	3.00	49.66	220.44	106.2	5821	10.9	18.1	1304	3.15	43.4	3.3	227.8	2.2	37.2	.97	6.95	13.34	57	.41	.154	13.0	31.5	.36	319.8	.012	<1	1.62	.011	.08	<.2	2.4	.31	.11	119	.4	1.45	6.4	15.0
09-09-SL-6	1.25	52.13	152.63	289.6	625	15.9	9.5	377	2.38	31.6	2.1	30.5	10.1	17.9	1.47	3.23	3.01	75	.28	.057	18.8	31.9	.59	190.4	.063	<1	1.75	.008	.07	<.2	3.2	.21	.01	33	.2	.28	6.3	15.0
STANDARD DS3	8.99	129.10	32.85	157.5	290	35.8	12.3	821	3.20	30.3	6.1	19.3	3.9	30.3	5.73	5.30	5.65	78	.54	.099	17.4	187.0	.60	149.4	.091	1	1.80	.031	.17	3.9	2.9	1.05	.01	224	1.0	1.14	6.5	15.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



GEOCHEMICAL ANALYSIS CERTIFICATE



Wildrose Resources Ltd. PROJECT Canadian Creek File # A103652

110 - 325 Howe St., Vancouver BC V6C 1Z7 Submitted by: Bill Morton

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Sample	
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppm	gm
SI	.14	.47	.21	.7	<2	.4	<.1	5	.03	.2	<.1	<.2	<.1	1.1	.01	.02	<.02	<.2	.05	<.001	<.5	2.8	<.01	1.4	<.001	<.1	.01	.192	<.01	<.2	<.1	<.02	.01	<.5	<.1	<.02	<.1	15	
08-08-4	10.97	53.36	7.66	19.8	400	4.4	2.4	29	2.44	7.1	.8	11.8	8.5	39.3	.06	1.38	1.24	9	.06	.048	25.5	50.5	.08	240.5	.001	<.1	.36	.041	.45	1.4	.6	.12	.66	5	1.2	.06	1.6	15	
08-08-5	8.14	74.32	24.97	38.6	667	5.2	10.5	24	2.97	14.1	2.5	10.6	12.3	21.4	.11	1.36	.80	12	.07	.080	27.2	44.6	.09	144.1	.001	<.1	.41	.026	.26	.4	1.3	.11	.85	<.5	1.2	.05	1.4	15	
08-08-6	49.26	50.68	10.32	8.0	1085	4.2	.4	35	2.28	12.4	.6	246.2	27.5	34.3	.02	3.00	1.65	9	.08	.047	20.8	58.0	.14	458.0	.001	<.1	.73	.043	.29	1.5	.8	.09	.35	6	1.4	.29	7.1	15	
08-08-8	39.54	31.58	2.63	4.2	844	1.9	.4	28	.80	6.5	.3	173.1	5.3	2.9	<.01	.53	1.84	8	.02	.005	39.7	85.8	.06	121.3	.001	1	.37	.008	.31	1.6	.5	.11	.22	6	.9	.47	1.3	15	
08-08-10	33.08	390.17	154.14	201.1	884	4.6	3.7	207	9.16	45.9	1.1	150.9	14.4	11.4	.05	5.41	1.18	9	.02	.079	8.5	59.1	.05	642.1	.001	<.1	.42	.006	.25	8.5	.5	.13	.22	22	1.5	.28	1.0	15	
08-08-12	14.92	220.29	5.81	29.2	531	3.2	4.7	113	2.88	3.5	1.9	105.0	18.1	13.2	.04	.20	.90	45	.08	.048	5.5	61.1	.80	99.0	.004	<.1	1.18	.041	.15	.4	2.7	.08	.90	<.5	.6	.09	6.0	15	
08-08-14	5.39	67.69	10.99	19.5	248	5.8	1.4	56	2.28	14.4	1.3	70.9	20.3	14.2	.10	.53	1.32	10	.03	.028	29.7	83.1	.10	923.3	.001	<.1	.57	.013	.47	2.5	.7	.18	.11	7	.6	.17	1.5	15	
08-08-20	3.09	69.67	44.83	175.8	255	10.3	20.1	1700	2.84	3.7	2.3	3.8	8.6	24.2	.65	.76	.09	31	.18	.092	18.6	31.2	.71	619.7	.003	<.1	1.18	.026	.23	<.2	1.8	.10	.02	<.5	<.1	<.02	6.8	15	
RE 08-08-20	3.18	69.22	45.74	176.5	253	10.5	20.1	1716	2.87	3.7	2.5	3.1	8.8	23.6	.66	.75	.08	31	.18	.090	19.7	30.7	.71	625.6	.003	<.1	1.23	.026	.24	<.2	1.8	.11	.02	<.5	<.1	<.02	6.8	15	
07-09-1	1.36	11.63	4.22	35.0	33	4.9	3.5	252	1.39	5.0	1.9	1.6	10.7	65.8	.33	.49	.15	24	.62	.034	14.4	35.8	.52	449.7	.075	<.1	1.48	.207	.32	.8	2.0	.20	.02	<.5	.1	<.02	5.9	15	
09-09-7	2.86	85.10	16.58	200.8	417	13.5	4.6	1506	2.48	24.9	1.8	8.0	6.8	66.1	4.40	.81	.61	14	.83	.089	35.8	19.5	.64	846.1	.002	1	1.10	.015	.32	<.2	1.2	.15	.16	<.5	.1	<.02	5.6	15	
10-09-2	2.82	10.99	973.09	22.0	6007	5.7	.4	52	1.28	79.6	1.2	26.8	22.1	10.8	.48	9.09	2.00	6	.02	.024	19.7	89.2	.03	88.1	.002	1	.29	.009	.51	2.5	.4	.30	.44	249	.3	.28	2.4	15	
10-09-3	3.40	20.29	14.91	20.5	44	3.0	1.5	135	.91	2.5	1.6	3.6	28.0	6.7	.03	.28	.68	9	.05	.026	12.1	69.3	.11	37.4	.014	<.1	.45	.035	.23	.9	1.4	.10	.02	<.5	<.1	.02	2.8	15	
10-09-4	2.19	33.33	35.36	25.3	132	7.4	3.0	144	2.04	3.5	1.7	7.9	14.3	8.4	.05	1.01	.36	24	.16	.042	7.3	76.9	.60	64.6	.091	<.1	.80	.064	.45	.8	4.1	.28	.01	<.5	<.1	.06	6.0	15	
10-09-5	3.82	7.51	928.28	21.7	6134	1.6	.3	35	1.43	73.2	1.2	26.6	21.8	12.7	.42	8.99	2.14	5	.02	.024	18.0	67.7	.03	109.3	.002	<.1	.28	.012	.54	1.4	.4	.33	.53	304	.4	.27	2.5	15	
12-09-01-1	7.82	13.48	10.07	26.4	180	7.0	6.2	81	2.46	71.3	1.4	22.6	5.3	4.2	.01	.83	1.57	6	.03	.009	21.4	49.8	.07	74.0	.001	<.1	.65	.017	.54	1.6	.6	.15	1.77	17	1.3	.32	2.0	15	
12-09-01-2	3.51	32.60	8.21	3.0	111	2.1	1.7	19	2.45	1.8	1.0	17.8	6.6	3.0	.01	.22	.31	4	.01	.003	8.2	56.8	.03	73.6	.001	<.1	.27	.007	.28	1.0	.3	.06	2.00	10	.8	.04	.9	15	
12-09-01-3	2.18	13.08	14.20	8.1	225	4.4	21.0	51	.90	12.5	.5	24.4	3.9	18.5	.12	.77	4.35	10	.04	.006	19.5	64.4	.04	651.4	.002	1	.46	.018	.48	1.2	.9	.30	.33	49	.3	.15	1.5	15	
12-09-01-4	31.17	113.94	7.44	18.6	255	2.0	11.0	41	2.05	10.3	3.7	19.8	20.2	4.9	.06	1.52	.39	7	.03	.024	21.8	56.7	.12	130.9	.002	1	.66	.012	.47	.7	.7	.25	.02	54	1.7	.26	2.5	15	
12-09-01-5	508.40	352.25	56.21	46.6	1510	3.5	1.3	64	22.57	984.1	19.4	737.1	57.9	461.7	2.01	23.29	4.47	72	.04	.414	47.6	36.3	.01	62.4	.002	<.1	.23	.025	1.28	1.5	1.4	.64	2.13	272	35.4	2.85	2.6	15	
12-09-01-6	7.26	65.61	174.96	907.9	1240	2.8	6.7	692	2.06	421.8	.4	202.3	1.2	14.0	13.97	6.38	1.44	6	.63	.007	.9	84.9	.26	18.7	.001	<.1	.07	.002	.05	1.4	.3	.03	1.59	16	.5	.29	.3	15	
12-09-01-7	7.04	9526.46	18499.13	26358.4	99999	70.7	12.5	178	16.33	964.0	.2	1422.7	.3	17.0	253.79	648.95	385.74	8	.01	.003	<.5	135.3	.01	5.7	.001	<.1	.02	.007	.03	3.1	.5	.33	20.17	1129	.7	.12	.4	15	
CLINTON	.30	3.45	14.01	76.0	66	.8	.2	25	.01	1.6	2.0	2.7	<.1	118.9	2.20	.06	.03	<.2	37.87	.001	.9	2.6	.11	32.9	.001	<.1	.02	.005	<.01	<.2	.6	.03	.12	<.5	.3	.02	<.1	15	
STANDARD 053	9.67	127.36	33.83	154.8	262	34.3	12.6	844	3.22	32.4	6.5	20.3	3.8	26.2	5.85	4.93	5.56	74	.50	.098	17.6	183.0	.59	153.1	.087	<.1	1.61	.028	.16	3.9	2.7	1.01	.02	242	1.4	1.09	6.5	15	

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.

UPPER LIMITS - AG, AU, HG, W, SE, TE, TL, GA, SN = 100 PPM; MO, CO, CD, SB, BI, TH, U, B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.

- SAMPLE TYPE: ROCK R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: OCT 15 2001 DATE REPORT MAILED: *Oct 29/01* SIGNED BY: *C.L.* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



GEOCHEMICAL ANALYSIS CERTIFICATE



Wildrose Resources Ltd. PROJECT Canadian Creek File # A103654

110 - 325 Howe St., Vancouver BC V6C 1Z7 Submitted by: Bill Morton

SAMPLE#	Pb	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Hg	Ba	Ti	B	Al	Na	K	W	Sc	Tl	S	Hg	Se	Te	Ga	Os	Pd	Pt	Sample	
	ppm	ppm	ppm	ppm	ppb	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	%	ppb	ppm	ppm	ppm	ppb	ppb	ppb	ppb	gm
G-1	.99	1.84	2.38	42.5	15	4.2	4.1	532	1.83	.3	3.1	<.2	6.3	65.2	<.01	<.02	.17	40	.51	.101	8.3	12.8	.53	206.7	.120	<.1	.83	.055	.51	2.5	1.6	.31	<.01	<.5	<.1	.03	4.5	1	<.10	<.2	30	
08-08-ST-1	4.6	53.79	16.73	123.4	131	10.5	22.3	1017	2.71	16.6	3.0	31.8	19.7	24.0	1.95	1.16	.71	63	.34	.086	24.2	17.8	.54	201.9	.093	<.1	1.28	.018	.10	4	3.0	.16	.02	15	.2	.06	4.3	<.1	<.10	<.2	15	
07-09-ST-2	18.44	103.01	25.20	108.5	336	9.1	16.6	534	3.78	25.7	2.4	330.5	10.5	23.5	.70	2.02	1.99	80	.31	.094	17.8	22.1	.46	159.7	.073	<.1	1.11	.018	.15	4.3	2.8	.15	.05	13	.4	.13	3.9	<.1	<.10	<.2	15	
07-09-ST-3	18.05	105.51	26.18	96.0	329	9.1	10.9	414	3.14	23.4	2.5	226.6	9.1	24.6	.59	1.78	1.54	69	.34	.099	17.0	20.8	.56	175.9	.096	<.1	1.26	.015	.15	1.6	3.1	.16	.03	23	.2	.12	4.4	<.1	<.10	<.2	30	
16-09-ST-1	2.95	31.91	10.82	70.9	76	25.9	14.8	550	2.84	20.0	3.9	12.8	9.4	32.0	.24	1.48	.32	62	.53	.097	17.3	46.9	1.06	185.5	.104	<.1	1.31	.016	.33	.6	2.7	.20	.01	10	.2	.04	4.2	<.1	<.10	<.2	30	
RE 07-09-ST-3	18.3	102.07	25.28	93.4	334	8.6	10.6	401	3.06	23.3	2.5	533.5	9.6	23.8	.62	1.74	2.38	68	.34	.101	17.4	20.9	.55	171.0	.095	<.1	1.25	.015	.15	2.0	3.1	.15	.04	17	.3	.09	4.4	<.1	<.10	<.2	30	
STANDARD DS3	9.8	131.84	35.33	160.9	282	35.0	12.9	841	3.28	30.2	6.7	21.6	4.5	30.6	5.62	4.84	5.83	81	.56	.098	17.4	184.9	.62	149.1	.095	1	1.78	.030	.18	4.0	2.9	1.07	.03	234	1.2	1.08	6.4	<.1	<.10	<.2	30	

GROUP 1F30 - 30.00 GM SAMPLE LEACHED WITH 180 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 600 ML, ANALYSED BY ICP/ES & MS.  
 UPPER LIMITS - AG, AU, HG, W, SE, TE, TL, GA, SN = 100 PPM; MO, CO, CD, SB, BI, TH, U, B = 2,000 PPM; CU, PB, ZN, NI, MN, AS, V, LA, CR = 10,000 PPM.  
 - SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

DATE RECEIVED: OCT 15 2001 DATE REPORT MAILED: *Oct 29/01* SIGNED BY: *C. Leong* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS

ACME ANALYTICAL LABORATORIES LTD.  
(ISO 9002 Accredited Co.)

852 E. HASTINGS ST. VANCOUVER BC V6A 1R6

PHONE (604) 253-3158 FAX (604) 253-1716

ASSAY CERTIFICATE



Wildrose Resources Ltd. PROJECT Canadian Creek File # A103652R  
110 - 325 Howe St., Vancouver BC V6C 1Z7 Submitted by: Bill Morton




SAMPLE#	Ag** gm/mt	Au** gm/mt
12-09-01-7	404.0	1.45

GROUP 6 - PRECIOUS METALS BY FIRE ASSAY FROM 1 A.T. SAMPLE, ANALYSIS BY ICP-ES.  
- SAMPLE TYPE: ROCK PULP

DATE RECEIVED: NOV 1 2001

DATE REPORT MAILED: *Nov 7/01*

SIGNED BY: *C. Long* D. TOYE, C. LEONG, J. WANG; CERTIFIED B.C. ASSAYERS



**LEGEND**

- Drill Hole Collar
- Gold in Soils [ppb] (Archer Cadre, 1988)
- Gold in Soils [ppb] Wildrose Resources, 2001
- ✕ Rock Sample (sample # [Au ppb])
- Approx. Limit of Talus Apron
- Trenching, 1970s & 1990s


CONTOUR HEIGHTS ARE IN METRES

094244

0 100 200 metres


SCALE - 1:5000

**Canadian Creek Project**  
**"Casino B" Claims Area**  
**WILDROSE RESOURCES**



Sample #	Cu	Mo	Au	Sample #	Cu	Mo	Au
97-PR-1	10	2	4	97-PR-10	10	2	4
97-PR-2	10	2	4	97-PR-11	10	2	4
97-PR-3	10	2	4	97-PR-12	10	2	4
97-PR-4	10	2	4	97-PR-13	10	2	4
97-PR-5	10	2	4	97-PR-14	10	2	4
97-PR-6	10	2	4	97-PR-15	10	2	4
97-PR-7	10	2	4	97-PR-16	10	2	4
97-PR-8	10	2	4	97-PR-17	10	2	4
97-PR-9	10	2	4	97-PR-18	10	2	4
97-PR-10	10	2	4	97-PR-19	10	2	4
97-PR-11	10	2	4	97-PR-20	10	2	4
97-PR-12	10	2	4	97-PR-21	10	2	4
97-PR-13	10	2	4	97-PR-22	10	2	4
97-PR-14	10	2	4	97-PR-23	10	2	4
97-PR-15	10	2	4	97-PR-24	10	2	4
97-PR-16	10	2	4	97-PR-25	10	2	4
97-PR-17	10	2	4	97-PR-26	10	2	4
97-PR-18	10	2	4	97-PR-27	10	2	4
97-PR-19	10	2	4	97-PR-28	10	2	4
97-PR-20	10	2	4	97-PR-29	10	2	4
97-PR-21	10	2	4	97-PR-30	10	2	4
97-PR-22	10	2	4	97-PR-31	10	2	4
97-PR-23	10	2	4	97-PR-32	10	2	4
97-PR-24	10	2	4	97-PR-33	10	2	4
97-PR-25	10	2	4	97-PR-34	10	2	4
97-PR-26	10	2	4	97-PR-35	10	2	4
97-PR-27	10	2	4	97-PR-36	10	2	4
97-PR-28	10	2	4	97-PR-37	10	2	4
97-PR-29	10	2	4	97-PR-38	10	2	4
97-PR-30	10	2	4	97-PR-39	10	2	4
97-PR-31	10	2	4	97-PR-40	10	2	4
97-PR-32	10	2	4	97-PR-41	10	2	4
97-PR-33	10	2	4	97-PR-42	10	2	4
97-PR-34	10	2	4	97-PR-43	10	2	4
97-PR-35	10	2	4	97-PR-44	10	2	4
97-PR-36	10	2	4	97-PR-45	10	2	4
97-PR-37	10	2	4	97-PR-46	10	2	4
97-PR-38	10	2	4	97-PR-47	10	2	4
97-PR-39	10	2	4	97-PR-48	10	2	4
97-PR-40	10	2	4	97-PR-49	10	2	4
97-PR-41	10	2	4	97-PR-50	10	2	4

Sample #	Pb	Zn	Ag	Sample #	Pb	Zn	Ag
97-PR-3	5	16	0.3	97-PR-11	5	16	0.3
97-PR-4	5	16	0.3	97-PR-12	5	16	0.3
97-PR-5	5	16	0.3	97-PR-13	5	16	0.3
97-PR-6	5	16	0.3	97-PR-14	5	16	0.3
97-PR-7	5	16	0.3	97-PR-15	5	16	0.3
97-PR-8	5	16	0.3	97-PR-16	5	16	0.3
97-PR-9	5	16	0.3	97-PR-17	5	16	0.3
97-PR-10	5	16	0.3	97-PR-18	5	16	0.3
97-PR-11	5	16	0.3	97-PR-19	5	16	0.3
97-PR-12	5	16	0.3	97-PR-20	5	16	0.3
97-PR-13	5	16	0.3	97-PR-21	5	16	0.3
97-PR-14	5	16	0.3	97-PR-22	5	16	0.3
97-PR-15	5	16	0.3	97-PR-23	5	16	0.3
97-PR-16	5	16	0.3	97-PR-24	5	16	0.3
97-PR-17	5	16	0.3	97-PR-25	5	16	0.3
97-PR-18	5	16	0.3	97-PR-26	5	16	0.3
97-PR-19	5	16	0.3	97-PR-27	5	16	0.3
97-PR-20	5	16	0.3	97-PR-28	5	16	0.3
97-PR-21	5	16	0.3	97-PR-29	5	16	0.3
97-PR-22	5	16	0.3	97-PR-30	5	16	0.3
97-PR-23	5	16	0.3	97-PR-31	5	16	0.3
97-PR-24	5	16	0.3	97-PR-32	5	16	0.3
97-PR-25	5	16	0.3	97-PR-33	5	16	0.3
97-PR-26	5	16	0.3	97-PR-34	5	16	0.3
97-PR-27	5	16	0.3	97-PR-35	5	16	0.3
97-PR-28	5	16	0.3	97-PR-36	5	16	0.3
97-PR-29	5	16	0.3	97-PR-37	5	16	0.3
97-PR-30	5	16	0.3	97-PR-38	5	16	0.3
97-PR-31	5	16	0.3	97-PR-39	5	16	0.3
97-PR-32	5	16	0.3	97-PR-40	5	16	0.3
97-PR-33	5	16	0.3	97-PR-41	5	16	0.3
97-PR-34	5	16	0.3	97-PR-42	5	16	0.3
97-PR-35	5	16	0.3	97-PR-43	5	16	0.3
97-PR-36	5	16	0.3	97-PR-44	5	16	0.3
97-PR-37	5	16	0.3	97-PR-45	5	16	0.3
97-PR-38	5	16	0.3	97-PR-46	5	16	0.3
97-PR-39	5	16	0.3	97-PR-47	5	16	0.3
97-PR-40	5	16	0.3	97-PR-48	5	16	0.3
97-PR-41	5	16	0.3	97-PR-49	5	16	0.3
97-PR-42	5	16	0.3	97-PR-50	5	16	0.3



094244

LEGEND

- Trails
- Trench
- Lake
- River
- Stream
- Trees
- Contours
- Index
- Intermediate

- 4 CASINO COMPLEX - Undivided
- 4e Homolithic Intrusive Breccia
- 4d Metrolithic Intrusive Breccia
- 4c Patton Porphyry
- 4b Quartz Monzonite Breccia
- 4a Quartz Monzonite
- Kqd KOFFEE CREEK QUARTZ DIORITE STOCK
- 3 DAWSON RANGE BATHOLITH - Undivided
- 3b Hornblende Biotite Granodiorite
- 3a Biotite Granodiorite
- 2 PRE DAWSON RANGE INTRUSIVES - Falted Quartz Diorite

- Outcrop
- Faults interpreted from airphoto
- Geological contact
- K-5x Rock sample site and sample number
- K-4 Silt
- TR-3 Trench

- Diamond Drill Hole (2000)
- Trench location and sample number
- Start of soil line
- Claim L.C.P.

LEGEND 2001 PROGRAM  
12-09-01-7 (1422)  
rock sample (gold ppb)

0 50 100 200 300 400 500 METRES

Alexis Resources Ltd.  
CANADIAN CREEK PROJECT  
Whitehorse M.D., Yukon

PROPERTY GEOLOGY  
& SAMPLE LOCATIONS

MINCORD EXPLORATION CONSULTANTS LIMITED	Scale	1 : 5000	WTS	IIS-J/JIO
	Date	January 2001	Map	Figure 4
	By			