GEOCHEMISTRY and PROSPECTING

REPORT

KING 1-32 CLAIMS

GRANT # 094248

YC19934-YC19965

DAWSON MINING DISTRICT

NTS# 115 O\15

LAT: 63'52 N

LONG: 139'00 W

AUTHOR OF REPORT : SHAWN RYAN

WORK PERFORMED SEPTEMBER ,2000

DATE OF REPORT OCTOBER, 2001

This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of $ 3200.00 .

M. B...

for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENT

SUMMARY

The King 1-32 claims, grant # YC19934-YC19965 owned by Shawn Ryan will be renewed for one year. The King claims where staked to cover a geochem anomaly found by previous exploration work. I placed two grids over Cominco old grid areas and conducted a soil survey. The results where very positive with both grids finding anomalous soil values in zinc, lead, and copper.

INTRODUCTION

The King 1-32 claims where prospected with a silt survey in the Gold Bottom drainage and a soil survey on two grids over past anomalous soil areas. All the work so far has pointed to a potential base metal deposits lying some where at the top end of Gold Bottom creek.

LOCATION

The King 1-32 claims are located 30 kilometers south of Dawson City. The claim block lies at the head waters of Gold Bottom Creek, which also covers the west side of King Solomon Dome.

ACCESS

Access to the claim block can be attained via the Hunker-Bonanza creek road. The south part of the claim can be attained via the Gold Bottom Creek road which is located 15 kilometers up the Hunker Creek road.

PROPERTY GEOLOGY

The property geology according to J.K.Mortensen Open-File 1996-1 (G) Geological Compilation Map of the Northern Stewart River Map Area, cover three different type of rock units that all belong to the a major grouping called the Yukon-Tanana Terrane. The major focus of exploration has being on a felsic schist unit situated at the head waters of Gold Bottom creek. The second rock unit on the property is a micaceous and chloritic quartzite and feldspathic quartzite. The third rock unit found on the property is a chloritic schist.

WORK PERFORMED/ METHODS

I started by prospecting for a couple days around the Gold Bottom Creek drainage. I took silts from various small tribes coming into Gold Bottom.

The second phase of exploration was to establish two grids over previous anomalous areas identified by Cominco and Kennecott. I called the grids KA grid and KB grid.

The Ka grid covered a area of 500 meters by 500 meters. Lines where flagged in 100 meters and station where flagged every 50 meters. All flagged station where marked with black permanent markers with line and station numbers.

The KB grid cover a area of 400 meters by 500 meters. Lines where placed every 100 meters with station every 50 meters, all station where flagged with orange flagging and marked with a permanent marker with line and station number.

A soil survey was taken over both grids with the help of Scott Fleming. Soil where taken at 50 meter interval on all lines of both grids. I only process samples on the 100 meter marks and save the 50 meters sample for future assays.

GEOCHEMISTRY SURVEY

I process all sample through ALS Chemex Lab in Vancouver.

The silt and soil reason of the Gold Bottom creek where process by sieving sample to a minus 80 mesh and then processing for gold by fire assay with a 15 gram sample. Then a ICP assay of 34 elements where done on a one gram sample.

All soil sample where sieved to a minus 80 mesh. The soil where then run by ICP for 34 elements. The main focus was to establish base metal value in the area so no gold assays where done.

INTERPRETATION

SILTS/ SOIL REACONDED

The soil, silt sampling survey proved to be very useful in identifying anomalous value coming from the head waters of Gold Bottom Creek. The main anomalous values where in Cu,Zn with minor anomalies in Pb,AS,Cd,Ag and gold.

The silts showed a overwhelming zing anomaly coming from 70% of the soil and silts taken. The average value in zinc of seven out of ten sample is 134ppm Zn. This would fall into the upper 95% value of anomalies on the GSC silt survey of the Steward Map sheet, GCS Open File 1364.

SOILS

The soil survey targeted two area at the top end of Gold Bottom creek. The first area called KA-Grid was situated on King 27 and 29. The soils survey shows a pronounced Zn, Pb, and Cu anomaly covering a area of 300 meters by 500 meters. I have chosen 50 ppm as a lead anomaly, 100 ppm as a zinc anomaly and 30 ppm as a copper anomaly. I have used Kennecott regional soil survey taken in 1993, assessment report number 093212 as a guide for anomalous soil values.

The second grid establish was the KB-grid which was located on King claims 1 and 3. The grid was established in a north south directions. The soil survey shows a pronounced Pb, Zn, Cu and As anomaly in the south east haft of the grid. I used a lower value in lead as anomalous which is 30 ppm Pb. I used 100ppm as a zinc anomaly. I used 30ppm for copper anomalies and 30 ppm for arsenic.

The soil and silt survey both give positive indications to a possible VMS deposits associated with the felsic schist unit found under both grids.

RECOMMONDATION

I would recommend a larger grid being establish to cover both grids. I would then recommend a geophysical survey such as a magnetometer and a VLF survey. This should help in identifying potential structure. I would then follow up on with soil survey on any anomalous geophysical targets found.

COST

GRID A establishment 2.5 KL at $250.00 KL	$625.00
GRID B establishment 3.0 KL at $250.00 KL	$750.00
SOIL ASSAY WORK 62 soils at $10.00	$620.00
SILT ASSAY WORK 12 silts at $18.00	$216.00
SHIPPING CHARGE TO VANCOUVER	$75.00
TWO DAYS PROSPECTING AT $250.00	$500.00
TRUCK RENTAL PLUS GAS 2 DAYS	$150.00
FOOD ALLOWANCE $35.00 DAILY TIME 6 MAN DAYS	$210.00
REPORT WRITTING	$300.00

TOTAL	**$3446.00**

QUALIFICATIONS

I have being involved in the exploration business for the last 19 years.

I have trained as a geophysical technician with Kidd Creek Exploration for eight years.

I have worked as a geophysical contractor for 11 years.

I have ran numerous geophysical surveys and soil sampling surveys in the Yukon and Ontario.

I have being actively prospecting in the Yukon for the last seven years.

I have being the prospector in charge of gathering the data and have overview the whole project.

I owned 100 percent in the KING 1-32 Claims

PROSPECTOR



NTS # 115 O/15

NORTH ↑





PSqm – Felsic Schist

PSq – Quartz-Feldspar-muscovite-biotite (± chlorite) schist

PSc – mafic metavolcanic rock

Geological Compilation
Maps of the
Northern Steward River
map area
Open File 1996(6)
By J.K. Mortensen



KA Soil SERIES

STATION

300W
200W
100W
000
100E
200E

500N
400N
300N
200N
100N
000

N
E

ONE THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR GRID
ZONE 7
QUADRILLAGE UNIVERSEL TRANSVERSE DE MERCATOR
DE MILLE MÈTRES

METRIC/MÉTRIQUE

GRID ZONE DESIGNATION DÉSIGNATION DE LA ZONE DU QUADRILLAGE	100 000 m SQUARE IDENTIFICATION IDENTIFICATION DU CARRÉ DE 100 000 m
7 V	

NTS 115 O/14

EXAMPLE OF METHOD USED
TO GIVE A REFERENCE TO NEAREST 100 METRES
EXEMPLE DE LA MÉTHODE EMPLOYÉE
POUR FIXER DES REPÈRES À 100 MÈTRES PRÈS

99
98
97
95 96

1 - 50,000
SCALE

TRAVERSE ROUTE

REFERENCE POINT
POINT DE REPÈRE

CERTIFICATION



KA-GRID

NTS #115 O/14

CERTIFICATION: _____

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

DAWSON CITY, YT
Y0B 1G0

Comments: ATTN: SHAWN RYAN

CERTIFICATE A0110287

(PRP) - CANADIAN UNITED MINERALS INC.

Project: KA SERIES
P.O. # :

Samples submitted to our lab in Vancouver, BC.
This report was printed on 16-JAN-2001.

SAMPLE PREPARATION

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION
201	32	Dry, sieve to -80 mesh
202	32	save reject
229	32	ICP - AQ Digestion charge
* NOTE	1:	

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES

CHEMEX CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
2118	32	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
2119	32	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
2120	32	As ppm: 32 element, soil & rock	ICP-AES	2	10000
557	32	B ppm: 32 element, rock & soil	ICP-AES	10	10000
2121	32	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
2122	32	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
2123	32	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
2124	32	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
2125	32	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
2126	32	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
2127	32	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
2128	32	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
2150	32	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
2130	32	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
2131	32	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
2132	32	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
2151	32	La ppm: 32 element, soil & rock	ICP-AES	10	10000
2134	32	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
2135	32	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
2136	32	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
2137	32	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
2138	32	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
2139	32	P ppm: 32 element, soil & rock	ICP-AES	10	10000
2140	32	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
551	32	S %: 32 element, rock & soil	ICP-AES	0.01	5.00
2141	32	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
2142	32	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
2143	32	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
2144	32	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
2145	32	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
2146	32	U ppm: 32 element, soil & rock	ICP-AES	10	10000
2147	32	V ppm: 32 element, soil & rock	ICP-AES	1	10000
2148	32	W ppm: 32 element, soil & rock	ICP-AES	10	10000
2149	32	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000

CERTIFICATION: _____

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Project : KA SERIES
Comments: ATTN: SHAWN RYAN

P.O. Number
Account : PRP

CERTIFICATE OF ANALYSIS A0110287

SAMPLE	PREP CODE		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
KA 000 100E	201	202	< 0.2	2.33	12	< 10	180	< 0.5	2	0.05	< 0.5	4	25	22	4.22	10	< 1	0.05	< 10	0.86	345
KA 000 200E	201	202	< 0.2	1.16	4	< 10	160	< 0.5	< 2	0.03	< 0.5	1	12	8	1.62	< 10	< 1	0.05	10	0.32	65
KA 000 000W	201	202	0.2	2.99	16	< 10	50	< 0.5	< 2	0.04	4.5	81	169	397	3.97	10	< 1	0.01	< 10	3.32	2290
KA 000 100W	201	202	1.8	0.71	10	< 10	400	< 0.5	2	0.03	< 0.5	3	11	14	3.39	< 10	< 1	0.38	20	0.24	175
KA 000 200W	201	202	< 0.2	0.45	6	< 10	180	< 0.5	< 2	0.04	< 0.5	1	4	9	0.46	< 10	< 1	0.05	60	0.18	165
KA 100N 100E	201	202	< 0.2	1.50	6	< 10	130	< 0.5	2	0.04	< 0.5	1	15	29	2.09	< 10	< 1	0.05	< 10	0.54	140
KA 100N 200E	201	202	< 0.2	1.38	16	< 10	180	< 0.5	2	0.05	0.5	4	17	17	2.18	< 10	< 1	0.06	10	0.55	225
KA 100N 000	201	202	< 0.2	2.17	6	< 10	120	< 0.5	< 2	0.04	< 0.5	4	51	33	3.14	10	< 1	0.05	< 10	1.93	495
KA 100N 100W	201	202	< 0.2	0.78	4	< 10	100	< 0.5	< 2	0.01	< 0.5	1	8	11	1.40	< 10	< 1	0.04	< 10	0.20	65
KA 100N 200W	201	202	< 0.2	2.50	12	< 10	470	0.5	< 2	0.06	< 0.5	7	30	13	3.10	< 10	< 1	0.04	10	0.45	210
KA 100N 300W	201	202	0.2	2.12	12	< 10	350	< 0.5	< 2	0.09	< 0.5	9	30	24	2.91	< 10	< 1	0.05	10	0.47	325
KA 200N 100E	201	202	0.4	1.32	12	< 10	150	< 0.5	6	0.06	< 0.5	3	18	39	2.22	< 10	< 1	0.09	< 10	0.74	210
KA 200N 200E	201	202	< 0.2	1.02	6	< 10	100	< 0.5	2	0.09	< 0.5	6	11	17	1.94	< 10	< 1	0.10	10	0.81	295
KA 200N 000	201	202	0.2	1.01	4	< 10	200	< 0.5	2	0.07	< 0.5	3	17	23	1.55	< 10	< 1	0.04	10	0.44	115
KA 200N 100W	201	202	< 0.2	0.99	4	< 10	170	< 0.5	< 2	0.04	< 0.5	3	14	14	1.50	< 10	< 1	0.03	10	0.34	145
KA 200N 200W	201	202	< 0.2	0.76	4	< 10	100	< 0.5	< 2	0.02	< 0.5	2	11	11	1.29	< 10	< 1	0.04	10	0.21	130
KA 200N 300W	201	202	0.4	1.42	12	< 10	240	< 0.5	4	0.05	0.5	5	19	29	1.91	< 10	< 1	0.04	40	0.32	235
KA 300N 100E	201	202	0.4	1.10	18	< 10	290	< 0.5	4	0.11	0.5	4	19	26	1.89	< 10	< 1	0.03	< 10	0.55	145
KA 300N 200E	201	202	0.6	1.13	64	< 10	160	< 0.5	2	0.10	< 0.5	8	18	32	2.40	< 10	< 1	0.05	10	0.76	550
KA 300N 000	201	202	0.2	1.66	10	< 10	310	< 0.5	2	0.10	0.5	4	25	48	2.88	< 10	< 1	0.25	< 10	1.56	380
KA 300N 100W	201	202	< 0.2	0.74	2	< 10	190	< 0.5	< 2	0.05	< 0.5	3	12	16	1.31	< 10	< 1	0.04	10	0.30	130
KA 300N 200W	201	202	< 0.2	1.13	6	< 10	340	< 0.5	< 2	0.06	< 0.5	4	16	22	1.72	< 10	< 1	0.04	30	0.28	170
KA 300N 300W	201	202	< 0.2	1.12	8	< 10	240	< 0.5	4	0.08	< 0.5	4	19	19	1.95	< 10	< 1	0.04	20	0.29	175
KA 400N 100E	201	202	0.2	1.39	10	< 10	380	< 0.5	< 2	0.15	< 0.5	3	17	39	2.22	< 10	< 1	0.03	10	1.10	260
KA 400N 200E	201	202	0.2	0.82	14	< 10	250	< 0.5	2	0.11	< 0.5	1	12	22	1.46	< 10	< 1	0.04	< 10	0.56	135
KA 400N 000	201	202	0.2	1.27	6	< 10	420	< 0.5	< 2	0.13	< 0.5	5	34	28	1.97	< 10	< 1	0.05	10	0.75	250
KA 400N 100W	201	202	0.2	1.98	8	< 10	260	< 0.5	< 2	0.08	< 0.5	11	114	61	2.57	< 10	< 1	0.13	10	2.14	615
KA 400N 200W	201	202	0.4	0.87	6	< 10	220	< 0.5	2	0.06	< 0.5	4	17	18	1.68	< 10	< 1	0.03	10	0.36	150
KA 400N 300W	201	202	< 0.2	0.63	10	< 10	150	< 0.5	2	0.08	< 0.5	4	20	17	1.29	< 10	< 1	0.04	10	0.23	175
KA 500N 000	201	202	0.4	1.87	8	< 10	240	< 0.5	2	0.17	0.5	13	70	71	2.71	< 10	< 1	0.03	10	1.76	575
KA 500N 100E	201	202	0.2	1.17	10	< 10	180	< 0.5	2	0.37	< 0.5	7	48	30	1.60	< 10	< 1	0.04	< 10	1.00	335
KA 500N 200E	201	202	0.2	1.08	150	< 10	110	< 0.5	< 2	0.46	1.5	11	22	38	1.88	< 10	< 1	0.03	< 10	0.78	615

KA GRID
Soil Survey
NTS # 115 O/14

CERTIFICATION:

CERTIFICATION:

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Project : KA SERIES
Comments: ATTN: SHAWN RYAN

P.O. Number :
Account : PRP

CERTIFICATE OF ANALYSIS A0110287

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
KA 000 100E	201	202	1	< 0.01	9	520	48	0.06	< 2	3	13	0.04	< 10	< 10	48	< 10	94
KA 000 200E	201	202	1	< 0.01	7	120	26	< 0.01	< 2	1	6	0.03	< 10	< 10	23	< 10	32
KA 000 000W	201	202	< 1	< 0.01	66	300	564	< 0.01	< 2	19	5	0.01	< 10	< 10	106	< 10	424
KA 000 100W	201	202	3	< 0.01	6	690	1760	0.61	6	< 1	27	0.02	< 10	< 10	16	< 10	60
KA 000 200W	201	202	< 1	< 0.01	3	200	68	< 0.01	< 2	1	5	< 0.01	10	< 10	4	< 10	100
KA 100N 100E	201	202	< 1	< 0.01	4	800	46	0.03	< 2	< 1	12	0.01	< 10	< 10	27	< 10	70
KA 100N 200E	201	202	< 1	< 0.01	11	420	30	0.01	< 2	< 1	9	0.02	< 10	< 10	26	< 10	72
KA 100N 000	201	202	< 1	< 0.01	14	330	312	0.06	< 2	4	12	0.04	< 10	< 10	38	< 10	186
KA 100N 100W	201	202	1	< 0.01	4	150	30	0.01	< 2	< 1	3	0.02	< 10	< 10	22	< 10	80
KA 100N 200W	201	202	1	< 0.01	16	260	32	0.01	< 2	3	11	0.05	< 10	< 10	56	< 10	64
KA 100N 300W	201	202	1	< 0.01	21	300	66	0.01	< 2	3	12	0.06	< 10	< 10	55	< 10	72
KA 200N 100E	201	202	1	< 0.01	10	460	132	0.05	< 2	1	16	0.03	< 10	< 10	23	< 10	108
KA 200N 200E	201	202	< 1	< 0.01	10	470	32	0.02	< 2	1	10	0.04	< 10	< 10	13	< 10	144
KA 200N 000	201	202	< 1	< 0.01	11	310	76	0.02	< 2	1	12	0.03	< 10	< 10	24	< 10	82
KA 200N 100W	201	202	1	< 0.01	10	160	38	< 0.01	< 2	< 1	7	0.03	< 10	< 10	25	< 10	48
KA 200N 200W	201	202	< 1	< 0.01	6	140	38	< 0.01	< 2	< 1	4	0.03	< 10	< 10	24	< 10	54
KA 200N 300W	201	202	1	< 0.01	14	270	132	0.01	2	1	8	0.03	< 10	< 10	28	< 10	110
KA 300N 100E	201	202	1	< 0.01	11	430	68	0.03	< 2	1	15	0.02	< 10	< 10	26	< 10	90
KA 300N 200E	201	202	1	< 0.01	11	540	30	0.02	< 2	1	12	0.02	< 10	< 10	20	< 10	136
KA 300N 000	201	202	1	< 0.01	13	610	56	0.21	< 2	3	31	0.06	< 10	< 10	28	< 10	222
KA 300N 100W	201	202	1	< 0.01	8	230	74	0.03	< 2	< 1	8	0.02	< 10	< 10	16	< 10	56
KA 300N 200W	201	202	1	< 0.01	10	260	66	0.01	< 2	1	9	0.03	< 10	< 10	28	< 10	58
KA 300N 300W	201	202	1	< 0.01	11	380	58	0.01	< 2	1	11	0.03	< 10	< 10	35	< 10	56
KA 400N 100E	201	202	1	< 0.01	10	430	50	0.04	< 2	1	20	0.03	< 10	< 10	24	< 10	170
KA 400N 200E	201	202	< 1	< 0.01	7	470	34	0.04	< 2	1	13	0.01	< 10	< 10	14	< 10	88
KA 400N 000	201	202	< 1	< 0.01	14	470	102	0.04	< 2	2	14	0.02	< 10	< 10	30	< 10	112
KA 400N 100W	201	202	1	< 0.01	36	240	192	0.03	< 2	6	10	0.06	< 10	< 10	52	< 10	224
KA 400N 200W	201	202	< 1	< 0.01	12	200	62	0.01	< 2	1	9	0.03	< 10	< 10	24	< 10	66
KA 400N 300W	201	202	< 1	< 0.01	11	360	52	0.01	< 2	< 1	8	0.02	< 10	< 10	19	< 10	54
KA 500N 000	201	202	< 1	< 0.01	27	350	114	0.02	< 2	6	14	0.03	< 10	< 10	44	< 10	210
KA 500N 100E	201	202	< 1	< 0.01	17	320	76	0.04	< 2	3	22	0.02	< 10	< 10	28	< 10	130
KA 500N 200E	201	202	1	< 0.01	17	510	50	0.03	< 2	1	25	0.01	< 10	< 10	23	< 10	140

CERTIFICATION:

CERTIFICATION:

KB - Grid Location Map



CERTIFICATION

inte graphics ltd.
YUKON'S COMPLETE QUALITY PRINTING CENTRE

411D Strickland Street,
Whitehorse, Yukon
Y1A 2K3
Phone : (403) 667-4639
Fax : (403) 668-2734

Date OCTOBER 2001 Project KING PROJECT

Job ~~No.~~ DONE SEPTEMBER 2000 KB GRID



(ALS)
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Project : KB SERIES
Comments: ATTN: SHAWN RYAN

Account : PRP

CERTIFICATE OF ANALYSIS A0110301

SAMPLE	PREP CODE	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %	Mn ppm
KB 000 100S	201 202	< 0.2	1.63	12	< 10	230	< 0.5	< 2	0.07	< 0.5	5	27	13	2.62	< 10	< 1	0.04	10	0.37	160
KB 000 200S	201 202	< 0.2	1.45	14	< 10	290	< 0.5	< 2	0.22	< 0.5	10	36	32	2.81	< 10	< 1	0.05	10	0.84	410
KB 000 000	201 202	< 0.2	1.55	14	< 10	280	< 0.5	< 2	0.05	< 0.5	3	15	7	1.68	< 10	< 1	0.07	30	0.33	160
KB 000 100N	201 202	< 0.2	1.37	10	< 10	190	< 0.5	< 2	0.07	< 0.5	4	19	8	2.18	< 10	< 1	0.06	10	0.29	185
KB 000 200N	201 202	< 0.2	1.13	10	< 10	180	0.5	< 2	0.10	< 0.5	6	19	11	2.01	< 10	< 1	0.06	20	0.53	310
KB 100E 100S	201 202	< 0.2	1.11	8	< 10	130	< 0.5	< 2	0.07	< 0.5	3	12	23	2.17	< 10	< 1	0.09	20	0.54	205
KB 100E 200S	201 202	< 0.2	2.47	8	< 10	140	< 0.5	< 2	0.05	< 0.5	9	68	25	4.44	10	< 1	0.05	< 10	2.02	300
KB 100E 000	201 202	< 0.2	1.41	12	< 10	190	0.5	< 2	0.10	< 0.5	6	22	28	2.08	< 10	< 1	0.07	40	0.43	315
KB 100E 100N	201 202	< 0.2	1.22	10	< 10	150	< 0.5	< 2	0.07	< 0.5	5	17	27	1.95	< 10	< 1	0.08	10	0.40	205
KB 100E 200N	201 202	< 0.2	1.57	14	< 10	230	< 0.5	< 2	0.12	< 0.5	4	25	17	2.26	< 10	< 1	0.08	10	0.48	200
KB 100W 100S	201 202	< 0.2	1.31	12	< 10	210	< 0.5	< 2	0.05	< 0.5	5	19	31	1.89	< 10	< 1	0.07	30	0.46	190
KB 100W 200S	201 202	< 0.2	1.99	12	< 10	150	< 0.5	< 2	0.09	< 0.5	11	45	25	3.13	10	< 1	0.05	10	1.27	355
KB 100W 000	201 202	< 0.2	1.71	6	< 10	230	< 0.5	< 2	0.05	< 0.5	4	21	10	2.48	< 10	< 1	0.06	10	0.52	240
KB 100W 100N	201 202	< 0.2	1.27	22	< 10	140	< 0.5	< 2	0.06	< 0.5	4	22	9	2.96	10	< 1	0.06	10	0.30	240
KB 100W 200N	201 202	< 0.2	1.28	16	< 10	230	< 0.5	< 2	0.07	< 0.5	4	20	10	2.33	< 10	< 1	0.06	10	0.30	185
KB 200E 100S	201 202	< 0.2	1.19	4	< 10	120	< 0.5	< 2	0.10	< 0.5	5	21	17	2.34	10	< 1	0.12	10	0.81	310
KB 200E 200S	201 202	0.2	1.82	142	< 10	130	< 0.5	< 2	0.07	< 0.5	9	26	48	4.11	10	< 1	0.06	10	1.13	435
KB 200E 000	201 202	< 0.2	1.34	8	< 10	160	< 0.5	< 2	0.10	< 0.5	5	20	31	2.11	< 10	< 1	0.09	20	0.57	275
KB 200E 100N	201 202	< 0.2	1.66	14	< 10	190	< 0.5	< 2	0.16	< 0.5	7	27	22	2.65	10	< 1	0.09	20	0.92	410
KB 200E 200N	201 202	< 0.2	1.47	18	< 10	180	< 0.5	< 2	0.13	< 0.5	7	25	22	2.39	< 10	< 1	0.07	20	0.79	305
KB 300E 100S	201 202	0.4	1.98	24	< 10	230	< 0.5	< 2	0.15	< 0.5	8	43	42	3.38	10	< 1	0.07	10	1.41	410
KB 300E 200S	201 202	0.4	2.34	98	< 10	140	< 0.5	< 2	0.08	< 0.5	13	70	45	4.27	10	< 1	0.11	< 10	1.88	450
KB 300E 000	201 202	0.2	1.40	42	< 10	160	< 0.5	< 2	0.09	< 0.5	8	24	33	2.52	< 10	< 1	0.07	10	0.84	405
KB 300E 100N	201 202	0.6	1.53	14	< 10	160	< 0.5	< 2	0.12	< 0.5	6	26	25	2.31	10	< 1	0.06	10	0.91	285
KB 300E 200N	201 202	< 0.2	1.60	14	< 10	150	< 0.5	< 2	0.12	< 0.5	8	28	20	2.50	10	< 1	0.06	10	1.10	365
KB 400E 100S	201 202	0.8	1.83	32	< 10	180	< 0.5	< 2	0.14	< 0.5	10	41	29	2.77	10	< 1	0.06	< 10	1.28	355
KB 400E 200S	201 202	0.6	1.77	78	< 10	120	< 0.5	< 2	0.06	< 0.5	5	29	37	3.52	10	< 1	0.05	< 10	1.20	215
KB 400E 000	201 202	0.2	1.49	54	< 10	140	< 0.5	< 2	0.10	< 0.5	9	24	33	2.40	< 10	< 1	0.07	10	0.87	335
KB 400E 100N	201 202	0.8	1.80	84	< 10	160	< 0.5	< 2	0.13	< 0.5	11	30	44	3.16	10	< 1	0.05	10	1.16	410
KB 400E 200N	201 202	0.2	1.87	18	< 10	130	< 0.5	< 2	0.13	< 0.5	9	32	22	2.91	10	< 1	0.06	10	1.35	360

KB - SERIES Soil SAMPLE
From Grid on NTS # 115 O/15
ON King Claims.

CERTIFICATION: _____

CERTIFICATION: _____

212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

Project: KB SERIES
Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0110301

SAMPLE	PREP CODE		Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
KB 000 100S	201	202	1	0.01	12	250	32	< 0.01	< 2	3	10	0.05	< 10	< 10	50	< 10	54
KB 000 200S	201	202	< 1	0.01	24	450	8	< 0.01	< 2	5	20	0.06	< 10	< 10	52	< 10	82
KB 000 000	201	202	< 1	< 0.01	6	130	10	< 0.01	< 2	2	7	0.01	< 10	< 10	23	< 10	52
KB 000 100N	201	202	1	0.01	9	220	36	< 0.01	< 2	1	8	0.04	< 10	< 10	42	< 10	48
KB 000 200N	201	202	< 1	0.01	9	280	18	< 0.01	< 2	2	11	0.05	< 10	< 10	29	< 10	54
KB 100E 100S	201	202	< 1	< 0.01	5	270	32	0.01	< 2	1	10	0.04	< 10	< 10	24	< 10	116
KB 100E 200S	201	202	4	< 0.01	25	440	16	0.04	< 2	7	12	0.11	< 10	< 10	108	< 10	104
KB 100E 000	201	202	< 1	0.01	13	330	74	0.01	< 2	3	12	0.04	10	< 10	33	< 10	84
KB 100E 100N	201	202	< 1	0.01	9	310	16	< 0.01	< 2	1	10	0.03	< 10	< 10	27	< 10	50
KB 100E 200N	201	202	1	0.01	13	440	22	0.01	< 2	1	14	0.04	< 10	< 10	40	< 10	56
KB 100W 100S	201	202	< 1	0.01	11	180	24	< 0.01	< 2	2	8	0.03	< 10	< 10	25	< 10	82
KB 100W 200S	201	202	1	0.01	21	660	14	0.01	< 2	2	16	0.03	< 10	< 10	63	< 10	94
KB 100W 000	201	202	2	< 0.01	7	300	10	0.01	< 2	1	8	0.03	< 10	< 10	41	< 10	58
KB 100W 100N	201	202	< 1	0.01	8	360	12	0.01	< 2	1	11	0.06	< 10	< 10	61	< 10	48
KB 100W 200N	201	202	1	0.01	10	280	18	0.01	< 2	1	10	0.04	< 10	< 10	45	< 10	48
KB 200E 100S	201	202	< 1	0.01	10	360	20	0.01	< 2	3	14	0.09	< 10	< 10	29	< 10	70
KB 200E 200S	201	202	3	0.01	19	730	74	0.07	< 2	1	27	0.03	< 10	< 10	48	< 10	172
KB 200E 000	201	202	< 1	0.01	10	400	38	< 0.01	< 2	2	11	0.04	< 10	< 10	27	< 10	96
KB 200E 100N	201	202	1	0.01	13	470	28	< 0.01	< 2	3	16	0.05	< 10	< 10	32	< 10	78
KB 200E 200N	201	202	1	0.01	14	380	20	< 0.01	< 2	3	14	0.05	< 10	< 10	31	< 10	70
KB 300E 100S	201	202	3	0.01	20	600	38	0.04	< 2	3	25	0.04	< 10	< 10	56	< 10	106
KB 300E 200S	201	202	3	0.01	28	590	32	0.05	< 2	9	17	0.08	< 10	< 10	92	< 10	158
KB 300E 000	201	202	1	0.01	13	450	24	0.04	< 2	2	16	0.03	< 10	< 10	32	< 10	86
KB 300E 100N	201	202	2	0.01	14	470	28	0.03	< 2	1	15	0.03	< 10	< 10	35	< 10	76
KB 300E 200N	201	202	< 1	< 0.01	12	500	14	0.01	< 2	3	14	0.04	< 10	< 10	37	< 10	72
KB 400E 100S	201	202	1	0.01	20	650	18	0.04	< 2	3	19	0.03	< 10	< 10	52	< 10	124
KB 400E 200S	201	202	3	0.01	16	680	52	0.07	< 2	1	23	0.03	< 10	< 10	42	< 10	112
KB 400E 000	201	202	1	0.01	16	550	20	0.01	< 2	1	14	0.03	< 10	< 10	31	< 10	124
KB 400E 100N	201	202	1	0.01	19	720	26	0.03	< 2	2	16	0.03	< 10	< 10	41	< 10	130
KB 400E 200N	201	202	2	< 0.01	15	650	20	0.01	< 2	3	15	0.03	< 10	< 10	43	< 10	88

CERTIFICATION: _____

CERTIFICATION: _____

ALS Chemex
Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

BOX 1260
DAWSON CITY, YT
Y0B 1G0

P.O. Number
Account : PRP

Project KGB SERIES
Comments ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0110303

	SAMPLE	PREP CODE	Au ppb FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	Mg %
1	KGB 20 SS 01A	201 202	< 5	0.6	1.67	24	< 10	150	< 0.5	< 2	0.19	< 0.5	9	28	29	2.50	< 10	< 1	0.03	< 10	0.97
2	KGB 20 SS 01B	201 202	< 5	0.4	1.55	32	< 10	130	< 0.5	< 2	0.18	< 0.5	9	25	30	2.33	< 10	< 1	0.02	< 10	0.93
3	KGB 20 SS 02	201 202	10	0.2	1.27	14	< 10	190	< 0.5	< 2	0.38	0.5	10	23	40	2.25	< 10	< 1	0.03	10	0.73
4	KGB 20 SS 03	201 202	< 5	0.2	1.43	34	< 10	130	< 0.5	< 2	0.30	0.5	10	22	31	2.36	< 10	< 1	0.02	< 10	1.02
5	KGB 20 SS 04	201 202	< 5	0.2	1.22	32	< 10	210	< 0.5	< 2	0.46	1.5	9	20	35	1.97	< 10	< 1	0.04	10	0.76
6	KGB 20 SS 05	201 202	35	0.2	1.13	34	< 10	170	< 0.5	< 2	0.42	1.0	11	20	31	1.86	< 10	< 1	0.04	10	0.73
7	KGB 20 S 06	201 202	< 5	0.4	2.16	20	< 10	100	< 0.5	< 2	0.28	0.5	19	26	67	3.39	10	< 1	0.03	< 10	1.85
8	KGB 20 S 07	201 202	< 5	< 0.2	2.11	34	< 10	100	< 0.5	< 2	0.16	< 0.5	10	33	49	3.14	< 10	< 1	0.02	< 10	1.39
9	KGB 20 SS 08A	201 202	< 5	< 0.2	1.51	16	< 10	190	< 0.5	< 2	0.42	< 0.5	10	29	20	2.12	< 10	< 1	0.04	< 10	1.04
10	KGB 20 SS 08B	201 202	< 5	< 0.2	0.98	40	< 10	180	< 0.5	< 2	0.21	< 0.5	6	29	18	1.51	< 10	< 1	0.04	10	0.75
11	KGB 20 SS 09	201 202	< 5	< 0.2	0.86	38	< 10	180	< 0.5	< 2	0.27	< 0.5	6	18	14	1.54	< 10	< 1	0.04	10	0.57
12	KGB 20 SS 10	201 202	< 5	< 0.2	1.07	54	< 10	90	< 0.5	< 2	0.29	< 0.5	5	18	17	1.72	< 10	< 1	0.04	10	0.81

Assay Location Number

KING claims

NTS # 115 O/15

KGB S - Soil Sample

KGB SS - Silt Sample

CERTIFICATION:

CERTIFICATION:

01/16/00 12:41PM

Aurora Laboratory Services Ltd.
Analytical Chemists * Geochemists * Registered Assayers
212 Brooksbank Ave., North Vancouver
British Columbia, Canada V7J 2C1
PHONE: 604-984-0221 FAX: 604-984-0218

BOX 1260
DAWSON CITY, YT
Y0B 1G0

Certificate Date: 16-JAN-01
Invoice No. : I0110303
P.O. Number :
Account : PRP

Project : KGB SERIES
Comments: ATTN: SHAWN RYAN

CERTIFICATE OF ANALYSIS A0110303

	SAMPLE	PREP CODE	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
1	KGB 20 SS 01A	201 202	395	1	0.01	18	580	34	0.02	< 2	2	15	0.02	< 10	< 10	43	< 10	134
2	KGB 20 SS 01B	201 202	400	1	0.01	17	640	30	0.02	< 2	2	14	0.02	< 10	< 10	40	< 10	122
3	KGB 20 SS 02	201 202	430	< 1	0.01	18	820	14	0.02	< 2	3	27	0.03	< 10	< 10	37	< 10	116
4	KGB 20 SS 03	201 202	420	1	0.01	19	650	14	0.01	< 2	3	22	0.02	< 10	< 10	34	< 10	126
5	KGB 20 SS 04	201 202	445	< 1	0.01	15	610	30	0.04	< 2	2	27	0.03	< 10	< 10	27	< 10	144
6	KGB 20 SS 05	201 202	545	< 1	0.01	15	670	28	0.03	< 2	2	26	0.03	< 10	< 10	26	< 10	144
7	KGB 20 S 06	201 202	780	< 1	< 0.01	18	690	22	0.01	< 2	7	17	0.04	< 10	< 10	62	< 10	154
8	KGB 20 S 07	201 202	490	< 1	< 0.01	19	610	10	< 0.01	< 2	3	12	0.03	< 10	< 10	48	< 10	136
9	KGB 20 SS 08A	201 202	235	< 1	0.01	19	600	10	0.03	< 2	4	26	0.04	< 10	< 10	52	< 10	74
10	KGB 20 SS 08B	201 202	250	< 1	0.01	15	460	32	0.01	< 2	1	18	0.03	< 10	< 10	23	< 10	84
	KGB 20 SS 09	201 202	215	< 1	0.01	13	620	22	0.01	< 2	1	20	0.03	< 10	< 10	25	< 10	66
	KGB 20 SS 10	201 202	220	1	< 0.01	12	660	24	0.01	< 2	1	19	0.03	< 10	< 10	20	< 10	68

CERTIFICATION:

CERTIFICATION: