

**2001 GEOLOGICAL AND PROSPECTING
ASSESSMENT REPORT
ON THE
CLEARCREEK PROPERTY**

094295

Comprising the Following Claims:

BZ 1-79
CC 1-131
Dum 1-24
Jo 1-70
Rain 1-16, 25-28
Rye 1-24, 29-41, 43, 45, 47, 49, 51, 54, 56, 61, 62, 75-84
Rum 1-90
Sleet 7-24, 33-59, 61, 63-84, 87-144
Snow 1-36
Wet 1-28
Wind 2, 4, 6, 8, 10

Located in the West Ridge Area
Dawson Mining District, Yukon Territory, Canada

NTS 115P/14 and 115/P15
63° 52' North Latitude
137° 07' West Longitude

-prepared for-
REDSTAR RESOURCES CORPORATION
Vancouver, BC

-prepared by-
PAMICON DEVELOPMENTS LIMITED
S. Weekes



Dates Work Performed: August 1st to November 15th, 2001
Date of Report: March 2002

**2001 GEOLOGICAL AND PROSPECTING ASSESSMENT REPORT
ON THE CLEAR CREEK PROPERTY**

TABLE OF CONTENTS

	Page
1.0 SUMMARY.....	1
2.0 LOCATION, ACCESS AND PHYSIOGRAPHY	2
3.0 LIST OF CLAIMS	2
4.0 PREVIOUS EXPLORATION WORK	4
5.0 2001 EXPLORATION PROGRAM.....	5
6.0 REGIONAL GEOLOGY	5
7.0 PROPERTY GEOLOGY.....	6
8.0 ROCK SAMPLE RESULTS.....	6
9.0 CONCLUSIONS AND RECOMMENDATIONS.....	8

APPENDICES

- Appendix A Bibliography
- Appendix B List of Personnel
- Appendix C Statement of Expenditures
- Appendix D Analytical Procedures and Certificates of Analysis
- Appendix E Geologist's Certificate

**2001 GEOLOGICAL AND PROSPECTING ASSESSMENT REPORT
ON THE CLEAR CREEK PROPERTY**

LIST OF FIGURES

Following Page

Figure 1	Location Map	1
Figure 2	Claim Map	2
Figure 3	Regional Geology	5
Figure 4	Airphoto Interpretation	5

LIST OF TABLES

Table 3.0.1	Clear Creek Property Claim Status	3
Table 8.1.1	Rock Sample Results	7

LIST OF PLATES

Plate 1	Geology and Sample Location Map	5
---------	---------------------------------	---

1.0 SUMMARY

This assessment report describes a rock sampling and prospecting program undertaken on the Clear Creek claim group during the period October 7 - 12, 2001.

The Clear Creek Property is located in the West Ridge area, approximately 110 kilometres east of Dawson City in central Yukon (Figure 1). Access to the claims is by a seasonally maintained government gravel road originating at Barlow Lake on the Klondike Highway. Exploration work in 2001 included rock sampling and prospecting. Pamicon Developments Ltd. of Vancouver, B.C. on behalf of Redstar Resources Corporation conducted this work program. The same company has been retained to report on the fieldwork activities.

The Clear Creek claim group is situated in a geological and geochemical environment favorable for locating economic gold deposits associated with mid-Cretaceous granitic intrusions. This emerging metallogenic province has been loosely named the 'Tintina Gold Belt'. Important gold deposits and occurrences, including Brewery Creek, Dublin Gulch and Scheelite Dome are all located within 50 kilometres of Clear Creek. A productive placer gold history at Clear Creek and Left Clear Creek strongly supports a continuing effort to search for lode gold deposits on the property. Coincident highly anomalous gold, arsenic and antimony stream geochemistry, when considered on a regional basis, further vectors exploration efforts to the Clear Creek area.

Exploration in 2001 focused on an under explored area, south of the Saddle Zone in the central portion of the claim group. An airphoto interpretation indicated a potentially structurally complex area. As the main focus of exploration on the Clear Creek property is structurally controlled gold mineralization, the area was targeted for follow-up. Previous soil sampling grids did not adequately test the area but did indicate spotty anomalous results to the south and northeast of the area. Snow cover restricted sampling and prospecting to the ridge tops and creek beds.

The targeted area lay south of the Saddle Stock and includes a small-unnamed felsic intrusive. Prospecting the creek bed revealed a significant proportion of intrusive float and may indicate that the intrusives are under represented on the map.


Rock sampling was restricted to subcrop on the ridge crest and float within the creek beds. A total of 34 rock samples were collected. The best gold assay was 1480 ppb and nine samples assayed greater than 500 ppm arsenic.

REDSTAR RESOURCES CORP.

CLEAR CREEK PROJECT, YUKON TERRITORY, CANADA
DAWSON MINING DISTRICT

CLEAR CREEK PROPERTY
LOCATION MAP

N.T.S.: I15 P14 /15	SCALE: 1:5,000,000	FIGURE
DATE: APRIL 2002	DRAWN BY: J.W./M.S.	1



2.0 LOCATION, ACCESS AND PHYSIOGRAPHY

The property is located 110 kilometres east of Dawson, Yukon between the Little South Klondike River and Clear Creek (Figure 1). Left Clear Creek cuts through the middle of the claim group while Josephine Creek lies near the eastern claim boundary. Approximate coordinates for the property are 63°52' North Latitude and 137°07' West Longitude.


The 37 kilometre long Clear Creek Road, a seasonally maintained gravel route servicing local placer mining operations, access the claims. This road can be reached from the Klondike Highway near Barlow Lake, about a one-hour drive southeast of Dawson. A network of four-wheel drive roads and trails constructed over the past ten years provides good seasonal access to a large portion of the claim group. Access roads that traverse along alpine ridges are difficult and costly to keep open due to snow and blowing snow during the period October to April. Crew accommodation was provided by Nels and Madeline Harper at their Blackstone placer camp, centrally located on Left Clear Creek.

Elevations on the property range from 800 to 1830 metres above sea level. The topography is characterized by slightly rounded mountains (the West Ridge Range) with moderately incised creek valleys. Relief is generally moderate to steep with tree line ranging from 1200 to 1400 metres. Large portions of the claims lie above tree line where alpine vegetation consists of mosses, grasses and some willow and alder. Forested areas include spruce with lesser hemlock, willow, aspen, poplar and alder. The area escaped the last two episodes of continental glaciation including the Reid (~100,000 ma) and the McConnell (20,000 ma) events. Areas of higher elevation were affected by montane glaciation and exhibit alpine glacial features such as cirques and moraines. Wildlife or animal tracks spotted by workers include caribou, moose, marmot, pika, wolverine, wolf, bobcat, fox, black bear and grizzly bear.

Climate is characterized by long, cold winters and short warm summers with fieldwork possible at lower elevations by mid-May and at higher elevations in late June


3.0 LIST OF CLAIMS

The Clear Creek claim group comprises 675 contiguous, unsurveyed quartz mineral claims located in the Dawson Mining District on NTS map sheets 115P/14 and 115P/15 (Figure 2). At the time of this work program all claims were owned 100% by Newmont Exploration of Canada Ltd. a wholly-owned subsidiary of Newmont Mining Corporation (Newmont) of Denver, Colorado. In 1999, Redstar Resources Corporation entered into an option agreement with Newmont Exploration of Canada Ltd. to acquire the BZ, Jo, CC, Dum, Rain, Rye, Rum, Sleet, Wet and Wind claims. Subsequent to the 2001 work program Newmont terminated its agreements on the Clear Creek property and ownership has reverted to the underlying owners. The table below lists the claim names, record numbers and present and pending expiry dates:



CLEAR CREEK CLAIM GROUP

- BZ 1-79, CC 1-131, DUM 1-24, JO 1-70,
- RAIN 1-16, 25-28.
- RYE 1-24, 29-41, 43, 45, 47, 49, 51, 54, 56,
- 51, 62, 75-84.
- RUM 1-90, SLEET 7-24, 33-59, 61, 63-68,
- 111-144.
- WET 1-24, WIND 2, 4, 6, 8, 10



REDSTAR RESOURCES CORP.		
CLEAR CREEK PROJECT, YUKON TERRITORY, CANADA DAWSON MINING DISTRICT		
CLEAR CREEK PROPERTY CLAIM MAP		
N.T.S.: 115 P14/15	SCALE: 1:63,360	FIGURE
DATE:	DRAWN BY: J.W./M.S.	2

**TABLE 3.0.1
CLEAR CREEK PROPERTY CLAIM STATUS**

CLAIM NAME	RECORD NUMBERS	NUMBER CLAIMS	EXPIRY DATE*
BZ 1 - 79	YB94420 - 498	79	DEC 31, 2002
fo 1 - 70	YB94499 - 568	70	DEC 31, 2002
DUM 1 - 34	YB40487 - 520	34	DEC 31, 2002
RYE 1 - 24	YB05624 - 647	24	DEC 31, 2002
RYE 29 - 41	YB05652 - 664	13	DEC 31, 2002
RYE 43, 45, 47, 49, 51	YB05665 - 669	5	DEC 31, 2002
RYE 54, 56, 61, 62	YB05671, 673, 678, 679	4	DEC 31, 2002
RYE 75 - 84	YB05692 - 701	10	DEC 31, 2002
RUM 1 - 12, 21 - 32, 51 - 62	YA88956 - 89005	36	DEC 31, 2002
RUM 12 - 21, 33 - 50, 63 - 90	YA89345 - 384	54	DEC 31, 2002
RAIN 1 - 16	YA31503 - 517, 522	16	DEC 31, 2002
RAIN 25 - 28	YA31 523, 525, 530, 531	4	DEC 31, 2002
WIND 2, 4, 6, 8, 10	YA31655, 657, 659, 661, 663	5	DEC 31, 2002
WET 1 - 28	YB45604 - 631	28	DEC 31, 2002
SLEET 7 - 24, 33 - 59	YB04262 - 279, 280 - 306	45	DEC 31, 2002
SLEET 61, 63 - 68	YB04307, 308 - 313	7	DEC 31, 2002
SLEET 113 - 117, 119, 121 - 130, 135 - 144			DEC 31, 2002
SLEET 111 - 112, 118, 120, 131 - 134	YB04314 - 347	34	DEC 31, 2002
SLEET 69 - 84	YB04414 - 429	16	DEC 31, 2002
SLEET 87 - 110	YB04430 - 453	24	DEC 31, 2002
CC 1F - 7F	YB45087 - 093	7	DEC 31, 2002
CC 8 - 22	YB45094 - 108	15	DEC 31, 2002

CLAIM NAME	RECORD NUMBERS	NUMBER CLAIMS	CURRENT EXPIRY DATE
CC 23 - 30	YB45109 - 116	8	DEC 31, 2002
CC 31 - 42	YB45117 - 128	12	DEC 31, 2002
CC 51 - 62	YB45137 - 148	12	DEC 31, 2002
CC 63 - 70	YB45149 - 156	8	DEC 31, 2002
CC 71 - 82	YB45157 - 168	12	DEC 31, 2002
CC 83 - 90	YB45169 - 176	8	DEC 31, 2002
CC 91 - 96	YB45177 - 182	6	DEC 31, 2002
CC 97F - 99F	YB47963 - 965	3	DEC 31, 2002
CC 100 - 107	YB47966 - 973	8	DEC 31, 2002
CC 108 - 115	YB47974 - 981	8	DEC 31, 2002
CC 116 - 123	YB47982 - 989	8	DEC 31, 2002
CC 124 - 131	YB47990 - 997	8	DEC 31, 2002
Snow 1 - 36	YC17791 - 824	36	DEC 31, 2002
Total Number of Claims		675	

*pending government approval

4.0 PREVIOUS EXPLORATION WORK

The Clear Creek area has a long and reasonably productive placer gold history (100,000 - 150,000 ounces). Government records indicate that the first placer claims were recorded in 1900. Placer mining has continued virtually uninterrupted by a number of operators since that time. Most companies operating have been small family outfits with the exception of two campaigns of moderate-scale dredge mining on both lower Left Clear Creek and Clear Creek.

Evidence of hard rock or quartz claims date back to almost as far as the placer records and includes work in 1902 at Lewis Gulch and Josephine Creek. Most of the modern day exploration work began in the late 1970's and early 1980's with companies investigating the area for its tungsten and tin potential. In the mid 1980's, exploration work shifted to the lode gold potential and a number of companies performed work including drilling. A complete description of the work from this period may be referenced in the 1998 Assessment Report (Stammers, 1998).

In 1999 Redstar Resources conducted an exploration program consisting of soil and rock

sampling and diamond drilling. Two diamond drill holes comprising 219.15 metres were drilled in the Bear Paw zone. Both holes were drilled into granitic and phyllitic breccias with significant gold mineralization. Hole BP99-1 intersected 2.0 g/t over 26.7 metres and provided a strong impetus for a larger drill program in 2000. A total of eight holes were completed on the Bear Paw zone in 2000.

5.0 2001 EXPLORATION PROGRAM

The 2001 exploration program on the Clear Creek Property consisted of rock sampling, prospecting and airphoto analysis. All work concentrated on an underexplored area directly south of the Saddle Zone (Plate 1).

An airphoto study of the area defined a number of linear trends that may indicate a structurally complex setting. A prospecting and sampling program was initiated to determine the potential of the area to host gold mineralization.

Due to snow cover, access to the area was limited and prospecting and sampling could only be effectively and safely conducted on ridge tops and valley bottoms. As the area is located within a small drainage basin prospecting the creek bed was deemed an effective first pass exploration tool.


A total of 34 rock samples were collected and shipped to ALS Chemex in North Vancouver, B.C. where they were analyzed for gold plus a multi-element ICP package. Analytical procedures and a complete set of results may be found in Appendix D.

6.0 REGIONAL GEOLOGY

This summary of the regional geology is based on 1992 and 1993 field work by Murphy et al as published in the 1992 and 1993 Yukon Exploration and Geology Reports and is presented as NTS map sheets 115P/14 and 115P/15 at 1:50,000 scale. The previous Geological Survey of Canada map was based on work by Bostock and was published at 1:253,540 scale in 1964. Figure 3 is a composite regional geology map showing Murphy et al's work for the northeastern Clear Creek and northwestern Sprague Creek areas.

The claims area is mapped by Murphy et al as underlain by a large unit of Hyland Group metasedimentary rocks comprising quartz-feldspathic psammite (metamorphosed sandstone), micaceous psammite and muscovite-chlorite phyllite. Other lithologies include gritty or pebbly psammite, meta-pebble conglomerate, marble and calc-silicate rocks. This unit was previously known as the "Grit Unit" and has been mapped by earlier workers as Proterozoic Windermere equivalent.

Younger, unmetamorphosed stratigraphy lies to the north and includes Lower Paleozoic



LEGEND

- MID CRETACEOUS**
- [X] SYENITE
 - [+] QUARTZ MONZONITE OR DIORITE
- PALEOZOIC/PROTEROZOIC**
- [o o] EARN GROUP
 - [---] ROAD RIVER GROUP
 - [+] LOWER PALEOZOIC CARBONATES
 - [.] HYLAND GROUP

REDSTAR RESOURCES CORP.


CLEAR CREEK PROJECT, YUKON TERRITORY, CANADA
DAWSON MINING DISTRICT

**CLEAR CREEK PROPERTY
REGIONAL GEOLOGY**

N.T.S.: #5 P14/P15	SCALE: 1:100,000	FIGURE
DATE: APRIL 2002	DRAWN BY: J.W.	3




After Murphy et al (1993, 1994)



Airphoto Lineation

Area of 2001
Sampling



Redstar Resources Corp

Pamicon Developments Ltd.

CLEAR CREEK PROPERTY
Airphoto Lineations

Figure 4

Date: March 2002

Drawn by: s.weekes

NTS:115/P 14,15

396,000 mE

398,000 mE

5500

7,085,000 mN



4500

5000

4000

4500


5000

4500

LEGEND



Intrusive Rocks



2001 Rock Sample Locations

SYMBOLS



Creek



Roads

0

500

1000

Scale (metres)

REDSTAR RESOURCES CORP

PREPARED BY PAMICON DEVELOPMENTS LTD.

CLEAR CREEK PROJECT, YUKON TERRITORY, CANADA
WEST RIDGE AREA, DAWSON MINING DISTRICT

PLATE 1

2001 Sample Locations

Compiled By: SW


NTS: 115 P/ 14, 15

Coordinate System:
UTM ZONE 8

Geologic Computing By:
Geodrafting, JRG

Date Generated:
March 2002

File Name:
2001 Sampling.dwg



carbonates (possibly Kechika or Rabbitkettle equivalent), Road River Group shale and siltstone and Earn Group fine chert pebble conglomerate, shale and sandstone.

The entire package of sedimentary and metasedimentary rocks have been intruded by a wide range of Cretaceous (Tombstone Suite) aged dykes, sills and stocks. Composition of these intrusive rocks varies from quartz syenite and syenite at Lost Horses Stock to granitic and quartz monzonite bodies which include the Josephine, Rhosgobel, Barney and Pukelman stocks.

7.0 PROPERTY GEOLOGY

The Clear Creek property geology has been summarized thoroughly by previous operators going back to Bema's work in 1982. The reader should refer to the bibliography and is encouraged to review the detailed geological narrative described in those reports. The rock descriptions presented below are partly derived from others including Rainbird and Kelly (1981); Fleming, Hitchins and Orsich (1993) and Coombes (1995).

Hyland Group phyllite, schist, quartzite, meta-grit, metamorphosed fine pebble conglomerate and rare limestone underlie the claims. Overall, outcrop is generally less than 10% and is limited to ridge crests, cirque walls and creek canyons. Schistosity (and bedding) generally trends (strikes) west-northwesterly with gentle to moderate northeast dips. Regional metamorphic grade is nominally greenschist but is transitional and decreases from south to north.

Intrusive rocks including stocks, small plugs, sills and dykes range in composition from granite to diorite. Their size may be less than a metre to a maximum of 4.0 square kilometers at the Rhosgobel stock. Other major named stocks on the property include the Pukelman, Saddle, Eiger, Josephine and Barney. It is postulated by others that these stocks are only partially unroofed and limited age dating indicates they are part of the 95 to 87 Ma, mid-Cretaceous Tombstone Plutonic Suit. Contact metamorphism around the larger stocks transforms metasediments to massive quartz-biotite hornfels and rare calc-silicate skarn. Zones of variably mineralized, hydrothermal breccias are spatially and temporally (?) related to the intrusive rocks.

8.0 ROCK SAMPLE RESULTS

Surface rock sampling in 2001 was confined to an area south of the Saddle Stock. A total of 16 rock samples were collected along a northeast – southwest trending ridge. A total of 18 samples were collected from a creek bed that cuts through the center of the area. All samples are plotted on Plate 1. The results of this sampling are listed in Table 8.1.1. Certificates of analyses are located in Appendices D.

TABLE 8.1.1
ROCK SAMPLE RESULTS

Sample	Description	Type	Au (ppb)	As (ppm)
325801	Hornfels siliceous sediment	talus	15	64
325802	Dark gray phyllite, minor py	talus	<5	2
325803	Light gray sandstone, minor py, gossanous	talus	10	78
325804	1cm -7cm qtz veins in phyllite, trace py	talus	15	50
325805	Silicified gray phyllite, 1-5% aspy, trace cpy	talus	230	>10000
325806	5-7 cm granitic dykes, minor qtz vein and phyllite, trace py	talus	85	104
325807	Siliceous biotite rich intrusive, fine grained, strong gossan	talus	30	56
325808	Silicified banded sediment, trace py	talus	105	58
325809	Hornfels black sediment - strong gossan	talus	<5	332
325810	5 cm qtz vein in phyllite - minor gossan (carbonate?)	talus	70	134
325811	10 cm qtz vein in dark gray sediments	talus	<5	48
325812	Hornfels black sediment, 5% py	talus	<5	778
325813	Hornfels dark gray sediments, 3-5% py	talus	470	20
325814	5 cm qtz vein in phyllite - minor gossan (carbonate?)	talus		42
325815	Feldspar porphyry, biotite + chlorite, minor py along fractures	subcrop	20	144
325816	Silicified sediment - 2 orientations of mm scale qtz veins	Grab (trench)	<5	86
325817	Gossanous fine grained black sediment	float	<5	1890
325818	Medium grained diorite with sulphide clots	float	<5	112
325819	Siliceous black sediment with mm qtz carbonate sulphide stringers (minor py + aspy)	float	<5	48
325820	2 cm qtz vein in fine-grained siliceous black sediment?	float	10	178
325821	Laminated black sediment with 1-3% py as laminations	float	10	876
325822	Laminated black sediment with 1-3% py as laminations	float		2020
325823	Qtz stockwork (qtz flooded sediment) minor aspy on fractures	float	5	356
325824	Qtz stockwork (80% qtz, 20% phyllite) sulphide clots	float	<5	236
325825	Qtz stockwork (80% qtz, 20% phyllite) sulphide clots - minor aspy	float	10	1035
325826	15cm qtz vein - minor py	float	<5	56
325827	7 cm qtz vein in phyllite minor staining (carbonate?)	float	<5	598
325828	30 x 20 x 20 cm qtz vein, minor py	float	10	58
325829	35 x 30 x 15 cm qtz vein, minor py	float		4
325830	20 x 20 x 15 cm Quartz Breccia - 2 orientations of veining, 1% disseminated py	float	1480	752
325831	30 x 20 x 20 cm qtz vein, minor py	float	<5	14
325832	Qtz stringers (50%) in phyllite (50%) minor gossan	float	10	56
325833	Silicified light gray phyllite (60% qtz) minor gossan	float		6
325834	Banded qtz vein, 1% aspy, 1% py	float	145	2130

9.0 CONCLUSIONS AND RECOMMENDATIONS

Although weather conditions limited the scope of the 2001 program the results indicate further work is warranted in the area. Numerous samples of hornfels sediments were collected with anomalous arsenic values. Arsenic enriched sediments are common in the Clear Creek area but are indicative of sediments within the contact aureole of major intrusives. This is important as one of the targets on the Clear Creek property is structurally controlled gold mineralization near intrusive – sediment contacts. Current surface mapping may under-represent the intrusives in the area.

A sample of quartz breccia float (20cm x 20cm x 15cm) assayed 1480 ppb gold and indicates the potential of the area. The fact that a significant gold assay in quartz breccia was discovered during a limited exploration program indicates further work is warranted. Current grids should be expanded to cover the area. Soil sampling has been an effective exploration tool in the region and should be completed over the expanded grids. Prospecting should continue with an emphasis on quartz breccia material. A one-week program of soil sampling, mapping and prospecting should adequately test the area.

Respectively submitted,
Pamicon Developments Limited



Scott Weekes
Senior Project Geologist

APPENDIX A
BIBLIOGRAPHY

BIBLIOGRAPHY

- Bidwell, G.E. (1992): Hemlo Gold Mines Inc., Clear Creek Project, 1992 Reverse Circulation Drill Program; report for Noranda Exploration Company, Ltd.
- Bostock, H.S. (1964): Geology, McQuesten, Yukon Territory; N.T.S. 115P, scale 1:253,440, Geol. Survey of Canada, Map 1143A.
- Coombes, S. (1995): 1995 Assessment Report on the Clear Creek Option; report for Kennecott Canada Inc.
- DIAND (1983): Yukon Mineral Industry 1941 to 1959; Yukon, Indian and Northern Affairs.
- DIAND (1995): Yukon Minfile, version 2.05, 31 July/95; Exploration and Geological Services Division, Indian and Northern Affairs Canada.
- Doherty, R.A. and vanRanden, J. (1995): 1994 Report on the Clear Creek Property; report for Ivanhoe Goldfields Ltd. by Aurum Geological Consultants Inc.
- Doherty, R.A. (1997): 1997 Assessment Report on the Clear Creek Property; report for New Millennium Mining Ltd. by Aurum Geological Consultants Inc.
- Emond, D.S. (1986): Tin and Tungsten Veins and Skarns in the McQuesten River Area, central Yukon. In: Yukon Geology, Vol. 1; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 113-118.
- Emond, D.S. (1992): Petrology and Geochemistry of Tin and Tungsten Mineralized Plutons, McQuesten River Region, central Yukon. In: Yukon Geology, Vol. 3; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 167-195.
- Emond, D. and Lynch, T. (1992): Geology, Mineralogy and Geochemistry of Tin and Tungsten Veins, Breccias and Skarns, McQuesten River Region (115P (north) and 105M/13), Yukon. In: Yukon Geology, Vol. 3; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 133-159.
- Feulgen, S. and Stephen, J.C. (1989): Initial Diamond Drilling Report on the RAIN, WIND and SLEET Claims; report for Cambridge Resources Ltd. by J.C. Stephen Explorations Ltd.
- Fleming, D.B., Hitchins, A.C. and Orssich, C.N. (1993): 1993 Clear Creek Property Report; report for Ivanhoe Goldfields Ltd.
- Green, L.H. (1968): Geology of Nash Creek, Larsen Creek, and Dawson Map-Areas, Yukon Territory; Geol. Survey of Canada, Memoir 364.
- G.S.C. (1966): Aeromagnetic Series Map 3319G, Clear Creek, Yukon Territory (115P/14).
- Hornbrook, E.H.W. and Friske, P.W.B. (1987): Regional Stream Sediment and Water Geochemical data, central Yukon (115P, part of 105M); Geol. Survey of Canada, Open File 1650.
- Hulstein, R. and Doherty, R.A. (1993): 1993 Summary Report on the Clear Creek Property; report for Ivanhoe Goldfields Ltd. by Aurum Geological Consultants Inc.
- Morison, S.R. (1983): A Sedimentologic Description of Clear Creek Fluvial Sediments, 115P,

- central Yukon. In: Yukon Exploration and Geology 1982, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 50-54.
- Morison, S.R. (1984): Placer Deposits of Clear Creek Drainage Basin, 115P, central Yukon. In: Yukon Exploration and Geology 1983, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 88-93.
- Murphy, D.C., Héon, D. and Hunt, J. (1993a): Geological Overview of Clear Creek Map Area (115P/14), Western Selwyn Basin. In: Yukon Exploration and Geology 1992; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 61-69.
- Murphy, D.C., Héon, D. and Hunt, J. (1993b): Geological Map of Clear Creek Map Area, Western Selwyn Basin, Yukon (115P/14); Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1993-1 (G), 1:50,000.
- Murphy, D.C. and Héon, D. (1994): Geology and Mineral Occurrences of Sprague Creek Map Area (115P/15), Western Selwyn Basin. In: Yukon Exploration and Geology 1993; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 29-46.
- Murphy, D.C. and Héon, D. (1995): Geology and Mineral Occurrences of Seattle Creek Map Area (115P/16), Western Selwyn Basin, Yukon. In: Yukon Exploration and Geology 1994; Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 59-71.
- Placer Mining Section (1993): Yukon Placer Industry 1991 to 1992; Mineral Resources Directorate, Yukon, Indian and Northern Affairs.
- Rainbird, R.H. and Kelly, D.A. (1981): Geological and Geochemical Assessment Report on the C.C. 1-860, SLUGGO 1-20, RAIN 1-30 and BEE 1-14 Claim Groups; report for Canada Tungsten Mining Corporation Ltd. by Bema Industries Ltd.
- Rainbird, R.H. (1982): Geological and Geochemical Assessment Report on the West Ridge, CC Claim Group; report for Canada Tungsten Mining Corporation Ltd. by Bema Industries Ltd.
- Robinson, S.D. and Doherty, R.A. (1988): Geological, Geochemical, Geophysical and Diamond Drilling 1988 Summary Report on the RUM, RYE and ROLL Claims; report for Goldrite Mining Corporation by Aurum Geological Consultants Inc.
- Stammers, M.A. (1997): Geological and Geochemical Assessment Report on the BZ 1-79 Claims; report for Newmont Exploration Limited by Pamicon Developments Ltd.
- Stammers, M.A. (1997): Geological and Geochemical Assessment Report on the Jo 1-70 Claims; report for Newmont Exploration Limited by Pamicon Developments Ltd.
- Stammers, M.A. (1998): Geophysical, Geological and Geochemical Assessment Report on the Clear Creek Property; report for Newmont Exploration Limited by Pamicon Developments Ltd.

Stammers, M.A. (1999): Geochemical and Diamond Drilling Assessment Report on the Clear Creek Property; report for Redstar Resources Corporation by Pamicon Developments Ltd.

Stephen, J.C. (1988): Report on Tractor Trenching on the RAIN, WIND and SLEET Claims; report for Cambridge Resources Ltd. by J.C. Stephen Explorations Ltd.

Wallis, J.E. (1987): Evaluation Report on the RUM 1-90 Claims; report for M.E. Compu Software Inc.

APPENDIX B
LIST OF PERSONNEL

LIST OF PERSONNEL

Scott Weekes
611-675 West Hastings Street
Vancouver, BC
V6B 1N2

Kevin Milledge
611-675 West Hastings Street
Vancouver, BC
V6B 1N2

Blackstone Placer Mining Limited (Camp Facilities)
37 Sunset Drive
Whitehorse, Yukon
Y1A 4M7

APPENDIX C
STATEMENT OF EXPENDITURES

**STATEMENT OF EXPENDITURES
CLEAR CREEK GROUP OF QUARTZ MINERAL CLAIMS**

CANADA -- In the matter of geochemical sampling and mapping and air photo assessment work filed on the *Clear Creek Claim Group* comprising the following claims:

Dum, Rum, Rye, & Sleet Claims;

I, Scott Weekes agent for Red Star Resources Corp., 611 – 675 West Hastings Street, Vancouver, B.C., do solemnly declare that a program consisting of geochemical sampling and mapping and Air Photo work was carried out on the *Clear Creek Claim Group* during the period August 1, 2001 to November 15, 2001.

The following expenses were incurred during the course of this work and in the compilation and reporting of the results:

Geological Mapping, Sampling & Air Photo Interpretation (List of Claims above)

Wages:

S. Weekes, Geologist	16.5 days x \$400	\$ 6,600.00
R. Darney, Geologist/Manager	1.5 days x \$400	\$ 600.00
K. Milledge, Sr. Sampler	9 days x \$300	\$ 2,700.00
D. Fulcher, Manager	3 days x \$300	\$ 900.00

\$ 10,800.00

Expenses:

Airfares	\$ 955.42
Field Supplies	\$ 100.00
Misc. Rentals	\$ 350.00
Freight	\$ 191.54
Food, Misc. Camp Cost, Misc. Travel	\$ 2,095.52
Fuel	\$ 243.39
Room & Board	\$ 349.59

\$ 4,285.46

Indirect Charges:

Air Photos	\$ 201.69
Soil and Rock Analyses – ALS Chemex	\$ 693.19

\$ 894.88


Report **\$ 1,000.00**

Professional Fees: **\$ 883.55**

Total - Geochemical & Air Photo Work Program: \$ 17,863.89

And I make this solemn declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath and by virtue of the Canada Evidence Act.

Dated at Vancouver in the Province of British Columbia this 29 day of April, 2002.

A handwritten signature in black ink, appearing to read 'Scott Weekes', written over a horizontal line.

Scott Weekes - Geologist

APPENDIX D
ANALYTICAL PROCEDURES AND CERTIFICATES OF ANALYSES

ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

A0128104

Comments: ATTN: SCOTT WEEKES

CERTIFICATE

A0128104

(BM) - PAMICON DEVELOPMENTS LIMITED

Project CLEAR CREEK
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 20-NOV-2001.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
FUL-11	34	Fulv. <250g to >85%/-75 micron
STO-21	34	Reject Storage-First 90 Days
LOG-22	34	Samples received without barcode
CRU-11	34	Crush to 70% minus 2mm
SPL-21	34	Splitting Charge
229	34	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES 1 of 2

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
WET-21	34	Weight of received sample	BALANCE	0.01	1000.0
Au-AA23	34	Au-AA23 : Au ppb: Fuse 30 grams	FA-AAS	5	10000
Ag-ICP41	34	Ag ppm: 32 element, soil & rock	ICP-AES	0.2	100.0
Al-ICP41	34	Al %: 32 element, soil & rock	ICP-AES	0.01	15.00
As-ICP41	34	As ppm: 32 element, soil & rock	ICP-AES	2	10000
B-ICP41	34	B ppm: 32 element, rock & soil	ICP-AES	10	10000
Ba-ICP41	34	Ba ppm: 32 element, soil & rock	ICP-AES	10	10000
Be-ICP41	34	Be ppm: 32 element, soil & rock	ICP-AES	0.5	100.0
Bi-ICP41	34	Bi ppm: 32 element, soil & rock	ICP-AES	2	10000
Ca-ICP41	34	Ca %: 32 element, soil & rock	ICP-AES	0.01	15.00
Cd-ICP41	34	Cd ppm: 32 element, soil & rock	ICP-AES	0.5	500
Co-ICP41	34	Co ppm: 32 element, soil & rock	ICP-AES	1	10000
Cr-ICP41	34	Cr ppm: 32 element, soil & rock	ICP-AES	1	10000
Cu-ICP41	34	Cu ppm: 32 element, soil & rock	ICP-AES	1	10000
Fe-ICP41	34	Fe %: 32 element, soil & rock	ICP-AES	0.01	15.00
Ga-ICP41	34	Ga ppm: 32 element, soil & rock	ICP-AES	10	10000
Hg-ICP41	34	Hg ppm: 32 element, soil & rock	ICP-AES	1	10000
K-ICP41	34	K %: 32 element, soil & rock	ICP-AES	0.01	10.00
La-ICP41	34	La ppm: 32 element, soil & rock	ICP-AES	10	10000
Mg-ICP41	34	Mg %: 32 element, soil & rock	ICP-AES	0.01	15.00
Mn-ICP41	34	Mn ppm: 32 element, soil & rock	ICP-AES	5	10000
Mo-ICP41	34	Mo ppm: 32 element, soil & rock	ICP-AES	1	10000
Na-ICP41	34	Na %: 32 element, soil & rock	ICP-AES	0.01	10.00
Ni-ICP41	34	Ni ppm: 32 element, soil & rock	ICP-AES	1	10000
P-ICP41	34	P ppm: 32 element, soil & rock	ICP-AES	10	10000
Pb-ICP41	34	Pb ppm: 32 element, soil & rock	ICP-AES	2	10000
S-ICP41	34	S %: 32 element, rock & soil	ICP-AES	0.01	10.00
Sb-ICP41	34	Sb ppm: 32 element, soil & rock	ICP-AES	2	10000
Sc-ICP41	34	Sc ppm: 32 elements, soil & rock	ICP-AES	1	10000
Sr-ICP41	34	Sr ppm: 32 element, soil & rock	ICP-AES	1	10000
Ti-ICP41	34	Ti %: 32 element, soil & rock	ICP-AES	0.01	10.00
Tl-ICP41	34	Tl ppm: 32 element, soil & rock	ICP-AES	10	10000
U-ICP41	34	U ppm: 32 element, soil & rock	ICP-AES	10	10000
V-ICP41	34	V ppm: 32 element, soil & rock	ICP-AES	1	10000

ALS VANCOUVER

11/20/01 10E 11:02 PAA 004 904 0410



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

611 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

A0128104

Comments: ATTN: SCOTT WEEKES

CERTIFICATE

A0128104

(BM) - PAMICON DEVELOPMENTS LIMITED

Project: CLEAR CREEK
 P.O. #:

Samples submitted to our lab in Vancouver, BC.
 This report was printed on 20-NOV-2001.

SAMPLE PREPARATION

METHOD CODE	NUMBER SAMPLES	DESCRIPTION
PUL-31	34	Fulv. <250g to >85%/-75 micron
STO-21	34	Reject Storage-First 90 Days
LOG-22	34	Samples received without barcode
CRU-31	34	Crush to 70% minus 2mm
SPL-21	34	Splitting Charge
229	34	ICP - AQ Digestion charge

* NOTE 1:

The 32 element ICP package is suitable for trace metals in soil and rock samples. Elements for which the nitric-aqua regia digestion is possibly incomplete are: Al, Ba, Be, Ca, Cr, Ga, K, La, Mg, Na, Sr, Ti, Tl, W.

ANALYTICAL PROCEDURES 2 of 2

METHOD CODE	NUMBER SAMPLES	DESCRIPTION	METHOD	DETECTION LIMIT	UPPER LIMIT
W-ICP41	34	W ppm: 32 element, soil & rock	ICP-AES	10	10000
Zn-ICP41	34	Zn ppm: 32 element, soil & rock	ICP-AES	2	10000



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

611 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Page Number :1-A
 Total Pages :1
 Certificate Date: 08-NOV-2001
 Invoice No. :10128104
 P.O. Number :
 Account :BM

Project: CLEAR CREEK
 Comments: ATTN: SCOTT WEEKES

CERTIFICATE OF ANALYSIS

A0128104

SAMPLE	PREP CODE	Weight Au ppb Kg FA+AA	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm	K %	La ppm	
M325801	94139402	1.10	15	0.2	1.60	64	< 10	70	0.5	< 2	0.17	0.5	22	96	82	2.09	< 10	< 1	0.36	< 10
M325802	94139402	0.84	< 5	< 0.2	2.17	2	< 10	40	0.5	< 2	< 0.01	< 0.5	4	63	26	3.67	< 10	< 1	0.19	< 20
M325803	94139402	1.48	10	< 0.2	0.71	78	< 10	10	< 0.5	< 2	< 0.01	< 0.5	3	77	10	1.47	< 10	< 1	0.05	< 10
M325804	94139402	1.28	15	< 0.2	0.30	50	< 10	< 10	< 0.5	< 2	0.02	< 0.5	1	114	6	0.69	< 10	< 1	0.02	< 10
M325805	94139402	2.14	230	0.6	1.53	>10000	< 10	60	0.5	< 2	0.08	< 0.5	11	83	20	3.18	< 10	< 1	0.48	10
M325806	94139402	0.94	85	0.2	1.34	104	< 10	30	< 0.5	2	0.23	< 0.5	5	102	132	3.11	< 10	< 1	0.68	< 10
M325807	94139402	0.94	30	< 0.2	1.53	56	< 10	130	0.5	6	0.45	< 0.5	5	103	80	1.79	< 10	< 1	0.26	< 10
M325808	94139402	1.48	105	< 0.2	1.36	58	< 10	170	0.5	12	0.19	< 0.5	3	103	44	1.88	< 10	< 1	0.47	< 10
M325809	94139402	0.96	< 5	< 0.2	1.43	332	< 10	60	< 0.5	< 2	0.17	< 0.5	6	102	54	2.40	< 10	< 1	0.45	< 10
M325810	94139402	1.42	70	< 0.2	1.09	134	< 10	60	0.5	14	0.76	< 0.5	15	171	62	2.89	< 10	< 1	0.42	< 10
M325811	94139402	1.26	< 5	< 0.2	1.40	48	< 10	50	0.5	< 2	0.29	< 0.5	5	106	58	2.37	< 10	< 1	0.33	10
M325812	94139402	1.02	< 5	< 0.2	4.62	778	< 10	200	1.5	< 2	1.54	< 0.5	12	113	95	3.64	10	< 1	1.05	10
M325813	94139402	1.34	470	0.2	2.94	20	< 10	30	2.0	54	1.21	< 0.5	59	332	600	8.89	< 10	< 1	1.29	10
M325814	94139402	1.42	< 5	< 0.2	0.34	42	< 10	50	< 0.5	< 2	0.02	< 0.5	1	120	7	0.70	< 10	< 1	0.09	< 10
M325815	94139402	1.46	20	< 0.2	1.57	144	< 10	220	1.5	< 2	0.76	< 0.5	6	58	37	2.27	< 10	< 1	0.62	40
M325816	94139402	1.32	< 5	< 0.2	0.49	86	< 10	30	< 0.5	< 2	0.04	< 0.5	1	88	6	0.63	< 10	< 1	0.22	< 10
M325817	94139402	0.90	< 5	< 0.2	5.25	1890	< 10	160	2.0	< 2	2.39	< 0.5	51	338	36	3.05	< 10	< 1	1.05	10
M325818	94139402	1.40	< 5	< 0.2	1.97	112	< 10	330	1.5	< 2	0.62	< 0.5	9	45	12	2.80	< 10	< 1	0.60	30
M325819	94139402	1.10	< 5	< 0.2	2.77	48	< 10	50	1.0	2	1.73	< 0.5	29	41	184	3.60	< 10	< 1	0.25	< 10
M325820	94139402	2.10	10	< 0.2	0.14	178	< 10	40	< 0.5	< 2	0.44	< 0.5	1	109	11	0.82	< 10	< 1	0.08	< 10
M325821	94139402	1.28	10	0.2	5.63	876	< 10	70	2.0	< 2	1.96	< 0.5	40	493	180	5.62	< 10	< 1	1.78	< 10
M325822	94139402	0.94	< 5	< 0.2	6.14	2020	< 10	60	2.5	< 2	2.10	< 0.5	56	51	275	6.00	10	< 1	1.59	< 10
M325823	94139402	0.80	5	< 0.2	1.72	356	< 10	70	1.0	< 2	0.05	< 0.5	7	107	40	2.79	< 10	< 1	1.09	10
M325824	94139402	1.10	< 5	< 0.2	0.35	236	< 10	40	< 0.5	< 2	0.13	< 0.5	3	150	3	0.66	< 10	< 1	0.15	< 10
M325825	94139402	1.66	10	< 0.2	1.02	1035	< 10	90	0.5	< 2	0.08	< 0.5	5	109	23	1.75	< 10	< 1	0.49	10
M325826	94139402	1.26	< 5	< 0.2	0.62	56	< 10	30	< 0.5	< 2	0.03	< 0.5	4	111	19	1.35	< 10	< 1	0.14	< 10
M325827	94139402	1.00	< 5	< 0.2	1.57	598	< 10	70	1.0	< 2	0.10	< 0.5	6	139	1	2.27	< 10	< 1	0.85	10
M325828	94139402	0.80	10	< 0.2	0.41	58	< 10	< 10	< 0.5	< 2	0.01	< 0.5	3	100	37	1.55	< 10	< 1	0.06	< 10
M325829	94139402	0.76	< 5	< 0.2	0.04	4	< 10	10	< 0.5	< 2	< 0.01	< 0.5	< 1	145	3	0.30	< 10	< 1	< 0.01	< 10
M325830	94139402	0.96	1480	3.6	0.03	752	< 10	30	< 0.5	< 2	< 0.01	< 0.5	1	150	10	1.20	< 10	< 1	0.01	< 10
M325831	94139402	1.12	< 5	< 0.2	0.07	14	10	< 10	< 0.5	< 2	0.03	< 0.5	1	155	3	0.31	< 10	< 1	0.01	< 10
M325832	94139402	0.70	10	< 0.2	0.69	56	< 10	30	< 0.5	< 2	0.10	< 0.5	1	121	9	0.96	< 10	< 1	0.16	< 10
M325833	94139402	1.06	< 5	< 0.2	0.75	6	< 10	50	0.5	6	0.94	< 0.5	1	113	6	0.52	< 10	< 1	0.06	< 10
M325834	94139402	0.96	145	< 0.2	0.25	2130	< 10	50	< 0.5	< 2	0.06	< 0.5	4	105	19	0.81	< 10	< 1	0.06	< 10

CERTIFICATION: 



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

811 - 875 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project: CLEAR CREEK
 Comments: ATTN: SCOTT WEEKES

Page Number :1-8
 Total Pages :1
 Certificate Date: 09-NOV-2001
 Invoice No. :I0128104
 P.O. Number :
 Account :BM

CERTIFICATE OF ANALYSIS

A0128104

SAMPLE	PREP CODE	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
M325801	94139402	0.52	135	< 1	0.09	39	190	58	0.27	< 2	4	37	0.06	< 10	< 10	25	< 10	82
M325802	94139402	1.04	270	1	0.03	5	230	10	0.10	4	1	18	0.03	< 10	< 10	14	< 10	88
M325803	94139402	0.26	95	< 1	0.01	5	80	8	< 0.01	2	< 1	3	< 0.01	< 10	< 10	7	< 10	30
M325804	94139402	0.11	55	< 1	0.01	5	90	6	< 0.01	< 2	< 1	1	< 0.01	< 10	< 10	4	< 10	14
M325805	94139402	0.55	130	1	0.05	15	110	8	0.61	8	2	45	0.04	< 10	< 10	18	< 10	30
M325806	94139402	0.40	265	< 1	0.04	15	95	6	0.14	< 2	1	45	0.02	< 10	< 10	12	< 10	28
M325807	94139402	0.31	80	< 1	0.08	17	1160	6	0.15	< 2	3	67	0.07	< 10	< 10	16	< 10	14
M325808	94139402	0.39	155	< 1	0.09	8	80	4	0.08	2	3	63	0.09	< 10	< 10	26	< 10	18
M325809	94139402	0.47	210	< 1	0.05	12	130	8	0.15	< 2	2	22	0.05	< 10	< 10	17	< 10	34
M325810	94139402	0.92	290	< 1	0.01	32	630	< 2	0.20	< 2	4	31	0.10	< 10	< 10	64	70	24
M325811	94139402	0.54	185	< 1	0.03	16	1120	4	0.03	< 2	3	14	0.03	< 10	< 10	18	< 10	28
M325812	94139402	0.85	280	< 1	0.44	23	620	14	0.67	< 2	8	131	0.14	< 10	< 10	44	< 10	32
M325813	94139402	2.11	395	6	0.08	137	1880	16	4.22	< 2	9	263	0.26	< 10	< 10	172	10	40
M325814	94139402	0.11	55	< 1	0.02	5	90	< 2	0.01	< 2	< 1	3	0.01	< 10	< 10	6	< 10	8
M325815	94139402	0.60	330	1	0.13	9	1180	14	0.14	< 2	3	95	0.17	< 10	< 10	45	< 10	36
M325816	94139402	0.24	75	< 1	0.03	8	70	4	< 0.01	< 2	1	3	0.03	< 10	< 10	9	< 10	10
M325817	94139402	1.64	230	1	0.47	108	1940	10	0.35	4	5	541	0.18	< 10	< 10	108	< 10	38
M325818	94139402	0.53	460	1	0.15	22	830	10	0.03	< 2	3	121	0.22	< 10	< 10	26	< 10	60
M325819	94139402	1.01	235	2	0.22	44	3570	8	0.61	2	6	258	0.20	< 10	< 10	103	< 10	32
M325820	94139402	0.11	495	< 1	0.01	8	20	< 2	0.09	< 2	< 1	24	< 0.01	< 10	< 10	1	< 10	10
M325821	94139402	2.63	300	2	0.30	150	1930	12	1.78	2	7	392	0.28	< 10	< 10	148	10	46
M325822	94139402	1.75	240	5	0.52	56	2490	18	1.89	2	8	172	0.17	< 10	< 10	93	< 10	64
M325823	94139402	0.65	330	< 1	0.02	13	180	2	0.04	< 2	4	1	0.15	< 10	< 10	25	< 10	54
M325824	94139402	0.16	140	1	0.02	11	430	< 2	0.01	< 2	1	8	0.01	< 10	< 10	9	< 10	8
M325825	94139402	0.45	355	< 1	0.04	8	240	4	0.05	< 2	4	5	0.10	< 10	< 10	21	< 10	28
M325826	94139402	0.27	70	< 1	0.02	8	160	6	0.07	< 2	1	1	0.01	< 10	< 10	9	< 10	16
M325827	94139402	0.81	290	24	0.04	27	330	2	0.02	< 2	7	1	0.11	< 10	< 10	46	< 10	36
M325828	94139402	0.01	40	< 1	< 0.01	6	120	2	0.01	< 2	< 1	< 1	< 0.01	< 10	< 10	8	< 10	12
M325829	94139402	0.01	15	< 1	< 0.01	3	< 10	< 2	< 0.01	< 2	< 1	< 1	< 0.01	< 10	< 10	< 1	< 10	< 2
M325830	94139402	< 0.01	10	3	< 0.01	2	30	334	0.66	88	< 1	5	< 0.01	< 10	< 10	< 1	< 10	54
M325831	94139402	0.02	50	< 1	< 0.01	6	140	< 2	< 0.01	< 2	< 1	6	< 0.01	< 10	< 10	1	< 10	8
M325832	94139402	0.25	70	< 1	0.04	6	200	6	0.01	< 2	1	18	0.02	< 10	< 10	9	< 10	14
M325833	94139402	0.31	125	4	0.04	5	90	2	0.02	< 2	< 1	42	0.06	< 10	< 10	6	< 10	16
M325834	94139402	0.06	140	< 1	0.01	5	50	2	0.16	< 2	< 1	9	< 0.01	< 10	< 10	4	< 10	6

CERTIFICATION: 

11/20/01 10:51:04 AM 11.00 1.00 404 504 0.77 0.10 0.03 0.000000

APPENDIX E
GEOLOGIST'S CERTIFICATE

STATEMENT OF QUALIFICATIONS

I, SCOTT M. WEEKES, of 4172 Browning Road, Sechelt, in the Province of British Columbia, DO HEREBY CERTIFY:

1. THAT I am a Geologist in the employment of Pamicon Developments Limited, with offices at Suite 611-675 West Hastings Street, Vancouver, British Columbia.
2. THAT I am a graduate of the University of British Columbia with a Bachelor of Science Degree in Geology.
3. THAT my primary employment since 1983 has been in the field of mineral exploration.
4. THAT my experience has encompassed a wide range of geologic environments and has allowed considerable familiarization with prospecting, geophysical, geochemical and exploration drilling techniques.
5. THAT this report is based on data and information collected by the author of this report during the period October 7 to October 12, 2001.

DATED AT Vancouver, B.C., this 29 day of April, 2002.



Scott M. Weekes, Geologist