094380

2002 ENZYME LEACH SAMPLING REPORT

ON THE

MAVERICK PROSPECT – CANYON GOLD PROPERTY

Whitehorse Mining District

NTS: 105K/2

Latitude 62° 06´, Longitude 132° 58´

By: A. Carlos (owner of claims)
January 20, 2003

File Number: 02-032

This report has been examined by the Geological Evaluation Unit under Section 50 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $ 25,500.

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

ENERGY, MINES & RESOURCES LIBRARY
P.O. Box 2703
Whitehorse, Yukon Y1A 2C6

Costs associated with this report have been approved in the amount of $25,500.00 for assessment credit under Certificate of Work No. QW 27590

Mining Recorder
Whitehorse Mining District

TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
PROGRAM 2002	1

LIST of FIGURES

LOCATION MAP	2

1. GRID DETAIL: 2002 power saw cut grid & relevant claim post locations.

APPENDICES

1. STATEMENT OF QUALIFICATIONS
2. CLAIM MAP
3. SUMMARY OF FIELD EXPENDITURES

INTRODUCTION

The Maverick prospect area has long been identified as a potential target to host deposits similar to the known Grew Creek zone – 7 Km distant.

PROGRAM 2002

Through the summer of 2002, a total of 36.64 Km of chainsaw cut grid was established, as per Fig. 1. Later in the season, to allow for thawing of the sampling media, a total of 1170 B – horizon soil samples, at 25 meter intervals where possible, were taken by auger. They have been sent out for Enzyme Leach analysis and interpretation. Results are expected shortly.

GEOLOGY: THE YUKON'S UNIQUE RESOURCE



The Yukon's geology is complex and full of surprises. Over the years, areas previously explored for minerals have been revisited with innovative technology and geological modelling, resulting in the discovery of new deposits. The tumultuous geological history of the Yukon's rocks, combined with the fact that our large territory has not yet been fully explored, creates the potential for large discoveries.


The Yukon's geology can be roughly split into two rock groups: those north of the Tintina Fault and those south of it. This dividing line cuts northwest to southeast across the territory from Alaska to northern British Columbia.

Each side of this boundary is characterized by different types of rocks containing different types of mineral deposits, some being mined or explored, and many yet to be discovered.

THE TINTINA FAULT

This extensive feature, although inactive today, is a zone where fragments of the earth's crust slid laterally, grinding up against the margin of ancient North America. Most geological evidence suggests that the rocks southwest of the fault moved northwest by at least 450 kilometres and perhaps as much as 1,200 kilometres.

The Tintina Trench is the sizeable valley formed by the erosion of the Tintina Fault zone. It is one of the most distinctive and significant physical features of the territory. The communities of Ross River, Stewart Crossing, Faro and Watson Lake are located in the Tintina Trench.



APPENDIX 1

STATEMENT OF QUALIFICATIONS

ALLEN M. CARLOS, PROSPECTOR

I, Allen M. Carlos of Whitehorse, Yukon Territory, hereby certify that:

1. I have been actively engaged as a mineral prospector in Western Canada for 35 years, initially for a major company, then as an independent.

2. I studied 3 years at the University of Saskatchewan:
One year of Engineering followed by 2 years Arts and Science (Geology).


3. I worked one year in northern Saskatchewan as a student assistant for the Department of Mineral Resources.

4. I have for the last 18 years spent much time researching papers regarding Volcanic Hosted Epithermal type deposits.

5. In 1983 I was responsible for discovering the Grew Creek precious metal deposit, the first epithermal deposit of this type along the Tintina Trench in Yukon.

6. I planned and with the aid of my sons, carried out the current program.

Signed,




Allen M. Carlos, PROSPECTOR

January 21, 2003

APPENDIX 2

CLAIM MAP

NTS: 105 K/2


Orchard
2500
DELLY
3000
S-133
RRDC
S-10
RRDC
YB12491
YB12492
YB12490
CANYON
RAMP
3500
Lot 10

APPENDIX 3

SUMMARY OF FIELD EXPENDITURES

2002 GRID LOCATION & SAMPLING

PROGRAM

MAVERICK PROSPECT


MAVERICK
WL
778.0
787.5
Maverick prospect - Canyon Gold Property
Enzyme Leach survey grid
SCALE 1:10,000
FIG. 1

Summary of Expenditures/Work Performed

Grid establishment and soil sampling costs

▪ Cutting of chainsaw grid and chaining (36.64 Km)	
▪ 70 man days @ $275.00 per	$19,250.00
▪ Living expenses: $35.00 x 70	$ 2,450.00
▪ Soil sampling: 22 man days @ $250.00 per	$ 5,500.00
▪ Living expenses: $35.00 x 22	$ 770.00
▪ Tuck rental (3 months at $1,450.00/month x 25%)	$ 1,087.50
▪ Truck costs: Whitehorse – return & work (3789km x.42)	$ 1,591.00
▪ Supplies: sample bags, lath. flagging etc.	$ 792.82
▪ Enzyme Leach analysis of 1170 samples (estimated)	$32,175.00
▪ Interpretation report (estimated)	$ 5,000.00
GRAND TOTAL FOR SUMMER 2002	**$68,616.32**

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L8+700W 9+500N	28500	72	25	131	9	-5	29	4.0	-1	-1	0.01	0.17	-1	6.5	2.1	40	75	79	-10	4	2	-0.5	-0.2	0.5	-0.1	1.8	0.1	-0.8	427	-20	40.4
L8+700W 9+600N	37100	78	31	166	16	5	22	4.3	-1	-1	0.03	-0.05	-1	5.3	0.8	21	55	50	-10	4	1	-0.5	-0.2	1.0	-0.1	1.4	0.3	-0.8	219	-20	23.2
L8+700W 9+625N	44600	76	25	324	30	-5	39	7.4	-1	-1	0.02	-0.05	-1	5.1	0.8	34	40	61	-10	6	2	-0.5	-0.2	0.5	-0.1	1.1	0.1	-0.8	238	-20	14.7
L8+700W 9+675N	32800	104	44	237	23	7	24	7.7	-1	-1	0.04	-0.05	-1	7.3	1.5	38	93	119	-10	7	2	-0.5	-0.2	1.1	-0.1	-0.8	0.2	-0.8	222	-20	26.0
L8+700W 9+700N	42700	93	45	347	18	11	17	12.8	-1	-1	0.04	-0.05	-1	9.8	5.4	48	219	322	-10	5	2	-0.5	-0.2	2.3	-0.1	1.3	0.1	-0.8	284	-20	40.0
L8+700W 9+750N	-2000	45	14	71	6	-5	12	2.6	-1	-1	0.03	0.12	-1	2.5	1.5	12	22	30	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	11.6
L8+700W 9+775N	15000	48	19	94	8	-5	4	2.1	-1	-1	-0.01	-0.05	-1	2.2	0.9	10	15	20	-10	3	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	743	-20	16.1
L8+700W 9+800N	36800	130	37	197	19	8	24	7.3	-1	-1	0.01	0.06	-1	8.4	4.3	24	74	88	-10	2	2	-0.5	-0.2	0.3	-0.1	-0.8	0.1	-0.8	237	-20	27.2
L8+700W 9+825N	31800	82	26	124	19	-5	17	0.8	-1	-1	-0.01	-0.05	-1	5.8	1.1	53	50	140	-10	4	2	-0.5	-0.2	0.2	-0.1	3.1	-0.1	-0.8	385	-20	11.5
L8+700W 9+850N	19500	74	26	107	17	6	7	2.2	-1	-1	-0.01	-0.05	-1	8.9	1.5	64	46	80	-10	5	2	-0.5	-0.2	-0.2	-0.1	0.8	-0.1	-0.8	-100	-20	26.4
L8+700W 9+875N	28700	64	48	88	11	6	12	7.4	-1	-1	0.01	0.20	-1	1.8	0.9	17	57	78	-10	1	1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	156	-20	25.0
L8+700W 9+900N	27600	53	33	124	21	-5	5	4.1	-1	-1	-0.01	-0.05	-1	6.5	1.6	28	44	61	-10	4	3	0.5	-0.2	0.2	-0.1	-0.8	0.2	-0.8	549	-20	44.7
L8+700W 9+925N	34700	55	35	121	11	6	5	5.8	-1	-1	-0.01	-0.05	-1	3.4	1.0	12	20	51	-10	1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	342	-20	42.0
L8+700W 9+950N	40700	73	22	131	11	8	13	3.3	-1	-1	0.07	-0.05	-1	1.6	2.7	6	10	14	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	0.9	-0.1	-0.8	177	-20	8.0
L8+700W 9+975N	40500	61	28	127	10	-5	6	2.6	-1	-1	0.02	-0.05	-1	3.9	1.7	22	35	36	-10	2	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	311	-20	32.3
L8+700W 10+000N	24000	91	51	114	12	-5	18	7.9	-1	-1	0.01	0.42	-1	3.1	1.3	23	117	110	-10	2	2	-0.5	-0.2	0.4	-0.1	-0.8	0.1	-0.8	303	-20	32.3
L8+700W 10+025N	28400	102	39	142	14	6	31	7.7	-1	-1	0.02	0.34	-1	4.9	1.4	57	244	149	-10	5	3	-0.5	-0.2	0.8	-0.1	1.1	0.2	-0.8	320	-20	52.0
L8+700W 10+050N	34000	118	30	129	14	6	19	3.9	-1	-1	0.04	0.08	-1	4.0	1.5	21	40	24	-10	3	2	-0.5	-0.2	0.2	-0.1	1.7	0.2	-0.8	221	-20	38.2
L8+700W 10+075N	37800	160	41	199	12	8	36	13.2	-1	-1	0.03	0.18	-1	4.2	1.4	30	104	106	-10	1	2	-0.5	-0.2	0.4	-0.1	-0.8	0.2	-0.8	190	-20	37.2
L8+700W 10+100N	20400	32	45	138	15	6	13	4.8	-1	-1	-0.01	-0.05	-1	6.4	2.1	56	47	54	-10	5	4	-0.5	-0.2	0.2	-0.1	1.9	0.1	-0.8	141	-20	29.5
L8+700W 10+125N	20200	67	42	170	14	-5	30	7.7	-1	-1	0.02	-0.05	-1	8.7	2.2	42	84	68	-10	4	3	0.6	-0.2	-0.2	-0.1	0.8	0.1	-0.8	888	-20	55.4
L8+700W 10+150N	19300	81	52	215	17	7	18	12.0	-1	-1	0.02	0.15	-1	4.5	1.3	34	145	76	-10	4	3	0.5	-0.2	0.2	-0.1	-0.8	0.1	-0.8	842	-20	47.3
L8+700W 10+175N	13100	82	31	107	33	8	16	5.0	-1	-1	0.01	0.29	-1	4.0	1.3	24	86	110	-10	3	3	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	319	-20	46.0
L8+700W 10+200N	15200	64	40	93	16	6	17	8.4	-1	-1	-0.01	0.37	-1	2.5	1.3	25	119	147	-10	2	2	-0.5	-0.2	0.7	-0.1	-0.8	0.1	-0.8	167	-20	29.8
L8+700W 10+225N	4450	68	37	115	15	5	17	7.6	-1	-1	0.02	0.14	-1	3.7	1.5	28	94	97	-10	2	3	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	231	-20	30.2
L8+700W 10+250N	10900	77	49	150	18	5	8	7.3	-1	-1	0.02	-0.05	-1	4.5	1.6	30	74	72	-10	2	3	0.5	-0.2	0.5	-0.1	2.2	-0.1	-0.8	326	-20	50.2
L8+700W 10+275N	12600	71	21	224	15	-5	16	4.4	-1	-1	0.03	-0.05	-1	2.8	1.2	17	23	51	-10	3	1	-0.5	-0.2	0.4	-0.1	1.4	-0.1	-0.8	209	-20	35.7
L8+700W 10+300N	7980	58	30	167	14	-5	9	4.5	-1	-1	-0.01	-0.05	-1	2.8	1.3	13	27	41	-10	3	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	176	-20	16.3
L8+700W 10+325N	9250	95	32	164	17	7	49	14.3	-1	-1	0.03	0.18	-1	4.1	1.2	22	96	162	-10	6	5	0.5	-0.2	1.2	-0.1	-0.8	0.3	-0.8	432	-20	21.8
L8+700W 10+350N	5610	85	35	180	13	-5	42	6.9	-1	-1	0.02	0.19	-1	3.6	0.6	32	57	35	-10	7	2	-0.5	-0.2	0.9	-0.1	-0.8	0.2	-0.8	-100	-20	30.5
L8+700W 10+475N	14900	268	25	226	9	7	45	4.3	-1	-1	0.11	-0.05	-1	2.0	3.6	100	138	340	-10	1	2	-0.5	-0.2	0.8	-0.1	0.8	0.4	-0.8	936	-20	16.8
L8+700W 10+500N	7320	154	34	111	16	7	14	3.3	-1	-1	0.04	-0.05	-1	15.9	2.3	23	40	64	-10	2	2	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	205	-20	80.5
L8+800W 9+525N	15400	81	25	119	10	5	26	5.2	-1	-1	0.02	-0.05	-1	7.9	1.5	58	86	68	-10	4	2	-0.5	-0.2	0.5	-0.1	1.4	-0.1	-0.8	204	-20	45.6
L8+800W 9+550N	7090	77	25	152	11	6	18	5.7	-1	-1	0.02	0.09	-1	11.6	0.8	62	211	127	-10	7	3	-0.5	-0.2	2.1	-0.1	0.8	0.2	-0.8	551	-20	59.7
L8+800W 9+575N	9330	97	26	169	10	6	24	8.7	-1	-1	0.02	0.08	-1	5.6	0.8	41	99	98	-10	5	2	-0.5	-0.2	1.1	-0.1	-0.8	0.2	-0.8	328	-20	27.1
L8+800W 9+600N	5800	65	17	82	10	-5	21	4.0	-1	-1	0.03	0.10	-1	4.0	0.8	49	91	103	-10	5	-1	-0.5	-0.2	1.2	-0.1	-0.8	0.3	-0.8	-100	-20	25.8
L8+800W 9+625N	6280	138	33	82	9	8	62	7.6	-1	-1	0.08	0.09	-1	7.4	6.8	44	98	110	-10	1	2	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	169	-20	18.5
L8+800W 9+650N	-2000	76	16	331	14	7	14	12.6	-1	-1	0.06	-0.05	-1	7.0	2.8	28	88	231	-10	7	2	-0.5	-0.2	1.1	-0.1	-0.8	0.2	-0.8	253	-20	39.1
L8+800W 9+675N	7640	76	36	126	9	7	13	9.4	-1	-1	0.08	-0.05	-1	5.2	2.5	53	156	135	-10	4	1	-0.5	-0.2	1.2	-0.1	-0.8	0.1	-0.8	132	-20	31.6
L8+800W 9+700N	8410	99	21	407	18	9	50	23.4	-1	-1	0.05	0.05	-1	7.1	3.2	38	136	252	-10	8	2	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	250	-20	31.1
L8+800W 9+725N	6870	138	63	279	14	9	50	13.3	-1	-1	0.05	0.09	-1	6.9	2.0	30	114	181	-10	3	2	-0.5	-0.2	0.4	-0.1	-0.8	0.1	-0.8	452	-20	28.2
L8+800W 9+750N	5230	123	28	177	14	6	38	7.6	-1	-1	0.04	-0.05	-1	6.2	0.8	44	86	97	-10	4	2	-0.5	-0.2	0.6	-0.1	-0.8	0.2	-0.8	328	-20	29.0
L8+800W 9+775N	6470	225	49	178	15	8	31	8.5	-1	-1	0.05	0.06	-1	6.6	1.1	35	136	135	-10	5	3	-0.5	-0.2	0.6	-0.1	-0.8	0.2	-0.8	517	-20	35.6
L8+800W 9+800N	3790	204	43	116	16	9	45	6.7	-1	-1	0.06	0.15	-1	6.5	4.3	41	89	77	-10	3	2	-0.5	-0.2	1.9	-0.1	-0.8	0.2	-0.8	334	-20	27.5
L8+800W 9+825N	12400	63	41	94	18	5	9	2.2	-1	-1	-0.01	-0.05	-1	7.6	1.6	62	63	104	-10	3	2	-0.5	-0.2	0.4	-0.1	1.1	-0.1	-0.8	302	-20	34.3
L8+800W 9+850N	-2000	35	23	84	8	-5	6	1.5	-1	-1	-0.01	-0.05	-1	6.7	1.5	49	23	35	-10	4	3	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	760	-20	9.4
L8+800W 9+875N	33600	48	44	78	9	7	5	3.2	-1	-1	-0.01	-0.05	-1	8.5	2.1	34	38	51	-10	3	2	0.6	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	353	21	71.1
L8+800W 9+900N	34300	51	28	68	10	-5	8	2.8	-1	-1	0.01	-0.05	-1	3.5	1.5	15	17	38	-10	2	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	176	-20	34.0
L8+800W 9+925N	35100	59	39	93	10	6	5	3.8	-1	-1	0.01	-0.05	-1	1.2	0.4	6	15	36	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	131	-20	14.5
L8+800W 9+950N	32300	93	31	87	12	-5	13	3.8	-1	-1	-0.01	0.11	-1	4.0	0.6	19	97	59	-10	1	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	169	-20	69.9
L8+800W 9+975N	24700	82	34	75	13	6	19	5.7	-1	-1	-0.01	0.23	-1	4.2	0.9	26	104	77	-10	2	2	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	183	-20	29.7
L8+800W 10+000N	30700	81	39	99	17	-5	17	8.1	-1	-1	-0.01	0.20	-1	2.5	0.5	22	60	78	-10	4	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	103	-20	64.9
L8+800W 10+025N	26200	90	33	102	10	5	24	5.7	-1	-1	0.02	0.15	-1	2.8	1.3	26	83	44	-10	2	1	-0.5	-0.2	1.1	-0.1	-0.8	0.1	-0.8	-100	-20	34.2
L8+800W 10+100N	33300	90	47	96	9	6	28	8.8	-1	-1	-0.01	0.28	-1	2.3	0.5	38	114	90	-10	1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	36.0
L8+800W 10+125N	27900	106	37	124	9	6	43	12.6	-1	-1	0.04	0.17	-1	2.2	3.9	16	49	46	-10	1	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	153	-20	15.4
L8+800W 10+150N	26800	81	31	94	17	-5	42	6.3	-1	-1	0.02	0.14	-1	3.1	0.5	15	70	49	-10	2	1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	30.3
L8+800W 10+175N	22900	54	17	79	11	-5	29	9.4	-1	-1	0.03	0.26	-1	2.2	0.9	17	86	64	-10	2	2	-0.5	-0.2	1.4	-0.1	-0.8	0.2	-0.8	448	-20	9.1
L8+800W 10+200N	34200	52	16	132	15	-5	15	2.5	-1	-1	0.02	-0.05	-1	0.8	0.3	8	-3	6	-10	1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	1.3

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L8+800W 10+225N	24800	48	20	103	18	-5	15	3.7	-1	-1	0.02	-0.05	-1	2.8	0.7	14	6	12	-10	4	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	28.2
L8+800W 10+250N	22300	88	27	89	15	-5	14	4.2	-1	-1	0.01	0.16	-1	3.7	0.5	27	67	59	-10	3	2	-0.5	-0.2	2.1	-0.1	-0.8	0.2	-0.8	227	-20	38.6
L8+800W 10+300N	22700	31	22	95	2	-5	2	0.4	-1	-1	-0.01	-0.05	-1	2.4	1.4	42	38	38	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	140	35	30.4
L8+800W 10+325N	25000	89	50	100	14	-5	27	5.6	-1	-1	0.03	0.24	-1	2.7	0.8	15	57	105	-10	4	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	47.8
L8+800W 10+350N	20700	41	30	81	14	-5	7	1.5	-1	-1	-0.01	-0.05	-1	3.8	1.1	20	26	82	-10	3	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	238	-20	9.7
L8+800W 10+375N	23900	40	35	64	15	-5	8	2.0	-1	-1	-0.01	-0.05	-1	5.0	0.9	18	19	75	-10	3	1	-0.5	-0.2	0.2	-0.1	-0.8	0.1	-0.8	674	-20	13.7
L8+800W 10+400N	23500	49	30	74	10	-5	8	1.6	-1	-1	-0.01	-0.05	-1	6.2	1.3	29	16	80	-10	3	2	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	190	-20	13.1
L8+800W 10+425N	22400	58	34	58	10	-5	20	1.3	-1	-1	-0.01	-0.05	-1	3.1	1.2	42	36	111	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	225	-20	12.1
L8+800W 10+450N	24200	56	35	53	10	-5	14	1.4	-1	-1	0.02	-0.05	-1	2.9	1.0	29	48	103	-10	2	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	161	-20	12.1
L8+900W 9+500N	25600	111	21	100	26	6	45	7.3	-1	-1	0.06	0.05	-1	9.0	2.7	15	33	669	-10	2	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	246	-20	33.4
L8+900W 9+525N	28900	102	23	117	10	5	44	11.5	-1	-1	0.04	0.21	-1	6.9	4.2	16	68	80	-10	4	2	-0.5	-0.2	0.5	-0.1	-0.8	0.2	-0.8	297	-20	23.2
L8+900W 9+550N	26700	63	20	112	9	-5	43	10.2	-1	-1	0.03	0.30	-1	7.8	2.3	54	127	147	-10	9	5	-0.5	-0.2	1.3	-0.1	-0.8	0.3	-0.8	702	-20	28.5
L8+900W 9+575N	29300	58	16	211	11	5	19	10.3	-1	-1	0.04	0.11	-1	12.4	1.4	31	51	121	-10	6	1	-0.5	-0.2	1.3	-0.1	-0.8	0.1	-0.8	117	-20	27.2
L8+900W 9+600N	25000	71	21	110	10	-5	19	5.4	-1	-1	0.01	-0.05	-1	5.3	0.5	50	56	72	-10	3	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	25.9
L8+900W 9+625N	20300	64	21	155	12	-5	36	8.6	-1	-1	0.04	-0.05	-1	3.9	1.3	31	49	69	-10	3	-1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	-100	-20	18.7
L8+900W 9+650N	28100	72	22	112	9	-5	19	5.4	-1	-1	0.04	-0.05	-1	5.5	0.9	35	54	54	-10	3	-1	-0.5	-0.2	0.4	-0.1	-0.8	0.1	-0.8	136	-20	22.5
L8+900W 9+675N	22300	81	15	306	14	6	26	15.9	-1	-1	0.04	-0.05	-1	6.4	2.0	20	62	102	-10	4	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	21.9
L8+900W 9+700N	25600	93	55	194	11	-5	13	3.9	-1	-1	0.05	-0.05	-1	14.5	4.4	31	52	58	-10	4	3	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	490	-20	38.1
L8+900W 9+725N	25300	88	29	216	12	-5	12	5.5	-1	-1	0.03	-0.05	-1	10.3	1.0	27	37	62	-10	8	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	120	-20	28.8
L8+900W 9+800N	16800	76	37	76	10	-5	14	5.3	-1	-1	0.01	0.30	-1	5.6	0.9	21	70	56	-10	1	1	-0.5	-0.2	1.2	-0.1	-0.8	0.2	-0.8	144	-20	45.8
L8+900W 9+825N	20100	120	52	109	7	-5	13	9.2	-1	-1	0.02	0.09	-1	2.1	0.6	21	59	55	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	42.4
L8+900W 9+850N	20200	41	35	76	9	-5	5	5.3	-1	-1	0.01	0.10	-1	4.0	1.2	21	46	34	-10	2	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	155	-20	76.1
L8+900W 9+875N	25100	46	38	90	16	6	9	8.9	-1	-1	0.02	-0.05	-1	1.1	0.6	12	21	37	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	27.1
L8+900W 9+900N	19200	57	44	72	10	-5	8	13.4	-1	-1	0.01	0.40	-1	2.2	1.0	16	44	54	-10	2	1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	145	-20	18.3
L8+900W 9+925N	22600	43	15	140	6	-5	32	15.9	-1	-1	0.05	0.11	-1	2.0	0.4	32	76	94	-10	6	1	-0.5	-0.2	2.1	-0.1	-0.8	0.1	-0.8	-100	-20	16.9
L8+900W 9+950N	23200	46	37	83	11	-5	7	9.2	-1	-1	0.02	0.09	-1	2.3	0.7	21	46	42	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	34.1
L8+900W 9+975N	18400	46	41	92	14	-5	10	7.0	-1	-1	0.01	0.23	-1	3.7	0.9	36	73	50	-10	1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	231	-20	50.1
L8+900W 10+000N	20600	85	29	140	14	-5	55	17.1	-1	1	-0.01	0.62	-1	5.3	3.1	58	183	125	-10	10	6	0.6	-0.2	1.9	-0.1	-0.8	0.4	-0.8	1040	-20	30.2
L8+900W 10+025N	19600	55	30	69	13	-5	12	3.4	-1	-1	0.02	0.16	-1	4.7	0.9	13	39	47	-10	2	2	-0.5	-0.2	1.4	-0.1	-0.8	0.2	-0.8	317	-20	42.7
L8+900W 10+050N	26100	111	46	131	10	-5	47	7.8	-1	-1	0.02	-0.05	-1	3.8	0.7	35	77	40	-10	2	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	105	-20	42.5
L8+900W 10+075N	23200	111	34	154	7	-5	19	13.5	-1	-1	0.01	0.29	-1	2.3	0.5	47	107	94	-10	2	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	54.6
L8+900W 10+100N	23500	76	29	122	10	-5	39	12.4	-1	-1	0.03	0.66	-1	6.1	1.9	61	133	107	-10	6	4	-0.5	-0.2	1.1	-0.1	-0.8	0.2	-0.8	644	-20	40.3
L8+900W 10+125N	23200	70	52	94	16	-5	16	9.4	-1	-1	0.03	-0.05	-1	2.2	1.0	18	36	27	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	24.5
L8+900W 10+150N	19700	60	33	64	12	-5	19	6.5	-1	-1	0.02	0.30	-1	2.3	1.1	15	49	49	-10	2	2	-0.5	-0.2	0.7	-0.1	-0.8	0.1	-0.8	177	-20	20.9
L8+900W 10+175N	21800	53	36	128	17	-5	24	17.7	-1	-1	0.04	-0.05	-1	2.9	1.5	11	40	39	-10	14	2	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	299	25	13.1
L8+900W 10+225N	21900	45	22	77	19	-5	40	8.8	-1	-1	0.02	0.37	-1	3.3	0.7	28	144	219	-10	5	3	-0.5	-0.2	2.9	-0.1	-0.8	0.3	-0.8	241	25	15.7
L8+900W 10+275N	27100	144	55	55	12	-5	5	2.4	-1	-1	0.02	-0.05	-1	10.1	5.3	25	16	77	-10	6	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	276	23	23.3
L8+900W 10+300N	19400	44	44	91	25	-5	22	2.2	-1	-1	-0.01	-0.05	-1	4.2	1.5	33	27	86	-10	6	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	201	-20	14.7
L8+900W 10+325N	21500	52	30	34	10	-5	3	0.8	-1	-1	0.01	-0.05	-1	14.1	3.5	21	15	84	-10	6	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	498	22	10.3
L8+900W 10+350N	23900	72	35	56	15	-5	13	1.1	-1	-1	0.01	-0.05	-1	4.1	1.1	29	14	94	-10	2	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	114	-20	10.9
L8+900W 10+375N	20700	45	51	57	8	-5	15	1.7	-1	-1	-0.01	-0.05	-1	1.2	1.1	19	45	84	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	37.5
L8+900W 10+400N	16200	27	19	40	7	-5	5	1.4	-1	-1	0.03	-0.05	-1	3.5	2.0	12	7	35	-10	2	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	275	-20	4.6
L8+900W 10+425N	17100	24	20	45	8	-5	4	0.9	-1	-1	0.02	-0.05	-1	4.6	1.4	22	7	27	-10	3	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	285	-20	5.1
L8+900W 10+450N	13800	9	12	32	9	-5	3	0.7	-1	-1	-0.01	-0.05	-1	6.4	1.5	14	-3	31	-10	3	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	177	-20	6.0
L8+900W 10+475N	21800	44	51	66	11	5	6	3.4	-1	-1	0.01	-0.05	-1	5.3	3.3	25	27	60	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	15.7
L9+000W 9+500N	29700	52	11	100	11	-5	15	5.7	-1	-1	0.05	-0.05	-1	4.1	1.3	26	29	42	-10	6	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	-100	-20	16.2
L9+000W 9+525N	24000	48	17	52	7	-5	9	2.5	-1	-1	0.03	-0.05	-1	4.5	1.4	26	31	34	-10	7	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	28.2
L9+000W 9+550N	29700	59	17	35	7	-5	10	2.4	-1	-1	0.04	-0.05	-1	6.5	0.9	18	40	42	-10	4	-1	-0.5	-0.2	0.5	-0.1	-0.8	0.2	-0.8	-100	-20	36.6
L9+000W 9+575N	26600	66	30	123	11	-5	22	7.4	-1	-1	0.03	-0.05	-1	4.4	1.1	19	36	52	-10	5	-1	-0.5	-0.2	0.7	-0.1	-0.8	0.1	-0.8	-100	-20	19.0
L9+000W 9+600N	26200	44	14	103	7	-5	17	6.0	-1	-1	0.08	-0.05	-1	3.5	0.9	14	24	44	-10	3	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	18.1
L9+000W 9+625N	26900	62	26	136	11	-5	19	3.1	-1	-1	0.03	-0.05	-1	5.9	0.8	21	19	28	-10	5	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	184	-20	17.6
L9+000W 9+650N	25400	59	35	108	8	-5	13	7.4	-1	-1	0.03	-0.05	-1	4.4	1.5	23	43	54	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	21.0
L9+000W 9+675N	18600	34	32	41	7	-5	13	1.6	-1	-1	0.03	-0.05	-1	1.8	0.2	16	13	13	-10	3	-1	-0.5	-0.2	0.5	-0.1	-0.8	0.1	-0.8	-100	-20	5.6
L9+000W 9+700N	19200	52	40	72	7	-5	18	5.5	-1	-1	0.03	-0.05	-1	4.7	0.7	24	76	87	-10	4	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	32.3
L9+000W 9+725N	20100	62	36	97	10	-5	24	6.8	-1	-1	0.05	0.11	-1	2.3	0.4	14	37	67	-10	5	-1	-0.5	-0.2	0.4	-0.1	-0.8	0.2	-0.8	-100	-20	16.9
L9+000W 9+750N	25300	55	26	197	16	-5	11	8.2	-1	-1	0.03	-0.05	-1	5.7	2.2	23	73	90	41	7	2	-0.5	-0.2	2.0	-0.1	-0.8	0.1	-0.8	173	28	29.9
L9+000W 9+775N	23400	62	24	92	7	-5	11	8.1	-1	-1	0.05	-0.05	-1	4.8	0.5	29	65	74	-10	4	-1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	-100	-20	28.2
L9+000W 9+800N	19700	102	50	98	7	-5	13	6.6	-1	-1	0.05	-0.05	-1	1.9	0.8	8	47	38	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	103	-20	15.4

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L9+000W 9+825N	21400	66	33	91	10	-5	11	3.8	-1	-1	0.01	0.17	-1	4.7	0.8	13	41	58	-10	4	2	-0.5	-0.2	0.9	-0.1	-0.8	0.3	-0.8	278	-20	24.4
L9+000W 9+850N	26500	42	21	257	17	6	13	13.5	-1	-1	0.05	-0.05	-1	4.5	2.2	31	60	71	-10	7	-1	-0.5	-0.2	1.4	-0.1	-0.8	0.1	-0.8	-100	22	18.1
L9+000W 9+925N	21300	64	48	90	12	-5	19	9.9	-1	-1	0.03	0.30	-1	4.4	0.9	22	74	86	-10	2	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	22.0
L9+000W 9+950N	23600	61	44	116	12	-5	26	10.5	-1	-1	0.03	0.18	-1	1.8	0.7	36	82	76	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	35.6
L9+000W 9+975N	19500	63	42	102	9	-5	37	11.1	-1	-1	0.04	-0.05	-1	1.8	1.0	17	42	40	-10	3	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	19.8
L9+000W 10+000N	25100	53	34	149	6	-5	39	7.7	-1	-1	0.02	-0.05	-1	1.6	0.4	18	21	31	-10	2	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	15.1
L9+000W 10+025N	21800	60	24	91	12	-5	24	8.6	-1	-1	0.02	0.06	-1	4.0	0.7	27	84	93	-10	12	1	-0.5	-0.2	2.8	-0.1	-0.8	0.2	-0.8	262	-20	19.9
L9+000W 10+050N	21100	72	47	97	8	-5	19	8.7	-1	-1	0.03	0.33	-1	3.2	0.3	23	86	75	-10	2	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	41.4
L9+000W 10+075N	26200	76	41	93	12	5	7	3.8	-1	-1	0.02	-0.05	-1	6.2	1.2	14	35	50	-10	1	2	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	417	-20	55.3
L9+000W 10+100N	25600	73	49	132	11	-5	49	13.5	-1	-1	0.03	-0.05	-1	1.8	1.0	20	17	22	-10	3	2	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	114	-20	7.9
L9+000W 10+125N	24800	52	21	221	16	-5	20	16.1	-1	-1	0.05	-0.05	-1	2.5	0.6	33	68	55	-10	4	1	-0.5	-0.2	1.8	-0.1	-0.8	-0.1	-0.8	-100	-20	15.7
L9+000W 10+150N	25900	53	43	102	9	-5	21	6.3	-1	-1	0.03	-0.05	-1	1.8	0.9	7	24	61	-10	2	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	26.1
L9+000W 10+200N	29100	84	48	140	10	-5	22	10.8	-1	-1	0.02	0.09	-1	2.6	0.6	16	51	102	-10	2	-1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	153	-20	33.0
L9+000W 10+225N	25200	60	33	134	8	-5	16	6.8	-1	-1	0.02	-0.05	-1	2.7	0.9	23	15	47	-10	4	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	14.6
L9+000W 10+250N	23600	40	23	68	10	-5	6	1.8	-1	-1	0.01	-0.05	-1	6.2	2.3	16	9	30	-10	4	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	12.6
L9+000W 10+275N	19700	120	46	63	12	5	7	2.8	-1	-1	0.02	-0.05	-1	16.9	3.9	41	36	89	-10	5	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	184	-20	37.8
L9+000W 10+300N	15600	40	35	44	17	-5	3	1.3	-1	-1	-0.01	-0.05	-1	12.2	2.3	52	26	98	-10	6	2	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	269	-20	10.6
L9+000W 10+325N	16400	70	67	93	9	-5	38	3.5	-1	-1	-0.01	-0.05	-1	3.4	2.4	44	44	99	27	29	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	106	-20	10.9
L9+000W 10+350N	20900	31	20	63	10	-5	8	1.5	-1	-1	-0.01	-0.05	-1	3.3	0.8	26	4	35	-10	3	1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	366	-20	2.6
L9+000W 10+500N	26600	107	25	286	12	8	62	10.4	-1	2	0.17	0.10	-1	3.3	2.6	14	34	62	-10	3	2	-0.5	-0.2	0.7	-0.1	-0.8	0.2	-0.8	192	22	9.0
L9+100W 9+500N	18500	50	29	81	8	-5	26	2.9	-1	-1	0.03	0.09	-1	7.3	1.2	44	39	40	-10	7	-1	-0.5	-0.2	1.3	-0.1	-0.8	0.2	-0.8	128	-20	30.7
L9+100W 9+525N	16100	34	19	73	9	-5	25	1.9	-1	-1	0.03	-0.05	-1	5.9	0.8	40	36	29	-10	9	1	-0.5	-0.2	1.1	-0.1	-0.8	0.2	-0.8	-100	-20	36.4
L9+100W 9+550N	18600	30	16	50	7	-5	21	1.2	-1	-1	0.01	-0.05	-1	4.4	0.5	29	21	19	-10	5	1	-0.5	-0.2	0.5	-0.1	-0.8	0.2	-0.8	-100	-20	26.6
L9+100W 9+600N	8390	32	13	47	8	-5	37	2.8	-1	-1	0.02	0.13	-1	5.3	0.8	23	62	89	-10	6	1	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	161	-20	15.1
L9+100W 9+625N	19700	72	35	88	10	-5	27	6.4	-1	-1	0.04	-0.05	-1	9.1	2.0	20	76	139	-10	3	1	-0.5	-0.2	0.8	-0.1	-0.8	0.2	-0.8	160	-20	27.9
L9+100W 9+675N	9720	31	15	61	6	-5	4	0.7	-1	-1	0.03	-0.05	-1	1.6	5.4	2	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	9.4
L9+100W 9+700N	18200	61	34	94	9	-5	11	1.7	-1	-1	0.02	-0.05	-1	4.5	3.5	21	15	24	-10	1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	47.5
L9+100W 9+725N	16600	64	46	99	12	-5	13	4.3	-1	-1	0.02	0.05	-1	3.7	1.4	19	49	46	-10	3	3	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	454	-20	46.1
L9+100W 9+750N	15400	43	33	146	12	-5	19	7.0	-1	-1	-0.01	-0.05	-1	2.5	1.0	31	56	61	-10	3	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	224	-20	44.0
L9+100W 9+775N	18000	50	43	99	10	-5	30	6.8	-1	-1	0.01	0.26	-1	2.6	0.9	34	89	86	-10	3	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	44.4
L9+100W 9+800N	21600	65	27	142	8	-5	39	10.5	-1	-1	0.03	0.15	-1	1.8	0.8	27	70	99	-10	2	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	24.1
L9+100W 9+875N	21100	61	32	89	14	-5	17	1.9	-1	-1	-0.01	-0.05	-1	6.6	1.7	22	28	11	-10	4	2	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	224	-20	19.0
L9+100W 9+900N	16200	46	32	159	21	-5	11	9.0	-1	-1	0.02	-0.05	-1	5.0	0.4	17	52	103	-10	8	2	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	314	-20	37.8
L9+100W 9+925N	22800	56	23	85	12	-5	17	3.0	-1	-1	-0.01	-0.05	-1	2.9	1.0	25	33	8	-10	3	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.1
L9+100W 9+950N	21300	54	28	74	13	-5	13	1.1	-1	-1	0.04	-0.05	-1	3.8	0.6	25	21	-3	-10	2	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	109	-20	5.0
L9+100W 9+975N	24100	49	30	127	11	-5	28	7.7	-1	-1	-0.01	0.10	-1	4.8	0.6	34	103	84	-10	6	2	-0.5	-0.2	2.7	-0.1	-0.8	0.1	-0.8	-100	-20	34.9
L9+100W 10+000N	17900	76	29	101	9	-5	20	3.7	-1	-1	0.03	0.12	-1	3.3	0.3	56	92	32	-10	2	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	34.8
L9+100W 10+025N	15000	55	34	90	7	-5	27	6.3	-1	-1	0.02	0.56	-1	3.4	0.4	35	101	69	-10	8	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	32.5
L9+100W 10+050N	19300	100	16	63	2	-5	6	-0.1	-1	-1	0.02	-0.05	-1	1.7	0.3	9	31	12	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	0.2	-0.8	878	-20	11.5
L9+100W 10+075N	21800	63	20	130	1	-5	20	0.4	-1	-1	-0.01	-0.05	-1	0.8	0.2	20	30	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	10.4
L9+100W 10+100N	21500	71	37	87	2	-5	17	1.2	-1	1	0.01	-0.05	-1	1.7	0.2	15	36	21	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	305	-20	12.3
L9+100W 10+125N	17900	83	47	120	2	-5	14	2.7	-1	-1	0.03	-0.05	-1	3.1	0.4	40	127	44	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	0.1	-0.8	128	-20	41.0
L9+100W 10+175N	18900	83	50	149	11	-5	30	8.6	-1	-1	0.01	-0.05	-1	3.8	1.3	24	24	75	-10	7	2	-0.5	-0.2	0.3	-0.1	-0.8	0.1	-0.8	115	-20	26.8
L9+100W 10+200N	13300	35	32	75	11	-5	9	0.7	-1	-1	-0.01	-0.05	-1	6.3	2.3	50	19	49	-10	4	1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	217	-20	9.2
L9+100W 10+225N	27600	29	19	85	11	-5	8	0.2	-1	-1	-0.01	-0.05	-1	5.0	1.0	30	-3	11	18	3	-1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	169	-20	4.5
L9+100W 10+250N	16600	34	29	111	13	-5	11	0.9	-1	-1	-0.01	-0.05	-1	5.2	1.4	55	14	31	-10	6	2	-0.5	-0.2	1.9	-0.1	-0.8	-0.1	-0.8	233	-20	8.3
L9+100W 10+275N	14600	61	26	125	17	7	39	6.0	-1	-1	-0.01	-0.05	-1	7.1	1.6	17	31	98	-10	2	1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	-100	-20	23.2
L9+100W 10+300N	14800	-5	18	88	13	-5	26	0.5	-1	-1	-0.01	-0.05	-1	2.0	0.5	35	13	25	-10	4	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	171	-20	2.7
L9+100W 10+450N	19600	25	17	83	19	-5	7	0.7	-1	-1	0.02	-0.05	-1	2.2	0.7	28	9	23	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	152	-20	3.4
L9+100W 10+475N	14300	48	28	119	14	-5	29	1.6	-1	-1	-0.01	-0.05	-1	1.0	0.4	20	17	107	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	4.7
L9+100W 10+500N	14100	34	26	68	10	-5	31	0.5	-1	-1	-0.01	-0.05	-1	2.9	0.9	44	20	105	-10	3	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	178	-20	5.1
L9+200W 9+500N	17900	50	43	88	11	-5	16	3.7	-1	-1	0.03	-0.05	-1	6.6	1.3	26	20	35	-10	6	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	22.5
L9+200W 9+525N	14600	39	23	69	9	-5	18	1.6	-1	-1	0.04	-0.05	-1	6.5	0.9	46	52	31	-10	5	2	-0.5	-0.2	1.7	-0.1	-0.8	0.3	-0.8	112	-20	30.0
L9+200W 9+550N	14400	30	17	50	8	-5	19	1.2	-1	-1	0.02	-0.05	-1	6.5	0.7	67	24	11	-10	4	1	-0.5	-0.2	1.2	-0.1	-0.8	0.2	-0.8	122	-20	23.8
L9+200W 9+600N	25000	55	45	81	11	-5	14	1.8	-1	-1	0.02	-0.05	-1	10.5	1.0	30	49	36	-10	5	2	-0.5	-0.2	1.5	-0.1	-0.8	0.3	-0.8	343	-20	25.7
L9+200W 9+650N	17300	71	43	166	7	9	12	5.3	-1	-1	0.03	-0.05	-1	12.3	1.4	47	140	117	-10	2	3	0.7	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	142.0
L9+200W 9+675N	17200	45	42	83	6	-5	11	2.0	-1	-1	0.02	0.09	-1	5.2	1.5	27	54	33	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	184	-20	28.1
L9+200W 9+700N	14500	54	59	154	8	-5	8	5.4	-1	-1	-0.01	-0.05	-1	1.4	0.6	19	19	15	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	17.3

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L9+200W 9+725N	15700	46	38	70	12	-5	14	8.7	-1	-1	0.01	0.18	-1	3.4	1.0	38	106	75	-10	4	1	-0.5	-0.2	1.0	-0.1	-0.8	0.3	-0.8	157	-20	20.3
L9+200W 9+750N	18900	30	13	60	10	-5	6	0.5	-1	-1	0.04	-0.05	-1	2.5	0.7	15	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	13.9
L9+200W 9+775N	21800	59	44	130	9	-5	10	5.7	-1	-1	0.05	-0.05	-1	2.7	0.8	53	50	43	-10	-1	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	50.7
L9+200W 9+800N	15100	65	33	116	5	-5	48	12.0	-1	-1	-0.01	0.05	-1	1.2	0.5	59	60	49	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	26.4
L9+200W 9+825N	17900	53	28	88	7	-5	23	6.4	-1	-1	0.04	-0.05	-1	2.2	0.7	30	30	29	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	28.5
L9+200W 9+850N	19500	70	44	77	13	-5	20	8.7	-1	-1	0.01	0.21	-1	3.9	1.3	23	85	177	-10	3	2	-0.5	-0.2	0.9	-0.1	-0.8	0.2	-0.8	397	-20	21.2
L9+200W 9+875N	25000	104	49	169	15	-5	30	10.8	-1	-1	0.05	-0.05	-1	3.0	1.9	18	63	45	-10	3	2	-0.5	-0.2	2.2	-0.1	-0.8	0.1	-0.8	182	-20	26.5
L9+200W 9+900N	18200	40	10	104	23	-5	15	1.4	-1	-1	0.02	-0.05	-1	7.7	0.9	7	-3	-3	-10	10	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	110	-20	3.4
L9+200W 9+925N	25100	58	25	97	10	-5	13	2.6	-1	-1	0.02	-0.05	-1	2.2	0.6	23	40	13	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.2
L9+200W 9+975N	14400	30	15	72	11	-5	30	0.2	-1	-1	-0.01	-0.05	-1	2.2	0.3	10	-3	-3	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	138	-20	7.2
L9+200W 10+000N	21900	77	28	121	10	-5	8	4.6	-1	-1	0.01	-0.05	-1	3.2	0.3	16	42	50	-10	2	1	-0.5	-0.2	0.2	-0.1	-0.8	0.1	-0.8	-100	-20	31.0
L9+200W 10+025N	20700	98	44	104	9	-5	12	2.5	-1	-1	0.08	-0.05	-1	7.7	1.1	28	91	83	-10	1	2	-0.5	-0.2	0.7	-0.1	-0.8	0.2	-0.8	280	-20	40.3
L9+200W 10+050N	23600	66	25	156	9	-5	9	4.2	-1	-1	0.04	-0.05	-1	5.2	1.1	38	113	61	-10	-1	1	-0.5	-0.2	0.3	-0.1	-0.8	0.1	-0.8	-100	-20	20.6
L9+200W 10+125N	25000	24	4	243	12	-5	9	0.9	-1	-1	-0.01	-0.05	-1	1.7	0.4	3	9	4	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	221	-20	1.3
L9+200W 10+150N	21000	72	61	116	16	-5	39	5.4	-1	1	0.02	-0.05	-1	1.8	0.5	16	15	96	-10	3	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	11.0
L9+200W 10+175N	19000	17	22	45	8	-5	6	-0.1	-1	-1	-0.01	-0.05	-1	12.0	2.3	54	16	47	-10	4	2	-0.5	-0.2	1.9	-0.1	-0.8	0.1	-0.8	608	-20	10.8
L9+200W 10+200N	20100	64	35	56	18	-5	9	-0.1	-1	-1	-0.01	-0.05	-1	10.6	2.0	34	21	87	-10	5	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	284	-20	13.6
L9+200W 10+225N	24600	11	24	82	11	-5	15	-0.1	-1	-1	-0.01	-0.05	-1	3.3	0.6	28	14	51	-10	4	1	-0.5	-0.2	2.7	-0.1	-0.8	0.1	-0.8	372	-20	4.3
L9+200W 10+250N	26500	18	20	71	9	-5	18	-0.1	-1	-1	-0.01	-0.05	-1	2.4	0.5	25	6	73	-10	2	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	192	-20	3.9
L9+200W 10+300N	27800	18	18	59	9	-5	8	-0.1	-1	-1	-0.01	-0.05	-1	5.0	1.0	35	14	55	-10	2	1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	207	-20	6.0
L9+200W 10+325N	28000	38	14	86	16	-5	19	0.9	-1	-1	0.01	-0.05	-1	1.6	0.4	13	-3	18	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	142	-20	3.3
L9+200W 10+425N	23500	53	44	79	18	5	28	2.4	-1	-1	-0.01	-0.05	-1	1.3	0.8	21	21	68	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	4.7
L9+200W 10+450N	14800	56	42	76	7	-5	18	1.1	-1	-1	-0.01	-0.05	-1	2.2	2.2	45	42	89	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	117	-20	57.0
L9+200W 10+475N	14600	50	27	67	14	-5	10	0.5	-1	-1	-0.01	-0.05	-1	5.1	1.5	36	10	64	-10	6	2	-0.5	-0.2	2.9	-0.1	-0.8	-0.1	-0.8	600	-20	4.4
L9+200W 10+500N	18600	34	23	94	20	-5	13	1.2	-1	-1	-0.01	-0.05	-1	2.3	1.1	29	4	32	-10	4	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	204	-20	2.7
L9+300W 9+550N	17800	29	10	260	23	-5	10	7.5	-1	-1	0.04	-0.05	-1	4.8	1.9	22	29	53	-10	6	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	19.3
L9+300W 9+625N	19000	45	24	110	13	-5	21	4.4	-1	-1	0.04	-0.05	-1	4.8	1.5	24	63	77	-10	4	2	-0.5	-0.2	1.7	-0.1	-0.8	0.5	-0.8	159	-20	22.1
L9+300W 9+650N	18700	10	26	57	6	-5	7	2.3	-1	-1	-0.01	-0.05	-1	2.4	1.9	24	28	24	-10	2	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	18.1
L9+300W 9+675N	24100	39	29	72	6	-5	4	0.8	-1	-1	-0.01	-0.05	-1	11.1	1.4	65	11	14	-10	3	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	101	-20	13.5
L9+300W 9+700N	18800	58	41	150	7	-5	20	5.9	-1	-1	0.04	-0.05	-1	2.0	0.9	19	27	24	-10	-1	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	21.7
L9+300W 9+725N	25500	58	40	180	14	-5	16	5.7	-1	-1	0.01	-0.05	-1	3.1	0.8	49	33	28	-10	2	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	27.6
L9+300W 9+750N	18300	73	44	127	9	-5	45	10.2	-1	-1	0.01	0.13	-1	3.5	2.0	22	40	60	-10	2	2	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	169	-20	12.3
L9+300W 9+775N	22200	70	48	116	7	-5	13	3.0	-1	-1	0.03	-0.05	-1	1.6	0.5	20	8	6	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	21.8
L9+300W 9+800N	21300	46	21	81	10	-5	16	3.1	-1	-1	0.02	-0.05	-1	1.3	0.5	22	12	7	-10	1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	8.6
L9+300W 9+825N	24600	67	42	206	18	-5	16	14.5	-1	-1	0.04	-0.05	-1	4.5	1.1	27	103	87	-10	5	-1	-0.5	-0.2	1.7	-0.1	-0.8	0.1	-0.8	-100	-20	31.5
L9+300W 9+850N	18000	51	26	91	13	-5	5	1.1	-1	-1	0.03	-0.05	-1	4.3	1.0	9	-3	9	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	15.2
L9+300W 9+875N	22500	140	42	129	11	9	10	1.9	-1	-1	0.02	-0.05	-1	3.6	1.0	35	40	70	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	67.0
L9+300W 9+900N	22000	28	34	93	11	5	13	5.3	-1	-1	0.02	-0.05	-1	3.7	0.9	33	42	39	-10	2	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	160	-20	44.2
L9+300W 9+925N	26200	59	42	128	21	-5	20	4.7	-1	-1	-0.01	-0.05	-1	1.6	0.6	35	30	40	-10	1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	16.5
L9+300W 9+950N	19500	42	23	95	11	-5	30	5.5	-1	-1	0.04	0.10	-1	3.2	1.0	23	42	41	-10	2	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	134	-20	25.9
L9+300W 9+975N	22500	44	16	217	19	8	26	13.3	-1	1	0.03	0.06	-1	8.7	2.4	32	144	202	-10	12	9	0.6	-0.2	1.7	-0.1	-0.8	0.3	-0.8	1040	27	30.1
L9+300W 10+000N	22200	77	43	121	15	7	24	8.3	-1	-1	0.05	-0.05	-1	6.2	2.7	49	161	59	-10	6	2	-0.5	-0.2	2.3	-0.1	-0.8	0.2	-0.8	458	-20	31.3
L9+300W 10+025N	23800	94	32	106	9	6	10	6.5	-1	-1	0.11	-0.05	-1	3.5	0.7	27	113	53	-10	2	-1	0.5	-0.2	0.5	-0.1	-0.8	0.2	-0.8	-100	-20	18.0
L9+300W 10+050N	28500	55	28	244	10	6	8	6.8	-1	-1	0.04	-0.05	-1	6.0	2.6	62	166	68	-10	3	-1	-0.5	-0.2	1.3	-0.1	-0.8	0.2	-0.8	130	-20	28.2
L9+300W 10+100N	16400	62	55	71	20	-5	5	0.4	-1	-1	0.01	-0.05	-1	23.5	2.8	74	24	176	-10	8	3	-0.5	-0.2	3.7	-0.1	-0.8	0.2	-0.8	518	-20	20.6
L9+300W 10+125N	22400	67	36	72	13	-5	6	0.7	-1	-1	-0.01	-0.05	-1	15.3	3.7	67	15	89	37	5	2	-0.5	-0.2	1.9	-0.1	-0.8	-0.1	-0.8	193	-20	21.8
L9+300W 10+150N	22500	103	59	59	28	-5	5	0.1	-1	-1	-0.01	-0.05	-1	31.6	4.9	85	55	162	-10	9	4	-0.5	-0.2	7.5	-0.1	-0.8	0.1	-0.8	1010	-20	36.1
L9+300W 10+175N	24700	43	39	92	11	-5	17	1.7	-1	-1	0.02	-0.05	-1	10.6	3.3	53	42	117	-10	6	2	-0.5	-0.2	1.2	-0.1	-0.8	0.1	-0.8	250	-20	34.0
L9+300W 10+200N	23800	31	27	103	17	-5	25	2.3	-1	-1	0.02	-0.05	-1	4.9	3.0	18	29	57	-10	8	4	-0.5	-0.2	0.7	-0.1	-0.8	0.1	24.3	527	-20	10.7
L9+300W 10+225N	26400	17	25	70	12	-5	13	0.3	-1	-1	0.01	-0.05	-1	3.7	1.0	23	22	58	-10	3	2	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	14.0	243	-20	8.6
L9+300W 10+250N	26900	22	15	84	12	-5	16	0.8	-1	-1	-0.01	-0.05	-1	2.1	0.5	22	10	37	-10	2	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	9.1	150	-20	8.0
L9+300W 10+275N	21300	14	23	76	14	-5	28	0.7	-1	-1	-0.01	-0.05	-1	2.2	0.7	24	13	52	-10	5	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	7.2	225	-20	4.4
L9+300W 10+300N	24300	22	23	102	16	-5	20	1.6	-1	-1	-0.01	-0.05	-1	6.5	2.3	23	23	44	-10	12	4	-0.5	-0.2	0.8	-0.1	-0.8	0.2	5.4	643	-20	10.2
L9+300W 10+325N	25300	21	18	78	12	-5	6	1.4	-1	-1	-0.01	-0.05	-1	7.4	2.9	32	18	20	-10	11	2	-0.5	-0.2	0.8	-0.1	-0.8	0.1	4.7	499	-20	7.3
L9+300W 10+375N	38800	87	55	75	16	-5	43	2.2	-1	-1	0.02	-0.05	-1	3.2	1.7	32	24	137	-10	2	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	7.0	172	-20	9.1
L9+300W 10+400N	14300	73	66	76	33	8	29	9.4	-1	-1	-0.01	-0.05	-1	5.1	0.7	25	49	142	-10	4	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	4.4	-100	-20	19.1
L9+300W 10+425N	15500	42	42	39	23	-5	2	1.6	-1	-1	-0.01	-0.05	-1	9.1	3.5	39	32	81	-10	6	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	2.6	-100	-20	40.4
L9+400W 9+500N	31000	20	14	74	16	-5	15	3.5	-1	-1	0.05	-0.05	-1	1.9	0.7	11	7	6	-10	4	1	-0.5	-0.2	0.5	-0.1	-0.8	0.1	2.2	-100	-20	5.5

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L9+400W 9+525N	17100	18	15	88	13	-5	16	6.2	-1	-1	0.04	-0.05	-1	3.8	1.3	23	46	48	-10	5	-1	-0.5	-0.2	0.7	-0.1	2.1	0.1	7.1	-100	-20	17.3
L9+400W 9+550N	21500	29	32	94	10	-5	45	8.0	-1	-1	0.04	-0.05	-1	2.9	1.0	24	73	62	-10	4	2	-0.5	-0.2	1.4	-0.1	1.4	0.2	4.1	-100	-20	15.6
L9+400W 9+575N	25400	49	18	310	37	-5	9	11.8	-1	-1	0.04	-0.05	-1	8.9	3.8	22	19	116	-10	7	1	-0.5	-0.2	1.9	-0.1	-0.8	-0.1	2.4	-100	-20	34.2
L9+400W 9+600N	21600	43	51	90	6	5	38	8.9	-1	-1	0.02	0.06	-1	1.7	0.3	19	52	55	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	2.4	-100	-20	14.3
L9+400W 9+625N	23700	53	32	65	8	-5	9	2.5	-1	-1	0.01	-0.05	-1	5.0	1.0	19	54	38	-10	-1	1	-0.5	-0.2	0.5	-0.1	-0.8	0.1	1.9	152	-20	36.9
L9+400W 9+650N	11600	41	22	66	4	-5	16	1.9	-1	-1	0.02	-0.05	-1	2.8	0.8	20	53	50	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	0.2	1.5	260	-20	14.3
L9+400W 9+675N	18600	38	29	146	10	5	37	6.3	-1	-1	0.02	0.11	-1	2.6	1.5	21	64	96	-10	1	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	1.3	109	-20	14.5
L9+400W 9+700N	17200	47	28	69	12	-5	25	6.5	-1	-1	0.02	0.33	-1	2.6	0.5	20	90	134	-10	1	1	-0.5	-0.2	1.5	-0.1	-0.8	0.1	1.1	-100	-20	20.7
L9+400W 9+725N	18800	66	61	98	8	-5	15	7.3	-1	-1	0.02	-0.05	-1	2.3	0.5	14	30	50	-10	2	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	1.0	331	-20	41.1
L9+400W 9+750N	19300	60	31	126	6	-5	7	4.1	-1	-1	0.02	-0.05	-1	3.3	0.6	14	39	53	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	0.9	229	-20	38.7
L9+400W 9+775N	14400	65	39	98	7	-5	17	6.1	-1	-1	-0.01	0.08	-1	1.9	0.3	16	32	49	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	36.3
L9+400W 9+800N	10200	43	18	176	26	9	12	9.9	-1	-1	0.05	-0.05	-1	4.3	2.9	13	58	44	-10	7	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	0.9	179	-20	20.3
L9+400W 9+825N	13000	56	35	72	14	-5	8	4.4	-1	-1	0.02	-0.05	-1	4.5	1.8	11	44	72	-10	2	3	-0.5	-0.2	0.8	-0.1	-0.8	0.2	1.1	180	-20	28.3
L9+400W 9+850N	15600	70	46	68	12	-5	22	7.9	-1	-1	0.01	0.38	-1	2.5	2.1	12	89	76	-10	1	2	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	237	-20	17.8
L9+400W 9+875N	17500	25	40	112	12	-5	13	5.5	-1	-1	0.01	0.08	-1	2.7	0.7	71	135	73	-10	2	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	48.7
L9+400W 9+900N	14500	33	38	96	16	-5	16	7.9	-1	-1	0.01	0.11	-1	1.4	0.3	60	94	44	-10	2	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	37.5
L9+400W 9+925N	19800	75	39	129	12	-5	18	10.1	-1	-1	0.02	-0.05	-1	1.2	0.6	29	28	35	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	15.8
L9+400W 9+950N	17600	55	24	101	27	-5	25	5.6	-1	-1	0.02	-0.05	-1	6.3	1.5	40	98	72	-10	11	5	-0.5	-0.2	2.0	-0.1	-0.8	0.3	0.8	787	-20	23.1
L9+400W 9+975N	15600	59	35	123	9	-5	37	10.1	-1	-1	0.02	0.16	-1	2.5	0.3	65	216	117	-10	2	1	-0.5	-0.2	1.5	-0.1	-0.8	0.1	-0.8	-100	-20	45.6
L9+400W 10+000N	18200	99	31	154	14	5	29	4.5	-1	-1	0.05	-0.05	-1	6.6	1.2	25	81	43	-10	6	2	-0.5	-0.2	0.7	-0.1	-0.8	0.1	-0.8	278	-20	71.8
L9+400W 10+025N	16700	36	32	107	11	-5	34	13.0	-1	-1	0.05	-0.05	-1	2.2	0.4	54	100	64	-10	7	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	14.5
L9+400W,10+050N	20300	55	31	107	18	-5	4	2.7	-1	-1	0.02	-0.05	-1	8.2	1.2	11	14	37	-10	4	-1	-0.5	-0.2	1.9	-0.1	-0.8	-0.1	-0.8	-100	-20	13.2
L9+400W 10+075N	21500	74	48	47	18	-5	3	1.4	-1	17	0.01	-0.05	-1	26.0	5.6	62	38	107	-10	5	3	-0.5	-0.2	3.3	-0.1	-0.8	-0.1	-0.8	289	-20	59.8
L9+400W 10+100N	13900	22	21	64	12	-5	12	0.3	-1	-1	-0.01	-0.05	-1	4.8	1.0	33	5	41	-10	3	1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	150	-20	6.3
L9+400W 10+125N	20700	52	36	153	18	-5	45	4.7	-1	1	0.02	-0.05	-1	2.5	0.5	31	27	57	-10	5	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	9.1
L9+400W 10+150N	16300	45	23	84	12	-5	20	0.3	-1	-1	-0.01	-0.05	-1	2.2	0.9	41	18	61	-10	3	-1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	-100	-20	6.6
L9+400W 10+175N	22900	33	34	54	10	-5	8	0.4	-1	-1	0.02	-0.05	-1	11.0	2.2	60	18	56	-10	3	1	-0.5	-0.2	2.4	-0.1	-0.8	0.1	-0.8	127	-20	9.8
L9+400W 10+225N	17800	23	23	67	11	-5	14	1.0	-1	-1	0.01	-0.05	-1	3.4	1.3	38	6	30	155	4	1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	-100	-20	5.1
L9+400W 10+250N	16500	28	26	109	13	-5	39	2.9	-1	-1	0.02	-0.05	-1	1.7	1.6	23	6	44	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	164	-20	6.5
L9+400W 10+275N	18200	14	11	79	11	-5	20	0.5	-1	-1	-0.01	-0.05	-1	1.7	0.7	33	-3	32	-10	3	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	3.4
L9+400W 10+300N	24500	125	28	56	13	-5	5	-0.1	-1	-1	0.01	-0.05	-1	16.2	3.4	43	23	65	13	9	2	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	325	-20	20.3
L9+400W 10+350N	16800	65	48	79	13	-5	13	2.2	-1	-1	-0.01	-0.05	-1	3.0	1.3	31	27	103	-10	3	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	118	-20	15.2
L9+400W 10+375N	14100	33	33	60	17	-5	8	0.9	-1	-1	-0.01	-0.05	-1	7.9	3.4	42	20	117	-10	3	2	-0.5	-0.2	1.9	-0.1	-0.8	-0.1	-0.8	480	-20	10.1
L9+400W 10+400N	21600	65	13	142	14	5	13	7.4	-1	-1	0.02	-0.05	-1	5.3	1.8	21	35	172	88	3	1	-0.5	-0.2	0.6	-0.1	-0.8	0.2	-0.8	122	-20	25.0
L9+500W 9+500N	20800	31	12	215	14	-5	21	10.1	-1	-1	0.04	-0.05	-1	5.4	2.6	30	86	129	-10	6	-1	-0.5	-0.2	1.9	-0.1	-0.8	-0.1	-0.8	-100	-20	30.9
L9+500W 9+525N	22000	35	28	45	6	-5	41	2.2	-1	-1	0.02	-0.05	-1	2.9	0.9	43	40	86	-10	6	-1	-0.5	-0.2	1.6	-0.1	-0.8	0.3	-0.8	-100	-20	11.8
L9+500W 9+600N	32800	81	34	72	2	-5	14	0.3	-1	-1	0.03	-0.05	-1	2.6	0.8	2	7	25	11	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	-100	-20	2.9
L9+500W 9+625N	32900	68	20	288	5	-5	6	5.4	-1	-1	0.02	-0.05	-1	5.4	2.6	11	33	147	25	7	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	100	-20	8.3
L9+500W 9+650N	30200	48	16	278	11	-5	2	7.7	-1	-1	0.02	-0.05	-1	8.6	3.8	64	198	219	121	12	1	0.5	-0.2	5.3	-0.1	-0.8	-0.1	-0.8	194	-20	42.0
L9+500W 9+675N	29300	59	25	72	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	2.8	0.8	5	-3	-3	40	5	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	100	-20	-0.5
L9+500W 9+700N	55400	73	31	326	22	-5	19	7.4	-1	-1	0.02	-0.05	-1	4.5	1.9	34	29	110	59	8	-1	-0.5	-0.2	2.0	-0.1	-0.8	0.2	-0.8	114	-20	14.5
L9+500W 9+725N	32800	67	30	70	-1	-5	10	0.5	-1	-1	0.01	-0.05	-1	1.7	1.1	10	15	-3	39	3	-1	-0.5	-0.2	0.6	-0.1	-0.8	0.2	-0.8	130	-20	-0.5
L9+500W 9+750N	35600	85	38	104	-1	-5	5	3.0	-1	-1	-0.01	-0.05	-1	3.4	1.1	14	84	61	14	2	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	14.6
L9+500W 9+825N	32800	76	25	102	-1	-5	10	3.1	-1	-1	0.01	0.32	-1	1.7	0.3	16	52	129	-10	1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	12.3
L9+500W 9+850N	41000	73	26	112	3	-5	15	2.5	-1	-1	-0.01	-0.05	-1	1.5	0.5	22	36	36	-10	3	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	7.6
L9+500W 9+900N	41500	74	13	183	10	5	26	12.0	-1	-1	0.06	-0.05	-1	2.0	1.6	20	39	58	-10	11	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	7.6
L9+500W 9+925N	53500	92	19	138	14	-5	8	5.6	-1	-1	0.02	-0.05	-1	3.8	1.2	28	78	59	-10	8	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	30.3
L9+500W 9+950N	25400	105	36	92	6	-5	36	2.3	-1	-1	0.02	-0.05	-1	1.7	1.1	9	-3	-3	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+500W 9+975N	38100	107	26	118	6	-5	11	2.2	-1	-1	-0.01	-0.05	-1	2.3	0.4	11	28	45	16	2	-1	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	-100	-20	13.0
L9+500W 10+000N	35300	67	22	74	3	-5	11	0.7	-1	-1	0.03	-0.05	-1	3.3	1.2	7	-3	8	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.5
L9+500W 10+025N	27400	66	24	148	-1	-5	18	7.8	-1	-1	-0.01	0.35	-1	1.4	0.3	45	118	117	-10	5	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	10.8
L9+500W 10+050N	32700	88	21	66	7	-5	2	1.8	-1	-1	0.01	-0.05	-1	6.5	1.9	9	15	66	127	6	-1	-0.5	-0.2	1.9	-0.1	-0.8	-0.1	-0.8	235	-20	-0.5
L9+500W 10+075N	38200	61	29	48	4	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	16.0	4.0	57	-3	10	37	206	-1	-0.5	-0.2	4.0	-0.1	-0.8	-0.1	-0.8	254	-20	40.8
L9+500W 10+100N	26500	117	49	98	9	-5	7	-0.1	-1	-1	-0.01	-0.05	-1	6.3	2.1	40	26	284	-10	4	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	189	-20	12.8
L9+500W 10+125N	27300	85	30	118	9	-5	49	-0.1	-1	1	-0.01	-0.05	-1	1.9	0.6	36	17	280	13	5	-1	-0.5	-0.2	1.8	-0.1	-0.8	-0.1	-0.8	213	-20	-0.5
L9+500W 10+150N	30800	46	24	49	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	8.3	1.5	44	-3	65	-10	5	-1	-0.5	-0.2	2.6	-0.1	-0.8	0.1	-0.8	423	-20	-0.5
L9+500W 10+175N	22500	35	12	74	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	4.3	0.9	18	-3	-3	29	6	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	396	-20	-0.5
L9+500W 10+200N	31800	100	24	83	4	-5	7	-0.1	-1	-1	-0.01	-0.05	-1	3.8	0.7	8	-3	32	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	241	-20	-0.5

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L9+500W 10+225N	33900	116	32	93	-1	-5	5	-0.1	-1	-1	-0.01	-0.05	-1	8.4	1.0	50	3	120	26	5	-1	-0.5	-0.2	5.4	-0.1	-0.8	-0.1	-0.8	495	-20	-0.5
L9+500W 10+250N	33400	71	26	75	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	5.7	1.0	28	-3	79	56	4	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	202	-20	-0.5
L9+500W 10+300N	27300	41	18	40	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	5.6	1.5	11	-3	-3	-10	6	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	350	-20	-0.5
L9+500W 10+325N	41900	129	13	166	8	-5	5	3.4	-1	-1	-0.01	-0.05	-1	3.9	1.1	13	-3	68	-10	8	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	233	-20	6.2
L9+500W 10+350N	64100	81	3	200	3	5	44	9.4	-1	-1	0.06	-0.05	-1	0.7	1.5	10	38	81	-10	15	-1	-0.5	-0.2	1.0	-0.1	1.5	0.2	-0.8	-100	-20	-0.5
L9+600W 9+500N	43600	81	34	65	3	-5	17	0.9	-1	-1	0.02	-0.05	-1	1.2	0.8	4	-3	-3	21	4	-1	-0.5	-0.2	0.3	-0.1	-0.8	0.1	-0.8	-100	-20	-0.5
L9+600W 9+550N	35600	100	47	72	-1	-5	48	2.0	-1	-1	0.07	-0.05	-1	4.6	2.6	27	31	72	-10	4	-1	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	-100	-20	23.5
L9+600W 9+625N	56200	82	34	66	-1	-5	41	2.2	-1	-1	0.03	-0.05	-1	1.8	1.2	59	51	41	80	4	-1	-0.5	-0.2	1.5	-0.1	-0.8	0.1	-0.8	-100	-20	1.9
L9+600W 9+650N	29500	42	16	149	8	-5	24	4.2	-1	-1	0.04	-0.05	-1	1.7	1.5	22	52	114	24	4	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	5.1
L9+600W 9+675N	22800	46	16	87	5	-5	5	2.1	-1	-1	0.03	-0.05	-1	1.7	1.3	18	35	56	-10	3	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	4.8
L9+600W 9+700N	21300	56	17	125	9	-5	7	3.2	-1	-1	0.03	-0.05	-1	2.7	2.1	14	16	56	-10	3	-1	-0.5	-0.2	1.2	-0.1	-0.8	0.1	-0.8	-100	-20	6.1
L9+600W 9+725N	26200	67	37	128	1	-5	27	4.5	-1	-1	0.08	-0.05	-1	2.5	2.5	64	70	130	71	5	-1	-0.5	-0.2	2.1	-0.1	-0.8	0.1	-0.8	-100	-20	11.2
L9+600W 9+750N	31200	87	31	140	6	-5	10	5.1	-1	-1	0.08	-0.05	-1	3.2	2.7	17	68	187	38	4	-1	-0.5	-0.2	1.5	-0.1	-0.8	0.1	-0.8	-100	-20	15.0
L9+600W 9+775N	36700	70	25	52	2	-5	3	2.3	-1	-1	0.09	-0.05	-1	2.9	2.1	39	53	104	-10	3	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	8.2
L9+600W 9+800N	28000	118	33	53	4	-5	7	1.2	-1	-1	0.10	-0.05	-1	3.1	1.9	35	18	45	18	5	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	10.1
L9+600W 9+825N	31900	156	41	51	7	-5	24	0.2	-1	-1	0.03	-0.05	-1	3.2	0.7	68	65	81	-10	5	-1	-0.5	-0.2	1.6	-0.1	-0.8	0.1	-0.8	-100	-20	4.1
L9+600W 9+850N	36000	86	29	122	2	-5	21	4.3	-1	-1	0.03	-0.05	-1	1.2	0.6	47	61	33	-10	2	-1	-0.5	-0.2	2.0	-0.1	-0.8	0.2	-0.8	-100	-20	3.1
L9+600W 9+875N	29700	62	13	116	-1	-5	7	3.1	-1	-1	0.03	-0.05	-1	1.2	0.3	22	34	25	-10	3	-1	-0.5	-0.2	1.1	-0.1	-0.8	0.1	-0.8	-100	-20	1.1
L9+600W 9+900N	32300	96	38	85	4	-5	55	3.6	-1	-1	0.14	-0.05	-1	1.0	0.5	61	56	75	38	2	-1	-0.5	-0.2	1.7	-0.1	-0.8	0.2	-0.8	-100	-20	-0.5
L9+600W 9+925N	38000	81	27	164	7	-5	12	3.7	-1	-1	0.02	-0.05	-1	1.5	0.4	23	37	37	-10	11	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	13.0
L9+600W 9+950N	37100	64	13	257	18	-5	5	5.1	-1	-1	0.02	-0.05	-1	3.0	1.5	17	37	104	25	5	-1	-0.5	-0.2	2.0	-0.1	-0.8	0.1	-0.8	-100	-20	8.9
L9+600W 9+975N	29700	84	35	86	3	-5	15	2.1	-1	-1	0.03	-0.05	-1	1.0	0.5	19	18	8	48	2	-1	-0.5	-0.2	1.0	-0.1	-0.8	0.1	-0.8	-100	-20	-0.5
L9+600W 10+025N	27200	98	26	146	-1	-5	25	10.1	-1	-1	0.05	-0.05	-1	1.4	1.2	18	109	145	-10	3	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	3.6
L9+600W 10+050N	29100	93	21	68	6	-5	8	0.2	-1	-1	-0.01	-0.05	-1	1.5	0.9	3	-3	-3	-10	4	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	147	-20	-0.5
L9+600W 10+075N	35300	308	110	306	30	6	95	6.9	-1	5	0.01	-0.05	-1	7.2	0.9	40	201	527	215	14	2	-0.5	-0.2	2.0	-0.1	-0.8	0.2	-0.8	553	-20	36.8
L9+600W 10+100N	27000	108	51	138	12	-5	118	1.7	-1	1	-0.01	-0.05	-1	2.1	1.0	29	30	188	-10	5	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	155	-20	3.8
L9+600W 10+125N	29600	93	32	70	2	-5	6	-0.1	-1	-1	-0.01	-0.05	-1	13.2	2.5	74	-3	79	33	6	-1	-0.5	-0.2	2.6	-0.1	-0.8	0.1	-0.8	690	-20	3.7
L9+600W 10+175N	33400	48	13	152	5	-5	7	-0.1	-1	-1	-0.01	-0.05	-1	2.7	1.4	15	-3	-3	94	4	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	553	-20	-0.5
L9+600W 10+200N	27500	56	22	176	11	-5	20	-0.1	-1	-1	0.01	-0.05	-1	4.6	1.1	36	3	18	46	8	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	357	-20	0.8
L9+600W 10+225N	47200	63	24	86	2	-5	3	-0.1	-1	-1	-0.01	-0.05	-1	11.0	2.4	27	10	29	22	4	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	230	-20	27.2
L9+600W 10+275N	37200	106	20	84	1	-5	6	-0.1	-1	-1	-0.01	-0.05	-1	4.9	0.9	10	-3	24	46	3	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	250	-20	-0.5
L9+600W 10+300N	50900	75	11	258	7	-5	3	1.4	-1	-1	0.02	-0.05	-1	4.8	1.8	22	-3	43	-10	8	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	224	-20	3.3
L9+600W 10+325N	77400	65	3	736	33	15	139	57.3	-1	-1	0.23	-0.05	-1	1.6	5.6	12	55	202	56	11	-1	-0.5	-0.2	1.4	-0.1	-0.8	0.2	-0.8	137	-20	-0.5
L9+600W 10+375N	29500	71	20	177	21	-5	4	4.4	-1	-1	0.02	-0.05	-1	12.5	3.2	12	46	285	110	10	-1	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	397	-20	47.2
L9+600W 10+400N	38700	483	58	294	5	18	89	11.5	-1	1	0.07	-0.05	-1	6.5	10.0	8	93	149	-10	2	-1	-0.5	0.3	-0.2	-0.1	-0.8	-0.1	-0.8	118	-20	18.3
L9+600W 10+425N	29800	135	46	136	25	11	42	2.6	-1	-1	0.02	-0.05	-1	1.5	0.9	31	79	263	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	556	-20	21.3
L9+600W 10+450N	46800	373	45	179	11	34	92	16.4	-1	1	0.08	0.35	-1	2.5	11.4	21	131	110	-10	2	-1	-0.5	-0.2	0.7	-0.1	-0.8	0.2	-0.8	-100	-20	2.2
L9+600W 10+475N	21900	102	22	124	6	6	35	0.2	-1	1	-0.01	-0.05	-1	1.3	0.6	69	41	29	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	127	-20	-0.5
L9+600W 10+500N	32100	81	27	123	27	-5	11	-0.1	-1	-1	-0.01	-0.05	-1	1.1	0.5	58	31	99	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	211	-20	-0.5
L9+600W 10+525N	17000	39	19	108	5	-5	18	-0.1	-1	-1	-0.01	-0.05	-1	2.4	1.5	32	33	53	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	417	-20	-0.5
L9+700W 9+500N	23400	66	29	141	1	-5	30	8.0	-1	-1	0.01	-0.05	-1	3.7	3.1	68	50	145	19	6	-1	-0.5	-0.2	1.8	-0.1	-0.8	0.2	-0.8	-100	-20	27.2
L9+700W 9+525N	28400	69	53	107	-1	-5	76	6.2	-1	-1	0.03	-0.05	-1	2.0	2.8	19	46	91	13	3	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	10.5
L9+700W 9+600N	18300	64	36	59	-1	-5	97	1.0	-1	-1	0.02	-0.05	-1	1.2	1.0	35	14	19	-10	2	-1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	-100	-20	-0.5
L9+700W 9+625N	21000	73	31	133	8	-5	12	4.4	-1	-1	0.01	-0.05	-1	2.3	2.3	1	19	73	31	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	104	-20	11.2
L9+700W 9+650N	17900	74	32	99	-1	-5	19	3.8	-1	-1	0.02	-0.05	-1	3.4	1.5	20	90	128	-10	3	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	-100	-20	29.3
L9+700W 9+675N	23200	93	34	189	2	6	18	10.5	-1	-1	0.04	-0.05	-1	1.4	0.4	11	68	144	-10	4	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	11.8
L9+700W 9+725N	19200	97	50	128	-1	-5	18	5.8	-1	-1	0.02	-0.05	-1	3.3	1.3	23	78	83	-10	2	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	16.0
L9+700W 9+775N	23500	77	20	321	15	18	12	5.7	-1	-1	0.02	-0.05	-1	8.7	2.9	19	55	124	-10	8	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	25.9
L9+700W 9+800N	16500	81	32	100	2	-5	17	0.6	-1	-1	0.01	-0.05	-1	4.6	1.0	33	11	13	34	3	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	136	-20	3.1
L9+700W 9+825N	20100	99	33	134	6	-5	11	2.5	-1	-1	0.01	-0.05	-1	2.6	0.4	66	126	43	-10	3	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	-100	-20	50.2
L9+700W 9+850N	24700	124	31	166	1	-5	13	3.9	-1	-1	0.03	-0.05	-1	1.6	0.3	9	33	25	-10	2	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	17.0
L9+700W 9+900N	15700	106	26	106	4	-5	26	3.7	-1	-1	0.02	-0.05	-1	1.0	0.3	29	22	-3	-10	3	-1	-0.5	-0.2	0.4	-0.1	-0.8	0.2	-0.8	-100	-20	-0.5
L9+700W 9+925N	16500	73	21	189	12	-5	21	4.9	-1	-1	0.03	-0.05	-1	1.0	0.8	17	7	-3	-10	3	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+700W 9+950N	19900	99	39	120	5	-5	19	2.5	-1	-1	0.03	-0.05	-1	2.5	1.9	11	37	31	21	5	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	6.7
L9+700W 9+975N	18200	90	25	121	5	-5	7	3.1	-1	-1	0.03	-0.05	-1	1.6	1.0	12	20	32	-10	3	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	5.7
L9+700W 10+050N	19900	130	41	117	10	-5	1	1.6	-1	-1	0.02	-0.05	-1	2.6	0.9	5	20	177	-10	3	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	105	-20	14.6
L9+700W 10+075N	22000	389	65	69	8	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	28.7	3.8	72	12	216	-10	6	-1	-0.5	-0.2	2.0	-0.1	-0.8	-0.1	-0.8	468	-20	17.0
L9+700W 10+100N	22500	168	41	80	4	-5	3	-0.1	-1	-1	-0.01	-0.05	-1	14.7	2.2	104	14	289	33	11	-1	-0.5	-0.2	3.4	-0.1	-0.8	-0.1	-0.8	596	-20	7.1

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L9+700W 10+125N	15800	262	42	74	7	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	21.1	2.7	37	5	213	60	11	2	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	791	-20	5.6
L9+700W 10+150N	14200	45	29	99	5	-5	19	-0.1	-1	-1	-0.01	-0.05	-1	4.9	2.2	54	-3	72	26	3	1	-0.5	-0.2	1.8	-0.1	-0.8	-0.1	-0.8	294	-20	-0.5
L9+700W 10+175N	35600	280	72	110	14	-5	48	-0.1	-1	-1	0.01	-0.05	-1	16.6	2.3	90	59	475	29	6	-1	-0.5	-0.2	3.2	-0.1	-0.8	-0.1	-0.8	498	-20	15.3
L9+700W 10+200N	41800	109	31	100	5	-5	15	-0.1	-1	-1	-0.01	-0.05	-1	3.9	0.7	29	-3	159	127	2	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	328	-20	-0.5
L9+700W 10+225N	19300	91	35	122	5	-5	17	-0.1	-1	-1	-0.01	-0.05	-1	1.8	0.4	13	-3	129	-10	1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	191	-20	-0.5
L9+700W 10+275N	11100	89	64	113	75	5	-1	3.5	-1	-1	-0.01	-0.05	-1	32.4	14.5	151	87	676	109	18	3	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	1040	-20	9.5
L9+700W 10+350N	25300	183	23	183	-1	-5	40	8.0	-1	-1	0.14	0.07	-1	8.7	3.8	17	43	241	-10	2	-1	-0.5	-0.2	0.3	-0.1	-0.8	0.2	-0.8	118	-20	-0.5
L9+700W 10+375N	17100	169	49	100	-1	11	41	5.5	-1	-1	0.01	-0.05	-1	1.0	1.0	34	63	71	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	15.6
L9+700W 10+400N	14600	194	43	137	14	9	91	15.6	-1	2	0.10	0.18	-1	3.6	3.5	42	195	364	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+700W 10+425N	13300	66	46	90	6	-5	1	2.1	-1	-1	-0.01	-0.05	-1	2.3	1.6	20	70	70	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	133	-20	27.9
L9+700W 10+450N	23200	127	52	169	4	11	95	1.8	-1	-1	0.02	-0.05	-1	0.6	0.5	20	72	204	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	2.1
L9+700W 10+475N	19500	125	34	160	32	6	36	3.9	-1	1	0.05	-0.05	-1	1.0	0.3	50	139	65	-10	2	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	11.8
L9+700W 10+500N	22600	25	9	43	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	2.3	1.0	23	-3	-3	-10	5	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	345	-20	-0.5
L9+700W 10+525N	29900	76	29	68	9	-5	6	2.4	-1	-1	0.03	-0.05	-1	2.7	2.6	27	45	98	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	24.3
L9+800W 9+500N	38100	63	28	169	-1	-5	31	8.2	-1	-1	0.02	-0.05	-1	7.2	0.7	26	24	51	16	21	-1	-0.5	-0.2	1.3	-0.1	-0.8	0.2	-0.8	-100	-20	13.8
L9+800W 9+525N	47100	116	25	130	3	-5	27	3.4	-1	-1	0.05	-0.05	-1	4.3	3.3	8	13	-3	-10	6	-1	-0.5	-0.2	0.6	-0.1	-0.8	0.2	-0.8	-100	-20	14.3
L9+800W 9+575N	44600	108	49	120	2	-5	21	7.2	-1	-1	0.08	-0.05	-1	6.9	2.8	5	81	137	20	5	-1	-0.5	-0.2	1.1	-0.1	-0.8	0.1	-0.8	177	-20	25.8
L9+800W 9+600N	50200	67	35	151	3	-5	24	5.1	-1	-1	0.04	-0.05	-1	3.3	4.1	6	41	89	-10	3	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	16.2
L9+800W 9+625N	32500	64	39	99	-1	-5	38	3.4	-1	-1	0.02	-0.05	-1	2.8	2.9	28	81	34	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	22.2
L9+800W 9+650N	33200	66	32	143	-1	-5	10	5.0	-1	-1	0.02	0.11	-1	3.0	1.2	12	31	25	-10	3	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	114	-20	28.5
L9+800W 9+675N	33800	71	23	118	4	-5	21	3.3	-1	-1	0.03	-0.05	-1	4.2	3.1	11	21	23	-10	8	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	106	-20	20.0
L9+800W 9+700N	28700	64	28	57	-1	-5	23	1.1	-1	-1	0.02	-0.05	-1	1.8	1.6	3	-3	-3	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.4
L9+800W 9+725N	39900	78	27	83	3	-5	8	2.5	-1	-1	0.02	-0.05	-1	2.2	1.8	-1	15	25	372	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	116	-20	4.9
L9+800W 9+775N	31300	72	33	124	5	-5	26	2.9	-1	-1	0.03	-0.05	-1	4.1	1.7	18	9	-3	-10	3	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	2.9
L9+800W 9+800N	37100	100	28	113	4	-5	12	3.3	-1	-1	0.02	-0.05	-1	1.8	0.4	32	60	59	-10	1	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	16.0
L9+800W 9+825N	30700	73	17	99	-1	-5	21	3.5	-1	-1	0.01	0.31	-1	2.0	0.6	15	80	22	-10	-1	-1	-0.5	-0.2	1.0	-0.1	-0.8	0.1	-0.8	-100	-20	-0.5
L9+800W 9+850N	36000	85	25	165	2	-5	14	6.2	-1	-1	0.04	-0.05	-1	1.6	0.5	8	24	-3	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	15.3
L9+800W 9+875N	43100	100	20	459	14	6	18	12.8	-1	-1	0.03	-0.05	-1	3.8	1.6	17	69	106	-10	4	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	12.0
L9+800W 9+900N	29100	79	22	85	4	-5	22	2.1	-1	-1	0.03	-0.05	-1	1.5	0.7	9	15	-3	-10	4	-1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	-100	-20	4.6
L9+800W 9+925N	36100	61	14	127	8	-5	9	1.4	-1	-1	0.02	-0.05	-1	0.9	0.5	8	-3	-3	-10	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+800W 9+950N	29900	49	14	88	5	-5	9	-0.1	-1	-1	-0.01	-0.05	-1	0.8	0.3	-1	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	108	-20	-0.5
L9+800W 9+975N	35800	36	8	284	30	-5	11	8.2	-1	-1	0.02	-0.05	-1	4.4	1.3	12	46	85	66	13	-1	0.8	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	-100	-20	21.2
L9+800W 10+000N	35500	46	7	451	34	-5	6	8.1	-1	-1	0.03	-0.05	-1	5.3	2.1	43	75	71	127	7	-1	-0.5	-0.2	2.6	-0.1	-0.8	0.1	-0.8	146	-20	14.7
L9+800W 10+050N	40400	106	27	140	6	-5	7	2.2	-1	-1	0.01	-0.05	-1	2.7	1.0	10	10	-3	41	2	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	134	-20	-0.5
L9+800W 10+075N	34900	65	43	160	5	-5	39	0.4	-1	1	-0.01	-0.05	-1	3.8	1.1	70	6	44	86	5	-1	-0.5	-0.2	3.0	-0.1	-0.8	-0.1	-0.8	335	-20	-0.5
L9+800W 10+100N	29100	70	40	96	5	-5	2	-0.1	-1	-1	-0.01	-0.05	-1	8.8	2.4	97	19	123	404	3	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	375	-20	2.7
L9+800W 10+125N	27300	62	37	137	2	-5	3	-0.1	-1	-1	-0.01	-0.05	-1	11.5	2.4	86	16	112	11	5	1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	465	-20	-0.5
L9+800W 10+150N	42500	222	54	67	9	-5	8	-0.1	-1	-1	0.01	-0.05	-1	14.7	2.2	75	27	165	130	4	-1	-0.5	-0.2	3.8	-0.1	-0.8	-0.1	-0.8	624	-20	10.9
L9+800W 10+175N	60600	171	44	99	31	-5	49	-0.1	-1	-1	-0.01	-0.05	-1	3.1	0.8	54	19	145	78	3	-1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	289	-20	-0.5
L9+800W 10+200N	31400	77	72	177	15	-5	12	4.5	-1	1	-0.01	-0.05	-1	2.9	2.1	93	81	69	24	5	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	119	-20	17.2
L9+800W 10+250N	29600	115	42	164	11	-5	39	7.2	-1	-1	-0.01	-0.05	-1	2.1	1.8	41	32	116	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	24.1
L9+800W 10+325N	30400	34	7	112	1	7	110	24.7	-1	-1	0.05	-0.05	-1	1.4	1.2	21	56	189	-10	4	-1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+800W 10+350N	27400	35	5	109	5	-5	91	14.0	-1	-1	0.01	-0.05	-1	2.9	1.5	23	40	195	-10	6	-1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+800W 10+375N	36000	227	54	230	7	13	74	14.3	-1	-1	0.04	-0.05	-1	2.0	3.1	40	45	51	-10	7	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	135	-20	-0.5
L9+800W 10+400N	34800	187	54	117	4	9	55	8.6	-1	-1	0.04	-0.05	-1	4.0	1.4	37	74	137	313	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	20.7
L9+800W 10+425N	24100	113	53	98	16	5	35	7.2	-1	2	0.03	-0.05	-1	4.0	2.9	43	134	215	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	17.7
L9+800W 10+450N	23000	48	28	214	1	-5	69	1.0	-1	1	-0.01	-0.05	-1	1.3	0.7	99	70	78	25	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+800W 10+475N	30500	66	18	80	29	-5	27	-0.1	-1	-1	-0.01	-0.05	-1	1.8	0.7	35	28	144	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	111	-20	-0.5
L9+800W 10+500N	29200	58	27	74	3	-5	24	1.2	-1	-1	0.02	-0.05	-1	0.8	0.5	13	11	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+800W 10+525N	24300	41	25	125	12	-5	16	-0.1	-1	-1	-0.01	-0.05	-1	1.9	0.3	32	-3	53	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	246	-20	-0.5
L9+800W 10+550N	31000	60	41	91	27	-5	13	4.0	-1	-1	-0.01	-0.05	-1	3.5	1.9	65	54	241	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	214	-20	31.5
L9+800W 10+575N	39200	99	33	219	13	-5	31	7.6	-1	-1	-0.01	-0.05	-1	1.1	0.3	36	-3	4	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	120	-20	4.6
L9+800W 10+600N	29000	96	33	77	9	-5	4	0.8	-1	-1	0.01	-0.05	-1	2.2	1.0	36	9	66	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	142	-20	11.9
L9+800W 10+625N	45000	144	29	290	10	-5	13	5.3	-1	-1	0.04	-0.05	-1	1.4	0.7	10	-3	-3	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	145	-20	17.0
L9+800W 10+650N	29700	114	21	140	12	-5	84	3.8	-1	-1	0.04	-0.05	-1	1.8	0.3	22	-3	-3	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.2
L9+800W 10+675N	34300	117	30	261	6	-5	34	11.6	-1	-1	0.02	-0.05	-1	1.0	0.8	14	8	-3	-10	5	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	741	-20	-0.5
L9+800W 10+700N	27800	78	24	122	9	-5	29	9.9	-1	-1	-0.01	-0.05	-1	1.8	0.9	12	47	61	-10	5	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	17.9
L9+800W 10+725N	25200	60	17	85	15	-5	33	0.6	-1	-1	-0.01	-0.05	-1	2.3	0.8	8	-3	-3	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	105	-20	-0.5

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L9+800W 10+750N	19300	58	14	73	17	-5	12	3.1	-1	-1	0.02	-0.05	-1	1.7	0.3	21	23	21	-10	2	-1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	-100	-20	3.0
L9+900W 9+500N	48000	60	31	74	3	-5	35	1.4	-1	-1	0.02	-0.05	-1	3.2	1.1	7	-3	-3	13	2	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	153	-20	-0.5
L9+900W 9+525N	27600	51	15	88	1	-5	23	1.3	-1	-1	0.04	-0.05	-1	8.9	1.1	27	8	-3	14	6	2	-0.5	-0.2	0.7	-0.1	-0.8	0.3	-0.8	451	-20	8.9
L9+900W 9+550N	26900	83	23	90	2	-5	27	5.7	-1	-1	0.04	-0.05	-1	7.6	1.1	17	30	169	-10	5	-1	-0.5	-0.2	0.9	-0.1	-0.8	0.2	-0.8	-100	-20	21.7
L9+900W 9+575N	44100	144	60	198	11	-5	31	11.6	-1	-1	0.06	-0.05	-1	10.3	0.9	21	59	160	-10	6	1	-0.5	-0.2	0.7	-0.1	-0.8	0.1	-0.8	299	-20	20.0
L9+900W 9+600N	33900	67	20	100	-1	-5	8	-0.1	-1	-1	0.01	-0.05	-1	9.6	0.9	12	12	-3	-10	2	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	190	-20	48.5
L9+900W 9+625N	22800	61	16	93	-1	-5	9	0.8	-1	-1	0.04	-0.05	-1	4.5	0.7	4	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	22.2
L9+900W 9+675N	40700	52	12	141	1	10	14	9.8	-1	-1	0.04	-0.05	-1	2.9	5.7	8	85	79	-10	3	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	5.7
L9+900W 9+700N	24000	67	29	117	3	-5	13	3.9	-1	-1	0.02	-0.05	-1	4.0	0.7	19	46	125	-10	5	-1	-0.5	-0.2	1.5	-0.1	-0.8	0.2	-0.8	336	-20	20.3
L9+900W 9+750N	16100	111	32	93	-1	-5	30	8.7	-1	-1	0.05	-0.05	-1	3.7	1.8	9	104	169	16	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	184	-20	16.1
L9+900W 9+775N	27600	47	18	57	1	-5	3	-0.1	-1	-1	0.01	-0.05	-1	2.0	0.8	5	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	2.8
L9+900W 9+800N	25200	65	26	89	3	-5	23	4.1	-1	-1	0.02	-0.05	-1	3.8	0.8	20	54	54	-10	2	1	-0.5	-0.2	0.3	-0.1	-0.8	0.1	-0.8	290	-20	12.2
L9+900W 9+825N	19400	55	29	74	3	-5	11	5.0	-1	-1	-0.01	-0.05	-1	2.6	0.5	12	59	98	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	154	-20	5.0
L9+900W 9+850N	20600	76	29	106	4	-5	17	6.9	-1	-1	-0.01	-0.05	-1	1.4	0.4	10	25	-3	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	7.0
L9+900W 9+875N	19200	81	33	140	9	-5	7	5.4	-1	-1	0.07	-0.05	-1	1.8	0.2	10	16	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	159	-20	12.7
L9+900W 9+900N	22400	65	25	78	8	-5	18	5.5	-1	-1	0.03	-0.05	-1	2.1	0.7	11	38	-3	-10	5	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	179	-20	-0.5
L9+900W 9+975N	46400	56	8	617	150	-5	46	22.7	-1	-1	0.03	-0.05	-1	3.0	3.1	12	43	120	15	5	-1	1.5	-0.2	1.8	-0.1	-0.8	0.2	-0.8	150	-20	5.1
L9+900W 9+950N	26800	38	7	499	38	-5	44	29.9	-1	-1	0.07	-0.05	-1	3.9	1.3	23	76	105	22	5	-1	0.6	-0.2	1.1	-0.1	-0.8	0.3	-0.8	167	-20	5.3
L9+900W 10+000N	24400	37	14	262	28	-5	16	9.4	-1	-1	0.01	-0.05	-1	3.2	1.6	5	10	81	-10	4	-1	-0.5	-0.2	1.1	-0.1	-0.8	0.1	-0.8	106	-20	5.9
L9+900W 10+025N	33300	73	33	135	4	-5	15	8.3	-1	-1	0.05	-0.05	-1	2.8	1.5	9	112	146	-10	2	-1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	108	-20	7.8
L9+900W 10+050N	39700	65	24	146	1	-5	17	8.3	-1	-1	0.02	-0.05	-1	3.7	2.4	-1	95	165	-10	1	-1	-0.5	0.3	0.7	-0.1	-0.8	0.2	-0.8	-100	-20	14.3
L9+900W 10+075N	24100	236	79	135	9	-5	39	1.5	-1	1	0.04	-0.05	-1	9.5	2.2	60	51	294	30	5	-1	-0.5	-0.2	2.5	-0.1	-0.8	0.1	-0.8	363	-20	6.5
L9+900 10+100N	15200	63	42	86	4	-5	12	-0.1	-1	-1	-0.01	-0.05	-1	11.0	2.3	53	30	126	-10	5	-1	-0.5	-0.2	1.4	-0.1	-0.8	0.1	-0.8	506	-20	10.0
L9+900 10+125N	26000	75	29	76	2	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	13.5	2.9	28	-3	48	101	8	3	-0.5	-0.2	1.7	-0.1	-0.8	0.2	-0.8	917	-20	-0.5
L9+900 10+150N	17000	48	38	145	4	-5	23	0.2	-1	-1	-0.01	-0.05	-1	2.7	1.6	41	3	106	19	4	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	320	-20	-0.5
L9+900 10+175N	19600	65	23	75	3	-5	19	-0.1	-1	-1	0.01	-0.05	-1	7.1	1.1	34	-3	143	-10	3	-1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	311	-20	-0.5
L9+900 10+200N	20600	38	22	100	4	-5	10	-0.1	-1	-1	-0.01	-0.05	-1	5.8	1.5	23	-3	-3	-10	7	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	375	-20	-0.5
L9+900 10+225N	26500	86	61	115	17	-5	26	1.2	-1	-1	-0.01	-0.05	-1	8.2	1.5	59	54	224	-10	3	1	-0.5	-0.2	2.9	-0.1	-0.8	-0.1	-0.8	361	-20	-0.5
L9+900 10+250N	19400	62	30	98	8	-5	17	0.5	-1	-1	-0.01	-0.05	-1	4.5	2.9	18	-3	51	-10	2	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	172	-20	-0.5
L9+900 10+300N	19100	176	82	154	12	14	22	14.6	-1	-1	0.06	-0.05	-1	8.1	4.9	11	118	294	-10	4	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	173	-20	19.0
L9+900 10+325N	17400	99	47	158	6	7	26	7.9	-1	-1	-0.01	-0.05	-1	4.0	1.4	21	86	183	-10	2	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	144	-20	10.8
L9+900 10+350N	15900	41	20	85	1	-5	31	-0.1	-1	-1	-0.01	-0.05	-1	1.6	0.6	21	-3	55	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	229	-20	-0.5
L9+900 10+375N	13900	57	30	90	6	-5	43	-0.1	-1	-1	-0.01	-0.05	-1	2.1	0.5	36	-3	146	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	230	-20	-0.5
L9+900 10+400N	12900	127	72	103	12	-5	43	3.0	-1	-1	0.04	-0.05	-1	2.0	3.3	40	29	160	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	120	-20	3.7
L9+900 10+425N	13700	48	34	71	6	-5	9	-0.1	-1	-1	-0.01	-0.05	-1	3.4	1.5	27	-3	26	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	185	-20	3.9
L9+900 10+450N	11900	96	39	113	11	-5	49	3.4	-1	-1	-0.01	-0.05	-1	1.6	0.7	41	29	58	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+900 10+475N	13600	50	21	58	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	3.4	1.0	10	-3	11	-10	2	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	191	-20	-0.5
L9+900 10+500N	14600	114	43	61	6	-5	10	-0.1	-1	-1	0.03	-0.05	-1	2.6	1.0	14	10	85	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	138	-20	-0.5
L9+900 10+525N	16900	74	31	108	2	-5	25	2.3	-1	-1	-0.01	-0.05	-1	1.1	0.6	2	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+900 10+550N	15500	81	54	79	47	-5	21	2.1	-1	-1	-0.01	-0.05	-1	3.7	1.5	32	9	226	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	228	-20	10.7
L9+900 10+575N	20200	67	41	121	12	-5	28	3.0	-1	-1	0.01	-0.05	-1	1.3	0.5	14	7	28	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+900 10+600N	25500	99	16	137	10	-5	100	17.4	-1	1	0.13	-0.05	-1	2.2	1.5	12	73	111	-10	9	-1	-0.5	-0.2	2.0	-0.1	-0.8	-0.1	-0.8	-100	-20	11.4
L9+900 10+625N	21000	115	19	84	14	5	40	11.1	-1	-1	0.09	-0.05	-1	3.2	1.6	20	48	63	-10	5	-1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	-100	-20	12.0
L9+900 10+650N	24600	124	28	82	8	-5	25	2.7	-1	-1	0.06	-0.05	-1	1.6	0.3	7	20	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	15.6
L9+900 10+675N	23000	119	22	90	4	-5	40	10.4	-1	-1	0.06	-0.05	-1	2.4	1.4	15	98	117	-10	3	-1	-0.5	-0.2	2.8	-0.1	-0.8	-0.1	-0.8	-100	-20	20.7
L9+900 10+700N	32000	103	31	110	11	-5	58	4.7	-1	-1	0.04	-0.05	-1	2.1	1.3	30	48	-3	-10	5	-1	-0.5	-0.2	1.0	-0.1	-0.8	0.1	-0.8	-100	-20	11.5
L9+900 10+725N	18700	71	21	91	17	-5	19	3.9	-1	-1	0.05	-0.05	-1	5.7	1.1	14	52	25	-10	7	-1	-0.5	-0.2	1.5	-0.1	-0.8	0.1	-0.8	-100	-20	18.0
L9+900 10+750N	21100	118	34	111	12	-5	32	10.2	-1	-1	0.03	-0.05	-1	2.1	0.6	12	44	35	-10	8	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	115	-20	7.1
L9+900 10+775N	14700	71	14	79	9	-5	5	0.5	-1	-1	-0.01	-0.05	-1	1.1	0.3	10	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L9+900 10+800N	35400	86	19	131	9	-5	11	4.8	-1	-1	0.05	-0.05	-1	1.8	1.3	3	-3	-3	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+000W 9+500N	10900	133	77	37	4	-5	2	1.3	-1	-1	0.02	-0.05	-1	27.0	4.1	67	125	335	-10	6	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	146.0
L10+000W 9+525N	19100	104	42	56	1	-5	39	-0.1	-1	-1	0.03	-0.05	-1	9.8	8.9	47	40	84	-10	10	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	183	-20	16.4
L10+000W 9+550N	22800	95	20	105	4	-5	48	5.6	-1	-1	0.03	-0.05	-1	8.2	3.0	13	26	50	31	2	2	-0.5	-0.2	1.2	-0.1	-0.8	0.2	-0.8	166	-20	5.3
L10+000W 9+575N	17600	144	165	218	8	5	64	14.9	-1	2	0.08	-0.05	-1	18.3	9.4	21	91	259	38	11	4	-0.5	-0.2	1.2	-0.1	-0.8	0.4	-0.8	895	-20	19.0
L10+000W 9+600N	16800	96	27	134	3	-5	131	7.1	-1	-1	0.07	-0.05	-1	7.9	2.9	16	40	57	-10	7	3	-0.5	-0.2	1.1	-0.1	-0.8	0.3	-0.8	576	-20	7.3
L10+000W 9+625N	14300	80	24	77	-1	-5	21	1.8	-1	-1	0.02	-0.05	-1	1.7	0.6	9	6	-3	-10	-1	-1	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	-100	-20	5.4
L10+000W 9+650N	13000	53	19	85	-1	-5	26	2.8	-1	-1	0.02	-0.05	-1	3.8	1.0	21	63	44	-10	3	-1	-0.5	-0.2	1.2	-0.1	-0.8	0.1	-0.8	143	-20	26.3
L10+000W 9+675N	15000	43	13	150	2	-5	41	11.2	-1	-1	0.03	0.27	-1	2.1	1.4	4	20	131	-10	4	1	-0.5	-0.2	1.1	-0.1	-0.8	0.4	-0.8	249	-20	-0.5

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L10+000W 9+700N	15800	43	20	105	-1	-5	36	7.6	-1	-1	0.02	-0.05	-1	3.2	3.6	32	78	35	-10	5	-1	-0.5	-0.2	3.4	-0.1	-0.8	0.1	-0.8	-100	-20	15.8
L10+000W 9+725N	18300	70	24	118	-1	-5	12	0.4	-1	-1	0.03	-0.05	-1	1.5	1.4	4	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+000W 9+750N	15400	128	40	75	3	-5	5	0.2	-1	-1	-0.01	-0.05	-1	4.7	1.2	17	14	101	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	104	-20	5.9
L10+000W 9+775N	18900	34	21	71	5	-5	2	0.7	-1	-1	-0.01	-0.05	-1	8.0	1.6	53	-3	-3	-10	3	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	156	-20	34.8
L10+000W 9+800N	20600	46	25	85	3	-5	9	1.1	-1	-1	-0.01	-0.05	-1	2.9	0.7	14	4	28	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	21.9
L10+000W 9+825N	14800	27	12	62	2	-5	3	-0.1	-1	-1	-0.01	-0.05	-1	1.3	0.4	9	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+000W 9+850N	18000	73	39	107	-1	-5	16	5.6	-1	-1	0.01	-0.05	-1	1.1	0.3	9	17	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	11.0
L10+000W 9+875N	17400	51	16	81	-1	-5	10	-0.1	-1	-1	-0.01	-0.05	-1	2.3	0.6	9	-3	-3	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	8.9
L10+000W 10+075N	8780	80	26	115	6	-5	3	0.9	-1	-1	0.02	-0.05	-1	4.7	1.1	-1	-3	-3	-10	1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	165	-20	2.9
L10+000W 10+100N	16500	205	64	160	11	-5	28	0.7	-1	1	0.02	-0.05	-1	3.9	1.2	39	16	252	40	4	-1	-0.5	-0.2	4.5	-0.1	-0.8	-0.1	-0.8	192	-20	2.4
L10+000W 10+125N	53900	105	31	56	2	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	10.1	2.1	33	-3	144	-10	6	1	-0.5	-0.2	2.9	-0.1	-0.8	0.1	-0.8	515	-20	-0.5
L10+000W 10+150N	11200	42	46	162	7	-5	42	0.9	-1	2	-0.01	-0.05	-1	3.1	0.9	67	33	96	-10	3	-1	-0.5	-0.2	2.1	-0.1	-0.8	-0.1	-0.8	185	-20	-0.5
L10+000W 10+175N	11500	29	23	103	2	-5	37	0.1	-1	-1	-0.01	-0.05	-1	5.0	1.1	53	22	80	16	4	-1	-0.5	-0.2	4.9	-0.1	-0.8	-0.1	-0.8	158	-20	-0.5
L10+000W 10+200N	15400	104	49	123	10	-5	30	4.4	-1	1	-0.01	-0.05	-1	5.4	0.7	29	12	112	-10	4	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	180	-20	12.7
L10+000W 10+225N	13600	44	20	108	12	-5	17	0.2	-1	-1	-0.01	-0.05	-1	2.5	0.9	37	-3	12	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	175	-20	-0.5
L10+000W 10+250N	17800	63	22	66	2	-5	4	-0.1	-1	-1	-0.01	-0.05	-1	4.8	1.0	33	-3	104	-10	2	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	232	-20	-0.5
L10+000W 10+300N	12600	57	47	70	16	-5	16	0.3	-1	-1	-0.01	-0.05	-1	6.5	1.7	51	7	199	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	189	-20	9.6
L10+000W 10+325N	14600	69	44	85	10	-5	33	-0.1	-1	-1	-0.01	-0.05	-1	8.0	2.0	63	5	163	-10	4	-1	-0.5	-0.2	4.7	-0.1	-0.8	0.1	-0.8	395	-20	-0.5
L10+000W 10+350N	11100	59	23	74	13	-5	38	14.0	-1	-1	0.02	-0.05	-1	2.7	1.4	6	15	66	-10	3	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+000W 10+375N	13400	227	77	125	3	7	61	4.2	-1	-1	0.03	-0.05	-1	3.5	2.6	11	38	43	26	1	-1	-0.5	0.3	1.4	-0.1	-0.8	-0.1	-0.8	194	-20	-0.5
L10+000W 10+400N	16800	213	128	137	24	10	68	14.0	-1	1	0.03	0.07	-1	4.4	4.4	51	261	757	-10	3	-1	-0.5	-0.2	1.5	-0.1	-0.8	0.1	-0.8	171	-20	38.4
L10+000W 10+425N	18100	168	55	151	-1	-5	73	15.6	-1	-1	0.04	-0.05	-1	2.1	2.0	2	28	55	-10	1	-1	-0.5	0.7	1.0	-0.1	-0.8	0.2	-0.8	-100	-20	-0.5
L10+000W 10+450N	18100	37	10	109	8	-5	70	13.1	-1	-1	0.07	-0.05	-1	3.8	1.2	3	19	50	-10	5	-1	-0.5	-0.2	1.3	-0.1	-0.8	0.1	-0.8	123	-20	-0.5
L10+000W 10+475N	14400	90	28	218	-1	-5	32	7.6	-1	-1	0.04	-0.05	-1	0.9	1.0	-1	-3	-3	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	100	-20	-0.5
L10+000W 10+500N	20600	63	52	83	1	-5	221	14.9	-1	-1	0.05	-0.05	-1	2.1	2.0	15	45	66	-10	2	-1	-0.5	-0.2	1.4	-0.1	-0.8	0.1	-0.8	107	-20	-0.5
L10+000W 10+525N	18400	91	22	106	9	-5	43	9.9	-1	-1	0.07	-0.05	-1	3.0	2.4	26	95	271	-10	5	2	-0.5	-0.2	1.5	-0.1	-0.8	0.2	-0.8	110	-20	2.7
L10+000W 10+550N	15300	129	42	99	6	-5	19	8.9	-1	-1	0.05	-0.05	-1	2.1	0.6	12	54	40	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	10.4
L10+000W 10+575N	23500	91	44	173	5	-5	12	5.3	-1	-1	-0.01	-0.05	-1	2.2	0.3	3	26	-3	-10	2	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	103	-20	14.1
L10+000W 10+600N	18800	66	28	125	8	-5	45	3.8	-1	-1	0.01	0.17	-1	3.3	0.7	24	156	145	-10	4	1	-0.5	-0.2	2.6	-0.1	-0.8	0.2	-0.8	198	-20	24.7
L10+000W 10+625N	15300	59	23	174	14	-5	28	5.9	-1	1	0.01	0.10	-1	5.1	1.2	23	178	209	22	8	5	-0.5	-0.2	2.4	-0.1	-0.8	0.4	-0.8	452	-20	14.5
L10+000W 10+675N	19000	74	21	117	12	-5	31	1.8	-1	-1	0.02	-0.05	-1	4.2	0.4	34	9	-3	-10	3	1	-0.5	-0.2	1.4	-0.1	-0.8	0.1	-0.8	-100	-20	-0.5
L10+000W 10+700N	18200	87	40	167	19	-5	10	13.4	-1	-1	-0.01	-0.05	-1	4.6	1.6	36	85	69	57	14	4	-0.5	-0.2	0.5	-0.1	-0.8	0.2	-0.8	384	-20	17.4
L10+000W 10+725N	18400	95	40	133	16	-5	5	3.9	-1	-1	0.02	-0.05	-1	1.6	0.7	25	23	3	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	7.0
L10+000W 10+750N	19800	82	13	194	11	-5	-1	1.0	-1	-1	0.04	-0.05	-1	0.6	0.5	10	-3	-3	-10	4	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+000W 10+775N	14500	96	34	114	8	-5	36	5.9	-1	-1	-0.01	-0.05	-1	2.1	0.3	39	158	24	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	37.4
L10+000W 10+800N	19900	68	28	281	5	-5	-1	7.0	-1	-1	0.01	-0.05	-1	1.5	0.5	4	-3	-3	-10	5	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+100W 9+500N	13500	72	56	57	23	-5	-1	1.2	-1	-1	0.02	-0.05	-1	9.9	5.7	20	3	71	-10	6	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	123	-20	12.3
L10+100W 9+525N	11300	38	13	46	4	-5	-1	-0.1	-1	-1	0.05	-0.05	-1	13.9	5.6	61	47	-3	-10	22	3	-0.5	-0.2	0.3	-0.1	-0.8	0.4	-0.8	204	-20	19.5
L10+100W 9+550N	21000	68	23	107	5	-5	17	5.4	-1	-1	0.04	-0.05	-1	4.4	1.2	38	40	11	-10	6	-1	-0.5	-0.2	1.6	-0.1	-0.8	0.1	-0.8	-100	-20	6.4
L10+100W 9+575N	14000	63	19	79	3	-5	5	2.1	-1	-1	0.07	-0.05	-1	3.2	0.6	21	20	-3	-10	3	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	4.2
L10+100W 9+600N	22300	145	77	174	10	-5	21	5.5	-1	1	0.04	-0.05	-1	30.6	25.4	12	36	-3	24	6	5	-0.5	-0.2	1.3	-0.1	-0.8	0.1	-0.8	486	-20	23.1
L10+100W 9+625N	20100	79	24	122	-1	-5	-1	0.6	-1	-1	0.01	-0.05	-1	1.8	1.5	22	-3	-3	-10	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+100W 9+650N	21800	67	24	68	-1	-5	-1	-0.1	-1	-1	0.02	-0.05	-1	4.4	1.1	9	-3	-3	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	25.5
L10+100W 9+750N	18100	43	19	115	6	-5	1	0.9	-1	-1	-0.01	-0.05	-1	0.6	0.4	6	-3	-3	-10	2	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+100W 9+775N	12400	32	25	91	8	-5	-1	0.2	-1	-1	-0.01	-0.05	-1	8.1	1.9	24	-3	-3	-10	11	4	-0.5	-0.2	1.3	-0.1	-0.8	0.2	-0.8	589	-20	-0.5
L10+100W 9+800N	21200	40	15	58	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	1.6	0.5	22	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	15.0
L10+100W 9+825N	14500	35	21	81	6	-5	-1	2.9	-1	-1	-0.01	-0.05	-1	4.2	0.9	14	36	25	-10	4	1	-0.5	-0.2	0.7	-0.1	-0.8	0.2	-0.8	366	-20	11.4
L10+100W 9+850N	20000	51	15	58	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	1.6	0.4	22	-3	-3	-10	3	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	18.4
L10+100W 9+925N	20100	381	53	57	14	5	-1	2.4	-1	-1	0.07	-0.05	-1	3.6	3.0	23	11	34	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	25.5
L10+100W 9+950N	16200	45	27	49	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	2.2	0.8	28	6	15	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	141	-20	-0.5
L10+100W 10+000N	15000	43	18	70	5	-5	-1	1.6	-1	-1	-0.01	-0.05	-1	1.4	0.4	23	17	-3	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	8.6
L10+100W 10+025N	9130	90	33	155	17	-5	9	6.6	-1	1	0.02	-0.05	-1	7.6	1.9	13	70	88	-10	8	4	-0.5	-0.2	0.9	-0.1	-0.8	0.2	-0.8	828	-20	28.7
L10+100W 10+050N	9080	87	35	108	11	-5	-1	21.9	-1	1	-0.01	-0.05	-1	4.3	1.2	23	55	21	15	4	2	-0.5	-0.2	0.3	-0.1	-0.8	0.1	-0.8	381	-20	16.0
L10+100W 10+075N	8660	48	24	59	5	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	2.8	0.9	28	-3	4	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	198	-20	-0.5
L10+100W 10+100N	18300	39	23	62	2	-5	-1	0.7	-1	-1	-0.01	-0.05	-1	1.1	0.5	6	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+100W 10+125N	12100	60	18	106	9	-5	7	7.0	-1	-1	-0.01	-0.05	-1	4.0	1.2	12	46	13	20	5	3	-0.5	-0.2	2.6	-0.1	-0.8	0.3	-0.8	538	-20	2.2
L10+100W 10+150N	17600	25	8	51	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	2.9	0.8	7	-3	-3	52	4	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	337	-20	-0.5
L10+100W 10+175N	11900	14	10	46	-1	-5	-1	-0.1	-1	-1	-0.01	-0.05	-1	4.6	1.1	51	-3	-3	20	8	1	-0.5	-0.2	4.0	-0.1	-0.8	0.1	-0.8	450	-20	-0.5

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L10+100W 10+200N	13400	49	33	106	9	-5	19	0.4	-1	-1	-0.01	-0.05	-1	4.3	2.2	51	23	52	-10	5	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	163	-20	10.3
L10+100W 10+225N	11400	178	51	98	15	8	45	5.7	-1	2	0.03	-0.05	-1	11.1	3.2	19	45	68	-10	3	-1	-0.5	0.7	0.7	-0.1	-0.8	0.1	-0.8	113	-20	12.2
L10+100W 10+250N	22100	52	30	85	8	-5	13	3.6	-1	-1	0.03	-0.05	-1	1.6	1.5	33	27	-3	36	4	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	111	-20	-0.5
L10+100W 10+300N	15000	64	32	79	-1	-5	28	3.0	-1	-1	-0.01	-0.05	-1	1.5	1.3	11	35	-3	-10	2	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+100W 10+325N	15600	54	24	38	2	-5	-1	-0.1	-1	-1	0.02	-0.05	-1	4.1	1.3	20	-3	27	-10	4	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	150	-20	-0.5
L10+100W 10+400N	17300	89	35	114	-1	-5	9	6.7	-1	-1	0.02	-0.05	-1	1.4	2.3	21	-3	13	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	14.5
L10+100W 10+425N	9730	44	42	88	5	-5	2	0.4	-1	-1	-0.01	-0.05	-1	4.1	1.6	60	25	118	26	5	-1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	160	-20	1.7
L10+100W 10+450N	10500	41	30	78	2	-5	46	-0.1	-1	-1	-0.01	-0.05	-1	1.6	1.3	41	-3	71	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+100W 10+475N	14700	81	30	55	5	-5	100	4.7	-1	-1	0.06	-0.05	-1	0.9	2.1	5	14	-3	-10	2	-1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+100W 10+500N	16200	88	20	169	7	-5	23	9.5	-1	-1	0.06	-0.05	-1	2.2	1.4	3	11	24	-10	4	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	-0.5
L10+100W 10+525N	19900	42	5	101	20	6	62	8.8	-1	-1	0.05	-0.05	-1	1.7	0.7	14	42	77	-10	1	-1	-0.5	-0.2	1.0	-0.1	-0.8	0.2	-0.8	225	-20	9.0
L10+100W 10+550N	19800	42	7	123	8	-5	29	15.9	-1	-1	0.18	-0.05	-1	2.4	3.3	6	58	94	-10	8	-1	-0.5	-0.2	2.3	-0.1	-0.8	0.1	-0.8	-100	-20	-0.5
L10+100W 10+575N	8340	91	15	82	10	-5	51	5.1	-1	-1	0.11	-0.05	-1	5.5	1.6	7	10	-3	-10	12	-1	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	-100	-20	1.7
L10+100W 10+600N	10900	46	8	63	18	-5	9	4.4	-1	-1	0.06	-0.05	-1	2.1	0.8	6	-3	-3	-10	7	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	1.8
L10+100W 10+625N	7420	100	70	74	10	-5	7	2.7	-1	-1	0.01	-0.05	-1	3.0	1.4	36	78	96	-10	3	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	4.2
L10+100W 10+650N	11700	63	15	76	11	-5	71	7.8	-1	-1	0.06	-0.05	-1	5.6	2.8	4	26	28	-10	7	1	-0.5	0.2	1.6	-0.1	-0.8	0.1	-0.8	-100	-20	-0.5
L10+100W 10+675N	13000	88	20	89	10	-5	33	4.9	-1	-1	0.05	-0.05	-1	3.7	1.8	7	43	5	-10	3	-1	-0.5	-0.2	1.2	-0.1	-0.8	0.2	-0.8	173	-20	-0.5
L10+100W 10+700N	8460	50	21	82	14	-5	13	6.8	-1	-1	0.02	-0.05	-1	3.0	0.7	8	29	51	-10	5	-1	-0.5	-0.2	0.7	-0.1	-0.8	0.1	-0.8	113	-20	8.3
L10+100W 10+725N	17500	54	18	91	14	-5	49	6.1	-1	-1	0.05	-0.05	-1	3.6	2.7	4	33	79	-10	5	-1	-0.5	-0.2	2.6	-0.1	-0.8	0.2	-0.8	-100	-20	-0.5
L10+100W 10+750N	13200	82	11	291	48	9	131	22.8	-1	1	0.02	0.24	-1	10.1	3.5	37	198	247	240	25	11	0.9	-0.2	5.9	-0.1	1.2	0.6	-0.8	1040	-20	23.0
L10+100W 10+775N	9130	87	12	154	42	-5	37	11.5	-1	-1	0.02	0.29	-1	7.0	1.1	44	130	216	178	21	3	0.6	-0.2	8.6	-0.1	-0.8	0.4	-0.8	316	-20	49.1
L10+100W 10+800N	10700	79	17	248	36	-5	135	21.9	-1	2	-0.01	0.24	-1	7.9	3.5	28	172	256	161	17	7	0.5	-0.2	4.9	-0.1	0.8	0.4	-0.8	991	-20	24.1
L10+200W 9+525N	17800	88	9	160	17	7	8	10.2	-1	-1	0.02	-0.05	-1	5.2	2.9	22	139	138	-10	3	1	0.6	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	173	-20	34.6
L10+200W 9+550N	16700	135	18	161	13	-5	43	8.2	-1	-1	-0.01	-0.05	-1	5.4	1.9	31	104	119	-10	4	-1	0.7	-0.2	0.8	-0.1	-0.8	0.2	-0.8	212	-20	35.0
L10+200W 9+575N	15300	137	46	144	9	-5	13	4.3	-1	-1	-0.01	-0.05	-1	10.6	3.8	12	108	101	-10	-1	3	0.7	-0.2	0.8	-0.1	-0.8	0.1	-0.8	710	-20	59.5
L10+200W 9+600N	20800	109	34	128	10	-5	21	2.4	-1	-1	-0.01	-0.05	-1	11.5	1.3	42	67	56	-10	-1	2	0.7	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	686	-20	79.0
L10+200W 9+625N	17400	127	21	143	11	5	12	6.6	-1	-1	-0.01	-0.05	-1	10.0	1.0	29	78	81	-10	1	2	0.6	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	390	-20	42.0
L10+200W 9+650N	18400	80	8	64	15	-5	13	4.1	-1	-1	0.02	-0.05	-1	3.2	1.9	7	37	60	-10	-1	-1	0.6	-0.2	0.7	-0.1	-0.8	0.2	-0.8	-100	-20	20.1
L10+200W 9+675N	12800	75	19	139	9	6	98	4.8	-1	-1	-0.01	-0.05	-1	2.3	3.0	19	41	23	-10	-1	1	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	240	-20	21.8
L10+200W 9+700N	14600	58	24	76	13	-5	3	2.4	-1	-1	-0.01	-0.05	-1	9.2	3.8	38	37	90	-10	-1	2	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	383	-20	42.0
L10+200W 9+725N	17800	42	19	111	11	-5	2	2.4	-1	-1	-0.01	-0.05	-1	5.5	1.3	45	32	60	-10	3	3	0.5	-0.2	1.2	-0.1	-0.8	0.1	-0.8	775	-20	10.5
L10+200W 9+750N	17300	49	13	78	16	-5	2	2.4	-1	-1	-0.01	-0.05	-1	4.8	1.8	28	14	47	24	-1	2	0.6	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	263	-20	53.5
L10+200W 9+775N	15800	81	10	163	15	6	15	3.6	-1	-1	-0.01	-0.05	-1	1.6	0.6	14	4	13	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	160	-20	8.6
L10+200W 9+825N	20700	105	24	155	15	-5	19	8.0	-1	-1	0.11	-0.05	-1	6.1	1.3	26	91	97	-10	2	1	0.5	-0.2	1.4	-0.1	-0.8	0.2	-0.8	226	-20	24.1
L10+200W 9+850N	15400	113	12	76	15	-5	21	4.4	-1	-1	0.06	-0.05	-1	2.8	1.1	23	50	69	-10	2	-1	-0.5	-0.2	0.8	-0.1	-0.8	0.2	-0.8	157	-20	16.2
L10+200W 9+925N	16500	93	38	168	21	5	76	9.5	-1	-1	-0.01	-0.05	-1	18.7	3.7	119	125	142	61	5	4	1.0	-0.2	2.6	-0.1	-0.8	0.2	-0.8	725	-20	96.8
L10+200W 9+950N	24700	111	24	122	67	-5	10	5.1	-1	-1	-0.01	-0.05	-1	7.2	1.4	44	104	112	-10	-1	2	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	310	-20	62.2
L10+200W 10+000N	20300	107	22	103	18	-5	8	2.0	-1	-1	-0.01	-0.05	-1	6.4	1.7	30	43	87	-10	-1	1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	531	-20	20.1
L10+200W 10+025N	17800	112	61	265	27	6	47	21.0	-1	1	-0.01	0.16	-1	7.7	1.9	24	168	249	-10	6	7	1.0	-0.2	1.0	-0.1	-0.8	0.3	-0.8	1520	-20	42.6
L10+200W 10+050N	4850	87	23	198	21	6	24	10.2	-1	1	-0.01	-0.05	-1	3.0	2.1	24	49	48	-10	4	7	0.7	-0.2	1.2	-0.1	-0.8	0.3	-0.8	1110	-20	11.8
L10+200W 10+075N	16300	93	18	157	22	7	25	11.3	-1	2	-0.01	0.25	-1	5.0	2.5	33	113	76	-10	3	5	0.8	-0.2	0.6	-0.1	2.0	0.3	-0.8	998	-20	21.3
L10+200W 10+100N	14200	86	25	165	21	-5	10	5.6	-1	-1	-0.01	0.08	-1	3.0	0.9	19	50	52	-10	6	3	0.6	-0.2	0.7	-0.1	-0.8	0.1	-0.8	416	-20	36.5
L10+200W 10+125N	14700	114	22	138	23	-5	34	4.8	-1	-1	-0.01	-0.05	-1	3.6	1.1	23	55	28	46	3	2	0.6	-0.2	2.0	-0.1	-0.8	0.2	-0.8	307	-20	34.1
L10+200W 10+150N	7980	45	-2	63	21	-5	7	2.8	-1	-1	-0.01	0.22	-1	3.0	0.7	15	67	57	-10	-1	1	-0.5	-0.2	1.7	-0.1	-0.8	0.3	-0.8	187	-20	12.5
L10+200W 10+175N	13500	80	9	205	14	5	8	5.3	-1	-1	-0.01	-0.05	-1	1.4	0.6	8	15	31	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	235	-20	15.9
L10+200W 10+200N	15500	81	24	111	19	5	12	8.3	-1	-1	-0.01	0.13	-1	2.4	0.6	17	47	73	-10	-1	1	-0.5	-0.2	0.7	-0.1	-0.8	0.1	-0.8	196	-20	20.7
L10+200W 10+250N	8500	96	37	189	10	-5	67	14.1	-1	1	-0.01	-0.05	-1	1.7	3.6	18	26	74	-10	-1	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	155	-20	13.1
L10+200W 10+300N	18800	89	24	122	18	-5	24	1.4	-1	-1	-0.01	-0.05	-1	5.0	1.0	66	52	199	-10	-1	1	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	220	-20	13.5
L10+200W 10+325N	11100	74	15	74	12	-5	6	1.1	-1	-1	-0.01	-0.05	-1	4.7	1.4	63	16	68	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	318	-20	7.2
L10+200W 10+350N	11800	66	14	129	11	-5	37	1.4	-1	-1	-0.01	-0.05	-1	2.3	0.8	58	35	158	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	413	-20	7.8
L10+200W 10+400N	3140	41	3	71	10	-5	5	0.8	-1	-1	-0.01	-0.05	-1	2.0	0.6	46	9	62	-10	1	2	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	323	-20	5.9
L10+200W 10+425N	3870	205	94	155	29	-5	16	3.2	-1	-1	-0.01	-0.05	-1	11.6	2.1	121	119	246	-10	-1	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	294	-20	24.9
L10+200W 10+450N	10800	323	135	138	20	23	75	21.5	-1	1	0.04	-0.05	-1	10.1	11.4	23	103	139	-10	-1	1	-0.5	0.3	1.3	-0.1	-0.8	0.1	-0.8	187	-20	17.7
L10+200W 10+475N	9960	103	51	195	11	5	211	3.1	-1	1	-0.01	-0.05	-1	2.2	1.0	72	144	295	-10	2	2	-0.5	-0.2	1.6	-0.1	-0.8	0.1	-0.8	202	-20	13.4
L10+200W 10+500N	2080	59	38	139	27	5	27	2.6	-1	-1	-0.01	-0.05	-1	1.2	0.8	54	45	174	-10	4	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	362	-20	6.1
L10+200W 10+525N	-2000	38	21	141	25	-5	19	2.2	-1	-1	-0.01	-0.05	-1	2.4	1.4	37	36	93	-10	1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	181	-20	11.2
L10+200W 10+550N	-2000	58	27	111	49	-5	16	4.5	-1	-1	-0.01	-0.05	-1	4.2	1.9	40	36	73	-10	3	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	129	-20	15.6
L10+200W 10+575N	5480	144	38	108	18	7	12	4.7	-1	-1	-0.01	-0.05	-1	6.3	3.5	56	40	84	-10	-1	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	178	-20	15.8

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Sui*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L10+200W 10+600N	8210	96	-2	117	25	-5	79	12.1	-1	-1	0.04	-0.05	-1	2.1	1.2	20	56	61	-10	2	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	372	-20	17.1
L10+200W 10+625N	3390	135	20	133	19	9	95	9.9	-1	1	0.06	-0.05	-1	3.9	3.2	15	51	51	-10	-1	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	-100	-20	8.5
L10+200W 10+650N	10500	172	28	51	22	-5	1	1.3	-1	-1	-0.01	-0.05	-1	16.7	4.2	60	34	183	-10	6	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	698	-20	24.5
L10+200W 10+675N	16400	71	23	194	32	-5	38	10.5	-1	-1	-0.01	-0.05	-1	4.7	1.2	22	38	37	18	7	1	-0.5	-0.2	2.8	-0.1	-0.8	-0.1	-0.8	269	-20	24.0
L10+200W 10+700N	6620	62	-2	111	35	-5	30	6.1	-1	-1	-0.01	0.19	-1	5.0	1.2	80	115	37	10	12	-1	-0.5	-0.2	3.6	-0.1	-0.8	0.2	-0.8	106	-20	37.2
L10+200W 10+725N	-2000	58	3	118	27	-5	52	6.0	-1	-1	-0.01	-0.05	-1	3.3	2.6	42	84	65	-10	5	1	-0.5	-0.2	4.0	-0.1	-0.8	0.2	-0.8	141	-20	17.9
L10+200W 10+750N	2560	69	25	112	34	-5	20	9.4	-1	-1	-0.01	-0.05	-1	2.6	0.5	27	77	84	-10	3	-1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	-100	-20	42.0
L10+200W 10+775N	20800	125	44	105	23	-5	44	14.4	-1	-1	-0.01	0.58	2	2.7	1.4	23	83	148	-10	3	2	-0.5	-0.2	1.5	-0.1	-0.8	0.2	2.2	-100	-20	18.3
L10+300W 9+400N	43100	66	25	71	10	-5	92	8.0	-1	-1	-0.01	-0.05	-1	2.5	1.8	47	70	88	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	1.4	-100	-20	24.2
L10+300W 9+425N	19100	53	24	36	10	-5	20	2.7	-1	-1	-0.01	-0.05	-1	2.1	1.3	10	15	47	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	-100	-20	10.3
L10+300W 9+450N	23000	45	17	44	12	-5	23	2.6	-1	-1	-0.01	-0.05	-1	2.2	2.2	10	26	63	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	-100	-20	16.7
L10+300W 9+475N	15000	47	15	48	13	-5	10	3.7	-1	-1	-0.01	-0.05	-1	3.0	2.5	4	31	82	-10	-1	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	22.2
L10+300W 9+500N	19900	54	22	38	10	-5	15	4.1	-1	-1	-0.01	-0.05	-1	2.9	2.9	16	37	82	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	20.4
L10+300W 9+525N	32600	54	33	51	12	-5	51	6.1	-1	-1	0.03	-0.05	-1	3.6	2.2	72	58	106	-10	2	-1	0.7	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	-100	-20	27.1
L10+300W 9+550N	27500	52	31	78	14	-5	39	4.1	-1	-1	0.01	-0.05	-1	2.7	1.0	28	33	57	-10	2	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	17.9
L10+300W 9+575N	20800	70	29	51	13	-5	30	4.3	-1	-1	-0.01	-0.05	-1	4.0	2.0	36	25	66	-10	2	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	-100	-20	21.2
L10+300W 9+625N	13400	37	11	78	14	-5	28	3.9	-1	-1	-0.01	-0.05	-1	1.9	1.1	21	41	71	-10	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	16.4
L10+300W 9+650N	19000	65	29	61	11	-5	21	5.0	-1	-1	-0.01	-0.05	-1	2.8	2.2	30	77	96	-10	1	1	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	-100	-20	29.0
L10+300W 9+675N	22400	97	49	67	12	-5	17	2.3	-1	-1	-0.01	-0.05	-1	11.9	3.5	45	25	60	-10	-1	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	150	-20	20.5
L10+300W 9+700N	28400	108	36	134	14	6	17	6.6	-1	-1	-0.01	-0.05	-1	1.5	0.3	31	47	64	-10	-1	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	23.3
L10+300W 9+725N	32400	100	29	89	11	6	27	6.5	-1	-1	-0.01	0.06	-1	2.9	0.7	34	95	71	-10	-1	2	-0.5	-0.2	0.9	-0.1	-0.8	0.2	-0.8	237	-20	21.8
L10+300W 9+750N	28700	102	38	89	14	-5	25	4.3	-1	-1	-0.01	-0.05	-1	2.3	1.1	29	70	34	-10	-1	-1	0.6	-0.2	1.0	-0.1	-0.8	0.1	-0.8	-100	-20	44.7
L10+300W 9+775N	27500	88	27	117	18	-5	37	5.3	-1	-1	-0.01	-0.05	-1	2.7	0.6	24	46	40	-10	-1	1	-0.5	-0.2	1.4	-0.1	-0.8	0.1	-0.8	-100	-20	19.5
L10+300W 9+800N	25100	87	24	134	30	-5	8	3.5	-1	-1	-0.01	-0.05	-1	3.8	1.0	8	13	52	-10	1	-1	-0.5	-0.2	1.5	-0.1	-0.8	0.2	-0.8	-100	-20	15.2
L10+300W 9+825N	27800	50	120	67	9	6	47	10.7	-1	-1	-0.01	-0.05	-1	2.1	1.1	174	171	121	-10	-1	1	-0.5	-0.2	2.8	-0.1	-0.8	-0.1	-0.8	-100	-20	18.1
L10+300W 9+900N	15900	83	49	151	15	5	7	7.8	-1	-1	-0.01	-0.05	-1	5.6	0.4	26	62	75	-10	-1	2	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	143	-20	84.8
L10+300W 9+925N	27500	92	39	183	15	-5	25	6.0	-1	-1	-0.01	-0.05	-1	1.3	1.4	26	22	46	-10	-1	1	-0.5	-0.2	0.6	-0.1	2.0	-0.1	-0.8	134	-20	6.9
L10+300W 9+950N	12300	74	31	106	14	-5	-1	2.6	-1	-1	-0.01	-0.05	-1	5.0	2.2	14	3	34	-10	2	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	184	-20	9.4
L10+300W 10+000N	8370	129	34	111	15	7	33	6.2	-1	-1	-0.01	-0.05	-1	1.8	1.3	19	22	33	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	109	-20	16.0
L10+300W 10+025N	19000	45	38	161	22	8	23	4.8	-1	-1	-0.01	-0.05	-1	1.0	0.6	34	32	48	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	6.6
L10+300W 10+050N	14700	100	47	160	19	-5	9	9.4	-1	-1	-0.01	-0.05	-1	1.8	0.4	53	114	96	-10	30	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	117	-20	43.7
L10+300W 10+075N	13900	136	39	187	12	-5	20	11.8	-1	-1	-0.01	-0.05	-1	0.9	0.8	13	24	28	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	11.6
L10+300W 10+100N	14100	100	43	155	20	-5	13	8.0	-1	-1	-0.01	-0.05	-1	1.4	0.4	19	25	27	-10	-1	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	15.1
L10+300W 10+125N	15600	116	43	152	16	-5	25	8.4	-1	-1	-0.01	-0.05	-1	3.0	1.2	17	67	75	-10	-1	3	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	252	-20	20.8
L10+300W 10+200N	21000	93	29	63	12	-5	15	3.4	-1	-1	-0.01	-0.05	-1	2.8	3.3	21	55	56	-10	-1	-1	-0.5	-0.2	1.2	-0.1	-0.8	0.3	-0.8	-100	-20	14.4
L10+300W 10+350N	13100	60	46	74	31	-5	3	2.0	-1	-1	-0.01	-0.05	-1	9.7	2.2	93	43	66	-10	-1	1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	409	-20	8.8
L10+300W 10+375N	11400	48	26	66	11	-5	24	2.5	-1	-1	-0.01	-0.05	-1	1.9	0.8	35	21	50	-10	-1	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	5.7
L10+300W 10+400N	4520	51	26	66	16	-5	7	2.5	-1	-1	-0.01	-0.05	-1	1.8	1.0	41	16	37	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	105	-20	10.4
L10+300W 10+425N	3010	65	43	79	12	-5	13	1.8	-1	-1	-0.01	-0.05	-1	2.6	1.5	44	31	100	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	109	-20	9.3
L10+300W 10+450N	7120	171	82	91	19	11	39	3.0	-1	-1	-0.01	-0.05	-1	1.9	1.4	61	56	141	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	11.9
L10+300W 10+475N	5220	53	29	43	17	-5	8	1.1	-1	-1	-0.01	-0.05	-1	5.5	2.3	60	30	96	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	10.1
L10+300W 10+500N	10000	151	64	86	17	5	62	2.1	-1	1	-0.01	-0.05	-1	2.8	1.0	96	95	202	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	-100	-20	12.9
L10+300W 10+525N	9930	98	68	144	16	-5	48	3.4	-1	1	-0.01	-0.05	-1	3.3	1.3	99	131	209	-10	-1	1	-0.5	-0.2	10.9	-0.1	-0.8	-0.1	-0.8	161	-20	18.7
L10+300W 10+550N	12800	102	59	104	34	6	22	3.2	-1	-1	-0.01	-0.05	-1	4.2	0.7	53	57	188	-10	-1	-1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	127	-20	14.7
L10+300W 10+575N	5020	40	16	30	8	-5	-1	0.8	-1	-1	-0.01	-0.05	-1	9.6	1.7	22	8	48	-10	2	1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	146	-20	9.7
L10+300W 10+600N	7940	40	23	95	13	-5	22	1.2	-1	-1	-0.01	-0.05	-1	2.5	0.7	52	23	61	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	112	-20	4.3
L10+300W 10+625N	3410	51	25	85	13	5	47	1.2	-1	-1	-0.01	-0.05	-1	1.1	0.5	41	36	85	-10	-1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	121	-20	5.2
L10+300W 10+650N	2450	76	39	73	31	5	38	2.6	-1	-1	-0.01	-0.05	-1	5.4	1.7	89	43	122	-10	2	1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	290	-20	9.6
L10+300W 10+675N	-2000	31	19	46	11	-5	8	0.8	-1	-1	-0.01	-0.05	-1	5.1	1.1	51	12	50	-10	-1	-1	-0.5	-0.2	1.8	-0.1	-0.8	-0.1	-0.8	183	-20	2.8
L10+300W 10+700N	6350	37	18	67	20	-5	25	1.1	-1	-1	-0.01	-0.05	-1	3.8	1.1	40	28	79	-10	-1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	158	-20	6.8
L10+300W 10+725N	6140	61	27	67	26	-5	43	6.5	-1	-1	-0.01	-0.05	-1	1.1	1.1	24	16	31	-10	-1	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	4.6
L10+300W 10+750N	10300	100	39	82	37	6	11	9.4	-1	-1	0.02	-0.05	-1	5.0	1.1	13	34	86	-10	-1	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	112	-20	20.9
L10+400W 9+400N	13200	108	43	149	12	-5	28	6.2	-1	-1	-0.01	0.17	-1	5.2	0.7	52	132	77	-10	4	2	0.6	-0.2	1.5	-0.1	-0.8	0.1	-0.8	215	-20	47.3
L10+400W 9+425N	28100	106	35	120	12	-5	21	4.0	-1	-1	-0.01	-0.05	-1	6.3	1.0	52	82	61	-10	1	-1	0.6	-0.2	0.8	-0.1	-0.8	-0.1	3.2	106	-20	65.4
L10+400W 9+450N	29200	45	13	48	14	-5	19	2.2	-1	-1	-0.01	-0.05	1	2.1	1.0	23	13	28	-10	3	-1	-0.5	-0.2	0.7	-0.1	-0.8	0.1	1.6	111	-20	9.8
L10+400W 9+475N	36500	85	38	61	12	-5	29	6.0	-1	-1	-0.01	-0.05	-1	1.5	2.2	9	30	76	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	12.8
L10+400W 9+500N	29300	85	42	66	12	-5	37	4.8	-1	-1	-0.01	-0.05	-1	4.0	2.5	29	52	111	-10	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	29.0
L10+400W 9+525N	35300	113	65	130	27	-5	75	6.5	-1	1	-0.01	-0.05	1	22.2	2.8	166	129	91	1940	4	5	1.2	-0.2	17.8	-0.1	-0.8	0.3	-0.8	626	-20	86.1

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L10+400W 9+550N	37100	172	68	133	17	7	106	10.9	-1	-1	0.03	-0.05	-1	7.3	5.3	33	110	191	-10	3	1	0.5	-0.2	2.1	-0.1	-0.8	0.1	-0.8	233	-20	35.6
L10+400W 9+575N	49200	114	44	68	13	-5	46	8.0	-1	-1	0.04	-0.05	-1	3.0	3.6	20	56	110	-10	-1	-1	0.6	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	22.5
L10+400W 9+600N	37400	177	67	121	15	7	104	10.4	-1	-1	0.02	-0.05	-1	5.6	4.3	30	99	181	-10	-1	-1	-0.5	-0.2	1.8	-0.1	-0.8	-0.1	-0.8	217	-20	31.3
L10+400W 9+650N	25300	101	51	114	14	-5	33	4.2	-1	-1	-0.01	-0.05	-1	15.5	4.1	49	100	76	-10	5	3	0.7	-0.2	3.1	-0.1	-0.8	0.2	-0.8	485	-20	74.2
L10+400W 9+675N	26600	63	48	51	11	-5	65	4.4	-1	-1	0.02	-0.05	-1	1.8	1.2	12	43	73	-10	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	12.3
L10+400W 9+700N	43200	86	21	87	15	-5	25	5.4	-1	-1	-0.01	-0.05	-1	1.4	1.3	10	43	62	-10	-1	-1	-0.5	-0.2	1.8	-0.1	-0.8	0.1	-0.8	-100	-20	8.0
L10+400W 9+725N	31300	85	34	49	11	-5	57	4.4	-1	-1	-0.01	-0.05	-1	1.2	1.0	17	23	45	-10	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	-100	-20	10.2
L10+400W 9+750N	27100	61	21	49	14	-5	31	2.9	-1	-1	-0.01	-0.05	-1	0.9	1.1	7	18	39	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	7.9
L10+400W 9+775N	32100	79	26	73	17	-5	31	4.6	-1	-1	-0.01	-0.05	-1	2.9	3.0	14	44	73	-10	-1	-1	-0.5	-0.2	2.1	-0.1	-0.8	0.1	-0.8	122	-20	17.9
L10+400W 9+800N	43300	53	37	114	13	5	25	10.6	-1	-1	0.02	-0.05	-1	2.8	2.2	12	120	182	-10	-1	-1	-0.5	-0.2	2.7	-0.1	-0.8	0.1	-0.8	-100	-20	31.7
L10+400W 9+825N	32400	51	42	52	11	-5	26	4.9	-1	-1	0.02	-0.05	-1	2.7	2.2	32	87	98	-10	-1	-1	-0.5	-0.2	1.4	-0.1	-0.8	0.1	-0.8	-100	-20	24.2
L10+400W 9+875N	31800	122	44	130	8	-5	51	7.8	-1	-1	-0.01	-0.05	-1	1.6	1.4	11	7	14	-10	-1	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	107	-20	5.0
L10+400W 9+900N	27500	103	45	96	9	-5	12	3.4	-1	-1	-0.01	-0.05	-1	3.2	1.1	18	32	54	-10	-1	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	172	-20	17.0
L10+400W 9+925N	20600	80	53	158	11	-5	20	11.1	-1	-1	-0.01	-0.05	-1	1.4	0.6	12	11	37	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	142	-20	9.1
L10+400W 9+950N	26800	59	40	95	17	-5	5	5.5	-1	-1	-0.01	-0.05	-1	5.6	1.5	30	31	65	-10	-1	-1	-0.5	-0.2	3.1	-0.1	-0.8	-0.1	-0.8	294	-20	14.6
L10+400W 10+125N	26900	114	41	120	21	9	29	3.6	-1	-1	0.04	-0.05	-1	3.0	1.6	29	38	84	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	153	-20	22.2
L10+400W 10+150N	21700	72	25	102	15	-5	3	1.3	-1	-1	-0.01	-0.05	-1	3.6	1.1	24	17	75	-10	1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	278	-20	8.7
L10+400W 10+175N	30900	146	60	158	21	7	35	7.6	-1	-1	-0.01	-0.05	-1	4.1	1.1	49	101	133	-10	-1	2	0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	224	-20	29.3
L10+400W 10+200N	42500	250	66	181	31	10	44	8.5	-1	-1	0.03	-0.05	-1	2.3	1.0	31	57	90	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	103	-20	27.7
L10+400W 10+225N	23800	76	30	106	21	6	16	2.3	-1	-1	-0.01	-0.05	-1	2.1	0.8	41	29	59	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	114	-20	20.6
L10+400W 10+300N	29700	98	42	89	18	6	17	1.6	-1	-1	-0.01	-0.05	-1	5.4	1.1	45	39	95	-10	-1	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	197	-20	14.5
L10+400W 10+325N	28200	67	29	58	18	-5	-1	1.2	-1	-1	-0.01	-0.05	-1	13.1	2.5	27	15	46	-10	5	2	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	335	-20	16.2
L10+400W 10+350N	32400	298	123	69	11	7	34	5.6	-1	-1	0.02	-0.05	-1	5.6	4.0	41	119	122	-10	-1	-1	-0.5	-0.2	1.8	-0.1	-0.8	-0.1	-0.8	-100	-20	27.9
L10+400W 10+375N	25100	52	43	77	17	-5	15	1.9	-1	-1	-0.01	-0.05	-1	5.0	3.9	97	22	51	-10	-1	1	-0.5	-0.2	2.5	-0.1	-0.8	-0.1	-0.8	214	-20	9.0
L10+400W 10+400N	29700	74	70	96	12	6	2	4.5	-1	-1	-0.01	-0.05	-1	8.4	17.8	41	54	76	61	2	2	0.6	-0.2	2.4	-0.1	-0.8	-0.1	-0.8	462	-20	25.1
L10+400W 10+425N	24600	89	58	126	15	-5	28	1.8	-1	-1	-0.01	-0.05	-1	5.4	1.8	68	65	122	-10	-1	-1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	201	-20	14.2
L10+400W 10+450N	25300	84	40	101	12	-5	34	1.8	-1	-1	-0.01	-0.05	-1	5.6	1.8	69	37	112	-10	-1	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	227	-20	10.3
L10+400W 10+475N	21200	41	24	134	26	-5	22	1.1	-1	-1	-0.01	-0.05	-1	2.3	0.6	47	29	95	-10	-1	2	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	177	-20	5.4
L10+400W 10+500N	25600	110	55	95	23	-5	13	2.1	-1	-1	-0.01	-0.05	-1	8.2	2.1	64	30	113	-10	-1	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	18.5
L10+400W 10+525N	27200	106	58	113	20	-5	30	2.0	-1	1	-0.01	-0.05	-1	10.0	2.0	112	68	179	-10	-1	1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	260	-20	16.1
L10+400W 10+550N	22800	87	41	109	32	-5	4	2.6	-1	-1	-0.01	-0.05	-1	10.6	3.3	55	41	156	-10	-1	-1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	388	-20	16.7
L10+400W 10+575N	26600	92	40	121	20	-5	10	3.0	-1	-1	-0.01	-0.05	-1	10.6	4.0	51	30	125	-10	-1	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	141	-20	62.0
L10+400W 10+600N	21700	80	35	173	35	-5	36	2.3	-1	1	-0.01	-0.05	-1	9.4	1.6	80	45	126	-10	-1	-1	-0.5	-0.2	2.0	-0.1	-0.8	-0.1	-0.8	241	-20	14.5
L10+400W 10+625N	17700	71	42	118	17	-5	44	2.5	-1	1	-0.01	-0.05	-1	3.2	1.0	125	88	152	-10	1	-1	-0.5	-0.2	4.5	-0.1	-0.8	-0.1	-0.8	138	-20	7.6
L10+400W 10+650N	13700	37	17	64	11	-5	10	0.7	-1	-1	-0.01	-0.05	-1	5.5	1.5	48	25	57	-10	-1	1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	359	-20	5.9
L10+400W 10+675N	20700	68	44	93	25	5	27	2.1	-1	-1	-0.01	-0.05	-1	1.8	0.4	58	62	160	-10	-1	1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	-100	-20	9.6
L10+400W 10+700N	15900	33	10	44	18	-5	29	0.6	-1	-1	-0.01	-0.05	-1	3.7	0.8	30	17	83	-10	1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	8.3
L10+400W 10+725N	17400	40	28	69	18	-5	11	1.7	-1	-1	-0.01	-0.05	-1	5.1	1.6	88	62	106	-10	-1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	30.2
L10+500W 9+400N	24300	56	27	86	9	-5	13	1.3	-1	-1	-0.01	-0.05	-1	6.5	2.0	45	21	46	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	146	-20	10.0
L10+500W 9+425N	31700	80	43	46	11	-5	38	4.2	-1	-1	-0.01	-0.05	-1	4.3	1.8	26	58	54	-10	-1	-1	0.8	-0.2	1.0	-0.1	-0.8	0.1	-0.8	-100	-20	25.4
L10+500W 9+550N	23500	81	36	80	8	-5	14	2.0	-1	-1	-0.01	-0.05	-1	13.7	2.2	10	23	43	-10	-1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	209	-20	31.4
L10+500W 9+575N	42900	112	30	79	14	6	10	4.6	-1	-1	-0.01	-0.05	1	2.9	1.3	15	42	74	-10	-1	-1	0.6	-0.2	1.1	-0.1	-0.8	0.1	3.5	-100	-20	15.8
L10+500W 9+600N	39600	67	28	158	14	-5	43	7.5	-1	-1	-0.01	-0.05	1	2.2	1.5	26	51	72	-10	-1	-1	0.6	-0.2	1.6	-0.1	-0.8	0.1	1.4	-100	-20	12.1
L10+500W 9+725N	27600	78	24	54	12	-5	39	4.2	-1	-1	-0.01	-0.05	-1	1.3	1.0	20	46	52	-10	-1	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	11.2
L10+500W 9+775N	25700	55	31	57	11	-5	10	4.8	-1	-1	-0.01	-0.05	-1	1.8	1.1	30	41	50	-10	-1	-1	-0.5	-0.2	1.6	-0.1	-0.8	0.1	-0.8	-100	-20	12.6
L10+500W 9+800N	29500	33	21	188	15	-5	22	8.8	-1	-1	-0.01	-0.05	-1	2.2	2.9	32	96	132	-10	-1	-1	-0.5	-0.2	2.5	-0.1	-0.8	-0.1	-0.8	-100	-20	20.8
L10+500W 9+850N	26800	82	19	131	25	-5	6	4.4	-1	-1	-0.01	-0.05	-1	5.1	1.3	13	30	51	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	36.0
L10+500W 9+875N	24800	106	64	141	399	-5	8	6.3	-1	-1	-0.01	-0.05	-1	2.6	0.7	34	50	50	-10	-1	2	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	104	-20	41.5
L10+500W 9+900N	30200	88	38	118	11	-5	8	4.7	-1	-1	-0.01	-0.05	-1	3.0	2.3	21	20	21	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	157	-20	25.9
L10+500W 9+925N	22900	73	32	67	12	-5	-1	1.9	-1	-1	-0.01	-0.05	-1	11.1	10.4	32	20	50	-10	3	2	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	487	-20	20.9
L10+500W 9+950N	32200	63	20	77	26	-5	11	6.9	-1	-1	-0.01	-0.05	-1	2.9	1.3	14	43	63	-10	-1	-1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	-100	-20	17.1
L10+500W 10+000N	82600	837	137	102	28	16	12	7.1	-1	-1	0.05	-0.05	-1	15.6	7.4	32	102	182	-10	-1	2	-0.5	-0.2	1.1	-0.1	-0.8	0.1	-0.8	389	-20	63.8
L10+500W 10+025N	89100	204	54	129	28	14	72	22.3	-1	-1	-0.01	-0.05	-1	4.8	9.7	22	66	82	-10	-1	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	19.6
L10+500W 10+050N	63300	128	47	90	24	5	21	11.5	-1	-1	-0.01	-0.05	-1	2.3	0.7	29	64	128	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	34.4
L10+500W 10+075N	27100	69	14	72	14	-5	9	3.0	3	-1	-0.01	-0.05	-1	2.2	1.0	6	-3	33	-10	-1	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	5.3	103	-20	6.6
L10+500W 10+100N	43000	64	17	78	17	-5	31	1.3	-1	2	0.02	-0.05	-1	1.2	0.5	17	22	52	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	138	-20	4.8
L10+500W 10+125N	23700	123	69	82	22	9	9	4.3	-1	-1	-0.01	-0.05	-1	4.3	2.1	38	80	129	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	15.2
L10+500W 10+150N	22000	85	27	74	17	-5	14	1.4	-1	-1	-0.01	-0.05	-1	2.1	0.7	20	10	57	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	115	-20	4.4

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*							*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L10+500W 10+175N	25700	104	29	58	19	-5	7	1.8	-1	-1	-0.01	-0.05	-1	3.9	1.5	32	33	77	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	11.9
L10+500W 10+200N	22700	59	26	113	16	-5	17	1.8	-1	-1	-0.01	-0.05	-1	1.9	0.7	23	26	77	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	6.3
L10+500W 10+225N	26000	65	22	88	19	-5	15	2.6	-1	-1	-0.01	-0.05	-1	2.8	1.2	29	24	54	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	149	-20	4.8
L10+500W 10+250N	27300	62	25	104	21	-5	17	2.5	-1	-1	-0.01	-0.05	-1	3.1	0.9	41	31	76	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	152	-20	6.4
L10+500W 10+300N	27800	64	27	85	15	-5	10	2.7	-1	-1	-0.01	-0.05	-1	2.6	1.4	30	27	42	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	10.1
L10+500W 10+350N	21400	48	29	47	20	7	3	3.4	-1	-1	-0.01	-0.05	-1	5.0	1.2	62	125	113	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	50.6
L10+500W 10+375N	23300	272	101	90	46	9	14	5.7	-1	-1	-0.01	-0.05	-1	6.8	0.9	35	83	157	-10	1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	28.5
L10+500W 10+400N	23800	93	56	106	24	5	3	4.7	-1	-1	-0.01	-0.05	-1	1.9	1.1	23	30	66	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	9.5
L10+500W 10+425N	18200	79	25	63	19	6	5	1.5	-1	-1	-0.01	-0.05	-1	7.1	1.6	44	47	74	110	2	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	163	-20	16.0
L10+500W 10+450N	25800	80	48	84	14	6	9	3.8	-1	-1	-0.01	-0.05	-1	3.2	1.7	21	70	62	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	19.1
L10+500W 10+475N	23400	234	54	64	33	9	15	10.2	-1	-1	0.07	-0.05	-1	9.8	4.5	26	84	121	-10	-1	1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	158	-20	31.4
L10+500W 10+500N	22500	84	35	59	21	-5	4	2.6	-1	-1	-0.01	-0.05	-1	7.0	1.8	33	47	76	-10	-1	-1	-0.5	-0.2	1.5	-0.1	-0.8	-0.1	-0.8	-100	-20	36.5
L10+500W 10+525N	13600	45	16	59	10	-5	15	2.1	-1	-1	-0.01	-0.05	-1	1.7	0.9	37	17	50	-10	-1	-1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	-100	-20	4.9
L10+500W 10+550N	15500	45	34	64	14	-5	28	2.7	-1	-1	-0.01	-0.05	-1	3.9	3.0	76	79	106	-10	-1	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	-100	-20	17.5
L10+500W 10+575N	16700	48	37	47	12	-5	6	1.4	-1	-1	-0.01	-0.05	-1	1.5	1.3	26	19	51	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	11.3
L10+500W 10+600N	19100	59	43	48	30	-5	-1	1.4	-1	-1	-0.01	-0.05	-1	7.1	2.1	104	58	110	-10	2	1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	132	-20	36.0
L10+500W 10+625N	20400	93	40	100	30	7	9	1.7	-1	-1	-0.01	-0.05	-1	4.8	0.6	95	69	207	-10	-1	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	104	-20	15.8
L10+500W 10+650N	18700	50	33	61	27	-5	8	1.1	-1	-1	-0.01	-0.05	-1	11.1	1.7	67	68	168	-10	2	-1	-0.5	-0.2	2.3	-0.1	-0.8	-0.1	-0.8	172	-20	16.7
L10+500W 10+675N	18000	26	17	69	14	-5	11	1.1	-1	-1	-0.01	-0.05	-1	3.8	2.2	60	31	70	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	101	-20	13.1
L10+500W 10+700N	15600	30	21	54	22	-5	6	1.8	-1	-1	-0.01	-0.05	-1	7.8	2.2	69	45	119	-10	1	2	-0.5	-0.2	4.5	-0.1	-0.8	-0.1	-0.8	141	-20	7.8
L10+600W 9+400N	22800	116	52	77	7	-5	27	4.5	-1	-1	-0.01	0.22	-1	4.9	2.5	32	109	134	-10	-1	2	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	170	-20	34.5
L10+600W 9+425N	24400	89	20	80	21	-5	19	4.9	-1	-1	-0.01	-0.05	-1	7.2	3.3	41	88	132	-10	3	-1	-0.5	-0.2	3.1	-0.1	-0.8	0.2	-0.8	-100	-20	60.0
L10+600W 9+450N	17400	85	28	65	14	-5	13	1.7	-1	-1	-0.01	-0.05	-1	20.6	2.2	41	54	28	-10	3	3	0.7	-0.2	1.5	-0.1	-0.8	0.1	-0.8	263	-20	71.6
L10+600W 9+475N	18400	87	21	83	9	-5	30	4.4	-1	-1	-0.01	0.62	-1	5.3	0.7	48	195	77	-10	4	2	-0.5	-0.2	2.6	-0.1	-0.8	0.2	-0.8	134	-20	43.6
L10+600W 9+500N	21700	109	36	55	15	-5	11	2.2	-1	-1	-0.01	-0.05	-1	4.4	0.3	14	39	21	-10	-1	2	0.6	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	64.8
L10+600W 9+525N	24200	72	21	47	9	-5	49	2.5	-1	-1	-0.01	-0.05	-1	2.8	0.8	27	56	24	-10	-1	-1	-0.5	-0.2	2.1	-0.1	-0.8	0.1	-0.8	-100	-20	18.5
L10+600W 9+550N	20700	125	26	77	8	-5	18	1.9	-1	-1	-0.01	-0.05	-1	5.1	0.6	47	42	22	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	44.8
L10+600W 9+575N	19700	52	6	87	7	-5	16	6.1	-1	-1	-0.01	-0.05	-1	2.7	0.7	35	72	90	-10	6	-1	-0.5	-0.2	2.6	-0.1	-0.8	-0.1	-0.8	154	-20	29.3
L10+600W 9+600N	28300	38	3	44	12	-5	17	3.8	-1	-1	-0.01	-0.05	-1	1.8	0.9	11	40	59	-10	-1	-1	0.7	-0.2	0.9	-0.1	-0.8	0.1	-0.8	-100	-20	21.4
L10+600W 9+625N	27100	72	18	41	13	-5	21	2.9	-1	-1	-0.01	0.16	-1	1.4	0.3	29	86	42	-10	-1	-1	-0.5	-0.2	1.8	-0.1	-0.8	0.3	1.9	-100	-20	14.9
L10+600W 9+650N	22400	94	10	43	12	-5	12	3.3	-1	-1	-0.01	-0.05	-1	1.0	0.3	34	52	33	-10	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	0.1	1.1	-100	-20	19.8
L10+600W 9+675N	30400	91	14	30	14	-5	10	2.1	-1	-1	0.02	-0.05	-1	0.5	0.6	9	15	32	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	9.6
L10+600W 9+700N	35000	37	4	43	11	-5	15	3.4	-1	-1	-0.01	-0.05	-1	2.0	1.2	12	40	60	-10	-1	-1	0.6	-0.2	1.0	-0.1	-0.8	0.1	-0.8	-100	-20	23.1
L10+600W 9+800N	27300	129	43	116	15	-5	7	6.7	-1	-1	-0.01	-0.05	-1	2.4	1.0	18	27	60	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	116	-20	39.9
L10+600W 9+825N	29800	204	25	34	12	-5	1	0.9	-1	-1	-0.01	-0.05	-1	9.9	1.3	23	19	92	-10	-1	-1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	219	-20	19.0
L10+600W 9+850N	30100	68	19	59	15	-5	3	0.9	-1	-1	-0.01	-0.05	-1	3.4	0.7	22	8	69	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	167	-20	6.5
L10+600W 9+875N	29300	140	40	122	30	6	27	9.3	-1	-1	-0.01	-0.05	-1	1.9	1.2	15	57	72	33	-1	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	-100	-20	24.0
L10+600W 9+900N	40300	164	27	122	18	8	39	7.9	-1	-1	-0.01	-0.05	-1	1.4	0.9	31	25	31	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	16.7
L10+600W 9+950N	23000	128	41	123	20	8	10	4.6	-1	-1	-0.01	-0.05	-1	1.1	0.8	19	27	85	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	16.3
L10+600W 9+975N	24000	72	24	61	13	-5	4	1.9	-1	-1	-0.01	-0.05	-1	1.9	0.5	32	32	61	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	11.0
L10+600W 10+000N	24900	139	33	46	19	-5	6	1.7	-1	-1	-0.01	-0.05	-1	11.8	1.6	55	51	174	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	103	-20	22.4
L10+600W 10+025N	26300	144	43	52	13	5	3	2.7	-1	-1	-0.01	-0.05	-1	7.6	2.1	28	42	107	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	30.7
L10+600W 10+050N	27400	97	40	68	23	7	11	3.5	-1	-1	-0.01	-0.05	-1	3.3	1.1	31	44	110	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	32.8
L10+600W 10+075N	24700	71	23	75	26	-5	24	1.2	-1	-1	-0.01	-0.05	-1	2.4	0.6	35	66	139	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	7.2
L10+600W 10+100N	21200	73	26	73	22	-5	19	1.5	-1	-1	-0.01	-0.05	-1	1.6	0.5	34	33	98	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	6.6
L10+600W 10+125N	20500	26	8	56	14	-5	2	0.7	-1	-1	-0.01	-0.05	-1	1.7	0.4	14	8	41	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	173	-20	2.7
L10+600W 10+150N	22800	35	21	66	22	-5	7	1.5	-1	-1	-0.01	-0.05	-1	3.7	1.1	22	30	72	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	11.3
L10+600W 10+175N	29400	173	61	167	14	5	46	14.1	-1	-1	-0.01	-0.05	-1	1.2	1.1	18	39	49	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	18.0
L10+600W 10+200N	22900	176	35	97	15	6	97	18.8	-1	1	-0.01	-0.05	-1	2.2	2.8	26	96	87	-10	-1	2	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	129	-20	14.4
L10+600W 10+225N	26100	87	14	77	25	-5	38	3.9	-1	-1	-0.01	-0.05	-1	2.6	0.6	38	11	13	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	18.4
L10+600W 10+250N	27100	95	32	80	20	8	9	4.3	-1	-1	-0.01	-0.05	-1	2.9	2.7	31	50	105	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	22.8
L10+600W 10+275N	23700	98	30	105	17	9	13	3.7	-1	-1	-0.01	-0.05	-1	1.7	3.2	18	16	33	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	7.7
L10+600W 10+300N	26900	176	38	160	25	9	27	13.3	-1	-1	0.02	-0.05	-1	2.4	1.7	19	56	70	-10	-1	-1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	-100	-20	31.2
L10+600W 10+325N	23100	203	48	157	17	8	13	5.9	-1	-1	-0.01	-0.05	-1	8.2	3.4	15	37	47	-10	-1	4	0.6	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	519	-20	58.7
L10+600W 10+350N	26400	70	21	66	17	8	10	2.2	-1	-1	0.02	-0.05	-1	1.7	1.6	18	27	56	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	10.3
L10+600W 10+375N	19600	46	11	45	10	-5	-1	1.2	-1	-1	-0.01	-0.05	-1	4.8	1.1	14	10	31	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	125	-20	6.0
L10+600W 10+400N	17000	20	-2	40	5	-5	-1	0.4	-1	-1	-0.01	-0.05	-1	1.7	0.8	2	-3	19	-10	-1	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	214	-20	2.3
L10+600W 10+425N	22500	27	4	48	6	-5	-1	0.2	-1	-1	-0.01	-0.05	-1	1.1	0.5	4	-3	12	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	114	-20	1.6

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L10+600W 10+450N	22500	115	36	115	23	-5	8	10.0	-1	-1	-0.01	-0.05	-1	1.6	0.5	22	48	56	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	19.9
L10+600W 10+475N	22500	37	10	53	15	-5	3	0.9	-1	-1	-0.01	-0.05	-1	2.1	0.5	14	-3	21	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	3.4
L10+600W 10+500N	20000	64	16	37	14	-5	-1	0.9	-1	-1	-0.01	-0.05	-1	4.8	1.2	12	12	36	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	101	-20	7.5
L10+600W 10+525N	30500	165	55	49	36	6	-1	3.2	-1	-1	-0.01	-0.05	-1	4.1	0.9	24	54	107	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	53.2
L10+600W 10+575N	13600	71	36	46	9	-5	3	2.5	-1	-1	-0.01	-0.05	-1	1.5	0.3	22	46	55	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	33.3
L10+600W 10+600N	19300	43	38	41	46	-5	-1	1.8	-1	-1	-0.01	-0.05	-1	17.9	3.1	51	32	81	-10	-1	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	166	-20	32.5
L10+600W 10+625N	17500	34	18	47	24	-5	-1	0.9	-1	-1	-0.01	-0.05	-1	5.6	1.3	38	11	51	-10	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	149	-20	6.2
L10+600W 10+650N	14500	26	10	40	13	-5	4	0.6	-1	-1	-0.01	-0.05	-1	2.7	0.8	17	-3	57	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	101	-20	5.6
L10+700W 9+425N	21300	73	19	38	14	-5	12	2.7	-1	-1	-0.01	-0.05	-1	4.8	0.3	16	20	13	-10	2	1	0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	45.0
L10+700W 9+450N	21000	74	24	44	9	-5	6	1.2	-1	-1	-0.01	-0.05	-1	6.4	0.5	14	22	12	-10	-1	1	0.6	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	61.3
L10+700W 9+475N	27800	89	25	53	8	-5	9	2.4	-1	-1	-0.01	-0.05	-1	4.1	0.2	40	76	26	-10	-1	1	0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	86.8
L10+700W 9+500N	24500	75	20	48	10	-5	16	2.1	-1	-1	-0.01	-0.05	-1	3.3	0.2	66	53	12	-10	-1	-1	-0.5	-0.2	2.0	-0.1	-0.8	-0.1	-0.8	-100	-20	30.4
L10+700W 9+525N	27400	74	16	77	10	-5	9	3.6	-1	-1	-0.01	-0.05	-1	4.1	1.3	50	59	47	-10	1	-1	-0.5	-0.2	1.8	-0.1	-0.8	-0.1	-0.8	-100	-20	39.1
L10+700W 9+550N	27800	101	30	104	12	-5	12	4.1	-1	-1	-0.01	-0.05	-1	4.7	0.4	52	29	25	-10	3	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	24.1
L10+700W 9+575N	21900	83	16	68	9	-5	9	2.9	-1	-1	-0.01	-0.05	-1	2.2	0.3	45	126	61	-10	-1	-1	-0.5	-0.2	1.6	-0.1	-0.8	0.1	-0.8	101	-20	33.8
L10+700W 9+600N	33100	83	12	51	13	-5	12	2.3	-1	-1	-0.01	-0.05	-1	1.1	0.2	33	22	17	-10	-1	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	-100	-20	13.9
L10+700W 9+625N	21600	87	22	64	14	-5	10	3.9	-1	-1	-0.01	-0.05	-1	3.4	1.0	22	76	60	-10	5	-1	0.5	-0.2	1.5	-0.1	-0.8	0.1	-0.8	184	-20	35.8
L10+700W 9+650N	30700	94	19	49	14	-5	22	3.1	-1	-1	-0.01	-0.05	-1	1.9	0.3	28	44	46	-10	-1	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	2.1	-100	-20	20.9
L10+700W 9+700N	35800	170	42	76	14	8	20	7.3	-1	-1	-0.01	-0.05	-1	3.6	2.0	16	39	53	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	2.1	-100	-20	24.8
L10+700W 9+725N	33500	54	23	44	11	5	5	1.5	-1	-1	-0.01	-0.05	-1	2.0	0.7	18	20	42	-10	-1	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	12.8
L10+700W 9+750N	37700	119	44	79	13	8	25	2.6	-1	-1	-0.01	-0.05	-1	1.4	0.7	25	25	65	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	0.9	-100	-20	16.9
L10+700W 9+775N	29600	49	23	41	16	-5	2	0.6	-1	-1	-0.01	-0.05	-1	5.3	1.3	43	31	134	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	171	-20	10.9
L10+700W 9+800N	40600	82	27	80	17	5	15	1.6	-1	-1	-0.01	-0.05	-1	2.2	0.8	37	34	76	-10	-1	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	132	-20	23.7
L10+700W 9+850N	37100	196	48	69	18	-5	12	2.0	-1	-1	-0.01	-0.05	-1	7.5	1.8	33	60	125	-10	-1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	158	-20	32.8
L10+700W 9+875N	26600	63	21	66	12	-5	16	1.9	-1	-1	-0.01	-0.05	-1	0.9	0.5	17	13	35	121	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	4.8
L10+700W 9+900N	39600	161	33	92	16	6	45	5.7	-1	-1	-0.01	-0.05	-1	1.8	1.6	12	30	18	-10	-1	-1	-0.5	-0.2	2.2	-0.1	-0.8	-0.1	-0.8	-100	-20	10.9
L10+700W 9+925N	19100	64	12	26	9	-5	12	0.7	-1	-1	-0.01	-0.05	-1	2.4	0.8	38	16	81	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.7
L10+700W 9+950N	20700	51	12	24	9	-5	11	0.7	-1	-1	-0.01	-0.05	-1	2.5	0.8	38	21	81	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.6
L10+700W 9+975N	25400	31	8	32	11	-5	-1	0.4	-1	-1	-0.01	-0.05	-1	1.7	0.6	24	13	46	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	4.4
L10+700W 10+000N	24800	222	30	37	14	-5	14	1.1	-1	-1	-0.01	-0.05	-1	5.4	1.1	38	36	119	-10	-1	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	156	-20	9.2
L10+700W 10+025N	30400	95	33	51	15	-5	6	2.5	-1	-1	-0.01	-0.05	-1	2.8	0.9	24	39	73	-10	-1	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	29.6
L10+700W 10+050N	25700	52	21	47	16	-5	2	0.7	-1	-1	-0.01	-0.05	-1	3.1	0.6	33	40	106	-10	-1	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	8.3
L10+700W 10+075N	18500	26	12	41	10	-5	-1	1.0	-1	-1	-0.01	-0.05	-1	9.7	1.6	26	23	66	-10	-1	2	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	166	-20	9.4
L10+700W 10+100N	10300	72	22	62	16	-5	13	1.4	-1	-1	-0.01	-0.05	-1	4.1	0.8	46	33	86	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	10.0
L10+700W 10+125N	17300	64	46	115	29	7	20	5.9	-1	-1	-0.01	-0.05	-1	2.9	1.0	39	43	110	-10	-1	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	103	-20	21.9
L10+700W 10+150N	23700	57	16	42	16	-5	4	1.2	-1	-1	-0.01	-0.05	-1	2.3	0.7	24	15	44	-10	-1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	4.7
L10+700W 10+175N	34200	60	24	58	15	-5	7	1.7	-1	-1	-0.01	-0.05	-1	2.3	0.9	36	19	66	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	12.2
L10+700W 10+200N	17000	91	23	59	14	-5	8	1.8	-1	-1	-0.01	-0.05	-1	2.6	0.8	16	23	62	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	12.9
L10+700W 10+225N	34500	87	20	95	23	-5	8	3.1	-1	-1	-0.01	-0.05	-1	1.0	0.6	23	22	35	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	19.0
L10+700W 10+250N	20500	61	18	53	17	-5	3	2.0	-1	-1	-0.01	-0.05	-1	3.2	1.6	23	25	48	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	180	-20	13.3
L10+700W 10+275N	22100	114	22	61	16	6	36	13.2	-1	-1	-0.01	-0.05	-1	3.3	3.2	11	43	52	-10	-1	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	-100	-20	12.4
L10+700W 10+300N	41100	73	25	109	26	-5	1	3.2	-1	-1	-0.01	-0.05	-1	1.2	0.7	15	23	31	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	15.0
L10+700W 10+325N	10200	143	34	138	25	11	24	8.6	-1	-1	0.05	-0.05	-1	1.5	1.5	30	52	43	-10	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	20.3
L10+700W 10+350N	11000	77	27	109	30	7	7	4.0	-1	-1	-0.01	-0.05	-1	2.7	1.0	32	35	48	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	-100	-20	17.1
L10+700W 10+375N	12400	92	25	96	26	-5	25	7.1	-1	-1	-0.01	-0.05	-1	2.3	1.0	50	108	70	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	31.6
L10+700W 10+400N	11900	82	36	91	15	-5	5	4.8	-1	-1	-0.01	-0.05	-1	1.3	1.0	23	30	36	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	16.4
L10+700W 10+425N	14100	68	21	53	22	-5	11	5.1	-1	-1	-0.01	-0.05	-1	3.9	0.8	26	84	95	-10	-1	-1	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	-100	-20	23.6
L10+700W 10+450N	9000	77	14	67	16	-5	7	2.4	-1	-1	-0.01	-0.05	-1	3.1	1.0	32	24	40	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	25.6
L10+700W 10+475N	3190	84	23	62	13	-5	8	3.8	-1	-1	-0.01	-0.05	-1	2.2	0.5	36	80	54	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	46.8
L10+700W 10+500N	4010	116	16	78	29	6	11	8.7	-1	-1	-0.01	-0.05	-1	2.4	1.7	23	51	63	-10	2	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	22.0
L10+700W 10+525N	-2000	77	31	41	7	-5	3	1.6	-1	-1	-0.01	-0.05	-1	14.8	1.3	11	35	29	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	57.4
L10+800W 9+400N	-2000	67	16	40	12	-5	4	2.3	-1	-1	-0.01	-0.05	-1	10.7	0.8	34	38	26	-10	1	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	-100	-20	30.9
L10+800W 9+425N	80200	71	16	39	11	-5	4	2.2	-1	-1	-0.01	-0.05	-1	11.4	0.6	33	37	28	-10	2	1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	-100	-20	29.1
L10+800W 9+450N	44300	82	19	52	12	-5	8	1.3	-1	-1	-0.01	-0.05	-1	5.5	0.4	36	20	6	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	23.7
L10+800W 9+475N	46700	94	15	72	6	-5	9	3.8	-1	-1	-0.01	-0.05	-1	3.1	0.5	44	43	16	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	-100	-20	25.0
L10+800W 9+500N	44400	90	27	95	13	-5	6	2.8	-1	-1	-0.01	-0.05	-1	5.0	0.9	28	51	26	-10	2	2	-0.5	-0.2	1.4	-0.1	-0.8	0.2	-0.8	238	-20	43.0
L10+800W 9+525N	43000	55	53	71	7	-5	11	1.8	-1	-1	0.02	-0.05	-1	4.7	0.8	16	30	14	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	177	-20	23.3
L10+800W 9+550N	55000	52	124	62	7	-5	4	1.3	-1	-1	0.02	-0.05	-1	3.9	0.5	16	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	-100	-20	31.8

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package: *Oxidation Suit* | *Base Metals:* | *Base Metal - Chalcophile Associati* | *High-Field Strength*

Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L10+800W 9+575N	44300	57	65	58	7	-5	9	1.5	-1	-1	-0.01	-0.05	-1	2.6	0.5	15	42	8	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.2	-0.8	-100	-20	28.5
L10+800W 9+600N	40600	49	43	60	8	-5	3	1.9	-1	-1	-0.01	-0.05	-1	3.7	0.5	6	21	28	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.2	-0.8	-100	-20	25.0
L10+800W 9+675N	31400	79	59	51	10	-5	8	1.4	-1	-1	-0.01	-0.05	-1	4.7	1.4	14	27	100	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	-100	-20	30.4
L10+800W 9+700N	39900	61	70	43	12	-5	7	0.9	-1	-1	-0.01	-0.05	-1	5.6	1.2	44	-3	115	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	9.2
L10+800W 9+725N	44100	84	114	250	13	-5	8	2.5	-1	-1	-0.01	-0.05	-1	8.8	1.7	29	51	169	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	547	-20	21.7
L10+800W 9+750N	33900	103	70	76	16	7	32	1.6	-1	-1	0.01	-0.05	-1	3.2	1.1	21	35	171	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	27.7
L10+800W 9+800N	39200	86	80	88	16	6	15	1.9	-1	-1	-0.01	-0.05	-1	3.3	1.1	21	-3	90	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	163	-20	9.2
L10+800W 9+825N	38600	69	68	96	13	-5	14	3.7	-1	-1	-0.01	-0.05	-1	3.0	1.2	20	63	72	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	317	-20	20.3
L10+800W 9+850N	36800	60	24	107	12	-5	21	2.3	-1	-1	-0.01	-0.05	-1	2.0	1.1	28	-3	29	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	120	-20	6.7
L10+800W 9+875N	25700	67	24	92	9	-5	6	3.6	-1	-1	-0.01	-0.05	-1	1.1	0.5	9	-3	5	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	11.1
L10+800W 9+900N	23500	86	29	97	11	8	6	2.5	-1	-1	0.02	-0.05	-1	2.0	2.0	13	11	46	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	165	-20	13.0
L10+800W 9+925N	18300	48	60	94	13	6	5	1.6	-1	-1	-0.01	-0.05	-1	3.9	2.0	36	28	72	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	482	-20	13.5
L10+800W 9+950N	25000	49	15	68	14	-5	8	0.8	-1	-1	0.02	-0.05	-1	3.1	1.2	16	6	98	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	5.6
L10+800W 9+975N	29700	56	16	91	32	6	3	1.0	-1	-1	0.01	-0.05	-1	7.5	1.2	29	36	199	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	421	-20	9.4
L10+800W 10+000N	19300	50	20	48	8	6	6	1.6	-1	-1	-0.01	-0.05	-1	2.6	0.8	15	8	49	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	143	-20	4.8
L10+800W 10+025N	37700	69	43	61	9	-5	3	1.3	-1	-1	-0.01	-0.05	-1	5.4	1.7	20	-3	98	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	145	-20	8.4
L10+800W 10+050N	35400	49	25	65	16	8	12	1.0	-1	-1	-0.01	-0.05	-1	2.8	0.7	14	30	171	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	5.7
L10+800W 10+075N	80200	40	44	81	10	-5	14	1.1	-1	-1	-0.01	-0.05	-1	5.3	1.1	23	50	152	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	283	-20	15.7
L10+800W 10+100N	44300	40	44	83	9	6	15	1.5	-1	-1	-0.01	-0.05	-1	5.1	1.2	25	47	145	-10	-1	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	326	-20	15.2
L10+800W 10+125N	46700	60	40	95	14	6	10	2.1	-1	-1	-0.01	-0.05	-1	3.5	1.4	18	28	100	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	112	-20	16.3
L10+800W 10+150N	44400	47	44	70	11	-5	7	1.6	-1	-1	-0.01	-0.05	-1	2.3	1.1	17	3	72	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	11.3
L10+800W 10+175N	43000	71	27	66	10	-5	9	1.4	-1	-1	-0.01	-0.05	-1	2.6	0.7	16	9	117	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	-100	-20	7.6
L10+800W 10+200N	55000	69	30	76	13	-5	12	1.9	-1	-1	-0.01	-0.05	-1	3.3	1.0	29	15	85	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	134	-20	13.0
L10+800W 10+225N	44300	50	38	125	15	-5	8	3.2	-1	-1	0.02	-0.05	-1	6.3	0.7	13	6	23	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	-100	-20	7.4
L10+800W 10+250N	40600	43	37	90	7	-5	3	2.3	-1	-1	0.03	-0.05	-1	1.2	0.8	3	-3	6	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	5.8
L10+800W 10+275N	31400	63	21	101	10	-5	6	1.9	-1	-1	0.07	-0.05	-1	1.1	0.7	9	-3	19	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	8.9
L10+800W 10+300N	39900	63	31	72	12	5	19	6.7	-1	-1	0.04	-0.05	-1	2.9	1.8	14	43	66	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	-100	-20	6.7
L10+800W 10+325N	44100	141	20	135	8	6	30	8.1	-1	-1	0.05	-0.05	-1	2.0	2.0	14	18	45	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	19.5
L10+800W 10+350N	33900	54	29	82	12	-5	4	0.7	-1	-1	0.05	-0.05	-1	1.5	0.6	9	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.0
L10+800W 10+375N	39200	98	32	145	15	7	17	5.6	-1	-1	0.03	-0.05	-1	1.1	0.7	11	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	8.2
L10+800W 10+400N	38600	57	28	103	12	-5	1	2.1	-1	-1	-0.01	-0.05	-1	1.4	1.1	8	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	121	-20	11.5
L10+800W 10+425N	36800	73	27	96	16	6	43	4.5	-1	1	-0.01	0.06	-1	4.7	2.7	21	78	84	-10	-1	-1	-0.5	-0.2	1.3	-0.1	-0.8	0.2	-0.8	164	-20	21.6
L10+800W 10+450N	25700	112	33	168	15	6	21	7.4	-1	-1	0.07	-0.05	-1	3.3	1.2	18	21	16	-10	-1	2	-0.5	-0.2	0.7	-0.1	-0.8	0.2	-0.8	505	-20	13.1
L10+900W 9+400N	23500	64	26	45	13	-5	5	1.5	-1	-1	-0.01	-0.05	-1	5.6	0.3	9	-3	-3	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	10.4
L10+900W 9+425N	18300	87	28	59	8	-5	10	2.5	-1	-1	0.02	-0.05	-1	4.2	0.4	10	-3	-3	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	17.4
L10+900W 9+450N	25000	71	29	55	8	9	15	4.0	-1	-1	0.01	-0.05	-1	6.3	1.0	11	13	3	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	20.4
L10+900W 9+475N	29700	79	24	86	6	6	8	3.7	-1	-1	0.04	-0.05	-1	2.9	0.8	11	14	50	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	19.2
L10+900W 9+500N	19300	99	21	79	6	7	5	3.3	-1	-1	0.03	-0.05	-1	2.8	0.8	11	16	14	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	16.1
L10+900W 9+525N	11600	83	20	73	7	-5	16	1.6	-1	-1	-0.01	-0.05	-1	1.9	0.6	8	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	-100	-20	13.4
L10+900W 9+550N	3940	77	17	73	7	-5	13	3.7	-1	-1	-0.01	-0.05	-1	2.2	0.9	15	37	71	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	22.5
L10+900W 9+625N	-2000	55	36	74	8	-5	14	2.0	-1	-1	-0.01	-0.05	-1	2.5	1.1	24	-3	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	9.8
L10+900W 9+650N	-2000	61	10	53	7	-5	-1	1.7	-1	-1	-0.01	-0.05	-1	10.6	1.8	27	-3	30	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	36.8
L10+900W 9+675N	-2000	57	24	73	6	-5	7	2.6	-1	-1	-0.01	-0.05	-1	2.7	2.5	20	5	34	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	19.5
L10+900W 9+700N	-2000	65	20	62	17	-5	16	1.7	-1	-1	0.01	-0.05	-1	2.0	0.8	19	4	106	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	14.5
L10+900W 9+725N	16400	62	33	80	21	-5	9	1.2	-1	-1	0.01	-0.05	-1	2.1	0.5	44	39	95	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	3.2	113	-20	9.5
L10+900W 9+775N	27100	151	35	156	23	11	57	3.7	-1	-1	-0.01	0.08	-1	4.1	1.0	48	95	134	-10	-1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	157	-20	26.9
L10+900W 9+800N	22100	54	85	131	25	10	13	2.4	-1	-1	0.02	-0.05	-1	4.9	1.5	58	65	143	41	-1	2	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	218	-20	47.9
L10+900W 9+825N	24900	57	61	58	16	7	4	2.2	-1	-1	-0.01	-0.05	-1	6.6	2.1	76	99	104	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	34.8
L10+900W 9+850N	18300	55	42	144	27	6	21	3.2	-1	-1	-0.01	-0.05	-1	6.3	0.9	51	63	71	-10	-1	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	263	-20	14.6
L10+900W 9+875N	12200	95	43	152	13	-5	31	13.5	-1	-1	-0.01	0.40	-1	2.1	0.8	29	176	98	-10	2	2	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	204	-20	18.8
L10+900W 9+900N	16800	60	71	103	10	-5	7	1.2	-1	-1	-0.01	-0.05	-1	4.2	1.1	27	24	51	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	22.9
L10+900W 9+925N	12900	57	49	65	7	-5	4	1.1	-1	-1	-0.01	-0.05	-1	6.6	1.8	40	29	83	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	135	-20	22.7
L10+900W 9+950N	15700	62	56	65	14	-5	4	2.0	-1	-1	-0.01	0.08	-1	8.7	2.0	32	33	63	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	122	-20	31.0
L10+900W 9+975N	15900	45	67	100	12	-5	7	2.6	-1	-1	-0.01	-0.05	-1	1.9	0.6	10	17	38	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	17.1
L10+900W 10+000N	19100	88	37	145	12	-5	10	8.1	-1	-1	-0.01	0.14	-1	1.9	0.6	22	60	48	-10	1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	135	-20	40.7
L10+900W 10+025N	25200	38	59	97	12	-5	4	2.3	-1	-1	-0.01	-0.05	-1	1.5	1.2	12	14	19	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	7.9
L10+900W 10+050N	27700	114	23	184	10	-5	57	10.4	-1	-1	0.04	0.14	-1	1.4	0.9	32	88	47	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	33.1
L10+900W 10+075N	21800	38	36	85	9	-5	6	2.0	-1	-1	-0.01	-0.05	-1	0.5	0.3	7	10	-3	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	3.4

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Ti	Bi	S.Q. Ti	S.Q. Cr	Y
L10+900W 10+100N	37900	151	16	201	27	8	24	4.6	-1	-1	0.06	0.06	-1	5.6	1.5	31	49	49	13	3	1	0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	275	47	39.6
L10+900W 10+125N	24800	58	84	107	14	6	7	3.2	-1	-1	-0.01	-0.05	-1	2.2	1.2	16	20	46	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	115	-20	18.5
L10+900W 10+150N	20500	69	36	129	12	-5	10	2.9	-1	-1	0.01	-0.05	-1	1.5	0.7	14	22	40	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	12.8
L10+900W 10+175N	17500	64	36	116	13	-5	10	1.6	-1	-1	-0.01	-0.05	-1	1.9	0.8	16	29	50	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	4.8
L10+900W 10+200N	12100	58	31	105	18	-5	10	2.1	-1	-1	-0.01	-0.05	-1	1.1	0.5	23	17	29	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	5.8
L10+900W 10+225N	23700	55	29	90	12	-5	6	1.6	-1	-1	-0.01	-0.05	-1	1.5	0.7	12	24	22	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	114	-20	6.4
L10+900W 10+250N	22500	89	26	175	15	7	13	3.3	-1	-1	0.02	-0.05	-1	1.1	0.8	19	27	44	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	103	-20	7.6
L10+900W 10+275N	20500	79	49	104	18	6	12	3.1	-1	-1	0.02	-0.05	-1	1.9	0.8	21	59	50	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	117	-20	19.5
L10+900W 10+300N	20500	94	46	157	23	7	15	3.6	-1	-1	0.07	-0.05	-1	2.1	1.0	23	48	49	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	111	-20	17.7
L10+900W 10+325N	22500	58	54	126	21	-5	11	5.4	-1	-1	0.02	0.08	-1	2.0	1.0	27	87	43	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	50.7
L10+900W 10+350N	27000	123	38	248	24	6	37	18.3	-1	-1	0.03	-0.05	-1	3.3	1.5	18	81	57	19	4	-1	-0.5	-0.2	2.2	-0.1	-0.8	-0.1	-0.8	118	-20	27.9
L10+900W 10+375N	22700	122	38	148	35	6	39	7.0	-1	-1	0.01	-0.05	-1	2.2	0.7	14	61	26	25	2	1	-0.5	-0.2	2.0	-0.1	-0.8	-0.1	-0.8	205	-20	13.7
L10+900W 10+400N	21300	109	31	258	27	-5	17	4.3	-1	-1	0.03	-0.05	-1	1.9	0.6	20	17	9	-10	5	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	204	-20	2.9
L10+900W 10+425N	29300	180	30	215	16	23	65	31.6	-1	-1	0.03	0.19	-1	2.8	3.6	28	93	166	-10	-1	2	-0.5	-0.2	1.6	-0.1	-0.8	0.2	-0.8	-100	-20	12.1
L10+900W 10+450N	17700	310	59	285	26	24	58	9.1	-1	2	0.05	0.12	-1	13.0	17.4	15	60	134	-10	-1	2	-0.5	0.4	0.2	-0.1	-0.8	-0.1	-0.8	108	-20	53.4
L11+030W 9+325N	10300	70	99	105	12	-5	14	3.7	-1	-1	0.02	-0.05	-1	16.1	2.3	28	56	56	30	5	2	0.7	-0.2	1.3	-0.1	-0.8	0.1	-0.8	157	-20	65.5
L11+030W 9+350N	12800	60	40	89	24	-5	12	3.2	-1	-1	-0.01	-0.05	-1	9.0	0.7	14	13	12	-10	6	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	24.9
L11+030W 9+400N	15800	70	24	113	14	-5	17	3.6	-1	-1	0.03	0.10	-1	5.4	0.6	14	64	23	29	3	-1	-0.5	-0.2	1.9	-0.1	-0.8	0.2	-0.8	123	-20	29.3
L11+030W 9+425N	17300	89	46	107	10	-5	22	2.4	-1	-1	-0.01	-0.05	-1	3.3	0.5	17	30	11	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	24.9
L11+030W 9+450N	19100	81	43	147	20	-5	10	2.8	-1	-1	0.01	0.07	-1	2.8	0.3	24	34	22	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	0.1	-0.8	-100	-20	27.9
L11+030W 9+575N	25600	251	27	199	10	9	57	12.2	-1	-1	0.09	0.11	-1	3.3	4.0	42	34	62	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	17.3
L11+030W 9+600N	12600	101	53	181	16	-5	20	3.2	-1	-1	-0.01	-0.05	-1	2.0	1.0	35	38	78	11	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	42.6
L11+030W 9+625N	13900	85	71	147	14	-5	14	2.4	-1	-1	-0.01	-0.05	-1	4.4	1.3	48	44	73	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	137	-20	38.6
L11+030W 9+650N	13100	106	58	147	13	6	12	2.1	-1	-1	-0.01	-0.05	-1	2.6	0.9	56	45	95	13	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	29.1
L11+030W 9+675N	8220	62	60	175	13	-5	23	2.8	-1	-1	-0.01	-0.05	-1	2.5	0.7	49	37	87	17	-1	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	286	-20	7.7
L11+030W 9+700N	11600	56	48	86	16	-5	8	1.1	-1	-1	-0.01	-0.05	-1	5.6	1.4	74	35	71	-10	2	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	434	-20	9.1
L11+030W 9+725N	11200	79	34	54	13	-5	4	1.2	-1	-1	0.02	-0.05	-1	17.7	2.4	66	36	118	17	7	3	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	761	-20	17.4
L11+030W 9+750N	15100	72	37	68	24	-5	8	0.9	-1	-1	-0.01	-0.05	-1	9.7	1.5	65	49	88	16	3	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	475	-20	10.4
L11+030W 9+775N	10100	90	36	243	25	8	41	2.8	-1	-1	0.01	-0.05	-1	2.0	0.7	64	85	178	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	119	-20	15.3
L11+030W 9+800N	12600	108	38	107	24	6	34	1.5	-1	-1	0.01	-0.05	1	3.7	0.9	54	62	81	-10	1	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	8.7	204	-20	32.1
L11+030W 9+825N	9750	92	34	193	13	10	25	7.3	-1	-1	0.02	0.05	1	2.3	1.0	55	74	80	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	5.5	123	-20	17.4
L11+030W 9+850N	10800	89	52	155	15	8	30	13.4	-1	-1	0.02	0.23	1	1.7	0.7	58	102	73	-10	3	-1	-0.5	0.2	-0.2	-0.1	-0.8	0.2	3.6	175	-20	22.1
L11+030W 9+875N	23300	124	30	174	17	8	29	3.2	-1	-1	0.03	-0.05	-1	2.4	0.7	31	31	28	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	3.1	224	-20	18.1
L11+030W 9+900N	19200	138	57	133	12	7	26	7.2	-1	-1	-0.01	0.12	-1	2.9	0.8	29	77	59	-10	1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	2.0	267	-20	50.9
L11+030W 9+925N	7610	41	34	85	23	11	13	2.8	-1	-1	-0.01	-0.05	-1	2.5	1.1	21	113	150	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	1.4	148	-20	23.4
L11+030W 9+950N	17200	66	75	86	25.3	-5	9	1.38	-1	-1	0.0	-0.1	-1	11	2	24	93	202	-10	3.5	-1	-0.5	-0.2	-0.2	-0.1	-0.8	0	1	305	-20	16.5
L11+030W 9+975N	14300	87	79	60	13	-5	5	1.5	-1	-1	-0.01	-0.05	1	5.9	1.2	14	29	60	-10	4	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	205	-20	6.0
L11+030W 10+000N	7900	77	29	57	12	-5	4	0.8	-1	-1	0.02	-0.05	-1	8.4	1.9	31	46	118	20	7	3	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	1.0	871	-20	9.6
L11+030W 10+025N	19100	49	22	76	33	7	8	2.4	-1	-1	-0.01	-0.05	-1	21.9	3.0	88	105	125	-10	4	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	1.2	223	-20	69.8
L11+030W 10+050N	25900	63	35	157	21	10	23	5.6	-1	-1	0.04	0.06	-1	2.9	0.4	44	84	69	-10	1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	1.3	176	-20	31.9
L11+030W 10+075N	26900	184	18	227	20	19	30	8.1	1	-1	0.03	0.06	-1	7.5	2.4	43	126	138	10	4	4	-0.5	-0.2	0.6	-0.1	-0.8	0.1	1.8	1330	-20	42.0
L11+030W 10+100N	24000	62	37	138	16	7	13	4.6	-1	-1	0.04	-0.05	-1	2.2	0.5	26	83	51	-10	-1	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	200	-20	30.2
L11+030W 10+125N	14500	170	29	181	18	14	39	11.3	-1	-1	0.03	0.07	-1	5.3	4.8	19	74	82	-10	-1	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	1.6	196	-20	21.5
L11+030W 10+150N	24700	169	64	267	21	14	43	8.9	-1	1	0.06	-0.05	-1	2.1	1.6	27	60	60	-10	-1	-1	-0.5	0.3	-0.2	-0.1	-0.8	-0.1	0.9	200	-20	19.7
L11+030W 10+175N	9000	57	27	101	13	6	16	1.2	-1	-1	-0.01	-0.05	-1	2.4	0.9	39	40	72	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	231	-20	12.0
L11+030W 10+200N	11500	34	28	76	23	-5	4	0.9	-1	-1	-0.01	-0.05	-1	2.7	1.0	19	24	82	10	3	2	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	362	-20	3.9
L11+030W 10+225N	12700	50	65	80	14	6	11	1.1	-1	-1	0.03	-0.05	-1	4.6	0.9	65	56	106	-10	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	198	-20	10.4
L11+030W 10+250N	17200	57	13	100	17	5	9	0.8	-1	-1	-0.01	-0.05	-1	1.5	0.5	20	21	52	29	2	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	157	-20	5.0
L11+030W 10+275N	24500	57	66	113	11	10	20	4.0	-1	-1	0.02	-0.05	-1	1.8	1.5	24	46	68	-10	1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	237	-20	15.3
L11+030W 10+300N	13900	53	27	114	20	8	14	1.6	-1	-1	-0.01	-0.05	-1	2.3	0.6	46	31	54	-10	-1	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	233	-20	7.1
L11+030W 10+325N	26400	96	46	107	17	10	27	7.1	-1	-1	0.04	-0.05	-1	2.1	1.9	27	69	83	-10	2	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	185	-20	44.4
L11+030W 10+350N	16100	83	14	105	23	7	36	6.8	-1	-1	0.02	-0.05	-1	1.6	0.7	25	60	45	-10	3	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	153	-20	20.4
L11+030W 10+375N	6980	46	15	148	19	12	37	1.7	-1	1	-0.01	-0.05	-1	2.7	0.6	136	91	110	-10	2	3	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	235	-20	14.9
L11+030W 10+400N	2220	234	65	88	18	9	51	2.7	-1	1	-0.01	-0.05	-1	2.0	1.3	102	96	110	13	1	3	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	149	-20	12.9
L11+030W 10+425N	-2000	37	39	87	12	5	28	0.8	-1	5	0.01	-0.05	-1	3.5	1.3	74	39	84	-10	2	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	460	-20	4.7
L11+030W 10+450N	6790	58	57	140	30	9	20	1.6	-1	-1	-0.01	-0.05	-1	5.7	0.9	86	143	190	10	2	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	384	-20	14.3
L11+130W 9+300N	17900	76	54	153	13	6	26	2.2	-1	-1	-0.01	-0.05	-1	10.4	2.4	17	41	31	-10	5	4	-0.5	-0.2	-0.2	-0.1	-0.8	0.2	-0.8	513	-20	13.8
L11+130W 9+325N	15300	66	57	52	10	8	3	5.0	-1	-1	0.02	-0.05	-1	28.9	11.0	24	116	82	13	8	4	0.5	-0.2	2.6	-0.1	-0.8	0.2	-0.8	411	-20	90.3

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L11+130W 9+375N	9630	37	41	249	15	7	16	4.7	-1	-1	0.02	-0.05	-1	5.4	10.8	12	72	105	14	5	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	170	-20	38.0
L11+130W 9+425N	4760	41	68	96	17	7	8	3.7	-1	-1	0.05	-0.05	-1	3.1	1.8	30	56	83	18	3	2	-0.5	-0.2	1.7	-0.1	-0.8	0.2	-0.8	108	-20	20.6
L11+130W 9+450N	4920	79	35	96	19	7	17	2.3	-1	-1	0.02	-0.05	-1	2.1	0.4	68	80	113	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	125	-20	13.9
L11+130W 9+550N	-2000	86	34	62	8	-5	2	0.7	-1	-1	0.01	-0.05	-1	12.9	4.1	29	19	98	-10	3	3	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	423	-20	24.3
L11+130W 9+575N	11000	93	50	157	17	6	33	2.9	-1	-1	-0.01	-0.05	-1	3.4	1.1	49	52	79	-10	1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	353	-20	22.1
L11+130W 9+600N	12300	92	66	140	16	7	26	2.1	-1	-1	0.02	-0.05	-1	2.7	0.8	48	48	79	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	252	-20	25.8
L11+130W 9+625N	6000	73	31	146	8	7	10	1.4	-1	-1	-0.01	-0.05	-1	8.7	2.3	90	74	93	-10	2	3	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	338	-20	79.6
L11+130W 9+650N	5720	56	40	130	9	5	9	1.9	-1	-1	0.02	-0.05	-1	4.2	1.7	51	56	79	46	-1	4	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	372	-20	26.5
L11+130W 9+675N	22200	184	60	159	20	15	89	6.4	-1	1	0.02	0.07	-1	3.5	2.1	37	96	177	-10	-1	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	278	-20	34.4
L11+130W 9+700N	6000	43	31	90	13	-5	5	1.5	-1	-1	-0.01	-0.05	-1	9.5	1.7	55	52	106	55	7	3	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	814	-20	9.8
L11+130W 9+725N	6230	58	29	89	35	5	4	1.4	-1	-1	0.01	-0.05	-1	21.6	1.7	110	66	100	-10	7	4	-0.5	-0.2	-0.2	-0.1	-0.8	0.1	-0.8	835	-20	17.7
L11+130W 9+750N	11800	81	25	130	8	7	43	2.0	-1	-1	-0.01	-0.05	-1	3.0	0.8	54	85	115	-10	-1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	212	-20	15.3
L11+130W 9+775N	9340	185	38	115	23	11	45	3.1	-1	-1	-0.01	0.06	-1	4.7	0.9	62	147	144	-10	-1	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	245	-20	47.5
L11+130W 9+800N	20100	72	28	136	13	9	21	3.3	-1	-1	0.02	-0.05	-1	2.5	0.9	31	42	48	12	-1	2	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	238	-20	17.8
L11+130W 9+825N	4890	100	46	242	12	7	29	10.9	-1	-1	-0.01	0.18	-1	2.3	0.6	41	157	134	-10	1	2	-0.5	-0.2	0.7	-0.1	-0.8	0.1	-0.8	158	-20	34.1
L11+130W 9+850N	-2000	144	41	116	7	8	63	11.5	-1	-1	0.03	0.32	-1	4.2	3.7	28	129	115	-10	-1	3	-0.5	-0.2	0.9	-0.1	-0.8	0.2	-0.8	253	-20	30.9
L11+130W 9+875N	-2000	39	56	60	8	6	10	1.1	-1	-1	-0.01	-0.05	-1	4.2	0.9	30	27	67	-10	22	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	254	-20	8.0
L11+130W 9+900N	10000	42	64	72	15	5	21	2.3	-1	-1	-0.01	-0.05	-1	2.4	0.6	53	67	81	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	2.6	122	-20	18.3
L11+130W 9+925N	11400	41	17	86	16	-5	22	1.2	-1	-1	-0.01	-0.05	-1	3.3	0.6	33	52	102	-10	1	1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	323	-20	6.4
L11+130W 9+950N	14500	26	29	94	9	-5	7	1.1	-1	-1	-0.01	-0.05	-1	4.5	0.8	57	39	42	68	4	2	-0.5	-0.2	2.9	-0.1	-0.8	-0.1	-0.8	591	-20	4.9
L11+130W 9+975N	14000	63	40	98	15	-5	15	3.0	-1	-1	-0.01	-0.05	-1	4.2	1.3	43	53	73	-10	-1	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	186	-20	9.5
L11+130W 10+000N	13000	42	9	128	18	-5	11	2.3	-1	-1	-0.01	-0.05	-1	7.5	1.5	61	43	30	15	4	3	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	622	-20	17.8
L11+130W 10+025N	13200	106	27	106	19	-5	15	3.0	-1	-1	-0.01	-0.05	-1	12.2	2.1	59	58	80	13	4	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	479	-20	47.8
L11+130W 10+050N	18400	92	26	201	17	-5	23	7.6	-1	-1	-0.01	-0.05	-1	2.5	0.4	56	60	40	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	26.6
L11+130W 10+100N	13400	93	33	211	19	-5	10	8.5	-1	-1	-0.01	-0.05	-1	1.6	0.4	25	42	41	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	118	-20	15.8
L11+130W 10+125N	3910	28	32	48	16	-5	4	0.7	-1	-1	-0.01	-0.05	-1	3.4	1.1	46	32	54	14	3	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	865	-20	3.8
L11+130W 10+150N	7100	48	35	66	21	-5	4	0.8	-1	-1	-0.01	-0.05	-1	7.6	1.6	68	57	138	-10	4	2	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	594	-20	10.1
L11+130W 10+175N	7750	76	27	83	20	-5	12	1.8	-1	-1	-0.01	-0.05	-1	6.3	1.2	56	61	112	-10	1	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	454	-20	8.4
L11+130W 10+200N	9320	72	44	96	23	-5	11	1.5	-1	-1	-0.01	-0.05	-1	5.4	1.1	53	51	107	20	2	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	515	-20	8.7
L11+130W 10+225N	8160	114	58	68	22	-5	4	2.6	-1	-1	-0.01	-0.05	-1	7.9	1.1	55	40	55	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	269	-20	17.3
L11+130W 10+250N	16800	71	20	134	18	-5	8	5.1	-1	-1	-0.01	-0.05	-1	1.2	0.5	20	24	27	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	15.8
L11+130W 10+275N	7400	64	37	131	13	-5	16	9.6	-1	-1	-0.01	0.08	-1	2.0	0.3	51	124	82	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	31.7
L11+130W 10+300N	31100	105	54	181	15	-5	78	6.4	-1	1	0.02	-0.05	-1	2.1	0.4	32	42	6	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	23.7
L11+130W 10+325N	21500	159	49	243	24	13	130	10.6	-1	-1	0.01	-0.05	-1	2.4	1.7	57	49	29	15	1	-1	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	-100	-20	12.9
L11+130W 10+350N	6940	65	44	230	30	11	68	3.0	-1	2	0.01	-0.05	-1	3.4	0.4	140	74	55	-10	-1	1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	155	-20	14.4
L11+130W 10+375N	7280	169	40	294	64	6	47	8.7	-1	3	0.02	0.08	-1	1.4	0.2	181	382	119	-10	-1	1	-0.5	-0.2	2.1	-0.1	-0.8	-0.1	-0.8	-100	-20	28.6
L11+130W 10+400N	3660	29	55	70	11	-5	11	0.9	-1	-1	-0.01	-0.05	-1	3.4	1.0	80	36	55	-10	2	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	427	-20	4.1
L11+130W 10+425N	6600	42	49	104	17	-5	20	1.3	-1	-1	-0.01	-0.05	-1	5.1	1.0	66	67	120	14	7	2	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	629	-20	5.6
L11+130W 10+450N	7990	29	23	151	25	-5	44	2.3	-1	-1	-0.01	-0.05	-1	1.8	0.4	26	45	132	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	122	-20	6.5
L11+230W 9+300N	11000	37	101	126	13	6	72	7.7	-1	-1	0.01	-0.05	-1	8.8	1.7	42	116	223	53	5	2	-0.5	-0.2	3.8	-0.1	-0.8	0.4	-0.8	234	-20	32.9
L11+230W 9+325N	15900	74	28	113	13	-5	10	3.6	-1	-1	0.02	-0.05	-1	4.4	0.8	23	47	39	-10	-1	-1	-0.5	-0.2	2.1	-0.1	-0.8	0.2	-0.8	-100	-20	33.1
L11+230W 9+350N	17100	72	29	135	9	-5	10	2.8	-1	-1	-0.01	-0.05	-1	2.7	0.4	19	57	19	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	0.1	-0.8	-100	-20	25.7
L11+230W 9+500N	26700	104	46	173	13	-5	9	4.7	-1	-1	0.01	-0.05	-1	2.7	0.6	16	39	18	10	-1	-1	0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	126	-20	19.8
L11+230W 9+525N	32400	75	44	156	15	-5	23	3.2	-1	-1	-0.01	-0.05	-1	1.7	0.4	34	33	25	89	-1	-1	-0.5	-0.2	2.9	-0.1	-0.8	-0.1	-0.8	161	-20	10.2
L11+230W 9+550N	40700	70	36	145	12	-5	17	2.2	-1	-1	0.01	-0.05	-1	2.1	0.9	30	34	40	11	-1	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	206	-20	16.4
L11+230W 9+575N	42000	103	48	365	11	6	19	7.4	-1	-1	-0.01	-0.05	-1	2.6	0.9	75	59	65	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	-100	-20	39.8
L11+230W 9+600N	34100	102	36	176	17	-5	14	5.0	-1	-1	0.02	-0.05	-1	2.9	1.2	36	38	50	386	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	43.1
L11+230W 9+625N	18100	165	26	89	20	-5	12	1.6	-1	-1	0.01	-0.05	-1	8.0	1.3	75	66	120	15	1	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	251	-20	17.1
L11+230W 9+650N	17600	39	26	141	15	-5	17	1.2	-1	-1	-0.01	-0.05	-1	2.4	0.6	44	26	47	-10	-1	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	337	-20	4.2
L11+230W 9+675N	8730	44	24	115	11	-5	20	0.8	-1	-1	-0.01	-0.05	-1	4.6	0.8	111	70	84	-10	-1	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	176	-20	15.9
L11+230W 9+700N	15700	102	32	126	23	6	13	1.2	-1	-1	-0.01	-0.05	-1	3.5	0.5	108	98	207	-10	-1	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	161	-20	11.5
L11+230W 9+725N	11700	95	32	224	17	6	43	1.2	-1	-1	-0.01	-0.05	-1	2.5	0.5	71	68	72	11	-1	2	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	272	-20	7.9
L11+230W 9+750N	9880	69	24	99	16	-5	14	1.9	-1	-1	-0.01	-0.05	-1	9.8	1.6	117	72	87	-10	1	2	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	207	-20	40.2
L11+230W 9+775N	18300	87	40	181	17	5	29	6.7	-1	-1	-0.01	-0.05	-1	2.5	0.7	62	54	54	12	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	127	-20	17.6
L11+230W 9+800N	16500	93	44	147	16	6	42	7.2	-1	-1	-0.01	-0.05	-1	1.3	0.7	36	37	34	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	11.8
L11+230W 9+825N	26200	211	61	212	11	10	70	12.7	-1	-1	0.06	0.07	-1	5.4	2.0	47	134	86	-10	3	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	172	-20	62.2
L11+230W 9+850N	5380	51	12	59	8	-5	2	1.0	-1	-1	-0.01	-0.05	-1	4.5	0.7	40	23	40	26	1	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	367	-20	4.7
L11+230W 9+875N	19700	234	21	227	16	12	57	19.2	-1	-1	0.02	-0.05	-1	1.9	0.8	37	90	85	-10	-1	-1	-0.5	-0.2	1.8	-0.1	-0.8	-0.1	-0.8	-100	-20	21.8

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package: *Oxidation Suit* | *Base Metals:* | *Base Metal - Chalcophile Associati* | *High-Field Strength*

Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L11+230W 9+900N	4220	70	26	68	18	-5	6	0.7	-1	-1	-0.01	-0.05	-1	6.5	1.1	49	37	91	24	5	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	469	-20	6.8
L11+230W 9+925N	5060	36	15	71	11	-5	2	1.6	-1	-1	-0.01	-0.05	-1	5.8	0.9	63	40	80	45	3	2	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	451	-20	5.9
L11+230W 9+950N	7480	41	25	119	17	-5	8	2.4	-1	-1	-0.01	-0.05	-1	10.9	2.9	94	43	90	40	4	2	-0.5	-0.2	1.6	-0.1	-0.8	-0.1	-0.8	612	-20	13.2
L11+230W 9+975N	14900	62	37	80	14	-5	13	3.8	-1	-1	-0.01	-0.05	-1	4.5	1.0	52	92	57	-10	1	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	5.1	142	-20	22.1
L11+230W 10+000N	14900	100	29	130	19	7	16	9.0	-1	-1	0.02	-0.05	-1	1.2	0.5	15	44	33	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	3.7	-100	-20	13.5
L11+230W 10+025N	15300	120	37	189	22	8	31	10.3	-1	-1	0.05	-0.05	-1	2.0	0.9	21	72	59	-10	2	-1	-0.5	-0.2	2.0	-0.1	-0.8	-0.1	-0.8	-100	-20	21.6
L11+230W 10+050N	6790	52	36	108	19	5	6	2.3	-1	-1	-0.01	-0.05	-1	2.3	1.4	20	42	62	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	109	-20	17.0
L11+230W 10+075N	6490	26	64	88	16	-5	6	1.7	-1	-1	-0.01	-0.05	-1	2.8	0.9	32	32	62	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	373	-20	6.4
L11+230W 10+100N	6650	145	45	58	11	-5	2	0.7	-1	-1	-0.01	0.06	-1	5.4	1.1	22	27	63	-10	4	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	279	-20	11.4
L11+230W 10+125N	11100	49	55	67	11	-5	4	0.9	-1	-1	-0.01	-0.05	-1	2.9	0.7	30	30	63	40	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	223	-20	6.6
L11+230W 10+150N	20200	64	26	110	14	-5	9	3.0	-1	-1	-0.01	-0.05	-1	1.9	0.5	17	37	35	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	15.2
L11+230W 10+175N	11500	55	39	102	15	-5	21	5.7	-1	-1	0.02	0.05	-1	3.0	0.9	21	121	84	-10	-1	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	193	-20	27.3
L11+230W 10+200N	9490	68	47	123	14	-5	31	4.8	-1	-1	-0.01	0.06	-1	1.9	0.2	25	91	63	-10	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	29.4
L11+230W 10+225N	7010	97	20	145	20	30	75	2.3	-1	1	0.04	-0.05	-1	1.9	0.9	75	86	126	-10	-1	1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	16.6
L11+230W 10+250N	3470	78	40	100	32	14	25	2.8	-1	-1	0.02	-0.05	-1	3.7	1.1	115	235	154	-10	-1	1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	-100	-20	29.5
L11+230W 10+275N	10400	151	30	143	27	6	16	8.0	-1	1	0.02	0.05	-1	0.5	-0.1	34	135	71	-10	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	9.8
L11+230W 10+300N	4310	35	69	40	11	-5	5	0.7	-1	-1	-0.01	-0.05	-1	2.2	0.8	28	16	38	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	194	-20	3.6
L11+230W 10+325N	5970	28	25	125	25	7	30	0.9	-1	-1	-0.01	-0.05	-1	1.2	0.4	30	37	92	-10	2	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	268	-20	5.3
L11+230W 10+350N	5450	48	36	99	43	-5	20	1.4	-1	-1	-0.01	-0.05	-1	1.5	1.1	44	31	114	-10	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	259	-20	6.7
L11+230W 10+375N	6700	29	37	88	14	-5	26	0.8	-1	-1	-0.01	-0.05	-1	1.0	0.3	24	28	66	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	131	-20	5.6
L11+230W 10+400N	6150	43	14	107	27	-5	21	1.1	-1	-1	-0.01	-0.05	-1	3.0	0.8	34	26	65	-10	3	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	171	-20	11.9
L11+230W 10+425N	7640	77	39	137	33	6	8	4.6	-1	-1	-0.01	-0.05	-1	2.5	0.9	17	25	67	-10	5	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	25.1
L11+230W 10+450N	12200	68	27	94	12	-5	15	2.1	-1	-1	0.04	-0.05	-1	7.6	1.1	49	45	36	20	-1	-1	0.5	-0.2	2.5	-0.1	-0.8	0.3	-0.8	103	-20	39.1
L11+330W 9+300N	9580	37	20	245	13	-5	13	11.5	-1	-1	0.04	0.08	-1	4.3	1.4	59	127	116	97	11	2	0.6	-0.2	3.9	-0.1	-0.8	-0.1	-0.8	121	-20	46.6
L11+330W 9+325N	-2000	72	47	39	8	-5	-1	0.9	-1	-1	-0.01	-0.05	-1	12.0	2.5	67	37	26	-10	4	3	-0.5	-0.2	2.2	-0.1	-0.8	0.2	-0.8	1130	-20	19.9
L11+330W 9+375N	2820	41	43	91	2	-5	14	2.0	-1	-1	-0.01	0.34	-1	1.9	0.9	17	81	34	-10	-1	3	-0.5	-0.2	-0.2	-0.1	-0.8	0.4	-0.8	437	-20	5.6
L11+330W 9+450N	8580	88	55	111	9	-5	16	1.5	-1	-1	-0.01	-0.05	-1	1.8	0.8	53	43	74	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	27.9
L11+330W 9+475N	2920	39	40	58	15	-5	7	1.2	-1	-1	-0.01	-0.05	-1	5.3	1.6	109	58	47	-10	1	1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	40.0
L11+330W 9+500N	4550	37	20	80	13	-5	14	1.1	-1	-1	-0.01	-0.05	-1	2.4	0.6	31	20	62	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	6.5
L11+330W 9+525N	10500	62	23	117	12	-5	28	1.2	-1	-1	-0.01	-0.05	-1	2.3	0.6	45	46	83	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	7.6
L11+330W 9+550N	17100	103	25	140	10	8	39	9.9	-1	-1	0.02	0.11	-1	4.6	3.0	37	87	84	-10	3	2	-0.5	-0.2	1.3	-0.1	-0.8	0.1	-0.8	490	-20	21.1
L11+330W 9+600N	14300	67	24	168	17	10	12	3.5	-1	-1	0.02	-0.05	-1	1.1	0.9	12	24	43	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	11.6
L11+330W 9+625N	7460	77	24	98	9	-5	5	1.2	-1	-1	-0.01	-0.05	-1	2.6	1.4	47	55	62	-10	-1	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	95.8
L11+330W 9+650N	3840	41	31	89	17	-5	5	2.7	-1	-1	-0.01	-0.05	-1	6.9	1.3	55	55	65	-10	5	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	26.5
L11+330W 9+675N	6120	68	34	106	10	5	7	1.3	-1	-1	-0.01	-0.05	-1	1.6	1.2	54	61	68	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	56.8
L11+330W 9+700N	12600	39	23	87	14	-5	17	2.0	-1	-1	-0.01	-0.05	-1	2.8	0.7	46	64	48	-10	-1	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	56.5
L11+330W 9+725N	16900	65	36	120	8	-5	26	4.4	-1	-1	-0.01	-0.05	-1	1.0	0.4	18	34	33	17	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	16.4
L11+330W 9+750N	14900	94	37	165	10	-5	18	9.4	-1	-1	0.01	0.08	-1	1.3	0.4	46	118	94	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	40.6
L11+330W 9+775N	4430	25	59	38	31	-5	1	0.9	-1	-1	-0.01	-0.05	-1	14.4	2.2	89	44	43	-10	4	2	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	335	-20	11.7
L11+330W 9+800N	5130	44	53	95	12	-5	9	1.1	-1	-1	-0.01	-0.05	-1	2.6	0.7	36	26	61	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	7.2
L11+330W 9+825N	8920	44	24	78	13	-5	5	1.2	-1	-1	-0.01	-0.05	-1	3.2	0.7	18	16	51	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	124	-20	5.8
L11+330W 9+850N	10500	132	10	180	25	11	16	5.9	-1	-1	0.02	-0.05	-1	2.5	1.0	37	49	128	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	18.3
L11+330W 9+875N	3880	29	38	75	17	-5	4	1.9	-1	-1	-0.01	-0.05	-1	3.1	0.6	46	31	25	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	9.7
L11+330W 9+900N	9100	39	106	68	7	-5	3	1.9	-1	-1	-0.01	-0.05	-1	7.0	1.2	57	47	54	52	-1	2	-0.5	-0.2	4.2	-0.1	-0.8	-0.1	-0.8	416	-20	11.1
L11+330W 9+925N	22400	55	37	122	11	-5	9	4.8	-1	-1	0.01	-0.05	-1	2.4	0.6	14	23	60	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	17.4
L11+330W 9+950N	3510	39	44	56	11	-5	2	0.6	-1	-1	-0.01	-0.05	-1	3.2	1.2	7	19	34	-10	3	1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	299	-20	4.4
L11+330W 9+975N	10400	71	25	69	11	-5	4	2.0	-1	-1	-0.01	-0.05	-1	6.4	1.5	48	51	101	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	125	-20	14.0
L11+330W 10+000N	5340	40	35	87	19	-5	2	1.7	-1	-1	-0.01	-0.05	-1	3.8	1.1	22	32	61	-10	-1	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	108	-20	11.5
L11+330W 10+025N	10600	60	78	61	14	-5	4	1.3	-1	-1	0.02	-0.05	-1	2.9	1.0	26	31	64	87	12	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	101	-20	7.7
L11+330W 10+050N	35200	90	41	302	78	6	30	4.4	-1	-1	-0.01	-0.05	-1	6.6	0.7	107	101	185	13	-1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	447	-20	52.3
L11+330W 10+075N	18700	48	25	117	25	-5	8	3.7	-1	-1	-0.01	-0.05	-1	5.5	1.6	42	44	70	-10	3	2	0.5	-0.2	0.7	-0.1	-0.8	0.1	6.4	335	-20	12.6
L11+330W 10+100N	27400	66	30	199	38	7	17	6.2	-1	-1	0.03	0.06	-1	4.8	1.7	54	75	93	-10	1	1	0.5	-0.2	0.8	-0.1	-0.8	-0.1	4.2	125	-20	36.3
L11+330W 10+125N	20500	68	33	165	32	-5	19	7.3	-1	-1	-0.01	0.11	-1	3.9	0.5	97	58	80	-10	4	2	-0.5	-0.2	0.7	-0.1	-0.8	0.1	2.0	252	-20	39.5
L11+330W 10+150N	19500	109	22	171	25	10	48	8.9	-1	3	0.04	0.11	-1	7.8	1.5	48	166	161	-10	3	3	0.5	0.2	0.4	-0.1	-0.8	0.2	3.8	236	-20	56.1
L11+330W 10+175N	16300	60	27	119	31	10	13	4.6	-1	1	-0.01	-0.05	-1	7.4	0.9	164	103	114	-10	4	1	-0.5	-0.2	1.7	-0.1	-0.8	0.1	-0.8	151	-20	32.4
L11+330W 10+200N	11200	29	47	69	19	7	5	1.5	-1	-1	-0.01	-0.05	-1	5.0	1.2	85	89	103	17	3	1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	223	-20	9.6
L11+330W 10+225N	8950	41	10	67	31	5	8	1.1	-1	-1	0.01	-0.05	-1	9.9	2.3	94	122	128	18	8	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	431	-20	9.2
L11+330W 10+250N	9700	29	36	103	24	-5	55	1.3	-1	1	-0.01	-0.05	-1	3.0	0.9	67	104	115	13	2	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	166	-20	10.9

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L11+330W 10+275N	11600	23	16	70	18	-5	6	1.2	-1	-1	-0.01	-0.05	-1	4.9	1.3	63	74	92	25	3	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	189	-20	10.5
L11+330W 10+300N	11400	39	26	56	15	-5	10	1.6	-1	-1	-0.01	-0.05	-1	5.0	1.6	48	88	102	11	3	-1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	220	-20	7.8
L11+330W 10+325N	14100	37	12	68	11	8	14	1.6	-1	-1	-0.01	-0.05	-1	3.4	1.1	45	83	99	18	2	1	-0.5	-0.2	1.1	-0.1	-0.8	0.1	-0.8	-100	-20	7.6
L11+330W 10+350N	12900	53	15	71	25	6	14	1.8	-1	-1	-0.01	-0.05	-1	4.7	1.2	37	85	100	-10	7	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	164	-20	11.6
L11+330W 10+375N	9330	32	28	65	21	-5	12	1.6	-1	-1	-0.01	-0.05	-1	6.3	1.5	61	21	52	-10	1	2	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	10.3
L11+330W 10+400N	10900	46	30	71	26	5	4	3.5	-1	-1	0.02	-0.05	-1	8.1	3.4	33	44	70	-10	2	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	27.0
L11+330W 10+425N	15500	56	25	114	31	6	6	4.3	-1	-1	-0.01	-0.05	-1	5.2	1.6	34	30	59	-10	1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	227	-20	14.0
L11+330W 10+450N	19000	96	26	110	27	11	28	9.8	-1	-1	0.03	-0.05	-1	3.7	1.4	38	84	100	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	21.9
L11+430W 9+325N	21200	85	26	60	18	-5	-1	1.8	-1	-1	-0.01	-0.05	-1	18.8	2.8	55	63	84	-10	3	3	0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	446	-20	38.0
L11+430W 9+350N	21800	33	22	65	13	-5	3	2.3	-1	-1	-0.01	-0.05	-1	4.6	1.0	59	7	42	-10	2	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	231	-20	8.3
L11+430W 9+425N	28300	76	30	438	40	14	32	11.9	-1	4	0.02	0.45	1	25.9	8.6	57	38	119	121	35	32	5.9	-0.2	2.3	0.1	4.7	1.9	5.6	8770	126	67.4
L11+430W 9+450N	13500	56	31	94	17	6	36	1.9	-1	-1	0.01	-0.05	-1	4.4	1.0	69	60	157	17	3	2	-0.5	-0.2	1.2	-0.1	-0.8	-0.1	-0.8	254	-20	21.6
L11+430W 9+475N	15000	121	9	114	44	13	56	3.0	-1	-1	-0.01	-0.05	-1	7.7	1.9	138	12	26	-10	4	3	-0.5	-0.2	2.1	-0.1	-0.8	-0.1	-0.8	264	-20	24.2
L11+430W 9+500N	17600	62	33	83	17	-5	20	1.0	-1	-1	0.02	-0.05	-1	5.2	1.4	92	18	49	-10	3	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	363	-20	7.4
L11+430W 9+525N	22700	77	22	72	29	8	20	4.1	-1	-1	0.02	-0.05	-1	5.9	1.2	35	96	109	-10	2	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	108	-20	45.5
L11+430W 9+575N	59200	66	28	114	22	7	28	6.4	-1	-1	0.03	-0.05	-1	2.8	0.9	13	48	73	-10	2	-1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	128	-20	14.9
L11+430W 9+600N	20200	76	29	120	32	6	6	3.8	-1	-1	0.02	-0.05	-1	10.5	1.3	19	32	61	-10	2	1	0.6	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	202	-20	65.4
L11+430W 9+625N	26200	126	44	172	24	10	6	7.7	-1	-1	0.05	-0.05	-1	2.5	0.6	14	29	58	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	24.6
L11+430W 9+650N	18700	63	29	190	57	6	21	2.9	-1	1	0.01	-0.05	-1	7.1	0.7	78	122	128	17	3	2	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	268	-20	33.9
L11+430W 9+675N	16400	56	78	174	23	5	46	3.3	-1	-1	-0.01	-0.05	-1	3.2	1.4	47	58	81	39	1	2	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	522	-20	20.5
L11+430W 9+700N	19100	68	47	100	12	-5	5	1.8	-1	-1	-0.01	-0.05	-1	7.4	2.5	67	69	88	-10	1	2	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	409	-20	54.3
L11+430W 9+725N	21500	47	48	90	13	-5	9	2.6	-1	-1	-0.01	-0.05	-1	6.1	1.9	70	26	56	-10	-1	1	0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	214	-20	33.6
L11+430W 9+750N	15800	156	40	154	15	10	13	4.8	-1	-1	0.03	-0.05	-1	3.0	1.0	32	31	60	-10	-1	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	122	-20	35.9
L11+430W 9+775N	15600	76	90	74	23	7	5	1.4	-1	-1	-0.01	-0.05	-1	27.0	3.3	176	140	141	-10	6	3	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	368	-20	33.9
L11+430W 9+800N	12700	53	37	87	15	-5	6	1.2	-1	-1	-0.01	-0.05	-1	7.3	1.4	63	96	108	-10	3	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	362	-20	11.5
L11+430W 9+825N	14400	29	67	56	13	-5	-1	1.1	-1	-1	-0.01	-0.05	-1	4.4	0.9	39	58	80	-10	3	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	217	-20	4.2
L11+430W 9+850N	17500	47	48	101	16	-5	9	2.3	-1	-1	-0.01	-0.05	-1	3.0	1.2	61	32	61	-10	1	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	182	-20	5.5
L11+430W 9+875N	18600	81	33	184	33	-5	8	13.3	-1	-1	0.02	-0.05	-1	3.7	0.6	47	52	76	-10	-1	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	35.5
L11+430W 9+900N	10500	31	28	47	11	-5	1	0.9	-1	-1	-0.01	-0.05	-1	4.5	0.9	41	33	62	11	76	1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	246	-20	5.9
L11+430W 9+925N	21400	58	41	105	17	5	12	2.8	-1	-1	-0.01	-0.05	-1	5.5	1.6	58	57	80	-10	3	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	162	-20	15.3
L11+430W 9+950N	9690	58	21	70	15	6	4	2.1	-1	-1	-0.01	-0.05	-1	3.6	5.3	35	41	67	-10	3	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	197	-20	8.4
L11+430W 9+975N	13900	38	45	64	13	-5	4	1.9	-1	-1	-0.01	-0.05	-1	4.0	1.1	25	33	61	-10	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	164	-20	6.7
L11+430W 10+000N	15200	51	21	76	18	-5	4	2.4	-1	-1	-0.01	-0.05	-1	6.5	1.9	57	41	68	-10	22	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	195	-20	15.4
L11+430W 10+025N	11500	35	25	66	14	-5	3	1.6	-1	-1	-0.01	-0.05	-1	4.6	1.4	48	16	49	-10	7	1	-0.5	-0.2	0.6	-0.1	-0.8	0.1	-0.8	308	-20	12.0
L11+430W 10+050N	19900	63	21	105	24	-5	21	4.9	-1	-1	0.01	-0.05	-1	3.0	0.6	34	30	60	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	11.7
L11+430W 10+075N	17400	89	24	137	44	7	42	6.5	-1	1	0.02	0.07	-1	4.5	1.1	78	34	63	-10	2	-1	-0.5	-0.2	1.4	-0.1	-0.8	0.2	-0.8	-100	-20	29.3
L11+430W 10+100N	11900	37	34	110	39	9	13	2.5	-1	1	-0.01	-0.05	-1	8.4	1.1	230	21	92	25	5	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	11.2	108	-20	46.4
L11+430W 10+125N	10000	18	42	69	16	-5	6	1.0	-1	-1	-0.01	-0.05	-1	4.3	0.9	107	33	11	-10	4	2	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	5.9	201	-20	4.9
L11+430W 10+150N	9560	58	22	65	24	-5	6	1.5	-1	-1	-0.01	-0.05	-1	12.4	2.7	38	60	144	33	4	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	5.1	264	-20	28.1
L11+430W 10+175N	11000	31	58	53	22	-5	3	1.3	-1	-1	-0.01	-0.05	-1	9.7	2.2	42	35	58	26	6	2	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	1.2	124	-20	14.3
L11+430W 10+200N	11300	34	29	68	19	-5	7	1.3	-1	-1	0.01	-0.05	-1	8.2	1.8	58	54	85	29	6	1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	2.3	272	-20	11.3
L11+430W 10+225N	13400	19	14	64	12	-5	2	0.7	-1	-1	-0.01	0.14	-1	3.2	0.8	27	23	-3	-10	4	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	120	-20	3.2
L11+430W 10+250N	10400	18	23	41	8	-5	3	0.8	-1	-1	-0.01	-0.05	-1	2.8	0.7	36	54	55	25	3	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	184	-20	3.1
L11+430W 10+275N	16500	63	36	65	13	-5	4	1.2	-1	-1	-0.01	-0.05	-1	6.9	1.6	27	57	100	19	2	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	247	-20	11.2
L11+430W 10+300N	18500	43	52	104	27	5	17	1.6	-1	-1	-0.01	-0.05	-1	4.8	1.6	27	37	56	54	3	2	-0.5	-0.2	0.6	-0.1	0.9	-0.1	-0.8	821	-20	10.2
L11+430W 10+325N	9470	40	44	60	18	-5	4	2.9	-1	-1	-0.01	-0.05	-1	2.8	1.3	16	31	14	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	13.2
L11+430W 10+350N	10900	30	50	93	16	-5	4	2.6	-1	-1	-0.01	-0.05	-1	6.2	1.6	52	42	19	36	3	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	116	-20	12.2
L11+430W 10+375N	14200	74	35	59	17	6	3	1.1	-1	-1	0.01	-0.05	-1	4.0	1.7	33	26	65	-10	4	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	262	-20	6.2
L11+430W 10+400N	12600	33	35	57	14	-5	3	1.4	-1	-1	-0.01	-0.05	-1	4.9	1.1	46	40	43	12	4	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	237	-20	5.8
L11+430W 10+425N	12600	77	41	120	22	-5	11	2.1	-1	-1	-0.01	-0.05	-1	3.7	0.9	42	42	65	-10	-1	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	154	-20	10.3
L11+430W 10+450N	17200	57	22	89	18	-5	6	1.7	-1	-1	-0.01	-0.05	-1	5.8	1.4	51	58	97	15	3	2	-0.5	-0.2	1.0	-0.1	-0.8	0.1	-0.8	409	-20	10.3
L11+530W 9+300N	15100	33	38	33	9	-5	-1	0.8	-1	-1	-0.01	-0.05	-1	10.4	2.3	100	25	-3	-10	5	2	-0.5	-0.2	0.9	-0.1	2.5	0.2	-0.8	410	-20	8.5
L11+530W 9+325N	9700	41	24	84	6	-5	-1	1.5	-1	-1	-0.01	-0.05	-1	8.4	1.4	67	28	6	-10	2	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	248	-20	19.9
L11+530W 9+400N	25900	99	54	104	5	7	63	5.7	-1	-1	0.03	0.09	-1	4.1	1.6	36	210	110	-10	-1	1	0.8	-0.2	0.7	-0.1	-0.8	0.2	1.9	586	-20	10.3
L11+530W 9+425N	9970	37	57	51	13	-5	7	1.1	-1	2	-0.01	-0.05	-1	6.6	1.4	110	62	100	-10	4	1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	307	-20	9.5
L11+530W 9+450N	9830	43	33	92	15	7	26	1.4	-1	-1	-0.01	-0.05	-1	2.7	0.9	117	72	93	-10	2	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	182	-20	4.9
L11+530W 9+475N	10400	65	22	66	13	8	48	1.7	-1	-1	-0.01	-0.05	-1	4.8	1.7	122	84	85	-10	3	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	-100	-20	17.6
L11+530W 9+500N	19600	82	40	42	19	-5	-1	1.1	-1	-1	-0.01	-0.05	-1	15.2	2.3	61	42	79	-10	10	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	288	-20	11.1

Enzyme Leach Job #: 26430 Report #: 26417 **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L11+530W 9+550N	27600	95	33	161	22	6	15	13.7	-1	-1	0.01	0.10	-1	3.6	0.6	74	149	88	-10	1	1	0.6	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	40.0
L11+530W 9+625N	15800	129	40	109	5	-5	19	4.4	-1	-1	0.05	0.15	-1	3.7	2.4	20	68	15	-10	-1	1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	274	-20	68.9
L11+530W 9+650N	19100	104	36	91	15	6	11	1.3	-1	-1	-0.01	-0.05	-1	2.9	2.2	39	49	101	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	182	-20	21.7
L11+530W 9+675N	18500	47	38	73	4	-5	6	1.3	-1	-1	0.02	-0.05	-1	3.3	1.4	49	38	-3	-10	-1	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	192	-20	34.7
L11+530W 9+700N	21900	174	34	135	31	10	32	12.6	-1	-1	0.02	-0.05	-1	10.7	2.0	31	131	165	-10	1	2	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	218	-20	52.8
L11+530W 9+725N	14400	83	29	81	14	-5	2	1.0	-1	-1	-0.01	-0.05	-1	10.6	1.6	54	50	63	13	5	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	399	-20	16.3
L11+530W 9+750N	23600	101	34	165	19	8	17	3.2	-1	-1	0.03	-0.05	-1	10.4	3.6	55	71	65	28	2	3	0.6	-0.2	0.6	-0.1	-0.8	0.1	-0.8	672	-20	34.3
L11+530W 9+775N	19800	71	45	129	20	6	34	3.4	-1	-1	-0.01	-0.05	-1	5.0	2.3	78	51	89	-10	2	1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	205	-20	14.7
L11+530W 9+800N	18400	62	37	120	29	6	17	4.9	-1	-1	0.01	-0.05	-1	4.2	1.3	35	52	43	-10	2	2	0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	177	-20	20.9
L11+530W 9+825N	17700	28	32	174	23	-5	12	4.6	-1	1	-0.01	-0.05	-1	6.6	1.5	126	96	74	135	12	7	1.0	0.3	3.5	-0.1	1.1	0.4	-0.8	1330	-20	10.6
L11+530W 9+850N	18800	43	32	108	18	-5	5	3.6	-1	-1	-0.01	-0.05	-1	6.6	2.0	48	56	58	14	1	1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	204	-20	18.0
L11+530W 9+875N	17100	42	64	61	16	6	8	2.0	-1	-1	-0.01	-0.05	-1	3.3	2.6	27	25	32	-10	2	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	128	-20	5.5
L11+530W 9+900N	9050	47	58	96	30	-5	4	2.8	-1	-1	0.01	-0.05	-1	2.4	1.4	27	31	45	-10	1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	111	-20	7.5
L11+530W 9+950N	11400	56	20	69	14	-5	5	1.1	-1	-1	-0.01	-0.05	-1	4.5	1.3	64	28	74	12	3	-1	-0.5	-0.2	1.7	-0.1	-0.8	-0.1	-0.8	282	-20	6.2
L11+530W 9+975N	11800	37	42	75	14	-5	5	2.1	-1	-1	-0.01	-0.05	-1	4.3	1.4	38	35	48	12	2	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	146	-20	10.1
L11+530W 10+000N	14400	50	23	75	16	-5	6	1.7	-1	-1	0.02	-0.05	-1	1.8	0.9	12	20	-3	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	-100	-20	6.7
L11+530W 10+025N	15200	44	41	103	17	-5	14	1.9	-1	-1	0.02	-0.05	-1	2.5	0.9	40	32	14	14	1	2	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	225	-20	5.3
L11+530W 10+050N	21500	182	33	244	27	13	39	16.5	-1	1	0.03	-0.05	-1	5.9	1.9	69	154	132	-10	2	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	51.3
L11+530W 10+075N	11800	35	27	70	22	6	4	1.5	-1	-1	-0.01	-0.05	-1	5.8	1.3	102	81	91	-10	4	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	-100	-20	20.9
L11+530W 10+100N	10500	32	33	71	16	-5	4	0.9	-1	-1	0.01	-0.05	-1	5.6	1.1	57	84	93	17	2	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	253	-20	9.3
L11+530W 10+125N	9170	18	24	118	18	-5	6	1.0	-1	-1	-0.01	-0.05	-1	3.8	0.7	39	39	73	-10	2	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	208	-20	4.9
L11+530W 10+150N	11700	30	73	78	13	-5	3	1.0	-1	-1	-0.01	-0.05	-1	5.2	1.0	31	36	61	13	3	1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	-0.8	396	-20	5.6
L11+530W 10+175N	10600	22	61	59	8	-5	2	0.8	-1	-1	-0.01	-0.05	-1	2.6	0.9	17	22	41	11	3	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	281	-20	2.9
L11+530W 10+200N	13800	73	8	69	11	-5	8	1.3	-1	-1	-0.01	-0.05	-1	7.1	1.4	46	30	53	15	4	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	21.3	133	-20	8.2
L11+530W 10+225N	16600	41	21	84	17	-5	6	2.7	-1	-1	-0.01	-0.05	-1	5.0	1.4	22	32	44	12	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	7.2	123	-20	12.5
L11+530W 10+250N	10300	69	44	110	23	-5	7	3.7	-1	-1	0.02	-0.05	-1	6.9	2.8	28	30	66	-10	-1	1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	5.7	-100	-20	32.0
L11+530W 10+275N	21200	68	57	114	16	8	22	4.3	-1	-1	0.01	-0.05	-1	2.8	1.4	22	48	63	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	6.4	-100	-20	21.2
L11+530W 10+300N	19100	45	41	57	20	-5	6	2.0	-1	-1	-0.01	-0.05	-1	5.2	1.2	20	24	15	-10	1	-1	-0.5	-0.2	0.9	-0.1	-0.8	-0.1	1.8	-100	-20	9.6
L11+530W 10+325N	13100	58	40	155	37	6	10	7.2	-1	-1	0.02	-0.05	-1	3.4	1.1	32	49	55	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	1.6	-100	-20	37.4
L11+530W 10+350N	16400	56	29	135	33	7	30	13.3	-1	-1	0.02	-0.05	-1	2.1	1.0	22	87	54	-10	1	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	2.7	-100	-20	18.3
L11+530W 10+375N	14900	27	90	69	16	-5	3	1.2	-1	-1	-0.01	-0.05	-1	2.1	1.1	11	22	21	-10	4	1	-0.5	-0.2	0.4	-0.1	-0.8	0.1	-0.8	248	-20	4.7
L11+530W 10+400N	15600	52	40	75	17	-5	5	1.6	-1	-1	-0.01	-0.05	-1	3.9	0.9	18	35	31	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	1.1	-100	-20	6.6
L11+530W 10+425N	16800	48	36	110	21	-5	6	3.0	-1	-1	0.02	-0.05	-1	2.4	0.8	19	23	24	-10	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	7.1
L11+530W 10+450N	14600	89	12	123	16	8	30	11.6	-1	-1	0.02	0.05	-1	1.5	1.1	14	45	39	-10	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	16.6
L11+630W 9+300N	11500	49	23	200	15	-5	4	8.4	-1	-1	-0.01	-0.05	-1	3.0	0.9	32	48	5	-10	2	3	0.6	-0.2	0.5	-0.1	-0.8	0.1	-0.8	297	-20	23.0
L11+630W 9+375N	19000	86	36	116	35	18	22	5.6	-1	1	0.04	0.09	-1	6.6	3.1	19	77	101	-10	-1	1	-0.5	-0.2	0.9	-0.1	1.5	-0.1	1.0	123	-20	34.2
L11+630W 9+400N	8900	35	25	68	20	-5	14	2.9	-1	-1	-0.01	-0.05	5	7.4	0.9	90	66	26	-10	1	1	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	-100	-20	29.7
L11+630W 9+425N	7020	57	36	132	29	8	28	2.1	-1	1	-0.01	-0.05	-1	6.4	0.9	144	140	123	10	4	2	-0.5	-0.2	0.8	-0.1	-0.8	0.1	-0.8	150	-20	20.4
L11+630W 9+450N	10600	65	31	98	29	8	28	1.5	-1	-1	0.01	-0.05	-1	5.8	1.4	88	91	200	44	2	1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	-100	-20	9.1
L11+630W 9+500N	6420	32	30	64	22	-5	12	4.1	-1	-1	-0.01	-0.05	-1	1.6	0.7	20	43	8	33	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	20.3
L11+630W 9+525N	14100	84	54	51	16	-5	4	3.5	-1	-1	0.02	-0.05	-1	13.7	1.9	62	65	53	-10	3	1	-0.5	-0.2	1.8	-0.1	-0.8	0.1	-0.8	198	-20	37.9
L11+630W 9+550N	9690	52	92	91	20	5	21	3.5	-1	-1	0.04	-0.05	-1	4.1	0.9	34	61	3	-10	2	-1	0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	38.1
L11+630W 9+575N	13500	134	20	93	17	8	11	1.5	-1	-1	0.02	-0.05	-1	4.6	1.9	40	62	101	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	176	-20	38.2
L11+630W 9+625N	18400	63	33	128	9	-5	4	1.8	-1	-1	-0.01	-0.05	-1	2.9	0.9	52	72	5	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	188	-20	44.0
L11+630W 9+675N	18200	57	89	74	14	8	2	1.3	-1	-1	0.01	-0.05	-1	11.0	1.9	47	51	62	-10	4	1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	204	-20	36.6
L11+630W 9+700N	11100	34	17	87	15	-5	5	1.1	-1	-1	0.02	-0.05	-1	3.6	0.8	23	26	56	-10	-1	-1	-0.5	-0.2	0.3	-0.1	-0.8	-0.1	-0.8	129	-20	9.1
L11+630W 9+725N	12200	47	33	119	23	-5	6	2.9	-1	-1	-0.01	-0.05	-1	4.4	1.4	20	34	33	-10	-1	-1	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	33.3
L11+630W 9+750N	13100	85	25	85	22	8	10	1.6	-1	-1	0.02	-0.05	-1	6.3	1.6	23	49	72	-10	-1	-1	-0.5	-0.2	-0.2	-0.1	-0.8	-0.1	-0.8	-100	-20	55.9
L11+630W 9+775N	7920	105	23	136	21	5	17	0.8	-1	-1	-0.01	-0.05	-1	6.8	1.3	62	67	197	-10	3	2	-0.5	-0.2	1.1	-0.1	-0.8	0.1	-0.8	551	-20	11.2
L11+630W 9+800N	12900	45	41	170	19	5	5	1.5	-1	-1	-0.01	-0.05	-1	10.3	1.4	55	61	98	60	3	4	-0.5	-0.2	1.3	-0.1	-0.8	0.1	-0.8	1080	-20	13.1
L11+630W 9+825N	21400	49	79	134	21	6	5	3.9	-1	-1	-0.01	-0.05	-1	8.3	1.6	37	39	29	-10	2	2	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	253	-20	23.8
L11+630W 9+850N	15600	43	29	127	28	-5	6	5.3	-1	-1	-0.01	-0.05	-1	6.6	1.3	32	41	16	15	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	106	-20	30.3
L11+630W 9+875N	10700	52	45	95	20	-5	8	2.5	-1	-1	-0.01	-0.05	-1	5.7	1.5	30	38	28	-10	3	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	296	-20	10.3
L11+630W 9+900N	21600	52	37	124	21	6	10	4.8	-1	-1	0.02	-0.05	-1	1.3	0.6	10	27	7	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	8.3
L11+630W 9+925N	19000	98	34	160	15	6	45	11.1	-1	1	0.02	0.08	-1	2.1	1.2	19	64	63	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	27.8
L11+630W 9+950N	15700	104	39	178	43	8	25	9.9	-1	-1	0.02	-0.05	-1	4.1	1.4	32	60	37	-10	3	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	24.1
L11+630W 9+975N	11300	92	17	129	32	7	38	9.9	-1	-1	0.02	-0.05	-1	2.7	0.8	31	66	23	-10	2	-1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	-100	-20	27.3
L11+630W 10+000N	23000	74	33	108	18	5	6	2.5	-1	-1	0.02	-0.05	-1	4.1	1.2	26	27	-3	-10	2	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	259	-20	11.3

Enzyme Leach Job #: 26430 **Report #: 26417** **Customer: ALBER CARLOS** **Geologist: ALBERT CARLOS** **Customer's Job #: CANYON GOLD**

Trace element values are in parts per billion. Negative values equal NOT DETECTED at that lower limit. Elements arranged by suite and by atomic mass.
Values = 999999 are greater than the working range of the instrument. S.Q. = That element is determined SEMIQUANTITATIVELY.

Regular Package:	*Oxidation Suit*															*Base Metals:*					*Base Metal - Chalcophile Associati*								*High-Field Strength*		
Sample ID:	S.Q. Cl	Br	I	V	As	Se	Mo	Sb	Te	W	Re	Au	S.Q. Hg	Th	U	Co	Ni	Cu	Zn	Pb	Ga	Ge	Ag	Cd	In	Sn	Tl	Bi	S.Q. Ti	S.Q. Cr	Y
L11+630W 10+025N	17100	92	50	144	34	7	7	8.9	-1	-1	-0.01	0.07	-1	2.8	0.7	73	72	38	-10	-1	-1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	105	-20	40.2
L11+630W 10+050N	8610	178	101	80	24	-5	9	1.9	-1	-1	-0.01	-0.05	-1	7.7	1.0	50	60	81	-10	3	2	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	282	-20	18.4
L11+630W 10+075N	9020	21	47	68	22	-5	5	1.0	-1	-1	-0.01	-0.05	-1	8.0	1.7	49	41	108	34	5	2	-0.5	-0.2	0.6	-0.1	0.9	-0.1	-0.8	485	-20	6.7
L11+630W 10+100N	8560	27	55	78	20	-5	5	1.8	-1	-1	-0.01	-0.05	-1	9.2	1.3	26	71	109	19	3	2	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	213	-20	8.1
L11+630W 10+125N	8190	34	44	72	22	-5	2	1.5	-1	-1	-0.01	-0.05	-1	14.5	2.2	22	49	65	57	6	3	-0.5	-0.2	0.9	-0.1	-0.8	0.1	-0.8	345	-20	16.2
L11+630W 10+150N	10000	50	39	116	26	-5	6	3.6	-1	-1	-0.01	-0.05	-1	11.8	2.1	56	42	43	43	2	2	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	789	-20	24.5
L11+630W 10+175N	8200	44	25	106	16	-5	6	2.0	-1	-1	-0.01	-0.05	-1	11.0	2.6	27	45	65	43	5	3	-0.5	-0.2	1.2	-0.1	-0.8	0.1	-0.8	554	-20	16.2
L11+630W 10+200N	18600	45	40	106	19	-5	12	2.5	-1	-1	-0.01	-0.05	-1	6.6	2.1	20	38	37	15	2	1	-0.5	-0.2	1.2	-0.1	-0.8	0.1	-0.8	319	-20	9.5
L11+630W 10+225N	11600	53	55	58	14	-5	4	1.5	-1	-1	-0.01	-0.05	-1	8.7	1.6	29	35	60	118	3	2	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	147	-20	11.7
L11+630W 10+250N	11800	48	42	123	28	-5	8	2.4	-1	-1	0.01	-0.05	-1	3.7	0.8	29	18	9	-10	-1	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	-100	-20	7.5
L11+630W 10+275N	16200	79	10	125	23	10	20	9.5	-1	-1	0.02	-0.05	-1	4.2	1.0	45	92	108	-10	-1	-1	-0.5	-0.2	1.0	-0.1	-0.8	-0.1	-0.8	-100	-20	38.9
L11+630W 10+300N	15800	64	53	95	21	8	15	6.7	-1	-1	0.02	-0.05	-1	3.5	1.0	18	92	89	-10	-1	-1	-0.5	-0.2	1.4	-0.1	-0.8	-0.1	-0.8	-100	-20	35.5
L11+630W 10+325N	13900	119	9	137	25	7	20	20.5	-1	-1	0.02	-0.05	-1	1.3	0.5	24	37	4	-10	-1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	13.8
L11+630W 10+350N	5580	42	89	60	14	-5	5	1.1	-1	-1	-0.01	-0.05	-1	2.6	0.9	39	20	23	-10	2	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	4.4
L11+630W 10+375N	10500	64	50	93	35	7	16	6.8	-1	-1	-0.01	-0.05	-1	3.0	0.7	14	64	34	-10	-1	-1	-0.5	-0.2	1.1	-0.1	-0.8	-0.1	-0.8	-100	-20	15.4
L11+630W 10+400N	9850	56	48	105	69	5	10	6.6	-1	-1	-0.01	-0.05	-1	1.0	0.8	39	42	14	-10	-1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	11.9
L11+630W 10+425N	10100	56	25	98	39	-5	24	4.2	-1	-1	-0.01	-0.05	-1	2.0	0.6	28	51	-3	-10	4	-1	-0.5	-0.2	1.3	-0.1	-0.8	-0.1	-0.8	-100	-20	16.2
L11+630W 10+450N	14700	162	60	128	25	18	62	7.4	-1	1	0.03	-0.05	-1	6.3	2.4	37	93	86	-10	-1	1	-0.5	-0.2	0.4	-0.1	-0.8	0.1	-0.8	-100	-20	32.4
L10+000W 9+975N	16100	128	56	121	20	-5	30	6.1	-1	-1	0.01	0.08	-1	5.0	0.9	14	49	8	-10	3	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	118	-20	27.9
L10+000W 10+275N	17600	48	15	89	32	7	70	15.7	-1	1	0.02	0.11	-1	3.5	2.1	21	105	108	-10	6	1	-0.5	-0.2	1.6	-0.1	-0.8	0.2	-0.8	-100	-20	7.6
L10+100W 9+725N	12100	64	30	116	25	-5	11	4.2	-1	-1	0.05	-0.05	-1	1.9	1.3	49	23	-3	-10	1	-1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	-100	-20	16.0
L10+100W 9+975N	7140	34	58	96	20	-5	13	6.7	-1	-1	-0.01	-0.05	-1	3.8	1.4	10	73	15	-10	1	1	-0.5	-0.2	0.6	-0.1	-0.8	-0.1	-0.8	133	-20	24.3
L10+200W 10+025N	4300	74	73	120	17	-5	22	9.6	-1	-1	0.05	-0.05	-1	2.4	0.6	93	27	-3	-10	-1	1	-0.5	-0.2	0.4	-0.1	-0.8	-0.1	-0.8	-100	-20	14.6
L10+100W 10+275N	11800	66	55	47	20	-5	5	1.1	-1	-1	-0.01	-0.05	-1	14.4	2.3	55	48	190	-10	4	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	255	-20	17.3
L10+200W 10+275N	17600	47	52	65	22	-5	13	1.5	-1	-1	-0.01	1.16	-1	13.7	2.3	86	41	110	-10	5	2	-0.5	-0.2	1.0	-0.1	-0.8	0.1	-0.8	122	-20	13.2
L10+300W 9+975N	17100	54	40	146	26	11	40	16.5	-1	-1	0.03	0.08	-1	2.4	1.0	19	49	168	-10	4	-1	-0.5	-0.2	1.2	-0.1	-0.8	0.1	-0.8	-100	-20	7.5
L10+400W 9+975N	11600	69	111	134	30	-5	15	9.6	-1	-1	0.02	-0.05	-1	2.0	1.1	28	33	13	56	1	-1	-0.5	-0.2	0.7	-0.1	-0.8	-0.1	-0.8	-100	-20	11.3
L10+300W 10+275N	14900	70	53	65	19	-5	7	1.9	-1	-1	0.02	-0.05	-1	5.2	2.0	17	55	71	316	2	-1	-0.5	-0.2	2.1	-0.1	-0.8	-0.1	-0.8	-100	-20	15.7
L10+400W 10+275N	31200	59	48	78	14	-5	-1	0.7	-1	-1	0.01	-0.05	-1	3.8	0.9	27	20	55	-10	20	1	-0.5	-0.2	0.8	-0.1	-0.8	-0.1	-0.8	431	-20	4.6
L10+500W 9+975N	11100	52	19	89	48	6	17	7.7	-1	-1	0.02	0.06	-1	5.4	1.3	71	79	96	-10	8	-1	-0.5	-0.2	3.2	-0.1	-0.8	0.2	-0.8	-100	-20	26.3
L10+500W 10+275N	7730	37	33	80	18	-5	7	1.7	-1	-1	-0.01	-0.05	-1	4.5	1.7	42	36	32	50	4	1	-0.5	-0.2	0.5	-0.1	-0.8	-0.1	-0.8	295	-20	8.6
L8+800W 10+075N	25400	79	37	121	12	-5	15	4.6	-1	-1	0.02	-0.05	-1	1.9	1.3	22	33	36	-10	2	2	-0.5	-0.2	0.2	-0.1	-0.8	-0.1	-0.8	192	-20	21.4

Certified By:

C. Douglas Read, B. Sc.
Laboratory Manager, Activation Laboratories Ltd.

Date Received: 10-Dec-02

This report shall not be reproduced except in full without the written approval of the laboratory.
Unless otherwise instructed, samples will be disposed of 90 days from the date of this report.

Date Reported: 07-Feb-03

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*													*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L8+700W 9+500N	46	2	1.1	0.1	21.0	46.1	6.9	31.3	7.3	1.7	6.9	1.3	7.1	1.3	3.8	0.5	3.2	0.5	15	-2	-100	4320	17	1420	0.7	656	-1	-1	-1	-1
L8+700W 9+600N	18	2	0.6	-0.1	13.5	25.9	4.1	17.7	4.1	1.1	4.1	0.8	4.3	0.9	2.3	0.3	2.2	0.3	40	-2	-100	3220	28	1190	0.4	702	-1	-1	-1	-1
L8+700W 9+625N	18	1	0.4	-0.1	9.2	29.3	3.1	13.2	3.1	0.6	2.9	0.5	2.7	0.5	1.4	0.2	1.1	0.2	24	-2	-100	5430	18	1060	0.3	581	-1	-1	-1	-1
L8+700W 9+675N	32	2	0.7	-0.1	16.7	41.0	5.3	23.1	5.2	1.1	4.9	0.8	4.2	0.8	2.2	0.3	2.0	0.3	25	-2	-100	4830	20	1080	0.4	872	-1	-1	-1	-1
L8+700W 9+700N	51	1	1.2	0.1	19.8	44.3	6.1	25.4	6.3	1.4	6.1	1.1	6.5	1.2	3.8	0.5	3.6	0.6	28	3	-100	7930	23	1200	0.8	1190	-1	-1	-1	-1
L8+700W 9+750N	8	-1	0.2	-0.1	6.8	13.0	2.2	10.2	2.6	0.7	2.3	0.4	2.2	0.4	1.2	0.1	0.9	0.2	13	-2	-100	1090	9	3020	0.2	1380	-1	-1	-1	-1
L8+700W 9+775N	25	2	0.6	-0.1	13.7	22.5	4.2	17.5	4.5	1.0	3.6	0.7	3.4	0.6	1.7	0.2	1.3	0.2	-2	-2	-100	321	8	762	0.2	969	-1	-1	-1	-1
L8+700W 9+800N	30	2	0.7	0.1	15.0	29.0	4.8	22.3	5.8	1.5	5.4	1.0	5.0	1.0	2.7	0.3	2.0	0.4	21	-2	-100	3700	22	3400	0.5	2540	-1	-1	-1	-1
L8+700W 9+825N	54	2	1.2	-0.1	12.2	50.1	3.7	15.2	3.2	0.9	2.8	0.5	2.3	0.5	1.3	0.2	1.1	0.2	5	-2	-100	5840	12	981	0.2	2060	-1	-1	-1	-1
L8+700W 9+850N	73	2	1.6	0.1	26.1	138	8.0	31.8	7.6	1.8	6.7	1.2	6.2	1.2	3.2	0.4	2.5	0.4	4	3	-100	3140	8	918	0.2	1550	-1	-1	-1	-1
L8+700W 9+875N	18	-1	0.3	-0.1	12.9	16.4	3.9	17.8	4.7	1.2	3.9	0.7	3.8	0.8	2.2	0.3	1.8	0.3	-2	-2	-100	2850	17	2040	0.3	2770	-1	-1	-1	-1
L8+700W 9+900N	48	3	1.1	0.1	28.0	39.5	8.3	36.3	8.5	2.1	8.0	1.3	7.3	1.5	4.0	0.5	3.8	0.5	4	-2	-100	2470	14	880	0.6	2280	-1	-1	-1	-1
L8+700W 9+925N	31	-1	0.8	-0.1	23.1	30.7	7.2	30.9	7.3	1.8	7.2	1.3	6.3	1.3	3.7	0.5	2.9	0.4	-2	-2	-100	1070	10	911	0.3	1970	-1	-1	-1	-1
L8+700W 9+950N	18	-1	0.5	-0.1	5.2	9.1	1.6	7.4	1.4	0.5	1.6	0.3	1.4	0.2	0.7	-0.1	0.7	-0.1	18	-2	-100	554	9	1080	0.2	1360	-1	-1	-1	-1
L8+700W 9+975N	44	3	1.2	0.1	19.6	26.3	5.9	25.7	6.4	1.5	5.4	1.0	4.8	1.0	2.8	0.4	2.2	0.4	9	-2	-100	3180	16	834	0.3	1570	-1	-1	-1	-1
L8+700W 10+000N	34	1	0.6	-0.1	12.7	17.6	4.0	19.3	5.0	1.3	5.1	0.9	4.8	1.0	2.8	0.4	2.4	0.4	12	-2	-100	4560	15	2240	0.7	2250	-1	-1	-1	-1
L8+700W 10+025N	50	2	0.9	0.1	21.7	42.7	6.9	31.4	7.7	2.0	8.0	1.4	7.6	1.6	4.3	0.6	3.6	0.6	27	-2	-100	10600	21	1470	1.1	1680	-1	-1	-1	-1
L8+700W 10+050N	26	-1	0.8	-0.1	16.7	36.0	5.9	27.6	7.0	1.7	6.5	1.3	6.7	1.4	3.6	0.4	3.1	0.5	34	-2	-100	2470	19	1180	0.5	673	-1	-1	-1	-1
L8+700W 10+075N	28	1	0.7	-0.1	17.0	23.8	6.2	30.5	8.1	2.1	7.4	1.3	6.4	1.3	3.5	0.4	2.8	0.4	54	-2	-100	2580	31	3330	0.5	2050	-1	-1	-1	-1
L8+700W 10+100N	75	4	1.9	0.2	19.4	46.0	5.8	25.2	6.1	1.6	5.8	1.0	5.5	1.1	3.0	0.4	2.6	0.4	9	3	-100	7660	16	908	0.7	1820	-1	-1	-1	-1
L8+700W 10+125N	86	3	2.0	0.2	30.5	74.6	10.2	40.7	10.0	2.5	10.1	1.7	9.3	1.9	5.5	0.7	4.9	0.7	12	3	-100	6390	16	937	0.8	2040	-1	-1	-1	-1
L8+700W 10+150N	47	3	1.0	0.2	22.7	44.4	6.8	32.5	7.6	1.9	7.7	1.4	7.3	1.5	4.0	0.6	3.5	0.5	18	-2	-100	5600	14	960	0.9	1630	-1	-1	-1	-1
L8+700W 10+175N	41	1	0.9	-0.1	32.3	26.9	7.5	35.2	7.8	2.0	7.2	1.3	6.6	1.4	3.8	0.5	3.0	0.5	-2	-2	-100	2950	11	823	0.6	1380	-1	-1	-1	-1
L8+700W 10+200N	30	-1	0.6	-0.1	11.0	11.7	3.6	17.1	4.4	1.5	4.3	0.8	4.5	0.9	2.4	0.3	2.1	0.3	-2	-2	-100	3280	15	1860	0.6	3410	-1	-1	-1	-1
L8+700W 10+225N	30	2	0.7	-0.1	13.9	15.3	4.2	19.7	5.1	1.5	4.9	0.9	4.7	1.0	2.6	0.3	2.3	0.3	2	-2	-100	4290	15	1940	0.7	2770	-1	-1	-1	-1
L8+700W 10+250N	47	1	1.0	0.1	21.8	30.8	6.9	31.5	8.0	2.3	7.6	1.4	7.7	1.6	4.3	0.6	4.0	0.6	13	-2	-100	3760	8	732	0.6	2510	-1	-1	-1	-1
L8+700W 10+275N	15	1	0.5	-0.1	23.3	37.6	6.0	27.1	6.0	1.4	5.8	0.9	4.8	1.0	2.7	0.4	2.5	0.4	-2	-2	-100	2040	11	1040	0.2	1570	-1	-1	-1	-1
L8+700W 10+300N	15	-1	0.5	-0.1	7.6	14.0	2.3	10.1	2.7	0.7	2.5	0.4	2.5	0.5	1.5	0.2	1.3	0.2	-2	-2	-100	1230	11	1000	0.4	1690	-1	-1	-1	-1
L8+700W 10+325N	53	2	0.7	0.1	9.9	21.8	2.9	12.7	3.2	1.0	4.3	0.7	3.1	0.7	2.0	0.3	2.2	0.3	26	-2	-100	2550	42	1870	1.7	2090	-1	-1	-1	-1
L8+700W 10+350N	24	1	0.6	-0.1	13.1	26.9	4.3	19.0	4.7	1.3	4.5	0.9	4.8	1.0	2.8	0.4	2.6	0.4	24	-2	-100	6370	19	1270	0.8	1320	-1	-1	-1	-1
L8+700W 10+475N	53	4	1.1	0.2	12.0	24.6	3.0	11.7	2.7	0.8	2.6	0.5	2.6	0.5	1.7	0.2	1.5	0.2	17	-2	-100	6260	31	1800	0.3	1230	-1	-1	-1	-1
L8+700W 10+500N	24	1	0.7	0.1	39.4	46.0	14.4	66.2	16.8	4.0	15.0	2.7	14.0	2.8	7.2	0.9	5.5	0.8	29	-2	-100	2050	25	4130	0.5	1900	-1	-1	-1	-1
L8+800W 9+525N	52	1	1.1	-0.1	31.7	64.0	9.7	40.5	9.5	2.0	8.6	1.6	8.2	1.6	4.1	0.6	3.7	0.5	17	2	-100	6530	12	1420	0.6	858	-1	-1	-1	-1
L8+800W 9+550N	57	3	1.3	0.1	35.4	77.8	10.3	45.2	11.0	2.6	9.8	1.9	9.7	2.0	5.5	0.8	5.0	0.7	19	2	-100	12500	29	1590	1.2	1150	-1	-1	-1	-1
L8+800W 9+575N	27	1	0.7	-0.1	16.5	38.5	5.1	21.5	4.9	1.3	4.8	0.9	4.7	0.9	2.3	0.4	2.4	0.3	22	-2	-100	6730	24	1960	0.6	1090	-1	-1	-1	-1
L8+800W 9+600N	20	-1	0.5	-0.1	15.1	39.8	4.6	19.8	4.9	1.1	4.3	0.9	4.3	0.8	2.4	0.3	2.3	0.3	13	-2	-100	7910	21	2180	0.3	1010	-1	-1	-1	-1
L8+800W 9+625N	19	-1	0.5	-0.1	10.3	26.1	3.4	14.5	3.6	1.0	3.4	0.7	3.5	0.6	1.8	0.2	1.6	0.2	35	-2	-100	6850	13	6430	0.5	1480	-1	-1	-1	-1
L8+800W 9+650N	36	1	0.8	-0.1	17.9	35.1	5.1	21.9	5.6	1.4	5.2	1.0	5.9	1.2	3.4	0.5	3.3	0.6	9	2	-100	2500	18	1450	0.7	962	-1	-1	-1	-1
L8+800W 9+675N	27	-1	0.6	-0.1	14.5	30.8	4.4	18.3	4.4	1.2	4.4	0.9	4.7	1.0	3.1	0.4	2.8	0.4	12	-2	-100	13200	16	1740	0.4	742	-1	-1	-1	-1
L8+800W 9+700N	34	2	0.8	-0.1	16.8	35.7	5.0	21.4	4.9	1.4	4.8	1.0	5.3	1.1	2.9	0.4	2.8	0.4	19	-2	-100	4870	12	1810	0.6	805	-1	-1	-1	-1
L8+800W 9+725N	39	2	0.9	0.2	15.3	31.7	4.6	19.7	5.0	1.2	4.2	0.8	4.5	1.0	2.5	0.3	2.4	0.4	11	-2	-100	3380	16	3070	0.6	1210	-1	-1	-1	-1
L8+800W 9+750N	32	2	0.7	0.1	18.1	41.4	5.6	23.4	5.4	1.3	5.0	1.0	5.0	1.0	2.9	0.4	2.4	0.3	14	-2	-100	4030	12	1960	0.4	1140	-1	-1	-1	-1
L8+800W 9+775N	33	5	0.8	0.1	22.9	48.2	7.4	32.1	7.0	1.8	6.8	1.3	6.3	1.2	3.2	0.4	2.7	0.4	14	-2	-100	3470	20	2200	0.9	1050	-1	-1	-1	-1
L8+800W 9+800N	33	2	0.8	0.1	13.5	27.9	4.4	19.9	5.2	1.4	4.9	0.9	5.0	1.0	2.7	0.4	2.4	0.3	18	-2	-100	3550	16	5620	0.6	2280	-1	-1	-1	-1
L8+800W 9+825N	62	1	1.4	-0.1	36.4	136.0	12.0	49.2	10.8	2.4	9.3	1.8	8.3	1.6	4.1	0.6	3.4	0.5	-2	2	-100	7260	10	1250	0.2	2400	-1	-1	-1	-1
L8+800W 9+850N	61	2	1.5	0.1	11.1	34.2	3.4	12.5	2.7	1.1	2.4	0.5	2.2	0.4	1.2	0.2	1.1	0.2	-2	-2	-100	3050	14	1080	0.4	4380	-1	-1	-1	-1
L8+800W 9+875N	64	2	1.5	-0.1	50.7	67.1	15.4	70.5	15.8	3.5	14.1	2.4	11.8	2.4	6.4	0.8	5.4	0.8	4	-2	-100	2950	13	929	0.2	2120	-1	-1	-1	-1
L8+800W 9+900N	29	1	0.6	0.2	20.9	35.0	7.0	31.8	7.5	1.7	6.8	1.2	6.2	1.2	3.1	0.4	2.6	0.4	-2	-2	-100	1280	12	773	0.4	1360	-1	-1	-1	-1
L8+800W 9+925N	13	-1	0.4	-0.1	9.6	20.0	2.9	12.8	2.9	0.8	2.7	0.5	2.4	0.5	1.4	0.2	1.0	0.2	-2	-2	-100	435	8	746	0.2	1550	-1	-1	-1	-1
L8+800W 9+950N	42	-1	1.1	-0.1	27.3	36.9	9.2	42.1	11.1	2.6	10.8	2.1	11.2	2.2	6.3	0.8	5.6	0.8	5	-2	-100	2590	10	702	0.3	834	-1	-1	-1	-1
L8+800W 9+975N	36	1	0.7	-0.1	13.5	26.5	4.4	20.7	5.2	1.3	4.9	0.9	5.1	1.1	2.8	0.4	2.3	0.3	2	-2	-100	3450	10	2000	0.5	1690	-1	-1	-1	-1
L8+800W 10+000N	28	-1	0.7	-0.1	34.4	40.6	10.4	46.1	11.5	2.9	10.8	1.9	9.4	1.9	5.6	0.7	4.3	0.7	5	-2	-100	3100	6	697	0.3	1700	-1	-1	-1	-1
L8+800W 10+025N	28	-1	0.7	-0.1	13.3	27.7	4.4	21.4	5.4	1.4	5.3	1.0	5.3	1.1	3.2	0.4	2.6	0.4	12	-2	-100	3980	9	1420	0.3	1340	-1	-1	-1	-1
L8+800W 10+100N	23	-1	0.6	-0.1	18.0	45.9	6.0	27.2	6.7	1.7	6.6	1.2	6.4	1.2	3.4	0.4	2.7	0.4	-2	-2	-100	4480	10	1080	0.3	1180	-1	-1	-1	-1
L8+800W 10+125N	16	-1	0.3	-0.1	10.2	38.0	2.9	14.2	3.8	1.1	3.5	0.6	3.1	0.6	1.3	0.2	1.1	0.2	88	-2	-100	2300	10	3430	0.5	2320	-1	-1	-1	-1
L8+800W 10+150N	30	-1	0.8	-0.1	10.0	20.0	3.4	15.2	3.9	1.0	4.0	0.8	4.7	1.0	3.1	0.4	2.8	0.4	11	-2	-100	1950	13	843	0.5	772	-1	-1	-1	-1
L8+800W 10+175N	14	1	0.3	0.1	5.5	12.1	1.5	7.0	1.6	0.7	1.6	0.3	1.7	0.3	0.9	0.1	0.7	0.1	6	-2	-100	2540	20	1780	1.2	2720	-1	-1	-1	-1
L8+800W 10+200N	7	-1	0.2	-0.1	0.9	3.0	0.3	1.2	0.3	0.1	0.3	-0.1	0.3	-0.1	0.2	-0.1	0.1	-0.1	12	-2	-100	547	9	873	0.3	427	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*									*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q.	Li	Be	S.Q.	Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L8+800W 10+225N	10	-1	0.3	-0.1	15.9	34.8	5.3	23.5	5.8	1.4	5.6	0.9	5.0	1.0	2.9	0.4	2.2	0.4	-2	-2		-100		1150	7	468	0.3	1040	-1	-1	-1	-1
L8+800W 10+250N	30	2	0.7	-0.1	12.5	21.0	4.2	20.7	5.8	1.6	5.5	1.1	6.0	1.3	3.4	0.5	3.2	0.5	9	-2		-100		1890	18	1310	0.7	1280	-1	-1	-1	-1
L8+800W 10+300N	45	-1	1.2	-0.1	15.2	29.5	5.4	25.8	6.2	1.1	5.6	1.0	5.4	1.1	3.4	0.5	3.3	0.5	-2	-2		-100		1620	6	403	0.3	103	-1	-1	-1	-1
L8+800W 10+325N	20	1	0.4	-0.1	26.2	41.5	7.2	33.3	7.5	1.8	7.7	1.4	7.1	1.5	4.0	0.5	3.5	0.6	19	-2		-100		2230	13	1030	0.3	1100	-1	-1	-1	-1
L8+800W 10+350N	32	1	0.7	-0.1	7.9	15.2	2.3	9.5	2.1	0.7	1.9	0.4	1.7	0.3	0.9	0.2	1.0	0.1	-2	-2		-100		2360	31	571	0.5	2060	-1	-1	-1	-1
L8+800W 10+375N	33	2	0.7	-0.1	11.0	22.2	3.3	13.4	3.2	0.8	3.0	0.5	2.7	0.6	1.4	0.2	1.4	0.2	6	-2		-100		1980	52	650	0.6	1900	-1	-1	-1	-1
L8+800W 10+400N	46	2	1.1	-0.1	11.6	43.5	3.6	14.5	3.3	0.9	3.2	0.6	2.8	0.5	1.5	0.2	1.2	0.2	-2	-2		-100		2890	20	832	0.3	1470	-1	-1	-1	-1
L8+800W 10+425N	44	2	0.7	-0.1	10.4	40.5	3.0	12.9	2.6	0.8	2.7	0.4	2.1	0.5	1.2	0.2	1.2	0.2	-2	-2		-100		4740	23	837	0.3	1190	-1	-1	-1	-1
L8+800W 10+450N	36	-1	0.9	-0.1	9.3	31.5	2.8	12.0	2.6	0.8	2.3	0.4	2.2	0.4	1.3	0.2	1.1	0.2	-2	-2		-100		4030	21	937	0.2	1480	-1	-1	-1	-1
L8+900W 9+500N	27	2	0.7	0.1	27.5	51.3	9.9	37.0	8.5	2.0	7.7	1.3	6.6	1.2	3.3	0.4	2.5	0.4	6	-2		-100		2500	16	2890	0.6	1220	-1	-1	-1	-1
L8+900W 9+525N	26	2	0.8	-0.1	14.7	34.3	4.9	20.6	4.9	1.2	4.5	0.9	4.4	0.9	2.5	0.3	1.9	0.3	15	-2		-100		2230	18	3360	1.0	1480	-1	-1	-1	-1
L8+900W 9+550N	39	5	1.1	0.2	19.5	58.3	7.2	25.9	6.1	1.4	5.5	1.1	5.2	1.0	2.9	0.4	2.5	0.3	16	-2		-100		5180	45	3180	0.9	2030	-1	-1	-1	-1
L8+900W 9+575N	36	1	0.9	-0.1	16.5	56.9	5.6	24.3	6.1	1.5	5.4	1.0	5.6	1.2	3.1	0.5	2.9	0.5	14	-2		-100		4550	16	1700	0.4	983	-1	-1	-1	-1
L8+900W 9+600N	22	1	0.6	-0.1	18.4	70.8	5.6	23.8	5.7	1.3	5.3	0.9	5.1	0.9	2.5	0.4	2.2	0.3	7	-2		-100		5360	7	1900	0.3	897	-1	-1	-1	-1
L8+900W 9+625N	20	1	0.6	-0.1	12.2	26.0	3.6	15.0	3.5	0.8	3.4	0.6	3.3	0.7	1.9	0.2	1.7	0.3	6	-2		-100		4040	13	1330	0.2	714	-1	-1	-1	-1
L8+900W 9+650N	27	1	0.6	-0.1	15.4	34.5	4.4	18.6	4.3	1.1	4.3	0.8	4.1	0.8	2.2	0.3	2.0	0.3	11	-2		-100		3230	18	1290	0.4	689	-1	-1	-1	-1
L8+900W 9+675N	17	-1	0.5	-0.1	14.2	31.8	4.4	18.6	4.4	1.0	4.3	0.7	4.2	0.8	2.2	0.3	2.0	0.3	9	-2		-100		3290	3	1630	0.1	908	-1	-1	-1	-1
L8+900W 9+700N	40	4	1.2	0.2	33.0	78.6	9.8	41.4	9.2	2.0	8.8	1.5	7.8	1.4	3.9	0.5	3.3	0.5	17	-2		-100		1810	14	1120	0.8	630	-1	-1	-1	-1
L8+900W 9+725N	27	2	0.7	-0.1	21.9	61.9	7.2	30.3	7.5	1.5	6.6	1.2	6.2	1.1	3.1	0.5	2.5	0.4	10	-2		-100		1600	10	1250	0.4	655	-1	-1	-1	-1
L8+900W 9+800N	32	1	0.8	-0.1	15.6	17.5	5.3	25.2	6.7	1.8	6.7	1.3	7.1	1.6	4.4	0.6	3.6	0.6	3	-2		-100		2590	14	3630	0.5	2020	-1	-1	-1	-1
L8+900W 9+825N	18	-1	0.5	-0.1	30.1	39.0	8.9	37.8	8.9	2.0	8.6	1.5	7.1	1.4	3.8	0.5	3.0	0.4	-2	-2		-100		3050	3	1770	0.2	1510	-1	-1	-1	-1
L8+900W 9+850N	32	1	0.9	-0.1	43.0	40.9	14.8	68.2	16.0	3.6	14.3	2.6	13.0	2.6	7.2	1.0	6.2	1.0	-2	-2		-100		4210	5	785	0.4	1770	-1	-1	-1	-1
L8+900W 9+875N	12	-1	0.3	-0.1	23.0	32.2	6.1	26.9	5.6	1.5	5.4	0.9	4.5	0.8	2.2	0.3	2.0	0.3	-2	-2		-100		2310	11	1310	-0.1	2660	-1	-1	-1	-1
L8+900W 9+900N	16	1	0.4	-0.1	13.0	16.2	4.2	17.5	4.0	1.2	3.8	0.7	3.6	0.7	3.0	0.2	1.5	0.2	-2	-2		-100		1530	13	2170	0.6	4660	-1	-1	-1	-1
L8+900W 9+925N	14	-1	0.4	-0.1	11.0	27.3	3.5	14.7	3.4	0.9	3.1	0.6	3.2	0.6	1.7	0.3	1.5	0.3	9	-2		-100		3900	19	1560	0.4	2340	-1	-1	-1	-1
L8+900W 9+950N	21	-1	0.5	-0.1	18.4	32.6	6.0	27.0	6.8	1.6	6.0	1.2	6.1	1.2	3.4	0.5	3.0	0.5	-2	-2		-100		2620	3	1130	0.1	1680	-1	-1	-1	-1
L8+900W 9+975N	39	1	0.9	-0.1	26.5	41.4	9.2	39.8	10.2	2.6	9.7	1.8	9.1	1.9	5.4	0.6	4.5	0.7	-2	-2		-100		3420	7	691	0.3	1910	-1	-1	-1	-1
L8+900W 10+000N	40	6	0.9	0.3	22.5	67.4	7.3	30.8	6.8	2.2	7.7	1.2	5.2	1.1	3.0	0.4	2.5	0.4	14	-2		-100		7560	46	2070	3.1	4260	-1	-1	-1	-1
L8+900W 10+025N	34	2	0.9	0.1	20.5	24.1	6.4	31.6	7.9	1.9	7.3	1.3	7.8	1.6	4.4	0.6	3.7	0.6	-2	-2		-100		1440	12	1860	0.7	2390	-1	-1	-1	-1
L8+900W 10+050N	30	-1	0.8	-0.1	27.5	56.8	8.5	38.8	9.3	2.4	8.5	1.5	7.9	1.6	4.4	0.6	3.4	0.5	7	-2		-100		5540	5	1070	0.2	1360	-1	-1	-1	-1
L8+900W 10+075N	29	-1	0.8	-0.1	35.5	71.0	11.1	51.2	12.2	3.0	11.3	1.9	9.8	2.0	5.5	0.7	4.3	0.7	18	-2		-100		2880	6	926	0.2	1610	-1	-1	-1	-1
L8+900W 10+100N	55	5	1.5	0.2	23.9	56.0	8.0	34.9	8.1	2.1	7.5	1.3	7.2	1.5	4.2	0.6	3.7	0.5	9	-2		-100		5910	24	1870	1.7	2140	-1	-1	-1	-1
L8+900W 10+125N	16	-1	0.5	-0.1	15.1	34.4	5.3	23.3	5.7	1.5	5.4	1.0	4.9	0.9	2.5	0.4	2.3	0.3	6	-2		-100		2220	7	791	0.2	2200	-1	-1	-1	-1
L8+900W 10+150N	20	1	0.5	-0.1	10.0	16.4	3.5	16.7	4.4	1.3	4.1	0.8	4.0	0.8	2.2	0.3	1.8	0.2	6	-2		-100		2310	10	2180	0.6	2740	-1	-1	-1	-1
L8+900W 10+175N	20	3	0.5	0.1	8.1	18.4	2.7	11.9	6.8	1.0	2.6	0.5	2.4	0.5	1.4	0.2	1.2	0.2	-2	-2		-100		1300	18	643	1.0	2670	-1	-1	-1	-1
L8+900W 10+225N	27	2	0.7	0.1	9.0	18.1	2.5	10.3	2.5	1.0	2.6	0.5	2.9	0.6	1.6	0.2	1.6	0.2	8	-2		-100		4690	31	1410	1.8	2600	-1	-1	-1	-1
L8+900W 10+275N	93	2	2.2	-0.1	20.1	72.9	7.3	30.7	6.8	1.7	5.9	1.0	5.1	1.0	2.9	0.4	2.4	0.4	-2	-2		-100		807	6	276	0.4	1540	-1	-1	-1	-1
L8+900W 10+300N	28	3	0.7	-0.1	12.3	39.2	4.1	17.1	4.3	1.3	4.0	0.7	3.6	0.7	1.8	0.2	1.7	0.2	3	-2		-100		4740	23	684	0.5	2950	-1	-1	-1	-1
L8+900W 10+325N	86	2	2.1	-0.1	11.8	27.3	3.3	14.2	2.7	0.9	2.5	0.4	2.1	0.4	1.2	0.2	1.1	0.2	-2	-2		-100		989	22	517	0.4	2300	-1	-1	-1	-1
L8+900W 10+350N	32	-1	0.8	-0.1	13.6	46.6	3.9	16.0	3.4	1.0	3.1	0.5	2.6	0.5	1.3	0.2	1.1	0.2	-2	-2		-100		1940	13	673	0.2	1230	-1	-1	-1	-1
L8+900W 10+375N	18	3	0.5	-0.1	13.9	25.8	4.4	21.1	5.0	1.6	4.8	0.9	4.3	0.9	2.5	0.4	2.1	0.3	-2	-2		-100		1590	21	893	-0.1	925	-1	-1	-1	-1
L8+900W 10+400N	27	2	0.7	0.1	5.4	11.5	1.6	8.4	1.4	0.5	1.3	0.2	1.1	0.2	0.5	-0.1	0.5	-0.1	-2	-2		-100		1430	18	556	0.5	1930	-1	-1	-1	-1
L8+900W 10+425N	34	1	1.0	-0.1	5.9	13.8	1.9	8.1	1.8	0.6	1.4	0.2	1.2	0.3	0.8	0.1	0.7	-0.1	4	-2		-100		1430	28	722	0.4	2640	-1	-1	-1	-1
L8+900W 10+450N	28	-1	0.7	-0.1	7.9	34.2	2.8	11.6	2.4	0.7	2.2	0.4	1.7	0.4	0.7	0.1	0.7	0.1	-2	-2		-100		1050	18	600	0.3	2140	-1	-1	-1	-1
L8+900W 10+475N	40	-1	0.9	-0.1	12.8	33.3	4.2	17.9	4.5	1.2	3.8	0.7	3.5	0.7	1.9	0.3	1.7	0.3	-2	-2		-100		2680	8	832	0.1	1590	-1	-1	-1	-1
L9+000W 9+500N	14	-1	0.3	-0.1	14.4	40.8	4.5	19.1	4.3	0.9	4.0	0.7	3.4	0.7	1.8	0.3	1.6	0.2	2	-2		-100		2620	6	1190	0.1	780	-1	-1	-1	-1
L9+000W 9+525N	15	2	0.4	0.1	24.8	60.0	7.6	31.1	6.9	1.5	6.7	1.2	6.0	1.1	3.0	0.4	2.4	0.4	-2	-2		-100		2790	7	958	0.3	775	-1	-1	-1	-1
L9+000W 9+550N	16	-1	0.4	-0.1	19.4	36.7	5.8	32.8	6.3	1.9	6.3	1.2	6.9	1.3	3.8	0.6	3.7	0.6	2	-2		-100		2960	15	1030	0.3	763	-1	-1	-1	-1
L9+000W 9+575N	16	-1	0.5	-0.1	16.3	43.2	5.0	20.3	4.8	1.0	4.3	0.8	4.1	0.7	2.0	0.3	1.7	0.3	5	-2		-100		2260	9	1140	0.2	739	-1	-1	-1	-1
L9+000W 9+600N	11	-1	0.3	-0.1	17.2	34.3	5.2	20.9	4.6	0.9	4.3	0.7	3.7	0.7	1.9	0.2	1.4	0.2	4	-2		-100		1250	5	944	0.2	557	-1	-1	-1	-1
L9+000W 9+625N	17	2	0.5	0.1	24.6	59.4	18.3	29.8	6.4	1.2	5.3	1.0	4.2	0.8	2.0	0.3	1.7	0.2	11	-2		-100		1400	10	1090	0.4	686	-1	-1	-1	-1
L9+000W 9+650N	14	-1	0.4	-0.1	19.3	45.3	5.7	23.7	5.3	1.1	4.9	0.9	4.5	0.8	2.3	0.3	1.9	0.3	3	-2		-100		3460	2	1110	0.1	890	-1	-1	-1	-1
L9+000W 9+675N	3	-1	-0.1	-0.1	5.3	17.4	1.6	6.6	1.6	0.3	1.4	0.2	1.1	0.2	0.6	-0.1	0.7	-0.1	-2	-2		-100		2540	11	818	0.1	441	-1	-1	-1	-1
L9+000W 9+700N	18	-1	0.5	-0.1	22.1	46.1	6.6	27.7	6.6	1.4	6.1	1.1	6.2	1.2	3.4	0.5	2.9	0.5	3	-2		-100		3580	10	826	0.3	654	-1	-1	-1	-1
L9+000W 9+725N	9	-1	0.3	-0.1	11.9	26.8	3.5	15.0	3.5	0.9	3.3	0.6	3.3	0.7	1.8	0.3	1.7	0.2	-2	-2		-100		3150	13	1060	0.3	782	-1	-1	-1	-1
L9+000W 9+750N	29	1	0.9	0.1	21.9	52.6	7.4	31.3	7.1	1.7	6.8	1.2	6.5	1.2	3.3	0.4	3.0	0.4	2	-2		-100		2630	13	1060	0.3	1460	-1	-1	-1	-1
L9+000W 9+775N	22	1	0.5	-0.1	22.1	43.2	6.7	29.6	6.4	1.4	5.6	1.0	5.5	1.0	3.0	0.4	2.8	0.4	10	-2		-100		2550	13	730	0.7	774	-1	-1	-1	-1
L9+000W 9+800N	14	-1	0.4	-0.1	11.7	16.9	3.4	14.9	3.3	0.8	3.4	0.6	3.0	0.6	1.6	0.2	1.4	0.2	4	-2		-100		594	4	1240	0.2	865	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greater

Regular Package:	*Elements:*				*Rare Earth Elements:*													*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L9+000W 9+825N	26	1	0.7	0.1	15.1	23.4	4.7	19.5	4.8	1.3	4.5	0.9	4.5	0.9	2.7	0.4	2.6	0.4	-2	-2	-100	1520	21	1990	1.1	1640	-1	-1	-1	-1
L9+000W 9+850N	18	1	0.5	-0.1	13.0	30.6	4.3	19.2	4.5	1.1	4.1	0.7	3.8	0.8	2.0	0.3	1.7	0.3	4	-2	-100	4690	8	1020	0.1	1550	-1	-1	-1	-1
L9+000W 9+925N	21	-1	0.5	-0.1	12.9	21.8	3.9	17.8	4.1	1.3	4.3	0.8	3.9	1.0	2.3	0.3	1.8	0.3	4	-2	-100	4150	12	2020	0.5	3210	-1	-1	-1	-1
L9+000W 9+950N	24	-1	0.8	-0.1	20.6	49.7	6.7	30.3	7.3	1.9	7.3	1.3	6.7	1.3	3.8	0.5	2.9	0.5	2	-2	-100	5750	8	1100	0.2	1870	-1	-1	-1	-1
L9+000W 9+975N	13	-1	0.4	-0.1	10.7	20.8	3.4	15.5	4.0	1.1	3.8	0.7	3.9	0.8	2.2	0.3	1.7	0.3	13	-2	-100	3370	6	1350	0.2	1730	-1	-1	-1	-1
L9+000W 10+000N	13	-1	0.4	-0.1	14.1	29.2	4.1	17.4	3.9	1.2	3.8	0.6	3.0	0.6	1.7	0.2	1.5	0.2	-2	-2	-100	3410	7	979	-0.1	1630	-1	-1	-1	-1
L9+000W 10+025N	26	1	0.6	-0.1	14.4	33.3	4.7	19.4	4.8	1.5	4.3	0.8	4.0	0.8	2.4	0.3	2.1	0.3	10	-2	-100	2680	19	1050	0.7	2290	-1	-1	-1	-1
L9+000W 10+050N	38	-1	1.0	-0.1	20.9	31.1	6.4	29.3	7.3	1.9	7.2	1.4	7.4	1.5	4.6	0.6	4.0	0.6	10	-2	-100	3270	10	1010	0.4	1770	-1	-1	-1	-1
L9+000W 10+075N	35	-1	1.1	-0.1	35.8	54.2	10.9	49.2	12.2	3.1	11.3	2.1	10.7	2.1	6.0	0.8	4.8	0.7	-2	-2	-100	1090	3	568	0.2	1100	-1	-1	-1	-1
L9+000W 10+100N	10	1	0.4	-0.1	4.9	20.7	1.8	7.7	1.9	0.9	1.9	0.4	2.0	0.4	1.0	0.1	0.9	0.1	25	-2	-100	2710	9	973	0.5	3640	-1	-1	-1	-1
L9+000W 10+125N	21	-1	0.5	-0.1	11.0	25.3	3.3	15.5	3.7	1.1	3.5	0.6	3.2	0.7	1.8	0.3	1.7	0.3	32	-2	-100	6060	9	979	0.3	2500	-1	-1	-1	-1
L9+000W 10+150N	10	-1	0.3	-0.1	14.9	21.8	4.3	19.0	4.6	1.3	4.5	0.9	4.2	0.9	2.4	0.3	2.2	0.4	2	-2	-100	1140	6	643	0.2	1760	-1	-1	-1	-1
L9+000W 10+200N	17	-1	0.6	-0.1	15.0	22.4	5.0	22.8	5.9	1.6	6.0	1.1	5.9	1.3	3.8	0.5	3.3	0.5	2	-2	-100	1720	9	1120	0.3	1610	-1	-1	-1	-1
L9+000W 10+225N	10	-1	0.3	-0.1	11.3	35.6	3.5	14.4	3.5	1.0	3.0	0.6	3.3	0.6	1.7	0.2	1.5	0.2	-2	-2	-100	2090	11	1020	0.3	1980	-1	-1	-1	-1
L9+000W 10+250N	26	-1	0.6	-0.1	12.7	40.3	4.3	17.6	4.4	1.3	3.6	0.7	3.5	0.7	1.8	0.2	1.5	0.2	-2	-2	-100	1000	9	646	0.3	2660	-1	-1	-1	-1
L9+000W 10+275N	71	1	2.0	-0.1	33.4	151.0	12.0	50.2	11.5	2.7	10.5	1.8	9.6	1.8	5.0	0.7	4.6	0.6	-2	-2	-100	2930	12	496	0.4	1920	-1	-1	-1	-1
L9+000W 10+300N	98	1	2.6	-0.1	12.4	36.6	3.9	16.7	3.6	1.3	3.1	0.5	2.5	0.5	1.5	0.2	1.4	0.2	-2	3	-100	2840	38	521	0.5	4310	-1	-1	-1	-1
L9+000W 10+325N	28	-1	0.7	-0.1	12.3	34.7	3.7	14.9	3.7	1.2	3.2	0.6	2.8	0.6	1.4	0.2	1.4	0.2	-2	-2	-100	8490	14	785	0.3	3040	-1	-1	-1	-1
L9+000W 10+350N	32	1	0.8	-0.1	4.0	11.0	1.3	6.9	0.8	0.5	0.9	0.1	0.7	0.1	0.4	-0.1	0.3	-0.1	-2	-2	-100	2990	23	889	0.2	1980	-1	-1	-1	-1
L9+000W 10+500N	16	-1	0.4	-0.1	5.4	13.3	1.6	7.3	1.8	0.6	1.9	0.3	2.0	0.4	1.1	0.1	1.1	0.2	14	-2	-100	1840	22	1630	0.7	1620	-1	-1	-1	-1
L9+100W 9+500N	15	-1	0.4	-0.1	24.4	61.6	7.5	32.2	7.6	1.8	7.2	1.3	6.6	1.3	3.5	0.5	3.1	0.5	4	-2	-100	4360	18	1690	0.5	1170	-1	-1	-1	-1
L9+100W 9+525N	45	-1	0.4	-0.1	26.8	69.2	8.1	34.9	7.8	1.8	7.6	1.3	6.6	1.3	3.7	0.5	3.0	0.5	14	-2	-100	3950	19	1560	0.4	1050	-1	-1	-1	-1
L9+100W 9+550N	10	-1	0.2	-0.1	18.6	41.1	5.6	24.1	5.4	1.2	4.9	0.9	4.6	0.9	2.5	0.3	2.1	0.3	11	-2	-100	2940	13	1630	0.3	954	-1	-1	-1	-1
L9+100W 9+600N	14	-1	0.2	-0.1	10.3	20.8	3.2	13.2	3.0	0.7	2.8	0.5	2.8	0.5	1.5	0.2	1.3	0.2	3	-2	-100	3480	15	1960	0.6	1110	-1	-1	-1	-1
L9+100W 9+625N	22	1	0.4	0.1	17.8	33.8	5.2	22.0	5.5	1.2	5.0	0.9	4.9	1.0	2.8	0.4	2.3	0.3	11	-2	-100	1400	29	2570	1.0	1120	-1	-1	-1	-1
L9+100W 9+675N	9	-1	0.3	-0.1	13.2	18.8	3.4	13.5	2.9	0.6	2.4	0.4	2.0	0.3	1.0	-0.1	0.7	-0.1	-2	-2	-100	117	8	804	-0.1	690	-1	-1	-1	-1
L9+100W 9+700N	24	-1	0.6	-0.1	66.1	121.0	21.0	85.5	17.9	2.9	15.6	2.5	11.4	2.0	5.0	0.6	3.2	0.4	-2	2	-100	678	10	714	0.3	1140	-1	-1	-1	-1
L9+100W 9+725N	36	2	0.9	0.1	35.0	52.8	10.0	50.6	9.5	2.3	8.9	1.6	8.2	1.6	4.4	0.6	3.5	0.5	-2	-2	-100	1180	13	2080	0.5	2360	-1	-1	-1	-1
L9+100W 9+750N	19	2	0.6	-0.1	30.1	62.9	9.1	40.3	9.0	2.5	8.7	1.5	7.4	1.5	3.8	0.5	3.3	0.5	-2	-2	-100	4460	14	832	0.4	2860	-1	-1	-1	-1
L9+100W 9+775N	21	-1	0.7	-0.1	24.9	56.7	8.2	35.3	8.3	2.1	7.9	1.5	7.3	1.5	4.2	0.5	3.4	0.5	-2	-2	-100	3900	7	1160	0.2	1770	-1	-1	-1	-1
L9+100W 9+800N	12	-1	0.3	-0.1	16.6	39.1	5.1	22.6	5.4	1.3	4.9	0.8	4.1	0.8	2.2	0.3	1.7	0.2	14	-2	-100	4940	7	1410	0.4	1360	-1	-1	-1	-1
L9+100W 9+875N	31	1	0.9	-0.1	12.1	42.7	4.3	19.5	4.8	1.6	4.3	0.8	3.9	0.8	2.1	0.3	1.7	0.3	14	-2	-100	2540	8	734	0.5	1600	-1	-1	-1	-1
L9+100W 9+900N	29	2	0.8	0.2	23.3	50.6	7.4	32.0	7.1	1.8	6.7	1.2	6.2	1.3	3.7	0.5	3.4	0.6	20	-2	-100	376	14	569	0.8	1300	-1	-1	-1	-1
L9+100W 9+925N	12	-1	0.3	-0.1	4.0	12.6	1.3	5.0	1.2	0.4	1.2	0.2	1.3	0.2	0.7	-0.1	0.6	0.1	10	-2	-100	1820	7	775	0.3	791	-1	-1	-1	-1
L9+100W 9+950N	11	-1	0.4	-0.1	3.2	13.7	1.2	5.5	1.5	0.4	1.3	0.2	1.2	0.2	0.6	-0.1	0.5	-0.1	20	-2	-100	1870	11	867	0.4	545	-1	-1	-1	-1
L9+100W 9+975N	26	-1	0.6	-0.1	16.8	40.1	5.9	25.6	6.4	1.7	6.5	1.2	6.1	1.3	3.5	0.4	3.0	0.4	15	-2	-100	6730	14	1510	0.5	1120	-1	-1	-1	-1
L9+100W 10+000N	26	-1	0.7	-0.1	16.6	44.4	5.3	24.5	6.5	1.5	6.1	1.1	6.7	1.4	3.9	0.6	3.2	0.5	21	-2	-100	7880	9	1040	0.5	740	-1	-1	-1	-1
L9+100W 10+025N	28	-1	0.8	-0.1	16.5	34.7	5.0	22.1	6.0	1.4	5.3	1.0	5.6	1.1	3.4	0.5	2.9	0.5	24	-2	-100	5680	8	931	0.2	847	-1	-1	-1	-1
L9+100W 10+050N	36	2	1.5	0.1	10.7	14.9	2.8	12.4	2.7	0.8	2.1	0.4	2.1	0.4	1.2	0.2	1.3	0.2	28	-2	-100	562	25	3030	0.3	1010	-1	-1	-1	-1
L9+100W 10+075N	11	-1	0.5	-0.1	10.8	20.0	3.0	13.0	2.7	0.7	2.2	0.4	2.0	0.4	1.3	0.2	1.1	0.2	60	-2	-100	962	10	1020	-0.1	392	-1	-1	-1	-1
L9+100W 10+100N	58	2	1.4	0.1	11.4	20.7	3.0	13.3	2.9	0.9	2.5	0.5	2.4	0.5	1.4	0.2	1.3	0.2	41	-2	-100	1970	21	1840	0.2	1310	-1	-1	-1	-1
L9+100W 10+125N	53	1	1.4	0.1	33.8	54.6	9.6	40.5	8.7	2.4	7.8	1.3	6.7	1.4	4.2	0.6	3.9	0.6	62	-2	-100	3540	13	1180	0.2	1610	-1	-1	-1	-1
L9+100W 10+175N	14	1	0.4	-0.1	17.9	63.6	5.5	24.1	6.4	1.6	5.4	0.9	4.8	1.0	2.6	0.4	2.4	0.4	-2	-2	-100	3770	11	1050	0.5	2260	-1	-1	-1	-1
L9+100W 10+200N	35	1	0.9	-0.1	7.4	24.7	2.3	14.8	2.0	0.9	1.9	0.4	1.9	0.4	1.2	0.1	1.0	0.2	-2	-2	-100	5160	21	696	0.4	4150	-1	-1	-1	-1
L9+100W 10+225N	18	-1	0.4	-0.1	4.1	13.0	1.2	5.5	1.3	0.7	1.0	0.2	0.9	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	2770	16	1030	0.2	3850	-1	-1	-1	-1
L9+100W 10+250N	30	1	1.0	-0.1	8.3	39.0	2.7	11.7	2.7	1.0	2.3	0.4	2.0	0.4	1.1	0.2	1.1	0.1	-2	-2	-100	7230	9	800	0.6	4190	-1	-1	-1	-1
L9+100W 10+275N	10	-1	0.4	-0.1	17.6	33.8	5.6	24.7	6.4	1.8	5.3	1.0	5.0	0.9	2.5	0.3	2.0	0.2	-2	-2	-100	5540	17	2740	0.4	4310	-1	-1	-1	-1
L9+100W 10+300N	15	-1	0.3	-0.1	2.9	11.5	0.8	3.4	0.6	0.4	0.8	0.1	0.6	0.1	0.3	-0.1	0.3	-0.1	-2	-2	-100	9930	34	916	0.4	2560	-1	-1	-1	-1
L9+100W 10+450N	16	-1	0.4	-0.1	3.1	10.2	1.0	4.6	1.1	0.4	0.8	0.2	0.9	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	775	6	651	-0.1	1150	-1	-1	-1	-1
L9+100W 10+475N	12	-1	0.3	-0.1	4.9	12.4	1.4	5.8	1.3	0.5	1.1	0.2	1.0	0.2	0.6	-0.1	0.5	-0.1	-2	-2	-100	922	9	1420	-0.1	2190	-1	-1	-1	-1
L9+100W 10+500N	30	-1	0.7	-0.1	5.5	17.9	2.3	7.6	1.6	0.5	1.4	0.2	1.2	0.2	0.7	-0.1	0.6	-0.1	-2	-2	-100	11600	14	840	0.2	2100	-1	-1	-1	-1
L9+200W 9+500N	20	-1	0.7	-0.1	17.2	55.5	5.9	24.2	5.6	1.2	4.9	1.0	4.6	0.9	2.2	0.3	2.0	0.3	3	-2	-100	2220	4	1100	0.1	939	-1	-1	-1	-1
L9+200W 9+525N	16	-1	0.3	-0.1	21.9	58.3	6.4	27.1	5.8	1.5	6.1	1.2	5.9	1.2	3.2	0.5	2.8	0.4	4	-2	-100	8630	15	972	0.4	840	-1	-1	-1	-1
L9+200W 9+550N	15	-1	0.3	-0.1	19.2	49.2	5.7	24.5	5.6	1.2	5.2	1.0	5.1	0.9	2.6	0.3	2.4	0.3	3	-2	-100	6840	20	900	0.4	644	-1	-1	-1	-1
L9+200W 9+600N	27	2	0.5	-0.1	20.9	44.2	6.2	26.7	6.0	1.4	5.9	1.0	5.1	1.0	2.8	0.3	2.2	0.3	12	-2	-100	3900	40	1010	0.9	663	-1	-1	-1	-1
L9+200W 9+650N	57	-1	1.2	0.1	124	194	39.9	182	40.4	7.1	36.0	6.0	28.5	5.2	13.4	1.6	10.2	1.5	5	2	-100	2820	5	1720	0.2	1300	-1	-1	-1	-1
L9+200W 9+675N	26	2	0.7	0.1	25.0	45.0	7.4	33.7	8.0	1.5	7.4	1.2	6.1	1.1	2.9	0.4	2.0	0.3	-2	-2	-100	1910	12	2680	0.5	1350	-1	-1	-1	-1
L9+200W 9+700N	9	-1	0.2	-0.1	17.0	42.5	5.5	24.4	6.0	1.1	5.1	0.8	3.5	0.7	1.8	0.2	1.5	0.2	9	-2	-100	2220	8	955	0.1	1160	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L9+200W 9+725N	17	1	0.4	-0.1	12.2	23.4	3.6	16.5	3.7	1.3	3.9	0.7	3.7	0.7	2.0	0.3	1.7	0.2	4	-2	-100	5350	15	2560	0.7	4140	-1	-1	-1	-1
L9+200W 9+750N	16	-1	0.5	-0.1	10.8	23.4	3.5	15.5	3.6	0.9	3.1	0.6	3.1	0.5	1.6	0.2	1.3	0.2	-2	-2	-100	1240	7	947	-0.1	1410	-1	-1	-1	-1
L9+200W 9+775N	23	-1	0.5	-0.1	41.5	81.8	12.5	53.4	12.4	2.9	11.1	1.8	9.4	1.8	4.9	0.7	4.1	0.6	-2	-2	-100	4980	7	1150	-0.1	2090	-1	-1	-1	-1
L9+200W 9+800N	13	-1	0.3	-0.1	21.1	68.8	6.5	29.1	6.7	1.5	5.9	1.0	4.8	1.0	2.4	0.3	2.0	0.3	4	-2	-100	10800	4	1050	-0.1	1650	-1	-1	-1	-1
L9+200W 9+825N	11	-1	0.3	-0.1	29.6	78.5	8.6	36.3	7.8	1.6	7.3	1.2	5.6	1.0	2.9	0.3	2.2	0.3	8	-2	-100	3680	7	1130	-0.1	1210	-1	-1	-1	-1
L9+200W 9+850N	26	2	0.6	0.2	14.6	29.0	4.4	19.3	4.7	1.3	4.0	0.8	4.0	0.8	2.2	0.3	1.8	0.3	17	-2	-100	2070	20	2230	0.9	2720	-1	-1	-1	-1
L9+200W 9+875N	19	1	0.5	0.1	21.3	34.8	6.1	27.0	6.2	1.6	5.5	0.9	4.8	1.1	2.6	0.3	2.3	0.3	33	-2	-100	2300	15	1060	0.3	2710	-1	-1	-1	-1
L9+200W 9+900N	18	2	0.5	-0.1	4.0	12.0	1.4	5.2	1.0	0.3	1.1	0.2	1.2	0.2	0.5	0.1	0.4	0.1	12	-2	-100	925	14	680	0.6	540	-1	-1	-1	-1
L9+200W 9+925N	12	-1	0.4	-0.1	5.4	19.0	1.7	7.6	1.7	0.4	1.4	0.3	1.4	0.3	0.8	0.1	0.6	-0.1	8	-2	-100	2320	11	706	-0.1	670	-1	-1	-1	-1
L9+200W 9+975N	7	1	0.2	-0.1	6.7	15.8	2.1	9.2	2.1	0.5	1.8	0.3	4.1	0.3	0.9	0.1	0.7	0.1	3	-2	-100	887	22	632	0.3	414	-1	-1	-1	-1
L9+200W 10+000N	26	1	0.7	-0.1	21.8	38.0	6.1	27.5	6.1	1.5	5.9	1.1	5.4	1.1	3.1	0.4	2.9	0.4	14	-2	-100	727	17	889	0.3	821	-1	-1	-1	-1
L9+200W 10+025N	64	2	1.8	0.1	30.4	53.8	8.3	36.4	8.0	2.1	7.3	1.4	7.3	1.5	4.4	0.6	4.1	0.6	11	2	-100	1240	25	812	0.3	748	-1	-1	-1	-1
L9+200W 10+050N	50	-1	1.4	-0.1	16.1	35.1	4.8	20.6	4.8	1.2	4.0	0.8	4.0	0.8	2.4	0.3	2.2	0.4	10	2	-100	2560	18	947	0.1	1030	-1	-1	-1	-1
L9+200W 10+125N	9	1	0.3	-0.1	1.1	2.9	0.4	1.7	0.4	0.1	0.4	-0.1	0.3	-0.1	0.2	-0.1	0.2	-0.1	6	-2	-100	51	43	731	0.2	458	-1	-1	-1	-1
L9+200W 10+150N	6	-1	0.2	-0.1	7.8	20.2	2.4	10.5	3.1	1.0	2.3	0.4	2.3	0.4	1.2	0.2	0.9	0.1	-2	-2	-100	5060	9	1810	0.3	3770	-1	-1	-1	-1
L9+200W 10+175N	69	3	1.9	-0.1	14.6	49.2	4.1	17.9	3.6	1.3	3.2	0.5	2.5	0.4	1.3	0.2	1.2	0.2	4	2	-100	6960	34	767	0.4	5000	-1	-1	-1	-1
L9+200W 10+200N	62	2	1.7	-0.1	13.2	53.2	4.0	16.6	3.8	1.1	3.3	0.6	2.7	0.6	1.6	0.2	1.5	0.2	-2	3	-100	2730	15	634	0.3	2350	-1	-1	-1	-1
L9+200W 10+225N	28	2	0.6	-0.1	5.7	13.3	1.3	5.0	1.0	0.6	0.9	0.1	0.8	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	7110	23	878	0.7	3710	-1	-1	-1	-1
L9+200W 10+250N	24	1	0.6	-0.1	4.6	14.2	1.3	5.9	1.1	0.5	0.9	0.2	0.7	0.2	0.4	-0.1	0.3	-0.1	-2	-2	-100	5140	19	806	0.2	2480	-1	-1	-1	-1
L9+200W 10+300N	38	1	1.0	-0.1	6.2	23.3	2.1	7.6	1.7	0.6	1.6	0.2	1.9	0.3	0.8	0.1	0.7	0.1	-2	-2	-100	4500	27	794	0.3	2400	-1	-1	-1	-1
L9+200W 10+325N	8	-1	0.2	-0.1	3.4	9.4	1.1	4.3	0.8	0.4	0.8	0.2	0.8	0.2	0.4	-0.1	0.3	-0.1	-2	-2	-100	1900	18	1130	0.1	1630	-1	-1	-1	-1
L9+200W 10+425N	10	-1	0.2	-0.1	4.4	13.2	1.2	6.0	1.2	0.5	1.1	0.2	1.1	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	2780	23	1010	-0.1	1830	-1	-1	-1	-1
L9+200W 10+450N	20	-1	0.6	-0.1	52.1	71.9	14.4	62.4	13.5	3.3	12.7	1.9	9.9	2.0	5.8	0.7	4.3	0.6	-2	-2	-100	5830	17	906	0.1	1930	-1	-1	-1	-1
L9+200W 10+475N	56	2	1.5	-0.1	6.6	18.3	2.1	9.0	1.8	0.7	1.3	0.2	1.1	0.2	0.6	-0.1	0.4	-0.1	-2	-2	-100	7160	25	838	0.4	2430	-1	-1	-1	-1
L9+200W 10+500N	24	1	0.5	-0.1	2.7	9.3	0.9	3.9	0.8	0.3	0.6	0.1	0.7	0.1	0.3	-0.1	0.4	-0.1	-2	-2	-100	2440	16	861	0.2	1400	-1	-1	-1	-1
L9+300W 9+550N	15	-1	0.3	-0.1	14.5	34.4	4.6	19.4	4.6	1.0	4.3	0.8	3.8	0.7	2.0	0.2	1.8	0.3	7	-2	-100	2170	5	757	-0.1	1150	-1	-1	-1	-1
L9+300W 9+625N	21	1	0.5	-0.1	13.4	28.7	4.3	19.6	4.8	1.2	4.4	0.9	4.6	0.9	2.6	0.3	2.1	0.3	15	-2	-100	3870	35	2640	0.7	2610	-1	-1	-1	-1
L9+300W 9+650N	12	-1	0.3	-0.1	13.2	32.4	4.2	18.3	4.5	1.3	4.2	0.7	3.7	0.7	2.2	0.2	1.7	0.2	-2	-2	-100	3450	7	1870	0.2	3230	-1	-1	-1	-1
L9+300W 9+675N	39	-1	1.0	-0.1	21.5	95.1	7.3	31.1	6.5	1.2	5.8	1.0	4.3	0.7	2.0	0.2	1.4	0.2	-2	3	-100	2280	13	1040	0.1	1300	-1	-1	-1	-1
L9+300W 9+700N	15	-1	0.3	-0.1	19.2	41.3	5.9	27.4	5.9	1.2	5.3	0.9	4.2	0.9	2.1	0.3	1.8	0.3	22	-2	-100	4430	9	1840	0.2	1630	-1	-1	-1	-1
L9+300W 9+725N	22	-1	0.5	-0.1	21.7	49.8	6.5	29.1	6.7	1.8	6.4	1.1	5.4	1.0	2.9	0.4	2.6	0.3	-2	-2	-100	6140	4	1070	-0.1	3270	-1	-1	-1	-1
L9+300W 9+750N	11	1	0.3	0.1	9.0	17.8	2.8	11.6	2.7	0.9	2.5	0.4	2.2	0.4	1.3	0.2	1.0	0.2	38	-2	-100	4370	13	3130	0.6	3240	-1	-1	-1	-1
L9+300W 9+775N	14	-1	0.4	-0.1	14.2	28.4	4.8	21.6	5.4	1.3	4.5	0.8	4.5	0.8	2.3	0.3	1.9	0.3	-2	-2	-100	2070	5	1080	-0.1	1230	-1	-1	-1	-1
L9+300W 9+800N	10	-1	0.3	-0.1	8.2	19.0	2.5	10.3	2.4	0.6	2.0	0.4	1.6	0.3	0.8	0.1	0.8	0.1	5	-2	-100	3050	5	990	-0.1	1470	-1	-1	-1	-1
L9+300W 9+825N	29	-1	0.9	-0.1	20.3	41.7	6.1	26.3	6.2	1.7	5.8	1.0	5.5	1.1	3.0	0.4	2.8	0.4	14	-2	-100	3880	14	1140	0.2	3060	-1	-1	-1	-1
L9+300W 9+850N	24	-1	0.8	-0.1	12.3	21.7	3.8	16.8	3.9	0.9	3.8	0.6	3.6	0.7	1.7	0.2	1.5	0.2	-2	-2	-100	801	3	820	-0.1	1420	-1	-1	-1	-1
L9+300W 9+875N	29	-1	0.8	-0.1	60.2	107.0	18.5	80.7	18.2	4.3	15.9	2.9	14.2	2.6	7.1	0.9	5.8	0.8	-2	-2	-100	1930	2	1120	-0.1	1900	-1	-1	-1	-1
L9+300W 9+900N	21	-1	0.5	-0.1	33.3	58.1	9.5	41.8	9.5	2.4	8.9	1.5	8.0	1.5	4.2	0.6	3.8	0.5	-2	-2	-100	5130	6	903	0.2	2670	-1	-1	-1	-1
L9+300W 9+925N	18	-1	0.4	-0.1	11.8	32.2	3.7	16.1	3.8	1.2	3.6	0.6	3.3	0.6	1.8	0.2	1.5	0.2	-2	-2	-100	5750	6	970	0.1	3580	-1	-1	-1	-1
L9+300W 9+950N	18	2	0.5	-0.1	14.3	46.7	4.4	19.6	5.2	1.4	4.9	0.9	4.7	1.1	2.6	0.3	2.0	0.3	38	-2	-100	4590	9	1730	0.5	1940	-1	-1	-1	-1
L9+300W 9+975N	62	5	1.8	0.5	20.9	63.7	5.6	30.5	5.4	1.5	6.0	1.1	5.4	1.2	3.4	0.5	2.9	0.4	83	2	-100	4850	43	1670	4.1	2020	-1	-1	-1	-1
L9+300W 10+000N	50	3	1.0	0.1	21.8	50.2	7.0	30.3	11.2	2.1	6.4	1.1	6.0	1.1	3.5	0.4	3.1	0.5	44	3	-100	5150	17	997	0.5	3210	-1	-1	-1	-1
L9+300W 10+025N	40	-1	1.1	-0.1	12.0	25.5	3.5	16.0	3.8	1.1	3.3	0.6	3.6	0.7	2.2	0.3	1.9	0.3	42	-2	-100	2230	20	922	0.3	1590	-1	-1	-1	-1
L9+300W 10+050N	54	-1	1.8	-0.1	23.0	53.7	7.2	30.9	7.1	1.8	6.2	1.0	5.3	1.2	3.2	0.4	3.3	0.5	40	2	-100	3760	28	944	0.2	1260	-1	-1	-1	-1
L9+300W 10+100N	117	3	3.3	-0.1	20.5	64.6	6.1	25.6	5.3	1.9	5.2	0.8	4.1	0.8	2.4	0.3	1.9	0.3	-2	4	-100	6330	26	1010	0.6	5850	-1	-1	-1	-1
L9+300W 10+125N	69	1	1.7	-0.1	25.1	115	7.8	32.0	7.4	2.1	6.6	1.1	5.5	1.1	2.8	0.4	2.3	0.4	-2	4	-100	3240	14	767	0.2	3780	-1	-1	-1	-1
L9+300W 10+150N	223	4	5.7	0.1	37.7	115	11.5	49.3	9.8	3.3	9.1	1.5	6.9	1.4	3.9	0.6	3.8	0.5	4	5	-100	13700	12	1160	0.3	9800	-1	-1	-1	-1
L9+300W 10+175N	49	1	1.3	-0.1	25.5	64.8	7.8	34.3	8.0	2.6	7.3	1.4	6.5	1.2	3.9	0.6	3.3	0.5	-2	3	-100	14800	15	1070	0.4	6060	-1	-1	-1	-1
L9+300W 10+200N	28	2	0.9	0.2	9.2	28.4	2.6	12.4	2.4	0.7	2.1	0.5	2.0	0.4	1.2	0.2	1.1	0.2	-2	-2	-100	3520	19	591	1.3	2530	-1	-1	-1	-1
L9+300W 10+225N	41	1	0.9	-0.1	8.1	21.6	2.3	11.2	1.8	0.6	1.8	0.3	1.6	0.3	0.9	0.1	0.9	0.1	-2	-2	-100	3290	19	574	0.3	2110	-1	-1	-1	-1
L9+300W 10+250N	16	-1	0.3	-0.1	6.5	19.4	1.8	7.7	1.5	0.6	1.5	0.3	1.3	0.3	0.8	0.1	0.6	-0.1	-2	-2	-100	4250	12	843	0.2	2200	-1	-1	-1	-1
L9+300W 10+275N	30	1	0.6	-0.1	4.8	14.9	1.3	6.5	1.1	0.5	1.0	0.2	0.8	0.2	0.4	0.1	0.9	-0.1	-2	-2	-100	6230	19	839	0.5	2790	-1	-1	-1	-1
L9+300W 10+300N	31	3	1.3	0.3	12.1	32.1	3.2	12.4	2.8	0.9	2.4	0.5	2.6	0.4	1.4	0.2	1.2	0.2	-2	-2	-100	4640	23	707	1.3	2080	-1	-1	-1	-1
L9+300W 10+325N	42	3	1.0	0.1	7.3	26.8	2.4	12.3	2.3	0.8	1.9	0.4	1.8	0.3	1.2	0.1	0.9	0.1	-2	-2	-100	2540	27	749	1.0	2970	-1	-1	-1	-1
L9+300W 10+375N	31	1	0.7	-0.1	7.4	17.2	2.0	9.2	1.8	0.9	1.7	0.3	1.7	0.3	0.9	0.1	0.9	0.1	-2	-2	-100	3660	18	1320	0.1	3300	-1	-1	-1	-1
L9+300W 10+400N	20	1	0.6	-0.1	12.7	29.3	4.0	21.6	4.5	1.6	4.8	0.8	4.0	0.8	2.0	0.3	1.8	0.3	7	-2	-100	1520	15	2230	0.3	4740	-1	-1	-1	-1
L9+300W 10+425N	39	-1	1.0	-0.1	24.8	46.5	7.9	35.9	9.0	2.4	8.5	1.3	7.1	1.5	4.3	0.5	3.6	0.5	-2	3	-100	1430	5	804	0.1	2720	-1	-1	-1	-1
L9+400W 9+500N	9	-1	0.3	-0.1	4.0	10.0	1.3	5.8	1.3	0.3	1.2	0.2	1.1	0.2	0.6	-0.1	0.5	-0.1	-2	-2	-100	775	23	636	0.1	765	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*													*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L9+400W 9+525N	11	-1	0.4	-0.1	13.5	34.9	4.3	18.0	4.2	0.9	4.0	0.7	3.5	0.7	1.9	0.2	1.5	0.2	7	-2	-100	3240	9	589	0.2	1130	-1	-1	-1	-1
L9+400W 9+550N	13	-1	0.4	-0.1	10.4	26.2	3.4	14.7	3.5	0.8	3.2	0.6	3.0	0.6	1.8	0.2	1.5	0.2	4	-2	-100	14500	14	789	0.2	1450	-1	-1	-1	-1
L9+400W 9+575N	28	-1	0.9	-0.1	23.9	58.1	7.9	35.2	7.9	1.7	7.5	1.4	6.8	1.2	3.4	0.5	2.9	0.5	8	3	-100	2440	9	550	0.2	1120	-1	-1	-1	-1
L9+400W 9+600N	7	-1	0.2	-0.1	8.9	20.5	2.8	13.2	3.2	0.8	2.9	0.5	2.7	0.5	1.3	0.2	1.0	0.2	52	-2	-100	3310	7	1620	0.2	1790	-1	-1	-1	-1
L9+400W 9+625N	21	-1	0.5	-0.1	30.8	39.3	9.2	42.2	9.6	2.1	9.0	1.5	7.7	1.4	3.8	0.4	2.8	0.4	21	-2	-100	2190	8	2000	0.4	1690	-1	-1	-1	-1
L9+400W 9+650N	17	2	0.4	0.1	10.3	14.1	2.8	12.9	2.9	0.9	2.8	0.5	2.8	0.6	1.5	0.2	1.4	0.2	5	-2	-100	1370	15	3150	0.5	2020	-1	-1	-1	-1
L9+400W 9+675N	11	-1	0.3	-0.1	10.1	21.1	3.4	15.8	3.8	1.0	3.1	0.5	2.8	0.6	1.5	0.2	1.1	0.1	18	-2	-100	2640	10	3040	0.6	2760	-1	-1	-1	-1
L9+400W 9+700N	18	-1	0.3	-0.1	8.2	14.0	2.7	13.6	3.4	1.1	3.4	0.7	3.6	0.7	2.1	0.3	2.0	0.2	3	-2	-100	3710	9	1990	0.5	2310	-1	-1	-1	-1
L9+400W 9+725N	17	1	0.5	-0.1	28.2	37.7	9.0	40.2	9.9	1.9	8.1	1.5	7.6	1.5	4.1	0.5	3.0	0.4	11	-2	-100	1580	6	748	0.3	1210	-1	-1	-1	-1
L9+400W 9+750N	26	2	0.6	0.2	39.9	56.0	10.6	47.6	10.7	2.2	9.5	1.6	7.7	1.5	4.0	0.5	3.1	0.5	3	-2	-100	836	11	763	0.3	1380	-1	-1	-1	-1
L9+400W 9+775N	24	1	0.6	-0.1	22.3	28.9	6.8	36.3	7.7	1.8	7.5	1.3	6.4	1.3	3.4	0.4	2.6	0.4	3	-2	-100	1630	4	1150	0.2	1360	-1	-1	-1	-1
L9+400W 9+800N	23	2	0.7	0.4	16.0	31.8	4.7	24.0	4.9	1.2	4.8	0.8	3.9	1.1	2.2	0.3	1.9	0.3	7	-2	-100	1580	10	654	1.0	1870	-1	-1	-1	-1
L9+400W 9+825N	26	1	0.5	-0.1	17.0	21.5	5.0	23.1	6.7	1.4	5.5	1.0	5.2	1.1	3.1	0.4	2.8	0.4	-2	-2	-100	1130	13	1990	0.7	2380	-1	-1	-1	-1
L9+400W 9+850N	15	1	0.4	-0.1	10.3	20.0	3.2	14.1	3.4	1.0	3.6	0.6	3.5	0.6	1.9	0.2	1.4	0.2	-2	-2	-100	2650	9	1300	0.5	1860	-1	-1	-1	-1
L9+400W 9+875N	27	-1	0.6	-0.1	29.6	64.9	9.3	43.4	9.8	2.5	9.7	1.7	8.7	1.8	5.3	0.7	4.3	0.7	-2	-2	-100	10100	7	951	-0.1	2540	-1	-1	-1	-1
L9+400W 9+900N	12	-1	0.3	-0.1	26.2	56.4	8.2	36.1	8.4	2.0	7.7	1.4	6.4	1.4	3.7	0.5	2.8	0.4	-2	-2	-100	7740	2	1160	-0.1	2390	-1	-1	-1	-1
L9+400W 9+925N	9	-1	0.3	-0.1	10.8	31.0	3.2	14.8	3.3	1.0	3.5	0.5	2.8	0.6	1.7	0.2	1.4	0.2	5	-2	-100	4690	7	749	-0.1	2260	-1	-1	-1	-1
L9+400W 9+950N	31	6	0.7	0.2	16.3	45.9	4.9	22.9	5.0	1.5	4.6	0.8	4.4	0.9	2.5	0.3	2.0	0.3	5	-2	-100	4940	31	1690	1.9	3420	-1	-1	-1	-1
L9+400W 9+975N	28	-1	0.6	-0.1	22.1	49.7	7.0	33.3	8.2	2.1	7.9	1.4	7.9	1.5	4.4	0.6	3.7	0.6	8	-2	-100	9700	7	1090	0.4	2140	-1	-1	-1	-1
L9+400W 10+000N	47	2	1.5	0.1	32.6	64.5	11.3	52.6	12.7	3.1	12.9	2.3	12.4	2.5	7.3	1.0	6.1	0.9	28	-2	-100	3270	15	1130	0.8	2440	-1	-1	-1	-1
L9+400W 10+025N	10	-1	0.3	-0.1	9.1	23.5	2.9	13.3	3.2	0.9	2.7	0.5	2.7	0.6	1.5	0.2	1.3	0.2	17	-2	-100	7900	10	994	0.4	2460	-1	-1	-1	-1
L9+400W 10+050N	21	1	0.7	-0.1	9.5	28.4	2.9	13.1	3.1	0.8	2.8	0.6	3.1	0.6	1.8	0.2	1.8	0.3	10	-2	-100	399	14	632	0.2	967	-1	-1	-1	-1
L9+400W 10+075N	119	2	3.5	-0.1	41.3	116	14.5	61.7	14.8	3.8	13.1	2.3	11.9	2.4	7.1	1.0	6.2	1.0	-2	4	-100	3990	10	841	0.2	4920	-1	-1	-1	-1
L9+400W 10+100N	26	1	0.7	-0.1	7.9	22.1	2.2	9.1	1.8	0.7	1.8	0.3	1.4	0.3	0.7	0.1	0.7	-0.1	-2	-2	-100	5570	12	798	0.3	3740	-1	-1	-1	-1
L9+400W 10+125N	11	-1	0.2	-0.1	8.5	37.1	2.8	11.1	3.0	1.1	2.4	0.4	2.3	0.5	1.2	0.1	1.0	0.1	-2	-2	-100	7060	13	977	0.4	4790	-1	-1	-1	-1
L9+400W 10+150N	17	-1	0.4	-0.1	6.5	30.3	1.9	8.6	1.6	0.8	1.7	0.3	1.5	0.3	0.8	0.1	0.8	0.1	-2	-2	-100	5860	8	692	0.2	2890	-1	-1	-1	-1
L9+400W 10+175N	54	-1	1.5	-0.1	9.8	49.1	3.2	13.4	2.9	1.3	2.9	0.5	2.5	0.4	1.4	0.2	1.4	0.2	-2	3	-100	6820	23	947	0.3	4270	-1	-1	-1	-1
L9+400W 10+225N	19	-1	0.7	-0.1	5.0	18.9	1.4	6.5	1.3	0.8	1.1	0.2	1.1	0.2	0.7	-0.1	0.5	-0.1	-2	-2	-100	7980	9	725	0.1	3900	-1	-1	-1	-1
L9+400W 10+250N	12	3	0.3	-0.1	19.6	16.2	1.8	7.9	1.5	0.8	1.6	0.3	1.6	0.3	0.8	-0.1	0.6	-0.1	-2	-2	-100	4660	8	817	0.3	2930	-1	-1	-1	-1
L9+400W 10+275N	12	-1	0.4	-0.1	3.9	15.6	1.2	4.8	1.1	0.6	0.9	0.2	0.7	0.2	0.5	-0.1	0.4	-0.1	-2	-2	-100	3220	9	728	0.1	2690	-1	-1	-1	-1
L9+400W 10+300N	67	2	2.4	-0.1	23.4	59.6	6.2	26.8	5.8	1.6	5.1	0.9	4.7	0.9	2.5	0.3	2.1	0.3	-2	4	-100	1550	13	1060	0.3	3590	-1	-1	-1	-1
L9+400W 10+350N	21	-1	0.5	-0.1	12.0	35.3	3.6	16.2	3.5	1.1	3.4	0.6	3.2	0.7	1.9	0.2	1.6	0.2	-2	-2	-100	3350	12	970	-0.1	2850	-1	-1	-1	-1
L9+400W 10+375N	65	2	1.5	-0.1	9.3	22.2	3.1	13.1	2.9	1.0	2.6	0.4	1.8	0.4	1.2	0.2	1.1	0.2	-2	2	-100	4790	23	974	-0.1	3590	-1	-1	-1	-1
L9+400W 10+400N	22	-1	0.5	-0.1	12.8	20.5	3.5	16.4	3.7	1.3	3.8	0.8	4.3	0.9	2.6	0.4	2.4	0.4	11	-2	-100	1340	23	2100	0.3	2000	-1	-1	-1	-1
L9+500W 9+500N	16	-1	0.4	-0.1	20.3	43.0	6.1	26.6	6.1	1.3	5.5	1.0	5.8	1.1	3.1	0.4	2.8	0.5	23	-2	-100	4680	6	1020	-0.1	1300	-1	-1	-1	-1
L9+500W 9+525N	10	-1	0.2	-0.1	7.7	26.2	2.3	10.1	2.3	0.7	2.2	0.4	2.3	0.4	1.3	0.2	1.1	0.2	38	-2	-100	11800	20	1030	0.2	1360	-1	-1	-1	-1
L9+500W 9+600N	2	-1	0.3	-0.1	9.7	12.0	2.8	11.7	2.8	0.7	2.8	0.5	2.8	0.6	1.5	0.2	1.6	0.2	27	-2	-100	4260	32	692	0.2	616	-1	-1	-1	-1
L9+500W 9+625N	6	-1	0.5	-0.1	17.9	39.8	5.8	24.3	5.4	1.1	5.0	0.9	5.0	0.9	2.4	0.4	2.2	0.4	19	3	-100	2550	11	688	0.1	822	-1	-1	-1	-1
L9+500W 9+650N	30	-1	0.8	-0.1	36.2	89.2	12.7	53.1	12.2	2.5	11.3	1.8	9.1	1.7	4.5	0.6	3.9	0.6	24	8	-100	9710	10	788	0.2	2540	-1	-1	-1	-1
L9+500W 9+675N	-1	-1	0.2	-0.1	7.5	16.0	2.5	10.6	2.4	0.6	2.5	0.4	1.9	0.4	1.0	0.1	0.9	0.2	19	-2	-100	1620	30	578	0.3	570	-1	-1	-1	-1
L9+500W 9+700N	21	-1	0.7	-0.1	15.6	37.9	5.2	23.1	5.5	1.2	5.2	0.8	4.6	0.9	2.5	0.4	2.2	0.3	20	2	-100	9810	19	709	0.1	1100	-1	-1	-1	-1
L9+500W 9+725N	2	-1	0.4	-0.1	6.2	14.0	1.9	7.8	1.9	0.5	1.8	0.3	1.6	0.3	0.8	0.1	0.7	0.1	18	-2	-100	5680	30	673	0.2	904	-1	-1	-1	-1
L9+500W 9+750N	13	1	0.5	-0.1	14.6	34.8	4.6	21.3	5.0	1.2	4.8	0.8	4.5	0.9	2.5	0.3	2.1	0.3	32	2	-100	2850	13	581	0.2	928	-1	-1	-1	-1
L9+500W 9+825N	7	-1	0.3	-0.1	8.8	15.3	2.9	13.0	3.2	0.9	3.6	0.6	3.4	0.8	2.2	0.3	1.8	0.3	23	-2	-100	4380	7	986	0.2	959	-1	-1	-1	-1
L9+500W 9+850N	-1	-1	0.3	-0.1	9.9	29.3	3.5	14.9	3.9	0.9	3.7	0.6	3.4	0.7	1.9	0.2	1.9	0.3	13	-2	-100	5290	10	693	-0.1	882	-1	-1	-1	-1
L9+500W 9+900N	-1	-1	0.3	-0.1	10.6	26.2	3.4	15.2	3.7	1.1	3.6	0.6	3.3	0.7	1.8	0.2	1.6	0.2	22	-2	-100	4420	6	1210	0.2	1910	-1	-1	-1	-1
L9+500W 9+925N	20	-1	0.7	-0.1	20.3	45.3	6.4	28.4	7.1	1.8	7.2	1.2	6.4	1.3	3.5	0.5	3.2	0.5	25	-2	-100	2290	11	1160	-0.1	1980	-1	-1	-1	-1
L9+500W 9+950N	2	-1	0.4	-0.1	5.7	16.3	2.0	9.1	2.2	0.6	2.3	0.4	2.2	0.4	1.2	0.2	1.0	0.2	23	-2	-100	3790	14	1640	0.1	1060	-1	-1	-1	-1
L9+500W 9+975N	16	-1	0.5	-0.1	9.3	14.0	3.0	13.9	3.6	0.9	3.4	0.6	4.2	0.8	2.2	0.3	2.2	0.3	27	-2	-100	2160	15	607	0.2	920	-1	-1	-1	-1
L9+500W 10+000N	16	-1	0.7	-0.1	7.2	15.2	2.6	12.2	3.2	0.8	3.4	0.6	3.6	0.7	2.1	0.3	2.0	0.3	25	-2	-100	1040	17	561	0.2	570	-1	-1	-1	-1
L9+500W 10+025N	3	-1	0.3	-0.1	10.2	25.7	4.2	13.9	3.4	1.0	3.5	0.6	3.4	0.7	2.1	0.3	1.8	0.3	44	-2	-100	3360	12	615	0.3	1420	-1	-1	-1	-1
L9+500W 10+050N	15	-1	0.6	-0.1	2.3	7.4	1.0	4.3	1.1	0.4	1.3	0.2	1.6	0.3	1.0	0.2	1.1	0.2	59	-2	-100	1020	20	971	-0.1	619	-1	-1	-1	-1
L9+500W 10+075N	68	-1	1.6	-0.1	29.2	87.5	9.8	42.1	10.2	2.8	9.9	1.7	8.8	1.7	5.1	0.7	4.8	0.7	6	5	-100	4600	7	794	0.1	4250	-1	-1	-1	-1
L9+500W 10+100N	55	-1	1.2	-0.1	21.8	59.5	6.1	25.7	5.9	1.6	5.4	0.9	4.6	0.9	2.5	0.3	2.0	0.3	-2	3	-100	13800	11	636	-0.1	3660	-1	-1	-1	-1
L9+500W 10+125N	11	-1	0.5	-0.1	8.5	24.7	2.3	9.8	2.1	0.8	1.9	0.3	1.7	0.3	0.9	0.1	0.9	-0.1	3	-2	-100	16300	5	735	0.1	3430	-1	-1	-1	-1
L9+500W 10+150N	59	1	1.6	-0.1	10.2	36.1	3.1	14.3	2.6	1.1	2.6	0.4	2.1	0.4	1.1	0.2	1.0	0.2	6	3	-100	7710	24	647	0.2	4460	-1	-1	-1	-1
L9+500W 10+175N	25	17	1.0	-0.1	6.8	16.8	1.8	7.5	1.5	0.6	1.4	0.2	0.9	0.2	0.5	-0.1	0.4	-0.1	3	2	-100	1520	6	630	0.2	2750	-1	-1	-1	-1
L9+500W 10+200N	12	-1	0.5	-0.1	4.4	13.1	1.3	5.4	1.3	0.4	1.2	0.2	0.9	0.2	0.4	-0.1	0.5	-0.1	-2	-2	-100	2370	10	814	0.3	2170	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L9+500W 10+225N	67	2	1.7	-0.1	12.4	32.5	3.4	14.2	2.5	0.9	2.3	0.4	1.8	0.4	1.0	0.1	1.0	0.1	6	2	-100	13000	11	1170	-0.1	3130	-1	-1	-1	-1
L9+500W 10+250N	24	-1	0.9	-0.1	6.6	23.5	2.0	8.6	2.1	0.6	1.8	0.3	1.5	0.3	0.9	0.1	0.9	0.1	2	2	-100	3850	26	694	-0.1	2270	-1	-1	-1	-1
L9+500W 10+300N	16	1	0.7	-0.1	5.0	12.3	1.6	7.3	1.6	0.7	1.3	0.2	1.1	0.2	0.6	-0.1	0.6	-0.1	4	3	-100	468	15	551	0.2	3280	-1	-1	-1	-1
L9+500W 10+325N	3	-1	0.4	-0.1	12.1	23.6	4.0	16.5	4.1	1.1	4.0	0.6	3.5	0.6	1.9	0.3	1.7	0.3	9	-2	-100	895	17	980	0.2	1000	-1	-1	-1	-1
L9+500W 10+350N	-1	-1	0.1	-0.1	2.7	5.8	0.8	3.5	0.9	0.4	0.9	0.2	0.9	0.2	0.5	-0.1	0.5	-0.1	15	-2	-100	1560	20	989	-0.1	1360	-1	-1	-1	-1
L9+600W 9+500N	-1	-1	0.1	-0.1	6.0	11.5	1.9	8.0	2.0	0.5	1.9	0.3	1.7	0.4	1.0	0.1	1.0	0.1	67	-2	-100	4470	13	661	0.1	569	-1	-1	-1	-1
L9+600W 9+550N	13	-1	0.5	-0.1	19.8	34.2	5.9	25.5	6.3	1.4	5.9	1.0	5.2	1.0	2.9	0.4	2.6	0.4	7	2	-100	9420	16	1100	0.1	711	-1	-1	-1	-1
L9+600W 9+625N	3	-1	0.3	-0.1	9.7	22.5	2.9	12.3	2.9	0.6	2.6	0.4	2.4	0.4	1.3	0.2	1.2	0.2	41	-2	-100	22200	9	822	-0.1	998	-1	-1	-1	-1
L9+600W 9+650N	-1	-1	0.2	-0.1	11.3	22.3	3.3	14.4	3.3	0.7	3.4	0.5	2.9	0.6	1.6	0.2	1.4	0.2	43	2	-100	6040	7	583	-0.1	729	-1	-1	-1	-1
L9+600W 9+675N	-1	-1	0.2	-0.1	9.5	19.8	3.0	12.7	3.2	0.7	3.0	0.5	2.7	0.6	1.5	0.2	1.4	0.2	28	-2	-100	1540	10	536	-0.1	631	-1	-1	-1	-1
L9+600W 9+700N	10	-1	0.4	-0.1	11.1	22.9	3.4	14.3	3.4	0.7	3.6	0.6	3.3	0.6	1.7	0.2	1.6	0.3	7	-2	-100	2120	15	523	-0.1	588	-1	-1	-1	-1
L9+600W 9+725N	4	-1	0.4	-0.1	12.5	29.7	4.0	17.1	4.1	0.8	3.8	0.7	3.7	0.8	2.0	0.2	2.0	0.3	8	3	-100	16300	15	656	0.1	888	-1	-1	-1	-1
L9+600W 9+750N	9	-1	0.4	-0.1	13.8	28.8	4.3	17.7	4.2	0.9	4.2	0.7	4.1	0.8	2.4	0.3	2.1	0.3	8	3	-100	2770	12	709	-0.1	828	-1	-1	-1	-1
L9+600W 9+775N	6	-1	0.4	-0.1	11.2	25.5	3.7	15.3	3.7	0.9	3.6	0.6	3.3	0.7	1.8	0.2	1.6	0.3	14	3	-100	5960	10	617	-0.1	1010	-1	-1	-1	-1
L9+600W 9+800N	6	-1	0.4	-0.1	16.9	44.6	5.2	22.2	4.6	1.0	4.9	0.8	4.0	0.8	2.1	0.3	1.8	0.3	12	2	-100	4930	5	593	-0.1	655	-1	-1	-1	-1
L9+600W 9+825N	8	-1	0.5	-0.1	10.7	65.2	3.7	16.0	3.9	1.0	4.0	0.6	3.2	0.7	1.8	0.2	1.5	0.2	17	-2	-100	22900	5	748	-0.1	1000	-1	-1	-1	-1
L9+600W 9+850N	-1	-1	0.3	-0.1	6.8	20.6	2.2	9.5	2.3	0.6	2.4	0.4	2.4	0.5	1.4	0.2	1.3	0.2	16	-2	-100	9900	15	715	-0.1	937	-1	-1	-1	-1
L9+600W 9+875N	-1	-1	0.3	-0.1	6.0	14.0	2.0	8.7	2.0	0.5	2.1	0.4	2.2	0.4	1.3	0.2	1.3	0.2	25	-2	-100	2730	13	590	0.2	651	-1	-1	-1	-1
L9+600W 9+900N	-1	-1	0.1	-0.1	4.9	13.6	1.5	6.7	1.5	0.4	1.5	0.3	1.4	0.3	0.9	0.1	0.9	0.1	10	-2	-100	16900	15	845	-0.1	1050	-1	-1	-1	-1
L9+600W 9+925N	2	-1	0.3	-0.1	8.6	14.9	2.8	11.4	3.1	0.9	3.1	0.6	3.4	0.7	2.1	0.3	2.1	0.3	20	-2	-100	3440	12	681	0.1	985	-1	-1	-1	-1
L9+600W 9+950N	7	-1	0.4	-0.1	10.9	25.0	3.4	14.5	3.7	0.8	3.4	0.6	3.3	0.6	1.9	0.3	1.7	0.3	14	3	-100	2070	8	615	-0.1	985	-1	-1	-1	-1
L9+600W 9+975N	-1	-1	0.2	-0.1	5.4	13.3	1.7	7.1	1.7	0.5	1.8	0.3	1.4	0.3	0.8	0.1	0.7	0.1	20	-2	-100	7390	15	703	-0.1	940	-1	-1	-1	-1
L9+600W 10+025N	1	-1	0.5	-0.1	8.0	17.1	2.4	10.0	2.6	0.7	2.7	0.5	2.5	0.5	1.5	0.2	1.5	0.2	8	-2	-100	2190	9	799	0.1	1170	-1	-1	-1	-1
L9+600W 10+050N	3	1	0.4	-0.1	3.0	6.5	0.9	3.9	0.9	0.3	0.9	0.1	0.9	0.2	0.6	-0.1	0.6	-0.1	105	-2	-100	1780	20	957	-0.1	674	-1	-1	-1	-1
L9+600W 10+075N	39	2	1.1	0.1	28.3	62.7	8.3	35.8	8.5	2.5	8.4	1.4	7.4	1.4	4.1	0.6	3.6	0.6	9	-2	-100	12900	27	1140	1.0	5690	-1	-1	-1	-1
L9+600W 10+100N	27	-1	0.9	-0.1	14.3	38.3	3.9	16.0	3.8	1.2	3.7	0.6	3.3	0.6	1.6	0.2	1.4	0.2	-2	-2	-100	13100	8	1150	0.1	3340	-1	-1	-1	-1
L9+600W 10+125N	68	2	1.6	-0.1	16.3	65.5	5.1	21.5	4.9	1.5	4.4	0.7	3.3	0.6	1.8	0.3	1.6	0.3	8	3	-100	25000	22	1000	0.2	4740	-1	-1	-1	-1
L9+600W 10+175N	10	-1	0.4	-0.1	2.9	9.4	0.8	3.4	0.6	0.4	0.7	-0.1	0.5	-0.1	0.2	-0.1	0.3	-0.1	-2	-2	-100	5450	13	747	0.2	2400	-1	-1	-1	-1
L9+600W 10+200N	16	1	0.6	-0.1	16.7	51.4	4.2	17.3	3.8	1.2	3.3	0.6	3.0	0.6	1.6	0.2	1.3	0.2	-2	-2	-100	6890	23	781	0.4	2600	-1	-1	-1	-1
L9+600W 10+225N	33	-1	1.0	-0.1	29.5	101	9.6	40.0	9.3	2.2	8.2	1.4	7.4	1.4	3.5	0.5	3.3	0.5	-2	-2	-100	5920	33	984	0.2	2800	-1	-1	-1	-1
L9+600W 10+275N	17	-1	0.6	-0.1	7.8	19.1	2.1	8.7	1.9	0.6	1.6	0.3	1.3	0.3	0.7	0.1	0.6	0.1	-2	-2	-100	959	8	1050	-0.1	1700	-1	-1	-1	-1
L9+600W 10+300N	19	-1	0.6	-0.1	10.9	30.8	3.4	14.5	3.3	1.0	3.3	0.5	3.0	0.6	1.5	0.2	1.3	0.2	5	-2	-100	754	16	981	-0.1	1150	-1	-1	-1	-1
L9+600W 10+325N	-1	-1	0.1	-0.1	4.3	10.5	1.3	5.9	1.5	0.5	1.5	0.3	1.6	0.3	0.8	0.2	1.0	0.2	16	-2	-100	320	38	1180	0.2	824	-1	-1	-1	-1
L9+600W 10+375N	43	2	1.1	-0.1	28.0	62.3	9.5	41.5	9.4	2.2	9.5	1.6	8.5	1.7	4.7	0.6	4.5	0.7	12	-2	-100	882	14	1600	-0.1	1050	-1	-1	-1	-1
L9+600W 10+400N	20	-1	0.7	-0.1	11.3	24.9	3.8	17.3	4.4	1.3	4.8	0.9	4.6	0.9	2.5	0.3	2.1	0.4	109	-2	-100	2560	9	2480	0.3	812	-1	-1	-1	-1
L9+600W 10+425N	15	-1	0.5	-0.1	14.6	23.7	4.0	18.8	4.8	1.2	4.9	0.8	4.7	1.0	2.6	0.4	2.3	0.4	17	-2	-100	4990	10	725	0.2	1300	-1	-1	-1	-1
L9+600W 10+450N	9	-1	0.5	-0.1	5.4	10.7	1.6	7.6	1.9	0.5	2.1	0.4	2.5	0.4	1.2	0.2	1.0	0.2	68	-2	-100	4860	15	9560	0.2	505	-1	-1	-1	-1
L9+600W 10+475N	1	-1	0.3	-0.1	4.2	28.1	1.2	5.7	1.3	0.5	1.3	0.2	1.2	0.2	0.6	-0.1	0.6	-0.1	3	-2	-100	20700	8	978	0.1	1530	-1	-1	-1	-1
L9+600W 10+500N	13	-1	0.6	-0.1	5.2	23.5	1.7	7.3	1.7	0.6	1.4	0.2	1.3	0.2	0.6	-0.1	0.6	-0.1	10	-2	-100	10400	3	694	-0.1	1960	-1	-1	-1	-1
L9+600W 10+525N	18	1	0.5	-0.1	5.3	20.2	1.6	7.2	1.5	0.6	1.4	0.2	1.4	0.3	0.6	-0.1	0.7	0.2	8	-2	-100	7170	14	665	0.3	1860	-1	-1	-1	-1
L9+700W 9+500N	10	-1	0.5	-0.1	18.6	45.1	5.7	23.5	5.9	1.4	5.6	1.0	5.6	1.1	3.1	0.4	3.1	0.4	10	-2	-100	15300	23	920	0.1	747	-1	-1	-1	-1
L9+700W 9+525N	2	-1	0.3	-0.1	10.0	20.8	2.8	12.0	2.9	0.8	3.6	0.6	3.1	0.7	1.8	0.3	1.6	0.3	4	-2	-100	6370	12	1180	-0.1	652	-1	-1	-1	-1
L9+700W 9+600N	-1	-1	0.1	-0.1	9.0	30.2	2.8	11.8	2.5	0.5	2.6	0.4	2.0	0.4	0.9	0.1	0.8	0.1	51	-2	-100	12700	11	1120	-0.1	601	-1	-1	-1	-1
L9+700W 9+625N	4	-1	0.4	-0.1	12.9	22.6	3.5	15.4	3.7	0.9	3.5	0.6	3.3	0.6	1.9	0.3	1.7	0.3	5	-2	-100	605	14	771	-0.1	579	-1	-1	-1	-1
L9+700W 9+650N	15	-1	0.6	-0.1	16.5	34.1	5.1	22.1	5.2	1.3	5.5	1.0	5.6	1.1	3.3	0.4	3.1	0.5	11	-2	-100	5020	12	702	0.1	646	-1	-1	-1	-1
L9+700W 9+675N	-1	-1	0.2	-0.1	11.8	23.7	3.5	15.0	3.5	0.8	3.6	0.6	3.1	0.7	1.8	0.2	1.7	0.2	20	-2	-100	2450	10	839	-0.1	936	-1	-1	-1	-1
L9+700W 9+725N	16	-1	0.7	-0.1	15.7	32.6	4.7	19.8	4.7	1.0	4.5	0.8	4.3	0.8	2.3	0.3	2.2	0.3	17	-2	-100	3850	18	1030	0.1	686	-1	-1	-1	-1
L9+700W 9+775N	30	-1	1.0	-0.1	25.2	56.9	7.7	31.8	7.6	1.4	7.5	1.3	6.4	1.1	3.1	0.4	2.7	0.5	12	3	-100	2450	16	927	0.1	795	-1	-1	-1	-1
L9+700W 9+800N	12	-1	0.6	-0.1	10.1	35.8	3.7	15.1	3.6	0.8	3.4	0.6	3.2	0.7	1.7	0.2	1.6	0.2	14	-2	-100	3570	12	766	0.2	606	-1	-1	-1	-1
L9+700W 9+825N	11	-1	0.5	-0.1	31.4	58.5	9.4	42.7	9.8	2.2	9.7	1.5	8.1	1.6	4.3	0.6	4.0	0.6	27	-2	-100	12500	7	831	0.1	934	-1	-1	-1	-1
L9+700W 9+850N	1	-1	0.3	-0.1	10.6	18.8	3.6	16.0	3.9	1.0	3.9	0.7	4.1	0.9	2.3	0.3	2.4	0.4	16	-2	-100	2440	10	1090	-0.1	767	-1	-1	-1	-1
L9+700W 9+900N	-1	-1	0.2	-0.1	4.7	16.2	1.5	6.5	1.8	0.4	1.4	0.3	1.3	0.3	0.8	0.1	0.8	0.1	10	-2	-100	5640	7	1080	-0.1	846	-1	-1	-1	-1
L9+700W 9+925N	-1	-1	0.1	-0.1	5.7	12.9	1.8	7.2	1.7	0.4	1.6	0.3	1.5	0.3	0.8	0.1	0.8	0.1	9	-2	-100	3340	6	997	-0.1	660	-1	-1	-1	-1
L9+700W 9+950N	-1	-1	0.3	-0.1	10.3	22.7	3.2	14.1	3.4	0.7	3.2	0.5	3.0	0.6	1.6	0.2	1.4	0.2	13	-2	-100	2470	13	1080	-0.1	766	-1	-1	-1	-1
L9+700W 9+975N	-1	-1	0.3	-0.1	10.2	19.0	3.1	13.5	2.9	0.9	2.9	0.5	2.8	0.5	1.5	0.2	1.4	0.2	8	-2	-100	2050	15	923	-0.1	929	-1	-1	-1	-1
L9+700W 10+050N	3	-1	0.3	-0.1	9.1	17.0	2.9	12.4	3.0	0.9	3.3	0.6	3.3	0.7	2.1	0.3	2.0	0.3	26	-2	-100	866	12	1240	-0.1	1320	-1	-1	-1	-1
L9+700W 10+075N	132	1	3.0	-0.1	28.5	103.0	7.9	31.3	6.7	1.9	6.5	1.1	5.4	1.0	2.6	0.3	2.2	0.3	-2	4	-100	5460	9	1330	-0.1	4290	-1	-1	-1	-1
L9+700W 10+100N	117	2	2.6	-0.1	23.3	78.2	6.8	28.3	6.0	2.0	5.1	0.7	3.3	0.7	1.8	0.3	1.5	0.2	-2	2	-100	28200	22	1290	-0.1	5770	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L9+700W 10+125N	118	3	2.9	0.1	22.0	54.1	6.6	26.8	5.3	1.8	4.8	0.7	3.3	0.7	1.8	0.2	1.6	0.2	-2	3	-100	5210	13	1290	0.3	5980	-1	-1	-1	-1
L9+700W 10+150N	34	-1	0.9	-0.1	7.1	27.9	2.0	7.8	1.6	0.7	1.6	0.2	1.3	0.2	0.6	-0.1	0.8	-0.1	-2	-2	-100	18900	22	994	0.3	3850	-1	-1	-1	-1
L9+700W 10+175N	113	2	2.2	-0.1	21.9	90.7	6.6	28.9	6.0	1.8	5.6	0.9	4.7	0.9	2.4	0.3	2.0	0.3	-2	2	-100	34400	10	1490	-0.1	3830	-1	-1	-1	-1
L9+700W 10+200N	32	-1	0.8	-0.1	9.3	24.3	2.5	10.0	1.8	0.7	1.8	0.3	1.4	0.2	0.7	0.1	0.7	-0.1	-2	-2	-100	13500	13	1410	-0.1	2800	-1	-1	-1	-1
L9+700W 10+225N	5	-1	0.3	-0.1	3.9	11.1	1.1	4.3	1.0	0.5	0.9	0.1	0.7	0.2	0.5	-0.1	0.4	-0.1	-2	-2	-100	3390	22	1360	-0.1	2830	-1	-1	-1	-1
L9+700W 10+275N	192	5	3.6	-0.1	14.4	52.5	5.2	22.4	5.3	1.8	4.8	0.8	4.5	0.9	2.5	0.3	2.5	0.4	8	5	-100	15000	15	1440	0.2	5280	-1	-1	-1	-1
L9+700W 10+350N	-1	-1	0.2	-0.1	5.0	10.7	1.7	7.3	2.0	0.7	1.8	0.3	1.9	0.4	1.0	0.1	1.0	0.2	63	-2	-100	3840	20	3030	0.2	1240	-1	-1	-1	-1
L9+700W 10+375N	4	-1	0.3	-0.1	16.7	36.1	4.8	21.5	4.6	1.3	4.7	0.7	4.1	0.8	2.3	0.3	2.0	0.3	4	-2	-100	3820	8	1340	-0.1	660	-1	-1	-1	-1
L9+700W 10+400N	9	-1	0.3	-0.1	3.1	7.7	1.0	4.6	1.2	0.5	1.4	0.2	1.3	0.3	0.9	0.1	0.8	0.1	24	-2	-100	4240	8	2870	0.2	1050	-1	-1	-1	-1
L9+700W 10+425N	15	-1	0.4	-0.1	17.8	23.0	5.5	23.6	5.7	1.5	5.6	0.9	4.6	1.0	2.6	0.4	2.4	0.4	6	-2	-100	4360	4	790	-0.1	1660	-1	-1	-1	-1
L9+700W 10+450N	-1	-1	0.1	-0.1	7.9	16.7	2.3	10.0	2.3	0.7	2.4	0.4	2.0	0.4	1.0	0.2	1.1	0.2	3	-2	-100	9980	4	1140	-0.1	1770	-1	-1	-1	-1
L9+700W 10+475N	2	-1	0.2	-0.1	9.4	26.7	3.0	13.6	3.3	1.1	3.7	0.6	3.1	0.6	1.8	0.2	1.8	0.3	14	-2	-100	10000	3	1290	-0.1	2040	-1	-1	-1	-1
L9+700W 10+500N	29	-1	0.9	-0.1	3.2	8.3	1.1	4.7	0.9	0.4	0.8	0.1	0.6	-0.1	0.2	-0.1	0.3	-0.1	4	-2	-100	2460	9	392	0.1	2520	-1	-1	-1	-1
L9+700W 10+525N	17	-1	0.7	-0.1	17.9	41.6	5.9	25.8	6.3	1.7	6.3	0.9	5.2	1.1	2.9	0.4	2.7	0.4	-2	-2	-100	3120	4	814	-0.1	1410	-1	-1	-1	-1
L9+800W 9+500N	9	-1	0.4	-0.1	13.4	44.4	4.5	19.6	4.5	1.1	4.4	0.8	4.3	0.8	2.3	0.3	2.2	0.3	19	-2	-100	5060	12	1110	0.2	1120	-1	-1	-1	-1
L9+800W 9+525N	18	-1	0.7	-0.1	21.7	43.3	6.3	25.8	5.7	1.1	5.4	0.8	4.0	0.8	2.1	0.3	1.9	0.3	24	-2	-100	1570	21	1340	0.2	1040	-1	-1	-1	-1
L9+800W 9+575N	28	-1	0.8	-0.1	19.8	42.7	5.6	23.7	5.3	1.3	5.6	0.9	5.4	1.1	2.9	0.4	2.7	0.5	12	-2	-100	3400	20	1200	0.2	1090	-1	-1	-1	-1
L9+800W 9+600N	14	-1	0.5	-0.1	13.8	26.8	4.1	16.7	4.2	1.0	3.9	0.7	3.8	0.7	2.0	0.3	2.0	0.3	3	-2	-100	2980	12	1290	-0.1	767	-1	-1	-1	-1
L9+800W 9+625N	19	-1	0.6	-0.1	23.9	50.9	7.0	29.3	6.8	1.2	6.4	1.1	5.2	1.0	2.4	0.3	2.2	0.3	5	-2	-100	12200	9	1030	0.2	715	-1	-1	-1	-1
L9+800W 9+650N	9	-1	0.5	-0.1	23.9	45.3	7.4	30.7	7.2	1.5	7.3	1.2	5.6	1.1	3.0	0.4	2.5	0.4	11	-2	-100	3390	9	773	0.3	740	-1	-1	-1	-1
L9+800W 9+675N	10	-1	0.5	-0.1	19.8	42.6	6.0	25.7	5.9	1.3	5.6	1.0	5.1	0.9	2.4	0.3	2.3	0.3	5	-2	-100	1940	12	1110	-0.1	804	-1	-1	-1	-1
L9+800W 9+700N	-1	-1	0.3	-0.1	10.5	18.4	2.9	12.2	2.9	0.7	2.9	0.5	2.7	0.6	1.4	0.2	1.4	0.2	3	-2	-100	1480	4	820	-0.1	489	-1	-1	-1	-1
L9+800W 9+725N	5	-1	0.3	-0.1	9.9	16.9	3.0	11.8	2.7	0.7	2.6	0.5	2.4	0.5	1.3	0.2	1.2	0.2	-2	-2	-100	429	15	782	-0.1	600	-1	-1	-1	-1
L9+800W 9+775N	17	-1	0.8	-0.1	9.0	24.2	3.0	13.0	3.1	0.8	3.0	0.6	3.0	0.6	1.5	0.2	1.6	0.2	9	-2	-100	1900	11	1030	0.2	682	-1	-1	-1	-1
L9+800W 9+800N	5	-1	0.2	-0.1	11.3	24.0	3.4	15.0	4.1	1.0	4.0	0.7	3.9	0.8	2.0	0.3	1.7	0.3	7	-2	-100	8240	7	1470	0.1	1310	-1	-1	-1	-1
L9+800W 9+825N	2	-1	0.3	-0.1	4.7	9.8	1.5	6.8	1.9	0.6	1.9	0.3	1.9	0.4	1.0	0.1	1.0	0.1	10	-2	-100	5130	10	2230	0.3	2090	-1	-1	-1	-1
L9+800W 9+850N	6	-1	0.3	-0.1	13.9	24.2	4.3	19.0	4.7	1.2	4.4	0.7	4.0	0.8	2.1	0.3	1.8	0.3	17	-2	-100	3080	10	1020	-0.1	1380	-1	-1	-1	-1
L9+800W 9+875N	13	-1	0.5	-0.1	12.4	27.7	3.7	16.1	3.7	1.0	4.0	0.6	3.5	0.7	2.0	0.3	1.8	0.3	19	-2	-100	1840	8	1350	-0.1	903	-1	-1	-1	-1
L9+800W 9+900N	-1	-1	0.3	-0.1	9.0	16.1	2.7	11.3	2.8	0.7	2.6	0.4	2.5	0.5	1.4	0.2	1.4	0.2	8	-2	-100	2830	14	1060	0.1	891	-1	-1	-1	-1
L9+800W 9+925N	-1	-1	0.1	-0.1	5.8	14.3	1.6	6.7	1.6	0.4	1.5	0.3	1.4	0.3	0.7	-0.1	0.7	0.1	22	-2	-100	1410	13	1150	-0.1	558	-1	-1	-1	-1
L9+800W 9+950N	-1	2	0.2	-0.1	1.7	3.8	0.5	2.1	0.5	0.1	0.6	-0.1	0.4	0.1	0.3	-0.1	0.3	-0.1	5	-2	-100	246	9	777	-0.1	367	-1	-1	-1	-1
L9+800W 9+975N	17	-1	0.5	-0.1	19.3	42.8	5.9	25.2	5.6	1.2	5.9	0.9	4.7	1.0	2.6	0.4	2.4	0.4	12	-2	-100	1950	9	750	0.2	918	-1	-1	-1	-1
L9+800W 10+000N	22	-1	0.7	-0.1	15.1	35.4	4.9	20.8	4.9	1.0	4.9	0.8	4.3	0.8	2.3	0.4	2.0	0.3	12	-2	-100	3820	9	721	-0.1	1470	-1	-1	-1	-1
L9+800W 10+050N	14	-1	0.5	-0.1	4.9	11.3	1.5	6.3	1.5	0.4	1.6	0.2	1.4	0.3	0.9	0.1	0.8	0.1	32	-2	-100	2570	24	1380	-0.1	791	-1	-1	-1	-1
L9+800W 10+075N	45	1	1.1	-0.1	7.5	27.8	2.1	9.0	1.8	0.9	2.0	0.3	1.5	0.3	0.8	0.1	0.9	0.1	-2	-2	-100	29200	10	1510	0.2	5110	-1	-1	-1	-1
L9+800W 10+100N	97	-1	1.9	-0.1	12.2	58.8	3.8	16.6	4.0	1.4	3.6	0.6	3.1	0.7	1.7	0.3	1.7	0.3	4	3	-100	16700	17	1120	0.1	5220	-1	-1	-1	-1
L9+800W 10+125N	111	1	2.1	-0.1	10.5	48.9	3.1	12.7	2.9	1.2	2.4	0.4	2.0	0.4	1.1	0.2	1.2	0.2	-2	3	-100	23400	24	1340	0.3	6110	-1	-1	-1	-1
L9+800W 10+150N	109	2	2.2	-0.1	19.2	54.3	5.3	21.6	4.6	1.7	4.5	0.7	3.8	0.7	2.1	0.3	1.9	0.3	-2	2	-100	22500	14	1560	-0.1	7770	-1	-1	-1	-1
L9+800W 10+175N	37	-1	0.9	-0.1	10.2	29.5	2.8	11.3	2.5	0.9	2.3	0.4	1.7	0.4	0.9	0.1	0.9	0.1	5	-2	-100	21600	4	1910	-0.1	3870	-1	-1	-1	-1
L9+800W 10+200N	13	-1	0.5	-0.1	14.7	39.0	4.7	22.1	5.7	1.6	5.6	0.9	4.8	0.9	2.5	0.3	2.2	0.4	3	-2	-100	21600	13	1200	0.1	4850	-1	-1	-1	-1
L9+800W 10+250N	3	-1	0.4	-0.1	17.4	44.0	5.2	23.1	5.7	1.5	5.7	0.9	4.8	1.0	2.6	0.4	2.2	0.4	-2	-2	-100	7270	10	1420	-0.1	2310	-1	-1	-1	-1
L9+800W 10+325N	-1	-1	-0.1	-0.1	3.2	7.3	0.9	4.0	0.9	0.5	0.9	0.1	0.8	0.2	0.4	-0.1	0.4	-0.1	18	-2	-100	6680	7	2440	0.2	2210	-1	-1	-1	-1
L9+800W 10+350N	-1	-1	0.2	-0.1	5.0	10.5	1.5	11.2	1.6	0.6	2.1	0.2	1.2	0.2	0.7	-0.1	0.6	-0.1	14	-2	-100	3960	10	2210	0.3	2720	-1	-1	-1	-1
L9+800W 10+375N	9	-1	0.4	-0.1	8.1	26.4	2.4	9.9	2.4	0.8	2.4	0.4	1.9	0.4	0.9	0.1	0.9	0.1	-2	-2	-100	10400	6	2690	-0.1	2530	-1	-1	-1	-1
L9+800W 10+400N	16	-1	0.4	-0.1	11.1	24.2	3.7	18.0	4.7	1.4	4.6	0.8	4.5	0.9	2.5	0.3	2.1	0.3	33	-2	-100	5970	8	4180	0.1	2180	-1	-1	-1	-1
L9+800W 10+425N	8	-1	0.4	-0.1	14.0	33.4	4.4	20.0	5.3	1.6	5.1	0.9	4.7	0.9	2.5	0.3	2.2	0.4	14	-2	-100	8010	8	4960	-0.1	3060	-1	-1	-1	-1
L9+800W 10+450N	4	-1	0.3	-0.1	5.2	35.8	1.8	8.1	2.0	0.9	2.1	0.3	1.7	0.3	1.0	0.1	0.9	0.1	-2	-2	-100	34200	5	1010	-0.1	4270	-1	-1	-1	-1
L9+800W 10+475N	24	-1	0.6	-0.1	5.7	19.3	1.9	7.6	1.8	0.7	1.8	0.3	1.3	0.3	0.7	-0.1	0.7	0.1	-2	-2	-100	10700	3	586	-0.1	2430	-1	-1	-1	-1
L9+800W 10+500N	2	-1	0.3	-0.1	3.2	7.7	1.0	4.3	1.2	0.6	1.1	0.2	0.8	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	5330	11	1080	-0.1	3190	-1	-1	-1	-1
L9+800W 10+525N	14	-1	0.5	-0.1	3.0	8.7	0.9	4.1	0.8	0.6	0.8	0.1	0.9	0.2	0.4	-0.1	0.4	-0.1	-2	-2	-100	10600	6	1250	-0.1	4120	-1	-1	-1	-1
L9+800W 10+550N	38	-1	1.0	-0.1	17.4	45.9	6.0	26.4	7.0	2.0	6.8	1.1	6.0	1.2	3.3	0.5	3.1	0.5	-2	-2	-100	11800	7	1310	-0.1	3970	-1	-1	-1	-1
L9+800W 10+575N	2	-1	0.3	-0.1	10.2	34.6	3.0	13.1	3.1	1.1	3.2	0.5	2.6	0.5	1.4	0.2	1.3	0.2	-2	-2	-100	13900	3	1540	-0.1	3710	-1	-1	-1	-1
L9+800W 10+600N	22	-1	0.8	-0.1	11.5	27.0	4.1	18.1	4.6	1.4	4.3	0.7	3.9	0.7	2.0	0.3	1.9	0.3	-2	-2	-100	3400	7	775	-0.1	3590	-1	-1	-1	-1
L9+800W 10+625N	8	-1	0.4	-0.1	22.6	38.3	6.2	25.5	5.3	1.2	5.1	0.8	4.0	0.7	1.9	0.3	1.5	0.2	-2	-2	-100	4350	6	1440	-0.1	2120	-1	-1	-1	-1
L9+800W 10+650N	-1	-1	0.2	-0.1	9.5	26.0	3.1	13.3	3.3	0.9	3.6	0.6	3.1	0.6	1.6	0.2	1.4	0.2	7	-2	-100	3970	4	1270	-0.1	1260	-1	-1	-1	-1
L9+800W 10+675N	-1	-1	0.2	-0.1	3.6	17.3	1.2	5.1	1.1	0.5	1.2	0.2	1.0	0.2	0.5	-0.1	0.5	-0.1	11	-2	-100	4750	8	1300	0.3	2510	-1	-1	-1	-1
L9+800W 10+700N	10	-1	0.5	-0.1	15.8	29.3	4.8	21.1	5.3	1.5	5.5	0.8	4.3	0.9	2.3	0.3	1.8	0.3	6	-2	-100	4710	5	648	-0.1	2010	-1	-1	-1	-1
L9+800W 10+725N	5	-1	0.5	-0.1	7.9	16.4	3.6	10.6	2.5	0.7	2.7	0.5	2.2	0.5	1.1	0.2	0.9	0.1	12	-2	-100	1690	3	639	0.2	832	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L9+800W 10+750N	-1	-1	0.2	-0.1	5.9	10.8	1.8	8.1	2.1	0.8	2.1	0.4	2.4	0.5	1.3	0.2	1.3	0.2	-2	-2	-100	2480	8	719	0.3	1450	-1	-1	-1	-1
L9+900W 9+500N	3	-1	0.4	-0.1	9.4	21.4	2.7	11.4	2.5	0.6	2.6	0.4	2.2	0.4	1.1	0.1	1.0	0.2	27	-2	-100	2150	6	816	0.2	570	-1	-1	-1	-1
L9+900W 9+525N	27	1	0.7	0.1	12.5	25.8	3.5	14.4	3.5	1.0	3.4	0.7	3.7	0.7	2.0	0.3	1.9	0.3	17	-2	-100	3260	35	632	2.0	650	-1	-1	-1	-1
L9+900W 9+550N	18	-1	0.6	-0.1	12.7	25.5	3.7	16.4	4.2	1.1	4.3	0.8	4.7	0.9	2.9	0.4	2.8	0.4	13	-2	-100	1730	22	1390	0.6	1390	-1	-1	-1	-1
L9+900W 9+575N	32	1	0.9	-0.1	14.7	32.9	4.9	19.8	4.7	1.3	4.7	0.9	4.8	1.0	2.6	0.4	2.6	0.4	23	-2	-100	3620	19	1310	1.0	1350	-1	-1	-1	-1
L9+900W 9+600N	25	-1	0.7	-0.1	58.1	88.8	18.0	74.2	17.3	2.7	15.4	2.4	11.5	2.1	5.0	0.6	3.9	0.6	9	-2	-100	2220	5	685	0.3	620	-1	-1	-1	-1
L9+900W 9+625N	8	-1	0.5	-0.1	26.5	41.0	8.7	37.4	8.3	1.4	8.0	1.4	6.4	1.1	2.6	0.3	2.4	0.3	10	-2	-100	1140	3	676	0.1	521	-1	-1	-1	-1
L9+900W 9+675N	17	-1	0.7	-0.1	9.6	20.0	2.9	11.7	3.1	0.8	3.0	0.5	2.9	0.5	1.5	0.2	1.4	0.2	6	-2	-100	931	8	886	0.2	2370	-1	-1	-1	-1
L9+900W 9+700N	15	2	0.5	-0.1	14.4	32.3	4.6	19.6	5.1	1.2	4.7	0.9	4.6	1.0	2.8	0.3	2.7	0.4	11	-2	-100	2410	21	845	0.4	1320	-1	-1	-1	-1
L9+900W 9+750N	15	-1	0.4	-0.1	11.5	18.4	3.5	15.5	4.0	1.1	3.8	0.7	3.8	0.8	2.1	0.3	2.0	0.3	14	-2	-100	3100	11	2460	0.6	1680	-1	-1	-1	-1
L9+900W 9+775N	10	-1	0.4	-0.1	12.1	24.6	3.4	15.0	3.5	0.8	3.0	0.5	2.7	0.5	1.5	0.2	1.1	0.2	-2	-2	-100	892	9	661	-0.1	1270	-1	-1	-1	-1
L9+900W 9+800N	21	2	0.6	0.1	12.5	32.2	4.0	17.7	4.5	1.3	4.4	0.7	4.0	0.8	2.0	0.3	2.0	0.3	-2	-2	-100	6120	14	1680	0.5	2480	-1	-1	-1	-1
L9+900W 9+825N	12	-1	0.4	-0.1	10.1	16.7	3.0	12.8	3.3	0.9	3.2	0.6	2.6	0.5	1.4	0.2	1.3	0.2	9	-2	-100	3040	9	1330	0.4	3060	-1	-1	-1	-1
L9+900W 9+850N	5	-1	0.3	-0.1	10.0	23.5	3.2	15.7	3.9	1.0	3.5	0.6	3.5	0.6	1.6	0.2	1.5	0.2	6	-2	-100	3210	3	983	0.1	1910	-1	-1	-1	-1
L9+900W 9+875N	19	-1	0.6	-0.1	10.1	21.9	3.4	17.5	4.2	1.3	4.5	0.7	4.1	0.8	2.1	0.3	1.8	0.2	3	-2	-100	1740	5	786	0.2	1730	-1	-1	-1	-1
L9+900W 9+900N	4	-1	0.4	-0.1	7.5	13.0	2.2	9.4	2.4	0.9	2.4	0.4	2.0	0.4	1.1	0.2	1.0	0.2	7	-2	-100	2230	7	642	0.2	2660	-1	-1	-1	-1
L9+900W 9+975N	8	-1	0.4	-0.1	7.9	16.9	2.7	11.7	2.9	0.6	2.9	0.5	2.6	0.5	1.5	0.2	1.3	0.2	5	-2	-100	2790	11	746	0.2	749	-1	-1	-1	-1
L9+900W 9+950N	14	-1	0.5	-0.1	7.5	17.2	2.5	10.7	2.6	0.7	2.7	0.5	2.9	0.6	1.5	0.3	1.6	0.3	6	-2	-100	1520	13	541	0.2	880	-1	-1	-1	-1
L9+900W 10+000N	10	-1	0.5	-0.1	8.5	19.1	2.7	12.2	3.0	0.7	2.8	0.6	2.9	0.6	1.6	0.2	1.7	0.3	5	-2	-100	3410	9	473	0.2	608	-1	-1	-1	-1
L9+900W 10+025N	13	-1	0.5	-0.1	10.8	21.9	3.5	13.2	3.3	0.8	3.1	0.6	2.9	0.6	1.6	0.3	1.6	0.3	4	-2	-100	1750	11	685	0.2	844	-1	-1	-1	-1
L9+900W 10+050N	26	1	0.7	-0.1	13.0	25.7	3.8	16.4	3.8	0.9	4.0	0.7	3.7	0.8	2.2	0.3	2.1	0.3	2	-2	-100	598	20	780	0.2	665	-1	-1	-1	-1
L9+900W 10+075N	70	2	1.4	-0.1	13.9	41.5	3.8	15.2	3.3	1.3	3.6	0.5	2.9	0.6	1.7	0.2	1.6	0.2	-2	-2	-100	21000	10	1430	0.3	4140	-1	-1	-1	-1
L9+900 10+100N	84	2	1.9	-0.1	17.6	54.5	5.3	23.2	5.2	1.7	5.0	0.7	4.3	0.8	2.5	0.3	2.5	0.3	2	-2	-100	21400	27	849	0.5	5020	-1	-1	-1	-1
L9+900 10+125N	128	4	1.9	0.2	8.1	24.0	2.3	9.9	2.1	1.0	1.9	0.3	1.9	0.4	1.0	0.1	0.9	0.2	5	-2	-100	5260	31	857	1.2	4320	-1	-1	-1	-1
L9+900 10+150N	25	-1	0.8	-0.1	7.8	20.8	2.0	8.1	1.7	0.7	1.8	0.3	1.4	0.3	1.0	0.1	1.0	0.1	-2	-2	-100	14500	19	799	0.4	3110	-1	-1	-1	-1
L9+900 10+175N	56	1	1.5	-0.1	11.5	33.2	3.4	13.8	2.6	1.0	2.4	0.4	2.0	0.4	1.0	0.2	1.0	0.1	-2	-2	-100	9060	10	893	-0.1	2470	-1	-1	-1	-1
L9+900 10+200N	33	1	1.0	-0.1	7.2	25.1	2.1	9.0	1.9	0.7	1.8	0.3	1.5	0.3	0.7	0.1	0.6	-0.1	-2	-2	-100	9060	18	808	0.6	2920	-1	-1	-1	-1
L9+900 10+225N	103	2	2.0	-0.1	9.0	24.5	2.7	11.1	2.3	1.2	2.3	0.4	1.8	0.4	1.1	0.2	1.2	0.2	-2	-2	-100	44200	14	1250	0.3	5500	-1	-1	-1	-1
L9+900 10+250N	27	-1	0.7	-0.1	6.2	19.4	1.9	7.8	1.7	0.7	1.8	0.3	1.5	0.4	0.8	0.1	0.8	0.1	-2	-2	-100	6640	13	1100	0.1	2430	-1	-1	-1	-1
L9+900 10+300N	71	1	1.6	-0.1	13.1	25.6	4.1	19.6	4.6	1.5	4.8	0.9	4.7	1.0	2.9	0.4	2.8	0.5	-2	-2	-100	2080	10	1640	0.2	2560	-1	-1	-1	-1
L9+900 10+325N	30	-1	0.7	-0.1	11.6	28.2	3.5	15.8	3.8	1.1	3.6	0.6	3.6	0.7	2.1	0.3	1.9	0.3	5	-2	-100	2350	16	1680	0.1	1810	-1	-1	-1	-1
L9+900 10+350N	17	-1	0.6	-0.1	4.5	12.3	1.3	5.3	1.0	0.4	1.0	0.1	0.7	0.1	0.4	-0.1	0.3	-0.1	-2	-2	-100	4480	9	1040	-0.1	1660	-1	-1	-1	-1
L9+900 10+375N	24	-1	0.7	-0.1	5.2	19.9	1.4	5.8	1.1	0.5	1.3	0.2	0.9	0.2	0.5	-0.1	0.4	-0.1	-2	-2	-100	10100	20	1260	0.1	2200	-1	-1	-1	-1
L9+900 10+400N	10	-1	0.5	-0.1	10.9	37.3	3.4	76.0	3.5	1.0	3.4	0.6	3.0	0.6	1.6	0.2	1.5	0.2	-2	-2	-100	8780	6	760	0.2	2060	-1	-1	-1	-1
L9+900 10+425N	16	-1	0.6	-0.1	10.6	25.9	3.2	14.2	3.2	1.0	3.4	0.5	2.8	0.6	1.7	0.2	1.4	0.2	-2	-2	-100	5310	12	741	0.2	2330	-1	-1	-1	-1
L9+900 10+450N	5	22	0.3	-0.1	3.9	12.8	0.9	4.0	0.9	0.4	1.0	0.1	0.7	0.2	0.5	-0.1	0.4	-0.1	-2	-2	-100	11200	11	871	0.1	2360	-1	-1	-1	-1
L9+900 10+475N	29	1	0.8	-0.1	2.9	6.0	0.8	3.4	0.9	0.4	0.6	0.1	0.6	0.1	0.3	-0.1	0.3	-0.1	-2	-2	-100	2470	6	632	0.1	2290	-1	-1	-1	-1
L9+900 10+500N	24	-1	0.6	-0.1	5.7	15.9	2.1	8.0	1.9	0.7	2.0	0.3	1.5	0.3	0.8	0.1	0.9	0.1	-2	-2	-100	1740	3	976	-0.1	3040	-1	-1	-1	-1
L9+900 10+525N	6	-1	0.4	-0.1	3.1	7.7	1.0	4.0	0.9	0.5	0.9	0.2	0.7	0.2	0.4	-0.1	0.4	-0.1	-2	-2	-100	3080	3	1020	-0.1	3020	-1	-1	-1	-1
L9+900 10+550N	40	-1	0.9	-0.1	12.9	36.2	4.2	18.6	4.4	1.4	4.5	0.7	3.4	0.8	2.1	0.3	2.0	0.3	-2	-2	-100	7600	6	1090	-0.1	2860	-1	-1	-1	-1
L9+900 10+575N	9	-1	0.4	-0.1	6.2	23.2	2.0	8.3	2.0	0.7	2.0	0.4	1.7	0.3	1.0	0.1	1.0	0.2	-2	-2	-100	6730	4	1070	-0.1	2220	-1	-1	-1	-1
L9+900 10+600N	5	-1	0.4	-0.1	11.2	20.7	3.2	14.6	3.5	1.1	3.5	0.6	3.3	0.7	1.9	0.3	1.9	0.3	7	-2	-100	7300	11	1170	0.2	2390	-1	-1	-1	-1
L9+900 10+625N	11	-1	0.5	-0.1	10.2	21.7	3.0	13.8	3.4	1.0	3.9	0.6	3.4	0.7	2.0	0.3	2.0	0.3	6	-2	-100	1840	15	1130	0.2	1630	-1	-1	-1	-1
L9+900 10+650N	6	-1	0.4	-0.1	11.5	18.8	3.6	15.9	4.2	1.2	4.4	0.7	3.9	0.8	2.3	0.3	2.1	0.3	11	-2	-100	2170	7	723	0.2	1010	-1	-1	-1	-1
L9+900 10+675N	13	-1	0.6	-0.1	16.2	47.4	4.6	20.6	5.1	1.4	5.0	0.9	4.3	0.9	2.5	0.4	2.5	0.3	10	-2	-100	2930	7	791	0.1	1960	-1	-1	-1	-1
L9+900 10+700N	5	-1	0.4	-0.1	11.5	26.9	3.5	15.4	3.4	1.1	4.0	0.6	3.4	0.6	1.8	0.3	1.7	0.3	11	-2	-100	8130	14	1240	0.3	1870	-1	-1	-1	-1
L9+900 10+725N	19	-1	0.7	-0.1	14.2	23.1	4.3	18.4	4.8	1.4	4.8	0.8	4.5	0.9	2.5	0.4	2.6	0.4	9	-2	-100	3020	14	706	0.4	2300	-1	-1	-1	-1
L9+900 10+750N	9	-1	0.4	-0.1	7.9	16.0	2.5	11.1	2.8	0.9	3.1	0.5	3.0	0.6	1.7	0.2	1.5	0.2	13	-2	-100	2340	9	979	0.3	1480	-1	-1	-1	-1
L9+900 10+775N	-1	-1	0.4	-0.1	2.9	11.8	0.9	3.9	1.0	0.4	0.9	0.1	0.8	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	1040	7	595	-0.1	992	-1	-1	-1	-1
L9+900 10+800N	-1	-1	0.3	-0.1	6.7	18.5	2.0	8.4	2.1	0.5	1.9	0.3	1.6	0.3	0.7	0.1	0.7	-0.1	-2	-2	-100	894	7	780	-0.1	1250	-1	-1	-1	-1
L10+000W 9+500N	115	-1	2.7	-0.1	105	240	32.0	141	31.8	6.4	31.9	5.0	26.0	4.8	12.8	1.6	10.5	1.6	-2	2	-100	5620	3	974	0.2	1210	-1	-1	-1	-1
L10+000W 9+525N	32	-1	1.0	-0.1	11.3	29.2	3.7	15.7	4.1	1.2	4.0	0.8	4.6	0.9	2.7	0.4	2.6	0.4	11	2	-100	3310	13	2170	0.3	1260	-1	-1	-1	-1
L10+000W 9+550N	11	-1	0.4	-0.1	9.7	20.3	3.3	14.1	3.6	1.1	3.4	0.6	3.3	0.6	1.5	0.2	1.3	0.2	25	-2	-100	2440	28	3740	0.7	1630	-1	-1	-1	-1
L10+000W 9+575N	32	4	1.2	0.3	15.1	50.5	4.6	20.1	5.1	1.3	5.1	0.9	4.9	1.0	2.8	0.4	2.8	0.4	27	-2	-100	4930	42	3820	2.2	1440	-1	-1	-1	-1
L10+000W 9+600N	20	3	0.6	0.2	13.5	27.3	3.4	16.0	3.5	1.0	3.5	0.6	6.0	0.7	1.8	0.3	1.6	0.2	36	-2	-100	3860	39	3020	2.0	1510	-1	-1	-1	-1
L10+000W 9+625N	-1	-1	0.2	-0.1	7.6	11.7	2.4	11.0	2.8	0.7	2.7	0.5	2.9	0.6	1.5	0.2	1.5	0.2	9	-2	-100	3540	9	1350	0.2	1020	-1	-1	-1	-1
L10+000W 9+650N	13	-1	0.5	-0.1	16.9	32.7	5.3	22.9	5.9	1.2	5.9	1.0	5.3	1.2	3.0	0.4	2.9	0.4	13	-2	-100	6680	8	1470	0.5	1150	-1	-1	-1	-1
L10+000W 9+675N	4	-1	0.3	-0.1	5.5	12.2	1.5	6.1	1.7	0.6	1.5	0.2	1.4	0.3	0.8	0.1	0.8	0.1	33	-2	-100	2360	15	1680	1.1	2330	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*									*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L10+000W 9+700N	13	2	0.6	-0.1	19.8	46.5	6.1	26.5	6.0	1.3	6.2	0.9	4.7	0.8	2.3	0.3	1.9	0.3	11	-2	-100	7930	19	1120	0.3	1590	-1	-1	-1	-1
L10+000W 9+725N	13	-1	0.6	-0.1	13.2	32.8	3.8	15.2	3.2	0.7	3.4	0.4	1.9	0.4	0.9	0.1	0.7	0.1	-2	-2	-100	2260	7	816	-0.1	1330	-1	-1	-1	-1
L10+000W 9+750N	40	-1	1.0	-0.1	19.6	45.2	5.2	21.8	4.9	1.4	4.3	0.7	3.5	0.7	1.7	0.2	1.5	0.3	-2	-2	-100	3450	8	1100	-0.1	3810	-1	-1	-1	-1
L10+000W 9+775N	58	-1	1.6	-0.1	26.2	62.1	8.7	36.7	8.6	2.2	8.9	1.5	7.4	1.4	3.9	0.5	3.6	0.6	2	-2	-100	7980	8	789	0.1	1920	-1	-1	-1	-1
L10+000W 9+800N	17	-1	0.5	-0.1	21.5	42.3	6.2	28.3	6.3	1.6	6.2	1.0	5.5	1.1	2.9	0.4	2.4	0.4	-2	-2	-100	3700	6	1110	0.1	1960	-1	-1	-1	-1
L10+000W 9+825N	2	-1	0.3	-0.1	5.4	19.1	1.9	7.6	1.9	0.6	1.7	0.3	1.3	0.3	0.7	-0.1	0.7	0.1	-2	-2	-100	2550	2	626	-0.1	1490	-1	-1	-1	-1
L10+000W 9+850N	10	-1	0.4	-0.1	14.8	25.1	4.3	19.7	4.7	1.1	4.7	0.7	3.8	0.8	2.0	0.3	1.7	0.3	-2	-2	-100	3670	3	837	-0.1	2060	-1	-1	-1	-1
L10+000W 9+875N	3	-1	0.4	-0.1	12.0	29.0	3.7	16.6	4.1	1.0	4.3	0.7	3.7	0.7	1.8	0.2	1.7	0.3	4	-2	-100	2850	4	665	0.2	1050	-1	-1	-1	-1
L10+000W 10+075N	15	-1	0.6	-0.1	7.3	15.5	2.3	10.5	2.8	0.7	2.6	0.5	3.0	0.6	1.6	0.2	1.7	0.3	19	-2	-100	614	19	874	0.2	824	-1	-1	-1	-1
L10+000W 10+100N	28	-1	0.8	-0.1	13.0	37.5	3.7	15.9	3.6	1.3	3.3	0.5	2.9	0.5	1.6	0.2	1.4	0.2	-2	-2	-100	13800	9	1460	0.3	4640	-1	-1	-1	-1
L10+000W 10+125N	88	2	2.2	-0.1	9.5	24.4	2.8	11.2	2.3	1.0	2.3	0.3	1.8	0.3	1.0	0.2	1.0	0.1	-2	-2	-100	3840	15	952	0.4	4280	-1	-1	-1	-1
L10+000W 10+150N	22	-1	0.6	-0.1	6.4	22.9	1.9	8.6	1.9	1.1	1.9	0.3	1.4	0.3	0.8	0.1	0.8	0.1	-2	-2	-100	29000	25	1110	0.4	6490	-1	-1	-1	-1
L10+000W 10+175N	34	1	1.0	-0.1	9.3	33.9	2.6	10.1	2.3	1.2	2.2	0.4	2.0	0.4	1.1	0.1	1.1	0.1	-2	-2	-100	24300	23	823	0.4	5100	-1	-1	-1	-1
L10+000W 10+200N	11	-1	0.5	-0.1	18.3	69.3	5.7	24.0	5.8	1.7	5.8	0.9	4.8	0.9	2.3	0.3	1.8	0.3	-2	-2	-100	8590	16	2140	0.4	4460	-1	-1	-1	-1
L10+000W 10+225N	20	-1	0.5	-0.1	6.5	18.4	2.0	8.4	1.7	0.8	1.8	0.3	1.6	0.3	0.9	0.2	0.8	0.1	-2	-2	-100	2730	12	880	0.2	3590	-1	-1	-1	-1
L10+000W 10+250N	60	-1	1.3	-0.1	8.3	24.7	2.6	10.7	2.2	0.7	1.8	0.3	1.4	0.3	0.8	0.1	0.7	-0.1	-2	-2	-100	3310	6	1130	-0.1	2470	-1	-1	-1	-1
L10+000W 10+300N	54	-1	1.3	-0.1	16.0	50.7	5.0	20.5	4.7	1.6	4.6	0.7	4.2	0.8	2.2	0.3	1.9	0.3	-2	-2	-100	8690	10	1090	0.1	3440	-1	-1	-1	-1
L10+000W 10+325N	75	1	1.7	-0.1	10.2	29.8	3.0	13.7	2.8	1.2	2.8	0.4	2.2	0.4	1.2	0.2	1.2	0.2	-2	-2	-100	22000	24	1630	0.1	4520	-1	-1	-1	-1
L10+000W 10+350N	32	-1	0.9	-0.1	3.4	7.4	1.0	4.2	1.1	0.8	1.2	0.2	1.1	0.2	0.6	-0.1	0.5	-0.1	13	-2	-100	2280	15	2360	0.5	5170	-1	-1	-1	-1
L10+000W 10+375N	19	-1	0.7	-0.1	6.1	17.4	1.7	8.2	1.9	0.7	1.9	0.3	1.6	0.3	1.0	0.1	1.0	0.2	6	-2	-100	3260	13	2300	0.4	2450	-1	-1	-1	-1
L10+000W 10+400N	45	1	1.1	-0.1	19.9	39.2	5.8	27.0	6.7	1.9	7.1	1.1	6.6	1.3	3.9	0.6	3.7	0.6	9	-2	-100	9290	11	2710	0.2	2140	-1	-1	-1	-1
L10+000W 10+425N	-1	-1	0.2	-0.1	3.8	8.6	1.0	4.4	1.1	0.5	1.1	0.2	0.9	0.2	0.5	0.3	0.5	-0.1	12	-2	-100	2120	14	2980	0.2	2510	-1	-1	-1	-1
L10+000W 10+450N	2	-1	0.3	-0.1	2.9	6.4	0.8	3.8	1.0	0.5	1.0	0.2	1.1	0.2	0.5	-0.1	0.5	-0.1	8	-2	-100	2030	23	1990	0.8	2030	-1	-1	-1	-1
L10+000W 10+475N	-1	-1	0.2	-0.1	2.2	5.7	0.5	2.3	0.6	0.3	0.6	0.1	0.6	0.1	0.3	-0.1	0.3	-0.1	-2	-2	-100	979	7	893	0.2	1180	-1	-1	-1	-1
L10+000W 10+500N	2	-1	0.3	-0.1	5.7	13.4	1.6	7.9	1.8	0.6	1.9	0.3	1.8	0.4	1.0	0.2	1.1	0.2	12	-2	-100	16300	10	1590	0.2	1850	-1	-1	-1	-1
L10+000W 10+525N	14	-1	1.0	-0.1	6.3	13.0	1.8	7.9	2.2	0.7	2.2	0.4	2.3	0.5	1.4	0.2	1.4	0.2	10	-2	-100	3180	30	1780	1.1	1760	-1	-1	-1	-1
L10+000W 10+550N	14	-1	0.5	-0.1	8.8	19.1	3.1	14.3	3.9	1.1	4.0	0.7	3.5	0.8	2.0	0.3	1.9	0.3	11	-2	-100	3180	30	1780	1.1	1900	-1	-1	-1	-1
L10+000W 10+575N	17	-1	0.7	-0.1	12.2	19.1	4.2	18.2	4.8	1.4	4.7	0.8	4.4	0.8	2.3	0.3	2.1	0.3	13	-2	-100	3480	4	915	0.2	1770	-1	-1	-1	-1
L10+000W 10+600N	19	-1	0.6	-0.1	14.9	26.8	4.4	20.5	5.3	1.6	5.9	0.9	5.2	1.1	3.0	0.4	2.7	0.4	9	-2	-100	2380	7	787	0.3	2300	-1	-1	-1	-1
L10+000W 10+625N	36	2	0.9	0.1	24.7	24.0	4.0	18.0	3.7	1.3	3.9	0.7	4.1	0.8	2.2	0.3	2.2	0.3	13	-2	-100	9470	20	2270	0.9	3040	-1	-1	-1	-1
L10+000W 10+675N	6	-1	0.4	-0.1	6.0	21.1	2.0	8.7	2.1	0.8	2.1	0.4	2.2	0.5	1.4	0.2	1.4	0.2	10	-2	-100	6270	38	1510	2.4	1050	-1	-1	-1	-1
L10+000W 10+700N	29	2	0.9	0.2	18.6	45.6	5.6	25.1	5.5	1.6	5.8	0.9	4.7	1.0	2.6	0.3	2.3	0.3	25	-2	-100	9220	18	858	0.5	2670	-1	-1	-1	-1
L10+000W 10+725N	2	-1	0.3	-0.1	11.6	28.7	3.5	15.4	3.8	1.2	3.6	0.6	3.1	0.6	1.6	0.2	1.6	0.2	14	-2	-100	3390	29	527	1.5	2240	-1	-1	-1	-1
L10+000W 10+750N	-1	-1	0.2	-0.1	1.6	6.2	0.5	2.0	0.5	0.2	0.5	-0.1	0.4	-0.1	0.2	-0.1	0.2	-0.1	-2	-2	-100	4130	5	700	0.2	1060	-1	-1	-1	-1
L10+000W 10+775N	13	-1	0.5	-0.1	21.9	46.2	6.5	30.6	8.0	2.1	7.9	1.3	7.0	1.4	3.8	0.5	3.2	0.5	14	-2	-100	3230	6	964	-0.1	1360	-1	-1	-1	-1
L10+000W 10+800N	-1	-1	0.2	-0.1	7.4	18.2	2.2	8.7	2.2	0.8	2.3	0.4	1.8	0.4	1.1	0.1	0.9	0.1	-2	-2	-100	9740	11	715	0.4	2950	-1	-1	-1	-1
L10+100W 9+500N	59	-1	1.4	-0.1	17.0	43.5	5.6	25.5	6.0	1.5	6.0	1.0	4.8	1.0	2.5	0.3	2.3	0.3	-2	-2	-100	1660	8	720	0.2	1410	-1	-1	-1	-1
L10+100W 9+525N	38	1	1.2	-0.1	9.0	40.2	3.8	18.1	5.6	1.8	5.8	1.1	6.2	1.3	3.2	0.4	2.9	0.4	7	2	-100	1610	7	1040	0.1	1260	-1	-1	-1	-1
L10+100W 9+550N	6	-1	0.4	-0.1	11.0	34.1	3.3	13.9	3.4	0.9	3.5	0.6	3.4	0.6	1.8	0.2	1.7	0.3	19	-2	-100	7520	35	649	4.2	857	-1	-1	-1	-1
L10+100W 9+575N	6	-1	0.3	-0.1	10.1	29.6	3.3	13.9	3.5	0.9	3.5	0.6	3.4	0.6	1.6	0.2	1.5	0.2	14	-2	-100	6450	12	1150	0.3	649	-1	-1	-1	-1
L10+100W 9+600N	33	3	1.0	0.2	22.7	62.9	8.1	31.9	7.6	1.8	7.1	1.3	6.9	1.3	3.5	0.5	2.9	0.4	26	-2	-100	3400	9	1110	0.2	1380	-1	-1	-1	-1
L10+100W 9+625N	-1	-1	0.3	-0.1	5.6	20.0	1.8	7.7	1.8	0.4	1.6	0.2	1.3	0.3	0.7	0.1	0.6	-0.1	10	-2	-100	6160	17	3220	0.8	594	-1	-1	-1	-1
L10+100W 9+650N	17	-1	0.6	-0.1	31.3	56.2	10.4	43.1	10.1	1.8	9.1	1.5	7.0	1.3	3.3	0.4	2.6	0.4	9	-2	-100	2380	6	1100	-0.1	779	-1	-1	-1	-1
L10+100W 9+750N	-1	-1	0.2	-0.1	9.3	16.0	2.3	9.9	2.2	0.7	2.1	0.3	1.5	0.3	0.8	-0.1	0.6	-0.1	-2	-2	-100	1440	3	737	0.1	2420	-1	-1	-1	-1
L10+100W 9+775N	54	4	1.5	0.2	11.2	22.7	2.3	9.5	2.0	0.8	2.2	0.3	1.6	0.3	0.7	0.1	1.0	0.1	2	-2	-100	5420	9	770	-0.1	3040	-1	-1	-1	-1
L10+100W 9+800N	6	-1	0.4	-0.1	17.2	41.3	5.7	24.4	5.8	1.4	5.8	0.9	4.8	1.0	2.5	0.3	2.0	0.3	-2	-2	-100	3050	27	470	1.2	1490	-1	-1	-1	-1
L10+100W 9+825N	21	2	0.7	0.1	14.4	28.2	4.3	18.2	4.3	1.5	4.6	0.8	3.9	0.8	2.3	0.3	2.5	0.3	-2	-2	-100	2910	2	546	-0.1	3880	-1	-1	-1	-1
L10+100W 9+850N	-1	-1	0.3	-0.1	18.3	38.4	5.7	24.9	5.9	1.6	5.7	0.9	5.1	0.9	2.7	0.3	2.2	0.3	-2	-2	-100	4080	11	1480	0.7	1220	-1	-1	-1	-1
L10+100W 9+925N	18	-1	0.8	-0.1	21.3	57.9	6.5	28.9	7.1	1.8	7.0	1.2	6.2	1.2	3.6	0.4	2.9	0.5	-2	-2	-100	3790	2	708	-0.1	1240	-1	-1	-1	-1
L10+100W 9+950N	18	-1	0.7	-0.1	9.2	34.6	3.1	12.8	3.0	1.0	3.1	0.5	2.9	0.5	1.5	0.2	1.2	0.2	-2	-2	-100	4120	5	1380	-0.1	2250	-1	-1	-1	-1
L10+100W 10+000N	4	-1	0.3	-0.1	8.8	16.3	2.8	12.4	3.2	1.1	3.2	0.5	3.2	0.7	1.9	0.3	1.7	0.3	-2	-2	-100	4260	9	443	0.2	1600	-1	-1	-1	-1
L10+100W 10+025N	43	3	1.2	0.2	20.0	35.6	5.8	28.3	6.7	1.9	7.0	1.4	6.7	1.3	3.5	0.5	3.1	0.5	12	-2	-100	4920	6	625	0.3	2410	-1	-1	-1	-1
L10+100W 10+050N	25	2	0.8	0.1	13.3	29.3	4.2	18.8	5.2	1.4	5.1	0.8	4.5	0.9	2.5	0.3	2.2	0.3	6	-2	-100	2600	29	1340	2.1	1750	-1	-1	-1	-1
L10+100W 10+075N	25	-1	0.7	-0.1	6.3	20.2	1.9	8.3	1.7	0.7	1.6	0.3	1.5	0.3	0.8	0.1	0.8	0.1	-2	-2	-100	5040	13	1720	0.8	2400	-1	-1	-1	-1
L10+100W 10+100N	7	-1	0.4	-0.1	6.6	25.1	2.1	9.4	2.3	0.7	2.4	0.4	2.1	0.4	1.1	0.2	1.1	0.2	-2	-2	-100	6560	4	463	-0.1	1860	-1	-1	-1	-1
L10+100W 10+125N	19	3	0.6	0.2	10.1	19.5	3.0	11.1	3.2	1.1	2.9	0.5	2.5	0.5	1.5	0.2	1.5	0.2	11	-2	-100	2840	4	478	-0.1	4080	-1	-1	-1	-1
L10+100W 10+150N	10	1	0.6	-0.1	6.0	8.3	1.1	5.9	0.9	0.5	0.8	0.1	0.5	0.1	0.2	-0.1	0.3	-0.1	-2	-2	-100	3220	29	1400	1.5	3490	-1	-1	-1	-1
L10+100W 10+175N	24	1	1.1	-0.1	6.6	17.9	2.0	8.6	1.7	1.1	1.5	0.2	1.0	0.2	0.6	-0.1	0.6	-0.1	4	-2	-100	445	19	650	0.5	6840	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L10+100W 10+200N	27	-1	0.8	-0.1	19.5	45.6	5.8	24.5	6.1	1.8	5.8	1.0	5.1	0.9	2.6	0.4	2.5	0.3	-2	-2	-100	2190	42	520	0.6	3560	-1	-1	-1	-1
L10+100W 10+225N	12	-1	0.5	-0.1	15.1	31.0	4.9	21.8	5.5	1.9	5.5	0.9	4.5	1.0	2.3	0.3	1.9	0.3	35	-2	-100	10100	15	544	0.4	3730	-1	-1	-1	-1
L10+100W 10+250N	14	-1	0.5	-0.1	6.1	16.3	1.9	8.6	2.2	1.1	2.0	0.3	1.6	0.3	0.8	0.1	0.9	0.1	7	-2	-100	4510	13	3420	0.3	5470	-1	-1	-1	-1
L10+100W 10+300N	4	-1	0.3	-0.1	4.1	13.0	1.2	5.3	1.3	0.7	1.2	0.2	1.0	0.2	0.7	-0.1	0.6	-0.1	-2	-2	-100	11800	8	1320	0.1	3760	-1	-1	-1	-1
L10+100W 10+325N	25	-1	0.8	-0.1	9.0	26.7	2.8	10.9	2.5	0.9	2.2	0.4	2.0	0.4	1.2	0.2	1.1	0.2	-2	-2	-100	11000	5	1160	-0.1	2500	-1	-1	-1	-1
L10+100W 10+400N	-1	-1	0.3	-0.1	14.7	43.8	4.2	18.0	4.4	1.2	4.3	0.7	3.8	0.7	2.1	0.3	1.9	0.3	-2	-2	-100	2770	19	636	0.1	1880	-1	-1	-1	-1
L10+100W 10+425N	19	-1	0.7	-0.1	9.5	42.9	3.3	13.2	3.0	1.2	2.9	0.5	2.6	0.5	1.4	0.2	1.5	0.2	-2	-2	-100	5320	11	1090	-0.1	3900	-1	-1	-1	-1
L10+100W 10+450N	5	-1	0.2	-0.1	9.2	38.1	2.8	11.9	2.6	0.9	2.5	0.4	1.9	0.4	1.0	0.1	0.9	0.1	-2	-2	-100	10700	15	762	0.2	2130	-1	-1	-1	-1
L10+100W 10+475N	-1	-1	0.3	-0.1	3.3	7.8	1.1	4.5	1.3	0.7	1.4	0.2	1.0	0.2	0.6	-0.1	0.6	0.1	6	-2	-100	7900	19	643	0.2	3280	-1	-1	-1	-1
L10+100W 10+500N	-1	-1	0.3	-0.1	4.8	13.2	2.3	6.7	1.6	0.5	1.6	0.2	1.5	0.3	0.8	0.1	0.8	0.1	17	-2	-100	3830	5	939	-0.1	1540	-1	-1	-1	-1
L10+100W 10+525N	9	-1	0.2	-0.1	4.1	9.6	1.3	5.3	1.6	0.4	1.5	0.3	1.7	0.4	0.9	0.1	0.8	0.1	25	-2	-100	2340	17	1290	0.1	946	-1	-1	-1	-1
L10+100W 10+550N	-1	-1	0.3	-0.1	5.6	13.2	1.8	8.5	2.2	0.8	2.3	0.4	2.1	0.5	1.4	0.2	1.2	0.2	5	-2	-100	7590	18	1130	0.2	1930	-1	-1	-1	-1
L10+100W 10+575N	-1	-1	0.3	-0.1	9.4	19.1	3.1	13.2	3.3	0.9	3.3	0.6	3.0	0.6	1.7	0.2	1.6	0.3	12	-2	-100	952	14	900	0.2	1020	-1	-1	-1	-1
L10+100W 10+600N	-1	-1	0.2	-0.1	7.4	15.7	2.4	10.7	2.6	0.8	2.9	0.5	2.4	0.6	1.5	0.2	1.4	0.2	5	-2	-100	648	18	722	0.3	817	-1	-1	-1	-1
L10+100W 10+625N	19	-1	0.7	-0.1	9.2	20.5	2.8	12.6	2.9	0.9	2.9	0.5	2.6	0.6	1.6	0.2	1.6	0.2	3	-2	-100	272	12	674	0.2	2400	-1	-1	-1	-1
L10+100W 10+650N	1	-1	0.3	-0.1	4.2	9.4	1.3	5.7	1.4	0.7	1.4	0.3	1.5	0.3	0.8	0.1	0.9	0.1	9	-2	-100	8160	7	926	-0.1	2370	-1	-1	-1	-1
L10+100W 10+675N	5	-1	0.4	-0.1	6.4	13.0	2.0	8.1	1.9	0.8	1.9	0.3	1.9	0.7	1.0	0.1	0.9	0.1	14	-2	-100	1870	15	1730	0.7	2570	-1	-1	-1	-1
L10+100W 10+700N	8	-1	0.5	-0.1	10.2	20.1	3.2	14.2	3.5	1.1	3.4	0.6	3.1	0.6	1.9	0.3	1.8	0.3	13	-2	-100	3460	20	1780	1	2120	-1	-1	-1	-1
L10+100W 10+725N	-1	-1	0.3	-0.1	4.8	9.2	1.4	6.2	1.7	0.7	1.6	0.3	1.8	0.4	1.1	0.1	1.1	0.2	12	-2	-100	1940	15	566	1	2660	-1	-1	-1	-1
L10+100W 10+750N	45	9	1.0	0.3	15.3	31.5	4.2	17.0	3.6	1.4	3.6	0.6	3.8	0.7	2.2	0.3	2.1	0.3	36	-2	-100	3070	18	2070	0.7	3250	-1	-1	-1	-1
L10+100W 10+775N	23	-1	0.4	-0.1	26.1	37.8	5.6	24.4	6.1	1.9	6.3	1.2	7.6	1.5	4.5	0.7	4.4	0.7	8	-2	-100	3450	33	769	1.5	1520	-1	-1	-1	-1
L10+100W 10+800N	28	4	0.6	0.2	16.3	30.9	4.1	15.6	4.1	1.3	4.0	0.6	3.6	0.8	2.0	0.3	2.0	0.3	22	-2	-100	2940	59	1430	3.2	2760	-1	-1	-1	-1
L10+200W 9+525N	36	-1	0.8	-0.1	17.7	37.4	5.5	22.8	5.4	1.3	5.1	1.0	5.2	1.0	2.9	0.4	3.0	0.4	-2	3	-100	1460	8	768	0.2	860	-1	-1	-1	-1
L10+200W 9+550N	29	2	0.6	-0.1	18.9	38.6	5.7	24.6	5.7	1.3	5.4	1.0	5.6	1.1	3.9	0.4	2.5	0.4	15	-2	-100	4410	20	930	0.5	731	-1	-1	-1	-1
L10+200W 9+575N	65	3	1.4	0.2	48.9	81.8	14.7	59.8	14.5	2.6	12.1	2.2	10.8	2.0	5.2	0.7	4.0	0.6	15	3	-100	713	26	723	0.7	726	-1	-1	-1	-1
L10+200W 9+600N	60	3	1.3	0.2	59.0	121	17.4	72.7	17.2	3.3	15.2	2.7	14.0	2.7	6.9	0.9	5.8	0.9	27	2	-100	4480	10	743	0.6	756	-1	-1	-1	-1
L10+200W 9+625N	51	1	1.1	0.1	35.1	91.1	11.0	51.4	10.8	1.9	9.1	1.7	8.8	1.5	3.9	0.5	3.3	0.5	25	2	-100	1800	19	546	0.7	767	-1	-1	-1	-1
L10+200W 9+650N	19	-1	0.4	-0.1	13.4	27.1	3.8	15.3	3.6	0.8	3.3	0.6	3.1	0.6	4.2	0.2	1.3	0.2	-2	-2	-100	466	21	536	0.3	614	-1	-1	-1	-1
L10+200W 9+675N	18	2	0.4	-0.1	14.6	36.8	4.4	17.7	4.3	1.0	3.9	0.7	3.6	0.7	1.9	0.2	1.7	0.2	-2	-2	-100	3540	12	764	0.4	791	-1	-1	-1	-1
L10+200W 9+700N	79	1	1.9	-0.1	31.5	92.5	9.9	41.6	10.0	2.3	7.9	1.5	8.1	1.6	4.0	0.5	3.8	0.6	-2	3	-100	4800	20	751	0.2	1400	-1	-1	-1	-1
L10+200W 9+725N	70	4	1.7	0.2	8.6	34.6	2.9	11.5	2.7	0.9	2.2	0.4	2.1	0.4	1.3	0.2	1.1	0.2	-2	-2	-100	7910	33	943	0.6	3160	-1	-1	-1	-1
L10+200W 9+750N	39	3	0.9	-0.1	43.3	68.6	11.7	49.9	11.2	2.6	9.5	1.7	8.1	1.6	4.3	0.6	3.7	0.6	-2	-2	-100	1910	15	647	0.5	2070	-1	-1	-1	-1
L10+200W 9+775N	14	2	0.4	-0.1	6.1	12.3	2.9	7.4	2.0	0.5	1.6	0.3	1.5	0.3	0.8	-0.1	0.7	0.1	-2	-2	-100	1140	8	793	0.2	1050	-1	-1	-1	-1
L10+200W 9+825N	28	2	0.7	-0.1	13.1	25.2	3.7	16.0	3.9	0.9	3.6	0.7	3.7	0.7	2.1	0.3	2.0	0.3	13	2	-100	2420	29	789	0.6	712	-1	-1	-1	-1
L10+200W 9+850N	19	-1	0.5	-0.1	10.6	23.5	3.0	11.6	2.8	0.7	2.6	0.5	2.5	0.5	1.3	0.2	1.3	0.2	21	-2	-100	1760	24	838	0.4	591	-1	-1	-1	-1
L10+200W 9+925N	101	5	2.1	0.2	50.6	111.0	17.6	78.1	19.5	4.5	18.0	3.8	18.2	3.4	9.3	1.2	8.0	1.1	13	3	-100	7020	27	1010	1.3	1220	-1	-1	-1	-1
L10+200W 9+950N	75	1	1.5	-0.1	29.1	68.1	9.2	39.1	10.3	2.6	9.4	1.8	9.9	2.0	5.7	0.8	4.7	0.7	-2	-2	-100	6910	16	872	0.4	1510	-1	-1	-1	-1
L10+200W 10+000N	72	1	1.7	-0.1	14.1	38.3	4.2	18.4	4.4	1.2	3.6	0.7	3.8	0.7	1.9	0.3	1.8	0.3	-2	-2	-100	6910	9	707	0.2	1660	-1	-1	-1	-1
L10+200W 10+025N	56	6	1.5	0.3	21.9	52.4	6.1	26.8	6.7	1.8	6.3	1.1	6.5	1.3	3.7	0.5	3.1	0.5	21	-2	-100	4690	40	1670	2.8	2980	-1	-1	-1	-1
L10+200W 10+050N	24	3	0.6	0.2	7.6	19.0	2.8	16.7	2.3	0.8	2.7	0.3	2.0	0.4	1.1	0.1	1.3	0.1	44	-2	-100	3100	29	2790	1.7	2580	-1	-1	-1	-1
L10+200W 10+075N	33	4	0.7	0.2	12.3	28.6	3.5	14.2	3.7	1.1	3.3	0.5	3.3	0.7	1.9	0.2	1.8	0.2	54	-2	-100	3010	30	2920	2.1	2160	-1	-1	-1	-1
L10+200W 10+100N	25	2	0.5	-0.1	18.5	29.5	5.7	24.1	6.0	1.6	5.6	1.0	4.8	1.0	2.6	0.4	2.6	0.4	2	-2	-100	2360	13	836	0.9	2020	-1	-1	-1	-1
L10+200W 10+125N	18	2	0.4	-0.1	15.7	26.9	5.0	21.9	5.0	1.4	5.2	0.9	5.3	1.0	2.8	0.4	2.6	0.4	16	-2	-100	4080	20	1030	0.6	1180	-1	-1	-1	-1
L10+200W 10+150N	16	-1	0.3	-0.1	7.1	10.3	1.6	7.2	1.7	0.8	1.7	0.3	1.9	0.4	1.0	0.2	1.1	0.2	-2	-2	-100	2870	18	1340	0.8	2510	-1	-1	-1	-1
L10+200W 10+175N	15	-1	0.3	-0.1	7.9	14.1	2.3	9.9	2.6	0.7	2.4	0.5	2.6	0.5	1.4	0.2	1.3	0.2	-2	-2	-100	1330	5	1020	0.3	1160	-1	-1	-1	-1
L10+200W 10+200N	21	-1	0.5	-0.1	8.3	13.9	2.5	11.3	3.0	1.0	2.9	0.5	2.9	0.6	1.6	0.2	1.4	0.2	-2	-2	-100	2970	9	1580	0.5	3410	-1	-1	-1	-1
L10+200W 10+250N	11	1	0.3	-0.1	8.2	20.5	2.1	8.6	2.1	0.7	2.1	0.4	1.9	0.4	1.2	0.2	1.0	0.2	-2	-2	-100	7790	12	1070	0.4	1740	-1	-1	-1	-1
L10+200W 10+300N	52	-1	0.9	-0.1	10.0	35.8	2.9	11.4	2.5	0.9	2.4	0.4	2.0	0.4	1.3	0.2	1.1	0.2	-2	-2	-100	13000	34	1010	0.3	2720	-1	-1	-1	-1
L10+200W 10+325N	47	1	0.9	-0.1	5.8	19.3	1.7	6.9	1.6	0.6	1.3	0.2	1.2	0.2	0.7	-0.1	0.6	0.1	-2	-2	-100	3910	18	933	0.2	2030	-1	-1	-1	-1
L10+200W 10+350N	44	1	0.9	-0.1	6.9	25.7	1.9	8.3	1.6	0.6	1.4	0.2	1.3	0.3	0.9	-0.1	0.6	-0.1	-2	-2	-100	12200	31	1010	0.3	2060	-1	-1	-1	-1
L10+200W 10+400N	38	3	0.7	0.1	7.2	20.8	2.1	9.2	1.7	0.5	1.3	0.2	1.1	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	6820	17	625	0.3	1400	-1	-1	-1	-1
L10+200W 10+425N	79	1	1.3	-0.1	18.1	72.1	5.8	24.8	6.0	1.8	5.3	0.9	5.0	1.0	2.7	0.4	2.3	0.4	7	2	-100	21700	25	1010	0.2	3270	-1	-1	-1	-1
L10+200W 10+450N	34	1	0.7	-0.1	9.3	21.3	2.8	12.9	3.5	1.2	3.2	0.6	3.4	0.6	1.8	0.2	1.5	0.2	45	-2	-100	2830	17	3520	0.4	2790	-1	-1	-1	-1
L10+200W 10+475N	28	2	0.5	-0.1	12.1	47.0	3.2	12.9	2.7	1.1	2.5	0.4	2.4	0.4	1.1	0.2	1.0	0.2	-2	-2	-100	41000	16	1590	0.2	3680	-1	-1	-1	-1
L10+200W 10+500N	14	-1	0.2	0.1	14.6	21.0	1.5	6.2	1.4	0.6	1.4	0.2	1.3	0.2	0.7	0.1	0.7	-0.1	-2	-2	-100	4910	25	1140	0.3	2160	-1	-1	-1	-1
L10+200W 10+525N	21	-1	0.7	-0.1	7.3	23.5	2.2	11.8	2.1	0.9	1.9	0.4	1.9	0.3	1.1	0.2	1.0	0.1	-2	-2	-100	6330	23	873	0.4	3190	-1	-1	-1	-1
L10+200W 10+550N	29	-1	0.5	0.1	9.9	26.7	3.0	13.1	3.6	1.1	2.8	0.6	2.9	0.5	1.4	0.2	1.4	0.2	-2	-2	-100	5260	10	843	0.3	2390	-1	-1	-1	-1
L10+200W 10+575N	47	-1	1.2	-0.1	9.6	31.6	3.0	12.2	3.0	1.0	2.7	0.5	2.7	0.5	1.6	0.2	1.5	0.3	-2	-2	-100	3560	12	1040	0.1	2440	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L10+200W 10+600N	15	1	0.4	-0.1	6.3	14.8	1.9	8.4	2.2	0.7	2.2	0.4	2.5	0.5	1.5	0.2	1.5	0.2	4	-2	-100	1900	15	1020	0.4	958	-1	-1	-1	-1
L10+200W 10+625N	15	-1	0.5	-0.1	5.0	12.0	1.3	5.5	1.6	0.4	1.4	0.3	1.4	0.3	0.8	-0.1	0.8	0.1	15	-2	-100	3740	12	1680	0.2	1170	-1	-1	-1	-1
L10+200W 10+650N	100	2	2.2	-0.1	22.4	61.7	7.4	25.6	5.3	1.6	4.9	0.8	4.0	0.8	2.3	0.3	2.1	0.3	-2	3	-100	2480	16	951	0.4	3180	-1	-1	-1	-1
L10+200W 10+675N	25	2	0.6	-0.1	14.5	36.0	4.6	19.7	4.9	1.4	4.3	0.8	4.2	0.8	2.2	0.3	2.4	0.3	18	-2	-100	2960	11	761	0.5	3400	-1	-1	-1	-1
L10+200W 10+700N	17	-1	0.5	-0.1	14.7	34.6	4.7	20.2	4.9	1.6	4.8	1.0	5.2	1.0	3.2	0.5	3.2	0.6	-2	-2	-100	6200	16	856	0.6	1810	-1	-1	-1	-1
L10+200W 10+725N	13	1	0.5	-0.1	7.7	18.1	2.2	9.7	2.4	1.1	2.6	0.4	2.5	0.5	1.5	0.2	1.6	0.2	3	-2	-100	5350	28	1400	0.8	2190	-1	-1	-1	-1
L10+200W 10+750N	19	-1	0.4	-0.1	20.6	36.6	5.9	26.2	6.4	1.8	6.1	1.2	5.8	1.3	3.4	0.4	3.1	0.5	3	-2	-100	3420	6	633	0.2	2040	-1	-1	-1	-1
L10+200W 10+775N	7	-1	0.2	-0.1	8.3	18.9	2.5	13.8	2.2	0.8	2.2	0.4	2.0	0.5	1.3	0.2	1.1	0.2	13	-2	-100	2000	19	1470	0.5	1340	-1	-1	-1	-1
L10+300W 9+400N	18	-1	0.4	-0.1	12.9	27.1	3.8	15.7	3.6	0.7	3.4	0.6	3.2	0.6	1.8	0.3	1.6	0.3	-2	-2	-100	10200	10	790	0.2	826	-1	-1	-1	-1
L10+300W 9+425N	8	-1	0.2	-0.1	6.9	12.4	2.0	8.0	1.9	0.4	1.7	0.3	1.5	0.3	0.8	-0.1	0.7	0.1	-2	-2	-100	1190	18	449	0.1	443	-1	-1	-1	-1
L10+300W 9+450N	11	-1	0.3	-0.1	12.1	21.5	3.5	14.8	3.4	0.6	3.0	0.5	2.5	0.5	1.2	0.2	1.4	0.2	-2	-2	-100	2010	17	490	0.2	548	-1	-1	-1	-1
L10+300W 9+475N	12	-1	0.2	-0.1	14.3	26.6	4.3	17.1	4.1	0.7	3.6	0.6	3.1	0.6	1.6	0.2	1.3	0.2	-2	-2	-100	306	10	436	0.1	556	-1	-1	-1	-1
L10+300W 9+500N	13	-1	0.3	-0.1	12.6	25.2	3.8	15.3	3.3	0.7	3.1	0.6	2.8	0.5	1.7	0.2	1.4	0.2	-2	-2	-100	1080	3	519	0.1	668	-1	-1	-1	-1
L10+300W 9+525N	21	-1	0.5	-0.1	16.1	42.0	4.6	18.6	4.4	0.9	4.0	0.7	4.1	0.8	2.0	0.3	2.0	0.3	-2	-2	-100	9670	7	617	-0.1	796	-1	-1	-1	-1
L10+300W 9+550N	16	-1	0.4	-0.1	11.1	24.1	3.3	14.1	3.2	0.7	2.8	0.5	2.9	0.5	1.4	0.2	1.3	0.2	-2	-2	-100	4680	8	569	0.1	516	-1	-1	-1	-1
L10+300W 9+575N	18	-1	0.3	-0.1	13.4	31.0	4.0	16.8	4.2	0.8	3.4	0.7	3.3	0.7	1.8	0.2	1.7	0.2	-2	-2	-100	3290	7	547	0.1	591	-1	-1	-1	-1
L10+300W 9+625N	8	-1	0.2	-0.1	10.1	22.6	3.0	12.2	2.8	0.5	2.7	0.5	2.4	0.5	1.4	0.2	1.4	0.2	-2	-2	-100	1910	8	488	0.1	430	-1	-1	-1	-1
L10+300W 9+650N	19	-1	0.3	-0.1	19.6	35.0	5.6	23.0	5.5	1.0	4.6	0.8	4.1	0.8	2.3	0.3	2.0	0.3	-2	-2	-100	4430	14	498	0.3	680	-1	-1	-1	-1
L10+300W 9+675N	50	-1	1.1	-0.1	15.5	40.2	4.8	19.7	4.6	0.9	4.0	0.8	3.8	0.7	2.1	0.3	1.7	0.3	-2	-2	-100	4690	17	522	0.1	677	-1	-1	-1	-1
L10+300W 9+700N	20	-1	0.4	-0.1	13.8	28.9	3.7	16.0	3.9	1.0	3.6	0.7	3.4	0.6	1.9	0.2	1.5	0.3	-2	-2	-100	7600	7	952	-0.1	1670	-1	-1	-1	-1
L10+300W 9+725N	26	-1	0.5	-0.1	10.4	24.9	3.1	13.5	3.2	0.9	3.1	0.6	3.1	0.6	1.7	0.2	1.5	0.2	-2	-2	-100	8380	19	1320	0.5	1940	-1	-1	-1	-1
L10+300W 9+750N	26	-1	0.5	-0.1	18.3	27.8	5.1	21.8	5.4	1.5	5.7	1.0	5.4	1.1	3.3	0.5	2.8	0.5	10	-2	-100	5650	13	850	0.2	1150	-1	-1	-1	-1
L10+300W 9+775N	21	-1	0.5	-0.1	9.8	17.9	2.8	11.6	2.7	0.8	2.9	0.5	2.8	0.6	1.7	0.2	1.6	0.3	-2	-2	-100	4930	15	705	0.3	893	-1	-1	-1	-1
L10+300W 9+800N	22	-1	0.5	-0.1	11.2	24.4	3.2	13.3	3.4	0.7	2.9	0.5	2.6	0.5	1.3	0.2	1.3	0.2	-2	-2	-100	580	19	577	0.2	674	-1	-1	-1	-1
L10+300W 9+825N	16	-1	0.4	0.3	9.5	21.2	2.7	11.0	2.5	0.8	2.6	0.5	2.6	0.5	1.5	0.2	1.4	0.2	-2	-2	-100	54800	8	778	0.3	1610	-1	-1	-1	-1
L10+300W 9+900N	30	-1	0.6	-0.1	49.5	62.8	15.0	62.8	14.4	3.4	13.5	2.3	12.2	2.4	6.6	0.9	5.3	0.9	-2	-2	-100	2810	4	578	0.1	1070	-1	-1	-1	-1
L10+300W 9+925N	13	-1	0.2	-0.1	3.9	10.4	1.0	4.3	1.0	0.6	1.0	0.2	1.0	0.2	0.6	-0.1	0.5	-0.1	-2	-2	-100	5590	17	817	0.2	3010	-1	-1	-1	-1
L10+300W 9+950N	28	-1	0.6	-0.1	7.4	17.4	2.2	9.0	2.0	0.7	1.7	0.3	1.9	0.3	1.0	0.1	0.7	0.1	-2	-2	-100	668	30	574	0.2	2360	-1	-1	-1	-1
L10+300W 10+000N	9	-1	0.2	-0.1	7.2	15.6	2.3	11.1	3.0	0.8	3.0	0.5	2.6	0.5	1.3	0.2	1.0	0.1	-2	-2	-100	2940	7	2060	0.2	1010	-1	-1	-1	-1
L10+300W 10+025N	18	-1	0.4	-0.1	4.3	13.5	1.3	5.3	1.2	0.6	1.0	0.2	1.0	0.2	0.6	-0.1	0.6	-0.1	-2	-2	-100	10300	3	846	-0.1	2220	-1	-1	-1	-1
L10+300W 10+050N	30	-1	0.7	-0.1	19.8	48.4	6.2	27.5	7.3	1.9	6.7	1.1	6.2	1.2	3.4	0.5	3.1	0.5	-2	-2	-100	10400	5	679	0.2	2950	-1	-1	-1	-1
L10+300W 10+075N	11	-1	0.3	-0.1	6.8	14.3	1.8	7.9	2.1	0.6	2.0	0.3	1.8	0.4	1.1	0.1	0.9	0.1	-2	-2	-100	6710	4	965	-0.1	1720	-1	-1	-1	-1
L10+300W 10+100N	15	-1	0.4	-0.1	8.8	15.5	2.5	10.3	2.8	0.8	2.4	0.4	2.2	0.5	1.2	0.2	1.1	0.2	3	-2	-100	2190	3	496	-0.1	1450	-1	-1	-1	-1
L10+300W 10+125N	25	1	0.4	-0.1	9.2	16.3	2.5	10.6	2.7	0.9	3.1	0.5	2.5	0.6	1.7	0.2	1.4	0.2	12	-2	-100	3390	18	1280	0.9	1790	-1	-1	-1	-1
L10+300W 10+200N	18	-1	0.4	-0.1	8.6	15.2	2.3	9.4	2.2	0.5	2.0	0.4	1.9	0.4	1.1	0.1	1.0	0.2	6	-2	-100	2230	38	1060	0.2	636	-1	-1	-1	-1
L10+300W 10+350N	111	2	2.2	-0.1	6.3	22.8	2.1	8.3	2.0	0.9	1.7	0.3	1.6	0.3	1.0	0.2	0.9	0.1	-2	-2	-100	12400	22	742	0.2	3290	-1	-1	-1	-1
L10+300W 10+375N	20	-1	0.3	-0.1	5.3	14.7	1.4	6.0	1.4	0.6	1.2	0.2	1.1	0.2	0.6	-0.1	0.5	-0.1	-2	-2	-100	6970	10	724	-0.1	2380	-1	-1	-1	-1
L10+300W 10+400N	15	-1	0.4	-0.1	7.1	22.3	2.1	8.8	2.3	0.7	2.1	0.4	1.9	0.3	1.1	0.1	0.8	0.1	-2	-2	-100	4850	10	523	0.2	2210	-1	-1	-1	-1
L10+300W 10+425N	27	-1	0.4	-0.1	6.4	20.9	2.0	8.0	1.8	0.6	1.8	0.3	1.6	0.3	0.8	0.1	0.7	-0.1	-2	-2	-100	6710	13	572	0.1	1980	-1	-1	-1	-1
L10+300W 10+450N	19	-1	0.4	-0.1	9.1	54.6	2.4	10.0	2.3	0.8	2.3	0.4	1.9	0.4	1.0	0.1	0.9	0.1	-2	-2	-100	10800	6	1150	-0.1	2340	-1	-1	-1	-1
L10+300W 10+475N	37	-1	0.8	-0.1	8.3	40.8	2.4	9.9	2.3	0.8	2.1	0.4	1.9	0.4	1.1	0.1	1.1	0.1	-2	-2	-100	7840	14	539	0.1	2580	-1	-1	-1	-1
L10+300W 10+500N	25	-1	0.5	-0.1	10.6	42.4	2.9	11.7	2.9	0.9	2.6	0.4	2.1	0.4	1.2	0.2	1.2	0.2	-2	-2	-100	25500	10	947	0.1	3010	-1	-1	-1	-1
L10+300W 10+525N	26	1	0.4	-0.1	13.8	51.8	3.7	15.2	3.3	1.5	3.5	0.6	3.0	0.6	1.6	0.2	1.4	0.2	-2	-2	-100	53800	12	1040	-0.1	5510	-1	-1	-1	-1
L10+300W 10+550N	24	-1	0.4	-0.1	11.0	38.9	3.1	12.2	2.9	1.1	2.7	0.5	2.6	0.5	1.4	0.2	1.3	0.2	-2	-2	-100	11400	11	1180	-0.1	3300	-1	-1	-1	-1
L10+300W 10+575N	45	2	1.0	-0.1	10.3	29.9	3.0	11.8	2.5	0.9	2.1	0.4	1.8	0.4	1.0	0.1	0.9	0.1	-2	-2	-100	1700	8	434	0.3	2920	-1	-1	-1	-1
L10+300W 10+600N	33	-1	0.7	-0.1	3.2	10.0	1.0	3.9	0.9	0.6	0.8	0.1	0.8	0.1	0.4	-0.1	0.4	-0.1	-2	-2	-100	10000	5	584	0.1	3120	-1	-1	-1	-1
L10+300W 10+625N	16	-1	0.2	-0.1	4.2	16.9	1.2	4.9	1.1	0.6	1.1	0.2	0.8	0.2	0.5	-0.1	0.4	-0.1	-2	-2	-100	9290	10	613	0.4	3190	-1	-1	-1	-1
L10+300W 10+650N	52	1	1.0	-0.1	8.2	38.0	2.6	10.6	2.6	0.9	2.2	0.4	2.0	0.4	1.0	0.1	1.1	0.2	-2	-2	-100	22000	11	634	0.1	3060	-1	-1	-1	-1
L10+300W 10+675N	42	-1	1.0	-0.1	3.3	13.6	1.0	4.3	1.1	0.5	0.7	0.1	0.6	0.1	0.4	-0.1	0.3	-0.1	-2	-2	-100	9920	11	473	0.2	2200	-1	-1	-1	-1
L10+300W 10+700N	31	-1	0.5	-0.1	4.9	15.0	1.4	6.0	1.4	0.7	1.2	0.2	1.1	0.2	0.6	-0.1	0.6	-0.1	-2	-2	-100	7110	7	521	0.1	2780	-1	-1	-1	-1
L10+300W 10+725N	9	-1	0.2	-0.1	3.1	10.7	0.8	3.7	0.9	0.4	0.8	0.2	0.7	0.2	0.4	-0.1	0.4	-0.1	-2	-2	-100	3570	6	515	0.1	2560	-1	-1	-1	-1
L10+300W 10+750N	21	2	0.3	-0.1	9.8	19.7	2.9	12.9	3.3	1.1	3.1	0.6	3.2	0.7	1.7	0.3	1.6	0.2	-2	-2	-100	637	10	1200	0.4	2360	-1	-1	-1	-1
L10+400W 9+400N	24	-1	0.5	-0.1	24.8	50.6	7.8	34.4	8.1	1.9	7.8	1.4	7.2	1.4	3.8	0.5	3.2	0.5	-2	-2	-100	8400	11	971	0.6	1130	-1	-1	-1	-1
L10+400W 9+425N	29	-1	0.7	-0.1	33.1	76.5	9.5	40.2	10.5	2.3	9.8	1.8	9.4	1.9	5.4	0.7	4.5	0.7	-2	-2	-100	5940	8	801	0.2	611	-1	-1	-1	-1
L10+400W 9+450N	11	-1	0.2	-0.1	7.2	17.4	2.1	8.6	2.0	0.4	1.8	0.3	1.8	0.3	0.9	-0.1	0.8	0.1	-2	-2	-100	1830	8	574	0.1	467	-1	-1	-1	-1
L10+400W 9+475N	17	-1	0.4	-0.1	7.4	17.6	2.0	8.4	2.1	0.4	1.9	0.3	1.8	0.4	0.9	0.1	0.9	0.1	-2	-2	-100	901	5	788	0.2	511	-1	-1	-1	-1
L10+400W 9+500N	27	-1	0.5	-0.1	16.6	32.7	4.6	18.7	4.4	0.9	4.0	0.8	4.1	0.8	2.1	0.3	2.0	0.3	-2	-2	-100	3180	7	709	-0.1	689	-1	-1	-1	-1
L10+400W 9+525N	77	3	1.5	-0.1	64.8	183.0	17.6	65.1	15.1	3.3	14.3	2.5	12.8	2.4	6.7	0.9	5.9	1.0	-2	6	-100	84500	43	1640	0.7	4050	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greater

Regular Package:	*Elements:*				*Rare Earth Elements:*													*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L10+400W 9+550N	38	1	0.8	-0.1	22.1	49.8	6.2	25.3	6.5	1.4	5.8	1.0	5.3	1.1	2.7	0.4	2.6	0.4	-2	-2	-100	4170	11	1230	0.3	906	-1	-1	-1	-1
L10+400W 9+575N	17	-1	0.4	-0.1	12.3	24.0	3.6	14.7	3.5	0.8	3.2	0.6	3.0	0.6	1.7	0.3	1.6	0.3	-2	-2	-100	2350	4	977	-0.1	723	-1	-1	-1	-1
L10+400W 9+600N	33	1	0.9	-0.1	17.4	38.1	5.0	20.3	4.8	1.1	5.0	0.8	4.6	0.9	2.5	0.3	2.1	0.3	-2	-2	-100	3820	10	1170	0.2	744	-1	-1	-1	-1
L10+400W 9+650N	50	2	1.0	0.2	57.1	118.0	19.8	83.4	19.9	3.3	17.4	2.9	13.2	2.3	6.1	0.8	4.9	0.7	-2	4	-100	4640	20	852	0.7	1750	-1	-1	-1	-1
L10+400W 9+675N	10	-1	0.3	-0.1	8.0	15.8	2.3	9.5	2.2	0.5	2.2	0.4	2.0	0.4	1.0	0.2	1.0	0.1	-2	-2	-100	5060	9	776	-0.1	519	-1	-1	-1	-1
L10+400W 9+700N	10	-1	0.3	-0.1	4.7	10.2	1.3	5.5	1.5	0.4	1.2	0.2	1.3	0.2	0.6	-0.1	0.6	-0.1	-2	-2	-100	1180	16	853	-0.1	805	-1	-1	-1	-1
L10+400W 9+725N	10	-1	0.2	-0.1	7.1	16.5	2.0	7.9	1.9	0.4	1.7	0.3	1.6	0.3	0.8	0.1	0.8	0.1	-2	-2	-100	2910	14	791	-0.1	567	-1	-1	-1	-1
L10+400W 9+750N	7	-1	0.2	-0.1	5.0	9.0	1.4	5.6	1.4	0.3	1.3	0.2	1.2	0.2	0.6	-0.1	0.7	-0.1	-2	-2	-100	880	15	621	-0.1	374	-1	-1	-1	-1
L10+400W 9+775N	18	-1	0.3	-0.1	11.4	23.1	3.3	14.0	3.2	0.7	2.9	0.5	2.7	0.5	1.4	0.2	1.1	0.2	-2	-2	-100	1890	22	928	0.3	778	-1	-1	-1	-1
L10+400W 9+800N	19	1	0.4	-0.1	18.2	35.6	5.0	20.0	4.8	1.0	4.6	0.8	4.2	0.9	2.5	0.3	2.1	0.3	-2	-2	-100	5220	8	762	0.2	771	-1	-1	-1	-1
L10+400W 9+825N	16	-1	0.3	-0.1	16.7	33.6	4.6	18.7	4.5	0.9	4.1	0.7	3.6	0.7	1.8	0.3	1.6	0.2	-2	-2	-100	3710	10	692	0.1	733	-1	-1	-1	-1
L10+400W 9+875N	7	-1	0.2	-0.1	3.7	20.4	1.0	4.2	1.0	0.5	0.9	0.2	0.9	0.1	0.4	-0.1	0.4	-0.1	-2	-2	-100	5260	10	1930	0.2	2210	-1	-1	-1	-1
L10+400W 9+900N	40	-1	0.8	-0.1	9.9	23.4	2.9	12.9	3.1	1.0	2.9	0.5	2.9	0.6	1.5	0.2	1.4	0.2	-2	-2	-100	6500	8	683	0.2	2200	-1	-1	-1	-1
L10+400W 9+925N	15	-1	0.3	-0.1	5.5	12.0	1.6	6.8	1.7	0.6	1.6	0.3	1.4	0.3	0.9	0.1	0.7	-0.1	-2	-2	-100	3860	7	898	0.1	2410	-1	-1	-1	-1
L10+400W 9+950N	48	1	0.9	-0.1	9.6	22.2	2.7	11.7	2.9	1.1	2.6	0.5	2.3	0.5	1.3	0.2	1.2	0.2	-2	-2	-100	10200	10	910	0.2	2690	-1	-1	-1	-1
L10+400W 10+125N	29	-1	0.6	-0.1	23.1	61.6	5.4	21.9	5.1	1.2	4.6	0.8	4.4	0.8	2.0	0.3	1.6	0.3	-2	-2	-100	5360	8	577	0.1	1350	-1	-1	-1	-1
L10+400W 10+150N	47	2	1.0	-0.1	6.5	20.4	2.8	8.0	2.0	0.7	1.6	0.3	1.7	0.3	0.8	0.1	0.9	0.1	-2	-2	-100	2120	4	550	0.2	2070	-1	-1	-1	-1
L10+400W 10+175N	52	1	1.0	-0.1	17.5	46.2	5.0	21.4	5.4	1.4	5.0	0.9	4.6	0.9	2.6	0.4	2.4	0.3	-2	-2	-100	7580	11	1090	0.3	2430	-1	-1	-1	-1
L10+400W 10+200N	29	-1	0.6	-0.1	14.7	32.8	4.2	18.3	4.7	1.3	4.4	0.8	4.1	0.8	2.3	0.3	2.0	0.3	-2	-2	-100	4650	6	1350	0.2	2490	-1	-1	-1	-1
L10+400W 10+225N	26	-1	0.6	-0.1	15.6	53.3	4.4	19.0	4.5	1.3	4.3	0.7	3.6	0.7	1.9	0.3	1.4	0.2	-2	-2	-100	7600	7	841	0.1	1870	-1	-1	-1	-1
L10+400W 10+300N	77	-1	1.4	-0.1	10.6	31.8	2.9	12.2	2.7	1.1	2.5	0.4	2.3	0.5	1.3	0.2	1.2	0.2	-2	-2	-100	5850	3	1030	-0.1	3680	-1	-1	-1	-1
L10+400W 10+325N	70	1	1.7	-0.1	13.9	42.7	4.2	17.5	4.0	1.4	3.6	0.6	3.4	0.7	1.8	0.2	1.7	0.2	-2	-2	-100	2400	15	875	0.3	3510	-1	-1	-1	-1
L10+400W 10+350N	51	-1	1.1	-0.1	10.0	26.5	3.2	13.7	3.3	0.9	3.7	0.8	3.8	0.8	2.4	0.3	2.4	0.4	-2	-2	-100	10200	10	1230	0.1	953	-1	-1	-1	-1
L10+400W 10+375N	49	-1	1.1	-0.1	6.1	28.1	3.4	8.4	2.3	0.7	2.0	0.3	1.9	0.3	1.0	0.1	1.0	0.2	-2	-2	-100	11600	12	928	0.2	1490	-1	-1	-1	-1
L10+400W 10+400N	91	3	1.8	0.1	14.3	34.7	4.5	18.9	4.2	1.3	4.4	0.7	4.2	0.8	2.3	0.3	2.3	0.4	-2	-2	-100	6220	19	959	0.8	2790	-1	-1	-1	-1
L10+400W 10+425N	62	1	1.0	-0.1	9.7	33.6	2.5	10.5	2.3	0.9	2.2	0.4	2.4	0.4	1.3	0.2	1.2	0.2	-2	-2	-100	16200	19	1060	0.2	3530	-1	-1	-1	-1
L10+400W 10+450N	63	1	1.3	-0.1	8.7	29.2	2.1	8.7	2.0	0.8	1.8	0.3	1.6	0.3	1.0	0.1	0.8	0.2	-2	-2	-100	19100	19	1230	-0.1	3350	-1	-1	-1	-1
L10+400W 10+475N	33	-1	0.5	-0.1	5.3	20.8	1.5	6.0	1.2	0.6	1.2	0.2	0.8	0.2	0.5	-0.1	0.4	-0.1	-2	-2	-100	16900	21	1110	0.1	2680	-1	-1	-1	-1
L10+400W 10+500N	51	-1	1.0	-0.1	15.9	70.3	4.5	18.4	4.1	1.2	3.8	0.7	3.5	0.6	1.9	0.3	1.7	0.2	-2	-2	-100	6340	23	1290	-0.1	2680	-1	-1	-1	-1
L10+400W 10+525N	87	1	1.7	-0.1	13.9	54.1	3.8	15.5	3.4	1.1	3.3	0.5	2.8	0.5	1.6	0.2	1.3	0.2	-2	-2	-100	29600	14	1120	0.1	3300	-1	-1	-1	-1
L10+400W 10+550N	83	2	1.4	-0.1	11.3	36.6	3.4	13.6	3.1	1.1	2.9	0.5	2.5	0.5	1.5	0.2	1.5	0.2	-2	-2	-100	8290	10	1160	0.1	3700	-1	-1	-1	-1
L10+400W 10+575N	58	-1	1.2	-0.1	48.6	90.6	13.7	57.3	12.8	3.2	11.8	1.9	9.7	2.0	5.5	0.7	4.7	0.7	-2	-2	-100	7430	15	931	0.2	3060	-1	-1	-1	-1
L10+400W 10+600N	56	1	1.1	-0.1	12.6	45.8	3.6	13.8	3.2	1.1	3.0	0.5	2.7	0.5	1.5	0.2	1.3	0.2	-2	-2	-100	26200	11	1230	0.1	3910	-1	-1	-1	-1
L10+400W 10+625N	34	-1	0.7	-0.1	6.3	30.6	1.7	7.5	1.5	0.7	1.4	0.2	1.2	0.2	0.6	-0.1	0.6	0.1	-2	-2	-100	31000	14	993	0.2	3500	-1	-1	-1	-1
L10+400W 10+650N	75	2	1.5	-0.1	6.6	19.0	2.0	8.4	1.5	0.8	1.5	0.2	1.3	0.2	0.7	-0.1	0.6	-0.1	-2	-2	-100	11200	14	765	0.2	3500	-1	-1	-1	-1
L10+400W 10+675N	17	-1	0.4	-0.1	8.3	34.8	2.3	9.8	2.1	0.8	2.1	0.3	1.8	0.3	0.9	0.1	0.9	0.1	-2	-2	-100	10300	12	1080	-0.1	2940	-1	-1	-1	-1
L10+400W 10+700N	33	-1	0.7	-0.1	11.0	34.2	3.0	12.3	2.5	0.8	2.1	0.3	1.6	0.3	0.8	0.1	0.8	-0.1	-2	-2	-100	3980	6	443	-0.1	2730	-1	-1	-1	-1
L10+400W 10+725N	35	-1	0.6	-0.1	18.6	69.2	6.2	25.2	6.0	1.7	5.7	1.0	5.0	1.0	2.9	0.4	2.4	0.4	-2	-2	-100	10800	18	460	0.3	2870	-1	-1	-1	-1
L10+500W 9+400N	40	-1	0.7	-0.1	5.6	15.9	2.0	7.5	1.8	0.5	1.7	0.3	1.7	0.3	1.0	0.2	1.0	0.2	-2	-2	-100	4330	23	536	0.2	543	-1	-1	-1	-1
L10+500W 9+425N	16	-1	0.3	-0.1	17.3	32.1	4.8	20.0	4.6	0.9	4.3	0.7	3.7	0.7	2.0	0.3	1.8	0.3	-2	-2	-100	7240	11	715	0.3	485	-1	-1	-1	-1
L10+500W 9+550N	45	2	1.0	-0.1	28.7	50.2	8.8	35.9	8.3	1.4	7.5	1.3	6.5	1.1	3.0	0.4	2.1	0.3	-2	-2	-100	797	18	626	0.6	607	-1	-1	-1	-1
L10+500W 9+575N	18	-1	0.4	-0.1	10.6	19.4	3.0	12.7	3.0	0.6	2.7	0.5	2.3	0.4	1.4	0.2	1.2	0.2	-2	-2	-100	908	20	671	0.2	744	-1	-1	-1	-1
L10+500W 9+600N	14	-1	0.3	-0.1	8.0	18.7	2.3	9.3	2.2	0.5	2.1	0.3	1.7	0.4	0.9	0.1	0.9	0.1	-2	-2	-100	10200	7	1300	0.1	961	-1	-1	-1	-1
L10+500W 9+725N	8	-1	0.2	-0.1	8.1	19.9	2.3	9.6	2.2	0.5	1.9	0.4	1.6	0.4	1.0	0.1	1.0	0.1	-2	-2	-100	5040	6	658	-0.1	652	-1	-1	-1	-1
L10+500W 9+775N	10	-1	0.2	-0.1	8.3	18.2	2.5	9.7	2.4	0.5	2.0	0.4	1.9	0.4	1.0	0.1	0.9	0.2	-2	-2	-100	5030	6	474	-0.1	694	-1	-1	-1	-1
L10+500W 9+800N	16	-1	0.4	-0.1	11.8	23.8	3.5	13.7	3.2	0.8	3.0	0.6	3.0	0.5	1.6	0.2	1.6	0.2	-2	-2	-100	4890	6	700	-0.1	1090	-1	-1	-1	-1
L10+500W 9+850N	26	-1	0.6	-0.1	17.6	32.9	5.7	24.3	6.0	1.4	5.5	1.1	5.6	1.1	3.2	0.5	3.1	0.4	-2	-2	-100	1170	8	677	0.1	917	-1	-1	-1	-1
L10+500W 9+875N	23	-1	0.5	-0.1	21.7	37.9	6.4	28.1	7.0	1.8	6.6	1.1	6.0	1.2	3.5	0.4	3.0	0.5	-2	-2	-100	3490	7	671	0.1	1430	-1	-1	-1	-1
L10+500W 9+900N	21	-1	0.4	-0.1	14.9	18.6	4.2	18.8	4.4	1.1	3.8	0.7	3.8	0.7	2.2	0.3	2.0	0.3	-2	-2	-100	5410	8	682	-0.1	2110	-1	-1	-1	-1
L10+500W 9+925N	47	2	1.0	-0.1	14.2	33.8	4.8	20.8	4.5	1.2	4.0	0.7	3.7	0.6	2.0	0.3	1.6	0.3	-2	-2	-100	1360	27	670	0.7	2130	-1	-1	-1	-1
L10+500W 9+950N	15	-1	0.3	-0.1	19.9	15.2	2.5	10.5	2.7	0.7	2.6	0.5	2.6	0.5	1.5	0.2	1.4	0.2	11	-2	-100	1970	19	915	0.2	894	-1	-1	-1	-1
L10+500W 10+000N	77	2	1.7	-0.1	28.7	65.6	8.1	34.3	8.5	2.1	8.6	1.6	8.4	1.9	5.3	0.8	4.7	0.8	-2	-2	-100	741	17	1270	0.3	1260	-1	-1	-1	-1
L10+500W 10+025N	24	-1	0.5	-0.1	9.6	22.1	2.9	13.1	3.1	1.0	3.1	0.6	2.9	0.6	1.6	0.2	1.4	0.2	4	-2	-100	5550	7	1690	0.3	1740	-1	-1	-1	-1
L10+500W 10+050N	18	-1	0.4	-0.1	17.7	36.1	5.1	21.7	5.1	1.5	5.2	0.9	4.6	1.0	2.9	0.4	2.5	0.4	-2	-2	-100	4810	6	733	-0.1	2040	-1	-1	-1	-1
L10+500W 10+075N	12	-1	0.3	-0.1	5.0	11.3	1.4	6.1	1.4	0.5	1.3	0.2	1.2	0.2	0.6	-0.1	0.6	-0.1	-2	-2	-100	326	9	542	0.1	2220	-1	-1	-1	-1
L10+500W 10+100N	13	-1	0.2	-0.1	4.2	9.9	1.0	4.2	1.1	0.5	0.9	0.1	0.9	0.2	0.5	-0.1	0.4	-0.1	-2	-2	-100	2820	6	616	-0.1	1990	-1	-1	-1	-1
L10+500W 10+125N	41	1	0.9	-0.1	9.0	19.9	2.6	10.7	2.7	1.0	2.6	0.4	2.4	0.5	1.4	0.2	1.3	0.2	-2	-2	-100	6560	4	712	-0.1	2970	-1	-1	-1	-1
L10+500W 10+150N	24	-1	0.5	-0.1	3.4	10.0	1.1	4.6	1.0	0.6	0.8	0.2	0.9	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	2080	4	534	-0.1	2440	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*									*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q.	Li	Be	S.Q.	Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L10+500W 10+175N	43	-1	0.9	-0.1	7.2	19.4	2.4	10.4	2.6	0.9	2.5	0.4	2.2	0.4	1.2	0.1	1.1	0.2	-2	-2		-100		1730	6	469	-0.1	2650	-1	-1	-1	-1
L10+500W 10+200N	23	-1	0.5	-0.1	4.6	10.0	1.3	5.5	1.3	0.6	1.2	0.2	1.0	0.2	0.6	-0.1	0.6	-0.1	-2	-2		-100		5610	3	657	-0.1	2760	-1	-1	-1	-1
L10+500W 10+225N	26	-1	0.7	-0.1	3.7	9.2	1.1	4.2	1.0	0.5	1.0	0.2	0.9	0.2	0.4	-0.1	0.5	-0.1	-2	-2		-100		4220	5	607	-0.1	2290	-1	-1	-1	-1
L10+500W 10+250N	37	-1	0.9	-0.1	5.5	20.7	1.6	6.7	1.7	0.7	1.4	0.3	1.3	0.3	0.7	-0.1	0.6	-0.1	-2	-2		-100		5180	8	705	-0.1	2780	-1	-1	-1	-1
L10+500W 10+300N	28	-1	0.7	-0.1	6.3	17.3	1.9	8.3	2.1	0.8	1.9	0.4	1.7	0.3	1.0	0.1	0.9	0.1	-2	-2		-100		5290	5	653	-0.1	3040	-1	-1	-1	-1
L10+500W 10+350N	49	-1	1.0	-0.1	20.6	60.5	6.5	30.6	8.4	2.0	8.0	1.5	7.9	1.6	4.5	0.6	4.3	0.7	-2	-2		-100		3350	9	484	-0.1	1690	-1	-1	-1	-1
L10+500W 10+375N	49	-1	1.1	-0.1	18.3	48.4	5.4	23.3	6.1	1.7	5.7	1.1	5.4	1.0	2.6	0.3	2.4	0.4	-2	-2		-100		3170	3	677	0.1	2960	-1	-1	-1	-1
L10+500W 10+400N	31	-1	0.6	-0.1	5.4	17.7	1.6	7.2	1.6	0.6	1.6	0.3	1.4	0.3	0.9	0.1	0.8	0.1	-2	-2		-100		1500	2	507	-0.1	2200	-1	-1	-1	-1
L10+500W 10+425N	59	-1	1.3	-0.1	10.7	39.6	3.5	14.8	3.6	1.1	3.3	0.5	3.2	0.6	1.7	0.2	1.6	0.2	-2	-2		-100		2690	7	416	0.2	2620	-1	-1	-1	-1
L10+500W 10+450N	33	-1	0.6	-0.1	9.7	19.4	2.9	12.3	3.2	1.0	3.2	0.5	2.7	0.6	1.6	0.2	1.4	0.2	-2	-2		-100		2370	7	600	-0.1	2530	-1	-1	-1	-1
L10+500W 10+475N	42	-1	0.7	-0.1	15.6	28.2	4.9	21.0	5.2	1.6	4.9	0.9	4.9	1.0	2.9	0.3	2.5	0.4	-2	-2		-100		2700	10	1750	0.5	2610	-1	-1	-1	-1
L10+500W 10+500N	39	-1	0.8	-0.1	17.8	29.5	5.5	23.5	5.6	1.7	5.4	1.0	5.1	1.1	3.2	0.5	2.9	0.4	-2	-2		-100		2490	7	1010	-0.1	2500	-1	-1	-1	-1
L10+500W 10+525N	17	-1	0.3	-0.1	3.7	11.8	1.1	4.5	1.0	0.5	1.0	0.2	1.0	0.2	0.5	-0.1	0.5	-0.1	-2	-2		-100		8850	12	564	0.2	3140	-1	-1	-1	-1
L10+500W 10+550N	27	-1	0.5	-0.1	6.7	22.7	2.3	10.3	2.5	1.1	2.5	0.5	2.7	0.6	1.6	0.2	1.5	0.3	-2	-2		-100		12800	10	556	0.1	4260	-1	-1	-1	-1
L10+500W 10+575N	12	-1	0.3	-0.1	6.3	18.4	2.1	8.9	2.3	0.9	2.1	0.4	2.0	0.4	1.0	0.1	0.9	0.1	-2	-2		-100		3140	8	475	0.2	2980	-1	-1	-1	-1
L10+500W 10+600N	67	-1	1.4	-0.1	26.6	90.7	8.9	37.8	8.8	2.4	8.6	1.4	7.2	1.3	3.8	0.5	3.0	0.4	-2	-2		-100		8470	8	472	0.1	3060	-1	-1	-1	-1
L10+500W 10+625N	29	-1	0.6	-0.1	12.5	55.7	3.8	15.6	3.8	1.2	3.5	0.6	3.2	0.6	1.6	0.2	1.5	0.2	-2	-2		-100		15200	10	865	0.1	2800	-1	-1	-1	-1
L10+500W 10+650N	86	-1	1.7	-0.1	14.0	50.4	4.4	18.3	4.5	1.4	3.7	0.6	3.1	0.6	1.7	0.2	1.5	0.2	-2	-2		-100		17800	8	587	-0.1	3180	-1	-1	-1	-1
L10+500W 10+675N	24	-1	0.6	-0.1	8.8	30.3	2.8	11.5	2.9	1.0	2.5	0.4	2.6	0.5	1.3	0.2	1.2	0.2	-2	-2		-100		10800	12	393	0.2	2700	-1	-1	-1	-1
L10+500W 10+700N	70	-1	1.4	-0.1	6.4	23.4	2.2	8.6	1.9	0.9	1.7	0.3	1.6	0.3	0.8	0.1	0.8	0.1	-2	-2		-100		14800	11	447	0.2	3650	-1	-1	-1	-1
L10+600W 9+400N	21	-1	0.4	-0.1	19.8	42.2	5.8	24.4	5.7	1.2	5.3	1.0	5.1	0.9	2.4	0.3	2.2	0.4	8	-2		-100		6870	12	1570	0.5	449	-1	-1	-1	-1
L10+600W 9+425N	51	-1	1.1	-0.1	29.7	48.6	8.5	35.5	8.5	1.8	8.3	1.5	8.0	1.6	4.7	0.7	4.7	0.8	4	-2		-100		3050	21	912	0.3	1190	-1	-1	-1	-1
L10+600W 9+450N	51	2	1.2	0.2	62.4	93.5	19.3	80.0	18.8	2.9	16.1	3.0	14.4	2.6	6.5	0.9	5.3	0.8	3	-2		-100		5550	25	581	1.4	657	-1	-1	-1	-1
L10+600W 9+475N	26	-1	0.5	-0.1	26.5	61.9	7.7	32.0	7.2	1.4	7.2	1.2	6.3	1.3	3.5	0.5	2.8	0.4	2	-2		-100		9340	25	1030	1.0	510	-1	-1	-1	-1
L10+600W 9+500N	18	-1	0.5	-0.1	59.1	90.4	17.8	72.2	16.4	2.1	14.9	2.3	11.3	1.9	5.0	0.6	3.7	0.5	-2	-2		-100		1820	11	796	0.4	434	-1	-1	-1	-1
L10+600W 9+525N	12	-1	0.4	-0.1	14.3	36.8	4.5	17.7	4.3	0.7	3.9	0.7	3.5	0.6	1.7	0.2	1.4	0.2	-2	-2		-100		4800	13	586	0.2	402	-1	-1	-1	-1
L10+600W 9+550N	20	-1	0.5	-0.1	41.2	60.6	11.5	49.0	11.1	1.9	9.8	1.7	8.3	1.4	3.8	0.4	2.9	0.4	-2	-2		-100		3540	6	646	0.1	416	-1	-1	-1	-1
L10+600W 9+575N	16	-1	0.3	-0.1	20.2	45.4	5.9	24.3	5.7	1.0	5.1	0.9	4.4	0.8	2.5	0.3	2.1	0.3	-2	-2		-100		4170	14	710	0.4	527	-1	-1	-1	-1
L10+600W 9+600N	11	-1	0.3	-0.1	13.6	27.7	3.8	15.2	3.4	0.7	3.5	0.6	2.8	0.6	1.7	0.2	1.3	0.2	-2	-2		-100		543	18	405	-0.1	441	-1	-1	-1	-1
L10+600W 9+625N	9	-1	0.2	-0.1	6.2	11.0	1.8	7.6	1.9	0.6	2.1	0.4	1.9	0.4	1.2	0.2	1.0	0.2	-2	-2		-100		6000	16	1190	0.4	688	-1	-1	-1	-1
L10+600W 9+650N	8	-1	0.2	-0.1	10.3	21.2	3.1	12.8	3.1	0.8	3.0	0.5	3.1	0.6	1.6	0.2	1.6	0.2	-2	-2		-100		3780	8	709	0.1	570	-1	-1	-1	-1
L10+600W 9+675N	4	-1	-0.1	-0.1	5.5	10.5	1.5	5.8	1.5	0.3	1.3	0.2	1.2	0.2	0.7	0.1	0.6	-0.1	-2	-2		-100		1440	18	577	-0.1	341	-1	-1	-1	-1
L10+600W 9+700N	11	-1	0.3	-0.1	14.7	30.9	4.2	17.6	4.0	0.8	3.9	0.6	3.1	0.6	1.6	0.2	1.4	0.2	-2	-2		-100		558	19	391	-0.1	481	-1	-1	-1	-1
L10+600W 9+800N	16	1	0.4	-0.1	22.6	40.5	6.5	27.4	6.9	1.6	6.4	1.1	5.7	1.2	3.3	0.4	2.7	0.4	-2	-2		-100		2400	6	923	0.1	1120	-1	-1	-1	-1
L10+600W 9+825N	68	1	1.4	-0.1	19.8	52.8	5.6	23.1	5.1	1.4	4.4	0.7	3.4	0.6	1.7	0.2	1.7	0.2	-2	-2		-100		2470	4	602	-0.1	2600	-1	-1	-1	-1
L10+600W 9+850N	47	-1	1.0	-0.1	7.1	16.3	1.9	7.3	1.5	0.6	1.4	0.2	1.1	0.2	0.5	-0.1	0.5	-0.1	-2	-2		-100		1500	20	590	-0.1	1970	-1	-1	-1	-1
L10+600W 9+875N	14	-1	0.3	-0.1	10.0	18.6	3.0	13.7	3.5	1.1	3.6	0.6	3.2	0.7	1.9	0.2	1.9	0.3	-2	-2		-100		2960	9	820	0.1	1520	-1	-1	-1	-1
L10+600W 9+900N	11	-1	0.3	-0.1	10.5	34.2	3.0	13.1	3.1	0.9	3.7	0.5	2.6	0.5	1.4	0.2	1.2	0.2	-2	-2		-100		3160	4	900	-0.1	1310	-1	-1	-1	-1
L10+600W 9+950N	17	-1	0.4	-0.1	9.6	21.9	2.7	11.4	2.6	0.7	2.6	0.5	2.4	0.5	1.3	0.2	1.3	0.2	-2	-2		-100		2640	3	530	-0.1	1020	-1	-1	-1	-1
L10+600W 9+975N	22	-1	0.5	-0.1	7.6	31.1	2.3	9.2	2.3	0.6	2.1	0.3	1.8	0.3	0.9	0.1	0.8	0.1	-2	-2		-100		3970	4	399	-0.1	1090	-1	-1	-1	-1
L10+600W 10+000N	107	-1	2.3	-0.1	18.8	76.8	6.0	24.2	5.5	1.5	5.0	0.9	4.6	0.9	2.2	0.3	2.1	0.3	-2	-2		-100		11000	8	535	-0.1	1970	-1	-1	-1	-1
L10+600W 10+025N	66	-1	1.4	-0.1	16.3	40.3	5.2	22.6	5.8	1.6	5.4	1.0	5.2	1.0	2.7	0.4	2.4	0.4	-2	-2		-100		4030	6	555	-0.1	1750	-1	-1	-1	-1
L10+600W 10+050N	42	-1	0.9	-0.1	17.3	33.0	5.1	20.8	5.2	1.4	4.9	0.9	4.7	1.0	2.7	0.4	2.4	0.3	-2	-2		-100		3420	9	558	-0.1	1390	-1	-1	-1	-1
L10+600W 10+075N	30	-1	0.5	-0.1	5.7	26.2	1.7	6.8	1.7	0.6	1.7	0.3	1.5	0.3	0.7	0.1	0.7	0.1	-2	-2		-100		5490	9	531	-0.1	1820	-1	-1	-1	-1
L10+600W 10+100N	22	-1	0.4	-0.1	5.4	21.5	1.5	6.3	1.5	0.5	1.4	0.2	1.4	0.3	0.6	-0.1	0.5	-0.1	-2	-2		-100		3750	6	437	-0.1	1440	-1	-1	-1	-1
L10+600W 10+125N	27	-1	0.7	-0.1	2.6	9.0	0.9	3.4	0.7	0.4	0.7	-0.1	0.6	-0.1	0.3	-0.1	0.3	-0.1	-2	-2		-100		990	4	389	-0.1	1460	-1	-1	-1	-1
L10+600W 10+150N	38	-1	0.7	-0.1	7.3	19.2	2.3	9.4	2.3	0.7	2.0	0.4	1.9	0.4	1.0	0.2	1.0	0.2	-2	-2		-100		1460	10	552	-0.1	1800	-1	-1	-1	-1
L10+600W 10+175N	14	-1	0.3	-0.1	9.3	24.2	2.8	12.3	2.9	1.0	2.9	0.5	2.6	0.5	1.4	0.2	1.2	0.2	31	-2		-100		2550	9	1210	0.3	2050	-1	-1	-1	-1
L10+600W 10+200N	14	-1	0.3	-0.1	5.6	13.5	1.9	8.8	2.3	0.8	2.3	0.4	2.3	0.4	1.1	0.2	1.0	0.2	26	-2		-100		4100	12	2790	0.5	2290	-1	-1	-1	-1
L10+600W 10+225N	14	-1	0.6	-0.1	8.6	26.2	3.0	13.0	3.3	0.9	3.2	0.6	3.1	0.6	1.6	0.2	1.5	0.2	-2	-2		-100		1650	11	759	0.3	823	-1	-1	-1	-1
L10+600W 10+250N	30	-1	0.6	-0.1	12.8	29.3	3.4	14.3	3.5	1.1	3.4	0.6	3.3	0.7	1.9	0.3	1.5	0.3	-2	-2		-100		2010	6	695	-0.1	1810	-1	-1	-1	-1
L10+600W 10+275N	17	-1	0.3	-0.1	4.1	15.0	1.3	5.6	1.3	0.5	1.3	0.2	1.4	0.2	0.7	0.1	0.7	0.1	-2	-2		-100		1360	3	923	-0.1	1310	-1	-1	-1	-1
L10+600W 10+300N	23	-1	0.4	-0.1	13.6	42.5	4.1	18.6	4.9	1.3	4.9	0.9	4.5	0.9	2.7	0.4	2.6	0.4	9	-2		-100		2120	8	1130	0.1	1460	-1	-1	-1	-1
L10+600W 10+325N	41	3	0.8	0.1	32.3	55.1	10.8	46.9	12.1	2.9	10.9	2.1	11.0	2.0	5.5	0.7	4.2	0.6	-2	-2		-100		776	21	1690	0.8	1430	-1	-1	-1	-1
L10+600W 10+350N	23	-1	0.5	-0.1	6.7	16.5	2.0	8.0	1.8	0.6	1.6	0.3	1.8	0.3	0.8	0.1	0.7	0.1	-2	-2		-100		3700	4	571	-0.1	1570	-1	-1	-1	-1
L10+600W 10+375N	39	-1	0.8	-0.1	4.7	14.7	1.4	5.6	1.5	0.7	1.2	0.2	1.2	0.2	0.6	-0.1	0.6	-0.1	-2	-2		-100		339	4	342	-0.1	1560	-1	-1	-1	-1
L10+600W 10+400N	22	-1	0.5	-0.1	1.8	3.8	0.5	2.0	0.5	0.3	0.3	-0.1	0.4	-0.1	0.2	-0.1	0.2	-0.1	-2	-2		-100		30	3	324	-0.1	1680	-1	-1	-1	-1
L10+600W 10+425N	19	-1	0.5	-0.1	1.3	2.8	0.4	1.6	0.3	0.3	0.3	-0.1	0.3	-0.1	0.1	-0.1	0.2	-0.1	-2	-2		-100		94	8	334	-0.1	1500	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*									*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q.	Li	Be	S.Q.	Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L10+600W 10+450N	14	-1	0.3	-0.1	10.8	27.4	3.0	14.1	3.6	1.0	3.3	0.6	3.1	0.6	1.7	0.3	1.7	0.2	-2	-2		-100		3620	3	590	-0.1	1900	-1	-1	-1	-1
L10+600W 10+475N	20	-1	0.4	-0.1	3.2	6.2	0.8	3.4	0.9	0.3	0.7	0.1	0.6	0.1	0.3	-0.1	0.3	-0.1	-2	-2		-100		538	4	420	-0.1	1430	-1	-1	-1	-1
L10+600W 10+500N	39	-1	0.9	-0.1	4.6	12.0	1.5	6.4	1.6	0.6	1.6	0.2	1.4	0.2	0.8	0.1	0.7	0.1	-2	-2		-100		348	7	419	-0.1	1850	-1	-1	-1	-1
L10+600W 10+525N	38	-1	0.8	-0.1	29.5	63.8	9.0	38.9	9.5	2.5	9.5	1.6	8.3	1.7	4.6	0.6	3.9	0.6	-2	-2		-100		523	1	610	-0.1	2180	-1	-1	-1	-1
L10+600W 10+575N	22	1	0.4	-0.1	19.5	30.3	5.0	22.4	5.5	1.5	5.5	0.8	4.4	0.9	2.6	0.3	2.0	0.3	-2	-2		-100		2100	3	568	-0.1	1100	-1	-1	-1	-1
L10+600W 10+600N	117	2	2.7	-0.1	18.6	50.6	6.0	25.8	6.3	1.7	6.1	1.1	6.1	1.1	3.0	0.4	3.0	0.4	-2	-2		-100		4190	11	684	-0.1	2490	-1	-1	-1	-1
L10+600W 10+625N	45	1	1.1	-0.1	5.2	21.2	1.7	6.5	1.5	0.6	1.4	0.3	1.3	0.2	0.6	-0.1	0.6	0.1	-2	-2		-100		3040	12	496	0.2	2290	-1	-1	-1	-1
L10+600W 10+650N	30	-1	0.7	-0.1	5.3	12.5	1.6	6.6	1.5	0.6	1.2	0.2	1.0	0.2	0.5	-0.1	0.5	-0.1	-2	-2		-100		949	8	494	-0.1	2280	-1	-1	-1	-1
L10+700W 9+425N	18	-1	0.4	-0.1	47.0	101	14.4	58.3	12.9	1.5	11.7	2.0	9.2	1.6	3.6	0.4	2.7	0.4	-2	-2		-100		2710	12	606	0.5	474	-1	-1	-1	-1
L10+700W 9+450N	18	-1	0.5	-0.1	58.0	104	18.6	75.5	17.4	2.3	15.3	2.7	12.2	2.0	5.2	0.6	3.8	0.6	3	-2		-100		1450	5	488	0.1	618	-1	-1	-1	-1
L10+700W 9+475N	19	-1	0.5	-0.1	67.9	98.0	20.1	82.4	19.0	2.8	16.9	2.7	13.1	2.3	6.0	0.7	4.8	0.7	-2	-2		-100		5300	5	605	0.2	609	-1	-1	-1	-1
L10+700W 9+500N	16	-1	0.3	-0.1	23.0	61.7	7.5	31.1	7.7	1.4	6.9	1.2	6.0	1.1	2.8	0.4	2.5	0.4	-2	-2		-100		15000	3	770	-0.1	693	-1	-1	-1	-1
L10+700W 9+525N	19	-1	0.5	-0.1	28.5	69.1	9.0	37.6	9.2	1.7	7.8	1.4	7.2	1.3	3.3	0.4	3.0	0.5	-2	-2		-100		4360	6	704	0.2	608	-1	-1	-1	-1
L10+700W 9+550N	16	-1	0.3	-0.1	21.9	81.6	7.2	30.5	7.4	1.1	6.2	1.1	4.9	0.9	2.2	0.3	1.8	0.2	-2	-2		-100		5090	3	741	0.1	557	-1	-1	-1	-1
L10+700W 9+575N	19	-1	0.4	-0.1	15.4	30.4	4.5	19.9	4.8	1.2	5.1	0.9	5.0	1.0	2.6	0.4	2.4	0.4	-2	-2		-100		7350	8	777	0.3	1020	-1	-1	-1	-1
L10+700W 9+600N	8	-1	0.2	-0.1	7.2	19.8	2.1	9.4	2.2	0.6	2.2	0.4	2.1	0.5	1.1	0.2	0.9	0.2	-2	-2		-100		5930	4	916	-0.1	755	-1	-1	-1	-1
L10+700W 9+625N	56	1	0.5	-0.1	18.4	39.7	5.9	24.0	5.9	1.4	5.9	0.9	5.3	1.0	2.9	0.4	2.6	0.4	-2	-2		-100		2400	12	730	0.3	1360	-1	-1	-1	-1
L10+700W 9+650N	15	-1	0.3	-0.1	10.3	20.5	3.0	12.2	3.0	0.8	2.9	0.5	2.8	0.6	1.7	0.3	1.4	0.3	-2	-2		-100		2890	4	619	-0.1	896	-1	-1	-1	-1
L10+700W 9+700N	19	-1	0.3	-0.1	12.0	19.4	3.7	15.7	4.0	1.0	3.8	0.8	3.5	0.7	2.0	0.3	1.6	0.2	-2	-2		-100		2030	6	1330	0.2	758	-1	-1	-1	-1
L10+700W 9+725N	24	-1	0.5	-0.1	9.0	20.7	2.7	10.9	2.5	0.7	2.6	0.4	1.9	0.4	1.1	0.2	0.9	0.2	-2	-2		-100		1700	5	519	-0.1	1100	-1	-1	-1	-1
L10+700W 9+750N	17	-1	0.4	-0.1	11.1	20.6	3.0	12.2	3.1	0.8	2.7	0.4	2.4	0.5	1.4	0.2	1.1	0.2	-2	-2		-100		4810	4	668	-0.1	1330	-1	-1	-1	-1
L10+700W 9+775N	64	-1	1.2	-0.1	9.2	41.1	2.8	11.5	2.4	0.8	2.2	0.4	1.9	0.4	0.9	0.1	0.8	0.1	-2	-2		-100		4260	5	413	-0.1	1740	-1	-1	-1	-1
L10+700W 9+800N	31	-1	0.6	-0.1	14.3	36.7	4.5	18.7	4.2	1.2	4.6	0.8	3.6	0.7	2.1	0.3	1.5	0.2	-2	-2		-100		4270	5	502	0.1	1390	-1	-1	-1	-1
L10+700W 9+850N	69	1	1.3	-0.1	23.5	76.7	7.0	27.6	6.7	1.8	6.3	1.1	5.8	1.0	3.0	0.4	2.7	0.4	-2	-2		-100		5520	5	583	0.1	2300	-1	-1	-1	-1
L10+700W 9+875N	13	-1	0.3	-0.1	3.0	8.0	0.9	3.9	0.9	0.3	0.8	0.1	0.8	0.2	0.4	-0.1	0.3	-0.1	-2	-2		-100		1680	4	506	-0.1	1510	-1	-1	-1	-1
L10+700W 9+900N	12	-1	0.3	-0.1	6.0	10.2	1.7	7.1	1.9	0.5	1.7	0.3	1.6	0.3	0.9	0.1	0.7	0.1	-2	-2		-100		3770	3	1110	-0.1	1300	-1	-1	-1	-1
L10+700W 9+925N	38	-1	0.8	-0.1	5.4	17.1	1.6	7.3	1.6	0.6	1.4	0.2	1.2	0.2	0.7	-0.1	0.6	-0.1	-2	-2		-100		8190	5	345	-0.1	1460	-1	-1	-1	-1
L10+700W 9+950N	38	-1	0.7	-0.1	5.9	16.9	1.6	7.0	1.7	0.5	1.3	0.2	1.1	0.2	0.6	-0.1	0.6	-0.1	-2	-2		-100		8190	5	337	-0.1	1310	-1	-1	-1	-1
L10+700W 9+975N	29	-1	0.5	-0.1	4.3	13.9	1.3	5.6	1.1	0.4	0.9	0.2	0.8	0.2	0.5	-0.1	0.4	-0.1	-2	-2		-100		1690	9	281	0.1	1150	-1	-1	-1	-1
L10+700W 10+000N	57	1	1.2	-0.1	11.0	33.8	2.9	11.9	2.5	0.7	2.3	0.3	1.7	0.3	0.8	0.1	0.7	0.1	-2	-2		-100		5310	8	351	0.1	920	-1	-1	-1	-1
L10+700W 10+025N	25	-1	0.5	-0.1	17.5	33.8	5.0	21.9	5.0	1.2	4.6	0.8	4.1	0.8	2.1	0.3	1.9	0.3	-2	-2		-100		2450	13	476	-0.1	1540	-1	-1	-1	-1
L10+700W 10+050N	36	-1	0.7	-0.1	6.5	25.4	2.1	8.2	1.9	0.6	1.9	0.3	1.5	0.3	0.7	-0.1	0.8	0.1	-2	-2		-100		1410	7	456	0.1	1480	-1	-1	-1	-1
L10+700W 10+075N	83	2	1.8	-0.1	5.8	24.2	2.1	8.8	2.3	0.8	2.1	0.4	2.0	0.4	1.3	0.2	1.0	0.2	-2	-2		-100		1840	10	271	0.4	1660	-1	-1	-1	-1
L10+700W 10+100N	41	-1	0.9	-0.1	7.7	40.2	2.2	10.1	2.4	0.8	2.0	0.3	1.9	0.4	0.9	0.1	0.9	0.1	-2	-2		-100		6140	5	511	-0.1	2240	-1	-1	-1	-1
L10+700W 10+125N	28	-1	0.5	-0.1	11.5	28.0	4.0	14.5	4.2	1.2	3.7	0.6	3.4	0.6	1.8	0.2	1.7	0.3	-2	-2		-100		5020	6	650	0.3	2740	-1	-1	-1	-1
L10+700W 10+150N	32	-1	0.6	-0.1	3.1	9.6	1.0	4.4	1.1	0.5	0.9	0.2	0.9	0.2	0.4	-0.1	0.4	-0.1	-2	-2		-100		2060	5	425	-0.1	1750	-1	-1	-1	-1
L10+700W 10+175N	29	-1	0.6	-0.1	8.5	19.6	2.5	10.2	2.6	0.7	2.3	0.4	2.0	0.3	0.9	0.1	0.9	0.1	-2	-2		-100		1340	5	504	-0.1	1980	-1	-1	-1	-1
L10+700W 10+200N	23	-1	0.4	-0.1	7.9	15.5	2.2	9.3	2.2	0.7	2.0	0.4	1.9	0.4	0.9	0.1	0.8	0.2	-2	-2		-100		1200	7	520	-0.1	1960	-1	-1	-1	-1
L10+700W 10+225N	11	-1	0.4	-0.1	13.1	40.4	3.9	16.3	3.9	1.1	3.8	0.6	2.9	0.5	1.5	0.2	1.2	0.2	-2	-2		-100		1410	3	430	-0.1	1770	-1	-1	-1	-1
L10+700W 10+250N	33	-1	0.6	-0.1	6.5	20.5	2.3	9.1	2.3	0.8	2.1	0.4	2.1	0.4	1.2	0.2	1.1	0.2	-2	-2		-100		1680	6	468	-0.1	2270	-1	-1	-1	-1
L10+700W 10+275N	12	-1	0.3	-0.1	5.3	10.9	1.7	7.8	2.2	0.7	2.0	0.4	2.0	0.4	0.9	0.1	1.1	0.1	5	-2		-100		2290	6	2170	0.2	1970	-1	-1	-1	-1
L10+700W 10+300N	13	-1	0.3	-0.1	8.4	15.5	2.3	8.8	2.0	0.7	2.2	0.4	1.9	0.4	1.0	0.1	1.0	0.2	-2	-2		-100		635	3	390	-0.1	1470	-1	-1	-1	-1
L10+700W 10+325N	14	-1	0.3	-0.1	10.4	28.5	2.9	12.4	3.3	1.1	3.0	0.6	2.8	0.6	1.7	0.2	1.5	0.2	-2	-2		-100		4670	3	1090	-0.1	2550	-1	-1	-1	-1
L10+700W 10+350N	25	-1	0.6	-0.1	9.4	25.3	2.7	11.4	3.2	0.9	2.9	0.5	2.7	0.5	1.5	0.2	1.4	0.2	-2	-2		-100		4090	5	723	-0.1	2020	-1	-1	-1	-1
L10+700W 10+375N	20	-1	0.4	-0.1	14.3	32.8	4.3	19.5	5.1	1.5	4.6	0.8	4.4	0.9	2.5	0.3	2.1	0.3	-2	-2		-100		7790	5	776	-0.1	2310	-1	-1	-1	-1
L10+700W 10+400N	18	-1	0.4	-0.1	8.0	18.5	2.6	11.8	3.0	0.9	2.9	0.5	2.7	0.5	1.3	0.2	1.3	0.2	-2	-2		-100		1560	6	520	0.1	1480	-1	-1	-1	-1
L10+700W 10+425N	24	-1	0.5	-0.1	11.3	20.6	3.1	13.2	3.7	1.2	3.8	0.6	3.3	0.7	1.8	0.3	1.7	0.2	-2	-2		-100		4680	5	1030	0.2	2630	-1	-1	-1	-1
L10+700W 10+450N	28	-1	0.6	-0.1	11.8	27.5	4.2	19.1	5.4	1.3	4.8	0.9	4.7	0.9	2.3	0.3	1.8	0.3	-2	-2		-100		1650	5	482	-0.1	1070	-1	-1	-1	-1
L10+700W 10+475N	26	-1	0.5	-0.1	16.3	42.6	5.5	24.7	6.6	1.8	7.0	1.2	6.2	1.2	3.5	0.4	2.8	0.4	-2	-2		-100		2390	4	450	0.1	1260	-1	-1	-1	-1
L10+700W 10+500N	19	-1	0.5	-0.1	9.0	19.6	2.9	13.7	3.5	1.0	3.3	0.6	3.3	0.7	1.8	0.3	1.8	0.3	-2	-2		-100		2240	7	801	-0.1	1550	-1	-1	-1	-1
L10+700W 10+525N	40	-1	1.0	-0.1	56.3	89.7	17.5	68.2	15.4	2.1	13.2	2.3	10.5	1.8	4.2	0.5	3.3	0.5	-2	-2		-100		848	10	497	0.1	662	-1	-1	-1	-1
L10+800W 9+400N	26	-1	0.6	-0.1	26.9	106	9.7	39.5	9.3	1.1	8.0	1.5	6.7	1.1	2.7	0.3	2.1	0.3	-2	-2		-100		3480	15	452	0.4	428	-1	-1	-1	-1
L10+800W 9+425N	25	-1	0.6	-0.1	26.0	107	9.4	39.6	9.3	1.1	8.0	1.4	6.8	1.1	2.6	0.3	2.0	0.3	-2	-2		-100		3740	14	438	0.3	427	-1	-1	-1	-1
L10+800W 9+450N	24	-1	0.5	-0.1	21.7	51.8	6.8	26.7	6.1	0.9	5.5	1.0	4.4	0.8	2.0	0.2	1.5	0.2	-2	-2		-100		3430	6	519	0.2	609	-1	-1	-1	-1
L10+800W 9+475N	16	-1	0.4	-0.1	18.9	70.0	6.2	24.5	5.7	1.1	5.4	0.9	4.1	0.7	2.0	0.3	2.0	0.3	3	-2		-100		5210	6	661	0.2	664	-1	-1	-1	-1
L10+800W 9+500N	30	1	0.6	-0.1	27.5	50.4	8.5	35.8	8.4	1.5	7.6	1.4	6.8	1.2	3.4	0.5	3.0	0.5	-2	-2		-100		3780	21	585	0.7	599	-1	-1	-1	-1
L10+800W 9+525N	19	1	0.9	0.1	18.9	38.3	7.2	29.7	6.9	1.5	9.4	1.3	6.2	1.2	3.0	0.4	2.6	0.4	17	-2		-100		1200	12	515	0.5	842	-1	-1	-1	-1
L10+800W 9+550N	15	-1	0.5	-0.1	23.9	42.4	9.1	36.6	9.4	1.9	8.7	1.7	9.1	1.6	4.9	0.6	4.0	0.5	15	-2		-100		849	7	462	0.4	625	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*									*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L10+800W 9+575N	14	1	0.5	-0.1	12.7	21.1	4.3	21.0	5.6	1.6	5.4	1.1	5.7	1.3	3.7	0.5	3.3	0.5	16	-2	-100	2250	10	538	0.6	917	-1	-1	-1	-1
L10+800W 9+600N	16	-1	0.5	-0.1	28.8	19.2	4.6	21.4	5.4	1.4	5.6	1.1	5.8	1.3	3.4	0.5	3.4	0.5	22	-2	-100	786	10	428	0.4	1120	-1	-1	-1	-1
L10+800W 9+675N	37	-1	1.2	-0.1	20.6	49.7	7.3	32.7	8.1	2.1	7.8	1.4	7.6	1.6	4.2	0.5	3.6	0.6	-2	-2	-100	1230	8	484	0.1	1400	-1	-1	-1	-1
L10+800W 9+700N	38	-1	1.3	-0.1	8.8	57.2	3.2	13.3	3.6	1.3	3.6	0.6	3.3	0.6	1.7	0.2	1.4	0.2	-2	-2	-100	3530	9	485	0.2	2190	-1	-1	-1	-1
L10+800W 9+725N	61	2	1.7	0.1	18.5	75.7	5.8	25.1	5.6	1.7	4.9	0.9	5.3	1.0	3.1	0.4	3.0	0.4	2	-2	-100	6170	14	649	0.4	4080	-1	-1	-1	-1
L10+800W 9+750N	30	1	0.9	-0.1	18.5	30.2	5.5	25.6	6.2	1.6	5.5	1.1	6.0	1.2	3.4	0.5	2.5	0.4	6	-2	-100	4490	8	435	0.3	2550	-1	-1	-1	-1
L10+800W 9+800N	26	-1	1.0	-0.1	8.2	34.7	2.6	10.6	2.5	0.8	2.3	0.5	2.5	0.5	1.5	0.2	1.0	0.1	-2	-2	-100	3320	7	368	0.2	1950	-1	-1	-1	-1
L10+800W 9+825N	25	1	0.8	0.1	12.3	28.4	4.1	18.7	4.6	1.4	4.4	0.8	4.8	0.9	2.5	0.4	2.1	0.4	5	-2	-100	3320	11	443	0.5	1910	-1	-1	-1	-1
L10+800W 9+850N	25	-1	0.6	-0.1	5.8	16.3	1.8	8.7	1.8	0.6	1.6	0.3	1.7	0.3	0.9	0.1	0.8	0.1	4	-2	-100	3030	12	520	0.4	2520	-1	-1	-1	-1
L10+800W 9+875N	13	-1	0.4	-0.1	8.6	18.3	2.6	12.0	2.9	0.7	2.5	0.4	2.4	0.5	1.4	0.2	1.2	0.2	4	-2	-100	889	3	521	0.1	1460	-1	-1	-1	-1
L10+800W 9+900N	18	1	0.6	-0.1	11.0	26.1	3.4	15.0	3.7	1.0	3.3	0.6	3.0	0.7	1.6	0.2	1.4	0.2	6	-2	-100	1420	8	548	0.3	1850	-1	-1	-1	-1
L10+800W 9+925N	35	3	1.2	0.2	9.0	34.7	3.4	13.0	3.2	1.2	3.3	0.6	3.4	0.7	1.8	0.3	2.1	0.3	11	2	-100	4660	12	374	0.6	2670	-1	-1	-1	-1
L10+800W 9+950N	26	1	0.7	0.1	5.7	61.0	1.8	8.1	2.0	0.7	1.6	0.3	2.1	0.3	0.8	0.1	0.8	0.1	3	-2	-100	2470	14	375	0.4	1210	-1	-1	-1	-1
L10+800W 9+975N	72	2	2.0	-0.1	11.6	40.4	3.8	15.3	2.9	1.1	3.9	0.5	2.5	0.5	1.4	0.2	1.4	0.2	5	-2	-100	4860	22	515	0.3	2420	-1	-1	-1	-1
L10+800W 10+000N	25	-1	0.8	-0.1	4.6	13.1	1.4	6.7	1.5	0.7	1.5	0.2	1.5	0.2	0.7	0.1	0.6	-0.1	4	-2	-100	3960	10	455	0.2	2080	-1	-1	-1	-1
L10+800W 10+025N	46	-1	1.4	-0.1	8.6	23.9	2.8	12.6	2.9	1.0	3.1	0.5	2.5	0.4	1.4	0.2	1.1	0.2	6	-2	-100	2250	15	451	0.2	1980	-1	-1	-1	-1
L10+800W 10+050N	35	-1	0.9	-0.1	4.5	13.6	1.4	10.5	1.9	0.6	1.4	0.3	1.5	0.3	0.9	0.1	0.6	-0.1	-2	-2	-100	2990	9	472	-0.1	1900	-1	-1	-1	-1
L10+800W 10+075N	51	2	1.4	-0.1	30.8	31.2	4.0	17.5	4.2	1.4	3.8	0.7	3.7	0.7	2.1	0.3	2.0	0.4	5	-2	-100	6060	9	493	0.2	2270	-1	-1	-1	-1
L10+800W 10+100N	59	2	1.8	0.1	12.1	32.8	4.3	18.0	4.3	1.4	3.5	0.7	3.6	0.7	2.0	0.3	1.8	0.3	9	-2	-100	6010	16	501	0.5	2610	-1	-1	-1	-1
L10+800W 10+125N	35	-1	1.1	0.1	13.4	32.4	4.4	18.4	4.7	1.3	3.9	0.9	3.9	0.9	2.2	0.3	2.0	0.3	4	-2	-100	2260	9	421	0.3	2210	-1	-1	-1	-1
L10+800W 10+150N	27	-1	0.9	-0.1	6.9	17.7	2.2	10.6	2.3	1.0	2.2	0.5	2.2	0.5	1.5	0.2	1.3	0.2	3	-2	-100	1060	10	405	0.3	2220	-1	-1	-1	-1
L10+800W 10+175N	25	-1	0.8	-0.1	6.2	18.4	2.1	9.4	2.1	0.9	1.9	0.4	2.1	0.4	1.1	0.1	1.1	0.1	-2	-2	-100	1810	5	432	0.2	2490	-1	-1	-1	-1
L10+800W 10+200N	27	1	0.8	-0.1	8.5	34.6	3.1	13.7	3.7	1.4	3.4	0.7	3.7	0.7	2.0	0.3	1.8	0.2	6	-2	-100	3500	7	448	0.2	2920	-1	-1	-1	-1
L10+800W 10+225N	18	-1	0.4	-0.1	3.7	8.6	1.3	6.0	1.4	0.7	1.5	0.3	1.6	0.4	0.9	0.2	0.8	0.1	2	-2	-100	1300	6	518	0.3	2870	-1	-1	-1	-1
L10+800W 10+250N	12	-1	0.4	-0.1	3.5	8.3	1.1	5.1	1.3	0.7	1.1	0.2	1.5	0.3	0.6	0.1	0.7	-0.1	4	-2	-100	482	3	431	-0.1	2430	-1	-1	-1	-1
L10+800W 10+275N	12	-1	0.4	-0.1	4.4	9.5	1.4	6.7	2.0	0.7	1.4	0.3	1.8	0.4	1.0	0.2	0.9	0.2	3	-2	-100	545	4	418	-0.1	1520	-1	-1	-1	-1
L10+800W 10+300N	12	1	0.4	-0.1	4.0	9.6	1.3	6.4	1.8	0.7	1.5	0.3	1.6	0.4	0.9	0.1	0.9	-0.1	20	-2	-100	2380	12	1410	0.7	2790	-1	-1	-1	-1
L10+800W 10+325N	19	-1	0.5	-0.1	9.5	22.0	3.3	15.3	4.1	1.3	3.7	0.7	4.3	0.9	2.2	0.3	1.9	0.3	14	-2	-100	2300	8	847	0.4	1790	-1	-1	-1	-1
L10+800W 10+350N	15	2	0.5	-0.1	2.3	6.0	0.7	3.1	0.7	0.3	0.6	0.2	0.7	0.1	0.3	-0.1	0.3	-0.1	8	-2	-100	353	7	325	0.2	1300	-1	-1	-1	-1
L10+800W 10+375N	10	-1	0.2	-0.1	4.6	13.1	1.6	5.9	1.6	0.5	1.5	0.3	1.7	0.3	1.1	0.1	0.8	-0.1	15	-2	-100	1840	3	794	0.1	1520	-1	-1	-1	-1
L10+800W 10+400N	13	-1	0.4	-0.1	6.1	10.2	1.7	8.0	2.1	0.6	1.9	0.4	2.3	0.6	1.3	0.2	1.1	0.2	2	-2	-100	753	3	374	0.1	1380	-1	-1	-1	-1
L10+800W 10+425N	16	-1	0.7	-0.1	10.0	17.6	3.2	17.4	4.4	1.4	5.1	0.9	4.8	1.0	2.8	0.4	2.5	0.4	30	-2	-100	3850	20	1110	1.0	1710	-1	-1	-1	-1
L10+800W 10+450N	18	2	0.6	-0.1	6.8	15.8	2.7	10.6	2.5	1.1	3.0	0.5	3.2	0.6	1.9	0.2	1.5	0.2	22	-2	-100	1480	17	828	0.9	2250	-1	-1	-1	-1
L10+900W 9+400N	13	-1	0.4	-0.1	11.1	37.9	4.1	16.8	4.0	0.6	3.7	0.7	2.8	0.4	1.7	0.1	1.2	0.1	15	-2	-100	2150	12	396	0.6	451	-1	-1	-1	-1
L10+900W 9+425N	10	-1	0.3	-0.1	19.0	55.5	7.0	29.4	6.8	1.0	6.8	1.3	5.9	0.9	2.4	0.3	1.8	0.2	16	-2	-100	1760	15	451	0.6	589	-1	-1	-1	-1
L10+900W 9+450N	12	-1	0.5	-0.1	21.6	56.5	7.9	33.7	7.2	1.1	8.8	1.3	5.0	1.1	2.7	0.3	2.0	0.2	20	2	-100	2060	18	480	0.4	603	-1	-1	-1	-1
L10+900W 9+475N	12	-1	0.4	-0.1	13.3	26.7	4.9	20.8	5.2	0.9	5.1	0.9	4.5	0.9	2.6	0.3	2.2	0.3	22	-2	-100	785	11	505	0.3	578	-1	-1	-1	-1
L10+900W 9+500N	11	-1	0.4	-0.1	11.8	24.1	4.2	18.5	4.3	0.9	4.0	0.8	4.3	0.7	2.0	0.3	1.7	0.3	22	-2	-100	566	7	535	0.2	479	2	-1	-1	-1
L10+900W 9+525N	9	-1	0.3	-0.1	7.3	13.9	2.5	11.1	3.1	0.8	2.8	0.6	3.2	0.6	1.8	0.2	1.7	0.2	18	-2	-100	2240	14	554	0.3	522	-1	-1	-1	-1
L10+900W 9+550N	14	-1	0.5	-0.1	10.6	19.7	3.5	16.6	4.1	1.1	4.3	0.9	4.7	1.0	2.9	0.4	2.6	0.4	20	-2	-100	1890	9	538	0.3	636	-1	-1	-1	-1
L10+900W 9+625N	16	-1	0.6	-0.1	5.7	17.1	2.1	10.5	2.1	0.7	2.2	0.5	2.7	0.5	1.5	0.2	1.5	0.2	21	-2	-100	2980	9	457	0.3	652	-1	-1	-1	-1
L10+900W 9+650N	47	-1	1.9	-0.1	22.4	49.5	8.6	41.0	10.5	2.7	9.4	1.9	9.9	1.9	5.6	0.7	5.4	0.8	6	-2	-100	1960	8	409	-0.1	1600	-1	-1	-1	-1
L10+900W 9+675N	22	-1	0.8	-0.1	13.5	35.0	4.6	20.9	5.0	1.3	4.4	0.9	5.0	1.0	2.7	0.4	2.7	0.4	-2	-2	-100	2400	4	578	-0.1	1350	-1	-1	-1	-1
L10+900W 9+700N	23	-1	0.7	-0.1	10.1	31.1	3.3	15.2	3.7	1.0	3.4	0.6	12.6	0.7	1.9	0.3	1.8	0.2	-2	-2	-100	3250	2	551	-0.1	1890	-1	-1	-1	-1
L10+900W 9+725N	36	-1	0.7	-0.1	7.5	30.7	2.4	10.2	2.5	0.7	2.3	0.4	2.1	0.4	1.1	0.2	1.0	0.1	4	-2	-100	4580	9	665	0.1	1570	-1	-1	-1	-1
L10+900W 9+775N	52	1	1.0	-0.1	20.4	53.4	6.2	26.3	6.0	1.7	5.3	1.0	4.6	1.0	2.6	0.3	2.3	0.3	4	-2	-100	14000	11	1360	-0.1	2550	-1	-1	-1	-1
L10+900W 9+800N	74	1	1.4	-0.1	40.0	95.3	12.6	52.9	12.6	2.8	10.2	1.9	9.3	1.7	4.9	0.6	3.8	0.6	8	2	-100	6650	9	877	-0.1	1790	-1	-1	-1	-1
L10+900W 9+825N	59	-1	1.2	-0.1	22.3	89.2	6.6	28.7	6.6	1.7	6.2	1.1	5.7	1.2	3.2	0.5	2.8	0.4	8	4	-100	5090	6	774	-0.1	1760	-1	-1	-1	-1
L10+900W 9+850N	59	1	1.2	-0.1	10.6	38.3	3.3	22.5	3.4	1.2	3.4	0.5	3.0	0.6	1.6	0.2	1.8	0.2	12	2	-100	9730	19	1110	-0.1	2940	-1	-1	-1	-1
L10+900W 9+875N	24	1	0.5	-0.1	10.2	20.2	2.8	12.1	3.1	1.0	3.3	0.6	3.0	0.7	1.9	0.2	1.7	0.2	37	-2	-100	5200	14	1510	0.7	2160	-1	-1	-1	-1
L10+900W 9+900N	43	-1	0.9	-0.1	25.3	71.8	7.6	31.4	6.8	1.4	5.6	1.0	4.5	0.8	2.5	0.3	1.9	0.3	8	2	-100	2850	12	885	-0.1	1460	-1	-1	-1	-1
L10+900W 9+925N	59	-1	1.3	-0.1	31.0	97.1	8.0	30.2	5.9	1.5	5.8	1.1	5.3	0.9	2.4	0.3	2.0	0.2	2	4	-100	1810	14	849	-0.1	1500	-1	-1	-1	-1
L10+900W 9+950N	61	-1	1.3	-0.1	33.1	115	10.8	43.0	10.3	2.2	8.8	1.5	7.2	1.4	3.4	0.5	3.1	0.4	10	4	-100	2090	15	675	0.1	1550	-1	-1	-1	-1
L10+900W 9+975N	21	-1	0.4	-0.1	16.4	34.3	4.7	19.6	4.4	1.0	3.8	0.7	3.3	0.6	1.7	0.2	1.5	0.2	4	-2	-100	1730	5	587	-0.1	1130	-1	-1	-1	-1
L10+900W 10+000N	23	-1	0.4	-0.1	18.8	30.4	6.1	26.8	6.6	1.8	6.5	1.2	5.7	1.3	3.5	0.5	2.8	0.4	9	-2	-100	2510	7	1190	0.2	1860	-1	-1	-1	-1
L10+900W 10+025N	19	-1	0.4	-0.1	5.6	14.0	1.7	6.9	1.6	0.5	1.4	0.3	1.5	0.3	0.8	0.1	0.7	-0.1	3	-2	-100	1080	4	649	-0.1	1150	-1	-1	-1	-1
L10+900W 10+050N	18	-1	0.4	-0.1	11.9	33.5	4.2	19.9	5.7	1.5	5.2	1.1	5.3	1.1	2.9	0.4	2.6	0.4	73	-2	-100	3380	5	1240	0.2	1280	-1	-1	-1	-1
L10+900W 10+075N	8	-1	0.2	-0.1	2.5	6.5	0.6	2.9	0.6	0.3	0.7	0.1	0.6	0.1	0.3	-0.1	0.3	-0.1	2	-2	-100	520	3	526	-0.1	1070	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*													*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q.	Li	Be	S.Q.	Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L10+900W 10+100N	62	2	1.3	0.1	19.9	40.3	6.7	30.4	7.1	2.1	7.2	1.4	7.1	1.4	3.9	0.6	3.8	0.5		33	2		-100	4080	12	1160	0.3	2120	-1	-1	-1	-1
L10+900W 10+125N	30	-1	0.7	-0.1	13.0	20.2	3.7	16.5	4.0	1.1	3.6	0.6	3.3	0.6	1.7	0.2	1.5	0.2		5	-2		-100	3020	5	653	0.1	1900	-1	-1	-1	-1
L10+900W 10+150N	23	-1	0.4	-0.1	9.2	22.3	2.7	11.1	2.6	0.8	2.4	0.4	2.1	0.4	1.4	0.2	1.0	0.2		3	-2		-100	1350	5	672	-0.1	1440	-1	-1	-1	-1
L10+900W 10+175N	25	-1	0.5	-0.1	3.1	8.4	0.9	3.8	0.9	0.5	0.9	0.2	0.8	0.2	0.4	-0.1	0.4	-0.1		9	-2		-100	938	7	725	-0.1	1790	-1	-1	-1	-1
L10+900W 10+200N	14	-1	0.2	-0.1	4.2	16.5	1.3	5.3	1.4	0.6	1.2	0.2	1.1	0.2	0.7	-0.1	0.6	-0.1		3	-2		-100	1260	3	632	-0.1	1760	-1	-1	-1	-1
L10+900W 10+225N	19	14	0.4	-0.1	5.1	12.9	1.6	6.7	1.6	0.7	1.4	0.3	1.3	0.3	0.6	-0.1	0.5	-0.1		2	2		-100	598	4	722	-0.1	2490	-1	-1	-1	-1
L10+900W 10+250N	17	-1	0.3	-0.1	5.6	15.3	1.6	8.1	1.7	0.8	1.7	0.3	1.4	0.3	0.7	0.1	0.6	0.1		4	-2		-100	1990	3	774	-0.1	2600	-1	-1	-1	-1
L10+900W 10+275N	30	-1	0.7	-0.1	11.7	33.7	3.9	15.8	4.0	1.2	3.8	0.7	3.5	0.7	1.9	0.3	1.7	0.2		4	-2		-100	3370	5	753	-0.1	2140	-1	-1	-1	-1
L10+900W 10+300N	25	-1	0.5	-0.1	11.1	23.1	3.2	14.0	3.4	1.0	3.0	0.5	2.7	0.7	1.5	0.2	1.5	0.2		9	-2		-100	1720	4	871	-0.1	1810	-1	-1	-1	-1
L10+900W 10+325N	29	-1	0.5	-0.1	23.6	38.7	7.1	32.9	8.3	2.2	8.1	1.5	7.5	1.6	4.4	0.7	4.2	0.6		36	-2		-100	4540	4	584	-0.1	1400	-1	-1	-1	-1
L10+900W 10+350N	28	-1	0.6	-0.1	14.8	30.8	4.5	20.0	5.2	1.5	4.7	0.9	4.4	0.9	2.5	0.3	2.2	0.4		21	-2		-100	2610	17	1140	0.1	2150	-1	-1	-1	-1
L10+900W 10+375N	21	2	0.4	-0.1	7.4	14.9	2.2	9.4	2.6	1.3	2.4	0.4	2.3	0.5	1.4	0.2	1.2	0.2		17	-2		-100	2830	6	1230	-0.1	3070	-1	-1	-1	-1
L10+900W 10+400N	12	2	0.2	0.1	2.0	4.6	0.6	2.7	0.6	0.2	0.6	0.1	0.5	0.1	0.3	-0.1	0.3	-0.1		27	-2		-100	2410	17	774	0.1	511	-1	-1	-1	-1
L10+900W 10+425N	18	-1	0.3	-0.1	4.2	8.5	1.4	6.2	1.6	0.7	1.8	0.3	1.9	0.4	1.2	0.2	1.1	0.2		81	-2		-100	1710	18	2160	0.5	1300	-1	-1	-1	-1
L10+900W 10+450N	29	-1	0.8	-0.1	23.6	48.3	8.6	40.9	10.5	2.9	9.7	2.0	9.8	2.0	5.2	0.7	4.0	0.5		89	-2		-100	3600	14	2010	0.3	1560	-1	-1	-1	-1
L11+030W 9+325N	70	1	1.8	0.1	54.8	108.0	17.0	73.2	16.8	2.6	14.6	2.6	12.8	2.4	6.4	0.8	5.1	0.8		43	4		-100	5100	27	803	0.4	1040	-1	-1	-1	-1
L11+030W 9+350N	34	-1	0.9	-0.1	26.8	76.2	9.1	37.9	8.6	1.1	7.7	1.3	5.9	0.9	2.4	0.3	1.9	0.3		27	-2		-100	2060	17	710	0.4	675	-1	-1	-1	-1
L11+030W 9+400N	28	-1	0.7	-0.1	15.6	33.7	5.1	21.5	5.3	1.2	5.0	1.0	4.9	1.1	2.8	0.4	2.7	0.4		30	-2		-100	6760	19	821	0.3	960	-1	-1	-1	-1
L11+030W 9+425N	19	-1	0.5	-0.1	20.1	40.1	6.4	26.7	6.5	1.3	5.7	1.0	5.2	1.0	2.6	0.3	2.0	0.3		31	-2		-100	2370	5	937	0.1	763	-1	-1	-1	-1
L11+030W 9+450N	20	-1	0.3	-0.1	13.5	21.4	4.3	18.5	4.7	1.1	4.4	0.9	4.6	0.9	2.7	0.4	2.5	0.3		31	-2		-100	2890	13	930	0.1	846	-1	-1	-1	-1
L11+030W 9+575N	14	-1	0.2	-0.1	11.4	21.1	3.5	16.5	3.7	1.0	3.4	0.7	3.0	0.6	1.6	0.2	1.3	0.2		91	-2		-100	2420	9	3450	0.2	1420	-1	-1	-1	-1
L11+030W 9+600N	28	1	0.5	-0.1	30.9	40.9	9.1	39.7	8.9	2.2	8.4	1.5	7.5	1.5	4.1	0.5	3.2	0.5		9	-2		-100	4000	11	832	-0.1	1550	-1	-1	-1	-1
L11+030W 9+625N	58	-1	1.2	-0.1	29.6	70.7	9.4	40.2	9.5	2.3	8.6	1.5	8.3	1.6	4.0	0.5	3.4	0.5		12	2		-100	6920	13	1050	-0.1	2060	-1	-1	-1	-1
L11+030W 9+650N	35	-1	0.6	-0.1	31.0	66.2	9.4	38.5	8.5	1.9	7.4	1.3	6.0	1.1	3.0	0.4	2.4	0.4		6	-2		-100	5270	17	1050	-0.1	1440	-1	-1	-1	-1
L11+030W 9+675N	50	1	1.0	-0.1	8.1	35.0	2.6	10.0	2.2	0.9	2.1	0.4	1.8	0.4	0.9	0.1	0.8	0.1		5	-2		-100	18100	12	948	0.2	2140	-1	-1	-1	-1
L11+030W 9+700N	101	2	2.0	-0.1	8.8	38.8	3.3	13.1	2.9	1.2	2.5	0.5	2.0	0.4	1.1	0.2	1.1	0.2		13	3		-100	14800	14	868	0.1	3020	-1	-1	-1	-1
L11+030W 9+725N	137	3	3.0	0.1	20.9	86.0	6.3	25.8	6.1	1.5	4.7	0.9	4.1	0.7	2.1	0.3	1.9	0.2		11	4		-100	3090	28	510	0.5	1850	-1	-1	-1	-1
L11+030W 9+750N	120	2	2.4	-0.1	12.5	59.9	4.1	16.1	3.5	1.2	3.2	0.5	2.6	0.5	1.3	0.2	1.2	0.2		16	3		-100	15800	21	865	0.2	2700	-1	-1	-1	-1
L11+030W 9+775N	36	-1	0.5	-0.1	15.7	69.2	4.8	20.1	4.3	1.4	4.4	0.7	3.5	0.7	1.8	0.3	1.4	0.2		9	-2		-100	12200	20	1280	-0.1	2110	-1	-1	-1	-1
L11+030W 9+800N	31	1	0.6	-0.1	32.5	90.5	10.3	44.3	9.4	2.0	8.7	1.4	6.8	1.1	3.2	0.4	2.4	0.4		11	-2		-100	6540	12	891	0.2	2550	-1	-1	-1	-1
L11+030W 9+825N	29	-1	0.7	-0.1	10.2	29.0	3.1	14.3	3.4	1.0	3.0	0.6	3.0	0.6	1.7	0.2	1.5	0.2		31	-2		-100	4210	18	953	0.2	2390	-1	-1	-1	-1
L11+030W 9+850N	21	1	0.5	-0.1	9.8	25.3	3.2	14.9	4.1	0.9	3.6	0.7	3.4	0.7	2.1	0.3	1.7	0.3		32	-2		-100	3290	13	733	0.4	1480	-1	-1	-1	-1
L11+030W 9+875N	25	1	0.5	-0.1	10.9	26.1	3.4	14.5	3.6	1.0	3.3	0.6	3.2	0.7	2.0	0.3	1.8	0.2		9	-2		-100	2840	11	922	0.2	944	-1	-1	-1	-1
L11+030W 9+900N	27	1	0.6	-0.1	38.9	64.5	11.7	51.8	11.2	2.2	10.3	1.8	8.4	1.8	4.4	0.6	3.5	0.5		26	-2		-100	2930	10	1570	0.3	1450	-1	-1	-1	-1
L11+030W 9+925N	33	-1	0.7	-0.1	16.1	113	5.0	22.1	5.4	1.3	5.3	0.8	4.7	0.8	2.4	0.3	2.2	0.4		8	-2		-100	9190	14	837	0.2	2100	-1	-1	-1	-1
L11+030W 9+950N	131	2	3.1	-0.1	14.4	68.3	4.7	21.1	4.5	1.3	3.9	0.7	3.3	0.6	2.0	0.3	2	0		8	2		-100	5060	10	905	0	3090	-1	-1	-1	-1
L11+030W 9+975N	48	1	1.1	-0.1	7.5	21.9	2.0	9.5	2.2	0.8	1.7	0.3	1.6	0.3	0.8	-0.1	0.5	0.1		9	-2		-100	491	10	695	0.1	2280	-1	-1	-1	-1
L11+030W 10+000N	123	3	2.4	0.2	13.2	29.9	3.3	17.2	3.2	1.0	2.6	0.4	1.8	0.4	1.1	0.2	1.0	0.1		15	3		-100	2590	11	368	0.5	2690	-1	-1	-1	-1
L11+030W 10+025N	139	1	3.1	-0.1	36.8	106	11.7	56.2	13.9	3.2	13.1	2.2	12.4	2.5	7.4	1.1	6.9	1.0		42	3		-100	6900	24	732	0.2	2550	-1	-1	-1	-1
L11+030W 10+050N	23	-1	0.7	-0.1	15.1	42.3	4.9	21.2	5.8	1.6	5.7	0.9	5.3	1.1	2.7	0.3	2.1	0.4		66	-2		-100	4290	18	1150	0.3	2310	-1	-1	-1	-1
L11+030W 10+075N	63	4	1.3	0.2	20.7	90.6	6.1	28.0	7.8	2.2	7.3	1.2	7.1	1.4	3.9	0.5	3.2	0.5		33	-2		-100	4320	22	1510	1.1	2770	-1	-1	-1	-1
L11+030W 10+100N	35	-1	0.8	-0.1	11.7	21.8	3.7	18.8	4.8	1.3	5.0	0.9	4.3	0.8	2.8	0.4	2.3	0.4		23	-2		-100	2480	8	833	0.3	933	-1	-1	-1	-1
L11+030W 10+125N	23	1	0.5	-0.1	9.6	20.9	2.9	14.4	3.4	1.0	3.6	0.8	3.4	0.6	1.7	0.3	1.5	0.2		43	-2		-100	2880	12	2690	0.5	1350	-1	-1	-1	-1
L11+030W 10+150N	21	-1	0.4	-0.1	10.7	26.9	3.1	13.9	3.4	1.0	3.5	0.6	3.1	0.7	1.7	0.2	1.4	0.2		48	-2		-100	5050	11	1290	0.1	2010	-1	-1	-1	-1
L11+030W 10+175N	35	-1	1.4	-0.1	8.3	27.3	2.5	10.5	2.4	0.9	2.0	0.5	2.2	0.4	1.1	0.2	1.0	0.1		6	-2		-100	3270	5	437	0.3	1900	-1	-1	-1	-1
L11+030W 10+200N	57	2	1.0	-0.1	3.4	9.2	1.0	4.7	1.2	0.5	1.2	0.2	0.8	0.2	0.4	-0.1	0.4	-0.1		11	-2		-100	1510	6	476	0.2	1950	-1	-1	-1	-1
L11+030W 10+225N	65	-1	1.4	-0.1	8.2	38.7	2.8	11.8	2.6	0.9	2.6	0.4	2.4	0.3	1.1	0.1	1.0	0.1		10	3		-100	9600	13	769	0.1	1850	-1	-1	-1	-1
L11+030W 10+250N	22	-1	0.5	-0.1	4.7	14.9	1.4	6.0	1.4	0.6	1.1	0.2	1.0	0.2	0.5	-0.1	0.4	-0.1		6	-2		-100	1230	8	621	-0.1	1390	-1	-1	-1	-1
L11+030W 10+275N	24	-1	0.5	-0.1	9.6	27.5	2.8	13.2	2.8	1.1	2.9	0.5	2.2	0.5	1.3	0.2	1.4	0.2		4	-2		-100	8430	10	946	0.2	2590	-1	-1	-1	-1
L11+030W 10+300N	30	1	0.7	-0.1	5.6	20.6	1.8	7.9	1.8	0.7	1.7	0.3	1.4	0.3	0.7	0.1	0.6	-0.1		6	-2		-100	5170	12	782	0.1	1820	-1	-1	-1	-1
L11+030W 10+325N	20	-1	0.5	-0.1	21.5	39	6.5	27	7.4	2.1	6.7	1.2	6.3	1.3	4.0	0.4	3.0	0.5		5	-2		-100	5420	6	830	-0.1	3460	-1	-1	-1	-1
L11+030W 10+350N	15	1	0.4	-0.1	9.6	20.3	3.0	14.9	3.4	1.0	3.5	0.6	3.1	0.6	1.9	0.2	1.6	0.3		29	-2		-100	2680	11	897	0.2	1820	-1	-1	-1	-1
L11+030W 10+375N	30	-1	0.6	-0.1	9.0	64.1	3.1	13.1	2.6	1.1	3.4	0.5	2.6	0.5	1.4	0.2	1.6	0.2		16	-2		-100	31300	7	1090	-0.1	2550	-1	-1	-1	-1
L11+030W 10+400N	29	-1	0.5	-0.1	6.6	33.4	2.2	10.1	2.6	1.0	2.3	0.4	2.2	0.4	1.6	0.2	2.7	0.2		23	-2		-100	21600	9	831	0.2	3400	-1	-1	-1	-1
L11+030W 10+425N	50	2	1.1	-0.1	5.6	33.2	21.6	7.9	1.4	0.7	2.3	0.2	0.9	0.2	0.6	-0.1	0.5	-0.1		7	-2		-100	20100	9	586	0.1	2090	-1	-1	-1	-1
L11+030W 10+450N	53	1	1.0	-0.1	10.6	43.5	3.5	15.8	3.7	1.3	2.9	0.6	3.0	0.5	1.6	0.2	1.4	0.2		23	2		-100	29500	17	946	0.1	4100	-1	-1	-1	-1
L11+130W 9+300N	39	2	0.9	0.1	15.3	36.7	4.7	20.1	5.2	0.8	3.8	0.7	3.0	0.5	1.3	0.2	0.8	0.2		13	-2		-100	1080	37	749	0.4	476	-1	-1	-1	-1
L11+130W 9+325N	101	2	2.5	0.1	76.4	145	24.2	106	24.0	3.4	21.2	3.6	15.8	2.8	7.7	0.9	6.2	0.9		21	4		-100	2330	28	839	0.4	1520	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*													*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L11+130W 9+375N	14	-1	0.5	-0.1	24.7	44.2	7.0	30.0	6.9	1.3	5.9	1.1	5.7	1.1	3.5	0.4	3.0	0.5	15	-2	-100	904	8	643	0.1	525	-1	-1	-1	-1
L11+130W 9+425N	13	-1	0.3	-0.1	13.4	28.5	3.9	16.5	3.6	0.9	3.3	0.7	3.1	0.6	1.9	0.2	1.8	0.3	16	-2	-100	4210	19	551	0.2	515	-1	-1	-1	-1
L11+130W 9+450N	19	-1	0.3	-0.1	9.8	52.3	2.9	12.1	3.0	0.8	2.9	0.5	2.7	0.5	1.5	0.2	1.1	0.2	6	-2	-100	8800	7	940	-0.1	1810	-1	-1	-1	-1
L11+130W 9+550N	128	2	3.1	-0.1	25.6	69.6	8.0	34.1	7.4	1.7	6.2	1.1	5.3	1.0	2.8	0.4	2.6	0.4	4	3	-100	359	14	306	0.2	698	-1	-1	-1	-1
L11+130W 9+575N	47	2	1.1	-0.1	18.1	43.3	4.8	22.4	5.1	1.2	4.1	0.8	4.2	0.9	2.3	0.3	2.1	0.3	9	3	-100	9210	13	707	0.2	1800	-1	-1	-1	-1
L11+130W 9+600N	32	1	0.7	-0.1	17.3	51.8	5.9	25.7	5.7	1.4	5.2	0.9	5.1	0.9	2.6	0.3	2.1	0.3	6	-2	-100	5010	6	853	0.1	1720	-1	-1	-1	-1
L11+130W 9+625N	65	1	1.6	0.1	76.5	158.0	22.7	101.0	21.1	4.6	19.1	3.3	16.3	3.1	7.8	1.1	6.7	1.0	11	2	-100	6450	4	1050	-0.1	1120	-1	-1	-1	-1
L11+130W 9+650N	52	2	1.3	-0.1	22.4	52.1	6.7	29.2	6.4	1.7	5.8	1.0	5.6	1.0	2.8	0.4	2.5	0.4	10	2	-100	5600	6	847	0.2	1690	-1	-1	-1	-1
L11+130W 9+675N	35	-1	0.8	-0.1	17.1	39.1	4.9	22.5	5.0	1.3	5.3	0.9	4.8	1.0	2.8	0.4	2.3	0.4	18	-2	-100	7110	6	907	0.2	1730	-1	-1	-1	-1
L11+130W 9+700N	106	4	2.5	0.2	9.0	35.0	2.8	12.3	2.4	0.8	2.2	0.4	2.1	0.4	1.2	0.2	1.1	0.2	20	2	-100	5250	18	590	0.5	1760	-1	-1	-1	-1
L11+130W 9+725N	139	4	3.5	0.1	18.8	127.0	5.8	24.0	5.4	1.4	4.5	0.8	4.0	0.6	2.2	0.3	4.1	0.3	44	3	-100	9150	27	664	0.6	2470	-1	-1	-1	-1
L11+130W 9+750N	37	-1	0.7	-0.1	17.4	52.2	5.0	21.2	4.5	1.2	4.0	0.6	3.2	0.6	1.9	0.2	1.7	0.2	8	-2	-100	16200	15	979	-0.1	1750	-1	-1	-1	-1
L11+130W 9+775N	57	-1	1.2	-0.1	34.7	82.0	10.4	46.6	10.5	2.6	9.5	1.6	7.8	1.5	4.5	0.5	3.2	0.6	4	-2	-100	8350	9	1040	-0.1	2230	-1	-1	-1	-1
L11+130W 9+800N	31	-1	0.7	-0.1	9.9	25.9	3.3	14.9	3.3	1.1	3.4	0.6	3.2	0.5	1.8	0.3	1.7	0.2	10	-2	-100	4250	11	969	0.2	1920	-1	-1	-1	-1
L11+130W 9+825N	28	-1	0.7	-0.1	13.1	30.6	4.4	20.4	5.0	1.6	5.0	1.0	5.2	1.1	3.2	0.4	3.0	0.4	50	-2	-100	6020	13	802	0.4	2000	-1	-1	-1	-1
L11+130W 9+850N	26	-1	0.6	-0.1	13.4	22.4	5.2	25.4	6.4	1.9	6.2	1.1	5.8	1.2	3.1	0.4	2.3	0.3	51	-2	-100	3990	15	3210	0.5	1610	-1	-1	-1	-1
L11+130W 9+875N	49	1	1.1	-0.1	8.1	22.9	2.5	10.3	2.4	0.9	2.0	0.3	1.7	0.3	1.0	-0.1	0.9	-0.1	8	-2	-100	4350	15	880	-0.1	2120	-1	-1	-1	-1
L11+130W 9+900N	39	-1	0.7	-0.1	13.5	52.1	4.2	18.3	4.2	1.3	4.0	0.7	3.6	0.8	2.0	0.3	1.7	0.3	6	-2	-100	11400	13	932	-0.1	1970	-1	-1	-1	-1
L11+130W 9+925N	58	2	1.1	-0.1	6.8	23.4	2.0	8.5	1.8	0.9	1.7	0.3	1.4	0.3	0.8	0.1	0.7	0.1	5	-2	-100	24000	8	1030	-0.1	3110	-1	-1	-1	-1
L11+130W 9+950N	74	3	1.5	-0.1	4.6	15.3	1.4	6.3	1.5	1.2	1.2	0.2	1.0	0.2	0.6	-0.1	0.5	0.1	8	2	-100	7730	11	922	0.3	5700	-1	-1	-1	-1
L11+130W 9+975N	50	-1	1.0	-0.1	7.6	31.5	2.5	10.3	2.5	1.2	2.3	0.4	2.1	0.4	1.1	0.2	1.0	0.2	-2	-2	-100	15200	8	1100	-0.1	4090	-1	-1	-1	-1
L11+130W 10+000N	73	3	1.6	0.1	12.6	31.8	3.7	17.8	3.9	1.5	3.8	0.7	3.5	0.7	2.0	0.3	2.1	0.3	12	-2	-100	7770	15	1010	0.6	3250	-1	-1	-1	-1
L11+130W 10+025N	114	2	2.2	0.1	22.7	58.1	7.3	32.6	8.4	2.6	8.5	1.6	7.9	1.7	4.7	0.6	4.3	0.7	9	2	-100	3010	9	1100	0.4	3200	-1	-1	-1	-1
L11+130W 10+050N	35	-1	0.8	-0.1	11.8	36.6	3.8	17.9	4.5	1.5	4.6	0.9	4.6	0.9	2.5	0.3	2.4	0.3	11	-2	-100	8790	8	1630	-0.1	2090	-1	-1	-1	-1
L11+130W 10+100N	20	-1	0.4	-0.1	7.9	22.4	2.5	11.8	2.6	1.2	2.7	0.5	2.6	0.6	1.5	0.2	1.2	0.2	25	-2	-100	4410	4	1290	-0.1	3100	-1	-1	-1	-1
L11+130W 10+125N	61	3	1.2	0.1	6.4	19.1	2.0	7.7	1.6	0.8	1.4	0.2	0.9	0.2	0.5	-0.1	0.4	-0.1	5	-2	-100	6790	17	618	0.2	2610	-1	-1	-1	-1
L11+130W 10+150N	124	2	2.5	-0.1	10.2	47.3	3.4	14.5	3.4	1.4	3.0	0.5	2.3	0.4	1.3	0.2	1.1	0.2	28	3	-100	5360	6	927	0.2	3810	-1	-1	-1	-1
L11+130W 10+175N	102	2	2.0	-0.1	6.6	19	2.2	8.8	1.9	1.3	1.8	0.3	1.6	0.3	1.0	0.1	0.9	0.1	12	-2	-100	14900	11	1050	0.2	4700	-1	-1	-1	-1
L11+130W 10+200N	76	2	1.4	-0.1	8.5	25	2.8	10.3	2.4	1.2	2.2	0.3	1.8	0.4	1.0	0.1	0.9	0.1	5	-2	-100	7440	15	1180	0.2	4260	-1	-1	-1	-1
L11+130W 10+225N	85	1	1.8	-0.1	10.7	31	3.8	16.6	3.9	1.5	3.8	0.7	3.6	0.7	1.9	0.3	2.0	0.3	5	-2	-100	5930	5	1030	0.1	3250	-1	-1	-1	-1
L11+130W 10+250N	22	-1	0.4	-0.1	9.2	17.6	2.7	11.8	2.8	1.1	2.7	0.5	2.8	0.5	1.4	0.2	1.3	0.2	3	-2	-100	3740	3	899	-0.1	2670	-1	-1	-1	-1
L11+130W 10+275N	26	-1	0.4	-0.1	15.5	36	4.7	20.8	5.3	1.8	5.3	1.0	5.1	1.0	2.9	0.4	2.7	0.4	17	-2	-100	10200	6	1200	0.2	3160	-1	-1	-1	-1
L11+130W 10+300N	21	-1	0.4	-0.1	10.3	25.3	3.3	15.1	4.1	1.3	3.9	0.7	3.8	0.8	2.2	0.3	1.9	0.3	25	-2	-100	9520	6	1540	0.1	2450	-1	-1	-1	-1
L11+130W 10+325N	20	-1	0.5	-0.1	6.5	29.2	2.0	9.5	2.3	1.0	2.3	0.5	2.4	0.5	1.4	0.2	1.2	0.2	20	-2	-100	12300	8	1530	0.1	2200	-1	-1	-1	-1
L11+130W 10+350N	35	1	0.6	-0.1	8.8	69	2.9	12.8	3.3	1.2	3.3	0.6	3.0	0.6	1.6	0.2	1.6	0.2	18	-2	-100	34000	5	1590	-0.1	2620	-1	-1	-1	-1
L11+130W 10+375N	14	-1	0.3	-0.1	12.2	64.1	4.3	21.1	5.6	1.9	5.4	0.9	5.2	1.1	3.0	0.4	2.7	0.4	40	-2	-100	26200	7	1020	0.2	3340	-1	-1	-1	-1
L11+130W 10+400N	62	1	1.2	-0.1	4.7	20.4	1.6	6.6	1.5	0.9	1.2	0.2	0.9	0.2	0.5	-0.1	0.5	-0.1	4	-2	-100	20700	10	639	-0.1	3720	-1	-1	-1	-1
L11+130W 10+425N	94	2	1.8	-0.1	5.4	20	1.8	8.4	1.8	1.2	1.6	0.3	1.2	0.3	0.8	-0.1	0.6	-0.1	5	-2	-100	19700	8	1070	0.2	4660	-1	-1	-1	-1
L11+130W 10+450N	36	-1	0.6	-0.1	5.9	19.7	1.9	8.4	1.9	1.0	1.8	0.3	1.3	0.3	0.8	0.1	0.6	-0.1	2	-2	-100	4730	8	1290	-0.1	3790	-1	-1	-1	-1
L11+230W 9+300N	44	2	0.9	0.1	17.1	36.6	4.9	21.6	5.1	1.2	5.0	1.0	5.4	1.1	3.1	0.5	2.9	0.5	18	-2	-100	11900	27	2700	0.7	865	-1	-1	-1	-1
L11+230W 9+325N	36	-1	0.7	-0.1	19.9	31.1	6.2	26.8	6.3	1.6	6.4	1.1	6.0	1.2	3.0	0.4	3.0	0.4	14	-2	-100	5520	11	1110	0.1	1490	-1	-1	-1	-1
L11+230W 9+350N	22	-1	0.4	-0.1	18.1	26.4	5.3	23.4	5.4	1.2	5.1	0.9	4.6	0.9	2.4	0.3	2.2	0.3	22	-2	-100	3030	9	1080	0.1	862	-1	-1	-1	-1
L11+230W 9+500N	38	-1	1.0	-0.1	11.6	21.7	3.5	16.1	3.7	1.1	3.6	0.6	3.5	0.7	1.9	0.2	1.8	0.2	21	-2	-100	3750	14	1520	-0.1	1160	-1	-1	-1	-1
L11+230W 9+525N	26	1	0.5	-0.1	8.1	19.5	2.3	10.2	2.4	0.8	2.4	0.4	2.0	0.4	1.0	0.1	0.9	0.1	9	-2	-100	10600	12	1320	-0.1	2070	-1	-1	-1	-1
L11+230W 9+550N	38	1	0.7	-0.1	11.1	21.7	3.4	15.0	3.4	1.2	3.4	0.5	2.7	0.6	1.5	0.2	1.4	0.2	5	-2	-100	6500	9	1300	-0.1	2900	-1	-1	-1	-1
L11+230W 9+575N	24	-1	0.5	-0.1	31.7	82.4	9.8	40.9	9.0	2.3	8.8	1.5	7.2	1.4	4.0	0.5	3.2	0.5	4	-2	-100	7560	6	1350	-0.1	2270	-1	-1	-1	-1
L11+230W 9+600N	28	-1	0.6	-0.1	30.5	78.8	9.3	41.2	9.6	2.4	9.1	1.6	7.6	1.5	4.0	0.5	3.4	0.4	11	-2	-100	6350	2	1200	-0.1	2580	-1	-1	-1	-1
L11+230W 9+625N	107	1	2.0	-0.1	15.3	72.5	4.7	20.1	4.6	1.7	4.1	0.7	3.8	0.6	2.0	0.2	1.8	0.3	5	3	-100	16200	8	1040	-0.1	4030	-1	-1	-1	-1
L11+230W 9+650N	49	2	0.9	-0.1	4.6	16.6	1.3	5.2	1.2	0.8	1.1	0.2	0.9	0.2	0.5	-0.1	0.4	-0.1	3	-2	-100	10300	6	1070	0.1	3050	-1	-1	-1	-1
L11+230W 9+675N	57	-1	1.1	-0.1	17.1	79.9	5.4	21.6	4.9	1.7	4.8	0.9	3.9	0.7	1.9	0.2	1.7	0.2	9	2	-100	20900	18	1510	-0.1	3150	-1	-1	-1	-1
L11+230W 9+700N	66	-1	1.0	-0.1	10.3	63.8	3.1	13.7	3.0	1.4	3.0	0.5	2.5	0.5	1.3	0.2	1.2	0.2	4	-2	-100	14900	6	1430	-0.1	3660	-1	-1	-1	-1
L11+230W 9+725N	43	1	0.7	-0.1	8.3	36.1	2.5	10.3	2.4	1.3	2.3	0.4	1.8	0.4	1.0	0.1	0.9	0.1	5	-2	-100	18900	5	1530	-0.1	4160	-1	-1	-1	-1
L11+230W 9+750N	90	1	1.7	-0.1	34.8	136.0	11.9	48.4	11.0	3.2	10.8	1.9	9.4	1.7	4.5	0.6	4.2	0.6	9	-2	-100	19900	19	1240	0.2	4000	-1	-1	-1	-1
L11+230W 9+775N	36	1	0.7	-0.1	12.4	55.0	4.0	17.4	4.4	1.5	4.3	0.7	3.7	0.7	1.9	0.3	1.7	0.3	2	-2	-100	16300	7	1360	-0.1	3400	-1	-1	-1	-1
L11+230W 9+800N	27	-1	0.5	-0.1	8.7	23.4	2.5	10.7	2.6	1.0	2.4	0.4	2.2	0.4	1.2	0.2	1.1	0.1	2	-2	-100	8030	2	1330	-0.1	2820	-1	-1	-1	-1
L11+230W 9+825N	65	1	0.9	0.1	38.7	85.0	12.4	58.3	13.8	2.8	12.7	2.4	11.3	2.1	5.8	0.7	4.3	0.7	25	-2	-100	8070	9	2850	0.3	1870	-1	-1	-1	-1
L11+230W 9+850N	58	2	1.3	-0.1	5.3	15.5	1.6	7.1	1.4	0.9	1.2	0.2	1.1	0.2	0.5	-0.1	0.6	-0.1	6	2	-100	2650	15	911	0.1	4360	-1	-1	-1	-1
L11+230W 9+875N	30	-1	0.6	-0.1	12.6	30.7	3.6	15.8	3.8	1.3	3.9	0.7	3.3	0.7	2.0	0.3	1.8	0.2	32	-2	-100	11400	6	1900	-0.1	3190	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L11+230W 9+900N	81	2	1.7	-0.1	8.9	29.5	2.8	11.8	2.5	1.5	2.3	0.3	1.5	0.3	0.8	0.1	0.8	-0.1	8	2	-100	5620	11	920	0.1	5350	-1	-1	-1	-1
L11+230W 9+925N	79	2	1.8	-0.1	6.0	20.5	1.8	7.8	1.8	1.3	1.7	0.3	1.4	0.3	0.7	0.1	0.8	0.1	7	2	-100	5750	11	771	0.4	4730	-1	-1	-1	-1
L11+230W 9+950N	115	3	2.5	-0.1	11.4	36.9	4.1	16.9	3.9	2.6	3.6	0.6	3.8	0.6	1.8	0.3	1.6	0.2	9	3	-100	4330	10	1220	0.4	8680	-1	-1	-1	-1
L11+230W 9+975N	57	-1	1.1	-0.1	12.4	40.0	4.3	18.6	4.6	1.5	4.6	0.8	4.2	0.8	2.4	0.4	2.3	0.4	6	-2	-100	4890	11	844	-0.1	1450	-1	-1	-1	-1
L11+230W 10+000N	14	-1	0.3	-0.1	7.1	18.9	2.2	9.8	2.5	1.0	2.5	0.4	2.3	0.5	1.3	0.2	1.2	0.2	23	-2	-100	2150	4	1010	-0.1	2410	-1	-1	-1	-1
L11+230W 10+025N	22	-1	0.4	-0.1	12.5	27.4	3.9	16.6	4.1	1.5	4.3	0.7	3.6	0.8	2.1	0.3	1.7	0.3	12	-2	-100	2730	4	968	-0.1	2050	-1	-1	-1	-1
L11+230W 10+050N	34	-1	0.6	-0.1	10.0	23.6	3.1	13.4	3.2	1.1	3.0	0.6	2.8	0.6	1.7	0.2	1.4	0.2	3	-2	-100	1390	4	610	-0.1	1590	-1	-1	-1	-1
L11+230W 10+075N	52	1	1.1	-0.1	5	17	1.9	8	1.9	0.8	1.9	0.3	1.3	0.3	0.8	0.1	0.8	0.1	5	-2	-100	3080	6	626	0.1	2100	-1	-1	-1	-1
L11+230W 10+100N	55	2	1.2	-0.1	13.6	35	3.8	15.8	3.3	1.2	3.0	0.5	2.4	0.5	1.2	0.2	1.2	0.2	-2	-2	-100	775	4	563	-0.1	2250	-1	-1	-1	-1
L11+230W 10+125N	48	1	1.0	-0.1	7.0	21	1.9	8	1.6	0.8	1.7	0.2	1.5	0.3	0.7	0.1	0.8	0.1	-2	-2	-100	3330	7	540	-0.1	2120	-1	-1	-1	-1
L11+230W 10+150N	31	-1	0.6	-0.1	8.8	20	2.7	11.8	2.8	0.9	2.8	0.5	2.7	0.5	1.5	0.2	1.3	0.2	5	-2	-100	3330	4	676	-0.1	1750	-1	-1	-1	-1
L11+230W 10+175N	28	1	0.6	-0.1	13.1	22.1	4.0	18.1	4.7	1.5	4.7	0.8	4.4	1.0	2.6	0.3	2.2	0.3	12	-2	-100	4370	10	1550	0.5	2690	-1	-1	-1	-1
L11+230W 10+200N	23	-1	0.4	-0.1	11.2	20.7	3.4	16.0	4.5	1.4	4.5	0.8	4.9	1.0	2.8	0.4	2.4	0.4	15	-2	-100	4470	6	1170	0.2	1810	-1	-1	-1	-1
L11+230W 10+225N	22	-1	0.4	-0.1	10.1	53	3.2	13.9	3.4	1.1	3.3	0.6	3.3	0.6	1.8	0.3	1.5	0.2	6	-2	-100	10100	3	801	-0.1	1330	-1	-1	-1	-1
L11+230W 10+250N	47	-1	0.9	-0.1	14.9	62.7	4.7	21.4	5.5	1.6	5.7	1.0	5.2	1.1	3.0	0.4	3.0	0.4	23	-2	-100	15600	5	698	-0.1	1510	-1	-1	-1	-1
L11+230W 10+275N	8	-1	0.2	-0.1	5.6	14.9	1.7	7.6	1.9	0.9	1.8	0.4	1.6	0.4	0.9	0.1	0.7	0.1	25	-2	-100	5330	8	750	0.1	2240	-1	-1	-1	-1
L11+230W 10+300N	37	-1	0.7	-0.1	4.3	16.2	1.2	5.7	1.2	0.4	1.1	0.2	0.8	0.1	0.4	-0.1	0.4	-0.1	-2	-2	-100	3400	4	378	-0.1	1100	-1	-1	-1	-1
L11+230W 10+325N	22	-1	0.4	-0.1	5.8	22.4	1.7	7.0	1.7	0.6	1.3	0.2	1.0	0.2	0.6	-0.1	0.5	-0.1	6	-2	-100	7950	14	873	0.1	1770	-1	-1	-1	-1
L11+230W 10+350N	28	-1	0.6	-0.1	6.6	20.3	1.8	8.2	1.6	0.9	1.5	0.3	1.3	0.3	0.7	-0.1	0.6	0.1	-2	-2	-100	15400	6	872	-0.1	2820	-1	-1	-1	-1
L11+230W 10+375N	23	-1	0.4	-0.1	4.9	14.3	1.5	8.5	1.4	0.6	1.4	0.2	1.2	0.2	0.6	-0.1	0.6	-0.1	-2	-2	-100	4150	6	748	-0.1	1590	-1	-1	-1	-1
L11+230W 10+400N	44	1	0.9	-0.1	8.6	27.9	3.0	12.4	3.0	1.0	2.5	0.4	2.2	0.4	1.3	0.2	1.1	0.2	2	-2	-100	3100	9	754	0.1	2160	-1	-1	-1	-1
L11+230W 10+425N	26	-1	0.6	-0.1	16.3	42.6	5.0	22.5	5.2	1.6	5.4	0.9	4.7	1.0	2.4	0.3	2.2	0.3	-2	-2	-100	2040	5	677	-0.1	2010	-1	-1	-1	-1
L11+230W 10+450N	52	-1	1.0	-0.1	29.4	71.2	9.3	40.0	9.8	2.0	8.6	1.7	8.5	1.6	4.2	0.6	3.5	0.5	10	-2	-100	8280	15	849	0.2	737	-1	-1	-1	-1
L11+330W 9+300N	18	-1	0.4	-0.1	32.8	80.7	11.2	49.1	11.4	2.3	10.9	1.8	8.6	1.5	4.1	0.5	3.3	0.5	26	3	-100	9430	8	996	0.7	1490	-1	-1	-1	-1
L11+330W 9+325N	85	5	2.0	0.2	38.1	74.4	6.8	28.0	5.9	1.6	6.0	1.0	5.1	1.0	2.5	0.3	2.2	0.3	10	2	-100	889	49	795	0.7	1260	-1	-1	-1	-1
L11+330W 9+375N	18	2	0.3	0.1	5.0	10.4	1.3	5.1	1.3	0.5	1.2	0.2	1.1	0.2	0.7	-0.1	0.7	-0.1	56	-2	-100	1120	40	1970	1.6	1340	-1	-1	-1	-1
L11+330W 9+450N	21	-1	0.4	-0.1	23.6	74.4	7.8	32.9	7.9	1.8	7.1	1.3	6.6	1.2	3.3	0.4	2.9	0.4	7	-2	-100	4460	5	762	-0.1	995	-1	-1	-1	-1
L11+330W 9+475N	38	-1	0.8	-0.1	31.3	86.4	11.0	47.7	11.7	2.5	10.4	1.8	9.0	1.8	4.5	0.6	4.2	0.6	10	-2	-100	8730	8	516	-0.1	1510	-1	-1	-1	-1
L11+330W 9+500N	30	-1	0.5	-0.1	6.6	27.1	2.0	10.7	1.9	0.7	1.7	0.3	1.4	0.3	0.8	0.1	0.6	-0.1	-2	-2	-100	5420	7	694	-0.1	1930	-1	-1	-1	-1
L11+330W 9+525N	40	-1	0.8	-0.1	7.2	27.6	2.1	8.8	2.1	0.7	1.7	0.3	1.7	0.3	0.9	0.1	0.8	0.1	2	-2	-100	8100	10	816	-0.1	1750	-1	-1	-1	-1
L11+330W 9+550N	40	3	0.8	0.2	13.6	44.5	4.2	17.8	4.1	1.2	4.3	0.8	4.0	0.8	2.3	0.3	1.9	0.3	14	-2	-100	7040	19	1830	0.9	1740	-1	-1	-1	-1
L11+330W 9+600N	22	-1	0.4	-0.1	8.8	15.5	2.6	10.5	2.6	0.8	2.3	0.4	2.0	0.4	1.1	0.2	1.0	0.1	7	-2	-100	1360	3	983	-0.1	1550	-1	-1	-1	-1
L11+330W 9+625N	36	-1	0.8	-0.1	75.3	92.4	22.8	103	22.8	4.6	21.2	3.4	15.7	3.2	8.5	1.1	6.9	1.2	4	-2	-100	3210	5	785	-0.1	759	-1	-1	-1	-1
L11+330W 9+650N	60	-1	1.1	-0.1	22.0	84.2	7.2	31.4	7.5	1.8	6.9	1.3	6.0	1.2	3.2	0.4	2.8	0.4	23	2	-100	3150	18	615	-0.1	1410	-1	-1	-1	-1
L11+330W 9+675N	19	-1	0.5	-0.1	47.5	77.3	16.0	71.4	16.3	3.7	14.3	2.4	11.9	2.2	6.1	0.8	5.2	0.7	3	-2	-100	4220	5	816	-0.1	827	-1	-1	-1	-1
L11+330W 9+700N	34	-1	0.7	-0.1	43.7	78.4	12.9	55.6	12.8	3.2	12.0	2.1	9.9	2.0	5.2	0.7	4.5	0.7	4	-2	-100	5660	2	1300	-0.1	2200	-1	-1	-1	-1
L11+330W 9+725N	20	-1	0.4	-0.1	12.3	28.4	3.7	15.5	3.6	1.1	3.6	0.7	3.3	0.6	1.8	0.3	1.6	0.2	-2	-2	-100	4120	2	936	-0.1	1560	-1	-1	-1	-1
L11+330W 9+750N	21	-1	0.4	-0.1	25.0	49.1	7.4	34.3	8.0	2.2	7.9	1.4	7.1	1.4	3.6	0.5	3.0	0.4	12	-2	-100	5190	2	979	-0.1	1590	-1	-1	-1	-1
L11+330W 9+775N	113	2	2.6	-0.1	13.1	73.9	4.1	17.1	4.1	1.3	3.9	0.6	3.2	0.6	1.5	0.2	1.4	0.2	10	3	-100	7870	15	567	0.2	2850	-1	-1	-1	-1
L11+330W 9+800N	33	-1	0.5	-0.1	6.5	25.5	2.0	8.5	2.1	0.9	2.0	0.3	1.6	0.3	0.9	-0.1	0.8	0.1	3	-2	-100	7520	11	720	-0.1	2790	-1	-1	-1	-1
L11+330W 9+825N	51	-1	1.0	-0.1	5.1	16.1	1.6	6.9	1.8	0.8	1.5	0.3	1.4	0.2	0.7	-0.1	0.5	-0.1	-2	-2	-100	921	3	746	-0.1	2320	-1	-1	-1	-1
L11+330W 9+850N	43	-1	0.8	-0.1	12	44	3.9	17	4.4	1.4	3.9	0.7	3.7	0.7	2.0	0.3	1.8	0.3	2	-2	-100	3670	2	1090	-0.1	2130	-1	-1	-1	-1
L11+330W 9+875N	35	-1	0.7	-0.1	7.8	36.7	2.7	11.0	3.0	1.1	2.5	0.5	2.5	0.5	1.2	0.1	1.1	0.1	-2	-2	-100	4130	9	690	-0.1	2460	-1	-1	-1	-1
L11+330W 9+900N	74	2	1.7	-0.1	10.2	26.7	3.2	13.3	3.0	1.5	2.8	0.5	2.3	0.5	1.4	0.2	1.4	0.2	10	-2	-100	14000	16	888	0.2	4310	-1	-1	-1	-1
L11+330W 9+925N	35	-1	0.8	-0.1	10.6	17.9	3.2	14.1	3.4	1.1	3.1	0.6	3.0	0.6	1.6	0.2	1.4	0.2	-2	-2	-100	1920	5	976	-0.1	2440	-1	-1	-1	-1
L11+330W 9+950N	37	1	0.8	-0.1	4.6	11.3	1.4	6.0	1.3	0.8	1.1	0.2	0.9	0.2	0.5	-0.1	0.4	-0.1	4	-2	-100	158	11	655	0.2	2250	-1	-1	-1	-1
L11+330W 9+975N	77	1	1.6	-0.1	11.2	34.2	3.6	15.5	3.6	1.4	3.5	0.7	3.3	0.6	1.8	0.2	1.7	0.2	3	-2	-100	3060	4	798	-0.1	2700	-1	-1	-1	-1
L11+330W 10+000N	47	-1	1.0	-0.1	9.8	23.2	3.1	13.4	3.5	1.2	2.9	0.5	3.0	0.5	1.3	0.2	1.2	0.2	3	-2	-100	1080	5	765	-0.1	2670	-1	-1	-1	-1
L11+330W 10+025N	36	-1	0.9	-0.1	6.5	18.6	2.1	9.0	2.2	1.1	2.2	0.4	1.8	0.3	0.9	0.1	0.8	0.1	24	-2	-100	2010	6	642	-0.1	2550	-1	-1	-1	-1
L11+330W 10+050N	82	3	1.3	0.1	39.0	110	10.8	46.5	11.0	3.3	8.2	1.7	8.3	1.6	4.0	0.5	3.5	0.5	-2	3	-100	17200	23	1720	0.7	6220	-1	-1	-1	-1
L11+330W 10+075N	45	4	1.0	0.1	7.9	27.2	2.6	15.6	2.9	1.4	2.6	0.5	2.3	0.5	1.3	0.2	1.3	0.2	-2	2	-100	5570	23	878	0.7	4170	-1	-1	-1	-1
L11+330W 10+100N	60	1	1.4	0.1	17.4	32.8	5.4	23.8	5.9	2.0	5.5	1.1	5.6	1.2	3.2	0.4	2.9	0.4	-2	-2	-100	6390	6	1070	0.3	2970	-1	-1	-1	-1
L11+330W 10+125N	43	2	0.9	0.1	17.9	54.3	5.9	26.0	6.5	2.3	6.3	1.1	6.3	1.3	3.7	0.5	3.2	0.5	6	-2	-100	9890	11	1040	0.7	3460	-1	-1	-1	-1
L11+330W 10+150N	26	1	0.7	0.1	24.0	38.4	8.1	37.9	9.9	2.7	9.0	1.7	8.7	1.9	4.8	0.6	3.9	0.6	161	-2	-100	6250	22	2550	0.9	1810	-1	-1	-1	-1
L11+330W 10+175N	65	1	1.2	-0.1	22.2	61.7	5.2	22.8	6.1	2.0	5.8	1.1	5.4	1.2	3.3	0.5	3.1	0.5	24	-2	-100	16400	14	780	0.4	3290	-1	-1	-1	-1
L11+330W 10+200N	46	1	0.9	-0.1	6.3	39.7	2.3	9.8	2.6	1.1	2.2	0.4	2.3	0.4	1.1	0.2	0.9	0.2	-2	3	-100	11200	7	788	0.3	3060	-1	-1	-1	-1
L11+330W 10+225N	104	2	2.3	0.1	9.0	47.7	3.4	14.0	3.0	1.3	2.6	0.4	2.0	0.4	1.1	0.1	0.9	0.2	-2	3	-100	11300	18	556	0.3	3360	-1	-1	-1	-1
L11+330W 10+250N	31	1	0.6	-0.1	10.9	76	3.6	15.7	3.2	1.2	3.1	0.5	2.5	0.5	1.2	0.2	1.0	0.1	-2	-2	-100	20300	14	657	0.4	2590	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greater

Regular Package:	*Elements:*				*Rare Earth Elements:*														*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q.	Li	Be	S.Q.	Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L11+330W 10+275N	44	-1	1.0	-0.1	5.9	21.9	2.4	10.1	2.4	1.3	2.1	0.4	2.0	0.4	1.2	0.2	1.1	0.2	-2	-2		-100		7870	21	644	0.2	4370	-1	-1	-1	-1
L11+330W 10+300N	46	1	1.1	-0.1	5.7	22.9	2.1	9.3	2.1	1.3	2.0	0.3	1.7	0.4	0.9	0.1	0.8	0.1	-2	-2		-100		5590	9	679	0.2	4390	-1	-1	-1	-1
L11+330W 10+325N	40	1	0.9	-0.1	5.4	16.0	2.5	7.5	1.9	1.2	1.5	0.3	1.5	0.3	0.8	0.1	0.8	0.1	-2	-2		-100		9500	12	841	0.3	4050	-1	-1	-1	-1
L11+330W 10+350N	40	-1	0.9	-0.1	9.2	27.2	3.0	12.7	2.8	1.3	2.6	0.5	2.3	0.4	1.2	0.1	1.0	0.1	-2	-2		-100		4350	10	794	0.1	3120	-1	-1	-1	-1
L11+330W 10+375N	32	1	0.8	-0.1	8.1	27.0	2.9	12.1	2.8	1.1	2.5	0.5	2.5	0.4	1.1	0.2	0.9	0.1	-2	-2		-100		3770	13	690	0.2	2910	-1	-1	-1	-1
L11+330W 10+400N	48	-1	1.3	-0.1	15.9	46.6	5.8	24.8	6.1	2.1	5.5	1.1	5.4	1.1	2.8	0.3	2.6	0.4	-2	2		-100		3570	13	608	0.4	4600	-1	-1	-1	-1
L11+330W 10+425N	34	1	0.9	0.1	7.7	19.2	2.7	10.7	2.7	1.3	2.7	0.5	2.4	0.5	1.5	0.2	1.2	0.2	-2	-2		-100		3140	9	819	0.3	3340	-1	-1	-1	-1
L11+330W 10+450N	26	-1	0.6	-0.1	10.1	21.6	3.2	14.1	3.5	1.6	3.3	0.7	3.5	0.7	2.1	0.3	1.8	0.4	-2	-2		-100		6270	4	1070	0.2	3250	-1	-1	-1	-1
L11+430W 9+325N	143	2	3.4	0.1	43.7	113.0	11.6	49.1	11.3	2.6	10.0	1.9	8.7	1.7	4.7	0.6	4.0	0.6	-2	6		-100		984	26	521	0.8	1880	-1	-1	-1	-1
L11+430W 9+350N	43	2	1.1	-0.1	7.5	25.3	2.5	10.2	2.2	1.0	2.1	0.3	1.9	0.3	0.9	0.1	0.8	0.1	8	-2		-100		5970	9	894	0.2	2880	-1	-1	-1	-1
L11+430W 9+425N	136	33	3.5	1.7	95.2	191.0	18.8	82.2	15.9	3.8	12.9	2.0	10.1	2.0	6.8	0.6	5.0	0.6	426	4		-100		1600	153	2680	17.2	2570	-1	-1	-1	-1
L11+430W 9+450N	37	-1	0.8	-0.1	14.7	90.1	5.2	22.3	5.3	1.7	5.0	1.0	4.4	0.9	2.4	0.3	2.1	0.3	-2	-2		-100		25200	19	682	0.3	2410	-1	-1	-1	-1
L11+430W 9+475N	67	2	1.4	-0.1	15.8	77.3	5.2	22.7	5.4	2.0	5.3	0.9	4.7	1.0	2.8	0.4	2.5	0.4	-2	2		-100		28600	9	985	0.5	3080	-1	-1	-1	-1
L11+430W 9+500N	55	-1	1.2	-0.1	15.6	37.9	2.5	10.4	2.1	1.0	1.9	0.3	1.4	0.3	0.8	0.1	0.8	0.1	-2	-2		-100		8310	7	561	0.3	2160	-1	-1	-1	-1
L11+430W 9+525N	43	-1	0.9	-0.1	24.5	49.2	7.7	35.1	8.3	2.4	8.2	1.5	7.8	1.5	4.2	0.6	3.5	0.5	-2	-2		-100		2200	5	1060	0.3	2130	-1	-1	-1	-1
L11+430W 9+575N	19	2	0.4	-0.1	7.1	15.2	2.2	9.8	2.5	0.9	2.4	0.4	2.4	0.5	1.5	0.2	1.2	0.2	8	-2		-100		1090	9	1820	0.3	1290	-1	-1	-1	-1
L11+430W 9+600N	56	2	1.4	0.1	35.6	42.4	10.6	46.1	11.6	2.7	10.0	1.9	10.1	2.1	5.9	0.8	5.0	0.8	-2	3		-100		2620	8	764	0.3	1420	-1	-1	-1	-1
L11+430W 9+625N	22	-1	0.6	-0.1	13.7	25.5	4.3	18.9	4.4	1.2	4.2	0.7	4.0	0.8	2.2	0.3	1.8	0.3	17	-2		-100		1710	6	1560	0.1	1770	-1	-1	-1	-1
L11+430W 9+650N	49	2	1.2	0.1	25.8	74.2	7.7	33.6	8.0	2.5	7.0	1.3	6.5	1.3	3.3	0.4	2.9	0.4	-2	3		-100		10500	14	1100	0.5	3630	-1	-1	-1	-1
L11+430W 9+675N	34	2	0.8	0.1	15.2	34.2	5.0	20.9	4.6	1.8	4.4	0.7	3.6	0.7	2.1	0.3	1.9	0.2	-2	2		-100		9850	14	1030	0.6	3510	-1	-1	-1	-1
L11+430W 9+700N	56	3	1.4	0.1	36.1	77.6	13.2	56.2	13.4	3.4	11.9	2.2	10.8	2.1	5.7	0.7	4.7	0.8	-2	4		-100		2910	8	800	0.3	2270	-1	-1	-1	-1
L11+430W 9+725N	54	1	1.2	0.1	25.2	81.0	8.8	37.3	9.0	2.4	8.1	1.7	8.0	1.6	4.2	0.6	3.4	0.5	-2	3		-100		2900	5	1010	0.3	1830	-1	-1	-1	-1
L11+430W 9+750N	20	1	0.5	-0.1	29.0	56.4	9.1	39.3	8.7	2.0	7.6	1.3	6.4	1.3	3.1	0.4	2.5	0.4	-2	-2		-100		2450	3	1480	0.1	1290	-1	-1	-1	-1
L11+430W 9+775N	152	2	3.7	-0.1	36.3	245.0	12.5	50.6	11.9	2.9	10.9	1.8	9.2	1.7	4.4	0.6	3.9	0.5	-2	6		-100		11800	22	911	0.6	2650	-1	-1	-1	-1
L11+430W 9+800N	56	1	1.3	-0.1	14.4	63	4.7	18.6	4.1	1.5	3.5	0.6	2.9	0.5	1.4	0.2	1.2	0.2	-2	3		-100		3660	17	755	0.4	3410	-1	-1	-1	-1
L11+430W 9+825N	49	2	1.3	-0.1	4.7	17	1.6	6.3	1.4	1.2	1.1	0.2	1.0	0.2	0.5	-0.1	0.5	-0.1	-2	2		-100		3320	16	604	0.2	4870	-1	-1	-1	-1
L11+430W 9+850N	37	-1	0.8	-0.1	3.5	15.5	1.2	5.0	1.1	1.1	1.4	0.2	1.1	0.2	0.6	-0.1	0.5	-0.1	-2	2		-100		7710	10	828	0.2	4410	-1	-1	-1	-1
L11+430W 9+875N	32	-1	0.7	-0.1	17.8	33.0	5.9	26.2	6.6	2.1	6.2	1.2	5.8	1.2	3.5	0.5	2.9	0.4	-2	-2		-100		4620	3	1120	0.2	3420	-1	-1	-1	-1
L11+430W 9+900N	38	-1	1.1	0.1	5.6	17.4	1.6	7.0	1.6	1.3	1.5	0.3	1.3	0.3	0.7	-0.1	0.6	-0.1	-2	3		-100		3270	13	608	0.4	5090	-1	-1	-1	-1
L11+430W 9+925N	41	-1	1.0	-0.1	9.8	24.7	3.1	13.6	3.1	1.5	2.9	0.5	2.7	0.5	1.6	0.2	1.5	0.2	-2	-2		-100		6950	5	1040	0.3	3820	-1	-1	-1	-1
L11+430W 9+950N	33	1	0.8	-0.1	13.0	15.1	1.6	7.6	1.9	1.2	1.7	0.5	1.5	0.3	0.8	-0.1	0.7	0.1	-2	3		-100		1200	7	787	0.3	3730	-1	-1	-1	-1
L11+430W 9+975N	36	1	0.8	-0.1	4.3	10.6	1.6	6.0	1.6	1.4	1.3	0.2	1.3	0.3	0.8	-0.1	0.7	0.1	-2	-2		-100		2280	4	725	0.2	5220	-1	-1	-1	-1
L11+430W 10+000N	51	1	1.2	-0.1	10.1	27.7	3.3	14.6	3.5	1.6	3.3	0.6	3.2	0.6	1.7	0.2	1.5	0.2	-2	3		-100		4160	17	835	0.4	4320	-1	-1	-1	-1
L11+430W 10+025N	41	2	0.9	-0.1	8.0	22.2	2.6	11.3	2.7	1.3	2.6	0.4	2.3	0.5	1.2	0.2	1.1	0.2	-2	-2		-100		3330	17	648	0.6	3660	-1	-1	-1	-1
L11+430W 10+050N	15	-1	0.4	-0.1	6.2	14.8	2.0	8.9	2.0	1.0	2.1	0.4	2.0	0.4	1.2	0.1	1.1	0.2	-2	-2		-100		4260	11	1270	0.3	2540	-1	-1	-1	-1
L11+430W 10+075N	31	-1	0.7	-0.1	15.4	34.7	5.0	21.5	5.4	2.0	5.3	0.9	4.9	1.1	3.0	0.4	2.8	0.5	-2	-2		-100		12100	10	1180	0.3	3000	-1	-1	-1	-1
L11+430W 10+100N	49	-1	1.4	-0.1	30.6	156	9.8	42.1	10.4	3.2	10.7	1.9	9.3	1.9	5.1	0.7	4.4	0.6	-2	2		-100		17800	13	654	0.4	3830	-1	-1	-1	-1
L11+430W 10+125N	33	2	0.8	0.1	7.3	40.1	1.8	10.3	1.7	0.9	1.5	0.2	1.1	0.2	0.6	-0.1	0.5	-0.1	-2	-2		-100		10500	12	553	0.5	2910	-1	-1	-1	-1
L11+430W 10+150N	95	2	2.2	-0.1	21.0	84.2	8.6	34.5	8.2	2.6	7.0	1.2	6.4	1.2	3.3	0.4	2.9	0.4	-2	4		-100		2650	13	520	0.4	3850	-1	-1	-1	-1
L11+430W 10+175N	61	1	1.7	-0.1	12.0	46.1	4.3	18.6	4.9	1.7	4.0	0.7	3.5	0.6	1.6	0.2	1.5	0.2	-2	3		-100		2140	16	425	0.4	3410	-1	-1	-1	-1
L11+430W 10+200N	66	1	1.5	-0.1	8.9	33.2	3.1	12.9	3.2	1.6	2.9	0.5	2.5	0.5	1.4	0.2	1.3	0.2	30	-2		-100		5190	15	672	0.3	4280	-1	-1	-1	-1
L11+430W 10+225N	34	1	0.8	-0.1	3.3	9.8	1.2	4.7	1.0	1.1	0.9	0.1	0.6	0.1	0.4	-0.1	0.4	-0.1	-2	-2		-100		1480	13	450	0.4	4570	-1	-1	-1	-1
L11+430W 10+250N	44	-1	1.0	0.2	2.7	6.5	0.8	3.7	1.0	1.3	0.7	0.1	0.6	0.1	0.4	-0.1	0.4	-0.1	-2	-2		-100		8390	11	548	0.2	6010	-1	-1	-1	-1
L11+430W 10+275N	61	1	1.4	-0.1	9.5	26.7	3.1	13.5	2.8	1.4	2.7	0.4	2.4	0.5	1.3	0.2	1.0	0.1	-2	-2		-100		2150	5	653	0.2	4340	-1	-1	-1	-1
L11+430W 10+300N	46	1	1.2	-0.1	8.4	22.7	3.4	12.0	2.6	1.5	2.2	0.4	2.1	0.4	1.1	0.1	0.9	0.2	-2	-2		-100		2810	26	855	0.7	5000	-1	-1	-1	-1
L11+430W 10+325N	19	1	0.4	-0.1	9.5	21.8	3.2	13.6	3.4	1.2	2.9	0.5	2.7	0.5	1.3	0.2	1.1	0.2	-2	-2		-100		1850	7	542	0.3	3050	-1	-1	-1	-1
L11+430W 10+350N	35	2	0.9	-0.1	9.5	28.4	3.3	13.1	3.2	1.8	2.8	0.6	2.5	0.5	1.5	0.2	1.3	0.2	-2	2		-100		3350	11	832	0.4	6270	-1	-1	-1	-1
L11+430W 10+375N	44	-1	1.2	-0.1	4.0	12	1.3	5.5	1.2	1.4	1.3	0.2	1.1	0.2	0.6	-0.1	0.6	-0.1	-2	2		-100		469	3	675	0.2	5460	-1	-1	-1	-1
L11+430W 10+400N	51	1	1.3	-0.1	4.9	17	1.7	16.9	1.5	1.6	1.4	0.2	1.1	0.2	0.7	-0.1	0.6	0.1	-2	3		-100		4400	7	812	0.3	6210	-1	-1	-1	-1
L11+430W 10+425N	36	1	1.3	-0.1	9.9	23.9	2.8	12.2	2.8	1.5	2.5	0.4	2.2	0.4	1.2	0.1	1.0	0.1	-2	-2		-100		4770	3	849	0.2	4520	-1	-1	-1	-1
L11+430W 10+450N	60	2	1.5	0.1	10.4	23.1	2.7	11.7	2.8	2.6	2.5	0.4	2.1	0.4	1.4	0.2	1.2	0.2	-2	3		-100		4500	16	821	0.6	5560	-1	-1	-1	-1
L11+530W 9+300N	56	2	1.4	0.2	7.6	36.5	2.9	11.4	2.9	0.8	2.5	0.5	2.6	0.5	1.2	0.2	1.2	0.2	-2	6		-100		1090	51	245	0.5	1140	-1	-1	-1	-1
L11+530W 9+325N	63	2	1.7	0.1	21.9	67.0	7.0	29.0	6.4	1.6	5.6	1.0	4.6	0.9	2.2	0.3	1.9	0.3	-2	4		-100		1740	14	809	0.4	2020	-1	-1	-1	-1
L11+530W 9+400N	23	3	0.5	0.2	6.6	15	2.3	9.0	1.9	0.8	1.7	0.4	1.9	0.4	1.0	0.1	1.1	0.1	68	-2		-100		2820	18	1940	0.9	2150	-1	-1	-1	-1
L11+530W 9+425N	76	2	1.5	-0.1	8.9	51.5	2.9	12.1	2.5	1.1	2.6	0.4	2.0	0.4	1.2	0.1	1.0	0.2	-2	-2		-100		19500	16	641	0.2	2960	-1	-1	-1	-1
L11+530W 9+450N	32	1	0.7	-0.1	4.7	35	1.6	6.0	1.4	0.9	1.4	0.2	1.1	0.2	0.5	-0.1	0.5	-0.1	-2	-2		-100		22500	7	715	0.2	2920	-1	-1	-1	-1
L11+530W 9+475N	45	-1	1.1	-0.1	11.0	69.8	4.0	17.4	4.4	1.5	4.3	0.8	3.5	0.7	2.0	0.2	1.8	0.3	-2	3		-100		15900	6	553	0.3	2670	-1	-1	-1	-1
L11+530W 9+500N	85	2	2.2	-0.1	12.7	53.7	3.7	15.4	3.3	1.3	3.2	0.6	2.6	0.5	1.2	0.2	1.1	0.1	-2	4		-100		1840	14	375	0.3	2530	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*													*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L11+530W 9+550N	33	-1	0.7	-0.1	22.5	54.1	6.9	31.4	7.5	2.2	6.8	1.3	6.3	1.3	3.6	0.4	2.9	0.4	12	-2	-100	7550	11	671	0.5	2900	-1	-1	-1	-1
L11+530W 9+625N	26	1	0.7	0.1	51.8	41.1	15.0	67.7	15.1	3.3	13.9	2.4	10.9	2.4	5.8	0.7	4.1	0.7	13	-2	-100	1180	7	2420	0.3	651	-1	-1	-1	-1
L11+530W 9+650N	38	1	0.9	-0.1	20.0	49.7	6.0	24.9	5.4	1.7	4.9	0.9	4.3	0.8	2.2	0.3	1.8	0.2	-2	2	-100	2950	6	650	0.2	1970	-1	-1	-1	-1
L11+530W 9+675N	24	1	0.6	-0.1	25.6	37.1	8.6	37.5	9.0	2.3	7.4	1.3	6.5	1.3	3.5	0.4	3.1	0.5	-2	-2	-100	2570	3	751	0.1	1130	-1	-1	-1	-1
L11+530W 9+700N	44	2	1.0	0.1	28.0	51.2	9.0	41.9	10.2	2.8	9.7	1.9	9.2	1.9	5.1	0.6	4.1	0.6	-2	-2	-100	3530	21	3010	0.6	2860	-1	-1	-1	-1
L11+530W 9+725N	65	2	1.7	0.1	25.8	83.1	7.4	29.3	6.2	1.9	6.1	1.0	4.4	0.8	2.1	0.2	1.5	0.2	-2	5	-100	1770	7	916	0.3	3180	-1	-1	-1	-1
L11+530W 9+750N	87	4	1.5	0.2	35.9	107.0	11.7	47.4	11.4	2.8	9.4	1.7	8.2	1.4	4.0	0.5	2.9	0.4	-2	4	-100	5380	10	1020	0.4	3550	-1	-1	-1	-1
L11+530W 9+775N	41	1	1.0	-0.1	14.6	48.7	11.8	17.4	4.2	1.4	3.6	0.7	3.3	0.6	1.7	0.2	1.4	0.2	-2	2	-100	9000	6	911	0.2	2850	-1	-1	-1	-1
L11+530W 9+800N	28	2	0.7	-0.1	12.6	29.7	3.7	16.7	3.9	1.4	4.0	0.7	3.8	0.7	2.1	0.4	1.9	0.3	-2	-2	-100	4580	13	1020	0.5	2690	-1	-1	-1	-1
L11+530W 9+825N	100	6	1.8	0.5	9.1	30.1	2.8	9.6	3.6	2.1	2.4	0.4	1.9	0.4	1.1	0.1	1.1	0.2	-2	3	-100	26100	61	1140	1.9	8960	-1	-1	-1	-1
L11+530W 9+850N	51	1	1.2	-0.1	12.7	34.3	4.1	17.9	4.3	1.9	3.9	0.7	3.4	0.7	2.1	0.2	1.8	0.3	-2	3	-100	6900	6	981	0.3	4990	-1	-1	-1	-1
L11+530W 9+875N	33	1	0.9	-0.1	4.4	12.1	1.4	5.7	1.4	0.9	1.2	0.3	1.0	0.2	0.6	-0.1	0.6	-0.1	-2	-2	-100	870	4	713	0.2	3000	-1	-1	-1	-1
L11+530W 9+900N	25	-1	0.6	-0.1	5.0	16.0	1.6	6.9	1.8	1.1	1.7	0.3	1.5	0.3	0.8	-0.1	0.8	0.1	-2	-2	-100	1450	4	720	0.2	3890	-1	-1	-1	-1
L11+530W 9+950N	40	2	1.0	-0.1	6.8	20.4	2.2	8.9	1.9	1.3	1.7	0.3	1.3	0.2	0.7	-0.1	0.5	-0.1	-2	-2	-100	944	14	720	0.3	4110	-1	-1	-1	-1
L11+530W 9+975N	34	1	0.9	-0.1	7.6	22.0	2.4	12.1	2.4	1.7	2.1	0.4	2.2	0.4	1.2	0.1	0.9	0.2	-2	2	-100	3920	13	783	0.2	5150	-1	-1	-1	-1
L11+530W 10+000N	17	-1	0.4	-0.1	5.4	8.0	1.2	5.9	1.3	0.9	1.2	0.2	1.1	0.2	0.6	0.1	0.6	-0.1	-2	-2	-100	454	8	663	0.1	3070	-1	-1	-1	-1
L11+530W 10+025N	24	1	0.5	-0.1	3.6	9.5	1.2	5.4	1.2	1.1	1.0	0.2	1.1	0.2	0.6	-0.1	0.5	-0.1	-2	-2	-100	3230	15	690	0.4	4180	-1	-1	-1	-1
L11+530W 10+050N	32	-1	0.8	-0.1	27.8	76.4	9.1	40.7	10.0	3.0	9.3	1.8	9.4	1.8	5.1	0.6	4.2	0.6	77	-2	-100	11700	9	1620	0.3	2960	-1	-1	-1	-1
L11+530W 10+075N	47	-1	1.1	-0.1	13.9	65.0	4.9	20.8	4.9	1.7	4.7	0.9	4.6	0.9	2.3	0.3	2.0	0.3	-2	2	-100	6980	7	611	0.2	2890	-1	-1	-1	-1
L11+530W 10+100N	62	2	1.3	-0.1	7.7	48.9	2.6	11.0	2.7	1.3	2.5	0.4	2.4	0.4	1.0	0.2	1.1	0.1	-2	-2	-100	7820	9	649	0.2	3830	-1	-1	-1	-1
L11+530W 10+125N	34	1	0.8	-0.1	4.5	13.7	1.5	6.2	1.4	1.3	1.2	0.2	1.1	0.2	0.7	-0.1	0.5	-0.1	-2	-2	-100	5160	12	670	0.3	5090	-1	-1	-1	-1
L11+530W 10+150N	47	1	1.1	-0.1	8.5	27.1	2.7	10.2	2.0	1.5	1.7	0.3	1.4	0.3	0.7	-0.1	0.5	-0.1	-2	2	-100	2210	4	716	0.2	4920	-1	-1	-1	-1
L11+530W 10+175N	32	1	0.7	-0.1	3.8	9.1	1.1	4.4	0.9	1.1	0.8	0.1	0.7	0.1	0.3	-0.1	0.7	-0.1	-2	-2	-100	765	7	670	0.2	4500	-1	-1	-1	-1
L11+530W 10+200N	57	1	1.4	-0.1	7.4	23.9	2.6	10.7	2.5	1.5	2.1	0.4	1.8	0.4	0.9	0.1	0.8	0.2	-2	2	-100	2470	8	817	0.1	4310	-1	-1	-1	-1
L11+530W 10+225N	41	1	1.0	-0.1	9.2	21.5	3.1	12.5	3.0	1.4	2.7	0.5	2.7	0.5	1.5	0.2	1.3	0.2	-2	-2	-100	1560	9	939	0.3	3360	-1	-1	-1	-1
L11+530W 10+250N	44	1	1.2	-0.1	25.7	85.1	8.3	41.6	7.8	2.2	7.2	1.3	6.2	1.2	3.4	0.4	2.8	0.4	-2	-2	-100	3380	7	616	0.2	2820	-1	-1	-1	-1
L11+530W 10+275N	31	-1	0.8	-0.1	14.8	29.7	4.5	18.5	4.2	1.7	4.2	0.7	3.9	0.7	2.1	0.3	1.8	0.2	-2	-2	-100	2620	5	990	0.2	3280	-1	-1	-1	-1
L11+530W 10+300N	31	-1	0.8	-0.1	7.3	25.1	2.8	10.2	2.4	1.1	2.1	0.4	2.1	0.4	1.1	0.1	0.9	0.1	-2	-2	-100	1100	8	919	-0.1	2990	-1	-1	-1	-1
L11+530W 10+325N	32	-1	0.7	-0.1	21.4	59.6	6.3	27.9	6.9	2.2	6.5	1.1	5.9	1.2	3.3	0.4	2.7	0.4	4	-2	-100	3670	3	1250	-0.1	3960	-1	-1	-1	-1
L11+530W 10+350N	15	-1	0.3	-0.1	12.8	31.1	3.9	15.9	3.7	1.3	3.6	0.6	3.1	0.6	1.7	0.2	1.4	0.2	-2	-2	-100	4120	8	1050	0.1	2450	-1	-1	-1	-1
L11+530W 10+375N	24	2	0.7	-0.1	3.3	7.3	1.0	4.2	1.0	1.3	0.8	0.2	0.8	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	185	15	1110	0.4	4480	-1	-1	-1	-1
L11+530W 10+400N	27	-1	0.7	-0.1	7.3	19.8	2.0	8.7	1.9	1.3	1.5	0.3	1.5	0.3	0.7	-0.1	0.7	-0.1	-2	-2	-100	1220	7	1330	-0.1	4340	-1	-1	-1	-1
L11+530W 10+425N	28	1	0.7	-0.1	5.8	19.8	1.9	8.3	1.8	0.9	1.8	0.3	1.6	0.3	0.8	-0.1	0.8	0.1	-2	-2	-100	1750	10	887	0.3	2560	-1	-1	-1	-1
L11+530W 10+450N	18	-1	0.5	-0.1	10.0	23.1	3.0	12.8	3.2	1.3	3.1	0.6	2.7	0.6	1.6	0.2	1.3	0.2	-2	-2	-100	2860	4	1560	0.2	2820	-1	-1	-1	-1
L11+630W 9+300N	27	2	0.7	0.1	14.4	27.5	4.6	21.5	4.6	1.3	4.3	0.8	4.0	0.9	2.4	0.3	2.1	0.3	-2	-2	-100	3050	14	789	0.9	1310	-1	-1	-1	-1
L11+630W 9+375N	27	1	0.5	-0.1	16.1	27.3	6.1	24.4	6.0	1.7	5.7	1.2	5.9	1.3	3.3	0.4	2.7	0.4	35	-2	-100	1400	9	1290	0.4	1390	-1	-1	-1	-1
L11+630W 9+400N	42	-1	1.0	-0.1	20.9	84.4	7.1	30.5	7.1	2.0	6.7	1.2	6.4	1.2	3.4	0.4	2.7	0.4	12	-2	-100	15600	26	927	0.2	2680	-1	-1	-1	-1
L11+630W 9+425N	48	1	1.0	-0.1	15.6	97.9	4.9	21.2	5.1	1.8	5.0	0.8	4.4	0.9	2.3	0.3	2.1	0.3	-2	-2	-100	24100	13	1020	0.2	2800	-1	-1	-1	-1
L11+630W 9+450N	63	-1	1.3	-0.1	8.6	64.7	2.6	10.7	2.6	1.1	2.4	0.4	2.1	0.4	1.0	0.1	1.0	0.1	-2	-2	-100	13200	7	1080	0.1	2140	-1	-1	-1	-1
L11+630W 9+500N	16	-1	0.5	-0.1	10.0	26.0	3.4	14.8	3.5	1.2	3.5	0.6	3.3	0.7	2.0	0.2	1.7	0.3	-2	-2	-100	3490	3	642	0.3	2070	-1	-1	-1	-1
L11+630W 9+525N	78	2	2.1	-0.1	23.9	61.9	7.9	33.9	8.1	2.3	7.6	1.4	7.3	1.4	4.3	0.6	3.8	0.6	15	3	-100	6340	21	894	0.3	2080	-1	-1	-1	-1
L11+630W 9+550N	28	-1	0.7	-0.1	19.9	37.3	7.7	28.4	7.1	1.9	6.8	1.3	6.9	1.3	3.7	0.5	3.3	0.5	-2	-2	-100	5500	3	807	0.2	1260	-1	-1	-1	-1
L11+630W 9+575N	50	-1	1.2	-0.1	37.8	113.0	11.3	50.0	11.0	2.5	10.0	1.7	8.0	1.5	4.3	0.5	3.3	0.5	-2	-2	-100	4690	20	982	0.2	973	-1	-1	-1	-1
L11+630W 9+625N	29	1	0.6	-0.1	32.2	58.4	10.8	48.3	10.5	2.6	9.4	1.6	8.5	1.7	4.5	0.5	3.8	0.5	-2	-2	-100	3210	4	988	-0.1	832	-1	-1	-1	-1
L11+630W 9+675N	74	1	2.1	-0.1	51.7	130.0	13.8	52.6	11.9	2.6	10.3	1.9	8.8	1.6	4.1	0.5	2.8	0.4	-2	4	-100	1840	11	1060	0.1	1510	-1	-1	-1	-1
L11+630W 9+700N	57	1	1.3	-0.1	8.4	17.5	2.2	8.9	1.9	0.9	1.8	0.3	1.7	0.4	0.9	0.1	0.8	0.1	-2	-2	-100	2890	16	955	0.3	2670	-1	-1	-1	-1
L11+630W 9+725N	34	-1	0.9	-0.1	27.6	48.8	8.1	34.6	8.0	1.9	7.2	1.2	6.2	1.2	3.1	0.4	2.5	0.4	-2	-2	-100	1620	2	857	-0.1	1640	-1	-1	-1	-1
L11+630W 9+750N	50	-1	1.2	-0.1	39.4	61.9	12.5	52.3	12.6	2.7	11.4	2.0	9.9	2.0	5.2	0.7	4.0	0.7	-2	-2	-100	1770	3	539	-0.1	1430	-1	-1	-1	-1
L11+630W 9+775N	86	4	1.9	0.1	13.2	32.9	3.6	14.4	2.9	1.4	2.7	0.4	2.2	0.4	1.2	0.1	1.1	0.2	-2	-2	-100	10900	24	1340	0.2	3500	-1	-1	-1	-1
L11+630W 9+800N	108	5	2.8	0.3	19.6	52.8	4.0	16.9	4.0	1.8	3.5	0.6	3.0	0.6	1.7	0.2	1.4	0.3	-2	4	-100	2970	35	1110	0.5	5050	-1	-1	-1	-1
L11+630W 9+825N	48	2	1.2	-0.1	21.3	56.6	7.0	29.0	6.7	2.0	5.9	1.1	5.3	1.0	2.5	0.3	2.1	0.3	-2	2	-100	4300	7	1160	0.2	3960	-1	-1	-1	-1
L11+630W 9+850N	39	1	1.0	-0.1	21.2	35.6	6.2	27.4	6.8	2.1	5.7	1.1	5.6	1.0	2.9	0.4	2.6	0.4	-2	-2	-100	3620	4	991	0.2	3280	-1	-1	-1	-1
L11+630W 9+875N	42	2	1.1	0.1	8.1	23.6	2.4	10.2	2.3	1.2	2.3	0.4	2.1	0.4	1.2	0.1	1.0	0.1	-2	3	-100	1900	12	1040	0.4	3550	-1	-1	-1	-1
L11+630W 9+900N	15	-1	0.4	-0.1	6.5	12.1	1.9	8.4	1.9	1.0	1.8	0.3	1.6	0.3	0.9	0.1	0.7	0.1	-2	-2	-100	2030	4	989	0.2	2620	-1	-1	-1	-1
L11+630W 9+925N	19	-1	0.6	-0.1	14.0	26.3	4.0	18.9	4.8	1.5	4.5	0.8	4.6	0.9	2.6	0.3	2.2	0.4	-2	-2	-100	5240	4	1320	0.4	2110	-1	-1	-1	-1
L11+630W 9+950N	30	-1	0.7	-0.1	14.1	36.6	4.5	19.6	4.7	1.7	4.4	0.9	4.5	0.9	2.4	0.3	2.1	0.3	-2	-2	-100	4560	5	1490	0.2	2700	-1	-1	-1	-1
L11+630W 9+975N	21	-1	0.5	-0.1	14.5	31.9	5.8	20.1	5.2	1.7	4.9	0.9	4.7	0.9	2.6	0.4	2.3	0.3	-2	-2	-100	6240	3	1180	0.2	2160	-1	-1	-1	-1
L11+630W 10+000N	30	1	0.8	-0.1	7.5	28.6	2.6	10.6	2.5	1.2	2.4	0.5	2.4	0.5	1.3	0.2	1.8	0.2	-2	-2	-100	1550	4	973	0.3	2890	-1	-1	-1	-1

Enzyme Leach Job #: 2643
Trace element values are in
Values = 999999 are greate

Regular Package:	*Elements:*				*Rare Earth Elements:*													*Lithophile Elements:*								*P.G.E.s:*			
Sample ID:	Zr	Nb	Hf	Ta	La	Ce	Pr	Nd	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu	S.Q. Li	Be	S.Q. Sc	Mn	Rb	Sr	Cs	Ba	Ru	Pd	Os	Pt
L11+630W 10+025N	27	-1	0.7	-0.1	17.8	30.6	5.5	26.2	6.6	2.2	6.2	1.2	6.4	1.4	3.6	0.5	3.2	0.5	-2	-2	-100	2850	6	1390	0.3	2830	-1	-1	-1	-1
L11+630W 10+050N	74	2	1.7	-0.1	12.7	56.0	4.7	19.9	4.7	1.8	4.3	0.8	4.1	0.8	2.2	0.3	1.9	0.3	-2	3	-100	9740	9	1030	0.3	3310	-1	-1	-1	-1
L11+630W 10+075N	98	3	2.7	-0.1	12.7	33.7	2.8	12.5	2.6	1.6	2.2	0.4	1.6	0.3	0.8	-0.1	0.7	-0.1	-2	4	-100	6530	9	863	0.4	4670	-1	-1	-1	-1
L11+630W 10+100N	83	2	2.0	-0.1	7.3	38.8	3.0	10.2	2.3	1.5	2.2	0.4	2.2	0.4	1.0	0.2	0.9	0.1	-2	3	-100	6640	14	1120	0.4	4840	-1	-1	-1	-1
L11+630W 10+125N	70	2	1.9	0.1	16.0	58.2	6.5	22.8	5.4	2.5	4.8	0.9	4.3	0.8	2.1	0.3	1.9	0.3	-2	5	-100	1780	42	872	0.6	5800	-1	-1	-1	-1
L11+630W 10+150N	57	1	1.5	-0.1	20.0	50.7	6.3	26.8	6.5	2.3	5.8	1.1	5.5	1.1	3.0	0.4	2.6	0.4	-2	3	-100	1680	15	1060	0.6	4180	-1	-1	-1	-1
L11+630W 10+175N	97	3	2.4	0.2	17.3	43.5	4.9	24.1	4.7	2.2	4.4	0.8	3.7	0.7	1.9	0.3	1.8	0.3	-2	3	-100	3980	23	1090	0.8	5520	-1	-1	-1	-1
L11+630W 10+200N	48	2	1.2	0.1	7.5	19.3	2.4	9.8	5.3	1.4	2.3	0.4	1.8	0.4	1.1	0.2	1.0	0.1	-2	-2	-100	6200	20	1070	0.5	4110	-1	-1	-1	-1
L11+630W 10+225N	57	1	1.4	-0.1	10.7	26	3.3	14.5	3.3	1.6	2.9	0.5	2.6	0.5	1.3	0.2	1.3	0.2	-2	2	-100	1110	15	878	0.5	4450	-1	-1	-1	-1
L11+630W 10+250N	34	-1	0.8	-0.1	6.6	18.0	2.5	9.2	2.1	1.1	1.8	0.3	1.5	0.3	0.8	0.1	0.9	-0.1	-2	-2	-100	4290	6	1130	0.1	3250	-1	-1	-1	-1
L11+630W 10+275N	38	-1	0.9	-0.1	26.2	47.9	7.9	33.8	7.9	2.4	7.1	1.4	6.9	1.3	3.8	0.4	3.3	0.5	-2	-2	-100	7320	2	1300	0.1	4790	-1	-1	-1	-1
L11+630W 10+300N	30	-1	0.7	-0.1	25.0	50.8	7.4	32.5	7.3	2.3	6.8	1.2	6.0	1.2	3.1	0.4	2.7	0.4	-2	-2	-100	9680	1	922	-0.1	4830	-1	-1	-1	-1
L11+630W 10+325N	10	-1	0.3	-0.1	7.9	20.4	2.4	10.0	2.2	1.1	2.3	0.4	2.1	0.4	1.2	0.2	1.1	0.2	19	-2	-100	2820	4	1090	-0.1	2600	-1	-1	-1	-1
L11+630W 10+350N	31	-1	0.8	-0.1	3.9	10.3	1.2	5.3	1.2	1.4	1.3	0.2	0.9	0.2	0.6	-0.1	0.5	-0.1	-2	-2	-100	3140	6	741	0.1	5290	-1	-1	-1	-1
L11+630W 10+375N	24	-1	0.5	-0.1	9.8	28.8	2.9	12.8	3.3	1.8	3.0	0.5	2.9	0.5	1.6	0.2	1.3	0.2	-2	-2	-100	7370	3	1130	-0.1	4950	-1	-1	-1	-1
L11+630W 10+400N	9	-1	0.3	-0.1	6.2	12.6	1.7	7.8	1.8	1.0	2.0	0.4	1.7	0.4	1.1	0.1	1.0	0.1	-2	-2	-100	3070	-1	788	-0.1	3210	-1	-1	-1	-1
L11+630W 10+425N	14	-1	0.3	-0.1	10.0	29.2	3.1	14.3	3.4	1.2	3.2	0.6	2.8	0.6	1.6	0.2	1.5	0.2	-2	-2	-100	8680	6	988	-0.1	1810	-1	-1	-1	-1
L11+630W 10+450N	25	-1	0.6	-0.1	16.7	40.5	5.3	23.6	5.8	1.7	5.7	1.1	5.8	1.1	2.9	0.4	2.8	0.4	61	-2	-100	4040	17	2060	0.4	1410	-1	-1	-1	-1
L10+000W 9+975N	28	1	0.7	-0.1	20.6	83.5	6.9	29.0	6.8	1.8	6.6	1.2	6.1	1.2	3.1	0.4	2.3	0.4	14	-2	-100	3380	9	1090	0.4	1010	-1	-1	-1	-1
L10+000W 10+275N	11	-1	0.2	-0.1	4.9	10.3	1.4	6.3	1.7	0.9	1.5	0.3	1.4	0.3	0.9	0.2	0.7	-0.1	-2	-2	-100	2040	21	1680	0.6	2540	-1	-1	-1	-1
L10+100W 9+725N	13	-1	0.4	-0.1	8.9	23.6	3.1	14.9	3.8	1.3	3.5	0.7	3.3	0.6	1.5	0.2	1.3	0.2	-2	-2	-100	2800	4	1070	0.2	2490	-1	-1	-1	-1
L10+100W 9+975N	29	-1	0.7	-0.1	15.3	32.5	4.9	20.7	5.2	1.9	5.0	0.9	5.0	0.9	2.6	0.3	2.3	0.4	-2	-2	-100	6460	17	640	0.4	3090	-1	-1	-1	-1
L10+200W 10+025N	12	-1	0.2	-0.1	6.6	11.9	2.1	9.2	2.3	1.0	2.4	0.4	2.4	0.5	1.4	0.2	1.1	0.2	-2	-2	-100	2140	8	1040	0.3	1900	-1	-1	-1	-1
L10+100W 10+275N	114	2	2.5	-0.1	16.5	58.0	5.4	23.1	4.6	1.7	4.3	0.7	3.6	0.7	2.0	0.2	1.8	0.2	-2	4	-100	5390	29	738	0.2	2640	-1	-1	-1	-1
L10+200W 10+275N	64	1	1.4	-0.1	11.2	44.0	4.6	15.2	3.5	1.7	3.1	0.6	3.2	0.6	1.5	0.2	1.4	0.2	-2	3	-100	9040	38	860	0.4	3860	-1	-1	-1	-1
L10+300W 9+975N	9	-1	0.3	-0.1	4.9	12.5	1.4	6.5	1.7	0.9	1.5	0.3	1.4	0.3	0.9	0.1	0.8	0.1	-2	-2	-100	2860	10	1220	0.5	2660	-1	-1	-1	-1
L10+400W 9+975N	14	-1	0.3	-0.1	6.4	15.6	2.1	9.1	2.2	1.3	2.0	0.4	2.0	0.4	1.2	0.2	1.0	0.2	-2	-2	-100	4570	5	750	0.2	3990	-1	-1	-1	-1
L10+300W 10+275N	52	-1	1.3	-0.1	9.6	21.4	3.0	13.1	2.9	1.4	3.1	0.5	2.7	0.5	1.5	0.2	1.4	0.2	-2	2	-100	6160	2	836	-0.1	3110	-1	-1	-1	-1
L10+400W 10+275N	52	2	1.2	-0.1	4.4	10.0	1.4	6.1	1.3	1.0	1.1	0.2	0.9	0.2	0.5	-0.1	0.5	-0.1	-2	-2	-100	458	9	918	0.2	3700	-1	-1	-1	-1
L10+500W 9+975N	27	-1	0.6	-0.1	12.4	27.3	4.0	17.8	4.5	1.4	4.2	0.8	4.1	0.9	2.6	0.4	2.7	0.4	-2	-2	-100	1650	12	649	0.2	1170	-1	-1	-1	-1
L10+500W 10+275N	36	2	0.9	-0.1	7.9	22.7	14.0	11.7	2.6	1.5	2.0	0.5	2.1	0.4	1.0	0.1	1.0	0.1	-2	2	-100	5470	12	640	0.5	4520	-1	-1	-1	-1
L8+800W 10+075N	27	1	0.8	-0.1	12.0	24.6	4.4	18.9	4.6	1.3	4.1	0.8	4.1	0.8	2.0	0.3	1.8	0.3	-2	-2	-100	2190	13	976	0.4	1520	-1	-1	-1	-1

Interpretation of Enzyme Leach[SM] Data for the Maverick Prospect

by: Gregory T. Hill, Enzyme Exploration Services, Inc., an Actlabs Group company

28 March 2003

Summary

A complex geochemical distribution is present within the Maverick Enzyme Leach[SM] soil survey. Three primary target areas are defined as Targets A, B, and C. Interference between electrochemical cells has significantly obscured these anomalies making definition of them more difficult. Nonetheless, these three well-developed robust oxidation anomalies are distinctive among the data set. Drilling is recommended to test the subsurface beneath linear Au trends that are surrounded by zoned halos and nested halos developed among oxidation suite and other elements at Targets A and B. Because of a paucity of Au detections in the Target C area, drill testing of this anomaly is not recommended at this time. However, additional soil sampling should be considered to the northeast of the current soil grid in order to better define the geochemical response in this area.

Selective Extraction Patterns

Enzyme Leach[SM] analyses of *B*-horizon soils reveal trace element patterns related to reduced bodies including mineral deposits in the subsurface. These patterns form in response to active electrochemical cells that are fueled by the subtle oxidation and/or bio-oxidation of buried reduced bodies. As a reduced body sheds electrons toward the surface, a reduced chimney is established vertically above that body. Volatile species involving trace elements are formed at, or released from, the oxidation/reduction interface and these rise vertically along and outside the boundary of the reduced chimney and/or within this reduced column. The path a particular compound takes to the surface depends on the distribution of that compound (or predecessor compounds) in the subsurface, and the geochemistry of the transported compound. When the gasses reach the surface, a portion is trapped in and on mineral grains through adsorption and incorporation into amorphous oxide coatings and other mechanisms, thus forming halo patterns around a central low. In addition, voltage gradients set up at the top of the reduced chimney (i.e. at the surface directly above the reduced body) cause the redistribution of some elements, already present at the surface or in the subsurface above the reduced body, into halos and depletion zones. Some elements also form highs directly above reduced bodies or fault traces. The term oxidation anomaly refers to the combination of these patterns. While some compounds found at the surface are compositionally identical to those found in the subsurface, others cannot necessarily be traced directly back to the subsurface and thus, likely represent components of compounds that have undergone chemical changes during the various stages of formation, transport, and trapping.

This report shall not be reproduced except in full without the written approval of Enzyme Exploration Services, Inc.

Oxidation halos are typically asymmetrical, and may require comparison of a number of trace element patterns before they become apparent. Where a strong oxidation cell is present in the subsurface, nested halos often occur, in which one can recognize ring-shaped or elliptical highs of differing dimensions, positioned one within another, in a plot of a single element. Zoning in which different elements form halos of different dimensions is also typical in oxidation halos above mineral deposits. Recognizing nested halo patterns, zoning, and depletion can be of great assistance in vectoring toward the center of an oxidation anomaly. These features are also important in assessing the intensity of the system responsible for the formation of an oxidation anomaly.

Where more than one reduced body is present, oxidation anomalies are frequently combined or partially overlap. Under these circumstances, oxidation patterns related to reduced bodies tend to interfere with one another making recognition of anomalies above individual reduced bodies more difficult. Other difficulties stem from the fact that the oxidation anomalies commonly extend beyond the limits of the surveyed area. Sorting out these patterns requires a careful analysis of the data, a working model of the geochemical system, and experience. Where two or more deposits occur beneath the same soil survey, they will often have significantly different surface signatures. These differences can relate to variability in composition, depth, host rocks, size, or a number of other factors. The key to interpretation of selective extraction data is pattern recognition in conjunction with other available geologic and geophysical information. Thus, the interpretation of selective extraction data is enhanced by comparison with other available project data.

Geology and Mineralization

The Maverick prospect is located within the right-lateral Tintina fault zone. Pull apart basins have formed along the fault zone where Eocene sedimentation and volcanism has filled down-dropped blocks. Post-Eocene uplift and erosion has exposed Eocene rocks within some grabens. The south bounding fault of one such graben, the Canyon graben, occurs along the southwestern margin of the survey. Seven kilometers to the east, a 200,000 oz. Au deposit occurs immediately north of this fault which juxtaposes Permian cherts and Eocene volcanics. North-trending extensional faults are considered important within the area of known mineralization. Glacial overburden and recent alluvial cover conceal bedrock throughout the survey area.

Aerial photographs and geophysical data have been provided to the author for comparison purposes. A number of the geophysical features correspond with geochemical features, many of which are interpreted to represent faults or lithologic contacts. However, a comprehensive comparison between the geophysical and geochemical data sets was not undertaken as it is beyond the scope of this report.

Design of Soil Survey, Sample Collection, and Analysis

B-horizon soils were collected from 1170 sites along 30 northeast-trending sample traverses designed and sampled by A. Carlos. The author has not visited the field area. Samples were collected at 25 m spacings along traverses separated by 100 m (Figure 1). Several gaps occur in the sample traverses because of surface disturbance or the presence of stream beds or permafrost conditions which exist intermittently within the project area. Samples were shipped to Activation Laboratories Ltd. in November 2002 and analyzed by Enzyme Leach[SM]. Data were reported in February 2003, data report number 26417rpt.




Figure 1. Sample location map overlaid on aerial photographs. The northeast trending linear is a seam between two aerial photographs.

The Cl and As distributions show clear evidence of analytical variation in the form of batch effects in which the values within adjacent sample blocks are shifted relative to each other. The problem is most pronounced with Cl; with As only one batch appears to have problems with background values shifted to lower values than the remainder of the data. No significant analytical problems were encountered within the remainder of the data set. Ratios of Cl/Mn and Cl/I are utilized in this interpretation because they provide key information. For better resolution, the Cl values used to calculate these ratios were leveled, prior to calculating these parameters. The leveled Cl values were calculated by defining contiguous blocks of data, calculating simple statistics for each of these blocks, and applying normalizing factors to each block so that

background and anomalous values are similar for each block. The leveled Cl and Cl/Mn and Cl/I values are included within the Geosoft database included with this report.

Data Treatment and Presentation

Geosoft Oasis Montaj v. 5.1.4 software was used to process and display the geochemical data. The plots contained herein utilize a color image map based on Kriged data using a 15 m by 15 m cell spacing. Linear distributions were used when making these maps because various transforming methods, such as log transforms, conceals important features in the data and that non-transformed data yield plots with the most distinctive diagnostic geochemical patterns. It is important to recognize that different data treatments and plotting protocols can and often do have significant impacts on the resulting maps. Because of this, several different views or treatments of data are applied to the distributions of some elements. However, providing multiple maps for each element is impractical and unnecessary, so in most cases, only one map per element is included with this report. Nonetheless, the recognition of many of the patterns discussed here has benefited from multiple views of the data. The Geosoft workspace used for this interpretation, along with an installation CD containing a free Geosoft viewer, is included with this report so the reader can manipulate the plots of any element.

Interpretation

The distribution of elements is complex and reflects the presence of several overlapping and zoned oxidation halos. Interference between the electrochemical cells responsible for the formation of these anomalies, significantly obscures them. In addition, variations in background are also present, which also make recognition of the oxidation anomalies difficult. The background variations are related to differences in surficial materials in some parts of the survey. Thus, interference between adjacent electrochemical cells and background variations must be taken into account when interpreting these data.

Three primary target areas have been defined as Targets A, B, and C (Figure 2). These are large areas defined primarily by oxidation suite element distributions. In addition to these broad target areas, at least one additional, but much smaller target area is also present in the northwestern corner of the survey. This area could be considered part of Target A because it occurs within the oxidation anomaly associated with that feature. Specific drill hole targeting, including this area, is presented at the conclusion of this report.

The Target A anomaly encompasses much of the northwestern half of the survey. Several oxidation suite elements form nested halos centered on a distinctive northwest-trending Au high where it intersects a north-northwest-trending Bi high. While many elements are distributed into distinctive halo or nested halo patterns here, Be forms the most distinctive halo around this Au zone. Other parameters such as V/Mn and Ba form distinctive halos centered progressively farther to the southeast, roughly along strike of the Au high. Thus, Target A could be considered




Figure 2. Anomaly summary and structural interpretation overlaid on aerial photographs. Examples of interpreted halo outlines are shown along with Au, Bi, and Cu highs. Targets A, B, and C are defined in the northwest, southeast, and east, respectively.

to extend to about the center of the grid where it intersects an I halo which may indicate a buried intrusion. The composition of the Target A anomaly changes considerably along this southeastern trend likely indicating an evolution of the hydrothermal fluids associated with a predicted buried mineralized system.

The Target B anomaly has a very different signature from Target A and occurs in a cloud of Au enrichment which envelopes several west-northwest and northwest-trending Au highs. Halo or nested halo patterns are formed by several oxidation suite elements although these are significantly obscured by interference from other geochemical features including the Target C oxidation anomaly and variations in background values related to differences in soil types.

Target C is centered in the northeastern portion of the survey and also has a unique geochemical signature. Arcing highs in several oxidation suite elements indicate the presence of nested halos. At least half of this anomaly appears to lie beyond the northeastern margin of the grid. This oxidation anomaly extends well into the survey and interferes with and is interfered by the Target A and B anomalies. In addition, this anomaly is significantly masked by the presence of

high-background soil samples within the broad north-trending drainage that drains the survey area.

Oxidation Suite Elements

Gold is distributed into west-northwest and northwest-trending highs reaching values up to about 0.7 ppb Au in the northwestern and southeastern portions of the soil survey (Figure 3). Several other Au responses are also present, occurring in less well-defined zones and spot anomalies including the highest Au value of 1.16 ppb near the center of the survey. Most of the well-defined Au high trends and many of the spotty gold responses occur within the oxidation anomalies or are associated with other important geochemical features such as the north-northwest-trending Bi high.




Figure 3. Gold distribution overlaid by examples of interpreted halos and linear highs.

Uranium forms some of the most distinctive halos at Targets A, B, and C (Figure 4). Nested U halos are particularly recognizable at Target A where a much smaller diameter inner halo surrounds the northwest-trending Au high and is surrounded by a much more distal U halo that extends to near the northern, northeastern, and northwestern margins of the soil survey. As illustrated by the example of the Be halo, Target A is clearly zoned with respect to many elements. In the case of U, the proximal halo occurs outboard of smaller-diameter halos developed in several elements including Be. The U patterns at Targets B and C are also indicative

of oxidation cells but those patterns are somewhat less continuous and less well defined. Thorium is also distributed into a distinctive nested halo at Target A and less definitive halo patterns at Target B. The Target A Th central low is centered directly on the northwest-trending Au high and extends at least 300 m to the southeast of that feature indicating that buried Au mineralization may extend significantly to the southeast of the Au high at the center of Target A. Th is also significantly enriched around the Au responses at Target B. In addition, the Th distribution provides strong evidence of structural features. One example is the north-trending Th gradient that truncates the northwestern ends of the strongest Target B Au highs. This gradient is interpreted to represent a fault that truncates mineralized zones in the subsurface.




Figure 4. Uranium distribution overlaid by Be and U halos and Au and Bi highs and structural interpretation. Uranium halos and nested halos indicated by dotted outlines.

Vanadium, Mo, and Re are discontinuously enriched into the Target A and Target B anomalies but V forms higher-contrast and more distinctive nested-halo patterns at Target B (Figure 5). The distributions of these elements appear to be strongly structurally controlled throughout the survey. At Target A, V is clearly distributed into discontinuous nested halos surrounding an apical northwest-trending high that roughly corresponds with the Au high at the center of the anomaly. Molybdenum and Re have similar but less distinctive distributions at Target A. Target C is not strongly indicated by the V distribution but contains Mo and Re enrichments which, along with Cl responses may indicate an intrusive source for the Target C anomaly.

Arsenic and Sb are commonly associated with Au mineralization and show important indications of such in this survey. Antimony is distributed into nested halos at Targets A and B and is enriched into a possible halo at Target C. The most distinctive feature in the As distribution is a northwest-trending high that has a similar strike to the northwest-trending Au high at Target A and projects directly toward Target B. When truncated, it is apparent that this pathfinder element is distributed into subtle halos at Targets A and B.

The halogens are discontinuously distributed into halos at Targets A, B, and C. However, these elements also appear to be distributed into an approximately 600 m wide halo near the center of the grid which may represent an intrusive unit (Figure 6). Because only spotty Au detections are associated with this halo, it is not highly ranked as an exploration target. A ratio of Br/I shows strong indications of halos at Targets A, B, and C. Because different voltages are required to oxidize and reduce the halogen species, some are liberated in proximal zones while others ascend from more distal zones. This leads to halogen zoning at the surface which is reflected in halogen ratios.

Tellurium and Hg were only detected in a few samples and do not provide distinctive patterns.




Figure 5. Vanadium distribution overlaid by Be and U halos and Au and Bi highs and structural interpretation. Uranium halos and nested halos indicated by dotted outlines.




Figure 6. Iodine distribution overlaid by Be halo and Au and Bi highs and structural interpretation. Note several I lows occur at interpreted structural intersections. These areas may host sulfide accumulations which are generating small electrochemical cells. The apparent I halo near the center of the survey is associated with only a small number of spotty Au responses and may indicate the presence of an intrusion near the center of the grid.




Figure 7. Distribution of Br/I ratio overlaid by Be halo and Au and Bi highs and structural interpretation. The arcing halogen ratio patterns centered in the Target C area suggest the presence of an intrusive unit in that area. This intrusion may or may not be related to another interpreted intrusion near the center of the survey as suggested by the I distribution.

Rare Earth Elements

The REE are distributed into narrow halos around the Target A Au high as indicated by parallel REE high immediately northeast and southwest of the northwest-trending Au high. In addition, a more subtle REE distal halo is also present at Target A. At Target B, the REE form a distinctive halo from which the various Au highs radiate. These patterns are best developed among the Eu distribution (Figure 8) which suggests that these patterns, at least in part, represent feldspar alteration in the subsurface. The reason for this is that feldspars tend to contain anomalous concentrations of Eu relative to other REE. Therefore as alteration products are formed from feldspars, Eu is liberated into unstable or metastable phases in higher proportions that the remaining REE.




Figure 8. Distribution of Eu overlaid by Be halo and Au and Bi highs.

Base Metals

Bismuth is distributed into a north-trending high that crosses the northern half of the survey (Figure 9). This high is particularly distinctive because of the lack of detectable Bi in most of the remainder of the grid. The Bi high intersects the northwest-trending Au high at the center of the Target A anomaly suggesting that this area of predicted subsurface Au mineralization occurs at a structural intersection between north- and northwest-trending faults. This metal is also enriched in the southeastern portion of the survey, although these responses are not clearly associated with Target B. In addition, analytical problems are suspected with the Bi responses in the southeastern part of the grid. In this area, two areas of Bi responses occur. In both cases, apparent Bi trends occur along sample lines and the highest responses occur at the southwestern ends of the lines. From those points, the Bi values become progressively smaller thus suggesting memory effects. Nonetheless, these results do indicate the presence of Bi in this area, but the northeast trends may be an analytical artifact.




Figure 9. Distribution of Bi overlaid by examples of interpreted halos and linear highs.

Copper, Pb, Zn, and Cd are each distributed into the Target A and Target C oxidation anomalies although these base metals do not necessarily form distinctive patterns. However, linear trends are present within the distributions of these elements suggesting structural features in the subsurface. Zinc and Cd are enriched along with Ba and Mn in the area to the north of Target B. Interestingly, the strongest Cu, Pb, and Zn highs each occur in different parts of the grid suggesting that these metals are zoned relative to each other in the subsurface, suggesting the presence of a hydrothermal system or systems in the subsurface. Compared to numerous other Enzyme Leach^{SM} soil surveys performed by this author and others throughout the world, the maximum Cu, Pb, and Zn values within this survey strongly suggest hydrothermal enrichments of these base metals in the subsurface.

The Ni and Co distributions are not clearly indicative of the oxidation anomalies although these elements do appear to have been subjected to a small degree of electrochemical influence. Nickel forms highs that correspond with most of the Au highs associated with Targets A, B, and C and Co is distributed into a discontinuous halo at Target A and possibly at Targets B and C.

Thallium, Ga, and Ge form distinctive highs in the northwestern corner of the grid and subtle or absent indications of oxidation anomalies at Targets A, B, and C. Silver and Sn do not form distinctive patterns.

Lithophile Elements

The lithophile elements also tend to indicate alteration zones as many are typically highly enriched within igneous protoliths and alteration products. However, these elements also tend to be relatively abundant within surface materials. Therefore, the lithophile elements are often well distributed into oxidation anomalies but can also often be used to index variations in surface materials. As a result, it is essential to consider surficial deposits, particularly when interpreting lithophile element patterns.

Barium and Mn are each distributed into broad platform highs near 9200W-10000W and northeast of the base line. These highs likely reflect mechanically-transported Ba and Mn enrichments in the soil which were derived from alteration zones upstream. The Target B area is clearly indicated as a Ba halo and both elements clearly halo the northwest-trending Au high at Target A. Barium and Mn may be enriched in an oxidation anomaly associated with Target C. However, these elements are clearly enriched within the drainage in that area, thus obscuring the response of these elements associated with an electrochemical cell at Target C.

Lithium, Cs, and Rb each form high-contrast highs in the extreme northwestern corner of the survey. These occur along the Grew Creek fault and are also associated with Au and Bi enrichments. Strontium also forms a high here although it is much more subtle. These lithophile enrichments likely represent subsurface alteration in this area. They are also distributed into more subtle patterns associated with the Target A and B, and possibly Target C oxidation anomalies. These elements form apical highs that correspond with Au highs in these target areas, and some are also distributed into low-contrast halos. Some of the most useful information within the lithophile element patterns is contained in the more subtle patterning which indicates many structural features in the subsurface.

Beryllium forms a distinctive halo around the Target A northwest Au trend, clearly indicating this anomaly and suggesting an evolved intrusive influence on the composition of this anomaly. This incompatible element is also enriched in the Target B area although a halo does not appear to be present there.

High Field Strength Elements

The HFSE Zr and Hf are distributed into well-formed halos around the northwest-trending Au high at Target A, strongly indicating this target. These elements may also be discontinuously enriched at Targets B and C but these distribution do not strongly support these targets. Like the lithophile elements, Zr and Hf also suggest many structural features and the northwest-trending main drainage extending from the Target B area. Titanium and Nb show similar patterns but these are obscured by the very high values measured in the northwestern corner of the grid. For this reason, a truncated plot of Ti is included so that patterns in the middle data range are more recognizable. Tantalum and Cr do not form distinctive patterns but show enrichments in the northwestern corner of the survey that likely indicate altered soil materials.

Discussion and Recommendations

The trace element concentrations measured in this survey reveal a complex geochemical distribution which includes at least three significant oxidation anomalies, identified as Targets A, B, and C. There is significant interference between these and smaller electrochemical cells obscuring these features. The anomalies at Targets A and B are strong and contain the most highly ranked drill targets. It is suspected that Target C and perhaps the I halo near the center of the soil survey overlie buried intrusive units as suggested by the strong halogen responses associated with these anomalies.


Within Target A, drilling is recommended to test the northwest-trending Au high. Angled drill holes are suggested. Because the dip of the predicted Au mineralized zone is not known, northeast and southwest dipping drill holes should be considered. These drill holes should be oriented to target the intersection of the northwest-trending Au high where it intersects the north-trending Bi high. To accomplish this a -45°, 225° azimuth drill hole should be collared at approximately 11030W/9950N and drilled to a depth of 200 m. A second drill hole oriented at -45°, 45° azimuth should be collared at 11030W/9750N and drilled to a depth of 200 m. In addition, drill holes to the northwest and southeast along strike of this northwest-trending Au high should be considered. Assuming that Au mineralization is intercepted with this initial drilling, additional stepout drill tests of the subsurface should be undertaken to the southeast of the northwest-trending Au high because the distributions of several elements indicate that this zone extends to the southeast of the terminus of the Au high.


Drilling is also recommended to test the north-trending Au high and associated northwest-trending Bi high in the northwestern corner of the survey. Angled drill holes targeting the subsurface at 11430W/9425N and 11330W/9375N are recommended.


Drill testing of the Target B anomaly is also recommended. The highest priority drill target within this anomaly is at the apparent intersection between west-northwest and northwest-trending Au highs that occurs within the As central low. This intersection occurs at 9100W/10025N. A vertical drill hole collared at this location is recommended. In addition, angled drill holes at 8900W/10150N, -45°, 225° azimuth, and 8900W/9950N -45°, 45° azimuth are also recommended. Additionally, drill testing of the linear Au trends between 9300W and 9500W within the Target B area should also be considered.


The Target C anomaly is assigned a lower priority for drill testing. This is largely due to a lack of Au detections within this anomaly and a paucity of well-developed oxidation suite element halos. Prior to drill testing of this anomaly, additional soil sampling to the northeast is recommended to better define the oxidation anomaly.


Finally, drill testing of the I halo near the center of the survey is also recommended. A vertical drill hole collared near the center of the I halo, and near the highest Au response in the survey, at 10200W/10275N is suggested.



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
Au highs
As halo
V/Mn halo
Bi high
Be halo
Cu high
Ba halo
interpreted structures or contacts
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Anomaly Summary Map
Drawn by: G.T. Hill
Date: 26 March 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
416 35 55 74 94 113 145 176 207 238
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Arsenic
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1 5 8 12 17 23 29 35 41 46 52 58 64 70 >75
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Arsenic
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
33 77 121 192 262 333 404 474 545 616
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Vanadium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
312 27 41 56 71 85 100 124 147 171 194
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Molybdenum
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.01 0.04 0.06 0.08 0.10 0.13 0.15 0.17
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Rhenium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.04 0.18 0.31 0.44 0.58 0.71 0.84 0.98
ppb
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Gold
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1 3 5 7 9 11 14 17 21 24 27 31 34 37 41 44
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Antimony
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
3 4 5 6 7 8 10 11 13 15 16 18 20 22 23 25
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Selenium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1.1 4.2 7.4 10.5 14.5 18.6 22.6 26.7 30.7 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Thorium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.3 2.1 4.0 5.8 7.6 9.5 11.3 13.7 16.1
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Uranium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
3216 15380 31193 47005 62818 78631
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Chlorine
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
17 66 115 194 273 352 431 509 588 667 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Bromine
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
3 9 15 25 35 44 54 64 74 84 94 103 119 135 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Iodine
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1.2 2.4 3.7 5.0 6.2 7.5 8.7 10.0 11.6 13.2 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Tungsten
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1.0 1.4 1.7 2.1 2.4 2.8 3.1 3.5 3.8 4.1
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Mercury
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1.0 1.2 1.3 1.5 1.6 1.8 1.9 2.1 2.2 2.4
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Oxidation Suite
Element: Tellurium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
2 7 11 19 26 34 41 49 57 64 72 79 87 95 102
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: REE
Element: Lanthanum
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
616 33 50 67 84 100 127 154 181 208
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: REE
Element: Cerium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.2 0.8 1.4 2.0 2.6 3.2 3.8 4.4 5.0 5.6
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: REE
Element: Europium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.5 2.9 5.4 7.8 10.3 13.4 16.5 19.7 22.8
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
N
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: REE
Element: Dysprosium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
419 1386 2593 3801 5009 6217 7424
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Lithophile
Element: Barium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
891 8023 16938 28526 40115 51704
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Lithophile
Element: Manganese
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
2 8 14 25 35 45 55 66 76 86 96 107 123 140 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Lithophile
Element: Rubidium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
322 1092 2055 3017 3980 4943 5905
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Lithophile
Element: Strontium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
623 51 79107 153 198 243 288 334 379
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Lithophile
Element: Lithium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.2 1.8 3.4 5.0 6.6 8.2 9.8 11.4 13.5 15.5 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Lithophile
Element: Cesium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1.3 1.8 2.4 2.9 3.4 4.0 4.5 5.1 5.6 6.1
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Lithophile
Element: Beryllium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
311 24 38 51 65 78 92105 127 148 170
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: HFSE
Element: Zirconium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.2 0.6 1.1 1.5 1.9 2.4 2.8 3.2 3.7 4.1
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: HFSE
Element: Hafnium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
117 1050 2217 3384 4552 5719 6886
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: HFSE
Element: Titanium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
64133 243 353 463 573 683 793>904
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: HFSE
Element: Titanium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1 3 4 5 7 8 9 10 12 15 17 19 21 23 25 27 29
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: HFSE
Element: Niobium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.1 0.3 0.4 0.6 0.7 0.9 1.0 1.2 1.3 1.5
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: HFSE
Element: Tantalum
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
12 19 27 35 42 50 58 65 73 81 89 96 104
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: HFSE
Element: Chromium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
2 8 13 23 33 42 52 61 71 81 90 100 115 130 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: HFSE
Element: Yttrium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.7 2.8 4.9 7.0 9.1 11.1 13.8 16.5 19.2
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Bismuth
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
417 38 59 81 102 136 170 204 238 272
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Nickel
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
412 27 41 55 70 84 98 113 136 159 182
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Cobalt
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.1 0.3 0.5 0.6 0.8 1.0 1.1 1.3 1.5 1.6
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Thallium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
1.4 4.3 7.2 10.1 13.8 17.5 21.2 24.9 28.6
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Gallium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.4 0.9 1.4 1.9 2.5 3.0 3.5 4.0 4.5 5.1
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Germanium
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.11 0.17 0.23 0.29 0.35 0.42 0.48 0.54
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Silver
Drawn by: G.T. Hill
Date: 19 February 2003



11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.5 0.9 1.3 1.7 2.1 2.5 2.9 3.3 3.7 4.1
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Tin
Drawn by: G.T. Hill
Date: 19 February 2003


11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
10 57 105 182 259 335 412 489 565 642 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Copper
Drawn by: G.T. Hill
Date: 19 February 2003


11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
2 9 16 28 40 52 64 75 87 99 111 129 148
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Lead
Drawn by: G.T. Hill
Date: 19 February 2003


11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
20121 283 444 605 767 928 1090 1292
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Zinc
Drawn by: G.T. Hill
Date: 19 February 2003


11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
8 16 30 45 59 73 87 101 124 146 169 > 192 ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Zinc
Drawn by: G.T. Hill
Date: 19 February 2003


11600 W
11200 W
10800 W
10400 W
10000 W
9600 W
9200 W
8800 W
10800 N
10400 N
10000 N
9600 N
0.2 1.5 2.8 4.2 5.5 6.8 8.1 9.4 10.8 12.5
ppb
Scale 1:10000
100 0 100 200 300 400 500
metres
A. Carlos - Maverick Prospect - Canyon Gold Property
Enzyme Leach Survey
Element Group: Metals
Element: Cadmium
Drawn by: G.T. Hill
Date: 19 February 2003