

GEOPHYSICAL REPORT

KING 1-42 CLAIMS

GRANT # YC19934-YC19965

GRANT # YC20693-YC20702

NTS # 115 0 / 15

LAT : 63' 53 N

LONG : 139' 00 W

DAWSON MINING DIVISION

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED OCTOBER 2001

DATE OF REPORT OCTOBER 2002

**YUKON ENERGY, MINES
& RESOURCES LIBRARY
P.O. Box 2703
Whitehorse, Yukon Y1A 2C8**

094390
~~**000760**~~



This report has been examined by
the Geological Evaluation Unit
under Section 53 (4) Yukon Quartz
Mining Act and is allowed as
representation work in the amount
of \$ 18,600.

m. B. h.

for Regional Manager, Exploration and
Geological Services for Commissioner
of Yukon Territory.

TABLE OF CONTENT

SUMMARY	01
INTRODUCTION	01
LOCATION	01
ACCESS	01
PROPERTY GEOLOGY	02
WORK PERFORMED / METHODS	02
GRID WORK	02
GEOPHYSICAL SURVEY	02
MAGNETIC SURVEY	02
GRADIENT SURVEY	03
INTERPRETATION	03
RECOMMENDATION	04
PROJECT COST	04
CLAIM MAP	05
GEOLOGY MAP	06
GRID LOCATION MAP	07
LARGE MAGNETIC MAP (back folder)	
LARGE GRADIENT MAP (back folder)	

SUMMARY

The King 1-12, 21-32, 37-42 claims grant # YC19934- YC19945, YC19954-YC19965, YC20697-YC20702 will be renewed for a period of five years. The King 13-20, 33-36 claims grant # YC19946- YC19953, YC20693-YC20696 will be renewed for a period of three years. The author Shawn Ryan holds the claims.

The king 1- 42 claims were explored with grid work and geophysical work. A magnetic survey was run over the entire grid with gradient survey run over 2 / 3 of it. A subtle magnetic anomaly was found part way down the hill that has associated geochem anomalies in Zn., Pb, and Cu found around the anomaly area during the previous summer.

INTRODUCTION

The King 1 - 42 claims were staked to cover a regional high geochem signature of base metal associated with a Permian felsic schist unit. A flagged grid was placed in two areas in the fall of 2000. Both grids gave anomalous values in base metal and a larger grid was established in the fall of 2001.

LOCATION

The King 1-42 claims are located 15 miles south east of Dawson City. The claim block covers the headwaters of Gold Bottom Creek. The claim block also covers the west side of the highest regional hill in the area King Solomon Dome.

ACCESS

The claim block can be accessed via the Hunker Creek road or the Bonanza Creek road. The claims are situated 35 kilometers up either road. The Hunker Creek road is in much better shape with much more traffic.

PROPERTY GEOLOGY

According to Mortensen geology map # 115 0 / 14 Open - File 1996-1(G) the King claim block covers three various rock types of Permian Klondike Schist. Unit Psc is located in the north part of the claim block and is a medium to dark green chlorite-quartz-muscovite schist. Unit Psq located in the central part of the claim block is a tan weathering muscovite and / or chloritic quartzite and quartz-muscovite-chlorite schist. Unit Psqm is located on the ridge top at the southern end of claim block. This unit is a rusty-weathering quartz-muscovite schist that is giving anomalous base metal values in the soil geochem.

WORK PERFORMED / METHODS

GRID WORK

The king claims were covered with a large grid. I started by cutting a base line 000 E from station 000 S to line 1800 S. I then offset the grid with another tie line at 375 E and ran the tie line from 1800 S to 2700 S. The next tie line cut out was at 1500 E. I ran this tie line from line 2700 S to line 000 S. I also ran a flagged tie line at station 700 E from line 1800 S to line 000 S.

In total there was 5.4 kilometers of cut base line and tie lines and 38 kilometers of flagged line. All flagged lines were placed in by running compass line in between base line and tie lines. The lines were flagged using orange flagging and marked with permanent black marker the line number and station.

GEOPHYSICAL SURVEY

MAGNETIC SURVEY

The magnetic survey was run using two Scintrex Proton Magnetometers. I used one magnetometer as a base station taking reading every 30-second as it sits one location all day during the survey. The base station recorded the daily earth magnetic drift. At the end of the day the base station and the field magnetometer are plugged in and the daily drift is corrected. All data from base mag and the field mag are downloaded every night in a laptop computer. All data is then transferred to a disk for backup copies.

The magnetic survey was run taking reading every 25 meters at the station flags located on the line. I ran the base lines also to help tie the whole grid in. In all there was 41.9 kilometers of magnetic run with 1676 station readings taken.

GRADIENT SURVEY

A gradient survey was conducted using a Scintrex gradient magnetometer. The gradient survey highlights any magnetic anomalies found and defines the exact contact of mineralization. I took reading every 25-meter at flagged station located on the lines. All data was down loaded every night on a laptop computer and files were save on disk for extra backup. In all there was 39 kilometers of survey lines run for a total of 1560 station reading taken.

INTERPRETATION

MAGNETIC SURVEY

The magnetic survey gave a good overall view of the area. It help define three different type of geological units.

Area #1 is located on the east side of the grid. It is a large magnetic high area. I am uncertain to what this geological unit is. It can potentially be a schist unit that holds a higher iron content.

Area # 2 is a magnetic low situated on the south end of the grid. This area has a zinc and arsenic anomaly that was found on Grid B, fall 2000 soil survey. Arbor Resource and Cominco Assessment report also shows anomalous soil in arsenic values over this area.

Area # 3 is a subtle magnetic anomaly that appears on the western edge of the magnetic high of Area #1. This subtle magnetic high anomaly is found under Grid A soil survey of the 2000 field season. The Grid A soil survey gave anomalous values in Pb, Zn, and Cu. I feel this magnetic anomaly is related to the anomalous soil and that it shows a different geochem pattern to Area #2. There no arsenic values found in this area, just base metal values.

GRADIENT SURVEY

The gradient survey was relatively flat and gave only a subtle response. The colour contour map gives a color difference but the values are actually of small difference. The difference across the whole grid was a positive 2.9 nT to a negative 7.1 nT. This subtle gradient in the area reflects the absence of any ultra-mafic units or magnetite horizon.

RECOMMENDATION

I would recommend follow up on the magnetic anomaly in Area # 3. This anomaly is associated with the anomalous soil values found during the 2000 soil survey of Grid A. The base metal soil geochem of Grid A is considered high for the overall region. I would recommend a deep soil survey, with sampling at 3-5 feet down over the Area # 3 magnetic anomaly. The soil value will probably rise with deeper soil samples, because the highest soil sample found during the 2000 soil survey was in a grader trench along the road cut. I would also follow up Area # 2 to what is causing the arsenic high values in this area.

PROJECT COST

Grid Work

37 kilometers of Flagged lines at \$150.00 per KL \$ 5,550.00

5.4 kilometers of cut Base line plus Tie lines @ \$450.00 per KL \$2,430.00

Magnetic survey

41 kilometers @ \$250.00 per KL \$10,250.00

Gradient survey

39 kilometers @ \$125.00 per KL \$4,875.00

Transportation

Truck and gas expense \$1,400.00

Report Writing plus Maps

\$1,500.00

Total \$26,000.00

QUALIFICATIONS

I have being involved in the exploration business for the last 19 years.

I have trained as a geophysical technician with Kidd Creek Exploration for eight years.


I have worked as a geophysical contractor for 11 years.


I have ran numerous geophysical surveys and soil sampling surveys in the Yukon and Ontario.

I have being actively prospecting in the Yukon for the last seven years.

I have being the prospector in charge of gathering the data and have overview the whole project.

I owned 100 percent in the KING 1-42 Claims

Prospector




GOLD BOTTOM GULCH

BAR

MOJO

KIN

KIN

KIN

BAR

KIN JAE

TM

BAR

KING

KING

BAR

BAR

JAE.

KING SOLOMON

SUL

SUL

SUL

SUL

SUL

SUL

SUL

SUL

SUL

SUL

SUL

SUL

SUL

KING

KING

JAE.

JAE.

KIN

JAE.

KIN

JAE.

KIN

JAE.

KIN

LB

BAR

BAR

BA

BAR

SUL

SUL

SUL

SUL

KIN

JAE.

KIN

JAE.

KIN

JAE.

KIN

JAE.

KIN

JAE.

KIN

JAE.

KIN


JAE.

KIN

JAE.

YB69169	YB69172	YB69167	YB69168	YB69165	YB69166	YB69163	YB69164	YB69161	YB69162
109	110	111	112	113	114	115	116	117	118
YB69167	YB69168	YB69165	YB69166	YB69163	YB69164	YB69161	YB69162	YB69167	YB69168
119	120	121	122	123	124	125	126	127	128
YB69165	YB69166	YB69163	YB69164	YB69161	YB69162	YB69167	YB69168	YB69165	YB69166
129	130	131	132	133	134	135	136	137	138
YB69163	YB69164	YB69161	YB69162	YB69167	YB69168	YB69165	YB69166	YB69163	YB69164
139	140	141	142	143	144	145	146	147	148
YB69161	YB69162	YB69167	YB69168	YB69165	YB69166	YB69163	YB69164	YB69161	YB69162
149	150	151	152	153	154	155	156	157	158
YB69159	YB69160	YB69157	YB69158	YB69155	YB69156	YB69153	YB69154	YB69151	YB69152
159	160	161	162	163	164	165	166	167	168
YB69157	YB69158	YB69155	YB69156	YB69153	YB69154	YB69151	YB69152	YB69157	YB69158
169	170	171	172	173	174	175	176	177	178
YB69155	YB69156	YB69153	YB69154	YB69151	YB69152	YB69157	YB69158	YB69155	YB69156
179	180	181	182	183	184	185	186	187	188
YB69153	YB69154	YB69151	YB69152	YB69157	YB69158	YB69155	YB69156	YB69153	YB69154
189	190	191	192	193	194	195	196	197	198
YB69151	YB69152	YB69157	YB69158	YB69155	YB69156	YB69153	YB69154	YB69151	YB69152
199	200	201	202	203	204	205	206	207	208
YB69149	YB69150	YB69147	YB69148	YB69145	YB69146	YB69143	YB69144	YB69141	YB69142
209	210	211	212	213	214	215	216	217	218
YB69147	YB69148	YB69145	YB69146	YB69143	YB69144	YB69141	YB69142	YB69147	YB69148
219	220	221	222	223	224	225	226	227	228
YB69145	YB69146	YB69143	YB69144	YB69141	YB69142	YB69147	YB69148	YB69145	YB69146
229	230	231	232	233	234	235	236	237	238
YB69143	YB69144	YB69141	YB69142	YB69147	YB69148	YB69145	YB69146	YB69143	YB69144
239	240	241	242	243	244	245	246	247	248
YB69141	YB69142	YB69147	YB69148	YB69145	YB69146	YB69143	YB69144	YB69141	YB69142
249	250	251	252	253	254	255	256	257	258
YB69139	YB69140	YB69137	YB69138	YB69135	YB69136	YB69133	YB69134	YB69131	YB69132
259	260	261	262	263	264	265	266	267	268
YB69137	YB69138	YB69135	YB69136	YB69133	YB69134	YB69131	YB69132	YB69137	YB69138
269	270	271	272	273	274	275	276	277	278
YB69135	YB69136	YB69133	YB69134	YB69131	YB69132	YB69137	YB69138	YB69135	YB69136
279	280	281	282	283	284	285	286	287	288
YB69133	YB69134	YB69131	YB69132	YB69137	YB69138	YB69135	YB69136	YB69133	YB69134
289	290	291	292	293	294	295	296	297	298
YB69131	YB69132	YB69137	YB69138	YB69135	YB69136	YB69133	YB69134	YB69131	YB69132
299	300	301	302	303	304	305	306	307	308
YB69129	YB69130	YB69127	YB69128	YB69125	YB69126	YB69123	YB69124	YB69121	YB69122
309	310	311	312	313	314	315	316	317	318
YB69127	YB69128	YB69125	YB69126	YB69123	YB69124	YB69121	YB69122	YB69127	YB69128
319	320	321	322	323	324	325	326	327	328
YB69125	YB69126	YB69123	YB69124	YB69121	YB69122	YB69127	YB69128	YB69125	YB69126
329	330	331	332	333	334	335	336	337	338
YB69123	YB69124	YB69121	YB69122	YB69127	YB69128	YB69125	YB69126	YB69123	YB69124
339	340	341	342	343	344	345	346	347	348
YB69121	YB69122	YB69127	YB69128	YB69125	YB69126	YB69123	YB69124	YB69121	YB69122
349	350	351	352	353	354	355	356	357	358
YB69119	YB69120	YB69117	YB69118	YB69115	YB69116	YB69113	YB69114	YB69111	YB69112
359	360	361	362	363	364	365	366	367	368
YB69117	YB69118	YB69115	YB69116	YB69113	YB69114	YB69111	YB69112	YB69117	YB69118
369	370	371	372	373	374	375	376	377	378
YB69115	YB69116	YB69113	YB69114	YB69111	YB69112	YB69117	YB69118	YB69115	YB69116
379	380	381	382	383	384	385	386	387	388
YB69113	YB69114	YB69111	YB69112	YB69117	YB69118	YB69115	YB69116	YB69113	YB69114
389	390	391	392	393	394	395	396	397	398
YB69111	YB69112	YB69117	YB69118	YB69115	YB69116	YB69113	YB69114	YB69111	YB69112
399	400	401	402	403	404	405	406	407	408
YB69109	YB69110	YB69107	YB69108	YB69105	YB69106	YB69103	YB69104	YB69101	YB69102
409	410	411	412	413	414	415	416	417	418
YB69107	YB69108	YB69105	YB69106	YB69103	YB69104	YB69101	YB69102	YB69107	YB69108
419	420	421	422	423	424	425	426	427	428
YB69105	YB69106	YB69103	YB69104	YB69101	YB69102	YB69107	YB69108	YB69105	YB69106
429	430	431	432	433	434	435	436	437	438
YB69103	YB69104	YB69101	YB69102	YB69107	YB69108	YB69105	YB69106	YB69103	YB69104
439	440	441	442	443	444	445	446	447	448
YB69101	YB69102	YB69107	YB69108	YB69105	YB69106	YB69103	YB69104	YB69101	YB69102
449	450	451	452	453	454	455	456	457	458
YB69099	YB69100	YB69097	YB69098	YB69095	YB69096	YB69093	YB69094	YB69091	YB69092
459	460	461	462	463	464	465	466	467	468
YB69097	YB69098	YB69095	YB69096	YB69093	YB69094	YB69091	YB69092	YB69097	YB69098
469	470	471	472	473	474	475	476	477	478
YB69095	YB69096	YB69093	YB69094	YB69091	YB69092	YB69097	YB69098	YB69095	YB69096
479	480	481	482	483	484	485	486	487	488
YB69093	YB69094	YB69091	YB69092	YB69097	YB69098	YB69095	YB69096	YB69093	YB69094
489	490	491	492	493	494	495	496	497	498
YB69091	YB69092	YB69097	YB69098	YB69095	YB69096	YB69093	YB69094	YB69091	YB69092
499	500	501	502	503	504	505	506	507	508
YB69089	YB69090	YB69087	YB69088	YB69085	YB69086	YB69083	YB69084	YB69081	YB69082
509	510	511	512	513	514	515	516	517	518
YB69087	YB69088	YB69085	YB69086	YB69083	YB69084	YB69081	YB69082	YB69087	YB69088
519	520	521	522	523	524	525	526	527	528
YB69085	YB69086	YB69083	YB69084	YB69081	YB69082	YB69087	YB69088	YB69085	YB69086
529	530	531	532	533	534	535	536	537	538
YB69083	YB69084	YB69081	YB69082	YB69087	YB69088	YB69085	YB69086	YB69083	YB69084
539	540	541	542	543	544	545	546	547	548
YB69081	YB69082	YB69087	YB69088	YB69085	YB69086	YB69083	YB69084	YB69081	YB69082
549	550	551	552	553	554	555	556	557	558
YB69079	YB69080	YB69077	YB69078	YB69075	YB69076	YB69073	YB69074	YB69071	YB69072
559	560	561	562	563	564	565	566	567	568
YB69077	YB69078	YB69075	YB69076	YB69073	YB69074	YB69071	YB69072	YB69077	YB69078
569	570	571	572	573	574	575	576	577	578
YB69075	YB69076	YB69073	YB69074	YB69071	YB69072	YB69077	YB69078		

King Claims LOCATION MAP



Box CAR SHOWING

BL-000 E

L-000 S

L-1800 S


L-2700 S



TL-375 E

TL-1500 E

NTS 115 0/14

NTS 115 0/15






LEGEND
VERTICAL MAGNETIC GRADIENT

CONTOUR INTERVALS (nT)



— .1 —
— .5 —
— 2.5 —

REFERENCE FIELD : 60,000 nT
 INSTRUMENT : ?
 GRIDDING ALGORITHM : GEOSOFTRANGRID
 GRID CELL SIZE : 15 m
 GRID HANNING FILTER : 1 PASS(ES)
 DATA FILE : KING.GDB
 OPERATORS : SR
 STATION SEPARATION : 12.5 m
 LINE-KM SURVEYED THIS SHEET : 35.000 km



SHAWN RYAN
KING PROJECT
CONTOURED MAGNETIC VERTICAL GRADIENT
 DAWSON MINING DISTRICT, YUKON
 NTS : 115 0/14,15
 DATE SURVEYED : AUGUST, 2001
 CLAIM(S) : KING CLAIMS
 MAP NAME (DATE / DRAWN BY) : KINGGRAD.MAP (02-01-11/JR)
AURORA GEOSCIENCES LTD.

YUKON ENERGY, MINES & RESOURCES LIBRARY
 PO Box 7703
 Whitehorse, Yukon Y1A 2C6




LEGEND
TOTAL FIELD MAGNETICS

CONTOUR INTERVALS (nT)

5
25
100

REFERENCE FIELD : 60,000 nT
 INSTRUMENT : ?
 GRIDDING ALGORITHM : GEOSOFIT BIGRID
 GRID CELL SIZE : 15 m
 GRID HANNING FILTER : 1 PASS(ES)
 DATA FILE : KING.GDB
 OPERATORS : SR
 STATION SEPARATION : 12.5 m
 LINE-KM SURVEYED THIS SHEET : 41.988 km



SHAWN RYAN
KING PROJECT
TOTAL MAGNETIC FIELD CONTOURS
 DAWSON MINING DISTRICT, YUKON
 NTS : 115 O/14,15
 DATE SURVEYED : AUGUST, 2001
 CLAIM(S) : KING CLAIMS
 MAP NAME (DATE / DRAWN BY) : KINGMAG.MAP (02-01-11/JR)
AURORA GEOSCIENCES LTD.

YUKON ENERGY, MINES
 & RESOURCES LIBRARY
 PO Box 2703
 Whitehorse, Yukon Y1A 2C8

King Claims Magnetic Data- corrected

```

/----- S      C      I      N      T      R      E      X      -----
/!      Revision: 4.3F
/!      Line____: 2700 S
/!      Date____: 1/10/2012
/!      Job_____: 0
/!      Operator:
/!      Serial__: 0
/!      Basefld_: 57550
/!      Duration: 2
/!      Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor

```

450	-2700	57508.3	0.08	12.7025	1
475	-2700	57519	0.08	12.72611	1
500	-2700	57514.8	0.08	12.74389	1
525	-2700	57494.3	0.09	12.76056	1
475	-2700	57493.4	0.08	12.84333	1
500	-2700	57491.5	0.09	12.86083	1
525	-2700	57503.1	0.08	12.87778	1
550	-2700	57495.8	0.08	12.89389	1
575	-2700	57502.4	0.09	12.91361	1
600	-2700	57509	0.09	12.93389	1
625	-2700	57510.7	0.09	12.95361	1
650	-2700	57503.2	0.09	12.97778	1
675	-2700	57530.3	0.09	13	1
700	-2700	57512.8	0.08	13.03389	1
712.5	-2700	57517.1	0.09	13.07861	1
725	-2700	57516	0.09	13.09611	1
737.5	-2700	57522.5	0.09	13.11278	1
750	-2700	57523.8	0.09	13.12472	1
762.5	-2700	57521.6	0.09	13.14056	1
775	-2700	57521.9	0.09	13.15333	1
787.5	-2700	57527.4	0.09	13.18	1
800	-2700	57513.9	0.09	13.19417	1
812.5	-2700	57516.6	0.09	13.21361	1
825	-2700	57511.6	0.09	13.22833	1
837.5	-2700	57507.3	0.09	13.23972	1
850	-2700	57503.8	0.09	13.25222	1
862.5	-2700	57515	0.09	13.26361	1
875	-2700	57510.4	0.09	13.27611	1
887.5	-2700	57512	0.09	13.28917	1
900	-2700	57509.9	0.09	13.30167	1
912.5	-2700	57502.3	0.09	13.31361	1
925	-2700	57500.3	0.09	13.32639	1
937.5	-2700	57491.6	0.09	13.3375	1
950	-2700	57496.7	0.09	13.35639	1
962.5	-2700	57488.4	0.09	13.37389	1
975	-2700	57488.1	0.09	13.38722	1
987.5	-2700	57499.8	0.09	13.40417	1
1000	-2700	57502.5	0.09	13.41611	1
1012.5	-2700	57510.9	0.09	13.43028	1
1025	-2700	57516.1	0.09	13.44528	1
1037.5	-2700	57515.1	0.09	13.46389	1
1050	-2700	57541.6	0.09	13.4875	1
1062.5	-2700	57542.2	0.09	13.57056	1
1075	-2700	57543	0.09	13.58722	1
1087.5	-2700	57542.3	0.09	13.60222	1
1100	-2700	57548	0.09	13.61583	1
1112.5	-2700	57551.9	0.09	13.65444	1
1125	-2700	57547.5	0.09	13.66889	1
1137.5	-2700	57543.7	0.09	13.68222	1
1150	-2700	57544.8	0.09	13.70806	1
1162.5	-2700	57543.4	0.09	13.71889	1
1175	-2700	57531.1	0.09	13.73056	1
1187.5	-2700	57526.9	0.09	13.74306	1
1200	-2700	57533.4	0.09	13.75444	1

094390

1212.5	-2700	57534.3	0.09	13.7675	1
1225	-2700	57527.9	0.09	13.77944	1
1237.5	-2700	57524.8	0.09	13.79167	1
1250	-2700	57525.1	0.09	13.80222	1
1262.5	-2700	57533.2	0.09	13.81333	1
1275	-2700	57538	0.09	13.83944	1
1287.5	-2700	57542.3	0.09	13.85083	1
1300	-2700	57535.1	0.09	13.86167	1
1312.5	-2700	57526.2	0.09	13.88167	1
1325	-2700	57510.9	0.09	13.89583	1
1337.5	-2700	57550	0.1	13.91333	1
1350	-2700	57578.8	0.1	13.94222	1
1362.5	-2700	57497	0.09	13.95917	1
1375	-2700	57523.6	0.09	13.97083	1
1387.5	-2700	57518.5	0.09	13.98972	1
1400	-2700	57536	0.09	14.00389	1

```

/-----S      C      I      N      T      R      E      X      -----
/!      Revision: 4.3F
/!      Line____: 2600 S
/!      Date____: 1/10/2012
/!      Job_____: 0
/!      Operator:
/!      Serial__ : 0
/!      Basefld_ : 57550
/!      Duration: 2
/!      Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor

```

1500	-2600	57519.2	0.09	14.10056	1
1487.5	-2600	57515.3	0.09	14.11639	1
1475	-2600	57511	0.09	14.1275	1
1462.5	-2600	57506.9	0.09	14.13861	1
1450	-2600	57506.9	0.09	14.15444	1
1437.5	-2600	57512.2	0.09	14.16611	1
1425	-2600	57502.9	0.09	14.18083	1
1412.5	-2600	57526.5	0.1	14.19306	1
1400	-2600	57530.7	0.1	14.20194	1
1387.5	-2600	57536.7	0.1	14.21333	1
1375	-2600	57522.5	0.1	14.225	1
1362.5	-2600	57538.2	0.1	14.23583	1
1350	-2600	57540.3	0.1	14.24639	1
1337.5	-2600	57545.4	0.09	14.25639	1
1325	-2600	57546.8	0.09	14.26667	1
1312.5	-2600	57547.7	0.09	14.28	1
1300	-2600	57543.4	0.09	14.29778	1
1287.5	-2600	57541.9	0.09	14.30889	1
1275	-2600	57532.6	0.09	14.32	1
1262.5	-2600	57530.5	0.09	14.35056	1
1250	-2600	57528.5	0.09	14.36111	1
1237.5	-2600	57532.9	0.09	14.37361	1
1225	-2600	57535.5	0.09	14.38611	1
1212.5	-2600	57538.5	0.09	14.39778	1
1200	-2600	57536.5	0.09	14.41167	1
1187.5	-2600	57531	0.09	14.4225	1
1175	-2600	57529.7	0.09	14.43361	1
1162.5	-2600	57527.1	0.1	14.44472	1
1150	-2600	57525.8	0.09	14.45639	1
1137.5	-2600	57521.8	0.11	14.46833	1
1125	-2600	57513.5	0.1	14.50972	1
1112.5	-2600	57508.3	0.1	14.52611	1
1100	-2600	57502.1	0.1	14.53667	1
1087.5	-2600	57499	0.1	14.54778	1
1075	-2600	57495.8	0.1	14.55833	1
1062.5	-2600	57495.3	0.1	14.57083	1
1050	-2600	57491.1	0.1	14.58778	1
1037.5	-2600	57480.4	0.1	14.60083	1
1025	-2600	57483.7	0.1	14.61028	1

1012.5	-2600	57485.4	0.1	14.64222	1
1000	-2600	57476.3	0.1	14.65722	1
987.5	-2600	57462.8	0.1	14.67056	1
975	-2600	57463.2	0.1	14.69222	1
962.5	-2600	57467.8	0.1	14.7025	1
950	-2600	57469.4	0.09	14.73028	1
937.5	-2600	57470.2	0.1	14.74	1
925	-2600	57473.5	0.1	14.74944	1
912.5	-2600	57479.5	0.1	14.75917	1
900	-2600	57504.7	0.1	14.77222	1
900	-2600	57487.6	0.1	14.77222	1
887.5	-2600	57486.9	0.11	14.82333	1
875	-2600	57492.5	0.1	14.83778	1
862.5	-2600	57494.6	0.11	14.84972	1
850	-2600	57488.7	0.11	14.86444	1
837.5	-2600	57493.6	0.11	14.87583	1
825	-2600	57490.8	0.11	14.88694	1
812.5	-2600	57494.2	0.1	14.90167	1
800	-2600	57484.3	0.11	14.91333	1
787.5	-2600	57487.4	0.11	14.925	1
775	-2600	57479	0.1	14.93583	1
762.5	-2600	57480.7	0.11	14.94833	1
750	-2600	57481.1	0.1	14.96056	1
737.5	-2600	57489.5	0.11	14.97833	1
725	-2600	57485.8	0.11	14.99556	1
712.5	-2600	57482.8	0.11	15.0075	1
700	-2600	57477.2	0.11	15.01917	1
687.5	-2600	57474.7	0.11	15.03972	1
675	-2600	57470.3	0.11	15.05444	1
662.5	-2600	57466.5	0.11	15.09417	1
650	-2600	57468.4	0.11	15.11111	1
637.5	-2600	57461.7	0.11	15.12139	1
625	-2600	57491.9	0.12	15.1775	1
612.5	-2600	57505.7	0.11	15.21194	1
600	-2600	57431.8	0.11	15.22139	1
587.5	-2600	57467	0.11	15.23667	1
575	-2600	57469.6	0.11	15.2475	1
562.5	-2600	57461.3	0.11	15.26667	1
550	-2600	57466.3	0.11	15.63194	1
537.5	-2600	57466.7	0.11	15.68083	1
525	-2600	57470.9	0.11	15.69333	1
512.5	-2600	57475.5	0.11	15.705	1
500	-2600	57489.3	0.11	15.72306	1
487.5	-2600	57499.2	0.1	15.73806	1
475	-2600	57502	0.11	15.74806	1
462.5	-2600	57506.2	0.11	15.7625	1
450	-2600	57513.1	0.11	15.77361	1
437.5	-2600	57515.6	0.11	15.79306	1
425	-2600	57516.2	0.11	15.80389	1
412.5	-2600	57524.8	0.11	15.815	1
400	-2600	57525.8	0.11	15.82833	1
387.5	-2600	57531	0.11	15.84528	1

/----- S C I N T R E X -----
 /! Revision: 4.3F
 /! Line____: 2500 S
 /! Date____: 1/10/2012
 /! Job____: 0
 /! Operator:
 /! Serial____: 0
 /! Basefld_: 57550
 /! Duration: 2
 /! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor
 /-----

375	-2500	57536	0.11	16.0075	1
400	-2500	57530	0.11	16.03389	1
425	-2500	57523.7	0.11	16.09444	1

450	-2500	57518.1	0.11	16.11611	1
475	-2500	57506	0.11	16.13611	1
500	-2500	57526	0.12	16.15778	1
500	-2500	57489.8	0.12	16.15778	1
525	-2500	57482.1	0.12	16.18667	1
550	-2500	57477.1	0.12	16.20611	1
575	-2500	57469.7	0.11	16.22333	1
600	-2500	57469.5	0.11	16.24444	1
625	-2500	57469.3	0.12	16.29333	1
650	-2500	57476.1	0.12	16.31278	1
675	-2500	57466.4	0.11	16.35639	1
700	-2500	57462.9	0.11	16.37056	1
725	-2500	57485.5	0.12	16.38667	1
750	-2500	57466.6	0.12	16.40556	1
775	-2500	57472.4	0.12	16.42194	1
800	-2500	57475.7	0.12	16.43806	1
825	-2500	57475.1	0.12	16.45333	1
850	-2500	57475.8	0.11	16.46861	1
875	-2500	57476.3	0.11	16.54556	1
900	-2500	57476.2	0.12	16.56139	1
925	-2500	57474.7	0.11	16.57472	1
950	-2500	57504.7	0.11	16.58972	1
950	-2500	57477.7	0.11	16.58972	1
975	-2500	57491.1	0.11	16.63389	1
1000	-2500	57485	0.11	16.64806	1
1025	-2500	57489	0.12	16.65972	1
1050	-2500	57491.2	0.11	16.67111	1
1075	-2500	57496.7	0.11	16.68222	1
1100	-2500	57507.3	0.11	16.69444	1
1125	-2500	57510.3	0.12	16.70806	1
1150	-2500	57508	0.12	16.7275	1
1175	-2500	57504.5	0.11	16.74083	1
1200	-2500	57510.5	0.11	16.76222	1
1225	-2500	57513.8	0.11	16.78333	1
1250	-2500	57514.5	0.12	16.79722	1
1275	-2500	57521.4	0.11	16.81083	1
1300	-2500	57522.6	0.12	16.82722	1
1325	-2500	57518.1	0.11	16.84139	1
1350	-2500	57561.5	0.11	16.86	1
1350	-2500	57561.5	0.11	16.86	1
1350	-2500	57520.5	0.11	16.86	1
1350	-2500	57520.9	0.12	16.88056	1
1375	-2500	57524.5	0.12	16.8925	1
1400	-2500	57518.1	0.12	16.92389	1
1425	-2500	57518.2	0.11	16.93583	1
1450	-2500	57518.5	0.12	16.95222	1
1475	-2500	57525.2	0.11	16.96417	1
1500	-2500	57527.8	0.12	16.98111	1

/----- S C I N T R E X -----

/! Revision: 4.3F
 /! Line____: 2400 S
 /! Date____: 1/10/2012
 /! Job____: 0
 /! Operator:
 /! Serial__ : 0
 /! Basefld_ : 57550
 /! Duration: 2
 /! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor

1500	-2400	57524	0.12	17.06556	1
1475	-2400	57520.7	0.12	17.18389	1
1450	-2400	57516.8	0.12	17.2275	1
1425	-2400	57513.7	0.11	17.2425	1
1400	-2400	57518.7	0.12	17.25889	1
1375	-2400	57530.6	0.11	17.28	1
1350	-2400	57532.2	0.11	17.30667	1

1325	-2400	57532	0.12	17.33194	1
1300	-2400	57525.9	0.11	17.35556	1
1275	-2400	57524	0.12	17.40222	1
1250	-2400	57525.1	0.11	17.42694	1
1225	-2400	57524.4	0.12	17.44806	1
1200	-2400	57524.8	0.11	17.47917	1
1175	-2400	57517.8	0.11	17.50056	1
1150	-2400	57505.6	0.12	17.52139	1
1125	-2400	57490.7	0.11	17.5425	1
1100	-2400	57483.9	0.11	17.5625	1
1075	-2400	57476.9	0.11	17.58139	1
1050	-2400	57475.4	0.09	17.5975	1
1025	-2400	57472.6	0.1	17.61389	1
1000	-2400	57468.1	0.11	17.63333	1
975	-2400	57471.7	0.11	17.65056	1
950	-2400	57474	0.11	17.68139	1
925	-2400	57476.5	0.12	17.69778	1
900	-2400	57479.7	0.11	17.71417	1
875	-2400	57478	0.12	17.73139	1
850	-2400	57476.9	0.11	17.74806	1
825	-2400	57480.1	0.11	17.76222	1
800	-2400	57474.9	0.11	17.79167	1
775	-2400	57471.2	0.11	17.80778	1
750	-2400	57467	0.11	17.82306	1
725	-2400	57470	0.12	17.83667	1
700	-2400	57472.9	0.11	17.85139	1
675	-2400	57470.4	0.11	17.86583	1
650	-2400	57504.7	0.11	17.8825	1

à

??ü

/----- S C I N T R E X -----
/! Revision: □4.3F
/! Line____: □2400.00 S
/! Date____: □01/10/18
/! Job____: □0
/! Operator: □
/! Serial__: □0
/! Basefld_: □57550
/! Duration: □2.0
/! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

650	-2400	57496	0.13	11.53139	1	-5.3
662.5	-2400	57507.1	0.14	11.53722	1	1.7
675	-2400	57498	0.14	11.54639	1	-2.7
687.5	-2400	57498.7	0.14	11.55389	1	-2.1
700	-2400	57502.2	0.14	11.5625	1	0
712.5	-2400	57494.2	0.14	11.56889	1	-4.9
575	-2400	57505.6	0.14	11.58917	1	-0.7
562.5	-2400	57510.8	0.14	11.59472	1	-1.9
550	-2400	57516.2	0.14	11.60194	1	-1.7
537.5	-2400	57522.1	0.14	11.60833	1	-0.1
525	-2400	57525.1	0.14	11.61528	1	-1.1
512.5	-2400	57532.4	0.15	11.62167	1	-0.3
500	-2400	57538.2	0.14	11.62833	1	0.4
487.5	-2400	57539.4	0.14	11.63528	1	-1.6
475	-2400	57546	0.14	11.6425	1	-1.1
462.5	-2400	57551.1	0.13	11.65	1	-0.3
450	-2400	57554.6	0.13	11.65611	1	-1.9
437.5	-2400	57559.2	0.14	11.66306	1	0.2
425	-2400	57564.6	0.14	11.67444	1	1.4
412.5	-2400	57565.2	0.13	11.68361	1	-1
400	-2400	57567.4	0.14	11.68972	1	-1.4
387.5	-2400	57567.2	0.13	11.69472	1	-1
375	-2400	57567.6	0.14	11.70111	1	-0.4
362.5	-2400	57568.8	0.13	11.71889	1	-1.9
362.5	-2400	57569.1	0.14	11.72778	1	-1.6

/----- S C I N T R E X -----
/! Revision: □4.3F
/! Line____: □2300.00 S
/! Date____: □01/10/18
/! Job____: □0
/! Operator: □
/! Serial__: □0
/! Basefld_: □57550
/! Duration: □2.0
/! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

375	-2300	57576.3	0.13	11.88833	1	-0.5
387.5	-2300	57574.8	0.13	11.89972	1	-1.2
400	-2300	57573.6	0.12	11.91306	1	0.1
412.5	-2300	57572.6	0.12	11.92111	1	0.1
425	-2300	57570	0.12	11.92972	1	0.2
437.5	-2300	57567	0.12	11.93917	1	0.4
450	-2300	57562.9	0.12	11.94972	1	-1.2
462.5	-2300	57560.6	0.12	11.96	1	-0.5
475	-2300	57555.3	0.12	11.97056	1	-0.2
487.5	-2300	57550	0.12	11.98639	1	0
500	-2300	57548.4	0.11	11.99333	1	0.9
512.5	-2300	57543.2	0.12	12.00222	1	0
525	-2300	57543.2	0.12	12.01583	1	3.1
537.5	-2300	57538.4	0.12	12.02556	1	2.6
550	-2300	57530.4	0.12	12.03444	1	-0.1
562.5	-2300	57530.3	0.12	12.04278	1	1.1

575	-2300	57526.2	0.12	12.05083	1	1.8
587.5	-2300	57523	0.11	12.06194	1	2
600	-2300	57506.7	0.12	12.07444	1	-9.1
612.5	-2300	57518.6	0.11	12.10833	1	1.5
625	-2300	57516.8	0.12	12.11972	1	1.7
637.5	-2300	57515.9	0.11	12.1325	1	1.2
650	-2300	57513.4	0.11	12.14444	1	-0.4
662.5	-2300	57514.9	0.11	12.33111	1	-0.1
675	-2300	57513.4	0.12	12.35917	1	0.2
687.5	-2300	57507.3	0.11	12.365	1	-2.5
700	-2300	57511.1	0.11	12.37417	1	-2.2
712.5	-2300	57509.8	0.11	12.38083	1	-1.6
725	-2300	57509.3	0.11	12.38944	1	-1.9
737.5	-2300	57510.9	0.11	12.39722	1	-1.7
750	-2300	57512.4	0.11	12.40417	1	-0.8
762.5	-2300	57511.8	0.11	12.41111	1	-0.3
775	-2300	57510.8	0.11	12.41778	1	-0.2
787.5	-2300	57507.7	0.11	12.42389	1	-1.9
800	-2300	57505.4	0.11	12.42972	1	-0.6
812.5	-2300	57504.2	0.12	12.43611	1	-2.3
825	-2300	57506.5	0.11	12.4425	1	-1.2
837.5	-2300	57509.7	0.12	12.44778	1	-1.7
850	-2300	57514.3	0.11	12.45222	1	-0.8
862.5	-2300	57513.2	0.12	12.45722	1	-3
875	-2300	57515.4	0.11	12.46278	1	-1.8
887.5	-2300	57517.2	0.12	12.47167	1	-2.1
900	-2300	57517.3	0.11	12.4775	1	-1.7
912.5	-2300	57514.1	0.11	12.4825	1	-3.3
925	-2300	57513.4	0.12	12.48833	1	-1.7
937.5	-2300	57510.7	0.11	12.49333	1	-2.7
950	-2300	57510.4	0.11	12.49861	1	-1.9
962.5	-2300	57509.9	0.11	12.50333	1	-3.1
975	-2300	57499.1	0.11	12.515	1	-11.6
987.5	-2300	57514.8	0.11	12.5325	1	-2.3
1000	-2300	57518.4	0.11	12.53917	1	-2.3
1012.5	-2300	57522.1	0.11	12.54583	1	-1.1
1025	-2300	57527.5	0.11	12.55333	1	0.1
1037.5	-2300	57530.1	0.11	12.56111	1	0.3
1050	-2300	57533.9	0.11	12.56972	1	0.1
1062.5	-2300	57536	0.11	12.57528	1	-0.7
1075	-2300	57540.6	0.11	12.58194	1	-1.1
1087.5	-2300	57542.5	0.11	12.59083	1	-0.2
1100	-2300	57543.8	0.11	12.59806	1	-1.3
1112.5	-2300	57546.8	0.12	12.61472	1	-1.3
1125	-2300	57548.3	0.11	12.62222	1	0
1137.5	-2300	57549.6	0.11	12.63833	1	-1.4
1150	-2300	57552.2	0.11	12.64389	1	-1.5
1162.5	-2300	57555.9	0.11	12.65639	1	-0.6
1175	-2300	57556.6	0.11	12.66139	1	-0.7
1187.5	-2300	57559.8	0.12	12.67056	1	0.1
1200	-2300	57561.9	0.11	12.67417	1	-2
1212.5	-2300	57565.4	0.12	12.68139	1	-0.3
1225	-2300	57566.3	0.11	12.69028	1	0.5
1237.5	-2300	57568	0.11	12.6975	1	-0.7
1250	-2300	57570.1	0.11	12.70611	1	-0.4
1262.5	-2300	57571.5	0.11	12.71611	1	0.2
1275	-2300	57573.2	0.11	12.72333	1	-0.7
1287.5	-2300	57572.9	0.11	12.73167	1	-0.2
1300	-2300	57573	0.11	12.73944	1	-0.3
1312.5	-2300	57573.1	0.11	12.74667	1	-0.3
1325	-2300	57572.3	0.12	12.75611	1	-0.8
1337.5	-2300	57573.6	0.11	12.84083	1	2.1
1350	-2300	57571.6	0.11	12.84861	1	0.9
1362.5	-2300	57571.8	0.11	12.86	1	1.9
1375	-2300	57569.6	0.11	12.87028	1	0
1387.5	-2300	57568.3	0.11	12.8775	1	0.3
1400	-2300	57564.7	0.12	12.88639	1	0.2

1412.5	-2300	57570.6	0.12	12.9125	1	0.3
1425	-2300	57575	0.11	12.92139	1	0.8
1437.5	-2300	57579.9	0.11	12.93194	1	0.7
1450	-2300	57582.1	0.11	12.94	1	1.4
1462.5	-2300	57582.5	0.11	12.94667	1	0.7
1475	-2300	57585.2	0.11	12.955	1	1
1487.5	-2300	57588.4	0.11	12.96611	1	1.1
1500	-2300	57592.2	0.12	12.97583	1	1.4
1512.5	-2300	57594.4	0.11	12.985	1	1.1
1525	-2300	57594.6	0.15	12.98556	1	1
1500	-2300	57594.3	0.11	12.99528	1	1.1

/----- S C I N T R E X -----

/! Revision: 4.3F
 /! Line: 2200.00 S
 /! Date: 01/10/18
 /! Job: 0
 /! Operator:
 /! Serial: 0
 /! Basefid: 57550
 /! Duration: 2.0
 /! Mag_Data: X/Y/TotFid/Noise/Hours/0=Uncor/Grad

1500	-2200	57619.8	0.11	13.15556	1	1.9
1487.5	-2200	57613.8	0.12	13.16222	1	0.5
1475	-2200	57610	0.11	13.18	1	1.2
1462.5	-2200	57606.6	0.11	13.18556	1	1.9
1450	-2200	57600.3	0.11	13.19389	1	-0.1
1437.5	-2200	57596.3	0.11	13.20417	1	1.6
1425	-2200	57592.6	0.12	13.21	1	0.1
1412.5	-2200	57593.4	0.12	13.22167	1	1.3
1400	-2200	57581.5	0.11	13.23194	1	-0.9
1387.5	-2200	57574.8	0.12	13.24389	1	0
1375	-2200	57573.9	0.11	13.25556	1	1.1
1362.5	-2200	57575	0.12	13.26389	1	1.5
1350	-2200	57573.5	0.11	13.26889	1	0.6
1337.5	-2200	57568.5	0.11	13.28528	1	0.4
1325	-2200	57568.9	0.12	13.29361	1	0.4
1312.5	-2200	57570.1	0.11	13.30389	1	0.9
1300	-2200	57568.6	0.11	13.315	1	0.5
1287.5	-2200	57569.8	0.11	13.32889	1	0.5
1275	-2200	57573.5	0.12	13.34389	1	2.1
1262.5	-2200	57572.9	0.11	13.35278	1	0.9
1250	-2200	57573.2	0.12	13.35944	1	1.3
1237.5	-2200	57572.5	0.11	13.36722	1	1.1
1225	-2200	57572.2	0.11	13.37694	1	1.7
1212.5	-2200	57571.9	0.11	13.38722	1	1.5
1200	-2200	57570.8	0.13	13.395	1	2.1
1187.5	-2200	57566.7	0.11	13.405	1	1
1175	-2200	57566	0.12	13.41639	1	3.3
1162.5	-2200	57562.5	0.12	13.425	1	0.8
1150	-2200	57561.5	0.11	13.43472	1	1
1137.5	-2200	57558.6	0.11	13.445	1	0.9
1125	-2200	57556.5	0.11	13.46917	1	1.7
1112.5	-2200	57554.3	0.11	13.48	1	1.2
1100	-2200	57551	0.11	13.48944	1	0.6
1087.5	-2200	57550.3	0.11	13.5	1	1
1075	-2200	57548.2	0.11	13.51139	1	0.7
1062.5	-2200	57548.1	0.11	13.52056	1	0.9
1050	-2200	57547.5	0.11	13.52861	1	1.1
1037.5	-2200	57545.5	0.11	13.53583	1	0.7
1025	-2200	57542.6	0.11	13.54528	1	0.8
1012.5	-2200	57538.6	0.11	13.55361	1	0.1
1000	-2200	57532.8	0.11	13.56278	1	1
987.5	-2200	57527.3	0.12	13.57806	1	0.9
975	-2200	57522.2	0.11	13.58389	1	1.6
962.5	-2200	57504.5	0.11	13.59167	1	-0.7

950	-2200	57504.5	0.11	13.59972	1	0.5
937.5	-2200	57500.2	0.11	13.60861	1	0.4
925	-2200	57501.5	0.12	13.61778	1	1.1
912.5	-2200	57504.6	0.11	13.62667	1	0.5
900	-2200	57506	0.12	13.63417	1	-0.3
887.5	-2200	57511.4	0.11	13.64111	1	1.3
875	-2200	57513.5	0.11	13.64694	1	0.7
862.5	-2200	57518.3	0.12	13.65306	1	2
850	-2200	57516.3	0.11	13.66167	1	-0.2
837.5	-2200	57519.5	0.11	13.6675	1	1.6
825	-2200	57520.5	0.11	13.67528	1	1.5
812.5	-2200	57519.4	0.12	13.68028	1	0.6
800	-2200	57519.6	0.11	13.68694	1	1.3
787.5	-2200	57520.1	0.12	13.69333	1	1.3
775	-2200	57520.1	0.11	13.69889	1	1
762.5	-2200	57520.8	0.11	13.70417	1	2.1
750	-2200	57519.5	0.11	13.70889	1	0.1
737.5	-2200	57518.6	0.11	13.71611	1	0.2
725	-2200	57519.5	0.11	13.72194	1	1.5
712.5	-2200	57519.9	0.11	13.73722	1	1.3
700	-2200	57520.4	0.11	13.74278	1	0.4
687.5	-2200	57522.2	0.11	13.75028	1	1.8
675	-2200	57518.7	0.12	13.75972	1	1.9
662.5	-2200	57523.4	0.11	13.76778	1	2.9
650	-2200	57514.7	0.11	13.78611	1	-1.6
637.5	-2200	57518.4	0.11	13.79278	1	-0.3
625	-2200	57517.1	0.23	13.79861	1	-1.5
612.5	-2200	57520.4	0.13	13.80611	1	0.2
600	-2200	57515.8	0.11	13.81389	1	-4.9
587.5	-2200	57537.6	0.12	13.82417	1	10.1
575	-2200	57523	0.11	13.83361	1	0.7
562.5	-2200	57524.9	0.11	13.84028	1	0.5
550	-2200	57530.1	0.11	13.845	1	2.5
537.5	-2200	57531.7	0.11	13.85222	1	1
525	-2200	57533.6	0.11	13.85861	1	1.2
512.5	-2200	57535.4	0.12	13.865	1	0.8
500	-2200	57537.2	0.14	13.87194	1	1.2
487.5	-2200	57537.2	0.16	13.87278	1	1
487.5	-2200	57544.1	0.11	13.89028	1	2
475	-2200	57542.4	0.11	13.89667	1	-0.9
462.5	-2200	57556.1	0.11	13.90528	1	2.5
450	-2200	57553.6	0.11	13.91139	1	1.1
437.5	-2200	57554.8	0.11	13.91972	1	-0.1
425	-2200	57562.1	0.11	13.92722	1	2
412.5	-2200	57562.2	0.11	13.93556	1	0.3
400	-2200	57565.9	0.12	13.94028	1	1.5
387.5	-2200	57562.7	0.11	13.94861	1	0.4
375	-2200	57566.3	0.11	13.96444	1	0.9

/----- S C I N T R E X -----/

/! Revision: □4.3F
 /! Line____: □2100.00 S
 /! Date____: □01/10/18
 /! Job____: □0
 /! Operator: □
 /! Serial__: □0
 /! Basefld_: □57550
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

375	-2100	57558	0.11	14.04833	1	2.4
387.5	-2100	57551.4	0.11	14.06472	1	-0.7
400	-2100	57554.5	0.11	14.07361	1	0.8
412.5	-2100	57553.7	0.11	14.08444	1	0.3
425	-2100	57552.7	0.12	14.09333	1	1.3
437.5	-2100	57550.5	0.11	14.10278	1	0.4
450	-2100	57549.2	0.11	14.11389	1	1.6

462.5	-2100	57546.3	0.11	14.12389	1	0.2
475	-2100	57545.3	0.12	14.14028	1	0.6
487.5	-2100	57547	0.12	14.15167	1	1.3
500	-2100	57545.9	0.11	14.16028	1	1.3
512.5	-2100	57542	0.11	14.17111	1	-0.4
525	-2100	57544.5	0.11	14.18056	1	1.6
537.5	-2100	57540	0.11	14.18917	1	0.3
550	-2100	57542.1	0.11	14.19861	1	2
562.5	-2100	57536.8	0.11	14.20528	1	0.5
575	-2100	57535.6	0.11	14.21556	1	1.9
587.5	-2100	57534.8	0.11	14.225	1	2
600	-2100	57530.9	0.11	14.23167	1	0.4
612.5	-2100	57529	0.11	14.24056	1	-0.4
625	-2100	57527.9	0.11	14.25139	1	0.4
637.5	-2100	57528.9	0.11	14.25889	1	0.5
650	-2100	57528.5	0.11	14.26528	1	2.2
662.5	-2100	57525.6	0.11	14.27833	1	0
675	-2100	57521.8	0.11	14.28361	1	-1.3
687.5	-2100	57524.7	0.11	14.28917	1	1.6
700	-2100	57522	0.11	14.29444	1	0
712.5	-2100	57521	0.12	14.67944	1	0.3
725	-2100	57520.1	0.12	14.68444	1	-0.3
737.5	-2100	57520.9	0.12	14.68944	1	0.8
750	-2100	57520.3	0.12	14.69444	1	-0.1
762.5	-2100	57522.3	0.12	14.7	1	0.7
775	-2100	57523.3	0.12	14.70444	1	1.5
787.5	-2100	57519.9	0.12	14.70972	1	-1.2
800	-2100	57524	0.12	14.71639	1	1.5
812.5	-2100	57523	0.11	14.72306	1	0.8
825	-2100	57527.1	0.11	14.72861	1	2
837.5	-2100	57522.7	0.12	14.73417	1	-0.3
850	-2100	57523.3	0.11	14.73889	1	0.5
862.5	-2100	57523.8	0.11	14.74389	1	0.9
875	-2100	57519.7	0.11	14.74861	1	0.3
887.5	-2100	57515.2	0.11	14.75472	1	1.3
900	-2100	57504.1	0.12	14.76111	1	-0.2
912.5	-2100	57493.9	0.12	14.76778	1	-0.2
925	-2100	57496.4	0.11	14.77389	1	-0.4
937.5	-2100	57508.4	0.12	14.77861	1	0.7
950	-2100	57522	0.11	14.785	1	2.7
962.5	-2100	57524.6	0.12	14.79306	1	1.2
975	-2100	57532.2	0.11	14.80028	1	2.1
987.5	-2100	57532.9	0.12	14.80639	1	0.6
1000	-2100	57535.1	0.12	14.81639	1	-0.1
1012.5	-2100	57540.3	0.11	14.82417	1	1.1
1025	-2100	57544.5	0.12	14.83333	1	1.3
1037.5	-2100	57544.1	0.16	14.83389	1	0.5
1037.5	-2100	57548.5	0.12	14.85139	1	1
1050	-2100	57551.9	0.11	14.85833	1	1.2
1062.5	-2100	57555.7	0.12	14.86556	1	1.3
1075	-2100	57558.2	0.12	14.87167	1	0.8
1087.5	-2100	57560.9	0.12	14.87861	1	1.2
1100	-2100	57564	0.12	14.88667	1	1.8
1112.5	-2100	57564.9	0.11	14.89806	1	1.2
1125	-2100	57565.1	0.16	14.89861	1	1.4
1125	-2100	57567.4	0.12	14.91444	1	0.9
1137.5	-2100	57569.1	0.11	14.92167	1	1.3
1150	-2100	57570.2	0.11	14.92806	1	1.5
1162.5	-2100	57571.6	0.12	14.9375	1	1.4
1175	-2100	57572.4	0.11	14.94306	1	0.9
1187.5	-2100	57574.8	0.11	14.95083	1	0.9
1200	-2100	57577	0.12	14.95806	1	2.2
1212.5	-2100	57577.5	0.12	14.96556	1	0.8
1225	-2100	57578.7	0.11	14.9725	1	1.3
1237.5	-2100	57579.5	0.11	14.97917	1	1.9
1250	-2100	57581	0.11	14.98694	1	1.5
1262.5	-2100	57582	0.11	14.99528	1	1.4

1275	-2100	57581.7	0.12	15.0025	1	0.8
1287.5	-2100	57583.9	0.12	15.00972	1	1.2
1300	-2100	57585.1	0.12	15.01583	1	1.2
1312.5	-2100	57586.4	0.12	15.03778	1	2.2
1325	-2100	57585.7	0.12	15.0475	1	1.3
1337.5	-2100	57586.5	0.12	15.055	1	0.5
1350	-2100	57586.7	0.12	15.06139	1	-0.2
1362.5	-2100	57585.3	0.12	15.06833	1	0.1
1375	-2100	57583.6	0.12	15.08167	1	-0.1
1387.5	-2100	57581.6	0.13	15.08861	1	1
1400	-2100	57577.1	0.11	15.09583	1	-0.4
1412.5	-2100	57576	0.12	15.10472	1	0.7
1425	-2100	57580	0.14	15.13639	1	6.2
1400	-2100	57577	0.12	15.14972	1	1.6
1412.5	-2100	57582.2	0.11	15.16333	1	-0.3
1425	-2100	57586.1	0.12	15.17444	1	0.1
1437.5	-2100	57589.3	0.12	15.18306	1	-0.2
1450	-2100	57589.2	0.12	15.20194	1	0
1462.5	-2100	57591.6	0.12	15.21556	1	-0.6
1475	-2100	57593.9	0.11	15.22611	1	-0.8
1487.5	-2100	57596.2	0.11	15.24111	1	-0.8
1500	-2100	57598.8	0.12	15.25278	1	-0.7

/----- S C I N T R E X -----
 //! Revision: □4.3F
 //! Line____: □2000.00 S
 //! Date____: □01/10/18
 //! Job____: □0
 //! Operator: □
 //! Serial__: □0
 //! Basefld_: □57550
 //! Duration: □2.0
 //! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

1500	-2000	57579.8	0.12	15.35972	1	-2.6
1487.5	-2000	57588.7	0.11	15.37028	1	0.2
1475	-2000	57587.3	0.12	15.38056	1	-1.6
1462.5	-2000	57587.9	0.12	15.38972	1	-1.3
1450	-2000	57586	0.12	15.40333	1	-0.8
1437.5	-2000	57586.2	0.12	15.41111	1	-0.6
1425	-2000	57586.3	0.12	15.42	1	0.3
1412.5	-2000	57571.5	0.12	15.43278	1	-0.7
1400	-2000	57572.8	0.13	15.45167	1	-0.2
1387.5	-2000	57573.4	0.11	15.46194	1	1.2
1375	-2000	57569	0.12	15.47278	1	-0.6
1362.5	-2000	57569.5	0.12	15.48028	1	-0.4
1350	-2000	57572.5	0.12	15.48972	1	-0.3
1337.5	-2000	57576.5	0.11	15.50028	1	0.5
1325	-2000	57576.8	0.12	15.5075	1	-0.3
1312.5	-2000	57578.6	0.12	15.51806	1	-0.2
1300	-2000	57581.4	0.12	15.52528	1	1.3
1287.5	-2000	57582.7	0.12	15.535	1	1.5
1275	-2000	57580.6	0.12	15.54278	1	-0.8
1262.5	-2000	57581.8	0.12	15.55083	1	-0.2
1250	-2000	57582.4	0.11	15.55917	1	-0.1
1237.5	-2000	57584.5	0.11	15.56694	1	0.7
1225	-2000	57583	0.12	15.57528	1	0.4
1212.5	-2000	57582.5	0.12	15.57583	1	-0.5
1212.5	-2000	57581.8	0.12	15.5925	1	-0.4
1200	-2000	57583.2	0.13	15.60111	1	0.2
1187.5	-2000	57584.4	0.12	15.60917	1	1.8
1175	-2000	57583.9	0.12	15.6175	1	1.3
1162.5	-2000	57582.9	0.12	15.67694	1	0.5
1150	-2000	57581.4	0.12	15.68583	1	0.7
1137.5	-2000	57579.6	0.12	15.69444	1	0.1
1125	-2000	57577.7	0.12	15.70611	1	1.8
1112.5	-2000	57575.7	0.12	15.72194	1	1.9

1100	-2000	57572.8	0.12	15.72778	1	-0.6
1087.5	-2000	57572.2	0.11	15.73389	1	1.2
1075	-2000	57566	0.11	15.745	1	-1
1062.5	-2000	57563.7	0.12	15.75556	1	0.5
1050	-2000	57559.2	0.12	15.76528	1	0.5
1037.5	-2000	57553	0.12	15.77917	1	1.1
1025	-2000	57547.7	0.12	15.79	1	0.4
1012.5	-2000	57540.8	0.12	15.80361	1	1.5
1000	-2000	57530.7	0.11	15.81083	1	-1.2
987.5	-2000	57526.8	0.12	15.82389	1	-1.1
975	-2000	57529.3	0.15	15.83222	1	0.9
962.5	-2000	57554.4	0.12	15.84194	1	-2.4
950	-2000	57530.9	0.11	15.85167	1	1.8
937.5	-2000	57522.9	0.11	15.85944	1	-0.6
925	-2000	57516.3	0.12	15.87	1	-1.3
912.5	-2000	57516	0.11	15.87611	1	1.1
900	-2000	57517.4	0.12	15.88972	1	1.5
887.5	-2000	57517.2	0.12	15.90028	1	-1.1
875	-2000	57522.5	0.11	15.90861	1	0.9
862.5	-2000	57523	0.24	15.92028	1	-1.4
850	-2000	57525.5	0.12	15.92944	1	0.1
837.5	-2000	57528.4	0.12	15.93944	1	-0.3
825	-2000	57527.8	0.12	15.94556	1	0.3
812.5	-2000	57525.8	0.12	15.95222	1	-1.2
800	-2000	57526	0.11	15.95889	1	0.4
787.5	-2000	57524.7	0.12	15.96556	1	1.8
775	-2000	57524.2	0.12	15.9725	1	0.6
762.5	-2000	57523.9	0.12	15.97917	1	1.8
750	-2000	57524.2	0.11	15.985	1	1.1
737.5	-2000	57525.7	0.11	15.99194	1	1
725	-2000	57519.8	0.12	15.99861	1	-0.4
712.5	-2000	57521.8	0.12	16.02556	1	-0.2
700	-2000	57522.1	0.12	16.03306	1	-0.5
687.5	-2000	57527.7	0.12	16.04306	1	0.5
675	-2000	57526.9	0.11	16.05	1	0.6
662.5	-2000	57524.1	0.11	16.13611	1	-2
650	-2000	57528.7	0.12	16.14389	1	0.6
637.5	-2000	57528	0.11	16.15083	1	-0.7
625	-2000	57528.5	0.11	16.15806	1	-0.1
612.5	-2000	57537.2	0.12	16.16472	1	1.7
600	-2000	57524.2	0.11	16.1725	1	-9.1
587.5	-2000	57537.3	0.12	16.18194	1	2
575	-2000	57540.5	0.11	16.19	1	1.1
562.5	-2000	57536.7	0.12	16.20722	1	1.4
550	-2000	57536.9	0.11	16.21528	1	0.5
537.5	-2000	57535.2	0.12	16.22167	1	0
525	-2000	57536	0.11	16.22917	1	-1.9
512.5	-2000	57536	0.12	16.23583	1	-2.3
500	-2000	57536.3	0.1	16.23639	1	-1.5
500	-2000	57542.5	0.12	16.25694	1	1.9
487.5	-2000	57541.6	0.11	16.26833	1	0.6
475	-2000	57543.3	0.11	16.275	1	0.5
462.5	-2000	57542.8	0.12	16.28306	1	-1.4
450	-2000	57542.1	0.11	16.29028	1	-1.8
437.5	-2000	57547.2	0.12	16.29694	1	-0.8
425	-2000	57553.1	0.12	16.30361	1	1.6
412.5	-2000	57550.3	0.11	16.31111	1	-1.3
400	-2000	57550.9	0.11	16.31806	1	0.3
387.5	-2000	57552.2	0.11	16.32472	1	0.1
375	-2000	57551.2	0.11	16.33056	1	-0.8

/----- S C I N T R E X -----
 /! Revision: □4.3F
 /! Line : □1900.00 S
 /! Date : □01/10/18
 /! Job : □0
 /! Operator: □

#! Serial__: 0
#! Basefld_: 57550
#! Duration: 2.0
#! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

375	-1900	57542.9	0.12	16.45944	1	-0.9
387.5	-1900	57541	0.12	16.47111	1	-2.2
400	-1900	57542.1	0.11	16.48306	1	-0.6
412.5	-1900	57539.7	0.11	16.48889	1	-1.8
425	-1900	57541.3	0.11	16.49667	1	-0.7
437.5	-1900	57539.3	0.11	16.50306	1	-0.9
450	-1900	57540.9	0.11	16.51306	1	0.5
462.5	-1900	57574.1	0.12	16.52944	1	13.6
475	-1900	57538.1	0.12	16.55861	1	-1.9
487.5	-1900	57541.4	0.12	16.56778	1	1
500	-1900	57538.9	0.12	16.58667	1	0
512.5	-1900	57534.9	0.12	16.59139	1	-1.5

à

/----- S C I N T R E X -----/

/! Revision: □4.3F
 /! Line____: □1900.00 S
 /! Date____: □01/10/19
 /! Job____: □0
 /! Operator: □
 /! Serial__ : □0
 /! Basefld_ : □57520
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

500	-1900	57539.3	0.13	11.36778	1	-1.3
512.5	-1900	57531	0.12	11.37889	1	-2.4
525	-1900	57535.4	0.12	11.39194	1	-1.1
537.5	-1900	57530.9	0.12	11.40556	1	-3.2
550	-1900	57532.7	0.12	11.41722	1	-1.7
562.5	-1900	57532.9	0.13	11.42944	1	-2.8
575	-1900	57533.9	0.13	11.43583	1	-3.9
587.5	-1900	57534.6	0.13	11.44389	1	-0.8
600	-1900	57530.6	0.13	11.45083	1	-3.5
612.5	-1900	57530.6	0.12	11.4575	1	-3.6
625	-1900	57527.1	0.13	11.46278	1	-8.4
637.5	-1900	57530.3	0.13	11.47056	1	-5
650	-1900	57530.6	0.13	11.47639	1	-3.1
662.5	-1900	57528.2	0.13	11.48472	1	-5
675	-1900	57532.9	0.12	11.49056	1	-0.1
687.5	-1900	57530.1	0.12	11.49694	1	-2.9
700	-1900	57529.4	0.12	11.50472	1	-0.2
712.5	-1900	57529.7	0.12	11.51028	1	-0.2
725	-1900	57530.6	0.12	11.5175	1	1.5
737.5	-1900	57528	0.11	11.5275	1	-3.2
750	-1900	57529.4	0.12	11.5325	1	-1.8
762.5	-1900	57532.7	0.12	11.53861	1	-1
775	-1900	57533.1	0.12	11.54333	1	-1.1
787.5	-1900	57535.1	0.12	11.55083	1	1.3
800	-1900	57536.6	0.11	11.5575	1	-0.1
812.5	-1900	57537.9	0.12	11.56444	1	-0.7
825	-1900	57536.3	0.12	11.57222	1	0.2
837.5	-1900	57538.8	0.12	11.57833	1	-1.3
850	-1900	57540.1	0.12	11.58417	1	0.3
862.5	-1900	57544.8	0.11	11.59	1	1
875	-1900	57544.5	0.12	11.59778	1	-0.5
887.5	-1900	57548.3	0.12	11.60361	1	-0.4
900	-1900	57549.6	0.12	11.61	1	-0.2
912.5	-1900	57551.6	0.12	11.61722	1	-1
925	-1900	57554.1	0.12	11.62306	1	-0.5
937.5	-1900	57558	0.11	11.63083	1	0.8
950	-1900	57559.8	0.12	11.6375	1	1.7
962.5	-1900	57561.7	0.11	11.64583	1	-0.8
975	-1900	57563.6	0.12	11.65306	1	1.9
987.5	-1900	57565.4	0.12	11.66056	1	1.4
1000	-1900	57563.6	0.11	11.66917	1	-0.5
1012.5	-1900	57564.8	0.11	11.67833	1	0.2
1025	-1900	57565.7	0.12	11.68444	1	0.6
1037.5	-1900	57567.8	0.11	11.69194	1	0.9
1050	-1900	57568.2	0.11	11.69944	1	-0.5
1062.5	-1900	57569.8	0.12	11.70583	1	0.7
1075	-1900	57571.4	0.12	11.71278	1	-0.8
1087.5	-1900	57576.8	0.12	11.72028	1	1.2
1100	-1900	57582.4	0.12	11.74222	1	0.4
1112.5	-1900	57582.5	0.12	11.75083	1	0.6
1125	-1900	57584.3	0.11	11.75778	1	0.1
1137.5	-1900	57584.6	0.11	11.765	1	-0.3
1150	-1900	57584.6	0.11	11.77333	1	1.8

1162.5	-1900	57584.4	0.14	11.77389	1	1.9
1162.5	-1900	57585.3	0.11	11.79583	1	-0.5
1175	-1900	57586.3	0.11	11.80278	1	-0.2
1187.5	-1900	57586.1	0.11	11.81056	1	-1.1
1200	-1900	57587.4	0.12	11.81944	1	0.3
1212.5	-1900	57587.6	0.12	11.82	1	1
1212.5	-1900	57588.9	0.11	11.83111	1	2.5
1225	-1900	57589	0.11	11.84	1	1.1
1237.5	-1900	57586.9	0.11	11.84861	1	0
1250	-1900	57581.4	0.12	11.86278	1	-4.9
1262.5	-1900	57584.5	0.12	11.90417	1	-0.9
1275	-1900	57585	0.11	11.91361	1	1
1287.5	-1900	57584.6	0.11	11.92056	1	3.1
1300	-1900	57582.4	0.11	11.92639	1	1.3
1312.5	-1900	57581.7	0.11	11.93389	1	0.4
1325	-1900	57581.7	0.11	11.94028	1	1.5
1337.5	-1900	57583.2	0.11	11.94806	1	-0.1
1350	-1900	57581.3	0.11	11.95778	1	0.8
1362.5	-1900	57576	0.11	11.96667	1	-0.8
1375	-1900	57573.2	0.11	11.97333	1	-1.4
1387.5	-1900	57576.1	0.11	11.98167	1	-2.2
1400	-1900	57589.9	0.12	11.98889	1	2.7
1412.5	-1900	57580.6	0.13	12.00528	1	0.2
1425	-1900	57586.7	0.11	12.02889	1	-1.4
1437.5	-1900	57592.2	0.11	12.04361	1	0.7
1450	-1900	57592.5	0.11	12.05861	1	-0.2
1462.5	-1900	57592.9	0.13	12.06806	1	-1.3
1475	-1900	57592.6	0.08	12.06861	1	-1.9
1475	-1900	57596.6	0.12	12.08194	1	1.2
1487.5	-1900	57593.4	0.11	12.0925	1	-2.8
1500	-1900	57596.2	0.11	12.09972	1	0.6

/----- S C I N T R E X -----

// Revision: 4.3F
 // Line: 1800.00 S
 // Date: 01/10/19
 // Job: 0
 // Operator:
 // Serial: 0
 // Basefld: 57520
 // Duration: 2.0
 // Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

1500	-1800	57599	0.11	12.33417	1	-4.1
1487.5	-1800	57602.4	0.11	12.3475	1	0.7
1475	-1800	57609.5	0.11	12.35694	1	1.8
1462.5	-1800	57609.1	0.11	12.36556	1	-0.2
1450	-1800	57608.4	0.11	12.37222	1	0.4
1437.5	-1800	57606.1	0.11	12.37944	1	1
1425	-1800	57593.3	0.11	12.38806	1	-2
1412.5	-1800	57592.7	0.11	12.41333	1	1.8
1400	-1800	57597.1	0.11	12.42389	1	1.2
1387.5	-1800	57596	0.11	12.435	1	2.5
1375	-1800	57586	0.11	12.44083	1	0.9
1362.5	-1800	57584.1	0.11	12.51083	1	2.8
1350	-1800	57580.4	0.11	12.51806	1	0.6
1337.5	-1800	57580.6	0.12	12.52417	1	1.5
1325	-1800	57580.8	0.11	12.53583	1	2.2
1312.5	-1800	57584.1	0.11	12.55167	1	2.6
1300	-1800	57585.7	0.11	12.56389	1	2.3
1287.5	-1800	57585.1	0.11	12.57278	1	1.4
1275	-1800	57589	0.11	12.58444	1	4.7
1262.5	-1800	57588.6	0.11	12.5925	1	1.8
1250	-1800	57591	0.11	12.60167	1	3
1237.5	-1800	57591.1	0.12	12.61917	1	2.5
1225	-1800	57591.5	0.11	12.62361	1	3
1212.5	-1800	57590.3	0.11	12.63361	1	2

1200	-1800	57591	0.11	12.65806	1	3.5
1187.5	-1800	57591.4	0.11	12.66806	1	4
1175	-1800	57588.9	0.11	12.67722	1	1.6
1162.5	-1800	57589.5	0.11	12.68806	1	3
1150	-1800	57587.5	0.11	12.69778	1	2.5
1137.5	-1800	57588.6	0.11	12.70889	1	4
1125	-1800	57586.5	0.11	12.7175	1	2.7
1112.5	-1800	57584.4	0.11	12.73361	1	1.4
1100	-1800	57581.3	0.11	12.74111	1	1.3
1087.5	-1800	57580.6	0.11	12.76111	1	2.1
1075	-1800	57579.6	0.11	12.76639	1	2.9
1062.5	-1800	57579.7	0.11	12.77389	1	3.7
1050	-1800	57575.7	0.11	12.78444	1	2.7
1037.5	-1800	57571.9	0.12	12.795	1	2.5
1025	-1800	57572.1	0.11	12.80722	1	3
1012.5	-1800	57570	0.17	12.81583	1	1.4
1000	-1800	57568.4	0.11	12.82361	1	1.8
987.5	-1800	57567.7	0.1	12.83583	1	1.7
975	-1800	57567.2	0.11	12.84472	1	2
962.5	-1800	57565.6	0.12	12.85528	1	2.6
950	-1800	57562.5	0.11	12.86444	1	1.4
937.5	-1800	57561.5	0.11	12.87472	1	3
925	-1800	57559	0.11	12.88333	1	1.9
912.5	-1800	57555.6	0.11	12.88944	1	2.8
900	-1800	57549.4	0.11	12.90167	1	1
887.5	-1800	57543.8	0.11	12.91056	1	2.8
875	-1800	57537.9	0.11	12.91972	1	1.3
862.5	-1800	57530.9	0.11	12.95444	1	-1.2
850	-1800	57533.7	0.1	12.96417	1	1
837.5	-1800	57528.7	0.11	12.97278	1	0.4
825	-1800	57526.2	0.11	12.98056	1	0.2
812.5	-1800	57523.6	0.11	12.99111	1	0.2
800	-1800	57523.3	0.1	13.00083	1	2.1
787.5	-1800	57517.9	0.11	13.03833	1	-0.3
775	-1800	57515.4	0.11	13.04639	1	1.1
762.5	-1800	57515.1	0.11	13.05556	1	1.6
750	-1800	57517.4	0.11	13.06389	1	3.5
737.5	-1800	57517	0.11	13.07111	1	2
725	-1800	57518.3	0.14	13.08083	1	2.3
712.5	-1800	57517.1	0.11	13.08694	1	0
700	-1800	57519.1	0.11	13.095	1	0.6
687.5	-1800	57520.3	0.11	13.10389	1	0.9
675	-1800	57518.9	0.11	13.11306	1	-0.8
662.5	-1800	57527.3	0.11	13.12083	1	1.9
650	-1800	57524.8	0.11	13.12917	1	0.5
637.5	-1800	57528.4	0.11	13.13528	1	-0.2
625	-1800	57528.9	0.1	13.145	1	0.7
612.5	-1800	57526.7	0.11	13.18556	1	-0.1
600	-1800	57529.1	0.11	13.19722	1	0.4
587.5	-1800	57533.1	0.11	13.20639	1	0.3
575	-1800	57534	0.11	13.21222	1	-0.1
562.5	-1800	57532.2	0.11	13.21944	1	-0.4
550	-1800	57532.5	0.11	13.23	1	-2.5
537.5	-1800	57532.6	0.1	13.23917	1	-3.1
525	-1800	57536.9	0.1	13.24472	1	-0.9
512.5	-1800	57533.7	0.1	13.2525	1	-0.6
500	-1800	57540.6	0.1	13.26028	1	1.6
487.5	-1800	57533.7	0.11	13.26639	1	-2.7
475	-1800	57533.5	0.11	13.275	1	-2.6
462.5	-1800	57532.2	0.11	13.28111	1	-3
450	-1800	57533.2	0.11	13.28833	1	-5.9
437.5	-1800	57537.2	0.11	13.2975	1	-2.1
425	-1800	57536.1	0.11	13.30528	1	-2.1
412.5	-1800	57535.2	0.1	13.31389	1	-2.9
400	-1800	57516.6	0.11	13.32028	1	-4.6
387.5	-1800	57535	0.11	13.32361	1	-3.7
375	-1800	57534.7	0.1	13.33306	1	-6.9

362.5 -1800 57545.2 0.11 13.34528 1 3.9

/----- S C I N T R E X -----

#! Revision: □4.3F
#! Line____: □1700.00 S
#! Date____: □01/10/19
#! Job____: □0
#! Operator: □
#! Serial__: □0
#! Basefld_: □57520
#! Duration: □2.0
#! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

325	-1700	57545.3	0.11	13.92167	1	2.6
312.5	-1700	57537.6	0.11	13.93861	1	-2
300	-1700	57539.9	0.11	13.94778	1	-0.8
287.5	-1700	57540.5	0.11	13.95417	1	-1.1
275	-1700	57541.9	0.11	13.96056	1	-1.3
262.5	-1700	57542.6	0.11	13.96694	1	-1.7
250	-1700	57548.7	0.1	13.97278	1	2.6
237.5	-1700	57545.5	0.11	13.98056	1	0.7
225	-1700	57544.3	0.11	13.98806	1	-0.8
212.5	-1700	57543.8	0.11	13.99472	1	-0.5
200	-1700	57545	0.11	14.00111	1	0.9
187.5	-1700	57545.1	0.12	14.00944	1	0.2
175	-1700	57543.7	0.11	14.015	1	-0.9
162.5	-1700	57543.9	0.12	14.01556	1	-0.4
162.5	-1700	57543.9	0.11	14.02611	1	0.1
150	-1700	57544.2	0.11	14.03361	1	-0.2
137.5	-1700	57545.5	0.11	14.04139	1	0.9
125	-1700	57542.5	0.11	14.04778	1	-1.3
112.5	-1700	57541.9	0.11	14.055	1	-1.5
100	-1700	57544.5	0.11	14.0625	1	1.4
87.5	-1700	57545.7	0.11	14.06917	1	1.7
75	-1700	57545.9	0.1	14.07	1	2.3
75	-1700	57542.9	0.11	14.08	1	0.8
62.5	-1700	57542.3	0.11	14.08778	1	-1.2
50	-1700	57541	0.11	14.09389	1	-0.2
37.5	-1700	57540.4	0.11	14.1025	1	1
25	-1700	57538.9	0.11	14.10833	1	1
12.5	-1700	57544.2	0.11	14.1175	1	2.8

/----- S C I N T R E X -----

#! Revision: □4.3F
#! Line____: □1600.00 S
#! Date____: □01/10/19
#! Job____: □0
#! Operator: □
#! Serial__: □0
#! Basefld_: □57520
#! Duration: □2.0
#! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

0	-1600	57541.4	0.11	14.27389	1	-0.7
12.5	-1600	57546	0.11	14.28417	1	1.9
25	-1600	57540	0.1	14.3	1	-0.8
37.5	-1600	57543	0.11	14.33194	1	0.4
50	-1600	57541.6	0.11	14.34056	1	-0.1
62.5	-1600	57541.6	0.16	14.34139	1	-0.6
62.5	-1600	57541.6	0.11	14.35583	1	-0.8
75	-1600	57545.7	0.11	14.36583	1	0.9
87.5	-1600	57549.2	0.12	14.37444	1	2
100	-1600	57544.1	0.12	14.43889	1	0.8
112.5	-1600	57548	0.11	14.44972	1	0.2
125	-1600	57543.5	0.11	14.46667	1	-2.3
137.5	-1600	57549.1	0.12	14.48167	1	1.1
150	-1600	57553.5	0.11	14.49111	1	3.4

162.5	-1600	57551	0.12	14.50694	1	2.3
175	-1600	57545.1	0.11	14.51472	1	-1.7
187.5	-1600	57545.9	0.11	14.52667	1	-0.9
200	-1600	57545.4	0.11	14.55528	1	-1.9
212.5	-1600	57544.6	0.11	14.56639	1	-0.6
225	-1600	57544	0.11	14.57444	1	-1.2
237.5	-1600	57542	0.13	14.5825	1	-0.7
250	-1600	57540.7	0.11	14.59139	1	-2.5
262.5	-1600	57543.6	0.12	14.60194	1	-1
275	-1600	57543.6	0.11	14.60944	1	0.9
287.5	-1600	57541.5	0.11	14.61694	1	-0.8
300	-1600	57539.5	0.11	14.62472	1	-1.3
312.5	-1600	57540.5	0.12	14.63111	1	-2.1
325	-1600	57538.7	0.11	14.64361	1	-0.1
337.5	-1600	57530.6	0.12	14.65583	1	-3.7
350	-1600	57536.8	0.11	14.6725	1	-3.7
362.5	-1600	57537.6	0.11	14.6875	1	-0.6
375	-1600	57537.4	0.12	14.6975	1	-1.8
387.5	-1600	57538.3	0.11	14.70833	1	-1.5
400	-1600	57537.4	0.11	14.71806	1	-2.2
412.5	-1600	57536.3	0.11	14.73972	1	-2.9
425	-1600	57538.7	0.11	14.74722	1	-0.6
437.5	-1600	57536.4	0.11	14.75167	1	-4.3
450	-1600	57537.7	0.11	14.75861	1	-2.5
462.5	-1600	57536.6	0.12	14.76472	1	-3.5
475	-1600	57536.1	0.12	14.78167	1	-4.4
487.5	-1600	57537.9	0.12	14.78917	1	0.5
500	-1600	57539.3	0.11	14.79639	1	0.8
512.5	-1600	57537.9	0.12	14.80194	1	-1.1
525	-1600	57538.2	0.11	14.80861	1	0.1
537.5	-1600	57539.9	0.11	14.81528	1	0.3
550	-1600	57540	0.11	14.82306	1	1.1
562.5	-1600	57541.8	0.11	14.82944	1	1.8
575	-1600	57539.3	0.12	14.83556	1	1.1
587.5	-1600	57539.5	0.11	14.8425	1	0.7
600	-1600	57541.1	0.11	14.84917	1	1.9
612.5	-1600	57540.3	0.11	14.855	1	1
625	-1600	57542.2	0.12	14.86056	1	0.7
637.5	-1600	57542.5	0.11	14.86639	1	0.5
650	-1600	57544.3	0.11	14.87333	1	0.9
662.5	-1600	57544.3	0.14	14.87389	1	1
662.5	-1600	57547.3	0.11	14.88417	1	0.5
675	-1600	57545.6	0.14	14.89056	1	-0.9
687.5	-1600	57547.7	0.11	14.89583	1	-0.9
700	-1600	57547.9	0.12	14.92	1	-2.9
712.5	-1600	57548	0.08	14.92056	1	-2.6
712.5	-1600	57551.9	0.11	14.93139	1	0.9
725	-1600	57554.4	0.11	14.9375	1	1.4
737.5	-1600	57555.2	0.11	14.94361	1	0.1
750	-1600	57554.3	0.11	14.94889	1	-0.7
762.5	-1600	57557.6	0.11	14.95528	1	0.9
775	-1600	57560	0.11	14.96028	1	1.2
787.5	-1600	57560.7	0.11	14.965	1	0.1
800	-1600	57564.8	0.12	14.97083	1	1.3
812.5	-1600	57566.3	0.12	14.98222	1	2
825	-1600	57568.8	0.11	14.99056	1	0.3
837.5	-1600	57568.7	0.1	14.99111	1	0
837.5	-1600	57570	0.11	15.00278	1	1.1
850	-1600	57572.4	0.11	15.00861	1	1.8
862.5	-1600	57572.3	0.09	15.00917	1	1.5
862.5	-1600	57571.9	0.12	15.02667	1	-0.1
875	-1600	57574.7	0.11	15.03389	1	1.6
887.5	-1600	57575.6	0.11	15.04083	1	1.5
900	-1600	57576	0.12	15.05611	1	-0.9
912.5	-1600	57577.2	0.11	15.06278	1	-0.1
925	-1600	57576	0.11	15.07	1	-1.6
937.5	-1600	57579.1	0.11	15.07667	1	1.1

950	-1600	57579.1	0.12	15.08583	1	0.6
962.5	-1600	57580.8	0.12	15.09667	1	1.9
975	-1600	57578.1	0.11	15.10556	1	0.7
987.5	-1600	57577.9	0.12	15.1125	1	1.5
1000	-1600	57574.4	0.12	15.12194	1	-0.5
1012.5	-1600	57575.6	0.11	15.12889	1	0.7
1025	-1600	57575.9	0.11	15.13528	1	1.4
1037.5	-1600	57574.9	0.12	15.14083	1	1.1
1050	-1600	57574.2	0.12	15.14889	1	1.3
1062.5	-1600	57576.6	0.11	15.15722	1	2.4
1075	-1600	57581.3	0.11	15.16722	1	3.3
1087.5	-1600	57571.4	0.11	15.17417	1	1
1100	-1600	57572.7	0.11	15.18139	1	-0.2
1112.5	-1600	57576.3	0.12	15.19167	1	1.6
1125	-1600	57577.4	0.12	15.19972	1	1.2
1137.5	-1600	57578.6	0.11	15.20667	1	1.2
1150	-1600	57580.1	0.11	15.21444	1	0.5
1162.5	-1600	57581	0.11	15.22222	1	0.4
1175	-1600	57582.6	0.11	15.22889	1	0.4
1187.5	-1600	57583.7	0.11	15.23556	1	1.5
1200	-1600	57583	0.12	15.24472	1	1.4
1212.5	-1600	57584.1	0.11	15.25194	1	-0.6
1225	-1600	57585.2	0.11	15.25778	1	0.3
1237.5	-1600	57584.8	0.11	15.26556	1	-1
1250	-1600	57587	0.12	15.27472	1	0.7
1262.5	-1600	57587.1	0.11	15.28194	1	0.2
1275	-1600	57586	0.11	15.28889	1	-0.1
1287.5	-1600	57586.9	0.11	15.29611	1	-1.1
1300	-1600	57591.7	0.11	15.30361	1	-0.1
1312.5	-1600	57593	0.11	15.31389	1	0.3
1325	-1600	57596.2	0.11	15.32056	1	-0.4
1337.5	-1600	57597.3	0.11	15.33083	1	-0.3
1350	-1600	57594.5	0.11	15.33944	1	-1
1362.5	-1600	57591.9	0.11	15.34639	1	-1.9
1375	-1600	57592.9	0.11	15.35583	1	0.8
1387.5	-1600	57592	0.12	15.37556	1	-1.1
1400	-1600	57604	0.11	15.41278	1	0.4
1412.5	-1600	57605.4	0.11	15.42639	1	0.8
1425	-1600	57602.4	0.11	15.44194	1	0.1
1437.5	-1600	57602.6	0.11	15.45167	1	0
1450	-1600	57602.9	0.12	15.46111	1	-0.5
1462.5	-1600	57603.4	0.12	15.46944	1	-0.4
1475	-1600	57605.8	0.12	15.48333	1	0.6
1487.5	-1600	57607.1	0.11	15.49222	1	-0.3
1500	-1600	57607.8	0.11	15.51	1	-0.6
1512.5	-1600	57604.8	0.11	15.53361	1	0.1
1525	-1600	57605.4	0.11	15.53667	1	-0.3
1537.5	-1600	57611.7	0.11	15.55417	1	3.1

-----S C I N T R E X-----
 /! Revision: □4.3F
 /! Line____: □1700.00 S
 /! Date____: □01/10/19
 /! Job____: □0
 /! Operator: □
 /! Serial__ : □0
 /! Basefid_ : □57520
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad
 /-----

1537.5	-1700	57603.7	0.12	15.82389	1	0
1525	-1700	57601.9	0.11	15.83944	1	-0.1
1512.5	-1700	57603.8	0.11	15.84889	1	-0.9
1500	-1700	57606.4	0.11	15.86028	1	0.2
1487.5	-1700	57604.4	0.12	15.8775	1	0.9
1475	-1700	57603.1	0.11	15.88528	1	-0.5
1462.5	-1700	57604.2	0.12	15.89889	1	-0.1

1450	-1700	57607.3	0.12	15.91	1	1.1
1437.5	-1700	57609	0.11	15.91861	1	0.5
1425	-1700	57606.3	0.12	15.92722	1	-1.1
1412.5	-1700	57599.5	0.12	15.93972	1	-0.1
1400	-1700	57600.1	0.12	15.96111	1	2.2
1387.5	-1700	57597.9	0.12	15.97361	1	1.5
1375	-1700	57598	0.12	15.98639	1	2.7
1362.5	-1700	57595.9	0.12	15.99694	1	1.3
1350	-1700	57589.1	0.12	16.00611	1	1.1
1337.5	-1700	57583	0.12	16.01389	1	0.6
1325	-1700	57581.9	0.12	16.02528	1	1.5
1312.5	-1700	57588.7	0.12	16.04	1	2.7
1300	-1700	57588.9	0.11	16.04861	1	2.1
1287.5	-1700	57590	0.11	16.05778	1	1.2
1275	-1700	57592.2	0.11	16.06583	1	0.1
1262.5	-1700	57592.7	0.11	16.08	1	1.3
1250	-1700	57591.9	0.11	16.08806	1	1.7
1237.5	-1700	57591.4	0.12	16.09778	1	1.7
1225	-1700	57590.4	0.12	16.10778	1	1.1
1212.5	-1700	57588.9	0.11	16.12111	1	0.7
1200	-1700	57588.8	0.12	16.13056	1	1.9
1187.5	-1700	57586.8	0.11	16.14	1	1.4
1175	-1700	57586.3	0.11	16.14667	1	2.1
1162.5	-1700	57585.1	0.11	16.15361	1	1.4
1150	-1700	57583.5	0.11	16.165	1	0.5
1137.5	-1700	57585.7	0.12	16.18583	1	2.2
1125	-1700	57584.5	0.12	16.19583	1	3.3
1112.5	-1700	57578.9	0.11	16.21222	1	1.3
1100	-1700	57576.8	0.11	16.22194	1	1.6
1087.5	-1700	57575.4	0.11	16.23333	1	2.3
1075	-1700	57574	0.12	16.24278	1	1.3
1062.5	-1700	57573.8	0.12	16.25417	1	1.9
1050	-1700	57576.3	0.11	16.26806	1	2.4
1037.5	-1700	57576.4	0.12	16.29222	1	1.3
1025	-1700	57578.8	0.12	16.30139	1	1.9
1012.5	-1700	57578.2	0.12	16.3125	1	2.3
1000	-1700	57577.5	0.12	16.31861	1	1
987.5	-1700	57578.6	0.13	16.32694	1	1.7
975	-1700	57580.6	0.11	16.34083	1	1.6
962.5	-1700	57583.1	0.12	16.3525	1	2.5
950	-1700	57583	0.12	16.36222	1	1.3
937.5	-1700	57583.9	0.12	16.37	1	2.8
925	-1700	57580.8	0.11	16.37778	1	1.8
912.5	-1700	57575.8	0.11	16.39139	1	1.1
900	-1700	57572.7	0.11	16.40028	1	1.2
887.5	-1700	57572.4	0.12	16.40806	1	3
875	-1700	57567.8	0.12	16.41778	1	1.9
862.5	-1700	57564.7	0.11	16.43139	1	2.3
850	-1700	57561	0.12	16.43861	1	1.4
837.5	-1700	57558.2	0.12	16.44694	1	1.8
825	-1700	57553	0.11	16.45667	1	2.1
812.5	-1700	57547.1	0.11	16.4675	1	1
800	-1700	57542.8	0.11	16.47583	1	2.1
787.5	-1700	57533.3	0.12	16.48611	1	-0.9
775	-1700	57530.5	0.11	16.49333	1	0.6
762.5	-1700	57528.8	0.11	16.50083	1	1.1
750	-1700	57524.6	0.12	16.50944	1	0.7
737.5	-1700	57522.9	0.11	16.52778	1	0.1
725	-1700	57524.3	0.11	16.53222	1	0.5
712.5	-1700	57525.9	0.12	16.54278	1	2.1
700	-1700	57521.7	0.11	16.5525	1	-0.2
687.5	-1700	57524.1	0.11	16.56	1	1.2
675	-1700	57527.7	0.12	16.56778	1	2.2
662.5	-1700	57524.2	0.12	16.57722	1	-0.9
650	-1700	57525.4	0.12	16.58667	1	1.4
637.5	-1700	57528.1	0.11	16.59583	1	1.3
625	-1700	57531.6	0.11	16.60389	1	0.6

612.5	-1700	57533.5	0.11	16.61222	1	1.3
600	-1700	57532	0.11	16.61972	1	-0.1
587.5	-1700	57532.5	0.12	16.62667	1	2
575	-1700	57537.8	0.11	16.63333	1	0.8
562.5	-1700	57535.3	0.12	16.64194	1	1.9
550	-1700	57534	0.11	16.65111	1	1.1
537.5	-1700	57535.2	0.11	16.66056	1	-0.3
525	-1700	57535.4	0.11	16.66778	1	-0.4
512.5	-1700	57535.4	0.11	16.69139	1	-0.1
500	-1700	57536.8	0.11	16.7	1	-1.7
487.5	-1700	57537.4	0.11	16.70722	1	-2.5
475	-1700	57538.6	0.11	16.715	1	-1.2
462.5	-1700	57538.4	0.11	16.7225	1	-0.4
450	-1700	57536.9	0.11	16.72889	1	-1.4
437.5	-1700	57538	0.11	16.73556	1	-0.3
425	-1700	57536.8	0.11	16.74111	1	-3.1
412.5	-1700	57537.3	0.11	16.74833	1	-1.9
400	-1700	57537.6	0.11	16.75556	1	-2.2
387.5	-1700	57540	0.11	16.76694	1	-1.6
375	-1700	57538.1	0.12	16.77778	1	-0.7
362.5	-1700	57540.2	0.12	16.78556	1	-0.7
350	-1700	57539.4	0.12	16.79417	1	-1.1
337.5	-1700	57540.2	0.11	16.80222	1	0.7
325	-1700	57542.4	0.11	16.80861	1	-0.9

à

/----- S C I N T R E X -----/

/! Revision: □4.3F
 /! Line____: □1400.00 S
 /! Date____: □01/10/20
 /! Job____: □0
 /! Operator: □
 /! Serial__: □0
 /! Basefld_: □57520
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

400	-1400	57531.3	0.12	11.37944	1	-13.9
412.5	-1400	57532.1	0.12	11.38833	1	-6.9
425	-1400	57534.1	0.11	11.395	1	-0.6
437.5	-1400	57535.3	0.13	11.40111	1	2.3
450	-1400	57532.1	0.12	11.40778	1	1.3
462.5	-1400	57530.8	0.11	11.41556	1	-1
475	-1400	57531.3	0.12	11.42139	1	0.9
487.5	-1400	57530.6	0.12	11.42667	1	0.7
500	-1400	57530.5	0.12	11.43333	1	-1
512.5	-1400	57535.5	0.12	11.44778	1	1
525	-1400	57540.4	0.12	11.4525	1	1.4
537.5	-1400	57539.8	0.12	11.45667	1	-1
550	-1400	57542.9	0.13	11.46111	1	-0.6
562.5	-1400	57545	0.12	11.46583	1	0.3
575	-1400	57548.7	0.12	11.47111	1	0.5
587.5	-1400	57551.9	0.12	11.47722	1	2.2
600	-1400	57552.1	0.12	11.48194	1	1.1
612.5	-1400	57554.1	0.12	11.48694	1	-0.9
625	-1400	57557.3	0.12	11.49111	1	2
637.5	-1400	57555.4	0.13	11.49528	1	-0.7
650	-1400	57556.6	0.12	11.50639	1	-0.8
662.5	-1400	57557	0.12	11.5225	1	-0.2
675	-1400	57557.7	0.12	11.53194	1	1.2
687.5	-1400	57557.8	0.13	11.53861	1	0.6
700	-1400	57558.2	0.12	11.54528	1	1.9
712.5	-1400	57558.8	0.12	11.55111	1	1.4
725	-1400	57560.8	0.12	11.55694	1	1.5
737.5	-1400	57560.8	0.12	11.56306	1	-0.3
750	-1400	57561.9	0.12	11.57222	1	1.2
762.5	-1400	57562.8	0.12	11.5825	1	0.9
775	-1400	57564.1	0.12	11.58833	1	1.2
787.5	-1400	57566.6	0.13	11.59639	1	3.5
800	-1400	57566.9	0.12	11.60472	1	2.2
812.5	-1400	57566.9	0.12	11.61278	1	1.8
825	-1400	57567.2	0.12	11.62583	1	2
837.5	-1400	57570.8	0.11	11.645	1	1.5
850	-1400	57572.4	0.12	11.65	1	3.1
862.5	-1400	57572.6	0.12	11.65833	1	2.2
875	-1400	57571.4	0.12	11.66472	1	1.5
887.5	-1400	57576.6	0.13	11.67194	1	3.3
900	-1400	57571.2	0.12	11.67944	1	0.4
912.5	-1400	57573.8	0.12	11.68889	1	1.7
925	-1400	57573	0.12	11.69889	1	0.8
937.5	-1400	57573.8	0.12	11.70722	1	0.5
950	-1400	57574.1	0.11	11.71694	1	0.6
962.5	-1400	57574.9	0.12	11.72917	1	2.1
975	-1400	57574.5	0.12	11.73556	1	1.7
987.5	-1400	57572.8	0.11	11.74361	1	0.1
1000	-1400	57573.4	0.12	11.75	1	1.4
1012.5	-1400	57573.1	0.12	11.7575	1	1.8
1025	-1400	57571.8	0.12	11.76694	1	1.6
1037.5	-1400	57572	0.11	11.77444	1	1.4
1050	-1400	57572.4	0.12	11.78139	1	0.7

1062.5	-1400	57575.2	0.12	11.79278	1	1.8
1075	-1400	57577.5	0.11	11.79917	1	2
1087.5	-1400	57577.8	0.11	11.80611	1	1
1100	-1400	57580.1	0.12	11.81444	1	1.6
1112.5	-1400	57580.7	0.11	11.82361	1	2.3
1125	-1400	57582.1	0.12	11.84167	1	2.3
1137.5	-1400	57582.3	0.12	11.85083	1	2
1150	-1400	57581.2	0.12	11.85833	1	0.6
1162.5	-1400	57582	0.12	11.86667	1	1.4
1175	-1400	57581	0.12	11.87333	1	1.1
1187.5	-1400	57585.5	0.11	11.87972	1	0.6
1200	-1400	57586.8	0.12	11.88722	1	0.1
1212.5	-1400	57588.5	0.12	11.89611	1	1.7
1225	-1400	57588.5	0.12	11.90556	1	1.9
1237.5	-1400	57588.1	0.11	11.91472	1	1.2
1250	-1400	57587.3	0.12	11.92111	1	1.4
1262.5	-1400	57588.2	0.12	11.92944	1	1.1
1275	-1400	57591.8	0.12	11.93694	1	2
1287.5	-1400	57591.7	0.12	11.95028	1	1.1
1300	-1400	57594.5	0.12	11.95917	1	3.1
1312.5	-1400	57591.5	0.12	11.9725	1	1.8
1325	-1400	57594.6	0.11	11.99389	1	0.3
1337.5	-1400	57606.8	0.11	12.03389	1	2.6
1350	-1400	57601.6	0.12	12.04722	1	-1.1
1362.5	-1400	57601.8	0.11	12.0625	1	0.3
1375	-1400	57601.4	0.11	12.07194	1	-0.1
1387.5	-1400	57601.5	0.12	12.08278	1	1.2
1400	-1400	57601.7	0.11	12.09667	1	1.1
1412.5	-1400	57601.6	0.11	12.10889	1	0.3
1425	-1400	57601.8	0.11	12.12194	1	0.7
1437.5	-1400	57600.9	0.11	12.13833	1	1
1450	-1400	57600.9	0.11	12.14778	1	0.5
1462.5	-1400	57598.9	0.12	12.16583	1	0.1
1475	-1400	57598.4	0.11	12.17333	1	-0.4
1487.5	-1400	57598.4	0.11	12.18306	1	-0.3
1500	-1400	57600.7	0.11	12.19222	1	1

/----- S C I N T R E X -----

! Revision: 4.3F
! Line___: 1500.00 S
! Date___: 01/10/20
! Job___: 0
! Operator:
! Serial__: 0
! Basefld_: 57520
! Duration: 2.0
! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

1500	-1500	57603.4	0.12	12.40861	1	-2.8
1487.5	-1500	57603.5	0.11	12.44417	1	-0.7
1475	-1500	57604.4	0.12	12.45694	1	-1.2
1462.5	-1500	57606.9	0.13	12.46528	1	1.1
1450	-1500	57604.5	0.11	12.47528	1	1.4
1437.5	-1500	57606.4	0.16	12.49528	1	2.1
1425	-1500	57603.4	0.11	12.50444	1	0.8
1412.5	-1500	57605.7	0.11	12.51361	1	0.9
1400	-1500	57603.7	0.11	12.52722	1	-2
1387.5	-1500	57611.8	0.11	12.53611	1	2.3
1375	-1500	57612.2	0.1	12.54417	1	2.5
1362.5	-1500	57588.3	0.12	12.565	1	0
1350	-1500	57593.2	0.12	12.57667	1	1.3
1337.5	-1500	57597.7	0.11	12.61389	1	2.7
1325	-1500	57599.3	0.12	12.625	1	2.8
1312.5	-1500	57597.5	0.12	12.63389	1	1.8
1300	-1500	57595.4	0.12	12.64389	1	2.3
1287.5	-1500	57593.8	0.12	12.65333	1	2.1
1275	-1500	57592.4	0.11	12.66111	1	1.7

1262.5	-1500	57591.2	0.12	12.66889	1	1.7
1250	-1500	57589.1	0.11	12.67667	1	2.4
1237.5	-1500	57589.8	0.12	12.685	1	3.2
1225	-1500	57587.9	0.12	12.69389	1	3
1212.5	-1500	57588.1	0.12	12.70444	1	2.8
1200	-1500	57586.8	0.12	12.71194	1	2.8
1187.5	-1500	57585.2	0.12	12.72694	1	2.4
1175	-1500	57584	0.12	12.73417	1	3.9
1162.5	-1500	57581.7	0.12	12.74139	1	2.5
1150	-1500	57581.9	0.12	12.75306	1	3.2
1137.5	-1500	57579.1	0.12	12.76306	1	1.5
1125	-1500	57578.4	0.12	12.7725	1	2.1
1112.5	-1500	57577.7	0.12	12.78222	1	1.6
1100	-1500	57577.6	0.11	12.79194	1	2.4
1087.5	-1500	57573.5	0.11	12.80194	1	1.8
1075	-1500	57571.5	0.12	12.81028	1	2.4
1062.5	-1500	57572.1	0.12	12.82389	1	1.7
1050	-1500	57572.9	0.12	12.83306	1	2.2
1037.5	-1500	57574.8	0.11	12.84333	1	2.2
1025	-1500	57577.8	0.12	12.85361	1	2.7
1012.5	-1500	57578.8	0.12	12.86528	1	3.2
1000	-1500	57577.1	0.11	12.87389	1	2.3
987.5	-1500	57578	0.11	12.88167	1	3
975	-1500	57578.1	0.12	12.88917	1	3.3
962.5	-1500	57579.4	0.12	12.89944	1	2.5
950	-1500	57578	0.11	12.90722	1	1.7
937.5	-1500	57579.7	0.11	12.91806	1	5.3
925	-1500	57576.4	0.11	12.93278	1	1.7
912.5	-1500	57584.8	0.12	12.94611	1	6.6
900	-1500	57576.8	0.11	12.95583	1	1.7
887.5	-1500	57575.6	0.12	12.97028	1	2.9
875	-1500	57574.7	0.11	12.97861	1	2
862.5	-1500	57573.8	0.12	12.98806	1	3
850	-1500	57569.9	0.11	12.9975	1	1.2
837.5	-1500	57570.1	0.11	13.00639	1	2.5
825	-1500	57567.6	0.12	13.01528	1	1.7
812.5	-1500	57566.7	0.12	13.02667	1	2.2
800	-1500	57565.7	0.11	13.03333	1	2.1
787.5	-1500	57563.4	0.13	13.04194	1	1.8
775	-1500	57562.3	0.11	13.05194	1	1.5
762.5	-1500	57561.6	0.12	13.06	1	2.2
750	-1500	57562.2	0.11	13.06833	1	3.1
737.5	-1500	57561.5	0.11	13.07611	1	2.1
725	-1500	57559.4	0.11	13.08444	1	1.1
712.5	-1500	57555.9	0.12	13.09222	1	2.4
700	-1500	57557.1	0.12	13.09917	1	3
687.5	-1500	57553.9	0.11	13.11667	1	1.4
675	-1500	57554.2	0.12	13.12528	1	1.7
662.5	-1500	57553.9	0.11	13.135	1	1.4
650	-1500	57553.7	0.12	13.14139	1	1.7
637.5	-1500	57552.8	0.11	13.15056	1	1.1
625	-1500	57550.8	0.11	13.15944	1	2.5
612.5	-1500	57547.4	0.12	13.16778	1	1.5
600	-1500	57546.4	0.12	13.17611	1	1.4
587.5	-1500	57543.8	0.11	13.18583	1	2.2
575	-1500	57542.9	0.12	13.19222	1	2.7
562.5	-1500	57543.7	0.11	13.19778	1	2.6
550	-1500	57539.4	0.11	13.20639	1	1.8
537.5	-1500	57537.8	0.12	13.21361	1	2.4
525	-1500	57536.1	0.11	13.22111	1	0.6
512.5	-1500	57534.6	0.12	13.22694	1	0.8
500	-1500	57534.7	0.12	13.23417	1	1.4
487.5	-1500	57535.5	0.11	13.24028	1	1.8
475	-1500	57536.5	0.12	13.24694	1	2
462.5	-1500	57536.7	0.12	13.25417	1	1.1
450	-1500	57534.5	0.11	13.26028	1	-2.2
437.5	-1500	57539.2	0.12	13.26722	1	2.1

425	-1500	57538.4	0.11	13.27222	1	0.1
412.5	-1500	57534.9	0.11	13.28	1	-4.3
400	-1500	57542.9	0.11	13.28556	1	1.1
387.5	-1500	57537.8	0.11	13.29222	1	-2.1
375	-1500	57535.8	0.11	13.29833	1	-1.2
362.5	-1500	57541.2	0.11	13.31111	1	2.3
350	-1500	57539.6	0.11	13.31556	1	1.4
337.5	-1500	57536.5	0.11	13.31944	1	-0.2
325	-1500	57541.1	0.11	13.32444	1	-0.2
312.5	-1500	57537	0.12	13.32944	1	-1.5
300	-1500	57539.5	0.11	13.33417	1	-2.5
287.5	-1500	57546.4	0.12	13.34028	1	0.1
275	-1500	57543	0.11	13.34583	1	-1.1
262.5	-1500	57544.1	0.11	13.35389	1	-0.2
250	-1500	57544	0.11	13.35833	1	1
237.5	-1500	57541	0.11	13.36583	1	-0.2
225	-1500	57540.8	0.11	13.37278	1	0.5
212.5	-1500	57545.7	0.11	13.37833	1	0.4
200	-1500	57548.4	0.1	13.38444	1	2
187.5	-1500	57548.6	0.12	13.39361	1	1.2
175	-1500	57547.4	0.11	13.39861	1	-1.1
162.5	-1500	57549.3	0.11	13.40583	1	0.7
150	-1500	57549.4	0.11	13.41194	1	0.5
137.5	-1500	57552.5	0.11	13.41833	1	1.4
125	-1500	57559.4	0.11	13.42417	1	3.7
112.5	-1500	57556.5	0.11	13.43306	1	1.3
100	-1500	57556.7	0.11	13.43833	1	1.6
87.5	-1500	57551.5	0.11	13.44556	1	-0.7
75	-1500	57554.7	0.11	13.45139	1	1
62.5	-1500	57549.8	0.11	13.45861	1	-1
50	-1500	57548.7	0.11	13.46417	1	-1
37.5	-1500	57549.3	0.11	13.46889	1	0.5
25	-1500	57551.8	0.11	13.47528	1	1.6
12.5	-1500	57549.2	0.11	13.48222	1	0.3
0	-1500	57546.6	0.11	13.49056	1	-0.7

----- S C I N T R E X -----
 /! Revision: □4.3F
 /! Line____: □1400.00 S
 /! Date____: □01/10/20
 /! Job____: □0
 /! Operator: □
 /! Serial__: □0
 /! Basefid_: □57520
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad
 /-----

0	-1400	57542.4	0.11	13.66139	1	0.3
12.5	-1400	57542.1	0.11	13.67139	1	0.3
25	-1400	57544.9	0.11	13.69167	1	0.4
37.5	-1400	57547.5	0.12	13.70333	1	1.2
50	-1400	57545.2	0.11	13.71194	1	-0.8
62.5	-1400	57548.9	0.11	13.72222	1	2
75	-1400	57545.1	0.11	13.72944	1	0.1
87.5	-1400	57547.3	0.11	13.73806	1	-0.7
100	-1400	57548.3	0.11	13.745	1	0.7
112.5	-1400	57547.8	0.11	13.75139	1	-3.1
125	-1400	57547.7	0.11	13.75917	1	0.7
137.5	-1400	57544.7	0.11	13.76917	1	-0.9
150	-1400	57544.2	0.11	13.77694	1	-1.2
162.5	-1400	57546.1	0.11	13.79083	1	1
175	-1400	57546.1	0.11	13.79472	1	0.1
187.5	-1400	57546.5	0.11	13.80222	1	0.8
200	-1400	57542.3	0.11	13.80889	1	-0.1
212.5	-1400	57533	0.11	13.81528	1	-2.7
225	-1400	57535	0.11	13.82083	1	-2.4
237.5	-1400	57546.1	0.11	13.82972	1	1.9

250	-1400	57540.7	0.12	13.83667	1	-0.4
262.5	-1400	57540.3	0.11	13.84361	1	-0.5
275	-1400	57540.3	0.11	13.85111	1	-0.6
287.5	-1400	57548.8	0.11	13.85917	1	-0.8
300	-1400	57562	0.11	13.86639	1	4
312.5	-1400	57538.5	0.11	13.87444	1	-1.3
325	-1400	57543.9	0.11	13.88278	1	1.6
337.5	-1400	57544.6	0.11	13.89028	1	1.2
350	-1400	57525.5	0.11	13.89861	1	-11.5
362.5	-1400	57529.9	0.11	13.90611	1	-6.3
375	-1400	57540.6	0.11	13.91528	1	-1.9
387.5	-1400	57537.9	0.11	13.92167	1	-2.4
400	-1400	57535.5	0.11	13.93	1	-2.6

/----- S C I N T R E X -----

/! Revision: □4.3F
 /! Line____: □1300.00 S
 /! Date____: □01/10/20
 /! Job____: □0
 /! Operator: □
 /! Serial__: □0
 /! Basefid_: □57520
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFid/Noise/Hours/0=Uncor/Grad

325	-1300	57548.9	0.12	14.35278	1	1.8
337.5	-1300	57541.9	0.12	14.36528	1	-33.8
350	-1300	57366.4	0.12	14.37333	1	-29.7
362.5	-1300	57541.4	0.11	14.38278	1	-0.8
375	-1300	57542.5	0.11	14.39056	1	-1.4
387.5	-1300	57541.3	0.11	14.39722	1	-3.2
400	-1300	57544	0.11	14.40417	1	-2.6
412.5	-1300	57547.4	0.11	14.41028	1	1.9
225	-1300	57541	0.12	14.43306	1	0
212.5	-1300	57540.7	0.11	14.44083	1	0.3
200	-1300	57543.5	0.12	14.44639	1	-0.7
187.5	-1300	57547.9	0.12	14.45444	1	-1
175	-1300	57543.5	0.11	14.46	1	-0.9
162.5	-1300	57541.5	0.11	14.46639	1	-1.5
150	-1300	57540.3	0.11	14.47194	1	-2.7
137.5	-1300	57545.3	0.11	14.47889	1	0.4
125	-1300	57541.8	0.11	14.48583	1	-0.4
112.5	-1300	57539.8	0.11	14.49278	1	0
100	-1300	57541.8	0.11	14.49861	1	-0.6
87.5	-1300	57541.2	0.12	14.50472	1	-1.5
75	-1300	57540	0.12	14.50972	1	-1.8
62.5	-1300	57543.5	0.12	14.5175	1	-0.6
50	-1300	57544.2	0.12	14.52528	1	-1.1
37.5	-1300	57542.4	0.11	14.53139	1	-1.5
25	-1300	57545.6	0.11	14.53639	1	0.2
12.5	-1300	57544.5	0.12	14.54167	1	-3.6
0	-1300	57547.1	0.12	14.54944	1	-1.4

/----- S C I N T R E X -----

/! Revision: □4.3F
 /! Line____: □900.000 S
 /! Date____: □01/10/20
 /! Job____: □0
 /! Operator: □
 /! Serial__: □0
 /! Basefid_: □57520
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFid/Noise/Hours/0=Uncor/Grad

0	-900	57537.3	0.11	14.8625	1	-0.7
12.5	-900	57540.8	0.12	14.87306	1	0.3
25	-900	57538.2	0.12	14.88	1	-3.3

37.5	-900	57539.4	0.12	14.91694	1	-0.1
50	-900	57541.7	0.12	14.93222	1	1.8
62.5	-900	57541.3	0.12	14.93889	1	1.5
75	-900	57540.1	0.12	14.94667	1	-0.8
87.5	-900	57540.8	0.12	14.9575	1	1.4
100	-900	57541.7	0.12	14.96556	1	1.9
112.5	-900	57543.4	0.14	14.97417	1	2.7
125	-900	57543.6	0.12	14.98278	1	2
137.5	-900	57540.2	0.12	14.98861	1	0.9
150	-900	57542.3	0.11	14.99472	1	-1
162.5	-900	57542.3	0.12	15.00222	1	0.6
175	-900	57544.3	0.12	15.01083	1	1
187.5	-900	57542.5	0.11	15.01639	1	-1.3
200	-900	57544.9	0.11	15.02194	1	-0.6
212.5	-900	57545.7	0.11	15.02833	1	1
225	-900	57543.6	0.11	15.03806	1	-1.5
237.5	-900	57547.8	0.12	15.045	1	-0.1
250	-900	57550.8	0.12	15.05056	1	2.8
262.5	-900	57545.5	0.12	15.06111	1	0
275	-900	57544.5	0.12	15.06611	1	-0.5
287.5	-900	57549.9	0.12	15.07222	1	1.5
300	-900	57548.4	0.12	15.07778	1	1.9
312.5	-900	57548.6	0.12	15.08472	1	2.2
325	-900	57547.1	0.12	15.09056	1	0.6
337.5	-900	57547.7	0.11	15.09667	1	0.3
350	-900	57549.5	0.12	15.105	1	1.5
362.5	-900	57551	0.12	15.11306	1	1.5
375	-900	57550.5	0.13	15.11889	1	1.9
387.5	-900	57552.9	0.12	15.12667	1	2.2
400	-900	57550.7	0.11	15.13111	1	1.4
412.5	-900	57549.3	0.12	15.145	1	0.7
425	-900	57547.8	0.11	15.15278	1	-0.1
437.5	-900	57548.7	0.12	15.15972	1	1
450	-900	57553.9	0.12	15.16667	1	1.1
462.5	-900	57550.6	0.12	15.18806	1	0.5
475	-900	57552.8	0.12	15.19361	1	1.7
487.5	-900	57552.8	0.12	15.20167	1	1.7
500	-900	57550.8	0.12	15.20972	1	2.2
512.5	-900	57556.3	0.13	15.22111	1	2.1
525	-900	57557.4	0.12	15.2275	1	2.2
537.5	-900	57558.2	0.12	15.23556	1	2.3
550	-900	57557.5	0.12	15.2475	1	1.4
562.5	-900	57555.4	0.12	15.25528	1	0.2
575	-900	57550	0.12	15.28389	1	-0.6
587.5	-900	57545.2	0.12	15.32111	1	0.9
600	-900	57541.1	0.11	15.3275	1	1.1
612.5	-900	57542	0.12	15.335	1	0.9
625	-900	57546.3	0.12	15.34056	1	0.5
637.5	-900	57549.2	0.13	15.34889	1	1.4
650	-900	57551.4	0.12	15.35889	1	0.9
662.5	-900	57559.3	0.12	15.37111	1	1.3
675	-900	57572.4	0.14	15.37944	1	2.1
687.5	-900	57579.9	0.12	15.39611	1	1.9
700	-900	57586.3	0.12	15.40917	1	1.8
712.5	-900	57589.8	0.12	15.43167	1	2.8
725	-900	57587.8	0.12	15.44028	1	0.2
737.5	-900	57585.4	0.12	15.45083	1	2.1
750	-900	57581.8	0.12	15.45917	1	1.2
762.5	-900	57579.9	0.12	15.47306	1	1.3
775	-900	57576.5	0.13	15.48194	1	2.2
787.5	-900	57570.6	0.12	15.49111	1	0.5
800	-900	57570.6	0.12	15.49972	1	2.3
812.5	-900	57568.2	0.12	15.50806	1	2.8
825	-900	57562.1	0.11	15.51806	1	1.9
837.5	-900	57557.7	0.12	15.52528	1	0.1
850	-900	57558.1	0.12	15.5325	1	1.2
862.5	-900	57556.1	0.12	15.53944	1	0.6

875	-900	57550	0.12	15.54833	1	0.8
887.5	-900	57554.8	0.12	15.56139	1	-0.1
900	-900	57571	0.12	15.57639	1	2.9
912.5	-900	57572.4	0.12	15.58333	1	7.1
925	-900	57563.8	0.12	15.59028	1	0.9
937.5	-900	57562.4	0.12	15.59806	1	2.2
950	-900	57560.5	0.12	15.60639	1	1.8
962.5	-900	57556.3	0.12	15.6125	1	1
975	-900	57553.6	0.12	15.61861	1	0.9
987.5	-900	57559.1	0.12	15.625	1	1.1
1000	-900	57567.8	0.12	15.63111	1	1.5
1012.5	-900	57573.2	0.12	15.63972	1	1.5
1025	-900	57580	0.13	15.64833	1	3.4
1037.5	-900	57587	0.12	15.70361	1	1.6
1050	-900	57591.9	0.12	15.71056	1	3.1
1062.5	-900	57600.7	0.12	15.72083	1	0.7
1075	-900	57594.1	0.12	15.7275	1	-0.8
1087.5	-900	57580.9	0.12	15.74083	1	-0.7
1100	-900	57570.3	0.12	15.75361	1	0.3
1112.5	-900	57576.5	0.12	15.76167	1	1.2
1125	-900	57580.3	0.12	15.76917	1	2.4
1137.5	-900	57586.4	0.13	15.77778	1	1.8
1150	-900	57589	0.12	15.79167	1	-0.6
1162.5	-900	57590	0.12	15.79806	1	1.6
1175	-900	57587.4	0.13	15.80694	1	-0.8
1187.5	-900	57589.8	0.12	15.81333	1	0.5
1200	-900	57585.3	0.12	15.81972	1	0.3
1212.5	-900	57585.4	0.12	15.82694	1	0.9
1225	-900	57582.3	0.11	15.8325	1	-0.2
1237.5	-900	57582.1	0.12	15.83861	1	1.4
1250	-900	57584.1	0.12	15.845	1	1.2
1262.5	-900	57584.4	0.12	15.85417	1	-0.2
1275	-900	57583.4	0.12	15.86	1	0.6
1287.5	-900	57586.5	0.12	15.86778	1	1.5
1300	-900	57586.7	0.12	15.87361	1	1.2
1312.5	-900	57586.6	0.12	15.87861	1	1.1
1325	-900	57585.9	0.12	15.88417	1	-1.1
1337.5	-900	57613.2	0.12	15.89306	1	3
1350	-900	57575.3	0.12	15.90833	1	-1.3
1362.5	-900	57574.7	0.12	15.91389	1	-1.3
1375	-900	57584.9	0.12	15.94778	1	-0.5
1387.5	-900	57588.5	0.12	15.96056	1	-0.7
1400	-900	57587.5	0.13	15.96694	1	-0.1
1412.5	-900	57586.4	0.13	15.97389	1	0.1
1425	-900	57589.4	0.12	15.98222	1	-0.2
1437.5	-900	57592	0.12	15.99444	1	-1.2
1450	-900	57597.6	0.12	16.01472	1	3
1462.5	-900	57588.1	0.13	16.02833	1	-1.3
1475	-900	57588.1	0.13	16.04556	1	-1.2
1487.5	-900	57591.5	0.13	16.06556	1	0.3
1500	-900	57588.9	0.17	16.07306	1	-0.5
1512.5	-900	57590.9	0.14	16.08583	1	-0.1
1525	-900	57591.5	0.12	16.09722	1	0.4
1537.5	-900	57591.4	0.12	16.10667	1	-1.3

```

/----- S          C          I          N          T          R          E          X          -----
//      Revision: □4.3F
//      Line____: □1300.00 S
//      Date____: □01/10/20
//      Job_____: □0
//      Operator: □
//      Serial___: □0
//      Basefid_: □57520
//      Duration: □2.0
//      Mag_Data: □X/Y/TotFid/Noise/Hours/0=Uncor/Grad
/-----
1537.5          -1300  57583.7  0.12  16.54278  1  -0.1

```

1525	-1300	57592.7	0.12	16.55	1	1.9
1512.5	-1300	57595	0.13	16.55861	1	2.1
1500	-1300	57593.3	0.14	16.56583	1	1
1487.5	-1300	57594.3	0.12	16.57583	1	1.9
1475	-1300	57594.2	0.12	16.5875	1	0.6
1462.5	-1300	57594.6	0.12	16.59639	1	1.6
1450	-1300	57595.8	0.12	16.60139	1	1.2
1437.5	-1300	57595.9	0.11	16.60778	1	1.3
1425	-1300	57597.3	0.12	16.61417	1	1.4
1412.5	-1300	57596.7	0.12	16.62056	1	1.9
1400	-1300	57596.4	0.12	16.62472	1	1.5
1387.5	-1300	57599	0.13	16.63056	1	0.9
1375	-1300	57610.3	0.11	16.63667	1	1.9
1362.5	-1300	57616	0.12	16.64472	1	2.8
1350	-1300	57599.6	0.12	16.65083	1	1.6
1337.5	-1300	57576.9	0.12	16.66417	1	-2.4
1325	-1300	57587.3	0.12	16.69083	1	0.8
1312.5	-1300	57591.4	0.13	16.77722	1	2.8
1300	-1300	57593.3	0.12	16.78417	1	3.1
1287.5	-1300	57593.7	0.12	16.79778	1	2.8
1275	-1300	57593.9	0.12	16.80694	1	3
1262.5	-1300	57593.5	0.12	16.81556	1	2.8
1250	-1300	57596	0.12	16.82417	1	4.5
1237.5	-1300	57593.6	0.12	16.84056	1	3.3
1225	-1300	57589.6	0.12	16.84694	1	4
1212.5	-1300	57579.5	0.12	16.85472	1	2.3
1200	-1300	57577.7	0.12	16.86361	1	1.1
1187.5	-1300	57578.8	0.12	16.8725	1	2.3
1175	-1300	57578.8	0.12	16.88139	1	2.3
1162.5	-1300	57581.6	0.12	16.89028	1	2.9
1150	-1300	57581.8	0.12	16.89889	1	2.9
1137.5	-1300	57582.7	0.12	16.90833	1	3.6
1125	-1300	57580.8	0.12	16.91694	1	1
1112.5	-1300	57580.1	0.13	16.93333	1	1.6
1100	-1300	57580.3	0.13	16.94083	1	2.5
1087.5	-1300	57579.8	0.12	16.94889	1	3
1075	-1300	57578.4	0.18	16.96028	1	1.5
1062.5	-1300	57577.3	0.13	16.97861	1	2
1050	-1300	57576.9	0.12	16.99	1	2.5
1037.5	-1300	57585.5	0.12	16.99861	1	4.5
1025	-1300	57579.5	0.13	17.00528	1	2.7
1012.5	-1300	57575.9	0.12	17.01444	1	2.4
1000	-1300	57575.2	0.13	17.02306	1	3.9
987.5	-1300	57574.6	0.13	17.03167	1	2.8
975	-1300	57573.1	0.13	17.04	1	1.7
962.5	-1300	57570.6	0.12	17.04861	1	2.7
950	-1300	57568.2	0.12	17.05639	1	0.9
937.5	-1300	57574.8	0.12	17.06444	1	2.8
925	-1300	57571.1	0.12	17.0725	1	1.8
912.5	-1300	57573.2	0.13	17.08028	1	2.5
900	-1300	57582.9	0.14	17.09306	1	10
887.5	-1300	57571.3	0.14	17.10306	1	3
875	-1300	57568.2	0.14	17.11139	1	1.8
862.5	-1300	57567.6	0.12	17.12194	1	2.3
850	-1300	57565.9	0.13	17.13167	1	2.3
837.5	-1300	57566.2	0.13	17.14056	1	3.2
825	-1300	57567.2	0.12	17.15028	1	2.4
812.5	-1300	57565.6	0.12	17.15806	1	2.7
800	-1300	57563	0.12	17.16639	1	1.8
787.5	-1300	57562.6	0.13	17.17361	1	2.5
775	-1300	57562.9	0.12	17.18306	1	2.4
762.5	-1300	57562.6	0.13	17.19111	1	3.3
750	-1300	57561.3	0.13	17.19861	1	2.8
737.5	-1300	57560.6	0.13	17.20833	1	1.6
725	-1300	57560.9	0.12	17.21806	1	2.1
712.5	-1300	57559.2	0.12	17.22861	1	3.4
700	-1300	57559.2	0.12	17.23611	1	3

687.5	-1300	57556	0.12	17.25611	1	0.4
675	-1300	57555.9	0.13	17.26111	1	2.2
662.5	-1300	57553.7	0.13	17.30917	1	1.9
650	-1300	57554.2	0.13	17.31889	1	4.1
637.5	-1300	57552.8	0.12	17.32556	1	2.1
625	-1300	57549.9	0.13	17.33306	1	2
612.5	-1300	57549.7	0.12	17.34083	1	2.6
600	-1300	57548.4	0.12	17.34833	1	1.4
587.5	-1300	57549.5	0.12	17.35472	1	0.9
575	-1300	57550.4	0.13	17.36139	1	2.7
562.5	-1300	57548.8	0.14	17.36889	1	3.2
550	-1300	57548.8	0.13	17.37583	1	2.3
537.5	-1300	57548.8	0.13	17.385	1	3.3
525	-1300	57543.8	0.12	17.3925	1	1.5
512.5	-1300	57543.4	0.12	17.40028	1	2.2
500	-1300	57540.1	0.12	17.40667	1	-1.5
487.5	-1300	57543.3	0.13	17.41278	1	2.4
475	-1300	57543.9	0.12	17.42	1	3.5
462.5	-1300	57545.2	0.12	17.42639	1	3.2
450	-1300	57543.6	0.12	17.43389	1	2.5
437.5	-1300	57541	0.12	17.44417	1	-0.4
425	-1300	57544.5	0.12	17.45028	1	1.5
412.5	-1300	57546.1	0.12	17.45639	1	1.9
400	-1300	57547.7	0.12	17.46278	1	0.7
387.5	-1300	57544.4	0.11	17.46917	1	-1.3
375	-1300	57543.6	0.12	17.47333	1	-2.6
362.5	-1300	57547.4	0.12	17.4825	1	0.3
350	-1300	57544.3	0.12	17.48833	1	-2.4
337.5	-1300	57546.1	0.12	17.49333	1	-0.9
325	-1300	57536.2	0.12	17.50389	1	-12.7

à

/T 137.5 -600 57638.7 0.38 17.06694 0

/-----S C I N T R E X-----

! Revision: 4.3F
! Line: S
! Date: 01/10/22
! Job: 0
! Operator:
! Serial: 0
! Basefid: 57534
! Duration: 2.0
! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

75	-300	57541.4	0.13	11.52889	1	-1.4
62.5	-300	57543.9	0.12	11.53833	1	1.4
50	-300	57542.8	0.12	11.54611	1	0.5
37.5	-300	57544.1	0.12	11.55333	1	0.3
25	-300	57545.8	0.13	11.56278	1	0
12.5	-300	57545.2	0.12	11.57167	1	0.5
0	-300	57539.9	0.12	11.58083	1	0.3

/-----S C I N T R E X-----

! Revision: 4.3F
! Line: S
! Date: 01/10/22
! Job: 0
! Operator:
! Serial: 0
! Basefid: 57534
! Duration: 2.0
! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

0	-200	57537	0.11	11.63611	1	-8.2
12.5	-200	57541.3	0.13	11.73361	1	-2.1
25	-200	57539.6	0.13	11.74056	1	-6
37.5	-200	57544.1	0.12	11.74611	1	-1.8
50	-200	57541.1	0.12	11.75194	1	-3
62.5	-200	57545.5	0.12	11.75917	1	-3.9

/-----S C I N T R E X-----

! Revision: 4.3F
! Line: S
! Date: 01/10/22
! Job: 0
! Operator:
! Serial: 0
! Basefid: 57534
! Duration: 2.0
! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

87.5	-300	57538.8	0.13	11.85778	1	-0.6
100	-300	57541.7	0.13	11.86389	1	-3.9
112.5	-300	57547.8	0.13	11.87278	1	-2
125	-300	57539.9	0.13	11.89056	1	-4.8
137.5	-300	57542	0.13	11.89694	1	0.4
150	-300	57544.3	0.13	11.90361	1	-2.4
162.5	-300	57547.1	0.13	11.91083	1	-0.2
175	-300	57546	0.13	11.91639	1	0
187.5	-300	57544	0.13	11.92278	1	-1.6
200	-300	57536.8	0.13	11.93139	1	-0.7
212.5	-300	57542.4	0.13	11.94167	1	0
225	-300	57548.4	0.13	11.95278	1	0.3
237.5	-300	57560.3	0.12	11.96194	1	0.5
250	-300	57543	0.13	11.96944	1	0.5
262.5	-300	57536.5	0.13	11.97722	1	-0.6

275	-300	57536.8	0.12	11.98556	1	0.1
287.5	-300	57547.5	0.12	12.03083	1	-0.8
300	-300	57551	0.13	12.0375	1	-0.3
312.5	-300	57547.1	0.12	12.04444	1	0.4
325	-300	57539.9	0.12	12.08278	1	-1.6
337.5	-300	57544.9	0.12	12.08944	1	-0.2
350	-300	57536	0.12	12.09694	1	0.6
362.5	-300	57528.5	0.12	12.10444	1	-1.7
375	-300	57528.6	0.13	12.11139	1	-0.8
387.5	-300	57540.1	0.12	12.12667	1	0
400	-300	57535.4	0.12	12.13028	1	0
412.5	-300	57526.7	0.12	12.13778	1	-0.2
425	-300	57528.4	0.12	12.14361	1	-1.2
437.5	-300	57524.2	0.12	12.14833	1	0.4
450	-300	57526.1	0.13	12.15583	1	-0.7
462.5	-300	57522	0.12	12.17389	1	-2.3
475	-300	57541.7	0.12	12.18083	1	1
487.5	-300	57552.2	0.13	12.18722	1	0.6
500	-300	57564.8	0.12	12.19389	1	-1.5
512.5	-300	57567.5	0.13	12.20417	1	0.3
525	-300	57576.5	0.13	12.21222	1	1.3
537.5	-300	57578.9	0.12	12.22306	1	-0.1
550	-300	57578.2	0.12	12.22917	1	-1.6
562.5	-300	57577.9	0.13	12.23722	1	-0.5
575	-300	57570.6	0.12	12.24417	1	-1.4
587.5	-300	57564.2	0.12	12.34	1	-0.1
600	-300	57569.7	0.13	12.34889	1	1.2
612.5	-300	57577.1	0.13	12.35694	1	2.4
625	-300	57580.4	0.12	12.36278	1	0.9
637.5	-300	57580.2	0.13	12.37028	1	0.5
650	-300	57579.8	0.12	12.37667	1	-1.2
662.5	-300	57581.6	0.12	12.38389	1	0.4
675	-300	57577.2	0.13	12.38889	1	1
687.5	-300	57574.6	0.13	12.39667	1	0.1
700	-300	57586.6	0.12	12.4025	1	1.1
712.5	-300	57576.3	0.13	12.455	1	1.2
725	-300	57576	0.13	12.46028	1	1.8
737.5	-300	57579.4	0.13	12.46944	1	1.7
750	-300	57572.1	0.13	12.47639	1	0.6
762.5	-300	57564.5	0.12	12.48667	1	-1
775	-300	57558.7	0.13	12.50806	1	-0.7
787.5	-300	57572.4	0.13	12.515	1	1
800	-300	57576.1	0.13	12.52056	1	0.7
812.5	-300	57574	0.13	12.52667	1	0.4
825	-300	57576.5	0.13	12.53444	1	-1.4
837.5	-300	57579.7	0.13	12.54083	1	-0.5
850	-300	57571.8	0.13	12.54639	1	-0.2
862.5	-300	57572.5	0.12	12.55389	1	0.8
875	-300	57565.8	0.13	12.56028	1	0.2
887.5	-300	57575.4	0.13	12.56611	1	1.7
900	-300	57570.2	0.13	12.57333	1	-0.1
912.5	-300	57570.2	0.13	12.57917	1	0.2
925	-300	57574.9	0.14	12.585	1	-0.3
937.5	-300	57570.6	0.14	12.59139	1	-1.9
950	-300	57582.3	0.13	12.59861	1	-3
962.5	-300	57584.5	0.13	12.60278	1	-0.3
975	-300	57573.8	0.14	12.61083	1	-3.2
987.5	-300	57576.2	0.13	12.61639	1	0.2
1000	-300	57570.3	0.13	12.62278	1	-1.8
1012.5	-300	57580.4	0.13	12.62861	1	0.6
1025	-300	57587.3	0.13	12.63472	1	1.1
1037.5	-300	57581.9	0.13	12.64222	1	1.2
1050	-300	57582.4	0.12	12.6475	1	0.4
1062.5	-300	57586.8	0.13	12.65556	1	-0.3
1075	-300	57587.5	0.13	12.66528	1	-0.2
1087.5	-300	57592.3	0.14	12.6775	1	0.5
1100	-300	57593.4	0.13	12.68333	1	0.3

1112.5	-300	57604.8	0.13	12.68889	1	1.4
1125	-300	57604.7	0.13	12.69361	1	2.1
1137.5	-300	57602.6	0.13	12.70167	1	0.1
1150	-300	57607	0.13	12.70861	1	1.7
1162.5	-300	57616.5	0.13	12.71528	1	1.1
1175	-300	57620.3	0.12	12.72389	1	3.2
1187.5	-300	57589.6	0.14	12.73028	1	-0.5
1200	-300	57571.2	0.13	12.73583	1	-1.1
1212.5	-300	57569.5	0.14	12.74333	1	-0.3
1225	-300	57618.9	0.14	12.75278	1	12.1
1237.5	-300	57568	0.13	12.76667	1	0.3
1250	-300	57572.1	0.13	12.77583	1	0.9
1262.5	-300	57577.3	0.13	12.78611	1	-0.1
1275	-300	57585.3	0.13	12.79556	1	2.3
1287.5	-300	57585.9	0.14	12.8025	1	0.9
1300	-300	57587.6	0.13	12.80917	1	0.4
1312.5	-300	57593.1	0.14	12.81694	1	2
1325	-300	57584.2	0.13	12.82306	1	0.2
1337.5	-300	57590.9	0.13	12.83333	1	1.9
1350	-300	57596.1	0.12	12.85417	1	3.8
1362.5	-300	57575.3	0.13	12.87111	1	1.8
1375	-300	57573.4	0.14	12.88083	1	-0.9
1387.5	-300	57582.9	0.13	12.92	1	0.3
1400	-300	57600.4	0.14	12.93056	1	1.2
1412.5	-300	57603.9	0.13	12.94556	1	1.8
1425	-300	57592.8	0.14	12.96361	1	-0.1
1437.5	-300	57594.5	0.13	12.97222	1	0.8
1450	-300	57598.7	0.13	12.98056	1	-1.2
1462.5	-300	57598.4	0.13	12.98694	1	-0.1
1475	-300	57597.4	0.13	13.0025	1	-2.5
1487.5	-300	57600.2	0.13	13.01083	1	0.6
1500	-300	57603	0.13	13.01778	1	0.3
1512.5	-300	57605.1	0.14	13.03	1	1.2
1525	-300	57604.9	0.13	13.04028	1	0
1537.5	-300	57605.7	0.14	13.05722	1	-0.1

```

/----- S      C      I      N      T      R      E      X      -----
// Revision: 4.3F
// Line: S
// Date: 01/10/22
// Job: 0
// Operator:
// Serial: 0
// Basefld: 57534
// Duration: 2.0
// Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

```

1500	-200	57612.6	0.13	13.26611	1	0.6
1487.5	-200	57608.3	0.13	13.27944	1	1.6
1475	-200	57608.7	0.13	13.29056	1	-1.3
1462.5	-200	57609	0.13	13.30333	1	0.6
1450	-200	57604.8	0.13	13.31222	1	1
1437.5	-200	57607.1	0.13	13.32222	1	0.4
1425	-200	57603.5	0.13	13.33194	1	1
1412.5	-200	57596.9	0.13	13.33833	1	-0.2
1400	-200	57593.4	0.13	13.345	1	-0.5
1387.5	-200	57589.9	0.13	13.35694	1	-1.1
1375	-200	57592.3	0.13	13.36222	1	0
1362.5	-200	57595	0.14	13.37056	1	0.6
1350	-200	57599.2	0.13	13.3775	1	3.4
1337.5	-200	57580.6	0.14	13.39333	1	-0.3
1325	-200	57581.9	0.16	13.40417	1	1
1312.5	-200	57587.9	0.13	13.41861	1	0.5
1300	-200	57586.9	0.13	13.42944	1	2.7
1287.5	-200	57584.8	0.13	13.43889	1	1.8
1275	-200	57585.9	0.14	13.44583	1	0.6
1262.5	-200	57583.5	0.13	13.45333	1	0.3

1250	-200	57594	0.14	13.46444	1	1.7
1237.5	-200	57590.1	0.12	13.47167	1	1.1
1225	-200	57589	0.13	13.48083	1	0.7
1212.5	-200	57592.8	0.13	13.48889	1	1.7
1200	-200	57585.6	0.14	13.49528	1	1.1
1187.5	-200	57581.5	0.13	13.50278	1	1.5
1175	-200	57577.2	0.13	13.51083	1	2
1162.5	-200	57569.1	0.13	13.5175	1	0.6
1150	-200	57559.1	0.13	13.52417	1	1.8
1137.5	-200	57534.1	0.14	13.53333	1	-8.6
1125	-200	57540.3	0.13	13.54222	1	-3.6
1112.5	-200	57586.6	0.14	13.55083	1	-3.9
1100	-200	57678	0.14	13.55833	1	16.5
1087.5	-200	57612.1	0.13	13.56861	1	4.7
1075	-200	57591.9	0.13	13.57694	1	2.7
1062.5	-200	57586.6	0.13	13.58861	1	2.5
1050	-200	57587.1	0.13	13.59306	1	2.3
1037.5	-200	57585.4	0.13	13.60028	1	1.5
1025	-200	57582.1	0.13	13.60778	1	0
1012.5	-200	57579.3	0.13	13.61444	1	1.3
1000	-200	57577.8	0.13	13.62306	1	1
987.5	-200	57577.6	0.14	13.62833	1	1.9
975	-200	57582.1	0.13	13.63444	1	1.1
962.5	-200	57579.5	0.14	13.64056	1	3.4
950	-200	57579.4	0.13	13.64722	1	3.3
937.5	-200	57584	0.13	13.6525	1	1.7
925	-200	57579.3	0.13	13.65861	1	0.4
912.5	-200	57582.1	0.13	13.66389	1	2.2
900	-200	57570.8	0.13	13.66972	1	0.9
887.5	-200	57575.5	0.13	13.67667	1	1.5
875	-200	57578.7	0.14	13.68306	1	2.1
862.5	-200	57575.3	0.13	13.68917	1	1.8
850	-200	57574.2	0.13	13.69528	1	-1.4
837.5	-200	57564.1	0.13	13.70083	1	-1.2
825	-200	57565.2	0.13	13.71194	1	13.2
812.5	-200	57560.1	0.13	13.72583	1	-1.9
800	-200	57565.6	0.13	13.76472	1	1.5
787.5	-200	57566.1	0.13	13.77639	1	1.8
775	-200	57563.3	0.13	13.78361	1	0.2
762.5	-200	57572	0.13	13.80389	1	0.2
750	-200	57570.9	0.14	13.80806	1	0.2
737.5	-200	57573.3	0.14	13.82083	1	1.8
725	-200	57571.3	0.14	13.82583	1	-0.1
712.5	-200	57575.6	0.14	13.83361	1	2.3
700	-200	57577.2	0.14	13.84278	1	2.4
687.5	-200	57574.4	0.13	13.85083	1	1.8
675	-200	57572.9	0.14	13.85889	1	1.4
662.5	-200	57570	0.13	13.87944	1	2.4
650	-200	57569.9	0.13	13.88778	1	0.9
637.5	-200	57565.7	0.13	13.89556	1	1.8
625	-200	57565.9	0.14	13.90389	1	0.7
612.5	-200	57569	0.13	13.91167	1	0.4
600	-200	57573.1	0.13	13.91972	1	1.8
587.5	-200	57568.9	0.13	13.95222	1	1.4
575	-200	57567.4	0.13	13.96222	1	1.1
562.5	-200	57571.7	0.13	13.96861	1	1.7
550	-200	57571.4	0.13	13.97972	1	0.5
537.5	-200	57571.5	0.13	13.99278	1	-0.1
525	-200	57578	0.13	14.00389	1	1.7
512.5	-200	57575.6	0.13	14.01472	1	0.7
500	-200	57575.2	0.14	14.02111	1	2
487.5	-200	57573.4	0.14	14.03222	1	1.9
475	-200	57572.3	0.14	14.03889	1	2.7
462.5	-200	57568.1	0.14	14.04694	1	2.6
450	-200	57558.1	0.14	14.05639	1	1.6
437.5	-200	57550.5	0.14	14.06556	1	1.6
425	-200	57538.4	0.14	14.08056	1	1.7

412.5	-200	57527.7	0.14	14.08972	1	1.5
400	-200	57521.1	0.13	14.09861	1	1.8
387.5	-200	57521.3	0.14	14.12944	1	0.6
375	-200	57526.8	0.14	14.13806	1	0.9
362.5	-200	57529.4	0.13	14.14778	1	1.5
350	-200	57533.4	0.14	14.15722	1	1.5
337.5	-200	57534	0.14	14.16583	1	0.7
325	-200	57537.6	0.14	14.17472	1	1.8
312.5	-200	57541.8	0.13	14.18278	1	1.3
300	-200	57536.9	0.13	14.19139	1	0.6
287.5	-200	57538	0.13	14.20139	1	0.9
275	-200	57542.5	0.14	14.20833	1	2.7
262.5	-200	57541.5	0.14	14.22167	1	1.7
250	-200	57543.9	0.14	14.22889	1	1.9
237.5	-200	57544.2	0.13	14.23722	1	1.7
225	-200	57542.4	0.14	14.24861	1	1.9
212.5	-200	57546.6	0.13	14.25972	1	2
200	-200	57548.3	0.13	14.27083	1	2
187.5	-200	57548	0.13	14.28083	1	1.9
175	-200	57551.6	0.13	14.28778	1	2.1
162.5	-200	57547.4	0.13	14.29639	1	0.9
150	-200	57546.9	0.13	14.30417	1	1.3
137.5	-200	57548.1	0.15	14.34444	1	1.4
125	-200	57550.4	0.13	14.35278	1	3.2
112.5	-200	57545.3	0.14	14.36361	1	1
100	-200	57546.9	0.13	14.37361	1	2.3
87.5	-200	57545.8	0.13	14.38222	1	0
75	-200	57545.3	0.14	14.39167	1	1.3
62.5	-200	57545.5	0.13	14.39917	1	2.1
50	-200	57542.5	0.13	14.40806	1	0.8
37.5	-200	57543.9	0.14	14.41611	1	2.1

/----- S C I N T R E X -----

/! Revision: 4.3F
 /! Line _____: S
 /! Date _____: 01/10/22
 /! Job _____: 0
 /! Operator:
 /! Serial _____: 0
 /! Basefld _____: 57534
 /! Duration: 2.0
 /! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

137.5	-700	57530.6	0.13	14.66472	1	-1.7
150	-700	57511.4	0.14	14.67028	1	4.8
162.5	-700	57539.4	0.13	14.67722	1	1
175	-700	57538.7	0.13	14.68417	1	0.5
187.5	-700	57538.5	0.13	14.68944	1	0.3
200	-700	57539.8	0.13	14.69528	1	0.5
212.5	-700	57543.8	0.13	14.70028	1	0

/----- S C I N T R E X -----

/! Revision: 4.3F
 /! Line _____: S
 /! Date _____: 01/10/22
 /! Job _____: 0
 /! Operator:
 /! Serial _____: 0
 /! Basefld _____: 57534
 /! Duration: 2.0
 /! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

225	-600	57546	0.13	14.71444	1	-0.1
237.5	-600	57543.4	0.13	14.72	1	0.4
250	-600	57543.4	0.14	14.725	1	0.3
262.5	-600	57546.8	0.13	14.72972	1	1.2
275	-600	57545.3	0.13	14.73444	1	0.8

287.5	-600	57540.4	0.14	14.7475	1	0.6
300	-600	57542.2	0.13	14.75333	1	0.5
312.5	-600	57541.8	0.13	14.76	1	-0.9
325	-600	57545.6	0.14	14.76556	1	0.9
337.5	-600	57543.4	0.14	14.77167	1	0.5
350	-600	57542.9	0.13	14.77778	1	0.6
362.5	-600	57540.3	0.15	14.78667	1	1.9
375	-600	57538.5	0.14	14.79333	1	1.2
387.5	-600	57539.5	0.14	14.80417	1	1.2
400	-600	57539.7	0.14	14.81111	1	1.5
412.5	-600	57536.4	0.14	14.82167	1	0.8
425	-600	57538.7	0.13	14.82639	1	-0.2
437.5	-600	57537.1	0.13	14.83417	1	-1.2
450	-600	57537.2	0.13	14.84111	1	-0.7
462.5	-600	57537.2	0.13	14.84667	1	-0.7
475	-600	57538.9	0.14	14.85444	1	-0.8
487.5	-600	57541.3	0.14	14.86167	1	-0.8
500	-600	57548.9	0.13	14.86972	1	0.7
512.5	-600	57551.9	0.13	14.87722	1	1.1
525	-600	57550.1	0.13	14.88333	1	2.1
537.5	-600	57540.5	0.14	14.89111	1	-0.8
550	-600	57538.1	0.13	14.895	1	-0.3
562.5	-600	57542.9	0.14	14.9025	1	0.7
575	-600	57543.7	0.14	14.90889	1	-1.5
587.5	-600	57550.2	0.13	14.91528	1	0.8
600	-600	57551.9	0.13	14.92139	1	-0.2
612.5	-600	57549.6	0.13	14.92722	1	-0.2
625	-600	57556.7	0.13	14.93333	1	0.2
637.5	-600	57561.6	0.14	14.94194	1	0.6
650	-600	57566.6	0.13	14.94778	1	1.5
662.5	-600	57569.3	0.13	14.95611	1	0.7
675	-600	57569.6	0.13	14.95972	1	-0.9
687.5	-600	57570.2	0.13	14.96528	1	-0.8
700	-600	57571.1	0.13	14.96944	1	-0.9
712.5	-600	57572.5	0.13	14.97472	1	-0.6
725	-600	57574.7	0.14	14.98	1	-0.6
737.5	-600	57577.2	0.13	14.98583	1	0.9
750	-600	57574.1	0.14	14.99389	1	-1.3
762.5	-600	57574.2	0.13	15.00389	1	0.6
775	-600	57574.5	0.14	15.01139	1	0
787.5	-600	57577.7	0.13	15.02111	1	2.1
800	-600	57574.6	0.15	15.02667	1	0.3
812.5	-600	57579.8	0.14	15.0325	1	0.7
825	-600	57578.7	0.14	15.03944	1	0.7
837.5	-600	57577.4	0.13	15.07417	1	-0.3
850	-600	57581.8	0.13	15.07806	1	2.2
862.5	-600	57578.8	0.14	15.08389	1	-0.4
875	-600	57577.9	0.14	15.09278	1	-1.1
887.5	-600	57582.2	0.14	15.09833	1	0.8
900	-600	57582.2	0.12	15.10333	1	0.9
912.5	-600	57580.5	0.14	15.11028	1	0
925	-600	57578.8	0.13	15.11528	1	-0.7
937.5	-600	57584.3	0.13	15.12167	1	-0.7
950	-600	57584.8	0.14	15.12833	1	2
962.5	-600	57585.6	0.14	15.13472	1	0.3
975	-600	57583.7	0.13	15.14139	1	0.3
987.5	-600	57582.7	0.14	15.14694	1	0.6
1000	-600	57582.2	0.13	15.15389	1	0.2
1012.5	-600	57585.8	0.14	15.16583	1	0.6
1025	-600	57586	0.14	15.17083	1	0.8
1037.5	-600	57585.6	0.13	15.17722	1	-0.2
1050	-600	57588.6	0.13	15.1825	1	1
1062.5	-600	57589.2	0.14	15.18944	1	0.4
1075	-600	57587.5	0.13	15.19694	1	-2
1087.5	-600	57591.2	0.13	15.20389	1	-1.7
1100	-600	57592.3	0.13	15.21167	1	0.2
1112.5	-600	57592.8	0.13	15.2175	1	0.7

1125	-600	57593	0.13	15.22361	1	-1.1
1137.5	-600	57594.7	0.14	15.23167	1	1.3
1150	-600	57593.6	0.14	15.23972	1	0.5
1162.5	-600	57592.3	0.13	15.24611	1	0.4
1175	-600	57589.5	0.13	15.25306	1	-0.5
1187.5	-600	57590	0.14	15.26028	1	0.9
1200	-600	57593.4	0.14	15.26833	1	2.2
1212.5	-600	57590.8	0.13	15.2775	1	0.1
1225	-600	57590.1	0.13	15.28722	1	0.4
1237.5	-600	57584	0.14	15.29944	1	0.7
1250	-600	57584.7	0.15	15.30639	1	1.2
1262.5	-600	57584.4	0.13	15.31417	1	0.3
1275	-600	57582.3	0.13	15.32083	1	0.2
1287.5	-600	57585.8	0.14	15.32917	1	1.3
1300	-600	57587.3	0.13	15.335	1	1.6
1312.5	-600	57586.8	0.14	15.34528	1	0.6
1325	-600	57580.1	0.14	15.35583	1	-2.3
1337.5	-600	57574.5	0.14	15.37528	1	0.1
1350	-600	57592.1	0.14	15.40667	1	2.5
1362.5	-600	57586.5	0.16	15.41306	1	-0.1
1375	-600	57590.9	0.13	15.42056	1	1.7
1387.5	-600	57589.1	0.14	15.43306	1	-0.8
1400	-600	57589.6	0.2	15.44111	1	1.2
1412.5	-600	57589.4	0.13	15.45	1	0.6
1425	-600	57592.3	0.13	15.46056	1	0.8
1437.5	-600	57592.8	0.14	15.4725	1	0.3
1450	-600	57593.8	0.13	15.48111	1	-0.1
1462.5	-600	57594.4	0.15	15.49111	1	0.7
1475	-600	57593.8	0.14	15.49972	1	0.6
1487.5	-600	57594.5	0.14	15.50833	1	0.8
1500	-600	57594.3	0.14	15.52056	1	0

/----- S C I N T R E X -----

// Revision: 4.3F
 // Line: S
 // Date: 01/10/22
 // Job: 0
 // Operator:
 // Serial: 0
 // Basefld: 57534
 // Duration: 2.0
 // Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

1500	-500	57597.9	0.13	15.76222	1	1.9
1487.5	-500	57593.8	0.13	15.77083	1	-1
1475	-500	57596.4	0.13	15.77917	1	0.1
1462.5	-500	57595.2	0.13	15.785	1	-0.2
1450	-500	57593.6	0.13	15.79306	1	0.9
1437.5	-500	57593.4	0.13	15.79972	1	0.9
1425	-500	57593.8	0.13	15.80694	1	1.3
1412.5	-500	57593.2	0.13	15.81306	1	2.4
1400	-500	57591.2	0.14	15.81917	1	0.7
1387.5	-500	57590.5	0.14	15.82639	1	0.5
1375	-500	57594.3	0.13	15.83306	1	0.9
1362.5	-500	57591	0.13	15.84	1	-0.2
1350	-500	57584.3	0.14	15.84972	1	-0.1
1337.5	-500	57584.6	0.14	15.87167	1	1.1
1325	-500	57590.8	0.13	15.88028	1	2.4
1312.5	-500	57588.7	0.13	15.89417	1	0.2
1300	-500	57590	0.14	15.90417	1	1
1287.5	-500	57588.3	0.14	15.91528	1	2
1275	-500	57585.3	0.14	15.93028	1	1.6
1262.5	-500	57583.9	0.13	15.94389	1	2.5
1250	-500	57586.4	0.13	15.96028	1	1.9
1237.5	-500	57586.4	0.14	15.97	1	2
1225	-500	57587	0.13	15.98111	1	2.6
1212.5	-500	57582.2	0.14	15.9925	1	1.3

1200	-500	57593.4	0.13	16.00444	1	-0.3
1187.5	-500	57606.2	0.14	16.01528	1	3.8
1175	-500	57597.5	0.14	16.0275	1	1.6
1162.5	-500	57597.6	0.13	16.03611	1	1.5
1150	-500	57597.2	0.14	16.05083	1	2
1137.5	-500	57597.3	0.14	16.06056	1	1.3
1125	-500	57596.3	0.13	16.07194	1	1.3
1112.5	-500	57594.8	0.14	16.08556	1	2.1
1100	-500	57593.3	0.15	16.09722	1	1.3
1087.5	-500	57593.7	0.14	16.11028	1	2.1
1075	-500	57593.1	0.14	16.12139	1	1.7
1062.5	-500	57593.8	0.13	16.13444	1	2.8
1050	-500	57589.8	0.14	16.14389	1	2.2
1037.5	-500	57590.8	0.14	16.15361	1	3.1
1025	-500	57588.5	0.13	16.16333	1	1.9
1012.5	-500	57588.1	0.14	16.17389	1	1.7
1000	-500	57585.8	0.14	16.18806	1	0.8
987.5	-500	57586.1	0.14	16.20083	1	2.2
975	-500	57583.6	0.14	16.21139	1	0.6
962.5	-500	57582.4	0.13	16.22083	1	1.1
950	-500	57580.9	0.13	16.22972	1	2.6
937.5	-500	57580.9	0.15	16.23944	1	1.7
925	-500	57580.3	0.13	16.25	1	0.7
912.5	-500	57580.3	0.14	16.25861	1	2.4
900	-500	57579.9	0.13	16.26556	1	2.3
887.5	-500	57578.8	0.13	16.27306	1	2.2
875	-500	57577	0.13	16.28083	1	1.1
862.5	-500	57577.3	0.14	16.29	1	2.6
850	-500	57578.4	0.13	16.30667	1	1.5
837.5	-500	57578.3	0.13	16.31611	1	0.9
825	-500	57579.8	0.14	16.32222	1	3
812.5	-500	57576.3	0.13	16.33139	1	2.1
800	-500	57576.8	0.14	16.33861	1	1.7
787.5	-500	57574.6	0.14	16.34444	1	1.7
775	-500	57575	0.14	16.355	1	1.7
762.5	-500	57575.6	0.13	16.36222	1	2.2
750	-500	57574.5	0.14	16.36972	1	-0.3
737.5	-500	57574.6	0.14	16.37694	1	1.3
725	-500	57574.8	0.13	16.38333	1	2
712.5	-500	57574.4	0.13	16.38972	1	1.1
700	-500	57572.9	0.13	16.39611	1	-0.9
687.5	-500	57572.9	0.14	16.40417	1	3.3
675	-500	57570.4	0.13	16.41194	1	1.8
662.5	-500	57567.6	0.14	16.42861	1	2.1
650	-500	57566.7	0.13	16.43528	1	2.8
637.5	-500	57560.7	0.13	16.44361	1	1.9
625	-500	57552.5	0.13	16.45528	1	2
612.5	-500	57543.3	0.14	16.46722	1	2.1
600	-500	57538.9	0.14	16.48333	1	0.6
587.5	-500	57550.2	0.14	16.49389	1	1
575	-500	57568.4	0.13	16.50167	1	2.9
562.5	-500	57569.2	0.13	16.50972	1	3
550	-500	57565.9	0.13	16.51806	1	2.9
537.5	-500	57565.1	0.13	16.52472	1	2.9
525	-500	57560.8	0.13	16.53194	1	2
512.5	-500	57558.6	0.15	16.54778	1	3.5
500	-500	57556.6	0.14	16.555	1	1.4
487.5	-500	57557.3	0.13	16.56222	1	2.8
475	-500	57552.1	0.13	16.57111	1	3.2
462.5	-500	57548.9	0.14	16.57972	1	2.3
450	-500	57544.9	0.13	16.58722	1	0.9
437.5	-500	57545.3	0.13	16.59667	1	1.9
425	-500	57547.4	0.13	16.605	1	1.5
412.5	-500	57545.6	0.13	16.61306	1	1.5
400	-500	57547.3	0.13	16.62611	1	2
387.5	-500	57546.7	0.13	16.63389	1	2.2
375	-500	57548.2	0.14	16.64139	1	2.2

362.5	-500	57547.9	0.14	16.65639	1	2.2
350	-500	57547.6	0.14	16.66472	1	2
337.5	-500	57547	0.14	16.6725	1	2.2
325	-500	57545.6	0.14	16.68583	1	2.1
312.5	-500	57545.6	0.12	16.69583	1	1.9
300	-500	57544.7	0.14	16.70639	1	1.6
287.5	-500	57544.9	0.13	16.71417	1	1.3
275	-500	57546.9	0.13	16.72333	1	2.7
262.5	-500	57546.2	0.14	16.73139	1	3.8
250	-500	57541.8	0.13	16.73944	1	1.5
237.5	-500	57543.1	0.13	16.74694	1	1.8
225	-500	57543.6	0.14	16.75472	1	1.4
212.5	-500	57543.6	0.13	16.76361	1	1.1
200	-500	57542.4	0.13	16.77111	1	1.2
187.5	-500	57541.6	0.13	16.77889	1	1.4
175	-500	57539.9	0.13	16.78778	1	2.6
162.5	-500	57546	0.12	16.79778	1	3.4
150	-500	57544	0.14	16.80583	1	1.8
137.5	-500	57542.5	0.13	16.81833	1	1.2
125	-500	57548.8	0.13	16.82778	1	2.6
112.5	-500	57542	0.13	16.83972	1	0.8
100	-500	57543.6	0.13	16.84972	1	3
87.5	-500	57542.3	0.13	16.85889	1	0.9
75	-500	57540.6	0.13	16.8675	1	1.9
62.5	-500	57539.4	0.13	16.88806	1	0.9
50	-500	57539.7	0.13	16.89056	1	1.6
37.5	-500	57538.2	0.13	16.9	1	1.8
25	-500	57539.9	0.12	16.90722	1	0.1
12.5	-500	57541	0.13	16.91639	1	1.5
0	-500	57538.7	0.13	16.92417	1	1

```

/-----S      C      I      N      T      R      E      X      -----
/!      Revision: 4.3F
/!      Line____: S
/!      Date____: 01/10/22
/!      Job____: 0
/!      Operator:
/!      Serial__: 0
/!      Basefid_: 57534
/!      Duration: 2.0
/!      Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad
/-----

```

0	-600	57540.8	0.13	16.99194	1	1.9
12.5	-600	57540.7	0.13	17.00083	1	1.5
25	-600	57539.9	0.13	17.00806	1	1.1
37.5	-600	57539.8	0.14	17.01472	1	1.3
50	-600	57539.9	0.13	17.02083	1	0.2
62.5	-600	57543.6	0.12	17.0275	1	0.6
75	-600	57541.9	0.13	17.035	1	-0.3
87.5	-600	57543.8	0.13	17.04167	1	-1.3
100	-600	57546.2	0.13	17.05028	1	0.8
112.5	-600	57544.5	0.13	17.05694	1	1.7
125	-600	57543	0.14	17.06278	1	-0.3

```

/-----S      C      I      N      T      R      E      X      -----
/!      Revision: 4.3F
/!      Line____: S
/!      Date____: 01/10/23
/!      Job____: 0
/!      Operator:
/!      Serial__: 0
/!      Basefid_: 57534
/!      Duration: 2.0
/!      Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad
/-----

```

175	-800	57542.9	0.14	11.5525	1	1.6
162.5	-800	57543.2	0.13	11.56	1	4

150	-800	57540.4	0.14	11.56889	1	0.9
137.5	-800	57540.6	0.13	11.57667	1	1.4
125	-800	57540.5	0.13	11.58528	1	2.1
112.5	-800	57538.9	0.14	11.59333	1	1.2
100	-800	57538.5	0.14	11.60194	1	0
87.5	-800	57542.8	0.13	11.61	1	2.2
75	-800	57540.5	0.13	11.61694	1	0.6
62.5	-800	57540.7	0.12	11.62556	1	1.7
50	-800	57540.1	0.13	11.6425	1	1.3
37.5	-800	57539.2	0.12	11.64833	1	-0.5
25	-800	57540.8	0.13	11.65556	1	0.8
12.5	-800	57539.2	0.13	11.66278	1	1.6
0	-800	57537.9	0.12	11.67389	1	-5.4

/-----S C I N T R E X-----
 /! Revision: □4.3F
 /! Line____: □S
 /! Date____: □01/10/23
 /! Job____: □0
 /! Operator: □
 /! Serial_: □0
 /! Basefld_: □57534
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad
 /-----

0	-700	57537.1	0.13	11.71056	1	-2.3
12.5	-700	57537.9	0.13	11.71861	1	0.2
25	-700	57539.4	0.13	11.72667	1	-0.1
37.5	-700	57538.4	0.13	11.73361	1	-0.1
50	-700	57537.9	0.13	11.73917	1	-0.3
62.5	-700	57539.8	0.12	11.74611	1	1.3
75	-700	57540.2	0.13	11.75333	1	0.4
87.5	-700	57539.4	0.13	11.76028	1	1.1
100	-700	57541.2	0.12	11.76639	1	0.3
112.5	-700	57539.8	0.12	11.77444	1	-0.2
125	-700	57539.2	0.13	11.77972	1	-0.1
137.5	-700	57540.4	0.12	11.785	1	0.7
150	-700	57541.7	0.13	11.79167	1	1.4
162.5	-700	57540.8	0.13	11.79861	1	0.8
175	-700	57542.6	0.12	11.80556	1	-2.3
187.5	-700	57540.4	0.13	11.81278	1	0.5
200	-700	57541.3	0.13	11.8175	1	0.4
212.5	-700	57537.5	0.12	11.82333	1	-0.1
225	-700	57540.2	0.12	11.82917	1	-1.4
237.5	-700	57542.2	0.12	11.86472	1	0.3
250	-700	57544.2	0.12	11.86972	1	1.2
262.5	-700	57535.3	0.12	11.87556	1	-1.1
275	-700	57538.7	0.12	11.88083	1	-0.3
287.5	-700	57537.9	0.12	11.88611	1	0.3
300	-700	57535.8	0.13	11.89194	1	-1.3
312.5	-700	57532.5	0.12	11.8975	1	-1.1
325	-700	57533	0.13	11.90444	1	1.2
337.5	-700	57531.9	0.12	11.91306	1	-1.4
350	-700	57543.8	0.13	11.91861	1	0.9
362.5	-700	57541.2	0.13	11.92556	1	0.9
375	-700	57536.7	0.12	11.93028	1	-0.4
387.5	-700	57533.3	0.12	11.93722	1	0.2
400	-700	57530.4	0.12	11.9425	1	-0.1
412.5	-700	57523.7	0.13	11.94944	1	-0.4
425	-700	57519.4	0.12	11.95417	1	-1
437.5	-700	57517	0.12	11.96083	1	-0.7
450	-700	57517.9	0.12	11.9675	1	0.1
462.5	-700	57519.3	0.13	11.97639	1	0.5
475	-700	57514.4	0.13	11.99028	1	0.5
487.5	-700	57509.3	0.13	11.99917	1	-1.3
500	-700	57507.2	0.13	12.00833	1	-1.4
512.5	-700	57509.4	0.11	12.01778	1	-3

525	-700	57515.5	0.12	12.02917	1	-1.6
537.5	-700	57524.2	0.13	12.03806	1	1.2
550	-700	57526	0.12	12.045	1	-1.2
562.5	-700	57532.8	0.13	12.05667	1	-0.3
575	-700	57539.8	0.13	12.06694	1	1
587.5	-700	57544.1	0.12	12.07278	1	0.2
600	-700	57549.4	0.12	12.07917	1	-1.1
612.5	-700	57553	0.12	12.0925	1	-1.1
625	-700	57557.9	0.12	12.10028	1	-0.4
637.5	-700	57562.7	0.12	12.1075	1	0.3
650	-700	57566.4	0.12	12.11361	1	-0.4
662.5	-700	57570.9	0.12	12.12417	1	0.2
675	-700	57570.6	0.12	12.13306	1	0.1
687.5	-700	57570.9	0.12	12.14278	1	-0.1
700	-700	57572.4	0.12	12.14972	1	-1.4
712.5	-700	57574.6	0.12	12.15472	1	0.2
725	-700	57577.9	0.12	12.16639	1	1.1
737.5	-700	57580.1	0.12	12.17806	1	2.7
750	-700	57575.4	0.12	12.19111	1	-0.5
762.5	-700	57575.9	0.12	12.19611	1	0.6
775	-700	57574	0.12	12.205	1	-0.8
787.5	-700	57572.6	0.12	12.21333	1	-1.2
800	-700	57575.4	0.12	12.22	1	0.8
812.5	-700	57574.3	0.12	12.22667	1	0.1
825	-700	57574.6	0.12	12.23111	1	-1.2
837.5	-700	57580.9	0.12	12.2375	1	1.5
850	-700	57580.1	0.12	12.245	1	2.8
862.5	-700	57575.3	0.12	12.25167	1	0.9
875	-700	57573.9	0.12	12.25861	1	-0.6
887.5	-700	57575.7	0.12	12.26361	1	-0.3
900	-700	57579.6	0.12	12.26917	1	1.2
912.5	-700	57577.5	0.12	12.27417	1	0.1
925	-700	57577.1	0.12	12.28	1	-1.7
937.5	-700	57578.1	0.12	12.28639	1	-0.9
950	-700	57582.4	0.13	12.29389	1	0.9
962.5	-700	57585.5	0.12	12.29861	1	1.5
975	-700	57583.6	0.12	12.30667	1	2.6
987.5	-700	57581.5	0.12	12.31333	1	-0.2
1000	-700	57580.7	0.12	12.32	1	-1.7
1012.5	-700	57586.7	0.12	12.33028	1	0.4
1025	-700	57585.3	0.12	12.33611	1	0.5
1037.5	-700	57591.1	0.12	12.34222	1	1.4
1050	-700	57585.6	0.12	12.34833	1	0.7
1062.5	-700	57587.6	0.12	12.35444	1	1.5
1075	-700	57585.5	0.12	12.36083	1	-0.2
1087.5	-700	57588.1	0.12	12.365	1	1
1100	-700	57588.8	0.12	12.37167	1	-0.1
1112.5	-700	57590.5	0.12	12.38	1	0.8
1125	-700	57591.9	0.13	12.38556	1	1.2
1137.5	-700	57592.5	0.12	12.39417	1	0.6
1150	-700	57592.5	0.13	12.40222	1	0.8
1162.5	-700	57592.4	0.12	12.40833	1	0.7
1175	-700	57593.8	0.12	12.41417	1	1.8
1187.5	-700	57596	0.12	12.42	1	2.5
1200	-700	57591.8	0.12	12.42611	1	0.4
1212.5	-700	57592.3	0.12	12.44056	1	2
1225	-700	57591.5	0.12	12.45083	1	0.5
1237.5	-700	57590.5	0.13	12.46111	1	0.9
1250	-700	57589.9	0.12	12.47	1	1.1
1262.5	-700	57585.9	0.12	12.47611	1	0.7
1275	-700	57584	0.12	12.48333	1	-0.4
1287.5	-700	57585.6	0.11	12.49194	1	0.5
1300	-700	57586.5	0.13	12.50111	1	0.7
1312.5	-700	57587.6	0.12	12.50944	1	0.6
1325	-700	57586.5	0.12	12.51722	1	-0.2
1337.5	-700	57585.5	0.13	12.53583	1	0.9
1350	-700	57574.5	0.12	12.54833	1	0.4

1362.5	-700	57581.5	0.11	12.57417	1	-1.7
1375	-700	57590	0.11	12.59028	1	0.6
1387.5	-700	57589.3	0.11	12.59694	1	-0.3
1400	-700	57593.3	0.11	12.61167	1	0.5
1412.5	-700	57592.7	0.11	12.61889	1	0.6
1425	-700	57592	0.11	12.62889	1	0.7
1437.5	-700	57593.3	0.12	12.63778	1	0.9
1450	-700	57593.1	0.11	12.65306	1	-0.1
1462.5	-700	57593	0.12	12.66333	1	0.9
1475	-700	57592.5	0.12	12.68194	1	0.2
1487.5	-700	57592	0.11	12.69444	1	-1
1500	-700	57592.6	0.11	12.7025	1	0.4
1512.5	-700	57592.2	0.11	12.7125	1	-0.8

```

/-----S      C      I      N      T      R      E      X      -----
/!      Revision: 4.3F
/!      Line____: S
/!      Date____: 01/10/23
/!      Job_____: 0
/!      Operator:
/!      Serial__: 0
/!      Basefid_: 57534
/!      Duration: 2.0
/!      Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

```

1500	-800	57593.3	0.12	13.00667	1	-0.1
1487.5	-800	57594.4	0.12	13.02111	1	-0.3
1475	-800	57593.1	0.12	13.03278	1	0.5
1462.5	-800	57592.4	0.2	13.04194	1	-0.8
1450	-800	57588.4	0.12	13.05583	1	-4.4
1437.5	-800	57591.4	0.12	13.06778	1	-1
1425	-800	57590.4	0.11	13.07583	1	-0.4
1412.5	-800	57589.3	0.12	13.08444	1	0.3
1400	-800	57589.6	0.12	13.09222	1	-0.1
1387.5	-800	57589.8	0.11	13.09333	1	0
1375	-800	57595.8	0.12	13.10222	1	1.1
1362.5	-800	57589.6	0.12	13.11528	1	0.3
1350	-800	57584.9	0.11	13.12361	1	0.7
1337.5	-800	57580.7	0.12	13.16139	1	-0.4
1325	-800	57593.9	0.12	13.16944	1	1.3
1312.5	-800	57596.4	0.12	13.18083	1	2.8
1300	-800	57593.1	0.11	13.18778	1	0.4
1287.5	-800	57598.3	0.12	13.19667	1	3.5
1275	-800	57584.9	0.12	13.20972	1	0.4
1262.5	-800	57587.2	0.11	13.21778	1	1.5
1250	-800	57587.1	0.12	13.22528	1	1
1237.5	-800	57587.9	0.12	13.23139	1	0.8
1225	-800	57588.6	0.12	13.24083	1	0.4
1212.5	-800	57588.7	0.12	13.24861	1	0.8
1200	-800	57590.8	0.12	13.255	1	2
1187.5	-800	57591.5	0.12	13.26167	1	1.5
1175	-800	57593	0.12	13.26917	1	2
1162.5	-800	57591.6	0.12	13.27806	1	0.2
1150	-800	57592.1	0.12	13.28722	1	0.8
1137.5	-800	57595.5	0.12	13.295	1	2.8
1125	-800	57594.7	0.12	13.30306	1	2.1
1112.5	-800	57594.2	0.12	13.31056	1	2.9
1100	-800	57589	0.12	13.31972	1	2
1087.5	-800	57589.6	0.12	13.32806	1	2.1
1075	-800	57588	0.12	13.335	1	-0.1
1062.5	-800	57588.5	0.12	13.34333	1	0.7
1050	-800	57587.2	0.12	13.35417	1	1.6
1037.5	-800	57587.8	0.13	13.36556	1	2.1
1025	-800	57587.7	0.12	13.37944	1	2
1012.5	-800	57587.8	0.11	13.38083	1	2.3
1000	-800	57583.1	0.12	13.39639	1	1.9
987.5	-800	57578.8	0.12	13.41	1	0.7

975	-800	57578.8	0.12	13.42667	1	2.3
962.5	-800	57577.5	0.12	13.4375	1	0.3
950	-800	57582.9	0.12	13.45083	1	4.8
937.5	-800	57575.4	0.12	13.46167	1	1.2
925	-800	57572.8	0.11	13.46972	1	-0.6
912.5	-800	57575.4	0.12	13.47806	1	2
900	-800	57573.3	0.12	13.48861	1	2.5
887.5	-800	57570.1	0.12	13.50111	1	1.6
875	-800	57569	0.12	13.51167	1	-0.1
862.5	-800	57569.5	0.12	13.52139	1	1
850	-800	57570.3	0.11	13.53139	1	2
837.5	-800	57568.5	0.13	13.54083	1	1.3
825	-800	57571.9	0.12	13.55056	1	1.4
812.5	-800	57573.8	0.12	13.56083	1	2.3
800	-800	57570.8	0.12	13.56917	1	0.5
787.5	-800	57576.2	0.12	13.58194	1	2.2
775	-800	57575	0.12	13.59111	1	1.4
762.5	-800	57576.4	0.12	13.60167	1	2.4
750	-800	57579.7	0.11	13.6125	1	1.9
737.5	-800	57579.4	0.12	13.62139	1	2.6
725	-800	57580.7	0.12	13.63111	1	1.8
712.5	-800	57582.1	0.12	13.64056	1	3
700	-800	57580.2	0.11	13.64861	1	2.9
687.5	-800	57577.9	0.12	13.66083	1	2.8
675	-800	57576.6	0.11	13.67167	1	2.4
662.5	-800	57572.1	0.12	13.68333	1	2
650	-800	57570.7	0.12	13.69528	1	2.8
637.5	-800	57569.1	0.12	13.70194	1	2.2
625	-800	57561.4	0.12	13.70861	1	1.1
612.5	-800	57554.9	0.12	13.72139	1	0
600	-800	57546.8	0.12	13.73333	1	0.8
587.5	-800	57544.5	0.13	13.74806	1	1.3
575	-800	57538.2	0.12	13.78389	1	1.4
562.5	-800	57531.5	0.13	13.80417	1	0.5
550	-800	57536.5	0.13	13.81111	1	1.4
537.5	-800	57537.7	0.12	13.81806	1	2.8
525	-800	57535.6	0.12	13.82806	1	0.3
512.5	-800	57536.9	0.12	13.83917	1	1.4
500	-800	57537	0.12	13.84056	1	1.5
487.5	-800	57536.8	0.11	13.85056	1	2
475	-800	57535.2	0.13	13.86528	1	0.7
462.5	-800	57540.2	0.11	13.89056	1	2.4
450	-800	57540.6	0.12	13.91278	1	1.6
437.5	-800	57542.2	0.11	13.92194	1	1
425	-800	57545.2	0.12	13.93667	1	3.6
412.5	-800	57541.4	0.12	13.94917	1	1.7
400	-800	57547	0.12	13.95472	1	2.3
387.5	-800	57547.7	0.12	13.9625	1	1.4
375	-800	57546.5	0.12	13.97167	1	1.7
362.5	-800	57545.1	0.12	13.98361	1	1.8
350	-800	57544.3	0.11	13.98806	1	1.9
337.5	-800	57543.9	0.12	13.99472	1	1.5
325	-800	57541	0.12	14.0025	1	1.3
312.5	-800	57544.7	0.13	14.01056	1	2.1
300	-800	57543.3	0.12	14.0175	1	1.1
287.5	-800	57550.1	0.11	14.02556	1	2
275	-800	57542.8	0.12	14.03361	1	0.8
262.5	-800	57543.7	0.12	14.04417	1	1.1
250	-800	57544.2	0.14	14.04944	1	1
237.5	-800	57544.6	0.12	14.06083	1	0.5
225	-800	57544.8	0.12	14.06944	1	1.2
212.5	-800	57545	0.12	14.07806	1	1.9
200	-800	57543.8	0.13	14.0875	1	1.6
187.5	-800	57546.4	0.12	14.1025	1	1.9

/----- S C I N T R E X -----
 /! Revision: □4.3F

```

// Line____: S
// Date____: 01/10/23
// Job____: 0
// Operator:
// Serial____: 0
// Basefld_: 57534
// Duration: 2.0
// Mag_Data: XY/TotFld/Noise/Hours/0=Uncor/Grad

```

0	-100	57536.9	0.12	14.41639	1	-4
12.5	-100	57540.9	0.12	14.42278	1	0.9
25	-100	57542.5	0.12	14.42778	1	0.9
37.5	-100	57540.6	0.12	14.4325	1	-0.5
50	-100	57541.6	0.12	14.44306	1	0.4
62.5	-100	57541.9	0.12	14.44944	1	-0.4
75	-100	57540.4	0.12	14.45444	1	-2.3
87.5	-100	57542.2	0.13	14.46028	1	1.4
100	-100	57545.4	0.12	14.46639	1	2
112.5	-100	57542.4	0.12	14.4725	1	0.1
125	-100	57542.5	0.12	14.47861	1	0.1
137.5	-100	57544.7	0.12	14.485	1	-0.6
150	-100	57543.6	0.12	14.49222	1	-1.4
162.5	-100	57544.4	0.12	14.49861	1	0.8
175	-100	57545.5	0.12	14.50722	1	1.5
187.5	-100	57543.8	0.12	14.51278	1	-0.3
200	-100	57545.8	0.12	14.51944	1	0.3
212.5	-100	57546.4	0.12	14.52556	1	1.2
225	-100	57549.5	0.13	14.53278	1	2.6
237.5	-100	57548	0.12	14.54056	1	1.3
250	-100	57546.3	0.13	14.55056	1	0.6
262.5	-100	57547.4	0.12	14.55889	1	0.7
275	-100	57549.3	0.12	14.56472	1	2.3
287.5	-100	57546.4	0.12	14.57167	1	0.5
300	-100	57547.8	0.12	14.59	1	1.3
312.5	-100	57547.8	0.13	14.59222	1	1
325	-100	57545.9	0.12	14.605	1	0.9
337.5	-100	57545.9	0.11	14.61694	1	-0.5
350	-100	57544.9	0.12	14.62306	1	0.3
362.5	-100	57544.5	0.13	14.62861	1	0.7
375	-100	57545	0.12	14.63389	1	0.7
387.5	-100	57545.7	0.12	14.63917	1	0.7
400	-100	57544.2	0.12	14.64472	1	0.1
412.5	-100	57544.8	0.12	14.65361	1	0.4
425	-100	57547.8	0.12	14.66028	1	1.1
437.5	-100	57546.7	0.12	14.67194	1	-0.5
450	-100	57551.1	0.12	14.68167	1	-0.3
462.5	-100	57555.7	0.12	14.68944	1	1.5
475	-100	57559.9	0.12	14.69639	1	0.8
487.5	-100	57564.9	0.13	14.7025	1	1.7
500	-100	57568.8	0.12	14.7125	1	1.5
512.5	-100	57572.4	0.12	14.73111	1	1.8
525	-100	57573.1	0.12	14.73639	1	1.5
537.5	-100	57573.7	0.12	14.74167	1	0.2
550	-100	57576.9	0.12	14.74917	1	1.9
562.5	-100	57574.7	0.13	14.75639	1	1.1
575	-100	57575	0.12	14.76222	1	1
587.5	-100	57573.5	0.12	14.76972	1	1.4
600	-100	57572.5	0.12	14.77528	1	0
612.5	-100	57572.4	0.12	14.78167	1	0.7
625	-100	57571.7	0.12	14.7875	1	1
637.5	-100	57570.4	0.12	14.795	1	0.6
650	-100	57570.5	0.12	14.80028	1	0.3
662.5	-100	57571.3	0.12	14.80583	1	1.6
675	-100	57570.2	0.12	14.81361	1	0.3
687.5	-100	57570.2	0.12	14.81917	1	0.5
700	-100	57571.7	0.12	14.82806	1	0.5
712.5	-100	57573.5	0.12	14.83472	1	0.8

725	-100	57577.9	0.12	14.83889	1	2.7
737.5	-100	57566.8	0.12	14.84417	1	-0.9
750	-100	57569.1	0.12	14.85111	1	0.4
762.5	-100	57570.6	0.11	14.85861	1	-0.1
775	-100	57572.5	0.12	14.86333	1	1.4
787.5	-100	57568.9	0.12	14.87	1	-0.2
800	-100	57569.9	0.12	14.87611	1	0.7
812.5	-100	57569.1	0.12	14.88083	1	0.5
825	-100	57570.6	0.12	14.88833	1	-1.5
837.5	-100	57561.7	0.12	14.89722	1	-8.7
850	-100	57569.7	0.12	14.90361	1	0.6
862.5	-100	57572.3	0.12	14.91028	1	1
875	-100	57571	0.12	14.9175	1	0
887.5	-100	57572.7	0.12	14.92583	1	0.3
900	-100	57572.7	0.12	14.93389	1	1
912.5	-100	57572.6	0.12	14.93972	1	0.1
925	-100	57578.8	0.11	14.94528	1	1.3
937.5	-100	57575.1	0.12	14.95167	1	1.1
950	-100	57579.1	0.12	14.95667	1	1.6
962.5	-100	57579.4	0.12	14.96333	1	1
975	-100	57578.2	0.12	14.96944	1	0.6
987.5	-100	57579.6	0.13	14.97556	1	0.9
1000	-100	57579.6	0.12	14.98139	1	0.8
1012.5	-100	57580	0.12	14.98778	1	-0.3
1025	-100	57581.7	0.12	14.995	1	0.2
1037.5	-100	57580.2	0.12	15.00139	1	0
1050	-100	57590	0.12	15.00972	1	-1
1062.5	-100	57608.3	0.12	15.01944	1	3.2
1075	-100	57594.5	0.12	15.02889	1	-1.3
1087.5	-100	57593.7	0.12	15.03528	1	0.8
1100	-100	57591.6	0.12	15.0425	1	-1.7
1112.5	-100	57591.5	0.11	15.05306	1	-2.1
1125	-100	57594.6	0.12	15.06083	1	-1.9
1137.5	-100	57595.8	0.12	15.06694	1	-1.8
1150	-100	57599.8	0.12	15.075	1	0.8
1162.5	-100	57603.3	0.12	15.08611	1	2.5
1175	-100	57594.9	0.12	15.09667	1	-0.8
1187.5	-100	57595.6	0.11	15.10528	1	0.6
1200	-100	57598.8	0.12	15.11611	1	-0.2
1212.5	-100	57599.3	0.11	15.12333	1	0.8
1225	-100	57597.5	0.11	15.12972	1	-0.3
1237.5	-100	57598.1	0.11	15.135	1	1.3
1250	-100	57594.5	0.12	15.14083	1	1.4
1262.5	-100	57590.2	0.12	15.14667	1	-1.1
1275	-100	57595.7	0.12	15.15417	1	0.3
1287.5	-100	57593.6	0.12	15.15944	1	0.1
1300	-100	57595.1	0.12	15.16667	1	0.4
1312.5	-100	57592.6	0.12	15.17167	1	0.9
1325	-100	57590.2	0.1	15.17833	1	-2.3
1337.5	-100	57601.5	0.12	15.19194	1	-20.5
1350	-100	57563	0.12	15.2025	1	0.5
1362.5	-100	57578.6	0.12	15.20889	1	-3.5
1375	-100	57580.4	0.11	15.21694	1	-5.6
1387.5	-100	57619.8	0.12	15.22583	1	17.2
1400	-100	57644.7	0.12	15.24306	1	-2
1412.5	-100	57603	0.11	15.25444	1	-1.8
1425	-100	57601.2	0.12	15.26278	1	-2.1
1437.5	-100	57605.4	0.12	15.27278	1	-0.9
1450	-100	57609.3	0.12	15.28333	1	0.7
1462.5	-100	57613.2	0.12	15.29361	1	1
1475	-100	57613.2	0.11	15.30083	1	-0.3
1487.5	-100	57614.9	0.11	15.30917	1	-1.7
1500	-100	57619.2	0.12	15.31917	1	0.7
1512.5	-100	57619	0.12	15.32889	1	-0.2
1525	-100	57619	0.12	15.33861	1	-0.1

/----- S C I N T R E X -----

```

// Revision: □4.3F
// Line_____: □ S
// Date_____: □01/10/23
// Job_____: □0
// Operator: □
// Serial_____: □0
// Basefld_____: □57534
// Duration: □2.0
// Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad
/-----

```

1500	-400	57598.2	0.12	15.62194	1	0
1487.5	-400	57597.4	0.12	15.63139	1	-0.8
1475	-400	57597.8	0.12	15.64583	1	0.3
1462.5	-400	57597.7	0.12	15.65861	1	0.3
1450	-400	57596.3	0.12	15.67194	1	0.6
1437.5	-400	57596.8	0.12	15.68583	1	1.1
1425	-400	57594.7	0.12	15.69306	1	-0.4
1412.5	-400	57595.1	0.11	15.72028	1	0.5
1400	-400	57593.6	0.12	15.73083	1	-1
1387.5	-400	57592.3	0.12	15.73778	1	0.2
1375	-400	57592.8	0.11	15.74611	1	0.3
1362.5	-400	57594.6	0.12	15.75417	1	0.8
1350	-400	57592.1	0.12	15.75861	1	1.4
1337.5	-400	57576.5	0.12	15.77361	1	-0.9
1325	-400	57593.7	0.12	15.80389	1	2
1312.5	-400	57590.7	0.12	15.81528	1	1.7
1300	-400	57587.1	0.12	15.82333	1	0.8
1287.5	-400	57589.3	0.13	15.83722	1	2
1275	-400	57586	0.12	15.845	1	1.5
1262.5	-400	57584	0.12	15.85333	1	1.2
1250	-400	57572.6	0.12	15.86583	1	0.2
1237.5	-400	57583.3	0.12	15.88028	1	2.4
1225	-400	57581.6	0.12	15.89222	1	-2
1212.5	-400	57594.5	0.12	15.90333	1	1.7
1200	-400	57601.4	0.12	15.91028	1	3.3
1187.5	-400	57594.5	0.12	15.91972	1	1.2
1175	-400	57600.4	0.13	15.93472	1	2.5
1162.5	-400	57601	0.12	15.945	1	3.4
1150	-400	57593.3	0.12	15.95528	1	1.7
1137.5	-400	57592.4	0.12	15.97667	1	1.7
1125	-400	57589.8	0.12	15.98694	1	0.9
1112.5	-400	57594.2	0.11	16.00028	1	2
1100	-400	57594.1	0.12	16.00806	1	0.8
1087.5	-400	57598.6	0.12	16.02389	1	2.7
1075	-400	57598.8	0.12	16.03083	1	2.4
1062.5	-400	57597.4	0.13	16.04028	1	2.4
1050	-400	57592.5	0.13	16.05361	1	1.2
1037.5	-400	57593.5	0.13	16.06667	1	1.9
1025	-400	57591.4	0.12	16.08028	1	2.4
1012.5	-400	57589	0.13	16.09139	1	2.3
1000	-400	57585.2	0.12	16.10333	1	1.3
987.5	-400	57583.9	0.12	16.11389	1	0.8
975	-400	57584.4	0.12	16.12194	1	1.8
962.5	-400	57583.9	0.11	16.12889	1	2.4
950	-400	57581.8	0.12	16.1425	1	2.5
937.5	-400	57580.3	0.11	16.15278	1	1.5
925	-400	57580.1	0.12	16.15833	1	0.7
912.5	-400	57580.1	0.12	16.16694	1	1.3
900	-400	57578.9	0.12	16.175	1	1.4
887.5	-400	57577.3	0.12	16.185	1	0.8
875	-400	57578	0.12	16.1925	1	1.4
862.5	-400	57578.1	0.12	16.19972	1	1.8
850	-400	57577.5	0.12	16.20944	1	1.2
837.5	-400	57578.5	0.12	16.21667	1	1.8
825	-400	57578.1	0.12	16.22417	1	1.2
812.5	-400	57582.8	0.13	16.235	1	5.1
800	-400	57576.7	0.12	16.24417	1	0.6

787.5	-400	57575.4	0.12	16.25194	1	1.6
775	-400	57577.6	0.12	16.26	1	2
762.5	-400	57576.2	0.12	16.26667	1	2.1
750	-400	57574.6	0.12	16.27361	1	1.2
737.5	-400	57573.6	0.12	16.28139	1	1.6
725	-400	57573.1	0.12	16.28722	1	1.9
712.5	-400	57572.9	0.12	16.29444	1	1.2
700	-400	57571.8	0.13	16.31028	1	1.2
687.5	-400	57572.4	0.12	16.32889	1	0.6
675	-400	57568.6	0.12	16.33694	1	-0.2
662.5	-400	57573.9	0.12	16.35278	1	2.9
650	-400	57574.5	0.12	16.35972	1	1.6
637.5	-400	57574.7	0.13	16.36583	1	2.2
625	-400	57577.6	0.12	16.37333	1	1.9
612.5	-400	57577.6	0.12	16.385	1	2.2
600	-400	57576.7	0.12	16.40472	1	2
587.5	-400	57575.2	0.12	16.41611	1	1.8
575	-400	57574.2	0.12	16.42333	1	0.8
562.5	-400	57573.3	0.12	16.43222	1	1.7
550	-400	57570.3	0.12	16.44056	1	2.4
537.5	-400	57564.6	0.12	16.45	1	1.2
525	-400	57570	0.12	16.45694	1	1.3
512.5	-400	57573	0.12	16.46639	1	2.4
500	-400	57569.2	0.12	16.47722	1	2.1
487.5	-400	57561.4	0.12	16.48611	1	1.8
475	-400	57561.5	0.13	16.48778	1	2
462.5	-400	57555.8	0.12	16.49694	1	1.7
450	-400	57550.5	0.13	16.51389	1	1.7
437.5	-400	57546.7	0.12	16.52278	1	1.3
425	-400	57545.8	0.12	16.53361	1	1.4
412.5	-400	57545.1	0.13	16.54278	1	2.5
400	-400	57540.1	0.13	16.55361	1	2.2
387.5	-400	57536.1	0.12	16.56194	1	1
375	-400	57532.9	0.12	16.57306	1	1.3
362.5	-400	57535.7	0.12	16.58528	1	1.8
350	-400	57537	0.13	16.60028	1	1.1
337.5	-400	57539.1	0.12	16.61472	1	1.9
325	-400	57539.6	0.12	16.62306	1	1.5
312.5	-400	57543.2	0.12	16.63222	1	1.4
300	-400	57544.7	0.12	16.64139	1	1.7
287.5	-400	57543.9	0.12	16.65083	1	1.8
275	-400	57543.9	0.12	16.66667	1	1.7
262.5	-400	57544.6	0.12	16.67722	1	2.2
250	-400	57543.5	0.13	16.69139	1	1.1
237.5	-400	57543.6	0.12	16.70361	1	1.9
225	-400	57543.1	0.12	16.71278	1	2.2
212.5	-400	57541.6	0.12	16.72306	1	2.1
200	-400	57541.6	0.13	16.73167	1	1.8
187.5	-400	57539.9	0.12	16.74056	1	1.4
175	-400	57542.4	0.12	16.75222	1	1.1
162.5	-400	57544.4	0.13	16.76972	1	1.9
150	-400	57541.7	0.12	16.77889	1	1.1
137.5	-400	57542.1	0.12	16.79139	1	1.7
125	-400	57542.9	0.12	16.79972	1	1.9
112.5	-400	57541.8	0.12	16.81028	1	2
100	-400	57539.6	0.12	16.81861	1	0.6
87.5	-400	57543.7	0.12	16.8275	1	2.5
75	-400	57546.6	0.12	16.85333	1	0.7
62.5	-400	57543.4	0.13	16.86278	1	2.7
50	-400	57542.1	0.12	16.87389	1	1.9
37.5	-400	57540.4	0.12	16.88389	1	0.8
25	-400	57542.5	0.12	16.89944	1	2.2
12.5	-400	57543.5	0.12	16.90889	1	2.4
0	-400	57540.8	0.12	16.92028	1	1.5
-12.5	-400	57539.2	0.12	16.92944	1	1.4
-25	-400	57540.8	0.12	16.94528	1	2.7

/----- S C I N T R E X -----

/! Revision: □4.3F
 /! Line___: □0.00000 E
 /! Date___: □01/10/24
 /! Job___: □0
 /! Operator: □
 /! Serial__: □0
 /! Basefld_: □57550
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor

0	-425	57534.6	0.1	13.05333	1
0	-400	57536.2	0.1	13.07639	1
0	-375	57536.4	0.11	13.08972	1
0	-350	57537.9	0.1	13.09667	1
0	-325	57535.7	0.1	13.10833	1
0	-300	57536.5	0.11	13.11583	1
0	-275	57535.6	0.11	13.12417	1
0	-250	57540.8	0.11	13.13389	1
0	-225	57534.5	0.11	13.14194	1
0	-200	57536.4	0.11	13.15	1
0	-175	57535.9	0.1	13.15806	1
0	-150	57538.1	0.1	13.16722	1
0	-125	57536.7	0.1	13.17528	1
0	-100	57530.5	0.11	13.185	1
0	-75	57532.4	0.11	13.1925	1
0	-50	57531.5	0.11	13.19861	1
0	-25	57531.6	0.1	13.20667	1
0	0	57531.9	0.11	13.21528	1

/----- S C I N T R E X -----

/! Revision: □4.3F
 /! Line___: □375.000 E
 /! Date___: □01/10/24
 /! Job___: □0
 /! Operator: □
 /! Serial__: □0
 /! Basefld_: □57550
 /! Duration: □2.0
 /! Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

375	-2700	57540.2	0.12	11.21639	1	-1.1
375	-2675	57543	0.11	11.24639	1	-2.7
375	-2650	57549.1	0.12	11.25528	1	-3.3
375	-2625	57553.4	0.11	11.26722	1	-0.8
375	-2600	57554.1	0.11	11.27944	1	-2.8
375	-2575	57563.3	0.12	11.28861	1	-0.4
375	-2550	57560.6	0.11	11.29639	1	-0.9
375	-2525	57566.9	0.12	11.30389	1	0.3
375	-2500	57568.9	0.11	11.31194	1	-0.9
375	-2475	57566.7	0.11	11.355	1	-3.5
375	-2450	57567.9	0.11	11.36083	1	-2.3
375	-2425	57569.8	0.11	11.36806	1	-1.6
375	-2400	57567.3	0.13	11.37806	1	-4.5
375	-2375	57572.2	0.11	11.39278	1	-0.7
375	-2350	57574.8	0.11	11.40083	1	-1
375	-2325	57575.8	0.11	11.40889	1	-1.1
375	-2300	57575.8	0.11	11.41639	1	-0.3
375	-2275	57574.2	0.11	11.42583	1	-1.7
375	-2250	57574.4	0.11	11.43222	1	0.9
375	-2225	57565.9	0.11	11.44	1	-0.8
375	-2200	57562.5	0.11	11.44861	1	-2.2
375	-2175	57564.7	0.11	11.46694	1	-1.5
375	-2150	57561.8	0.11	11.47528	1	-0.6

375	-2125	57579.7	0.11	11.48556	1	4.6
375	-2100	57558.4	0.1	11.49889	1	3.2
375	-2075	57554.1	0.11	11.5125	1	0.8
375	-2050	57550	0.11	11.52472	1	-1
375	-2025	57550.2	0.11	11.53528	1	0.7
375	-2000	57549.2	0.11	11.54639	1	-1.7
375	-1975	57553.4	0.11	11.58833	1	-0.5
375	-1950	57543.7	0.1	11.60139	1	-1.3
375	-1925	57548.4	0.11	11.61194	1	2
375	-1900	57544.2	0.11	11.62472	1	0.8
375	-1875	57542	0.11	11.635	1	0.8
375	-1850	57545.9	0.11	11.64833	1	3.2
375	-1825	57539	0.11	11.65889	1	1
375	-1800	57545.7	0.11	11.67472	1	6.8

/----- S C I N T R E X -----

```

/! Revision: 4.3F
/! Line____: 1800.00 S
/! Date____: 01/10/24
/! Job____: 0
/! Operator:
/! Serial__: 0
/! Basefld_: 57550
/! Duration: 2.0
/! Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad

```

375	-1800	57537.7	0.1	11.81389	1	-1.8
362.5	-1800	57538.1	0.1	11.84583	1	-2.4
350	-1800	57545.2	0.1	11.85111	1	0.8
337.5	-1800	57542.4	0.1	11.85639	1	-0.3
325	-1800	57543.6	0.1	11.865	1	1.7
312.5	-1800	57540.5	0.1	11.87361	1	0
300	-1800	57544	0.1	11.87972	1	1.6
287.5	-1800	57543.8	0.11	11.88528	1	1.7
275	-1800	57545.9	0.11	11.8925	1	1.9
262.5	-1800	57545.5	0.1	11.9025	1	1.2
250	-1800	57546.2	0.11	11.90861	1	0.7
237.5	-1800	57543.1	0.1	11.915	1	-0.1
225	-1800	57541.6	0.11	11.92222	1	-0.8
212.5	-1800	57541.9	0.11	11.92917	1	-0.3
200	-1800	57543.3	0.11	11.93556	1	-0.5
187.5	-1800	57541	0.11	11.94472	1	-0.6
175	-1800	57544.5	0.1	11.95028	1	1.1
162.5	-1800	57542.9	0.11	11.95611	1	0.4
150	-1800	57540.8	0.11	11.96194	1	-0.9
137.5	-1800	57541.7	0.11	11.97194	1	0.7
125	-1800	57540.5	0.1	11.9775	1	0.5
112.5	-1800	57536.8	0.11	11.98361	1	-0.3
100	-1800	57536.9	0.1	11.99	1	-0.7
87.5	-1800	57541.5	0.11	11.99556	1	1.5
75	-1800	57536.2	0.1	12.00306	1	0.1
62.5	-1800	57535.6	0.1	12.00972	1	1
50	-1800	57535.3	0.11	12.015	1	0.4
37.5	-1800	57536.1	0.12	12.02389	1	0.7
25	-1800	57535.3	0.1	12.03167	1	0.2
12.5	-1800	57535.1	0.16	12.04361	1	0.8
0	-1800	57539.3	0.11	12.05194	1	1.7

/----- S C I N T R E X -----

```

/! Revision: 4.3F
/! Line____: 0.00000 E
/! Date____: 01/10/24
/! Job____: 0
/! Operator:
/! Serial__: 0
/! Basefld_: 57550
/! Duration: 2.0

```

Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

0	-1800	57538.9	0.11	12.07194	1	1.4
0	-1775	57533.1	0.1	12.08333	1	-0.6
0	-1750	57534.3	0.1	12.09222	1	-0.8
0	-1725	57534.6	0.1	12.10083	1	0
0	-1700	57535.3	0.11	12.11	1	-0.4
0	-1675	57537.5	0.11	12.12028	1	0
0	-1650	57536.4	0.09	12.13139	1	-2.3
0	-1625	57537.7	0.1	12.14028	1	-1.2
0	-1600	57540.3	0.1	12.14917	1	-0.1
0	-1575	57540.4	0.1	12.1575	1	-1
0	-1550	57540.8	0.1	12.16639	1	-1
0	-1525	57543.8	0.11	12.17417	1	-0.1
0	-1500	57544.2	0.11	12.18139	1	-0.2
0	-1475	57544.5	0.1	12.18917	1	1.2
0	-1450	57540.2	0.11	12.19917	1	0
0	-1425	57541.7	0.11	12.27806	1	1.8
0	-1400	57539	0.1	12.28417	1	0.1
0	-1375	57537.3	0.11	12.29278	1	-0.6
0	-1350	57540	0.11	12.30361	1	0.3
0	-1325	57543.1	0.11	12.31611	1	-0.4
0	-1300	57546.6	0.11	12.33333	1	0.6
0	-1275	57535.9	0.1	12.39889	1	-4.5
0	-1250	57542.9	0.11	12.40833	1	-1.9
0	-1225	57542.2	0.11	12.41861	1	-0.5
0	-1200	57540.7	0.11	12.43139	1	-1.6
0	-1175	57542.5	0.11	12.44472	1	0.1
0	-1150	57543.6	0.1	12.48444	1	1.9
0	-1125	57540.9	0.1	12.49667	1	0.8
0	-1100	57538.7	0.11	12.5125	1	-1.4
0	-1075	57538.4	0.1	12.52472	1	-1.6
0	-1050	57536.9	0.1	12.53611	1	-2.5
0	-1025	57537.8	0.1	12.64472	1	-3.6
0	-1000	57535.9	0.1	12.66167	1	-3.1
0	-975	57536.2	0.1	12.675	1	-3.3
0	-950	57535.7	0.11	12.69444	1	-2.9
0	-925	57535.6	0.1	12.70944	1	-3.1
0	-900	57539.2	0.11	12.72722	1	0
0	-875	57534.7	0.11	12.73722	1	-3.6
0	-850	57531.7	0.09	12.74722	1	-6.7
0	-825	57533.8	0.11	12.76722	1	-6.1
0	-800	57535.5	0.11	12.78583	1	-5.6
0	-775	57532.5	0.11	12.81083	1	-7.6
0	-750	57533.2	0.11	12.81972	1	-4.6
0	-725	57534	0.11	12.83111	1	-3.4
0	-700	57533.6	0.11	12.83861	1	-4.2
0	-675	57533.2	0.11	12.85444	1	-5.1
0	-650	57531.8	0.1	12.86944	1	-5.4
0	-625	57530.8	0.1	12.88389	1	-7.1
0	-600	57535.9	0.11	12.89167	1	-0.9
0	-575	57528.9	0.11	12.91444	1	-10.5
0	-550	57535.1	0.11	12.92472	1	-4.2
0	-525	57533.3	0.1	12.94139	1	-3.8
0	-500	57534.4	0.1	12.95222	1	-6.1
0	-475	57532	0.1	12.98222	1	-8.1
0	-450	57529.6	0.11	13.02917	1	-10.8

à

/----- S C I N T R E X -----/

// Revision: □4.3F
 // Line____: □0.00000 S
 // Date____: □01/10/25
 // Job____: □0
 // Operator: □
 // Serial__: □0
 // Basefid_: □57534
 // Duration: □2.0
 // Mag_Data: □X/Y/TotFld/Noise/Hours/0=Uncor/Grad

0	0	57534.1	0.11	11.84667	1	-3
12.5	0	57537.5	0.11	11.86111	1	-1.6
25	0	57537.8	0.11	11.86722	1	0.2
37.5	0	57537.4	0.11	11.87556	1	-2.2
50	0	57537.4	0.11	11.88333	1	-1.4
62.5	0	57539.2	0.11	11.88833	1	-0.6
75	0	57538.1	0.11	11.895	1	-2.8
87.5	0	57538.9	0.1	11.9	1	-1.3
100	0	57539.2	0.11	11.90583	1	-2
112.5	0	57541.3	0.11	11.91472	1	-0.3
125	0	57542.8	0.11	11.92056	1	1.2
137.5	0	57541.4	0.11	11.94722	1	0
150	0	57537.4	0.1	11.955	1	-1.3
162.5	0	57539.6	0.11	11.9625	1	-0.8
175	0	57542.3	0.11	11.96972	1	-0.3
187.5	0	57539	0.11	12.07806	1	-0.6
200	0	57540	0.11	12.08444	1	0.2
212.5	0	57544.1	0.11	12.0975	1	1.3
225	0	57542.5	0.11	12.10389	1	1.5
237.5	0	57541.5	0.11	12.11194	1	0.4
250	0	57544	0.11	12.11972	1	1.5
262.5	0	57542.7	0.11	12.12583	1	1.2
275	0	57542.5	0.11	12.13417	1	1.2
287.5	0	57543.8	0.11	12.14194	1	2.1
300	0	57541.5	0.11	12.15194	1	0.9
312.5	0	57543.4	0.11	12.15861	1	1.5
325	0	57541.5	0.11	12.16556	1	0.3
337.5	0	57540.9	0.1	12.17417	1	0.6
350	0	57542.6	0.11	12.18444	1	1.8
362.5	0	57544.1	0.11	12.19639	1	1.6
375	0	57545.5	0.11	12.20306	1	2.3
387.5	0	57545.3	0.1	12.20917	1	1
400	0	57546.5	0.11	12.21556	1	1.3
412.5	0	57547	0.11	12.22167	1	1.5
425	0	57546.6	0.1	12.2275	1	0.7
437.5	0	57544.8	0.11	12.23667	1	-0.3
450	0	57548.7	0.1	12.24472	1	0.8
462.5	0	57549.8	0.1	12.25222	1	0.8
475	0	57553.3	0.11	12.25944	1	1.2
487.5	0	57555.3	0.12	12.27333	1	-1.5
500	0	57560.2	0.1	12.27889	1	-0.7
512.5	0	57563.4	0.1	12.28639	1	-1.7
525	0	57565.4	0.1	12.29667	1	-2.1
537.5	0	57568.3	0.1	12.31056	1	-2.5
550	0	57570.9	0.11	12.3175	1	-1.1
562.5	0	57571.7	0.1	12.325	1	-0.2
575	0	57573.2	0.11	12.33194	1	-1.3
587.5	0	57573.1	0.1	12.33833	1	-1.5
600	0	57572.3	0.1	12.34444	1	-1.2
612.5	0	57570.8	0.11	12.36861	1	-1.7
625	0	57570	0.1	12.37667	1	-1.8
637.5	0	57572.7	0.1	12.38278	1	0.5
650	0	57569.1	0.11	12.38917	1	-1.5

662.5	0	57567.7	0.1	12.39861	1	-1.5
675	0	57567.5	0.11	12.41222	1	-1.8
687.5	0	57568.2	0.1	12.42028	1	-1.3
700	0	57567.1	0.1	12.42806	1	-0.9
712.5	0	57564.2	0.11	12.44056	1	-2.7
725	0	57564.7	0.09	12.45472	1	-2.8
737.5	0	57565.3	0.1	12.46333	1	-1
750	0	57566.4	0.1	12.46944	1	-2.3
762.5	0	57569.2	0.11	12.4775	1	-1.7
775	0	57568	0.1	12.48611	1	-2.1
787.5	0	57567.2	0.1	12.49389	1	-1.8
800	0	57565.7	0.1	12.50222	1	-2.3
812.5	0	57566.9	0.11	12.51167	1	-0.6
825	0	57566.3	0.1	12.51722	1	-1.3
837.5	0	57567.4	0.1	12.52361	1	-2.2
850	0	57572.9	0.11	12.52972	1	0.7
862.5	0	57568.4	0.1	12.53806	1	-1.4
875	0	57573.2	0.1	12.54361	1	-0.5
887.5	0	57569.5	0.1	12.55028	1	-1.6
900	0	57574.6	0.1	12.55639	1	-1.4
912.5	0	57574.8	0.1	12.5625	1	-1.5
925	0	57572.4	0.08	12.57	1	-2.7
937.5	0	57572.6	0.1	12.58	1	-1.6
950	0	57572	0.1	12.58833	1	-1.2
962.5	0	57574.5	0.11	12.59556	1	-2
975	0	57577.5	0.1	12.60472	1	-2
987.5	0	57579.3	0.1	12.61306	1	-1.6
1000	0	57582.1	0.1	12.62	1	-0.7
1012.5	0	57579.5	0.1	13.05694	1	-1.6
1025	0	57580.5	0.11	13.06417	1	-1.4
1037.5	0	57581.3	0.1	13.07056	1	-0.7
1050	0	57581	0.1	13.07639	1	-0.8
1062.5	0	57579.6	0.1	13.08444	1	-2.9
1075	0	57582.2	0.1	13.09083	1	-0.3
1087.5	0	57584.9	0.1	13.12278	1	1.3
1100	0	57587.4	0.1	13.12806	1	1.9
1112.5	0	57588.7	0.1	13.13472	1	2.8
1125	0	57586.1	0.1	13.14583	1	-1.5
1137.5	0	57587.8	0.1	13.15028	1	-0.8
1150	0	57590.2	0.11	13.15806	1	-1
1162.5	0	57591.6	0.11	13.16556	1	0.4
1175	0	57589.7	0.1	13.17222	1	-0.4
1187.5	0	57590.4	0.1	13.18833	1	-1
1200	0	57590.3	0.1	13.19417	1	-1.8
1212.5	0	57590	0.11	13.20028	1	-1.3
1225	0	57593	0.1	13.20667	1	-1.9
1237.5	0	57591.8	0.1	13.21472	1	-2.5
1250	0	57595.7	0.1	13.225	1	-1.4
1262.5	0	57597.4	0.11	13.23611	1	-1
1275	0	57596.6	0.11	13.24417	1	-1.1
1287.5	0	57595.2	0.1	13.26472	1	-2.7
1300	0	57595.9	0.1	13.27361	1	-1.7
1312.5	0	57591.4	0.11	13.28139	1	-1.8
1325	0	57593.9	0.11	13.29028	1	-0.9
1337.5	0	57595.1	0.1	13.30056	1	-0.9
1350	0	57597.6	0.11	13.31361	1	0.5
1362.5	0	57599.4	0.11	13.32111	1	-0.3
1375	0	57605	0.1	13.32833	1	0.3
1387.5	0	57607.4	0.11	13.335	1	0
1400	0	57618.5	0.11	13.35056	1	-0.2
1412.5	0	57625.8	0.11	13.35972	1	-0.8
1425	0	57650.1	0.1	13.38	1	-0.7
1437.5	0	57644	0.1	13.385	1	0
1450	0	57643.9	0.11	13.39139	1	0.8
1462.5	0	57629.4	0.1	13.39806	1	-4.6
1475	0	57624.3	0.11	13.40778	1	-0.6
1487.5	0	57634.6	0.1	13.41972	1	-0.5

1500	0	57635.4	0.1	13.43139	1	-0.3
1512.5	0	57642	0.1	13.44583	1	3
1525	0	57627	0.1	13.45389	1	-4.7
1537.5	0	57631.3	0.1	13.46611	1	0.4
1550	0	57631.3	0.1	13.47556	1	0.3

```

/-----S          C          I          N          T          R          E          X          -----
/!      Revision: 4.3F
/!      Line____: 1500.00  E
/!      Date____: 01/10/25
/!      Job_____: 0
/!      Operator:
/!      Serial__: 0
/!      Basefid_: 57534
/!      Duration: 2.0
/!      Mag_Data: X/Y/TotFld/Noise/Hours/0=Uncor/Grad
/-----

```

1500	0	57636.2	0.11	13.58944	1	3.7
1500	-25	57631.3	0.1	13.60083	1	-0.2
1500	-50	57622.7	0.11	13.61667	1	1.1
1500	-75	57618.4	0.1	13.62944	1	0.9
1500	-100	57616.4	0.11	13.64222	1	1.7
1500	-125	57613.7	0.1	13.65194	1	1.6
1500	-150	57613.4	0.1	13.66278	1	1
1500	-175	57613.6	0.1	13.67278	1	0.2
1500	-200	57611.6	0.11	13.68472	1	1.4
1500	-225	57608.9	0.1	13.69472	1	1.2
1500	-250	57606.1	0.1	13.70583	1	1
1500	-275	57601.6	0.1	13.72472	1	-0.7
1500	-300	57603.6	0.11	13.73389	1	1.5
1500	-325	57601.3	0.1	13.74528	1	0.6
1500	-350	57599.7	0.11	13.75472	1	-0.1
1500	-375	57597.8	0.1	13.76778	1	0.5
1500	-400	57597.8	0.11	13.77917	1	0.6
1500	-425	57596.2	0.1	13.89667	1	1
1500	-450	57597.2	0.11	13.90639	1	1
1500	-475	57596.2	0.11	13.91528	1	1.2
1500	-500	57595.4	0.1	13.92833	1	-0.3
1500	-525	57594.2	0.11	13.93806	1	0.4
1500	-550	57593.6	0.11	13.94861	1	0.8
1500	-575	57593.2	0.11	13.95806	1	-0.1
1500	-600	57593.3	0.1	13.96972	1	1.1
1500	-625	57594.4	0.11	13.99444	1	1.5
1500	-650	57594.8	0.11	14.00722	1	2.1
1500	-675	57591.9	0.11	14.01528	1	-0.8
1500	-700	57593.9	0.1	14.0225	1	2.1
1500	-725	57592.6	0.11	14.03361	1	0.7
1500	-750	57592.9	0.1	14.04361	1	-0.4
1500	-775	57591.2	0.1	14.05222	1	-1.9
1500	-800	57592.3	0.1	14.06444	1	0.4
1500	-825	57590.8	0.1	14.07528	1	-0.4
1500	-850	57595.7	0.11	14.08694	1	1.2
1500	-875	57584	0.11	14.09778	1	-1.4
1500	-900	57599.3	0.11	14.13583	1	1.6
1500	-925	57594.3	0.1	14.16917	1	2.4
1500	-950	57593.4	0.11	14.19472	1	2.5
1500	-975	57594.7	0.11	14.23472	1	1.7
1500	-1000	57596.8	0.1	14.24417	1	1.2
1500	-1025	57597.5	0.11	14.25611	1	1.2
1500	-1050	57597.7	0.1	14.26806	1	0.6
1500	-1075	57598.2	0.1	14.2775	1	2.1
1500	-1100	57597.3	0.1	14.28861	1	0.9
1500	-1125	57606.9	0.11	14.30694	1	1.9
1500	-1150	57587.2	0.1	14.31889	1	1.7
1500	-1175	57591.4	0.1	14.33111	1	-1.2
1500	-1200	57583.4	0.11	14.3425	1	1
1500	-1225	57594.7	0.11	14.36	1	0.4

1500	-1250	57593.1	0.1	14.37194	1	0.7
1500	-1275	57592.9	0.11	14.38556	1	0.8
1500	-1300	57595.5	0.11	14.39583	1	0.9
1500	-1325	57591.5	0.11	14.40861	1	-0.2
1500	-1350	57597.9	0.1	14.42028	1	1.4
1500	-1375	57598.6	0.11	14.43333	1	-0.5
1500	-1400	57601.4	0.11	14.44333	1	1.4
1500	-1425	57600.4	0.1	14.455	1	1.9
1500	-1450	57602.3	0.12	14.465	1	1.2
1500	-1475	57603.7	0.11	14.47722	1	0
1500	-1500	57604.3	0.11	14.48556	1	0.9
1500	-1525	57605.6	0.11	14.50056	1	0.7
1500	-1550	57603.3	0.1	14.51139	1	0.5
1500	-1575	57603.4	0.12	14.52306	1	0
1500	-1600	57604.7	0.1	14.53194	1	0.4
1500	-1625	57600.8	0.11	14.5425	1	0.1
1500	-1650	57604.6	0.11	14.55472	1	-0.3
1500	-1675	57608.1	0.11	14.56917	1	-0.8
1500	-1700	57606.5	0.11	14.58639	1	-1.5
1500	-1725	57607.2	0.11	14.59667	1	-0.8
1500	-1750	57604.4	0.11	14.60444	1	0
1500	-1775	57604.2	0.11	14.61278	1	-0.8
1500	-1800	57601.6	0.11	14.62639	1	-0.5
1500	-1825	57605.3	0.1	14.63667	1	0.5
1500	-1850	57593.3	0.11	14.65056	1	0.1
1500	-1875	57596.4	0.12	14.66778	1	1.1
1500	-1900	57596.8	0.11	14.72917	1	1.8
1500	-1925	57597.6	0.11	14.74444	1	1.5
1500	-1950	57589.5	0.11	14.76	1	0.6
1500	-1975	57592.4	0.11	14.77194	1	1.5
1500	-2000	57582.2	0.11	14.7875	1	-0.4
1500	-2025	57593.6	0.11	14.79972	1	0.9
1500	-2050	57600.9	0.1	14.81278	1	1.9
1500	-2075	57599.1	0.11	14.82278	1	-0.1
1500	-2100	57604	0.11	14.84167	1	0.7
1500	-2125	57609.7	0.1	14.85583	1	1.9
1500	-2150	57613.1	0.11	14.87306	1	2.3
1500	-2175	57614	0.11	14.8825	1	0.6
1500	-2200	57619.8	0.11	14.90417	1	1.5
1500	-2225	57613.8	0.1	14.91944	1	1.8
1500	-2250	57606.6	0.11	14.93167	1	0.9
1500	-2275	57598.7	0.11	14.94722	1	0.9
1500	-2300	57588	0.11	14.96139	1	1.1
1500	-2325	57578.7	0.11	14.97556	1	1.6
1500	-2350	57572	0.1	14.98694	1	1.5
1500	-2375	57569.7	0.11	14.9975	1	1.8
1500	-2400	57565.3	0.1	15.01222	1	1.5
1500	-2425	57568	0.11	15.02417	1	2.2
1500	-2450	57571	0.11	15.035	1	2.7
1500	-2475	57570.5	0.11	15.04833	1	0.3
1500	-2500	57563.8	0.11	15.06972	1	1.5
1500	-2525	57561	0.11	15.12528	1	1.8
1500	-2550	57553.6	0.11	15.14444	1	1.2
1500	-2575	57541.2	0.11	15.15694	1	1.5
1500	-2600	57537.7	0.1	15.16861	1	1.3
1500	-2625	57541.4	0.11	15.18111	1	1.1
1500	-2650	57536.8	0.11	15.19778	1	4.1
1500	-2675	57530.1	0.11	15.20889	1	-3.5
1500	-2700	57548.3	0.11	15.22222	1	0.4