ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578



ASSESSMENT REPORT

describing

094539

DIAMOND DRILLING

at the

GOLDEN REVENUE PROPERTY
Big Creek, Nucleus and Revenue Claim Blocks

NTS 115I/6
Latitude 62°20'N; Longitude 137°16'W

in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

ATAC RESOURCES LTD.

by

Matthew R. Dumala, B.A.Sc., EIT
December 2004

This report has been examined by the Geological Evaluation Unit under Section 53 (4) Yukon Quartz Mining Act and is allowed as representation work in the amount of $ 46,400.

for Regional Manager, Exploration and Geological Services for Commissioner of Yukon Territory.

Costs associated with this report have been approved in the amount of $ 46,400.00 for assessment credit under Certificate of Work No. QU27751

Mining Recorder
Whitehorse Mining District

TABLE OF CONTENTS

	PAGE
SUMMARY AND RECOMMENDATIONS	1
INTRODUCTION	3
LOCATION, CLAIM STATUS AND ACCESS	3
PREVIOUS WORK	5
PHYSIOGRAPHY AND GEOMORPHOLOGY	8
REGIONAL GEOLOGY	9
REGIONAL MINERALIZATION	11
PROPERTY GEOLOGY	12
PROPERTY MINERALIZATION AND GEOCHEMISTRY	14
2004 DIAMOND DRILLING	17
CONCLUSIONS AND RECOMMENDATIONS	29
REFERENCES	31

TABLES

I	CLAIM DATA	3
II	LITHOLOGICAL UNITS	10
III	STATISTICAL DATA FOR BLANK SAMPLES FROM WHITEHORSE	18
IV	STATISTICAL DATA FOR BLANK SAMPLES SUBMITED WITH CORE SAMPLES	18
V	SCATTER PLOT – ACME CHECK ASSAY VS ALS CHEMEX CHECK ASSAYS	19
VI	SCATTER PLOT – ALS CHEMEX CHECK ASSAY VS ALS CHEMEX ORIGINAL ASSAYS	19
VII	SIGNIFICANT INTERVALS –2004 DIAMOND DRILLING NUCLEUS ZONE	21

FIGURES

NO.	DESCRIPTION	FOLLOWING PAGE
1	Property Location	3
2	Claim Location.	3
3	Regional Geology	9
4	Tintina Gold Belt	11
5	Property Geology	12
6	Gold Geochemistry	14
7	Copper Geochemistry	14
8	Detail Geology - Nucleus Zone	15
9	Drill Hole Locations - Nucleus Zone	20
10	Detailed Drill Hole Locations - Nucleus Zone Core	20
11	Section 6,914,240 N – Nucleus Zone	20
12	Section 6,913,970 N - Nucleus Zone	20
13	Section 6,913,860 N - Nucleus Zone	20
14	Section 6,913,775 N - Nucleus Zone	20
15	Section 6,913,725 N - Nucleus Zone	20
16	Section 6,913,700 N - Nucleus Zone	20
17	Section 6,913,650 N - Nucleus Zone	20
18	Section 6,913,600 N - Nucleus Zone	20
19	Section 6,913,550 N - Nucleus Zone	20
20	Section 6,913,460 N - Nucleus Zone	20
21	Section 6,913,360 N - Nucleus Zone	20

FIGURES (cont'd)

NO.	DESCRIPTION	FOLLOWING PAGE
22	Section 6,913,260 N - Nucleus Zone	20
23	Section 6,913,220 N - Nucleus Zone	20
24	Deposit Model	29

APPENDICES

I AUTHOR'S STATEMENT OF QUALIFICATIONS

II ORIGINAL CLAIM TAGS

III GEOLOGICAL AND GEOTECHNICAL LOGS – DIAMOND DRILL HOLES

IV SYNOPTIC LOGS – NUCLEUS ZONE DIAMOND DRILL HOLES

V CERTIFICATES OF ANALYSIS

VI SIGNIFICANT INTERVALS – PRE-2004 DIAMOND DRILLING - NUCLEUS ZONE

SUMMARY AND RECOMMENDATIONS

The Golden Revenue property lies within the Dawson Range portion of the Tintina Gold Belt, which stretches from south-central Yukon to central Alaska. Mineralization within the Tintina Gold Belt occurs in a variety of geological settings but all are associated with Cretaceous intrusive activity. The Dawson Range portion of the belt includes gold deposits (Pogo), gold-silver deposits (Nansen) and copper-gold deposits (Casino). The Nucleus property exhibits many key geological and geochemical features that typify the gold and copper-gold deposits within the belt.

ATAC Resources Ltd. owns the Golden Revenue property which consists of three contiguous claim blocks totalling 160 claims (about 3000 hectares). The Nucleus and Revenue Blocks total 31 and 69 claims, respectively, and are subject to separate, non-overlapping 2% net smelter return royalties. Three-quarters of each royalty can be purchased at any time for $600,000. The Big Creek Block contains the other 60 claims, which are wholly owned by ATAC.

The Golden Revenue property lies 220 km north of Whitehorse in south-central Yukon. The closest community is the village of Carmacks, which is located on the Klondike Highway 180 km north of Whitehorse. An 80 km gravel road extends from Carmacks to the property where a system of four-wheel drive roads provides access to most areas of interest. Topography on the claims is gentle with elevations ranging from 650 to 1150 m. Most of the property is heavily vegetated and outcrop is rare.

The property is underlain by Paleozoic or older metamorphic rocks belonging to the Yukon-Tanana Terrane, which are extensively intruded by Mesozoic igneous rocks of the Coast Plutonic Complex. The metamorphic rocks comprise schist and gneiss with minor amphibolite, quartzite and limestone. The intrusive rocks consist of a Jurassic syenite batholith and a Cretaceous suite that includes a granodiorite to monzonite stock plus microgranite plugs, porphyry dykes and subvolcanic (?) breccia. The major structural feature in the area is the northwest trending Big Creek Fault, which crosses the southwestern corner of the property. A splay off that fault parallels the northern property boundary and may form the other side of a local graben. The area between these two main structures is characterized by smaller north, northeast and east trending faults.

Two types of mineralization have been identified on the claims. The first type consists of extensive stockwork and breccia zones that host moderate to low grade gold or copper-gold mineralization. The second type comprises quartz±carbonate veins, which are usually gold bearing and occasionally high grade.

Previous exploration of stockwork mineralization has concentrated on the Nucleus Zone. Pre-2004 drilling in a 200 by 200 m area in the core of that zone produced encouraging gold results from an oxidized cap, averaging about 60 m thick, and from deeper unoxidized rocks. The stockwork mineralization is hosted in near vertical fractures but the overall geometry of the

system appears to be primarily controlled by proximity to a series of en echelon, moderately east dipping quartz-feldspar porphyry dykes that intruded along pre-existing or coeval faults.

The best gold grades and highest concentrations of sulphide minerals are found in wallrocks adjacent to the dykes, in breccia or vein zones developed along their apices and sometimes within the dykes themselves. The most common sulphide minerals are pyrite, arsenopyrite and chalcopyrite, which are locally overprinted by chalcocite in a thin discontinuous supergene blanket at the base of oxidation. Sulphide minerals collectively comprise 1 to 5% of unoxidized rock in the core area, averaging more than 3.5% in most gold enriched sections. Statistical analysis indicates that bismuth is the only metal that is well correlated with gold. Although mineralized rocks are often strongly clay altered at surface, hypogene alteration is weak and rarely extends more than 10 m from intrusive bodies.

A total of 14 diamond drill holes totalling 1832 m were completed in 2004, all in the vicinity of the Nucleus Zone. The drill holes are located within a 1050 m long by 350 m wide, north-northwest trending corridor centred on the core of the zone. The holes range from 65 to 238 m in length and all are inclined at about -50° to the west.

The best intersection obtained to date from the Nucleus Zone came from 2004 diamond drill hole DN04-08, which averaged 1.35 g/t gold over 110.81 m. This and other long, well mineralized intersections were obtained from holes drilled within the core and up to 100 m to the south of it. Two holes drilled in 2004 north of the core area were unmineralized while most holes drilled more than 100 m to the south produced short mineralized intervals, often centred on a vein.

Two holes from the final phase of 2004 drilling were the first to explore west of the mineralized trend. Both encountered porphyry style copper-gold mineralization. The best intersection from these holes averaged 0.23% copper and 0.37 g/t gold over 57.83 m. Although copper values were relatively low (0.1- 0.3% on average), this mineralization suggests that a larger porphyry target could lie west southwest of the core area.

The next phase of exploration at the Golden Revenue property should continue to focus on the Nucleus Zone and should concentrate on the porphyry system intersected in the final phase of 2004 drilling. Prior to drilling, deep array induced polarization surveys should be conducted to better outline the target.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



Matthew R. Dumala, B.A.Sc., EIT

INTRODUCTION

The Golden Revenue Property is located within the Tintina Gold Belt in south-central Yukon Territory and is owned by ATAC Resources Ltd. Part of the program described in this report were funded by Yale Resources Ltd. which had an option agreement that has since expired.

Work was conducted between early June and early October 2004. The program utilized a two to nine person crew including at various times the author and/or geologists M. Phillips and J. Pautler. Work was conducted on the property in three phases from a camp located on lower Revenue Creek. It consisted of 1832 m of diamond drilling in 14 holes. Phase one completed a total of 491 m in five holes between June 6 and June 23. It was terminated abruptly when the crew had to be evacuated due to a forest fire. The fire ultimately burned across the entire property destroying many claim posts, most of which were later replaced. The second phase comprised five more holes totalling 627 m. It was done between July 21 and August 11 and was stopped because of a backlog at the assay lab. The third phase totalled 714 m in four holes and was done between September 18 and October 9. The program was managed by Archer, Cathro & Associates (1981) Limited under supervision of Bill Wengzynowski, P.Eng. The author participated in the work and his Statement of Qualifications appears in Appendix I.

LOCATION, CLAIM STATUS AND ACCESS

The Golden Revenue property comprises 160 contiguous mineral claims. The claims are located in the Dawson Range district of southwestern Yukon at latitude 62°20' north and longitude 137°16' west on NTS map sheet 115I/6. The general location of the property is shown on Figure 1. Figure 2 displays the location of individual claims comprising the Golden Revenue property. The claims were staked under the Yukon Quartz Mining Act and are registered with the Whitehorse Mining Recorder in the name of Archer Cathro, which holds them in trust for ATAC. The claims cover an area of approximately 3000 hectares. Mineral claim tenure information is summarized as follows.

Table I
Claim Data

Claim Name	Grant Number	Expiry Date*
Big Creek Block		
Mag 1-36	YC30165-YC30200	October 25, 2005
37-44	YC37001-YC37008	October 25, 2005
More 3-8	YC09243-YC09248	February 19, 2012
10	YC09250	February 19, 2012
31-32	YC09336-YC09337	February 19, 2012
Nuc 1F	YC09279	February 19, 2012
2-4	YC09280-YC09282	February 19, 2012
5F-7F	YC09283-YC09285	February 19, 2012


ATAC RESOURCES LTD.
FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
GOLDEN REVENUE PROPERTY
0 50 100 150 200 km
SCALE 1:5,000,000
FILE: ...2004/REVENUE/F_1-LOCATION.DWG
NOVEMBER 2004
IVVAVIK NATIONAL PARK
VUNTUT NATIONAL PARK
INUVIK
ALASKA
YUKON TERRITORY
NORTHWEST
TERRITORIES
DAWSON
KLONDIKE HWY
MAYO
YUKON
GOLDEN REVENUE PROPERTY
CARMACKS
FARO
ROSS RIVER
RIVER
KLUANE NATIONAL PARK
HAINES JUNCTION
WHITEHORSE
CARCROSS
ALASKA
WATSON LAKE
HWY
SKAGWAY
ATLIN
HAINES
CASSIAR
ALASKA
BRITISH COLUMBIA

377,000m. E

384,000m. E

6,916,000 N

BIG CREEK BLOCK

NUCLEUS BLOCK

BIG CREEK BLOCK

REVENUE BLOCK

Mag 36, Mag 35, Mag 6, Mag 5, More 3, More 5, More 7, Mag 38, Mag 37, Mag 8, Mag 7, More 4, More 6, More 8, Mag 40, Mag 39, Mag 10, Mag 9, More 10, Nucleus 47, Nucleus 48, Nucleus 43, Nucleus 44, Mag 42, Mag 41, Mag 12, Mag 11, Nucleus 10, Nucleus 19, Nucleus 41, Nucleus 42, Mag 44, Mag 43, Mag 14, Mag 13, Nucleus 8, Nucleus 20, Nucleus 29, Nucleus 30, Mag 18, Mag 16, Mag 15, Nucleus 6, Nucleus 17, Nucleus 18, Mag 17, Nucleus 15, Nucleus 27, Nucleus 28, Mag 20, Nucleus 4, Nucleus 16, Revenue 11, Mag 19, Nucleus 13, Nucleus 14, Revenue 14, Revenue 5, Nucleus 26, Mag 34, Mag 32, Nucleus 2, Nucleus 11, Revenue 13, Revenue 6, Nucleus 23, Nucleus 24, Mag 33, Mag 30, Nucleus 12, Nucleus 21, Nucleus 22, More 31, More 32, Mag 31, Mag 28, Mag 26, Mag 29, Mag 27, Mag 24, Mag 22, Mag 25, Mag 23, Mag 21, Mag 2, Mag 1, Mag 4, Mag 3

Nuc 1, Nuc 3, Nuc 5, Nuc 2, Nuc 4, Nuc 6, Nuc 7, Rev 11, Rev 13, Rev 14, Subtract 3, Subtract 2, Subtract 1f, Rev-Cop 1f, Revenue 3, Revenue 4, Addition 5, Revenue Copper 6, Revenue Copper 5, Revenue 21, Inca 3, Inca 1, Addition 3, Revenue Copper 2, Revenue Copper 1, Revenue 22, Inca 4, Inca 2, Addition 4, Revenue Copper 3, Revenue Copper 4, Revenue 9, Add 5, Au 6, Au 7, Revenue 8, Revenue Copper 7, Revenue Copper 8, Au 5, Add 6, Au 4, Inca 7, Inca 8, Revenue 7, Addition 1, Addition 2, Au 3, Au 2, Au 1, Homestake 1, Homestake 2

Bit 1f, Bit 2f, Bit 3f, Bit 4f, Bit 5f, Bit 6f, Bit 7f, Bit 8f, Bit 9f, Bit 10f, Bit 11f, Bit 12f, Bit 13f, Bit 14f, Bit 15f, Bit 16f, Bit 17f, Bit 18f

Four-wheel drive road

0 150 300 600 900 1200 1500 m

ATAC RESOURCES LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATION

GOLDEN REVENUE PROPERTY

FILE: 2004\REVENUE\F02-GREV-CLAIM.DWG

DATE: NOVEMBER 2004

Nucleus Block

Nucleus 2	YA51190	February 19, 2014
4	YA51192	February 19, 2014
6	YA51194	February 19, 2014
8	YA51196	February 19, 2014
10-30	YA51198-YA51218	February 19, 2014
41-44	YA60262-YA60265	February 19, 2014
47-48	YA60268-YA60269	February 19, 2014

Revenue Block

Add 5-6	Y26371-Y26372	March 15, 2016
Addition 1-2	68060-68061	March 15, 2016
3-4	74488-74489	March 15, 2016
5	75323	March 15, 2016
Au 1-5	Y79564-Y79568	March 15, 2016
6-7	Y80439-Y80440	March 15, 2016
Bit 1F-6F	YA95206-YA95211	March 15, 2016
7F-13F	YA95214-YA95220	March 15, 2016
14F	YA95212	March 15, 2016
15F-18F	YA95221-YA95224	March 15, 2016
Homestake 1-2	75321-75322	March 15, 2016
Inca 1-4	Y21008-Y21011	March 15, 2016
7-8	Y21014-Y21015	March 15, 2016
Rev 11	Y25959	March 15, 2016
13-14	Y25961-Y25962	March 15, 2016
Rev-Cop 1F	YA95213	March 15, 2016
Revenue 3-4	Y26361-Y26362	March 15, 2016
5-6	Y26365-Y26366	March 15, 2016
7-8	Y26404-Y26405	March 15, 2016
9	Y21270	March 15, 2016
11	Y21272	March 15, 2016
13-16	Y24017-Y24020	March 15, 2016
21-22	Y24025-Y24026	March 15, 2016
Rev-Cop 1-8	67180-67187	March 15, 2016
Subtract 1F	YA97441	March 15, 2016
2-3	YA97442-YA97443	March 15, 2016

*Expiry dates include 2004 work that has been filed for assessment credit but not yet accepted.

The claim locations have not been legally surveyed but Global Positioning Satellite surveys indicate that they are staked to industry standards and that no serious gaps are present.

Most of the original claim posts were destroyed in early July when a forest fire burned across the property. Considerable effort was made to relocate the tags, however only 45 of 232 were found.

Although many may be buried in ash there is clear evidence that some melted. Appendix II contains a list of original tags that were relocated. All but a handful of posts needed to be replaced and, when that was done, either the original tags or replacement tags were attached.

The Golden Revenue property lies 80 km by road west-northwest of the town of Carmacks, which is located alongside the Klondike Highway about 180 km north of Whitehorse. The road to the property is two-wheel drive under normal summer conditions but deteriorates to four-wheel drive during spring runoff and after prolonged rainfall. A system of four-wheel drive roads and bulldozer trails lead to all areas of interest on the property.

PREVIOUS WORK

Placer Activity

Creeks draining the Golden Revenue property have been explored for placer gold intermittently since the early 1900s. Most creeks are still active with the best results coming from Revenue Creek, which yielded 290.6 kg (9344 oz) between 1978 and 1998 (Placer Mining Section, 1985 and 1991 and Mining Inspection Division, 1998). The largest placer miner in the area has recently moved his main operation from Revenue Creek to Mechanic Creek, which drains the Nucleus Zone. The most prospective claims on this creek were tied up in an estate for several years and therefore have received relatively little work. Reported production from Mechanic Creek is only 14.3 kg (461 oz) mostly from the middle part of the drainage, which lies upstream from the known bedrock gold occurrences. Placer mining operations were active on Mechanic Creek and Revenue Creek in 2003 and 2004.

Placer gold from streams in the area often occurs as fragile wires and crystalline aggregates suggesting it is relatively near source. Heavy minerals commonly associated with the gold include magnetite, pyrite, barite and scheelite. Tetradymite (a bismuth-tellurium sulphide), gold-bismuth±iron sulphides, native bismuth and maldonite (Au_2Bi) are reported in heavy mineral concentrates from Revenue Creek (Cathro and Main, 1986 and Main, 1989).

Hard Rock Exploration

Bedrock mineral exploration in various parts of the Golden Revenue property is described in the following subsections. The work for different claim blocks is described separately because the various claims were often under different ownership.

Revenue Block

The initial bedrock discovery on these claims was made in 1950 when F. Guder found a gold bearing lens of nearly massive chalcopyrite and pyrite (Discovery Zone) while testing for placer gold on Revenue Creek. Guder staked the target and explored it with a short adit and trenches later that year.

The claims were optioned in 1951 to Conwest Exploration Limited, which conducted electromagnetic (EM) and resistivity surveys. In 1954 Teck Exploration Co. Ltd. conducted

more EM surveys (Clark, 1954) and the following year drilled five diamond drill holes totalling 372 m. This program was hampered by difficult ground conditions resulting in poor core recoveries. The claims were optioned again in 1959 by Consolidated Mining and Smelting Company (Cominco) and in 1964 by the Meridian Syndicate (Homestake Mining Company, Noranda Exploration Company Limited and Canex Aerial Exploration Limited), which did additional geochemical surveys and drilled three holes totalling 165 m (Dunn, 1965). This diamond drilling used small diameter equipment and again yielded poor recovery. All of these programs focussed on the Discovery Zone high grade copper-gold mineralization.

In 1968 Yukon Revenue Mines Ltd. was formed to explore the claims. In the next two years it performed geochemical, magnetic and induced polarization (IP) surveys, bulldozer trenching, road construction and 10 widely spaced, diamond drill holes totalling 1258 m (Baird, 1968; Granger, 1970). This work concentrated on the Discovery Zone but also tested some outlying copper soil geochemical anomalies. Drilling again obtained unsatisfactory core recovery from key intervals.

Kaiser Resources Ltd. optioned the claims in 1970 and explored for porphyry copper-molybdenum modeled on the Casino deposit, which had recently been discovered in the same belt of rocks 110 km to the northwest. It performed property wide grid soil geochemical and IP surveys, 2247 m of percussion drilling in 25 holes and 1851 m of diamond drilling in 13 holes (Johnson, 1970). This work failed to identify pervasive alteration or mineralization characteristically associated with porphyry copper-molybdenum deposits. The claims subsequently reverted to Yukon Revenue, which did bulldozer trenching in 1974, 1978 and 1979 and completed three diamond drill holes totalling 179.6 m in 1980.

Shakwak Exploration Company Limited optioned the claim block in 1983 and conducted geochemical, magnetic and EM surveys. In 1984 it drilled nine diamond drill holes totalling 628 m (Wallis, 1984), mostly in the Discovery Zone.

Most work since the mid-1980s has been directed toward bulk tonnage gold potential. In 1985 Big Creek Resources Ltd. (then called Nordac Mining Corporation) acquired Shakwak's option and performed property wide, multi-element soil geochemical surveys and extensive excavator trenching that year and in 1986 (Macdonald, 1985; Cathro and Main, 1986). In 1987 Big Creek and Rexford Minerals Ltd. formed a joint venture which carried out bulldozer and excavator trenching and 40 km of magnetic and EM surveys (Main and Duke, 1988). Big Creek completed two diamond drill holes totalling 296 m in 1988 (Main, 1988) and another 11, widely spaced holes totalling 1018 m in 1991 (Becker and Eaton, 1991). It subsequently merged with Pacific Sentinel Gold Corp. and the claims were later sold to Amarc Resources Ltd., which returned them to Yukon Revenue in 1995. Yukon Revenue changed its name to YKR International Resources Ltd. in 1996 and conducted ground magnetometer and EM surveys that year (Davis, 1996).

ATAC optioned the claims from YKR in early 1999. It performed prospecting and structural mapping later that year, excavator trenching, road construction and linecutting in 2000, and more linecutting and IP surveys in 2001 in conjunction with a larger program conducted on the Nucleus Block.

Nucleus Block

The eastern portion of the current Nucleus Block was first staked in 1968 by Yukon Revenue as part of a larger contiguous land package that included the present Revenue Block. Yukon Revenue conducted grid soil geochemistry later that year (Baird, 1968) then optioned the entire land package to Kaiser in 1970. Kaiser tested for porphyry copper on part of the ground now covered by the Nucleus claims by drilling two diamond drill holes (301 m) and four percussion drill holes (325 m). These holes were widely spaced and returned discouraging results (Johnson, 1970). After Kaiser relinquished its option, Yukon Revenue allowed all of its claims, except those in the Revenue Block, to expire.

In 1980 Nat Joint Venture (Chevron Canada Limited and Armco Mineral Exploration Ltd.) staked the claims that now comprise the Nucleus block (Onasick and Archer, 1981). Chevron later purchased Armco's interest and acquired additional claims to the west. From 1980 to 1984 the claims were explored with grid and reconnaissance soil geochemistry, magnetic and EM surveys, bulldozer trenching and three diamond drill holes totalling 315 m. The work identified two zones of widespread, moderate to low grade gold mineralization (Nucleus #1 and #2 Zones which were later amalgamated with adjacent ground to constitute the Nucleus Zone). These occurrences were recognized as potential heap leach targets because the host rocks are strongly oxidized and leached to a depth of about 60 m. One of the drill holes (DN84-1) extended beneath the leached cap and intersected weak supergene sulphide copper mineralization.

In 1987 Big Creek, in joint venture with Rexford, optioned the claims and explored them along with the Revenue Block. The joint venture cut a few bulldozer trenches later that year and drilled 35 reverse circulation percussion holes (1283 m) in 1988 (Main, 1989). That drill program consisted of shallow holes on 20 m centres in the core of the Nucleus Zone. The program was designed to determine the average grade and suitability of near surface gold mineralization for heap leach mining. Grades obtained were consistent with earlier results but planned metallurgical tests were not performed due to inadequate financing.

In the spring of 1989, Rexford sold its interest in the property to Big Creek, which continued to test the Nucleus Zone with additional bulldozer trenches and six diamond drill holes (592 m) later that year (Becker and Eaton, 1989). This work better defined the limits of the auriferous oxide cap and confirmed that some parts of the zone are underlain by a blanket of supergene copper minerals overprinted on weak hypogene gold-copper mineralization. In 1991 Big Creek completed five more diamond drill holes (739 m), which defined new areas of oxide and hypogene gold mineralization but showed that the supergene blanket is discontinuous and that hypogene copper mineralization is sporadic (Becker and Eaton, 1991). Following Big Creek's merger with Pacific Sentinel, the claims were sold to Amarc, which later sold them to W4 Joint Venture (a private syndicate).

ATAC purchased the claims from W4 Joint Venture in 1999. In 2000, the company performed grid soil sampling, prospecting; linecutting and structural mapping later that year (Becker, 2000). The company conducted excavator trenching, IP and horizontal loop EM surveys and completed six diamond drill holes (1202 m) in 2001.

Prior to 2004, a total of 35 reverse circulation percussion drill holes (1283 m), 20 diamond drill holes (2848 m) and more than 30 bulldozer or excavator trenches were wholly or partially completed in the Nucleus Zone. Most of the drilling was confined to a 200 by 200 m area in the core of the zone.

Big Creek Block

The Big Creek Block consists of 60 claims in three separate areas on the periphery of the Nucleus and Revenue Blocks. ATAC staked the claims in February 1999 and October 2004.

The More and Mag claims lie west of the Nucleus Block in an area that was previously staked by Cominco in 1969. Soil sampling in 1970 by Cominco delineated extensive but weak copper anomalies. The claims were subsequently allowed to lapse. In 1974, the area was restaked by Klotassin Joint Venture (Newconex Canada Exploration Ltd., Marietta Resources International Ltd. and Molybdenum Corporation of America). The joint venture focussed on the porphyry copper potential, conducting soil sampling and trenching. This work outlined weak to moderate copper anomalies and discovered minor malachite stained float, but again the claims were allowed to expire. The most recent work in the area was reconnaissance prospecting and soil sampling done by Chevron in the mid-1980s as part of a larger program on the Nucleus Block. The soil sampling discovered several areas of anomalous gold but no follow up work was done.

The two areas covered by the Nuc claims were previously staked and explored by various groups in the 1970s and 1980s. In 1970 Kaiser tested for porphyry copper mineralization in the northerly block with three diamond drill holes (447 m) and two percussion drill holes (158 m) producing negative results (Johnson, 1970). Chevron conducted soil sampling and prospecting within this area in the mid-1980s and identified a strong gold soil geochemical anomaly, some 350 m long and 50 to 150 m wide. Rock samples taken from the soil sample pits returned low to moderate gold values (Eaton, 1984). In 1987 Big Creek Joint Venture cut three bulldozer trenches in this area, exposing a few narrow, gold and bismuthinite bearing quartz veins hosted by granodiorite (Main and Duke, 1988). Aside from reconnaissance soil sampling, no work has been done in the southerly area of Nuc claims.

PHYSIOGRAPHY AND GEOMORPHOLOGY

The Golden Revenue property lies within the Dawson Range which is part of the Yukon Plateau physiographic terrane. Topography within the Dawson Range consists of an old peneplane that has been deeply incised by dendritic drainages. The claims cover gentle to moderate slopes on the south side of Big Creek, a tributary of the Yukon River. They are drained by four shallow, north flowing streams (Revenue, Mechanic, Bowlidden and No Name Creeks), which enter Big Creek along the northern edge of the property. Elevations range from 650 m on the banks of Big Creek to 1150 m on a ridge in the southern part of the property.

The claims were not covered by ice during the last glacial event, but the presence of glacial erratics on hilltops and till terraces below 800 m elevation indicates that they were completely or partially buried by earlier glaciers. Other prominent landforms include thick layers of glaciofluvial outwash gravel and lacustrine sediment that were deposited behind old ice dams.

These deposits blanket the floor of the Big Creek valley and the lower stretches of its north flowing tributaries, thus burying pre-glacial stream channels. Tilting related to post-glacial rebound has pushed Big Creek toward the northern edge of its valley and its tributaries to the eastern margins of their drainages, where they are actively cutting linear channels through the unconsolidated sediments.

The entire property lies below tree line, which is about 1200 m elsewhere in the Dawson Range. North and west facing slopes are vegetated with stunted black spruce and thick moss, indicating permafrost is present. South and east facing slopes are covered by mature stands of spruce and aspen. There is no commercial timber on the property.

The Dawson Range has a continental climate characterized by low levels of precipitation and a wide temperature range. Summers are typically pleasant with extended daylight hours whereas winters are long, cold and dark. Most precipitation falls as rain in summer and the maximum depth of snow in winter rarely exceeds 60 cm. The normal operating season for mineral exploration is May through November, but drilling can be done on a year round basis.

The forest fire in early July 2004 removed much of the vegetation from the property. Only a few wet areas along the major creeks and patches of deciduous trees or bushes were untouched. The fire burned hottest and longest along south facing slopes, often removing all vegetation and the organic soil layer. Landslides are now a common occurrence on many of the steeper slopes, even where they have not been disturbed by exploration.

REGIONAL GEOLOGY

The Golden Revenue property lies within a belt of Paleozoic or older metasedimentary, metavolcanic and metaplutonic rocks belonging to the Yukon-Tanana Terrane (YTT). Figure 3 illustrates the tectonic setting and simplified regional geology. The YTT is considered to be a pericratonic arc assemblage that was strongly deformed and metamorphosed by the late Triassic (Mortensen and Jilson, 1985).

The metamorphic rocks are intruded by and locally overlain by a variety of Jurassic and younger igneous rocks. The Jurassic intrusion were deformed and foliated during northerly crustal shortening but younger intrusions are undeformed. The older deformed intrusions include the Klotassin Meta-Plutonic Suite and the Mount Freegold Meta-Plutonic Suite (Carlson, 1987). The Early Cretaceous intrusions are part of the Whitehorse-Coffee Creek Suite (WCCS) (Mortensen, et al, 2000) and include the Casino Granodiorite and Coffee Creek Granite in the vicinity of the Golden Revenue property. The WCCS plutons are approximately coeval with porphyry dykes, breccia bodies, volcanic flows and tuffs of the Mount Nansen Group (Carlson, 1987). The youngest igneous rocks are mafic to intermediate volcanic flows and dykes belonging to the Early Tertiary or Late Cretaceous Carmacks Group. Table II lists the various units, their ages and characteristic lithologies.



ATAC RESOURCES LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

GOLDEN REVENUE PROPERTY

FILE: 2004\REVENUE\F3	DATE: NOVEMBER 2004

Table II
Lithological Units
(after Tempelman-Kluit, 1984, Carlson, 1987 and Wheeler and McFeely, 1991)

Quaternary

Unconsolidated sediments: pre-Wisconsin glacial deposits, lacustrine deposits, alluvium, colluvium and volcanic ash

Late Tertiary to Quaternary Selkirk volcanics: brown weathering olivine basalt

Early Tertiary

Nisling Range Alaskites and Ruby Range Batholith: grey weathering alaskite and grey weathering coarse grained granodiorite

Early Tertiary or Late Cretaceous

Carmacks Group: brown weathering basalt flows overlaying minor conglomerate; related intrusions include pale mauve, medium grained, equigranular hornblende syenite to granite; and, widely distributed tan weathering feldspar porphyry dykes

Early Cretaceous

Mount Nansen Group: dark weathering andesite porphyry flows and breccia with related plugs, pipes and dykes

Casino Granodiorite: dark weathering, medium grained, equigranular, unfoliated, biotite-hornblende granodiorite

Coffee Creek Granite: rusty weathering, decomposed, coarse grained, equigranular, unfoliated, porphyritic biotite leucogranite

Early Jurassic

Mount Freegold Meta-Plutonic Suite: includes weakly foliated, orthoclase-hornblende porphyritic syenite (Big Creek Syenite) and plagioclase-hornblende monzonite

Klotassin Meta-Plutonic Suite: foliated, hornblende-biotite granodiorite and leucogranodiorite

Paleozoic or older

Predominantly metasedimentary rocks: quartzite, micaceous quartzite, quartz-feldspar-mica schist and quartzofeldspathic gneiss with minor chlorite schist, amphibolite, serpentinite and marble.

The dominant structural feature in the vicinity of the Golden Revenue property is the Big Creek Fault. This structure is about 100 km long and trends northwesterly. In most areas, it is interpreted as a normal fault with the southwest side dropped down but, near the Golden Revenue property, the fault appears to split to form a 3 to 5 km wide graben (Carlson, 1987). The graben was likely contemporaneous with extensional volcanism of the Mount Nansen or Carmacks Group. However, major changes in lithology and metallogeny across the fault suggest that it may have reactivated along an older structure with significant lateral or vertical displacement (Carlson, 1987).

Airborne magnetic and radiometric surveys along the trend of the Big Creek Fault show that the fault is marked by a well developed magnetic low (Geological Survey of Canada, 1995). In the vicinity of the suspected graben and the Golden Revenue property, the magnetic anomaly broadens and coincides with a radiometric high. Potassic alteration has not been noted in the area and the radiometric high is attributed to above average potassium feldspar contents in late stage dykes in the western part of the Golden Revenue property (Harris, 2000).

REGIONAL MINERALIZATION

The Golden Revenue property is one of several intrusion-related gold prospects within the Dawson Range portion of the Tintina Gold Belt (Figure 4). This belt is a broad arc of gold and silver deposits associated with Cretaceous granitic intrusions that stretches from southeastern Yukon to southwestern Alaska (Baker, et al, 1998 and Hart, et al, 2000). The belt hosts the Fort Knox, True North, Brewery Creek and Mt. Nansen gold mines plus a number of advanced gold projects including Pogo, Donlin Creek and Dublin Gulch. Typically, mineralization at these deposits is situated in close proximity to Cretaceous intrusions that intrude metamorphosed or unmetamorphosed miogeoclinal sedimentary rocks. The gold is hosted within the intrusions or the adjacent wallrocks. Mineralization styles vary and include: quartz±sulphide veins; quartz±sulphide stockworks and sheeted vein systems; carbonate hosted disseminated gold; metasediment hosted replacement-style gold; magmatic and hydrothermal breccias and associated veins; hypabyssal dyke swarms; tungsten±copper±gold skarns; and, silver-lead-zinc quartz-siderite veins.

Alteration in the deposits is characteristically restricted to narrow vein envelopes and includes mixtures of carbonate, muscovite, potassium feldspar, albite, quartz, chlorite and rutile with lesser pyrite and arsenopyrite. Overall the total sulphide content of the deposits is low. Sulphide assemblages vary between deposits but typically include pyrite and arsenopyrite with lesser bismuthinite, stibnite, pyrrhotite, chalcopyrite, molybdenite and scheelite. These minerals are reflected in a lithophile geochemical suite comprising gold, bismuth, arsenic, tellurium, tungsten and antimony with occasional molybdenum and tin (Thompson, et al, 1998). Several of the lode deposits are also located within active or historic placer gold districts.


ATAC RESOURCES LTD.
FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TINTINA GOLD BELT
GOLDEN REVENUE PROPERTY
FILE: ...\2004\REVENUEVF_4-TGB.cdr
DATE: NOVEMBER 2004
Dawson Range
Tintina Gold Belt
Barrow
BEAUFORT SEA
Prudhoe Bay
Inuvik
ALASKA
Taylor
Teller
Nome
Fort McPherson
Fort Yukon
YUKON TERRITORY
Rampart
Livengood
True North
Fort Knox
Fairbanks
Ryan Lode
Illinois Creek
Pogo Deposit
Dawson
Brewery Creek
NORTHWEST TERRITORIES
Alakanuk
Liberty Bell
Clear Creek
Dublin Gulch
Nixon Fork
Longline
Casino
Scammon Bay
Donlin Creek
DENALI FAULT
Sleetmute
Shotgun
Carmacks
TINTINA FAULT
Tununak Bay
Anchorage
Valdez
Golden Revenue Property
Kwigillingok
Whittier
Kenai
Whitehorse
McDaltons
Dillingham
Seward
Haines
Skagway
BRITISH COLUMBIA
Juneau
PACIFIC OCEAN
Kodiak
Wrangell

Intrusions in the Tintina Gold Belt are generally passively emplaced at varying levels and range in size from small batholiths through stocks and isolated plugs to sill or dyke complexes. Many of the plutons are cut by late stage aplitic or pegmatic dykes which often contain miarolitic cavities.

The Casino Granodiorite is part of the WCCS, intrusions belonging to which range in age from 111 to 99 Ma (Mortensen, 2000). The pluton associated with the Pogo Deposit has been dated at 107 Ma (Smith, et al, 2000). The age and general position of the Pogo pluton suggests that it could be part of the WCCS but it is also possible that it is part of the approximately coeval Anvil Suite. Isotopic ratios from the Golden Revenue quartz-feldspar porphyry dykes suggest they are 71.5±1 Ma (Hart, pers. comm.). This age is approximately equivalent to the age of the mineralizing pluton at the Casino porphyry copper-gold-molybdenum deposit, 90 km northwest of Golden Revenue (Flanigan, et al, 2000) and to dykes associated with gold mineralization at the Donlin Creek and Shotgun deposits in Alaska (Ebert, et al, 2000 and Rombach, 2000). Most mineralization at the Golden Revenue property appears to be genetically linked to the porphyry dykes but the possibility of an earlier overprinted mineralizing event should not be overlooked.

PROPERTY GEOLOGY

Figure 5 illustrates geology on the Golden Revenue property. The eastern and central parts of the property are underlain by a Cretaceous intrusive complex consisting of a granodiorite to monzonite stock (Revenue Stock) that is cut by microgranite plugs, porphyry dyke swarms and an enigmatic breccia unit. Paleozoic or older metamorphic rocks occur along the southern and western margins of the intrusive complex and within it as large roof pendants or xenoliths. A syenite batholith is located in the southwestern corner of the property but is separated from the other rocks by the Big Creek Fault.

The oldest unit consists of metamorphic rocks of the YTT including quartz-feldspar-biotite gneiss, quartz-feldspar-chlorite gneiss, quartz-feldspar gneiss, chlorite schist, amphibolite, impure quartzite, quartz-feldspar granulite and rare limestone lenses. All metamorphic rocks are well foliated. At surface they are usually brown to grey, exhibit limonitic fractures, weather recessively and show alteration of feldspar and mafic minerals to clay. The protoliths were various sedimentary rocks, intermediate to felsic volcanics and mafic to felsic dykes. The package generally displays greenschist facies metamorphism.

The weakly foliated Big Creek Syenite is Jurassic in age and forms a large batholith south of the Big Creek Fault. It is resistant weathering, coarse to very coarse grained and often porphyritic. Orthoclase feldspar and hornblende are the main constituents. No syenite xenoliths have been reported in the Cretaceous intrusive complex, suggesting that the two units have been juxtaposed by the fault.

The oldest rocks of the Cretaceous intrusive complex belong to the Casino Granodiorite. This unit is medium to coarse grained, equigranular and non-foliated. It occurs throughout the property and is variable in composition. In the western part it is true granodiorite but in the eastern part it ranges from quartz monzonite containing greater that 10% quartz with less than 5% biotite, to biotite monzonite containing little or no quartz and up to 15% biotite. The Casino





LITHOLOGIES

RECENT
- Glaciofluvial outwash

CRETACEOUS
- Feldspar porphyry dyke swarm
- Breccia unit
- Microgranite
- Granodiorite and monzonite

JURASSIC
- Big Creek syenite

PALEOZOIC OR OLDER
- Gneiss, schist, amphibolite and minor limestone

SYMBOLS
- Geological contact, defined, assumed
- Major high angle fault

ATAC RESOURCES LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

GOLDEN REVENUE PROPERTY

Drawn/revised by: TCB/MRD	Project: Revenue
File: ...2004\Revenue\F05-GREV-GEO.dwg	Date: NOVEMBER 2004

Granodiorite is most common within the Revenue Stock but also occurs as narrow dykes cutting the metamorphic rocks.

Microgranite is confined to a few small areas in the central and western parts of the property. It is a tan to pale green, fine grained, extremely felsic rock containing between 1 and 5%, small (1 to 5 mm), euhedral plagioclase phenocrysts in a granophyric groundmass. Biotite originally comprised up to 3% of the rock but has generally been altered to chlorite or sericite. The unit is often highly fractured and brecciated near contacts and typically exhibits flow banding and abundant quartz veinlets. Flow banded microgranite is often difficult to distinguish from altered and bleached metamorphic rocks, especially where the rocks are weathered. Xenoliths of granodiorite and monzonite are occasionally found within the microgranite.

A variety of hypabyssal porphyritic dykes are found on the property. They exhibit compositions ranging from feldspar-hornblende-biotite porphyry to feldspar porphyry to rhyolitic quartz-feldspar porphyry to siliceous aplite and felsite. The felsic dykes cut all other units and are usually too narrow to be shown on property scale maps. In contrast, the mafic bearing dykes tend to be larger on average and are not known to cut microgranite or felsic porphyry. Carlson (1987) correlated feldspar-hornblende-biotite porphyry dykes with the Early Cretaceous Mount Nansen Suite and quartz-feldspar porphyry dykes with the Late Cretaceous Carmacks Suite.

The enigmatic breccia unit (Revenue Creek Breccia) is developed within the Revenue Stock in the east-central part of the property. It is about 2000 m long and up to 450 m wide, and consists of rounded to subangular, pebble to cobble sized fragments in a crushed, compositionally similar matrix. Most fragments are quartz-feldspar porphyry but other units, notably monzonite, microgranite and occasionally massive pyrite-chalcopyrite clasts, are also present. Although some workers have categorized this unit as a graben bounded tuff block based on possible graded bedding, field relationships suggest it is more likely a subvolcanic breccia pipe formed at the time that the porphyry dykes were being emplaced. Evidence for this coeval relationship is provided by abundant porphyry fragments in the breccia which clearly indicate the breccia is younger than the some of the porphyry, and by narrow, unbrecciated porphyry dykes of similar composition that cut the breccia suggesting the porphyry was still being intruded after the brecciation occurred.

The Big Creek Fault crosses the southwestern corner of the property and a major splay approximately parallels the northern claim boundary. The direction and magnitude of offsets on these faults are not known but the area between them appears to be a down dropped block in a graben. Joints within all rock types observed on the property are usually aligned northwesterly subparallel to the Big Creek Fault or easterly approximately parallel to contacts of the Revenue Creek Breccia. Although some of the mineralized zones are associated with structures with these orientations, a third set of north striking fractures is also important. This third set dips steeply west and shows average strikes of 019° on the Revenue Block and 176° on the Nucleus Block.

Foliations in metamorphic rocks on the property generally strike east to southeast and dip shallowly to the north or southwest.

PROPERTY MINERALIZATION AND GEOCHEMISTRY

Exploration conducted by various groups since the 1950s has resulted in the discovery of eight zones of mineralization scattered across the Golden Revenue property. Most of the zones were found by investigating gold or copper soil geochemical anomalies (Figures 6 and 7, respectively). Many of the zones have received little or no subsurface exploration. All showings except the Meridian Zone (a silver-lead-zinc vein) are of primary interest for gold. Most are epigenetic and show evidence of open space filling. Although some zones contain copper, their dominant characteristics are more typical of intrusion-related gold mineralization than porphyry copper-gold deposits.

All showings are strongly oxidized and leached near surface. Only the Discovery Zone contains significant copper in trenches, usually as malachite or azurite. Elsewhere, if copper was present, it has been almost completely leached from the upper part of the oxide zone. The intensity of copper leaching gradually decreases with depth and drilling has shown that a discontinuous blanket of supergene copper mineralization is developed at the base of the oxide cap in parts of the Nucleus and Discovery Zones. This supergene blanket ranges from 0 to 50 m thick and consists of chalcocite with minor covellite, azurite and malachite coating and, in some instances, completely replacing hypogene sulphide minerals.

Mineralization at the Golden Revenue property falls into two main categories: stockwork or breccia zones that have large tonnage potential but moderate to low grades (typically in the range of 0.3 to 2.0 g/t gold with trace to 0.3% copper), and higher grade veins which are erratically mineralized but often return 3 to 7 g/t gold over 1 to 6 m widths with some intervals grading up to 65 g/t. Copper content in the veins is usually low.

Stockwork or breccia mineralization occurs in the Nucleus, Discovery and Granger Zones. The host rocks usually exhibit strong argillic alteration near surface and are cut by porphyry dyke swarms and associated faults. The best mineralization is normally found along the faults and within or immediately adjacent to the dykes. Drilling has shown that most of the argillic alteration is related to surface weathering. Hypogene alteration is relatively weak and is usually restricted to wallrocks alongside the dykes and faults. Unoxidized, stockwork or breccia mineralization typically consists of pyrite with minor chalcopyrite and/or arsenopyrite occurring on hairline fractures, as disseminations and in narrow quartz veinlets. The wallrocks at the Nucleus and Granger Zones are predominantly schist and gneiss while those at the Discovery Zone are comprised of the breccia unit and monzonite. Copper bearing carbonate minerals, carbonate gangue and scheelite are all abundant in the Discovery Zone but rare in the other zones. Sulphide content in unoxidized rocks is generally low but pods and lenses of nearly massive chalcopyrite and pyrite do occur in the Discovery Zone. Silver values from stockwork and breccia mineralization are highest in the Discovery Zone. Elsewhere they are often less than the analytical detection limit, thus average silver to gold ratios cannot be reliably calculated for the stockwork zones.

Higher grade gold veins are present in the Nucleus, Discovery, Klaus, Gow, Vest Pocket and Whirlwind Zones. Although most veins strike north or northeast, a few trend easterly. Most appear to dip steeply. Sulphide abundance in the veins differs greatly, ranging from nearly





≥ 500 ppb Au

≥ 200 < 500 ppb Au

≥ 100 < 200 ppb Au

≥ 50 < 100 ppb Au

ATAC RESOURCES LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD GEOCHEMISTRY

GOLDEN REVENUE PROPERTY

Drawn/revised by: TCB/MRD	Project: Revenue
File: ...2004\Revenue\F06-GREV-AU.dwg	Date: NOVEMBER 2004





> 500 ppm Cu

200 < 500 ppm Cu

100 < 200 ppm Cu

ATAC RESOURCES LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

GOLDEN REVENUE PROPERTY

Drawn/revised by: TCB/MRD	Project: Revenue
File: ...2004\Revenue\F07-GREV-CU.dwg	Date: NOVEMBER 2004

massive lenses of chalcopyrite and pyrite to structures containing only minor amounts of sulphide minerals. Similarly, gangue minerals range from quartz to quartz-carbonate to clay gouge. Scheelite and molybdenite are common accessory minerals in the Discovery Zone but are rare elsewhere. Arsenopyrite is found in several of the veins, and is sometimes accompanied by stibnite. Although elevated bismuth values are common, bismuthinite has only been identified in bedrock at the Vest Pocket Zone. Silver to gold ratios in veins average about 5 to 1.

Nucleus Zone

The Nucleus Zone is located in the western part of the property, about one kilometre west of the Revenue Stock. The mineralization is centred on a swarm of en echelon, porphyry dykes that cover an area approximately 1400 m long and up to 500 m wide. Individual dykes range from about 0.5 to 20 m in width. They cut YTT metamorphic rocks, granodiorite dykes and a microgranite plug-dyke complex (Figure 8).

The most common metamorphic rocks are quartz-feldspar-biotite gneiss, quartzite and chlorite schist. Detailed measurements of foliation and fracture orientations in the metamorphic rocks have identified five, fault-bounded structural domains within the Nucleus Zone. Each domain exhibits a relatively homogeneous internal structure that is notably different from those in adjacent domains. The structural disruption appears to have predated the intrusive events, and some of the faults separating the domains may have been important channels for mineralizing fluids (Becker, 2001).

The oldest intrusive unit in the zone consists of granodiorite that is mineralogically and texturally similar to nearby rocks in the Revenue Stock. The granodiorite forms a series of dykes that become progressively narrower and less abundant as the distance from the stock increases. These dykes are cut by granophyric microgranite bodies centred on a prominent knoll in the northwestern part of the zone. The main microgranite body has only been partially outlined by trenching. Although it is plug-like in plan view, resistivity data suggest it may be a laccolithic dome. On its southerly flank the main body grades into a number of narrow dykes. The porphyry is the youngest intrusive unit and its dykes cut the granodiorite and the microgranite.

Based on trench and drill data, the granodiorite, microgranite and porphyry dyke sets are all interpreted to strike northerly and dip moderately to the east (average 170°/55°E). However, this interpretation is tentative because the dykes are lensy, often pinching out over relatively short distances. Correlations between porphyry dyke exposures are particularly problematic because they sometimes grade into breccias consisting of angular porphyry, microgranite, schist or gneiss fragments in a sugary aplitic matrix. Intense, late stage quartz flooding locally accompanies the brecciation and this is thought to be transitional into more distal quartz veins. The porphyry dykes, breccias and veins were likely emplaced along a series of pre-existing or coeval faults that reactivated at various times (Becker, 2001).

Most of the mineralization in the Nucleus Zone occurs in a stockwork of hairline to 1 cm thick, sulphide or quartz-sulphide veinlets. The stockwork mineralization normally ranges between 0.3 and 2 g/t gold. However, the boundary between mineralized and unmineralized stockwork often is an arbitrary assay cut off and is usually not marked by a particular geological feature. The

Quartz–feldspar porphyry

Microgranite

Granodiorite

Metamorphic rocks

0 100 200 300 400 500 m

ATAC RESOURCES LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAIL GEOLOGY

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

Drawn/revised by: TCB/MRD	Project: Revenue
File: ...2004\Revenue\F08-GREV-NUC-GEO.dwg	Date: NOVEMBER 2004

distribution of gold values is typically irregular and gradational from mineralized to geochemically anomalous material. Almost all rocks in the Nucleus Zone are geochemically enriched in gold (>50 ppb). The higher grade material is best developed immediately adjacent to porphyry dykes, in breccias along trend from them and to a lesser degree within the dykes themselves. The relative abundance of the veinlets is highly variable with northerly trending, steeply west dipping fractures dominating in most parts of the zone. Fracture abundance is largely related to proximity to the porphyry dykes coupled with wallrock competence. In general, the brittle units host more and wider veinlets but chemically unreactive units such as quartzite are poor hosts for gold. The main sulphide minerals in the stockwork veinlets (in descending order of abundance) are pyrite, chalcopyrite and arsenopyrite with rare galena, sphalerite and magnetite. Where porphyry and stockwork zones cut intrusive units, the wallrock shows little alteration aside from minor sulphidization of mafic minerals. However, where they cut metamorphic rocks, zones of propylitic or weak argillic alteration up to 10 m wide, are common. In quartz-feldspar-biotite gneiss, black biotite is often altered to bronzy brown biotite and pyrite, while in chlorite schist, chlorite and feldspar typically convert to swelling clay. Disseminated pyrite and chalcopyrite are common in the alteration zones.

Gold rich quartz veins are found in a few parts of the Nucleus Zone. These veins typically grade between 3 and 10 g/t gold. They strike northerly and dip moderately to the east or steeply to the west. Although most veins consist of strongly clay altered gouge with quartz stringers containing varying amounts of disseminated or banded sulphides, some are nearly massive quartz and others exhibit brecciated quartz and wallrock fragments cemented by sulphides and/or later quartz. Veins that do not contain abundant sulphides are sometimes difficult to distinguish from other rock types. On a cautionary note, a number of leucocratic, sugary to microcrystalline, unfoliated quartz rich rocks have variously been described as veins, quartzites and aphanitic dykes. While these rocks often look promising, they usually contain little or no gold.

Near surface, wallrocks adjacent to gold rich veins are often intensely clay altered but at depth they exhibit little or no hydrothermal alteration. The depth of oxidation in veins often extends much deeper than in adjacent wallrocks, occasionally to 100 m below surface. Pyrite and arsenopyrite are the most abundant sulphide minerals in the majority of the veins. At higher elevations in the northwestern part of the zone stibnite has been reported while some veins at lower elevations to the southeast contain chalcopyrite and molybdenite. The mineralogical variability is not well documented because of the intense surface weathering and lack of drilling away from the core of the zone, but it could indicate temperature related, metal zonation (Becker, 2001). The best gold values in the veins appear to occur with the pyrite-arsenopyrite assemblage at about the same elevation as the strongest stockwork mineralization.

The gradational relationship between the porphyry dykes, breccias and veins suggests that they are all part of a single mineralization system with the stockwork mineralization found near the dykes and breccias in the core of the system and the higher grade veins on the periphery. Although a number of metals are found in various concentrations in different parts of the system, the only metal that shows a consistent direct correlation with gold is bismuth. Unfortunately no bismuth minerals or native gold have been identified in the zone and visual grade estimates based on alteration, fracture density, total sulphide abundance and/or sulphide assemblage are unreliable.

2004 DIAMOND DRILLING

General

The 2004 drill program was conducted from a camp located on placer tailings at the mouth of Revenue Creek, under terms set out in mining land use permit LQ00114. The camp consisted of a kitchen trailer, a combined bunkhouse/shower trailer, four tents and an outhouse. Wash water was pumped from Revenue Creek but, due to high levels of suspended sediment, drinking water was trucked in from a site on Big Creek. Diesel for various equipment was stored in a bermed 10,000 litre tank located adjacent to the camp. Electricity for the camp was obtained from a diesel generator. Electric pumps and tidy tanks were used to transfer and transport fuel from the storage tank to equipment. The kitchen trailer, bunkhouse and outhouse were left on the property at the end of the program. All other camp gear was returned to Whitehorse.

Diamond drilling and bulldozer support were contracted to E. Caron Diamond Drilling Ltd. of Whitehorse. The drilling was done with a skid mounted, hydraulically modified, Valdor drill using HQ equipment. Road and drill pad construction was performed with a Caterpillar D7E bulldozer. All drill moves were performed with the bulldozer operated by the drill foreman. The drill and bulldozer were left on the property at the end of the program.

A total of 14 diamond drill holes (1832 m) were completed during the 2004 program. All 14 holes were located in the Nucleus Zone.

The drill core was transported from the drill sites to a logging shed where recovery was measured, geological and geotechnical logging were performed and splitting was done. Appendix III contains the Geological and Geotechnical Logs. The entire length of each hole was split with one half bagged and sent for analysis and the other half returned to the core box. The core boxes are stored on the property and are stacked on pallets.

Core samples were transported to Whitehorse by truck, escorted by a representative of Archer Cathro. The samples were then shipped to ALS Chemex in North Vancouver, B.C. via Greyhound Bus Lines. Core samples were dried and crushed to 70% minus 2 mm, before a 250 g split was taken and pulverized to better than 85% minus 75 microns. A 30 g split of the pulverized fraction was analyzed for gold using fire assay followed by atomic absorption. Another split of the pulverized fraction was dissolved in aqua regia and analyzed for 34 elements using the ICP-AES technique. Any samples that exceeded detection limits for copper were also assayed for total copper using standard assay techniques. Appendix IV contains Synoptic Logs with assays while Appendix V contains the Certificates of Analysis.

In order to verify the sample data collected during the 2004 work program, various check assays were conducted. For each group of twenty samples, a blank sample was inserted into the sample sequence and analyzed along with the core samples. The blank material was obtained from a limestone outcrop in an abandoned copper mine near Whitehorse prior to the field season. It was crushed, screened to approximately 0.5 to 1.0 cm and thoroughly mixed. Before transporting the material to the property, eight random samples were extracted. Four of these were sent to ALS Chemex and the other four to Acme Analytical Laboratories in Vancouver. The coarse rejects

and pulps for each sample sent to Acme were then sent separately to ALS Chemex and again analyzed. Table III shows statistical data for the 16 analyses performed on the blank material prior to the field season. Table IV shows similar data for 34 blank samples inserted with the core samples. Although results are similar, a few slightly elevated gold values were returned suggesting that possible sample contamination will have to be monitored on an ongoing basis.

Within each group of 20 core samples, one sample interval was quartered and sent to Acme for independent verification of the grade. A total of 36 check samples were submitted. Pulps and coarse rejects from these check samples were then sent to ALS Chemex for further analyses. At the start of the 2004 program, a total of 24 check samples from 2001 were also quartered and sent to Acme along with two blank samples, in order to verify the results of that program. Table V is a scatter plot for gold showing Acme check assays against ALS Chemex check assays while Table VI is another scatter plot for gold showing ALS Chemex original assays against ALS Chemex check assays. Reproducibility for both data sets is good with only one sample showing a distinct difference between assays.

TABLE III
STATISTICAL DATA FOR BLANK SAMPLES FROM WHITEHORSE

	Au	Ag	Al	As	B	Ba	Bi	Ca	Co	Cr	Cu	Fe	K
Minimum	<0.005	0.2	0.19	3	7	30	<0.1	20.5	1	6	11	0.36	0.03
Maximum	0.005	0.3	0.48	10	20	60	0.2	22.2	2	14	68	0.58	0.06
Mean	-	0.2	0.34	6	12	43	0.2	21.1	2	10	21	0.44	0.04
Std. Dev	-	0.1	0.09	2	4	10	-	0.56	1	3	15	0.06	0.01

	Mg	Mn	Mo	Na	Ni	P	Pb	Sc	Sr	Ti	V	Zn
Minimum	8.1	124	0.7	0.02	2	230	3	0.7	286	0.02	8	16
Maximum	10.55	162	2	0.04	5	280	12	1	416	0.03	15	26
Mean	9.41	142	1.3	0.03	4	255	7	1	356	0.02	10	20
Std. Dev	0.83	10	0.7	0.01	1	15	2	0.1	36	0	2	3

TABLE IV
STATISTICAL DATA FOR BLANK SAMPLES SUBMITTED WITH CORE SAMPLES

	Au	Ag	Al	As	B	Ba	Bi	Ca	Co	Cr	Cu	Fe	K
Minimum	<0.005	<0.2	0.29	3	<10	30	<2	18.2	<1	8	14	0.3	0.03
Maximum	0.161*	0.5	0.53	47	10	50	2	>25	3	34	222	0.7	0.08
Mean	0.007	0.1	0.41	10	10	38	-	22.4	1	13	68	0.5	0.05
Std. Dev	0.028	0.2	0.06	7	-	7	-	4.2	-	5	51	0.1	0.01

	Mg	Mn	Mo	Na	Ni	P	Pb	Sc	Sr	Ti	V	Zn
Minimum	8.27	113	<1	0.01	<1	220	2	<1	293	0.01	8	13
Maximum	10.65	170	2	0.05	12	340	10	1	417	0.03	16	25
Mean	9.69	145	-	0.03	5	269	6	1	339	0.02	11	19
Std. Dev	0.58	13	-	0.01	3	33	2	0	28	0.01	2	3

* No other value exceeds 0.022 ppb, 31 out of 34 samples returned values equal to 0.009 ppb or less.

Table V
Scatter Plot - Acme check assays vs ALS Chemex check assays



Table VI
Scatter plot - ALS Chemex check assays vs ALS Chemex original assays



Results

Figure 9 is a plan view map of the Nucleus Zone illustrating the location of the 2004 drill holes relative to the earlier workings while Figure 10 is a detailed map showing location of all holes within the core area. Figures 11 to 23 are cross sections through the zone illustrating drill results plus geological interpretation.

Ten holes totalling 1118 m were drilled in the first two phases of the drill program. Two of the holes (DN04-01 and -03) were designed to test the geological model and tighten drill spacing within the core of the zone. DN04-06 and DN04-08 continued to explore directly along trend to the south. DN04-02 was intended to twin PN88-08 (34.86 g/t over 13.72 m) in the southwestern corner of the core area, while DN04-04 and -05 were drilled about 400 m to the south to test downdip of veins exposed in trenches TR01-08 and –04, respectively. DN04-07 was added part way through the program in order to test along strike of a favourable intersection in DN04-02. DN04-09 tested a strong chargeability anomaly southeast of the core area, while DN04-10 stepped out 600 m to the north to explore downdip from mineralized trenches.

The third phase of drilling consisted of four holes totalling 714 m. DN04-11 explored beneath a series of veins lying along strike to the north of the core area, at the same elevation as the mineralization in the core area. DN04-12 tested southwest of the core area and specifically targeted a porphyry dyke intersected in DN89-04 and TR83N-3. DN04-13 followed up along strike south of promising mineralization intersected in the lower part of DN04-12 and explored downdip from gold bearing breccias exposed in trenches 200 m southwest of the core area. The final hole (DN04-14) tested below a 1.35 g/t trench exposure and a drill intersection (1.39 g/t over 6.09 m) in DN91-04, 450 m along strike to the south of the core area.

Table VII contains a list of significant intervals from the 2004 program. These intervals were calculated to optimize interval length provided each interval grades at least 0.5 g/t and has a minimum length of at least 3 m. The intervals were broken if internal waste blocks graded less than 0.3 g/t gold over a minimum 6 m length. External cutoffs were 0.5 g/t, except where a lower grade interval had to be included to reach the minimum 3 m length. These parameters are slightly different from those used to define significant intervals in 2001. Appendix VI contains pre-2004 significant intervals recalculated using the 2004 parameters.



- 2004 diamond drill hole
- Diamond drill hole
- Reverse circulation percussion drill hole
- Four-wheel drive road

ATAC RESOURCES LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DRILL HOLE LOCATIONS
NUCLEUS ZONE
GOLDEN REVENUE PROPERTY

0 250 500 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F09-NUC-DRILL PLAN.dwg	DATE: NOVEMBER 2004



2004 Diamond drill hole

Diamond drill hole

Reverse circulation percussion drill hole

Four-wheel drive road

ATAC RESOURCES LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAILED DRILL HOLE LOCATIONS

NUCLEUS ZONE CORE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004 \REVENUE\F10-NUC-DRILL PLAN DETAIL.DWG	DATE: NOVEMBER 2004

Section Facing North



● 2004 diamond drill hole

Breccia

Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,914,240 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F11-SECTION 6914240.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole

Fault zone

Breccia

Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 12

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,970 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F12-SECTION 6913970.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole
- Reverse circulation percussion drill hole
- Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 13

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,860 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F13-SECTION 6913860.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole
- Reverse circulation percussion drill hole
- Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 14

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,775 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F14-SECTION 6913775.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole
- Reverse circulation percussion drill hole
- Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 15

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,725 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F15-SECTION 6913725.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole
- Reverse circulation percussion drill hole
- Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 16

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,700 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ..2004\REVENUE\F16-SECTION 6913700.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole
- Fault zone
- Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 17

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,650 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F17-SECTION 6913650.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole

Fault zone
Breccia
Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 18

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,600 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F18-SECTION 6913600.DWG	DATE: NOVEMBER 2004

Section facing north

379300 mE

379600 mE

379800 mE

1000

950

900

850

800

750

700

650

600

(m)

DN04-12

DN89-04

DN04-08

Vein zone

DN04-09

- 2004 diamond drill hole
- Diamond drill hole

Fault zone

Breccia

Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 19

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,550 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F19-SECTION 6913550.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole
- Fault zone
- Breccia
- Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 20

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,460 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ..2004\REVENUE\F20-SECTION 6913460.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole
- Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 21

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,360 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ..2004\REVENUE\F21-SECTION 6913360.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole

Breccia

Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 22

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,260 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F22-SECTION 6913260.DWG	DATE: NOVEMBER 2004



- 2004 diamond drill hole
- Diamond drill hole
- Fault zone
- Breccia
- Quartz-feldspar porphyry

Assay results (g/t) shown at 2 x scale

ATAC RESOURCES LTD.

FIGURE 23

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SECTION 6,913,220 N

NUCLEUS ZONE

GOLDEN REVENUE PROPERTY

0 20 40 60 80 100 m

DRAWN / REVISED BY: MRD	PROJECT: REVENUE
FILE: ...2004\REVENUE\F23-SECTION 6913220.DWG	DATE: NOVEMBER 2004

Table VII - Significant Intervals - 2004 Diamond Drilling - Nucleus Zone						
Drill Hole	From (m)	To (m)	Interval (m)	Sample No.	Gold (g/t)	Copper (ppm)
DN04-01	8.84	11.58	2.74	P396127	2.960	282
	11.58	14.63	3.05	P396128	0.296	342
			5.79		1.557	313
and	29.87	32.00	2.13	P396134	1.125	281
	32.00	34.44	2.44	P396135	0.611	332
	34.44	37.49	3.05	P396136	0.909	67
	37.49	40.54	3.05	P396137	0.528	40
	40.54	43.59	3.05	P396138	0.219	31
	43.59	46.05	2.46	P396139	0.155	44
	46.05	48.16	2.11	P396140	0.766	642
	48.16	51.21	3.05	P396142	0.431	652
	51.21	54.25	3.04	P396143	0.898	598
	54.25	55.78	1.53	P396144	0.516	1175
	55.78	58.30	2.52	P396146	0.745	603
	58.30	60.35	2.05	P396147	0.395	190
	60.35	62.99	2.64	P396148	0.642	464
	62.99	65.00	2.01	P396149	0.178	410
	65.00	66.80	1.80	P396150	0.340	379
	66.80	68.88	2.08	P396151	0.424	1125
	68.88	71.02	2.14	P396152	0.559	1365
	71.02	73.00	1.98	P396153	0.411	217
	73.00	75.35	2.35	P396154	0.999	266
	75.35	78.00	2.65	P396155	1.035	1500
	78.00	80.16	2.16	P396156	0.298	400
	80.16	82.00	1.84	P396157	0.698	676
	82.00	84.00	2.00	P396158	1.030	504
	84.00	86.00	2.00	P396159	0.355	656
	86.00	88.00	2.00	P396160	0.316	708
	88.00	90.00	2.00	P396161	0.897	460
	90.00	94.00	4.00	P396162	0.416	227
	94.00	96.00	2.00	P396163	0.389	248
	96.00	98.00	2.00	P396165	0.347	292
	98.00	100.00	2.00	P396167	0.594	194
	100.00	101.50	1.50	P396168	0.592	992
	101.50	103.50	2.00	P396169	0.887	494
	103.50	105.50	2.00	P396170	1.100	486
	105.50	107.50	2.00	P396171	0.472	178
	107.50	109.50	2.00	P396172	0.360	162

Drill Hole	From (m)	To (m)	Interval (m)	Sample No.	Gold (g/t)	Copper (ppm)
	109.50	111.50	2.00	P396173	0.081	118
	111.50	113.50	2.00	P396174	0.668	192
	113.50	115.50	2.00	P396175	0.928	219
			85.63		0.589	445
DN04-01	134.00	136.00	2.00	P396187	0.972	138
	136.00	138.00	2.00	P396188	0.069	148
			4.00		0.520	143
DN04-02	18.90	20.90	2.00	P396207	0.544	126
	20.90	23.16	2.26	P396208	11.450	196
	23.16	24.00	0.84	P396209	1.290	87
			5.10		5.500	150
and	52.12	54.00	1.88	P396226	0.354	2690
	54.00	56.00	2.00	P396227	0.765	1015
			3.88		0.566	1827
DN04-03	16.00	18.00	2.00	P396238	2.430	227
	18.00	20.00	2.00	P396239	0.564	305
	20.00	22.00	2.00	P396240	0.288	330
	22.00	24.00	2.00	P396242	0.453	587
	24.00	26.00	2.00	P396243	0.792	287
	26.00	28.00	2.00	P396244	0.192	78
	28.00	30.00	2.00	P396246	0.746	126
	30.00	32.00	2.00	P396247	0.918	79
	32.00	34.00	2.00	P396248	0.196	279
	34.00	36.00	2.00	P396249	0.246	300
	36.00	38.00	2.00	P396250	0.808	432
			22.00		0.694	275
and	52.00	54.00	2.00	P390114	0.680	409
	54.00	56.00	2.00	P390115	33.400	1520
	56.00	58.00	2.00	P390117	0.834	1015
	58.00	60.00	2.00	P390118	1.435	757
	60.00	62.00	2.00	P390119	0.358	472
	62.00	64.00	2.00	P390120	0.632	451
	64.00	66.00	2.00	P390121	0.289	292
	66.00	68.00	2.00	P390122	0.693	304
			16.00		4.790	653
and	78.00	80.00	2.00	P390128	0.783	375

Drill Hole	From	To	Interval	Sample No.	Gold	Copper
	(m)	(m)	(m)		(g/t)	(ppm)
	80.00	82.00	2.00	P390129	0.717	1365
	82.00	84.00	2.00	P390130	0.384	549
	84.00	86.00	2.00	P390131	0.313	368
	86.00	88.00	2.00	P390132	0.439	3100
	88.00	90.00	2.00	P390133	0.519	874
	90.00	92.00	2.00	P390134	0.154	526
	92.00	94.00	2.00	P390135	0.793	1445
	94.00	96.00	2.00	P390137	0.338	449
	96.00	98.00	2.00	P390139	0.317	723
	98.00	100.00	2.00	P390140	0.644	1145
	100.00	102.00	2.00	P390141	0.231	418
	102.00	104.00	2.00	P390142	2.340	552
			26.00		0.613	915
and	110.00	112.10	2.10	P390106	0.547	653
	112.10	113.10	1.00	P390107	3.460	12900
	113.10	114.10	1.00	P390108	3.080	26200
	114.10	115.00	0.90	P390109	1.095	16900
			5.00		1.735	11136

DN04-04	14.63	16.76	2.13	P390165	0.765	229
	16.76	19.00	2.24	P390166	3.350	152
			4.37		2.090	189
and	33.00	35.00	2.00	P390175	0.648	367
	35.00	37.00	2.00	P390177	0.454	335
			4.00		0.551	351
DN04-06	99.84	102.72	2.88	P396317	1.250	519
	102.72	105.00	2.28	P396318	1.650	305
	105.00	107.44	2.44	P396319	0.714	669
	107.44	110.03	2.59	P396320	0.932	646
			10.19		1.130	539
DN04-07	3.05	6.40	3.35	P396323	0.632	259
			3.35		0.632	259
and	32.63	34.78	2.15	P396334	0.837	753
	34.78	36.89	2.11	P396335	0.612	1680
			4.26		0.726	1212
and	43.28	46.03	2.75	P396338	1.175	245

Drill Hole	From (m)	To (m)	Interval (m)	Sample No.	Gold (g/t)	Copper (ppm)
	46.03	48.55	2.52	P396339	1.185	338
	48.55	50.60	2.05	P396341	0.804	1550
			7.32		1.075	642
and	71.02	74.06	3.04	P396350	0.512	268
			3.04		0.512	268
DN04-08*	6.25	9.42	3.17	P396353	0.929	100
	9.42	12.65	3.23	P396354	23.600	134
	12.65	15.09	2.44	P396355	1.240	324
	15.09	18.29	3.20	P396356	0.131	207
	18.29	20.72	2.43	P396357	0.683	173
	20.72	23.32	2.60	P396358	0.396	188
	23.32	26.40	3.08	P396359	0.533	383
	26.40	29.71	3.31	P396360	0.138	327
	29.71	32.71	3.00	P396361	0.088	934
	32.71	35.71	3.00	P396362	0.111	689
	35.71	38.86	3.15	P396363	0.140	314
	38.86	41.91	3.05	P396364	0.700	271
	41.91	45.04	3.13	P396366	0.590	259
DN04-08*	45.04	48.46	3.42	P396367	4.950	505
	48.46	51.39	2.93	P396369	0.795	543
	51.39	53.64	2.25	P396370	0.668	1860
	53.64	56.00	2.36	P396371	0.430	545
	56.00	58.00	2.00	P396372	2.010	629
	58.00	60.00	2.00	P396373	0.163	3540
	60.00	62.35	2.35	P396374	0.673	2610
	62.35	65.58	3.23	P396375	0.127	662
	65.58	68.58	3.00	P396376	0.245	371
	68.58	70.58	2.00	P396377	0.908	449
	70.58	74.07	3.49	P396378	1.130	426
	74.07	77.11	3.04	P396379	0.703	4610
	77.11	80.16	3.05	P396380	0.700	767
	80.16	82.20	2.04	P396381	0.705	743
	82.20	84.60	2.40	P396382	0.646	1190
	84.60	87.78	3.18	P396383	0.125	372
	87.78	90.78	3.00	P396384	0.074	292
	90.78	93.88	3.10	P396385	0.600	216
	93.88	96.88	3.00	P396386	0.882	216
	96.88	100.09	3.21	P396387	0.208	301
	100.09	103.19	3.10	P396388	0.082	144
	103.19	106.20	3.01	P396390	0.055	182

Drill Hole	From	To	Interval	Sample No.	Gold	Copper
	(m)	(m)	(m)		(g/t)	(ppm)
	106.20	109.42	3.22	P396391	0.101	169
	109.42	111.62	2.20	P396392	0.258	562
	111.62	114.01	2.39	P396394	0.417	2090
	114.01	117.06	3.05	P396395	3.030	744
			110.81		1.351	694
*calculation includes internal waste blocks						
includes	6.25	9.42	3.17	P396353	0.929	100
	9.42	12.65	3.23	P396354	23.600	134
	12.65	15.09	2.44	P396355	1.240	324
	15.09	18.29	3.20	P396356	0.131	207
	18.29	20.72	2.43	P396357	0.683	173
	20.72	23.32	2.60	P396358	0.396	188
	23.32	26.40	3.08	P396359	0.533	383
			20.15		4.315	213
and	38.86	41.91	3.05	P396364	0.700	271
	41.91	45.04	3.13	P396366	0.590	259
	45.04	48.46	3.42	P396367	4.950	505
	48.46	51.39	2.93	P396369	0.795	543
DN04-08*	51.39	53.64	2.25	P396370	0.668	1860
	53.64	56.00	2.36	P396371	0.430	545
	56.00	58.00	2.00	P396372	2.010	629
	58.00	60.00	2.00	P396373	0.163	3540
	60.00	62.35	2.35	P396374	0.673	2610
			23.49		1.267	1060
and	68.58	70.58	2.00	P396377	0.908	449
	70.58	74.07	3.49	P396378	1.130	426
	74.07	77.11	3.04	P396379	0.703	4610
	77.11	80.16	3.05	P396380	0.700	767
	80.16	82.20	2.04	P396381	0.705	743
	82.20	84.60	2.40	P396382	0.646	1190
			16.02		0.813	1443
and	90.78	93.88	3.10	P396385	0.600	216
	93.88	96.88	3.00	P396386	0.882	216
			6.10		0.739	216
and	114.01	117.06	3.05	P396395	3.030	744
			3.05		3.030	744

Drill Hole	From	To	Interval	Sample No.	Gold	Copper
	(m)	(m)	(m)		(g/t)	(ppm)
DN04-09	67.97	70.00	2.03	P396422	1.285	603
	70.00	72.00	2.00	P396423	0.261	1155
			4.03		0.777	877
and	109.27	112.45	3.18	P396438	1.295	172
	112.45	115.76	3.31	P396439	0.801	160
			6.49		1.043	166
and	121.78	124.73	2.95	P396442	0.486	696
	124.73	127.73	3.00	P396443	0.674	729
			5.95		0.581	713
and	138.94	142.03	3.09	P396448	0.588	450
	142.03	145.34	3.31	P396449	0.406	700
	145.34	148.74	3.40	P396450	0.536	325
			9.80		0.509	491
and	170.84	172.98	2.14	P396461	3.700	359
	172.98	176.17	3.19	P396462	0.082	118
			5.33		1.535	215
DN04-12	105.36	107.68	2.32	P396637	0.730	3230
	107.68	110.50	2.82	P396638	0.833	6510
			5.14		0.787	5030
and	123.15	124.79	1.64	P396647	2.410	867
	124.79	126.93	2.14	P396648	1.430	1515
	126.93	127.94	1.01	P396649	1.905	1900
			4.79		1.866	1374
or*	74.70	76.96	2.26	P396623	0.149	2050
	76.96	79.54	2.58	P396625	0.066	3100
	79.54	80.65	1.11	P396626	0.053	2910
	80.65	83.45	2.80	P396627	0.184	2750
	83.45	86.52	3.07	P396628	0.210	753
	86.52	88.18	1.66	P396629	0.402	1415
	88.18	91.18	3.00	P396630	0.250	3520
	91.18	94.00	2.82	P396631	0.154	1860
	94.00	95.90	1.90	P396632	0.139	6020
	95.90	98.50	2.60	P396633	0.051	1335
	98.50	100.70	2.20	P396634	0.043	1560
	100.70	103.02	2.32	P396635	0.062	2170
	103.02	105.36	2.34	P396636	0.283	1660

Drill Hole	From (m)	To (m)	Interval (m)	Sample No.	Gold (g/t)	Copper (ppm)
	105.36	107.68	2.32	P396637	0.730	3230
	107.68	110.50	2.82	P396638	0.833	6510
	110.50	112.70	2.20	P396639	0.423	1545
	112.70	114.75	2.05	P396640	0.087	4130
	114.75	117.52	2.77	P396642	0.311	1690
	117.52	119.79	2.27	P396643	0.116	1035
	119.79	121.90	2.11	P396644	0.156	1120
	121.90	123.15	1.25	P396646	0.345	1155
	123.15	124.79	1.64	P396647	2.410	867
	124.79	126.93	2.14	P396648	1.430	1515
	126.93	127.94	1.01	P396649	1.905	1900
	127.94	130.49	2.55	P396650	0.077	615
	130.49	132.53	2.04	P396651	0.155	2200
			57.83		0.369	2291
*calculated for copper purposes rather than gold						
DN04-13*	141.55	144.39	2.84	P396715	0.460	1325
	144.39	147.22	2.83	P396716	0.331	371
	147.22	148.74	1.52	P396717	0.573	1000
	148.74	151.79	3.05	P396718	1.380	8440
DN04-13*	151.79	154.79	3.00	P396719	0.130	391
	154.79	157.35	2.56	P396720	0.515	854
			15.80		0.572	2243
*calculated for copper purposes rather than gold						
includes	147.22	148.74	1.52	P396717	0.573	1000
	148.74	151.79	3.05	P396718	1.380	8440
			4.57		1.112	5965
and*	227.09	229.04	1.95	P396754	1.980	8480
	229.04	231.23	2.19	P396755	0.616	1710
	231.23	233.70	2.47	P396756	0.255	705
	233.70	235.95	2.25	P396757	0.138	477
	235.95	238.36	2.41	P396758	0.322	798
	238.36	238.66	0.30	P396759	0.787	3280
			11.57		0.619	2247
*calculated for copper purposes rather than gold						
includes	227.09	229.04	1.95	P396754	1.980	8480
	229.04	231.23	2.19	P396755	0.616	1710
			4.14		1.258	4899

Drill Hole	From	To	Interval	Sample No.	Gold	Copper
	(m)	(m)	(m)		(g/t)	(ppm)
DNO4-14	17.37	18.90	1.53	P396761	3.680	264
	18.90	21.64	2.74	P396762	0.058	1930
	21.64	23.65	2.01	P396763	0.803	491
			6.28		1.179	1023
and	37.80	41.15	3.35	P396769	1.150	222
			3.35		1.150	222
and	147.10	149.96	2.86	P396820	0.596	224
	149.96	151.53	1.57	P396821	0.644	316
			4.43		0.613	256

All holes, except DN04-05, -10 and -11, contain at least one significant interval. Typical gold values within the intervals range from 0.3 to 2.0 g/t but they range up to 33.40 g/t. The best intersection was in DN04-08 (1.35 g/t Au over 110.81 m including two small waste blocks).

Holes drilled in the core area and up to 100 m south returned long intervals ranging from 0.5 to 1.35 g/t gold over lengths of 80 to 110 m. The mineralized intervals often extend almost the entire length of the hole. Most of the holes returned relatively homogeneous gold values. Only three samples returned values greater than 10 g/t in 2004. These intervals are found within DN04-02 (11.45 g/t over 2.26 m), DN04-03 (33.4 g/t over 2.00 m) and DN04-08 (23.6 g/t over 3.23 m). Two of these samples came from vein faults, while the third (DN04-03) was in a strongly clay altered zone. The interval within DN04-02 was located near the centre of the 34.86 g/t interval in PN88-08. The best copper interval in the core area grades 1.11% copper over 5.0 m from a vein near the bottom of DN04-03. The mineralization within this intersection is dominated by very fine grain pyrite, chalcopyrite and arsenopyrite contained within low angle (approximately 20° to the core axis) fractures. This intersection also averaged 9.4 ppm silver with the highest individual value of 18.7 ppm coinciding with 2.62% copper and 3.08 g/t gold.

Significant intervals from holes to the south of the core area are much shorter and are often centred on a vein. DN04-04 intersected a vein that assayed 3.35 g/t gold over 2.24 m downdip of a trench exposure that graded 3.63 g/t gold over 9.5 m. DN04-14 intersected a large fault zone extending from near surface to 55 m, which contained intervals of 1.18 g/t gold over 6.28 m and 1.15 g/t gold over 3.35 m downdip from mineralization exposed in a trench. DN04-14 encountered artisan water in a fault zone and, as a result, the casing had to be cemented.

DN04-09 was the only hole drilled east of the core area. It tested a strong chargeability anomaly (Power, 2001) and intersected a series of short significant intervals, the longest being 0.51 g/t gold over 9.80 m. One interval towards the bottom of the hole returned 1.53 g/t gold over 5.33 m. Abundant pyrite, locally up to 20%, with minor pyrrhotite and chalcopyrite was intersected approximately where the chargeability anomaly was reported. This interval returned 0.22% copper but only 0.09 g/t gold over 4.62 m. Twelve metres of casing was lost in this hole during extraction.

Two holes (DN04-12 and -13) were drilled west-southwest of the core area and both encountered porphyry style copper-gold mineralization (Pautler, 2004). The lower part of DN04-12 averaged 0.37 g/t gold and 0.23% copper over 57.83 m. The best intersection from DN04-13, 90 m south of DN04-12, graded 0.57 g/t gold and 0.22% copper over 15.80 m, including 1.11 g/t gold and 0.60% copper over 4.57 m. A small amount of native copper was visible in DN04-12 but most of the copper is contained in chalcopyrite and chalcocite. Both holes ended in mineralization and the casing was left in.

No significant mineralization was encountered in the two holes drilled to the north of the core area (DN04-10 and -11).

CONCLUSIONS AND RECOMMENDATIONS

The Golden Revenue property hosts low to moderate grade bulk tonnage, and higher grade vein, gold occurrences. The mineralization occurs within and adjacent to Cretaceous age intrusions. The geology exhibits some characteristics of intrusion-hosted gold systems and others commonly associated with porphyry copper-gold deposits within the Dawson Range portion of the Tintina Gold Belt.

Exploration at the Nucleus Zone continues to yield favourable results. Drilling and trenching have defined an area of interest 1200 m long by 400 m wide, with the longest intervals of near surface gold mineralization coming from an approximately 300 by 200 m area in the core of the zone. The gold is localized near moderately to steeply dipping, northerly trending quartz-feldspar porphyry dykes. These dykes are thought to represent a high level, late stage phase of the mineralizing intrusion. Fractures within mineralized intervals are often oriented at low angles to the core axis suggesting there is a steeply west dipping, northerly trending structural control to the system.

The gold rich core area is also geochemically enriched in copper, exhibiting a leached cap and discontinuous supergene blanket atop weak porphyry style hypogene mineralization. Holes immediately to the west-southwest of the core area cut moderate porphyry copper-gold mineralization, suggesting the system is strengthening in that direction. Drilling east of the core area in the vicinity of a chargeability high intersected abundant pyrite with little gold. This area may represent a more distal pyrite halo. The leached cap at Nucleus Zone averages 60 m deep and is up to 110 m deep in places. Most drilling prior to 2001 focussed on the gold potential within this cap and rarely extended far below. Therefore, metal distribution in unweathered rocks is not well understood. Figure 24 shows an idealized cross section through the deposit illustrating different zones that may occur within the system.

Future work on the Golden Revenue property should continue to focus primarily on the Nucleus Zone, especially the recently discovered area of porphyry style copper-gold mineralization west-southwest of the gold enriched core area. Exploration should begin with deep array IP surveys to look beneath the deeply weathered cap rocks and better define the target. These surveys should be followed by diamond drilling.

ATAC RESOURCES LTD.

FIGURE 24

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DEPOSIT MODEL

GOLDEN REVENUE PROPERTY

FILE: ...\2004\REVENUE\F24-MODEL.cdr | DATE: NOVEMBER 2004



Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



M. Dumala, B.A.Sc., EIT

REFERENCES

Baird, J.G.
1968 Report on Induced Polarization Survey, Carmacks Area, Yukon; private report prepared for Yukon Revenue Mines Ltd.

Baker, T., Lang, J.R. and Mortensen, J.K.
1998 Characteristics of Mineralization Associated with Intrusions of the Mid-Cretaceous Tombstone-Tungsten Magmatic Belt, Yukon; notes to accompany Short Course presented at the 1998 Yukon Geoscience Forum.

Becker, T.C.
1991 Revenue-Nucleus Property 1991 Final Report; private report prepared for Big Creek Resources Ltd.

2000 Geological Mapping, Prospecting, Soil Geochemistry, Hand Trenching and Ground Magnetic Surveys; private report prepared for assessment purposes for ATAC Resources Ltd.

Becker, T.C. and Eaton, W.D.
1989 Nucleus Property, 1989 Final Report; private report prepared for assessment purposes.

2001 Diamond Drilling, Excavator Trenching and Geophysical Surveys; private report prepared for assessment purposes for ATAC Resources Ltd.

Carlson, G.G.
1987 Geology of Mount Nansen (115I/3) and Stoddart Creek (115I/6) Map Areas, Dawson Creek, Central Yukon; Indian and Northern Affairs Canada Open File 1987-2.

Cathro, R.J. and Main, C.A.
1986 Report on Trenching Program and Geochemical Survey, Revenue Property; private report prepared for Nordac Mining Corporation.

Clark, A.R.
1954 Geophysical Tests and Surveys on the Property of the Revenue Copper Group.

Davis, A.
1996 Magnetic Field and VLF-EM Surveys on the Revenue Creek Property, Dawson Range, Yukon Territory; private report prepared for YKR International Resources Ltd.

Dunn, C.E.
1965 Final Report, Revenue Creek Project, Whitehorse Mining District; private report prepared for Meridian Syndicate (Homestake Mining Company, Noranda Exploration Company Limited, Canex Aerial Exploration Limited).

Eaton, W.D.
1984 Final Report, Nat Joint Venture, December 1984; private report.

Ebert, S., Miller, L., Petsel, S., Dodd, S. and Kowalczyk, P.
2000 Geology, Mineralization and Exploration at the Donlin Creek Project, Southwestern Alaska *in* The Tintina Gold Belt: Concepts, Exploration and Discoveries, Special Volume 2, British Columbia and Yukon Chamber of Mines Cordilleran Roundup, January 2000.

Flanigan, B., Freeman, C., McCoy, D., Newberry, D. and Hart, C.
2000 Paleo-Reconstruction of The Tintina Gold Belt - Implications for Mineral Exploration ***in*** The Tintina Gold Belt: Concepts, Exploration and Discoveries, Special Volume 2, British Columbia and Yukon Chamber of Mines Cordilleran Roundup, January 2000.

Geological Survey of Canada
1995 Open File 3000, Airborne Geophysical Survey, Stoddart Creek, Yukon Territory.

Granger, R.A.
1970 Internal Report on Electromagnetic Conductors on Revenue Creek Property.

Harris, S.
2000 Qualifying Report on the Golden Revenue Property; prepared for ATAC Resources Ltd.

Hart, C.J.R.
2003 Personal communication.

Hart, C.J.R., Baker, T. and Burke, M.
2000 New Exploration Concepts for Country Rock-Hosted, Intrusion-Related Gold Systems: Tintina Gold Belt in Yukon *in* The Tintina Gold Belt: Concepts, Exploration and Discoveries, Special Volume 2, British Columbia and Yukon Chamber of Mines Cordilleran Roundup, January 2000.

Johnson, A.A.
1970 Kaiser Resources Ltd. Report on the Revenue Project 1970; private report prepared for Kaiser Resources Ltd.

Macdonald, G.
1985 Trenching Assessment Report on Revenue Creek Property; report submitted for assessment credit.

Main, C.A.
1988 Report on Diamond Drilling, Trenching Program and Geophysical Survey, Revenue Property, Revenue Creek, Yukon Territory for Big Creek Joint Venture (Big Creek Resources Ltd. and Rexford Minerals Ltd.).

1989 Report on the Source of Placer Gold, Revenue Creek, Yukon Territory; C.A. Main, February 1989.

Main, C.A. and Duke, J.L.
1988 Report on Trenching Program and Geophysical Survey, Revenue Property, Revenue Creek, Yukon Territory; private report prepared for Big Creek Joint Venture (Big Creek Resources Ltd. and Rexford Minerals Ltd.).

Mining Inspection Division
1998 Yukon Placer Industry 1995 to 1997; Mineral Resources Directorate, Yukon Territory, Indian and Northern Affairs Canada.

Mortensen, J.K., Hart, C.J.R., Murphy, D.C. and Heffernan, S.
2000 Temporal Evolution of early and Mid-Cretaceous Magmatism in The Tintina Gold Belt *in* The Tintina Gold Belt: Concepts, Exploration and Discoveries, Special Volume 2, British Columbia and Yukon Chamber of Mines Cordilleran Roundup, January 2000.

Mortensen, J.K. and Jilson, G.A.
1985 Evolution of the Yukon-Tanana Terrane: evidence from southeastern Yukon Territory, Geology, 13, pp. 806-810

Onasick, E.P. and Archer, A.R.
1981 Final Report; private report prepared for Nat Joint Venture.

Pautler, J.
2004 Interoffice memorandum – Golden Revenue geological setting and recommendations

Placer Mining Section
1985 Yukon Placer Industry 1983-1984; Mineral Resources Directorate, Yukon, Indian and Northern Affairs, compiled by R.L. Debicki.

1991 Yukon Placer Industry 1989-1990; Mineral Resources Directorate, Yukon, Indian and Northern Affairs, compiled by L.P. van Kalsbeek.

Power, M.
2001 Final Report - Golden Revenue Geophysical Surveys; Aurora Geosciences Ltd.

Rombach, C.S.
2000 Genesis and Mineralization of the Shotgun Deposit, Southwestern Alaska in The Tintina Gold Belt *in* The Tintina Gold Belt: Concepts, Exploration and Discoveries, Special Volume 2, British Columbia and Yukon Chamber of Mines Cordilleran Roundup, January 2000.

Smith, M., Thompson, J.F.H., Moore, K.H., Bressler, J.R., Layer, P., Mortensen, J.K., Abe, I. and Takaoka, H.
2000 The Liese Zone, Pogo Property: A New High-Grade Gold Deposit in Alaska *in* The Tintina Gold Belt: Concepts, Exploration and Discoveries, Special Volume 2, British Columbia and Yukon Chamber of Mines Cordilleran Roundup, January 2000.

Tempelman-Kluit, D.J.
1984 Geology, Laberge (105E) and Carmacks (115I), Yukon Territory; Geological Survey of Canada, Open File 1101.

Thompson, J.F.H., Sillitoe, R.H., Baker, T., Lang, J.R. and Mortensen, J.K.
1998 Intrusion-Related Gold Deposits Associated with Tungsten-Tin Provinces; Notes to accompany short course presented at 1998 Yukon Geoscience Forum.

Wallis, J.H.
1984 Phase 1: Summary; letter dated May 1984 for Shakwak Exploration Company Limited.

Wheeler, J.O. and McFeely, P.
1991 Tectonic Assemblage Map of the Canadian Cordilleran and adjacent parts of the United States of America; Geological Survey of Canada, Map 1712A.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Matthew R. Dumala, geological engineer, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address in Vancouver, British Columbia, do hereby certify that:

1. I graduated from the University of British Columbia in 2002 with a B.A.Sc in Geological Engineering, Option l, mineral and fuel exploration.

3. I am registered as an Engineer in Training in the Province of British Columbia.

4. From 2003 to present, I have been actively engaged in mineral exploration in the Yukon Territory.

5. I have personally participated in the fieldwork reported herein.

Matthew R. Dumala, B.A.Sc., EIT

APPENDIX II

ORIGINAL CLAIM TAGS

Appendix II - Original claim tags that were discovered after the forest fire of July 2004		
Claim	Tag #	Grant #
Addition 1	1	68060
Addition 1	2	68060
Addition 2	1	68061
Addition 2	2	68061
Addition 3	1	74488
Addition 4	1	74489
Addition 5	1	75323
Bit 10f	1	YA95217
Bit 11f	1	YA95217
Bit 12f	1	YA95219
Bit 12f	2	YA95219
Bit 13f	1	YA95220
Bit 13f	2	YA95220
Bit 15f	1	YA95221
Bit 15f	2	YA95221
Bit 16f	1	YA95222
Bit 16f	2	YA95222
Bit 5f	2	YA95210
Bit 5f	1	YA95210
Bit 6f	2	YA95211
Bit 6f	1	YA95211
Homestake 1	2	75321
Homestake 2	2	75322
Inca 1	2	Y21008
Inca 2	2	Y21009
Inca 2	1	Y21009
Inca 3	2	Y21010
Inca 4	2	Y21011
Inca 4	1	Y21011
Inca 7	1	Y21014
Inca 8	1	Y21015
More 31	1	YC09336
Revenue 11	1	Y21272
Revenue 13	2	Y24017
Revenue 15	1	Y24019
Revenue 16	1	Y24020
Revenue 16	2	Y24020
Revenue Copper 1	1	67180
Revenue Copper 2	1	67181
Revenue Copper 3	2	67182
Revenue Copper 4	1	67183
Revenue Copper 7	1	67186
Revenue Copper 7	2	67186
Revenue Copper 8	1	67187
Revenue Copper 8	2	67187

APPENDIX III

GEOLOGICAL AND GEOTECHNICAL LOGS
DIAMOND DRILL HOLES

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-14 Logger: Jean Pautler Date: 9-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
0.00	15.65															Casing
15.65	17.37	1.72	1.42	83	0.17	12		3.5								rubble
17.37	18.90	1.53	1.12	73	0.00	0		4.5								rubble, gouge
18.90	20.42	1.52	1.45	95	0.00	0		3								rubble
20.42	21.64	1.22	1.05	86	0.30	29		3								rubble- broken
21.64	22.25	0.61	0.61	100	0.36	59		3.5								broken
22.25	23.77	1.52	1.32	87	0.00	0		3.5								rubble
23.77	25.30	1.53	1.39	91	0.97	70		3.5								broken
25.30	27.58	2.28	1.47	64	0.27	18		3.5								broken
27.58	28.35	0.77	0.58	75	0.00	0		3.5								rubble
28.35	29.11	0.76	0.60	79	0.00	0		1, 3.5								rubble
29.11	30.78	1.67	1.23	74	0.13	11		1, 4								rubble, gouge
30.78	32.31	1.53	0.54	35	0.00	0		4								rubble, gouge
32.31	33.22	0.91	0.62	68	0.00	0		3.5								rubble, gouge
33.22	33.83	0.61	0.50	82	0.00	0		4								rubble, gouge
33.83	34.14	0.31	0.25	81	0.00	0		4								rubble, gouge
34.14	34.59	0.45	0.43	96	0.00	0		4								rubble, gouge
34.59	35.66	1.07	0.75	70	0.00	0		4.5								rubble
35.66	36.58	0.92	0.84	91	0.11	13		4								rubble
36.58	37.49	0.91	0.65	71	0.11	17		4								rubble
37.49	38.56	1.07	1.02	95	0.70	69		4								broken
38.56	40.08	1.52	1.46	96	0.51	35		2								broken, gouge
40.08	41.15	1.07	0.70	65	0.00	0		2								broken, gouge
41.15	42.52	1.37	0.97	71	0.00	0		4.5								broken
42.52	43.13	0.61	0.61	100	0.11	18		4,2								broken, gouge
43.13	43.89	0.76	0.76	100	0.00	0		2								broken, gouge
43.89	44.65	0.76	0.57	75	0.00	0		2								broken, gouge
44.65	45.72	1.07	1.00	93	0.52	52		4,2								broken, gouge
45.72	46.63	0.91	0.91	100	0.50	55		4,2								broken, gouge
46.63	48.16	1.53	1.42	93	0.19	13		3.5								broken, gouge
48.16	49.68	1.52	1.52	100	0.75	49		2								competent, gouge
49.68	51.21	1.53	1.51	99	0.69	46		3								competent-broken
51.21	52.73	1.52	1.39	91	0.36	26		3.5								broken
52.73	53.95	1.22	1.04	85	0.14	13		4,2								broken, gouge
53.95	55.47	1.52	1.52	100	0.26	17		3.5								broken, gouge
55.47	57.00	1.53	1.52	99	0.62	41		3.5								broken, gouge
57.00	58.67	1.67	1.44	86	1.07	74		3.5								competent
58.67	60.20	1.53	1.46	95	0.60	41		3.5								competent-broken

HARDNESS from 1 (Soft) - 5 (Hard)

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-14 Logger: J Pautler Date: 9-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
60.20	61.72	1.52	1.45	95	0.56	39		3.5								Broken
60.20	63.25	3.05	1.43	47	0.52	36		4								Broken
63.25	63.86	0.61	0.56	92	0.14	25		5								Broken
63.86	64.92	1.06	1.06	100	0.40	38		4								Broken- rubble
64.92	66.45	1.53	1.49	97	0.55	37		3.5								Broken
66.45	67.97	1.52	1.34	88	0.91	68		4								Broken-Competent
67.97	69.34	1.37	1.29	94	0.71	55		4								Broken
69.34	70.56	1.22	1.05	86	0.45	43		4.5								Competent- broken
70.56	72.09	1.53	1.46	95	0.18	12		5-3								Broken
72.09	73.61	1.52	1.47	97	0.00	0		5								Rubble, gouge
73.61	76.20	2.59	2.46	95	0.43	17		3								Broken
76.20	77.11	0.91	0.77	85	0.00	0		3								Broken
77.11	78.64	1.53	1.53	100	0.00	0		3.5								Rubble, gouge
78.64	80.16	1.52	1.03	68	0.39	38		4.5								Rubble
80.16	81.69	1.53	1.33	87	0.53	40		5								Broken
81.69	83.21	1.52	1.48	97	0.71	48		5								Broken
83.21	84.73	1.52	1.37	90	0.68	50		5								Broken
84.73	86.26	1.53	1.42	93	0.30	21		5								Broken
86.26	87.78	1.52	1.20	79	0.65	54		5								Broken
87.78	88.70	0.92	0.88	96	0.48	55		4.5								Competent
88.70	90.22	1.52	1.49	98	1.17	79		5								Competent
90.22	91.75	1.53	1.53	100	0.60	39		5								Broken
91.75	93.27	1.52	1.44	95	0.23	16		5								Broken
93.27	94.49	1.22	1.20	98	0.00	0		4								Gouge
94.49	95.40	0.91	0.92	101	0.00	0		4.5								Broken, gouge
95.40	96.77	1.37	1.37	100	0.00	0		4.5								Broken, gouge
96.77	96.93	0.16	0.16	100	0.00	0		4.5								Broken
96.93	98.45	1.52	1.34	88	0.24	18		4.5								Broken
98.45	99.97	1.52	1.51	99	0.58	38		4.5								Broken
99.97	101.50	1.53	1.25	82	0.11	9		4.5								Broken
101.50	103.02	1.52	1.11	73	0.75	68		4								Competent, gouge
103.02	104.24	1.22	1.22	100	0.54	44		3.5								Broken
104.24	105.92	1.68	1.45	86	0.26	18		4								Broken
105.92	106.99	1.07	1.05	98	0.45	43		4								Competent, gouge
106.99	107.59	0.60	0.58	97	0.41	71		4								Broken
107.59	109.92	2.33	2.05	88	0.99	48		4.5								Broken
109.92	110.64	0.72	0.72	100	0.72	100		4.5								Competent

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-14 Logger: J Pautler Date: 10-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
110.64	112.17	1.53	1.53	100	1.06	69		4								Competent
112.17	113.69	1.52	1.45	95	0.91	63		3.5								Broken
113.69	115.21	1.52	1.45	95	0.64	44		3.5								Broken- competent
115.21	116.74	1.53	1.27	83	0.83	65		4								Broken
116.74	118.11	1.37	1.37	100	1.23	90		4.5								Competent
118.11	118.87	0.76	0.76	100	0.69	91		4								Competent
118.87	121.01	2.14	2.11	99	1.01	48		4								Competent
121.01	122.53	1.52	1.39	91	1.11	80		4.5								Competent
122.53	124.05	1.52	1.28	84	0.13	10		4.5-3								Broken
124.05	125.58	1.53	1.48	97	0.47	32		3								Broken
125.58	127.10	1.52	1.45	95	0.93	64		4.5								Broken
127.10	128.78	1.68	1.43	85	0.58	41		4								Competent
128.78	130.30	1.52	1.42	93	1.03	73		3								Broken
130.30	131.37	1.07	1.07	100	0.61	57		4								Competent
131.37	132.89	1.52	1.52	100	0.38	25		4.5								Broken
132.89	134.11	1.22	1.21	99	0.44	36		4.5								Broken
134.11	135.03	0.92	0.82	89	0.50	61		4								Broken- competent
135.03	136.55	1.52	1.52	100	1.37	90		4								Competent
136.55	138.07	1.52	1.50	99	0.67	45		3								Competent-gouge
138.07	139.60	1.53	1.53	100	0.57	37		2.5								Competent-gouge
139.60	141.12	1.52	1.47	97	1.46	99		3.5								Competent
141.12	142.65	1.53	1.53	100	1.41	92		4								Competent-gouge
142.65	144.17	1.52	1.36	89	0.85	63		4-2								Gouge-broken
144.17	145.69	1.52	1.52	100	1.36	89		3.5								Competent
145.69	146.91	1.22	0.94	77	0.30	32		4-2								Broken
146.91	148.43	1.52	1.50	99	0.82	55		3.5								Broken
148.43	149.96	1.53	1.53	100	1.25	82		3.5								Competent-broken
149.96	151.49	1.53	1.53	100	0.99	65		4								Broken
151.49	153.16	1.67	1.53	92	0.47	31		4								Broken
153.16	154.69	1.53	1.53	100	1.40	92		2.5								Competent
154.69	156.36	1.67	1.49	89	0.98	66		2-4								Broken, gouge
156.36	157.89	1.53	1.51	99	0.86	57		3								Broken
157.89	158.80	0.91	0.76	84	0.32	42		4								Broken
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-13 Logger: Jean Pautler Date: 3-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
0.00	3.66															Casing
3.66	3.96	0.30	0.30	100	0.11	37		4								broken
3.96	4.72	0.76	0.76	100	0.23	30		4								broken
4.72	5.79	1.07	1.07	100	0.39	36		4								broken
5.79	7.01	1.22	1.07	88	0.27	25		4.5								broken
7.01	8.53	1.52	1.48	97	0.80	54		4.5								broken
8.53	9.60	1.07	1.07	100	0.74	69		4								broken- competent
9.60	10.06	0.46	0.44	96	0.22	50		4								competent
10.06	11.58	1.52	1.52	100	0.97	64		4.5								broken
11.58	13.11	1.53	1.39	91	0.89	64		4.5								broken
13.11	14.63	1.52	1.52	100	1.19	78		4								competent
14.63	15.85	1.22	1.17	96	0.63	54		4								broken- competent
15.85	16.61	0.76	0.76	100	0.26	34		4.5								broken
16.61	18.14	1.53	1.44	94	0.44	31		4								broken- competent
18.14	19.20	1.06	1.04	98	0.36	35		4								broken
19.20	20.21	1.01	1.01	100	0.47	47		4								broken
20.21	21.64	1.43	1.23	86	0.48	39		4.5								broken
21.64	22.25	0.61	0.61	100	0.00	0		2								rubble, gouge
22.25	23.16	0.91	0.80	88	0.27	34		4								rubble, gouge
23.16	24.69	1.53	1.11	73	0.14	13		2.5								rubble, broken
24.69	25.30	0.61	0.61	100	0.44	72		3.5								broken
25.30	26.67	1.37	1.33	97	0.33	25		3.5								broken
26.67	27.28	0.61	0.56	92	0.00	0		4								broken
27.28	28.35	1.07	1.07	100	0.55	51		4								broken
28.35	29.57	1.22	1.07	88	0.25	23		4.5								broken
29.57	30.94	1.37	1.34	98	0.52	39		4.5								broken
30.94	32.46	1.52	1.48	97	0.80	54		4.5								broken, rubble, competent
32.46	33.68	1.22	1.05	86	0.51	49		4.5								competent-broken
33.68	34.44	0.76	0.68	89	0.46	68		4.5								broken
34.44	35.36	0.92	0.92	100	0.31	34		4								broken
35.36	36.88	1.52	1.46	96	0.71	49		4.5								competent
36.88	38.40	1.52	1.45	95	0.95	66		3								competent- broken
38.40	39.01	0.61	0.82	134	0.10	12		4								broken
39.01	40.54	1.53	1.53	100	0.87	57		3-5								competent
40.54	42.06	1.52	1.50	99	1.03	69		3.5								competent
42.06	43.59	1.53	1.52	99	1.08	71		4								competent
43.59	45.11	1.52	1.52	100	1.18	78		4								competent
45.11	46.63	1.52	1.44	95	0.53	37		4								broken

HARDNESS from 1 (Soft) - 5 (Hard)

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-13 Logger: J Pautler, G. Downs Date: 4-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
46.63	47.85	1.22	0.90	74	0.22	24		4								Broken
47.85	48.77	0.92	0.91	99	0.26	29		4								Broken
48.77	50.14	1.37	1.21	88	0.50	41		4								Broken
50.14	51.51	1.37	1.37	100	0.48	35		4.5								Broken
51.51	53.64	2.13	1.81	85	1.11	61		4								Broken-Competent
53.64	55.02	1.38	1.38	100	0.85	62		4								Broken-Competent
55.02	55.78	0.76	0.76	100	0.54	71		4								Competent
55.78	57.30	1.52	1.52	100	1.43	94		4.5								Competent
57.30	58.83	1.53	1.53	100	0.91	59		4								Broken-Competent
58.83	60.35	1.52	1.52	100	0.73	48		4								Broken-Competent
60.35	61.87	1.52	1.47	97	0.84	57		5								Competent
61.87	63.40	1.53	1.49	97	1.19	80		4								Competent
63.40	64.92	1.52	1.45	95	0.98	68		4.5								Competent
64.92	66.45	1.53	1.53	100	1.12	73		4								Competent
66.45	67.97	1.52	1.51	99	0.90	60		4								Competent
67.97	69.49	1.52	1.48	97	1.07	72		3.5								Competent
69.49	71.02	1.53	1.46	95	0.96	66		3.5								Competent
71.02	72.54	1.52	1.38	91	0.64	46		3								Broken-Competent
72.54	74.07	1.53	1.53	100	1.09	71		3								Broken-Competent
74.07	75.59	1.52	1.43	94	0.77	54		3								Broken
75.59	77.11	1.52	1.37	90	0.67	49		2.5								Broken
77.11	78.18	1.07	1.03	96	0.41	40		3								Broken
78.18	78.94	0.76	0.76	100	0.27	36		3.5								Broken
78.94	79.55	0.61	0.49	80	0.15	31		4								Broken
79.55	80.16	0.61	0.41	67	0.13	32		3								Broken
80.16	80.77	0.61	0.61	100	0.22	36		3								Broken
80.77	82.30	1.53	1.49	97	0.79	53		3								Broken
82.30	83.82	1.52	1.48	97	0.26	18		3								Broken
83.82	84.73	0.91	0.91	100	0.67	74		3								Broken
84.73	85.65	0.92	0.92	100	0.21	23		3								Broken
85.65	87.02	1.37	1.24	91	0.50	40		3								Broken
87.02	88.54	1.52	1.47	97	1.02	69		3								Broken-Rubble
88.54	89.31	0.77	0.70	91	0.34	49		3.5								Broken
89.31	89.92	0.61	0.40	66	0.00	0		3								Rubbly
89.92	90.68	0.76	0.55	72	0.00	0		3								Rubbly
90.68	91.44	0.76	0.76	100	0.10	13		3								Rubbly
91.44	92.35	0.91	0.68	75	0.00	0		3								Broken

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-13 Logger: J Pautler Date: 5-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
92.35	92.96	0.61	0.60	98	0.00	0		3.5								Broken
92.96	94.49	1.53	1.53	100	1.05	69		4								Broken
94.49	95.40	0.91	0.71	78	0.26	37		4								Broken
95.40	96.93	1.53	1.49	97	0.71	48		3.5								Broken
96.93	98.45	1.52	1.50	99	1.13	75		3.5								Competent
98.45	99.97	1.52	1.50	99	0.76	51		3.5								Competent- broken
99.97	101.19	1.22	1.25	102	0.51	41		3								broken-rubble
101.19	102.72	1.53	1.53	100	0.59	39		3								Broken
102.72	103.48	0.76	0.71	93	0.41	58		3								Broken
103.48	104.55	1.07	1.04	97	0.40	38		3.5								Broken
104.55	105.61	1.06	1.06	100	0.74	70		4								Broken
105.61	106.98	1.37	1.34	98	0.33	25		4.5								Broken
106.98	107.75	0.77	0.60	78	0.00	0		5								Broken- rubble
107.75	109.27	1.52	1.48	97	0.74	50		5								Broken
109.27	110.64	1.37	1.34	98	0.88	66		4.5								Competent- broken
110.64	112.17	1.53	1.51	99	0.90	60		5								Competent- broken
112.17	113.69	1.52	1.48	97	1.01	68		4.5								Competent- broken
113.69	115.21	1.52	1.52	100	1.44	95		4.5								Competent
115.21	116.74	1.53	1.53	100	1.22	80		4.5								Competent
116.74	118.26	1.52	1.52	100	1.18	78		4.5								Competent
118.26	119.79	1.53	1.45	95	0.94	65		4								Competent
119.79	121.30	1.51	1.51	100	1.16	77		4.5								Competent-broken
121.30	122.83	1.53	1.48	97	0.90	61		4								Competent-broken
122.83	124.36	1.53	1.47	96	1.41	96		4.5								Competent-broken
124.36	125.88	1.52	1.48	97	1.05	71		4.5								Competent
125.88	127.10	1.22	1.03	84	0.85	83		4								Competent-broken
127.10	128.02	0.92	0.77	84	0.00	0		4								Broken
128.02	128.93	0.91	0.90	99	0.00	0		4.5								Broken
128.93	129.39	0.46	0.37	80	0.00	0		4.5								Broken
129.39	130.30	0.91	0.77	85	0.41	53		5, 3								Broken
130.30	130.76	0.46	0.23	50	0.00	0		4.5								Broken
130.76	131.83	1.07	1.07	100	0.11	10		4								Broken
131.83	133.35	1.52	1.41	93	0.25	18		4								Broken
133.35	134.42	1.07	1.07	100	0.31	29		4								Broken
134.42	135.94	1.52	1.52	100	0.63	41		4								Broken
135.94	137.31	1.37	1.18	86	0.41	35		4								Broken

GEOTECHNICAL LOG

GOLDEN REVENUE PROPERTY Hole: DN04-13 Logger: J Pautler Date: 6-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
137.31	138.07	0.68	0.68	100	0.24	35										Competent
138.07	139.29	1.22	1.21	99	0.21	17										Competent, some gouge
139.29	140.82	1.53	1.53	100	0.82	54										Competent
140.82	142.49	1.67	1.66	99	0.99	60										Competent, broken
142.49	144.17	1.68	1.58	94	1.09	69										Competent
144.17	145.69	1.52	1.52	100	1.18	78										Competent
145.69	147.22	1.53	1.32	86	1.06	80										rubble
147.22	148.74	1.52	1.52	100	1.06	70										Competent
148.74	150.27	1.53	1.53	100	0.54	35										Competent
150.27	151.79	1.52	1.29	85	0.60	47										Competent
151.79	153.31	1.52	1.52	100	0.80	53										Broken
153.31	154.84	1.53	1.43	93	0.46	32										Broken
154.84	156.36	1.52	1.50	99	0.80	53										Competent
156.36	157.89	1.53	1.56	102	0.81	52										Competent
157.89	159.41	1.52	1.52	100	1.12	74										Competent
159.41	160.93	1.52	1.52	100	1.17	77										Broken
160.93	162.46	1.53	1.40	92	0.00	0										Broken
162.46	164.29	1.83	1.83	100	1.30	71										Broken, competent
164.29	165.51	1.22	1.26	103	0.69	55										Broken, competent
165.51	167.03	1.52	1.53	101	1.14	75										Competent
167.03	168.55	1.52	1.52	100	1.19	78										Competent
168.55	170.08	1.53	1.40	92	1.10	79										Competent
170.08	171.60	1.52	1.47	97	0.95	65										Competent
171.60	173.13	1.53	1.53	100	0.81	53										Competent
173.13	174.65	1.52	1.40	92	0.60	43										Competent
174.65	176.17	1.52	1.52	100	1.24	82										Competent
176.17	177.70	1.53	1.44	94	0.44	31										Broken, competent
177.70	179.22	1.52	1.54	101	0.68	44										Competent
179.22	180.75	1.53	1.54	101	0.54	35										Competent
180.75	182.27	1.52	1.52	100	0.80	53										Competent
182.27	183.79	1.52	1.52	100	0.85	56										Competent
183.79	185.32	1.53	1.43	93	1.11	78										Competent
185.32	186.84	1.52	1.52	100	1.24	82										
186.84	188.37	1.53	1.53	100	1.10	72										
188.37	189.59	1.22	1.22	100	0.45	37										
189.59	191.11	1.52	1.52	100	0.91	60										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-13 Logger: J Pautler Date: 7-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
191.91	192.63	0.72	0.72	100	0.53	74		3.5								Broken
192.63	194.46	1.83	1.56	85	0.97	62		4.5								Competent
194.46	195.99	1.53	1.47	96	1.11	76		4.5								Competent, broken
195.99	197.51	1.52	1.52	100	1.25	82		4.5								Competent
197.51	199.02	1.51	1.51	100	1.39	92		4								Competent
199.02	200.56	1.54	1.55	101	1.35	87		3.5								Competent
200.56	202.08	1.52	1.52	100	1.39	91		4				Broken, competent				Competent
202.08	203.61	1.53	1.53	100	1.45	95		4								Competent, broken
203.61	205.13	1.52	1.52	100	0.93	61		4								Competent
205.13	206.65	1.52	1.52	100	1.25	82		4.5								Competent, broken
206.65	208.18	1.53	1.47	96	1.28	87		4.5								Competent, broken
208.18	209.70	1.52	1.52	100	1.40	92		4.5								Competent
209.70	211.23	1.53	1.53	100	1.33	87		4								Competent
211.23	212.75	1.52	1.52	100	1.20	79		4								Competent
212.75	214.27	1.52	1.55	102	1.39	90		4								Competent
214.27	215.80	1.53	1.53	100	1.37	90		4								Competent
215.80	217.32	1.52	1.51	99	1.32	87		4								Competent
217.32	218.85	1.53	1.53	100	1.51	99		4								Competent
218.85	220.37	1.52	1.46	96	1.34	92		4								Competent
220.37	221.59	1.22	1.06	87	1.05	99		4								Competent
221.59	223.11	1.52	1.53	101	1.00	65		4								Competent
223.11	224.64	1.53	1.53	100	1.06	69		4								Competent
224.64	226.16	1.52	1.51	99	1.21	80		5								Competent
226.16	227.69	1.53	1.53	100	1.38	90		4.5								Competent
227.69	229.21	1.52	1.52	100	1.36	89		4.5								Competent
229.21	230.73	1.52	1.41	93	1.33	94		4.5								Competent
230.73	232.11	1.38	1.35	98	1.24	92		4.5								Competent
232.11	232.71	0.60	0.61	102	0.61	100		4.5								Competent
232.71	234.24	1.53	1.53	100	1.53	100		4.5								Competent
234.24	235.60	1.36	1.36	100	1.28	94		4.5								Competent
235.60	237.13	1.53	1.53	100	1.41	92		4.5								Competent
237.13	238.66	1.53	1.49	97	1.39	93		5								Competent
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-12 Logger: Jean Pautler Date: 27-Sep-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
0.00	3.66	3.66														Casing
3.66	5.18	1.52	0.57	38	0.00	0		4								rubble
5.18	7.01	1.83	1.20	66	0.39	33		3								broken
7.01	8.53	1.52	1.11	73	0.21	19		3								broken
8.53	10.06	1.53	0.72	47	0.47	65		3.5								broken
10.06	11.28	1.22	0.42	34	0.00	0		3								rubbly/broken
11.28	11.89	0.61	0.26	43	0.00	0		4								broken
11.89	12.80	0.91	0.43	47	0.00	0		3								broken
12.80	13.72	0.92	0.49	53	0.00	0		4								rubbly, gouge
13.72	14.48	0.76	0.25	33	0.00	0		3.5								gouge
14.48	14.94	0.46	0.28	61	0.00	0		3.5								rubbly/broken
14.94	15.39	0.45	0.26	58	0.00	0		3.5								broken
15.39	15.85	0.46	0.43	93	0.00	0		4								broken
15.85	16.61	0.76	0.47	62	0.10	21		4								broken, gouge
16.61	16.92	0.31	0.22	71	0.00	0		3								broken
16.92	17.53	0.61	0.50	82	0.00	0		3								gouge
17.53	18.90	1.37	1.37	100	0.50	36		3.5								gouge, competent
18.90	20.42	1.52	1.30	86	0.60	46		3-4								broken
20.42	21.95	1.53	1.47	96	0.86	59		3.5								competent
21.95	22.71	0.76	0.36	47	0.16	44		3.5								broken
22.71	24.23	1.52	1.52	100	0.77	51		4								competent
24.23	25.30	1.07	1.07	100	0.56	52		4.5								competent
25.30	26.52	1.22	1.22	100	0.54	44		4								broken
26.52	27.89	1.37	1.37	100	0.90	66		4								broken
27.89	29.41	1.52	1.52	100	0.83	55		4								broken
29.41	31.09	1.68	1.67	99	1.03	62		4								competent
31.09	33.53	2.44	2.32	95	0.15	6		3.5								rubble
33.53	35.36	1.83	1.60	87	0.33	21		4								rubble, competent
35.36	35.66	0.30	0.22	73	0.00	0		3								rubble
35.66	36.88	1.22	0.68	56	0.00	0		3								rubble
36.88	37.80	0.92	0.84	91	0.65	77		4								competent
37.80	39.32	1.52	1.52	100	1.05	69		3								competent
39.32	40.08	0.76	0.72	95	0.48	67		3								broken
40.08	40.54	0.46	0.43	93	0.14	33		3								broken
40.54	41.78	1.24	1.23	99	0.51	41		4								broken
41.78	42.98	1.20	1.10	92	0.12	11		4								broken
42.98	43.59	0.61	0.61	100	0.22	36		4.5								broken
43.59	44.81	1.22	1.18	97	0.33	28		4.5								broken

HARDNESS from 1 (Soft) - 5 (Hard)

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-12 Logger: J Pautler, G. Downs Date: 29-Sep-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
44.81	46.48	1.67	1.51	90	0.81	54		4-3								Broken
46.48	47.54	1.06	1.06	100	0.59	56		3								Broken
47.54	48.46	0.92	0.92	100	0.16	17		4								Broken
48.46	49.68	1.22	1.13	93	0.55	49		4-3								Broken
49.68	52.27	2.59	2.40	93	1.19	50		3								Broken
52.27	53.49	1.22	1.22	100	0.39	32		3								Broken
53.49	54.55	1.06	1.10	104	0.83	75		4.5								Broken-Competent
54.55	55.77	1.22	1.22	100	0.54	44		4.5								Broken
55.77	57.30	1.53	1.52	99	1.39	91		4.5								Competent
57.30	58.82	1.52	1.49	98	1.15	77		4								Broken, Competent
58.82	59.58	0.76	0.76	100	0.50	66		3								Broken, Competent
59.58	60.97	1.39	1.25	90	0.37	30		3.5								Broken, Rubble
60.97	61.87	0.90	0.87	97	0.32	37		5								Broken, Competent
61.87	63.39	1.52	1.49	98	0.46	31		5								Broken
63.39	64.92	1.53	1.52	99	0.79	52		5								Competent, Rubble
64.92	66.44	1.52	1.46	96	0.23	16		2								Broken, Rubble
66.44	67.97	1.53	1.43	93	0.51	36		4-2								Broken
67.97	69.49	1.52	1.34	88	0.66	49		3								Broken
69.49	71.00	1.51	1.27	84	0.94	74		4								Competent
71.00	72.54	1.54	1.39	90	0.96	69		5								Competent
72.54	74.06	1.52	1.41	93	0.94	67		4.5								Competent
74.06	75.59	1.53	1.45	95	0.41	28		4.5								Broken
75.59	76.96	1.37	0.69	50	0.16	23		4.5								Broken
76.96	78.48	1.52	1.47	97	0.67	46		4.5								Broken-Competent
78.48	80.16	1.68	1.24	74	0.76	61		4.5								Broken-Competent
80.16	81.68	1.52	1.35	89	0.38	28		3-4.5								Broken-Competent
81.68	83.21	1.53	1.30	85	0.88	68		3								Broken
83.21	84.73	1.52	1.52	100	0.73	48		4-3								Broken
84.73	86.26	1.53	1.45	95	0.27	19		3								Broken, gouge
86.26	87.78	1.52	1.52	100	0.21	14		2.5								Broken, gouge
87.78	89.31	1.53	1.50	98	1.22	81		4								Competent
89.31	90.83	1.52	1.48	97	1.31	89		4.5								Competent
90.83	92.35	1.52	1.43	94	1.15	80		4.5								Competent
92.35	93.88	1.53	1.51	99	1.25	83		4.5-3								Competent, some gouge
93.88	95.40	1.52	1.40	92	0.95	68		4-5								Broken
95.40	96.93	1.53	0.78	51	0.36	46		5-4								Competent
96.93	98.45	1.52	1.44	95	0.63	41		5-2								Competent, some gouge

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-12 Logger: J Pautler Date: 2-Oct-04

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
98.45	99.97	1.52	1.52	100	0.97	64		3.5								Competent
99.97	101.50	1.53	1.41	92	0.68	48		3.5								Competent, some gouge
101.50	103.02	1.52	1.53	101	1.36	89		4								Competent
103.02	104.55	1.53	1.44	94	1.28	89		3								Competent, broken
104.55	106.07	1.52	1.52	100	1.10	72		4								Competent
106.07	107.59	1.52	1.39	91	1.01	73		4.5								Competent
107.59	108.51	0.92	0.79	86	0.33	42		4.5								rubble
108.51	109.73	1.22	1.16	95	0.94	81		4.5								Competent
109.73	110.64	0.91	0.91	100	0.84	92		5								Competent
110.64	112.17	1.53	1.40	92	1.10	79		4.5								Competent
112.17	112.93	0.76	0.76	100	0.35	46		4.5								Broken
112.93	113.69	0.76	0.78	103	0.83	106		5								Broken
113.69	115.21	1.52	1.52	100	1.06	70		5								Competent
115.21	116.74	1.53	1.35	88	1.20	89		4								Competent
116.74	118.26	1.52	1.39	91	1.10	79		4								Competent
118.26	119.79	1.53	1.53	100	0.80	52		4.5								Broken
119.79	120.70	0.91	0.91	100	0.22	24		4								Broken
120.70	122.22	1.52	1.47	97	0.70	48		4.5								Broken, competent
122.22	122.83	0.61	0.61	100	0.50	82		4.5								Broken, competent
122.83	124.36	1.53	1.53	100	1.24	81		4.5								Competent
124.36	125.88	1.52	1.52	100	1.26	83		4.5								Competent
125.88	127.41	1.53	1.54	101	1.32	86		4.5								Competent
127.41	128.93	1.52	1.54	101	1.19	77		5								Competent
128.93	130.45	1.52	1.55	102	1.30	84		5								Competent
130.45	131.98	1.53	1.53	100	1.23	80		4.5								Competent
131.98	133.50	1.52	1.54	101	1.24	81		5								Competent
133.50	134.87	1.37	1.41	103	1.08	77		5								Broken, competent
134.87	136.40	1.53	1.55	101	1.31	85		5								Competent
136.40	137.92	1.52	1.52	100	1.29	85		4.5								Competent
137.92	139.60	1.68	1.68	100	1.53	91		4								Competent
139.60	141.12	1.52	1.42	93	1.35	95		4								Competent
141.12	142.65	1.53	1.53	100	1.46	95		4								Competent
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-11 Logger: Jean Pautler Date: Sept. 20,2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
0.00	1.80	1.80	0.00	0	0.00	0										Casing
1.80	2.44	0.64	0.46	72	0.00	0		3.5								rubbly/broken
2.44	3.05	0.61	0.61	100	0.13	21		4								rubbly/broken
3.05	3.96	0.91	0.65	71	0.00	0		4								rubbly/broken
3.96	4.88	0.92	0.60	65	0.10	17		4								rubbly/broken
4.88	6.40	1.52	1.52	100	0.51	34		4								less broken
6.40	6.71	0.31	0.35	113	0.35	100		4.5								competent
6.71	7.01	0.30	0.30	100	0.13	43		5								competent
7.01	8.23	1.22	1.22	100	0.90	74		5								competent
8.23	9.75	1.52	1.53	101	0.59	39		5								competent
9.75	11.28	1.53	1.52	99	0.74	49		5								competent
11.28	11.89	0.61	0.61	100	0.29	48		5								competent
11.89	12.19	0.30	0.30	100	0.30	100		5								competent
12.19	13.11	0.92	0.75	82	0.51	68		5								competent
13.11	13.72	0.61	0.50	82	0.25	50		4.5								competent
13.72	14.63	0.91	0.82	90	0.44	54		4.5								competent
14.63	16.15	1.52	1.02	67	0.77	75		4.5								competent
16.15	17.37	1.22	1.20	98	1.03	86		5								competent
17.37	18.28	0.91	0.70	77	0.36	51		5								broken
18.28	19.81	1.53	1.50	98	1.27	85		5								competent
19.81	21.34	1.53	1.25	82	0.66	53		5								competent
21.34	23.77	2.43	1.97	81	1.17	59		4.5								23-23.77
23.77	25.30	1.53	1.43	93	1.10	77		4.5								competent
25.30	26.67	1.37	1.06	77	0.75	71		4								fault gouge 26.52-26.67
26.67	27.73	1.06	1.06	100	0.80	75		4								competent
27.73	29.26	1.53	1.53	100	0.79	52		4.5								competent
29.26	30.94	1.68	1.54	92	1.46	95		4								competent
30.94	32.31	1.37	1.25	91	0.97	78		4								competent
32.31	33.83	1.52	1.49	98	1.17	79		4								competent
33.83	35.36	1.53	1.53	100	1.00	65		4								competent
35.36	36.58	1.22	1.26	103	0.73	58		4								broken
36.58	39.01	2.43	2.45	101	0.71	29		4-5								competent
39.01	40.54	1.53	1.53	100	0.87	57		4								competent
40.54	42.06	1.52	1.52	100	0.54	36		4								broken
42.06	43.28	1.22	1.22	100	0.23	19		4								broken
43.28	44.81	1.53	1.46	95	1.12	77		4								competent
44.81	46.33	1.52	1.52	100	1.10	72		5								competent
46.33	47.85	1.52	1.47	97	1.39	95		4.5								competent

HARDNESS from 1 (Soft) - 5 (Hard)

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-11 Logger: J Pautler, MR Dumala Date: Sept 22-24, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
47.85	49.68	1.83	1.75	96	0.87	50		4.5								Broken
49.68	51.21	1.53	1.48	97	1.07	72		5								Broken/ FLT at 49.8
51.21	52.73	1.52	1.52	100	1.15	76		5								Competent
52.73	54.25	1.52	1.44	95	0.87	60		5								Competent
54.25	55.47	1.22	1.21	99	1.11	92		4.5								Competent
55.47	57.00	1.53	1.52	99	1.30	86		4.5								Competent
57.00	58.52	1.52	1.50	99	0.93	62		4.5/3								Competent
58.52	60.05	1.53	1.45	95	0.57	39		3								Competent
60.05	61.73	1.68	1.50	89	1.07	71		3								Competent
61.73	63.09	1.36	1.36	100	0.75	55		3								Competent
63.09	64.92	1.83	0.84	46	0.43	51		4								Broken
64.92	66.45	1.53	1.35	88	0.45	33		3-4								Competent
66.45	67.97	1.52	1.15	76	0.83	72		3								Competent
67.97	69.49	1.52	1.52	100	1.03	68		4								Competent
69.49	71.02	1.53	1.42	93	0.62	44		4								Competent
71.02	72.54	1.52	1.45	95	1.07	74		4								Competent
72.54	73.76	1.22	1.22	100	1.15	94		3.5								Competent
73.76	75.29	1.53	1.53	100	0.86	56		4								Competent
75.29	76.96	1.67	1.50	90	1.24	83		3.5								Broken /FLT zone
76.96	78.49	1.53	1.52	99	1.23	81		4/3.5								Competent
78.49	80.01	1.52	1.52	100	1.14	75		4								Competent
80.01	81.69	1.68	1.15	68	0.78	68		4.5								Competent
81.69	82.30	0.61	0.61	100	0.26	43		5								Competent
82.30	83.06	0.76	0.76	100	0.44	58		5								Competent
83.06	83.36	0.30	0.30	100	0.30	100		5								Competent
83.36	84.73	1.37	1.21	88	0.63	52		4								Clay/Broken
84.73	86.26	1.53	1.53	100	1.48	97		4								Competent
86.26	87.78	1.52	1.49	98	0.94	63		3								Competent
87.78	89.31	1.53	1.49	97	1.13	76		4.5								Competent
89.31	90.53	1.22	1.16	95	1.03	89		5								Competent
90.53	92.05	1.52	1.52	100	1.17	77		4.5/4								Competent
92.05	92.96	0.91	0.94	103	0.80	85		3								Competent
92.96	93.88	0.92	0.92	100	0.40	43		3/2.5								Broken
93.88	95.10	1.22	1.20	98	0.12	10		2.5								Crumbly/Broken
95.10	96.77	1.67	1.48	89	0.35	24		3								Broken
96.77	98.45	1.68	1.51	90	1.23	81		3.5								Competent
98.45	99.97	1.52	1.51	99	1.06	70		3.5								Competent

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-11 Logger: MR Dumala Date: Sept. 25-26, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
99.97	101.50	1.53	1.44	94	1.02	71										Competent
101.50	103.02	1.52	1.52	100	0.52	34										Broken
103.02	104.55	1.53	1.52	99	1.24	82										Competent
104.55	106.07	1.52	1.44	95	1.00	69										Competent
106.07	107.59	1.52	1.39	91	0.66	47										Broken
107.59	108.81	1.22	1.22	100	1.32	108										Competent
108.81	110.34	1.53	1.47	96	1.17	80										Competent
110.34	112.01	1.67	1.54	92	1.18	77										Broken in centre
112.01	113.54	1.53	1.46	95	1.23	84										Competent
113.54	115.21	1.67	1.61	96	1.43	89										Competent
115.21	116.13	0.92	0.92	100	0.60	65										Competent
116.13	117.35	1.22	1.19	98	0.82	69										Competent
117.35	118.57	1.22	1.15	94	0.67	58		3								Competent
118.57	119.18	0.61	0.56	92	0.34	61		4-4.5								Broken
119.18	120.55	1.37	1.25	91	0.34	27		4								Broken
120.55	121.92	1.37	1.25	91	0.51	41		4								Competent
121.92	122.83	0.91	0.91	100	0.74	81										Broken
122.83	123.60	0.77	0.82	106	0.38	46										Broken, rubbly
123.60	124.66	1.06	1.06	100	0.14	13										Broken
124.66	125.43	0.77	0.77	100	0.42	55										Competent
125.43	126.80	1.37	1.41	103	1.41	100		4.5								Competent
126.80	128.07	1.27	1.27	100	0.69	54		3								Competent
128.07	129.84	1.77	1.66	94	1.30	78		3.5								Broken
129.84	131.06	1.22	1.19	98	0.41	34		3								Broken
131.06	131.98	0.92	0.92	100	0.33	36		4-5								Broken
131.98	133.50	1.52	1.49	98	0.71	48		5								Competent
133.50	135.03	1.53	1.42	93	0.95	67		4.5								Competent
135.03	136.55	1.52	1.43	94	1.13	79		4.5								Competent
136.55	138.07	1.52	1.52	100	1.02	67		4.5								Competent
138.07	139.60	1.53	1.43	93	1.17	82		4								Competent
139.60	141.12	1.52	1.38	91	0.97	70		4.5								Competent
141.12	142.65	1.53	1.51	99	1.29	85		4.5								Competent
142.65	144.17	1.52	1.42	93	1.24	87		4.5								Competent
144.17	145.69	1.52	1.42	93	0.64	45		2-4								Broken
145.69	147.22	1.53	1.49	97	1.46	98		3.5-4								Competent
147.22	148.74	1.52	1.49	98	0.79	53		3.5								Competent
148.74	149.96	1.22	1.22	100	1.22	100		3.5-4.5								Competent

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-11 Logger: MR Dumala Date: Sept. 27, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
149.96	151.49	1.53	1.34	88	1.20	90		5-2.5								Competent-Broken
151.49	152.70	1.21	1.17	97	0.31	26		4.5-2.5								Broken-Rubbly
152.70	154.23	1.53	1.44	94	1.00	69		3								Crumbly
154.23	155.75	1.52	1.50	99	1.12	75		3								Competent
155.75	156.67	0.92	0.77	84	0.61	79		3								Competent
156.67	158.04	1.37	1.56	114	1.15	74		3-4								Competent
158.04	159.26	1.22	1.22	100	0.86	70		3								Broken
159.26	160.93	1.67	1.54	92	0.68	44		3								Broken
160.93	162.15	1.22	1.22	100	1.20	98		4								Competent
162.15	163.68	1.53	1.53	100	1.36	89		4.5								Competent
163.68	165.20	1.52	1.49	98	1.36	91		4.5								Competent
165.20	166.73	1.53	1.44	94	1.00	69		4.5								Broken
166.73	168.25	1.52	1.52	100	1.20	79		4.5								Competent
168.25	169.77	1.52	1.39	91	0.55	40		5								Broken
169.77	171.30	1.53	1.35	88	0.86	64		4								Competent
171.30	172.82	1.52	1.52	100	1.39	91		5								Competent
172.82	174.35	1.53	1.38	90	0.64	46		4.5								Broken
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-10 Logger: Martin Nunez Date: August 11 - 12, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
3.66	4.42	0.76	0.80	100	0.25	0										
4.42	5.18	0.76	0.72	95	0.10	14										
5.18	6.25	1.07	1.17	100	0.12	10										
6.25	7.62	1.37	1.08	79	0.14	13										
7.62	8.38	0.76	0.56	74	0.12	21										
8.38	9.14	0.76	0.80	100	0.13	16										
9.14	10.06	0.92	0.68	74	0.11	16										
10.06	11.58	1.52	0.66	43	0.00	0										
11.58	12.04	0.46	0.38	83	0.19	50										
12.04	13.11	1.07	0.55	51	0.10	18										
13.11	14.63	1.52	1.05	69	0.11	10										
14.63	16.15	1.52	1.05	69	0.12	11										
16.15	17.68	1.53	1.55	100	0.50	32										
17.68	18.59	0.91	0.47	52	0.00	0										
18.59	18.90	0.31	0.37	100	0.00	0										
18.90	20.42	1.52	0.88	58	0.23	26										
20.42	21.34	0.92	0.74	80	0.00	0										
21.34	22.10	0.76	0.66	87	0.00	0										
22.10	22.86	0.76	0.55	72	0.00	0										
22.86	23.77	0.91	0.93	100	0.30	32										
23.77	24.69	0.92	0.92	100	0.38	41										
24.69	26.21	1.52	1.43	94	0.32	22										
26.21	27.13	0.92	0.66	72	0.25	38										
27.13	28.19	1.06	1.10	100	0.45	41										
28.19	29.41	1.22	0.97	80	0.60	62										
29.41	30.02	0.61	1.02	167	0.43	42										
30.02	31.39	1.37	0.92	67	0.33	36										
31.39	32.61	1.22	1.26	100	0.75	60										
32.61	33.99	1.38	1.20	87	0.49	41										
33.99	35.05	1.06	0.93	88	0.45	48										
35.05	35.51	0.46	0.54	100	0.00	0										
35.51	35.97	0.46	0.41	89	0.10	24										
35.97	36.58	0.61	0.48	79	0.28	58										
36.58	37.80	1.22	0.97	80	0.27	28										
37.80	38.40	0.6	0.80	100	0.16	20										
38.40	39.17	0.77	0.54	70	0.23	43										
39.17	39.93	0.76	0.81	100	0.33	41										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-10 Logger: Martin Nunez Date: August 11 - 12, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
39.93	41.15	1.22	1.07	88	0.00	0										Casing
41.15	42.37	1.22	1.35	100	0.27	20										
42.37	43.59	1.22	1.10	90	0.36	33										
43.59	44.81	1.22	1.15	94	0.16	14										
44.81	46.33	1.52	1.54	100	0.98	64										
46.33	46.94	0.61	0.52	85	0.11	21										
46.94	47.55	0.61	0.75	100	0.47	63										
47.55	48.92	1.37	1.04	76	0.68	65										
48.92	49.68	0.76	0.76	100	0.46	61										
49.68	51.21	1.53	1.54	100	1.06	69										
51.21	52.73	1.52	1.48	97	1.36	92										
52.73	54.25	1.52	1.52	100	1.43	94										
54.25	55.78	1.53	1.49	97	1.09	73										
55.78	57.30	1.52	1.44	95	1.08	75										
57.30	58.83	1.53	1.42	93	1.03	73										
58.83	60.35	1.52	1.47	97	0.75	51										
60.35	61.87	1.52	1.56	100	1.26	81										
61.87	63.40	1.53	1.31	86	1.24	95										
63.40	64.92	1.52	1.65	100	1.45	88										
64.92	66.45	1.53	1.20	78	0.92	77										
66.45	67.97	1.52	1.56	100	0.92	59										
67.97	68.58	0.61	0.74	100	0.57	77										
68.58	69.80	1.22	1.03	84	0.71	69										
69.80	71.02	1.22	1.19	98	0.52	44										
71.02	72.24	1.22	0.76	62	0.27	36										
72.24	73.76	1.52	1.20	79	0.85	71										
73.76	75.29	1.53	1.50	98	1.13	75										
75.29	76.81	1.52	1.41	93	0.89	63										
76.81	78.33	1.52	1.50	99	1.16	77										
78.33	79.71	1.38	1.47	100	1.47	100										
79.71	81.23	1.52	1.52	100	1.04	68										
81.23	82.75	1.52	1.37	90	1.06	77										
82.75	84.28	1.53	1.48	97	1.30	88										
84.28	85.80	1.52	1.40	92	1.12	80										
85.80	87.33	1.53	1.32	86	1.07	81										
87.33	87.78	0.45	0.33	73	0.00	0										
87.78	89.31	1.53	1.32	86	1.15	87										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-10 Logger: Martin Nunez Date: August 11 - 12, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
89.31	90.83	1.52	1.50	99	1.19	79										
90.83	92.35	1.52	1.47	97	1.25	85										
92.35	93.88	1.53	1.55	100	1.55	100										
93.88	95.40	1.52	1.51	99	1.16	77										
95.40	96.93	1.53	1.32	86	0.89	67										
96.93	98.15	1.22	1.19	98	0.46	39										
98.15	99.67	1.52	1.50	99	0.77	51										
99.67	99.97	0.3	0.41	100	0.21	51										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-09 Logger: Martin Nunez Date: August 4 - 9, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
3.05	3.35	0.30	0.15	50	0.00	0										
3.35	3.96	0.61	0.13	21	0.00	0										
3.96	5.33	1.37	0.12	9	0.00	0										
5.33	6.10	0.77	0.12	16	0.00	0										
6.10	6.71	0.61	0.18	30	0.11	61										
6.71	7.62	0.91	0.25	27	0.00	0										
7.62	8.38	0.76	0.67	88	0.00	0										
8.38	9.30	0.92	0.90	98	0.17	19										
9.30	10.82	1.52	1.42	93	0.12	8										
10.82	11.58	0.76	0.51	67	0.45	88										
11.58	13.10	1.52	1.42	93	1.17	82										
13.10	14.02	0.92	1.10	100	0.37	34										
14.02	14.63	0.61	0.54	89	0.00	0										
14.63	16.15	1.52	1.22	80	0.56	46										
16.15	17.53	1.38	1.30	94	0.57	44										
17.53	18.29	0.76	0.58	76	0.22	38										
18.29	19.05	0.76	0.69	91	0.11	16										
19.05	19.81	0.76	0.89	100	0.10	11										
19.81	20.88	1.07	0.89	83	0.29	33										
20.88	22.25	1.37	1.17	85	0.32	27										
22.25	22.86	0.61	0.63	100	0.11	17										
22.86	23.77	0.91	0.85	93	0.33	39										
23.77	25.30	1.53	1.45	95	0.56	39										
25.30	26.82	1.52	1.47	97	0.62	42										
26.82	28.04	1.22	1.33	100	0.83	62										
28.04	29.26	1.22	0.89	73	0.38	43										
29.26	29.57	0.31	0.33	100	0.00	0										
29.57	30.48	0.91	0.87	96	0.29	33										
30.48	30.78	0.3	0.23	77	0.00	0										
30.78	31.09	0.31	0.30	97	0.10	33										
31.09	32.61	1.52	1.47	97	0.11	7										
32.61	33.38	0.77	0.42	55	0.00	0										
33.38	33.68	0.3	0.26	87	0.10	38										
33.68	34.44	0.76	0.21	28	0.00	0										
34.44	35.05	0.61	0.57	93	0.10	18										
35.05	35.66	0.61	0.64	100	0.21	33										
35.66	35.97	0.31	0.48	100	0.24	50										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-09 Logger: Martin Nunez Date: August 4 - 9, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
35.97	36.89	0.92	0.87	95	0.58	0										
36.89	37.19	0.3	0.50	100	0.21	42										
37.19	37.49	0.3	0.26	87	0.21	81										
37.49	37.95	0.46	0.45	98	0.13	29										
37.95	39.32	1.37	1.10	80	0.55	50										
39.32	39.93	0.61	0.53	87	0.25	47										
39.93	41.15	1.22	1.10	90	0.44	40										
41.15	42.67	1.52	1.34	88	0.79	59										
42.67	43.43	0.76	0.62	82	0.15	24										
43.43	43.74	0.31	0.28	90	0.11	39										
43.74	44.20	0.46	0.26	57	0.00	0										
44.20	45.11	0.91	0.83	91	0.17	20										
45.11	46.33	1.22	0.83	68	0.17	20										
46.33	47.09	0.76	0.83	100	0.39	47										
47.09	48.46	1.37	1.10	80	0.00	0										
48.46	48.92	0.46	0.46	100	0.22	48										
48.92	49.53	0.61	0.52	85	0.00	0										
49.53	50.29	0.76	0.90	100	0.57	63										
50.29	51.89	1.6	1.26	79	0.99	79										
51.89	52.73	0.84	0.74	88	0.54	73										
52.73	54.25	1.52	1.47	97	0.88	60										
54.25	55.78	1.53	1.42	93	0.74	52										
55.78	57.30	1.52	1.52	100	1.44	95										
57.30	58.83	1.53	1.30	85	0.92	71										
58.83	59.28	0.45	0.45	100	0.00	0										
59.28	59.89	0.61	0.44	72	0.00	0										
59.89	60.05	0.16	0.14	88	0.00	0										
60.05	60.66	0.61	0.60	98	0.10	17										
60.66	61.26	0.6	0.42	70	0.00	0										
61.26	62.79	1.53	1.36	89	0.46	34										
62.79	63.25	0.46	0.46	100	0.00	0										
63.25	64.46	1.21	1.07	88	0.30	28										
64.46	65.53	1.07	0.83	78	0.13	16										
65.53	66.14	0.61	0.63	100	0.10	16										
66.14	66.90	0.76	0.48	63	0.15	31										
66.90	67.97	1.07	1.07	100	0.56	52										
67.97	68.27	0.3	0.20	67	0.00	0										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-09 Logger: Martin Nunez Date: August 4 - 9, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
68.27	69.19	0.92	0.77	84	0.33	0										
69.19	69.80	0.61	0.40	66	0.00	0										
69.80	71.02	1.22	1.40	100	0.36	26										
71.02	72.54	1.52	1.32	87	0.44	33										
72.54	73.76	1.22	0.87	71	0.15	17										
73.76	74.07	0.31	0.27	87	0.00	0										
74.07	75.13	1.06	0.72	68	0.00	0										
75.13	75.90	0.77	0.58	75	0.11	19										
75.90	76.81	0.91	1.03	100	0.46	45										
76.81	77.88	1.07	0.77	72	0.38	49										
77.88	79.25	1.37	1.27	93	0.67	53										
79.25	80.16	0.91	0.61	67	0.61	100										
80.16	81.08	0.92	1.22	100	0.97	80										
81.08	82.60	1.52	1.42	93	0.64	45										
82.60	83.21	0.61	0.72	100	0.62	86										
83.21	84.73	1.52	1.49	98	1.34	90										
84.73	86.26	1.53	1.50	98	0.92	61										
86.26	87.78	1.52	1.34	88	0.53	40										
87.78	88.39	0.61	0.67	100	0.23	34										
88.39	89.31	0.92	0.89	97	0.62	70										
89.31	90.83	1.52	1.55	100	0.98	63										
90.83	92.35	1.52	1.53	100	0.90	59										
92.35	93.42	1.07	1.01	94	0.22	22										
93.42	94.95	1.53	1.54	100	1.16	75										
94.95	96.47	1.52	1.56	100	1.23	79										
96.47	97.99	1.52	1.52	100	1.08	71										
97.99	99.52	1.53	1.55	100	0.95	61										
99.52	101.19	1.67	1.63	98	1.55	95										
101.19	102.72	1.53	1.52	99	1.06	70										
102.72	104.24	1.52	1.37	90	1.25	91										
104.24	105.77	1.53	1.53	100	1.24	81										
105.77	106.98	1.21	1.25	100	0.76	61										
106.98	108.51	1.53	1.46	95	0.90	62										
108.51	110.03	1.52	1.52	100	0.99	65										
110.03	111.56	1.53	1.52	99	1.22	80										
111.56	113.08	1.52	1.52	100	1.30	86										
113.08	114.61	1.53	1.47	96	1.26	86										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-09 Logger: Martin Nunez Date: August 4 - 9, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
114.61	116.13	1.52	1.56	100	1.25	0										
116.13	117.50	1.37	1.32	96	0.52	39										
117.50	118.26	0.76	0.75	99	0.00	0										
118.26	119.79	1.53	1.44	94	1.10	76										
119.79	120.85	1.06	1.10	100	0.26	24										
120.85	121.31	0.46	0.21	46	0.00	0										
121.31	122.38	1.07	0.97	91	0.28	29										
122.38	122.83	0.45	0.43	96	0.31	72										
122.83	124.05	1.22	1.52	100	1.20	79										
124.05	125.58	1.53	1.56	100	1.16	74										
125.58	127.10	1.52	1.54	100	1.07	69										
127.10	128.63	1.53	1.51	99	1.44	95										
128.63	129.39	0.76	0.46	61	0.32	70										
129.39	130.76	1.37	1.36	99	1.27	93										
130.76	131.98	1.22	1.14	93	1.02	89										
131.98	133.35	1.37	1.52	100	1.35	89										
133.35	134.87	1.52	1.31	86	1.25	95										
134.87	135.94	1.07	1.28	100	0.37	29										
135.94	137.46	1.52	1.42	93	1.17	82										
137.46	138.07	0.61	0.86	100	0.76	88										
138.07	139.60	1.53	1.59	100	1.47	92										
139.60	141.12	1.52	1.48	97	1.33	90										
141.12	142.65	1.53	1.34	88	1.12	84										
142.65	144.02	1.37	1.33	97	1.07	80										
144.02	145.54	1.52	1.54	100	1.08	70										
145.54	147.22	1.68	1.54	92	1.32	86										
147.22	148.74	1.52	1.40	92	1.19	85										
148.74	150.27	1.53	1.52	99	1.21	80										
150.27	151.79	1.52	1.53	100	1.50	98										
151.79	153.31	1.52	1.54	100	1.43	93										
153.31	154.84	1.53	1.36	89	1.36	100										
154.84	156.06	1.22	1.52	100	1.11	73										
156.06	157.58	1.52	1.58	100	1.14	72										
157.58	158.34	0.76	0.83	100	0.63	76										
158.34	159.11	0.77	0.77	100	0.62	81										
159.11	159.41	0.3	0.36	100	0.36	100										
159.41	161.54	2.13	1.66	78	1.23	74										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-09 Logger: Martin Nunez Date: August 4 - 9, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
161.54	162.15	0.61	0.85	100	0.54	0										
162.15	163.83	1.68	1.53	91	1.36	89										
163.83	165.20	1.37	1.54	100	1.31	85										
165.20	166.42	1.22	1.11	91	0.46	41										
166.42	167.64	1.22	1.49	100	1.39	93										
167.64	168.55	0.91	0.61	67	0.28	46										
168.55	170.08	1.53	1.56	100	1.38	88										
170.08	171.60	1.52	1.46	96	1.41	97										
171.60	173.13	1.53	1.49	97	1.14	77										
173.13	174.65	1.52	1.45	95	0.79	54										
174.65	176.17	1.52	1.58	100	0.92	58										
176.17	177.70	1.53	1.59	100	1.33	84										
177.70	179.22	1.52	1.50	99	0.68	45										
179.22	180.75	1.53	1.48	97	0.98	66										
180.75	182.72	1.97	1.54	78	1.37	89										
182.72	183.79	1.07	1.51	100	1.39	92										
183.79	185.32	1.53	1.53	100	1.27	83										
185.32	186.84	1.52	1.48	97	0.78	53										
186.84	188.37	1.53	1.54	100	1.19	77										
188.37	189.89	1.52	1.40	92	1.26	90										
189.89	191.41	1.52	1.59	100	1.21	76										
191.41	192.94	1.53	1.46	95	1.15	79										
192.94	194.46	1.52	1.60	100	1.24	78										
194.46	195.99	1.53	1.49	97	1.09	73										
195.99	197.51	1.52	1.55	100	1.05	68										
197.51	198.12	0.61	0.63	100	0.38	60										
198.12	199.03	0.91	0.75	82	0.60	80										
199.03	200.56	1.53	1.57	100	1.09	69										
200.56	202.08	1.52	1.43	94	0.97	68										
202.08	203.61	1.53	1.28	84	0.84	66										
203.61	204.83	1.22	1.20	98	0.90	75										
204.83	205.74	0.91	0.90	99	0.36	40										
205.74	206.35	0.61	0.69	100	0.29	42										
206.35	207.87	1.52	1.85	100	1.83	99										
207.87	209.40	1.53	1.52	99	1.34	88										
209.40	210.62	1.22	1.23	100	1.06	86										
210.62	211.99	1.37	1.36	99	0.78	56										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-09 Logger: Martin Nunez Date: August 4 - 9, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
211.99	213.51	1.52	1.57	100	1.50	0										
213.51	215.04	1.53	1.56	100	1.29	83										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-08 Logger: Martin Nunez Date: August 1 - 2, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
1.00	3.05	2.05	0.00	0	0.00	0										
3.05	3.66	0.61	0.70	100	0.11	16										
3.66	4.57	0.91	0.72	79	0.00	0										
4.57	4.88	0.31	0.31	100	0.00	0										
4.88	5.18	0.3	0.32	100	0.00	0										
5.18	5.64	0.46	0.34	74	0.00	0										
5.64	6.25	0.61	0.44	72	0.00	0										
6.25	6.71	0.46	0.29	63	0.11	38										
6.71	7.62	0.91	0.64	70	0.35	55										
7.62	8.84	1.22	1.13	93	0.70	62										
8.84	10.06	1.22	0.98	80	0.67	68										
10.06	11.13	1.07	0.74	69	0.36	49										
11.13	11.43	0.3	0.19	63	0.00	0										
11.43	11.73	0.3	0.19	63	0.00	0										
11.73	12.19	0.46	0.48	100	0.11	23										
12.19	12.65	0.46	0.36	78	0.00	0										
12.65	13.11	0.46	0.38	83	0.09	24										
13.11	14.17	1.06	0.95	90	0.61	64										
14.17	15.09	0.92	0.87	95	0.35	40										
15.09	15.85	0.76	0.63	83	0.11	17										
15.85	16.76	0.91	0.54	59	0.00	0										
16.76	17.37	0.61	0.47	77	0.00	0										
17.37	18.29	0.92	0.88	96	0.58	66										
18.29	19.20	0.91	0.88	97	0.55	63										
19.20	20.73	1.53	1.45	95	0.69	48										
20.73	22.25	1.52	1.22	80	0.29	24										
22.25	23.32	1.07	0.72	67	0.00	0										
23.32	24.38	1.06	0.94	89	0.26	28										
24.38	25.30	0.92	0.47	51	0.00	0										
25.30	25.91	0.61	0.36	59	0.00	0										
25.91	27.43	1.52	1.43	94	0.82	57										
27.43	28.80	1.37	0.79	58	0.00	0										
28.80	29.26	0.46	0.70	100	0.00	0										
29.26	30.48	1.22	1.50	100	0.39	26										
30.48	31.39	0.91	0.47	52	0.00	0										
31.39	32.00	0.61	0.22	36	0.00	0										
32.00	33.07	1.07	0.67	63	0.10	15										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-08 Logger: Martin Nunez Date: August 1 - 2, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
33.07	34.29	1.22	0.93	76	0.52	56										Casing
34.29	35.51	1.22	1.18	97	0.19	16										
35.51	36.58	1.07	0.93	87	0.37	40										
36.58	37.49	0.91	0.88	97	0.20	23										
37.49	38.10	0.61	0.90	100	0.15	17										
38.10	38.86	0.76	0.53	70	0.12	23										
38.86	40.08	1.22	1.10	90	0.00	0										
40.08	41.00	0.92	0.91	99	0.00	0										
41.00	41.91	0.91	0.95	100	0.33	35										
41.91	43.13	1.22	1.14	93	0.69	61										
43.13	44.20	1.07	0.84	79	0.38	45										
44.20	45.72	1.52	1.56	100	0.71	46										
45.72	46.63	0.91	1.04	100	0.54	52										
46.63	47.85	1.22	1.17	96	0.39	33										
47.85	48.46	0.61	0.60	98	0.24	40										
48.46	49.68	1.22	0.93	76	0.87	94										
49.68	50.14	0.46	0.44	96	0.20	45										
50.14	51.36	1.22	1.12	92	1.04	93										
51.36	52.73	1.37	1.52	100	0.53	35										
52.73	54.25	1.52	1.44	95	0.51	35										
54.25	55.47	1.22	1.40	100	0.56	40										
55.47	57.00	1.53	1.51	99	1.15	76										
57.00	58.23	1.23	1.23	100	0.50	41										
58.23	59.74	1.51	1.47	97	0.86	59										
59.74	61.27	1.53	1.49	97	1.15	77										
61.27	62.79	1.52	1.56	100	1.04	67										
62.79	64.16	1.37	1.12	82	0.30	27										
64.16	65.84	1.68	1.00	60	0.26	26										
65.84	67.06	1.22	1.17	96	1.02	87										
67.06	68.58	1.52	1.50	99	1.50	100										
68.58	69.49	0.91	0.84	92	0.74	88										
69.49	70.41	0.92	1.11	100	0.31	28										
70.41	71.02	0.61	0.51	84	0.29	57										
71.02	72.54	1.52	1.57	100	1.28	82										
72.54	74.07	1.53	1.42	93	0.87	61										
74.07	75.59	1.52	1.52	100	1.16	76										
75.59	76.50	0.91	0.88	97	0.69	78										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-08 Logger: Martin Nunez Date: August 1 - 2, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
76.50	77.11	0.61	0.62	100	0.21	34										
77.11	78.64	1.53	1.58	100	0.36	23										
78.64	80.16	1.52	0.92	61	0.00	0										
80.16	81.69	1.53	1.53	100	0.51	33										
81.69	83.06	1.37	1.26	92	1.00	79										
83.06	84.58	1.52	1.56	100	0.91	58										
84.58	86.26	1.68	1.45	86	0.54	37										
86.26	87.78	1.52	1.53	100	0.93	61										
87.78	88.70	0.92	0.83	90	0.60	72										
88.70	90.22	1.52	1.52	100	1.18	78										
90.22	91.74	1.52	1.53	100	0.95	62										
91.74	93.27	1.53	1.58	100	0.89	56										
93.27	94.79	1.52	1.54	100	0.97	63										
94.79	96.32	1.53	1.54	100	0.74	48										
96.32	97.84	1.52	1.19	78	0.14	12										
97.84	98.45	0.61	0.52	85	0.44	85										
98.45	99.36	0.91	0.85	93	0.13	15										
99.36	100.89	1.53	1.56	100	1.19	76										
100.89	102.41	1.52	1.60	100	1.43	89										
102.41	103.94	1.53	1.62	100	1.45	90										
103.94	105.16	1.22	1.19	98	0.71	60										
105.16	106.68	1.52	1.20	79	0.83	69										
106.68	107.90	1.22	1.18	97	0.68	58										
107.90	109.42	1.52	1.45	95	1.07	74										
109.42	110.64	1.22	1.13	93	0.40	35										
110.64	112.17	1.53	1.49	97	0.79	53										
112.17	113.69	1.52	1.51	99	1.32	87										
113.69	115.21	1.52	1.62	100	1.43	88										
115.21	115.67	0.46	0.34	74	0.18	53										
115.67	116.74	1.07	1.10	100	0.80	73										
116.74	118.26	1.52	1.44	95	0.84	58										
118.26	119.79	1.53	1.64	100	1.05	64										
119.79	121.00	1.21	1.01	83	0.70	69										
121.00	121.92	0.92	1.09	100	0.66	61										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-07 Logger: Martin Nunez Date: July 28-31, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
3.05	3.55	0.50	0.35	70	0.00	0										
3.55	3.96	0.41	0.29	71	0.00	0										
3.96	5.49	1.53	1.02	67	0.22	22										
5.49	6.40	0.91	0.92	100	0.13	14										
6.40	6.86	0.46	0.32	70	0.12	38										
6.86	7.93	1.07	0.95	89	0.13	14										
7.93	8.84	0.91	0.55	60	0.00	0										
8.84	9.45	0.61	0.41	67	0.00	0										
9.45	10.67	1.22	0.84	69	0.48	57										
10.67	11.74	1.07	0.96	90	0.58	60										
11.74	12.34	0.6	0.55	92	0.14	25										
12.34	12.95	0.61	0.45	74	0.14	31										
12.95	13.56	0.61	0.46	75	0.10	22										
13.56	13.87	0.31	0.33	100	0.00	0										
13.87	14.33	0.46	0.48	100	0.22	46										
14.33	14.94	0.61	0.56	92	0.43	77										
14.94	15.85	0.91	0.68	75	0.00	0										
15.85	16.46	0.61	0.54	89	0.00	0										
16.46	17.07	0.61	0.35	57	0.00	0										
17.07	17.68	0.61	0.56	92	0.13	23										
17.68	18.14	0.46	0.35	76	0.00	0										
18.14	18.59	0.45	0.27	60	0.00	0										
18.59	19.20	0.61	0.42	69	0.12	29										
19.20	19.81	0.61	0.76	125	0.12	16										
19.81	20.73	0.92	0.57	62	0.11	19										
20.73	21.49	0.76	0.72	95	0.34	47										
21.49	22.25	0.76	0.78	100	0.53	68										
22.25	22.40	0.15	0.16	100	0.00	0										
22.40	23.01	0.61	0.45	74	0.16	36										
23.01	23.47	0.46	0.53	100	0.00	0										
23.47	24.23	0.76	0.75	99	0.23	31										
24.23	25.30	1.07	1.01	94	0.56	55										
25.30	25.60	0.3	0.27	90	0.11	41										
25.60	26.37	0.77	0.70	91	0.12	17										
26.37	27.13	0.76	0.78	100	0.40	51										
27.13	28.35	1.22	1.15	94	0.30	26										
28.35	29.41	1.06	1.04	98	0.12	12										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-07 Logger: Martin Nunez Date: July 28-31, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
29.41	30.48	1.07	0.86	80	0.10	12										Casing
30.48	31.39	0.91	0.88	97	0.22	25										
31.39	32.00	0.61	0.83	100	0.24	29										
32.00	32.92	0.92	0.63	68	0.00	0										
32.92	33.68	0.76	0.70	92	0.42	60										
33.68	35.05	1.37	1.35	99	1.16	86										
35.05	36.58	1.53	1.51	99	1.39	92										
36.58	37.49	0.91	0.79	87	0.55	70										
37.49	39.01	1.52	1.51	99	0.96	64										
39.01	40.53	1.52	1.40	92	1.12	80										
40.53	41.76	1.23	0.92	75	0.11	12										
41.76	42.37	0.61	0.41	67	0.11	27										
42.37	42.98	0.61	0.02	3	0.00	0										
42.98	43.28	0.30	0.13	43	0.00	0										
43.28	43.59	0.31	0.35	100	0.26	74										
43.59	44.20	0.61	0.15	25	0.00	0										
44.20	44.81	0.61	0.27	44	0.00	0										
44.81	45.42	0.61	0.19	31	0.00	0										
45.42	46.03	0.61	0.13	21	0.00	0										
46.03	46.63	0.60	0.46	77	0.00	0										
46.63	47.24	0.61	0.35	57	0.00	0										
47.24	48.01	0.77	0.48	62	0.00	0										
48.01	48.77	0.76	0.56	74	0.33	59										
48.77	49.68	0.91	1.07	100	0.79	74										
49.68	51.21	1.53	1.48	97	0.58	39										
51.21	52.73	1.52	1.42	93	1.17	82										
52.73	54.25	1.52	1.57	100	1.16	74										
54.25	55.78	1.53	1.53	100	1.39	91										
55.78	57.30	1.52	1.51	99	1.03	68										
57.30	58.83	1.53	1.33	87	1.20	90										
58.83	59.44	0.61	0.61	100	0.00	0										
59.44	60.96	1.52	1.59	100	1.13	71										
60.96	61.87	0.91	0.87	96	0.66	76										
61.87	63.40	1.53	1.45	95	0.64	44										
63.40	64.47	1.07	1.04	97	0.76	73										
64.47	64.92	0.45	0.24	53	0.00	0										
64.92	66.45	1.53	1.18	77	0.53	45										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-07 Logger: Martin Nunez Date: July 28-31, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
66.45	67.36	0.91	0.92	100	0.56	61										
67.36	67.97	0.61	0.85	100	0.45	53										
67.97	69.49	1.52	1.47	97	0.56	38										
69.49	70.41	0.92	0.88	96	0.45	51										
70.41	71.02	0.61	0.76	100	0.49	64										
71.02	72.54	1.52	1.62	100	0.35	22										
72.54	74.06	1.52	1.59	100	0.91	57										
74.06	75.59	1.53	1.50	98	0.82	55										
75.59	77.11	1.52	1.28	84	0.78	61										
77.11	77.42	0.31	0.30	97	0.24	80										
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-06 Logger: Martin Nunez Date: July 24-25, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
6.10	6.40	0.30	0.45	100	0.00	0										
6.40	6.71	0.31	0.43	100	0.00	0										
6.71	7.16	0.45	0.46	100	0.12	26										
7.16	7.77	0.61	0.75	100	0.22	29										
7.77	8.08	0.31	0.38	100	0.00	0										
8.08	8.69	0.61	0.62	100	0.11	18										
8.69	9.30	0.61	0.80	100	0.00	0										
9.30	10.06	0.76	0.56	74	0.20	36										
10.06	10.80	0.74	0.69	93	0.00	0										
10.80	11.73	0.93	0.77	83	0.23	30										
11.73	12.50	0.77	0.81	100	0.10	12										
12.50	13.56	1.06	0.67	63	0.27	40										
13.56	13.87	0.31	0.25	81	0.00	0										
13.87	14.33	0.46	0.53	100	0.31	58										
14.33	14.78	0.45	0.38	84	0.00	0										
14.78	15.54	0.76	0.64	84	0.23	36										
15.54	16.46	0.92	0.86	93	0.54	63										
16.46	16.92	0.46	0.33	72	0.11	33										
16.92	17.37	0.45	0.53	100	0.00	0										
17.37	17.98	0.61	0.52	85	0.10	19										
17.98	18.90	0.92	0.83	90	0.11	13										
18.90	19.51	0.61	0.53	87	0.00	0										
19.51	19.96	0.45	0.34	76	0.00	0										
19.96	20.73	0.77	0.62	81	0.31	50										
20.73	21.34	0.61	0.51	84	0.23	45										
21.34	22.10	0.76	0.52	68	0.10	19										
22.10	23.01	0.91	1.06	100	0.56	53										
23.01	23.77	0.76	0.80	100	0.21	26										
23.77	24.23	0.46	0.39	85	0.00	0										
24.23	24.84	0.61	0.45	74	0.00	0										
24.84	25.45	0.61	0.69	100	0.00	0										
25.45	26.37	0.92	0.85	92	0.32	38										
26.37	27.12	0.75	0.88	100	0.10	11										
27.12	27.58	0.46	0.43	93	0.00	0										
27.58	28.35	0.77	0.78	100	0.00	0										
28.35	29.11	0.76	0.92	100	0.47	51										
29.11	29.87	0.76	0.66	87	0.00	0										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-06 Logger: Martin Nunez Date: July 24-25, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
29.87	30.48	0.61	0.49	80	0.00	0										Casing
30.48	30.94	0.46	0.46	100	0.26	57										
30.94	31.70	0.76	0.77	100	0.24	31										
31.70	32.31	0.61	0.42	69	0.00	0										
32.31	32.92	0.61	0.32	52	0.00	0										
32.92	33.83	0.91	0.96	100	0.59	61										
33.83	34.75	0.92	0.92	100	0.14	15										
34.75	35.20	0.45	0.60	100	0.14	23										
35.20	36.58	1.38	1.21	88	0.23	19										
36.58	37.49	0.91	0.87	96	0.76	87										
37.49	38.40	0.91	0.83	91	0.39	47										
38.40	39.47	1.07	1.06	99	0.87	82										
39.47	40.54	1.07	0.86	80	0.35	41										
40.54	41.15	0.61	0.59	97	0.14	24										
41.15	42.67	1.52	1.42	93	0.95	67										
42.67	43.58	0.91	0.90	99	0.14	16										
43.58	45.11	1.53	1.46	95	0.67	46										
45.11	46.63	1.52	1.62	100	1.11	69										
46.63	48.16	1.53	1.60	100	0.93	58										
48.16	49.68	1.52	1.40	92	0.94	67										
49.68	51.20	1.52	1.60	100	0.80	50										
51.20	52.73	1.53	1.30	85	1.00	77										
52.73	54.25	1.52	1.70	100	0.97	57										
54.25	55.77	1.52	1.43	94	0.81	57										
55.77	57.30	1.53	1.51	99	0.54	36										
57.30	58.83	1.53	1.45	95	0.29	20										
58.83	60.35	1.52	1.60	105	0.31	19										
60.35	61.87	1.52	1.35	89	1.20	89										
61.87	63.40	1.53	1.54	100	1.16	75										
63.40	64.92	1.52	1.59	100	1.18	74										
64.92	66.44	1.52	1.57	100	0.91	58										
66.44	67.97	1.53	1.56	100	1.32	85										
67.97	69.49	1.52	1.52	100	1.13	74										
69.49	71.02	1.53	1.44	94	0.94	65										
71.02	72.54	1.52	1.38	91	0.76	55										
72.54	74.07	1.53	1.36	89	1.04	76										
74.07	75.59	1.52	1.56	100	0.91	58										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-06 Logger: Martin Nunez Date: July 24-25, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
75.59	77.11	1.52	1.46	96	0.61	42										
77.11	78.64	1.53	1.41	92	0.54	38										
78.64	80.16	1.52	1.58	100	0.58	37										
80.16	81.64	1.48	1.53	100	0.59	39										
81.64	83.21	1.57	1.55	99	1.25	81										
83.21	84.73	1.52	1.55	100	1.42	92										
84.73	86.26	1.53	1.41	92	1.33	94										
86.26	87.78	1.52	1.47	97	1.11	76										
87.78	89.31	1.53	1.44	94	1.33	92										
89.31	90.83	1.52	1.50	99	1.07	71										
90.83	92.35	1.52	1.37	90	1.37	100										
92.35	93.88	1.53	1.54	100	0.97	63										
93.88	95.4	1.52	1.38	91	1.01	73										
95.4	96.93	1.53	1.40	92	0.78	56										
96.93	98.45	1.52	1.41	93	0.59	42										
98.45	99.97	1.52	1.16	76	0.87	75										
99.97	101.19	1.22	1.48	100	0.55	37										
101.19	102.72	1.53	1.47	96	0.29	20										
102.72	104.4	1.68	1.52	90	0.62	41										
104.4	105.92	1.52	1.48	97	0.47	32										
105.92	107.44	1.52	1.43	94	0.85	59										
107.44	109.12	1.68	1.58	94	1.17	74										
109.12	110.03	0.91	0.90	99	0.73	81										
110.03	110.64	0.61	0.74	100	0.65	88										
110.64	112.17	1.53	1.50	98	1.18	79										
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-05 Logger: Matthew Dumala Date: June 22-7, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
0.00	4.88	4.88	0.00	0	0.00	0										Casing
4.88	5.49	0.61	0.61	100	0.25	41										
5.49	6.86	1.37	1.08	79	0.00	0										
6.86	7.16	0.30	0.13	43	0.00	0										
7.16	8.53	1.37	0.38	28	0.10	26										
8.53	10.06	1.53	0.73	48	0.00	0										
10.06	11.58	1.52	0.68	45	0.00	0										
11.58	13.11	1.53	0.82	54	0.00	0										
13.11	14.33	1.22	0.93	76	0.00	0										
14.33	14.94	0.61	0.61	100	0.00	0										
14.94	16.15	1.21	0.90	74	0.00	0										
16.15	17.68	1.53	0.60	39	0.00	0										
17.68	18.59	0.91	0.49	54	0.00	0										
18.59	19.51	0.92	0.75	82	0.00	0										
19.51	20.12	0.61	0.32	52	0.00	0										
20.12	21.03	0.91	0.65	71	0.00	0										
21.03	22.25	1.22	1.06	87	0.54	51										
22.25	23.62	1.37	1.13	82	0.12	11										
23.62	24.69	1.07	1.07	100	0.36	34										
24.69	26.06	1.37	1.30	95	0.00	0										
26.06	26.52	0.46	0.32	70	0.00	0										
26.52	28.04	1.52	1.26	83	0.00	0										
28.04	28.19	0.15	0.25	167	0.00	0										
28.19	28.35	0.16	0.16	100	0.00	0										
28.35	29.11	0.76	0.50	66	0.00	0										
29.11	30.18	1.07	0.80	75	0.00	0										
30.18	31.09	0.91	0.91	100	0.00	0										
31.09	32.16	1.07	1.07	100	0.00	0										
32.16	33.53	1.37	1.04	76	0.00	0										
33.53	34.14	0.61	0.44	72	0.00	0										
34.14	34.59	0.45	0.45	100	0.00	0										
34.59	35.51	0.92	0.53	58	0.00	0										
35.51	36.12	0.61	0.61	100	0.00	0										
36.12	36.58	0.46	0.24	52	0.00	0										
36.58	37.19	0.61	0.36	59	0.00	0										
37.19	38.71	1.52	1.05	69	0.00	0										
38.71	40.23	1.52	1.24	82	0.00	0										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DNO4-05 Logger: Matthew Dumala Date: June 21-22, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
40.23	40.84	0.61	0.51	84	0	0										
40.84	41.45	0.61	0.26	43	0	0										
41.45	42.67	1.22	1.30	100	0	0										
42.67	43.74	1.07	0.87	81	0.11	13										
43.74	44.35	0.61	0.50	82	0	0										
44.35	45.11	0.76	0.90	100	0.12	13										
45.11	45.72	0.61	0.65	100	0	0										
45.72	46.32	0.6	0.55	92	0	0										
46.32	47.55	1.23	1.62	100	0	0										
47.55	48.31	0.76	0.55	72	0	0										
48.31	48.77	0.46	0.44	96	0	0										
48.77	49.99	1.22	1.10	90	0.14	13										
49.99	50.60	0.61	0.60	98	0	0										
50.60	51.21	0.61	0.57	93	0	0										
51.21	51.66	0.45	0.70	100	0	0										
51.66	52.42	0.76	0.70	92	0	0										
52.42	53.04	0.62	0.85	100	0	0										
53.04	53.95	0.91	1.05	100	0	0										
53.95	54.71	0.76	0.57	75	0	0										
54.71	55.47	0.76	0.85	100	0.1	12										
55.47	56.39	0.92	0.90	98	0	0										
56.39	57.30	0.91	0.71	78	0	0										
57.30	57.91	0.61	0.66	100	0	0										
57.91	59.44	1.53	1.45	95	0.3	21										
59.44	60.96	1.52	1.70	100	0.1	6										
60.96	61.42	0.46	0.52	100	0	0										
61.42	61.87	0.45	0.60	100	0	0										
61.87	62.48	0.61	0.55	90	0	0										
62.48	62.94	0.46	0.40	87	0	0										
62.94	63.70	0.76	0.75	99	0.16	21										
63.70	64.62	0.92	1.12	100	0.23	21										
64.62	66.14	1.52	1.45	95	0.83	57										
66.14	67.06	0.92	0.83	90	0.62	75										
67.06	67.51	0.45	0.40	89	0.22	55										
67.51	68.58	1.07	1.03	96	0.79	77										
68.58	69.65	1.07	0.92	86	0.28	30										
69.65	70.10	0.45	0.50	100	0	0										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-04 Logger: Matthew Dumala Date: June 21-22, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
0.00	3.05	3.05	0.00	0	0.00	0										Casing
3.05	3.96	0.91	0.91	100	0.24	26										
3.96	4.88	0.92	0.83	90	0.00	0										
4.88	6.25	1.37	1.30	95	0.51	39										
6.25	6.71	0.46	0.46	100	0.26	57										
6.71	7.92	1.21	1.08	89	0.10	9										
7.92	9.45	1.53	1.41	92	0.47	33										
9.45	10.06	0.61	0.54	89	0.34	63										
10.06	11.58	1.52	1.44	95	0.46	32										
11.58	12.04	0.46	0.42	91	0.15	36										
12.04	12.80	0.76	0.72	95	0.12	17										
12.80	13.41	0.61	0.50	82	0.20	40										
13.41	14.63	1.22	1.22	100	0.11	9										
14.63	15.85	1.22	1.15	94	0.26	23										
15.85	16.76	0.91	0.83	91	0.22	27										
16.76	17.37	0.61	0.49	80	0.11	22										
17.37	18.14	0.77	0.71	92	0.14	20										
18.14	19.20	1.06	1.06	100	0.25	24										
19.20	20.73	1.53	1.50	98	0.60	40										
20.73	22.25	1.52	1.25	82	0.45	36										
22.25	23.77	1.52	0.69	45	0.41	59										
23.77	24.84	1.07	1.07	100	0.62	58										
24.84	25.91	1.07	1.07	100	0.25	23										
25.91	27.58	1.67	1.47	88	0.26	18										
27.58	28.35	0.77	0.24	31	0.00	0										
28.35	29.26	0.91	0.44	48	0.13	30										
29.26	30.31	1.05	0.78	74	0.12	15										
30.31	31.70	1.39	0.85	61	0.10	12										
31.70	33.22	1.52	1.23	81	0.00	0										
33.22	34.44	1.22	0.60	49	0.00	0										
34.44	35.36	0.92	0.92	100	0.22	24										
35.36	35.81	0.45	0.45	100	0.10	22										
35.81	36.42	0.61	0.61	100	0.10	16										
36.42	37.24	0.82	0.54	66	0.00	0										
37.24	37.49	0.25	0.15	60	0.00	0										
37.49	39.01	1.52	0.70	46	0.00	0										
39.01	40.54	1.53	0.68	44	0.00	0										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DNO4-04 Logger: Matthew Dumala Date: June 21-22, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
40.54	41.15	0.61	0.44	72	0	0										
41.15	42.37	1.22	0.66	54	0	0										
42.37	43.59	1.22	1.1	90	0	0										
43.59	44.81	1.22	1.09	89	0.11	10										
44.81	46.02	1.21	0.41	34	0	0										
46.02	47.24	1.22	0.94	77	0.1	11										
47.24	48.01	0.77	0.61	79	0	0										
48.01	49.07	1.06	0.85	80	0.1	12										
49.07	49.68	0.61	0.61	100	0	0										
49.68	50.6	0.92	0.92	100	0.29	32										
50.6	51.36	0.76	0.62	82	0.19	31										
51.36	51.97	0.61	0.48	79	0.12	25										
51.97	52.43	0.46	0.46	100	0	0										
52.43	53.49	1.06	1.03	97	0	0										
53.49	54.41	0.92	0.82	89	0.12	15										
54.41	55.63	1.22	1.22	100	0.51	42										
55.63	57.61	1.98	1.53	77	0.55	36										
57.61	58.83	1.22	1.22	100	0.59	48										
58.83	59.44	0.61	0.61	100	0.1	16										
59.44	60.35	0.91	0.8	88	0.21	26										
60.35	61.87	1.52	1.44	95	0.96	67										
61.87	63.4	1.53	1.53	100	0.72	47										
63.4	64.92	1.52	1.34	88	0.6	45										
64.92	66.45	1.53	1.53	100	1.12	73										
66.45	67.36	0.91	0.72	79	0.46	64										
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-03 Logger: Matthew Dumala Date: June 19-21, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
0.00	6.40	6.4	0.00	0	0.00	0										
6.40	7.32	0.92	0.93	101	0.00	0										
7.32	8.84	1.52	1.46	96	0.55	38										
8.84	10.06	1.22	1.05	86	0.37	35										
10.06	10.97	0.91	0.79	87	0.22	28										
10.97	12.04	1.07	1.01	94	0.40	40										
12.04	13.41	1.37	1.16	85	0.13	11										
13.41	14.94	1.53	1.52	99	0.89	59										
14.94	16.15	1.21	0.77	64	0.25	32										
16.15	17.68	1.53	1.53	100	0.23	15										
17.68	18.75	1.07	0.98	92	0.26	27										
18.75	19.81	1.06	1.06	100	0.25	24										
19.81	21.34	1.53	1.53	100	0.63	41										
21.34	22.25	0.91	0.66	73	0.22	33										
22.25	23.77	1.52	1.52	100	0.42	28										
23.77	24.84	1.07	0.94	88	0.00	0										
24.84	25.60	0.76	0.63	83	0.22	35										
25.60	27.13	1.53	1.53	100	1.06	69										
27.13	28.35	1.22	1.20	98	0.77	64										
28.35	29.72	1.37	1.37	100	0.36	26										
29.72	31.09	1.37	1.30	95	0.00	0										
31.09	32.00	0.91	0.91	100	0.00	0										
32.00	32.46	0.46	0.44	96	0.11	25										
32.46	32.92	0.46	0.46	100	0.00	0										
32.92	33.38	0.46	0.42	91	0.00	0										
33.38	34.44	1.06	1.06	100	0.00	0										
34.44	35.05	0.61	0.61	100	0.00	0										
35.05	36.12	1.07	0.98	92	0.21	21										
36.12	37.19	1.07	1.07	100	0.10	9										
37.19	38.71	1.52	1.50	99	0.30	20										
38.71	39.93	1.22	1.12	92	0.56	50										
39.93	40.54	0.61	0.51	84	0.30	59										
40.54	41.76	1.22	1.22	100	0.83	68										
41.76	43.28	1.52	1.52	100	0.55	36										
43.28	44.65	1.37	1.14	83	0.11	10										
44.65	46.02	1.37	1.20	88	0.23	19										
46.02	47.09	1.07	0.99	93	0.46	46										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-03 Logger: Matthew Dumala Date: June 19-21, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
47.09	48.01	0.92	0.92	100	0.27	29										Casing
48.01	49.53	1.52	1.52	100	0.23	15										
49.53	51.21	1.68	0.15	9	0.98	636										
51.21	52.73	1.52	0.14	9	0.47	331										
52.73	54.25	1.52	0.14	9	0.48	343										
54.25	55.47	1.22	1.22	100	0.49	40										
55.47	56.08	0.61	0.61	100	0.00	0										
56.08	56.69	0.61	0.61	100	0.26	43										
56.69	58.37	1.68	1.62	96	1.15	71										
58.37	59.74	1.37	1.30	95	0.77	59										
59.74	61.26	1.52	1.40	92	0.17	12										
61.26	62.79	1.53	1.43	93	0.53	37										
62.79	64.01	1.22	1.18	97	0.69	58										
64.01	65.53	1.52	1.44	95	0.73	51										
65.53	66.45	0.92	0.92	100	0.25	27										
66.45	67.36	0.91	0.91	100	0.22	24										
67.36	68.88	1.52	1.52	100	1.01	66										
68.88	70.10	1.22	1.16	95	0.53	46										
70.10	71.02	0.92	0.63	68	0.48	76										
71.02	72.54	1.52	1.52	100	0.70	46										
72.54	73.30	0.76	0.76	100	0.00	0										
73.30	74.52	1.22	1.10	90	0.00	0										
74.52	76.05	1.53	1.50	98	0.14	9										
76.05	76.96	0.91	0.58	64	0.00	0										
76.96	78.64	1.68	1.63	97	0.11	7										
78.64	79.25	0.61	0.50	82	0.12	24										
79.25	80.62	1.37	1.37	100	0.58	42										
80.62	82.30	1.68	1.68	100	0.35	21										
82.30	83.82	1.52	1.46	96	0.16	11										
83.82	85.34	1.52	1.52	100	0.38	25										
85.34	86.87	1.53	1.44	94	0.14	10										
86.87	87.78	0.91	0.91	100	0.00	0										
87.78	89.00	1.22	1.15	94	0.32	28										
89.00	90.53	1.53	1.46	95	0.68	47										
90.53	91.14	0.61	0.61	100	0.24	39										
91.14	91.74	0.60	0.50	83	0.00	0										
91.74	92.05	0.31	0.55	177	0.00	0										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-03 Logger: Matthew Dumala Date: June 19-21, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
92.05	93.12	1.07	0.94	88	0.23	24										
93.12	93.57	0.45	0.45	100	0.00	0										
93.57	95.1	1.53	1.42	93	1.04	73										
95.1	96.62	1.52	1.44	95	1.38	96										
96.62	98.15	1.53	1.53	100	0.47	31										
98.15	99.67	1.52	1.50	99	0.92	61										
99.67	101.19	1.52	1.52	100	0.88	58										
101.19	102.11	0.92	0.83	90	0.10	12										
102.11	103.17	1.06	1.06	100	0.34	32										
103.17	104.55	1.38	1.35	98	0.42	31										
104.55	106.07	1.52	1.42	93	0.79	56										
106.07	107.59	1.52	1.49	98	0.33	22										
107.59	109.12	1.53	1.47	96	0.53	36										
109.12	110.64	1.52	1.48	97	0.98	66										
110.64	112.17	1.53	1.50	98	0.70	47										
112.17	113.69	1.52	1.46	96	0.84	58										
113.69	115.21	1.52	1.52	100	1.22	80										
115.21	116.74	1.53	1.50	98	1.16	77										
116.74	118.26	1.52	1.42	93	1.00	70										
118.26	119.79	1.53	1.53	100	1.08	71										
119.79	121.31	1.52	1.44	95	0.93	65										
121.31	122.83	1.52	1.48	97	0.41	28										
122.83	124.36	1.53	1.45	95	0.31	21										
124.36	125.88	1.52	1.45	95	1.23	85										
125.88	127.41	1.53	1.45	95	1.21	83										
127.41	128.93	1.52	1.32	87	1.09	83										
128.93	130.45	1.52	1.41	93	1.06	75										
130.45	131.98	1.53	1.53	100	1.26	82										
131.98	133.5	1.52	1.52	100	0.79	52										
133.5	135.03	1.53	1.48	97	1.15	78										
135.03	136.55	1.52	1.48	97	1.32	89										
136.55	137.16	0.61	0.61	100	0.61	100										
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-02 Logger: Matthew Dumala Date: June 18-19, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
0.00	3.66	3.66	0.00	0	0.00	0										Casing
3.66	4.27	0.61	0.50	82	0.00	0										
4.27	5.18	0.91	0.64	70	0.10	16										
5.18	5.64	0.46	0.36	78	0.00	0										
5.64	5.94	0.30	0.25	83	0.00	0										
5.94	6.55	0.61	0.33	54	0.00	0										
6.55	7.16	0.61	0.42	69	0.00	0										
7.16	7.77	0.61	0.25	41	0.00	0										
7.77	8.38	0.61	0.44	72	0.00	0										
8.38	9.14	0.76	0.76	100	0.10	13										
9.14	9.75	0.61	0.43	70	0.00	0										
9.75	10.82	1.07	0.94	88	0.00	0										
10.82	11.28	0.46	0.44	96	0.00	0										
11.28	12.04	0.76	0.76	100	0.21	28										
12.04	12.80	0.76	0.68	89	0.43	63										
12.80	13.72	0.92	0.90	98	0.11	12										
13.72	14.33	0.61	0.46	75	0.00	0										
14.33	15.85	1.52	1.30	86	0.21	16										
15.85	17.37	1.52	1.51	99	0.57	38										
17.37	18.90	1.53	0.74	48	0.12	16										
18.90	20.42	1.52	0.25	16	0.00	0										
20.42	21.95	1.53	1.21	79	0.22	18										
21.95	23.16	1.21	1.19	98	0.44	37										
23.16	24.69	1.53	1.52	99	0.72	47										
24.69	26.21	1.52	1.44	95	0.81	56										
26.21	27.89	1.68	1.54	92	0.51	33										
27.89	28.65	0.76	0.75	99	0.15	20										
28.65	29.57	0.92	0.87	95	0.40	46										
29.57	30.94	1.37	1.01	74	0.30	30										
30.94	32.31	1.37	1.24	91	0.44	35										
32.31	33.38	1.07	0.96	90	0.63	66										
33.38	34.44	1.06	0.96	91	0.21	22										
34.44	35.66	1.22	1.22	100	0.44	36										
35.66	36.58	0.92	0.92	100	0.20	22										
36.58	37.49	0.91	0.83	91	0.47	57										
37.49	39.01	1.52	1.48	97	1.00	68										
39.01	40.23	1.22	1.09	89	0.92	84										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DNO4-02 Logger: Matthew Dumala Date: June 18-19, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
40.23	41.25	1.02	0.92	90	0.52	57										
41.25	42.06	0.81	0.9	111	0.32	36										
42.06	42.67	0.61	0.44	72	0.1	23										
42.67	43.59	0.92	0.85	92	0.12	14										
43.59	44.96	1.37	1.35	99	0.39	29										
44.96	45.57	0.61	0.42	69	0	0										
45.57	46.02	0.45	0.39	87	0	0										
46.02	46.63	0.61	0.61	100	0	0										
46.63	47.09	0.46	0.46	100	0.14	30										
47.09	47.55	0.46	0.2	43	0	0										
47.55	47.86	0.31	0.29	94	0	0										
47.86	48.31	0.45	0.35	78	0.1	29										
48.31	48.92	0.61	0.44	72	0	0										
48.92	49.53	0.61	0.56	92	0.1	18										
49.53	49.83	0.3	0.29	97	0	0										
49.83	51.21	1.38	0.8	58	0.37	46										
51.21	52.12	0.91	0.91	100	0.26	29										
52.12	52.73	0.61	0.61	100	0.45	74										
52.73	54.25	1.52	1.41	93	0.91	65										
54.25	55.47	1.22	1.22	100	0.74	61										
55.47	57	1.53	1.45	95	1.18	81										
57	57.61	0.61	0.56	92	0.3	54										
57.61	58.37	0.76	0.73	96	0.12	16										
58.37	59.13	0.76	0.69	91	0	0										
59.13	59.59	0.46	0.36	78	0.1	28										
59.59	60.2	0.61	0.5	82	0.11	22										
60.2	60.96	0.76	0.66	87	0	0										
60.96	61.72	0.76	0.49	64	0.1	20										
61.72	62.72	1	0.97	97	0.49	51										
62.72	63.7	0.98	0.91	93	0.3	33										
63.7	64.92	1.22	1.22	100	0.64	52										
64.92	65.53	0.61	0.61	100	0.61	100										
EOH																

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY

Hole: DN04-01 Logger: Matthew Dumala Date: June 15-17, 2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
55.78	57.30	1.52	1.52	100	0.36	24										
57.30	58.83	1.53	1.53	100	0.25	16										
58.83	60.35	1.52	1.52	100	0.47	31										
60.35	61.42	1.07	1.06	99	0.56	53										
61.42	62.99	1.57	1.55	99	1.01	65										
62.99	64.62	1.63	1.56	96	0.68	44										
64.62	66.14	1.52	1.49	98	0.83	56										
66.14	67.67	1.53	1.40	92	0.57	41										
67.67	68.88	1.21	1.20	99	0.00	0										
68.88	69.65	0.77	0.72	94	0.12	17										
69.65	71.02	1.37	1.37	100	0.31	23										
71.02	72.54	1.52	1.48	97	0.91	61										
72.54	74.07	1.53	1.53	100	1.45	95										
74.07	75.59	1.52	1.50	99	0.93	62										
75.59	77.11	1.52	1.52	100	1.33	88										
77.11	78.64	1.53	1.49	97	0.80	54										
78.64	80.16	1.52	1.52	100	1.27	84										
80.16	81.69	1.53	1.44	94	0.80	56										
81.69	83.21	1.52	1.52	100	1.34	88										
83.21	84.73	1.52	1.44	95	1.13	78										
84.73	86.26	1.53	1.52	99	0.85	56										
86.26	87.78	1.52	1.53	101	0.76	50										
87.78	89.31	1.53	1.52	99	0.86	57										
89.31	90.83	1.52	1.48	97	1.03	70										
90.83	92.35	1.52	1.52	100	1.04	68										
92.35	93.88	1.53	1.53	100	0.75	49										
93.88	95.40	1.52	1.46	96	1.21	83										
95.40	96.93	1.53	1.53	100	1.32	86										
96.93	98.45	1.52	1.52	100	1.24	82										
98.45	99.97	1.52	1.52	100	1.16	76										
99.97	101.50	1.53	1.48	97	0.88	59										
101.50	103.02	1.52	1.47	97	0.75	51										
103.02	104.55	1.53	1.53	100	1.25	82										
104.55	106.07	1.52	1.52	100	1.27	84										
106.07	107.59	1.52	1.48	97	1.24	84										
107.59	109.12	1.53	1.53	100	1.47	96										
109.12	110.64	1.52	1.41	93	1.36	89										

GEOTECHNICAL LOG
GOLDEN REVENUE PROPERTY Hole: DN04-01 Logger: Matthew Dumala Date: June 15-17,2004

From (m)	To (m)	Length (m)	REC	REC%	RQD	RQD%	BRKG	HARD	WTHR	XJNT	XJ/M	BJNT	BJ/M	SHAPE	RGH	Remarks
110.64	112.17	1.53	1.53	100	1.46	95										
112.17	113.69	1.52	1.52	100	1.35	89										
113.69	115.21	1.52	1.52	100	1.43	94										
115.21	116.74	1.53	1.46	95	1.46	100										
116.74	118.26	1.52	1.45	95	1.13	78										
118.26	119.79	1.53	1.53	100	1.10	72										
119.79	121.31	1.52	1.44	95	1.05	73										
121.31	122.83	1.52	1.39	91	1.23	88										
122.83	124.36	1.53	1.53	100	1.29	84										
124.36	125.88	1.52	1.48	97	1.38	93										
125.88	126.80	0.92	0.92	100	0.40	43										
126.80	128.32	1.52	1.49	98	1.13	76										
128.32	129.84	1.52	1.52	100	1.44	95										
129.84	131.52	1.68	1.53	91	1.38	90										
131.52	132.28	0.76	0.66	87	0.42	64										
132.28	132.89	0.61	0.61	100	0.35	57										
132.89	134.42	1.53	1.53	100	1.31	86										
134.42	135.94	1.52	1.52	100	1.36	89										
135.94	137.62	1.68	1.60	95	1.43	89										
137.62	138.68	1.06	0.88	83	0.46	52										
138.68	140.21	1.53	1.49	97	1.35	91										
140.21	141.12	0.91	0.91	100	0.90	99										
141.12	142.65	1.53	1.43	93	0.65	45										
142.65	144.17	1.52	1.46	96	1.19	82										
144.17	145.54	1.37	1.37	100	0.51	37										
145.54	147.22	1.68	1.50	89	0.92	61										
147.22	148.75	1.53	1.40	92	0.90	64										
148.75	150.27	1.52	1.52	100	1.28	84										
150.27	150.88	0.61	0.61	100	0.52	85										
E.O.H.																

APPENDIX IV

SYNOPTIC LOGS
NUCLEUS ZONE DIAMOND DRILL HOLES

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-14 Zone: NUCLEUS Section: 6913199 N

Easting:	Northing:	Elevation:	Depth:
379710 mE	6913199mN	842m	158.80

Logger: Jean Pautler
Drilling Dates: Oct 5-9 , 2004

Depth	Collar	158.80		
Azimuth	270			
Dip	-50	-49		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
0.00	15.65	15.65	OVBR	CASING to 3.05m, 27.83m more CASING added										
15.65	17.37	1.72	GRAN	fractured bedrock, fine quartz stringers	15.65	17.37	1.72	P396760	83	19	77	298	0.3	168
17.37	18.90	1.53	FTZN	granite frags with quartz stringers, fine pyrite	17.37	18.90	1.53	P396761	73	49	87	264	2.3	3680
18.90	19.80	0.90	FTZN	GNIS and GRAN fragments	18.90	21.64	2.74	P396762	94	19	46	1930	0.9	58
19.80	26.65	6.85	BRZN	strongly limonitic, GRAN, GNIS frags, chalcocite	21.64	23.65	2.01	P396763	93	22	19	491	1.3	803
				2% py, cc, trace cp, bn	23.65	26.65	3.00	P396764	82	11	24	944	0.5	39
26.65	55.79	29.14	FTZN	strong fault zone, oxidation down to 29.11m	26.65	29.65	3.00	P396765	77	14	26	1140	0.2	28
				with GNIS, GRAN frags, 3% py, cc ,trace cp	29.65	32.65	3.00	P396766	65	23	119	799	0.4	96
				as above	32.65	34.60	1.95	P396767	82	13	23	373	<0.2	36
				as above	34.60	37.80	3.20	P396768	78	17	48	344	0.3	14
				in GNIS, 40% gouge, 2% pyrite, trace cc	37.80	41.15	3.35	P396769	90	26	58	222	0.3	1150
				qtz-py-cp stringers + chalcocite	41.15	43.13	1.98	P396770	85	3	21	240	0.2	28
				gouge, minor chalcocite	43.13	46.15	3.02	P396772	95	104	125	409	0.9	37
				as above	46.15	48.76	2.61	P396773	93	5	44	185	<0.2	23
				fault with GNIS, GRAN frags	48.76	51.76	3.00	P396774	99	6	40	311	<0.2	188
				brecciation	51.76	54.60	2.84	P396776	88	74	317	853	0.7	83
				grades chloritic	54.60	55.79	1.19	P396777	100	2	39	211	<0.2	84
55.79	61.79	6.00	GNIS	highly altered, 3% pyrite, trace cc, mal,	55.79	58.79	3.00	P396778	95	5	54	389	0.2	168
				as above	58.79	61.79	3.00	P396779	95	5	107	224	<0.2	19
61.79	64.80	3.01	SCHT	2% py, cc ,trace cp, fault @ 63.3	61.79	64.80	3.01	P396780	95	10	26	102	<0.2	19
64.80	69.83	5.03	AMPH	2% pyrite, fault @ 65m	64.80	67.80	3.00	P396781	93	<2	29	205	<0.2	46
				fault @ 68.5m	67.80	69.85	2.05	P396782	94	2	31	187	<0.2	52
69.83	71.50	1.67	SCHT	felsic layer	69.85	71.50	1.65	P396783	90	5	9	103	<0.2	16
71.50	80.65	9.15	FTZN	in AMPH, gouge	71.50	73.00	1.50	P396784	97	3	31	317	0.2	55
				propyllitic altd zone	73.00	74.80	1.80	P396785	95	<2	32	284	<0.2	39
				60% fault gouge, quartz-pyrite stringers	74.80	77.80	3.00	P396786	85	3	21	208	<0.2	49
				50% gouge, quartz-pyrite stringers	77.80	80.86	3.06	P396787	90	3	36	288	0.2	438
80.65	100.40	19.75	PPFX	minor breccia zone	80.86	83.65	2.79	P396788	93	6	23	484	0.4	70
					83.65	86.65	3.00	P396789	92	13	23	381	0.4	91
				trace cc, cp wisps	86.65	89.50	2.85	P396790	87	5	15	369	0.3	39
				more brecciated	89.50	92.00	2.50	P396791	100	9	20	436	0.4	49

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-14 Zone: NUCLEUS Section:

Easting: Northing: Elevation: Depth: Logger: ean Pautler

Drilling Dates:

Depth	Casing	EOH		
Azimuth	270			
Dip	-50			
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
				brecciated, minor gouge	92.00	94.49	2.49	P396792	97	6	16	495	0.5	46
			CAVE	possible contamination from above	94.49	94.80	0.31	P396794	100	5	28	282	1.9	63
				brecciated, minor gouge, trace cc, chalcopyrite	94.80	97.80	3.00	P396795	100	6	16	373	0.3	23
				trace cc, cp	97.80	100.40	2.60	P396796	94	6	16	355	0.2	30
100.40	103.02	2.62	BRZN	in GNIS/SCHT, qtz-py stringers	100.40	103.02	2.62	P396798	79	4	21	216	0.3	35
103.02	106.70	3.68	PROP	propyllitic altered , 6-7% pyrite	103.02	104.95	1.93	P396799	100	3	43	507	0.2	116
				fault, strong propyllitic alteration	104.95	106.70	1.75	P396800	92	3	28	740	0.5	217
106.70	108.03	1.33	BRZN	silicified sulfide breccia 6% py, 2% cp, cc, mal	106.70	109.68	2.98	P396801	93	4	60	1695	3	192
108.03	109.68	1.65	SCHT	minor sulfide stringers, malachite										
109.68	111.17	1.49	GRAN	med grained, 3% pyrite, cc	109.68	111.17	1.49	P396802	100	52	87	404	0.7	43
111.17	114.23	3.06	PPFX	2% pyrite, trace cp	111.17	114.23	3.06	P396803	97	21	37	780	0.8	187
114.23	115.61	1.38	GNIS	bio-quartz-fsp gneiss, trace chalcopyrite	114.23	115.61	1.38	P396804	95	11	21	282	0.2	22
115.61	116.70	1.09	GRAN	med grained, qtz-chalcedony-pyrite, cc stringers	115.61	117.80	2.19	P396805	90	11	22	261	<0.2	17
116.70	117.80	1.10	PPFX											
117.80	122.02	4.22	BRZN	GRAN, GNIS/SCHT, lacks silicification	117.80	120.33	2.53	P396806	100	10	16	258	0.2	21
					120.33	122.02	1.69	P396807	97	7	17	160	<0.2	6
122.02	124.30	2.28	GRAN	med grained, 3% pyrite	122.02	124.30	2.28	P396808	84	14	18	332	<0.2	23
124.30	125.66	1.36	GNIS	bio-quartz-fsp gneiss	124.30	125.66	1.36	P396809	97	15	18	244	0.2	13
125.66	126.75	1.09	PPFX	locally brecciated, 3% pyrite	125.66	126.75	1.09	P396810	95	11	25	443	0.3	216
126.75	128.26	1.51	GNIS	bio-quartz-fsp gneiss	126.75	128.26	1.51	P396811	85	7	21	448	0.4	30
128.26	158.20	29.94	BRZN	in GNIS, minor PPFX, trace chalcopyrite	128.26	130.75	2.49	P396812	93	20	29	249	0.2	127
				in m.g. GRAN	130.75	132.12	1.37	P396813	100	9	21	166	<0.2	894
				in SCHT/QZTE	132.12	134.91	2.79	P396814	97	8	26	121	<0.2	31
				in m.g. GRAN, trace chalcocite	134.91	137.74	2.83	P396815	100	19	52	206	<0.2	17
				in GNIS, fault	137.74	139.60	1.86	P396816	99	11	40	247	<0.2	33
				in GRAN, GNIS, minor quartz-pyrite-cp stringers	139.60	141.74	2.14	P396817	97	15	26	300	<0.2	47
				in GRAN	141.74	144.53	2.79	P396818	95	12	28	297	0.2	75
				in quartz-fsp SCHT, qtz-cal-py-aspy-bn-strs, fault	144.53	147.10	2.57	P396819	90	15	42	293	0.2	313
				in GRAN, trace chalcopyrite	147.10	149.96	2.86	P396820	99	13	22	224	<0.2	596
				in GRAN, GNIS, SCHT, trace chalcopyrite, cc	149.96	151.53	1.57	P396821	100	21	60	316	0.2	644
				in GRAN, 5% py	151.53	155.30	3.77	P396823	96	13	37	275	<0.2	20
				in GRAN, GNIS, SCHT	155.30	158.20	2.90	P396825	94	20	72	233	<0.2	14
158.20	158.80	0.60	SCHT	< 1% pyrite	158.20	158.80	0.60	P396826	84	3	13	104	<0.2	64
EOH														

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-13 Zone: NUCLEUS Section: 6913458 N

Easting:	Northing:	Elevation:	Depth:
379425 mE	6913458 mN	914m	238.66

Logger: Jean Pautler
Drilling Dates: Sept 30 - Oct 4, 2004

Depth	Collar	238.66		
Azimuth	270			
Dip	-50	-50		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
0.00	3.66	3.66	OVBR	CASING, 3.05m casing left in hole										
3.66	17.92	14.26	PPFX	local breccia zones, quartz, anhy stringers	3.66	5.79	2.13	P396656	100	3	36	136	0.5	453
				minor fault at 8.53	5.79	8.53	2.74	P396657	92	5	49	215	0.6	183
				fault at 8.53	8.53	11.58	3.05	P396658	97	3	32	164	0.4	229
					11.58	14.63	3.05	P396659	96	4	56	145	0.4	367
					14.63	17.92	3.29	P396661	97	3	36	205	0.4	409
17.92	26.87	8.95	GNIS	bio-quartz-feldspar gneiss, +/- augen	17.92	20.79	2.87	P396662	99	5	64	287	0.2	222
				fault, chlorite alteration	20.79	23.79	3.00	P396663	92	4	15	144	0.2	202
				fault	23.79	26.87	3.08	P396664	92	4	21	127	<0.2	13
26.87	32.46	5.59	GRAN	weakly foliated	26.87	29.57	2.70	P396666	95	5	9	69	<0.2	29
					29.57	32.46	2.89	P396667	98	4	16	70	<0.2	33
32.46	59.80	27.34	GNIS	hb-quartz-bio-feldspar gneiss	32.46	35.46	3.00	P396668	87	4	26	62	<0.2	16
					35.46	38.46	3.00	P396669	96	5	50	210	<0.2	128
					38.46	41.00	2.54	P396670	100	5	44	204	0.2	52
					41.00	43.92	2.92	P396671	99	6	28	198	<0.2	19
				brecciated, fault at 45.3	43.92	46.18	2.26	P396672	97	26	59	184	0.5	236
					46.18	48.53	2.35	P396673	87	3	21	142	<0.2	114
				fault at 48.8	48.53	51.51	2.98	P396674	95	4	15	98	<0.2	149
				brecciated, fault, minor quartz, chalcocite strs	51.51	54.51	3.00	P396675	92	4	27	107	0.2	58
					54.51	57.30	2.79	P396676	100	6	39	101	<0.2	51
					57.30	59.80	2.50	P396677	100	6	60	149	<0.2	195
59.80	61.54	1.74	FTZN	quartz vein, minor chalcocite	59.80	61.54	1.74	P396678	97	3	121	91	<0.2	139
61.54	64.99	3.45	GNIS	trace chalcocite	61.54	64.57	3.03	P396679	96	7	65	181	0.3	130
64.99	75.97	10.98	BRZN	minor GRAN	64.57	66.75	2.18	P396680	100	4	45	456	0.2	43
				less brecciated granitized GNIS	66.75	69.15	2.40	P396681	98	5	16	94	<0.2	26
				75 CA fault at 69.15, minor chalcocite	69.15	71.15	2.00	P396682	95	7	20	158	0.4	97
				in GNIS with GRAN	71.15	74.07	2.92	P396683	96	7	36	152	0.3	43
				in GNIS some GRAN	74.07	75.97	1.90	P396684	94	4	32	225	<0.2	45
75.97	80.47	4.50	GNIS	quartz-bio-feldspar gneiss, augens	75.97	78.38	2.41	P396686	93	4	23	179	<0.2	44
				quartz stringers	78.38	80.47	2.09	P396688	85	5	25	91	<0.2	44
80.47	83.47	3.00	BRZN	in GNIS, minor GRAN, PPFX, local silicification	80.47	83.47	3.00	P396689	99	7	18	108	<0.2	155

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-13 Zone: NUCLEUS Section:

Easting: Northing: Elevation: Depth: Logger: ean Pautler

Drilling Dates:

Depth	Casing	EOH		
Azimuth	270			
Dip	-50			
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
83.47	87.50	4.03	GNIS	hb-quartz-bio-feldspar gneiss, fault
87.50	101.57	14.07	FTZN	in GNIS, minor PPFX, quartz-anhydrite stringers
				main fault 15 CA
				3% pyrite, chalcocite
				oxidized to 101.57
101.57	105.35	3.78	GNIS	quartz-bio-feldspar gneiss
				minor GRAN with GNIS clasts, 3% py, trace cc
105.35	108.35	3.00	FTZN	silicified, 5% py, trace chalcocite
108.35	110.17	1.82	GRAN	minor quartz-pyrite-chalcocite stringers
110.17	114.25	4.08	GNIS	quartz-pyrite-aspy stringers, minor qtz-py-cc strs
				minor BRZN with quartz-py-chalcocite stringers
114.25	115.21	0.96	GRAN	at 30 CA, brecciated, quartz-pyrite-chalcocite
115.21	117.74	2.53	GNIS	5% py, trace cp, chalcocite
117.74	122.28	4.54	BRZN	minor PPFX, minor qtz-py-cc stringers
				more py-chalcocite, minor aspy, chalcopyrite
122.28	134.56	12.28	GNIS	clay-sericite altered, py,chalcocite on frcs
				fault at 130.5, 4% py, chalcocite,chalcopyrite
134.56	135.35	0.79	GRAN	3% pyrite, chalcocite, trace chalcopyrite, bx
135.35	142.55	7.20	GNIS	silicified, faults
				more silicified, qtz-py-cc-aspy stringers
142.55	144.39	1.84	BRZN	silicified, qtz-py-cc-aspy stringers
144.39	147.55	3.16	PPFX	qtz-py-cc-aspy stringers
147.55	148.74	1.19	BRZN	silicified, patchy sulfides (5% py,cc,cp,bn, aspy)
148.74	151.79	3.05	BRZN	sulfide bx zone, propyllitic alteration
151.79	155.20	3.41	GNIS	7% pyrite, cc,cp, aspy
155.20	158.80	3.60	BRZN	strongly silicified, sulfide breccia zone, w GRAN
158.80	165.75	6.95	GNIS	strongly silicified, with sulfides

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
83.47	86.47	3.00	P396690	100	2	21	217	0.2	283
86.47	89.31	2.84	P396691	94	3	45	164	<0.2	113
89.31	92.35	3.04	P396692	79	5	32	609	<0.2	163
92.35	95.35	3.00	P396693	91	2	49	544	<0.2	186
95.35	97.87	2.52	P396694	97	3	44	424	<0.2	238
97.87	99.75	1.88	P396695	99	2	75	332	<0.2	183
99.75	102.59	2.84	P396696	100	<2	64	249	0.2	54
102.59	105.35	2.76	P396697	96	3	35	114	<0.2	47
105.35	108.35	3.00	P396698	90	9	35	118	0.2	170
108.35	110.17	1.82	P396699	98	3	33	57	<0.2	36
110.17	112.85	2.68	P396701	98	2	20	249	<0.2	226
112.85	114.25	1.40	P396702	100	3	58	52	<0.2	358
114.25	116.15	1.90	P396703	100	4	15	205	0.2	71
116.15	117.74	1.59	P396704	100	7	23	111	<0.2	18
117.74	120.40	2.66	P396705	98	4	30	124	<0.2	40
120.40	122.28	1.88	P396707	97	4	28	170	<0.2	77
122.28	125.28	3.00	P396708	97	5	34	71	<0.2	26
125.28	128.13	2.85	P396709	84	2	24	104	<0.2	96
128.13	131.10	2.97	P396710	88	5	12	428	0.6	537
131.10	134.10	3.00	P396711	95	5	9	133	<0.2	83
134.10	135.70	1.60	P396712	100	3	10	348	0.4	102
135.70	138.70	3.00	P396713	90	2	14	255	0.3	42
138.70	141.55	2.85	P396714	99	6	14	163	<0.2	63
141.55	144.39	2.84	P396715	97	5	27	1325	2.2	460
144.39	147.22	2.83	P396716	95	3	31	371	0.4	331
147.22	148.74	1.52	P396717	100	4	23	1000	1.2	573
148.74	151.79	3.05	P396718	93	6	69	8440	9.1	1380
151.79	154.79	3.00	P396719	95	3	45	391	0.3	130
154.79	157.35	2.56	P396720	100	18	65	854	0.7	515
157.35	160.35	3.00	P396721	100	110	358	1185	1.5	143
160.35	163.25	2.90	P396722	92	44	80	182	0.3	87
163.25	165.70	2.45	P396724	100	4	44	220	<0.2	134

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-13 Zone: NUCLEUS Section:

Easting: Northing: Elevation: Depth: Logger:

Drilling Dates:

Depth	Casing	EOH		
Azimuth	270			
Dip	-50			
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
165.75	166.50	0.75	BRZN	less sulfide	165.70	166.50	0.80	P396725	100	8	37	242	0.3	298
166.50	168.70	2.20	GRAN	minor chalcocite, trace aspy	166.50	169.22	2.72	P396726	95	7	20	88	<0.2	60
168.70	169.22	0.52	BRZN	minor chalcocite, trace aspy										
169.22	172.28	3.06	BRZN	sulfide stockwork breccia zone, 7% py, cc	169.22	172.28	3.06	P396727	97	4	38	312	0.2	191
172.28	173.95	1.67	BRZN	high sulfide breccia zone, 25% py, cc, cp, bn	172.28	173.95	1.67	P396728	100	2	39	1825	1.1	112
173.95	178.42	4.47	GNIS	minor py, cc, aspy	173.95	176.17	2.22	P396730	95	3	48	106	<0.2	75
				sulfide alteration zone with 10% py, .5% cp, cc	176.17	177.77	1.60	P396731	94	7	110	1455	0.8	50
178.42	179.31	0.89	BRZN	sulfide breccia zone with 20% py, 1% cp, cc, aspy	177.77	179.31	1.54	P396732	100	12	45	1165	0.6	241
179.31	183.70	4.39	GNIS	silicified, qtz-py-cc-aspy stringers	179.31	180.75	1.44	P396733	100	2	18	276	0.2	456
				silicified, qtz-py-cc-aspy stringers	180.75	183.70	2.95	P396734	100	<2	24	178	<0.2	178
183.70	185.50	1.80	BRZN	sulfide breccia zone with 10% py, 2% cp, cc, bn	183.70	185.50	1.80	P396735	93	19	99	955	0.5	494
185.50	192.28	6.78	GNIS	minor sulfide breccia	185.50	186.84	1.34	P396736	100	2	15	368	0.2	389
				minor py, cp, aspy	186.84	189.59	2.75	P396737	100	3	12	144	0.3	123
				minor py, cp, aspy	189.59	192.28	2.69	P396738	100	4	9	120	<0.2	48
192.28	195.14	2.86	PROP	propyllitic altd zone, 5% py, cp, aspy	192.28	195.14	2.86	P396739	85	4	14	326	0.3	95
195.14	210.67	15.53	GNIS	some GRAN, 3% py, cp, aspy, cc, mal	195.14	198.14	3.00	P396740	96	6	15	268	0.4	56
				some GRAN, 4% py, cp, aspy, cc, bn, mal	198.14	200.13	1.99	P396741	100	2	22	962	1.5	112
				3% py, cp, bn, cc	200.13	202.17	2.04	P396742	100	2	15	432	0.7	139
				altered	202.17	205.13	2.96	P396743	100	4	15	385	0.8	158
				altered	205.13	208.03	2.90	P396744	97	6	10	170	<0.2	22
				highly altered, silicified, 7% py, cc, cp, aspy	208.03	211.03	3.00	P396746	100	7	12	371	0.2	514
210.67	218.75		GRAN	3% py, cc, cp, bn, anhydrite	211.03	213.83	2.80	P396747	100	3	12	191	<0.2	107
				as above	213.83	215.80	1.97	P396749	100	4	16	287	0.2	200
				as above, GNIS clasts	215.80	218.85	3.05	P396750	99	7	9	247	0.2	75
218.75	227.09		BRZN	silicified sulfide breccia zone with 10% py, cc, cp	218.85	221.14	2.29	P396751	93	2	5	615	0.3	48
				as above	221.14	224.09	2.95	P396752	100	4	10	232	<0.2	154
				more cc,cp	224.09	227.09	3.00	P396753	99	4	13	732	0.6	45
227.09	238.66		PPFX	high sulfide breccia with 20% py, 3% cp, cc	227.09	229.04	1.95	P396754	100	13	114	8480	9.4	1980
				stringer zone - qtz-pyrite-chalcopyrite	229.04	231.23	2.19	P396755	93	37	60	1710	2.2	616
				less stringers	231.23	233.70	2.47	P396756	100	5	16	705	0.8	255
				less stringers	233.70	235.95	2.25	P396757	100	3	11	477	0.5	138
				less stringers	235.95	238.36	2.41	P396758	100	4	11	798	1.4	322
EOH				high sulfide breccia with 25% py, cp, bn	238.36	238.66	0.30	P396759	97	<2	23	3280	4.1	787

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-12 Zone: NUCLEUS Section: 6913553 N

Easting:	Northing:	Elevation:	Depth:
379428 mE	6913553 mN	922 m	142.65m

Logger: Jean Pautler
Drilling Dates: Sept 27-29, 2004

Depth	Collar	142.65m		
Azimuth	270			
Dip	-50	-51		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
0.00	3.66	3.66	OVBR	CASING										
3.66	3.72	0.06	OVBR	cobble of PPFX										
3.72	7.01	3.29	BRZN	and FTZN in alt'd GNIS, minor PPFX	3.72	7.01	3.29	P396594	60	4	21	958	0.4	107
7.01	10.06	3.05	GNIS	strongly limonitic biotite-quartz-feldspar gneiss	7.01	10.06	3.05	P396595	67	<2	14	584	0.5	492
10.06	13.72	3.66	FTZN	in GNIS +/- chlorite, brecciation	10.06	13.72	3.66	P396596	44	4	35	738	0.3	462
13.72	16.48	2.76	GNIS	augen gneiss	13.72	16.48	2.76	P396597	58	<2	32	551	<0.2	66
16.48	18.00	1.52	FTZN	in GNIS +/- brecciation	16.48	18.00	1.52	P396598	79	2	22	454	<0.2	42
18.00	20.16	2.16	GNIS	bio-qtz-fsp gneiss, Fault at 18.75, PPFX clasts	18.00	20.16	2.16	P396599	95	4	53	383	<0.2	72
20.16	22.56	2.40	PPFX	quartz-feldspar porphyry dyke @ 55 CA	20.16	23.25	3.09	P396601	80	8	15	233	0.5	195
22.56	23.25	0.69	GNIS	clay alt'd augen GNIS										
23.25	27.89	4.64	PPFX	Fault @ 26m, anhydrite stringers	23.25	26.28	3.03	P396602	100	6	6	375	1.3	42
				brecciated lower CNT at 30 CA	26.28	28.83	2.55	P396603	100	2	9	429	0.8	70
27.89	28.83	0.94	GNIS	bio-qtz-fsp gneiss, Fault at 28.8m, PPFX clasts										
28.83	31.45	2.62	BRZN	in PPFX to 29.87 and GNIS	28.83	31.45	2.62	P396604	99	3	10	281	0.7	772
31.45	36.88	5.43	FTZN	in GNIS, propyllic alt'n	31.45	34.20	2.75	P396606	95	3	42	751	0.2	188
				in AMPH, PPFX, propyllitic alteration	34.20	36.88	2.68	P396607	83	2	53	461	0.2	54
36.88	40.64	3.76	AMPH	3% pyrite, silicified	36.88	39.90	3.02	P396608	95	6	65	512	<0.2	40
				strong clay, limonite alteration	39.90	42.55	2.65	P396609	95	2	10	408	0.3	154
40.64	45.56	4.92	PPFX	fault at 41m, +/- brecciation	42.55	45.56	3.01	P396610	97	12	14	276	0.5	119
45.56	48.71	3.15	GNIS	clay, limonite altered gneiss	45.56	48.71	3.15	P396611	97	8	37	583	0.3	199
48.71	59.58	10.87	BRZN	in strongly clay-limonite altered bio-qtz-fsp GNIS	48.71	51.96	3.25	P396612	93	7	75	791	0.2	180
				silicified	51.96	54.77	2.81	P396613	100	3	33	540	0.2	211
					54.77	57.60	2.83	P396614	100	5	54	1030	0.2	385
				3-7% pyrite replacing mafics	57.60	59.58	1.98	P396615	100	3	14	582	0.3	472
59.58	64.30	4.72	PROP	propyllitic altered breccia zone to GNIS, fault	59.58	62.10	2.52	P396616	9098	3	40	1055	0.2	95
				propyllitic altered GNIS, fault	62.10	64.30	2.20	P396617	96	18	53	495	<0.2	53
64.30	66.38	2.08	FTZN	in quartz-feldspar-bio GNIS, 2% pyrite	64.30	66.38	2.08	P396618	93	8	68	1785	0.5	133
66.38	74.90	8.52	BRZN	5% py, chalcocite, qtz stringers	66.38	68.76	2.38	P396619	86	6	9	911	<0.2	194
				GNIS and GRAN in med grained PPFX	68.76	71.50	2.74	P396621	91	5	7	409	0.2	199
				med grained GRAN, 3% py, cc, qtz-py strs	71.50	74.70	3.20	P396622	67	6	8	601	<0.2	67
74.90	78.90	4.00		qtz-fsp GNIS/SCHT, PPFX, qtz-py-cp-cc strs	74.70	76.96	2.26	P396623	97	4	11	2050	<0.2	149

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-12 Zone: NUCLEUS Section:

Easting: Northing: Elevation: Depth: Logger: ean Pautler

Drilling Dates:

Depth	Casing	EOH		
Azimuth	270			
Dip	-50			
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
					76.96	79.54	2.58	P396625	74	2	16	3100	<0.2	66
78.90	80.65	1.75	GRAN	some SCHT/GNIS, 3% pyrite, chalcocite	79.54	80.65	1.11	P396626	88	6	13	2910	<0.2	53
80.65	83.45	2.80	SCHT	qtz-fsp GNIS/SCHT, qtz-py-cc strs, 5% py, bx	80.65	83.45	2.80	P396627	97	3	28	2750	0.2	184
83.45	86.52	3.07	GNIS	qtz-hbl-bio-fsp GNIS, fault at 83.8-85.3, 20CA	83.45	86.52	3.07	P396628	100	13	65	753	0.7	210
86.52	88.18	1.66	GNIS	quartz-pyrite stringers, 2% py, trace chalcopyrite	86.52	88.18	1.66	P396629	98	43	144	1415	0.6	402
88.18	105.36	17.18	BRZN	in GRAN, GNIS with qtz-py-cp, cc, bn, na Cu strs	88.18	91.18	3.00	P396630	96	11	45	3520	1.3	250
				qtz-py-cp, cc stringers, fault at 93.9m	91.18	94.00	2.82	P396631	92	15	30	1860	1	154
				qtz-py-cp, cc stringers	94.00	95.90	1.90	P396632	80	31	62	6020	1.1	139
				silicified, breccia, 12% pyrite, cc, cp, bornite	95.90	98.50	2.60	P396633	100	24	58	1335	0.8	51
				qtz-py-cp, cc, bn stringers	98.50	100.70	2.20	P396634	97	7	47	1560	0.3	43
				silicified, breccia-stwk, 5% pyrite, qtz-py-cc-cp strs	100.70	103.02	2.32	P396635	94	10	25	2170	0.6	62
				fault	103.02	105.36	2.34	P396636	95	8	45	1660	1	283
105.36	121.90	16.54	PPFX	at 50 CA, +/- brecciation, silicified, py, cc, cp	105.36	107.68	2.32	P396637	97	20	61	3230	1.3	730
				silicified, 15% py, cc, cp, bornite	107.68	110.50	2.82	P396638	95	19	83	6510	1.6	833
				qtz-py-cp, cc, bn stringers	110.50	112.70	2.20	P396639	100	12	58	1545	1.3	423
				silicified, qtz-py-cp, cc, bn stringers + dissem	112.70	114.75	2.05	P396640	90	14	57	4130	1.7	87
				less breccia, qtz-py-cp, cc, bn stringers	114.75	117.52	2.77	P396642	100	37	68	1690	0.9	311
				as above	117.52	119.79	2.27	P396643	99	22	42	1035	0.7	116
				as above, CNT 35 CA	119.79	121.90	2.11	P396644	100	7	36	1120	0.3	156
121.90	123.15	1.25	GNIS	silicified, py-cp, cc stockwork +/- qtz + dissem	121.90	123.15	1.25	P396646	100	12	37	1155	1	345
123.15	124.79	1.64	PPFX	with qtz-py-cp, cc, bn stockwork+ dissem	123.15	124.79	1.64	P396647	100	15	29	867	1	2410
124.79	125.85	1.06	GNIS	silicified, qtz-py-cp, cc stringers + frcs	124.79	126.93	2.14	P396648	100	43	59	1515	1.7	1430
125.85	129.27	3.42	PPFX	qtz-py-cp, cc, bn, anhy stringers + dissem, sil	126.93	127.94	1.01	P396649	100	10	56	1900	1.4	1905
129.27	130.49	1.22	GRAN	1-2% pyrite, trace cp,chalcocite	127.94	130.49	2.55	P396650	100	6	40	615	0.4	77
130.49	132.53	2.04	SCHT	10% pyrite with cp, chalcocite, silicified	130.49	132.53	2.04	P396651	100	<2	36	2200	1.3	155
132.53	137.05	4.52	QZIT	3% pyrite +/- quartz, cp, fault at 133.5 with py, cc	132.53	134.87	2.34	P396652	100	9	53	623	0.7	70
					134.87	137.05	2.18	P396653	100	17	82	511	1.2	521
137.05	142.65	5.60	GRAN	minor qtz-py-cc-cp strs and dissem.	137.05	139.85	2.80	P396654	100	15	60	487	0.7	175
				trace aspy in quartz stringer	139.85	142.65	2.80	P396655	97	9	26	455	0.7	174
EOH														

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-11 Zone: NUCLEUS Section: 6913987 N

Easting:	Northing:	Elevation:	Depth:
379384 mE	6913987 mN	998 m	174.35m

Logger: Jean Pautler
Drilling Dates: Sept 18-26, 2004

Depth	Collar	174.35m		
Azimuth	270			
Dip	-50	-47		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
0.00	1.80	1.80	OVBR	CASING, additional 1.8m casing added later										
1.80	54.45	52.65	GRAN	Microgranite, anhydrite stringers, weak lim, clay, s	1.80	3.83	2.03	P396509	80	20	2	8	0.4	<5
				patchy silicification, qtz stringers	3.83	4.92	1.09	P396510	65	40	3	10	0.4	<5
					4.92	6.40	1.48	P396511	100	24	4	9	0.2	8
					6.40	9.40	3.00	P396512	100	13	4	10	<0.2	7
					9.40	11.10	1.70	P396513	99	12	4	12	<0.2	11
				11.1-11.5 mod fractured	11.10	13.10	2.00	P396514	100	3	3	8	<0.2	<5
				14.63 - clay gouge	13.10	16.10	3.00	P396515	77	4	3	13	<0.2	<5
				16.1 - 20.7 weak pervasive sil'n	16.10	17.30	1.20	P396516	98	5	3	19	<0.2	<5
				py, limonite on fractures	17.30	19.74	2.44	P396517	90	4	7	27	<0.2	<5
					19.74	22.40	2.66	P396518	82	5	6	16	<0.2	<5
					22.40	25.00	2.60	P396519	93	5	5	13	<0.2	<5
				fault at 26.52-26.67, 10-20 CA	25.00	27.80	2.80	P396520	85	4	5	13	<0.2	<5
				28.0 - 1 cm qtz-chalcedony stringer, anhydrite	27.80	29.26	1.46	P396521	100	16	7	17	<0.2	5
					29.26	30.62	1.36	P396522	92	25	10	18	<0.2	10
				py,aspy,arsenium, anhy-qtz, green mica	30.62	31.97	1.35	P396523	91	152	9	86	0.4	11
					31.97	33.48	1.51	P396524	96	9	8	27	<0.2	<5
					33.48	34.93	1.45	P396526	99	10	3	11	<0.2	<5
					34.93	37.49	2.56	P396527	100	32	5	42	<0.2	<5
				37.49-37.9 1-2% pyrite, aspy, chalcocite?	37.49	39.45	1.96	P396528	100	165	6	34	0.2	8
					39.45	42.44	2.99	P396529	100	11	6	15	<0.2	<5
					42.44	44.04	1.60	P396531	98	12	2	15	<0.2	<5
				silicified zone with minor quartz strs, <1% pyrite	44.04	47.28	3.24	P396532	98	20	7	37	0.3	6
				50.0m clay fault 45CA	47.28	50.46	3.18	P396533	96	7	2	24	<0.2	<5
				silicified zone, <1% pyrite	50.46	52.73	2.27	P396534	99	7	5	72	0.4	6
					52.73	54.45	1.72	P396535	95	4	12	146	<0.2	<5
54.45	79.10	24.65	FTZN	Breccia Zone with PPFX, GRAN frags, qtz strs, py	54.45	57.45	3.00	P396536	99	46	16	69	2.5	24
				Contact Zone with GNIS, strong lim, mod clay	57.45	60.05	2.60	P396537	97	11	96	210	0.7	5
				Feldspar Augen GNIS, 5-7% py, deformed (2c)	60.05	61.72	1.67	P396538	89	16	80	319	0.7	8
				Qtz-Fsp SCHT (2c)	61.72	62.40	0.68	P396539	100	10	74	67	0.4	8
				1-2 % pyrite, minor QZIT (2c)	62.40	66.10	3.70	P396540	60	87	7	53	0.6	<5

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-11 Zone: NUCLEUS Section:

Easting: Northing: Elevation: Depth: Logger: ean Pautler

Drilling Dates:

Depth	Casing	EOH		
Azimuth	270			
Dip	-50			
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
				BRZN with PPFX, quartz-feldspar SCHT	66.10	68.50	2.40	P396541	82	27	2	17	0.3	<5
				quartz-feldspar SCHT, trace chalcocite?, GRAN	68.50	71.15	2.65	P396542	97	18	5	23	0.4	<5
				quartz-feldspar SCHT	71.15	73.52	2.37	P396543	97	29	6	17	0.9	9
				FTZN within quartz-feldspar SCHT	73.52	76.45	2.93	P396544	98	15	2	26	0.6	8
76.45	79.1	2.65	FTZN	Augen GNIS, GRAN fragments	76.45	79.10	2.65	P396545	97	15	33	103	0.9	105
79.10	82.60	3.50	GNIS	Augen GNIS, silicified, fine sulfide stockwork, 5% py	79.10	82.45	3.35	P396546	86	4	54	146	0.3	<5
82.60	83.36	0.76	SCHT	quartz-feldspar SCHT to QZIT, foliated, 2% py	82.45	83.36	0.91	P396548	100	4	26	168	0.3	5
83.36	84.10	0.74	FTZN	squeezing clay noted by drillers, No Core	83.36	84.10	0.74		0					
84.10	86.82	2.72	AMPH	3% pyrite, brecciation, minor SCHT	84.10	86.82	3.46	P396550	99	7	51	106	<0.2	33
86.82	88.00	1.18	SCHT	minor quartz-pyrite stringers	86.82	88.00	1.18	P396551	98	6	24	91	<0.2	116
88.00	90.43	2.43	SSZN	pyrite stockwork in AMPH?	88.00	90.43	2.43	P396552	96	10	69	1105	1.9	141
90.43	93.56	3.13	FTZN	in quartz-feldspar SCHT	90.43	93.40	2.97	P396553	100	10	16	174	0.6	8
93.56	95.10	1.54	FTZN	in AMPH, 1% pyrite	93.40	95.10	1.70	P396554	99	4	136	929	0.5	5
95.10	104.44	9.34	AMPH	1% pyrite	95.10	96.83	1.73	P396555	89	4	174	173	0.3	152
				3% pyrite	96.83	98.50	1.67	P396556	90	5	140	189	0.4	17
				local BRZN with pyrite, chalcopyrite, anhydrite	98.50	100.96	2.46	P396557	97	5	69	263	0.4	5
				FLT @ 100.1,101.8 @ 50CA, minor qtz-py stringers	100.96	103.02	2.06	P396558	100	5	41	130	0.2	6
					103.02	104.44	1.42	P396559	99	7	76	198	0.4	<5
104.44	105.54	1.10	BRZN	7% py, 3 cm quartz-py vein, FLT @ 50CA, cc	104.44	105.54	1.10	P396560	95	17	92	301	1.1	298
105.54			GRAN	2% pyrite, chalcocite	105.54	107.20	1.66	P396561	91	5	27	55	0.2	<5
				3% pyrite, chalcocite	107.20	109.80	2.60	P396562	100	6	11	30	<0.2	<5
109.80	111.11	1.31	BRZN	in GRAN, 7% py, 4 cm quartz-py vein, chalcocite	109.80	111.11	1.31	P396563	96	9	26	159	0.6	7
111.11	112.22	1.11	BRZN	in AMPH, 2% pyrite	111.11	112.22	1.11	P396564	92	3	67	266	0.2	36
112.22	116.70	4.48	AMPH		112.22	115.21	2.99	P396565	96	6	99	190	0.4	10
					115.21	116.70	1.49	P396566	100	7	82	373	0.6	102
116.70	118.52	1.82	CNTC	GRAN, AMPH	116.70	118.52	1.82	P396567	97	5	96	256	0.3	48
118.52	127.50	8.98	GRAN		118.52	121.52	3.00	P396568	92	5	15	56	0.3	<5
					121.52	123.50	1.98	P396569	100	5	13	32	<0.2	<5
					123.50	125.65	2.15	P396570	100	5	14	45	0.4	8
					125.65	127.50	1.85	P396571	100	4	19	45	0.2	<5
127.50	133.10	5.60	AMPH	hornfelsed, quartz-pyrite-chalcopyrite stringers	127.50	130.15	2.65	P396572	98	8	53	176	0.3	17
				FTZN	130.15	133.10	2.95	P396573	99	6	35	244	0.3	41

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-11 Zone: NUCLEUS Section:

Easting: Northing: Elevation: Depth: Logger:

Drilling Dates:

Depth	Casing	EOH		
Azimuth	270			
Dip	-50			
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
133.10	174.35	41.25	SCHT	hornfelsed quartzo-feldspathic schist, 1-3% py	133.10	135.03	1.93	P396574	93	2	12	48	<0.2	<5
				minor pyrrhotite	135.03	137.00	1.97	P396575	94	2	22	41	<0.2	<5
					137.00	139.90	2.90	P396576	96	2	18	43	<0.2	12
					139.90	141.40	1.50	P396577	91	4	22	59	0.2	<5
				quartz-sericite-pyrite stringer	141.40	142.60	1.20	P396578	99	5	31	89	0.3	6
				includes FTZN	142.60	144.82	2.22	P396579	93	7	55	205	0.5	<5
				VNZN, quartz-clay-pyrite-arsenopyrite stringers	144.82	147.30	2.48	P396581	95	18	16	860	3.7	186
					147.30	149.27	1.97	P396582	98	7	75	274	0.6	<5
					149.27	152.10	2.83	P396584	94	11	68	134	1	23
				includes FTZN	152.10	153.77	1.67	P396585	94	9	60	161	0.4	8
					153.77	157.22	3.45	P396586	99	6	49	136	0.2	<5
				includes FTZN	157.22	160.35	3.13	P396587	100	4	38	105	<0.2	<5
				more mafic bands	160.35	162.15	1.80	P396588	100	5	51	217	0.2	<5
					162.15	165.06	2.91	P396589	99	2	24	66	0.2	<5
					165.06	167.70	2.64	P396590	97	3	36	53	0.2	<5
					167.70	170.80	3.10	P396591	90	5	27	47	<0.2	<5
				more mafic bands	170.80	172.10	1.30	P396592	96	<2	32	20	<0.2	6
					172.10	174.35	2.25	P396593	90	3	32	37	<0.2	<5
					EOH									

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-10 Zone: NUCLEUS Section: 6914250

Easting:	Northing:	Elevation:	Depth:	Logger:	M.R.Dumala
379792 mE	6914237 mN	863 m	99.97 m	Drilling Dates:	August 9-11, 2004

Depth	Collar	EOH		
Azimuth	270			
Dip	-50	-49		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
0.00	3.66	3.66	OVBR											
3.66	43.45	39.79	QZIT		3.66	6.68	3.02	P396475	100	16	12	63	0.5	6
					6.68	10.06	3.38	P396476	82	25	5	56	0.3	13
					10.06	13.11	3.05	P396477	52	24	3	61	0.5	16
					13.11	16.15	3.04	P396478	69	23	3	81	0.3	8
					16.15	19.18	3.03	P396479	87	14	14	78	0.3	39
					19.18	22.20	3.02	P396480	71	12	6	99	0.3	40
				22.10-23.35 weak crackle breccia	22.20	25.20	3.00	P396481	93	18	5	104	0.2	11
					25.20	28.21	3.01	P396482	91	14	4	74	0.4	10
					28.21	31.39	3.18	P396483	91	15	2	62	<0.2	57
					31.39	34.45	3.06	P396484	95	7	4	59	1.0	395
					34.45	37.80	3.35	P396485	87	8	9	74	0.3	202
				41.28-41.40 crackle breccia	37.80	41.15	3.35	P396486	96	6	16	71	<0.2	278
				42.42-42.48 BRZN	41.15	43.45	2.30	P396487	100	4	12	89	0.2	29
43.45	47.08	3.63	BRZN	QZIT clasts near top, massive QZ towards L.C.	43.45	46.49	3.04	P396488	98	50	2	91	1.0	64
47.08	99.97	52.89	GRAN	Coarse FX phenocrysts, v.fine grain QZ+FX matrix	46.49	49.68	3.19	P396489	92	120	3	85	2.0	24
				moderate QV throughout, partially open	49.68	51.68	2.00	P396490	100	152	10	167	8.0	121
				49.90-50.35 VNZN - QZ+LI+PY+AS+calcacite	51.68	54.68	3.00	P396493	99	22	2	186	1.0	24
					54.68	57.71	3.03	P396494	96	23	2	126	2.1	125
					57.71	60.72	3.01	P396495	95	30	2	87	1.5	59
					60.72	63.89	3.17	P396496	94	21	2	87	0.8	71
					63.89	66.89	3.00	P396497	93	21	3	104	0.7	21
					66.89	69.89	3.00	P396498	99	10	3	77	0.3	86
					69.89	72.89	3.00	P396499	80	13	5	87	0.8	56
					72.89	75.90	3.01	P396500	88	19	5	61	0.4	43
					75.90	78.93	3.03	P396501	96	16	5	98	0.4	57
					78.93	82.00	3.07	P396502	100	12	5	97	0.7	9
					82.00	85.10	3.10	P396503	93	16	7	263	0.7	225
					85.10	88.10	3.00	P396504	87	16	7	60	0.4	8
					88.10	91.10	3.00	P396505	92	19	8	53	0.7	45
					91.10	94.10	3.00	P396506	99	13	6	49	0.6	192

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-10 Zone: NUCLEUS Section: 6914250

Easting:	Northing:	Elevation:	Depth:
379792 mE	6914237 mN	863 m	99.97 m

Logger: M.R.Dumala
Drilling Dates: August 9-11, 2004

Depth	Cassing	EOH		
Azimuth	270			
Dip	-50	-49		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments	From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
					94.10	97.12	3.02	P396507	93	12	5	47	0.3	85
					97.12	99.97	2.85	P396508	100	26	3	33	0.4	103

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-09 Zone: NUCLEUS Section: 6913550

Easting:	Northing:	Elevation:	Depth:
379707 mE	6913540 mN	844 m	215.04 m

Logger: M.R.Dumala
Drilling Dates: August 3-8, 2004

Depth	Collar	EOH		
Azimuth	270			
Dip	-50	-53		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	3.05	3.05	OVBR	
3.05	22.86	19.81	GNIS	BI-FX
22.86	23.87	1.01	GRAN	
23.87	48.11	24.24	GNIS	BI+FX, clay and quartz sericite altered
				29.10-29.35 VNZN
48.11	49.00	0.89	GRAN	
49.00	66.14	17.14	GNIS	BI-FX
				56.64-61.68 ~5% sulphides(PY+/-CP)
				60.72-60.85 PY+PH+CP ~20%
				62.37 VNZN/BRZN
66.14	70.08	3.94	GNIS	BI-FX
70.08	71.60	1.52	FTZN	
71.60	98.44	26.84	GNIS	FX-BI

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
3.05	7.62	4.57	P396398	21	<2	30	585	0.3	23
7.62	10.82	3.20	P396399	93	2	52	1005	0.3	116
10.82	14.02	3.20	P396400	95	19	19	744	0.8	223
14.02	17.53	3.51	P396401	87	4	24	580	0.7	26
17.53	20.88	3.35	P396402	91	<2	24	323	0.6	89
20.88	23.88	3.00	P396403	92	2	22	244	0.9	29
23.88	26.88	3.00	P396404	92	13	24	246	0.2	9
26.88	29.57	2.69	P396405	80	4	24	259	0.2	7
29.57	32.61	3.04	P396406	94	24	29	173	0.5	48
32.61	35.66	3.05	P396407	69	3	33	299	0.5	51
35.66	38.68	3.02	P396408	100	<2	39	1235	0.4	97
38.68	41.15	2.47	P396409	85	3	47	468	0.2	33
41.15	44.20	3.05	P396410	82	<2	54	937	0.4	65
44.20	46.37	2.17	P396411	78	<2	39	1230	0.8	132
46.37	49.00	2.63	P396412	92	<2	28	577	0.3	36
49.00	51.82	2.82	P396413	90	<2	31	1010	0.6	75
51.82	54.25	2.43	P396415	94	<2	27	1090	1.0	96
54.25	56.64	2.39	P396416	96	2	27	473	0.3	144
56.64	59.26	2.62	P396418	88	<2	30	2370	1.1	44
59.26	61.26	2.00	P396419	81	<2	40	1905	0.9	160
61.26	64.46	3.20	P396420	90	<2	22	233	<0.2	56
64.46	67.97	3.51	P396421	86	2	31	432	0.2	167
67.97	70.00	2.03	P396422	75	<2	34	603	0.5	1285
70.00	72.00	2.00	P396423	95	23	97	1155	1.2	261
72.00	75.13	3.13	P396424	72	5	42	1015	0.5	198
75.13	78.13	3.00	P396425	87	2	17	144	<0.2	56
78.13	81.13	3.00	P396426	97	<2	29	706	0.5	98
81.13	84.42	3.29	P396427	99	<2	30	519	0.5	186
84.42	87.78	3.36	P396428	93	3	27	597	0.8	100
87.78	90.83	3.05	P396429	100	2	12	78	<0.2	151

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-09 Zone: NUCLEUS Section: 6913550

Easting:	Northing:	Elevation:	Depth:
379707 mE	6913540 mN	844 m	215.04 m

Logger: M.R.Dumala
Drilling Dates: August 3-8, 2004

Depth	Casing	EOH		
Azimuth	270			
Dip	-50	-53		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
				94.02-94.18 BRZN
98.44	99.73	1.29	GRAN	
99.73	103.20	3.47	PPFX	oxidized diss. PY
103.20	115.76	12.56	GNIS	BI=FX
115.76	121.74	5.98	PPFX	oxidized diss PY
121.74	128.65	6.91	AMPH	
128.65	130.76	2.11	GRDR	
130.76	131.44	0.68	AMPH	
131.44	135.87	4.43	PPFX	diss. PY w/ T PH
135.87	164.85	28.98	GNIS	BI-FX
164.85	166.00	1.15	PPFX	
166.00	170.94	4.94	AMPH	167.44-168.49 crackle breccia
170.94	172.89	1.95	BRZN	
172.89	183.61	10.72	GRDR	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
90.83	94.02	3.19	P396430	98	3	30	112	<0.2	89
94.02	97.02	3.00	P396432	100	<2	20	64	0.3	76
97.02	100.02	3.00	P396433	99	2	11	112	<0.2	71
100.02	103.27	3.25	P396434	98	9	23	247	0.3	103
103.27	106.27	3.00	P396435	95	6	59	429	0.4	168
106.27	109.27	3.00	P396437	97	6	14	112	<0.2	275
109.27	112.45	3.18	P396438	99	5	14	172	0.2	1295
112.45	115.76	3.31	P396439	97	12	26	160	0.3	801
115.76	118.76	3.00	P396440	97	9	22	256	<0.2	15
118.76	121.78	3.02	P396441	90	2	8	261	0.2	490
121.78	124.73	2.95	P396442	100	6	39	696	0.6	486
124.73	127.73	3.00	P396443	100	3	38	729	0.8	674
127.73	130.76	3.03	P396444	85	6	27	266	0.2	43
130.76	132.90	2.14	P396445	95	3	22	305	0.2	24
132.90	135.94	3.04	P396446	93	4	19	433	0.4	81
135.94	138.94	3.00	P396447	100	3	32	508	0.5	66
138.94	142.03	3.09	P396448	96	<2	20	450	0.4	588
142.03	145.34	3.31	P396449	98	<2	25	700	0.7	406
145.34	148.74	3.40	P396450	92	4	22	325	0.3	536
148.74	151.79	3.05	P396451	99	3	23	371	0.4	155
151.79	154.84	3.05	P396453	94	<2	21	364	0.5	95
154.84	157.84	3.00	P396454	100	3	28	469	0.4	166
157.84	161.00	3.16	P396455	91	6	14	285	<0.2	45
161.00	164.05	3.05	P396456	95	8	30	375	0.3	101
164.05	166.22	2.17	P396458	95	13	77	624	0.4	420
166.22	168.55	2.33	P396459	99	<2	20	271	0.2	142
168.55	170.84	2.29	P396460	97	3	20	128	<0.2	55
170.84	172.98	2.14	P396461	97	7	19	359	0.6	3700
172.98	176.17	3.19	P396462	97	3	14	118	<0.2	82
176.17	179.22	3.05	P396463	99	10	18	166	<0.2	142
179.22	182.72	3.50	P396464	86	2	18	96	<0.2	241

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-09 Zone: NUCLEUS Section: 6913550

Easting:	Northing:	Elevation:	Depth:
379707 mE	6913540 mN	844 m	215.04 m

Logger: M.R.Dumala
Drilling Dates: August 3-8, 2004

Depth	Cassing	EOH		
Azimuth	270			
Dip	-50	-53		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
183.61	198.13	14.52	AMPH	
				189.32-189.87 PPFX
				189.87-190.84 BX w/ PPFX clasts
				190.84-191.05 PPFX
198.13	202.05	3.92	GRDR	
202.05	208.78	6.73	PPFX	weakly diss. PY
208.78	212.00	3.22	GNIS	BI-FX-QZ
212.00	214.29	2.29	GRDR	
214.29	215.04	0.75	GNIS	BI-FX-QZ

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
182.72	186.29	3.57	P396465	99	4	9	155	0.4	164
186.29	189.29	3.00	P396466	95	14	34	386	0.4	49
189.29	192.94	3.65	P396467	97	3	32	475	0.2	14
192.94	195.99	3.05	P396468	98	6	48	357	0.3	10
195.99	199.03	3.04	P396469	96	3	31	257	0.2	14
199.03	202.05	3.02	P396470	98	<2	9	125	<0.2	14
202.05	205.39	3.34	P396471	90	25	56	525	0.6	12
205.39	208.78	3.39	P396472	100	18	57	606	0.6	16
208.78	211.99	3.21	P396473	100	<2	30	586	0.4	46
211.99	215.04	3.05	P396474	100	4	19	485	0.4	33

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-08 Zone: NUCLEUS Section: 6913600

Easting:	Northing:	Elevation:	Depth:
379512 mE	6913592 mN	900 m	121.92

Logger: M.R. Dumala
Drilling Dates: July 30-Aug 3, 2004

Depth	Collar	EOH		
Azimuth	270	270		
Dip	-50	-53		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	3.05	3.05	OVBR	
3.05	12.67	9.62	PPFX	
12.67	14.16	1.49	BRZN	
14.16	22.90	8.74	PPFX	
22.90	26.38	3.48	GNIS	FX-QZ
26.38	30.48	4.10	GRAN	
30.48	56.00	25.52	GNIS	BI-FX
56.00	57.81	1.81	GRAN	
57.81	70.31	12.50	GNIS	
				66.93-67.56 BRZN
				68.81-69.25 BRZN
70.31	81.60	11.29	GRDR	Intensely clay altered
81.60	84.64	3.04	FTZN	
84.64	111.62	26.98	AMPH	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
3.05	6.25	3.20	P396352	88	5	32	21	<0.2	<5
6.25	9.42	3.17	P396353	80	7	53	100	1.9	929
9.42	12.65	3.23	P396354	76	13	30	134	5.8	23600
12.65	15.09	2.44	P396355	90	10	92	324	1.7	1240
15.09	18.29	3.20	P396356	79	10	5	207	0.3	131
18.29	20.72	2.43	P396357	95	6	6	173	0.2	683
20.72	23.32	2.60	P396358	75	10	6	188	0.8	396
23.32	26.40	3.08	P396359	68	2	4	383	0.7	533
26.40	29.71	3.31	P396360	87	5	6	327	0.6	138
29.71	32.71	3.00	P396361	75	2	20	934	0.7	88
32.71	35.71	3.00	P396362	77	4	39	689	0.5	111
35.71	38.86	3.15	P396363	97	3	13	314	0.4	140
38.86	41.91	3.05	P396364	97	5	26	271	0.3	70
41.91	45.04	3.13	P396366	93	2	24	259	0.2	590
45.04	48.46	3.42	P396367	100	2	51	505	0.9	4950
48.46	51.39	2.93	P396369	86	7	81	543	0.4	795
51.39	53.64	2.25	P396370	100	7	97	1860	1.5	668
53.64	56.00	2.36	P396371	100	35	68	545	1.7	430
56.00	58.00	2.00	P396372	100	35	90	629	1.2	2010
58.00	60.00	2.00	P396373	98	5	43	3540	2.3	163
60.00	62.35	2.35	P396374	98	6	22	2610	3.0	673
62.35	65.58	3.23	P396375	70	6	16	662	0.8	127
65.58	68.58	3.00	P396376	97	18	12	371	0.3	245
68.58	70.58	2.00	P396377	100	12	8	449	0.6	908
70.58	74.07	3.49	P396378	96	9	3	426	1.8	1130
74.07	77.11	3.04	P396379	99	24	74	4610	2.5	703
77.11	80.16	3.05	P396380	82	4	25	767	1.0	700
80.16	82.20	2.04	P396381	97	6	27	743	0.6	705
82.20	84.60	2.40	P396382	97	10	81	1190	0.4	646
84.60	87.78	3.18	P396383	93	<2	50	372	0.2	125

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-08 Zone: NUCLEUS Section: 6913600

Easting:	Northing:	Elevation:	Depth:
379512 mE	6913592 mN	900 m	121.92

Logger: M.R. Dumala
Drilling Dates: July 30-Aug 3, 2004

Depth	Collar	EOH		
Azimuth	270	270		
Dip	-50	-53		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
111.62	114.05	2.43	BRZN	PPFX
114.05	121.92	7.87	AMPH	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
87.78	90.78	3.00	P396384	97	38	70	292	0.5	74
90.78	93.88	3.10	P396385	100	6	29	216	0.3	600
93.88	96.88	3.00	P396386	93	2	18	216	<0.2	882
96.88	100.09	3.21	P396387	90	3	15	301	0.2	208
100.09	103.19	3.10	P396388	100	<2	27	144	<0.2	82
103.19	106.20	3.01	P396390	90	4	33	182	<0.2	55
106.20	109.42	3.22	P396391	90	3	39	169	<0.2	101
109.42	111.62	2.20	P396392	94	4	38	562	0.3	258
111.62	114.01	2.39	P396394	96	18	27	2090	1.1	417
114.01	117.06	3.05	P396395	95	7	30	744	0.8	3030
117.06	119.79	2.73	P396396	97	20	63	306	0.2	121
119.79	121.92	2.13	P396397	90	29	69	347	<0.2	65

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-07 Zone: NUCLEUS Section: 6913600

Easting:	Northing:	Elevation:	Depth:
379415 mE	6913610 mN	925 m	77.42 m

Logger: M.R. Dumala
Drilling Dates: July 27-30, 2004

Depth	Casing	EOH		
Azimuth	270			
Dip	-50	-47		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	3.05	3.05	OVBR	
3.05	11.07	8.02	GNIS	FX-BI
11.07	14.90	3.83	GRAN	
14.90	19.90	5.00	GNIS	FX-CY(BI)
19.90	32.63	12.73	GRAN	
32.63	36.89	4.26	VNZN	Pale green clay matrix with fine GNIS clasts
36.89	43.59	6.70	GNIS	VNZN?
43.59	48.55	4.96	FTZN	
48.55	53.07	4.52	GNIS	FX-BI
53.07	58.93	5.86	GRAN	
58.93	63.51	4.58	GNIS	BI-FX-QZ
63.51	67.05	3.54	GRAN	
67.05	77.42	10.37	GNIS	BI-FX
				Augen GNIS 68.46-71.42

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
3.05	6.40	3.35	P396323	77	2	34	259	0.7	632
6.40	9.45	3.05	P396324	73	2	22	248	0.6	495
9.45	12.95	3.50	P396325	80	3	25	313	0.3	181
12.95	16.46	3.51	P396326	86	5	12	162	<0.2	189
16.46	19.81	3.35	P396327	81	<2	21	245	0.4	56
19.81	22.40	2.59	P396328	85	7	14	98	<0.2	17
22.40	25.60	3.20	P396330	92	4	7	57	0.3	78
25.60	28.72	3.12	P396331	95	9	12	50	0.2	75
28.72	30.48	1.76	P396332	89	5	35	73	0.2	41
30.48	32.63	2.15	P396333	87	8	15	281	0.3	55
32.63	34.78	2.15	P396334	96	4	34	753	0.6	837
34.78	36.89	2.11	P396335	94	<2	32	1680	0.7	612
36.89	39.90	3.01	P396336	96	4	19	1225	0.5	90
39.90	43.28	3.38	P396337	54	63	79	209	2.0	221
43.28	46.03	2.75	P396338	38	3	57	245	1.8	1175
46.03	48.55	2.52	P396339	68	5	33	338	2.0	1185
48.55	50.60	2.05	P396341	96	4	12	1550	4.1	804
50.60	53.07	2.47	P396342	98	3	34	2160	4.2	321
53.07	55.78	2.71	P396343	100	5	13	1270	0.9	161
55.78	58.93	3.15	P396345	93	20	17	1400	1.5	74
58.93	61.87	2.94	P396346	99	7	32	1070	1.6	89
61.87	64.92	3.05	P396347	90	4	25	1335	1.7	374
64.92	67.97	3.05	P396348	89	5	22	1315	2.4	230
67.97	71.02	3.05	P396349	97	13	19	545	0.8	463
71.02	74.06	3.04	P396350	100	20	68	268	0.5	512
74.06	77.42	3.36	P396351	92	3	81	286	0.4	108

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-06 Zone: NUCLEUS Section: 6913550

Easting:	Northing:	Elevation:	Depth:
379525 mE	6913532 mN	891 m	112.17 m

Logger: M.R. Dumala
Drilling Dates: July 23-26, 2004

Depth	Casing	EOH		
Azimuth	270			
Dip	-50	-55		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	6.10	6.10	OVBR	
6.10	12.50	6.40	GNIS	BI-FX-QZ
12.50	17.35	4.85	GRAN	
17.35	35.65	18.30	GNIS	BI-FX-QZ
35.65	38.57	2.92	GRDR	
38.57	48.33	9.76	GNIS	BI-FX-QZ
48.33	48.82	0.49	PPFX	
48.82	49.46	0.64	VNZN	
49.46	50.37	0.91	GRAN	
50.37	59.52	9.15	GNIS	FX-QZ
59.52	61.15	1.63	GRAN	
61.15	65.83	4.68	GNIS	FX-BI-QZ
65.83	67.39	1.56	BRZN	
67.39	72.27	4.88	GNIS	FX-BI
72.27	73.26	0.99	AMPH	
73.26	90.12	16.86	GNIS	BI-FX-QZ
				87.88-90.12 Augen GNIS
90.12	90.95	0.83	GRAN	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
6.10	9.30	3.20	P396280	100	<2	14	242	0.8	273
9.30	12.50	3.20	P396281	87	<2	26	305	<0.2	85
12.50	15.54	3.04	P396282	79	3	11	154	<0.2	53
15.54	18.50	2.96	P396283	89	2	11	137	0.2	98
18.50	21.34	2.84	P396284	83	<2	13	210	0.2	35
21.34	24.23	2.89	P396285	76	<2	35	186	<0.2	<5
24.23	27.12	2.89	P396287	92	<2	87	155	<0.2	38
27.12	30.12	3.00	P396288	71	2	28	239	0.2	65
30.12	33.12	3.00	P396289	85	<2	30	134	<0.2	52
33.12	35.65	2.53	P396290	95	<2	33	219	<0.2	88
35.65	38.65	3.00	P396292	95	<2	16	138	<0.2	25
38.65	41.65	3.00	P396293	92	<2	33	154	<0.2	50
41.65	44.65	3.00	P396294	96	<2	40	288	<0.2	119
44.65	47.65	3.00	P396295	100	2	27	348	<0.2	433
47.65	49.68	2.03	P396296	96	5	25	287	0.6	477
49.68	52.73	3.05	P396297	92	5	34	189	0.2	322
52.73	55.77	3.04	P396298	97	6	21	172	<0.2	183
55.77	58.83	3.06	P396299	97	57	156	489	0.5	121
58.83	61.87	3.04	P396300	94	<2	30	285	0.2	25
61.87	64.92	3.05	P396301	100	6	27	468	0.2	18
64.92	67.97	3.05	P396302	100	3	21	241	0.6	67
67.97	71.02	3.05	P396303	97	3	35	362	0.3	88
71.02	74.07	3.05	P396305	90	<2	70	459	0.5	89
74.07	77.11	3.04	P396306	98	2	43	311	0.2	109
77.11	79.80	2.69	P396308	95	<2	31	482	0.7	139
79.80	82.29	2.49	P396309	100	4	10	326	0.6	187
82.29	84.73	2.44	P396310	100	<2	7	673	0.4	261
84.73	87.78	3.05	P396311	95	5	14	610	<0.2	162
87.78	90.12	2.34	P396312	95	6	16	434	0.2	189
90.12	92.35	2.23	P396313	94	3	28	394	0.3	67

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-06 Zone: NUCLEUS Section: 6913550

Easting:	Northing:	Elevation:	Depth:
379525 mE	6913532 mN	891 m	112.17 m

Logger: M.R. Dumala
Drilling Dates: July 23-26, 2004

	Depth	Collar	EOH		
	Azimuth	270			
	Dip	-50	-55		
	Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
90.95	91.35	0.40	GNIS	BI-FX
91.35	91.60	0.25	PPFX	
91.60	97.61	6.01	AMPH	
97.61	98.79	1.18	GRAN	
98.79	99.84	1.05	PPFX	
99.84	104.23	4.39	AMPH	
104.23	104.74	0.51	GRAN	
104.74	112.17	7.43	AMPH	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
92.35	95.40	3.05	P396314	95	3	26	369	0.3	132
95.40	97.61	2.21	P396315	92	12	57	475	0.4	471
97.61	99.84	2.23	P396316	84	<2	63	368	0.5	427
99.84	102.72	2.88	P396317	97	<2	47	519	0.7	1250
102.72	105.00	2.28	P396318	93	2	14	305	0.3	1650
105.00	107.44	2.44	P396319	95	6	16	669	1.1	714
107.44	110.03	2.59	P396320	95	2	14	646	0.9	932
110.03	112.17	2.14	P396321	99	4	36	194	<0.2	233

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-05 Zone: NUCLEUS Section: 6913358

Easting:	Northing:	Elevation:	Depth:
379521 mE	6913358 mN	873 m	70.10 m

Logger: Mike Phillips
Drilling Dates: June 22-July 22, 2004

Depth	Cassing	EOH		
Azimuth	270			
Dip	-50	-54		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	4.83	4.83	OVBR	
4.83	20.95	16.12	GNIS	QZ FX BI
20.95	29.25	8.30	GNIS	QZ FX CL (ex BI)
29.25	34.25	5.00	GNIS	FX BI QZ
34.25	38.55	4.30	GNIS	FX QZ BI
38.55	44.35	5.80	QZMZ	
44.35	46.32	1.97	QZMZ	
46.32	48.45	2.13	QZMZ	
48.45	58.15	9.70	QZMZ	
58.15	63.10	4.95	QZIT	
63.10	70.10	7.00	AMPH	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
4.83	8.53	3.70	P396256	60	4	32	86	<0.2	60
8.53	14.33	5.80	P396257	54	<2	37	104	0.2	32
14.33	17.68	3.35	P396258	63	<2	28	84	0.3	44
17.68	21.03	3.35	P396259	66	<2	23	118	<0.2	97
21.03	23.00	1.97	P396260	85	2	20	112	<0.2	169
23.00	25.00	2.00	P396261	97	<2	29	79	0.2	194
25.00	28.04	3.04	P396262	85	<2	40	69	<0.2	10
28.04	31.09	3.05	P396263	83	3	38	70	<0.2	55
31.09	34.14	3.05	P396264	84	5	30	54	0.4	19
34.14	37.19	3.05	P396265	72	<2	31	94	<0.2	54
37.19	40.23	3.04	P396266	75	7	33	70	0.2	15
40.23	42.67	2.44	P396267	82	4	16	58	<0.2	32
42.67	45.72	3.05	P396269	90	5	18	53	<0.2	15
45.72	48.31	2.59	P396270	90	6	11	75	<0.2	14
48.31	51.21	2.90	P396271	93	4	19	117	0.2	84
51.21	53.94	2.73	P396272	98	4	9	39	0.2	18
53.94	56.39	2.45	P396273	91	7	10	71	0.4	143
56.39	59.44	3.05	P396275	91	7	16	110	0.2	64
59.44	62.48	3.04	P396276	98	2	10	84	0.2	51
62.48	64.62	2.14	P396277	97	5	27	83	<0.2	56
64.62	67.51	2.89	P396278	93	<2	28	84	0.3	46
67.51	70.10	2.59	P396279	93	<2	14	77	<0.2	127

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-04 Zone: NUCLEUS Section: 6913265

Easting:	Northing:	Elevation:	Depth:
379468 mE	6913265 mN	876 m	67.36 m

Logger: Mike Phillips
Drilling Dates: June 21-22, 2004

Depth	Collar	EOH		
Azimuth	270			
Dip	-50	-71		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	3.05	3.05	OVBR	
3.05	7.60	4.55	QTIT	
18.70	25.01	6.31	BRZN	
25.01	31.45	6.44	BRZN	PPFX clasts
31.45	31.90	0.45	FTZN	
31.90	55.20	23.30	GNIS	QZ, FX
55.20	67.36	12.16	GNIS	QZ>>FX>Bl

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
3.05	4.88	1.83	P390159	96	2	17	72	0.8	159
4.88	6.25	1.37	P390160	95	<2	15	100	0.6	79
6.25	8.00	1.75	P390161	95	2	15	68	0.2	556
8.00	10.06	2.06	P390162	91	8	21	66	<0.2	35
10.06	12.04	1.98	P390163	94	3	17	81	0.3	304
12.04	14.63	2.59	P390164	90	4	15	90	<0.2	52
14.63	16.76	2.13	P390165	95	<2	18	229	<0.2	765
16.76	19.00	2.24	P390166	90	3	31	152	0.3	3350
19.00	21.00	2.00	P390168	96	<2	32	136	<0.2	146
21.00	23.00	2.00	P390169	75	<2	28	113	0.2	342
23.00	25.00	2.00	P390170	70	2	22	120	<0.2	231
25.00	27.00	2.00	P390171	95	2	9	126	0.4	462
27.00	29.00	2.00	P390172	60	2	36	158	<0.2	39
29.00	31.00	2.00	P390173	65	3	45	281	0.2	97
31.00	33.00	2.00	P390174	75	4	32	247	0.6	395
33.00	35.00	2.00	P390175	75	7	85	367	1.0	648
35.00	37.00	2.00	P390177	95	5	26	335	0.4	454
37.00	39.00	2.00	P390178	55	5	22	241	0.3	63
39.00	41.00	2.00	P390179	65	3	12	156	<0.2	39
41.00	43.00	2.00	P390180	80	2	12	192	<0.2	201
43.00	45.00	2.00	P390181	65	3	14	201	0.2	25
45.00	47.00	2.00	P390182	65	2	12	84	<0.2	28
47.00	49.00	2.00	P390183	79	3	16	85	<0.2	64
49.00	51.00	2.00	P390184	98	5	8	224	<0.2	222
51.00	53.00	2.00	P390185	95	<2	9	112	<0.2	52
53.00	55.00	2.00	P390187	95	3	15	154	0.2	19
55.00	57.00	2.00	P390188	88	3	12	79	<0.2	110
57.00	59.00	2.00	P390189	94	11	66	153	0.2	106
59.00	61.00	2.00	P390190	92	<2	11	125	<0.2	40
61.00	63.00	2.00	P390192	97	4	19	98	<0.2	12

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-04 Zone: NUCLEUS Section: 6913265

Easting:	Northing:	Elevation:	Depth:
379468 mE	6913265 mN	876 m	67.36 m

Logger: Mike Phillips
Drilling Dates: June 21-22, 2004

Depth	Collar	EOH		
Azimuth	270			
Dip	-50	-71		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
63.00	65.00	2.00	P390193	94	3	13	66	<0.2	6
65.00	67.36	2.36	P390194	90	3	13	55	0.2	11

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-03 Zone: NUCLEUS Section: 6913700

Easting:	Northing:	Elevation:	Depth:	Logger:	Mike Phillips
379510 mE	6913687 mN	908 m	137.16 m	Drilling Dates:	June 19-21, 2004

Depth	Cassing	EOH		
Azimuth	270			
Dip	-50	-55		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	5.79	5.79	OVBR	
5.79	9.77	3.98	GRAN	
9.77	11.36	1.59	GNIS	
11.36	15.00	3.64	GRAN	
15.00	25.06	10.06	GNIS	
25.06	35.05	9.99	GRAN	
35.05	43.80	8.75	GNIS	
43.80	47.30	3.50	GRAN	
47.30	49.10	1.80	GNIS	
49.10	72.85	23.75	GNIS	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
5.79	7.32	1.53	P396233	100	10	5	45	0.4	439
7.32	8.84	1.52	P396234	96	5	4	69	0.3	228
8.84	10.97	2.13	P396235	87	5	9	89	0.8	158
10.97	13.41	2.44	P396236	88	8	6	88	0.5	160
13.41	16.00	2.59	P396237	85	8	11	76	0.6	217
16.00	18.00	2.00	P396238	98	10	17	227	2.5	2430
18.00	20.00	2.00	P396239	98	8	4	305	1.2	564
20.00	22.00	2.00	P396240	85	5	5	330	0.6	288
22.00	24.00	2.00	P396242	88	5	22	587	1.0	453
24.00	26.00	2.00	P396243	86	9	52	287	1.7	792
26.00	28.00	2.00	P396244	99	6	<2	78	0.7	192
28.00	30.00	2.00	P396246	99	6	9	126	1.0	746
30.00	32.00	2.00	P396247	97	5	7	79	1.0	918
32.00	34.00	2.00	P396248	95	19	8	279	0.5	196
34.00	36.00	2.00	P396249	95	5	8	300	0.5	246
36.00	38.00	2.00	P396250	94	3	87	432	0.3	808
38.00	40.00	2.00	P396251	92	5	19	522	0.7	276
40.00	42.00	2.00	P396252	90	5	21	689	0.7	336
42.00	44.00	2.00	P396253	90	7	15	538	0.7	113
44.00	45.00	1.00	P396254	85	6	11	199	0.6	132
45.00	48.00	3.00	P396255	95	8	10	428	0.6	348
48.00	50.00	2.00	P390111	100	7	37	1635	0.3	310
50.00	52.00	2.00	P390112	93	6	51	417	0.2	236
52.00	54.00	2.00	P390114	93	9	27	409	0.4	680
54.00	56.00	2.00	P390115	100	7	26	1520	1.2	33400
56.00	58.00	2.00	P390117	97	9	39	1015	1.3	834
58.00	60.00	2.00	P390118	97	10	45	757	1.0	1435
60.00	62.00	2.00	P390119	92	10	48	472	0.3	358
62.00	64.00	2.00	P390120	94	9	34	451	0.5	632
64.00	66.00	2.00	P390121	100	11	56	292	0.2	289

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-03 Zone: NUCLEUS Section: 6913700

Easting:	Northing:	Elevation:	Depth:
379510 mE	6913687 mN	908 m	137.16 m

Logger: Mike Phillips
Drilling Dates: June 19-21, 2004

Depth	Collar	EOH		
Azimuth	270			
Dip	-50	-55		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
72.85	90.30	17.45	GNIS	
90.30	93.50	3.20	GRAN	
93.50	100.55	7.05	GNIS	
100.55	106.20	5.65	QZMZ	
106.20	112.40	6.20	GNIS	
112.40	114.90	2.50	VNZN	
114.90	120.65	5.75	PPFX	
120.65	124.48	3.83	GNIS	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
66.00	68.00	2.00	P390122	100	12	30	304	0.2	693
68.00	70.00	2.00	P390123	97	9	37	379	0.3	93
70.00	72.00	2.00	P390124	75	10	56	170	<0.2	63
72.00	74.00	2.00	P390125	99	5	51	529	0.2	247
74.00	76.00	2.00	P390126	94	5	29	313	0.4	465
76.00	78.00	2.00	P390127	75	8	42	134	<0.2	443
78.00	80.00	2.00	P390128	85	7	41	375	0.3	783
80.00	82.00	2.00	P390129	100	10	48	1365	1.5	717
82.00	84.00	2.00	P390130	97	10	24	549	0.4	384
84.00	86.00	2.00	P390131	96	7	20	368	0.2	313
86.00	88.00	2.00	P390132	96	10	11	3100	1.1	439
88.00	90.00	2.00	P390133	95	8	19	874	0.7	519
90.00	92.00	2.00	P390134	92	8	4	526	0.2	154
92.00	94.00	2.00	P390135	94	12	54	1445	1.3	793
94.00	96.00	2.00	P390137	94	12	53	449	0.3	338
96.00	98.00	2.00	P390139	97	9	69	723	0.6	317
98.00	100.00	2.00	P390140	99	17	63	1145	1.4	644
100.00	102.00	2.00	P390141	100	7	19	418	0.8	231
102.00	104.00	2.00	P390142	94	3	13	552	0.8	2340
104.00	106.00	2.00	P390143	95	9	30	219	0.2	154
106.00	108.00	2.00	P390144	97	10	32	492	0.6	90
108.00	110.00	2.00	P390145	96	12	33	384	0.4	118
110.00	112.10	2.10	P390106	97	21	25	653	1.0	547
112.10	113.10	1.00	P390107	98	13	85	12900	17.0	3460
113.10	114.10	1.00	P390108	96	9	107	26200	18.7	3080
114.10	115.00	0.90	P390109	100	15	88	16900	10.2	1095
115.00	117.00	2.00	P390110	95	38	56	3360	1.6	135
117.00	119.00	2.00	P390146	95	11	25	1705	0.8	678
119.00	120.63	1.63	P390147	96	7	22	2140	2.6	218
120.63	122.00	1.37	P390148	96	8	30	438	0.5	295
122.00	124.00	2.00	P390149	96	7	25	264	0.5	562

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-03 Zone: NUCLEUS Section: 6913700

Easting:	Northing:	Elevation:	Depth:
379510 mE	6913687 mN	908 m	137.16 m

Logger: Mike Phillips
Drilling Dates: June 19-21, 2004

Depth	Collar	EOH		
Azimuth	270			
Dip	-50	-55		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
124.48	137.16	12.68	GNIS	

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
124.00	126.00	2.00	P390150	96	15	41	384	0.2	408
126.00	128.00	2.00	P390151	85	8	41	210	<0.2	35
128.00	130.00	2.00	P390152	90	7	24	448	0.5	96
130.00	132.00	2.00	P390154	95	7	12	308	0.4	280
132.00	134.00	2.00	P390155	100	7	18	945	1.3	355
134.00	136.00	2.00	P390157	97	7	17	595	0.5	204
136.00	137.16	1.16	P390158	99	6	22	1340	2.5	168

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-02 **Zone:** NUCLEUS **Section:** 6913650

Easting:	Northing:	Elevation:	Depth:
379650 mE	6913420 mN	929 m	65.53 m

Logger:
Drilling Dates: June 17-18, 2004

Depth	Collar	EOH		
Azimuth	270			
Dip	-50	-50		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	3.66	3.66	OVBR	
3.66	11.65	7.99	GNIS	FX, BI, QZ
11.65	17.70	6.05	GRAN	
17.70	23.00	5.30	FTZN	
23.00	27.20	4.20	GRAN	
27.20	29.35	2.15	FTZN	
29.35	30.35	1.00	GRAN	
30.35	40.25	9.90	GNIS	QZ-FX
40.25	43.50	3.25	GRAN	
43.50	44.50	1.00	GNIS	FX-QZ
44.50	51.33	6.83	GRAN	
51.33	57.40	6.07	GNIS	FX-QZ

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
3.66	5.94	2.28	P396199	76	5	12	78	0.3	25
5.94	8.38	2.44	P396200	59	3	46	220	0.2	44
8.38	9.75	1.37	P396201	86	<2	34	266	0.4	432
9.75	11.65	1.90	P396202	92	<2	36	257	0.2	177
11.65	13.72	2.07	P396203	95	5	7	80	0.2	255
13.72	15.85	2.13	P396204	83	5	2	83	0.2	116
15.85	17.37	1.52	P396205	99	7	3	69	0.7	488
17.37	18.90	1.53	P396206	48	33	17	237	2.8	69
18.90	20.90	2.00	P396207	31	6	10	126	2.1	544
20.90	23.16	2.26	P396208	89	5	8	196	6.5	11450
23.16	24.00	0.84	P396209	99	13	12	87	2.0	1290
24.00	26.00	2.00	P396210	96	9	11	94	1.3	65
26.00	28.00	2.00	P396211	92	5	9	227	1.3	315
28.00	30.00	2.00	P396212	92	8	22	276	1.2	8
30.00	32.00	2.00	P396213	83	6	8	76	0.5	122
32.00	34.00	2.00	P396214	90	6	8	145	2.0	91
34.00	36.30	2.30	P396215	100	2	12	246	1.0	109
36.30	38.00	1.70	P396216	94	3	11	350	0.7	171
38.00	40.00	2.00	P396217	90	3	15	910	1.4	108
40.00	42.06	2.06	P396219	100	4	14	401	1.3	614
42.06	44.00	1.94	P396220	90	8	12	213	0.7	376
44.00	46.02	2.02	P396221	84	7	4	79	0.5	299
46.02	48.00	1.98	P396222	80	4	6	708	0.6	237
48.00	50.00	2.00	P396223	90	5	<2	154	0.5	130
50.00	52.12	2.12	P396224	90	6	16	1830	0.4	75
52.12	54.00	1.88	P396226	95	6	30	2690	2.3	354
54.00	56.00	2.00	P396227	100	6	44	1015	0.7	765
56.00	58.00	2.00	P396228	94	5	29	1340	1.0	169
58.00	60.00	2.00	P396229	84	12	4	463	0.7	195

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-02 **Zone:** NUCLEUS **Section:** 6913650

Easting:	Northing:	Elevation:	Depth:
379650 mE	6913420 mN	929 m	65.53 m

Logger:
Drilling Dates: June 17-18, 2004

Depth	Collar	EOH		
Azimuth	270			
Dip	-50	-50		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
57.40	65.23	7.83	GRAN	
65.23	65.53	0.30	GNIS	FX, BI, QZ

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
60.00	62.00	2.00	P396230	80	6	7	1255	0.9	206
62.00	64.00	2.00	P396231	95	3	20	1180	0.9	206
64.00	65.53	1.53	P396232	100	3	13	637	0.7	420

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-01 Zone: NUCLEUS Section: 6913800

Easting:	Northing:	Elevation:	Depth:
379519 mE	6913777 mN	913 m	150.88 m

Logger: Mike Phillips
Drilling Dates: June 14-17, 2004

	Depth	Cassing	EOH		
	Azimuth	270			
	Dip	-50	-55		
	Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
0.00	8.84	8.84	OVBR	
8.84	28.65	19.81	GNIS	FX QZ BI GNEISS
28.65	31.27	2.62	GRAN	microgranite
31.27	34.43	3.16	GNIS	FX QZ BI GNEISS
34.43	46.05	11.62	GRAN	microgranite
46.05	58.30	12.25	GNIS	FX BI QZ GNEIS
58.30	75.45	17.15	GRAN	
75.45	100.75	25.30	GNIS	FX BI QZ GNEISS

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
8.84	11.58	2.74	P396127	92	174	27	282	0.9	2960
11.58	14.63	3.05	P396128	66	164	36	342	1.3	296
14.63	17.37	2.74	P396129	85	30	22	375	0.3	96
17.37	20.73	3.36	P396130	93	35	17	358	0.2	22
20.73	23.77	3.04	P396131	94	17	35	610	0.3	113
23.77	26.82	3.05	P396132	97	7	24	410	0.2	101
26.82	29.87	3.05	P396133	70	9	19	369	1.0	393
29.87	32.00	2.13	P396134	77	8	16	281	0.4	1125
32.00	34.44	2.44	P396135	86	5	19	332	0.3	611
34.44	37.49	3.05	P396136	100	11	14	67	0.6	909
37.49	40.54	3.05	P396137	94	7	5	40	0.4	528
40.54	43.59	3.05	P396138	88	39	4	31	0.7	219
43.59	46.05	2.46	P396139	100	7	2	44	0.5	155
46.05	48.16	2.11	P396140	98	6	32	642	0.5	766
48.16	51.21	3.05	P396142	98	2	54	652	<0.2	431
51.21	54.25	3.04	P396143	99	4	27	598	0.5	898
54.25	55.78	1.53	P396144	100	2	32	1175	2.0	516
55.78	58.30	2.52	P396146	100	5	31	603	0.6	745
58.30	60.35	2.05	P396147	100	6	13	190	0.2	395
60.35	62.99	2.64	P396148	99	6	5	464	0.4	642
62.99	65.00	2.01	P396149	97	4	8	410	0.2	178
65.00	66.80	1.80	P396150	88	5	5	379	0.2	340
66.80	68.88	2.08	P396151	88	6	6	1125	0.2	424
68.88	71.02	2.14	P396152	97	6	14	1365	1.1	559
71.02	73.00	1.98	P396153	97	7	11	217	0.3	411
73.00	75.35	2.35	P396154	99	5	13	266	0.4	999
75.35	78.00	2.65	P396155	98	4	35	1500	1.2	1035
78.00	80.16	2.16	P396156	100	22	45	400	0.4	298
80.16	82.00	1.84	P396157	94	10	50	676	0.6	698

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-01 Zone: NUCLEUS Section: 6913800

Easting:	Northing:	Elevation:	Depth:
379519 mE	6913777 mN	913 m	150.88 m

Logger: Mike Phillips
Drilling Dates: June 14-17, 2004

	Depth	Casing	EOH		
	Azimuth	270			
	Dip	-50	-55		
	Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
100.75	100.95	0.20	BRZN	PPFX?
100.95	140.60	39.65	GNIS	

SYNOPTIC LOG
GOLDEN REVENUE
PROPERTY

Hole: DN04-01 Zone: NUCLEUS Section: 6913800

Easting:	Northing:	Elevation:	Depth:
379519 mE	6913777 mN	913 m	150.88 m

Logger: Mike Phillips
Drilling Dates: June 14-17, 2004

Depth	Cassing	EOH		
Azimuth	270			
Dip	-50	-55		
Method	Compass	Acid		

From (m)	To (m)	Interval (m)	Unit	Comments
141.92	142.95	1.03	GNIS	
142.95	143.30	0.35	VNZN	
143.30	149.79	6.49	GNIS	
149.79	150.88	1.09	GNIS	
EOH				

From (m)	To (m)	Interval (m)	Sample No.	REC %	Pb (ppm)	Zn (ppm)	Cu (ppm)	Ag (ppm)	Au (ppb)
143.65	145.54	1.89	P396194	98	2	42	415	<0.2	49
145.54	147.22	1.68	P396195	89	<2	40	501	<0.2	113
147.22	148.74	1.52	P396196	92	11	71	996	<0.2	96
148.74	150.88	2.14	P396198	100	<2	62	136	<0.2	14

APPENDIX V

CERTIFICATES OF ANALYSIS

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A406497
1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	.1	.8	.3	<1	<.1	.2	<.1	<1	.04	.8	<.1	1.2	<.1	2	<.1	.1	<.1	<1	.07	<.001	<1	<1	<.01	3	<.001	<1	.02	.316	.01	.1	.01	.1	<.1	<.05	<1	<.5	<2	-
P 396775	2.0	268.1	6.8	36	.2	54.7	39.3	668	6.29	31.7	3.7	54.6	3.4	29	<.1	2.0	3.0	109	1.15	.055	9	45.3	1.16	44	.012	2	1.35	.004	.32	.8	.03	19.2	.9	1.04	6	1.0	127	5.25
P 396797	2.2	341.3	6.8	15	.4	7.8	12.1	168	2.90	52.7	1.1	23.2	7.9	47	.1	5.4	1.4	16	2.29	.060	24	3.8	.92	24	.001	3	.49	.005	.16	.5	.01	2.3	.2	1.19	2	2.1	26	4.75
P 396822	2.9	349.3	22.5	64	.4	10.5	6.6	94	1.64	138.0	1.7	459.6	8.4	55	.4	2.1	2.0	9	1.49	.017	17	8.4	.41	36	.004	1	.42	.003	.19	.5	.02	1.4	.5	.53	1	.9	584	4.80
STANDARD DS5/AU-R2	12.5	143.7	25.2	139	.3	24.8	11.9	772	2.99	17.5	5.9	41.5	2.7	46	5.6	3.4	5.8	61	.77	.091	12	187.5	.67	136	.100	16	2.11	.032	.16	4.5	.18	3.4	1.0	<.05	7	5.0	601	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
-- --
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data ✓ FA ____ **DATE RECEIVED:** OCT 20 2004 **DATE REPORT MAILED:** Nov 9/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A406485
1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	.9	.2	.3	<1	<.1	.1	<.1	3	.03	<.5	<.1	<.5	<.1	2	<.1	<.1	<.1	1	.11	<.001	<1	<1	<.01	2	<.001	<1	.01	.39	<.01	.2	<.01	<.1	<.1	.10	<1	<.5	<2	-
P 396600	1.4	368.2	3.4	45	.1	6.2	12.2	319	7.45	26.6	2.2	20.9	3.6	24	.1	3.1	3.9	98	.02	.088	17	10.7	.07	132	.001	<1	.96	.017	.33	1.8	.01	19.7	1.8	.63	4	1.9	68	3.45
P 396620	1.0	670.9	5.6	7	.1	11.7	3.5	29	2.61	38.5	2.2	56.0	2.0	8	<.1	4.4	5.6	52	.03	.037	11	8.5	.14	67	.001	1	1.36	.012	.18	.7	.02	12.0	1.3	.60	3	1.5	166	4.17
P 396645	2.6	1023.9	7.8	38	.2	34.0	28.4	278	2.91	147.6	5.1	88.1	8.7	14	3.3	56.5	19.6	23	.23	.097	30	4.8	.10	97	.001	<1	1.22	.003	.15	.5	.05	3.5	.8	1.11	2	1.8	104	4.70
P 396660	2.1	159.3	5.2	61	.3	3.6	5.9	119	5.17	804.7	3.0	123.8	8.9	22	.2	15.9	52.2	6	.01	.080	21	2.8	.02	163	.001	1	.59	.012	.42	.7	.07	1.3	1.2	.60	2	2.1	338	4.51
P 396687	2.8	182.9	5.8	23	.1	22.7	12.6	211	3.68	236.7	2.5	54.5	16.1	14	.3	3.8	6.2	18	.03	.035	37	15.2	.03	52	.002	<1	.72	.005	.22	.5	.01	4.0	.6	.12	2	1.0	57	4.27
P 396700	.7	47.2	6.4	38	<.1	20.0	17.3	541	2.26	319.1	.9	6.9	2.4	5	.1	1.4	2.0	9	.22	.015	10	4.2	.19	25	<.001	<1	.60	.003	.11	.5	.01	1.6	.2	.44	2	1.1	28	3.61
P 396729	2.0	1546.0	4.8	39	.6	45.4	69.2	517	23.60	538.2	1.2	141.9	.9	35	.7	58.7	25.2	18	.32	.106	4	4.5	.25	4	.001	<1	.28	.002	.03	1.5	.18	3.1	9.2	>10	3	15.1	195	3.95
P 396745	1.5	167.1	4.9	12	.1	26.4	11.2	143	3.09	268.3	1.6	41.3	13.1	11	.1	8.0	3.3	23	.45	.043	34	18.2	.22	93	.001	1	.63	.005	.16	.9	.01	4.6	1.7	1.61	3	1.2	66	6.00
STANDARD	12.0	138.7	25.0	131	.3	24.6	11.9	743	2.96	18.0	5.7	42.0	2.5	45	5.1	3.3	5.6	59	.72	.087	12	186.2	.64	137	.105	16	1.99	.031	.13	4.4	.16	3.4	1.1	<.05	6	4.8	601	-

Standard is STANDARD DS5/AU-R2.
GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
-- --
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data 1 FA ____ DATE RECEIVED: OCT 15 2004 DATE REPORT MAILED: Nov 10/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A406106

1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	.3	8.0	2.1	13	<.1	7.3	.4	13	.12	10.0	<.1	1.8	<.1	5	.1	.2	.1	1	.17	.001	<1	1.8	.01	10	.002	1	.02	.529	.01	1.1	.01	.1	<.1	.10	<1	<.5	2	-
P 396530	.8	53.9	11.9	11	.1	2.4	2.0	21	.53	7.5	1.3	1.3	31.1	7	.2	.6	.1	2	.03	.006	26	1.0	.02	80	.002	1	.55	.013	.19	.2	.01	1.0	.2	.27	1	<.5	<2	4.60
P 396547	2.0	131.1	2.3	55	.3	10.3	14.7	301	3.35	11.7	.8	1.8	1.5	7	1.8	2.7	.8	23	.12	.022	6	8.0	.42	65	.002	1	.85	.040	.15	1.1	<.01	5.7	.6	.74	3	1.0	5	4.80
P 396583	.4	246.8	8.6	70	.4	16.0	20.6	683	9.33	16.7	.5	3.6	2.0	9	.2	2.7	5.1	162	.59	.174	14	26.1	2.97	54	.051	2	2.56	.013	.53	.1	<.01	18.2	1.4	2.87	14	1.5	10	4.65
STANDARD DS5/AU-R2	11.5	145.5	25.3	134	.3	25.1	12.3	740	2.99	17.6	6.0	43.0	2.6	46	5.1	3.5	5.7	58	.72	.091	13	179.9	.66	138	.100	17	1.99	.031	.14	5.0	.19	3.5	1.0	<.05	6	5.0	595	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
-- --
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data 1 FA ____ DATE RECEIVED: OCT 4 2004 DATE REPORT MAILED: Oct 30/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT Antimony File # A405914

1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb
SI	.1	11.2	.4	<1	<.1	15.1	2.1	5	.15	<.5	<.1	.9	<.1	3	<.1	<.1	<.1	3	.14	<.001	<1	<1	<.01	4	<.001	1	.01	.508	<.01	.1	<.01	.1	<.1	.06	<1	<.5	4
B 395600	1.9	13.0	35.9	10	.1	6.2	1.8	124	.59	50.0	.8	229.8	2.5	6	.1	1.4	11.1	5	.21	.064	3	11.6	.01	8	.001	4	.17	.016	.01	3.1	.01	.4	<.1	<.05	1	<.5	267
STANDARD DS5/AU-R2	13.0	141.4	25.4	135	.3	24.4	11.9	738	3.04	17.8	6.6	39.9	2.6	48	5.5	3.5	6.2	59	.73	.094	12	188.5	.67	137	.096	17	1.99	.031	.14	4.7	.18	3.4	1.0	<.05	7	4.9	591

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data f FA ____ DATE RECEIVED: SEP 27 2004 DATE REPORT MAILED: Oct 28/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.T
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT Antimony File # A405913

1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	.1	.4	.3	<1	<.1	.4	<.1	3	.03	<.5	<.1	<.5	<.1	1	<.1	<.1	<.1	<1	.05	<.001	<1	<1	<.01	2	<.001	<1	.01	.21	<.01	<.1	<.01	.1	<.1	<.05	<1	<.5	<2	-
B 395319	1.7	213.2	24.5	29	.5	5.7	3.9	219	1.41	87.2	17.4	17.1	41.4	83	.1	1.3	2.1	23	.69	.042	37	14.3	.34	49	.078	7	.63	.082	.21	.5	.01	1.8	.4	.07	4	.7	42	2.11
B 395339	2.5	85.1	16.1	21	.2	6.8	3.7	191	1.17	136.5	20.3	25.2	41.3	132	<.1	1.0	1.6	20	.93	.040	38	11.0	.30	37	.059	2	.83	.067	.19	.2	.01	1.6	.3	<.05	4	<.5	19	4.04
B 395359	3.2	70.8	22.2	26	.2	5.1	3.7	211	1.34	10.9	20.3	21.4	43.4	51	.1	1.3	1.2	26	.66	.048	40	15.8	.38	47	.089	5	.60	.083	.25	.5	<.01	2.1	.4	<.05	4	<.5	53	3.39
B 395379	3.6	29.8	16.2	22	.1	3.8	3.3	223	1.03	27.9	21.2	40.0	41.7	90	.1	1.0	.4	19	.58	.048	35	9.8	.27	39	.071	8	.56	.077	.15	.8	<.01	1.3	.2	<.05	3	<.5	24	3.68
B 395410	4.2	21.9	24.5	36	.1	2.5	5.0	249	1.86	46.6	13.5	2.7	54.5	69	.1	4.6	.1	61	1.52	.149	47	7.1	.46	83	.155	272	.75	.082	.34	1.8	.01	2.1	.3	<.05	5	<.5	3	3.68
B 395430	3.9	93.5	21.3	44	.2	4.3	8.4	297	2.21	245.9	21.8	6.1	48.1	54	.1	2.5	.4	64	1.01	.178	67	10.2	.49	175	.181	68	.73	.104	.44	3.2	.01	2.1	.4	<.05	5	<.5	10	3.30
B 395450	5.2	34.2	15.6	44	.1	3.6	7.7	351	2.23	90.5	20.4	8.3	70.3	67	.1	1.1	.1	57	.98	.159	58	9.1	.49	111	.166	19	.75	.129	.39	2.4	.01	2.5	.3	.06	4	<.5	10	3.34
B 395470	4.1	30.2	13.0	50	.1	3.4	8.1	334	2.49	22.3	13.7	2.3	38.5	65	<.1	.8	.1	79	.90	.144	56	8.4	.48	148	.183	20	.83	.105	.45	4.3	<.01	2.0	.3	.06	5	<.5	3	3.26
B 395490	2.2	18.9	25.3	33	.1	4.2	4.4	293	1.59	53.9	19.6	20.4	40.5	75	.1	.8	.6	26	.91	.043	42	15.2	.42	40	.029	2	.76	.046	.15	1.0	.01	2.2	.2	<.05	4	<.5	49	3.50
B 395510	1.9	33.2	18.0	22	.1	4.1	3.5	215	1.24	75.2	19.8	33.1	40.2	45	.1	1.4	.7	23	.71	.049	37	11.7	.33	46	.077	10	.53	.076	.21	1.1	<.01	1.5	.3	.07	3	<.5	114	3.14
B 395530	2.3	178.4	18.7	27	.2	3.8	5.4	245	1.41	263.3	25.2	28.3	45.4	46	.1	1.3	1.0	27	.66	.051	42	13.8	.37	46	.087	3	.61	.078	.25	.5	<.01	1.8	.4	.08	4	.5	49	3.30
B 395550	3.4	49.2	18.6	33	.1	4.5	4.8	320	1.81	7.5	18.3	33.2	41.6	78	.1	.6	.2	24	1.21	.053	45	11.7	.51	32	.020	2	.93	.047	.15	1.4	.02	2.6	.1	.06	5	<.5	34	2.45
RE B 395550	3.9	48.9	18.8	33	.1	4.2	4.8	308	1.77	8.1	17.6	24.3	40.6	77	.1	.7	.3	24	1.17	.051	42	11.2	.49	29	.020	3	.89	.046	.14	1.7	.04	2.6	.2	.06	4	<.5	33	-
RRE B 395550	4.0	56.7	19.7	31	.2	4.3	5.0	293	1.76	8.9	18.4	13.0	41.9	76	.1	.6	.3	24	1.12	.049	43	13.1	.46	34	.024	2	.89	.049	.15	1.7	.02	2.5	.2	<.05	4	<.5	58	-
B 395570	1.7	128.7	23.0	40	.4	5.2	5.4	369	1.83	61.5	16.4	92.4	39.2	108	.2	1.1	2.6	28	1.28	.048	44	14.8	.37	38	.024	2	.62	.047	.16	.6	.09	3.2	.2	.11	3	<.5	163	1.40
B 395590	3.6	8.4	16.1	21	.1	2.7	2.7	219	1.10	7.7	19.9	2.8	38.2	105	.1	.8	.2	18	.51	.038	38	10.9	.24	48	.071	7	.50	.099	.21	10.2	<.01	1.5	.2	.06	3	<.5	16	3.40
STANDARD DS5/AU-R	12.3	142.3	24.6	136	.3	24.4	11.4	742	3.02	17.2	5.7	42.0	2.6	45	5.3	3.4	5.7	62	.72	.093	12	180.9	.69	137	.094	17	1.99	.034	.13	4.6	.18	3.3	1.1	<.05	6	4.8	492	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
-- --
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: SEP 27 2004 DATE REPORT MAILED: Oct 20/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.T.
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A404708

1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	<.1	.6	1.1	1	<.1	.3	.1	9	.05	<.5	<.1	<.5	<.1	5	<.1	.1	<.1	<1	.25	<.001	<1	<1	<.01	5	.001	<1	.01	.759	.01	<.1	<.01	.1	<.1	.12	<1	<.5	<2	-
P 396492	1.6	119.7	137.9	2	5.8	.8	.4	49	1.60	1445.8	4.2	63.4	16.4	18	.2	110.0	357.1	1	.01	.019	16	6.2	.01	102	.001	1	.40	.016	.35	.7	.10	.6	1.4	.26	2	4.5	70	4.38
STANDARD DS5/AU-R	13.1	142.0	25.0	132	.3	23.4	12.2	748	2.99	19.0	6.1	40.9	2.7	48	5.5	3.6	6.1	58	.72	.091	12	189.2	.68	134	.106	18	1.97	.032	.15	4.7	.18	3.4	1.0	<.05	7	5.0	489	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data 1 FA ____ DATE RECEIVED: AUG 19 2004 DATE REPORT MAILED: Sept. 4/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L.
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A404476
1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	<.1	.4	.2	1	<.1	.1	<.1	<1	.03	<.5	<.1	<.5	<.1	2	<.1	<.1	<.1	1	.11	<.001	<1	<1	<.01	3	<.001	1	.01	.433	<.01	.2	<.01	.1	<.1	<.05	<1	<.5	7	-
P 396417	.2	382.8	2.6	32	.2	10.6	14.6	542	7.28	24.3	.6	94.9	2.6	19	.1	.9	51.1	153	.86	.056	10	31.7	.94	33	.080	3	1.39	.126	.15	.2	.01	13.0	.3	1.41	8	2.0	247	4.57
P 396436	2.2	412.1	9.2	64	.4	29.8	12.4	205	3.12	125.0	1.5	179.1	10.3	28	.5	1.4	7.6	100	.88	.060	27	51.9	.96	54	.065	1	1.35	.073	.45	.5	<.01	9.1	.7	.91	9	2.0	278	6.07
P 396457	.6	331.0	3.4	27	.3	12.1	13.1	263	4.61	112.3	.6	418.7	5.4	55	.1	1.2	13.6	92	1.46	.118	31	18.8	1.44	112	.115	1	1.25	.052	.75	.3	<.01	15.3	1.4	.96	7	1.8	287	6.26
STANDARD DS5/AU-R	12.1	147.9	24.3	139	.3	24.9	11.6	785	2.89	18.5	6.3	39.2	2.4	47	5.6	3.4	6.3	60	.72	.088	12	178.9	.67	136	.101	17	2.00	.034	.13	5.1	.17	3.4	1.1	<.05	7	5.2	475	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
-- --
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data dc FA ____ DATE RECEIVED: AUG 12 2004 DATE REPORT MAILED: Sept. 3/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A404393

1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	<.1	1.7	1.0	7	.1	.1	<.1	13	.06	<.5	<.1	1.0	<.1	4	<.1	.1	.1	<1	.16	<.001	<1	<1	<.01	21	<.001	<1	.01	.636	.01	<.1	.01	.1	<.1	.07	<1	<.5	<2	-
P 396368	.3	394.6	2.6	53	1.0	35.3	21.5	532	6.36	5.5	.3	4813.9	1.0	31	.1	1.7	58.1	184	1.26	.086	6	45.1	2.08	50	.140	<1	2.76	.093	1.04	.3	.01	18.8	2.0	.61	11	2.7	5428	6.15
P 396393	.2	672.9	4.1	44	.8	33.2	31.7	491	5.86	62.8	.8	279.5	2.9	11	.4	4.6	7.6	139	.57	.068	11	36.6	1.19	44	.039	<1	1.77	.014	.66	.5	.01	16.1	1.9	1.28	8	1.8	476	5.37
STANDARD DS5/AU-R	12.2	144.4	25.5	136	.3	24.9	11.7	793	3.00	18.1	5.9	489.0	2.8	48	5.3	3.7	6.0	62	.76	.096	12	192.8	.68	137	.099	18	1.97	.032	.16	4.6	.17	3.4	1.0	<.05	6	5.0	489	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
-- --
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data f FA ____ DATE RECEIVED: AUG 9 2004 DATE REPORT MAILED: Aug. 27/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A404392

1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	<.1	1.2	3.7	5	.2	.2	<.1	<1	.05	<.5	<.1	<.5	<.1	3	<.1	.4	<.1	<1	.13	<.001	<1	<1	<.01	37	<.001	<1	.01	.502	<.01	<.1	.03	.1	<.1	<.05	<1	<.5	<2	-
P 396329	1.0	91.5	6.1	40	2.9	1.1	.5	37	1.12	21.5	.8	8.5	17.5	4	.5	7.2	5.6	6	.02	.009	26	5.7	.05	66	.001	<1	.29	.035	.16	.2	.02	1.0	.2	.11	2	1.2	18	3.94
P 396344	1.9	1103.7	12.2	260	6.6	5.9	7.3	70	2.88	144.3	4.2	23.7	9.2	12	4.0	15.8	41.6	4	.02	.035	10	2.2	.04	64	.001	1	.46	.010	.30	.6	.06	1.1	.7	1.45	1	6.8	79	4.49
STANDARD DS5/AU-1	12.2	141.0	24.3	138	.3	23.1	11.5	788	2.96	17.4	5.7	41.3	2.6	49	5.6	3.5	5.9	57	.75	.094	12	176.9	.67	135	.104	16	1.99	.034	.14	4.5	.16	3.4	1.1	<.05	6	4.9	497	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
-- --
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data We FA ____ DATE RECEIVED: AUG 9 2004 DATE REPORT MAILED: Aug 27/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A404105
1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	.1	1.0	.4	<1	<.1	.1	.1	<1	.02	.7	<.1	1.5	<.1	2	<.1	<.1	<.1	<1	.11	<.001	<1	<1	<.01	2	<.001	<1	.01	.440	<.01	.1	<.01	.1	<.1	.07	<1	<.5	<2	-
P 396268	2.5	64.3	7.8	17	.1	5.9	5.0	100	1.26	67.2	1.3	18.9	22.4	9	.1	.9	2.1	3	.16	.023	45	2.5	.10	107	.001	<1	.39	.037	.12	9.2	<.01	1.8	.1	.10	1	.5	30	3.32
P 396286	.4	182.4	2.1	23	.1	9.8	8.6	176	4.50	17.4	.9	2.9	3.9	19	<.1	.1	1.2	108	.27	.095	18	37.3	1.97	329	.222	<1	2.29	.045	1.58	.3	<.01	12.6	2.7	.24	10	.9	13	3.47
P 396304	1.5	370.2	3.6	31	.2	5.6	7.4	85	6.09	79.0	1.1	371.1	9.5	12	.1	2.3	2.4	32	.01	.042	21	5.7	.11	409	.006	<1	.75	.008	.17	.7	.02	7.0	.4	.17	4	1.6	91	5.51
STANDARD DS5/AU-R1	12.1	142.0	25.3	137	.3	23.7	11.4	748	2.87	18.2	6.1	44.8	2.6	46	5.6	3.5	6.0	58	.72	.086	12	179.9	.64	137	.100	16	2.00	.033	.15	4.4	.17	3.4	1.1	<.05	7	4.7	569	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
-- --
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data f FA ____ DATE RECEIVED: AUG 3 2004 DATE REPORT MAILED: Aug 16/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A403621
1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	.1	.4	.3	1	<.1	.2	<.1	1	.06	.5	<.1	<.5	<.1	2	<.1	<.1	<.1	<1	.08	<.001	<1	<1	<.01	2	<.001	<1	.01	.409	<.01	<.1	<.01	.1	<.1	<.05	<1	<.5	6	-
P 390176	1.6	391.9	4.1	24	.9	13.2	8.1	52	3.52	304.5	1.5	832.4	12.7	10	.1	1.3	27.3	12	.04	.024	22	15.5	.06	75	.003	2	.64	.011	.26	1.3	.01	2.5	.4	<.05	2	1.5	812	2.88
P 390186	1.5	106.2	2.5	10	.1	14.8	7.4	82	2.89	85.7	.9	69.2	12.8	16	.1	1.2	3.3	33	.16	.036	32	36.2	.51	38	.047	2	1.19	.026	.57	.1	<.01	4.9	1.0	.36	7	1.2	59	1.74
STANDARD DS5/AU-R	12.4	142.5	25.8	136	.3	26.1	12.9	793	3.02	17.6	6.0	44.0	2.7	46	5.4	3.4	6.0	61	.76	.092	12	188.4	.68	135	.100	17	2.01	.033	.14	4.6	.19	3.6	1.1	<.05	7	5.0	484	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data 1 FA ____ DATE RECEIVED: JUL 19 2004 DATE REPORT MAILED: July 30/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. (ISO 9002 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A403429
1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Total kg
SI	<.1	3.6	.5	4	<.1	1.0	1.0	29	.23	<.5	<.1	<.5	<.1	6	<.1	<.1	<.1	6	.25	.001	<1	1.2	.09	5	.013	<1	.10	.958	.01	.1	<.01	.3	<.1	<.05	<1	<.5	<2	-
P 390116	.2	1927.2	6.4	29	.9	31.7	22.5	266	5.60	242.4	3.2	1335.1	1.5	5	1.5	2.6	27.5	161	.28	.078	10	58.1	2.29	39	.119	2	2.78	.035	1.28	.1	<.01	13.7	2.4	1.74	13	2.4	7105	2.26
P 390136	3.9	1143.5	8.2	37	.9	40.6	24.1	208	3.32	106.2	6.5	392.2	15.2	6	.9	7.5	102.4	63	.15	.032	20	20.1	.73	33	.050	<1	1.27	.031	.53	.4	.01	8.0	1.5	1.45	5	2.3	287	2.31
P 390153	1.1	420.3	4.0	32	.4	15.9	13.8	281	3.84	30.6	1.3	210.1	7.1	14	.1	2.9	10.7	76	.31	.033	18	27.5	.73	46	.056	1	1.01	.071	.25	5.1	.01	7.6	.6	1.34	5	1.8	50	3.06
P 396225	1.9	1680.1	6.5	18	.3	18.6	11.9	133	3.39	173.0	5.8	118.3	12.9	11	<.1	5.1	15.8	82	.13	.055	27	23.6	1.11	49	.026	2	2.21	.016	.52	.3	<.01	10.4	1.2	1.36	8	3.3	90	3.40
P 396245	1.2	80.5	4.4	1	.6	1.6	.3	8	1.16	137.6	1.1	251.2	10.2	8	<.1	5.5	17.0	10	.01	.017	20	5.9	.02	88	.001	<1	.66	.006	.29	.9	.02	2.3	1.5	.21	2	1.0	470	2.84
STANDARD	12.2	138.0	24.3	138	.3	22.9	11.7	747	2.93	17.8	5.8	42.3	2.6	45	5.6	3.5	5.9	58	.72	.087	11	171.2	.64	134	.098	17	1.99	.035	.14	4.6	.18	3.3	1.0	<.05	6	4.5	491	-

Standard is STANDARD DS5/AU-R.
GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
AU** BY FIRE ASSAY FROM 1 A.T. SAMPLE.
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data We FA ____ DATE RECEIVED: JUL 12 2004 DATE REPORT MAILED: July 23/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C.T. Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A403245

1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	<.1	.3	1.0	1	<.1	<.1	<.1	1	.01	<.5	<.1	.5	<.1	3	<.1	<.1	<.1	3	.12	<.001	<1	<1	<.01	4	<.001	2	.01	.491	.01	<.1	<.01	.1	<.1	<.05	<1	<.5	2	-
P 396145	1.7	1093.5	3.9	39	1.5	36.2	18.2	184	4.11	1601.2	4.3	526.0	12.7	3	.7	2.0	36.0	80	.10	.052	28	46.3	1.38	113	.111	1	1.91	.008	.92	.7	<.01	8.4	1.1	.94	10	2.4	656	3.10
P 396164	.2	214.3	1.6	46	.1	15.3	16.5	331	4.23	38.3	1.5	253.6	4.0	4	.2	.5	5.3	83	.35	.028	9	38.5	1.25	35	.091	2	1.18	.046	.50	.1	.01	7.8	1.0	1.00	6	.9	498	3.81
P 396180	.2	166.4	1.8	24	.1	9.4	19.2	295	5.25	13.6	.9	20.2	6.0	11	<.1	.6	5.2	136	.64	.051	14	27.6	1.70	33	.084	2	1.78	.042	.57	.1	<.01	12.3	1.3	1.30	9	1.0	343	4.90
P 396193	.3	1463.4	42.5	121	.7	36.7	42.3	700	7.29	695.1	7.6	110.8	5.8	22	2.6	20.7	26.5	45	.35	.126	9	15.9	.55	19	.007	2	.87	.003	.29	1.0	.16	7.9	3.2	3.70	2	3.9	167	1.86
STANDARD	12.5	138.6	24.9	137	.3	23.9	11.4	786	2.99	17.9	6.1	40.8	2.6	46	5.6	3.4	6.0	59	.74	.097	12	189.0	.68	135	.095	18	2.00	.032	.15	4.8	.17	3.3	1.0	<.05	6	4.9	486	-

Standard is STANDARD DS5/AU-R.

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.

(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.

- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data f FA ____ DATE RECEIVED: JUL 5 2004 DATE REPORT MAILED: July 20/04

BRITISH COLUMBIA CERTIFIED ASSAYER

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A402895

1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	.2	1.9	.3	1	<.1	.3	.1	3	.10	<.5	<.1	<.5	<.1	2	<.1	<.1	<.1	<1	.11	.001	<1	<1	<.01	3	<.001	<1	.01	.386	<.01	<.1	<.01	<.1	<.1	.10	<1	<.5	4	-
P 396101	4.4	306.9	2.5	23	1.5	5.4	2.0	46	5.55	117.6	2.7	155.6	9.2	14	.1	4.1	6.4	91	.02	.053	17	8.4	.50	74	.059	1	.90	.067	.89	.6	<.01	11.8	1.4	.75	8	6.1	290	2.70
P 396102	.6	1143.4	11.2	36	1.4	28.1	22.0	256	4.73	116.6	.7	207.7	2.0	5	.6	1.3	44.4	115	.34	.119	8	18.4	2.03	131	.175	<1	2.09	.046	1.35	.1	<.01	13.8	2.2	1.41	11	2.1	1440	5.92
P 396103	2.6	293.3	3.6	28	.2	19.5	19.2	413	4.85	25.2	1.4	647.5	6.1	9	.1	2.7	12.4	105	.39	.060	16	43.0	1.34	104	.085	<1	1.67	.034	.75	1.3	<.01	8.4	1.5	1.06	6	1.6	844	6.02
P 396104	5.1	4596.6	170.3	23	3.6	13.2	4.7	49	5.67	9092.1	8.1	1426.1	12.4	25	.2	56.5	288.7	26	.02	.077	17	18.3	.12	28	.007	<1	.95	.018	.46	.8	1.15	24.3	9.5	.63	4	13.9	2003	1.45
P 396105	1.1	225.1	3.2	22	.1	8.3	17.2	237	5.08	181.1	1.8	106.2	7.6	5	.1	3.3	4.2	122	.30	.049	13	17.9	1.72	56	.097	<1	1.75	.044	.76	1.5	<.01	14.0	1.5	1.55	11	1.6	265	4.66
P 396106	.7	203.2	4.5	52	.1	11.1	25.0	618	4.93	239.4	2.6	115.3	1.8	4	.9	14.0	21.3	59	.27	.055	9	6.0	.40	23	.002	2	.85	.006	.13	2.1	.04	13.4	1.7	1.54	3	1.5	152	1.93
P 396107	3.0	17.2	5.6	1	.1	.7	.2	8	1.14	380.9	1.7	50.3	11.6	6	<.1	2.2	3.7	2	.01	.017	17	5.4	.01	111	<.001	<1	.39	.012	.27	.2	.02	1.2	.6	.29	1	.8	27	4.92
P 396108	11.3	229.2	4.3	6	.4	3.3	.5	19	4.91	507.5	7.7	574.0	35.5	46	.1	6.4	87.7	38	.03	.053	57	24.3	.08	92	.003	<1	.76	.069	.33	1.9	.02	4.5	1.5	.49	3	3.6	574	1.25
P 396109	1.3	1154.7	2.2	14	2.6	3.5	15.5	31	1.25	1036.0	3.1	890.7	8.4	4	.1	15.8	37.2	1	.01	.006	22	3.5	.02	61	<.001	<1	.47	.012	.09	1.5	<.01	1.9	.3	.82	1	1.9	1021	6.06
P 396110	2.9	671.4	4.0	50	1.5	14.9	9.2	41	2.91	2016.9	18.0	681.9	9.5	24	.6	56.0	70.6	19	.07	.057	13	12.0	.04	48	.001	<1	.76	.019	.22	.6	.04	3.2	1.0	.94	1	2.8	1257	2.44
P 396111	4.3	129.0	4.5	93	.7	4.6	2.8	43	1.67	157.4	6.1	118.2	19.5	9	.1	22.2	28.5	5	.03	.023	26	6.7	.02	80	.001	<1	.46	.034	.18	4.4	.01	1.5	.5	<.05	1	1.1	193	5.63
P 396112	3.8	977.8	13.3	54	1.3	9.3	12.1	92	2.68	117.8	2.7	7095.8	7.2	5	1.0	6.5	586.6	11	.07	.028	21	11.7	.55	51	.018	<1	.84	.039	.22	.3	<.01	6.0	.5	.68	6	4.6	27079	6.29
RE P 396112	4.3	981.0	13.2	51	1.6	10.1	11.6	92	2.64	117.1	2.5	13370.4	6.7	4	.9	6.4	575.1	12	.06	.028	20	10.7	.54	46	.018	<1	.82	.042	.22	.3	.01	6.1	.5	.73	5	4.7	24337	-
RRE P 396112	1.7	1075.0	13.9	53	1.7	11.0	11.8	103	2.72	122.3	2.7	11401.0	7.0	4	1.0	6.6	641.2	11	.06	.029	21	15.3	.57	48	.018	<1	.84	.038	.23	2.3	.01	6.8	.5	.76	6	5.3	28124	-
P 396113	.5	382.3	32.3	45	.5	1.4	1.3	29	7.18	398.1	1.8	101.8	4.3	17	<.1	15.9	7.8	27	.01	.039	8	6.0	.02	141	.001	<1	.67	.034	.71	1.1	.08	5.7	3.1	1.08	2	2.4	676	1.50
P 396114	1.0	241.8	3.3	28	.1	20.7	18.3	313	5.48	40.3	1.1	305.0	6.8	15	.1	1.5	53.3	132	.73	.055	15	72.5	2.41	77	.178	<1	2.36	.048	1.51	1.1	<.01	15.1	3.2	1.42	13	1.5	372	7.74
P 396115	4.2	385.0	46.7	24	.8	21.5	7.6	191	2.62	28.2	1.7	3728.0	11.4	15	.2	5.5	192.4	95	.53	.076	29	54.8	.92	43	.053	<1	1.27	.042	.58	1.0	<.01	9.2	1.0	.69	8	2.4	4724	3.26
P 396116	1.2	69.0	8.5	2	.4	1.1	.2	4	2.09	124.2	2.1	42.8	15.0	21	.1	8.8	6.0	8	.05	.018	26	8.0	.04	190	.001	<1	.47	.016	.47	.5	.09	2.7	5.1	.56	2	1.4	59	4.30
P 396117	3.3	87.9	9.9	21	.4	1.9	.8	33	3.36	840.5	5.6	184.2	12.8	12	.2	10.5	16.1	17	.01	.024	25	7.6	.06	167	.001	<1	.56	.009	.35	2.1	.02	3.8	1.5	.54	3	1.5	469	3.73
P 396118 ROCK	.9	17.4	3.3	16	.1	2.8	1.2	191	.36	9.0	2.0	1.0	1.0	258	.1	.5	.4	10	21.42	.026	2	7.6	8.89	36	.018	4	.29	.011	.03	.1	<.01	.7	.1	.14	1	<.5	9	2.85
P 396119	1.2	235.6	3.5	50	.2	15.1	16.3	350	4.31	472.0	1.1	209.0	4.0	10	<.1	3.4	12.5	38	.34	.065	10	46.9	.75	30	.007	<1	.96	.032	.21	2.2	<.01	4.9	.6	1.47	5	1.3	181	4.06
P 396120	.5	683.7	3.5	35	.7	36.0	27.0	352	6.31	1675.4	1.6	785.3	6.7	39	.1	4.0	32.3	84	1.25	.040	12	81.2	2.11	25	.059	<1	1.58	.031	.62	.2	<.01	12.9	1.3	2.29	8	2.3	1617	5.40
P 396121	2.2	65.0	4.4	17	.1	12.4	5.1	232	2.46	203.2	5.2	13.1	14.7	44	<.1	6.9	.9	23	1.81	.020	17	22.5	.82	26	.001	<1	.50	.005	.10	2.2	.03	5.1	.5	.74	1	<.5	32	4.11
P 396122	.3	934.1	3.0	29	2.4	12.5	19.3	230	5.23	63.1	.8	224.7	1.7	34	.1	7.0	21.5	62	1.69	.046	11	32.8	.71	50	.003	<1	.37	.008	.14	.3	<.01	10.2	.8	2.19	2	2.1	1777	2.36
P 396123	2.0	265.5	19.1	64	.2	8.0	11.6	87	1.86	75.4	2.1	25.4	11.7	7	.4	2.1	19.7	13	.09	.014	22	8.7	.37	55	.020	<1	.89	.041	.27	1.6	<.01	3.2	.6	.08	4	.7	91	6.35
P 396124	.9	1109.0	2.9	32	1.0	17.1	35.3	296	6.31	164.2	2.3	202.7	6.1	5	.2	12.2	31.7	95	.30	.066	24	52.5	.97	25	.039	<1	1.28	.006	.49	.6	.05	14.5	2.1	2.62	7	3.9	304	4.25
P 396125 ROCK	.7	143.9	3.2	16	.1	3.7	2.2	164	.79	4.5	1.6	1.0	.5	252	.1	.6	.7	7	20.76	.021	2	6.5	8.41	28	.019	4	.23	.011	.03	.4	<.01	.8	<.1	.13	1	<.5	3	3.17
P 396126	.4	706.8	2.2	31	.6	25.1	19.0	280	6.21	48.0	1.7	157.2	8.3	5	.1	4.2	4.6	91	.26	.042	16	53.4	1.90	26	.144	<1	2.04	.014	1.16	.1	.01	14.1	2.2	1.92	12	3.2	290	7.21
STANDARD DS5/AU-R	12.9	145.9	24.7	132	.3	23.8	11.9	746	2.85	19.4	6.2	43.0	2.8	45	5.7	3.8	6.3	58	.73	.091	11	189.3	.64	136	.095	16	1.98	.034	.14	5.0	.18	3.4	1.0	<.05	7	5.0	485	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: CORE R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data We FA ____ DATE RECEIVED: JUN 21 2004 DATE REPORT MAILED: July. 9/04

BRITISH COLUMBIA CERTIFIED ASSAYER
C. L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

Archer, Cathro & Assoc. (1981) Ltd. PROJECT GOLDEN REVENUE File # A402742
1016 - 510 W. Hastings St, Vancouver BC V6B 1L8

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm	Au** ppb	Sample kg
SI	.9	1.5	.6	1	<.1	.1	<.1	5	.02	<.5	<.1	<.5	<.1	1	<.1	<.1	<.1	<1	.05	<.001	<1	<1	<.01	2	<.001	<1	<.01	.21	<.01	.6	<.01	<.1	<.1	<.05	<1	<.5	<2	-
P 389880	2.0	12.4	4.6	19	.1	4.5	1.8	162	.58	3.8	1.9	1.0	1.3	323	.1	.8	<.1	10	20.89	.024	2	8.4	8.34	46	.020	12	.19	.015	.03	.5	<.01	.8	<.1	<.05	1	<.5	2	4.82
P 389881	.7	31.4	4.1	17	.1	3.5	1.5	140	.41	4.2	1.5	1.3	.7	286	.1	.8	.2	9	20.69	.023	2	7.3	8.18	37	.019	10	.20	.015	.04	.3	<.01	.7	<.1	.06	1	<.5	<2	4.50
P 389882	1.1	11.9	3.2	20	<.1	3.9	1.5	141	.38	3.6	1.7	<.5	1.2	338	.1	.8	<.1	14	20.79	.025	2	7.6	8.10	52	.026	7	.21	.016	.04	.3	<.01	.9	<.1	<.05	1	<.5	<2	4.83
P 389883	1.2	11.1	3.9	17	<.1	4.4	1.7	161	.44	5.9	1.7	<.5	1.0	300	.1	.7	<.1	15	21.28	.024	2	8.5	8.29	56	.019	8	.25	.021	.05	.3	<.01	.9	<.1	.06	1	<.5	<2	3.80
STANDARD DS5/AU-R	12.7	142.0	23.4	133	.3	25.2	11.3	795	3.00	19.3	6.2	42.0	2.5	47	5.6	3.5	6.2	60	.74	.093	11	190.5	.68	147	.097	17	2.05	.034	.15	4.9	.18	3.3	1.0	<.05	7	5.0	488	-

GROUP 1DX - 0.50 GM SAMPLE LEACHED WITH 3 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 10 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: ROCK R150 60C AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data ✓ FA ____ DATE RECEIVED: JUN 14 2004 DATE REPORT MAILED: June 30/04

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Table 1: Drill hole specifications

UTM:	Nad 27	Zone 8						
Hole No.	**Northing**	**Easting**	**Elev. (m)**	**Azimuth**	**Dip**	**Depth (m)**	**Samples**	**No.**
DN 04-11	6913987	379384	998	270°	-50°	174.35	P396509-593	82
DN 04-12	6913553	379428	922	270°	-50°	142.65	P396594-655	59
DN 04-13	6913458	379425	914	270°	-50°	238.66	P396656-759	99
DN 04-14	6913220	379710	842	270°	-50°	158.8	P396760-826	64
TOTALS:						**740 m**		**304**

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-NOV-2004
Account: GOLREV

CERTIFICATE VA04074599

Project: Golden Revenue

P.O. No.:

This report is for 99 Pulp samples submitted to our lab in Vancouver, BC, Canada on 25-OCT-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 3-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04074599

Sample Description	Method	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
	Units	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
	LOR	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
P396757		58.92	12.72	12.48	0.45	0.74	0.09	4.38	<0.01	0.40	0.01	0.11	0.03	0.17	8.63	99.15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: **GOLDEN REVENUE PROJECT**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE VA04073842

Project: Golden Revenue

P.O. No.:

This report is for 64 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-OCT-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04073842

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396760		5.74	0.168	0.3	0.60	221	<10	120	0.6	6	0.03	<0.5	16	40	298	4.87
P396761		3.96	3.68	2.3	0.45	196	<10	1440	0.8	209	0.03	<0.5	16	78	264	3.15
P396762		7.50	0.058	0.9	0.80	145	<10	50	1.8	18	0.06	<0.5	19	35	1930	4.62
P396763		6.32	0.803	1.3	0.40	760	<10	50	0.7	69	0.03	<0.5	5	72	491	2.73
P396764		9.40	0.039	0.5	0.56	114	<10	30	1.2	24	0.04	<0.5	9	44	944	2.51
P396765		11.28	0.028	0.2	0.73	98	<10	60	0.9	10	0.14	0.6	10	85	1140	1.74
P396766		7.42	0.096	0.4	0.63	206	<10	40	0.6	13	0.34	1.9	7	54	799	1.63
P396767		5.70	0.036	<0.2	0.54	204	<10	80	0.5	10	0.72	0.7	8	76	373	1.70
P396768		9.52	0.014	0.3	0.46	106	<10	10	0.5	7	0.62	1.6	14	46	344	2.65
P396769		10.28	1.150	0.3	0.64	47	<10	10	0.8	11	1.12	<0.5	20	47	222	3.72
P396770		7.00	0.028	0.2	0.79	10	<10	50	0.5	4	0.46	<0.5	7	54	240	2.90
P396771		5.94	<0.005	<0.2	0.40	7	10	40	<0.5	<2	18.6	<0.5	2	12	32	0.55
P396772		9.56	0.037	0.9	0.66	25	<10	10	1.0	73	1.03	0.9	32	42	409	5.02
P396773		10.12	0.023	<0.2	0.69	32	<10	20	1.0	2	0.67	<0.5	28	56	185	4.49
P396774		11.62	0.188	<0.2	0.94	34	<10	20	1.3	5	1.22	<0.5	32	49	311	5.67
P396776		10.56	0.083	0.7	1.15	468	<10	40	1.0	16	1.36	2.8	25	98	853	5.64
P396777		5.40	0.084	<0.2	2.04	16	<10	50	1.7	12	3.56	<0.5	23	41	211	5.35
P396778		11.32	0.168	0.2	0.73	36	<10	40	1.3	10	3.45	<0.5	30	43	389	6.80
P396779		12.06	0.019	<0.2	0.63	51	<10	10	1.3	4	2.47	<0.5	32	25	224	6.87
P396780		11.32	0.019	<0.2	0.55	34	<10	200	0.8	2	1.70	<0.5	14	56	102	2.95
P396781		11.58	0.046	<0.2	1.49	18	<10	70	0.8	6	2.76	<0.5	22	66	205	5.06
P396782		8.28	0.052	<0.2	2.05	57	<10	70	0.6	5	2.92	<0.5	21	99	187	4.89
P396783		5.50	0.016	<0.2	0.22	24	<10	80	<0.5	<2	1.94	<0.5	5	59	103	1.02
P396784		6.02	0.055	0.2	1.12	323	<10	20	1.3	3	2.81	<0.5	21	65	317	4.56
P396785		6.32	0.039	<0.2	1.22	16	<10	40	0.8	3	2.17	<0.5	16	74	284	4.23
P396786		11.26	0.049	<0.2	1.66	18	<10	70	1.1	2	1.98	<0.5	16	62	208	3.99
P396787		10.06	0.438	0.2	1.08	17	<10	40	1.0	6	1.99	<0.5	19	62	288	4.03
P396788		11.18	0.070	0.4	0.53	102	<10	30	0.7	7	1.62	<0.5	16	26	484	3.49
P396789		13.14	0.091	0.4	0.45	127	<10	100	0.6	11	1.96	<0.5	13	22	381	3.19
P396790		6.76	0.039	0.3	0.48	21	<10	130	0.7	3	1.65	<0.5	10	25	369	2.82
P396791		8.94	0.049	0.4	0.46	18	<10	60	0.8	4	1.76	<0.5	12	19	436	3.21
P396792		8.64	0.046	0.5	0.52	40	<10	100	0.7	2	1.92	<0.5	13	22	495	3.29
P396793		5.48	<0.005	<0.2	0.29	6	10	30	<0.5	<2	20.3	<0.5	2	8	29	0.40
P396794		4.98	0.063	1.9	1.18	148	<10	50	1.1	5	6.90	<0.5	19	46	282	4.33
P396795		11.86	0.023	0.3	0.51	88	<10	20	<0.5	2	2.58	<0.5	11	17	373	2.86
P396796		9.70	0.030	0.2	0.39	63	<10	20	0.6	2	2.25	<0.5	11	17	355	3.03
P396798		8.38	0.035	0.3	0.57	13	<10	170	0.8	2	2.11	<0.5	11	73	216	3.48
P396799		7.88	0.116	0.2	1.18	25	<10	80	1.5	5	4.70	<0.5	20	47	507	5.30
P396800		6.28	0.217	0.5	1.22	19	<10	40	1.8	11	3.50	<0.5	23	44	740	6.28
P396801		9.42	0.192	3.0	0.92	48	<10	30	1.4	64	5.52	<0.5	23	112	1695	6.78

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04073842

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396760		<10	<1	0.15	20	0.03	208	1	<0.01	15	410	19	0.14	17	6	14
P396761		<10	<1	0.18	20	0.03	152	2	<0.01	11	180	49	0.13	27	6	21
P396762		<10	<1	0.18	20	0.05	204	2	<0.01	20	510	19	0.20	8	8	8
P396763		<10	<1	0.12	20	0.02	61	2	<0.01	9	90	22	0.04	31	2	11
P396764		<10	<1	0.12	20	0.05	41	2	<0.01	11	40	11	0.74	4	2	6
P396765		<10	<1	0.14	30	0.14	127	2	<0.01	17	120	14	0.74	2	4	11
P396766		<10	<1	0.17	20	0.22	146	1	<0.01	15	90	23	0.62	8	3	22
P396767		<10	<1	0.14	10	0.30	98	1	<0.01	9	110	13	1.03	23	2	33
P396768		<10	<1	0.10	20	0.34	282	9	<0.01	10	130	17	0.95	4	3	35
P396769		<10	<1	0.10	20	0.69	494	1	<0.01	13	320	26	0.70	2	9	37
P396770		<10	<1	0.34	20	0.67	183	2	0.05	8	290	3	0.63	2	7	16
P396771		<10	<1	0.07	<10	8.71	140	1	0.02	4	290	2	<0.01	<2	1	309
P396772		<10	<1	0.10	30	0.57	805	2	0.01	27	400	104	1.14	4	8	26
P396773		<10	<1	0.13	30	0.52	615	3	<0.01	27	380	5	0.90	2	10	17
P396774		<10	<1	0.22	10	1.03	592	2	<0.01	48	560	6	1.16	<2	22	35
P396776		10	<1	0.38	10	1.18	481	4	<0.01	53	360	74	1.45	<2	18	38
P396777		<10	<1	0.77	10	1.64	497	4	0.02	34	350	2	0.85	2	23	94
P396778		<10	<1	0.12	10	1.72	792	<1	<0.01	35	400	5	1.55	<2	24	102
P396779		<10	<1	0.06	10	1.35	859	11	<0.01	30	550	5	1.20	6	23	74
P396780		<10	<1	0.11	10	0.74	417	1	0.01	16	250	10	0.48	<2	9	50
P396781		<10	<1	0.74	10	1.68	432	3	0.06	27	400	<2	1.29	<2	15	83
P396782		10	<1	0.89	10	1.94	493	1	0.13	32	440	2	0.94	<2	17	91
P396783		<10	<1	0.12	<10	0.43	126	2	0.03	6	150	5	0.34	<2	1	59
P396784		<10	<1	0.34	20	1.24	439	3	0.01	33	350	3	1.03	2	13	80
P396785		10	<1	0.56	20	1.16	370	7	0.05	34	480	<2	1.17	<2	9	73
P396786		<10	<1	0.83	20	1.34	226	4	0.01	25	500	3	0.87	<2	13	58
P396787		<10	<1	0.30	10	0.91	390	2	<0.01	27	900	3	0.92	2	9	47
P396788		<10	<1	0.12	30	0.70	199	2	<0.01	11	660	6	1.36	8	3	37
P396789		<10	<1	0.13	30	0.76	213	2	<0.01	9	650	13	1.07	9	3	50
P396790		<10	<1	0.14	30	0.69	118	2	<0.01	8	660	5	1.00	4	3	51
P396791		<10	<1	0.11	30	0.74	148	2	<0.01	11	690	9	1.19	3	3	52
P396792		<10	<1	0.12	30	0.78	194	2	<0.01	11	630	6	1.14	3	3	47
P396793		<10	<1	0.03	<10	9.62	120	1	0.01	4	220	3	<0.01	<2	<1	315
P396794		<10	<1	0.41	20	1.18	551	3	<0.01	28	310	5	1.02	2	12	221
P396795		<10	<1	0.14	20	1.00	150	2	<0.01	6	620	6	1.23	12	2	49
P396796		<10	<1	0.12	20	0.93	160	2	<0.01	8	610	6	1.24	13	2	50
P396798		<10	<1	0.16	20	0.91	257	2	0.01	21	420	4	0.97	2	5	67
P396799		<10	<1	0.39	20	1.24	481	1	0.05	39	540	3	1.78	2	9	467
P396800		<10	<1	0.34	10	1.50	420	<1	0.04	34	840	3	2.41	3	8	136
P396801		<10	<1	0.28	10	1.74	501	2	0.01	108	500	4	2.66	3	11	188

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04073842

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	Tl	Tl	U	V	W	Zn	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2
	Units	%	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.01	10	10	1	10	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
P396760		<0.01	<10	<10	28	<10	77									
P396761		<0.01	<10	<10	17	<10	87									
P396762		<0.01	<10	<10	25	<10	46									
P396763		<0.01	<10	<10	4	<10	19									
P396764		<0.01	<10	<10	3	<10	24									
P396765		<0.01	<10	<10	9	<10	26									
P396766		<0.01	<10	<10	5	<10	119									
P396767		<0.01	<10	<10	3	<10	23									
P396768		<0.01	<10	<10	4	<10	48									
P396769		<0.01	<10	<10	18	<10	58									
P396770		0.04	<10	<10	15	<10	21									
P396771		0.03	<10	<10	16	<10	15									
P396772		<0.01	<10	<10	29	<10	125									
P396773		0.01	<10	<10	43	<10	44									
P396774		0.01	<10	<10	93	<10	40									
P396776		0.02	<10	<10	82	<10	317									
P396777		0.08	<10	<10	112	<10	39									
P396778		<0.01	<10	<10	110	<10	54									
P396779		<0.01	<10	<10	103	<10	107									
P396780		<0.01	<10	<10	36	<10	26									
P396781		0.16	<10	<10	105	<10	29									
P396782		0.15	<10	<10	104	<10	31									
P396783		<0.01	<10	<10	4	<10	9									
P396784		0.02	<10	<10	72	<10	31									
P396785		0.09	<10	<10	73	<10	32									
P396786		0.09	<10	<10	87	<10	21									
P396787		0.05	<10	<10	82	<10	36									
P396788		<0.01	<10	<10	17	<10	23									
P396789		<0.01	<10	<10	15	<10	23	63.70	14.10	4.51	2.65	1.35	0.25	4.13	<0.01	0.48
P396790		<0.01	<10	<10	15	<10	15									
P396791		<0.01	<10	<10	17	<10	20									
P396792		<0.01	<10	<10	14	<10	16									
P396793		0.01	<10	<10	9	<10	15									
P396794		0.03	<10	<10	66	10	28									
P396795		<0.01	<10	<10	13	<10	16									
P396796		<0.01	<10	<10	13	<10	16									
P396798		0.01	<10	<10	36	<10	21									
P396799		0.07	<10	<10	72	<10	43									
P396800		0.06	<10	<10	72	<10	28									
P396801		0.02	<10	<10	80	<10	60									

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04073842

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.01	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
P396760							
P396761							
P396762							
P396763							
P396764							
P396765							
P396766							
P396767							
P396768							
P396769							
P396770							
P396771							
P396772							
P396773							
P396774							
P396776							
P396777							
P396778							
P396779							
P396780							
P396781							
P396782							
P396783							
P396784							
P396785							
P396786							
P396787							
P396788							
P396789		0.02	0.16	0.03	0.21	7.81	99.40
P396790							
P396791							
P396792							
P396793							
P396794							
P396795							
P396796							
P396798							
P396799							
P396800							
P396801							

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04073842

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396802		8.46	0.043	0.7	0.49	76	<10	170	0.6	5	3.03	0.7	10	34	404	2.51
P396803		12.80	0.187	0.8	0.48	35	<10	120	0.7	18	1.97	<0.5	13	22	780	3.33
P396804		5.76	0.022	0.2	1.34	36	<10	60	0.8	2	1.26	<0.5	10	61	282	3.12
P396805		7.90	0.017	<0.2	0.57	20	<10	70	0.7	5	2.17	<0.5	8	24	261	1.89
P396806		9.66	0.021	0.2	0.68	31	<10	40	0.6	2	1.74	<0.5	8	56	258	1.98
P396807		6.28	0.006	<0.2	1.42	15	<10	50	0.7	<2	0.95	<0.5	8	60	160	2.50
P396808		9.18	0.023	<0.2	0.64	53	<10	160	0.7	5	2.70	<0.5	7	29	332	1.92
P396809		6.16	0.013	0.2	1.58	21	<10	40	0.7	5	1.70	<0.5	7	62	244	2.31
P396810		4.38	0.216	0.3	0.93	39	<10	50	0.6	14	2.65	<0.5	8	30	443	2.21
P396811		5.38	0.030	0.4	1.44	37	<10	40	0.9	5	1.36	<0.5	8	62	448	2.90
P396812		9.54	0.127	0.2	0.80	188	<10	230	0.6	15	1.70	<0.5	7	84	249	2.10
P396813		8.50	0.894	<0.2	1.26	766	<10	60	0.6	2	1.34	<0.5	7	71	166	2.05
P396814		6.82	0.031	<0.2	0.29	130	<10	40	<0.5	<2	1.14	<0.5	3	138	121	0.99
P396815		11.88	0.017	<0.2	1.32	47	<10	60	0.7	7	1.34	<0.5	10	62	206	2.64
P396816		7.02	0.033	<0.2	2.15	51	<10	80	0.9	7	1.52	<0.5	12	82	247	3.78
P396817		8.24	0.047	<0.2	1.20	37	<10	50	0.7	5	2.18	<0.5	10	82	300	2.58
P396818		10.76	0.075	0.2	0.52	97	<10	130	0.7	5	3.43	<0.5	8	50	297	2.05
P396819		9.48	0.313	0.2	0.52	829	<10	170	0.5	2	3.28	<0.5	6	80	293	1.93
P396820		10.70	0.596	<0.2	0.77	346	<10	40	0.8	3	2.04	<0.5	5	52	224	1.64
P396821		9.78	0.644	0.2	0.45	89	<10	60	0.5	2	1.72	<0.5	6	77	316	1.60
P396823		11.48	0.020	<0.2	0.37	315	<10	80	0.5	<2	2.73	<0.5	6	103	275	2.74
P396824		6.40	0.007	<0.2	0.40	6	10	30	<0.5	<2	19.5	<0.5	3	13	25	0.50
P396825		10.48	0.014	<0.2	0.49	150	<10	150	0.7	2	2.36	0.5	7	48	233	2.09
P396826		2.28	0.064	<0.2	0.46	68	<10	360	0.7	<2	1.26	<0.5	6	71	104	2.22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04073842

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396802		<10	<1	0.12	30	1.02	139	1	<0.01	9	300	52	0.98	12	2	79
P396803		<10	<1	0.14	20	0.74	122	2	<0.01	11	670	21	1.24	4	6	86
P396804		10	<1	0.61	40	0.82	114	1	<0.01	27	380	11	0.83	3	8	45
P396805		<10	<1	0.14	30	0.69	91	3	<0.01	5	540	11	0.64	3	2	155
P396806		<10	<1	0.22	30	0.55	86	3	0.01	16	240	10	0.61	2	4	70
P396807		<10	<1	0.70	30	0.84	97	3	<0.01	28	240	7	0.49	2	4	35
P396808		<10	<1	0.20	20	0.67	92	3	0.01	8	500	14	0.65	3	2	92
P396809		<10	<1	0.68	20	0.97	102	3	<0.01	22	420	15	0.40	2	5	57
P396810		<10	<1	0.21	30	0.64	97	4	<0.01	9	660	11	0.63	2	3	72
P396811		10	<1	0.72	30	1.14	124	36	0.01	24	360	7	0.60	2	7	64
P396812		<10	<1	0.34	20	0.62	100	2	<0.01	18	440	20	0.53	3	3	299
P396813		<10	<1	0.37	20	0.65	100	2	0.05	16	370	9	0.48	2	4	46
P396814		<10	<1	0.11	10	0.26	69	1	<0.01	9	130	8	0.20	<2	1	67
P396815		<10	<1	0.71	20	0.80	124	2	<0.01	28	230	19	0.51	2	4	50
P396816		10	<1	1.14	30	1.13	160	3	0.01	35	300	11	0.73	3	7	53
P396817		<10	<1	0.58	30	0.71	118	4	<0.01	28	250	15	0.61	2	4	74
P396818		<10	<1	0.15	20	0.72	118	3	<0.01	15	410	12	0.70	7	3	106
P396819		<10	<1	0.20	20	0.76	128	2	<0.01	14	200	15	0.82	17	3	92
P396820		<10	<1	0.23	20	0.60	91	2	<0.01	13	260	13	0.54	9	3	65
P396821		<10	1	0.18	10	0.43	89	2	<0.01	13	190	21	0.55	5	1	68
P396823		<10	<1	0.14	10	0.71	118	3	<0.01	16	240	13	1.59	18	2	86
P396824		<10	<1	0.06	<10	9.12	134	1	0.02	5	230	2	<0.01	2	1	303
P396825		<10	<1	0.16	20	0.53	122	4	<0.01	18	230	20	0.67	5	3	80
P396826		<10	<1	0.16	10	0.79	99	9	<0.01	53	600	3	0.47	2	7	85

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04073842

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	ME-XRF06 SiO2 % 0.01	ME-XRF06 Al2O3 % 0.01	ME-XRF06 Fe2O3 % 0.01	ME-XRF06 CaO % 0.01	ME-XRF06 MgO % 0.01	ME-XRF06 Na2O % 0.01	ME-XRF06 K2O % 0.01	ME-XRF06 Cr2O3 % 0.01	ME-XRF06 TiO2 % 0.01
P396802		<0.01	<10	<10	7	<10	87	59.28	16.44	3.77	4.16	1.81	0.34	4.41	0.01	0.30
P396803		<0.01	<10	<10	23	<10	37									
P396804		0.07	<10	<10	39	<10	21									
P396805		<0.01	<10	<10	11	<10	22									
P396806		0.01	<10	<10	18	<10	16									
P396807		0.08	<10	<10	32	<10	17									
P396808		<0.01	<10	<10	9	<10	18									
P396809		0.07	<10	<10	33	<10	18									
P396810		0.01	<10	<10	20	<10	25									
P396811		0.08	<10	<10	40	<10	21									
P396812		0.03	<10	<10	22	<10	29									
P396813		0.04	<10	<10	33	<10	21									
P396814		<0.01	<10	<10	6	<10	26									
P396815		0.07	<10	<10	28	<10	52									
P396816		0.14	<10	<10	49	<10	40									
P396817		0.06	<10	<10	30	<10	26									
P396818		<0.01	<10	<10	10	<10	28									
P396819		<0.01	<10	<10	9	<10	42									
P396820		0.01	<10	<10	11	<10	22									
P396821		<0.01	<10	<10	6	<10	60									
P396823		<0.01	<10	<10	7	<10	37									
P396824		0.03	<10	<10	11	<10	17									
P396825		<0.01	<10	<10	12	<10	72									
P396826		<0.01	<10	<10	48	<10	13									

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-NOV-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04073842

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.01	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
P396802		0.01	0.06	0.03	0.46	8.75	99.84
P396803							
P396804							
P396805							
P396806							
P396807							
P396808							
P396809							
P396810							
P396811							
P396812							
P396813							
P396814							
P396815							
P396816							
P396817							
P396818							
P396819							
P396820							
P396821							
P396823							
P396824							
P396825							
P396826							

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE VA04072278

Project: Golden Revenue

P.O. No.:

This report is for 99 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18-OCT-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

): GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
P396656		9.48	0.453			0.5	0.85	740	<10	350	0.6	17	0.07	<0.5	6	19
P396657		9.86	0.183			0.6	0.96	409	<10	230	0.6	19	0.04	<0.5	7	25
P396658		11.26	0.229			0.4	1.06	480	<10	130	0.6	27	0.03	<0.5	2	20
P396659		11.46	0.367			0.4	0.89	943	<10	120	0.7	61	0.02	<0.5	5	16
P396661		13.20	0.409			0.4	1.14	720	<10	80	0.6	20	0.02	<0.5	4	20
P396662		10.68	0.222			0.2	1.24	232	<10	430	0.8	8	0.01	<0.5	12	37
P396663		9.32	0.202			0.2	1.63	161	<10	130	0.5	19	0.04	<0.5	3	58
P396664		10.58	0.013			<0.2	1.25	107	<10	160	0.6	2	0.03	<0.5	2	44
P396665		5.42	<0.005			<0.2	0.40	12	10	50	<0.5	<2	22.6	<0.5	<1	11
P396666		9.18	0.029			<0.2	0.89	356	<10	140	0.5	2	0.04	<0.5	1	35
P396667		11.28	0.033			<0.2	0.77	411	<10	150	0.6	4	0.08	0.6	4	35
P396668		10.64	0.016			<0.2	0.95	152	<10	70	0.7	2	0.04	<0.5	4	49
P396669		11.32	0.128			<0.2	1.46	99	<10	100	1.1	3	0.06	1.2	16	61
P396670		11.24	0.052			0.2	1.19	595	<10	210	0.7	2	0.02	<0.5	15	39
P396671		9.78	0.019			<0.2	1.30	54	<10	140	0.7	<2	0.02	<0.5	14	51
P396672		9.02	0.236			0.5	0.95	488	<10	160	0.9	56	0.03	<0.5	11	45
P396673		7.96	0.114			<0.2	0.76	398	<10	140	0.5	5	0.01	<0.5	7	41
P396674		10.16	0.149			<0.2	1.02	162	<10	230	0.6	5	0.02	<0.5	6	41
P396675		9.98	0.058			0.2	1.07	719	<10	100	0.6	9	0.01	<0.5	12	37
P396676		11.06	0.051			<0.2	1.13	148	<10	120	0.9	<2	0.02	<0.5	25	39
P396677		9.58	0.195			<0.2	1.37	48	<10	50	1.5	8	0.10	<0.5	19	89
P396678		6.70	0.139			<0.2	1.28	70	<10	210	2.3	6	0.35	6.2	38	130
P396679		10.64	0.130			0.3	1.54	289	<10	120	1.5	6	0.06	<0.5	24	75
P396680		8.02	0.043			0.2	1.32	485	<10	250	1.6	<2	0.03	0.7	21	41
P396681		8.72	0.026			<0.2	0.92	386	<10	140	0.6	2	0.02	0.6	7	49
P396682		6.92	0.097			0.4	0.38	1090	<10	430	0.6	5	0.02	0.6	3	36
P396683		10.74	0.043			0.3	0.62	389	<10	90	1.1	11	0.04	<0.5	12	44
P396684		6.30	0.045			<0.2	0.54	753	<10	180	1.0	13	0.02	0.7	11	26
P396685		5.80	<0.005			0.3	0.44	13	10	40	<0.5	<2	23.6	<0.5	<1	12
P396686		8.74	0.044			<0.2	0.59	258	<10	50	0.8	5	0.05	<0.5	14	37
P396688		7.28	0.044			<0.2	0.60	97	<10	40	0.7	9	0.06	<0.5	17	56
P396689		7.94	0.155	0.054	0.061	<0.2	0.51	266	<10	170	0.7	5	0.03	<0.5	7	37
P396690		12.22	0.283			0.2	0.66	210	<10	130	0.7	15	0.06	<0.5	13	90
P396691		9.80	0.113	0.137		<0.2	0.67	146	<10	50	0.7	10	0.10	<0.5	17	80
P396692		7.76	0.163			<0.2	0.92	390	<10	150	1.7	68	0.14	<0.5	9	69
P396693		10.02	0.186			<0.2	1.00	207	<10	60	1.8	17	0.16	0.9	18	63
P396694		8.68	0.238			<0.2	0.83	164	<10	70	1.2	17	0.16	1.3	21	69
P396695		6.68	0.183			<0.2	0.71	172	<10	80	1.2	16	0.17	0.9	21	77
P396696		10.48	0.054			0.2	0.78	174	<10	70	1.2	6	0.28	0.9	29	96
P396697		10.20	0.047			<0.2	0.92	176	<10	30	0.9	15	0.36	<0.5	23	94

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

**: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Project: Golden Revenue

**Finalized Date: 31-OCT-2004
Account: GOLREV**

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
P396656		136	3.56	<10	<1	0.50	30	0.05	177	2	0.01	5	790	3	0.51	18
P396657		215	4.52	<10	<1	0.57	20	0.04	160	4	0.01	5	840	5	0.69	26
P396658		164	4.30	<10	<1	0.60	30	0.05	49	3	0.01	4	780	3	0.68	21
P396659		145	5.27	<10	<1	0.53	20	0.03	127	2	0.02	3	900	4	0.71	18
P396661		205	4.28	<10	<1	0.59	20	0.04	55	3	0.01	4	810	3	0.72	13
P396662		287	6.76	<10	<1	0.38	30	0.04	200	1	0.01	15	730	5	0.33	20
P396663		144	3.13	10	<1	0.39	40	0.21	55	1	0.03	9	370	4	0.32	4
P396664		127	3.60	<10	<1	0.39	40	0.11	37	1	0.01	4	380	4	0.36	3
P396665		30	0.31	<10	<1	0.06	<10	9.81	123	1	0.02	3	230	2	<0.01	2
P396666		69	2.17	<10	<1	0.29	20	0.04	24	1	0.03	3	200	5	0.33	4
P396667		70	2.71	<10	<1	0.29	20	0.09	59	2	0.05	7	220	4	0.37	<2
P396668		62	2.46	<10	<1	0.28	30	0.16	59	3	0.04	8	280	4	0.14	<2
P396669		210	4.90	10	<1	0.45	30	0.23	158	2	0.05	28	350	5	0.50	<2
P396670		204	5.49	<10	1	0.39	30	0.09	235	<1	0.03	16	370	5	0.29	7
P396671		198	5.38	<10	<1	0.35	30	0.06	146	1	0.03	19	500	6	0.30	4
P396672		184	8.85	<10	<1	0.43	20	0.04	198	2	0.04	11	510	26	0.77	29
P396673		142	4.32	<10	<1	0.22	10	0.02	112	1	0.01	10	250	3	0.21	4
P396674		98	4.14	<10	<1	0.33	30	0.05	114	1	0.01	7	460	4	0.31	2
P396675		107	3.67	<10	<1	0.30	30	0.03	176	1	0.01	12	310	4	0.19	4
P396676		101	5.05	<10	<1	0.28	30	0.06	339	1	<0.01	40	410	6	0.09	<2
P396677		149	6.45	10	<1	0.14	20	0.13	243	9	<0.01	77	560	6	0.12	4
P396678		91	7.16	<10	<1	0.21	50	0.43	642	5	0.03	208	550	3	0.35	2
P396679		181	5.24	10	<1	0.24	40	0.08	328	4	0.01	62	460	7	0.13	4
P396680		456	4.78	<10	<1	0.23	30	0.04	309	1	<0.01	66	300	4	0.06	12
P396681		94	1.99	<10	<1	0.18	10	0.02	152	1	<0.01	13	70	5	0.04	11
P396682		158	2.02	<10	<1	0.18	10	0.02	47	1	<0.01	8	80	7	0.10	3
P396683		152	3.63	<10	<1	0.21	40	0.07	185	1	<0.01	25	310	7	0.06	2
P396684		225	3.54	<10	<1	0.17	30	0.03	163	1	<0.01	20	200	4	0.07	15
P396685		21	0.47	<10	1	0.05	<10	10.05	150	<1	0.03	5	260	9	<0.01	<2
P396686		179	4.02	<10	<1	0.21	40	0.04	229	2	0.01	25	360	4	0.11	4
P396688		91	3.60	<10	<1	0.20	40	0.06	240	1	<0.01	29	330	5	0.07	<2
P396689		108	3.29	<10	1	0.16	20	0.02	178	1	<0.01	13	360	7	0.16	8
P396690		217	5.53	<10	<1	0.17	20	0.19	266	9	<0.01	47	490	2	0.89	3
P396691		164	4.31	<10	<1	0.06	10	0.17	287	4	<0.01	86	440	3	0.82	3
P396692		609	3.05	<10	<1	0.06	20	0.02	68	7	<0.01	54	690	5	0.45	16
P396693		544	5.11	<10	<1	0.04	10	0.05	328	7	<0.01	102	640	2	1.34	8
P396694		424	5.80	<10	<1	0.08	10	0.04	300	9	<0.01	102	600	3	2.02	23
P396695		332	5.76	<10	<1	0.06	10	0.08	449	7	<0.01	124	610	2	1.21	3
P396696		249	7.19	<10	<1	0.09	20	0.25	595	4	<0.01	106	1010	<2	1.68	2
P396697		114	3.94	<10	<1	0.15	20	0.52	406	4	<0.01	99	1300	3	0.93	2

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396656		1	34	<0.01	<10	<10	8	<10	36
P396657		1	30	<0.01	<10	<10	8	<10	49
P396658		1	27	<0.01	<10	<10	7	<10	32
P396659		1	31	<0.01	<10	<10	7	<10	56
P396661		2	35	<0.01	<10	<10	8	<10	36
P396662		5	13	<0.01	<10	<10	21	<10	64
P396663		5	17	0.01	<10	<10	28	<10	15
P396664		4	15	0.01	<10	<10	23	<10	21
P396665		1	337	0.02	<10	10	10	<10	13
P396666		1	24	<0.01	<10	<10	7	<10	9
P396667		2	28	<0.01	<10	<10	12	<10	16
P396668		3	23	0.01	<10	<10	19	<10	26
P396669		5	24	0.04	<10	<10	34	<10	50
P396670		4	21	0.01	<10	<10	21	<10	44
P396671		4	15	<0.01	<10	<10	26	<10	28
P396672		4	29	<0.01	10	<10	63	<10	59
P396673		2	10	<0.01	<10	<10	9	<10	21
P396674		4	15	<0.01	<10	<10	26	<10	15
P396675		5	12	<0.01	<10	<10	18	<10	27
P396676		5	7	0.01	<10	<10	23	<10	39
P396677		9	15	0.01	<10	<10	57	<10	60
P396678		8	14	0.05	<10	<10	50	<10	121
P396679		8	14	0.01	<10	<10	47	<10	65
P396680		6	16	<0.01	<10	<10	21	<10	45
P396681		1	10	<0.01	<10	<10	5	<10	16
P396682		1	11	<0.01	<10	<10	3	<10	20
P396683		5	14	0.01	<10	<10	17	<10	36
P396684		3	20	<0.01	<10	<10	9	<10	32
P396685		1	345	0.02	<10	<10	11	<10	18
P396686		5	15	<0.01	<10	<10	17	<10	23
P396688		4	7	0.01	<10	<10	16	<10	25
P396689		4	16	<0.01	<10	<10	17	<10	18
P396690		7	15	<0.01	<10	<10	57	<10	21
P396691		8	5	<0.01	<10	<10	46	<10	45
P396692		6	7	<0.01	<10	<10	42	<10	32
P396693		8	4	<0.01	<10	<10	54	<10	49
P396694		7	4	<0.01	<10	<10	56	<10	44
P396695		9	5	<0.01	<10	<10	53	<10	75
P396696		9	6	<0.01	<10	<10	66	<10	64
P396697		6	6	0.01	<10	<10	66	<10	35

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

): GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
P396698		10.50	0.170			0.2	0.61	542	<10	20	0.6	7	0.34	1.4	14	99
P396699		6.24	0.036			<0.2	0.55	392	<10	20	0.9	2	0.26	<0.5	17	33
P396701		10.90	0.226			<0.2	0.75	1570	<10	80	0.8	30	0.53	<0.5	25	94
P396702		4.42	0.358			<0.2	0.50	743	<10	90	1.3	5	0.96	0.7	55	35
P396703		7.46	0.071			0.2	0.55	869	<10	30	0.5	90	0.20	<0.5	14	61
P396704		5.80	0.018			<0.2	0.82	66	<10	10	0.8	4	0.39	<0.5	16	51
P396705		10.14	0.040			<0.2	0.49	159	<10	10	0.8	3	0.80	<0.5	19	55
P396706		7.14	<0.005			0.3	0.32	8	<10	30	<0.5	<2	18.2	<0.5	2	9
P396707		7.10	0.077			<0.2	0.63	1070	<10	90	0.8	6	0.42	<0.5	22	57
P396708		11.72	0.026			<0.2	0.46	47	<10	170	0.9	2	1.28	<0.5	23	38
P396709		9.12	0.096			<0.2	0.54	62	<10	20	0.8	3	0.35	<0.5	18	48
P396710		10.84	0.537	0.612		0.6	0.42	1935	<10	70	0.7	26	0.78	<0.5	13	51
P396711		12.30	0.083			<0.2	0.40	1610	<10	140	0.7	7	1.42	<0.5	10	33
P396712		6.30	0.102			0.4	0.42	1230	<10	60	0.6	12	0.83	<0.5	10	50
P396713		10.32	0.042			0.3	0.65	777	<10	180	0.8	8	0.29	<0.5	11	62
P396714		11.04	0.063			<0.2	0.50	2260	<10	30	0.7	6	0.60	<0.5	10	74
P396715		10.34	0.460			2.2	0.30	8130	<10	60	<0.5	74	0.30	<0.5	15	46
P396716		10.44	0.331			0.4	0.39	9260	<10	90	0.5	25	0.22	<0.5	16	40
P396717		6.06	0.573			1.2	0.29	1350	<10	40	0.5	34	0.15	<0.5	16	45
P396718		13.86	1.380			9.1	0.38	>10000	<10	20	0.8	352	0.50	<0.5	109	39
P396719		11.66	0.130			0.3	0.42	4050	<10	90	0.7	38	0.24	0.7	13	49
P396720		10.20	0.515			0.7	0.62	>10000	<10	20	0.8	299	0.19	1.7	29	81
P396721		11.98	0.143			1.5	0.45	3700	<10	90	0.7	22	0.20	4.0	13	52
P396722		6.38	0.087			0.3	0.56	3080	<10	130	0.9	45	0.17	2.1	11	97
P396723		4.00	<0.005			<0.2	0.34	47	10	30	<0.5	<2	24.6	<0.5	2	10
P396724		10.44	0.134			<0.2	0.48	5330	<10	190	0.7	19	0.24	1.4	11	87
P396725		3.32	0.298			0.3	0.29	>10000	<10	70	0.6	45	0.46	<0.5	16	35
P396726		10.22	0.060			<0.2	0.38	3840	<10	150	0.6	12	0.67	<0.5	12	51
P396727		11.52	0.191			0.2	0.43	1920	<10	20	0.9	22	1.26	<0.5	17	41
P396728		7.56	0.112			1.1	0.24	830	<10	10	0.7	20	0.32	0.5	69	68
P396730		8.76	0.075			<0.2	0.51	847	<10	150	1.0	3	0.33	<0.5	19	30
P396731		6.66	0.050			0.8	0.69	1260	<10	20	2.6	8	0.63	3.0	102	28
P396732		6.80	0.241			0.6	0.38	281	<10	20	0.6	8	0.07	1.0	45	40
P396733		6.46	0.456			0.2	0.52	408	<10	80	0.5	7	0.08	<0.5	15	70
P396734		6.90	0.178			<0.2	0.36	772	<10	100	<0.5	11	0.12	<0.5	12	43
P396735		13.22	0.494			0.5	0.49	2230	<10	40	0.8	10	0.28	0.6	40	37
P396736		5.66	0.389			0.2	0.44	3670	<10	80	0.9	18	0.40	<0.5	16	68
P396737		11.02	0.123			0.3	1.00	1385	<10	80	0.9	11	0.32	<0.5	9	66
P396738		11.70	0.048			<0.2	1.07	2180	<10	20	0.9	5	0.63	<0.5	11	80
P396739		10.40	0.095			0.3	1.57	3160	<10	60	1.0	19	1.06	<0.5	14	70

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
P396698		118	3.41	<10	<1	0.09	10	0.33	289	3	<0.01	45	1240	9	1.20	5
P396699		57	2.53	<10	<1	0.10	10	0.21	524	1	<0.01	26	320	3	0.58	<2
P396701		249	4.90	<10	<1	0.14	30	0.66	386	16	<0.01	73	500	2	1.96	2
P396702		52	4.02	<10	<1	0.08	40	0.46	1010	1	0.01	54	380	3	0.51	3
P396703		205	2.62	<10	<1	0.09	30	0.27	196	1	<0.01	25	470	4	0.74	3
P396704		111	3.84	<10	<1	0.09	50	0.44	201	<1	<0.01	43	1020	7	1.16	2
P396705		124	3.65	<10	<1	0.10	30	0.40	433	1	<0.01	37	590	4	1.18	11
P396706		134	0.44	<10	<1	0.04	<10	8.27	144	<1	0.02	3	240	4	<0.01	<2
P396707		170	4.26	<10	<1	0.15	30	0.34	434	1	<0.01	36	440	4	1.48	4
P396708		71	3.38	<10	<1	0.10	40	0.45	585	1	0.01	35	520	5	0.98	5
P396709		104	3.05	<10	<1	0.12	30	0.34	434	1	<0.01	28	330	2	0.67	4
P396710		428	3.10	<10	<1	0.22	20	0.57	156	<1	0.01	30	310	5	1.11	6
P396711		133	2.69	<10	<1	0.19	20	0.75	176	1	0.01	25	300	5	0.87	20
P396712		348	3.07	<10	<1	0.17	20	0.58	123	1	0.01	16	550	3	1.12	6
P396713		255	3.12	<10	<1	0.15	40	0.43	168	1	<0.01	25	310	2	1.03	5
P396714		163	2.61	<10	<1	0.17	30	0.45	142	2	<0.01	25	420	6	0.80	6
P396715		1325	3.91	<10	<1	0.17	10	0.32	198	5	<0.01	23	230	5	1.90	14
P396716		371	4.57	<10	<1	0.21	10	0.27	372	2	<0.01	12	600	3	2.04	66
P396717		1000	5.57	<10	<1	0.14	10	0.16	239	5	<0.01	15	310	4	2.85	24
P396718		8440	27.6	<10	<1	0.10	10	0.28	469	1	<0.01	43	1600	6	>10.0	109
P396719		391	5.68	<10	<1	0.10	10	0.34	533	6	<0.01	32	430	3	2.03	30
P396720		854	5.52	<10	1	0.28	10	0.12	339	2	0.01	37	620	18	2.93	52
P396721		1185	3.86	<10	<1	0.13	<10	0.24	429	7	<0.01	64	700	110	1.90	32
P396722		182	3.05	<10	<1	0.13	10	0.28	420	6	<0.01	58	560	44	0.90	17
P396723		19	0.30	<10	<1	0.03	<10	9.76	113	<1	0.03	2	220	4	<0.01	<2
P396724		220	3.22	<10	<1	0.12	10	0.28	376	5	<0.01	54	650	4	1.08	18
P396725		242	5.58	<10	<1	0.14	10	0.35	542	2	<0.01	28	610	8	2.06	43
P396726		88	2.74	<10	<1	0.12	10	0.28	411	1	<0.01	17	150	7	0.68	22
P396727		312	6.22	<10	<1	0.11	20	0.58	706	5	<0.01	36	630	4	2.43	35
P396728		1825	25.7	<10	<1	0.02	<10	0.26	515	2	<0.01	50	1220	2	>10.0	79
P396730		106	7.79	<10	<1	0.07	20	0.29	852	1	<0.01	40	800	3	1.20	9
P396731		1455	30.7	<10	<1	0.04	<10	0.64	1340	5	<0.01	97	790	7	>10.0	105
P396732		1165	18.1	<10	1	0.05	10	0.21	305	9	<0.01	51	180	12	>10.0	18
P396733		276	7.30	10	<1	0.06	10	0.30	163	7	<0.01	23	330	2	2.46	8
P396734		178	6.23	<10	1	0.07	10	0.18	174	4	<0.01	23	390	<2	1.40	8
P396735		955	11.85	<10	<1	0.08	20	0.27	286	5	<0.01	32	760	19	6.86	82
P396736		368	7.80	<10	<1	0.12	30	0.27	341	4	<0.01	30	480	2	2.98	23
P396737		144	3.94	<10	<1	0.25	30	0.63	176	1	<0.01	28	550	3	0.94	6
P396738		120	2.21	<10	<1	0.33	20	0.61	108	1	<0.01	24	380	4	0.80	3
P396739		326	3.78	10	1	0.49	30	0.90	150	1	0.05	36	800	4	1.48	5

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396698		4	6	<0.01	<10	<10	37	<10	35
P396699		2	6	<0.01	<10	<10	13	<10	33
P396701		6	12	<0.01	<10	<10	61	<10	20
P396702		6	26	<0.01	<10	<10	20	<10	58
P396703		4	7	<0.01	<10	<10	21	<10	15
P396704		7	11	<0.01	<10	<10	34	<10	23
P396705		5	22	<0.01	<10	<10	21	<10	30
P396706		<1	308	0.03	<10	10	10	<10	19
P396707		4	11	<0.01	<10	<10	20	<10	28
P396708		6	27	<0.01	<10	<10	22	<10	34
P396709		5	9	<0.01	<10	<10	22	<10	24
P396710		2	44	<0.01	<10	<10	8	<10	12
P396711		3	60	<0.01	<10	<10	10	<10	9
P396712		4	38	<0.01	<10	<10	17	<10	10
P396713		5	11	<0.01	<10	<10	24	<10	14
P396714		4	16	0.01	<10	<10	18	<10	14
P396715		2	20	<0.01	<10	<10	8	<10	27
P396716		1	13	<0.01	<10	<10	5	<10	31
P396717		1	9	<0.01	<10	<10	7	<10	23
P396718		2	24	<0.01	<10	<10	19	<10	69
P396719		3	9	<0.01	<10	<10	22	<10	45
P396720		2	8	<0.01	<10	<10	35	<10	65
P396721		3	12	<0.01	<10	<10	16	<10	358
P396722		3	8	<0.01	<10	<10	21	<10	80
P396723		<1	340	0.02	<10	<10	8	<10	18
P396724		3	11	<0.01	<10	<10	19	<10	44
P396725		3	21	<0.01	<10	<10	14	<10	37
P396726		2	16	<0.01	<10	<10	4	<10	20
P396727		6	31	<0.01	<10	<10	30	<10	38
P396728		3	57	<0.01	10	<10	17	<10	39
P396730		11	10	<0.01	<10	<10	36	<10	48
P396731		3	17	<0.01	10	<10	27	<10	110
P396732		4	46	<0.01	<10	<10	30	<10	45
P396733		3	60	<0.01	<10	<10	27	<10	18
P396734		3	28	<0.01	<10	<10	20	<10	24
P396735		6	10	<0.01	<10	<10	31	<10	99
P396736		4	10	<0.01	<10	<10	21	<10	15
P396737		5	9	0.02	<10	<10	32	<10	12
P396738		4	14	0.02	<10	<10	33	<10	9
P396739		5	26	0.06	<10	<10	44	<10	14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
P396740		11.44	0.056			0.4	0.56	988	<10	30	0.8	12	0.51	<0.5	8	73
P396741		8.62	0.112			1.5	0.53	3070	<10	30	0.7	26	0.42	<0.5	13	62
P396742		8.56	0.139			0.7	0.38	6760	<10	130	0.6	29	0.98	<0.5	9	66
P396743		12.26	0.158			0.8	0.40	4380	<10	140	0.9	29	0.42	<0.5	10	49
P396744		12.04	0.022			<0.2	0.51	367	<10	90	1.0	4	0.46	<0.5	12	55
P396746		12.70	0.514			0.2	0.44	5200	<10	80	0.9	49	1.18	<0.5	28	28
P396747		11.68	0.107			<0.2	0.75	722	<10	30	1.0	11	1.01	<0.5	8	47
P396748		5.78	0.022			0.5	0.41	14	10	50	<0.5	<2	22.9	<0.5	3	12
P396749		8.50	0.200			0.2	0.79	1695	<10	20	1.4	30	0.71	<0.5	16	48
P396750		12.86	0.075			0.2	0.63	1620	<10	30	1.0	8	1.44	<0.5	10	37
P396751		9.56	0.048			0.3	0.31	759	<10	30	<0.5	13	1.47	<0.5	7	69
P396752		12.00	0.154			<0.2	0.30	7930	<10	80	<0.5	7	1.14	<0.5	8	36
P396753		13.18	0.045			0.6	0.36	481	<10	40	<0.5	17	1.02	<0.5	18	87
P396754		10.46	1.980			9.4	0.27	1265	<10	20	0.5	1120	0.14	1.6	94	13
P396755		8.68	0.616			2.2	0.34	890	<10	30	<0.5	124	0.81	0.6	26	56
P396756		10.52	0.255			0.8	0.35	1125	<10	90	0.5	64	0.77	<0.5	13	26
P396757		9.56	0.138			0.5	0.41	1320	<10	60	0.7	7	0.30	<0.5	14	33
P396758		9.96	0.322			1.4	0.36	327	<10	140	0.7	10	0.30	<0.5	10	17
P396759		1.46	0.787			4.1	0.50	228	<10	20	<0.5	57	0.15	0.6	63	49

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

): GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
P396740		268	3.08	<10	<1	0.11	30	0.32	241	1	<0.01	21	340	6	1.28	11
P396741		962	2.89	<10	<1	0.19	30	0.20	313	1	<0.01	32	350	2	1.18	9
P396742		432	2.72	<10	1	0.17	20	0.24	250	2	0.01	14	220	2	1.42	10
P396743		385	2.25	<10	<1	0.16	30	0.18	177	<1	<0.01	25	240	4	1.03	7
P396744		170	3.48	<10	<1	0.15	30	0.23	146	2	<0.01	28	440	6	1.88	19
P396746		371	4.47	<10	<1	0.25	20	0.43	164	3	0.01	26	610	7	2.64	50
P396747		191	3.15	<10	<1	0.26	10	0.65	141	<1	0.01	13	820	3	1.38	7
P396748		166	0.41	<10	<1	0.05	<10	9.23	142	<1	0.03	3	240	3	<0.01	<2
P396749		287	4.50	<10	<1	0.17	40	0.39	249	1	<0.01	41	1020	4	2.29	10
P396750		247	3.93	<10	<1	0.12	40	0.54	122	3	0.01	41	750	7	2.25	12
P396751		615	9.76	<10	<1	0.14	<10	0.24	90	2	<0.01	23	2000	2	6.27	32
P396752		232	3.32	<10	<1	0.19	<10	0.23	71	1	0.01	15	1540	4	2.01	25
P396753		732	6.38	<10	<1	0.22	<10	0.23	155	1	0.01	18	1970	4	4.18	34
P396754		8480	23.9	<10	<1	0.16	<10	0.14	186	6	<0.01	23	280	13	>10.0	45
P396755		1710	8.55	<10	<1	0.22	<10	0.17	168	2	0.01	5	310	37	4.10	42
P396756		705	4.22	<10	<1	0.24	10	0.35	113	1	0.01	3	500	5	2.07	20
P396757		477	8.68	<10	<1	0.21	10	0.26	122	1	<0.01	5	450	3	1.92	14
P396758		798	7.43	<10	<1	0.18	10	0.25	88	1	<0.01	4	470	4	1.62	12
P396759		3280	15.8	<10	<1	0.12	10	0.26	69	7	<0.01	23	530	<2	8.97	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072278

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396740		4	14	<0.01	<10	<10	16	<10	15
P396741		3	11	<0.01	<10	<10	14	<10	22
P396742		1	29	<0.01	<10	<10	4	<10	15
P396743		3	11	<0.01	<10	<10	11	<10	15
P396744		5	12	<0.01	<10	<10	22	<10	10
P396746		4	32	<0.01	<10	<10	13	<10	12
P396747		5	36	<0.01	<10	<10	23	<10	12
P396748		1	305	0.02	<10	<10	11	<10	19
P396749		7	19	<0.01	<10	<10	30	<10	16
P396750		6	56	<0.01	<10	<10	25	<10	9
P396751		1	34	<0.01	<10	10	10	<10	5
P396752		1	35	<0.01	<10	<10	5	<10	10
P396753		1	24	<0.01	<10	<10	7	<10	13
P396754		<1	42	<0.01	<10	<10	3	<10	114
P396755		<1	25	<0.01	<10	<10	2	<10	60
P396756		1	48	<0.01	<10	<10	2	<10	16
P396757		1	24	<0.01	<10	<10	3	<10	11
P396758		1	15	<0.01	<10	<10	3	<10	11
P396759		2	34	<0.01	<10	<10	14	<10	23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE VA04072276

Project: Golden Revenue

P.O. No.:

This report is for 59 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 18-OCT-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

): GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072276

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396594		6.28	0.107	0.4	1.04	97	<10	110	0.7	5	0.02	<0.5	6	22	958	10.90
P396595		6.58	0.492	0.5	1.11	156	<10	90	0.7	11	0.02	<0.5	1	32	584	7.82
P396596		6.00	0.462	0.3	1.60	31	<10	40	0.9	9	0.28	<0.5	3	28	738	9.11
P396597		5.76	0.066	<0.2	1.90	8	<10	30	0.6	3	0.20	<0.5	4	47	551	3.57
P396598		3.70	0.042	<0.2	2.49	17	<10	60	0.6	3	0.10	<0.5	2	8	454	4.90
P396599		7.30	0.072	<0.2	1.09	33	<10	100	0.8	6	0.01	<0.5	14	29	383	7.41
P396601		10.02	0.195	0.5	0.51	2160	<10	910	<0.5	12	0.01	<0.5	3	43	233	4.61
P396602		10.96	0.042	1.3	0.52	333	<10	180	<0.5	5	0.01	<0.5	2	28	375	2.61
P396603		10.06	0.070	0.8	0.60	583	<10	230	<0.5	10	0.01	<0.5	4	33	429	4.53
P396604		9.10	0.772	0.7	0.64	590	<10	210	<0.5	16	0.01	<0.5	3	20	281	5.32
P396605		4.88	<0.005	0.2	0.31	13	10	30	<0.5	<2	23.4	<0.5	2	8	43	0.38
P396606		7.44	0.188	0.2	3.89	29	<10	40	1.4	9	0.08	<0.5	7	17	751	6.65
P396607		8.26	0.054	0.2	1.37	37	<10	70	0.8	5	0.27	<0.5	10	48	461	5.76
P396608		12.10	0.040	<0.2	1.52	48	<10	30	0.6	8	0.48	<0.5	22	27	512	6.60
P396609		9.08	0.154	0.3	0.97	93	<10	180	<0.5	8	0.01	<0.5	1	25	408	4.27
P396610		11.44	0.119	0.5	0.51	39	<10	180	<0.5	13	0.01	<0.5	1	19	276	3.42
P396611		11.86	0.199	0.3	1.06	47	<10	220	0.5	14	0.01	<0.5	2	31	583	7.91
P396612		10.08	0.180	0.2	1.80	134	<10	130	0.9	9	0.21	<0.5	7	15	791	18.0
P396613		11.02	0.211	0.2	1.03	41	<10	200	0.6	7	0.01	<0.5	6	22	540	17.8
P396614		10.46	0.385	0.2	1.21	135	<10	200	0.7	13	<0.01	3.1	9	16	1030	20.7
P396615		7.12	0.472	0.3	1.35	38	<10	70	0.6	19	0.02	1.3	7	20	582	8.09
P396616		10.22	0.095	0.2	1.95	19	<10	50	0.7	10	1.60	1.4	29	31	1055	8.90
P396617		10.50	0.053	<0.2	1.47	67	<10	70	0.5	55	0.33	2.0	20	27	495	7.35
P396618		7.46	0.133	0.5	2.11	125	<10	20	1.1	28	0.13	1.3	21	26	1785	7.33
P396619		9.46	0.194	<0.2	1.26	46	<10	60	0.7	9	0.03	0.5	4	28	911	2.77
P396621		10.00	0.199	0.2	0.62	80	<10	140	<0.5	17	0.01	<0.5	2	18	409	2.32
P396622		11.54	0.067	<0.2	0.96	61	<10	80	<0.5	7	0.01	<0.5	2	26	601	1.14
P396623		7.38	0.149	<0.2	1.10	45	<10	120	<0.5	7	0.01	<0.5	6	17	2050	1.22
P396624		6.50	<0.005	0.2	0.53	8	10	50	<0.5	2	23.1	<0.5	2	14	64	0.53
P396625		9.34	0.066	<0.2	2.22	56	<10	150	0.8	5	0.03	<0.5	7	19	3100	1.34
P396626		3.72	0.053	<0.2	1.52	35	<10	120	0.6	9	0.05	<0.5	4	27	2910	1.03
P396627		10.72	0.184	0.2	1.58	46	<10	30	0.7	27	0.08	2.4	15	23	2750	4.11
P396628		12.88	0.210	0.7	2.90	42	<10	80	0.6	12	0.24	1.5	19	39	753	6.50
P396629		6.76	0.402	0.6	1.51	175	<10	20	0.7	29	0.17	2.9	22	24	1415	5.40
P396630		12.52	0.250	1.3	1.70	1690	<10	40	0.7	93	0.07	0.5	16	22	3520	1.96
P396631		10.00	0.154	1.0	0.81	118	<10	40	0.6	127	0.09	3.3	26	19	1860	3.75
P396632		6.48	0.139	1.1	2.12	168	<10	20	1.1	68	0.08	1.3	27	23	6020	3.16
P396633		11.04	0.051	0.8	0.65	903	<10	30	0.5	53	0.12	1.4	40	20	1335	4.97
P396634		8.88	0.043	0.3	1.14	842	<10	20	0.7	7	0.14	3.4	68	28	1560	5.11
P396635		8.82	0.062	0.6	0.99	770	<10	20	0.5	38	0.03	0.6	17	18	2170	2.82

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072276

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396594		<10	<1	0.38	10	0.05	98	1	0.05	16	650	4	0.87	23	15	13
P396595		10	<1	0.35	10	0.07	32	1	0.03	6	640	<2	0.71	28	14	14
P396596		10	1	0.18	10	0.19	91	2	0.07	5	530	4	0.46	14	7	36
P396597		10	<1	0.60	10	0.81	118	<1	0.06	6	420	<2	0.21	2	15	26
P396598		10	1	0.43	10	0.34	45	<1	0.05	5	550	2	0.66	8	23	37
P396599		<10	<1	0.26	10	0.06	369	1	0.02	12	970	4	0.46	7	26	20
P396601		<10	<1	0.36	10	0.03	97	7	0.01	5	880	8	0.37	102	7	16
P396602		<10	<1	0.36	10	0.01	13	2	0.01	3	610	6	0.45	93	2	18
P396603		<10	2	0.48	10	0.03	130	3	0.02	3	560	2	0.68	81	5	20
P396604		<10	<1	0.59	20	0.03	71	3	0.04	3	590	3	0.95	68	7	32
P396605		<10	<1	0.04	<10	9.96	122	1	0.03	6	230	4	<0.01	<2	1	364
P396606		10	1	0.23	10	0.35	159	<1	0.03	12	500	3	0.59	18	26	30
P396607		<10	1	0.12	10	0.33	261	<1	0.08	10	540	2	0.55	4	8	34
P396608		10	<1	0.24	10	0.65	403	1	0.10	18	550	6	0.78	<2	15	19
P396609		<10	<1	0.31	10	0.06	15	1	0.04	3	660	2	0.59	8	9	19
P396610		<10	<1	0.30	20	0.02	24	2	0.02	1	600	12	0.48	14	3	19
P396611		<10	1	0.28	10	0.06	35	2	0.02	4	710	8	0.55	7	9	10
P396612		10	1	0.28	10	0.04	302	<1	0.03	6	590	7	0.81	29	8	17
P396613		10	1	0.29	10	0.01	250	2	0.03	3	820	3	0.78	34	6	10
P396614		<10	1	0.27	10	0.01	264	10	0.01	8	640	5	0.79	29	11	7
P396615		10	1	0.43	20	0.12	43	2	0.03	3	410	3	2.80	22	10	17
P396616		10	1	0.06	<10	0.34	685	3	0.02	13	510	3	5.05	9	4	13
P396617		10	1	0.20	10	1.23	447	2	0.05	11	520	18	2.91	8	14	9
P396618		<10	1	0.22	10	0.66	208	3	0.02	21	540	8	3.38	39	17	8
P396619		<10	<1	0.15	10	0.16	30	<1	0.01	11	400	6	0.87	11	15	9
P396621		<10	<1	0.14	30	0.05	11	<1	<0.01	7	300	5	0.44	50	9	8
P396622		<10	<1	0.11	50	0.01	5	1	<0.01	12	240	6	0.57	43	11	8
P396623		<10	<1	0.09	20	0.01	5	<1	<0.01	20	200	4	1.06	25	14	6
P396624		<10	<1	0.06	<10	8.83	154	<1	0.02	4	290	8	<0.01	4	1	349
P396625		<10	<1	0.07	10	0.02	7	1	<0.01	39	540	2	1.00	18	29	3
P396626		<10	<1	0.07	60	0.02	7	<1	<0.01	24	360	6	0.92	14	17	6
P396627		<10	<1	0.16	10	0.49	87	<1	0.01	20	520	3	2.42	10	21	3
P396628		10	<1	1.58	10	2.44	511	4	0.02	11	440	13	1.10	7	23	4
P396629		10	<1	0.24	10	0.78	321	2	<0.01	17	400	43	2.24	7	18	3
P396630		<10	1	0.15	30	0.05	23	10	<0.01	44	480	11	1.90	203	12	5
P396631		<10	1	0.17	30	0.11	170	5	<0.01	20	290	15	2.08	39	9	4
P396632		<10	<1	0.16	10	0.09	81	2	<0.01	50	550	31	2.80	75	15	3
P396633		<10	<1	0.16	30	0.09	399	1	<0.01	26	340	24	2.99	127	8	6
P396634		<10	<1	0.19	20	0.14	312	1	<0.01	52	470	7	3.34	104	12	4
P396635		<10	<1	0.11	60	0.02	12	7	<0.01	21	330	10	3.07	110	7	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072276

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	Tl	Tl	U	V	W	Zn	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2
	Units	%	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.01	10	10	1	10	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
P396594		<0.01	<10	<10	109	10	21									
P396595		<0.01	<10	<10	67	10	14									
P396596		0.05	<10	<10	57	10	35									
P396597		0.19	<10	<10	81	<10	32									
P396598		0.08	<10	<10	126	10	22									
P396599		<0.01	<10	<10	105	10	53									
P396601		<0.01	<10	<10	28	<10	15									
P396602		<0.01	<10	<10	12	<10	6									
P396603		<0.01	<10	<10	23	<10	9									
P396604		<0.01	10	<10	37	<10	10									
P396605		0.02	<10	<10	8	<10	16									
P396606		0.01	<10	<10	144	<10	42									
P396607		0.07	<10	<10	49	<10	53									
P396608		0.16	<10	<10	119	<10	65									
P396609		<0.01	<10	<10	52	<10	10									
P396610		<0.01	<10	<10	14	<10	14									
P396611		<0.01	<10	<10	46	<10	37									
P396612		0.01	<10	<10	57	10	75									
P396613		<0.01	<10	<10	54	20	33									
P396614		<0.01	<10	<10	82	<10	54									
P396615		<0.01	<10	<10	79	<10	14									
P396616		0.03	<10	<10	33	<10	40									
P396617		0.06	<10	<10	102	<10	53									
P396618		0.02	<10	<10	88	<10	68									
P396619		<0.01	<10	<10	47	<10	9									
P396621		<0.01	<10	<10	32	<10	7									
P396622		<0.01	<10	<10	23	<10	8									
P396623		<0.01	<10	10	30	<10	11									
P396624		0.03	<10	<10	12	<10	20									
P396625		<0.01	<10	10	70	<10	16									
P396626		<0.01	<10	10	29	<10	13									
P396627		0.01	<10	<10	74	10	28									
P396628		0.13	<10	<10	152	<10	65									
P396629		0.01	<10	<10	82	<10	144									
P396630		<0.01	<10	<10	40	<10	45									
P396631		<0.01	<10	<10	31	<10	30									
P396632		<0.01	<10	10	54	<10	62									
P396633		<0.01	<10	<10	28	<10	58									
P396634		<0.01	10	<10	44	<10	47									
P396635		<0.01	<10	<10	18	<10	25									

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072276

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.01	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
P396594							
P396595							
P396596							
P396597							
P396598							
P396599							
P396601							
P396602							
P396603							
P396604							
P396605							
P396606							
P396607							
P396608							
P396609							
P396610							
P396611							
P396612							
P396613							
P396614							
P396615							
P396616							
P396617							
P396618							
P396619							
P396621							
P396622							
P396623							
P396624							
P396625							
P396626							
P396627							
P396628							
P396629							
P396630							
P396631							
P396632							
P396633							
P396634							
P396635							

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072276

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396636		8.54	0.283	1.0	0.88	104	<10	70	0.7	51	0.02	1.4	27	35	1660	5.32
P396637		9.16	0.730	1.3	1.02	529	<10	50	0.9	105	0.08	2.8	34	12	3230	2.71
P396638		10.96	0.833	1.6	0.72	2100	<10	10	0.6	113	0.09	1.6	44	44	6510	5.35
P396639		9.24	0.423	1.3	0.51	894	<10	20	<0.5	69	0.14	1.2	22	22	1545	3.35
P396640		9.20	0.087	1.7	0.72	1095	<10	10	0.5	59	0.14	1.1	162	41	4130	3.71
P396641		6.70	<0.005	0.3	0.33	9	10	40	<0.5	<2	>25.0	<0.5	2	9	69	0.44
P396642		10.52	0.311	0.9	1.04	521	<10	90	0.8	243	0.20	1.4	56	43	1690	2.04
P396643		8.44	0.116	0.7	0.89	329	<10	50	0.9	49	0.23	2.8	31	15	1035	2.62
P396644		8.08	0.156	0.3	1.16	148	<10	90	1.3	34	0.23	4.2	27	24	1120	2.74
P396646		5.68	0.345	1.0	0.60	240	<10	70	0.7	114	0.26	4.1	25	34	1155	5.39
P396647		6.34	2.41	1.0	0.57	170	<10	90	0.6	147	0.25	2.6	25	23	867	4.22
P396648		8.32	1.430	1.7	0.56	210	<10	50	0.6	395	0.27	2.5	36	23	1515	5.14
P396649		4.16	1.905	1.4	0.54	255	<10	30	1.2	142	1.30	2.7	61	43	1900	14.8
P396650		10.28	0.077	0.4	0.49	100	<10	110	0.7	28	0.23	2.2	23	16	615	6.26
P396651		8.88	0.155	1.3	0.38	188	<10	20	0.6	32	0.22	2.6	72	65	2200	15.3
P396652		9.50	0.070	0.7	0.27	152	<10	50	<0.5	22	0.18	1.5	14	66	623	4.20
P396653		9.06	0.521	1.2	0.28	952	<10	20	0.5	28	0.12	1.6	23	103	511	4.97
P396654		11.20	0.175	0.7	0.35	290	<10	40	<0.5	13	0.07	1.5	15	35	487	3.13
P396655		11.04	0.174	0.7	0.35	307	<10	100	<0.5	17	0.06	0.8	9	58	455	2.58

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072276

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396636		<10	<1	0.10	20	0.03	160	2	<0.01	21	400	8	1.88	14	17	3
P396637		<10	<1	0.22	20	0.04	17	5	<0.01	46	700	20	2.13	158	2	14
P396638		<10	1	0.28	<10	0.05	25	14	<0.01	32	510	19	5.86	377	1	38
P396639		<10	<1	0.27	10	0.13	136	11	<0.01	10	610	12	2.66	282	1	11
P396640		<10	<1	0.27	10	0.04	73	6	<0.01	96	660	14	3.91	211	1	13
P396641		<10	<1	0.04	<10	10.35	132	<1	0.02	<1	220	6	<0.01	3	1	364
P396642		<10	<1	0.21	20	0.07	142	4	<0.01	61	760	37	1.40	82	2	17
P396643		<10	<1	0.18	20	0.10	236	3	<0.01	29	820	22	1.30	93	3	16
P396644		<10	<1	0.14	30	0.09	248	1	<0.01	34	960	7	1.14	51	4	16
P396646		<10	<1	0.13	30	0.20	309	3	<0.01	31	750	12	2.14	176	5	11
P396647		<10	<1	0.14	20	0.18	342	<1	<0.01	19	850	15	1.57	50	3	7
P396648		<10	<1	0.17	30	0.28	338	<1	<0.01	28	880	43	2.37	140	3	6
P396649		<10	<1	0.12	10	0.49	1010	5	<0.01	32	4850	10	5.56	194	4	18
P396650		<10	<1	0.12	50	0.18	606	2	<0.01	10	590	6	1.90	53	3	8
P396651		<10	1	0.10	20	0.23	368	10	<0.01	44	510	<2	9.24	111	5	7
P396652		<10	<1	0.06	10	0.21	480	10	<0.01	39	510	9	1.18	149	4	8
P396653		<10	<1	0.11	10	0.15	517	8	<0.01	34	360	17	2.19	90	2	15
P396654		<10	<1	0.15	40	0.08	289	<1	<0.01	7	160	15	1.52	84	1	12
P396655		<10	<1	0.15	40	0.06	236	<1	<0.01	3	140	9	1.28	40	<1	11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072276

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	Tl	Tl	U	V	W	Zn	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2
	Units	%	ppm	ppm	ppm	ppm	ppm	%	%	%	%	%	%	%	%	%
	LOR	0.01	10	10	1	10	2	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
P396636		<0.01	<10	10	52	<10	45									
P396637		<0.01	<10	10	8	<10	61									
P396638		<0.01	10	<10	5	<10	83									
P396639		<0.01	<10	<10	5	10	58									
P396640		<0.01	<10	<10	4	<10	57									
P396641		0.02	<10	<10	8	<10	16									
P396642		<0.01	<10	10	6	<10	68									
P396643		<0.01	<10	<10	12	<10	42									
P396644		<0.01	<10	<10	18	<10	36									
P396646		<0.01	<10	<10	22	<10	37									
P396647		<0.01	<10	<10	10	10	29	64.90	14.90	5.90	0.36	0.53	0.16	5.33	<0.01	0.57
P396648		<0.01	<10	<10	10	<10	59									
P396649		<0.01	<10	<10	21	<10	56									
P396650		<0.01	<10	<10	12	<10	40									
P396651		<0.01	<10	<10	41	<10	36									
P396652		<0.01	<10	<10	23	<10	53									
P396653		<0.01	<10	<10	12	<10	82									
P396654		<0.01	<10	<10	2	<10	60									
P396655		<0.01	<10	<10	1	<10	26	68.00	15.36	3.79	0.16	0.24	0.34	5.89	0.01	0.18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 28-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072276

Sample Description	Method / Analyte / Units / LOR	ME-XRF06 MnO % 0.01	ME-XRF06 P2O5 % 0.01	ME-XRF06 SrO % 0.01	ME-XRF06 BaO % 0.01	ME-XRF06 LOI % 0.01	ME-XRF06 Total % 0.01
P396636							
P396637							
P396638							
P396639							
P396640							
P396641							
P396642							
P396643							
P396644							
P396646							
P396647		0.04	0.19	0.01	0.20	6.18	99.27
P396648							
P396649							
P396650							
P396651							
P396652							
P396653							
P396654							
P396655		0.03	0.03	0.02	0.59	4.59	99.23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-OCT-2004
Account: GOLREV

CERTIFICATE VA04072191

Project:

P.O. No.:

This report is for 85 Pulp samples submitted to our lab in Vancouver, BC, Canada on 19-OCT-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-XRF06	Whole Rock Package - XRF	XRF
OA-GRA06	LOI for ME-XRF06	WST-SIM

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 25-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04072191

Sample Description	Method	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06	ME-XRF06
	Analyte	SiO2	Al2O3	Fe2O3	CaO	MgO	Na2O	K2O	Cr2O3	TiO2	MnO	P2O5	SrO	BaO	LOI	Total
	Units	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
	LOR	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
P396529		72.69	14.21	0.83	1.00	0.68	0.17	4.92	0.02	0.12	<0.01	0.02	0.01	0.18	3.99	98.84

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE VA04068602

Project:

P.O. No.:

This report is for 85 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 4-OCT-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
P390201		1.18	0.022		1.1	1.22	22	<10	90	0.6	33	1.03	<0.5	27	89	719
P390202		0.92	0.021		2.1	0.43	169	<10	300	<0.5	9	0.03	<0.5	1	116	22
P390203		0.88	0.027		1.2	0.53	138	<10	220	<0.5	11	0.03	<0.5	2	150	21
P396509		4.80	<0.005		0.4	0.43	29	<10	90	<0.5	<2	0.01	<0.5	<1	86	8
P396510		2.62	<0.005		0.4	0.50	25	<10	100	<0.5	2	0.01	<0.5	<1	108	10
P396511		4.62	0.008		0.2	0.39	17	<10	70	<0.5	<2	0.02	<0.5	<1	95	9
P396512		10.86	0.007		<0.2	0.33	7	<10	70	<0.5	<2	0.02	<0.5	<1	115	10
P396513		5.86	0.011		<0.2	0.35	6	<10	60	<0.5	<2	0.02	<0.5	<1	88	12
P396514		7.06	<0.005		<0.2	0.32	3	<10	70	<0.5	<2	0.01	<0.5	<1	110	8
P396515		9.50	<0.005		<0.2	0.35	4	<10	90	<0.5	<2	0.01	<0.5	<1	99	13
P396516		4.44	<0.005		<0.2	0.34	4	<10	80	<0.5	<2	0.02	<0.5	<1	109	19
P396517		8.38	<0.005		<0.2	0.44	<2	<10	70	<0.5	<2	0.01	<0.5	<1	96	27
P396518		8.56	<0.005		<0.2	0.41	4	<10	80	<0.5	<2	0.01	<0.5	<1	108	16
P396519		8.38	<0.005		<0.2	0.38	2	<10	70	<0.5	<2	0.01	<0.5	<1	100	13
P396520		8.90	<0.005		<0.2	0.33	5	<10	60	<0.5	<2	0.01	<0.5	<1	100	13
P396521		5.30	0.005		<0.2	0.47	26	<10	80	<0.5	<2	0.01	<0.5	<1	88	17
P396522		5.02	0.010		<0.2	0.41	21	<10	80	<0.5	<2	0.01	<0.5	<1	90	18
P396523		4.88	0.011		0.4	0.43	371	<10	70	<0.5	<2	0.01	<0.5	1	97	86
P396524		5.62	<0.005		<0.2	0.45	19	<10	60	<0.5	<2	0.01	<0.5	1	106	27
P396525		4.96	<0.005		<0.2	0.34	10	10	30	<0.5	<2	23.6	<0.5	1	12	34
P396526		5.58	<0.005		<0.2	0.43	16	<10	60	<0.5	<2	0.06	<0.5	<1	91	11
P396527		9.54	<0.005		<0.2	0.44	12	<10	90	<0.5	<2	0.04	<0.5	1	80	42
P396528		7.78	0.008		0.2	0.42	67	<10	100	<0.5	<2	0.01	<0.5	<1	81	34
P396529		9.68	<0.005		<0.2	0.57	5	<10	80	<0.5	<2	0.01	<0.5	<1	81	15
P396531		5.52	<0.005		<0.2	0.45	16	<10	110	<0.5	<2	<0.01	<0.5	<1	93	15
P396532		13.00	0.006		0.3	0.72	33	<10	120	<0.5	<2	0.01	<0.5	1	72	37
P396533		10.48	<0.005		<0.2	0.60	18	<10	80	<0.5	<2	0.01	<0.5	<1	59	24
P396534		9.38	0.006		0.4	0.61	20	<10	90	<0.5	2	0.01	<0.5	<1	73	72
P396535		6.86	<0.005		<0.2	0.55	34	<10	70	<0.5	<2	0.01	<0.5	1	52	146
P396536		11.56	0.024		2.5	0.78	238	<10	160	<0.5	29	0.01	<0.5	1	45	69
P396537		10.22	0.005		0.7	1.53	61	<10	270	0.6	4	0.01	<0.5	4	42	210
P396538		6.60	0.008		0.7	2.49	25	<10	90	0.9	5	0.12	5.0	33	69	319
P396539		3.48	0.008		0.4	0.98	30	<10	180	<0.5	5	0.01	<0.5	3	58	67
P396540		9.04	<0.005		0.6	1.11	123	<10	170	<0.5	3	0.01	<0.5	1	47	53
P396541		8.30	<0.005		0.3	0.93	61	<10	150	<0.5	3	<0.01	<0.5	<1	65	17
P396542		9.04	<0.005		0.4	0.70	93	<10	140	<0.5	3	<0.01	<0.5	1	79	23
P396543		8.58	0.009		0.9	0.60	396	<10	160	<0.5	11	<0.01	<0.5	<1	45	17
P396544		10.54	0.008		0.6	0.73	487	<10	150	<0.5	3	0.01	<0.5	<1	68	26
P396545		10.00	0.105		0.9	0.66	529	<10	160	<0.5	5	0.01	<0.5	1	49	103
P396546		12.32	<0.005		0.3	0.99	18	<10	50	0.5	2	0.11	1.2	14	53	146

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
P390201		4.79	10	<1	0.35	10	0.83	142	1	0.04	20	1020	6	2.60	<2	5
P390202		1.23	<10	<1	0.44	20	0.03	14	1	0.02	3	80	41	0.44	<2	<1
P390203		1.88	<10	<1	0.50	20	0.04	20	3	0.02	6	90	14	0.65	2	<1
P396509		0.68	<10	<1	0.24	20	0.01	9	5	0.01	2	40	20	0.19	2	<1
P396510		0.70	<10	<1	0.28	20	0.01	12	6	0.02	4	40	40	0.17	<2	<1
P396511		0.68	<10	<1	0.19	20	0.01	9	5	0.04	3	60	24	0.15	<2	<1
P396512		0.50	<10	<1	0.17	30	0.01	10	2	0.05	3	40	13	0.09	<2	<1
P396513		0.45	<10	<1	0.18	20	0.01	10	3	0.05	4	40	12	0.08	<2	<1
P396514		0.40	<10	<1	0.18	30	<0.01	10	2	0.05	3	40	3	0.08	<2	<1
P396515		0.58	<10	<1	0.21	20	<0.01	11	3	0.07	4	40	4	0.17	<2	<1
P396516		0.51	<10	<1	0.16	20	<0.01	11	1	0.07	4	40	5	0.09	<2	<1
P396517		0.50	<10	<1	0.19	30	<0.01	13	3	0.06	4	70	4	0.11	<2	1
P396518		0.53	<10	<1	0.20	30	<0.01	11	3	0.07	3	60	5	0.12	<2	1
P396519		0.36	<10	<1	0.20	30	<0.01	13	2	0.07	4	40	5	0.07	<2	1
P396520		0.42	<10	<1	0.18	30	<0.01	10	1	0.05	3	30	4	0.08	<2	<1
P396521		0.61	<10	<1	0.24	20	0.01	11	3	0.03	4	40	16	0.16	<2	<1
P396522		0.82	<10	<1	0.21	20	0.01	11	2	0.03	1	80	25	0.23	2	<1
P396523		0.86	<10	<1	0.27	20	0.01	13	2	0.01	2	50	152	0.40	6	<1
P396524		0.60	<10	<1	0.19	20	0.01	10	1	0.04	3	50	9	0.17	2	1
P396525		0.38	<10	1	0.05	<10	10.15	142	2	0.04	3	280	7	<0.01	<2	<1
P396526		0.46	<10	<1	0.21	20	0.03	10	5	0.01	1	40	10	0.12	8	<1
P396527		0.44	<10	<1	0.20	20	0.02	11	2	<0.01	2	40	32	0.14	<2	<1
P396528		0.48	<10	<1	0.20	20	0.01	9	1	0.01	2	50	165	0.18	2	1
P396529		0.44	<10	<1	0.19	20	0.01	10	1	<0.01	3	50	11	0.17	<2	1
P396531		0.71	<10	<1	0.23	20	<0.01	8	1	<0.01	1	40	12	0.24	<2	<1
P396532		0.59	<10	<1	0.29	20	0.01	13	3	0.01	4	50	20	0.21	2	1
P396533		0.66	<10	<1	0.25	20	0.01	8	2	<0.01	2	40	7	0.21	3	1
P396534		0.59	<10	<1	0.29	20	0.01	9	2	0.04	3	50	7	0.22	<2	1
P396535		0.74	<10	<1	0.22	20	0.01	12	2	0.03	2	70	4	0.22	2	1
P396536		1.58	<10	<1	0.45	20	0.02	19	2	<0.01	2	390	46	0.44	6	2
P396537		3.54	<10	<1	0.46	10	0.28	48	4	0.01	3	510	11	0.66	5	12
P396538		5.86	10	<1	0.65	10	0.70	206	6	0.02	28	460	16	3.38	5	12
P396539		5.29	<10	<1	0.66	10	0.09	47	2	0.03	3	350	10	1.18	6	5
P396540		2.41	<10	<1	0.56	20	0.04	8	6	0.01	3	400	87	0.90	4	7
P396541		1.58	<10	<1	0.52	10	0.04	9	5	<0.01	2	80	27	0.50	4	3
P396542		2.33	<10	<1	0.61	10	0.03	9	5	0.01	1	130	18	0.79	7	3
P396543		2.51	<10	<1	0.71	<10	0.04	9	8	0.01	1	160	29	0.92	9	3
P396544		3.17	<10	<1	0.65	10	0.04	8	4	0.01	2	150	15	0.97	7	5
P396545		3.72	<10	<1	0.53	10	0.04	21	4	0.02	3	340	15	0.80	8	7
P396546		3.60	10	<1	0.18	<10	0.43	304	2	0.05	9	210	4	0.77	5	7

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	10	1	10	2
P390201		28	0.02	<10	<10	49	<10	25
P390202		25	<0.01	<10	<10	2	<10	6
P390203		24	<0.01	<10	<10	2	<10	9
P396509		7	<0.01	<10	<10	1	<10	2
P396510		6	<0.01	<10	<10	1	<10	3
P396511		6	<0.01	<10	<10	1	<10	4
P396512		5	<0.01	<10	<10	1	<10	4
P396513		5	<0.01	<10	<10	1	<10	4
P396514		5	<0.01	<10	<10	1	<10	3
P396515		6	<0.01	<10	<10	1	<10	3
P396516		6	<0.01	<10	<10	1	<10	3
P396517		7	<0.01	<10	<10	1	<10	7
P396518		6	<0.01	<10	<10	1	<10	6
P396519		5	<0.01	<10	<10	1	<10	5
P396520		5	<0.01	<10	<10	1	<10	5
P396521		7	<0.01	<10	<10	1	<10	7
P396522		7	<0.01	<10	<10	1	<10	10
P396523		7	<0.01	<10	<10	1	<10	9
P396524		7	<0.01	<10	<10	1	<10	8
P396525		302	0.02	<10	10	10	<10	18
P396526		6	<0.01	<10	<10	1	<10	3
P396527		6	<0.01	<10	<10	1	<10	5
P396528		6	<0.01	<10	<10	1	<10	6
P396529		7	<0.01	<10	<10	2	<10	6
P396531		5	<0.01	<10	<10	1	<10	2
P396532		6	<0.01	<10	<10	2	<10	7
P396533		6	<0.01	<10	<10	2	<10	2
P396534		9	<0.01	<10	<10	1	<10	5
P396535		7	<0.01	<10	<10	3	<10	12
P396536		19	<0.01	<10	<10	10	<10	16
P396537		25	0.01	<10	<10	81	<10	96
P396538		18	0.04	<10	<10	91	<10	80
P396539		19	0.01	<10	<10	55	<10	74
P396540		31	<0.01	<10	<10	63	<10	7
P396541		12	<0.01	<10	<10	23	<10	2
P396542		23	<0.01	<10	<10	23	<10	5
P396543		59	<0.01	<10	<10	18	<10	6
P396544		15	<0.01	<10	<10	41	<10	2
P396545		16	<0.01	<10	<10	42	<10	33
P396546		8	<0.01	<10	<10	23	<10	54

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

): GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
P396548		6.02	0.005		0.3	0.45	11	<10	60	<0.5	<2	0.05	1.1	8	61	168
P396549		4.72	0.009		<0.2	0.46	6	10	40	<0.5	<2	21.1	<0.5	<1	13	23
P396550		10.96	0.033		<0.2	1.65	54	<10	60	0.7	<2	0.14	1.9	12	76	106
P396551		4.44	0.116		<0.2	1.64	33	<10	60	1.3	2	0.10	1.7	16	51	91
P396552		9.86	0.141		1.9	1.34	118	<10	40	0.9	11	0.03	0.5	31	65	1105
P396553		11.56	0.008		0.6	1.09	249	<10	240	0.5	3	0.03	<0.5	1	51	174
P396554		5.66	0.005		0.5	3.65	35	<10	20	1.9	2	0.24	18.9	41	134	929
P396555		6.54	0.152		0.3	4.14	18	<10	80	0.8	9	0.65	2.4	28	218	173
P396556		6.84	0.017		0.4	3.44	7	<10	80	0.6	4	1.82	<0.5	32	61	189
P396557		11.16	0.005		0.4	3.71	15	<10	70	<0.5	9	2.46	<0.5	29	73	263
P396558		8.66	0.006		0.2	3.54	18	<10	60	<0.5	6	2.34	<0.5	24	50	130
P396559		6.14	<0.005	<0.005	0.4	3.48	12	<10	50	<0.5	4	1.65	<0.5	23	28	198
P396560		4.34	0.298	0.308	1.1	1.62	3150	<10	10	1.0	11	0.20	<0.5	31	18	301
P396561		6.48	<0.005	<0.005	0.2	0.44	56	<10	30	<0.5	<2	0.04	<0.5	6	10	55
P396562		10.88	<0.005		<0.2	0.53	69	<10	30	<0.5	<2	0.02	<0.5	3	13	30
P396563		4.70	0.070		0.6	0.92	2940	<10	20	0.6	2	0.09	<0.5	18	2	159
P396564		4.12	0.036		0.2	2.33	46	<10	10	0.7	3	0.29	<0.5	34	59	266
P396565		12.96	0.010		0.4	4.28	6	<10	90	0.5	3	0.84	<0.5	23	54	190
P396566		7.46	0.102		0.6	3.50	25	<10	70	<0.5	4	0.64	<0.5	28	34	373
P396567		6.74	0.048		0.3	2.24	68	<10	20	0.9	14	0.47	<0.5	32	39	256
P396568		10.68	<0.005		0.3	0.68	26	<10	30	<0.5	6	0.04	1.1	5	5	56
P396569		8.90	<0.005		<0.2	0.23	9	<10	20	<0.5	<2	0.04	0.8	2	11	32
P396570		6.66	0.008		0.4	0.57	30	<10	40	<0.5	10	0.05	<0.5	3	6	45
P396571		8.50	<0.005		0.2	0.33	11	<10	40	<0.5	2	0.06	<0.5	4	20	45
P396572		12.00	0.017		0.3	4.43	27	<10	80	0.5	41	1.36	<0.5	24	50	176
P396573		11.52	0.041		0.3	2.77	12	<10	40	0.8	65	1.12	<0.5	25	45	244
P396574		7.58	<0.005		<0.2	1.05	6	<10	20	<0.5	<2	0.65	<0.5	6	21	48
P396575		7.92	<0.005		<0.2	1.66	3	<10	40	<0.5	3	0.87	<0.5	6	10	41
P396576		12.50	0.012		<0.2	1.43	10	<10	40	0.5	2	0.64	<0.5	5	23	43
P396577		6.26	<0.005		0.2	1.28	16	<10	20	<0.5	2	0.48	<0.5	6	6	59
P396578		10.24	0.006		0.3	1.43	217	<10	20	<0.5	7	0.48	<0.5	7	63	89
P396579		2.36	<0.005		0.5	3.12	10	<10	40	0.8	20	0.40	<0.5	15	97	205
P396580		6.38	0.005		<0.2	0.35	8	10	30	<0.5	<2	23.0	<0.5	1	10	30
P396581		10.24	0.186		3.7	1.75	>10000	<10	50	<0.5	147	0.55	<0.5	22	57	860
P396582		8.24	<0.005		0.6	3.16	47	<10	50	0.6	5	0.62	<0.5	20	43	274
P396584		10.98	0.023		1.0	1.15	343	<10	20	0.6	19	0.22	1.3	12	59	134
P396585		4.98	0.008		0.4	1.65	296	<10	20	0.9	4	0.28	0.9	13	32	161
P396586		13.60	<0.005		0.2	2.10	46	<10	30	0.6	5	0.26	<0.5	15	50	136
P396587		13.62	<0.005		<0.2	1.51	52	<10	10	0.7	4	0.20	<0.5	12	50	105
P396588		7.14	<0.005		0.2	2.50	12	<10	100	0.6	5	0.50	<0.5	22	50	217

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
P396548		1.73	<10	<1	0.14	<10	0.11	147	1	0.04	6	80	4	0.66	2	1
P396549		0.46	<10	<1	0.06	10	9.36	162	<1	0.03	3	260	7	<0.01	2	1
P396550		2.85	10	<1	0.42	30	0.78	273	1	0.03	29	350	7	0.34	3	5
P396551		1.90	10	<1	0.21	40	0.43	191	1	<0.01	33	370	6	0.51	3	5
P396552		5.29	10	<1	0.11	30	0.49	118	2	<0.01	33	640	10	3.15	10	6
P396553		4.72	10	<1	0.43	20	0.13	21	4	0.02	3	560	10	0.74	7	6
P396554		9.13	10	<1	0.49	<10	2.66	851	<1	0.01	95	500	4	1.86	6	37
P396555		14.3	20	<1	2.36	<10	4.26	1880	<1	0.03	81	650	4	0.76	<2	31
P396556		7.75	10	<1	1.28	10	2.72	1105	<1	0.22	44	1440	5	1.40	2	21
P396557		7.25	10	<1	1.15	<10	2.88	706	<1	0.21	47	720	5	1.94	2	23
P396558		5.29	10	<1	1.14	<10	2.41	609	<1	0.28	38	600	5	0.99	2	15
P396559		6.08	10	<1	0.86	<10	1.90	714	1	0.30	38	480	7	1.44	4	15
P396560		9.88	10	1	0.32	<10	0.96	886	2	0.01	48	540	17	3.94	20	18
P396561		1.37	<10	<1	0.15	20	0.05	199	1	0.03	4	60	5	0.54	6	1
P396562		0.96	<10	<1	0.14	20	0.02	106	1	<0.01	2	50	6	0.37	10	1
P396563		7.76	<10	<1	0.16	10	0.03	126	1	<0.01	15	530	9	6.49	85	3
P396564		11.00	10	<1	0.25	<10	2.43	1190	<1	<0.01	54	600	3	2.62	8	26
P396565		8.96	10	<1	2.01	<10	3.48	912	<1	0.14	37	590	6	1.02	<2	25
P396566		9.29	10	1	1.33	<10	3.06	803	<1	0.09	36	510	7	1.86	2	24
P396567		8.16	10	1	0.42	10	1.89	779	<1	0.03	45	520	5	2.23	9	17
P396568		1.33	<10	1	0.14	20	0.09	100	1	<0.01	5	70	5	0.62	7	1
P396569		0.84	<10	<1	0.08	20	0.04	60	1	<0.01	<1	60	5	0.51	5	<1
P396570		1.01	<10	<1	0.14	10	0.04	71	1	<0.01	4	50	5	0.48	5	<1
P396571		1.41	<10	<1	0.16	20	0.05	138	1	0.04	3	50	4	0.46	3	1
P396572		7.43	10	1	2.33	<10	3.59	496	1	0.17	43	600	8	1.43	2	24
P396573		6.59	10	<1	0.94	10	2.35	349	2	0.01	30	550	6	1.99	4	15
P396574		1.94	10	<1	0.23	20	0.81	99	1	0.02	4	300	2	0.45	<2	4
P396575		2.53	10	1	0.39	20	1.22	146	1	0.06	2	370	2	0.41	<2	5
P396576		2.41	10	<1	0.48	20	1.07	132	2	0.05	4	310	2	0.57	2	5
P396577		2.59	10	<1	0.14	20	1.01	170	2	0.05	2	270	4	0.58	3	4
P396578		3.38	10	<1	0.14	20	1.30	228	1	0.02	9	410	5	0.91	3	6
P396579		7.12	10	1	0.37	10	2.97	528	<1	<0.01	36	490	7	2.00	4	22
P396580		0.42	<10	1	0.04	<10	10.10	134	1	0.01	3	240	2	<0.01	<2	1
P396581		7.56	10	<1	0.18	10	1.74	368	1	<0.01	17	540	18	3.18	9	9
P396582		9.61	10	1	0.55	10	3.14	714	<1	<0.01	16	1920	7	2.89	3	23
P396584		5.71	10	1	0.19	10	1.31	547	1	<0.01	14	500	11	1.58	8	10
P396585		5.99	10	1	0.19	20	1.46	556	2	<0.01	8	720	9	1.79	7	11
P396586		5.54	10	<1	0.36	10	1.88	415	1	<0.01	12	640	6	1.24	3	13
P396587		3.54	10	1	0.15	20	1.00	264	<1	<0.01	12	510	4	0.98	3	8
P396588		7.03	10	<1	0.76	10	2.40	397	<1	0.01	11	1740	5	2.06	2	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	10	1	10	2
P396548		12	<0.01	<10	<10	7	<10	26
P396549		309	0.02	<10	<10	12	<10	17
P396550		10	0.05	<10	<10	41	<10	51
P396551		9	0.01	<10	<10	31	<10	24
P396552		5	<0.01	<10	<10	48	<10	69
P396553		31	<0.01	<10	<10	71	<10	16
P396554		7	0.08	<10	10	184	<10	136
P396555		10	0.26	<10	<10	207	<10	174
P396556		56	0.23	<10	<10	175	<10	140
P396557		65	0.15	<10	<10	169	<10	69
P396558		65	0.17	<10	<10	130	<10	41
P396559		83	0.16	<10	<10	126	<10	76
P396560		9	0.01	<10	<10	120	<10	92
P396561		3	<0.01	<10	10	2	<10	27
P396562		3	<0.01	<10	<10	2	<10	11
P396563		5	<0.01	20	<10	18	<10	26
P396564		4	0.02	<10	<10	149	<10	67
P396565		31	0.19	10	<10	174	<10	99
P396566		18	0.17	<10	<10	154	<10	82
P396567		12	0.04	<10	<10	118	<10	96
P396568		3	<0.01	<10	<10	4	<10	15
P396569		2	<0.01	<10	10	1	<10	13
P396570		3	<0.01	<10	<10	1	<10	14
P396571		4	<0.01	<10	10	1	<10	19
P396572		49	0.22	<10	<10	172	<10	53
P396573		17	0.08	<10	<10	100	<10	35
P396574		9	0.02	<10	<10	14	<10	12
P396575		16	0.03	<10	<10	18	<10	22
P396576		13	0.04	<10	<10	17	<10	18
P396577		9	0.01	<10	<10	9	<10	22
P396578		9	0.01	<10	<10	30	<10	31
P396579		7	0.02	<10	<10	118	<10	55
P396580		332	0.02	<10	10	11	<10	16
P396581		13	0.01	<10	<10	56	<10	34
P396582		10	0.06	<10	<10	198	<10	75
P396584		6	0.01	<10	<10	47	<10	68
P396585		7	0.01	<10	<10	40	<10	60
P396586		5	0.03	<10	<10	58	<10	49
P396587		4	0.01	<10	<10	32	<10	38
P396588		9	0.09	<10	<10	147	<10	51

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

D: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
P396589		10.84	<0.005		0.2	1.15	37	<10	40	<0.5	<2	0.16	<0.5	8	58	66
P396590		10.70	<0.005		0.2	1.19	14	<10	20	<0.5	<2	0.11	<0.5	5	54	53
P396591		12.74	<0.005		<0.2	0.99	138	<10	30	<0.5	10	0.08	<0.5	6	78	47
P396592		5.54	0.006		<0.2	1.07	63	<10	50	<0.5	<2	0.10	<0.5	4	73	20
P396593		8.20	<0.005		<0.2	1.04	45	<10	30	<0.5	<2	0.16	<0.5	8	67	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
P396589		3.03	10	1	0.25	20	0.86	203	3	0.03	4	320	2	0.74	3	7
P396590		2.95	10	<1	0.14	10	0.92	213	4	0.02	6	200	3	0.76	2	7
P396591		2.65	10	<1	0.18	10	0.73	196	1	0.02	9	160	5	0.76	3	4
P396592		3.14	10	1	0.25	10	0.76	250	1	0.07	5	170	<2	0.64	3	7
P396593		3.59	10	<1	0.21	10	0.82	344	2	0.03	8	380	3	0.52	4	8

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-OCT-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04068602

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396589		6	0.02	<10	<10	31	<10	24
P396590		5	0.01	<10	<10	13	<10	36
P396591		5	0.01	<10	<10	14	<10	27
P396592		6	0.03	<10	<10	10	<10	32
P396593		6	0.02	<10	<10	31	<10	32

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

**: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Finalized Date: 27-SEP-2004
Account: GOLREV

CERTIFICATE VA04064620

Project: Golden Revenue

P.O. No.:

This report is for 8 Pulp samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 27-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04064620

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396329		0.24	0.006	3.8	0.32	22	<10	70	<0.5	5	0.02	0.6	<1	5	87	1.16
P396344		0.24	0.055	8.8	0.49	152	<10	70	<0.5	46	0.02	4.0	8	2	1170	2.94
P396368		0.20	5.73	1.3	3.07	5	<10	40	0.5	60	1.43	<0.5	20	43	432	6.69
P396393		0.18	0.479	1.0	1.95	71	<10	40	1.2	10	0.63	<0.5	30	37	736	6.37
P396417		0.30	0.417	0.3	1.44	19	<10	30	<0.5	46	0.87	<0.5	13	29	400	7.48
P396436		0.22	0.278	0.6	1.48	120	<10	50	0.6	7	0.93	0.6	12	51	448	3.36
P396457		0.26	0.294	0.4	1.33	109	<10	100	0.7	7	1.50	<0.5	12	18	345	4.71
P396492		0.22	0.089	7.4	0.34	1480	<10	90	<0.5	338	0.01	<0.5	<1	5	112	1.44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8
Project: Golden Revenue

Finalized Date: 27-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04064620

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396329		<10	<1	0.15	20	0.05	43	1	0.02	1	100	5	0.14	8	1	4
P396344		<10	<1	0.28	10	0.03	67	1	<0.01	6	360	10	1.55	18	1	12
P396368		10	<1	1.12	10	2.26	496	<1	0.11	32	840	4	0.73	2	23	33
P396393		10	<1	0.68	10	1.34	461	<1	0.01	33	780	2	1.57	3	19	12
P396417		10	<1	0.15	10	0.83	461	<1	0.10	8	600	3	1.50	2	12	18
P396436		10	<1	0.49	20	0.94	185	1	0.06	28	690	8	1.01	3	10	27
P396457		10	<1	0.77	30	1.40	224	<1	0.05	10	1250	2	1.00	2	15	55
P396492		<10	<1	0.32	10	0.01	42	1	<0.01	<1	180	128	0.25	142	1	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

): GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 27-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04064620

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396329		<0.01	<10	<10	5	<10	36
P396344		<0.01	<10	<10	4	<10	261
P396368		0.16	<10	<10	179	<10	47
P396393		0.04	<10	<10	144	<10	42
P396417		0.07	<10	<10	135	<10	27
P396436		0.06	<10	<10	93	<10	61
P396457		0.10	<10	<10	81	<10	23
P396492		<0.01	<10	<10	2	<10	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2004
Account: GOLREV

CERTIFICATE VA04058624

Project: Golden Revenue

P.O. No.:

This report is for 10 Rock samples submitted to our lab in Vancouver, BC, Canada on 30-AUG-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

): GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04058624

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
B395709		4.26	0.047	0.8	0.39	344	<10	180	0.6	4	0.38	1.2	4	12	174	1.89
B395710		5.32	0.072	0.7	0.56	450	<10	160	0.6	7	0.17	0.7	4	15	178	1.98
B395711		3.58	0.072	1.0	0.53	478	<10	290	<0.5	13	0.08	<0.5	2	19	122	3.37
B395712		6.98	0.019	0.5	0.30	305	<10	270	0.5	2	0.26	0.7	2	31	77	1.48
B395713		3.16	0.255	0.9	0.66	1535	<10	390	0.7	2	0.66	3.6	3	16	78	2.31
B395714		5.72	0.068	1.1	0.35	243	<10	130	<0.5	3	0.10	0.5	3	15	160	1.68
B395715		6.42	0.011	0.2	0.81	285	<10	220	0.7	2	0.15	0.5	4	19	132	1.80
B395716		7.64	0.168	0.6	0.19	987	<10	270	<0.5	2	0.07	<0.5	4	29	96	3.37
B395717		6.76	0.036	0.4	0.30	394	<10	200	<0.5	3	0.09	<0.5	4	21	158	5.92
B395718		1.60	0.137	1.6	0.27	525	<10	20	<0.5	40	0.03	0.5	23	33	41	7.29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04058624

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
B395709		<10	<1	0.14	20	0.13	111	1	<0.01	3	330	21	0.76	5	2	23
B395710		<10	<1	0.28	20	0.07	109	1	0.01	2	340	21	0.45	5	1	43
B395711		<10	<1	0.42	20	0.05	48	2	0.04	1	450	24	0.92	7	1	108
B395712		<10	1	0.11	20	0.08	81	1	<0.01	2	280	26	0.20	4	1	25
B395713		<10	<1	0.21	20	0.22	196	1	<0.01	1	380	118	0.19	7	1	35
B395714		<10	<1	0.20	20	0.05	99	1	<0.01	2	330	41	0.20	2	1	80
B395715		<10	1	0.31	20	0.06	130	<1	<0.01	5	390	11	0.23	3	1	30
B395716		<10	<1	0.20	10	0.02	103	1	0.02	2	480	13	0.44	4	1	51
B395717		<10	<1	0.27	10	0.07	109	2	0.09	3	670	8	0.85	2	2	75
B395718		<10	<1	0.22	<10	0.02	42	2	<0.01	4	180	14	6.23	5	<1	13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 8-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04058624

Sample Description	Method Analyte Units LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
B395709		<0.01	<10	<10	5	<10	55
B395710		<0.01	<10	<10	5	<10	46
B395711		0.01	<10	<10	7	<10	18
B395712		<0.01	<10	<10	5	<10	48
B395713		<0.01	<10	<10	5	<10	136
B395714		<0.01	<10	<10	5	<10	38
B395715		<0.01	<10	<10	5	<10	35
B395716		<0.01	<10	<10	5	<10	26
B395717		0.01	<10	<10	15	<10	27
B395718		<0.01	<10	<10	<1	<10	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 2-SEP-2004
Account: GOLREV

CERTIFICATE VA04057354

Project: Golden Revenue

P.O. No.:

This report is for 3 Pulp samples submitted to our lab in Vancouver, BC, Canada on 26-AUG-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04057354

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396268		0.22	0.029	0.2	0.37	72	<10	90	<0.5	3	0.16	<0.5	5	2	62	1.30
P396286		0.20	<0.005	<0.2	2.48	22	<10	310	<0.5	<2	0.27	<0.5	8	37	200	4.87
P396304		0.24	0.099	0.2	0.73	78	<10	380	0.6	2	0.01	<0.5	8	5	362	6.45

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04057354

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396268		<10	<1	0.10	40	0.08	97	2	0.03	7	220	5	0.01	2	1	11
P396286		10	<1	1.51	20	1.96	158	<1	0.05	13	1050	<2	0.25	3	15	22
P396304		<10	2	0.17	20	0.09	81	1	<0.01	4	430	2	0.20	5	8	13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04057354

Sample Description	Method Analyte Units LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396268		<0.01	<10	<10	4	10	16
P396286		0.24	<10	<10	109	<10	21
P396304		0.01	<10	<10	31	<10	29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 2-SEP-2004
Account: GOLREV

CERTIFICATE VA04056328

Project: Golden Revenue

P.O. No.:

This report is for 33 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 23-AUG-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

DN04-10

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04056328

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396475		11.38	0.006	0.5	0.68	204	<10	80	<0.5	9	0.06	<0.5	1	85	63	1.77
P396476		9.34	0.013	0.3	0.84	211	<10	60	<0.5	26	0.05	<0.5	1	78	56	1.62
P396477		6.52	0.016	0.5	0.72	304	<10	90	<0.5	15	0.05	<0.5	1	97	61	1.53
P396478		8.20	0.008	0.3	0.71	312	<10	70	<0.5	13	0.03	<0.5	1	72	81	1.58
P396479		9.74	0.039	0.3	0.71	177	<10	50	<0.5	7	0.04	<0.5	1	105	78	1.72
P396480		6.48	0.040	0.3	0.86	406	<10	90	<0.5	4	0.04	<0.5	1	70	99	1.82
P396481		10.50	0.011	0.2	0.72	620	<10	80	<0.5	7	0.04	<0.5	1	68	104	1.98
P396482		9.62	0.010	0.4	0.80	271	<10	50	<0.5	11	0.03	<0.5	1	71	74	1.28
P396483		10.42	0.057	<0.2	0.64	231	<10	50	<0.5	6	0.02	<0.5	1	70	62	1.20
P396484		11.34	0.395	1.0	0.90	39	<10	60	<0.5	18	0.04	<0.5	1	68	59	0.85
P396485		10.60	0.202	0.3	0.83	60	<10	160	<0.5	9	0.04	<0.5	1	69	74	1.22
P396486		12.06	0.278	<0.2	0.78	54	<10	90	<0.5	10	0.03	<0.5	<1	63	71	1.26
P396487		8.18	0.029	0.2	0.75	60	<10	220	<0.5	10	0.03	<0.5	1	60	89	1.59
P396488		12.06	0.064	1.0	0.55	168	<10	70	<0.5	121	0.02	<0.5	1	69	91	1.28
P396489		11.16	0.024	2.0	0.43	348	<10	40	<0.5	39	0.02	<0.5	1	90	85	1.06
P396490		7.68	0.121	8.0	0.56	1840	<10	100	<0.5	362	0.01	<0.5	1	45	167	1.24
P396491		7.78	0.005	<0.2	0.38	12	10	30	<0.5	2	21.9	<0.5	1	10	156	0.47
P396493		12.06	0.024	1.0	0.69	1795	<10	90	<0.5	74	0.05	<0.5	1	41	186	0.61
P396494		11.70	0.125	2.1	0.60	1345	<10	90	<0.5	69	0.05	<0.5	1	46	126	0.67
P396495		10.88	0.059	1.5	0.72	336	<10	100	<0.5	74	0.01	<0.5	1	42	87	0.66
P396496		12.46	0.071	0.8	0.54	837	<10	90	<0.5	40	0.01	<0.5	1	46	87	0.60
P396497		11.12	0.021	0.7	0.45	58	<10	100	<0.5	35	0.01	<0.5	1	62	104	0.62
P396498		13.10	0.086	0.3	0.55	29	<10	110	<0.5	8	0.01	<0.5	<1	45	77	0.87
P396499		9.24	0.056	0.8	0.59	658	<10	110	<0.5	19	0.01	<0.5	<1	47	87	1.04
P396500		11.16	0.043	0.4	0.66	237	<10	120	<0.5	6	<0.01	<0.5	1	41	61	1.32
P396501		12.20	0.057	0.4	0.55	50	<10	100	<0.5	8	0.01	<0.5	1	56	98	0.83
P396502		13.18	0.009	0.7	0.54	128	<10	110	<0.5	4	0.01	<0.5	1	51	97	0.95
P396503		12.12	0.225	0.7	0.45	18	<10	90	<0.5	8	0.01	<0.5	1	59	263	0.74
P396504		11.42	0.008	0.4	0.55	12	<10	100	<0.5	12	0.01	<0.5	1	48	60	0.77
P396505		11.56	0.045	0.7	0.60	22	<10	160	<0.5	17	<0.01	<0.5	<1	56	53	1.08
P396506		12.18	0.192	0.6	0.53	55	<10	100	<0.5	10	0.01	<0.5	1	46	49	0.80
P396507		12.26	0.085	0.3	0.58	27	<10	130	<0.5	11	<0.01	<0.5	1	43	47	1.04
P396508		11.56	0.103	0.4	0.74	107	<10	120	<0.5	42	<0.01	<0.5	<1	39	33	0.75

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04056328

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396475		<10	<1	0.33	20	0.06	48	2	0.01	4	320	16	0.08	6	2	17
P396476		<10	<1	0.26	20	0.05	36	<1	<0.01	3	310	25	0.05	6	2	15
P396477		<10	<1	0.33	30	0.07	38	2	<0.01	4	410	24	0.07	6	2	26
P396478		<10	<1	0.30	30	0.05	39	1	<0.01	4	360	23	0.06	9	2	18
P396479		<10	<1	0.32	30	0.06	30	2	0.01	5	350	14	0.09	3	2	24
P396480		<10	<1	0.33	40	0.05	39	1	0.01	5	420	12	0.11	9	3	34
P396481		<10	<1	0.23	30	0.02	33	2	<0.01	4	520	18	0.10	24	5	25
P396482		<10	<1	0.21	20	0.02	20	1	<0.01	3	270	14	0.06	10	2	17
P396483		<10	<1	0.22	20	0.02	14	2	<0.01	2	230	15	0.13	12	2	19
P396484		<10	<1	0.31	30	0.06	17	1	<0.01	3	120	7	0.16	4	2	18
P396485		<10	<1	0.30	20	0.04	16	1	0.01	3	140	8	0.28	2	2	28
P396486		<10	<1	0.33	20	0.04	15	1	0.01	3	120	6	0.15	4	2	14
P396487		<10	<1	0.37	20	0.03	12	2	<0.01	2	160	4	0.42	6	3	21
P396488		<10	<1	0.37	10	0.02	15	<1	<0.01	2	70	50	0.29	9	1	13
P396489		<10	<1	0.29	10	0.02	16	1	<0.01	3	80	120	0.15	17	1	14
P396490		<10	<1	0.39	20	0.01	11	1	<0.01	1	190	152	0.28	192	1	17
P396491		<10	<1	0.05	<10	9.99	142	1	0.02	3	240	5	<0.01	2	1	318
P396493		<10	<1	0.31	20	0.03	10	1	<0.01	1	50	22	0.16	5	<1	10
P396494		<10	<1	0.31	20	0.03	9	1	<0.01	2	40	23	0.22	5	<1	8
P396495		<10	<1	0.33	20	0.01	13	<1	<0.01	1	40	30	0.22	5	<1	11
P396496		<10	<1	0.29	20	0.01	9	1	0.02	2	40	21	0.21	2	<1	8
P396497		<10	<1	0.31	20	0.01	13	2	0.05	2	40	21	0.23	2	<1	9
P396498		<10	<1	0.33	20	0.01	12	1	0.04	2	70	10	0.31	3	<1	10
P396499		<10	<1	0.33	20	0.01	10	5	0.01	1	70	13	0.34	3	<1	9
P396500		<10	<1	0.36	20	0.01	11	1	0.01	1	50	19	0.36	4	<1	9
P396501		<10	<1	0.30	20	0.01	11	1	0.02	2	50	16	0.30	2	<1	10
P396502		<10	<1	0.32	20	0.01	13	1	0.04	2	60	12	0.32	3	<1	9
P396503		<10	<1	0.26	20	0.01	12	2	0.04	2	60	16	0.35	2	<1	9
P396504		<10	<1	0.27	20	0.01	13	1	0.04	2	60	16	0.21	4	<1	10
P396505		<10	<1	0.31	20	0.01	12	1	0.02	2	60	19	0.28	5	<1	11
P396506		<10	<1	0.31	20	0.01	12	4	0.03	2	40	13	0.22	4	<1	12
P396507		<10	<1	0.33	20	0.01	10	4	<0.01	2	60	12	0.31	4	<1	13
P396508		<10	<1	0.32	20	0.01	10	2	<0.01	1	60	26	0.23	4	<1	16

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-SEP-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04056328

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396475		<0.01	<10	<10	11	<10	12
P396476		<0.01	<10	<10	12	<10	5
P396477		<0.01	<10	<10	9	<10	3
P396478		<0.01	<10	<10	10	<10	3
P396479		<0.01	<10	<10	18	<10	14
P396480		<0.01	<10	<10	15	10	6
P396481		<0.01	<10	<10	10	<10	5
P396482		<0.01	<10	<10	11	<10	4
P396483		<0.01	<10	<10	10	<10	2
P396484		0.01	<10	<10	11	<10	4
P396485		<0.01	<10	<10	12	<10	9
P396486		<0.01	<10	<10	9	<10	16
P396487		<0.01	<10	<10	15	<10	12
P396488		<0.01	<10	<10	6	<10	2
P396489		<0.01	<10	<10	4	<10	3
P396490		<0.01	<10	<10	1	<10	10
P396491		0.03	<10	10	11	<10	17
P396493		<0.01	<10	10	1	<10	2
P396494		<0.01	<10	10	1	<10	2
P396495		<0.01	<10	10	1	<10	2
P396496		<0.01	<10	10	1	<10	2
P396497		<0.01	<10	<10	1	<10	3
P396498		<0.01	<10	<10	1	<10	3
P396499		<0.01	<10	60	<1	<10	5
P396500		<0.01	<10	<10	<1	<10	5
P396501		<0.01	<10	<10	1	<10	5
P396502		<0.01	<10	10	1	<10	5
P396503		<0.01	<10	<10	1	<10	7
P396504		<0.01	<10	<10	<1	<10	7
P396505		<0.01	<10	<10	<1	<10	8
P396506		<0.01	<10	<10	1	<10	6
P396507		<0.01	<10	<10	1	<10	5
P396508		<0.01	<10	<10	<1	<10	3

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-AUG-2004
Account: GOLREV

CERTIFICATE VA04054743

Project: Golden Revenue

P.O. No.:

This report is for 74 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 16-AUG-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

DN 04-09

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

): GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054743

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396398		2.34	0.023	0.3	2.44	23	<10	70	<0.5	<2	0.54	<0.5	8	67	585	4.54
P396399		10.58	0.116	0.3	2.51	31	<10	70	0.7	4	0.23	<0.5	16	39	1005	6.16
P396400		9.66	0.223	0.8	1.56	110	<10	60	0.7	34	0.18	<0.5	4	53	744	5.19
P396401		10.32	0.026	0.7	1.83	112	<10	110	0.5	11	0.18	<0.5	7	56	580	4.22
P396402		9.14	0.089	0.6	2.02	63	<10	70	0.5	3	0.16	<0.5	6	75	323	3.59
P396403		9.78	0.029	0.9	0.67	65	<10	100	<0.5	2	0.05	<0.5	8	136	244	3.72
P396404		11.10	0.009	0.2	0.56	212	<10	140	<0.5	5	0.02	<0.5	8	126	246	4.52
P396405		10.28	0.007	0.2	0.80	336	<10	100	<0.5	2	0.03	<0.5	10	90	259	4.50
P396406		11.24	0.048	0.5	0.44	158	<10	50	<0.5	2	0.02	<0.5	9	164	173	2.56
P396407		7.18	0.051	0.5	0.73	331	<10	100	0.5	4	0.05	<0.5	10	99	299	4.02
P396408		12.36	0.097	0.4	2.07	88	<10	50	0.7	29	0.25	<0.5	20	83	1235	5.04
P396409		7.50	0.033	0.2	1.45	388	<10	30	0.6	3	0.88	<0.5	26	73	468	5.13
P396410		8.24	0.065	0.4	1.12	192	<10	30	1.1	6	0.33	0.6	33	68	937	5.71
P396411		6.08	0.132	0.8	0.64	622	<10	40	0.9	8	0.22	0.7	24	66	1230	4.68
P396412		9.98	0.036	0.3	0.94	204	<10	30	0.5	3	0.26	<0.5	18	100	577	4.14
P396413		11.60	0.075	0.6	1.58	41	<10	10	0.6	5	0.57	<0.5	28	76	1010	9.24
P396414		6.12	<0.005	<0.2	0.40	7	10	40	<0.5	2	23.4	<0.5	2	16	98	0.59
P396415		9.52	0.096	1.0	1.79	24	<10	10	<0.5	5	0.61	<0.5	27	59	1090	11.20
P396416		10.60	0.144	0.3	1.88	21	<10	30	<0.5	3	1.20	<0.5	18	82	473	8.03
P396418		11.14	0.044	1.1	1.34	52	<10	10	0.7	14	0.46	<0.5	63	50	2370	20.7
P396419		6.86	0.160	0.9	1.16	407	<10	20	1.2	8	0.51	<0.5	61	60	1905	18.6
P396420		11.66	0.056	<0.2	1.42	33	<10	20	0.6	2	2.07	<0.5	16	44	233	4.60
P396421		13.60	0.167	0.2	1.62	48	<10	30	0.6	168	1.54	<0.5	24	74	432	5.63
P396422		6.10	1.285	0.5	0.91	40	<10	20	0.5	16	0.25	<0.5	17	73	603	4.16
P396423		9.04	0.261	1.2	0.64	351	<10	20	0.5	182	0.13	1.1	34	78	1155	4.71
P396424		7.52	0.198	0.5	1.54	46	<10	70	0.6	16	0.30	0.6	21	48	1015	5.09
P396425		9.48	0.056	<0.2	1.06	40	<10	70	<0.5	2	0.14	<0.5	8	105	144	2.47
P396426		13.08	0.098	0.5	2.28	37	<10	110	0.5	8	0.49	<0.5	33	35	706	8.22
P396427		14.24	0.186	0.5	2.03	226	<10	120	0.7	159	1.10	<0.5	21	88	519	6.28
P396428		12.08	0.100	0.8	1.78	133	<10	70	0.5	12	0.82	<0.5	19	82	597	5.57
P396429		11.14	0.151	<0.2	2.07	186	<10	150	0.8	5	0.47	<0.5	10	133	78	3.09
P396430		13.26	0.089	<0.2	1.65	214	<10	120	0.7	2	0.54	<0.5	16	110	112	3.66
P396431		8.70	0.007	<0.2	0.49	10	10	40	<0.5	<2	23.7	<0.5	2	20	120	0.46
P396432		12.76	0.076	0.3	2.04	97	<10	180	0.7	<2	0.57	<0.5	10	134	64	3.23
P396433		13.04	0.071	<0.2	1.09	112	<10	80	0.5	4	0.90	<0.5	6	128	112	2.26
P396434		12.50	0.103	0.3	0.96	36	<10	50	0.5	20	0.64	<0.5	8	130	247	2.28
P396435		11.90	0.168	0.4	1.61	122	<10	50	0.6	11	0.84	<0.5	13	157	429	3.39
P396437		10.58	0.275	<0.2	1.30	174	<10	60	0.6	10	0.90	<0.5	9	132	112	2.69
P396438		13.34	1.295	0.2	1.16	138	<10	80	0.6	20	1.00	<0.5	8	144	172	2.53
P396439		15.04	0.801	0.3	1.62	159	<10	90	0.8	22	1.06	<0.5	9	120	160	3.17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396398		10	<1	0.80	10	1.02	245	1	0.11	6	410	<2	0.07	<2	17	34
P396399		10	<1	0.95	10	0.97	198	<1	0.05	11	560	2	0.34	3	24	53
P396400		10	<1	0.40	20	0.32	59	2	0.03	6	780	19	0.45	12	16	84
P396401		10	<1	0.75	20	0.73	91	11	0.06	7	450	4	0.48	6	16	59
P396402		10	<1	0.82	20	0.75	91	2	0.03	6	340	<2	0.38	5	20	74
P396403		<10	<1	0.42	10	0.16	88	11	0.01	6	200	2	0.40	7	4	28
P396404		<10	<1	0.55	10	0.05	98	9	0.01	6	330	13	0.61	7	4	46
P396405		<10	<1	0.64	10	0.28	69	4	0.01	7	370	4	1.20	13	6	70
P396406		<10	<1	0.17	10	0.02	80	10	<0.01	8	110	24	0.16	9	1	11
P396407		<10	1	0.34	10	0.16	85	2	0.01	10	300	3	0.38	12	10	29
P396408		10	<1	1.04	10	1.20	195	2	0.07	20	420	<2	1.00	<2	22	19
P396409		10	1	0.41	10	1.10	406	<1	0.09	25	400	3	1.24	3	16	25
P396410		<10	<1	0.18	20	0.34	517	1	0.01	24	520	<2	1.19	15	21	13
P396411		<10	1	0.12	20	0.14	225	<1	0.02	18	580	<2	1.55	16	15	16
P396412		<10	<1	0.33	10	0.52	223	2	0.06	14	420	<2	1.32	7	13	14
P396413		10	<1	0.08	10	0.85	332	<1	0.06	23	490	<2	4.02	3	16	19
P396414		<10	<1	0.05	<10	10.20	148	1	0.02	2	240	5	<0.01	<2	1	342
P396415		10	<1	0.10	10	0.88	416	<1	0.06	17	450	<2	4.00	3	15	19
P396416		10	1	0.21	10	0.98	443	1	0.15	12	650	2	2.18	<2	15	25
P396418		10	<1	0.04	10	0.76	562	<1	0.02	17	770	<2	>10.0	10	11	9
P396419		<10	<1	0.07	10	0.59	620	2	<0.01	26	1080	<2	8.25	70	14	17
P396420		10	<1	0.30	10	1.00	391	<1	0.06	14	480	<2	1.30	3	14	42
P396421		10	<1	0.59	10	1.40	398	2	0.09	18	460	2	1.68	3	19	45
P396422		<10	<1	0.30	10	0.58	304	1	0.02	16	350	<2	1.20	5	11	8
P396423		<10	<1	0.16	10	0.13	695	3	<0.01	25	250	23	2.31	26	8	6
P396424		10	<1	0.31	10	0.92	388	1	0.01	15	550	5	1.81	6	16	9
P396425		10	<1	0.42	20	0.69	146	4	0.02	7	260	2	0.51	5	8	7
P396426		10	1	1.05	<10	1.86	380	<1	0.07	6	590	<2	2.80	2	25	12
P396427		10	<1	0.93	10	1.58	363	2	0.04	19	520	<2	1.64	9	20	28
P396428		10	<1	0.67	10	1.24	205	3	0.05	13	690	3	1.86	4	15	18
P396429		10	<1	0.82	20	0.95	130	4	0.02	34	720	2	0.36	4	8	14
P396430		10	1	0.71	30	0.79	309	1	<0.01	32	790	3	0.44	4	8	9
P396431		<10	<1	0.05	<10	10.45	144	1	0.02	3	300	3	<0.01	<2	1	315
P396432		10	<1	0.98	20	0.93	150	2	0.04	32	730	<2	0.27	3	9	18
P396433		<10	<1	0.44	20	0.69	96	5	0.05	19	560	2	0.42	<2	8	32
P396434		10	<1	0.26	20	0.57	109	2	0.05	7	590	9	0.66	<2	9	35
P396435		10	<1	0.52	20	0.96	164	5	0.07	32	700	6	1.00	<2	11	27
P396437		10	<1	0.52	20	0.78	134	1	0.03	36	750	6	0.50	2	8	29
P396438		10	1	0.41	10	0.81	115	4	0.06	18	480	5	0.52	<2	9	54
P396439		10	1	0.60	20	0.93	172	3	0.03	30	700	12	0.49	3	11	34

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054743

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396398		0.19	<10	<10	136	<10	30
P396399		0.12	<10	<10	148	<10	52
P396400		0.01	<10	<10	89	<10	19
P396401		0.08	<10	<10	100	<10	24
P396402		0.08	<10	<10	121	<10	24
P396403		0.02	<10	<10	31	<10	22
P396404		0.01	<10	<10	24	<10	24
P396405		0.02	<10	<10	40	<10	24
P396406		<0.01	<10	<10	5	<10	29
P396407		0.01	<10	<10	49	<10	33
P396408		0.11	<10	<10	130	<10	39
P396409		0.09	<10	<10	100	<10	47
P396410		0.01	<10	<10	81	<10	54
P396411		<0.01	<10	<10	67	<10	39
P396412		0.04	<10	<10	78	<10	28
P396413		0.04	<10	<10	152	<10	31
P396414		0.02	<10	<10	10	<10	19
P396415		0.05	<10	<10	144	10	27
P396416		0.09	<10	<10	160	<10	27
P396418		0.01	<10	<10	70	<10	30
P396419		<0.01	10	<10	94	10	40
P396420		0.08	<10	<10	94	<10	22
P396421		0.08	<10	<10	117	80	31
P396422		0.02	<10	<10	47	<10	34
P396423		<0.01	<10	<10	24	<10	97
P396424		0.03	<10	<10	74	<10	42
P396425		0.04	<10	<10	41	<10	17
P396426		0.20	<10	<10	245	<10	29
P396427		0.13	<10	<10	147	<10	30
P396428		0.12	<10	<10	146	<10	27
P396429		0.10	<10	<10	89	<10	12
P396430		0.08	<10	<10	66	<10	30
P396431		0.02	<10	<10	12	<10	18
P396432		0.13	<10	<10	85	<10	20
P396433		0.04	<10	<10	59	<10	11
P396434		0.03	<10	<10	69	<10	23
P396435		0.06	<10	<10	99	<10	59
P396437		0.06	<10	<10	75	<10	14
P396438		0.05	<10	<10	63	<10	14
P396439		0.07	<10	<10	87	<10	26

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054743

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
P396440		11.98	0.015	<0.2	1.01	88	<10	20	0.7	2	0.98	<0.5	14	50	256	3.44
P396441		10.96	0.490	0.2	0.73	52	<10	40	<0.5	3	0.25	<0.5	11	102	261	3.15
P396442		14.86	0.486	0.6	2.86	40	<10	80	<0.5	9	0.55	<0.5	24	78	696	7.29
P396443		14.00	0.674	0.8	3.02	180	<10	90	<0.5	19	1.76	<0.5	18	70	729	5.90
P396444		12.34	0.043	0.2	1.62	24	<10	150	<0.5	2	1.02	<0.5	13	94	266	3.30
P396445		9.56	0.024	0.2	1.94	81	<10	100	0.6	23	1.19	<0.5	10	87	305	3.73
P396446		14.22	0.081	0.4	1.29	70	<10	70	0.7	61	1.22	<0.5	12	76	433	4.09
P396447		14.66	0.066	0.5	2.89	27	<10	100	<0.5	7	1.14	<0.5	25	77	508	6.46
P396448		13.08	0.588	0.4	1.34	513	<10	70	<0.5	69	1.61	<0.5	19	90	450	4.84
P396449		14.82	0.406	0.7	2.21	56	<10	140	<0.5	9	0.54	<0.5	22	63	700	5.90
P396450		3.00	0.536	0.3	1.97	29	<10	160	<0.5	21	0.56	<0.5	11	119	325	4.26
P396451		14.60	0.155	0.4	1.52	98	<10	70	<0.5	5	0.42	<0.5	11	73	371	3.76
P396452		8.54	<0.005	<0.2	0.44	4	10	40	<0.5	<2	25.0	<0.5	2	17	37	0.55
P396453		11.24	0.095	0.5	1.82	66	<10	80	<0.5	3	0.52	<0.5	14	132	364	4.27
P396454		14.78	0.166	0.4	1.76	59	<10	80	<0.5	6	0.85	<0.5	19	136	469	5.08
P396455		11.64	0.045	<0.2	0.61	327	<10	20	<0.5	23	1.12	<0.5	10	95	285	3.19
P396456		13.62	0.101	0.3	1.32	238	<10	90	0.6	12	1.58	<0.5	14	90	375	4.70
P396458		10.12	0.420	0.4	0.91	514	<10	20	0.8	152	1.96	0.6	19	46	624	4.52
P396459		10.34	0.142	0.2	2.32	12	<10	110	<0.5	5	0.93	<0.5	9	67	271	4.22
P396460		9.32	0.055	<0.2	2.78	25	<10	180	<0.5	<2	0.84	<0.5	8	36	128	4.39
P396461		7.98	3.70	0.6	1.66	154	<10	50	0.7	106	1.08	<0.5	13	101	359	3.64
P396462		12.24	0.082	<0.2	1.01	220	<10	40	0.5	<2	1.18	<0.5	5	56	118	1.52
P396463		12.30	0.142	<0.2	0.85	148	<10	90	0.5	8	2.23	<0.5	6	81	166	1.88
P396464		12.64	0.241	<0.2	1.15	89	<10	90	0.5	7	2.21	<0.5	5	99	96	2.21
P396465		15.72	0.164	0.4	0.99	126	<10	140	<0.5	4	1.24	<0.5	6	97	155	2.12
P396466		13.18	0.049	0.4	1.59	58	<10	30	0.5	28	0.81	<0.5	13	78	386	3.90
P396467		13.94	0.014	0.2	1.66	421	<10	40	0.7	5	1.33	<0.5	13	79	475	4.01
P396468		11.52	0.010	0.3	1.59	204	<10	40	0.9	4	0.82	0.5	15	48	357	4.23
P396469		12.58	0.014	0.2	3.33	68	<10	160	<0.5	3	2.00	<0.5	14	108	257	4.26
P396470		12.22	0.014	<0.2	0.70	144	<10	100	<0.5	<2	1.42	<0.5	8	67	125	1.84
P396471		12.70	0.012	0.6	0.52	174	<10	40	<0.5	6	0.69	<0.5	12	68	525	2.29
P396472		15.68	0.016	0.6	0.44	116	<10	50	<0.5	13	0.63	<0.5	11	72	606	2.09
P396473		12.28	0.046	0.4	2.69	47	<10	110	0.6	3	1.08	<0.5	24	50	586	7.39
P396474		13.08	0.033	0.4	1.24	154	<10	80	<0.5	<2	1.55	<0.5	15	50	485	3.91

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396440		<10	<1	0.18	30	0.64	198	3	0.01	8	830	9	1.28	6	3	33
P396441		<10	<1	0.12	30	0.52	81	1	0.06	7	360	2	1.27	2	4	10
P396442		10	<1	1.40	10	2.41	222	1	0.10	18	910	6	2.19	<2	21	19
P396443		10	<1	1.67	10	2.39	320	<1	0.18	23	950	3	1.10	<2	21	55
P396444		10	1	0.71	50	1.14	168	2	0.15	14	510	6	0.86	<2	8	36
P396445		10	1	1.02	20	1.72	138	1	0.06	15	880	3	0.98	<2	10	44
P396446		10	<1	0.27	30	0.87	182	3	0.05	8	820	4	1.58	2	5	43
P396447		10	<1	1.52	10	2.44	315	<1	0.15	23	990	3	1.42	<2	19	35
P396448		10	1	0.48	30	1.22	254	3	0.07	13	630	<2	1.76	<2	13	44
P396449		10	<1	1.34	10	2.00	217	<1	0.09	12	1000	<2	1.62	<2	17	19
P396450		10	1	1.28	20	1.82	192	3	0.09	10	900	4	0.62	<2	13	17
P396451		10	<1	0.86	10	1.34	136	<1	0.08	6	870	3	0.91	<2	11	11
P396452		<10	<1	0.08	<10	10.55	148	1	0.03	1	290	3	<0.01	<2	1	347
P396453		10	<1	1.18	10	1.66	164	1	0.09	35	500	<2	0.91	<2	13	15
P396454		10	<1	1.08	20	1.72	200	2	0.09	44	530	3	1.44	2	13	26
P396455		<10	<1	0.24	10	0.73	124	1	0.07	6	550	6	1.00	2	9	29
P396456		10	<1	0.67	30	1.32	207	2	0.06	12	1100	8	1.06	<2	15	57
P396458		<10	<1	0.25	20	0.95	277	1	0.01	11	960	13	1.64	33	9	43
P396459		10	1	1.41	20	1.84	162	3	0.09	4	1560	<2	0.64	<2	18	25
P396460		10	<1	1.88	20	2.33	176	1	0.05	3	1540	3	0.37	<2	18	24
P396461		10	1	0.34	30	0.90	148	3	<0.01	18	1180	7	0.93	4	14	26
P396462		<10	<1	0.21	50	0.56	77	2	0.03	2	260	3	0.39	7	2	33
P396463		<10	<1	0.19	60	0.80	92	4	0.04	3	330	10	0.57	6	2	66
P396464		10	<1	0.38	30	1.08	135	2	0.02	6	480	2	0.39	2	7	63
P396465		<10	<1	0.25	70	0.64	82	4	0.04	3	360	4	0.65	4	3	47
P396466		10	<1	0.55	20	1.32	136	1	0.05	4	500	14	1.24	2	11	29
P396467		10	<1	0.49	30	1.14	151	2	0.04	8	660	3	1.56	8	10	44
P396468		10	1	0.23	20	1.14	197	<1	<0.01	8	600	6	1.41	12	12	32
P396469		10	<1	1.34	20	1.96	212	2	0.29	16	460	3	0.65	3	13	91
P396470		<10	<1	0.16	60	0.47	80	1	0.05	3	250	<2	0.58	6	2	42
P396471		<10	<1	0.19	10	0.40	200	4	<0.01	6	550	25	0.83	37	2	44
P396472		<10	<1	0.21	10	0.33	185	2	0.01	5	540	18	0.86	10	2	38
P396473		10	<1	1.64	10	2.18	283	1	0.09	5	1950	<2	1.84	<2	23	38
P396474		<10	<1	0.53	40	1.00	128	5	0.06	8	690	4	1.43	7	7	46

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054743

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
P396440		<0.01	<10	<10	23	<10	22
P396441		0.01	<10	<10	27	<10	8
P396442		0.19	<10	<10	180	<10	39
P396443		0.22	<10	<10	178	<10	38
P396444		0.10	<10	<10	70	<10	27
P396445		0.09	<10	<10	84	<10	22
P396446		0.01	<10	<10	45	<10	19
P396447		0.25	<10	<10	190	<10	32
P396448		0.06	<10	<10	88	<10	20
P396449		0.21	<10	<10	141	<10	25
P396450		0.19	<10	<10	87	<10	22
P396451		0.14	<10	<10	71	<10	23
P396452		0.02	<10	<10	12	<10	18
P396453		0.17	<10	<10	81	<10	21
P396454		0.16	<10	<10	85	<10	28
P396455		0.02	<10	<10	38	<10	14
P396456		0.09	<10	<10	74	<10	30
P396458		0.01	<10	<10	41	<10	77
P396459		0.22	<10	<10	126	<10	20
P396460		0.29	<10	<10	135	<10	20
P396461		0.04	<10	<10	66	<10	19
P396462		0.01	<10	10	14	<10	14
P396463		<0.01	<10	<10	13	<10	18
P396464		0.04	<10	<10	35	<10	18
P396465		0.02	<10	<10	16	<10	9
P396466		0.07	<10	<10	86	<10	34
P396467		0.05	<10	<10	63	<10	32
P396468		0.02	<10	<10	68	<10	48
P396469		0.14	<10	<10	119	<10	31
P396470		0.01	<10	<10	16	<10	9
P396471		<0.01	<10	<10	8	<10	56
P396472		<0.01	<10	<10	8	<10	57
P396473		0.26	<10	<10	195	<10	30
P396474		0.06	<10	<10	57	<10	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-AUG-2004
Account: GOLREV

CERTIFICATE VA04054411

Project: Golden Revenue

P.O. No.:

This report is for 44 Drill Core samples 3C, Canada on 13-AUG-2004.

DN04-08

The following have access to data : N MARIACHER

AL ARCHER
BILL WENGZYNOWSKI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 30-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054411

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
P396352		10.52	<0.005				<0.2	0.94	17	<10	40	<0.5	<2	0.53	<0.5	6
P396353		10.44	0.929				1.9	0.36	275	<10	470	<0.5	72	0.04	<0.5	2
P396354		8.94	>10.0			23.6	5.8	0.49	421	<10	270	<0.5	673	0.03	<0.5	2
P396355		8.10	1.240				1.7	0.36	1295	<10	70	1.2	68	0.04	<0.5	4
P396356		10.58	0.131				0.3	0.55	108	<10	240	<0.5	18	0.05	<0.5	1
P396357		9.48	0.683				0.2	0.54	136	<10	140	<0.5	13	0.04	<0.5	1
P396358		7.52	0.396				0.8	0.71	476	<10	100	<0.5	15	0.04	<0.5	1
P396359		7.32	0.533				0.7	0.91	301	<10	100	0.5	17	0.05	<0.5	1
P396360		7.44	0.138				0.6	0.75	142	<10	50	0.5	7	0.02	<0.5	1
P396361		7.04	0.088				0.7	1.08	96	<10	50	1.0	5	0.06	<0.5	4
P396362		9.22	0.111				0.5	3.03	3	<10	50	0.7	2	0.19	<0.5	12
P396363		9.74	0.140				0.4	1.01	3	<10	40	<0.5	2	0.13	<0.5	6
P396364		9.86	0.070				0.3	2.22	12	<10	80	0.8	3	0.30	<0.5	8
P396365		5.92	<0.005				<0.2	0.45	5	10	40	<0.5	<2	22.3	<0.5	2
P396366		9.40	0.590				0.2	2.31	20	<10	40	0.6	10	1.46	<0.5	11
P396367		13.96	4.95				0.9	3.55	7	<10	70	0.5	80	1.82	<0.5	22
P396369		11.06	0.795				0.4	2.84	<2	<10	70	0.5	51	1.14	<0.5	43
P396370		6.60	0.668				1.5	1.54	221	<10	30	0.9	23	0.32	<0.5	23
P396371		7.66	0.430				1.7	2.06	147	<10	70	1.4	39	0.06	<0.5	6
P396372		7.74	2.01				1.2	0.62	179	<10	130	0.5	411	0.01	<0.5	8
P396373		7.24	0.163				2.3	1.49	150	<10	20	0.8	12	0.01	<0.5	25
P396374		9.24	0.673				3.0	0.89	28	<10	80	0.5	15	0.01	<0.5	16
P396375		7.54	0.127				0.8	0.79	21	<10	140	<0.5	5	0.02	<0.5	1
P396376		11.76	0.245				0.3	1.27	216	<10	150	0.6	16	0.01	<0.5	2
P396377		7.04	0.908				0.6	0.80	56	<10	200	0.5	65	0.01	<0.5	2
P396378		11.98	1.130				1.8	0.70	132	<10	470	<0.5	16	0.01	<0.5	1
P396379		10.40	0.703				2.5	1.26	162	<10	60	0.7	15	0.07	<0.5	13
P396380		10.72	0.700				1.0	1.53	37	<10	40	<0.5	12	0.22	1.3	22
P396381		6.88	0.705				0.6	1.16	32	<10	30	0.5	3	0.29	1.0	27
P396382		9.08	0.646				0.4	1.20	69	<10	90	1.1	9	0.31	<0.5	28
P396383		12.32	0.125				0.2	2.58	33	<10	90	0.6	5	1.96	<0.5	33
P396384		11.78	0.074				0.5	2.79	61	<10	40	0.5	14	4.38	<0.5	18
P396385		11.52	0.600				0.3	3.02	15	<10	90	<0.5	9	3.15	<0.5	17
P396386		12.30	0.882				<0.2	2.41	59	<10	60	<0.5	17	1.50	<0.5	15
P396387		11.72	0.208				0.2	2.36	30	<10	50	<0.5	4	1.95	<0.5	24
P396388		12.08	0.082				<0.2	3.55	28	<10	30	<0.5	10	2.48	<0.5	16
P396389		6.08	0.005				<0.2	0.44	9	10	30	<0.5	<2	20.9	<0.5	2
P396390		11.76	0.055				<0.2	3.41	27	<10	40	<0.5	15	2.47	<0.5	22
P396391		13.94	0.101				<0.2	2.82	21	<10	60	0.5	6	2.35	<0.5	16
P396392		8.30	0.258				0.3	1.76	66	<10	30	1.0	5	0.58	<0.5	31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 30-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054411

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
P396352		81	21	1.79	<10	<1	0.09	<10	0.49	281	<1	0.05	13	500	5	0.06
P396353		44	100	1.78	<10	<1	0.39	10	0.04	16	5	0.01	3	390	7	0.36
P396354		24	134	1.61	<10	<1	0.41	10	0.04	27	3	<0.01	2	420	13	0.29
P396355		48	324	3.87	<10	<1	0.38	10	0.03	66	3	<0.01	5	1000	10	0.69
P396356		22	207	1.68	<10	<1	0.42	10	0.04	34	2	<0.01	2	540	10	0.36
P396357		32	173	1.48	<10	<1	0.43	10	0.04	26	2	0.01	1	600	6	0.35
P396358		17	188	1.90	<10	<1	0.53	10	0.10	19	2	0.01	<1	480	10	0.38
P396359		31	383	3.21	<10	<1	0.40	20	0.04	31	4	0.01	7	690	2	0.54
P396360		37	327	1.67	<10	<1	0.17	20	0.01	21	2	0.01	7	370	5	0.19
P396361		39	934	3.58	<10	<1	0.17	30	0.13	118	1	0.01	9	310	2	0.16
P396362		104	689	6.80	10	<1	0.95	20	1.82	248	<1	0.03	18	450	4	0.21
P396363		74	314	2.32	10	<1	0.23	20	0.48	100	1	0.06	4	270	3	0.13
P396364		99	271	3.33	10	<1	0.73	40	1.40	182	2	0.03	9	470	5	0.05
P396365		15	86	0.57	<10	2	0.06	<10	9.47	162	1	0.03	1	280	6	<0.01
P396366		46	259	4.25	10	1	1.06	20	1.63	365	1	0.05	21	400	2	0.16
P396367		55	505	7.61	10	1	1.22	<10	2.41	630	<1	0.15	37	960	2	0.70
P396369		36	543	8.94	10	<1	0.68	<10	1.45	943	<1	0.16	52	630	7	1.58
P396370		25	1860	8.36	<10	1	0.28	10	0.25	220	2	0.01	26	810	7	0.80
P396371		27	545	8.10	10	<1	0.48	20	0.32	122	<1	0.04	12	830	35	0.60
P396372		42	629	4.82	<10	<1	0.29	30	0.03	118	2	0.01	5	210	35	1.16
P396373		48	3540	9.87	20	1	0.26	10	0.50	60	1	0.01	8	680	5	5.14
P396374		38	2610	5.57	10	<1	0.24	10	0.14	31	<1	0.01	6	390	6	2.56
P396375		47	662	5.09	10	1	0.21	20	0.06	19	<1	0.01	2	300	6	0.46
P396376		59	371	3.33	<10	1	0.35	30	0.07	28	2	0.01	5	620	18	0.35
P396377		56	449	1.83	<10	1	0.22	30	0.04	18	2	<0.01	8	530	12	0.26
P396378		108	426	1.08	<10	1	0.20	60	0.02	20	2	<0.01	5	260	9	0.25
P396379		38	4610	2.75	<10	<1	0.18	80	0.28	74	1	<0.01	15	600	24	1.60
P396380		58	767	4.68	10	<1	0.31	50	0.81	178	2	0.01	13	340	4	2.00
P396381		27	743	5.55	10	<1	0.24	60	0.75	240	1	<0.01	15	380	6	2.33
P396382		50	1190	6.01	<10	<1	0.25	30	0.56	479	5	<0.01	21	310	10	1.80
P396383		99	372	6.44	10	<1	1.08	10	2.11	461	<1	0.10	41	570	<2	1.68
P396384		70	292	5.27	10	<1	1.07	<10	2.16	418	1	0.18	21	470	38	1.30
P396385		77	216	5.45	10	<1	1.49	10	2.57	323	<1	0.08	24	470	6	1.20
P396386		64	216	4.57	10	1	1.04	10	1.96	189	<1	0.04	14	460	2	1.17
P396387		62	301	4.73	10	<1	0.96	10	1.95	188	1	0.04	16	410	3	1.64
P396388		116	144	4.99	10	<1	1.26	<10	2.51	361	2	0.25	31	540	<2	0.95
P396389		34	114	0.50	<10	<1	0.06	<10	8.99	146	2	0.03	3	230	7	<0.01
P396390		62	182	5.71	10	<1	1.50	<10	2.66	377	1	0.16	18	430	4	0.99
P396391		47	169	5.08	10	1	1.26	<10	2.26	275	<1	0.12	20	570	3	0.99
P396392		82	562	6.49	10	1	0.59	10	1.24	432	<1	0.01	27	730	4	1.66

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 30-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054411

Sample Description	Method Analyte Units LOR	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396352		<2	4	18	0.13	<10	<10	42	<10	32
P396353		38	1	17	<0.01	<10	<10	5	<10	53
P396354		86	1	22	<0.01	10	<10	6	<10	30
P396355		74	3	41	<0.01	10	<10	7	<10	92
P396356		9	1	22	<0.01	<10	<10	6	<10	5
P396357		12	1	21	<0.01	<10	<10	6	<10	6
P396358		61	4	36	<0.01	<10	<10	18	<10	6
P396359		28	7	76	<0.01	<10	<10	21	<10	4
P396360		17	2	19	<0.01	<10	<10	7	<10	6
P396361		49	3	18	<0.01	<10	<10	9	<10	20
P396362		<2	21	14	0.08	10	<10	108	<10	39
P396363		<2	5	10	0.01	<10	<10	10	<10	13
P396364		2	9	8	0.05	<10	<10	40	<10	26
P396365		<2	1	331	0.03	<10	<10	12	<10	20
P396366		<2	14	25	0.07	<10	<10	80	<10	24
P396367		<2	28	38	0.17	<10	<10	198	<10	51
P396369		<2	21	32	0.13	10	<10	158	<10	81
P396370		45	27	29	0.01	<10	<10	109	<10	97
P396371		16	28	16	0.03	10	<10	148	<10	68
P396372		50	5	12	<0.01	<10	<10	12	<10	90
P396373		27	17	5	0.01	10	<10	82	<10	43
P396374		21	8	4	<0.01	<10	<10	61	<10	22
P396375		8	7	6	<0.01	<10	<10	64	<10	16
P396376		5	8	10	<0.01	<10	<10	43	<10	12
P396377		4	6	6	<0.01	<10	<10	30	<10	8
P396378		4	2	9	<0.01	<10	<10	5	<10	3
P396379		7	6	7	0.01	<10	<10	35	<10	74
P396380		8	8	4	0.02	<10	<10	64	<10	25
P396381		4	10	5	0.01	<10	<10	58	<10	27
P396382		3	12	7	0.01	<10	<10	57	<10	81
P396383		2	19	48	0.12	<10	<10	159	<10	50
P396384		3	18	116	0.11	<10	<10	136	<10	70
P396385		2	19	89	0.15	<10	<10	163	<10	29
P396386		3	18	32	0.10	<10	<10	163	<10	18
P396387		2	16	48	0.08	<10	<10	145	<10	15
P396388		2	18	83	0.17	<10	<10	162	<10	27
P396389		2	1	314	0.02	<10	<10	12	<10	23
P396390		2	18	75	0.15	<10	<10	172	<10	33
P396391		2	16	52	0.15	10	<10	159	<10	39
P396392		4	18	12	0.04	<10	<10	143	<10	38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 30-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054411

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1
P396394		9.34	0.639	0.288	0.325		1.1	1.28	347	<10	20	1.2	30	0.11	1.4	12
P396395		12.30	3.03				0.8	2.34	40	<10	50	0.5	28	0.23	<0.5	20
P396396		10.84	0.121				0.2	2.75	19	<10	70	0.5	15	0.25	<0.5	15
P396397		8.02	0.065				<0.2	2.31	19	<10	50	<0.5	4	0.23	<0.5	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 30-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054411

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cr	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S
	Units	ppm	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01
P396394		55	2090	2.52	<10	<1	0.14	10	0.10	63	4	<0.01	20	570	18	1.11
P396395		88	744	6.04	10	1	1.21	10	1.72	198	2	0.04	12	480	7	2.30
P396396		100	306	5.72	10	1	1.66	10	2.35	267	2	0.05	15	530	20	1.33
P396397		108	347	5.71	10	1	1.24	10	2.02	281	2	0.06	10	480	29	1.98

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 30-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04054411

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396394		18	9	16	<0.01	<10	<10	38	<10	27
P396395		5	19	7	0.15	<10	<10	131	<10	30
P396396		<2	20	9	0.20	<10	<10	144	<10	63
P396397		2	18	9	0.15	<10	<10	128	<10	69

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18-AUG-2004
Account: GOLREV

CERTIFICATE VA04052341

Project:

P.O. No.:

This report is for 7 Pulp samples submitted to our lab in Vancouver, BC, Canada on 10-AUG-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04052341

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
P390116		0.20	5.69	1.0	3.11	288	<10	40	0.5	25	0.28	1.3	23	59	2200	6.20
P390136		0.24	0.747	0.7	1.16	110	<10	30	0.6	94	0.14	0.9	23	18	1135	3.32
P390153		0.24	0.094	0.2	0.98	35	<10	40	0.6	9	0.33	<0.5	13	28	418	3.96
P390176		0.16	1.070	0.6	0.62	325	<10	70	0.7	24	0.04	<0.5	8	14	370	3.31
P390186		0.16	0.058	<0.2	1.20	90	<10	40	0.6	3	0.16	<0.5	7	35	104	2.91
P396225		0.22	0.147	<0.2	2.16	178	<10	50	0.5	15	0.12	<0.5	11	23	1770	3.43
P396245		0.16	0.390	0.7	0.61	152	<10	90	<0.5	16	0.01	<0.5	<1	6	77	1.12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04052341

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
P390116		10	1	1.30	10	2.39	248	<1	0.04	39	890	7	2.19	2	18	6
P390136		<10	<1	0.45	20	0.70	199	2	0.02	40	310	7	1.44	7	9	6
P390153		<10	<1	0.23	20	0.74	277	<1	0.06	16	340	4	1.48	2	9	14
P390176		<10	<1	0.24	20	0.06	48	1	<0.01	12	240	4	0.07	2	2	11
P390186		10	<1	0.54	30	0.50	75	1	0.02	15	380	2	0.43	<2	5	17
P396225		10	<1	0.46	30	0.99	124	<1	0.01	16	550	5	1.48	6	12	12
P396245		<10	<1	0.25	20	0.02	10	1	<0.01	2	170	4	0.26	8	3	9

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 18-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04052341

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P390116		0.13	<10	<10	168	<10	28
P390136		0.05	<10	<10	54	<10	33
P390153		0.06	<10	<10	71	10	28
P390176		0.01	<10	<10	12	<10	21
P390186		0.05	<10	<10	32	<10	9
P396225		0.03	<10	<10	82	<10	15
P396245		<0.01	<10	<10	10	<10	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

**: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Finalized Date: 20-AUG-2004
Account: GOLREV

CERTIFICATE VA04051737

Project: Golden Revenue

P.O. No.:

This report is for 28 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 6-AUG-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

DN04-07

To: **GOLDEN REVENU**
ATTN: JOAN MAR...
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 20-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04051737

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P396322		6.50	<0.005	0.3	0.35	5	10	40	<0.5	<2	20.8	<0.5	2	10	140	0.45
P396323		9.06	0.632	0.7	1.47	1540	<10	70	<0.5	17	0.14	<0.5	1	51	259	4.46
P396324		7.86	0.495	0.6	1.68	2850	<10	80	<0.5	17	0.06	<0.5	<1	48	248	4.99
P396325		10.46	0.181	0.3	1.94	340	<10	110	<0.5	8	0.04	<0.5	<1	100	313	4.95
P396326		10.88	0.189	<0.2	0.81	1005	<10	110	<0.5	17	0.02	<0.5	1	45	162	2.74
P396327		8.16	0.056	0.4	1.44	120	<10	70	<0.5	81	0.04	<0.5	1	78	245	3.44
P396328		8.12	0.017	<0.2	0.48	27	<10	60	<0.5	8	0.02	<0.5	<1	49	98	1.21
P396330		11.04	0.078	0.3	0.36	34	<10	50	<0.5	8	0.02	<0.5	<1	61	57	0.91
P396331		10.68	0.075	0.2	0.47	138	<10	80	<0.5	8	0.02	<0.5	1	40	50	0.86
P396332		6.04	0.041	0.2	0.38	87	<10	80	<0.5	7	0.02	<0.5	<1	65	73	1.18
P396333		7.76	0.055	0.3	0.77	238	<10	110	<0.5	15	0.01	<0.5	1	30	281	5.92
P396334		9.96	0.837	0.6	2.62	29	<10	20	0.5	169	1.90	<0.5	7	24	753	10.80
P396335		9.76	0.612	0.7	2.87	15	<10	20	0.6	75	1.80	<0.5	22	20	1680	12.05
P396336		12.98	0.090	0.5	1.67	23	<10	30	0.5	41	0.25	<0.5	12	35	1225	6.36
P396337		7.80	0.221	2.0	0.92	582	<10	120	0.6	128	0.06	<0.5	2	30	209	5.65
P396338		3.24	1.175	1.8	0.59	283	<10	50	<0.5	103	0.11	<0.5	2	30	245	16.8
P396339		5.14	1.185	2.0	0.39	180	<10	70	<0.5	57	0.03	<0.5	2	61	338	8.38
P396340		5.82	0.008	<0.2	0.44	8	10	30	<0.5	2	20.5	<0.5	1	9	58	0.51
P396341		7.60	0.804	4.1	0.64	310	<10	100	<0.5	100	0.05	<0.5	4	66	1550	3.64
P396342		10.82	0.321	4.2	1.52	69	<10	30	0.6	66	0.17	0.6	20	105	2160	6.11
P396343		11.98	0.161	0.9	0.69	191	<10	60	<0.5	50	0.02	<0.5	6	39	1270	2.88
P396345		11.74	0.074	1.5	0.47	409	<10	50	<0.5	94	0.01	<0.5	11	23	1400	3.55
P396346		11.26	0.089	1.6	0.95	366	<10	110	0.6	27	0.02	<0.5	9	48	1070	5.73
P396347		11.14	0.374	1.7	1.02	81	<10	100	<0.5	44	0.10	<0.5	17	57	1335	3.74
P396348		12.12	0.230	2.4	0.52	69	<10	50	<0.5	32	0.12	<0.5	9	55	1315	1.96
P396349		12.68	0.463	0.8	1.04	58	<10	40	0.5	63	0.16	<0.5	10	64	545	2.65
P396350		11.94	0.512	0.5	1.82	136	<10	190	0.6	12	0.20	0.7	15	96	268	3.20
P396351		12.78	0.108	0.4	2.14	81	<10	310	0.5	9	0.31	<0.5	15	88	286	3.62

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 20-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04051737

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
P396322		<10	<1	0.04	<10	9.01	146	1	0.01	4	260	3	<0.01	<2	1	298
P396323		10	<1	0.70	10	0.81	41	1	0.08	5	350	2	0.66	4	13	16
P396324		10	<1	0.80	10	0.67	34	1	0.06	4	370	2	0.94	5	13	16
P396325		10	1	0.82	20	0.70	34	3	0.02	5	350	3	0.76	2	15	11
P396326		<10	<1	0.27	20	0.11	12	2	0.01	5	280	5	0.36	3	3	8
P396327		10	<1	0.47	30	0.54	33	1	0.04	4	330	<2	0.36	7	8	12
P396328		<10	<1	0.19	30	0.06	10	2	0.04	3	120	7	0.15	4	1	6
P396330		<10	<1	0.16	20	0.02	8	2	0.04	2	70	4	0.12	4	1	5
P396331		<10	<1	0.18	30	0.02	6	2	0.03	3	70	9	0.17	3	1	7
P396332		<10	<1	0.20	20	0.02	10	3	0.05	2	80	5	0.24	4	1	8
P396333		10	<1	0.31	20	0.02	18	4	0.06	4	220	8	0.65	18	3	12
P396334		20	1	0.08	<10	0.11	595	1	<0.01	7	90	4	2.19	11	2	12
P396335		10	1	0.05	10	0.19	517	2	0.01	10	230	<2	6.32	2	4	20
P396336		10	<1	0.28	30	0.47	78	2	0.06	5	400	4	3.13	4	7	23
P396337		10	<1	0.57	20	0.07	30	3	0.02	5	690	63	1.00	44	7	28
P396338		10	<1	2.23	20	0.05	108	1	0.12	2	1550	3	4.08	<2	3	162
P396339		10	<1	0.31	<10	0.20	34	2	0.01	2	520	5	0.66	5	2	12
P396340		<10	<1	0.06	<10	10.05	143	1	0.02	2	240	7	<0.01	<2	1	332
P396341		10	<1	0.35	20	0.15	28	3	0.05	5	420	4	0.92	4	3	23
P396342		10	1	0.48	10	1.03	122	1	0.02	16	320	3	2.10	3	11	6
P396343		<10	<1	0.40	10	0.04	38	2	0.01	7	400	5	1.50	11	1	14
P396345		<10	<1	0.33	10	0.04	47	3	<0.01	4	320	20	2.16	16	1	15
P396346		<10	<1	0.47	10	0.14	194	2	0.01	7	480	7	0.97	17	9	30
P396347		10	1	0.55	<10	0.69	136	1	0.04	13	290	4	1.29	6	11	9
P396348		<10	<1	0.20	10	0.27	147	1	0.04	8	410	5	0.74	2	4	6
P396349		10	<1	0.30	20	0.58	230	7	0.03	18	560	13	0.57	2	6	6
P396350		10	<1	0.60	20	0.87	202	2	0.01	36	760	20	0.52	5	7	5
P396351		10	<1	0.84	20	1.08	248	2	0.07	26	620	3	0.54	<2	10	13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 20-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04051737

Sample Description	Method Analyte Units LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396322		0.02	<10	10	13	<10	37
P396323		0.07	<10	<10	102	<10	34
P396324		0.04	<10	<10	93	<10	22
P396325		0.06	<10	<10	85	<10	25
P396326		<0.01	<10	<10	19	<10	12
P396327		0.03	<10	<10	55	<10	21
P396328		<0.01	<10	<10	7	<10	14
P396330		<0.01	<10	<10	3	<10	7
P396331		<0.01	<10	<10	2	<10	12
P396332		<0.01	<10	<10	3	<10	35
P396333		<0.01	<10	<10	22	<10	15
P396334		0.03	<10	<10	24	10	34
P396335		0.05	<10	<10	28	<10	32
P396336		0.02	<10	<10	41	<10	19
P396337		0.01	10	<10	52	<10	79
P396338		0.05	10	<10	90	<10	57
P396339		0.01	<10	<10	23	<10	33
P396340		0.02	<10	<10	10	<10	20
P396341		<0.01	<10	<10	17	<10	12
P396342		0.02	<10	<10	51	<10	34
P396343		<0.01	<10	<10	4	<10	13
P396345		<0.01	<10	<10	2	<10	17
P396346		0.01	<10	<10	43	<10	32
P396347		0.04	<10	<10	72	<10	25
P396348		<0.01	<10	<10	23	<10	22
P396349		0.01	<10	<10	48	<10	19
P396350		0.06	<10	<10	72	<10	68
P396351		0.08	<10	<10	92	<10	81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2004
Account: GOLREV

CERTIFICATE VA04050214

Project: Golden Revenue

P.O. No.:

This report is for 40 Rock samples submitted to our lab in Vancouver, BC, Canada on 3-AUG-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

DN 04-06

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 15-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04050214

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
P396280		11.98	0.273	0.8	1.48	31	<10	120	<0.5	83	0.15	<0.5	4	52	242	3.40
P396281		9.38	0.085	<0.2	1.96	9	<10	110	<0.5	<2	0.41	<0.5	11	33	305	4.70
P396282		7.72	0.053	<0.2	1.13	49	<10	100	<0.5	<2	0.14	<0.5	4	59	154	2.97
P396283		8.82	0.098	0.2	0.86	82	<10	120	<0.5	<2	0.13	<0.5	4	56	137	2.80
P396284		7.98	0.035	0.2	1.52	60	<10	90	<0.5	2	0.17	<0.5	3	47	210	3.84
P396285		7.42	<0.005	<0.2	2.40	25	<10	310	<0.5	<2	0.29	<0.5	9	69	186	4.53
P396287		9.04	0.038	<0.2	1.82	19	<10	160	<0.5	2	0.45	<0.5	15	32	155	4.08
P396288		9.94	0.065	0.2	2.22	27	<10	140	<0.5	2	0.68	<0.5	16	37	239	4.26
P396289		7.22	0.052	<0.2	2.16	21	<10	120	<0.5	<2	0.62	<0.5	15	41	134	4.59
P396290		10.84	0.088	<0.2	2.37	10	<10	120	0.6	3	0.39	<0.5	14	37	219	4.60
P396291		5.30	<0.005	<0.2	0.39	7	10	40	<0.5	<2	22.8	<0.5	2	10	40	0.64
P396292		9.46	0.025	<0.2	1.05	24	<10	160	<0.5	<2	0.25	<0.5	8	39	138	3.16
P396293		10.90	0.050	<0.2	1.40	16	<10	60	<0.5	2	0.41	<0.5	18	21	154	4.09
P396294		9.86	0.119	<0.2	1.84	31	<10	50	0.5	2	0.18	<0.5	10	29	288	5.49
P396295		11.90	0.433	<0.2	1.61	143	<10	150	0.6	10	0.05	<0.5	5	27	348	5.33
P396296		7.06	0.477	0.6	0.75	591	<10	270	0.5	12	0.01	<0.5	3	27	287	5.29
P396297		11.12	0.322	0.2	0.55	131	<10	170	0.5	2	0.01	<0.5	8	55	189	4.27
P396298		10.12	0.183	<0.2	0.64	108	<10	300	<0.5	2	0.01	<0.5	4	34	172	2.77
P396299		11.88	0.121	0.5	2.32	33	<10	50	1.1	28	0.69	0.6	27	138	489	7.41
P396300		9.30	0.025	0.2	1.40	61	<10	120	0.7	<2	0.08	<0.5	9	86	285	3.88
P396301		11.38	0.018	0.2	0.78	55	<10	210	0.5	<2	0.01	<0.5	14	47	468	4.94
P396302		11.28	0.067	0.6	0.88	207	<10	420	0.5	2	0.01	<0.5	4	45	241	3.55
P396303		11.12	0.088	0.3	0.95	87	<10	670	0.7	<2	0.01	<0.5	9	24	362	6.80
P396305		11.82	0.089	0.5	0.92	168	<10	440	1.2	<2	0.02	<0.5	20	24	459	7.46
P396306		12.76	0.109	0.2	1.18	23	<10	80	<0.5	<2	0.18	<0.5	16	35	311	3.89
P396307		7.32	0.005	<0.2	0.45	13	10	40	<0.5	<2	23.1	<0.5	1	10	50	0.52
P396308		9.68	0.139	0.7	0.87	28	<10	40	<0.5	<2	0.23	<0.5	15	47	482	3.50
P396309		10.12	0.187	0.6	1.08	116	<10	50	0.8	9	0.07	<0.5	3	31	326	2.09
P396310		9.52	0.261	0.4	0.73	81	<10	170	0.6	6	0.04	<0.5	4	48	673	1.91
P396311		10.64	0.162	<0.2	0.95	57	<10	130	0.7	24	0.14	<0.5	8	56	610	2.21
P396312		9.18	0.189	0.2	0.86	51	<10	100	0.6	31	0.22	0.5	12	55	434	2.80
P396313		7.50	0.067	0.3	1.10	34	<10	50	0.6	2	0.24	<0.5	21	54	394	4.14
P396314		10.10	0.132	0.3	2.06	26	<10	130	0.9	<2	0.39	<0.5	24	44	369	5.42
P396315		8.40	0.471	0.4	1.87	76	<10	100	1.0	7	0.35	<0.5	30	48	475	5.84
P396316		6.84	0.427	0.5	0.84	43	<10	20	1.2	6	0.25	<0.5	26	52	368	4.35
P396317		10.96	1.250	0.7	1.90	47	<10	140	1.2	13	0.42	<0.5	26	62	519	4.82
P396318		7.10	1.650	0.3	1.50	78	<10	90	0.7	16	1.08	<0.5	10	82	305	2.61
P396319		7.92	0.714	1.1	1.56	81	<10	100	0.8	20	2.25	<0.5	9	68	669	2.79
P396320		8.88	0.932	0.9	1.74	112	<10	180	0.8	14	1.10	<0.5	15	58	646	3.66
P396321		8.14	0.233	<0.2	1.69	135	<10	200	0.7	6	3.63	<0.5	10	54	194	3.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 15-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04050214

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396280		10	<1	0.71	30	0.98	71	1	0.05	7	650	<2	0.23	<2	8	14
P396281		10	<1	0.77	20	1.16	142	1	0.06	14	1280	<2	0.09	<2	15	11
P396282		10	<1	0.40	70	0.47	49	2	0.05	6	730	3	0.24	<2	8	16
P396283		10	<1	0.35	50	0.39	63	2	0.05	5	570	2	0.10	<2	6	13
P396284		10	<1	0.67	20	0.88	68	3	0.04	6	960	<2	0.25	<2	12	20
P396285		10	<1	1.43	10	1.94	168	1	0.06	15	1010	<2	0.13	2	14	16
P396287		10	<1	0.91	10	1.30	227	1	0.05	13	990	<2	0.04	3	9	15
P396288		10	<1	0.97	10	1.56	268	1	0.10	21	880	2	0.04	<2	12	16
P396289		10	<1	0.91	10	1.47	260	<1	0.07	18	1120	<2	0.02	<2	12	14
P396290		10	<1	1.14	30	1.54	264	1	0.07	18	720	<2	0.03	2	13	14
P396291		<10	<1	0.05	<10	9.82	149	<1	0.03	11	290	3	<0.01	<2	1	408
P396292		<10	<1	0.37	60	0.42	120	4	0.07	6	590	<2	0.21	<2	4	19
P396293		10	<1	0.49	20	0.68	184	1	0.06	15	1270	<2	0.23	<2	11	9
P396294		10	<1	0.58	10	0.80	246	1	0.07	10	1360	<2	0.19	4	14	14
P396295		10	<1	0.68	30	0.62	99	2	0.04	7	1140	2	0.67	10	14	17
P396296		<10	<1	0.41	40	0.03	33	3	0.02	4	730	5	0.65	36	6	26
P396297		<10	<1	0.25	30	0.04	148	1	0.01	7	660	5	0.37	10	6	25
P396298		<10	<1	0.16	20	0.02	128	2	0.01	4	360	6	0.19	3	5	11
P396299		10	<1	0.61	10	1.53	670	1	0.13	43	520	57	1.30	3	15	32
P396300		10	<1	0.44	30	0.54	140	2	0.02	16	410	<2	0.61	5	8	14
P396301		<10	<1	0.19	50	0.03	222	2	0.01	15	550	6	0.30	2	14	10
P396302		<10	<1	0.21	40	0.04	39	3	0.01	7	360	3	0.31	2	8	13
P396303		<10	<1	0.21	20	0.11	96	2	0.01	6	460	3	0.27	2	9	15
P396305		<10	<1	0.13	20	0.08	323	2	0.01	11	440	<2	0.27	7	15	10
P396306		10	<1	0.24	10	0.51	186	1	0.04	24	390	2	1.09	3	9	7
P396307		<10	<1	0.05	<10	9.91	139	1	0.03	7	300	6	<0.01	<2	1	345
P396308		<10	<1	0.13	20	0.37	164	2	0.02	24	570	<2	1.03	3	6	6
P396309		<10	<1	0.12	20	0.04	16	9	<0.01	9	440	4	0.30	48	8	6
P396310		<10	<1	0.14	30	0.03	10	1	<0.01	11	740	<2	0.26	11	8	6
P396311		<10	<1	0.19	40	0.14	102	4	<0.01	23	750	5	0.48	4	7	8
P396312		<10	<1	0.21	30	0.30	167	2	<0.01	30	770	6	0.70	3	6	7
P396313		<10	<1	0.18	20	0.42	241	3	<0.01	24	570	3	1.40	4	10	6
P396314		10	<1	0.70	30	1.18	307	1	0.01	19	430	3	1.48	3	17	8
P396315		10	<1	0.69	20	1.16	493	3	0.01	27	320	12	1.56	6	13	9
P396316		<10	<1	0.14	30	0.57	729	3	<0.01	28	260	<2	0.61	<2	5	6
P396317		10	<1	0.53	40	1.16	553	3	0.02	27	480	<2	0.91	<2	10	12
P396318		10	<1	0.56	20	0.90	149	5	0.02	29	500	2	0.64	3	7	27
P396319		10	<1	0.45	40	0.88	144	2	0.01	15	470	6	0.77	4	7	46
P396320		10	<1	0.65	30	1.08	114	3	0.02	18	480	2	1.37	4	8	27
P396321		10	2	0.71	10	1.02	188	4	0.02	14	500	4	0.80	5	10	73

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 15-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04050214

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
P396280		0.10	<10	<10	62	30	14
P396281		0.21	<10	<10	138	<10	26
P396282		0.09	<10	<10	55	<10	11
P396283		0.08	<10	<10	36	<10	11
P396284		0.12	<10	<10	55	<10	13
P396285		0.24	<10	<10	104	<10	35
P396287		0.26	<10	<10	114	<10	87
P396288		0.26	<10	<10	149	<10	28
P396289		0.27	<10	<10	160	<10	30
P396290		0.22	<10	<10	132	<10	33
P396291		0.03	<10	<10	13	<10	19
P396292		0.08	<10	<10	35	<10	16
P396293		0.21	<10	<10	78	<10	33
P396294		0.16	<10	<10	94	<10	40
P396295		0.06	<10	<10	87	<10	27
P396296		<0.01	<10	<10	27	<10	25
P396297		<0.01	<10	<10	21	<10	34
P396298		<0.01	<10	<10	14	<10	21
P396299		0.10	<10	<10	88	<10	156
P396300		0.02	<10	<10	40	<10	30
P396301		<0.01	<10	<10	40	<10	27
P396302		<0.01	<10	<10	27	<10	21
P396303		0.01	<10	<10	35	<10	35
P396305		<0.01	<10	<10	61	<10	70
P396306		0.04	<10	<10	41	<10	43
P396307		0.02	<10	<10	12	<10	18
P396308		0.01	<10	<10	34	<10	31
P396309		<0.01	<10	<10	37	<10	10
P396310		<0.01	<10	<10	39	<10	7
P396311		<0.01	<10	<10	41	<10	14
P396312		0.01	<10	<10	40	<10	16
P396313		0.01	<10	<10	52	<10	28
P396314		0.06	<10	<10	110	<10	26
P396315		0.06	<10	<10	99	<10	57
P396316		0.01	<10	<10	24	<10	63
P396317		0.05	<10	<10	82	<10	47
P396318		0.05	<10	<10	64	<10	14
P396319		0.03	<10	<10	59	<10	16
P396320		0.06	<10	<10	73	<10	14
P396321		0.07	<10	<10	78	<10	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-AUG-2004
Account: GOLREV

CERTIFICATE VA04049713

Project: Golden Revenue

P.O. No.:

This report is for 23 Rock samples submitted to our lab in Vancouver, BC, Canada on 29-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

DW04-06

To: GOLDEN REVENUE PROJECT
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 13-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04049713

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
P396256		6.44	0.060	<0.2	2.48	101	<10	110	0.9	2	0.44	<0.5	19	79	86	3.77
P396257		8.88	0.032	0.2	1.54	34	<10	80	0.5	20	0.48	<0.5	15	57	104	3.69
P396258		6.74	0.044	0.3	2.00	69	<10	140	0.5	3	0.36	<0.5	16	52	84	4.59
P396259		6.40	0.097	<0.2	1.98	67	<10	80	0.6	3	0.94	<0.5	16	57	118	3.80
P396260		6.08	0.169	<0.2	1.21	22	<10	40	<0.5	3	0.53	<0.5	11	36	112	3.53
P396261		7.98	0.194	0.2	1.34	22	<10	80	<0.5	<2	0.42	<0.5	14	42	79	3.24
P396262		6.70	0.010	<0.2	0.99	20	<10	20	0.6	2	0.43	<0.5	13	42	69	3.02
P396263		9.44	0.055	<0.2	1.48	43	<10	70	0.9	5	0.57	<0.5	21	35	70	4.39
P396264		7.30	0.019	0.4	2.52	65	<10	120	1.1	4	1.72	<0.5	18	56	54	4.61
P396265		7.74	0.054	<0.2	1.12	40	<10	50	0.5	3	0.34	<0.5	13	42	94	2.70
P396266		6.48	0.015	0.2	1.03	83	<10	60	0.6	<2	0.29	<0.5	13	33	70	2.44
P396267		5.56	0.032	<0.2	0.46	58	<10	140	<0.5	2	0.15	<0.5	5	64	58	1.26
P396269		7.94	0.015	<0.2	0.49	103	<10	90	<0.5	2	0.19	<0.5	4	34	53	1.10
P396270		7.14	0.014	<0.2	0.66	38	<10	90	0.6	2	0.35	<0.5	5	45	75	1.52
P396271		7.42	0.084	0.2	1.38	37	<10	60	0.8	5	0.42	<0.5	6	24	117	3.35
P396272		8.80	0.018	0.2	0.66	80	<10	140	0.5	2	0.96	<0.5	3	54	39	1.08
P396273		6.94	0.143	0.4	1.08	100	<10	50	0.9	<2	1.30	<0.5	5	21	71	1.89
P396274		6.06	0.161	0.5	0.49	10	10	50	<0.5	<2	22.4	<0.5	2	13	222	0.62
P396275		9.20	0.064	0.2	1.58	169	<10	50	0.9	2	2.99	<0.5	13	26	110	3.48
P396276		10.32	0.051	0.2	1.19	90	<10	80	0.5	3	1.06	<0.5	8	102	84	2.48
P396277		7.96	0.056	<0.2	2.49	148	<10	80	0.6	7	2.84	<0.5	17	198	83	3.67
P396278		10.44	0.046	0.3	2.10	100	<10	20	0.9	4	4.44	<0.5	15	122	84	3.92
P396279		8.32	0.127	<0.2	1.15	623	<10	30	<0.5	4	1.56	<0.5	10	104	77	2.77

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 13-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04049713

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396256		10	<1	0.73	40	1.08	252	2	0.04	29	640	4	0.05	4	13	20
P396257		10	<1	0.49	10	0.91	180	2	0.08	21	740	<2	0.12	3	11	16
P396258		10	<1	0.76	10	1.10	316	2	0.06	23	590	<2	0.04	<2	15	16
P396259		10	<1	0.60	20	1.08	299	1	0.05	31	710	<2	0.09	4	13	26
P396260		10	<1	0.28	10	0.68	114	1	0.08	9	520	2	0.42	2	9	13
P396261		10	1	0.54	10	0.85	154	1	0.08	15	530	<2	0.15	2	11	11
P396262		10	<1	0.19	20	0.51	181	1	0.07	20	480	<2	0.05	2	11	12
P396263		10	<1	0.38	10	0.80	538	1	0.04	20	530	3	0.05	3	14	15
P396264		10	<1	0.81	20	1.36	626	1	0.02	19	550	5	0.06	3	13	32
P396265		10	<1	0.38	20	0.77	184	1	0.06	18	400	<2	0.11	<2	10	10
P396266		<10	<1	0.31	30	0.54	172	1	0.03	14	310	7	0.06	3	6	9
P396267		<10	<1	0.14	40	0.09	82	2	0.05	8	210	4	0.04	2	1	11
P396269		<10	<1	0.08	60	0.12	65	1	0.04	4	210	5	0.05	3	1	10
P396270		<10	<1	0.09	70	0.16	94	1	0.03	5	210	6	0.06	3	1	12
P396271		10	<1	0.24	60	0.71	154	1	0.04	9	630	4	0.20	5	6	14
P396272		<10	<1	0.13	90	0.20	76	1	0.05	4	300	4	0.18	4	1	25
P396273		<10	<1	0.15	70	0.42	100	1	0.03	3	610	7	0.30	4	3	25
P396274		<10	2	0.06	<10	9.28	152	<1	0.04	9	280	3	<0.01	2	1	341
P396275		10	1	0.35	40	1.00	240	2	0.04	29	500	7	1.19	4	10	60
P396276		10	<1	0.32	40	0.88	107	3	0.04	30	500	2	0.79	4	4	26
P396277		10	<1	0.63	<10	1.77	318	3	0.18	170	460	5	0.87	3	10	81
P396278		10	<1	0.08	<10	1.03	461	3	0.20	123	600	<2	1.03	2	9	147
P396279		10	<1	0.09	10	0.82	192	1	0.10	54	460	<2	0.91	2	6	41

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 13-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04049713

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396256		0.07	<10	<10	120	<10	32
P396257		0.16	10	<10	114	<10	37
P396258		0.12	<10	<10	126	<10	28
P396259		0.07	<10	<10	122	<10	23
P396260		0.19	10	<10	100	<10	20
P396261		0.19	<10	<10	110	<10	29
P396262		0.12	<10	<10	94	<10	40
P396263		0.06	<10	<10	109	<10	38
P396264		0.05	<10	<10	103	10	30
P396265		0.10	10	<10	72	<10	31
P396266		0.03	<10	<10	38	<10	33
P396267		<0.01	<10	<10	4	<10	16
P396269		<0.01	<10	<10	4	<10	18
P396270		<0.01	<10	<10	4	<10	11
P396271		0.02	<10	<10	62	<10	19
P396272		<0.01	<10	<10	5	<10	9
P396273		<0.01	<10	<10	22	<10	10
P396274		0.03	<10	<10	11	10	21
P396275		0.02	<10	<10	80	<10	16
P396276		0.03	<10	<10	62	<10	10
P396277		0.14	<10	<10	86	<10	27
P396278		0.14	<10	<10	59	<10	28
P396279		0.09	<10	<10	68	<10	14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE VA04048439

Project:

P.O. No.:

This report is for 4 Pulp samples submitted to our lab in Vancouver, BC, Canada on 27-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04048439

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
P396145		1.10	0.468	1.8	2.24	1790	<10	110	0.6	35	0.10	0.8	18	45	1115	4.49
P396164		2.58	0.385	0.2	1.38	41	<10	40	<0.5	8	0.42	<0.5	16	53	222	4.75
P396180		1.18	0.206	<0.2	2.09	17	<10	30	<0.5	5	0.68	<0.5	19	27	184	5.81
P396193		0.96	0.184	0.9	1.16	838	<10	20	1.1	25	0.36	2.8	43	28	1510	8.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04048439

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P396145		10	<1	0.87	20	1.34	143	1	0.01	36	530	5	1.20	3	9	4
P396164		10	<1	0.51	10	1.29	326	<1	0.06	15	310	5	1.36	<2	9	6
P396180		10	1	0.57	10	1.68	251	<1	0.06	11	530	4	1.73	<2	14	15
P396193		<10	<1	0.36	10	0.53	688	<1	<0.01	41	1260	48	4.81	28	9	26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04048439

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
P396145		0.12	<10	<10	78	<10	37
P396164		0.11	<10	<10	85	<10	46
P396180		0.10	<10	<10	133	<10	23
P396193		0.01	10	10	45	<10	119

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA04047615

Project: Golden Revenue

P.O. No.:

This report is for 1 Rock sample submitted to our lab in Vancouver, BC, Canada on 21-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 1-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04047615

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P390195		7.28	0.011	0.2	0.39	50	<10	40	0.5	2	2.10	<0.5	29	16	53	3.08

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 1-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04047615

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
P390195		<10	<1	0.22	10	0.75	180	3	<0.01	3	490	8	2.23	2	3	102

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 1-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04047615

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P390195		<0.01	<10	<10	13	<10	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 31-JUL-2004
Account: GOLREV

CERTIFICATE VA04046150

Project: Golden Revenue

P.O. No.:

This report is for 34 Rock samples submitted to our lab in Vancouver, BC, Canada on 19-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

DN04-ar

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04046150

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
P390159		6.98	0.159	0.8	0.43	687	<10	300	<0.5	10	0.04	<0.5	4	37	72	2.00
P390160		5.24	0.079	0.6	0.43	1860	<10	350	<0.5	9	0.04	<0.5	5	31	100	1.97
P390161		5.98	0.556	0.2	0.46	517	<10	350	0.5	6	0.04	<0.5	5	51	68	2.40
P390162		7.16	0.035	<0.2	0.46	841	<10	440	0.5	15	0.04	<0.5	7	40	66	2.96
P390163		7.56	0.304	0.3	0.68	228	<10	360	0.6	7	0.05	<0.5	7	27	81	2.17
P390164		8.98	0.052	<0.2	0.71	250	<10	240	0.5	2	0.12	<0.5	5	43	90	1.43
P390165		7.70	0.765	<0.2	0.54	225	<10	140	0.6	3	0.22	<0.5	6	66	229	1.87
P390166		8.24	3.35	0.3	0.51	491	<10	50	0.6	6	0.29	<0.5	6	108	152	1.95
P390167		5.30	<0.005	<0.2	0.43	11	10	30	<0.5	<2	22.1	<0.5	1	12	14	0.50
P390168		7.84	0.146	<0.2	0.44	598	<10	30	0.9	4	0.11	<0.5	10	115	136	2.85
P390169		4.54	0.342	0.2	0.46	471	<10	140	0.8	5	0.14	<0.5	9	50	113	2.84
P390170		8.38	0.231	<0.2	0.48	365	<10	230	0.6	5	0.04	<0.5	6	67	120	2.48
P390171		7.34	0.462	0.4	0.35	3690	<10	290	<0.5	23	0.07	<0.5	3	37	126	2.95
P390172		3.54	0.039	<0.2	0.50	564	<10	290	0.6	3	0.06	<0.5	12	71	158	3.54
P390173		5.20	0.097	0.2	0.53	583	<10	240	0.8	<2	0.06	<0.5	19	27	281	5.90
P390174		4.78	0.395	0.6	0.64	148	<10	380	0.6	37	0.05	<0.5	10	54	247	3.94
P390175		5.48	0.648	1.0	0.58	500	<10	300	0.7	23	0.06	<0.5	10	49	367	3.10
P390177		8.30	0.454	0.4	0.73	101	<10	120	0.6	16	0.04	<0.5	13	72	335	2.95
P390178		3.46	0.063	0.3	0.60	23	<10	30	0.7	14	0.06	<0.5	16	58	241	2.65
P390179		3.00	0.039	<0.2	0.95	19	<10	40	0.7	<2	0.11	<0.5	8	86	156	2.29
P390180		5.32	0.201	<0.2	0.76	82	<10	70	0.6	5	0.08	<0.5	7	56	192	2.32
P390181		4.62	0.025	0.2	1.08	37	<10	50	0.7	3	0.09	<0.5	6	112	201	2.01
P390182		3.80	0.028	<0.2	1.57	43	<10	70	1.0	<2	0.21	<0.5	9	86	84	3.09
P390183		5.06	0.064	<0.2	1.60	64	<10	80	0.8	2	0.12	<0.5	7	110	85	3.15
P390184		6.60	0.222	<0.2	0.67	52	<10	30	0.6	5	0.27	<0.5	10	71	224	3.96
P390185		5.16	0.052	<0.2	1.35	102	<10	50	0.7	3	0.17	<0.5	8	143	112	3.26
P390187		6.32	0.019	0.2	1.37	79	<10	50	0.8	4	0.33	<0.5	11	224	154	3.37
P390188		5.78	0.110	<0.2	1.54	485	<10	50	0.8	7	0.34	<0.5	12	155	79	2.90
P390189		7.70	0.106	0.2	1.42	93	<10	30	0.7	5	1.18	0.8	8	166	153	3.71
P390190		7.00	0.040	<0.2	2.06	38	<10	40	1.1	2	0.84	<0.5	8	146	125	3.57
P390191		4.30	<0.005	<0.2	0.47	11	10	40	<0.5	<2	21.9	<0.5	2	21	27	0.65
P390192		6.72	0.012	<0.2	2.35	34	<10	60	1.0	<2	1.20	<0.5	12	140	98	3.70
P390193		7.14	0.006	<0.2	1.64	18	<10	30	0.9	<2	0.90	<0.5	10	132	66	2.62
P390194		8.40	0.011	0.2	1.84	50	<10	40	1.0	<2	1.10	<0.5	10	139	55	3.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04046150

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
P390159		<10	<1	0.35	20	0.04	77	1	<0.01	6	210	2	0.24	8	1	22
P390160		<10	<1	0.34	20	0.03	90	1	<0.01	4	240	<2	0.18	6	1	27
P390161		<10	<1	0.32	10	0.06	87	3	<0.01	9	260	2	0.22	5	2	22
P390162		<10	<1	0.26	20	0.02	150	9	<0.01	10	540	8	0.34	4	3	60
P390163		<10	<1	0.24	30	0.03	134	2	<0.01	7	550	3	0.15	5	1	52
P390164		<10	<1	0.22	20	0.03	71	5	<0.01	11	820	4	0.08	3	1	27
P390165		<10	<1	0.25	10	0.03	74	35	<0.01	18	1980	<2	0.20	4	1	33
P390166		<10	<1	0.18	10	0.05	83	13	<0.01	29	2730	3	0.10	6	2	41
P390167		<10	<1	0.06	<10	9.41	158	1	0.03	10	340	3	<0.01	2	1	293
P390168		<10	<1	0.17	10	0.04	146	9	<0.01	32	1940	<2	0.08	10	3	49
P390169		<10	<1	0.30	20	0.07	102	5	0.01	14	690	<2	0.26	7	2	130
P390170		<10	<1	0.34	10	0.03	76	4	<0.01	13	530	2	0.30	6	2	72
P390171		<10	<1	0.33	10	0.03	29	4	0.01	6	790	2	0.46	17	6	57
P390172		<10	<1	0.22	20	0.03	100	4	<0.01	27	610	2	0.25	12	5	39
P390173		<10	<1	0.18	20	0.03	225	3	<0.01	29	440	3	0.16	10	3	34
P390174		<10	<1	0.20	20	0.03	90	3	<0.01	14	300	4	0.07	5	3	19
P390175		<10	<1	0.24	20	0.07	64	1	<0.01	15	240	7	0.08	5	2	14
P390177		<10	<1	0.30	20	0.09	92	2	<0.01	24	250	5	0.07	2	2	12
P390178		<10	<1	0.20	30	0.09	164	2	<0.01	26	240	5	0.05	<2	4	6
P390179		<10	<1	0.32	20	0.26	68	3	0.01	19	390	3	0.11	<2	3	11
P390180		<10	<1	0.35	30	0.17	77	2	<0.01	15	380	2	0.16	3	3	22
P390181		<10	<1	0.41	30	0.30	69	2	<0.01	15	220	3	0.09	2	3	12
P390182		10	1	0.60	30	0.65	110	1	0.04	20	320	2	0.26	<2	5	14
P390183		10	<1	0.77	50	0.62	89	1	0.01	20	280	3	0.10	<2	3	14
P390184		<10	<1	0.17	20	0.29	71	2	0.03	17	370	5	1.83	2	3	10
P390185		10	<1	0.61	30	0.54	83	2	0.03	21	410	<2	0.52	<2	5	21
P390187		10	<1	0.47	40	0.51	150	2	0.02	29	430	3	0.59	4	5	19
P390188		10	<1	0.73	30	0.72	114	2	0.02	31	290	3	0.65	<2	4	8
P390189		10	<1	0.43	30	0.79	128	3	0.03	25	340	11	1.48	<2	4	20
P390190		10	<1	0.55	30	1.01	112	2	0.07	26	410	<2	1.38	3	7	23
P390191		<10	<1	0.07	<10	9.10	158	1	0.04	9	300	6	<0.01	<2	1	321
P390192		10	<1	0.89	30	1.06	148	2	0.10	28	580	4	0.82	3	7	32
P390193		10	<1	0.61	30	0.88	88	2	0.07	23	350	3	0.69	3	7	21
P390194		10	1	0.71	30	0.92	120	2	0.05	28	320	3	0.81	3	6	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 31-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04046150

Sample Description	Method Analyte Units LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P390159		<0.01	<10	<10	9	<10	17
P390160		<0.01	<10	<10	4	<10	15
P390161		0.01	<10	<10	21	<10	15
P390162		<0.01	<10	<10	18	<10	21
P390163		<0.01	<10	<10	9	<10	17
P390164		<0.01	<10	<10	11	<10	15
P390165		<0.01	<10	<10	28	<10	18
P390166		<0.01	<10	<10	61	<10	31
P390167		0.03	<10	<10	15	<10	21
P390168		<0.01	<10	<10	58	<10	32
P390169		<0.01	<10	<10	20	<10	28
P390170		<0.01	<10	<10	19	<10	22
P390171		<0.01	<10	<10	14	<10	9
P390172		<0.01	<10	<10	25	<10	36
P390173		<0.01	<10	<10	14	<10	45
P390174		<0.01	<10	<10	11	<10	32
P390175		0.01	<10	<10	11	<10	85
P390177		0.01	<10	<10	12	<10	26
P390178		0.01	<10	<10	17	<10	22
P390179		0.02	<10	<10	23	<10	12
P390180		0.02	<10	<10	20	<10	12
P390181		0.04	<10	<10	20	<10	14
P390182		0.07	<10	<10	35	<10	12
P390183		0.08	<10	<10	26	<10	16
P390184		0.01	<10	<10	22	60	8
P390185		0.06	<10	<10	34	<10	9
P390187		0.02	<10	<10	34	<10	15
P390188		0.07	<10	<10	30	<10	12
P390189		0.03	<10	<10	34	<10	66
P390190		0.06	<10	<10	47	<10	11
P390191		0.03	<10	<10	16	<10	19
P390192		0.13	<10	<10	54	<10	19
P390193		0.07	<10	<10	45	<10	13
P390194		0.06	<10	<10	41	<10	13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: **GOLDEN REVENUE PROJECT**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-JUL-2004
Account: GOLREV

CERTIFICATE VA04045200

Project:

P.O. No.:

This report is for 50 Crushed Rock samples submitted to our lab in Vancouver, BC, Canada on 16-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04045200

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
P396101R		2.14	0.231		1.9	1.11	132	<10	80	<0.5	8	0.56	<0.5	2	24	310
P396102R		5.16	1.095		1.7	2.28	128	<10	130	<0.5	35	0.37	<0.5	20	43	1160
P396103R		5.16	0.772		0.5	2.07	28	<10	120	0.8	13	0.49	<0.5	18	65	285
P396104R		1.04	1.795		4.2	1.28	9150	<10	30	0.8	266	0.07	<0.5	5	32	4380
P396105R		4.08	0.164		0.3	1.91	194	<10	50	<0.5	16	0.31	<0.5	15	32	234
P396106R		1.54	0.139		0.2	0.97	260	<10	20	0.8	17	0.28	0.8	22	14	192
P396107R		4.36	0.027		<0.2	0.63	343	<10	120	<0.5	4	0.01	<0.5	1	75	16
P396108R		0.80	0.486		0.4	1.27	499	<10	90	0.5	74	0.02	<0.5	1	51	213
P396109R		5.36	0.870		3.1	0.70	1130	<10	100	<0.5	37	0.02	<0.5	16	39	1080
P396110R		1.90	1.450		1.7	0.97	2170	<10	50	1.3	58	0.07	0.5	9	71	609
P396111R		4.58	0.235		0.9	0.56	150	<10	80	<0.5	26	0.03	<0.5	3	73	123
P396112R		4.46	>10.0	44.1	2.6	0.88	136	<10	50	0.6	601	0.07	0.9	12	61	1035
P396113R		0.80	0.519		0.6	0.90	423	<10	110	0.5	9	0.01	<0.5	2	35	369
P396114R		6.42	0.191		<0.2	2.64	43	<10	70	<0.5	57	0.74	<0.5	18	95	233
P396115R		2.64	5.27		1.1	1.52	36	<10	50	0.8	187	0.57	<0.5	8	69	384
P396116R		3.86	0.056		0.3	0.56	130	<10	180	<0.5	6	0.05	<0.5	1	46	68
P396117R		3.12	0.362		0.7	0.74	973	<10	170	<0.5	16	0.01	<0.5	1	38	89
P396118R		2.26	0.007		0.2	0.41	10	10	30	<0.5	<2	21.1	<0.5	1	12	18
P396119R		3.54	0.219		<0.2	1.10	555	<10	40	0.6	13	0.36	<0.5	16	96	230
P396120R		4.66	1.495		1.2	1.90	1865	<10	20	0.5	32	1.29	<0.5	24	118	704
P396121R		3.40	0.023		<0.2	0.68	216	<10	30	<0.5	<2	1.82	<0.5	5	122	63
P396122R		1.86	1.095		3.0	0.37	70	<10	50	<0.5	27	1.74	<0.5	18	98	940
P396123R		5.28	0.073		0.2	0.95	89	<10	60	<0.5	21	0.10	<0.5	12	60	256
P396101P		0.22	0.288		1.7	0.93	166	<10	70	<0.5	6	0.02	<0.5	5	7	311
P396102P		0.24	1.035		1.6	2.27	125	<10	120	<0.5	37	0.32	0.5	21	18	1280
P396103P		0.20	0.441		0.3	1.90	33	<10	100	0.9	12	0.40	<0.5	19	40	302
P396104P		0.18	1.930		4.4	0.88	9790	<10	30	0.7	296	0.03	<0.5	5	15	4930
P396105P		0.22	0.250		<0.2	1.70	168	<10	50	<0.5	4	0.28	<0.5	17	13	223
P396106P		0.18	0.143		<0.2	0.76	268	<10	20	0.7	16	0.25	0.6	23	4	195
P396107P		0.20	0.134		<0.2	0.39	414	<10	90	<0.5	3	0.01	<0.5	1	8	17
P396108P		0.22	0.672		0.4	0.73	498	<10	80	<0.5	79	0.03	<0.5	1	19	211
P396109P		0.24	1.065		3.2	0.49	1130	<10	60	<0.5	45	0.02	<0.5	17	3	1145
P396110P		0.24	>10.0	25.0	2.3	0.82	134	<10	40	0.6	636	0.07	0.9	12	11	947
P396111P		0.22	1.105		2.8	0.79	2220	<10	40	1.2	54	0.07	<0.5	9	10	615
P396112AP		0.16	0.362		0.8	0.48	150	<10	70	<0.5	20	0.03	<0.5	3	4	118
P396112BP		0.16	>10.0	27.3	1.5	0.83	136	<10	40	0.6	577	0.07	1.0	12	14	1010
P396113P		0.20	0.302		0.5	0.53	410	<10	110	<0.5	10	0.01	<0.5	2	5	360
P396114P		0.22	0.332		<0.2	2.58	51	<10	70	<0.5	52	0.82	<0.5	20	74	244
P396115P		0.20	3.76		0.8	1.40	41	<10	40	0.8	175	0.52	<0.5	8	50	400
P396116P		0.16	0.060		0.4	0.54	156	<10	170	<0.5	7	0.05	<0.5	1	10	76

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04045200

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
P396101R		5.90	10	2	0.86	20	0.55	113	3	0.07	7	580	15	0.89	5	13
P396102R		4.98	10	1	1.44	10	1.93	226	1	0.06	35	1170	15	1.52	4	16
P396103R		5.23	10	<1	0.80	20	1.37	393	2	0.05	21	700	6	1.25	2	11
P396104R		5.83	<10	1	0.52	20	0.16	55	5	0.02	16	750	158	0.70	36	27
P396105R		5.30	10	2	0.69	10	1.54	204	1	0.05	9	530	7	1.71	7	15
P396106R		4.86	<10	1	0.12	10	0.42	546	1	0.01	10	510	7	1.68	8	14
P396107R		1.08	<10	<1	0.30	20	0.01	8	4	0.01	1	160	2	0.31	3	1
P396108R		4.79	<10	2	0.37	60	0.08	17	9	0.06	5	490	6	0.51	6	5
P396109R		1.27	<10	1	0.12	20	0.02	24	1	0.02	5	80	<2	0.96	11	2
P396110R		3.00	<10	1	0.27	20	0.04	42	3	0.01	17	540	4	1.04	42	3
P396111R		1.66	<10	<1	0.22	30	0.02	35	4	0.03	7	230	5	0.11	13	1
P396112R		2.76	10	<1	0.25	20	0.54	97	1	0.04	12	310	13	0.90	6	7
P396113R		7.25	<10	<1	0.77	10	0.02	25	1	0.02	3	430	31	1.26	10	6
P396114R		5.88	10	<1	1.66	20	2.60	283	<1	0.06	21	590	3	1.58	<2	16
P396115R		2.78	10	<1	0.61	30	0.93	181	3	0.05	22	820	45	0.81	3	10
P396116R		2.03	<10	<1	0.51	30	0.03	6	2	<0.01	3	110	9	0.67	5	3
P396117R		3.37	<10	<1	0.41	30	0.06	30	3	<0.01	3	270	10	0.66	7	4
P396118R		0.34	<10	<1	0.04	<10	10.15	147	1	0.02	2	250	4	<0.01	<2	1
P396119R		4.45	10	<1	0.26	10	0.73	318	1	0.03	19	680	3	1.66	2	5
P396120R		7.00	10	1	0.67	10	2.19	320	<1	0.05	39	450	3	2.73	2	14
P396121R		2.54	<10	<1	0.14	20	0.79	206	3	<0.01	16	210	5	0.87	4	5
P396122R		5.52	<10	<1	0.16	10	0.68	204	1	<0.01	15	480	2	2.54	5	11
P396123R		1.91	<10	<1	0.28	20	0.35	78	1	0.04	10	160	20	0.09	2	3
P396101P		5.79	10	<1	0.82	20	0.48	45	4	0.06	85	550	2	0.78	3	12
P396102P		5.07	10	1	1.50	10	2.07	231	<1	0.05	36	1280	10	1.60	<2	15
P396103P		5.59	10	<1	0.81	20	1.35	448	3	0.03	34	670	3	1.26	2	10
P396104P		5.65	<10	1	0.45	20	0.10	38	5	0.01	16	780	166	0.69	39	25
P396105P		5.00	10	<1	0.67	10	1.49	205	1	0.03	14	490	2	1.62	3	12
P396106P		4.59	<10	<1	0.11	10	0.35	536	1	<0.01	11	530	3	1.54	8	13
P396107P		1.03	<10	<1	0.25	20	0.01	10	3	<0.01	10	150	5	0.30	<2	1
P396108P		4.63	<10	<1	0.31	50	0.07	20	10	0.06	5	510	3	0.52	4	4
P396109P		1.25	<10	<1	0.09	20	0.02	26	1	0.01	12	70	2	0.95	10	2
P396110P		2.65	<10	<1	0.24	20	0.52	91	1	0.03	10	300	12	0.88	6	6
P396111P		2.90	<10	<1	0.22	10	0.03	37	2	0.01	17	560	3	0.98	40	3
P396112AP		1.56	<10	<1	0.19	20	0.02	37	4	0.03	16	210	5	0.11	11	1
P396112BP		2.75	<10	<1	0.24	20	0.53	95	1	0.02	13	310	11	0.90	6	6
P396113P		7.13	<10	<1	0.70	10	0.01	22	1	0.02	2	420	31	1.22	11	5
P396114P		6.01	10	<1	1.68	10	2.55	290	1	0.05	24	570	2	1.74	<2	16
P396115P		2.81	10	<1	0.60	30	0.88	180	3	0.03	22	820	51	0.84	4	9
P396116P		2.38	<10	<1	0.52	20	0.04	11	1	<0.01	3	110	12	0.73	5	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

D: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04045200

Sample Description	Method Analyte Units LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396101R		19	0.07	<10	<10	91	<10	25
P396102R		7	0.18	<10	<10	124	<10	32
P396103R		11	0.11	10	<10	103	<10	26
P396104R		26	0.01	10	10	31	<10	20
P396105R		7	0.10	<10	<10	117	<10	18
P396106R		5	<0.01	<10	<10	58	<10	43
P396107R		6	<0.01	<10	<10	4	<10	<2
P396108R		45	<0.01	<10	<10	41	<10	6
P396109R		6	<0.01	<10	<10	1	<10	13
P396110R		23	<0.01	<10	20	22	<10	45
P396111R		11	<0.01	<10	<10	6	<10	90
P396112R		6	0.02	<10	<10	12	<10	52
P396113R		18	<0.01	<10	<10	32	<10	44
P396114R		19	0.19	<10	10	133	<10	25
P396115R		19	0.05	<10	<10	95	<10	25
P396116R		26	<0.01	<10	<10	9	<10	6
P396117R		14	<0.01	<10	10	19	<10	23
P396118R		320	0.02	<10	10	9	<10	16
P396119R		12	0.01	<10	<10	41	<10	48
P396120R		43	0.07	<10	10	91	<10	32
P396121R		45	<0.01	<10	10	24	<10	15
P396122R		37	<0.01	<10	<10	67	<10	28
P396123R		8	0.02	<10	<10	13	<10	63
P396101P		16	0.06	<10	10	85	<10	20
P396102P		5	0.19	<10	<10	128	<10	35
P396103P		9	0.10	<10	10	101	<10	29
P396104P		26	0.01	10	10	25	<10	23
P396105P		5	0.09	<10	<10	109	<10	21
P396106P		4	<0.01	<10	<10	54	<10	43
P396107P		6	<0.01	<10	<10	3	<10	<2
P396108P		46	<0.01	<10	10	36	<10	6
P396109P		5	<0.01	<10	<10	1	<10	14
P396110P		5	0.02	<10	<10	12	<10	50
P396111P		25	<0.01	<10	20	20	<10	46
P396112AP		9	<0.01	<10	<10	5	<10	78
P396112BP		5	0.02	<10	<10	13	<10	52
P396113P		18	<0.01	<10	<10	26	<10	42
P396114P		18	0.18	<10	<10	128	<10	25
P396115P		17	0.05	<10	<10	94	<10	23
P396116P		27	<0.01	10	<10	10	<10	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04045200

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.05	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
P396117P		0.20	0.461		0.4	0.65	876	<10	160	<0.5	14	0.01	<0.5	1	5	93
P396118P		0.22	<0.005		<0.2	0.44	10	10	30	<0.5	<2	21.0	<0.5	1	6	16
P396119P		0.22	0.207		<0.2	0.97	272	<10	20	0.7	9	0.35	<0.5	14	42	209
P396120P		0.22	1.340		0.7	1.60	3010	<10	20	<0.5	36	1.34	<0.5	27	76	740
P396121P		0.22	0.020		<0.2	0.41	230	<10	20	<0.5	<2	1.58	<0.5	4	13	54
P396122P		0.24	2.52		1.9	0.35	62	<10	40	<0.5	21	1.68	<0.5	16	31	763
P396123P		0.22	0.091		0.4	0.86	97	<10	60	<0.5	27	0.08	0.5	11	5	262
P396124P		0.20	0.342		1.4	1.36	184	<10	20	0.6	38	0.28	<0.5	33	48	1170
P396125P		0.24	<0.005		<0.2	0.30	9	10	30	<0.5	<2	21.9	<0.5	2	5	306
P396126P		0.24	0.214		0.8	1.94	51	<10	20	0.6	5	0.28	<0.5	16	46	812

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04045200

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
P396117P		3.55	<10	<1	0.37	20	0.06	30	2	<0.01	2	270	10	0.65	7	4
P396118P		0.36	<10	<1	0.04	<10	9.97	143	1	0.02	3	270	5	<0.01	<2	1
P396119P		4.70	10	<1	0.22	10	0.77	407	<1	0.01	16	630	3	1.50	<2	6
P396120P		6.79	10	<1	0.56	10	2.08	294	1	0.03	36	420	4	2.72	4	12
P396121P		2.15	<10	<1	0.09	20	0.69	184	1	<0.01	10	190	4	0.73	4	5
P396122P		5.07	<10	<1	0.13	10	0.66	196	1	0.01	12	470	3	2.27	5	10
P396123P		2.04	<10	<1	0.24	20	0.31	72	1	0.05	10	140	22	0.09	4	3
P396124P		6.74	10	<1	0.47	20	0.90	257	2	0.01	19	670	2	2.86	11	16
P396125P		0.83	<10	<1	0.03	<10	9.41	122	1	0.02	8	210	5	<0.01	2	1
P396126P		6.27	10	<1	1.06	20	1.70	229	1	0.02	22	400	<2	2.14	4	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 29-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04045200

Sample Description	Method Analyte Units LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396117P		13	<0.01	<10	10	19	<10	24
P396118P		318	0.02	<10	10	9	<10	16
P396119P		9	0.01	<10	<10	41	<10	69
P396120P		44	0.06	<10	<10	80	<10	30
P396121P		37	<0.01	<10	10	20	<10	14
P396122P		36	<0.01	<10	<10	61	<10	24
P396123P		7	0.02	<10	<10	12	<10	61
P396124P		5	0.04	<10	<10	103	<10	27
P396125P		324	0.02	<10	<10	9	<10	17
P396126P		6	0.13	<10	<10	94	<10	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

CERTIFICATE VA04044163

Project: Golden Revenue

P.O. No.:

This report is for 72 Rock samples submitted to our lab in Vancouver, BC, Canada on 13-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Cu-AA46	Ore grade Cu - aqua regia/AA	AAS
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

DN04-03

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04044163

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
P396233		5.56	0.439			0.4	0.35	334	<10	50	<0.5	12	0.04	<0.5	1	95
P396234		5.18	0.228			0.3	0.38	1010	<10	70	<0.5	8	0.03	<0.5	<1	100
P396235		6.52	0.158			0.8	0.44	361	<10	130	<0.5	8	0.03	<0.5	1	79
P396236		8.62	0.160			0.5	0.43	81	<10	100	<0.5	17	0.02	<0.5	<1	84
P396237		8.36	0.217			0.6	0.45	30	<10	70	<0.5	13	0.02	<0.5	2	126
P396238		6.88	2.43			2.5	0.59	370	<10	90	<0.5	234	0.02	<0.5	1	60
P396239		6.06	0.564			1.2	0.96	121	<10	30	<0.5	130	0.02	<0.5	<1	73
P396240		6.24	0.288			0.6	0.94	117	<10	70	0.5	36	0.01	<0.5	1	48
P396241		5.12	<0.005			<0.2	0.42	3	10	50	<0.5	<2	24.4	<0.5	<1	15
P396242		6.26	0.453			1.0	0.83	146	<10	120	0.5	20	0.03	<0.5	1	60
P396243		7.28	0.792			1.7	0.77	321	<10	270	<0.5	26	0.04	<0.5	4	80
P396244		6.06	0.192			0.7	0.50	155	<10	90	<0.5	24	0.01	<0.5	<1	65
P396246		7.06	0.746			1.0	0.67	123	<10	70	<0.5	16	0.01	<0.5	1	102
P396247		6.94	0.918			1.0	0.56	59	<10	50	<0.5	25	0.01	<0.5	<1	59
P396248		5.62	0.196			0.5	1.54	30	<10	140	<0.5	15	0.02	<0.5	1	52
P396249		7.88	0.246			0.5	0.87	33	<10	130	<0.5	7	0.02	<0.5	1	42
P396250		7.84	0.808			0.3	1.20	202	<10	100	0.5	18	0.02	<0.5	1	47
P396251		7.20	0.276			0.7	2.11	876	<10	190	0.6	41	0.01	<0.5	2	48
P396252		8.32	0.336			0.7	1.58	63	<10	170	0.5	17	0.01	<0.5	3	34
P396253		7.36	0.113			0.7	1.76	112	<10	40	0.5	8	0.02	<0.5	2	58
P396254		6.54	0.132			0.6	0.85	83	<10	50	<0.5	5	0.01	<0.5	1	50
P396255		6.86	0.348			0.6	0.93	151	<10	50	0.6	23	0.02	<0.5	1	34
P390106		8.74	0.547			1.0	1.95	14	<10	60	0.5	35	0.35	<0.5	24	36
P390107		2.76	3.46			17.0	1.77	143	<10	20	1.5	410	0.12	2.0	47	34
P390108		3.68	3.08			18.7	1.95	366	<10	30	1.9	85	0.17	1.1	67	19
P390109		3.00	1.095			10.2	1.50	1170	<10	30	1.6	44	0.06	<0.5	40	23
P390110		7.60	0.135			1.6	0.56	2900	<10	20	<0.5	12	0.04	1.4	47	19
P390111		6.58	0.310			0.3	2.09	134	<10	20	0.8	41	0.31	1.4	30	58
P390112		6.64	0.236			0.2	2.49	14	<10	30	<0.5	22	0.43	<0.5	38	30
P390113		5.28	0.013			<0.2	0.36	11	10	30	<0.5	<2	24.7	<0.5	1	9
P390114		6.52	0.680			0.4	3.17	27	<10	40	<0.5	10	0.31	<0.5	21	52
P390115		6.28	>10.0		33.4	1.2	3.00	211	<10	40	0.5	126	0.27	0.6	25	66
P390117		6.62	0.834			1.3	2.69	190	<10	30	<0.5	58	0.45	1.0	31	58
P390118		8.78	1.435			1.0	3.10	595	<10	40	<0.5	36	0.45	<0.5	30	60
P390119		6.22	0.358			0.3	2.93	608	<10	50	<0.5	6	0.73	<0.5	21	77
P390120		8.10	0.632			0.5	2.51	718	<10	40	<0.5	29	0.69	<0.5	26	35
P390121		8.18	0.289			0.2	2.24	177	<10	30	0.5	20	0.64	<0.5	25	31
P390122		6.72	0.693			0.2	3.12	144	<10	110	<0.5	28	0.29	<0.5	19	68
P390123		8.46	0.093			0.3	2.87	35	<10	100	<0.5	26	0.51	<0.5	22	43
P390124		6.32	0.063			<0.2	3.17	18	<10	100	<0.5	<2	0.55	<0.5	23	44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04044163

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
P396233		45	0.93	<10	<1	0.14	20	0.02	13	2	0.01	3	100	10	0.07	5
P396234		69	1.86	<10	<1	0.14	20	0.01	14	1	<0.01	4	280	5	0.06	8
P396235		89	2.60	<10	<1	0.27	40	0.02	9	4	<0.01	2	370	5	0.32	14
P396236		88	2.10	<10	<1	0.22	20	0.01	16	2	<0.01	4	170	8	0.26	5
P396237		76	1.59	<10	<1	0.20	20	0.02	23	3	0.01	6	100	8	0.12	4
P396238		227	3.70	<10	<1	0.35	20	0.04	36	1	<0.01	4	510	10	0.42	10
P396239		305	2.50	<10	<1	0.19	10	0.09	11	1	<0.01	6	630	8	0.28	4
P396240		330	3.12	<10	<1	0.16	20	0.09	10	1	<0.01	4	600	5	0.20	7
P396241		40	0.58	<10	<1	0.06	<10	10.20	146	1	0.03	12	260	7	<0.01	2
P396242		587	4.21	<10	<1	0.15	10	0.09	24	1	<0.01	5	690	5	0.18	4
P396243		287	3.56	<10	<1	0.30	20	0.04	57	1	<0.01	5	430	9	0.42	5
P396244		78	1.09	<10	<1	0.22	20	0.02	7	2	<0.01	2	180	6	0.25	9
P396246		126	2.24	<10	1	0.37	30	0.06	12	2	<0.01	5	270	6	0.42	11
P396247		79	1.28	<10	<1	0.23	20	0.06	8	2	<0.01	7	130	5	0.26	8
P396248		279	2.01	10	<1	0.51	30	0.53	38	4	<0.01	8	280	19	0.20	4
P396249		300	2.40	<10	<1	0.30	20	0.20	18	2	0.02	5	360	5	0.33	8
P396250		432	3.75	10	1	0.41	20	0.36	28	2	0.04	6	1150	3	0.52	16
P396251		522	4.35	10	<1	0.77	20	0.78	62	13	0.03	10	570	5	0.36	41
P396252		689	5.36	10	<1	0.77	10	0.69	89	1	0.03	7	440	5	0.48	10
P396253		538	4.51	10	1	0.67	20	0.71	37	1	0.03	4	370	7	0.59	6
P396254		199	2.71	<10	<1	0.50	20	0.33	23	1	0.02	4	320	6	0.45	9
P396255		428	3.35	<10	<1	0.37	30	0.22	23	1	0.02	7	570	8	0.49	11
P390106		653	5.72	10	1	1.11	40	1.66	281	4	0.03	16	1210	21	1.86	8
P390107		>10000	4.91	10	<1	0.50	10	0.58	54	3	<0.01	59	750	13	4.07	24
P390108		>10000	5.66	<10	1	0.27	10	0.18	21	1	<0.01	83	1310	9	5.09	29
P390109		>10000	4.48	<10	<1	0.17	10	0.04	25	2	<0.01	86	1020	15	3.16	53
P390110		3360	3.48	<10	2	0.12	10	0.01	6	1	<0.01	41	370	38	3.81	152
P390111		1635	7.13	10	<1	0.76	10	1.57	325	1	0.03	35	960	7	1.74	9
P390112		417	7.65	10	1	1.10	10	2.00	512	1	0.06	26	1010	6	2.28	3
P390113		64	0.52	<10	1	0.03	<10	10.65	138	1	0.03	9	320	10	<0.01	<2
P390114		409	7.07	20	1	1.58	10	2.86	253	<1	0.04	26	940	9	2.05	<2
P390115		1520	6.63	10	1	1.24	10	2.59	226	1	0.03	38	890	7	2.76	3
P390117		1015	6.99	10	1	1.16	10	2.17	247	<1	0.09	35	1070	9	2.97	<2
P390118		757	7.45	10	<1	1.41	10	2.72	333	1	0.09	37	900	10	2.53	3
P390119		472	5.61	10	1	1.54	10	2.38	398	1	0.16	29	990	10	1.10	5
P390120		451	6.60	10	1	1.06	10	2.20	381	1	0.10	26	1210	9	1.92	<2
P390121		292	7.13	10	2	1.02	10	2.05	642	1	0.08	25	990	11	1.62	3
P390122		304	6.90	10	1	2.13	10	3.14	282	<1	0.02	29	950	12	1.61	3
P390123		379	6.37	10	<1	1.69	10	2.61	358	<1	0.07	26	1040	9	1.36	2
P390124		170	6.57	10	2	2.10	10	2.85	493	1	0.08	25	980	10	0.78	3

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04044163

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Cu-AA46 Cu % 0.01
P396233		1	6	<0.01	<10	<10	2	<10	5	
P396234		1	5	<0.01	<10	<10	6	<10	4	
P396235		1	16	<0.01	<10	<10	6	<10	9	
P396236		1	6	<0.01	<10	<10	2	<10	6	
P396237		1	5	<0.01	<10	<10	2	10	11	
P396238		8	12	<0.01	10	<10	28	<10	17	
P396239		13	9	<0.01	10	<10	61	10	4	
P396240		17	5	<0.01	10	<10	69	<10	5	
P396241		1	369	0.02	<10	<10	10	<10	18	
P396242		17	5	<0.01	<10	<10	84	<10	22	
P396243		9	19	<0.01	<10	<10	45	<10	52	
P396244		3	8	<0.01	10	<10	10	<10	<2	
P396246		5	12	0.01	10	<10	32	<10	9	
P396247		4	9	0.01	<10	<10	18	<10	7	
P396248		10	8	0.04	<10	<10	44	<10	8	
P396249		7	8	0.01	<10	<10	16	<10	8	
P396250		9	13	0.02	<10	<10	40	<10	87	
P396251		13	8	0.07	10	<10	61	<10	19	
P396252		12	8	0.06	<10	<10	78	<10	21	
P396253		14	9	0.04	10	<10	78	10	15	
P396254		7	5	0.03	<10	<10	36	<10	11	
P396255		11	17	0.01	<10	<10	43	<10	10	
P390106		15	8	0.12	<10	<10	130	<10	25	
P390107		9	9	0.04	10	10	55	10	85	1.29
P390108		8	27	0.01	10	20	46	10	107	2.62
P390109		6	39	<0.01	10	20	19	10	88	1.69
P390110		2	14	<0.01	30	10	4	<10	56	
P390111		21	9	0.06	10	<10	164	<10	37	
P390112		20	10	0.15	10	<10	189	<10	51	
P390113		1	417	0.02	<10	<10	11	<10	20	
P390114		23	6	0.16	10	<10	201	10	27	
P390115		19	6	0.13	10	<10	166	<10	26	
P390117		19	20	0.13	<10	<10	168	<10	39	
P390118		23	16	0.18	10	<10	201	10	45	
P390119		17	19	0.24	<10	<10	168	<10	48	
P390120		18	13	0.19	10	<10	184	<10	34	
P390121		17	13	0.13	10	<10	156	<10	56	
P390122		22	5	0.21	<10	<10	202	<10	30	
P390123		21	10	0.24	10	<10	215	<10	37	
P390124		18	11	0.27	<10	<10	208	<10	56	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04044163

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
P390125		6.02	0.247			0.2	2.67	2290	<10	80	0.6	10	0.39	0.8	29	40
P390126		5.54	0.465			0.4	1.52	1555	<10	40	<0.5	8	0.31	<0.5	22	23
P390127		3.88	0.443			<0.2	2.93	32	<10	140	0.6	14	0.28	<0.5	17	138
P390128		8.00	0.783			0.3	2.13	53	<10	20	0.5	66	0.39	<0.5	28	94
P390129		7.22	0.717			1.5	3.19	284	<10	60	0.9	148	0.45	<0.5	39	330
P390130		6.78	0.384			0.4	1.46	282	<10	60	0.5	65	0.42	<0.5	36	49
P390131		7.78	0.313			0.2	1.52	59	<10	30	<0.5	41	0.43	<0.5	23	25
P390132		5.46	0.439			1.1	1.26	147	<10	20	0.6	137	0.20	1.0	27	14
P390133		7.24	0.519			0.7	1.58	108	<10	30	0.6	41	0.26	0.5	23	40
P390134		6.80	0.154			0.2	0.27	52	<10	10	<0.5	23	0.01	<0.5	7	20
P390135		4.74	0.793			1.3	1.86	103	<10	30	0.9	59	0.24	1.4	32	37
P390137		7.38	0.338			0.3	3.40	14	<10	80	0.6	52	0.96	<0.5	26	39
P390138		5.56	<0.005	<0.005		<0.2	0.37	7	10	30	<0.5	<2	23.8	<0.5	1	10
P390139		8.38	0.317			0.6	2.29	12	<10	30	0.7	23	0.98	<0.5	30	28
P390140		8.92	0.644			1.4	3.33	13	<10	60	0.7	63	0.80	<0.5	28	38
P390141		6.00	0.231			0.8	0.94	24	<10	30	<0.5	75	0.20	<0.5	16	32
P390142		7.52	2.34			0.8	0.50	117	<10	40	<0.5	26	0.19	<0.5	15	28
P390143		7.24	0.154			0.2	1.24	31	<10	70	<0.5	4	0.21	<0.5	13	33
P390144		7.92	0.090			0.6	1.82	22	<10	150	<0.5	12	0.30	<0.5	16	48
P390145		7.26	0.118			0.4	3.03	12	<10	140	0.5	10	0.42	<0.5	20	44
P390146		8.50	0.678			0.8	0.86	1030	<10	30	0.5	18	0.06	<0.5	31	24
P390147		5.70	0.218			2.6	0.63	1135	<10	20	0.6	31	0.06	0.5	21	11
P390148		6.94	0.295			0.5	1.62	207	<10	20	1.0	71	0.32	<0.5	21	33
P390149		4.02	0.562			0.5	1.06	359	<10	20	0.7	27	0.25	<0.5	14	41
P390150		6.70	0.408			0.2	1.09	37	<10	30	0.8	27	0.59	<0.5	16	86
P390151		6.96	0.035			<0.2	0.92	98	<10	20	0.9	6	0.59	<0.5	17	44
P390152		8.44	0.096			0.5	1.08	29	<10	30	0.7	11	0.32	<0.5	15	35
P390154		8.86	0.280			0.4	0.50	9	<10	80	0.5	11	0.17	<0.5	6	31
P390155		8.56	0.355			1.3	1.50	177	<10	70	<0.5	6	0.28	<0.5	17	27
P390156		5.42	<0.005	<0.005		<0.2	0.40	13	10	40	<0.5	<2	23.6	<0.5	<1	10
P390157		7.68	0.204			0.5	2.02	20	<10	70	<0.5	11	0.32	<0.5	16	27
P390158		6.36	0.168			2.5	0.95	21	<10	50	<0.5	30	0.34	<0.5	10	27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04044163

Sample Description	Method Analyte Units LOR	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2
P390125		529	6.68	10	2	1.60	10	2.62	475	<1	0.03	25	960	5	1.27	6
P390126		313	4.96	10	<1	0.65	10	1.52	336	<1	0.02	16	960	5	1.24	9
P390127		134	5.99	10	<1	1.94	10	3.13	443	1	0.01	59	820	8	0.83	3
P390128		375	7.16	10	<1	0.69	10	2.13	500	<1	0.01	50	1260	7	2.37	5
P390129		1365	9.31	10	<1	1.85	10	3.11	705	1	0.01	112	1210	10	2.61	6
P390130		549	5.99	10	<1	0.64	10	1.50	410	2	0.01	43	1360	10	2.22	8
P390131		368	5.17	10	<1	0.58	10	1.32	271	2	0.02	21	1490	7	2.05	7
P390132		3100	2.23	<10	<1	0.27	20	0.55	134	1	<0.01	28	890	10	1.24	9
P390133		874	4.37	10	<1	0.82	30	1.36	194	1	0.02	22	1060	8	1.66	8
P390134		526	0.56	<10	1	0.05	10	0.02	6	3	<0.01	7	60	8	0.52	8
P390135		1445	5.03	10	1	0.76	20	1.20	323	2	0.01	44	660	12	1.98	8
P390137		449	7.21	10	2	1.53	<10	2.58	686	1	0.12	45	590	12	1.68	4
P390138		17	0.38	<10	<1	0.04	<10	10.05	133	1	0.03	10	320	9	<0.01	3
P390139		723	8.46	10	1	0.71	10	1.76	1025	1	0.10	42	780	9	2.16	4
P390140		1145	8.97	10	<1	2.21	<10	3.31	850	1	0.08	56	880	17	1.89	10
P390141		418	4.01	<10	1	0.44	40	0.91	313	<1	0.01	17	420	7	1.34	6
P390142		552	3.85	<10	<1	0.18	40	0.48	372	1	<0.01	10	410	3	1.19	9
P390143		219	4.51	10	<1	0.73	30	1.21	436	1	<0.01	11	450	9	1.00	3
P390144		492	5.18	10	<1	1.02	20	1.70	354	1	0.02	16	850	10	1.46	3
P390145		384	6.70	10	<1	2.21	10	3.01	384	2	0.03	19	1480	12	1.44	3
P390146		1705	1.56	<10	1	0.15	10	0.02	7	2	<0.01	47	530	11	1.43	86
P390147		2140	2.28	<10	1	0.10	10	0.02	7	2	<0.01	27	480	7	2.15	55
P390148		438	5.54	10	1	0.76	60	1.34	457	2	<0.01	28	820	8	2.01	10
P390149		264	3.16	10	1	0.26	40	0.71	242	1	<0.01	20	460	7	1.14	7
P390150		384	6.06	10	<1	0.34	20	1.06	683	1	0.02	38	1310	15	1.92	<2
P390151		210	5.30	<10	<1	0.07	10	0.69	553	1	<0.01	33	1120	8	1.49	11
P390152		448	4.54	10	2	0.22	10	0.95	289	1	0.03	15	390	7	1.88	4
P390154		308	2.40	<10	1	0.13	70	0.26	120	1	0.03	2	250	7	0.99	2
P390155		945	5.00	10	1	0.61	20	1.30	180	1	0.03	7	560	7	2.13	3
P390156		16	0.48	<10	<1	0.06	<10	10.25	153	1	0.03	9	300	9	<0.01	<2
P390157		595	5.75	10	1	0.66	10	1.87	166	1	0.04	8	520	7	2.31	<2
P390158		1340	4.00	10	1	0.27	50	0.88	196	1	0.03	6	420	6	1.60	2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Finalized Date: 2-AUG-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04044163

Sample Description	Method Analyte Units LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2	Cu-AA46 Cu % 0.01
P390125		19	7	0.15	10	<10	180	<10	51	
P390126		11	5	0.06	<10	<10	93	<10	29	
P390127		15	5	0.16	10	<10	98	<10	42	
P390128		15	5	0.06	<10	<10	93	<10	41	
P390129		23	7	0.16	10	<10	152	<10	48	
P390130		13	6	0.06	10	<10	78	<10	24	
P390131		13	6	0.05	10	<10	73	<10	20	
P390132		8	6	0.02	<10	10	36	<10	11	
P390133		10	6	0.08	10	<10	66	<10	19	
P390134		1	3	<0.01	<10	10	1	<10	4	
P390135		14	7	0.09	<10	<10	89	<10	54	
P390137		17	33	0.15	10	<10	128	<10	53	
P390138		1	354	0.02	<10	<10	12	<10	18	
P390139		17	32	0.11	10	<10	127	<10	69	
P390140		24	16	0.19	10	<10	166	<10	63	
P390141		6	5	0.03	10	<10	25	<10	19	
P390142		4	5	0.01	<10	<10	14	<10	13	
P390143		9	5	0.06	10	<10	51	<10	30	
P390144		11	7	0.12	<10	<10	73	<10	32	
P390145		19	8	0.27	10	<10	149	<10	33	
P390146		2	21	<0.01	10	10	6	<10	25	
P390147		2	30	<0.01	10	10	8	<10	22	
P390148		14	6	0.04	<10	<10	96	<10	30	
P390149		6	8	0.01	<10	<10	51	<10	25	
P390150		9	15	0.06	<10	<10	73	<10	41	
P390151		10	11	0.04	<10	<10	75	<10	41	
P390152		11	9	0.06	<10	<10	88	10	24	
P390154		2	8	<0.01	<10	<10	9	<10	12	
P390155		13	9	0.07	10	<10	78	10	18	
P390156		1	342	0.03	<10	<10	14	<10	18	
P390157		19	9	0.14	10	<10	142	10	17	
P390158		9	9	0.05	<10	<10	66	10	22	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 30-JUL-2004
Account: GOLREV

CERTIFICATE VA04043790

Project: Assay Check

P.O. No.:

This report is for 8 Crushed Rock samples submitted to our lab in Vancouver, BC, Canada on 16-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Assay Check

Finalized Date: 30-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04043790

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
P389880R		4.40	<0.005	<0.2	0.37	6	10	40	<0.5	<2	21.2	<0.5	2	14	18	0.51
P389881R		4.12	0.005	0.3	0.37	10	10	40	<0.5	<2	22.2	<0.5	2	11	68	0.44
P389882R		4.38	<0.005	0.2	0.40	4	10	50	<0.5	<2	21.7	<0.5	1	11	15	0.39
P389883R		3.36	<0.005	0.2	0.48	7	10	60	<0.5	<2	21.9	<0.5	1	12	14	0.44
P389880P		0.28	<0.005	0.2	0.33	4	10	40	<0.5	<2	20.6	<0.5	2	6	14	0.57
P389881P		0.30	<0.005	<0.2	0.34	9	10	30	<0.5	<2	20.5	<0.5	1	6	43	0.40
P389882P		0.28	<0.005	0.2	0.35	6	10	40	<0.5	<2	20.7	<0.5	2	6	13	0.37
P389883P		0.30	<0.005	0.3	0.40	4	10	50	<0.5	<2	20.7	<0.5	2	7	13	0.41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

**: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8**

Project: Assay Check

Finalized Date: 30-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04043790

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
P389880R		<10	<1	0.04	<10	9.72	138	1	0.03	2	260	6	<0.01	<2	1	392
P389881R		<10	<1	0.04	<10	10.00	141	<1	0.03	3	250	7	<0.01	2	1	379
P389882R		<10	<1	0.05	<10	9.56	133	1	0.03	3	260	4	<0.01	4	1	416
P389883R		<10	<1	0.06	<10	9.74	146	1	0.04	4	270	6	<0.01	2	1	369
P389880P		<10	<1	0.04	<10	9.41	138	2	0.03	3	270	8	<0.01	<2	1	363
P389881P		<10	<1	0.04	<10	9.29	132	<1	0.03	2	240	12	<0.01	3	1	344
P389882P		<10	<1	0.04	<10	9.15	124	1	0.02	2	270	9	<0.01	4	1	385
P389883P		<10	<1	0.05	<10	9.18	135	1	0.03	4	240	8	<0.01	3	1	332

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Assay Check

Finalized Date: 30-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04043790

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P389880R		0.02	<10	<10	10	<10	23
P389881R		0.02	<10	<10	8	<10	18
P389882R		0.03	<10	<10	9	<10	19
P389883R		0.02	<10	<10	11	<10	16
P389880P		0.02	<10	<10	9	<10	23
P389881P		0.02	<10	<10	8	<10	22
P389882P		0.02	<10	<10	9	<10	24
P389883P		0.02	<10	<10	9	<10	26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Date: 14-JUL-2004
Account: GOLREV

CERTIFICATE VA04042070

Project: Golden Revenue

P.O. No.:

This report is for 68 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
CRU-31	Fine crushing - 70% <2mm

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

DN04-01

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Date: 14-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04042070

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
P396127		9.02	2.96			0.9	1.18	4910	<10	70	<0.5	59	0.02	<0.5	2	65
P396128		11.18	0.296			1.3	1.75	162	<10	70	<0.5	114	0.02	<0.5	2	87
P396129		8.38	0.096			0.3	2.00	214	<10	60	0.5	22	0.02	<0.5	2	104
P396130		9.48	0.022			0.2	1.72	124	<10	90	<0.5	9	0.02	<0.5	2	97
P396131		10.28	0.113			0.3	3.10	246	<10	200	0.8	22	0.03	<0.5	5	103
P396132		10.08	0.101			0.2	2.81	536	<10	250	0.7	10	0.06	<0.5	4	126
P396133		7.86	0.393			1.0	1.98	140	<10	140	0.5	66	0.03	<0.5	1	101
P396134		6.22	1.125			0.4	1.22	504	<10	110	0.5	112	0.03	<0.5	1	79
P396135		7.80	0.611			0.3	1.38	218	<10	70	<0.5	16	0.04	<0.5	1	88
P396136		11.58	0.909			0.6	0.24	118	<10	60	<0.5	25	0.01	<0.5	1	154
P396137		11.20	0.528			0.4	0.36	1045	<10	70	<0.5	31	0.01	<0.5	1	182
P396138		11.44	0.219			0.7	0.32	79	<10	60	<0.5	29	0.01	<0.5	1	208
P396139		8.84	0.155			0.5	0.43	219	<10	80	<0.5	83	0.01	<0.5	1	170
P396140		8.60	0.766			0.5	1.31	161	<10	70	<0.5	42	0.02	<0.5	4	96
P396141		6.46	<0.005			0.3	0.43	11	10	40	<0.5	<2	21.7	<0.5	2	16
P396142		12.82	0.431			<0.2	2.08	409	<10	50	0.9	8	0.31	1.9	16	122
P396143		12.64	0.898			0.5	1.92	1845	<10	50	0.7	29	0.10	<0.5	16	112
P396144		5.92	0.516			2.0	2.18	1340	<10	110	0.6	64	0.10	0.8	16	105
P396146		10.34	0.745			0.6	1.56	2050	<10	50	0.8	32	0.13	0.6	15	110
P396147		7.56	0.395			0.2	0.39	1140	<10	20	<0.5	13	0.04	0.8	5	122
P396148		9.82	0.642			0.4	0.48	1800	<10	30	<0.5	30	0.01	<0.5	5	140
P396149		6.64	0.178			0.2	0.45	503	<10	20	<0.5	10	0.02	0.9	4	125
P396150		7.38	0.340			0.2	0.47	1140	<10	30	<0.5	16	0.02	<0.5	5	158
P396151		4.20	0.424			0.2	0.82	1645	<10	40	0.5	20	0.03	<0.5	13	114
P396152		7.12	0.559			1.1	0.76	729	<10	30	0.6	40	0.07	0.8	10	127
P396153		7.52	0.411			0.3	0.37	1925	<10	40	<0.5	191	0.03	<0.5	13	206
P396154		9.42	0.999			0.4	0.28	1530	<10	40	<0.5	59	0.04	<0.5	9	176
P396155		13.34	1.035			1.2	2.68	1305	<10	40	0.6	162	0.18	<0.5	25	203
P396156		9.04	0.298			0.4	2.01	1420	<10	30	0.6	12	0.15	<0.5	20	148
P396157		6.92	0.698			0.6	2.10	110	<10	30	0.5	322	0.18	<0.5	17	115
P396158		9.04	1.030			0.4	2.52	101	<10	70	0.6	159	0.18	<0.5	12	154
P396159		8.06	0.355			0.5	2.78	412	<10	50	0.6	68	0.24	<0.5	18	163
P396160		9.24	0.316			0.5	2.07	222	<10	50	0.5	13	0.23	<0.5	18	108
P396161		17.04	0.897			0.4	2.09	90	<10	60	0.5	80	0.23	<0.5	17	127
P396162		7.78	0.416			0.2	1.30	26	<10	20	<0.5	9	0.16	<0.5	13	117
P396163		8.42	0.389			0.2	1.47	54	<10	40	<0.5	8	0.42	<0.5	17	151
P396165		9.60	0.347			0.2	2.00	50	<10	90	0.6	13	0.43	<0.5	16	102
P396166		8.02	<0.005			0.2	0.43	7	10	40	<0.5	<2	22.2	<0.5	1	15
P396167		8.54	0.594			<0.2	1.97	147	<10	80	0.6	22	0.23	<0.5	15	106
P396168		5.40	0.592			1.0	1.42	362	<10	10	0.9	36	0.45	<0.5	29	119

Comments: some samples show erratic Au

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Date: 14-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04042070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
P396127		282	2.35	<10	1	0.43	30	0.29	51	2	0.01	3	230	174	0.30	8
P396128		342	3.31	10	1	0.56	20	0.75	53	2	0.03	4	390	164	0.43	3
P396129		375	3.81	10	<1	0.40	20	0.99	68	1	0.03	5	460	30	0.31	<2
P396130		358	2.88	10	<1	0.47	20	0.75	63	3	0.01	5	410	35	0.34	<2
P396131		610	4.66	10	1	1.29	30	1.16	103	3	0.03	14	640	17	0.43	<2
P396132		410	3.83	10	<1	1.11	20	1.19	92	1	0.03	12	740	7	0.29	<2
P396133		369	3.75	10	<1	0.72	20	0.89	49	1	0.03	4	600	9	0.65	2
P396134		281	3.99	10	<1	0.49	10	0.45	28	1	0.02	5	720	8	0.58	8
P396135		332	3.95	10	<1	0.40	10	0.43	26	2	0.07	4	440	5	0.46	4
P396136		67	1.06	<10	<1	0.22	20	0.01	13	3	0.03	5	60	11	0.23	2
P396137		40	1.02	<10	<1	0.27	20	0.01	14	4	0.01	6	80	7	0.24	2
P396138		31	0.79	<10	<1	0.25	10	0.02	18	4	<0.01	7	50	39	0.19	<2
P396139		44	0.96	<10	<1	0.30	20	0.01	12	2	<0.01	4	80	7	0.22	2
P396140		642	3.09	10	<1	0.41	20	0.37	34	1	0.01	6	380	6	0.68	8
P396141		144	0.60	<10	<1	0.06	<10	9.42	170	1	0.04	3	270	7	<0.01	<2
P396142		652	4.22	10	1	0.41	10	0.99	168	2	0.04	27	630	2	1.52	<2
P396143		598	3.89	10	<1	0.57	30	1.21	94	3	<0.01	24	700	4	1.55	2
P396144		1175	3.92	10	<1	0.94	20	1.29	125	2	0.01	39	510	2	1.06	4
P396146		603	3.22	<10	<1	0.43	20	0.78	75	2	0.01	32	660	5	1.42	3
P396147		190	1.26	<10	<1	0.11	20	0.04	87	2	0.01	7	60	6	0.58	4
P396148		464	1.08	<10	<1	0.17	10	0.02	12	1	<0.01	5	50	6	0.90	5
P396149		410	0.79	<10	<1	0.12	10	0.03	18	2	0.01	6	60	4	0.64	6
P396150		379	0.89	<10	<1	0.13	10	0.02	19	3	<0.01	8	60	5	0.67	4
P396151		1125	1.01	<10	<1	0.17	20	0.03	14	29	<0.01	9	170	6	0.87	4
P396152		1365	1.64	<10	<1	0.17	20	0.14	78	5	<0.01	11	250	6	1.08	4
P396153		217	1.50	<10	<1	0.16	20	0.07	120	2	0.03	6	50	7	0.58	3
P396154		266	1.84	<10	<1	0.16	20	0.09	150	1	0.03	6	70	5	0.76	4
P396155		1500	8.85	10	<1	1.25	10	2.51	454	<1	0.03	55	610	4	3.84	8
P396156		400	4.97	10	<1	0.73	30	1.86	393	1	0.04	31	440	22	1.72	9
P396157		676	6.77	10	<1	0.97	20	2.04	231	3	0.03	38	650	10	3.09	3
P396158		504	6.14	10	<1	1.14	20	2.36	226	1	0.04	39	590	<2	2.07	3
P396159		656	8.32	20	1	1.20	20	2.66	372	1	0.02	48	580	2	3.43	11
P396160		708	6.36	10	<1	0.77	20	2.03	294	1	0.03	31	620	7	2.58	6
P396161		460	5.82	10	<1	0.89	20	2.01	240	2	0.04	26	570	4	2.16	2
P396162		227	3.60	10	<1	0.44	20	1.12	193	1	0.06	18	280	3	1.22	<2
P396163		248	4.55	10	<1	0.58	10	1.26	287	2	0.10	18	300	<2	1.60	<2
P396165		292	5.51	10	1	0.83	10	1.72	399	1	0.07	16	570	3	1.64	3
P396166		57	0.52	<10	<1	0.06	<10	9.51	154	1	0.04	4	280	9	<0.01	<2
P396167		194	4.58	10	<1	0.78	30	1.68	258	<1	0.03	20	540	2	1.37	2
P396168		992	5.68	10	<1	0.16	20	0.86	368	1	<0.01	36	1200	5	3.02	8

Comments: some samples show erratic Au

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Date: 14-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04042070

Sample Description	Method Analyte Units LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396127		4	11	0.01	<10	10	32	<10	27
P396128		7	13	0.04	<10	<10	69	<10	36
P396129		7	11	0.03	<10	<10	78	<10	22
P396130		6	7	0.03	<10	<10	55	<10	17
P396131		10	15	0.16	<10	<10	89	<10	35
P396132		10	24	0.16	<10	<10	79	<10	24
P396133		9	16	0.05	<10	<10	75	<10	19
P396134		6	18	0.02	<10	<10	50	<10	16
P396135		8	17	0.02	<10	<10	75	<10	19
P396136		<1	5	<0.01	<10	<10	2	<10	14
P396137		1	6	<0.01	<10	<10	2	<10	5
P396138		<1	4	<0.01	<10	<10	3	<10	4
P396139		<1	5	<0.01	<10	<10	3	<10	2
P396140		6	12	0.01	<10	<10	56	<10	32
P396141		1	356	0.02	<10	<10	9	<10	24
P396142		9	16	0.07	<10	<10	94	<10	54
P396143		8	4	0.05	<10	<10	77	<10	27
P396144		9	4	0.13	<10	<10	76	<10	32
P396146		6	5	0.04	<10	<10	44	<10	31
P396147		1	3	<0.01	<10	10	3	<10	13
P396148		<1	3	<0.01	<10	<10	1	<10	5
P396149		<1	2	<0.01	<10	10	1	<10	8
P396150		<1	2	<0.01	<10	<10	1	<10	5
P396151		1	4	<0.01	<10	10	5	<10	6
P396152		2	5	<0.01	<10	10	11	<10	14
P396153		<1	5	<0.01	<10	10	1	<10	11
P396154		1	7	<0.01	<10	10	2	<10	13
P396155		15	5	0.10	<10	<10	94	<10	35
P396156		11	6	0.07	<10	<10	73	<10	45
P396157		11	4	0.08	<10	<10	52	<10	50
P396158		13	5	0.10	<10	<10	89	<10	31
P396159		19	5	0.12	<10	<10	136	<10	38
P396160		13	5	0.08	<10	<10	107	<10	31
P396161		14	5	0.10	<10	<10	119	<10	41
P396162		8	6	0.05	<10	<10	51	<10	49
P396163		9	8	0.12	<10	<10	86	<10	39
P396165		13	9	0.14	<10	<10	105	<10	55
P396166		1	349	0.02	<10	<10	9	<10	25
P396167		11	6	0.07	<10	<10	87	<10	32
P396168		15	9	0.01	<10	<10	84	<10	26

Comments: some samples show erratic Au

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Date: 14-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04042070

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1
P396169		8.26	0.887			0.4	2.35	302	<10	60	0.8	31	0.32	<0.5	22	160
P396170		8.44	1.100			0.5	1.98	42	<10	70	<0.5	16	0.24	<0.5	18	105
P396171		8.76	0.472	0.268	0.266	<0.2	1.78	29	<10	50	<0.5	9	1.02	<0.5	15	101
P396172		9.04	0.360			<0.2	1.53	48	<10	60	0.5	6	1.38	<0.5	16	91
P396173		8.44	0.081			<0.2	0.86	443	<10	10	1.2	6	2.91	<0.5	13	60
P396174		8.60	0.368	0.668	1.045	<0.2	1.40	88	<10	40	0.5	6	1.35	<0.5	17	83
P396175		9.66	0.928			<0.2	1.58	18	<10	50	<0.5	17	1.02	<0.5	16	137
P396176		8.62	<0.005			0.2	0.42	14	10	40	<0.5	<2	22.3	<0.5	2	16
P396177		9.30	0.029			<0.2	1.90	18	<10	80	<0.5	2	1.08	<0.5	14	111
P396178		10.82	0.101			<0.2	1.88	1175	<10	30	<0.5	5	0.46	<0.5	27	66
P396179		9.92	0.280			<0.2	2.06	21	<10	40	<0.5	12	0.72	<0.5	20	124
P396181		9.06	0.079			<0.2	2.32	27	<10	50	<0.5	11	0.82	<0.5	19	108
P396182		9.00	0.185			<0.2	2.12	37	<10	40	<0.5	10	0.47	<0.5	15	143
P396183		9.88	0.178			<0.2	2.01	29	<10	30	<0.5	5	0.42	<0.5	14	116
P396184		9.26	0.154			<0.2	2.10	15	<10	40	<0.5	4	0.52	<0.5	13	110
P396185		8.08	0.082			0.2	2.54	13	<10	60	<0.5	2	0.71	<0.5	15	150
P396186		9.16	0.040			0.2	2.27	13	<10	80	<0.5	<2	0.89	<0.5	17	125
P396187		9.46	0.972			0.2	1.80	1945	<10	50	<0.5	89	1.07	<0.5	27	88
P396188		8.84	0.069			<0.2	1.98	589	<10	40	<0.5	3	1.28	<0.5	23	102
P396189		10.94	0.038			<0.2	2.61	14	<10	60	0.5	3	0.90	<0.5	23	93
P396190		4.58	0.144			<0.2	1.80	58	<10	10	1.1	3	0.20	1.5	22	76
P396191		4.48	0.194			0.2	2.43	166	<10	20	2.2	28	0.19	1.1	37	93
P396192		4.02	0.222			0.8	1.18	1255	<10	30	1.1	32	0.33	1.6	37	90
P396194		7.22	0.049			<0.2	1.77	44	<10	10	0.9	3	0.32	0.8	32	98
P396195		6.32	0.113			<0.2	2.05	18	<10	20	0.8	4	0.56	<0.5	39	100
P396196		4.98	0.096			<0.2	2.54	119	<10	10	2.0	9	0.38	1.4	31	69
P396197		4.62	<0.005			0.3	0.51	7	10	40	<0.5	<2	19.8	<0.5	3	17
P396198		10.58	0.014			<0.2	1.65	32	<10	30	0.7	<2	0.42	<0.5	23	95

Comments: some samples show erratic Au

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Date: 14-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04042070

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Cu	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	ppm	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOR	1	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
P396169		494	6.08	10	<1	0.80	10	1.92	449	1	0.03	46	460	<2	1.93	<2
P396170		486	5.64	10	<1	0.76	10	1.80	225	2	0.05	19	480	<2	2.15	<2
P396171		178	5.09	10	<1	0.70	10	1.72	308	<1	0.06	12	590	2	1.50	<2
P396172		162	4.97	10	1	0.80	10	1.48	232	1	0.06	10	490	<2	1.46	<2
P396173		118	4.84	<10	<1	0.18	10	1.30	381	<1	0.02	9	500	<2	1.34	<2
P396174		192	5.06	10	<1	0.66	10	1.40	249	2	0.06	10	510	3	1.63	2
P396175		219	5.33	10	<1	0.50	10	1.48	240	1	0.07	15	550	<2	2.04	<2
P396176		83	0.55	<10	<1	0.06	<10	9.59	148	2	0.04	5	260	5	<0.01	<2
P396177		92	4.50	10	<1	0.88	10	1.54	292	1	0.10	11	500	<2	0.93	<2
P396178		311	6.20	10	<1	0.45	10	1.54	198	<1	0.05	11	440	<2	2.67	3
P396179		249	5.64	10	1	0.60	10	1.54	237	1	0.09	12	480	4	2.09	<2
P396181		216	5.20	10	1	0.79	10	1.51	205	1	0.13	13	500	3	1.88	<2
P396182		210	4.98	10	<1	0.56	10	1.50	168	<1	0.08	10	370	3	1.78	<2
P396183		204	4.78	10	<1	0.42	10	1.39	150	1	0.07	9	390	3	1.82	2
P396184		160	4.73	10	<1	0.46	10	1.54	184	1	0.09	9	400	2	1.46	<2
P396185		146	5.09	10	1	0.73	10	1.64	212	1	0.16	9	470	<2	1.34	<2
P396186		91	4.91	10	1	0.86	10	1.50	342	1	0.17	8	450	<2	0.95	<2
P396187		138	5.26	10	<1	0.57	10	1.40	511	1	0.10	12	470	7	1.41	3
P396188		148	5.53	10	<1	0.61	10	1.61	498	<1	0.12	20	920	<2	1.46	<2
P396189		152	6.90	10	<1	1.22	10	2.34	621	1	0.14	28	460	<2	1.42	<2
P396190		512	6.34	10	<1	0.19	20	1.22	353	<1	0.01	39	490	9	3.03	9
P396191		1385	6.21	<10	<1	0.30	10	0.37	354	1	<0.01	68	640	26	3.82	13
P396192		1300	7.48	<10	<1	0.43	10	0.59	803	1	<0.01	36	1280	32	4.26	17
P396194		415	7.74	10	<1	0.27	10	1.24	407	1	<0.01	37	890	2	3.45	7
P396195		501	9.88	10	<1	0.30	20	1.58	467	<1	0.01	48	1900	<2	4.30	5
P396196		996	5.23	<10	<1	0.10	20	0.41	416	<1	<0.01	74	1560	11	2.91	6
P396197		90	0.70	<10	<1	0.07	<10	8.63	164	1	0.04	4	300	4	0.08	<2
P396198		136	5.44	10	1	0.55	20	1.28	471	1	0.02	34	620	<2	1.21	2

Comments: some samples show erratic Au

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Date: 14-JUL-2004
Account: GOLREV

Project: Golden Revenue

CERTIFICATE OF ANALYSIS VA04042070

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
P396169		16	7	0.07	<10	<10	113	<10	56
P396170		15	6	0.08	<10	<10	118	<10	30
P396171		16	20	0.08	<10	<10	117	<10	29
P396172		16	31	0.08	<10	<10	114	<10	23
P396173		19	52	<0.01	<10	<10	94	<10	28
P396174		16	34	0.08	<10	<10	112	<10	23
P396175		16	28	0.06	<10	<10	119	<10	21
P396176		1	369	0.02	<10	<10	9	<10	25
P396177		13	23	0.16	<10	<10	120	<10	28
P396178		14	10	0.04	<10	<10	121	<10	17
P396179		14	19	0.10	<10	<10	126	<10	36
P396181		15	28	0.11	<10	<10	145	<10	25
P396182		14	13	0.06	<10	<10	158	<10	22
P396183		12	12	0.05	<10	<10	117	<10	18
P396184		13	15	0.06	<10	<10	126	<10	21
P396185		16	29	0.13	<10	<10	148	<10	26
P396186		16	29	0.17	<10	<10	148	<10	40
P396187		14	19	0.13	<10	<10	132	<10	55
P396188		13	22	0.21	<10	<10	130	<10	47
P396189		19	20	0.28	<10	<10	159	<10	74
P396190		12	5	0.01	<10	10	89	<10	38
P396191		10	11	<0.01	<10	20	56	<10	58
P396192		9	23	0.01	<10	10	45	<10	91
P396194		14	7	0.02	<10	<10	98	<10	42
P396195		21	15	0.03	<10	<10	122	<10	40
P396196		17	39	<0.01	<10	10	91	<10	71
P396197		1	323	0.03	<10	<10	12	<10	25
P396198		15	11	0.05	<10	<10	103	<10	62

Comments: some samples show erratic Au

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Date: 16-JUL-2004
Account: GOLREV

CERTIFICATE VA04041729

Project: Golden Revenue

P.O. No.:

This report is for 33 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 5-JUL-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

DN04-02

To: **GOLDEN REVENUE PROJECT**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Date: 16-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04041729

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
P396199		5.30	0.025		0.3	0.73	164	<10	60	<0.5	11	0.04	<0.5	2	100	78
P396200		4.36	0.044		0.2	1.96	167	<10	60	0.7	6	0.15	<0.5	10	82	220
P396201		3.66	0.432		0.4	2.32	112	<10	70	0.6	15	0.13	<0.5	5	63	266
P396202		5.18	0.177		0.2	1.94	29	<10	80	0.6	33	0.08	<0.5	3	89	257
P396203		7.06	0.255		0.2	0.40	24	<10	80	<0.5	11	0.02	<0.5	1	118	80
P396204		6.38	0.116		0.2	0.51	56	<10	80	<0.5	4	0.01	<0.5	1	93	83
P396205		5.44	0.488		0.7	0.49	118	<10	220	<0.5	9	<0.01	<0.5	1	97	69
P396206		2.06	0.069		2.8	0.65	552	<10	240	<0.5	161	0.02	<0.5	4	82	237
P396207		2.46	0.544		2.1	0.50	162	<10	30	<0.5	66	0.01	<0.5	4	57	126
P396208		7.62	>10.0	11.45	6.5	0.79	35	<10	150	<0.5	286	0.01	<0.5	2	111	196
P396209		4.06	1.290		2.0	0.47	14	<10	120	<0.5	55	<0.01	<0.5	1	106	87
P396210		7.78	0.065		1.3	0.40	61	<10	140	<0.5	170	<0.01	<0.5	2	108	94
P396211		7.50	0.315		1.3	0.55	176	<10	150	<0.5	120	<0.01	<0.5	1	87	227
P396212		5.96	0.080		1.2	0.79	185	<10	210	<0.5	94	0.01	<0.5	3	35	276
P396213		6.86	0.122		0.5	0.39	156	<10	100	<0.5	25	0.01	<0.5	1	108	76
P396214		7.42	0.091		2.0	0.35	84	<10	90	<0.5	50	0.02	<0.5	1	135	145
P396215		9.80	0.109		1.0	0.48	35	<10	80	<0.5	32	0.03	<0.5	1	88	246
P396216		6.60	0.171		0.7	0.82	75	<10	90	<0.5	43	0.03	<0.5	3	128	350
P396217		8.12	0.108		1.4	1.52	65	<10	80	<0.5	74	0.04	<0.5	7	85	910
P396218		5.50	<0.005		0.2	0.51	7	10	50	<0.5	<2	22.3	<0.5	<1	15	95
P396219		8.32	0.614		1.3	0.60	402	<10	150	<0.5	298	0.07	<0.5	3	85	401
P396220		6.24	0.376		0.7	0.70	154	<10	110	<0.5	88	0.02	<0.5	2	84	213
P396221		7.34	0.299		0.5	0.58	176	<10	80	<0.5	98	0.01	<0.5	1	96	79
P396222		7.38	0.237		0.6	1.18	107	<10	70	<0.5	39	0.02	<0.5	2	58	708
P396223		5.96	0.130		0.5	0.45	88	<10	50	<0.5	38	0.01	<0.5	1	99	154
P396224		6.04	0.075		0.4	2.45	154	<10	60	0.6	14	0.11	<0.5	11	52	1830
P396226		7.72	0.354		2.3	3.57	198	<10	70	0.8	50	0.26	<0.5	27	61	2690
P396227		8.46	0.765		0.7	3.76	21	<10	90	0.5	120	0.83	<0.5	22	204	1015
P396228		7.68	0.169		1.0	2.55	205	<10	60	0.6	34	0.46	<0.5	21	69	1340
P396229		5.86	0.195		0.7	0.56	106	<10	50	<0.5	73	0.01	<0.5	3	82	463
P396230		5.48	0.206		0.9	0.66	124	<10	40	<0.5	26	0.02	<0.5	6	120	1255
P396231		7.48	0.206		0.9	1.46	112	<10	60	0.6	33	0.12	1.9	15	75	1180
P396232		6.22	0.420		0.7	0.77	39	<10	90	<0.5	44	0.11	0.6	8	92	637

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

CERTIFICATE OF ANALYSIS VA04041729

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
P396199		1.49	<10	<1	0.28	20	0.21	40	1	0.03	8	130	5	0.12	<2	3
P396200		4.39	10	<1	0.71	20	1.00	173	1	0.07	21	320	3	0.17	2	11
P396201		4.63	10	1	0.92	10	1.32	106	<1	0.10	10	400	<2	0.33	2	16
P396202		4.57	10	1	0.65	20	0.89	77	<1	0.08	11	390	<2	0.38	3	9
P396203		1.90	<10	<1	0.22	20	0.04	16	2	0.04	4	120	5	0.22	2	1
P396204		1.66	<10	1	0.23	20	0.02	9	2	0.01	3	170	5	0.23	5	1
P396205		2.69	<10	<1	0.42	20	0.01	9	2	0.02	5	170	7	0.67	5	1
P396206		5.15	<10	1	0.36	10	0.04	42	8	0.02	7	360	33	0.57	104	3
P396207		11.15	<10	<1	1.56	10	0.03	62	1	0.05	6	390	6	2.97	3	2
P396208		4.04	10	1	0.54	20	0.22	36	1	0.04	4	250	5	0.53	4	4
P396209		2.36	<10	1	0.27	20	0.02	13	1	0.02	6	60	13	0.31	3	<1
P396210		2.68	<10	<1	0.32	10	0.01	29	1	0.01	5	50	9	0.32	6	<1
P396211		5.17	<10	<1	0.48	10	0.03	32	1	0.02	3	220	5	0.58	8	2
P396212		5.96	<10	<1	0.44	20	0.03	34	2	0.03	6	270	8	0.74	15	3
P396213		1.84	<10	1	0.27	20	0.03	13	2	0.06	5	70	6	0.29	3	1
P396214		2.25	<10	1	0.21	20	0.06	16	3	0.07	5	110	6	0.26	2	2
P396215		3.07	<10	<1	0.21	20	0.09	18	2	0.08	4	140	2	0.33	2	3
P396216		3.30	<10	1	0.36	20	0.37	40	2	0.08	8	150	3	0.50	2	5
P396217		4.47	10	<1	0.56	20	0.76	62	1	0.08	9	260	3	1.22	2	11
P396218		0.66	<10	1	0.08	<10	9.66	164	<1	0.05	2	290	10	<0.01	<2	1
P396219		4.23	<10	1	0.35	20	0.14	23	1	0.06	5	250	4	0.55	6	3
P396220		3.35	<10	<1	0.37	20	0.11	24	1	0.04	6	220	8	0.34	5	2
P396221		1.46	<10	<1	0.24	30	0.07	14	1	0.04	4	170	7	0.24	4	2
P396222		1.84	<10	1	0.32	20	0.25	26	1	0.04	5	200	4	0.46	8	4
P396223		0.73	<10	<1	0.16	20	0.02	7	2	0.03	4	100	5	0.11	4	1
P396224		3.28	10	<1	0.45	40	0.93	121	1	0.02	21	510	6	1.41	6	12
P396226		6.37	10	1	1.16	10	2.22	169	<1	0.04	31	910	6	2.85	2	20
P396227		6.80	10	2	1.61	10	2.67	332	<1	0.21	66	930	6	1.68	2	22
P396228		5.55	10	1	0.74	10	1.46	240	<1	0.11	30	890	5	2.13	3	14
P396229		0.69	<10	<1	0.15	20	0.02	8	5	0.02	7	110	12	0.46	5	1
P396230		0.71	<10	<1	0.14	30	0.04	12	2	0.01	9	160	6	0.54	6	2
P396231		2.69	<10	1	0.45	20	0.48	136	1	0.04	28	500	3	1.12	7	9
P396232		2.82	<10	<1	0.31	40	0.45	224	1	0.05	14	350	3	0.75	3	6

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: Golden Revenue

Date: 16-JUL-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04041729

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sr	Tl	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	10	1	10	2
P396199		12	0.02	<10	<10	17	<10	12
P396200		17	0.13	<10	<10	69	<10	46
P396201		25	0.12	<10	<10	115	<10	34
P396202		26	0.07	<10	<10	81	<10	36
P396203		7	<0.01	<10	<10	5	<10	7
P396204		6	<0.01	<10	<10	3	<10	2
P396205		10	<0.01	<10	<10	4	<10	3
P396206		29	<0.01	<10	<10	19	<10	17
P396207		49	<0.01	<10	<10	30	<10	10
P396208		25	0.01	<10	<10	30	<10	8
P396209		9	<0.01	<10	<10	2	<10	12
P396210		5	<0.01	<10	<10	1	<10	11
P396211		5	<0.01	<10	<10	21	<10	9
P396212		11	<0.01	<10	<10	18	<10	22
P396213		7	<0.01	<10	<10	2	<10	8
P396214		6	<0.01	<10	<10	9	<10	8
P396215		7	0.01	<10	<10	23	<10	12
P396216		7	0.02	<10	<10	28	<10	11
P396217		12	0.03	<10	<10	73	<10	15
P396218		350	0.03	<10	<10	15	<10	20
P396219		9	<0.01	<10	<10	26	<10	14
P396220		7	<0.01	<10	<10	13	<10	12
P396221		8	<0.01	<10	<10	7	<10	4
P396222		7	0.02	<10	<10	22	<10	6
P396223		7	<0.01	<10	<10	1	<10	<2
P396224		14	0.02	<10	<10	76	<10	16
P396226		9	0.09	<10	<10	175	<10	30
P396227		49	0.21	10	<10	189	<10	44
P396228		29	0.08	10	<10	125	<10	29
P396229		7	<0.01	<10	<10	3	<10	4
P396230		9	<0.01	<10	<10	6	<10	7
P396231		6	0.02	<10	<10	58	<10	20
P396232		9	0.01	<10	<10	35	<10	13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
A DIVISION OF ARCHER, CATHRO & ASSOCIATES (1981)
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Date: 22-JUN-2004
This copy reported on: 29-JUN-2004
Account: GOLREV

CERTIFICATE VA04037641

Project:

P.O. No.:

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-JUN-2004.

The following have access to data associated with this certificate:

AL ARCHER BILL WENGZYNOWSKI	DOUG EATON	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Au-AA23	Au 30g FA-AA finish	AAS

To: GOLDEN REVENUE PROJECT
ATTN: AL ARCHER
A DIVISION OF ARCHER, CATHRO & ASSOCIATES (1981)
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: GOLDEN REVENUE PROJECT
A DIVISION OF ARCHER, CATHRO &
ASSOCIATES (1981)
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Date: 22-JUN-2004
This copy reported on: 29-JUN-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04037641

Sample Description	Method	WEI-21	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
P389876		4.74	<0.005	0.3	0.41	3	20	30	<0.5	<2	>25.0	<0.5	1	14	20	0.43
P389877		4.32	<0.005	0.2	0.42	6	20	30	<0.5	<2	>25.0	<0.5	<1	12	21	0.36
P389878		4.60	<0.005	0.2	0.35	5	20	30	<0.5	<2	>25.0	<0.5	<1	11	16	0.42
P389879		4.34	<0.005	0.3	0.44	7	10	50	<0.5	<2	>25.0	<0.5	<1	12	21	0.42

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

D: GOLDEN REVENUE PROJECT
A DIVISION OF ARCHER, CATHRO & ASSOCIATES (1981)
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Date: 22-JUN-2004
This copy reported on: 29-JUN-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04037641

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
P389876		<10	<1	0.04	<10	10.55	148	1	0.03	4	280	9	<0.01	<2	1	399
P389877		<10	<1	0.04	<10	10.50	140	<1	0.03	5	270	8	<0.01	<2	1	371
P389878		<10	<1	0.03	<10	10.50	142	2	0.03	5	260	7	<0.01	<2	1	358
P389879		<10	<1	0.05	<10	9.98	155	<1	0.03	4	250	9	<0.01	<2	1	340

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: GOLDEN REVENUE PROJECT
A DIVISION OF ARCHER, CATHRO &
ASSOCIATES (1981)
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Date: 22-JUN-2004
This copy reported on: 29-JUN-2004
Account: GOLREV

CERTIFICATE OF ANALYSIS VA04037641

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
P389876		0.02	<10	<10	12	<10	20
P389877		0.02	<10	<10	12	<10	21
P389878		0.02	<10	<10	11	<10	19
P389879		0.02	<10	<10	11	<10	18

APPENDIX VI

SIGNIFICANT INTERVALS
PRE 2004 DIAMOND DRILLING – NUCLEUS ZONE

Table VI

Significant Intervals - Diamond Drilling and Reverse Circulation Percussion Drilling - Nucleus Zone

Drill Hole	From (m)	To (m)	Interval (m)	Sample No	Gold (g/t)	Copper (ppm)
DN84-01	4.57	6.10	1.52	N 31152	0.97	88
	6.10	7.62	1.52	N 31153	0.05	110
			3.05		0.51	99
DN84-01	15.70	17.68	1.98	N 31159	0.18	147
	17.68	19.81	2.13	N 31160	0.83	378
			4.11		0.52	267
DN84-01	25.60	27.43	1.83	N 31164	0.59	132
	27.43	28.96	1.52	N 31165	0.69	502
			3.35		0.64	300
DN84-01	46.18	47.40	1.22	N 31176	1.23	488
	47.40	48.77	1.37	N 31177	1.68	770
			2.59		1.47	637
DN84-01	52.12	54.56	2.44	N 31180	0.52	250
	54.56	57.00	2.44	N 31181	0.50	340
			4.88		0.51	295
DN84-01	79.25	80.77	1.52	N 31194	1.04	2430
	80.77	82.30	1.52	N 31195	0.23	4700
	82.30	83.82	1.52	N 31196	0.61	3150
			4.57		0.63	3427
DN84-02	7.32	8.84	1.52	N 31199	0.41	58
	8.84	10.36	1.52	N 31200	0.63	80
			3.04		0.52	69
DN84-02	23.47	24.99	1.52	N 31208	2.32	50
	24.99	26.52	1.53	N 31209	0.36	27
	26.52	28.04	1.52	N 31210	0.71	48
	28.04	29.57	1.53	N 31211	0.68	42
	29.57	31.09	1.52	N 31212	7.33	240
	31.09	32.61	1.52	N 31213	1.55	94
	32.61	33.83	1.22	N 31214	0.40	52
	33.83	35.36	1.53	N 31215	1.09	58
	35.36	37.34	1.98	N 31216	0.18	38
	37.34	38.25	0.91	N 31217	1.48	1250
	38.25	39.93	1.68	N 31218	0.49	310
	39.93	41.45	1.52	N 31219	0.24	33
	41.45	43.28	1.83	N 31220	2.74	58
	43.28	45.26	1.98	N 31221	2.02	148
	45.26	46.63	1.37	N 31222	2.08	1630
			23.16		1.58	230
DN84-02	29.57	31.09	1.52	N 31212	7.33	240
	31.09	32.61	1.52	N 31213	1.55	94
	32.61	33.83	1.22	N 31214	0.40	52
	33.83	35.36	1.53	N 31215	1.09	58
			5.79		2.70	
						114
DN84-02	41.45	43.28	1.83	N 31220	2.74	58
	43.28	45.26	1.98	N 31221	2.02	148
	45.26	46.63	1.37	N 31222	2.08	1630
			5.18		2.29	508
DN84-02	56.39	58.52	2.13	31228	3.82	220
	58.52	60.96	2.44	31229	1.31	240
			4.57		2.48	231
DN84-02	73.15	74.68	1.53	31238	1.00	114
	74.68	76.20	1.52	31239	1.48	45
	76.20	78.43	2.23	31240	0.33	59
	78.43	79.55	1.12	31241	1.02	217
	79.55	81.08	1.53	31242	0.76	419
	81.08	82.60	1.52	31243	2.02	336

			9.45		1.05	187
DN84-02	70.10	71.63	1.53	31236	0.98	86
	71.63	73.15	1.52	31237	0.65	40
	73.15	74.68	1.53	31238	1.00	114
	74.68	76.20	1.52	31239	1.48	45
	76.20	78.43	2.23	31240	0.33	59
	78.43	79.55	1.12	31241	1.02	217
	79.55	81.08	1.53	31242	0.76	419
	81.08	82.60	1.52	31243	2.02	336
			12.50		0.99	157
DN84-02	90.22	91.74	1.52	31249	4.89	540
	91.74	93.27	1.53	31250	0.47	290
	93.27	94.79	1.52	31251	1.52	377
	94.79	96.32	1.53	31252	0.87	400
	96.32	97.84	1.52	3690	0.08	290
	97.84	99.36	1.52	3691	0.80	960
	99.36	100.89	1.53	3692	3.04	336
	100.89	102.41	1.52	3693	0.91	520
	102.41	104.39	1.98	3694	0.28	720
	104.39	105.92	1.53	3695	1.02	360
	105.92	107.90	1.98	3696	1.49	166
	107.90	109.42	1.52	3697	0.52	122
	109.42	110.95	1.53	3698	0.28	67
	110.95	112.47	1.52	3699	0.58	53
	112.47	114.00	1.53	3700	2.30	110
	114.00	115.98	1.98	31501	0.69	600
	115.98	117.50	1.52	31502	2.42	650
	117.50	119.18	1.68	31503	1.16	1300
			28.96		1.27	444
DN84-02	90.22	91.74	1.52	31249	4.89	540
	91.74	93.27	1.53	31250	0.47	290
	93.27	94.79	1.52	31251	1.52	377
			4.57		2.29	402
DN84-03	21.34	22.86	1.52	31482	1.00	272
	22.86	24.38	1.52	31483	1.48	211
	24.38	25.91	1.53	31484	0.33	134
	25.91	27.43	1.52	31485	1.02	230
	27.43	28.96	1.53	31486	0.76	180
	28.96	30.48	1.52	31487	2.02	170
			9.14		1.10	199
DN84-03	18.29	19.81	1.52	31380	0.98	188
	19.81	21.34	1.53	31481	0.65	200
	21.34	22.86	1.52	31482	1.00	272
	22.86	24.38	1.52	31483	1.48	211
	24.38	25.91	1.53	31484	0.33	134
	25.91	27.43	1.52	31485	1.02	230
	27.43	28.96	1.53	31486	0.76	180
	28.96	30.48	1.52	31487	2.02	170
			12.19		1.03	198
DN84-03	38.10	39.62	1.52	31493	0.44	400
	39.62	41.15	1.53	31494	0.83	495
			3.05		0.64	448
DN84-03	42.67	43.89	1.22	31496	0.17	550
	43.89	45.72	1.83	31497	0.80	136
			3.05		0.55	302
DN84-03	50.75	52.27	1.52	31364	3.4	455
	52.27	53.80	1.53	31365	0.47	710
	53.80	55.78	1.98	31366	2.95	470
	55.78	57.09	1.31	31367	0.04	60
	57.09	58.61	1.52	31368	0.08	52
	58.61	60.14	1.53	31369	0.8	160
	60.14	61.87	1.73	31370	3.04	327
	61.87	63.40	1.53	31371	0.91	423
	63.40	64.92	1.52	31372	0.28	412
	64.92	66.45	1.53	31373	1.02	440
	66.45	67.97	1.52	31374	1.49	1750

	67.97	69.49	1.52	31375	0.51	980
	69.49	71.02	1.53	31376	0.68	750
	71.02	72.85	1.83	31377	1.69	295
	72.85	74.68	1.83	31378	2.72	160
	74.68	76.20	1.52	31379	3.82	170
	76.20	77.72	1.52	31380	1.31	188
	77.72	79.25	1.53	3681	1.49	146
	79.25	80.92	1.67	3682	1.54	820
	80.92	82.60	1.68	3683	0.08	113
	82.60	84.12	1.52	3684	0.24	94
	84.12	85.65	1.53	3685	0.36	81
	85.65	86.87	1.22	3686	0.51	194
	86.87	88.39	1.52	3687	1.16	286
	88.39	89.92	1.53	3688	0.33	850
	89.92	91.44	1.52	3689	0.95	312
			40.69		1.28	413
DN84-03	50.75	52.27	1.52	31364	3.4	455
	52.27	53.80	1.53	31365	0.47	710
	53.80	55.78	1.98	31366	2.95	470
			5.03		2.33	538
DN84-03	71.02	72.85	1.83	31377	1.69	295
	72.85	74.68	1.83	31378	2.72	160
	74.68	76.20	1.52	31379	3.82	170
	76.20	77.72	1.52	31380	1.31	188
	77.72	79.25	1.53	3681	1.49	146
	79.25	80.92	1.67	3682	1.54	820
			9.90		2.09	300
DN89-01	2.43	4.00	1.57	T28001	0.53	332
	4.00	6.00	2.00	T28002	0.39	110
	6.00	8.00	2.00	T28003	0.60	204
			5.57		0.50	206
DN89-01	12.00	14.00	2.00	T28006	0.77	430
	14.00	16.00	2.00	T28007	0.34	542
	16.00	18.00	2.00	T28008	2.00	477
	18.00	20.00	2.00	T28009	1.02	408
	20.00	22.00	2.00	T28010	2.05	342
			10.00		1.24	440
DN89-01	31.00	33.00	2.00	T28015	0.66	378
	33.00	35.00	2.00	T28016	1.14	199
	35.00	37.00	2.00	T28017	1.51	166
	37.00	39.00	2.00	T28018	0.85	177
	39.00	41.00	2.00	T28019	2.39	187
	41.00	43.00	2.00	T28020	3.41	164
	43.00	45.00	2.00	T28021	1.76	230
	45.00	47.00	2.00	T28022	3.95	765
	47.00	49.00	2.00	T28023	3.41	787
	49.00	52.00	3.00	T28024	1.40	535
			21.00		2.02	367
DN89-01	55.00	58.00	3.00	T28026	0.68	60
	58.00	60.00	2.00	T28027	0.47	1155
	60.00	62.50	2.50	T28028	1.66	4080
	62.50	64.50	2.00	T28029	2.00	5420
	64.50	66.50	2.00	T28030	2.96	7880
	66.50	68.50	2.00	T28031	1.64	6190
	68.50	70.50	2.00	T28032	0.41	2220
	70.50	72.50	2.00	T28033	0.68	5160
	72.50	75.00	2.50	T28034	0.55	5020
	75.00	77.50	2.50	T28035	0.37	6770
	77.50	79.50	2.00	T28036	1.22	6520
			24.50		1.11	4447
DN89-01	60.00	62.50	2.50	T28028	1.66	4080
	62.50	64.50	2.00	T28029	2.00	5420
	64.50	66.50	2.00	T28030	2.96	7880
	66.50	68.50	2.00	T28031	1.64	6190
			8.50		2.04	5786
DN89-01	95.00	98.00	3.00	T28043	1.76	6190

	98.00	101.00	3.00	T28044	0.60	3360
			6.00		1.18	4775
DN89-01	112.00	114.00	2.00	T28049	0.46	2290
	114.00	116.50	2.50	T28050	0.71	1405
			4.50		0.60	1798
DN89-02	8.00	10.50	2.50	T 28059	1.75	140
	10.50	12.50	2.00	T 28060	0.33	141
	12.50	14.50	2.00	T 28061	1.05	92
	14.50	17.00	2.50	T 28062	0.16	53
	17.00	20.00	3.00	T 28063	0.82	247
	20.00	23.00	3.00	T 28064	0.86	645
	23.00	26.00	3.00	T 28065	1.09	321
	26.00	28.50	2.50	T 28066	0.35	181
	28.50	31.50	3.00	T 28067	1.41	956
	31.50	34.50	3.00	T 28068	0.78	1380
	34.50	37.50	3.00	T 28069	0.81	805
			29.50		0.87	490
DN89-02	67.00	70.00	3.00	T 28081	0.05	50
	70.00	72.00	2.00	T 28082	1.71	70
			5.00		0.71	58
DN89-02	90.00	93.00	3.00	T 28089	0.90	32
	93.00	95.50	2.50	28090	1.99	36
	95.50	98.00	2.50	28091	36.48	39
			8.00		12.36	35
DN89-03	8.00	10.00	2.00	28255	1.56	61
	10.00	12.50	2.50	28256	0.53	30
			4.50		0.99	44
DN89-03	16.50	19.00	2.50	28259	0.43	99
	19.00	21.50	2.50	28260	0.68	28
			5.00		0.56	64
DN89-03	38.00	41.00	3.00	28268	0.59	26
DN89-04	22.50	24.50	2.00	T28287	0.79	1130
	24.50	26.00	1.50	T28288	0.30	900
			3.50		0.58	1031
DN89-04	47.00	49.00	2.00	T28299	2.02	413
	49.00	51.00	2.00	T28300	2.35	334
	51.00	53.00	2.00	T28401	0.05	228
	53.00	55.00	2.00	T28402	1.73	232
	55.00	57.00	2.00	28403	2.50	1205
			10.00		1.73	482
DN89-04	64.00	65.50	1.50	28407	0.30	154
	65.50	68.00	2.50	28408	2.14	126
			4.00		1.45	137
DN89-04	92.00	93.50	1.50	28418	1.40	4910
	93.50	96.50	3.00	28419	0.32	1575
	96.50	98.50	2.00	28420	0.74	339
	98.50	100.50	2.00	28421	0.44	526
	100.50	102.50	2.00	28422	0.17	1980
	102.50	104.50	2.00	28423	0.90	1670
			12.50		0.60	1690
DN89-04	114.50	117.00	2.50	28429	0.50	3800
	117.00	118.50	1.50	28430	0.59	2140
			4.00		0.53	3178
DN91-01	31.09	34.13	3.04	T19232	0.62	300
DN91-01	40.23	43.28	3.05	T19235	0.51	700
DN91-01	46.85	49.36	2.51	T19237	0.58	400

	49.36	52.43	3.07	T19238	1.13	300
			5.58		0.88	345
DN91-01	58.48	61.57	3.09	T19241	0.79	400
	61.57	64.58	3.01	T19242	0.86	500
			6.10		0.82	449
DN91-02	7.47	11.13	3.66	T19265	1.99	400
	11.13	14.70	3.57	T19266	0.27	400
	14.70	17.53	2.83	T19267	2.26	300
	17.53	20.12	2.59	T19268	0.99	300
	20.12	23.16	3.04	T19269	1.06	500
	23.16	26.21	3.05	T19270	0.21	400
	26.21	29.04	2.83	T19271	0.17	300
	29.04	32.31	3.27	T19272	0.62	300
	32.31	35.36	3.05	T19273	1.30	300
			27.89		0.99	359
DN91-02	7.47	11.13	3.66	T19265	1.99	400
	11.13	14.70	3.57	T19266	0.27	400
	14.70	17.53	2.83	T19267	2.26	300
			10.06		1.46	372
DN91-02	44.61	48.82	4.21	T19277	0.86	300
	48.82	52.88	4.06	T19278	1.03	200
	52.88	55.73	2.85	T19279	0.48	100
	55.73	58.52	2.79	T19280	0.65	200
	58.52	60.69	2.17	T19281	0.72	200
			16.08		0.78	208
DN91-02	76.39	79.86	3.47	T19287	1.95	300
	79.86	82.91	3.05	T19288	1.37	600
	82.91	85.65	2.74	T19289	1.30	200
			9.26		1.57	369
DN91-02	89.82	92.05	2.23	T19292	8.90	600
	92.05	95.10	3.05	T19293	1.03	400
			5.28		4.35	484
DN91-02	107.29	110.76	3.47	T19298	3.19	300
	110.76	113.39	2.63	T19299	2.47	300
	113.39	116.43	3.04	T19300	0.79	700
	116.43	119.48	3.05	T19301	1.61	400
			12.19		2.04	425
DN91-02	73.07	76.39	3.32	T19286	0.99	100
	76.39	79.86	3.47	T19287	1.95	300
	79.86	82.91	3.05	T19288	1.37	600
	82.91	85.65	2.74	T19289	1.30	200
	85.65	87.09	1.44	T19290	0.07	100
	87.09	89.82	2.73	T19291	0.03	100
	89.82	92.05	2.23	T19292	8.90	600
	92.05	95.10	3.05	T19293	1.03	400
	95.10	98.15	3.05	T19294	0.27	600
	98.15	101.19	3.04	T19295	3.72	300
	101.19	104.24	3.05	T19296	0.55	500
	104.24	107.29	3.05	T19297	0.72	700
	107.29	110.76	3.47	T19298	3.19	300
	110.76	113.39	2.63	T19299	2.47	300
	113.39	116.43	3.04	T19300	0.79	700
	116.43	119.48	3.05	T19301	1.61	400
	119.48	122.53	3.05	T19302	0.89	200
			49.46		1.71	382
DN91-02	128.63	131.67	3.04	T19305	0.82	2500
	131.67	134.40	2.73	T19306	4.80	1700
			5.77		2.70	2121
DN91-02	140.21	143.56	3.35	T19309	0.55	700
DN91-02	146.61	149.66	3.05	T19311	0.75	2300

DN91-03	17.07	20.12	3.05	T19317	0.51	300
DN91-03	26.92	29.87	2.95	T19320	3.63	100
	29.87	32.90	3.03	T19321	0.03	100
			5.98		1.81	100
DN91-03	47.86	50.90	3.04	T19327	0.62	200
	50.90	53.95	3.05	T19328	1.13	300
	53.95	57.00	3.05	T19329	0.51	900
			9.14		0.75	467
DN91-03	69.19	73.25	4.06	T19334	0.62	1100
DN91-03	82.88	85.93	3.05	T19338	0.50	1500
	85.93	88.97	3.04	T19339	0.69	700
	88.97	91.00	2.03	T19340	0.99	1900
	91.00	94.04	3.04	T19341	0.86	1700
			11.16		0.74	1409
DN91-03	103.33	106.36	3.03	T19345	0.58	1500
DN91-03	116.13	119.18	3.05	T19349	1.54	700
DN91-04	6.40	9.75	3.35	T19658	0.65	200
DN91-04	13.41	16.43	3.02	T19660	1.47	200
	16.43	19.96	3.53	T19661	0.69	300
			6.55		1.05	254
DN91-04	26.52	29.57	3.05	T19664	1.54	1200
	29.57	32.61	3.04	T19665	1.23	1200
			6.09		1.39	1200
DN91-04	80.77	84.43	3.66	T19681	0.86	1300
DN91-04	87.48	90.53	3.05	T19683	1.03	1000
	90.53	93.57	3.04	T19684	0.65	700
	93.57	96.50	2.93	T19685	0.51	300
	96.50	99.67	3.17	T19686	0.93	800
			12.19		0.78	705
DN91-05	58.52	61.57	3.05	T19371	0.51	200
	61.57	64.62	3.05	T19372	1.37	400
			6.10		0.94	300
DN91-05	95.10	98.15	3.05	T19383	0.72	100
DN91-05	111.03	114.91	3.88	T 19388	0.65	400
DN91-05	149.50	152.55	3.05	T 19400	1.10	1100
DN01-01	3.05	4.57	1.52	M452251	0.78	100
	4.57	8.35	3.78	M452252	0.33	85
	8.35	9.14	0.79	M452253	1.89	178
	9.14	12.29	3.15	M452254	2.82	177
	12.29	15.44	3.15	M452255	0.57	136
	15.44	18.54	3.10	M452256	0.33	67
	18.54	21.64	3.10	M452257	0.51	80
	21.64	22.80	1.16	M452258	1.74	383
	22.80	26.24	3.44	M452259	0.51	195
	26.24	29.68	3.44	M452260	0.48	272
	29.68	30.70	1.02	M452261	0.69	342
			27.65		0.84	161
DN01-01	8.35	9.14	0.79	M452253	1.89	178

	9.14	12.29	3.15	M452254	2.82	177
			3.94		2.63	177
DN01-01	54.20	56.08	1.88	M452273	0.51	832
	56.08	59.13	3.05	M452274	1.08	1355
			4.93		0.86	1156
DN01-01	65.00	65.75	0.75	M452277	4.86	413
	65.75	68.28	2.53	M452278	0.78	1840
			3.28		1.71	1514
DN01-01	121.62	124.66	3.04	M452301	0.81	333
DN01-02	4.88	7.47	2.59	M452303	0.51	300
	7.47	10.67	3.20	M452304	0.6	342
			5.79		0.56	323
DN01-02	16.46	19.51	3.05	M452307	0.99	376
DN01-02	26.80	28.96	2.16	M452311	0.33	371
	28.96	31.07	2.11	M452312	1.32	339
			4.27		0.82	355
DN01-02	35.66	38.71	3.05	M452316	1.2	491
	38.71	41.42	2.71	M452317	0.75	2920
	41.42	42.30	0.88	M452318	3.42	798
	42.30	44.25	1.95	M452319	1.35	1110
	44.25	46.20	1.95	M452320	1.38	1755
	46.20	48.31	2.11	M452321	1.02	297
	48.31	50.91	2.60	M452322	0.78	188
	50.91	53.51	2.60	M452323	0.36	135
	53.51	56.06	2.55	M452324	0.99	88
	56.06	58.61	2.55	M452325	0.69	117
	58.61	61.35	2.74	M452326	1.56	740
	61.35	64.42	3.07	M452327	2.49	1160
	64.42	66.56	2.14	M452328	0.39	293
	66.56	68.70	2.14	M452329	4.2	486
	68.70	71.65	2.95	M452330	1.02	203
			35.99		1.34	710
DN01-02	100.28	102.00	1.72	M452342	0.27	241
	102.00	104.70	2.70	M452343	0.72	205
			4.42		0.54	219
DN01-02	120.91	123.62	2.71	M452350	2.34	2290
	123.62	126.33	2.71	M452351	0.45	471
			5.42		1.40	1381
DN01-02	130.76	133.81	3.05	M452355	5.7	208
	133.81	136.85	3.04	M452356	0.51	169
	136.85	139.90	3.05	M452357	0.33	144
	139.90	142.95	3.05	M452358	0.72	427
			12.19		1.82	237
DN01-02	168.60	171.14	2.54	M452373	0.72	313
	171.14	173.45	2.31	M452374	0.57	129
			4.85		0.65	225
DN01-03	58.38	59.30	0.92	M452402	1.47	550
	59.30	61.57	2.27	M452403	0.96	174
	61.57	63.70	2.13	M452404	0.36	36
	63.70	66.75	3.05	M452405	3.48	148
	66.75	69.80	3.05	M452406	1.14	385
	69.80	72.85	3.05	M452407	1.02	275
	72.85	75.90	3.05	M452408	0.78	181
			17.52		1.36	228
DN01-03	63.70	66.75	3.05	M452405	3.48	148
	66.75	69.80	3.05	M452406	1.14	385
	69.80	72.85	3.05	M452407	1.02	275
			9.15		1.88	269

DN01-03	88.09	90.98	2.89	M452413	0.93	1730
	90.98	92.05	1.07	M452414	0.36	380
	92.05	94.49	2.44	M452415	1.05	221
	94.49	96.93	2.44	M452416	0.6	72
	96.93	98.43	1.50	M452417	0.36	359
	98.43	100.28	1.85	M452418	0.21	455
	100.28	103.33	3.05	M452419	0.69	1265
	103.33	106.37	3.04	M452420	3.06	1120
	106.37	109.42	3.05	M452421	0.36	216
	109.42	112.47	3.05	M452422	0.81	380
	112.47	115.20	2.73	M452423	3.42	1890
	115.20	117.30	2.10	M452424	1.2	658
	117.30	119.40	2.10	M452425	0.27	324
	119.40	121.50	2.10	M452426	0.42	535
	121.50	124.25	2.75	M452427	1.2	229
	124.25	127.00	2.75	M452428	1.11	599
	127.00	129.00	2.00	M452429	1.2	596
	129.00	131.20	2.20	M452430	3.21	1020
	131.20	133.30	2.10	M452431	1.2	1420
	133.30	136.45	3.15	M452432	3.87	990
	136.45	138.09	1.64	M452433	2.61	1435
	138.09	140.25	2.16	M452434	0.27	95
	140.25	142.95	2.70	M452435	0.87	576
	142.95	145.85	2.90	M452436	0.81	489
			57.76		1.32	732
DN01-03	121.50	124.25	2.75	M452427	1.2	229
	124.25	127.00	2.75	M452428	1.11	599
	127.00	129.00	2.00	M452429	1.2	596
	129.00	131.20	2.20	M452430	3.21	1020
	131.20	133.30	2.10	M452431	1.2	1420
	133.30	136.45	3.15	M452432	3.87	990
	136.45	138.09	1.64	M452433	2.61	1435
			16.59		2.10	854
DN01-03	162.55	164.11	1.56	M452443	0.72	779
	164.11	166.03	1.92	M452444	1.5	480
	166.03	167.95	1.92	M452445	0.93	557
			5.40		1.07	594
DN01-04	54.01	57.01	3.00	452476	0.93	385
DN01-04	68.07	70.00	1.93	452481	0.69	746
	70.00	72.85	2.85	452482	5.07	1105
			4.78		3.30	960
DN01-04	94.20	96.20	2.00	452491	0.42	1305
	96.20	98.60	2.40	452492	0.66	435
			4.40		0.55	830
DN01-04	185.26	186.65	1.39	452579	2.52	1560
	186.65	188.52	1.87	452580	2.19	496
			3.26		2.33	950
DN01-05	24.20	27.13	2.93	P389639	1.17	72
	27.13	29.57	2.44	P389640	0.09	245
			5.37		0.68	151
DN01-05	61.57	63.91	2.34	P389953	0.63	897
	63.91	66.25	2.34	P389954	2.31	1580
	66.25	68.88	2.63	P389955	0.54	252
	68.88	71.02	2.14	P389956	0.66	95
			9.45		1.03	705
DN01-05	147.70	150.75	3.05	P389988	0.9	324
	150.75	153.13	2.38	P389989	1.68	569
			5.43		1.24	431
DN01-05	230.25	233.21	2.96	P390023	0.15	225
	233.21	236.17	2.96	P390024	0.87	105
			5.92		0.51	165
DN01-05	270.77	271.97	1.20	P390039	2.55	887

	271.97	273.90	1.93	P390040	0.12	246
			3.13		1.05	492
DN01-06	104.50	107.55	3.05	P390081	0.48	434
	107.55	109.80	2.25	P390082	1.02	1310
	109.80	111.89	2.09	P390083	0.51	1705
	111.89	113.98	2.09	P390084	0.51	1900
			9.48		0.62	1245
DN01-06	120.55	123.75	3.20	P390088	3.75	822
	123.75	126.25	2.50	P390089	0.75	832
	126.25	128.48	2.23	P390090	0.51	2530
			7.93		1.89	1305
PN88-02	21.34	22.86	1.52 88-2 70-75		1.03	
	22.86	24.38	1.52 88-2 75-80		0.24	
	24.38	25.91	1.53 88-2 80-85		0.58	
			4.57		0.62	
PN88-03	3.05	4.57	1.52 88-3 10-15		0.58	
	4.57	6.10	1.53 88-3 15-20		0.41	
	6.10	7.62	1.52 88-3 20-25		0.62	
			4.57		0.54	
PN88-03	10.67	12.19	1.52 88-3 35-40		8.81	
	12.19	13.72	1.53 88-3 40-45		4.25	
	13.72	15.24	1.52 88-3 45-50		1.71	
			4.57		4.92	
PN88-06	0.00	3.05	3.05 88-6 0-10		0.62	
	3.05	4.57	1.52 88-6 10-15		0.82	
	4.57	6.10	1.53 88-6 15-20		0.89	
	6.10	7.62	1.52 88-6 20-25		1.44	
	7.62	9.14	1.52 88-6 25-30		1.03	
	9.14	10.67	1.53 88-6 30-35		0.82	
			10.67		0.89	
PN88-06	13.72	15.24	1.52 88-6 45-50		0.24	
	15.24	16.76	1.52 88-6 50-55		1.34	
			3.04		0.79	
PN88-07	6.10	7.62	1.52 88-7 20-25		0.55	
	7.62	9.14	1.52 88-7 25-30		0.48	
	9.14	10.67	1.53 88-7 30-35		0.89	
	10.67	12.19	1.52 88-7 35-40		0.65	
	12.19	13.72	1.53 88-7 40-45		1.17	
	13.72	15.24	1.52 88-7 45-50		0.38	
	15.24	16.76	1.52 88-7 50-55		0.45	
	16.76	18.29	1.53 88-7 55-60		0.96	
	18.29	19.81	1.52 88-7 60-65		0.48	
	19.81	21.34	1.53 88-7 65-70		1.27	
	21.34	22.86	1.52 88-7 70-75		0.79	
	22.86	24.38	1.52 88-7 75-80		0.31	
	24.38	25.91	1.53 88-7 80-85		3.67	
	25.91	27.43	1.52 88-7 85-90		0.86	
	27.43	28.96	1.53 88-7 90-95		1.20	
	28.96	30.48	1.52 88-7 95-100		0.75	
			24.38		0.93	
PN88-07	19.81	21.34	1.53 88-7 65-70		1.27	
	21.34	22.86	1.52 88-7 70-75		0.79	
	22.86	24.38	1.52 88-7 75-80		0.31	
	24.38	25.91	1.53 88-7 80-85		3.67	
	25.91	27.43	1.52 88-7 85-90		0.86	
	27.43	28.96	1.53 88-7 90-95		1.20	
			9.15		1.35	
PN88-08	9.14	10.67	1.53 88-8 30-35		0.72	
	10.67	12.19	1.52 88-8 35-40		0.51	
			3.05		0.62	
PN88-08	16.76	18.29	1.53 88-8 55-60		29.07	
	18.29	19.81	1.52 88-8 60-65		59.49	
	19.81	21.34	1.53 88-8 65-70		95.52	

	21.34	22.86	1.52 88-8 70-75	43.95
	22.86	24.38	1.52 88-8 75-80	29.14
	24.38	25.91	1.53 88-8 80-85	23.49
	25.91	27.43	1.52 88-8 85-90	18.14
	27.43	28.96	1.53 88-8 90-95	8.81
	28.96	30.48	1.52 88-8 95-100	6.10
			13.72	34.86
PN88-09	0.00	3.05	3.05 88-9 0-10	1.06
	3.05	4.57	1.52 88-9 10-15	0.51
	4.57	6.10	1.52 88-9 15-20	0.65
			6.10	0.82
PN88-09	7.62	9.14	1.52 88-9 25-30	0.45
	9.14	10.67	1.53 88-9 30-35	0.72
			3.05	0.59
PN88-10	4.57	6.10	1.53 88-10 15-20	0.82
	6.10	7.62	1.52 88-10 20-25	0.45
			3.05	0.64
PN88-10	13.72	15.24	1.52 88-10 45-50	0.69
	15.24	16.76	1.52 88-10 50-55	0.51
			3.04	0.60
PN88-10	27.43	28.96	1.53 88-10 90-95	0.82
	28.96	30.48	1.52 88-10 95-100	0.41
			3.05	0.62
PN88-11	0.00	3.05	3.05 88-11 0-10	0.89
	3.05	4.57	1.52 88-11 10-15	0.34
			4.57	0.71
PN88-11	9.14	10.67	1.53 88-11 30-35	0.72
	10.67	12.19	1.52 88-11 35-40	2.19
	12.19	13.72	1.53 88-11 40-45	1.03
	13.72	15.24	1.52 88-11 45-50	0.58
	15.24	16.76	1.52 88-11 50-55	0.41
	16.76	18.29	1.53 88-11 55-60	0.69
			9.15	0.94
PN88-11	24.38	25.91	1.53 88-11 80-85	0.72
	25.91	27.43	1.52 88-11 85-90	0.24
	27.43	28.96	1.52 88-11 90-95	2.74
			4.58	1.23
PN88-12	0.00	3.05	3.05 88-12 0-10	0.86
	3.05	4.57	1.52 88-12 10-15	0.27
	4.57	6.10	1.53 88-12 15-20	0.51
			6.10	0.63
PN88-12	9.14	10.67	1.53 88-12 30-35	0.69
	10.67	12.19	1.52 88-12 35-40	0.58
	12.19	13.73	1.54 88-12 40-45	1.10
	13.73	15.24	1.51 88-12 45-50	0.21
	15.24	16.76	1.52 88-12 50-55	1.44
	16.76	18.29	1.53 88-12 55-60	1.20
	18.29	19.81	1.52 88-12 60-65	0.82
	19.81	21.34	1.53 88-12 65-70	1.27
	21.34	22.86	1.52 88-12 70-75	1.47
	22.86	24.38	1.52 88-12 75-80	0.65
	24.38	25.91	1.53 88-12 80-85	0.93
			16.77	0.94
PN88-12	15.24	16.76	1.52 88-12 50-55	1.44
	16.76	18.29	1.53 88-12 55-60	1.20
	18.29	19.81	1.52 88-12 60-65	0.82
	19.81	21.34	1.53 88-12 65-70	1.27
	21.34	22.86	1.52 88-12 70-75	1.47
			7.62	1.24
PN88-12	27.43	28.96	1.53 88-12 90-95	0.65
	28.96	30.48	1.52 88-12 95-100	0.51
			3.05	0.58

PN88-13	9.14	10.67	1.53 88-13 30-35	0.62
	10.67	12.19	1.52 88-13 35-40	0.51
	12.19	13.72	1.53 88-13 40-45	1.17
	13.72	15.24	1.52 88-13 45-50	0.48
	15.24	16.76	1.52 88-13 50-55	1.68
	16.76	18.29	1.53 88-13 55-60	1.44
	18.29	19.81	1.52 88-13 60-65	1.71
	19.81	21.34	1.53 88-13 65-70	2.47
	21.34	22.86	1.52 88-13 70-75	3.36
	22.86	24.38	1.52 88-13 75-80	0.93
	24.38	25.91	1.53 88-13 80-85	1.47
	25.91	27.43	1.52 88-13 85-90	0.31
	27.43	28.96	1.53 88-13 90-95	0.48
	28.96	30.48	1.52 88-13 95-100	2.47
			21.34	1.36
PN88-13	15.24	16.76	1.52 88-13 50-55	1.68
	16.76	18.29	1.53 88-13 55-60	1.44
	18.29	19.81	1.52 88-13 60-65	1.71
	19.81	21.34	1.53 88-13 65-70	2.47
	21.34	22.86	1.52 88-13 70-75	3.36
	22.86	24.38	1.52 88-13 75-80	0.93
	24.38	25.91	1.53 88-13 80-85	1.47
			10.67	1.87
PN88-14	16.76	18.29	1.53 88-14 55-60	0.89
	18.29	19.81	1.52 88-14 60-65	0.65
	19.81	21.34	1.53 88-14 65-70	0.45
	21.34	22.86	1.52 88-14 70-75	0.72
	22.86	24.38	1.52 88-14 75-80	0.82
			7.62	0.71
PN88-15	0.00	3.05	3.05 88-15 0-10	2.09
	3.05	4.57	1.52 88-15 10-15	3.02
	4.57	6.10	1.53 88-15 15-20	0.86
	6.10	7.62	1.52 88-15 20-25	0.62
	7.62	9.14	1.52 88-15 25-30	1.92
	9.14	10.67	1.53 88-15 30-35	0.82
	10.67	12.19	1.52 88-15 35-40	0.99
	12.19	13.72	1.53 88-15 40-45	0.45
	13.72	15.24	1.52 88-15 45-50	0.51
	15.24	16.76	1.52 88-15 50-55	0.55
			16.76	1.26
PN88-15	19.81	21.34	1.53 88-15 65-70	0.38
	21.34	22.86	1.52 88-15 70-75	1.23
			3.05	0.80
PN88-16	13.72	15.24	1.52 88-16 45-50	2.71
	15.24	16.76	1.52 88-16 50-55	0.62
	16.76	18.29	1.53 88-16 55-60	0.65
	18.29	19.81	1.52 88-16 60-65	0.75
	19.81	21.34	1.53 88-16 65-70	0.55
	21.34	22.86	1.52 88-16 70-75	1.82
	22.86	24.38	1.52 88-16 75-80	0.79
	24.38	25.91	1.53 88-16 80-85	0.27
	25.91	27.43	1.52 88-16 85-90	0.55
	27.43	28.96	1.53 88-16 90-95	2.40
			15.24	1.11
PN88-17	21.34	22.86	1.52 88-17 70-75	0.72
	22.86	24.38	1.52 88-17 75-80	0.89
	24.38	25.91	1.53 88-17 80-85	1.27
	25.91	27.43	1.52 88-17 85-90	0.99
	27.43	28.96	1.53 88-17 90-95	0.45
	28.96	30.48	1.52 88-17 95-100	1.58
			9.14	0.98
PN88-18	0.00	3.05	3.05 88-18 0-10	0.82
	3.05	4.57	1.52 88-18 10-15	0.72
	4.57	6.10	1.53 88-18 15-20	0.58
			6.10	0.73

PN88-18	10.67	12.19	1.52 88-18 35-40	1.10
	12.19	13.72	1.53 88-18 40-45	0.89
	13.72	15.24	1.52 88-18 45-50	1.44
	15.24	16.76	1.52 88-18 50-55	0.48
	16.76	18.29	1.53 88-18 55-60	1.41
	18.29	19.81	1.52 88-18 60-65	0.99
	19.81	21.34	1.53 88-18 65-70	0.55
	21.34	22.86	1.52 88-18 70-75	0.89
	22.86	24.38	1.52 88-18 75-80	0.31
	24.38	25.91	1.53 88-18 80-85	0.72
	25.91	27.43	1.52 88-18 85-90	2.71
	27.43	28.96	1.53 88-18 90-95	0.79
	28.96	30.48	1.52 88-18 95-100	0.82
			19.81	1.01
PN88-19	0.00	3.05	3.05 88-19 0-10	0.65
	3.05	4.57	1.52 88-19 10-15	0.89
	4.57	6.10	1.53 88-19 15-20	0.41
	6.10	7.62	1.52 88-19 20-25	0.69
	7.62	9.14	1.52 88-19 25-30	4.66
	9.14	10.67	1.53 88-19 30-35	0.62
	10.67	12.19	1.52 88-19 35-40	4.11
	12.19	13.72	1.53 88-19 40-45	5.07
	13.72	15.24	1.52 88-19 45-50	1.34
	15.24	16.76	1.52 88-19 50-55	0.99
	16.76	18.29	1.53 88-19 55-60	1.30
	18.29	19.81	1.52 88-19 60-65	0.41
	19.81	21.34	1.53 88-19 65-70	1.30
	21.34	22.86	1.52 88-19 70-75	0.79
	22.86	24.38	1.52 88-19 75-80	1.71
	24.38	25.91	1.53 88-19 80-85	3.70
	25.91	27.43	1.52 88-19 85-90	1.13
	27.43	28.96	1.53 88-19 90-95	0.65
	28.96	30.48	1.52 88-19 95-100	0.55
			30.48	1.58
PN88-19	7.62	9.14	1.52 88-19 25-30	4.66
	9.14	10.67	1.53 88-19 30-35	0.62
	10.67	12.19	1.52 88-19 35-40	4.11
	12.19	13.72	1.53 88-19 40-45	5.07
	13.72	15.24	1.52 88-19 45-50	1.34
	15.24	16.76	1.52 88-19 50-55	0.99
	16.76	18.29	1.53 88-19 55-60	1.30
	18.29	19.81	1.52 88-19 60-65	0.41
	19.81	21.34	1.53 88-19 65-70	1.30
	21.34	22.86	1.52 88-19 70-75	0.79
	22.86	24.38	1.52 88-19 75-80	1.71
	24.38	25.91	1.53 88-19 80-85	3.70
	25.91	27.43	1.52 88-19 85-90	1.13
			19.81	2.09
PN88-20	22.86	24.38	1.52 88-20 75-80	0.62
	24.38	25.91	1.53 88-20 80-85	1.10
	25.91	27.43	1.52 88-20 85-90	2.47
	27.43	28.96	1.53 88-20 90-95	0.58
	28.96	30.48	1.52 88-20 95-100	0.55
			7.62	1.06
PN88-21	13.72	15.24	1.52 88-21 45-50	0.58
	15.24	16.76	1.52 88-21 50-55	0.58
	16.76	18.29	1.53 88-21 55-60	0.24
	18.29	19.81	1.52 88-21 60-65	0.86
	19.81	21.34	1.53 88-21 65-70	0.55
			7.62	0.56
PN88-21	24.38	25.91	1.53 88-21 80-85	0.86
	25.91	27.43	1.52 88-21 85-90	0.21
	27.43	28.96	1.53 88-21 90-95	1.27
			4.58	0.78
PN88-22	0.00	3.05	3.05 88-22 0-10	0.89
	3.05	4.57	1.52 88-22 10-15	1.13
	4.57	6.10	1.53 88-22 15-20	1.82
			6.10	1.18

PN88-22	9.14	10.67	1.53 88-22 30-35	1.23
	10.67	12.19	1.52 88-22 35-40	0.72
			3.05	0.98
PN88-22	24.38	25.91	1.53 88-22 80-85	0.45
	25.91	27.43	1.52 88-22 85-90	1.44
			3.05	0.94
PN88-23	3.05	4.57	1.52 88-23 10-15	0.55
	4.57	6.10	1.53 88-23 15-20	0.82
	6.10	7.62	1.52 88-23 20-25	0.38
	7.62	9.14	1.52 88-23 25-30	0.96
	9.14	10.67	1.53 88-23 30-35	2.19
	10.67	12.19	1.52 88-23 35-40	0.99
	12.19	13.72	1.53 88-23 40-45	0.86
	13.72	15.24	1.52 88-23 45-50	0.51
	15.24	16.76	1.52 88-23 50-55	0.99
			13.71	0.92
PN88-24	0.00	3.05	3.05 88-24 0-10	1.03
	3.05	4.57	1.52 88-24 10-15	0.45
			4.57	0.84
PN88-24	7.62	9.14	1.52 88-24 25-30	1.41
	9.14	10.67	1.53 88-24 30-35	1.20
	10.67	12.19	1.52 88-24 35-40	1.41
	12.19	13.72	1.53 88-24 40-45	2.16
	13.72	15.24	1.52 88-24 45-50	1.85
	15.24	16.76	1.52 88-24 50-55	1.06
	16.76	18.29	1.53 88-24 55-60	0.75
	18.29	19.81	1.52 88-24 60-65	0.51
	19.81	21.34	1.53 88-24 65-70	0.38
	21.34	22.86	1.52 88-24 70-75	1.89
	22.86	24.38	1.52 88-24 75-80	1.30
	24.38	25.91	1.53 88-24 80-85	1.10
			18.29	1.25
PN88-25	0.00	3.05	3.05 88-25 0-10	0.58
	3.05	4.57	1.52 88-25 10-15	1.20
			4.57	0.79
PN88-25	9.14	10.67	1.53 88-25 30-35	1.10
	10.67	12.19	1.52 88-25 35-40	0.31
	12.19	13.72	1.53 88-25 40-45	0.99
			4.58	0.80
PN88-25	18.29	19.81	1.52 88-25 60-65	1.44
	19.81	21.34	1.53 88-25 65-70	0.99
	21.34	22.86	1.52 88-25 70-75	1.17
	22.86	24.38	1.52 88-25 75-80	1.58
	24.38	25.91	1.53 88-25 80-85	1.03
	25.91	27.43	1.52 88-25 85-90	0.58
	27.43	28.96	1.53 88-25 90-95	0.21
	28.96	30.48	1.52 88-25 95-100	0.75
			12.19	0.97
PN88-25	18.29	19.81	1.52 88-25 60-65	1.44
	19.81	21.34	1.53 88-25 65-70	0.99
	21.34	22.86	1.52 88-25 70-75	1.17
	22.86	24.38	1.52 88-25 75-80	1.58
	24.38	25.91	1.53 88-25 80-85	1.03
			7.62	1.24
PN88-26	0.00	3.05	3.05 88-26 0-10	1.06
	3.05	4.57	1.52 88-26 10-15	0.51
	4.57	6.10	1.53 88-26 15-20	0.82
	6.10	7.62	1.52 88-26 20-25	0.79
			7.62	0.85
PN88-26	10.67	12.19	1.52 88-26 35-40	0.82
	12.19	13.72	1.53 88-26 40-45	1.17
			3.05	1.00

PN88-26	22.86	24.38	1.52 88-26 75-80	0.51
	24.38	25.91	1.53 88-26 80-85	0.51
			3.05	0.51
PN88-26	27.43	28.96	1.53 88-26 90-95	0.21
	28.96	30.48	1.52 88-26 95-100	1.34
			3.05	0.77
PN88-27	13.72	15.24	1.52 88-27 45-50	0.55
	15.24	16.76	1.52 88-27 50-55	1.03
	16.76	18.29	1.53 88-27 55-60	1.47
	18.29	19.81	1.52 88-27 60-65	2.88
	19.81	21.34	1.53 88-27 65-70	0.65
	21.34	22.86	1.52 88-27 70-75	0.82
			9.14	1.23
PN88-28	3.05	4.57	1.52 88-28 10-15	0.58
	4.57	6.10	1.53 88-28 15-20	1.47
	6.10	7.62	1.52 88-28 20-25	1.65
	7.62	9.14	1.52 88-28 25-30	0.38
	9.14	10.67	1.53 88-28 30-35	1.41
	10.67	12.19	1.52 88-28 35-40	0.89
	12.19	13.72	1.52 88-28 40-45	0.86
	13.72	15.24	1.52 88-28 45-50	0.99
	15.24	16.76	1.52 88-28 50-55	1.51
	16.76	18.29	1.53 88-28 55-60	1.61
	18.29	19.81	1.52 88-28 60-65	2.43
	19.81	21.34	1.53 88-28 65-70	1.13
	21.34	22.86	1.52 88-28 70-75	0.21
	22.86	24.38	1.52 88-28 75-80	0.79
	24.38	25.91	1.53 88-28 80-85	0.69
	25.91	27.43	1.52 88-28 85-90	0.55
	27.43	28.96	1.53 88-28 90-95	0.51
	28.96	30.48	1.52 88-28 95-100	0.51
			27.43	1.01
PN88-28	4.57	6.10	1.53 88-28 15-20	1.47
	6.10	7.62	1.52 88-28 20-25	1.65
	7.62	9.14	1.52 88-28 25-30	0.38
	9.14	10.67	1.53 88-28 30-35	1.41
	10.67	12.19	1.52 88-28 35-40	0.89
	12.19	13.72	1.53 88-28 40-45	0.86
	13.72	15.24	1.52 88-28 45-50	0.99
	15.24	16.76	1.52 88-28 50-55	1.51
	16.76	18.29	1.53 88-28 55-60	1.61
	18.29	19.81	1.52 88-28 60-65	2.43
	19.81	21.34	1.53 88-28 65-70	1.13
			16.77	1.30
PN88-29	7.62	9.14	1.52 88-29 25-30	1.03
	9.14	10.67	1.53 88-29 30-35	1.51
			3.05	1.27
PN88-29	16.76	18.29	1.52 88-29 55-60	0.75
	18.29	19.81	1.52 88-29 60-65	0.75
			3.05	0.75
PN88-29	22.86	24.38	1.52 88-29 75-80	4.11
	24.38	25.91	1.53 88-29 80-85	1.47
	25.91	27.43	1.52 88-29 85-90	0.45
	27.43	28.96	1.53 88-29 90-95	1.51
			6.10	1.89
PN88-30	6.10	7.62	1.52 88-30 20-25	0.55
	7.62	9.14	1.52 88-30 25-30	0.55
			3.04	0.55
PN88-30	12.19	13.72	1.53 88-30 40-45	1.23
	13.72	15.24	1.52 88-30 45-50	0.62
	15.24	16.76	1.52 88-30 50-55	0.75
	16.76	18.29	1.53 88-30 55-60	0.65
	18.29	19.81	1.52 88-30 60-65	0.51
	19.81	21.34	1.53 88-30 65-70	2.74
	21.34	22.86	1.52 88-30 70-75	1.61

	22.86	24.38	1.52 88-30 75-80	4.53
	24.38	25.91	1.52 88-30 80-85	0.89
	25.91	27.43	1.52 88-30 85-90	1.10
			15.24	1.46
PN88-30	19.81	21.34	1.53 88-30 65-70	2.74
	21.34	22.86	1.52 88-30 70-75	1.61
	22.86	24.38	1.52 88-30 75-80	4.53
	24.38	25.91	1.53 88-30 80-85	0.89
	25.91	27.43	1.52 88-30 85-90	1.10
			7.62	2.17
PN88-31	39.62	41.15	1.53 88-31 35-40	0.86
	41.15	42.67	1.52 88-31 40-45	0.51
			3.05	0.69
PN88-31	80.77	82.30	1.53 88-31 170-175	0.89
	82.30	83.82	1.52 88-31 175-180	0.17
	83.82	85.34	1.52 88-31 180-185	0.89
	85.34	86.87	1.53 88-31 185-190	0.89
			6.10	0.71
PN88-31	92.96	94.49	1.53 88-31 210-215	17.55
	94.49	96.01	1.52 88-31 215-220	4.56
	96.01	97.54	1.53 88-31 220-225	0.86
	97.54	99.06	1.52 88-31 225-230	21.67
	99.06	100.58	1.52 88-31 230-235	0.55
	100.58	102.11	1.53 88-31 235-240	0.75
	102.11	103.63	1.52 88-31 240-245	0.79
	103.63	105.16	1.53 88-31 245-250	1.13
	105.16	106.68	1.52 88-31 250-255	0.48
	106.68	108.20	1.52 88-31 255-260	0.93
	108.20	109.73	1.53 88-31 260-265	1.17
			16.77	4.58
PN88-31	92.96	94.49	1.53 88-31 210-215	17.55
	94.49	96.01	1.52 88-31 215-220	4.56
	96.01	97.54	1.53 88-31 220-225	0.86
	97.54	99.06	1.52 88-31 225-230	21.67
			6.10	11.15
PN88-32	35.05	36.58	1.53 88-32 115-120	0.82
	36.58	38.10	1.52 88-32 120-125	0.21
	38.10	39.62	1.52 88-32 125-130	0.65
	39.62	41.15	1.53 88-32 130-135	2.64
	41.15	42.67	1.52 88-32 135-140	4.53
	42.67	44.20	1.53 88-32 140-145	1.17
	44.20	45.72	1.52 88-32 145-150	0.55
	45.72	47.24	1.52 88-32 150-155	1.89
	47.24	48.77	1.53 88-32 155-160	2.64
	48.77	50.29	1.52 88-32 160-165	2.02
	50.29	51.82	1.53 88-32 165-170	0.58
	51.82	53.34	1.52 88-32 170-175	0.55
	53.34	54.86	1.52 88-32 175-180	0.62
	54.86	56.39	1.53 88-32 180-185	1.30
	56.39	57.91	1.52 88-32 185-190	1.06
			22.86	1.42
PN88-33	12.19	13.72	1.53 88-33 40-45	0.79
	13.72	15.24	1.52 88-33 45-50	1.78
	15.24	16.76	1.52 88-33 50-55	5.04
	16.76	18.29	1.53 88-33 55-60	1.10
	18.29	19.81	1.52 88-33 60-65	0.62
	19.81	21.34	1.53 88-33 65-70	0.51
	21.34	22.86	1.52 88-33 70-75	2.09
	22.86	24.38	1.52 88-33 75-80	1.03
	24.38	25.91	1.53 88-33 80-85	1.10
			13.72	1.56
PN88-33	35.05	36.58	1.53 88-33 115-120	1.75
	36.58	38.10	1.52 88-33 120-125	0.17
			3.05	0.96
PN88-33	51.82	53.34	1.52 88-33 170-175	1.37

	53.34	54.86	1.52 88-33 175-180	1.10
	54.86	56.39	1.53 88-33 180-185	0.58
	56.39	57.91	1.52 88-33 185-190	0.69
			6.09	0.93
PN88-33	70.10	71.63	1.53 88-33 230-235	0.51
	71.63	73.15	1.52 88-33 235-240	0.69
			3.05	0.60
PN88-33	103.63	105.16	1.53 88-33 340-345	0.55
	105.16	106.68	1.52 88-33 345-350	0.51
			3.05	0.53
PN88-34	0.00	3.05	3.05 88-34 0-10	0.75
PN88-34	9.14	10.67	1.53 88-34 30-35	1.37
	10.67	12.19	1.52 88-34 39-40	4.25
	12.19	13.72	1.53 88-34 40-45	0.14
	13.70	15.24	1.54 88-34 45-50	1.61
			6.12	1.84
PN88-34	24.39	25.91	1.52 88-34 80-85	0.99
PN88-34	24.39	25.91	1.52 88-34 80-85	0.99
	25.91	27.43	1.52 88-34 85-90	0.24
			3.05	1.47
PN88-34	32.00	33.53	1.53 88-34 105-1	0.62
	33.53	35.05	1.52 88-34 110-1	2.33
			3.05	1.47
PN88-35	9.14	10.67	1.53 88-35 30-35	0.48
	10.67	12.19	1.52 88-35 35-40	0.55
			3.05	0.51
PN88-35	27.43	28.96	1.53 88-35 90-95	0.14
	28.96	30.48	1.52 88-35 95-10	0.99
			3.05	0.56
PN88-35	54.86	56.39	1.53 88-35 180-1	0.69
	56.39	57.91	1.52 88-35 185-1	0.38
			3.05	0.54

QW27751

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578



AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on the Golden Revenue property mineral claims on Claim Sheet 115I/6 is accurate.

Joan Mariacher

Sworn before me at Vancouver, B.C.

this 17th day February 2005

Notary Public, Yukon Territory

Statement of Expenditures
Golden Revenue Property
February 13, 2005

Contract Diamond Drilling

E. Caron Diamond Drilling Ltd. $235,880.84

Hole #	Depth (ft)	Cost	Claim
1	495	28,074.14	Nucleus 25
2	215	7,397.39	Nucleus 25
3	450	14,779.34	Nucleus 25
4	221	8,140.15	Nucleus 23
5	230	12,126.47	Revenue 15
6	368	14,066.34	Revenue 15
7	254	9,340.60	Nucleus 25
8	400	14,985.77	Nucleus 25
9	705.6	26,453.64	Revenue 15
10	328	14,017.73	Nucleus 27
11	572	21,705.90	Nucleus 18
12	468	16,094.36	Nucleus 25
13	813	26,631.71	Nucleus 23
14	521	22,067.30	Nucleus 15
	6,040.6	$235,880.84	

Revenue 15	74,713.75
Nucleus 18	21,705.90
Nucleus 23	34,771.86
Nucleus 25	90,671.60
Nucleus 27	14,017.73
	$235,880.84

EARON DIAMOND DRILLING LTD. 7 Roundel Road, Whitehorse, Yukon Y1A 3H3 Phone: (867) 668-2424 Fax: (867) 668-4520

In Account With:
Golden Revenue Project
1016-510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Date: June 15/04
Invoice: 3963
Drill: Val D'or

Drilling Charges June 7-15/04

Revenue Creek

Hole	Work Description	$/Hour	Sub-totals	Totals
DN-1/-50/HQ	MOVING			
19.5	man hrs.	$ 35.00	$ 682.50	
	Waterline			
45	man hrs.	$ 35.00	$ 1,575.00	
	D-7 Tractor			
66	machine hrs.	$ 120.00	$ 7,920.00	
	Casing NW			
29	0-29 =29 feet	$ 26.00	$ 754.00	
	Drilling 0 - 500 feet		$ -	
284	29 - 313 = 284	$ 25.00	$ 7,100.00	$ 18,031.50
	Items Consumed and Chargable			
28	Super Gel-X	$ 17.60	$ 492.80	
1	Extreme #1	$ 193.60	$ 193.60	
1	Rod Grease	$ 98.40	$ 98.40	
	Mobilization	$ 3,000.00	$ 3,000.00	
	Yukon TireCraft Invoices			
	#10177	$ 417.50	> GST incl 87.33	
	#101727	$ 841.00		
	#101714	$ 621.51	$ 1,880.01	$ 5,664.81
				23613.98
	Sub-total			$ ~~23,696.31~~
	G.S.T. @ 7% 10155 7122			$ ~~1,658.74~~ 1741.07
	Total			$ 25,355.05

June 30, 2004
#

ARON DIAMOND DRILLING LTD. 7 Roundel Road, Whitehorse, Yukon Y1A 3H3 Phone: (867) 668-2424 Fax: (867) 668-4520

In Account With:
Golden Revenue Project
1016-510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Date: June 30/04
Invoice: 3965
Drill: Val D'or

Drilling Charges June 16-27/04 Revenue Creek

Hole		Work Description	$/Hour	Sub-totals	Totals
DN-1/-50/HQ		MOVING			
	6	man hrs.	$ 35.00	$ 210.00	
		D-7 Tractor			
	1	machine hrs.	$ 120.00	$ 120.00	
		Drilling 0 - 500 feet		$ -	
	182	313 - 495 = 182 feet	$ 25.00	$ 4,550.00	$ 4,880.00
DN-02/-50/HW		MOVING			
	9	man hrs.	$ 35.00	$ 315.00	
		Reaming Cave			
	2	man hrs.	$ 35.00	$ 70.00	
	1	machine hrs.	$ 21.00	$ 21.00	
		Waterline			
	2	man hrs.	$ 35.00	$ 70.00	
		Conditioning Hole			
	6	man hrs.	$ 35.00	$ 210.00	
	3	machine hrs.	$ 21.00	$ 63.00	
		D-7 Tractor			
	1.5	machine hrs.	$ 120.00	$ 180.00	
		Casing			
	12	0 - 12 = 12 feet	$ 26.00	$ 312.00	
		Drilling 0 - 500 feet		$ -	
	203	47 - 215 = 203 feet	$ 25.00	$ 5,075.00	$ 6,316.00

DN-03/-50/HW		MOVING					
	16	man hrs.	$	35.00	$ 560.00		
		Waterline					
	2	man hrs.	$	35.00	$ 70.00		
		Conditioning Hole					
	4	man hrs.	$	35.00	$ 140.00		
	2	machine hrs.	$	21.00	$ 42.00		
		D-7 Tractor					
	4	machine hrs.	$	120.00	$ 480.00		
		Casing					
	20	0 - 20 = 20 feet	$	26.00	$ 520.00		
		Drilling 0 - 500 feet			$ -		
	430	53 - 450 = 430 feet	$	25.00	$ 10,750.00	$	12,562.00
DN-04/-50/HW		MOVING					
	12	man hrs.	$	35.00	$ 420.00		
		Waterline					
	3	man hrs.	$	35.00	$ 105.00		
		Conditioning Hole					
	7	man hrs.	$	35.00	$ 245.00		
	3.5	machine hrs.	$	21.00	$ 73.50		
		Traveling					
	9	man hrs.	$	35.00	$ 315.00		
		D-7 Tractor					
	2.5	machine hrs.	$	120.00	$ 300.00		
		Casing					
	10	0 - 10 = 10 feet	$	26.00	$ 260.00		
		Drilling 0 - 500 feet			$ -		
	211	57 - 221 = 211 feet	$	25.00	$ 5,275.00	$	6,993.50
DN-05/-50/HW		MOVING					
	10	man hrs.	$	35.00	$ 350.00		
		Reaming Cave					
	4	man hrs.	$	35.00	$ 140.00		
	2	machine hrs.	$	21.00	$ 42.00		
		Conditioning Hole					
	2	man hrs.	$	35.00	$ 70.00		
	1	machine hrs.	$	21.00	$ 21.00		
		Traveling					
	16	man hrs.	$	35.00	$ 560.00		
		D-7 Tractor					
	1	machine hrs.	$	120.00	$ 120.00		
		Casing					
	14	0 - 14 = 14 feet	$	26.00	$ 364.00		
		Drilling 0 - 500 feet			$ -		
	122	14 - 136 = 122 feet	$	25.00	$ 3,050.00	$	4,717.00

	June 26-28/04 Vic Johnson				
	Moving				
15	man hrs	$ 35.00	$ 525.00		
	Travelling				
8	man hrs	$ 35.00	$ 280.00		
	D-7 Tractor				
6	machine hrs	$ 120.00	$ 720.00		
	Total		$ 1,525.00		
	1/2 Charged			**$**	**762.50**
	Items Consumed and Chargable				
75	Super Gel-X	$ 17.60	$ 1,320.00		
3	Rod Grease	$ 98.40	$ 295.20		
2	Polymer(Booster)	$ 185.00	$ 370.00	$	1,985.20
	Sub-total			$	38,216.20
	G.S.T. @ 7% 10155 7122			$	2,675.13
	Total			$	40,891.33

CARON DIAMOND DRILLING LTD. 7 Roundel Road, Whitehorse, Yukon Y1A 3H3 Phone: (867) 668-2424 Fax: (867) 668-4520

In Account With:
Golden Revenue Project
1016-510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Date: July 31 2004
Invoice: 3987
Drill: Val D'or

Drilling Charges July 19-31/04 Revenue Creek

Hole		Work Description	$/Hour	Sub-totals	Totals
#DN-05/-50/HW		MOVING			
	22	man hrs.	$ 35.00	$ 770.00	
		Waterline			
	17	man hrs.	$ 35.00	$ 595.00	
		Conditioning Hole			
	3	man hrs.	$ 35.00	$ 105.00	
	1.5	machine hrs.	$ 21.00	$ 31.50	
		Travelling			
	9	man hrs.	$ 35.00	$ 315.00	
		D-7 Tractor			
	14	machine hrs.	$ 120.00	$ 1,680.00	
		Drilling 0 - 500 feet		$ -	
	94	136-230=94 feet	$ 25.00	$ 2,350.00	$ 5,846.50
#DN-06/-50/HW		MOVING			
	4	man hrs.	$ 35.00	$ 140.00	
		Reaming Cave			
	2	man hrs.	$ 35.00	$ 70.00	
	1	machine hrs.	$ 21.00	$ 21.00	
		Waterline			
	2	man hrs.	$ 35.00	$ 70.00	
		Conditioning Hole			
	13	man hrs.	$ 35.00	$ 455.00	
	6.5	machine hrs.	$ 21.00	$ 136.50	
		D-7 Tractor			
	1.5	machine hrs.	$ 120.00	$ 180.00	
		Mack Truck			
	12	machine hrs.	$ 110.00	$ 1,320.00	
		Casing			
	20	0 - 20 = 20 feet	$ 26.00	$ 520.00	
		Drilling 0 - 500 feet		$ -	
	348	20-368=248 feet	$ 25.00	$ 8,700.00	$ 11,612.50

#DN-07/-50/HW	MOVING					
6	man hrs.	$	35.00	$	210.00	
	Reaming Casing					
2	man hrs.	$	35.00	$	70.00	
1	machine hrs.	$	21.00	$	21.00	
	Waterline					
1	man hrs.	$	35.00	$	35.00	
	Conditioning Hole					
10	man hrs.	$	35.00	$	350.00	
5	machine hrs.	$	21.00	$	105.00	
	Travelling					
8	man hrs.	$	35.00	$	280.00	
	D-7 Tractor					
2	machine hrs.	$	120.00	$	240.00	
	Casing					
10	0 - 10 = 10 feet	$	26.00	$	260.00	
	Drilling 0 - 500 feet			$	-	
244	10-254=244	$	25.00	$	6,100.00	$ 7,671.00
#DN-08/-50/HW	MOVING					
16.5	man hrs.	$	35.00	$	577.50	
	Waterline					
18	man hrs.	$	35.00	$	630.00	
	Conditioning Hole					
4	man hrs.	$	35.00	$	140.00	
2	machine hrs.	$	21.00	$	42.00	
	D-7 Tractor					
1.5	machine hrs.	$	120.00	$	180.00	
	Casing					
10	0 - 10 = 10 feet	$	26.00	$	260.00	
	Drilling 0 - 500 feet			$	-	
98	10-108=98 feet	$	25.00	$	2,450.00	$ 4,279.50
	Items Consumed and Chargable					
66	Super Gel-X	$	17.60	$	1,161.60	
2	Extreme #1	$	193.60	$	387.20	
3	Rod Grease	$	98.40	$	295.20	
1	G-Stop	$	310.20	$	310.20	
3	Polymer(Booster)	$	185.00	$	555.00	
500	litres of diesel fuel	$	0.6310	$	315.50	$ 3,024.70
	Sub-total					$ 32,434.20
	G.S.T. @ 7% 10155 7122					$ 2,270.39
	Total					$ 34,704.59

CARON DIAMOND DRILLING LTD. 7 Roundel Road, Whitehorse, Yukon Y1A 3H3 Phone: (867) 668-2424 Fax: (867) 668-4520

In Account With:
Golden Revenue Project
1016-510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Date: August 15/04
Invoice: 3995
Drill: Val D'or

Drilling Charges August 1-12/04 Revenue Creek

Hole		Work Description	$/Hour	Sub-totals	Totals
#DN-08/-50/HW					
		Waterline			
	4	man hrs.	$ 35.00	$ 140.00	
		Conditioning Hole			
	8	man hrs.	$ 35.00	$ 280.00	
	4	machine hrs.	$ 21.00	$ 84.00	
		D-7 Tractor			
	2	machine hrs.	$ 120.00	$ 240.00	
		Drilling 0 - 500 feet		$ -	
	292	108-400=292 feet	$ 25.00	$ 7,300.00	$ 8,044.00
#DN-09/-50/HW		MOVING			
	13	man hrs.	$ 35.00	$ 455.00	
		Reaming Casing			
	10	man hrs.	$ 35.00	$ 350.00	
	5	machine hrs.	$ 21.00	$ 105.00	
		Conditioning Hole			
	22	man hrs.	$ 35.00	$ 770.00	
	11	machine hrs.	$ 21.00	$ 231.00	
		D-7 Tractor			
	5.5	machine hrs.	$ 120.00	$ 660.00	
		Mack Truck			
	12	machine hrs.	$ 110.00	$ 1,320.00	
		Casing			
	10	0 - 10 = 10 feet	$ 26.00	$ 260.00	
		Drilling 0 - 500 feet		$ -	
	490	10 - 500 = 490 feet	$ 25.00	$ 12,250.00	
		Drilling 500 - 1000 feet			
	205.6	500 - 705.6 = 205.6 feet	$ 26.00	$ 5,345.60	$ 21,746.60

#DN-010/-50/HW

	MOVING				
53	man hrs.	$ 35.00	$ 1,855.00		
	Waterline				
5	man hrs.	$ 35.00	$ 175.00		
	Conditioning Hole				
10	man hrs.	$ 35.00	$ 350.00		
5	machine hrs.	$ 21.00	$ 105.00		
	D-7 Tractor				
8.5	machine hrs.	$ 120.00	$ 1,020.00		
	Casing				
12	0 - 12 = 12 feet	$ 26.00	$ 312.00		
	Drilling 0 - 500 feet				
316	12 - 328 = 316 feet	$ 25.00	$ 7,900.00	$	11,717.00
	Items Consumed and Chargable				
71	Super Gel-X	$ 17.60	$ 1,249.60		
2	Extreme #1	$ 193.60	$ 387.20		
3	Rod Grease	$ 98.40	$ 295.20		
2	G-Stop	$ 310.20	$ 620.40		
1	Pail Linseed Soap	$ 92.00	$ 92.00		
1	Alkamer	$ 169.20	$ 169.20		
22	2 Foot HW Casing Rods	$ 96.37	$ 2,120.14	$	4,933.74
	Sub-total			$	46,441.34
	G.S.T. @ 7% 10155 7122			$	3,250.89
	Total			$	49,692.23

CARON DIAMOND DRILLING LTD. 7 Roundel Road, Whitehorse, Yukon Y1A 3H3 Phone: (867) 668-2424 Fax: (867) 668-4520

In Account With:
Golden Revenue Project
1016-510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Date: September 30/04
Invoice: 4016
Drill: Val D'or

Drilling Charges September 14 - September 30/04 Revenue Creek

Hole		Work Description	$/Hour	Sub-totals	Totals
DN04-11/-50/HW		MOVING			
	33	man hrs.	$ 35.00	$ 1,155.00	
		Reaming Casing			
	4	man hrs.	$ 35.00	$ 140.00	
	2	machine hrs.	$ 21.00	$ 42.00	
		Waterline			
	18	man hrs.	$ 35.00	$ 630.00	
		Conditioning Hole			
	20	man hrs.	$ 35.00	$ 700.00	
	10	machine hrs.	$ 21.00	$ 210.00	
		D-7 Tractor			
	2	machine hrs.	$ 120.00	$ 240.00	
		Casing			
	6	0 - 6 = 6 feet	$ 26.00	$ 156.00	
		Drilling 0 - 500 feet		$ -	
	494	6 - 500 = 494 feet	$ 25.00	$ 12,350.00	
		Drilling 500 - 1000 feet			
	72	500 -572 = 72 feet	$ 26.00	$ 1,872.00	$ 17,495.00

Oct 13, 2004
#183

DN04-12/-50/HW	Reaming Cave					
2	man hrs.	$	35.00	$	70.00	
1	machine hrs.	$	21.00	$	21.00	
	Testing					
1	man hrs.	$	35.00	$	35.00	
0.5	machine hrs.	$	21.00	$	10.50	
	Waterline					
4	man hrs.	$	35.00	$	140.00	
	Conditioning Hole					
9	man hrs.	$	35.00	$	315.00	
4.5	machine hrs.	$	21.00	$	94.50	
	D-7 Tractor					
3	machine hrs.	$	120.00	$	360.00	
	Casing					
12	0 - 12 = 12 feet	$	26.00	$	312.00	
	Drilling 0 - 500 feet					
456	12 - 468 = 456 feet	$	25.00	$	11,400.00	$ 12,758.00
DN04-13/-50/HW	MOVING					
10	man hrs.	$	35.00	$	350.00	
	Conditioning Hole					
2	man hrs.	$	35.00	$	70.00	
1	machine hrs.	$	21.00	$	21.00	
	D-7 Tractor					
1	machine hrs.	$	120.00	$	120.00	
	Casing					
12	0 - 12 = 12 feet	$	26.00	$	312.00	
	Drilling 0 - 500 feet			$	-	
216	12 - 228 = 216 feet	$	25.00	$	5,400.00	$ 6,273.00
	Items Consumed and Chargeable					
1800	litres of Diesel	$	0.736	$	1,324.80	
117	Super Gel-X	$	17.60	$	2,059.20	
3	Extreme #1	$	193.60	$	580.80	
4	Rod Grease	$	98.40	$	393.60	
2	G-Stop	$	310.20	$	620.40	
6	2 Foot HW Casing Rods	$	96.37	$	578.22	$ 5,557.02
	Sub-total					$ 42,083.02
	G.S.T. @ 7% 10155 7122					$ 2,945.81
	Total					$ 45,028.83

CARON DIAMOND DRILLING LTD. 7 Roundel Road, Whitehorse, Yukon Y1A 3H3 Phone: (867) 668-2424 Fax: (867) 668-4520

In Account With:
Golden Revenue Project
1016-510 West Hastings Street
Vancouver, B.C.
V6B 1L8

Date: October 12/04
Invoice: 4019
Drill: Val D'or

Drilling Charges October 1 - 12/04

Revenue Creek

Hole	Work Description		$/Hour	Sub-totals	Totals
DN04-13/-50/HW	Conditioning Hole				
	14	man hrs.	$ 35.00	$ 490.00	
	7	machine hrs.	$ 21.00	$ 147.00	
		D-7 Tractor			
	1.5	machine hrs.	$ 120.00	$ 180.00	
		Drilling 0 - 500 feet		$ -	
	272	228 - 500 = 272 feet	$ 25.00	$ 6,800.00	
		Drilling 500 - 1000 feet			
	313	500 - 813 = 313 feet	$ 26.00	$ 8,138.00	$ 15,755.00
DN04-14/-50/HW		MOVING			
	57	man hrs.	$ 35.00	$ 1,995.00	
		Reaming Casing			
	16	man hrs.	$ 35.00	$ 560.00	
	8	machine hrs.	$ 21.00	$ 168.00	
		Reaming Cave			
	4	man hrs.	$ 35.00	$ 140.00	
	2	machine hrs.	$ 21.00	$ 42.00	
		Waterline			
	18	man hrs.	$ 35.00	$ 630.00	
		Conditioning Hole			
	20	man hrs.	$ 35.00	$ 700.00	
	10	machine hrs.	$ 21.00	$ 210.00	
		D-7 Tractor			
	2.5	machine hrs.	$ 120.00	$ 300.00	
		Mack Truck			
	11.5	machine hrs.	$ 110.00	$ 1,265.00	
		Casing			
	10	0 - 10 = 10 feet	$ 26.00	$ 260.00	
		Drilling 0 - 500 feet		$ -	
	490	10 - 500 = 490 feet	$ 25.00	$ 12,250.00	
		Drilling 500 - 1000 feet			
	21	500 - 521 = 21 feet	$ 26.00	$ 546.00	$ 19,066.00

Oct 25, 2004
#183

	Items Consumed and Chargable				
79	Super Gel-X	$ 17.60	$ 1,390.40		
1	Extreme #1	$ 193.60	$ 193.60		
3	Rod Grease	$ 98.40	$ 295.20		
2	Alkamer	$ 169.20	$ 338.40		
5	2 Foot HW Casing Rods	$ 96.37	$ 481.85		
	Kilrich Industries Invoice #4079059	$ 57.88	$ 57.88	$	2,757.33
	Sub-total			$	37,578.33
	G.S.T. @ 7% 10155 7122			$	2,630.48
	Total			$	40,208.81