

094558



**REPORT**  
ON THE  
**2005 PROPECTING AND SAMPLING PROGRAM**

Completed on the  
**CANADIAN CREEK PROPERTY**  
WHITEHORSE MINING DISTRICT YUKON TERRITORY.

NTS: 115J/10/11/15  
Latitude 62° 44' N, Longitude 138° 56' W  
(centre)

for  
**Triple Fence Inc.**  
and  
**Wildrose Resources Ltd.**

by

**J.W. (Bill) Morton, P.Geol**

Oct 30, 2005

This report has been examined by  
the Geological Evaluation Unit  
under Section 53 (4) Yukon Quartz  
Mining Act and is allowed as  
representation work in the amount  
of \$ 10,000.

*M. B. B.*  
for Regional Manager, Exploration and  
Geological Services for Commissioner  
of Yukon Territory.

Costs associated with this report have been  
approved in the amount of \$ 10,000.00  
for assessment credit under Certificate of Work  
No. QW27813  
*J. S. S. S.*  
Mining Recorder  
Whitehorse Mining District

## TABLE OF CONTENTS

	Page
1.) SUMMARY:	1
2.) PROPERTY DESCRIPTION AND LOCATION:	2
3.) ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY	5
4.) HISTORY:	8
5.) GEOLOGICAL SETTING	11
6.) DEPOSIT TYPES	13
7.) MINERALIZATION	13
8.) 2005 SMAPLE SESCRIPTIONS	18
9.) INTERPRETATIONS AND CONCLUSIONS	21
10.) RECOMMENDATIONS	21
11.) COST STATEEMNT	21
12.) AUTHOR QUALIFICATION	22
13.) GEOCHEMICAL CERTIFICATES	23

**LIST OF FIGURES**

		<b>Page</b>
LOCATION MAP,	FIG 1	7
CLAIM MAP,	FIG 2	9
REGIONAL GEOLOGY MAP (INCLUDES PROPERTY),	FIG 3	17
COMPILATION MAP,	FIG 4	23
2005 SAMPLING MAP	FIG 5	(POUCH)

1. **SUMMARY**

A small prospecting and rock sampling program was completed on the Canadian Creek property at the end of August 2005. The objectives of the program were to complete additional "fill in" rock and soil sampling in two anomalies located in the Ana Saddle and upper Coffee watershed (the Koffee target area). One of the highlights of the 2005 program was the expansion of the known extent of a gold enriched tourmaline breccia located on the south slope of the Ana saddle area. Concurrent with the sampling program the upper camp site was tidied up and secured and some culverts on the road, which had become blocked, were dug out.

The Canadian Creek property, consisting of 206 claims located in the Whitehorse Mining District, is owned by Wildrose Resources Ltd., in part by outright claim ownership and in part by an option agreement that gives Wildrose the right to earn a 100% interest in additional claims on the east side of the property. Triple Fence Inc. has an option with Wildrose Resources Ltd. that grants it the right to earn a 60% interest in the property by making cash payments totaling \$150,000, making share issuances totaling 200,000 shares and completing exploration expenditures totaling \$1,500,000 before Oct 31, 2009.

The claim group is located approximately 160 kilometres south of Dawson City. The property, which has the potential to host a porphyry copper ± gold ± molybdenum deposit or an intrusion related gold deposit, is located to the immediate west of the Casino deposit, a porphyry copper + gold + molybdenum system with a large documented resource (1.002 billion tonnes grading 0.22% copper, 0.25 g/t gold and 0.02% Mo, E.D. Titley, Report Revised Resource Estimate, Casino Property, Yukon Territory, for Lumina Copper Corp., Feb 27, 2004) \*.

\* Consolidated from various ore types sited in report

## 2. PROPERTY DESCRIPTION AND LOCATION:

### *Canadian Creek Claims*

Held by Eastfield Resources Ltd., a Yukon registered company, in trust for Wildrose Resources Ltd. The claims are located in the Whitehorse Mining District, Yukon Territory, Canada.

Claim Name	Grant Number(s)	Expiry Date	Registered Owner
ANA 1-10	YA86735-YA86744	17-Feb-07	Eastfield Resources Ltd.
ANA 15-26	YA86749-YA86760	17-Feb-07	Eastfield Resources Ltd.
ANA 29-40	YA86763-YA86774	17-Feb-07	Eastfield Resources Ltd.
ANA 43-54	YA86777-YA86788	17-Feb-07	Eastfield Resources Ltd.
KOFFEE 1-28	YB37482-YB37509	21-Sep-07	Eastfield Resources Ltd.
KOFFEE 29-32	YB374510-YB37513	21-Sep-06	Eastfield Resources Ltd.
KOFFEE 33	YB37514	21-Sep-07	Eastfield Resources Ltd.
KOFFEE 34	YB37515	21-Sep-06	Eastfield Resources Ltd.
KOFFEE 35	YB37516	21-Sep-07	Eastfield Resources Ltd.
KOFFEE 36	YB37517	21-Sep-06	Eastfield Resources Ltd.
KOFFEE 37-39	YB37518-YB37520	21-Sep-07	Eastfield Resources Ltd.
KOFFEE 40	YB37521	21-Sep-06	Eastfield Resources Ltd.
KOFFEE 41	YB37522	21-Sep-07	Eastfield Resources Ltd.
KOFFEE 42-58	YB37523-YB37539	21-Sep-06	Eastfield Resources Ltd.
AZTEC 1-10	YB37540-YB37549	21-Sep-06	Eastfield Resources Ltd.
MAYA 31-40	YB37622-YB37631	21-Sep-06	Eastfield Resources Ltd.
ICE 1-5	YB37801-YB37805	27-Jan-07	Eastfield Resources Ltd.
ICE 9-18	YB37809-YB37818	27-Jan-07	Eastfield Resources Ltd.
ICE 25-33	YB37825-YB37833	27-Jan-07	Eastfield Resources Ltd.
ICE 41-47	YB37841-YB378247	27-Jan-07	Eastfield Resources Ltd.

The Ana claims are subject to a 5% net profits interest in favour of Pacific Sentinel Gold Corp. (through the amalgamation of Big Creek Resources Ltd. and Pacific Sentinel Resources Inc.) now Great Basin Gold Ltd. Breckenridge Resources Ltd. (now GTO

Resources Inc.), an earlier partner with Eastfield Resources Ltd. on the project, retains a diluting 16.5% working interest restricted to the Ana claims. Continuing dilution by GTO is anticipated.

#### Casino "B" Claims

The Casino "B" claims are registered in the name of Pacific Sentinel Resources Inc. (now Great Basin Gold Ltd.) and are under an option to Wildrose Resources Ltd. (Wildrose) The option allows WILDROSE to earn a 100% interest in the claims by undertaking sufficient work to meet assessment work requirements on both the Casino "B" and 83 contiguous claims (the Casino "A" claims) until 2020.

#### Casino "B" Claims

Claim Name	Grant Number(s)	Expiry Date	Registered Owner
CAS 31-36	YB36618-YB36623	25-Mar-08	Pacific Sentinel Resources Inc.
CAT 63-70	95740-95747	25-Mar-08	Pacific Sentinel Resources Inc.
E 23-25	YB37242-YB37244	25-Mar-08	Pacific Sentinel Resources Inc.
E 27-32	YB37246-YB37251	25-Mar-08	Pacific Sentinel Resources Inc.
F 27-28	YB37278-YB37279	25-Mar-08	Pacific Sentinel Resources Inc.
I 1-4	YB37640-YB37643	25-Mar-08	Pacific Sentinel Resources Inc.
I 19-20	YB37658-YB37659	25-Mar-08	Pacific Sentinel Resources Inc.
MOUSE 3-16	Y35194-Y35207	25-Mar-08	Pacific Sentinel Resources Inc.
MOUSE 89-90	Y35483-Y35484	25-Mar-08	Pacific Sentinel Resources Inc.
MOUSE 97-98	Y35491-Y35492	25-Mar-08	Pacific Sentinel Resources Inc.
MOUSE 123-128	Y35517-Y35522	25-Mar-08	Pacific Sentinel Resources Inc.

The Casino "B" claims are subject to a 10% net profits interest in favour of Great Basin Gold Ltd.

The option of the Canadian Creek property by Triple Fence Inc. from Wildrose Resources Ltd. includes assuming all obligations and responsibilities with regard to the underlying agreements with third parties, including maintaining the Casino "A" and the Casino "B"

claims in good standing as noted above. All of the claims constituting the Casino "A" claims presently have sufficient work filed to keep them valid until at least March 25, 2008.

The surface area covered by all the Canadian Creek Claims (including the Casino "B" claims) is approximately 12,000 acres (4,800 hectares).

There are no environmental problems or aboriginal issues known to the author specific to the Canadian Creek claims other than those that are general to the Yukon Territory and Canada. However, the old camp, garages, fuel storage sites, derelict equipment, etc. on the adjacent Casino property, owned by Pacific Sentinel Resources Inc., have the potential to host some issues that while noted in this report, should not affect the Canadian Creek claims.

A land-use permit issued by Indian and Northern Affairs Canada is required to carry out exploration on the Canadian Creek property. EASTFIELD (in right of WILDROSE) currently holds a valid Class 3 Mining Land-use Permit, number LQ0061, which covers exploration, diamond-drilling, trenching, and road building on the Canadian Creek claims and the Casino "B" claims. This 5-year permit was issued February 1, 2001 and expires January 31, 2006 after which time it will have to be renewed. The permit is in full compliance and includes a fuel spill contingency plan that has been submitted to Indian and Northern Affairs Canada. Obligations under the permit include submitting a diamond-drill hole location plan before commencing field work, and filing an annual report at the end of each year describing work carried out, including diamond-drill holes completed, trenching, stripping and reclamation.

The agreement between Wildrose Resources Ltd. and Triple Fence Inc. provides Triple Fence Inc. the right to earn a 60% interest in the property by completing exploration expenditures totaling \$1,500,000 before October 31, 2009 and making cash payments totaling \$150,000 and making share issuances totaling 200,000 before this date. The agreement with Triple Fence Inc. provides for its interest, which is derived from the full interest in the property, to be provided from Wildrose's portion.

### **3. ACCESSIBILITY, CLIMATE, LOCAL RESOURCES, INFRASTRUCTURE AND PHYSIOGRAPHY**

The Canadian Creek property is located approximately 300 km northwest of Whitehorse and 160 kilometres south of Dawson City. The Canadian Creek claims vary in elevation from 1,000 metres (~3,300 feet) in the lower reaches of Canadian Creek and 700 metres (~2300 feet) in the lower reaches of Coffee Creek to a maximum elevation of about 1,650 metres (~5,400 feet) on a small hill northwest of the WILDROSE camp. Alpine grasses, moss and buckbrush dominate vegetation at the higher elevations while sparse stands of spruce dominate the lower elevations. With the exception of the very highest elevations, topography is subdued, weathering has been recessive and outcrop is scarce. This area of the Yukon is one of the few regions in Canada not subjected to Pleistocene glaciation and as a result, it has undergone a long period of surface weathering, oxidation and surface leaching.

The Claims are accessible via two overland routes. Currently the most convenient route is by using a 65-ton Yukon River barge from Minto or a 100-ton barge from Dawson City. A barge-landing site at the mouth of Britannia Creek connects with a rough, all-season, dirt road to the Canadian Creek property. Equipment and fuel are first barged to the landing site and then moved overland. The barge service, which predominantly services placer mining operations on tributaries of the Yukon River, is somewhat erratic and costs and timing difficult to predict. During the 2000 program costs averaged approximately \$10,000 per trip each way. An alternate route to the property is via a winter road extending from the Freegold Road approximately 90 kilometres to the southeast.

Air transport to the property is availed by a landing strip on the adjacent Casino property. This strip which handles aircraft up to DC-3 size, is road accessible from the Canadian Creek property. The airstrip is located 6.5 km east of the Canadian Creek camp and it has been used extensively by past programs with personnel and supplies generally

flown in from Whitehorse. Each field season this strip generally needs some maintenance, which usually consists of filling in of small gullies caused by spring snow-melt and heavy rainstorm events.

Helicopters are available in Whitehorse, Carmacks and in Dawson City. During the summer forest fire season, it is common for the Yukon Lands and Forest Service, along with various helicopter companies to have fuel cached at the Casino airstrip.

Placer gold mining operators on the lower reaches of Canadian Creek have recently constructed an alternate airstrip on top of tailings near Britannia Creek. This strip is however, much farther away from the Canadian Creek camp than the Casino airstrip. The Britannia Creek strip was satisfactorily used during the 2001 Canadian Creek program.

A 22-foot riverboat with the capability of approximately one ton of freight is based in Minto and was used to mobilize the 2003 program. The riverboat chartered at a rate of \$750 per round trip in 2003.

The field season begins in late April and extends until the end of September. Records indicate that precipitation for the closest weather station, at the village of Carmacks 120 kilometres to the southeast of the property, averages 25.4 cm (~10 inches) per year predominantly falling in the summer.



**4. HISTORY:**

In 1967 the porphyry potential of Patton Hill (largely occurring on the adjacent Casino property) was recognized and as a result the property holder, Casino Silver Mines Limited, was acquired by a syndicate which included Teck Corporation, the Brynelson Group and Quintana Minerals Corporation. Between 1967 and 1971 this group completed a major exploration program on the adjacent Casino deposit and feasibility study on it. A decline in metal prices led to a cessation in work in 1971. The discovery of the Casino deposit caused a great amount of work to ensue on lands adjacent to the deposit including what currently is covered by the Canadian Creek claims.


In 1985 and 1986 Nordac Mining Corporation, using the technical services of Archer, Cathro & Associates, completed soil geochemical surveys in the Canadian Creek watershed (largely in the area now within the Casino "B" claims).

In 1985 Archer, Cathro & Associates optioned the Casino Silver Mines property and in 1991 vended this option into Big Creek Resources Ltd. In 1992 Pacific Sentinel Resources Ltd. amalgamated with both Big Creek Resources Ltd. and Casino Silver Mines Limited. Between 1991 and 1994 Big Creek and then Pacific Sentinel Gold Corp. expended ~ 20 million dollars on evaluating the Casino deposit.

139° 00' W



Canadian Creek



**Ice**

CREEK ZONE

**Koffee**

KOFFEE SUMMIT

ANA PEAK

**Ana**

ANA SADDLE

**Casino 'B'**


**Casino 'A'**

AIRFIELD

**Maya**

**Aztec**

KOFFEE SADDLE




Wildrose Resources Ltd.  
**CANADIAN CREEK PROJECT**  
Whitehorse M.D., Yukon

**Claim Map**

62° 40' N

Date	Mar 2005	Scale	as shown	N.T.S.	115J
					Fig.



This work led to a pre-feasibility report that showed the deposit, while positive, would not return a satisfactory return on investment. A small amount of work was directed at the Casino "B" claims which are subject to a 100% option interest in favour of Wildrose Resources Ltd. and are part of the current property.

In 1985 Archer, Cathro & Associates Ltd. also staked the Ana claims. EASTFIELD subsequently purchased these claims in 1992, and proceeded to stake the Koffee, Aztec, Maya and Ice claim blocks. In 1993, after assembling the property, EASTFIELD entered into three separate options concerning three of the claim blocks (with Breckenridge Resources Ltd., Rockwealth International Resources Corp. and Canadian Comstock Explorations Ltd.). These options were responsible for approximately \$550,000 in exploration funding before they were terminated in 1994. Exploration funded by these options in 1993 consisted of establishing initial exploration grids and the drilling of 6 diamond drill holes on the Ana claims and 1 drill hole on the Koffee claims.

The 1993-94 work was followed by extensive field programs in 1996, 1997 and 1999 which consisting of induced polarization (IP) surveys, road construction and mechanical trenching on the Ana, Koffee, Maya and Ice claims. These programs were completed preparatory to a 2000 diamond-drill program.

In June of 1996 EASTFIELD (reorganized in 1997 into Eastfield Resources Ltd. and Wildrose Resources Ltd. with the Canadian Creek property going to Wildrose) consolidated the 5 claim blocks into the Canadian Creek property and entered into an option agreement with Alexis Resources Ltd. (now Alexis Minerals Ltd.). In 1996 and 1997 ALEXIS expended approximately \$450,000 completing surface surveys, trenching and road building.

In May of 2000 the Canadian Creek property was significantly expanded with the addition of 55 claims from Great Basin Gold Ltd. (In 1997 Pacific Sentinel Gold Corp. (now Pacific Sentinel Resources Inc.) was reorganized and renamed Great Basin Gold

Ltd.). The new claims extended the property in an eastern and northeastern direction by approximately 1.5 kilometres to within 700 metres of the Casino deposit. Also in 2000 a twelve hole reconnaissance drill program (eleven holes reaching bedrock) totaling 2,066 metres was completed between July 9 and August 14, 2000. The 2000 diamond-drill program was completed at a cost of \$425,000.

In July 2003 a grid was established over an area of approximately 1.5 by 1.1 kilometres on the Casino "B" claims and a total of 343 soil samples were collected and analysed. A robust,  $\pm$  900 metre by 600 metre, copper-gold-molybdenum soil anomaly was outlined that indicates that, while this area was formerly thought to be predominantly prospective for intrusive associated gold, it is also prospective for copper-gold-molybdenum mineralization similar to the adjacent Casino deposit. Approximately \$45,000 was expended in the 2003 program.

In August 2005 a small two man program was completed in which a number of silt and rock samples were collected to infill existing anomalies.

## 5. GEOLOGICAL SETTING

Upper Cretaceous quartz-dioritic to quartz-monzonitic intrusives and related breccias named the Casino Complex, occur throughout the property. Until recently these rocks were interpreted to significantly post date the mid-Cretaceous Dawson Range batholithic rocks (quartz-diorite to granodiorite). However, recent work completed in 1997 by the Department of Earth and Atmospheric Sciences, University of Alberta (Selby, Creser and Nesbitt, 1999), has determined that the age of the Casino Plutonic Suite is indistinguishable from the Dawson Range Batholith – namely 104 million years (mid-Cretaceous). Rare earth element content indicates that magmas of the Casino Plutonic Suite are late-phase fractionated magma derived from the Dawson Range Batholith. The batholith itself is interpreted to be the result of melting resulting from crustal thickening. A subsequent 70 million-year-old (subduction related) event then

intruded the Casino Plutonic Suite. A diagnostic porphyritic unit locally named Patton Porphyry typifies this event. The recent University of Alberta work genetically correlates porphyry mineralization at Casino to the fractionation of the Casino Plutonic Suite. This hypothesis is speculative and is not entirely compatible with earlier work completed by several groups, such as Pacific Sentinel Gold Corp. in 1993 and 1994. Pacific Sentinel Gold concluded that the younger porphyry intrusive (Patton Porphyry) is temporally associated with mineralization.

Rocks belonging to the Dawson Range batholith, Casino Complex intrusions and the Yukon Metamorphic Complex occur on the Canadian Creek property. The Dawson Range batholithic rocks are the most widespread and are typically granodiorite in composition, and intrude Palaeozoic-aged Yukon Metamorphic Complex rocks. They are exposed on Ana Peak and on the ridge between Canadian Creek and Aztec Creek. The Casino Complex intrusions, which appear to be the most important rocks on the property and host mineralization on the adjacent Casino property, are generally recessive and not well exposed. These rocks consist of quartz monzonite varying to granodiorite and minor quartz diorite, along with a rhyodacitic unit known as the Patton Porphyry and several varieties of breccia. Casino Complex rocks are exposed on the Ana Saddle, on the south side of the Canadian Creek valley (within the Casino "B" claims) and have been intersected in drill-holes in the upper Canadian Creek and Koffee bowl areas. A homolithic intrusion breccia, adjacent to a large area of rhyolitic to dacitic volcanics was exposed in excavator trenches in the Koffee Saddle in 1997. This intrusive breccia and volcanic unit are included within the Casino Complex suite. Yukon Metamorphic Complex rocks on the property consist mostly of gneiss, but also include meta-diorite, quartzite, skarned limestone and marl.

The Yukon Metamorphic Belt Complex and the Dawson Range (including Casino Suite) Belt are in east-west fault contact along the northern edge of the Canadian Creek claim block. The fault (related to the Big Creek fault system) represents a major bounding structure across geologic terranes. The trace of the fault is occasionally marked by linear ultramafic bodies.

## 6. DEPOSIT TYPES

The deposit types explored for on the Canadian Creek property are: (1) an intrusion-related gold deposit and (2) a calcalkaline porphyry copper-gold-molybdenum deposit. On the south side of the Casino "B" area the primary target is intrusion-related gold mineralization similar to the Fort Knox deposit located in Alaska. Gold mineralization on the Casino "B" claims (example 150.0 metres grading 0.49 grams per tonne gold including the top 55.2 metres grading 0.72g/t in drill hole 1994-319) is associated with a brecciated latite dyke (Thurston, 1994). In the Ana and Koffee claim areas and in the central area of the Casino "B" claims the primary target is a calcalkaline porphyry copper-gold-molybdenum deposit similar to the adjacent Casino deposit 700 m to the east of the claim boundary. Both of the above mentioned deposit examples have published resources and the reader is referred to Bakke (1995) for a description of the Fort Knox deposit and to Bower, et al. (1995) and Titley, et al. (2004) for the Casino deposit. The most recent published resource for the Casino deposit, currently owned by Lumina Copper Corporation, is 1.002 billion tonnes grading 0.22% copper, 0.25 g/t gold and 0.02% molybdenum (E.D. Titley, Report Revised Resource Estimate, Casino Property, Yukon Territory, for Lumina Copper Corp., Feb 27, 2004, filed on SEDAR, the resource stated in this report is the consolidated sum of the various ore types stated in the Titley report).

## 7. MINERALIZATION

Mineralization on the Canadian Creek property is found in five locations: 1) the "Casino B" Intrusion-Related Gold Target; 2) the "Casino B" Porphyry Copper-Gold-Molybdenum Target; 3) the Koffee Bowl Porphyry Copper-Gold Target; 4) the Ana Intrusive Breccia Target; and 5) the Koffee Bowl Arsenic Zinc Silver Anomaly.

### 1.) "Casino B" Intrusion-Related Gold Target

The first hole of the 2000 program, 2000-01, was designed to follow up wildcat hole 1994-319 which had intersected 150 metres averaging 0.49 g/t gold. Hole 2000-01, collared downslope approximately 40 metres from 1994-319, intersected 25.6 metres grading 1.04 g/t gold. This mineralization began at the bottom of the casing (18.5 metres) and extended to 44.2 metres. A second zone of mineralization, approximately 30 metres in extent and grading 0.52 g/t gold, was intersected at the bottom of this hole. Drill-hole 2000-11 located approximately 250 metres west of 2000-01 contained numerous anomalous sample intervals (generally 3 m) with gold values as high as 965 ppb, but overall it intersected a much fresher granodiorite than that intersected in drill-holes 2000-01 and 1994-319. Latite was absent in 2000-11 and the fresher character of the granodiorite in 2000-11 allows the anomalous intervals to be directly correlated to the presence of quartz vein stockwork. It is evident that the presence of the latite dyke and quartz stockwork are important and that the most permissive direction to explore for a continuation of the mineralization encountered in holes 94-319 and 2000-01 is to the east, staying high on the slope. The corresponding (greater than 50 ppb Au) soil anomaly that envelopes these holes outlines an area exceeding 3000 metres by 700 metres.

## 2.) "Casino B" Porphyry Copper-Gold-Molybdenum Target

A total of 343 soil samples were collected and analyzed in the 2003 program and successfully outlined a  $\pm 900$  metre by 600 metre, copper-gold-molybdenum soil anomaly and indicates that, while this area was formerly thought to be predominantly prospective for intrusive related gold, it is also prospective for copper-gold-molybdenum mineralization similar to the adjacent Casino deposit. A very strong total field magnetic anomaly exists in the swampy lowlands of the Canadian Creek valley. A similar feature corresponds directly to the Casino deposit. Hole 94-323, located just beyond the southwestern corner of the anomaly, intersected highly altered Patton Porphyry well mineralized with molybdenum through most of its length. Individual sample intervals in this hole contained up to 1550 ppm molybdenum (approximately 0.26% MoS<sub>2</sub>). The magnetic anomaly down slope from this hole has never been drill tested.

### **3.) Koffee Bowl Porphyry Copper-Gold Target**

An open ended, 3000 metre by 2500 metre, chargeability anomaly (>20mv/V) occupies the heart of the Koffee target. A central zone of lower chargeability (1200 metres by 900 metres) occupies the centre of this feature creating a “donut” pattern. A strong total field magnetic anomaly occupies the centre of the donut and extends across to an area of higher chargeability response in a west southwesterly direction. Six holes defining an east-west drill fence have tested the centre of the donut (five completed in 2000 and one completed in 1993). Overburden averages 20 metres (66 feet for the 6 holes completed in the target. A seventh hole attempted in 2000 was abandoned in overburden at 81 metres (266 feet). All holes predominantly encountered granodiorite although Patton Porphyry was cored in two holes in the centre of the drill fence (93-01 and 2000-06) and in the most westerly hole (2000-04). Strong phyllic alteration (chlorite-sericite) with a strong quartz pyrite stockwork was encountered on the western edge of the drill fence while strong potassium-magnetite alteration and a quartz dominant vein stockwork was encountered in the centre and on the eastern side of the fence. Highly anomalous concentrations of copper and or molybdenum plus minor gold were encountered in the central holes; example hole 2000-06 with 12 metres grading 0.30% copper and 0.02 g/t gold.


A prominent resistivity high exists on the northern edge of the “donut-hole” in an area where leached outcrop has been determined to be a microbreccia derived from quartz-monzonite. This resistivity target remains untested. A mineralized angular boulder was discovered approximately 300 metres east of hole 2000-05 at the end of the 2000 program. A network of millimetre to centimetre scale malachite and chalcopyrite veinlets pervasively mineralizes the boulder, which consists of a dark biotite-altered micro breccia. It returned an assay of 3.25 % copper with minor gold and molybdenum. The source area for the boulder probably occurs upslope possibly within the resistivity high. Much of the Koffee target remains untested.

### **4.) Ana Intrusive Breccia Target**

Eastfield Resources Ltd. completed an initial 6-hole diamond drill program on the Ana claims in 1993. This drilling was designed to test geophysical and geochemical targets in an area where the original Casino exploration group had mapped "Casino Breccia" in the early 1970's. All of the 1993 drilling (holes 93-01, 93-02, 93-04 and 93-05) intersected intervals of intrusive breccia up to 44 metres in thickness associated with anomalous concentrations of copper and gold. A petrographic study of samples from this drilling suggests that alteration style is increasing in intensity and in potassium content towards the east. Hole 93-06, the most eastward of the 1993 holes, intersected Patton Porphyry through its entire length. The combination of intrusive breccia in proximity to Patton Porphyry is analogous to the geological setting at the Casino deposit. The vector of increasing alteration targets the area to the northeast and northwest of hole 93-05.

#### **5.) Koffee Bowl Arsenic Zinc Silver Anomaly**

A very pronounced arsenic-zinc-silver (+ or - gold) soil anomaly occupies a higher elevation area east of the large Koffee chargeability anomaly. This geochemical anomaly, which is open ended to the north and east, encompasses an area of approximately 1 square kilometre. It is bisected along a ridge line by a curvilinear + 20 mV/V chargeability response. Outcrop in this area is mainly Yukon Metamorphic group rocks. No drilling has yet been undertaken in this area which is interpreted to be permissive for the discovery of a silver-gold lode deposit.



<b>Type of Work</b>	<b>Amount of Work</b>
Induced Polarization Survey	45.1 line kilometres.
Magnetometer Survey	64.5 line kilometres.
Soil Surveys	1527 samples  (collected predominantly at 50 m. intervals)
Diamond Drilling	19 holes totaling 2917 m (9568 feet).
Road Construction	approximately 15 kilometres
Mechanical Trenching	approximately 100 trenches and pits, (many of which did not reach bedrock)

## 8. 2005 SAMPLE DESCRIPTIONS

<b>Sample # and GPS</b>	<b>Sample Description</b>	<b>Gold ppb</b>	<b>Copper ppm</b>	<b>Moly. ppm</b>
29-08-01	Helicopter drop off Quartzite.	0.6	2.18	0.71
29-08-02	End of Excavator trench Foliated megacrystic fspar Porphyry, rubble.	20.3	38.15	4.96
29-08-03	Silt sample.	8.1	19.47	1.24
29-08-04	Old excavator pile Silicified pyritic rock.	16.5	14.97	2.22
29-08-05	Old excavator pile Silicified pyritic rock.	48.9	22.75	1.53
29-08-06	Quartz porphyry possibly with chalcocite, rubble.	7.3	80.63	1.52
29-08-08	Old cat trail above DDH 2000-9			

	Road.			
29-08-09	Claim post IP YB 37516 IP YB 37517.			
29-08-10	Light coloured quartz fspar rock, pyritic minor Cpy, rubble in ditch.	25.5	66.59	19.29
29-08-11	Patton porphyry with minor quartz veinlet, rubble.	14.8	65.36	3.44
29-08-12	DDH 2000-06.			
29-08-14	Silt sample main stream Coffee Creek.	12.8	54.94	5.74
29-08-15	Silt sample west fork Coffee Creek.	16.15	23.18	2.08
29-08-16	Patton Porphyry Rubble on road.			
29-08-17	Patton Porphyry, clay altered In roadside ditch.	1.5	6.88	8.80
29-08-18	Close to 10000N 10000E Koffee grid.			
30-08-01	Wildrose camp.			
30-08-02	Rusty regolith in ditch near Core facility.	4.2	31.45	8.45
30-08-03	Post #2 Ana 37 & Ana 38 Post #1 Ana 39 & Ana 40.			
30-08-04	Trench 96-24 8200W 11110N.			
30-08-05	Trench 96-25 very pyretic siliceous altered? with hematitic staining.	146.6	69.10	1.52

30-08-06	Soil sample.	<b>18.9</b>	<b>32.02</b>	<b>0.92</b>
30-08-07	Soil sample.	<b>67.0</b>	<b>61.36</b>	<b>4.84</b>
30-08-08	Soil sample.	<b>107.8</b>	<b>37.97</b>	<b>1.56</b>
30-08-09	Soil sample.	<b>27.5</b>	<b>42.45</b>	<b>1.17</b>
30-08-10	Soil sample.	<b>26.8</b>	<b>55.00</b>	<b>1.04</b>
30-08-11	Soil sample.	<b>34.0</b>	<b>68.98</b>	<b>0.87</b>
30-08-12	Soil sample.	<b>44.2</b>	<b>73.12</b>	<b>1.53</b>
30-08-14	Soil sample.	<b>94.9</b>	<b>88.54</b>	<b>1.78</b>
30-08-15	Soil sample.	<b>42.3</b>	<b>44.58</b>	<b>1.88</b>
30-08-16	Post # 1 YA 86769 Post # 2 YA 86767 & YA 86768.			
30-08-17	Trench 51	<b>135.8</b>	<b>90.32</b>	<b>0.58</b>
30-08-19	L11200N, 7750W	<b>18.4</b>	<b>3.73</b>	<b>0.98</b>
30-08-20	Soil Sample	<b>32.1</b>	<b>37.17</b>	<b>0.72</b>
30-08-21	Soil Sample	<b>82.7</b>	<b>54.77</b>	<b>0.62</b>
30-08-22	Soil Sample	<b>40.2</b>	<b>62.51</b>	<b>0.55</b>
30-08-23	Grey (tourmaline?) quartz filled rock, argillized clasts, high sulfidation alteration style?	<b>22.7</b>	<b>4.10</b>	<b>3.93</b>
30-08-24	Grey (tourmaline?) quartz filled rock, argillized clasts, high sulfidation alteration style?	<b>22.9</b>	<b>11.82</b>	<b>3.67</b>
30-08-25	Grey (tourmaline?) quartz filled rock, argillized clasts, high sulfidation alteration style?	<b>132.5</b>	<b>4.65</b>	<b>1.57</b>
30-08-26	Grey (tourmaline?) quartz filled rock, argillized clasts, high sulfidation alteration style?	<b>30.3</b>	<b>5.10</b>	<b>1.59</b>
30-08-27	L8100W, 11250N			

## 9. INTERPRETATIONS AND CONCLUSIONS

The 2004 program established further detail to the gold anomaly which exists on the south side of the Ana saddle with 15 samples averaging 52 ppb gold. The quartz tourmaline breccia that exists between samples 30-08-23 to 30-08-26, to the west of these samples, although so far only modestly anomalous, is visually impressive and larger than previously recognized. The intense silicification that accompanies this rock suggests that the Ana Saddle area still has significant potential for a gold system.

Rock sample # 29-08-10, with 25.5 ppb gold and 19.29 ppm molybdenum, located in the Koffee target is a rubble sample of light coloured quartz feldspar rock. It occurs immediately to the south and slightly down slope of and induced polarization resistivity anomaly that has not yet been drilled. Although not strongly anomalous this sample is clearly anomalous in both gold and molybdenum and provides further credence to this geophysical target.

## 10. RECOMMENDATIONS

Section 7. Mineralization covers most of the broader recommendations for Canadian Creek.

## 11. COST STATEMENT

Processional Fees J.W. Morton P.Geo Aug 28-Sept1, 2005

4days@ \$450 day	\$1,800.00
Airfare Vancouver to Whitehorse Return, J.W, Morton, Aug. 28, 2005	\$808.22
Airfare Vancouver to Whitehorse Return J. Brown, Aug. 28, 2005	\$808.22
Airfare Whitehorse to Dawson City Return, J.W, Morton Aug 29, 2005	<del>\$449.40</del> N/A
Airfare Whitehorse to Dawson City Return, J. Brown Aug 29, 2005	<del>\$449.40</del> N/A
Accommodation Whitehorse Aug 28, Sept 1, 2005	\$227.33
Accommodation Dawson City August Aug 29, 2005	\$97.86

J.W. (Bill) Morton P.Ge

Helicopter Charter Dawson City 5.2 hours	\$5,272.98
Other Expenses (including meals and supplies)	\$399.64
Analytical Costs 31 samples @ \$18 sample, ICP/ES and MS	\$558.00
Drafting	\$1,000.00
Reporting	<u>\$1,500.00</u>
<b>Total</b>	<b>\$13,371.05</b>

## 11. AUTHOR QUALIFICATIONS

I, J.W. Morton am a graduate of Carleton University Ottawa with a B.Sc. (1972) in Geology and a graduate of the University of British Columbia with a M. Sc. (1976) in Graduate Studies.

I, J.W Morton have been a member of the Association of Professional Engineers and Geoscientists of the Province of BC (P.Ge.) since 1991.


I, J.W. Morton have practiced my profession since graduation throughout Western Canada, the Western USA and Mexico.

I, J.W Morton supervised the work outlined in this report.



---

Signed this 30 day of October, 2005



**LEGEND**

- Claim outline
- Access road
- Creeks
- Drill holes
- Chargeability <math>< 20\text{mv/v}</math>

Wildrose Resources Ltd.		
<b>CANADIAN CREEK PROJECT</b>		
Whitehorse M.D., Yukon		
<b>Compilation Map</b>		
Date	June 2005	Scale as shown
		N.T.S. 115J
		Fig.

GEOCHEMICAL ANALYSIS CERTIFICATE


Mincord Exploration Consultants Ltd. File # A505141 (a)  
110 - 325 Howe St., Vancouver BC V6C 1Z7 Submitted by: Bill Morton



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	•Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %	Hg ppb	Se ppm	Te ppm	Ga ppm
29-08-02	4.96	38.15	24.19	94.9	203	4.4	5.1	538	2.09	64.2	2.5	20.3	16.4	20.5	.62	3.17	3.61	16	.43	.038	29.8	12.1	.49	69.9	.084	1	1.07	.048	.22	.5	3.1	.21	.12	8	.1	.02	4.8
29-08-04	2.22	14.97	6.96	34.3	91	1.5	.5	36	1.45	32.2	1.3	16.5	7.0	10.8	.10	1.57	1.24	2	.05	.010	10.1	3.5	.03	197.2	.001	<1	.37	.006	.21	.1	.4	.08	.09	8	.8	.13	.9
29-08-05	1.53	22.75	11.51	41.3	211	2.6	2.0	170	2.00	54.2	1.6	48.9	11.1	18.6	.21	1.24	2.43	2	.05	.009	24.0	4.1	.04	254.3	.001	1	.42	.007	.22	<1	.4	.11	.45	16	.9	.28	1.1
29-08-06	1.52	80.63	7.30	9.6	112	1.7	2.7	72	1.55	19.6	3.2	7.3	13.4	29.5	.09	.96	.24	4	.06	.016	15.9	2.2	.12	970.7	.001	2	.65	.009	.26	<1	.9	.23	.12	31	.5	.05	1.3
29-08-10	19.29	66.59	15.05	10.6	368	.8	3.1	41	1.31	8.8	1.6	25.5	16.7	17.2	.06	.61	.54	3	.04	.012	17.3	2.7	.06	230.8	.001	2	.54	.025	.34	<1	.5	.14	.52	6	1.2	.22	1.3
29-08-11	3.44	65.36	13.00	12.9	207	.8	.9	26	.93	4.2	2.2	14.8	20.4	21.9	.05	.17	.30	7	.06	.017	34.8	2.6	.06	148.1	.001	1	.46	.045	.23	<1	.9	.10	.15	<5	.5	.03	1.3
29-08-17	8.80	6.88	74.49	193.9	249	2.7	2.6	335	1.16	117.1	5.6	1.5	16.4	14.9	.58	6.14	.09	14	.18	.014	28.7	2.1	.05	98.0	.001	4	.84	.005	.24	.5	3.1	1.69	.03	276	<1	.02	1.3
30-08-02	8.45	31.45	31.94	287.3	717	4.0	8.0	2069	2.50	12.3	9.7	4.2	19.4	13.0	2.05	7.82	.11	28	.17	.041	40.2	4.1	.06	275.2	.003	1	.58	.015	.13	.7	5.5	.37	<.01	173	<1	<.02	1.6
30-08-05	1.52	69.10	47.68	22.4	9843	1.0	5.6	31	2.43	260.7	5.7	146.6	11.8	13.8	.21	3.40	34.15	5	.05	.025	11.2	2.3	.02	142.2	.001	2	.37	.006	.22	.4	1.0	.17	.86	31	.3	8.76	.9
30-08-17	.58	90.32	6.98	103.3	374	3.2	8.0	472	3.05	25.3	1.9	135.8	14.6	12.2	.10	3.42	1.21	49	.10	.051	23.5	9.1	1.08	109.7	.004	2	1.74	.042	.18	.3	4.9	.16	.31	<5	<1	.16	6.6
30-08-19	.98	3.73	5.77	2.9	229	.6	.2	22	.73	11.3	.5	18.4	2.8	10.8	.03	.64	1.81	3	.01	.007	2.6	3.7	.02	80.6	.003	48	.23	.009	.19	.5	.3	.11	.18	11	.9	.18	.4
30-08-23	3.93	4.10	12.51	3.8	239	.8	.3	32	.99	15.3	.5	22.7	3.9	5.3	.02	.92	2.43	4	.01	.012	11.4	3.6	.03	80.5	.003	37	.27	.010	.26	.8	.4	.15	.27	10	.7	.11	.6
30-08-24	3.67	11.82	13.07	4.4	158	.6	.4	24	4.39	23.6	.3	22.9	6.4	23.0	.02	.76	1.63	3	.01	.028	6.1	2.5	.02	105.3	.002	11	.26	.073	.74	.4	.4	.21	1.54	<5	4.9	.07	.9
30-08-25	1.57	4.65	13.64	3.7	140	.6	.2	21	1.41	20.7	.5	132.5	11.5	23.5	.03	.72	1.63	3	.03	.012	3.4	3.3	.03	157.6	.001	25	.31	.041	.31	.3	.4	.13	.49	<5	2.7	.15	.7
RE 30-08-25	1.47	4.59	13.93	4.3	137	.7	.2	20	1.41	20.9	.5	146.2	11.4	23.5	.04	.79	1.61	3	.03	.012	3.2	3.2	.03	150.0	.001	26	.28	.041	.29	.3	.4	.13	.49	5	2.6	.15	.6
30-08-26	1.59	5.10	6.40	2.7	382	.7	.3	22	.82	14.1	.2	30.3	2.2	6.0	.03	1.04	3.66	2	.01	.004	.7	3.0	.02	53.6	.001	16	.30	.015	.20	.5	.4	.12	.14	9	2.1	.43	.6
STANDARD DS6	11.65	124.23	30.68	143.3	284	25.0	10.8	718	2.84	21.8	7.6	48.8	3.1	45.9	7.10	4.22	5.17	57	.83	.079	14.6	170.3	.64	168.7	.081	17	1.93	.073	.15	3.6	3.4	1.92	.01	234	4.4	2.27	6.3

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.  
- SAMPLE TYPE: ROCK R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA \_\_\_\_\_ DATE RECEIVED: SEP 1 2005 DATE REPORT MAILED: Sept 20/05





GEOCHEMICAL ANALYSIS CERTIFICATE




Mincord Exploration Consultants Ltd. File # A505141 (b)  
110 - 325 Howe St., Vancouver BC V6C 1Z7 Submitted by: Bill Morton

SAMPLE#	Cs ppm	Ge ppm	Hf ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	Zr ppm	Y ppm	Ce ppm	In ppm	Re ppb	Be ppm	Li ppm	Pd ppb	Pt ppb	Sample gm
29-08-02	2.19	.1	.06	.36	22.9	1.2	<.05	1.9	7.07	51.7	.15	<1	.6	6.8	<10	<2	15
29-08-04	.64	<.1	.03	.07	7.6	.4	<.05	1.6	3.00	16.0	<.02	<1	.2	.3	<10	<2	15
29-08-05	.90	<.1	.04	.04	8.9	.4	<.05	1.9	6.01	43.2	<.02	<1	.2	.4	<10	<2	15
29-08-06	1.46	<.1	.12	.02	13.1	.2	<.05	3.9	3.00	24.4	<.02	<1	.4	2.0	<10	<2	15
29-08-10	.86	<.1	.17	.02	13.6	.3	<.05	5.9	2.01	27.0	<.02	3	.2	1.0	<10	<2	15
29-08-11	1.00	<.1	.27	.02	10.6	.1	<.05	8.6	3.90	57.5	<.02	<1	.2	.9	<10	<2	15
29-08-17	5.63	.1	.08	.05	15.3	.3	<.05	3.6	8.80	43.9	<.02	<1	.6	2.1	<10	<2	15
30-08-02	1.57	.1	.13	.04	8.3	.6	<.05	5.3	13.24	47.8	.03	<1	.3	2.9	<10	<2	15
30-08-05	1.17	<.1	.10	.04	10.3	.6	<.05	2.7	2.75	16.3	.10	<1	.2	.3	<10	<2	15
30-08-17	1.10	.1	.14	.02	10.5	.4	<.05	2.8	8.46	29.1	.04	<1	.3	7.9	<10	<2	15
30-08-19	.31	<.1	.12	.05	10.5	.4	<.05	3.5	.58	3.9	.02	<1	<.1	.3	<10	2	15
30-08-23	.25	<.1	.12	.12	12.0	.8	<.05	3.8	.80	18.0	.03	<1	.1	.4	<10	<2	15
30-08-24	.38	.1	.07	.06	16.5	.2	<.05	1.8	.51	9.0	.02	<1	.2	.6	<10	<2	15
30-08-25	.77	<.1	.07	<.02	10.3	.3	<.05	2.5	.51	4.4	.03	<1	.1	.4	<10	<2	15
RE 30-08-25	.82	<.1	.07	.02	10.0	.2	<.05	2.5	.47	4.2	.02	<1	<.1	.3	<10	<2	15
30-08-26	.37	<.1	.08	.04	8.0	.3	<.05	2.3	.32	.9	.02	<1	.1	.1	<10	<2	15
STANDARD DS6	5.60	.1	.06	1.62	14.4	6.0	<.05	3.4	7.01	27.9	1.93	<1	2.4	16.4	168	44	15

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.  
- SAMPLE TYPE: ROCK R150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA \_\_\_\_\_

DATE RECEIVED: SEP 1 2005 DATE REPORT MAILED: *Sept 20/05*





GEOCHEMICAL ANALYSIS CERTIFICATE



Mincord Exploration Consultants Ltd. File # A505142 (a)


110 - 325 Howe St., Vancouver BC V6C 1Z7 Submitted by: Bill Norton

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppb	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Sc ppm	Tl ppm	S %	Hg ppb	Se ppm	Te ppm	Ga ppm
G-1	.71	2.18	2.59	48.4	11	6.7	4.6	579	1.91	.1	2.2	.6	3.9	62.6	.01	.02	.05	38	.48	.076	7.6	83.0	.61	225.7	.118	1	1.11	.057	.50	.1	2.0	.38	<.01	<.5	<.1	<.02	5.0
29-08-03	1.24	19.47	37.95	209.7	746	14.8	8.4	1151	2.31	147.4	4.3	8.1	4.1	30.1	1.52	8.51	.33	55	.55	.077	22.7	29.8	.52	215.0	.092	2	1.53	.016	.09	.5	4.2	.18	.04	.39	.2	.03	4.7
29-08-07	2.74	45.80	26.38	290.5	369	34.8	16.3	2894	3.10	352.5	4.3	7.4	7.1	28.7	1.52	3.54	.42	70	.49	.091	19.8	29.0	.59	256.5	.095	2	1.61	.016	.11	.6	4.7	.30	.01	.30	.3	.05	5.1
29-08-14	5.74	54.94	15.06	109.0	191	11.7	11.2	658	2.77	29.1	2.8	12.8	6.4	36.1	.44	.79	.60	63	.53	.066	15.7	24.5	.62	192.7	.080	1	1.65	.023	.10	.5	4.2	.21	.02	.25	.3	.11	5.2
29-08-15	2.08	23.18	14.98	108.6	150	11.7	11.8	861	2.79	14.0	2.0	16.5	5.5	26.9	.51	.57	.77	66	.47	.062	13.4	24.7	.68	216.2	.076	1	1.74	.029	.09	.8	4.2	.23	.01	.24	.1	.17	5.3
30-08-06	.92	32.02	11.22	83.8	137	14.1	10.0	276	3.53	17.2	2.5	18.9	6.8	24.0	.18	.54	2.19	73	.33	.061	14.1	31.2	.71	149.1	.093	1	2.21	.011	.07	.2	4.4	.21	<.01	.17	.2	.17	6.4
30-08-07	4.84	61.36	63.83	172.1	1412	6.0	14.6	1719	5.59	368.0	7.0	67.0	5.4	47.5	.68	2.31	21.03	60	.46	.087	21.7	13.1	.51	268.1	.028	1	1.69	.013	.12	.7	4.9	.36	.08	.42	.3	.66	5.7
30-08-08	1.56	37.97	73.51	105.2	181	7.6	8.4	513	5.60	154.6	5.5	107.8	5.1	33.8	.33	2.10	5.19	53	.24	.085	17.8	16.8	.41	254.5	.026	1	2.01	.010	.16	.5	3.3	.44	.16	.21	1.5	.16	5.2
30-08-09	1.17	42.45	16.27	55.4	464	12.1	6.5	216	4.13	21.7	6.0	27.5	5.1	22.2	.09	.69	3.51	67	.24	.071	15.3	27.6	.57	169.4	.045	1	2.10	.009	.07	.8	4.9	.27	.08	.42	.7	.22	6.7
30-08-10	1.04	55.00	14.93	58.4	235	13.6	7.6	211	3.34	14.0	6.1	26.8	7.1	23.1	.13	.58	1.90	65	.23	.065	15.4	27.6	.61	144.7	.068	1	2.18	.009	.07	.4	4.9	.20	.03	.37	.7	.14	6.3
30-08-11	.87	68.98	24.06	68.9	440	15.0	8.3	308	3.54	29.2	2.6	34.0	5.7	19.1	.21	.56	3.81	66	.23	.065	13.1	28.4	.57	125.0	.073	1	1.87	.011	.08	.6	3.8	.20	.05	.35	.6	.79	5.8
30-08-12	1.53	73.12	14.19	61.5	240	13.9	8.6	205	3.79	15.2	5.1	44.2	8.9	16.2	.10	.55	3.19	71	.21	.060	15.3	28.8	.67	169.9	.076	1	2.64	.009	.08	.3	5.2	.22	.01	.21	.5	.18	7.0
30-08-14	1.78	88.54	14.49	52.3	265	9.3	5.9	179	3.71	17.4	5.1	94.9	14.2	22.5	.12	.58	3.88	66	.24	.067	20.0	22.0	.64	199.7	.062	1	2.26	.008	.10	.4	5.7	.23	.01	.19	.4	.33	6.4
30-08-15	1.88	44.58	8.01	59.7	129	11.3	7.0	314	3.33	8.9	3.8	42.3	1.4	23.5	.14	.52	1.70	70	.24	.102	15.7	23.4	.60	185.7	.031	1	1.91	.012	.07	.2	2.9	.20	.11	.38	.4	.16	7.2
30-08-20	.72	37.17	14.16	69.7	272	15.0	9.5	330	3.36	13.0	1.9	32.1	6.0	21.6	.13	.66	1.60	74	.34	.080	14.4	28.2	.80	119.8	.102	1	2.08	.011	.07	<.1	3.9	.20	.01	.29	.3	.24	6.9
30-08-21	.62	54.77	20.26	66.8	365	16.4	8.5	296	3.33	11.3	2.4	82.7	8.8	22.5	.14	.73	1.84	71	.29	.070	14.7	28.4	.76	177.2	.071	1	2.37	.011	.07	<.1	4.8	.24	.03	.30	.3	.27	7.8
30-08-22	.55	62.51	16.56	70.5	218	13.7	9.8	282	4.46	18.0	3.4	40.2	10.2	22.1	.14	.72	1.16	82	.33	.073	21.3	31.7	.86	164.2	.100	1	2.29	.011	.08	.1	6.1	.23	<.01	.19	.2	.16	7.5
RE 30-08-22	.55	63.38	16.40	69.7	227	13.6	10.1	277	4.41	18.1	3.5	67.3	10.0	22.0	.12	.73	1.11	81	.33	.070	21.5	31.4	.85	165.1	.099	1	2.26	.011	.08	.1	6.1	.23	<.01	.22	.2	.21	7.6
STANDARD DS6	11.47	121.44	28.76	141.9	271	25.0	10.7	701	2.80	19.2	6.5	49.7	3.1	40.0	5.96	3.42	4.77	56	.85	.077	14.3	183.8	.57	161.5	.081	18	1.89	.072	.15	3.3	3.3	1.74	.01	.225	4.3	2.19	6.3

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.  
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA \_\_\_\_\_

DATE RECEIVED: SEP 1 2005 DATE REPORT MAILED: Sept 19/05





GEOCHEMICAL ANALYSIS CERTIFICATE




Mincord Exploration Consultants Ltd. File # A505142 (b)  
110 - 325 Howe St., Vancouver BC V6C 1Z7 Submitted by: Bill Horton

SAMPLE#	Cs ppm	Ge ppm	Hf ppm	Nb ppm	Rb ppm	Sn ppm	Ta ppm	Zr ppm	Y ppm	Ce ppm	In ppm	Re ppb	Be ppm	Li ppm	Pd ppb	Pt ppb	Sample gm
G-1	3.66	.1	.10	.62	47.9	.6	<.05	1.1	4.60	14.0	<.02	<1	.2	35.6	<10	<2	15
29-08-03	2.00	<.1	.02	1.13	16.1	.5	<.05	1.0	13.40	34.2	.02	<1	.5	11.0	<10	<2	15
29-08-07	3.52	<.1	.02	.84	19.4	.5	<.05	1.0	11.80	39.2	.02	1	.8	13.3	<10	<2	15
29-08-14	1.88	<.1	.03	1.05	16.5	.5	<.05	1.2	7.74	26.5	.02	<1	.3	9.7	<10	<2	15
29-08-15	1.83	<.1	<.02	.72	14.8	.5	<.05	1.1	6.42	23.6	.02	1	.3	8.4	<10	<2	15
30-08-06	1.87	<.1	.06	.93	12.6	.7	<.05	2.7	5.55	24.5	.04	<1	.5	13.9	<10	<2	15
30-08-07	2.90	<.1	<.02	.41	23.7	.8	<.05	.1	10.50	35.1	.18	<1	.8	6.8	<10	<2	15
30-08-08	3.00	<.1	<.02	.44	19.3	.7	<.05	.1	6.29	28.2	.09	<1	.5	7.0	<10	<2	15
30-08-09	2.87	<.1	<.02	.96	14.1	.7	<.05	.7	6.57	28.2	.06	<1	.3	10.9	<10	<2	15
30-08-10	1.69	<.1	.03	1.02	11.3	.6	<.05	1.4	5.87	27.5	.04	<1	.4	12.3	<10	2	15
30-08-11	1.64	<.1	.03	1.10	10.9	.6	<.05	1.8	5.40	23.3	.08	<1	.4	12.2	<10	<2	15
30-08-12	2.36	<.1	.03	.90	13.0	.7	<.05	1.9	5.59	28.3	.04	<1	.5	12.5	<10	<2	15
30-08-14	2.38	<.1	.02	.66	16.3	.7	<.05	1.2	6.06	34.0	.05	<1	.4	10.1	<10	<2	15
30-08-15	2.10	<.1	<.02	.98	10.0	.8	<.05	.4	7.41	23.5	.03	<1	.5	8.6	<10	<2	15
30-08-20	1.89	<.1	.06	1.23	10.6	.7	<.05	2.8	7.15	24.4	.02	<1	.4	12.7	<10	<2	15
30-08-21	2.57	<.1	.06	1.18	11.2	1.0	<.05	2.4	6.71	25.3	.03	<1	.6	14.5	<10	<2	15
30-08-22	2.32	<.1	.06	.77	11.4	1.0	<.05	3.3	9.91	36.3	.03	<1	.6	14.7	<10	<2	15
RE 30-08-22	2.35	<.1	.05	.80	11.5	1.0	<.05	3.3	10.06	36.2	.04	<1	.5	15.0	<10	<2	15
STANDARD DS6	5.57	<.1	.04	1.54	14.3	5.7	<.05	3.3	6.76	28.8	1.85	<1	2.4	16.2	158	39	15

GROUP 1F15 - 15.00 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP/ES & MS.  
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.  
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA \_\_\_\_\_ DATE RECEIVED: SEP 1 2005 DATE REPORT MAILED: Sept 19/05 .....






094556

**LEGEND**

- 29-08-2 Sampling 2005
- ~ Creeks
- ~ Contours (25m)
- == Roads
- - - Claim outline
- Main trail
- ⋯ Rough track

contour heights are in feet



**WILDROSE RESOURCES LTD.**  
**Canadian Creek Property**  
 Whitehorse M.D., Yukon, CANADA

**2005 Sampling Map**  
 38 ppm Cu / 103 ppb Au

Scale: 1 : 10,000	NTS: 115J/10,11,14,15	Fr: 5
Date: November 2005	By: AGB/JWM	