ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGY, MINERALIZATION AND GEOCHEMISTRY

on the

FOUR CORNERS PROPERTY

4C 1-122	YC22680-YC22801
271-308	YC22856-YC22893
355-404	YC22922-YC22971
405-412	YC23110-YC23117
413-438	YC22972-YC22997
439	YC28800
440-450	YC29001-YC29011

NTS 105B/16 and 105G/1
Latitude 61°01'N; Longitude 130°10'W

in the

Watson Lake Mining District

Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

William A. Wengzynowski, P.Eng.

January 2006

TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
PROPERTY, LOCATION AND ACCESS	1
GEOMORPHOLOGY	2
EXPLORATION HISTORY	2
GEOLOGICAL SETTING	3
Regional Geology	3
Property Geology	3
MINERALIZATION	5
SOIL CHEMISTRY	5
CONCLUSIONS AND RECOMMENDATIONS	6
REFERENCES	8

APPENDICES

I. AUTHOR'S STATEMENT OF QUALIFICATIONS

II. CERTIFICATES OF ANALYSIS

LIST OF FIGURES

NO.	DESCRIPTION	LOCATION
1	Property Location	Following Page 1
2	Claim Location	Following Page 1
3	Regional Geology	Following Page 3
4	Stratigraphy	Following Page 3
5	Soil Sample Location	in pocket
6	Silver Geochemistry	in pocket
7	Gold Geochemistry	in pocket
8	Cobalt Geochemistry	in pocket
9	Copper Geochemistry	in pocket
10	Lead Geochemistry	in pocket
11	Zinc Geochemistry	in pocket

INTRODUCTION

The Four Corners property is located in the Finlayson Lake District of southeastern Yukon Territory. It is owned by Strategic Metals Ltd. Previous work programs focused primarily on volcanogenic massive sulphide (VMS) mineralization or emerald potential. Exploration done in 2005 was directed toward VMS potential.

This report describes a work program that was conducted by Archer, Cathro (1981) Limited on behalf of Strategic Metals between June 29 and July 15, 2005. The work was done by a three to four person crew from fly camps located on the property. The program began with the staking of 12 additional claims followed by geological mapping, prospecting and grid soil geochemical sampling. The author participated in and supervised the program. His Statement of Qualifications appears in Appendix I.

PROPERTY, LOCATION AND ACCESS


The Four Corners property consists of 256 contiguous mineral claims located in southeastern Yukon. The claim block is approximately centred at latitude 61°01' north and longitude 130°10' west on NTS map sheets 105B/16 and 105G/1 (Figure 1).


The claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust of Strategic Metals. The locations of individual claims are shown on Figure 2 while claim registration is summarized as follows.

Claim Name	Grant Number	Expiry Date
4C 1-122	YC22680-YC22801	March 13, 2009
271-308	YC22856-YC22893	March 13, 2009
355-404	YC22922-YC22971	March 13, 2009
405-412	YC23110-YC23117	March 13, 2009
413-438	YC22972-YC22997	March 13, 2009
439	YC28800	July 4, 2006*
440-450	YC29001-YC29011	July 4, 2006*

*Expiry dates do not include 2005 work which has not yet been filed for assessment credit.

The property lies about 40 km west of the Robert Campbell Highway and 115 km by air northwest of the town of Watson Lake, where the closest year round helicopter base is located. In summer 2005, crew and gear were mobilized and demobilized via a Bell 206B helicopter based in Watson Lake from a temporary staging area located along side the Robert Campbell Highway. The closest ground access route is an abandoned winter trail that extends from the Robert Campbell Highway to a mineral property near Hasselberg Lake, approximately 8 km east southeast of the Four Corners property.


STRATEGIC RESOURCES LTD.
FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
FOUR CORNERS PROPERTY
0 50 100 150 200 km
NAD 83 / ZONE 8
FILE: ...2005/HARTLES/PI-F_1-LOCATION.DWG
NOVEMBER 2005
N
IVVAVIK NATIONAL PARK
VUNTUT NATIONAL PARK
INUVIK
ALASKA
YUKON TERRITORY
NORTHWEST
TERRITORIES
DAWSON
KLONDIKE HWY
MAYO
YUKON
FOUR CORNERS
CARMACKS
FARO
ROSS RIVER
RIVER
KLUANE NATIONAL PARK
HAINES JUNCTION
WHITEHORSE
ALASKA
CARCROSS
WATSON LAKE
HWY
ALASKA
SKAGWAY
ATLIN
HAINES
CASSIAR
BRITISH COLUMBIA


FOUR CORNERS
CLAIM BLOCK
STRATEGIC METALS LTD.
FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATION
FOUR CORNERS PROPERTY
2003/4C/F2
DATE: JANUARY 2006
0
5km

GEOMORPHOLOGY

The Four Corners property lies within the Simpson Range of the Pelly Mountains, near the headwaters of the Liard River. Elevations range between 1080 and 1788 m. Topography is relatively rugged with predominantly north flowing creeks draining U-shaped valleys that often emanate from cirques. Slopes are moderate to steep, typically ranging between 20 and 45˚. Ridge crests are mostly rounded uplands with extensive felsenmeer. Ice sheets covered the entire Pelly Mountain area during the Pleistocene with the main ice flow direction southeasterly along the larger river valleys. Alpine glacial features such as cirques, tarn lakes and lateral moraines are common.

Much of the property is above tree line. Vegetation ranges from scattered stunted spruce, balsam and willow at lower elevations, giving way to buckbrush and moss and ultimately to grass and lichen at higher elevations.

Several creeks draining the claim blocks provide ample water for camp purposes and there are numerous good campsite locations.

EXPLORATION HISTORY

Regional scale geological mapping on the map sheets encompassing the Four Corners property was done by Geological Survey of Canada (GSC) mapping parties (Poole, et al., 1960 and Tempelman-Kluit, 1977). Drainages in the vicinity of the Four Corners property were sampled during reconnaissance scale stream sediment geochemical surveys supervised by the GSC (Hornbrook and Ballantyne, 1978 and Hornbrook and Friske, 1988a).

The only record of previous exploration for metals on the ground now covered by the Four Corners property was work conducted by Cominco Ltd. between 1995 and 1998. That work targeted volcanogenic massive sulphide mineralization modelled on the Kudz ze Kayah deposit located 60 km north-northwest of the Four Corners property.

Cominco flew helicopter-borne geophysical surveys over most of the Finlayson Lake District following discovery of Kudz ze Kayah, and later staked numerous claim blocks to cover the resulting geophysical anomalies. Results from the geophysical surveys were not reported for assessment credit.

Parts of three old Cominco claim blocks (BL 1-93, Wat 1-165 and IC 1-28 claims) are now covered by the Four Corners property (Deklerk, 2002). Cominco's claims were staked in 1996 and 1997 and were explored in those years by reconnaissance scale geological mapping, prospecting and soil and silt sampling. In 1998 Cominco performed more detailed mapping and prospecting around a stratiform pyrite showing hosted within siliceous felsic exhalite and argillite on the IC claims. This showing (IC Showing) is in the northern part of the Four Corners property.

In spring 2003 Firestone Ventures Inc. optioned the Four Corners property and the following summer it explored for emeralds. Although a few small beryl crystals were found, no green or

gemmy stones were found. A few rock samples collected during that program returned elevated gold assays but no systemic follow up was done.

GEOLOGICAL SETTING

Regional Geology


The Four Corners property lies within the Yukon-Tanana Terrane, 5 km northeast of the Tintina Fault (Figure 3). This regional scale, transcurrent fault extends across Yukon and into Alaska and resulted in approximately 420 to 460 km of dextral offset in Early Tertiary times (Mortensen, et al., 2000). The Yukon-Tanana Terrane is composed of complexly deformed, greenschist to lower amphibolite facies metamorphic rocks of Paleozoic age (Tempelman-Kluit, 1977). The main components are Pre-Late Devonian metaclastic and carbonate rocks and Late Devonian to Mississippian metavolcanic, metasedimentary and metaplutonic rocks. The latter package includes bimodal volcanic suites, serpentinized ultramafic bodies thought to be sills, and granite and quartz monzonite stocks of the Simpson Range Plutonic Suite. Figure 4 is a schematic stratigraphic column showing the relationships between the main Paleozoic units and their approximate ages.

Rocks of the Yukon-Tanana Terrane represent an island arc assemblage that was deformed and imbricated during accretion to the North America craton in the Late Paleozoic (Mortensen, 1992). A second stage of deformation occurred in the Early Cretaceous prior to emplacement of peraluminuous granitic intrusions belonging to the approximately 112 Ma Anvil Plutonic Suite (Mortensen, 1999).

Property Geology

Geology in the northern part of the Four Corners property is shown on Figure 5. The lithological units and contacts are inferred because little detailed property mapping has been done and most contacts are obscured by talus, glacial till or vegetation. Unit descriptions and terminology used throughout this section are based on the most recent mapping in the Finlayson Lake District which was done by the Yukon Geology Program (Murphy and Piercey, 1999 and Murphy et al., 2003).

Yukon-Tanana rocks on the Four Corners property form a stacked sequence comprised of three stratigraphic units and laterally extensive ultramafic sills. The lowest unit is composed of clastic metasedimentary rocks correlated to unit Dq. They are overlain by mafic metavolcanic rocks of unit DF or are separated from unit DF by a thick serpentinized ultramafic sill belonging to unit Dum. The layered sequence is capped by felsic metavolcanic rocks of unit DK. The youngest rocks on the Four Corners property are found along the western edge of the claim block where the layered rocks are intruded by a north-northwesterly elongated, approximately 15 sq km granitic stock of the Anvil Plutonic Suite (unit Kg). Unit descriptions are summarized in the following table.



After Murphy, et al, 2003

STRATEGIC METALS LTD.

FIGURE 3

ARCHER CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL GEOLOGY

FOUR CORNERS PROPERTY

2005/4C/F3 DATE: DECEMBER 2005




Fig 4. Schematic section of the Finlayson Lake district with the Paleozoic stratigraphy and location of VMS deposits. Dark intrusive rocks within the Fire Lake Unit are ultramafic unit Dum. Cretaceous granitic intrusions (Kg) are not shown. Modified after Murphy and Piercey, 1999 and 2000 and Piercey, et al, 2002

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

STRATIGRAPHY

FOUR CORNERS PROPERTY

2006/4C/F4 DATE: JANUARY 2006

Table I. Lithological Units at the Four Corners Property
(after Murphy and Piercey, 1999 and Murphy et al., 2003)

Unit (Age)	Description
Qob (Quaternary)	unconsolidated alluvium, colluvium, lacustrine and glacial deposits
Kg (Mid-Cretaceous)	massive to weakly foliated, medium to coarse grained biotite-muscovite granite, generally equigranular
Dum (Late Devonian)	brown weathering, dark green to black, variably serpentinized dunite, includes gabbro and/or pyroxenite locally
DK (Late Devonian)	Kudz ze Kayah felsic metavolcanic unit: feldspar-muscovite-quartz schist
DF (Late Devonian)	Fire Lake mafic metavolcanic unit: massive to subtly layered chlorite-biotite-plagioclase-actinolite schist
Dq (Pre-Late Devonian)	Biotite-muscovite-feldspar-quartz schist, micaceous quartzite and psammite, quartz-biotite-muscovite metapelitic schist, and marble

Compositional layering in the stratified rocks approximately parallels foliation. The foliation attitudes strike northwesterly and dip moderately to the north or south, about a northwest plunging anticlinal axis.

Although no high angle faults have been mapped on the property, abundant quartz veins in the central part of the claim block indicate that extensional structures are present.

Two thrust faults have been identified in the Four Corners area. The larger of these shallowly dipping structures lies about 3 km north of the property and forms the southern limit of a major feature called the Money Klippe. Rocks within this klippe are quite different from those on the Four Corners property. The other thrust is located southeast of the claim block. It only affects the local layered sequence and creates a 7 sq km klippe, within which part of the stratigraphic section is repeated.

MINERALIZATION

Four types of mineralization have been discovered on the Four Corners property. Beryl crystals and gold mineralization are probably related to Cretaceous age intrusive activity while VMS-type mineralization at the IC and HS Showings is believed to be related to Devono-Mississippian volcanism. The occurrences are briefly described in the following paragraphs.

Isolated **beryl** crystals were found at two locales in tourmaline bearing, quartz-feldspar pegmatite float surrounded by calcareous schist talus of the Fire Lake metavolcanics. Some of the schist is weakly skarnified with epidote and diopside crystals developed along limy bands. The larger of the two beryl crystals has a 1.3 cm diameter cross section, is opaque to translucent and exhibits a pale blue colour. Beryl of this type is characterized as non-gem quality aquamarine.

Gold bearing, silica altered rocks are found in the northwestern part of the property. They form a more than 100 m long talus train surrounded by Fire Lake chlorite schist. The talus train is about 8 m wide and consists primarily of white quartz flooded material. In the centre of the train is a 1 to 3 m wide band of distinctive green chalcedony believed to be coloured by finely disseminated chrome mica. A sample composed of several chips from two, 70 cm diameter boulders of the green chalcedony assayed 4.28 g/t gold and 2.64 g/t silver. Another chip sample taken nearby across 3 m of talus, centred on the green chalcedony band returned 198 ppb gold. The source of the mineralized talus is not exposed.

The **IC Showing** is located in the extreme northeastern part of the property. It is strataform and is hosted in siliceous felsic exhalite and argillite of the Kudz ze Kayah unit. The mineralization consists of massive pyrite bands that are 1 to 15 cm thick and contain trace amounts of sphalerite and galena. Specimens of this banded mineralization returned low values ranging up to 0.8% lead and 0.2% zinc. The showing lies within a 1000 m long by 300 m wide coincident lead-zinc-silver soil geochemical anomaly. Peak values from the anomaly are 825 ppm lead, 571 ppm zinc and 5.9 ppm silver. Scattered anomalous copper values to a maximum of 393 ppm were also noted (Bannister and Holroyd, 1998 and Senft, 1997).

The **HS Showing** also lies in the northeast corner of the property. The area is moderately steep but outcrop is rare due to heavy vegetation. The mineralization consists of limonite boxwork and limonitic chlorite schist discovered in a small vegetation "kill zone" within a section of Fire Lake metavolcanics. Specimens of limonite-rich material assayed between 0.58 and 0.97% copper with near background values for most other metals except cobalt (119 to 184 ppm) and zinc (262 to 2850 ppm). The showing is at the east end of a 2.5 km long copper-in-soil geochemical anomaly (described in the following section).

SOIL GEOCHEMISTRY

Soil sample were mostly taken on two grids located along the northern edge of the claim block. The locations of individual samples are shown on Figure 5. The samples were taken at approximately 50 m intervals on lines spaced 100 m apart. Sample collection was difficult in

many areas because of a thick layer of frozen organics overlying residual soils. Sample locations are marked with 0.5 m wooden lath bearing aluminium tags inscribed with the sample number.

The soil samples and rock samples collected during prospecting were transported by the crew to Whitehorse and from there were shipped to ALS Chemex Labs in North Vancouver. At ALS Chemex, the soils were dried and sieved to minus 180 microns while the rocks were fine crushed to better than 70% - 2mm, then a 1 kg split was pulverized to better than 85% passing 75 microns. Both of the resulting soil and rock fractions were then dissolved in aqua regia and subsequently analyzed by inductively coupled plasma with atomic emission spectroscopy. Appendix II contains the Certificates of Analysis.

Interpretation of soil geochemical results should consider:

1) the variable quality of soil collected due to potential mixing with frozen organics;

2) solifluction, especially on the steeper hillsides; and,

3) glacial transport, or burial, of mineralized material.

Geochemical results for silver, gold, cobalt, copper, lead and zinc are shown on Figures 6 to 11, respectively. The highest concentrations of moderately to strongly anomalous values are found on the easterly grid where high copper values (100 to 810 ppm) form a relatively continuous band about 250 m wide and 2500 m long. This band closely conforms to the inferred surface trace of the Fire Lake metavolcanics. The highest concentration of moderately anomalous silver values occurs along this same stratigraphic horizon about 1000 m to the west of the copper-rich band, across a broad unsampled creek valley. The best cobalt values lie immediately west of the best silver values. This progressive shift of anomalous values may indicate some form of primary metal zoning within the Fire Lake strata. Most anomalous values for other metals occur as scattered spot highs.

Peak values for the various metals are 2.4 ppm silver, 35 ppb gold, 140 ppm cobalt, 810 ppm copper, 164 ppm lead and 1130 ppm zinc. Most of the elevated lead and zinc values are underlain by Kudz ze Kayah felsic metavolcanic strata which overlie the Fire Lake strata.

CONCLUSIONS AND RECOMMENDATIONS

Prospecting and soil geochemical surveys at the Four Corners property have identified sub-economic mineralization and anomalous soil values in favourable Kudz ze Kayah and Fire Lake stratigraphy. Work at VMS deposits elsewhere in the Finlayson District has shown that VMS mineralization and surrounding altered rocks are more easily eroded than adjacent unaltered rocks. Thus, the most favourable rocks may be covered by soliflucted or glacially transported material. Similarly, geochemical surveys in the vicinity of the known showings have illustrated that glacial smearing and hydromorphic transport have offset the soil anomalies from the surface trace of the mineralized horizons. Finally, the cores of some VMS deposits do not extend to surface and soil anomalies that mark them are relatively weak because they are derived from distal, weakly mineralized parts of the deposits.

Additional surface prospecting and hand trenching are not likely to expose a well mineralized zone at the Four Corners property. Accordingly, helicopter-borne, electromagnetic and magnetic surveys are recommended to explore beneath soil and barren cover rocks for a non-outcropping ore body.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

William A. Wengzynowski, P.Eng.
By his Attorney-in-fact
Joan Mariacher

REFERENCES

Bannister, V.L. and Holroyd, R.W.
1998 Pelly Mountain Area, Cominco Ltd. Assessment Report #093861 on the Wat 1-165, BL 1-93 and IC 1-28 Claims.

Deklerk, R. (compiler)
2002 Yukon MINFILE 2002 entries 105B52 and 105G146. Indian and Northern Affairs Canada, Yukon Region: CD-ROM.

Hornbrook, E.H.W. and Ballantyne, S.B.
1978 Regional Stream Sediment and Water Geochemical Reconnaissance Data, Yukon Territory (NTS 105B), GSC O.F. 563, 1978.

Hornbrook, E.H.W. and Friske, P.W.B.
1988a Regional Stream Sediment and Water Geochemical Data, Southeastern Yukon (NTS 105G), GSC O.F. 1648, 1988.

Mortensen, J.K.
1992 Pre-Mid-Mesozoic Tectonic Evolution of the Yukon-Tanana Terrane, Yukon and Alaska; Tectonics, Vol. 11, pp. 836-853.

Mortensen, J.K.
1999 YUKONAGE, an Isotopic Database for the Yukon Territory, *in* Yukon Digital Geology, GSC O.F. D3826, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada O.F. 1999-1(D).

Mortensen, J.K., Hart, C.J.R., Murphy, D.C. and Heffernan, S.
2000 Temporal Evolution of Early and Mid-Cretaceous Magmatism in the Tintina Gold Belt, *in* The Tintina Gold Belt: Concepts, Exploration and Discoveries; B.C. and Yukon Chamber of Mines, Special Volume 2, pp. 49-57.

Murphy, D.C. and Piercey, S.J.
1999 Geological Map of Parts of Finlayson Lake (105G/7, 8 and parts of 1, 2 and 9) and Frances Lake (parts of 105H/5 and 12) Map Areas, Southeastern Yukon, Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1999-4.

Murphy, D.C. and Piercey, S.J.
2000 Syn-mineralization faults and their reactivation, Finlayson Lake massive sulfide belt, Yukon-Tanana Terrane, Southeastern Yukon. Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, pp. 55-66.

Murphy, D.C., Lipovsky, P.S., Stuart, A., Fonseca, A., Groat, L. and Piercey, S.J.
2003 Geological Setting of Emeralds at Regal Ridge (S.E. Yukon) Provides Clues to Their Origin and to Other Places to Explore; Yukon Geological Survey, Government of Yukon, Poster Presentation, 2003 Cordilleran Geology and Exploration Roundup, Vancouver.

Piercey, S.J., Mortensen, J.K., Murphy, D.C., Paradis, S. and Creaser, R.A.
2002 Geochemistry and tectonic significance of alkalic mafic magmatism in the Yukon-Tanana terrane, Finlayson Lake region, Yukon; Canadian Journal of Earth Sciences, Vol. 39, No. 12, December 2002, pp. 1729-1744.

Poole, W.H., Roddick, J.A. and Green, L.H.
1960 Geology, Wolf Lake, Yukon Territory (NTS 105B), GSC Map 10-1960.

Senft, D.A.
1997 Simpson Range Area, Pelly Mountains, Cominco Ltd. Assessment Report #093883 on the Wat 1-165 and BL 1-93 Claims.

Tempelman-Kluit, D.J.
1977 Geology, Quiet Lake (NTS 105F) and Finlayson Lake (NTS 105G), Yukon Territory GSC O.F. 486.

APPENDIX I

AUTHOR'S STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, William A. Wengzynowski, geological engineer, with business addresses in Vancouver, British Columbia and Whitehorse, Yukon Territory and residential address in Garibaldi Highlands, British Columbia, do hereby certify that:

1. I am President of Archer, Cathro & Associates (1981) Limited.

2. I graduated from the University of British Columbia in 1993 with a B.A.Sc in Geological Engineering, Option l, mineral and fuel exploration.

3. I registered as a Professional Engineer in the Province of British Columbia on December 12, 1998 (Licence Number 24119).

4. From 1983 to present, I have been actively engaged in mineral exploration in the Yukon Territory, Northwest Territories and northern British Columbia.

5. I have personally participated in and supervised the fieldwork reported herein.

William A. Wengzynowski, P.Eng.
By his Attorney-in-fact
Joan Mariacher

APPENDIX II

CERTIFICATES OF ANALYSIS

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 8-DEC-2005
Account: MTT

CERTIFICATE VA05105935

Project: 4C

P.O. No.:

This report is for 259 Pulp samples submitted to our lab in Vancouver, BC, Canada on 1-DEC-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-DEC-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05105935

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
CC12924		<0.005
CC12925		<0.005
CC12926		<0.005
CC12927		0.023
CC12928		0.018
CC12957		<0.005
CC12958		0.019
CC12959		0.008
CC12960		<0.005
CC12961		<0.005
CC12962		0.008
CC12963		<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 8-DEC-2005
Account: MTT

CERTIFICATE VA05105934

Project: 4C

P.O. No.:

This report is for 208 Pulp samples submitted to our lab in Vancouver, BC, Canada on 1-DEC-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-DEC-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05105934

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
CC11505		0.007
CC11506		0.008
CC11507		0.007
CC11508		<0.005
CC11509		<0.005
CC11510		<0.005
CC11511		<0.005
CC11512		<0.005
CC11513		0.005
CC11514		<0.005
CC11515		<0.005
CC11516		0.009
CC11517		0.009
CC11518		0.011
CC11519		0.012
CC11530		<0.005
CC11531		0.009
CC11532		0.034
CC11533		<0.005
CC11534		<0.005
CC11535		0.005
CC11536		0.009
CC11540		<0.005
CC11541		<0.005
CC11542		<0.005
CC11543		0.008
CC11544		0.005
CC11545		0.008
CC11565		0.012
CC11566		<0.005
CC11567		<0.005
CC11568		<0.005
CC11569		0.029
CC11570		0.006
CC11571		0.009
CC11572		<0.005
CC11579		0.011
CC11580		0.019
CC11581		<0.005
CC11582		0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-DEC-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05105934

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
CC11583		0.012
CC11584		<0.005
CC11585		0.023
CC11591		<0.005
CC11592		0.029
CC11593		<0.005
CC11594		<0.005
CC11595		0.013
CC11596		0.017
CC11597		0.015
CC11598		0.035
CC12521		<0.005
CC12522		<0.005
CC12523		0.008
CC12524		0.009
CC12525		<0.005
CC12526		<0.005
CC12527		0.046
CC12532		0.030
CC12533		0.021
CC12541		0.010
CC12542		0.035
CC12543		0.008
CC12544		0.014
CC12545		0.023
CC12546		<0.005
CC12547		<0.005
CC12548		<0.005
CC12702		0.060

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 8-DEC-2005
Account: MTT

CERTIFICATE VA05105933

Project: 4C

P.O. No.:

This report is for 310 Pulp samples submitted to our lab in Vancouver, BC, Canada on 1-DEC-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-DEC-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05105933

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
CC11601		0.014
CC11602		<0.005
CC11603		<0.005
CC11622		<0.005
CC11623		0.006
CC11624		0.008
CC11641		0.008
CC11706		0.005
CC11707		<0.005
CC11708		0.010
CC11709		<0.005
CC11710		0.008
CC11711		<0.005
CC11712		0.012
CC11713		<0.005
CC11714		0.015
CC11715		<0.005
CC11716		<0.005
CC11717		0.012
CC11725		0.010
CC11726		0.005
CC11727		0.014
CC11728		0.009
CC11729		<0.005
CC11730		0.005
CC11731		<0.005
CC11732		<0.005
CC11733		<0.005
CC11734		<0.005
CC11757		<0.005
CC11758		<0.005
CC11759		<0.005
CC11760		0.017
CC11761		<0.005
CC11762		0.008
CC11763		<0.005
CC11764		<0.005
CC11765		<0.005
CC11766		<0.005
CC11767		<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-DEC-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05105933

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
CC11785		<0.005
CC11786		<0.005
CC11787		0.005
CC11788		<0.005
CC11789		0.010
CC11790		0.013
CC11791		<0.005
CC11792		<0.005
CC11793		<0.005
CC11794		<0.005
CC11893		0.013
CC11894		0.006
CC11895		0.006
CC11907		0.005
CC11908		0.005
CC11909		<0.005
CC11910		0.007
CC11911		<0.005
CC11912		0.013
CC11913		0.010
CC11914		0.007

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-DEC-2005
Account: MTT

CERTIFICATE VA05105932

Project: 4C

P.O. No.:

This report is for 14 Pulp samples submitted to our lab in Vancouver, BC, Canada on 1-DEC-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-DEC-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05105932

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
B395802		<0.005
B395803		<0.005
B395804		0.007
B395805		0.008
B395810		<0.005
B395811		0.011

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-DEC-2005
Account: MTT

CERTIFICATE VA05105931

Project: 4C

P.O. No.:

This report is for 9 Pulp samples submitted to our lab in Vancouver, BC, Canada on 2-DEC-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized [illegible]te: 8-DEC-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05105931

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
B395815		0.497
B395816		<0.005
B395817		0.009
B395818		<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 6-AUG-2005
Account: MTT

CERTIFICATE VA05062227

Project: 4C

P.O. No.:

This report is for 9 Rock samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
CRU-31	Fine crushing - 70% <2mm
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 6-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062227

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
B395815		1.94	11.2	0.35	2	<10	10	<0.5	<2	0.06	<0.5	14	32	1450	5.15	<10
B395816		2.06	0.2	0.39	<2	<10	340	<0.5	<2	0.53	<0.5	27	24	123	4.07	<10
B395817		2.12	0.5	0.80	3	<10	40	<0.5	<2	0.61	<0.5	57	50	696	12.10	10
B395818		2.16	<0.2	1.63	<2	<10	120	<0.5	<2	0.91	<0.5	25	71	454	4.19	10
B395819		1.48	0.6	1.55	<2	<10	210	1.5	<2	0.25	<0.5	1	30	67	4.97	10
B395820		2.54	0.3	1.02	3	<10	640	1.9	<2	0.08	<0.5	12	62	298	21.3	10
B395821		1.24	<0.2	0.92	2	<10	620	0.6	<2	10.05	<0.5	14	72	36	4.24	<10
B395822		2.06	0.8	1.15	<2	<10	1130	1.7	<2	0.07	<0.5	11	80	228	16.6	10
B395823		1.70	1.0	1.08	3	<10	710	2.2	<2	0.31	<0.5	9	29	168	10.85	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 6-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062227

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
B395815		<1	0.02	<10	0.11	87	2	0.04	25	170	<2	0.06	<2	2	5	0.03
B395816		<1	0.09	20	0.15	432	<1	0.11	71	1160	49	0.58	<2	3	39	0.32
B395817		<1	0.03	<10	0.64	284	<1	0.12	51	460	<2	0.12	2	9	9	0.10
B395818		<1	0.05	<10	1.60	461	1	0.17	38	650	<2	0.38	<2	15	6	0.16
B395819		<1	0.10	10	0.12	239	2	0.01	12	1780	4	0.31	<2	4	151	0.07
B395820		1	0.12	10	0.13	1820	5	0.01	54	2000	93	0.19	<2	5	50	0.05
B395821		<1	0.02	<10	4.60	995	<1	0.02	34	160	2	0.04	<2	12	119	<0.01
B395822		<1	0.24	10	0.18	1940	3	0.01	66	1580	51	0.16	<2	6	25	0.07
B395823		<1	0.27	20	0.24	2820	3	0.01	43	1960	28	0.19	<2	5	47	0.05

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 6-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062227

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
B395815		<10	<10	29	<10	36
B395816		<10	<10	58	<10	27
B395817		<10	<10	88	<10	166
B395818		<10	<10	130	<10	112
B395819		<10	<10	110	<10	26
B395820		<10	<10	91	<10	396
B395821		<10	<10	86	<10	30
B395822		<10	<10	107	<10	430
B395823		<10	<10	90	<10	207

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized 10-AUG-2005
Account: MTT

CERTIFICATE VA05062226

Project: 4C

P.O. No.:

This report is for 259 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12736		0.16	0.2	0.71	<2	<10	100	<0.5	<2	0.08	<0.5	8	97	9	1.16	<10
CC12737		0.16	0.2	0.30	<2	<10	70	<0.5	<2	0.07	<0.5	34	425	10	2.10	<10
CC12738		0.14	0.3	0.79	<2	<10	310	<0.5	<2	0.18	<0.5	13	109	14	1.19	<10
CC12739		0.18	1.4	1.98	<2	<10	880	1.7	<2	0.70	<0.5	14	92	46	3.13	10
CC12740		0.14	0.3	1.15	<2	<10	390	0.7	<2	0.32	0.5	10	80	17	1.82	10
CC12741		0.18	0.3	0.28	<2	<10	100	<0.5	<2	0.04	<0.5	11	156	7	0.94	<10
CC12742		0.14	0.9	1.22	<2	<10	360	0.6	<2	0.23	1.3	8	83	32	2.39	10
CC12743		0.08	1.3	1.58	<2	<10	900	1.6	2	2.70	1.1	8	48	38	2.06	<10
CC12744		0.12	0.2	0.28	<2	<10	70	<0.5	<2	0.05	<0.5	4	190	4	1.16	<10
CC12745		0.14	0.2	0.72	<2	<10	80	<0.5	<2	0.09	<0.5	4	94	5	1.28	10
CC12746		0.22	0.2	0.62	<2	<10	60	<0.5	<2	0.07	<0.5	3	32	6	1.17	10
CC12747		0.14	0.2	0.71	2	<10	70	<0.5	<2	0.07	0.5	4	54	11	2.21	10
CC12748		0.16	<0.2	0.88	2	<10	1720	<0.5	<2	0.06	<0.5	7	175	15	3.05	10
CC12749		0.16	<0.2	0.93	<2	<10	100	<0.5	<2	0.12	<0.5	5	98	10	1.68	10
CC12750		0.18	0.2	0.78	<2	<10	60	<0.5	<2	0.08	<0.5	7	163	5	1.60	10
CC12751		0.16	<0.2	0.75	<2	<10	60	<0.5	<2	0.08	<0.5	8	160	5	1.60	10
CC12752		0.18	0.2	0.84	<2	<10	90	<0.5	<2	0.12	0.5	4	73	21	1.58	10
CC12753		0.22	<0.2	1.30	<2	<10	140	0.5	2	0.09	<0.5	9	154	16	3.76	10
CC12754		0.16	0.3	1.26	<2	<10	170	0.6	<2	0.13	0.5	7	66	16	3.10	10
CC12755		0.22	<0.2	0.58	<2	<10	60	<0.5	<2	0.06	<0.5	3	42	6	1.12	10
CC12756		0.16	0.2	0.69	<2	<10	80	<0.5	<2	0.08	<0.5	5	133	6	1.44	10
CC12757		0.18	0.2	0.93	<2	<10	150	<0.5	<2	0.08	<0.5	8	173	10	2.57	10
CC12758		0.10	1.1	1.56	<2	<10	840	1.5	<2	2.38	0.9	9	48	35	2.05	<10
CC12759		0.14	0.5	0.92	<2	<10	280	<0.5	<2	0.19	0.6	5	63	20	1.72	10
CC12760		0.16	0.3	0.51	<2	<10	200	<0.5	<2	0.07	<0.5	28	382	9	2.22	<10
CC12761		0.18	0.3	1.14	<2	<10	380	0.5	<2	0.32	<0.5	7	77	15	1.78	10
CC12762		0.16	1.1	1.73	<2	<10	820	1.5	<2	0.66	0.5	13	81	42	2.74	10
CC12763		0.26	0.2	0.94	<2	<10	340	<0.5	<2	0.20	<0.5	16	233	16	1.98	<10
CC12764		0.14	0.3	0.34	<2	<10	80	<0.5	<2	0.09	0.5	30	398	18	1.98	<10
CC12765		0.12	0.3	0.68	<2	<10	100	<0.5	<2	0.07	<0.5	4	40	8	0.83	<10
CC12766		Not Recvd														
CC12767		0.14	0.4	0.79	<2	<10	180	<0.5	<2	0.57	0.5	14	130	22	1.54	<10
CC12768		0.16	0.3	0.41	<2	<10	200	<0.5	<2	0.81	0.6	5	24	17	0.58	<10
CC12769		0.18	0.4	1.32	<2	<10	410	0.6	<2	0.62	0.6	18	181	35	2.46	10
CC12770		0.18	0.5	1.60	3	<10	550	1.1	<2	0.70	1.0	22	152	50	3.00	<10
CC12771		0.16	1.0	0.64	<2	<10	460	0.6	<2	0.70	0.6	6	33	28	0.94	<10
CC12772		0.18	0.2	1.23	<2	<10	300	0.6	2	0.14	<0.5	20	232	18	2.84	10
CC12773		0.20	1.1	1.52	<2	<10	640	1.0	2	0.68	<0.5	11	67	24	2.08	10
CC12774		0.22	0.8	1.90	<2	<10	610	1.4	<2	0.34	<0.5	9	59	30	2.60	10
CC12775		0.20	0.2	0.94	<2	<10	200	<0.5	<2	0.13	0.5	13	412	8	2.59	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12736		<1	0.05	<10	0.69	156	<1	0.02	106	180	5	<0.01	<2	2	6	0.04
CC12737		<1	0.03	<10	2.28	480	<1	0.01	350	180	2	<0.01	<2	1	5	0.02
CC12738		<1	0.07	10	0.54	181	<1	0.02	86	520	5	0.02	<2	1	11	0.04
CC12739		<1	0.29	70	1.11	479	<1	0.02	401	690	14	0.03	<2	7	24	0.09
CC12740		<1	0.07	30	0.48	166	<1	0.01	127	440	7	0.02	<2	3	18	0.05
CC12741		<1	0.03	<10	0.40	255	<1	0.01	89	160	3	<0.01	<2	1	4	0.02
CC12742		<1	0.13	20	0.45	371	1	0.01	114	600	13	0.02	<2	2	11	0.06
CC12743		<1	0.15	130	0.74	301	<1	0.02	173	750	13	0.15	<2	4	65	0.06
CC12744		<1	0.03	10	0.15	99	<1	0.01	62	120	4	<0.01	<2	1	4	0.05
CC12745		<1	0.10	10	0.43	154	<1	0.01	35	180	6	<0.01	<2	2	4	0.11
CC12746		<1	0.05	10	0.25	120	<1	0.01	19	110	4	<0.01	<2	2	3	0.08
CC12747		<1	0.06	10	0.21	155	1	<0.01	25	160	8	<0.01	<2	2	3	0.15
CC12748		<1	0.06	10	0.34	260	1	0.01	70	210	8	0.03	<2	2	13	0.14
CC12749		<1	0.08	10	0.41	145	2	0.01	40	150	14	<0.01	<2	2	8	0.10
CC12750		<1	0.07	10	0.56	186	1	0.01	66	160	7	<0.01	<2	2	6	0.12
CC12751		<1	0.07	10	0.60	215	1	0.01	72	130	7	<0.01	<2	2	5	0.12
CC12752		<1	0.08	10	0.34	140	2	0.01	31	140	20	<0.01	<2	2	8	0.10
CC12753		<1	0.10	10	0.60	389	1	0.01	73	290	10	<0.01	<2	3	6	0.15
CC12754		<1	0.09	10	0.58	257	1	0.01	43	230	8	<0.01	<2	4	5	0.12
CC12755		<1	0.05	10	0.23	111	1	0.01	23	120	5	<0.01	<2	2	3	0.08
CC12756		<1	0.09	10	0.42	155	<1	0.01	52	180	5	<0.01	<2	2	4	0.11
CC12757		<1	0.07	10	0.53	269	1	0.01	80	170	8	<0.01	<2	2	6	0.12
CC12758		<1	0.14	110	0.71	369	<1	0.01	165	680	13	0.12	<2	4	58	0.05
CC12759		<1	0.09	20	0.32	199	<1	0.01	73	430	8	0.01	<2	2	9	0.05
CC12760		<1	0.04	10	1.73	522	<1	0.01	292	160	5	<0.01	<2	2	6	0.04
CC12761		<1	0.08	20	0.51	157	<1	0.02	111	320	7	0.01	<2	3	17	0.06
CC12762		<1	0.25	60	0.99	434	<1	0.01	373	620	13	0.03	<2	6	22	0.08
CC12763		<1	0.09	10	1.08	293	<1	0.01	146	260	5	<0.01	<2	3	9	0.07
CC12764		<1	0.03	<10	2.01	427	<1	0.01	306	190	9	<0.01	<2	1	6	0.02
CC12765		<1	0.05	<10	0.31	97	<1	0.02	48	160	4	<0.01	<2	1	7	0.03
CC12766																
CC12767		<1	0.04	20	0.81	257	<1	0.02	214	460	3	0.03	<2	2	23	0.03
CC12768		<1	0.04	20	0.33	155	<1	0.03	109	390	3	0.03	<2	1	23	0.02
CC12769		<1	0.14	20	1.16	360	<1	0.02	307	490	7	0.02	<2	4	20	0.07
CC12770		<1	0.15	50	1.19	511	<1	0.01	391	540	10	0.03	<2	5	25	0.06
CC12771		<1	0.03	30	0.32	132	<1	0.02	179	660	3	0.05	<2	1	28	0.02
CC12772		<1	0.10	20	1.66	442	<1	0.01	219	330	10	<0.01	<2	3	9	0.08
CC12773		<1	0.10	60	0.85	354	<1	0.02	197	760	7	0.04	<2	3	29	0.04
CC12774		<1	0.14	60	0.77	373	<1	0.02	142	510	9	<0.01	<2	5	17	0.09
CC12775		<1	0.04	10	1.28	254	1	0.01	187	160	10	<0.01	<2	3	8	0.08

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12736		<10	<10	17	<10	25
CC12737		<10	<10	20	<10	26
CC12738		<10	<10	19	<10	32
CC12739		<10	<10	40	<10	99
CC12740		<10	<10	25	<10	44
CC12741		<10	<10	14	<10	15
CC12742		<10	<10	42	<10	64
CC12743		<10	<10	25	<10	91
CC12744		<10	<10	27	<10	16
CC12745		<10	<10	33	<10	27
CC12746		<10	<10	34	10	22
CC12747		<10	<10	68	<10	35
CC12748		<10	<10	72	<10	47
CC12749		<10	<10	40	<10	48
CC12750		<10	<10	45	<10	32
CC12751		<10	<10	45	<10	31
CC12752		<10	<10	37	<10	60
CC12753		<10	<10	66	<10	66
CC12754		<10	<10	43	<10	65
CC12755		<10	<10	31	<10	21
CC12756		<10	<10	37	<10	29
CC12757		<10	<10	54	<10	55
CC12758		<10	<10	26	<10	88
CC12759		<10	<10	30	<10	54
CC12760		<10	<10	26	<10	37
CC12761		<10	<10	25	<10	42
CC12762		<10	<10	35	<10	87
CC12763		<10	<10	31	<10	47
CC12764		<10	<10	21	<10	37
CC12765		<10	<10	14	<10	23
CC12766						
CC12767		<10	<10	20	<10	27
CC12768		<10	<10	8	<10	18
CC12769		<10	<10	33	<10	57
CC12770		<10	<10	36	<10	73
CC12771		<10	<10	11	<10	20
CC12772		<10	<10	39	<10	64
CC12773		<10	<10	24	<10	46
CC12774		<10	<10	37	<10	67
CC12775		<10	<10	42	<10	63

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12776		0.26	<0.2	0.90	<2	<10	210	<0.5	<2	0.15	<0.5	17	230	9	2.56	<10
CC12777		0.24	0.2	0.71	<2	<10	140	<0.5	<2	0.12	<0.5	4	126	9	1.40	10
CC12778		0.20	0.2	0.55	<2	<10	880	<0.5	<2	0.05	<0.5	8	374	4	1.92	10
CC12779		0.22	0.2	1.44	<2	<10	200	<0.5	<2	0.08	<0.5	16	320	10	3.22	10
CC12780		0.24	<0.2	0.52	<2	<10	60	<0.5	<2	0.05	<0.5	2	49	5	1.11	10
CC12781		0.16	0.2	0.67	<2	<10	580	<0.5	<2	0.10	0.6	3	27	9	1.12	10
CC12782		0.20	0.2	0.89	<2	<10	1580	<0.5	<2	0.13	0.5	4	25	12	1.40	10
CC12783		0.22	0.2	0.33	<2	<10	70	<0.5	<2	0.04	<0.5	1	58	4	0.72	<10
CC12784		0.22	0.2	1.04	2	<10	190	<0.5	<2	0.06	<0.5	19	478	9	3.45	10
CC12785		0.20	<0.2	0.25	<2	<10	210	<0.5	<2	0.03	<0.5	7	291	2	1.26	<10
CC12786		0.22	0.2	0.46	<2	<10	90	<0.5	<2	0.10	<0.5	3	138	6	0.99	10
CC12787		0.24	<0.2	0.88	<2	<10	220	<0.5	<2	0.15	<0.5	19	234	10	2.68	<10
CC12788		0.22	0.2	0.84	<2	<10	170	<0.5	<2	0.14	<0.5	13	323	7	2.29	10
CC12789		0.16	1.3	0.98	<2	<10	330	0.7	<2	0.23	<0.5	4	23	13	1.14	<10
CC12790		0.16	1.3	1.59	<2	<10	750	1.2	<2	0.87	<0.5	10	44	25	2.01	10
CC12791		0.24	0.3	1.28	<2	<10	300	0.6	<2	0.13	0.5	23	261	18	3.10	10
CC12792		0.20	0.4	0.25	<2	<10	130	<0.5	<2	0.26	<0.5	3	11	5	0.42	<10
CC12793		0.18	0.7	1.42	<2	<10	490	0.8	<2	0.67	0.7	14	111	35	2.57	10
CC12794		0.16	0.8	0.86	<2	<10	450	<0.5	<2	0.93	0.7	9	60	27	1.30	<10
CC12795		0.18	0.2	0.31	<2	<10	170	<0.5	<2	0.66	<0.5	3	7	14	0.34	<10
CC12796		0.16	0.4	0.47	<2	<10	130	<0.5	<2	0.50	<0.5	5	41	11	0.81	<10
CC12797		0.28	0.2	1.12	<2	<10	120	<0.5	<2	0.18	<0.5	27	378	25	2.86	<10
CC12798		0.28	0.2	1.17	<2	<10	130	<0.5	<2	0.25	<0.5	34	416	32	3.24	<10
CC12799		0.22	0.6	1.78	<2	<10	480	0.8	<2	0.54	0.9	18	141	44	2.87	10
CC12800		0.22	0.9	1.76	<2	<10	520	0.9	2	0.68	1.4	18	120	43	2.75	<10
CC12801		0.22	1.4	1.69	<2	<10	610	1.1	<2	0.79	<0.5	18	120	49	2.79	10
CC12802		0.22	<0.2	1.20	<2	<10	220	0.5	<2	0.13	<0.5	6	66	13	1.94	10
CC12803		0.22	0.2	1.28	<2	<10	220	<0.5	<2	0.15	<0.5	6	71	13	2.01	10
CC12804		0.26	0.2	1.40	<2	<10	370	0.7	<2	0.12	<0.5	18	170	15	2.86	10
CC12805		0.28	0.2	1.32	<2	<10	320	0.8	<2	0.17	<0.5	8	89	16	2.19	10
CC12806		0.22	0.2	1.12	<2	<10	270	0.6	<2	0.11	<0.5	6	76	12	1.55	10
CC12807		0.26	0.2	0.72	<2	<10	200	<0.5	<2	0.08	<0.5	7	161	8	1.45	<10
CC12808		0.32	0.2	1.40	<2	<10	470	0.6	<2	0.21	<0.5	15	131	17	2.62	10
CC12809		0.26	0.2	0.76	<2	<10	130	<0.5	<2	0.06	<0.5	3	29	4	1.16	10
CC12810		0.26	0.2	0.92	<2	<10	80	<0.5	<2	0.05	<0.5	4	50	7	2.55	10
CC12811		0.18	0.5	2.56	2	<10	930	1.5	2	0.49	0.7	14	55	40	3.49	10
CC12812		0.26	0.2	1.38	<2	<10	580	0.9	<2	0.25	<0.5	11	40	26	2.54	10
CC12813		0.30	0.3	1.28	<2	<10	530	0.6	<2	0.11	0.5	13	208	13	2.63	10
CC12814		0.28	0.2	1.08	<2	<10	190	<0.5	<2	0.06	<0.5	5	57	6	1.92	10
CC12815		0.26	0.3	0.90	2	<10	180	<0.5	<2	0.09	<0.5	19	391	17	3.81	10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12776		<1	0.11	10	1.55	298	<1	0.01	208	200	6	<0.01	<2	3	8	0.09
CC12777		<1	0.10	10	0.43	135	1	0.01	51	160	7	<0.01	<2	2	7	0.13
CC12778		<1	0.04	10	0.87	244	<1	<0.01	135	130	9	<0.01	<2	1	15	0.07
CC12779		<1	0.09	10	1.43	392	<1	<0.01	196	200	6	<0.01	<2	4	7	0.13
CC12780		<1	0.06	10	0.17	103	1	<0.01	17	90	6	<0.01	<2	1	3	0.10
CC12781		<1	0.06	10	0.21	133	1	0.01	15	240	6	<0.01	<2	1	6	0.06
CC12782		<1	0.08	10	0.29	170	1	0.01	19	260	6	<0.01	<2	2	9	0.07
CC12783		<1	0.04	10	0.07	56	<1	<0.01	17	80	5	<0.01	<2	1	3	0.08
CC12784		<1	0.09	10	1.62	451	<1	0.01	257	210	9	<0.01	<2	3	5	0.12
CC12785		<1	0.03	10	0.43	130	<1	0.02	116	120	3	<0.01	<2	1	5	0.03
CC12786		<1	0.06	10	0.27	71	<1	0.01	45	140	8	<0.01	<2	1	5	0.14
CC12787		<1	0.11	10	1.68	308	<1	0.01	231	230	7	<0.01	<2	3	9	0.08
CC12788		<1	0.05	10	1.17	266	1	0.01	154	150	9	<0.01	<2	3	7	0.08
CC12789		<1	0.07	40	0.30	128	<1	0.02	77	330	2	<0.01	<2	2	13	0.04
CC12790		<1	0.10	70	0.59	433	<1	0.02	193	840	6	0.05	<2	3	37	0.04
CC12791		<1	0.10	20	2.01	496	<1	0.01	245	290	11	<0.01	<2	4	9	0.09
CC12792		<1	0.02	10	0.11	60	<1	0.03	33	400	<2	0.03	<2	1	13	0.02
CC12793		<1	0.10	40	0.93	327	<1	0.02	291	410	7	0.05	<2	4	23	0.06
CC12794		<1	0.07	20	0.72	186	<1	0.02	283	650	3	0.07	<2	2	28	0.04
CC12795		<1	0.02	10	0.20	123	<1	0.03	86	330	<2	0.04	<2	<1	22	0.02
CC12796		<1	0.02	10	0.39	109	<1	0.02	126	390	<2	0.04	<2	1	20	0.03
CC12797		<1	0.04	10	2.09	262	<1	0.01	392	100	4	0.01	<2	4	8	0.09
CC12798		<1	0.04	10	2.71	371	<1	0.02	485	200	4	0.01	<2	4	10	0.07
CC12799		<1	0.09	40	1.01	428	<1	0.02	285	640	7	0.04	<2	4	20	0.06
CC12800		<1	0.09	50	0.94	475	<1	0.02	277	810	7	0.06	<2	4	25	0.05
CC12801		<1	0.15	70	1.02	448	<1	0.01	349	600	7	0.05	<2	6	26	0.06
CC12802		<1	0.06	10	0.55	227	<1	<0.01	63	250	8	0.01	<2	3	7	0.09
CC12803		<1	0.06	10	0.60	238	<1	0.01	64	240	9	0.02	<2	3	7	0.10
CC12804		<1	0.14	20	1.48	453	<1	<0.01	181	330	11	0.02	<2	4	9	0.10
CC12805		<1	0.12	20	0.78	230	<1	0.01	98	310	7	0.01	<2	4	8	0.10
CC12806		<1	0.10	20	0.49	147	<1	0.01	63	260	5	0.01	<2	2	7	0.07
CC12807		<1	0.05	10	0.58	145	<1	0.01	75	130	9	0.01	<2	1	7	0.06
CC12808		<1	0.12	10	1.04	541	1	0.01	112	290	10	0.02	<2	4	12	0.10
CC12809		<1	0.05	10	0.31	173	<1	<0.01	16	110	7	0.01	<2	2	4	0.08
CC12810		<1	0.06	10	0.19	332	1	<0.01	20	230	14	0.01	<2	2	4	0.12
CC12811		<1	0.29	30	0.75	1060	2	0.01	98	570	18	0.04	<2	5	31	0.10
CC12812		<1	0.15	40	0.47	527	1	0.01	54	340	19	0.02	<2	3	16	0.08
CC12813		<1	0.08	10	1.49	302	<1	0.01	197	200	9	0.02	<2	3	10	0.08
CC12814		<1	0.06	10	0.40	331	1	<0.01	31	150	15	0.02	<2	2	7	0.12
CC12815		<1	0.08	10	1.36	406	1	<0.01	210	300	18	0.02	<2	3	7	0.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12776		<10	<10	30	<10	42
CC12777		<10	<10	40	<10	29
CC12778		<10	<10	37	<10	26
CC12779		<10	<10	56	<10	81
CC12780		<10	<10	30	<10	24
CC12781		<10	<10	26	<10	30
CC12782		<10	<10	33	<10	37
CC12783		<10	<10	21	<10	14
CC12784		<10	<10	59	<10	63
CC12785		<10	<10	21	<10	13
CC12786		<10	<10	38	<10	17
CC12787		<10	<10	29	<10	40
CC12788		<10	<10	37	<10	54
CC12789		<10	<10	16	<10	28
CC12790		<10	<10	22	<10	42
CC12791		<10	<10	44	<10	69
CC12792		<10	<10	8	<10	9
CC12793		<10	<10	33	<10	58
CC12794		<10	<10	16	<10	30
CC12795		<10	<10	5	<10	7
CC12796		<10	<10	12	<10	12
CC12797		<10	<10	41	<10	47
CC12798		<10	<10	41	<10	41
CC12799		<10	<10	38	<10	67
CC12800		<10	<10	34	<10	66
CC12801		<10	<10	33	<10	64
CC12802		<10	<10	34	<10	56
CC12803		<10	<10	37	<10	57
CC12804		<10	<10	41	<10	75
CC12805		<10	<10	33	<10	56
CC12806		<10	<10	26	<10	39
CC12807		<10	<10	27	<10	43
CC12808		<10	<10	43	<10	67
CC12809		<10	<10	33	<10	31
CC12810		<10	<10	63	<10	42
CC12811		<10	<10	61	<10	136
CC12812		<10	<10	47	<10	98
CC12813		<10	<10	37	<10	101
CC12814		<10	<10	54	<10	39
CC12815		<10	<10	55	<10	74

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 10-AUG-2005
Account: MTT

Project: 4C

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12816		0.22	1.3	1.43	8	<10	190	0.9	<2	0.37	1.8	8	48	17	2.79	10
CC12817		0.26	0.2	0.94	<2	<10	200	<0.5	<2	0.13	<0.5	14	297	8	2.52	10
CC12818		0.28	<0.2	0.33	<2	<10	60	<0.5	<2	0.05	<0.5	12	386	5	1.52	<10
CC12819		0.26	0.2	1.39	4	<10	220	0.7	2	0.12	<0.5	9	143	11	2.72	10
CC12820		0.22	0.6	0.60	2	<10	230	0.6	<2	0.50	1.2	14	189	23	1.51	<10
CC12821		0.26	<0.2	0.75	3	<10	120	<0.5	<2	0.09	<0.5	26	565	11	3.59	<10
CC12822		0.22	<0.2	0.32	3	<10	80	<0.5	<2	0.17	<0.5	5	15	6	0.50	<10
CC12823		0.18	<0.2	0.75	2	<10	70	<0.5	<2	0.18	<0.5	9	212	14	1.82	10
CC12824		0.24	0.2	1.11	2	<10	120	<0.5	<2	0.20	<0.5	19	251	28	2.59	<10
CC12831		0.16	<0.2	1.04	<2	<10	50	<0.5	<2	0.12	<0.5	13	187	38	1.92	<10
CC12832		0.16	0.2	1.09	<2	<10	50	<0.5	<2	0.12	<0.5	13	190	41	2.00	<10
CC12833		0.20	<0.2	0.81	2	<10	50	<0.5	<2	0.11	<0.5	17	145	37	2.38	<10
CC12834		0.14	<0.2	2.04	2	<10	190	<0.5	<2	0.26	<0.5	29	189	65	2.95	10
CC12835		0.26	<0.2	0.83	<2	<10	30	<0.5	<2	0.16	<0.5	9	94	23	2.14	<10
CC12836		0.16	<0.2	1.15	<2	<10	50	<0.5	<2	0.14	<0.5	16	214	48	2.20	<10
CC12837		0.24	<0.2	1.12	<2	<10	50	<0.5	<2	0.13	<0.5	16	244	42	2.26	<10
CC12838		0.24	<0.2	1.36	<2	<10	100	<0.5	<2	0.32	<0.5	17	55	92	2.06	<10
CC12839		0.14	<0.2	1.02	<2	<10	60	<0.5	<2	0.14	<0.5	8	153	21	1.82	<10
CC12840		0.16	<0.2	2.14	<2	<10	190	<0.5	<2	0.28	<0.5	29	198	67	2.99	10
CC12841		0.20	<0.2	1.05	2	<10	50	<0.5	<2	0.11	<0.5	14	218	38	2.07	<10
CC12842		0.18	<0.2	1.67	5	<10	130	<0.5	<2	0.34	<0.5	26	69	143	2.71	<10
CC12843		0.20	<0.2	0.89	<2	<10	60	<0.5	<2	0.19	<0.5	35	266	22	2.87	<10
CC12844		0.20	<0.2	0.85	2	<10	60	<0.5	<2	0.18	<0.5	38	312	19	2.98	<10
CC12845		0.18	<0.2	0.76	3	<10	60	<0.5	<2	0.11	<0.5	39	417	33	3.50	<10
CC12846		0.18	<0.2	1.25	<2	<10	80	<0.5	<2	0.18	<0.5	36	537	27	3.97	<10
CC12847		0.14	<0.2	1.00	<2	<10	70	<0.5	<2	0.17	<0.5	25	504	19	3.68	<10
CC12848		0.12	<0.2	1.01	<2	<10	60	<0.5	<2	0.16	<0.5	22	499	20	3.54	<10
CC12849		0.14	<0.2	1.11	<2	<10	60	<0.5	<2	0.15	<0.5	34	600	20	4.11	<10
CC12850		0.14	<0.2	1.08	2	<10	60	<0.5	<2	0.14	<0.5	33	576	21	4.00	<10
CC12851		0.18	<0.2	1.95	4	<10	110	<0.5	<2	0.31	<0.5	16	68	56	2.20	<10
CC12852		0.16	<0.2	1.90	<2	<10	100	<0.5	<2	0.34	<0.5	15	71	53	2.20	<10
CC12853		0.18	<0.2	1.90	2	<10	100	<0.5	<2	0.32	<0.5	15	71	58	2.22	<10
CC12854		0.14	<0.2	1.57	5	<10	100	<0.5	<2	0.24	<0.5	27	219	43	2.78	<10
CC12855		0.16	<0.2	1.61	2	<10	100	<0.5	<2	0.25	<0.5	25	181	46	2.65	<10
CC12856		0.22	0.3	0.15	<2	<10	20	<0.5	<2	0.04	<0.5	1	8	3	0.15	<10
CC12857		0.24	<0.2	0.99	2	<10	580	<0.5	<2	0.09	<0.5	22	542	15	3.80	10
CC12858		0.22	0.2	1.51	4	<10	1090	0.6	<2	0.05	<0.5	10	50	38	4.70	10
CC12859		0.24	0.2	0.99	5	<10	1630	0.5	<2	0.03	<0.5	6	32	47	4.30	10
CC12860		0.26	0.2	1.10	5	<10	910	0.5	<2	0.05	<0.5	8	103	35	3.55	10
CC12861		0.20	0.3	1.60	6	<10	430	0.6	<2	0.09	<0.5	13	190	22	3.91	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12816		<1	0.11	20	0.51	285	7	<0.01	46	250	42	0.02	<2	4	13	0.08
CC12817		<1	0.06	10	1.38	309	<1	0.01	163	200	7	0.01	<2	3	7	0.09
CC12818		<1	0.02	<10	1.00	217	<1	<0.01	171	160	2	0.01	<2	1	3	0.03
CC12819		<1	0.18	10	0.86	264	1	0.01	86	410	10	0.02	<2	4	6	0.13
CC12820		<1	0.03	40	0.50	216	1	0.03	215	620	5	0.04	<2	1	21	0.03
CC12821		<1	0.03	10	2.59	355	<1	0.01	391	180	5	0.01	<2	2	6	0.06
CC12822		<1	0.02	<10	0.13	105	<1	0.03	49	430	2	0.02	<2	<1	11	0.02
CC12823		<1	0.12	10	0.68	153	<1	0.02	102	190	5	0.01	<2	3	6	0.12
CC12824		<1	0.04	<10	1.38	249	<1	0.03	294	260	4	0.02	<2	3	8	0.09
CC12831		<1	0.02	<10	0.84	166	<1	0.02	131	340	2	0.02	<2	1	5	0.04
CC12832		<1	0.02	<10	0.87	174	<1	0.02	130	330	2	0.02	<2	1	6	0.04
CC12833		<1	0.01	<10	1.22	198	<1	0.02	176	310	2	0.03	<2	2	6	0.04
CC12834		<1	0.15	<10	1.62	476	<1	0.03	227	390	6	0.02	<2	5	22	0.13
CC12835		<1	0.02	<10	0.49	103	<1	0.02	62	250	3	0.02	<2	2	5	0.09
CC12836		<1	0.03	<10	1.08	209	<1	0.02	159	370	2	0.02	<2	2	6	0.05
CC12837		<1	0.02	<10	1.21	208	<1	0.02	183	340	3	0.02	<2	1	6	0.04
CC12838		<1	0.05	10	0.83	332	<1	0.03	66	610	2	0.02	<2	5	8	0.07
CC12839		<1	0.02	<10	0.54	178	<1	0.03	78	420	2	0.04	2	1	6	0.05
CC12840		<1	0.15	<10	1.58	452	<1	0.03	225	400	4	0.02	<2	5	23	0.14
CC12841		<1	0.02	<10	0.98	188	<1	0.02	151	370	2	0.02	<2	1	5	0.04
CC12842		<1	0.05	<10	1.17	380	<1	0.03	71	600	2	0.02	<2	7	9	0.08
CC12843		<1	0.02	<10	2.52	484	<1	0.02	365	520	2	0.03	<2	4	9	0.04
CC12844		<1	0.02	<10	2.64	529	<1	0.02	396	510	2	0.04	<2	4	9	0.04
CC12845		<1	0.02	<10	3.21	453	<1	0.02	466	400	<2	0.03	<2	3	5	0.03
CC12846		<1	0.05	<10	1.99	567	<1	0.02	374	440	4	0.02	<2	3	7	0.07
CC12847		<1	0.03	<10	1.38	487	<1	0.03	296	550	4	0.03	2	2	8	0.06
CC12848		<1	0.03	<10	1.13	412	<1	0.02	262	560	5	0.02	<2	2	7	0.07
CC12849		<1	0.03	<10	1.59	577	<1	0.03	344	500	4	0.02	<2	2	6	0.06
CC12850		<1	0.03	<10	1.80	580	<1	0.02	362	490	5	0.02	<2	2	6	0.06
CC12851		<1	0.05	<10	0.78	188	1	0.04	146	340	5	0.02	<2	3	12	0.10
CC12852		<1	0.05	<10	0.75	185	<1	0.04	142	350	3	0.02	<2	3	13	0.10
CC12853		<1	0.05	<10	0.77	189	1	0.04	143	330	8	0.02	<2	3	12	0.10
CC12854		<1	0.08	10	1.93	476	<1	0.03	278	530	5	0.02	<2	3	12	0.08
CC12855		<1	0.08	10	1.66	507	<1	0.03	245	550	5	0.02	<2	3	13	0.08
CC12856		<1	0.02	<10	0.03	17	<1	0.03	3	250	2	0.01	<2	<1	6	0.01
CC12857		<1	0.06	10	1.33	523	1	0.02	282	390	8	0.03	<2	3	7	0.13
CC12858		<1	0.08	10	0.28	862	2	0.02	33	660	28	0.09	<2	1	18	0.07
CC12859		<1	0.09	10	0.19	408	3	0.02	25	620	26	0.12	<2	2	26	0.07
CC12860		<1	0.08	10	0.32	379	3	0.02	56	500	18	0.08	<2	2	19	0.07
CC12861		<1	0.09	10	0.84	550	1	0.01	112	610	14	0.03	<2	3	11	0.13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12816		<10	<10	39	<10	195
CC12817		<10	<10	34	<10	62
CC12818		<10	<10	19	<10	24
CC12819		<10	<10	39	<10	66
CC12820		<10	<10	18	<10	26
CC12821		<10	<10	38	<10	51
CC12822		<10	<10	8	<10	11
CC12823		<10	<10	44	<10	40
CC12824		<10	<10	45	<10	49
CC12831		<10	<10	32	<10	48
CC12832		<10	<10	34	<10	50
CC12833		<10	<10	36	<10	44
CC12834		<10	<10	64	<10	51
CC12835		<10	<10	51	<10	20
CC12836		<10	<10	38	<10	55
CC12837		<10	<10	37	<10	54
CC12838		<10	<10	48	<10	43
CC12839		<10	<10	35	<10	27
CC12840		<10	<10	66	<10	52
CC12841		<10	<10	33	<10	50
CC12842		<10	<10	66	<10	76
CC12843		<10	<10	47	<10	27
CC12844		<10	<10	45	<10	28
CC12845		<10	<10	38	<10	54
CC12846		<10	<10	49	<10	52
CC12847		<10	<10	47	<10	39
CC12848		<10	<10	51	<10	39
CC12849		<10	<10	50	<10	46
CC12850		<10	<10	49	<10	46
CC12851		<10	<10	45	<10	37
CC12852		<10	<10	45	<10	37
CC12853		<10	<10	45	<10	42
CC12854		<10	<10	47	<10	57
CC12855		<10	<10	47	<10	56
CC12856		<10	<10	4	<10	5
CC12857		<10	<10	75	<10	49
CC12858		<10	<10	77	<10	84
CC12859		<10	<10	91	<10	86
CC12860		<10	<10	65	<10	62
CC12861		<10	<10	89	<10	69

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12862		0.14	<0.2	0.86	7	<10	380	0.8	<2	1.41	<0.5	4	22	8	1.41	<10
CC12863		0.22	0.2	1.45	<2	<10	120	0.6	<2	0.20	<0.5	9	59	25	3.05	10
CC12864		0.22	0.4	1.62	4	<10	140	1.0	<2	0.21	<0.5	15	166	23	3.24	10
CC12865		0.22	<0.2	1.16	<2	<10	120	<0.5	<2	0.20	<0.5	8	136	21	1.99	<10
CC12866		0.22	<0.2	1.55	<2	<10	80	<0.5	<2	0.35	<0.5	15	107	49	2.41	<10
CC12867		0.22	<0.2	1.35	<2	<10	90	<0.5	<2	0.31	<0.5	11	97	43	2.23	<10
CC12868		0.24	<0.2	2.08	<2	<10	160	<0.5	<2	0.26	<0.5	27	234	61	3.46	10
CC12869		0.20	<0.2	1.56	<2	<10	70	<0.5	<2	0.22	<0.5	10	61	45	1.57	<10
CC12870		0.22	<0.2	1.42	<2	<10	60	<0.5	<2	0.24	<0.5	14	57	65	1.80	<10
CC12871		0.20	<0.2	1.21	2	<10	70	<0.5	<2	0.14	<0.5	12	99	33	2.65	<10
CC12872		0.20	<0.2	1.56	<2	<10	110	<0.5	<2	0.29	<0.5	15	91	59	2.32	<10
CC12873		0.24	<0.2	1.77	<2	<10	80	<0.5	<2	0.29	<0.5	17	85	84	2.18	<10
CC12874		0.18	<0.2	0.61	<2	<10	50	<0.5	<2	0.14	<0.5	3	19	21	0.72	<10
CC12875		0.22	<0.2	2.01	5	<10	280	0.7	<2	0.36	<0.5	16	77	84	3.19	<10
CC12876		0.22	<0.2	1.19	<2	<10	90	<0.5	<2	0.24	<0.5	10	77	43	2.49	10
CC12877		0.28	0.3	1.49	4	<10	160	2.0	2	0.16	<0.5	15	110	27	4.07	10
CC12878		0.20	0.2	1.44	4	<10	170	0.9	<2	0.19	<0.5	18	371	23	4.21	10
CC12879		0.22	0.2	2.83	7	<10	230	1.5	<2	0.21	<0.5	18	105	45	5.24	10
CC12880		0.20	0.3	0.92	2	<10	1410	0.5	<2	0.03	<0.5	5	43	56	4.15	10
CC12881		0.24	0.3	1.36	2	<10	1700	0.8	<2	0.05	<0.5	7	30	49	3.51	<10
CC12882		0.26	0.2	0.60	5	<10	1060	<0.5	<2	0.03	<0.5	3	20	40	3.23	10
CC12883		0.20	0.3	0.99	2	<10	700	<0.5	<2	0.03	<0.5	4	22	35	3.63	10
CC12884		0.24	0.3	1.21	9	<10	860	0.7	<2	0.02	<0.5	4	24	61	5.02	10
CC12885		0.28	0.5	1.40	6	<10	1870	0.6	2	0.05	<0.5	6	46	35	3.71	10
CC12886		0.28	0.2	1.67	6	<10	1310	1.1	2	0.08	<0.5	12	34	54	4.05	10
CC12887		0.22	0.5	2.94	4	<10	520	1.4	<2	0.16	0.5	21	71	59	5.60	10
CC12888		0.16	0.2	2.33	18	<10	150	1.8	<2	0.17	<0.5	25	112	17	4.36	10
CC12889		0.18	<0.2	1.96	2	<10	150	1.3	<2	0.13	<0.5	12	74	33	3.54	10
CC12890		0.20	<0.2	1.65	<2	<10	170	0.8	<2	0.37	<0.5	21	169	52	2.92	<10
CC12891		0.18	0.3	0.93	3	<10	110	<0.5	<2	0.22	<0.5	4	45	20	1.68	10
CC12892		0.22	<0.2	1.48	3	<10	120	<0.5	<2	0.23	0.9	16	81	45	2.19	<10
CC12893		0.26	0.2	1.90	2	<10	80	<0.5	<2	0.30	<0.5	13	58	79	1.94	<10
CC12894		0.18	<0.2	1.15	2	<10	60	<0.5	<2	0.20	<0.5	10	95	34	2.34	<10
CC12895		0.22	<0.2	1.67	2	<10	80	<0.5	<2	0.20	<0.5	13	71	74	2.24	<10
CC12896		0.20	<0.2	1.15	<2	<10	50	<0.5	<2	0.14	<0.5	14	109	69	2.28	<10
CC12897		0.22	<0.2	1.40	3	<10	60	<0.5	<2	0.14	<0.5	41	89	173	2.90	<10
CC12898		0.24	<0.2	1.40	3	<10	90	<0.5	<2	0.22	<0.5	35	183	62	3.25	<10
CC12899		0.28	<0.2	1.77	<2	<10	80	<0.5	<2	0.19	<0.5	31	115	178	2.67	<10
CC12900		0.22	<0.2	1.36	2	<10	80	<0.5	<2	0.25	<0.5	15	70	55	2.26	10
CC12901		0.16	<0.2	1.06	<2	<10	70	<0.5	<2	0.21	<0.5	9	77	36	1.74	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12862		<1	0.05	20	0.19	299	1	0.03	27	1030	7	0.09	2	1	41	0.02
CC12863		<1	0.11	10	0.51	414	1	0.02	36	420	13	0.01	<2	4	6	0.15
CC12864		<1	0.17	10	1.20	342	1	0.02	144	460	8	0.03	<2	3	13	0.08
CC12865		<1	0.05	10	0.64	257	1	0.02	68	300	4	0.01	<2	3	7	0.07
CC12866		<1	0.07	<10	0.94	234	<1	0.04	104	680	3	0.01	<2	3	9	0.11
CC12867		<1	0.07	<10	0.80	177	<1	0.03	85	490	3	0.01	<2	3	11	0.10
CC12868		<1	0.34	<10	1.43	611	<1	0.02	124	210	3	0.01	<2	9	10	0.16
CC12869		<1	0.03	<10	0.55	188	<1	0.02	53	390	3	0.01	<2	2	18	0.06
CC12870		<1	0.03	<10	0.69	157	<1	0.03	66	350	3	0.02	<2	3	12	0.05
CC12871		<1	0.03	10	0.49	295	1	0.02	43	360	8	0.01	2	3	6	0.10
CC12872		<1	0.07	<10	0.92	241	<1	0.03	61	390	3	0.02	<2	4	12	0.07
CC12873		<1	0.09	<10	0.90	335	<1	0.03	75	570	3	0.01	<2	3	11	0.09
CC12874		<1	0.03	<10	0.16	89	<1	0.03	12	320	2	0.01	<2	<1	8	0.04
CC12875		<1	0.17	10	0.83	624	1	0.03	66	720	17	0.03	<2	5	14	0.12
CC12876		<1	0.05	<10	0.60	189	1	0.03	51	640	4	0.02	<2	3	9	0.10
CC12877		<1	0.24	20	0.88	607	3	0.01	112	440	50	0.02	<2	5	7	0.09
CC12878		<1	0.11	10	1.53	374	1	0.01	215	530	8	0.02	<2	3	12	0.09
CC12879		<1	0.23	10	1.02	747	1	0.01	84	960	19	0.03	<2	6	11	0.15
CC12880		<1	0.10	10	0.17	452	3	0.02	30	750	29	0.13	<2	2	33	0.07
CC12881		<1	0.10	10	0.23	508	3	0.02	27	700	26	0.11	2	2	31	0.05
CC12882		<1	0.07	10	0.07	268	2	0.01	15	660	21	0.10	<2	1	22	0.05
CC12883		<1	0.07	10	0.11	382	2	0.01	18	670	21	0.06	<2	1	14	0.06
CC12884		<1	0.13	20	0.19	411	4	0.01	22	910	29	0.14	<2	2	28	0.07
CC12885		<1	0.09	10	0.29	421	3	0.02	30	670	32	0.09	<2	1	26	0.05
CC12886		<1	0.17	10	0.36	715	3	0.02	36	960	31	0.11	<2	3	45	0.07
CC12887		<1	0.30	10	0.95	1760	2	0.01	64	1540	24	0.10	<2	5	18	0.15
CC12888		<1	0.16	10	0.73	857	1	0.02	39	720	9	0.04	<2	4	6	0.19
CC12889		<1	0.23	10	0.91	374	1	0.01	71	440	9	0.02	<2	5	8	0.15
CC12890		<1	0.07	20	1.84	299	1	0.04	259	600	5	0.04	<2	4	13	0.07
CC12891		<1	0.06	10	0.33	120	1	0.02	24	290	13	0.02	<2	2	8	0.09
CC12892		<1	0.06	10	0.63	479	<1	0.03	68	410	7	0.02	<2	2	8	0.07
CC12893		<1	0.06	10	0.68	206	<1	0.03	72	660	4	0.02	2	3	8	0.08
CC12894		<1	0.04	<10	0.56	220	<1	0.02	68	990	3	0.02	<2	2	7	0.07
CC12895		<1	0.07	<10	0.75	152	<1	0.02	76	480	4	0.02	<2	3	9	0.08
CC12896		<1	0.02	<10	0.83	130	<1	0.02	75	230	3	0.02	<2	3	6	0.07
CC12897		<1	0.02	<10	1.02	295	<1	0.03	105	310	2	0.04	<2	3	9	0.07
CC12898		<1	0.03	<10	2.63	416	<1	0.04	369	480	3	0.04	<2	6	9	0.05
CC12899		<1	0.03	<10	1.68	234	<1	0.03	189	300	3	0.03	<2	4	7	0.08
CC12900		<1	0.05	10	0.74	225	1	0.03	62	310	7	0.02	<2	3	11	0.09
CC12901		<1	0.03	<10	0.42	231	<1	0.03	52	520	3	0.03	<2	1	7	0.06

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12862		<10	<10	26	<10	31
CC12863		<10	<10	63	<10	100
CC12864		<10	<10	40	<10	93
CC12865		<10	<10	46	<10	54
CC12866		<10	<10	48	<10	54
CC12867		<10	<10	45	<10	43
CC12868		<10	<10	62	<10	59
CC12869		<10	<10	31	<10	26
CC12870		<10	<10	38	<10	38
CC12871		<10	<10	63	<10	53
CC12872		<10	<10	57	<10	52
CC12873		<10	<10	53	<10	49
CC12874		<10	<10	18	<10	20
CC12875		<10	<10	72	<10	131
CC12876		<10	<10	58	<10	55
CC12877		<10	<10	40	<10	104
CC12878		<10	<10	50	<10	80
CC12879		<10	<10	102	<10	96
CC12880		<10	<10	89	<10	64
CC12881		<10	<10	63	<10	77
CC12882		<10	<10	77	<10	56
CC12883		<10	<10	95	<10	67
CC12884		<10	<10	86	<10	70
CC12885		<10	<10	66	<10	69
CC12886		<10	<10	76	<10	107
CC12887		<10	<10	151	<10	134
CC12888		<10	<10	170	<10	94
CC12889		<10	<10	56	<10	78
CC12890		<10	<10	53	<10	87
CC12891		<10	<10	40	<10	50
CC12892		<10	<10	46	<10	98
CC12893		<10	<10	40	<10	41
CC12894		<10	<10	46	<10	43
CC12895		<10	<10	45	<10	54
CC12896		<10	<10	52	<10	52
CC12897		<10	<10	59	<10	128
CC12898		<10	<10	57	<10	81
CC12899		<10	<10	53	<10	448
CC12900		<10	<10	53	<10	66
CC12901		<10	<10	38	<10	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12902		0.20	<0.2	1.40	<2	<10	100	<0.5	<2	0.24	<0.5	16	92	42	2.43	<10
CC12903		0.18	0.2	1.15	<2	<10	90	<0.5	<2	0.34	<0.5	12	91	36	2.12	<10
CC12904		0.16	<0.2	1.02	2	<10	80	<0.5	<2	0.20	<0.5	5	36	24	1.94	10
CC12905		0.16	<0.2	1.04	3	<10	80	0.7	<2	0.10	<0.5	6	14	13	1.59	<10
CC12906		0.18	<0.2	2.73	8	<10	250	3.0	<2	0.18	<0.5	9	28	17	3.44	10
CC12907		0.22	<0.2	2.24	4	<10	270	2.3	<2	0.09	<0.5	8	23	18	3.38	10
CC12908		0.22	0.3	2.73	<2	<10	430	2.4	<2	0.15	<0.5	11	70	29	3.35	10
CC12909		0.20	0.2	1.37	5	<10	850	0.7	2	0.07	<0.5	6	27	23	3.46	10
CC12910		0.20	0.2	2.45	5	<10	570	2.2	<2	0.17	0.5	11	28	28	4.54	10
CC12911		0.18	0.2	2.30	7	<10	500	1.4	<2	0.12	<0.5	13	57	40	4.42	10
CC12912		0.22	0.5	1.43	5	<10	1560	1.0	2	0.05	<0.5	6	26	52	4.10	10
CC12913		0.18	0.6	1.83	6	<10	1640	1.4	3	0.09	0.5	11	34	52	3.88	<10
CC12914		0.18	0.3	2.64	<2	<10	750	2.6	2	0.32	0.5	23	53	72	5.64	10
CC12915		0.14	<0.2	1.99	5	<10	250	1.1	<2	0.09	<0.5	6	23	19	4.64	10
CC12916		0.16	<0.2	1.81	<2	<10	390	1.3	<2	0.08	<0.5	6	26	17	2.84	10
CC12917		0.16	<0.2	1.29	<2	<10	150	0.8	<2	0.06	<0.5	5	19	17	3.22	10
CC12918		0.18	<0.2	2.18	3	<10	240	1.9	<2	0.13	<0.5	9	19	19	3.43	10
CC12919		0.14	0.4	2.84	<2	<10	210	2.9	<2	0.17	<0.5	8	19	16	4.50	20
CC12920		0.14	0.2	1.40	2	<10	80	1.4	<2	0.08	<0.5	4	20	16	2.00	10
CC12921		0.12	<0.2	1.73	2	<10	220	0.9	<2	0.23	<0.5	7	33	21	2.93	10
CC12922		0.14	0.2	1.43	4	<10	150	0.7	<2	0.53	1.6	10	42	50	1.50	<10
CC12923		0.14	0.2	1.63	2	<10	90	<0.5	<2	0.18	<0.5	14	128	50	2.37	<10
CC12924		0.18	<0.2	1.22	2	<10	100	<0.5	<2	0.18	<0.5	19	164	37	2.53	<10
CC12925		0.14	<0.2	1.29	2	<10	150	<0.5	<2	0.23	<0.5	46	258	40	3.36	<10
CC12926		0.18	<0.2	1.34	<2	<10	110	<0.5	<2	0.25	<0.5	20	104	64	2.59	<10
CC12927		0.16	<0.2	2.16	3	<10	270	0.8	<2	0.40	<0.5	37	140	82	4.77	10
CC12928		0.16	<0.2	1.17	<2	<10	110	<0.5	<2	0.24	<0.5	19	175	42	2.51	<10
CC12929		0.18	<0.2	1.82	2	<10	60	<0.5	<2	0.14	<0.5	12	54	68	2.22	<10
CC12930		0.20	<0.2	1.75	<2	<10	60	<0.5	<2	0.15	<0.5	12	57	76	2.31	<10
CC12931		0.10	0.2	1.16	<2	<10	40	<0.5	<2	0.16	<0.5	6	44	35	1.49	<10
CC12932		0.16	<0.2	1.74	2	<10	90	<0.5	<2	0.29	<0.5	9	53	57	1.64	<10
CC12933		0.14	0.3	0.91	<2	<10	30	<0.5	<2	0.16	<0.5	4	41	30	1.20	10
CC12934		0.18	<0.2	2.34	<2	<10	210	<0.5	<2	0.43	<0.5	22	85	103	3.04	10
CC12935		0.18	0.4	1.45	<2	<10	120	0.5	<2	0.12	<0.5	6	37	36	1.93	10
CC12936		0.22	<0.2	1.45	<2	<10	130	1.8	<2	0.06	<0.5	4	9	12	2.41	10
CC12937		0.22	<0.2	1.32	7	<10	130	1.7	<2	0.07	<0.5	6	9	16	2.46	10
CC12938		0.20	<0.2	2.46	<2	<10	170	2.6	<2	0.06	<0.5	5	14	12	3.56	10
CC12939		0.28	<0.2	1.95	2	<10	290	1.7	<2	0.12	<0.5	8	21	21	3.03	10
CC12940		0.20	<0.2	2.35	7	<10	130	2.2	<2	0.11	<0.5	9	28	15	2.94	10
CC12941		0.14	0.4	3.70	2	<10	340	3.0	<2	0.12	0.6	8	24	28	5.66	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12902		<1	0.07	10	0.85	307	<1	0.03	107	470	3	0.03	<2	2	9	0.07
CC12903		<1	0.05	<10	0.70	268	<1	0.03	65	440	6	0.02	<2	3	11	0.09
CC12904		1	0.06	10	0.33	161	1	0.02	15	400	12	0.03	<2	1	7	0.09
CC12905		<1	0.08	10	0.23	793	2	0.02	7	600	6	0.06	2	<1	6	0.03
CC12906		<1	0.30	40	0.72	792	1	0.02	18	1030	12	0.05	<2	3	15	0.11
CC12907		<1	0.40	30	0.71	613	1	0.02	17	630	16	0.03	<2	4	8	0.13
CC12908		<1	0.48	20	0.98	610	1	0.02	26	790	14	0.04	<2	5	10	0.15
CC12909		<1	0.22	10	0.35	420	2	0.02	16	870	26	0.05	<2	2	11	0.11
CC12910		<1	0.44	20	0.75	550	1	0.02	25	940	22	0.04	<2	7	14	0.20
CC12911		<1	0.23	10	0.64	865	2	0.01	44	960	26	0.07	<2	4	15	0.13
CC12912		<1	0.11	20	0.27	503	3	0.02	31	870	48	0.11	<2	2	25	0.06
CC12913		<1	0.15	20	0.44	567	5	0.02	42	1100	95	0.11	<2	4	30	0.07
CC12914		<1	0.44	20	0.82	1725	2	0.01	92	2120	29	0.07	<2	9	32	0.16
CC12915		<1	0.27	10	0.54	445	1	0.01	15	890	13	0.09	<2	3	9	0.14
CC12916		<1	0.20	20	0.51	412	2	0.02	19	560	20	0.04	<2	2	10	0.11
CC12917		<1	0.22	10	0.31	331	2	0.01	13	650	21	0.05	<2	2	8	0.12
CC12918		<1	0.42	20	0.69	681	1	0.02	16	810	13	0.03	<2	4	10	0.14
CC12919		<1	0.47	30	0.76	510	2	0.02	11	970	13	0.07	2	6	13	0.21
CC12920		<1	0.11	20	0.29	170	2	0.02	10	650	10	0.05	<2	1	6	0.04
CC12921		<1	0.17	20	0.57	458	2	0.02	19	360	12	0.02	3	3	12	0.13
CC12922		<1	0.05	30	0.53	239	<1	0.04	27	700	4	0.06	<2	1	17	0.04
CC12923		<1	0.03	<10	1.38	158	<1	0.03	168	590	2	0.04	<2	2	9	0.04
CC12924		<1	0.04	<10	1.53	281	<1	0.03	215	650	4	0.02	<2	2	9	0.04
CC12925		<1	0.06	10	2.83	614	<1	0.04	399	510	4	0.03	<2	4	11	0.06
CC12926		<1	0.05	<10	1.51	231	<1	0.04	207	360	2	0.02	<2	4	15	0.07
CC12927		<1	0.11	<10	2.02	1315	<1	0.04	261	570	3	0.02	2	21	12	0.04
CC12928		<1	0.03	<10	1.47	290	<1	0.05	242	650	3	0.04	<2	3	11	0.05
CC12929		<1	0.05	<10	0.77	176	<1	0.03	43	520	4	0.03	<2	2	6	0.06
CC12930		<1	0.03	<10	0.75	264	<1	0.02	39	440	4	0.04	<2	1	6	0.05
CC12931		<1	0.03	<10	0.42	90	<1	0.02	23	570	3	0.04	<2	1	6	0.03
CC12932		<1	0.04	<10	0.57	200	<1	0.03	27	430	3	0.02	<2	1	14	0.07
CC12933		<1	0.02	<10	0.34	79	<1	0.02	23	350	<2	0.01	<2	<1	7	0.03
CC12934		<1	0.16	<10	1.22	535	<1	0.03	61	580	<2	0.01	<2	7	17	0.11
CC12935		1	0.07	10	0.38	544	<1	0.02	21	540	14	0.02	<2	1	6	0.05
CC12936		<1	0.24	50	0.36	307	1	0.01	8	440	11	0.01	<2	3	6	0.07
CC12937		<1	0.28	40	0.35	428	1	0.01	8	470	9	<0.01	<2	4	5	0.09
CC12938		<1	0.54	20	0.84	352	<1	0.01	10	470	9	0.01	<2	4	5	0.18
CC12939		<1	0.33	20	0.63	499	1	0.01	20	710	16	0.02	<2	4	10	0.13
CC12940		<1	0.27	20	0.61	518	1	0.01	22	790	10	0.03	3	3	7	0.10
CC12941		1	0.75	20	0.85	688	2	0.01	31	820	8	0.05	<2	6	9	0.27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12902		<10	<10	50	<10	55
CC12903		<10	<10	48	<10	69
CC12904		<10	<10	58	<10	45
CC12905		<10	<10	23	<10	38
CC12906		<10	<10	42	<10	97
CC12907		<10	<10	40	<10	92
CC12908		<10	<10	56	<10	89
CC12909		<10	<10	74	<10	65
CC12910		<10	<10	69	<10	150
CC12911		<10	<10	117	<10	110
CC12912		<10	<10	78	<10	89
CC12913		<10	<10	88	<10	125
CC12914		<10	<10	153	<10	162
CC12915		<10	<10	58	<10	79
CC12916		<10	<10	49	<10	66
CC12917		<10	<10	50	<10	68
CC12918		<10	<10	44	<10	90
CC12919		<10	<10	59	<10	138
CC12920		<10	<10	29	<10	45
CC12921		<10	<10	57	<10	104
CC12922		<10	<10	32	<10	43
CC12923		<10	<10	52	<10	55
CC12924		<10	<10	44	<10	75
CC12925		<10	<10	48	<10	102
CC12926		<10	<10	49	<10	188
CC12927		<10	<10	119	<10	82
CC12928		<10	<10	45	<10	51
CC12929		<10	<10	56	<10	53
CC12930		<10	<10	54	<10	68
CC12931		<10	<10	40	<10	35
CC12932		<10	<10	44	<10	33
CC12933		<10	<10	35	<10	26
CC12934		<10	<10	75	<10	49
CC12935		<10	<10	45	<10	59
CC12936		<10	<10	23	<10	72
CC12937		<10	<10	25	<10	89
CC12938		<10	<10	41	<10	89
CC12939		<10	<10	46	<10	95
CC12940		<10	<10	37	<10	89
CC12941		10	<10	96	<10	124

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12942		0.16	0.4	1.53	<2	<10	890	0.8	<2	0.05	<0.5	4	34	44	4.86	10
CC12943		0.22	0.4	2.09	<2	<10	220	1.9	<2	0.18	0.5	10	26	23	3.85	10
CC12944		0.14	0.2	2.53	<2	<10	270	2.2	<2	0.18	<0.5	9	23	14	4.42	10
CC12945		0.16	0.2	1.93	<2	<10	150	1.5	<2	0.10	<0.5	7	23	12	3.18	10
CC12946		0.22	<0.2	2.62	<2	<10	390	3.0	<2	0.20	<0.5	8	32	20	3.22	10
CC12947		0.16	<0.2	1.21	3	<10	90	1.3	<2	0.07	<0.5	4	11	13	2.46	10
CC12948		0.20	<0.2	1.92	17	<10	210	2.8	<2	0.07	<0.5	7	14	14	3.52	10
CC12949		0.16	0.3	3.74	3	<10	990	5.7	2	0.31	<0.5	18	6	17	5.58	20
CC12950		0.18	0.2	1.55	<2	<10	160	0.8	<2	0.10	<0.5	6	31	31	2.10	10
CC12951		0.14	<0.2	2.06	<2	<10	90	<0.5	<2	0.28	<0.5	11	47	64	1.69	<10
CC12952		0.20	0.2	2.00	<2	<10	120	<0.5	<2	0.34	<0.5	13	54	72	1.80	<10
CC12953		0.14	0.2	1.84	<2	<10	80	<0.5	<2	0.34	<0.5	9	41	50	1.97	<10
CC12954		0.18	<0.2	1.96	<2	<10	80	<0.5	<2	0.25	<0.5	13	56	65	1.83	<10
CC12955		0.18	<0.2	1.90	<2	<10	80	<0.5	<2	0.24	<0.5	17	78	99	1.91	<10
CC12956		0.16	0.2	1.24	<2	<10	60	<0.5	<2	0.21	<0.5	8	46	53	1.88	<10
CC12957		0.14	<0.2	1.98	<2	<10	200	<0.5	<2	0.24	<0.5	18	89	98	2.75	10
CC12958		0.16	<0.2	2.13	5	<10	200	<0.5	<2	0.32	<0.5	63	186	113	4.26	<10
CC12959		0.18	0.2	3.51	8	<10	140	<0.5	<2	0.24	<0.5	44	149	72	4.73	10
CC12960		0.18	<0.2	2.58	3	<10	330	<0.5	<2	0.68	<0.5	27	106	93	2.85	10
CC12961		0.18	<0.2	2.27	2	<10	360	<0.5	<2	0.39	<0.5	20	84	82	3.17	10
CC12962		0.18	<0.2	2.42	<2	<10	220	<0.5	<2	0.47	<0.5	23	93	90	2.89	10
CC12963		0.22	0.4	1.78	4	<10	210	<0.5	<2	0.47	<0.5	21	59	96	2.50	<10
CC12964		0.22	<0.2	1.42	<2	<10	70	<0.5	<2	0.71	<0.5	8	46	65	0.97	<10
CC12965		0.18	0.3	1.89	<2	<10	70	<0.5	2	0.33	0.5	8	45	57	1.96	<10
CC12966		0.20	0.2	1.60	<2	<10	50	<0.5	<2	0.41	<0.5	8	34	48	1.26	<10
CC12967		0.18	0.3	2.47	<2	<10	100	<0.5	<2	0.22	<0.5	12	53	54	2.40	10
CC12968		0.18	0.2	2.10	<2	<10	300	0.7	<2	0.12	<0.5	9	51	53	2.59	10
CC12969		0.30	0.2	1.50	4	<10	130	1.3	<2	0.08	<0.5	4	16	17	2.48	10
CC12970		0.22	<0.2	1.49	5	<10	140	1.6	<2	0.11	<0.5	5	12	14	2.25	10
CC12971		0.18	<0.2	2.82	<2	<10	210	3.1	<2	0.12	<0.5	8	27	16	3.30	10
CC12972		0.20	<0.2	1.82	<2	<10	240	2.5	<2	0.08	<0.5	6	11	16	2.60	10
CC12973		0.24	0.2	1.13	<2	<10	80	0.6	<2	0.04	<0.5	3	15	11	2.03	10
CC12974		0.22	<0.2	0.88	4	<10	60	0.7	<2	0.04	<0.5	3	10	10	1.59	<10
CC12975		0.22	<0.2	1.54	<2	<10	380	0.6	<2	0.08	<0.5	8	47	41	2.66	10
CC12976		0.18	<0.2	1.68	<2	<10	110	<0.5	<2	0.20	<0.5	8	41	37	2.25	10
CC12977		0.20	<0.2	2.21	<2	<10	150	<0.5	<2	0.38	<0.5	14	56	84	1.77	<10
CC12978		0.16	<0.2	0.96	<2	<10	40	<0.5	<2	0.22	<0.5	5	33	25	1.26	10
CC12979		0.18	<0.2	1.25	<2	<10	50	<0.5	<2	0.45	<0.5	9	61	44	1.73	10
CC12980		0.20	0.2	2.31	<2	<10	80	<0.5	<2	0.32	<0.5	32	67	101	5.05	<10
CC12981		0.16	<0.2	2.45	<2	<10	130	<0.5	<2	0.36	<0.5	37	70	143	3.94	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12942		<1	0.27	10	0.36	297	8	0.01	29	870	67	0.32	2	2	44	0.11
CC12943		<1	0.45	20	0.71	704	1	0.01	25	890	18	0.05	<2	4	18	0.12
CC12944		1	0.68	20	0.83	565	1	0.01	21	440	10	0.03	2	6	19	0.24
CC12945		<1	0.26	20	0.65	269	1	0.01	19	240	10	<0.01	<2	4	9	0.13
CC12946		<1	0.52	30	0.90	531	1	0.01	22	780	13	0.01	3	5	12	0.15
CC12947		<1	0.22	20	0.35	297	1	0.01	10	440	9	<0.01	<2	2	4	0.09
CC12948		<1	0.43	90	0.53	551	2	0.01	12	570	12	0.02	<2	5	6	0.12
CC12949		1	0.92	110	0.74	1970	1	0.01	11	1340	6	<0.01	<2	13	14	0.26
CC12950		<1	0.14	10	0.41	380	1	0.02	20	540	8	0.02	2	2	7	0.07
CC12951		<1	0.04	<10	0.61	260	<1	0.03	31	620	<2	0.02	<2	2	15	0.05
CC12952		<1	0.09	<10	0.75	221	<1	0.03	36	660	<2	0.01	<2	3	13	0.09
CC12953		<1	0.05	10	0.46	393	<1	0.02	27	1270	4	0.07	<2	<1	12	0.01
CC12954		1	0.03	<10	0.67	261	<1	0.03	58	690	<2	0.03	<2	1	10	0.04
CC12955		<1	0.02	<10	1.15	198	<1	0.02	52	400	<2	0.01	<2	2	8	0.06
CC12956		<1	0.04	<10	0.52	182	<1	0.02	27	450	<2	0.03	2	1	6	0.05
CC12957		<1	0.15	10	1.31	379	<1	0.03	84	540	<2	0.02	<2	3	8	0.10
CC12958		1	0.14	10	5.90	1065	<1	0.02	529	360	<2	0.02	<2	10	14	0.08
CC12959		1	0.05	10	3.93	1610	<1	0.02	166	410	<2	0.01	<2	19	7	0.02
CC12960		1	0.10	<10	1.86	598	<1	0.07	126	480	<2	0.01	<2	7	19	0.09
CC12961		<1	0.38	10	1.58	478	<1	0.04	79	600	3	0.01	2	9	10	0.17
CC12962		<1	0.12	<10	2.05	448	<1	0.04	102	560	<2	0.01	<2	8	15	0.08
CC12963		<1	0.07	<10	1.14	497	<1	0.03	53	480	2	<0.01	<2	8	42	0.05
CC12964		<1	0.10	<10	0.63	160	<1	0.03	19	450	<2	<0.01	2	3	22	0.05
CC12965		<1	0.04	<10	0.52	137	<1	0.02	27	640	<2	0.03	<2	2	15	0.05
CC12966		1	0.04	10	0.38	272	<1	0.03	22	630	<2	0.03	<2	1	14	0.04
CC12967		<1	0.05	10	0.62	311	<1	0.02	31	670	2	0.04	<2	2	9	0.05
CC12968		<1	0.21	10	0.71	424	<1	0.02	36	500	7	0.02	<2	4	5	0.11
CC12969		<1	0.23	40	0.43	223	2	<0.01	14	540	10	0.03	<2	3	6	0.08
CC12970		<1	0.30	30	0.45	344	1	<0.01	11	480	12	0.02	2	3	5	0.10
CC12971		<1	0.73	30	1.12	396	1	<0.01	18	480	9	0.03	2	5	7	0.18
CC12972		<1	0.34	50	0.49	413	1	<0.01	11	420	21	0.02	<2	4	6	0.10
CC12973		<1	0.12	20	0.22	180	1	<0.01	8	720	6	0.07	<2	1	5	0.06
CC12974		<1	0.14	10	0.26	209	<1	<0.01	8	380	8	0.03	2	1	4	0.05
CC12975		<1	0.22	10	0.58	759	1	<0.01	30	650	10	0.06	<2	2	6	0.10
CC12976		<1	0.06	10	0.34	602	<1	0.01	21	1020	4	0.10	<2	1	8	0.04
CC12977		1	0.09	<10	0.69	252	<1	0.05	30	420	<2	0.03	2	5	20	0.08
CC12978		<1	0.03	<10	0.28	144	<1	0.01	14	310	2	0.03	<2	1	9	0.08
CC12979		<1	0.03	<10	0.68	152	<1	0.03	34	240	<2	0.02	<2	3	16	0.08
CC12980		1	0.04	<10	1.38	856	<1	0.01	49	630	<2	0.03	3	16	10	0.02
CC12981		<1	0.08	<10	1.56	806	<1	0.01	56	570	<2	0.04	<2	7	12	0.06

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12942		<10	<10	129	<10	74
CC12943		<10	<10	70	<10	94
CC12944		10	<10	63	<10	76
CC12945		<10	<10	45	<10	72
CC12946		<10	<10	41	<10	86
CC12947		<10	<10	26	<10	73
CC12948		<10	<10	33	<10	110
CC12949		10	<10	89	<10	67
CC12950		<10	<10	41	<10	62
CC12951		<10	<10	41	<10	40
CC12952		<10	<10	46	<10	34
CC12953		<10	<10	39	<10	46
CC12954		<10	<10	41	<10	39
CC12955		<10	<10	46	<10	39
CC12956		<10	<10	54	<10	32
CC12957		10	<10	77	<10	57
CC12958		10	<10	82	<10	62
CC12959		<10	<10	123	<10	76
CC12960		<10	<10	67	<10	75
CC12961		<10	<10	108	<10	65
CC12962		<10	<10	76	<10	56
CC12963		<10	<10	65	<10	60
CC12964		<10	<10	25	<10	15
CC12965		<10	<10	44	<10	50
CC12966		<10	<10	30	<10	27
CC12967		<10	<10	52	<10	42
CC12968		<10	<10	65	<10	71
CC12969		<10	<10	27	<10	77
CC12970		<10	<10	22	<10	93
CC12971		<10	<10	40	<10	92
CC12972		<10	<10	23	<10	116
CC12973		<10	<10	30	<10	37
CC12974		<10	<10	18	<10	38
CC12975		<10	<10	64	<10	73
CC12976		<10	<10	49	<10	41
CC12977		<10	<10	45	<10	51
CC12978		<10	<10	42	<10	21
CC12979		<10	<10	44	<10	39
CC12980		<10	<10	134	<10	184
CC12981		<10	<10	96	<10	114

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12982		0.14	<0.2	2.95	<2	<10	270	<0.5	<2	0.37	<0.5	17	105	72	3.16	10
CC12983		0.20	<0.2	2.00	<2	<10	250	<0.5	<2	0.27	<0.5	19	71	60	2.89	10
CC12984		0.18	<0.2	2.00	<2	<10	200	<0.5	<2	0.28	<0.5	30	84	112	3.19	<10
CC12985		0.18	<0.2	2.91	4	<10	180	0.5	<2	0.23	<0.5	41	142	139	4.81	10
CC12986		0.20	<0.2	1.26	<2	<10	50	<0.5	<2	0.23	<0.5	14	33	65	2.10	<10
CC12987		0.20	<0.2	1.11	<2	<10	40	<0.5	<2	0.14	<0.5	18	33	85	2.35	<10
CC12988		0.16	<0.2	1.45	<2	<10	40	<0.5	<2	0.36	<0.5	33	35	89	1.36	<10
CC12989		0.16	0.3	1.73	<2	<10	40	<0.5	<2	0.37	<0.5	10	45	40	1.18	<10
CC12990		0.16	<0.2	1.69	<2	<10	50	<0.5	<2	0.34	<0.5	6	54	31	2.08	10
CC12991		0.16	<0.2	2.26	<2	<10	270	<0.5	<2	0.34	<0.5	15	69	87	2.18	<10
CC12992		0.20	<0.2	1.76	2	<10	120	<0.5	<2	0.41	<0.5	14	51	52	2.15	<10
CC12993		0.18	<0.2	2.69	<2	<10	610	0.9	<2	0.23	<0.5	15	71	76	3.24	10
CC12994		0.18	0.2	1.49	<2	<10	330	0.5	<2	0.07	<0.5	7	43	35	2.42	10
CC12995		0.20	<0.2	0.93	2	<10	150	0.5	<2	0.03	<0.5	4	18	15	2.09	10
CC12996		0.16	0.4	1.18	<2	<10	80	0.7	<2	0.04	<0.5	3	17	12	2.37	10
CC12997		0.18	0.2	1.62	<2	<10	100	1.5	2	0.06	<0.5	5	13	9	2.62	10
CC12998		0.16	0.4	1.79	<2	<10	160	2.5	<2	0.06	0.6	7	10	21	3.16	10
CC12999		0.16	0.3	1.45	<2	<10	90	1.6	<2	0.05	<0.5	7	16	12	2.99	10
CC13000		0.22	<0.2	1.63	<2	<10	120	1.5	<2	0.11	<0.5	5	23	11	3.14	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12982		1	0.26	10	1.86	402	<1	0.02	55	630	6	0.04	<2	6	10	0.14
CC12983		1	0.16	10	1.46	576	<1	0.02	70	530	2	0.02	3	5	8	0.10
CC12984		<1	0.08	10	1.84	551	<1	0.02	102	460	3	0.03	2	8	8	0.09
CC12985		<1	0.09	10	4.05	1050	<1	0.01	206	360	<2	0.02	<2	17	9	0.07
CC12986		<1	0.04	<10	0.74	202	<1	0.02	30	440	<2	0.02	<2	3	5	0.06
CC12987		<1	0.02	<10	0.62	175	<1	0.01	37	410	<2	0.05	<2	3	7	0.05
CC12988		<1	0.02	<10	0.52	284	<1	0.04	68	510	<2	0.04	2	2	9	0.04
CC12989		1	0.02	<10	0.61	169	<1	0.03	31	620	<2	0.08	<2	1	16	0.04
CC12990		<1	0.03	10	0.40	136	<1	0.02	26	480	2	0.03	<2	2	9	0.11
CC12991		<1	0.19	10	0.81	240	<1	0.03	40	440	<2	0.03	2	4	21	0.13
CC12992		<1	0.06	10	0.64	288	<1	0.03	32	420	3	0.03	<2	5	14	0.07
CC12993		<1	0.43	10	1.04	706	<1	0.01	55	890	8	0.03	<2	7	9	0.19
CC12994		<1	0.24	10	0.54	316	<1	<0.01	26	630	4	0.05	<2	2	5	0.09
CC12995		<1	0.20	10	0.23	1370	1	<0.01	9	640	12	0.07	<2	1	5	0.05
CC12996		<1	0.14	20	0.26	233	1	<0.01	10	810	12	0.09	<2	<1	5	0.04
CC12997		<1	0.21	20	0.51	257	1	<0.01	11	290	6	0.02	2	3	5	0.09
CC12998		1	0.38	20	0.42	397	2	<0.01	11	360	17	0.04	<2	4	5	0.13
CC12999		<1	0.29	20	0.36	443	1	<0.01	10	430	12	0.03	<2	3	5	0.12
CC13000		<1	0.35	10	0.54	372	1	<0.01	12	600	6	0.05	<2	2	7	0.09

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 10-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062226

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12982		<10	<10	98	<10	59
CC12983		<10	<10	77	<10	62
CC12984		<10	<10	79	<10	94
CC12985		<10	<10	106	<10	91
CC12986		<10	<10	53	<10	30
CC12987		<10	<10	50	<10	81
CC12988		<10	<10	35	<10	87
CC12989		<10	<10	27	<10	27
CC12990		<10	<10	54	<10	39
CC12991		<10	<10	58	<10	44
CC12992		<10	<10	52	<10	36
CC12993		<10	<10	101	<10	96
CC12994		<10	<10	63	<10	63
CC12995		<10	<10	37	<10	47
CC12996		<10	<10	32	<10	46
CC12997		<10	<10	26	<10	54
CC12998		<10	<10	35	<10	148
CC12999		<10	<10	37	<10	89
CC13000		<10	<10	40	<10	71

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized: 8-AUG-2005
Account: MTT

CERTIFICATE VA05062225

Project: 4C

P.O. No.:

This report is for 208 Soil samples submitted to our lab in Vancouver, BC, Canada on 26-JUL-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11501		0.24	0.3	1.23	5	<10	120	1.6	<2	0.04	<0.5	5	11	11	2.84	10
CC11502		0.18	0.3	1.33	2	<10	100	1.8	<2	0.04	<0.5	4	10	10	2.61	10
CC11503		0.16	0.2	1.60	9	<10	130	1.6	<2	0.06	<0.5	4	10	11	2.88	10
CC11504		0.22	0.2	2.10	2	<10	160	2.6	<2	0.09	<0.5	4	6	9	2.77	10
CC11505		0.24	2.4	0.81	<2	<10	200	0.6	<2	0.02	<0.5	4	5	35	6.17	10
CC11506		0.22	0.4	2.38	<2	<10	1650	1.7	<2	0.43	<0.5	28	106	181	5.36	10
CC11507		0.18	0.2	1.81	7	<10	350	0.6	<2	0.77	<0.5	15	88	93	2.63	10
CC11508		0.26	<0.2	2.09	2	<10	210	0.9	<2	1.64	<0.5	29	106	110	3.84	<10
CC11509		0.24	<0.2	2.33	2	<10	190	<0.5	<2	0.83	<0.5	20	56	119	2.17	<10
CC11510		0.18	<0.2	2.35	<2	<10	110	<0.5	<2	0.36	<0.5	45	94	291	3.39	10
CC11511		0.22	0.2	1.43	<2	<10	50	<0.5	<2	0.74	<0.5	11	70	83	1.22	<10
CC11512		0.26	<0.2	2.22	<2	<10	70	<0.5	<2	0.70	<0.5	27	94	104	2.41	<10
CC11513		0.16	<0.2	2.64	<2	<10	100	<0.5	<2	1.06	<0.5	25	105	125	2.63	<10
CC11514		0.20	<0.2	1.85	3	<10	90	<0.5	<2	0.43	<0.5	35	74	137	2.71	<10
CC11515		0.24	<0.2	1.55	<2	<10	50	<0.5	<2	0.46	<0.5	11	40	94	1.18	<10
CC11516		0.26	<0.2	1.96	3	<10	250	0.9	<2	2.27	<0.5	37	101	144	4.84	10
CC11517		0.26	0.2	1.81	5	<10	940	1.6	<2	0.59	<0.5	35	92	127	5.94	10
CC11518		0.18	0.2	2.14	3	<10	980	1.3	<2	0.33	<0.5	20	78	126	3.94	10
CC11519		0.22	0.9	1.60	3	<10	90	3.1	<2	0.15	<0.5	31	5	46	7.09	10
CC11520		0.22	0.5	0.58	2	<10	170	2.1	<2	0.09	<0.5	6	2	21	2.73	<10
CC11521		0.18	0.4	0.52	5	<10	230	0.7	<2	0.04	<0.5	2	3	14	2.41	<10
CC11522		0.28	<0.2	1.78	4	<10	130	2.5	<2	0.04	<0.5	6	9	9	3.46	10
CC11523		0.22	0.2	1.75	3	<10	80	1.6	<2	0.02	<0.5	3	7	7	2.63	10
CC11524		0.20	<0.2	1.20	9	<10	80	1.3	<2	0.05	<0.5	3	7	9	2.52	10
CC11525		0.18	<0.2	1.27	3	<10	100	1.7	<2	0.03	<0.5	4	10	11	3.20	10
CC11526		0.20	<0.2	1.93	5	<10	80	1.8	<2	0.06	<0.5	6	29	12	2.91	10
CC11527		0.20	0.2	1.61	8	<10	90	1.2	<2	0.06	<0.5	4	15	9	2.85	10
CC11528		0.22	0.2	0.38	56	<10	110	<0.5	<2	0.02	<0.5	<1	1	2	1.32	<10
CC11529		0.20	1.4	1.79	11	<10	260	3.4	<2	0.19	0.7	10	3	17	3.75	10
CC11530		0.22	0.2	2.62	<2	<10	310	4.4	<2	0.27	<0.5	5	4	8	3.48	10
CC11531		0.24	0.2	2.13	10	<10	500	4.0	<2	0.29	<0.5	6	5	11	3.40	10
CC11532		0.20	0.2	1.37	5	<10	220	2.6	<2	0.14	<0.5	3	4	10	2.78	10
CC11533		0.18	0.3	0.69	<2	<10	50	0.6	<2	0.04	<0.5	2	9	12	1.46	<10
CC11534		0.26	0.3	1.15	7	<10	190	2.6	<2	0.09	<0.5	4	3	13	3.08	10
CC11535		0.16	0.6	2.08	4	<10	720	1.6	<2	0.26	<0.5	15	75	58	4.91	10
CC11536		0.22	0.5	2.02	8	<10	620	1.8	<2	0.28	<0.5	14	62	45	4.65	10
CC11537		0.16	0.8	2.19	3	<10	730	1.5	<2	0.44	<0.5	12	74	57	4.42	10
CC11538		0.20	<0.2	2.13	<2	<10	80	<0.5	<2	0.59	<0.5	15	72	86	2.09	<10
CC11539		0.18	0.3	2.48	4	<10	290	1.0	<2	0.47	<0.5	16	79	77	3.71	10
CC11540		0.18	<0.2	1.94	2	<10	110	1.0	<2	0.50	<0.5	12	43	90	2.23	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11501		1	0.16	30	0.32	263	2	0.01	8	330	10	0.02	<2	3	5	0.06
CC11502		<1	0.16	30	0.31	287	2	<0.01	8	350	11	0.03	<2	3	5	0.06
CC11503		<1	0.27	20	0.46	426	1	0.01	8	540	7	0.06	<2	2	5	0.08
CC11504		1	0.25	50	0.60	457	2	0.01	5	340	9	0.03	<2	3	9	0.06
CC11505		1	0.26	70	0.25	230	6	0.01	5	750	164	0.43	<2	8	5	0.15
CC11506		1	0.97	40	1.24	3460	1	0.02	109	1030	18	0.02	2	15	20	0.19
CC11507		1	0.31	10	1.07	988	<1	0.04	61	660	5	0.05	2	7	14	0.16
CC11508		<1	0.11	<10	1.13	743	<1	0.05	61	550	2	0.05	4	19	26	0.03
CC11509		<1	0.13	10	0.65	367	<1	0.11	42	670	2	0.07	<2	5	35	0.10
CC11510		1	0.10	<10	1.57	256	<1	0.05	103	620	<2	0.17	<2	4	13	0.12
CC11511		<1	0.09	<10	0.74	190	<1	0.06	40	560	<2	0.01	<2	4	18	0.10
CC11512		<1	0.10	<10	1.28	355	<1	0.05	75	600	<2	0.02	<2	8	20	0.09
CC11513		<1	0.05	<10	1.27	434	<1	0.07	82	610	<2	0.04	<2	9	26	0.06
CC11514		<1	0.16	<10	1.30	299	<1	0.04	73	490	<2	0.08	<2	5	12	0.12
CC11515		1	0.03	<10	0.55	190	<1	0.05	23	520	<2	0.04	<2	2	17	0.06
CC11516		<1	0.24	<10	1.52	831	<1	0.04	85	660	4	0.02	3	22	29	0.12
CC11517		1	0.45	20	0.94	1965	<1	0.02	96	740	8	0.02	3	25	25	0.11
CC11518		1	0.51	20	0.98	1400	2	0.02	80	600	15	0.04	<2	10	17	0.13
CC11519		1	0.28	80	0.84	937	3	0.01	24	880	59	0.22	<2	12	12	0.10
CC11520		<1	0.13	40	0.15	695	4	0.01	18	280	51	0.08	<2	2	18	0.01
CC11521		<1	0.08	60	0.04	90	5	0.01	3	450	40	0.09	<2	3	7	0.01
CC11522		<1	0.51	20	0.55	477	2	0.01	7	420	8	0.03	<2	6	3	0.14
CC11523		<1	0.36	10	0.42	200	1	0.01	4	200	6	0.02	<2	4	2	0.14
CC11524		1	0.26	20	0.34	194	1	0.01	4	290	9	0.02	<2	3	4	0.09
CC11525		<1	0.19	20	0.30	351	2	0.01	9	330	11	0.03	<2	3	5	0.05
CC11526		1	0.24	20	0.62	285	1	0.01	16	320	7	0.03	<2	3	5	0.11
CC11527		<1	0.22	20	0.53	214	1	0.01	10	200	9	0.02	<2	3	6	0.14
CC11528		<1	0.10	60	0.01	13	1	0.01	<1	260	5	0.14	<2	<1	32	<0.01
CC11529		<1	0.55	50	0.57	969	4	0.02	5	560	44	0.05	<2	7	8	0.10
CC11530		<1	0.87	110	1.00	630	1	0.02	2	350	11	0.02	<2	8	7	0.15
CC11531		1	0.63	100	0.78	660	2	0.01	5	460	12	0.02	<2	7	14	0.12
CC11532		<1	0.25	50	0.42	397	2	0.01	4	370	16	0.04	<2	4	10	0.06
CC11533		<1	0.10	20	0.18	119	1	0.02	4	510	9	0.08	<2	1	6	0.03
CC11534		<1	0.28	70	0.35	392	3	0.01	6	360	14	0.05	2	5	10	0.05
CC11535		1	0.62	30	0.98	772	2	0.02	65	720	45	0.19	2	9	18	0.14
CC11536		<1	0.46	40	0.89	853	2	0.02	48	640	31	0.10	<2	8	17	0.13
CC11537		<1	0.33	40	0.95	525	2	0.02	51	790	27	0.07	<2	9	20	0.12
CC11538		<1	0.05	<10	0.94	216	<1	0.05	51	500	<2	0.05	<2	5	16	0.06
CC11539		<1	0.10	20	1.00	483	1	0.03	50	530	12	0.05	<2	8	18	0.10
CC11540		<1	0.07	30	0.68	397	<1	0.05	28	540	7	0.04	<2	4	25	0.05

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11501		<10	<10	25	<10	73
CC11502		<10	<10	23	<10	61
CC11503		<10	<10	23	<10	92
CC11504		<10	<10	15	<10	50
CC11505		<10	<10	22	<10	39
CC11506		10	<10	126	<10	202
CC11507		<10	<10	82	<10	74
CC11508		<10	<10	79	<10	52
CC11509		<10	<10	56	<10	37
CC11510		<10	<10	72	<10	273
CC11511		<10	<10	35	<10	22
CC11512		<10	<10	62	<10	99
CC11513		<10	<10	69	<10	111
CC11514		<10	<10	71	<10	188
CC11515		<10	<10	30	<10	19
CC11516		<10	<10	105	<10	65
CC11517		<10	<10	130	<10	122
CC11518		<10	<10	91	<10	145
CC11519		<10	<10	21	<10	74
CC11520		<10	<10	9	<10	109
CC11521		<10	<10	13	<10	56
CC11522		<10	<10	43	<10	83
CC11523		<10	<10	31	<10	66
CC11524		<10	<10	24	<10	66
CC11525		<10	<10	28	<10	113
CC11526		<10	<10	37	<10	66
CC11527		<10	<10	35	<10	53
CC11528		<10	<10	2	<10	7
CC11529		<10	<10	19	<10	218
CC11530		10	<10	22	<10	96
CC11531		<10	<10	21	<10	83
CC11532		<10	<10	15	<10	92
CC11533		<10	<10	19	<10	30
CC11534		<10	<10	17	<10	96
CC11535		<10	<10	83	<10	165
CC11536		<10	<10	78	<10	149
CC11537		<10	<10	90	<10	136
CC11538		<10	<10	58	<10	76
CC11539		<10	<10	93	<10	111
CC11540		<10	<10	36	<10	43

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11541		0.16	<0.2	2.39	13	<10	250	1.5	<2	0.63	0.5	31	36	83	5.24	10
CC11542		0.16	0.3	1.46	19	<10	340	2.3	<2	0.29	0.5	6	3	11	3.14	10
CC11543		0.16	0.4	2.17	55	<10	390	3.8	<2	0.35	0.5	6	13	18	3.71	10
CC11544		0.20	<0.2	1.18	4	<10	170	0.6	<2	0.06	<0.5	7	42	31	2.64	10
CC11545		0.16	<0.2	1.85	2	<10	180	3.6	2	0.25	<0.5	5	6	10	2.82	10
CC11546		0.20	<0.2	1.45	17	<10	260	2.6	<2	0.32	<0.5	5	3	10	2.65	10
CC11547		0.22	0.2	2.58	43	<10	160	4.1	2	0.63	0.5	5	5	14	3.30	10
CC11548		0.16	0.2	3.18	14	<10	250	3.6	<2	0.80	1.5	5	6	17	3.59	10
CC11549		0.16	<0.2	2.30	7	<10	120	2.3	<2	0.08	<0.5	4	10	12	2.95	10
CC11550		0.20	<0.2	1.96	7	<10	120	4.8	<2	0.12	<0.5	22	7	13	3.34	10
CC11551		0.22	0.4	1.85	26	<10	290	4.6	<2	0.25	0.9	11	6	23	3.92	10
CC11552		0.22	0.4	1.47	382	<10	370	3.6	<2	0.29	0.7	8	2	14	3.48	10
CC11553		0.20	<0.2	2.16	88	<10	260	4.5	2	0.27	<0.5	6	6	13	3.81	10
CC11554		0.22	0.2	2.78	2	<10	170	4.7	<2	0.18	0.5	10	10	18	4.70	10
CC11555		0.20	1.0	0.81	37	<10	330	1.2	<2	0.04	<0.5	6	15	48	4.90	<10
CC11556		0.20	0.2	2.03	12	<10	630	1.0	<2	0.15	0.5	16	66	51	4.92	10
CC11557		0.20	<0.2	1.58	4	<10	280	1.1	<2	0.14	<0.5	13	47	58	3.41	10
CC11558		0.18	<0.2	2.71	21	<10	490	0.6	<2	0.43	<0.5	33	123	123	3.58	10
CC11559		0.18	<0.2	2.24	<2	<10	180	0.6	<2	0.58	<0.5	28	67	132	4.34	10
CC11560		0.18	<0.2	1.95	5	<10	150	0.7	<2	0.82	<0.5	20	81	96	3.50	10
CC11561		0.22	0.3	1.69	16	<10	170	1.9	<2	0.51	<0.5	11	37	95	3.67	10
CC11562		0.20	0.3	2.53	<2	<10	360	0.9	2	0.67	<0.5	18	88	118	4.02	10
CC11563		0.22	<0.2	1.38	3	<10	90	<0.5	<2	0.15	<0.5	7	75	29	1.82	10
CC11564		0.18	<0.2	2.80	2	<10	250	1.1	<2	0.42	<0.5	31	92	111	4.91	10
CC11565		0.14	<0.2	1.48	<2	<10	410	0.6	<2	3.76	0.7	10	49	100	1.36	<10
CC11566		0.20	<0.2	1.37	<2	<10	100	<0.5	<2	0.25	<0.5	8	33	38	1.74	<10
CC11567		0.16	0.4	1.03	<2	<10	380	<0.5	<2	0.14	<0.5	7	32	34	1.78	<10
CC11568		0.14	0.4	2.80	8	<10	650	1.1	<2	0.15	0.5	22	100	82	4.58	10
CC11569		0.16	1.3	1.33	26	<10	420	1.6	<2	0.12	3.2	12	34	50	4.96	10
CC11570		0.16	0.4	1.42	13	<10	190	2.5	<2	0.12	<0.5	4	7	16	3.49	10
CC11571		0.18	0.4	2.00	14	<10	290	4.0	2	0.14	<0.5	4	7	21	4.70	10
CC11572		0.24	0.2	1.07	10	<10	140	2.4	<2	0.08	0.7	4	4	17	3.00	10
CC11573		0.22	<0.2	1.73	6	<10	190	3.2	<2	0.23	0.8	5	4	9	3.29	10
CC11574		0.24	0.3	1.83	3	<10	220	3.6	<2	0.34	1.5	6	4	14	4.01	10
CC11575		0.24	<0.2	2.75	12	<10	210	3.9	<2	0.48	1.0	8	6	24	3.76	10
CC11576		0.20	0.6	1.68	8	<10	180	3.6	<2	0.28	1.4	10	3	21	4.51	10
CC11577		0.16	0.2	1.80	6	<10	120	3.1	<2	0.10	0.6	6	11	17	3.28	10
CC11578		0.18	<0.2	1.16	3	<10	220	2.6	<2	0.10	0.9	6	4	18	3.25	10
CC11579		0.22	0.4	0.94	17	<10	280	2.0	<2	0.11	0.8	7	11	24	3.79	<10
CC11580		0.16	0.6	0.74	35	<10	400	1.3	<2	0.15	0.5	10	19	42	4.50	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11541		<1	0.29	30	1.29	986	1	0.03	43	670	3	0.03	2	13	13	0.16
CC11542		<1	0.28	40	0.50	802	3	0.01	4	440	15	0.05	<2	4	10	0.06
CC11543		<1	0.19	100	0.52	679	4	0.01	11	560	14	0.04	<2	5	14	0.05
CC11544		1	0.17	10	0.40	310	1	0.01	23	640	18	0.04	<2	2	7	0.07
CC11545		1	0.32	70	0.59	606	1	0.01	4	580	7	0.01	<2	5	9	0.08
CC11546		<1	0.29	50	0.49	546	1	0.01	3	470	6	<0.01	<2	5	10	0.07
CC11547		1	0.57	50	0.74	636	2	0.02	8	560	10	0.02	<2	5	40	0.14
CC11548		<1	0.76	40	0.92	651	1	0.02	10	630	9	0.01	<2	4	48	0.18
CC11549		<1	0.31	20	0.71	240	1	0.01	10	290	6	0.01	<2	3	6	0.10
CC11550		1	0.48	110	0.70	482	2	0.01	16	770	7	0.02	<2	5	5	0.10
CC11551		1	0.46	110	0.52	770	3	0.01	7	780	46	0.04	<2	8	7	0.10
CC11552		1	0.43	90	0.44	694	3	0.01	2	700	25	0.07	2	6	10	0.07
CC11553		1	0.52	110	0.81	556	2	0.01	5	470	14	0.01	<2	8	6	0.14
CC11554		<1	0.45	50	0.80	731	3	0.01	10	1010	10	0.03	<2	8	5	0.15
CC11555		<1	0.18	20	0.19	206	9	0.01	25	920	118	0.19	<2	2	37	0.03
CC11556		<1	0.22	20	0.55	1070	1	0.01	45	1160	17	0.03	<2	6	6	0.12
CC11557		<1	0.28	20	0.65	637	1	0.01	45	820	17	0.02	<2	5	5	0.09
CC11558		1	0.36	10	1.74	775	<1	0.03	99	650	6	<0.01	<2	8	13	0.21
CC11559		1	0.14	<10	1.16	955	<1	0.04	61	810	<2	0.01	<2	12	29	0.11
CC11560		<1	0.07	<10	1.04	541	<1	0.04	58	550	<2	0.02	<2	9	19	0.11
CC11561		<1	0.12	40	0.57	542	1	0.02	26	640	15	0.03	2	7	13	0.05
CC11562		<1	0.13	20	1.12	718	1	0.03	60	610	11	0.04	<2	10	18	0.11
CC11563		<1	0.04	<10	0.56	148	<1	0.02	25	330	6	0.02	<2	2	7	0.15
CC11564		<1	0.16	10	1.28	687	<1	0.03	80	740	7	0.03	<2	8	13	0.10
CC11565		1	0.04	10	0.50	3460	1	0.02	29	1730	4	0.42	2	1	52	0.02
CC11566		1	0.03	<10	0.44	326	<1	0.02	17	990	<2	0.07	<2	1	13	0.03
CC11567		<1	0.12	10	0.36	442	1	0.02	21	500	6	0.03	<2	2	9	0.06
CC11568		1	0.32	10	0.99	1415	1	0.01	81	890	15	0.03	<2	7	8	0.14
CC11569		1	0.16	40	0.22	1235	7	0.01	33	1780	98	0.17	4	3	16	0.02
CC11570		<1	0.13	70	0.31	573	5	0.01	9	480	20	0.03	<2	4	13	0.04
CC11571		1	0.18	160	0.47	464	8	0.01	10	430	27	0.03	<2	6	19	0.04
CC11572		1	0.30	50	0.36	614	3	0.01	8	410	14	0.02	<2	4	7	0.06
CC11573		1	0.50	90	0.65	829	2	0.01	5	480	8	<0.01	<2	6	6	0.11
CC11574		1	0.60	80	0.67	894	2	0.01	4	540	28	<0.01	<2	7	9	0.13
CC11575		1	0.68	110	0.96	895	2	0.02	7	670	34	<0.01	<2	7	14	0.15
CC11576		1	0.48	100	0.55	1370	6	0.01	10	470	35	0.04	<2	5	11	0.10
CC11577		<1	0.31	60	0.60	859	3	0.01	11	580	24	0.03	<2	4	6	0.09
CC11578		1	0.39	70	0.43	818	4	0.01	10	400	17	0.04	2	5	9	0.07
CC11579		1	0.26	60	0.33	727	5	0.01	14	460	40	0.10	3	5	17	0.04
CC11580		<1	0.25	40	0.28	796	4	0.01	28	680	56	0.17	4	5	33	0.03

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11541		<10	<10	106	<10	81
CC11542		<10	<10	15	<10	91
CC11543		<10	<10	28	<10	99
CC11544		<10	<10	56	<10	91
CC11545		<10	<10	17	<10	59
CC11546		<10	<10	18	<10	52
CC11547		<10	<10	19	<10	84
CC11548		<10	<10	26	<10	115
CC11549		<10	<10	23	<10	57
CC11550		<10	<10	23	<10	130
CC11551		<10	<10	30	<10	190
CC11552		<10	<10	20	<10	120
CC11553		<10	<10	34	<10	104
CC11554		<10	<10	56	<10	132
CC11555		<10	<10	48	<10	180
CC11556		<10	<10	109	<10	140
CC11557		<10	<10	57	<10	122
CC11558		<10	<10	91	<10	58
CC11559		<10	<10	100	<10	52
CC11560		<10	<10	82	<10	42
CC11561		<10	<10	52	<10	95
CC11562		<10	<10	97	<10	124
CC11563		<10	<10	71	<10	28
CC11564		<10	<10	110	<10	97
CC11565		<10	<10	32	<10	33
CC11566		<10	<10	42	<10	28
CC11567		<10	<10	46	<10	46
CC11568		<10	<10	110	<10	137
CC11569		<10	<10	59	<10	304
CC11570		<10	<10	22	<10	106
CC11571		<10	<10	28	<10	118
CC11572		<10	<10	16	<10	116
CC11573		<10	<10	19	<10	99
CC11574		<10	<10	27	<10	166
CC11575		<10	<10	26	<10	176
CC11576		<10	<10	18	<10	144
CC11577		<10	<10	24	<10	92
CC11578		<10	<10	19	<10	119
CC11579		<10	<10	26	<10	144
CC11580		<10	<10	37	<10	146

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC11581		0.16	<0.2	0.75	9	<10	110	<0.5	<2	0.02	0.5	6	35	41	2.46	10
CC11582		0.20	<0.2	1.25	18	<10	260	1.2	<2	0.06	0.9	14	45	67	4.11	10
CC11583		0.18	0.2	1.12	10	<10	230	0.5	<2	0.06	<0.5	10	50	47	3.09	10
CC11584		0.12	<0.2	0.71	3	<10	30	<0.5	<2	0.11	<0.5	5	39	17	1.24	<10
CC11585		0.18	0.3	1.49	5	<10	80	<0.5	<2	0.12	<0.5	9	80	29	3.33	10
CC11586		0.18	<0.2	1.46	5	<10	100	<0.5	<2	0.16	<0.5	10	63	42	3.34	10
CC11587		0.20	<0.2	1.97	6	<10	130	<0.5	<2	0.19	<0.5	22	73	126	2.98	10
CC11588		0.18	<0.2	1.53	2	<10	40	<0.5	<2	0.19	<0.5	7	68	36	1.86	10
CC11589		0.22	0.2	1.61	<2	<10	60	<0.5	<2	0.11	<0.5	6	63	19	2.07	10
CC11590		0.16	0.2	2.28	4	<10	190	<0.5	<2	0.36	<0.5	14	68	69	2.79	10
CC11591		0.20	<0.2	2.04	<2	<10	50	<0.5	<2	0.32	<0.5	12	77	51	2.29	10
CC11592		0.22	<0.2	2.92	16	<10	880	1.3	<2	0.11	<0.5	21	95	129	4.85	10
CC11593		0.24	<0.2	1.34	6	<10	220	0.7	<2	0.05	<0.5	12	52	67	3.44	10
CC11594		0.22	<0.2	0.55	<2	<10	60	<0.5	<2	0.05	<0.5	3	19	13	1.14	<10
CC11595		0.26	0.3	0.89	21	<10	470	1.8	<2	0.13	0.7	12	32	51	4.21	<10
CC11596		0.24	0.5	0.85	31	<10	500	2.0	<2	0.09	1.2	14	28	57	4.54	<10
CC11597		0.22	0.6	1.00	25	<10	420	2.1	<2	0.16	0.9	12	20	44	4.39	10
CC11598		0.20	0.7	1.02	41	<10	500	1.7	2	0.20	0.6	11	23	48	5.29	<10
CC11599		0.24	0.4	0.86	39	<10	430	1.2	2	0.14	0.9	10	24	41	4.24	<10
CC11600		0.26	0.6	1.22	23	<10	560	1.2	<2	0.14	<0.5	14	38	52	5.03	10
CC12521		0.28	0.2	1.02	<2	<10	290	<0.5	<2	0.07	<0.5	4	31	31	3.54	10
CC12522		0.12	0.2	1.06	2	<10	310	<0.5	<2	0.09	<0.5	4	31	30	3.43	10
CC12523		0.20	0.2	1.20	<2	<10	310	0.7	<2	0.06	<0.5	5	26	36	3.00	<10
CC12524		0.20	0.3	1.33	6	<10	520	0.9	<2	0.07	<0.5	10	30	69	4.73	10
CC12525		0.12	0.4	0.79	6	<10	290	<0.5	<2	0.05	<0.5	4	25	27	2.97	10
CC12526		0.14	0.7	0.88	7	<10	300	<0.5	<2	0.06	<0.5	5	29	29	3.01	<10
CC12527		0.20	0.4	1.32	<2	<10	720	1.0	<2	0.12	<0.5	7	28	52	4.09	10
CC12528		0.22	0.3	1.28	6	<10	820	1.0	<2	0.11	0.6	7	27	51	4.12	10
CC12529		0.20	0.3	1.37	3	<10	710	1.0	<2	0.10	<0.5	6	28	51	3.98	10
CC12530		0.16	0.3	0.79	<2	<10	210	<0.5	<2	0.10	<0.5	5	32	27	2.48	10
CC12531		0.22	0.4	1.15	5	<10	420	0.6	<2	0.06	<0.5	5	27	34	3.18	10
CC12532		0.24	1.8	1.57	5	<10	2510	1.9	3	0.04	2.0	44	31	268	9.63	<10
CC12533		0.20	1.0	1.35	9	<10	1500	1.2	<2	0.05	0.8	21	27	101	5.27	<10
CC12534		0.18	0.3	0.89	6	<10	540	0.6	<2	0.06	<0.5	8	16	66	3.52	<10
CC12535		0.18	0.2	1.69	4	<10	670	1.5	<2	0.15	0.5	13	35	57	4.47	10
CC12536		0.22	<0.2	1.68	6	<10	1620	1.3	<2	0.10	<0.5	8	36	54	4.21	10
CC12537		0.22	0.4	1.60	4	<10	820	1.2	<2	0.07	<0.5	7	29	70	4.35	10
CC12538		0.24	1.3	1.56	27	<10	730	1.6	<2	0.15	2.5	13	30	66	5.15	10
CC12539		0.18	0.5	1.38	5	<10	850	1.3	<2	0.13	0.5	15	24	125	5.83	<10
CC12540		0.14	0.5	1.32	10	<10	1180	1.2	<2	0.13	<0.5	15	24	119	5.58	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11581		1	0.08	10	0.13	412	1	0.01	31	600	10	0.04	<2	1	4	0.03
CC11582		1	0.15	20	0.41	1010	2	0.01	56	650	23	0.02	<2	4	9	0.06
CC11583		<1	0.15	10	0.39	668	1	0.01	38	900	15	0.05	2	2	5	0.05
CC11584		<1	0.03	<10	0.24	239	<1	0.02	10	590	2	0.05	<2	1	5	0.04
CC11585		1	0.06	10	0.44	513	<1	0.01	34	540	9	0.03	2	2	6	0.07
CC11586		1	0.06	10	0.55	829	<1	0.02	35	350	8	0.01	<2	4	5	0.14
CC11587		<1	0.05	10	0.64	1245	1	0.02	46	1340	7	0.08	<2	2	11	0.04
CC11588		1	0.03	<10	0.46	172	<1	0.02	27	520	2	0.04	<2	1	5	0.05
CC11589		1	0.04	10	0.36	199	<1	0.01	19	440	11	0.03	<2	1	5	0.07
CC11590		<1	0.07	10	0.87	326	<1	0.03	40	530	7	0.04	<2	3	14	0.10
CC11591		1	0.06	<10	0.72	295	<1	0.03	34	540	4	0.04	<2	2	6	0.10
CC11592		<1	0.51	10	1.26	1945	1	0.01	70	860	26	0.03	3	8	5	0.16
CC11593		1	0.11	10	0.40	1060	1	0.01	46	520	10	0.02	<2	3	9	0.06
CC11594		<1	0.03	10	0.08	142	<1	0.01	7	420	9	0.02	<2	<1	5	0.02
CC11595		1	0.24	40	0.34	1285	3	0.01	43	550	33	0.05	2	7	23	0.05
CC11596		<1	0.21	40	0.30	1550	4	0.01	45	500	35	0.07	4	7	25	0.04
CC11597		<1	0.28	40	0.37	1375	3	0.01	31	500	37	0.08	4	7	23	0.05
CC11598		1	0.28	50	0.35	853	5	0.01	31	700	62	0.20	4	6	39	0.03
CC11599		<1	0.29	50	0.35	825	4	0.01	26	600	62	0.16	2	6	26	0.05
CC11600		1	0.40	40	0.48	895	4	0.01	38	720	61	0.17	5	8	24	0.07
CC12521		1	0.06	10	0.20	466	1	0.01	18	470	24	0.03	<2	1	9	0.07
CC12522		1	0.06	10	0.21	474	1	0.01	16	540	27	0.04	<2	1	11	0.07
CC12523		<1	0.07	10	0.30	419	2	0.01	22	550	23	0.03	<2	2	7	0.05
CC12524		1	0.10	10	0.34	997	3	0.01	38	750	37	0.06	<2	3	11	0.06
CC12525		<1	0.05	10	0.10	1315	1	0.01	16	510	28	0.03	<2	1	6	0.05
CC12526		<1	0.05	10	0.11	1410	2	0.01	15	540	30	0.03	<2	1	6	0.06
CC12527		<1	0.10	10	0.34	684	3	0.01	34	680	16	0.04	<2	2	12	0.06
CC12528		<1	0.10	10	0.34	661	2	0.01	34	630	15	0.04	<2	2	13	0.06
CC12529		<1	0.10	10	0.35	661	2	0.01	35	660	17	0.04	<2	2	11	0.06
CC12530		<1	0.04	10	0.18	368	1	0.01	17	510	11	0.04	<2	1	5	0.09
CC12531		1	0.08	10	0.26	505	2	0.01	22	560	52	0.05	<2	1	12	0.05
CC12532		2	0.15	20	0.16	5750	12	<0.01	100	2140	60	0.08	<2	13	24	0.04
CC12533		<1	0.11	20	0.17	3990	5	0.02	52	1190	79	0.09	<2	4	20	0.03
CC12534		<1	0.07	10	0.10	1735	3	0.02	30	820	35	0.06	2	1	6	0.04
CC12535		<1	0.23	20	0.57	1050	3	0.01	47	940	25	0.04	<2	4	13	0.11
CC12536		<1	0.18	20	0.52	555	3	0.02	34	820	28	0.11	2	3	19	0.09
CC12537		<1	0.21	20	0.38	576	3	0.01	31	1170	37	0.09	3	2	28	0.08
CC12538		<1	0.26	20	0.38	950	7	0.02	37	1790	186	0.27	3	2	64	0.07
CC12539		<1	0.28	20	0.29	1815	6	0.02	54	1100	73	0.27	<2	3	29	0.05
CC12540		<1	0.26	20	0.25	1725	6	0.02	49	1100	74	0.27	<2	3	28	0.05

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11581		<10	<10	51	<10	126
CC11582		<10	<10	64	<10	272
CC11583		<10	<10	70	<10	96
CC11584		<10	<10	35	<10	18
CC11585		<10	<10	75	<10	61
CC11586		<10	<10	100	<10	64
CC11587		<10	<10	72	<10	60
CC11588		<10	<10	49	<10	24
CC11589		<10	<10	60	<10	30
CC11590		<10	<10	78	<10	51
CC11591		<10	<10	53	<10	39
CC11592		<10	<10	131	<10	136
CC11593		<10	<10	66	<10	109
CC11594		<10	<10	25	<10	16
CC11595		<10	<10	51	<10	143
CC11596		<10	<10	50	<10	175
CC11597		<10	<10	39	<10	162
CC11598		<10	<10	42	<10	175
CC11599		<10	<10	43	<10	126
CC11600		<10	<10	62	<10	125
CC12521		<10	<10	78	<10	81
CC12522		<10	<10	74	<10	79
CC12523		<10	<10	55	<10	79
CC12524		<10	<10	71	<10	143
CC12525		<10	<10	76	<10	54
CC12526		<10	<10	81	<10	57
CC12527		<10	<10	68	<10	135
CC12528		<10	<10	67	<10	132
CC12529		<10	<10	67	<10	136
CC12530		<10	<10	70	<10	47
CC12531		<10	<10	67	<10	102
CC12532		<10	<10	139	<10	460
CC12533		<10	<10	93	<10	267
CC12534		<10	<10	55	<10	199
CC12535		<10	<10	74	<10	136
CC12536		<10	<10	77	<10	92
CC12537		<10	<10	88	<10	89
CC12538		<10	<10	81	<10	164
CC12539		<10	<10	91	<10	208
CC12540		<10	<10	87	<10	196

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12541		0.16	0.5	1.30	11	<10	1380	1.3	<2	0.14	0.5	14	25	125	5.79	<10
CC12542		0.20	0.5	1.04	17	<10	2100	2.3	<2	0.14	1.5	21	22	145	7.70	<10
CC12543		0.14	0.6	1.28	5	<10	1270	1.2	<2	0.06	0.7	11	25	74	4.77	<10
CC12544		0.20	0.9	1.22	<2	<10	1460	1.4	<2	0.04	1.1	24	26	140	5.98	<10
CC12545		0.20	0.9	1.36	6	<10	1490	1.4	<2	0.03	0.9	22	26	138	6.61	<10
CC12546		0.14	<0.2	2.36	2	<10	230	1.7	<2	0.05	<0.5	7	15	42	3.32	10
CC12547		0.14	0.3	2.00	<2	<10	150	0.8	<2	0.04	<0.5	4	19	28	2.40	10
CC12548		0.18	0.9	0.60	8	<10	460	<0.5	<2	0.02	<0.5	1	23	56	4.42	10
CC12549		0.12	0.6	0.49	<2	<10	150	<0.5	<2	0.02	<0.5	1	17	13	1.24	10
CC12550		0.14	0.6	0.42	2	<10	140	<0.5	<2	0.02	<0.5	1	14	14	1.37	10
CC12650		0.08	<0.2	0.29	<2	<10	70	<0.5	<2	0.08	0.6	4	55	14	0.52	<10
CC12651		0.14	<0.2	0.40	<2	<10	50	<0.5	<2	0.11	2.0	5	161	9	1.18	<10
CC12652		0.08	0.2	0.16	2	<10	40	<0.5	<2	0.07	<0.5	<1	10	3	0.23	<10
CC12653		0.10	<0.2	0.81	<2	<10	250	0.6	<2	0.18	0.7	18	194	7	2.20	<10
CC12654		0.14	<0.2	0.92	<2	<10	110	0.5	<2	0.06	<0.5	24	423	6	3.31	10
CC12655		0.16	0.2	1.04	<2	<10	120	0.5	<2	0.06	<0.5	16	362	6	3.08	10
CC12656		0.12	<0.2	0.66	<2	10	90	0.7	<2	0.04	<0.5	61	721	5	4.35	<10
CC12657		0.14	<0.2	0.98	<2	<10	140	<0.5	<2	0.09	<0.5	15	249	10	2.53	10
CC12658		0.12	<0.2	0.99	<2	<10	140	<0.5	<2	0.10	<0.5	12	260	10	2.42	10
CC12659		0.14	<0.2	1.00	<2	<10	140	<0.5	<2	0.09	<0.5	12	235	11	2.51	10
CC12660		0.12	<0.2	0.44	<2	<10	80	<0.5	<2	0.06	<0.5	9	237	6	1.35	<10
CC12661		0.14	<0.2	0.64	<2	<10	90	<0.5	<2	0.05	<0.5	57	604	6	3.92	<10
CC12662		0.16	<0.2	0.70	<2	<10	90	<0.5	<2	0.05	<0.5	35	522	5	3.55	<10
CC12663		0.12	<0.2	0.14	<2	<10	20	<0.5	<2	0.02	<0.5	3	104	2	0.53	<10
CC12664		0.18	<0.2	0.73	<2	<10	90	<0.5	<2	0.05	<0.5	26	514	5	3.28	<10
CC12665		0.16	<0.2	0.88	<2	<10	100	<0.5	<2	0.10	0.7	26	338	12	3.15	<10
CC12666		0.16	<0.2	0.84	<2	<10	100	<0.5	<2	0.10	0.8	31	399	12	3.50	<10
CC12667		0.20	<0.2	1.00	<2	<10	110	<0.5	<2	0.11	0.7	22	316	14	3.26	<10
CC12668		0.20	<0.2	1.01	<2	<10	110	<0.5	<2	0.13	0.7	24	321	14	3.00	10
CC12669		0.22	<0.2	1.19	3	<10	120	0.5	<2	0.14	0.9	28	334	17	3.47	10
CC12670		0.12	<0.2	0.52	<2	<10	100	<0.5	<2	0.06	0.6	56	631	7	3.42	<10
CC12671		0.18	<0.2	1.06	<2	<10	100	0.7	<2	0.07	<0.5	11	252	6	2.75	10
CC12672		0.18	<0.2	1.20	2	<10	140	0.8	<2	0.08	<0.5	7	136	6	2.24	10
CC12673		0.14	0.2	0.73	2	<10	100	<0.5	<2	0.04	<0.5	39	587	6	3.67	<10
CC12674		0.20	0.2	1.25	<2	<10	110	0.6	<2	0.08	<0.5	4	52	9	1.96	10
CC12675		0.18	1.1	0.80	<2	<10	120	0.5	<2	0.09	<0.5	4	91	7	2.14	10
CC12676		0.20	0.8	0.78	3	<10	100	0.5	<2	0.09	<0.5	4	89	6	2.01	10
CC12677		0.18	0.2	1.62	<2	<10	140	1.7	<2	0.08	<0.5	6	36	10	3.70	10
CC12678		0.18	0.2	1.61	<2	<10	130	1.7	<2	0.08	<0.5	6	35	10	3.68	10
CC12679		0.20	0.2	1.55	5	<10	140	1.6	<2	0.08	<0.5	5	38	9	3.60	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12541		<1	0.27	20	0.26	1830	6	0.02	51	1130	89	0.30	6	3	29	0.05
CC12542		<1	0.17	20	0.19	4180	7	0.01	83	1230	59	0.08	<2	5	24	0.04
CC12543		1	0.16	20	0.26	1630	3	0.02	40	850	40	0.11	2	2	17	0.05
CC12544		<1	0.18	20	0.21	2720	6	0.01	55	1160	46	0.12	<2	6	30	0.05
CC12545		<1	0.19	30	0.23	2950	6	0.01	55	1260	51	0.14	<2	7	32	0.05
CC12546		<1	0.29	30	0.64	707	6	0.02	65	470	11	0.04	<2	2	10	0.07
CC12547		<1	0.14	10	0.51	452	6	0.01	44	400	12	0.04	<2	1	8	0.06
CC12548		<1	0.09	20	0.05	132	4	0.01	15	980	98	0.17	2	1	15	0.06
CC12549		<1	0.03	20	0.03	58	1	0.01	5	350	30	0.03	3	<1	7	0.04
CC12550		<1	0.03	20	0.02	59	2	0.01	7	370	37	0.03	<2	<1	6	0.04
CC12650		<1	0.02	<10	0.07	37	<1	0.03	62	420	3	0.02	<2	<1	10	0.01
CC12651		<1	0.03	10	0.45	111	<1	0.03	79	130	5	0.01	<2	1	6	0.05
CC12652		<1	0.02	30	0.05	15	<1	0.04	15	160	<2	0.01	2	<1	8	0.01
CC12653		<1	0.06	30	1.94	508	<1	0.03	229	320	6	0.02	<2	2	10	0.04
CC12654		<1	0.09	10	2.78	465	<1	0.01	367	200	<2	<0.01	<2	2	4	0.08
CC12655		<1	0.10	10	2.05	370	<1	0.02	252	230	4	0.01	3	3	4	0.09
CC12656		<1	0.05	10	5.63	1115	<1	0.01	709	280	<2	<0.01	<2	2	3	0.05
CC12657		<1	0.09	10	1.55	372	<1	0.02	190	230	6	<0.01	<2	3	7	0.09
CC12658		<1	0.09	10	1.16	308	<1	0.02	148	220	6	<0.01	<2	3	7	0.09
CC12659		<1	0.10	10	1.22	343	<1	0.02	152	240	8	<0.01	<2	3	7	0.09
CC12660		<1	0.04	<10	0.73	211	<1	0.02	122	220	4	0.01	3	1	6	0.03
CC12661		<1	0.07	10	4.57	878	<1	0.01	603	320	4	0.01	<2	2	5	0.05
CC12662		1	0.08	10	3.52	644	<1	0.01	454	290	4	<0.01	2	2	5	0.06
CC12663		<1	0.02	<10	0.24	82	<1	0.02	58	220	2	0.01	<2	<1	3	0.01
CC12664		1	0.08	10	2.62	512	<1	0.01	355	290	6	<0.01	<2	2	5	0.06
CC12665		<1	0.07	10	2.54	490	1	0.02	320	310	9	0.01	<2	2	8	0.07
CC12666		<1	0.06	10	3.40	605	<1	0.02	391	320	8	0.01	<2	2	7	0.07
CC12667		<1	0.08	10	2.12	486	<1	0.02	272	350	8	0.01	<2	2	8	0.08
CC12668		<1	0.08	10	2.20	461	<1	0.01	286	340	11	0.01	<2	3	8	0.08
CC12669		<1	0.10	10	2.64	541	<1	0.02	340	380	11	0.02	<2	3	8	0.09
CC12670		<1	0.06	10	3.50	945	<1	0.01	520	270	3	0.02	<2	2	6	0.04
CC12671		<1	0.17	10	1.22	298	<1	0.01	154	170	8	0.01	<2	3	4	0.09
CC12672		<1	0.21	10	0.89	215	<1	0.01	98	200	5	0.01	<2	3	5	0.10
CC12673		1	0.07	10	3.43	665	<1	0.01	468	360	2	0.02	<2	2	5	0.05
CC12674		<1	0.13	10	0.46	165	1	0.01	30	490	9	0.02	<2	2	5	0.10
CC12675		1	0.14	10	0.31	169	<1	<0.01	38	390	17	0.01	<2	2	4	0.11
CC12676		1	0.14	10	0.29	126	<1	0.01	35	360	16	0.02	<2	2	4	0.12
CC12677		<1	0.37	10	0.57	273	1	0.01	20	760	7	0.03	<2	5	3	0.18
CC12678		<1	0.36	10	0.57	274	<1	0.01	20	760	6	0.03	<2	5	3	0.17
CC12679		1	0.35	10	0.54	266	1	0.01	18	790	5	0.03	<2	5	4	0.17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12541		<10	<10	91	<10	205
CC12542		10	<10	90	<10	525
CC12543		<10	<10	77	<10	169
CC12544		<10	<10	90	<10	284
CC12545		<10	<10	91	<10	276
CC12546		<10	<10	31	<10	142
CC12547		<10	<10	42	<10	83
CC12548		<10	<10	93	<10	41
CC12549		<10	<10	40	<10	20
CC12550		<10	<10	39	<10	20
CC12650		<10	<10	6	<10	6
CC12651		<10	<10	24	<10	28
CC12652		<10	<10	4	<10	5
CC12653		<10	<10	19	<10	48
CC12654		<10	<10	27	<10	53
CC12655		<10	<10	28	<10	52
CC12656		<10	<10	31	<10	63
CC12657		<10	<10	32	<10	62
CC12658		<10	<10	33	<10	61
CC12659		<10	<10	33	<10	63
CC12660		<10	<10	18	<10	28
CC12661		<10	<10	28	<10	72
CC12662		<10	<10	28	<10	63
CC12663		<10	<10	7	<10	7
CC12664		<10	<10	29	<10	60
CC12665		<10	<10	35	<10	102
CC12666		<10	<10	38	10	98
CC12667		<10	<10	38	<10	106
CC12668		<10	<10	36	<10	99
CC12669		<10	<10	39	<10	116
CC12670		<10	<10	27	<10	60
CC12671		<10	<10	24	<10	51
CC12672		<10	<10	22	<10	48
CC12673		<10	<10	28	<10	58
CC12674		<10	<10	29	<10	54
CC12675		<10	<10	40	<10	60
CC12676		<10	<10	40	<10	56
CC12677		<10	<10	47	<10	59
CC12678		<10	<10	46	<10	58
CC12679		<10	<10	47	<10	58

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12680		0.18	<0.2	0.95	3	<10	160	0.9	<2	0.08	<0.5	46	418	13	4.48	10
CC12681		0.10	<0.2	0.66	<2	<10	120	<0.5	<2	0.08	<0.5	19	379	5	2.27	10
CC12682		0.16	<0.2	0.91	<2	10	110	0.5	<2	0.06	0.5	55	669	11	4.83	<10
CC12683		0.12	<0.2	0.61	<2	<10	250	0.7	<2	0.63	5.3	30	184	15	1.91	<10
CC12684		0.20	<0.2	1.08	<2	<10	120	<0.5	<2	0.14	1.2	25	302	16	2.97	10
CC12685		0.20	0.7	1.00	<2	<10	250	<0.5	2	0.46	<0.5	60	430	47	3.55	<10
CC12686		0.14	<0.2	0.35	<2	<10	100	<0.5	<2	0.08	0.7	130	1230	12	6.31	<10
CC12687		0.12	<0.2	0.41	<2	<10	110	<0.5	<2	0.08	<0.5	41	662	11	3.20	<10
CC12688		0.18	<0.2	0.47	<2	<10	70	<0.5	<2	0.06	0.7	126	1060	9	7.23	<10
CC12689		0.16	<0.2	1.00	<2	<10	120	<0.5	<2	0.16	<0.5	57	566	28	4.16	<10
CC12690		0.16	<0.2	0.92	2	<10	120	<0.5	<2	0.16	0.6	56	602	27	4.04	<10
CC12691		0.18	<0.2	1.02	<2	<10	160	<0.5	<2	0.21	0.6	70	481	36	3.73	<10
CC12692		0.18	<0.2	0.69	2	<10	120	<0.5	<2	0.10	<0.5	101	880	15	6.61	<10
CC12693		0.20	<0.2	0.80	3	<10	130	<0.5	<2	0.12	<0.5	95	815	18	6.21	<10
CC12694		0.16	<0.2	0.85	3	10	120	<0.5	<2	0.12	<0.5	79	737	21	5.72	<10
CC12695		0.20	<0.2	1.28	2	<10	160	0.8	<2	0.09	1.7	23	341	19	3.92	10
CC12696		0.16	<0.2	1.07	4	<10	140	0.5	<2	0.09	1.6	24	375	15	3.41	10
CC12697		0.14	<0.2	1.06	3	<10	140	0.5	<2	0.09	1.5	23	386	15	3.42	<10
CC12698		0.14	<0.2	0.90	<2	<10	120	<0.5	<2	0.08	1.6	28	438	13	3.33	<10
CC12699		0.22	<0.2	1.05	<2	<10	140	0.5	<2	0.09	1.5	25	418	15	3.57	<10
CC12700		0.14	<0.2	1.79	4	<10	340	1.4	<2	0.24	0.7	6	50	16	2.70	10
CC12701		0.16	<0.2	0.52	2	<10	100	<0.5	<2	0.06	0.6	78	1050	11	5.69	<10
CC12702		0.24	0.2	0.75	108	<10	360	1.5	<2	0.07	0.6	16	133	11	4.53	<10
CC12703		0.16	<0.2	1.41	<2	<10	150	1.4	<2	0.10	0.9	26	280	13	4.29	10
CC12704		0.18	<0.2	1.43	2	<10	160	1.4	2	0.10	0.7	27	279	13	4.16	10
CC12705		0.20	<0.2	1.60	3	<10	140	1.6	<2	0.12	<0.5	18	219	11	3.91	10
CC12706		0.18	<0.2	1.53	3	<10	130	1.4	<2	0.12	<0.5	19	251	11	3.96	10
CC12707		0.14	<0.2	1.44	2	<10	130	1.3	<2	0.11	<0.5	20	289	11	3.84	10
CC12708		0.14	<0.2	1.49	<2	<10	130	1.4	<2	0.11	<0.5	20	278	11	3.98	10
CC12709		0.16	<0.2	1.64	4	<10	140	1.6	<2	0.12	<0.5	21	239	12	4.05	10
CC12710		0.18	0.4	2.11	<2	<10	220	1.9	<2	0.12	0.5	7	37	11	3.57	10
CC12711		0.20	0.5	3.43	<2	<10	300	4.9	2	0.67	0.9	22	30	30	4.47	20
CC12712		0.14	0.5	3.28	<2	<10	270	4.5	2	0.67	0.8	21	26	25	4.20	20
CC12713		0.18	0.2	1.44	<2	<10	120	<0.5	<2	0.23	<0.5	22	295	35	2.79	<10
CC12714		0.18	0.5	2.35	<2	<10	210	2.1	<2	0.12	0.5	8	47	12	3.84	20
CC12715		0.18	0.4	1.64	<2	<10	120	<0.5	<2	0.25	<0.5	25	336	41	3.04	<10
CC12716		0.18	0.2	0.42	<2	<10	130	<0.5	2	0.13	0.5	113	1255	12	6.91	<10
CC12717		0.12	0.5	1.54	<2	<10	90	0.6	<2	0.02	<0.5	2	23	8	1.95	20
CC12718		0.18	0.8	3.78	<2	<10	390	2.5	3	0.04	1.1	6	22	37	6.25	20
CC12719		0.22	0.2	0.46	3	10	80	<0.5	2	0.09	<0.5	116	990	13	6.47	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12680		<1	0.27	20	3.36	853	1	<0.01	565	520	10	0.05	<2	5	7	0.07
CC12681		1	0.10	10	1.46	436	<1	0.01	214	340	5	0.02	<2	2	4	0.08
CC12682		1	0.09	10	5.50	742	<1	0.01	723	380	4	0.02	<2	3	5	0.05
CC12683		<1	0.05	30	1.94	815	<1	0.01	256	730	7	0.06	2	1	15	0.02
CC12684		1	0.07	10	1.92	478	<1	0.01	297	340	9	0.03	<2	3	9	0.07
CC12685		<1	0.07	20	5.01	1135	<1	0.01	652	460	8	0.03	<2	4	9	0.04
CC12686		<1	0.02	<10	4.13	1840	<1	0.01	891	820	<2	0.03	<2	3	4	0.02
CC12687		<1	0.03	<10	1.44	782	<1	0.02	411	490	3	0.03	<2	1	7	0.02
CC12688		<1	0.03	<10	3.34	1600	<1	0.01	796	910	4	0.03	<2	3	6	0.03
CC12689		<1	0.04	10	3.69	863	<1	0.01	618	470	5	0.03	2	3	9	0.06
CC12690		1	0.04	10	2.74	875	<1	0.01	540	500	2	0.03	<2	3	10	0.05
CC12691		1	0.04	10	1.59	1275	<1	0.01	444	640	9	0.04	<2	3	13	0.05
CC12692		1	0.03	<10	5.66	1335	<1	0.01	935	710	2	0.03	<2	3	6	0.04
CC12693		<1	0.04	<10	5.04	1290	<1	0.01	868	690	4	0.03	<2	3	7	0.04
CC12694		1	0.04	<10	5.02	1030	<1	0.01	823	600	4	0.03	<2	3	6	0.04
CC12695		<1	0.15	10	2.19	484	<1	0.01	311	370	23	0.03	<2	3	9	0.08
CC12696		<1	0.10	10	2.20	459	<1	0.01	314	370	18	0.03	<2	3	8	0.07
CC12697		<1	0.10	10	2.17	466	<1	0.01	318	380	15	0.03	<2	3	8	0.06
CC12698		<1	0.08	10	2.52	496	<1	0.01	370	360	11	0.03	<2	2	8	0.05
CC12699		1	0.09	10	2.27	490	<1	0.01	333	390	14	0.03	2	3	8	0.06
CC12700		<1	0.14	20	0.65	260	1	0.01	58	470	25	0.03	<2	4	11	0.09
CC12701		<1	0.04	10	5.20	1200	<1	0.01	862	490	8	0.03	<2	3	5	0.04
CC12702		<1	0.19	40	0.70	701	3	<0.01	132	300	18	0.06	3	3	12	0.02
CC12703		<1	0.44	10	1.77	651	<1	0.01	251	420	7	0.03	<2	5	6	0.13
CC12704		1	0.44	10	1.98	628	<1	0.01	260	400	7	0.01	<2	5	6	0.14
CC12705		<1	0.35	10	1.60	454	<1	0.01	213	390	8	0.01	<2	5	6	0.15
CC12706		<1	0.31	10	1.82	479	<1	0.01	253	420	8	0.01	<2	5	6	0.14
CC12707		1	0.30	10	1.70	457	<1	0.01	256	420	7	0.01	<2	4	6	0.13
CC12708		<1	0.31	10	1.75	486	<1	0.01	250	410	8	0.01	<2	4	6	0.14
CC12709		<1	0.36	10	1.84	514	<1	0.01	245	390	7	0.01	<2	5	6	0.15
CC12710		<1	0.40	10	0.76	551	2	0.01	30	360	11	0.01	<2	3	8	0.15
CC12711		<1	0.90	40	1.30	1395	5	0.01	45	680	9	0.05	<2	5	26	0.12
CC12712		<1	0.83	40	1.19	1255	5	0.01	35	550	6	0.03	<2	5	23	0.11
CC12713		<1	0.07	10	2.23	344	<1	0.02	307	380	4	<0.01	<2	3	10	0.08
CC12714		<1	0.42	20	0.84	482	3	<0.01	34	300	9	<0.01	<2	4	8	0.15
CC12715		<1	0.07	10	2.50	345	<1	0.03	356	360	4	<0.01	<2	4	11	0.09
CC12716		<1	0.03	<10	4.70	1840	<1	0.01	941	870	3	0.01	<2	3	5	0.02
CC12717		<1	0.19	20	0.39	209	2	<0.01	13	350	19	0.04	<2	2	9	0.11
CC12718		<1	0.37	40	0.89	489	3	0.03	32	870	67	0.27	<2	7	35	0.13
CC12719		<1	0.03	10	8.50	1320	<1	<0.01	1130	620	3	<0.01	<2	4	4	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12680		<10	<10	30	<10	59
CC12681		<10	<10	27	<10	34
CC12682		<10	<10	33	<10	82
CC12683		<10	<10	18	<10	95
CC12684		<10	<10	33	<10	114
CC12685		<10	<10	53	<10	63
CC12686		<10	<10	41	<10	66
CC12687		<10	<10	30	<10	33
CC12688		<10	<10	39	<10	58
CC12689		<10	<10	45	<10	61
CC12690		<10	<10	45	<10	56
CC12691		<10	<10	47	<10	49
CC12692		<10	<10	42	<10	56
CC12693		<10	<10	44	<10	57
CC12694		<10	<10	43	<10	54
CC12695		<10	<10	42	<10	206
CC12696		<10	<10	36	<10	156
CC12697		<10	<10	36	<10	154
CC12698		<10	<10	33	<10	135
CC12699		<10	<10	37	<10	150
CC12700		<10	<10	31	<10	182
CC12701		<10	<10	42	<10	61
CC12702		<10	<10	15	<10	67
CC12703		<10	<10	39	<10	74
CC12704		<10	<10	38	<10	72
CC12705		<10	<10	38	<10	69
CC12706		<10	<10	36	<10	68
CC12707		<10	<10	36	<10	66
CC12708		<10	<10	37	<10	67
CC12709		<10	<10	38	<10	72
CC12710		<10	<10	34	<10	84
CC12711		<10	<10	26	<10	79
CC12712		<10	<10	25	<10	71
CC12713		<10	<10	43	<10	46
CC12714		<10	<10	35	<10	88
CC12715		<10	<10	47	<10	49
CC12716		<10	<10	43	<10	73
CC12717		<10	<10	22	<10	106
CC12718		<10	<10	45	<10	435
CC12719		<10	<10	36	<10	63

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC12720		0.24	0.4	1.26	<2	<10	140	<0.5	<2	0.11	<0.5	11	88	43	3.13	<10
CC12721		0.16	0.2	1.07	<2	<10	140	<0.5	<2	0.18	<0.5	13	330	14	2.27	10
CC12722		0.16	0.2	1.36	<2	<10	110	<0.5	<2	0.20	<0.5	28	374	32	3.12	<10
CC12723		0.20	0.2	1.37	<2	<10	120	<0.5	<2	0.22	<0.5	25	325	34	2.91	<10
CC12724		0.18	<0.2	1.72	<2	<10	130	<0.5	<2	0.30	<0.5	22	245	46	2.76	<10
CC12725		0.20	<0.2	0.88	<2	<10	40	<0.5	<2	0.13	<0.5	7	144	25	1.62	<10
CC12726		0.14	0.2	0.27	<2	<10	30	<0.5	<2	0.05	<0.5	2	12	5	0.40	<10
CC12727		0.14	<0.2	0.95	<2	<10	40	<0.5	<2	0.13	<0.5	10	170	28	1.86	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC12720		<1	0.05	10	0.44	433	<1	0.01	65	470	9	<0.01	<2	4	7	0.05
CC12721		<1	0.04	10	1.18	273	<1	0.01	163	350	5	<0.01	<2	3	9	0.06
CC12722		<1	0.06	10	2.93	430	<1	0.02	379	360	3	<0.01	<2	3	10	0.07
CC12723		<1	0.07	10	2.61	392	<1	0.02	339	370	4	<0.01	<2	3	10	0.08
CC12724		1	0.08	10	2.03	319	<1	0.03	299	400	3	<0.01	<2	4	13	0.10
CC12725		<1	0.02	10	0.61	151	<1	0.02	73	240	2	<0.01	<2	2	5	0.07
CC12726		<1	0.02	<10	0.07	33	<1	0.03	8	220	<2	<0.01	<2	<1	6	0.02
CC12727		<1	0.02	<10	0.82	194	<1	0.02	94	250	2	<0.01	2	2	5	0.07

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 8-AUG-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05062225

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC12720		<10	<10	55	<10	86
CC12721		<10	<10	38	<10	41
CC12722		<10	<10	42	<10	50
CC12723		<10	<10	42	<10	48
CC12724		<10	<10	48	<10	44
CC12725		<10	<10	35	<10	35
CC12726		<10	<10	11	<10	8
CC12727		<10	<10	39	<10	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Finalized 21-JUL-2005
Account: MTT

CERTIFICATE VA05057990

Project: 4C

P.O. No.:

This report is for 14 Rock samples submitted to our lab in Vancouver, BC, Canada on 15-JUL-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 21-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057990

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
B395801		1.36	0.6	0.45	<2	<10	1160	3.0	4	0.05	0.6	8	45	61	16.4	<10
B395802		1.12	<0.2	0.52	<2	<10	100	0.5	<2	0.14	0.8	119	30	9730	3.61	<10
B395803		2.24	0.4	0.60	3	<10	60	1.0	4	0.05	1.4	184	26	7320	39.4	<10
B395804		2.04	1.4	0.22	48	<10	640	<0.5	<2	0.01	<0.5	2	41	122	8.75	<10
B395805		0.84	0.2	1.54	4	<10	420	0.6	<2	0.67	1.0	14	85	209	7.18	<10
B395806		2.28	0.6	0.51	12	<10	40	0.6	2	0.03	<0.5	3	64	90	8.07	<10
B395807		1.66	0.5	0.27	8	<10	340	<0.5	<2	0.01	<0.5	3	41	46	3.96	<10
B395808		1.70	0.5	0.32	9	<10	130	<0.5	<2	0.02	0.5	4	64	43	4.77	<10
B395809		1.28	0.5	0.38	<2	<10	130	<0.5	<2	2.91	<0.5	16	59	51	4.99	<10
B395810		1.50	<0.2	0.19	2	<10	80	1.3	<2	0.29	<0.5	96	824	10	3.91	<10
B395811		2.50	0.4	0.59	<2	<10	40	0.6	5	0.03	0.7	139	42	5850	28.7	<10
B395812		1.12	0.4	0.73	2	<10	180	0.5	3	0.04	1.6	5	49	254	19.0	<10
B395813		1.30	1.4	0.25	46	<10	550	<0.5	2	0.01	0.5	5	19	155	14.8	<10
B395814		2.16	1.3	0.09	7	<10	10	<0.5	<2	<0.01	0.8	3	56	25	6.86	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 21-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057990

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
B395801		<1	0.04	30	0.03	13450	1	0.01	57	210	4	0.01	<2	23	48	0.01
B395802		<1	0.04	10	0.06	1710	1	0.01	69	330	7	0.02	<2	7	9	<0.01
B395803		<1	0.01	<10	0.06	746	1	0.01	367	310	<2	0.02	<2	17	49	<0.01
B395804		1	0.01	<10	0.01	23	4	0.01	5	550	279	0.09	3	1	8	0.01
B395805		<1	0.21	<10	0.70	300	2	0.09	47	650	36	0.04	<2	8	12	0.25
B395806		<1	0.11	<10	0.09	57	3	0.02	12	700	226	1.64	2	5	20	0.04
B395807		<1	0.08	<10	0.02	19	1	0.01	10	170	50	0.57	<2	1	8	<0.01
B395808		<1	0.10	<10	0.04	40	1	<0.01	14	480	141	0.95	<2	2	8	0.02
B395809		<1	0.01	<10	1.16	632	1	0.01	47	370	6	0.06	10	12	61	<0.01
B395810		<1	0.02	<10	0.84	633	<1	0.01	1950	10	<2	0.01	<2	11	19	<0.01
B395811		1	0.01	<10	0.05	715	2	0.01	245	330	<2	0.04	<2	14	32	<0.01
B395812		<1	0.24	<10	0.18	162	3	0.01	27	360	35	0.07	<2	4	9	0.10
B395813		<1	0.12	<10	0.03	53	2	0.01	13	260	457	0.62	3	2	8	0.01
B395814		<1	0.01	<10	0.01	9	1	<0.01	34	20	224	6.76	<2	<1	1	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 21-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057990

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
B395801		10	<10	112	<10	110
B395802		<10	<10	51	<10	262
B395803		<10	<10	121	<10	2850
B395804		<10	<10	55	<10	110
B395805		<10	<10	62	<10	290
B395806		<10	<10	66	<10	219
B395807		<10	<10	15	<10	105
B395808		<10	<10	48	<10	109
B395809		<10	<10	70	<10	67
B395810		<10	<10	18	<10	31
B395811		<10	<10	111	<10	1600
B395812		<10	<10	45	<10	387
B395813		<10	<10	41	<10	200
B395814		<10	<10	14	<10	47

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized

29-JUL-2005
Account: MTT

CERTIFICATE VA05057499

Project: 4C

P.O. No.:

This report is for 310 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-JUL-2005.

The following have access to data associated with this certificate:

AL ARCHER VANCOUVER OFFICE	DOUG EATON BILL WENGZYNOWSKI	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11601		0.18	1.2	1.76	27	<10	70	1.1	<2	0.03	<0.5	3	16	30	13.65	30
CC11602		0.14	0.5	2.46	11	<10	340	3.3	2	0.36	1.6	13	46	57	4.58	10
CC11603		0.20	0.2	1.84	83	<10	190	4.5	<2	0.21	1.4	10	11	18	3.87	10
CC11604		0.16	<0.2	2.68	6	<10	130	2.8	<2	0.61	<0.5	14	52	29	4.47	10
CC11605		0.16	<0.2	2.97	3	<10	120	4.0	<2	0.26	<0.5	17	46	25	5.56	20
CC11606		0.18	<0.2	2.90	2	<10	80	2.8	<2	0.13	<0.5	12	40	19	5.03	10
CC11607		0.10	<0.2	3.35	3	<10	140	4.2	<2	0.28	<0.5	20	86	17	6.18	20
CC11608		0.14	<0.2	3.31	2	<10	140	3.6	<2	0.55	<0.5	16	25	25	5.51	20
CC11609		0.18	0.5	2.65	6	<10	110	2.7	<2	0.62	1.1	16	45	36	4.82	10
CC11610		0.14	<0.2	2.86	4	<10	60	1.6	<2	0.07	<0.5	13	47	18	5.69	20
CC11611		0.20	<0.2	2.78	3	<10	160	2.4	<2	0.45	<0.5	15	48	29	5.86	20
CC11612		0.16	<0.2	2.68	3	<10	140	4.1	<2	0.46	<0.5	19	51	28	6.01	10
CC11613		0.18	<0.2	1.04	<2	<10	350	2.3	<2	1.87	<0.5	66	250	9	5.39	<10
CC11614		0.14	0.2	0.92	4	<10	130	<0.5	<2	0.59	<0.5	11	80	46	2.61	10
CC11615		0.14	<0.2	0.47	2	<10	50	<0.5	2	0.05	<0.5	2	28	14	0.98	10
CC11616		0.16	0.3	2.34	<2	<10	80	0.9	<2	0.27	<0.5	18	136	77	3.05	10
CC11617		0.18	0.4	2.46	3	<10	570	1.5	2	0.11	<0.5	18	81	79	4.76	10
CC11618		0.16	0.5	1.90	8	<10	1350	2.4	<2	0.33	<0.5	38	124	117	5.82	10
CC11619		0.14	<0.2	0.82	<2	<10	60	<0.5	<2	0.22	<0.5	6	43	20	1.60	10
CC11620		0.14	<0.2	1.97	<2	<10	100	<0.5	<2	0.90	<0.5	24	163	140	2.12	10
CC11621		0.14	0.5	2.47	7	<10	350	<0.5	<2	0.82	<0.5	25	234	113	3.45	10
CC11622		0.16	0.3	3.33	<2	<10	350	0.5	<2	0.49	<0.5	31	114	198	5.26	10
CC11623		0.20	0.2	2.10	5	<10	220	<0.5	<2	0.46	<0.5	28	70	492	4.86	10
CC11624		0.16	0.3	2.64	<2	<10	550	0.5	<2	0.37	<0.5	16	82	122	3.99	10
CC11625		0.14	<0.2	2.40	<2	<10	270	<0.5	<2	0.56	<0.5	27	146	122	3.60	10
CC11626		0.16	0.2	2.35	<2	<10	240	<0.5	<2	0.90	<0.5	30	163	162	3.61	10
CC11627		0.14	<0.2	2.50	4	<10	100	<0.5	<2	0.96	<0.5	20	108	130	2.67	10
CC11628		0.16	<0.2	2.80	2	<10	250	<0.5	<2	0.51	<0.5	25	99	152	3.59	10
CC11629		0.12	0.2	2.51	2	<10	390	<0.5	<2	0.90	<0.5	25	101	182	4.00	10
CC11630		0.14	0.3	3.15	<2	<10	400	0.6	<2	0.43	<0.5	42	92	188	4.51	10
CC11631		0.16	<0.2	2.58	<2	<10	320	<0.5	<2	0.89	<0.5	29	257	104	3.57	10
CC11632		0.12	<0.2	1.84	4	<10	50	<0.5	2	0.51	<0.5	19	200	78	2.18	<10
CC11633		0.14	<0.2	1.85	3	<10	70	<0.5	<2	0.79	<0.5	20	124	90	2.05	10
CC11634		0.10	<0.2	3.21	5	<10	640	0.8	<2	0.83	<0.5	26	137	108	4.94	10
CC11635		0.10	<0.2	1.84	<2	<10	810	1.1	<2	0.13	<0.5	14	77	82	2.79	10
CC11636		0.12	0.7	2.50	8	<10	1190	1.8	<2	0.38	<0.5	16	81	86	5.85	10
CC11637		0.16	0.4	1.95	5	<10	320	0.8	<2	0.18	<0.5	17	96	74	3.47	10
CC11638		0.16	0.4	1.42	4	<10	100	0.6	2	0.10	<0.5	9	66	26	3.82	10
CC11639		0.14	0.3	1.38	3	<10	80	<0.5	3	0.14	<0.5	10	79	43	3.14	10
CC11640		0.14	0.2	0.80	4	<10	60	<0.5	<2	0.17	<0.5	8	75	29	2.20	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11601		<1	0.67	50	0.71	754	4	0.17	4	1480	20	1.14	<2	8	13	0.22
CC11602		<1	0.41	110	1.07	795	7	0.02	42	810	77	0.07	<2	11	19	0.21
CC11603		<1	0.66	140	0.68	1115	5	0.01	17	400	27	0.01	<2	7	8	0.12
CC11604		<1	0.61	60	1.31	838	5	0.02	24	740	12	0.05	<2	11	11	0.26
CC11605		<1	0.93	50	1.46	1085	4	0.01	19	920	10	0.04	<2	14	6	0.35
CC11606		<1	0.41	30	1.21	1260	8	0.01	16	940	9	0.02	<2	10	5	0.30
CC11607		<1	1.48	30	1.99	839	3	0.02	29	670	7	0.01	<2	17	5	0.51
CC11608		<1	1.10	40	1.66	1040	2	0.02	15	1720	6	0.01	<2	15	7	0.41
CC11609		<1	0.55	50	1.23	822	5	0.02	21	560	16	0.05	<2	12	13	0.30
CC11610		<1	0.53	10	1.34	614	4	0.01	20	460	9	0.03	<2	11	4	0.44
CC11611		<1	0.75	20	1.36	1570	4	0.01	18	720	15	0.04	<2	12	10	0.38
CC11612		<1	0.94	50	1.33	1240	3	0.02	24	1110	10	0.03	<2	16	9	0.36
CC11613		<1	0.08	10	3.83	966	<1	0.02	946	90	10	<0.01	<2	23	196	<0.01
CC11614		<1	0.08	10	0.35	482	2	0.02	42	490	16	0.03	<2	4	16	0.14
CC11615		<1	0.02	10	0.08	79	1	0.02	13	230	9	0.01	<2	1	5	0.12
CC11616		<1	0.06	10	0.93	386	1	0.04	87	600	3	0.02	<2	4	9	0.09
CC11617		<1	0.39	30	1.01	1415	2	0.01	58	730	16	0.05	<2	8	9	0.17
CC11618		<1	0.58	30	1.14	2060	1	0.02	130	910	14	0.01	<2	24	18	0.13
CC11619		<1	0.03	<10	0.30	184	1	0.02	20	530	2	0.04	<2	2	7	0.18
CC11620		<1	0.03	<10	1.27	588	1	0.05	108	1100	<2	0.10	<2	2	22	0.08
CC11621		<1	0.34	<10	1.85	491	<1	0.05	114	780	<2	0.04	<2	8	17	0.18
CC11622		<1	0.34	10	1.81	476	1	0.03	81	710	12	0.07	<2	8	18	0.16
CC11623		<1	0.09	<10	1.32	438	<1	0.04	51	690	7	0.10	<2	11	14	0.07
CC11624		<1	0.40	10	1.40	365	1	0.04	47	670	7	0.12	<2	7	16	0.16
CC11625		<1	0.28	<10	1.88	456	<1	0.05	78	600	<2	0.03	<2	6	9	0.19
CC11626		<1	0.27	<10	1.94	496	<1	0.06	95	570	<2	0.03	<2	7	11	0.20
CC11627		<1	0.10	<10	1.51	360	<1	0.10	63	470	<2	0.04	<2	5	18	0.13
CC11628		<1	0.28	10	1.54	446	1	0.04	64	1470	5	0.08	<2	4	24	0.13
CC11629		<1	0.36	10	1.48	530	<1	0.05	57	540	6	0.04	<2	9	15	0.16
CC11630		<1	0.44	10	1.70	510	1	0.04	81	770	9	0.10	2	8	23	0.14
CC11631		<1	0.28	<10	2.00	482	1	0.06	126	590	<2	0.04	<2	9	18	0.19
CC11632		<1	0.09	<10	1.64	162	<1	0.04	128	830	<2	0.02	<2	3	12	0.11
CC11633		<1	0.06	<10	1.36	194	<1	0.06	102	810	<2	0.02	<2	4	17	0.15
CC11634		<1	0.50	20	1.66	754	1	0.04	83	870	7	0.04	<2	14	27	0.21
CC11635		<1	0.46	10	0.77	1315	1	0.02	45	750	9	0.03	<2	8	8	0.13
CC11636		<1	0.55	40	0.82	1155	3	0.02	56	1130	17	0.07	<2	10	15	0.17
CC11637		<1	0.13	10	0.83	882	1	0.02	55	650	5	0.06	<2	5	10	0.10
CC11638		<1	0.19	10	0.48	351	2	0.01	33	460	11	0.04	<2	4	9	0.20
CC11639		<1	0.07	10	0.45	555	1	0.02	43	470	14	0.03	<2	3	6	0.14
CC11640		<1	0.06	10	0.31	387	1	0.02	42	350	12	0.02	<2	2	5	0.12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11601		10	<10	31	<10	24
CC11602		<10	<10	76	<10	362
CC11603		<10	<10	23	<10	179
CC11604		<10	<10	92	<10	211
CC11605		<10	<10	112	<10	267
CC11606		<10	<10	96	<10	254
CC11607		<10	<10	128	<10	127
CC11608		<10	<10	106	<10	108
CC11609		<10	<10	97	<10	1130
CC11610		<10	<10	121	<10	162
CC11611		<10	<10	126	<10	240
CC11612		<10	<10	117	<10	170
CC11613		<10	<10	57	<10	110
CC11614		<10	<10	71	<10	62
CC11615		<10	<10	45	<10	21
CC11616		<10	<10	68	<10	50
CC11617		<10	<10	130	<10	158
CC11618		<10	<10	169	<10	128
CC11619		<10	<10	69	<10	31
CC11620		<10	<10	54	<10	27
CC11621		<10	<10	92	<10	57
CC11622		<10	<10	132	<10	178
CC11623		<10	<10	100	<10	188
CC11624		<10	<10	125	<10	77
CC11625		<10	<10	88	<10	49
CC11626		<10	<10	87	<10	56
CC11627		<10	<10	60	<10	32
CC11628		<10	<10	97	<10	90
CC11629		<10	<10	104	<10	72
CC11630		<10	<10	120	<10	181
CC11631		<10	<10	90	<10	53
CC11632		<10	<10	50	<10	26
CC11633		<10	<10	50	<10	26
CC11634		<10	<10	165	<10	87
CC11635		<10	<10	81	<10	101
CC11636		<10	<10	136	<10	155
CC11637		<10	<10	88	<10	62
CC11638		<10	<10	104	<10	64
CC11639		<10	<10	81	<10	58
CC11640		<10	<10	51	<10	40

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11641		0.14	<0.2	1.95	<2	<10	130	<0.5	2	0.32	<0.5	21	63	284	3.30	10
CC11642		0.14	0.4	2.10	<2	<10	240	0.6	2	0.34	<0.5	14	87	69	3.03	10
CC11643		0.12	0.2	2.24	3	<10	110	0.6	<2	0.27	<0.5	16	111	73	2.90	10
CC11644		0.14	0.2	2.22	<2	<10	240	1.1	<2	0.20	<0.5	16	210	69	3.82	10
CC11645		0.16	0.5	1.17	4	<10	700	0.8	<2	0.07	<0.5	11	45	74	3.03	10
CC11646		0.18	0.4	1.50	6	<10	350	2.8	<2	0.04	0.5	8	18	32	3.75	10
CC11647		0.20	<0.2	1.26	3	<10	80	0.7	<2	0.04	<0.5	4	36	19	2.82	10
CC11648		0.20	0.7	0.47	40	<10	590	1.3	<2	0.02	0.5	9	16	49	4.03	<10
CC11649		0.12	0.6	2.16	3	10	850	1.1	<2	0.11	<0.5	11	105	90	3.75	10
CC11704		0.10	0.3	1.41	2	<10	180	0.6	<2	0.64	0.5	16	97	76	2.84	10
CC11706		0.12	0.3	1.73	21	<10	250	<0.5	<2	0.55	<0.5	29	155	104	4.70	10
CC11707		0.16	0.2	1.57	2	<10	150	<0.5	<2	0.52	<0.5	25	127	235	3.03	<10
CC11708		0.08	1.6	2.40	2	<10	580	1.1	<2	0.47	0.6	17	58	62	3.35	10
CC11709		0.08	<0.2	0.09	<2	<10	30	<0.5	<2	0.04	<0.5	<1	2	2	0.19	<10
CC11710		0.10	<0.2	0.70	<2	<10	170	<0.5	<2	0.83	<0.5	6	38	42	0.99	<10
CC11711		0.16	<0.2	1.67	6	<10	170	0.6	<2	0.81	<0.5	10	62	80	2.16	10
CC11712		0.08	<0.2	1.48	<2	<10	140	<0.5	<2	0.38	0.5	18	48	452	2.16	10
CC11713		0.14	<0.2	0.60	<2	<10	30	<0.5	<2	0.14	<0.5	10	29	309	1.51	<10
CC11714		0.10	<0.2	0.92	2	<10	80	<0.5	<2	0.16	<0.5	11	35	306	1.81	10
CC11715		0.14	0.2	1.16	<2	<10	90	0.6	<2	0.12	<0.5	6	50	16	1.98	10
CC11716		0.14	0.2	0.75	<2	<10	80	<0.5	<2	0.12	<0.5	4	55	11	1.41	10
CC11717		0.16	2.2	2.43	3	<10	190	3.1	<2	0.46	0.5	8	32	44	2.99	10
CC11718		0.14	0.2	2.02	<2	<10	210	1.5	<2	0.38	0.8	7	36	28	2.93	10
CC11719		0.12	0.2	1.15	<2	<10	70	0.6	<2	0.06	<0.5	3	26	15	2.02	10
CC11720		0.16	<0.2	1.65	2	<10	100	0.9	<2	0.10	<0.5	6	37	16	2.69	10
CC11721		0.16	<0.2	0.69	3	<10	70	<0.5	<2	0.11	<0.5	5	31	13	1.92	10
CC11722		0.14	<0.2	0.93	<2	<10	50	<0.5	<2	0.07	<0.5	3	40	6	2.17	10
CC11723		0.12	0.2	0.99	2	<10	80	<0.5	<2	0.06	<0.5	4	35	13	2.47	10
CC11724		0.16	<0.2	1.18	2	<10	90	0.5	<2	0.07	<0.5	4	35	13	2.13	10
CC11725		0.10	0.4	1.39	<2	<10	240	0.6	<2	1.18	<0.5	13	47	95	2.02	10
CC11726		0.10	<0.2	1.33	2	<10	120	<0.5	<2	0.89	<0.5	10	71	109	1.40	<10
CC11727		0.16	<0.2	1.00	<2	<10	50	<0.5	<2	0.16	<0.5	7	54	34	1.42	10
CC11728		0.12	0.3	2.04	2	<10	160	0.6	<2	0.66	<0.5	24	73	662	2.96	10
CC11729		0.14	<0.2	1.28	<2	<10	70	<0.5	<2	0.18	<0.5	9	50	810	2.29	10
CC11730		0.20	<0.2	2.52	<2	<10	280	<0.5	<2	0.49	<0.5	26	101	438	3.92	10
CC11731		0.08	0.2	1.62	<2	<10	260	<0.5	<2	1.03	<0.5	9	32	211	2.16	10
CC11732		0.10	<0.2	0.75	2	<10	110	<0.5	<2	0.75	<0.5	4	59	53	0.90	<10
CC11733		0.12	<0.2	3.05	<2	<10	90	<0.5	<2	0.42	<0.5	24	228	70	3.88	10
CC11734		0.14	<0.2	0.72	<2	<10	70	<0.5	<2	0.07	<0.5	4	61	9	1.85	10
CC11735		0.14	<0.2	0.90	<2	<10	90	<0.5	<2	0.06	<0.5	3	25	8	1.62	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11641		<1	0.04	<10	0.92	421	<1	0.03	38	590	<2	0.05	<2	6	16	0.06
CC11642		<1	0.28	10	0.94	354	<1	0.03	56	620	7	0.04	<2	5	15	0.09
CC11643		<1	0.04	10	0.79	537	1	0.03	73	650	2	0.05	2	2	10	0.06
CC11644		<1	0.11	10	1.00	547	1	0.02	96	590	4	0.05	<2	5	11	0.09
CC11645		<1	0.27	10	0.46	970	2	0.01	46	520	8	0.04	<2	3	8	0.09
CC11646		<1	0.52	60	0.58	958	4	0.01	16	500	43	0.07	<2	6	18	0.10
CC11647		<1	0.16	20	0.36	322	3	0.01	12	560	11	0.04	<2	3	6	0.13
CC11648		<1	0.09	20	0.11	839	4	0.01	30	550	126	0.04	<2	5	56	0.02
CC11649		<1	0.55	20	0.93	1365	3	0.01	52	820	12	0.07	<2	9	8	0.16
CC11704		<1	0.14	10	0.99	401	<1	0.03	106	560	20	0.03	<2	5	18	0.09
CC11706		<1	0.44	20	2.42	729	<1	0.02	335	1100	7	0.02	<2	8	15	0.24
CC11707		<1	0.08	10	1.50	749	<1	0.04	180	630	11	0.03	<2	5	15	0.10
CC11708		<1	0.22	30	0.79	1250	2	0.01	73	700	15	0.04	<2	6	18	0.11
CC11709		<1	0.02	<10	0.01	15	<1	0.02	<1	130	<2	<0.01	<2	<1	5	0.01
CC11710		<1	0.05	<10	0.37	123	<1	0.03	18	410	2	0.05	<2	2	18	0.06
CC11711		1	0.11	10	0.72	327	<1	0.02	44	530	6	0.03	<2	4	17	0.09
CC11712		<1	0.11	10	0.57	211	<1	0.02	45	360	4	0.02	<2	5	13	0.07
CC11713		<1	0.03	<10	0.29	143	<1	0.02	38	200	<2	0.01	<2	3	3	0.04
CC11714		<1	0.08	10	0.36	176	<1	0.01	24	350	7	0.02	<2	2	7	0.06
CC11715		<1	0.13	20	0.54	251	1	<0.01	43	390	8	0.01	<2	3	5	0.09
CC11716		<1	0.11	20	0.36	152	1	<0.01	28	230	5	0.01	<2	2	6	0.07
CC11717		1	0.13	170	0.46	498	4	0.01	34	880	31	0.07	<2	4	23	0.08
CC11718		1	0.13	60	0.62	366	4	0.01	33	650	26	0.04	<2	4	17	0.10
CC11719		<1	0.11	20	0.31	174	2	<0.01	14	370	13	0.02	<2	2	5	0.06
CC11720		<1	0.20	20	0.51	320	2	<0.01	23	450	11	0.01	<2	4	6	0.12
CC11721		<1	0.09	10	0.26	234	2	<0.01	18	320	8	0.01	<2	1	7	0.09
CC11722		<1	0.09	10	0.32	148	1	<0.01	13	100	7	<0.01	<2	2	5	0.16
CC11723		<1	0.09	10	0.35	284	1	<0.01	21	200	11	<0.01	<2	3	6	0.11
CC11724		<1	0.14	10	0.46	267	1	<0.01	22	260	8	0.01	<2	3	4	0.10
CC11725		<1	0.07	10	0.53	717	1	0.01	35	730	9	0.05	<2	3	19	0.06
CC11726		<1	0.04	10	0.74	235	<1	0.04	44	440	4	0.04	<2	3	19	0.07
CC11727		<1	0.11	10	0.45	144	1	0.01	23	230	16	0.01	<2	2	7	0.13
CC11728		<1	0.11	10	0.80	418	1	0.02	72	1020	7	0.06	<2	5	16	0.06
CC11729		<1	0.08	10	0.51	155	<1	0.01	32	470	5	0.03	<2	4	8	0.08
CC11730		<1	0.34	10	1.38	334	<1	0.03	55	610	5	0.02	<2	10	14	0.14
CC11731		<1	0.12	20	0.78	250	<1	0.02	30	660	8	0.05	<2	5	20	0.11
CC11732		<1	0.04	<10	0.47	96	<1	0.04	35	250	<2	0.03	<2	2	16	0.05
CC11733		<1	0.10	<10	2.48	265	<1	0.05	127	300	<2	0.01	<2	7	8	0.26
CC11734		<1	0.10	10	0.30	170	1	<0.01	27	160	9	<0.01	<2	2	5	0.14
CC11735		<1	0.06	10	0.34	207	<1	<0.01	13	140	4	<0.01	<2	2	3	0.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

TO: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11641		<10	<10	64	<10	76
CC11642		<10	<10	75	<10	70
CC11643		<10	<10	61	<10	45
CC11644		<10	<10	84	<10	72
CC11645		<10	<10	63	<10	129
CC11646		<10	<10	35	<10	118
CC11647		<10	<10	70	<10	49
CC11648		<10	<10	43	<10	172
CC11649		<10	<10	130	<10	149
CC11704		<10	<10	49	<10	123
CC11706		<10	<10	91	<10	105
CC11707		<10	<10	57	<10	111
CC11708		<10	<10	67	<10	135
CC11709		<10	<10	6	<10	4
CC11710		<10	<10	27	<10	26
CC11711		<10	<10	40	<10	59
CC11712		<10	<10	60	<10	74
CC11713		<10	<10	37	<10	38
CC11714		<10	<10	41	<10	54
CC11715		<10	<10	34	<10	54
CC11716		<10	<10	25	<10	42
CC11717		<10	<10	36	<10	112
CC11718		<10	<10	47	<10	132
CC11719		<10	<10	35	<10	49
CC11720		<10	<10	48	<10	77
CC11721		<10	<10	38	<10	40
CC11722		<10	<10	62	<10	36
CC11723		<10	<10	47	<10	58
CC11724		<10	<10	39	<10	54
CC11725		<10	<10	40	<10	45
CC11726		<10	<10	34	<10	26
CC11727		<10	<10	34	<10	30
CC11728		<10	<10	51	<10	91
CC11729		<10	<10	47	<10	58
CC11730		<10	<10	116	<10	77
CC11731		<10	<10	56	<10	50
CC11732		<10	<10	19	<10	20
CC11733		<10	<10	115	<10	69
CC11734		<10	<10	56	<10	42
CC11735		<10	<10	33	<10	38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11736		0.18	<0.2	1.06	<2	<10	50	0.6	<2	0.06	<0.5	4	23	9	1.92	10
CC11737		0.12	0.2	1.09	<2	<10	40	<0.5	<2	0.05	<0.5	4	29	10	2.19	10
CC11738		0.20	<0.2	1.03	2	<10	50	<0.5	<2	0.04	<0.5	3	20	7	4.05	20
CC11739		0.12	<0.2	2.37	4	<10	60	1.2	<2	0.23	<0.5	8	19	33	6.73	20
CC11740		0.12	0.8	2.00	3	<10	120	1.6	2	0.09	0.5	7	36	20	3.94	10
CC11741		0.12	0.3	1.56	2	<10	90	1.0	<2	0.09	0.5	6	26	27	3.33	10
CC11742		0.08	0.7	0.37	<2	<10	50	<0.5	<2	0.09	0.6	1	7	7	0.65	<10
CC11743		0.10	0.5	0.18	<2	<10	30	<0.5	<2	0.08	<0.5	1	2	4	0.31	<10
CC11744		0.20	<0.2	1.25	6	<10	110	0.6	<2	0.15	<0.5	10	52	14	2.32	10
CC11745		0.08	0.8	0.70	<2	<10	50	<0.5	2	0.04	<0.5	2	11	7	0.99	<10
CC11746		0.20	0.8	1.96	7	<10	170	1.0	<2	0.26	<0.5	9	41	18	2.82	10
CC11747		0.14	0.4	0.29	<2	<10	30	<0.5	<2	0.04	<0.5	2	4	7	0.48	<10
CC11748		0.14	<0.2	0.77	<2	<10	40	0.5	2	0.04	<0.5	4	11	25	3.44	10
CC11749		0.14	0.3	1.03	<2	<10	50	<0.5	<2	0.08	0.6	6	28	11	2.65	10
CC11750		0.16	0.2	0.47	2	<10	30	<0.5	2	0.03	<0.5	1	16	7	1.12	10
CC11751		0.14	0.3	1.12	5	<10	50	0.8	<2	0.05	<0.5	5	19	20	3.03	10
CC11752		0.16	0.3	1.21	<2	<10	40	0.6	<2	0.07	<0.5	3	17	7	2.24	10
CC11753		0.16	<0.2	1.23	<2	<10	40	<0.5	<2	0.05	<0.5	5	36	14	2.68	10
CC11754		0.18	<0.2	1.21	5	<10	50	0.6	<2	0.07	<0.5	5	47	11	2.65	10
CC11755		0.16	2.4	1.12	3	<10	150	2.6	9	0.22	1.4	12	79	47	3.75	<10
CC11756		0.16	<0.2	1.04	4	<10	90	<0.5	2	0.13	<0.5	7	40	13	2.15	10
CC11757		0.14	0.7	1.30	9	<10	280	0.6	<2	1.71	<0.5	10	36	277	1.86	<10
CC11758		0.18	<0.2	1.49	<2	<10	100	<0.5	<2	0.37	<0.5	11	76	44	2.44	10
CC11759		0.14	<0.2	1.36	3	<10	100	<0.5	<2	0.47	<0.5	12	59	151	2.09	10
CC11760		0.12	0.2	1.48	6	<10	150	<0.5	<2	0.85	<0.5	15	60	162	2.38	<10
CC11761		0.16	<0.2	1.32	4	<10	80	<0.5	<2	0.37	<0.5	29	96	108	2.83	<10
CC11762		0.10	0.2	2.15	6	<10	250	<0.5	<2	0.99	<0.5	16	72	441	2.62	<10
CC11763		0.20	<0.2	1.48	4	<10	130	<0.5	<2	0.38	<0.5	25	183	226	3.24	<10
CC11764		0.14	0.5	0.47	<2	<10	40	<0.5	<2	0.06	<0.5	5	38	25	1.52	10
CC11765		0.20	0.3	0.18	4	<10	90	<0.5	<2	0.01	<0.5	2	1	7	0.91	<10
CC11766		0.14	0.3	1.91	4	<10	90	1.4	2	0.07	0.6	8	95	18	4.83	10
CC11767		0.20	<0.2	0.49	<2	<10	30	<0.5	3	0.04	<0.5	2	34	6	0.98	10
CC11768		0.16	0.2	1.03	3	<10	40	0.5	4	0.07	<0.5	4	29	8	1.90	10
CC11769		0.16	0.3	2.49	5	<10	170	1.0	2	0.10	<0.5	10	34	32	4.70	20
CC11770		0.16	0.2	0.89	4	<10	30	<0.5	<2	0.03	<0.5	3	21	9	2.38	10
CC11771		0.16	<0.2	0.61	4	<10	30	<0.5	2	0.06	<0.5	2	20	6	1.58	10
CC11772		0.12	0.2	1.64	6	<10	70	0.8	2	0.05	<0.5	5	26	38	3.51	10
CC11773		0.12	0.2	1.11	5	<10	90	0.7	2	0.07	0.6	7	39	15	2.19	10
CC11774		0.18	0.3	1.94	<2	<10	110	1.2	<2	0.16	0.5	9	40	27	3.46	10
CC11775		0.18	0.3	1.39	2	<10	260	1.0	<2	0.61	1.1	31	110	237	4.39	<10

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11736		<1	0.18	20	0.45	209	<1	<0.01	12	210	7	<0.01	<2	3	3	0.10
CC11737		<1	0.12	20	0.38	257	2	<0.01	12	330	8	0.01	<2	3	3	0.11
CC11738		<1	0.18	10	0.28	476	2	<0.01	7	290	9	<0.01	<2	3	4	0.22
CC11739		<1	0.52	10	0.90	593	4	<0.01	11	930	49	0.02	<2	7	6	0.36
CC11740		<1	0.15	60	0.55	479	4	<0.01	21	270	25	0.01	<2	5	6	0.15
CC11741		<1	0.18	30	0.51	427	4	0.01	20	390	9	0.04	2	4	6	0.13
CC11742		<1	0.05	20	0.09	57	1	0.01	3	390	5	0.03	<2	1	6	0.04
CC11743		<1	0.02	10	0.02	16	<1	0.02	1	390	<2	0.03	<2	1	8	0.01
CC11744		<1	0.12	20	0.73	349	2	0.01	50	270	9	0.01	<2	3	6	0.10
CC11745		<1	0.05	20	0.11	52	1	0.02	10	480	6	0.04	<2	1	5	0.03
CC11746		<1	0.16	30	0.59	404	2	0.01	30	570	15	0.04	<2	4	10	0.10
CC11747		<1	0.03	10	0.04	24	<1	0.03	3	230	2	0.03	<2	<1	7	0.02
CC11748		<1	0.16	20	0.22	310	5	0.01	7	330	7	0.05	<2	4	4	0.09
CC11749		<1	0.15	10	0.38	558	2	0.01	17	350	13	0.03	<2	3	5	0.11
CC11750		<1	0.03	10	0.05	76	3	0.01	5	100	16	0.01	<2	1	3	0.09
CC11751		<1	0.14	10	0.30	607	3	0.01	9	530	16	0.03	<2	3	4	0.12
CC11752		<1	0.09	10	0.34	255	2	0.01	10	160	19	0.01	<2	2	5	0.10
CC11753		<1	0.10	10	0.48	234	2	0.01	20	180	10	0.01	<2	3	3	0.14
CC11754		<1	0.12	20	0.47	265	1	0.01	28	180	12	0.01	<2	3	4	0.14
CC11755		<1	0.21	50	0.49	626	3	0.01	77	490	205	0.02	<2	5	10	0.06
CC11756		<1	0.13	10	0.49	241	<1	0.01	31	270	8	0.02	<2	3	7	0.11
CC11757		<1	0.05	10	0.46	774	<1	0.03	61	980	5	0.10	<2	5	31	0.04
CC11758		<1	0.07	10	0.71	244	<1	0.03	46	130	8	0.01	<2	4	11	0.14
CC11759		<1	0.07	10	0.62	188	<1	0.02	39	290	11	0.02	<2	3	13	0.09
CC11760		<1	0.03	10	0.82	204	<1	0.03	59	630	2	0.07	<2	3	18	0.06
CC11761		<1	0.05	10	0.88	632	<1	0.03	92	240	2	0.02	<2	5	10	0.09
CC11762		<1	0.08	40	1.06	281	<1	0.04	134	720	8	0.06	<2	7	25	0.08
CC11763		<1	0.09	10	1.70	342	<1	0.03	257	640	4	0.05	<2	5	11	0.09
CC11764		<1	0.02	10	0.10	138	1	0.02	25	320	8	0.02	<2	1	5	0.08
CC11765		<1	0.03	10	0.01	45	1	<0.01	6	170	7	0.01	<2	<1	10	<0.01
CC11766		<1	0.17	10	0.65	503	2	0.01	50	320	25	0.02	<2	5	5	0.13
CC11767		<1	0.05	10	0.08	62	1	0.01	10	180	18	0.01	<2	1	5	0.12
CC11768		<1	0.10	20	0.38	210	2	0.01	15	170	23	0.02	<2	2	4	0.11
CC11769		<1	0.40	10	0.86	693	2	0.01	37	260	30	0.01	<2	9	5	0.28
CC11770		<1	0.13	10	0.21	196	2	0.01	11	190	5	0.01	<2	2	3	0.12
CC11771		<1	0.08	10	0.15	140	2	0.01	9	250	9	0.01	<2	1	5	0.11
CC11772		<1	0.36	30	0.63	339	3	0.01	19	360	9	0.12	<2	4	5	0.14
CC11773		<1	0.17	20	0.43	600	1	0.01	27	600	16	0.03	<2	3	5	0.09
CC11774		<1	0.20	20	0.70	417	1	0.01	31	550	9	0.03	<2	6	7	0.16
CC11775		<1	0.24	20	1.04	909	1	0.04	133	720	18	0.05	<2	11	15	0.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11736		<10	<10	30	<10	49
CC11737		<10	<10	43	<10	51
CC11738		<10	<10	52	<10	40
CC11739		<10	<10	84	<10	321
CC11740		<10	<10	52	<10	80
CC11741		<10	<10	43	<10	85
CC11742		<10	<10	11	<10	35
CC11743		<10	<10	6	<10	5
CC11744		<10	<10	36	<10	69
CC11745		<10	<10	14	<10	20
CC11746		<10	<10	43	<10	87
CC11747		10	<10	8	<10	11
CC11748		<10	<10	43	<10	138
CC11749		<10	<10	42	<10	69
CC11750		<10	<10	42	<10	29
CC11751		<10	<10	41	<10	106
CC11752		<10	<10	32	<10	34
CC11753		<10	<10	37	<10	52
CC11754		<10	<10	40	<10	50
CC11755		<10	<10	28	<10	374
CC11756		<10	<10	40	<10	52
CC11757		<10	<10	34	<10	36
CC11758		<10	<10	58	<10	56
CC11759		<10	<10	50	<10	73
CC11760		<10	<10	52	<10	57
CC11761		<10	<10	62	<10	104
CC11762		10	<10	60	<10	134
CC11763		<10	<10	58	<10	74
CC11764		10	<10	46	<10	33
CC11765		<10	<10	4	<10	18
CC11766		<10	<10	45	<10	196
CC11767		<10	<10	37	<10	25
CC11768		<10	<10	34	<10	55
CC11769		<10	<10	74	<10	90
CC11770		<10	<10	42	<10	36
CC11771		<10	<10	43	<10	31
CC11772		<10	<10	36	<10	94
CC11773		<10	<10	35	<10	59
CC11774		<10	<10	59	<10	106
CC11775		<10	<10	77	<10	196

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11776		0.12	0.2	1.45	2	<10	90	0.7	2	0.09	<0.5	6	38	15	3.16	10
CC11777		0.18	0.2	1.97	3	<10	80	0.7	<2	0.07	<0.5	8	53	18	4.50	10
CC11778		0.18	0.3	1.72	<2	<10	90	0.8	<2	0.16	<0.5	13	119	37	3.57	10
CC11779		0.18	0.2	1.29	<2	<10	50	0.5	2	0.06	0.9	6	50	19	3.88	10
CC11780		0.18	0.2	1.44	<2	<10	50	0.9	3	0.06	<0.5	4	27	13	2.93	10
CC11781		0.16	0.2	1.28	10	<10	60	0.6	<2	0.08	<0.5	5	56	18	3.14	20
CC11782		0.18	<0.2	1.60	9	<10	130	1.0	<2	0.07	0.9	6	57	14	3.30	10
CC11783		0.14	<0.2	1.43	6	<10	160	0.6	<2	0.08	<0.5	11	95	46	4.31	10
CC11784		0.12	<0.2	0.37	7	<10	50	<0.5	<2	0.03	<0.5	5	32	36	1.96	10
CC11785		0.14	<0.2	0.66	<2	<10	90	<0.5	<2	0.04	<0.5	2	21	18	1.03	<10
CC11786		0.12	0.2	1.23	6	<10	50	<0.5	<2	0.24	<0.5	8	65	40	1.63	<10
CC11787		0.14	<0.2	1.49	6	<10	130	<0.5	<2	0.51	<0.5	25	148	264	2.95	<10
CC11788		0.18	<0.2	0.91	5	<10	90	<0.5	<2	0.60	<0.5	10	69	94	1.43	<10
CC11789		0.08	<0.2	1.29	6	<10	110	<0.5	<2	1.20	<0.5	12	75	371	2.08	<10
CC11790		0.18	<0.2	1.98	5	<10	110	<0.5	<2	0.31	<0.5	20	78	123	3.22	10
CC11791		0.14	<0.2	1.46	7	<10	60	<0.5	<2	0.15	<0.5	13	66	321	3.33	10
CC11792		0.14	<0.2	0.46	6	<10	20	<0.5	<2	0.11	<0.5	2	26	15	0.69	<10
CC11793		0.10	<0.2	1.18	4	<10	100	<0.5	<2	0.16	<0.5	5	39	36	2.08	10
CC11794		0.14	<0.2	1.80	6	<10	70	<0.5	<2	0.30	<0.5	13	92	64	2.70	10
CC11795		0.12	<0.2	0.89	10	<10	230	<0.5	<2	0.08	<0.5	6	63	50	2.94	10
CC11796		0.12	0.6	1.49	12	<10	170	<0.5	<2	0.11	0.5	11	97	36	4.87	10
CC11797		0.14	0.2	1.21	<2	<10	110	0.6	3	0.10	0.5	8	85	26	3.85	10
CC11798		0.16	<0.2	1.56	<2	<10	80	0.8	2	0.08	0.5	11	131	23	4.39	10
CC11799		0.16	0.3	1.07	<2	<10	70	0.5	2	0.08	<0.5	6	67	13	2.87	10
CC11801		0.16	0.3	0.57	2	<10	60	<0.5	<2	0.13	1.0	6	111	16	2.11	10
CC11802		0.14	<0.2	0.99	5	<10	60	<0.5	<2	0.08	1.0	7	66	30	3.17	10
CC11803		0.12	<0.2	1.32	4	<10	90	<0.5	2	0.10	1.0	7	52	15	3.21	10
CC11804		0.14	<0.2	1.75	2	<10	40	1.4	2	0.07	<0.5	7	45	14	2.67	10
CC11805		0.14	0.2	2.37	2	<10	100	2.4	2	0.16	0.5	12	66	16	3.51	10
CC11806		0.16	<0.2	1.45	4	<10	70	1.9	2	0.03	0.8	14	23	31	6.48	10
CC11807		0.14	0.3	1.79	5	<10	80	2.2	<2	0.12	1.9	13	11	116	6.08	10
CC11808		0.16	0.2	1.96	3	<10	90	1.0	2	0.08	<0.5	8	22	50	3.86	10
CC11809		0.20	0.5	2.12	8	<10	100	1.9	2	0.24	0.7	22	57	83	4.27	10
CC11810		0.08	0.4	0.15	<2	<10	120	<0.5	<2	0.32	0.6	9	46	25	0.55	<10
CC11811		0.16	<0.2	1.32	2	<10	90	0.6	<2	0.21	0.5	13	165	37	2.95	10
CC11812		0.14	<0.2	1.08	3	<10	170	0.5	<2	0.18	0.5	7	81	39	3.29	10
CC11813		0.18	0.2	1.79	3	<10	150	<0.5	<2	0.26	<0.5	11	85	60	3.55	10
CC11814		0.16	<0.2	1.37	<2	<10	110	<0.5	<2	0.26	<0.5	12	121	26	2.73	10
CC11815		0.10	<0.2	0.98	<2	<10	30	<0.5	<2	0.22	<0.5	9	163	12	1.35	10
CC11816		0.16	0.3	1.62	2	<10	30	<0.5	<2	0.23	<0.5	8	43	101	2.58	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11776		<1	0.16	20	0.52	362	2	0.01	23	340	13	0.03	<2	4	7	0.16
CC11777		<1	0.16	10	0.56	337	2	0.01	25	240	28	0.02	<2	4	6	0.19
CC11778		<1	0.18	10	1.00	382	1	0.02	132	410	7	0.05	<2	5	7	0.15
CC11779		<1	0.10	10	0.39	369	4	0.01	25	260	24	0.02	<2	3	5	0.14
CC11780		<1	0.24	20	0.45	329	3	0.01	14	190	37	0.02	<2	3	6	0.13
CC11781		<1	0.16	10	0.41	318	3	<0.01	26	300	16	<0.01	<2	4	5	0.23
CC11782		<1	0.12	30	0.44	652	3	<0.01	23	250	24	<0.01	<2	3	7	0.14
CC11783		<1	0.07	10	0.42	708	2	0.01	57	420	18	<0.01	<2	4	12	0.09
CC11784		<1	0.03	10	0.08	323	2	0.01	25	390	10	<0.01	<2	1	4	0.08
CC11785		1	0.04	<10	0.14	100	<1	0.02	12	250	5	<0.01	<2	1	5	0.05
CC11786		<1	0.04	<10	0.57	102	<1	0.02	36	350	2	<0.01	<2	3	9	0.10
CC11787		<1	0.05	10	1.43	334	<1	0.02	209	680	8	0.04	<2	4	13	0.09
CC11788		<1	0.04	10	0.38	252	1	0.02	38	270	8	0.02	<2	2	12	0.07
CC11789		<1	0.08	20	0.74	236	<1	0.02	78	490	7	0.04	<2	4	18	0.07
CC11790		<1	0.08	<10	0.87	416	1	0.02	50	490	6	0.02	<2	6	7	0.12
CC11791		<1	0.03	<10	0.82	166	<1	0.02	47	400	4	0.03	<2	4	9	0.08
CC11792		1	0.01	<10	0.13	41	<1	0.02	7	220	4	<0.01	<2	1	6	0.05
CC11793		<1	0.07	10	0.46	152	<1	0.02	23	340	8	<0.01	<2	2	10	0.11
CC11794		<1	0.04	<10	0.87	254	<1	0.04	53	290	5	<0.01	<2	4	9	0.12
CC11795		<1	0.12	10	0.29	455	2	0.01	40	650	12	<0.01	<2	4	10	0.17
CC11796		<1	0.08	10	0.41	907	1	0.01	50	610	39	<0.01	<2	5	13	0.13
CC11797		<1	0.08	10	0.41	334	2	0.01	48	320	34	0.03	<2	4	10	0.10
CC11798		<1	0.15	10	0.67	362	2	0.01	77	240	20	0.03	<2	5	7	0.17
CC11799		<1	0.12	10	0.40	251	2	0.01	34	180	12	0.03	<2	3	5	0.16
CC11801		<1	0.07	10	0.30	152	2	0.01	48	150	9	0.03	<2	2	7	0.11
CC11802		<1	0.13	10	0.39	313	2	0.01	33	250	20	0.04	<2	3	6	0.11
CC11803		<1	0.12	10	0.48	356	2	0.01	36	290	10	0.02	<2	3	6	0.18
CC11804		<1	0.21	20	0.56	229	2	0.01	24	310	8	0.03	2	4	5	0.18
CC11805		<1	0.30	20	1.04	369	1	0.01	48	450	13	0.02	<2	6	8	0.22
CC11806		<1	0.31	30	0.42	638	5	0.02	22	570	9	0.08	5	8	7	0.06
CC11807		<1	0.59	40	0.76	1495	9	0.01	12	1000	94	0.07	<2	6	7	0.16
CC11808		<1	0.60	20	1.06	585	3	0.01	15	500	8	0.08	<2	6	7	0.19
CC11809		<1	0.22	30	0.88	1340	3	0.02	79	880	14	0.04	2	6	8	0.10
CC11810		<1	0.04	<10	0.11	246	2	0.02	76	700	5	0.21	<2	1	9	0.01
CC11811		<1	0.16	10	0.85	319	1	0.03	132	300	11	0.03	<2	4	9	0.13
CC11812		<1	0.08	10	0.49	361	2	0.02	52	330	37	0.04	<2	4	12	0.14
CC11813		<1	0.07	10	0.69	360	1	0.03	61	510	8	0.03	2	6	9	0.13
CC11814		<1	0.04	10	0.70	297	1	0.03	60	210	5	0.02	<2	4	6	0.15
CC11815		<1	0.02	<10	0.89	95	<1	0.03	86	170	3	0.02	<2	2	4	0.11
CC11816		<1	0.02	<10	0.66	119	1	0.03	23	540	3	0.06	<2	2	12	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11776		<10	<10	56	<10	132
CC11777		<10	<10	70	<10	104
CC11778		<10	<10	49	<10	94
CC11779		<10	<10	56	<10	124
CC11780		<10	<10	42	<10	81
CC11781		<10	<10	66	<10	63
CC11782		<10	<10	62	<10	104
CC11783		<10	<10	74	<10	118
CC11784		<10	<10	60	<10	47
CC11785		<10	<10	33	<10	20
CC11786		<10	<10	42	<10	26
CC11787		<10	<10	59	<10	79
CC11788		<10	<10	37	<10	35
CC11789		<10	<10	48	<10	56
CC11790		<10	<10	76	<10	49
CC11791		<10	<10	70	<10	74
CC11792		<10	<10	28	<10	13
CC11793		<10	<10	70	<10	38
CC11794		<10	<10	66	<10	42
CC11795		<10	<10	110	<10	85
CC11796		<10	<10	89	<10	118
CC11797		<10	<10	65	<10	152
CC11798		<10	<10	65	<10	94
CC11799		<10	<10	50	<10	58
CC11801		<10	<10	51	<10	49
CC11802		<10	<10	51	<10	112
CC11803		<10	<10	80	<10	66
CC11804		<10	<10	62	<10	73
CC11805		<10	<10	69	<10	102
CC11806		<10	<10	51	<10	329
CC11807		<10	<10	41	<10	1090
CC11808		<10	<10	50	<10	111
CC11809		<10	<10	51	<10	156
CC11810		<10	<10	5	<10	38
CC11811		<10	<10	62	<10	58
CC11812		<10	10	83	<10	125
CC11813		<10	<10	82	<10	66
CC11814		<10	<10	78	<10	52
CC11815		<10	<10	40	<10	18
CC11816		<10	<10	48	<10	56

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11817		0.12	<0.2	0.80	<2	<10	30	<0.5	<2	0.07	<0.5	3	24	50	1.19	10
CC11818		0.14	<0.2	0.47	<2	<10	50	<0.5	<2	0.09	<0.5	2	8	7	0.48	<10
CC11819		0.16	<0.2	1.90	<2	<10	70	<0.5	<2	0.40	<0.5	15	53	64	2.11	<10
CC11820		0.14	<0.2	1.65	<2	<10	270	<0.5	<2	0.29	<0.5	9	65	43	2.44	10
CC11821		0.14	0.2	1.66	<2	<10	120	<0.5	<2	0.23	<0.5	10	65	47	2.30	<10
CC11822		0.16	<0.2	0.81	<2	<10	20	<0.5	<2	0.31	<0.5	16	22	117	1.76	<10
CC11823		0.12	<0.2	1.22	<2	<10	40	<0.5	<2	0.34	<0.5	11	115	34	1.98	10
CC11824		0.14	<0.2	1.75	<2	<10	90	<0.5	<2	0.47	<0.5	30	89	200	2.72	<10
CC11825		0.12	0.3	1.12	<2	<10	140	<0.5	<2	0.15	<0.5	13	143	47	3.45	10
CC11826		0.12	0.3	1.56	<2	<10	130	<0.5	<2	0.18	0.8	23	364	38	4.35	10
CC11827		0.12	0.3	1.44	2	<10	130	1.7	3	0.47	1.4	23	111	46	3.70	10
CC11828		0.12	<0.2	0.53	<2	<10	40	<0.5	<2	0.03	<0.5	2	12	8	1.07	10
CC11829		0.12	0.2	0.70	<2	<10	30	<0.5	<2	0.03	<0.5	4	15	18	1.99	10
CC11830		0.16	0.3	0.95	<2	<10	40	<0.5	<2	0.02	<0.5	2	10	23	1.83	10
CC11831		0.16	0.4	1.13	<2	<10	60	<0.5	<2	0.03	<0.5	3	19	41	3.04	10
CC11832		0.18	<0.2	1.58	2	<10	50	0.6	<2	0.05	<0.5	5	30	16	2.92	10
CC11866		0.14	<0.2	1.06	<2	<10	50	<0.5	<2	0.05	<0.5	4	26	16	2.68	10
CC11867		0.16	<0.2	0.55	<2	<10	40	<0.5	<2	0.03	<0.5	2	15	10	1.20	10
CC11868		0.14	<0.2	0.42	<2	<10	20	<0.5	<2	0.02	<0.5	1	6	3	0.51	10
CC11869		0.12	<0.2	1.59	<2	<10	70	1.2	<2	0.09	<0.5	10	26	46	2.85	10
CC11870		0.18	<0.2	0.11	<2	<10	10	<0.5	<2	0.02	<0.5	1	1	1	0.22	<10
CC11871		0.10	<0.2	1.18	<2	<10	40	<0.5	<2	0.07	<0.5	6	26	28	2.32	20
CC11872		0.12	<0.2	0.68	<2	<10	30	<0.5	2	0.05	<0.5	3	11	43	1.21	10
CC11873		0.22	<0.2	0.53	3	10	50	<0.5	<2	0.10	<0.5	78	790	23	5.22	<10
CC11874		0.20	<0.2	0.52	6	10	50	<0.5	<2	0.10	<0.5	77	804	22	5.25	<10
CC11875		0.06	0.3	0.12	<2	<10	10	<0.5	<2	0.02	<0.5	1	5	3	0.33	<10
CC11876		0.16	<0.2	0.89	<2	<10	40	<0.5	<2	0.04	<0.5	3	22	13	2.22	10
CC11877		0.10	<0.2	0.34	<2	<10	10	<0.5	<2	0.02	<0.5	1	3	2	0.36	<10
CC11878		0.06	<0.2	0.36	<2	<10	20	<0.5	<2	0.04	<0.5	2	9	7	0.72	<10
CC11879		0.12	0.3	0.75	3	10	50	<0.5	<2	0.16	<0.5	62	662	22	4.72	<10
CC11880		0.12	0.7	1.26	4	<10	40	0.6	<2	0.10	<0.5	3	16	17	1.56	10
CC11881		0.10	0.6	1.38	<2	<10	50	0.7	<2	0.12	<0.5	4	17	19	1.68	10
CC11882		0.08	<0.2	0.97	3	<10	50	<0.5	<2	0.06	<0.5	6	38	27	2.52	10
CC11883		0.10	<0.2	0.39	<2	<10	20	<0.5	<2	0.04	<0.5	2	10	8	0.90	10
CC11884		0.08	<0.2	0.37	<2	<10	20	<0.5	<2	0.02	<0.5	2	4	9	0.71	10
CC11885		0.06	<0.2	1.16	2	<10	40	<0.5	<2	0.05	<0.5	3	17	9	1.86	10
CC11886		0.08	<0.2	0.39	3	<10	20	<0.5	<2	0.02	<0.5	<1	4	5	0.77	10
CC11887		0.06	0.3	0.21	<2	<10	10	<0.5	<2	0.03	<0.5	<1	1	1	0.21	<10
CC11888		0.14	<0.2	0.88	<2	<10	40	<0.5	<2	0.04	<0.5	1	14	11	1.54	10
CC11889		0.14	<0.2	0.74	4	10	70	<0.5	<2	0.15	<0.5	58	701	26	4.91	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11817		<1	0.02	<10	0.31	52	<1	0.03	7	560	<2	0.04	<2	<1	8	0.01
CC11818		1	0.03	<10	0.09	28	<1	0.03	2	430	<2	0.02	<2	<1	8	0.03
CC11819		<1	0.05	10	0.57	246	<1	0.04	57	610	2	0.01	2	3	9	0.07
CC11820		<1	0.10	<10	0.60	159	1	0.04	27	390	3	0.05	<2	4	7	0.18
CC11821		1	0.09	<10	0.65	163	1	0.03	31	290	2	0.02	<2	4	6	0.12
CC11822		<1	0.02	<10	0.47	271	<1	0.03	28	410	<2	0.01	<2	4	4	0.07
CC11823		<1	0.04	<10	0.87	182	<1	0.05	57	210	3	0.01	<2	3	5	0.15
CC11824		1	0.05	<10	0.92	348	<1	0.03	112	330	2	0.02	<2	5	10	0.08
CC11825		1	0.05	10	0.56	433	1	0.02	79	270	7	0.01	<2	5	8	0.11
CC11826		1	0.06	10	1.30	448	1	0.02	205	210	16	0.01	2	7	8	0.14
CC11827		1	0.18	30	0.55	2300	6	0.02	58	1030	37	0.06	<2	3	18	0.12
CC11828		1	0.10	10	0.16	103	3	0.01	5	150	5	0.01	2	1	3	0.08
CC11829		<1	0.07	20	0.11	170	3	0.01	10	390	4	0.01	2	<1	3	0.02
CC11830		1	0.23	20	0.43	191	2	0.01	5	320	5	0.04	<2	2	4	0.18
CC11831		<1	0.23	20	0.41	310	3	0.01	8	430	6	0.04	<2	3	4	0.20
CC11832		1	0.19	20	0.57	233	2	0.01	18	290	6	0.02	2	3	5	0.23
CC11866		1	0.15	20	0.40	235	3	0.01	11	320	5	0.03	<2	3	4	0.22
CC11867		<1	0.12	20	0.16	89	3	0.01	5	160	7	0.02	<2	1	4	0.17
CC11868		1	0.04	10	0.05	31	1	0.02	1	200	4	0.02	<2	<1	3	0.07
CC11869		1	0.26	20	0.69	514	2	0.01	23	570	5	0.04	2	4	6	0.13
CC11870		1	0.02	<10	0.01	13	<1	0.03	1	210	<2	0.01	<2	<1	4	0.01
CC11871		<1	0.12	10	0.37	195	2	0.01	14	310	6	0.02	<2	3	5	0.25
CC11872		1	0.09	10	0.23	168	3	0.02	7	490	3	0.04	<2	1	4	0.05
CC11873		1	0.03	<10	12.10	832	<1	0.02	1525	320	<2	0.02	<2	5	4	0.02
CC11874		1	0.02	<10	12.05	831	<1	0.02	1530	320	2	0.02	<2	5	4	0.02
CC11875		<1	0.03	<10	0.06	21	1	0.02	6	150	<2	0.01	<2	<1	3	0.03
CC11876		1	0.13	20	0.31	189	2	0.01	9	280	6	0.02	<2	2	4	0.22
CC11877		<1	0.02	<10	0.02	15	<1	0.02	<1	230	<2	0.01	<2	<1	4	0.02
CC11878		<1	0.04	10	0.08	47	1	0.02	3	220	3	0.01	<2	<1	4	0.07
CC11879		<1	0.03	<10	9.03	700	<1	0.03	1130	480	2	0.03	<2	4	6	0.04
CC11880		<1	0.06	10	0.29	136	9	0.02	13	550	11	0.06	<2	1	7	0.07
CC11881		1	0.06	20	0.29	148	9	0.02	12	700	11	0.07	<2	1	7	0.06
CC11882		1	0.05	10	0.29	181	7	0.01	18	270	22	0.02	<2	2	6	0.15
CC11883		<1	0.06	10	0.11	84	2	0.02	2	210	4	0.01	<2	1	3	0.10
CC11884		1	0.06	20	0.08	46	2	0.01	1	180	5	0.02	<2	<1	2	0.05
CC11885		1	0.19	10	0.42	196	1	0.01	8	360	4	0.02	2	2	4	0.13
CC11886		<1	0.08	20	0.09	54	1	0.01	2	240	4	0.03	<2	<1	3	0.06
CC11887		<1	0.02	<10	0.01	10	<1	0.02	<1	250	<2	0.02	<2	<1	6	0.01
CC11888		<1	0.14	20	0.30	174	1	<0.01	4	270	6	0.02	<2	2	4	0.17
CC11889		<1	0.03	<10	8.51	691	<1	0.02	1165	760	3	0.06	<2	4	8	0.03

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
CC11817		<10	<10	30	<10	22
CC11818		<10	<10	16	<10	7
CC11819		<10	<10	44	<10	38
CC11820		<10	<10	75	<10	40
CC11821		<10	<10	62	<10	45
CC11822		<10	<10	52	<10	42
CC11823		<10	<10	60	<10	39
CC11824		<10	<10	57	<10	93
CC11825		<10	<10	89	<10	76
CC11826		<10	<10	94	<10	127
CC11827		<10	<10	73	<10	87
CC11828		<10	<10	27	<10	19
CC11829		<10	<10	42	<10	102
CC11830		<10	<10	47	<10	36
CC11831		<10	<10	51	<10	150
CC11832		<10	<10	64	<10	94
CC11866		<10	<10	62	<10	63
CC11867		<10	<10	49	<10	36
CC11868		<10	<10	18	<10	6
CC11869		<10	<10	45	<10	146
CC11870		<10	<10	7	<10	3
CC11871		<10	<10	82	<10	35
CC11872		<10	<10	20	<10	23
CC11873		<10	<10	32	<10	45
CC11874		<10	<10	32	<10	46
CC11875		<10	<10	10	<10	7
CC11876		<10	<10	61	<10	53
CC11877		<10	<10	10	<10	4
CC11878		<10	<10	25	<10	9
CC11879		<10	<10	36	<10	42
CC11880		<10	<10	24	<10	34
CC11881		<10	<10	27	<10	34
CC11882		<10	<10	58	<10	86
CC11883		<10	<10	40	<10	16
CC11884		<10	<10	16	<10	19
CC11885		<10	<10	32	<10	32
CC11886		<10	<10	17	<10	13
CC11887		<10	<10	6	<10	3
CC11888		<10	<10	44	<10	40
CC11889		<10	<10	35	<10	45

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11890		0.16	<0.2	0.34	<2	<10	30	<0.5	<2	0.09	<0.5	8	60	5	0.85	<10
CC11891		0.12	<0.2	0.45	5	10	60	<0.5	<2	0.11	<0.5	91	905	20	5.98	<10
CC11892		0.16	<0.2	0.60	2	10	70	<0.5	<2	0.11	<0.5	110	826	17	5.99	<10
CC11893		0.12	<0.2	0.48	<2	10	80	<0.5	<2	0.24	<0.5	90	629	22	4.45	<10
CC11894		0.26	<0.2	0.17	2	20	40	<0.5	<2	0.03	<0.5	140	917	14	6.55	<10
CC11895		0.12	<0.2	1.01	2	<10	210	<0.5	<2	0.92	<0.5	52	258	208	3.00	<10
CC11896		0.12	<0.2	1.11	<2	<10	150	<0.5	<2	0.29	<0.5	50	281	40	3.79	<10
CC11897		0.12	<0.2	0.94	<2	<10	200	<0.5	<2	0.97	0.5	50	271	200	2.95	<10
CC11898		0.14	<0.2	0.96	<2	10	190	<0.5	<2	0.31	<0.5	67	462	54	3.94	<10
CC11899		0.14	<0.2	1.57	<2	<10	150	<0.5	<2	0.39	<0.5	32	203	194	3.38	<10
CC11900		0.14	0.2	2.48	9	<10	110	4.1	<2	0.17	0.5	10	22	35	4.70	10
CC11901		0.12	0.2	3.25	<2	<10	80	2.1	<2	0.48	<0.5	18	15	93	7.47	20
CC11902		0.12	<0.2	1.29	2	<10	50	<0.5	<2	0.04	<0.5	3	49	20	2.89	20
CC11903		0.08	<0.2	0.97	<2	<10	30	0.8	<2	0.06	<0.5	4	12	16	1.30	10
CC11904		0.08	<0.2	0.35	<2	<10	20	<0.5	<2	0.03	<0.5	2	5	7	0.58	<10
CC11905		0.20	<0.2	1.56	6	<10	50	0.7	<2	0.10	<0.5	6	25	35	2.45	10
CC11906		0.16	<0.2	0.33	<2	<10	70	<0.5	<2	0.05	<0.5	<1	4	6	0.60	<10
CC11907		0.08	0.2	0.53	<2	<10	30	<0.5	<2	0.04	<0.5	1	8	11	1.21	<10
CC11908		0.04	<0.2	1.36	<2	<10	90	0.8	<2	0.07	<0.5	6	6	10	1.98	10
CC11909		0.10	0.2	2.01	2	<10	80	1.7	<2	0.07	0.5	7	26	27	3.27	10
CC11910		0.14	<0.2	1.50	<2	<10	90	<0.5	<2	0.33	<0.5	43	174	507	3.31	<10
CC11911		0.20	<0.2	1.38	<2	<10	80	<0.5	<2	0.30	<0.5	37	184	424	3.14	<10
CC11912		0.08	<0.2	2.03	<2	<10	180	0.7	<2	0.47	<0.5	47	226	575	4.17	<10
CC11913		0.14	0.4	1.67	8	<10	720	1.3	<2	0.11	<0.5	10	60	69	4.11	10
CC11914		0.06	<0.2	2.23	2	<10	130	3.9	<2	0.47	0.5	11	25	22	4.36	10
CC11915		0.12	0.2	2.40	6	<10	70	3.0	<2	0.10	<0.5	11	12	58	3.53	10
CC11916		0.14	<0.2	2.48	3	<10	90	2.8	<2	0.28	0.5	11	13	25	3.64	10
CC11917		0.14	<0.2	2.09	4	<10	70	0.9	<2	0.06	<0.5	6	17	44	3.85	20
CC11918		0.20	<0.2	2.96	5	<10	120	2.1	<2	0.20	<0.5	22	35	95	4.67	10
CC11919		0.14	<0.2	2.55	5	<10	120	2.3	<2	0.21	0.6	18	37	96	3.59	10
CC11921		0.12	<0.2	1.77	5	<10	50	1.0	<2	0.08	<0.5	8	38	33	3.18	10
CC11922		0.20	<0.2	1.03	5	<10	40	<0.5	<2	0.05	<0.5	5	35	22	2.79	10
CC11923		0.14	<0.2	1.27	3	<10	40	0.5	<2	0.06	<0.5	4	24	24	2.59	10
CC11924		0.10	<0.2	0.81	<2	<10	30	<0.5	<2	0.03	<0.5	2	13	12	1.68	10
CC11925		0.12	<0.2	1.01	2	<10	60	<0.5	<2	0.03	<0.5	1	12	17	1.96	10
CC11926		0.10	0.3	1.63	4	<10	90	0.9	<2	0.11	<0.5	6	21	20	3.43	10
CC11927		0.12	0.2	1.63	3	<10	70	1.1	<2	0.06	<0.5	6	22	33	2.97	10
CC11928		0.12	<0.2	1.25	3	<10	60	0.7	<2	0.06	<0.5	4	20	31	2.80	10
CC11929		0.10	0.2	0.72	<2	<10	50	<0.5	<2	0.06	0.8	1	9	15	1.40	10
CC11930		0.12	<0.2	0.69	3	<10	30	<0.5	<2	0.04	<0.5	1	15	14	1.89	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11890		<1	0.02	<10	0.40	102	<1	0.03	84	350	<2	0.03	<2	1	8	0.03
CC11891		1	0.03	<10	9.52	1030	<1	0.01	1570	750	3	0.06	2	5	5	0.02
CC11892		<1	0.03	<10	6.90	1140	<1	0.02	1035	420	<2	0.03	<2	4	6	0.03
CC11893		<1	0.05	10	9.57	995	<1	0.02	1325	540	3	0.04	4	4	9	0.03
CC11894		<1	0.01	<10	15.70	1360	<1	0.01	2310	350	<2	0.03	2	4	2	0.01
CC11895		<1	0.09	10	4.23	735	<1	0.03	676	640	2	0.08	2	4	34	0.05
CC11896		<1	0.12	10	3.90	749	<1	0.04	677	480	3	0.04	<2	7	21	0.08
CC11897		<1	0.10	10	4.45	738	<1	0.03	699	670	3	0.09	<2	4	32	0.05
CC11898		<1	0.09	10	7.18	883	<1	0.03	939	700	4	0.05	<2	5	31	0.04
CC11899		<1	0.15	<10	1.72	422	<1	0.04	298	530	4	0.03	<2	6	22	0.12
CC11900		<1	0.37	80	0.91	893	5	0.01	16	710	37	0.06	<2	8	9	0.13
CC11901		<1	1.07	20	1.55	1320	2	0.01	18	2320	10	0.03	<2	14	7	0.39
CC11902		<1	0.08	10	0.46	269	3	0.01	28	220	6	0.02	<2	3	6	0.14
CC11903		<1	0.06	10	0.19	224	<1	0.02	6	570	3	0.07	<2	1	6	0.06
CC11904		<1	0.05	<10	0.10	172	<1	0.02	2	400	2	0.05	<2	<1	5	0.03
CC11905		<1	0.32	20	0.71	529	1	0.01	19	730	7	0.06	<2	4	6	0.12
CC11906		<1	0.08	20	0.12	90	1	<0.01	3	350	3	0.04	<2	<1	5	0.03
CC11907		<1	0.08	10	0.14	125	1	0.01	5	580	4	0.06	<2	1	4	0.06
CC11908		<1	0.43	20	0.73	859	3	0.01	2	500	3	0.06	<2	2	6	0.11
CC11909		<1	0.28	30	0.59	406	2	0.01	15	560	11	0.04	<2	4	8	0.22
CC11910		<1	0.09	10	1.40	398	<1	0.04	247	540	3	0.03	<2	6	12	0.10
CC11911		<1	0.07	<10	1.32	360	<1	0.04	222	500	2	0.03	2	6	10	0.09
CC11912		<1	0.23	10	1.72	659	<1	0.04	243	650	4	0.04	<2	9	18	0.11
CC11913		<1	0.57	20	0.74	835	2	0.02	44	790	51	0.08	<2	7	19	0.14
CC11914		<1	0.73	90	1.06	1125	2	0.01	11	1150	14	0.06	<2	10	11	0.22
CC11915		<1	0.30	30	0.86	853	5	0.01	11	830	26	0.06	<2	4	7	0.12
CC11916		1	0.45	20	0.83	715	2	0.01	11	1080	27	0.04	2	6	15	0.19
CC11917		<1	0.20	20	0.68	766	4	0.01	9	490	20	0.05	<2	4	5	0.15
CC11918		1	0.58	30	1.25	917	4	0.02	23	1020	7	0.10	<2	10	13	0.25
CC11919		<1	0.54	30	1.09	1045	3	0.01	40	900	5	0.07	<2	7	14	0.19
CC11921		<1	0.22	20	0.73	369	2	0.01	20	340	7	0.04	<2	5	6	0.16
CC11922		<1	0.10	20	0.37	218	1	<0.01	17	260	6	0.03	<2	3	5	0.15
CC11923		<1	0.21	20	0.48	341	1	<0.01	12	400	5	0.03	<2	4	5	0.14
CC11924		<1	0.09	10	0.22	156	1	0.01	5	290	6	0.02	<2	2	4	0.12
CC11925		1	0.16	20	0.32	190	1	0.01	6	300	6	0.02	<2	1	4	0.13
CC11926		1	0.38	20	0.63	480	1	0.01	8	640	8	0.07	<2	3	7	0.18
CC11927		<1	0.29	20	0.63	428	2	0.01	12	360	5	0.05	<2	4	7	0.15
CC11928		1	0.21	20	0.46	335	1	0.01	9	570	7	0.05	<2	2	6	0.12
CC11929		1	0.16	20	0.22	174	1	0.01	4	590	6	0.06	<2	1	4	0.06
CC11930		<1	0.08	10	0.18	216	1	<0.01	6	590	7	0.05	<2	1	4	0.06

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11890		<10	<10	15	<10	14
CC11891		<10	<10	30	<10	46
CC11892		<10	<10	34	<10	35
CC11893		<10	<10	27	<10	45
CC11894		<10	<10	23	<10	55
CC11895		<10	<10	40	<10	66
CC11896		<10	<10	52	<10	46
CC11897		<10	<10	37	<10	64
CC11898		<10	<10	37	<10	56
CC11899		<10	<10	66	<10	82
CC11900		10	<10	62	<10	151
CC11901		10	<10	54	<10	97
CC11902		<10	<10	50	<10	38
CC11903		<10	<10	33	<10	20
CC11904		<10	<10	11	<10	15
CC11905		<10	<10	40	<10	76
CC11906		<10	<10	12	<10	22
CC11907		<10	<10	22	<10	22
CC11908		<10	<10	17	<10	46
CC11909		<10	<10	64	<10	97
CC11910		<10	<10	69	<10	100
CC11911		<10	<10	67	<10	93
CC11912		<10	<10	85	<10	126
CC11913		<10	<10	92	<10	132
CC11914		<10	<10	76	<10	97
CC11915		<10	<10	38	<10	126
CC11916		<10	<10	53	<10	132
CC11917		<10	<10	60	<10	124
CC11918		<10	<10	92	<10	136
CC11919		<10	<10	56	<10	147
CC11921		<10	<10	59	<10	104
CC11922		<10	<10	52	<10	49
CC11923		<10	<10	50	10	65
CC11924		<10	<10	34	<10	32
CC11925		<10	<10	41	<10	35
CC11926		<10	<10	58	<10	65
CC11927		<10	<10	47	<10	69
CC11928		<10	<10	48	<10	80
CC11929		<10	<10	26	<10	45
CC11930		<10	<10	36	<10	31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
CC11931		0.10	<0.2	1.01	4	<10	60	<0.5	<2	0.06	<0.5	2	14	25	2.04	10
CC11932		0.12	<0.2	2.18	4	<10	80	1.7	<2	0.16	<0.5	9	17	35	3.10	10
CC11933		0.20	0.2	2.15	<2	<10	120	4.3	<2	0.39	<0.5	11	7	49	3.85	10
CC11934		0.12	0.3	1.68	6	<10	70	2.6	<2	0.14	<0.5	5	16	15	3.12	10
CC11935		0.10	<0.2	1.87	3	<10	80	1.7	<2	0.10	<0.5	9	32	19	5.16	20
CC11936		0.08	0.3	1.31	<2	<10	50	0.8	<2	0.25	0.7	4	34	17	3.06	10
CC11937		0.20	0.5	0.89	2	<10	960	2.7	<2	0.06	6.2	32	59	190	6.42	<10
CC11938		0.20	0.2	1.35	<2	<10	440	1.6	<2	1.68	<0.5	61	148	165	7.68	<10
CC11939		0.14	<0.2	1.47	3	<10	170	<0.5	<2	0.36	<0.5	19	90	799	3.21	<10
CC11940		0.10	<0.2	1.51	<2	<10	380	1.0	<2	0.34	<0.5	39	314	38	4.29	<10
CC11941		0.14	<0.2	1.17	<2	<10	260	1.0	<2	0.66	<0.5	25	79	118	3.55	<10
CC11942		0.22	<0.2	1.97	<2	<10	130	0.6	<2	0.87	<0.5	31	196	128	3.18	<10
CC11943		0.14	<0.2	2.79	<2	<10	530	1.2	<2	0.60	<0.5	25	146	145	4.54	10
CC11944		0.20	0.2	2.76	8	<10	990	1.3	<2	0.17	<0.5	22	106	137	4.58	10
CC11945		0.08	0.3	3.53	4	<10	1410	1.8	<2	0.26	0.6	23	111	142	5.63	10
CC11946		0.16	0.3	1.82	86	<10	110	4.6	<2	0.42	<0.5	7	10	19	5.08	10
CC11947		0.14	0.6	1.73	17	<10	450	3.8	<2	0.10	0.8	5	13	30	4.04	10
CC11948		0.20	0.6	2.01	6	<10	120	4.2	<2	0.15	0.7	7	7	30	4.24	10
CC11949		0.14	0.5	3.01	13	<10	130	7.2	<2	0.26	0.7	16	6	59	5.02	20
CC11950		0.12	<0.2	1.87	3	<10	80	1.5	<2	0.09	0.5	7	11	37	2.87	10
CC11951		0.14	<0.2	1.30	3	<10	90	1.5	<2	0.04	<0.5	7	13	36	3.90	10
CC11952		0.08	<0.2	0.77	2	<10	40	<0.5	<2	0.04	0.7	1	11	16	1.66	10
CC11953		0.10	<0.2	1.58	6	<10	60	0.8	<2	0.07	<0.5	6	28	24	2.99	10
CC11954		0.16	<0.2	1.26	3	<10	70	0.8	<2	0.04	<0.5	4	17	27	2.74	10
CC11955		0.12	0.2	3.51	4	<10	90	2.2	<2	0.12	<0.5	18	63	36	6.33	20
CC11956		0.08	0.2	2.34	2	<10	180	1.4	<2	0.16	0.7	15	41	25	4.64	10
CC11957		0.14	0.3	4.32	5	<10	210	4.6	<2	0.64	<0.5	34	96	42	8.72	20
CC11958		0.08	0.3	2.48	<2	<10	120	2.7	<2	0.16	0.8	13	26	43	3.99	10
CC11959		0.08	0.4	1.94	3	<10	120	1.4	<2	0.09	0.7	10	21	44	3.80	10
CC11960		0.14	0.3	2.21	13	<10	90	1.9	3	0.15	<0.5	12	26	41	3.88	10
CC11961		0.08	0.2	1.51	3	<10	80	1.0	2	0.15	0.6	8	23	22	3.00	10
CC11962		0.12	0.3	1.51	14	<10	80	1.2	<2	0.11	<0.5	7	15	16	3.24	10
CC11963		0.12	0.2	2.26	57	<10	140	4.2	2	0.24	<0.5	16	30	21	4.41	10
CC11964		0.12	0.3	1.15	5	<10	80	2.9	<2	0.16	0.5	6	12	11	2.99	10
CC11965		0.16	<0.2	2.36	12	<10	160	4.9	2	0.24	<0.5	11	24	18	4.12	10
CC11966		0.02	<0.2	0.51	4	<10	80	0.8	<2	0.82	<0.5	2	6	18	0.89	<10
CC11967		0.18	0.3	2.10	4	<10	990	1.2	<2	0.26	<0.5	22	95	142	4.14	10
CC11968		0.28	0.6	2.42	2	<10	1020	1.6	<2	0.49	<0.5	24	144	151	5.30	10
CC11969		0.12	0.4	1.71	<2	<10	50	<0.5	2	0.43	<0.5	14	78	89	2.14	<10
CC11970		0.28	<0.2	2.20	3	<10	140	0.8	<2	0.91	<0.5	36	202	164	3.57	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11931		<1	0.30	20	0.45	451	1	0.01	8	500	6	0.06	<2	2	5	0.13
CC11932		<1	0.16	20	0.77	516	3	0.01	14	680	7	0.04	<2	4	11	0.10
CC11933		<1	0.51	80	0.88	1325	3	0.01	5	730	8	0.02	<2	12	8	0.06
CC11934		<1	0.37	50	0.64	595	3	0.02	8	660	13	0.05	<2	4	7	0.12
CC11935		1	0.59	10	0.75	1050	2	0.01	12	720	8	0.06	<2	7	6	0.25
CC11936		<1	0.11	10	0.29	339	8	0.01	13	430	16	0.04	<2	3	9	0.24
CC11937		<1	0.12	30	0.12	3800	1	0.01	162	550	27	0.04	<2	14	105	0.01
CC11938		<1	0.26	10	1.05	2020	<1	0.03	228	700	4	0.03	2	29	34	0.04
CC11939		<1	0.16	<10	0.85	409	<1	0.03	156	460	4	0.02	<2	6	12	0.14
CC11940		<1	0.35	10	1.85	641	<1	0.03	656	660	6	0.03	<2	7	78	0.14
CC11941		<1	0.12	<10	0.53	704	<1	0.03	53	590	<2	0.04	<2	12	11	0.06
CC11942		<1	0.29	<10	1.46	593	<1	0.06	163	610	<2	0.01	<2	9	14	0.13
CC11943		<1	0.70	10	1.52	1365	<1	0.04	104	660	6	0.03	<2	13	15	0.21
CC11944		<1	0.65	20	1.22	1780	2	0.02	79	780	12	0.04	<2	8	14	0.20
CC11945		<1	1.07	40	1.64	2470	2	0.03	88	1160	19	0.05	<2	15	20	0.28
CC11946		<1	0.26	120	0.59	1420	7	0.01	9	1270	13	0.06	2	9	13	0.07
CC11947		<1	0.61	60	0.69	721	4	0.01	15	640	102	0.08	<2	6	32	0.09
CC11948		<1	0.49	110	0.87	1260	7	0.01	8	980	34	0.09	<2	6	9	0.11
CC11949		<1	0.97	110	1.36	1500	4	0.01	9	1070	36	0.06	<2	10	9	0.17
CC11950		<1	0.22	20	0.68	597	3	0.01	10	500	11	0.04	2	4	5	0.09
CC11951		<1	0.36	20	0.50	971	7	0.01	9	450	7	0.03	<2	5	3	0.10
CC11952		<1	0.15	20	0.21	295	1	0.01	5	700	7	0.07	<2	1	4	0.05
CC11953		1	0.23	20	0.57	415	1	0.01	15	530	9	0.04	<2	3	7	0.11
CC11954		<1	0.37	30	0.47	309	2	0.01	7	570	6	0.06	<2	2	6	0.12
CC11955		<1	0.93	20	1.66	607	1	0.01	25	460	6	0.04	<2	12	7	0.39
CC11956		<1	0.49	20	0.96	1200	2	0.01	16	520	12	0.04	<2	8	10	0.29
CC11957		<1	1.56	40	2.05	1600	<1	0.02	45	1620	7	0.02	<2	29	14	0.51
CC11958		<1	0.29	50	0.95	1620	4	0.01	11	900	6	0.09	<2	5	9	0.16
CC11959		<1	0.49	20	0.91	725	3	0.01	13	600	7	0.10	<2	5	9	0.18
CC11960		<1	0.38	30	0.85	649	3	0.01	18	640	8	0.06	<2	4	10	0.14
CC11961		<1	0.43	20	0.68	796	3	0.01	9	800	7	0.07	<2	3	9	0.12
CC11962		<1	0.24	20	0.58	554	3	<0.01	6	600	17	0.05	<2	3	12	0.12
CC11963		1	0.65	50	1.00	1080	3	0.01	18	820	8	<0.01	<2	9	9	0.19
CC11964		<1	0.12	140	0.31	951	1	<0.01	7	640	17	0.03	<2	8	8	0.03
CC11965		<1	0.87	70	1.04	1195	3	0.01	10	750	4	<0.01	<2	9	9	0.18
CC11966		<1	0.12	10	0.19	79	2	<0.01	6	1060	2	0.16	<2	<1	26	0.02
CC11967		<1	0.75	20	1.18	1370	2	0.01	88	810	8	0.02	<2	11	18	0.18
CC11968		<1	0.77	40	1.38	1605	3	0.02	110	1180	9	0.17	<2	15	24	0.15
CC11969		<1	0.08	<10	0.79	269	<1	0.04	33	500	<2	0.03	<2	2	8	0.10
CC11970		<1	0.30	<10	1.40	625	<1	0.05	170	820	<2	<0.01	<2	12	20	0.14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11931		<10	<10	49	<10	76
CC11932		<10	<10	41	<10	66
CC11933		10	<10	41	<10	76
CC11934		<10	<10	44	<10	78
CC11935		10	<10	104	<10	88
CC11936		<10	<10	100	<10	59
CC11937		10	<10	90	<10	871
CC11938		<10	<10	126	<10	119
CC11939		<10	<10	71	<10	55
CC11940		<10	<10	65	<10	67
CC11941		<10	<10	70	<10	49
CC11942		<10	<10	60	<10	41
CC11943		<10	<10	126	<10	108
CC11944		<10	<10	114	<10	154
CC11945		<10	<10	174	<10	216
CC11946		<10	<10	50	<10	85
CC11947		<10	<10	38	<10	198
CC11948		<10	<10	29	<10	160
CC11949		<10	<10	45	<10	154
CC11950		<10	<10	38	<10	81
CC11951		<10	<10	41	<10	128
CC11952		<10	<10	30	<10	54
CC11953		<10	<10	49	<10	81
CC11954		<10	<10	50	<10	57
CC11955		<10	<10	136	<10	124
CC11956		<10	<10	104	<10	78
CC11957		10	<10	218	<10	146
CC11958		<10	<10	68	<10	127
CC11959		<10	<10	59	<10	121
CC11960		<10	<10	54	<10	100
CC11961		<10	<10	53	<10	106
CC11962		<10	<10	46	<10	110
CC11963		<10	<10	67	<10	106
CC11964		<10	<10	30	<10	68
CC11965		<10	<10	56	<10	93
CC11966		<10	<10	9	<10	14
CC11967		<10	<10	112	<10	148
CC11968		<10	<10	163	<10	185
CC11969		<10	<10	50	<10	29
CC11970		<10	<10	75	<10	45

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
CC11971		0.22	0.2	3.31	3	<10	470	0.7	2	0.85	<0.5	43	106	177	4.65	10
CC11972		0.14	0.4	3.76	6	<10	390	1.2	<2	0.28	<0.5	39	132	87	5.57	10
CC11973		0.10	0.2	2.89	2	<10	110	<0.5	<2	0.75	<0.5	24	172	69	2.99	10
CC11974		0.12	<0.2	1.55	<2	<10	50	<0.5	2	0.37	<0.5	11	75	46	1.68	10
CC11975		0.20	0.2	3.85	6	<10	940	0.6	<2	0.73	<0.5	49	170	212	5.42	10
CC11976		0.24	<0.2	1.93	7	<10	860	1.1	<2	0.08	<0.5	21	72	170	4.38	10
CC11977		0.20	0.2	1.14	4	<10	140	1.0	2	0.04	<0.5	5	19	14	2.34	10
CC11978		0.16	<0.2	1.74	<2	<10	100	2.5	2	0.15	<0.5	9	22	16	4.11	10
CC11979		0.18	<0.2	1.68	4	<10	80	1.9	<2	0.10	<0.5	9	24	20	3.86	10
CC11980		0.12	0.3	0.72	2	<10	70	0.6	<2	0.05	0.7	4	15	13	1.88	10
CC11981		0.14	0.4	0.79	<2	<10	50	<0.5	3	0.03	<0.5	3	10	11	1.60	10
CC11982		0.12	0.2	2.15	<2	<10	120	0.8	2	0.11	<0.5	10	19	12	3.71	10
CC11983		0.10	<0.2	2.45	5	<10	120	1.6	<2	0.14	<0.5	13	32	45	4.57	10
CC11984		0.04	0.3	2.82	6	<10	100	2.0	<2	0.25	0.5	17	49	26	4.90	10
CC11985		0.12	0.2	2.55	2	<10	70	1.6	3	0.22	<0.5	11	42	15	4.22	10
CC11986		0.16	0.2	1.14	5	<10	70	0.6	<2	0.04	<0.5	7	18	12	2.70	10
CC11987		0.16	0.2	1.47	4	<10	80	0.9	2	0.05	<0.5	6	18	24	3.03	10
CC11988		0.20	<0.2	0.99	5	<10	50	0.7	<2	0.05	<0.5	4	8	12	2.08	10
CC11989		0.20	0.3	0.91	4	<10	80	0.7	<2	0.04	<0.5	4	13	13	2.20	10
CC11990		0.30	0.4	1.52	5	<10	130	2.3	3	0.09	0.6	11	19	31	4.09	10
CC11991		0.28	<0.2	1.55	2	<10	130	2.0	<2	0.08	<0.5	9	30	19	3.68	10
CC11992		0.26	<0.2	1.36	6	<10	210	1.4	<2	0.05	<0.5	6	30	31	3.22	10
CC11993		0.18	0.3	1.23	4	<10	420	0.6	<2	0.05	0.7	6	41	40	2.53	10
CC11994		0.16	0.3	1.78	5	<10	790	0.9	<2	0.05	<0.5	14	64	103	3.75	10
CC11995		0.18	0.5	1.52	9	<10	670	0.7	<2	0.05	<0.5	11	52	82	3.40	10
CC11996		0.36	0.3	2.29	<2	<10	930	2.6	<2	0.38	0.8	18	161	111	4.85	10
CC11997		0.20	0.3	2.20	4	<10	1020	1.8	<2	0.40	<0.5	26	147	110	4.93	10
CC11998		0.18	0.2	3.83	7	<10	1630	1.1	<2	0.72	<0.5	27	160	155	5.49	10
CC11999		0.30	<0.2	2.20	2	<10	400	0.8	<2	0.57	<0.5	20	118	93	3.05	10
CC12000		0.20	<0.2	2.04	<2	<10	160	0.9	<2	0.61	<0.5	23	166	92	3.10	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
CC11971		<1	0.60	20	1.84	784	1	0.05	92	990	3	0.03	<2	11	27	0.19
CC11972		<1	0.30	10	1.45	861	1	0.03	92	980	<2	0.03	<2	13	12	0.12
CC11973		<1	0.18	<10	1.81	529	<1	0.09	97	570	<2	0.01	<2	6	18	0.18
CC11974		<1	0.05	<10	0.71	143	<1	0.03	51	670	<2	0.01	<2	2	11	0.12
CC11975		<1	0.97	10	2.84	1035	1	0.03	137	1100	<2	0.04	<2	15	28	0.33
CC11976		<1	0.53	20	0.94	1695	4	0.01	76	830	15	0.02	<2	6	10	0.16
CC11977		<1	0.31	20	0.40	606	2	<0.01	8	530	7	0.03	<2	3	5	0.11
CC11978		<1	0.54	20	0.72	834	3	0.01	12	930	6	0.01	<2	7	6	0.16
CC11979		<1	0.41	20	0.74	748	3	<0.01	9	550	10	0.01	<2	6	6	0.16
CC11980		<1	0.19	10	0.20	521	2	0.01	4	730	6	0.06	<2	1	5	0.07
CC11981		<1	0.17	20	0.23	295	2	<0.01	2	620	6	0.03	<2	<1	3	0.04
CC11982		1	0.53	20	0.98	1440	2	0.02	8	830	<2	0.02	<2	5	6	0.22
CC11983		<1	0.63	30	1.02	743	3	0.01	11	810	3	0.07	<2	7	8	0.23
CC11984		<1	0.69	20	1.32	545	2	0.01	22	720	2	0.05	<2	8	11	0.30
CC11985		<1	0.42	20	1.08	416	1	0.01	18	750	5	0.01	<2	6	10	0.24
CC11986		<1	0.18	20	0.26	709	2	<0.01	9	880	9	0.04	<2	<1	7	0.04
CC11987		<1	0.29	20	0.54	400	2	<0.01	9	620	6	0.05	<2	2	5	0.12
CC11988		<1	0.21	20	0.32	409	2	<0.01	2	710	11	0.04	<2	1	4	0.06
CC11989		<1	0.20	20	0.26	512	2	0.01	6	740	16	0.05	<2	1	5	0.04
CC11990		<1	0.37	50	0.57	822	5	0.01	13	770	26	0.05	<2	5	7	0.10
CC11991		<1	0.41	20	0.64	557	2	0.01	16	500	9	0.01	<2	6	7	0.14
CC11992		<1	0.30	30	0.51	422	2	0.01	22	550	13	0.04	<2	3	8	0.11
CC11993		1	0.30	20	0.42	402	1	0.01	21	760	15	0.05	<2	1	9	0.07
CC11994		<1	0.53	20	0.81	809	2	0.01	48	620	10	0.10	<2	5	9	0.15
CC11995		<1	0.31	20	0.58	563	1	0.01	46	540	12	0.07	<2	4	10	0.13
CC11996		1	0.85	60	1.26	3100	2	0.01	131	1400	10	0.06	<2	17	20	0.18
CC11997		<1	0.54	20	1.28	1005	1	0.01	94	920	5	0.08	<2	15	14	0.12
CC11998		<1	0.97	20	2.08	1240	<1	0.03	99	940	9	0.07	<2	15	18	0.26
CC11999		<1	0.28	10	1.09	508	<1	0.04	78	720	<2	0.03	<2	8	16	0.12
CC12000		<1	0.21	<10	1.13	551	<1	0.03	112	610	<2	0.01	<2	7	14	0.11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: 4C

Finalized Date: 29-JUL-2005
Account: MTT

CERTIFICATE OF ANALYSIS VA05057499

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
CC11971		<10	<10	134	<10	108
CC11972		<10	<10	147	<10	104
CC11973		<10	<10	73	<10	53
CC11974		<10	<10	45	<10	25
CC11975		<10	<10	178	<10	140
CC11976		<10	<10	86	<10	153
CC11977		<10	<10	42	<10	50
CC11978		<10	<10	76	<10	88
CC11979		<10	<10	64	<10	166
CC11980		<10	<10	38	<10	62
CC11981		<10	<10	29	<10	37
CC11982		<10	<10	60	<10	50
CC11983		<10	<10	79	<10	76
CC11984		<10	<10	97	<10	110
CC11985		<10	<10	87	<10	95
CC11986		<10	<10	47	<10	62
CC11987		<10	<10	52	<10	70
CC11988		<10	<10	29	<10	47
CC11989		<10	<10	38	<10	68
CC11990		<10	<10	52	<10	136
CC11991		<10	<10	77	<10	74
CC11992		<10	<10	55	<10	82
CC11993		<10	<10	62	<10	72
CC11994		<10	<10	83	<10	104
CC11995		<10	<10	77	<10	98
CC11996		10	<10	186	<10	224
CC11997		<10	<10	126	<10	112
CC11998		10	<10	184	<10	117
CC11999		<10	<10	79	<10	45
CC12000		<10	<10	61	<10	48

STRATEGIC METALS LTD.

FIGURE 5

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATION

FOUR CORNERS PROPERTY

2005/4C/F_5-SAMPLE	DATE: JANUARY 2006

- Soil Sample Location
- Rock Sample Location
- Inferred Contact
- Assumed Contact
- Inferred Fault
- Outcrop

DUM - Ultramafic Dyke

DF - Fire Lake Mafic Metavolcanics

DK - Kudz Ze Kayah Felsic Metavolcanics

N

CLAIM BOUNDARY

DUM

DF

DK

HS SHOWING

IC SHOWING

6767000 mN

6766000 mN

6765000 mN

0 0.5 1.0 km

NAD 83 / UTM ZONE 9

STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER GEOCHEMISTRY

FOUR CORNERS PROPERTY

2005/4C/F_6-SAMPLE	DATE: JANUARY 2006

SILVER THRESHOLDS (ppm)

- ≥2 < 4
- ≥1 < 2
- ≥0.5 < 1
- <0.5

0.5 ■ Rock sample location with corresponding geochem value

N

CLAIM BOUNDARY

DF

DK

DUM

HS SHOWING

IC SHOWING

<0.2

250m

0 0.5 1.0 km

NAD 83 / UTM ZONE 9

6767000 mN

6766000 mN

6765000 mN

6764000 mN

437000 mE

438000 mE

439000 mE

440000 mE

441000 mE

442000 mE

443000 mE

STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD GEOCHEMISTRY

FOUR CORNERS PROPERTY

2005/4C/F_7-SAMPLE	DATE: JANUARY 2006

GOLD THRESHOLDS (ppb)

- ≥50 < 100
- ≥25 < 50
- ≥5 < 25
- <5

5 ■ Rock sample location with corresponding geochem value

N

CLAIM BOUNDARY

DUM

DF

DK

497

60

HS SHOWING

IC SHOWING

0 0.5 1.0 km

NAD 83 / UTM ZONE 9

6767000 mN

6766000 mN

6765000 mN

6764000 mN

437000 mE

438000mE

439000mE

440000mE

441000mE

442000mE

443000 mE

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COBALT GEOCHEMISTRY

FOUR CORNERS PROPERTY

2005/4C/F_8-SAMPLE	DATE: JANUARY 2006

COBALT THRESHOLDS (ppm)

- ≥100 < 140
- ≥50 < 100
- ≥25 < 50
- ≥10 < 25
- <10

15 ■ Rock sample location with corresponding geochem value

N

CLAIM BOUNDARY

DF

DK

DUM

HS SHOWING

IC SHOWING

0 0.5 1.0 km

NAD 83 / UTM ZONE 9

6767000 mN

6766000 mN

6765000 mN

6764000 mN

437000 mE

438000mE

439000mE

440000mE

441000mE

442000mE

443000 mE

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

FOUR CORNERS FROPERTY

2005/4C/F_9-SAMPLE	DATE: JANUARY 2006

COPPER THRESHOLDS (ppm)

- ≥400 < 810
- ≥200 < 400
- ≥100 < 200
- ≥50 < 100
- • <50

■ 123 Rock sample location with corresponding geochem value

N

CLAIM BOUNDARY

DUM

DF

DK

HS SHOWING

IC SHOWING

9730 ■ 7320
5850

0 0.5 1.0 km

NAD 83 / UTM ZONE 9

6767000 mN
6766000 mN
6765000 mN
6764000 mN
437000 mE
438000mE
439000mE
440000mE
441000mE
442000mE
443000 mE

STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD GEOCHEMISTRY

FOUR CORNERS PROPERTY

2005/4C/F_10-SAMPLE	DATE: JANUARY 2006

LEAD THRESHOLDS (ppm)

- ≥100 < 164
- ≥50 < 100
- <50

0.5 Rock sample location with corresponding geochem value

N

CLAIM BOUNDARY

DUM

DF

DK

HS SHOWING

IC SHOWING

0 0.5 1.0 km

NAD 83 / UTM ZONE 9

6768000 mN

6767000 mN

6766000 mN

6765000 mN

6764000 mN

437000 mE

438000mE

439000mE

440000mE

441000mE

442000mE

443000 mE

STRATEGIC METALS LTD.

FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC GEOCHEMISTRY

FOUR CORNERS PROPERTY

2005/4C/F_11-SAMPLE	DATE: JANUARY 2006

ZINC THRESHOLDS (ppm)

- ≥1000 < 1,130
- ≥500 < 1000
- ≥250 < 500
- ≥125 < 250
- • <125

351 ■ Rock sample location with corresponding geochem value

N

CLAIM BOUNDARY

DF DK DUM HS SHOWING IC SHOWING

6767000 mN 6766000 mN 6765000 mN 6764000 mN

437000 mE 438000mE 439000mE 440000mE 441000mE 442000mE 443000 mE

0 0.5 1.0 km

NAD 83 / UTM ZONE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

AFFIDAVIT

I, Joan Mariacher, of Vancouver, B.C. make oath and say:

That to the best of my knowledge the attached Statement of Expenditures for exploration work on the 4C 385, 386, 409 and 411 mineral claims on Claim Sheet 105G/1 is accurate.

Joan Mariacher

Sworn before me at Vancouver, B.C.

this 28th day of June 2006.

Notary Public, Yukon Territory

Statement of Expenditures
4C 385, 386, 409 and 411
June 28, 2006

Labour

B. Wengzynowski – geologist - 5 1/2 hours July at $70/hr	$ 404.46
H. Smith – field assistant – 15 days July at $320/day	5,136.00
J. Johnston – field assistant – 15 days July at $320/day	3,852.00
I. Theidel – field assistant – 15 days July at $310/day	3,852.00
	13,244.46

Expenses

Field room and board – 45 days at $125/day	6,018.75
Trans North Helicopters Bell 206B 11.9 hours at $925/hr plus fuel	12,690.44
ALS Chemex	6,866.78
	25,575.97
	$38,820.43

Total of 799 samples taken = $48.59/sample.

4C 385 – 37 samples = $1,797.83
386 – 46 samples = 2,235.14
409 – 29 samples = 1,409.11
411 – 44 samples = 2,137.96

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

In Account With

Project FOUR CORNERS PROJECT

Date JULY 31, 2005

LABOUR			
Field	D. EATON - 8 HRS AT 70/HR	560.00	
	B. WEXELYNOWSKI - 5½ HRS AT 70/HR	385.00	
	J. PORTER 1 HR AT 40/HR	40.00	
	H. SMITH - 15 DAYS AT 320/DAY	4800.00	
	I. THEIDEL - 15 DAYS AT 240/DAY	3600.00	
	J. JOHNSTON - 15 DAYS AT 240/DAY	3600.00	
Accounting and Expediting	J. Mariacher- 4¼ hrs at $58/hr	246.50	
	L. COURBETT 11 60	660.00	
	J. THOMSON-GLADISH - 1¼ HRS AT 28/HR	35.00	13926.50
OTHER SERVICES			
Room and Board in Whitehorse	3 days at $90 / day	270.00	
Field equipment from AC stock	48 DAYS AT 50/DAY + 306.00	2706.00	
Printing	Photocopies 257 @.15	37.80	
Rentals from AC			
LOOMIS - 1 AT 23.25		23.25	3037.55
EXPENSES			
Petty Cash 65.43 DY + 1.68 DI		67.11	
Telephone			
TRANS NORTH HELICOPTERS - 4717.50 + 6092.38		10809.88	
GREYHOUND COURIER - 120.97 + 170.74		291.71	
JOHN M EXPENSES - 133.50 FI + 201.67 DI + 151.5903		486.76	
MACPHERSON RENTALS		159.79	
HOME HARDWARE		23.99	
GATEWAY MOTEL		308.45	
MAC'S FIREWEED		8.35	
BUILDERS SUPPLYLAND		108.00	12263.98
Management 6% on Expenses		735.84	
on Field A/C		412.01	1147.85
			30375.88
GST (R100247667) 7% on 30375.88			2126.31
			32501.19

MIT PAYMENT TO:

TRANS NORTH HELICOPTERS

TRANS NORTH TURBO AIR LTD.
P.O. Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420
www.tntaheli.com

ACCOUNT NUMBER: ARCHATA

INVOICE NUMBER: 37428

INVOICE DATE: 30/06/05

AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐

TERER: Archer Cath.o.

BILLING ADDRESS: 4C.

A/C TYPE: B206

AIRCRAFT REGISTRATION C: F C H U

FLIGHT DATE: DAY 26 MONTH 06 YEAR 05

PURCHASE ORDER NO.

FUEL & OIL-X TNTA	FUEL & OIL-X CUST.	TNTA FUEL USED	HRS./LITRES	FROM

HOOK INSURANCE: DECLINED ☐ INT _____ ACCEPTED ☐ VALUE _____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Watson TO 4C	0739	0406	1.5	Move in camp & Stake.
	1004	1043	.7	
	1047	1102	.3	
	1125	1150	.4	
	1155	1217	.4	
	1232	1244	.3	
	1300	1320	.4	
	1347	1405	.4	
4C			.7	T. Watson

SUB	G.L.	AMOUNT
3427	502	4717 50
0000323		330 23

D.G. TRANSPORTED ☐

5.1	@	925.00	4717	50
	@			
HOLDING TIME:	@	/ HR.		
FUEL	@	/ LITRE		
FUEL	@	/ LITRE		
MEALS & LODGINGS				
OTHER				
OTHER				
SUB TOTAL			4717	50
GOODS & SERVICES TAX REGISTRATION NO. R121483135			330	23
TOTAL			$ 5047	73

TERMS: PAYABLE UPON RECEIPT OF INVOICE.

2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS AGK

PILOTS SIGNATURE

ENGINEER'S NAME

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

TRANS NORTH HELICOPTERS

A DIVISION OF KENO AIR LTD.
Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

Archer, Cathro & Associates
1016-510 W. Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER: ARCHATA
INVOICE NUMBER: 37438
INVOICE DATE: 25 07 05
AREA: B.C. ☑ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE: B206
AIRCRAFT REGISTRATION C: F C H U
FLIGHT DATE: DAY 06 MONTH 07 YEAR 05
PURCHASE ORDER NO.

FUEL & OIL-X: TNTA ✓ CUST. ☐ | TNTA FUEL USED: 258 | HRS./LITRES | FROM: Watson

HOOK INSURANCE VALUE _____ DECLINED ☐ INT _____ ACCEPTED ☐

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Watson TO 4C	1018	1102	.8	2 sling loads &
	1130	1135	.1	move 3 pax.
	1139	1203	.5	
Watson	1220	1304	.8	

SUB	G.L.	AMOUNT
3427	502	2035 00
3400	131	275 88
0000323		161 76

D.G. TRANSPORTED ☐

2.2	@ 925.00	2035	00
	@		
HOLDING TIME:	@ / HR.		
FUEL 250.8	@ 1.10 / LITRE	275	88
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		2310	88
GOODS & SERVICES TAX REGISTRATION NO. R121483135		161	76
TOTAL	$	2472	64

TERMS: PAYABLE UPON RECEIPT OF INVOICE.
2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X _____ CHARTERER'S SIGNATURE

_____ CHARTERER'S NAME (PRINTED)

INITIALS: ASL | _____ PILOTS SIGNATURE

CAN | ENGINEER'S NAME: Anne.

SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

...H HELICOPTERS

...AIR LTD.
...15 Range Rd.
...se, Yukon Canada Y1A 5X9
...(867) 668-2177 - Fax: (867) 668-3420

...r, Cathro & Associates
1016-510 W. Hastings St.
Vancouver, B.C.
V6B 1L8

ACCOUNT NUMBER: ARCHATA
INVOICE NUMBER: 37440
INVOICE DATE: 25/07/05
AREA: B.C. ☐ YUKON ☐ NWT ☐ ALTA ☐
A/C TYPE: B206
AIRCRAFT REGISTRATION C: FCHU
FLIGHT DATE: DAY 09 MONTH 07 YEAR 05
PURCHASE ORDER NO.

FUEL & OIL-X TNTA ✓	CUST.	TNTA FUEL USED	HRS./LITRES	FROM
			342	Watson

HOOK INSURANCE — DECLINED ☐ INT ____ — ACCEPTED ☐ — VALUE ____

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Watson TO Alk	1012	1056	.8	Lee + Alle out
Transport	1100	1124	.4	
	1141	1227	.8	Alle + 4C food
	1236	1250	.3	refuel
Watson	1255	1334	.7	
☆ Alle - 2/00.80				
☆ 4C - 1250.40				

SUB	G.L	AMOUNT
3427	502	2775:00
3400	131	376:20
0000323		220:58

D.G. TRANSPORTED ☐	3.0 @ 925.00	2775	00
	@		
HOLDING TIME:	@ / HR.		
FUEL 342	@ 1.10 / LITRE	376	20
FUEL (200 @ 1.86)	@ / LITRE		
MEALS & LODGINGS			
OTHER (1103.53)			
OTHER			
SUB TOTAL		3151	20
GOODS & SERVICES TAX REGISTRATION NO. R121483135		220	58
TOTAL	$	3371	78

TERMS: PAYABLE UPON RECEIPT OF INVOICE. 2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

Alle 2.0
4C 1.10

X ____ CHARTERER'S SIGNATURE

____ CHARTERER'S NAME (PRINTED)

INITIALS: ASL — PILOT'S SIGNATURE

CAN — ENGINEER'S NAME Annie

SHIPPING NAME & QTY. | CLASS | UN # | PACKING GR.

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

TRANS NORTH HELICOPTERS

TRANS NORTH AIR LTD.
Box 8, 115 Range Rd.
Whitehorse, Yukon Canada Y1A 5X9
Tel: (867) 668-2177 - Fax: (867) 668-3420

ACCOUNT NUMBER: ARCHATA
INVOICE NUMBER: 37454
INVOICE DATE: 25/07/05
AREA: B.C. YUKON NWT ALTA

Archer, Cathro & Associates
1016-510 W. Hastings St.
Vancouver, B.C.
V6B 1L8

A/C TYPE: B206
AIRCRAFT REGISTRATION C: FCHG
FLIGHT DATE: DAY 15 MONTH 07 YEAR 05
PURCHASE ORDER NO.

FUEL & OIL-X TNTA / CUST.
TNTA FUEL USED
HRS./LITRES
FROM: 410 Watson.

HOOK INSURANCE
DECLINED ☐ INT
ACCEPTED ☐
VALUE

TNTA'S TARIFF LIMITS THAT TNTA'S LIABILITY FOR LOSS OR DAMAGE TO GOODS CARRIED IS 50¢ PER LB.

FROM / TO	UP	DOWN	HOURS	REMARKS NO. OF PASS
FROM Watson TO 4C	0843	0832	.8	Move camp e crew to Tuchitua.
	0953	0914	.4	
	0916	1028	1-2	
	1034	1055	.4	
	1100	1143	.8	

SUB	G.L.	AMOUNT
3427	502	3330 00
3400	131	451 44
0000	323	264 70

D.G. TRANSPORTED ☐

	3.6 @ 925.00	3330	00
HOLDING TIME:	@ / HR.		
FUEL 410.4 LT	@ 1.10 / LITRE	451	44
FUEL	@ / LITRE		
MEALS & LODGINGS			
OTHER			
OTHER			
SUB TOTAL		3781	44
GOODS & SERVICES TAX REGISTRATION NO. R121483135		264	70
TOTAL	$	4046	14

TERMS: PAYABLE UPON RECEIPT OF INVOICE. 2% INTEREST PER MONTH (24% PER ANNUM) WILL BE CHARGED ON ALL OUTSTANDING AMOUNTS OVER 30 DAYS. IF INTEREST IS NOT PAID, FUTURE FLIGHTS WILL BE ON A CASH BASIS.

X Heather Smith
CHARTERER'S SIGNATURE

CHARTERER'S NAME (PRINTED)

INITIALS: ASR

PILOTS SIGNATURE

ENGINEER'S NAME: Annie

SHIPPING NAME & QTY.	CLASS	UN #	PACKING GR.
CAN			

CARRIAGE SUBJECT TO TERMS OF PUBLISHED TARIFF.
TARIFF AVAILABLE TO PUBLIC VIEW AT TRANS NORTH OFFICE.

THIS IS YOUR ONLY INVOICE – PAY UPON RECEIPT

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1232040

BILLING INFORMATION

Certificate: **VA05057499**
Account: **MTT**
Date: **29-JUL-2005**
Project: 4C
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE	DESCRIPTION	UNIT PRICE	TOTAL
310	PREP-41	Dry, Sieve (180 um) Soil	0.94	291.40
44.52	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	58.32
310	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	1,512.80
310	GEO-AR01	Aqua regia digestion	1.88	582.80

SUBTOTAL (CAD)	$	2,445.32
R100938885 GST	$	171.17
TOTAL PAYABLE (CAD)	**$**	**2,616.49**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1249836

BILLING INFORMATION

Certificate: **VA05062225**
Account: **MTT**
Date: **8-AUG-2005**
Project: 4C
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

QUANTITY	ANALYSED FOR CODE	- DESCRIPTION	UNIT PRICE	TOTAL
208	PREP-41	Dry, Sieve (180 um) Soil	0.94	195.52
38.40	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	50.30
208	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	1,015.04
208	GEO-AR01	Aqua regia digestion	1.88	391.04

SUBTOTAL (CAD)	$	1,651.90
R100938885 GST	$	115.63
TOTAL PAYABLE (CAD)	**$**	**1,767.53**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1249833

BILLING INFORMATION

Certificate: **VA05062226**
Account: **MTT**
Date: **10-AUG-2005**
Project: 4C
P.O. No.:
Quote:
Terms: **Net 30 Days** C1
Comments:

ANALYSED FOR QUANTITY	CODE	DESCRIPTION	UNIT PRICE	TOTAL
258	PREP-41	Dry, Sieve (180 um) Soil	0.94	242.52
49.98	PREP-41	Weight Charge (kg) - Dry, Sieve (180 um) Soil	1.31	65.47
258	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	1,259.04
258	GEO-AR01	Aqua regia digestion	1.88	485.04

SUBTOTAL (CAD)	$	2,052.07
R100938885 GST	$	143.64
TOTAL PAYABLE (CAD)	**$**	**2,195.71**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1232038

BILLING INFORMATION

Certificate:	**VA05057990**
Account:	**MTT**
Date:	**21-JUL-2005**
Project:	4C
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

ANALYSED FOR

QUANTITY	CODE -	DESCRIPTION	UNIT PRICE	TOTAL
14	PREP-31	Crush, Split, Pulverize	4.50	63.00
23.10	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.23	5.31
14	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	68.32
14	GEO-AR01	Aqua regia digestion	1.88	26.32

SUBTOTAL (CAD)	$	162.95
R100938885 GST	$	11.41
TOTAL PAYABLE (CAD)	**$**	**174.36**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

INVOICE NUMBER 1249817

BILLING INFORMATION

Certificate:	**VA05062227**
Account:	**MTT**
Date:	**6-AUG-2005**
Project:	4C
P.O. No.:	
Quote:	
Terms:	**Net 30 Days** C1
Comments:	

ANALYSED FOR QUANTITY	CODE -	DESCRIPTION	UNIT PRICE	TOTAL
9	PREP-31	Crush, Split, Pulverize	4.50	40.50
17.30	PREP-31	Weight Charge (kg) - Crush, Split, Pulverize	0.23	3.98
9	ME-ICP41	34 Element Aqua Regia ICP-AES	4.88	43.92
9	GEO-AR01	Aqua regia digestion	1.88	16.92

SUBTOTAL (CAD)	$	105.32
R100938885 GST	$	7.37
TOTAL PAYABLE (CAD)	**$**	**112.69**

To: **STRATEGIC METALS LTD.**
ATTN: ACCOUNTS PAYABLE
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Payment may be made by: Cheque or Bank Transfer

Beneficiary Name:	ALS Canada Ltd.
Bank:	Royal Bank of Canada
SWIFT:	ROYCCAT2
Address:	Vancouver, BC, CAN
Account:	003-00010-1001098

Please Remit Payments To :
ALS Chemex
212 Brooksbank Avenue
North Vancouver BC V7J 2C1