


094593

## THE KELLI BLOCK OF QUARTZ CLAIMS

ASSESSMENT WORK PROGRAM, AUG.20, 2004 – AUG. 20, 2005



### LOCATION OF CLAIMS:

WHITEHORSE DISTRICT

NTS 115 – G – 12

UMT GRID 7V EU 730 237

LAT 61 33'N LONG. 139 37'W

GENERALLY LOCATED ON TWO LEFT HAND LIMIT FORKS OF REED CREEK,  
A NORTHWESTERLY FLOWING TRIBUTARY OF THE DONJEK RIVER.

### TABLE OF CONTENTS:

CLAIMS NUMBERS, NAMES AND REGISTERED OWNERS.

INTRODUCTORY REGIONAL GELOGY

### INTRODUCTION

### WORK PROGRAM

- (a) GELOGY AND PREPARATION OF DRILL CORES
- (b) ASSAYS: FREIGHT AND GEOCHEMICAL ANALYSIS
- (c) REBUILD ACCESS ACROSS CLAIMS

### ATTACHMENTS

- (1) PREPARATION OF ASSAYS, IDENTIFYING, LOGGING AND RECORDING, AND  
PREPARING DETAILED REPORT
- (2) SHIPPING ASSAYS
- (3) GEOCHEMICAL ANALYSIS
- (4) ACCESS AND SITE RESTORATION

Costs associated with this report have been  
approved in the amount of \$ 9000.00  
for assessment credit under **Certificate of Work**  
No. Q027808, Q027816

H. Sautterick

Mining Recorder  
Whitehorse Mining District

## Work Report Covering The Year 2005

Assessment work on the Following 101 Quartz Claims

NUMBER	NAME	CLAIMS
YA93845	Kelli 1	1
YA93847 -852	Kelli 3-8	6
YA95337-346	Kelli 9-18	10
YA96352 -359	Kelli 19-26	8
YA96351 - 352	Josie 1-2	2
YA96203 - 220	Sell 1-18	18
YA96221 - 232	Buy 1-12	12
YB35823 - 834	Kid 1-12	12
YB35476 -479	Ann 1-4	4
YA97470 - 471	Reno 1-2	2
YA95976 - 981	Rose 1-6	6
YB26868 - 869	Kristy 1-2	2
YB 35800 - 810	Kristy 3-14	11
YA97463 - 469	Grace 1-7	7
<b>Total:</b>		<hr/> 101

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s
ANN 1 - 4	YB35476 - YB35479	2005/10/19	Elwood Geiger	50.00	115G12
			Larry Tremblay	50.00	
BUY 1 - 12	YA96221 - YA96232	2005/09/12	Gord Geiger	33.33	115G12
			Larry Tremblay	33.33	
			Rick J. Staley	33.34	
JO 1	YB24070	<u>2006/08/20</u>	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	
JOSIE 1 - 2	YA96350 - YA96351	2005/09/26	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	
KELLI 1	YA93845	2005/10/23	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	
KELLI 3 - 8	YA93847 - YA93852	2005/10/23	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	
KELLI 9 - 18	YA95337 - YA95346	<u>2006/01/28</u>	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	
KELLI 19 - 26	YA96352 - YA96359	2005/09/26	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	
KRISTY 1 - 2	YB26868 - YB26869	2005/10/23	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	
KRISTY 3	YB35800	2005/10/23	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	
KRISTY 5 - 14	YB35801 - YB35810	2005/10/23	Kluane Martin	19.00	115G12
			Louise Bouvier	19.00	
			Sulo Poystila	25.00	
			Larry Tremblay	37.00	

Total claims selected : 89

Left column indicator legend:

- R - Indicates the claim is on one or more pending renewal(s).
- P - Indicates the claim is pending.

Right column indicator legend:

- L - Indicates the Quartz Lease.
- F - Indicates Full Quartz fraction (25+ acres)
- P - Indicates Partial Quartz fraction (<25 acres)

- D - Indicates Placer Discovery
- C - Indicates Placer Codiscovery
- B - Indicates Placer Fraction

## **INTRODUCTORY REGIONAL GEOLOGY**

THE KELLI PROPERTY IS LOCATED WITHIN A NORTHWEST TRENDING BLOCK OF WRANGELLIA TERRAIN BETWEEN THE DENALI FAULT ZONE AND THE DUKE RIVER FAULT, PARTICULARLY THE PYRITIC "TRANSITION ZONE" BETWEEN THE STATION CREEK AND HANSON CREEK FORMATIONS. SWARMS OF PORPHYRY DIKES HAS INVADED THESE FORMATIONS AND HAS PROVIDED EXTENSIVE PATHWAYS FOR EXCESSIVE HYDROTHERMAL SOLUTIONS RESULTING IN EXTENSIVE CARBONATE AND CLAY ALTERATIONS THAT HELPED TO CONCENTRATE GOLD, COPPER AND OTHER MINERALS NEAR THESE ALTERED PROPHYRY DIKES.

WHILE QUATERNARY GLACIATIONS SCoured THE LARGER VALLEYS, THERE IS LIMITED EVIDENCE OF GLACIAL SCOURING IN THE SMALL VALLEYS OF THE KLUANE RANGES.

## **INTRODUCTION**

WITH THE EXCEPTION OF EQUIPMENT USED TO REPAIR ACCESS ROADS AND SOME RESTORATION WORK, THE MAJOR PORTION OF THE WORK PROGRAM IS A DIRECT RESULT OF A TWO WEEK CORE DRILL PROGRAM JULY 2004.

THE MAJORITY OF COSTS WILL REFLECT THIS DRILL PROGRAM.

**(a) GEOLOGY AND DRILL CORES: AURORA GEOSCIENCES OF WHITEHORSE,  
YUKON**

AUG. 30 – SEPT 14, 2004:

LOGGING AND SPLITTING CORES, PREPARATION AND BAGGING OF ASSAYS,  
PREPARING REPORTS, STORAGE AND SECURITY OF ASSAYS.

15 DAYS @ \$400.00 PER DAY \$6,000.00

**(ATTACHMENT 1)**

**(b) ASSAYS**

FREIGHT: WHITEHORSE – VANCOUVER \$510.21

**(ATTACHMENT 2)**

GEOCHEMICAL ANALYSIS: \$2,005.23

**(ATTACHMENT 3)**

**YA95345 KELLI 17 – 346 KELLI 18**


DUE TO MAJOR DAMAGE CREATED BY SPRING FLOODING, AN EXCESS OF OVER-FLOW ICE COMBINED WITH EXTENSIVE MATERIAL SLOUGHING FROM THE UPPER CANYON WALL, MAJOR EQUIPMENT WORK WAS REQUIRED TO REBUILD THIS ACCESS ROUTE UP THE CANYON.

D7 CAT 6 HRS. @ \$100.00 PER HR.	\$600.00
2 ½ CU. YD. HOE 4 HRS. @ \$100.00 PER HR.	\$400.00
FUEL – OILS	\$150.00

**DRILL SITE RESTORATION, STABILIZE CREEK BANKS**

D8 CAT 5 hrs. @ \$125.00 PER HR.	\$625.00
FUEL – OILS	\$100.00

<b>TOTAL ASSESSMENT DOLLARS</b>	<b>\$10,390.44</b>
---------------------------------	--------------------

  
HARRY TREMBLAY



REED CREEK PLACERS  
BOX 5389  
HAINES JUNCTION, YUKON Y0B 1L0

326

*Dec. 10 2004*

PAY TO  
THE ORDER OF

*Aurora Geosciences Ltd*

\$ 9,507.37

*Nine Thousand, Five Hundred and Seven*

*37*

100 DOLLARS

ROYAL BANK OF CANADA  
4110 - 4TH AVENUE  
WHITEHORSE, YUKON Y1A 4N7

REED CREEK PLACERS

FOR *Geology. Kell. Wilby*

PER *[Signature]*

⑈000326⑈ ⑆09950⑈003⑆ 124⑈452⑈4⑈ ⑈0000950737⑈

011150062901

CONV 20050104  
SCOTIABANK VANCOUVER BC PC

0200327318

CONV 20050104  
ROYAL BANK BRITISH COLUMBIA PC

0100226743

JAN - 4 05

10920-002  
5700141100K  
70920-002

0920 08053



**Whitehorse Office**  
 108 Gold Road  
 Whitehorse, YT  
 Y1A 2W3  
 Phone: (867) 668-7672  
 Fax: (867) 393-3577

**INVOICE**

GST No.: RT886365816  
 File: KCG-04-001-YT

Invoice #002  
 September 28<sup>th</sup>, 2004

In account with: **Kelli Creek Group**

**Re: Invoice for Kelli Creek Drilling Program**

Disbursement (GST Included)

1. Kluane Wilderness Village (lunch)	\$5.48
2. Talbot Arms Motel (supper)	\$28.02
3. Super A (gas)	\$29.49
4. Haines Junction Shell (gas)	\$24.01
5. Talbot Arms (gas)	\$20.00
6. Haines Junction Shell (gas)	\$32.02
7. 2 <sup>nd</sup> Avenue Shell (gas)	\$31.00
8. 2 <sup>nd</sup> Avenue Shell (gas)	\$35.90
9. Integraphics (rice bags)	\$21.40
10. Haines Junction Shell (gas)	\$20.02
11. Talbot Arms Motel (lunch)	\$15.01
12. Haines Junction Shell (gas)	\$38.03
13. Yukon Tire Centre (gas)	\$28.00
Admin 10%	<u>\$32.84</u>

**Subtotal** **\$361.22**

**GST on Admin** **\$2.30**

**Total** **\$363.52**

13,143<sup>32</sup>  
 363<sup>52</sup>

13,507.37  
 - 4 000 00

9,507 37 owing  
 David in Kelli

F 09/12/10  
 Chq # 326

## DIAMOND DRILL LOG

<b>HOLE NUMBER</b>	04 KEL 1
<b>DATE DRILLED</b>	July 18-21, 2004
<b>AZIMUTH</b>	170°
<b>DIP OF HOLE</b>	-50°
<b>CASING DEPTH</b>	3.0 meters
<b>BEDROCK DEPTH</b>	1.0 meter
<b>LENGTH OF HOLE</b>	68.58 meters (205 feet)
<b>CORE SIZE</b>	BQTW
<b>NORTHING</b>	6824721N
<b>EASTING</b>	573363E
<b>UTM ZONE</b>	7
<b>UTM DATUM</b>	NAD 83
<b>LOCATION</b>	Lower Canyon, Reed Creek, Whitehorse Mining District
<b>NTS</b>	115-G-12
<b>LOGGED BY</b>	Jim McFaull
<b>CLIENT</b>	Kelli Creek Group
<b>DRILLED BY</b>	E. Caron Diamond Drilling Ltd.

### BOX 1

0- 1.0 m No recovery, casing overburden (placer mine tailings).  
1.0-1.55 m White, siliceous dyke (?) with trace very fine grained disseminated pyrite. Minor rusty fractures of calcium carbonate (weak HCl reaction).  
1.55-1.85 m Black/dark grey well foliated limey graphitic schist with interbedded pale grey limestone (strong HCl reaction). Trace very fine grained disseminated pyrite. Foliation @ 75° TCA. Footwall contact @ 25° TCA.  
1.85- 5.21 m White siliceous dyke (?) with trace to 1% very fine grained disseminated pyrite. Dyke is crushed by narrow faults to a granular texture. Dyke is cut repeatedly by narrow (0.5cm) white quartz veinlets with trace very fine grained disseminated pyrite.  
5.21-6.00 m Black/dark grey limey graphitic schist with trace very fine grained disseminated pyrite and a strong HCl reaction.  
6.00-6.35 m Pale grey dyke (?) with 1% very fine grained disseminated pyrite cut by several hairline white quartz/carbonate veinlets. Hangingwall contact @ 45° TCA, footwall contact @ 40° TCA.  
6.35- 6.50 m Dark grey limey graphitic schist with trace very fine grained disseminated pyrite and a strong HCl reaction.

### BOX 2

6.50-6.70 m White siliceous dyke (or quartz vein) with trace very fine grained disseminated pyrite.  
6.70- 7.07 m Pale grey/dark grey/black limey graphitic schist with trace very fine grained disseminated pyrite and a strong HCl reaction.  
7.07-7.35 m Siliceous grey dyke.  
7.35- 10.62 m Pale grey/dark grey/black limey graphitic schist as above.

10.62- 10.81 m Siliceous grey dyke.

10.81- 11.35 m Pale grey/dark grey/black limey graphitic schist as above. Contacts are foliaform @ 75° TCA. A microstockwork of narrow white quartz veinlets occurs throughout this section.

#### BOX 3

11.35- 15.10 m Black limey graphitic schist with strong HCl reaction. Core is well fractured throughout and fault gouged @ 11.35-11.65 m. Trace very fine grained disseminated pyrite throughout.

15.10-16.33 m Pale green fine grained metavolcanic with trace very fine grained disseminated pyrite and 5% narrow white carbonate veinlets throughout. Veinlets trend mostly @ 10 TCA. Hangingwall contact @ 70° TCA.

#### BOX 4

16.33- 19.53 m Pale green fine grained metavolcanics with trace very fine grained disseminated pyrite and 5% narrow white carbonate veinlets throughout. Veinlets trend mostly @ 10° TCA. Minor ochre red hematite (?) stain on some fractures.

19.53- 21.50 m Pale grey quartz sericite schist with minor dark grey/black graphitic schist (with weak HCl reaction). Trace very fine grained disseminated pyrite throughout. Minor white carbonate veinlets throughout. Hangingwall contact @ 70° TCA. Fault gouge @ 21.34-21.50m.

#### BOX 5

21.50-21.60 m Black graphitic schist with trace very fine grained disseminated pyrite.

21.60-22.79 m Tan quartz sericite schist. Trace very fine grained disseminated pyrite and minor white quartz veinlets throughout. Small fault zone @ 22.12-22.30 m with trace bright green mariposite (?) or talc (?).

22.79-26.50 m Black graphitic schist with trace very fine grained disseminated pyrite and minor white quartz veinlets. Narrow creamy white quartz veins @ 23.16-23.34 m.

#### BOX 6

26.50-28.50 m Black graphitic schist with trace very fine grained disseminated pyrite. Small fault zone @ 27.56-28.50 m and core has a slightly "crushed" texture.

28.50-31.77 m White siliceous feldspar porphyry dyke with trace very fine grained fracture filling pyrite. Minor white talc on fractures. Hangingwall and footwall contacts @ 70° TCA are conformable to foliation. This may not be a dyke but a quartz rich sedimentary unit.

31.77- 31.85 m Black graphitic schist with trace very fine grained disseminated pyrite.

BOX 7

31.85- 33.53 m Black graphitic schist with trace very fine grained disseminated pyrite. Small fault zone with broken core and fault gouge @ 32.28- 32.38 m. Narrow tan feldspar porphyry dykes (?) @ 32.42-32.80 m and 33.33- 33.51 m with trace very fine grained disseminated pyrite.

33.53- 36.48 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite. Narrow white quartz veinlets cut this section. Tan feldspar porphyry dyke @ 33.75-34.15 m with trace very fine grained disseminated pyrite.

BOX 8

36.48-42.15 m Black graphitic schist with trace very fine grained disseminated pyrite. Foliation @ 70° TCA. Very few white veinlets. Core is faulted to pebbles @ 41.15 – 42.15 m and 0.20 m core lost.

BOX 9

42.15-44.63 m Black graphitic schist with weak HCl reaction and trace very fine grained disseminated pyrite.

44.63- 45.10 m Tan feldspar porphyry dyke (?).

45.10- 46.26 m Medium green chloritic schist (metavolcanics).

46.26- 48.65 m Black graphitic schist with trace very fine grained disseminated pyrite. Small fault zone @ 46.68-47.24m and core is fault gouged with 1.36 m core lost.

BOX 10

48.65- 54.10 m Black graphitic schist with trace very fine grained disseminated pyrite. Moderate HCl reaction @48.65- 49.22m on narrow white calcite fracture fillings.

Foliation mostly @ 70° TCA. White quartz veins @ 52.30- 52.58m & 53.61- 54.10m with trace very fine grained disseminated pyrite. Vein contacts are foliaform @ 50° TCA.

BOX 11

54.10- 56.64 m Black graphitic schist with trace very fine grained disseminated pyrite. Strong fault zone with heavy fault gouge @ 54.86- 56.39m with 0.93 m core loss.

56.64- 59.26 m Medium green chloritic schist (metavolcanics) cut by numerous white calcite veinlets with a strong HCl reaction. No visible sulphides. Hangingwall contact @70° TCA. Black fault zone of graphitic schist gouged to mud, within the green metavolcanics @ 57.91-58.00 m. White quartz vein @ 58.40- 58.97 m with contacts @ 70° TCA with the green metavolcanics.

BOX 12

59.26-59.78 m Medium green chloritic schist (metavolcanics) with dark red/ochre hematite (?) stained fractures and minor narrow white quartz veinlets.

59.78- 61.17 m White quartz sericite schist with no visible sulphides. Contacts are conformable with foliation @ 70° TCA.

61.17- 62.48 m Black graphitic schist. Fault zone of rubble and fault gouge @ 61.17- 61.46 m.

62.48- 64.50 m Medium green chloritic schist (metavolcanics) cut by numerous cream/white calcite veinlets with a strong HCl reaction. Core is very broken and 0.13 m core lost @ 64.01- 64.50 m.

BOX 13

64.50- 68.58 m Pale/medium green chloritic schist (metavolcanics) cut by numerous narrow cream/white calcite veinlets. Red ochre hematite (?) stained fracture fillings. Trace very fine grained disseminated pyrite throughout.

END OF HOLE 04 KEL 1

CORE RECOVERY

68.58 m drilled =100.00%  
65.41 m recovered = 95.38%  
3.17 m lost = 4.62%

ASSAY SAMPLES 04 KEL 1

SAMPLE #	INTERVAL
K 001	0 - 3.05 m
K 002	3.05 - 6.10
K 003	6.10 - 9.14
K 004	9.14 -12.19
K 005	12.19 -15.24
K 006	15.24 -18.29
K 007	18.29 -21.34
K 008	21.34 -24.38
K 009	24.38 -27.43
K 010	27.43 -30.48
K 011	30.48 -33.53
K 012	33.53 -36.58
K 013	36.58 -39.62
K 014	39.62 -42.67

SAMPLE #	INTERVAL
K 015	42.67 -45.72m
K 016	45.72 -48.77
K 017	48.77 -51.82
K 018	51.82 -54.86
K 019	54.86 -57.91
K 020	57.91 -60.96
K 021	60.96 -64.01
K 022	64.01 -67.06
K 023	67.06 -68.58 End of Hole.

## DIAMOND DRILL LOG

<b>HOLE NUMBER</b>	04 KEL 2
<b>DATE DRILLED</b>	July 22-25, 2004
<b>AZIMUTH</b>	170°
<b>DIP OF HOLE</b>	-50°
<b>CASING DEPTH</b>	3.0 meters
<b>BEDROCK DEPTH</b>	1.52 meters
<b>LENGTH OF HOLE</b>	54.86 meters (200 feet)
<b>CORE SIZE</b>	BQTW
<b>NORTHING</b>	6824654N
<b>EASTING</b>	573376E
<b>UTM ZONE</b>	7
<b>UTM DATUM</b>	NAD 83
<b>LOCATION</b>	Lower Canyon, Reed Creek, Whitehorse Mining District
<b>NTS</b>	115-G-12
<b>LOGGED BY</b>	Jim McFaull
<b>CLIENT</b>	Kelli Creek Group
<b>DRILLED BY</b>	E. Caron Diamond Drilling Ltd.

### BOX 1

0- 1.52 m No recovery, casing overburden (placer mine tailings).  
1.52-3.00 m Tailings pebbles. Lost 0.6m core.  
3.00- 4.00 m Pale grey/white feldspar porphyry dyke with rusty fracture fillings, and trace very fine grained disseminated pyrite. No HCl reaction.

### BOX 2

4.00- 4.40 m Pale grey/white feldspar porphyry dyke with trace very fine grained disseminated pyrite and rusty fracture fillings and cut by narrow white quartz veinlets. No HCl reaction.  
4.40- 4.80 m Dark grey limey graphitic schist with trace very fine grained disseminated pyrite and a strong HCl reaction. Schist is cut by narrow white quartz veinlets. Core is broken & rubbly. Hangingwall contact @ 60° TCA, footwall contact @ 45° TCA.  
4.80- 8.17 m Pale grey/white feldspar porphyry dyke with minor white & rusty quartz veinlets. No HCl reaction. No visible sulphides except at the footwall contact.  
8.17- 8.40 m Banded black & white limey graphitic schist as above. Hangingwall contact is irregular, from 10° to 90° TCA over 2cm.  
8.40- 8.50 m Footwall contact from graphitic schist to pale grey/white feldspar porphyry dyke with trace very fine grained disseminated pyrite. Contact @ 20° TCA & shows several embayments into the schist.

### BOX 3

8.50- 12.50 m Pale grey/white fine grained feldspar porphyry dyke with trace very fine grained disseminated pyrite and minor white quartz veinlets cross-cutting the dyke at

various angles TCA. Minor rusty fracture fillings. A minor pale green/grey chloritic schist @ 9.30- 9.80 m. A narrow remnant of limey black graphitic schist with strong HCl reaction @ 9.95- 9.98 m with hangingwall contact and footwall contact @ 55° TCA. The hangingwall contact is embayed. Core is fractured and rubbly @ 10.67- 12.50 m and fracture filled with white carbonate veinlets with strong HCl reaction.  
12.50- 12.60 m Contact with black limey graphitic schist with trace very fine grained disseminated pyrite and a strong HCl reaction. Contact @ 30° TCA.

#### BOX 4

12.60- 14.16 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Core becomes increasingly broken from 13.50m onwards until strong fault gouge is encountered @ 14.0- 14.16 m.

14.16- 16.76 m Pale grey/white feldspar porphyry dyke with trace very fine grained disseminated pyrite. Minor HCl reaction occurs on white carbonate fracture filling veinlets.

16.76- 16.86 m Black limey graphitic schist remnant with strong HCl reaction and trace very fine grained disseminated pyrite. Hangingwall contact @ 35° TCA and footwall contact @ 30° TCA and embayed.

16.86- 17.20 m Pale grey/white feldspar porphyry dyke with trace very fine grained disseminated pyrite.. Moderate HCl reaction on fracture fillings of white carbonate veinlets.

#### BOX 5

17.20- 21.00 m Pale grey/white feldspar porphyry dyke with trace very fine grained disseminated pyrite and moderate HCl reaction on fracture filling white carbonate veinlets.

21.00- 21.37 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite.

#### BOX 6

21.37- 22.20 m Black graphitic schist with trace very fine grained disseminated pyrite. Foliation @ 60° TCA.

22.20- 23.33 m Contact with buff/grey feldspar porphyry dyke with trace very fine grained disseminated pyrite and a strong HCl reaction on fracture filling but not on the dyke. Dyke walls parallel schist foliation (may imply a sill rather than a dyke?).

23.33- 24.38 m Black limey graphitic schist with a strong HCl reaction interbedded with a pale grey limey schist. Trace very fine grained disseminated pyrite.

24.38- 24.55 m Narrow pale grey feldspar porphyry dyke with trace very fine grained disseminated pyrite. Hangingwall contact @ 70° TCA and footwall contact @ 40° TCA.

24.55- 25.40 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite.

25.40- 26.10 m Pale grey feldspar porphyry dyke with trace very fine grained disseminated pyrite. No HCl reaction. Hangingwall contact @ 70° TCA and footwall contact @ 45° TCA.

26.10- 26.50 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite.

26.50- 26.80 m Pale grey feldspar porphyry dyke with trace very fine grained disseminated pyrite. No HCl reaction. Hangingwall contact @ 30° TCA.

#### BOX 7

26.80- 29.06 m Pale grey feldspar porphyry dyke with trace very fine grained disseminated pyrite and no HCl reaction.

29.06- 29.11 m Black graphitic schist remnant.

29.11-29.55 m Pale grey feldspar porphyry dyke with trace very fine grained disseminated pyrite and weak HCl reaction (probably from narrow carbonate veinlets throughout).

29.55- 31.46 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite. A brecciated zone with quartz carbonate vein fault contacts occurs @ 30.90- 31.16 m. The contacts are broken and rubbly.

31.46- 31.75 m Pale grey feldspar porphyry dyke with no HCl reaction and trace very fine grained disseminated pyrite. Footwall contact @ 10° TCA.

31.75- 32.00 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite.

#### BOX 8

32.00- 33.05 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite.

33.05- 33.30 m Pale grey/white limestone with strong HCl reaction and trace very fine grained disseminated pyrite.

33.30- 35.43 m Gradational contact to medium green chloritic schist (metavolcanics) cut by occasional white carbonate veinlets. Moderate HCl reaction from the veinlets only. Trace very fine grained disseminated pyrite. Minor rusty fracture fillings.

35.43- 36.65 m Black graphitic schist with weak HCl reaction and trace very fine grained disseminated pyrite. Lost 0.1m core in broken core.

36.65- 36.90 m Pale brown sericite schist with very weak HCl reaction (possibly from white carbonate veinlets, not from schist).

#### BOX 9

36.90- 38.44 m Pale brown sericite schist.

38.44- 42.55 m Gradational contact from sericite schist to black graphitic schist with no HCl reaction and with trace very fine grained disseminated pyrite and with minor interbeds of variable brownish/greenish sericite schist in the graphitic schist.

BOX 10

42.55- 46.45 m Pale grey/white feldspar porphyry dyke with trace very fine grained disseminated pyrite and no HCl reaction. Dyke is cut by numerous small white carbonate veinlets with strong HCl reaction. Footwall contact @ 40° TCA.

46.45- 46.90 m Black graphitic schist with no HCl reaction. Trace very fine grained disseminated pyrite. Footwall contact @ 45° TCA. Lost 0.14m core in broken core.

46.90- 47.58 m Pale white feldspar porphyry dyke with trace very fine grained disseminated pyrite and no HCl reaction.

BOX 11

47.58- 51.80 m Pale grey/white feldspar porphyry dyke with trace very fine grained disseminated pyrite. No HCl reaction on dyke-weal HCl reaction on white carbonate veinlets.

51.80- 52.45 m Black graphitic schist with no HCl reaction. Core is crushed and fault brecciated. Trace very fine grained disseminated pyrite. Hangingwall contact @ 20° TCA, footwall contact @ 25° TCA.

52.45- 52.70 m White feldspar porphyry dyke with no HCl reaction and no visible sulphides.

BOX 12

52.70- 54.60 m Pale grey/white feldspar porphyry dyke with no HCl reaction and no visible sulphides.

54.60- 54.86 m Black graphitic schist with trace very fine grained disseminated pyrite and no HCl reaction. Core is pebbly.

END OF HOLE 04 KEL 2

CORE RECOVERY

54.86 m drilled =100.00%  
52.50 m recovered = 95.70%  
2.36 m lost = 4.30%

ASSAY SAMPLES 04 KEL 2

SAMPLE #	INTERVAL
K 024	1.52 -4.57m
K 025	4.57 -7.62

SAMPLE #	INTERVAL
K 026	7.62 -10.67
K 027	10.67 -13.72
K 028	13.72 -16.76
K 029	16.76 -19.81
K 030	19.81 -22.86
K 031	22.86 -25.91
K 032	25.91 -28.96
K 033	28.96 -32.00
K 034	32.00 -35.05
K 035	35.05 -38.10
K 036	38.10 -41.15
K 037	41.15 -44.20
K 038	44.20 -47.24
K 039	47.24 -50.29
K 040	50.29 -54.86
End of Hole	

## DIAMOND DRILL LOG

<b>HOLE NUMBER</b>	04 KEL 3
<b>DATE DRILLED</b>	July 27-29, 2004
<b>AZIMUTH</b>	210°
<b>DIP OF HOLE</b>	-50°
<b>CASING DEPTH</b>	2.0 meters
<b>BEDROCK DEPTH</b>	0.82 meters
<b>LENGTH OF HOLE</b>	92.05 meters (303 feet)
<b>CORE SIZE</b>	BQW
<b>NORTHING</b>	6824632N
<b>EASTING</b>	573381E
<b>UTM ZONE</b>	7
<b>UTM DATUM</b>	NAD 83
<b>LOCATION</b>	Lower Canyon, Reed Creek, Whitehorse Mining District
<b>NTS</b>	115-G-12
<b>LOGGED BY</b>	Jim McFaull
<b>CLIENT</b>	Kelli Creek Group
<b>DRILLED BY</b>	E. Caron Diamond Drilling Ltd.

### BOX 1

0- 0.82 m No recovery, casing overburden (placer mine tailings).  
0.82- 4.90 m Pale grey/green/white quartz sericite schist cut by occasional narrow white quartz & carbonate veinlets. Light brown weathering of some carbonate veinlets due to proximity to surface. Trace very fine grained disseminated pyrite. Foliation @ 75° TCA.  
4.90- 6.25 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. 5% white quartz boudins. Minor narrow white quartz & carbonate veinlets cross-cut foliation. Foliation variable from 30° - 60° TCA. A larger white quartz vein @ 5.60-5.80 m with trace very fine grained disseminated pyrite, the core is fractured to pebbles with 0.15m lost core.

### BOX 2

6.25- 6.85 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite. Core is broken to small pebbles with 0.22m core loss.  
6.85- 7.40 m White/pale grey quartz sericite schist with 1% very fine grained disseminated pyrite. Core is strongly fractured and cut by numerous narrow white quartz veinlets and medium grey quartz veins. Rock appears well brecciated and re-silicified. Footwall contact @ 40° TCA & appears conformable to foliation of adjacent graphitic schist.  
7.40- 12.18 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite. Core is broken and rubby throughout. A small interbed of white/pale grey quartz sericite schist with 1% very fine grained disseminated pyrite @ 11.26- 11.40 m.

BOX 3

12.18- 13.13 m Black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite. Foliation @ 40° TCA.

13.13- 16.05 m Dark green chloritic schist (metavolcanics).

16.05- 16.90 m Dark green chloritic schist grades into tan/light brown schist which grades into black graphitic schist. Tan schist is cut by a narrow quartz vein @ 0° TCA. Trace very fine grained disseminated pyrite throughout.

16.90- 17.45 m Black graphitic schist with no HCl reaction. Trace very fine grained disseminated pyrite.

BOX 4

17.45- 23.10 m Black graphitic schist with weak to nil HCl reaction. Trace very fine grained disseminated pyrite. Foliation @ 40° TCA. Core is broken with 0.52m core lost.

BOX 5

23.10- 24.42 m Black graphitic schist with no HCl reaction and trace very fine grained disseminated pyrite. Broken core with 0.18m lost.

24.42- 24.80 m Strong fault zone. Core is small pebbles of black graphitic schist.

24.80- 25.00 m Black graphitic schist with no HCl reaction.

25.00- 29.28 m Pale grey/white quartz sericite schist with trace very fine grained disseminated pyrite. Core is very siliceous, may be altered by silicification (?). Footwall contact @ 45° TCA. Core is broken and 0.43m lost.

BOX 6

29.28- 30.48 m Black graphitic schist with no HCl reaction and 1% very fine grained disseminated pyrite and foliation @ 60°-80° TCA.

30.48- 32.10 m White/pale grey feldspar porphyry dyke with trace very fine grained disseminated pyrite cut by minor narrow white quartz veins.

32.10- 32.28 m Black graphitic schist fault zone- core is crushed to gouge.

32.28-33.53 m Tan/green/grey quartz sericite schist with 1% bright green talc or mariposite. Trace very fine grained disseminated pyrite. Foliation @ 60° TCA.

33.53- 35.04 m Black graphitic schist with no HCl reaction. Trace very fine grained disseminated pyrite.

BOX 7

35.04- 41.10 m Black graphitic schist with no HCl reaction. Trace very fine grained disseminated pyrite. A strong fault zone with the core crushed to gouge @ 39.12- 41.10 m.

BOX 8

41.10- 47.14 m Black graphitic schist with no HCl reaction. Trace very fine grained disseminated pyrite. Core is strongly faulted to gouge throughout this section.

BOX 9

47.14- 47.76 m Black graphitic schist with no HCl reaction. Trace very fine grained disseminated pyrite. Core is strongly faulted to gouge. Footwall contact @ 30° TCA.  
47.76- 51.82 m Tan weathering/pale grey quartz sericite schist with no HCl reaction. Trace very fine grained disseminated pyrite. Core is strongly fractured and the fractures are filled with white quartz veins and pink/reddish brown hematite (?).

BOX 10

51.82- 53.90 m White/pale grey quartz sericite schist with no HCl reaction. No visible pyrite. Core is weakly foliated @ 40°- 60° TCA.  
53.90- 54.53 m Black graphitic schist with no HCl reaction. Trace very fine grained disseminated pyrite. Core is slightly fault gouged and broken with 0.01m lost.  
54.53- 55.90 m Gradational contact from black schist through tan quartz sericite schist to medium green chloritic schist (metavolcanics). Trace very fine grained disseminated pyrite.  
55.90- 57.91 m Medium green talc schist with no HCl reaction. Trace very fine grained disseminated pyrite. Core is moderately fractured with pinkish/red hematite (?) stained fracture fillings.

BOX 11

57.91- 59.60 m Medium green talc schist with reddish hematite fracture fillings.  
59.60- 62.78 m Tan quartz sericite schist with reddish hematite fracture fillings. A small interbed of medium green talc schist with a gradational contact occurs @ 60.23- 60.33 m and a black graphitic schist fault zone occurs @ 61.07- 61.40 m.  
62.78- 64.01 m Tan quartz sericite schist grades into medium green talc schist with reddish hematite (?) fracture fillings. Trace very fine grained disseminated pyrite. Weak HCl reaction from narrow white carbonate veinlets cutting the schist.

BOX 12

64.01- 64.05 m Medium green talc schist grading into tan quartz sericite schist.  
64.05- 68.17 m Tan quartz sericite schist with no HCl reaction. Trace very fine grained disseminated pyrite. Small fault zones crushed to gouge occur @ 66.83- 67.52 & 67.87- 68.17 m with 0.18m lost core.  
68.17- 68.58 m Black graphitic schist fault gouge.  
68.58- 69.42 m White quartz sericite schist fault gouge.  
69.42- 69.60 m Black graphitic schist fault gouge.  
69.60- 69.90 m Tan quartz sericite schist.

BOX 13

69.90- 75.90 m Tan quartz sericite schist with occasional medium green talc schist interbeds. No HCl reaction. Trace very fine grained disseminated pyrite. Reddish brown hematite (?) stain on fracture fillings. Core is broken to 72.22 m. A strong fault zone occurs @ 72.22- 73.83 m with 0.23m core lost and with white gouge from 72.22- 73.25

m becoming a solid rusty red gouge from 73.25- 73.83 m. Core is broken and slightly gouged white quartz sericite schist @ 73.38- 75.90 m with 0.60m core lost..

#### BOX 14

75.90- 76.12 m Tan quartz sericite schist with minor medium green talc schist in gradational contact (possibly alteration of talc to sericite?). Weak HCl reaction from carbonate veinlet fracture fillings.

76.12- 76.30 m Black graphitic schist fault zone with trace very fine grained disseminated pyrite. Core is very broken with 0.15m lost.

76.30- 79.25 m Medium/dark green chloritic schist (metavolcanics) with some reddish/brown hematite (?) staining on fracture fillings. Trace very fine grained disseminated pyrite.

79.25- 80.00 m Black graphitic schist fault zone @ 10° TCA.

80.00- 80.20 m Tan/white quartz sericite schist.

80.20- 81.50 m Dark green chloritic schist (metavolcanics) with white carbonate and reddish hematite (?) fracture fillings. Trace very fine grained disseminated pyrite.

#### BOX 15

81.50- 86.87 m Dark green chloritic schist (metavolcanics) with white carbonate and red hematite (?) fracture fillings. Trace very fine grained disseminated pyrite.

#### BOX 16

86.87- 89.60 m Dark green chloritic schist (metavolcanics) with white carbonate and reddish hematite (?) stained fracture fillings. Trace very fine grained disseminated pyrite.

89.60- 90.70 m Black graphitic schist with trace very fine grained disseminated pyrite.

HCl reaction on white carbonate veinlets only. Hangingwall contact @ 30° TCA. Core is broken with 0.10m core lost.

90.70- 91.75 m Dark green chloritic schist (metavolcanics). Trace very fine grained disseminated pyrite.

91.75- 92.05 m Black graphitic schist fault gouge.

END OF HOLE 04 KEL 3

#### CORE RECOVERY

92.05 m drilled =100.00%

88.46 m recovered = 96.10%

3.59 m lost = 3.90%

ASSAY SAMPLES 04 KEL 3

SAMPLE #	INTERVAL
K 041	0.82 - 4.57 m
K 042	4.57 - 7.62

SAMPLE #	INTERVAL
K 043	7.62 -10.67
K 044	10.67 -13.72
K 045	13.72 -16.76
K 046	16.76 -19.81
K 047	19.81 -22.86
K 048	22.86 -25.91
K 049	25.91 -28.96
K 050	28.96 -32.00
K 051	32.00 -35.05
K 052	35.05 -38.10
K 053	38.10 -41.15
K 054	41.15 -44.20
K 055	44.20 -47.24
K 056	47.24 -50.29
K 057	50.29 -53.34
K 058	53.34 -56.39
K 059	56.39 -59.44
K 060	59.44 -62.48
K 061	62.48 -65.53
K 062	65.53 -68.58
K 063	68.58 -71.63
K 064	71.63 -74.68
K 065	74.68 -77.72
K 066	77.72 -80.77
K 067	80.77 -83.82
K 068	83.82 -86.87
K 069	86.87 -89.92
K 070	89.92 -92.05
End of Hole	

## DIAMOND DRILL LOG

<b>HOLE NUMBER</b>	04 KEL 4
<b>DATE DRILLED</b>	July 25-27, 2004
<b>AZIMUTH</b>	350°
<b>DIP OF HOLE</b>	-50°
<b>CASING DEPTH</b>	3.35 meters
<b>BEDROCK DEPTH</b>	3.00 meters
<b>LENGTH OF HOLE</b>	59.00 meters (194 feet)
<b>CORE SIZE</b>	BQTW
<b>NORTHING</b>	6824642N
<b>EASTING</b>	573375E
<b>UTM ZONE</b>	7
<b>UTM DATUM</b>	NAD 83
<b>LOCATION</b>	Lower Canyon, Reed Creek, Whitehorse Mining District
<b>NTS</b>	115-G-12
<b>LOGGED BY</b>	Jim McFaull
<b>CLIENT</b>	Kelli Creek Group
<b>DRILLED BY</b>	E. Caron Diamond Drilling Ltd.

### BOX 1

0- 3.00 m No recovery, casing overburden (placer mine tailings).  
3.00- 6.40 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Core is broken throughout and is faulted to gouge @ 4.57-5.70 m. Foliation @ 45° TCA.

### BOX 2

6.40- 11.50 m Black limey graphitic schist with strong HCl reaction throughout. Trace very fine grained disseminated pyrite. Core is very broken and heavily gouged to 10.90m. Core loss of 0.33m. Foliation @ 0° to 50° TCA.

### BOX 3

11.50- 16.50 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Core is broken throughout. Foliation @ 10° TCA.

### BOX 4

16.50- 20.80 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Foliation @ 10° TCA. Minor interbeds of pale grey quartz sericite schist. Core is less broken past 16.76m. Core loss of 0.14m.

### BOX 5

20.80- 25.80 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Foliation variable @ 10° to 50° TCA. Core is fractured.

BOX 6

25.80- 26.20 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Core loss of 1.31m.  
26.20- 26.52 m Tan quartz sericite schist with no HCl reaction and no visible sulfides.  
26.52- 32.50 m Medium green chloritic schist (metavolcanics) with weak HCl reaction (on narrow white carbonate veinlets). No visible sulfides. Foliation variable from 10° to 70° TCA with considerable folding of foliation.

BOX 7

32.50- 33.53 m Medium green chloritic schist (metavolcanics) with weak HCl reaction (on narrow carbonate veinlets). No visible sulfides.  
33.53- 34.45 m Tan quartz sericite schist with no HCl reaction and no visible sulfides.  
34.45- 35.35 m Medium green chloritic schist (metavolcanics) as above.  
35.35- 36.80 m Tan quartz sericite schist as above. Core is slightly broken and foliation @ 20° TCA.

BOX 8

36.80- 37.01 m Tan quartz sericite schist as above.  
37.01- 42.37 m Tan quartz sericite schist with a strong HCl reaction from narrow interbeds of creamy white limestone/marble which occur throughout the section. Trace very fine grained disseminated pyrite. Foliation @ 20° TCA.

BOX 9

42.37- 45.72 m Tan quartz sericite schist and interbedded limestone as above. Core is broken and fault gouged @ 44.0m with 0.10m core loss.  
45.72- 48.50 m Black graphitic schist with no HCl reaction. Trace very fine grained disseminated pyrite. Foliation @ 20° TCA. Core is broken with 0.40m core loss.

BOX 10

48.50- 53.64 m Black graphitic schist with no HCl reaction and trace very fine grained disseminated pyrite interbedded with minor tan quartz sericite schist to 50.71m. The sericite schist also has no HCl reaction and has trace very fine grained disseminated pyrite. Core is broken with 0.04m core loss.

BOX 11

53.64- 59.00 m Black graphitic schist with no HCl reaction and trace very fine grained disseminated pyrite interbedded with minor tan quartz sericite schist. The sericite schist also has no HCl reaction and has trace very fine grained disseminated pyrite.

END OF HOLE 04 KEL 4

CORE RECOVERY

59.00 m drilled =100.00%  
53.68 m recovered = 90.98%  
5.32 m lost = 9.02%

ASSAY SAMPLES 04 KEL 4

SAMPLE #	INTERVAL
K 071	3.00 – 6.10 m
K 072	6.10 – 9.14
K 073	9.14 -12.19
K 074	12.19 -15.24
K 075	15.24 -18.29
K 076	18.29 -21.34
K 077	21.34 -24.38
K 078	24.38 -28.96
K 079	28.96 -32.00
K 080	32.00 -35.05
K 081	35.05 -38.10
K 082	38.10 -41.15
K 083	41.15 -44.20
K 084	44.20 -47.24
K 085	47.24 -50.29
K 086	50.29 -53.34
K 087	53.34 -56.39
K 088	56.39 -59.00
End of Hole	

## DIAMOND DRILL LOG

**HOLE NUMBER** 04 KEL 5  
**DATE DRILLED** July 29-30, 2004  
**AZIMUTH** 210°  
**DIP OF HOLE** -65°  
**CASING DEPTH** 3.35 meters  
**BEDROCK DEPTH** 5.45 meters  
**LENGTH OF HOLE** 30.48 meters (100 feet)  
**CORE SIZE** BQW  
**NORTHING** 6824632N  
**EASTING** 573381E  
**UTM ZONE** 7  
**UTM DATUM** NAD 83  
**LOCATION** Lower Canyon, Reed Creek, Whitehorse Mining District  
**NTS** 115-G-12  
**LOGGED BY** Jim McFaul  
**CLIENT** Kelli Creek Group  
**DRILLED BY** E. Caron Diamond Drilling Ltd.

### BOX 1

0.0 -2.00 m No recovery-casing placer tailings.

2.00- 5.45 m Placer tailings.

5.45- 8.30 m Pale grey/white quartz sericite schist cut by occasional narrow white quartz and carbonate veinlets. No HCl reaction on the sericite schist and a weak HCl reaction from the carbonate veinlets. Trace very fine grained disseminated pyrite. Minor interbeds of black limey graphitic schist with a strong HCl reaction and trace very fine grained disseminated pyrite @ 8.10- 8.21m. Narrow white quartz veins cut the graphitic schist, one of which has a small vug lined with grey quartz crystals @ 8.40m. core loss of 0.10m.

### BOX 2

8.30- 10.67 m Pale grey/white quartz sericite schist cut by occasional narrow white quartz and carbonate veinlets. No HCl reaction on the sericite schist and a weak HCl reaction from the carbonate veinlets. Trace very fine grained disseminated pyrite. Minor interbeds of black limey graphitic schist with strong HCl reaction and trace very fine grained disseminated pyrite @ 8.30- 8.50m and @ 9.45- 10.51m.

10.67- 13.05 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Schist is cut by narrow white quartz and carbonate veinlets. Foliation variable but mostly @ 70° TCA.

### BOX 3

13.05- 17.20 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Schist is cut by narrow white quartz and carbonate veinlets. Foliation variable but mostly @ 70° TCA.

17.20- 18.29 m Medium green chloritic schist (metavolcanics) with a weak HCl reaction from narrow carbonate veinlets. Trace very fine grained disseminated pyrite. Hangingwall contact conforms to foliation @ 70° TCA.

BOX 4

18.29- 21.60 m Medium green chloritic schist (metavolcanics) with weak HCl reaction from narrow carbonate veinlets. Trace very fine grained disseminated pyrite. Footwall contact conformable with foliation @ 60° TCA.

21.60- 21.76 m Black graphitic schist bed grades rapidly into quartz sericite schist.

21.76- 23.54 m Tan/pale green/grey quartz sericite schist with no HCl reaction. Trace very fine grained disseminated pyrite. Cut by narrow quartz veins.

BOX 5

23.54- 26.16 m Tan quartz sericite schist faulted to gouge @ 25.20- 25.42m with minor black graphitic schist in the fault. Core loss of 0.07m. Footwall contact @ 26.16m.

26.16- 30.48 m Black limey graphitic schist with strong HCl reaction. Trace very fine grained disseminated pyrite. Foliation @ 70° TCA.

END OF HOLE 04 KEL 5

CORE RECOVERY

30.48 m drilled =100.00%  
28.31 m recovered = 92.88%  
2.17 m lost = 7.12%

ASSAY SAMPLES 04 KEL 5

SAMPLE #	INTERVAL
K 089	5.45 – 9.14 m
K 090	9.14 -12.19
K 091	12.19 -15.24
K 092	15.24 -18.29
K 093	18.29 -21.34
K 094	21.34 -24.38
K 095	24.38 -27.43
K 096	27.43 -30.48
End of Hole	

# GREYHOUND CDA TRANS CORP

GST NO. 891646655RT1 WAYBILL NO. 71497555953

GREYHOUND LINES OF CANADA  
2151 PND AVE.  
WHITEHORSE YT

CARD NUMBER [REDACTED]  
ACCOUNT TYPE [REDACTED]  
DATE/TIME 12/14/04 2:26 PM 21  
RECEIPT NO/REF 2205/473  
PURCHASER [REDACTED]  
TOTAL AMOUNT [REDACTED]  
[REDACTED]  
[REDACTED]

**VANCOUVER BC**  
**PREPAID DEBIT**  
CONSIGNEE ACM001 REF: 5 PIECES  
ACME ANALYTICAL LAB LTD  
852 E HASTINGS ST  
VANCOUVER BC V6A1R6 604-253-3158  
**SHIPPER**  
LARRY TREMBLAY  
REED CREEK PLACERS  
WHITEHORSE YT  
REFERENCE:

WHITEHORSE 497 309773  
12/14/04 2:26 PM 21  
ACTUAL WEIGHT 212.0 LBS  
DECLARED VALUE NDV  
EXPRESS 120.11  
GSTBC 8.41  
**TOTAL 128.52**

RECEIPT  
SHIPP

STATION TO DOOR

FORM 256 REV 01/16/03

# GREYHOUND CDA TRANS CORP

GST NO. 891646655RT1 WAYBILL NO. 71497555931

**VANCOUVER BC**  
**PREPAID DEBIT**  
CONSIGNEE ACM001 REF: 5 PIECES  
ACME ANALYTICAL LAB LTD  
852 E HASTINGS ST  
VANCOUVER BC V6A1R6 604-253-3158  
**SHIPPER**  
LARRY TREMBLAY  
REED CREEK PLACERS  
WHITEHORSE YT  
REFERENCE:

WHITEHORSE 497 309771  
12/14/04 2:23 PM 21  
ACTUAL WEIGHT 201.7 LBS  
DECLARED VALUE NDV  
EXPRESS 115.61  
GSTBC 8.09  
**TOTAL 123.70**

STATION TO DOOR

FORM 256 REV 01/16/03

# GREYHOUND CDA TRANS CORP

GST NO. 891646655RT1 WAYBILL NO. 71497555942

**VANCOUVER BC**  
**PREPAID DEBIT**  
CONSIGNEE ACM001 REF: 5 PIECES  
ACME ANALYTICAL LAB LTD  
852 E HASTINGS ST  
VANCOUVER BC V6A1R6 604-253-3158  
**SHIPPER**  
LARRY TREMBLAY  
REED CREEK PLACERS  
WHITEHORSE YT  
REFERENCE:

WHITEHORSE 497 309772  
12/14/04 2:24 PM 21  
ACTUAL WEIGHT 243.0 LBS  
DECLARED VALUE NDV  
EXPRESS 134.06  
GSTBC 9.38  
**TOTAL 143.44**

STATION TO DOOR

FORM 256 REV 01/16/03

SHIPPER RECEIPT

SHIPPER RECEIPT

71497555904  
WHITEHORSE 497 309774  
12/14/04 2:27 PM 21  
ACTUAL WEIGHT 183.0 LBS  
DECLARED VALUE NDV

4 PIECES  
EXPRESS 107.06  
GSTBC 107.49

TOTAL 114.55

SHIPPER RECEIPT

SHIPPER RECEIPT

891646655RT1 WAYBILL NO. 71497555942  
**VANCOUVER BC**  
**PREPAID DEBIT**  
CONSIGNEE ACM001 REF: 5 PIECES  
ACME ANALYTICAL LAB LTD  
852 E HASTINGS ST  
VANCOUVER BC V6A1R6 604-253-3158  
**SHIPPER**  
LARRY TREMBLAY  
REED CREEK PLACERS  
WHITEHORSE YT  
REFERENCE:

5 PIECES  
EXPRESS 134.06  
GSTBC 9.38

TOTAL 143.44

STATION TO DOOR

PLEASE PRINT CLEARLY IN INK. REFER TO THE REVERSE SIDE FOR SHIPPING, PACKING, TARIFF AND CARRIER INFORMATION. REFER TO THE REVERSE SIDE FOR DETAILS OR CONSULT AGENT.

PLEASE PRINT CLEARLY IN INK. REFER TO THE REVERSE SIDE FOR SHIPPING, PACKING, TARIFF AND CARRIER INFORMATION. REFER TO THE REVERSE SIDE FOR DETAILS OR CONSULT AGENT.



PLEASE PRINT CLEARLY IN INK. REFER TO THE REVERSE SIDE FOR SHIPPING, PACKING, TARIFF AND CARRIER INFORMATION. REFER TO THE REVERSE SIDE FOR DETAILS OR CONSULT AGENT.

**ACME ANALYTICAL LABORATORIES LTD.**

852 East Hastings,, Vancouver, B.C., CANADA V6A 1R6

Phone: (604) 253-3158 Fax: (604) 253-1716

Our GST # 100035377 RT

**REED CREEK PLACERS**Box 309  
Cedar, BC  
V9X 1W1Inv.#: **A407731**  
Date: Jan 6 2005

QTY	ASSAY	PRICE	AMOUNT
96	GROUP 3B - AU @	11.00	1056.00
96	R150 - CORE @	5.25	504.00
	RXCR - 285.50 kg @ \$0.80/kg		1560.00
	RXS - 285.50 kg @ \$0.30/kg		228.40
			85.65
			1874.05
			131.18
			<b>2005.23</b>

GST Taxable  
7.00% GST

CAD \$

Project: Kelli Creek  
Samples submitted by Larry Tremblay

COPIES 1

Please pay last amount shown. Return one copy of this invoice with payment.  
TERMS: Net two weeks. 1.5 % per month charged on overdue accounts.

[ COPY 2 ]



GEOCHEM PRECIOUS METALS ANALYSIS




Reed Creek Placers PROJECT Kelli Creek File # A407731 Page 1

Box 309, Cedar BC V9X 1W1 Submitted by: Larry Tremblay

SAMPLE#	Au** ppb	Sample kg
SI	4	-
K001	4	1.94
K002	7	3.97
K003	5	4.39
K004	12	4.20
K005	11	4.46
K006	22	4.70
K007	27	4.50
K008	51	4.30
K009	53	4.29
K010	22	4.39
K011	56	4.55
K012	7	5.37
K013	13	3.73
K014	8	3.51
K015	20	3.52
K016	18	2.21
K017	12	3.95
K018	25	4.55
K019	5	2.58
K020	2	3.91
RE K020	2	-
RRE K020	3	-
K021	4	3.80
K022	3	3.00
K023	<2	2.67
K024	14	4.26
K025	11	4.38
K026	11	4.55
K027	6	3.60
K028	5	3.79
K029	3	6.25
K030	5	4.40
K031	<2	4.87
K032	7	5.29
K033	2	4.11
STANDARD AU-R2	589	-

GROUP 3B - FIRE GEOCHEM AU - 30 GM SAMPLE FUSION, DORE DISSOLVED IN AQUA - REGIA, ICP ANALYSIS. UPPER LIMITS = 10 PPM.  
- SAMPLE TYPE: CORE R150 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data h FA \_\_\_\_\_ DATE RECEIVED: DEC 20 2004 DATE REPORT MAILED: Dec 31/04





SAMPLE#	Au** ppb	Sample kg
K034	15	4.66
K035	13	4.35
K036	34	4.40
K037	19	4.94
K038	7	4.24
K039	11	4.54
K040	17	5.39
K041	6	4.81
K042	6	3.04
K043	6	3.28
K044	7	3.26
K045	18	3.92
K046	120	3.56
K047	17	4.41
K048	64	1.81
K049	10	3.44
K050	24	4.37
RE K050	27	-
RRE K050	22	-
K051	148	4.19
K052	17	3.99
K053	21	3.61
K054	32	3.06
K055	11	3.55
K056	5	3.54
K057	2	5.15
K058	3	3.85
K059	3	3.19
K060	9	3.61
K061	5	3.76
K062	4	3.16
K063	5	3.06
K064	6	2.87
K065	3	2.51
K066	9	2.99
STANDARD AU-R2	589	-

Sample type: CORE R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Au** ppb	Sample kg
K067	4	4.61
K068	<2	4.90
K069	2	4.16
K070	7	2.31
K071	191	3.91
K072	10	2.26
K073	4	3.45
K074	4	3.81
K075	5	3.51
K076	4	4.10
K077	8	4.35
K078	17	4.30
K079	12	5.05
K080	8	6.69
RE K080	6	-
RRE K080	9	-
K081	65	4.02
K082	110	4.26
K083	21	3.44
K084	135	4.27
K085	41	3.15
K086	150	3.84
K087	169	3.56
K088	172	3.65
K089	5	5.44
K090	3	3.75
K091	8	4.76
K092	14	4.70
K093	16	5.39
K094	14	3.56
K095	96	3.50
K096	25	4.30
STANDARD AU-R2	589	-

Sample type: CORE R150 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

**(ATTACHMENT 4)**

**YA95345 KELLI 17 – 346 KELLI 18**

DUE TO MAJOR DAMAGE CREATED BY SPRING FLOODING, AN EXCESS OF OVERFLOW ICE COMBINED WITH EXTENSIVE MATERIAL SLOUGHING FROM THE UPPER CANYON WALL, MAJOR EQUIPMENT WORK WAS REQUIRED TO REBUILD THIS ACCESS ROUTE UP THE CANYON.

D7 CAT 6 HRS. @ \$100.00 PER HR.	\$600.00
2 ½ CU.YD. HOE 4 HRS. @ \$100.00 PER HR.	\$400.00
FUEL – OILS	\$150.00

**SEPT 17, 2004**

LEVELED DRILL SITES AT LOWER CANYON CLAIMS YA95345 – 346, REMOVED AND SPREAD OVERBURDEN SLIDE MATERIAL THAT CAME DOWN FROM THE UPPER CANYON WALL. RESTRUCTURED AND STABILIZED CREEK BANK ALONG ROAD AT CANYON MOUTH.

D8 CAT 5 HRS. @ \$125.00 PER HR.	\$625.00
FUEL	\$100.00