

**GEOCHEMICAL
REPORT**

094673

ML 1- 8 CLAIMS


GRANT #

YC30939 -YC30946

NTS # 106 L \ 4

LAT: 66° 07' N

LONG: 135° 47' W



DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED JULY 31, 2004

DATE OF REPORT NOVEMBER 15, 2005

Costs associated with this report have been
approved in the amount of \$ 3,200
for assessment credit under Certificate of
Work No. 2D00603

H. Perry

Mining Recorder
Dawson City Mining District

TABLE OF CONTENT

SUMMARY	P.3
1.0 INTRODUCTION	P.3
2.0 LOCATIONS AND ACCESS	P.3
3.0 PROPERTY DESCRIPTION	P.3
4.0 PHYSIOGRAPHY	P.3
5.0 REGIONAL AND PROPERTY GEOLOGY	P.4
5.1 PROPERTY GEOLOGY	P.4
6.0 WORK PROGRAM / METHODS	P.4
6.1 SOIL WORK	P.4
7.0 INTERPRETATION	P.4
7.1 SOIL WORK	P.4
8.0 RECOMMENDATION	P.4
9.0 REFERENCES CITED	P.5
10.0 COST	P.5
11.0 QUALIFICATION	P.6
Claim Map	Appendix
Lead Soil Map	Figure 1
Zinc Soil Map	Figure 2
Assay Data	Appendix
Soil GPS Data	Appendix

SUMMARY

The ML Claims seen 2 man days of soil sampling taking place in late July of 2004. In total there was 61 soil collected. The soil sampling revealed three areas that should be further followed up.

1.0 INTRODUCTION

The ML 1-8, YC30939 -YC30946 claims will be renewed for four year.

2.0 LOCATIONS AND ACCESS

The ML 1 - 8 claims are located on NTS 106 L / 4 in the Dawson Mining District. The Property lies 285 kilometer north east of Dawson City, Yukon. Access is via helicopter from Dawson City, Yukon.

3.0 PROPERTY DESCRIPTION

The Property consists of 8 full Quartz mining claims, which are registered in the Dawson Mining District. The Property covers 161.6 hectares or 400 acres.

4.0 PHYSIOGRAPHY

The property lies between the elevations of 2500 feet and 3100 feet. The property is partially covered with boreal forest vegetation such as white spruce and black spruce on the lower elevation and tundra on the ridge top.

5.0 PROPERTY GEOLOGY

5.1 PROPERTY GEOLOGY (excerpt from Minfile 106L 033)

The ML claims cover part of a window of Lower Cambrian Illtyd Formation limestone exposed by faulting in the core of a broad anticline, through Middle Cambrian Slats Creek and Taiga Formation shale.

6.0 WORK PROGRAM / METHODS

The ML claims seen 2 man days of soil work. Tyson Foxcroft and Jeremy Taylor worked one day on July 31, 2004 and collected 61 soil samples.

6.1 SOIL WORK

The soil work consists of soil sampling with soil augers at an average depth of 60 centimeter. Soil sample where place in Kraft soil bags with sample numbers marked on the bags. A sample description of the color, depth, slope, horizon and UTM location was noted in field notes. A Garmin 76 GPS was used to get the exact UTM location. All GPS soil sample location where electronically downloaded every evening back in base camp. Soil sample where taken at 100 meters intervals on soil traverse lines. All assay where process at the Acme Lab in Vancouver with Group 1DX: ICP - MS on 15 grams.

7.0 INTERPRETATION

7.1 SOIL WORK

The soil work indicated three zinc and lead soil anomalies. Anomaly one is located in the western part of the grid and is 400 meters long by 300 meters wide and has value reaching 5252 ppm Zn and 661 ppm Pb. Anomaly number two is located along the eastern edge of the grid and covers a area of 200 meters wide and 300 meters long. Values reach 7052 ppm Zn and 833 ppm Pb. Anomaly number three is located at the northern end of the grid this anomaly coverts 100 meters by 100 meters and has value reaching 744 ppm Zn and 847 ppm Pb.

8.0 RECOMMENDATION

I would recommend expanding the soil survey on 50 meters soil spacing across the entire claim block.

9.0 REFERENCES CITED

Geochemical Report , ML Group, Assessment report 090021.

YTG Minfile 106L 033

10.0 COST

Assay Cost 61 sample @ \$16.20 per sample	\$988.00
Wage 2 man days @ \$250.00 per day	\$500.00
Wage 2 man days @ \$250.00 per day Travel days	\$500.00
Helicopter Travel .75 hours at \$1150.00 per hour	\$850.00
Truck + Gas 2 days \$100.00 per day	\$200.00
Report Writing	\$300.00

Total	\$3338.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 22 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and Vlf surveys.

I have overseen the ML Claims soil Survey.


I own 100 % of the ML Claims.

Dated this 16 of November 2005 in Dawson City, Yukon.


Respectfully submitted


A handwritten signature in black ink, appearing to read 'Shawn Ryan', written in a cursive style.

Shawn Ryan



↑
North
↓





GEOCHEMICAL ANALYSIS CERTIFICATE


Ryanwood Exploration Inc. File # A405766 Page 1
Box 213, Dawson City YT Y0B 1G0



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
ZNA-00	1.1	18.4	225.1	1210	.9	21.2	9.5	1832	2.04	9.9	.5	1.2	1.0	28	3.8	1.0	.2	33	2.31	.077	13	18.1	.29	1012	.010	6	1.05	.007	.08	.2	.12	1.7	.2	.20	3	.7
ZNA-01	1.2	19.0	596.8	3230	1.3	23.4	10.7	1689	2.45	10.8	.4	1.6	1.2	29	7.4	1.2	.2	46	1.30	.071	15	23.4	.36	1597	.008	6	1.40	.006	.09	.1	.21	2.4	.1	.10	4	.8
ZNA-02	2.2	23.9	321.2	1451	.8	30.0	11.5	1566	2.68	14.5	.5	<.5	2.9	20	2.9	1.6	.2	43	1.52	.061	18	23.9	.33	964	.008	4	1.33	.006	.14	.1	.15	3.3	.2	.14	4	.8
ZNA-03	1.0	20.4	93.7	686	.5	19.4	9.1	1033	1.85	9.3	.8	<.5	1.4	40	2.3	1.0	.2	33	4.50	.083	9	18.6	.25	501	.008	8	1.01	.006	.09	.1	.10	2.4	.1	.18	3	.9
ZNA-04	1.5	27.5	58.4	527	.5	33.0	13.3	798	3.04	13.5	.5	.9	4.9	41	2.0	1.1	.2	49	3.29	.059	15	27.9	.39	940	.017	4	1.44	.007	.12	.1	.07	3.9	.2	<.05	4	<.5
ZNA-05	1.4	18.9	45.1	339	.5	24.0	12.1	1222	2.52	11.7	.5	1.5	1.2	26	3.4	1.1	.2	42	1.95	.074	13	22.6	.36	1914	.010	4	1.42	.007	.08	.1	.08	2.4	.1	<.05	4	.7
ZNA-06	1.4	19.9	46.9	187	.3	23.2	10.3	1701	2.45	11.6	.4	1.2	1.4	30	1.4	.9	.2	38	2.83	.065	14	22.0	.34	552	.009	9	1.31	.007	.11	.1	.07	2.5	.2	<.05	4	.8
ZNA-07	1.3	18.4	171.0	744	.8	24.9	10.6	2204	2.82	11.5	.5	.8	1.2	16	3.1	1.0	.2	43	.98	.075	17	24.9	.32	866	.008	4	1.42	.005	.10	.1	.18	2.6	.2	.06	4	.8
ZNA-08	1.7	21.6	161.2	572	.8	28.3	12.3	2279	2.76	13.2	.5	2.5	.9	26	2.8	1.6	.2	37	2.67	.083	16	20.3	.29	907	.008	7	1.21	.007	.10	.1	.08	1.8	.2	.06	3	.9
ZNA-09	1.4	19.6	847.0	595	1.5	30.8	13.6	1658	3.16	13.3	.5	1.8	1.5	30	2.1	2.1	.2	36	2.86	.058	13	19.9	.29	1569	.010	4	1.17	.006	.09	.1	.10	2.1	.2	.11	3	.6
ZNA-10	1.6	20.9	264.1	524	1.1	28.6	11.4	984	2.87	16.1	.5	.7	2.0	28	3.2	1.8	.2	43	2.42	.059	13	23.6	.37	1580	.009	5	1.34	.007	.12	.1	.07	2.9	.2	<.05	4	.5
ZNA-11	1.8	22.0	195.9	776	1.0	31.1	11.8	1642	3.15	16.9	.5	.6	1.3	21	4.7	2.2	.2	37	1.65	.078	16	19.7	.31	576	.007	4	1.42	.006	.09	.1	.17	2.4	.2	.09	3	.9
ZNA-12	1.2	22.7	66.3	888	.5	31.9	11.9	1210	2.43	11.4	.5	1.0	1.8	29	3.3	.9	.2	36	3.37	.067	13	19.9	.32	281	.009	5	1.25	.006	.10	.1	.07	2.7	.2	.07	3	.7
ZNA-13	1.5	17.0	250.0	1185	.8	25.4	11.5	1445	2.51	11.2	.5	1.3	1.7	28	5.3	1.2	.2	44	2.56	.067	14	23.1	.34	372	.007	6	1.40	.006	.10	.1	.10	2.6	.2	<.05	4	.7
ZNA-14	1.1	16.2	175.4	2356	1.3	16.2	7.5	2896	2.02	12.7	.6	<.5	1.6	33	5.8	1.3	.2	26	3.30	.075	11	15.0	.24	867	.005	4	.85	.005	.05	.1	.45	2.1	.1	.10	3	.8
ZNA-15	1.4	27.9	481.4	1804	.7	31.2	10.4	560	2.64	11.8	.5	1.9	4.7	36	2.3	1.1	.2	46	2.00	.066	17	25.0	.42	1373	.019	4	1.46	.007	.10	.1	.14	3.9	.2	<.05	4	<.5
ZNA-16	1.4	18.5	511.9	3204	1.4	24.0	10.5	1982	2.36	11.0	.4	1.7	1.7	38	8.9	1.2	.2	39	2.73	.066	15	21.4	.36	1436	.008	5	1.25	.007	.08	.1	.19	2.3	.1	.07	3	.9
ZNA-17	1.5	20.6	358.9	4432	3.9	26.1	11.0	1450	2.42	11.4	.4	1.1	2.1	37	12.0	1.4	.2	41	2.83	.060	13	21.8	.38	1475	.007	7	1.39	.006	.11	.1	.31	2.9	.2	.10	4	.8
ZNA-18	1.7	21.6	415.0	2734	1.5	25.6	10.1	2302	2.20	12.1	.5	1.2	1.1	34	5.8	1.6	.2	32	3.70	.091	15	18.8	.31	641	.009	7	1.14	.007	.10	.1	.21	2.2	.3	.23	3	.9
ZNA-19	1.3	20.2	410.5	2189	.9	23.4	10.5	1264	2.14	10.0	.4	.7	1.8	52	7.1	1.0	.2	35	4.76	.063	11	19.2	.34	1191	.007	5	1.11	.007	.09	.1	.15	2.4	.1	.18	3	.6
RE ZNA-19	1.3	21.0	415.4	2241	.9	24.3	10.8	1372	2.23	10.2	.4	1.0	1.9	56	7.0	1.0	.2	36	4.92	.064	12	20.4	.37	1354	.009	7	1.13	.007	.10	.1	.14	2.6	.1	.20	3	.7
ZNA-21	1.1	24.9	172.3	1613	.7	31.7	12.1	1489	2.99	13.1	.5	2.5	5.0	33	3.0	1.0	.2	50	3.50	.060	16	28.5	.41	473	.023	3	1.39	.007	.12	.1	.19	4.3	.1	<.05	4	<.5
ZNA-23	1.3	20.3	83.3	332	.4	24.6	10.2	1727	2.83	11.3	.5	2.7	2.2	25	1.2	1.1	.2	42	2.28	.068	14	23.7	.30	291	.012	5	1.20	.006	.09	.1	.08	3.0	.1	.13	3	.5
ZNA-24	1.5	28.5	241.8	727	.9	36.6	13.9	796	3.81	17.9	.5	4.6	4.6	33	2.0	1.6	.2	49	4.01	.058	15	27.8	.36	952	.020	3	1.41	.006	.10	.1	.11	3.9	.2	.11	4	<.5
ZNA-25	1.3	24.8	193.3	376	.8	31.2	12.0	939	2.98	12.2	.4	1.2	3.1	43	1.7	1.4	.2	44	4.33	.064	12	25.0	.35	365	.012	5	1.37	.006	.13	.1	.07	3.6	.2	.16	4	.5
ZNA-26	1.5	17.7	105.9	326	.5	25.1	11.5	1975	2.86	12.2	.5	1.5	1.0	18	1.6	1.2	.2	45	1.59	.081	16	24.0	.30	416	.009	8	1.35	.006	.12	.1	.07	2.4	.2	.16	4	.7
ZNA-27	1.1	17.4	81.5	508	.5	18.2	8.4	1178	1.91	10.1	.4	1.3	1.1	26	2.1	.9	.2	32	2.99	.079	11	18.2	.26	354	.009	5	1.00	.005	.09	.1	.14	1.8	.2	.12	3	.8
ZNA-28	1.7	19.7	91.0	291	.4	25.3	10.3	847	2.27	12.1	.5	2.9	1.5	34	1.3	1.1	.2	37	4.38	.054	13	20.6	.29	388	.009	4	1.08	.005	.11	.1	.09	2.4	.2	<.05	3	.7
ZNA-29	1.4	22.4	237.1	446	.8	29.7	12.0	1082	3.05	13.9	.5	2.7	2.8	38	2.6	1.4	.2	43	3.71	.065	13	23.3	.37	1077	.011	5	1.24	.006	.10	.1	.09	3.0	.2	.10	4	.5
ZNA-30	.8	23.0	76.6	199	.4	30.3	12.7	1056	3.41	13.9	.6	2.9	5.0	22	.7	1.0	.2	45	1.50	.061	14	25.4	.34	486	.012	6	1.31	.006	.11	.1	.06	3.9	.1	<.05	4	<.5
ZNB-01	6.5	19.4	64.9	123	.4	11.9	6.6	162	2.17	14.5	1.2	<.5	6.9	7	.5	1.9	.3	28	.17	.027	32	12.9	.29	308	.001	4	.88	.002	.15	<.1	.13	2.0	.4	<.05	3	1.8
ZNB-02	3.4	31.1	529.7	2287	1.9	31.4	10.0	413	2.33	18.1	.7	1.0	5.7	21	7.4	2.8	.3	38	1.43	.043	19	19.4	.35	1142	.005	7	1.36	.005	.20	.1	.44	3.3	.3	.07	4	1.3
ZNB-03	2.1	26.1	175.9	527	.7	30.4	11.5	613	2.77	15.2	.5	2.0	3.8	23	3.5	1.5	.3	44	1.46	.053	18	24.9	.39	619	.008	4	1.48	.006	.14	.1	.10	3.5	.2	<.05	4	.6
ZNB-04	1.7	21.7	81.6	265	.5	30.0	12.3	1165	2.71	15.9	.6	2.2	2.1	21	1.9	1.1	.2	44	1.41	.068	17	21.9	.31	369	.007	5	1.33	.005	.10	.1	.10	2.8	.2	<.05	3	.7
STANDARD DS5	13.2	144.8	25.7	139	.3	24.9	12.6	784	3.02	19.8	6.2	42.0	2.9	50	6.2	3.9	6.6	60	.79	.099	13	184.3	.68	147	.100	17	2.11	.032	.17	5.0	.21	3.6	1.1	<.05	7	5.0

GROUP 1DX - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY.
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: SEP 21 2004 DATE REPORT MAILED: Oct 15/04





SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
ZNB-05	1.9	18.4	96.5	281	1.0	24.2	10.0	816	2.49	13.8	.5	2.1	1.9	18	1.3	1.3	.2	42	1.16	.053	16	21.8	.34	421	.007	4	1.23	.007	.10	<.1	.08	2.5	.2	.12	3	.6
ZNB-06	2.5	17.9	176.2	449	.9	25.6	9.9	789	2.21	14.1	.5	1.3	2.0	24	2.1	1.7	.2	34	1.94	.043	16	17.6	.27	314	.005	4	1.10	.006	.09	.1	.13	2.3	.2	.10	3	.7
ZNB-07	1.7	18.1	164.0	320	.6	21.8	9.7	976	2.42	12.8	.5	1.6	1.5	32	1.8	1.2	.2	39	3.48	.061	16	20.2	.31	384	.007	3	1.20	.007	.07	.1	.08	2.1	.2	.11	3	.8
ZNB-08	2.0	16.2	199.9	525	.8	20.9	9.3	1073	2.43	13.9	.5	2.6	1.8	30	3.1	1.4	.2	41	2.96	.056	19	19.9	.29	450	.007	2	1.17	.006	.07	.1	.12	2.3	.2	.09	3	.7
ZNB-09	2.2	22.5	682.8	1272	2.6	31.0	8.9	541	3.01	18.8	.7	2.1	3.6	28	2.2	2.8	.2	34	2.27	.061	19	19.0	.30	586	.008	5	1.08	.007	.09	.2	.25	2.8	.3	.06	3	.9
ZNB-10	1.7	21.2	381.2	1042	1.3	23.7	9.6	1280	2.59	13.2	.6	3.6	2.4	43	3.2	1.5	.2	38	4.68	.040	15	20.1	.33	876	.009	3	1.15	.008	.06	.2	.13	2.6	.2	.10	3	.7
ZNB-11	1.9	18.9	405.2	1091	1.8	30.1	9.5	1444	2.59	14.0	.6	1.9	1.2	29	4.2	2.2	.2	38	2.35	.066	15	19.6	.27	589	.007	4	1.31	.006	.06	.1	.19	2.1	.3	.12	3	.9
ZNB-12	2.3	21.8	105.7	270	.3	27.8	11.3	754	2.33	13.8	.5	1.8	3.5	37	1.6	1.1	.2	36	3.70	.035	15	19.4	.28	291	.006	4	1.07	.006	.11	.1	.05	2.9	.2	<.05	4	.6
ZNB-13	2.9	23.1	159.4	381	.8	30.0	11.4	579	2.56	18.0	.5	1.7	4.3	21	1.0	1.8	.3	38	1.39	.043	17	21.3	.31	283	.006	3	1.26	.005	.13	.1	.09	3.3	.3	<.05	4	.7
ZNB-14	3.6	25.5	150.5	483	.8	29.2	10.8	261	2.87	21.1	.7	.9	5.7	50	1.4	1.7	.2	36	4.75	.049	16	20.8	.32	483	.008	4	1.16	.006	.14	.1	.11	3.5	.2	<.05	4	<.5
ZNB-15	2.9	18.3	164.9	396	1.0	27.1	11.0	952	2.32	18.1	.7	1.5	2.3	21	2.3	1.8	.2	34	1.52	.049	15	16.5	.22	492	.003	4	1.10	.004	.10	.1	.13	2.6	.2	.11	3	.7
ZNB-16	2.4	25.5	793.0	3113	2.0	26.3	9.3	390	2.62	17.9	.6	1.5	6.1	53	4.3	2.6	.2	40	4.05	.039	20	22.5	.41	759	.007	5	1.35	.005	.15	<.1	.43	3.4	.3	<.05	4	.8
ZNB-17	2.3	25.0	508.9	2256	2.0	26.2	9.8	1023	2.94	20.5	.7	1.4	2.9	18	9.6	2.2	.3	42	1.07	.055	19	21.8	.33	1071	.004	6	1.50	.006	.16	.1	.63	3.1	.3	.09	4	.9
RE ZNB-17	2.4	25.0	523.0	2324	2.0	28.0	10.1	1023	2.92	20.6	.7	1.1	3.0	18	10.1	2.2	.2	41	1.00	.055	19	21.9	.33	1069	.004	5	1.50	.005	.16	.1	.65	2.9	.3	.08	4	1.0
ZNB-18	4.2	39.9	833.6	7052	3.6	36.3	10.9	1485	3.37	25.3	.6	1.4	2.4	27	15.1	3.4	.3	47	2.00	.069	17	24.8	.36	1045	.004	6	1.71	.007	.22	.1	.66	3.0	.8	.14	5	1.7
ZNB-19	2.3	20.5	161.5	638	.9	43.0	12.6	1304	2.63	18.1	1.0	1.4	2.3	68	2.5	3.0	.2	53	7.18	.056	16	24.2	.32	754	.025	9	1.46	.015	.23	.2	.15	2.4	.5	.10	4	1.0
ZNB-20	1.6	19.7	92.0	389	.5	24.5	10.5	1294	2.74	15.0	.5	1.3	1.5	27	2.8	1.2	.2	47	1.62	.065	16	25.0	.31	1166	.007	5	1.49	.007	.14	.1	.09	2.6	.3	.09	4	.8
ZNB-21	1.7	25.2	237.0	977	.8	26.0	8.9	332	2.75	14.2	.5	2.3	4.7	23	3.0	1.4	.2	48	1.19	.051	19	26.4	.36	538	.011	5	1.38	.008	.13	.1	.15	3.7	.2	<.05	5	.8
ZNB-22	1.5	23.8	276.6	1364	1.0	31.4	11.7	495	2.69	14.7	.5	1.2	5.6	24	3.3	1.4	.2	47	1.46	.046	19	25.6	.39	585	.009	5	1.59	.007	.13	.1	.19	4.3	.2	<.05	5	.8
ZNB-23	.5	26.0	72.3	236	.4	29.4	10.7	181	2.36	11.5	.6	1.3	6.1	18	.9	1.0	.2	53	.80	.043	21	30.9	.37	391	.008	3	1.46	.007	.11	.1	.07	4.1	.2	<.05	5	.6
ZNB-24	1.0	24.8	97.2	312	.4	34.9	12.7	857	3.29	16.8	.5	1.2	6.3	21	1.1	1.0	.2	49	1.84	.045	20	27.2	.37	356	.009	5	1.52	.007	.11	.1	.06	4.2	.2	<.05	5	.5
ZNB-25	1.8	26.2	70.4	277	.4	33.0	12.2	681	2.90	14.3	.6	1.6	5.0	27	1.0	1.0	.2	51	1.64	.051	21	28.9	.39	317	.010	6	1.62	.008	.16	.1	.06	4.1	.2	<.05	5	.5
ZNB-26	1.8	19.6	151.1	244	.4	27.2	11.0	904	2.49	12.2	.5	1.1	2.2	32	2.0	1.0	.2	41	2.84	.045	16	23.8	.36	411	.011	5	1.34	.009	.11	.1	.06	2.9	.2	.07	4	.6
ZNB-27	1.6	19.0	299.6	958	1.4	36.2	12.2	947	2.54	12.6	.6	1.1	2.5	69	2.5	1.8	.2	30	7.78	.036	13	18.3	.32	725	.008	3	1.15	.008	.08	.1	.16	2.5	.2	.07	3	.7
ZNB-28	4.0	45.8	661.7	5252	2.0	182.4	52.1	3447	4.68	14.1	1.0	1.7	3.2	66	11.9	2.4	.2	23	8.28	.047	12	13.3	.21	1038	.005	5	1.91	.005	.12	.1	1.14	2.8	1.0	.08	3	1.0
ZNB-29	1.3	21.7	447.9	1687	1.2	25.4	10.0	1491	2.44	12.4	.5	1.2	1.4	39	5.2	1.3	.2	39	4.88	.068	15	23.0	.34	595	.010	6	1.23	.008	.08	.1	.15	2.2	.2	.15	3	1.0
ZNB-30	1.1	21.1	636.0	1818	1.1	30.5	12.7	1257	2.86	14.7	.6	1.7	5.7	28	5.6	1.5	.2	52	1.68	.036	21	29.1	.37	1314	.009	5	1.57	.007	.09	.1	.27	4.3	.2	.07	5	.6
ZNB-31	.2	23.5	116.4	611	.4	24.9	8.4	123	1.69	5.1	.6	1.4	6.1	18	.9	.7	.2	52	.52	.047	18	30.5	.44	461	.007	3	1.55	.008	.08	.1	.07	4.3	.2	<.05	5	<.5
STANDARD DS5	12.8	145.2	26.0	135	.3	24.1	12.1	736	3.06	18.8	6.4	41.9	3.0	48	5.6	3.9	6.3	59	.75	.094	13	191.0	.64	142	.092	17	2.00	.033	.15	4.9	.18	3.4	1.1	<.05	7	4.9

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

GPS ID	Datum	Easting	Northing	Date_Time	Elevation
ZNA-00	NAD83-8W	463455	7332815	31/07/2004 9:44	940.9
ZNA-01	NAD83-8W	463506	7332902	31/07/2004 9:55	940.3
ZNA-02	NAD83-8W	463559	7332988	31/07/2004 10:01	940.9
ZNA-03	NAD83-8W	463609	7333074	31/07/2004 10:08	935.4
ZNA-04	NAD83-8W	463660	7333161	31/07/2004 10:15	939.4
ZNA-05	NAD83-8W	463711	7333246	31/07/2004 10:23	949.8
ZNA-06	NAD83-8W	463764	7333331	31/07/2004 10:28	949.5
ZNA-07	NAD83-8W	463814	7333420	31/07/2004 10:33	943.7
ZNA-08	NAD83-8W	463864	7333507	31/07/2004 10:39	926.9
ZNA-09	NAD83-8W	463951	7333456	31/07/2004 10:48	926
ZNA-10	NAD83-8W	463901	7333369	31/07/2004 10:54	935.1
ZNA-11	NAD83-8W	463849	7333282	31/07/2004 10:59	936.3
ZNA-12	NAD83-8W	463798	7333197	31/07/2004 11:05	940.9
ZNA-13	NAD83-8W	463748	7333112	31/07/2004 11:13	937
ZNA-14	NAD83-8W	463695	7333024	31/07/2004 11:20	931.8
ZNA-15	NAD83-8W	463647	7332941	31/07/2004 11:27	929.3
ZNA-16	NAD83-8W	463594	7332853	31/07/2004 11:34	930.6
ZNA-17	NAD83-8W	463541	7332765	31/07/2004 11:42	934.5
ZNA-18	NAD83-8W	463625	7332717	31/07/2004 11:54	901.6
ZNA-19	NAD83-8W	463675	7332801	31/07/2004 12:01	919.3
ZNA-20	NAD83-8W	463718	7332898	31/07/2004 12:11	926.3
ZNA-21	NAD83-8W	463778	7332968	31/07/2004 12:18	919.6
ZNA-22	NAD83-8W	463822	7333060	31/07/2004 12:32	922.3
ZNA-23	NAD83-8W	463872	7333150	31/07/2004 12:40	926
ZNA-24	NAD83-8W	463929	7333226	31/07/2004 12:50	926.6
ZNA-25	NAD83-8W	463985	7333316	31/07/2004 12:56	926.9
ZNA-26	NAD83-8W	464036	7333399	31/07/2004 13:09	922.3
ZNA-27	NAD83-8W	464123	7333351	31/07/2004 13:23	915.3
ZNA-28	NAD83-8W	464075	7333267	31/07/2004 13:30	915.9
ZNA-29	NAD83-8W	464022	7333178	31/07/2004 13:37	916.8
ZNA-30	NAD83-8W	463968	7333095	31/07/2004 13:51	923.2
ZNA-31	NAD83-8W	463921	7333010	31/07/2004 14:01	918.4
ZNB-01	NAD83-8W	464542	7333094	31/07/2004 9:41	922
ZNB-02	NAD83-8W	464505	7333012	31/07/2004 9:53	926.3
ZNB-03	NAD83-8W	464456	7332928	31/07/2004 10:02	923.8
ZNB-04	NAD83-8W	464401	7332840	31/07/2004 10:11	925.1
ZNB-05	NAD83-8W	464355	7332753	31/07/2004 10:20	928.1
ZNB-06	NAD83-8W	464301	7332675	31/07/2004 10:31	915.9
ZNB-07	NAD83-8W	464243	7332581	31/07/2004 10:39	897
ZNB-08	NAD83-8W	464198	7332493	31/07/2004 10:48	874.8
ZNB-09	NAD83-8W	464142	7332412	31/07/2004 11:00	848
ZNB-10	NAD83-8W	464059	7332460	31/07/2004 11:09	867.8
ZNB-11	NAD83-8W	464106	7332543	31/07/2004 11:19	895.2
ZNB-12	NAD83-8W	464145	7332628	31/07/2004 11:27	910.1
ZNB-13	NAD83-8W	464215	7332717	31/07/2004 11:34	913.5
ZNB-14	NAD83-8W	464258	7332803	31/07/2004 11:48	910.1
ZNB-15	NAD83-8W	464311	7332887	31/07/2004 12:14	918.7
ZNB-16	NAD83-8W	464367	7332978	31/07/2004 12:20	924.5
ZNB-17	NAD83-8W	464419	7333064	31/07/2004 12:28	933.9

ZNB-18	NAD83-8W	464464	7333144	31/07/2004 12:34	902.2
ZNB-19	NAD83-8W	464372	7333196	31/07/2004 12:42	894.3
ZNB-20	NAD83-8W	464327	7333114	31/07/2004 12:51	915.3
ZNB-21	NAD83-8W	464267	7333022	31/07/2004 12:57	916.8
ZNB-22	NAD83-8W	464227	7332944	31/07/2004 13:03	911
ZNB-23	NAD83-8W	464178	7332853	31/07/2004 13:13	910.1
ZNB-24	NAD83-8W	464126	7332763	31/07/2004 13:21	915.9
ZNB-25	NAD83-8W	464077	7332680	31/07/2004 13:28	918.1
ZNB-26	NAD83-8W	464022	7332583	31/07/2004 13:35	901.3
ZNB-27	NAD83-8W	463975	7332516	31/07/2004 13:43	908.6
ZNB-28	NAD83-8W	463723	7332664	31/07/2004 13:55	872.9
ZNB-29	NAD83-8W	463766	7332747	31/07/2004 14:04	901.3
ZNB-30	NAD83-8W	463809	7332841	31/07/2004 14:10	908.9
ZNB-31	NAD83-8W	463858	7332928	31/07/2004 14:23	918.7