

GEOCHEMICAL

REPORT

094674

CATHY 15-156 CLAIMS


GRANT #

YC30555-YC30696

NTS # 115 0\3

LAT: 63° 11' N

LONG: 139° 24' W



DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED SEPTEMBER 26 - OCTOBER 01, 2004

DATE OF REPORT OCTOBER 21, 2005

Costs associated with this report have been
approved in the amount of \$ 14,200
for assessment credit under Certificate of
Work No. 2000608

K. Perry

Mining Recorder
Dawson City Mining District

TABLE OF CONTENT

SUMMARY	P.3
1.0 INTRODUCTION	P.3
2.0 LOCATIONS AND ACCESS	P.3
3.0 PROPERTY DESCRIPTION	P.3
4.0 PHYSIOGRAPHY	P.3
5.0 REGIONAL AND PROPERTY GEOLOGY	P.4
5.1 REGIONAL GEOLOGY	p.4
5.2 PROPERTY GEOLOGY	P.4
6.0 WORK PROGRAM / METHODS	P.4
6.1 SOIL WORK	P.4
7.0 INTERPRETATION	P.5
7.1 SOIL WORK	P.5
8.0 RECOMMENDATION	P.5
9.0 REFERENCES CITED	P.5
10.0 COST	P.6
11.0 QUALIFICATION	P.6
Claim Map	
Arsenic Soil Map	Figure 1
Antimony Soil Map	Figure 2
Molybdenum Soil Map	Figure 3
Zinc Soil Map	Figure 4
Assay Data	Appendix
Soil GPS Data	Appendix

SUMMARY

The Cathy Claims seen 10 man days of soil sampling taking place in late September and early October of 2004. In total there was 270 soil collected. The soil sampling revealed two areas that should be further followed up with one area anomalous in arsenic and antimony and the second area anomalous in zinc, molybdenum, bismuth silver and mercury.

1.0 INTRODUCTION

The Cathy 15-156, YC30555 -YC30696 claims will be renewed for one year.

2.0 LOCATIONS AND ACCESS

The Cathy 15 - 156 claims are located on NTS 115 O / 3 in the Dawson Mining District. The Property lies 92 kilometer south of Dawson City, Yukon. The claim block covers a north - south trending ridge. Access is via helicopter from Dawson City, Yukon.

3.0 PROPERTY DESCRIPTION

The Property consists of 156 full Quartz mining claims, which are registered in the Dawson Mining District. The Property covers 3158 hectares or 7804 acres.

4.0 PHYSIOGRAPHY

The property lies between the elevations of 1600 feet and 4000 feet. The entire property is covered with boreal forest vegetation such as white spruce and poplar on well-drained soil and black spruce on poorly drained frozen north facing slope.

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY

The Yukon-Tanana terrane in the Stewart River area consists of twice-transposed, amphibolite-facies gneiss and schist of mostly of (?) Paleozoic age. Quartz-rich metaclastic rocks (quartzite, quartz-mica schist, psammite, conglomerate) appear to have deposited during the mid-Paleozoic, rather than the Proterozoic as previously suspected. Broadly contemporaneous amphibolite of intermediate to mafic composition interdigitates with , and lies structurally (and possibly stragraphically) above, the metaclastic rocks. Extensive orthogneiss (including augen granite) intrudes both. The orthogneiss and amphibolite formed the subvolcanic root and volcanic cover, respectively, of a Devono-Mississippian island arc. These rocks served in turn as basement to a Permian magmatic arc, manifested as the Klondike schist and related plutons. A co-magmatic Permian orogeny resulted in extensive transposition and metamorphism of the mid- and late Paleozoic rocks. The Lucky Joe Cu-Au occurrence, of recent interest in the area, occurs generally within the complex, possibly structurally modified interface between metaclastic and amphibolite successions. (geology excerpt from Ryan @ Gordey 2003)

5.2 PROPERTY GEOLOGY

The Cathy Claims cover four different rock units. The rock units are all trending in a north south direction. The four units consist of the oldest to youngest Devonian to Mississippian unit one DMps , quartz mica schist , unit two DMA, amphibolite schist and gneiss Unit three Devonian and or Permian DPg a felsic gneiss and the final forth unit is a Mid to Late Paleozoic mPum Ultra mafic to Gabro.,

6.0 WORK PROGRAM / METHODS

The Cathy claims seen ten man days of soil work with a contract crew of Ryanwood Exploration. The Crew consists of Issac Fage, Tyson Foxcroft, Scott Fleming, Mike Lindley, Jim Skales and Reggie Audet. In total there was 270 soil sample collected.

6.1 SOIL WORK

The soil work consists of soil sampling with soil augers at an average depth of 60 centimeter. Soil sample where place in Kraft soil bags with sample numbers marked on the bags. A sample description of the color, depth, slope, horizon and UTM location was noted in field notes. A Garmin 76 GPS was used to get the exact UTM location. All GPS soil sample location where electronically downloaded every evening back in base camp. Soil sample where taken at 50 and 100 meters intervals on soil traverse. All assay where process at the Acme Lab in Vancouver with Group 1DX: ICP - MS on 15 grams.

7.0 INTERPRETATION

7.1 SOIL WORK

The soil work indicated two areas that should be followed up on. Area one is located on the northern part of the property around Cathy claims 62 and 64. This soil anomaly is 400 meters by 250 meters and is anomalous in arsenic, antimony, mercury and minor gold. The second area is located in the central part of the property around Cathy 93-96 claims. The second anomalous area was found by two samples one on each line soil lines 850 meters apart. The two highlighted soil CA-E16 and CAD-13 ran anomalous soil n in zinc, molybdenum, bismuth, silver and mercury. The anomalous soil appears mainly on one sample site on each line but because they both parallel each other and they are both found at the edge of a magnetic contact I feel this may not be coincident.

8.0 RECOMMENDATION

I would recommend more soil work on 25 meter station spacing around the two anomalous areas and I would do more regional soil fill in work on 50 meters station spacing along the magnetic contact.

9.0 REFERENCES CITED

Ryan, J.J., Gordey, S.P., Glombick, P., Piercey, S.J., and Villeneuve, M.E., 2003: Update on Bedrock geological mapping of the Yukon-Tanana terrane, southern Stewart River map area, Yukon Territory. Current Research 2003.

Ryan, J.J. and Gordey, S.P. 2001. GSC Open File 3690 Geology of Thistle Creek Area, Yukon Territory.

10.0 COST

Assay Cost 270 sample @ \$16.20 per sample	\$4,374.00
Wage 10 man day @ \$325.00 per day (contract wages)	\$3,250.00
Food 10 man days @ \$25.00	\$250.00
Helicopter cost 5.9 hours at \$1150.00	\$6,785.00
Camp Mobe / Demobe haft day 5 men	\$812.00
Report Writing	\$600.00

Total	\$16,071.00

11.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 22 years. I worked the first 12 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 8 years as a local prospector for myself.

I have being trained to run various geophysical instruments and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and Vlf surveys.

I have overseen the Cathy soil Survey.

I own 100 % of the Cathy claims and have now option the claims to International Gold Resource Inc.


Dated this 21 of October 2005 in Dawson City, Yukon.

Respectfully submitted



Shawn Ryan

Cathy Claims 2004 Soil Survey




NAD 83 NTS 115 O / 3

0 0.5 1 2
kilometres

FIGURE 4

Cathy Claims 2004 Soil Survey




NAD 83 NTS 115 O / 3

0 0.5 1 2
Kilometres

FIGURE 3

Cathy Claims 2004 Soil Survey



NAD 83 NTS 115 O / 3





FIGURE 2

Cathy Claims 2004 Soil Survey



NAD 83 NTS 115 O / 3




FIGURE 1



GEOCHEMICAL ANALYSIS CERTIFICATE



Ryanwood Exploration Inc. File # A406859 Page 1
Box 213, Dawson City YT Y0B 1G0

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
G-1	1.7	3.0	2.4	39	<.1	4.0	3.7	511	1.82	<.5	1.8	<.5	4.3	74	<.1	<.1	.1	38	.50	.081	7	14.2	.49	201	.111	2	.81	.077	.43	1.7	<.01	2.0	.3	<.05	4	<.5
CAA-01	1.5	17.6	7.7	59	.3	19.1	12.0	312	2.54	11.2	.8	2.1	3.7	13	.1	.5	.1	68	.13	.025	11	37.2	.56	274	.061	1	1.75	.009	.06	.1	.01	3.4	.2	<.05	6	.7
CAA-02	2.0	41.5	9.5	104	.2	33.4	9.1	244	2.97	36.5	1.8	3.5	4.0	15	.3	.9	.2	68	.11	.051	14	43.2	.58	405	.043	2	1.63	.007	.20	.1	.05	3.9	.5	<.05	6	1.0
CAA-03	1.8	46.0	4.0	104	.1	251.2	29.9	553	3.45	7.0	.5	.5	2.9	18	.3	.3	.1	93	.38	.070	12	274.4	2.29	464	.162	1	2.14	.011	.57	<.1	.01	6.0	.4	<.05	8	.6
CAA-05	2.5	83.3	11.5	96	.4	125.8	23.4	464	5.36	4.8	1.6	<.5	11.9	27	.1	.2	.5	90	.14	.056	39	130.1	1.50	317	.194	<.1	2.29	.020	.73	.1	.02	5.8	.5	.21	10	1.6
CAA-06	.7	54.1	2.8	51	.1	178.1	25.3	418	2.85	4.6	.4	1.0	1.2	22	.2	.3	.1	76	.67	.046	6	184.2	1.66	309	.075	2	1.62	.017	.09	<.1	.03	7.0	.2	<.05	6	.6
CAA-07	2.4	49.2	9.7	125	.5	43.0	15.7	602	3.11	3.0	2.2	1.3	5.1	28	.3	.1	.2	79	.23	.072	22	49.5	.93	503	.097	<.1	1.58	.017	.39	.1	.01	4.2	.3	.10	7	1.3
CAA-08	.4	50.0	4.0	49	.1	238.0	26.2	648	2.63	7.5	.5	2.5	2.3	19	.1	.3	.1	69	.57	.047	11	212.5	1.89	172	.080	2	1.75	.013	.07	.1	.02	6.6	.1	<.05	6	<.5
CAA-09	2.9	45.8	11.6	107	.1	142.0	15.8	452	3.90	40.2	1.2	<.5	5.5	21	.2	.6	.2	107	.12	.076	22	121.4	1.10	258	.105	2	1.64	.015	.25	.1	.01	4.5	.3	.13	8	.9
CAA-10	.8	42.7	5.4	63	.2	122.6	18.2	588	2.91	11.6	.8	11.8	2.4	32	.1	.4	.1	74	.75	.049	13	133.5	1.37	280	.081	2	1.75	.014	.09	.1	.03	6.3	.1	<.05	6	<.5
CAA-11	2.4	60.5	10.9	127	.5	69.4	17.7	1033	3.65	100.5	1.6	.5	5.4	36	.4	1.2	.2	82	.44	.072	23	62.4	1.04	591	.099	1	1.69	.018	.35	.1	.04	4.9	.4	.14	7	1.3
CAA-12	1.4	33.6	11.6	122	.2	36.2	8.9	416	2.57	82.0	.9	.5	4.4	22	.3	.8	.2	69	.48	.098	13	37.5	1.11	385	.066	1	1.50	.008	.13	.1	.02	3.8	.3	<.05	5	.5
CAA-13	1.3	43.6	11.8	120	.5	160.1	19.6	617	3.36	123.1	1.3	2.4	4.8	28	.5	1.3	.2	85	.65	.059	30	157.0	1.40	633	.105	2	1.92	.012	.46	<.1	.08	6.9	.3	<.05	7	.8
RE CAA-15	.6	25.5	7.3	59	.1	25.1	10.0	304	2.46	13.9	.8	6.9	4.5	19	.1	.4	.1	56	.35	.054	16	40.9	.57	221	.078	1	1.32	.012	.05	.1	.03	4.2	.1	<.05	4	<.5
CAA-14	.3	51.8	3.0	42	<.1	165.0	24.5	452	2.48	7.8	.3	.5	1.6	13	.1	.2	<.1	61	.40	.043	6	165.1	1.37	129	.089	<.1	1.47	.014	.08	<.1	.02	4.7	.1	<.05	5	<.5
CAA-15	.6	26.0	7.1	59	.1	26.0	10.2	313	2.53	13.7	.9	2.4	4.5	19	.1	.4	.1	56	.35	.055	15	42.0	.57	214	.075	<.1	1.33	.012	.05	.1	.02	4.1	.1	<.05	4	<.5
CAA-16	.4	43.0	5.0	49	.1	52.5	12.5	332	2.39	9.1	.5	.9	2.3	15	.1	.3	.1	61	.29	.043	9	74.9	.85	172	.095	<.1	1.40	.012	.06	.1	.03	3.9	.1	<.05	5	.5
CAA-17	.6	18.7	6.4	50	<.1	25.0	8.4	241	2.40	15.5	.8	1.0	3.7	21	.1	.4	.1	59	.32	.034	15	46.1	.58	196	.076	2	1.36	.012	.04	.1	.01	4.3	.1	<.05	5	<.5
CAA-18	.3	38.8	5.6	49	.1	233.4	20.0	345	2.32	11.2	.5	5.3	2.2	14	.1	.2	.1	56	.38	.047	8	211.7	1.99	148	.083	<.1	1.68	.010	.11	<.1	.02	4.8	.1	<.05	5	<.5
CAA-19	.8	23.2	7.9	63	.2	42.4	11.3	325	2.65	16.9	1.0	1.8	3.1	21	.1	.4	.1	56	.26	.048	18	45.4	.52	206	.054	1	1.34	.010	.09	.1	.03	3.6	.1	<.05	5	.5
CAA-20	.5	28.5	6.9	58	.1	108.6	13.1	275	2.49	15.0	.8	2.4	3.5	20	.2	.4	.1	56	.45	.043	15	104.5	.99	222	.064	1	1.52	.009	.07	.1	.04	4.5	.1	<.05	5	.5
CAA-21	.3	52.2	6.4	40	.1	308.1	24.4	434	2.65	9.9	.3	.9	1.4	14	.1	.3	.1	67	.40	.038	5	239.8	1.79	137	.073	<.1	1.56	.010	.10	.1	.01	6.3	.1	<.05	5	<.5
CAA-22	.6	28.5	2.6	18	<.1	49.3	9.0	127	1.26	3.2	.1	1.4	.8	9	.1	.1	<.1	35	.21	.010	3	84.7	.73	229	.063	<.1	1.45	.015	.02	.1	<.01	2.3	<.1	<.05	3	<.5
CAA-24	.9	45.5	3.3	38	.1	136.9	15.2	187	2.94	4.3	.2	.6	.8	8	<.1	.3	.1	83	.12	.024	3	171.5	1.21	68	.125	1	1.46	.014	.04	<.1	.03	3.3	.1	<.05	7	.5
CAA-25	1.6	44.7	9.9	84	.1	40.4	15.7	501	3.52	8.6	1.2	<.5	9.4	28	.1	.2	.2	61	.16	.051	31	51.2	.78	292	.128	2	1.57	.014	.53	.1	.02	3.8	.4	.14	5	.8
CAA-26	.8	30.5	5.7	70	.1	61.6	16.3	375	2.54	5.8	.5	.6	2.7	16	.1	.2	.1	69	.23	.045	12	80.7	1.01	220	.122	1	1.44	.012	.19	.1	.01	3.2	.1	<.05	5	.5
CAA-27	.6	25.0	4.9	58	.1	62.1	9.8	192	1.83	4.7	.5	1.4	1.5	17	.1	.1	.1	47	.25	.050	8	81.0	.97	223	.104	<.1	1.30	.014	.20	.1	.03	2.9	.2	<.05	5	.5
CABO+00	.8	27.2	9.6	56	.1	29.8	12.5	410	3.05	23.3	.7	3.8	3.2	18	.1	.8	.1	72	.21	.032	12	40.7	.58	239	.073	1	2.07	.012	.05	.1	.03	5.0	.1	<.05	6	<.5
CABO-50	.6	18.8	9.7	54	.1	24.2	10.2	430	2.64	30.0	.6	.7	2.3	18	.2	1.1	.1	63	.21	.034	11	34.2	.49	184	.062	<.1	1.47	.011	.04	.1	.03	3.4	.1	<.05	5	<.5
CABO-100	.6	21.1	9.5	56	.1	25.4	9.7	430	2.67	30.7	.8	2.5	3.5	20	.1	.9	.1	61	.25	.035	16	35.8	.50	223	.061	1	1.44	.012	.04	.1	.05	5.0	.1	<.05	5	<.5
CABO-200	.9	19.9	8.8	50	.1	20.1	12.4	679	2.59	21.5	.9	1.8	2.7	20	.1	.6	.1	64	.23	.043	12	36.1	.47	216	.061	2	1.64	.011	.04	.1	.04	4.1	.1	<.05	6	.5
CABO-250	.6	20.2	12.1	51	.1	20.4	8.4	322	2.48	41.8	.9	1.0	4.3	20	.2	1.3	.1	53	.25	.038	17	30.3	.39	208	.069	<.1	1.08	.010	.04	.1	.04	3.9	.1	<.05	4	<.5
CABO-300	.7	18.8	7.7	50	.1	19.8	8.8	283	2.53	18.7	.7	1.8	3.8	24	.1	.6	.1	66	.30	.026	14	35.2	.53	249	.075	1	1.48	.012	.03	.1	.03	4.3	.1	<.05	5	<.5
CABO-350	1.2	45.9	6.3	71	.1	76.4	12.2	317	3.12	8.4	1.2	1.6	6.9	31	<.1	.4	.2	77	.35	.022	24	119.3	1.32	394	.140	<.1	2.08	.017	.22	.1	.03	7.3	.2	.10	7	1.1
STANDARD DS5	12.9	145.3	25.2	138	.3	25.3	12.9	804	3.02	18.2	6.3	43.4	2.9	47	5.5	3.8	6.0	62	.72	.094	13	190.3	.68	140	.099	18	1.99	.034	.15	4.8	.18	3.7	1.1	<.05	7	5.0

GROUP 10X - 15.0 GM SAMPLE LEACHED WITH 90 ML 2-2-2 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR, DILUTED TO 300 ML, ANALYSED BY ICP-MS.
(>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY
- SAMPLE TYPE: SOIL SS80 60C Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA DATE RECEIVED: OCT 21 2004 DATE REPORT MAILED: Nov 24/04





SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
CAB-400	1.3	55.5	7.7	100	.1	151.8	12.1	377	3.64	6.4	1.2	<.5	6.6	19	.1	.1	.2	93	.17	.040	29	239.6	1.93	813	.130	<1	2.27	.013	.63	<.1	.01	6.2	.4	.08	8	1.2
CAB-450	2.2	55.8	8.0	124	.1	66.2	11.8	439	3.43	52.0	1.3	1.0	7.2	13	.2	.3	.2	88	.11	.036	21	100.7	1.27	568	.142	1	1.94	.010	.77	.1	.01	5.1	.5	.06	7	1.1
CAB-500	1.2	36.5	6.2	75	.1	34.9	8.7	355	2.19	5.3	.9	2.4	4.2	17	.1	.3	.1	57	.24	.041	17	37.4	.65	373	.069	<1	1.24	.009	.09	.1	.02	3.5	.1	<.05	4	.7
CAB-550	2.2	50.2	6.9	112	.2	122.9	9.3	344	2.96	4.6	2.2	1.6	7.3	31	.1	.2	.2	90	.30	.043	31	147.6	1.62	1061	.127	1	1.89	.017	.49	<.1	.02	6.5	.3	.11	6	2.1
CAB-600	1.7	45.2	8.9	84	.1	23.9	8.2	261	2.68	5.3	1.0	3.0	5.6	23	.1	.3	.2	69	.18	.033	25	39.5	.99	504	.112	1	1.62	.011	.17	.1	.01	3.8	.2	<.05	5	1.5
CAB-650	1.0	27.6	7.7	58	.1	21.3	8.1	248	2.60	6.7	.9	2.5	4.3	17	<.1	.4	.1	58	.18	.015	15	32.9	.59	345	.075	1	1.53	.010	.04	.1	<.01	3.7	.1	<.05	5	.5
CAB-700	1.2	39.0	12.6	104	<.1	30.2	6.0	333	2.96	11.5	1.0	1.5	8.5	17	.1	2.8	.2	40	.21	.015	21	25.7	1.21	482	.103	2	1.56	.009	.45	<.1	.02	5.4	.3	<.05	6	.6
CAB-750	1.2	28.7	8.5	53	.1	20.7	7.8	264	2.65	13.2	.8	.7	3.3	20	.1	.9	.2	64	.21	.022	13	32.9	.42	324	.079	2	1.39	.012	.05	.1	.02	3.4	.1	<.05	5	.6
CAB-800	.7	45.6	5.9	73	.1	43.9	14.8	396	3.20	3.9	.9	1.5	4.5	40	<.1	.3	.1	83	.45	.020	16	103.1	1.70	1067	.179	1	2.50	.032	.36	.1	.01	6.0	.2	<.05	8	.6
CAB-850	1.1	37.4	7.6	57	.1	24.2	10.9	521	2.73	15.4	.7	23.1	3.6	18	.1	.5	.2	66	.22	.028	12	36.6	.56	335	.078	1	1.60	.012	.05	.2	.04	3.2	.1	<.05	5	.6
CAB-900	1.1	22.1	9.1	78	.1	29.2	8.7	311	2.79	105.3	.7	<.5	5.4	9	.1	2.5	.1	57	.12	.054	15	31.7	.50	138	.115	2	1.24	.007	.39	.1	.01	2.6	.3	<.05	5	.5
CAB-950	.9	7.5	9.5	30	.1	7.1	2.6	130	2.14	13.1	.3	1.2	.9	8	.1	.4	.2	72	.08	.056	8	20.7	.17	89	.063	1	.85	.007	.03	.1	.02	1.2	.1	<.05	7	<.5
CAB-1000	1.4	15.0	8.6	62	.3	19.7	5.2	188	2.40	137.2	.4	1.1	.9	17	.4	1.2	.2	64	.13	.036	9	25.5	.25	141	.053	2	1.07	.008	.05	.2	.05	1.7	.2	<.05	6	<.5
CAB-1050	1.0	50.6	7.9	75	.1	45.0	13.0	472	3.14	180.6	.9	1.7	3.2	18	.1	2.4	.1	64	.24	.029	12	57.3	.68	397	.066	2	1.38	.011	.11	.1	.07	7.0	.1	<.05	4	.6
CAB-1100	1.6	53.7	4.3	94	.1	55.7	12.5	552	3.35	19.6	1.0	1.6	4.1	21	.1	.4	.2	108	.25	.035	14	147.5	1.80	706	.180	1	2.22	.016	.82	<.1	.01	6.2	.3	.09	8	.8
CAB-1150	.7	37.2	5.9	60	.2	34.9	12.1	275	2.49	45.1	.7	1.9	2.4	16	.1	.8	.1	65	.25	.031	10	63.1	.89	414	.102	2	1.68	.012	.15	.1	.04	3.8	.1	<.05	5	.6
CAB-1200	1.0	34.5	6.0	52	.1	23.7	7.9	241	2.05	23.7	.7	1.1	1.1	12	.1	.4	.1	60	.13	.032	8	50.8	.72	214	.102	2	1.31	.011	.13	.1	.02	2.3	.1	<.05	5	.6
CAB-1250	.8	30.5	4.4	49	.1	29.9	9.6	203	1.99	14.8	.4	.9	1.1	11	.1	.3	.1	59	.16	.025	7	57.3	.83	206	.116	2	1.30	.011	.10	<.1	<.01	2.2	.1	<.05	5	<.5
CAB-1300	.8	41.6	4.8	80	.1	41.5	17.0	360	2.51	9.1	.8	1.2	2.3	15	.1	.3	.1	64	.18	.035	8	68.1	.91	310	.120	3	1.48	.014	.18	.1	.03	3.5	.1	<.05	5	.5
CAB-1350	.9	30.2	4.8	61	.2	23.3	7.8	185	1.69	4.1	.6	2.4	1.7	15	.1	.2	.1	42	.16	.026	9	55.8	.86	332	.112	2	1.30	.013	.20	<.1	.03	2.7	.1	<.05	5	.6
CAC-01	1.2	35.0	11.1	76	.1	33.7	13.6	475	3.57	9.3	1.2	2.0	8.2	19	.1	.5	.1	73	.24	.051	33	52.2	.83	196	.132	1	2.09	.011	.15	.1	.04	4.8	.3	<.05	7	.5
RE CAC-01	1.1	33.6	11.0	75	.1	34.1	13.5	471	3.54	9.1	1.2	2.6	8.1	19	.1	.5	.2	74	.25	.052	36	52.7	.84	208	.135	1	2.11	.011	.15	.1	.03	4.6	.3	<.05	7	.5
CAC-02	.6	27.6	10.2	63	.1	39.0	12.8	315	2.94	5.7	.7	2.9	7.1	20	<.1	.3	.1	62	.27	.058	27	52.7	.80	171	.129	3	1.68	.012	.20	.1	.02	3.6	.2	<.05	6	<.5
CAC-03	.8	28.3	15.3	58	.1	24.2	11.8	307	2.90	6.6	1.2	1.4	3.4	19	.1	.4	.1	62	.23	.056	20	40.2	.61	257	.096	2	1.60	.010	.12	.2	.03	4.0	.2	<.05	6	.6
CAC-04	.5	53.2	17.2	77	.1	100.9	20.5	370	3.39	3.7	1.0	1.6	5.7	19	<.1	.2	.1	73	.29	.055	23	153.1	1.53	281	.204	2	2.09	.015	.72	.1	.03	5.5	.4	<.05	8	<.5
CAC-05	.9	25.1	19.6	83	.1	41.9	14.8	451	3.51	5.3	1.0	1.7	9.3	16	.1	.2	.2	72	.24	.061	31	84.4	.98	161	.208	1	1.89	.012	.54	.1	.02	4.0	.4	<.05	7	<.5
CAC-06	.8	35.7	47.2	96	.1	34.9	15.0	515	3.82	6.6	2.7	1.4	16.9	18	.1	.3	.3	77	.22	.064	69	71.7	.89	251	.219	3	2.12	.010	.53	.1	.03	5.6	.4	<.05	9	<.5
CAC-07	.8	30.2	18.0	74	.1	26.6	11.9	345	3.34	6.4	1.7	3.2	8.5	16	.1	.2	.2	65	.18	.046	35	47.6	.75	201	.158	<1	1.96	.010	.38	.1	.03	4.5	.3	<.05	7	.5
CAC-08	.4	43.7	12.4	89	.1	41.1	15.5	582	3.81	3.5	1.6	.9	11.7	17	<.1	.2	.1	79	.19	.056	48	77.3	1.22	307	.260	1	2.31	.010	1.08	.1	.02	6.0	.5	<.05	10	<.5
CAC-09	.8	34.4	17.1	91	<.1	30.9	15.4	598	4.08	5.5	1.5	10.7	13.7	15	.1	.3	.1	76	.16	.050	45	51.7	.83	233	.223	1	2.09	.017	.63	.1	.02	5.2	.4	<.05	8	<.5
CAC-10	1.0	37.6	12.9	102	.1	35.6	15.0	552	4.30	6.1	2.0	2.2	12.8	23	.1	.2	.1	74	.23	.076	76	54.8	.98	398	.222	<1	2.29	.012	.87	.1	.02	5.4	.5	<.05	10	<.5
CAC-11	2.1	54.2	11.1	86	.1	40.6	16.2	505	3.99	8.3	1.4	1.5	9.2	23	.2	.3	.2	85	.21	.058	29	55.5	.94	262	.187	1	2.22	.011	.45	.1	.02	4.7	.3	<.05	8	.5
CAC-12	1.9	42.3	11.6	88	.1	47.9	24.0	818	4.48	11.5	1.1	3.2	9.0	17	.1	.5	.1	76	.16	.043	26	57.0	.90	202	.114	2	2.16	.012	.29	.1	.02	5.4	.2	<.05	8	.8
STANDARD DS5	12.6	146.9	24.5	140	.3	24.9	11.8	794	3.03	17.9	6.1	41.8	2.9	45	5.6	3.9	6.2	61	.72	.091	12	190.8	.68	144	.093	18	1.96	.033	.14	5.1	.16	3.4	1.1	<.05	6	5.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
CAC-13	1.8	44.6	31.2	90	.1	77.7	31.6	839	5.00	4.7	1.0	2.0	9.6	17	.1	.2	.2	129	.25	.071	23	104.2	1.90	282	229	<1	3.54	.015	1.14	.1	.02	9.6	.5	<.05	13	.5
CAC-14	3.2	91.6	7.9	154	<.1	80.4	37.0	1022	6.85	10.6	1.5	7.0	11.5	42	.1	.1	.1	167	.27	.018	37	125.2	2.22	437	392	<1	3.93	.015	1.85	.1	.02	10.0	.9	<.05	13	.7
CAC-15	.5	76.8	11.4	54	<.1	283.9	28.1	939	5.67	5.9	1.7	<.5	11.1	510	<.1	.1	.1	108	3.50	1.150	110	356.8	3.59	969	.037	<1	3.20	.030	.87	.2	.01	7.8	.7	<.05	12	<.5
CAC-16	1.4	113.3	10.9	104	<.1	97.7	27.5	1282	5.85	6.5	1.5	1.6	8.9	25	.1	.3	.1	160	.29	.054	56	160.7	1.98	702	280	2	3.01	.016	.96	.1	.01	11.5	.5	<.05	12	.6
CAC-17	1.3	114.2	6.2	106	<.1	55.3	31.8	1048	6.42	2.9	1.8	.9	15.8	31	<.1	.1	.1	291	.80	.253	58	107.7	3.05	567	.333	<1	3.95	.011	2.04	.1	.01	14.3	.6	<.05	15	.5
CAC-18	2.2	82.3	17.8	95	.1	49.3	19.6	964	5.19	4.4	1.6	1.3	9.7	39	.1	.2	.2	147	.41	.150	32	111.7	2.08	1130	298	1	3.47	.013	.93	.2	.01	8.1	.4	<.05	14	1.0
CAC-19	1.8	127.3	219.5	154	.1	71.9	21.0	1184	5.18	203.9	1.6	1.2	11.1	35	.2	9.7	.4	122	.27	.057	41	128.5	1.73	935	207	1	2.81	.010	.78	.1	.09	12.6	.5	<.05	11	.9
CAC-20	.7	34.5	12.3	84	<.1	39.3	18.4	380	4.41	8.9	1.1	1.5	12.0	15	<.1	.4	.1	65	.16	.033	22	55.4	.99	283	161	1	2.83	.011	.61	.1	.02	5.3	.4	<.05	8	.6
CAC-21	.9	32.4	32.0	66	<.1	33.3	12.8	404	3.43	22.4	1.0	2.6	7.5	27	.1	1.0	.2	78	.38	.101	31	49.8	.75	360	104	<1	1.96	.012	.18	.1	.03	6.2	.2	<.05	6	<.5
CAC-22	2.4	82.3	79.0	104	.1	65.7	18.0	889	4.49	26.6	2.1	1.7	8.1	69	.1	.7	.6	85	.53	.196	45	87.4	.85	486	.085	<1	2.01	.009	.13	.1	.02	8.8	.2	<.05	7	.5
CAC-23	.4	28.8	10.2	75	<.1	166.3	22.2	491	4.14	5.6	1.2	.5	8.2	170	<.1	.2	.1	76	1.27	.416	64	229.6	2.26	311	146	<1	3.01	.009	.51	.1	.01	5.4	.5	<.05	10	<.5
CAC-24	1.2	56.8	15.6	98	<.1	52.7	22.6	414	5.25	8.2	1.4	<.5	14.2	14	<.1	.3	.1	71	.11	.026	35	63.3	1.19	327	208	<1	3.02	.008	1.08	<.1	.02	6.9	.6	<.05	9	.5
CAC-25	1.6	58.6	11.4	80	.1	54.8	16.2	625	3.84	23.3	.9	33.5	5.5	30	.1	.8	.1	98	.36	.051	28	80.5	.94	735	111	2	2.07	.013	.11	.1	.06	9.7	.1	<.05	7	.5
CAC-26	.8	48.5	8.0	83	<.1	38.8	14.6	588	4.31	8.5	.8	2.5	6.8	20	<.1	.3	.1	91	.22	.056	22	76.0	1.18	681	239	<1	2.74	.011	.80	.1	.02	8.6	.4	<.05	9	.6
RE CAC-26	.8	46.6	7.8	79	<.1	36.7	13.6	561	4.14	8.2	.8	1.7	6.6	19	<.1	.3	.1	88	.21	.052	21	72.4	1.15	671	228	2	2.67	.011	.76	.1	.01	8.2	.4	<.05	9	.8
CAC-27	1.8	53.9	21.6	97	<.1	35.0	19.1	1447	5.86	61.6	1.2	1.6	8.2	22	.1	1.6	.3	95	.53	.152	34	25.2	.29	569	.008	1	1.22	.003	.13	<.1	.03	16.6	.1	<.05	4	.9
CAC-28	6.1	110.8	17.2	128	.1	65.9	21.5	2422	6.67	613.3	1.3	3.3	6.1	17	.2	8.3	.2	69	.09	.052	10	34.2	.25	324	.007	<1	1.46	.004	.08	.1	.10	8.2	.4	<.05	4	.7
CAC-29	2.6	61.1	26.2	127	.1	93.5	13.9	851	4.73	207.7	1.7	1.6	9.3	22	.1	3.8	.2	75	.19	.066	19	42.5	.35	257	.034	<1	1.09	.007	.07	<.1	.11	13.8	.2	<.05	4	.6
CAC-30	2.4	114.1	15.5	137	.1	53.1	14.6	633	4.81	97.7	1.7	.6	9.2	51	.2	4.2	.2	97	1.40	.638	17	64.4	.60	159	.057	1	1.78	.005	.29	.1	.12	6.0	.4	<.05	6	1.3
CAC-31	1.7	70.9	8.0	115	<.1	164.4	35.9	1530	6.69	57.8	1.2	2.4	9.1	32	.1	1.2	.1	125	.44	.066	33	179.3	1.70	726	215	<1	2.74	.010	.61	.1	.09	17.3	.4	<.05	10	.9
CAC-32	.8	151.6	8.9	79	<.1	27.4	11.6	773	6.82	5.2	2.0	2.0	10.7	116	<.1	.1	.2	331	.53	.160	49	189.7	2.21	996	301	<1	3.48	.022	1.61	<.1	.11	10.9	.7	.21	15	1.9
CAC-33	.1	52.9	4.5	66	<.1	450.7	42.9	374	5.00	2.0	.5	.5	1.7	33	<.1	.1	<.1	79	.49	.021	10	675.3	4.34	236	215	<1	3.11	.007	.66	<.1	.01	3.5	.4	<.05	11	<.5
CAD-01	.7	45.8	7.4	66	<.1	88.2	21.3	483	3.69	5.1	.9	2.6	6.4	17	.1	.3	.1	79	.29	.075	28	120.0	1.56	316	191	1	2.35	.013	.69	.1	.02	5.0	.3	<.05	8	.7
CAD-02	.6	32.3	48.3	81	<.1	38.7	15.6	503	4.01	3.3	.8	.9	8.6	20	.1	.3	.3	69	.18	.043	24	68.7	.94	177	226	<1	2.12	.011	.65	.1	.03	4.4	.4	<.05	9	<.5
CAD-03	1.0	30.9	20.4	61	.1	30.4	14.6	266	3.37	7.5	1.3	4.1	8.1	33	.1	.4	.2	67	.33	.061	31	45.7	.73	502	116	1	1.86	.013	.13	.1	.05	5.3	.2	<.05	6	.6
CAD-04	.8	28.0	65.1	67	.1	31.9	12.8	542	3.12	8.0	.9	1.7	6.8	30	.2	.4	.4	63	.35	.066	26	43.8	.71	379	101	1	1.72	.013	.16	.2	.02	4.7	.2	<.05	6	.5
CAD-05	3.0	42.9	27.5	119	.2	62.9	21.3	1317	6.49	16.2	1.3	3.6	8.5	31	.4	1.2	.4	70	.44	.073	45	41.0	.49	611	051	1	1.34	.009	.15	.1	.06	10.5	.2	<.05	4	1.3
CAD-06	1.7	40.0	14.9	90	.2	35.1	12.7	672	2.99	16.6	1.0	3.0	3.9	23	.3	1.0	.2	69	.26	.045	17	34.8	.47	241	078	<1	1.41	.010	.12	.1	.02	3.5	.1	<.05	6	.6
CAD-07	1.8	51.1	16.0	80	.2	32.1	11.4	405	3.41	17.2	1.4	8.4	3.7	21	.2	1.0	.2	81	.23	.051	15	42.0	.63	423	068	1	2.24	.011	.08	.2	.11	6.1	.2	<.05	6	1.2
CAD-08	1.7	37.2	11.1	76	.1	28.3	12.5	465	3.23	7.9	1.4	2.9	5.2	24	.3	.4	.2	89	.22	.055	16	52.7	.89	286	119	<1	2.32	.013	.16	.1	.03	5.0	.2	<.05	7	.8
CAD-09	1.2	34.3	16.9	100	.1	35.3	16.3	756	3.67	4.0	1.5	2.0	7.6	17	.2	.2	.3	54	.18	.058	25	34.1	.62	224	081	<1	1.81	.008	.40	.1	.02	3.8	.3	<.05	6	.5
CAD-10	1.1	47.1	11.4	74	.1	39.1	16.3	452	3.40	7.6	1.1	3.3	4.5	20	.1	.4	.2	90	.24	.043	17	57.2	.79	418	119	1	2.11	.015	.14	.2	.05	5.7	.2	<.05	7	.6
CAD-11	1.8	62.9	31.3	186	.1	63.7	16.6	462	4.93	2.5	1.8	1.5	12.3	19	.3	.5	.3	81	.21	.075	26	66.6	1.21	315	211	<1	2.43	.007	1.05	.1	.02	5.9	.6	<.05	8	1.1
STANDARD DS5	12.8	145.4	25.2	141	.3	24.9	11.8	793	3.01	17.9	6.2	44.0	2.9	47	5.5	4.0	6.0	61	.72	.095	12	190.4	.68	136	094	16	2.08	.034	.15	4.8	.17	3.6	1.1	<.05	7	5.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Tl %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
CAD-12	1.8	27.1	12.5	56	.2	22.6	10.2	320	3.30	9.5	1.4	3.7	4.3	22	.2	.8	.2	71	.19	.046	15	38.3	.50	392	.062	1	1.97	.015	.07	.2	.06	4.8	.2	<.05	6	1.0
CAD-13	13.8	60.8	27.3	99	.8	18.4	7.6	508	3.18	4.6	5.8	1.0	5.8	46	.8	.5	.4	473	.22	.056	26	70.7	.95	437	.081	<1	1.97	.028	.20	.3	.05	5.3	.4	.18	7	4.7
CAD-14	1.5	45.5	16.4	146	.1	41.9	17.9	569	4.65	20.7	2.7	<.5	6.0	30	.3	.4	.2	152	.16	.047	18	95.3	1.33	520	.185	<1	3.18	.012	.47	.1	.01	10.4	.4	<.05	12	.9
CAD-15	.4	29.2	2.9	49	.1	145.3	30.1	826	3.88	1.4	.3	<.5	.8	23	.1	.2	.1	88	.30	.026	4	240.0	1.94	180	.010	1	1.80	.009	.10	<.1	.03	18.8	.1	<.05	4	<.5
CAD-16	3.3	47.1	13.9	64	.2	30.2	11.4	293	3.03	8.2	1.0	1.3	3.3	25	.3	.4	.2	158	.13	.041	12	77.7	.84	227	.088	<1	2.42	.011	.09	.1	.03	4.2	.1	<.05	7	2.3
CAD-17	1.1	9.6	11.9	45	.1	13.9	6.9	151	2.35	7.1	.5	2.2	1.7	14	.1	.3	.2	68	.16	.033	10	29.2	.41	171	.063	<1	1.49	.008	.04	.1	.03	2.3	.1	<.05	7	<.5
CAD-18	2.7	37.5	10.1	136	.2	48.2	11.5	415	3.34	8.4	.8	.8	2.9	19	1.1	.4	.2	80	.38	.040	9	42.8	.46	304	.064	1	1.89	.012	.04	.2	.01	3.2	.1	<.05	6	.8
CAD-19	1.7	23.5	8.7	71	.4	24.3	10.6	530	3.21	6.5	.6	1.0	2.4	19	.3	.5	.2	83	.16	.027	10	40.8	.68	250	.081	<1	1.99	.011	.10	.1	.01	3.2	.1	<.05	7	.5
CAD-20	.7	114.4	39.2	49	<.1	69.3	20.3	395	3.37	2.9	.2	<.5	.8	17	.1	.2	.1	103	.44	.102	3	124.5	1.17	253	.154	1	1.68	.017	.19	.1	<.01	4.4	.2	<.05	7	<.5
CAD-21	.5	18.8	6.6	21	<.1	16.6	6.9	134	1.40	3.2	.2	1.3	1.1	6	<.1	.2	.1	40	.22	.023	4	33.7	.38	63	.090	<1	1.12	.017	.02	<.1	.01	2.3	.1	<.05	3	<.5
CAD-22	1.2	27.6	8.2	45	.1	21.3	11.5	248	3.06	9.6	.3	<.5	2.1	14	.1	.5	.2	74	.18	.068	7	34.9	.46	163	.064	1	1.84	.009	.03	.1	.01	2.4	.1	<.05	6	<.5
CAD-23	.9	21.1	8.4	52	.1	22.1	10.3	283	2.78	6.3	.7	2.7	3.7	13	.1	.3	.1	66	.14	.035	13	35.9	.58	226	.083	<1	1.72	.011	.16	.1	.02	3.1	.2	<.05	6	<.5
CAD-24	.5	22.1	151.0	52	<.1	52.3	15.8	402	2.82	3.4	1.2	1.8	11.7	23	.2	.2	.4	83	.45	.107	26	130.5	1.34	597	.164	<1	1.71	.015	.38	.1	.01	4.1	.2	<.05	7	<.5
CAD-25	.5	110.4	5.1	65	<.1	17.6	19.0	465	3.61	3.9	.5	2.9	2.3	19	<.1	.2	.1	105	.50	.138	7	26.8	1.08	417	.218	1	1.97	.023	.51	<.1	.02	4.2	.2	<.05	7	<.5
RE CAD-25	.6	107.5	5.0	66	<.1	17.0	18.1	468	3.58	4.0	.4	2.5	2.2	18	.1	.2	.1	105	.47	.133	6	26.1	1.06	393	.217	<1	1.90	.022	.50	.1	.01	3.9	.2	<.05	8	<.5
CAD-26	.6	26.0	6.3	80	<.1	33.5	11.7	403	3.41	2.7	1.0	<.5	8.9	16	.1	.2	.1	58	.24	.030	29	73.6	1.40	1147	.258	<1	2.21	.012	.67	.1	.01	6.6	.5	<.05	10	<.5
CAD-27	.9	88.8	6.5	47	.1	17.5	9.0	267	2.65	5.4	.5	2.3	2.1	17	<.1	.3	.1	79	.23	.038	10	28.1	.66	409	.109	<1	1.61	.014	.08	.1	.02	3.5	.1	<.05	6	<.5
CAD-28	.6	16.4	5.8	54	<.1	16.5	9.3	254	2.54	6.5	.3	2.0	2.1	14	.1	.3	.1	59	.27	.064	7	27.7	.59	178	.095	<1	1.64	.012	.09	.1	.01	2.5	.1	<.05	5	<.5
CAD-29	.7	30.5	7.6	51	.1	32.0	12.7	302	2.82	6.1	.3	2.7	2.1	17	.1	.4	.1	75	.25	.034	7	67.4	.78	209	.101	2	1.75	.016	.10	.1	.01	3.2	.1	<.05	5	<.5
CAD-30	.3	117.0	2.1	69	<.1	16.0	20.3	363	3.62	1.6	.3	1.2	1.4	13	<.1	.1	<.1	136	.46	.099	5	21.5	1.46	195	.172	1	1.77	.024	.52	<.1	.01	4.8	.2	<.05	8	<.5
CAD-31	.8	90.8	1.7	48	<.1	17.5	11.9	212	2.85	1.4	.4	1.5	1.5	14	<.1	.1	.1	85	.50	.105	4	31.1	.96	153	.113	<1	1.52	.019	.21	<.1	<.01	5.2	.1	<.05	6	<.5
CA-E01	.9	20.0	13.4	47	.1	21.7	8.2	214	3.03	8.2	.8	1.9	3.1	13	.1	.5	.2	71	.16	.044	15	40.1	.49	252	.074	1	1.85	.009	.08	.1	.04	3.2	.1	<.05	7	<.5
CA-E02	.9	24.8	30.0	61	.1	26.5	12.5	402	3.14	7.7	1.0	1.4	4.3	20	.1	.4	.2	67	.23	.048	24	45.3	.77	183	.105	1	1.93	.012	.18	.1	.04	3.7	.2	<.05	6	.6
CA-E03	.9	25.3	23.4	65	.1	28.8	12.0	370	3.29	5.8	1.1	1.9	6.9	23	.1	.3	.2	67	.23	.044	26	50.4	.80	182	.150	<1	2.06	.010	.24	.1	.02	4.3	.2	<.05	7	<.5
CA-E04	1.0	23.2	24.2	63	.1	28.4	13.2	512	3.20	7.9	1.1	3.4	4.8	22	.1	.4	.2	67	.25	.059	22	49.6	.70	160	.078	1	1.92	.011	.07	.1	.03	4.1	.1	<.05	7	<.5
CA-E05	.8	38.1	28.3	101	<.1	42.1	19.6	551	4.05	5.6	1.4	1.3	21.0	44	.1	.3	.1	53	.31	.078	31	47.3	.97	267	.146	<1	2.29	.010	.62	<.1	.01	4.8	.4	<.05	8	<.5
CA-E06	.8	21.0	19.4	61	.1	22.6	10.1	359	2.93	6.6	1.1	1.7	5.0	22	.1	.3	.2	68	.23	.045	27	44.4	.58	138	.107	1	1.72	.010	.15	.1	.03	3.9	.2	<.05	7	<.5
CA-E07	.5	34.9	19.5	96	<.1	98.2	24.0	572	4.57	2.8	1.4	.9	16.3	44	<.1	.1	.1	74	.35	.051	30	149.0	1.52	267	.286	<1	2.63	.011	.92	<.1	<.01	6.0	.5	<.05	11	<.5
CA-E08	.9	28.8	25.1	99	.1	37.2	15.2	498	4.12	3.0	1.6	<.5	13.7	59	.1	.2	.2	69	.46	.065	30	66.7	1.08	300	.241	1	2.22	.011	.60	.1	.03	5.8	.3	<.05	10	<.5
CA-E09	.8	24.8	19.3	88	.1	35.1	14.3	366	3.81	3.2	1.8	2.5	14.1	55	.1	.2	.1	61	.42	.046	52	57.3	.96	211	.237	1	1.97	.013	.61	.1	.02	4.5	.4	<.05	9	<.5
CA-E10	.8	28.4	17.3	87	.1	32.1	14.0	374	3.29	3.8	1.4	1.3	11.2	43	.2	.2	.1	60	.45	.057	35	52.7	.91	200	.180	<1	1.81	.013	.37	.1	.02	4.5	.3	<.05	8	<.5
CA-E11	.9	30.8	28.8	103	.1	27.9	17.7	613	4.53	3.9	.9	1.1	6.2	136	.1	.2	.2	68	2.24	.741	24	34.8	1.07	220	.096	<1	1.82	.039	.60	.1	.01	3.5	.3	<.05	9	.5
CA-E12	.5	40.7	17.0	66	.1	37.8	14.4	428	2.93	4.1	1.8	1.8	3.6	82	.2	.4	.1	54	1.97	.195	19	42.6	.74	264	.097	2	1.40	.022	.21	.1	.05	3.9	.1	.06	6	.8
STANDARD DS5	13.2	146.1	25.1	140	.3	24.9	11.8	793	3.03	18.1	6.1	42.6	2.9	45	5.6	4.0	6.0	62	.77	.094	12	190.0	.69	136	.102	18	2.00	.034	.14	4.9	.18	3.4	1.1	<.05	7	5.2

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B %	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
CA-E13	.8	24.3	16.4	62	.1	30.6	11.0	362	3.00	5.8	1.1	3.8	6.8	35	<.1	.3	.2	62	.45	.044	29	47.9	.91	185	.148	<1	1.68	.016	.21	.1	.02	4.6	.2<.05	6	<.5	
CA-E14	2.1	43.5	26.7	123	.1	46.6	17.5	641	4.34	3.8	1.0	.6	10.3	29	.4	.2	.3	76	.47	.099	24	64.9	1.18	265	.151	1	2.13	.010	.43	.1	<.01	4.6	.3<.05	9	1.0	
CA-E15	1.3	52.8	41.9	122	.1	55.2	17.0	793	4.07	3.5	1.4	2.8	12.1	35	.4	.3	.4	86	.57	.104	33	66.2	1.11	395	.189	<1	1.95	.018	.71	.2	.02	5.7	.4<.05	8	.5	
CA-E16	13.7	199.8	63.0	681	1.0	119.3	15.4	819	4.67	15.1	6.6	5.0	6.6	145	2.5	7.3	.8	98	.28	.099	18	41.8	.56	520	.012	1	1.25	.012	.29	.2	.21	5.5	.6	.34	4	6.8
CA-E17	1.8	52.6	15.9	88	.1	42.3	10.9	400	3.12	6.0	.9	2.3	4.1	34	.3	.4	.2	93	.36	.047	11	57.4	.92	516	.148	1	1.68	.017	.39	.1	.01	5.5	.2<.05	6	.6	
CA-E18	2.5	40.9	18.8	106	.2	32.6	11.8	598	3.01	7.5	1.2	2.1	3.8	34	.6	1.0	.3	70	.29	.040	16	42.6	.62	494	.090	<1	1.54	.014	.13	.1	.04	4.3	.1<.05	5	.7	
CA-E19	1.7	30.7	15.2	90	.2	24.3	9.0	379	2.56	13.1	.7	2.0	3.3	34	.4	1.0	.2	62	.42	.058	13	32.3	.53	409	.070	2	1.40	.016	.08	.2	.05	3.9	.1<.05	5	.6	
CA-E20	2.5	37.6	16.6	97	.2	31.4	10.8	466	2.68	5.7	1.2	2.2	4.0	33	.3	.6	.2	77	.38	.069	16	39.7	.70	457	.079	<1	1.38	.017	.08	.2	.06	5.5	.1<.05	5	.8	
CA-E21	4.4	41.8	21.2	97	.2	32.5	13.2	500	3.48	15.9	1.4	3.5	3.6	37	.2	1.3	.3	78	.48	.070	17	40.3	.58	499	.071	<1	1.43	.022	.05	.2	.06	5.0	.1<.05	5	1.2	
CA-E22	2.9	55.1	6.3	144	.1	150.8	27.8	555	3.79	2.0	1.0	.8	2.4	40	.2	.2	.1	108	.47	.055	12	226.1	2.06	489	.201	<1	2.06	.018	.68	<.1	.01	5.3	.4<.05	7	1.7	
CA-E23	.9	78.7	6.8	17	<.1	26.6	11.4	162	1.13	1.4	.3	<.5	.4	8	.1	.1	<.1	33	.35	.051	2	30.7	.52	38	.072	<1	.66	.019	.02	<.1	<.01	2.9	<.1	<.05	2	<.5
CA-E24	1.8	55.6	38.1	66	<.1	37.4	14.6	350	3.11	3.9	.9	<.5	8.2	18	<.1	.2	.3	57	.30	.057	15	47.2	.83	171	.135	<1	1.65	.013	.41	<.1	.01	4.2	.3<.05	6	.5	
CA-E25	1.6	37.9	16.6	44	.1	25.7	12.4	579	2.02	4.3	.8	.8	2.6	28	.1	.2	.1	49	.50	.058	11	37.0	.57	237	.073	1	1.03	.019	.08	.1	.02	3.4	.1<.05	4	.6	
CA-E26	1.0	102.4	55.1	65	.1	33.8	17.7	400	3.32	2.9	.7	1.1	2.0	28	.1	.2	.2	125	.56	.085	8	57.2	1.30	261	.166	1	1.63	.021	.44	<.1	.02	6.0	.2<.05	7	<.5	
CAF-S01	.9	25.2	7.3	64	<.1	30.5	12.1	446	3.06	10.3	.6	1.9	3.4	22	.1	.5	.1	73	.33	.062	10	37.9	.73	193	.107	2	2.10	.016	.10	.1	.02	4.1	.1<.05	6	<.5	
CAF-S02	1.2	14.7	6.5	42	<.1	14.6	9.7	423	2.85	5.2	.9	2.1	3.6	16	.1	.3	.4	68	.22	.059	21	30.5	.69	125	.077	1	1.87	.009	.12	.1	.02	2.8	.1<.05	8	.5	
CAF-S03	1.2	25.3	6.1	57	<.1	17.2	9.0	458	3.16	5.3	1.6	1.0	7.6	27	<.1	.4	.2	57	.33	.051	31	32.5	.69	249	.117	2	1.71	.014	.15	.1	.01	4.8	.1<.05	6	<.5	
CAF-S04	.8	23.4	8.0	60	.1	18.3	8.6	451	2.79	7.8	1.6	2.0	9.1	18	.1	.4	.2	59	.23	.039	47	34.6	.54	340	.078	2	1.81	.011	.08	.1	.05	5.0	.1<.05	6	<.5	
CAF-S05	.4	18.6	7.1	64	<.1	19.6	9.2	515	2.69	5.1	1.2	<.5	9.8	25	.1	.3	.2	55	.35	.053	38	32.7	.64	189	.110	1	1.48	.014	.11	.1	.01	3.4	.1<.05	5	.5	
CAF-S06	.8	17.5	6.9	60	.1	20.2	8.7	374	2.72	5.3	.9	<.5	4.0	17	.2	.3	.2	63	.22	.048	15	34.6	.60	98	.089	2	1.52	.011	.09	.1	.03	2.6	.1<.05	6	<.5	
CAF-S07	2.6	20.0	6.0	65	.1	24.1	10.1	631	2.64	5.3	2.4	4.3	9.1	28	.1	.3	.1	63	.49	.085	31	39.5	.69	295	.097	1	1.53	.017	.11	.2	.03	4.1	.1<.05	5	<.5	
CAF-S08	2.8	18.4	7.0	55	.1	21.6	7.5	258	2.43	5.3	1.4	1.7	4.3	28	.1	.3	.2	61	.55	.057	16	36.9	.61	264	.080	2	1.53	.014	.07	.2	.03	3.3	.1<.05	6	<.5	
CAF-S09	4.1	22.9	10.7	69	.1	24.1	10.6	522	2.90	6.8	2.9	1.4	11.3	25	.1	.3	.3	66	.41	.066	33	45.5	.68	320	.088	2	1.83	.012	.10	.2	.03	3.9	.1<.05	6	<.5	
CAF-S11	1.5	15.6	6.8	42	.1	12.6	6.4	213	2.06	3.9	.9	.9	3.1	18	.1	.2	.2	60	.28	.035	14	31.6	.64	247	.111	2	1.31	.013	.11	.1	.02	2.5	.1<.05	6	<.5	
CAF-S12	.5	61.6	2.8	67	<.1	11.1	14.4	348	2.91	2.5	.4	1.1	1.5	14	.1	.2	<.1	79	.45	.110	5	15.1	1.07	149	.141	<1	1.63	.023	.19	.1	<.01	3.4	.1<.05	6	<.5	
RE CAF-S08	2.6	17.0	7.0	52	.1	19.4	7.5	251	2.32	5.1	1.3	1.9	4.3	27	.1	.3	.2	63	.54	.057	16	33.9	.61	265	.079	1	1.49	.014	.07	.1	.03	3.3	.1<.05	5	.5	
CAF-S13	.1	27.7	1.0	38	<.1	198.8	22.3	308	2.11	1.0	.2	<.5	.9	19	<.1	.1	<.1	54	.43	.039	9	465.7	2.73	137	.133	1	1.97	.011	.08	<.1	.01	2.3	.1<.05	5	<.5	
CAF-S14	.6	129.4	3.2	56	.1	27.1	22.1	389	2.83	3.6	.6	2.1	1.7	20	.1	.2	.1	77	.43	.046	7	70.6	1.08	201	.135	2	1.40	.029	.05	.1	.02	5.1	.1<.05	5	.7	
CAF-S15	.3	60.8	1.6	39	<.1	153.2	23.1	235	2.34	1.3	.1	<.5	.8	12	<.1	.1	<.1	63	.20	.021	3	186.6	2.19	126	.139	1	1.99	.012	.11	<.1	<.01	2.5	.1<.05	5	<.5	
CAF-S16	.7	56.2	5.2	52	<.1	60.2	13.7	359	2.46	5.8	.6	2.8	3.4	30	.1	.4	.1	68	.45	.036	15	94.3	1.03	203	.108	1	1.54	.021	.04	.1	.01	5.8	.1<.05	5	.6	
CAF-S17	.4	145.1	2.8	48	<.1	25.8	13.9	412	2.51	4.0	.2	<.5	1.3	22	.1	.3	.1	77	.49	.054	4	38.4	.97	205	.063	2	1.48	.020	.06	<.1	.01	4.2	.1<.05	5	<.5	
CAF-S18	1.2	57.2	7.0	58	.1	22.4	11.8	332	3.18	5.3	.3	<.5	1.6	15	.1	.5	.2	93	.26	.029	6	39.3	.63	229	.094	1	1.88	.017	.05	.1	.01	3.1	.1<.05	7	<.5	
CAF-S19	.9	69.5	4.3	100	<.1	29.9	23.1	872	4.12	5.0	.2	<.5	1.2	25	.1	.3	.1	127	.58	.068	5	42.3	1.50	556	.128	2	2.28	.017	.35	.1	<.01	4.5	.1<.05	7	<.5	
STANDARD D	12.4	145.0	25.9	138	.3	24.5	11.7	802	2.98	18.7	6.2	43.0	2.9	49	5.6	3.9	6.0	61	.75	.090	13	189.9	.67	140	.102	18	1.97	.034	.14	4.8	.19	3.4	1.1<.05	6	4.8	

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	%	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
CAF-S20	.7	60.5	5.1	49	<.1	18.1	10.0	262	2.41	5.5	.2	1.5	1.5	18	.1	.4	.1	68	.29	.034	5	28.8	.53	165	.079	<1	1.64	.014	.05	.1	.01	2.6	.1	<.05	5	<.5
CAF-S21	.8	104.6	4.9	60	.1	23.5	15.4	241	3.21	6.9	.3	1.9	1.4	26	.1	.4	.1	95	.35	.024	5	29.7	.84	137	.110	1	2.05	.017	.06	.1	.01	3.2	.1	<.05	5	<.5
CAF-S22	.5	111.3	6.8	52	.1	29.9	12.0	513	2.83	9.2	.4	3.9	3.3	35	.1	.5	.1	70	.65	.039	14	35.7	.69	420	.100	1	1.58	.039	.08	.1	.06	5.7	.1	.06	5	<.5
CAF-S23	.8	113.2	4.9	55	.1	23.0	12.1	564	2.85	8.5	.5	4.1	2.9	38	.1	.4	.1	67	.73	.082	12	34.7	.73	281	.104	2	1.30	.034	.12	.1	.04	4.7	.1	<.05	4	.5
CAF-S24	.5	81.0	4.4	47	.1	34.8	13.5	296	2.01	6.5	.5	2.9	1.4	24	.1	.4	.1	48	.55	.047	8	51.5	.74	119	.066	2	1.40	.020	.05	.1	.03	4.6	.1	<.05	4	<.5
CA-GS01	.5	18.1	5.4	78	<.1	45.4	23.5	386	4.27	2.8	.4	.9	2.6	24	<.1	.3	.1	87	.73	.217	18	88.7	1.62	250	.178	1	2.92	.026	.72	.1	.02	5.1	.3	<.05	10	<.5
CA-GS02	.6	35.2	72.5	73	<.1	30.4	13.1	426	3.58	17.8	.9	1.0	12.0	20	.1	.4	.1	54	.25	.026	44	47.0	.84	142	.048	1	2.09	.007	.10	.1	.04	4.5	.2	<.05	7	<.5
CA-GS03	1.2	23.6	16.8	64	<.1	34.5	13.4	420	3.39	9.9	.7	1.7	6.0	15	.1	.5	.1	69	.16	.029	13	63.5	.81	162	.106	1	2.43	.015	.11	.1	.02	4.2	.2	<.05	7	.5
CA-GS04	.8	34.5	17.9	93	<.1	44.7	19.9	650	4.40	4.2	.9	1.6	14.4	273	.1	.3	.1	79	.85	.029	23	99.6	1.13	268	.242	1	4.05	.011	.56	.1	.01	6.3	.4	<.05	12	<.5
CA-GS05	5.7	97.8	22.0	150	.6	46.3	10.5	408	3.29	9.9	3.2	3.4	5.7	47	.7	.9	.2	82	.30	.070	25	35.3	.51	527	.073	2	1.50	.016	.16	.3	.08	5.8	.2	.08	4	3.1
CA-GS06	2.4	61.5	6.5	102	.1	51.7	11.6	521	2.01	2.2	1.3	.6	4.1	24	.1	.2	.1	97	.63	.182	21	53.7	2.06	213	.067	1	1.58	.006	.03	.1	.02	6.4	.1	<.05	6	1.7
CA-GS07	.8	31.3	11.2	66	<.1	33.6	12.7	398	3.26	7.7	1.1	3.5	7.6	19	.1	.4	.2	62	.21	.032	32	41.3	.71	207	.068	1	2.13	.015	.12	.1	.03	4.9	.2	<.05	6	<.5
RE CA-GS07	.9	31.3	10.9	63	<.1	32.2	12.5	392	3.22	7.3	1.1	3.4	7.4	20	.1	.4	.2	61	.22	.034	32	41.0	.73	214	.071	1	2.19	.010	.13	.1	.04	5.1	.1	<.05	6	<.5
CA-GS08	.7	40.2	13.3	57	.1	115.1	13.9	386	3.07	6.6	1.2	2.5	6.7	24	.1	.3	.2	69	.28	.037	22	75.9	.96	235	.105	1	1.86	.013	.13	.1	.03	5.6	.2	<.05	6	<.5
CA-GS09	.7	57.5	8.4	52	.1	27.8	11.8	319	3.16	10.1	1.0	3.6	4.3	20	<.1	.5	.1	75	.24	.031	13	40.5	.66	274	.105	1	2.11	.015	.06	.1	.04	5.1	.1	<.05	6	.5
CA-GS10	.3	45.6	2.1	24	<.1	22.5	10.1	143	1.48	3.1	.1	<.5	.5	9	<.1	.1	<.1	41	.22	.021	2	73.4	.71	90	.106	<1	1.23	.015	.03	<.1	.02	1.7	<.1	<.05	3	<.5
CA-GS11	.5	58.2	4.5	36	<.1	28.2	9.5	192	1.91	6.8	.3	2.5	1.8	14	.1	.3	.1	47	.18	.024	4	51.8	.62	155	.086	<1	1.84	.016	.04	.1	.01	2.5	.1	<.05	4	<.5
CA-GS12	.6	94.4	6.3	59	<.1	27.3	18.9	371	3.55	6.7	.7	1.9	2.7	23	.1	.4	.1	102	.32	.020	11	46.5	1.05	182	.177	1	2.48	.025	.06	.1	.05	5.4	.1	<.05	7	.5
CA-GS13	.9	87.5	6.3	74	.2	18.5	12.1	647	2.74	5.0	.3	.8	1.2	32	.4	.4	.2	83	.43	.066	6	25.2	.58	259	.117	2	1.69	.026	.05	.1	.02	2.9	.1	<.05	8	<.5
CA-GS14	.9	29.1	8.4	60	<.1	30.9	11.4	303	3.24	9.5	1.1	1.9	4.7	18	.1	.4	.2	76	.24	.035	18	57.8	.79	367	.113	2	2.07	.012	.16	.1	.04	5.9	.1	<.05	6	.6
CA-GS15	.9	73.5	7.4	63	.1	19.9	10.9	378	2.96	6.7	.9	4.5	2.5	19	.1	.3	.1	73	.26	.058	12	36.6	.73	329	.116	2	1.89	.010	.13	.2	.03	3.7	.1	<.05	7	.5
CA-GS16	.8	136.6	7.3	65	.2	23.4	10.5	216	2.96	6.1	1.0	7.4	2.1	20	.1	.3	.1	77	.30	.050	12	43.3	.81	258	.120	2	2.10	.015	.11	.1	.05	4.0	.1	<.05	7	.6
CA-GS17	.6	60.4	5.5	66	.1	23.8	12.1	403	2.86	4.4	.7	1.2	3.2	18	.1	.2	.1	79	.31	.063	11	58.7	.90	263	.167	1	1.63	.014	.24	.1	.02	3.4	.2	<.05	7	<.5
CA-GS18	.4	126.1	4.3	64	.1	17.1	12.2	301	2.76	3.9	.6	18.5	2.0	23	.1	.2	.1	71	.43	.062	8	38.0	1.00	175	.146	2	1.73	.020	.16	.1	.03	4.2	.1	<.05	6	<.5
CA-GS19	.6	55.7	5.3	59	<.1	25.1	12.6	355	2.91	5.7	.5	1.1	1.8	17	.1	.3	.1	79	.27	.047	8	77.1	.97	147	.144	1	1.82	.013	.12	.1	.02	3.7	.1	<.05	7	.5
CA-GS20	1.0	30.7	7.3	51	<.1	21.4	9.8	286	2.92	7.7	.6	1.4	1.6	19	.1	.4	.1	71	.28	.038	11	37.8	.63	160	.100	<1	1.94	.012	.08	.1	.02	3.3	.1	<.05	7	.5
CA-GS21	1.2	21.2	7.5	52	.1	18.6	7.0	334	2.50	7.1	.9	<.5	.7	21	.2	.3	.2	65	.30	.064	12	31.6	.53	143	.076	1	1.50	.012	.07	.1	.04	2.4	.1	<.05	6	.5
CA-GS22	.7	17.1	6.1	52	<.1	19.1	9.6	371	2.74	6.2	.9	1.9	4.9	23	<.1	.3	.1	65	.34	.045	18	35.7	.71	260	.113	1	1.78	.012	.07	.1	.03	4.6	.1	<.05	6	<.5
CA-GS23	.3	7.6	2.3	43	<.1	13.7	9.8	454	2.86	2.3	1.1	.9	6.3	27	.1	.1	.1	58	.42	.072	13	25.8	1.20	425	.221	1	1.98	.012	.69	.1	.01	4.7	.3	<.05	8	<.5
CA-GS24	1.0	16.5	7.7	51	.1	18.2	8.1	285	2.75	7.3	1.0	<.5	5.0	21	<.1	.3	.2	66	.29	.029	15	32.5	.57	218	.100	1	1.86	.011	.05	.1	.03	4.0	.1	<.05	7	.6
CA-GS25	1.1	15.9	8.4	45	<.1	17.6	8.3	246	2.86	8.3	1.0	1.1	2.1	17	.1	.4	.3	64	.20	.049	17	32.8	.47	152	.062	1	1.82	.011	.06	.1	.02	2.8	.1	<.05	6	.6
CA-GS26	2.3	25.0	6.4	43	.1	16.5	8.1	251	3.08	6.6	2.1	1.5	7.3	24	.1	.3	.3	52	.18	.046	25	25.8	.52	152	.099	1	1.59	.013	.11	.1	.03	3.2	.1	<.05	7	.9
CA-GS27	2.9	39.3	7.9	51	.1	14.4	8.4	332	3.45	7.2	2.8	2.0	5.2	21	.1	.3	.2	58	.25	.062	40	27.8	.64	169	.107	2	1.90	.009	.18	.1	.04	3.4	.2	<.05	8	.7
STANDARD D	13.3	145.0	25.1	139	.3	24.6	11.8	741	3.01	17.8	6.1	44.6	2.9	46	5.7	4.0	6.0	61	.73	.088	12	181.0	.68	137	.104	16	1.98	.034	.15	5.2	.17	3.4	1.1	<.05	7	5.1

Standard is STANDARD DS5. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
CA-GS28	2.1	15.5	9.0	47	.1	15.8	7.6	265	3.68	9.0	1.3	2.2	7.5	12	.1	.5	.2	71	.14	.036	14	30.6	.49	78	.103	<1	1.93	.010	.08	.1	.01	2.9	.2	<.05	8	.6
CA-GS29	1.1	13.5	7.0	44	.1	18.0	7.0	198	2.78	7.0	.7	3.2	3.1	16	.1	.3	.2	63	.20	.039	11	30.4	.52	113	.076	2	1.81	.011	.05	.1	.02	2.8	.1	<.05	6	<.5
CA-GS30	2.1	12.6	9.4	39	.1	16.4	9.1	250	3.52	6.6	1.1	2.6	8.1	19	.1	.4	.7	54	.15	.035	24	27.1	.40	203	.052	1	1.98	.015	.08	.1	.01	2.5	.1	.07	5	.9
CAIF-S01	.9	25.2	12.8	74	.1	29.7	15.1	553	3.60	8.8	1.0	4.6	8.5	19	.1	.3	.2	69	.24	.049	26	41.3	.68	207	.106	1	2.06	.016	.18	.1	.02	3.7	.2	<.05	7	<.5
CAIF-S02	.9	25.9	14.6	86	.1	33.6	16.7	604	4.04	7.4	1.3	3.8	16.7	26	.1	.3	.1	69	.38	.108	46	47.8	.90	245	.163	2	2.51	.018	.40	.1	.01	4.5	.3	<.05	7	<.5
CAIF-S03	1.1	22.3	30.3	73	.1	27.0	13.5	554	3.55	8.9	1.2	6.4	12.4	16	.1	.3	.2	57	.21	.057	43	39.1	.68	162	.130	1	1.92	.011	.37	.1	.01	3.4	.3	<.05	7	<.5
CAIF-S04	1.2	23.6	10.7	61	.2	22.4	9.9	339	2.79	7.3	1.0	2.2	4.9	18	.1	.3	.1	61	.23	.062	21	54.6	.65	213	.080	1	1.65	.011	.15	.1	.04	3.9	.2	<.05	6	.8
CAIF-S05	4.9	68.4	25.9	92	.5	20.7	2.8	64	2.63	103.5	2.9	1.6	.5	28	.7	5.1	.2	55	.10	.070	10	26.7	.08	549	.009	2	.78	.008	.06	.1	.11	1.8	.1	<.05	4	6.6
CAIF-S06	2.4	35.5	12.1	136	.3	28.0	10.0	365	2.49	25.1	1.5	1.0	1.3	13	.4	1.3	.2	79	.10	.059	17	32.2	.39	296	.055	3	1.33	.010	.18	.1	.04	2.6	.5	<.05	6	.8
CAIF-S07	1.7	34.6	10.2	104	.2	62.8	13.2	471	2.92	26.6	.8	1.6	4.0	17	.3	.7	.2	86	.22	.066	13	61.0	.78	223	.085	3	1.51	.012	.15	.1	.02	3.7	.4	<.05	6	.7
CAIF-S08	.4	80.2	3.7	43	<.1	260.3	20.4	429	2.47	10.0	.3	.9	1.5	12	<.1	.6	<.1	66	.32	.051	8	249.2	1.50	197	.089	1	1.49	.021	.15	<.1	<.01	4.5	.2	<.05	5	<.5
CAIF-S09	.4	64.2	2.4	76	.1	356.6	35.7	406	4.19	2.4	.3	1.0	1.2	20	<.1	.1	<.1	95	.49	.104	6	352.7	3.17	298	.120	<1	2.43	.015	.28	<.1	<.01	6.2	.3	<.05	8	.7
CAIF-S10	.5	52.1	1.9	72	.1	536.6	46.0	1059	5.83	5.4	.2	<.5	.5	20	.1	.1	<.1	147	.65	.079	4	633.5	4.23	256	.123	1	3.35	.013	.38	<.1	<.01	11.0	.2	<.05	10	<.5
CAIF-S11	.4	39.4	7.4	44	<.1	70.9	16.6	350	2.45	5.3	.6	1.6	2.4	19	<.1	.3	.1	63	.36	.027	10	110.9	1.29	226	.112	1	1.76	.020	.05	.1	<.01	5.0	.1	<.05	5	.5
CAIF-S12	.5	24.6	3.8	58	<.1	194.7	19.9	587	3.00	3.5	.4	.5	1.4	18	.1	.3	<.1	73	.30	.037	3	303.7	1.81	139	.201	<1	2.09	.013	.03	<.1	<.01	3.0	.1	<.05	8	<.5
CAIF-S13	.8	40.3	4.4	60	<.1	206.2	21.4	367	3.46	5.9	.5	1.3	2.6	14	<.1	.3	.1	83	.27	.011	29	250.4	1.83	288	.220	1	2.51	.016	.10	.1	.01	4.3	.2	<.05	8	.5
CAIF-S14	1.1	53.8	8.3	105	.1	172.3	22.4	632	4.51	4.4	1.0	<.5	8.1	17	<.1	.2	.1	134	.23	.025	32	239.1	3.28	713	.216	3	3.78	.012	.43	.1	<.01	10.8	.4	<.05	14	.5
CAIF-S15	.5	80.9	2.4	25	.1	1259.0	67.3	1367	5.07	4.0	.8	.8	1.4	18	.1	.3	.1	27	.67	.016	11	318.5	3.17	96	.024	<1	.78	.007	.02	.1	.01	7.0	.1	<.05	2	.7
CAIF-S16	.9	41.4	4.6	119	<.1	496.0	32.0	599	5.16	87.3	1.0	<.5	4.4	24	.2	5.9	.1	97	.43	.019	17	470.9	2.33	400	.113	2	2.57	.010	.13	<.1	.02	8.9	1.0	<.05	8	.7
CAIF-S17	2.4	50.3	13.6	89	.3	12.1	3.5	289	2.84	34.3	2.3	<.5	8.8	20	.4	1.2	.2	89	.05	.043	30	40.4	.81	742	.087	1	1.93	.007	.42	<.1	<.01	3.0	.7	.14	6	3.1
CAIF-S18	1.0	46.1	13.7	248	.3	43.8	16.8	305	3.44	126.8	3.1	1.0	6.0	30	2.3	6.2	.2	152	.25	.055	19	49.3	1.21	2106	.127	2	3.08	.005	.52	<.1	.01	9.2	.4	<.05	7	2.3
CAIF-S19	8.2	37.2	10.3	66	.2	37.8	10.6	191	3.23	265.9	1.6	1.9	3.8	40	.4	5.2	.1	104	.14	.042	11	65.9	.41	493	.049	4	2.13	.010	.09	.2	.26	4.8	.2	<.05	6	1.9
CAIF-S20	.7	31.4	9.0	70	.1	30.6	13.2	357	3.21	9.6	1.6	4.1	7.9	19	<.1	.5	.2	66	.24	.036	27	44.8	.77	232	.112	1	2.22	.014	.15	.1	.02	4.9	.2	<.05	6	.8
CAIF-S21	1.1	23.1	11.1	61	.1	32.2	15.4	343	3.55	10.6	.6	1.8	6.9	15	.1	.5	.1	71	.14	.020	16	51.3	.70	208	.132	1	2.84	.012	.16	.1	.02	3.6	.2	<.05	7	<.5
CAIF-S22	.5	31.8	9.2	91	<.1	36.6	14.4	341	4.13	6.7	1.2	1.9	22.7	26	<.1	.3	.1	69	.34	.048	67	51.8	1.15	260	.194	1	2.71	.015	.57	.1	<.01	6.2	.5	<.05	8	.5
CAIF-S23	.8	20.1	10.9	77	.1	31.5	13.1	521	3.51	9.2	.7	.5	7.7	21	.1	.4	.1	75	.22	.031	16	49.6	.79	292	.134	1	2.77	.011	.30	.1	.01	4.0	.2	<.05	8	<.5
CAIF-S24	.8	45.5	16.5	82	.1	43.9	12.4	498	3.45	21.0	2.5	3.6	8.6	36	<.1	.5	.2	103	.47	.056	33	79.0	1.11	362	.130	2	2.23	.021	.12	.1	.04	8.9	.2	<.05	8	.5
CAIF-S25	1.8	55.6	10.4	91	.1	61.4	17.5	563	3.88	9.7	1.3	6.1	8.9	32	.1	.3	.1	94	.47	.078	29	89.7	1.00	698	.110	2	1.80	.017	.24	.1	.03	9.3	.3	<.05	7	1.0
CAIF-S26	5.1	43.7	14.8	74	.5	34.1	9.5	316	2.92	140.2	1.1	5.8	4.7	32	.1	4.4	.2	72	.08	.037	10	34.4	.23	281	.019	1	1.29	.007	.07	.2	.13	4.3	.2	<.05	5	1.7
RE CAIF-S26	4.8	43.1	15.0	75	.5	35.6	9.6	310	2.90	143.8	1.2	1.5	4.6	30	.1	4.3	.2	69	.09	.036	9	34.7	.23	271	.016	2	1.25	.006	.06	.1	.12	4.1	.2	<.05	5	1.7
CAIF-S27	1.5	25.0	10.9	61	.8	25.9	11.0	386	3.02	29.9	.8	1.6	3.8	17	.3	1.2	.2	78	.16	.020	11	44.2	.57	339	.074	1	2.19	.011	.06	.6	.04	4.0	.1	<.05	6	.8
CAIF-S28	2.1	45.6	13.5	147	.2	36.0	12.0	283	3.27	232.2	1.5	1.3	6.5	16	.3	4.9	.2	76	.14	.031	19	52.5	.71	312	.075	1	2.05	.009	.12	.1	.02	4.2	.3	<.05	6	1.2
CAIF-S29	.9	45.4	7.8	91	.1	130.2	15.8	396	3.37	10.1	.8	1.8	5.8	19	.1	1.0	.1	94	.26	.034	19	163.0	1.29	319	.125	1	2.34	.011	.20	.1	.01	5.2	.2	<.05	7	.6
STANDARD DS5	12.4	141.0	25.2	137	.3	24.4	11.9	777	2.97	18.1	6.0	44.5	2.9	45	5.3	4.0	6.0	62	.72	.088	13	187.5	.66	140	.102	17	2.04	.032	.14	4.9	.16	3.4	1.0	<.05	6	5.0

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
CAIF-S30	1.1	39.3	8.6	48	.1	51.7	14.8	407	3.23	11.9	.4	1.6	3.1	15	.1	.5	.2	76	.17	.030	9	49.8	.62	206	.076	1	2.15	.012	.06	.1	.02	3.8	.1	<.05	6	<.5
CAIF-S31	.9	138.3	5.6	56	.1	323.6	26.6	253	3.15	8.3	.4	.7	2.1	10	.1	.4	.1	73	.12	.016	7	200.4	1.27	146	.104	1	1.86	.008	.05	.1	.01	3.6	.2	<.05	6	<.5
CAIF-S32	.3	37.7	2.8	36	<.1	66.4	15.2	185	2.25	3.3	.3	.6	1.6	11	<.1	.1	<.1	55	.16	.015	6	99.9	1.51	196	.128	<1	1.66	.010	.18	<.1	.01	2.6	.2	<.05	5	<.5
CAIF-S33	.7	32.4	3.7	43	<.1	33.8	11.0	304	2.55	5.3	.2	<.5	1.1	8	.1	.2	.1	72	.24	.029	3	57.4	.68	105	.095	<1	1.48	.027	.05	<.1	<.01	3.5	.1	<.05	5	<.5
CATF-01	2.3	38.9	13.3	57	.1	38.2	12.3	440	3.26	147.6	.7	6.3	3.6	24	.2	3.2	.2	61	.23	.028	13	36.6	.45	487	.043	1	1.26	.008	.10	.1	.04	4.0	.2	<.05	4	<.5
CATF-02	1.6	61.7	11.9	61	.1	34.5	11.7	393	3.32	50.3	1.0	6.9	7.1	20	.1	1.5	.2	59	.22	.027	22	38.9	.52	1085	.040	3	1.40	.010	.07	.1	.11	5.2	.1	<.05	5	.6
CATF-03	3.2	51.2	34.6	133	.3	52.4	12.8	501	3.38	185.2	.9	1.3	2.6	32	.6	3.6	.3	60	.12	.039	7	26.3	.25	939	.019	2	.90	.006	.10	.1	.12	4.6	.3	<.05	3	1.0
CATF-04	5.2	47.0	61.0	173	1.0	45.4	9.2	281	2.75	532.3	1.1	.9	1.3	32	1.8	10.2	.2	50	.22	.104	10	21.7	.26	570	.017	1	.88	.008	.11	.2	.07	2.8	.2	<.05	3	2.9
CATF-05	2.6	54.5	19.0	104	1.2	59.8	19.0	989	2.79	144.3	1.9	1.8	1.1	49	1.4	2.1	.2	63	.55	.085	14	50.4	.61	1392	.020	2	1.56	.011	.13	.1	.18	5.0	.3	<.05	5	.8
CATF-06	2.0	47.3	10.7	114	.2	66.5	11.5	312	3.43	59.0	1.1	1.4	5.5	15	.2	1.3	.2	74	.22	.031	19	52.7	.79	340	.057	<1	1.55	.010	.19	.1	.04	5.2	.3	<.05	5	.8
CATF-07	.7	57.0	4.6	39	.1	49.7	10.7	255	2.45	6.1	.2	1.1	1.3	15	.1	.3	.1	62	.29	.025	4	59.5	.76	132	.077	<1	1.46	.018	.05	.1	.01	3.7	.1	<.05	5	<.5
CATF-08	.1	48.8	1.4	27	<.1	445.7	30.2	348	1.88	1.0	.2	<.5	.6	10	.1	.1	<.1	47	.24	.054	3	369.9	2.50	74	.023	<1	1.45	.009	.01	<.1	.01	4.2	.1	<.05	3	<.5
CATF-09	.6	24.6	5.7	38	<.1	80.7	12.8	251	2.35	6.0	.4	<.5	2.7	14	.1	.3	.1	62	.17	.012	9	116.4	.71	164	.061	1	1.42	.011	.03	.1	.02	3.1	.1	<.05	4	<.5
CATF-10	.5	77.5	3.7	35	.1	148.0	15.9	208	2.21	3.8	.3	<.5	1.1	13	<.1	.2	.1	56	.27	.017	6	131.1	1.34	119	.091	1	1.78	.016	.03	<.1	<.01	2.9	.1	<.05	5	<.5
CATF-11	.1	24.4	.5	30	<.1	374.0	25.5	158	2.13	.7	.1	<.5	.5	6	<.1	<.1	<.1	52	.18	.061	4	314.5	3.00	43	.028	<1	1.81	.003	.01	<.1	<.01	4.7	<.1	<.05	4	<.5
CATF-12	1.8	162.8	5.4	49	.1	106.7	13.6	216	3.47	4.5	.8	.6	5.8	32	<.1	.2	.1	116	.18	.040	22	170.7	1.30	319	.085	1	1.66	.011	.21	.1	<.01	6.6	.1	<.05	8	.8
CATF-13	.4	102.4	2.2	27	<.1	37.0	11.5	252	1.71	2.3	.2	.5	.7	15	.1	.1	<.1	45	.34	.051	3	48.3	.77	78	.048	1	.93	.014	.03	.1	<.01	4.0	<.1	<.05	3	<.5
RE CATF-13	.4	111.3	2.3	29	<.1	42.5	13.0	264	1.84	2.6	.2	<.5	.7	16	.1	.1	<.1	49	.37	.052	4	53.1	.80	83	.055	<1	1.01	.016	.03	<.1	<.01	4.7	<.1	<.05	4	<.5
CATF-14	.6	26.5	4.1	41	.1	127.9	16.7	254	2.46	4.4	.4	<.5	1.7	16	<.1	.2	.1	60	.35	.036	8	170.4	1.63	146	.086	<1	1.77	.027	.03	.1	<.01	2.9	.1	<.05	5	<.5
CATF-15	.1	26.9	.9	48	<.1	271.4	30.0	286	3.46	.7	.1	<.5	.3	17	<.1	<.1	<.1	108	.45	.050	2	221.7	3.34	427	.175	<1	2.59	.033	.39	<.1	<.01	8.3	.3	<.05	6	<.5
CATF-16	2.0	52.7	10.7	111	.3	38.6	11.0	330	3.45	24.2	1.4	<.5	5.6	15	.3	1.6	.2	102	.13	.036	21	54.3	.94	424	.077	1	1.96	.007	.40	<.1	<.01	5.4	.3	<.05	7	1.2
CATF-17	1.6	45.9	12.3	142	.2	33.9	13.1	471	4.07	37.0	1.2	.6	6.2	23	.4	1.9	.3	107	.26	.061	24	61.0	1.00	433	.090	2	2.04	.009	.58	.1	.01	5.9	.5	<.05	8	.7
CATF-18	1.3	31.0	11.0	72	.4	30.4	10.0	453	2.74	108.1	.9	8.5	3.8	28	.3	1.5	.2	63	.34	.065	11	37.4	.54	866	.052	1	1.40	.013	.07	.1	.09	4.4	.1	<.05	4	.6
CATF-19	1.0	30.1	11.1	63	.1	50.3	16.1	372	3.72	15.0	.8	3.3	6.8	21	.1	.5	.2	74	.23	.029	18	69.1	.87	421	.078	1	2.00	.010	.10	.1	.02	4.7	.1	<.05	6	<.5
CATF-20	3.2	124.6	13.4	129	.1	63.2	17.9	528	4.69	185.9	1.8	2.0	10.4	25	.2	2.1	.2	83	.16	.051	18	76.1	.70	561	.063	2	1.48	.006	.30	.1	.16	7.0	.5	<.05	5	1.7
CATF-21	1.1	96.4	10.0	100	.1	78.6	22.0	408	3.70	3.9	.9	<.5	7.8	27	.1	.1	.1	127	.43	.134	28	108.5	1.59	742	.193	<1	2.17	.020	.86	<.1	<.01	4.8	.5	<.05	7	.6
CATF-22	2.2	108.0	18.4	114	<.1	73.5	18.7	950	4.64	12.5	2.0	.8	7.6	38	.1	.2	.3	210	.34	.100	30	150.0	2.20	2551	.196	1	3.39	.013	.90	.1	.01	11.6	.4	<.05	14	1.7
CATF-23	2.5	72.2	14.1	149	.1	73.5	23.5	1056	5.35	11.9	1.3	4.4	12.2	27	.2	.2	.1	131	.40	.069	23	112.6	1.41	1238	.138	1	1.91	.009	.64	<.1	.18	14.0	.7	<.05	9	.9
CATF-24	2.0	20.7	15.5	55	.2	26.1	10.5	416	3.05	35.4	.6	2.0	4.8	15	.1	1.0	.1	58	.13	.034	16	30.8	.42	301	.039	1	1.26	.007	.08	.1	.02	3.1	.1	<.05	5	<.5
CATF-25	1.5	28.3	11.8	46	.1	26.1	9.5	354	2.44	45.8	.7	5.3	3.1	27	.1	2.3	.1	56	.28	.063	12	33.1	.51	547	.042	3	1.29	.010	.07	.1	.11	3.3	.2	<.05	4	.8
CATF-26	1.0	31.7	8.6	59	.1	23.9	10.4	307	2.56	17.6	1.2	3.4	5.2	19	.1	.8	.2	62	.20	.021	17	37.0	.58	302	.061	1	1.57	.012	.05	.1	.03	4.8	.1	<.05	5	.7
CATF-27	1.2	42.0	10.0	90	.1	99.9	15.2	555	3.85	14.3	.9	<.5	5.3	20	.2	.3	.2	113	.30	.048	18	132.0	1.63	467	.125	1	2.20	.010	.30	.1	.01	6.9	.3	<.05	9	.5
CATF-28	.9	44.4	8.6	73	.1	66.4	13.4	339	2.99	18.9	.7	5.2	4.7	18	.1	.6	.1	71	.31	.055	14	69.6	.94	240	.071	<1	1.81	.011	.11	.1	.03	4.5	.2	<.05	6	<.5
STANDARD DS5	13.4	146.2	25.8	138	.3	24.7	12.1	809	3.02	18.9	6.2	44.8	3.0	49	5.7	4.0	6.0	64	.72	.093	13	190.5	.70	141	.102	17	1.97	.035	.15	4.9	.19	3.6	1.1	<.05	7	5.1

Sample type: SOIL SS80 60C. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.



SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppb	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	Hg ppm	Sc ppm	Tl ppm	S %	Ga ppm	Se ppm
CATF-29	.7	104.4	6.0	51	.1	56.1	15.8	449	3.14	7.0	1.1	3.5	4.0	30	.1	.4	.1	93	.44	.028	18	88.4	.83	194	.154	3	2.36	.025	.05	.1	.02	7.4	.1	<.05	6	.5
CATF-30	1.0	23.5	5.2	44	<.1	154.3	16.5	262	3.17	6.9	.2	1.7	1.5	12	<.1	.3	.1	99	.45	.018	5	74.5	.95	139	.172	1	2.20	.064	.05	.1	.01	4.8	.1	<.05	6	<.5
CATF-31	.6	30.7	4.1	46	.1	107.5	16.7	350	3.08	4.7	.3	.6	1.6	15	.1	.2	.1	83	.56	.036	6	69.9	1.21	149	.087	1	2.32	.059	.05	.1	<.01	5.6	.1	<.05	6	<.5
CATF-32	1.4	19.5	6.9	56	.2	33.6	13.1	576	2.86	7.5	.4	.6	2.8	18	.1	.5	.2	78	.22	.036	13	47.6	.61	153	.098	<1	1.58	.011	.07	.1	.01	2.9	.1	<.05	6	<.5
STANDARD	12.6	144.3	25.0	138	.3	23.5	12.3	740	3.05	18.1	6.1	44.0	2.8	47	5.4	3.7	6.1	59	.72	.091	12	178.0	.62	132	.098	16	1.94	.031	.14	5.3	.17	3.4	1.0	<.05	7	4.8

Standard is STANDARD DS5.

SAMPLES	GPS ID	Datum	Easting	Northing	Date / Time	Elevation
CATF-32	CATF-32	NAD83-7V	579053	7010474	26-SEP-04 16:27	972.3
CATF-31	CATF-31	NAD83-7V	579100	7010473	26-SEP-04 16:20	979.3
CATF-30	CATF-30	NAD83-7V	579138	7010471	26-SEP-04 16:11	971.1
CATF-29	CATF-29	NAD83-7V	579194	7010472	26-SEP-04 16:03	970.5
CATF-28	CATF-28	NAD83-7V	579250	7010497	26-SEP-04 15:54	968.3
CATF-27	CATF-27	NAD83-7V	579294	7010476	26-SEP-04 15:46	976.9
CATF-26	CATF-26	NAD83-7V	579345	7010473	26-SEP-04 15:37	958.9
CATF-25	CATF-25	NAD83-7V	579404	7010482	26-SEP-04 15:27	951.9
CATF-24	CATF-24	NAD83-7V	579445	7010482	26-SEP-04 15:19	952.8
CATF-23	CATF-23	NAD83-7V	579508	7010482	26-SEP-04 15:10	956.8
CATF-22	CATF-22	NAD83-7V	579552	7010485	26-SEP-04 15:02	961.6
CATF-21	CATF-21	NAD83-7V	579557	7010392	26-SEP-04 14:52	929.6
CATF-20	CATF-20	NAD83-7V	579517	7010383	26-SEP-04 14:44	937.9
CATF-19	CATF-19	NAD83-7V	579468	7010384	26-SEP-04 14:36	936.7
CATF-18	CATF-18	NAD83-7V	579412	7010391	26-SEP-04 14:27	932.4
CATF-17	CATF-17	NAD83-7V	579358	7010365	26-SEP-04 14:16	904.3
CATF-16	CATF-16	NAD83-7V	579311	7010370	26-SEP-04 14:08	915
CATF-15	CATF-15	NAD83-7V	579260	7010388	26-SEP-04 13:59	944.6
CATF-14	CATF-14	NAD83-7V	579212	7010375	26-SEP-04 13:51	950.7
CATF-13	CATF-13	NAD83-7V	579164	7010371	26-SEP-04 13:44	948.2
CATF-12	CATF-12	NAD83-7V	579114	7010358	26-SEP-04 13:37	954.3
CATF-11	CATF-11	NAD83-7V	579064	7010364	26-SEP-04 13:29	943.1
CATF-10	CATF-10	NAD83-7V	579066	7010264	26-SEP-04 13:19	938.5
CATF-09	CATF-09	NAD83-7V	579111	7010281	26-SEP-04 13:11	946.7
CATF-08	CATF-08	NAD83-7V	579160	7010256	26-SEP-04 13:02	930.6
CATF-07	CATF-07	NAD83-7V	579236	7010284	26-SEP-04 12:55	922.6
CATF-06	CATF-06	NAD83-7V	579326	7010296	26-SEP-04 12:42	899.2
CATF-05	CATF-05	NAD83-7V	579373	7010285	26-SEP-04 12:31	871.1
CATF-04	CATF-04	NAD83-7V	579433	7010260	26-SEP-04 12:24	889.1
CATF-03	CATF-03	NAD83-7V	579466	7010285	26-SEP-04 12:15	903.4
CATF-02	CATF-02	NAD83-7V	579493	7010286	26-SEP-04 12:05	892.8
CATF-01	CATF-01	NAD83-7V	579559	7010279	26-SEP-04 11:50	914.7
CAIF-S33	CAIF-S33	NAD83-7V	579056	7010565	26-SEP-04 16:16	992.7
CAIF-S32	CAIF-S32	NAD83-7V	579102	7010574	26-SEP-04 16:09	1007.7
CAIF-S31	CAIF-S31	NAD83-7V	579149	7010570	26-SEP-04 16:02	994
CAIF-S30	CAIF-S30	NAD83-7V	579203	7010573	26-SEP-04 15:52	985.4
CAIF-S29	CAIF-S29	NAD83-7V	579253	7010568	26-SEP-04 15:45	976.6
CAIF-S28	CAIF-S28	NAD83-7V	579303	7010577	26-SEP-04 15:38	986.9
CAIF-S27	CAIF-S27	NAD83-7V	579355	7010574	26-SEP-04 15:26	980.5
CAIF-S26	CAIF-S26	NAD83-7V	579404	7010578	26-SEP-04 15:20	985.1
CAIF-S25	CAIF-S25	NAD83-7V	579452	7010577	26-SEP-04 15:13	989.7
CAIF-S24	CAIF-S24	NAD83-7V	579505	7010578	26-SEP-04 15:05	995.2
CAIF-S23	CAIF-S23	NAD83-7V	579555	7010579	26-SEP-04 14:54	1003.7
CAIF-S22	CAIF-S22	NAD83-7V	579550	7010677	26-SEP-04 14:47	1020.2
CAIF-S21	CAIF-S21	NAD83-7V	579500	7010675	26-SEP-04 14:22	1006.4
CAIF-S20	CAIF-S20	NAD83-7V	579451	7010676	26-SEP-04 14:13	991.2
CAIF-S19	CAIF-S19	NAD83-7V	579398	7010674	26-SEP-04 14:03	983.6
CAIF-S18	CAIF-S18	NAD83-7V	579350	7010674	26-SEP-04 13:54	986.3
CAIF-S17	CAIF-S17	NAD83-7V	579302	7010677	26-SEP-04 13:46	988.5
CAIF-S16	CAIF-S16	NAD83-7V	579251	7010673	26-SEP-04 13:40	994.3
CAIF-S15	CAIF-S15	NAD83-7V	579200	7010676	26-SEP-04 13:34	1008.3
CAIF-S14	CAIF-S14	NAD83-7V	579147	7010671	26-SEP-04 13:27	1008.9
CAIF-S13	CAIF-S13	NAD83-7V	579099	7010672	26-SEP-04 13:20	1007.4
CAIF-S12	CAIF-S12	NAD83-7V	579053	7010666	26-SEP-04 13:13	1001
CAIF-S11	CAIF-S11	NAD83-7V	579049	7010766	26-SEP-04 13:06	1008.9
CAIF-S10	CAIF-S10	NAD83-7V	579101	7010766	26-SEP-04 12:59	1007.7
CAIF-S09	CAIF-S09	NAD83-7V	579148	7010764	26-SEP-04 12:54	999.7
CAIF-S08	CAIF-S08	NAD83-7V	579199	7010764	26-SEP-04 12:46	989.7
CAIF-S07	CAIF-S07	NAD83-7V	579248	7010768	26-SEP-04 12:39	978.7
CAIF-S06	CAIF-S06	NAD83-7V	579300	7010767	26-SEP-04 12:23	968.7
CAIF-S05	CAIF-S05	NAD83-7V	579351	7010771	26-SEP-04 12:12	956.8

CAIF-S04	CAIF-S04	NAD83-7V	579398	7010774 26-SEP-04 12:05	960.1
CAIF-S03	CAIF-S03	NAD83-7V	579452	7010777 26-SEP-04 11:57	975.1
CAIF-S02	CAIF-S02	NAD83-7V	579500	7010776 26-SEP-04 11:49	993
CAIF-S01	CAIF-S01	NAD83-7V	579551	7010772 26-SEP-04 11:40	1001.6
CA-GS30	CA-GS30	NAD83-7V	581900	7001671 01-OCT-04 15:50	1090
CA-GS29	CA-GS29	NAD83-7V	581872	7001766 01-OCT-04 15:41	1081.7
CA-GS28	CA-GS28	NAD83-7V	581874	7001867 01-OCT-04 15:31	1073.8
CA-GS27	CA-GS27	NAD83-7V	581855	7001973 01-OCT-04 15:18	1072.9
CA-GS26	CA-GS26	NAD83-7V	581837	7002078 01-OCT-04 15:10	1074.7
CA-GS25	CA-GS25	NAD83-7V	581828	7002180 01-OCT-04 15:02	1083
CA-GS24	CA-GS24	NAD83-7V	581818	7002281 01-OCT-04 14:55	1095.5
CA-GS23	CA-GS23	NAD83-7V	581811	7002385 01-OCT-04 14:46	1113.4
CA-GS22	CA-GS22	NAD83-7V	581810	7002486 01-OCT-04 14:32	1129
CA-GS21	CA-GS21	NAD83-7V	581809	7002587 01-OCT-04 14:23	1142.4
CA-GS20	CA-GS20	NAD83-7V	581807	7002691 01-OCT-04 14:13	1154.6
CA-GS19	CA-GS19	NAD83-7V	581822	7002800 01-OCT-04 14:02	1144.5
CA-GS18	CA-GS18	NAD83-7V	581831	7002912 01-OCT-04 13:52	1116.8
CA-GS17	CA-GS17	NAD83-7V	581838	7003010 01-OCT-04 13:39	1098.8
CA-GS16	CA-GS16	NAD83-7V	581840	7003114 01-OCT-04 13:28	1076.9
CA-GS15	CA-GS15	NAD83-7V	581850	7003213 01-OCT-04 13:19	1064.7
CA-GS14	CA-GS14	NAD83-7V	581837	7003313 01-OCT-04 13:10	1063.4
CA-GS13	CA-GS13	NAD83-7V	581859	7003412 01-OCT-04 13:02	1069.5
CA-GS12	CA-GS12	NAD83-7V	581869	7003508 01-OCT-04 12:55	1077.2
CA-GS11	CA-GS11	NAD83-7V	581873	7003613 01-OCT-04 12:48	1089.7
CA-GS10	CA-GS10	NAD83-7V	581879	7003716 01-OCT-04 12:38	1102.2
CA-GS09	CA-GS09	NAD83-7V	581879	7003818 01-OCT-04 12:29	1102.2
CA-GS08	CA-GS08	NAD83-7V	581918	7003915 01-OCT-04 12:19	1095.5
CA-GS07	CA-GS07	NAD83-7V	581952	7004026 01-OCT-04 12:11	1091.8
CA-GS06	CA-GS06	NAD83-7V	581977	7004130 01-OCT-04 12:04	1097.6
CA-GS05	CA-GS05	NAD83-7V	581988	7004229 01-OCT-04 11:56	1097.6
CA-GS04	CA-GS04	NAD83-7V	581998	7004325 01-OCT-04 11:48	1115
CA-GS03	CA-GS03	NAD83-7V	582025	7004419 01-OCT-04 11:40	1128.4
CA-GS02	CA-GS02	NAD83-7V	582057	7004511 01-OCT-04 11:33	1133.6
CA-GS01	CA-GS01	NAD83-7V	582126	7004595 01-OCT-04 11:17	1171.3
CAF-S24	CAF-S24	NAD83-7V	579368	7002857 01-OCT-04 16:05	625.8
CAF-S23	CAF-S23	NAD83-7V	579468	7002916 01-OCT-04 15:51	687.3
CAF-S22	CAF-S22	NAD83-7V	579572	7002921 01-OCT-04 15:39	712.9
CAF-S21	CAF-S21	NAD83-7V	579679	7002943 01-OCT-04 15:29	763.5
CAF-S20	CAF-S20	NAD83-7V	579784	7002957 01-OCT-04 15:19	810.2
CAF-S19	CAF-S19	NAD83-7V	579881	7002981 01-OCT-04 15:08	837.9
CAF-S18	CAF-S18	NAD83-7V	579985	7002984 01-OCT-04 14:57	872.3
CAF-S17	CAF-S17	NAD83-7V	580082	7002953 01-OCT-04 14:43	902.2
CAF-S16	CAF-S16	NAD83-7V	580190	7002934 01-OCT-04 14:33	897.3
CAF-S15	CAF-S15	NAD83-7V	580277	7002883 01-OCT-04 14:22	923.2
CAF-S14	CAF-S14	NAD83-7V	580379	7002846 01-OCT-04 14:11	930.2
CAF-S13	CAF-S13	NAD83-7V	580478	7002822 01-OCT-04 14:01	954.9
CAF-S12	CAF-S12	NAD83-7V	580575	7002803 01-OCT-04 13:52	979.3
CAF-S11	CAF-S11	NAD83-7V	580675	7002789 01-OCT-04 13:29	1012.2
CAF-S09	CAF-S09	NAD83-7V	580878	7002765 01-OCT-04 13:07	1074.7
CAF-S08	CAF-S08	NAD83-7V	580984	7002743 01-OCT-04 12:56	1113.4
CAF-S07	CAF-S07	NAD83-7V	581078	7002698 01-OCT-04 12:46	1143
CAF-S06	CAF-S06	NAD83-7V	581174	7002662 01-OCT-04 12:35	1169.2
CAF-S05	CAF-S05	NAD83-7V	581277	7002637 01-OCT-04 12:20	1178.1
CAF-S04	CAF-S04	NAD83-7V	581385	7002638 01-OCT-04 12:09	1172.9
CAF-S03	CAF-S03	NAD83-7V	581489	7002634 01-OCT-04 11:58	1165.6
CAF-S02	CAF-S02	NAD83-7V	581592	7002634 01-OCT-04 11:46	1163.4
CAF-S01	CAF-S01	NAD83-7V	581694	7002633 01-OCT-04 11:32	1171
CA-E26	CA-E26	NAD83-7V	579879	7005623 01-OCT-04 16:36	771.1
CA-E25	CA-E25	NAD83-7V	579973	7005556 01-OCT-04 16:21	780.6
CA-E24	CA-E24	NAD83-7V	580069	7005557 01-OCT-04 16:08	794.3
CA-E23	CA-E23	NAD83-7V	580175	7005549 01-OCT-04 15:54	776.9
CA-E22	CA-E22	NAD83-7V	580278	7005502 01-OCT-04 15:42	794.9

CA-E21	CA-E21	NAD83-7V	580360	7005419 01-OCT-04 15:26	811.4
CA-E20	CA-E20	NAD83-7V	580436	7005353 01-OCT-04 15:17	803.1
CA-E19	CA-E19	NAD83-7V	580514	7005303 01-OCT-04 15:07	792.8
CA-E18	CA-E18	NAD83-7V	580614	7005284 01-OCT-04 14:53	822.7
CA-E17	CA-E17	NAD83-7V	580719	7005286 01-OCT-04 14:42	832.1
CA-E16	CA-E16	NAD83-7V	580821	7005313 01-OCT-04 14:30	837.6
CA-E15	CA-E15	NAD83-7V	580929	7005318 01-OCT-04 14:19	857.4
CA-E14	CA-E14	NAD83-7V	581039	7005283 01-OCT-04 14:08	873.6
CA-E13	CA-E13	NAD83-7V	581137	7005265 01-OCT-04 13:57	896.7
CA-E12	CA-E12	NAD83-7V	581217	7005205 01-OCT-04 13:31	882.4
CA-E11	CA-E11	NAD83-7V	581317	7005156 01-OCT-04 13:13	903.4
CA-E10	CA-E10	NAD83-7V	581401	7005085 01-OCT-04 12:57	922.3
CA-E09	CA-E09	NAD83-7V	581488	7005035 01-OCT-04 12:45	959.2
CA-E08	CA-E08	NAD83-7V	581572	7004974 01-OCT-04 12:33	992.4
CA-E07	CA-E07	NAD83-7V	581649	7004922 01-OCT-04 12:24	1014.7
CA-E06	CA-E06	NAD83-7V	581738	7004877 01-OCT-04 12:13	1042.7
CA-E05	CA-E05	NAD83-7V	581824	7004820 01-OCT-04 12:03	1070.5
CA-E04	CA-E04	NAD83-7V	581909	7004759 01-OCT-04 11:53	1104
CA-E03	CA-E03	NAD83-7V	581997	7004699 01-OCT-04 11:46	1123.5
CA-E02	CA-E02	NAD83-7V	582079	7004647 01-OCT-04 11:34	1151.2
CA-E01	CA-E01	NAD83-7V	582166	7004594 01-OCT-04 11:23	1168.9
CAD-31	CAD-31	NAD83-7V	578823	7006375 01-OCT-04 15:56	742.5
CAD-30	CAD-30	NAD83-7V	578967	7006483 01-OCT-04 15:43	752.2
CAD-29	CAD-29	NAD83-7V	579037	7006435 01-OCT-04 15:32	780.3
CAD-28	CAD-28	NAD83-7V	579138	7006464 01-OCT-04 15:24	808.9
CAD-27	CAD-27	NAD83-7V	579228	7006443 01-OCT-04 15:15	837.6
CAD-26	CAD-26	NAD83-7V	579328	7006409 01-OCT-04 15:07	868.1
CAD-25	CAD-25	NAD83-7V	579430	7006387 01-OCT-04 14:59	890
CAD-24	CAD-24	NAD83-7V	579535	7006364 01-OCT-04 14:49	920.2
CAD-23	CAD-23	NAD83-7V	579636	7006336 01-OCT-04 14:40	944.6
CAD-22	CAD-22	NAD83-7V	579739	7006328 01-OCT-04 14:32	961
CAD-21	CAD-21	NAD83-7V	579826	7006291 01-OCT-04 14:24	974.8
CAD-20	CAD-20	NAD83-7V	579910	7006243 01-OCT-04 14:16	974.4
CAD-19	CAD-19	NAD83-7V	580023	7006236 01-OCT-04 14:09	973.5
CAD-18	CAD-18	NAD83-7V	580086	7006191 01-OCT-04 14:00	982.4
CAD-17	CAD-17	NAD83-7V	580188	7006139 01-OCT-04 13:51	977.8
CAD-16	CAD-16	NAD83-7V	580286	7006087 01-OCT-04 13:42	979.6
CAD-15	CAD-15	NAD83-7V	580403	7006106 01-OCT-04 13:32	982.7
CAD-14	CAD-14	NAD83-7V	580500	7006097 01-OCT-04 13:26	985.4
CAD-13	CAD-13	NAD83-7V	580605	7006095 01-OCT-04 13:15	986.9
CAD-12	CAD-12	NAD83-7V	580700	7006117 01-OCT-04 13:09	993.6
CAD-11	CAD-11	NAD83-7V	580785	7006139 01-OCT-04 13:00	1003.7
CAD-10	CAD-10	NAD83-7V	580894	7006152 01-OCT-04 12:52	1042.1
CAD-09	CAD-09	NAD83-7V	580993	7006169 01-OCT-04 12:43	1062.5
CAD-08	CAD-08	NAD83-7V	581112	7006187 01-OCT-04 12:35	1082
CAD-07	CAD-07	NAD83-7V	581217	7006222 01-OCT-04 12:28	1104.6
CAD-06	CAD-06	NAD83-7V	581312	7006270 01-OCT-04 12:21	1129.3
CAD-05	CAD-05	NAD83-7V	581413	7006294 01-OCT-04 12:10	1159.8
CAD-04	CAD-04	NAD83-7V	581492	7006326 01-OCT-04 12:01	1187.2
CAD-03	CAD-03	NAD83-7V	581583	7006374 01-OCT-04 11:54	1212.8
CAD-02	CAD-02	NAD83-7V	581679	7006413 01-OCT-04 11:47	1238.4
CAD-01	CAD-01	NAD83-7V	581778	7006436 01-OCT-04 11:38	1242.4
CAC-33	CAC-33	NAD83-7V	580060	7010253 26-SEP-04 16:18	982.7
CAC-32	CAC-32	NAD83-7V	580075	7010164 26-SEP-04 16:12	981.8
CAC-31	CAC-31	NAD83-7V	580136	7010082 26-SEP-04 15:24	985.4
CAC-30	CAC-30	NAD83-7V	580196	7010001 26-SEP-04 15:17	983.9
CAC-29	CAC-29	NAD83-7V	580266	7009924 26-SEP-04 15:10	977.2
CAC-28	CAC-28	NAD83-7V	580303	7009827 26-SEP-04 15:05	972.6
CAC-27	CAC-27	NAD83-7V	580341	7009739 26-SEP-04 14:55	963.5
CAC-26	CAC-26	NAD83-7V	580375	7009643 26-SEP-04 14:47	962.3
CAC-25	CAC-25	NAD83-7V	580424	7009546 26-SEP-04 14:34	944.9
CAC-24	CAC-24	NAD83-7V	580462	7009458 26-SEP-04 14:30	952.2

CAC-23	CAC-23	NAD83-7V	580511	7009362 26-SEP-04 14:24	965.9
CAC-22	CAC-22	NAD83-7V	580574	7009286 26-SEP-04 14:14	978.1
CAC-21	CAC-21	NAD83-7V	580650	7009233 26-SEP-04 14:09	985.7
CAC-20	CAC-20	NAD83-7V	580773	7009169 26-SEP-04 14:01	983.3
CAC-19	CAC-19	NAD83-7V	580861	7009111 26-SEP-04 13:49	987.6
CAC-18	CAC-18	NAD83-7V	580928	7009024 26-SEP-04 13:37	987.9
CAC-17	CAC-17	NAD83-7V	580963	7008928 26-SEP-04 13:29	982.1
CAC-16	CAC-16	NAD83-7V	581017	7008830 26-SEP-04 13:21	966.8
CAC-15	CAC-15	NAD83-7V	581092	7008763 26-SEP-04 13:13	964.4
CAC-14	CAC-14	NAD83-7V	581164	7008667 26-SEP-04 13:04	955.9
CAC-13	CAC-13	NAD83-7V	581234	7008553 26-SEP-04 12:57	964.4
CAC-12	CAC-12	NAD83-7V	581285	7008463 26-SEP-04 12:49	973.8
CAC-11	CAC-11	NAD83-7V	581313	7008368 26-SEP-04 12:41	999.1
CAC-10	CAC-10	NAD83-7V	581325	7008265 26-SEP-04 12:30	1021.4
CAC-09	CAC-09	NAD83-7V	581338	7008162 26-SEP-04 12:21	1047.3
CAC-08	CAC-08	NAD83-7V	581343	7008059 26-SEP-04 12:14	1059.2
CAC-07	CAC-07	NAD83-7V	581363	7007955 26-SEP-04 12:02	1077.2
CAC-06	CAC-06	NAD83-7V	581352	7007855 26-SEP-04 11:47	1098.5
CAC-05	CAC-05	NAD83-7V	581327	7007756 26-SEP-04 11:37	1124.1
CAC-04	CAC-04	NAD83-7V	581289	7007669 26-SEP-04 11:29	1143.6
CAC-03	CAC-03	NAD83-7V	581282	7007563 26-SEP-04 11:23	1161.3
CAC-02	CAC-02	NAD83-7V	581274	7007462 26-SEP-04 11:03	1168
CAC-01	CAC-01	NAD83-7V	581326	7007326 26-SEP-04 10:44	1169.8
CAB-950	CAB-950	NAD83-7V	577875	7012680 26-SEP-04 15:20	809.9
CAB-900	CAB-900	NAD83-7V	577862	7012632 26-SEP-04 15:10	820.2
CAB-850	CAB-850	NAD83-7V	577854	7012584 26-SEP-04 15:00	828.8
CAB-800	CAB-800	NAD83-7V	577831	7012529 26-SEP-04 14:44	830.3
CAB-750	CAB-750	NAD83-7V	577859	7012485 26-SEP-04 14:35	838.5
CAB-700	CAB-700	NAD83-7V	577872	7012431 26-SEP-04 14:25	852.5
CAB-650	CAB-650	NAD83-7V	577887	7012392 26-SEP-04 14:14	857.1
CAB-600	CAB-600	NAD83-7V	577913	7012345 26-SEP-04 13:53	868.7
CAB-550	CAB-550	NAD83-7V	577944	7012305 26-SEP-04 13:45	879
CAB-500	CAB-500	NAD83-7V	577970	7012263 26-SEP-04 13:36	889.1
CAB-450	CAB-450	NAD83-7V	577979	7012210 26-SEP-04 13:26	889.1
CAB-400	CAB-400	NAD83-7V	578000	7012166 26-SEP-04 13:16	903.4
CAB-1350	CAB-1350	NAD83-7V	577960	7013069 26-SEP-04 16:33	659.3
CAB-1300	CAB-1300	NAD83-7V	577947	7013027 26-SEP-04 16:23	688.5
CAB-1250	CAB-1250	NAD83-7V	577936	7012976 26-SEP-04 16:14	708.7
CAB-1200	CAB-1200	NAD83-7V	577924	7012924 26-SEP-04 16:07	716.3
CAB-1150	CAB-1150	NAD83-7V	577911	7012872 26-SEP-04 15:58	734.9
CAB-1100	CAB-1100	NAD83-7V	577904	7012831 26-SEP-04 15:48	759.6
CAB-1050	CAB-1050	NAD83-7V	577898	7012780 26-SEP-04 15:40	778.5
CAB-1000	CAB-1000	NAD83-7V	577879	7012732 26-SEP-04 15:31	794.6
CAB0-50	CAB0-50	NAD83-7V	578142	7011841 26-SEP-04 12:11	972.9
CAB0-350	CAB0-350	NAD83-7V	578019	7012117 26-SEP-04 13:08	913.8
CAB0-300	CAB0-300	NAD83-7V	578042	7012068 26-SEP-04 12:59	922.6
CAB0-250	CAB0-250	NAD83-7V	578057	7012026 26-SEP-04 12:47	927.2
CAB0-200	CAB0-200	NAD83-7V	578083	7011984 26-SEP-04 12:38	940.3
CAB0-100	CAB0-100	NAD83-7V	578128	7011887 26-SEP-04 12:21	962.6
CAB0+00	CAB 0+00	NAD83-7V	578172	7011798 26-SEP-04 11:45	987.2
CAA-27	CAA-27	NAD83-7V	578243	7013105 26-SEP-04 16:58	573.9
CAA-26	CAA-26	NAD83-7V	578284	7013016 26-SEP-04 16:49	600.2
CAA-25	CAA-25	NAD83-7V	578340	7012929 26-SEP-04 16:38	594.7
CAA-24	CAA-24	NAD83-7V	578392	7012820 26-SEP-04 16:21	627.3
CAA-22	CAA-22	NAD83-7V	578526	7012633 26-SEP-04 15:58	681.5
CAA-21	CAA-21	NAD83-7V	578558	7012539 26-SEP-04 15:49	700.1
CAA-20	CAA-20	NAD83-7V	578597	7012442 26-SEP-04 15:37	731.2
CAA-19	CAA-19	NAD83-7V	578631	7012350 26-SEP-04 15:22	746.8
CAA-18	CAA-18	NAD83-7V	578666	7012248 26-SEP-04 15:10	768.1
CAA-17	CAA-17	NAD83-7V	578713	7012151 26-SEP-04 14:59	789.4
CAA-16	CAA-16	NAD83-7V	578717	7012051 26-SEP-04 14:49	803.1
CAA-15	CAA-15	NAD83-7V	578769	7011969 26-SEP-04 14:23	813.8

CAA-14	CAA-14	NAD83-7V	578820	7011883 26-SEP-04 14:17	789.4
CAA-13	CAA-13	NAD83-7V	578859	7011793 26-SEP-04 14:03	793.1
CAA-12	CAA-12	NAD83-7V	578922	7011702 26-SEP-04 13:44	832.7
CAA-11	CAA-11	NAD83-7V	578950	7011600 26-SEP-04 13:37	829.4
CAA-10	CAA-10	NAD83-7V	578979	7011502 26-SEP-04 13:24	816.6
CAA-09	CAA-09	NAD83-7V	579016	7011407 26-SEP-04 13:11	842.8
CAA-08	CAA-08	NAD83-7V	579052	7011310 26-SEP-04 12:56	855.3
CAA-07	CAA-07	NAD83-7V	579083	7011211 26-SEP-04 12:45	852.2
CAA-06	CAA-06	NAD83-7V	579111	7011109 26-SEP-04 12:36	876.6
CAA-05	CAA-05	NAD83-7V	579158	7011017 26-SEP-04 12:22	901.9
CAA-03	CAA-03	NAD83-7V	579239	7010830 26-SEP-04 12:01	945.2
CAA-02	CAA-02	NAD83-7V	579277	7010737 26-SEP-04 11:53	982.7
CAA-01	CAA-01	NAD83-7V	579301	7010650 26-SEP-04 11:43	988.8