

0947681

C.2

StrataGold Corporation  
#701, 475 Howe Street  
Vancouver, BC, Canada  
V6C 2B3

REX Claims, ASSESSMENT REPORT 2004

Title: 2004 Geochemical Soil Sampling  
LQ00019

Location: Mayo Mining District, Yukon, approximately 56 kilometers  
northeast of Mayo and 350 kilometers due north of Whitehorse

Dates of Work: September 30<sup>th</sup> - 6<sup>th</sup>, 2004

Prepared by: D Hladky Geologist I.T., StrataGold Corporation

Supervised by: Jim Sparling, MBA, B.Sc., P.Geo, Exploration Manager  
StrataGold Corporation (Canada) Ltd.

Received date:

December 23, 2004

## TABLE OF CONTENTS

| ITEM                                                                                     | PAGE |
|------------------------------------------------------------------------------------------|------|
| 1. INTRODUCTION AND LOCATION                                                             | 1    |
| a. Table 1: Rex Claims                                                                   | 1    |
| b. Figure 1: Location Map of Aurex Property containing Rex<br>Claims for 2004 Assessment | 2    |
| c. Figure 2: Rex Claims for 2004 Assessment                                              | 3    |
| 2. GENERAL INFORMATION                                                                   | 4    |
| 3. DESCRIPTION OF WORK                                                                   | 4    |
| 4. METHODS OF ANALYSIS AND DATA PRESENTATION                                             | 4    |
| a. Table 2: Rex 2004 Geochemical Soil Samples                                            | 5    |
| 5. STATEMENT OF EXPENDITURES                                                             | 7    |
| a. Table 3: Rex Claims Statement of Expenditures                                         | 7    |
| 6. RECOMMENDATIONS                                                                       | 7    |
| 7. CERTIFICATE OF QUALIFICATIONS                                                         | 8    |
| Appendix A - Rex Claims Map with 2004 Soil Sample Locations                              |      |
| Appendix B - ALS Chemex Assay Certificates                                               |      |

## 1. INTRODUCTION

The Rex dispositions are located as part of the Aurex Property, in the Mayo Mining District, Yukon Territory, approximately 55 kilometres northeast of Mayo and 350 kilometres due north of Whitehorse. The property comprises 35 contiguous quartz mining claims covering approximately 6.9 square kilometers of land that is 100% owned by StrataGold Corporation.

This report summarizes the geochemical soil sampling activities successfully completed in 2004.

**Table 1: Rex Claims**

| Project | Claim Name | Claim Label | From | To | # of Units | Grant# From | Grant# To | Expiry Date | Owner      | % Owned | NTS    | F | Land Use Permit |
|---------|------------|-------------|------|----|------------|-------------|-----------|-------------|------------|---------|--------|---|-----------------|
| Aurex   | Rex        | Rex         | 32   |    | 1          | YC02072     |           | 22/02/06    | StrataGold | 100     | 105M14 | F | LQ00019         |
| Aurex   | Rex        | Rex         | 51   | 82 | 34         | YC11029     | YC11070   | 15/12/04    | StrataGold | 100     | 105M14 | F | LQ00019         |




**Figure 1: Location Map of Aurex Property containing Rex Claims for 2004 Assessment**  
(Modified after Murphy, 1997)




Figure 2: Rex Claims for 2004 Assessment

## **2. GENERAL INFORMATION**

The Rex Claims group filed for assessment consists of 35 claims, comprising a total area of 6.9 square kilometers. A total of 90 geochemical soil samples were planned for and successfully taken during the period September 30<sup>th</sup> to October 6<sup>th</sup>, 2004.

## **3. DESCRIPTION OF WORK**

During the periods September 30<sup>th</sup> to October 6<sup>th</sup>, 2004, 90 geochemical soil samples were taken on the Rex claims. Samples were taken approximately every 100 meters, and sample location coordinates were recorded using a handheld GPS.

## **4. METHODS OF ANALYSIS AND DATA PRESENTATION**

While following the Rex claim lines, soil samples were taken approximately every 100 meters using a mattock, to an average depth of 18 inches. Sample numbers and a short sample description were recorded in the field, along with UTM locations. A total of 90 geochemical soil samples were submitted to the ALS Chemex Assay Laboratory in Vancouver, BC to be analyzed for Au, Ag, Cu, Pb, Zn, As, and Fe.

It should be noted that Quality Control & Assurance (QA/QC) protocols were maintained throughout the sampling process. Standard practice was for one of approximately every 20 samples submitted to the Assay Laboratory to be a QA/QC sample duplicate. In the field, these samples were taken from holes adjacent to the main hole at the sample station. No significant problems were detected to date in the duplicate samples submitted.

Data is presented as a list of samples taken (Table 2) and a map of sample locations (Appendix A). Included also are the ALS Chemex assay certificates for the samples taken (Appendix B).

## 5. STATEMENT OF EXPENDITURES TO NOVEMBER 30, 2004


**Table 3: Statement of Expenditures on Aurex  
(Rex/Fisher Claims) Property**

|                             |                    |
|-----------------------------|--------------------|
| Meals & Accommodation       | \$ 1,819.44        |
| Assays/Geochemical Analysis | \$ 4,104.90        |
| Helicopter                  | \$ 1,949.57        |
| Equipment Rentals           | \$ 725.00          |
| Fuel                        | \$ 350.60          |
| Fuel -Diesel                | \$ 38.39           |
| Geological Consultants      | \$ 5,831.93        |
| Contract Labour             | \$ 9,775.00        |
| Truck Rental                | \$ 370.59          |
| Travel Costs                | \$ 593.17          |
| Warehouse                   | \$ 3,226.73        |
| <b>Total</b>                | <b>\$28,785.32</b> |

## 6. RECOMMENDATIONS

It is recommended that the Rex mineral dispositions described within this assessment report be held pending further geological and geochemical review.

**Respectfully submitted,**



Jim Sparling, MBA, B.Sc., P.Geo.

Exploration Manager - StrataGold Corporation

## 7.0 CERTIFICATE OF QUALIFICATIONS

1. I **Jim Sparling**, of 839 Old Lillooet Rd, North Vancouver, British Columbia, Canada, hereby state - that I am the Exploration Manager with StrataGold Corporation, with offices at 701 Howe Street, Vancouver, British Columbia, V6C 2B3, and that:
2. I hold a BA (Economics Major) from the University of Manitoba, Winnipeg, Manitoba (1978), a B.Sc. (Advanced Geology) from the University of Saskatchewan, Saskatoon, Saskatchewan (1984) and an MBA from Royal Roads University, Victoria, British Columbia (2003).
3. I have 17 years experience with various mining and oil and gas companies in Canada. My primary employment since 1992 has been in the field of mineral exploration.

- |             |                                                                                            |
|-------------|--------------------------------------------------------------------------------------------|
| 2004        | Exploration Manager, North and Central America, StrataGold Corporation                     |
| 2003        | Project Geologist, StrataGold Corporation                                                  |
| 1994 - 2003 | Project Geologist and Geophysical Crew Chief Hudson Bay Exploration & Development Co. Ltd. |
| 1992 - 1994 | Geophysical Crew Chief/ Technician, Brad Koop Exploration Ltd.                             |
| 1989 - 1992 | Geological Systems and Data Base Analyst, Petro Canada Resources Ltd.                      |
| 1988 - 1989 | Geological Consultant, Schindler Exploration, Indian and Northern Affairs (Minerals West)  |
| 1987 - 1988 | Field Exploration Geologist, Hudson Bay Exploration & Development Co. Ltd.                 |
| 1985 - 1987 | Wellsite Geologist, Geotemp Consulting Ltd.                                                |
| 1984 - 1985 | Field Exploration Geologist, Hudson Bay Exploration & Development Co. Ltd.                 |

4. I am a practicing member in good standing with the Association of Professional Engineers and Geoscientists of Manitoba and Saskatchewan.
5. I have extensive exploration and development project experience with volcanic massive sulphide ore deposit geology and hydrothermal alteration, and experience with gold ore deposit geology. This experience has allowed me to become familiar with the evaluation of both regional and property geology, prospecting, geophysical surveys, diamond core drilling, underground exploration, development and production, and permitting processes


in Manitoba, Saskatchewan, Nunavut Territory and the Yukon Territory.

6. This report is based upon data collected during the fall soil geochemical sampling program in The Yukon Territory, Canada in 2004.

Dated at Vancouver, British Columbia; Wednesday, December 1, 2004

**Respectfully submitted,**

Jim Sparling

A handwritten signature in black ink, appearing to read 'Jim Sparling', written over a horizontal line.

Jim Sparling, MBA, B.Sc., P.Geo.

Exploration Manager - StrataGold Corporation

**Table 2: Rex 2004 Geochemical Soil Sample Locations**

| Date      | UTM E         | UTM N          | Sample #         | Depth (in) | Color              | Comments       |
|-----------|---------------|----------------|------------------|------------|--------------------|----------------|
| 30-Sep-04 | 475144        | 7081200        | 88801            | 20         | dark brown         |                |
| 30-Sep-04 | 475245        | 7081198        | 88802            | 18         | choc. brown        |                |
| 30-Sep-04 | 475344        | 7081190        | 88803            | 18         | brown-grey         |                |
| 30-Sep-04 | 475446        | 7081188        | 88804            | 16         | light brown        | rocky          |
| 30-Sep-04 | 475550        | 7081193        | 88805            | 16         | light brown        |                |
| 30-Sep-04 | 475655        | 7081185        | 88806            | 18         | choc. brown        |                |
| 30-Sep-04 | 475747        | 7081196        | 88807            | 16         | brown              |                |
| 30-Sep-04 | 475845        | 7081184        | 88808            | 18         | dark brown         |                |
| 30-Sep-04 | 475945        | 7081191        | 88809            | 18         | choc. brown        |                |
| 30-Sep-04 | 476030        | 7081196        | 88810            | 18         | dark brown         |                |
| 30-Sep-04 | 476145        | 7081199        | 88811            | 16         | light brown        | rocky          |
| 30-Sep-04 | 476248        | 7081198        | 88812            | 16         | light brown        | rock chips     |
| 30-Sep-04 | 476350        | 7081200        | 88813            | 14         | light brown        | rocky          |
| 30-Sep-04 | 476449        | 7081204        | 88814            | 14         | light brown        | rock chips     |
| 30-Sep-04 | 476562        | 7081206        | 88815            | 14         | choc. brown        |                |
| 30-Sep-04 | 476651        | 7081215        | 88816            | 14         | choc. brown        |                |
| 30-Sep-04 | 476745        | 7081215        | 88817            | 12         | dark brown         | rocky          |
| 30-Sep-04 | 476856        | 7081204        | 88818            | 14         | dark brown         |                |
| 30-Sep-04 | 476940        | 7081203        | 88819            | 18         | dark brown         |                |
| 30-Sep-04 | 475022        | 7080343        | 88851            | 10         | mocha brown        | quartz         |
| 30-Sep-04 | 474919        | 7080327        | 88852            | 5          | mocha brown        |                |
| 30-Sep-04 | 474821        | 7080327        | 88853            | 5          | light brown        |                |
| 30-Sep-04 | 474718        | 7080308        | 88854            | 5          |                    |                |
| 30-Sep-04 | 474614        | 7080312        | 88855            | 5          | dark brown         | clay/quartz    |
| 01-Oct-04 | <b>476689</b> | <b>7081644</b> | <b>88820</b>     | <b>16</b>  | <b>choc. brown</b> |                |
| 01-Oct-04 | <b>476693</b> | <b>7081641</b> | <b>88821 Dup</b> | <b>16</b>  | <b>choc. brown</b> |                |
| 01-Oct-04 | 476595        | 7081732        | 88822            | 18         | choc. brown        | rocky          |
| 01-Oct-04 | 476493        | 7081812        | 88823            | 20         | red brown          | rock chips     |
| 01-Oct-04 | 476404        | 7081892        | 88824            | 18         | dark brown         | creek          |
| 01-Oct-04 | 476305        | 7082000        | 88825            | 18         | dark brown         | minor sand     |
| 01-Oct-04 | 476224        | 7082024        | 88826            | 22         | dark brown         |                |
| 01-Oct-04 | 474570        | 7080301        | 88856            | 7          | mocha brown        |                |
| 01-Oct-04 | 474409        | 7080294        | 88857            | 7          |                    | mica           |
| 01-Oct-04 | 474307        | 7080299        | 88858            | 5          |                    | clay           |
| 01-Oct-04 | 474206        | 7080295        | 88859            | 5          | brown              |                |
| 01-Oct-04 | 474111        | 7080293        | 88860            | 5          | mocha brown        | green clay     |
| 01-Oct-04 | 474009        | 7080291        | 88861            | 5          |                    | clay           |
| 01-Oct-04 | 473907        | 7080286        | 88862            | 10         |                    | clay + organic |
| 01-Oct-04 | 473804        | 7080292        | 88863            | 5          |                    | clay           |
| 02-Oct-04 | 471982        | 7078990        | 88827            | 14         | choc. brown        |                |
| 02-Oct-04 | 471955        | 7079084        | 88828            | 16         | choc. brown        |                |
| 02-Oct-04 | 471958        | 7079191        | 88829            | 12         | dark brown         |                |
| 02-Oct-04 | 471957        | 7079294        | 88830            | 16         | dark brown         | rocky          |
| 02-Oct-04 | 471953        | 7079392        | 88831            | 18         | choc. brown        | rocky          |
| 02-Oct-04 | 471963        | 7079489        | 88832            | 16         | choc. brown        | rock chips     |

|           |        |         |       |    |                 |                     |
|-----------|--------|---------|-------|----|-----------------|---------------------|
| 02-Oct-04 | 471956 | 7079594 | 88833 | 16 | choc. brown     | rock chips          |
| 02-Oct-04 | 471966 | 7079696 | 88834 | 18 | dark brown      |                     |
| 02-Oct-04 | 471950 | 7079790 | 88835 | 16 | choc. brown     |                     |
| 02-Oct-04 | 471943 | 7079895 | 88836 | 16 | choc. brown     |                     |
| 02-Oct-04 | 471936 | 7080318 | 88837 | 22 | dark brown      | perma frost/organic |
| 02-Oct-04 | 472037 | 7080312 | 88838 | 16 | dark brown      |                     |
| 02-Oct-04 | 472150 | 7080304 | 88839 | 20 | dark brown      | sandy               |
| 02-Oct-04 | 472238 | 7080307 | 88840 | 16 | dark brown      |                     |
| 02-Oct-04 | 472240 | 7080304 | 88841 | 12 | choc. brown     |                     |
| 02-Oct-04 | 472334 | 7080308 | 88842 | 12 | choc. brown     |                     |
| 02-Oct-04 | 472433 | 7080290 | 88843 | 12 | dark brown      |                     |
| 02-Oct-04 | 472534 | 7080288 | 88844 | 18 | choc. brown     | creek               |
| 02-Oct-04 | 472643 | 7080286 | 88845 | 14 | dark brown      | red flakes          |
| 02-Oct-04 | 472729 | 7080281 | 88846 | 14 | dark brown      |                     |
| 02-Oct-04 | 472833 | 7080291 | 88847 | 16 | choc. brown     | rock chips          |
| 02-Oct-04 | 472940 | 7080306 | 88848 | 12 | choc. brown     | rocky               |
| 02-Oct-04 | 473041 | 7080308 | 88849 | 10 | choc. brown     |                     |
| 02-Oct-04 | 473139 | 7080319 | 88850 | 12 | dark brown      |                     |
| 02-Oct-04 | 473238 | 7080315 | 88864 | 14 | choc. brown     |                     |
| 04-Oct-04 | 473341 | 7080312 | 88865 | 18 | choc. brown     |                     |
| 04-Oct-04 | 473441 | 7080313 | 88866 | 16 | dark brown      |                     |
| 04-Oct-04 | 473539 | 7080312 | 88867 | 18 | choc. brown     |                     |
| 04-Oct-04 | 473632 | 7080312 | 88868 | 20 | dark brown      |                     |
| 04-Oct-04 | 473742 | 7080298 | 88869 | 18 | dark brown      |                     |
| 04-Oct-04 | 477800 | 7082900 | 88901 | 12 | light brown     |                     |
| 04-Oct-04 | 477756 | 7082834 | 88903 | 11 | dark brown      |                     |
| 04-Oct-04 | 477687 | 7082755 | 88904 | 12 | dark brown      | gravelly            |
| 04-Oct-04 | 477626 | 7082664 | 88905 | 10 | light brown     | gravel/rocks        |
| 04-Oct-04 | 477544 | 7082591 | 88906 | 12 | mocha brown     | gravelly            |
| 04-Oct-04 | 477471 | 7082505 | 88907 | 14 | med. dark brown |                     |
| 04-Oct-04 | 477395 | 7082415 | 88908 | 14 | mocha brown     |                     |
| 04-Oct-04 | 477326 | 7082339 | 88909 | 17 | mocha brown     |                     |
| 04-Oct-04 | 477257 | 7082261 | 88910 | 15 | dark brown      |                     |
| 04-Oct-04 | 477176 | 7082181 | 88911 | 15 |                 | rocky               |
| 05-Oct-04 | 475556 | 7082553 | 88870 | 18 | choc. brown     | rock chips          |
| 05-Oct-04 | 475547 | 7082646 | 88871 | 16 | choc. brown     | rocky               |
| 05-Oct-04 | 475546 | 7082755 | 88872 | 18 | dark brown      |                     |
| 05-Oct-04 | 475547 | 7082853 | 88873 | 16 | choc. brown     |                     |
| 05-Oct-04 | 477162 | 7082164 | 88912 | 18 | light brown     | rocky               |
| 05-Oct-04 | 477100 | 7082100 | 88913 | 16 | choc. brown     | rock chips          |
| 05-Oct-04 | 477023 | 7082011 | 88914 | 16 | choc. brown     | rocky               |
| 05-Oct-04 | 476967 | 7081933 | 88915 | 18 | dark brown      | creek bed           |
| 05-Oct-04 | 476893 | 7081867 | 88916 | 16 | choc. brown     |                     |
| 05-Oct-04 | 476830 | 7081797 | 88917 | 18 | light brown     |                     |
| 05-Oct-04 | 476769 | 7081729 | 88918 | 20 | light brown     | rock chips          |



**APPENDIX A**

**Rex Claims Map with  
2004 Soil Sample Locations**





**APPENDIX B**

**ALS Chemex Assay Certificates**



**ALS Chemex**

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



**STRATAGOLD EXPLORATION INC.**

**701-475 HOWE ST**

**VANCOUVER BC V6C 2B3**



Page: 1

Finalized Date: 30-OCT-2004

Account: STRGOL

**CERTIFICATE VA04071095**

Project: Dub 1735

P.O. No.:

This report is for 346 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |
| SCR-41d  | Screen to -100um, save both    |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |

To: **STRATAGOLD EXPLORATION INC.**  
**ATTN: ACCOUNTS PAYABLE**  
**701-475 HOWE ST**  
**VANCOUVER BC V6C 2B3**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

**RATAGOLD EXPLORATION INC.**  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21          | Au-AA23   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%  | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%  | Cd<br>ppm | Co<br>ppm | Cr<br>ppm | Cu<br>ppm | Fe<br>%  | K<br>%   |
|                    |                                   | 0.02            | 0.005     | 0.5       | 0.01     | 5         | 10        | 0.5       | 2         | 0.01     | 0.5       | 1         | 1         | 1         | 0.01     | 0.01     |
| 080448 -80+150     |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080449 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080450 -80+150     |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080451 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080452 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080453 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080454 -80+150     |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080455 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080456 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080457 -80+150     |                                   | 0.48            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080458 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080459 -80+150     |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080460 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080461 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080462 -80+150     |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080463 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080464 -80+150     |                                   | 0.20            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080465 -80+150     |                                   | 0.10            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080466 -80+150     |                                   | 0.22            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080467 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080468 -80+150     |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080469 -80+150     |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080470 -80+150     |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080471 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080472 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080473 -80+150     |                                   | 0.28            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080474 -80+150     |                                   | 0.28            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080475 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080476 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080477 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080478 -80+150     |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080479 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080480 -80+150     |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080481 -80+150     |                                   | 0.22            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080482 -80+150     |                                   | 0.16            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080483 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080484 -80+150     |                                   | 0.28            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080485 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080486 -80+150     |                                   | 0.16            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080487 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |

Comments: NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



RATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080448 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080449 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080450 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080451 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080452 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080453 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080454 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080455 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080456 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080457 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080458 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080459 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080460 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080461 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080462 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080463 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080464 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080465 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080466 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080467 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080468 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080469 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080470 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080471 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080472 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080473 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080474 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080475 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080476 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080477 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080478 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080479 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080480 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080481 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080482 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080483 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080484 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080485 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080486 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080487 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



RATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21          | Au-AA23   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%  | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%  | Cd<br>ppm | Co<br>ppm | Cr<br>ppm | Cu<br>ppm | Fe<br>%  | K<br>%   |
|                    |                                   | 0.02            | 0.005     | 0.5       | 0.01     | 5         | 10        | 0.5       | 2         | 0.01     | 0.5       | 1         | 1         | 1         | 0.01     | 0.01     |
| 080488 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080489 -80+150     |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080490 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080491 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080492 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080493 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080494 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080495 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080496 -80+150     |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080497 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080498 -80+150     |                                   | 0.22            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080499 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080500 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080501 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080502 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080503 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080504 -80+150     |                                   | 0.28            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080505 -80+150     |                                   | 0.22            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080506 -80+150     |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080507 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080508 -80+150     |                                   | 0.12            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080509 -80+150     |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080510 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080511 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080512 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080513 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080514 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080515 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080516 -80+150     |                                   | 0.48            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080517 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080518 -80+150     |                                   | 0.28            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080519 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080520 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080521 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080522 -80+150     |                                   | 0.22            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080523 -80+150     |                                   | 0.28            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080524 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080525 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080526 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080527 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |

Comments: NSS is non-sufficient sample.



**ALS Chemex**

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



**RATAGOLD EXPLORATION INC.**

**701-475 HOWE ST**

**VANCOUVER BC V6C 2B3**



Page: 3 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description                                                                     | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |       |
|----------------------------------------------------------------------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-------|
|                                                                                        |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Tl       | V        | W        | Zn       | Au    |
|                                                                                        |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm   |
|                                                                                        |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005 |
| 080488 -80+150<br>080489 -80+150<br>080490 -80+150<br>080491 -80+150<br>080492 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| 080493 -80+150<br>080494 -80+150<br>080495 -80+150<br>080496 -80+150<br>080497 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| 080498 -80+150<br>080499 -80+150<br>080500 -80+150<br>080501 -80+150<br>080502 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| 080503 -80+150<br>080504 -80+150<br>080505 -80+150<br>080506 -80+150<br>080507 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| 080508 -80+150<br>080509 -80+150<br>080510 -80+150<br>080511 -80+150<br>080512 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| 080513 -80+150<br>080514 -80+150<br>080515 -80+150<br>080516 -80+150<br>080517 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| 080518 -80+150<br>080519 -80+150<br>080520 -80+150<br>080521 -80+150<br>080522 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| 080523 -80+150<br>080524 -80+150<br>080525 -80+150<br>080526 -80+150<br>080527 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |       |

Comments: NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

**RATAGOLD EXPLORATION INC.**  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 4 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP61<br>Ag<br>ppm | ME-ICP61<br>Al<br>% | ME-ICP61<br>As<br>ppm | ME-ICP61<br>Ba<br>ppm | ME-ICP61<br>Be<br>ppm | ME-ICP61<br>Bi<br>ppm | ME-ICP61<br>Ca<br>% | ME-ICP61<br>Cd<br>ppm | ME-ICP61<br>Co<br>ppm | ME-ICP61<br>Cr<br>ppm | ME-ICP61<br>Cu<br>ppm | ME-ICP61<br>Fe<br>% | ME-ICP61<br>K<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|--------------------|
|                    |                                   | 0.02                      | 0.005                | 0.5                   | 0.01                | 5                     | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                | 0.01               |
| 080528 -80+150     |                                   | 0.44                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080529 -80+150     |                                   | 0.36                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080530 -80+150     |                                   | 0.34                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080531 -80+150     |                                   | 0.30                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080532 -80+150     |                                   | 0.32                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080533 -80+150     |                                   | 0.32                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080534 -80+150     |                                   | 0.30                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080535 -80+150     |                                   | 0.18                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080536 -80+150     |                                   | 0.26                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080537 -80+150     |                                   | 0.32                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080538 -80+150     |                                   | 0.28                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080539 -80+150     |                                   | 0.16                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080540 -80+150     |                                   | 0.26                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080541 -80+150     |                                   | 0.26                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080542 -80+150     |                                   | 0.30                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080543 -80+150     |                                   | 0.26                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080544 -80+150     |                                   | 0.18                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080545 -80+150     |                                   | 0.22                      | 0.021                |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080546 -80+150     |                                   | 0.28                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080547 -80+150     |                                   | 0.24                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080548 -80+150     |                                   | 0.16                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080549 -80+150     |                                   | 0.24                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080550 -80+150     |                                   | 0.22                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080551 -80+150     |                                   | 0.22                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080552 -80+150     |                                   | 0.20                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080553 -80+150     |                                   | 0.22                      | <0.005               |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080554 -80+150     |                                   | 0.28                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080555 -80+150     |                                   | 0.28                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080556 -80+150     |                                   | 0.18                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080557 -80+150     |                                   | 0.20                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080558 -80+150     |                                   | 0.22                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080559 -80+150     |                                   | 0.18                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080560 -80+150     |                                   | 0.24                      | <0.005               |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080561 -80+150     |                                   | 0.22                      | 0.016                |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080562 -80+150     |                                   | 0.28                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080563 -80+150     |                                   | 0.26                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080564 -80+150     |                                   | 0.20                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080565 -80+150     |                                   | 0.32                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080566 -80+150     |                                   | 0.26                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080567 -80+150     |                                   | 0.34                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |

Comments: NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

**STRATAGOLD EXPLORATION INC.**  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 4 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080528 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080529 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080530 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080531 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080532 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080533 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080534 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080535 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080536 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080537 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080538 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080539 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080540 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080541 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080542 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080543 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080544 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080545 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080546 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080547 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080548 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080549 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080550 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080551 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080552 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080553 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080554 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080555 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080556 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080557 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080558 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080559 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080560 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080561 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080562 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080563 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080564 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080565 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080566 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080567 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

**TOORATAGOLD EXPLORATION INC.**  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21    | Au-AA23 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Recvd Wt. | Au      | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        |
|                    |                                   | kg        | ppm     | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        |
|                    |                                   | 0.02      | 0.005   | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     |
| 080568 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080569 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080570 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080571 -80+150     |                                   | 0.62      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080572 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080573 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080574 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080575 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080576 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080577 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080578 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080579 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080580 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080581 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080582 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080583 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080584 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080585 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080586 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080587 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080588 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080589 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080590 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080591 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080592 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080593 -80+150     |                                   | 0.48      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080601 -80+150     |                                   | 0.18      | 0.005   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080602 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080603 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080604 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080605 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080606 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080607 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080608 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080609 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080610 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080611 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080612 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080613 -80+150     |                                   | 0.18      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080614 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

**o. LATAGOLD EXPLORATION INC.**  
**701-475 HOWE ST**  
**VANCOUVER BC V6C 2B3**

Page: 5 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description                                                                     | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|----------------------------------------------------------------------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                                                                                        |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                                                                                        |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                                                                                        |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080568 -80+150<br>080569 -80+150<br>080570 -80+150<br>080571 -80+150<br>080572 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080573 -80+150<br>080574 -80+150<br>080575 -80+150<br>080576 -80+150<br>080577 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080578 -80+150<br>080579 -80+150<br>080580 -80+150<br>080581 -80+150<br>080582 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080583 -80+150<br>080584 -80+150<br>080585 -80+150<br>080586 -80+150<br>080587 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080588 -80+150<br>080589 -80+150<br>080590 -80+150<br>080591 -80+150<br>080592 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080593 -80+150<br>080601 -80+150<br>080602 -80+150<br>080603 -80+150<br>080604 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080605 -80+150<br>080606 -80+150<br>080607 -80+150<br>080608 -80+150<br>080609 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080610 -80+150<br>080611 -80+150<br>080612 -80+150<br>080613 -80+150<br>080614 -80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 6 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

### CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg | Au-AA23<br>Au<br>ppm | ME-ICP61<br>Ag<br>ppm | ME-ICP61<br>Al<br>% | ME-ICP61<br>As<br>ppm | ME-ICP61<br>Ba<br>ppm | ME-ICP61<br>Be<br>ppm | ME-ICP61<br>Bi<br>ppm | ME-ICP61<br>Ca<br>% | ME-ICP61<br>Cd<br>ppm | ME-ICP61<br>Co<br>ppm | ME-ICP61<br>Cr<br>ppm | ME-ICP61<br>Cu<br>ppm | ME-ICP61<br>Fe<br>% | ME-ICP61<br>K<br>% |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|--------------------|
|                    |                                   | 0.02                      | 0.005                | 0.5                   | 0.01                | 5                     | 10                    | 0.5                   | 2                     | 0.01                | 0.5                   | 1                     | 1                     | 1                     | 0.01                | 0.01               |
| 080615 -80+150     |                                   | 0.24                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080616 -80+150     |                                   | 0.18                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080617 -80+150     |                                   | 0.24                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080618 -80+150     |                                   | 0.18                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080619 -80+150     |                                   | 0.22                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080620 -80+150     |                                   | 0.26                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080621 -80+150     |                                   | 0.14                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080622 -80+150     |                                   | 0.28                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080623 -80+150     |                                   | 0.10                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080624 -80+150     |                                   | 0.38                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080625 -80+150     |                                   | 0.20                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080626 -80+150     |                                   | 0.22                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080627 -80+150     |                                   | 0.26                      |                      |                       |                     |                       |                       |                       |                       |                     |                       |                       |                       |                       |                     |                    |
| 080448 -150        |                                   |                           | <0.005               | <0.5                  | 6.27                | 14                    | 830                   | 1.2                   | <2                    | 0.65                | <0.5                  | 9                     | 73                    | 13                    | 3.54                | 1.26               |
| 080449 -150        |                                   |                           | <0.005               | <0.5                  | 7.89                | 15                    | 1040                  | 2.0                   | <2                    | 0.45                | <0.5                  | 16                    | 83                    | 27                    | 3.79                | 2.26               |
| 080450 -150        |                                   |                           | <0.005               | <0.5                  | 8.30                | 9                     | 1080                  | 2.1                   | <2                    | 0.48                | <0.5                  | 16                    | 89                    | 27                    | 4.00                | 2.43               |
| 080451 -150        |                                   |                           | <0.005               | 0.5                   | 6.66                | 99                    | 890                   | 1.7                   | <2                    | 0.77                | <0.5                  | 8                     | 66                    | 23                    | 3.14                | 1.78               |
| 080452 -150        |                                   |                           | <0.005               | 0.6                   | 7.88                | 27                    | 960                   | 1.8                   | 4                     | 0.63                | <0.5                  | 9                     | 73                    | 21                    | 3.77                | 2.11               |
| 080453 -150        |                                   |                           | <0.005               | <0.5                  | 9.36                | 20                    | 950                   | 2.6                   | 2                     | 0.22                | 0.7                   | 9                     | 83                    | 33                    | 4.32                | 3.41               |
| 080454 -150        |                                   |                           | <0.005               | 0.8                   | 8.24                | 48                    | 940                   | 2.1                   | 3                     | 0.49                | 0.8                   | 13                    | 84                    | 26                    | 3.83                | 2.59               |
| 080455 -150        |                                   |                           | <0.005               | <0.5                  | 7.68                | 28                    | 950                   | 2.1                   | <2                    | 0.42                | <0.5                  | 11                    | 89                    | 25                    | 3.46                | 2.72               |
| 080456 -150        |                                   |                           | <0.005               | 0.6                   | 8.72                | 16                    | 1100                  | 2.3                   | 2                     | 0.43                | <0.5                  | 13                    | 87                    | 29                    | 3.54                | 3.02               |
| 080457 -150        |                                   |                           | <0.005               | 0.5                   | 9.05                | 26                    | 1040                  | 2.3                   | 2                     | 0.43                | <0.5                  | 11                    | 80                    | 34                    | 3.79                | 2.98               |
| 080458 -150        |                                   |                           | <0.005               | <0.5                  | 7.80                | 9                     | 920                   | 1.9                   | 3                     | 0.46                | <0.5                  | 8                     | 77                    | 26                    | 3.36                | 2.40               |
| 080459 -150        |                                   |                           | <0.005               | <0.5                  | 7.62                | 14                    | 900                   | 1.7                   | 2                     | 0.46                | <0.5                  | 9                     | 74                    | 23                    | 3.65                | 2.03               |
| 080460 -150        |                                   |                           | <0.005               | <0.5                  | 6.99                | 11                    | 950                   | 1.5                   | <2                    | 0.65                | <0.5                  | 12                    | 75                    | 31                    | 3.51                | 1.63               |
| 080461 -150        |                                   |                           | <0.005               | <0.5                  | 7.12                | 23                    | 970                   | 1.6                   | <2                    | 0.73                | <0.5                  | 13                    | 75                    | 35                    | 3.67                | 1.64               |
| 080462 -150        |                                   |                           | <0.005               | <0.5                  | 7.60                | 14                    | 1000                  | 1.7                   | <2                    | 0.62                | <0.5                  | 9                     | 82                    | 27                    | 3.44                | 2.03               |
| 080463 -150        |                                   |                           | <0.005               | <0.5                  | 7.78                | 18                    | 960                   | 1.9                   | 2                     | 0.52                | <0.5                  | 9                     | 90                    | 30                    | 3.60                | 2.32               |
| 080464 -150        |                                   |                           | <0.005               | <0.5                  | 8.01                | 7                     | 950                   | 2.0                   | 4                     | 0.44                | <0.5                  | 9                     | 76                    | 36                    | 3.48                | 2.49               |
| 080465 -150        |                                   |                           | <0.005               | <0.5                  | 5.43                | 9                     | 740                   | 1.1                   | 2                     | 0.70                | <0.5                  | 7                     | 57                    | 16                    | 2.50                | 1.32               |
| 080466 -150        |                                   |                           | <0.005               | <0.5                  | 6.30                | 12                    | 810                   | 1.4                   | 3                     | 0.64                | <0.5                  | 8                     | 63                    | 21                    | 2.90                | 1.69               |
| 080467 -150        |                                   |                           | 0.012                | <0.5                  | 7.25                | 7                     | 930                   | 1.6                   | 5                     | 0.67                | <0.5                  | 9                     | 61                    | 27                    | 3.22                | 1.97               |
| 080468 -150        |                                   |                           | <0.005               | <0.5                  | 7.45                | 10                    | 1070                  | 1.9                   | 2                     | 0.64                | <0.5                  | 9                     | 73                    | 31                    | 3.11                | 2.32               |
| 080469 -150        |                                   |                           | 0.006                | <0.5                  | 7.10                | 14                    | 890                   | 1.9                   | 2                     | 0.55                | <0.5                  | 10                    | 64                    | 21                    | 2.86                | 2.58               |
| 080470 -150        |                                   |                           | 0.010                | <0.5                  | 5.86                | 20                    | 640                   | 1.2                   | 2                     | 0.49                | <0.5                  | 13                    | 72                    | 38                    | 4.32                | 1.70               |
| 080471 -150        |                                   |                           | 0.010                | <0.5                  | 7.55                | 81                    | 1000                  | 1.9                   | 2                     | 0.53                | <0.5                  | 11                    | 73                    | 36                    | 3.58                | 2.59               |
| 080472 -150        |                                   |                           | <0.005               | 0.6                   | 8.80                | 128                   | 890                   | 2.4                   | 3                     | 0.14                | 1.0                   | 14                    | 80                    | 49                    | 4.16                | 3.56               |
| 080473 -150        |                                   |                           | <0.005               | <0.5                  | 5.54                | 70                    | 760                   | 1.1                   | 2                     | 0.62                | <0.5                  | 8                     | 58                    | 19                    | 3.11                | 1.28               |
| 080474 -150        |                                   |                           | 0.016                | <0.5                  | 7.20                | 116                   | 850                   | 1.8                   | 4                     | 0.37                | <0.5                  | 10                    | 66                    | 39                    | 3.54                | 2.45               |

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 6 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  | Au-AA23D  |
|--------------------|-----------------------------------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|----------|-----------|-----------|
|                    |                                   | Mg<br>%  | Mn<br>ppm | Mo<br>ppm | Na<br>%  | Ni<br>ppm | P<br>ppm | Pb<br>ppm | S<br>%   | Sb<br>ppm | Sr<br>ppm | Ti<br>%  | V<br>ppm | W<br>ppm | Zn<br>ppm | Au<br>ppm |
|                    |                                   | 0.01     | 5         | 1         | 0.01     | 1         | 10       | 2         | 0.01     | 5         | 1         | 0.01     | 1        | 10       | 2         | 0.005     |
| 080615 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080616 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080617 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080618 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080619 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080620 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080621 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080622 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080623 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080624 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080625 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080626 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080627 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080448 -150        |                                   | 0.65     | 284       | 1         | 0.94     | 22        | 330      | 18        | 0.01     | <5        | 138       | 0.40     | 124      | <10      | 58        |           |
| 080449 -150        |                                   | 0.80     | 419       | 1         | 0.81     | 34        | 280      | 23        | 0.01     | <5        | 133       | 0.41     | 125      | <10      | 81        |           |
| 080450 -150        |                                   | 0.84     | 483       | 1         | 0.83     | 37        | 320      | 24        | 0.01     | <5        | 139       | 0.45     | 134      | <10      | 84        |           |
| 080451 -150        |                                   | 0.68     | 390       | 1         | 0.96     | 22        | 690      | 47        | 0.02     | 17        | 166       | 0.40     | 101      | <10      | 81        |           |
| 080452 -150        |                                   | 0.68     | 277       | 1         | 0.81     | 22        | 700      | 58        | 0.02     | 13        | 154       | 0.39     | 114      | <10      | 81        |           |
| 080453 -150        |                                   | 0.79     | 291       | 1         | 0.48     | 29        | 440      | 80        | 0.01     | 19        | 127       | 0.29     | 115      | <10      | 183       |           |
| 080454 -150        |                                   | 0.64     | 576       | 1         | 0.68     | 32        | 560      | 144       | 0.04     | 32        | 146       | 0.35     | 105      | <10      | 180       |           |
| 080455 -150        |                                   | 0.79     | 343       | 1         | 0.67     | 33        | 480      | 49        | 0.01     | 12        | 138       | 0.33     | 113      | <10      | 91        |           |
| 080456 -150        |                                   | 0.85     | 353       | 1         | 0.76     | 27        | 480      | 38        | 0.01     | 11        | 156       | 0.37     | 128      | <10      | 97        |           |
| 080457 -150        |                                   | 0.86     | 340       | 1         | 0.73     | 31        | 520      | 39        | 0.01     | 10        | 158       | 0.36     | 120      | <10      | 91        |           |
| 080458 -150        |                                   | 0.81     | 249       | 1         | 0.81     | 25        | 370      | 29        | 0.01     | 7         | 149       | 0.37     | 115      | <10      | 64        |           |
| 080459 -150        |                                   | 0.79     | 361       | 1         | 0.84     | 25        | 280      | 19        | 0.01     | 9         | 142       | 0.38     | 119      | <10      | 68        |           |
| 080460 -150        |                                   | 0.74     | 398       | 1         | 0.98     | 35        | 400      | 15        | 0.01     | <5        | 159       | 0.42     | 118      | <10      | 65        |           |
| 080461 -150        |                                   | 0.77     | 422       | 1         | 1.05     | 37        | 360      | 16        | 0.01     | <5        | 168       | 0.39     | 121      | <10      | 65        | <0.005    |
| 080462 -150        |                                   | 0.86     | 295       | 1         | 0.97     | 28        | 540      | 21        | 0.01     | 6         | 163       | 0.42     | 128      | <10      | 75        |           |
| 080463 -150        |                                   | 0.84     | 336       | 1         | 0.82     | 30        | 830      | 28        | 0.01     | 10        | 152       | 0.38     | 124      | <10      | 79        |           |
| 080464 -150        |                                   | 0.80     | 268       | 1         | 0.72     | 32        | 1080     | 26        | 0.05     | 5         | 145       | 0.34     | 112      | <10      | 70        |           |
| 080465 -150        |                                   | 0.62     | 221       | 1         | 0.92     | 21        | 780      | 14        | 0.02     | <5        | 147       | 0.35     | 91       | <10      | 55        |           |
| 080466 -150        |                                   | 0.69     | 281       | 1         | 0.91     | 23        | 700      | 16        | 0.01     | <5        | 150       | 0.36     | 101      | <10      | 64        |           |
| 080467 -150        |                                   | 0.83     | 307       | 1         | 0.93     | 26        | 590      | 18        | 0.01     | <5        | 174       | 0.30     | 94       | <10      | 62        |           |
| 080468 -150        |                                   | 0.81     | 283       | 1         | 0.93     | 26        | 620      | 19        | 0.01     | <5        | 172       | 0.36     | 113      | <10      | 75        |           |
| 080469 -150        |                                   | 0.62     | 460       | <1        | 0.69     | 27        | 510      | 19        | 0.01     | 6         | 130       | 0.36     | 102      | <10      | 74        |           |
| 080470 -150        |                                   | 0.80     | 535       | 1         | 0.63     | 37        | 950      | 57        | 0.08     | 7         | 122       | 0.36     | 96       | <10      | 96        |           |
| 080471 -150        |                                   | 0.63     | 369       | 1         | 0.67     | 29        | 550      | 35        | 0.01     | 11        | 133       | 0.40     | 104      | <10      | 88        |           |
| 080472 -150        |                                   | 0.58     | 470       | 1         | 0.22     | 34        | 380      | 106       | 0.01     | 17        | 85        | 0.42     | 115      | <10      | 144       |           |
| 080473 -150        |                                   | 0.55     | 373       | 1         | 0.88     | 21        | 580      | 20        | 0.01     | <5        | 134       | 0.39     | 98       | <10      | 60        |           |
| 080474 -150        |                                   | 0.66     | 330       | 1         | 0.65     | 29        | 400      | 24        | 0.01     | 12        | 117       | 0.39     | 101      | <10      | 75        |           |

Comments: NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 7 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

### CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080475 -150        |                                   |                                   | 0.005                         | <0.5                         | 8.10                        | 13                         | 890                         | 2.0                          | 2                          | 0.34                        | <0.5                         | 6                          | 79                         | 19                         | 3.08                        | 2.64                       |
| 080476 -150        |                                   |                                   | 0.007                         | <0.5                         | 6.81                        | 18                         | 950                         | 1.7                          | <2                         | 0.63                        | <0.5                         | 11                         | 65                         | 28                         | 3.12                        | 1.90                       |
| 080477 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.46                        | <5                         | 930                         | 2.2                          | <2                         | 0.40                        | <0.5                         | 7                          | 80                         | 22                         | 3.00                        | 2.63                       |
| 080478 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.78                        | 23                         | 950                         | 2.0                          | <2                         | 0.49                        | <0.5                         | 6                          | 75                         | 17                         | 2.81                        | 2.23                       |
| 080479 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.13                        | 79                         | 990                         | 1.7                          | 2                          | 0.80                        | <0.5                         | 12                         | 69                         | 23                         | 3.12                        | 1.78                       |
| 080480 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.64                        | 293                        | 920                         | 1.6                          | 3                          | 0.78                        | <0.5                         | 8                          | 68                         | 15                         | 2.70                        | 1.57                       |
| 080481 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.65                        | 300                        | 940                         | 1.6                          | 3                          | 0.80                        | <0.5                         | 7                          | 66                         | 14                         | 2.79                        | 1.55                       |
| 080482 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.11                        | 257                        | 870                         | 1.5                          | 7                          | 0.96                        | <0.5                         | 7                          | 58                         | 20                         | 2.60                        | 1.44                       |
| 080483 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.97                        | 177                        | 1060                        | 3.2                          | 4                          | 0.34                        | <0.5                         | 8                          | 90                         | 33                         | 3.31                        | 3.57                       |
| 080484 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.82                        | 24                         | 820                         | 1.5                          | 2                          | 0.56                        | <0.5                         | 5                          | 68                         | 16                         | 2.48                        | 1.87                       |
| 080485 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.93                        | 27                         | 980                         | 1.7                          | <2                         | 0.66                        | <0.5                         | 18                         | 75                         | 25                         | 3.45                        | 1.76                       |
| 080486 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.06                        | 41                         | 950                         | 2.4                          | 3                          | 0.34                        | <0.5                         | 9                          | 88                         | 28                         | 3.44                        | 2.83                       |
| 080487 -150        |                                   |                                   | <0.005                        | <0.5                         | 10.10                       | 15                         | 1050                        | 2.9                          | 3                          | 0.23                        | <0.5                         | 11                         | 93                         | 41                         | 4.40                        | 3.49                       |
| 080488 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.76                        | 19                         | 830                         | 1.3                          | <2                         | 0.60                        | <0.5                         | 9                          | 73                         | 16                         | 3.66                        | 1.38                       |
| 080489 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.47                        | 32                         | 930                         | 2.2                          | 2                          | 0.38                        | <0.5                         | 6                          | 80                         | 16                         | 2.97                        | 2.69                       |
| 080490 -150        |                                   |                                   | 0.023                         | <0.5                         | 10.15                       | 29                         | 1030                        | 2.8                          | <2                         | 0.19                        | <0.5                         | 5                          | 95                         | 25                         | 3.45                        | 3.55                       |
| 080491 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.64                        | 10                         | 930                         | 2.4                          | <2                         | 0.21                        | <0.5                         | 6                          | 87                         | 31                         | 3.58                        | 3.01                       |
| 080492 -150        |                                   |                                   | <0.005                        | 0.5                          | 8.53                        | 14                         | 850                         | 2.2                          | 2                          | 0.28                        | <0.5                         | 3                          | 80                         | 19                         | 2.75                        | 2.73                       |
| 080493 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.23                        | 35                         | 780                         | 1.8                          | 2                          | 0.42                        | <0.5                         | 4                          | 67                         | 14                         | 2.51                        | 2.21                       |
| 080494 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.28                        | 43                         | 1030                        | 1.7                          | <2                         | 0.61                        | <0.5                         | 11                         | 72                         | 22                         | 3.29                        | 1.91                       |
| 080495 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.95                        | 5                          | 920                         | 1.2                          | <2                         | 0.82                        | <0.5                         | 7                          | 63                         | 22                         | 2.81                        | 1.32                       |
| 080496 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.31                        | 25                         | 1160                        | 1.3                          | <2                         | 0.80                        | <0.5                         | 10                         | 71                         | 22                         | 3.05                        | 1.34                       |
| 080497 -150        |                                   |                                   | 0.005                         | <0.5                         | 6.79                        | 26                         | 1140                        | 1.5                          | <2                         | 0.97                        | <0.5                         | 12                         | 70                         | 38                         | 3.45                        | 1.44                       |
| 080498 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.42                        | 27                         | 990                         | 1.3                          | <2                         | 0.87                        | <0.5                         | 10                         | 68                         | 32                         | 3.10                        | 1.35                       |
| 080499 -150        |                                   |                                   | 0.009                         | <0.5                         | 6.81                        | 26                         | 1060                        | 1.7                          | 2                          | 0.89                        | <0.5                         | 13                         | 75                         | 34                         | 3.58                        | 1.43                       |
| 080500 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.94                        | 29                         | 1000                        | 1.6                          | <2                         | 0.93                        | <0.5                         | 15                         | 76                         | 29                         | 3.54                        | 1.46                       |
| 080501 -150        |                                   |                                   | <0.005                        | 0.5                          | 11.40                       | 25                         | 1130                        | 3.6                          | <2                         | 0.08                        | <0.5                         | 10                         | 100                        | 36                         | 3.86                        | 4.36                       |
| 080502 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.50                        | 15                         | 1000                        | 2.4                          | <2                         | 0.30                        | <0.5                         | 5                          | 89                         | 18                         | 3.03                        | 3.10                       |
| 080503 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.08                        | 12                         | 890                         | 2.0                          | 3                          | 0.43                        | <0.5                         | 6                          | 72                         | 18                         | 2.83                        | 2.46                       |
| 080504 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.22                        | 17                         | 980                         | 1.9                          | <2                         | 0.66                        | <0.5                         | 12                         | 70                         | 25                         | 3.32                        | 2.09                       |
| 080505 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.82                        | 17                         | 770                         | 1.6                          | <2                         | 0.74                        | <0.5                         | 25                         | 79                         | 40                         | 3.26                        | 1.35                       |
| 080506 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.06                        | 31                         | 880                         | 1.9                          | 2                          | 0.80                        | 1.1                          | 21                         | 59                         | 19                         | 3.65                        | 1.66                       |
| 080507 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.07                        | 30                         | 830                         | 1.6                          | <2                         | 0.48                        | <0.5                         | 4                          | 71                         | 12                         | 2.37                        | 2.02                       |
| 080508 -150        |                                   |                                   | <0.005                        | 0.6                          | 9.77                        | 17                         | 1000                        | 2.7                          | 2                          | 0.29                        | <0.5                         | 7                          | 87                         | 34                         | 3.30                        | 3.54                       |
| 080509 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.41                        | 20                         | 950                         | 2.2                          | <2                         | 0.47                        | <0.5                         | 7                          | 86                         | 20                         | 3.08                        | 2.75                       |
| 080510 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.88                        | 21                         | 1000                        | 2.0                          | <2                         | 0.57                        | <0.5                         | 11                         | 81                         | 23                         | 3.29                        | 2.44                       |
| 080511 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.81                        | 17                         | 780                         | 1.5                          | <2                         | 0.51                        | <0.5                         | 4                          | 68                         | 13                         | 2.59                        | 1.83                       |
| 080512 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.16                        | 12                         | 860                         | 1.9                          | 2                          | 0.46                        | <0.5                         | 9                          | 75                         | 21                         | 2.97                        | 2.33                       |
| 080513 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.77                        | 15                         | 900                         | 2.0                          | 2                          | 0.40                        | <0.5                         | 8                          | 75                         | 27                         | 3.17                        | 2.43                       |
| 080514 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.90                        | 14                         | 760                         | 1.3                          | 2                          | 0.61                        | <0.5                         | 7                          | 65                         | 18                         | 2.64                        | 1.64                       |

Comments: NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 7 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

### CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080475 -150        |                                   | 0.68      | 254      | 1        | 0.71      | 18       | 530       | 29       | 0.01      | 10       | 132      | 0.36      | 112      | <10       | 71       |              |
| 080476 -150        |                                   | 0.66      | 449      | 1        | 0.96      | 27       | 610       | 22       | 0.01      | <5       | 150      | 0.40      | 110      | <10       | 80       |              |
| 080477 -150        |                                   | 0.74      | 244      | <1       | 0.76      | 19       | 430       | 12       | 0.01      | <5       | 142      | 0.42      | 128      | <10       | 60       |              |
| 080478 -150        |                                   | 0.70      | 272      | 1        | 0.88      | 17       | 570       | 27       | 0.01      | 5        | 146      | 0.41      | 121      | <10       | 71       |              |
| 080479 -150        |                                   | 0.78      | 580      | 1        | 1.08      | 24       | 780       | 25       | 0.01      | 13       | 179      | 0.41      | 121      | <10       | 98       |              |
| 080480 -150        |                                   | 0.66      | 438      | 2        | 1.00      | 18       | 940       | 50       | 0.01      | 19       | 169      | 0.44      | 116      | <10       | 84       |              |
| 080481 -150        |                                   | 0.68      | 381      | 2        | 1.02      | 19       | 820       | 50       | 0.01      | 16       | 171      | 0.44      | 120      | <10       | 86       | 0.006        |
| 080482 -150        |                                   | 0.69      | 337      | 1        | 1.12      | 17       | 740       | 60       | 0.02      | 31       | 190      | 0.39      | 104      | <10       | 71       |              |
| 080483 -150        |                                   | 0.75      | 236      | 1        | 0.62      | 20       | 500       | 35       | 0.01      | 18       | 158      | 0.36      | 124      | <10       | 69       |              |
| 080484 -150        |                                   | 0.70      | 215      | 2        | 0.89      | 16       | 740       | 40       | 0.02      | 13       | 140      | 0.39      | 112      | <10       | 57       |              |
| 080485 -150        |                                   | 0.79      | 430      | 2        | 1.01      | 42       | 740       | 12       | 0.01      | 5        | 158      | 0.39      | 122      | <10       | 75       |              |
| 080486 -150        |                                   | 0.94      | 269      | 2        | 0.69      | 22       | 610       | 13       | 0.03      | 8        | 136      | 0.39      | 120      | <10       | 62       |              |
| 080487 -150        |                                   | 1.00      | 284      | 2        | 0.62      | 30       | 300       | 19       | 0.02      | <5       | 120      | 0.37      | 136      | <10       | 80       |              |
| 080488 -150        |                                   | 0.68      | 345      | 2        | 0.99      | 17       | 390       | 14       | 0.02      | 7        | 140      | 0.44      | 134      | <10       | 64       |              |
| 080489 -150        |                                   | 0.76      | 260      | 1        | 0.71      | 11       | 430       | 40       | 0.01      | 15       | 134      | 0.43      | 130      | <10       | 56       |              |
| 080490 -150        |                                   | 0.83      | 221      | 1        | 0.41      | 13       | 600       | 16       | 0.02      | 5        | 117      | 0.41      | 132      | <10       | 65       |              |
| 080491 -150        |                                   | 0.70      | 287      | 1        | 0.41      | 13       | 930       | 30       | 0.08      | 8        | 117      | 0.40      | 138      | <10       | 61       |              |
| 080492 -150        |                                   | 0.52      | 148      | <1       | 0.55      | 11       | 600       | 48       | 0.02      | <5       | 141      | 0.38      | 118      | <10       | 42       |              |
| 080493 -150        |                                   | 0.56      | 172      | 1        | 0.71      | 10       | 620       | 20       | 0.02      | 8        | 128      | 0.37      | 108      | <10       | 43       |              |
| 080494 -150        |                                   | 0.81      | 469      | 2        | 1.02      | 28       | 560       | 15       | 0.01      | 8        | 136      | 0.38      | 120      | <10       | 82       |              |
| 080495 -150        |                                   | 0.72      | 326      | 2        | 1.10      | 19       | 620       | 17       | 0.01      | <5       | 160      | 0.39      | 118      | <10       | 67       |              |
| 080496 -150        |                                   | 0.75      | 355      | 2        | 1.04      | 24       | 720       | 17       | 0.01      | <5       | 150      | 0.42      | 138      | <10       | 90       |              |
| 080497 -150        |                                   | 0.89      | 589      | 2        | 1.22      | 35       | 890       | 22       | 0.01      | <5       | 180      | 0.44      | 134      | <10       | 112      |              |
| 080498 -150        |                                   | 0.80      | 434      | 1        | 1.20      | 30       | 800       | 19       | 0.01      | 5        | 174      | 0.41      | 124      | <10       | 92       |              |
| 080499 -150        |                                   | 0.88      | 567      | 1        | 1.26      | 36       | 750       | 13       | 0.02      | <5       | 188      | 0.41      | 134      | <10       | 96       |              |
| 080500 -150        |                                   | 0.89      | 537      | 3        | 1.28      | 29       | 700       | 14       | 0.01      | <5       | 188      | 0.43      | 134      | <10       | 92       |              |
| 080501 -150        |                                   | 0.69      | 186      | 1        | 0.40      | 21       | 340       | 222      | 0.02      | 57       | 142      | 0.43      | 160      | <10       | 122      | <0.005       |
| 080502 -150        |                                   | 0.76      | 176      | 1        | 0.72      | 13       | 620       | 28       | 0.01      | <5       | 139      | 0.41      | 136      | <10       | 56       |              |
| 080503 -150        |                                   | 0.69      | 206      | 3        | 0.80      | 18       | 580       | 20       | 0.01      | <5       | 138      | 0.38      | 118      | <10       | 52       |              |
| 080504 -150        |                                   | 0.87      | 439      | 2        | 1.03      | 27       | 540       | 20       | 0.01      | <5       | 162      | 0.39      | 131      | <10       | 82       |              |
| 080505 -150        |                                   | 0.89      | 488      | 1        | 1.12      | 58       | 560       | 20       | 0.01      | <5       | 164      | 0.35      | 110      | <10       | 70       |              |
| 080506 -150        |                                   | 0.81      | 997      | 2        | 1.00      | 30       | 670       | 114      | 0.01      | 13       | 158      | 0.34      | 97       | <10       | 192      |              |
| 080507 -150        |                                   | 0.52      | 176      | 1        | 0.75      | 11       | 690       | 85       | 0.02      | 14       | 124      | 0.42      | 120      | <10       | 36       |              |
| 080508 -150        |                                   | 0.72      | 178      | 1        | 0.37      | 24       | 880       | 66       | 0.05      | 17       | 125      | 0.34      | 132      | <10       | 62       |              |
| 080509 -150        |                                   | 0.80      | 285      | 1        | 0.77      | 16       | 790       | 15       | 0.01      | <5       | 142      | 0.42      | 130      | <10       | 58       |              |
| 080510 -150        |                                   | 0.80      | 413      | 1        | 0.90      | 24       | 650       | 27       | 0.01      | <5       | 147      | 0.39      | 128      | <10       | 75       |              |
| 080511 -150        |                                   | 0.63      | 207      | 1        | 0.83      | 15       | 570       | 25       | 0.01      | 5        | 132      | 0.38      | 109      | <10       | 69       |              |
| 080512 -150        |                                   | 0.72      | 276      | 1        | 0.70      | 23       | 450       | 21       | 0.01      | <5       | 136      | 0.33      | 107      | <10       | 63       |              |
| 080513 -150        |                                   | 0.69      | 300      | 1        | 0.65      | 23       | 610       | 20       | 0.01      | 5        | 139      | 0.35      | 106      | <10       | 58       |              |
| 080514 -150        |                                   | 0.62      | 291      | 1        | 0.82      | 21       | 650       | 18       | 0.01      | <5       | 138      | 0.35      | 93       | <10       | 54       |              |

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 8 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080515 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.42                        | 5                          | 1000                        | 3.1                          | <2                         | 0.17                        | <0.5                         | 10                         | 97                         | 37                         | 4.00                        | 3.53                       |
| 080516 -150        |                                   |                                   | 0.005                         | <0.5                         | 8.43                        | 48                         | 890                         | 2.3                          | 4                          | 0.36                        | <0.5                         | 15                         | 80                         | 34                         | 3.58                        | 2.93                       |
| 080517 -150        |                                   |                                   | <0.005                        | 0.6                          | 9.05                        | 1250                       | 1090                        | 2.4                          | 14                         | 0.26                        | <0.5                         | 5                          | 104                        | 20                         | 3.19                        | 2.99                       |
| 080518 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.87                        | 522                        | 900                         | 2.0                          | 10                         | 0.36                        | <0.5                         | 10                         | 114                        | 27                         | 3.46                        | 2.51                       |
| 080519 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.36                        | 175                        | 990                         | 2.6                          | 9                          | 0.20                        | <0.5                         | 8                          | 104                        | 29                         | 3.55                        | 3.13                       |
| 080520 -150        |                                   |                                   | 0.031                         | <0.5                         | 7.10                        | 111                        | 910                         | 1.7                          | 3                          | 0.58                        | <0.5                         | 10                         | 80                         | 23                         | 3.41                        | 1.99                       |
| 080521 -150        |                                   |                                   | 0.036                         | <0.5                         | 7.14                        | 120                        | 950                         | 1.8                          | 3                          | 0.58                        | <0.5                         | 12                         | 81                         | 26                         | 3.38                        | 2.03                       |
| 080522 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.76                        | 355                        | 1120                        | 2.6                          | 6                          | 0.14                        | 0.6                          | 7                          | 103                        | 36                         | 4.14                        | 3.47                       |
| 080523 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.45                        | 578                        | 990                         | 2.1                          | 9                          | 0.47                        | 0.6                          | 11                         | 110                        | 35                         | 3.84                        | 2.62                       |
| 080524 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.46                        | 213                        | 980                         | 2.6                          | 8                          | 0.35                        | <0.5                         | 11                         | 134                        | 36                         | 3.77                        | 3.21                       |
| 080525 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.17                        | 192                        | 1010                        | 2.8                          | 6                          | 0.30                        | <0.5                         | 12                         | 113                        | 38                         | 4.14                        | 3.27                       |
| 080526 -150        |                                   |                                   | 0.007                         | 0.5                          | 8.60                        | 432                        | 940                         | 2.3                          | 5                          | 0.35                        | <0.5                         | 11                         | 103                        | 47                         | 4.15                        | 2.92                       |
| 080527 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.57                        | 215                        | 940                         | 1.8                          | 4                          | 0.65                        | <0.5                         | 12                         | 77                         | 30                         | 3.45                        | 2.07                       |
| 080528 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.99                        | 150                        | 910                         | 1.8                          | 3                          | 0.55                        | <0.5                         | 10                         | 74                         | 30                         | 3.25                        | 2.06                       |
| 080529 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.17                        | 99                         | 830                         | 1.9                          | 3                          | 0.46                        | <0.5                         | 10                         | 72                         | 23                         | 3.22                        | 2.36                       |
| 080530 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.75                        | 54                         | 940                         | 1.5                          | 2                          | 0.77                        | <0.5                         | 9                          | 63                         | 25                         | 3.13                        | 1.90                       |
| 080531 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.75                        | 72                         | 1050                        | 2.4                          | 3                          | 0.30                        | <0.5                         | 11                         | 86                         | 36                         | 4.43                        | 3.02                       |
| 080532 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.68                        | 36                         | 880                         | 1.3                          | <2                         | 0.68                        | <0.5                         | 7                          | 68                         | 16                         | 2.70                        | 1.86                       |
| 080533 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.66                        | 23                         | 940                         | 1.3                          | <2                         | 0.74                        | <0.5                         | 10                         | 57                         | 28                         | 2.86                        | 1.39                       |
| 080534 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.71                        | 13                         | 880                         | 1.1                          | <2                         | 0.79                        | <0.5                         | 6                          | 63                         | 13                         | 2.47                        | 1.35                       |
| 080535 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.41                        | 9                          | 840                         | 1.0                          | 2                          | 0.74                        | <0.5                         | 4                          | 55                         | 12                         | 2.12                        | 1.28                       |
| 080536 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.32                        | 12                         | 800                         | 1.0                          | 2                          | 0.84                        | <0.5                         | 6                          | 60                         | 14                         | 2.42                        | 1.22                       |
| 080537 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.02                        | 12                         | 760                         | 0.9                          | <2                         | 0.79                        | <0.5                         | 5                          | 54                         | 12                         | 2.18                        | 1.16                       |
| 080538 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.09                        | 14                         | 820                         | 0.9                          | <2                         | 0.77                        | <0.5                         | 5                          | 55                         | 12                         | 2.34                        | 1.20                       |
| 080539 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.24                        | 29                         | 980                         | 1.3                          | <2                         | 0.97                        | <0.5                         | 10                         | 70                         | 24                         | 3.01                        | 1.64                       |
| 080540 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.09                        | 37                         | 860                         | 1.5                          | <2                         | 0.60                        | <0.5                         | 8                          | 71                         | 23                         | 3.19                        | 2.07                       |
| 080541 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.98                        | 42                         | 880                         | 1.5                          | <2                         | 0.59                        | <0.5                         | 10                         | 74                         | 23                         | 3.33                        | 2.09                       |
| 080542 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.63                        | 40                         | 1190                        | 1.7                          | <2                         | 0.70                        | <0.5                         | 11                         | 77                         | 31                         | 3.64                        | 2.33                       |
| 080543 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.78                        | 13                         | 920                         | 1.5                          | <2                         | 0.80                        | <0.5                         | 9                          | 63                         | 21                         | 3.06                        | 1.75                       |
| 080544 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.07                        | 22                         | 830                         | 1.7                          | 3                          | 0.61                        | <0.5                         | 12                         | 64                         | 22                         | 3.18                        | 2.01                       |
| 080545 -150        |                                   |                                   | NSS                           | <0.5                         | 11.30                       | 16                         | 1000                        | 3.0                          | 4                          | 0.09                        | <0.5                         | 17                         | 99                         | 44                         | 5.37                        | 3.61                       |
| 080546 -150        |                                   |                                   | 0.010                         | <0.5                         | 7.53                        | 184                        | 870                         | 1.7                          | 3                          | 0.50                        | <0.5                         | 8                          | 69                         | 33                         | 3.69                        | 2.03                       |
| 080547 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.51                        | 50                         | 780                         | 1.1                          | <2                         | 1.06                        | <0.5                         | 8                          | 57                         | 20                         | 2.81                        | 1.23                       |
| 080548 -150        |                                   |                                   | <0.005                        | 0.7                          | 7.26                        | 50                         | 760                         | 1.8                          | <2                         | 0.86                        | <0.5                         | 20                         | 64                         | 46                         | 4.69                        | 1.73                       |
| 080549 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.26                        | 28                         | 940                         | 1.4                          | <2                         | 0.67                        | <0.5                         | 12                         | 67                         | 29                         | 3.31                        | 1.37                       |
| 080550 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.19                        | 86                         | 770                         | 1.3                          | <2                         | 0.51                        | <0.5                         | 9                          | 64                         | 23                         | 3.59                        | 1.55                       |
| 080551 -150        |                                   |                                   | 0.016                         | <0.5                         | 5.65                        | 37                         | 750                         | 1.2                          | <2                         | 0.84                        | <0.5                         | 8                          | 60                         | 19                         | 3.01                        | 1.21                       |
| 080552 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.24                        | 138                        | 820                         | 1.2                          | <2                         | 0.51                        | <0.5                         | 7                          | 59                         | 20                         | 2.95                        | 1.70                       |
| 080553 -150        |                                   |                                   | NSS                           | <0.5                         | 7.39                        | 142                        | 870                         | 1.6                          | <2                         | 0.53                        | <0.5                         | 11                         | 76                         | 27                         | 4.32                        | 1.66                       |
| 080554 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.10                        | 39                         | 850                         | 2.2                          | <2                         | 0.31                        | <0.5                         | 14                         | 79                         | 45                         | 4.76                        | 2.16                       |

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 8 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080515 -150        |                                   | 1.04      | 272      | 1        | 0.45      | 24       | 430       | 30       | 0.02      | 9        | 127      | 0.36      | 135      | <10       | 87       |              |
| 080516 -150        |                                   | 0.79      | 494      | <1       | 0.60      | 21       | 510       | 37       | 0.02      | 8        | 136      | 0.33      | 110      | <10       | 70       |              |
| 080517 -150        |                                   | 0.60      | 166      | 1        | 0.45      | 13       | 270       | 87       | 0.04      | 54       | 106      | 0.40      | 136      | <10       | 87       |              |
| 080518 -150        |                                   | 0.90      | 242      | 1        | 0.73      | 32       | 300       | 21       | 0.01      | 14       | 124      | 0.40      | 126      | <10       | 54       |              |
| 080519 -150        |                                   | 0.86      | 205      | <1       | 0.61      | 26       | 220       | 20       | 0.01      | 16       | 113      | 0.39      | 136      | <10       | 60       |              |
| 080520 -150        |                                   | 0.81      | 331      | 1        | 0.98      | 27       | 280       | 21       | 0.01      | 11       | 154      | 0.39      | 119      | <10       | 63       |              |
| 080521 -150        |                                   | 0.82      | 364      | 1        | 1.01      | 26       | 250       | 23       | 0.01      | 11       | 160      | 0.39      | 123      | <10       | 67       | 0.006        |
| 080522 -150        |                                   | 0.70      | 152      | <1       | 0.47      | 23       | 350       | 48       | 0.08      | 35       | 95       | 0.37      | 122      | <10       | 91       |              |
| 080523 -150        |                                   | 0.79      | 259      | 1        | 0.72      | 31       | 280       | 38       | 0.02      | 30       | 142      | 0.43      | 133      | <10       | 85       |              |
| 080524 -150        |                                   | 0.90      | 240      | 1        | 0.59      | 36       | 490       | 42       | 0.03      | 30       | 135      | 0.45      | 140      | <10       | 69       |              |
| 080525 -150        |                                   | 1.02      | 258      | 1        | 0.62      | 39       | 460       | 29       | 0.03      | 10       | 131      | 0.47      | 136      | <10       | 65       |              |
| 080526 -150        |                                   | 0.90      | 273      | 1        | 0.64      | 31       | 610       | 96       | 0.07      | 47       | 142      | 0.41      | 126      | <10       | 77       |              |
| 080527 -150        |                                   | 0.76      | 304      | 1        | 0.86      | 29       | 630       | 52       | 0.02      | 20       | 176      | 0.37      | 109      | <10       | 64       |              |
| 080528 -150        |                                   | 0.76      | 267      | 1        | 0.83      | 28       | 510       | 28       | 0.01      | 12       | 157      | 0.37      | 104      | <10       | 62       |              |
| 080529 -150        |                                   | 0.69      | 281      | 1        | 0.72      | 26       | 560       | 36       | 0.02      | 14       | 137      | 0.31      | 94       | <10       | 71       |              |
| 080530 -150        |                                   | 0.67      | 363      | 1        | 1.07      | 27       | 440       | 33       | 0.01      | 9        | 196      | 0.37      | 101      | <10       | 82       |              |
| 080531 -150        |                                   | 0.75      | 319      | 2        | 0.62      | 32       | 470       | 59       | 0.01      | 10       | 139      | 0.36      | 126      | <10       | 123      |              |
| 080532 -150        |                                   | 0.63      | 306      | 1        | 0.91      | 21       | 480       | 18       | 0.01      | 32       | 139      | 0.38      | 103      | <10       | 62       |              |
| 080533 -150        |                                   | 0.67      | 608      | 1        | 0.92      | 27       | 780       | 52       | <0.01     | 18       | 133      | 0.35      | 94       | <10       | 113      |              |
| 080534 -150        |                                   | 0.59      | 296      | 1        | 1.02      | 19       | 720       | 15       | 0.01      | <5       | 159      | 0.39      | 111      | <10       | 59       |              |
| 080535 -150        |                                   | 0.53      | 235      | 1        | 1.05      | 17       | 510       | 14       | 0.01      | <5       | 160      | 0.38      | 97       | <10       | 50       |              |
| 080536 -150        |                                   | 0.61      | 324      | 1        | 0.99      | 18       | 730       | 14       | 0.01      | <5       | 154      | 0.38      | 104      | <10       | 58       |              |
| 080537 -150        |                                   | 0.55      | 311      | 1        | 0.96      | 15       | 750       | 11       | 0.02      | <5       | 149      | 0.37      | 98       | <10       | 50       |              |
| 080538 -150        |                                   | 0.54      | 266      | 1        | 0.92      | 17       | 690       | 18       | 0.01      | <5       | 142      | 0.38      | 100      | <10       | 49       |              |
| 080539 -150        |                                   | 0.68      | 517      | 1        | 1.06      | 30       | 760       | 22       | 0.02      | 6        | 176      | 0.39      | 114      | <10       | 105      |              |
| 080540 -150        |                                   | 0.62      | 427      | 1        | 0.91      | 27       | 470       | 19       | 0.01      | <5       | 143      | 0.37      | 108      | <10       | 75       |              |
| 080541 -150        |                                   | 0.62      | 423      | 1        | 0.92      | 26       | 540       | 21       | 0.01      | 7        | 142      | 0.38      | 113      | <10       | 78       | 0.006        |
| 080542 -150        |                                   | 0.63      | 534      | 2        | 0.92      | 30       | 850       | 19       | 0.01      | 8        | 152      | 0.43      | 136      | <10       | 87       |              |
| 080543 -150        |                                   | 0.72      | 368      | 1        | 1.05      | 24       | 490       | 14       | 0.01      | <5       | 175      | 0.42      | 102      | <10       | 68       |              |
| 080544 -150        |                                   | 0.61      | 405      | <1       | 0.84      | 29       | 430       | 27       | 0.02      | <5       | 152      | 0.37      | 94       | <10       | 79       |              |
| 080545 -150        |                                   | 0.54      | 304      | 1        | 0.69      | 42       | 470       | 17       | 0.02      | <5       | 133      | 0.48      | 130      | <10       | 108      |              |
| 080546 -150        |                                   | 0.64      | 323      | 1        | 0.71      | 28       | 400       | 20       | 0.05      | 7        | 155      | 0.39      | 108      | <10       | 83       |              |
| 080547 -150        |                                   | 0.61      | 392      | 1        | 0.87      | 19       | 680       | 16       | 0.04      | <5       | 185      | 0.34      | 93       | <10       | 62       |              |
| 080548 -150        |                                   | 0.54      | 1235     | 2        | 0.48      | 44       | 660       | 27       | 0.03      | 9        | 228      | 0.38      | 95       | <10       | 123      |              |
| 080549 -150        |                                   | 0.76      | 391      | 1        | 1.09      | 29       | 190       | 14       | 0.01      | <5       | 169      | 0.36      | 112      | <10       | 63       |              |
| 080550 -150        |                                   | 0.61      | 304      | 1        | 0.75      | 26       | 270       | 16       | 0.02      | 5        | 142      | 0.40      | 104      | <10       | 57       |              |
| 080551 -150        |                                   | 0.68      | 327      | 1        | 1.00      | 21       | 450       | 16       | 0.01      | <5       | 175      | 0.35      | 101      | <10       | 56       |              |
| 080552 -150        |                                   | 0.50      | 265      | 1        | 0.72      | 22       | 290       | 43       | 0.01      | 8        | 146      | 0.40      | 95       | <10       | 61       |              |
| 080553 -150        |                                   | 0.72      | 319      | 2        | 0.77      | 27       | 270       | 28       | 0.02      | 6        | 137      | 0.39      | 126      | <10       | 83       |              |
| 080554 -150        |                                   | 0.75      | 285      | 1        | 0.69      | 38       | 310       | 23       | 0.03      | <5       | 103      | 0.40      | 123      | <10       | 92       |              |

Comments: NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 9 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

### CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080555 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.66                        | 24                         | 850                         | 2.1                          | <2                         | 0.52                        | <0.5                         | 30                         | 62                         | 35                         | 3.26                        | 1.56                       |
| 080556 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.32                        | 15                         | 880                         | 1.3                          | <2                         | 0.72                        | <0.5                         | 9                          | 66                         | 20                         | 3.46                        | 1.51                       |
| 080557 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.34                        | 9                          | 950                         | 1.8                          | <2                         | 0.48                        | <0.5                         | 10                         | 71                         | 26                         | 3.34                        | 2.08                       |
| 080558 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.62                        | 19                         | 890                         | 1.8                          | <2                         | 0.48                        | <0.5                         | 9                          | 69                         | 23                         | 3.18                        | 2.28                       |
| 080559 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.06                        | 10                         | 940                         | 1.5                          | <2                         | 0.65                        | <0.5                         | 6                          | 72                         | 20                         | 2.91                        | 1.82                       |
| 080560 -150        |                                   |                                   | NSS                           | <0.5                         | 7.93                        | 21                         | 720                         | 1.6                          | <2                         | 0.37                        | <0.5                         | 21                         | 63                         | 21                         | 3.27                        | 1.85                       |
| 080561 -150        |                                   |                                   | NSS                           | <0.5                         | 9.33                        | 10                         | 720                         | 1.7                          | <2                         | 0.26                        | 0.7                          | 31                         | 67                         | 21                         | 3.29                        | 2.01                       |
| 080562 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.91                        | 8                          | 950                         | 2.0                          | <2                         | 0.41                        | <0.5                         | 9                          | 75                         | 29                         | 3.46                        | 2.40                       |
| 080563 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.81                        | 13                         | 840                         | 1.1                          | <2                         | 0.67                        | <0.5                         | 9                          | 59                         | 17                         | 2.99                        | 1.23                       |
| 080564 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.04                        | 12                         | 890                         | 1.2                          | <2                         | 0.75                        | <0.5                         | 10                         | 65                         | 27                         | 3.23                        | 1.18                       |
| 080565 -150        |                                   |                                   | <0.005                        | <0.5                         | 11.15                       | 15                         | 1020                        | 3.2                          | <2                         | 0.05                        | <0.5                         | 5                          | 103                        | 47                         | 4.67                        | 3.96                       |
| 080566 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.77                        | 19                         | 970                         | 1.4                          | <2                         | 0.74                        | <0.5                         | 12                         | 73                         | 27                         | 3.70                        | 1.44                       |
| 080567 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.22                        | 12                         | 840                         | 1.7                          | <2                         | 0.72                        | <0.5                         | 15                         | 68                         | 31                         | 3.71                        | 1.82                       |
| 080568 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.23                        | 11                         | 1030                        | 1.4                          | <2                         | 1.08                        | <0.5                         | 9                          | 60                         | 24                         | 2.94                        | 1.50                       |
| 080569 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.73                        | 14                         | 1020                        | 1.3                          | <2                         | 1.08                        | <0.5                         | 10                         | 70                         | 21                         | 2.97                        | 1.50                       |
| 080570 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.16                        | 20                         | 1020                        | 1.7                          | <2                         | 0.77                        | <0.5                         | 10                         | 70                         | 27                         | 2.96                        | 2.02                       |
| 080571 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.32                        | 11                         | 1020                        | 2.2                          | <2                         | 0.50                        | <0.5                         | 12                         | 85                         | 29                         | 3.43                        | 2.58                       |
| 080572 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.93                        | 14                         | 1000                        | 2.3                          | <2                         | 0.45                        | <0.5                         | 10                         | 87                         | 38                         | 3.67                        | 2.77                       |
| 080573 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.85                        | 14                         | 910                         | 2.0                          | <2                         | 0.53                        | <0.5                         | 12                         | 94                         | 38                         | 4.14                        | 2.98                       |
| 080574 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.67                        | 11                         | 840                         | 1.1                          | <2                         | 0.68                        | <0.5                         | 5                          | 60                         | 13                         | 2.60                        | 1.48                       |
| 080575 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.38                        | 11                         | 880                         | 1.0                          | <2                         | 0.82                        | <0.5                         | 6                          | 60                         | 15                         | 2.74                        | 1.20                       |
| 080576 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.23                        | 17                         | 880                         | 1.3                          | <2                         | 0.84                        | <0.5                         | 10                         | 68                         | 28                         | 3.37                        | 1.46                       |
| 080577 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.73                        | 16                         | 1000                        | 2.0                          | <2                         | 0.53                        | <0.5                         | 11                         | 75                         | 30                         | 3.76                        | 2.54                       |
| 080578 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.99                        | 12                         | 1000                        | 1.7                          | <2                         | 0.67                        | <0.5                         | 11                         | 71                         | 27                         | 3.24                        | 1.95                       |
| 080579 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.69                        | 19                         | 940                         | 1.5                          | <2                         | 0.60                        | <0.5                         | 7                          | 64                         | 18                         | 2.84                        | 1.84                       |
| 080580 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.03                        | 19                         | 930                         | 1.5                          | <2                         | 0.62                        | <0.5                         | 9                          | 72                         | 20                         | 3.30                        | 1.64                       |
| 080581 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.61                        | 15                         | 870                         | 1.4                          | <2                         | 0.59                        | <0.5                         | 9                          | 67                         | 19                         | 3.11                        | 1.54                       |
| 080582 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.36                        | 16                         | 880                         | 1.8                          | <2                         | 0.45                        | <0.5                         | 7                          | 72                         | 21                         | 3.02                        | 2.15                       |
| 080583 -150        |                                   |                                   | <0.005                        | 0.6                          | 9.06                        | 45                         | 1020                        | 2.4                          | 2                          | 0.22                        | <0.5                         | 13                         | 83                         | 31                         | 4.01                        | 2.81                       |
| 080584 -150        |                                   |                                   | <0.005                        | <0.5                         | 10.10                       | 55                         | 1130                        | 3.2                          | 2                          | 0.13                        | <0.5                         | 14                         | 104                        | 36                         | 3.78                        | 4.01                       |
| 080585 -150        |                                   |                                   | <0.005                        | 0.7                          | 9.17                        | 52                         | 1090                        | 2.4                          | <2                         | 0.31                        | 0.7                          | 10                         | 88                         | 31                         | 3.63                        | 3.10                       |
| 080586 -150        |                                   |                                   | <0.005                        | 0.6                          | 7.67                        | 47                         | 980                         | 2.1                          | <2                         | 0.35                        | <0.5                         | 9                          | 71                         | 26                         | 3.13                        | 2.63                       |
| 080587 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.32                        | 65                         | 970                         | 1.8                          | <2                         | 0.39                        | <0.5                         | 8                          | 70                         | 27                         | 3.38                        | 2.32                       |
| 080588 -150        |                                   |                                   | <0.005                        | 0.5                          | 7.46                        | 77                         | 900                         | 1.8                          | <2                         | 0.43                        | <0.5                         | 10                         | 68                         | 27                         | 3.40                        | 2.16                       |
| 080589 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.62                        | 73                         | 800                         | 1.6                          | 2                          | 0.45                        | <0.5                         | 8                          | 64                         | 22                         | 3.09                        | 1.96                       |
| 080590 -150        |                                   |                                   | <0.005                        | 0.5                          | 8.14                        | 46                         | 1100                        | 2.1                          | <2                         | 0.46                        | <0.5                         | 10                         | 79                         | 36                         | 3.39                        | 2.64                       |
| 080591 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.80                        | 68                         | 700                         | 1.8                          | <2                         | 0.23                        | <0.5                         | 9                          | 62                         | 28                         | 3.34                        | 2.19                       |
| 080592 -150        |                                   |                                   | <0.005                        | 1.3                          | 10.75                       | 66                         | 1050                        | 2.8                          | <2                         | 0.36                        | 1.0                          | 10                         | 98                         | 24                         | 3.09                        | 3.82                       |
| 080593 -150        |                                   |                                   | <0.005                        | 7.7                          | 11.40                       | 276                        | 1140                        | 3.4                          | 6                          | 0.06                        | <0.5                         | 5                          | 109                        | 27                         | 2.95                        | 4.84                       |
| 080601 -150        |                                   |                                   | NSS                           | <0.5                         | 7.48                        | 18                         | 1060                        | 1.6                          | <2                         | 0.68                        | <0.5                         | 11                         | 84                         | 42                         | 3.38                        | 1.96                       |

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

O: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 9 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080555 -150        |                                   | 0.67      | 451      | 1        | 0.97      | 64       | 200       | 16       | 0.01      | <5       | 141      | 0.35      | 106      | <10       | 78       |              |
| 080556 -150        |                                   | 0.70      | 312      | 1        | 1.09      | 27       | 420       | 17       | 0.01      | <5       | 166      | 0.37      | 118      | <10       | 66       |              |
| 080557 -150        |                                   | 0.64      | 278      | 1        | 0.90      | 26       | 230       | 22       | 0.01      | <5       | 149      | 0.34      | 116      | <10       | 69       |              |
| 080558 -150        |                                   | 0.54      | 270      | 1        | 0.93      | 26       | 290       | 26       | 0.01      | <5       | 164      | 0.29      | 112      | <10       | 71       |              |
| 080559 -150        |                                   | 0.62      | 275      | 1        | 1.01      | 20       | 440       | 27       | 0.01      | <5       | 166      | 0.37      | 116      | <10       | 60       |              |
| 080560 -150        |                                   | 0.44      | 878      | 1        | 0.60      | 37       | 420       | 33       | 0.01      | 6        | 172      | 0.26      | 91       | <10       | 81       |              |
| 080561 -150        |                                   | 0.39      | 1490     | <1       | 0.43      | 42       | 490       | 49       | 0.01      | 5        | 210      | 0.24      | 90       | <10       | 86       | 0.008        |
| 080562 -150        |                                   | 0.74      | 296      | 1        | 0.86      | 30       | 280       | 24       | 0.01      | <5       | 146      | 0.33      | 118      | <10       | 76       |              |
| 080563 -150        |                                   | 0.67      | 307      | 1        | 1.01      | 22       | 230       | 19       | 0.01      | <5       | 153      | 0.34      | 108      | <10       | 60       |              |
| 080564 -150        |                                   | 0.72      | 336      | 1        | 1.15      | 32       | 230       | 16       | 0.01      | <5       | 171      | 0.35      | 115      | <10       | 61       |              |
| 080565 -150        |                                   | 0.80      | 139      | 1        | 0.54      | 28       | 460       | 35       | 0.02      | <5       | 129      | 0.27      | 152      | <10       | 79       |              |
| 080566 -150        |                                   | 0.76      | 435      | 1        | 1.12      | 29       | 290       | 20       | 0.01      | <5       | 173      | 0.37      | 130      | <10       | 77       |              |
| 080567 -150        |                                   | 0.72      | 504      | 1        | 1.09      | 30       | 380       | 27       | 0.02      | <5       | 184      | 0.37      | 114      | <10       | 73       |              |
| 080568 -150        |                                   | 0.73      | 361      | 1        | 1.22      | 24       | 680       | 18       | 0.01      | <5       | 214      | 0.39      | 111      | <10       | 70       |              |
| 080569 -150        |                                   | 0.76      | 404      | <1       | 1.24      | 24       | 630       | 18       | 0.01      | <5       | 211      | 0.40      | 118      | <10       | 72       |              |
| 080570 -150        |                                   | 0.71      | 282      | 1        | 1.12      | 27       | 610       | 20       | 0.01      | <5       | 186      | 0.37      | 111      | <10       | 77       |              |
| 080571 -150        |                                   | 0.68      | 299      | 1        | 0.93      | 29       | 550       | 27       | 0.02      | <5       | 167      | 0.39      | 128      | <10       | 75       |              |
| 080572 -150        |                                   | 0.68      | 275      | 2        | 0.74      | 32       | 460       | 42       | 0.02      | 6        | 154      | 0.37      | 128      | <10       | 78       |              |
| 080573 -150        |                                   | 0.74      | 290      | 1        | 0.80      | 43       | 470       | 20       | 0.09      | <5       | 155      | 0.35      | 146      | <10       | 101      |              |
| 080574 -150        |                                   | 0.61      | 257      | 1        | 0.94      | 16       | 310       | 15       | 0.04      | <5       | 152      | 0.36      | 107      | <10       | 50       |              |
| 080575 -150        |                                   | 0.60      | 277      | 1        | 1.06      | 18       | 480       | 12       | 0.02      | <5       | 169      | 0.38      | 104      | <10       | 50       |              |
| 080576 -150        |                                   | 0.74      | 362      | 1        | 1.12      | 27       | 410       | 16       | 0.03      | <5       | 184      | 0.37      | 119      | <10       | 73       |              |
| 080577 -150        |                                   | 0.79      | 392      | 1        | 0.99      | 28       | 350       | 28       | 0.05      | <5       | 165      | 0.35      | 129      | <10       | 83       |              |
| 080578 -150        |                                   | 0.67      | 370      | 1        | 1.08      | 27       | 310       | 18       | 0.01      | <5       | 179      | 0.39      | 120      | <10       | 73       |              |
| 080579 -150        |                                   | 0.63      | 270      | 1        | 0.94      | 20       | 250       | 21       | 0.01      | 5        | 165      | 0.36      | 106      | <10       | 59       |              |
| 080580 -150        |                                   | 0.74      | 329      | 1        | 1.03      | 22       | 220       | 26       | 0.01      | <5       | 161      | 0.36      | 122      | <10       | 66       |              |
| 080581 -150        |                                   | 0.70      | 312      | 1        | 0.98      | 22       | 200       | 26       | 0.01      | <5       | 153      | 0.36      | 115      | <10       | 63       | <0.005       |
| 080582 -150        |                                   | 0.67      | 233      | 1        | 0.77      | 17       | 170       | 25       | 0.01      | 5        | 140      | 0.34      | 117      | <10       | 59       |              |
| 080583 -150        |                                   | 0.75      | 272      | <1       | 0.56      | 28       | 250       | 75       | 0.02      | 34       | 141      | 0.36      | 128      | <10       | 88       |              |
| 080584 -150        |                                   | 0.63      | 293      | 1        | 0.44      | 36       | 280       | 44       | 0.02      | 27       | 138      | 0.37      | 151      | <10       | 80       |              |
| 080585 -150        |                                   | 0.56      | 301      | 1        | 0.63      | 28       | 370       | 118      | 0.01      | 48       | 151      | 0.37      | 134      | <10       | 101      |              |
| 080586 -150        |                                   | 0.51      | 297      | 1        | 0.62      | 22       | 440       | 92       | 0.01      | 37       | 138      | 0.36      | 104      | <10       | 88       |              |
| 080587 -150        |                                   | 0.56      | 270      | 1        | 0.71      | 26       | 440       | 77       | 0.01      | 37       | 141      | 0.30      | 107      | <10       | 90       |              |
| 080588 -150        |                                   | 0.59      | 327      | 1        | 0.70      | 25       | 410       | 72       | 0.01      | 36       | 145      | 0.33      | 107      | <10       | 87       |              |
| 080589 -150        |                                   | 0.54      | 275      | 1        | 0.74      | 22       | 420       | 62       | 0.01      | 38       | 142      | 0.34      | 98       | <10       | 82       |              |
| 080590 -150        |                                   | 0.69      | 328      | 1        | 0.65      | 29       | 620       | 64       | 0.01      | 31       | 150      | 0.31      | 116      | <10       | 90       |              |
| 080591 -150        |                                   | 0.54      | 231      | 1        | 0.47      | 23       | 320       | 50       | 0.01      | 11       | 111      | 0.32      | 89       | <10       | 94       |              |
| 080592 -150        |                                   | 0.49      | 320      | 1        | 0.44      | 29       | 320       | 90       | 0.03      | 37       | 147      | 0.31      | 125      | <10       | 125      |              |
| 080593 -150        |                                   | 0.52      | 112      | 1        | 0.36      | 15       | 360       | 742      | 0.10      | 379      | 153      | 0.34      | 160      | <10       | 86       |              |
| 080601 -150        |                                   | 0.99      | 399      | 1        | 0.96      | 34       | 730       | 28       | 0.01      | 5        | 164      | 0.42      | 145      | <10       | 96       | 0.006        |

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 10 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080602 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.48                        | 20                         | 870                         | 1.3                          | <2                         | 0.70                        | <0.5                         | 9                          | 73                         | 22                         | 3.25                        | 1.52                       |
| 080603 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.86                        | 15                         | 920                         | 1.3                          | <2                         | 0.83                        | <0.5                         | 9                          | 73                         | 21                         | 3.24                        | 1.50                       |
| 080604 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.32                        | 19                         | 910                         | 1.2                          | <2                         | 0.85                        | <0.5                         | 9                          | 70                         | 26                         | 3.21                        | 1.34                       |
| 080605 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.37                        | 14                         | 950                         | 1.3                          | <2                         | 0.81                        | <0.5                         | 11                         | 75                         | 21                         | 3.31                        | 1.51                       |
| 080606 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.41                        | 18                         | 1000                        | 1.2                          | <2                         | 0.83                        | <0.5                         | 8                          | 74                         | 20                         | 3.22                        | 1.35                       |
| 080607 -150        |                                   |                                   | 0.006                         | <0.5                         | 6.45                        | 14                         | 1120                        | 1.2                          | <2                         | 0.82                        | <0.5                         | 8                          | 75                         | 22                         | 2.90                        | 1.38                       |
| 080608 -150        |                                   |                                   | 0.011                         | 0.7                          | 5.77                        | 125                        | 850                         | 1.3                          | <2                         | 0.55                        | <0.5                         | 9                          | 62                         | 37                         | 3.10                        | 1.34                       |
| 080609 -150        |                                   |                                   | 0.011                         | <0.5                         | 5.98                        | 70                         | 850                         | 1.2                          | <2                         | 0.69                        | <0.5                         | 8                          | 63                         | 20                         | 3.11                        | 1.24                       |
| 080610 -150        |                                   |                                   | 0.131                         | <0.5                         | 6.16                        | 127                        | 750                         | 1.3                          | 3                          | 0.44                        | <0.5                         | 7                          | 61                         | 34                         | 3.70                        | 1.66                       |
| 080611 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.69                        | 56                         | 780                         | 1.1                          | <2                         | 0.58                        | <0.5                         | 8                          | 61                         | 19                         | 3.01                        | 1.26                       |
| 080612 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.34                        | 88                         | 920                         | 1.2                          | <2                         | 0.66                        | <0.5                         | 9                          | 68                         | 16                         | 3.45                        | 1.30                       |
| 080613 -150        |                                   |                                   | 0.010                         | 0.6                          | 6.01                        | 252                        | 640                         | 1.2                          | 2                          | 0.29                        | <0.5                         | 6                          | 65                         | 29                         | 2.39                        | 1.57                       |
| 080614 -150        |                                   |                                   | 0.006                         | <0.5                         | 6.52                        | 84                         | 870                         | 1.4                          | <2                         | 0.65                        | <0.5                         | 6                          | 62                         | 18                         | 2.64                        | 1.82                       |
| 080615 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.08                        | 109                        | 830                         | 1.1                          | <2                         | 0.75                        | <0.5                         | 9                          | 63                         | 13                         | 3.57                        | 1.32                       |
| 080616 -150        |                                   |                                   | 0.006                         | <0.5                         | 7.92                        | 96                         | 940                         | 2.1                          | <2                         | 0.41                        | <0.5                         | 8                          | 79                         | 22                         | 2.91                        | 2.97                       |
| 080617 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.10                        | 73                         | 730                         | 1.6                          | 3                          | 0.38                        | <0.5                         | 9                          | 73                         | 25                         | 3.56                        | 2.35                       |
| 080618 -150        |                                   |                                   | <0.005                        | 0.7                          | 10.15                       | 126                        | 1100                        | 2.8                          | 2                          | 0.28                        | <0.5                         | 10                         | 102                        | 29                         | 3.30                        | 4.23                       |
| 080619 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.57                        | 34                         | 770                         | 1.2                          | <2                         | 0.72                        | <0.5                         | 6                          | 63                         | 19                         | 2.57                        | 1.50                       |
| 080620 -150        |                                   |                                   | 0.006                         | 0.9                          | 6.41                        | 28                         | 750                         | 1.4                          | 2                          | 0.57                        | <0.5                         | 6                          | 70                         | 21                         | 2.70                        | 1.84                       |
| 080621 -150        |                                   |                                   | <0.005                        | 0.7                          | 6.80                        | 30                         | 800                         | 1.4                          | <2                         | 0.61                        | <0.5                         | 6                          | 72                         | 21                         | 2.91                        | 1.90                       |
| 080622 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.29                        | 20                         | 810                         | 1.3                          | <2                         | 0.50                        | <0.5                         | 6                          | 69                         | 16                         | 2.73                        | 1.54                       |
| 080623 -150        |                                   |                                   | 0.009                         | <0.5                         | 5.68                        | 23                         | 780                         | 1.0                          | <2                         | 0.79                        | <0.5                         | 5                          | 62                         | 15                         | 2.77                        | 1.32                       |
| 080624 -150        |                                   |                                   | 0.006                         | 0.5                          | 6.02                        | 31                         | 820                         | 1.2                          | <2                         | 0.80                        | <0.5                         | 7                          | 70                         | 20                         | 3.40                        | 1.54                       |
| 080625 -150        |                                   |                                   | 0.010                         | 1.2                          | 5.29                        | 26                         | 690                         | 1.1                          | 2                          | 0.63                        | <0.5                         | 10                         | 60                         | 21                         | 3.17                        | 1.19                       |
| 080626 -150        |                                   |                                   | 0.010                         | 1.4                          | 6.24                        | 26                         | 810                         | 1.0                          | <2                         | 0.75                        | <0.5                         | 5                          | 66                         | 21                         | 3.10                        | 1.42                       |
| 080627 -150        |                                   |                                   | 0.006                         | 1.3                          | 7.28                        | 22                         | 790                         | 1.8                          | <2                         | 1.04                        | <0.5                         | 16                         | 78                         | 49                         | 3.93                        | 2.26                       |

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 10 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071095

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080602 -150        |                                   | 0.82      | 337      | 1        | 1.08      | 25       | 730       | 17       | 0.02      | <5       | 151      | 0.38      | 125      | <10       | 68       |              |
| 080603 -150        |                                   | 0.83      | 358      | 1        | 1.15      | 24       | 790       | 15       | 0.01      | <5       | 166      | 0.39      | 128      | <10       | 72       |              |
| 080604 -150        |                                   | 0.76      | 380      | 1        | 1.13      | 26       | 800       | 16       | 0.01      | <5       | 172      | 0.39      | 123      | <10       | 71       |              |
| 080605 -150        |                                   | 0.81      | 405      | 1        | 1.13      | 25       | 690       | 17       | 0.01      | <5       | 169      | 0.41      | 134      | <10       | 70       |              |
| 080606 -150        |                                   | 0.76      | 340      | 1        | 1.06      | 23       | 920       | 17       | 0.02      | <5       | 165      | 0.41      | 136      | <10       | 68       |              |
| 080607 -150        |                                   | 0.89      | 352      | 2        | 1.09      | 22       | 970       | 19       | 0.02      | 6        | 184      | 0.40      | 137      | <10       | 65       |              |
| 080608 -150        |                                   | 0.58      | 276      | 1        | 0.80      | 21       | 530       | 18       | 0.02      | <5       | 127      | 0.36      | 114      | <10       | 58       |              |
| 080609 -150        |                                   | 0.68      | 314      | 1        | 0.98      | 22       | 280       | 12       | 0.01      | <5       | 149      | 0.36      | 110      | <10       | 66       |              |
| 080610 -150        |                                   | 0.68      | 275      | 1        | 0.63      | 22       | 360       | 20       | 0.03      | 9        | 108      | 0.41      | 102      | <10       | 55       |              |
| 080611 -150        |                                   | 0.62      | 294      | 1        | 0.86      | 20       | 240       | 14       | 0.01      | 6        | 133      | 0.37      | 108      | <10       | 56       |              |
| 080612 -150        |                                   | 0.67      | 348      | 1        | 0.94      | 23       | 410       | 18       | 0.01      | <5       | 147      | 0.39      | 130      | <10       | 70       |              |
| 080613 -150        |                                   | 0.35      | 208      | 1        | 0.41      | 19       | 750       | 43       | 0.01      | 16       | 101      | 0.48      | 112      | <10       | 53       |              |
| 080614 -150        |                                   | 0.64      | 279      | 1        | 0.94      | 18       | 370       | 19       | 0.01      | <5       | 155      | 0.36      | 112      | <10       | 54       |              |
| 080615 -150        |                                   | 0.69      | 318      | 1        | 0.99      | 20       | 320       | 21       | 0.01      | 5        | 156      | 0.33      | 112      | <10       | 64       |              |
| 080616 -150        |                                   | 0.63      | 246      | 1        | 0.60      | 20       | 300       | 48       | 0.01      | 13       | 135      | 0.49      | 132      | <10       | 60       |              |
| 080617 -150        |                                   | 0.50      | 276      | 1        | 0.54      | 20       | 340       | 96       | 0.01      | 17       | 119      | 0.49      | 119      | <10       | 83       |              |
| 080618 -150        |                                   | 0.73      | 363      | 1        | 0.46      | 27       | 520       | 160      | 0.01      | 14       | 134      | 0.35      | 166      | <10       | 88       |              |
| 080619 -150        |                                   | 0.58      | 294      | 1        | 0.89      | 19       | 660       | 24       | 0.01      | <5       | 143      | 0.39      | 108      | <10       | 59       |              |
| 080620 -150        |                                   | 0.57      | 250      | 1        | 0.77      | 17       | 540       | 104      | 0.01      | 17       | 131      | 0.38      | 116      | <10       | 62       |              |
| 080621 -150        |                                   | 0.60      | 266      | 1        | 0.80      | 19       | 590       | 112      | 0.01      | 22       | 135      | 0.36      | 118      | <10       | 65       | 0.014        |
| 080622 -150        |                                   | 0.54      | 265      | 1        | 0.84      | 17       | 230       | 35       | <0.01     | <5       | 158      | 0.36      | 120      | <10       | 52       |              |
| 080623 -150        |                                   | 0.60      | 296      | 1        | 0.97      | 19       | 570       | 80       | 0.01      | <5       | 158      | 0.36      | 108      | <10       | 62       |              |
| 080624 -150        |                                   | 0.65      | 344      | 1        | 0.97      | 22       | 410       | 80       | 0.01      | <5       | 166      | 0.43      | 122      | <10       | 86       |              |
| 080625 -150        |                                   | 0.50      | 526      | 1        | 0.81      | 19       | 470       | 286      | 0.01      | <5       | 137      | 0.40      | 109      | <10       | 112      |              |
| 080626 -150        |                                   | 0.61      | 274      | 1        | 0.93      | 16       | 530       | 170      | 0.01      | <5       | 163      | 0.37      | 115      | <10       | 65       |              |
| 080627 -150        |                                   | 0.67      | 1050     | 1        | 0.56      | 34       | 700       | 128      | 0.04      | <5       | 131      | 0.36      | 125      | <10       | 150      |              |

Comments: NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 1  
Finalized Date: 30-OCT-2004  
Account: STRGOL

**QC CERTIFICATE VA04071095**

Project: Dub 1735

P.O. No.:

This report is for 346 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED  
NOV - 8 2004

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |
| SCR-41d  | Screen to -100um, save both    |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |

To: STRATAGOLD EXPLORATION INC.  
ATTN: ACCOUNTS PAYABLE  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - A  
Total # Pages: 5 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071095

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Au-AA23 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |      |
|----------------------------|-----------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------|
|                            |                                   | Au      | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        | Mg   |
|                            |                                   | ppm     | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        | %    |
|                            |                                   | 0.005   | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     | 0.01 |
| STANDARDS                  |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| BM-10                      |                                   |         | 4.7      | 0.89     | 883      | 100      | <0.5     | 195      | 0.15     | 137.0    | 373      | 1510     | 1815     | 11.70    | 0.05     | 0.27 |
| BM-10                      |                                   |         | 5.6      | 0.89     | 898      | 100      | <0.5     | 208      | 0.15     | 152.0    | 365      | 1625     | 1935     | 11.40    | 0.04     | 0.28 |
| BM-10                      |                                   |         | 5.0      | 0.87     | 853      | 100      | <0.5     | 192      | 0.15     | 134.5    | 368      | 1520     | 1810     | 11.40    | 0.04     | 0.26 |
| BM-10                      |                                   |         | 5.6      | 0.88     | 882      | 120      | <0.5     | 205      | 0.15     | 148.0    | 391      | 1555     | 1845     | 11.45    | 0.05     | 0.27 |
| BM-10                      |                                   |         | 5.7      | 0.84     | 862      | 100      | <0.5     | 187      | 0.15     | 134.5    | 375      | 1510     | 1795     | 10.90    | 0.04     | 0.26 |
| BM-10                      |                                   |         | 5.4      | 0.84     | 831      | 100      | <0.5     | 186      | 0.15     | 139.0    | 343      | 1515     | 1805     | 10.95    | 0.04     | 0.28 |
| Target Range - Lower Bound |                                   |         | 4.6      | 0.72     | 755      | 70       |          | 183      | 0.12     | 117.5    | 301      | 845      | 1600     | 9.24     |          | 0.20 |
| Upper Bound                |                                   |         | 6.7      | 0.90     | 933      | 110      |          | 228      | 0.17     | 144.5    | 370      | 1035     | 1955     | 11.30    |          | 0.27 |
| G2000                      |                                   |         | 3.6      | 4.98     | 481      | 2290     | 1.3      | 4        | 0.58     | 7.2      | 23       | 100      | 293      | 3.83     | 1.28     | 0.74 |
| G2000                      |                                   |         | 4.5      | 4.89     | 486      | 2330     | 1.3      | <2       | 0.57     | 6.8      | 23       | 94       | 295      | 3.65     | 1.21     | 0.72 |
| G2000                      |                                   |         | 5.0      | 5.05     | 493      | 2300     | 1.3      | 2        | 0.58     | 7.6      | 25       | 100      | 364      | 3.84     | 1.30     | 0.74 |
| G2000                      |                                   |         | 3.5      | 4.90     | 475      | 2290     | 1.2      | <2       | 0.57     | 7.1      | 23       | 97       | 290      | 3.73     | 1.22     | 0.72 |
| G2000                      |                                   |         | 3.7      | 5.20     | 506      | 2430     | 1.3      | <2       | 0.60     | 7.2      | 25       | 107      | 308      | 3.96     | 1.32     | 0.76 |
| G2000                      |                                   |         | 3.8      | 5.03     | 477      | 2340     | 1.3      | 2        | 0.58     | 7.0      | 23       | 104      | 308      | 3.76     | 1.30     | 0.77 |
| Target Range - Lower Bound |                                   |         | 2.7      | 4.52     | 431      | 2110     | 0.8      | <2       | 0.51     | 6.3      | 22       | 90       | 272      | 3.41     | 1.16     | 0.67 |
| Upper Bound                |                                   |         | 4.4      | 5.54     | 537      | 2610     | 2.0      | 4        | 0.65     | 8.9      | 29       | 112      | 334      | 4.19     | 1.44     | 0.85 |
| OXF28                      |                                   | 0.766   |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXF28                      |                                   | 0.855   |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXF28                      |                                   | 0.804   |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXF28                      |                                   | 0.759   |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXF28                      |                                   | 0.810   |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXF28                      |                                   | 0.785   |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| Target Range - Lower Bound |                                   | 0.741   |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| Upper Bound                |                                   | 0.863   |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXK18                      |                                   | 3.31    |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXK18                      |                                   | 3.71    |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXK18                      |                                   | 3.54    |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXK18                      |                                   | 3.50    |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| OXK18                      |                                   | 3.52    |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| Target Range - Lower Bound |                                   | 3.22    |          |          |          |          |          |          |          |          |          |          |          |          |          |      |
| Upper Bound                |                                   | 3.71    |          |          |          |          |          |          |          |          |          |          |          |          |          |      |

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 2 - B

Total # Pages: 5 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071095

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       |
|                            |                                   | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      |
|                            |                                   | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        |
|                            |                                   |          |          |          |          |          |          |          |          |          |          |          |          | 0.005    |
| STANDARDS                  |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BM-10                      |                                   | 3050     | 101      | 0.04     | 1590     | 60       | 2630     | 1.52     | 293      | 16       | 0.06     | 47       | <10      | 3410     |
| BM-10                      |                                   | 2930     | 105      | 0.05     | 1570     | 70       | 2510     | 1.56     | 277      | 17       | 0.07     | 51       | <10      | 3530     |
| BM-10                      |                                   | 3010     | 99       | 0.04     | 1565     | 60       | 2560     | 1.45     | 281      | 17       | 0.06     | 45       | <10      | 3270     |
| BM-10                      |                                   | 3000     | 103      | 0.04     | 1585     | 60       | 2600     | 1.58     | 287      | 16       | 0.06     | 49       | <10      | 3500     |
| BM-10                      |                                   | 2790     | 97       | 0.04     | 1530     | 60       | 2460     | 1.52     | 274      | 16       | 0.06     | 47       | <10      | 3380     |
| BM-10                      |                                   | 2860     | 102      | 0.04     | 1510     | 70       | 2460     | 1.56     | 282      | 18       | 0.06     | 47       | <10      | 3270     |
| Target Range - Lower Bound |                                   | 2410     | 90       |          | 1205     | 40       | 1980     | 1.27     | 199      |          |          |          |          | 2890     |
| Upper Bound                |                                   | 2950     | 112      |          | 1475     | 70       | 2430     | 1.57     | 255      |          |          |          |          | 3530     |
| G2000                      |                                   | 563      | 6        | 0.14     | 282      | 950      | 659      | 0.26     | 31       | 116      | 0.35     | 100      | 10       | 1250     |
| G2000                      |                                   | 562      | 6        | 0.13     | 270      | 950      | 650      | 0.25     | 30       | 114      | 0.35     | 105      | 20       | 1210     |
| G2000                      |                                   | 571      | 6        | 0.14     | 281      | 950      | 678      | 0.25     | 34       | 118      | 0.34     | 100      | 10       | 1265     |
| G2000                      |                                   | 552      | 6        | 0.14     | 273      | 920      | 665      | 0.26     | 33       | 115      | 0.33     | 102      | 10       | 1240     |
| G2000                      |                                   | 573      | 6        | 0.15     | 294      | 980      | 681      | 0.28     | 35       | 122      | 0.36     | 110      | 10       | 1315     |
| G2000                      |                                   | 559      | 5        | 0.14     | 285      | 1010     | 665      | 0.28     | 34       | 121      | 0.36     | 108      | 10       | 1280     |
| Target Range - Lower Bound |                                   | 506      | 4        | 0.13     | 256      | 840      | 601      | 0.23     | 24       | 103      | 0.31     | 96       | <10      | 1130     |
| Upper Bound                |                                   | 630      | 8        | 0.18     | 316      | 1050     | 739      | 0.30     | 40       | 129      | 0.40     | 120      | 20       | 1385     |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          | 0.855    |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          | 0.741    |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          | 0.863    |
| OXX18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          | 3.71     |
| OXX18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          | 3.22     |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          | 3.71     |

Comments: NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 3 - A  
Total # Pages: 5 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071095

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 | ME-ICP61<br>Mg<br>%<br>0.01 |
|----------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|-----------------------------|
| BLANKS                     |                                   |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                      |                                   | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                      |                                   | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                      |                                   |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                      |                                   |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | 1                          | 0.01                        | <0.01                      | <0.01                       |
| BLANK                      |                                   |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | 2                          | <0.01                       | 0.8                          | 1                          | <1                         | 1                          | <0.01                       | <0.01                      | <0.01                       |
| BLANK                      |                                   |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                      |                                   |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | 0.6                          | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                      |                                   | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                      |                                   | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                      |                                   |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                      |                                   | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                      |                                   | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound |                                   | <0.005                        | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| Upper Bound                |                                   | 0.010                         | 1.0                          | 0.02                        | 10                         | 20                          | 1.0                          | 4                          | 0.02                        | 1.0                          | 2                          | 2                          | 2                          | 0.02                        | 0.02                       | 0.02                        |
| DUPLICATES                 |                                   |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| ORIGINAL                   |                                   | 0.032                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                        |                                   | 0.027                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound |                                   | 0.018                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                |                                   | 0.041                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| 080410 -150                |                                   |                               | <0.5                         | 3.37                        | 25                         | 540                         | 0.9                          | <2                         | 2.53                        | 0.6                          | 8                          | 45                         | 46                         | 1.85                        | 0.85                       | 0.57                        |
| DUP                        |                                   |                               | <0.5                         | 3.66                        | 41                         | 580                         | 0.9                          | <2                         | 2.75                        | <0.5                         | 8                          | 44                         | 47                         | 1.98                        | 0.86                       | 0.61                        |
| Target Range - Lower Bound |                                   |                               | <0.5                         | 3.32                        | 21                         | 510                         | <0.5                         | <2                         | 2.49                        | <0.5                         | 6                          | 40                         | 42                         | 1.80                        | 0.79                       | 0.54                        |
| Upper Bound                |                                   |                               | 1.0                          | 3.71                        | 45                         | 610                         | 1.0                          | 4                          | 2.79                        | 1.0                          | 10                         | 49                         | 51                         | 2.03                        | 0.92                       | 0.64                        |
| 080449 -150                |                                   |                               | <0.5                         | 7.89                        | 15                         | 1040                        | 2.0                          | <2                         | 0.45                        | <0.5                         | 16                         | 83                         | 27                         | 3.79                        | 2.26                       | 0.80                        |
| DUP                        |                                   |                               | <0.5                         | 8.24                        | 14                         | 1030                        | 2.0                          | <2                         | 0.47                        | <0.5                         | 16                         | 79                         | 26                         | 3.76                        | 2.24                       | 0.79                        |
| Target Range - Lower Bound |                                   |                               | <0.5                         | 7.64                        | <5                         | 960                         | 0.9                          | <2                         | 0.42                        | <0.5                         | 13                         | 75                         | 23                         | 3.57                        | 2.12                       | 0.74                        |
| Upper Bound                |                                   |                               | 1.0                          | 8.49                        | 25                         | 1110                        | 3.1                          | 4                          | 0.50                        | 1.0                          | 19                         | 87                         | 30                         | 3.98                        | 2.38                       | 0.85                        |
| 080455 -150                |                                   | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                        |                                   | 0.005                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound |                                   | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                |                                   | 0.010                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |

Comments: NSS is non-sufficient sample.





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

0: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 4 - A

Total # Pages: 5 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071095

| Method                     | Au-AA23    | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analyte                    | Au         | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        | Mg       |          |
| Units                      | ppm        | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        | %        |          |
| LOR                        | 0.005      | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     | 0.01     |          |
| Sample Description         | DUPLICATES |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080475 -150                | 0.005      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 0.010      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080485 -150                |            | <0.5     | 6.93     | 27       | 980      | 1.7      | <2       | 0.66     | <0.5     | 18       | 75       | 25       | 3.45     | 1.76     | 0.79     |          |
| DUP                        |            | <0.5     | 7.27     | 33       | 1010     | 1.7      | <2       | 0.69     | <0.5     | 18       | 71       | 25       | 3.54     | 1.80     | 0.80     |          |
| Target Range - Lower Bound |            | <0.5     | 6.73     | 19       | 930      | 0.8      | <2       | 0.62     | <0.5     | 15       | 67       | 22       | 3.30     | 1.67     | 0.74     |          |
| Upper Bound                |            | 1.0      | 7.48     | 42       | 1060     | 2.8      | 4        | 0.73     | 1.0      | 21       | 79       | 28       | 3.69     | 1.89     | 0.85     |          |
| 080495 -150                | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 0.010      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080521 -150                |            | <0.5     | 7.14     | 120      | 950      | 1.8      | 3        | 0.58     | <0.5     | 12       | 81       | 26       | 3.38     | 2.03     | 0.82     |          |
| DUP                        |            | <0.5     | 7.10     | 118      | 930      | 1.7      | 3        | 0.58     | <0.5     | 11       | 78       | 26       | 3.32     | 1.93     | 0.80     |          |
| Target Range - Lower Bound |            | <0.5     | 6.74     | 103      | 870      | 0.7      | <2       | 0.53     | <0.5     | 9        | 74       | 23       | 3.16     | 1.86     | 0.75     |          |
| Upper Bound                |            | 1.0      | 7.50     | 135      | 1010     | 2.8      | 4        | 0.63     | 1.0      | 14       | 85       | 29       | 3.54     | 2.10     | 0.87     |          |
| 080527 -150                | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 0.010      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080547 -150                | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 0.010      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080557 -150                |            | <0.5     | 7.34     | 9        | 950      | 1.8      | <2       | 0.48     | <0.5     | 10       | 71       | 26       | 3.34     | 2.08     | 0.64     |          |
| DUP                        |            | <0.5     | 7.71     | 11       | 980      | 1.9      | <2       | 0.49     | <0.5     | 10       | 76       | 28       | 3.47     | 2.22     | 0.68     |          |
| Target Range - Lower Bound |            | <0.5     | 7.13     | <5       | 900      | 0.8      | <2       | 0.44     | <0.5     | 8        | 68       | 24       | 3.21     | 2.02     | 0.61     |          |
| Upper Bound                |            | 1.0      | 7.92     | 21       | 1030     | 2.9      | 4        | 0.53     | 1.0      | 13       | 79       | 30       | 3.60     | 2.28     | 0.71     |          |
| 080568 -150                | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | <0.005     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 0.010      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 4 - B

Total # Pages: 5 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071095

| Sample Description                                              | Method<br>Analyte<br>Units<br>LOR | ME-ICP61                 | ME-ICP61          | ME-ICP61                     | ME-ICP61             | ME-ICP61                 | ME-ICP61             | ME-ICP61                      | ME-ICP61             | ME-ICP61                 | ME-ICP61                     | ME-ICP61                 | ME-ICP61                | ME-ICP61             | Au-AA23D |
|-----------------------------------------------------------------|-----------------------------------|--------------------------|-------------------|------------------------------|----------------------|--------------------------|----------------------|-------------------------------|----------------------|--------------------------|------------------------------|--------------------------|-------------------------|----------------------|----------|
|                                                                 |                                   | Mn                       | Mo                | Na                           | Ni                   | P                        | Pb                   | S                             | Sb                   | Sr                       | Ti                           | V                        | W                       | Zn                   | Au       |
|                                                                 |                                   | ppm                      | ppm               | %                            | ppm                  | ppm                      | ppm                  | %                             | ppm                  | ppm                      | %                            | ppm                      | ppm                     | ppm                  | ppm      |
|                                                                 |                                   | 5                        | 1                 | 0.01                         | 1                    | 10                       | 2                    | 0.01                          | 5                    | 1                        | 0.01                         | 1                        | 10                      | 2                    | 0.005    |
| DUPLICATES                                                      |                                   |                          |                   |                              |                      |                          |                      |                               |                      |                          |                              |                          |                         |                      |          |
| 080475 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                   |                              |                      |                          |                      |                               |                      |                          |                              |                          |                         |                      |          |
| 080485 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 430<br>444<br>405<br>469 | 2<br>2<br><1<br>4 | 1.01<br>1.02<br>0.94<br>1.09 | 42<br>44<br>39<br>47 | 740<br>750<br>690<br>800 | 12<br>10<br>6<br>16  | 0.01<br>0.01<br><0.01<br>0.02 | 5<br><5<br><5<br>10  | 158<br>162<br>150<br>170 | 0.39<br>0.40<br>0.36<br>0.43 | 122<br>125<br>115<br>132 | <10<br><10<br><10<br>20 | 75<br>77<br>68<br>84 |          |
| 080495 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                   |                              |                      |                          |                      |                               |                      |                          |                              |                          |                         |                      |          |
| 080521 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 364<br>359<br>333<br>390 | 1<br>1<br><1<br>2 | 1.01<br>0.97<br>0.92<br>1.06 | 26<br>24<br>22<br>28 | 250<br>240<br>210<br>280 | 23<br>20<br>16<br>27 | 0.01<br>0.01<br><0.01<br>0.02 | 11<br>13<br><5<br>23 | 160<br>153<br>147<br>166 | 0.39<br>0.38<br>0.35<br>0.42 | 123<br>119<br>113<br>129 | <10<br><10<br><10<br>20 | 67<br>65<br>59<br>73 |          |
| 080527 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                   |                              |                      |                          |                      |                               |                      |                          |                              |                          |                         |                      |          |
| 080547 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                   |                              |                      |                          |                      |                               |                      |                          |                              |                          |                         |                      |          |
| 080557 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 278<br>290<br>260<br>308 | 1<br>1<br><1<br>2 | 0.90<br>0.97<br>0.87<br>1.00 | 26<br>28<br>24<br>30 | 230<br>240<br>200<br>270 | 22<br>21<br>18<br>27 | 0.01<br>0.01<br><0.01<br>0.02 | <5<br><5<br><5<br>10 | 149<br>161<br>145<br>165 | 0.34<br>0.40<br>0.33<br>0.41 | 116<br>124<br>112<br>128 | <10<br><10<br><10<br>20 | 69<br>75<br>64<br>80 |          |
| 080568 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                   |                              |                      |                          |                      |                               |                      |                          |                              |                          |                         |                      |          |

Comments: NSS is non-sufficient sample.





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

0: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - B  
Total # Pages: 5 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**QC CERTIFICATE OF ANALYSIS VA04071095**

| Sample Description         | Method  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|----------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            | Analyte | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Tl       | V        | W        | Zn       | Au       |
|                            | Units   | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                            | LOR     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| DUPLICATES                 |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080602 -150                |         | 337      | 1        | 1.08     | 25       | 730      | 17       | 0.02     | <5       | 151      | 0.38     | 125      | <10      | 68       |          |
| DUP                        |         | 359      | 1        | 1.12     | 25       | 770      | 18       | 0.02     | <5       | 156      | 0.41     | 130      | <10      | 71       |          |
| Target Range - Lower Bound |         | 321      | <1       | 1.03     | 22       | 690      | 13       | <0.01    | <5       | 144      | 0.36     | 119      | <10      | 62       |          |
| Upper Bound                |         | 375      | 2        | 1.18     | 28       | 810      | 22       | 0.04     | 10       | 163      | 0.43     | 136      | 20       | 77       |          |
| ORIGINAL                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |         |          |          |          |          |          |          |          |          |          |          |          |          |          | <0.005   |
| Target Range - Lower Bound |         |          |          |          |          |          |          |          |          |          |          |          |          |          | <0.005   |
| Upper Bound                |         |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.010    |
| ORIGINAL                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |         |          |          |          |          |          |          |          |          |          |          |          |          |          | <0.005   |
| Target Range - Lower Bound |         |          |          |          |          |          |          |          |          |          |          |          |          |          | <0.005   |
| Upper Bound                |         |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.010    |
|                            |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 1  
Finalized Date: 30-OCT-2004  
Account: STRGOL

**CERTIFICATE VA04071094**

Project: Dub 1735

P.O. No.:

This report is for 348 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED  
NOV - 8 2004

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |
| SCR-41d  | Screen to -100um, save both    |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |

To: STRATAGOLD EXPLORATION INC.  
ATTN: ACCOUNTS PAYABLE  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21    | Au-AA23 | Au-AA23D | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Recvd Wt. | Au      | Au       | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       |
|                    |                                   | kg        | ppm     | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        |
|                    |                                   | 0.02      | 0.005   | 0.005    | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     |
| 080251 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080252 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080253 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080254 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080255 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080256 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080257 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080258 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080259 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080260 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080261 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080262 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080263 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080264 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080265 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080266 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080267 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080268 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080269 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080270 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080271 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080272 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080273 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080274 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080275 -80+150     |                                   | 0.22      | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080276 -80+150     |                                   | 0.18      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080277 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080278 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080301 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080302 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080303 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080304 -80+150     |                                   | 0.38      | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080305 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080306 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080307 -80+150     |                                   | 0.38      | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080308 -80+150     |                                   | 0.28      | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080309 -80+150     |                                   | 0.28      | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080310 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080311 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080312 -80+150     |                                   | 0.34      | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | K        | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Tl       | V        | W        |
|                    |                                   | %        | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      |
|                    |                                   | 0.01     | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       |
| 080251 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080252 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080253 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080254 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080255 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080256 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080257 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080258 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080259 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080260 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080261 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080262 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080263 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080264 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080265 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080266 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080267 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080268 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080269 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080270 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080271 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080272 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080273 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080274 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080275 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080276 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080277 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080278 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080301 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080302 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080303 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080304 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080305 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080306 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080307 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080308 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080309 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080310 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080311 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080312 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21    | Au-AA23 | Au-AA23D | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Recvd Wt: | Au      | Au       | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       |
|                    |                                   | kg        | ppm     | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        |
|                    |                                   | 0.02      | 0.005   | 0.005    | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     |
| 080313 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080314 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080315 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080316 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080317 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080318 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080319 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080320 -80+150     |                                   | 0.14      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080321 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080322 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080323 -80+150     |                                   | 0.18      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080324 -80+150     |                                   | 0.12      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080325 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080326 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080327 -80+150     |                                   | 0.18      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080328 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080329 -80+150     |                                   | 0.18      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080330 -80+150     |                                   | 0.22      | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080331 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080332 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080333 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080334 -80+150     |                                   | 0.16      | 0.007   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080335 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080336 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080337 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080338 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080339 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080340 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080341 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080342 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080343 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080344 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080345 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080346 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080347 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080348 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080349 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080350 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080351 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080352 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 3 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | K        | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        |
|                    |                                   | %        | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      |
|                    |                                   | 0.01     | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       |
| 080313 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080314 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080315 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080316 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080317 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080318 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080319 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080320 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080321 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080322 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080323 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080324 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080325 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080326 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080327 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080328 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080329 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080330 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080331 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080332 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080333 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080334 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080335 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080336 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080337 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080338 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080339 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080340 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080341 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080342 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080343 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080344 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080345 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080346 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080347 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080348 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080349 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080350 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080351 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080352 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 4 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21    | Au-AA23 | Au-AA23D | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Recvd Wt. | Au      | Au       | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       |
|                    |                                   | kg        | ppm     | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        |
|                    |                                   | 0.02      | 0.005   | 0.005    | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     |
| 080353 -80+150     |                                   | 0.08      | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080354 -80+150     |                                   | 0.12      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080355 -80+150     |                                   | 0.08      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080356 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080357 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080358 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080359 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080360 -80+150     |                                   | 0.12      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080361 -80+150     |                                   | 0.12      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080362 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080363 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080364 -80+150     |                                   | 0.18      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080365 -80+150     |                                   | 0.14      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080366 -80+150     |                                   | 0.10      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080367 -80+150     |                                   | 0.10      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080368 -80+150     |                                   | 0.10      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080369 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080370 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080371 -80+150     |                                   | 0.12      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080372 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080373 -80+150     |                                   | 0.14      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080374 -80+150     |                                   | 0.10      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080375 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080376 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080377 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080378 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080379 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080380 -80+150     |                                   | 0.18      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080381 -80+150     |                                   | 0.20      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080382 -80+150     |                                   | 0.12      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080383 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080384 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080385 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080386 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080387 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080388 -80+150     |                                   | 0.10      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080389 -80+150     |                                   | 0.46      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080390 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080391 -80+150     |                                   | 0.08      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080392 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3



Page: 4 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | K        | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        |
|                    |                                   | %        | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      |
|                    |                                   | 0.01     | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       |
| 080353 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080354 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080355 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080356 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080357 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080358 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080359 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080360 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080361 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080362 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080363 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080364 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080365 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080366 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080367 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080368 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080369 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080370 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080371 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080372 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080373 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080374 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080375 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080376 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080377 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080378 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080379 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080380 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080381 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080382 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080383 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080384 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080385 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080386 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080387 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080388 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080389 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080390 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080391 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080392 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21                  | Au-AA23            | Au-AA23D           | ME-ICP61         | ME-ICP61        | ME-ICP61       | ME-ICP61        | ME-ICP61         | ME-ICP61       | ME-ICP61        | ME-ICP61         | ME-ICP61       | ME-ICP61       | ME-ICP61       | ME-ICP61        |
|--------------------|-----------------------------------|-------------------------|--------------------|--------------------|------------------|-----------------|----------------|-----------------|------------------|----------------|-----------------|------------------|----------------|----------------|----------------|-----------------|
|                    |                                   | Recvd Wt.<br>kg<br>0.02 | Au<br>ppm<br>0.005 | Au<br>ppm<br>0.005 | Ag<br>ppm<br>0.5 | Al<br>%<br>0.01 | As<br>ppm<br>5 | Ba<br>ppm<br>10 | Be<br>ppm<br>0.5 | Bi<br>ppm<br>2 | Ca<br>%<br>0.01 | Cd<br>ppm<br>0.5 | Co<br>ppm<br>1 | Cr<br>ppm<br>1 | Cu<br>ppm<br>1 | Fe<br>%<br>0.01 |
| 080393 -80+150     |                                   | 0.10                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080394 -80+150     |                                   | 0.20                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080395 -80+150     |                                   | 0.28                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080396 -80+150     |                                   | 0.28                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080397 -80+150     |                                   | 0.24                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080398 -80+150     |                                   | 0.30                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080399 -80+150     |                                   | 0.20                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080400 -80+150     |                                   | 0.32                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080401 -80+150     |                                   | 0.42                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080402 -80+150     |                                   | 0.50                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080403 -80+150     |                                   | 0.24                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080404 -80+150     |                                   | 0.16                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080405 -80+150     |                                   | 0.22                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080406 -80+150     |                                   | 0.14                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080407 -80+150     |                                   | 0.14                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080408 -80+150     |                                   | 0.14                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080409 -80+150     |                                   | 0.12                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080410 -80+150     |                                   | 0.10                    | <0.005             |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080411 -80+150     |                                   | 0.08                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080412 -80+150     |                                   | 0.24                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080413 -80+150     |                                   | 0.16                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080414 -80+150     |                                   | 0.20                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080415 -80+150     |                                   | 0.22                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080416 -80+150     |                                   | 0.18                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080417 -80+150     |                                   | 0.22                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080418 -80+150     |                                   | 0.16                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080419 -80+150     |                                   | 0.34                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080420 -80+150     |                                   | 0.18                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080421 -80+150     |                                   | 0.18                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080422 -80+150     |                                   | 0.28                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080423 -80+150     |                                   | 0.42                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080424 -80+150     |                                   | 0.32                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080425 -80+150     |                                   | 0.28                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080426 -80+150     |                                   | 0.28                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080427 -80+150     |                                   | 0.28                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080428 -80+150     |                                   | 0.14                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080429 -80+150     |                                   | 0.24                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080430 -80+150     |                                   | 0.28                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080431 -80+150     |                                   | 0.40                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080432 -80+150     |                                   | 0.24                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | K        | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        |
|                    |                                   | %        | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      |
|                    |                                   | 0.01     | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       |
| 080393 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080394 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080395 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080396 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080397 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080398 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080399 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080400 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080401 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080402 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080403 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080404 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080405 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080406 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080407 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080408 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080409 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080410 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080411 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080412 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080413 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080414 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080415 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080416 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080417 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080418 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080419 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080420 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080421 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080422 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080423 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080424 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080425 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080426 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080427 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080428 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080429 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080430 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080431 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080432 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 6 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21                  | Au-AA23            | Au-AA23D           | ME-ICP61         | ME-ICP61        | ME-ICP61       | ME-ICP61        | ME-ICP61         | ME-ICP61       | ME-ICP61        | ME-ICP61         | ME-ICP61       | ME-ICP61       | ME-ICP61       | ME-ICP61        |
|--------------------|-----------------------------------|-------------------------|--------------------|--------------------|------------------|-----------------|----------------|-----------------|------------------|----------------|-----------------|------------------|----------------|----------------|----------------|-----------------|
|                    |                                   | Recvd Wt:<br>kg<br>0.02 | Au<br>ppm<br>0.005 | Au<br>ppm<br>0.005 | Ag<br>ppm<br>0.5 | Al<br>%<br>0.01 | As<br>ppm<br>5 | Ba<br>ppm<br>10 | Be<br>ppm<br>0.5 | Bi<br>ppm<br>2 | Ca<br>%<br>0.01 | Cd<br>ppm<br>0.5 | Co<br>ppm<br>1 | Cr<br>ppm<br>1 | Cu<br>ppm<br>1 | Fe<br>%<br>0.01 |
| 080433 -80+150     |                                   | 0.36                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080434 -80+150     |                                   | 0.18                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080435 -80+150     |                                   | 0.18                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080436 -80+150     |                                   | 0.20                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080437 -80+150     |                                   | 0.18                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080438 -80+150     |                                   | 0.24                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080439 -80+150     |                                   | 0.32                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080440 -80+150     |                                   | 0.28                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080441 -80+150     |                                   | 0.16                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080442 -80+150     |                                   | 0.20                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080443 -80+150     |                                   | 0.30                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080444 -80+150     |                                   | 0.22                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080445 -80+150     |                                   | 0.24                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080446 -80+150     |                                   | 0.22                    |                    |                    |                  |                 |                |                 |                  |                |                 |                  |                |                |                |                 |
| 080251 -150        |                                   |                         | <0.005             |                    | <0.5             | 8.45            | 59             | 780             | 1.8              | 5              | 0.84            | 1.3              | 16             | 74             | 41             | 3.81            |
| 080252 -150        |                                   |                         | <0.005             |                    | <0.5             | 7.78            | 76             | 820             | 1.9              | 3              | 0.63            | <0.5             | 10             | 72             | 33             | 3.83            |
| 080253 -150        |                                   |                         | <0.005             |                    | <0.5             | 7.88            | 56             | 1000            | 1.9              | <2             | 0.75            | <0.5             | 14             | 80             | 35             | 3.75            |
| 080254 -150        |                                   |                         | <0.005             |                    | <0.5             | 7.62            | 17             | 1110            | 1.6              | 3              | 0.97            | <0.5             | 11             | 75             | 27             | 3.22            |
| 080255 -150        |                                   |                         | 0.043              |                    | <0.5             | 6.09            | 76             | 860             | 1.3              | 7              | 0.88            | 0.6              | 8              | 72             | 30             | 2.78            |
| 080256 -150        |                                   |                         | 0.009              |                    | <0.5             | 11.10           | 106            | 1070            | 4.5              | 9              | 0.36            | 0.5              | 23             | 99             | 67             | 4.86            |
| 080257 -150        |                                   |                         | <0.005             |                    | <0.5             | 7.59            | 41             | 1090            | 1.9              | 4              | 0.69            | 0.6              | 13             | 83             | 25             | 3.66            |
| 080258 -150        |                                   |                         | 0.010              |                    | <0.5             | 7.52            | 94             | 1010            | 2.0              | 8              | 0.68            | <0.5             | 15             | 76             | 23             | 3.60            |
| 080259 -150        |                                   |                         | 0.007              |                    | <0.5             | 9.46            | 44             | 1170            | 2.2              | 5              | 0.48            | 0.6              | 15             | 87             | 23             | 3.89            |
| 080260 -150        |                                   |                         | <0.005             |                    | <0.5             | 10.85           | 64             | 910             | 2.3              | 7              | 0.22            | <0.5             | 10             | 82             | 39             | 3.58            |
| 080261 -150        |                                   |                         | 0.006              | 0.016              | <0.5             | 11.50           | 84             | 1060            | 2.5              | 8              | 0.16            | <0.5             | 9              | 106            | 26             | 3.38            |
| 080262 -150        |                                   |                         | <0.005             |                    | <0.5             | 8.54            | 98             | 750             | 2.1              | 5              | 0.37            | 0.5              | 13             | 79             | 26             | 4.06            |
| 080263 -150        |                                   |                         | 0.007              |                    | <0.5             | 8.65            | 50             | 850             | 1.9              | 7              | 0.43            | 0.6              | 10             | 78             | 20             | 3.67            |
| 080264 -150        |                                   |                         | 0.009              |                    | <0.5             | 6.61            | 255            | 820             | 1.3              | 6              | 0.48            | 0.6              | 5              | 64             | 19             | 2.88            |
| 080265 -150        |                                   |                         | 0.010              |                    | <0.5             | 6.01            | 145            | 730             | 1.1              | 6              | 0.50            | 0.7              | 6              | 63             | 14             | 3.07            |
| 080266 -150        |                                   |                         | <0.005             |                    | <0.5             | 8.68            | 102            | 780             | 1.7              | 8              | 0.31            | 0.7              | 10             | 81             | 24             | 3.80            |
| 080267 -150        |                                   |                         | 0.015              |                    | <0.5             | 7.74            | 140            | 870             | 1.9              | 6              | 0.48            | 0.7              | 10             | 71             | 40             | 4.03            |
| 080268 -150        |                                   |                         | <0.005             |                    | <0.5             | 5.31            | 64             | 670             | 1.3              | 5              | 0.36            | 0.5              | 5              | 48             | 23             | 2.73            |
| 080269 -150        |                                   |                         | 0.013              |                    | <0.5             | 5.25            | 52             | 820             | 0.9              | 6              | 0.66            | 0.5              | 8              | 64             | 18             | 3.21            |
| 080270 -150        |                                   |                         | 0.006              |                    | <0.5             | 7.26            | 27             | 800             | 1.5              | 5              | 0.45            | 0.5              | 9              | 66             | 26             | 3.11            |
| 080271 -150        |                                   |                         | 0.012              |                    | <0.5             | 7.97            | 102            | 950             | 1.5              | 8              | 0.43            | 0.5              | 10             | 75             | 25             | 3.67            |
| 080272 -150        |                                   |                         | <0.005             |                    | <0.5             | 7.54            | 20             | 880             | 1.7              | 5              | 0.53            | 0.7              | 13             | 73             | 20             | 3.89            |
| 080273 -150        |                                   |                         | 0.009              |                    | <0.5             | 5.88            | 12             | 870             | 1.2              | 5              | 0.63            | 0.5              | 7              | 57             | 18             | 2.81            |
| 080274 -150        |                                   |                         | <0.005             |                    | <0.5             | 7.03            | 20             | 1070            | 1.6              | 3              | 1.15            | 0.7              | 11             | 71             | 38             | 3.39            |
| 080275 -150        |                                   |                         | NSS                |                    | <0.5             | 4.36            | 25             | 530             | 1.1              | <2             | 1.24            | <0.5             | 9              | 34             | 29             | 2.36            |
| 080276 -150        |                                   |                         | <0.005             |                    | <0.5             | 7.13            | 40             | 820             | 1.5              | 6              | 0.59            | 0.8              | 11             | 73             | 32             | 3.67            |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



to: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 6 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | K        | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Tl       | V        | W        | Zn       |
|                    |                                   | %        | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        |
| 080433 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080434 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080435 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080436 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080437 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080438 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080439 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080440 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080441 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080442 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080443 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080444 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080445 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080446 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080251 -150        |                                   | 2.79     | 0.61     | 1625     | 2        | 0.64     | 32       | 400      | 50       | 0.01     | <5       | 166      | 0.40     | 117      | <10      | 123      |
| 080252 -150        |                                   | 2.53     | 0.66     | 352      | 1        | 0.80     | 31       | 470      | 24       | 0.01     | <5       | 140      | 0.35     | 104      | <10      | 83       |
| 080253 -150        |                                   | 2.50     | 0.74     | 500      | 1        | 0.87     | 39       | 600      | 25       | 0.01     | 6        | 167      | 0.36     | 115      | <10      | 100      |
| 080254 -150        |                                   | 1.98     | 0.82     | 613      | 1        | 1.07     | 30       | 720      | 19       | 0.02     | 5        | 191      | 0.41     | 126      | <10      | 92       |
| 080255 -150        |                                   | 1.50     | 0.70     | 296      | <1       | 0.99     | 23       | 650      | 15       | 0.03     | 5        | 158      | 0.44     | 105      | 20       | 61       |
| 080256 -150        |                                   | 3.54     | 0.94     | 438      | 2        | 0.57     | 68       | 660      | 16       | 0.10     | 6        | 110      | 0.55     | 110      | <10      | 94       |
| 080257 -150        |                                   | 2.17     | 0.96     | 437      | 1        | 1.00     | 34       | 730      | 18       | 0.01     | <5       | 150      | 0.47     | 127      | <10      | 77       |
| 080258 -150        |                                   | 1.94     | 0.87     | 409      | 2        | 1.01     | 34       | 570      | 15       | 0.01     | <5       | 142      | 0.44     | 111      | <10      | 84       |
| 080259 -150        |                                   | 2.43     | 0.83     | 457      | 1        | 0.79     | 30       | 510      | 12       | 0.01     | <5       | 124      | 0.51     | 119      | 10       | 75       |
| 080260 -150        |                                   | 2.60     | 0.37     | 187      | 1        | 0.58     | 27       | 1020     | 11       | 0.08     | <5       | 114      | 0.46     | 95       | 20       | 55       |
| 080261 -150        |                                   | 3.57     | 0.52     | 183      | <1       | 0.55     | 28       | 660      | 10       | 0.05     | <5       | 102      | 0.53     | 116      | 10       | 60       |
| 080262 -150        |                                   | 2.20     | 0.67     | 470      | 1        | 0.85     | 39       | 570      | 9        | 0.02     | <5       | 130      | 0.44     | 100      | 10       | 80       |
| 080263 -150        |                                   | 2.09     | 0.64     | 396      | <1       | 0.79     | 26       | 650      | 11       | 0.02     | <5       | 140      | 0.49     | 110      | 10       | 66       |
| 080264 -150        |                                   | 1.84     | 0.47     | 271      | 2        | 0.81     | 15       | 680      | 15       | 0.06     | <5       | 146      | 0.43     | 96       | 10       | 51       |
| 080265 -150        |                                   | 1.48     | 0.51     | 277      | 1        | 0.83     | 14       | 450      | 20       | 0.02     | <5       | 126      | 0.41     | 98       | 10       | 50       |
| 080266 -150        |                                   | 2.21     | 0.52     | 255      | 2        | 0.73     | 25       | 700      | 14       | 0.03     | <5       | 128      | 0.44     | 98       | 40       | 63       |
| 080267 -150        |                                   | 2.20     | 0.85     | 311      | 1        | 0.79     | 26       | 690      | 17       | 0.09     | 5        | 122      | 0.40     | 104      | 10       | 71       |
| 080268 -150        |                                   | 1.64     | 0.63     | 212      | 1        | 0.68     | 16       | 540      | 12       | 0.08     | <5       | 103      | 0.31     | 74       | 10       | 48       |
| 080269 -150        |                                   | 1.18     | 0.60     | 328      | 1        | 0.81     | 18       | 590      | 14       | 0.03     | <5       | 138      | 0.37     | 118      | <10      | 57       |
| 080270 -150        |                                   | 1.52     | 0.61     | 229      | 1        | 0.73     | 21       | 740      | 17       | 0.02     | <5       | 117      | 0.41     | 110      | <10      | 63       |
| 080271 -150        |                                   | 2.28     | 0.55     | 260      | 1        | 0.74     | 24       | 310      | 20       | 0.02     | 23       | 180      | 0.46     | 124      | 10       | 73       |
| 080272 -150        |                                   | 1.70     | 0.84     | 335      | <1       | 0.96     | 25       | 270      | 15       | 0.01     | <5       | 137      | 0.43     | 120      | <10      | 73       |
| 080273 -150        |                                   | 1.40     | 0.64     | 307      | 1        | 0.98     | 22       | 430      | 14       | 0.01     | <5       | 141      | 0.37     | 104      | <10      | 59       |
| 080274 -150        |                                   | 1.82     | 0.94     | 513      | <1       | 1.18     | 33       | 730      | 12       | 0.02     | <5       | 222      | 0.42     | 120      | <10      | 88       |
| 080275 -150        |                                   | 0.95     | 0.47     | 807      | 1        | 0.66     | 24       | 890      | 8        | 0.10     | <5       | 154      | 0.23     | 54       | <10      | 53       |
| 080276 -150        |                                   | 1.90     | 1.00     | 508      | 1        | 0.84     | 35       | 410      | 14       | 0.06     | <5       | 155      | 0.47     | 114      | <10      | 87       |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 7 - A  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

### CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | Au-AA23D<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|--------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| 080277 -150        |                                   |                                   | 0.014                         |                                | <0.5                         | 7.72                        | 22                         | 860                         | 1.9                          | 8                          | 0.69                        | 0.5                          | 15                         | 73                         | 29                         | 3.79                        |
| 080278 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.28                        | 19                         | 840                         | 1.3                          | 4                          | 0.77                        | 0.6                          | 8                          | 63                         | 10                         | 3.17                        |
| 080301 -150        |                                   |                                   | 0.008                         | <0.005                         | <0.5                         | 9.95                        | 12                         | 1020                        | 2.4                          | 8                          | 0.33                        | <0.5                         | 7                          | 87                         | 24                         | 3.12                        |
| 080302 -150        |                                   |                                   | 0.006                         |                                | <0.5                         | 8.65                        | 19                         | 930                         | 2.2                          | 7                          | 0.38                        | 0.7                          | 9                          | 80                         | 33                         | 3.31                        |
| 080303 -150        |                                   |                                   | 0.005                         |                                | <0.5                         | 8.53                        | 9                          | 910                         | 2.0                          | 4                          | 0.42                        | 0.5                          | 7                          | 81                         | 25                         | 2.90                        |
| 080304 -150        |                                   |                                   | NSS                           |                                | <0.5                         | 11.45                       | 26                         | 1100                        | 2.6                          | <2                         | 0.24                        | <0.5                         | 6                          | 90                         | 27                         | 3.40                        |
| 080305 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.31                        | 31                         | 980                         | 1.4                          | 5                          | 0.78                        | 0.7                          | 8                          | 59                         | 21                         | 2.66                        |
| 080306 -150        |                                   |                                   | 0.005                         |                                | 1.0                          | 7.85                        | 171                        | 1050                        | 1.9                          | 8                          | 0.59                        | 0.8                          | 11                         | 70                         | 33                         | 3.42                        |
| 080307 -150        |                                   |                                   | NSS                           |                                | <0.5                         | 11.55                       | 28                         | 1060                        | 2.8                          | <2                         | 0.21                        | 0.6                          | 4                          | 101                        | 28                         | 3.42                        |
| 080308 -150        |                                   |                                   | NSS                           |                                | <0.5                         | 13.25                       | 22                         | 1070                        | 3.2                          | <2                         | 0.05                        | <0.5                         | 6                          | 110                        | 39                         | 3.64                        |
| 080309 -150        |                                   |                                   | NSS                           |                                | <0.5                         | 10.85                       | 19                         | 1000                        | 2.6                          | <2                         | 0.24                        | <0.5                         | 4                          | 93                         | 22                         | 2.71                        |
| 080310 -150        |                                   |                                   | 0.006                         |                                | <0.5                         | 7.38                        | 15                         | 1130                        | 1.9                          | 7                          | 0.50                        | 0.8                          | 12                         | 67                         | 26                         | 2.99                        |
| 080311 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.80                        | 27                         | 1030                        | 2.8                          | 8                          | 0.25                        | 0.6                          | 11                         | 86                         | 27                         | 3.47                        |
| 080312 -150        |                                   |                                   | NSS                           |                                | 0.6                          | 11.35                       | 25                         | 1140                        | 3.3                          | <2                         | 0.17                        | 0.6                          | 9                          | 104                        | 37                         | 3.96                        |
| 080313 -150        |                                   |                                   | <0.005                        |                                | 0.5                          | 9.53                        | <5                         | 990                         | 2.4                          | 8                          | 0.27                        | 0.8                          | 10                         | 86                         | 21                         | 3.02                        |
| 080314 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 11.10                       | 9                          | 1140                        | 3.3                          | 9                          | 0.12                        | 0.5                          | 13                         | 104                        | 30                         | 3.84                        |
| 080315 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 11.35                       | 10                         | 1140                        | 3.2                          | 7                          | 0.17                        | 0.5                          | 11                         | 93                         | 28                         | 3.24                        |
| 080316 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 10.55                       | 13                         | 1020                        | 2.9                          | 8                          | 0.26                        | 1.3                          | 16                         | 99                         | 29                         | 3.56                        |
| 080317 -150        |                                   |                                   | <0.005                        |                                | 0.9                          | 11.20                       | 20                         | 1150                        | 3.2                          | 11                         | 0.30                        | 1.2                          | 19                         | 104                        | 31                         | 3.22                        |
| 080318 -150        |                                   |                                   | 0.006                         |                                | <0.5                         | 6.83                        | 15                         | 770                         | 1.7                          | 6                          | 0.59                        | 0.5                          | 11                         | 67                         | 22                         | 2.77                        |
| 080319 -150        |                                   |                                   | <0.005                        |                                | 0.5                          | 9.76                        | 83                         | 1180                        | 2.5                          | 9                          | 0.45                        | 1.0                          | 13                         | 84                         | 38                         | 4.94                        |
| 080320 -150        |                                   |                                   | <0.005                        |                                | 0.5                          | 6.30                        | 7                          | 1430                        | 1.4                          | 4                          | 1.58                        | 1.4                          | 11                         | 63                         | 28                         | 2.86                        |
| 080321 -150        |                                   |                                   | 0.005                         | <0.005                         | <0.5                         | 6.39                        | 10                         | 1420                        | 1.3                          | 4                          | 1.55                        | 1.2                          | 12                         | 63                         | 26                         | 2.86                        |
| 080322 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.60                        | 10                         | 980                         | 1.4                          | 7                          | 0.99                        | 0.5                          | 11                         | 64                         | 21                         | 3.15                        |
| 080323 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.20                        | 13                         | 920                         | 1.3                          | 4                          | 1.82                        | <0.5                         | 11                         | 60                         | 24                         | 2.92                        |
| 080324 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.02                        | 16                         | 650                         | 1.1                          | 7                          | 2.21                        | 0.9                          | 9                          | 55                         | 28                         | 2.36                        |
| 080325 -150        |                                   |                                   | 0.014                         |                                | <0.5                         | 5.46                        | 13                         | 650                         | 1.2                          | 3                          | 1.80                        | 0.7                          | 12                         | 67                         | 26                         | 2.51                        |
| 080326 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.34                        | 32                         | 750                         | 2.0                          | 7                          | 0.97                        | <0.5                         | 17                         | 72                         | 47                         | 4.24                        |
| 080327 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.54                        | 16                         | 590                         | 1.2                          | 5                          | 1.72                        | 0.5                          | 8                          | 50                         | 24                         | 2.62                        |
| 080328 -150        |                                   |                                   | 0.008                         |                                | 0.6                          | 7.97                        | 24                         | 950                         | 1.7                          | 4                          | 0.75                        | <0.5                         | 8                          | 71                         | 38                         | 3.30                        |
| 080329 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.49                        | 24                         | 1220                        | 1.6                          | 6                          | 1.28                        | 1.3                          | 11                         | 62                         | 32                         | 3.22                        |
| 080330 -150        |                                   |                                   | NSS                           |                                | <0.5                         | 4.91                        | 11                         | 440                         | 1.0                          | <2                         | 0.23                        | 0.5                          | 6                          | 50                         | 36                         | 2.44                        |
| 080331 -150        |                                   |                                   | 0.013                         |                                | <0.5                         | 6.50                        | 15                         | 910                         | 1.4                          | 6                          | 0.78                        | <0.5                         | 9                          | 65                         | 23                         | 3.14                        |
| 080332 -150        |                                   |                                   | 0.011                         |                                | <0.5                         | 6.17                        | 9                          | 930                         | 1.3                          | 5                          | 0.85                        | 0.5                          | 9                          | 62                         | 22                         | 2.83                        |
| 080333 -150        |                                   |                                   | 0.006                         |                                | <0.5                         | 7.49                        | 9                          | 910                         | 1.6                          | 6                          | 0.80                        | 0.5                          | 11                         | 67                         | 22                         | 3.05                        |
| 080334 -150        |                                   |                                   | NSS                           |                                | <0.5                         | 6.87                        | 52                         | 830                         | 1.8                          | <2                         | 0.54                        | 1.0                          | 12                         | 64                         | 48                         | 3.02                        |
| 080335 -150        |                                   |                                   | 0.005                         |                                | <0.5                         | 10.05                       | 22                         | 910                         | 2.4                          | 10                         | 0.28                        | 0.8                          | 11                         | 81                         | 33                         | 4.21                        |
| 080336 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.51                        | 24                         | 930                         | 2.0                          | 5                          | 0.33                        | 0.5                          | 12                         | 70                         | 33                         | 3.46                        |
| 080337 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.79                        | 12                         | 800                         | 1.2                          | 4                          | 0.67                        | <0.5                         | 7                          | 53                         | 20                         | 2.67                        |
| 080338 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.63                        | 10                         | 780                         | 1.1                          | 5                          | 0.63                        | <0.5                         | 5                          | 55                         | 13                         | 2.35                        |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 7 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  |          |
|--------------------|-----------------------------------|-----------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|
|                    |                                   | K         | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       |
|                    |                                   | %<br>0.01 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 |
| 080277 -150        |                                   | 2.16      | 1.06      | 604      | 1        | 0.96      | 37       | 560       | 10       | 0.01      | <5       | 162      | 0.49      | 111      | <10       | 86       |
| 080278 -150        |                                   | 1.52      | 0.61      | 464      | <1       | 0.96      | 21       | 620       | 15       | 0.03      | <5       | 162      | 0.41      | 102      | <10       | 61       |
| 080301 -150        |                                   | 3.13      | 0.51      | 198      | 1        | 0.62      | 20       | 500       | 29       | 0.01      | 15       | 152      | 0.38      | 127      | <10       | 66       |
| 080302 -150        |                                   | 2.61      | 0.59      | 296      | 1        | 0.70      | 25       | 610       | 33       | 0.02      | 8        | 146      | 0.38      | 118      | <10       | 77       |
| 080303 -150        |                                   | 2.48      | 0.54      | 207      | 1        | 0.75      | 19       | 760       | 36       | 0.02      | 6        | 152      | 0.39      | 119      | <10       | 60       |
| 080304 -150        |                                   | 3.35      | 0.44      | 244      | <1       | 0.60      | 28       | 500       | 44       | 0.02      | 22       | 203      | 0.38      | 133      | <10       | 118      |
| 080305 -150        |                                   | 1.66      | 0.57      | 348      | <1       | 1.07      | 24       | 630       | 80       | 0.01      | 51       | 188      | 0.34      | 102      | <10       | 70       |
| 080306 -150        |                                   | 2.35      | 0.59      | 366      | <1       | 0.88      | 28       | 710       | 138      | 0.01      | 72       | 175      | 0.32      | 118      | <10       | 98       |
| 080307 -150        |                                   | 3.57      | 0.48      | 176      | <1       | 0.61      | 15       | 360       | 47       | 0.01      | 157      | 171      | 0.45      | 170      | <10       | 74       |
| 080308 -150        |                                   | 4.19      | 0.33      | 160      | <1       | 0.46      | 16       | 450       | 34       | 0.02      | 117      | 190      | 0.38      | 146      | <10       | 87       |
| 080309 -150        |                                   | 3.40      | 0.43      | 138      | <1       | 0.65      | 11       | 330       | 32       | 0.01      | 33       | 185      | 0.39      | 136      | <10       | 51       |
| 080310 -150        |                                   | 2.18      | 0.59      | 335      | <1       | 0.66      | 37       | 470       | 22       | 0.01      | 31       | 158      | 0.34      | 115      | <10       | 118      |
| 080311 -150        |                                   | 3.66      | 0.66      | 356      | <1       | 0.63      | 29       | 450       | 37       | 0.01      | 15       | 147      | 0.27      | 122      | <10       | 93       |
| 080312 -150        |                                   | 4.47      | 0.93      | 293      | <1       | 0.60      | 27       | 350       | 76       | 0.01      | 9        | 171      | 0.37      | 158      | <10       | 108      |
| 080313 -150        |                                   | 3.03      | 0.55      | 221      | 1        | 0.64      | 23       | 300       | 39       | 0.01      | <5       | 150      | 0.33      | 132      | <10       | 87       |
| 080314 -150        |                                   | 4.17      | 0.73      | 311      | <1       | 0.56      | 30       | 270       | 35       | 0.01      | 5        | 146      | 0.28      | 148      | <10       | 92       |
| 080315 -150        |                                   | 4.25      | 0.54      | 333      | <1       | 0.56      | 30       | 310       | 33       | 0.01      | 8        | 167      | 0.29      | 141      | <10       | 86       |
| 080316 -150        |                                   | 3.70      | 0.68      | 596      | <1       | 0.50      | 36       | 410       | 52       | 0.02      | 5        | 154      | 0.29      | 131      | <10       | 126      |
| 080317 -150        |                                   | 4.03      | 0.60      | 622      | <1       | 0.59      | 38       | 340       | 95       | 0.01      | 14       | 170      | 0.35      | 149      | <10       | 136      |
| 080318 -150        |                                   | 2.07      | 0.63      | 296      | <1       | 0.75      | 26       | 480       | 37       | 0.04      | 9        | 148      | 0.30      | 96       | <10       | 80       |
| 080319 -150        |                                   | 3.09      | 0.79      | 587      | 1        | 0.72      | 34       | 570       | 58       | 0.01      | 25       | 162      | 0.32      | 126      | <10       | 114      |
| 080320 -150        |                                   | 1.56      | 0.72      | 852      | <1       | 0.90      | 33       | 1030      | 18       | 0.07      | <5       | 176      | 0.34      | 127      | <10       | 145      |
| 080321 -150        |                                   | 1.58      | 0.73      | 860      | 1        | 0.95      | 33       | 1020      | 14       | 0.06      | <5       | 181      | 0.35      | 128      | <10       | 144      |
| 080322 -150        |                                   | 1.55      | 0.74      | 720      | <1       | 0.95      | 29       | 860       | 23       | 0.05      | <5       | 168      | 0.37      | 106      | <10       | 134      |
| 080323 -150        |                                   | 1.42      | 0.76      | 664      | 1        | 1.02      | 29       | 960       | 20       | 0.10      | <5       | 236      | 0.34      | 100      | <10       | 93       |
| 080324 -150        |                                   | 1.26      | 0.64      | 600      | 1        | 0.77      | 30       | 1140      | 14       | 0.16      | <5       | 213      | 0.26      | 78       | <10       | 67       |
| 080325 -150        |                                   | 1.38      | 0.90      | 519      | 1        | 0.81      | 41       | 910       | 9        | 0.10      | <5       | 198      | 0.28      | 82       | <10       | 77       |
| 080326 -150        |                                   | 2.27      | 0.76      | 561      | 1        | 0.76      | 41       | 800       | 28       | 0.06      | 12       | 167      | 0.36      | 108      | <10       | 89       |
| 080327 -150        |                                   | 1.42      | 0.60      | 538      | <1       | 0.74      | 22       | 980       | 12       | 0.11      | <5       | 194      | 0.27      | 79       | <10       | 81       |
| 080328 -150        |                                   | 2.22      | 0.84      | 411      | 2        | 0.80      | 35       | 780       | 22       | 0.04      | 8        | 158      | 0.38      | 134      | <10       | 111      |
| 080329 -150        |                                   | 2.06      | 0.66      | 479      | 3        | 0.76      | 43       | 1120      | 20       | 0.08      | 39       | 180      | 0.31      | 118      | <10       | 150      |
| 080330 -150        |                                   | 1.06      | 0.20      | 225      | 1        | 0.48      | 20       | 1080      | 27       | 0.03      | 7        | 97       | 0.35      | 79       | <10       | 61       |
| 080331 -150        |                                   | 1.44      | 0.73      | 427      | 1        | 1.14      | 26       | 400       | 21       | 0.01      | <5       | 182      | 0.39      | 114      | <10       | 72       |
| 080332 -150        |                                   | 1.38      | 0.62      | 312      | <1       | 1.03      | 24       | 680       | 24       | 0.02      | <5       | 182      | 0.36      | 96       | <10       | 69       |
| 080333 -150        |                                   | 1.91      | 0.76      | 385      | <1       | 1.12      | 25       | 700       | 15       | 0.02      | <5       | 193      | 0.39      | 114      | <10       | 74       |
| 080334 -150        |                                   | 1.50      | 0.48      | 233      | 1        | 0.54      | 37       | 1230      | 41       | 0.07      | <5       | 146      | 0.24      | 89       | <10       | 55       |
| 080335 -150        |                                   | 3.01      | 0.55      | 274      | 1        | 0.76      | 32       | 520       | 36       | 0.03      | <5       | 147      | 0.31      | 127      | <10       | 80       |
| 080336 -150        |                                   | 2.50      | 0.51      | 296      | <1       | 0.84      | 32       | 280       | 23       | 0.01      | <5       | 180      | 0.37      | 116      | <10       | 72       |
| 080337 -150        |                                   | 1.32      | 0.61      | 296      | <1       | 1.06      | 20       | 460       | 15       | 0.01      | <5       | 167      | 0.35      | 98       | <10       | 56       |
| 080338 -150        |                                   | 1.23      | 0.59      | 234      | <1       | 1.02      | 18       | 530       | 15       | 0.01      | <5       | 156      | 0.37      | 99       | <10       | 45       |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 8 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | Au-AA23D<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|--------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| 080339 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.87                        | 28                         | 950                         | 2.5                          | 6                          | 0.31                        | 0.7                          | 10                         | 76                         | 25                         | 3.27                        |
| 080340 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.54                        | 16                         | 950                         | 1.6                          | 4                          | 0.57                        | <0.5                         | 7                          | 63                         | 24                         | 2.71                        |
| 080341 -150        |                                   |                                   | <0.005                        | <0.005                         | <0.5                         | 7.57                        | 10                         | 950                         | 1.7                          | 6                          | 0.57                        | <0.5                         | 7                          | 63                         | 22                         | 2.72                        |
| 080342 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.09                        | 91                         | 880                         | 2.1                          | 7                          | 0.48                        | 0.7                          | 9                          | 76                         | 38                         | 3.32                        |
| 080343 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 10.10                       | 74                         | 940                         | 2.6                          | 10                         | 0.28                        | 0.5                          | 11                         | 74                         | 39                         | 3.41                        |
| 080344 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.96                        | 40                         | 890                         | 1.5                          | 5                          | 0.52                        | 0.5                          | 10                         | 65                         | 31                         | 3.08                        |
| 080345 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.01                        | 40                         | 750                         | 1.4                          | 9                          | 0.48                        | 0.8                          | 8                          | 66                         | 27                         | 3.34                        |
| 080346 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.17                        | 32                         | 720                         | 1.5                          | 6                          | 0.35                        | <0.5                         | 7                          | 60                         | 22                         | 2.72                        |
| 080347 -150        |                                   |                                   | 0.008                         |                                | <0.5                         | 4.98                        | 13                         | 670                         | 1.0                          | 6                          | 0.59                        | 0.5                          | 6                          | 46                         | 16                         | 2.32                        |
| 080348 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.34                        | 18                         | 760                         | 1.3                          | 4                          | 0.58                        | <0.5                         | 9                          | 56                         | 22                         | 2.66                        |
| 080349 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.18                        | 21                         | 830                         | 1.4                          | 6                          | 0.56                        | <0.5                         | 9                          | 65                         | 20                         | 3.47                        |
| 080350 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.81                        | 22                         | 850                         | 1.4                          | 5                          | 0.65                        | <0.5                         | 9                          | 60                         | 22                         | 2.98                        |
| 080351 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 10.55                       | 21                         | 1140                        | 3.1                          | 10                         | 0.36                        | 0.6                          | 22                         | 460                        | 33                         | 4.77                        |
| 080352 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 10.25                       | 9                          | 1170                        | 2.9                          | 6                          | 0.44                        | <0.5                         | 14                         | 162                        | 40                         | 3.41                        |
| 080353 -150        |                                   |                                   | NSS                           |                                | <0.5                         | 6.82                        | 12                         | 620                         | 1.7                          | <2                         | 1.24                        | <0.5                         | 14                         | 121                        | 51                         | 4.01                        |
| 080354 -150        |                                   |                                   | 0.007                         |                                | <0.5                         | 8.92                        | 17                         | 730                         | 2.3                          | 10                         | 1.00                        | 0.9                          | 29                         | 194                        | 75                         | 6.26                        |
| 080355 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.73                        | 12                         | 1070                        | 2.8                          | 8                          | 0.74                        | 0.9                          | 17                         | 142                        | 31                         | 5.18                        |
| 080356 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.91                        | 12                         | 1060                        | 2.5                          | 7                          | 0.34                        | 0.5                          | 14                         | 114                        | 32                         | 3.58                        |
| 080357 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.89                        | 22                         | 1090                        | 2.5                          | 6                          | 0.41                        | 0.6                          | 15                         | 136                        | 37                         | 3.74                        |
| 080358 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.64                        | 13                         | 960                         | 2.8                          | 2                          | 0.35                        | <0.5                         | 11                         | 155                        | 24                         | 2.97                        |
| 080359 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.91                        | 13                         | 1060                        | 2.4                          | 2                          | 0.64                        | <0.5                         | 10                         | 89                         | 37                         | 3.88                        |
| 080360 -150        |                                   |                                   | <0.005                        |                                | 0.5                          | 6.42                        | 65                         | 760                         | 1.7                          | <2                         | 0.44                        | 2.2                          | 14                         | 154                        | 33                         | 3.66                        |
| 080361 -150        |                                   |                                   | <0.005                        | <0.005                         | <0.5                         | 7.99                        | 35                         | 990                         | 1.9                          | 3                          | 0.57                        | 1.2                          | 11                         | 99                         | 31                         | 3.40                        |
| 080362 -150        |                                   |                                   | 0.048                         |                                | <0.5                         | 10.70                       | 32                         | 1040                        | 2.8                          | <2                         | 0.36                        | <0.5                         | 15                         | 112                        | 44                         | 4.38                        |
| 080363 -150        |                                   |                                   | 0.032                         |                                | <0.5                         | 7.43                        | 56                         | 740                         | 2.0                          | 3                          | 0.45                        | <0.5                         | 10                         | 82                         | 33                         | 3.49                        |
| 080364 -150        |                                   |                                   | 0.006                         |                                | <0.5                         | 8.45                        | 39                         | 1010                        | 2.1                          | <2                         | 0.61                        | <0.5                         | 14                         | 90                         | 35                         | 3.74                        |
| 080365 -150        |                                   |                                   | <0.005                        |                                | 0.5                          | 9.74                        | 47                         | 1020                        | 2.5                          | <2                         | 0.64                        | 0.5                          | 12                         | 108                        | 35                         | 3.70                        |
| 080366 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.92                        | 25                         | 920                         | 2.8                          | 2                          | 0.68                        | <0.5                         | 16                         | 256                        | 34                         | 3.60                        |
| 080367 -150        |                                   |                                   | <0.005                        |                                | 0.5                          | 9.34                        | 64                         | 950                         | 2.4                          | <2                         | 0.31                        | 0.5                          | 14                         | 99                         | 32                         | 3.89                        |
| 080368 -150        |                                   |                                   | <0.005                        |                                | 0.6                          | 10.30                       | 20                         | 990                         | 2.8                          | 2                          | 0.21                        | <0.5                         | 8                          | 107                        | 30                         | 3.96                        |
| 080369 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.46                        | 68                         | 920                         | 2.0                          | <2                         | 0.36                        | <0.5                         | 8                          | 100                        | 28                         | 3.24                        |
| 080370 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.01                        | 42                         | 1050                        | 2.1                          | 3                          | 0.49                        | <0.5                         | 7                          | 79                         | 24                         | 3.15                        |
| 080371 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.68                        | 16                         | 840                         | 1.9                          | <2                         | 0.42                        | <0.5                         | 8                          | 84                         | 29                         | 3.44                        |
| 080372 -150        |                                   |                                   | 0.005                         |                                | <0.5                         | 10.25                       | 15                         | 950                         | 2.5                          | 2                          | 0.25                        | <0.5                         | 12                         | 89                         | 34                         | 3.60                        |
| 080373 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.85                        | 20                         | 850                         | 1.6                          | 3                          | 0.55                        | <0.5                         | 7                          | 71                         | 15                         | 3.17                        |
| 080374 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 10.00                       | 11                         | 1010                        | 2.5                          | <2                         | 0.29                        | <0.5                         | 8                          | 87                         | 32                         | 4.10                        |
| 080375 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.76                        | 7                          | 950                         | 2.0                          | 2                          | 0.39                        | <0.5                         | 7                          | 77                         | 23                         | 3.30                        |
| 080376 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.34                        | 10                         | 890                         | 2.3                          | 2                          | 0.34                        | <0.5                         | 9                          | 90                         | 27                         | 3.19                        |
| 080377 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 10.10                       | <5                         | 1160                        | 2.4                          | <2                         | 0.39                        | <0.5                         | 9                          | 97                         | 32                         | 3.48                        |
| 080378 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 11.35                       | 18                         | 1240                        | 2.9                          | <2                         | 0.35                        | <0.5                         | 9                          | 106                        | 31                         | 3.44                        |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

Co: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 8 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071094**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  |
|--------------------|-----------------------------------|-----------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|
|                    |                                   | K         | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         |
|                    |                                   | %<br>0.01 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 |
| 080339 -150        |                                   | 3.07      | 0.48      | 238      | <1       | 0.66      | 30       | 380       | 21       | 0.01      | <5       | 180      | 0.41      | 119      | <10       |
| 080340 -150        |                                   | 1.82      | 0.48      | 267      | <1       | 0.87      | 24       | 490       | 21       | 0.01      | <5       | 184      | 0.36      | 102      | <10       |
| 080341 -150        |                                   | 1.92      | 0.48      | 275      | <1       | 0.90      | 23       | 440       | 21       | 0.01      | <5       | 188      | 0.38      | 102      | <10       |
| 080342 -150        |                                   | 2.61      | 0.56      | 287      | <1       | 0.75      | 31       | 530       | 38       | 0.01      | <5       | 178      | 0.41      | 130      | <10       |
| 080343 -150        |                                   | 3.24      | 0.63      | 288      | 1        | 0.61      | 26       | 330       | 43       | 0.01      | 5        | 146      | 0.40      | 136      | <10       |
| 080344 -150        |                                   | 1.78      | 0.65      | 359      | <1       | 0.98      | 25       | 240       | 20       | <0.01     | <5       | 161      | 0.39      | 114      | <10       |
| 080345 -150        |                                   | 1.75      | 0.63      | 291      | <1       | 0.87      | 24       | 360       | 30       | 0.01      | <5       | 144      | 0.42      | 118      | <10       |
| 080346 -150        |                                   | 1.95      | 0.54      | 219      | 1        | 0.73      | 18       | 240       | 28       | <0.01     | 5        | 132      | 0.40      | 108      | <10       |
| 080347 -150        |                                   | 1.10      | 0.56      | 262      | 1        | 1.08      | 16       | 210       | 12       | <0.01     | <5       | 160      | 0.35      | 85       | <10       |
| 080348 -150        |                                   | 1.74      | 0.63      | 321      | 1        | 1.04      | 21       | 280       | 11       | <0.01     | <5       | 186      | 0.34      | 100      | <10       |
| 080349 -150        |                                   | 1.73      | 0.73      | 370      | <1       | 0.97      | 23       | 320       | 17       | <0.01     | <5       | 172      | 0.39      | 126      | <10       |
| 080350 -150        |                                   | 1.76      | 0.68      | 410      | <1       | 1.05      | 25       | 310       | 16       | <0.01     | <5       | 184      | 0.37      | 109      | <10       |
| 080351 -150        |                                   | 4.02      | 2.29      | 408      | <1       | 0.84      | 150      | 880       | 32       | 0.02      | <5       | 197      | 0.30      | 182      | <10       |
| 080352 -150        |                                   | 4.07      | 1.18      | 253      | <1       | 0.77      | 52       | 660       | 34       | 0.02      | <5       | 176      | 0.37      | 140      | <10       |
| 080353 -150        |                                   | 2.36      | 0.96      | 549      | <1       | 0.71      | 46       | 750       | 25       | 0.13      | <5       | 143      | 0.30      | 98       | <10       |
| 080354 -150        |                                   | 3.37      | 1.31      | 1050     | 1        | 0.46      | 97       | 770       | 19       | 0.05      | 11       | 158      | 0.29      | 166      | <10       |
| 080355 -150        |                                   | 3.75      | 1.08      | 1050     | <1       | 0.60      | 43       | 610       | 32       | 0.05      | 5        | 232      | 0.26      | 136      | <10       |
| 080356 -150        |                                   | 3.18      | 1.08      | 352      | <1       | 0.92      | 43       | 490       | 36       | 0.02      | <5       | 156      | 0.31      | 128      | <10       |
| 080357 -150        |                                   | 3.23      | 0.86      | 480      | <1       | 0.75      | 54       | 610       | 42       | 0.02      | 10       | 183      | 0.31      | 132      | <10       |
| 080358 -150        |                                   | 3.61      | 0.71      | 432      | 1        | 0.51      | 38       | 530       | 48       | 0.01      | <5       | 174      | 0.32      | 144      | <10       |
| 080359 -150        |                                   | 3.15      | 1.02      | 440      | 1        | 0.96      | 34       | 570       | 27       | 0.01      | <5       | 196      | 0.38      | 134      | <10       |
| 080360 -150        |                                   | 2.06      | 0.59      | 1090     | 1        | 0.57      | 51       | 560       | 169      | 0.03      | 56       | 131      | 0.26      | 106      | <10       |
| 080361 -150        |                                   | 2.44      | 0.77      | 447      | 1        | 0.84      | 36       | 570       | 99       | 0.02      | 23       | 169      | 0.29      | 118      | <10       |
| 080362 -150        |                                   | 3.73      | 1.06      | 389      | 1        | 0.69      | 49       | 670       | 41       | 0.02      | 12       | 161      | 0.22      | 140      | <10       |
| 080363 -150        |                                   | 2.55      | 0.82      | 319      | 1        | 0.63      | 30       | 560       | 32       | 0.02      | 10       | 134      | 0.25      | 99       | <10       |
| 080364 -150        |                                   | 2.74      | 0.86      | 694      | 1        | 0.73      | 36       | 650       | 40       | 0.02      | 12       | 154      | 0.28      | 118      | <10       |
| 080365 -150        |                                   | 3.30      | 0.88      | 366      | <1       | 0.73      | 38       | 580       | 79       | 0.03      | 31       | 176      | 0.34      | 134      | <10       |
| 080366 -150        |                                   | 3.67      | 1.25      | 538      | 1        | 0.33      | 73       | 510       | 25       | 0.06      | 6        | 146      | 0.21      | 142      | <10       |
| 080367 -150        |                                   | 3.03      | 0.71      | 496      | 1        | 0.57      | 35       | 580       | 88       | 0.02      | 35       | 138      | 0.23      | 125      | <10       |
| 080368 -150        |                                   | 3.72      | 0.84      | 268      | 1        | 0.64      | 26       | 450       | 49       | 0.02      | 11       | 135      | 0.36      | 154      | <10       |
| 080369 -150        |                                   | 2.60      | 0.69      | 299      | <1       | 0.64      | 28       | 300       | 51       | 0.01      | 18       | 136      | 0.33      | 146      | <10       |
| 080370 -150        |                                   | 2.60      | 0.64      | 348      | 1        | 0.80      | 22       | 430       | 55       | 0.01      | 28       | 172      | 0.34      | 128      | <10       |
| 080371 -150        |                                   | 2.18      | 0.74      | 278      | 2        | 0.83      | 22       | 490       | 33       | 0.01      | <5       | 146      | 0.38      | 138      | <10       |
| 080372 -150        |                                   | 2.92      | 0.79      | 238      | 1        | 0.56      | 37       | 290       | 25       | 0.01      | 10       | 142      | 0.31      | 128      | <10       |
| 080373 -150        |                                   | 1.66      | 0.59      | 264      | 1        | 0.76      | 21       | 340       | 32       | 0.01      | 12       | 138      | 0.35      | 119      | <10       |
| 080374 -150        |                                   | 3.00      | 0.79      | 322      | 2        | 0.70      | 22       | 320       | 28       | 0.01      | 5        | 152      | 0.22      | 130      | <10       |
| 080375 -150        |                                   | 2.36      | 0.66      | 241      | 1        | 0.80      | 24       | 230       | 33       | 0.01      | <5       | 156      | 0.34      | 127      | <10       |
| 080376 -150        |                                   | 2.79      | 0.53      | 350      | 1        | 0.66      | 27       | 440       | 25       | 0.01      | 5        | 172      | 0.32      | 127      | <10       |
| 080377 -150        |                                   | 2.97      | 0.69      | 286      | 2        | 0.76      | 29       | 450       | 41       | 0.01      | 9        | 174      | 0.31      | 147      | <10       |
| 080378 -150        |                                   | 3.74      | 0.64      | 362      | 1        | 0.62      | 33       | 410       | 38       | 0.01      | 10       | 186      | 0.33      | 151      | <10       |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 9 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | Au-AA23D<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|--------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| 080379 -150        |                                   |                                   | 0.011                         |                                | <0.5                         | 9.49                        | 15                         | 920                         | 2.4                          | 2                          | 0.30                        | <0.5                         | 10                         | 87                         | 31                         | 3.39                        |
| 080380 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.65                        | 19                         | 850                         | 2.2                          | 2                          | 0.37                        | <0.5                         | 13                         | 86                         | 25                         | 3.06                        |
| 080381 -150        |                                   |                                   | <0.005                        | <0.005                         | 0.5                          | 8.83                        | 21                         | 870                         | 2.2                          | 2                          | 0.38                        | <0.5                         | 10                         | 84                         | 27                         | 3.06                        |
| 080382 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 9.26                        | 17                         | 890                         | 2.3                          | <2                         | 0.45                        | <0.5                         | 9                          | 90                         | 24                         | 2.77                        |
| 080383 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.98                        | 34                         | 890                         | 2.4                          | 2                          | 0.35                        | <0.5                         | 12                         | 91                         | 35                         | 3.48                        |
| 080384 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.54                        | 54                         | 920                         | 2.4                          | <2                         | 0.48                        | <0.5                         | 16                         | 81                         | 37                         | 3.61                        |
| 080385 -150        |                                   |                                   | 0.030                         |                                | <0.5                         | 8.11                        | 51                         | 940                         | 2.2                          | 3                          | 0.54                        | <0.5                         | 10                         | 79                         | 37                         | 3.52                        |
| 080386 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.16                        | 26                         | 940                         | 2.1                          | 2                          | 0.63                        | 0.5                          | 11                         | 84                         | 35                         | 3.40                        |
| 080387 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.32                        | 9                          | 850                         | 1.9                          | <2                         | 0.71                        | <0.5                         | 15                         | 124                        | 36                         | 3.53                        |
| 080388 -150        |                                   |                                   | 0.006                         |                                | <0.5                         | 9.00                        | 18                         | 1020                        | 2.4                          | 2                          | 0.41                        | <0.5                         | 14                         | 141                        | 38                         | 3.84                        |
| 080389 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.07                        | 19                         | 950                         | 1.7                          | <2                         | 0.65                        | <0.5                         | 9                          | 66                         | 27                         | 2.93                        |
| 080390 -150        |                                   |                                   | 0.009                         |                                | <0.5                         | 8.23                        | 30                         | 960                         | 2.1                          | <2                         | 0.56                        | <0.5                         | 10                         | 75                         | 33                         | 3.46                        |
| 080391 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.45                        | 29                         | 890                         | 2.0                          | 2                          | 0.76                        | <0.5                         | 9                          | 78                         | 31                         | 3.33                        |
| 080392 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.64                        | 49                         | 1060                        | 2.3                          | 3                          | 0.49                        | <0.5                         | 9                          | 82                         | 37                         | 3.45                        |
| 080393 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 10.60                       | 10                         | 980                         | 3.0                          | <2                         | 0.20                        | <0.5                         | 9                          | 100                        | 28                         | 3.08                        |
| 080394 -150        |                                   |                                   | 0.005                         |                                | <0.5                         | 7.41                        | 16                         | 1510                        | 1.6                          | 2                          | 0.49                        | <0.5                         | 4                          | 69                         | 22                         | 2.88                        |
| 080395 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.00                        | 11                         | 950                         | 1.6                          | <2                         | 0.65                        | <0.5                         | 10                         | 78                         | 29                         | 3.55                        |
| 080396 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.79                        | 19                         | 960                         | 1.7                          | <2                         | 0.79                        | <0.5                         | 15                         | 73                         | 28                         | 3.65                        |
| 080397 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.86                        | <5                         | 780                         | 1.2                          | 5                          | 0.40                        | <0.5                         | 4                          | 55                         | 17                         | 3.16                        |
| 080398 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 8.10                        | <5                         | 850                         | 1.9                          | 2                          | 0.27                        | <0.5                         | 3                          | 70                         | 17                         | 3.19                        |
| 080399 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.76                        | 20                         | 1040                        | 1.7                          | 2                          | 0.50                        | <0.5                         | 9                          | 74                         | 33                         | 3.33                        |
| 080400 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.90                        | 15                         | 1370                        | 1.9                          | 3                          | 0.40                        | <0.5                         | 5                          | 76                         | 22                         | 2.61                        |
| 080401 -150        |                                   |                                   | 0.005                         | <0.005                         | <0.5                         | 8.00                        | 8                          | 1380                        | 1.9                          | 2                          | 0.43                        | <0.5                         | 5                          | 75                         | 24                         | 2.78                        |
| 080402 -150        |                                   |                                   | 0.009                         |                                | <0.5                         | 7.28                        | 67                         | 1080                        | 1.7                          | <2                         | 0.76                        | <0.5                         | 7                          | 67                         | 26                         | 3.25                        |
| 080403 -150        |                                   |                                   | 0.006                         |                                | <0.5                         | 5.48                        | 29                         | 790                         | 1.2                          | <2                         | 0.61                        | <0.5                         | 4                          | 69                         | 14                         | 2.46                        |
| 080404 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.70                        | 68                         | 830                         | 1.3                          | <2                         | 0.54                        | <0.5                         | 5                          | 69                         | 17                         | 2.59                        |
| 080405 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.72                        | 29                         | 860                         | 1.3                          | <2                         | 0.68                        | <0.5                         | 7                          | 67                         | 19                         | 2.97                        |
| 080406 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.39                        | 36                         | 1020                        | 1.4                          | 2                          | 0.82                        | <0.5                         | 6                          | 69                         | 15                         | 2.83                        |
| 080407 -150        |                                   |                                   | 0.011                         |                                | <0.5                         | 7.00                        | 73                         | 1030                        | 1.7                          | 2                          | 1.50                        | <0.5                         | 14                         | 78                         | 34                         | 3.74                        |
| 080408 -150        |                                   |                                   | 0.154                         |                                | <0.5                         | 3.43                        | 29                         | 540                         | 1.0                          | <2                         | 2.37                        | <0.5                         | 10                         | 42                         | 30                         | 1.93                        |
| 080409 -150        |                                   |                                   | 0.012                         |                                | <0.5                         | 6.06                        | 85                         | 940                         | 1.6                          | 3                          | 1.35                        | <0.5                         | 14                         | 79                         | 44                         | 3.25                        |
| 080410 -150        |                                   |                                   | NSS                           |                                | <0.5                         | 3.37                        | 25                         | 540                         | 0.9                          | <2                         | 2.53                        | 0.6                          | 8                          | 45                         | 46                         | 1.85                        |
| 080411 -150        |                                   |                                   | 0.008                         |                                | <0.5                         | 5.65                        | 78                         | 930                         | 1.4                          | 2                          | 1.64                        | 0.7                          | 9                          | 64                         | 39                         | 2.95                        |
| 080412 -150        |                                   |                                   | 0.007                         |                                | <0.5                         | 7.73                        | 74                         | 1080                        | 1.8                          | 4                          | 1.20                        | <0.5                         | 11                         | 86                         | 36                         | 3.70                        |
| 080413 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.01                        | 59                         | 1010                        | 1.9                          | 3                          | 1.04                        | <0.5                         | 13                         | 72                         | 33                         | 3.38                        |
| 080414 -150        |                                   |                                   | 0.008                         |                                | <0.5                         | 6.33                        | 69                         | 900                         | 1.7                          | <2                         | 1.06                        | <0.5                         | 12                         | 69                         | 31                         | 3.03                        |
| 080415 -150        |                                   |                                   | 0.010                         |                                | <0.5                         | 6.61                        | 73                         | 950                         | 1.6                          | <2                         | 1.14                        | <0.5                         | 10                         | 72                         | 35                         | 3.19                        |
| 080416 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 2.15                        | 25                         | 690                         | 0.7                          | <2                         | 3.52                        | <0.5                         | 10                         | 43                         | 54                         | 1.83                        |
| 080417 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 3.06                        | 27                         | 1150                        | 1.0                          | 2                          | 3.06                        | 1.1                          | 16                         | 49                         | 57                         | 2.01                        |
| 080418 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 3.02                        | 26                         | 890                         | 0.9                          | <2                         | 3.14                        | 0.7                          | 13                         | 50                         | 49                         | 2.26                        |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 9 - B  
Total # Pages: 10 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method       | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 |
|--------------------|--------------|-----------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|
|                    | Analyte      | K         | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       |
|                    | Units<br>LOR | %<br>0.01 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 |
| 080379 -150        |              | 2.93      | 0.55      | 284      | 1        | 0.53      | 30       | 400       | 48       | 0.01      | 16       | 150      | 0.25      | 120      | <10       | 87       |
| 080380 -150        |              | 2.73      | 0.54      | 606      | 1        | 0.54      | 27       | 500       | 51       | 0.02      | 10       | 152      | 0.27      | 118      | <10       | 79       |
| 080381 -150        |              | 2.74      | 0.55      | 441      | <1       | 0.55      | 26       | 520       | 45       | 0.02      | 10       | 152      | 0.28      | 116      | <10       | 74       |
| 080382 -150        |              | 2.93      | 0.56      | 309      | 1        | 0.37      | 23       | 490       | 27       | 0.05      | 9        | 158      | 0.27      | 117      | <10       | 79       |
| 080383 -150        |              | 2.95      | 0.61      | 651      | 1        | 0.49      | 33       | 520       | 44       | 0.02      | 9        | 158      | 0.27      | 114      | <10       | 92       |
| 080384 -150        |              | 2.84      | 0.71      | 554      | 1        | 0.59      | 42       | 630       | 50       | 0.01      | 13       | 145      | 0.35      | 116      | 10        | 127      |
| 080385 -150        |              | 2.55      | 0.74      | 422      | 1        | 0.65      | 36       | 590       | 43       | 0.01      | 13       | 148      | 0.34      | 112      | <10       | 108      |
| 080386 -150        |              | 2.67      | 0.72      | 479      | 1        | 0.70      | 39       | 650       | 28       | 0.02      | 6        | 138      | 0.30      | 106      | <10       | 96       |
| 080387 -150        |              | 2.36      | 0.76      | 510      | 1        | 0.52      | 52       | 860       | 27       | 0.03      | 5        | 169      | 0.31      | 109      | <10       | 100      |
| 080388 -150        |              | 3.17      | 0.87      | 448      | 1        | 0.54      | 45       | 690       | 30       | 0.01      | <5       | 156      | 0.28      | 133      | 10        | 94       |
| 080389 -150        |              | 2.09      | 0.62      | 370      | 1        | 0.89      | 25       | 580       | 20       | 0.01      | <5       | 166      | 0.35      | 107      | <10       | 77       |
| 080390 -150        |              | 2.68      | 0.69      | 344      | 1        | 0.74      | 35       | 680       | 22       | 0.01      | 11       | 142      | 0.33      | 109      | <10       | 93       |
| 080391 -150        |              | 2.34      | 0.65      | 405      | 1        | 0.68      | 32       | 670       | 29       | 0.02      | 8        | 158      | 0.34      | 112      | <10       | 102      |
| 080392 -150        |              | 2.89      | 0.66      | 338      | 1        | 0.54      | 31       | 560       | 43       | 0.01      | 11       | 150      | 0.35      | 117      | <10       | 97       |
| 080393 -150        |              | 3.71      | 0.69      | 231      | 1        | 0.39      | 29       | 490       | 17       | 0.01      | <5       | 156      | 0.32      | 124      | <10       | 74       |
| 080394 -150        |              | 2.30      | 0.65      | 227      | 1        | 0.74      | 20       | 540       | 24       | 0.01      | <5       | 115      | 0.36      | 106      | <10       | 66       |
| 080395 -150        |              | 1.85      | 0.75      | 423      | 1        | 0.91      | 31       | 650       | 22       | 0.01      | <5       | 140      | 0.35      | 120      | <10       | 79       |
| 080396 -150        |              | 1.59      | 0.82      | 609      | 2        | 1.08      | 30       | 620       | 29       | 0.01      | <5       | 168      | 0.36      | 120      | <10       | 78       |
| 080397 -150        |              | 1.85      | 0.54      | 309      | 1        | 0.83      | 21       | 460       | 24       | 0.01      | <5       | 105      | 0.27      | 78       | <10       | 51       |
| 080398 -150        |              | 2.60      | 0.58      | 181      | 1        | 0.80      | 20       | 450       | 16       | 0.01      | <5       | 79       | 0.35      | 95       | <10       | 56       |
| 080399 -150        |              | 2.30      | 0.72      | 796      | 1        | 0.85      | 30       | 380       | 24       | 0.01      | 8        | 116      | 0.34      | 108      | <10       | 67       |
| 080400 -150        |              | 2.60      | 0.54      | 252      | 1        | 0.73      | 20       | 430       | 16       | 0.01      | <5       | 122      | 0.42      | 121      | <10       | 60       |
| 080401 -150        |              | 2.53      | 0.57      | 264      | 1        | 0.77      | 21       | 450       | 15       | 0.01      | <5       | 131      | 0.39      | 120      | <10       | 65       |
| 080402 -150        |              | 1.99      | 0.65      | 397      | 1        | 1.05      | 27       | 620       | 20       | 0.01      | 50       | 181      | 0.33      | 107      | <10       | 77       |
| 080403 -150        |              | 1.51      | 0.55      | 250      | 1        | 0.80      | 16       | 810       | 14       | 0.02      | <5       | 128      | 0.39      | 118      | <10       | 54       |
| 080404 -150        |              | 1.73      | 0.50      | 317      | 2        | 0.73      | 17       | 1050      | 14       | 0.02      | 16       | 116      | 0.34      | 121      | <10       | 61       |
| 080405 -150        |              | 1.42      | 0.60      | 448      | 1        | 0.90      | 24       | 570       | 12       | 0.02      | <5       | 142      | 0.34      | 109      | <10       | 70       |
| 080406 -150        |              | 1.47      | 0.63      | 332      | 1        | 0.95      | 19       | 870       | 14       | 0.03      | <5       | 158      | 0.34      | 110      | <10       | 81       |
| 080407 -150        |              | 1.81      | 1.00      | 883      | 2        | 0.97      | 40       | 710       | 18       | 0.07      | <5       | 207      | 0.43      | 113      | 10        | 88       |
| 080408 -150        |              | 0.84      | 0.51      | 1030     | 2        | 0.51      | 29       | 1000      | 7        | 0.20      | <5       | 165      | 0.20      | 54       | <10       | 48       |
| 080409 -150        |              | 1.63      | 0.93      | 622      | 2        | 0.84      | 48       | 700       | 21       | 0.04      | 8        | 188      | 0.39      | 105      | <10       | 88       |
| 080410 -150        |              | 0.85      | 0.57      | 549      | 1        | 0.31      | 39       | 1010      | 13       | 0.18      | <5       | 170      | 0.16      | 53       | <10       | 47       |
| 080411 -150        |              | 1.49      | 0.72      | 538      | 2        | 0.65      | 33       | 710       | 16       | 0.07      | <5       | 168      | 0.30      | 85       | <10       | 108      |
| 080412 -150        |              | 2.23      | 0.98      | 458      | 1        | 0.88      | 39       | 630       | 21       | 0.03      | <5       | 174      | 0.41      | 105      | <10       | 100      |
| 080413 -150        |              | 2.09      | 0.91      | 494      | 1        | 0.91      | 36       | 550       | 17       | 0.02      | <5       | 168      | 0.41      | 100      | <10       | 96       |
| 080414 -150        |              | 1.94      | 0.81      | 420      | 1        | 0.83      | 32       | 570       | 19       | 0.02      | <5       | 158      | 0.40      | 96       | <10       | 90       |
| 080415 -150        |              | 1.98      | 0.84      | 413      | 1        | 0.80      | 36       | 610       | 16       | 0.02      | <5       | 160      | 0.39      | 95       | <10       | 90       |
| 080416 -150        |              | 0.48      | 0.69      | 2450     | 2        | 0.28      | 51       | 800       | 7        | 0.19      | <5       | 192      | 0.14      | 47       | <10       | 50       |
| 080417 -150        |              | 0.69      | 0.70      | 7370     | 4        | 0.45      | 66       | 800       | 10       | 0.16      | <5       | 205      | 0.19      | 64       | <10       | 55       |
| 080418 -150        |              | 0.71      | 0.78      | 4250     | 3        | 0.45      | 52       | 850       | 7        | 0.15      | <5       | 202      | 0.20      | 62       | 10        | 57       |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 10 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | Au-AA23D<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|--------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| 080419 -150        |                                   |                                   | 0.012                         |                                | <0.5                         | 4.00                        | 38                         | 1070                        | 1.1                          | 2                          | 2.57                        | 0.8                          | 18                         | 82                         | 46                         | 2.70                        |
| 080420 -150        |                                   |                                   | 0.020                         |                                | <0.5                         | 5.92                        | 25                         | 1000                        | 1.5                          | 3                          | 1.45                        | <0.5                         | 12                         | 76                         | 32                         | 3.20                        |
| 080421 -150        |                                   |                                   | 0.005                         | <0.005                         | <0.5                         | 6.20                        | 34                         | 1070                        | 1.5                          | <2                         | 1.51                        | <0.5                         | 10                         | 73                         | 33                         | 3.38                        |
| 080422 -150        |                                   |                                   | 0.010                         |                                | <0.5                         | 6.33                        | 30                         | 1110                        | 1.6                          | 2                          | 1.54                        | <0.5                         | 13                         | 74                         | 36                         | 3.47                        |
| 080423 -150        |                                   |                                   | 0.009                         |                                | <0.5                         | 6.08                        | 31                         | 1090                        | 1.5                          | 3                          | 1.32                        | <0.5                         | 11                         | 71                         | 32                         | 3.32                        |
| 080424 -150        |                                   |                                   | 0.007                         |                                | <0.5                         | 6.20                        | 22                         | 1090                        | 1.5                          | 2                          | 1.39                        | <0.5                         | 10                         | 70                         | 31                         | 3.42                        |
| 080425 -150        |                                   |                                   | 0.022                         |                                | <0.5                         | 5.92                        | 19                         | 1050                        | 1.5                          | 3                          | 1.46                        | <0.5                         | 11                         | 71                         | 31                         | 3.20                        |
| 080426 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.33                        | 25                         | 1040                        | 1.5                          | 3                          | 1.11                        | <0.5                         | 11                         | 80                         | 29                         | 3.23                        |
| 080427 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.24                        | 16                         | 880                         | 1.4                          | <2                         | 1.02                        | <0.5                         | 11                         | 71                         | 27                         | 2.82                        |
| 080428 -150        |                                   |                                   | 0.012                         |                                | <0.5                         | 6.20                        | 24                         | 1020                        | 1.5                          | <2                         | 1.11                        | <0.5                         | 13                         | 83                         | 29                         | 3.27                        |
| 080429 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.57                        | 42                         | 900                         | 1.4                          | 2                          | 0.76                        | <0.5                         | 13                         | 57                         | 19                         | 3.00                        |
| 080430 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.74                        | 34                         | 920                         | 1.4                          | 2                          | 0.81                        | <0.5                         | 12                         | 60                         | 18                         | 2.83                        |
| 080431 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.82                        | 23                         | 900                         | 1.4                          | 2                          | 0.74                        | <0.5                         | 12                         | 57                         | 16                         | 3.14                        |
| 080432 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.98                        | 24                         | 930                         | 1.4                          | 2                          | 0.85                        | <0.5                         | 15                         | 59                         | 19                         | 2.80                        |
| 080433 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.02                        | 14                         | 970                         | 1.4                          | 2                          | 0.78                        | <0.5                         | 16                         | 60                         | 17                         | 2.22                        |
| 080434 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 4.35                        | <5                         | 690                         | 1.1                          | <2                         | 1.27                        | <0.5                         | 7                          | 48                         | 13                         | 1.96                        |
| 080435 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 4.65                        | 6                          | 730                         | 1.2                          | <2                         | 1.34                        | <0.5                         | 6                          | 49                         | 17                         | 2.03                        |
| 080436 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.32                        | 10                         | 850                         | 1.3                          | <2                         | 1.18                        | <0.5                         | 8                          | 59                         | 22                         | 2.32                        |
| 080437 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 4.55                        | <5                         | 750                         | 1.1                          | <2                         | 1.80                        | <0.5                         | 6                          | 44                         | 17                         | 1.85                        |
| 080438 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.42                        | <5                         | 830                         | 1.4                          | 2                          | 0.82                        | <0.5                         | 4                          | 58                         | 21                         | 2.02                        |
| 080439 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.20                        | 6                          | 1010                        | 1.5                          | 2                          | 0.86                        | <0.5                         | 9                          | 68                         | 22                         | 2.48                        |
| 080440 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.34                        | <5                         | 1030                        | 1.7                          | 2                          | 0.83                        | <0.5                         | 8                          | 75                         | 22                         | 2.47                        |
| 080441 -150        |                                   |                                   | <0.005                        | <0.005                         | <0.5                         | 7.47                        | 8                          | 1020                        | 1.7                          | 2                          | 1.02                        | <0.5                         | 12                         | 71                         | 27                         | 2.85                        |
| 080442 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 7.98                        | 9                          | 1100                        | 1.8                          | <2                         | 0.87                        | <0.5                         | 8                          | 77                         | 31                         | 2.66                        |
| 080443 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 6.06                        | 7                          | 970                         | 1.3                          | 2                          | 1.45                        | <0.5                         | 7                          | 64                         | 17                         | 2.54                        |
| 080444 -150        |                                   |                                   | 0.005                         |                                | <0.5                         | 5.92                        | 6                          | 940                         | 1.2                          | <2                         | 1.36                        | <0.5                         | 8                          | 64                         | 15                         | 2.60                        |
| 080445 -150        |                                   |                                   | 0.012                         |                                | <0.5                         | 5.43                        | 5                          | 900                         | 1.1                          | <2                         | 1.38                        | <0.5                         | 8                          | 61                         | 13                         | 2.32                        |
| 080446 -150        |                                   |                                   | <0.005                        |                                | <0.5                         | 5.88                        | 9                          | 1000                        | 1.2                          | 2                          | 1.36                        | <0.5                         | 10                         | 63                         | 16                         | 2.64                        |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 10 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071094

| Method<br>Analyte<br>Units<br>LOR | ME-ICP61<br>K<br>% | ME-ICP61<br>Mg<br>% | ME-ICP61<br>Mn<br>ppm | ME-ICP61<br>Mo<br>ppm | ME-ICP61<br>Na<br>% | ME-ICP61<br>Ni<br>ppm | ME-ICP61<br>P<br>ppm | ME-ICP61<br>Pb<br>ppm | ME-ICP61<br>S<br>% | ME-ICP61<br>Sb<br>ppm | ME-ICP61<br>Sr<br>ppm | ME-ICP61<br>Ti<br>% | ME-ICP61<br>V<br>ppm | ME-ICP61<br>W<br>ppm | ME-ICP61<br>Zn<br>ppm |
|-----------------------------------|--------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|---------------------|----------------------|----------------------|-----------------------|
| Sample Description                | 0.01               | 0.01                | 5                     | 1                     | 0.01                | 1                     | 10                   | 2                     | 0.01               | 5                     | 1                     | 0.01                | 1                    | 10                   | 2                     |
| 080419 -150                       | 0.97               | 0.93                | 4750                  | 3                     | 0.59                | 58                    | 810                  | 13                    | 0.11               | <5                    | 207                   | 0.29                | 86                   | <10                  | 67                    |
| 080420 -150                       | 1.49               | 0.92                | 650                   | 1                     | 1.03                | 36                    | 690                  | 12                    | 0.04               | <5                    | 212                   | 0.41                | 108                  | <10                  | 75                    |
| 080421 -150                       | 1.49               | 0.96                | 695                   | 1                     | 1.04                | 40                    | 700                  | 14                    | 0.04               | <5                    | 214                   | 0.41                | 110                  | <10                  | 76                    |
| 080422 -150                       | 1.53               | 0.97                | 728                   | 2                     | 1.07                | 38                    | 740                  | 17                    | 0.04               | <5                    | 222                   | 0.40                | 110                  | <10                  | 80                    |
| 080423 -150                       | 1.47               | 0.94                | 661                   | 1                     | 1.07                | 37                    | 690                  | 14                    | 0.03               | <5                    | 208                   | 0.41                | 108                  | <10                  | 75                    |
| 080424 -150                       | 1.47               | 0.96                | 688                   | 1                     | 1.10                | 37                    | 720                  | 11                    | 0.03               | <5                    | 217                   | 0.42                | 107                  | <10                  | 74                    |
| 080425 -150                       | 1.45               | 0.90                | 644                   | 1                     | 1.03                | 35                    | 680                  | 12                    | 0.04               | <5                    | 212                   | 0.41                | 109                  | 10                   | 74                    |
| 080426 -150                       | 1.50               | 1.01                | 458                   | 1                     | 0.96                | 41                    | 500                  | 14                    | 0.02               | <5                    | 187                   | 0.43                | 115                  | <10                  | 77                    |
| 080427 -150                       | 1.28               | 0.85                | 408                   | 1                     | 0.82                | 37                    | 490                  | 12                    | 0.02               | <5                    | 163                   | 0.38                | 101                  | <10                  | 70                    |
| 080428 -150                       | 1.50               | 1.00                | 487                   | 1                     | 0.92                | 42                    | 530                  | 12                    | 0.02               | <5                    | 186                   | 0.42                | 116                  | <10                  | 80                    |
| 080429 -150                       | 1.46               | 0.53                | 946                   | 1                     | 0.75                | 24                    | 760                  | 37                    | 0.04               | <5                    | 136                   | 0.32                | 91                   | 10                   | 112                   |
| 080430 -150                       | 1.53               | 0.55                | 1020                  | 1                     | 0.80                | 22                    | 620                  | 39                    | 0.04               | <5                    | 142                   | 0.34                | 93                   | <10                  | 99                    |
| 080431 -150                       | 1.56               | 0.56                | 525                   | 1                     | 0.84                | 21                    | 620                  | 34                    | 0.03               | <5                    | 140                   | 0.35                | 91                   | <10                  | 114                   |
| 080432 -150                       | 1.62               | 0.56                | 1255                  | 1                     | 0.83                | 21                    | 650                  | 37                    | 0.04               | <5                    | 150                   | 0.33                | 95                   | 10                   | 107                   |
| 080433 -150                       | 1.66               | 0.55                | 986                   | <1                    | 0.90                | 23                    | 500                  | 20                    | 0.03               | <5                    | 150                   | 0.37                | 94                   | <10                  | 101                   |
| 080434 -150                       | 1.29               | 0.52                | 273                   | <1                    | 0.83                | 20                    | 600                  | 13                    | 0.04               | <5                    | 150                   | 0.37                | 78                   | <10                  | 65                    |
| 080435 -150                       | 1.21               | 0.56                | 295                   | 1                     | 0.88                | 20                    | 610                  | 13                    | 0.04               | <5                    | 156                   | 0.36                | 78                   | <10                  | 63                    |
| 080436 -150                       | 1.47               | 0.63                | 383                   | 1                     | 0.95                | 24                    | 610                  | 16                    | 0.03               | <5                    | 159                   | 0.37                | 91                   | <10                  | 76                    |
| 080437 -150                       | 1.23               | 0.52                | 455                   | <1                    | 0.84                | 19                    | 670                  | 11                    | 0.07               | <5                    | 178                   | 0.31                | 70                   | <10                  | 59                    |
| 080438 -150                       | 1.77               | 0.62                | 306                   | <1                    | 1.07                | 21                    | 570                  | 14                    | 0.03               | <5                    | 158                   | 0.36                | 85                   | <10                  | 64                    |
| 080439 -150                       | 2.11               | 0.73                | 536                   | <1                    | 0.96                | 27                    | 590                  | 15                    | 0.05               | <5                    | 157                   | 0.37                | 93                   | <10                  | 75                    |
| 080440 -150                       | 2.37               | 0.74                | 396                   | <1                    | 0.97                | 28                    | 590                  | 17                    | 0.05               | <5                    | 157                   | 0.40                | 100                  | <10                  | 81                    |
| 080441 -150                       | 2.27               | 0.72                | 928                   | <1                    | 0.89                | 30                    | 630                  | 17                    | 0.06               | <5                    | 161                   | 0.39                | 97                   | <10                  | 85                    |
| 080442 -150                       | 2.48               | 0.77                | 516                   | <1                    | 0.92                | 30                    | 590                  | 18                    | 0.05               | <5                    | 158                   | 0.40                | 104                  | <10                  | 83                    |
| 080443 -150                       | 1.42               | 0.84                | 703                   | <1                    | 1.33                | 23                    | 880                  | 11                    | 0.02               | <5                    | 231                   | 0.43                | 108                  | <10                  | 70                    |
| 080444 -150                       | 1.40               | 0.81                | 1110                  | <1                    | 1.26                | 22                    | 830                  | 11                    | 0.02               | <5                    | 221                   | 0.40                | 105                  | <10                  | 73                    |
| 080445 -150                       | 1.26               | 0.76                | 899                   | <1                    | 1.23                | 22                    | 830                  | 12                    | 0.02               | <5                    | 214                   | 0.41                | 98                   | <10                  | 65                    |
| 080446 -150                       | 1.37               | 0.79                | 2720                  | <1                    | 1.24                | 26                    | 840                  | 13                    | 0.02               | <5                    | 218                   | 0.39                | 101                  | <10                  | 74                    |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: **STRATAGOLD EXPLORATION INC.**

**701-475 HOWE ST**

**VANCOUVER BC V6C 2B3**

Page: 1  
Finalized Date: 30-OCT-2004

Account: STRGOL

## QC CERTIFICATE VA04071094

Project: Dub 1735

P.O. No.:

This report is for 348 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED  
NOV - 8 2004

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |
| SCR-41d  | Screen to -100um, save both    |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |

To: **STRATAGOLD EXPLORATION INC.**  
**ATTN: ACCOUNTS PAYABLE**  
**701-475 HOWE ST**  
**VANCOUVER BC V6C 2B3**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:





# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 2 - B

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       |
|                            |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      |
|                            |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        |
| STANDARDS                  |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BM-10                      |                                   | 0.26     | 2940     | 102      | 0.04     | 1555     | 60       | 2450     | 1.29     | 283      | 15       | 0.06     | 46       | <10      | 3220     |
| BM-10                      |                                   | 0.27     | 2850     | 104      | 0.04     | 1540     | 60       | 2380     | 1.64     | 293      | 16       | 0.06     | 47       | <10      | 3400     |
| BM-10                      |                                   | 0.26     | 2690     | 102      | 0.04     | 1485     | 50       | 2340     | 1.40     | 256      | 16       | 0.06     | 46       | <10      | 3250     |
| BM-10                      |                                   | 0.23     | 2510     | 89       | 0.04     | 1500     | 50       | 2110     | 1.32     | 245      | 14       | 0.06     | 44       | <10      | 3290     |
| BM-10                      |                                   | 0.26     | 2600     | 95       | 0.04     | 1510     | 50       | 2240     | 1.39     | 254      | 18       | 0.06     | 45       | <10      | 3320     |
| BM-10                      |                                   | 0.27     | 3050     | 101      | 0.04     | 1590     | 60       | 2630     | 1.52     | 293      | 16       | 0.06     | 47       | <10      | 3410     |
| BM-10                      |                                   | 0.28     | 2920     | 103      | 0.04     | 1585     | 60       | 2580     | 1.51     | 286      | 16       | 0.06     | 49       | <10      | 3430     |
| BM-10                      |                                   | 0.25     | 2690     | 94       | 0.04     | 1395     | 70       | 2270     | 1.34     | 264      | 15       | 0.06     | 44       | <10      | 3020     |
| BM-10                      |                                   | 0.28     | 2860     | 102      | 0.04     | 1510     | 70       | 2460     | 1.56     | 282      | 18       | 0.06     | 47       | <10      | 3270     |
| Target Range - Lower Bound |                                   | 0.20     | 2410     | 90       |          | 1205     | 40       | 1980     | 1.27     | 199      |          |          |          |          | 2890     |
| Upper Bound                |                                   | 0.27     | 2950     | 112      |          | 1475     | 70       | 2430     | 1.57     | 255      |          |          |          |          | 3530     |
| G2000                      |                                   | 0.76     | 586      | 7        | 0.14     | 295      | 960      | 679      | 0.27     | 36       | 118      | 0.36     | 109      | <10      | 1295     |
| G2000                      |                                   | 0.73     | 551      | 6        | 0.14     | 285      | 950      | 670      | 0.27     | 32       | 116      | 0.35     | 106      | 10       | 1250     |
| G2000                      |                                   | 0.78     | 588      | 6        | 0.15     | 273      | 1040     | 691      | 0.27     | 32       | 124      | 0.32     | 104      | 10       | 1255     |
| G2000                      |                                   | 0.74     | 595      | 6        | 0.15     | 280      | 970      | 673      | 0.27     | 34       | 117      | 0.34     | 105      | 10       | 1290     |
| G2000                      |                                   | 0.74     | 563      | 6        | 0.14     | 282      | 950      | 659      | 0.26     | 31       | 116      | 0.35     | 100      | 10       | 1250     |
| G2000                      |                                   | 0.76     | 539      | 6        | 0.15     | 285      | 940      | 670      | 0.26     | 32       | 118      | 0.34     | 108      | <10      | 1265     |
| G2000                      |                                   | 0.74     | 548      | 8        | 0.13     | 272      | 940      | 634      | 0.26     | 33       | 118      | 0.35     | 106      | 10       | 1230     |
| G2000                      |                                   | 0.77     | 559      | 5        | 0.14     | 285      | 1010     | 665      | 0.28     | 34       | 121      | 0.36     | 108      | 10       | 1280     |
| Target Range - Lower Bound |                                   | 0.67     | 506      | 4        | 0.13     | 256      | 840      | 601      | 0.23     | 24       | 103      | 0.31     | 96       | <10      | 1130     |
| Upper Bound                |                                   | 0.85     | 630      | 8        | 0.18     | 316      | 1050     | 739      | 0.30     | 40       | 129      | 0.40     | 120      | 20       | 1385     |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 3 - A  
Total # Pages: 7 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Au-AA23 | Au-AA23D | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |       |
|----------------------------|-----------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-------|
|                            |                                   | Au      | Au       | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K     |
|                            |                                   | ppm     | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %     |
|                            |                                   | 0.005   | 0.005    | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01  |
| STANDARDS                  |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   | 3.59    |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   | 3.59    |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   | 3.65    | 3.65     |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   |         | 3.62     |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   | 3.64    |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   | 3.54    |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   | 3.53    |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   | 3.50    |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| OXK18                      |                                   | 3.52    |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| Target Range - Lower Bound |                                   | 3.22    | 3.22     |          |          |          |          |          |          |          |          |          |          |          |          |       |
| Upper Bound                |                                   | 3.71    | 3.71     |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANKS                     |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   | <0.005  | <0.005   |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   |         | <0.005   |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | <5       | <10      | <0.5     | <2       | <0.01    | <0.5     | <1       | <1       | <1       | <0.01    | <0.01 |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | <5       | <10      | <0.5     | 3        | <0.01    | 0.9      | 1        | 1        | <1       | <0.01    | <0.01 |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | <5       | <10      | <0.5     | <2       | <0.01    | <0.5     | <1       | 1        | <1       | <0.01    | <0.01 |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | <5       | <10      | <0.5     | <2       | <0.01    | <0.5     | <1       | <1       | <1       | <0.01    | <0.01 |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | <5       | <10      | <0.5     | <2       | 0.01     | 0.7      | 1        | 1        | 1        | <0.01    | <0.01 |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | <5       | <10      | <0.5     | <2       | <0.01    | <0.5     | <1       | <1       | <1       | <0.01    | <0.01 |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | <5       | <10      | <0.5     | 2        | <0.01    | 0.8      | <1       | <1       | 1        | <0.01    | <0.01 |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | 6        | <10      | <0.5     | <2       | <0.01    | <0.5     | <1       | <1       | 1        | <0.01    | <0.01 |
| BLANK                      |                                   |         |          | <0.5     | <0.01    | <5       | <10      | <0.5     | <2       | <0.01    | <0.5     | <1       | <1       | <1       | <0.01    | <0.01 |
| BLANK                      |                                   | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| BLANK                      |                                   | <0.005  |          |          |          |          |          |          |          |          |          |          |          |          |          |       |
| Target Range - Lower Bound |                                   | <0.005  | <0.005   | <0.5     | <0.01    | <5       | <10      | <0.5     | <2       | <0.01    | <0.5     | <1       | <1       | <1       | <0.01    | <0.01 |
| Upper Bound                |                                   | 0.010   | 0.010    | 1.0      | 0.02     | 10       | 20       | 1.0      | 4        | 0.02     | 1.0      | 2        | 2        | 2        | 0.02     | 0.02  |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 3 - B

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |     |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----|
|                            |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn  |
|                            |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm |
|                            |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2   |
| STANDARDS                  |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| BLANKS                     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |     |
| BLANK                      |                                   | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2  |
| BLANK                      |                                   | <0.01    | <5       | 2        | <0.01    | 1        | <10      | <2       | <0.01    | <5       | 1        | <0.01    | 1        | <10      | <2  |
| BLANK                      |                                   | <0.01    | <5       | <1       | <0.01    | 2        | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2  |
| BLANK                      |                                   | <0.01    | <5       | <1       | <0.01    | 2        | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2  |
| BLANK                      |                                   | <0.01    | <5       | 2        | <0.01    | <1       | 10       | 2        | <0.01    | <5       | 2        | <0.01    | 1        | <10      | <2  |
| BLANK                      |                                   | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | 1        | <0.01    | <1       | <10      | <2  |
| BLANK                      |                                   | <0.01    | <5       | 1        | <0.01    | 1        | <10      | <2       | <0.01    | <5       | 1        | <0.01    | <1       | <10      | <2  |
| BLANK                      |                                   | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | 1        | <10      | <2  |
| BLANK                      |                                   | <0.01    | <5       | 1        | <0.01    | <1       | <10      | <2       | <0.01    | <5       | 1        | <0.01    | <1       | <10      | <2  |
| Target Range - Lower Bound |                                   | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2  |
| Upper Bound                |                                   | 0.02     | 10       | 2        | 0.02     | 2        | 20       | 4        | 0.02     | 10       | 2        | 0.02     | 2        | 20       | 4   |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 4 - A

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Au-AA23<br>Au<br>ppm<br>0.005 | Au-AA23D<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|----------------------------|-----------------------------------|-------------------------------|--------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| DUPLICATES                 |                                   |                               |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| ORIGINAL                   |                                   | 0.032                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| DUP                        |                                   | 0.027                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Target Range - Lower Bound |                                   | 0.018                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Upper Bound                |                                   | 0.041                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| ORIGINAL                   |                                   | 0.104                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| DUP                        |                                   | 0.108                         | 0.108                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Target Range - Lower Bound |                                   | 0.091                         | 0.093                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Upper Bound                |                                   | 0.121                         | 0.123                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| ORIGINAL                   |                                   | 0.021                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| DUP                        |                                   | 0.021                         | 0.021                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Target Range - Lower Bound |                                   | 0.010                         | 0.010                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Upper Bound                |                                   | 0.032                         | 0.032                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| ORIGINAL                   |                                   | 0.063                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| DUP                        |                                   | 0.062                         | 0.062                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Target Range - Lower Bound |                                   | 0.049                         | 0.049                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Upper Bound                |                                   | 0.076                         | 0.075                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| ORIGINAL                   |                                   | 0.006                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| DUP                        |                                   | <0.005                        |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Target Range - Lower Bound |                                   | <0.005                        |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Upper Bound                |                                   | 0.010                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| ORIGINAL                   |                                   |                               |                                | <0.5                         | 3.33                        | <5                         | 340                         | 0.9                          | <2                         | 14.25                       | <0.5                         | 3                          | 20                         | 12                         | 1.23                        | 1.18                       |
| DUP                        |                                   |                               |                                | <0.5                         | 3.56                        | 10                         | 360                         | 0.9                          | <2                         | 14.85                       | <0.5                         | 4                          | 19                         | 13                         | 1.30                        | 1.27                       |
| Target Range - Lower Bound |                                   |                               |                                | <0.5                         | 3.25                        | <5                         | 310                         | <0.5                         | <2                         | 13.80                       | <0.5                         | <1                         | 17                         | 10                         | 1.18                        | 1.14                       |
| Upper Bound                |                                   |                               |                                | 1.0                          | 3.64                        | 10                         | 390                         | 1.0                          | 4                          | 15.30                       | 1.0                          | 6                          | 22                         | 15                         | 1.35                        | 1.31                       |
| ORIGINAL                   |                                   | 0.044                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| DUP                        |                                   | 0.046                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Target Range - Lower Bound |                                   | 0.033                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Upper Bound                |                                   | 0.057                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| ORIGINAL                   |                                   | 0.050                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| DUP                        |                                   | 0.052                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Target Range - Lower Bound |                                   | 0.038                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| Upper Bound                |                                   | 0.064                         |                                |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 4 - B  
Total # Pages: 7 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**QC CERTIFICATE OF ANALYSIS VA04071094**

| Sample Description                                           | Method<br>Analyte<br>Units<br>LOR | ME-ICP61                                                  | ME-ICP61                 | ME-ICP61          | ME-ICP61                     | ME-ICP61          | ME-ICP61                 | ME-ICP61            | ME-ICP61                      | ME-ICP61             | ME-ICP61                 | ME-ICP61                     | ME-ICP61             | ME-ICP61                | ME-ICP61             |
|--------------------------------------------------------------|-----------------------------------|-----------------------------------------------------------|--------------------------|-------------------|------------------------------|-------------------|--------------------------|---------------------|-------------------------------|----------------------|--------------------------|------------------------------|----------------------|-------------------------|----------------------|
|                                                              |                                   | Mg                                                        | Mn                       | Mo                | Na                           | Ni                | P                        | Pb                  | S                             | Sb                   | Sr                       | Ti                           | V                    | W                       | Zn                   |
|                                                              |                                   | %                                                         | ppm                      | ppm               | %                            | ppm               | ppm                      | ppm                 | %                             | ppm                  | ppm                      | %                            | ppm                  | ppm                     | ppm                  |
|                                                              |                                   | 0.01                                                      | 5                        | 1                 | 0.01                         | 1                 | 10                       | 2                   | 0.01                          | 5                    | 1                        | 0.01                         | 1                    | 10                      | 2                    |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | DUPLICATES                                                |                          |                   |                              |                   |                          |                     |                               |                      |                          |                              |                      |                         |                      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                                           |                          |                   |                              |                   |                          |                     |                               |                      |                          |                              |                      |                         |                      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                                           |                          |                   |                              |                   |                          |                     |                               |                      |                          |                              |                      |                         |                      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                                           |                          |                   |                              |                   |                          |                     |                               |                      |                          |                              |                      |                         |                      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                                           |                          |                   |                              |                   |                          |                     |                               |                      |                          |                              |                      |                         |                      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 3.11<br>3.30<br>Target Range - Lower Bound<br>Upper Bound | 258<br>268<br>240<br>286 | 1<br>1<br><1<br>2 | 0.64<br>0.69<br>0.61<br>0.72 | 8<br>8<br>6<br>10 | 340<br>350<br>310<br>380 | 12<br>11<br>7<br>16 | 0.03<br>0.03<br><0.01<br>0.05 | <5<br><5<br><5<br>10 | 565<br>598<br>550<br>613 | 0.17<br>0.17<br>0.14<br>0.20 | 32<br>33<br>29<br>36 | <10<br><10<br><10<br>20 | 33<br>34<br>28<br>39 |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                                           |                          |                   |                              |                   |                          |                     |                               |                      |                          |                              |                      |                         |                      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                                           |                          |                   |                              |                   |                          |                     |                               |                      |                          |                              |                      |                         |                      |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - A  
Total # Pages: 7 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Au-AA23      | Au-AA23D     | ME-ICP61   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61   | ME-ICP61 | ME-ICP61  | ME-ICP61   | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61  |  |
|----------------------------|-----------------------------------|--------------|--------------|------------|-----------|----------|-----------|------------|----------|-----------|------------|----------|----------|----------|-----------|-----------|--|
|                            |                                   | Au           | Au           | Ag         | Al        | As       | Ba        | Be         | Bi       | Ca        | Cd         | Co       | Cr       | Cu       | Fe        | K         |  |
|                            |                                   | ppm<br>0.005 | ppm<br>0.005 | ppm<br>0.5 | %<br>0.01 | ppm<br>5 | ppm<br>10 | ppm<br>0.5 | ppm<br>2 | %<br>0.01 | ppm<br>0.5 | ppm<br>1 | ppm<br>1 | ppm<br>1 | %<br>0.01 | %<br>0.01 |  |
| DUPLICATES                 |                                   |              |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| 080006 -150                |                                   |              |              | <0.5       | 6.12      | 9        | 710       | 1.3        | 2        | 0.52      | <0.5       | 4        | 65       | 15       | 2.22      | 1.72      |  |
| DUP                        |                                   |              |              | <0.5       | 5.90      | <5       | 700       | 1.2        | <2       | 0.52      | <0.5       | 3        | 60       | 14       | 2.23      | 1.62      |  |
| Target Range - Lower Bound |                                   |              |              | <0.5       | 5.69      | <5       | 650       | <0.5       | <2       | 0.47      | <0.5       | <1       | 57       | 12       | 2.09      | 1.57      |  |
| Upper Bound                |                                   |              |              | 1.0        | 6.33      | 10       | 760       | 2.3        | 4        | 0.57      | 1.0        | 6        | 68       | 17       | 2.36      | 1.77      |  |
| 080264 -150                |                                   |              |              | <0.5       | 6.61      | 255      | 820       | 1.3        | 6        | 0.48      | 0.6        | 5        | 64       | 19       | 2.88      | 1.84      |  |
| DUP                        |                                   |              |              | <0.5       | 6.50      | 256      | 790       | 1.3        | 5        | 0.46      | <0.5       | 6        | 61       | 18       | 2.79      | 1.86      |  |
| Target Range - Lower Bound |                                   |              |              | <0.5       | 6.21      | 233      | 740       | <0.5       | <2       | 0.43      | <0.5       | 3        | 57       | 16       | 2.67      | 1.74      |  |
| Upper Bound                |                                   |              |              | 1.0        | 6.90      | 278      | 870       | 2.4        | 10       | 0.51      | 1.0        | 8        | 68       | 21       | 3.00      | 1.96      |  |
| 080303 -150                |                                   | 0.005        |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| DUP                        |                                   | <0.005       |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| Target Range - Lower Bound |                                   | <0.005       |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| Upper Bound                |                                   | 0.010        |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| 080323 -150                |                                   | <0.005       |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| DUP                        |                                   | <0.005       |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| Target Range - Lower Bound |                                   | <0.005       |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| Upper Bound                |                                   | 0.010        |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| 080328 -150                |                                   |              |              | 0.6        | 7.97      | 24       | 950       | 1.7        | 4        | 0.75      | <0.5       | 8        | 71       | 38       | 3.30      | 2.22      |  |
| DUP                        |                                   |              |              | 0.5        | 7.99      | 29       | 910       | 1.7        | 6        | 0.72      | 0.5        | 9        | 67       | 38       | 3.18      | 2.21      |  |
| Target Range - Lower Bound |                                   |              |              | <0.5       | 7.58      | 15       | 860       | 0.6        | <2       | 0.68      | <0.5       | 6        | 64       | 34       | 3.06      | 2.08      |  |
| Upper Bound                |                                   |              |              | 1.0        | 8.40      | 38       | 1000      | 2.8        | 9        | 0.79      | 1.0        | 11       | 74       | 42       | 3.42      | 2.35      |  |
| 080343 -150                |                                   | <0.005       |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| DUP                        |                                   | <0.005       |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| Target Range - Lower Bound |                                   | <0.005       |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| Upper Bound                |                                   | 0.010        |              |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| 080367 -150                |                                   |              |              | 0.5        | 9.34      | 64       | 950       | 2.4        | <2       | 0.31      | 0.5        | 14       | 99       | 32       | 3.89      | 3.03      |  |
| DUP                        |                                   |              |              | 0.6        | 9.14      | 58       | 940       | 2.3        | 2        | 0.32      | 0.5        | 13       | 95       | 31       | 3.81      | 3.03      |  |
| Target Range - Lower Bound |                                   |              |              | <0.5       | 8.76      | 48       | 880       | 1.2        | <2       | 0.28      | <0.5       | 11       | 90       | 28       | 3.64      | 2.86      |  |
| Upper Bound                |                                   |              |              | 1.0        | 9.72      | 74       | 1010      | 3.5        | 4        | 0.35      | 1.0        | 16       | 104      | 35       | 4.06      | 3.20      |  |
| 080381 -150                |                                   | <0.005       | <0.005       |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| DUP                        |                                   | <0.005       | <0.005       |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| Target Range - Lower Bound |                                   | <0.005       | <0.005       |            |           |          |           |            |          |           |            |          |          |          |           |           |  |
| Upper Bound                |                                   | 0.010        | 0.010        |            |           |          |           |            |          |           |            |          |          |          |           |           |  |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 5 - B

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  |
|----------------------------|-----------------------------------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|----------|-----------|
|                            |                                   | Mg<br>%  | Mn<br>ppm | Mo<br>ppm | Na<br>%  | Ni<br>ppm | P<br>ppm | Pb<br>ppm | S<br>%   | Sb<br>ppm | Sr<br>ppm | Ti<br>%  | V<br>ppm | W<br>ppm | Zn<br>ppm |
|                            |                                   | 0.01     | 5         | 1         | 0.01     | 1         | 10       | 2         | 0.01     | 5         | 1         | 0.01     | 1        | 10       | 2         |
| DUPLICATES                 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| 080006 -150                |                                   | 0.53     | 187       | 2         | 0.83     | 15        | 770      | 16        | 0.02     | <5        | 138       | 0.34     | 102      | <10      | 39        |
| DUP                        |                                   | 0.50     | 186       | 2         | 0.78     | 13        | 730      | 16        | 0.02     | <5        | 130       | 0.35     | 100      | <10      | 38        |
| Target Range - Lower Bound |                                   | 0.47     | 187       | <1        | 0.74     | 11        | 690      | 11        | <0.01    | <5        | 125       | 0.31     | 94       | <10      | 33        |
| Upper Bound                |                                   | 0.56     | 206       | 4         | 0.87     | 17        | 810      | 21        | 0.04     | 10        | 143       | 0.38     | 108      | 20       | 44        |
| 080264 -150                |                                   | 0.47     | 271       | 2         | 0.81     | 15        | 680      | 15        | 0.06     | <5        | 146       | 0.43     | 96       | 10       | 51        |
| DUP                        |                                   | 0.46     | 259       | 2         | 0.80     | 18        | 670      | 14        | 0.06     | <5        | 146       | 0.40     | 93       | 10       | 50        |
| Target Range - Lower Bound |                                   | 0.42     | 242       | <1        | 0.74     | 14        | 620      | 10        | 0.04     | <5        | 137       | 0.37     | 88       | <10      | 44        |
| Upper Bound                |                                   | 0.51     | 288       | 4         | 0.87     | 19        | 730      | 19        | 0.08     | 10        | 155       | 0.46     | 101      | 20       | 57        |
| 080303 -150                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| DUP                        |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| Target Range - Lower Bound |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| Upper Bound                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| 080323 -150                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| DUP                        |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| Target Range - Lower Bound |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| Upper Bound                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| 080328 -150                |                                   | 0.84     | 411       | 2         | 0.80     | 35        | 780      | 22        | 0.04     | 8         | 158       | 0.38     | 134      | <10      | 111       |
| DUP                        |                                   | 0.83     | 394       | 2         | 0.82     | 31        | 780      | 20        | 0.04     | 8         | 162       | 0.38     | 130      | <10      | 104       |
| Target Range - Lower Bound |                                   | 0.77     | 372       | <1        | 0.75     | 29        | 720      | 16        | 0.02     | <5        | 150       | 0.34     | 123      | <10      | 98        |
| Upper Bound                |                                   | 0.90     | 433       | 4         | 0.87     | 37        | 840      | 28        | 0.06     | 10        | 170       | 0.42     | 141      | 20       | 117       |
| 080343 -150                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| DUP                        |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| Target Range - Lower Bound |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| Upper Bound                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| 080367 -150                |                                   | 0.71     | 496       | 1         | 0.57     | 35        | 580      | 88        | 0.02     | 35        | 138       | 0.23     | 125      | <10      | 157       |
| DUP                        |                                   | 0.70     | 485       | 2         | 0.57     | 32        | 570      | 86        | 0.02     | 34        | 136       | 0.29     | 123      | <10      | 154       |
| Target Range - Lower Bound |                                   | 0.65     | 456       | <1        | 0.52     | 30        | 530      | 79        | <0.01    | 23        | 128       | 0.23     | 116      | <10      | 144       |
| Upper Bound                |                                   | 0.76     | 525       | 2         | 0.62     | 37        | 620      | 95        | 0.04     | 46        | 146       | 0.29     | 132      | 20       | 167       |
| 080381 -150                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| DUP                        |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| Target Range - Lower Bound |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |
| Upper Bound                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 6 - A  
Total # Pages: 7 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

**QC CERTIFICATE OF ANALYSIS VA04071094**

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Au-AA23 | Au-AA23D | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|-----------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Au      | Au       | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        |
|                            |                                   | ppm     | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        |
|                            |                                   | 0.005   | 0.005    | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     |
| DUPLICATES                 |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080401 -150                |                                   | 0.005   | <0.005   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   | 0.005   | 0.005    |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | <0.005  | <0.005   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   | 0.010   | 0.010    |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080403 -150                |                                   |         |          | <0.5     | 5.48     | 29       | 790      | 1.2      | <2       | 0.61     | <0.5     | 4        | 69       | 14       | 2.46     | 1.51     |
| DUP                        |                                   |         |          | <0.5     | 5.73     | 28       | 810      | 1.3      | <2       | 0.64     | <0.5     | 4        | 67       | 14       | 2.54     | 1.49     |
| Target Range - Lower Bound |                                   |         |          | <0.5     | 5.30     | 17       | 740      | <0.5     | <2       | 0.57     | <0.5     | 2        | 63       | 11       | 2.36     | 1.41     |
| Upper Bound                |                                   |         |          | 1.0      | 5.91     | 40       | 860      | 2.3      | 4        | 0.68     | 1.0      | 6        | 73       | 17       | 2.65     | 1.60     |
| 080410 -150                |                                   |         |          | <0.5     | 3.37     | 25       | 540      | 0.9      | <2       | 2.53     | 0.6      | 8        | 45       | 46       | 1.85     | 0.85     |
| DUP                        |                                   |         |          | <0.5     | 3.66     | 41       | 580      | 0.9      | <2       | 2.75     | <0.5     | 8        | 44       | 47       | 1.98     | 0.86     |
| Target Range - Lower Bound |                                   |         |          | <0.5     | 3.32     | 21       | 510      | <0.5     | <2       | 2.49     | <0.5     | 6        | 40       | 42       | 1.80     | 0.79     |
| Upper Bound                |                                   |         |          | 1.0      | 3.71     | 45       | 610      | 1.0      | 4        | 2.79     | 1.0      | 10       | 49       | 51       | 2.03     | 0.92     |
| 080421 -150                |                                   | 0.005   | <0.005   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   | 0.005   | 0.005    |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | <0.005  | <0.005   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   | 0.010   | 0.010    |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080449 -150                |                                   |         |          | <0.5     | 7.89     | 15       | 1040     | 2.0      | <2       | 0.45     | <0.5     | 16       | 83       | 27       | 3.79     | 2.26     |
| DUP                        |                                   |         |          | <0.5     | 8.24     | 14       | 1030     | 2.0      | <2       | 0.47     | <0.5     | 16       | 79       | 26       | 3.76     | 2.24     |
| Target Range - Lower Bound |                                   |         |          | <0.5     | 7.64     | <5       | 960      | 0.9      | <2       | 0.42     | <0.5     | 13       | 75       | 23       | 3.57     | 2.12     |
| Upper Bound                |                                   |         |          | 1.0      | 8.49     | 25       | 1110     | 3.1      | 4        | 0.50     | 1.0      | 19       | 87       | 30       | 3.98     | 2.38     |
| ORIGINAL                   |                                   | 0.205   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   | 0.203   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | 0.184   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   | 0.224   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |                                   | 0.603   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   | 0.604   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | 0.563   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   | 0.644   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |                                   | 1.040   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   | 1.015   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | 0.966   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   | 1.090   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 6 - B

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Sample Description                                              | Method<br>Analyte<br>Units<br>LOR | ME-ICP61                     | ME-ICP61                 | ME-ICP61          | ME-ICP61                     | ME-ICP61             | ME-ICP61                    | ME-ICP61             | ME-ICP61                      | ME-ICP61             | ME-ICP61                 | ME-ICP61                     | ME-ICP61                 | ME-ICP61                | ME-ICP61             |
|-----------------------------------------------------------------|-----------------------------------|------------------------------|--------------------------|-------------------|------------------------------|----------------------|-----------------------------|----------------------|-------------------------------|----------------------|--------------------------|------------------------------|--------------------------|-------------------------|----------------------|
|                                                                 |                                   | Mg                           | Mn                       | Mo                | Na                           | Ni                   | P                           | Pb                   | S                             | Sb                   | Sr                       | Ti                           | V                        | W                       | Zn                   |
|                                                                 |                                   | %                            | ppm                      | ppm               | %                            | ppm                  | ppm                         | ppm                  | %                             | ppm                  | ppm                      | %                            | ppm                      | ppm                     | ppm                  |
|                                                                 |                                   | 0.01                         | 5                        | 1                 | 0.01                         | 1                    | 10                          | 2                    | 0.01                          | 5                    | 1                        | 0.01                         | 1                        | 10                      | 2                    |
| 080401 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | DUPLICATES                   |                          |                   |                              |                      |                             |                      |                               |                      |                          |                              |                          |                         |                      |
| 080403 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 0.55<br>0.57<br>0.51<br>0.61 | 250<br>260<br>232<br>278 | 1<br>1<br><1<br>2 | 0.80<br>0.83<br>0.75<br>0.88 | 16<br>16<br>13<br>19 | 810<br>840<br>760<br>880    | 14<br>13<br>9<br>18  | 0.02<br>0.02<br><0.01<br>0.04 | <5<br><5<br><5<br>10 | 128<br>134<br>122<br>140 | 0.39<br>0.39<br>0.35<br>0.43 | 118<br>116<br>109<br>125 | <10<br>10<br><10<br>20  | 54<br>54<br>47<br>61 |
| 080410 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 0.57<br>0.61<br>0.54<br>0.64 | 549<br>585<br>529<br>605 | 1<br>1<br><1<br>2 | 0.31<br>0.34<br>0.29<br>0.36 | 39<br>40<br>36<br>43 | 1010<br>1050<br>960<br>1100 | 13<br>15<br>9<br>19  | 0.18<br>0.20<br>0.16<br>0.22  | <5<br>7<br><5<br>10  | 170<br>186<br>167<br>189 | 0.16<br>0.16<br>0.13<br>0.19 | 53<br>56<br>50<br>59     | <10<br>10<br><10<br>20  | 47<br>47<br>41<br>53 |
| 080421 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                              |                          |                   |                              |                      |                             |                      |                               |                      |                          |                              |                          |                         |                      |
| 080449 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 0.80<br>0.79<br>0.74<br>0.85 | 419<br>420<br>389<br>450 | 1<br>1<br><1<br>2 | 0.81<br>0.79<br>0.74<br>0.86 | 34<br>34<br>30<br>38 | 280<br>270<br>240<br>310    | 23<br>20<br>16<br>27 | 0.01<br>0.01<br><0.01<br>0.02 | <5<br><5<br><5<br>10 | 133<br>134<br>125<br>142 | 0.41<br>0.39<br>0.36<br>0.44 | 125<br>122<br>115<br>132 | <10<br><10<br><10<br>20 | 81<br>76<br>71<br>86 |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                                   |                              |                          |                   |                              |                      |                             |                      |                               |                      |                          |                              |                          |                         |                      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                                   |                              |                          |                   |                              |                      |                             |                      |                               |                      |                          |                              |                          |                         |                      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound    |                                   |                              |                          |                   |                              |                      |                             |                      |                               |                      |                          |                              |                          |                         |                      |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 7 - A

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Method                     | Au-AA23    | Au-AA23D | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analyte                    | Au         | Au       | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        |
| Units                      | ppm        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        |
| LOR                        | 0.005      | 0.005    | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     |
| Sample Description         | DUPLICATES |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   | 0.061      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        | 0.063      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | 0.049      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 0.075      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |            |          | <0.5     | 7.39     | 5        | 440      | 0.8      | <2       | 1.94     | <0.5     | 3        | 13       | 88       | 1.02     | 1.01     |
| DUP                        |            |          | <0.5     | 7.61     | <5       | 420      | 0.7      | <2       | 1.86     | <0.5     | 3        | 10       | 81       | 0.98     | 0.98     |
| Target Range - Lower Bound |            |          | <0.5     | 7.11     | <5       | 390      | <0.5     | <2       | 1.79     | <0.5     | <1       | 9        | 78       | 0.93     | 0.93     |
| Upper Bound                |            |          | 1.0      | 7.90     | 10       | 470      | 1.0      | 4        | 2.02     | 1.0      | 5        | 14       | 91       | 1.07     | 1.06     |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 7 - B

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071094

| Sample Description                                           | Method<br>Analyte<br>Units<br>LOR | ME-ICP61<br>Mg<br>% | ME-ICP61<br>Mn<br>ppm | ME-ICP61<br>Mo<br>ppm | ME-ICP61<br>Na<br>% | ME-ICP61<br>Ni<br>ppm | ME-ICP61<br>P<br>ppm | ME-ICP61<br>Pb<br>ppm | ME-ICP61<br>S<br>% | ME-ICP61<br>Sb<br>ppm | ME-ICP61<br>Sr<br>ppm | ME-ICP61<br>Ti<br>% | ME-ICP61<br>V<br>ppm | ME-ICP61<br>W<br>ppm | ME-ICP61<br>Zn<br>ppm |
|--------------------------------------------------------------|-----------------------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|---------------------|----------------------|----------------------|-----------------------|
|                                                              |                                   | 0.01                | 5                     | 1                     | 0.01                | 1                     | 10                   | 2                     | 0.01               | 5                     | 1                     | 0.01                | 1                    | 10                   | 2                     |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | DUPLICATES          |                       |                       |                     |                       |                      |                       |                    |                       |                       |                     |                      |                      |                       |
| ORIGINAL                                                     |                                   | 0.35                | 150                   | <1                    | 4.40                | 6                     | 180                  | <2                    | 0.08               | <5                    | 325                   | 0.08                | 16                   | <10                  | 30                    |
| DUP                                                          |                                   | 0.33                | 144                   | <1                    | 4.39                | 2                     | 200                  | <2                    | 0.07               | <5                    | 321                   | 0.08                | 15                   | <10                  | 29                    |
| Target Range - Lower Bound                                   |                                   | 0.30                | 130                   | <1                    | 4.16                | 2                     | 160                  | <2                    | 0.05               | <5                    | 305                   | 0.06                | 13                   | <10                  | 24                    |
| Upper Bound                                                  |                                   | 0.38                | 164                   | 2                     | 4.63                | 6                     | 220                  | 4                     | 0.10               | 10                    | 341                   | 0.10                | 18                   | 20                   | 35                    |
|                                                              |                                   |                     |                       |                       |                     |                       |                      |                       |                    |                       |                       |                     |                      |                      |                       |

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 1  
Finalized Date: 30-OCT-2004  
Account: STRGOL

## CERTIFICATE VA04071096

Project: Dub 1735

P.O. No.:

This report is for 444 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED  
NOV - 8 2004

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |
| SCR-41d  | Screen to -100um, save both    |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |

To: STRATAGOLD EXPLORATION INC.  
ATTN: ACCOUNTS PAYABLE  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21          | Au-AA23   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%  | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%  | Cd<br>ppm | Co<br>ppm | Cr<br>ppm | Cu<br>ppm | Fe<br>%  | K<br>%   |
|                    |                                   | 0.02            | 0.005     | 0.5       | 0.01     | 5         | 10        | 0.5       | 2         | 0.01     | 0.5       | 1         | 1         | 1         | 0.01     | 0.01     |
| 080045-80+150      |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080046-80+150      |                                   | 0.28            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080047-80+150      |                                   | 0.56            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080048-80+150      |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080049-80+150      |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080050-80+150      |                                   | 0.56            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080630-80+150      |                                   | 0.16            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080631-80+150      |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080632-80+150      |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080633-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080634-80+150      |                                   | 0.20            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080635-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080636-80+150      |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080637-80+150      |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080638-80+150      |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080639-80+150      |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080640-80+150      |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080641-80+150      |                                   | 0.48            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080642-80+150      |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080643-80+150      |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080644-80+150      |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080645-80+150      |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080646-80+150      |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080647-80+150      |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080648-80+150      |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080649-80+150      |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080650-80+150      |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080651-80+150      |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080652-80+150      |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080653-80+150      |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080654-80+150      |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080655-80+150      |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080656-80+150      |                                   | 0.58            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080657-80+150      |                                   | 0.68            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080658-80+150      |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080659-80+150      |                                   | 0.60            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080660-80+150      |                                   | 0.70            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080661-80+150      |                                   | 0.60            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080662-80+150      |                                   | 0.66            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080663-80+150      |                                   | 0.62            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description                                                                | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  | Au-AA23D  |
|-----------------------------------------------------------------------------------|-----------------------------------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|----------|-----------|-----------|
|                                                                                   |                                   | Mg<br>%  | Mn<br>ppm | Mo<br>ppm | Na<br>%  | Ni<br>ppm | P<br>ppm | Pb<br>ppm | S<br>%   | Sb<br>ppm | Sr<br>ppm | Ti<br>%  | V<br>ppm | W<br>ppm | Zn<br>ppm | Au<br>ppm |
|                                                                                   |                                   | 0.01     | 5         | 1         | 0.01     | 1         | 10       | 2         | 0.01     | 5         | 1         | 0.01     | 1        | 10       | 2         | 0.005     |
| 080045-80+150<br>080046-80+150<br>080047-80+150<br>080048-80+150<br>080049-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080050-80+150<br>080630-80+150<br>080631-80+150<br>080632-80+150<br>080633-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080634-80+150<br>080635-80+150<br>080636-80+150<br>080637-80+150<br>080638-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080639-80+150<br>080640-80+150<br>080641-80+150<br>080642-80+150<br>080643-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080644-80+150<br>080645-80+150<br>080646-80+150<br>080647-80+150<br>080648-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080649-80+150<br>080650-80+150<br>080651-80+150<br>080652-80+150<br>080653-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080654-80+150<br>080655-80+150<br>080656-80+150<br>080657-80+150<br>080658-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080659-80+150<br>080660-80+150<br>080661-80+150<br>080662-80+150<br>080663-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 3 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071096**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21          | Au-AA23   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%  | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%  | Cd<br>ppm | Co<br>ppm | Cr<br>ppm | Cu<br>ppm | Fe<br>%  | K<br>%   |
|                    |                                   | 0.02            | 0.005     | 0.5       | 0.01     | 5         | 10        | 0.5       | 2         | 0.01     | 0.5       | 1         | 1         | 1         | 0.01     | 0.01     |
| 080664-80+150      |                                   | 0.68            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080665-80+150      |                                   | 0.72            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080666-80+150      |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080667-80+150      |                                   | 0.68            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080668-80+150      |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080669-80+150      |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080670-80+150      |                                   | 0.48            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080671-80+150      |                                   | 0.72            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080701-80+150      |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080702-80+150      |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080703-80+150      |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080704-80+150      |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080705-80+150      |                                   | 0.20            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080706-80+150      |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080707-80+150      |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080708-80+150      |                                   | 0.20            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080709-80+150      |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080710-80+150      |                                   | 0.14            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080711-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080712-80+150      |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080713-80+150      |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080714-80+150      |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080715-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080716-80+150      |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080717-80+150      |                                   | 0.16            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080718-80+150      |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080719-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080720-80+150      |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080721-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080722-80+150      |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080723-80+150      |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080724-80+150      |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080725-80+150      |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080726-80+150      |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080727-80+150      |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080728-80+150      |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080729-80+150      |                                   | 0.28            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080731-80+150      |                                   | 0.16            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080732-80+150      |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080734-80+150      |                                   | 0.20            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 3 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description                                                                | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  | Au-AA23D  |
|-----------------------------------------------------------------------------------|-----------------------------------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|----------|-----------|-----------|
|                                                                                   |                                   | Mg<br>%  | Mn<br>ppm | Mo<br>ppm | Na<br>%  | Ni<br>ppm | P<br>ppm | Pb<br>ppm | S<br>%   | Sb<br>ppm | Sr<br>ppm | Ti<br>%  | V<br>ppm | W<br>ppm | Zn<br>ppm | Au<br>ppm |
|                                                                                   |                                   | 0.01     | 5         | 1         | 0.01     | 1         | 10       | 2         | 0.01     | 5         | 1         | 0.01     | 1        | 10       | 2         | 0.005     |
| 080664-80+150<br>080665-80+150<br>080666-80+150<br>080667-80+150<br>080668-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080669-80+150<br>080670-80+150<br>080671-80+150<br>080701-80+150<br>080702-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080703-80+150<br>080704-80+150<br>080705-80+150<br>080706-80+150<br>080707-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080708-80+150<br>080709-80+150<br>080710-80+150<br>080711-80+150<br>080712-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080713-80+150<br>080714-80+150<br>080715-80+150<br>080716-80+150<br>080717-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080718-80+150<br>080719-80+150<br>080720-80+150<br>080721-80+150<br>080722-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080723-80+150<br>080724-80+150<br>080725-80+150<br>080726-80+150<br>080727-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080728-80+150<br>080729-80+150<br>080731-80+150<br>080732-80+150<br>080734-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 4 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21         | Au-AA23   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                    |                                   | Recvd WL<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%  | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%  | Cd<br>ppm | Co<br>ppm | Cr<br>ppm | Cu<br>ppm | Fe<br>%  | K<br>%   |
|                    |                                   | 0.02           | 0.005     | 0.5       | 0.01     | 5         | 10        | 0.5       | 2         | 0.01     | 0.5       | 1         | 1         | 1         | 0.01     | 0.01     |
| 080737-80+150      |                                   | 0.24           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080739-80+150      |                                   | 0.34           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080740-80+150      |                                   | 0.32           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080741-80+150      |                                   | 0.26           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080742-80+150      |                                   | 0.20           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080743-80+150      |                                   | 0.58           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080744-80+150      |                                   | 0.48           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080745-80+150      |                                   | 0.58           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080746-80+150      |                                   | 0.46           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080747-80+150      |                                   | 0.44           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080748-80+150      |                                   | 0.42           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080749-80+150      |                                   | 0.50           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080750-80+150      |                                   | 0.50           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080751-80+150      |                                   | 0.44           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080752-80+150      |                                   | 0.40           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080753-80+150      |                                   | 0.48           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080754-80+150      |                                   | 0.54           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080755-80+150      |                                   | 0.54           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080756-80+150      |                                   | 0.44           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080757-80+150      |                                   | 0.42           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080758-80+150      |                                   | 0.28           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080759-80+150      |                                   | 0.48           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080760-80+150      |                                   | 0.48           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080761-80+150      |                                   | 0.46           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080762-80+150      |                                   | 0.56           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080763-80+150      |                                   | 0.42           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080764-80+150      |                                   | 0.40           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080765-80+150      |                                   | 0.32           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080766-80+150      |                                   | 0.46           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080767-80+150      |                                   | 0.24           | 0.008     |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080768-80+150      |                                   | 0.48           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080769-80+150      |                                   | 0.44           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080770-80+150      |                                   | 0.38           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080771-80+150      |                                   | 0.28           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080772-80+150      |                                   | 0.36           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080773-80+150      |                                   | 0.36           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080774-80+150      |                                   | 0.36           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080775-80+150      |                                   | 0.44           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080851-80+150      |                                   | 0.38           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080852-80+150      |                                   | 0.62           |           |           |          |           |           |           |           |          |           |           |           |           |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 4 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080737-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080739-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080740-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080741-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080742-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080743-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080744-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080745-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080746-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080747-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080748-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080749-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080750-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080751-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080752-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080753-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080754-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080755-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080756-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080757-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080758-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080759-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080760-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080761-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080762-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080763-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080764-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080765-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080766-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080767-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080768-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080769-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080770-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080771-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080772-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080773-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080774-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080775-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080851-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080852-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21          | Au-AA23   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%  | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%  | Cd<br>ppm | Co<br>ppm | Cr<br>ppm | Cu<br>ppm | Fe<br>%  | K<br>%   |
|                    |                                   | 0.02            | 0.005     | 0.5       | 0.01     | 5         | 10        | 0.5       | 2         | 0.01     | 0.5       | 1         | 1         | 1         | 0.01     | 0.01     |
| 080853-80+150      |                                   | 0.48            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080854-80+150      |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080855-80+150      |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080856-80+150      |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080857-80+150      |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088801-80+150      |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088802-80+150      |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088803-80+150      |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088804-80+150      |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088805-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088806-80+150      |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088807-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088808-80+150      |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088809-80+150      |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088810-80+150      |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088811-80+150      |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088812-80+150      |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088813-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088814-80+150      |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088815-80+150      |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088816-80+150      |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088817-80+150      |                                   | 0.16            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088818-80+150      |                                   | 0.20            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088819-80+150      |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088820-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088821-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088822-80+150      |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088823-80+150      |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088824-80+150      |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088825-80+150      |                                   | 0.20            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088826-80+150      |                                   | 0.20            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088827-80+150      |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088828-80+150      |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088829-80+150      |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088830-80+150      |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088831-80+150      |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088832-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088833-80+150      |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088834-80+150      |                                   | 1.10            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 088835-80+150      |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080853-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080854-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080855-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080856-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080857-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088801-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088802-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088803-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088804-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088805-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088806-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088807-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088808-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088809-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088810-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088811-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088812-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088813-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088814-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088815-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088816-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088817-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088818-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088819-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088820-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088821-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088822-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088823-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088824-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088825-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088826-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088827-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088828-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088829-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088830-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088831-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088832-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088833-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088834-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088835-80+150      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 6 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071096**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 088836-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088837-80+150      |                                   | 0.10                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088838-80+150      |                                   | 0.50                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088839-80+150      |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088840-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088841-80+150      |                                   | 0.52                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088842-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088843-80+150      |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088844-80+150      |                                   | 0.40                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088845-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088846-80+150      |                                   | 0.30                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088847-80+150      |                                   | 0.44                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088848-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088849-80+150      |                                   | 0.46                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088850-80+150      |                                   | 0.44                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088851-80+150      |                                   | 0.46                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088852-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088853-80+150      |                                   | 0.32                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088854-80+150      |                                   | 0.32                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088855-80+150      |                                   | 0.48                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088856-80+150      |                                   | 0.50                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088857-80+150      |                                   | 0.62                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088858-80+150      |                                   | 0.48                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088859-80+150      |                                   | 0.56                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088860-80+150      |                                   | 0.40                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088861-80+150      |                                   | 0.46                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088862-80+150      |                                   | 0.16                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088863-80+150      |                                   | 0.60                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088864-80+150      |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088865-80+150      |                                   | 0.46                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088866-80+150      |                                   | 0.50                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088867-80+150      |                                   | 0.60                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088868-80+150      |                                   | 0.68                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088869-80+150      |                                   | 0.74                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088901-80+150      |                                   | 0.62                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088903-80+150      |                                   | 0.38                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088904-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088905-80+150      |                                   | 0.44                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088906-80+150      |                                   | 0.52                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088907-80+150      |                                   | 0.54                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 6 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description                                                                | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|-----------------------------------------------------------------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                                                                                   |                                   | Mg       | Mn       | Mo       | Na       | NI       | P        | Pb       | S        | Sb       | Sr       | TI       | V        | W        | Zn       | Au       |
|                                                                                   |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                                                                                   |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 088836-80+150<br>088837-80+150<br>088838-80+150<br>088839-80+150<br>088840-80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088841-80+150<br>088842-80+150<br>088843-80+150<br>088844-80+150<br>088845-80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088846-80+150<br>088847-80+150<br>088848-80+150<br>088849-80+150<br>088850-80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088851-80+150<br>088852-80+150<br>088853-80+150<br>088854-80+150<br>088855-80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088856-80+150<br>088857-80+150<br>088858-80+150<br>088859-80+150<br>088860-80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088861-80+150<br>088862-80+150<br>088863-80+150<br>088864-80+150<br>088865-80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088866-80+150<br>088867-80+150<br>088868-80+150<br>088869-80+150<br>088901-80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 088903-80+150<br>088904-80+150<br>088905-80+150<br>088906-80+150<br>088907-80+150 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 7 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt:<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 088908-80+150      |                                   | 0.58                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088909-80+150      |                                   | 0.60                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088910-80+150      |                                   | 0.48                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088911-80+150      |                                   | 0.50                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088912-80+150      |                                   | 0.56                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088913-80+150      |                                   | 0.46                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088914-80+150      |                                   | 0.44                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088915-80+150      |                                   | 0.34                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088916-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088917-80+150      |                                   | 0.66                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088918-80+150      |                                   | 0.48                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088870-80+150      |                                   | 0.56                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088871-80+150      |                                   | 0.64                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088872-80+150      |                                   | 0.38                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 088873-80+150      |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 089051-80+150      |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 089052-80+150      |                                   | 0.40                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 089053-80+150      |                                   | 0.20                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 089054-80+150      |                                   | 0.22                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 089055-80+150      |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 089056-80+150      |                                   | 0.20                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 089057-80+150      |                                   | 0.12                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080045-150         |                                   |                                   | <0.005                        | <0.5                         | 6.43                        | 6                          | 880                         | 1.2                          | <2                         | 0.98                        | <0.5                         | 10                         | 69                         | 16                         | 3.23                        | 1.46                       |
| 080046-150         |                                   |                                   | <0.005                        | <0.5                         | 8.64                        | 19                         | 1020                        | 2.2                          | <2                         | 0.52                        | 0.9                          | 14                         | 181                        | 33                         | 4.00                        | 2.96                       |
| 080047-150         |                                   |                                   | 0.011                         | <0.5                         | 5.97                        | 14                         | 850                         | 1.3                          | <2                         | 0.75                        | <0.5                         | 12                         | 80                         | 20                         | 3.53                        | 1.36                       |
| 080048-150         |                                   |                                   | <0.005                        | <0.5                         | 6.35                        | 16                         | 970                         | 1.3                          | <2                         | 0.69                        | 0.5                          | 10                         | 85                         | 22                         | 3.46                        | 1.48                       |
| 080049-150         |                                   |                                   | <0.005                        | <0.5                         | 5.94                        | 13                         | 930                         | 1.1                          | <2                         | 0.71                        | 0.5                          | 8                          | 66                         | 13                         | 3.34                        | 1.26                       |
| 080050-150         |                                   |                                   | 0.005                         | 0.7                          | 5.38                        | 17                         | 860                         | 1.1                          | <2                         | 0.65                        | 0.6                          | 7                          | 62                         | 16                         | 2.91                        | 1.42                       |
| 080630-150         |                                   |                                   | 0.018                         | 0.6                          | 7.25                        | 15                         | 610                         | 2.0                          | <2                         | 1.11                        | 0.5                          | 25                         | 70                         | 60                         | 5.02                        | 2.28                       |
| 080631-150         |                                   |                                   | <0.005                        | <0.5                         | 6.42                        | 15                         | 700                         | 1.5                          | <2                         | 0.49                        | 0.5                          | 12                         | 63                         | 21                         | 3.10                        | 1.92                       |
| 080632-150         |                                   |                                   | <0.005                        | 1.1                          | 6.77                        | 31                         | 1000                        | 1.7                          | <2                         | 0.96                        | 1.6                          | 21                         | 70                         | 28                         | 3.40                        | 1.88                       |
| 080633-150         |                                   |                                   | <0.005                        | <0.5                         | 5.77                        | 17                         | 940                         | 1.3                          | <2                         | 0.68                        | <0.5                         | 9                          | 63                         | 20                         | 3.05                        | 1.41                       |
| 080634-150         |                                   |                                   | <0.005                        | <0.5                         | 6.39                        | 21                         | 1070                        | 1.4                          | <2                         | 0.92                        | <0.5                         | 8                          | 62                         | 22                         | 3.08                        | 1.52                       |
| 080635-150         |                                   |                                   | 0.006                         | <0.5                         | 6.57                        | 8                          | 920                         | 1.7                          | <2                         | 0.81                        | 0.5                          | 11                         | 91                         | 29                         | 3.42                        | 1.71                       |
| 080636-150         |                                   |                                   | <0.005                        | <0.5                         | 6.93                        | 14                         | 890                         | 1.6                          | <2                         | 0.73                        | <0.5                         | 10                         | 82                         | 26                         | 3.60                        | 1.88                       |
| 080637-150         |                                   |                                   | <0.005                        | <0.5                         | 7.11                        | 23                         | 860                         | 1.9                          | <2                         | 0.49                        | 0.5                          | 13                         | 113                        | 26                         | 4.03                        | 2.28                       |
| 080638-150         |                                   |                                   | <0.005                        | <0.5                         | 5.86                        | 7                          | 980                         | 1.2                          | <2                         | 0.82                        | 0.6                          | 6                          | 72                         | 15                         | 2.63                        | 1.40                       |
| 080639-150         |                                   |                                   | <0.005                        | <0.5                         | 5.99                        | 17                         | 1030                        | 1.4                          | <2                         | 1.01                        | <0.5                         | 10                         | 68                         | 22                         | 2.63                        | 1.37                       |
| 080640-150         |                                   |                                   | <0.005                        | <0.5                         | 5.67                        | <5                         | 950                         | 1.3                          | <2                         | 1.24                        | 0.5                          | 10                         | 64                         | 21                         | 2.73                        | 1.44                       |
| 080641-150         |                                   |                                   | 0.005                         | <0.5                         | 5.84                        | 15                         | 1000                        | 1.3                          | <2                         | 1.25                        | <0.5                         | 8                          | 68                         | 17                         | 2.84                        | 1.49                       |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 7 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description                                                                | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  | Au-AA23D  |
|-----------------------------------------------------------------------------------|-----------------------------------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|----------|-----------|-----------|
|                                                                                   |                                   | Mg<br>%  | Mn<br>ppm | Mo<br>ppm | Na<br>%  | Ni<br>ppm | P<br>ppm | Pb<br>ppm | S<br>%   | Sb<br>ppm | Sr<br>ppm | Ti<br>%  | V<br>ppm | W<br>ppm | Zn<br>ppm | Au<br>ppm |
|                                                                                   |                                   | 0.01     | 5         | 1         | 0.01     | 1         | 10       | 2         | 0.01     | 5         | 1         | 0.01     | 1        | 10       | 2         | 0.005     |
| 088908-80+150<br>088909-80+150<br>088910-80+150<br>088911-80+150<br>088912-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 088913-80+150<br>088914-80+150<br>088915-80+150<br>088916-80+150<br>088917-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 088918-80+150<br>088870-80+150<br>088871-80+150<br>088872-80+150<br>088873-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 089051-80+150<br>089052-80+150<br>089053-80+150<br>089054-80+150<br>089055-80+150 |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 089056-80+150<br>089057-80+150<br>080045-150<br>080046-150<br>080047-150          |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
|                                                                                   |                                   | 0.79     | 469       | <1        | 1.06     | 26        | 290      | 18        | 0.02     | <5        | 183       | 0.41     | 120      | <10      | 61        |           |
|                                                                                   |                                   | 1.21     | 409       | <1        | 0.67     | 58        | 660      | 41        | 0.04     | 6         | 147       | 0.32     | 132      | 10       | 108       |           |
|                                                                                   |                                   | 0.77     | 456       | 1         | 1.00     | 28        | 360      | 23        | 0.01     | <5        | 157       | 0.41     | 120      | <10      | 80        |           |
| 080048-150<br>080049-150<br>080050-150<br>080630-150<br>080631-150                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
|                                                                                   |                                   | 0.78     | 516       | 1         | 0.97     | 29        | 340      | 23        | 0.01     | <5        | 155       | 0.39     | 132      | <10      | 83        |           |
|                                                                                   |                                   | 0.69     | 362       | <1        | 1.05     | 21        | 430      | 22        | 0.01     | <5        | 154       | 0.42     | 122      | <10      | 73        |           |
|                                                                                   |                                   | 0.58     | 303       | <1        | 0.92     | 21        | 240      | 32        | 0.01     | 10        | 140       | 0.43     | 111      | <10      | 58        |           |
|                                                                                   |                                   | 0.58     | 2090      | 1         | 0.32     | 52        | 690      | 27        | 0.05     | <5        | 102       | 0.38     | 114      | <10      | 97        |           |
|                                                                                   |                                   | 0.50     | 569       | <1        | 0.52     | 25        | 480      | 31        | 0.02     | <5        | 97        | 0.39     | 104      | <10      | 83        |           |
| 080632-150<br>080633-150<br>080634-150<br>080635-150<br>080636-150                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
|                                                                                   |                                   | 0.65     | 1615      | <1        | 0.83     | 35        | 770      | 93        | 0.04     | <5        | 168       | 0.45     | 112      | 10       | 166       |           |
|                                                                                   |                                   | 0.62     | 376       | 1         | 0.95     | 21        | 450      | 18        | 0.01     | <5        | 150       | 0.40     | 117      | <10      | 65        |           |
|                                                                                   |                                   | 0.75     | 396       | 1         | 1.12     | 24        | 560      | 17        | 0.01     | <5        | 182       | 0.41     | 121      | 10       | 72        |           |
|                                                                                   |                                   | 0.88     | 357       | 1         | 1.00     | 34        | 260      | 18        | 0.01     | <5        | 165       | 0.40     | 118      | <10      | 75        |           |
|                                                                                   |                                   | 0.81     | 396       | 1         | 0.97     | 30        | 310      | 24        | 0.02     | 5         | 158       | 0.45     | 125      | <10      | 82        |           |
| 080637-150<br>080638-150<br>080639-150<br>080640-150<br>080641-150                |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
|                                                                                   |                                   | 0.71     | 505       | 1         | 0.71     | 40        | 380      | 33        | 0.02     | 11        | 119       | 0.48     | 122      | <10      | 91        |           |
|                                                                                   |                                   | 0.69     | 270       | 1         | 0.94     | 23        | 520      | 20        | 0.02     | 5         | 152       | 0.38     | 114      | <10      | 65        |           |
|                                                                                   |                                   | 0.74     | 279       | <1        | 1.06     | 24        | 540      | 26        | 0.02     | 5         | 176       | 0.40     | 117      | <10      | 77        |           |
|                                                                                   |                                   | 0.71     | 505       | <1        | 1.17     | 23        | 710      | 18        | 0.02     | <5        | 211       | 0.35     | 103      | <10      | 77        |           |
|                                                                                   |                                   | 0.74     | 373       | 1         | 1.18     | 22        | 730      | 20        | 0.01     | <5        | 208       | 0.36     | 110      | <10      | 79        | <0.005    |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 8 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080642-150         |                                   |                                   | 0.005                         | <0.5                         | 7.14                        | 24                         | 1010                        | 1.6                          | <2                         | 1.17                        | <0.5                         | 10                         | 78                         | 24                         | 3.21                        | 2.04                       |
| 080643-150         |                                   |                                   | 0.008                         | <0.5                         | 6.43                        | 43                         | 880                         | 1.5                          | <2                         | 0.85                        | 0.7                          | 12                         | 66                         | 22                         | 3.40                        | 1.85                       |
| 080644-150         |                                   |                                   | 0.005                         | <0.5                         | 0.88                        | <5                         | 150                         | <0.5                         | <2                         | 4.46                        | 1.2                          | 2                          | 10                         | 20                         | 0.45                        | 0.20                       |
| 080645-150         |                                   |                                   | <0.005                        | <0.5                         | 11.80                       | 10                         | 1330                        | 3.8                          | <2                         | 0.21                        | 0.7                          | 18                         | 126                        | 70                         | 4.91                        | 5.46                       |
| 080646-150         |                                   |                                   | 0.005                         | <0.5                         | 9.04                        | 57                         | 990                         | 2.4                          | <2                         | 1.04                        | 1.0                          | 24                         | 137                        | 58                         | 5.32                        | 3.10                       |
| 080647-150         |                                   |                                   | 0.009                         | <0.5                         | 8.51                        | 33                         | 1090                        | 2.3                          | <2                         | 0.94                        | <0.5                         | 16                         | 128                        | 44                         | 4.14                        | 2.91                       |
| 080648-150         |                                   |                                   | 0.005                         | <0.5                         | 9.92                        | 9                          | 1130                        | 2.5                          | <2                         | 0.59                        | <0.5                         | 15                         | 123                        | 35                         | 4.21                        | 3.26                       |
| 080649-150         |                                   |                                   | <0.005                        | <0.5                         | 11.55                       | 15                         | 1230                        | 3.1                          | <2                         | 0.24                        | 0.5                          | 10                         | 118                        | 42                         | 4.78                        | 4.21                       |
| 080650-150         |                                   |                                   | <0.005                        | <0.5                         | 7.01                        | 8                          | 890                         | 1.6                          | <2                         | 0.48                        | <0.5                         | 9                          | 110                        | 23                         | 3.33                        | 1.82                       |
| 080651-150         |                                   |                                   | <0.005                        | 0.5                          | 6.72                        | 13                         | 1020                        | 1.5                          | <2                         | 0.80                        | 1.3                          | 11                         | 163                        | 26                         | 3.62                        | 1.78                       |
| 080652-150         |                                   |                                   | <0.005                        | 0.9                          | 6.21                        | 16                         | 910                         | 1.2                          | <2                         | 0.62                        | <0.5                         | 8                          | 83                         | 19                         | 3.30                        | 1.50                       |
| 080653-150         |                                   |                                   | <0.005                        | 0.9                          | 6.76                        | 12                         | 1140                        | 1.5                          | <2                         | 0.71                        | 0.9                          | 9                          | 78                         | 30                         | 3.51                        | 1.71                       |
| 080654-150         |                                   |                                   | 0.008                         | 2.2                          | 5.70                        | 33                         | 810                         | 1.2                          | <2                         | 0.69                        | 0.5                          | 8                          | 66                         | 19                         | 3.09                        | 1.45                       |
| 080655-150         |                                   |                                   | <0.005                        | 1.0                          | 6.59                        | 25                         | 1120                        | 1.4                          | <2                         | 1.16                        | 0.6                          | 9                          | 70                         | 25                         | 3.06                        | 1.76                       |
| 080656-150         |                                   |                                   | 0.006                         | <0.5                         | 6.55                        | 22                         | 1110                        | 1.5                          | <2                         | 1.00                        | 0.7                          | 9                          | 70                         | 27                         | 3.26                        | 1.82                       |
| 080657-150         |                                   |                                   | 0.006                         | <0.5                         | 6.83                        | 21                         | 990                         | 1.6                          | <2                         | 0.87                        | 0.5                          | 10                         | 67                         | 29                         | 3.26                        | 1.90                       |
| 080658-150         |                                   |                                   | <0.005                        | <0.5                         | 6.79                        | 15                         | 1000                        | 1.5                          | <2                         | 1.44                        | 0.6                          | 10                         | 73                         | 22                         | 3.12                        | 1.90                       |
| 080659-150         |                                   |                                   | <0.005                        | <0.5                         | 6.55                        | 15                         | 950                         | 1.6                          | <2                         | 1.39                        | 0.6                          | 8                          | 65                         | 28                         | 3.00                        | 1.89                       |
| 080660-150         |                                   |                                   | 0.006                         | <0.5                         | 9.02                        | 38                         | 1090                        | 2.3                          | <2                         | 0.70                        | 0.9                          | 17                         | 83                         | 37                         | 4.23                        | 2.97                       |
| 080661-150         |                                   |                                   | <0.005                        | <0.5                         | 9.15                        | 35                         | 1070                        | 2.4                          | <2                         | 0.69                        | <0.5                         | 15                         | 86                         | 38                         | 4.30                        | 2.98                       |
| 080662-150         |                                   |                                   | 0.005                         | <0.5                         | 8.15                        | 24                         | 1030                        | 2.0                          | <2                         | 0.75                        | 0.6                          | 10                         | 75                         | 30                         | 3.76                        | 2.47                       |
| 080663-150         |                                   |                                   | 0.006                         | <0.5                         | 8.26                        | 26                         | 1030                        | 2.0                          | <2                         | 0.89                        | 0.5                          | 13                         | 76                         | 36                         | 3.89                        | 2.49                       |
| 080664-150         |                                   |                                   | <0.005                        | <0.5                         | 7.35                        | 28                         | 1020                        | 1.8                          | <2                         | 0.79                        | 0.7                          | 12                         | 71                         | 30                         | 3.59                        | 2.27                       |
| 080665-150         |                                   |                                   | 0.009                         | 0.9                          | 5.54                        | 48                         | 1110                        | 1.2                          | <2                         | 0.84                        | 0.7                          | 9                          | 64                         | 50                         | 3.42                        | 1.12                       |
| 080666-150         |                                   |                                   | 0.009                         | <0.5                         | 5.02                        | 13                         | 1000                        | 1.0                          | <2                         | 1.29                        | 1.1                          | 8                          | 52                         | 24                         | 2.70                        | 1.08                       |
| 080667-150         |                                   |                                   | 0.005                         | <0.5                         | 6.32                        | 26                         | 1150                        | 1.4                          | <2                         | 1.04                        | 0.7                          | 13                         | 65                         | 31                         | 3.27                        | 1.59                       |
| 080668-150         |                                   |                                   | 0.012                         | <0.5                         | 4.95                        | 21                         | 930                         | 1.1                          | <2                         | 1.12                        | 0.7                          | 8                          | 57                         | 23                         | 2.67                        | 1.25                       |
| 080669-150         |                                   |                                   | 0.007                         | <0.5                         | 5.66                        | 28                         | 1160                        | 1.3                          | <2                         | 0.94                        | 0.7                          | 11                         | 65                         | 38                         | 2.98                        | 1.52                       |
| 080670-150         |                                   |                                   | 0.006                         | <0.5                         | 6.79                        | 31                         | 1420                        | 1.6                          | <2                         | 0.77                        | 0.5                          | 12                         | 79                         | 42                         | 3.65                        | 1.78                       |
| 080671-150         |                                   |                                   | 0.007                         | <0.5                         | 5.63                        | 22                         | 930                         | 1.2                          | <2                         | 0.93                        | 0.8                          | 11                         | 58                         | 25                         | 3.23                        | 1.48                       |
| 080701-150         |                                   |                                   | <0.005                        | <0.5                         | 6.64                        | 32                         | 1110                        | 1.4                          | <2                         | 1.38                        | <0.5                         | 10                         | 65                         | 20                         | 3.02                        | 1.85                       |
| 080702-150         |                                   |                                   | 0.010                         | <0.5                         | 6.32                        | 20                         | 1110                        | 1.3                          | <2                         | 1.10                        | 0.6                          | 9                          | 65                         | 19                         | 2.89                        | 1.65                       |
| 080703-150         |                                   |                                   | 0.007                         | <0.5                         | 6.54                        | 17                         | 1220                        | 1.4                          | <2                         | 0.95                        | 0.7                          | 10                         | 66                         | 21                         | 3.10                        | 1.78                       |
| 080704-150         |                                   |                                   | 0.011                         | <0.5                         | 6.06                        | 12                         | 1160                        | 1.4                          | <2                         | 1.14                        | 0.5                          | 8                          | 53                         | 21                         | 2.74                        | 1.68                       |
| 080705-150         |                                   |                                   | <0.005                        | <0.5                         | 6.27                        | 25                         | 1470                        | 1.4                          | <2                         | 1.48                        | 0.5                          | 10                         | 64                         | 20                         | 2.79                        | 1.70                       |
| 080706-150         |                                   |                                   | 0.007                         | <0.5                         | 6.03                        | 17                         | 1320                        | 1.3                          | <2                         | 0.94                        | 0.5                          | 9                          | 61                         | 24                         | 2.89                        | 1.51                       |
| 080707-150         |                                   |                                   | 0.030                         | <0.5                         | 5.77                        | 17                         | 1320                        | 1.3                          | <2                         | 1.76                        | 0.6                          | 9                          | 58                         | 24                         | 2.41                        | 1.54                       |
| 080708-150         |                                   |                                   | 0.008                         | <0.5                         | 5.92                        | 24                         | 1230                        | 1.4                          | <2                         | 1.30                        | 0.6                          | 9                          | 62                         | 19                         | 2.74                        | 1.64                       |
| 080709-150         |                                   |                                   | 0.006                         | <0.5                         | 5.12                        | 13                         | 960                         | 1.1                          | <2                         | 1.22                        | 0.6                          | 8                          | 59                         | 18                         | 2.72                        | 1.32                       |
| 080710-150         |                                   |                                   | 0.007                         | <0.5                         | 4.96                        | 12                         | 1100                        | 1.1                          | <2                         | 2.00                        | 1.0                          | 8                          | 56                         | 25                         | 2.33                        | 1.20                       |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 8 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080642-150         |                                   | 0.78      | 495      | <1       | 1.05      | 27       | 740       | 30       | 0.02      | 8        | 198      | 0.38      | 112      | <10       | 92       |              |
| 080643-150         |                                   | 0.65      | 411      | 1        | 0.81      | 24       | 590       | 48       | 0.02      | 17       | 154      | 0.32      | 96       | <10       | 94       |              |
| 080644-150         |                                   | 0.34      | 477      | <1       | 0.12      | 12       | 740       | 5        | 0.24      | <5       | 210      | 0.04      | 15       | <10       | 35       |              |
| 080645-150         |                                   | 1.33      | 330      | <1       | 0.61      | 63       | 450       | 53       | 0.03      | <5       | 143      | 0.29      | 162      | <10       | 128      |              |
| 080646-150         |                                   | 1.37      | 689      | 1        | 0.65      | 55       | 700       | 60       | 0.02      | 14       | 190      | 0.34      | 162      | <10       | 144      |              |
| 080647-150         |                                   | 1.23      | 442      | <1       | 0.88      | 47       | 580       | 44       | 0.01      | 12       | 200      | 0.38      | 157      | <10       | 115      |              |
| 080648-150         |                                   | 1.10      | 368      | 1        | 0.90      | 44       | 320       | 43       | 0.02      | 10       | 178      | 0.38      | 156      | <10       | 101      |              |
| 080649-150         |                                   | 1.15      | 278      | 1        | 0.76      | 36       | 350       | 43       | 0.02      | 7        | 157      | 0.37      | 162      | <10       | 102      |              |
| 080650-150         |                                   | 0.82      | 285      | 2        | 0.91      | 29       | 250       | 46       | 0.01      | 10       | 146      | 0.35      | 129      | <10       | 85       |              |
| 080651-150         |                                   | 1.01      | 517      | 1        | 0.86      | 55       | 330       | 56       | 0.01      | 5        | 148      | 0.38      | 123      | <10       | 164      |              |
| 080652-150         |                                   | 0.71      | 413      | 1        | 0.93      | 26       | 250       | 34       | 0.01      | 5        | 139      | 0.41      | 125      | <10       | 81       |              |
| 080653-150         |                                   | 0.80      | 480      | 1        | 0.98      | 32       | 210       | 40       | 0.01      | 6        | 157      | 0.40      | 128      | <10       | 98       |              |
| 080654-150         |                                   | 0.62      | 438      | <1       | 0.88      | 24       | 330       | 212      | 0.01      | 168      | 139      | 0.43      | 108      | 10        | 112      |              |
| 080655-150         |                                   | 0.77      | 615      | 1        | 1.05      | 27       | 730       | 102      | 0.01      | 22       | 192      | 0.38      | 117      | <10       | 140      |              |
| 080656-150         |                                   | 0.74      | 428      | 1        | 0.96      | 28       | 580       | 54       | 0.01      | 9        | 172      | 0.43      | 120      | 10        | 132      |              |
| 080657-150         |                                   | 0.74      | 422      | 1        | 0.88      | 29       | 610       | 54       | 0.01      | 13       | 163      | 0.38      | 110      | <10       | 120      |              |
| 080658-150         |                                   | 0.81      | 463      | <1       | 1.08      | 27       | 520       | 22       | 0.03      | 5        | 218      | 0.38      | 118      | <10       | 105      |              |
| 080659-150         |                                   | 0.68      | 419      | 1        | 0.79      | 25       | 540       | 31       | 0.05      | <5       | 179      | 0.33      | 102      | <10       | 78       |              |
| 080660-150         |                                   | 0.79      | 702      | <1       | 0.80      | 44       | 640       | 34       | 0.02      | <5       | 150      | 0.40      | 120      | 10        | 112      |              |
| 080661-150         |                                   | 0.80      | 603      | 1        | 0.82      | 39       | 630       | 38       | 0.02      | <5       | 151      | 0.39      | 119      | <10       | 116      |              |
| 080662-150         |                                   | 0.73      | 388      | <1       | 0.90      | 31       | 450       | 30       | 0.01      | <5       | 158      | 0.41      | 112      | <10       | 96       |              |
| 080663-150         |                                   | 0.73      | 437      | 1        | 0.93      | 34       | 670       | 31       | 0.02      | <5       | 168      | 0.37      | 112      | <10       | 97       |              |
| 080664-150         |                                   | 0.68      | 630      | <1       | 0.84      | 32       | 640       | 33       | 0.01      | <5       | 155      | 0.40      | 109      | <10       | 101      |              |
| 080665-150         |                                   | 0.63      | 615      | 1        | 0.65      | 26       | 530       | 35       | 0.01      | <5       | 112      | 0.32      | 126      | <10       | 92       |              |
| 080666-150         |                                   | 0.64      | 813      | 1        | 0.75      | 22       | 650       | 25       | 0.04      | 5        | 150      | 0.31      | 96       | <10       | 94       |              |
| 080667-150         |                                   | 0.72      | 850      | <1       | 0.87      | 29       | 710       | 29       | 0.03      | <5       | 150      | 0.32      | 108      | <10       | 108      |              |
| 080668-150         |                                   | 0.64      | 448      | 1        | 0.73      | 23       | 720       | 26       | 0.02      | <5       | 126      | 0.31      | 94       | <10       | 93       |              |
| 080669-150         |                                   | 0.73      | 561      | 1        | 0.71      | 29       | 650       | 27       | 0.01      | 6        | 123      | 0.31      | 110      | <10       | 102      |              |
| 080670-150         |                                   | 0.83      | 579      | 1        | 0.77      | 35       | 620       | 34       | 0.01      | 5        | 129      | 0.37      | 137      | 10        | 118      |              |
| 080671-150         |                                   | 0.70      | 497      | <1       | 0.79      | 33       | 770       | 38       | 0.01      | 7        | 125      | 0.29      | 97       | <10       | 111      |              |
| 080701-150         |                                   | 0.68      | 619      | 1        | 0.83      | 24       | 750       | 29       | 0.07      | 9        | 166      | 0.34      | 101      | <10       | 104      | <0.005       |
| 080702-150         |                                   | 0.66      | 617      | 1        | 0.86      | 24       | 630       | 25       | 0.04      | 6        | 154      | 0.34      | 106      | 10        | 87       |              |
| 080703-150         |                                   | 0.77      | 555      | 1        | 0.86      | 22       | 680       | 24       | 0.02      | <5       | 142      | 0.35      | 110      | <10       | 90       |              |
| 080704-150         |                                   | 0.71      | 569      | <1       | 0.89      | 24       | 530       | 20       | 0.06      | 5        | 146      | 0.33      | 92       | <10       | 94       |              |
| 080705-150         |                                   | 0.72      | 628      | <1       | 0.86      | 26       | 570       | 28       | 0.09      | 8        | 177      | 0.34      | 114      | 10        | 112      |              |
| 080706-150         |                                   | 0.72      | 402      | 1        | 0.94      | 24       | 560       | 23       | 0.01      | 10       | 150      | 0.33      | 116      | 10        | 86       |              |
| 080707-150         |                                   | 0.61      | 670      | 1        | 0.77      | 21       | 630       | 22       | 0.06      | 6        | 186      | 0.30      | 102      | <10       | 83       |              |
| 080708-150         |                                   | 0.70      | 536      | <1       | 0.74      | 21       | 600       | 24       | 0.06      | 5        | 156      | 0.33      | 102      | <10       | 105      |              |
| 080709-150         |                                   | 0.67      | 385      | 1        | 0.83      | 21       | 490       | 20       | 0.04      | <5       | 164      | 0.35      | 100      | <10       | 84       |              |
| 080710-150         |                                   | 0.65      | 643      | 1        | 0.82      | 23       | 770       | 21       | 0.13      | 6        | 219      | 0.29      | 93       | <10       | 109      |              |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 9 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080711-150         |                                   |                                   | 0.007                         | <0.5                         | 7.89                        | 58                         | 850                         | 1.7                          | <2                         | 0.38                        | 0.6                          | 6                          | 81                         | 23                         | 3.18                        | 2.58                       |
| 080712-150         |                                   |                                   | 0.007                         | <0.5                         | 7.19                        | 24                         | 1030                        | 1.5                          | <2                         | 0.51                        | 0.6                          | 10                         | 69                         | 26                         | 3.61                        | 1.92                       |
| 080713-150         |                                   |                                   | 0.005                         | <0.5                         | 7.03                        | 18                         | 1020                        | 1.4                          | <2                         | 0.56                        | 0.6                          | 9                          | 69                         | 23                         | 3.37                        | 1.94                       |
| 080714-150         |                                   |                                   | <0.005                        | <0.5                         | 6.48                        | 24                         | 800                         | 1.3                          | <2                         | 0.38                        | <0.5                         | 6                          | 61                         | 17                         | 3.10                        | 1.77                       |
| 080715-150         |                                   |                                   | 0.007                         | <0.5                         | 9.31                        | 44                         | 1100                        | 2.2                          | <2                         | 0.30                        | <0.5                         | 14                         | 83                         | 43                         | 4.52                        | 3.30                       |
| 080716-150         |                                   |                                   | 0.005                         | <0.5                         | 6.96                        | 18                         | 940                         | 1.4                          | <2                         | 0.55                        | <0.5                         | 7                          | 68                         | 20                         | 3.20                        | 2.00                       |
| 080717-150         |                                   |                                   | 0.005                         | <0.5                         | 6.06                        | 11                         | 1100                        | 1.2                          | <2                         | 1.12                        | <0.5                         | 12                         | 62                         | 20                         | 2.82                        | 1.32                       |
| 080718-150         |                                   |                                   | 0.007                         | <0.5                         | 7.04                        | 31                         | 950                         | 1.5                          | <2                         | 0.46                        | 0.5                          | 12                         | 71                         | 35                         | 3.79                        | 1.72                       |
| 080719-150         |                                   |                                   | <0.005                        | <0.5                         | 9.25                        | 18                         | 1340                        | 2.6                          | <2                         | 0.87                        | 0.7                          | 14                         | 91                         | 60                         | 4.54                        | 3.34                       |
| 080720-150         |                                   |                                   | 0.008                         | <0.5                         | 5.74                        | 11                         | 890                         | 1.2                          | <2                         | 0.86                        | 0.5                          | 11                         | 63                         | 14                         | 2.87                        | 1.45                       |
| 080721-150         |                                   |                                   | <0.005                        | <0.5                         | 6.37                        | 15                         | 970                         | 1.3                          | <2                         | 0.83                        | <0.5                         | 9                          | 65                         | 17                         | 3.00                        | 1.62                       |
| 080722-150         |                                   |                                   | <0.005                        | <0.5                         | 6.55                        | 6                          | 980                         | 1.3                          | <2                         | 0.84                        | <0.5                         | 20                         | 64                         | 13                         | 2.95                        | 1.52                       |
| 080723-150         |                                   |                                   | 0.008                         | <0.5                         | 6.16                        | 26                         | 930                         | 1.3                          | <2                         | 0.83                        | <0.5                         | 11                         | 65                         | 23                         | 2.90                        | 1.50                       |
| 080724-150         |                                   |                                   | <0.005                        | <0.5                         | 5.82                        | 14                         | 900                         | 1.2                          | <2                         | 0.76                        | <0.5                         | 42                         | 63                         | 14                         | 3.14                        | 1.38                       |
| 080725-150         |                                   |                                   | 0.013                         | <0.5                         | 5.82                        | 25                         | 790                         | 1.2                          | <2                         | 0.72                        | <0.5                         | 19                         | 56                         | 19                         | 2.86                        | 1.44                       |
| 080726-150         |                                   |                                   | 0.017                         | <0.5                         | 5.59                        | 67                         | 850                         | 1.3                          | <2                         | 0.85                        | <0.5                         | 10                         | 55                         | 28                         | 2.72                        | 1.42                       |
| 080727-150         |                                   |                                   | 0.042                         | <0.5                         | 6.33                        | 35                         | 890                         | 1.4                          | <2                         | 1.03                        | <0.5                         | 12                         | 54                         | 26                         | 2.95                        | 1.68                       |
| 080728-150         |                                   |                                   | 0.129                         | <0.5                         | 5.62                        | 25                         | 910                         | 1.3                          | <2                         | 1.08                        | <0.5                         | 14                         | 59                         | 23                         | 2.84                        | 1.40                       |
| 080729-150         |                                   |                                   | <0.005                        | <0.5                         | 5.28                        | 77                         | 670                         | 1.3                          | <2                         | 0.69                        | <0.5                         | 12                         | 46                         | 21                         | 2.82                        | 1.46                       |
| 080731-150         |                                   |                                   | 0.007                         | <0.5                         | 6.02                        | 203                        | 960                         | 1.3                          | <2                         | 1.12                        | <0.5                         | 16                         | 62                         | 23                         | 2.60                        | 1.46                       |
| 080732-150         |                                   |                                   | 0.018                         | <0.5                         | 5.35                        | 79                         | 820                         | 1.2                          | <2                         | 1.18                        | <0.5                         | 11                         | 57                         | 21                         | 2.64                        | 1.32                       |
| 080734-150         |                                   |                                   | 0.010                         | <0.5                         | 5.56                        | 36                         | 880                         | 1.1                          | <2                         | 1.00                        | <0.5                         | 9                          | 55                         | 17                         | 2.09                        | 1.38                       |
| 080737-150         |                                   |                                   | 0.005                         | <0.5                         | 5.90                        | 96                         | 870                         | 1.1                          | <2                         | 0.67                        | <0.5                         | 5                          | 65                         | 12                         | 2.39                        | 1.56                       |
| 080739-150         |                                   |                                   | 0.009                         | <0.5                         | 6.22                        | 112                        | 780                         | 1.5                          | <2                         | 0.81                        | <0.5                         | 13                         | 60                         | 30                         | 3.17                        | 1.89                       |
| 080740-150         |                                   |                                   | 0.027                         | <0.5                         | 5.46                        | 100                        | 690                         | 1.3                          | <2                         | 0.79                        | <0.5                         | 14                         | 50                         | 27                         | 2.90                        | 1.60                       |
| 080741-150         |                                   |                                   | 0.036                         | <0.5                         | 6.09                        | 141                        | 780                         | 1.5                          | <2                         | 0.91                        | <0.5                         | 14                         | 60                         | 30                         | 3.09                        | 1.80                       |
| 080742-150         |                                   |                                   | <0.005                        | <0.5                         | 2.37                        | 8                          | 510                         | 0.5                          | <2                         | 2.73                        | <0.5                         | 8                          | 22                         | 21                         | 1.22                        | 0.50                       |
| 080743-150         |                                   |                                   | 0.005                         | <0.5                         | 6.61                        | 61                         | 790                         | 1.6                          | <2                         | 0.64                        | <0.5                         | 13                         | 61                         | 33                         | 3.13                        | 1.78                       |
| 080744-150         |                                   |                                   | <0.005                        | <0.5                         | 5.11                        | 11                         | 820                         | 0.9                          | <2                         | 0.86                        | <0.5                         | 6                          | 53                         | 12                         | 2.00                        | 1.12                       |
| 080745-150         |                                   |                                   | <0.005                        | <0.5                         | 6.51                        | 24                         | 1120                        | 1.4                          | <2                         | 1.26                        | <0.5                         | 10                         | 65                         | 31                         | 3.10                        | 1.45                       |
| 080746-150         |                                   |                                   | 0.031                         | <0.5                         | 5.50                        | 22                         | 910                         | 1.1                          | <2                         | 1.00                        | <0.5                         | 9                          | 57                         | 22                         | 2.75                        | 1.13                       |
| 080747-150         |                                   |                                   | 0.009                         | <0.5                         | 6.15                        | 25                         | 970                         | 1.2                          | <2                         | 1.05                        | <0.5                         | 9                          | 62                         | 18                         | 2.82                        | 1.44                       |
| 080748-150         |                                   |                                   | <0.005                        | <0.5                         | 6.25                        | 20                         | 950                         | 1.3                          | <2                         | 1.15                        | <0.5                         | 8                          | 61                         | 22                         | 2.70                        | 1.46                       |
| 080749-150         |                                   |                                   | <0.005                        | <0.5                         | 5.41                        | 20                         | 830                         | 1.1                          | <2                         | 0.81                        | <0.5                         | 8                          | 51                         | 17                         | 2.41                        | 1.18                       |
| 080750-150         |                                   |                                   | 0.021                         | <0.5                         | 5.74                        | 42                         | 840                         | 1.3                          | <2                         | 1.49                        | 0.5                          | 9                          | 60                         | 32                         | 2.85                        | 1.38                       |
| 080751-150         |                                   |                                   | <0.005                        | <0.5                         | 5.83                        | 32                         | 860                         | 1.2                          | <2                         | 0.74                        | <0.5                         | 10                         | 64                         | 20                         | 3.30                        | 1.16                       |
| 080752-150         |                                   |                                   | <0.005                        | <0.5                         | 6.78                        | 23                         | 950                         | 1.5                          | <2                         | 1.06                        | <0.5                         | 10                         | 68                         | 27                         | 2.95                        | 1.66                       |
| 080753-150         |                                   |                                   | <0.005                        | <0.5                         | 6.18                        | 36                         | 900                         | 1.3                          | <2                         | 0.94                        | <0.5                         | 8                          | 60                         | 23                         | 2.92                        | 1.34                       |
| 080754-150         |                                   |                                   | 0.040                         | <0.5                         | 5.74                        | 49                         | 800                         | 1.3                          | <2                         | 0.81                        | <0.5                         | 9                          | 50                         | 18                         | 2.46                        | 1.50                       |
| 080755-150         |                                   |                                   | 0.005                         | <0.5                         | 7.14                        | 91                         | 930                         | 1.6                          | <2                         | 0.96                        | <0.5                         | 9                          | 70                         | 20                         | 3.29                        | 2.05                       |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 9 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080711-150         |                                   | 0.56      | 239      | 1        | 0.69      | 21       | 600       | 25       | 0.01      | 9        | 108      | 0.38      | 120      | <10       | 71       |              |
| 080712-150         |                                   | 0.65      | 432      | 1        | 0.81      | 27       | 340       | 27       | 0.01      | 16       | 115      | 0.34      | 118      | 10        | 88       |              |
| 080713-150         |                                   | 0.71      | 348      | 1        | 0.91      | 23       | 400       | 23       | 0.01      | <5       | 124      | 0.36      | 114      | <10       | 80       |              |
| 080714-150         |                                   | 0.59      | 240      | <1       | 0.80      | 19       | 210       | 15       | <0.01     | <5       | 97       | 0.32      | 98       | <10       | 65       |              |
| 080715-150         |                                   | 0.81      | 325      | 1        | 0.81      | 36       | 300       | 29       | <0.01     | 6        | 103      | 0.31      | 122      | 10        | 98       |              |
| 080716-150         |                                   | 0.66      | 293      | <1       | 0.91      | 24       | 420       | 17       | 0.01      | <5       | 126      | 0.34      | 105      | <10       | 72       |              |
| 080717-150         |                                   | 0.70      | 881      | 1        | 1.04      | 24       | 700       | 21       | 0.02      | <5       | 178      | 0.33      | 109      | <10       | 77       |              |
| 080718-150         |                                   | 0.64      | 320      | 1        | 0.80      | 37       | 290       | 30       | 0.01      | 7        | 115      | 0.35      | 116      | <10       | 88       |              |
| 080719-150         |                                   | 1.20      | 439      | 2        | 0.59      | 37       | 930       | 24       | 0.03      | 7        | 114      | 0.47      | 164      | <10       | 112      |              |
| 080720-150         |                                   | 0.65      | 575      | 1        | 0.97      | 18       | 640       | 19       | 0.01      | <5       | 154      | 0.36      | 102      | 10        | 66       |              |
| 080721-150         |                                   | 0.70      | 404      | 1        | 0.94      | 19       | 620       | 20       | 0.02      | <5       | 154      | 0.35      | 108      | <10       | 70       | <0.005       |
| 080722-150         |                                   | 0.72      | 712      | 1        | 1.05      | 18       | 660       | 24       | 0.02      | <5       | 164      | 0.37      | 106      | <10       | 70       |              |
| 080723-150         |                                   | 0.71      | 420      | <1       | 1.01      | 22       | 680       | 23       | 0.01      | <5       | 158      | 0.36      | 102      | <10       | 83       |              |
| 080724-150         |                                   | 0.63      | 2130     | 1        | 0.96      | 22       | 670       | 18       | 0.02      | <5       | 152      | 0.34      | 99       | <10       | 70       |              |
| 080725-150         |                                   | 0.66      | 896      | <1       | 0.97      | 22       | 660       | 16       | 0.02      | <5       | 148      | 0.33      | 94       | <10       | 75       |              |
| 080726-150         |                                   | 0.72      | 535      | 1        | 0.91      | 27       | 800       | 17       | 0.01      | 6        | 140      | 0.36      | 91       | <10       | 96       |              |
| 080727-150         |                                   | 0.77      | 582      | <1       | 1.18      | 29       | 720       | 20       | 0.01      | 5        | 184      | 0.34      | 94       | <10       | 90       |              |
| 080728-150         |                                   | 0.69      | 1255     | <1       | 1.06      | 30       | 690       | 13       | 0.02      | <5       | 174      | 0.35      | 94       | <10       | 91       |              |
| 080729-150         |                                   | 0.63      | 401      | 1        | 0.77      | 28       | 410       | 24       | 0.01      | 5        | 98       | 0.32      | 68       | 20        | 85       |              |
| 080731-150         |                                   | 0.80      | 512      | 1        | 0.95      | 38       | 730       | 17       | 0.11      | <5       | 158      | 0.36      | 98       | <10       | 112      |              |
| 080732-150         |                                   | 0.73      | 435      | 1        | 0.96      | 27       | 870       | 17       | 0.04      | <5       | 161      | 0.37      | 89       | 10        | 91       |              |
| 080734-150         |                                   | 0.71      | 273      | <1       | 0.99      | 22       | 620       | 16       | 0.05      | <5       | 162      | 0.36      | 89       | 10        | 89       |              |
| 080737-150         |                                   | 0.70      | 211      | <1       | 0.88      | 18       | 680       | 9        | 0.05      | <5       | 134      | 0.37      | 98       | 10        | 70       |              |
| 080739-150         |                                   | 0.73      | 655      | <1       | 0.88      | 34       | 620       | 32       | 0.02      | 9        | 155      | 0.32      | 88       | 10        | 97       |              |
| 080740-150         |                                   | 0.65      | 548      | <1       | 0.90      | 29       | 660       | 32       | 0.01      | 11       | 150      | 0.31      | 75       | 10        | 84       |              |
| 080741-150         |                                   | 0.72      | 556      | <1       | 0.95      | 31       | 760       | 34       | 0.02      | 10       | 168      | 0.36      | 88       | 30        | 92       | 0.032        |
| 080742-150         |                                   | 0.36      | 2460     | 1        | 0.46      | 17       | 1200      | 8        | 0.18      | <5       | 166      | 0.13      | 38       | <10       | 36       |              |
| 080743-150         |                                   | 0.68      | 329      | 1        | 0.77      | 33       | 560       | 21       | 0.01      | 7        | 118      | 0.31      | 86       | 10        | 85       |              |
| 080744-150         |                                   | 0.58      | 216      | <1       | 1.05      | 17       | 660       | 10       | 0.01      | <5       | 152      | 0.36      | 99       | <10       | 50       |              |
| 080745-150         |                                   | 0.78      | 439      | 1        | 1.30      | 29       | 770       | 11       | 0.01      | <5       | 220      | 0.39      | 124      | 10        | 92       |              |
| 080746-150         |                                   | 0.73      | 359      | <1       | 1.04      | 24       | 610       | 12       | 0.01      | <5       | 158      | 0.38      | 104      | 10        | 65       |              |
| 080747-150         |                                   | 0.72      | 544      | 1        | 0.96      | 24       | 850       | 17       | 0.05      | <5       | 166      | 0.35      | 108      | 10        | 83       |              |
| 080748-150         |                                   | 0.70      | 485      | <1       | 0.93      | 27       | 700       | 17       | 0.04      | 5        | 164      | 0.37      | 100      | <10       | 79       |              |
| 080749-150         |                                   | 0.67      | 305      | 1        | 1.01      | 21       | 320       | 9        | 0.01      | <5       | 152      | 0.36      | 97       | <10       | 57       |              |
| 080750-150         |                                   | 0.73      | 506      | <1       | 0.84      | 29       | 840       | 13       | 0.06      | <5       | 170      | 0.37      | 91       | <10       | 104      |              |
| 080751-150         |                                   | 0.75      | 325      | 1        | 0.94      | 28       | 260       | 17       | 0.01      | <5       | 142      | 0.37      | 114      | <10       | 73       |              |
| 080752-150         |                                   | 0.74      | 423      | <1       | 0.90      | 28       | 620       | 20       | 0.03      | <5       | 166      | 0.38      | 104      | 10        | 81       |              |
| 080753-150         |                                   | 0.75      | 354      | <1       | 1.00      | 25       | 350       | 16       | 0.01      | <5       | 156      | 0.38      | 100      | <10       | 67       |              |
| 080754-150         |                                   | 0.67      | 371      | <1       | 0.82      | 21       | 520       | 12       | 0.01      | <5       | 130      | 0.33      | 78       | 10        | 63       |              |
| 080755-150         |                                   | 0.82      | 392      | 1        | 0.87      | 26       | 590       | 18       | 0.01      | 7        | 143      | 0.38      | 101      | 10        | 86       |              |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 10 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080756-150         |                                   |                                   | 0.005                         | <0.5                         | 6.02                        | 159                        | 950                         | 1.4                          | <2                         | 1.11                        | <0.5                         | 14                         | 56                         | 26                         | 3.84                        | 1.72                       |
| 080757-150         |                                   |                                   | 0.006                         | <0.5                         | 7.36                        | 9                          | 990                         | 1.8                          | <2                         | 1.38                        | 0.7                          | 9                          | 72                         | 74                         | 2.01                        | 1.97                       |
| 080758-150         |                                   |                                   | <0.005                        | <0.5                         | 4.90                        | 256                        | 1140                        | 1.3                          | <2                         | 1.82                        | 0.9                          | 63                         | 56                         | 42                         | 11.20                       | 1.26                       |
| 080759-150         |                                   |                                   | <0.005                        | <0.5                         | 6.84                        | 55                         | 870                         | 1.6                          | <2                         | 1.05                        | <0.5                         | 11                         | 68                         | 23                         | 3.22                        | 1.96                       |
| 080760-150         |                                   |                                   | 0.005                         | <0.5                         | 6.90                        | 32                         | 1010                        | 1.6                          | <2                         | 1.02                        | <0.5                         | 10                         | 71                         | 27                         | 2.96                        | 1.86                       |
| 080761-150         |                                   |                                   | 0.005                         | <0.5                         | 6.79                        | 32                         | 970                         | 1.6                          | <2                         | 0.99                        | <0.5                         | 10                         | 71                         | 29                         | 2.90                        | 1.88                       |
| 080762-150         |                                   |                                   | 0.006                         | <0.5                         | 8.37                        | 54                         | 1000                        | 2.2                          | <2                         | 0.51                        | <0.5                         | 12                         | 78                         | 32                         | 3.57                        | 2.85                       |
| 080763-150         |                                   |                                   | <0.005                        | <0.5                         | 7.12                        | 10                         | 830                         | 1.8                          | <2                         | 0.51                        | <0.5                         | 7                          | 69                         | 22                         | 2.86                        | 2.11                       |
| 080764-150         |                                   |                                   | 0.017                         | <0.5                         | 5.80                        | 17                         | 750                         | 1.2                          | <2                         | 0.63                        | <0.5                         | 6                          | 57                         | 17                         | 2.39                        | 1.52                       |
| 080765-150         |                                   |                                   | <0.005                        | <0.5                         | 6.22                        | 6                          | 710                         | 1.4                          | <2                         | 0.47                        | <0.5                         | 5                          | 60                         | 14                         | 2.48                        | 1.84                       |
| 080766-150         |                                   |                                   | <0.005                        | <0.5                         | 9.52                        | 23                         | 1040                        | 2.6                          | <2                         | 0.36                        | <0.5                         | 11                         | 89                         | 33                         | 3.84                        | 3.30                       |
| 080767-150         |                                   |                                   | NSS                           | 0.8                          | 6.89                        | 49                         | 890                         | 1.4                          | <2                         | 0.49                        | <0.5                         | 7                          | 75                         | 37                         | 3.28                        | 1.64                       |
| 080768-150         |                                   |                                   | 0.005                         | 0.5                          | 5.71                        | 39                         | 820                         | 1.1                          | <2                         | 0.65                        | <0.5                         | 5                          | 60                         | 18                         | 2.71                        | 1.42                       |
| 080769-150         |                                   |                                   | 0.006                         | 0.8                          | 6.44                        | 58                         | 830                         | 1.3                          | <2                         | 0.54                        | <0.5                         | 7                          | 71                         | 29                         | 3.58                        | 1.60                       |
| 080770-150         |                                   |                                   | 0.022                         | 0.5                          | 6.13                        | 36                         | 790                         | 1.3                          | <2                         | 0.54                        | <0.5                         | 5                          | 59                         | 17                         | 2.55                        | 1.71                       |
| 080771-150         |                                   |                                   | <0.005                        | <0.5                         | 5.46                        | 60                         | 670                         | 1.1                          | <2                         | 0.51                        | <0.5                         | 6                          | 60                         | 18                         | 2.70                        | 1.24                       |
| 080772-150         |                                   |                                   | 0.013                         | <0.5                         | 5.42                        | 26                         | 690                         | 1.0                          | <2                         | 0.51                        | <0.5                         | 6                          | 56                         | 19                         | 2.53                        | 1.38                       |
| 080773-150         |                                   |                                   | 0.009                         | <0.5                         | 6.42                        | 42                         | 760                         | 1.2                          | <2                         | 0.56                        | <0.5                         | 6                          | 68                         | 28                         | 3.23                        | 1.33                       |
| 080774-150         |                                   |                                   | 0.010                         | 0.5                          | 6.50                        | 74                         | 520                         | 1.1                          | 4                          | 0.28                        | <0.5                         | 2                          | 63                         | 38                         | 2.65                        | 1.40                       |
| 080775-150         |                                   |                                   | <0.005                        | 1.0                          | 5.69                        | 18                         | 710                         | 1.2                          | <2                         | 0.63                        | <0.5                         | 5                          | 57                         | 27                         | 2.56                        | 1.48                       |
| 080851-150         |                                   |                                   | <0.005                        | <0.5                         | 9.70                        | 22                         | 990                         | 2.4                          | <2                         | 0.33                        | <0.5                         | 12                         | 92                         | 27                         | 4.37                        | 2.86                       |
| 080852-150         |                                   |                                   | <0.005                        | <0.5                         | 10.05                       | 24                         | 1040                        | 2.6                          | <2                         | 0.26                        | <0.5                         | 11                         | 102                        | 35                         | 4.36                        | 3.17                       |
| 080853-150         |                                   |                                   | <0.005                        | <0.5                         | 9.84                        | 12                         | 1160                        | 2.7                          | <2                         | 0.32                        | <0.5                         | 8                          | 100                        | 30                         | 3.70                        | 3.36                       |
| 080854-150         |                                   |                                   | <0.005                        | <0.5                         | 5.51                        | 40                         | 770                         | 1.1                          | 2                          | 0.51                        | <0.5                         | 3                          | 57                         | 9                          | 1.94                        | 1.38                       |
| 080855-150         |                                   |                                   | <0.005                        | <0.5                         | 7.82                        | <5                         | 980                         | 1.9                          | <2                         | 0.84                        | <0.5                         | 9                          | 68                         | 13                         | 3.11                        | 1.94                       |
| 080856-150         |                                   |                                   | <0.005                        | <0.5                         | 6.62                        | 19                         | 940                         | 1.7                          | <2                         | 0.95                        | <0.5                         | 6                          | 58                         | 16                         | 2.91                        | 1.52                       |
| 080857-150         |                                   |                                   | <0.005                        | <0.5                         | 5.50                        | 11                         | 720                         | 1.2                          | <2                         | 0.76                        | <0.5                         | 4                          | 51                         | 8                          | 2.00                        | 1.44                       |
| 088801-150         |                                   |                                   | <0.005                        | <0.5                         | 5.73                        | 35                         | 920                         | 1.2                          | <2                         | 1.22                        | <0.5                         | 7                          | 54                         | 27                         | 2.10                        | 1.40                       |
| 088802-150         |                                   |                                   | <0.005                        | <0.5                         | 6.94                        | 25                         | 1140                        | 1.4                          | <2                         | 1.02                        | 0.5                          | 12                         | 69                         | 23                         | 2.74                        | 1.58                       |
| 088803-150         |                                   |                                   | <0.005                        | <0.5                         | 7.45                        | 11                         | 1100                        | 1.8                          | <2                         | 0.46                        | <0.5                         | 11                         | 69                         | 26                         | 3.17                        | 2.67                       |
| 088804-150         |                                   |                                   | <0.005                        | <0.5                         | 8.82                        | 79                         | 1970                        | 1.8                          | <2                         | 0.41                        | <0.5                         | 11                         | 71                         | 24                         | 2.89                        | 3.07                       |
| 088805-150         |                                   |                                   | <0.005                        | <0.5                         | 6.31                        | 62                         | 860                         | 1.2                          | <2                         | 0.73                        | <0.5                         | 7                          | 60                         | 13                         | 2.77                        | 1.62                       |
| 088806-150         |                                   |                                   | <0.005                        | <0.5                         | 5.95                        | 43                         | 910                         | 1.2                          | <2                         | 0.85                        | <0.5                         | 9                          | 56                         | 21                         | 2.60                        | 1.37                       |
| 088807-150         |                                   |                                   | <0.005                        | <0.5                         | 6.32                        | 39                         | 1040                        | 1.3                          | <2                         | 0.90                        | <0.5                         | 8                          | 62                         | 23                         | 2.77                        | 1.52                       |
| 088808-150         |                                   |                                   | <0.005                        | <0.5                         | 6.78                        | 29                         | 980                         | 1.4                          | <2                         | 0.87                        | <0.5                         | 10                         | 67                         | 23                         | 2.79                        | 1.82                       |
| 088809-150         |                                   |                                   | <0.005                        | <0.5                         | 8.06                        | 30                         | 1170                        | 1.9                          | <2                         | 0.70                        | <0.5                         | 10                         | 72                         | 29                         | 3.43                        | 2.67                       |
| 088810-150         |                                   |                                   | <0.005                        | <0.5                         | 6.27                        | 16                         | 910                         | 1.3                          | <2                         | 1.08                        | <0.5                         | 7                          | 58                         | 17                         | 2.48                        | 1.54                       |
| 088811-150         |                                   |                                   | 0.008                         | <0.5                         | 7.97                        | 49                         | 1120                        | 1.8                          | <2                         | 0.65                        | <0.5                         | 9                          | 77                         | 24                         | 3.16                        | 2.67                       |
| 088812-150         |                                   |                                   | <0.005                        | <0.5                         | 6.81                        | 18                         | 1030                        | 1.4                          | <2                         | 0.79                        | <0.5                         | 8                          | 60                         | 24                         | 2.77                        | 1.83                       |
| 088813-150         |                                   |                                   | <0.005                        | <0.5                         | 6.60                        | 18                         | 1000                        | 1.4                          | <2                         | 0.73                        | <0.5                         | 8                          | 61                         | 22                         | 2.59                        | 1.82                       |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 10 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080756-150         |                                   | 0.68      | 3700     | 2        | 0.75      | 29       | 730       | 15       | 0.04      | 5        | 136      | 0.31      | 82       | 10        | 77       |              |
| 080757-150         |                                   | 0.85      | 247      | <1       | 0.68      | 48       | 760       | 26       | 0.21      | 6        | 166      | 0.37      | 91       | <10       | 75       |              |
| 080758-150         |                                   | 0.60      | 7540     | 3        | 0.49      | 67       | 840       | 12       | 0.12      | 8        | 166      | 0.23      | 75       | <10       | 104      |              |
| 080759-150         |                                   | 0.71      | 518      | <1       | 0.76      | 31       | 730       | 23       | 0.03      | <5       | 158      | 0.39      | 92       | <10       | 88       |              |
| 080760-150         |                                   | 0.88      | 350      | 1        | 0.97      | 32       | 690       | 21       | 0.04      | 6        | 170      | 0.38      | 108      | 10        | 85       |              |
| 080761-150         |                                   | 0.87      | 381      | 1        | 0.90      | 32       | 650       | 19       | 0.04      | 5        | 164      | 0.36      | 106      | <10       | 89       |              |
| 080762-150         |                                   | 0.87      | 336      | 1        | 0.76      | 32       | 490       | 24       | 0.01      | 8        | 130      | 0.33      | 114      | <10       | 104      |              |
| 080763-150         |                                   | 0.70      | 277      | <1       | 0.73      | 19       | 500       | 12       | 0.01      | 6        | 133      | 0.37      | 111      | <10       | 56       |              |
| 080764-150         |                                   | 0.62      | 243      | <1       | 0.93      | 20       | 500       | 13       | 0.02      | <5       | 141      | 0.34      | 99       | <10       | 52       |              |
| 080765-150         |                                   | 0.60      | 204      | <1       | 0.74      | 16       | 470       | 14       | 0.02      | 5        | 124      | 0.33      | 97       | <10       | 46       |              |
| 080766-150         |                                   | 0.85      | 409      | 1        | 0.62      | 20       | 610       | 18       | 0.02      | 9        | 144      | 0.38      | 131      | <10       | 74       |              |
| 080767-150         |                                   | 0.62      | 241      | <1       | 0.64      | 22       | 1440      | 72       | 0.03      | 10       | 116      | 0.36      | 126      | <10       | 86       |              |
| 080768-150         |                                   | 0.66      | 252      | <1       | 0.89      | 17       | 360       | 46       | 0.01      | 7        | 134      | 0.41      | 113      | <10       | 60       |              |
| 080769-150         |                                   | 0.72      | 295      | 1        | 0.82      | 20       | 330       | 60       | 0.01      | 11       | 128      | 0.42      | 124      | 10        | 80       |              |
| 080770-150         |                                   | 0.56      | 218      | <1       | 0.79      | 13       | 270       | 73       | 0.01      | 8        | 126      | 0.45      | 108      | <10       | 52       |              |
| 080771-150         |                                   | 0.58      | 283      | <1       | 0.74      | 17       | 650       | 24       | 0.02      | 5        | 113      | 0.36      | 101      | <10       | 52       |              |
| 080772-150         |                                   | 0.61      | 270      | <1       | 0.80      | 17       | 440       | 11       | 0.01      | 6        | 118      | 0.38      | 98       | <10       | 51       |              |
| 080773-150         |                                   | 0.67      | 333      | 2        | 0.79      | 20       | 530       | 29       | 0.02      | 7        | 126      | 0.41      | 122      | <10       | 64       |              |
| 080774-150         |                                   | 0.40      | 140      | 1        | 0.42      | 8        | 340       | 65       | 0.01      | 12       | 96       | 0.37      | 108      | 10        | 29       |              |
| 080775-150         |                                   | 0.60      | 263      | <1       | 0.84      | 21       | 520       | 100      | 0.01      | 5        | 130      | 0.35      | 102      | 10        | 65       |              |
| 080851-150         |                                   | 0.85      | 271      | <1       | 0.82      | 28       | 490       | 42       | 0.02      | 11       | 150      | 0.42      | 152      | <10       | 100      |              |
| 080852-150         |                                   | 1.05      | 325      | <1       | 0.79      | 26       | 270       | 17       | 0.01      | 8        | 146      | 0.36      | 150      | <10       | 142      |              |
| 080853-150         |                                   | 0.95      | 268      | <1       | 0.77      | 23       | 400       | 23       | 0.02      | 8        | 152      | 0.40      | 148      | <10       | 81       |              |
| 080854-150         |                                   | 0.41      | 432      | 1        | 0.79      | 11       | 400       | 53       | 0.02      | 19       | 116      | 0.44      | 114      | 10        | 33       |              |
| 080855-150         |                                   | 0.79      | 355      | 1        | 1.00      | 18       | 670       | 30       | 0.02      | 9        | 178      | 0.36      | 116      | <10       | 85       |              |
| 080856-150         |                                   | 0.67      | 244      | <1       | 0.92      | 17       | 560       | 40       | 0.06      | 7        | 162      | 0.34      | 107      | <10       | 88       |              |
| 080857-150         |                                   | 0.55      | 205      | <1       | 0.87      | 12       | 580       | 20       | 0.02      | <5       | 149      | 0.32      | 88       | <10       | 61       |              |
| 088801-150         |                                   | 0.64      | 290      | <1       | 1.03      | 21       | 560       | 17       | 0.10      | <5       | 190      | 0.34      | 89       | <10       | 74       |              |
| 088802-150         |                                   | 0.75      | 343      | <1       | 1.00      | 28       | 760       | 14       | 0.05      | <5       | 176      | 0.35      | 111      | <10       | 86       |              |
| 088803-150         |                                   | 0.82      | 333      | <1       | 0.75      | 26       | 380       | 11       | 0.01      | 5        | 117      | 0.33      | 93       | <10       | 81       |              |
| 088804-150         |                                   | 0.61      | 478      | 1        | 0.79      | 27       | 230       | 17       | <0.01     | 5        | 144      | 0.41      | 104      | <10       | 77       |              |
| 088805-150         |                                   | 0.69      | 324      | <1       | 0.94      | 17       | 350       | 16       | 0.01      | <5       | 146      | 0.39      | 106      | <10       | 65       |              |
| 088806-150         |                                   | 0.66      | 323      | <1       | 1.02      | 21       | 510       | 14       | 0.01      | <5       | 159      | 0.36      | 100      | 10        | 67       |              |
| 088807-150         |                                   | 0.68      | 333      | <1       | 1.04      | 26       | 460       | 14       | 0.01      | <5       | 165      | 0.37      | 107      | <10       | 73       |              |
| 088808-150         |                                   | 0.71      | 531      | <1       | 1.01      | 27       | 550       | 17       | 0.02      | <5       | 161      | 0.38      | 99       | 10        | 72       |              |
| 088809-150         |                                   | 0.75      | 380      | <1       | 0.91      | 34       | 590       | 10       | 0.01      | 6        | 154      | 0.39      | 113      | <10       | 83       |              |
| 088810-150         |                                   | 0.65      | 419      | <1       | 0.90      | 20       | 590       | 13       | 0.06      | <5       | 170      | 0.32      | 95       | <10       | 63       |              |
| 088811-150         |                                   | 0.71      | 371      | <1       | 1.01      | 30       | 440       | 10       | 0.01      | 16       | 136      | 0.35      | 111      | <10       | 80       |              |
| 088812-150         |                                   | 0.66      | 319      | 1        | 1.06      | 25       | 430       | 8        | 0.01      | <5       | 162      | 0.36      | 104      | <10       | 67       |              |
| 088813-150         |                                   | 0.66      | 318      | <1       | 0.98      | 23       | 430       | 6        | 0.01      | <5       | 157      | 0.36      | 102      | <10       | 67       |              |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 11 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 088814-150         |                                   |                                   | <0.005                        | <0.5                         | 7.17                        | 51                         | 1120                        | 1.5                          | <2                         | 0.87                        | <0.5                         | 11                         | 67                         | 29                         | 3.08                        | 1.85                       |
| 088815-150         |                                   |                                   | <0.005                        | <0.5                         | 6.60                        | 23                         | 1130                        | 1.4                          | <2                         | 1.12                        | <0.5                         | 11                         | 67                         | 25                         | 2.95                        | 1.51                       |
| 088816-150         |                                   |                                   | <0.005                        | <0.5                         | 6.16                        | 17                         | 960                         | 1.3                          | <2                         | 0.90                        | <0.5                         | 9                          | 55                         | 20                         | 2.64                        | 1.52                       |
| 088817-150         |                                   |                                   | <0.005                        | <0.5                         | 6.43                        | 27                         | 1020                        | 1.3                          | <2                         | 1.41                        | <0.5                         | 12                         | 63                         | 21                         | 2.78                        | 1.48                       |
| 088818-150         |                                   |                                   | <0.005                        | <0.5                         | 7.50                        | 41                         | 1040                        | 1.5                          | <2                         | 0.78                        | <0.5                         | 10                         | 72                         | 25                         | 3.16                        | 1.94                       |
| 088819-150         |                                   |                                   | <0.005                        | <0.5                         | 6.10                        | 18                         | 940                         | 1.3                          | <2                         | 1.33                        | <0.5                         | 9                          | 57                         | 22                         | 2.58                        | 1.40                       |
| 088820-150         |                                   |                                   | <0.005                        | <0.5                         | 6.72                        | 15                         | 960                         | 1.4                          | <2                         | 0.75                        | <0.5                         | 10                         | 67                         | 22                         | 3.30                        | 1.44                       |
| 088821-150         |                                   |                                   | <0.005                        | <0.5                         | 6.99                        | 14                         | 1060                        | 1.5                          | <2                         | 0.81                        | <0.5                         | 11                         | 71                         | 30                         | 3.39                        | 1.65                       |
| 088822-150         |                                   |                                   | <0.005                        | <0.5                         | 7.16                        | 10                         | 930                         | 1.6                          | <2                         | 0.72                        | <0.5                         | 8                          | 69                         | 23                         | 3.11                        | 1.92                       |
| 088823-150         |                                   |                                   | <0.005                        | <0.5                         | 6.91                        | 161                        | 680                         | 1.3                          | <2                         | 0.42                        | <0.5                         | 10                         | 66                         | 25                         | 4.10                        | 2.01                       |
| 088824-150         |                                   |                                   | 0.061                         | <0.5                         | 5.80                        | 23                         | 790                         | 1.2                          | <2                         | 1.02                        | <0.5                         | 8                          | 53                         | 14                         | 2.69                        | 1.42                       |
| 088825-150         |                                   |                                   | 0.006                         | <0.5                         | 6.35                        | 34                         | 870                         | 1.4                          | <2                         | 1.65                        | <0.5                         | 8                          | 58                         | 23                         | 2.70                        | 1.84                       |
| 088826-150         |                                   |                                   | <0.005                        | <0.5                         | 6.79                        | 47                         | 880                         | 1.4                          | <2                         | 1.54                        | <0.5                         | 8                          | 58                         | 20                         | 2.62                        | 1.97                       |
| 088827-150         |                                   |                                   | <0.005                        | <0.5                         | 5.69                        | 11                         | 1000                        | 1.2                          | <2                         | 0.73                        | <0.5                         | 8                          | 54                         | 22                         | 2.63                        | 1.32                       |
| 088828-150         |                                   |                                   | <0.005                        | <0.5                         | 6.36                        | 18                         | 1080                        | 1.3                          | <2                         | 0.95                        | <0.5                         | 11                         | 63                         | 25                         | 3.04                        | 1.40                       |
| 088829-150         |                                   |                                   | <0.005                        | <0.5                         | 5.82                        | 19                         | 950                         | 1.2                          | <2                         | 0.82                        | <0.5                         | 9                          | 62                         | 21                         | 2.64                        | 1.41                       |
| 088830-150         |                                   |                                   | 0.008                         | <0.5                         | 7.31                        | 38                         | 1200                        | 1.6                          | <2                         | 0.76                        | <0.5                         | 10                         | 68                         | 30                         | 3.30                        | 2.15                       |
| 088831-150         |                                   |                                   | <0.005                        | <0.5                         | 7.08                        | 23                         | 1140                        | 1.5                          | <2                         | 0.72                        | <0.5                         | 11                         | 73                         | 30                         | 3.34                        | 2.05                       |
| 088832-150         |                                   |                                   | 0.010                         | <0.5                         | 5.88                        | 28                         | 980                         | 1.3                          | <2                         | 0.66                        | <0.5                         | 10                         | 61                         | 28                         | 2.87                        | 1.56                       |
| 088833-150         |                                   |                                   | 0.005                         | <0.5                         | 8.13                        | 23                         | 1360                        | 1.8                          | <2                         | 0.75                        | <0.5                         | 15                         | 99                         | 33                         | 4.06                        | 2.23                       |
| 088834-150         |                                   |                                   | 0.006                         | <0.5                         | 7.65                        | 36                         | 1240                        | 1.7                          | <2                         | 0.72                        | <0.5                         | 12                         | 80                         | 35                         | 3.50                        | 2.20                       |
| 088835-150         |                                   |                                   | 0.009                         | <0.5                         | 6.53                        | 54                         | 1500                        | 1.5                          | <2                         | 0.76                        | <0.5                         | 12                         | 68                         | 40                         | 3.45                        | 1.71                       |
| 088836-150         |                                   |                                   | 0.008                         | <0.5                         | 6.25                        | 35                         | 1200                        | 1.4                          | <2                         | 0.72                        | <0.5                         | 10                         | 62                         | 37                         | 3.10                        | 1.60                       |
| 088837-150         |                                   |                                   | <0.005                        | 0.9                          | 5.91                        | 17                         | 1000                        | 1.1                          | <2                         | 0.86                        | <0.5                         | 12                         | 58                         | 14                         | 2.53                        | 1.28                       |
| 088838-150         |                                   |                                   | <0.005                        | 2.8                          | 5.80                        | 16                         | 1030                        | 1.2                          | <2                         | 0.83                        | <0.5                         | 12                         | 60                         | 28                         | 2.66                        | 1.24                       |
| 088839-150         |                                   |                                   | 0.012                         | <0.5                         | 5.35                        | 8                          | 970                         | 1.1                          | <2                         | 0.93                        | <0.5                         | 8                          | 52                         | 14                         | 1.94                        | 1.24                       |
| 088840-150         |                                   |                                   | 0.005                         | <0.5                         | 5.48                        | 12                         | 1030                        | 1.2                          | <2                         | 1.02                        | <0.5                         | 10                         | 53                         | 30                         | 2.90                        | 1.17                       |
| 088841-150         |                                   |                                   | 0.005                         | <0.5                         | 5.19                        | 19                         | 1000                        | 1.1                          | <2                         | 1.00                        | <0.5                         | 9                          | 50                         | 25                         | 2.68                        | 1.08                       |
| 088842-150         |                                   |                                   | 0.011                         | <0.5                         | 5.71                        | 27                         | 880                         | 1.2                          | <2                         | 0.66                        | <0.5                         | 10                         | 57                         | 28                         | 2.85                        | 1.32                       |
| 088843-150         |                                   |                                   | <0.005                        | <0.5                         | 5.40                        | 15                         | 1020                        | 1.1                          | <2                         | 0.91                        | <0.5                         | 8                          | 56                         | 19                         | 2.55                        | 1.18                       |
| 088844-150         |                                   |                                   | 0.096                         | <0.5                         | 6.04                        | 29                         | 1080                        | 1.2                          | <2                         | 0.79                        | 0.5                          | 12                         | 59                         | 18                         | 3.18                        | 1.40                       |
| 088845-150         |                                   |                                   | <0.005                        | <0.5                         | 5.90                        | 26                         | 1120                        | 1.3                          | <2                         | 1.08                        | 0.5                          | 11                         | 60                         | 27                         | 2.98                        | 1.33                       |
| 088846-150         |                                   |                                   | <0.005                        | <0.5                         | 5.91                        | 13                         | 1060                        | 1.2                          | <2                         | 1.01                        | 0.7                          | 9                          | 55                         | 16                         | 2.52                        | 1.44                       |
| 088847-150         |                                   |                                   | <0.005                        | <0.5                         | 8.77                        | 15                         | 1100                        | 2.1                          | <2                         | 0.80                        | <0.5                         | 14                         | 71                         | 35                         | 3.89                        | 2.82                       |
| 088848-150         |                                   |                                   | <0.005                        | <0.5                         | 6.48                        | 16                         | 1020                        | 1.5                          | <2                         | 0.98                        | <0.5                         | 11                         | 61                         | 28                         | 3.17                        | 1.62                       |
| 088849-150         |                                   |                                   | 0.018                         | <0.5                         | 6.49                        | 16                         | 1080                        | 1.4                          | <2                         | 0.84                        | <0.5                         | 13                         | 66                         | 22                         | 3.06                        | 1.56                       |
| 088850-150         |                                   |                                   | 0.005                         | <0.5                         | 5.37                        | 23                         | 910                         | 1.1                          | <2                         | 0.86                        | <0.5                         | 13                         | 54                         | 14                         | 2.95                        | 1.20                       |
| 088851-150         |                                   |                                   | <0.005                        | <0.5                         | 6.92                        | 56                         | 1070                        | 1.5                          | <2                         | 1.18                        | <0.5                         | 14                         | 68                         | 35                         | 3.75                        | 1.70                       |
| 088852-150         |                                   |                                   | 0.005                         | <0.5                         | 5.98                        | 61                         | 760                         | 1.2                          | <2                         | 0.62                        | <0.5                         | 13                         | 60                         | 28                         | 3.54                        | 1.32                       |
| 088853-150         |                                   |                                   | 0.085                         | <0.5                         | 5.70                        | 23                         | 910                         | 1.1                          | <2                         | 0.97                        | <0.5                         | 10                         | 58                         | 17                         | 2.89                        | 1.22                       |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 11 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61        | ME-ICP61       | ME-ICP61       | ME-ICP61        | ME-ICP61       | ME-ICP61       | ME-ICP61       | ME-ICP61       | ME-ICP61       | ME-ICP61       | ME-ICP61        | ME-ICP61      | ME-ICP61       | ME-ICP61       | Au-AA23D           |
|--------------------|-----------------------------------|-----------------|----------------|----------------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|-----------------|---------------|----------------|----------------|--------------------|
|                    |                                   | Mg<br>%<br>0.01 | Mn<br>ppm<br>5 | Mo<br>ppm<br>1 | Na<br>%<br>0.01 | Ni<br>ppm<br>1 | P<br>ppm<br>10 | Pb<br>ppm<br>2 | S<br>%<br>0.01 | Sb<br>ppm<br>5 | Sr<br>ppm<br>1 | Ti<br>%<br>0.01 | V<br>ppm<br>1 | W<br>ppm<br>10 | Zn<br>ppm<br>2 | Au<br>ppm<br>0.005 |
| 088814-150         |                                   | 0.78            | 372            | <1             | 1.04            | 29             | 470            | 18             | 0.01           | <5             | 171            | 0.37            | 118           | 10             | 79             |                    |
| 088815-150         |                                   | 0.79            | 489            | 1              | 1.15            | 26             | 500            | 10             | 0.01           | <5             | 194            | 0.39            | 120           | 10             | 71             |                    |
| 088816-150         |                                   | 0.68            | 387            | <1             | 0.99            | 23             | 390            | 9              | 0.01           | 5              | 162            | 0.36            | 102           | 10             | 65             |                    |
| 088817-150         |                                   | 0.72            | 1710           | <1             | 0.84            | 26             | 750            | 12             | 0.06           | 5              | 186            | 0.33            | 103           | <10            | 70             |                    |
| 088818-150         |                                   | 0.65            | 367            | 1              | 0.91            | 27             | 490            | 20             | 0.02           | 11             | 156            | 0.36            | 114           | 10             | 75             |                    |
| 088819-150         |                                   | 0.61            | 530            | <1             | 0.91            | 24             | 810            | 16             | 0.08           | 6              | 182            | 0.31            | 89            | <10            | 57             |                    |
| 088820-150         |                                   | 0.77            | 390            | 1              | 1.06            | 27             | 230            | 9              | 0.01           | <5             | 160            | 0.41            | 130           | 10             | 71             |                    |
| 088821-150         |                                   | 0.83            | 468            | 1              | 1.14            | 31             | 250            | 12             | 0.01           | <5             | 182            | 0.41            | 134           | <10            | 78             | <0.005             |
| 088822-150         |                                   | 0.75            | 396            | <1             | 1.05            | 23             | 410            | 13             | 0.02           | <5             | 162            | 0.42            | 118           | <10            | 71             |                    |
| 088823-150         |                                   | 0.59            | 453            | 1              | 0.72            | 26             | 580            | 21             | 0.01           | <5             | 111            | 0.33            | 108           | <10            | 98             |                    |
| 088824-150         |                                   | 0.55            | 492            | <1             | 0.99            | 19             | 700            | 12             | 0.03           | <5             | 151            | 0.33            | 81            | <10            | 72             |                    |
| 088825-150         |                                   | 0.58            | 430            | <1             | 0.85            | 25             | 700            | 11             | 0.06           | <5             | 166            | 0.30            | 91            | 10             | 88             |                    |
| 088826-150         |                                   | 0.59            | 451            | <1             | 0.91            | 22             | 560            | 12             | 0.05           | <5             | 164            | 0.30            | 88            | <10            | 75             |                    |
| 088827-150         |                                   | 0.62            | 297            | <1             | 0.91            | 22             | 560            | 12             | 0.01           | <5             | 142            | 0.36            | 102           | <10            | 68             |                    |
| 088828-150         |                                   | 0.72            | 372            | <1             | 1.05            | 29             | 730            | 13             | 0.01           | <5             | 168            | 0.39            | 113           | <10            | 77             |                    |
| 088829-150         |                                   | 0.71            | 294            | <1             | 0.95            | 26             | 560            | 16             | 0.01           | <5             | 140            | 0.35            | 102           | 10             | 66             |                    |
| 088830-150         |                                   | 0.78            | 401            | <1             | 0.87            | 29             | 670            | 17             | 0.01           | <5             | 131            | 0.35            | 110           | <10            | 91             |                    |
| 088831-150         |                                   | 0.84            | 484            | 1              | 0.95            | 32             | 570            | 20             | <0.01          | <5             | 128            | 0.39            | 109           | <10            | 91             |                    |
| 088832-150         |                                   | 0.72            | 403            | <1             | 0.83            | 28             | 600            | 13             | 0.01           | <5             | 113            | 0.34            | 99            | <10            | 79             |                    |
| 088833-150         |                                   | 1.30            | 692            | <1             | 1.06            | 49             | 580            | 14             | 0.01           | <5             | 124            | 0.51            | 126           | <10            | 97             |                    |
| 088834-150         |                                   | 1.00            | 457            | <1             | 0.95            | 38             | 640            | 14             | 0.01           | 6              | 135            | 0.39            | 118           | <10            | 90             |                    |
| 088835-150         |                                   | 0.78            | 531            | 1              | 0.87            | 39             | 690            | 18             | 0.01           | 9              | 138            | 0.36            | 120           | <10            | 102            |                    |
| 088836-150         |                                   | 0.71            | 387            | <1             | 0.89            | 30             | 650            | 20             | 0.01           | <5             | 138            | 0.33            | 109           | <10            | 83             |                    |
| 088837-150         |                                   | 0.68            | 511            | 1              | 1.07            | 23             | 760            | 24             | 0.02           | <5             | 158            | 0.35            | 106           | 10             | 80             |                    |
| 088838-150         |                                   | 0.70            | 346            | <1             | 0.98            | 26             | 710            | 29             | 0.01           | <5             | 139            | 0.36            | 104           | <10            | 83             |                    |
| 088839-150         |                                   | 0.62            | 250            | <1             | 0.98            | 19             | 680            | 11             | 0.04           | <5             | 154            | 0.38            | 85            | <10            | 71             |                    |
| 088840-150         |                                   | 0.68            | 449            | <1             | 1.08            | 29             | 790            | 10             | 0.01           | <5             | 172            | 0.36            | 106           | <10            | 77             |                    |
| 088841-150         |                                   | 0.65            | 425            | <1             | 1.04            | 27             | 730            | 13             | 0.01           | <5             | 166            | 0.34            | 102           | <10            | 70             | <0.005             |
| 088842-150         |                                   | 0.64            | 476            | 1              | 0.94            | 26             | 490            | 18             | 0.01           | 6              | 133            | 0.35            | 102           | <10            | 65             |                    |
| 088843-150         |                                   | 0.65            | 275            | <1             | 1.05            | 23             | 810            | 12             | 0.02           | 6              | 166            | 0.36            | 104           | <10            | 65             |                    |
| 088844-150         |                                   | 0.67            | 410            | <1             | 0.95            | 22             | 800            | 18             | 0.03           | <5             | 145            | 0.34            | 102           | <10            | 87             |                    |
| 088845-150         |                                   | 0.69            | 869            | 1              | 1.09            | 28             | 630            | 16             | 0.02           | 7              | 186            | 0.35            | 112           | <10            | 83             |                    |
| 088846-150         |                                   | 0.69            | 369            | <1             | 1.02            | 24             | 680            | 9              | 0.04           | <5             | 160            | 0.33            | 93            | 10             | 88             |                    |
| 088847-150         |                                   | 0.83            | 499            | 1              | 0.89            | 32             | 610            | 19             | 0.01           | <5             | 140            | 0.33            | 110           | <10            | 93             |                    |
| 088848-150         |                                   | 0.71            | 519            | 1              | 0.99            | 27             | 660            | 15             | 0.01           | <5             | 158            | 0.35            | 104           | <10            | 78             |                    |
| 088849-150         |                                   | 0.73            | 447            | <1             | 1.01            | 24             | 650            | 16             | 0.01           | <5             | 152            | 0.36            | 108           | <10            | 78             |                    |
| 088850-150         |                                   | 0.62            | 306            | <1             | 0.95            | 20             | 700            | 11             | 0.01           | <5             | 143            | 0.34            | 92            | <10            | 68             |                    |
| 088851-150         |                                   | 0.81            | 356            | <1             | 0.95            | 36             | 660            | 25             | 0.03           | 6              | 158            | 0.34            | 113           | <10            | 94             |                    |
| 088852-150         |                                   | 0.60            | 442            | <1             | 0.87            | 28             | 300            | 22             | 0.01           | 13             | 123            | 0.32            | 100           | 10             | 82             |                    |
| 088853-150         |                                   | 0.69            | 489            | <1             | 1.03            | 24             | 420            | 13             | 0.01           | <5             | 162            | 0.35            | 102           | <10            | 77             |                    |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 12 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 088854-150         |                                   |                                   | <0.005                        | <0.5                         | 5.67                        | 38                         | 770                         | 1.2                          | <2                         | 0.79                        | <0.5                         | 11                         | 57                         | 25                         | 3.10                        | 1.26                       |
| 088855-150         |                                   |                                   | 0.011                         | <0.5                         | 5.71                        | 31                         | 900                         | 1.1                          | <2                         | 1.25                        | 0.6                          | 8                          | 58                         | 17                         | 2.84                        | 1.34                       |
| 088856-150         |                                   |                                   | 0.006                         | <0.5                         | 5.21                        | 29                         | 740                         | 0.9                          | <2                         | 0.81                        | <0.5                         | 8                          | 60                         | 13                         | 2.66                        | 1.18                       |
| 088857-150         |                                   |                                   | 0.012                         | <0.5                         | 5.20                        | 21                         | 870                         | 1.1                          | <2                         | 1.04                        | <0.5                         | 7                          | 53                         | 20                         | 2.07                        | 1.17                       |
| 088858-150         |                                   |                                   | <0.005                        | <0.5                         | 4.73                        | 45                         | 760                         | 1.0                          | <2                         | 1.04                        | <0.5                         | 7                          | 52                         | 19                         | 2.21                        | 1.12                       |
| 088859-150         |                                   |                                   | 0.007                         | <0.5                         | 5.65                        | 39                         | 1060                        | 1.2                          | <2                         | 1.16                        | 0.5                          | 9                          | 64                         | 22                         | 2.79                        | 1.31                       |
| 088860-150         |                                   |                                   | 0.006                         | <0.5                         | 4.14                        | 27                         | 740                         | 0.9                          | <2                         | 0.91                        | <0.5                         | 6                          | 42                         | 11                         | 1.92                        | 0.93                       |
| 088861-150         |                                   |                                   | <0.005                        | <0.5                         | 5.11                        | 13                         | 930                         | 1.1                          | <2                         | 1.02                        | <0.5                         | 6                          | 48                         | 19                         | 2.13                        | 1.14                       |
| 088862-150         |                                   |                                   | <0.005                        | <0.5                         | 6.25                        | 171                        | 1160                        | 1.5                          | <2                         | 0.89                        | <0.5                         | 10                         | 68                         | 20                         | 6.35                        | 1.58                       |
| 088863-150         |                                   |                                   | <0.005                        | <0.5                         | 4.96                        | 14                         | 780                         | 1.0                          | <2                         | 0.86                        | <0.5                         | 5                          | 54                         | 15                         | 2.42                        | 1.14                       |
| 088864-150         |                                   |                                   | <0.005                        | <0.5                         | 6.19                        | 7                          | 1000                        | 1.3                          | <2                         | 0.89                        | <0.5                         | 13                         | 61                         | 16                         | 3.27                        | 1.50                       |
| 088865-150         |                                   |                                   | <0.005                        | <0.5                         | 5.61                        | 23                         | 910                         | 1.6                          | <2                         | 1.00                        | <0.5                         | 8                          | 59                         | 30                         | 2.91                        | 1.34                       |
| 088866-150         |                                   |                                   | <0.005                        | <0.5                         | 5.70                        | 18                         | 930                         | 1.2                          | <2                         | 0.93                        | <0.5                         | 11                         | 59                         | 21                         | 3.02                        | 1.34                       |
| 088867-150         |                                   |                                   | <0.005                        | <0.5                         | 5.06                        | 6                          | 800                         | 1.1                          | <2                         | 0.75                        | <0.5                         | 5                          | 52                         | 17                         | 2.44                        | 1.22                       |
| 088868-150         |                                   |                                   | 0.007                         | <0.5                         | 5.75                        | 48                         | 860                         | 1.3                          | <2                         | 0.63                        | <0.5                         | 7                          | 53                         | 23                         | 3.00                        | 1.63                       |
| 088869-150         |                                   |                                   | <0.005                        | <0.5                         | 5.14                        | 25                         | 960                         | 1.1                          | <2                         | 0.87                        | <0.5                         | 6                          | 52                         | 27                         | 2.88                        | 1.22                       |
| 088901-150         |                                   |                                   | <0.005                        | <0.5                         | 5.96                        | 57                         | 1000                        | 1.3                          | <2                         | 0.77                        | <0.5                         | 7                          | 67                         | 23                         | 2.82                        | 1.54                       |
| 088903-150         |                                   |                                   | <0.005                        | <0.5                         | 5.72                        | 27                         | 830                         | 1.1                          | <2                         | 0.82                        | <0.5                         | 6                          | 72                         | 19                         | 3.00                        | 1.36                       |
| 088904-150         |                                   |                                   | <0.005                        | <0.5                         | 5.73                        | 55                         | 880                         | 1.2                          | <2                         | 0.68                        | <0.5                         | 5                          | 65                         | 23                         | 2.75                        | 1.50                       |
| 088905-150         |                                   |                                   | <0.005                        | <0.5                         | 5.07                        | 29                         | 760                         | 1.0                          | <2                         | 0.89                        | <0.5                         | 7                          | 58                         | 16                         | 2.73                        | 1.10                       |
| 088906-150         |                                   |                                   | <0.005                        | <0.5                         | 6.26                        | 29                         | 970                         | 1.4                          | <2                         | 0.71                        | <0.5                         | 8                          | 65                         | 24                         | 3.15                        | 1.56                       |
| 088907-150         |                                   |                                   | <0.005                        | <0.5                         | 7.19                        | 36                         | 1020                        | 1.6                          | <2                         | 0.70                        | <0.5                         | 10                         | 71                         | 30                         | 3.64                        | 1.92                       |
| 088908-150         |                                   |                                   | <0.005                        | <0.5                         | 5.08                        | 23                         | 780                         | 1.0                          | <2                         | 0.82                        | <0.5                         | 7                          | 58                         | 17                         | 2.53                        | 1.24                       |
| 088909-150         |                                   |                                   | 0.016                         | <0.5                         | 6.00                        | 27                         | 910                         | 1.2                          | <2                         | 0.78                        | <0.5                         | 6                          | 66                         | 17                         | 2.92                        | 1.46                       |
| 088910-150         |                                   |                                   | 0.008                         | <0.5                         | 6.37                        | 24                         | 920                         | 1.3                          | <2                         | 0.80                        | <0.5                         | 8                          | 65                         | 19                         | 3.12                        | 1.68                       |
| 088911-150         |                                   |                                   | 0.005                         | <0.5                         | 7.36                        | 34                         | 1020                        | 1.7                          | <2                         | 0.69                        | <0.5                         | 10                         | 67                         | 29                         | 3.46                        | 2.15                       |
| 088912-150         |                                   |                                   | <0.005                        | <0.5                         | 6.94                        | 19                         | 990                         | 1.5                          | <2                         | 0.75                        | <0.5                         | 10                         | 70                         | 23                         | 3.15                        | 1.84                       |
| 088913-150         |                                   |                                   | <0.005                        | <0.5                         | 7.68                        | 14                         | 760                         | 1.7                          | <2                         | 0.31                        | <0.5                         | 14                         | 55                         | 36                         | 4.69                        | 2.53                       |
| 088914-150         |                                   |                                   | <0.005                        | <0.5                         | 6.99                        | 26                         | 1000                        | 1.5                          | <2                         | 0.72                        | <0.5                         | 7                          | 67                         | 23                         | 3.00                        | 1.89                       |
| 088915-150         |                                   |                                   | <0.005                        | <0.5                         | 4.65                        | 14                         | 750                         | 0.9                          | <2                         | 0.90                        | <0.5                         | 4                          | 49                         | 12                         | 2.02                        | 1.00                       |
| 088916-150         |                                   |                                   | <0.005                        | <0.5                         | 5.67                        | 5                          | 930                         | 1.2                          | <2                         | 0.93                        | <0.5                         | 7                          | 60                         | 21                         | 2.82                        | 1.27                       |
| 088917-150         |                                   |                                   | <0.005                        | <0.5                         | 6.23                        | 76                         | 920                         | 1.4                          | <2                         | 0.63                        | <0.5                         | 9                          | 71                         | 24                         | 3.44                        | 1.50                       |
| 088918-150         |                                   |                                   | <0.005                        | <0.5                         | 6.24                        | 17                         | 900                         | 1.4                          | <2                         | 0.59                        | <0.5                         | 9                          | 67                         | 24                         | 3.23                        | 1.60                       |
| 088870-150         |                                   |                                   | <0.005                        | <0.5                         | 5.53                        | 37                         | 860                         | 1.2                          | <2                         | 0.75                        | <0.5                         | 7                          | 58                         | 20                         | 2.78                        | 1.34                       |
| 088871-150         |                                   |                                   | 0.006                         | <0.5                         | 5.65                        | 30                         | 970                         | 1.3                          | <2                         | 0.77                        | <0.5                         | 6                          | 58                         | 29                         | 2.98                        | 1.36                       |
| 088872-150         |                                   |                                   | <0.005                        | <0.5                         | 5.31                        | 8                          | 790                         | 1.0                          | <2                         | 0.76                        | <0.5                         | 4                          | 57                         | 14                         | 2.64                        | 1.24                       |
| 088873-150         |                                   |                                   | <0.005                        | <0.5                         | 4.97                        | 35                         | 710                         | 1.0                          | <2                         | 0.61                        | <0.5                         | 8                          | 52                         | 23                         | 2.82                        | 1.14                       |
| 089051-150         |                                   |                                   | <0.005                        | <0.5                         | 8.27                        | 10                         | 1030                        | 2.1                          | <2                         | 0.41                        | <0.5                         | 13                         | 82                         | 26                         | 3.72                        | 2.42                       |
| 089052-150         |                                   |                                   | <0.005                        | <0.5                         | 8.38                        | 11                         | 1080                        | 2.2                          | <2                         | 0.44                        | <0.5                         | 16                         | 88                         | 27                         | 3.68                        | 2.35                       |
| 089053-150         |                                   |                                   | <0.005                        | <0.5                         | 5.65                        | 13                         | 780                         | 1.2                          | <2                         | 0.63                        | <0.5                         | 5                          | 65                         | 15                         | 2.63                        | 1.42                       |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 12 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 088854-150         |                                   | 0.67      | 491      | 1        | 1.02      | 25       | 440       | 19       | 0.01      | <5       | 154      | 0.35      | 97       | <10       | 69       |              |
| 088855-150         |                                   | 0.70      | 399      | <1       | 1.11      | 20       | 830       | 14       | 0.02      | <5       | 186      | 0.37      | 96       | <10       | 78       |              |
| 088856-150         |                                   | 0.56      | 349      | 3        | 1.02      | 16       | 280       | 19       | 0.01      | <5       | 149      | 0.34      | 107      | <10       | 65       |              |
| 088857-150         |                                   | 0.62      | 252      | 1        | 1.06      | 20       | 640       | 13       | 0.05      | <5       | 168      | 0.32      | 88       | <10       | 72       |              |
| 088858-150         |                                   | 0.63      | 378      | <1       | 0.99      | 20       | 660       | 23       | 0.02      | <5       | 150      | 0.31      | 82       | <10       | 70       |              |
| 088859-150         |                                   | 0.75      | 303      | 2        | 1.01      | 21       | 710       | 19       | 0.07      | <5       | 176      | 0.34      | 101      | <10       | 97       | 0.009        |
| 088860-150         |                                   | 0.50      | 442      | 1        | 0.99      | 13       | 620       | 15       | 0.03      | <5       | 150      | 0.30      | 68       | <10       | 55       |              |
| 088861-150         |                                   | 0.63      | 287      | 1        | 1.18      | 17       | 670       | 15       | 0.03      | <5       | 177      | 0.30      | 86       | <10       | 69       |              |
| 088862-150         |                                   | 0.70      | 482      | 4        | 0.83      | 27       | 920       | 25       | 0.07      | 5        | 143      | 0.26      | 120      | <10       | 127      |              |
| 088863-150         |                                   | 0.57      | 295      | 2        | 1.02      | 17       | 660       | 17       | 0.01      | <5       | 145      | 0.32      | 86       | <10       | 52       |              |
| 088864-150         |                                   | 0.69      | 348      | 2        | 1.06      | 24       | 760       | 22       | 0.02      | <5       | 158      | 0.33      | 98       | <10       | 84       |              |
| 088865-150         |                                   | 0.66      | 384      | 2        | 1.13      | 26       | 700       | 19       | 0.01      | <5       | 174      | 0.34      | 98       | 10        | 72       |              |
| 088866-150         |                                   | 0.64      | 599      | 2        | 1.04      | 22       | 770       | 24       | 0.02      | <5       | 159      | 0.34      | 95       | <10       | 78       |              |
| 088867-150         |                                   | 0.59      | 267      | 1        | 0.99      | 20       | 650       | 16       | <0.01     | <5       | 128      | 0.33      | 87       | 10        | 63       |              |
| 088868-150         |                                   | 0.70      | 401      | 1        | 0.84      | 22       | 750       | 23       | <0.01     | 5        | 100      | 0.28      | 88       | <10       | 86       |              |
| 088869-150         |                                   | 0.62      | 416      | 2        | 1.04      | 24       | 730       | 16       | 0.01      | <5       | 156      | 0.32      | 98       | <10       | 79       | 0.006        |
| 088901-150         |                                   | 0.66      | 394      | 2        | 1.10      | 23       | 430       | 33       | 0.01      | <5       | 162      | 0.36      | 114      | <10       | 68       |              |
| 088903-150         |                                   | 0.67      | 339      | 3        | 1.00      | 19       | 970       | 30       | 0.01      | 7        | 142      | 0.37      | 112      | <10       | 63       |              |
| 088904-150         |                                   | 0.68      | 310      | 3        | 0.91      | 19       | 1000      | 26       | 0.02      | 32       | 131      | 0.36      | 116      | <10       | 61       |              |
| 088905-150         |                                   | 0.66      | 403      | 2        | 1.06      | 22       | 570       | 16       | 0.01      | <5       | 154      | 0.30      | 98       | <10       | 58       |              |
| 088906-150         |                                   | 0.79      | 430      | 2        | 1.08      | 25       | 490       | 20       | 0.01      | <5       | 154      | 0.34      | 123      | <10       | 76       |              |
| 088907-150         |                                   | 0.83      | 531      | 3        | 1.15      | 25       | 520       | 29       | 0.01      | <5       | 166      | 0.35      | 117      | <10       | 79       |              |
| 088908-150         |                                   | 0.64      | 317      | 1        | 1.12      | 18       | 540       | 17       | 0.01      | <5       | 162      | 0.28      | 96       | <10       | 53       |              |
| 088909-150         |                                   | 0.69      | 336      | 2        | 1.08      | 16       | 500       | 20       | 0.01      | <5       | 157      | 0.33      | 108      | <10       | 63       |              |
| 088910-150         |                                   | 0.68      | 442      | 2        | 1.08      | 22       | 510       | 21       | 0.01      | <5       | 160      | 0.35      | 108      | <10       | 67       |              |
| 088911-150         |                                   | 0.61      | 520      | 2        | 1.12      | 30       | 480       | 24       | 0.01      | 5        | 155      | 0.30      | 105      | <10       | 81       |              |
| 088912-150         |                                   | 0.66      | 381      | 3        | 1.12      | 24       | 370       | 19       | 0.01      | <5       | 160      | 0.32      | 110      | <10       | 70       |              |
| 088913-150         |                                   | 0.37      | 722      | 2        | 1.35      | 40       | 650       | 39       | 0.01      | <5       | 98       | 0.16      | 68       | <10       | 94       |              |
| 088914-150         |                                   | 0.58      | 338      | 1        | 1.10      | 23       | 490       | 22       | 0.01      | <5       | 147      | 0.28      | 97       | <10       | 80       |              |
| 088915-150         |                                   | 0.55      | 266      | 1        | 1.08      | 15       | 640       | 15       | 0.01      | <5       | 161      | 0.28      | 82       | <10       | 49       |              |
| 088916-150         |                                   | 0.71      | 396      | 2        | 1.22      | 24       | 740       | 16       | 0.01      | <5       | 181      | 0.35      | 103      | 10        | 62       |              |
| 088917-150         |                                   | 0.73      | 343      | 3        | 1.00      | 27       | 420       | 20       | 0.01      | <5       | 142      | 0.34      | 120      | <10       | 64       |              |
| 088918-150         |                                   | 0.73      | 361      | 3        | 1.00      | 26       | 270       | 21       | 0.01      | <5       | 144      | 0.32      | 120      | <10       | 68       |              |
| 088870-150         |                                   | 0.67      | 394      | 2        | 1.00      | 18       | 490       | 21       | <0.01     | <5       | 138      | 0.32      | 100      | <10       | 67       |              |
| 088871-150         |                                   | 0.67      | 436      | 2        | 0.97      | 23       | 600       | 23       | <0.01     | <5       | 141      | 0.32      | 104      | 10        | 80       |              |
| 088872-150         |                                   | 0.64      | 298      | 2        | 1.06      | 16       | 620       | 22       | 0.01      | <5       | 148      | 0.35      | 100      | 10        | 60       |              |
| 088873-150         |                                   | 0.59      | 387      | 1        | 0.91      | 20       | 500       | 26       | <0.01     | <5       | 113      | 0.30      | 92       | <10       | 69       |              |
| 089051-150         |                                   | 0.79      | 440      | 3        | 0.75      | 35       | 300       | 28       | 0.01      | <5       | 122      | 0.37      | 124      | <10       | 78       |              |
| 089052-150         |                                   | 0.82      | 430      | 1        | 0.83      | 33       | 270       | 29       | 0.01      | 5        | 128      | 0.36      | 130      | <10       | 83       |              |
| 089053-150         |                                   | 0.58      | 249      | 2        | 0.82      | 18       | 740       | 18       | 0.02      | <5       | 128      | 0.39      | 114      | <10       | 50       |              |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 13 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04071096**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21    | Au-AA23 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Recvd Wt. | Au      | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       |
|                    |                                   | kg        | ppm     | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        |
|                    |                                   | 0.02      | 0.005   | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     |
| 089054-150         |                                   |           | <0.005  | <0.5     | 5.56     | 7        | 750      | 1.2      | <2       | 0.61     | <0.5     | 4        | 63       | 16       | 2.52     |
| 089055-150         |                                   |           | <0.005  | <0.5     | 6.03     | 8        | 800      | 1.3      | <2       | 0.61     | <0.5     | 5        | 67       | 15       | 2.73     |
| 089056-150         |                                   |           | 0.006   | <0.5     | 6.12     | 8        | 810      | 1.3      | <2       | 0.62     | <0.5     | 4        | 67       | 15       | 2.71     |
| 089057-150         |                                   |           | <0.005  | <0.5     | 5.65     | 11       | 750      | 1.2      | <2       | 0.59     | <0.5     | 4        | 62       | 14       | 2.47     |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 13 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04071096

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 089054-150         |                                   | 0.53      | 245      | 1        | 0.81      | 17       | 880       | 19       | 0.02      | <5       | 128      | 0.37      | 106      | <10       | 49       |              |
| 089055-150         |                                   | 0.58      | 249      | 1        | 0.82      | 18       | 690       | 19       | 0.01      | <5       | 128      | 0.39      | 114      | <10       | 48       |              |
| 089056-150         |                                   | 0.57      | 254      | 1        | 0.83      | 20       | 750       | 21       | 0.02      | <5       | 130      | 0.38      | 114      | <10       | 49       |              |
| 089057-150         |                                   | 0.53      | 226      | 1        | 0.79      | 16       | 760       | 18       | 0.02      | <5       | 124      | 0.36      | 106      | <10       | 45       |              |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 1  
Finalized Date: 30-OCT-2004  
Account: STRGOL

## QC CERTIFICATE VA04071096

Project: Dub 1735

P.O. No.:

This report is for 444 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED  
NOV - 8 2004

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |
| SCR-41d  | Screen to -100um, save both    |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |

To: STRATAGOLD EXPLORATION INC.  
ATTN: ACCOUNTS PAYABLE  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 2 - A

Total # Pages: 6 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071096

| Method                     | Au-AA23   | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analyte                    | Au        | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        | Mg       |
| Units                      | ppm       | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        | %        |
| LOR                        | 0.005     | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     | 0.01     |
| Sample Description         | STANDARDS |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BM-10                      |           | 5.3      | 0.81     | 834      | 100      | <0.5     | 184      | 0.14     | 125.0    | 359      | 1470     | 1690     | 10.60    | 0.05     | 0.26     |
| BM-10                      |           | 5.7      | 0.88     | 879      | 110      | <0.5     | 204      | 0.16     | 153.0    | 402      | 1670     | 1830     | 11.80    | 0.05     | 0.28     |
| BM-10                      |           | 5.4      | 0.81     | 806      | 100      | <0.5     | 196      | 0.14     | 146.5    | 350      | 1425     | 1695     | 10.30    | 0.04     | 0.25     |
| BM-10                      |           | 5.5      | 0.83     | 833      | 100      | <0.5     | 221      | 0.14     | 157.5    | 361      | 1545     | 1715     | 10.75    | 0.04     | 0.26     |
| BM-10                      |           | 5.3      | 0.83     | 812      | 100      | <0.5     | 194      | 0.14     | 180.0    | 353      | 1470     | 1705     | 10.65    | 0.04     | 0.26     |
| BM-10                      |           | 4.1      | 0.81     | 787      | 100      | <0.5     | 181      | 0.14     | 136.5    | 364      | 1530     | 1695     | 10.85    | 0.04     | 0.26     |
| BM-10                      |           | 5.1      | 0.80     | 793      | 90       | <0.5     | 191      | 0.15     | 130.0    | 344      | 1485     | 1750     | 10.35    | 0.04     | 0.26     |
| BM-10                      |           | 5.4      | 0.84     | 831      | 100      | <0.5     | 186      | 0.15     | 139.0    | 343      | 1515     | 1805     | 10.95    | 0.04     | 0.28     |
| Target Range - Lower Bound |           | 4.6      | 0.72     | 755      | 70       |          | 183      | 0.12     | 117.5    | 301      | 845      | 1600     | 9.24     |          | 0.20     |
| Upper Bound                |           | 6.7      | 0.90     | 833      | 110      |          | 228      | 0.17     | 144.5    | 370      | 1035     | 1955     | 11.30    |          | 0.27     |
| G2000                      |           | 3.9      | 5.08     | 482      | 2410     | 1.3      | <2       | 0.59     | 7.4      | 23       | 99       | 306      | 3.86     | 1.30     | 0.76     |
| G2000                      |           | 3.6      | 4.92     | 483      | 2390     | 1.3      | 2        | 0.58     | 7.7      | 25       | 106      | 300      | 3.82     | 1.28     | 0.74     |
| G2000                      |           | 3.6      | 5.00     | 474      | 2220     | 1.3      | <2       | 0.54     | 7.0      | 24       | 99       | 303      | 3.59     | 1.30     | 0.75     |
| G2000                      |           | 3.8      | 5.24     | 486      | 2430     | 1.3      | <2       | 0.59     | 7.5      | 25       | 106      | 310      | 3.86     | 1.32     | 0.78     |
| G2000                      |           | 3.2      | 5.13     | 484      | 2370     | 1.3      | 2        | 0.58     | 7.6      | 25       | 102      | 300      | 3.78     | 1.29     | 0.76     |
| G2000                      |           | 5.1      | 4.90     | 472      | 2240     | 1.3      | <2       | 0.55     | 7.2      | 22       | 97       | 295      | 3.69     | 1.28     | 0.74     |
| G2000                      |           | 3.8      | 5.11     | 488      | 2350     | 1.3      | 2        | 0.58     | 7.0      | 23       | 109      | 305      | 3.81     | 1.27     | 0.76     |
| G2000                      |           | 3.8      | 5.03     | 477      | 2340     | 1.3      | 2        | 0.58     | 7.0      | 23       | 104      | 308      | 3.76     | 1.30     | 0.77     |
| Target Range - Lower Bound |           | 2.7      | 4.52     | 431      | 2110     | 0.8      | <2       | 0.51     | 6.3      | 22       | 90       | 272      | 3.41     | 1.16     | 0.67     |
| Upper Bound                |           | 4.4      | 5.54     | 537      | 2610     | 2.0      | 4        | 0.65     | 8.9      | 29       | 112      | 334      | 4.19     | 1.44     | 0.85     |
| OXF28                      | 0.808     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.816     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.775     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.810     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.835     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.816     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.785     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | 0.741     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 0.863     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.24      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.53      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.46      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.50      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.60      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.48      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.52      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | 3.22      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 3.71      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - B  
Total # Pages: 6 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071096

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                            |                                   | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                            |                                   | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| STANDARDS                  |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BM-10                      |                                   | 2690     | 94       | 0.04     | 1480     | 50       | 2320     | 1.40     | 265      | 15       | 0.06     | 46       | <10      | 3170     |          |
| BM-10                      |                                   | 3020     | 104      | 0.04     | 1645     | 60       | 2570     | 1.62     | 297      | 17       | 0.06     | 50       | <10      | 3570     |          |
| BM-10                      |                                   | 2780     | 99       | 0.04     | 1430     | 60       | 2340     | 1.42     | 255      | 15       | 0.06     | 44       | <10      | 3110     |          |
| BM-10                      |                                   | 2870     | 104      | 0.04     | 1495     | 60       | 2390     | 1.43     | 266      | 14       | 0.06     | 46       | <10      | 3290     |          |
| BM-10                      |                                   | 2820     | 102      | 0.04     | 1445     | 60       | 2390     | 1.48     | 267      | 14       | 0.06     | 46       | <10      | 3260     |          |
| BM-10                      |                                   | 2840     | 104      | 0.05     | 1510     | 70       | 2400     | 1.53     | 287      | 14       | 0.06     | 45       | <10      | 3370     |          |
| BM-10                      |                                   | 2830     | 96       | 0.04     | 1370     | 50       | 2330     | 1.44     | 262      | 14       | 0.06     | 43       | <10      | 3060     |          |
| BM-10                      |                                   | 2860     | 102      | 0.04     | 1510     | 70       | 2460     | 1.56     | 282      | 18       | 0.06     | 47       | <10      | 3270     |          |
| Target Range - Lower Bound |                                   | 2410     | 90       |          | 1205     | 40       | 1980     | 1.27     | 199      |          |          |          |          | 2890     |          |
| Upper Bound                |                                   | 2950     | 112      |          | 1475     | 70       | 2430     | 1.57     | 255      |          |          |          |          | 3530     |          |
| G2000                      |                                   | 566      | 5        | 0.15     | 289      | 980      | 678      | 0.27     | 34       | 122      | 0.35     | 108      | 20       | 1270     |          |
| G2000                      |                                   | 568      | 5        | 0.14     | 285      | 950      | 667      | 0.27     | 33       | 115      | 0.35     | 106      | 20       | 1245     |          |
| G2000                      |                                   | 545      | 5        | 0.15     | 272      | 940      | 664      | 0.26     | 32       | 118      | 0.34     | 103      | 10       | 1250     |          |
| G2000                      |                                   | 577      | 5        | 0.14     | 292      | 960      | 699      | 0.27     | 33       | 116      | 0.37     | 110      | 10       | 1325     |          |
| G2000                      |                                   | 578      | 6        | 0.14     | 277      | 960      | 655      | 0.26     | 35       | 115      | 0.35     | 108      | 10       | 1265     |          |
| G2000                      |                                   | 544      | 6        | 0.13     | 266      | 900      | 627      | 0.27     | 31       | 114      | 0.33     | 101      | 10       | 1240     |          |
| G2000                      |                                   | 553      | 6        | 0.15     | 271      | 950      | 663      | 0.28     | 32       | 118      | 0.34     | 103      | 10       | 1230     |          |
| G2000                      |                                   | 559      | 5        | 0.14     | 285      | 1010     | 665      | 0.28     | 34       | 121      | 0.36     | 108      | 10       | 1280     |          |
| Target Range - Lower Bound |                                   | 506      | 4        | 0.13     | 256      | 840      | 601      | 0.23     | 24       | 103      | 0.31     | 96       | <10      | 1130     |          |
| Upper Bound                |                                   | 630      | 8        | 0.18     | 316      | 1050     | 739      | 0.30     | 40       | 129      | 0.40     | 120      | 20       | 1385     |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.775    |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.741    |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.863    |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 3.46     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 3.22     |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 3.71     |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 3 - A

Total # Pages: 6 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071096

| Method<br>Analyte<br>Units<br>LOR | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 | ME-ICP61<br>Mg<br>%<br>0.01 |
|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|-----------------------------|
| Sample Description                |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANKS                            |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | 1                          | 1                          | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | 2                          | <0.01                       | <0.5                         | <1                         | 1                          | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | <0.005                        | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| Upper Bound                       | 0.010                         | 1.0                          | 0.02                        | 10                         | 20                          | 1.0                          | 4                          | 0.02                        | 1.0                          | 2                          | 2                          | 2                          | 0.02                        | 0.02                       | 0.02                        |
| DUPLICATES                        |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| ORIGINAL                          | >10.0                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | >10.0                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | 9.49                          |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 10.00                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| ORIGINAL                          | 0.032                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | 0.027                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | 0.018                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 0.041                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| ORIGINAL                          | 1.080                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | 1.110                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | 1.030                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 1.160                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 3 - B  
Total # Pages: 6 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071096

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                            |                                   | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                            |                                   | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| BLANKS                     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | <0.005   |
| BLANK                      |                                   | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | 1        | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | <1       | 0.01     | <1       | 10       | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | 1        | <0.01    | 1        | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | 1        | <0.01    | <1       | <10      | <2       | <0.01    | <5       | 1        | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.005   |
| Upper Bound                |                                   | 10       | 2        | 0.02     | 2        | 20       | 4        | 0.02     | 10       | 2        | 0.02     | 2        | 20       | 4        | 0.010    |
| DUPLICATES                 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 4 - A  
Total # Pages: 6 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071096

| Method<br>Analyte<br>Units<br>LOR | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 | ME-ICP61<br>Mg<br>%<br>0.01 |
|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|-----------------------------|
| <b>Sample Description</b>         | <b>DUPLICATES</b>             |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| ORIGINAL                          |                               | <0.5                         | 3.79                        | 10                         | 360                         | 1.0                          | <2                         | 13.45                       | <0.5                         | 4                          | 23                         | 12                         | 1.42                        | 1.33                       | 1.55                        |
| DUP                               |                               | <0.5                         | 3.75                        | <5                         | 340                         | 1.0                          | <2                         | 13.10                       | <0.5                         | 3                          | 22                         | 12                         | 1.40                        | 1.31                       | 1.53                        |
| Target Range - Lower Bound        |                               | <0.5                         | 3.56                        | <5                         | 310                         | <0.5                         | <2                         | 12.60                       | <0.5                         | <1                         | 19                         | 9                          | 1.32                        | 1.23                       | 1.44                        |
| Upper Bound                       |                               | 1.0                          | 3.98                        | 10                         | 390                         | 2.1                          | 4                          | 13.95                       | 1.0                          | 6                          | 26                         | 15                         | 1.50                        | 1.41                       | 1.64                        |
| 080410 -150                       |                               | <0.5                         | 3.37                        | 25                         | 540                         | 0.9                          | <2                         | 2.53                        | 0.6                          | 8                          | 45                         | 46                         | 1.85                        | 0.85                       | 0.57                        |
| DUP                               |                               | <0.5                         | 3.66                        | 41                         | 580                         | 0.9                          | <2                         | 2.75                        | <0.5                         | 8                          | 44                         | 47                         | 1.98                        | 0.86                       | 0.61                        |
| Target Range - Lower Bound        |                               | <0.5                         | 3.32                        | 21                         | 510                         | <0.5                         | <2                         | 2.49                        | <0.5                         | 6                          | 40                         | 42                         | 1.80                        | 0.79                       | 0.54                        |
| Upper Bound                       |                               | 1.0                          | 3.71                        | 45                         | 610                         | 1.0                          | 4                          | 2.79                        | 1.0                          | 10                         | 49                         | 51                         | 2.03                        | 0.92                       | 0.64                        |
| 080630-150                        | 0.018                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | 0.011                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 0.025                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| 080633-150                        |                               | <0.5                         | 5.77                        | 17                         | 940                         | 1.3                          | <2                         | 0.68                        | <0.5                         | 9                          | 63                         | 20                         | 3.05                        | 1.41                       | 0.62                        |
| DUP                               |                               | <0.5                         | 6.06                        | 15                         | 970                         | 1.3                          | <2                         | 0.71                        | <0.5                         | 9                          | 66                         | 20                         | 3.15                        | 1.42                       | 0.64                        |
| Target Range - Lower Bound        |                               | <0.5                         | 5.60                        | <5                         | 890                         | <0.5                         | <2                         | 0.64                        | <0.5                         | 7                          | 59                         | 17                         | 2.93                        | 1.32                       | 0.58                        |
| Upper Bound                       |                               | 1.0                          | 6.23                        | 27                         | 1020                        | 2.4                          | 4                          | 0.75                        | 1.0                          | 11                         | 70                         | 23                         | 3.28                        | 1.51                       | 0.68                        |
| 080650-150                        | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 0.010                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| 080669-150                        |                               | <0.5                         | 5.66                        | 28                         | 1160                        | 1.3                          | <2                         | 0.94                        | 0.7                          | 11                         | 65                         | 38                         | 2.98                        | 1.52                       | 0.73                        |
| DUP                               |                               | <0.5                         | 6.08                        | 19                         | 1200                        | 1.4                          | <2                         | 0.97                        | 0.6                          | 10                         | 68                         | 40                         | 3.11                        | 1.64                       | 0.77                        |
| Target Range - Lower Bound        |                               | <0.5                         | 5.56                        | 12                         | 1100                        | <0.5                         | <2                         | 0.89                        | <0.5                         | 8                          | 61                         | 35                         | 2.87                        | 1.48                       | 0.69                        |
| Upper Bound                       |                               | 1.0                          | 6.18                        | 35                         | 1260                        | 2.4                          | 4                          | 1.02                        | 1.0                          | 13                         | 72                         | 43                         | 3.22                        | 1.68                       | 0.81                        |
| 080670-150                        | 0.006                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | 0.016                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 0.022                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| 080739-150                        |                               | <0.5                         | 6.22                        | 112                        | 780                         | 1.5                          | <2                         | 0.81                        | <0.5                         | 13                         | 60                         | 30                         | 3.17                        | 1.89                       | 0.73                        |
| DUP                               |                               | <0.5                         | 6.25                        | 108                        | 800                         | 1.6                          | <2                         | 0.84                        | <0.5                         | 13                         | 60                         | 30                         | 3.18                        | 1.88                       | 0.73                        |
| Target Range - Lower Bound        |                               | <0.5                         | 5.90                        | 95                         | 730                         | <0.5                         | <2                         | 0.76                        | <0.5                         | 10                         | 55                         | 27                         | 3.00                        | 1.77                       | 0.67                        |
| Upper Bound                       |                               | 1.0                          | 6.57                        | 126                        | 850                         | 2.6                          | 4                          | 0.89                        | 1.0                          | 16                         | 65                         | 34                         | 3.35                        | 2.00                       | 0.79                        |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 4 - B

Total # Pages: 6 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071096

| Method<br>Analyte<br>Units<br>LOR | ME-ICP61<br>Mn<br>ppm<br>5 | ME-ICP61<br>Mo<br>ppm<br>1 | ME-ICP61<br>Na<br>%<br>0.01 | ME-ICP61<br>Ni<br>ppm<br>1 | ME-ICP61<br>P<br>ppm<br>10 | ME-ICP61<br>Pb<br>ppm<br>2 | ME-ICP61<br>S<br>%<br>0.01 | ME-ICP61<br>Sb<br>ppm<br>5 | ME-ICP61<br>Sr<br>ppm<br>1 | ME-ICP61<br>Ti<br>%<br>0.01 | ME-ICP61<br>V<br>ppm<br>1 | ME-ICP61<br>W<br>ppm<br>10 | ME-ICP61<br>Zn<br>ppm<br>2 | Au-AA23D<br>Au<br>ppm<br>0.005 |
|-----------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|---------------------------|----------------------------|----------------------------|--------------------------------|
| Sample Description                |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
|                                   | DUPLICATES                 |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| ORIGINAL                          | 294                        | <1                         | 0.79                        | 10                         | 400                        | 14                         | 0.03                       | <5                         | 373                        | 0.19                        | 33                        | <10                        | 35                         |                                |
| DUP                               | 294                        | 1                          | 0.78                        | 11                         | 400                        | 13                         | 0.02                       | <5                         | 375                        | 0.18                        | 32                        | <10                        | 34                         |                                |
| Target Range - Lower Bound        | 269                        | <1                         | 0.73                        | 8                          | 360                        | 9                          | <0.01                      | <5                         | 353                        | 0.16                        | 29                        | <10                        | 29                         |                                |
| Upper Bound                       | 319                        | 2                          | 0.84                        | 13                         | 440                        | 18                         | 0.05                       | 10                         | 395                        | 0.21                        | 36                        | 20                         | 40                         |                                |
| 080410 -150                       | 549                        | 1                          | 0.31                        | 39                         | 1010                       | 13                         | 0.18                       | <5                         | 170                        | 0.16                        | 53                        | <10                        | 47                         |                                |
| DUP                               | 585                        | 1                          | 0.34                        | 40                         | 1050                       | 15                         | 0.20                       | 7                          | 186                        | 0.16                        | 56                        | 10                         | 47                         |                                |
| Target Range - Lower Bound        | 529                        | <1                         | 0.29                        | 36                         | 960                        | 9                          | 0.16                       | <5                         | 167                        | 0.13                        | 50                        | <10                        | 41                         |                                |
| Upper Bound                       | 605                        | 2                          | 0.36                        | 43                         | 1100                       | 19                         | 0.22                       | 10                         | 189                        | 0.19                        | 59                        | 20                         | 53                         |                                |
| 080630-150                        |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| DUP                               |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| Target Range - Lower Bound        |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| Upper Bound                       |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| 080633-150                        | 376                        | 1                          | 0.95                        | 21                         | 450                        | 18                         | 0.01                       | <5                         | 150                        | 0.40                        | 117                       | <10                        | 65                         |                                |
| DUP                               | 393                        | 1                          | 0.98                        | 23                         | 480                        | 20                         | 0.01                       | <5                         | 156                        | 0.38                        | 118                       | <10                        | 65                         |                                |
| Target Range - Lower Bound        | 355                        | <1                         | 0.90                        | 19                         | 420                        | 14                         | <0.01                      | <5                         | 143                        | 0.35                        | 110                       | <10                        | 58                         |                                |
| Upper Bound                       | 414                        | 2                          | 1.03                        | 25                         | 510                        | 24                         | 0.02                       | 10                         | 163                        | 0.43                        | 125                       | 20                         | 72                         |                                |
| 080650-150                        |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| DUP                               |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| Target Range - Lower Bound        |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| Upper Bound                       |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| 080669-150                        | 561                        | 1                          | 0.71                        | 29                         | 650                        | 27                         | 0.01                       | 6                          | 123                        | 0.31                        | 110                       | <10                        | 102                        |                                |
| DUP                               | 590                        | 1                          | 0.77                        | 33                         | 700                        | 26                         | 0.01                       | <5                         | 135                        | 0.33                        | 118                       | <10                        | 108                        |                                |
| Target Range - Lower Bound        | 537                        | <1                         | 0.68                        | 27                         | 620                        | 21                         | <0.01                      | <5                         | 121                        | 0.28                        | 106                       | <10                        | 96                         |                                |
| Upper Bound                       | 614                        | 2                          | 0.80                        | 35                         | 730                        | 32                         | 0.02                       | 10                         | 137                        | 0.36                        | 122                       | 20                         | 114                        |                                |
| 080670-150                        |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| DUP                               |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| Target Range - Lower Bound        |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| Upper Bound                       |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |                            |                                |
| 080739-150                        | 655                        | <1                         | 0.88                        | 34                         | 620                        | 32                         | 0.02                       | 9                          | 155                        | 0.32                        | 88                        | 10                         | 97                         |                                |
| DUP                               | 661                        | <1                         | 0.87                        | 32                         | 620                        | 31                         | 0.02                       | 10                         | 156                        | 0.31                        | 88                        | 10                         | 99                         |                                |
| Target Range - Lower Bound        | 615                        | <1                         | 0.81                        | 29                         | 570                        | 26                         | <0.01                      | <5                         | 146                        | 0.28                        | 82                        | <10                        | 89                         |                                |
| Upper Bound                       | 701                        | 2                          | 0.94                        | 37                         | 670                        | 37                         | 0.04                       | 10                         | 166                        | 0.35                        | 94                        | 20                         | 107                        |                                |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 5 - A

Total # Pages: 6 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071096

| Method<br>Analyte<br>Units<br>LOR                              | Au-AA23<br>Au<br>ppm<br>0.005       | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01  | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01  | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01  | ME-ICP61<br>K<br>%<br>0.01   | ME-ICP61<br>Mg<br>%<br>0.01  |
|----------------------------------------------------------------|-------------------------------------|------------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|------------------------------|------------------------------|----------------------------|----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|
| Sample Description                                             |                                     |                              |                              |                            |                             |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080762-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | 0.006<br>0.006<br><0.005<br>0.010   |                              |                              |                            |                             |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080775-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                     | 1.0<br>1.0<br><0.5<br>2.1    | 5.69<br>5.80<br>5.44<br>6.05 | 18<br>19<br>8<br>29        | 710<br>730<br>660<br>780    | 1.2<br>1.2<br><0.5<br>2.3    | <2<br><2<br><2<br>4        | 0.63<br>0.65<br>0.59<br>0.69 | <0.5<br><0.5<br><0.5<br>1.0  | 5<br>6<br>3<br>8           | 57<br>58<br>53<br>62       | 27<br>28<br>24<br>31       | 2.56<br>2.64<br>2.45<br>2.75 | 1.48<br>1.53<br>1.41<br>1.60 | 0.60<br>0.62<br>0.56<br>0.66 |
| 080857-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | <0.005<br><0.005<br><0.005<br>0.010 |                              |                              |                            |                             |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 088829-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                     | <0.5<br><0.5<br><0.5<br>1.0  | 5.82<br>5.99<br>5.59<br>6.22 | 19<br>16<br>7<br>28        | 950<br>950<br>880<br>1020   | 1.2<br>1.3<br><0.5<br>2.3    | <2<br><2<br><2<br>4        | 0.82<br>0.83<br>0.76<br>0.89 | <0.5<br><0.5<br><0.5<br>1.0  | 9<br>9<br>7<br>11          | 62<br>61<br>56<br>67       | 21<br>22<br>18<br>25       | 2.64<br>2.67<br>2.50<br>2.81 | 1.41<br>1.46<br>1.34<br>1.53 | 0.71<br>0.72<br>0.66<br>0.77 |
| 088838-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | <0.005<br>0.049<br>0.016<br>0.038   |                              |                              |                            |                             |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 088855-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | 0.011<br>0.014<br><0.005<br>0.023   |                              |                              |                            |                             |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 088858-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | <0.005<br>0.009<br><0.005<br>0.010  |                              |                              |                            |                             |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 088865-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                     | <0.5<br><0.5<br><0.5<br>1.0  | 5.61<br>5.57<br>5.29<br>5.89 | 23<br>22<br>11<br>34       | 910<br>920<br>850<br>980    | 1.6<br>1.2<br><0.5<br>2.5    | <2<br><2<br><2<br>4        | 1.00<br>1.01<br>0.93<br>1.08 | <0.5<br><0.5<br><0.5<br>1.0  | 8<br>6<br>5<br>9           | 59<br>62<br>55<br>66       | 30<br>30<br>27<br>34       | 2.91<br>2.93<br>2.75<br>3.09 | 1.34<br>1.32<br>1.24<br>1.42 | 0.66<br>0.66<br>0.61<br>0.71 |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - B  
Total # Pages: 6 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04071096

| Sample Description                                             | Method<br>Analyte<br>Units<br>LOR | ME-ICP61                 | ME-ICP61            | ME-ICP61                     | ME-ICP61             | ME-ICP61                 | ME-ICP61                | ME-ICP61                      | ME-ICP61             | ME-ICP61                 | ME-ICP61                     | ME-ICP61                | ME-ICP61               | ME-ICP61             | Au-AA23D                 |
|----------------------------------------------------------------|-----------------------------------|--------------------------|---------------------|------------------------------|----------------------|--------------------------|-------------------------|-------------------------------|----------------------|--------------------------|------------------------------|-------------------------|------------------------|----------------------|--------------------------|
|                                                                |                                   | Mn                       | Mo                  | Na                           | Ni                   | P                        | Pb                      | S                             | Sb                   | Sr                       | Ti                           | V                       | W                      | Zn                   | Au                       |
|                                                                |                                   | ppm                      | ppm                 | %                            | ppm                  | ppm                      | ppm                     | %                             | ppm                  | ppm                      | %                            | ppm                     | ppm                    | ppm                  | ppm                      |
|                                                                |                                   | 5                        | 1                   | 0.01                         | 1                    | 10                       | 2                       | 0.01                          | 5                    | 1                        | 0.01                         | 1                       | 10                     | 2                    | 0.005                    |
| DUPLICATES                                                     |                                   |                          |                     |                              |                      |                          |                         |                               |                      |                          |                              |                         |                        |                      |                          |
| 080762-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                     |                              |                      |                          |                         |                               |                      |                          |                              |                         |                        |                      |                          |
| 080775-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 263<br>271<br>244<br>290 | <1<br><1<br><1<br>2 | 0.84<br>0.86<br>0.79<br>0.91 | 21<br>20<br>17<br>24 | 520<br>550<br>490<br>580 | 100<br>104<br>93<br>111 | 0.01<br>0.01<br><0.01<br>0.02 | 5<br>6<br><5<br>10   | 130<br>134<br>123<br>141 | 0.35<br>0.35<br>0.31<br>0.39 | 102<br>103<br>95<br>110 | 10<br><10<br><10<br>20 | 65<br>66<br>58<br>73 |                          |
| 080857-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                     |                              |                      |                          |                         |                               |                      |                          |                              |                         |                        |                      |                          |
| 088829-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 294<br>296<br>270<br>320 | <1<br><1<br><1<br>2 | 0.95<br>0.99<br>0.90<br>1.04 | 26<br>24<br>22<br>28 | 560<br>570<br>520<br>610 | 16<br>15<br>11<br>20    | 0.01<br>0.01<br><0.01<br>0.02 | <5<br><5<br><5<br>10 | 140<br>144<br>133<br>151 | 0.35<br>0.36<br>0.32<br>0.39 | 102<br>102<br>95<br>109 | 10<br><10<br><10<br>20 | 66<br>66<br>59<br>73 |                          |
| 088838-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                     |                              |                      |                          |                         |                               |                      |                          |                              |                         |                        |                      | 0.049<br>0.037<br>0.061  |
| 088855-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                     |                              |                      |                          |                         |                               |                      |                          |                              |                         |                        |                      |                          |
| 088858-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                          |                     |                              |                      |                          |                         |                               |                      |                          |                              |                         |                        |                      | 0.009<br><0.005<br>0.010 |
| 088865-150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 384<br>386<br>356<br>414 | 2<br>2<br><1<br>4   | 1.13<br>1.11<br>1.04<br>1.20 | 26<br>29<br>24<br>31 | 700<br>700<br>650<br>760 | 19<br>21<br>15<br>25    | 0.01<br>0.01<br><0.01<br>0.02 | <5<br><5<br><5<br>10 | 174<br>172<br>162<br>184 | 0.34<br>0.33<br>0.30<br>0.37 | 98<br>97<br>91<br>104   | 10<br><10<br><10<br>20 | 72<br>73<br>65<br>80 |                          |

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.





Phone: 604 984 0221 Fax: 604 984 0218

Page: 6 - B  
Total # Pages: 6 (A - B)  
Finalized Date: 30-OCT-2004  
Account: STRGOL

QC CERTIFICATE OF ANALYSIS VA04071096

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: **STRATAGOLD EXPLORATION INC.**  
**701-475 HOWE ST**  
**VANCOUVER BC V6C 2B3**

Page: 1  
Finalized Date: 29-OCT-2004  
Account: STRGOL

## CERTIFICATE VA04070980

Project: Dub 1735

P.O. No.:

This report is for 460 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED  
NOV - 8 2004

## SAMPLE PREPARATION


| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |
| SCR-41d  | Screen to -100um, save both    |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |

To: **STRATAGOLD EXPLORATION INC.**  
**ATTN: ACCOUNTS PAYABLE**  
**701-475 HOWE ST**  
**VANCOUVER BC V6C 2B3**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21          | Au-AA23   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%  | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%  | Cd<br>ppm | Co<br>ppm | Cr<br>ppm | Cu<br>ppm | Fe<br>%  | K<br>%   |
|                    |                                   | 0.02            | 0.005     | 0.5       | 0.01     | 5         | 10        | 0.5       | 2         | 0.01     | 0.5       | 1         | 1         | 1         | 0.01     | 0.01     |
| 080001 -80+150     |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080002 -80+150     |                                   | 0.48            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080003 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080004 -80+150     |                                   | 0.66            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080005 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080006 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080007 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080008 -80+150     |                                   | 0.60            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080009 -80+150     |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080010 -80+150     |                                   | 0.48            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080011 -80+150     |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080012 -80+150     |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080013 -80+150     |                                   | 0.58            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080014 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080015 -80+150     |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080016 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080017 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080018 -80+150     |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080019 -80+150     |                                   | 0.52            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080020 -80+150     |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080021 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080022 -80+150     |                                   | 0.64            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080023 -80+150     |                                   | 0.58            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080024 -80+150     |                                   | 0.58            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080025 -80+150     |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080026 -80+150     |                                   | 0.58            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080027 -80+150     |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080028 -80+150     |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080029 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080030 -80+150     |                                   | 0.64            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080031 -80+150     |                                   | 0.60            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080032 -80+150     |                                   | 0.56            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080033 -80+150     |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080034 -80+150     |                                   | 0.66            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080035 -80+150     |                                   | 0.78            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080036 -80+150     |                                   | 0.60            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080037 -80+150     |                                   | 0.58            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080038 -80+150     |                                   | 0.70            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080039 -80+150     |                                   | 0.58            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080040 -80+150     |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04070980**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  | Au-AA23D  |
|--------------------|-----------------------------------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|----------|-----------|-----------|
|                    |                                   | Mg<br>%  | Mn<br>ppm | Mo<br>ppm | Na<br>%  | Ni<br>ppm | P<br>ppm | Pb<br>ppm | S<br>%   | Sb<br>ppm | Sr<br>ppm | Ti<br>%  | V<br>ppm | W<br>ppm | Zn<br>ppm | Au<br>ppm |
|                    |                                   | 0.01     | 5         | 1         | 0.01     | 1         | 10       | 2         | 0.01     | 5         | 1         | 0.01     | 1        | 10       | 2         | 0.005     |
| 080001 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080002 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080003 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080004 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080005 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080006 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080007 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080008 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080009 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080010 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080011 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080012 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080013 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080014 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080015 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080016 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080017 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080018 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080019 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080020 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080021 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080022 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080023 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080024 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080025 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080026 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080027 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080028 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080029 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080030 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080031 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080032 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080033 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080034 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080035 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080036 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080037 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080038 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080039 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080040 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 3 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080041 -80+150     |                                   | 0.60                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080042 -80+150     |                                   | 0.54                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080043 -80+150     |                                   | 0.38                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080044 -80+150     |                                   | 0.50                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080051 -80+150     |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080052 -80+150     |                                   | 0.46                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080053 -80+150     |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080054 -80+150     |                                   | 0.52                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080055 -80+150     |                                   | 0.44                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080056 -80+150     |                                   | 0.44                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080057 -80+150     |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080058 -80+150     |                                   | 0.40                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080059 -80+150     |                                   | 0.44                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080060 -80+150     |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080061 -80+150     |                                   | 0.50                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080062 -80+150     |                                   | 0.34                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080063 -80+150     |                                   | 0.44                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080064 -80+150     |                                   | 0.42                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080065 -80+150     |                                   | 0.40                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080066 -80+150     |                                   | 0.38                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080067 -80+150     |                                   | 0.30                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080068 -80+150     |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080069 -80+150     |                                   | 0.32                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080070 -80+150     |                                   | 0.30                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080071 -80+150     |                                   | 0.34                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080072 -80+150     |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080073 -80+150     |                                   | 0.46                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080074 -80+150     |                                   | 0.30                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080075 -80+150     |                                   | 0.30                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080076 -80+150     |                                   | 0.38                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080077 -80+150     |                                   | 0.34                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080078 -80+150     |                                   | 0.34                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080079 -80+150     |                                   | 0.30                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080080 -80+150     |                                   | 0.30                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080081 -80+150     |                                   | 0.30                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080082 -80+150     |                                   | 0.28                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080083 -80+150     |                                   | 0.28                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080084 -80+150     |                                   | 0.36                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080085 -80+150     |                                   | 0.40                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080086 -80+150     |                                   | 0.34                              |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080041 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080042 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080043 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080044 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080051 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080052 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080053 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080054 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080055 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080056 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080057 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080058 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080059 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080060 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080061 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080062 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080063 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080064 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080065 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080066 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080067 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080068 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080069 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080070 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080071 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080072 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080073 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080074 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080075 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080076 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080077 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080078 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080079 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080080 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080081 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080082 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080083 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080084 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080085 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080086 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21    | Au-AA23 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Recvd Wt. | Au      | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        |
|                    |                                   | kg        | ppm     | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        |
|                    |                                   | 0.02      | 0.005   | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     |
| 080087 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080088 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080089 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080090 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080091 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080092 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080093 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080094 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080095 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080096 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080097 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080098 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080099 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080100 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080101 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080102 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080103 -80+150     |                                   | 0.44      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080104 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080105 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080106 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080107 -80+150     |                                   | 0.28      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080108 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080109 -80+150     |                                   | 0.44      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080110 -80+150     |                                   | 0.44      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080111 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080112 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080113 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080114 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080115 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080116 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080117 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080118 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080119 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080122 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080123 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080124 -80+150     |                                   | 0.44      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080125 -80+150     |                                   | 0.44      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080126 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080127 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080128 -80+150     |                                   | 0.50      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | NI       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080087 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080088 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080089 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080090 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080091 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080092 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080093 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080094 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080095 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080096 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080097 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080098 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080099 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080100 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080101 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080102 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080103 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080104 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080105 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080106 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080107 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080108 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080109 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080110 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080111 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080112 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080113 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080114 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080115 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080116 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080117 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080118 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080119 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080122 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080123 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080124 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080125 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080126 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080127 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080128 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 5 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04070980**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21    | Au-AA23 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Recvd Wt. | Au      | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        |
|                    |                                   | kg        | ppm     | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        |
|                    |                                   | 0.02      | 0.005   | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     |
| 080129 -80+150     |                                   | 0.60      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080130 -80+150     |                                   | 0.58      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080131 -80+150     |                                   | 0.48      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080132 -80+150     |                                   | 0.56      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080133 -80+150     |                                   | 0.58      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080134 -80+150     |                                   | 0.50      | 0.006   |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080135 -80+150     |                                   | 0.70      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080136 -80+150     |                                   | 0.52      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080137 -80+150     |                                   | 0.44      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080138 -80+150     |                                   | 0.52      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080139 -80+150     |                                   | 0.48      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080140 -80+150     |                                   | 0.58      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080141 -80+150     |                                   | 0.54      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080142 -80+150     |                                   | 0.46      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080143 -80+150     |                                   | 0.52      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080144 -80+150     |                                   | 0.48      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080145 -80+150     |                                   | 0.54      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080151 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080152 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080153 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080154 -80+150     |                                   | 0.40      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080155 -80+150     |                                   | 0.46      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080156 -80+150     |                                   | 0.24      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080157 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080158 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080159 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080160 -80+150     |                                   | 0.18      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080161 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080162 -80+150     |                                   | 0.12      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080163 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080164 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080165 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080166 -80+150     |                                   | 0.22      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080167 -80+150     |                                   | 0.16      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080168 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080169 -80+150     |                                   | 0.12      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080170 -80+150     |                                   | 0.26      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080171 -80+150     |                                   | 0.46      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080172 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080173 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  | Au-AA23D  |
|--------------------|-----------------------------------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|----------|-----------|-----------|
|                    |                                   | Mg<br>%  | Mn<br>ppm | Mo<br>ppm | Na<br>%  | Ni<br>ppm | P<br>ppm | Pb<br>ppm | S<br>%   | Sb<br>ppm | Sr<br>ppm | Ti<br>%  | V<br>ppm | W<br>ppm | Zn<br>ppm | Au<br>ppm |
|                    |                                   | 0.01     | 5         | 1         | 0.01     | 1         | 10       | 2         | 0.01     | 5         | 1         | 0.01     | 1        | 10       | 2         | 0.005     |
| 080129 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080130 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080131 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080132 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080133 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080134 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080135 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080136 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080137 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080138 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080139 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080140 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080141 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080142 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080143 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080144 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080145 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080151 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080152 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080153 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080154 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080155 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080156 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080157 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080158 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080159 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080160 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080161 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080162 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080163 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080164 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080165 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080166 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080167 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080168 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080169 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080170 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080171 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080172 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |
| 080173 -80+150     |                                   |          |           |           |          |           |          |           |          |           |           |          |          |          |           |           |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 6 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04070980**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21          | Au-AA23   | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|----------|
|                    |                                   | Recvd Wt.<br>kg | Au<br>ppm | Ag<br>ppm | Al<br>%  | As<br>ppm | Ba<br>ppm | Be<br>ppm | Bi<br>ppm | Ca<br>%  | Cd<br>ppm | Co<br>ppm | Cr<br>ppm | Cu<br>ppm | Fe<br>%  | K<br>%   |
|                    |                                   | 0.02            | 0.005     | 0.5       | 0.01     | 5         | 10        | 0.5       | 2         | 0.01     | 0.5       | 1         | 1         | 1         | 0.01     | 0.01     |
| 080174 -80+150     |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080175 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080176 -80+150     |                                   | 0.54            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080177 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080178 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080179 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080180 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080181 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080182 -80+150     |                                   | 0.30            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080183 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080184 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080185 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080186 -80+150     |                                   | 0.42            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080187 -80+150     |                                   | 0.24            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080188 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080189 -80+150     |                                   | 0.44            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080190 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080191 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080192 -80+150     |                                   | 0.12            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080193 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080194 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080195 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080196 -80+150     |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080197 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080198 -80+150     |                                   | 0.16            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080199 -80+150     |                                   | 0.40            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080200 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080201 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080202 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080203 -80+150     |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080204 -80+150     |                                   | 0.36            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080205 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080206 -80+150     |                                   | 0.18            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080207 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080208 -80+150     |                                   | 0.46            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080209 -80+150     |                                   | 0.26            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080210 -80+150     |                                   | 0.50            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080211 -80+150     |                                   | 0.38            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080212 -80+150     |                                   | 0.32            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |
| 080213 -80+150     |                                   | 0.34            |           |           |          |           |           |           |           |          |           |           |           |           |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 6 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        |
| 080174 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080175 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080176 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080177 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080178 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080179 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080180 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080181 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080182 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080183 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080184 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080185 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080186 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080187 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080188 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080189 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080190 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080191 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080192 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080193 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080194 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080195 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080196 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080197 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080198 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080199 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080200 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080201 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080202 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080203 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080204 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080205 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080206 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080207 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080208 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080209 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080210 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080211 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080212 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080213 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 7 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21    | Au-AA23 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|-----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Recvd Wt. | Au      | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        |
|                    |                                   | kg        | ppm     | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        |
| 080214 -80+150     |                                   | 0.02      | 0.005   | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     |
| 080215 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080216 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080217 -80+150     |                                   | 0.46      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080218 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080219 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080220 -80+150     |                                   | 0.40      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080221 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080222 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080223 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080224 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080225 -80+150     |                                   | 0.04      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080226 -80+150     |                                   | 0.30      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080227 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080228 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080229 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080230 -80+150     |                                   | 0.40      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080231 -80+150     |                                   | 0.40      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080232 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080233 -80+150     |                                   | 0.48      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080234 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080235 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080236 -80+150     |                                   | 0.44      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080237 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080238 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080239 -80+150     |                                   | 0.34      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080240 -80+150     |                                   | 0.36      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080241 -80+150     |                                   | 0.38      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080242 -80+150     |                                   | 0.32      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080243 -80+150     |                                   | 0.42      |         |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080001 -150        |                                   |           | <0.005  | <0.5     | 9.27     | 12       | 910      | 2.1      | 3        | 0.31     | <0.5     | 8        | 82       | 23       | 3.40     | 2.61     |
| 080002 -150        |                                   |           | <0.005  | <0.5     | 10.15    | 15       | 960      | 2.8      | 4        | 0.17     | <0.5     | 6        | 102      | 30       | 4.49     | 3.56     |
| 080003 -150        |                                   |           | <0.005  | <0.5     | 6.98     | 9        | 780      | 1.5      | 2        | 0.61     | <0.5     | 9        | 66       | 25       | 3.36     | 1.86     |
| 080004 -150        |                                   |           | <0.005  | <0.5     | 6.40     | 8        | 750      | 1.3      | 2        | 0.60     | <0.5     | 4        | 68       | 15       | 2.44     | 1.66     |
| 080005 -150        |                                   |           | <0.005  | <0.5     | 6.07     | 9        | 710      | 1.3      | 2        | 0.58     | <0.5     | 5        | 59       | 17       | 2.32     | 1.60     |
| 080006 -150        |                                   |           | <0.005  | <0.5     | 6.12     | 9        | 710      | 1.3      | 2        | 0.52     | <0.5     | 4        | 65       | 15       | 2.22     | 1.72     |
| 080007 -150        |                                   |           | 0.007   | <0.5     | 7.80     | 5        | 900      | 1.6      | 2        | 0.78     | <0.5     | 6        | 88       | 15       | 3.35     | 2.15     |
| 080008 -150        |                                   |           | <0.005  | <0.5     | 7.87     | 14       | 930      | 1.8      | 2        | 0.95     | <0.5     | 13       | 164      | 28       | 3.80     | 2.37     |
| 080009 -150        |                                   |           | 0.007   | <0.5     | 7.58     | 17       | 880      | 1.7      | <2       | 0.59     | <0.5     | 8        | 82       | 25       | 3.46     | 2.05     |
| 080010 -150        |                                   |           | <0.005  | <0.5     | 13.75    | 11       | 1690     | 4.2      | <2       | 0.03     | <0.5     | 7        | 125      | 39       | 4.82     | 5.62     |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 7 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04070980**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080214 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080215 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080216 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080217 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080218 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080219 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080220 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080221 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080222 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080223 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080224 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080225 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080226 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080227 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080228 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080229 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080230 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080231 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080232 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080233 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080234 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080235 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080236 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080237 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080238 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080239 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080240 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080241 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080242 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080243 -80+150     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| 080001 -150        |                                   | 0.62     | 227      | 2        | 0.74     | 26       | 270      | 24       | 0.01     | <5       | 177      | 0.37     | 134      | <10      | 71       |          |
| 080002 -150        |                                   | 0.89     | 236      | 2        | 0.64     | 16       | 480      | 31       | 0.03     | <5       | 168      | 0.29     | 146      | <10      | 83       |          |
| 080003 -150        |                                   | 0.70     | 323      | 1        | 0.98     | 28       | 580      | 19       | 0.01     | <5       | 165      | 0.33     | 112      | <10      | 81       |          |
| 080004 -150        |                                   | 0.61     | 214      | 2        | 0.89     | 16       | 600      | 15       | 0.01     | <5       | 145      | 0.35     | 111      | <10      | 46       |          |
| 080005 -150        |                                   | 0.56     | 202      | 1        | 0.86     | 17       | 540      | 13       | 0.01     | <5       | 146      | 0.35     | 97       | <10      | 45       |          |
| 080006 -150        |                                   | 0.53     | 187      | 2        | 0.83     | 15       | 770      | 16       | 0.02     | <5       | 138      | 0.34     | 102      | <10      | 39       |          |
| 080007 -150        |                                   | 0.79     | 281      | 1        | 1.14     | 22       | 870      | 22       | 0.03     | <5       | 181      | 0.50     | 134      | <10      | 61       |          |
| 080008 -150        |                                   | 1.41     | 464      | 2        | 0.90     | 53       | 520      | 29       | 0.01     | 6        | 181      | 0.41     | 148      | <10      | 78       |          |
| 080009 -150        |                                   | 0.79     | 288      | 2        | 0.99     | 22       | 260      | 21       | 0.01     | <5       | 166      | 0.39     | 131      | <10      | 60       |          |
| 080010 -150        |                                   | 1.20     | 243      | 2        | 0.62     | 25       | 320      | 33       | 0.02     | <5       | 168      | 0.38     | 182      | <10      | 92       |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 8 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080011 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.63                        | 8                          | 1020                        | 1.9                          | 2                          | 0.47                        | <0.5                         | 7                          | 85                         | 23                         | 3.87                        | 2.27                       |
| 080012 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.86                        | 14                         | 890                         | 1.8                          | <2                         | 0.48                        | <0.5                         | 12                         | 76                         | 24                         | 3.47                        | 2.17                       |
| 080013 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.27                        | 8                          | 870                         | 2.0                          | <2                         | 0.39                        | <0.5                         | 7                          | 78                         | 29                         | 3.54                        | 2.42                       |
| 080014 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.77                        | 12                         | 830                         | 1.3                          | <2                         | 0.61                        | <0.5                         | 9                          | 74                         | 19                         | 3.72                        | 1.44                       |
| 080015 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.17                        | 7                          | 860                         | 2.0                          | <2                         | 0.32                        | <0.5                         | 6                          | 80                         | 36                         | 4.56                        | 2.41                       |
| 080016 -150        |                                   |                                   | <0.005                        | 0.7                          | 8.26                        | 18                         | 840                         | 2.0                          | 2                          | 0.33                        | <0.5                         | 3                          | 85                         | 15                         | 3.04                        | 2.51                       |
| 080017 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.19                        | 18                         | 790                         | 1.1                          | <2                         | 0.65                        | <0.5                         | 8                          | 69                         | 13                         | 3.27                        | 1.27                       |
| 080018 -150        |                                   |                                   | 0.012                         | 1.8                          | 7.74                        | 247                        | 810                         | 1.6                          | 5                          | 0.67                        | <0.5                         | 4                          | 80                         | 14                         | 2.58                        | 2.13                       |
| 080019 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.65                        | 140                        | 860                         | 2.8                          | 5                          | 0.22                        | <0.5                         | 8                          | 111                        | 41                         | 3.97                        | 3.67                       |
| 080020 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.80                        | 63                         | 930                         | 2.5                          | 10                         | 0.32                        | <0.5                         | 5                          | 159                        | 20                         | 3.23                        | 3.42                       |
| 080021 -150        |                                   |                                   | <0.005                        | <0.5                         | 10.05                       | 60                         | 960                         | 2.5                          | 9                          | 0.32                        | <0.5                         | 5                          | 146                        | 21                         | 3.10                        | 3.40                       |
| 080022 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.83                        | 105                        | 900                         | 2.1                          | 5                          | 0.38                        | <0.5                         | 5                          | 75                         | 20                         | 2.88                        | 2.92                       |
| 080023 -150        |                                   |                                   | 0.005                         | <0.5                         | 8.47                        | 180                        | 860                         | 2.2                          | 4                          | 0.33                        | <0.5                         | 6                          | 78                         | 21                         | 2.95                        | 3.01                       |
| 080024 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.90                        | 78                         | 880                         | 1.8                          | <2                         | 0.47                        | <0.5                         | 8                          | 121                        | 19                         | 3.22                        | 2.12                       |
| 080025 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.74                        | 103                        | 900                         | 2.0                          | 3                          | 0.40                        | <0.5                         | 7                          | 93                         | 22                         | 3.20                        | 2.60                       |
| 080026 -150        |                                   |                                   | 0.008                         | <0.5                         | 7.93                        | 80                         | 860                         | 1.9                          | <2                         | 0.43                        | <0.5                         | 6                          | 80                         | 19                         | 2.85                        | 2.41                       |
| 080027 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.45                        | 95                         | 970                         | 2.5                          | 3                          | 0.36                        | <0.5                         | 7                          | 91                         | 32                         | 3.82                        | 3.19                       |
| 080028 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.56                        | 66                         | 980                         | 2.4                          | <2                         | 0.43                        | <0.5                         | 8                          | 90                         | 30                         | 3.81                        | 3.15                       |
| 080029 -150        |                                   |                                   | 0.006                         | <0.5                         | 7.76                        | 82                         | 880                         | 1.8                          | 2                          | 0.53                        | <0.5                         | 7                          | 77                         | 26                         | 3.43                        | 2.31                       |
| 080030 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.15                        | 63                         | 860                         | 1.9                          | 2                          | 0.41                        | <0.5                         | 5                          | 82                         | 22                         | 3.53                        | 2.55                       |
| 080031 -150        |                                   |                                   | 0.008                         | <0.5                         | 6.58                        | 37                         | 680                         | 1.6                          | 2                          | 0.47                        | 0.6                          | 67                         | 63                         | 22                         | 5.10                        | 1.80                       |
| 080032 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.05                        | 28                         | 840                         | 1.4                          | 2                          | 0.68                        | <0.5                         | 6                          | 59                         | 21                         | 2.68                        | 1.62                       |
| 080033 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.86                        | 40                         | 850                         | 1.6                          | <2                         | 0.61                        | <0.5                         | 6                          | 66                         | 20                         | 2.97                        | 1.84                       |
| 080034 -150        |                                   |                                   | 0.009                         | <0.5                         | 7.86                        | 59                         | 1100                        | 1.7                          | 2                          | 0.49                        | <0.5                         | 8                          | 71                         | 25                         | 3.19                        | 2.52                       |
| 080035 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.38                        | 32                         | 1280                        | 2.0                          | 2                          | 0.79                        | <0.5                         | 11                         | 70                         | 36                         | 3.50                        | 2.78                       |
| 080036 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.61                        | 21                         | 1220                        | 1.7                          | <2                         | 0.87                        | <0.5                         | 12                         | 68                         | 37                         | 3.36                        | 2.15                       |
| 080037 -150        |                                   |                                   | 0.005                         | <0.5                         | 8.59                        | 24                         | 1420                        | 2.0                          | <2                         | 0.78                        | <0.5                         | 15                         | 81                         | 31                         | 3.73                        | 2.76                       |
| 080038 -150        |                                   |                                   | 0.015                         | <0.5                         | 6.68                        | 17                         | 1280                        | 1.4                          | <2                         | 0.89                        | <0.5                         | 8                          | 64                         | 26                         | 2.85                        | 1.66                       |
| 080039 -150        |                                   |                                   | 0.005                         | 0.5                          | 6.41                        | 16                         | 1140                        | 1.4                          | <2                         | 1.05                        | <0.5                         | 7                          | 66                         | 31                         | 2.88                        | 1.48                       |
| 080040 -150        |                                   |                                   | 0.013                         | <0.5                         | 6.74                        | 32                         | 3910                        | 1.7                          | <2                         | 0.71                        | <0.5                         | 7                          | 72                         | 54                         | 3.75                        | 1.67                       |
| 080041 -150        |                                   |                                   | 0.006                         | 0.5                          | 5.90                        | 21                         | 1560                        | 1.1                          | <2                         | 0.82                        | <0.5                         | 6                          | 66                         | 28                         | 3.16                        | 1.34                       |
| 080042 -150        |                                   |                                   | 0.007                         | <0.5                         | 5.95                        | 26                         | 1480                        | 1.4                          | <2                         | 1.21                        | <0.5                         | 8                          | 63                         | 36                         | 2.89                        | 1.49                       |
| 080043 -150        |                                   |                                   | 0.006                         | <0.5                         | 6.43                        | 15                         | 1540                        | 1.5                          | <2                         | 1.84                        | <0.5                         | 8                          | 63                         | 39                         | 2.92                        | 1.71                       |
| 080044 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.33                        | 21                         | 1270                        | 1.8                          | 2                          | 1.06                        | 0.9                          | 12                         | 72                         | 53                         | 3.86                        | 2.11                       |
| 080051 -150        |                                   |                                   | 0.006                         | <0.5                         | 7.64                        | 14                         | 840                         | 2.0                          | 3                          | 0.44                        | <0.5                         | 10                         | 72                         | 37                         | 3.61                        | 2.33                       |
| 080052 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.90                        | 11                         | 1140                        | 1.8                          | <2                         | 0.71                        | <0.5                         | 9                          | 76                         | 31                         | 3.33                        | 2.18                       |
| 080053 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.03                        | 11                         | 1000                        | 2.2                          | <2                         | 0.50                        | <0.5                         | 11                         | 81                         | 33                         | 3.49                        | 2.53                       |
| 080054 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.34                        | 11                         | 1020                        | 2.0                          | <2                         | 0.62                        | <0.5                         | 8                          | 75                         | 30                         | 3.25                        | 2.41                       |
| 080055 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.56                        | 12                         | 1010                        | 2.0                          | <2                         | 0.66                        | <0.5                         | 9                          | 79                         | 30                         | 3.43                        | 2.30                       |
| 080056 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.17                        | 6                          | 900                         | 1.9                          | <2                         | 0.55                        | <0.5                         | 11                         | 76                         | 22                         | 3.09                        | 2.33                       |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 8 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

### CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080011 -150        |                                   | 0.84      | 298      | 2        | 0.85      | 19       | 270       | 41       | 0.01      | <5       | 155      | 0.37      | 140      | <10       | 70       |              |
| 080012 -150        |                                   | 0.72      | 382      | 1        | 0.86      | 28       | 280       | 46       | 0.01      | 5        | 146      | 0.37      | 127      | <10       | 87       |              |
| 080013 -150        |                                   | 0.69      | 240      | 1        | 0.73      | 27       | 260       | 44       | 0.01      | 17       | 147      | 0.33      | 125      | <10       | 76       |              |
| 080014 -150        |                                   | 0.75      | 390      | 2        | 0.94      | 25       | 320       | 26       | 0.01      | <5       | 149      | 0.38      | 125      | <10       | 72       |              |
| 080015 -150        |                                   | 0.78      | 245      | 1        | 0.67      | 19       | 320       | 27       | 0.01      | 15       | 137      | 0.30      | 124      | <10       | 111      |              |
| 080016 -150        |                                   | 0.40      | 181      | 2        | 0.59      | 11       | 310       | 134      | 0.01      | 23       | 148      | 0.42      | 140      | <10       | 90       |              |
| 080017 -150        |                                   | 0.63      | 367      | 2        | 0.89      | 20       | 510       | 66       | 0.02      | 9        | 137      | 0.39      | 124      | <10       | 64       |              |
| 080018 -150        |                                   | 0.66      | 228      | 1        | 0.83      | 11       | 800       | 1530     | 0.01      | 1030     | 163      | 0.39      | 126      | <10       | 59       |              |
| 080019 -150        |                                   | 0.61      | 173      | 1        | 0.45      | 24       | 430       | 24       | 0.05      | 23       | 121      | 0.36      | 135      | <10       | 59       |              |
| 080020 -150        |                                   | 0.54      | 161      | 1        | 0.54      | 21       | 510       | 17       | 0.01      | 13       | 219      | 0.38      | 158      | <10       | 42       |              |
| 080021 -150        |                                   | 0.53      | 163      | 2        | 0.53      | 20       | 600       | 18       | 0.01      | 15       | 222      | 0.41      | 156      | <10       | 40       | <0.005       |
| 080022 -150        |                                   | 0.56      | 200      | 1        | 0.68      | 17       | 370       | 21       | 0.01      | 9        | 160      | 0.40      | 138      | <10       | 46       |              |
| 080023 -150        |                                   | 0.50      | 216      | 1        | 0.56      | 20       | 390       | 34       | 0.01      | 18       | 146      | 0.38      | 123      | <10       | 60       |              |
| 080024 -150        |                                   | 0.59      | 276      | 2        | 0.75      | 24       | 410       | 32       | 0.01      | 9        | 152      | 0.43      | 150      | <10       | 60       |              |
| 080025 -150        |                                   | 0.56      | 209      | 1        | 0.64      | 20       | 370       | 33       | 0.01      | 7        | 157      | 0.40      | 132      | <10       | 57       |              |
| 080026 -150        |                                   | 0.55      | 201      | 1        | 0.66      | 17       | 370       | 26       | 0.01      | 6        | 152      | 0.39      | 121      | <10       | 50       |              |
| 080027 -150        |                                   | 0.79      | 251      | 2        | 0.66      | 27       | 500       | 27       | 0.03      | 8        | 149      | 0.41      | 132      | <10       | 70       |              |
| 080028 -150        |                                   | 0.82      | 284      | 2        | 0.73      | 24       | 510       | 21       | 0.01      | 5        | 155      | 0.41      | 136      | <10       | 69       |              |
| 080029 -150        |                                   | 0.64      | 254      | 2        | 0.77      | 23       | 670       | 24       | 0.02      | 6        | 148      | 0.40      | 127      | <10       | 67       |              |
| 080030 -150        |                                   | 0.61      | 179      | 1        | 0.66      | 17       | 750       | 24       | 0.02      | 6        | 139      | 0.38      | 126      | <10       | 53       |              |
| 080031 -150        |                                   | 0.68      | 2240     | 1        | 0.69      | 29       | 700       | 44       | 0.03      | 5        | 118      | 0.30      | 92       | <10       | 101      |              |
| 080032 -150        |                                   | 0.64      | 301      | 1        | 0.91      | 20       | 450       | 17       | 0.01      | <5       | 154      | 0.39      | 101      | <10       | 64       |              |
| 080033 -150        |                                   | 0.66      | 280      | 1        | 0.84      | 17       | 590       | 25       | 0.01      | 9        | 140      | 0.37      | 103      | <10       | 65       |              |
| 080034 -150        |                                   | 0.61      | 368      | 1        | 0.86      | 22       | 320       | 23       | 0.01      | 6        | 124      | 0.28      | 97       | <10       | 75       |              |
| 080035 -150        |                                   | 0.93      | 741      | 1        | 0.88      | 31       | 620       | 34       | 0.01      | <5       | 104      | 0.30      | 106      | <10       | 107      |              |
| 080036 -150        |                                   | 0.77      | 741      | 1        | 0.87      | 31       | 540       | 26       | 0.01      | <5       | 136      | 0.33      | 106      | <10       | 87       |              |
| 080037 -150        |                                   | 0.89      | 1015     | 1        | 0.88      | 33       | 540       | 23       | 0.02      | <5       | 125      | 0.34      | 108      | <10       | 89       |              |
| 080038 -150        |                                   | 0.73      | 416      | 1        | 0.99      | 23       | 600       | 25       | 0.01      | <5       | 149      | 0.35      | 102      | <10       | 80       |              |
| 080039 -150        |                                   | 0.73      | 464      | 1        | 1.09      | 27       | 730       | 34       | 0.01      | <5       | 174      | 0.37      | 112      | <10       | 96       |              |
| 080040 -150        |                                   | 0.78      | 366      | 4        | 0.78      | 36       | 520       | 19       | 0.03      | 7        | 154      | 0.33      | 166      | <10       | 85       |              |
| 080041 -150        |                                   | 0.64      | 283      | 2        | 1.00      | 20       | 380       | 20       | 0.01      | <5       | 159      | 0.39      | 132      | <10       | 59       | <0.005       |
| 080042 -150        |                                   | 0.68      | 601      | 1        | 0.80      | 29       | 640       | 18       | 0.02      | 6        | 151      | 0.32      | 114      | <10       | 94       |              |
| 080043 -150        |                                   | 0.67      | 566      | 1        | 0.77      | 33       | 760       | 15       | 0.05      | 8        | 176      | 0.32      | 127      | <10       | 94       |              |
| 080044 -150        |                                   | 0.86      | 586      | 2        | 0.71      | 44       | 730       | 27       | 0.03      | 13       | 138      | 0.34      | 138      | <10       | 152      |              |
| 080051 -150        |                                   | 0.64      | 362      | 1        | 0.77      | 21       | 530       | 31       | 0.02      | <5       | 152      | 0.30      | 109      | <10       | 68       |              |
| 080052 -150        |                                   | 0.77      | 417      | 1        | 1.05      | 27       | 640       | 17       | 0.01      | <5       | 186      | 0.36      | 126      | <10       | 85       |              |
| 080053 -150        |                                   | 0.73      | 379      | 1        | 0.80      | 27       | 440       | 26       | 0.01      | <5       | 166      | 0.34      | 124      | <10       | 73       |              |
| 080054 -150        |                                   | 0.74      | 325      | 1        | 0.90      | 28       | 500       | 17       | 0.01      | <5       | 175      | 0.35      | 120      | <10       | 80       |              |
| 080055 -150        |                                   | 0.77      | 371      | 1        | 0.83      | 26       | 510       | 23       | 0.01      | <5       | 163      | 0.34      | 118      | <10       | 78       |              |
| 080056 -150        |                                   | 0.72      | 346      | 1        | 0.83      | 19       | 460       | 29       | 0.01      | 5        | 160      | 0.33      | 110      | <10       | 69       |              |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 9 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

### CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080057 -150        |                                   |                                   | <0.005                        | 0.5                          | 8.67                        | 23                         | 910                         | 2.1                          | <2                         | 0.46                        | <0.5                         | 8                          | 81                         | 26                         | 3.25                        | 2.50                       |
| 080058 -150        |                                   |                                   | <0.005                        | 0.5                          | 9.67                        | 69                         | 1020                        | 2.6                          | 2                          | 0.39                        | <0.5                         | 12                         | 84                         | 29                         | 3.53                        | 3.12                       |
| 080059 -150        |                                   |                                   | 0.007                         | <0.5                         | 9.95                        | 31                         | 960                         | 2.5                          | <2                         | 0.33                        | <0.5                         | 10                         | 81                         | 30                         | 3.57                        | 3.04                       |
| 080060 -150        |                                   |                                   | <0.005                        | 0.9                          | 8.58                        | 78                         | 970                         | 2.0                          | 2                          | 0.48                        | <0.5                         | 6                          | 76                         | 25                         | 3.13                        | 2.48                       |
| 080061 -150        |                                   |                                   | <0.005                        | 0.9                          | 8.47                        | 76                         | 1010                        | 2.1                          | <2                         | 0.50                        | <0.5                         | 6                          | 79                         | 25                         | 3.18                        | 2.55                       |
| 080062 -150        |                                   |                                   | <0.005                        | 0.6                          | 7.26                        | 63                         | 930                         | 1.7                          | <2                         | 0.58                        | <0.5                         | 25                         | 69                         | 34                         | 3.45                        | 1.74                       |
| 080063 -150        |                                   |                                   | <0.005                        | 0.9                          | 7.63                        | 666                        | 800                         | 2.0                          | <2                         | 0.69                        | 1.2                          | 17                         | 75                         | 32                         | 3.88                        | 2.10                       |
| 080064 -150        |                                   |                                   | <0.005                        | <0.5                         | 10.40                       | 30                         | 950                         | 2.9                          | <2                         | 0.19                        | <0.5                         | 8                          | 92                         | 48                         | 4.87                        | 3.22                       |
| 080065 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.17                        | 16                         | 880                         | 2.0                          | <2                         | 0.37                        | <0.5                         | 9                          | 79                         | 32                         | 4.07                        | 2.36                       |
| 080066 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.84                        | 14                         | 960                         | 1.7                          | <2                         | 0.90                        | <0.5                         | 6                          | 66                         | 27                         | 3.09                        | 2.08                       |
| 080067 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.18                        | 12                         | 740                         | 1.3                          | <2                         | 0.62                        | <0.5                         | 5                          | 62                         | 19                         | 2.39                        | 1.54                       |
| 080068 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.08                        | 12                         | 890                         | 1.8                          | <2                         | 0.69                        | <0.5                         | 6                          | 78                         | 23                         | 3.21                        | 2.07                       |
| 080069 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.82                        | 8                          | 980                         | 1.8                          | <2                         | 0.66                        | <0.5                         | 6                          | 80                         | 22                         | 3.09                        | 2.09                       |
| 080070 -150        |                                   |                                   | 0.009                         | <0.5                         | 8.20                        | 16                         | 900                         | 1.9                          | <2                         | 0.54                        | <0.5                         | 9                          | 103                        | 28                         | 3.31                        | 2.25                       |
| 080071 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.86                        | 12                         | 820                         | 1.5                          | 2                          | 0.58                        | <0.5                         | 5                          | 70                         | 19                         | 2.76                        | 1.77                       |
| 080072 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.07                        | 18                         | 810                         | 1.4                          | <2                         | 0.55                        | <0.5                         | 9                          | 60                         | 27                         | 3.09                        | 1.48                       |
| 080073 -150        |                                   |                                   | <0.005                        | <0.5                         | 10.65                       | 33                         | 1020                        | 3.1                          | <2                         | 0.15                        | <0.5                         | 17                         | 101                        | 40                         | 4.11                        | 3.91                       |
| 080074 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.27                        | 16                         | 740                         | 1.4                          | 2                          | 0.57                        | <0.5                         | 6                          | 58                         | 19                         | 2.50                        | 1.66                       |
| 080075 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.70                        | 84                         | 950                         | 2.1                          | <2                         | 0.61                        | <0.5                         | 18                         | 84                         | 25                         | 3.69                        | 2.55                       |
| 080076 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.53                        | 108                        | 970                         | 1.9                          | 4                          | 0.58                        | <0.5                         | 9                          | 71                         | 36                         | 4.04                        | 2.37                       |
| 080077 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.76                        | 71                         | 810                         | 2.1                          | 3                          | 0.49                        | <0.5                         | 10                         | 70                         | 36                         | 3.64                        | 2.55                       |
| 080078 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.73                        | 204                        | 910                         | 1.9                          | 4                          | 0.63                        | <0.5                         | 8                          | 92                         | 30                         | 3.20                        | 2.13                       |
| 080079 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.44                        | 225                        | 840                         | 1.8                          | 5                          | 0.53                        | <0.5                         | 9                          | 80                         | 26                         | 3.34                        | 1.98                       |
| 080080 -150        |                                   |                                   | 0.015                         | <0.5                         | 8.62                        | 29                         | 940                         | 2.2                          | <2                         | 0.41                        | <0.5                         | 11                         | 87                         | 32                         | 3.86                        | 2.52                       |
| 080081 -150        |                                   |                                   | 0.051                         | <0.5                         | 8.10                        | 26                         | 890                         | 1.9                          | <2                         | 0.45                        | <0.5                         | 10                         | 82                         | 26                         | 3.58                        | 2.26                       |
| 080082 -150        |                                   |                                   | 0.007                         | <0.5                         | 7.55                        | 122                        | 850                         | 1.9                          | 3                          | 0.51                        | <0.5                         | 12                         | 77                         | 33                         | 3.30                        | 2.11                       |
| 080083 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.75                        | 192                        | 830                         | 2.2                          | 6                          | 0.44                        | <0.5                         | 12                         | 89                         | 26                         | 3.48                        | 2.49                       |
| 080084 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.40                        | 107                        | 960                         | 2.2                          | <2                         | 0.68                        | <0.5                         | 9                          | 81                         | 33                         | 3.62                        | 2.47                       |
| 080085 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.53                        | 16                         | 950                         | 2.4                          | <2                         | 0.42                        | <0.5                         | 5                          | 82                         | 27                         | 3.54                        | 2.96                       |
| 080086 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.01                        | 33                         | 840                         | 1.9                          | 2                          | 0.50                        | <0.5                         | 6                          | 80                         | 19                         | 3.14                        | 2.34                       |
| 080087 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.39                        | 14                         | 740                         | 1.4                          | <2                         | 0.57                        | <0.5                         | 4                          | 74                         | 13                         | 2.70                        | 1.76                       |
| 080088 -150        |                                   |                                   | <0.005                        | <0.5                         | 11.75                       | 11                         | 1300                        | 3.4                          | 2                          | 0.14                        | <0.5                         | 4                          | 99                         | 30                         | 4.53                        | 4.57                       |
| 080089 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.61                        | 25                         | 1080                        | 1.4                          | <2                         | 1.12                        | <0.5                         | 9                          | 67                         | 18                         | 2.72                        | 1.84                       |
| 080090 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.61                        | 18                         | 1000                        | 1.4                          | <2                         | 1.27                        | <0.5                         | 9                          | 64                         | 27                         | 2.89                        | 1.78                       |
| 080091 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.49                        | 9                          | 910                         | 1.4                          | 2                          | 1.00                        | <0.5                         | 7                          | 60                         | 24                         | 2.57                        | 1.72                       |
| 080092 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.18                        | 20                         | 960                         | 1.3                          | <2                         | 0.98                        | <0.5                         | 9                          | 61                         | 24                         | 2.93                        | 1.56                       |
| 080093 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.72                        | 20                         | 1180                        | 1.4                          | <2                         | 0.90                        | <0.5                         | 12                         | 66                         | 29                         | 3.21                        | 1.62                       |
| 080094 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.72                        | 26                         | 1520                        | 1.7                          | 3                          | 1.01                        | <0.5                         | 9                          | 78                         | 36                         | 3.58                        | 2.13                       |
| 080095 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.67                        | 23                         | 1040                        | 1.7                          | <2                         | 1.05                        | <0.5                         | 10                         | 70                         | 27                         | 3.17                        | 2.19                       |
| 080096 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.76                        | 25                         | 1100                        | 1.6                          | 2                          | 1.02                        | <0.5                         | 10                         | 75                         | 28                         | 3.33                        | 2.00                       |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 9 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|----------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au       |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 |          |
| 080057 -150        |                                   | 0.64      | 252      | 2        | 0.76      | 24       | 550       | 52       | 0.02      | 21       | 146      | 0.28      | 114      | <10       | 88       | <0.005   |
| 080058 -150        |                                   | 0.73      | 375      | 1        | 0.72      | 26       | 400       | 110      | 0.01      | 59       | 152      | 0.32      | 128      | <10       | 123      |          |
| 080059 -150        |                                   | 0.69      | 320      | 1        | 0.73      | 26       | 320       | 55       | 0.01      | 23       | 146      | 0.30      | 120      | <10       | 108      |          |
| 080060 -150        |                                   | 0.69      | 274      | 1        | 0.80      | 20       | 290       | 217      | 0.01      | 125      | 148      | 0.33      | 122      | <10       | 85       |          |
| 080061 -150        |                                   | 0.71      | 288      | 1        | 0.84      | 23       | 300       | 223      | 0.01      | 127      | 153      | 0.34      | 124      | <10       | 86       |          |
| 080062 -150        |                                   | 0.71      | 711      | 1        | 0.98      | 35       | 300       | 108      | 0.01      | 73       | 158      | 0.33      | 118      | <10       | 108      |          |
| 080063 -150        |                                   | 0.58      | 503      | 1        | 0.78      | 49       | 660       | 702      | 0.03      | 320      | 159      | 0.29      | 104      | <10       | 248      |          |
| 080064 -150        |                                   | 0.65      | 206      | 1        | 0.59      | 28       | 500       | 37       | 0.01      | 15       | 136      | 0.26      | 132      | <10       | 104      |          |
| 080065 -150        |                                   | 0.78      | 363      | 1        | 0.67      | 24       | 450       | 26       | 0.01      | 12       | 134      | 0.29      | 114      | <10       | 75       |          |
| 080066 -150        |                                   | 0.80      | 332      | <1       | 1.08      | 18       | 590       | 21       | <0.01     | 11       | 198      | 0.36      | 118      | <10       | 65       |          |
| 080067 -150        |                                   | 0.54      | 260      | 1        | 0.83      | 16       | 760       | 20       | 0.02      | <5       | 134      | 0.36      | 102      | <10       | 41       |          |
| 080068 -150        |                                   | 0.74      | 267      | 1        | 0.91      | 20       | 600       | 29       | 0.01      | <5       | 162      | 0.38      | 120      | <10       | 68       |          |
| 080069 -150        |                                   | 0.73      | 315      | 1        | 0.91      | 21       | 550       | 21       | 0.01      | <5       | 158      | 0.38      | 122      | <10       | 71       |          |
| 080070 -150        |                                   | 0.74      | 354      | 2        | 0.87      | 37       | 400       | 23       | 0.01      | 6        | 154      | 0.37      | 124      | <10       | 72       |          |
| 080071 -150        |                                   | 0.67      | 288      | 1        | 0.94      | 20       | 500       | 17       | 0.01      | <5       | 148      | 0.36      | 114      | <10       | 52       |          |
| 080072 -150        |                                   | 0.64      | 437      | 1        | 0.91      | 24       | 320       | 42       | 0.01      | 6        | 141      | 0.34      | 103      | <10       | 65       |          |
| 080073 -150        |                                   | 0.79      | 555      | 1        | 0.49      | 41       | 370       | 49       | 0.01      | 9        | 127      | 0.20      | 130      | <10       | 101      |          |
| 080074 -150        |                                   | 0.53      | 271      | 1        | 0.85      | 19       | 520       | 19       | 0.01      | <5       | 138      | 0.29      | 95       | <10       | 53       |          |
| 080075 -150        |                                   | 0.84      | 574      | 1        | 0.83      | 24       | 560       | 33       | 0.02      | 10       | 148      | 0.38      | 118      | <10       | 73       |          |
| 080076 -150        |                                   | 0.87      | 436      | 1        | 0.81      | 28       | 600       | 31       | 0.02      | 11       | 146      | 0.32      | 99       | <10       | 69       |          |
| 080077 -150        |                                   | 0.71      | 356      | 1        | 0.72      | 36       | 630       | 33       | 0.01      | 11       | 134      | 0.31      | 99       | <10       | 83       |          |
| 080078 -150        |                                   | 0.95      | 273      | 1        | 0.97      | 25       | 360       | 14       | 0.03      | <5       | 154      | 0.43      | 120      | <10       | 51       |          |
| 080079 -150        |                                   | 0.81      | 340      | 1        | 0.84      | 28       | 330       | 14       | 0.02      | <5       | 136      | 0.40      | 114      | <10       | 56       |          |
| 080080 -150        |                                   | 0.93      | 309      | 1        | 0.81      | 30       | 330       | 16       | 0.04      | <5       | 130      | 0.40      | 118      | <10       | 62       |          |
| 080081 -150        |                                   | 0.84      | 286      | 1        | 0.84      | 25       | 290       | 14       | 0.03      | <5       | 130      | 0.41      | 118      | <10       | 55       |          |
| 080082 -150        |                                   | 0.90      | 318      | 1        | 0.89      | 31       | 370       | 16       | 0.02      | 5        | 139      | 0.38      | 122      | <10       | 53       |          |
| 080083 -150        |                                   | 0.76      | 440      | 3        | 0.66      | 22       | 580       | 24       | 0.03      | 7        | 129      | 0.44      | 123      | <10       | 52       |          |
| 080084 -150        |                                   | 0.95      | 332      | 1        | 0.96      | 29       | 580       | 18       | 0.02      | 8        | 166      | 0.38      | 128      | <10       | 74       |          |
| 080085 -150        |                                   | 0.91      | 299      | 1        | 0.72      | 19       | 440       | 18       | 0.03      | <5       | 130      | 0.40      | 124      | <10       | 67       |          |
| 080086 -150        |                                   | 0.76      | 258      | 1        | 0.82      | 19       | 400       | 23       | 0.01      | 6        | 137      | 0.38      | 116      | <10       | 56       |          |
| 080087 -150        |                                   | 0.72      | 239      | 1        | 0.76      | 19       | 580       | 23       | 0.03      | 6        | 132      | 0.35      | 100      | <10       | 51       |          |
| 080088 -150        |                                   | 0.93      | 168      | 1        | 0.42      | 13       | 760       | 27       | 0.06      | 11       | 157      | 0.36      | 142      | <10       | 66       |          |
| 080089 -150        |                                   | 0.62      | 712      | 1        | 0.85      | 21       | 540       | 21       | 0.04      | <5       | 157      | 0.35      | 103      | <10       | 88       |          |
| 080090 -150        |                                   | 0.66      | 319      | <1       | 0.80      | 28       | 580       | 19       | 0.09      | <5       | 174      | 0.33      | 96       | <10       | 97       |          |
| 080091 -150        |                                   | 0.59      | 251      | <1       | 0.87      | 24       | 560       | 20       | 0.06      | 5        | 158      | 0.32      | 97       | <10       | 84       |          |
| 080092 -150        |                                   | 0.62      | 371      | 1        | 0.84      | 25       | 690       | 22       | 0.04      | 5        | 144      | 0.35      | 106      | <10       | 80       |          |
| 080093 -150        |                                   | 0.69      | 671      | 1        | 0.96      | 29       | 640       | 23       | 0.02      | <5       | 151      | 0.37      | 114      | <10       | 91       |          |
| 080094 -150        |                                   | 0.76      | 418      | 1        | 0.72      | 30       | 610       | 25       | 0.11      | 9        | 140      | 0.33      | 122      | <10       | 118      |          |
| 080095 -150        |                                   | 0.70      | 650      | 1        | 0.86      | 29       | 660       | 22       | 0.05      | 6        | 152      | 0.35      | 106      | <10       | 100      |          |
| 080096 -150        |                                   | 0.73      | 466      | 1        | 1.02      | 26       | 550       | 19       | 0.01      | <5       | 160      | 0.37      | 114      | <10       | 84       |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 10 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080097 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.69                        | 68                         | 1020                        | 1.6                          | 3                          | 0.85                        | <0.5                         | 7                          | 72                         | 18                         | 2.96                        | 2.20                       |
| 080098 -150        |                                   |                                   | 0.006                         | <0.5                         | 9.06                        | 44                         | 1420                        | 2.1                          | <2                         | 0.44                        | <0.5                         | 13                         | 84                         | 35                         | 3.90                        | 2.89                       |
| 080099 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.92                        | 38                         | 940                         | 1.3                          | <2                         | 0.73                        | <0.5                         | 6                          | 78                         | 16                         | 3.00                        | 1.72                       |
| 080100 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.67                        | 32                         | 1160                        | 1.7                          | 2                          | 0.66                        | <0.5                         | 10                         | 67                         | 19                         | 3.27                        | 2.44                       |
| 080101 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.94                        | 32                         | 1180                        | 1.8                          | <2                         | 0.70                        | <0.5                         | 9                          | 68                         | 19                         | 3.36                        | 2.37                       |
| 080102 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.48                        | 12                         | 1130                        | 1.4                          | <2                         | 1.07                        | <0.5                         | 8                          | 61                         | 17                         | 2.83                        | 1.57                       |
| 080103 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.93                        | 30                         | 1520                        | 1.7                          | <2                         | 0.60                        | 2.5                          | 9                          | 63                         | 52                         | 4.05                        | 2.20                       |
| 080104 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.13                        | 74                         | 1610                        | 1.9                          | <2                         | 0.95                        | <0.5                         | 9                          | 75                         | 31                         | 3.52                        | 2.53                       |
| 080105 -150        |                                   |                                   | 0.007                         | <0.5                         | 7.05                        | 52                         | 1300                        | 1.6                          | <2                         | 0.86                        | <0.5                         | 10                         | 72                         | 33                         | 3.38                        | 1.84                       |
| 080106 -150        |                                   |                                   | 0.013                         | <0.5                         | 7.84                        | 131                        | 2650                        | 1.7                          | <2                         | 0.66                        | <0.5                         | 9                          | 82                         | 44                         | 3.75                        | 1.98                       |
| 080107 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.69                        | 36                         | 1090                        | 1.8                          | <2                         | 0.48                        | <0.5                         | 6                          | 73                         | 26                         | 3.15                        | 2.38                       |
| 080108 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.78                        | 23                         | 990                         | 1.8                          | <2                         | 0.45                        | <0.5                         | 9                          | 74                         | 28                         | 3.18                        | 2.41                       |
| 080109 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.10                        | 19                         | 890                         | 1.5                          | <2                         | 0.68                        | <0.5                         | 8                          | 65                         | 24                         | 3.51                        | 1.92                       |
| 080110 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.38                        | 23                         | 830                         | 1.3                          | 3                          | 0.66                        | <0.5                         | 7                          | 61                         | 21                         | 3.52                        | 1.70                       |
| 080111 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.90                        | 27                         | 1040                        | 1.4                          | <2                         | 0.72                        | <0.5                         | 10                         | 72                         | 23                         | 3.31                        | 1.56                       |
| 080112 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.86                        | 33                         | 930                         | 1.5                          | <2                         | 0.68                        | <0.5                         | 9                          | 71                         | 23                         | 3.12                        | 1.66                       |
| 080113 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.43                        | 34                         | 930                         | 1.3                          | <2                         | 0.69                        | <0.5                         | 9                          | 73                         | 23                         | 3.45                        | 1.40                       |
| 080114 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.41                        | 59                         | 890                         | 1.2                          | <2                         | 0.70                        | <0.5                         | 9                          | 71                         | 14                         | 3.38                        | 1.50                       |
| 080115 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.79                        | 42                         | 920                         | 1.2                          | <2                         | 0.68                        | <0.5                         | 7                          | 77                         | 18                         | 3.50                        | 1.34                       |
| 080116 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.34                        | 28                         | 890                         | 1.5                          | <2                         | 0.58                        | <0.5                         | 7                          | 77                         | 23                         | 3.10                        | 1.86                       |
| 080117 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.91                        | 73                         | 750                         | 1.2                          | 3                          | 0.59                        | <0.5                         | 9                          | 61                         | 26                         | 3.01                        | 1.40                       |
| 080118 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.58                        | 21                         | 840                         | 1.3                          | <2                         | 0.63                        | <0.5                         | 8                          | 68                         | 20                         | 3.02                        | 1.62                       |
| 080119 -150        |                                   |                                   | <0.005                        | 0.5                          | 7.80                        | 27                         | 840                         | 1.8                          | 2                          | 0.47                        | <0.5                         | 9                          | 72                         | 41                         | 3.35                        | 2.56                       |
| 080122 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.78                        | 38                         | 700                         | 1.1                          | 2                          | 0.57                        | <0.5                         | 5                          | 64                         | 12                         | 3.28                        | 1.45                       |
| 080123 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.31                        | 37                         | 770                         | 1.2                          | <2                         | 0.61                        | <0.5                         | 8                          | 70                         | 12                         | 3.55                        | 1.58                       |
| 080124 -150        |                                   |                                   | <0.005                        | 0.8                          | 6.81                        | 24                         | 940                         | 1.4                          | 4                          | 0.72                        | 0.8                          | 8                          | 71                         | 23                         | 3.07                        | 1.81                       |
| 080125 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.93                        | 34                         | 790                         | 1.1                          | <2                         | 0.66                        | <0.5                         | 9                          | 69                         | 21                         | 3.53                        | 1.18                       |
| 080126 -150        |                                   |                                   | <0.005                        | 0.5                          | 5.85                        | 75                         | 750                         | 1.3                          | 2                          | 0.79                        | <0.5                         | 10                         | 64                         | 54                         | 3.11                        | 1.38                       |
| 080127 -150        |                                   |                                   | <0.005                        | 1.6                          | 7.19                        | 59                         | 1000                        | 1.5                          | 5                          | 0.67                        | <0.5                         | 9                          | 70                         | 64                         | 3.50                        | 1.82                       |
| 080128 -150        |                                   |                                   | 0.022                         | <0.5                         | 6.78                        | 35                         | 930                         | 1.5                          | <2                         | 0.68                        | <0.5                         | 10                         | 68                         | 36                         | 3.11                        | 1.58                       |
| 080129 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.34                        | 20                         | 750                         | 1.1                          | <2                         | 0.81                        | <0.5                         | 6                          | 59                         | 16                         | 2.60                        | 1.29                       |
| 080130 -150        |                                   |                                   | <0.005                        | <0.5                         | 5.96                        | 14                         | 1140                        | 1.3                          | <2                         | 1.01                        | <0.5                         | 9                          | 62                         | 25                         | 2.82                        | 1.35                       |
| 080131 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.33                        | 20                         | 1040                        | 1.3                          | <2                         | 1.07                        | <0.5                         | 11                         | 67                         | 25                         | 3.21                        | 1.48                       |
| 080132 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.06                        | 67                         | 920                         | 2.2                          | 3                          | 0.26                        | <0.5                         | 11                         | 77                         | 36                         | 4.01                        | 2.92                       |
| 080133 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.86                        | 27                         | 920                         | 2.0                          | <2                         | 0.44                        | <0.5                         | 15                         | 72                         | 30                         | 4.08                        | 2.30                       |
| 080134 -150        |                                   |                                   | NSS                           | <0.5                         | 11.65                       | 56                         | 1100                        | 3.3                          | <2                         | 0.06                        | <0.5                         | 23                         | 93                         | 43                         | 5.34                        | 4.09                       |
| 080135 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.71                        | 31                         | 900                         | 2.2                          | 2                          | 0.31                        | <0.5                         | 12                         | 73                         | 37                         | 3.95                        | 2.87                       |
| 080136 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.94                        | 24                         | 920                         | 2.2                          | <2                         | 0.37                        | <0.5                         | 17                         | 76                         | 33                         | 3.93                        | 2.60                       |
| 080137 -150        |                                   |                                   | 0.005                         | <0.5                         | 8.25                        | 20                         | 1100                        | 1.9                          | 2                          | 0.59                        | <0.5                         | 9                          | 75                         | 29                         | 3.28                        | 2.21                       |
| 080138 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.47                        | 23                         | 810                         | 1.9                          | 2                          | 0.47                        | <0.5                         | 11                         | 71                         | 30                         | 3.58                        | 2.20                       |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 10 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

### CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080097 -150        |                                   | 0.69      | 396      | <1       | 1.01      | 24       | 530       | 20       | 0.01      | 59       | 159      | 0.37      | 110      | <10       | 68       | <0.005       |
| 080098 -150        |                                   | 0.96      | 362      | 2        | 0.48      | 31       | 660       | 29       | 0.02      | 42       | 94       | 0.40      | 142      | <10       | 120      |              |
| 080099 -150        |                                   | 0.77      | 300      | 1        | 0.99      | 20       | 860       | 17       | 0.02      | 10       | 141      | 0.36      | 114      | <10       | 54       |              |
| 080100 -150        |                                   | 0.83      | 625      | <1       | 0.96      | 22       | 680       | 24       | 0.02      | 28       | 108      | 0.37      | 91       | <10       | 106      |              |
| 080101 -150        |                                   | 0.84      | 660      | 1        | 0.97      | 25       | 710       | 25       | 0.02      | 28       | 115      | 0.39      | 95       | <10       | 112      |              |
| 080102 -150        |                                   | 0.71      | 527      | 1        | 0.92      | 22       | 800       | 20       | 0.05      | 6        | 162      | 0.34      | 101      | <10       | 90       |              |
| 080103 -150        |                                   | 0.66      | 358      | 6        | 0.65      | 56       | 970       | 19       | 0.01      | 27       | 124      | 0.27      | 142      | <10       | 242      |              |
| 080104 -150        |                                   | 0.77      | 475      | 2        | 0.75      | 27       | 780       | 21       | 0.05      | 19       | 140      | 0.38      | 125      | <10       | 109      |              |
| 080105 -150        |                                   | 0.77      | 557      | 1        | 1.01      | 29       | 520       | 21       | 0.01      | 34       | 160      | 0.33      | 134      | <10       | 80       |              |
| 080106 -150        |                                   | 0.73      | 360      | 2        | 0.87      | 29       | 400       | 18       | 0.01      | 23       | 149      | 0.40      | 143      | <10       | 83       |              |
| 080107 -150        |                                   | 0.59      | 294      | 1        | 0.64      | 23       | 560       | 37       | 0.01      | 6        | 115      | 0.39      | 110      | <10       | 66       |              |
| 080108 -150        |                                   | 0.72      | 395      | 1        | 0.61      | 24       | 400       | 45       | 0.03      | 15       | 108      | 0.37      | 114      | <10       | 68       |              |
| 080109 -150        |                                   | 0.76      | 346      | 1        | 0.92      | 26       | 260       | 23       | 0.01      | 7        | 148      | 0.43      | 113      | <10       | 65       |              |
| 080110 -150        |                                   | 0.68      | 306      | 1        | 0.95      | 24       | 300       | 14       | 0.01      | 7        | 144      | 0.41      | 109      | <10       | 60       |              |
| 080111 -150        |                                   | 0.78      | 337      | 1        | 1.04      | 30       | 330       | 16       | 0.01      | <5       | 156      | 0.39      | 130      | <10       | 81       |              |
| 080112 -150        |                                   | 0.70      | 398      | <1       | 0.97      | 21       | 210       | 15       | 0.01      | <5       | 152      | 0.42      | 126      | <10       | 66       |              |
| 080113 -150        |                                   | 0.70      | 364      | 1        | 0.94      | 28       | 440       | 18       | 0.01      | <5       | 142      | 0.39      | 132      | <10       | 69       |              |
| 080114 -150        |                                   | 0.71      | 510      | 2        | 0.92      | 21       | 650       | 26       | 0.01      | <5       | 143      | 0.40      | 136      | <10       | 70       |              |
| 080115 -150        |                                   | 0.73      | 347      | 2        | 1.02      | 19       | 270       | 23       | <0.01     | <5       | 151      | 0.40      | 136      | <10       | 66       |              |
| 080116 -150        |                                   | 0.62      | 370      | 1        | 0.80      | 23       | 300       | 19       | 0.01      | <5       | 135      | 0.40      | 130      | <10       | 60       |              |
| 080117 -150        |                                   | 0.58      | 339      | 1        | 0.87      | 23       | 240       | 28       | 0.01      | 7        | 132      | 0.35      | 102      | <10       | 67       |              |
| 080118 -150        |                                   | 0.64      | 333      | <1       | 0.91      | 18       | 260       | 20       | 0.01      | <5       | 138      | 0.34      | 112      | <10       | 56       |              |
| 080119 -150        |                                   | 0.59      | 412      | 1        | 0.71      | 22       | 430       | 50       | 0.01      | 32       | 116      | 0.42      | 124      | <10       | 102      |              |
| 080122 -150        |                                   | 0.53      | 402      | 1        | 0.80      | 15       | 360       | 46       | 0.01      | 10       | 122      | 0.37      | 109      | <10       | 58       |              |
| 080123 -150        |                                   | 0.57      | 446      | 1        | 0.87      | 14       | 380       | 48       | 0.01      | 10       | 134      | 0.37      | 120      | <10       | 63       |              |
| 080124 -150        |                                   | 0.64      | 387      | 1        | 0.93      | 22       | 590       | 108      | 0.01      | 5        | 151      | 0.41      | 122      | <10       | 164      |              |
| 080125 -150        |                                   | 0.62      | 390      | 1        | 0.96      | 25       | 410       | 23       | 0.01      | <5       | 138      | 0.38      | 118      | <10       | 81       |              |
| 080126 -150        |                                   | 0.65      | 451      | 1        | 0.97      | 27       | 490       | 53       | 0.01      | 17       | 152      | 0.42      | 106      | <10       | 86       |              |
| 080127 -150        |                                   | 0.72      | 471      | 1        | 0.93      | 29       | 450       | 71       | 0.01      | 17       | 151      | 0.39      | 118      | <10       | 85       |              |
| 080128 -150        |                                   | 0.72      | 388      | 1        | 0.97      | 26       | 380       | 29       | 0.01      | 8        | 151      | 0.40      | 121      | <10       | 78       |              |
| 080129 -150        |                                   | 0.59      | 393      | 1        | 0.95      | 17       | 560       | 24       | 0.01      | <5       | 149      | 0.39      | 99       | <10       | 60       |              |
| 080130 -150        |                                   | 0.72      | 336      | 1        | 1.08      | 25       | 680       | 18       | 0.01      | <5       | 170      | 0.39      | 113      | <10       | 83       |              |
| 080131 -150        |                                   | 0.73      | 407      | 1        | 1.03      | 24       | 700       | 28       | 0.01      | 5        | 172      | 0.35      | 114      | <10       | 80       |              |
| 080132 -150        |                                   | 0.64      | 469      | 1        | 0.72      | 29       | 460       | 28       | 0.01      | 6        | 122      | 0.38      | 103      | <10       | 78       |              |
| 080133 -150        |                                   | 0.58      | 841      | 1        | 0.71      | 33       | 670       | 30       | 0.02      | <5       | 124      | 0.33      | 100      | <10       | 114      |              |
| 080134 -150        |                                   | 0.55      | 410      | 1        | 0.39      | 52       | 400       | 32       | 0.01      | <5       | 131      | 0.32      | 135      | <10       | 97       |              |
| 080135 -150        |                                   | 0.56      | 459      | 1        | 0.73      | 33       | 540       | 22       | 0.01      | 7        | 123      | 0.25      | 100      | <10       | 85       |              |
| 080136 -150        |                                   | 0.58      | 686      | <1       | 0.72      | 30       | 450       | 28       | 0.01      | <5       | 126      | 0.35      | 103      | <10       | 79       |              |
| 080137 -150        |                                   | 0.66      | 314      | 1        | 0.87      | 28       | 510       | 19       | 0.01      | <5       | 150      | 0.35      | 114      | <10       | 72       |              |
| 080138 -150        |                                   | 0.53      | 328      | 1        | 0.79      | 28       | 490       | 18       | 0.01      | <5       | 136      | 0.26      | 97       | <10       | 70       |              |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 11 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| 080139 -150        |                                   |                                   | <0.005                        | 0.5                          | 7.63                        | 25                         | 830                         | 2.0                          | 3                          | 0.67                        | <0.5                         | 14                         | 71                         | 45                         | 4.02                        | 2.00                       |
| 080140 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.25                        | 40                         | 850                         | 2.3                          | 2                          | 0.16                        | <0.5                         | 17                         | 72                         | 60                         | 5.18                        | 2.86                       |
| 080141 -150        |                                   |                                   | <0.005                        | <0.5                         | 9.15                        | 45                         | 850                         | 2.5                          | <2                         | 0.17                        | <0.5                         | 16                         | 78                         | 59                         | 5.06                        | 3.01                       |
| 080142 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.02                        | 22                         | 1080                        | 1.5                          | 2                          | 1.21                        | 0.6                          | 25                         | 69                         | 23                         | 4.39                        | 1.68                       |
| 080143 -150        |                                   |                                   | 0.010                         | <0.5                         | 7.81                        | 37                         | 720                         | 2.0                          | <2                         | 0.34                        | <0.5                         | 13                         | 63                         | 38                         | 3.91                        | 2.34                       |
| 080144 -150        |                                   |                                   | 0.005                         | <0.5                         | 8.13                        | 32                         | 800                         | 2.1                          | 2                          | 0.27                        | <0.5                         | 13                         | 65                         | 37                         | 3.81                        | 2.52                       |
| 080145 -150        |                                   |                                   | <0.005                        | <0.5                         | 10.90                       | 38                         | 1100                        | 2.7                          | <2                         | 0.36                        | <0.5                         | 7                          | 95                         | 41                         | 4.09                        | 3.33                       |
| 080151 -150        |                                   |                                   | <0.005                        | 0.9                          | 12.15                       | 77                         | 1170                        | 3.5                          | 5                          | 0.15                        | <0.5                         | 12                         | 105                        | 41                         | 4.13                        | 4.43                       |
| 080152 -150        |                                   |                                   | 0.006                         | <0.5                         | 7.85                        | 36                         | 840                         | 1.9                          | <2                         | 0.44                        | <0.5                         | 9                          | 75                         | 27                         | 3.19                        | 2.26                       |
| 080153 -150        |                                   |                                   | 0.010                         | 1.0                          | 6.84                        | 83                         | 840                         | 1.6                          | <2                         | 0.58                        | 1.8                          | 7                          | 70                         | 14                         | 2.76                        | 1.88                       |
| 080154 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.73                        | 14                         | 840                         | 1.5                          | <2                         | 0.54                        | <0.5                         | 9                          | 67                         | 31                         | 3.14                        | 1.61                       |
| 080155 -150        |                                   |                                   | 0.005                         | 0.5                          | 10.10                       | 20                         | 1000                        | 2.6                          | <2                         | 0.34                        | 0.5                          | 12                         | 85                         | 37                         | 3.91                        | 3.15                       |
| 080156 -150        |                                   |                                   | <0.005                        | 0.7                          | 8.26                        | 45                         | 860                         | 2.0                          | <2                         | 0.45                        | <0.5                         | 5                          | 79                         | 19                         | 2.92                        | 2.64                       |
| 080157 -150        |                                   |                                   | <0.005                        | 6.2                          | 7.31                        | 236                        | 870                         | 1.8                          | <2                         | 0.63                        | <0.5                         | 7                          | 75                         | 28                         | 2.91                        | 2.10                       |
| 080158 -150        |                                   |                                   | <0.005                        | 1.3                          | 7.92                        | 63                         | 870                         | 1.9                          | <2                         | 0.53                        | <0.5                         | 6                          | 79                         | 25                         | 2.91                        | 2.29                       |
| 080159 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.26                        | 15                         | 910                         | 2.0                          | <2                         | 0.38                        | <0.5                         | 5                          | 78                         | 21                         | 2.92                        | 2.42                       |
| 080160 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.94                        | 12                         | 780                         | 1.6                          | <2                         | 0.39                        | <0.5                         | 4                          | 64                         | 16                         | 2.47                        | 1.99                       |
| 080161 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.38                        | 12                         | 960                         | 1.7                          | <2                         | 0.67                        | <0.5                         | 8                          | 72                         | 23                         | 2.97                        | 1.96                       |
| 080162 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.20                        | 15                         | 790                         | 1.4                          | <2                         | 0.66                        | <0.5                         | 6                          | 60                         | 14                         | 2.31                        | 1.69                       |
| 080163 -150        |                                   |                                   | 0.006                         | <0.5                         | 8.74                        | 8                          | 930                         | 2.3                          | <2                         | 0.39                        | <0.5                         | 9                          | 82                         | 26                         | 3.27                        | 2.94                       |
| 080164 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.77                        | <5                         | 880                         | 1.9                          | <2                         | 0.60                        | <0.5                         | 9                          | 84                         | 24                         | 3.18                        | 2.34                       |
| 080165 -150        |                                   |                                   | 0.005                         | <0.5                         | 8.82                        | 19                         | 920                         | 2.2                          | <2                         | 0.46                        | 0.6                          | 8                          | 82                         | 25                         | 3.22                        | 2.81                       |
| 080166 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.26                        | 13                         | 960                         | 1.8                          | <2                         | 0.77                        | <0.5                         | 7                          | 78                         | 24                         | 3.32                        | 2.27                       |
| 080167 -150        |                                   |                                   | 0.005                         | <0.5                         | 7.09                        | 11                         | 860                         | 1.7                          | <2                         | 0.54                        | <0.5                         | 7                          | 67                         | 40                         | 2.53                        | 1.92                       |
| 080168 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.30                        | 10                         | 950                         | 1.8                          | <2                         | 0.55                        | <0.5                         | 12                         | 75                         | 35                         | 3.25                        | 2.10                       |
| 080169 -150        |                                   |                                   | 0.007                         | 0.7                          | 7.49                        | <5                         | 940                         | 1.5                          | <2                         | 1.03                        | <0.5                         | 14                         | 84                         | 34                         | 3.35                        | 1.56                       |
| 080170 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.91                        | 11                         | 960                         | 2.0                          | <2                         | 0.37                        | <0.5                         | 7                          | 93                         | 17                         | 3.14                        | 2.37                       |
| 080171 -150        |                                   |                                   | 0.006                         | <0.5                         | 12.20                       | 13                         | 1180                        | 3.2                          | <2                         | 0.15                        | <0.5                         | 5                          | 96                         | 20                         | 2.89                        | 4.33                       |
| 080172 -150        |                                   |                                   | 0.005                         | <0.5                         | 12.95                       | 15                         | 1180                        | 3.7                          | <2                         | 0.11                        | <0.5                         | 18                         | 127                        | 42                         | 3.93                        | 4.46                       |
| 080173 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.26                        | 10                         | 710                         | 1.9                          | <2                         | 0.32                        | <0.5                         | 7                          | 69                         | 29                         | 3.82                        | 2.24                       |
| 080174 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.34                        | 9                          | 890                         | 2.0                          | <2                         | 0.46                        | <0.5                         | 8                          | 77                         | 26                         | 3.28                        | 2.46                       |
| 080175 -150        |                                   |                                   | <0.005                        | <0.5                         | 8.56                        | 7                          | 890                         | 2.1                          | <2                         | 0.40                        | <0.5                         | 7                          | 82                         | 26                         | 3.45                        | 2.36                       |
| 080176 -150        |                                   |                                   | 0.005                         | <0.5                         | 11.80                       | 72                         | 980                         | 2.9                          | <2                         | 0.05                        | <0.5                         | 5                          | 95                         | 40                         | 4.36                        | 4.00                       |
| 080177 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.26                        | 14                         | 750                         | 1.3                          | <2                         | 0.53                        | <0.5                         | 7                          | 64                         | 17                         | 3.46                        | 1.26                       |
| 080178 -150        |                                   |                                   | <0.005                        | <0.5                         | 6.70                        | 48                         | 830                         | 1.5                          | 4                          | 0.49                        | <0.5                         | 7                          | 90                         | 21                         | 3.30                        | 1.42                       |
| 080179 -150        |                                   |                                   | 0.032                         | <0.5                         | 6.28                        | 864                        | 840                         | 1.7                          | <2                         | 1.12                        | <0.5                         | 11                         | 56                         | 30                         | 3.25                        | 1.30                       |
| 080180 -150        |                                   |                                   | 0.100                         | 0.5                          | 7.34                        | 2740                       | 720                         | 1.8                          | 3                          | 0.28                        | <0.5                         | 7                          | 150                        | 60                         | 4.40                        | 1.44                       |
| 080181 -150        |                                   |                                   | 0.024                         | <0.5                         | 6.06                        | 557                        | 800                         | 1.4                          | <2                         | 0.65                        | <0.5                         | 9                          | 63                         | 32                         | 3.03                        | 1.34                       |
| 080182 -150        |                                   |                                   | 0.017                         | 8.2                          | 5.30                        | 792                        | 700                         | 1.2                          | 27                         | 0.58                        | <0.5                         | 9                          | 60                         | 26                         | 2.98                        | 1.08                       |
| 080183 -150        |                                   |                                   | <0.005                        | <0.5                         | 7.69                        | 30                         | 850                         | 1.8                          | <2                         | 0.56                        | 0.5                          | 21                         | 71                         | 16                         | 2.93                        | 2.27                       |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 11 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                    |                                   | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                    |                                   | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| 080139 -150        |                                   | 0.50     | 696      | 1        | 0.63     | 35       | 740      | 29       | 0.03     | 6        | 140      | 0.28     | 97       | <10      | 67       | <0.005   |
| 080140 -150        |                                   | 0.47     | 680      | 1        | 0.55     | 37       | 520      | 39       | 0.01     | 10       | 116      | 0.20     | 99       | <10      | 93       |          |
| 080141 -150        |                                   | 0.47     | 601      | 1        | 0.56     | 40       | 520      | 40       | 0.01     | 7        | 116      | 0.21     | 104      | <10      | 96       |          |
| 080142 -150        |                                   | 0.72     | 1570     | 1        | 1.05     | 31       | 840      | 26       | 0.05     | <5       | 196      | 0.37     | 116      | <10      | 104      |          |
| 080143 -150        |                                   | 0.45     | 395      | 1        | 0.62     | 31       | 420      | 24       | 0.01     | <5       | 106      | 0.27     | 87       | <10      | 76       |          |
| 080144 -150        |                                   | 0.48     | 311      | 1        | 0.69     | 32       | 340      | 24       | 0.01     | <5       | 115      | 0.31     | 93       | <10      | 74       | <0.005   |
| 080145 -150        |                                   | 0.76     | 260      | 2        | 0.77     | 26       | 350      | 40       | 0.06     | <5       | 160      | 0.45     | 145      | <10      | 72       |          |
| 080151 -150        |                                   | 0.70     | 319      | <1       | 0.46     | 35       | 360      | 514      | 0.03     | 166      | 150      | 0.37     | 164      | <10      | 138      |          |
| 080152 -150        |                                   | 0.63     | 351      | 1        | 0.76     | 22       | 300      | 99       | 0.01     | 37       | 132      | 0.35     | 115      | <10      | 118      |          |
| 080153 -150        |                                   | 0.53     | 426      | 1        | 0.73     | 17       | 480      | 160      | 0.01     | 79       | 132      | 0.40     | 110      | <10      | 214      |          |
| 080154 -150        |                                   | 0.71     | 311      | 1        | 1.01     | 26       | 200      | 56       | 0.01     | 11       | 162      | 0.36     | 114      | <10      | 87       | <0.005   |
| 080155 -150        |                                   | 0.79     | 377      | 2        | 0.70     | 35       | 460      | 76       | 0.03     | 22       | 150      | 0.37     | 130      | <10      | 119      |          |
| 080156 -150        |                                   | 0.71     | 212      | 1        | 0.73     | 17       | 560      | 267      | 0.02     | 172      | 146      | 0.35     | 118      | <10      | 110      |          |
| 080157 -150        |                                   | 0.69     | 287      | 1        | 0.85     | 23       | 680      | 2500     | 0.01     | 1350     | 162      | 0.37     | 120      | <10      | 101      |          |
| 080158 -150        |                                   | 0.77     | 248      | 2        | 0.84     | 19       | 560      | 604      | 0.01     | 311      | 161      | 0.34     | 127      | <10      | 92       |          |
| 080159 -150        |                                   | 0.64     | 198      | 2        | 0.74     | 18       | 630      | 60       | 0.02     | 19       | 144      | 0.35     | 118      | <10      | 79       | <0.005   |
| 080160 -150        |                                   | 0.54     | 168      | 1        | 0.70     | 15       | 630      | 47       | 0.02     | 10       | 130      | 0.32     | 104      | <10      | 55       |          |
| 080161 -150        |                                   | 0.74     | 332      | 1        | 1.04     | 25       | 470      | 27       | 0.01     | <5       | 180      | 0.38     | 122      | <10      | 66       |          |
| 080162 -150        |                                   | 0.63     | 232      | 1        | 0.97     | 17       | 620      | 22       | 0.02     | <5       | 162      | 0.37     | 107      | <10      | 62       |          |
| 080163 -150        |                                   | 0.85     | 277      | 1        | 0.75     | 30       | 460      | 26       | 0.01     | <5       | 144      | 0.31     | 117      | <10      | 72       |          |
| 080164 -150        |                                   | 0.86     | 310      | 1        | 1.01     | 28       | 530      | 25       | 0.01     | <5       | 168      | 0.37     | 124      | <10      | 69       | <0.005   |
| 080165 -150        |                                   | 0.74     | 347      | 1        | 0.83     | 24       | 580      | 27       | 0.01     | 6        | 160      | 0.37     | 122      | <10      | 76       |          |
| 080166 -150        |                                   | 0.94     | 289      | 1        | 1.11     | 27       | 750      | 22       | 0.02     | <5       | 194      | 0.39     | 138      | <10      | 73       |          |
| 080167 -150        |                                   | 0.59     | 234      | 1        | 0.84     | 22       | 1290     | 25       | 0.04     | <5       | 152      | 0.31     | 108      | <10      | 53       |          |
| 080168 -150        |                                   | 0.69     | 446      | 1        | 0.95     | 32       | 580      | 22       | 0.01     | <5       | 168      | 0.33     | 118      | <10      | 77       |          |
| 080169 -150        |                                   | 0.65     | 436      | 3        | 0.57     | 45       | 2190     | 30       | 0.11     | <5       | 166      | 0.31     | 124      | <10      | 86       | <0.005   |
| 080170 -150        |                                   | 0.60     | 194      | 1        | 0.74     | 20       | 380      | 23       | 0.01     | <5       | 143      | 0.34     | 132      | <10      | 51       |          |
| 080171 -150        |                                   | 0.59     | 132      | 2        | 0.58     | 20       | 270      | 22       | 0.01     | <5       | 166      | 0.33     | 156      | <10      | 53       |          |
| 080172 -150        |                                   | 0.75     | 571      | 1        | 0.48     | 44       | 520      | 32       | 0.01     | <5       | 178      | 0.29     | 174      | <10      | 89       |          |
| 080173 -150        |                                   | 0.75     | 313      | 2        | 0.73     | 14       | 660      | 99       | 0.06     | 21       | 137      | 0.27     | 100      | <10      | 67       |          |
| 080174 -150        |                                   | 0.80     | 245      | 1        | 0.88     | 20       | 390      | 26       | 0.02     | <5       | 158      | 0.36     | 124      | <10      | 63       | <0.005   |
| 080175 -150        |                                   | 0.73     | 233      | 1        | 0.82     | 19       | 370      | 28       | 0.02     | <5       | 152      | 0.37     | 128      | <10      | 57       |          |
| 080176 -150        |                                   | 0.52     | 112      | 1        | 0.26     | 13       | 450      | 35       | 0.05     | 28       | 113      | 0.50     | 134      | <10      | 76       |          |
| 080177 -150        |                                   | 0.61     | 272      | 1        | 0.87     | 20       | 330      | 16       | 0.03     | 5        | 135      | 0.39     | 116      | <10      | 55       |          |
| 080178 -150        |                                   | 0.75     | 244      | 1        | 0.79     | 23       | 440      | 31       | 0.06     | 11       | 160      | 0.38     | 104      | <10      | 72       |          |
| 080179 -150        |                                   | 0.84     | 299      | 2        | 1.06     | 27       | 1050     | 23       | 0.04     | <5       | 246      | 0.37     | 98       | <10      | 73       | 0.019    |
| 080180 -150        |                                   | 0.31     | 287      | 3        | 0.36     | 25       | 620      | 74       | 0.24     | 104      | 252      | 0.45     | 99       | <10      | 56       |          |
| 080181 -150        |                                   | 0.70     | 288      | 1        | 0.90     | 28       | 570      | 50       | 0.02     | 18       | 156      | 0.37     | 115      | <10      | 75       |          |
| 080182 -150        |                                   | 0.54     | 358      | 1        | 0.81     | 23       | 310      | 283      | 0.02     | 166      | 136      | 0.37     | 104      | <10      | 66       |          |
| 080183 -150        |                                   | 0.68     | 549      | 1        | 0.93     | 22       | 710      | 41       | 0.02     | 10       | 166      | 0.35     | 106      | <10      | 69       |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 12 - A  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 |
|-----------------------------------|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|
| Sample Description                |                                   |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |
| 080184 -150                       |                                   | <0.005                        | <0.5                         | 7.93                        | 74                         | 840                         | 2.0                          | <2                         | 0.39                        | <0.5                         | 6                          | 70                         | 29                         | 3.20                        | 2.45                       |
| 080185 -150                       |                                   | 0.006                         | <0.5                         | 8.05                        | 138                        | 930                         | 2.0                          | <2                         | 0.62                        | <0.5                         | 11                         | 80                         | 29                         | 3.59                        | 2.40                       |
| 080186 -150                       |                                   | <0.005                        | <0.5                         | 12.40                       | 24                         | 1100                        | 3.7                          | <2                         | 0.04                        | <0.5                         | 10                         | 105                        | 44                         | 4.19                        | 4.23                       |
| 080187 -150                       |                                   | <0.005                        | <0.5                         | 8.29                        | 35                         | 780                         | 1.9                          | <2                         | 0.27                        | <0.5                         | 7                          | 77                         | 17                         | 3.45                        | 2.49                       |
| 080188 -150                       |                                   | <0.005                        | <0.5                         | 13.00                       | 11                         | 1160                        | 3.7                          | <2                         | 0.16                        | <0.5                         | 14                         | 117                        | 40                         | 3.84                        | 4.55                       |
| 080189 -150                       |                                   | 0.008                         | 3.1                          | 11.20                       | 555                        | 970                         | 3.0                          | <2                         | 0.12                        | <0.5                         | 6                          | 110                        | 41                         | 4.33                        | 4.03                       |
| 080190 -150                       |                                   | <0.005                        | 1.0                          | 8.11                        | 136                        | 870                         | 1.9                          | <2                         | 0.53                        | 0.6                          | 4                          | 77                         | 38                         | 2.88                        | 2.51                       |
| 080191 -150                       |                                   | <0.005                        | <0.5                         | 12.20                       | 22                         | 1100                        | 3.4                          | <2                         | 0.13                        | 0.5                          | 11                         | 102                        | 38                         | 3.55                        | 4.51                       |
| 080192 -150                       |                                   | <0.005                        | 1.0                          | 6.20                        | 29                         | 1430                        | 1.3                          | <2                         | 0.52                        | 0.9                          | 9                          | 66                         | 25                         | 3.01                        | 1.30                       |
| 080193 -150                       |                                   | <0.005                        | <0.5                         | 6.74                        | 5                          | 1120                        | 1.5                          | <2                         | 0.88                        | 0.7                          | 10                         | 66                         | 27                         | 3.06                        | 1.72                       |
| 080194 -150                       |                                   | <0.005                        | 0.6                          | 5.94                        | 17                         | 1080                        | 1.3                          | <2                         | 0.83                        | <0.5                         | 9                          | 60                         | 23                         | 2.79                        | 1.36                       |
| 080195 -150                       |                                   | <0.005                        | <0.5                         | 6.75                        | 27                         | 890                         | 1.5                          | <2                         | 1.30                        | <0.5                         | 9                          | 55                         | 22                         | 2.76                        | 1.95                       |
| 080196 -150                       |                                   | <0.005                        | <0.5                         | 6.13                        | 24                         | 980                         | 1.4                          | <2                         | 1.13                        | <0.5                         | 9                          | 58                         | 25                         | 2.65                        | 1.58                       |
| 080197 -150                       |                                   | 0.006                         | <0.5                         | 6.62                        | 91                         | 1020                        | 1.7                          | <2                         | 0.71                        | <0.5                         | 12                         | 65                         | 33                         | 3.25                        | 2.00                       |
| 080198 -150                       |                                   | 0.005                         | 0.5                          | 6.58                        | 21                         | 1470                        | 1.4                          | <2                         | 0.62                        | <0.5                         | 4                          | 79                         | 19                         | 2.53                        | 1.26                       |
| 080199 -150                       |                                   | 0.010                         | <0.5                         | 7.40                        | 26                         | 1530                        | 1.6                          | <2                         | 0.78                        | <0.5                         | 8                          | 93                         | 32                         | 3.31                        | 1.44                       |
| 080200 -150                       |                                   | <0.005                        | <0.5                         | 6.20                        | 8                          | 1180                        | 1.2                          | <2                         | 0.83                        | <0.5                         | 5                          | 72                         | 18                         | 2.61                        | 1.25                       |
| 080201 -150                       |                                   | 0.030                         | <0.5                         | 7.20                        | 15                         | 1430                        | 1.5                          | <2                         | 0.84                        | <0.5                         | 9                          | 80                         | 29                         | 3.26                        | 1.55                       |
| 080202 -150                       |                                   | 0.006                         | <0.5                         | 6.88                        | 9                          | 1350                        | 1.5                          | <2                         | 0.87                        | <0.5                         | 8                          | 73                         | 25                         | 3.06                        | 1.44                       |
| 080203 -150                       |                                   | <0.005                        | 0.5                          | 6.79                        | 22                         | 1430                        | 1.4                          | <2                         | 1.00                        | <0.5                         | 9                          | 74                         | 34                         | 3.20                        | 1.36                       |
| 080204 -150                       |                                   | <0.005                        | <0.5                         | 6.64                        | 14                         | 1240                        | 1.3                          | <2                         | 1.01                        | <0.5                         | 8                          | 78                         | 25                         | 2.89                        | 1.30                       |
| 080205 -150                       |                                   | <0.005                        | <0.5                         | 5.14                        | 28                         | 820                         | 1.1                          | <2                         | 0.99                        | <0.5                         | 6                          | 63                         | 11                         | 2.11                        | 1.19                       |
| 080206 -150                       |                                   | 0.005                         | <0.5                         | 5.81                        | 12                         | 850                         | 1.1                          | <2                         | 1.01                        | <0.5                         | 6                          | 61                         | 16                         | 2.44                        | 1.30                       |
| 080207 -150                       |                                   | 0.028                         | <0.5                         | 8.52                        | 98                         | 970                         | 1.9                          | <2                         | 0.42                        | <0.5                         | 10                         | 76                         | 26                         | 3.58                        | 2.64                       |
| 080208 -150                       |                                   | 0.018                         | <0.5                         | 7.31                        | 79                         | 960                         | 1.7                          | <2                         | 0.58                        | <0.5                         | 11                         | 66                         | 30                         | 3.26                        | 2.06                       |
| 080209 -150                       |                                   | 0.008                         | <0.5                         | 7.68                        | 59                         | 960                         | 1.7                          | <2                         | 0.67                        | <0.5                         | 11                         | 71                         | 23                         | 3.47                        | 1.90                       |
| 080210 -150                       |                                   | 0.005                         | <0.5                         | 6.64                        | 28                         | 940                         | 1.4                          | <2                         | 0.91                        | <0.5                         | 8                          | 66                         | 19                         | 3.49                        | 1.52                       |
| 080211 -150                       |                                   | <0.005                        | <0.5                         | 7.11                        | 23                         | 950                         | 1.5                          | <2                         | 0.92                        | <0.5                         | 8                          | 69                         | 17                         | 3.03                        | 1.73                       |
| 080212 -150                       |                                   | 0.020                         | <0.5                         | 6.27                        | 14                         | 880                         | 1.2                          | <2                         | 1.00                        | <0.5                         | 6                          | 67                         | 16                         | 2.81                        | 1.44                       |
| 080213 -150                       |                                   | <0.005                        | <0.5                         | 6.93                        | 10                         | 850                         | 1.4                          | <2                         | 0.81                        | <0.5                         | 7                          | 69                         | 16                         | 2.99                        | 1.74                       |
| 080214 -150                       |                                   | <0.005                        | <0.5                         | 8.28                        | 38                         | 880                         | 2.0                          | <2                         | 0.76                        | <0.5                         | 11                         | 71                         | 28                         | 3.52                        | 2.51                       |
| 080215 -150                       |                                   | <0.005                        | <0.5                         | 7.73                        | 45                         | 860                         | 2.2                          | <2                         | 0.67                        | <0.5                         | 13                         | 72                         | 29                         | 3.68                        | 2.64                       |
| 080216 -150                       |                                   | 0.009                         | <0.5                         | 8.36                        | 37                         | 940                         | 2.4                          | <2                         | 0.71                        | <0.5                         | 11                         | 80                         | 44                         | 4.24                        | 2.93                       |
| 080217 -150                       |                                   | 0.005                         | <0.5                         | 7.07                        | 33                         | 860                         | 1.8                          | <2                         | 0.83                        | <0.5                         | 11                         | 69                         | 43                         | 2.81                        | 2.01                       |
| 080218 -150                       |                                   | <0.005                        | <0.5                         | 7.71                        | 85                         | 800                         | 1.6                          | <2                         | 0.55                        | <0.5                         | 13                         | 68                         | 37                         | 3.91                        | 2.09                       |
| 080219 -150                       |                                   | 0.005                         | <0.5                         | 8.02                        | 68                         | 830                         | 1.9                          | <2                         | 0.55                        | <0.5                         | 13                         | 68                         | 32                         | 3.84                        | 2.34                       |
| 080220 -150                       |                                   | <0.005                        | <0.5                         | 7.32                        | 61                         | 740                         | 1.8                          | <2                         | 0.47                        | <0.5                         | 13                         | 60                         | 43                         | 4.08                        | 1.98                       |
| 080221 -150                       |                                   | <0.005                        | <0.5                         | 7.10                        | 51                         | 720                         | 1.7                          | <2                         | 0.46                        | <0.5                         | 15                         | 61                         | 47                         | 4.28                        | 1.94                       |
| 080222 -150                       |                                   | <0.005                        | <0.5                         | 7.70                        | 23                         | 1030                        | 1.8                          | <2                         | 0.89                        | <0.5                         | 14                         | 74                         | 28                         | 3.41                        | 2.01                       |
| 080223 -150                       |                                   | <0.005                        | <0.5                         | 7.89                        | 9                          | 980                         | 1.8                          | <2                         | 0.71                        | <0.5                         | 9                          | 73                         | 22                         | 2.97                        | 2.22                       |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

Go: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 12 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

**CERTIFICATE OF ANALYSIS VA04070980**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | Au-AA23D     |
|--------------------|-----------------------------------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|----------|--------------|
|                    |                                   | Mg        | Mn       | Mo       | Na        | Ni       | P         | Pb       | S         | Sb       | Sr       | Ti        | V        | W         | Zn       | Au           |
|                    |                                   | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | %<br>0.01 | ppm<br>5 | ppm<br>1 | %<br>0.01 | ppm<br>1 | ppm<br>10 | ppm<br>2 | ppm<br>0.005 |
| 080184 -150        |                                   | 0.69      | 234      | 1        | 0.76      | 21       | 420       | 44       | 0.01      | 10       | 138      | 0.37      | 105      | <10       | 74       |              |
| 080185 -150        |                                   | 0.80      | 485      | 2        | 0.74      | 27       | 760       | 47       | 0.04      | 13       | 152      | 0.35      | 114      | <10       | 83       |              |
| 080186 -150        |                                   | 0.90      | 236      | 1        | 0.35      | 30       | 390       | 38       | 0.02      | 7        | 134      | 0.38      | 159      | <10       | 100      |              |
| 080187 -150        |                                   | 0.55      | 198      | 1        | 0.59      | 22       | 420       | 22       | 0.02      | 7        | 116      | 0.36      | 114      | <10       | 60       |              |
| 080188 -150        |                                   | 0.79      | 282      | 2        | 0.34      | 38       | 340       | 22       | 0.01      | 12       | 190      | 0.36      | 162      | 10        | 70       |              |
| 080189 -150        |                                   | 0.59      | 158      | 1        | 0.38      | 20       | 370       | 795      | 0.13      | 555      | 146      | 0.33      | 150      | <10       | 134      |              |
| 080190 -150        |                                   | 0.49      | 201      | 2        | 0.70      | 17       | 580       | 251      | 0.03      | 64       | 170      | 0.38      | 114      | <10       | 72       |              |
| 080191 -150        |                                   | 0.50      | 266      | 1        | 0.38      | 27       | 360       | 52       | 0.01      | 28       | 156      | 0.33      | 149      | <10       | 106      |              |
| 080192 -150        |                                   | 0.57      | 470      | 1        | 0.61      | 44       | 1160      | 30       | 0.05      | 5        | 138      | 0.32      | 136      | <10       | 164      |              |
| 080193 -150        |                                   | 0.76      | 662      | 1        | 0.90      | 38       | 840       | 20       | 0.02      | <5       | 168      | 0.36      | 128      | <10       | 150      |              |
| 080194 -150        |                                   | 0.64      | 580      | 1        | 0.88      | 28       | 800       | 29       | 0.02      | 8        | 164      | 0.37      | 112      | <10       | 115      |              |
| 080195 -150        |                                   | 0.71      | 541      | 1        | 0.74      | 25       | 710       | 26       | 0.05      | <5       | 134      | 0.33      | 90       | <10       | 103      |              |
| 080196 -150        |                                   | 0.66      | 588      | 1        | 0.74      | 29       | 800       | 16       | 0.05      | <5       | 148      | 0.30      | 95       | <10       | 106      |              |
| 080197 -150        |                                   | 0.61      | 392      | 2        | 0.64      | 39       | 670       | 37       | 0.01      | 10       | 124      | 0.29      | 110      | <10       | 126      |              |
| 080198 -150        |                                   | 0.51      | 221      | 1        | 0.86      | 27       | 1100      | 27       | 0.03      | <5       | 203      | 0.37      | 130      | <10       | 63       |              |
| 080199 -150        |                                   | 0.64      | 375      | 2        | 1.05      | 30       | 1100      | 32       | 0.01      | <5       | 230      | 0.43      | 154      | <10       | 87       | <0.005       |
| 080200 -150        |                                   | 0.58      | 277      | 2        | 1.07      | 21       | 770       | 20       | 0.02      | <5       | 207      | 0.40      | 127      | <10       | 63       |              |
| 080201 -150        |                                   | 0.70      | 394      | 2        | 1.03      | 35       | 840       | 31       | 0.02      | <5       | 207      | 0.44      | 145      | <10       | 99       |              |
| 080202 -150        |                                   | 0.68      | 361      | 2        | 1.05      | 32       | 810       | 27       | 0.02      | <5       | 206      | 0.43      | 136      | <10       | 88       |              |
| 080203 -150        |                                   | 0.70      | 432      | 2        | 0.91      | 35       | 960       | 28       | 0.03      | <5       | 196      | 0.39      | 142      | <10       | 104      |              |
| 080204 -150        |                                   | 0.72      | 396      | 2        | 1.13      | 27       | 720       | 19       | 0.01      | <5       | 212      | 0.44      | 134      | <10       | 80       |              |
| 080205 -150        |                                   | 0.67      | 262      | 1        | 1.03      | 18       | 720       | 16       | 0.03      | 5        | 177      | 0.41      | 92       | <10       | 55       |              |
| 080206 -150        |                                   | 0.75      | 270      | 1        | 1.12      | 22       | 760       | 17       | 0.02      | <5       | 188      | 0.41      | 106      | <10       | 65       |              |
| 080207 -150        |                                   | 0.65      | 354      | 1        | 0.78      | 28       | 600       | 19       | 0.01      | 8        | 128      | 0.47      | 97       | <10       | 77       |              |
| 080208 -150        |                                   | 0.73      | 509      | 1        | 1.01      | 31       | 580       | 18       | <0.01     | <5       | 148      | 0.42      | 99       | <10       | 80       |              |
| 080209 -150        |                                   | 0.75      | 352      | 1        | 0.94      | 30       | 670       | 21       | 0.04      | <5       | 152      | 0.41      | 102      | <10       | 79       |              |
| 080210 -150        |                                   | 0.80      | 314      | 1        | 1.10      | 24       | 750       | 21       | 0.02      | <5       | 182      | 0.42      | 122      | <10       | 81       |              |
| 080211 -150        |                                   | 0.75      | 306      | 1        | 1.15      | 24       | 700       | 17       | 0.02      | <5       | 194      | 0.45      | 122      | <10       | 74       |              |
| 080212 -150        |                                   | 0.77      | 302      | 1        | 1.20      | 22       | 740       | 18       | 0.02      | <5       | 201      | 0.41      | 114      | <10       | 69       |              |
| 080213 -150        |                                   | 0.80      | 312      | 1        | 1.12      | 21       | 590       | 20       | 0.02      | <5       | 182      | 0.42      | 118      | <10       | 67       |              |
| 080214 -150        |                                   | 0.77      | 708      | 2        | 0.85      | 28       | 710       | 22       | 0.03      | <5       | 146      | 0.40      | 98       | <10       | 80       |              |
| 080215 -150        |                                   | 0.75      | 948      | 2        | 0.66      | 30       | 670       | 27       | 0.03      | <5       | 130      | 0.41      | 106      | <10       | 83       |              |
| 080216 -150        |                                   | 0.91      | 376      | 2        | 0.75      | 32       | 780       | 35       | 0.02      | 9        | 134      | 0.42      | 124      | <10       | 102      |              |
| 080217 -150        |                                   | 0.76      | 280      | 1        | 0.98      | 38       | 630       | 41       | 0.04      | <5       | 162      | 0.39      | 99       | <10       | 94       |              |
| 080218 -150        |                                   | 0.65      | 705      | 2        | 1.03      | 34       | 470       | 31       | 0.02      | 6        | 118      | 0.36      | 92       | <10       | 82       |              |
| 080219 -150        |                                   | 0.74      | 494      | 2        | 1.05      | 33       | 680       | 30       | 0.01      | 7        | 126      | 0.35      | 91       | <10       | 77       | <0.005       |
| 080220 -150        |                                   | 0.62      | 482      | 1        | 0.88      | 44       | 580       | 33       | 0.01      | 5        | 120      | 0.31      | 80       | <10       | 80       |              |
| 080221 -150        |                                   | 0.58      | 481      | 1        | 0.85      | 44       | 670       | 28       | 0.01      | 7        | 124      | 0.30      | 78       | <10       | 86       |              |
| 080222 -150        |                                   | 0.75      | 511      | 1        | 0.90      | 33       | 620       | 22       | 0.02      | <5       | 171      | 0.39      | 116      | <10       | 87       |              |
| 080223 -150        |                                   | 0.72      | 316      | 1        | 0.99      | 27       | 390       | 24       | 0.01      | <5       | 180      | 0.41      | 120      | <10       | 76       |              |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 13 - B  
Total # Pages: 13 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04070980

| Sample Description | Method                  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61 | ME-ICP61  | ME-ICP61  | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61  | Au-AA23D  |
|--------------------|-------------------------|----------|-----------|-----------|----------|-----------|----------|-----------|----------|-----------|-----------|----------|----------|----------|-----------|-----------|
|                    | Analyte<br>Units<br>LOR | Mg<br>%  | Mn<br>ppm | Mo<br>ppm | Na<br>%  | Ni<br>ppm | P<br>ppm | Pb<br>ppm | S<br>%   | Sb<br>ppm | Sr<br>ppm | Ti<br>%  | V<br>ppm | W<br>ppm | Zn<br>ppm | Au<br>ppm |
|                    |                         | 0.01     | 5         | 1         | 0.01     | 1         | 10       | 2         | 0.01     | 5         | 1         | 0.01     | 1        | 10       | 2         | 0.005     |
| 080224 -150        |                         | 0.71     | 327       | 1         | 0.95     | 23        | 410      | 31        | 0.01     | 5         | 178       | 0.37     | 116      | <10      | 74        |           |
| 080225 -150        |                         | 0.42     | 140       | <1        | 0.08     | 7         | 740      | 5         | 0.31     | <5        | 123       | 0.03     | 10       | <10      | 51        |           |
| 080226 -150        |                         | 0.69     | 311       | 1         | 1.01     | 21        | 500      | 17        | 0.01     | <5        | 188       | 0.36     | 108      | <10      | 72        |           |
| 080227 -150        |                         | 0.65     | 292       | 1         | 0.96     | 24        | 370      | 22        | 0.01     | <5        | 162       | 0.37     | 117      | <10      | 69        |           |
| 080228 -150        |                         | 0.60     | 281       | 1         | 0.89     | 24        | 340      | 20        | <0.01    | <5        | 150       | 0.39     | 118      | <10      | 69        |           |
| 080229 -150        |                         | 0.67     | 307       | 1         | 0.98     | 26        | 370      | 18        | <0.01    | <5        | 169       | 0.39     | 117      | <10      | 68        |           |
| 080230 -150        |                         | 0.65     | 299       | 2         | 0.98     | 20        | 400      | 22        | 0.01     | <5        | 166       | 0.30     | 96       | <10      | 54        |           |
| 080231 -150        |                         | 0.62     | 358       | 1         | 0.61     | 28        | 370      | 43        | 0.01     | <5        | 134       | 0.46     | 124      | <10      | 87        |           |
| 080232 -150        |                         | 0.63     | 352       | 2         | 0.60     | 28        | 380      | 40        | 0.01     | 5         | 131       | 0.43     | 122      | <10      | 86        |           |
| 080233 -150        |                         | 0.63     | 343       | 1         | 0.62     | 30        | 390      | 39        | 0.01     | <5        | 133       | 0.44     | 121      | <10      | 83        |           |
| 080234 -150        |                         | 0.63     | 356       | 2         | 0.62     | 29        | 380      | 44        | 0.01     | <5        | 134       | 0.45     | 123      | <10      | 90        |           |
| 080235 -150        |                         | 0.64     | 364       | 1         | 0.63     | 31        | 350      | 45        | 0.01     | <5        | 136       | 0.44     | 123      | <10      | 89        |           |
| 080236 -150        |                         | 0.62     | 367       | 1         | 0.61     | 30        | 370      | 42        | 0.01     | <5        | 132       | 0.40     | 122      | <10      | 87        |           |
| 080237 -150        |                         | 0.62     | 335       | 1         | 0.62     | 27        | 340      | 38        | 0.01     | <5        | 132       | 0.43     | 120      | <10      | 84        |           |
| 080238 -150        |                         | 0.63     | 363       | <1        | 0.61     | 28        | 400      | 40        | 0.01     | <5        | 134       | 0.46     | 124      | <10      | 87        |           |
| 080239 -150        |                         | 0.76     | 460       | 2         | 0.99     | 30        | 780      | 30        | 0.02     | <5        | 207       | 0.38     | 130      | <10      | 98        |           |
| 080240 -150        |                         | 0.75     | 470       | 1         | 1.00     | 29        | 690      | 28        | 0.02     | <5        | 208       | 0.35     | 131      | <10      | 97        |           |
| 080241 -150        |                         | 0.77     | 527       | 2         | 0.98     | 31        | 780      | 34        | 0.02     | <5        | 210       | 0.35     | 133      | <10      | 101       | <0.005    |
| 080242 -150        |                         | 0.74     | 541       | 2         | 0.95     | 30        | 740      | 33        | 0.02     | 5         | 201       | 0.36     | 130      | <10      | 98        |           |
| 080243 -150        |                         | 0.71     | 452       | 1         | 0.94     | 31        | 670      | 34        | 0.01     | 5         | 196       | 0.36     | 122      | <10      | 91        |           |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 1

Finalized Date: 29-OCT-2004

Account: STRGOL

## QC CERTIFICATE VA04070980

Project: Dub 1735

P.O. No.:

This report is for 460 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| SCR-41   | Screen to -180um and save both |
| SCR-41d  | Screen to -100um, save both    |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |

To: STRATAGOLD EXPLORATION INC.  
ATTN: ACCOUNTS PAYABLE  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: \_\_\_\_\_



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 2 - A

Total # Pages: 5 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04070980

| Method                     | Au-AA23   | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Analyte                    | Au        | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       | K        | Mg       |
| Units                      | ppm       | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | %        | %        |
| LOR                        | 0.005     | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     | 0.01     | 0.01     |
| Sample Description         | STANDARDS |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BM-10                      |           | 4.3      | 0.89     | 857      | 110      | <0.5     | 198      | 0.15     | 135.5    | 376      | 1580     | 1825     | 11.65    | 0.05     | 0.28     |
| BM-10                      |           | 5.5      | 0.88     | 818      | 110      | <0.5     | 192      | 0.15     | 126.0    | 359      | 1515     | 1810     | 10.75    | 0.05     | 0.26     |
| BM-10                      |           | 5.3      | 0.88     | 821      | 90       | <0.5     | 208      | 0.15     | 129.5    | 361      | 1505     | 1830     | 10.90    | 0.05     | 0.26     |
| BM-10                      |           | 4.9      | 0.83     | 808      | 90       | <0.5     | 188      | 0.14     | 141.5    | 353      | 1515     | 1790     | 10.75    | 0.05     | 0.26     |
| BM-10                      |           | 5.9      | 0.90     | 925      | 100      | <0.5     | 213      | 0.15     | 144.0    | 377      | 1590     | 1930     | 11.30    | 0.05     | 0.28     |
| BM-10                      |           | 5.9      | 0.81     | 826      | 90       | <0.5     | 199      | 0.14     | 130.5    | 337      | 1455     | 1740     | 10.20    | 0.04     | 0.25     |
| BM-10                      |           | 6.7      | 0.89     | 887      | 100      | <0.5     | 216      | 0.15     | 149.0    | 364      | 1505     | 1815     | 11.00    | 0.05     | 0.27     |
| Target Range - Lower Bound |           | 4.8      | 0.72     | 755      | 70       |          | 183      | 0.12     | 117.5    | 301      | 845      | 1600     | 9.24     |          | 0.20     |
| Upper Bound                |           | 6.7      | 0.90     | 833      | 110      |          | 228      | 0.17     | 144.5    | 370      | 1035     | 1955     | 11.30    |          | 0.27     |
| G2000                      |           | 3.7      | 5.07     | 470      | 2210     | 1.3      | 3        | 0.58     | 7.2      | 22       | 98       | 304      | 3.78     | 1.31     | 0.76     |
| G2000                      |           | 3.6      | 5.21     | 472      | 2340     | 1.3      | <2       | 0.60     | 7.0      | 23       | 101      | 306      | 3.82     | 1.30     | 0.75     |
| G2000                      |           | 3.5      | 5.06     | 472      | 2280     | 1.3      | <2       | 0.59     | 7.2      | 23       | 100      | 296      | 3.75     | 1.27     | 0.73     |
| G2000                      |           | 3.3      | 5.20     | 486      | 2410     | 1.4      | 2        | 0.62     | 7.2      | 24       | 108      | 310      | 3.91     | 1.33     | 0.76     |
| G2000                      |           | 3.6      | 4.95     | 472      | 2240     | 1.3      | <2       | 0.56     | 7.1      | 21       | 98       | 302      | 3.63     | 1.26     | 0.74     |
| G2000                      |           | 4.3      | 5.04     | 493      | 2260     | 1.3      | <2       | 0.57     | 7.0      | 23       | 97       | 305      | 3.69     | 1.27     | 0.76     |
| G2000                      |           | 3.6      | 5.11     | 495      | 2320     | 1.4      | <2       | 0.58     | 7.3      | 23       | 101      | 316      | 3.74     | 1.32     | 0.76     |
| Target Range - Lower Bound |           | 2.7      | 4.52     | 431      | 2110     | 0.8      | <2       | 0.51     | 6.3      | 22       | 90       | 272      | 3.41     | 1.16     | 0.67     |
| Upper Bound                |           | 4.4      | 5.54     | 537      | 2610     | 2.0      | 4        | 0.65     | 8.9      | 29       | 112      | 334      | 4.19     | 1.44     | 0.85     |
| OXF28                      | 0.805     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.802     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.794     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.802     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      | 0.844     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | 0.741     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 0.863     |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.55      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.55      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.45      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.56      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXX18                      | 3.38      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound | 3.22      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                | 3.71      |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 2 - B

Total # Pages: 5 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04070980

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                            |                                   | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                            |                                   | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| STANDARDS                  |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BM-10                      |                                   | 2920     | 103      | 0.04     | 1585     | 60       | 2580     | 1.51     | 286      | 16       | 0.06     | 49       | <10      | 3430     |          |
| BM-10                      |                                   | 2870     | 98       | 0.04     | 1465     | 60       | 2370     | 1.42     | 289      | 17       | 0.06     | 47       | <10      | 3200     |          |
| BM-10                      |                                   | 2920     | 98       | 0.04     | 1470     | 50       | 2420     | 1.30     | 290      | 17       | 0.06     | 48       | <10      | 3200     |          |
| BM-10                      |                                   | 2840     | 97       | 0.04     | 1460     | 50       | 2400     | 1.54     | 282      | 15       | 0.06     | 47       | <10      | 3130     |          |
| BM-10                      |                                   | 2950     | 109      | 0.04     | 1575     | 60       | 2570     | 1.57     | 286      | 17       | 0.06     | 50       | <10      | 3510     |          |
| BM-10                      |                                   | 2640     | 96       | 0.04     | 1435     | 60       | 2300     | 1.42     | 255      | 16       | 0.06     | 46       | <10      | 3250     |          |
| BM-10                      |                                   | 2890     | 103      | 0.05     | 1535     | 70       | 2490     | 1.48     | 274      | 17       | 0.06     | 49       | <10      | 3390     |          |
| Target Range - Lower Bound |                                   | 2410     | 90       |          | 1205     | 40       | 1980     | 1.27     | 199      |          |          |          |          | 2890     |          |
| Upper Bound                |                                   | 2950     | 112      |          | 1475     | 70       | 2430     | 1.57     | 255      |          |          |          |          | 3530     |          |
| G2000                      |                                   | 539      | 6        | 0.15     | 285      | 940      | 670      | 0.26     | 32       | 118      | 0.34     | 108      | <10      | 1265     |          |
| G2000                      |                                   | 568      | 6        | 0.14     | 274      | 970      | 662      | 0.28     | 31       | 118      | 0.35     | 106      | 10       | 1250     |          |
| G2000                      |                                   | 563      | 6        | 0.14     | 273      | 940      | 654      | 0.27     | 34       | 114      | 0.35     | 105      | 10       | 1245     |          |
| G2000                      |                                   | 588      | 6        | 0.14     | 281      | 980      | 673      | 0.29     | 33       | 117      | 0.35     | 108      | <10      | 1280     |          |
| G2000                      |                                   | 548      | 6        | 0.14     | 270      | 950      | 646      | 0.25     | 32       | 117      | 0.34     | 104      | 10       | 1225     |          |
| G2000                      |                                   | 545      | 6        | 0.15     | 279      | 980      | 671      | 0.26     | 32       | 119      | 0.35     | 106      | <10      | 1265     |          |
| G2000                      |                                   | 579      | 7        | 0.15     | 283      | 980      | 671      | 0.26     | 34       | 121      | 0.36     | 108      | 10       | 1300     |          |
| Target Range - Lower Bound |                                   | 506      | 4        | 0.13     | 256      | 840      | 601      | 0.23     | 24       | 103      | 0.31     | 96       | <10      | 1130     |          |
| Upper Bound                |                                   | 630      | 8        | 0.18     | 316      | 1050     | 739      | 0.30     | 40       | 129      | 0.40     | 120      | 20       | 1385     |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.794    |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.802    |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.741    |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.863    |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 3.45     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 3.56     |
| OXK18                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 3.22     |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 3.71     |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 3 - A  
Total # Pages: 5 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04070980

| Method<br>Analyte<br>Units<br>LOR | Au-AA23<br>Au<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 | ME-ICP61<br>Mg<br>%<br>0.01 |
|-----------------------------------|-------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|-----------------------------|
| Sample Description                |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANKS                            |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | 2                          | <0.01                       | 0.8                          | <1                         | <1                         | 1                          | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | 0.6                          | 1                          | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | 0.6                          | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | 1.0                          | 1                          | 1                          | 1                          | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             |                               | <0.5                         | <0.01                       | 5                          | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | 1                          | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| BLANK                             | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | <0.005                        | <0.5                         | <0.01                       | <5                         | <10                         | <0.5                         | <2                         | <0.01                       | <0.5                         | <1                         | <1                         | <1                         | <0.01                       | <0.01                      | <0.01                       |
| Upper Bound                       | 0.010                         | 1.0                          | 0.02                        | 10                         | 20                          | 1.0                          | 4                          | 0.02                        | 1.0                          | 2                          | 2                          | 2                          | 0.02                        | 0.02                       | 0.02                        |
| DUPLICATES                        |                               |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| ORIGINAL                          | 0.119                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | 0.126                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | 0.106                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 0.139                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| ORIGINAL                          | 0.067                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | 0.084                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | 0.062                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 0.089                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| 080006 -150                       |                               | <0.5                         | 6.12                        | 9                          | 710                         | 1.3                          | 2                          | 0.52                        | <0.5                         | 4                          | 65                         | 15                         | 2.22                        | 1.72                       | 0.53                        |
| DUP                               |                               | <0.5                         | 5.90                        | <5                         | 700                         | 1.2                          | <2                         | 0.52                        | <0.5                         | 3                          | 60                         | 14                         | 2.23                        | 1.62                       | 0.50                        |
| Target Range - Lower Bound        |                               | <0.5                         | 5.69                        | <5                         | 650                         | <0.5                         | <2                         | 0.47                        | <0.5                         | <1                         | 57                         | 12                         | 2.09                        | 1.57                       | 0.47                        |
| Upper Bound                       |                               | 1.0                          | 6.33                        | 10                         | 760                         | 2.3                          | 4                          | 0.57                        | 1.0                          | 6                          | 68                         | 17                         | 2.36                        | 1.77                       | 0.56                        |
| 080007 -150                       | 0.007                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| DUP                               | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Target Range - Lower Bound        | <0.005                        |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |
| Upper Bound                       | 0.010                         |                              |                             |                            |                             |                              |                            |                             |                              |                            |                            |                            |                             |                            |                             |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 3 - B

Total # Pages: 5 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04070980

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | Au-AA23D |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        | Zn       | Au       |
|                            |                                   | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      |
|                            |                                   | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.005    |
| BLANKS                     |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BLANK                      |                                   | <5       | 1        | <0.01    | 1        | <10      | <2       | <0.01    | <5       | 1        | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | 1        | <10      | <2       |          |
| BLANK                      |                                   | <5       | 1        | <0.01    | <1       | <10      | 2        | <0.01    | <5       | 1        | <0.01    | 1        | <10      | <2       |          |
| BLANK                      |                                   | <5       | 2        | <0.01    | 1        | <10      | <2       | <0.01    | <5       | 1        | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | <1       | <0.01    | 1        | <10      | 2        | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   | <5       | 1        | <0.01    | 1        | <10      | <2       | <0.01    | <5       | 1        | <0.01    | 1        | <10      | <2       |          |
| BLANK                      |                                   | <5       | 2        | <0.01    | <1       | <10      | <2       | <0.01    | <5       | 1        | <0.01    | <1       | <10      | <2       |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | <0.005   |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | <0.005   |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BLANK                      |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.01    | <5       | <1       | <0.01    | <1       | <10      | <2       | <0.005   |
| Upper Bound                |                                   | 10       | 2        | 0.02     | 2        | 20       | 4        | 0.02     | 10       | 2        | 0.02     | 2        | 20       | 4        | 0.010    |
| DUPLICATES                 |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.084    |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.070    |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          | 0.098    |
| 080006 -150                |                                   | 187      | 2        | 0.83     | 15       | 770      | 16       | 0.02     | <5       | 138      | 0.34     | 102      | <10      | 39       |          |
| DUP                        |                                   | 186      | 2        | 0.78     | 13       | 730      | 16       | 0.02     | <5       | 130      | 0.35     | 100      | <10      | 38       |          |
| Target Range - Lower Bound |                                   | 167      | <1       | 0.74     | 11       | 690      | 11       | <0.01    | <5       | 125      | 0.31     | 94       | <10      | 33       |          |
| Upper Bound                |                                   | 206      | 4        | 0.87     | 17       | 810      | 21       | 0.04     | 10       | 143      | 0.38     | 108      | 20       | 44       |          |
| 080007 -150                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
 ALS Canada Ltd.  
 212 Brooksbank Avenue  
 North Vancouver BC V7J 2C1 Canada  
 Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
 701-475 HOWE ST  
 VANCOUVER BC V6C 2B3

Page: 4 - A  
 Total # Pages: 5 (A - B)  
 Finalized Date: 29-OCT-2004  
 Account: STRGOL

Project: Dub 1735

**QC CERTIFICATE OF ANALYSIS VA04070980**

| Sample Description                                              | Method<br>Analyte<br>Units<br>LOR | Au-AA23<br>Au<br>ppm<br>0.005       | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01  | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10  | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01  | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01  | ME-ICP61<br>K<br>%<br>0.01   | ME-ICP61<br>Mg<br>%<br>0.01  |
|-----------------------------------------------------------------|-----------------------------------|-------------------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|----------------------------|----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|
| DUPLICATES                                                      |                                   |                                     |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080027 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | <0.005<br><0.005<br><0.005<br>0.010 |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080042 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                     | <0.5<br><0.5<br><0.5<br>1.0  | 5.95<br>5.87<br>5.59<br>6.23 | 26<br>18<br>11<br>33       | 1480<br>1430<br>1360<br>1550 | 1.4<br>1.3<br><0.5<br>2.4    | <2<br><2<br>1.11<br>4      | 1.21<br>1.17<br>1.11<br>1.27 | <0.5<br><0.5<br><0.5<br>1.0  | 8<br>8<br>6<br>10          | 63<br>58<br>55<br>66       | 36<br>35<br>32<br>39       | 2.89<br>2.81<br>2.69<br>3.01 | 1.49<br>1.41<br>1.36<br>1.54 | 0.68<br>0.66<br>0.62<br>0.72 |
| 080053 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | <0.005<br><0.005<br><0.005<br>0.010 |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080084 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                     | <0.5<br><0.5<br><0.5<br>1.0  | 8.40<br>8.24<br>7.88<br>8.76 | 107<br>104<br>90<br>121    | 960<br>960<br>890<br>1030    | 2.2<br>2.2<br>1.1<br>3.3     | <2<br>3<br><2<br>4         | 0.68<br>0.68<br>0.63<br>0.73 | <0.5<br><0.5<br><0.5<br>1.0  | 9<br>12<br>8<br>13         | 81<br>82<br>75<br>88       | 33<br>33<br>29<br>37       | 3.62<br>3.64<br>3.43<br>3.83 | 2.47<br>2.51<br>2.35<br>2.63 | 0.95<br>0.96<br>0.89<br>1.02 |
| 080091 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | <0.005<br><0.005<br><0.005<br>0.010 |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080111 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | <0.005<br><0.005<br><0.005<br>0.010 |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080122 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                     | <0.5<br><0.5<br><0.5<br>1.0  | 5.78<br>5.98<br>5.57<br>6.19 | 38<br>33<br>24<br>47       | 700<br>740<br>660<br>780     | 1.1<br>1.1<br><0.5<br>2.2    | 2<br><2<br><2<br>4         | 0.57<br>0.59<br>0.53<br>0.63 | <0.5<br><0.5<br><0.5<br>1.0  | 5<br>5<br>3<br>7           | 64<br>67<br>60<br>71       | 12<br>11<br>9<br>14        | 3.28<br>3.45<br>3.18<br>3.55 | 1.45<br>1.48<br>1.37<br>1.56 | 0.53<br>0.55<br>0.49<br>0.59 |
| 080163 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                     | <0.5<br><0.5<br><0.5<br>1.0  | 8.74<br>9.20<br>8.50<br>9.44 | 8<br>15<br>5<br>22         | 930<br>970<br>880<br>1020    | 2.3<br>2.5<br>1.3<br>3.5     | <2<br><2<br><2<br>4        | 0.39<br>0.41<br>0.36<br>0.44 | <0.5<br><0.5<br><0.5<br>1.0  | 9<br>10<br>7<br>12         | 82<br>90<br>80<br>92       | 26<br>28<br>24<br>30       | 3.27<br>3.41<br>3.15<br>3.53 | 2.94<br>3.16<br>2.88<br>3.22 | 0.85<br>0.90<br>0.81<br>0.94 |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 4 - B  
Total # Pages: 5 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04070980

| Method<br>Analyte<br>Units<br>LOR                               | ME-ICP61<br>Mn<br>ppm<br>5 | ME-ICP61<br>Mo<br>ppm<br>1 | ME-ICP61<br>Na<br>%<br>0.01  | ME-ICP61<br>Ni<br>ppm<br>1 | ME-ICP61<br>P<br>ppm<br>10 | ME-ICP61<br>Pb<br>ppm<br>2 | ME-ICP61<br>S<br>%<br>0.01    | ME-ICP61<br>Sb<br>ppm<br>5 | ME-ICP61<br>Sr<br>ppm<br>1 | ME-ICP61<br>Ti<br>%<br>0.01  | ME-ICP61<br>V<br>ppm<br>1 | ME-ICP61<br>W<br>ppm<br>10 | ME-ICP61<br>Zn<br>ppm<br>2 | Au-AA23D<br>Au<br>ppm<br>0.005 |
|-----------------------------------------------------------------|----------------------------|----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-------------------------------|----------------------------|----------------------------|------------------------------|---------------------------|----------------------------|----------------------------|--------------------------------|
| Sample Description                                              |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            |                                |
| 080027 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | DUPLICATES                 |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            |                                |
| 080042 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | 601<br>580<br>551<br>630   | 1<br>1<br><1<br>2          | 0.80<br>0.78<br>0.73<br>0.85 | 29<br>27<br>25<br>31       | 640<br>640<br>590<br>690   | 18<br>19<br>14<br>23       | 0.02<br>0.02<br><0.01<br>0.04 | 6<br>5<br><5<br>10         | 151<br>150<br>141<br>160   | 0.32<br>0.27<br>0.26<br>0.33 | 114<br>105<br>102<br>117  | <10<br><10<br><10<br>20    | 94<br>87<br>82<br>99       |                                |
| 080053 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            |                                |
| 080084 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | 332<br>334<br>306<br>360   | 1<br>1<br><1<br>2          | 0.96<br>0.98<br>0.90<br>1.04 | 29<br>29<br>26<br>32       | 580<br>580<br>530<br>630   | 18<br>14<br>11<br>21       | 0.02<br>0.02<br><0.01<br>0.04 | 8<br>5<br><5<br>10         | 166<br>170<br>158<br>178   | 0.38<br>0.41<br>0.36<br>0.43 | 128<br>132<br>122<br>139  | <10<br><10<br><10<br>20    | 74<br>75<br>67<br>82       |                                |
| 080091 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            |                                |
| 080111 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            |                                |
| 080122 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | 402<br>420<br>380<br>442   | 1<br>1<br><1<br>2          | 0.80<br>0.83<br>0.75<br>0.88 | 15<br>13<br>11<br>17       | 360<br>380<br>330<br>410   | 46<br>47<br>40<br>53       | 0.01<br>0.01<br><0.01<br>0.02 | 10<br>11<br><5<br>21       | 122<br>124<br>115<br>131   | 0.37<br>0.38<br>0.34<br>0.41 | 109<br>113<br>103<br>119  | <10<br><10<br><10<br>20    | 58<br>61<br>53<br>66       |                                |
| 080163 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | 277<br>295<br>262<br>310   | 1<br>1<br><1<br>2          | 0.75<br>0.81<br>0.72<br>0.84 | 30<br>29<br>26<br>33       | 460<br>510<br>440<br>530   | 26<br>26<br>21<br>31       | 0.01<br>0.01<br><0.01<br>0.02 | <5<br><5<br><5<br>10       | 144<br>155<br>140<br>159   | 0.31<br>0.31<br>0.27<br>0.35 | 117<br>127<br>114<br>130  | <10<br><10<br><10<br>20    | 72<br>78<br>67<br>83       |                                |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

Co: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 5 - A  
Total # Pages: 5 (A - B)  
Finalized Date: 29-OCT-2004  
Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04070980

| Sample Description                                              | Method<br>Analyte<br>Units<br>LOR | Au-AA23<br>Au<br>ppm<br>0.005       | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01  | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10  | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01  | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 | ME-ICP61<br>Cu<br>ppm<br>1 | ME-ICP61<br>Fe<br>%<br>0.01  | ME-ICP61<br>K<br>%<br>0.01   | ME-ICP61<br>Mg<br>%<br>0.01  |
|-----------------------------------------------------------------|-----------------------------------|-------------------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|----------------------------|----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|
| DUPLICATES                                                      |                                   |                                     |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080176 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 0.005<br><0.005<br><0.005<br>0.010  |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080199 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                     | <0.5<br><0.5<br><0.5<br>1.0  | 7.40<br>6.69<br>6.67<br>7.42 | 26<br>18<br>11<br>33       | 1530<br>1390<br>1370<br>1550 | 1.6<br>1.5<br><0.5<br>2.6    | <2<br><2<br><2<br>4        | 0.78<br>0.71<br>0.69<br>0.80 | <0.5<br><0.5<br><0.5<br>1.0  | 8<br>7<br>5<br>10          | 93<br>86<br>83<br>96       | 32<br>28<br>27<br>34       | 3.31<br>3.01<br>2.98<br>3.34 | 1.44<br>1.36<br>1.31<br>1.49 | 0.64<br>0.58<br>0.56<br>0.66 |
| 080216 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 0.009<br><0.005<br><0.005<br>0.010  |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
| 080235 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                                     | <0.5<br><0.5<br><0.5<br>1.0  | 7.54<br>7.63<br>7.19<br>7.98 | 12<br>16<br>5<br>25        | 930<br>930<br>860<br>1000    | 1.7<br>1.8<br>0.7<br>2.8     | <2<br><2<br><2<br>4        | 0.38<br>0.39<br>0.35<br>0.42 | 0.5<br><0.5<br><0.5<br>1.0   | 8<br>10<br>7<br>11         | 73<br>72<br>67<br>78       | 29<br>29<br>26<br>32       | 3.78<br>3.79<br>3.58<br>3.99 | 2.23<br>2.25<br>2.11<br>2.37 | 0.64<br>0.65<br>0.59<br>0.70 |
| 080241 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | <0.005<br><0.005<br><0.005<br>0.010 |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |
|                                                                 |                                   |                                     |                              |                              |                            |                              |                              |                            |                              |                              |                            |                            |                            |                              |                              |                              |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

0: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 5 - B

Total # Pages: 5 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04070980

| Method<br>Analyte<br>Units<br>LOR                               | ME-ICP61<br>Mn<br>ppm<br>5 | ME-ICP61<br>Mo<br>ppm<br>1 | ME-ICP61<br>Na<br>%<br>0.01  | ME-ICP61<br>Ni<br>ppm<br>1 | ME-ICP61<br>P<br>ppm<br>10 | ME-ICP61<br>Pb<br>ppm<br>2 | ME-ICP61<br>S<br>%<br>0.01    | ME-ICP61<br>Sb<br>ppm<br>5 | ME-ICP61<br>Sr<br>ppm<br>1 | ME-ICP61<br>Ti<br>%<br>0.01  | ME-ICP61<br>V<br>ppm<br>1 | ME-ICP61<br>W<br>ppm<br>10 | ME-ICP61<br>Zn<br>ppm<br>2 | Au-AA23D<br>Au<br>ppm<br>0.005      |
|-----------------------------------------------------------------|----------------------------|----------------------------|------------------------------|----------------------------|----------------------------|----------------------------|-------------------------------|----------------------------|----------------------------|------------------------------|---------------------------|----------------------------|----------------------------|-------------------------------------|
| Sample Description                                              |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            |                                     |
| 080176 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            | <0.005<br><0.005<br>0.010           |
| 080199 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | 375<br>340<br>330<br>385   | 2<br>2<br><1<br>4          | 1.05<br>0.94<br>0.93<br>1.06 | 30<br>29<br>28<br>33       | 1100<br>990<br>970<br>1120 | 32<br>28<br>25<br>38       | 0.01<br>0.01<br><0.01<br>0.02 | <5<br><5<br><5<br>10       | 230<br>207<br>206<br>231   | 0.43<br>0.42<br>0.38<br>0.47 | 154<br>146<br>141<br>160  | <10<br><10<br><10<br>20    | 87<br>79<br>75<br>91       |                                     |
| 080216 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            | <0.005<br><0.005<br>0.010           |
| 080235 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound | 364<br>364<br>336<br>392   | 1<br>1<br><1<br>2          | 0.63<br>0.64<br>0.58<br>0.69 | 31<br>28<br>28<br>33       | 350<br>350<br>310<br>390   | 45<br>40<br>38<br>49       | 0.01<br>0.01<br><0.01<br>0.02 | <5<br><5<br><5<br>10       | 136<br>138<br>128<br>146   | 0.44<br>0.44<br>0.40<br>0.48 | 123<br>124<br>115<br>132  | <10<br><10<br><10<br>20    | 89<br>89<br>81<br>97       |                                     |
| 080241 -150<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            | <0.005<br><0.005<br><0.005<br>0.010 |
|                                                                 |                            |                            |                              |                            |                            |                            |                               |                            |                            |                              |                           |                            |                            |                                     |

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 1

Finalized Date: 4-NOV-2004

Account: STRGOL

## CERTIFICATE VA04075013

Project: Dub 1735

P.O. No.:

This report is for 13 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-OCT-2004.

The following have access to data associated with this certificate:

NEIL BURNS  
JIM SPARLING

JASON DUNNING

ACCOUNTS PAYABLE

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| CRU-31   | Fine crushing - 70% <2mm       |
| SPL-21   | Split sample - riffle splitter |
| PUL-31   | Pulverize split to 85% <75 um  |
| WSH-21   | "Wash" crushers                |
| WSH-22   | "Wash" pulverizers             |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-GRA21 | Au 30g FA-GRAV finish        | WST-SIM    |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| Hg-CV41  | Trace Hg - cold vapor/AAS    | FIMS       |

RECEIVED  
NOV - 8 2004

To: STRATAGOLD EXPLORATION INC.  
ATTN: ACCOUNTS PAYABLE  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

0: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - A  
Total # Pages: 2 (A - C)  
Finalized Date: 4-NOV-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04075013

| Sample Description | Method<br>Analyte<br>Units<br>LOR | WEI-21<br>Recvd Wt.<br>kg<br>0.02 | Au-AA23<br>Au<br>ppm<br>0.005 | Au-GRA21<br>Au<br>ppm<br>0.05 | Au-AA23D<br>Au<br>ppm<br>0.005 | Au-AA23D<br>Au Check<br>ppm<br>0.005 | ME-ICP61<br>Ag<br>ppm<br>0.5 | ME-ICP61<br>Al<br>%<br>0.01 | ME-ICP61<br>As<br>ppm<br>5 | ME-ICP61<br>Ba<br>ppm<br>10 | ME-ICP61<br>Be<br>ppm<br>0.5 | ME-ICP61<br>Bi<br>ppm<br>2 | ME-ICP61<br>Ca<br>%<br>0.01 | ME-ICP61<br>Cd<br>ppm<br>0.5 | ME-ICP61<br>Co<br>ppm<br>1 | ME-ICP61<br>Cr<br>ppm<br>1 |
|--------------------|-----------------------------------|-----------------------------------|-------------------------------|-------------------------------|--------------------------------|--------------------------------------|------------------------------|-----------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|-----------------------------|------------------------------|----------------------------|----------------------------|
| B089001            |                                   | 0.74                              | 0.183                         |                               |                                |                                      | <0.5                         | 7.17                        | 56                         | 1420                        | 3.9                          | 3                          | 1.93                        | <0.5                         | 11                         | 111                        |
| B089002            |                                   | 1.26                              | 0.489                         |                               | 0.720                          | 0.111                                | <0.5                         | 6.98                        | 118                        | 1420                        | 3.4                          | 12                         | 2.10                        | 0.5                          | 10                         | 99                         |
| B089003            |                                   | 1.18                              | 0.064                         |                               |                                |                                      | <0.5                         | 7.49                        | 33                         | 1330                        | 3.6                          | 3                          | 1.56                        | <0.5                         | 8                          | 99                         |
| B089004            |                                   | 0.98                              | 0.263                         |                               | 0.228                          | 0.226                                | <0.5                         | 7.68                        | 741                        | 1400                        | 4.0                          | 25                         | 1.66                        | <0.5                         | 12                         | 118                        |
| B089005            |                                   | 1.30                              | 0.247                         |                               |                                |                                      | <0.5                         | 8.23                        | 33                         | 1400                        | 3.8                          | 5                          | 1.51                        | <0.5                         | 9                          | 109                        |
| B089006            |                                   | 0.46                              | >10.0                         | 11.10                         | >10.0                          |                                      | <0.5                         | 2.39                        | >10000                     | 350                         | 1.0                          | 62                         | 0.52                        | <0.5                         | 589                        | 163                        |
| B089007            |                                   | 0.98                              | 0.564                         |                               |                                |                                      | <0.5                         | 7.73                        | 589                        | 1260                        | 3.8                          | 19                         | 1.42                        | <0.5                         | 7                          | 100                        |
| B089008            |                                   | 0.80                              | 0.154                         |                               |                                |                                      | <0.5                         | 7.69                        | 19                         | 1360                        | 4.5                          | 2                          | 1.68                        | <0.5                         | 7                          | 99                         |
| B089009            |                                   | 0.52                              | >10.0                         | 31.0                          | >10.0                          |                                      | 15.4                         | 3.76                        | >10000                     | 240                         | 1.7                          | 28                         | 0.65                        | <0.5                         | 14                         | 129                        |
| B089010            |                                   | 1.32                              | 0.176                         |                               |                                |                                      | <0.5                         | 7.06                        | 2890                       | 1200                        | 3.5                          | <2                         | 1.96                        | <0.5                         | 6                          | 84                         |
| B089011            |                                   | 0.66                              | 0.035                         |                               |                                |                                      | <0.5                         | 7.30                        | 107                        | 1210                        | 3.8                          | <2                         | 1.54                        | <0.5                         | 5                          | 92                         |
| B089012            |                                   | 0.94                              | 0.060                         |                               | 0.063                          | 0.063                                | <0.5                         | 6.91                        | 50                         | 1140                        | 4.0                          | <2                         | 1.38                        | <0.5                         | 7                          | 84                         |
| B089013            |                                   | 0.84                              | 0.040                         |                               |                                |                                      | <0.5                         | 6.91                        | 182                        | 1120                        | 3.9                          | <2                         | 1.42                        | <0.5                         | 4                          | 110                        |

Comments: sample B089002 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 4-NOV-2004  
Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04075013

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | Hg-CV41 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------|----------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                    |                                   | Cu       | Fe       | Hg      | K        | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       |
|                    |                                   | ppm      | %        | ppm     | %        | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      |
|                    |                                   | 1        | 0.01     | 0.01    | 0.01     | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        |
| B089001            |                                   | 43       | 2.15     | 0.02    | 3.42     | 0.92     | 202      | 2        | 1.21     | 19       | 700      | 18       | 0.15     | <5       | 520      |
| B089002            |                                   | 43       | 2.61     | 0.05    | 3.76     | 0.92     | 283      | 3        | 1.25     | 18       | 620      | 22       | 0.29     | 10       | 397      |
| B089003            |                                   | 82       | 2.35     | 0.05    | 3.24     | 0.77     | 176      | 4        | 1.37     | 13       | 670      | 19       | 0.38     | <5       | 477      |
| B089004            |                                   | 101      | 2.52     | 0.04    | 3.54     | 0.81     | 172      | 1        | 1.56     | 15       | 690      | 13       | 0.48     | 6        | 509      |
| B089005            |                                   | 62       | 2.21     | 0.11    | 3.16     | 0.73     | 156      | 1        | 1.57     | 12       | 720      | 12       | 0.20     | <5       | 521      |
| B089006            |                                   | 10       | 6.04     | <0.01   | 1.38     | 0.22     | 73       | 8        | 0.33     | 39       | 160      | 3        | 3.30     | 29       | 116      |
| B089007            |                                   | 38       | 1.94     | 0.07    | 3.57     | 0.57     | 137      | 2        | 1.31     | 11       | 670      | 18       | 0.20     | <5       | 472      |
| B089008            |                                   | 45       | 1.64     | 0.01    | 4.03     | 0.54     | 93       | 1        | 1.83     | 6        | 680      | 17       | 0.18     | <5       | 537      |
| B089009            |                                   | 10       | 14.20    | 0.01    | 2.24     | 0.29     | 69       | 2        | 0.57     | 5        | 300      | 54       | 7.70     | 79       | 158      |
| B089010            |                                   | 56       | 2.16     | 0.02    | 3.90     | 0.73     | 168      | <1       | 1.18     | 10       | 650      | 13       | 0.49     | 5        | 489      |
| B089011            |                                   | 38       | 1.82     | 0.02    | 3.82     | 0.63     | 151      | 1        | 1.39     | 5        | 660      | 16       | 0.12     | <5       | 468      |
| B089012            |                                   | 21       | 1.76     | 0.02    | 3.70     | 0.55     | 143      | <1       | 1.54     | 7        | 600      | 20       | 0.07     | <5       | 469      |
| B089013            |                                   | 23       | 1.92     | 0.02    | 3.45     | 0.63     | 166      | 20       | 1.38     | 7        | 580      | 17       | 0.08     | <5       | 425      |

Comments: sample B089002 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

## CERTIFICATE OF ANALYSIS VA04075013

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|--------------------|-----------------------------------|----------|----------|----------|
|                    |                                   | V        | W        | Zn       |
|                    |                                   | ppm      | ppm      | ppm      |
|                    |                                   | 1        | 10       | 2        |
| B089001            |                                   | 48       | 20       | 31       |
| B089002            |                                   | 43       | 20       | 53       |
| B089003            |                                   | 49       | 30       | 25       |
| B089004            |                                   | 54       | 10       | 21       |
| B089005            |                                   | 50       | 20       | 22       |
| B089006            |                                   | 11       | 20       | 5        |
| B089007            |                                   | 35       | 20       | 20       |
| B089008            |                                   | 34       | <10      | 15       |
| B089009            |                                   | 16       | 10       | 67       |
| B089010            |                                   | 31       | 20       | 11       |
| B089011            |                                   | 32       | 10       | 15       |
| B089012            |                                   | 30       | 10       | 20       |
| B089013            |                                   | 30       | 10       | 22       |

Comments: sample B089002 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 1

Finalized Date: 4-NOV-2004

Account: STRGOL

## QC CERTIFICATE VA04075013

Project: Dub 1735

P.O. No.:

This report is for 13 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-OCT-2004.

The following have access to data associated with this certificate:

NEIL BURNS  
JIM SPARLING

JASON DUNNING

ACCOUNTS PAYABLE

## SAMPLE PREPARATION

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| WEI-21   | Received Sample Weight         |
| LOG-22   | Sample login - Rcd w/o BarCode |
| CRU-31   | Fine crushing - 70% <2mm       |
| SPL-21   | Split sample - riffle splitter |
| PUL-31   | Pulverize split to 85% <75 um  |
| WSH-21   | "Wash" crushers                |
| WSH-22   | "Wash" pulverizers             |

## ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION                  | INSTRUMENT |
|----------|------------------------------|------------|
| ME-ICP61 | 27 element four acid ICP-AES | ICP-AES    |
| Au-AA23D | Dup - Au 30g FA-AA finish    | AAS        |
| Au-GRA21 | Au 30g FA-GRAV finish        | WST-SIM    |
| Au-AA23  | Au 30g FA-AA finish          | AAS        |
| Hg-CV41  | Trace Hg - cold vapor/AAS    | FIMS       |

To: STRATAGOLD EXPLORATION INC.  
ATTN: ACCOUNTS PAYABLE  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



# ALS Chemex

## EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 4-NOV-2004  
Account: STRGOL

Project: Dub 1735

### QC CERTIFICATE OF ANALYSIS VA04075013

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Au-AA23 | Au-GRA21 | Au-AA23D | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|-----------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Au      | Au       | Au       | Ag       | Al       | As       | Ba       | Be       | Bi       | Ca       | Cd       | Co       | Cr       | Cu       | Fe       |
|                            |                                   | ppm     | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        | ppm      | ppm      | ppm      | ppm      | %        |
|                            |                                   | 0.005   | 0.05     | 0.005    | 0.5      | 0.01     | 5        | 10       | 0.5      | 2        | 0.01     | 0.5      | 1        | 1        | 1        | 0.01     |
| STANDARDS                  |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BM-10                      |                                   |         |          |          | 5.1      | 0.85     | 971      | 100      | <0.5     | 202      | 0.14     | 139.0    | 382      | 1510     | 1645     | 11.05    |
| Target Range - Lower Bound |                                   |         |          |          | 4.6      | 0.72     | 755      | 70       |          | 183      | 0.12     | 117.5    | 301      | 845      | 1600     | 9.24     |
| Upper Bound                |                                   |         |          |          | 6.7      | 0.90     | 933      | 110      |          | 228      | 0.17     | 144.5    | 370      | 1035     | 1955     | 11.30    |
| BPL-04                     |                                   |         | 51.0     |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BPL-04                     |                                   |         | 48.0     |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |         | 43.8     |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |         | 50.6     |          |          |          |          |          |          |          |          |          |          |          |          |          |
| G2000                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| G2000                      |                                   |         |          |          | 3.5      | 4.94     | 474      | 2310     | 1.3      | 2        | 0.56     | 7.2      | 24       | 107      | 296      | 3.73     |
| G2000                      |                                   |         |          |          | 4.1      | 5.10     | 507      | 2370     | 1.4      | <2       | 0.59     | 7.6      | 24       | 102      | 304      | 3.83     |
| Target Range - Lower Bound |                                   |         |          |          | 2.7      | 4.52     | 431      | 2110     | 0.8      | <2       | 0.51     | 6.3      | 22       | 90       | 272      | 3.41     |
| Upper Bound                |                                   |         |          |          | 4.4      | 5.54     | 537      | 2610     | 2.0      | 4        | 0.65     | 8.9      | 29       | 112      | 334      | 4.19     |
| LKSD-3                     |                                   |         |          |          | 2.8      | 6.65     | 20       | 630      | 1.5      | 3        | 1.60     | <0.5     | 32       | 74       | 35       | 3.84     |
| Target Range - Lower Bound |                                   |         |          |          | 1.9      | 5.93     | 19       | 560      | 1.0      | <2       | 1.47     | <0.5     | 26       | 62       | 31       | 3.14     |
| Upper Bound                |                                   |         |          |          | 3.5      | 7.27     | 35       | 700      | 2.4      | 4        | 1.81     | 1.0      | 34       | 77       | 40       | 3.86     |
| OXF28                      |                                   | 0.765   |          | 0.765    |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   | 0.810   |          | 0.810    |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |         |          | 0.815    |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   | 0.819   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   | 0.839   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | 0.741   |          | 0.741    |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   | 0.863   |          | 0.863    |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   | 3.66    |          | 3.66     |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   | 3.51    |          | 3.51     |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |         |          | 3.30     |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   | 3.29    |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   | 3.46    |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   | 3.22    |          | 3.22     |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   | 3.71    |          | 3.71     |          |          |          |          |          |          |          |          |          |          |          |          |
| OXM16                      |                                   |         | 13.70    |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXM16                      |                                   |         | 15.15    |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |         | 14.05    |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |         | 16.25    |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Pb-106                     |                                   |         |          |          | 57.9     | 4.87     | 259      | 560      | 0.6      | <2       | 1.74     | 56.3     | 3        | 36       | 5990     | 1.87     |
| Target Range - Lower Bound |                                   |         |          |          | 51.9     | 4.44     | 206      | 510      | <0.5     | <2       | 1.63     | 49.0     | 2        | 34       | 5530     | 1.73     |
| Upper Bound                |                                   |         |          |          | 64.6     | 5.44     | 262      | 650      | 1.0      | 4        | 2.01     | 61.0     | 4        | 44       | 6770     | 2.13     |

Comments: sample B089002 shows erratic Au



**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 4-NOV-2004  
Account: STRGOL

Project: Dub 1735

**QC CERTIFICATE OF ANALYSIS VA04075013**

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Hg-CV41 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|-----------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            |                                   | Hg      | K        | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        |
|                            |                                   | ppm     | %        | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      |
|                            |                                   | 0.01    | 0.01     | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       |
| STANDARDS                  |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BM-10                      |                                   |         | 0.05     | 0.26     | 2840     | 95       | 0.04     | 1515     | 60       | 2300     | 1.48     | 266      | 17       | 0.06     | 48       | <10      |
| Target Range - Lower Bound |                                   |         |          | 0.20     | 2410     | 90       |          | 1205     | 40       | 1980     | 1.27     | 199      |          |          |          |          |
| Upper Bound                |                                   |         |          | 0.27     | 2950     | 112      |          | 1475     | 70       | 2430     | 1.57     | 255      |          |          |          |          |
| BPL-04                     |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| BPL-04                     |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| G2000                      |                                   | 0.80    |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| G2000                      |                                   | 0.80    |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| G2000                      |                                   |         | 1.26     | 0.73     | 549      | 5        | 0.13     | 276      | 940      | 646      | 0.28     | 32       | 116      | 0.34     | 105      | 10       |
| G2000                      |                                   |         | 1.30     | 0.76     | 578      | 6        | 0.15     | 286      | 960      | 669      | 0.26     | 34       | 116      | 0.36     | 109      | 10       |
| Target Range - Lower Bound |                                   | 0.68    | 1.16     | 0.67     | 506      | 4        | 0.13     | 256      | 840      | 601      | 0.23     | 24       | 103      | 0.31     | 96       | <10      |
| Upper Bound                |                                   | 0.81    | 1.44     | 0.85     | 630      | 8        | 0.18     | 316      | 1050     | 739      | 0.30     | 40       | 129      | 0.40     | 120      | 20       |
| LKSD-3                     |                                   |         | 1.88     | 1.18     | 1375     | 1        | 1.67     | 52       | 1060     | 32       | 0.17     | 45       | 281      | 0.28     | 80       | <10      |
| Target Range - Lower Bound |                                   |         | 1.63     | 1.08     | 1155     | <1       | 1.52     | 41       | 910      | 24       | 0.12     | <5       | 238      | 0.24     | 67       | <10      |
| Upper Bound                |                                   |         | 2.01     | 1.34     | 1425     | 2        | 1.88     | 53       | 1130     | 34       | 0.16     | 10       | 294      | 0.32     | 84       | 20       |
| OXF28                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXF28                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXK18                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXM16                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| OXM16                      |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |                                   |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Pb-106                     |                                   |         | 2.00     | 0.39     | 611      | 40       | 0.85     | 7        | 220      | 5010     | 1.18     | 71       | 321      | 0.08     | 49       | <10      |
| Target Range - Lower Bound |                                   |         | 1.78     | 0.35     | 562      | 36       | <0.01    | 7        | 200      | 4660     | 1.07     | 56       | 298      | 0.06     | 43       | <10      |
| Upper Bound                |                                   |         | 2.19     | 0.45     | 698      | 46       | 0.04     | 11       | 270      | 5700     | 1.33     | 80       | 366      | 0.10     | 55       | 20       |

Comments: sample B089002 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

**QC CERTIFICATE OF ANALYSIS VA04075013**

| Sample Description         | Method                  | ME-ICP61       |
|----------------------------|-------------------------|----------------|
|                            | Analyte<br>Units<br>LOR |                |
|                            |                         | Zn<br>ppm<br>2 |
| STANDARDS                  |                         |                |
| BM-10                      |                         | 3070           |
| Target Range - Lower Bound |                         | 2890           |
| Upper Bound                |                         | 3530           |
| BPL-04                     |                         |                |
| BPL-04                     |                         |                |
| Target Range - Lower Bound |                         |                |
| Upper Bound                |                         |                |
| G2000                      |                         |                |
| G2000                      |                         |                |
| G2000                      |                         | 1245           |
| G2000                      |                         | 1295           |
| Target Range - Lower Bound |                         | 1130           |
| Upper Bound                |                         | 1385           |
| LKSD-3                     |                         | 148            |
| Target Range - Lower Bound |                         | 133            |
| Upper Bound                |                         | 187            |
| OXF28                      |                         |                |
| OXF28                      |                         |                |
| OXF28                      |                         |                |
| OXF28                      |                         |                |
| OXF28                      |                         |                |
| Target Range - Lower Bound |                         |                |
| Upper Bound                |                         |                |
| OXK18                      |                         |                |
| OXK18                      |                         |                |
| OXK18                      |                         |                |
| OXK18                      |                         |                |
| OXK18                      |                         |                |
| Target Range - Lower Bound |                         |                |
| Upper Bound                |                         |                |
| OXM16                      |                         |                |
| OXM16                      |                         |                |
| Target Range - Lower Bound |                         |                |
| Upper Bound                |                         |                |
| Pb-106                     |                         | 8160           |
| Target Range - Lower Bound |                         | 7550           |
| Upper Bound                |                         | 9240           |

Comments: sample B089002 shows erratic Au





**ALS Chemex**  
**EXCELLENCE IN ANALYTICAL CHEMISTRY**  
ALS Canada Ltd.  
212 Brooksbank Avenue  
North Vancouver BC V7J 2C1 Canada  
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.  
701-475 HOWE ST  
VANCOUVER BC V6C 2B3

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 4-NOV-2004  
Account: STRGOL

Project: Dub 1735

**QC CERTIFICATE OF ANALYSIS VA04075013**

| Sample Description         | Method<br>Analyte<br>Units<br>LOR | Hg-CV41<br>Hg<br>ppm<br>0.01 | ME-ICP61<br>K<br>%<br>0.01 | ME-ICP61<br>Mg<br>%<br>0.01 | ME-ICP61<br>Mn<br>ppm<br>5 | ME-ICP61<br>Mo<br>ppm<br>1 | ME-ICP61<br>Na<br>%<br>0.01 | ME-ICP61<br>Ni<br>ppm<br>1 | ME-ICP61<br>P<br>ppm<br>10 | ME-ICP61<br>Pb<br>ppm<br>2 | ME-ICP61<br>S<br>%<br>0.01 | ME-ICP61<br>Sb<br>ppm<br>5 | ME-ICP61<br>Sr<br>ppm<br>1 | ME-ICP61<br>Ti<br>%<br>0.01 | ME-ICP61<br>V<br>ppm<br>1 | ME-ICP61<br>W<br>ppm<br>10 |
|----------------------------|-----------------------------------|------------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|-----------------------------|---------------------------|----------------------------|
| BLANKS                     |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| BLANK                      |                                   | <0.01                        |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| BLANK                      |                                   |                              | <0.01                      | <0.01                       | <5                         | 2                          | <0.01                       | <1                         | <10                        | <2                         | <0.01                      | <5                         | 1                          | <0.01                       | <1                        | <10                        |
| BLANK                      |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| BLANK                      |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| BLANK                      |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| BLANK                      |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| BLANK                      |                                   |                              | <0.01                      | <0.01                       | <5                         | <1                         | <0.01                       | <1                         | <10                        | <2                         | <0.01                      | <5                         | <1                         | <0.01                       | <1                        | <10                        |
| BLANK                      |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| BLANK                      |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| BLANK                      |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| Target Range - Lower Bound |                                   | <0.01                        | <0.01                      | <0.01                       | <5                         | <1                         | <0.01                       | <1                         | <10                        | <2                         | <0.01                      | <5                         | <1                         | <0.01                       | <1                        | <10                        |
| Upper Bound                |                                   | 0.02                         | 0.02                       | 0.02                        | 10                         | 2                          | 0.02                        | 2                          | 20                         | 4                          | 0.02                       | 10                         | 2                          | 0.02                        | 2                         | 20                         |
| DUPLICATES                 |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| ORIGINAL                   |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| DUP                        |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| Target Range - Lower Bound |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| Upper Bound                |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| ORIGINAL                   |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| DUP                        |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| Target Range - Lower Bound |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| Upper Bound                |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| ORIGINAL                   |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| DUP                        |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| Target Range - Lower Bound |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |
| Upper Bound                |                                   |                              |                            |                             |                            |                            |                             |                            |                            |                            |                            |                            |                            |                             |                           |                            |

Comments: sample B089002 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



0: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

**QC CERTIFICATE OF ANALYSIS VA04075013**

| Sample Description                                                                                                                  | Method<br>Analyte<br>Units<br>LOR | ME-ICP61<br>Zn<br>ppm<br>2                                |
|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------------------------------------------|
| BLANK<br>BLANK<br>BLANK<br>BLANK<br>BLANK<br>BLANK<br>BLANK<br>BLANK<br>BLANK<br>BLANK<br>Target Range - Lower Bound<br>Upper Bound |                                   | BLANKS<br><br><br><2<br><br><br><br><br><2<br><br><2<br>4 |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound                                                                        |                                   | DUPLICATES                                                |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound                                                                        |                                   |                                                           |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound                                                                        |                                   |                                                           |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound                                                                        |                                   |                                                           |

Comments: sample B089002 shows erratic Au





# ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04075013

| Sample Description         | Method  | Hg-CV41 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 |
|----------------------------|---------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
|                            | Analyte | Hg      | K        | Mg       | Mn       | Mo       | Na       | Ni       | P        | Pb       | S        | Sb       | Sr       | Ti       | V        | W        |
|                            | Units   | ppm     | %        | %        | ppm      | ppm      | %        | ppm      | ppm      | ppm      | %        | ppm      | ppm      | %        | ppm      | ppm      |
|                            | LOR     | 0.01    | 0.01     | 0.01     | 5        | 1        | 0.01     | 1        | 10       | 2        | 0.01     | 5        | 1        | 0.01     | 1        | 10       |
| DUPLICATES                 |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |         |         | 2.55     | 1.11     | 922      | 12       | 1.00     | 7        | 880      | 7        | 2.22     | <5       | 233      | 0.41     | 101      | <10      |
| DUP                        |         |         | 2.56     | 1.11     | 946      | 11       | 1.00     | 7        | 880      | 12       | 2.18     | <5       | 234      | 0.43     | 105      | <10      |
| Target Range - Lower Bound |         |         | 2.41     | 1.03     | 877      | 9        | 0.93     | 5        | 820      | 5        | 2.07     | <5       | 220      | 0.38     | 96       | <10      |
| Upper Bound                |         |         | 2.70     | 1.19     | 991      | 14       | 1.07     | 9        | 940      | 14       | 2.33     | 10       | 247      | 0.46     | 110      | 20       |
| ORIGINAL                   |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| ORIGINAL                   |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| B089006                    |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| B089008                    |         |         | 4.03     | 0.54     | 93       | 1        | 1.83     | 6        | 680      | 17       | 0.18     | <5       | 537      | 0.31     | 34       | <10      |
| DUP                        |         |         | 3.97     | 0.55     | 95       | 1        | 1.86     | 9        | 700      | 17       | 0.18     | <5       | 533      | 0.31     | 35       | 10       |
| Target Range - Lower Bound |         |         | 3.78     | 0.50     | 79       | <1       | 1.73     | 5        | 640      | 12       | 0.15     | <5       | 506      | 0.27     | 31       | <10      |
| Upper Bound                |         |         | 4.22     | 0.59     | 109      | 2        | 1.99     | 10       | 740      | 22       | 0.21     | 10       | 584      | 0.35     | 38       | 20       |
| B089009                    |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| B089010                    |         | 0.02    |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| DUP                        |         | 0.02    |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Target Range - Lower Bound |         | <0.01   |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
| Upper Bound                |         | 0.04    |          |          |          |          |          |          |          |          |          |          |          |          |          |          |
|                            |         |         |          |          |          |          |          |          |          |          |          |          |          |          |          |          |

Comments: sample B089002 shows erratic Au



# ALS Chemex

**EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - C

Total # Pages: 4 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

## QC CERTIFICATE OF ANALYSIS VA04075013

| Sample Description                                           | Method<br>Analyte<br>Units<br>LOR | ME-ICP61<br>Zn<br>ppm<br>2 |
|--------------------------------------------------------------|-----------------------------------|----------------------------|
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   | 98<br>90<br>85<br>103      |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                            |
| ORIGINAL<br>DUP<br>Target Range - Lower Bound<br>Upper Bound |                                   |                            |
| B089006<br>DUP<br>Target Range - Lower Bound<br>Upper Bound  |                                   |                            |
| B089008<br>DUP<br>Target Range - Lower Bound<br>Upper Bound  |                                   | 15<br>14<br>10<br>19       |
| B089009<br>DUP<br>Target Range - Lower Bound<br>Upper Bound  |                                   |                            |
| B089010<br>DUP<br>Target Range - Lower Bound<br>Upper Bound  |                                   |                            |
|                                                              |                                   |                            |

Comments: sample B089002 shows erratic Au

Costs associated with this report have been  
approved in the amount of \$ 10,800  
for assessment credit under Certificate of  
Work No. Qmco536

  
\_\_\_\_\_

Mining Recorder  
Mayo Mining District