

StrataGold Corporation
#701, 475 Howe Street
Vancouver, BC, Canada
V6C 2B3

094767
C.2

FISHER CLAIMS, ASSESSMENT REPORT 2004

Title: 2004 Geochemical Soil Sampling
LQ00019

Location: Mayo Mining District, Yukon, approximately 75 kilometers
northeast of Mayo and 350 kilometers due north of Whitehorse

Dates of Work: September 30 - October 5th, 2004

Prepared by: D Hladky Geologist I.T., StrataGold Corporation

Supervised by: Jim Sparling, MBA, B.Sc., P.Geo, Exploration Manager
StrataGold Corporation (Canada) Ltd.

Received date
Jan 10 / 05

TABLE OF CONTENTS

ITEM	PAGE
1. INTRODUCTION AND LOCATION	1
a. Table 1: Fisher Claims	1
b. Figure 1: Location Map of Aurex Property containing Fisher Claims	2
c. Figure 2: Fisher Claims Compilation Map	3
2. GENERAL INFORMATION	4
3. DESCRIPTION OF WORK	4
4. METHODS OF ANALYSIS AND DATA PRESENTATION	4
a. Table 2: 2004 Fisher Claims Soil Samples	5
5. STATEMENT OF EXPENDITURES	8
a. Table 3: Fisher Claims Statement of Expenditures	8
6. RECOMMENDATIONS	8
7. CERTIFICATE OF QUALIFICATIONS	9
Appendix A - Fisher Claims Map with Soil Sample Locations	
Appendix B - ALS Chemex Assay Certificates	

1. INTRODUCTION AND LOCATION

The Fisher dispositions are located as part of the Aurex Property, in the Mayo Mining District, Yukon Territory, approximately 75 kilometres northeast of Mayo and 350 kilometres due north of Whitehorse. The property comprises 67 contiguous quartz mining claims covering approximately 13.5 hectares of land that is 100% owned by StrataGold Corporation.

This report summarizes the geochemical soil sampling activities successfully completed in 2004.

Table 1: Fisher Claims

Project	Claim Name	Claim Label	From	To	# of Units	Grant# From	Grant# To	Expiry Date	Owner	% Owned	NTS	F	Land Use Permit
Aurex	Fisher	Fisher 1-22	1	22	22	YC01769	YC01790	06/03/06	StrataGold	100	105M14	F	LQ00019
Aurex	Fisher	Fisher 23-67	23	67	45	YC01996	YC02040	22/02/05	StrataGold	100	105M14	F	LQ00019




Figure 1: Location Map of Aurex Property containing Fisher Claims
(Modified after Murphy, 1997)




Figure 2: Fisher Claims Compilation Map

2004 FISHER CLAIMS ASSESSMENT REPORT

2. GENERAL INFORMATION

The Fisher Claims group consists of 67 claims. A total of 116 geochemical soil samples were planned for and successfully taken during the period September 30th to October 5th, 2004.

3. DESCRIPTION OF WORK

During the periods September 30th to October 5th, 2004, 116 geochemical soil samples were taken on the Fisher claims. Samples were taken every 100 meters, and sample location coordinates were recorded using a handheld GPS.

4. METHODS OF ANALYSIS AND DATA PRESENTATION

While following the Fisher claim lines soil samples were taken approximately every 100 meters using a mattock, to an average depth of 18 inches. Sample numbers and UTM locations were recorded in the field. A total of 116 geochemical soil samples were submitted to the ALS Chemex Assay Laboratory in Vancouver, BC to be analyzed for Au, Ag, Cu, Pb, Zn, As, and Fe.

It should be noted that Quality Control & Assurance (QA/QC) protocols were maintained throughout the sampling process. Standard practice was for one of approximately every 20 samples submitted to the Assay Laboratory to be a QA/QC sample duplicate. In the field, these samples were taken from holes adjacent to the main hole at the sample station. No significant problems were detected to date in the duplicate samples submitted.

Data is presented as a list of samples taken (Table 2) and a map of sample locations (Appendix A). Included also are the ALS Chemex assay certificates for the samples taken (Appendix B).

Table 2: Fisher Claims Geochemical Soil Samples

Date	Sample #	UTM E	UTM N	Depth (in)	Color
30-Sep-04	80089	479802	7082412	18	dark brown
30-Sep-04	80090	479728	7082342	18	brown + grey
30-Sep-04	80091	479661	7082264	18	brown + grey
30-Sep-04	80092	479584	7082205	18	grey-brown
30-Sep-04	80093	479504	7082112	18	green-grey
30-Sep-04	80094	479430	7082043	18	grey + rust
30-Sep-04	80095	479357	7081966	18	grey-brown
30-Sep-04	80096	479292	7081897	18	grey-brown
30-Sep-04	80701	479992	7082301	20	brown-grey
30-Sep-04	80702	480063	7082377	20	brown-grey
30-Sep-04	80703	480036	7082442	20	grey-brown
30-Sep-04	80704	480203	7082512	20	brown-grey
30-Sep-04	80705	480265	7082588	20	brown-grey
30-Sep-04	80706	480540	7082662	20	brown-grey
30-Sep-04	80707	480412	7082731	20	brown-grey
30-Sep-04	80708	480474	7082803	20	grey
30-Sep-04	80709	480551	7082880	20	grey
30-Sep-04	80710	480583	7082913	20	black
01-Oct-04	80711	479229	7082804	20	redish
01-Oct-04	80712	479172	7082746	20	redish
01-Oct-04	80713	479098	7082677	20	redish
01-Oct-04	80714	479040	7082600	20	redish
01-Oct-04	80715	478965	7082520	20	yellow + grey
01-Oct-04	80716	478897	7082460	20	grey + yellow
01-Oct-04	80717	478846	7082365	20	brown + grey
01-Oct-04	80718	478767	7082297	20	red + yellow
01-Oct-04	80719	478709	7082226	20	grey
01-Oct-04	80034	479190	7083077	20	brown
01-Oct-04	80035	479258	7083156	16	brown
01-Oct-04	80036	479322	7083229	18	brown-grey
01-Oct-04	80037	479392	7083300	20	dark brown
01-Oct-04	80038	479458	7083384	22	brown
01-Oct-04	80039	479523	7083462	22	brown
01-Oct-04	80040	479595	7083534	22	dark brown
01-Oct-04	80041 Dup	479595	7083534	22	dark brown
01-Oct-04	80042	479661	7083607	24	grey
01-Oct-04	80043	479725	7083680	24	dark brown
01-Oct-04	80044	479776	7083735	22	dark brown
01-Oct-04	80097	478534	7083668	18	brown-tan
01-Oct-04	80098	478605	7083757	18	brown-tan/grey
01-Oct-04	80099	478663	7083821	18	brown
01-Oct-04	80100	478732	7083892	18	grey-brown
01-Oct-04	80101 Dup	478732	7083892	18	grey-brown
01-Oct-04	80102	478813	7083959	18	brown
01-Oct-04	80103	478887	7084023	18	grey

01-Oct-04	80104	478960	7084083	18	grey-brown
01-Oct-04	80105	479011	7084185	18	grey-green
01-Oct-04	80106	479091	7084259	18	brown-tan
01-Oct-04	80192	479814	7085087	20	dark brown
01-Oct-04	80193	479880	7085155	20	brown
01-Oct-04	80194	479948	7085223	20	dark brown
01-Oct-04	80195	480023	7085289	20	brown
01-Oct-04	80196	480101	7085359	20	light brown
01-Oct-04	80197	480165	7085435	20	brown
01-Oct-04	80198	480232	7085508	20	brown
01-Oct-04	80199	480311	7085573	20	brown
01-Oct-04	80200	480371	7085497	20	brown
01-Oct-04	80201 Dup	480442	7085422	20	brown
01-Oct-04	80202	480440	7085421	20	brown
01-Oct-04	80203	480518	7085355	20	brown
01-Oct-04	80204	480580	7085272	20	brown
01-Oct-04	80394	477800	7084176	22	brown
01-Oct-04	80395	477737	7084098	22	brown
01-Oct-04	80396	477686	7084033	22	brown
01-Oct-04	80397	477622	7083955	22	brown
01-Oct-04	80398	477560	7083879	22	brown
01-Oct-04	80399	477495	7083800	22	brown
01-Oct-04	80400	477411	7083699	22	brown
01-Oct-04	80401 Dup	477411	7083699	22	brown
01-Oct-04	80402	477369	7083694	22	brown
01-Oct-04	80403	477632	7083349	22	brown
01-Oct-04	80404	477736	7083346	22	brown
01-Oct-04	80405	477827	7083385	22	brown
01-Oct-04	80406	477911	7083404	22	brown
01-Oct-04	80532	478469	7083592	18	brown
01-Oct-04	80533	478392	7083523	18	brown
01-Oct-04	80534	478322	7083451	18	brown
01-Oct-04	80535	478241	7083393	18	brown
01-Oct-04	80536	478162	7083329	18	brown
01-Oct-04	80537 Dup	478162	7083329	18	brown
01-Oct-04	80538	478083	7083265	18	brown
01-Oct-04	80539	478004	7083203	18	brown
01-Oct-04	80540	477937	7083128	18	brown
01-Oct-04	80541 Dup	477937	7083128	18	brown
01-Oct-04	80542	477865	7083054	18	brown
01-Oct-04	80494	477874	7084260	22	brown
01-Oct-04	80495	477955	7084336	18	brown
01-Oct-04	80496	477997	7084412	18	brown
01-Oct-04	80497	478060	7084490	18	brown
01-Oct-04	80498	478125	7084569	18	brown
01-Oct-04	80499	478190	7084648	18	brown
01-Oct-04	80500 Dup	478190	7084648	18	brown
01-Oct-04	80601	478257	7084732	18	brown
01-Oct-04	80602	478280	7084755	18	brown

01-Oct-04	80603	478382	7084876	20	brown
01-Oct-04	80604	478443	7084954	18	brown
01-Oct-04	80605	478505	7085032	18	brown
01-Oct-04	80606	478570	7085111	18	brown
01-Oct-04	80607	478629	7085186	18	brown
01-Oct-04	80320	479746	7085007		dark black
01-Oct-04	80321 Dup	479746	7085007		dark black
01-Oct-04	80322	479674	7084936		dark brown
01-Oct-04	80323	479624	7084852		dark brown
01-Oct-04	80324	479568	7084780		dark brown
01-Oct-04	80325	479489	7084698		dark brown
01-Oct-04	80326	479422	7084608		grey
01-Oct-04	80327	479359	7084546		grey
01-Oct-04	80328	479287	7084458		grey
01-Oct-04	80329	479229	7084390		grey
05-Oct-04	80665	479862	7082021		
05-Oct-04	80666	479813	7081957		
05-Oct-04	80667	479762	7081878		
05-Oct-04	80668	479711	7081781		
05-Oct-04	80669	479633	7081720		
05-Oct-04	80670	479556	7081651		
05-Oct-04	80671	479452	7081618		

5. STATEMENT OF EXPENDITURES TO NOVEMBER 30, 2004


**Table 3: Statement of Expenditures on Aurex
(Fisher/Rex Claims) Property**

Meals & Accommodation	\$ 1,819.44
Assays/Geochemical Analysis	\$ 4,104.90
Helicopter	\$ 1,949.57
Equipment Rentals	\$ 725.00
Fuel	\$ 350.60
Fuel -Diesel	\$ 38.39
Geological Consultants	\$ 5,831.93
Contract Labour	\$ 9,775.00
Truck Rental	\$ 370.59
Travel Costs	\$ 593.17
Warehouse	\$ 3,226.73
Total	\$28,785.32

6. RECOMMENDATIONS

It is recommended that the Fisher mineral dispositions described within this assessment report be held pending further geological and geochemical review.

Respectfully submitted,



Jim Sparling, MBA, B.Sc., P.Geo.

Exploration Manager - StrataGold Corporation

7.0 CERTIFICATE OF QUALIFICATIONS

1. I **Jim Sparling**, of 839 Old Lillooet Rd, North Vancouver, British Columbia, Canada, hereby state - that I am the Exploration Manager with StrataGold Corporation, with offices at 701 Howe Street, Vancouver, British Columbia, V6C 2B3, and that:
2. I hold a BA (Economics Major) from the University of Manitoba, Winnipeg, Manitoba (1978), a B.Sc. (Advanced Geology) from the University of Saskatchewan, Saskatoon, Saskatchewan (1984) and an MBA from Royal Roads University, Victoria, British Columbia (2003).
3. I have 17 years experience with various mining and oil and gas companies in Canada. My primary employment since 1992 has been in the field of mineral exploration.

2004	Exploration Manager, North and Central America, StrataGold Corporation
2003	Project Geologist, StrataGold Corporation
1994 - 2003	Project Geologist and Geophysical Crew Chief Hudson Bay Exploration & Development Co. Ltd.
1992 - 1994	Geophysical Crew Chief/ Technician, Brad Koop Exploration Ltd.
1989 - 1992	Geological Systems and Data Base Analyst, Petro Canada Resources Ltd.
1988 - 1989	Geological Consultant, Schindler Exploration, Indian and Northern Affairs (Minerals West)
1987 - 1988	Field Exploration Geologist, Hudson Bay Exploration & Development Co. Ltd.
1985 - 1987	Wellsite Geologist, Geotemp Consulting Ltd.
1984 - 1985	Field Exploration Geologist, Hudson Bay Exploration & Development Co. Ltd.

4. I am a practicing member in good standing with the Association of Professional Engineers and Geoscientists of Manitoba and Saskatchewan.
5. I have extensive exploration and development project experience with volcanic massive sulphide ore deposit geology and hydrothermal alteration, and experience with gold ore deposit geology. This experience has allowed me to become familiar with the evaluation of both regional and property geology, prospecting, geophysical surveys, diamond core drilling, underground exploration, development and production, and permitting processes


in Manitoba, Saskatchewan, Nunavut Territory and the Yukon Territory.

6. This report is based upon data collected during the fall soil geochemical sampling program in The Yukon Territory, Canada in 2004.

Dated at Vancouver, British Columbia; Wednesday, November 24, 2004

Respectfully submitted,

Jim Sparling

A handwritten signature in black ink, appearing to read 'Jim Sparling', written over the printed name.


Jim Sparling, MBA, B.Sc., P.Geo.

Exploration Manager - StrataGold Corporation

Appendix A

APPENDIX A

**Fisher Claims Map with
Soil Sample Locations**



StrataGold Corporation

Date:16/11/2004

DH

Vancouver

Appendix A

Rev.Date:

Version:1

Scale: 1:10000

Fisher Claims Map
with
2004 Soil Sample Locations

FileName:

Projection: UTM Zone 8 (NAD 83)

0125250500

metres

Appendix B

APPENDIX B

ALS Chemex Assay Certificates



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **STRATAGOLD EXPLORATION INC.**
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 1
Finalized Date: 30-OCT-2004
Account: STRGOL

CERTIFICATE VA04071095

Project: Dub 1735

P.O. No.:

This report is for 346 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD EXPLORATION INC.**
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080448 -80+150		0.24														
080449 -80+150		0.38														
080450 -80+150		0.50														
080451 -80+150		0.30														
080452 -80+150		0.44														
080453 -80+150		0.40														
080454 -80+150		0.52														
080455 -80+150		0.38														
080456 -80+150		0.36														
080457 -80+150		0.48														
080458 -80+150		0.38														
080459 -80+150		0.42														
080460 -80+150		0.36														
080461 -80+150		0.36														
080462 -80+150		0.50														
080463 -80+150		0.38														
080464 -80+150		0.20														
080465 -80+150		0.10														
080466 -80+150		0.22														
080467 -80+150		0.44														
080468 -80+150		0.42														
080469 -80+150		0.42														
080470 -80+150		0.46														
080471 -80+150		0.36														
080472 -80+150		0.34														
080473 -80+150		0.28														
080474 -80+150		0.26														
080475 -80+150		0.30														
080476 -80+150		0.26														
080477 -80+150		0.30														
080478 -80+150		0.18														
080479 -80+150		0.32														
080480 -80+150		0.24														
080481 -80+150		0.22														
080482 -80+150		0.16														
080483 -80+150		0.40														
080484 -80+150		0.28														
080485 -80+150		0.26														
080486 -80+150		0.16														
080487 -80+150		0.32														

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: **STRATAGOLD EXPLORATION INC.**

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
080448 -80+150															
080449 -80+150															
080450 -80+150															
080451 -80+150															
080452 -80+150															
080453 -80+150															
080454 -80+150															
080455 -80+150															
080456 -80+150															
080457 -80+150															
080458 -80+150															
080459 -80+150															
080460 -80+150															
080461 -80+150															
080462 -80+150															
080463 -80+150															
080464 -80+150															
080465 -80+150															
080466 -80+150															
080467 -80+150															
080468 -80+150															
080469 -80+150															
080470 -80+150															
080471 -80+150															
080472 -80+150															
080473 -80+150															
080474 -80+150															
080475 -80+150															
080476 -80+150															
080477 -80+150															
080478 -80+150															
080479 -80+150															
080480 -80+150															
080481 -80+150															
080482 -80+150															
080483 -80+150															
080484 -80+150															
080485 -80+150															
080486 -80+150															
080487 -80+150															

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080488 -80+150		0.26														
080489 -80+150		0.52														
080490 -80+150		0.34														
080491 -80+150		0.32														
080492 -80+150		0.32														
080493 -80+150		0.30														
080494 -80+150		0.38														
080495 -80+150		0.44														
080496 -80+150		0.24														
080497 -80+150		0.40														
080498 -80+150		0.22														
080499 -80+150		0.30														
080500 -80+150		0.36														
080501 -80+150		0.32														
080502 -80+150		0.26														
080503 -80+150		0.26														
080504 -80+150		0.28														
080505 -80+150		0.22														
080506 -80+150		0.50														
080507 -80+150		0.30														
080508 -80+150		0.12														
080509 -80+150		0.46														
080510 -80+150		0.30														
080511 -80+150		0.34														
080512 -80+150		0.34														
080513 -80+150		0.34														
080514 -80+150		0.38														
080515 -80+150		0.44														
080516 -80+150		0.48														
080517 -80+150		0.30														
080518 -80+150		0.28														
080519 -80+150		0.36														
080520 -80+150		0.34														
080521 -80+150		0.30														
080522 -80+150		0.22														
080523 -80+150		0.28														
080524 -80+150		0.34														
080525 -80+150		0.34														
080526 -80+150		0.32														
080527 -80+150		0.34														

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 3 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	Au ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080488 -80+150																
080489 -80+150																
080490 -80+150																
080491 -80+150																
080492 -80+150																
080493 -80+150																
080494 -80+150																
080495 -80+150																
080496 -80+150																
080497 -80+150																
080498 -80+150																
080499 -80+150																
080500 -80+150																
080501 -80+150																
080502 -80+150																
080503 -80+150																
080504 -80+150																
080505 -80+150																
080506 -80+150																
080507 -80+150																
080508 -80+150																
080509 -80+150																
080510 -80+150																
080511 -80+150																
080512 -80+150																
080513 -80+150																
080514 -80+150																
080515 -80+150																
080516 -80+150																
080517 -80+150																
080518 -80+150																
080519 -80+150																
080520 -80+150																
080521 -80+150																
080522 -80+150																
080523 -80+150																
080524 -80+150																
080525 -80+150																
080526 -80+150																
080527 -80+150																

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 4 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080528 -80+150		0.44														
080529 -80+150		0.36														
080530 -80+150		0.34														
080531 -80+150		0.30														
080532 -80+150		0.32														
080533 -80+150		0.32														
080534 -80+150		0.30														
080535 -80+150		0.18														
080536 -80+150		0.26														
080537 -80+150		0.32														
080538 -80+150		0.28														
080539 -80+150		0.16														
080540 -80+150		0.26														
080541 -80+150		0.26														
080542 -80+150		0.30														
080543 -80+150		0.26														
080544 -80+150		0.18														
080545 -80+150		0.22	0.021													
080546 -80+150		0.28														
080547 -80+150		0.24														
080548 -80+150		0.16														
080549 -80+150		0.24														
080550 -80+150		0.22														
080551 -80+150		0.22														
080552 -80+150		0.20														
080553 -80+150		0.22	<0.005													
080554 -80+150		0.28														
080555 -80+150		0.28														
080556 -80+150		0.18														
080557 -80+150		0.20														
080558 -80+150		0.22														
080559 -80+150		0.18														
080560 -80+150		0.24	<0.005													
080561 -80+150		0.22	0.016													
080562 -80+150		0.28														
080563 -80+150		0.26														
080564 -80+150		0.20														
080565 -80+150		0.32														
080566 -80+150		0.26														
080567 -80+150		0.34														

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080528 -80+150 080529 -80+150 080530 -80+150 080531 -80+150 080532 -80+150																
080533 -80+150 080534 -80+150 080535 -80+150 080536 -80+150 080537 -80+150																
080538 -80+150 080539 -80+150 080540 -80+150 080541 -80+150 080542 -80+150																
080543 -80+150 080544 -80+150 080545 -80+150 080546 -80+150 080547 -80+150																
080548 -80+150 080549 -80+150 080550 -80+150 080551 -80+150 080552 -80+150																
080553 -80+150 080554 -80+150 080555 -80+150 080556 -80+150 080557 -80+150																
080558 -80+150 080559 -80+150 080560 -80+150 080561 -80+150 080562 -80+150																
080563 -80+150 080564 -80+150 080565 -80+150 080566 -80+150 080567 -80+150																

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 5 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080568 -80+150		0.28														
080569 -80+150		0.34														
080570 -80+150		0.28														
080571 -80+150		0.62														
080572 -80+150		0.30														
080573 -80+150		0.28														
080574 -80+150		0.34														
080575 -80+150		0.32														
080576 -80+150		0.30														
080577 -80+150		0.30														
080578 -80+150		0.38														
080579 -80+150		0.28														
080580 -80+150		0.20														
080581 -80+150		0.30														
080582 -80+150		0.30														
080583 -80+150		0.24														
080584 -80+150		0.28														
080585 -80+150		0.34														
080586 -80+150		0.34														
080587 -80+150		0.28														
080588 -80+150		0.32														
080589 -80+150		0.32														
080590 -80+150		0.36														
080591 -80+150		0.42														
080592 -80+150		0.22														
080593 -80+150		0.48														
080601 -80+150		0.18	0.005													
080602 -80+150		0.26														
080603 -80+150		0.22														
080604 -80+150		0.30														
080605 -80+150		0.22														
080606 -80+150		0.34														
080607 -80+150		0.24														
080608 -80+150		0.20														
080609 -80+150		0.22														
080610 -80+150		0.26														
080611 -80+150		0.28														
080612 -80+150		0.36														
080613 -80+150		0.18														
080614 -80+150		0.26														

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 5 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080568 -80+150 080569 -80+150 080570 -80+150 080571 -80+150 080572 -80+150																
080573 -80+150 080574 -80+150 080575 -80+150 080576 -80+150 080577 -80+150																
080578 -80+150 080579 -80+150 080580 -80+150 080581 -80+150 080582 -80+150																
080583 -80+150 080584 -80+150 080585 -80+150 080586 -80+150 080587 -80+150																
080588 -80+150 080589 -80+150 080590 -80+150 080591 -80+150 080592 -80+150																
080593 -80+150 080601 -80+150 080602 -80+150 080603 -80+150 080604 -80+150																
080605 -80+150 080606 -80+150 080607 -80+150 080608 -80+150 080609 -80+150																
080610 -80+150 080611 -80+150 080612 -80+150 080613 -80+150 080614 -80+150																

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



TO: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 6 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 K %
Sample Description	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080615 -80+150	0.24														
080616 -80+150	0.18														
080617 -80+150	0.24														
080618 -80+150	0.18														
080619 -80+150	0.22														
080620 -80+150	0.26														
080621 -80+150	0.14														
080622 -80+150	0.28														
080623 -80+150	0.10														
080624 -80+150	0.38														
080625 -80+150	0.20														
080626 -80+150	0.22														
080627 -80+150	0.26														
080448 -150	<0.005	<0.5	6.27	14	830	1.2	<2	0.65	<0.5	9	73	13	3.54	1.26	
080449 -150	<0.005	<0.5	7.89	15	1040	2.0	<2	0.45	<0.5	16	83	27	3.79	2.26	
080450 -150	<0.005	<0.5	8.30	9	1080	2.1	<2	0.48	<0.5	16	89	27	4.00	2.43	
080451 -150	<0.005	0.5	6.66	99	890	1.7	<2	0.77	<0.5	8	66	23	3.14	1.78	
080452 -150	<0.005	0.6	7.88	27	960	1.8	4	0.63	<0.5	9	73	21	3.77	2.11	
080453 -150	<0.005	<0.5	9.36	20	950	2.6	2	0.22	0.7	9	83	33	4.32	3.41	
080454 -150	<0.005	0.8	8.24	48	940	2.1	3	0.49	0.8	13	84	26	3.83	2.59	
080455 -150	<0.005	<0.5	7.68	28	950	2.1	<2	0.42	<0.5	11	89	25	3.46	2.72	
080456 -150	<0.005	0.6	8.72	16	1100	2.3	2	0.43	<0.5	13	87	29	3.54	3.02	
080457 -150	<0.005	0.5	9.05	26	1040	2.3	2	0.43	<0.5	11	80	34	3.79	2.98	
080458 -150	<0.005	<0.5	7.80	9	920	1.9	3	0.46	<0.5	8	77	26	3.36	2.40	
080459 -150	<0.005	<0.5	7.62	14	900	1.7	2	0.46	<0.5	9	74	23	3.65	2.03	
080460 -150	<0.005	<0.5	6.99	11	950	1.5	<2	0.65	<0.5	12	75	31	3.51	1.63	
080461 -150	<0.005	<0.5	7.12	23	970	1.6	<2	0.73	<0.5	13	75	35	3.67	1.64	
080462 -150	<0.005	<0.5	7.60	14	1000	1.7	<2	0.62	<0.5	9	82	27	3.44	2.03	
080463 -150	<0.005	<0.5	7.78	18	960	1.9	2	0.52	<0.5	9	90	30	3.60	2.32	
080464 -150	<0.005	<0.5	8.01	7	950	2.0	4	0.44	<0.5	9	76	36	3.48	2.49	
080465 -150	<0.005	<0.5	5.43	9	740	1.1	2	0.70	<0.5	7	57	16	2.50	1.32	
080466 -150	<0.005	<0.5	6.30	12	810	1.4	3	0.64	<0.5	8	63	21	2.90	1.69	
080467 -150	0.012	<0.5	7.25	7	930	1.6	5	0.67	<0.5	9	61	27	3.22	1.97	
080468 -150	<0.005	<0.5	7.45	10	1070	1.9	2	0.64	<0.5	9	73	31	3.11	2.32	
080469 -150	0.006	<0.5	7.10	14	890	1.9	2	0.55	<0.5	10	64	21	2.86	2.58	
080470 -150	0.010	<0.5	5.86	20	640	1.2	2	0.49	<0.5	13	72	38	4.32	1.70	
080471 -150	0.010	<0.5	7.55	81	1000	1.9	2	0.53	<0.5	11	73	36	3.58	2.59	
080472 -150	<0.005	0.6	8.80	128	890	2.4	3	0.14	1.0	14	80	49	4.16	3.56	
080473 -150	<0.005	<0.5	5.54	70	760	1.1	2	0.62	<0.5	8	58	19	3.11	1.28	
080474 -150	0.016	<0.5	7.20	116	850	1.8	4	0.37	<0.5	10	66	39	3.54	2.45	

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 6 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080615 -80+150																
080616 -80+150																
080617 -80+150																
080618 -80+150																
080619 -80+150																
080620 -80+150																
080621 -80+150																
080622 -80+150																
080623 -80+150																
080624 -80+150																
080625 -80+150																
080626 -80+150																
080627 -80+150																
080448 -150		0.65	284	1	0.94	22	330	18	0.01	<5	138	0.40	124	<10	58	
080449 -150		0.80	419	1	0.81	34	280	23	0.01	<5	133	0.41	125	<10	81	
080450 -150		0.84	483	1	0.83	37	320	24	0.01	<5	139	0.45	134	<10	84	
080451 -150		0.68	390	1	0.96	22	690	47	0.02	17	166	0.40	101	<10	81	
080452 -150		0.68	277	1	0.81	22	700	58	0.02	13	154	0.39	114	<10	81	
080453 -150		0.79	291	1	0.48	29	440	80	0.01	19	127	0.29	115	<10	183	
080454 -150		0.64	576	1	0.68	32	560	144	0.04	32	146	0.35	105	<10	180	
080455 -150		0.79	343	1	0.67	33	480	49	0.01	12	138	0.33	113	<10	91	
080456 -150		0.85	353	1	0.76	27	480	38	0.01	11	156	0.37	128	<10	97	
080457 -150		0.86	340	1	0.73	31	520	39	0.01	10	158	0.36	120	<10	91	
080458 -150		0.81	249	1	0.81	25	370	29	0.01	7	149	0.37	115	<10	64	
080459 -150		0.79	361	1	0.84	25	280	19	0.01	9	142	0.38	119	<10	68	
080460 -150		0.74	398	1	0.98	35	400	15	0.01	<5	159	0.42	118	<10	65	
080461 -150		0.77	422	1	1.05	37	360	16	0.01	<5	168	0.39	121	<10	65	<0.005
080462 -150		0.86	295	1	0.97	28	540	21	0.01	6	163	0.42	128	<10	75	
080463 -150		0.84	336	1	0.82	30	830	28	0.01	10	152	0.38	124	<10	79	
080464 -150		0.80	268	1	0.72	32	1080	26	0.05	5	145	0.34	112	<10	70	
080465 -150		0.62	221	1	0.92	21	780	14	0.02	<5	147	0.35	91	<10	55	
080466 -150		0.69	281	1	0.91	23	700	16	0.01	<5	150	0.36	101	<10	64	
080467 -150		0.83	307	1	0.93	26	590	18	0.01	<5	174	0.30	94	<10	62	
080468 -150		0.81	283	1	0.93	26	620	19	0.01	<5	172	0.36	113	<10	75	
080469 -150		0.62	460	<1	0.69	27	510	19	0.01	6	130	0.36	102	<10	74	
080470 -150		0.80	535	1	0.63	37	950	57	0.08	7	122	0.36	96	<10	96	
080471 -150		0.63	369	1	0.67	29	550	35	0.01	11	133	0.40	104	<10	88	
080472 -150		0.58	470	1	0.22	34	380	106	0.01	17	85	0.42	115	<10	144	
080473 -150		0.55	373	1	0.88	21	580	20	0.01	<5	134	0.39	98	<10	60	
080474 -150		0.66	330	1	0.65	29	400	24	0.01	12	117	0.39	101	<10	75	

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 7 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080475 -150			0.005	<0.5	8.10	13	890	2.0	2	0.34	<0.5	6	79	19	3.08	2.64
080476 -150			0.007	<0.5	6.81	18	950	1.7	<2	0.63	<0.5	11	65	28	3.12	1.90
080477 -150			<0.005	<0.5	8.46	<5	930	2.2	<2	0.40	<0.5	7	80	22	3.00	2.63
080478 -150			<0.005	<0.5	7.78	23	950	2.0	<2	0.49	<0.5	6	75	17	2.81	2.23
080479 -150			<0.005	<0.5	7.13	79	990	1.7	2	0.80	<0.5	12	69	23	3.12	1.78
080480 -150			<0.005	<0.5	6.64	293	920	1.6	3	0.78	<0.5	8	68	15	2.70	1.57
080481 -150			<0.005	<0.5	6.65	300	940	1.6	3	0.80	<0.5	7	66	14	2.79	1.55
080482 -150			<0.005	<0.5	6.11	257	870	1.5	7	0.96	<0.5	7	58	20	2.60	1.44
080483 -150			<0.005	<0.5	9.97	177	1060	3.2	4	0.34	<0.5	8	90	33	3.31	3.57
080484 -150			<0.005	<0.5	6.82	24	820	1.5	2	0.56	<0.5	5	68	16	2.48	1.87
080485 -150			<0.005	<0.5	6.93	27	980	1.7	<2	0.66	<0.5	18	75	25	3.45	1.76
080486 -150			<0.005	<0.5	9.06	41	950	2.4	3	0.34	<0.5	9	88	28	3.44	2.83
080487 -150			<0.005	<0.5	10.10	15	1050	2.9	3	0.23	<0.5	11	93	41	4.40	3.49
080488 -150			<0.005	<0.5	6.76	19	830	1.3	<2	0.60	<0.5	9	73	16	3.66	1.38
080489 -150			<0.005	<0.5	8.47	32	930	2.2	2	0.38	<0.5	6	80	16	2.97	2.69
080490 -150			0.023	<0.5	10.15	29	1030	2.8	<2	0.19	<0.5	5	95	25	3.45	3.55
080491 -150			<0.005	<0.5	8.64	10	930	2.4	<2	0.21	<0.5	6	87	31	3.58	3.01
080492 -150			<0.005	0.5	8.53	14	850	2.2	2	0.28	<0.5	3	80	19	2.75	2.73
080493 -150			<0.005	<0.5	7.23	35	780	1.8	2	0.42	<0.5	4	67	14	2.51	2.21
080494 -150			<0.005	<0.5	7.28	43	1030	1.7	<2	0.61	<0.5	11	72	22	3.29	1.91
080495 -150			<0.005	<0.5	5.95	5	920	1.2	<2	0.82	<0.5	7	63	22	2.81	1.32
080496 -150			<0.005	<0.5	6.31	25	1160	1.3	<2	0.80	<0.5	10	71	22	3.05	1.34
080497 -150			0.005	<0.5	6.79	26	1140	1.5	<2	0.97	<0.5	12	70	38	3.45	1.44
080498 -150			<0.005	<0.5	6.42	27	990	1.3	<2	0.87	<0.5	10	68	32	3.10	1.35
080499 -150			0.009	<0.5	6.81	26	1060	1.7	2	0.89	<0.5	13	75	34	3.58	1.43
080500 -150			<0.005	<0.5	6.94	29	1000	1.6	<2	0.93	<0.5	15	76	29	3.54	1.46
080501 -150			<0.005	0.5	11.40	25	1130	3.6	<2	0.08	<0.5	10	100	36	3.86	4.36
080502 -150			<0.005	<0.5	9.50	15	1000	2.4	<2	0.30	<0.5	5	89	18	3.03	3.10
080503 -150			<0.005	<0.5	8.08	12	890	2.0	3	0.43	<0.5	6	72	18	2.83	2.46
080504 -150			<0.005	<0.5	7.22	17	980	1.9	<2	0.66	<0.5	12	70	25	3.32	2.09
080505 -150			<0.005	<0.5	6.82	17	770	1.6	<2	0.74	<0.5	25	79	40	3.26	1.35
080506 -150			<0.005	<0.5	7.06	31	880	1.9	2	0.80	1.1	21	59	19	3.65	1.66
080507 -150			<0.005	<0.5	7.07	30	830	1.6	<2	0.48	<0.5	4	71	12	2.37	2.02
080508 -150			<0.005	0.6	9.77	17	1000	2.7	2	0.29	<0.5	7	87	34	3.30	3.54
080509 -150			<0.005	<0.5	8.41	20	950	2.2	<2	0.47	<0.5	7	86	20	3.08	2.75
080510 -150			<0.005	<0.5	7.88	21	1000	2.0	<2	0.57	<0.5	11	81	23	3.29	2.44
080511 -150			<0.005	<0.5	6.81	17	780	1.5	<2	0.51	<0.5	4	68	13	2.59	1.83
080512 -150			<0.005	<0.5	7.16	12	860	1.9	2	0.46	<0.5	9	75	21	2.97	2.33
080513 -150			<0.005	<0.5	7.77	15	900	2.0	2	0.40	<0.5	8	75	27	3.17	2.43
080514 -150			<0.005	<0.5	5.90	14	760	1.3	2	0.61	<0.5	7	65	18	2.64	1.64

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 7 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080475 -150		0.68	254	1	0.71	18	530	29	0.01	10	132	0.36	112	<10	71	
080476 -150		0.66	449	1	0.96	27	610	22	0.01	<5	150	0.40	110	<10	80	
080477 -150		0.74	244	<1	0.76	19	430	12	0.01	<5	142	0.42	128	<10	60	
080478 -150		0.70	272	1	0.88	17	570	27	0.01	5	146	0.41	121	<10	71	
080479 -150		0.78	580	1	1.08	24	780	25	0.01	13	179	0.41	121	<10	98	
080480 -150		0.66	438	2	1.00	18	940	50	0.01	19	169	0.44	116	<10	84	
080481 -150		0.68	381	2	1.02	19	820	50	0.01	16	171	0.44	120	<10	86	0.006
080482 -150		0.69	337	1	1.12	17	740	60	0.02	31	190	0.39	104	<10	71	
080483 -150		0.75	236	1	0.62	20	500	35	0.01	18	158	0.36	124	<10	69	
080484 -150		0.70	215	2	0.89	16	740	40	0.02	13	140	0.39	112	<10	57	
080485 -150		0.79	430	2	1.01	42	740	12	0.01	5	158	0.39	122	<10	75	
080486 -150		0.94	259	2	0.69	22	610	13	0.03	8	136	0.39	120	<10	62	
080487 -150		1.00	284	2	0.62	30	300	19	0.02	<5	120	0.37	136	<10	80	
080488 -150		0.68	345	2	0.99	17	390	14	0.02	7	140	0.44	134	<10	64	
080489 -150		0.76	260	1	0.71	11	430	40	0.01	15	134	0.43	130	<10	56	
080490 -150		0.83	221	1	0.41	13	600	16	0.02	5	117	0.41	132	<10	65	
080491 -150		0.70	287	1	0.41	13	930	30	0.08	8	117	0.40	138	<10	61	
080492 -150		0.52	148	<1	0.55	11	600	48	0.02	<5	141	0.38	118	<10	42	
080493 -150		0.56	172	1	0.71	10	620	20	0.02	8	128	0.37	108	<10	43	
080494 -150		0.81	469	2	1.02	28	560	15	0.01	8	136	0.38	120	<10	82	
080495 -150		0.72	326	2	1.10	19	620	17	0.01	<5	160	0.39	118	<10	67	
080496 -150		0.75	355	2	1.04	24	720	17	0.01	<5	150	0.42	138	<10	90	
080497 -150		0.89	589	2	1.22	35	890	22	0.01	<5	180	0.44	134	<10	112	
080498 -150		0.80	434	1	1.20	30	800	19	0.01	5	174	0.41	124	<10	92	
080499 -150		0.88	567	1	1.26	36	750	13	0.02	<5	188	0.41	134	<10	96	
080500 -150		0.89	537	3	1.28	29	700	14	0.01	<5	188	0.43	134	<10	92	
080501 -150		0.69	186	1	0.40	21	340	222	0.02	57	142	0.43	160	<10	122	<0.005
080502 -150		0.76	176	1	0.72	13	620	28	0.01	<5	139	0.41	136	<10	56	
080503 -150		0.69	206	3	0.80	18	580	20	0.01	<5	138	0.38	118	<10	52	
080504 -150		0.87	439	2	1.03	27	540	20	0.01	<5	162	0.39	131	<10	82	
080505 -150		0.89	488	1	1.12	58	560	20	0.01	<5	164	0.35	110	<10	70	
080506 -150		0.81	997	2	1.00	30	670	114	0.01	13	158	0.34	97	<10	192	
080507 -150		0.52	176	1	0.75	11	690	85	0.02	14	124	0.42	120	<10	36	
080508 -150		0.72	178	1	0.37	24	880	66	0.05	17	125	0.34	132	<10	62	
080509 -150		0.80	285	1	0.77	16	790	15	0.01	<5	142	0.42	130	<10	58	
080510 -150		0.80	413	1	0.90	24	650	27	0.01	<5	147	0.39	128	<10	75	
080511 -150		0.63	207	1	0.83	15	570	25	0.01	5	132	0.38	109	<10	69	
080512 -150		0.72	276	1	0.70	23	450	21	0.01	<5	136	0.33	107	<10	63	
080513 -150		0.69	300	1	0.65	23	610	20	0.01	5	139	0.35	106	<10	58	
080514 -150		0.62	291	1	0.82	21	650	18	0.01	<5	138	0.35	93	<10	54	

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 8 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080515 -150		<0.005	<0.5	9.42	5	1000	3.1	<2	0.17	<0.5	10	97	37	4.00	3.53
080516 -150		0.005	<0.5	8.43	48	890	2.3	4	0.36	<0.5	15	80	34	3.58	2.93
080517 -150		<0.005	0.6	9.05	1250	1090	2.4	14	0.26	<0.5	5	104	20	3.19	2.99
080518 -150		<0.005	<0.5	7.87	522	900	2.0	10	0.36	<0.5	10	114	27	3.46	2.51
080519 -150		<0.005	<0.5	9.36	175	990	2.6	9	0.20	<0.5	8	104	29	3.55	3.13
080520 -150		0.031	<0.5	7.10	111	910	1.7	3	0.58	<0.5	10	80	23	3.41	1.99
080521 -150		0.036	<0.5	7.14	120	950	1.8	3	0.58	<0.5	12	81	26	3.38	2.03
080522 -150		<0.005	<0.5	9.76	355	1120	2.6	6	0.14	0.6	7	103	36	4.14	3.47
080523 -150		<0.005	<0.5	8.45	578	990	2.1	9	0.47	0.6	11	110	35	3.84	2.62
080524 -150		<0.005	<0.5	9.46	213	980	2.6	8	0.35	<0.5	11	134	36	3.77	3.21
080525 -150		<0.005	<0.5	9.17	192	1010	2.8	6	0.30	<0.5	12	113	38	4.14	3.27
080526 -150		0.007	0.5	8.60	432	940	2.3	5	0.35	<0.5	11	103	47	4.15	2.92
080527 -150		<0.005	<0.5	7.57	215	940	1.8	4	0.65	<0.5	12	77	30	3.45	2.07
080528 -150		<0.005	<0.5	6.99	150	910	1.8	3	0.55	<0.5	10	74	30	3.25	2.06
080529 -150		<0.005	<0.5	7.17	99	830	1.9	3	0.46	<0.5	10	72	23	3.22	2.36
080530 -150		<0.005	<0.5	6.75	54	940	1.5	2	0.77	<0.5	9	63	25	3.13	1.90
080531 -150		<0.005	<0.5	8.75	72	1050	2.4	3	0.30	<0.5	11	86	36	4.43	3.02
080532 -150		<0.005	<0.5	6.68	36	880	1.3	<2	0.68	<0.5	7	68	16	2.70	1.86
080533 -150		<0.005	<0.5	5.66	23	940	1.3	<2	0.74	<0.5	10	57	28	2.86	1.39
080534 -150		<0.005	<0.5	5.71	13	880	1.1	<2	0.79	<0.5	6	63	13	2.47	1.35
080535 -150		<0.005	<0.5	5.41	9	840	1.0	2	0.74	<0.5	4	55	12	2.12	1.28
080536 -150		<0.005	<0.5	5.32	12	800	1.0	2	0.84	<0.5	6	60	14	2.42	1.22
080537 -150		<0.005	<0.5	5.02	12	760	0.9	<2	0.79	<0.5	5	54	12	2.18	1.16
080538 -150		<0.005	<0.5	5.09	14	820	0.9	<2	0.77	<0.5	5	55	12	2.34	1.20
080539 -150		<0.005	<0.5	6.24	29	980	1.3	<2	0.97	<0.5	10	70	24	3.01	1.64
080540 -150		<0.005	<0.5	7.09	37	860	1.5	<2	0.60	<0.5	8	71	23	3.19	2.07
080541 -150		<0.005	<0.5	6.98	42	880	1.5	<2	0.59	<0.5	10	74	23	3.33	2.09
080542 -150		<0.005	<0.5	7.63	40	1190	1.7	<2	0.70	<0.5	11	77	31	3.64	2.33
080543 -150		<0.005	<0.5	6.78	13	920	1.5	<2	0.80	<0.5	9	63	21	3.06	1.75
080544 -150		<0.005	<0.5	7.07	22	830	1.7	3	0.61	<0.5	12	64	22	3.18	2.01
080545 -150		NSS	<0.5	11.30	16	1000	3.0	4	0.09	<0.5	17	99	44	5.37	3.61
080546 -150		0.010	<0.5	7.53	184	870	1.7	3	0.50	<0.5	8	69	33	3.69	2.03
080547 -150		<0.005	<0.5	5.51	50	780	1.1	<2	1.06	<0.5	8	57	20	2.81	1.23
080548 -150		<0.005	0.7	7.26	50	760	1.8	<2	0.86	<0.5	20	64	46	4.69	1.73
080549 -150		<0.005	<0.5	6.26	28	940	1.4	<2	0.67	<0.5	12	67	29	3.31	1.37
080550 -150		<0.005	<0.5	6.19	86	770	1.3	<2	0.51	<0.5	9	64	23	3.59	1.55
080551 -150		0.016	<0.5	5.65	37	750	1.2	<2	0.84	<0.5	8	60	19	3.01	1.21
080552 -150		<0.005	<0.5	6.24	138	820	1.2	<2	0.51	<0.5	7	59	20	2.95	1.70
080553 -150		NSS	<0.5	7.39	142	870	1.6	<2	0.53	<0.5	11	76	27	4.32	1.66
080554 -150		<0.005	<0.5	8.10	39	850	2.2	<2	0.31	<0.5	14	79	45	4.76	2.16

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 8 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080515 -150		1.04	272	1	0.45	24	430	30	0.02	9	127	0.36	135	<10	87	0.006
080516 -150		0.79	494	<1	0.60	21	510	37	0.02	8	136	0.33	110	<10	70	
080517 -150		0.60	166	1	0.45	13	270	87	0.04	54	106	0.40	136	<10	87	
080518 -150		0.90	242	1	0.73	32	300	21	0.01	14	124	0.40	126	<10	54	
080519 -150		0.86	205	<1	0.61	26	220	20	0.01	16	113	0.39	136	<10	60	
080520 -150		0.81	331	1	0.98	27	280	21	0.01	11	154	0.39	119	<10	63	0.006
080521 -150		0.82	364	1	1.01	26	250	23	0.01	11	160	0.39	123	<10	67	
080522 -150		0.70	152	<1	0.47	23	350	48	0.08	35	95	0.37	122	<10	91	
080523 -150		0.79	259	1	0.72	31	280	38	0.02	30	142	0.43	133	<10	85	
080524 -150		0.90	240	1	0.59	36	490	42	0.03	30	135	0.45	140	<10	69	
080525 -150		1.02	258	1	0.82	39	460	29	0.03	10	131	0.47	136	<10	65	0.006
080526 -150		0.90	273	1	0.64	31	610	96	0.07	47	142	0.41	126	<10	77	
080527 -150		0.76	304	1	0.86	29	630	52	0.02	20	176	0.37	109	<10	64	
080528 -150		0.76	267	1	0.83	28	510	28	0.01	12	157	0.37	104	<10	62	
080529 -150		0.69	281	1	0.72	26	560	36	0.02	14	137	0.31	94	<10	71	
080530 -150		0.67	363	1	1.07	27	440	33	0.01	9	196	0.37	101	<10	82	0.006
080531 -150		0.75	319	2	0.62	32	470	59	0.01	10	139	0.36	126	<10	123	
080532 -150		0.63	306	1	0.91	21	480	18	0.01	32	139	0.38	103	<10	62	
080533 -150		0.67	608	1	0.92	27	780	52	<0.01	18	133	0.35	94	<10	113	
080534 -150		0.59	296	1	1.02	19	720	15	0.01	<5	159	0.39	111	<10	59	
080535 -150		0.53	235	1	1.05	17	510	14	0.01	<5	160	0.38	97	<10	50	0.006
080536 -150		0.61	324	1	0.99	18	730	14	0.01	<5	154	0.38	104	<10	58	
080537 -150		0.55	311	1	0.96	15	750	11	0.02	<5	149	0.37	98	<10	50	
080538 -150		0.54	266	1	0.92	17	690	18	0.01	<5	142	0.38	100	<10	49	
080539 -150		0.68	517	1	1.06	30	760	22	0.02	6	176	0.39	114	<10	105	
080540 -150		0.62	427	1	0.91	27	470	19	0.01	<5	143	0.37	108	<10	75	0.006
080541 -150		0.62	423	1	0.92	26	540	21	0.01	7	142	0.38	113	<10	78	
080542 -150		0.63	534	2	0.92	30	850	19	0.01	8	152	0.43	136	<10	87	
080543 -150		0.72	368	1	1.05	24	490	14	0.01	<5	175	0.42	102	<10	68	
080544 -150		0.61	405	<1	0.84	29	430	27	0.02	<5	152	0.37	94	<10	79	
080545 -150		0.54	304	1	0.69	42	470	17	0.02	<5	133	0.48	130	<10	108	0.006
080546 -150		0.64	323	1	0.71	28	400	20	0.05	7	155	0.39	108	<10	83	
080547 -150		0.61	392	1	0.87	19	680	16	0.04	<5	185	0.34	93	<10	62	
080548 -150		0.54	1235	2	0.48	44	660	27	0.03	9	228	0.38	95	<10	123	
080549 -150		0.76	391	1	1.09	29	190	14	0.01	<5	169	0.36	112	<10	63	
080550 -150		0.61	304	1	0.75	26	270	16	0.02	5	142	0.40	104	<10	57	0.006
080551 -150		0.68	327	1	1.00	21	450	16	0.01	<5	175	0.35	101	<10	56	
080552 -150		0.50	265	1	0.72	22	290	43	0.01	8	146	0.40	95	<10	61	
080553 -150		0.72	319	2	0.77	27	270	28	0.02	6	137	0.39	126	<10	83	
080554 -150		0.75	285	1	0.69	38	310	23	0.03	<5	103	0.40	123	<10	92	

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 9 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080555 -150			<0.005	<0.5	6.66	24	850	2.1	<2	0.52	<0.5	30	62	35	3.26	1.56
080556 -150			<0.005	<0.5	6.32	15	880	1.3	<2	0.72	<0.5	9	66	20	3.46	1.51
080557 -150			<0.005	<0.5	7.34	9	950	1.8	<2	0.48	<0.5	10	71	26	3.34	2.08
080558 -150			<0.005	<0.5	7.62	19	890	1.8	<2	0.48	<0.5	9	69	23	3.18	2.28
080559 -150			<0.005	<0.5	7.06	10	940	1.5	<2	0.65	<0.5	6	72	20	2.91	1.82
080560 -150			NSS	<0.5	7.93	21	720	1.6	<2	0.37	<0.5	21	63	21	3.27	1.85
080561 -150			NSS	<0.5	9.33	10	720	1.7	<2	0.26	0.7	31	67	21	3.29	2.01
080562 -150			<0.005	<0.5	7.91	8	950	2.0	<2	0.41	<0.5	9	75	29	3.46	2.40
080563 -150			<0.005	<0.5	5.81	13	840	1.1	<2	0.67	<0.5	9	59	17	2.99	1.23
080564 -150			<0.005	<0.5	6.04	12	890	1.2	<2	0.75	<0.5	10	65	27	3.23	1.18
080565 -150			<0.005	<0.5	11.15	15	1020	3.2	<2	0.05	<0.5	5	103	47	4.67	3.96
080566 -150			<0.005	<0.5	6.77	19	970	1.4	<2	0.74	<0.5	12	73	27	3.70	1.44
080567 -150			<0.005	<0.5	7.22	12	840	1.7	<2	0.72	<0.5	15	68	31	3.71	1.82
080568 -150			<0.005	<0.5	6.23	11	1030	1.4	<2	1.08	<0.5	9	60	24	2.94	1.50
080569 -150			<0.005	<0.5	6.73	14	1020	1.3	<2	1.08	<0.5	10	70	21	2.97	1.50
080570 -150			<0.005	<0.5	7.16	20	1020	1.7	<2	0.77	<0.5	10	70	27	2.96	2.02
080571 -150			<0.005	<0.5	8.32	11	1020	2.2	<2	0.50	<0.5	12	85	29	3.43	2.58
080572 -150			<0.005	<0.5	8.93	14	1000	2.3	<2	0.45	<0.5	10	87	38	3.67	2.77
080573 -150			<0.005	<0.5	7.85	14	910	2.0	<2	0.53	<0.5	12	94	38	4.14	2.98
080574 -150			<0.005	<0.5	5.67	11	840	1.1	<2	0.68	<0.5	5	60	13	2.60	1.48
080575 -150			<0.005	<0.5	5.38	11	880	1.0	<2	0.82	<0.5	6	60	15	2.74	1.20
080576 -150			<0.005	<0.5	6.23	17	880	1.3	<2	0.84	<0.5	10	68	28	3.37	1.46
080577 -150			<0.005	<0.5	7.73	16	1000	2.0	<2	0.53	<0.5	11	75	30	3.76	2.54
080578 -150			<0.005	<0.5	6.99	12	1000	1.7	<2	0.67	<0.5	11	71	27	3.24	1.95
080579 -150			<0.005	<0.5	6.69	19	940	1.5	<2	0.60	<0.5	7	64	18	2.84	1.84
080580 -150			<0.005	<0.5	7.03	19	930	1.5	<2	0.62	<0.5	9	72	20	3.30	1.64
080581 -150			<0.005	<0.5	6.61	15	870	1.4	<2	0.59	<0.5	9	67	19	3.11	1.54
080582 -150			<0.005	<0.5	7.36	16	880	1.8	<2	0.45	<0.5	7	72	21	3.02	2.15
080583 -150			<0.005	0.6	9.06	45	1020	2.4	2	0.22	<0.5	13	83	31	4.01	2.81
080584 -150			<0.005	<0.5	10.10	55	1130	3.2	2	0.13	<0.5	14	104	36	3.78	4.01
080585 -150			<0.005	0.7	9.17	52	1090	2.4	<2	0.31	0.7	10	88	31	3.63	3.10
080586 -150			<0.005	0.6	7.67	47	980	2.1	<2	0.35	<0.5	9	71	26	3.13	2.63
080587 -150			<0.005	<0.5	7.32	65	970	1.8	<2	0.39	<0.5	8	70	27	3.38	2.32
080588 -150			<0.005	0.5	7.46	77	900	1.8	<2	0.43	<0.5	10	68	27	3.40	2.16
080589 -150			<0.005	<0.5	6.62	73	800	1.6	2	0.45	<0.5	8	64	22	3.09	1.96
080590 -150			<0.005	0.5	8.14	46	1100	2.1	<2	0.46	<0.5	10	79	36	3.39	2.64
080591 -150			<0.005	<0.5	6.80	68	700	1.8	<2	0.23	<0.5	9	62	28	3.34	2.19
080592 -150			<0.005	1.3	10.75	66	1050	2.8	<2	0.36	1.0	10	98	24	3.09	3.82
080593 -150			<0.005	7.7	11.40	276	1140	3.4	6	0.06	<0.5	5	109	27	2.95	4.84
080601 -150			NSS	<0.5	7.48	18	1060	1.6	<2	0.68	<0.5	11	84	42	3.38	1.96

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 9 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080555 -150		0.67	451	1	0.97	64	200	16	0.01	<5	141	0.35	106	<10	78	
080556 -150		0.70	312	1	1.09	27	420	17	0.01	<5	166	0.37	118	<10	66	
080557 -150		0.64	278	1	0.90	26	230	22	0.01	<5	149	0.34	116	<10	69	
080558 -150		0.54	270	1	0.93	26	290	26	0.01	<5	164	0.29	112	<10	71	
080559 -150		0.62	275	1	1.01	20	440	27	0.01	<5	166	0.37	116	<10	60	
080560 -150		0.44	878	1	0.60	37	420	33	0.01	6	172	0.26	91	<10	81	
080561 -150		0.39	1490	<1	0.43	42	490	49	0.01	5	210	0.24	90	<10	86	0.008
080562 -150		0.74	296	1	0.86	30	280	24	0.01	<5	146	0.33	118	<10	76	
080563 -150		0.67	307	1	1.01	22	230	19	0.01	<5	153	0.34	108	<10	60	
080564 -150		0.72	336	1	1.15	32	230	16	0.01	<5	171	0.35	115	<10	61	
080565 -150		0.80	139	1	0.54	28	460	35	0.02	<5	129	0.27	152	<10	79	
080566 -150		0.78	435	1	1.12	29	290	20	0.01	<5	173	0.37	130	<10	77	
080567 -150		0.72	504	1	1.09	30	380	27	0.02	<5	184	0.37	114	<10	73	
080568 -150		0.73	361	1	1.22	24	680	18	0.01	<5	214	0.39	111	<10	70	
080569 -150		0.76	404	<1	1.24	24	630	18	0.01	<5	211	0.40	118	<10	72	
080570 -150		0.71	282	1	1.12	27	610	20	0.01	<5	186	0.37	111	<10	77	
080571 -150		0.68	299	1	0.93	29	550	27	0.02	<5	167	0.39	128	<10	75	
080572 -150		0.68	275	2	0.74	32	460	42	0.02	6	154	0.37	128	<10	78	
080573 -150		0.74	290	1	0.80	43	470	20	0.09	<5	155	0.35	146	<10	101	
080574 -150		0.61	257	1	0.94	16	310	15	0.04	<5	152	0.36	107	<10	50	
080575 -150		0.60	277	1	1.06	18	480	12	0.02	<5	169	0.38	104	<10	50	
080576 -150		0.74	362	1	1.12	27	410	16	0.03	<5	184	0.37	119	<10	73	
080577 -150		0.79	392	1	0.99	28	350	28	0.05	<5	165	0.35	129	<10	83	
080578 -150		0.67	370	1	1.08	27	310	18	0.01	<5	179	0.39	120	<10	73	
080579 -150		0.63	270	1	0.94	20	250	21	0.01	5	165	0.36	106	<10	59	
080580 -150		0.74	329	1	1.03	22	220	26	0.01	<5	161	0.36	122	<10	66	
080581 -150		0.70	312	1	0.98	22	200	26	0.01	<5	153	0.36	115	<10	63	<0.005
080582 -150		0.67	233	1	0.77	17	170	25	0.01	5	140	0.34	117	<10	59	
080583 -150		0.75	272	<1	0.56	28	250	75	0.02	34	141	0.36	128	<10	88	
080584 -150		0.63	293	1	0.44	36	280	44	0.02	27	138	0.37	151	<10	80	
080585 -150		0.56	301	1	0.63	28	370	118	0.01	48	151	0.37	134	<10	101	
080586 -150		0.51	297	1	0.62	22	440	92	0.01	37	138	0.36	104	<10	88	
080587 -150		0.56	270	1	0.71	26	440	77	0.01	37	141	0.30	107	<10	90	
080588 -150		0.59	327	1	0.70	25	410	72	0.01	36	145	0.33	107	<10	87	
080589 -150		0.54	275	1	0.74	22	420	62	0.01	38	142	0.34	98	<10	82	
080590 -150		0.69	328	1	0.65	29	620	64	0.01	31	150	0.31	116	<10	90	
080591 -150		0.54	231	1	0.47	23	320	50	0.01	11	111	0.32	89	<10	94	
080592 -150		0.49	320	1	0.44	29	320	90	0.03	37	147	0.31	125	<10	125	
080593 -150		0.52	112	1	0.36	15	360	742	0.10	379	153	0.34	160	<10	86	
080601 -150		0.99	399	1	0.96	34	730	28	0.01	5	164	0.42	145	<10	96	0.006

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 10 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080602 -150			<0.005	<0.5	6.48	20	870	1.3	<2	0.70	<0.5	9	73	22	3.25	1.52
080603 -150			<0.005	<0.5	6.86	15	920	1.3	<2	0.83	<0.5	9	73	21	3.24	1.50
080604 -150			<0.005	<0.5	6.32	19	910	1.2	<2	0.85	<0.5	9	70	26	3.21	1.34
080605 -150			<0.005	<0.5	6.37	14	950	1.3	<2	0.81	<0.5	11	75	21	3.31	1.51
080606 -150			<0.005	<0.5	6.41	18	1000	1.2	<2	0.83	<0.5	8	74	20	3.22	1.35
080607 -150			0.006	<0.5	6.45	14	1120	1.2	<2	0.82	<0.5	8	75	22	2.90	1.38
080608 -150			0.011	0.7	5.77	125	850	1.3	<2	0.55	<0.5	9	62	37	3.10	1.34
080609 -150			0.011	<0.5	5.98	70	850	1.2	<2	0.69	<0.5	8	63	20	3.11	1.24
080610 -150			0.131	<0.5	6.16	127	750	1.3	3	0.44	<0.5	7	61	34	3.70	1.66
080611 -150			<0.005	<0.5	5.69	56	780	1.1	<2	0.58	<0.5	8	61	19	3.01	1.26
080612 -150			<0.005	<0.5	6.34	88	920	1.2	<2	0.66	<0.5	9	68	16	3.45	1.30
080613 -150			0.010	0.6	6.01	252	640	1.2	2	0.29	<0.5	6	65	29	2.39	1.57
080614 -150			0.006	<0.5	6.52	84	870	1.4	<2	0.65	<0.5	6	62	18	2.64	1.82
080615 -150			<0.005	<0.5	6.08	109	830	1.1	<2	0.75	<0.5	9	63	13	3.57	1.32
080616 -150			0.006	<0.5	7.92	96	940	2.1	<2	0.41	<0.5	8	79	22	2.91	2.97
080617 -150			<0.005	<0.5	7.10	73	730	1.6	3	0.38	<0.5	9	73	25	3.56	2.35
080618 -150			<0.005	0.7	10.15	126	1100	2.8	2	0.28	<0.5	10	102	29	3.30	4.23
080619 -150			<0.005	<0.5	5.57	34	770	1.2	<2	0.72	<0.5	6	63	19	2.57	1.50
080620 -150			0.006	0.9	6.41	28	750	1.4	2	0.57	<0.5	6	70	21	2.70	1.84
080621 -150			<0.005	0.7	6.80	30	800	1.4	<2	0.61	<0.5	6	72	21	2.91	1.90
080622 -150			<0.005	<0.5	6.29	20	810	1.3	<2	0.50	<0.5	6	69	16	2.73	1.54
080623 -150			0.009	<0.5	5.68	23	780	1.0	<2	0.79	<0.5	5	62	15	2.77	1.32
080624 -150			0.006	0.5	6.02	31	820	1.2	<2	0.80	<0.5	7	70	20	3.40	1.54
080625 -150			0.010	1.2	5.29	26	690	1.1	2	0.63	<0.5	10	60	21	3.17	1.19
080626 -150			0.010	1.4	6.24	26	810	1.0	<2	0.75	<0.5	5	66	21	3.10	1.42
080627 -150			0.006	1.3	7.28	22	790	1.8	<2	1.04	<0.5	16	78	49	3.93	2.26

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 10 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080602 -150		0.82	337	1	1.08	25	730	17	0.02	<5	151	0.38	125	<10	68	
080603 -150		0.83	358	1	1.15	24	790	15	0.01	<5	166	0.39	128	<10	72	
080604 -150		0.76	380	1	1.13	26	800	16	0.01	<5	172	0.39	123	<10	71	
080605 -150		0.81	405	1	1.13	25	690	17	0.01	<5	169	0.41	134	<10	70	
080606 -150		0.76	340	1	1.06	23	920	17	0.02	<5	165	0.41	136	<10	68	
080607 -150		0.69	352	2	1.09	22	970	19	0.02	6	184	0.40	137	<10	65	
080608 -150		0.58	276	1	0.80	21	530	18	0.02	<5	127	0.36	114	<10	58	
080609 -150		0.68	314	1	0.98	22	280	12	0.01	<5	149	0.36	110	<10	66	
080610 -150		0.68	275	1	0.83	22	360	20	0.03	9	108	0.41	102	<10	55	
080611 -150		0.62	294	1	0.86	20	240	14	0.01	6	133	0.37	108	<10	56	
080612 -150		0.67	348	1	0.94	23	410	18	0.01	<5	147	0.39	130	<10	70	
080613 -150		0.35	208	1	0.41	19	750	43	0.01	16	101	0.48	112	<10	53	
080614 -150		0.64	279	1	0.94	18	370	19	0.01	<5	155	0.36	112	<10	54	
080615 -150		0.69	318	1	0.99	20	320	21	0.01	5	156	0.33	112	<10	64	
080616 -150		0.63	246	1	0.60	20	300	48	0.01	13	135	0.49	132	<10	60	
080617 -150		0.50	276	1	0.54	20	340	96	0.01	17	119	0.49	119	<10	83	
080618 -150		0.73	363	1	0.46	27	520	160	0.01	14	134	0.35	166	<10	88	
080619 -150		0.58	294	1	0.89	19	660	24	0.01	<5	143	0.39	108	<10	59	
080620 -150		0.57	250	1	0.77	17	540	104	0.01	17	131	0.38	116	<10	62	
080621 -150		0.60	266	1	0.80	19	590	112	0.01	22	135	0.36	118	<10	65	0.014
080622 -150		0.54	265	1	0.84	17	230	35	<0.01	<5	158	0.36	120	<10	52	
080623 -150		0.60	296	1	0.97	19	570	80	0.01	<5	158	0.36	108	<10	62	
080624 -150		0.65	344	1	0.97	22	410	80	0.01	<5	166	0.43	122	<10	86	
080625 -150		0.50	526	1	0.81	19	470	286	0.01	<5	137	0.40	109	<10	112	
080626 -150		0.61	274	1	0.93	16	530	170	0.01	<5	163	0.37	115	<10	65	
080627 -150		0.67	1050	1	0.56	34	700	128	0.04	<5	131	0.36	125	<10	150	

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 1
Finalized Date: 30-OCT-2004
Account: STRGOL

QC CERTIFICATE VA04071095

Project: Dub 1735

P.O. No.:

This report is for 346 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED
NOV - 8 2004

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: STRATAGOLD EXPLORATION INC.
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 2 - A
Total # Pages: 5 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
		0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-10			4.7	0.89	883	100	<0.5	195	0.15	137.0	373	1510	1815	11.70	0.05	0.27
BM-10			5.6	0.89	898	100	<0.5	208	0.15	152.0	365	1625	1935	11.40	0.04	0.28
BM-10			5.0	0.87	853	100	<0.5	192	0.15	134.5	368	1520	1810	11.40	0.04	0.26
BM-10			5.6	0.88	882	120	<0.5	205	0.15	148.0	391	1555	1845	11.45	0.05	0.27
BM-10			5.7	0.84	862	100	<0.5	187	0.15	134.5	375	1510	1795	10.90	0.04	0.26
BM-10			5.4	0.84	831	100	<0.5	186	0.15	139.0	343	1515	1805	10.95	0.04	0.28
Target Range - Lower Bound			4.6	0.72	755	70		183	0.12	117.5	301	845	1600	9.24		0.20
Upper Bound			6.7	0.90	933	110		228	0.17	144.5	370	1035	1955	11.30		0.27
G2000			3.6	4.98	481	2290	1.3	4	0.58	7.2	23	100	293	3.83	1.28	0.74
G2000			4.5	4.89	486	2330	1.3	<2	0.57	6.8	23	94	295	3.65	1.21	0.72
G2000			5.0	5.05	493	2300	1.3	2	0.58	7.6	25	100	364	3.84	1.30	0.74
G2000			3.5	4.90	475	2290	1.2	<2	0.57	7.1	23	97	290	3.73	1.22	0.72
G2000			3.7	5.20	506	2430	1.3	<2	0.60	7.2	25	107	308	3.96	1.32	0.76
G2000			3.8	5.03	477	2340	1.3	2	0.58	7.0	23	104	308	3.76	1.30	0.77
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	1.16	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	1.44	0.85
OXF28		0.766														
OXF28		0.855														
OXF28		0.804														
OXF28		0.759														
OXF28		0.810														
OXF28		0.785														
Target Range - Lower Bound		0.741														
Upper Bound		0.863														
OXX18		3.31														
OXX18		3.71														
OXX18		3.54														
OXX18		3.50														
OXX18		3.52														
Target Range - Lower Bound		3.22														
Upper Bound		3.71														

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - A

Total # Pages: 5 (A - B)

Finalized Date: 30-OCT-2004


Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071095

Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
Sample Description															
BLANKS															
BLANK	<0.005														
BLANK	<0.005														
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.8	1	<1	1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	<1	<1	<0.01	<0.01	<0.01
BLANK	<0.005														
BLANK	<0.005														
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK	<0.005														
BLANK	<0.005														
Target Range - Lower Bound	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES															
ORIGINAL	0.032														
DUP	0.027														
Target Range - Lower Bound	0.018														
Upper Bound	0.041														
080410 -150	<0.5	3.37	25	540	0.9	<2	2.53	0.6	8	45	46	1.85	0.85	0.57	
DUP	<0.5	3.66	41	580	0.9	<2	2.75	<0.5	8	44	47	1.98	0.86	0.61	
Target Range - Lower Bound	<0.5	3.32	21	510	<0.5	<2	2.49	<0.5	6	40	42	1.80	0.79	0.54	
Upper Bound	1.0	3.71	45	610	1.0	4	2.79	1.0	10	49	51	2.03	0.92	0.64	
080449 -150	<0.5	7.89	15	1040	2.0	<2	0.45	<0.5	16	83	27	3.79	2.26	0.80	
DUP	<0.5	8.24	14	1030	2.0	<2	0.47	<0.5	16	79	26	3.76	2.24	0.79	
Target Range - Lower Bound	<0.5	7.64	<5	960	0.9	<2	0.42	<0.5	13	75	23	3.57	2.12	0.74	
Upper Bound	1.0	8.49	25	1110	3.1	4	0.50	1.0	19	87	30	3.98	2.38	0.85	
080455 -150	<0.005														
DUP	0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - A

Total # Pages: 5 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method Analyte Units LOR	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
		0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
080475 -150 DUP		0.005 <0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
080485 -150 DUP			<0.5 6.93 7.27	27 33	980 1010	1.7 1.7	<2 <2	0.66 0.69	<0.5 <0.5	18 18	75 71	25 25	3.45 3.54	1.76 1.80	0.79 0.80	
Target Range - Lower Bound			<0.5 6.73	19	930	0.8	<2	0.62	<0.5	15	67	22	3.30	1.67	0.74	
Upper Bound			1.0 7.48	42	1060	2.8	4	0.73	1.0	21	79	28	3.69	1.89	0.85	
080495 -150 DUP		<0.005 <0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
080521 -150 DUP			<0.5 7.14 7.10	120 118	950 930	1.8 1.7	3 3	0.58 0.58	<0.5 <0.5	12 11	81 78	26 26	3.38 3.32	2.03 1.93	0.82 0.80	
Target Range - Lower Bound			<0.5 6.74	103	870	0.7	<2	0.53	<0.5	9	74	23	3.16	1.86	0.75	
Upper Bound			1.0 7.50	135	1010	2.8	4	0.63	1.0	14	85	29	3.54	2.10	0.87	
080527 -150 DUP		<0.005 <0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
080547 -150 DUP		<0.005 <0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
080557 -150 DUP			<0.5 7.34 7.71	9 11	950 980	1.8 1.9	<2 <2	0.48 0.49	<0.5 <0.5	10 10	71 76	26 28	3.34 3.47	2.08 2.22	0.64 0.68	
Target Range - Lower Bound			<0.5 7.13	<5	900	0.8	<2	0.44	<0.5	8	68	24	3.21	2.02	0.61	
Upper Bound			1.0 7.92	21	1030	2.9	4	0.53	1.0	13	79	30	3.60	2.28	0.71	
080568 -150 DUP		<0.005 <0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 4 - B
Total # Pages: 5 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071095

	Method Analyte Units LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA23D Au ppm 0.005
DUPLICATES															
080475 -150 DUP Target Range - Lower Bound Upper Bound															
080485 -150 DUP Target Range - Lower Bound Upper Bound		430 444 405 469	2 2 <1 4	1.01 1.02 0.94 1.09	42 44 39 47	740 750 690 800	12 10 8 16	0.01 0.01 <0.01 0.02	5 <5 <5 10	158 162 150 170	0.39 0.40 0.36 0.43	122 125 115 132	<10 <10 <10 20	75 77 68 84	
080495 -150 DUP Target Range - Lower Bound Upper Bound															
080521 -150 DUP Target Range - Lower Bound Upper Bound		364 359 333 390	1 1 <1 2	1.01 0.97 0.92 1.06	26 24 22 28	250 240 210 280	23 20 16 27	0.01 0.01 <0.01 0.02	11 13 <5 23	160 153 147 166	0.39 0.38 0.35 0.42	123 119 113 129	<10 <10 <10 20	67 65 59 73	
080527 -150 DUP Target Range - Lower Bound Upper Bound															
080547 -150 DUP Target Range - Lower Bound Upper Bound															
080557 -150 DUP Target Range - Lower Bound Upper Bound		278 290 260 308	1 1 <1 2	0.90 0.97 0.87 1.00	26 28 24 30	230 240 200 270	22 21 16 27	0.01 0.01 <0.01 0.02	<5 <5 <5 10	149 161 145 165	0.34 0.40 0.33 0.41	116 124 112 128	<10 <10 <10 20	69 75 64 80	
080568 -150 DUP Target Range - Lower Bound Upper Bound															

Comments: NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

0: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 5 - A
Total # Pages: 5 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071095

Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
Sample Description															
080602 -150		<0.5	6.48	20	870	1.3	<2	0.70	<0.5	9	73	22	3.25	1.52	0.82
DUP		<0.5	6.96	16	920	1.3	<2	0.76	<0.5	8	77	22	3.45	1.55	0.86
Target Range - Lower Bound		<0.5	6.36	7	830	<0.5	<2	0.67	<0.5	6	69	19	3.16	1.44	0.78
Upper Bound		1.0	7.08	29	960	2.4	4	0.79	1.0	11	81	25	3.54	1.63	0.90
ORIGINAL	<0.005														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
ORIGINAL	<0.005														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 5 - B
Total # Pages: 5 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071095

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D	
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn	Au
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
DUPLICATES															
080602 -150		337	1	1.08	25	730	17	0.02	<5	151	0.38	125	<10	68	
DUP		359	1	1.12	25	770	18	0.02	<5	156	0.41	130	<10	71	
Target Range - Lower Bound		321	<1	1.03	22	690	13	<0.01	<5	144	0.36	119	<10	62	
Upper Bound		375	2	1.18	28	810	22	0.04	10	163	0.43	136	20	77	
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 1

Finalized Date: 30-OCT-2004

Account: STRGOL

CERTIFICATE VA04071094

Project: Dub 1735

P.O. No.:

This report is for 348 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED
NOV - 8 2004

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: STRATAGOLD EXPLORATION INC.
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt kg	Au-AA23 Au ppm	Au-AA23D Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
080251 -80+150		0.20														
080252 -80+150		0.28														
080253 -80+150		0.34														
080254 -80+150		0.28														
080255 -80+150		0.24														
080256 -80+150		0.36														
080257 -80+150		0.32														
080258 -80+150		0.38														
080259 -80+150		0.36														
080260 -80+150		0.20														
080261 -80+150		0.20														
080262 -80+150		0.30														
080263 -80+150		0.34														
080264 -80+150		0.24														
080265 -80+150		0.28														
080266 -80+150		0.16														
080267 -80+150		0.34														
080268 -80+150		0.22														
080269 -80+150		0.26														
080270 -80+150		0.28														
080271 -80+150		0.24														
080272 -80+150		0.26														
080273 -80+150		0.34														
080274 -80+150		0.38														
080275 -80+150		0.22	<0.005													
080276 -80+150		0.18														
080277 -80+150		0.38														
080278 -80+150		0.22														
080301 -80+150		0.22														
080302 -80+150		0.26														
080303 -80+150		0.30														
080304 -80+150		0.38	<0.005													
080305 -80+150		0.38														
080306 -80+150		0.34														
080307 -80+150		0.38	<0.005													
080308 -80+150		0.28	<0.005													
080309 -80+150		0.28	<0.005													
080310 -80+150		0.38														
080311 -80+150		0.34														
080312 -80+150		0.34	<0.005													

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
080251 -80+150															
080252 -80+150															
080253 -80+150															
080254 -80+150															
080255 -80+150															
080256 -80+150															
080257 -80+150															
080258 -80+150															
080259 -80+150															
080260 -80+150															
080261 -80+150															
080262 -80+150															
080263 -80+150															
080264 -80+150															
080265 -80+150															
080266 -80+150															
080267 -80+150															
080268 -80+150															
080269 -80+150															
080270 -80+150															
080271 -80+150															
080272 -80+150															
080273 -80+150															
080274 -80+150															
080275 -80+150															
080276 -80+150															
080277 -80+150															
080278 -80+150															
080301 -80+150															
080302 -80+150															
080303 -80+150															
080304 -80+150															
080305 -80+150															
080306 -80+150															
080307 -80+150															
080308 -80+150															
080309 -80+150															
080310 -80+150															
080311 -80+150															
080312 -80+150															

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23D	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
		kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
080313 -80+150		0.28														
080314 -80+150		0.32														
080315 -80+150		0.30														
080316 -80+150		0.30														
080317 -80+150		0.32														
080318 -80+150		0.24														
080319 -80+150		0.38														
080320 -80+150		0.14														
080321 -80+150		0.26														
080322 -80+150		0.20														
080323 -80+150		0.18														
080324 -80+150		0.12														
080325 -80+150		0.20														
080326 -80+150		0.22														
080327 -80+150		0.18														
080328 -80+150		0.30														
080329 -80+150		0.18	<0.005													
080330 -80+150		0.22														
080331 -80+150		0.34														
080332 -80+150		0.20														
080333 -80+150		0.26														
080334 -80+150		0.16	0.007													
080335 -80+150		0.24														
080336 -80+150		0.30														
080337 -80+150		0.30														
080338 -80+150		0.30														
080339 -80+150		0.26														
080340 -80+150		0.22														
080341 -80+150		0.22														
080342 -80+150		0.28														
080343 -80+150		0.30														
080344 -80+150		0.36														
080345 -80+150		0.34														
080346 -80+150		0.26														
080347 -80+150		0.26														
080348 -80+150		0.24														
080349 -80+150		0.28														
080350 -80+150		0.28														
080351 -80+150		0.16														
080352 -80+150		0.24														

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 3 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
080313 -80+150															
080314 -80+150															
080315 -80+150															
080316 -80+150															
080317 -80+150															
080318 -80+150															
080319 -80+150															
080320 -80+150															
080321 -80+150															
080322 -80+150															
080323 -80+150															
080324 -80+150															
080325 -80+150															
080326 -80+150															
080327 -80+150															
080328 -80+150															
080329 -80+150															
080330 -80+150															
080331 -80+150															
080332 -80+150															
080333 -80+150															
080334 -80+150															
080335 -80+150															
080336 -80+150															
080337 -80+150															
080338 -80+150															
080339 -80+150															
080340 -80+150															
080341 -80+150															
080342 -80+150															
080343 -80+150															
080344 -80+150															
080345 -80+150															
080346 -80+150															
080347 -80+150															
080348 -80+150															
080349 -80+150															
080350 -80+150															
080351 -80+150															
080352 -80+150															

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 4 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23D Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
080353 -80+150		0.08	<0.005													
080354 -80+150		0.12														
080355 -80+150		0.08														
080356 -80+150		0.20														
080357 -80+150		0.16														
080358 -80+150		0.20														
080359 -80+150		0.16														
080360 -80+150		0.12														
080361 -80+150		0.12														
080362 -80+150		0.30														
080363 -80+150		0.22														
080364 -80+150		0.18														
080365 -80+150		0.14														
080366 -80+150		0.10														
080367 -80+150		0.10														
080368 -80+150		0.10														
080369 -80+150		0.16														
080370 -80+150		0.22														
080371 -80+150		0.12														
080372 -80+150		0.16														
080373 -80+150		0.14														
080374 -80+150		0.10														
080375 -80+150		0.36														
080376 -80+150		0.20														
080377 -80+150		0.24														
080378 -80+150		0.38														
080379 -80+150		0.22														
080380 -80+150		0.18														
080381 -80+150		0.20														
080382 -80+150		0.12														
080383 -80+150		0.24														
080384 -80+150		0.16														
080385 -80+150		0.28														
080386 -80+150		0.22														
080387 -80+150		0.22														
080388 -80+150		0.10														
080389 -80+150		0.46														
080390 -80+150		0.16														
080391 -80+150		0.08														
080392 -80+150		0.34														

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **STRATAGOLD EXPLORATION INC.**
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 4 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
080353 -80+150 080354 -80+150 080355 -80+150 080356 -80+150 080357 -80+150															
080358 -80+150 080359 -80+150 080360 -80+150 080361 -80+150 080362 -80+150															
080363 -80+150 080364 -80+150 080365 -80+150 080366 -80+150 080367 -80+150															
080368 -80+150 080369 -80+150 080370 -80+150 080371 -80+150 080372 -80+150															
080373 -80+150 080374 -80+150 080375 -80+150 080376 -80+150 080377 -80+150															
080378 -80+150 080379 -80+150 080380 -80+150 080381 -80+150 080382 -80+150															
080383 -80+150 080384 -80+150 080385 -80+150 080386 -80+150 080387 -80+150															
080388 -80+150 080389 -80+150 080390 -80+150 080391 -80+150 080392 -80+150															

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 5 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	Au-AA23D	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt: kg	Au ppm	Au ppm	As ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
080393 -80+150		0.10														
080394 -80+150		0.20														
080395 -80+150		0.28														
080396 -80+150		0.28														
080397 -80+150		0.24														
080398 -80+150		0.30														
080399 -80+150		0.20														
080400 -80+150		0.32														
080401 -80+150		0.42														
080402 -80+150		0.50														
080403 -80+150		0.24														
080404 -80+150		0.16														
080405 -80+150		0.22														
080406 -80+150		0.14														
080407 -80+150		0.14														
080408 -80+150		0.14														
080409 -80+150		0.12														
080410 -80+150		0.10	<0.005													
080411 -80+150		0.08														
080412 -80+150		0.24														
080413 -80+150		0.16														
080414 -80+150		0.20														
080415 -80+150		0.22														
080416 -80+150		0.18														
080417 -80+150		0.22														
080418 -80+150		0.16														
080419 -80+150		0.34														
080420 -80+150		0.18														
080421 -80+150		0.18														
080422 -80+150		0.28														
080423 -80+150		0.42														
080424 -80+150		0.32														
080425 -80+150		0.28														
080426 -80+150		0.28														
080427 -80+150		0.28														
080428 -80+150		0.14														
080429 -80+150		0.24														
080430 -80+150		0.28														
080431 -80+150		0.40														
080432 -80+150		0.24														

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 5 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
080393 -80+150															
080394 -80+150															
080395 -80+150															
080396 -80+150															
080397 -80+150															
080398 -80+150															
080399 -80+150															
080400 -80+150															
080401 -80+150															
080402 -80+150															
080403 -80+150															
080404 -80+150															
080405 -80+150															
080406 -80+150															
080407 -80+150															
080408 -80+150															
080409 -80+150															
080410 -80+150															
080411 -80+150															
080412 -80+150															
080413 -80+150															
080414 -80+150															
080415 -80+150															
080416 -80+150															
080417 -80+150															
080418 -80+150															
080419 -80+150															
080420 -80+150															
080421 -80+150															
080422 -80+150															
080423 -80+150															
080424 -80+150															
080425 -80+150															
080426 -80+150															
080427 -80+150															
080428 -80+150															
080429 -80+150															
080430 -80+150															
080431 -80+150															
080432 -80+150															

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 6 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt: kg	Au-AA23 Au ppm	Au-AA23D Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
080433 -80+150		0.36														
080434 -80+150		0.18														
080435 -80+150		0.18														
080436 -80+150		0.20														
080437 -80+150		0.18														
080438 -80+150		0.24														
080439 -80+150		0.32														
080440 -80+150		0.28														
080441 -80+150		0.16														
080442 -80+150		0.20														
080443 -80+150		0.30														
080444 -80+150		0.22														
080445 -80+150		0.24														
080446 -80+150		0.22														
080251 -150			<0.005		<0.5	8.45	59	780	1.8	5	0.84	1.3	16	74	41	3.81
080252 -150			<0.005		<0.5	7.78	76	820	1.9	3	0.63	<0.5	10	72	33	3.83
080253 -150			<0.005		<0.5	7.88	66	1000	1.9	<2	0.75	<0.5	14	80	35	3.75
080254 -150			<0.005		<0.5	7.62	17	1110	1.6	3	0.97	<0.5	11	75	27	3.22
080255 -150			0.043		<0.5	6.09	76	860	1.3	7	0.88	0.6	8	72	30	2.78
080256 -150			0.009		<0.5	11.10	106	1070	4.5	9	0.36	0.5	23	99	67	4.86
080257 -150			<0.005		<0.5	7.59	41	1090	1.9	4	0.69	0.6	13	83	25	3.66
080258 -150			0.010		<0.5	7.52	94	1010	2.0	8	0.68	<0.5	15	76	23	3.60
080259 -150			0.007		<0.5	9.46	44	1170	2.2	5	0.48	0.6	15	87	23	3.89
080260 -150			<0.005		<0.5	10.85	64	910	2.3	7	0.22	<0.5	10	82	39	3.58
080261 -150			0.006	0.016	<0.5	11.50	84	1060	2.5	8	0.16	<0.5	9	106	26	3.38
080262 -150			<0.005		<0.5	8.54	98	750	2.1	5	0.37	0.5	13	79	26	4.06
080263 -150			0.007		<0.5	8.65	50	850	1.9	7	0.43	0.6	10	78	20	3.67
080264 -150			0.009		<0.5	6.61	255	820	1.3	6	0.48	0.6	5	64	19	2.88
080265 -150			0.010		<0.5	6.01	145	730	1.1	6	0.50	0.7	6	63	14	3.07
080266 -150			<0.005		<0.5	8.68	102	780	1.7	8	0.31	0.7	10	81	24	3.80
080267 -150			0.015		<0.5	7.74	140	870	1.9	6	0.48	0.7	10	71	40	4.03
080268 -150			<0.005		<0.5	5.31	64	670	1.3	5	0.36	0.5	5	48	23	2.73
080269 -150			0.013		<0.5	5.25	52	820	0.9	6	0.66	0.5	8	64	18	3.21
080270 -150			0.006		<0.5	7.26	27	800	1.5	5	0.45	0.5	9	66	26	3.11
080271 -150			0.012		<0.5	7.97	102	950	1.5	8	0.43	0.5	10	75	25	3.67
080272 -150			<0.005		<0.5	7.54	20	880	1.7	5	0.53	0.7	13	73	20	3.89
080273 -150			0.009		<0.5	5.88	12	870	1.2	5	0.63	0.5	7	57	18	2.81
080274 -150			<0.005		<0.5	7.03	20	1070	1.6	3	1.15	0.7	11	71	38	3.39
080275 -150			NSS		<0.5	4.36	25	530	1.1	<2	1.24	<0.5	9	34	29	2.36
080276 -150			<0.005		<0.5	7.13	40	820	1.5	6	0.59	0.8	11	73	32	3.67

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

to: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 6 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte Units LOR	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
080433 -80+150 080434 -80+150 080435 -80+150 080436 -80+150 080437 -80+150																
080438 -80+150 080439 -80+150 080440 -80+150 080441 -80+150 080442 -80+150																
080443 -80+150 080444 -80+150 080445 -80+150 080446 -80+150 080251 -150		2.79	0.61	1625	2	0.64	32	400	50	0.01	<5	166	0.40	117	<10	123
080252 -150 080253 -150 080254 -150 080255 -150 080256 -150		2.53 2.50 1.98 1.50 3.54	0.66 0.74 0.82 0.70 0.94	352 500 613 296 438	1 1 1 <1 2	0.80 0.87 1.07 0.99 0.57	31 39 30 23 68	470 600 720 650 660	24 25 19 15 16	0.01 0.01 0.02 0.03 0.10	<5 6 5 5 6	140 167 191 158 110	0.35 0.36 0.41 0.44 0.55	104 115 126 105 110	<10 <10 <10 20 <10	83 100 92 61 94
080257 -150 080258 -150 080259 -150 080260 -150 080261 -150		2.17 1.94 2.43 2.60 3.57	0.96 0.87 0.83 0.37 0.52	437 409 457 187 183	1 2 1 1 <1	1.00 1.01 0.79 0.58 0.55	34 34 30 27 28	730 570 510 1020 660	18 15 12 11 10	0.01 0.01 0.01 0.08 0.05	<5 <5 <5 <5 <5	150 142 124 114 102	0.47 0.44 0.51 0.46 0.53	127 111 119 95 116	<10 <10 10 20 10	77 84 75 55 60
080262 -150 080263 -150 080264 -150 080265 -150 080266 -150		2.20 2.09 1.84 1.48 2.21	0.67 0.64 0.47 0.51 0.52	470 396 271 277 255	1 <1 2 1 2	0.85 0.79 0.81 0.83 0.73	39 26 15 14 25	570 650 680 450 700	9 11 15 20 14	0.02 0.02 0.06 0.02 0.03	<5 <5 <5 <5 <5	130 140 146 126 128	0.44 0.49 0.43 0.41 0.44	100 110 96 98 98	10 10 10 10 40	80 66 51 50 63
080267 -150 080268 -150 080269 -150 080270 -150 080271 -150		2.20 1.64 1.18 1.52 2.28	0.85 0.63 0.60 0.61 0.55	311 212 328 229 260	1 1 1 1 1	0.79 0.68 0.81 0.73 0.74	26 16 18 21 24	690 540 590 740 310	17 12 14 17 20	0.09 0.08 0.03 0.02 0.02	5 <5 <5 <5 23	122 103 138 117 180	0.40 0.31 0.37 0.41 0.46	104 74 118 110 124	10 10 <10 <10 10	71 48 57 63 73
080272 -150 080273 -150 080274 -150 080275 -150 080276 -150		1.70 1.40 1.82 0.95 1.90	0.84 0.64 0.94 0.47 1.00	335 307 513 807 508	<1 1 <1 1 1	0.96 0.98 1.18 0.66 0.84	25 22 33 24 35	270 430 730 890 410	15 14 12 8 14	0.01 0.01 0.02 0.10 0.06	<5 <5 <5 <5 <5	137 141 222 154 155	0.43 0.37 0.42 0.23 0.47	120 104 120 54 114	<10 <10 <10 <10 <10	73 59 88 53 87

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 7 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	Au-AA23D Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
Sample Description	0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
080277 -150		0.014		<0.5	7.72	22	880	1.9	8	0.69	0.5	15	73	29	3.79
080278 -150		<0.005		<0.5	6.28	19	840	1.3	4	0.77	0.6	8	63	10	3.17
080301 -150		0.008	<0.005	<0.5	9.95	12	1020	2.4	8	0.33	<0.5	7	87	24	3.12
080302 -150		0.006		<0.5	8.65	19	930	2.2	7	0.38	0.7	9	80	33	3.31
080303 -150		0.005		<0.5	8.53	9	910	2.0	4	0.42	0.5	7	81	25	2.90
080304 -150		NSS		<0.5	11.45	26	1100	2.6	<2	0.24	<0.5	6	90	27	3.40
080305 -150		<0.005		<0.5	6.31	31	980	1.4	5	0.78	0.7	8	59	21	2.66
080306 -150		0.005		1.0	7.85	171	1050	1.9	8	0.59	0.8	11	70	33	3.42
080307 -150		NSS		<0.5	11.55	28	1060	2.8	<2	0.21	0.6	4	101	28	3.42
080308 -150		NSS		<0.5	13.25	22	1070	3.2	<2	0.05	<0.5	6	110	39	3.64
080309 -150		NSS		<0.5	10.85	19	1000	2.6	<2	0.24	<0.5	4	93	22	2.71
080310 -150		0.006		<0.5	7.38	15	1130	1.9	7	0.50	0.8	12	67	26	2.99
080311 -150		<0.005		<0.5	9.80	27	1030	2.8	8	0.25	0.6	11	86	27	3.47
080312 -150		NSS		0.6	11.35	25	1140	3.3	<2	0.17	0.6	9	104	37	3.96
080313 -150		<0.005		0.5	9.53	<5	990	2.4	8	0.27	0.8	10	86	21	3.02
080314 -150		<0.005		<0.5	11.10	9	1140	3.3	9	0.12	0.5	13	104	30	3.84
080315 -150		<0.005		<0.5	11.35	10	1140	3.2	7	0.17	0.5	11	93	28	3.24
080316 -150		<0.005		<0.5	10.55	13	1020	2.9	8	0.26	1.3	16	99	29	3.56
080317 -150		<0.005		0.9	11.20	20	1150	3.2	11	0.30	1.2	19	104	31	3.22
080318 -150		0.006		<0.5	6.83	15	770	1.7	6	0.59	0.5	11	67	22	2.77
080319 -150		<0.005		0.5	9.76	83	1180	2.5	9	0.45	1.0	13	84	38	4.94
080320 -150		<0.005		0.5	6.30	7	1430	1.4	4	1.58	1.4	11	63	28	2.86
080321 -150		0.005	<0.005	<0.5	6.39	10	1420	1.3	4	1.55	1.2	12	63	26	2.86
080322 -150		<0.005		<0.5	6.60	10	980	1.4	7	0.99	0.5	11	64	21	3.15
080323 -150		<0.005		<0.5	6.20	13	920	1.3	4	1.82	<0.5	11	60	24	2.92
080324 -150		<0.005		<0.5	5.02	16	650	1.1	7	2.21	0.9	9	55	28	2.36
080325 -150		0.014		<0.5	5.46	13	650	1.2	3	1.80	0.7	12	67	26	2.51
080326 -150		<0.005		<0.5	8.34	32	750	2.0	7	0.97	<0.5	17	72	47	4.24
080327 -150		<0.005		<0.5	5.54	16	590	1.2	5	1.72	0.5	8	50	24	2.62
080328 -150		0.008		0.6	7.97	24	950	1.7	4	0.75	<0.5	8	71	38	3.30
080329 -150		<0.005		<0.5	7.49	24	1220	1.6	6	1.28	1.3	11	62	32	3.22
080330 -150		NSS		<0.5	4.91	11	440	1.0	<2	0.23	0.5	6	50	36	2.44
080331 -150		0.013		<0.5	6.50	15	910	1.4	6	0.78	<0.5	9	65	23	3.14
080332 -150		0.011		<0.5	6.17	9	930	1.3	5	0.85	0.5	9	62	22	2.83
080333 -150		0.006		<0.5	7.49	9	910	1.6	6	0.80	0.5	11	67	22	3.05
080334 -150		NSS		<0.5	6.87	52	830	1.8	<2	0.54	1.0	12	64	48	3.02
080335 -150		0.005		<0.5	10.05	22	910	2.4	10	0.28	0.8	11	81	33	4.21
080336 -150		<0.005		<0.5	8.51	24	930	2.0	5	0.33	0.5	12	70	33	3.46
080337 -150		<0.005		<0.5	5.79	12	800	1.2	4	0.67	<0.5	7	53	20	2.67
080338 -150		<0.005		<0.5	5.63	10	780	1.1	5	0.63	<0.5	5	55	13	2.35

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 7 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
080277 -150		2.18	1.06	804	1	0.98	37	580	10	0.01	<5	162	0.49	111	<10
080278 -150		1.52	0.61	464	<1	0.96	21	620	15	0.03	<5	162	0.41	102	<10
080301 -150		3.13	0.51	198	1	0.62	20	500	29	0.01	15	152	0.38	127	<10
080302 -150		2.61	0.59	296	1	0.70	25	610	33	0.02	8	146	0.38	118	<10
080303 -150		2.48	0.54	207	1	0.75	19	780	36	0.02	6	152	0.39	119	<10
080304 -150		3.35	0.44	244	<1	0.60	28	500	44	0.02	22	203	0.38	133	<10
080305 -150		1.66	0.57	348	<1	1.07	24	630	80	0.01	51	188	0.34	102	<10
080306 -150		2.35	0.59	366	<1	0.88	28	710	138	0.01	72	175	0.32	118	<10
080307 -150		3.57	0.48	178	<1	0.61	15	360	47	0.01	157	171	0.45	170	<10
080308 -150		4.19	0.33	160	<1	0.46	16	450	34	0.02	117	190	0.38	146	<10
080309 -150		3.40	0.43	138	<1	0.65	11	330	32	0.01	33	185	0.39	136	<10
080310 -150		2.18	0.59	335	<1	0.86	37	470	22	0.01	31	158	0.34	115	<10
080311 -150		3.66	0.66	356	<1	0.63	29	450	37	0.01	15	147	0.27	122	<10
080312 -150		4.47	0.93	293	<1	0.60	27	350	76	0.01	9	171	0.37	158	<10
080313 -150		3.03	0.55	221	1	0.64	23	300	39	0.01	<5	150	0.33	132	<10
080314 -150		4.17	0.73	311	<1	0.56	30	270	35	0.01	5	146	0.28	148	<10
080315 -150		4.25	0.54	333	<1	0.56	30	310	33	0.01	8	167	0.29	141	<10
080316 -150		3.70	0.68	596	<1	0.50	36	410	52	0.02	5	154	0.29	131	<10
080317 -150		4.03	0.60	622	<1	0.59	38	340	95	0.01	14	170	0.35	149	<10
080318 -150		2.07	0.63	296	<1	0.75	26	480	37	0.04	9	148	0.30	96	<10
080319 -150		3.09	0.79	587	1	0.72	34	570	58	0.01	25	162	0.32	126	<10
080320 -150		1.56	0.72	852	<1	0.90	33	1030	18	0.07	<5	176	0.34	127	<10
080321 -150		1.58	0.73	860	1	0.95	33	1020	14	0.06	<5	181	0.35	128	<10
080322 -150		1.55	0.74	720	<1	0.95	29	860	23	0.05	<5	168	0.37	106	<10
080323 -150		1.42	0.76	664	1	1.02	29	960	20	0.10	<5	236	0.34	100	<10
080324 -150		1.26	0.64	600	1	0.77	30	1140	14	0.16	<5	213	0.26	78	<10
080325 -150		1.38	0.90	519	1	0.81	41	910	9	0.10	<5	198	0.28	82	<10
080326 -150		2.27	0.76	561	1	0.76	41	800	28	0.06	12	167	0.36	108	<10
080327 -150		1.42	0.60	538	<1	0.74	22	980	12	0.11	<5	194	0.27	79	<10
080328 -150		2.22	0.84	411	2	0.80	35	780	22	0.04	8	158	0.38	134	<10
080329 -150		2.06	0.66	479	3	0.76	43	1120	20	0.08	39	180	0.31	118	<10
080330 -150		1.06	0.20	225	1	0.48	20	1080	27	0.03	7	97	0.35	79	<10
080331 -150		1.44	0.73	427	1	1.14	26	400	21	0.01	<5	182	0.39	114	<10
080332 -150		1.38	0.62	312	<1	1.03	24	680	24	0.02	<5	182	0.36	96	<10
080333 -150		1.91	0.76	385	<1	1.12	25	700	15	0.02	<5	193	0.39	114	<10
080334 -150		1.50	0.48	233	1	0.54	37	1230	41	0.07	<5	146	0.24	89	<10
080335 -150		3.01	0.55	274	1	0.76	32	520	36	0.03	<5	147	0.31	127	<10
080336 -150		2.50	0.51	296	<1	0.84	32	280	23	0.01	<5	180	0.37	116	<10
080337 -150		1.32	0.61	296	<1	1.06	20	460	15	0.01	<5	167	0.35	98	<10
080338 -150		1.23	0.59	234	<1	1.02	18	530	15	0.01	<5	156	0.37	99	<10

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 8 - A

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23D Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
080339 -150			<0.005		<0.5	9.87	28	950	2.5	8	0.31	0.7	10	76	25	3.27
080340 -150			<0.005		<0.5	7.54	16	950	1.6	4	0.57	<0.5	7	63	24	2.71
080341 -150			<0.005	<0.005	<0.5	7.57	10	950	1.7	6	0.57	<0.5	7	63	22	2.72
080342 -150			<0.005		<0.5	9.09	91	880	2.1	7	0.48	0.7	9	76	38	3.32
080343 -150			<0.005		<0.5	10.10	74	940	2.6	10	0.28	0.5	11	74	39	3.41
080344 -150			<0.005		<0.5	6.96	40	890	1.5	5	0.52	0.5	10	65	31	3.08
080345 -150			<0.005		<0.5	7.01	40	750	1.4	9	0.48	0.8	8	66	27	3.34
080346 -150			<0.005		<0.5	7.17	32	720	1.5	6	0.35	<0.5	7	60	22	2.72
080347 -150			0.008		<0.5	4.98	13	670	1.0	6	0.59	0.5	6	46	16	2.32
080348 -150			<0.005		<0.5	6.34	18	760	1.3	4	0.58	<0.5	9	56	22	2.66
080349 -150			<0.005		<0.5	7.18	21	830	1.4	6	0.56	<0.5	9	65	20	3.47
080350 -150			<0.005		<0.5	6.81	22	850	1.4	5	0.65	<0.5	9	60	22	2.98
080351 -150			<0.005		<0.5	10.55	21	1140	3.1	10	0.36	0.6	22	460	33	4.77
080352 -150			<0.005		<0.5	10.25	9	1170	2.9	6	0.44	<0.5	14	162	40	3.41
080353 -150			NSS		<0.5	6.82	12	620	1.7	<2	1.24	<0.5	14	121	51	4.01
080354 -150			0.007		<0.5	8.92	17	730	2.3	10	1.00	0.9	29	194	75	6.26
080355 -150			<0.005		<0.5	9.73	12	1070	2.8	8	0.74	0.9	17	142	31	5.18
080356 -150			<0.005		<0.5	8.91	12	1080	2.5	7	0.34	0.5	14	114	32	3.58
080357 -150			<0.005		<0.5	8.89	22	1090	2.5	6	0.41	0.6	15	136	37	3.74
080358 -150			<0.005		<0.5	9.64	13	960	2.8	2	0.35	<0.5	11	155	24	2.97
080359 -150			<0.005		<0.5	9.91	13	1080	2.4	2	0.64	<0.5	10	89	37	3.88
080360 -150			<0.005		0.5	6.42	65	760	1.7	<2	0.44	2.2	14	154	33	3.66
080361 -150			<0.005	<0.005	<0.5	7.99	35	990	1.9	3	0.57	1.2	11	99	31	3.40
080362 -150			0.048		<0.5	10.70	32	1040	2.8	<2	0.36	<0.5	15	112	44	4.38
080363 -150			0.032		<0.5	7.43	56	740	2.0	3	0.45	<0.5	10	82	33	3.49
080364 -150			0.006		<0.5	8.45	39	1010	2.1	<2	0.61	<0.5	14	90	35	3.74
080365 -150			<0.005		0.5	9.74	47	1020	2.5	<2	0.64	0.5	12	108	35	3.70
080366 -150			<0.005		<0.5	9.92	25	920	2.8	2	0.68	<0.5	16	256	34	3.60
080367 -150			<0.005		0.5	9.34	64	950	2.4	<2	0.31	0.5	14	99	32	3.89
080368 -150			<0.005		0.6	10.30	20	990	2.8	2	0.21	<0.5	8	107	30	3.96
080369 -150			<0.005		<0.5	8.46	68	920	2.0	<2	0.36	<0.5	8	100	28	3.24
080370 -150			<0.005		<0.5	9.01	42	1050	2.1	3	0.49	<0.5	7	79	24	3.15
080371 -150			<0.005		<0.5	7.68	16	840	1.9	<2	0.42	<0.5	8	84	29	3.44
080372 -150			0.005		<0.5	10.25	15	950	2.5	2	0.25	<0.5	12	89	34	3.60
080373 -150			<0.005		<0.5	6.85	20	850	1.6	3	0.55	<0.5	7	71	15	3.17
080374 -150			<0.005		<0.5	10.00	11	1010	2.5	<2	0.29	<0.5	8	87	32	4.10
080375 -150			<0.005		<0.5	8.76	7	950	2.0	2	0.39	<0.5	7	77	23	3.30
080376 -150			<0.005		<0.5	9.34	10	890	2.3	2	0.34	<0.5	9	90	27	3.19
080377 -150			<0.005		<0.5	10.10	<5	1160	2.4	<2	0.39	<0.5	9	97	32	3.48
080378 -150			<0.005		<0.5	11.35	18	1240	2.9	<2	0.35	<0.5	9	106	31	3.44

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 8 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		% 0.01	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10
080339 -150		3.07	0.46	236	<1	0.66	30	380	21	0.01	<5	180	0.41	119	<10
080340 -150		1.82	0.48	267	<1	0.87	24	490	21	0.01	<5	184	0.36	102	<10
080341 -150		1.92	0.48	275	<1	0.90	23	440	21	0.01	<5	188	0.38	102	<10
080342 -150		2.61	0.56	287	<1	0.75	31	530	38	0.01	<5	178	0.41	130	<10
080343 -150		3.24	0.63	288	1	0.61	26	330	43	0.01	5	146	0.40	136	<10
080344 -150		1.78	0.65	359	<1	0.98	25	240	20	<0.01	<5	161	0.39	114	<10
080345 -150		1.75	0.63	291	<1	0.87	24	360	30	0.01	<5	144	0.42	118	<10
080346 -150		1.95	0.54	219	1	0.73	18	240	28	<0.01	5	132	0.40	108	<10
080347 -150		1.10	0.56	262	1	1.08	16	210	12	<0.01	<5	160	0.35	85	<10
080348 -150		1.74	0.63	321	1	1.04	21	280	11	<0.01	<5	186	0.34	100	<10
080349 -150		1.73	0.73	370	<1	0.97	23	320	17	<0.01	<5	172	0.39	126	<10
080350 -150		1.76	0.68	410	<1	1.05	25	310	16	<0.01	<5	184	0.37	109	<10
080351 -150		4.02	2.29	408	<1	0.84	150	880	32	0.02	<5	197	0.30	182	<10
080352 -150		4.07	1.18	253	<1	0.77	52	660	34	0.02	<5	176	0.37	140	<10
080353 -150		2.36	0.96	549	<1	0.71	46	750	25	0.13	<5	143	0.30	98	<10
080354 -150		3.37	1.31	1050	1	0.48	97	770	19	0.05	11	158	0.29	166	<10
080355 -150		3.75	1.08	1050	<1	0.60	43	610	32	0.05	5	232	0.26	136	<10
080356 -150		3.18	1.08	352	<1	0.92	43	490	36	0.02	<5	156	0.31	128	<10
080357 -150		3.23	0.86	480	<1	0.75	54	610	42	0.02	10	183	0.31	132	<10
080358 -150		3.61	0.71	432	1	0.51	38	530	48	0.01	<5	174	0.32	144	<10
080359 -150		3.15	1.02	440	1	0.96	34	570	27	0.01	<5	196	0.38	134	<10
080360 -150		2.06	0.59	1090	1	0.57	51	560	169	0.03	56	131	0.26	106	<10
080361 -150		2.44	0.77	447	1	0.84	36	570	99	0.02	23	169	0.29	118	<10
080362 -150		3.73	1.06	389	1	0.69	49	670	41	0.02	12	161	0.22	140	<10
080363 -150		2.55	0.82	319	1	0.63	30	560	32	0.02	10	134	0.25	99	<10
080364 -150		2.74	0.86	694	1	0.73	36	650	40	0.02	12	154	0.28	118	<10
080365 -150		3.30	0.88	366	<1	0.73	38	580	79	0.03	31	176	0.34	134	<10
080366 -150		3.67	1.25	538	1	0.33	73	510	25	0.06	6	146	0.21	142	<10
080367 -150		3.03	0.71	496	1	0.57	35	580	88	0.02	35	138	0.23	125	<10
080368 -150		3.72	0.84	268	1	0.64	26	450	49	0.02	11	135	0.36	154	<10
080369 -150		2.60	0.69	299	<1	0.64	28	300	51	0.01	18	136	0.33	146	<10
080370 -150		2.60	0.64	348	1	0.80	22	430	55	0.01	28	172	0.34	128	<10
080371 -150		2.18	0.74	278	2	0.83	22	490	33	0.01	<5	146	0.38	138	<10
080372 -150		2.92	0.79	238	1	0.56	37	290	25	0.01	10	142	0.31	128	<10
080373 -150		1.66	0.59	264	1	0.76	21	340	32	0.01	12	138	0.35	119	<10
080374 -150		3.00	0.79	322	2	0.70	22	320	28	0.01	5	152	0.22	130	<10
080375 -150		2.36	0.66	241	1	0.80	24	230	33	0.01	<5	156	0.34	127	<10
080376 -150		2.79	0.53	350	1	0.66	27	440	25	0.01	5	172	0.32	127	<10
080377 -150		2.97	0.69	286	2	0.76	29	450	41	0.01	9	174	0.31	147	<10
080378 -150		3.74	0.64	362	1	0.62	33	410	38	0.01	10	186	0.33	151	<10

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 9 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23D Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
080379 -150			0.011		<0.5	9.49	15	920	2.4	2	0.30	<0.5	10	87	31	3.39
080380 -150			<0.005		<0.5	8.65	19	850	2.2	2	0.37	<0.5	13	86	25	3.06
080381 -150			<0.005	<0.005	0.5	8.83	21	870	2.2	2	0.38	<0.5	10	84	27	3.06
080382 -150			<0.005		<0.5	9.26	17	890	2.3	<2	0.45	<0.5	9	90	24	2.77
080383 -150			<0.005		<0.5	8.98	34	890	2.4	2	0.35	<0.5	12	91	35	3.48
080384 -150			<0.005		<0.5	8.54	54	920	2.4	<2	0.48	<0.5	16	81	37	3.61
080385 -150			0.030		<0.5	8.11	51	940	2.2	3	0.54	<0.5	10	79	37	3.52
080386 -150			<0.005		<0.5	8.16	26	940	2.1	2	0.63	0.5	11	84	35	3.40
080387 -150			<0.005		<0.5	7.32	9	850	1.9	<2	0.71	<0.5	15	124	36	3.53
080388 -150			0.006		<0.5	9.00	18	1020	2.4	2	0.41	<0.5	14	141	38	3.84
080389 -150			<0.005		<0.5	7.07	19	950	1.7	<2	0.65	<0.5	9	66	27	2.93
080390 -150			0.009		<0.5	8.23	30	960	2.1	<2	0.56	<0.5	10	75	33	3.46
080391 -150			<0.005		<0.5	7.45	29	890	2.0	2	0.76	<0.5	9	78	31	3.33
080392 -150			<0.005		<0.5	8.64	49	1060	2.3	3	0.49	<0.5	9	82	37	3.45
080393 -150			<0.005		<0.5	10.60	10	980	3.0	<2	0.20	<0.5	9	100	28	3.08
080394 -150			0.005		<0.5	7.41	16	1510	1.6	2	0.49	<0.5	4	69	22	2.88
080395 -150			<0.005		<0.5	7.00	11	950	1.6	<2	0.65	<0.5	10	78	29	3.55
080396 -150			<0.005		<0.5	6.79	19	960	1.7	<2	0.79	<0.5	15	73	28	3.65
080397 -150			<0.005		<0.5	6.86	<5	780	1.2	5	0.40	<0.5	4	55	17	3.16
080398 -150			<0.005		<0.5	8.10	<5	850	1.9	2	0.27	<0.5	3	70	17	3.19
080399 -150			<0.005		<0.5	7.78	20	1040	1.7	2	0.50	<0.5	9	74	33	3.33
080400 -150			<0.005		<0.5	7.90	15	1370	1.9	3	0.40	<0.5	5	76	22	2.61
080401 -150			0.005	<0.005	<0.5	8.00	8	1380	1.9	2	0.43	<0.5	5	75	24	2.78
080402 -150			0.009		<0.5	7.28	67	1080	1.7	<2	0.76	<0.5	7	67	26	3.25
080403 -150			0.006		<0.5	5.48	29	790	1.2	<2	0.61	<0.5	4	69	14	2.46
080404 -150			<0.005		<0.5	5.70	68	830	1.3	<2	0.54	<0.5	5	69	17	2.59
080405 -150			<0.005		<0.5	5.72	29	860	1.3	<2	0.68	<0.5	7	67	19	2.97
080406 -150			<0.005		<0.5	6.39	36	1020	1.4	2	0.82	<0.5	6	69	15	2.83
080407 -150			0.011		<0.5	7.00	73	1030	1.7	2	1.50	<0.5	14	78	34	3.74
080408 -150			0.154		<0.5	3.43	29	540	1.0	<2	2.37	<0.5	10	42	30	1.93
080409 -150			0.012		<0.5	6.06	85	940	1.6	3	1.35	<0.5	14	79	44	3.25
080410 -150			NSS		<0.5	3.37	25	540	0.9	<2	2.53	0.6	8	45	46	1.85
080411 -150			0.008		<0.5	5.65	78	930	1.4	2	1.64	0.7	9	64	39	2.95
080412 -150			0.007		<0.5	7.73	74	1080	1.8	4	1.20	<0.5	11	86	36	3.70
080413 -150			<0.005		<0.5	7.01	59	1010	1.9	3	1.04	<0.5	13	72	33	3.38
080414 -150			0.008		<0.5	6.33	69	900	1.7	<2	1.06	<0.5	12	69	31	3.03
080415 -150			0.010		<0.5	6.61	73	950	1.6	<2	1.14	<0.5	10	72	35	3.19
080416 -150			<0.005		<0.5	2.15	25	690	0.7	<2	3.52	<0.5	10	43	54	1.83
080417 -150			<0.005		<0.5	3.06	27	1150	1.0	2	3.06	1.1	16	49	57	2.01
080418 -150			<0.005		<0.5	3.02	26	890	0.9	<2	3.14	0.7	13	50	49	2.26

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 9 - B
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		% 0.01	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10
080379 -150		2.93	0.55	284	1	0.53	30	400	48	0.01	16	150	0.25	120	<10
080380 -150		2.73	0.54	606	1	0.54	27	500	51	0.02	10	152	0.27	118	<10
080381 -150		2.74	0.55	441	<1	0.55	26	520	45	0.02	10	152	0.28	116	<10
080382 -150		2.93	0.56	309	1	0.37	23	490	27	0.05	9	158	0.27	117	<10
080383 -150		2.95	0.61	651	1	0.49	33	520	44	0.02	9	158	0.27	114	<10
080384 -150		2.84	0.71	554	1	0.59	42	630	50	0.01	13	145	0.35	116	10
080385 -150		2.55	0.74	422	1	0.65	36	590	43	0.01	13	148	0.34	112	<10
080386 -150		2.67	0.72	479	1	0.70	39	650	28	0.02	6	138	0.30	106	<10
080387 -150		2.36	0.76	510	1	0.52	52	860	27	0.03	5	169	0.31	109	<10
080388 -150		3.17	0.87	446	1	0.54	45	890	30	0.01	<5	156	0.28	133	10
080389 -150		2.09	0.62	370	1	0.69	25	580	20	0.01	<5	166	0.35	107	<10
080390 -150		2.68	0.69	344	1	0.74	35	680	22	0.01	11	142	0.33	109	<10
080391 -150		2.34	0.65	405	1	0.68	32	670	29	0.02	8	158	0.34	112	<10
080392 -150		2.89	0.66	338	1	0.54	31	560	43	0.01	11	150	0.35	117	<10
080393 -150		3.71	0.69	231	1	0.39	29	490	17	0.01	<5	156	0.32	124	<10
080394 -150		2.30	0.65	227	1	0.74	20	540	24	0.01	<5	115	0.36	106	<10
080395 -150		1.85	0.75	423	1	0.91	31	650	22	0.01	<5	140	0.35	120	<10
080396 -150		1.59	0.82	609	2	1.08	30	620	29	0.01	<5	168	0.36	120	<10
080397 -150		1.85	0.54	309	1	0.83	21	460	24	0.01	<5	105	0.27	78	<10
080398 -150		2.60	0.58	181	1	0.80	20	450	16	0.01	<5	79	0.35	95	<10
080399 -150		2.30	0.72	796	1	0.85	30	380	24	0.01	8	116	0.34	108	<10
080400 -150		2.60	0.54	252	1	0.73	20	430	16	0.01	<5	122	0.42	121	<10
080401 -150		2.53	0.57	264	1	0.77	21	450	15	0.01	<5	131	0.39	120	<10
080402 -150		1.99	0.65	397	1	1.05	27	620	20	0.01	50	181	0.33	107	<10
080403 -150		1.51	0.55	250	1	0.80	16	810	14	0.02	<5	128	0.39	118	<10
080404 -150		1.73	0.50	317	2	0.73	17	1050	14	0.02	16	116	0.34	121	<10
080405 -150		1.42	0.60	448	1	0.90	24	570	12	0.02	<5	142	0.34	109	<10
080406 -150		1.47	0.63	332	1	0.95	19	870	14	0.03	<5	158	0.34	110	<10
080407 -150		1.81	1.00	883	2	0.97	40	710	18	0.07	<5	207	0.43	113	10
080408 -150		0.84	0.51	1030	2	0.51	29	1000	7	0.20	<5	165	0.20	54	<10
080409 -150		1.63	0.93	622	2	0.84	48	700	21	0.04	8	188	0.39	105	<10
080410 -150		0.85	0.57	549	1	0.31	39	1010	13	0.18	<5	170	0.16	53	<10
080411 -150		1.49	0.72	538	2	0.65	33	710	16	0.07	<5	168	0.30	85	<10
080412 -150		2.23	0.98	458	1	0.88	39	630	21	0.03	<5	174	0.41	105	<10
080413 -150		2.09	0.91	494	1	0.91	36	550	17	0.02	<5	168	0.41	100	<10
080414 -150		1.94	0.81	420	1	0.83	32	570	19	0.02	<5	158	0.40	96	<10
080415 -150		1.98	0.84	413	1	0.80	36	610	16	0.02	<5	160	0.39	95	<10
080416 -150		0.48	0.69	2450	2	0.28	51	800	7	0.19	<5	192	0.14	47	<10
080417 -150		0.69	0.70	7370	4	0.45	66	800	10	0.16	<5	205	0.19	64	<10
080418 -150		0.71	0.78	4250	3	0.45	52	850	7	0.15	<5	202	0.20	62	10

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved. NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 10 - A
Total # Pages: 10 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23D Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
080419 -150			0.012		<0.5	4.00	38	1070	1.1	2	2.57	0.8	18	82	46	2.70
080420 -150			0.020		<0.5	5.92	25	1000	1.5	3	1.45	<0.5	12	76	32	3.20
080421 -150			0.005	<0.005	<0.5	6.20	34	1070	1.5	<2	1.51	<0.5	10	73	33	3.38
080422 -150			0.010		<0.5	6.33	30	1110	1.6	2	1.54	<0.5	13	74	36	3.47
080423 -150			0.009		<0.5	6.08	31	1090	1.5	3	1.32	<0.5	11	71	32	3.32
080424 -150			0.007		<0.5	6.20	22	1090	1.5	2	1.39	<0.5	10	70	31	3.42
080425 -150			0.022		<0.5	5.92	19	1050	1.5	3	1.46	<0.5	11	71	31	3.20
080426 -150			<0.005		<0.5	6.33	25	1040	1.5	3	1.11	<0.5	11	80	29	3.23
080427 -150			<0.005		<0.5	5.24	16	880	1.4	<2	1.02	<0.5	11	71	27	2.82
080428 -150			0.012		<0.5	6.20	24	1020	1.5	<2	1.11	<0.5	13	83	29	3.27
080429 -150			<0.005		<0.5	5.57	42	900	1.4	2	0.76	<0.5	13	57	19	3.00
080430 -150			<0.005		<0.5	5.74	34	920	1.4	2	0.81	<0.5	12	60	18	2.83
080431 -150			<0.005		<0.5	5.82	23	900	1.4	2	0.74	<0.5	12	57	16	3.14
080432 -150			<0.005		<0.5	5.98	24	930	1.4	2	0.85	<0.5	15	59	19	2.80
080433 -150			<0.005		<0.5	6.02	14	970	1.4	2	0.78	<0.5	16	60	17	2.22
080434 -150			<0.005		<0.5	4.35	<5	690	1.1	<2	1.27	<0.5	7	48	13	1.96
080435 -150			<0.005		<0.5	4.65	6	730	1.2	<2	1.34	<0.5	6	49	17	2.03
080436 -150			<0.005		<0.5	5.32	10	850	1.3	<2	1.18	<0.5	8	59	22	2.32
080437 -150			<0.005		<0.5	4.55	<5	750	1.1	<2	1.80	<0.5	6	44	17	1.85
080438 -150			<0.005		<0.5	6.42	<5	830	1.4	2	0.82	<0.5	4	58	21	2.02
080439 -150			<0.005		<0.5	7.20	6	1010	1.5	2	0.86	<0.5	9	68	22	2.48
080440 -150			<0.005		<0.5	7.34	<5	1030	1.7	2	0.83	<0.5	8	75	22	2.47
080441 -150			<0.005	<0.005	<0.5	7.47	8	1020	1.7	2	1.02	<0.5	12	71	27	2.85
080442 -150			<0.005		<0.5	7.98	9	1100	1.8	<2	0.87	<0.5	8	77	31	2.66
080443 -150			<0.005		<0.5	6.06	7	970	1.3	2	1.45	<0.5	7	64	17	2.54
080444 -150			0.005		<0.5	5.92	6	940	1.2	<2	1.36	<0.5	8	64	15	2.60
080445 -150			0.012		<0.5	5.43	5	900	1.1	<2	1.38	<0.5	8	61	13	2.32
080446 -150			<0.005		<0.5	5.88	9	1000	1.2	2	1.36	<0.5	10	63	16	2.64

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 10 - B

Total # Pages: 10 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W
		% 0.01	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10
080419 -150		0.97	0.93	4750	3	0.59	58	810	13	0.11	<5	207	0.29	86	<10
080420 -150		1.49	0.92	850	1	1.03	36	690	12	0.04	<5	212	0.41	108	<10
080421 -150		1.49	0.96	695	1	1.04	40	700	14	0.04	<5	214	0.41	110	<10
080422 -150		1.53	0.97	728	2	1.07	38	740	17	0.04	<5	222	0.40	110	<10
080423 -150		1.47	0.94	661	1	1.07	37	690	14	0.03	<5	208	0.41	108	<10
080424 -150		1.47	0.96	688	1	1.10	37	720	11	0.03	<5	217	0.42	107	<10
080425 -150		1.45	0.90	644	1	1.03	35	680	12	0.04	<5	212	0.41	109	10
080426 -150		1.50	1.01	458	1	0.96	41	500	14	0.02	<5	187	0.43	115	<10
080427 -150		1.28	0.85	408	1	0.82	37	490	12	0.02	<5	163	0.38	101	<10
080428 -150		1.50	1.00	487	1	0.92	42	530	12	0.02	<5	186	0.42	116	<10
080429 -150		1.46	0.53	946	1	0.75	24	760	37	0.04	<5	136	0.32	91	10
080430 -150		1.53	0.55	1020	1	0.80	22	620	39	0.04	<5	142	0.34	93	<10
080431 -150		1.56	0.56	525	1	0.84	21	620	34	0.03	<5	140	0.35	91	<10
080432 -150		1.62	0.56	1255	1	0.83	21	650	37	0.04	<5	150	0.33	95	10
080433 -150		1.66	0.55	986	<1	0.90	23	500	20	0.03	<5	150	0.37	94	<10
080434 -150		1.29	0.52	273	<1	0.83	20	600	13	0.04	<5	150	0.37	78	<10
080435 -150		1.21	0.56	295	1	0.88	20	610	13	0.04	<5	156	0.36	78	<10
080436 -150		1.47	0.63	383	1	0.95	24	610	16	0.03	<5	159	0.37	91	<10
080437 -150		1.23	0.52	455	<1	0.84	19	670	11	0.07	<5	178	0.31	70	<10
080438 -150		1.77	0.62	306	<1	1.07	21	570	14	0.03	<5	158	0.36	85	<10
080439 -150		2.11	0.73	536	<1	0.96	27	590	15	0.05	<5	157	0.37	93	<10
080440 -150		2.37	0.74	396	<1	0.97	28	590	17	0.05	<5	157	0.40	100	<10
080441 -150		2.27	0.72	926	<1	0.89	30	630	17	0.06	<5	161	0.39	97	<10
080442 -150		2.48	0.77	516	<1	0.92	30	590	18	0.05	<5	158	0.40	104	<10
080443 -150		1.42	0.84	703	<1	1.33	23	880	11	0.02	<5	231	0.43	108	<10
080444 -150		1.40	0.81	1110	<1	1.26	22	830	11	0.02	<5	221	0.40	105	<10
080445 -150		1.26	0.76	899	<1	1.23	22	830	12	0.02	<5	214	0.41	98	<10
080446 -150		1.37	0.79	2720	<1	1.24	26	840	13	0.02	<5	218	0.39	101	<10

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **STRATAGOLD EXPLORATION INC.**
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 1
Finalized Date: 30-OCT-2004
Account: STRGOL

QC CERTIFICATE VA04071094

Project: Dub 1735

P.O. No.:

This report is for 348 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

RECEIVED
NOV - 8 2004

To: **STRATAGOLD EXPLORATION INC.**
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - A

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Method	Au-AA23	Au-AA23D	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
Sample Description	STANDARDS														
BM-10			5.1	0.84	844	100	<0.5	201	0.14	153.5	376	1520	1775	11.00	0.04
BM-10			4.5	0.87	876	100	<0.5	221	0.13	148.0	370	1425	1935	10.65	0.05
BM-10			5.1	0.82	837	110	<0.5	205	0.14	131.5	354	1495	1735	10.50	0.04
BM-10			5.9	0.73	825	90	<0.5	187	0.12	201	394	1460	1790	9.54	0.04
BM-10			5.4	0.78	854	90	<0.5	193	0.22	124.0	394	1430	1855	10.05	0.04
BM-10			4.7	0.89	883	100	<0.5	195	0.15	137.0	373	1510	1815	11.70	0.05
BM-10			4.3	0.89	857	110	<0.5	198	0.15	135.5	376	1580	1825	11.65	0.05
BM-10			5.2	0.80	794	100	<0.5	188	0.14	142.0	325	1425	1715	10.10	0.04
BM-10			5.4	0.84	831	100	<0.5	186	0.15	139.0	343	1515	1805	10.95	0.04
Target Range - Lower Bound			4.6	0.72	755	70		183	0.12	117.5	301	845	1600	9.24	
Upper Bound			6.7	0.90	933	110		228	0.17	144.5	370	1035	1955	11.30	
G2000			3.6	5.13	493	2530	1.3	5	0.58	7.9	25	104	308	3.90	1.31
G2000			4.0	5.00	481	2360	1.3	5	0.53	7.4	24	101	301	3.72	1.28
G2000			3.7	5.25	474	2340	1.3	2	0.58	7.6	22	100	296	3.86	1.22
G2000			3.7	5.01	490	2400	1.3	3	0.58	7.0	24	100	307	3.85	1.25
G2000			3.6	4.98	481	2290	1.3	4	0.58	7.2	23	100	293	3.83	1.28
G2000			3.7	5.07	470	2210	1.3	3	0.58	7.2	22	98	304	3.78	1.31
G2000			3.6	5.00	482	2380	1.3	2	0.58	7.2	22	101	301	3.70	1.24
G2000			3.8	5.03	477	2340	1.3	2	0.58	7.0	23	104	308	3.76	1.30
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	1.44
OXF28	0.796														
OXF28	0.814														
OXF28	0.780	0.780													
OXF28		0.788													
OXF28	0.819														
OXF28	0.794														
OXF28	0.814														
OXF28	0.810														
OXF28	0.785														
Target Range - Lower Bound	0.741	0.741													
Upper Bound	0.863	0.863													

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - B

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-10		0.26	2940	102	0.04	1555	60	2450	1.29	283	15	0.06	46	<10	3220
BM-10		0.27	2850	104	0.04	1540	60	2380	1.64	293	16	0.06	47	<10	3400
BM-10		0.26	2690	102	0.04	1485	50	2340	1.40	256	16	0.06	46	<10	3250
BM-10		0.23	2510	89	0.04	1500	50	2110	1.32	245	14	0.06	44	<10	3290
BM-10		0.26	2600	95	0.04	1510	50	2240	1.39	254	18	0.06	45	<10	3320
BM-10		0.27	3050	101	0.04	1590	60	2630	1.52	293	16	0.06	47	<10	3410
BM-10		0.28	2920	103	0.04	1585	60	2580	1.51	286	16	0.06	49	<10	3430
BM-10		0.25	2690	94	0.04	1395	70	2270	1.34	264	15	0.06	44	<10	3020
BM-10		0.28	2860	102	0.04	1510	70	2460	1.56	282	18	0.06	47	<10	3270
Target Range - Lower Bound		0.20	2410	90		1205	40	1980	1.27	199					2890
Upper Bound		0.27	2950	112		1475	70	2430	1.57	255					3530
G2000		0.76	586	7	0.14	295	960	679	0.27	36	118	0.36	109	<10	1295
G2000		0.73	551	6	0.14	285	950	670	0.27	32	116	0.35	106	10	1250
G2000		0.78	588	6	0.15	273	1040	691	0.27	32	124	0.32	104	10	1255
G2000		0.74	595	6	0.15	280	970	673	0.27	34	117	0.34	105	10	1290
G2000		0.74	563	6	0.14	282	950	659	0.26	31	116	0.35	100	10	1250
G2000		0.76	539	6	0.15	285	940	670	0.26	32	118	0.34	108	<10	1265
G2000		0.74	548	8	0.13	272	940	634	0.26	33	118	0.35	106	10	1230
G2000		0.77	559	5	0.14	285	1010	665	0.28	34	121	0.36	108	10	1280
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OXF28															
OXF28															
OXF28															
OXF28															
OXF28															
OXF28															
OXF28															
OXF28															
Target Range - Lower Bound															
Upper Bound															

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **STRATAGOLD EXPLORATION INC.**
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 3 - A
Total # Pages: 7 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Method	Au-AA23	Au-AA23D	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
Sample Description	STANDARDS														
OXK18	3.59														
OXK18	3.59														
OXK18	3.65	3.65													
OXK18		3.62													
OXK18	3.64														
OXK18	3.54														
OXK18	3.53														
OXK18	3.50														
OXK18	3.52														
Target Range - Lower Bound	3.22	3.22													
Upper Bound	3.71	3.71													
BLANKS															
BLANK	<0.005														
BLANK	<0.005														
BLANK	<0.005	<0.005													
BLANK		<0.005													
BLANK	<0.005														
BLANK	<0.005														
BLANK	<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	3	<0.01	0.9	1	1	<1	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	0.01	0.7	1	1	1	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.8	<1	<1	1	<0.01	<0.01
BLANK			<0.5	<0.01	6	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
BLANK	<0.005														
BLANK	<0.005														
Target Range - Lower Bound	<0.005	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound	0.010	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - A

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	Au-AA23	Au-AA23D	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL		0.032														
DUP		0.027														
Target Range - Lower Bound		0.018														
Upper Bound		0.041														
ORIGINAL		0.104														
DUP		0.108	0.108													
Target Range - Lower Bound		0.091	0.093													
Upper Bound		0.121	0.123													
ORIGINAL		0.021														
DUP		0.021	0.021													
Target Range - Lower Bound		0.010	0.010													
Upper Bound		0.032	0.032													
ORIGINAL		0.063														
DUP		0.062	0.062													
Target Range - Lower Bound		0.049	0.049													
Upper Bound		0.076	0.075													
ORIGINAL		0.006														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL				<0.5	3.33	<5	340	0.9	<2	14.25	<0.5	3	20	12	1.23	1.18
DUP				<0.5	3.56	10	360	0.9	<2	14.85	<0.5	4	19	13	1.30	1.27
Target Range - Lower Bound				<0.5	3.25	<5	310	<0.5	<2	13.60	<0.5	<1	17	10	1.18	1.14
Upper Bound				1.0	3.64	10	390	1.0	4	15.30	1.0	6	22	15	1.35	1.31
ORIGINAL		0.044														
DUP		0.046														
Target Range - Lower Bound		0.033														
Upper Bound		0.057														
ORIGINAL		0.050														
DUP		0.052														
Target Range - Lower Bound		0.038														
Upper Bound		0.064														

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3




Page: 4 - B
Total # Pages: 7 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES													
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound		3.11 3.30	258 268	1 1	0.64 0.69	8 8	340 350	12 11	0.03 0.03	<5 <5	565 598	0.17 0.17	32 33	<10 <10	33 34
Target Range - Lower Bound Upper Bound		3.02 3.39	240 286	<1 2	0.61 0.72	6 10	310 380	7 16	<0.01 0.05	<5 10	550 613	0.14 0.20	29 36	<10 20	28 39
ORIGINAL DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 5 - A

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23D Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
080006 -150				<0.5	6.12	9	710	1.3	2	0.52	<0.5	4	65	15	2.22	1.72
DUP				<0.5	5.90	<5	700	1.2	<2	0.52	<0.5	3	60	14	2.23	1.62
Target Range - Lower Bound				<0.5	5.69	<5	650	<0.5	<2	0.47	<0.5	<1	57	12	2.09	1.57
Upper Bound				1.0	6.33	10	760	2.3	4	0.57	1.0	6	68	17	2.38	1.77
080264 -150				<0.5	6.61	255	820	1.3	6	0.48	0.6	5	64	19	2.88	1.84
DUP				<0.5	6.50	256	790	1.3	5	0.46	<0.5	6	61	18	2.79	1.86
Target Range - Lower Bound				<0.5	6.21	233	740	<0.5	<2	0.43	<0.5	3	57	16	2.67	1.74
Upper Bound				1.0	6.90	278	870	2.4	10	0.51	1.0	8	68	21	3.00	1.96
080303 -150		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
080323 -150		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
080328 -150				0.6	7.97	24	950	1.7	4	0.75	<0.5	8	71	38	3.30	2.22
DUP				0.5	7.99	29	910	1.7	6	0.72	0.5	9	67	38	3.18	2.21
Target Range - Lower Bound				<0.5	7.56	15	860	0.6	<2	0.68	<0.5	6	64	34	3.06	2.08
Upper Bound				1.0	8.40	38	1000	2.8	9	0.79	1.0	11	74	42	3.42	2.35
080343 -150		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
080367 -150				0.5	9.34	64	950	2.4	<2	0.31	0.5	14	99	32	3.89	3.03
DUP				0.6	9.14	58	940	2.3	2	0.32	0.5	13	95	31	3.81	3.03
Target Range - Lower Bound				<0.5	8.78	48	880	1.2	<2	0.28	<0.5	11	90	28	3.64	2.86
Upper Bound				1.0	9.72	74	1010	3.5	4	0.35	1.0	16	104	35	4.06	3.20
080381 -150		<0.005	<0.005													
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3


Page: 5 - B
Total # Pages: 7 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
080006 -150		0.53	187	2	0.83	15	770	16	0.02	<5	138	0.34	102	<10	39
DUP		0.50	186	2	0.78	13	730	16	0.02	<5	130	0.35	100	<10	38
Target Range - Lower Bound		0.47	167	<1	0.74	11	690	11	<0.01	<5	125	0.31	94	<10	33
Upper Bound		0.56	206	4	0.87	17	810	21	0.04	10	143	0.38	108	20	44
080264 -150		0.47	271	2	0.81	15	680	15	0.06	<5	146	0.43	96	10	51
DUP		0.46	259	2	0.80	18	670	14	0.06	<5	146	0.40	93	10	50
Target Range - Lower Bound		0.42	242	<1	0.74	14	620	10	0.04	<5	137	0.37	88	<10	44
Upper Bound		0.51	288	4	0.87	19	730	19	0.08	10	155	0.46	101	20	57
080303 -150															
DUP															
Target Range - Lower Bound															
Upper Bound															
080323 -150															
DUP															
Target Range - Lower Bound															
Upper Bound															
080328 -150		0.84	411	2	0.80	35	780	22	0.04	8	158	0.38	134	<10	111
DUP		0.83	394	2	0.82	31	780	20	0.04	8	162	0.38	130	<10	104
Target Range - Lower Bound		0.77	372	<1	0.75	29	720	16	0.02	<5	150	0.34	123	<10	98
Upper Bound		0.90	433	4	0.87	37	840	26	0.06	10	170	0.42	141	20	117
080343 -150															
DUP															
Target Range - Lower Bound															
Upper Bound															
080367 -150		0.71	496	1	0.57	35	580	88	0.02	35	138	0.23	125	<10	157
DUP		0.70	485	2	0.57	32	570	86	0.02	34	136	0.29	123	<10	154
Target Range - Lower Bound		0.65	456	<1	0.52	30	530	79	<0.01	23	128	0.23	116	<10	144
Upper Bound		0.76	525	2	0.62	37	620	95	0.04	48	146	0.29	132	20	167
080381 -150															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 6 - A

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23D Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
DUPLICATES																
080401 -150		0.005	<0.005													
DUP		0.005	0.005													
Target Range	Lower Bound	<0.005	<0.005													
	Upper Bound	0.010	0.010													
080403 -150				<0.5	5.48	29	790	1.2	<2	0.61	<0.5	4	69	14	2.46	1.51
DUP				<0.5	5.73	28	810	1.3	<2	0.64	<0.5	4	67	14	2.54	1.49
Target Range	Lower Bound			<0.5	5.30	17	740	<0.5	<2	0.57	<0.5	2	63	11	2.36	1.41
	Upper Bound			1.0	5.91	40	860	2.3	4	0.68	1.0	6	73	17	2.65	1.60
080410 -150				<0.5	3.37	25	540	0.9	<2	2.53	0.6	8	45	46	1.85	0.85
DUP				<0.5	3.66	41	580	0.9	<2	2.75	<0.5	8	44	47	1.98	0.86
Target Range	Lower Bound			<0.5	3.32	21	510	<0.5	<2	2.49	<0.5	6	40	42	1.80	0.79
	Upper Bound			1.0	3.71	45	610	1.0	4	2.79	1.0	10	49	51	2.03	0.92
080421 -150		0.005	<0.005													
DUP		0.005	0.005													
Target Range	Lower Bound	<0.005	<0.005													
	Upper Bound	0.010	0.010													
080449 -150				<0.5	7.89	15	1040	2.0	<2	0.45	<0.5	16	83	27	3.79	2.26
DUP				<0.5	8.24	14	1030	2.0	<2	0.47	<0.5	16	79	26	3.76	2.24
Target Range	Lower Bound			<0.5	7.64	<5	960	0.9	<2	0.42	<0.5	13	75	23	3.57	2.12
	Upper Bound			1.0	8.49	25	1110	3.1	4	0.50	1.0	19	87	30	3.98	2.38
ORIGINAL		0.205														
DUP		0.203														
Target Range	Lower Bound	0.184														
	Upper Bound	0.224														
ORIGINAL		0.603														
DUP		0.604														
Target Range	Lower Bound	0.563														
	Upper Bound	0.644														
ORIGINAL		1.040														
DUP		1.015														
Target Range	Lower Bound	0.986														
	Upper Bound	1.090														

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 6 - B

Total # Pages: 7 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071094

Method Analyte Units LOR	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sr ppm	ME-ICP61 Ti %	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
Sample Description	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
080401 -150 DUP Target Range - Lower Bound Upper Bound	DUPLICATES													
080403 -150 DUP Target Range - Lower Bound Upper Bound	0.55 0.57 0.51 0.61	250 260 232 278	1 1 <1 2	0.80 0.83 0.75 0.88	16 16 13 19	810 840 780 890	14 13 9 18	0.02 0.02 0.01 0.04	<5 0.02 0.01 0.04	128 134 122 140	0.39 0.39 0.35 0.43	118 116 109 125	<10 10 10 20	54 54 47 61
080410 -150 DUP Target Range - Lower Bound Upper Bound	0.57 0.61 0.54 0.64	549 585 529 605	1 1 <1 2	0.31 0.34 0.29 0.36	39 40 36 43	1010 1050 960 1100	13 15 9 19	0.18 0.20 0.16 0.22	<5 7 0.02 0.02	170 186 167 189	0.16 0.16 0.13 0.19	53 56 50 59	<10 10 10 20	47 47 41 53
080421 -150 DUP Target Range - Lower Bound Upper Bound														
080449 -150 DUP Target Range - Lower Bound Upper Bound	0.80 0.79 0.74 0.85	419 420 389 450	1 1 <1 2	0.81 0.79 0.74 0.88	34 34 30 38	280 270 240 310	23 20 16 27	0.01 0.01 0.01 0.02	<5 0.01 0.01 0.02	133 134 125 142	0.41 0.39 0.36 0.44	125 122 115 132	<10 10 10 20	81 76 71 86
ORIGINAL DUP Target Range - Lower Bound Upper Bound														
ORIGINAL DUP Target Range - Lower Bound Upper Bound														
ORIGINAL DUP Target Range - Lower Bound Upper Bound														

Comments: Due to low sample weights of many samples for Au, detection limits of 5 ppb may not be achieved NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: **STRATAGOLD EXPLORATION INC.**

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 1

Finalized Date: 30-OCT-2004

Account: STRGOL

CERTIFICATE VA04071096

Project: Dub 1735

P.O. No.:

This report is for 444 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED
NOV - 8 2004

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD EXPLORATION INC.**
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080045-80+150		0.32														
080046-80+150		0.28														
080047-80+150		0.56														
080048-80+150		0.52														
080049-80+150		0.54														
080050-80+150		0.56														
080630-80+150		0.16														
080631-80+150		0.18														
080632-80+150		0.18														
080633-80+150		0.34														
080634-80+150		0.20														
080635-80+150		0.34														
080636-80+150		0.30														
080637-80+150		0.26														
080638-80+150		0.40														
080639-80+150		0.42														
080640-80+150		0.52														
080641-80+150		0.48														
080642-80+150		0.36														
080643-80+150		0.44														
080644-80+150		0.18														
080645-80+150		0.42														
080646-80+150		0.32														
080647-80+150		0.40														
080648-80+150		0.40														
080649-80+150		0.50														
080650-80+150		0.38														
080651-80+150		0.52														
080652-80+150		0.46														
080653-80+150		0.46														
080654-80+150		0.52														
080655-80+150		0.50														
080656-80+150		0.58														
080657-80+150		0.68														
080658-80+150		0.40														
080659-80+150		0.60														
080660-80+150		0.70														
080661-80+150		0.60														
080662-80+150		0.66														
080663-80+150		0.62														

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080045-80+150																
080046-80+150																
080047-80+150																
080048-80+150																
080049-80+150																
080050-80+150																
080630-80+150																
080631-80+150																
080632-80+150																
080633-80+150																
080634-80+150																
080635-80+150																
080636-80+150																
080637-80+150																
080638-80+150																
080639-80+150																
080640-80+150																
080641-80+150																
080642-80+150																
080643-80+150																
080644-80+150																
080645-80+150																
080646-80+150																
080647-80+150																
080648-80+150																
080649-80+150																
080650-80+150																
080651-80+150																
080652-80+150																
080653-80+150																
080654-80+150																
080655-80+150																
080656-80+150																
080657-80+150																
080658-80+150																
080659-80+150																
080660-80+150																
080661-80+150																
080662-80+150																
080663-80+150																

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080664-80+150		0.68														
080665-80+150		0.72														
080666-80+150		0.40														
080667-80+150		0.68														
080668-80+150		0.52														
080669-80+150		0.44														
080670-80+150		0.48														
080671-80+150		0.72														
080701-80+150		0.18														
080702-80+150		0.24														
080703-80+150		0.42														
080704-80+150		0.24														
080705-80+150		0.20														
080706-80+150		0.26														
080707-80+150		0.18														
080708-80+150		0.20														
080709-80+150		0.26														
080710-80+150		0.14														
080711-80+150		0.34														
080712-80+150		0.38														
080713-80+150		0.52														
080714-80+150		0.32														
080715-80+150		0.34														
080716-80+150		0.40														
080717-80+150		0.16														
080718-80+150		0.32														
080719-80+150		0.34														
080720-80+150		0.30														
080721-80+150		0.34														
080722-80+150		0.26														
080723-80+150		0.38														
080724-80+150		0.30														
080725-80+150		0.30														
080726-80+150		0.46														
080727-80+150		0.32														
080728-80+150		0.30														
080729-80+150		0.28														
080731-80+150		0.16														
080732-80+150		0.24														
080734-80+150		0.20														

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 3 - B
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080664-80+150																
080665-80+150																
080666-80+150																
080667-80+150																
080668-80+150																
080669-80+150																
080670-80+150																
080671-80+150																
080701-80+150																
080702-80+150																
080703-80+150																
080704-80+150																
080705-80+150																
080706-80+150																
080707-80+150																
080708-80+150																
080709-80+150																
080710-80+150																
080711-80+150																
080712-80+150																
080713-80+150																
080714-80+150																
080715-80+150																
080716-80+150																
080717-80+150																
080718-80+150																
080719-80+150																
080720-80+150																
080721-80+150																
080722-80+150																
080723-80+150																
080724-80+150																
080725-80+150																
080726-80+150																
080727-80+150																
080728-80+150																
080729-80+150																
080731-80+150																
080732-80+150																
080734-80+150																

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 4 - A
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080737-80+150		0.24														
080739-80+150		0.34														
080740-80+150		0.32														
080741-80+150		0.26														
080742-80+150		0.20														
080743-80+150		0.58														
080744-80+150		0.48														
080745-80+150		0.58														
080746-80+150		0.46														
080747-80+150		0.44														
080748-80+150		0.42														
080749-80+150		0.50														
080750-80+150		0.50														
080751-80+150		0.44														
080752-80+150		0.40														
080753-80+150		0.48														
080754-80+150		0.54														
080755-80+150		0.54														
080756-80+150		0.44														
080757-80+150		0.42														
080758-80+150		0.28														
080759-80+150		0.48														
080760-80+150		0.48														
080761-80+150		0.46														
080762-80+150		0.58														
080763-80+150		0.42														
080764-80+150		0.40														
080765-80+150		0.32														
080766-80+150		0.46														
080767-80+150		0.24	0.008													
080768-80+150		0.48														
080769-80+150		0.44														
080770-80+150		0.38														
080771-80+150		0.28														
080772-80+150		0.36														
080773-80+150		0.36														
080774-80+150		0.36														
080775-80+150		0.44														
080851-80+150		0.38														
080852-80+150		0.62														

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 4 - B
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080737-80+150 080739-80+150 080740-80+150 080741-80+150 080742-80+150																
080743-80+150 080744-80+150 080745-80+150 080746-80+150 080747-80+150																
080748-80+150 080749-80+150 080750-80+150 080751-80+150 080752-80+150																
080753-80+150 080754-80+150 080755-80+150 080756-80+150 080757-80+150																
080758-80+150 080759-80+150 080760-80+150 080761-80+150 080762-80+150																
080763-80+150 080764-80+150 080765-80+150 080766-80+150 080767-80+150																
080768-80+150 080769-80+150 080770-80+150 080771-80+150 080772-80+150																
080773-80+150 080774-80+150 080775-80+150 080851-80+150 080852-80+150																

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 5 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080853-80+150		0.46														
080854-80+150		0.32														
080855-80+150		0.52														
080856-80+150		0.44														
080857-80+150		0.26														
088801-80+150		0.24														
088802-80+150		0.36														
088803-80+150		0.42														
088804-80+150		0.38														
088805-80+150		0.34														
088806-80+150		0.38														
088807-80+150		0.34														
088808-80+150		0.30														
088809-80+150		0.36														
088810-80+150		0.26														
088811-80+150		0.40														
088812-80+150		0.46														
088813-80+150		0.34														
088814-80+150		0.36														
088815-80+150		0.36														
088816-80+150		0.38														
088817-80+150		0.16														
088818-80+150		0.20														
088819-80+150		0.24														
088820-80+150		0.34														
088821-80+150		0.34														
088822-80+150		0.30														
088823-80+150		0.32														
088824-80+150		0.36														
088825-80+150		0.20														
088826-80+150		0.20														
088827-80+150		0.54														
088828-80+150		0.50														
088829-80+150		0.52														
088830-80+150		0.46														
088831-80+150		0.44														
088832-80+150		0.34														
088833-80+150		0.34														
088834-80+150		1.10														
088835-80+150		0.44														

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 5 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080853-80+150																
080854-80+150																
080855-80+150																
080856-80+150																
080857-80+150																
088801-80+150																
088802-80+150																
088803-80+150																
088804-80+150																
088805-80+150																
088806-80+150																
088807-80+150																
088808-80+150																
088809-80+150																
088810-80+150																
088811-80+150																
088812-80+150																
088813-80+150																
088814-80+150																
088815-80+150																
088816-80+150																
088817-80+150																
088818-80+150																
088819-80+150																
088820-80+150																
088821-80+150																
088822-80+150																
088823-80+150																
088824-80+150																
088825-80+150																
088826-80+150																
088827-80+150																
088828-80+150																
088829-80+150																
088830-80+150																
088831-80+150																
088832-80+150																
088833-80+150																
088834-80+150																
088835-80+150																

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 6 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
088836-80+150		0.42														
088837-80+150		0.10														
088838-80+150		0.50														
088839-80+150		0.36														
088840-80+150		0.42														
088841-80+150		0.52														
088842-80+150		0.42														
088843-80+150		0.36														
088844-80+150		0.40														
088845-80+150		0.42														
088846-80+150		0.30														
088847-80+150		0.44														
088848-80+150		0.42														
088849-80+150		0.46														
088850-80+150		0.44														
088851-80+150		0.46														
088852-80+150		0.42														
088853-80+150		0.32														
088854-80+150		0.32														
088855-80+150		0.48														
088856-80+150		0.50														
088857-80+150		0.62														
088858-80+150		0.48														
088859-80+150		0.56														
088860-80+150		0.40														
088861-80+150		0.46														
088862-80+150		0.16														
088863-80+150		0.60														
088864-80+150		0.36														
088865-80+150		0.46														
088866-80+150		0.50														
088867-80+150		0.60														
088868-80+150		0.68														
088869-80+150		0.74														
088901-80+150		0.62														
088903-80+150		0.38														
088904-80+150		0.42														
088905-80+150		0.44														
088906-80+150		0.52														
088907-80+150		0.54														

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 6 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	Au ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
088836-80+150																
088837-80+150																
088838-80+150																
088839-80+150																
088840-80+150																
088841-80+150																
088842-80+150																
088843-80+150																
088844-80+150																
088845-80+150																
088846-80+150																
088847-80+150																
088848-80+150																
088849-80+150																
088850-80+150																
088851-80+150																
088852-80+150																
088853-80+150																
088854-80+150																
088855-80+150																
088856-80+150																
088857-80+150																
088858-80+150																
088859-80+150																
088860-80+150																
088861-80+150																
088862-80+150																
088863-80+150																
088864-80+150																
088865-80+150																
088866-80+150																
088867-80+150																
088868-80+150																
088869-80+150																
088901-80+150																
088903-80+150																
088904-80+150																
088905-80+150																
088906-80+150																
088907-80+150																

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 7 - A
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
088908-80+150		0.58														
088909-80+150		0.60														
088910-80+150		0.48														
088911-80+150		0.50														
088912-80+150		0.56														
088913-80+150		0.46														
088914-80+150		0.44														
088915-80+150		0.34														
088916-80+150		0.42														
088917-80+150		0.66														
088918-80+150		0.46														
088870-80+150		0.56														
088871-80+150		0.64														
088872-80+150		0.38														
088873-80+150		0.42														
089051-80+150		0.36														
089052-80+150		0.40														
089053-80+150		0.20														
089054-80+150		0.22														
089055-80+150		0.36														
089056-80+150		0.20														
089057-80+150		0.12														
080045-150			<0.005	<0.5	6.43	6	880	1.2	<2	0.98	<0.5	10	69	16	3.23	1.46
080046-150			<0.005	<0.5	8.64	19	1020	2.2	<2	0.52	0.9	14	181	33	4.00	2.96
080047-150			0.011	<0.5	5.97	14	850	1.3	<2	0.75	<0.5	12	80	20	3.53	1.36
080048-150			<0.005	<0.5	6.35	16	970	1.3	<2	0.69	0.5	10	85	22	3.46	1.48
080049-150			<0.005	<0.5	5.94	13	930	1.1	<2	0.71	0.5	8	66	13	3.34	1.26
080050-150			0.005	0.7	5.38	17	860	1.1	<2	0.65	0.6	7	62	16	2.91	1.42
080630-150			0.018	0.6	7.25	15	610	2.0	<2	1.11	0.5	25	70	60	5.02	2.28
080631-150			<0.005	<0.5	6.42	15	700	1.5	<2	0.49	0.5	12	63	21	3.10	1.92
080632-150			<0.005	1.1	6.77	31	1000	1.7	<2	0.96	1.6	21	70	28	3.40	1.88
080633-150			<0.005	<0.5	5.77	17	940	1.3	<2	0.68	<0.5	9	63	20	3.05	1.41
080634-150			<0.005	<0.5	6.39	21	1070	1.4	<2	0.92	<0.5	8	62	22	3.08	1.52
080635-150			0.006	<0.5	6.57	8	920	1.7	<2	0.81	0.5	11	91	29	3.42	1.71
080636-150			<0.005	<0.5	6.93	14	890	1.6	<2	0.73	<0.5	10	82	26	3.60	1.88
080637-150			<0.005	<0.5	7.11	23	860	1.9	<2	0.49	0.5	13	113	26	4.03	2.28
080638-150			<0.005	<0.5	5.86	7	980	1.2	<2	0.82	0.6	6	72	15	2.63	1.40
080639-150			<0.005	<0.5	5.99	17	1030	1.4	<2	1.01	<0.5	10	68	22	2.63	1.37
080640-150			<0.005	<0.5	5.67	<5	950	1.3	<2	1.24	0.5	10	64	21	2.73	1.44
080641-150			0.005	<0.5	5.84	15	1000	1.3	<2	1.25	<0.5	8	68	17	2.84	1.49

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 7 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	Au ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
088908-80+150																
088909-80+150																
088910-80+150																
088911-80+150																
088912-80+150																
088913-80+150																
088914-80+150																
088915-80+150																
088916-80+150																
088917-80+150																
088918-80+150																
088870-80+150																
088871-80+150																
088872-80+150																
088873-80+150																
089051-80+150																
089052-80+150																
089053-80+150																
089054-80+150																
089055-80+150																
089056-80+150																
089057-80+150																
080045-150		0.79	469	<1	1.06	26	290	18	0.02	<5	183	0.41	120	<10	61	
080046-150		1.21	409	<1	0.67	58	660	41	0.04	6	147	0.32	132	10	108	
080047-150		0.77	456	1	1.00	28	360	23	0.01	<5	157	0.41	120	<10	80	
080048-150		0.78	516	1	0.97	29	340	23	0.01	<5	155	0.39	132	<10	83	
080049-150		0.69	362	<1	1.05	21	430	22	0.01	<5	154	0.42	122	<10	73	
080050-150		0.58	303	<1	0.92	21	240	32	0.01	10	140	0.43	111	<10	58	
080630-150		0.58	2090	1	0.32	52	690	27	0.05	<5	102	0.38	114	<10	97	
080631-150		0.50	569	<1	0.52	25	480	31	0.02	<5	97	0.39	104	<10	83	
080632-150		0.65	1615	<1	0.83	35	770	93	0.04	<5	168	0.45	112	10	166	
080633-150		0.62	376	1	0.95	21	450	18	0.01	<5	150	0.40	117	<10	65	
080634-150		0.75	396	1	1.12	24	560	17	0.01	<5	182	0.41	121	10	72	
080635-150		0.88	357	1	1.00	34	260	18	0.01	<5	165	0.40	118	<10	75	
080636-150		0.81	396	1	0.97	30	310	24	0.02	5	158	0.45	125	<10	82	
080637-150		0.71	505	1	0.71	40	380	33	0.02	11	119	0.48	122	<10	91	
080638-150		0.69	270	1	0.94	23	520	20	0.02	5	152	0.38	114	<10	65	
080639-150		0.74	279	<1	1.06	24	540	26	0.02	5	176	0.40	117	<10	77	
080640-150		0.71	505	<1	1.17	23	710	18	0.02	<5	211	0.35	103	<10	77	
080641-150		0.74	373	1	1.18	22	730	20	0.01	<5	208	0.36	110	<10	79	<0.005

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 8 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080642-150			0.005	<0.5	7.14	24	1010	1.6	<2	1.17	<0.5	10	78	24	3.21	2.04
080643-150			0.006	<0.5	6.43	43	880	1.5	<2	0.85	0.7	12	66	22	3.40	1.85
080644-150			0.005	<0.5	0.88	<5	150	<0.5	<2	4.46	1.2	2	10	20	0.45	0.20
080645-150			<0.005	<0.5	11.80	10	1330	3.8	<2	0.21	0.7	18	126	70	4.91	5.46
080646-150			0.005	<0.5	9.04	57	990	2.4	<2	1.04	1.0	24	137	58	5.32	3.10
080647-150			0.009	<0.5	8.51	33	1090	2.3	<2	0.94	<0.5	16	128	44	4.14	2.91
080648-150			0.005	<0.5	9.92	9	1130	2.5	<2	0.59	<0.5	15	123	35	4.21	3.26
080649-150			<0.005	<0.5	11.55	15	1230	3.1	<2	0.24	0.5	10	118	42	4.78	4.21
080650-150			<0.005	<0.5	7.01	8	890	1.6	<2	0.48	<0.5	9	110	23	3.33	1.82
080651-150			<0.005	0.5	6.72	13	1020	1.5	<2	0.80	1.3	11	163	26	3.62	1.78
080652-150			<0.005	0.9	6.21	16	910	1.2	<2	0.62	<0.5	8	83	19	3.30	1.50
080653-150			<0.005	0.9	6.76	12	1140	1.5	<2	0.71	0.9	9	78	30	3.51	1.71
080654-150			0.008	2.2	5.70	33	810	1.2	<2	0.69	0.5	8	66	19	3.09	1.45
080655-150			<0.005	1.0	6.59	25	1120	1.4	<2	1.16	0.6	9	70	25	3.06	1.76
080656-150			0.006	<0.5	6.55	22	1110	1.5	<2	1.00	0.7	9	70	27	3.26	1.82
080657-150			0.006	<0.5	6.83	21	990	1.6	<2	0.87	0.5	10	67	29	3.26	1.90
080658-150			<0.005	<0.5	6.79	15	1000	1.5	<2	1.44	0.6	10	73	22	3.12	1.90
080659-150			<0.005	<0.5	6.55	15	950	1.6	<2	1.39	0.6	8	65	28	3.00	1.89
080660-150			0.006	<0.5	9.02	38	1090	2.3	<2	0.70	0.9	17	83	37	4.23	2.97
080661-150			<0.005	<0.5	9.15	35	1070	2.4	<2	0.69	<0.5	15	86	38	4.30	2.98
080662-150			0.005	<0.5	8.15	24	1030	2.0	<2	0.75	0.6	10	75	30	3.76	2.47
080663-150			0.006	<0.5	8.26	26	1030	2.0	<2	0.89	0.5	13	76	36	3.89	2.49
080664-150			<0.005	<0.5	7.35	28	1020	1.8	<2	0.79	0.7	12	71	30	3.59	2.27
080665-150			0.009	0.9	5.54	48	1110	1.2	<2	0.84	0.7	9	64	50	3.42	1.12
080666-150			0.009	<0.5	5.02	13	1000	1.0	<2	1.29	1.1	8	52	24	2.70	1.08
080667-150			0.005	<0.5	6.32	26	1150	1.4	<2	1.04	0.7	13	65	31	3.27	1.59
080668-150			0.012	<0.5	4.95	21	930	1.1	<2	1.12	0.7	8	57	23	2.67	1.25
080669-150			0.007	<0.5	5.66	28	1160	1.3	<2	0.94	0.7	11	65	38	2.98	1.52
080670-150			0.006	<0.5	6.79	31	1420	1.6	<2	0.77	0.5	12	79	42	3.65	1.78
080671-150			0.007	<0.5	5.63	22	930	1.2	<2	0.93	0.8	11	58	25	3.23	1.48
080701-150			<0.005	<0.5	6.64	32	1110	1.4	<2	1.38	<0.5	10	65	20	3.02	1.85
080702-150			0.010	<0.5	6.32	20	1110	1.3	<2	1.10	0.6	9	65	19	2.89	1.65
080703-150			0.007	<0.5	6.54	17	1220	1.4	<2	0.95	0.7	10	66	21	3.10	1.78
080704-150			0.011	<0.5	6.06	12	1160	1.4	<2	1.14	0.5	8	53	21	2.74	1.68
080705-150			<0.005	<0.5	6.27	25	1470	1.4	<2	1.48	0.5	10	64	20	2.79	1.70
080706-150			0.007	<0.5	6.03	17	1320	1.3	<2	0.94	0.5	9	61	24	2.89	1.51
080707-150			0.030	<0.5	5.77	17	1320	1.3	<2	1.76	0.6	9	58	24	2.41	1.54
080708-150			0.008	<0.5	5.92	24	1230	1.4	<2	1.30	0.6	9	62	19	2.74	1.64
080709-150			0.006	<0.5	5.12	13	960	1.1	<2	1.22	0.6	8	59	18	2.72	1.32
080710-150			0.007	<0.5	4.96	12	1100	1.1	<2	2.00	1.0	8	56	25	2.33	1.20

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 8 - B
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080642-150		0.78	495	<1	1.05	27	740	30	0.02	8	198	0.38	112	<10	92	
080643-150		0.65	411	1	0.81	24	590	48	0.02	17	154	0.32	96	<10	94	
080644-150		0.34	477	<1	0.12	12	740	5	0.24	<5	210	0.04	15	<10	35	
080645-150		1.33	330	<1	0.61	63	450	53	0.03	<5	143	0.29	162	<10	128	
080646-150		1.37	689	1	0.65	55	700	60	0.02	14	190	0.34	162	<10	144	
080647-150		1.23	442	<1	0.88	47	580	44	0.01	12	200	0.38	157	<10	115	
080648-150		1.10	368	1	0.90	44	320	43	0.02	10	178	0.38	156	<10	101	
080649-150		1.15	278	1	0.76	36	350	43	0.02	7	157	0.37	162	<10	102	
080650-150		0.82	285	2	0.91	29	250	46	0.01	10	146	0.35	129	<10	85	
080651-150		1.01	517	1	0.86	55	330	56	0.01	5	148	0.38	123	<10	164	
080652-150		0.71	413	1	0.93	26	250	34	0.01	5	139	0.41	125	<10	81	
080653-150		0.80	480	1	0.98	32	210	40	0.01	6	157	0.40	128	<10	98	
080654-150		0.62	438	<1	0.88	24	330	212	0.01	168	139	0.43	108	10	112	
080655-150		0.77	615	1	1.05	27	730	102	0.01	22	192	0.38	117	<10	140	
080656-150		0.74	428	1	0.96	28	580	54	0.01	9	172	0.43	120	10	132	
080657-150		0.74	422	1	0.88	29	610	54	0.01	13	163	0.38	110	<10	120	
080658-150		0.81	463	<1	1.08	27	520	22	0.03	5	218	0.38	118	<10	105	
080659-150		0.68	419	1	0.79	25	540	31	0.05	<5	179	0.33	102	<10	78	
080660-150		0.79	702	<1	0.80	44	640	34	0.02	<5	150	0.40	120	10	112	
080661-150		0.80	603	1	0.82	39	630	38	0.02	<5	151	0.39	119	<10	116	
080662-150		0.73	388	<1	0.90	31	450	30	0.01	<5	158	0.41	112	<10	96	
080663-150		0.73	437	1	0.93	34	670	31	0.02	<5	168	0.37	112	<10	97	
080664-150		0.68	630	<1	0.84	32	640	33	0.01	<5	155	0.40	109	<10	101	
080665-150		0.63	615	1	0.65	26	530	35	0.01	<5	112	0.32	126	<10	92	
080666-150		0.64	813	1	0.75	22	650	25	0.04	5	150	0.31	96	<10	94	
080667-150		0.72	850	<1	0.87	29	710	29	0.03	<5	150	0.32	108	<10	108	
080668-150		0.64	448	1	0.73	23	720	26	0.02	<5	126	0.31	94	<10	93	
080669-150		0.73	561	1	0.71	29	650	27	0.01	6	123	0.31	110	<10	102	
080670-150		0.83	579	1	0.77	35	620	34	0.01	5	129	0.37	137	10	118	
080671-150		0.70	497	<1	0.79	33	770	38	0.01	7	125	0.29	97	<10	111	
080701-150		0.68	619	1	0.83	24	750	29	0.07	9	166	0.34	101	<10	104	<0.005
080702-150		0.66	617	1	0.86	24	630	25	0.04	6	154	0.34	106	10	87	
080703-150		0.77	555	1	0.86	22	680	24	0.02	<5	142	0.35	110	<10	90	
080704-150		0.71	569	<1	0.89	24	530	20	0.06	5	146	0.33	92	<10	94	
080705-150		0.72	628	<1	0.86	26	570	28	0.09	8	177	0.34	114	10	112	
080706-150		0.72	402	1	0.94	24	560	23	0.01	10	150	0.33	116	10	86	
080707-150		0.61	670	1	0.77	21	630	22	0.06	6	186	0.30	102	<10	83	
080708-150		0.70	536	<1	0.74	21	600	24	0.06	5	156	0.33	102	<10	105	
080709-150		0.67	385	1	0.83	21	490	20	0.04	<5	164	0.35	100	<10	84	
080710-150		0.65	643	1	0.82	23	770	21	0.13	6	219	0.29	93	<10	109	

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 9 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080711-150			0.007	<0.5	7.89	56	850	1.7	<2	0.38	0.6	6	81	23	3.18	2.58
080712-150			0.007	<0.5	7.19	24	1030	1.5	<2	0.51	0.6	10	69	26	3.61	1.92
080713-150			0.005	<0.5	7.03	18	1020	1.4	<2	0.56	0.6	9	69	23	3.37	1.94
080714-150			<0.005	<0.5	6.48	24	800	1.3	<2	0.38	<0.5	6	61	17	3.10	1.77
080715-150			0.007	<0.5	9.31	44	1100	2.2	<2	0.30	<0.5	14	83	43	4.52	3.30
080716-150			0.005	<0.5	6.96	18	940	1.4	<2	0.55	<0.5	7	68	20	3.20	2.00
080717-150			0.005	<0.5	6.06	11	1100	1.2	<2	1.12	<0.5	12	62	20	2.82	1.32
080718-150			0.007	<0.5	7.04	31	950	1.5	<2	0.46	0.5	12	71	35	3.79	1.72
080719-150			<0.005	<0.5	9.25	18	1340	2.6	<2	0.87	0.7	14	91	60	4.54	3.34
080720-150			0.008	<0.5	5.74	11	890	1.2	<2	0.86	0.5	11	63	14	2.87	1.45
080721-150			<0.005	<0.5	6.37	15	970	1.3	<2	0.83	<0.5	9	65	17	3.00	1.62
080722-150			<0.005	<0.5	6.55	6	980	1.3	<2	0.84	<0.5	20	64	13	2.95	1.52
080723-150			0.008	<0.5	6.16	26	930	1.3	<2	0.83	<0.5	11	65	23	2.90	1.50
080724-150			<0.005	<0.5	5.82	14	900	1.2	<2	0.76	<0.5	42	63	14	3.14	1.38
080725-150			0.013	<0.5	5.82	25	790	1.2	<2	0.72	<0.5	19	56	19	2.86	1.44
080726-150			0.017	<0.5	5.59	67	850	1.3	<2	0.85	<0.5	10	55	28	2.72	1.42
080727-150			0.042	<0.5	6.33	35	890	1.4	<2	1.03	<0.5	12	54	26	2.95	1.68
080728-150			0.129	<0.5	5.62	25	910	1.3	<2	1.08	<0.5	14	59	23	2.84	1.40
080729-150			<0.005	<0.5	5.28	77	670	1.3	<2	0.69	<0.5	12	46	21	2.82	1.46
080731-150			0.007	<0.5	6.02	203	960	1.3	<2	1.12	<0.5	16	62	23	2.60	1.46
080732-150			0.018	<0.5	5.35	79	820	1.2	<2	1.18	<0.5	11	57	21	2.64	1.32
080734-150			0.010	<0.5	5.56	36	880	1.1	<2	1.00	<0.5	9	55	17	2.09	1.38
080737-150			0.005	<0.5	5.90	96	870	1.1	<2	0.67	<0.5	5	65	12	2.39	1.56
080739-150			0.009	<0.5	6.22	112	780	1.5	<2	0.81	<0.5	13	60	30	3.17	1.89
080740-150			0.027	<0.5	5.46	100	690	1.3	<2	0.79	<0.5	14	50	27	2.90	1.60
080741-150			0.036	<0.5	6.09	141	780	1.5	<2	0.91	<0.5	14	60	30	3.09	1.80
080742-150			<0.005	<0.5	2.37	8	510	0.5	<2	2.73	<0.5	8	22	21	1.22	0.50
080743-150			0.005	<0.5	6.61	61	790	1.6	<2	0.64	<0.5	13	61	33	3.13	1.78
080744-150			<0.005	<0.5	5.11	11	820	0.9	<2	0.86	<0.5	6	53	12	2.00	1.12
080745-150			<0.005	<0.5	6.51	24	1120	1.4	<2	1.26	<0.5	10	65	31	3.10	1.45
080746-150			0.031	<0.5	5.50	22	910	1.1	<2	1.00	<0.5	9	57	22	2.75	1.13
080747-150			0.009	<0.5	6.15	25	970	1.2	<2	1.05	<0.5	9	62	18	2.82	1.44
080748-150			<0.005	<0.5	6.25	20	950	1.3	<2	1.15	<0.5	8	61	22	2.70	1.46
080749-150			<0.005	<0.5	5.41	20	830	1.1	<2	0.81	<0.5	8	51	17	2.41	1.18
080750-150			0.021	<0.5	5.74	42	840	1.3	<2	1.49	0.5	9	60	32	2.85	1.38
080751-150			<0.005	<0.5	5.83	32	860	1.2	<2	0.74	<0.5	10	64	20	3.30	1.16
080752-150			<0.005	<0.5	6.78	23	950	1.5	<2	1.06	<0.5	10	68	27	2.95	1.66
080753-150			<0.005	<0.5	6.18	36	900	1.3	<2	0.94	<0.5	8	60	23	2.92	1.34
080754-150			0.040	<0.5	5.74	49	800	1.3	<2	0.81	<0.5	9	50	18	2.46	1.50
080755-150			0.005	<0.5	7.14	91	930	1.6	<2	0.96	<0.5	9	70	20	3.29	2.05

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 9 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sr ppm	ME-ICP61 Ti %	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm	Au-AA23D Au ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080711-150		0.56	239	1	0.69	21	600	25	0.01	9	108	0.38	120	<10	71	
080712-150		0.65	432	1	0.81	27	340	27	0.01	16	115	0.34	118	10	88	
080713-150		0.71	348	1	0.91	23	400	23	0.01	<5	124	0.36	114	<10	80	
080714-150		0.59	240	<1	0.80	19	210	15	<0.01	<5	97	0.32	98	<10	65	
080715-150		0.81	325	1	0.81	36	300	29	<0.01	6	103	0.31	122	10	98	
080716-150		0.66	293	<1	0.91	24	420	17	0.01	<5	126	0.34	105	<10	72	
080717-150		0.70	881	1	1.04	24	700	21	0.02	<5	178	0.33	109	<10	77	
080718-150		0.64	320	1	0.80	37	290	30	0.01	7	115	0.35	116	<10	88	
080719-150		1.20	439	2	0.59	37	930	24	0.03	7	114	0.47	164	<10	112	
080720-150		0.65	575	1	0.97	18	640	19	0.01	<5	154	0.36	102	10	66	
080721-150		0.70	404	1	0.94	19	620	20	0.02	<5	154	0.35	108	<10	70	<0.005
080722-150		0.72	712	1	1.05	18	680	24	0.02	<5	164	0.37	106	<10	70	
080723-150		0.71	420	<1	1.01	22	680	23	0.01	<5	158	0.36	102	<10	83	
080724-150		0.63	2130	1	0.96	22	670	18	0.02	<5	152	0.34	99	<10	70	
080725-150		0.66	896	<1	0.97	22	660	16	0.02	<5	148	0.33	94	<10	75	
080726-150		0.72	535	1	0.91	27	800	17	0.01	6	140	0.36	91	<10	96	
080727-150		0.77	582	<1	1.18	29	720	20	0.01	5	184	0.34	94	<10	90	
080728-150		0.69	1255	<1	1.06	30	690	13	0.02	<5	174	0.35	94	<10	91	
080729-150		0.63	401	1	0.77	28	410	24	0.01	5	98	0.32	68	20	85	
080731-150		0.80	512	1	0.95	38	730	17	0.11	<5	158	0.36	98	<10	112	
080732-150		0.73	435	1	0.96	27	870	17	0.04	<5	161	0.37	89	10	91	
080734-150		0.71	273	<1	0.99	22	620	16	0.05	<5	162	0.36	89	10	89	
080737-150		0.70	211	<1	0.88	18	680	9	0.05	<5	134	0.37	98	10	70	
080739-150		0.73	655	<1	0.88	34	620	32	0.02	9	155	0.32	88	10	97	
080740-150		0.65	548	<1	0.90	29	660	32	0.01	11	150	0.31	75	10	84	
080741-150		0.72	556	<1	0.95	31	780	34	0.02	10	168	0.36	88	30	92	0.032
080742-150		0.36	2460	1	0.46	17	1200	8	0.18	<5	166	0.13	38	<10	36	
080743-150		0.88	329	1	0.77	33	560	21	0.01	7	118	0.31	86	10	85	
080744-150		0.58	216	<1	1.05	17	660	10	0.01	<5	152	0.36	99	<10	50	
080745-150		0.78	439	1	1.30	29	770	11	0.01	<5	220	0.39	124	10	92	
080746-150		0.73	359	<1	1.04	24	610	12	0.01	<5	158	0.38	104	10	65	
080747-150		0.72	544	1	0.96	24	850	17	0.05	<5	166	0.35	108	10	83	
080748-150		0.70	485	<1	0.93	27	700	17	0.04	5	164	0.37	100	<10	79	
080749-150		0.67	305	1	1.01	21	320	9	0.01	<5	152	0.36	97	<10	57	
080750-150		0.73	506	<1	0.84	29	840	13	0.06	<5	170	0.37	91	<10	104	
080751-150		0.75	325	1	0.94	28	260	17	0.01	<5	142	0.37	114	<10	73	
080752-150		0.74	423	<1	0.90	28	620	20	0.03	<5	166	0.38	104	10	81	
080753-150		0.75	354	<1	1.00	25	350	16	0.01	<5	156	0.38	100	<10	67	
080754-150		0.67	371	<1	0.82	21	520	12	0.01	<5	130	0.33	78	10	63	
080755-150		0.82	392	1	0.87	26	590	18	0.01	7	143	0.38	101	10	86	

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 10 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080756-150			0.005	<0.5	6.02	159	950	1.4	<2	1.11	<0.5	14	56	26	3.84	1.72
080757-150			0.006	<0.5	7.36	9	990	1.8	<2	1.38	0.7	9	72	74	2.01	1.97
080758-150			<0.005	<0.5	4.90	256	1140	1.3	<2	1.82	0.9	63	56	42	11.20	1.26
080759-150			<0.005	<0.5	6.84	55	870	1.6	<2	1.05	<0.5	11	68	23	3.22	1.96
080760-150			0.005	<0.5	6.90	32	1010	1.6	<2	1.02	<0.5	10	71	27	2.96	1.86
080761-150			0.005	<0.5	6.79	32	970	1.6	<2	0.99	<0.5	10	71	29	2.90	1.88
080762-150			0.006	<0.5	8.37	54	1000	2.2	<2	0.51	<0.5	12	78	32	3.57	2.85
080763-150			<0.005	<0.5	7.12	10	830	1.8	<2	0.51	<0.5	7	69	22	2.86	2.11
080764-150			0.017	<0.5	5.80	17	750	1.2	<2	0.63	<0.5	6	57	17	2.39	1.52
080765-150			<0.005	<0.5	6.22	6	710	1.4	<2	0.47	<0.5	5	60	14	2.48	1.84
080766-150			<0.005	<0.5	9.52	23	1040	2.6	<2	0.36	<0.5	11	89	33	3.84	3.30
080767-150			NSS	0.8	6.89	49	890	1.4	<2	0.49	<0.5	7	75	37	3.28	1.64
080768-150			0.005	0.5	5.71	39	820	1.1	<2	0.65	<0.5	5	60	18	2.71	1.42
080769-150			0.006	0.8	6.44	58	830	1.3	<2	0.54	<0.5	7	71	29	3.58	1.60
080770-150			0.022	0.5	6.13	36	790	1.3	<2	0.54	<0.5	5	59	17	2.55	1.71
080771-150			<0.005	<0.5	5.46	60	670	1.1	<2	0.51	<0.5	6	60	18	2.70	1.24
080772-150			0.013	<0.5	5.42	26	690	1.0	<2	0.51	<0.5	6	56	19	2.53	1.38
080773-150			0.009	<0.5	6.42	42	760	1.2	<2	0.56	<0.5	6	68	28	3.23	1.33
080774-150			0.010	0.5	6.50	74	520	1.1	4	0.28	<0.5	2	63	38	2.65	1.40
080775-150			<0.005	1.0	5.69	18	710	1.2	<2	0.63	<0.5	5	57	27	2.56	1.48
080851-150			<0.005	<0.5	9.70	22	990	2.4	<2	0.33	<0.5	12	92	27	4.37	2.86
080852-150			<0.005	<0.5	10.05	24	1040	2.6	<2	0.26	<0.5	11	102	35	4.36	3.17
080853-150			<0.005	<0.5	9.84	12	1160	2.7	<2	0.32	<0.5	8	100	30	3.70	3.36
080854-150			<0.005	<0.5	5.51	40	770	1.1	2	0.51	<0.5	3	57	9	1.94	1.38
080855-150			<0.005	<0.5	7.82	<5	980	1.9	<2	0.84	<0.5	9	68	13	3.11	1.94
080856-150			<0.005	<0.5	6.62	19	940	1.7	<2	0.95	<0.5	6	58	16	2.91	1.52
080857-150			<0.005	<0.5	5.50	11	720	1.2	<2	0.76	<0.5	4	51	8	2.00	1.44
088801-150			<0.005	<0.5	5.73	35	920	1.2	<2	1.22	<0.5	7	54	27	2.10	1.40
088802-150			<0.005	<0.5	6.94	25	1140	1.4	<2	1.02	0.5	12	69	23	2.74	1.58
088803-150			<0.005	<0.5	7.45	11	1100	1.8	<2	0.46	<0.5	11	69	26	3.17	2.67
088804-150			<0.005	<0.5	8.82	79	1970	1.8	<2	0.41	<0.5	11	71	24	2.89	3.07
088805-150			<0.005	<0.5	6.31	62	860	1.2	<2	0.73	<0.5	7	60	13	2.77	1.62
088806-150			<0.005	<0.5	5.95	43	910	1.2	<2	0.85	<0.5	9	56	21	2.60	1.37
088807-150			<0.005	<0.5	6.32	39	1040	1.3	<2	0.90	<0.5	8	62	23	2.77	1.52
088808-150			<0.005	<0.5	6.78	29	980	1.4	<2	0.87	<0.5	10	67	23	2.79	1.82
088809-150			<0.005	<0.5	8.06	30	1170	1.9	<2	0.70	<0.5	10	72	29	3.43	2.67
088810-150			<0.005	<0.5	6.27	16	910	1.3	<2	1.08	<0.5	7	58	17	2.48	1.54
088811-150			0.008	<0.5	7.97	49	1120	1.8	<2	0.65	<0.5	9	77	24	3.16	2.67
088812-150			<0.005	<0.5	6.81	18	1030	1.4	<2	0.79	<0.5	8	60	24	2.77	1.83
088813-150			<0.005	<0.5	6.60	18	1000	1.4	<2	0.73	<0.5	8	61	22	2.59	1.82

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 10 - B
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080756-150		0.68	3700	2	0.75	29	730	15	0.04	5	136	0.31	82	10	77	
080757-150		0.85	247	<1	0.68	46	760	26	0.21	6	166	0.37	91	<10	75	
080758-150		0.60	7540	3	0.49	67	840	12	0.12	8	166	0.23	75	<10	104	
080759-150		0.71	518	<1	0.76	31	730	23	0.03	<5	158	0.39	92	<10	88	
080760-150		0.88	350	1	0.97	32	690	21	0.04	6	170	0.38	108	10	85	
080761-150		0.87	381	1	0.90	32	650	19	0.04	5	164	0.36	106	<10	89	
080762-150		0.87	336	1	0.76	32	490	24	0.01	8	130	0.33	114	<10	104	
080763-150		0.70	277	<1	0.73	19	500	12	0.01	6	133	0.37	111	<10	56	
080764-150		0.62	243	<1	0.93	20	500	13	0.02	<5	141	0.34	99	<10	52	
080765-150		0.60	204	<1	0.74	16	470	14	0.02	5	124	0.33	97	<10	46	
080766-150		0.85	409	1	0.62	20	610	18	0.02	9	144	0.38	131	<10	74	
080767-150		0.62	241	<1	0.64	22	1440	72	0.03	10	116	0.36	126	<10	86	
080768-150		0.66	252	<1	0.89	17	360	46	0.01	7	134	0.41	113	<10	60	
080769-150		0.72	295	1	0.82	20	330	60	0.01	11	128	0.42	124	10	80	
080770-150		0.56	218	<1	0.79	13	270	73	0.01	8	126	0.45	108	<10	52	
080771-150		0.58	283	<1	0.74	17	650	24	0.02	5	113	0.36	101	<10	52	
080772-150		0.61	270	<1	0.80	17	440	11	0.01	6	118	0.38	98	<10	51	
080773-150		0.67	333	2	0.79	20	530	29	0.02	7	126	0.41	122	<10	64	
080774-150		0.40	140	1	0.42	8	340	65	0.01	12	96	0.37	108	10	29	
080775-150		0.60	263	<1	0.84	21	520	100	0.01	5	130	0.35	102	10	65	
080851-150		0.85	271	<1	0.82	28	490	42	0.02	11	150	0.42	152	<10	100	
080852-150		1.05	325	<1	0.79	26	270	17	0.01	8	146	0.36	150	<10	142	
080853-150		0.95	268	<1	0.77	23	400	23	0.02	8	152	0.40	148	<10	81	
080854-150		0.41	432	1	0.79	11	400	53	0.02	19	116	0.44	114	10	33	
080855-150		0.79	355	1	1.00	18	670	30	0.02	9	178	0.36	116	<10	85	
080856-150		0.67	244	<1	0.92	17	560	40	0.06	7	162	0.34	107	<10	88	
080857-150		0.55	205	<1	0.87	12	580	20	0.02	<5	149	0.32	88	<10	61	
088801-150		0.64	290	<1	1.03	21	560	17	0.10	<5	190	0.34	89	<10	74	
088802-150		0.75	343	<1	1.00	28	760	14	0.05	<5	176	0.35	111	<10	86	
088803-150		0.82	333	<1	0.75	26	380	11	0.01	5	117	0.33	93	<10	81	
088804-150		0.61	478	1	0.79	27	230	17	<0.01	5	144	0.41	104	<10	77	
088805-150		0.69	324	<1	0.94	17	350	16	0.01	<5	146	0.39	106	<10	65	
088806-150		0.66	323	<1	1.02	21	510	14	0.01	<5	159	0.36	100	10	67	
088807-150		0.68	333	<1	1.04	26	460	14	0.01	<5	165	0.37	107	<10	73	
088808-150		0.71	531	<1	1.01	27	550	17	0.02	<5	161	0.38	99	10	72	
088809-150		0.75	380	<1	0.91	34	590	10	0.01	6	154	0.39	113	<10	83	
088810-150		0.65	419	<1	0.90	20	590	13	0.06	<5	170	0.32	95	<10	63	
088811-150		0.71	371	<1	1.01	30	440	10	0.01	16	136	0.35	111	<10	80	
088812-150		0.66	319	1	1.06	25	430	8	0.01	<5	162	0.36	104	<10	67	
088813-150		0.66	318	<1	0.98	23	430	6	0.01	<5	157	0.36	102	<10	67	

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 11 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
088814-150			<0.005	<0.5	7.17	51	1120	1.5	<2	0.87	<0.5	11	67	29	3.08	1.85
088815-150			<0.005	<0.5	6.60	23	1130	1.4	<2	1.12	<0.5	11	67	25	2.95	1.51
088816-150			<0.005	<0.5	6.16	17	960	1.3	<2	0.90	<0.5	9	55	20	2.64	1.52
088817-150			<0.005	<0.5	6.43	27	1020	1.3	<2	1.41	<0.5	12	63	21	2.78	1.48
088818-150			<0.005	<0.5	7.50	41	1040	1.5	<2	0.78	<0.5	10	72	25	3.16	1.94
088819-150			<0.005	<0.5	6.10	18	940	1.3	<2	1.33	<0.5	9	57	22	2.58	1.40
088820-150			<0.005	<0.5	6.72	15	960	1.4	<2	0.75	<0.5	10	67	22	3.30	1.44
088821-150			<0.005	<0.5	6.99	14	1060	1.5	<2	0.81	<0.5	11	71	30	3.39	1.65
088822-150			<0.005	<0.5	7.16	10	930	1.6	<2	0.72	<0.5	8	69	23	3.11	1.92
088823-150			<0.005	<0.5	6.91	161	680	1.3	<2	0.42	<0.5	10	66	25	4.10	2.01
088824-150			0.061	<0.5	5.80	23	790	1.2	<2	1.02	<0.5	8	53	14	2.69	1.42
088825-150			0.006	<0.5	6.35	34	870	1.4	<2	1.65	<0.5	8	58	23	2.70	1.84
088826-150			<0.005	<0.5	6.79	47	880	1.4	<2	1.54	<0.5	8	58	20	2.62	1.97
088827-150			<0.005	<0.5	5.69	11	1000	1.2	<2	0.73	<0.5	8	54	22	2.63	1.32
088828-150			<0.005	<0.5	6.36	18	1080	1.3	<2	0.95	<0.5	11	63	25	3.04	1.40
088829-150			<0.005	<0.5	5.82	19	950	1.2	<2	0.82	<0.5	9	62	21	2.64	1.41
088830-150			0.008	<0.5	7.31	38	1200	1.6	<2	0.76	<0.5	10	68	30	3.30	2.15
088831-150			<0.005	<0.5	7.08	23	1140	1.5	<2	0.72	<0.5	11	73	30	3.34	2.05
088832-150			0.010	<0.5	5.88	28	980	1.3	<2	0.66	<0.5	10	61	28	2.87	1.56
088833-150			0.005	<0.5	8.13	23	1360	1.8	<2	0.75	<0.5	15	99	33	4.06	2.23
088834-150			0.006	<0.5	7.65	36	1240	1.7	<2	0.72	<0.5	12	80	35	3.50	2.20
088835-150			0.009	<0.5	6.53	54	1500	1.5	<2	0.76	<0.5	12	68	40	3.45	1.71
088836-150			0.008	<0.5	6.25	35	1200	1.4	<2	0.72	<0.5	10	62	37	3.10	1.60
088837-150			<0.005	0.9	5.91	17	1000	1.1	<2	0.86	<0.5	12	58	14	2.53	1.28
088838-150			<0.005	2.8	5.80	16	1030	1.2	<2	0.83	<0.5	12	60	28	2.66	1.24
088839-150			0.012	<0.5	5.35	8	970	1.1	<2	0.93	<0.5	8	52	14	1.94	1.24
088840-150			0.005	<0.5	5.48	12	1030	1.2	<2	1.02	<0.5	10	53	30	2.90	1.17
088841-150			0.005	<0.5	5.19	19	1000	1.1	<2	1.00	<0.5	9	50	25	2.68	1.08
088842-150			0.011	<0.5	5.71	27	880	1.2	<2	0.66	<0.5	10	57	28	2.85	1.32
088843-150			<0.005	<0.5	5.40	15	1020	1.1	<2	0.91	<0.5	8	56	19	2.55	1.18
088844-150			0.096	<0.5	6.04	29	1080	1.2	<2	0.79	0.5	12	59	18	3.18	1.40
088845-150			<0.005	<0.5	5.90	26	1120	1.3	<2	1.08	0.5	11	60	27	2.98	1.33
088846-150			<0.005	<0.5	5.91	13	1060	1.2	<2	1.01	0.7	9	55	16	2.52	1.44
088847-150			<0.005	<0.5	8.77	15	1100	2.1	<2	0.80	<0.5	14	71	35	3.89	2.82
088848-150			<0.005	<0.5	6.48	16	1020	1.5	<2	0.98	<0.5	11	61	28	3.17	1.62
088849-150			0.018	<0.5	6.49	16	1080	1.4	<2	0.84	<0.5	13	66	22	3.06	1.56
088850-150			0.005	<0.5	5.37	23	910	1.1	<2	0.86	<0.5	13	54	14	2.95	1.20
088851-150			<0.005	<0.5	6.92	56	1070	1.5	<2	1.18	<0.5	14	68	35	3.75	1.70
088852-150			0.005	<0.5	5.98	61	760	1.2	<2	0.62	<0.5	13	60	28	3.54	1.32
088853-150			0.085	<0.5	5.70	23	910	1.1	<2	0.97	<0.5	10	58	17	2.89	1.22

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 11 - B
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
088814-150		0.78	372	<1	1.04	29	470	18	0.01	<5	171	0.37	118	10	79	
088815-150		0.79	469	1	1.15	26	500	10	0.01	<5	194	0.39	120	10	71	
088816-150		0.68	367	<1	0.99	23	390	9	0.01	5	162	0.36	102	10	65	
088817-150		0.72	1710	<1	0.84	26	750	12	0.06	5	186	0.33	103	<10	70	
088818-150		0.65	367	1	0.91	27	490	20	0.02	11	156	0.36	114	10	75	
088819-150		0.61	530	<1	0.91	24	810	16	0.08	6	182	0.31	89	<10	57	
088820-150		0.77	390	1	1.06	27	230	9	0.01	<5	160	0.41	130	10	71	
088821-150		0.83	468	1	1.14	31	250	12	0.01	<5	182	0.41	134	<10	78	<0.005
088822-150		0.75	396	<1	1.05	23	410	13	0.02	<5	162	0.42	118	<10	71	
088823-150		0.59	453	1	0.72	26	580	21	0.01	<5	111	0.33	108	<10	98	
088824-150		0.55	492	<1	0.99	19	700	12	0.03	<5	151	0.33	81	<10	72	
088825-150		0.58	430	<1	0.85	25	700	11	0.06	<5	166	0.30	91	10	88	
088826-150		0.59	451	<1	0.91	22	560	12	0.05	<5	164	0.30	88	<10	75	
088827-150		0.62	297	<1	0.91	22	560	12	0.01	<5	142	0.36	102	<10	68	
088828-150		0.72	372	<1	1.05	29	730	13	0.01	<5	168	0.39	113	<10	77	
088829-150		0.71	294	<1	0.95	26	560	16	0.01	<5	140	0.35	102	10	66	
088830-150		0.78	401	<1	0.87	29	670	17	0.01	<5	131	0.35	110	<10	91	
088831-150		0.84	484	1	0.95	32	570	20	<0.01	<5	128	0.39	109	<10	91	
088832-150		0.72	403	<1	0.83	28	600	13	0.01	<5	113	0.34	99	<10	79	
088833-150		1.30	692	<1	1.06	49	580	14	0.01	<5	124	0.51	126	<10	97	
088834-150		1.00	457	<1	0.95	38	640	14	0.01	6	135	0.39	118	<10	90	
088835-150		0.78	531	1	0.87	39	690	18	0.01	9	138	0.36	120	<10	102	
088836-150		0.71	387	<1	0.89	30	650	20	0.01	<5	138	0.33	109	<10	83	
088837-150		0.68	511	1	1.07	23	760	24	0.02	<5	158	0.35	106	10	80	
088838-150		0.70	346	<1	0.98	26	710	29	0.01	<5	139	0.36	104	<10	83	
088839-150		0.62	250	<1	0.98	19	680	11	0.04	<5	154	0.38	85	<10	71	
088840-150		0.68	449	<1	1.08	29	790	10	0.01	<5	172	0.36	106	<10	77	
088841-150		0.65	425	<1	1.04	27	730	13	0.01	<5	166	0.34	102	<10	70	<0.005
088842-150		0.64	476	1	0.94	26	490	18	0.01	6	133	0.35	102	<10	65	
088843-150		0.65	275	<1	1.05	23	810	12	0.02	6	166	0.36	104	<10	65	
088844-150		0.67	410	<1	0.95	22	800	18	0.03	<5	145	0.34	102	<10	87	
088845-150		0.69	869	1	1.09	28	630	16	0.02	7	186	0.35	112	<10	83	
088846-150		0.69	369	<1	1.02	24	680	9	0.04	<5	160	0.33	93	10	88	
088847-150		0.83	499	1	0.89	32	610	19	0.01	<5	140	0.33	110	<10	93	
088848-150		0.71	519	1	0.99	27	660	15	0.01	<5	158	0.35	104	<10	78	
088849-150		0.73	447	<1	1.01	24	650	16	0.01	<5	152	0.36	108	<10	78	
088850-150		0.62	306	<1	0.95	20	700	11	0.01	<5	143	0.34	92	<10	68	
088851-150		0.81	356	<1	0.95	36	660	25	0.03	6	158	0.34	113	<10	94	
088852-150		0.60	442	<1	0.87	28	300	22	0.01	13	123	0.32	100	10	82	
088853-150		0.69	489	<1	1.03	24	420	13	0.01	<5	162	0.35	102	<10	77	

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 12 - A
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
088854-150			<0.005	<0.5	5.67	36	770	1.2	<2	0.79	<0.5	11	57	25	3.10	1.26
088855-150			0.011	<0.5	5.71	31	900	1.1	<2	1.25	0.6	8	58	17	2.84	1.34
088856-150			0.006	<0.5	5.21	29	740	0.9	<2	0.81	<0.5	8	60	13	2.66	1.18
088857-150			0.012	<0.5	5.20	21	870	1.1	<2	1.04	<0.5	7	53	20	2.07	1.17
088858-150			<0.005	<0.5	4.73	45	760	1.0	<2	1.04	<0.5	7	52	19	2.21	1.12
088859-150			0.007	<0.5	5.65	39	1060	1.2	<2	1.16	0.5	9	64	22	2.79	1.31
088860-150			0.006	<0.5	4.14	27	740	0.9	<2	0.91	<0.5	6	42	11	1.92	0.93
088861-150			<0.005	<0.5	5.11	13	930	1.1	<2	1.02	<0.5	6	48	19	2.13	1.14
088862-150			<0.005	<0.5	6.25	171	1160	1.5	<2	0.89	<0.5	10	68	20	6.35	1.58
088863-150			<0.005	<0.5	4.96	14	780	1.0	<2	0.86	<0.5	5	54	15	2.42	1.14
088864-150			<0.005	<0.5	6.19	7	1000	1.3	<2	0.89	<0.5	13	61	16	3.27	1.50
088865-150			<0.005	<0.5	5.61	23	910	1.6	<2	1.00	<0.5	8	59	30	2.91	1.34
088866-150			<0.005	<0.5	5.70	18	930	1.2	<2	0.93	<0.5	11	59	21	3.02	1.34
088867-150			<0.005	<0.5	5.06	6	800	1.1	<2	0.75	<0.5	5	52	17	2.44	1.22
088868-150			0.007	<0.5	5.75	48	860	1.3	<2	0.63	<0.5	7	53	23	3.00	1.63
088869-150			<0.005	<0.5	5.14	25	960	1.1	<2	0.87	<0.5	6	52	27	2.88	1.22
088901-150			<0.005	<0.5	5.96	57	1000	1.3	<2	0.77	<0.5	7	67	23	2.82	1.54
088903-150			<0.005	<0.5	5.72	27	830	1.1	<2	0.82	<0.5	6	72	19	3.00	1.36
088904-150			<0.005	<0.5	5.73	55	880	1.2	<2	0.68	<0.5	5	65	23	2.75	1.50
088905-150			<0.005	<0.5	5.07	29	760	1.0	<2	0.89	<0.5	7	58	16	2.73	1.10
088906-150			<0.005	<0.5	6.26	29	970	1.4	<2	0.71	<0.5	8	65	24	3.15	1.56
088907-150			<0.005	<0.5	7.19	36	1020	1.6	<2	0.70	<0.5	10	71	30	3.64	1.92
088908-150			<0.005	<0.5	5.08	23	780	1.0	<2	0.82	<0.5	7	58	17	2.53	1.24
088909-150			0.016	<0.5	6.00	27	910	1.2	<2	0.78	<0.5	6	66	17	2.92	1.46
088910-150			0.008	<0.5	6.37	24	920	1.3	<2	0.80	<0.5	8	65	19	3.12	1.68
088911-150			0.005	<0.5	7.36	34	1020	1.7	<2	0.69	<0.5	10	67	29	3.46	2.15
088912-150			<0.005	<0.5	6.94	19	990	1.5	<2	0.75	<0.5	10	70	23	3.15	1.84
088913-150			<0.005	<0.5	7.68	14	760	1.7	<2	0.31	<0.5	14	55	36	4.69	2.53
088914-150			<0.005	<0.5	6.99	26	1000	1.5	<2	0.72	<0.5	7	67	23	3.00	1.89
088915-150			<0.005	<0.5	4.65	14	750	0.9	<2	0.90	<0.5	4	49	12	2.02	1.00
088916-150			<0.005	<0.5	5.67	5	930	1.2	<2	0.93	<0.5	7	60	21	2.82	1.27
088917-150			<0.005	<0.5	6.23	76	920	1.4	<2	0.63	<0.5	9	71	24	3.44	1.50
088918-150			<0.005	<0.5	6.24	17	900	1.4	<2	0.59	<0.5	9	67	24	3.23	1.60
088870-150			<0.005	<0.5	5.53	37	860	1.2	<2	0.75	<0.5	7	58	20	2.78	1.34
088871-150			0.006	<0.5	5.65	30	970	1.3	<2	0.77	<0.5	6	58	29	2.98	1.36
088872-150			<0.005	<0.5	5.31	8	790	1.0	<2	0.76	<0.5	4	57	14	2.64	1.24
088873-150			<0.005	<0.5	4.97	35	710	1.0	<2	0.61	<0.5	8	52	23	2.82	1.14
089051-150			<0.005	<0.5	8.27	10	1030	2.1	<2	0.41	<0.5	13	82	26	3.72	2.42
089052-150			<0.005	<0.5	8.38	11	1080	2.2	<2	0.44	<0.5	16	88	27	3.68	2.35
089053-150			<0.005	<0.5	5.65	13	780	1.2	<2	0.63	<0.5	5	65	15	2.63	1.42

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 12 - B

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	NI	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
088854-150		0.67	491	1	1.02	25	440	19	0.01	<5	154	0.35	97	<10	69	
088855-150		0.70	399	<1	1.11	20	830	14	0.02	<5	186	0.37	96	<10	78	
088856-150		0.56	349	3	1.02	16	280	19	0.01	<5	149	0.34	107	<10	65	
088857-150		0.62	252	1	1.06	20	640	13	0.05	<5	168	0.32	88	<10	72	
088858-150		0.63	378	<1	0.99	20	660	23	0.02	<5	150	0.31	82	<10	70	
088859-150		0.75	303	2	1.01	21	710	19	0.07	<5	176	0.34	101	<10	97	
088860-150		0.50	442	1	0.99	13	620	15	0.03	<5	150	0.30	68	<10	55	
088861-150		0.63	287	1	1.18	17	670	15	0.03	<5	177	0.30	86	<10	69	0.009
088862-150		0.70	482	4	0.83	27	920	25	0.07	5	143	0.26	120	<10	127	
088863-150		0.57	295	2	1.02	17	660	17	0.01	<5	145	0.32	86	<10	52	
088864-150		0.69	348	2	1.06	24	760	22	0.02	<5	158	0.33	98	<10	84	
088865-150		0.66	384	2	1.13	26	700	19	0.01	<5	174	0.34	98	10	72	
088866-150		0.64	599	2	1.04	22	770	24	0.02	<5	159	0.34	95	<10	78	
088867-150		0.59	267	1	0.99	20	650	16	<0.01	<5	128	0.33	87	10	63	
088868-150		0.70	401	1	0.84	22	750	23	<0.01	5	100	0.28	88	<10	86	
088869-150		0.62	416	2	1.04	24	730	16	0.01	<5	156	0.32	98	<10	79	
088901-150		0.66	394	2	1.10	23	430	33	0.01	<5	162	0.36	114	<10	68	0.006
088903-150		0.67	339	3	1.00	19	970	30	0.01	7	142	0.37	112	<10	63	
088904-150		0.68	310	3	0.91	19	1000	26	0.02	32	131	0.36	116	<10	61	
088905-150		0.66	403	2	1.06	22	570	16	0.01	<5	154	0.30	98	<10	58	
088906-150		0.79	430	2	1.08	25	490	20	0.01	<5	154	0.34	123	<10	76	
088907-150		0.83	531	3	1.15	25	520	29	0.01	<5	166	0.35	117	<10	79	
088908-150		0.64	317	1	1.12	18	540	17	0.01	<5	162	0.28	96	<10	53	
088909-150		0.69	336	2	1.08	16	500	20	0.01	<5	157	0.33	108	<10	63	
088910-150		0.68	442	2	1.08	22	510	21	0.01	<5	160	0.35	108	<10	67	
088911-150		0.61	520	2	1.12	30	480	24	0.01	5	155	0.30	105	<10	81	
088912-150		0.66	381	3	1.12	24	370	19	0.01	<5	160	0.32	110	<10	70	
088913-150		0.37	722	2	1.35	40	650	39	0.01	<5	98	0.16	68	<10	94	
088914-150		0.58	338	1	1.10	23	490	22	0.01	<5	147	0.28	97	<10	80	
088915-150		0.55	266	1	1.08	15	640	15	0.01	<5	161	0.28	82	<10	49	
088916-150		0.71	396	2	1.22	24	740	16	0.01	<5	181	0.35	103	10	62	
088917-150		0.73	343	3	1.00	27	420	20	0.01	<5	142	0.34	120	<10	64	
088918-150		0.73	361	3	1.00	26	270	21	0.01	<5	144	0.32	120	<10	68	
088870-150		0.67	394	2	1.00	18	490	21	<0.01	<5	138	0.32	100	<10	67	
088871-150		0.67	436	2	0.97	23	600	23	<0.01	<5	141	0.32	104	10	80	
088872-150		0.64	298	2	1.06	16	620	22	0.01	<5	148	0.35	100	10	60	
088873-150		0.59	387	1	0.91	20	500	26	<0.01	<5	113	0.30	92	<10	69	
089051-150		0.79	440	3	0.75	35	300	28	0.01	<5	122	0.37	124	<10	78	
089052-150		0.82	430	1	0.83	33	270	29	0.01	5	128	0.36	130	<10	83	
089053-150		0.58	249	2	0.82	18	740	18	0.02	<5	128	0.39	114	<10	50	

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 13 - A

Total # Pages: 13 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
089054-150			<0.005	<0.5	5.56	7	750	1.2	<2	0.61	<0.5	4	63	16	2.52	1.44
089055-150			<0.005	<0.5	6.03	8	800	1.3	<2	0.61	<0.5	5	67	15	2.73	1.54
089056-150			0.006	<0.5	6.12	8	810	1.3	<2	0.62	<0.5	4	67	15	2.71	1.56
089057-150			<0.005	<0.5	5.65	11	750	1.2	<2	0.59	<0.5	4	62	14	2.47	1.44

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 13 - B
Total # Pages: 13 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
089054-150		0.53	245	1	0.81	17	880	19	0.02	<5	128	0.37	106	<10	49
089055-150		0.58	249	1	0.82	18	690	19	0.01	<5	128	0.39	114	<10	48
089056-150		0.57	254	1	0.83	20	750	21	0.02	<5	130	0.38	114	<10	49
089057-150		0.53	226	1	0.79	16	760	18	0.02	<5	124	0.36	106	<10	45

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 1

Finalized Date: 30-OCT-2004

Account: STRGOL

QC CERTIFICATE VA04071096

Project: Dub 1735

P.O. No.:

This report is for 444 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED
NOV - 8 2004

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: STRATAGOLD EXPLORATION INC.
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 2 - A
Total # Pages: 6 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071096

Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
Sample Description	STANDARDS														
BM-10		5.3	0.81	834	100	<0.5	184	0.14	125.0	359	1470	1690	10.60	0.05	0.26
BM-10		5.7	0.88	879	110	<0.5	204	0.16	153.0	402	1670	1830	11.80	0.05	0.28
BM-10		5.4	0.81	806	100	<0.5	196	0.14	146.5	350	1425	1695	10.30	0.04	0.25
BM-10		5.5	0.83	833	100	<0.5	221	0.14	157.5	361	1545	1715	10.75	0.04	0.26
BM-10		5.3	0.83	812	100	<0.5	194	0.14	180.0	353	1470	1705	10.65	0.04	0.26
BM-10		4.1	0.81	787	100	<0.5	181	0.14	136.5	364	1530	1695	10.85	0.04	0.26
BM-10		5.1	0.80	793	90	<0.5	191	0.15	130.0	344	1485	1750	10.35	0.04	0.26
BM-10		5.4	0.84	831	100	<0.5	186	0.15	139.0	343	1515	1805	10.95	0.04	0.28
Target Range - Lower Bound		4.6	0.72	755	70		183	0.12	117.5	301	845	1600	9.24		0.20
Upper Bound		6.7	0.90	933	110		228	0.17	144.5	370	1035	1955	11.30		0.27
G2000		3.9	5.08	482	2410	1.3	<2	0.59	7.4	23	99	306	3.86	1.30	0.76
G2000		3.6	4.92	483	2390	1.3	2	0.58	7.7	25	106	300	3.82	1.28	0.74
G2000		3.6	5.00	474	2220	1.3	<2	0.54	7.0	24	99	303	3.59	1.30	0.75
G2000		3.8	5.24	486	2430	1.3	<2	0.59	7.5	25	106	310	3.86	1.32	0.78
G2000		3.2	5.13	484	2370	1.3	2	0.58	7.6	25	102	300	3.78	1.29	0.76
G2000		5.1	4.90	472	2240	1.3	<2	0.55	7.2	22	97	295	3.69	1.28	0.74
G2000		3.8	5.11	488	2350	1.3	2	0.58	7.0	23	109	305	3.81	1.27	0.76
G2000		3.8	5.03	477	2340	1.3	2	0.58	7.0	23	104	308	3.76	1.30	0.77
Target Range - Lower Bound		2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	1.16	0.67
Upper Bound		4.4	5.64	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	1.44	0.85
OXF28	0.808														
OXF28	0.816														
OXF28	0.775														
OXF28	0.810														
OXF28	0.835														
OXF28	0.816														
OXF28	0.785														
Target Range - Lower Bound	0.741														
Upper Bound	0.863														
OXX18	3.24														
OXX18	3.53														
OXX18	3.46														
OXX18	3.50														
OXX18	3.60														
OXX18	3.48														
OXX18	3.52														
Target Range - Lower Bound	3.22														
Upper Bound	3.71														

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - B

Total # Pages: 6 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D	
		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	Au ppm
		5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
STANDARDS															
BM-10		2690	94	0.04	1480	50	2320	1.40	265	15	0.06	46	<10	3170	
BM-10		3020	104	0.04	1645	60	2570	1.62	297	17	0.06	50	<10	3570	
BM-10		2780	99	0.04	1430	60	2340	1.42	255	15	0.06	44	<10	3110	
BM-10		2870	104	0.04	1495	60	2390	1.43	266	14	0.06	46	<10	3290	
BM-10		2820	102	0.04	1445	60	2390	1.48	267	14	0.06	46	<10	3260	
BM-10		2840	104	0.05	1510	70	2400	1.53	287	14	0.06	45	<10	3370	
BM-10		2830	96	0.04	1370	50	2330	1.44	262	14	0.06	43	<10	3060	
BM-10		2860	102	0.04	1510	70	2460	1.56	282	18	0.06	47	<10	3270	
Target Range - Lower Bound		2410	90		1205	40	1980	1.27	199					2890	
Upper Bound		2950	112		1475	70	2430	1.57	255					3530	
G2000		566	5	0.15	289	980	678	0.27	34	122	0.35	108	20	1270	
G2000		568	5	0.14	285	950	667	0.27	33	115	0.35	106	20	1245	
G2000		545	5	0.15	272	940	664	0.26	32	118	0.34	103	10	1250	
G2000		577	5	0.14	292	960	699	0.27	33	116	0.37	110	10	1325	
G2000		578	6	0.14	277	960	655	0.26	35	115	0.35	108	10	1265	
G2000		544	6	0.13	266	900	627	0.27	31	114	0.33	101	10	1240	
G2000		553	6	0.15	271	950	663	0.28	32	118	0.34	103	10	1230	
G2000		559	5	0.14	285	1010	665	0.28	34	121	0.36	108	10	1280	
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130	
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385	
OXF28															
OXF28															
OXF28														0.775	
OXF28															
OXF28															
OXF28															
OXF28															
Target Range - Lower Bound														0.741	
Upper Bound														0.863	
OXX18															
OXX18															
OXX18														3.46	
OXX18															
OXX18															
OXX18															
Target Range - Lower Bound														3.22	
Upper Bound														3.71	

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



TO: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3




Page: 3 - A
Total # Pages: 6 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
		0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														
ORIGINAL		0.032														
DUP		0.027														
Target Range - Lower Bound		0.018														
Upper Bound		0.041														
ORIGINAL		1.080														
DUP		1.110														
Target Range - Lower Bound		1.030														
Upper Bound		1.160														

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 3 - B
Total # Pages: 6 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D	
		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn	Au
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
BLANKS															
BLANK															
BLANK															
BLANK															<0.005
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	<1	0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2	
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<0.005
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	0.010
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - A

Total # Pages: 6 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071096

Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
Sample Description	DUPLICATES														
ORIGINAL		<0.5	3.79	10	360	1.0	<2	13.45	<0.5	4	23	12	1.42	1.33	1.55
DUP		<0.5	3.75	<5	340	1.0	<2	13.10	<0.5	3	22	12	1.40	1.31	1.53
Target Range - Lower Bound		<0.5	3.56	<5	310	<0.5	<2	12.60	<0.5	<1	19	9	1.32	1.23	1.44
Upper Bound		1.0	3.98	10	390	2.1	4	13.95	1.0	6	26	15	1.50	1.41	1.64
080410 -150		<0.5	3.37	25	540	0.9	<2	2.53	0.6	8	45	46	1.85	0.85	0.57
DUP		<0.5	3.66	41	580	0.9	<2	2.75	<0.5	8	44	47	1.98	0.86	0.61
Target Range - Lower Bound		<0.5	3.32	21	510	<0.5	<2	2.49	<0.5	6	40	42	1.80	0.79	0.54
Upper Bound		1.0	3.71	45	610	1.0	4	2.79	1.0	10	49	51	2.03	0.92	0.64
080630-150		0.018													
DUP		0.011													
Target Range - Lower Bound		<0.005													
Upper Bound		0.025													
080633-150		<0.5	5.77	17	940	1.3	<2	0.68	<0.5	9	63	20	3.05	1.41	0.62
DUP		<0.5	6.06	15	970	1.3	<2	0.71	<0.5	9	66	20	3.15	1.42	0.64
Target Range - Lower Bound		<0.5	5.60	<5	890	<0.5	<2	0.64	<0.5	7	59	17	2.93	1.32	0.58
Upper Bound		1.0	6.23	27	1020	2.4	4	0.75	1.0	11	70	23	3.28	1.51	0.68
080650-150		<0.005													
DUP		<0.005													
Target Range - Lower Bound		<0.005													
Upper Bound		0.010													
080669-150		<0.5	5.66	28	1160	1.3	<2	0.94	0.7	11	65	38	2.98	1.52	0.73
DUP		<0.5	6.08	19	1200	1.4	<2	0.97	0.6	10	68	40	3.11	1.64	0.77
Target Range - Lower Bound		<0.5	5.56	12	1100	<0.5	<2	0.89	<0.5	8	61	35	2.87	1.48	0.69
Upper Bound		1.0	6.18	35	1280	2.4	4	1.02	1.0	13	72	43	3.22	1.68	0.81
080670-150		0.006													
DUP		0.016													
Target Range - Lower Bound		<0.005													
Upper Bound		0.022													
080739-150		<0.5	6.22	112	780	1.5	<2	0.81	<0.5	13	60	30	3.17	1.89	0.73
DUP		<0.5	6.25	108	800	1.6	<2	0.84	<0.5	13	60	30	3.18	1.88	0.73
Target Range - Lower Bound		<0.5	5.90	95	730	<0.5	<2	0.76	<0.5	10	55	27	3.00	1.77	0.67
Upper Bound		1.0	6.57	126	850	2.6	4	0.89	1.0	16	65	34	3.35	2.00	0.79

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



O: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - B

Total # Pages: 6 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D	
		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	
		5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	Au ppm 0.005
DUPLICATES															
ORIGINAL		294	<1	0.79	10	400	14	0.03	<5	373	0.19	33	<10	35	
DUP		294	1	0.78	11	400	13	0.02	<5	375	0.18	32	<10	34	
Target Range - Lower Bound		269	<1	0.73	8	360	9	<0.01	<5	353	0.16	29	<10	29	
Upper Bound		319	2	0.84	13	440	18	0.05	10	395	0.21	36	20	40	
080410 -150		549	1	0.31	39	1010	13	0.18	<5	170	0.16	53	<10	47	
DUP		585	1	0.34	40	1050	15	0.20	7	186	0.16	56	10	47	
Target Range - Lower Bound		529	<1	0.29	36	960	9	0.16	<5	167	0.13	50	<10	41	
Upper Bound		605	2	0.36	43	1100	19	0.22	10	189	0.19	59	20	53	
080630-150															
DUP															
Target Range - Lower Bound															
Upper Bound															
080633-150		376	1	0.95	21	450	18	0.01	<5	150	0.40	117	<10	65	
DUP		393	1	0.98	23	480	20	0.01	<5	156	0.38	118	<10	65	
Target Range - Lower Bound		355	<1	0.90	19	420	14	<0.01	<5	143	0.35	110	<10	58	
Upper Bound		414	2	1.03	25	510	24	0.02	10	163	0.43	125	20	72	
080650-150															
DUP															
Target Range - Lower Bound															
Upper Bound															
080669-150		561	1	0.71	29	650	27	0.01	6	123	0.31	110	<10	102	
DUP		590	1	0.77	33	700	26	0.01	<5	135	0.33	118	<10	108	
Target Range - Lower Bound		537	<1	0.68	27	620	21	<0.01	<5	121	0.28	106	<10	96	
Upper Bound		614	2	0.80	35	730	32	0.02	10	137	0.36	122	20	114	
080670-150															
DUP															
Target Range - Lower Bound															
Upper Bound															
080739-150		655	<1	0.88	34	620	32	0.02	9	155	0.32	88	10	97	
DUP		661	<1	0.87	32	620	31	0.02	10	156	0.31	88	10	99	
Target Range - Lower Bound		615	<1	0.81	29	570	26	<0.01	<5	146	0.28	82	<10	89	
Upper Bound		701	2	0.94	37	670	37	0.04	10	165	0.35	94	20	107	

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 5 - A

Total # Pages: 6 (A - B)

Finalized Date: 30-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071096

Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
Sample Description															
080762-150	0.006														
DUP	0.006														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
080775-150		1.0	5.69	18	710	1.2	<2	0.63	<0.5	5	57	27	2.56	1.48	0.60
DUP		1.0	5.80	19	730	1.2	<2	0.65	<0.5	6	58	28	2.64	1.53	0.62
Target Range - Lower Bound		<0.5	5.44	8	660	<0.5	<2	0.58	<0.5	3	53	24	2.45	1.41	0.56
Upper Bound		2.1	6.05	29	780	2.3	4	0.69	1.0	8	62	31	2.75	1.60	0.66
080857-150	<0.005														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
088829-150		<0.5	5.82	19	950	1.2	<2	0.82	<0.5	9	62	21	2.64	1.41	0.71
DUP		<0.5	5.99	16	950	1.3	<2	0.83	<0.5	9	61	22	2.67	1.46	0.72
Target Range - Lower Bound		<0.5	5.69	7	880	<0.5	<2	0.76	<0.5	7	56	18	2.50	1.34	0.66
Upper Bound		1.0	6.22	28	1020	2.3	4	0.89	1.0	11	67	25	2.81	1.53	0.77
088838-150	<0.005														
DUP	0.049														
Target Range - Lower Bound	0.016														
Upper Bound	0.038														
088855-150	0.011														
DUP	0.014														
Target Range - Lower Bound	<0.005														
Upper Bound	0.023														
088858-150	<0.005														
DUP	0.009														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
088865-150		<0.5	5.61	23	910	1.6	<2	1.00	<0.5	8	59	30	2.91	1.34	0.66
DUP		<0.5	5.57	22	920	1.2	<2	1.01	<0.5	6	62	30	2.93	1.32	0.66
Target Range - Lower Bound		<0.5	5.29	11	850	<0.5	<2	0.93	<0.5	5	55	27	2.75	1.24	0.61
Upper Bound		1.0	5.89	34	980	2.5	4	1.08	1.0	9	66	34	3.09	1.42	0.71

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

TO: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 6 - B
Total # Pages: 6 (A - B)
Finalized Date: 30-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04071096

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D	
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
DUPLICATES															
088910-150															0.006
DUP															
Target Range - Lower Bound															<0.005
Upper Bound															0.010

Comments: sample 088838-150 shows erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: **STRATAGOLD EXPLORATION INC.**
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 1
Finalized Date: 29-OCT-2004
Account: STRGOL

CERTIFICATE VA04070980

Project: Dub 1735

P.O. No.:

This report is for 460 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

RECEIVED
NOV - 8 2004

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD EXPLORATION INC.**
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080001 -80+150		0.46														
080002 -80+150		0.48														
080003 -80+150		0.40														
080004 -80+150		0.66														
080005 -80+150		0.44														
080006 -80+150		0.36														
080007 -80+150		0.34														
080008 -80+150		0.60														
080009 -80+150		0.54														
080010 -80+150		0.48														
080011 -80+150		0.54														
080012 -80+150		0.42														
080013 -80+150		0.58														
080014 -80+150		0.44														
080015 -80+150		0.50														
080016 -80+150		0.44														
080017 -80+150		0.36														
080018 -80+150		0.42														
080019 -80+150		0.52														
080020 -80+150		0.42														
080021 -80+150		0.36														
080022 -80+150		0.64														
080023 -80+150		0.58														
080024 -80+150		0.58														
080025 -80+150		0.50														
080026 -80+150		0.58														
080027 -80+150		0.54														
080028 -80+150		0.54														
080029 -80+150		0.40														
080030 -80+150		0.64														
080031 -80+150		0.60														
080032 -80+150		0.56														
080033 -80+150		0.54														
080034 -80+150		0.66														
080035 -80+150		0.78														
080036 -80+150		0.60														
080037 -80+150		0.58														
080038 -80+150		0.70														
080039 -80+150		0.58														
080040 -80+150		0.54														

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 2 - B
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080001 -80+150																
080002 -80+150																
080003 -80+150																
080004 -80+150																
080005 -80+150																
080006 -80+150																
080007 -80+150																
080008 -80+150																
080009 -80+150																
080010 -80+150																
080011 -80+150																
080012 -80+150																
080013 -80+150																
080014 -80+150																
080015 -80+150																
080016 -80+150																
080017 -80+150																
080018 -80+150																
080019 -80+150																
080020 -80+150																
080021 -80+150																
080022 -80+150																
080023 -80+150																
080024 -80+150																
080025 -80+150																
080026 -80+150																
080027 -80+150																
080028 -80+150																
080029 -80+150																
080030 -80+150																
080031 -80+150																
080032 -80+150																
080033 -80+150																
080034 -80+150																
080035 -80+150																
080036 -80+150																
080037 -80+150																
080038 -80+150																
080039 -80+150																
080040 -80+150																

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 3 - A
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080041 -80+150		0.60														
080042 -80+150		0.54														
080043 -80+150		0.38														
080044 -80+150		0.50														
080051 -80+150		0.36														
080052 -80+150		0.46														
080053 -80+150		0.42														
080054 -80+150		0.52														
080055 -80+150		0.44														
080056 -80+150		0.44														
080057 -80+150		0.42														
080058 -80+150		0.40														
080059 -80+150		0.44														
080060 -80+150		0.42														
080061 -80+150		0.50														
080062 -80+150		0.34														
080063 -80+150		0.44														
080064 -80+150		0.42														
080065 -80+150		0.40														
080066 -80+150		0.38														
080067 -80+150		0.30														
080068 -80+150		0.36														
080069 -80+150		0.32														
080070 -80+150		0.30														
080071 -80+150		0.34														
080072 -80+150		0.36														
080073 -80+150		0.46														
080074 -80+150		0.30														
080075 -80+150		0.30														
080076 -80+150		0.38														
080077 -80+150		0.34														
080078 -80+150		0.34														
080079 -80+150		0.30														
080080 -80+150		0.30														
080081 -80+150		0.30														
080082 -80+150		0.28														
080083 -80+150		0.28														
080084 -80+150		0.36														
080085 -80+150		0.40														
080086 -80+150		0.34														

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080041 -80+150																
080042 -80+150																
080043 -80+150																
080044 -80+150																
080051 -80+150																
080052 -80+150																
080053 -80+150																
080054 -80+150																
080055 -80+150																
080056 -80+150																
080057 -80+150																
080058 -80+150																
080059 -80+150																
080060 -80+150																
080061 -80+150																
080062 -80+150																
080063 -80+150																
080064 -80+150																
080065 -80+150																
080066 -80+150																
080067 -80+150																
080068 -80+150																
080069 -80+150																
080070 -80+150																
080071 -80+150																
080072 -80+150																
080073 -80+150																
080074 -80+150																
080075 -80+150																
080076 -80+150																
080077 -80+150																
080078 -80+150																
080079 -80+150																
080080 -80+150																
080081 -80+150																
080082 -80+150																
080083 -80+150																
080084 -80+150																
080085 -80+150																
080086 -80+150																

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 4 - A
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080087 -80+150		0.26														
080088 -80+150		0.30														
080089 -80+150		0.22														
080090 -80+150		0.28														
080091 -80+150		0.22														
080092 -80+150		0.28														
080093 -80+150		0.34														
080094 -80+150		0.34														
080095 -80+150		0.24														
080096 -80+150		0.36														
080097 -80+150		0.38														
080098 -80+150		0.38														
080099 -80+150		0.36														
080100 -80+150		0.42														
080101 -80+150		0.38														
080102 -80+150		0.28														
080103 -80+150		0.44														
080104 -80+150		0.28														
080105 -80+150		0.32														
080106 -80+150		0.38														
080107 -80+150		0.28														
080108 -80+150		0.30														
080109 -80+150		0.44														
080110 -80+150		0.44														
080111 -80+150		0.30														
080112 -80+150		0.42														
080113 -80+150		0.34														
080114 -80+150		0.32														
080115 -80+150		0.38														
080116 -80+150		0.32														
080117 -80+150		0.34														
080118 -80+150		0.38														
080119 -80+150		0.38														
080122 -80+150		0.36														
080123 -80+150		0.34														
080124 -80+150		0.44														
080125 -80+150		0.44														
080126 -80+150		0.42														
080127 -80+150		0.42														
080128 -80+150		0.50														

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080087 -80+150																
080088 -80+150																
080089 -80+150																
080090 -80+150																
080091 -80+150																
080092 -80+150																
080093 -80+150																
080094 -80+150																
080095 -80+150																
080096 -80+150																
080097 -80+150																
080098 -80+150																
080099 -80+150																
080100 -80+150																
080101 -80+150																
080102 -80+150																
080103 -80+150																
080104 -80+150																
080105 -80+150																
080106 -80+150																
080107 -80+150																
080108 -80+150																
080109 -80+150																
080110 -80+150																
080111 -80+150																
080112 -80+150																
080113 -80+150																
080114 -80+150																
080115 -80+150																
080116 -80+150																
080117 -80+150																
080118 -80+150																
080119 -80+150																
080122 -80+150																
080123 -80+150																
080124 -80+150																
080125 -80+150																
080126 -80+150																
080127 -80+150																
080128 -80+150																

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 5 - A
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080129 -80+150		0.60														
080130 -80+150		0.58														
080131 -80+150		0.48														
080132 -80+150		0.56														
080133 -80+150		0.58														
080134 -80+150		0.50	0.006													
080135 -80+150		0.70														
080136 -80+150		0.52														
080137 -80+150		0.44														
080138 -80+150		0.52														
080139 -80+150		0.48														
080140 -80+150		0.58														
080141 -80+150		0.54														
080142 -80+150		0.46														
080143 -80+150		0.52														
080144 -80+150		0.48														
080145 -80+150		0.54														
080151 -80+150		0.36														
080152 -80+150		0.38														
080153 -80+150		0.32														
080154 -80+150		0.40														
080155 -80+150		0.46														
080156 -80+150		0.24														
080157 -80+150		0.38														
080158 -80+150		0.32														
080159 -80+150		0.30														
080160 -80+150		0.18														
080161 -80+150		0.34														
080162 -80+150		0.12														
080163 -80+150		0.34														
080164 -80+150		0.32														
080165 -80+150		0.42														
080166 -80+150		0.22														
080167 -80+150		0.16														
080168 -80+150		0.30														
080169 -80+150		0.12														
080170 -80+150		0.26														
080171 -80+150		0.46														
080172 -80+150		0.36														
080173 -80+150		0.32														

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 5 - B
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080129 -80+150																
080130 -80+150																
080131 -80+150																
080132 -80+150																
080133 -80+150																
080134 -80+150																
080135 -80+150																
080136 -80+150																
080137 -80+150																
080138 -80+150																
080139 -80+150																
080140 -80+150																
080141 -80+150																
080142 -80+150																
080143 -80+150																
080144 -80+150																
080145 -80+150																
080151 -80+150																
080152 -80+150																
080153 -80+150																
080154 -80+150																
080155 -80+150																
080156 -80+150																
080157 -80+150																
080158 -80+150																
080159 -80+150																
080160 -80+150																
080161 -80+150																
080162 -80+150																
080163 -80+150																
080164 -80+150																
080165 -80+150																
080166 -80+150																
080167 -80+150																
080168 -80+150																
080169 -80+150																
080170 -80+150																
080171 -80+150																
080172 -80+150																
080173 -80+150																

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 6 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt. kg	Au ppm	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080174 -80+150		0.42														
080175 -80+150		0.40														
080176 -80+150		0.54														
080177 -80+150		0.38														
080178 -80+150		0.38														
080179 -80+150		0.26														
080180 -80+150		0.40														
080181 -80+150		0.38														
080182 -80+150		0.30														
080183 -80+150		0.26														
080184 -80+150		0.38														
080185 -80+150		0.40														
080186 -80+150		0.42														
080187 -80+150		0.24														
080188 -80+150		0.44														
080189 -80+150		0.44														
080190 -80+150		0.32														
080191 -80+150		0.38														
080192 -80+150		0.12														
080193 -80+150		0.34														
080194 -80+150		0.26														
080195 -80+150		0.26														
080196 -80+150		0.18														
080197 -80+150		0.40														
080198 -80+150		0.16														
080199 -80+150		0.40														
080200 -80+150		0.36														
080201 -80+150		0.32														
080202 -80+150		0.38														
080203 -80+150		0.18														
080204 -80+150		0.36														
080205 -80+150		0.34														
080206 -80+150		0.18														
080207 -80+150		0.38														
080208 -80+150		0.46														
080209 -80+150		0.26														
080210 -80+150		0.50														
080211 -80+150		0.38														
080212 -80+150		0.32														
080213 -80+150		0.34														

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 6 - B
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080174 -80+150 080175 -80+150 080176 -80+150 080177 -80+150 080178 -80+150																
080179 -80+150 080180 -80+150 080181 -80+150 080182 -80+150 080183 -80+150																
080184 -80+150 080185 -80+150 080186 -80+150 080187 -80+150 080188 -80+150																
080189 -80+150 080190 -80+150 080191 -80+150 080192 -80+150 080193 -80+150																
080194 -80+150 080195 -80+150 080196 -80+150 080197 -80+150 080198 -80+150																
080199 -80+150 080200 -80+150 080201 -80+150 080202 -80+150 080203 -80+150																
080204 -80+150 080205 -80+150 080206 -80+150 080207 -80+150 080208 -80+150																
080209 -80+150 080210 -80+150 080211 -80+150 080212 -80+150 080213 -80+150																

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 7 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 K %
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
080214 -80+150		0.32														
080215 -80+150		0.34														
080216 -80+150		0.46														
080217 -80+150		0.34														
080218 -80+150		0.32														
080219 -80+150		0.40														
080220 -80+150		0.42														
080221 -80+150		0.42														
080222 -80+150		0.30														
080223 -80+150		0.36														
080224 -80+150		0.36														
080225 -80+150		0.04														
080226 -80+150		0.30														
080227 -80+150		0.42														
080228 -80+150		0.38														
080229 -80+150		0.40														
080230 -80+150		0.40														
080231 -80+150		0.36														
080232 -80+150		0.48														
080233 -80+150		0.38														
080234 -80+150		0.36														
080235 -80+150		0.44														
080236 -80+150		0.36														
080237 -80+150		0.38														
080238 -80+150		0.34														
080239 -80+150		0.38														
080240 -80+150		0.36														
080241 -80+150		0.38														
080242 -80+150		0.32														
080243 -80+150		0.42														
080001 -150			<0.005	<0.5	9.27	12	910	2.1	3	0.31	<0.5	8	82	23	3.40	2.61
080002 -150			<0.005	<0.5	10.15	15	960	2.8	4	0.17	<0.5	6	102	30	4.49	3.56
080003 -150			<0.005	<0.5	6.98	9	780	1.5	2	0.61	<0.5	9	66	25	3.36	1.86
080004 -150			<0.005	<0.5	6.40	8	750	1.3	2	0.60	<0.5	4	68	15	2.44	1.66
080005 -150			<0.005	<0.5	6.07	9	710	1.3	2	0.58	<0.5	5	59	17	2.32	1.60
080006 -150			<0.005	<0.5	6.12	9	710	1.3	2	0.52	<0.5	4	65	15	2.22	1.72
080007 -150			0.007	<0.5	7.80	5	900	1.6	2	0.78	<0.5	6	88	15	3.35	2.15
080008 -150			<0.005	<0.5	7.87	14	930	1.8	2	0.95	<0.5	13	164	28	3.80	2.37
080009 -150			0.007	<0.5	7.58	17	880	1.7	<2	0.59	<0.5	8	82	25	3.46	2.05
080010 -150			<0.005	<0.5	13.75	11	1690	4.2	<2	0.03	<0.5	7	125	39	4.82	5.62

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 7 - B
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn	Au
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080214 -80+150																
080215 -80+150																
080216 -80+150																
080217 -80+150																
080218 -80+150																
080219 -80+150																
080220 -80+150																
080221 -80+150																
080222 -80+150																
080223 -80+150																
080224 -80+150																
080225 -80+150																
080226 -80+150																
080227 -80+150																
080228 -80+150																
080229 -80+150																
080230 -80+150																
080231 -80+150																
080232 -80+150																
080233 -80+150																
080234 -80+150																
080235 -80+150																
080236 -80+150																
080237 -80+150																
080238 -80+150																
080239 -80+150																
080240 -80+150																
080241 -80+150																
080242 -80+150																
080243 -80+150																
080001 -150		0.62	227	2	0.74	26	270	24	0.01	<5	177	0.37	134	<10	71	
080002 -150		0.89	236	2	0.64	16	480	31	0.03	<5	168	0.29	146	<10	83	
080003 -150		0.70	323	1	0.98	28	580	19	0.01	<5	165	0.33	112	<10	81	
080004 -150		0.61	214	2	0.89	16	600	15	0.01	<5	145	0.35	111	<10	46	
080005 -150		0.56	202	1	0.86	17	540	13	0.01	<5	146	0.35	97	<10	45	
080006 -150		0.53	187	2	0.83	15	770	16	0.02	<5	138	0.34	102	<10	39	
080007 -150		0.79	281	1	1.14	22	870	22	0.03	<5	181	0.50	134	<10	61	
080008 -150		1.41	464	2	0.90	53	520	29	0.01	6	181	0.41	148	<10	78	
080009 -150		0.79	288	2	0.99	22	260	21	0.01	<5	166	0.39	131	<10	60	
080010 -150		1.20	243	2	0.62	25	320	33	0.02	<5	168	0.38	182	<10	92	

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 8 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080011 -150			<0.005	<0.5	8.63	8	1020	1.9	2	0.47	<0.5	7	85	23	3.87	2.27
080012 -150			<0.005	<0.5	7.86	14	890	1.8	<2	0.48	<0.5	12	76	24	3.47	2.17
080013 -150			<0.005	<0.5	8.27	8	870	2.0	<2	0.39	<0.5	7	78	29	3.54	2.42
080014 -150			<0.005	<0.5	6.77	12	830	1.3	<2	0.61	<0.5	9	74	19	3.72	1.44
080015 -150			<0.005	<0.5	9.17	7	860	2.0	<2	0.32	<0.5	6	80	36	4.56	2.41
080016 -150			<0.005	0.7	8.26	18	840	2.0	2	0.33	<0.5	3	85	15	3.04	2.51
080017 -150			<0.005	<0.5	6.19	18	790	1.1	<2	0.65	<0.5	8	69	13	3.27	1.27
080018 -150			0.012	1.8	7.74	247	810	1.6	5	0.67	<0.5	4	80	14	2.58	2.13
080019 -150			<0.005	<0.5	9.65	140	860	2.8	5	0.22	<0.5	8	111	41	3.97	3.67
080020 -150			<0.005	<0.5	9.80	63	930	2.5	10	0.32	<0.5	5	159	20	3.23	3.42
080021 -150			<0.005	<0.5	10.05	60	960	2.5	9	0.32	<0.5	5	146	21	3.10	3.40
080022 -150			<0.005	<0.5	8.83	105	900	2.1	5	0.38	<0.5	5	75	20	2.88	2.92
080023 -150			0.005	<0.5	8.47	180	860	2.2	4	0.33	<0.5	6	78	21	2.95	3.01
080024 -150			<0.005	<0.5	7.90	78	880	1.8	<2	0.47	<0.5	8	121	19	3.22	2.12
080025 -150			<0.005	<0.5	8.74	103	900	2.0	3	0.40	<0.5	7	93	22	3.20	2.60
080026 -150			0.008	<0.5	7.93	80	860	1.9	<2	0.43	<0.5	6	80	19	2.85	2.41
080027 -150			<0.005	<0.5	9.45	95	970	2.5	3	0.36	<0.5	7	91	32	3.82	3.19
080028 -150			<0.005	<0.5	9.56	66	980	2.4	<2	0.43	<0.5	8	90	30	3.81	3.15
080029 -150			0.006	<0.5	7.76	82	880	1.8	2	0.53	<0.5	7	77	26	3.43	2.31
080030 -150			<0.005	<0.5	8.15	63	860	1.9	2	0.41	<0.5	5	82	22	3.53	2.55
080031 -150			0.008	<0.5	6.58	37	680	1.6	2	0.47	0.6	67	63	22	5.10	1.80
080032 -150			<0.005	<0.5	6.05	28	840	1.4	2	0.68	<0.5	6	59	21	2.68	1.62
080033 -150			<0.005	<0.5	6.86	40	850	1.6	<2	0.61	<0.5	6	66	20	2.97	1.84
080034 -150			0.009	<0.5	7.86	59	1100	1.7	2	0.49	<0.5	8	71	25	3.19	2.52
080035 -150			<0.005	<0.5	8.38	32	1280	2.0	2	0.79	<0.5	11	70	36	3.50	2.78
080036 -150			<0.005	<0.5	7.61	21	1220	1.7	<2	0.87	<0.5	12	68	37	3.36	2.15
080037 -150			0.005	<0.5	8.59	24	1420	2.0	<2	0.76	<0.5	15	81	31	3.73	2.76
080038 -150			0.015	<0.5	6.68	17	1280	1.4	<2	0.89	<0.5	8	64	26	2.85	1.66
080039 -150			0.005	0.5	6.41	16	1140	1.4	<2	1.05	<0.5	7	66	31	2.88	1.48
080040 -150			0.013	<0.5	6.74	32	3910	1.7	<2	0.71	<0.5	7	72	54	3.75	1.67
080041 -150			0.006	0.5	5.90	21	1560	1.1	<2	0.82	<0.5	6	66	28	3.16	1.34
080042 -150			0.007	<0.5	5.95	26	1480	1.4	<2	1.21	<0.5	8	63	36	2.89	1.49
080043 -150			0.006	<0.5	6.43	15	1540	1.5	<2	1.84	<0.5	8	63	39	2.92	1.71
080044 -150			<0.005	<0.5	7.33	21	1270	1.8	2	1.06	0.9	12	72	53	3.86	2.11
080051 -150			0.006	<0.5	7.64	14	840	2.0	3	0.44	<0.5	10	72	37	3.61	2.33
080052 -150			<0.005	<0.5	7.90	11	1140	1.8	<2	0.71	<0.5	9	76	31	3.33	2.18
080053 -150			<0.005	<0.5	9.03	11	1000	2.2	<2	0.50	<0.5	11	81	33	3.49	2.53
080054 -150			<0.005	<0.5	8.34	11	1020	2.0	<2	0.62	<0.5	8	75	30	3.25	2.41
080055 -150			<0.005	<0.5	8.56	12	1010	2.0	<2	0.66	<0.5	9	79	30	3.43	2.30
080056 -150			<0.005	<0.5	8.17	6	900	1.9	<2	0.55	<0.5	11	76	22	3.09	2.33

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 8 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080011 -150		0.84	298	2	0.85	19	270	41	0.01	<5	155	0.37	140	<10	70	
080012 -150		0.72	382	1	0.86	28	280	46	0.01	5	146	0.37	127	<10	87	
080013 -150		0.69	240	1	0.73	27	260	44	0.01	17	147	0.33	125	<10	76	
080014 -150		0.75	390	2	0.94	25	320	26	0.01	<5	149	0.38	125	<10	72	
080015 -150		0.78	245	1	0.67	19	320	27	0.01	15	137	0.30	124	<10	111	
080016 -150		0.40	181	2	0.59	11	310	134	0.01	23	148	0.42	140	<10	90	
080017 -150		0.63	367	2	0.89	20	510	66	0.02	9	137	0.39	124	<10	64	
080018 -150		0.66	228	1	0.83	11	800	1530	0.01	1030	163	0.39	126	<10	59	
080019 -150		0.61	173	1	0.45	24	430	24	0.05	23	121	0.36	135	<10	59	
080020 -150		0.54	161	1	0.54	21	510	17	0.01	13	219	0.38	158	<10	42	
080021 -150		0.53	163	2	0.53	20	600	18	0.01	15	222	0.41	156	<10	40	<0.005
080022 -150		0.56	200	1	0.68	17	370	21	0.01	9	160	0.40	138	<10	46	
080023 -150		0.50	216	1	0.56	20	390	34	0.01	18	146	0.38	123	<10	60	
080024 -150		0.59	276	2	0.75	24	410	32	0.01	9	152	0.43	150	<10	60	
080025 -150		0.56	209	1	0.64	20	370	33	0.01	7	157	0.40	132	<10	57	
080026 -150		0.55	201	1	0.66	17	370	26	0.01	6	152	0.39	121	<10	50	
080027 -150		0.79	251	2	0.66	27	500	27	0.03	8	149	0.41	132	<10	70	
080028 -150		0.82	284	2	0.73	24	510	21	0.01	5	155	0.41	136	<10	69	
080029 -150		0.64	254	2	0.77	23	670	24	0.02	6	148	0.40	127	<10	67	
080030 -150		0.61	179	1	0.66	17	750	24	0.02	6	139	0.38	126	<10	53	
080031 -150		0.68	2240	1	0.69	29	700	44	0.03	5	118	0.30	92	<10	101	
080032 -150		0.64	301	1	0.91	20	450	17	0.01	<5	154	0.39	101	<10	64	
080033 -150		0.66	280	1	0.84	17	590	25	0.01	9	140	0.37	103	<10	65	
080034 -150		0.61	368	1	0.86	22	320	23	0.01	6	124	0.28	97	<10	75	
080035 -150		0.93	741	1	0.88	31	620	34	0.01	<5	104	0.30	106	<10	107	
080036 -150		0.77	741	1	0.87	31	540	26	0.01	<5	136	0.33	106	<10	87	
080037 -150		0.89	1015	1	0.88	33	540	23	0.02	<5	125	0.34	108	<10	89	
080038 -150		0.73	416	1	0.99	23	600	25	0.01	<5	149	0.35	102	<10	80	
080039 -150		0.73	464	1	1.09	27	730	34	0.01	<5	174	0.37	112	<10	96	
080040 -150		0.78	366	4	0.78	36	520	19	0.03	7	154	0.33	166	<10	85	
080041 -150		0.64	283	2	1.00	20	380	20	0.01	<5	159	0.39	132	<10	59	<0.005
080042 -150		0.68	601	1	0.80	29	640	18	0.02	6	151	0.32	114	<10	94	
080043 -150		0.67	566	1	0.77	33	760	15	0.05	8	176	0.32	127	<10	94	
080044 -150		0.86	586	2	0.71	44	730	27	0.03	13	138	0.34	138	<10	152	
080051 -150		0.64	362	1	0.77	21	530	31	0.02	<5	152	0.30	109	<10	68	
080052 -150		0.77	417	1	1.05	27	640	17	0.01	<5	186	0.36	126	<10	85	
080053 -150		0.73	379	1	0.80	27	440	26	0.01	<5	166	0.34	124	<10	73	
080054 -150		0.74	325	1	0.90	28	500	17	0.01	<5	175	0.35	120	<10	80	
080055 -150		0.77	371	1	0.83	26	510	23	0.01	<5	163	0.34	118	<10	78	
080056 -150		0.72	346	1	0.83	19	460	29	0.01	5	160	0.33	110	<10	69	

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 9 - A
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080057 -150			<0.005	0.5	8.67	23	910	2.1	<2	0.46	<0.5	8	81	26	3.25	2.50
080058 -150			<0.005	0.5	9.67	69	1020	2.6	2	0.39	<0.5	12	84	29	3.53	3.12
080059 -150			0.007	<0.5	9.95	31	960	2.5	<2	0.33	<0.5	10	81	30	3.57	3.04
080060 -150			<0.005	0.9	8.58	78	970	2.0	2	0.48	<0.5	6	76	25	3.13	2.48
080061 -150			<0.005	0.9	8.47	76	1010	2.1	<2	0.50	<0.5	6	79	25	3.18	2.55
080062 -150			<0.005	0.6	7.26	63	930	1.7	<2	0.58	<0.5	25	69	34	3.45	1.74
080063 -150			<0.005	0.9	7.63	666	800	2.0	<2	0.69	1.2	17	75	32	3.88	2.10
080064 -150			<0.005	<0.5	10.40	30	950	2.9	<2	0.19	<0.5	8	92	48	4.87	3.22
080065 -150			<0.005	<0.5	9.17	16	880	2.0	<2	0.37	<0.5	9	79	32	4.07	2.36
080066 -150			<0.005	<0.5	7.84	14	960	1.7	<2	0.90	<0.5	6	66	27	3.09	2.08
080067 -150			<0.005	<0.5	6.18	12	740	1.3	<2	0.62	<0.5	5	62	19	2.39	1.54
080068 -150			<0.005	<0.5	8.08	12	890	1.8	<2	0.69	<0.5	6	78	23	3.21	2.07
080069 -150			<0.005	<0.5	7.82	8	980	1.8	<2	0.66	<0.5	6	80	22	3.09	2.09
080070 -150			0.009	<0.5	8.20	16	900	1.9	<2	0.54	<0.5	9	103	28	3.31	2.25
080071 -150			<0.005	<0.5	6.86	12	820	1.5	2	0.58	<0.5	5	70	19	2.76	1.77
080072 -150			<0.005	<0.5	6.07	18	810	1.4	<2	0.55	<0.5	9	60	27	3.09	1.46
080073 -150			<0.005	<0.5	10.65	33	1020	3.1	<2	0.15	<0.5	17	101	40	4.11	3.91
080074 -150			<0.005	<0.5	6.27	16	740	1.4	2	0.57	<0.5	6	58	19	2.50	1.66
080075 -150			<0.005	<0.5	8.70	84	950	2.1	<2	0.61	<0.5	18	84	25	3.69	2.55
080076 -150			<0.005	<0.5	8.53	108	970	1.9	4	0.58	<0.5	9	71	36	4.04	2.37
080077 -150			<0.005	<0.5	7.76	71	810	2.1	3	0.49	<0.5	10	70	36	3.64	2.55
080078 -150			<0.005	<0.5	7.73	204	910	1.9	4	0.63	<0.5	8	92	30	3.20	2.13
080079 -150			<0.005	<0.5	7.44	225	840	1.8	5	0.53	<0.5	9	80	26	3.34	1.98
080080 -150			0.015	<0.5	8.62	29	940	2.2	<2	0.41	<0.5	11	87	32	3.86	2.52
080081 -150			0.051	<0.5	8.10	26	890	1.9	<2	0.45	<0.5	10	82	26	3.58	2.26
080082 -150			0.007	<0.5	7.55	122	850	1.9	3	0.51	<0.5	12	77	33	3.30	2.11
080083 -150			<0.005	<0.5	8.75	192	830	2.2	6	0.44	<0.5	12	89	26	3.48	2.49
080084 -150			<0.005	<0.5	8.40	107	960	2.2	<2	0.68	<0.5	9	81	33	3.62	2.47
080085 -150			<0.005	<0.5	9.53	16	950	2.4	<2	0.42	<0.5	5	82	27	3.54	2.96
080086 -150			<0.005	<0.5	8.01	33	840	1.9	2	0.50	<0.5	6	80	19	3.14	2.34
080087 -150			<0.005	<0.5	6.39	14	740	1.4	<2	0.57	<0.5	4	74	13	2.70	1.76
080088 -150			<0.005	<0.5	11.75	11	1300	3.4	2	0.14	<0.5	4	99	30	4.53	4.57
080089 -150			<0.005	<0.5	6.61	25	1080	1.4	<2	1.12	<0.5	9	67	18	2.72	1.84
080090 -150			<0.005	<0.5	6.61	18	1000	1.4	<2	1.27	<0.5	9	64	27	2.89	1.78
080091 -150			<0.005	<0.5	6.49	9	910	1.4	2	1.00	<0.5	7	60	24	2.57	1.72
080092 -150			<0.005	<0.5	6.18	20	960	1.3	<2	0.98	<0.5	9	61	24	2.93	1.56
080093 -150			<0.005	<0.5	6.72	20	1180	1.4	<2	0.90	<0.5	12	66	29	3.21	1.62
080094 -150			<0.005	<0.5	7.72	26	1520	1.7	3	1.01	<0.5	9	78	36	3.58	2.13
080095 -150			<0.005	<0.5	7.67	23	1040	1.7	<2	1.05	<0.5	10	70	27	3.17	2.19
080096 -150			<0.005	<0.5	7.76	25	1100	1.6	2	1.02	<0.5	10	75	28	3.33	2.00

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 9 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2
080057 -150		0.84	252	2	0.76	24	550	52	0.02	21	146	0.28	114	<10	88
080058 -150		0.73	375	1	0.72	26	400	110	0.01	59	152	0.32	128	<10	123
080059 -150		0.69	320	1	0.73	26	320	55	0.01	23	146	0.30	120	<10	108
080060 -150		0.69	274	1	0.80	20	290	217	0.01	125	148	0.33	122	<10	85
080061 -150		0.71	288	1	0.84	23	300	223	0.01	127	153	0.34	124	<10	86
080062 -150		0.71	711	1	0.98	35	300	108	0.01	73	158	0.33	118	<10	108
080063 -150		0.58	503	1	0.78	49	660	702	0.03	320	159	0.29	104	<10	248
080064 -150		0.65	206	1	0.59	28	500	37	0.01	15	136	0.26	132	<10	104
080065 -150		0.78	363	1	0.67	24	450	26	0.01	12	134	0.29	114	<10	75
080066 -150		0.80	332	<1	1.08	18	590	21	<0.01	11	198	0.36	118	<10	65
080067 -150		0.54	260	1	0.83	16	760	20	0.02	<5	134	0.36	102	<10	41
080068 -150		0.74	267	1	0.91	20	600	29	0.01	<5	162	0.38	120	<10	68
080069 -150		0.73	315	1	0.91	21	550	21	0.01	<5	158	0.38	122	<10	71
080070 -150		0.74	354	2	0.87	37	400	23	0.01	6	154	0.37	124	<10	72
080071 -150		0.67	288	1	0.94	20	500	17	0.01	<5	148	0.36	114	<10	52
080072 -150		0.64	437	1	0.91	24	320	42	0.01	8	141	0.34	103	<10	65
080073 -150		0.79	555	1	0.49	41	370	49	0.01	9	127	0.20	130	<10	101
080074 -150		0.53	271	1	0.85	19	520	19	0.01	<5	138	0.29	95	<10	53
080075 -150		0.84	574	1	0.83	24	560	33	0.02	10	148	0.38	118	<10	73
080076 -150		0.87	436	1	0.81	28	600	31	0.02	11	146	0.32	99	<10	69
080077 -150		0.71	356	1	0.72	36	630	33	0.01	11	134	0.31	99	<10	83
080078 -150		0.95	273	1	0.97	25	360	14	0.03	<5	154	0.43	120	<10	51
080079 -150		0.81	340	1	0.84	28	330	14	0.02	<5	136	0.40	114	<10	56
080080 -150		0.93	309	1	0.81	30	330	16	0.04	<5	130	0.40	118	<10	62
080081 -150		0.84	286	1	0.84	25	290	14	0.03	<5	130	0.41	118	<10	55
080082 -150		0.90	318	1	0.89	31	370	16	0.02	5	139	0.38	122	<10	53
080083 -150		0.76	440	3	0.66	22	580	24	0.03	7	129	0.44	123	<10	52
080084 -150		0.95	332	1	0.96	29	580	18	0.02	8	166	0.38	128	<10	74
080085 -150		0.91	299	1	0.72	19	440	18	0.03	<5	130	0.40	124	<10	67
080086 -150		0.76	258	1	0.82	19	400	23	0.01	6	137	0.38	116	<10	56
080087 -150		0.72	239	1	0.76	19	580	23	0.03	6	132	0.35	100	<10	51
080088 -150		0.93	168	1	0.42	13	760	27	0.06	11	157	0.36	142	<10	66
080089 -150		0.62	712	1	0.85	21	540	21	0.04	<5	157	0.35	103	<10	88
080090 -150		0.66	319	<1	0.80	28	580	19	0.09	<5	174	0.33	96	<10	97
080091 -150		0.59	251	<1	0.87	24	560	20	0.06	5	158	0.32	97	<10	84
080092 -150		0.62	371	1	0.84	25	690	22	0.04	5	144	0.35	106	<10	80
080093 -150		0.69	671	1	0.96	29	640	23	0.02	<5	151	0.37	114	<10	91
080094 -150		0.76	418	1	0.72	30	610	25	0.11	9	140	0.33	122	<10	118
080095 -150		0.70	650	1	0.86	29	660	22	0.05	6	152	0.35	106	<10	100
080096 -150		0.73	466	1	1.02	26	550	19	0.01	<5	160	0.37	114	<10	84

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 10 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
Sample Description															
080097 -150		<0.005	<0.5	7.69	68	1020	1.6	3	0.85	<0.5	7	72	18	2.96	2.20
080098 -150		0.006	<0.5	9.06	44	1420	2.1	<2	0.44	<0.5	13	84	35	3.90	2.89
080099 -150		<0.005	<0.5	6.92	38	940	1.3	<2	0.73	<0.5	6	78	16	3.00	1.72
080100 -150		<0.005	<0.5	7.67	32	1160	1.7	2	0.66	<0.5	10	67	19	3.27	2.44
080101 -150		<0.005	<0.5	7.94	32	1180	1.8	<2	0.70	<0.5	9	68	19	3.36	2.37
080102 -150		<0.005	<0.5	6.46	12	1130	1.4	<2	1.07	<0.5	8	61	17	2.83	1.57
080103 -150		<0.005	<0.5	7.93	30	1520	1.7	<2	0.60	2.5	9	63	52	4.05	2.20
080104 -150		<0.005	<0.5	8.13	74	1610	1.9	<2	0.95	<0.5	9	75	31	3.52	2.53
080105 -150		0.007	<0.5	7.05	52	1300	1.6	<2	0.86	<0.5	10	72	33	3.38	1.84
080106 -150		0.013	<0.5	7.84	131	2650	1.7	<2	0.66	<0.5	9	82	44	3.75	1.98
080107 -150		<0.005	<0.5	7.69	36	1090	1.8	<2	0.48	<0.5	6	73	26	3.15	2.38
080108 -150		<0.005	<0.5	7.78	23	990	1.8	<2	0.45	<0.5	9	74	28	3.18	2.41
080109 -150		<0.005	<0.5	7.10	19	890	1.5	<2	0.68	<0.5	8	65	24	3.51	1.92
080110 -150		<0.005	<0.5	6.38	23	830	1.3	3	0.66	<0.5	7	61	21	3.52	1.70
080111 -150		<0.005	<0.5	6.90	27	1040	1.4	<2	0.72	<0.5	10	72	23	3.31	1.56
080112 -150		<0.005	<0.5	6.86	33	930	1.5	<2	0.68	<0.5	9	71	23	3.12	1.66
080113 -150		<0.005	<0.5	6.43	34	930	1.3	<2	0.69	<0.5	9	73	23	3.45	1.40
080114 -150		<0.005	<0.5	6.41	59	890	1.2	<2	0.70	<0.5	9	71	14	3.38	1.50
080115 -150		<0.005	<0.5	6.79	42	920	1.2	<2	0.68	<0.5	7	77	18	3.50	1.34
080116 -150		<0.005	<0.5	7.34	28	890	1.5	<2	0.58	<0.5	7	77	23	3.10	1.86
080117 -150		<0.005	<0.5	5.91	73	750	1.2	3	0.59	<0.5	9	61	26	3.01	1.40
080118 -150		<0.005	<0.5	6.58	21	840	1.3	<2	0.63	<0.5	8	68	20	3.02	1.62
080119 -150		<0.005	0.5	7.80	27	840	1.8	2	0.47	<0.5	9	72	41	3.35	2.56
080122 -150		<0.005	<0.5	5.78	38	700	1.1	2	0.57	<0.5	5	64	12	3.28	1.45
080123 -150		<0.005	<0.5	6.31	37	770	1.2	<2	0.61	<0.5	8	70	12	3.55	1.58
080124 -150		<0.005	0.8	6.81	24	940	1.4	4	0.72	0.8	8	71	23	3.07	1.81
080125 -150		<0.005	<0.5	5.93	34	790	1.1	<2	0.66	<0.5	9	69	21	3.53	1.18
080126 -150		<0.005	0.5	5.85	75	750	1.3	2	0.79	<0.5	10	64	54	3.11	1.38
080127 -150		<0.005	1.6	7.19	59	1000	1.5	5	0.67	<0.5	9	70	64	3.50	1.82
080128 -150		0.022	<0.5	6.78	35	930	1.5	<2	0.68	<0.5	10	68	36	3.11	1.58
080129 -150		<0.005	<0.5	5.34	20	750	1.1	<2	0.81	<0.5	6	59	16	2.60	1.29
080130 -150		<0.005	<0.5	5.96	14	1140	1.3	<2	1.01	<0.5	9	62	25	2.82	1.35
080131 -150		<0.005	<0.5	6.33	20	1040	1.3	<2	1.07	<0.5	11	67	25	3.21	1.48
080132 -150		<0.005	<0.5	9.06	67	920	2.2	3	0.26	<0.5	11	77	36	4.01	2.92
080133 -150		<0.005	<0.5	7.86	27	920	2.0	<2	0.44	<0.5	15	72	30	4.08	2.30
080134 -150		NSS	<0.5	11.65	56	1100	3.3	<2	0.06	<0.5	23	93	43	5.34	4.09
080135 -150		<0.005	<0.5	8.71	31	900	2.2	2	0.31	<0.5	12	73	37	3.95	2.87
080136 -150		<0.005	<0.5	8.94	24	920	2.2	<2	0.37	<0.5	17	76	33	3.93	2.60
080137 -150		0.005	<0.5	8.25	20	1100	1.9	2	0.59	<0.5	9	75	29	3.28	2.21
080138 -150		<0.005	<0.5	7.47	23	810	1.9	2	0.47	<0.5	11	71	30	3.58	2.20

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 10 - B
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080097 -150		0.69	396	<1	1.01	24	530	20	0.01	59	159	0.37	110	<10	68	<0.005
080098 -150		0.96	362	2	0.48	31	660	29	0.02	42	94	0.40	142	<10	120	
080099 -150		0.77	300	1	0.99	20	860	17	0.02	10	141	0.36	114	<10	54	
080100 -150		0.83	625	<1	0.96	22	680	24	0.02	28	108	0.37	91	<10	106	
080101 -150		0.84	660	1	0.97	25	710	25	0.02	28	115	0.39	95	<10	112	
080102 -150		0.71	527	1	0.92	22	800	20	0.05	6	162	0.34	101	<10	90	
080103 -150		0.66	358	6	0.65	56	970	19	0.01	27	124	0.27	142	<10	242	
080104 -150		0.77	475	2	0.75	27	780	21	0.05	19	140	0.38	125	<10	109	
080105 -150		0.77	557	1	1.01	29	520	21	0.01	34	160	0.33	134	<10	80	
080106 -150		0.73	360	2	0.87	29	400	18	0.01	23	149	0.40	143	<10	83	
080107 -150		0.59	294	1	0.64	23	560	37	0.01	6	115	0.39	110	<10	66	
080108 -150		0.72	395	1	0.61	24	400	45	0.03	15	108	0.37	114	<10	68	
080109 -150		0.76	346	1	0.92	26	260	23	0.01	7	148	0.43	113	<10	65	
080110 -150		0.68	306	1	0.95	24	300	14	0.01	7	144	0.41	109	<10	60	
080111 -150		0.78	337	1	1.04	30	330	16	0.01	<5	156	0.39	130	<10	81	
080112 -150		0.70	398	<1	0.97	21	210	15	0.01	<5	152	0.42	126	<10	66	
080113 -150		0.70	364	1	0.94	28	440	18	0.01	<5	142	0.39	132	<10	69	
080114 -150		0.71	510	2	0.92	21	650	26	0.01	<5	143	0.40	136	<10	70	
080115 -150		0.73	347	2	1.02	19	270	23	<0.01	<5	151	0.40	136	<10	66	
080116 -150		0.62	370	1	0.80	23	300	19	0.01	<5	135	0.40	130	<10	60	
080117 -150		0.58	339	1	0.87	23	240	28	0.01	7	132	0.35	102	<10	67	
080118 -150		0.64	333	<1	0.91	18	260	20	0.01	<5	138	0.34	112	<10	56	
080119 -150		0.59	412	1	0.71	22	430	50	0.01	32	116	0.42	124	<10	102	
080122 -150		0.53	402	1	0.80	15	360	46	0.01	10	122	0.37	109	<10	58	
080123 -150		0.57	446	1	0.87	14	380	48	0.01	10	134	0.37	120	<10	63	
080124 -150		0.64	387	1	0.93	22	590	108	0.01	5	151	0.41	122	<10	164	
080125 -150		0.62	390	1	0.96	25	410	23	0.01	<5	138	0.38	118	<10	81	
080126 -150		0.65	451	1	0.97	27	490	53	0.01	17	152	0.42	106	<10	86	
080127 -150		0.72	471	1	0.93	29	450	71	0.01	17	151	0.39	118	<10	85	
080128 -150		0.72	388	1	0.97	26	380	29	0.01	8	151	0.40	121	<10	78	
080129 -150		0.59	393	1	0.95	17	560	24	0.01	<5	149	0.39	99	<10	60	
080130 -150		0.72	336	1	1.08	25	680	18	0.01	<5	170	0.39	113	<10	83	
080131 -150		0.73	407	1	1.03	24	700	28	0.01	5	172	0.35	114	<10	80	
080132 -150		0.64	469	1	0.72	29	460	28	0.01	6	122	0.38	103	<10	78	
080133 -150		0.58	841	1	0.71	33	670	30	0.02	<5	124	0.33	100	<10	114	
080134 -150		0.55	410	1	0.39	52	400	32	0.01	<5	131	0.32	135	<10	97	
080135 -150		0.56	459	1	0.73	33	540	22	0.01	7	123	0.25	100	<10	85	
080136 -150		0.58	686	<1	0.72	30	450	28	0.01	<5	126	0.35	103	<10	79	
080137 -150		0.66	314	1	0.87	28	510	19	0.01	<5	150	0.35	114	<10	72	
080138 -150		0.53	328	1	0.79	28	490	18	0.01	<5	136	0.26	97	<10	70	

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 11 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
080139 -150			<0.005	0.5	7.63	25	830	2.0	3	0.67	<0.5	14	71	45	4.02	2.00
080140 -150			<0.005	<0.5	9.25	40	850	2.3	2	0.16	<0.5	17	72	60	5.18	2.86
080141 -150			<0.005	<0.5	9.15	45	850	2.5	<2	0.17	<0.5	16	78	59	5.06	3.01
080142 -150			<0.005	<0.5	7.02	22	1080	1.5	2	1.21	0.6	25	69	23	4.39	1.68
080143 -150			0.010	<0.5	7.81	37	720	2.0	<2	0.34	<0.5	13	63	38	3.91	2.34
080144 -150			0.005	<0.5	8.13	32	800	2.1	2	0.27	<0.5	13	65	37	3.81	2.52
080145 -150			<0.005	<0.5	10.90	38	1100	2.7	<2	0.36	<0.5	7	95	41	4.09	3.33
080151 -150			<0.005	0.9	12.15	77	1170	3.5	5	0.15	<0.5	12	105	41	4.13	4.43
080152 -150			0.006	<0.5	7.85	36	840	1.9	<2	0.44	<0.5	9	75	27	3.19	2.26
080153 -150			0.010	1.0	6.84	83	840	1.6	<2	0.58	1.8	7	70	14	2.76	1.88
080154 -150			<0.005	<0.5	6.73	14	840	1.5	<2	0.54	<0.5	9	67	31	3.14	1.61
080155 -150			0.005	0.5	10.10	20	1000	2.6	<2	0.34	0.5	12	85	37	3.91	3.15
080156 -150			<0.005	0.7	8.26	45	860	2.0	<2	0.45	<0.5	5	79	19	2.92	2.64
080157 -150			<0.005	6.2	7.31	236	870	1.8	<2	0.63	<0.5	7	75	28	2.91	2.10
080158 -150			<0.005	1.3	7.92	63	870	1.9	<2	0.53	<0.5	6	79	25	2.91	2.29
080159 -150			<0.005	<0.5	8.26	15	910	2.0	<2	0.38	<0.5	5	78	21	2.92	2.42
080160 -150			<0.005	<0.5	6.94	12	780	1.6	<2	0.39	<0.5	4	64	16	2.47	1.99
080161 -150			<0.005	<0.5	7.38	12	960	1.7	<2	0.67	<0.5	8	72	23	2.97	1.96
080162 -150			<0.005	<0.5	6.20	15	790	1.4	<2	0.66	<0.5	6	60	14	2.31	1.69
080163 -150			0.006	<0.5	8.74	8	930	2.3	<2	0.39	<0.5	9	82	26	3.27	2.94
080164 -150			<0.005	<0.5	7.77	<5	880	1.9	<2	0.60	<0.5	9	84	24	3.18	2.34
080165 -150			0.005	<0.5	8.82	19	920	2.2	<2	0.46	0.6	8	82	25	3.22	2.81
080166 -150			<0.005	<0.5	8.26	13	960	1.8	<2	0.77	<0.5	7	78	24	3.32	2.27
080167 -150			0.005	<0.5	7.09	11	860	1.7	<2	0.54	<0.5	7	67	40	2.53	1.92
080168 -150			<0.005	<0.5	7.30	10	950	1.8	<2	0.55	<0.5	12	75	35	3.25	2.10
080169 -150			0.007	0.7	7.49	<5	940	1.5	<2	1.03	<0.5	14	84	34	3.35	1.56
080170 -150			<0.005	<0.5	7.91	11	960	2.0	<2	0.37	<0.5	7	93	17	3.14	2.37
080171 -150			0.006	<0.5	12.20	13	1180	3.2	<2	0.15	<0.5	5	96	20	2.89	4.33
080172 -150			0.005	<0.5	12.95	15	1180	3.7	<2	0.11	<0.5	18	127	42	3.93	4.44
080173 -150			<0.005	<0.5	7.26	10	710	1.9	<2	0.32	<0.5	7	69	29	3.82	2.24
080174 -150			<0.005	<0.5	8.34	9	890	2.0	<2	0.46	<0.5	8	77	26	3.28	2.46
080175 -150			<0.005	<0.5	8.56	7	890	2.1	<2	0.40	<0.5	7	82	26	3.45	2.36
080176 -150			0.005	<0.5	11.80	72	980	2.9	<2	0.05	<0.5	5	95	40	4.36	4.00
080177 -150			<0.005	<0.5	6.26	14	750	1.3	<2	0.53	<0.5	7	64	17	3.46	1.26
080178 -150			<0.005	<0.5	6.70	48	830	1.5	4	0.49	<0.5	7	90	21	3.30	1.42
080179 -150			0.032	<0.5	6.28	864	840	1.7	<2	1.12	<0.5	11	56	30	3.25	1.30
080180 -150			0.100	0.5	7.34	2740	720	1.8	3	0.28	<0.5	7	150	60	4.40	1.44
080181 -150			0.024	<0.5	6.06	557	800	1.4	<2	0.65	<0.5	9	63	32	3.03	1.34
080182 -150			0.017	8.2	5.30	792	700	1.2	27	0.58	<0.5	9	60	26	2.98	1.08
080183 -150			<0.005	<0.5	7.69	30	850	1.8	<2	0.56	0.5	21	71	16	2.93	2.27

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 11 - B
Total # Pages: 13 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	ppm 0.005
080139 -150		0.50	696	1	0.63	35	740	29	0.03	6	140	0.28	97	<10	67	<0.005
080140 -150		0.47	680	1	0.55	37	520	39	0.01	10	116	0.20	99	<10	93	
080141 -150		0.47	601	1	0.56	40	520	40	0.01	7	116	0.21	104	<10	96	
080142 -150		0.72	1570	1	1.05	31	840	26	0.05	<5	196	0.37	116	<10	104	
080143 -150		0.45	395	1	0.62	31	420	24	0.01	<5	106	0.27	87	<10	76	
080144 -150		0.48	311	1	0.69	32	340	24	0.01	<5	115	0.31	93	<10	74	<0.005
080145 -150		0.76	260	2	0.77	28	350	40	0.06	<5	160	0.45	145	<10	72	
080151 -150		0.70	319	<1	0.46	35	360	514	0.03	166	150	0.37	164	<10	138	
080152 -150		0.63	351	1	0.76	22	300	99	0.01	37	132	0.35	115	<10	118	
080153 -150		0.53	426	1	0.73	17	480	160	0.01	79	132	0.40	110	<10	214	
080154 -150		0.71	311	1	1.01	26	200	56	0.01	11	162	0.36	114	<10	87	<0.005
080155 -150		0.79	377	2	0.70	35	460	76	0.03	22	150	0.37	130	<10	119	
080156 -150		0.71	212	1	0.73	17	560	267	0.02	172	146	0.35	118	<10	110	
080157 -150		0.69	287	1	0.85	23	680	2500	0.01	1350	162	0.37	120	<10	101	
080158 -150		0.77	248	2	0.84	19	560	604	0.01	311	161	0.34	127	<10	92	
080159 -150		0.64	198	2	0.74	18	630	60	0.02	19	144	0.35	118	<10	79	<0.005
080160 -150		0.54	168	1	0.70	15	630	47	0.02	10	130	0.32	104	<10	55	
080161 -150		0.74	332	1	1.04	25	470	27	0.01	<5	180	0.38	122	<10	66	
080162 -150		0.63	232	1	0.97	17	620	22	0.02	<5	162	0.37	107	<10	62	
080163 -150		0.85	277	1	0.75	30	460	26	0.01	<5	144	0.31	117	<10	72	
080164 -150		0.86	310	1	1.01	28	530	25	0.01	<5	168	0.37	124	<10	69	<0.005
080165 -150		0.74	347	1	0.83	24	580	27	0.01	6	160	0.37	122	<10	76	
080166 -150		0.94	289	1	1.11	27	750	22	0.02	<5	194	0.39	138	<10	73	
080167 -150		0.59	234	1	0.84	22	1290	25	0.04	<5	152	0.31	108	<10	53	
080168 -150		0.69	446	1	0.95	32	580	22	0.01	<5	168	0.33	118	<10	77	
080169 -150		0.65	436	3	0.57	45	2190	30	0.11	<5	166	0.31	124	<10	86	<0.005
080170 -150		0.60	194	1	0.74	20	380	23	0.01	<5	143	0.34	132	<10	51	
080171 -150		0.59	132	2	0.58	20	270	22	0.01	<5	166	0.33	156	<10	53	
080172 -150		0.75	571	1	0.48	44	520	32	0.01	<5	178	0.29	174	<10	89	
080173 -150		0.75	313	2	0.73	14	660	99	0.06	21	137	0.27	100	<10	67	
080174 -150		0.80	245	1	0.88	20	390	26	0.02	<5	158	0.36	124	<10	63	<0.005
080175 -150		0.73	233	1	0.82	19	370	28	0.02	<5	152	0.37	128	<10	57	
080176 -150		0.52	112	1	0.26	13	450	35	0.05	28	113	0.50	134	<10	76	
080177 -150		0.61	272	1	0.87	20	330	16	0.03	5	135	0.39	116	<10	55	
080178 -150		0.75	244	1	0.79	23	440	31	0.06	11	160	0.38	104	<10	72	
080179 -150		0.84	299	2	1.06	27	1050	23	0.04	<5	246	0.37	98	<10	73	0.019
080180 -150		0.31	287	3	0.36	25	620	74	0.24	104	252	0.45	99	<10	56	
080181 -150		0.70	288	1	0.90	28	570	50	0.02	18	156	0.37	115	<10	75	
080182 -150		0.54	358	1	0.81	23	310	283	0.02	166	136	0.37	104	<10	66	
080183 -150		0.68	549	1	0.93	22	710	41	0.02	10	166	0.35	106	<10	69	

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 12 - A

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
Sample Description															
080184 -150		<0.005	<0.5	7.93	74	840	2.0	<2	0.39	<0.5	6	70	29	3.20	2.45
080185 -150		0.006	<0.5	8.05	138	930	2.0	<2	0.62	<0.5	11	80	29	3.59	2.40
080186 -150		<0.005	<0.5	12.40	24	1100	3.7	<2	0.04	<0.5	10	105	44	4.19	4.23
080187 -150		<0.005	<0.5	8.29	35	780	1.9	<2	0.27	<0.5	7	77	17	3.45	2.49
080188 -150		<0.005	<0.5	13.00	11	1160	3.7	<2	0.16	<0.5	14	117	40	3.84	4.55
080189 -150		0.008	3.1	11.20	555	970	3.0	<2	0.12	<0.5	6	110	41	4.33	4.03
080190 -150		<0.005	1.0	8.11	138	870	1.9	<2	0.53	0.6	4	77	38	2.88	2.51
080191 -150		<0.005	<0.5	12.20	22	1100	3.4	<2	0.13	0.5	11	102	38	3.55	4.51
080192 -150		<0.005	1.0	6.20	29	1430	1.3	<2	0.52	0.9	9	66	25	3.01	1.30
080193 -150		<0.005	<0.5	6.74	5	1120	1.5	<2	0.88	0.7	10	66	27	3.06	1.72
080194 -150		<0.005	0.6	5.94	17	1080	1.3	<2	0.83	<0.5	9	60	23	2.79	1.36
080195 -150		<0.005	<0.5	6.75	27	890	1.5	<2	1.30	<0.5	9	55	22	2.76	1.95
080196 -150		<0.005	<0.5	6.13	24	980	1.4	<2	1.13	<0.5	9	58	25	2.65	1.58
080197 -150		0.006	<0.5	6.62	91	1020	1.7	<2	0.71	<0.5	12	65	33	3.25	2.00
080198 -150		0.005	0.5	6.58	21	1470	1.4	<2	0.62	<0.5	4	79	19	2.53	1.26
080199 -150		0.010	<0.5	7.40	26	1530	1.6	<2	0.78	<0.5	8	93	32	3.31	1.44
080200 -150		<0.005	<0.5	6.20	8	1180	1.2	<2	0.83	<0.5	5	72	18	2.61	1.25
080201 -150		0.030	<0.5	7.20	15	1430	1.5	<2	0.84	<0.5	9	80	29	3.26	1.55
080202 -150		0.006	<0.5	6.88	9	1350	1.5	<2	0.87	<0.5	8	73	25	3.06	1.44
080203 -150		<0.005	0.5	6.79	22	1430	1.4	<2	1.00	<0.5	9	74	34	3.20	1.36
080204 -150		<0.005	<0.5	6.64	14	1240	1.3	<2	1.01	<0.5	8	78	25	2.89	1.30
080205 -150		<0.005	<0.5	5.14	28	820	1.1	<2	0.99	<0.5	6	63	11	2.11	1.19
080206 -150		0.005	<0.5	5.81	12	850	1.1	<2	1.01	<0.5	6	61	16	2.44	1.30
080207 -150		0.028	<0.5	8.52	98	970	1.9	<2	0.42	<0.5	10	76	26	3.58	2.64
080208 -150		0.018	<0.5	7.31	79	960	1.7	<2	0.58	<0.5	11	66	30	3.26	2.06
080209 -150		0.008	<0.5	7.68	59	960	1.7	<2	0.67	<0.5	11	71	23	3.47	1.90
080210 -150		0.005	<0.5	6.84	28	940	1.4	<2	0.91	<0.5	8	66	19	3.49	1.52
080211 -150		<0.005	<0.5	7.11	23	950	1.5	<2	0.92	<0.5	8	69	17	3.03	1.73
080212 -150		0.020	<0.5	6.27	14	880	1.2	<2	1.00	<0.5	6	67	16	2.81	1.44
080213 -150		<0.005	<0.5	6.93	10	850	1.4	<2	0.81	<0.5	7	69	16	2.99	1.74
080214 -150		<0.005	<0.5	8.28	38	880	2.0	<2	0.76	<0.5	11	71	28	3.52	2.51
080215 -150		<0.005	<0.5	7.73	45	860	2.2	<2	0.67	<0.5	13	72	29	3.68	2.64
080216 -150		0.009	<0.5	8.36	37	940	2.4	<2	0.71	<0.5	11	80	44	4.24	2.93
080217 -150		0.005	<0.5	7.07	33	860	1.8	<2	0.83	<0.5	11	69	43	2.81	2.01
080218 -150		<0.005	<0.5	7.71	85	800	1.6	<2	0.55	<0.5	13	68	37	3.91	2.09
080219 -150		0.005	<0.5	8.02	68	830	1.9	<2	0.55	<0.5	13	68	32	3.84	2.34
080220 -150		<0.005	<0.5	7.32	61	740	1.8	<2	0.47	<0.5	13	60	43	4.08	1.98
080221 -150		<0.005	<0.5	7.10	51	720	1.7	<2	0.46	<0.5	15	61	47	4.28	1.94
080222 -150		<0.005	<0.5	7.70	23	1030	1.8	<2	0.89	<0.5	14	74	28	3.41	2.01
080223 -150		<0.005	<0.5	7.89	9	980	1.8	<2	0.71	<0.5	9	73	22	2.97	2.22

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
 ALS Canada Ltd.
 212 Brooksbank Avenue
 North Vancouver BC V7J 2C1 Canada
 Phone: 604 984 0221 Fax: 604 984 0218

Co: STRATAGOLD EXPLORATION INC.
 701-475 HOWE ST
 VANCOUVER BC V6C 2B3

Page: 12 - B
 Total # Pages: 13 (A - B)
 Finalized Date: 29-OCT-2004
 Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Au-AA23D Au ppm 0.005
080184 -150		0.69	234	1	0.76	21	420	44	0.01	10	138	0.37	105	<10	74	
080185 -150		0.80	485	2	0.74	27	760	47	0.04	13	152	0.35	114	<10	83	
080186 -150		0.90	236	1	0.35	30	390	38	0.02	7	134	0.38	159	<10	100	
080187 -150		0.55	198	1	0.59	22	420	22	0.02	7	116	0.36	114	<10	60	
080188 -150		0.79	282	2	0.34	38	340	22	0.01	12	190	0.36	162	10	70	
080189 -150		0.59	158	1	0.38	20	370	795	0.13	555	146	0.33	150	<10	134	
080190 -150		0.49	201	2	0.70	17	580	251	0.03	64	170	0.38	114	<10	72	
080191 -150		0.50	266	1	0.38	27	360	52	0.01	28	156	0.33	149	<10	106	
080192 -150		0.57	470	1	0.61	44	1160	30	0.05	5	138	0.32	136	<10	164	
080193 -150		0.76	662	1	0.90	38	840	20	0.02	<5	168	0.36	128	<10	150	
080194 -150		0.64	580	1	0.88	28	800	29	0.02	8	164	0.37	112	<10	115	
080195 -150		0.71	541	1	0.74	25	710	26	0.05	<5	134	0.33	90	<10	103	
080196 -150		0.66	588	1	0.74	29	800	16	0.05	<5	148	0.30	95	<10	106	
080197 -150		0.61	392	2	0.64	39	670	37	0.01	10	124	0.29	110	<10	126	
080198 -150		0.51	221	1	0.86	27	1100	27	0.03	<5	203	0.37	130	<10	63	
080199 -150		0.64	375	2	1.05	30	1100	32	0.01	<5	230	0.43	154	<10	87	
080200 -150		0.58	277	2	1.07	21	770	20	0.02	<5	207	0.40	127	<10	63	
080201 -150		0.70	394	2	1.03	35	840	31	0.02	<5	207	0.44	145	<10	99	<0.005
080202 -150		0.68	361	2	1.05	32	810	27	0.02	<5	206	0.43	136	<10	88	
080203 -150		0.70	432	2	0.91	35	960	28	0.03	<5	196	0.39	142	<10	104	
080204 -150		0.72	396	2	1.13	27	720	19	0.01	<5	212	0.44	134	<10	80	
080205 -150		0.67	262	1	1.03	18	720	16	0.03	5	177	0.41	92	<10	55	
080206 -150		0.75	270	1	1.12	22	760	17	0.02	<5	188	0.41	106	<10	65	
080207 -150		0.65	354	1	0.78	28	600	19	0.01	8	128	0.47	97	<10	77	
080208 -150		0.73	509	1	1.01	31	580	18	<0.01	<5	148	0.42	99	<10	80	
080209 -150		0.75	352	1	0.94	30	670	21	0.04	<5	152	0.41	102	<10	79	
080210 -150		0.80	314	1	1.10	24	750	21	0.02	<5	182	0.42	122	<10	81	
080211 -150		0.75	306	1	1.15	24	700	17	0.02	<5	194	0.45	122	<10	74	
080212 -150		0.77	302	1	1.20	22	740	18	0.02	<5	201	0.41	114	<10	69	
080213 -150		0.80	312	1	1.12	21	590	20	0.02	<5	182	0.42	118	<10	67	
080214 -150		0.77	708	2	0.85	28	710	22	0.03	<5	146	0.40	98	<10	80	
080215 -150		0.75	948	2	0.66	30	670	27	0.03	<5	130	0.41	106	<10	83	
080216 -150		0.91	376	2	0.75	32	780	35	0.02	9	134	0.42	124	<10	102	
080217 -150		0.76	280	1	0.98	38	630	41	0.04	<5	162	0.39	99	<10	94	
080218 -150		0.65	705	2	1.03	34	470	31	0.02	6	118	0.36	92	<10	82	
080219 -150		0.74	494	2	1.05	33	680	30	0.01	7	126	0.35	91	<10	77	
080220 -150		0.62	482	1	0.88	44	580	33	0.01	5	120	0.31	80	<10	80	
080221 -150		0.58	481	1	0.85	44	670	28	0.01	7	124	0.30	78	<10	86	<0.005
080222 -150		0.75	511	1	0.90	33	620	22	0.02	<5	171	0.39	116	<10	87	
080223 -150		0.72	316	1	0.99	27	390	24	0.01	<5	180	0.41	120	<10	76	

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 13 - B

Total # Pages: 13 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	Au ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
080224 -150		0.71	327	1	0.95	23	410	31	0.01	5	178	0.37	116	<10	74	
080225 -150		0.42	140	<1	0.08	7	740	5	0.31	<5	123	0.03	10	<10	51	
080226 -150		0.69	311	1	1.01	21	500	17	0.01	<5	188	0.36	108	<10	72	
080227 -150		0.65	292	1	0.96	24	370	22	0.01	<5	162	0.37	117	<10	69	
080228 -150		0.60	281	1	0.89	24	340	20	<0.01	<5	150	0.39	118	<10	69	
080229 -150		0.67	307	1	0.98	28	370	18	<0.01	<5	169	0.39	117	<10	68	
080230 -150		0.65	299	2	0.98	20	400	22	0.01	<5	166	0.30	96	<10	54	
080231 -150		0.62	358	1	0.61	28	370	43	0.01	<5	134	0.46	124	<10	87	
080232 -150		0.63	352	2	0.60	28	380	40	0.01	5	131	0.43	122	<10	86	
080233 -150		0.63	343	1	0.62	30	390	39	0.01	<5	133	0.44	121	<10	83	
080234 -150		0.63	356	2	0.62	29	380	44	0.01	<5	134	0.45	123	<10	90	
080235 -150		0.64	364	1	0.63	31	350	45	0.01	<5	136	0.44	123	<10	89	
080236 -150		0.62	367	1	0.61	30	370	42	0.01	<5	132	0.40	122	<10	87	
080237 -150		0.62	335	1	0.62	27	340	38	0.01	<5	132	0.43	120	<10	84	
080238 -150		0.63	363	<1	0.61	28	400	40	0.01	<5	134	0.46	124	<10	87	
080239 -150		0.76	460	2	0.99	30	780	30	0.02	<5	207	0.38	130	<10	98	
080240 -150		0.75	470	1	1.00	29	690	28	0.02	<5	208	0.35	131	<10	97	
080241 -150		0.77	527	2	0.98	31	780	34	0.02	<5	210	0.35	133	<10	101	<0.005
080242 -150		0.74	541	2	0.95	30	740	33	0.02	5	201	0.36	130	<10	98	
080243 -150		0.71	452	1	0.94	31	670	34	0.01	5	196	0.36	122	<10	91	

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 1

Finalized Date: 29-OCT-2004

Account: STRGOL

QC CERTIFICATE VA04070980

Project: Dub 1735

P.O. No.:

This report is for 460 Soil samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2004.

The following have access to data associated with this certificate:

JASON DUNNING

ACCOUNTS PAYABLE

JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: STRATAGOLD EXPLORATION INC.
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 2 - A
Total # Pages: 5 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04070980

	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-10			4.3	0.89	857	110	<0.5	198	0.15	135.5	376	1580	1825	11.65	0.05	0.28
BM-10			5.5	0.88	818	110	<0.5	192	0.15	126.0	359	1515	1810	10.75	0.05	0.26
BM-10			5.3	0.88	821	90	<0.5	208	0.15	129.5	361	1505	1830	10.90	0.05	0.26
BM-10			4.9	0.83	808	90	<0.5	188	0.14	141.5	353	1515	1790	10.75	0.05	0.26
BM-10			5.9	0.90	925	100	<0.5	213	0.15	144.0	377	1590	1930	11.30	0.05	0.28
BM-10			5.9	0.81	826	90	<0.5	199	0.14	130.5	337	1455	1740	10.20	0.04	0.25
BM-10			6.7	0.89	887	100	<0.5	216	0.15	149.0	364	1505	1815	11.00	0.05	0.27
Target Range - Lower Bound			4.6	0.72	755	70		183	0.12	117.5	301	845	1600	9.24		0.20
Upper Bound			6.7	0.90	933	110		228	0.17	144.5	370	1035	1955	11.30		0.27
G2000			3.7	5.07	470	2210	1.3	3	0.58	7.2	22	98	304	3.78	1.31	0.76
G2000			3.6	5.21	472	2340	1.3	<2	0.60	7.0	23	101	306	3.82	1.30	0.75
G2000			3.5	5.06	472	2280	1.3	<2	0.59	7.2	23	100	296	3.75	1.27	0.73
G2000			3.3	5.20	486	2410	1.4	2	0.62	7.2	24	108	310	3.91	1.33	0.76
G2000			3.6	4.95	472	2240	1.3	<2	0.56	7.1	21	98	302	3.63	1.26	0.74
G2000			4.3	5.04	493	2260	1.3	<2	0.57	7.0	23	97	305	3.69	1.27	0.76
G2000			3.6	5.11	495	2320	1.4	<2	0.58	7.3	23	101	316	3.74	1.32	0.76
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	1.16	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	1.44	0.85
OXF28		0.805														
OXF28		0.802														
OXF28		0.794														
OXF28		0.802														
OXF28		0.844														
Target Range - Lower Bound		0.741														
Upper Bound		0.863														
OXX18		3.55														
OXX18		3.55														
OXX18		3.45														
OXX18		3.56														
OXX18		3.38														
Target Range - Lower Bound		3.22														
Upper Bound		3.71														

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3


Page: 2 - B
Total # Pages: 5 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
														0.005
STANDARDS														
BM-10		2920	103	0.04	1585	60	2580	1.51	286	16	0.06	49	<10	3430
BM-10		2870	98	0.04	1465	60	2370	1.42	289	17	0.06	47	<10	3200
BM-10		2920	98	0.04	1470	50	2420	1.30	290	17	0.06	48	<10	3200
BM-10		2840	97	0.04	1460	50	2400	1.54	282	15	0.06	47	<10	3130
BM-10		2950	109	0.04	1575	60	2570	1.57	286	17	0.06	50	<10	3510
BM-10		2640	96	0.04	1435	60	2300	1.42	255	16	0.06	46	<10	3250
BM-10		2890	103	0.05	1535	70	2490	1.48	274	17	0.06	49	<10	3390
Target Range - Lower Bound		2410	90		1205	40	1980	1.27	199					2890
Upper Bound		2950	112		1475	70	2430	1.57	255					3530
G2000		539	6	0.15	285	940	670	0.26	32	118	0.34	108	<10	1265
G2000		568	6	0.14	274	970	662	0.28	31	118	0.35	106	10	1250
G2000		563	6	0.14	273	940	654	0.27	34	114	0.35	105	10	1245
G2000		588	6	0.14	281	980	673	0.29	33	117	0.35	108	<10	1280
G2000		548	6	0.14	270	950	646	0.25	32	117	0.34	104	10	1225
G2000		545	6	0.15	279	980	671	0.26	32	119	0.35	106	<10	1265
G2000		579	7	0.15	283	980	671	0.26	34	121	0.36	108	10	1300
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OXF28														0.794
OXF28														0.802
OXF28														
OXF28														
Target Range - Lower Bound														0.741
Upper Bound														0.863
OXX18														
OXX18														
OXX18														3.45
OXX18														3.56
Target Range - Lower Bound														3.22
Upper Bound														3.71

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - A

Total # Pages: 5 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04070980

Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
Sample Description															
BLANKS															
BLANK		<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.8	<1	<1	1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	1.0	1	1	1	<0.01	<0.01	<0.01
BLANK		<0.5	<0.01	5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK	<0.005														
BLANK	<0.005														
BLANK	<0.005														
BLANK	<0.005														
BLANK	<0.005														
Target Range - Lower Bound	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES															
ORIGINAL	0.119														
DUP	0.126														
Target Range - Lower Bound	0.106														
Upper Bound	0.139														
ORIGINAL	0.067														
DUP	0.084														
Target Range - Lower Bound	0.062														
Upper Bound	0.089														
080006 -150		<0.5	6.12	9	710	1.3	2	0.52	<0.5	4	65	15	2.22	1.72	0.53
DUP		<0.5	5.90	<5	700	1.2	<2	0.52	<0.5	3	60	14	2.23	1.62	0.50
Target Range - Lower Bound		<0.5	5.69	<5	650	<0.5	<2	0.47	<0.5	<1	57	12	2.09	1.57	0.47
Upper Bound		1.0	6.33	10	760	2.3	4	0.57	1.0	6	68	17	2.36	1.77	0.56
080007 -150	0.007														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



0: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - B

Total # Pages: 5 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D	
		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Tl	V	W	Zn	Au
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
BLANKS															
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2	
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2	
BLANK		<5	1	<0.01	<1	<10	2	<0.01	<5	1	<0.01	1	<10	<2	
BLANK		<5	2	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2	
BLANK		<5	<1	<0.01	1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2	
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2	
BLANK															<0.005
BLANK															<0.005
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<0.005
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	0.010
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															0.084
Target Range - Lower Bound															0.070
Upper Bound															0.098
080006 -150		187	2	0.83	15	770	16	0.02	<5	138	0.34	102	<10	39	
DUP		186	2	0.78	13	730	16	0.02	<5	130	0.35	100	<10	38	
Target Range - Lower Bound		167	<1	0.74	11	690	11	<0.01	<5	125	0.31	94	<10	33	
Upper Bound		206	4	0.87	17	810	21	0.04	10	143	0.38	108	20	44	
080007 -150															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

TO: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3


Page: 4 - A
Total # Pages: 5 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04070980

Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
Sample Description															
080027 -150	DUPLICATES														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
080042 -150	<0.5	5.95	26	1480	1.4	<2	1.21	<0.5	8	63	36	2.89	1.49	0.68	
DUP	<0.5	5.87	18	1430	1.3	<2	1.17	<0.5	8	58	35	2.81	1.41	0.66	
Target Range - Lower Bound	<0.5	5.59	11	1360	<0.5	<2	1.11	<0.5	6	55	32	2.69	1.36	0.62	
Upper Bound	1.0	6.23	33	1550	2.4	4	1.27	1.0	10	66	39	3.01	1.54	0.72	
080053 -150	<0.005														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
080084 -150	<0.5	8.40	107	960	2.2	<2	0.68	<0.5	9	81	33	3.62	2.47	0.95	
DUP	<0.5	8.24	104	960	2.2	3	0.68	<0.5	12	82	33	3.64	2.51	0.96	
Target Range - Lower Bound	<0.5	7.88	90	890	1.1	<2	0.63	<0.5	8	75	29	3.43	2.35	0.89	
Upper Bound	1.0	8.76	121	1030	3.3	4	0.73	1.0	13	88	37	3.83	2.63	1.02	
080091 -150	<0.005														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
080111 -150	<0.005														
DUP	<0.005														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														
080122 -150	<0.5	5.78	38	700	1.1	2	0.57	<0.5	5	64	12	3.28	1.45	0.53	
DUP	<0.5	5.98	33	740	1.1	<2	0.59	<0.5	5	67	11	3.45	1.48	0.55	
Target Range - Lower Bound	<0.5	5.57	24	660	<0.5	<2	0.53	<0.5	3	60	9	3.18	1.37	0.49	
Upper Bound	1.0	6.19	47	780	2.2	4	0.63	1.0	7	71	14	3.55	1.56	0.59	
080163 -150	<0.5	8.74	8	930	2.3	<2	0.39	<0.5	9	82	26	3.27	2.94	0.85	
DUP	<0.5	9.20	15	970	2.5	<2	0.41	<0.5	10	90	28	3.41	3.16	0.90	
Target Range - Lower Bound	<0.5	8.50	5	880	1.3	<2	0.36	<0.5	7	80	24	3.15	2.88	0.81	
Upper Bound	1.0	9.44	22	1020	3.5	4	0.44	1.0	12	92	30	3.53	3.22	0.94	

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - B

Total # Pages: 5 (A - B)

Finalized Date: 29-OCT-2004


Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
DUPLICATES															
080027 -150 DUP Target Range - Lower Bound Upper Bound															
080042 -150 DUP Target Range - Lower Bound Upper Bound		601 580 551 630	1 1 1 2	0.80 0.78 0.73 0.85	29 27 25 31	640 640 590 690	18 19 14 23	0.02 0.02 0.01 0.04	6 5 5 10	151 150 141 160	0.32 0.27 0.26 0.33	114 105 102 117	<10 <10 <10 20	94 87 82 99	
080053 -150 DUP Target Range - Lower Bound Upper Bound															
080084 -150 DUP Target Range - Lower Bound Upper Bound		332 334 308 360	1 1 1 2	0.96 0.98 0.90 1.04	29 29 28 32	580 580 530 630	18 14 11 21	0.02 0.02 0.01 0.04	8 5 5 10	166 170 158 178	0.38 0.41 0.36 0.43	128 132 122 139	<10 <10 <10 20	74 75 67 82	
080091 -150 DUP Target Range - Lower Bound Upper Bound															
080111 -150 DUP Target Range - Lower Bound Upper Bound															
080122 -150 DUP Target Range - Lower Bound Upper Bound		402 420 380 442	1 1 1 2	0.80 0.83 0.75 0.88	15 13 11 17	360 380 330 410	46 47 40 53	0.01 0.01 0.01 0.02	10 11 5 21	122 124 115 131	0.37 0.38 0.34 0.41	109 113 103 119	<10 <10 <10 20	58 61 53 66	
080163 -150 DUP Target Range - Lower Bound Upper Bound		277 295 262 310	1 1 1 2	0.75 0.81 0.72 0.84	30 29 26 33	460 510 440 530	26 26 21 31	0.01 0.01 0.01 0.02	<5 <5 5 10	144 155 140 159	0.31 0.31 0.27 0.35	117 127 114 130	<10 <10 <10 20	72 78 67 83	

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3




Page: 5 - A
Total # Pages: 5 (A - B)
Finalized Date: 29-OCT-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
080176 -150 DUP Target Range - Lower Bound Upper Bound		0.005 <0.005 <0.005 0.010														
080199 -150 DUP Target Range - Lower Bound Upper Bound			<0.5 0.5 <0.5 1.0	7.40 6.69 6.67 7.42	26 18 11 33	1530 1390 1370 1550	1.6 1.5 0.5 2.6	<2 2 2 4	0.78 0.71 0.69 0.60	<0.5 0.5 0.5 1.0	8 7 5 10	93 86 83 96	32 28 27 34	3.31 3.01 2.98 3.34	1.44 1.36 1.31 1.49	0.64 0.58 0.56 0.66
080216 -150 DUP Target Range - Lower Bound Upper Bound		0.009 <0.005 <0.005 0.010														
080235 -150 DUP Target Range - Lower Bound Upper Bound			<0.5 0.5 0.5 1.0	7.54 7.63 7.19 7.98	12 16 5 25	930 930 860 1000	1.7 1.8 0.7 2.8	<2 2 2 4	0.38 0.39 0.35 0.42	0.5 0.5 0.5 1.0	8 10 7 11	73 72 67 78	29 29 26 32	3.78 3.79 3.58 3.99	2.23 2.25 2.11 2.37	0.64 0.65 0.59 0.70
080241 -150 DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010														

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 5 - B

Total # Pages: 5 (A - B)

Finalized Date: 29-OCT-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04070980

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Au-AA23D
		Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Au
		ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	0.005
DUPLICATES															
080176 -150															
DUP															<0.005
Target Range - Lower Bound															<0.005
Upper Bound															0.010
080199 -150		375	2	1.05	30	1100	32	0.01	<5	230	0.43	154	<10	87	
DUP		340	2	0.94	29	990	28	0.01	<5	207	0.42	146	<10	79	
Target Range - Lower Bound		330	<1	0.93	26	970	25	<0.01	<5	206	0.38	141	<10	75	
Upper Bound		385	4	1.06	33	1120	36	0.02	10	231	0.47	160	20	91	
080216 -150															
DUP															<0.005
Target Range - Lower Bound															<0.005
Upper Bound															0.010
080235 -150		364	1	0.63	31	350	45	0.01	<5	136	0.44	123	<10	89	
DUP		364	1	0.64	28	350	40	0.01	<5	138	0.44	124	<10	89	
Target Range - Lower Bound		336	<1	0.58	26	310	36	<0.01	<5	128	0.40	115	<10	81	
Upper Bound		392	2	0.69	33	390	49	0.02	10	146	0.48	132	20	97	
080241 -150															
DUP															<0.005
Target Range - Lower Bound															<0.005
Upper Bound															0.010

Comments: some samples show erratic Au due to sample type NSS is non-sufficient sample.



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3

Page: 1

Finalized Date: 4-NOV-2004

Account: STRGOL

CERTIFICATE VA04075013

Project: Dub 1735

P.O. No.:

This report is for 13 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-OCT-2004.

The following have access to data associated with this certificate:

NEIL BURNS
JIM SPARLING

JASON DUNNING

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

RECEIVED
NOV - 8 2004

To: STRATAGOLD EXPLORATION INC.
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 4-NOV-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04075013

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	Au-AA23D Au ppm 0.005	Au-AA23D Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B089001		0.74	0.183				<0.5	7.17	56	1420	3.9	3	1.93	<0.5	11	111
B089002		1.26	0.489		0.720	0.111	<0.5	6.98	118	1420	3.4	12	2.10	0.5	10	99
B089003		1.18	0.064				<0.5	7.49	33	1330	3.6	3	1.56	<0.5	8	99
B089004		0.98	0.263		0.228	0.226	<0.5	7.68	741	1400	4.0	25	1.66	<0.5	12	118
B089005		1.30	0.247				<0.5	8.23	33	1400	3.8	5	1.51	<0.5	9	109
B089006		0.46	>10.0	11.10	>10.0		<0.5	2.39	>10000	350	1.0	62	0.52	<0.5	589	163
B089007		0.98	0.564				<0.5	7.73	589	1260	3.8	19	1.42	<0.5	7	100
B089008		0.80	0.154				<0.5	7.69	19	1360	4.5	2	1.68	<0.5	7	99
B089009		0.52	>10.0	31.0	>10.0		15.4	3.76	>10000	240	1.7	28	0.65	<0.5	14	129
B089010		1.32	0.176				<0.5	7.06	2890	1200	3.5	<2	1.96	<0.5	6	84
B089011		0.66	0.035				<0.5	7.30	107	1210	3.8	<2	1.54	<0.5	5	92
B089012		0.94	0.060		0.063	0.063	<0.5	6.91	50	1140	4.0	<2	1.38	<0.5	7	84
B089013		0.84	0.040				<0.5	6.91	182	1120	3.9	<2	1.42	<0.5	4	110

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 4-NOV-2004
Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04075013

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
		ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
		1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B089001		43	2.15	0.02	3.42	0.92	202	2	1.21	19	700	18	0.15	<5	520	0.32
B089002		43	2.61	0.05	3.76	0.92	283	3	1.25	18	620	22	0.29	10	397	0.29
B089003		82	2.35	0.05	3.24	0.77	176	4	1.37	13	670	19	0.38	<5	477	0.31
B089004		101	2.52	0.04	3.54	0.81	172	1	1.56	15	690	13	0.48	6	509	0.31
B089005		62	2.21	0.11	3.16	0.73	156	1	1.57	12	720	12	0.20	<5	521	0.29
B089006		10	6.04	<0.01	1.38	0.22	73	8	0.33	39	160	3	3.30	29	116	0.07
B089007		38	1.94	0.07	3.57	0.57	137	2	1.31	11	670	18	0.20	<5	472	0.30
B089008		45	1.64	0.01	4.03	0.54	93	1	1.83	6	680	17	0.18	<5	537	0.31
B089009		10	14.20	0.01	2.24	0.29	69	2	0.57	5	300	54	7.70	79	158	0.11
B089010		56	2.16	0.02	3.90	0.73	168	<1	1.18	10	650	13	0.49	5	489	0.27
B089011		38	1.82	0.02	3.82	0.63	151	1	1.39	5	660	16	0.12	<5	468	0.29
B089012		21	1.76	0.02	3.70	0.55	143	<1	1.54	7	600	20	0.07	<5	469	0.26
B089013		23	1.92	0.02	3.45	0.63	166	20	1.38	7	580	17	0.08	<5	425	0.25

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



To: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - C

Total # Pages: 2 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

CERTIFICATE OF ANALYSIS VA04075013

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B089001		48	20	31
B089002		43	20	53
B089003		49	30	25
B089004		54	10	21
B089005		50	20	22
B089006		11	20	5
B089007		35	20	20
B089008		34	<10	15
B089009		16	10	67
B089010		31	20	11
B089011		32	10	15
B089012		30	10	20
B089013		30	10	22

Comments: sample B089002 shows erratic Au



ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

To: **STRATAGOLD EXPLORATION INC.**
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 1
Finalized Date: 4-NOV-2004
Account: STRGOL

QC CERTIFICATE VA04075013

Project: Dub 1735

P.O. No.:

This report is for 13 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-OCT-2004.

The following have access to data associated with this certificate:

NEIL BURNS
JIM SPARLING

JASON DUNNING

ACCOUNTS PAYABLE

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-AA23D	Dup - Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD EXPLORATION INC.**
ATTN: ACCOUNTS PAYABLE
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: _____



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 4-NOV-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

Sample Description	Method Analyte Units LOR	Au-AA23	Au-GRA21	Au-AA23D	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Au	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.005	0.05	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
STANDARDS															
BM-10					5.1	0.85	971	100	<0.5	202	0.14	139.0	382	1510	1645
Target Range - Lower Bound					4.6	0.72	755	70		183	0.12	117.5	301	845	1600
Upper Bound					6.7	0.90	933	110		228	0.17	144.5	370	1035	1955
BPL-04			51.0												
BPL-04			48.0												
Target Range - Lower Bound			43.8												
Upper Bound			50.6												
G2000															
G2000															
G2000					3.5	4.94	474	2310	1.3	2	0.56	7.2	24	107	296
G2000					4.1	5.10	507	2370	1.4	<2	0.59	7.6	24	102	304
Target Range - Lower Bound					2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272
Upper Bound					4.4	5.54	537	2810	2.0	4	0.65	8.9	29	112	334
LKSD-3					2.8	6.65	20	630	1.5	3	1.60	<0.5	32	74	35
Target Range - Lower Bound					1.9	5.93	19	560	1.0	<2	1.47	<0.5	26	62	31
Upper Bound					3.5	7.27	35	700	2.4	4	1.81	1.0	34	77	40
OXF28		0.765		0.765											
OXF28		0.810		0.810											
OXF28				0.815											
OXF28		0.819													
OXF28		0.839													
Target Range - Lower Bound		0.741		0.741											
Upper Bound		0.863		0.863											
OXK18		3.66		3.66											
OXK18		3.51		3.51											
OXK18				3.30											
OXK18		3.29													
OXK18		3.46													
Target Range - Lower Bound		3.22		3.22											
Upper Bound		3.71		3.71											
OXM16			13.70												
OXM16			15.15												
Target Range - Lower Bound			14.05												
Upper Bound			16.25												
Pb-106					57.9	4.87	259	560	0.6	<2	1.74	56.3	3	36	5990
Target Range - Lower Bound					51.9	4.44	206	510	<0.5	<2	1.63	49.0	2	34	5530
Upper Bound					64.6	5.44	282	650	1.0	4	2.01	61.0	4	44	6770

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - B

Total # Pages: 4 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
STANDARDS																
BM-10			0.05	0.26	2840	95	0.04	1515	60	2300	1.48	266	17	0.06	48	<10
Target Range - Lower Bound				0.20	2410	90		1205	40	1980	1.27	199				
Upper Bound				0.27	2950	112		1475	70	2430	1.57	255				
BPL-04																
BPL-04																
Target Range - Lower Bound																
Upper Bound																
G2000		0.80														
G2000		0.80														
G2000			1.26	0.73	549	5	0.13	276	940	646	0.28	32	116	0.34	105	10
G2000			1.30	0.76	578	6	0.15	286	960	669	0.26	34	116	0.36	109	10
Target Range - Lower Bound		0.68	1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10
Upper Bound		0.81	1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20
LKSD-3			1.88	1.16	1375	1	1.67	52	1060	32	0.17	<5	261	0.28	80	<10
Target Range - Lower Bound			1.63	1.08	1155	<1	1.52	41	910	24	0.12	<5	238	0.24	67	<10
Upper Bound			2.01	1.34	1425	2	1.88	63	1130	34	0.18	10	294	0.32	84	20
OXF28																
OXF28																
OXF28																
OXF28																
OXF28																
Target Range - Lower Bound																
Upper Bound																
OXX18																
OXX18																
OXX18																
OXX18																
OXX18																
Target Range - Lower Bound																
Upper Bound																
OXM16																
OXM16																
Target Range - Lower Bound																
Upper Bound																
Pb-106			2.00	0.39	611	40	0.85	7	220	5010	1.18	71	321	0.08	49	<10
Target Range - Lower Bound			1.78	0.35	562	36	<0.01	7	200	4660	1.07	56	298	0.06	43	<10
Upper Bound			2.19	0.45	698	46	0.04	11	270	5700	1.33	80	366	0.10	55	20

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



to: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 2 - C

Total # Pages: 4 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
STANDARDS		
BM-10		3070
Target Range - Lower Bound		2890
Upper Bound		3530
BPL-04		
BPL-04		
Target Range - Lower Bound		
Upper Bound		
G2000		
G2000		
G2000		1245
G2000		1295
Target Range - Lower Bound		1130
Upper Bound		1385
LKSD-3		148
Target Range - Lower Bound		133
Upper Bound		167
OXF28		
OXF28		
OXF28		
OXF28		
OXF28		
Target Range - Lower Bound		
Upper Bound		
OXX18		
OXX18		
OXX18		
OXX18		
OXX18		
Target Range - Lower Bound		
Upper Bound		
OXM16		
OXM16		
Target Range - Lower Bound		
Upper Bound		
Pb-106		8160
Target Range - Lower Bound		7550
Upper Bound		9240

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

0: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 4-NOV-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

	Method	Au-AA23	Au-GRA21	Au-AA23D	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Au	Au	As	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
Sample Description	LOR	0.005	0.05	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
BLANKS																
BLANK		<0.005		<0.005												
BLANK					<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.8	1	<1	<1	<0.01
BLANK		<0.005		<0.005												
BLANK				<0.005												
BLANK		<0.005														
BLANK			<0.05													
BLANK					<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
BLANK		<0.005														
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01
Upper Bound		0.010	0.10	0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02
DUPLICATES																
ORIGINAL		0.326														
DUP		0.318		0.318												
Target Range - Lower Bound		0.296		0.292												
Upper Bound		0.348		0.344												
ORIGINAL		0.282														
DUP		0.291		0.291												
Target Range - Lower Bound		0.262		0.266												
Upper Bound		0.311		0.316												
ORIGINAL		0.313														
DUP		0.337														
Target Range - Lower Bound		0.299														
Upper Bound		0.351														
ORIGINAL		1.040														
DUP		1.040														
Target Range - Lower Bound		0.978														
Upper Bound		1.100														

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

0: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 4-NOV-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

Sample Description	Method Analyte Units LOR	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
		ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
BLANKS																
BLANK		<0.01														
BLANK			<0.01	<0.01	<5	2	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10
BLANK																
BLANK																
BLANK																
BLANK																
BLANK			<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10
Upper Bound		0.02	0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 3 - C

Total # Pages: 4 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
BLANK BLANK BLANK BLANK BLANK BLANK BLANK BLANK BLANK BLANK Target Range: Lower Bound Upper Bound		BLANKS <2 <2 <2 4
ORIGINAL DUP Target Range: Lower Bound Upper Bound		DUPLICATES
ORIGINAL DUP Target Range: Lower Bound Upper Bound		
ORIGINAL DUP Target Range: Lower Bound Upper Bound		
ORIGINAL DUP Target Range: Lower Bound Upper Bound		

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218

o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 4 - A
Total # Pages: 4 (A - C)
Finalized Date: 4-NOV-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

Method	Au-AA23	Au-GRA21	Au-AA23D	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Au	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR	0.005	0.05	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
Sample Description															
ORIGINAL				<0.5	6.86	34	330	1.5	<2	3.74	0.8	12	22	19	2.72
DUP				<0.5	6.85	45	340	1.5	<2	3.85	0.9	12	21	21	2.73
Target Range - Lower Bound				<0.5	6.49	28	300	<0.5	<2	3.59	<0.5	9	18	17	2.57
Upper Bound				1.0	7.22	51	370	2.6	4	4.00	1.0	15	25	23	2.88
ORIGINAL	<0.005														
DUP	0.007		0.007												
Target Range - Lower Bound	<0.005		<0.005												
Upper Bound	0.010		0.010												
ORIGINAL	0.028														
DUP	0.022														
Target Range - Lower Bound	0.014														
Upper Bound	0.036														
B089006		11.10													
DUP		12.25													
Target Range - Lower Bound		11.00													
Upper Bound		12.35													
B089008				<0.5	7.69	19	1380	4.5	2	1.68	<0.5	7	99	45	1.64
DUP				<0.5	7.75	34	1380	4.5	<2	1.67	<0.5	6	109	43	1.66
Target Range - Lower Bound				<0.5	7.31	15	1280	3.3	<2	1.57	<0.5	4	97	40	1.55
Upper Bound				1.0	8.13	38	1460	5.7	4	1.78	1.0	9	111	48	1.75
B089009		31.0													
DUP		32.4													
Target Range - Lower Bound		30.0													
Upper Bound		33.4													
B089010	0.176														
DUP	0.313		0.313												
Target Range - Lower Bound	0.222		0.287												
Upper Bound	0.267		0.339												

Comments: sample B089002 shows erratic Au

**ALS Chemex****EXCELLENCE IN ANALYTICAL CHEMISTRY**

ALS Canada Ltd.

212 Brooksbank Avenue

North Vancouver BC V7J 2C1 Canada

Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.

701-475 HOWE ST

VANCOUVER BC V6C 2B3



Page: 4 - B

Total # Pages: 4 (A - C)

Finalized Date: 4-NOV-2004

Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
Sample Description															
ORIGINAL		2.55	1.11	922	12	1.00	7	880	7	2.22	<5	233	0.41	101	<10
DUP		2.56	1.11	946	11	1.00	7	880	12	2.18	<5	234	0.43	105	<10
Target Range - Lower Bound		2.41	1.03	877	9	0.93	5	820	5	2.07	<5	220	0.38	96	<10
Upper Bound		2.70	1.19	991	14	1.07	9	940	14	2.33	10	247	0.46	110	20
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B089006															
DUP															
Target Range - Lower Bound															
Upper Bound															
B089008		4.03	0.54	93	1	1.83	6	680	17	0.18	<5	537	0.31	34	<10
DUP		3.97	0.55	95	1	1.86	9	700	17	0.18	<5	533	0.31	35	10
Target Range - Lower Bound		3.78	0.50	79	<1	1.73	5	640	12	0.15	<5	506	0.27	31	<10
Upper Bound		4.22	0.59	109	2	1.96	10	740	22	0.21	10	564	0.35	38	20
B089009															
DUP															
Target Range - Lower Bound															
Upper Bound															
B089010		0.02													
DUP		0.02													
Target Range - Lower Bound		<0.01													
Upper Bound		0.04													

Comments: sample B089002 shows erratic Au



ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1 Canada
Phone: 604 984 0221 Fax: 604 984 0218



o: STRATAGOLD EXPLORATION INC.
701-475 HOWE ST
VANCOUVER BC V6C 2B3



Page: 4 - C
Total # Pages: 4 (A - C)
Finalized Date: 4-NOV-2004
Account: STRGOL

Project: Dub 1735

QC CERTIFICATE OF ANALYSIS VA04075013

Method Analyte Units LOR	ME-ICP61 Zn ppm 2	Sample Description
DUPLICATES		
ORIGINAL DUP Target Range - Lower Bound Upper Bound	98 90 85 103	
ORIGINAL DUP Target Range - Lower Bound Upper Bound		
ORIGINAL DUP Target Range - Lower Bound Upper Bound		
B089006 DUP Target Range - Lower Bound Upper Bound		
B089008 DUP Target Range - Lower Bound Upper Bound	15 14 10 19	
B089009 DUP Target Range - Lower Bound Upper Bound		
B089010 DUP Target Range - Lower Bound Upper Bound		

Comments: sample B089002 shows erratic Au

Costs associated with this report have been
approved in the amount of \$ 13,800⁰⁰
for assessment credit under Certificate of
Work No. Qmc0537



Mining Recorder
Mayo Mining District