




GEOTECH LTD.

Survey Specifications:
Dates Flown: August 30-31, 2007
Survey Base: Dawson City, YT
Aircraft: Astor B3 helicopter, Registration C-GTFX
Nominal Flight Line Spacing: 100 metres
Nominal Tie Line Directions: N51°E/N231°W
Nominal Tie Line Spacing: 1000 metres
Nominal Tie Line Directions: N141°E/N231°W
Nominal helicopter terrain clearance: 105 metres
EM Loop is 35 metres under helicopter
Magnetic sensor is 15 metres under helicopter

Instruments:
Geotech Time Domain Electromagnetic System (VTEM)
with concentric Rx/Tx geometry
Transmitter Loop Diameter: 28 m, Base Frequency: 30 Hz
Dipole Moment: approx. 400,000 NA
Transmitter Wave Form: Trapezoid, Pulse Width: 7.22 ms
Geometrics: Optically pumped
High Sensitivity Cesium Magnetometer
Magnetometer Resolution: 0.02 nT at 10 samples/sec




TOP Property
Strategic
Metals Ltd.

Profiles scale 1 mm = 0.05 (pV*ms)/A/m⁴
(Linear between +/-0.2 (pV*ms)/A/m⁴
logarithmic above 0.2 (pV*ms)/A/m⁴)



Legend:
Roads
Lakes, Rivers
Swamps
Topographic contours



Strategic Metals Ltd.
Block TOP
Yukon, Canada

Geotech VTEM System
B-Field Profiles
Time Gates 0.234 - 6.578 ms

Flown and processed by Geotech Ltd.
245 Industrial Parkway North.,
Aurora, Ontario, Canada L4G 4C4
www.geotechairborne.com

December 2007

