

094873

2007 GEOLOGICAL REPORT

FOR THE

EVE PROPERTY

**EVE 1-68 (YA75610 – 677), EVE 78 (YA78245),
EVE 79-94 (YC65377-392), ADAM 1-2 (YA96407-YA96408)**

Lat: 64° 42' N Long: 133° 19' W

NTS 105 C / 11

WHITEHORSE MINING DISTRICT

Prepared for

12633 Yukon Inc.

13 Denver Road,
Whitehorse, Yukon
Y1A 5S8

by

T.J. Termuende, P.Geo
2720-17th Street South
Cranbrook B.C., Canada
VIC 6Y6



January 25th, 2008

1. 2 463

Costs associated with this report have been
approved in the amount of \$ 5,700.00
for assessment credit under Certificate of Work
No. QW28145

J. Sautternick

Mining Recorder
Whitehorse Mining District

TABLE OF CONTENTS

094873

PROPERTY DESCRIPTION AND LOCATION 1

TENURE DATA..... 1

HISTORY..... 4

GEOLOGICAL SETTING..... 4

REGIONAL GEOLOGY 4

PROPERTY GEOLOGY 4

MINERALIZATION AND STRUCTURE..... 6

2007 WORK PROGRAM..... 7

2007 RESULTS 7

INTERPRETATION AND CONCLUSIONS 9

RECOMMENDATIONS AND BUDGET..... 10

REFERENCES..... 11

LIST OF FIGURES

094873

FIGURE 1 - PROPERTY LOCATIONafter page 1
FIGURE 2 - TENUREafter page 1
FIGURE 3 - REGIONAL GEOLOGYafter page 5
FIGURE 4 - PROPERTY COMPILATION.....after page 7
FIGURES 5a-5f- 2007 GEOCHEMICAL RESULTS.....after page 8

LIST OF TABLES

TABLE 1 TENURE DATA..... page 1

LIST OF APPENDICIES

- APPENDIX I - CERTIFICATE OF QUALIFICATION**
- APPENDIX II - STATEMENT OF EXPENDITURES**
- APPENDIX III – ANALYTICAL CERTIFICATES**
- APPENDIX IV-ROCK SAMPLE DESCRIPTIONS**

GEOLOGICAL REPORT FOR THE “EVE” PROPERTY


PROPERTY DESCRIPTION AND LOCATION (Figure 1, following)

The Eve property is located approximately 25 km north of Johnson’s Crossing (km 1346, Alaska Highway), in south-central Yukon. The claim group is centered at approximately Latitude 62° 42’ N, Longitude 133° 19’ W on NTS Map 105C-11. Access is by helicopter available in Whitehorse or Teslin, Yukon. A rough access road suitable for four-wheel drive vehicles on a seasonal basis extends from mile 19 on the Canol Road to near the property boundary on Evelynn Creek. This trail could be upgraded to provide reasonable access at relatively minor cost.

The property covers rugged upland country near the common head waters of Evelynn Creek and streams draining to Teslin River. Elevations locally range from 4500’ to more than 6000’ above sea level. The region is characterized by steep talus covered slopes in higher regions and with rounded, glacially modified ridges in lower terrains. Most of the larger valleys are floored with moraine material. Outcrop exposure is good above 4500’ above sea level, but generally less than 10% below this altitude. The area has a characteristic northern interior climate typical of this latitude. Winters are commonly cold with moderate snowfalls; summers, by contrast, are warm or hot, with long hours of daylight. Typically, break-up occurs in early May and freeze-up resumes during late October. Minimum winter temperatures may reach -50° with summer maximums in the +30C range.


TENURE DATA (Figure 2, following)

<u>District</u>	<u>Claim Type</u>	<u>Claim Name</u>	<u>Tenure Number</u>	<u>Recording Date</u>	<u>Current Expiry Date</u>
Whitehorse	Quartz	EVE 1	YA75610	5/16/1983	2019/11/16
Whitehorse	Quartz	EVE 2	YA75611	5/16/1983	2017/11/16
Whitehorse	Quartz	EVE 3	YA75612	5/16/1983	2019/11/16
Whitehorse	Quartz	EVE 4-66	YA75613-675	5/16/1983	2021/11/16
Whitehorse	Quartz	EVE 67	YA75676	5/16/1983	2019/11/16
Whitehorse	Quartz	EVE 68	YA75677	5/16/1983	2019/11/16
Whitehorse	Quartz	EVE	YA78245	8/17/1983	2021/11/16
Whitehorse	Quartz	ADAM	YA96407	10/16/1986	2015/10/16
Whitehorse	Quartz	ADAM	YA96408	10/16/1986	2015/10/16
Whitehorse	Quartz	EVE 79-94	YC65377-392	7/25/2007	2012/07/25



588000 590000 592000 594000

Eve Property
Figure 2 - Tenure Map
Projection - NAD 83 UTM Zone 8N
Scale - 1:40,000 15/01/2008



6734000

6734000

6732000

6732000

6730000

6730000

6728000

6728000

6726000

6726000

588000 590000 592000 594000

HISTORY (From MacDonald (1986), MINFILE)

Parts of the Teslin Map Area have been investigated by Geological Survey of Canada personnel on several occasions. R.G. McConnell (1898), J.C. Gwillim (1901) and E.J. Lees (1936) mapped portions of Teslin area in conjunction with other reconnaissance work. C.S. Lord (1944) and E.D. Kindle (1946) carried out geological investigations along the Alaska Highway and Canol Road, respectively. The Teslin Map Sheet was mapped and compiled by R. Mulligan during 1950 - 1953, who published the results as Map 112JA in 1963.

The streams draining Big Salmon Range into Teslin River were prospected for placer deposits by miners from the Dease Lake area prior to discovery of gold in the Klondike region in 1896. Workable placer gold deposits were located in the Livingston Creek area immediately northwest of Teslin Map Sheet in the Big Salmon Range by 1899 and a surge of exploration to the surrounding area ensued. In the following two decades, the Livingston placer camp produced more than 50,000 ounces of gold, but mining had virtually ceased by 1920. By the early 1930s, the level of exploration activity again increased in the Big Salmon region with miners working on creeks in the Livingston Creek camp and along Iron Creek and Cottonwood Creek between Big Salmon Range and Nisutlin River. However, the region again became dormant with the outbreak of World War 2 and next underwent exploration activity surges as a result of opening the Canol Pipeline Road to civilian travel and improved road access along the Alaska Highway. The advent of helicopter supported prospecting programs in the late 1950's resulted in additional exploration of the Teslin region. The area encompassed by the Evelynn Creek property has been staked by several operators.

The property area was originally staked as the Dawn claims (70743) in Jul/55 by M. Kroyden and L. Allen. The area was restaked as Marlin cl 1-8 (92903) in Sep/65 by Mount Grant Mines Ltd, which added Lucky cl 1-8 (92940) in Oct/65; carried out geological mapping in 1967; staked Sun cl 1-16 (Y24587) in May/68; and built a 22 km access road, carried out bulldozer trenching, detailed geological mapping and drilled 24 percussion and 10 short holes (884 m) later in 1968.

Contex Silver Mines Ltd staked the Law cl 9-34 (Y29650) in Nov/68 to surround the Mount Grant property and restaked the occurrence as Law cl 35-80 (Y35208) in Jun/69.

Restaked as Eve cl 1-68 and 73-76 (YA75610) in May/83 by D Stedman, who carried out geological mapping, geochemical sampling and staked Eve cl 77 (YA78233) in Aug/83. The claims were subsequently transferred to Anooraq Resources Corporation Ltd, which carried out rock geochemical sampling and staked Eve cl 79-84 (YA82594) in Jul/84; blast trenching and staked Adam cl 1-6 (YA96407) in Oct/86. Anooraq upgraded the access road in 1987-88, began mining rhodonite and shipped 27.3 tonnes in 1987; 20 tonnes in 1988; and 54.4 tonnes in 1989.

In 1991 the company repaired the road, carried out geochemical sampling, trenching, detailed geological mapping and mined approximately 36.3 tonnes of rhodonite. A similar program of exploration was carried out in 1992 when \$62 000 of expenses were filed for assessment.

In Oct/94 the company mapped the main rhodonite showing at a scale of 1:100 and carried out extensive bulldozer trenching. Approximately 57 cu. m of footwall quartzite and rhodonite were excavated and one percussion hole (6.7 m) was drilled to test the extent of gem quality rhodonite at the northwestern end of the deposit.

In Sep/98 Anooraq sold the property to 12633 Yukon Inc, which produced 35 tonnes of rhodonite that year. The numbered company subsequently optioned the property to S. McKeown, the current owner of the property who carried out road and reclamation work, drilled 5 holes (150.8 m) in the deposit and completed limited hand held percussion drilling near the southern boundary of the claim group in 2000.

REGIONAL GEOLOGY (From Doherty, 2001)

(Figure 3, following)

The Eve property is located within the Yukon Tanana Terrane (YTT). A large block of YTT rocks outcrop just east of the Teslin Fault and can be traced continuously from here north through to Little Salmon Lake and on to the Tintina Fault (Figure 3). Earlier workers used names such as the Yukon Group and Big Salmon Metamorphic Complex for these lithologies. The rocks are Devonian-Mississippian and (?) earlier Nasina Assemblages quartzites and quartz mica schists (Gordey and Makepeace, 2001)

The quartzites and quartz mica schists are variably metamorphosed, and intruded by a mid-Cretaceous Cassiar intrusions of intermediate composition.

PROPERTY GEOLOGY (Excerpted from MacDonald (1986), MINFILE)

The Evelyn Creek Property is underlain by stratified metamorphic rocks of the Paleozoic Big Salmon Complex. Lithologies consist of quartz-biotite schist, argillaceous slate, quartzites and limestones. Lower Paleozoic(?) quartz-hornblende gneiss outcrops north and south of the current Eve Claims. Cretaceous granitic rocks intrude the metamorphic complex on the eastern portion of the claim area. The stratified rocks are highly regionally metamorphosed and typically are intensely deformed with tight isoclinal folding and slip-faulting.

Regionally, the bedded rocks are folded, with fold axes generally parallel to the trend of the formation. This main orientation is usually a northwest strike. The more competent rock lithologies (eg: limestone) show brecciation, tectonic fracturing and straining (boudinage), associated with the folding event.

Faulting is a common feature in this area, with many normal faults observable as topographic lineaments. No preferred orientation has been recognized for these fault systems to date. Low angle thrust faults may be implied in some localities, but recognition of such elements is quite difficult on a regional scale.

Manganese-rich skarn lenses are hosted by quartzite, black siltstone and chlorite schist of the Devonian, Mississippian and(?) older aged Nasina assemblage of the Yukon Tanana Terrane. The manganese is believed to have formed as a stratiform synsedimentary deposit, which was later metamorphosed. Antal

reported that the mineralization consists of 2/3 rhodonite and 1/3 rhodochrosite and that a chip sample assayed 36.3% Mn across 7.6 m. Hole 68-14 assayed 24% Mn across 15.2 m, but most intersections averaged less than 5% Mn. Some of the rhodonite from the skarn is of gem quality and is being marketed as a decorative building stone.

The skarn zone is 25 m long and 4 to 7 m wide. It has been traced for 100 m to the northwest and 250 m to the southeast. The northwest and southeast extensions are very narrow. Shearer stated that the deposit is highly variable in shape and mineralogy, but can be roughly divided into two mineralogical zones: (1) a northern tephroite-bustaminte-rhodochrosite-quartz-minor rhodonite zone and (2) a southern rhodonite-tephroite-minor rhodochrosite zone.


Manganiferous veins up to 15 cm wide are found as boulder trains are reported at the northwest corner of the property (Minfile Occurrence #105C 018). The veins are discontinuous and include pyrite-chalcopyrite-bornite or galena. A specimen from a 1984 trench returned 291.4 g/t Ag, 25.4% Pb and 0.206 g/t Au. Prospecting was undertaken during 2008 to locate this occurrence, but efforts were unsuccessful.

As of 1994 current reserves stood at approximately 362.9 tonnes of gem quality rhodonite with some potential of additional reserves down-dip. There are now approximately 4000 tons of reserves at the Marlin occurrence (S. McKeown, personal communication)

580000


600000

Eve Property
Figure 3a - Regional Geology Map
 Projection - NAD 83 UTM Zone 8N
 Scale - 1:40,000
 15/01/2008



Legend

- Minfile Showing
- Town
- Highway
- Road
- Trail
- Stream
- Contour (100m)
- Water Body
- Wetland



6760000
6740000
6720000
6700000

6760000
6740000
6720000
6700000

580000

600000

Legend

Folds

- U— Fold, approximate, anticline, overturned
- †— Fold, approximate, anticline, upright
- ‡— Fold, approximate, monocline, upright
- ∩— Fold, approximate, syncline, overturned
- ‡— Fold, approximate, syncline, upright
- U— Fold, assumed, anticline, overturned
- †— Fold, assumed, anticline, upright
- ∩— Fold, assumed, syncline, overturned
- ‡— Fold, assumed, syncline, upright
- U— Fold, defined, anticline, overturned
- †— Fold, defined, anticline, upright
- ‡— Fold, defined, monocline, upright
- ∩— Fold, defined, syncline, overturned
- ‡— Fold, defined, syncline, upright

Faults

- — — Fault, approximate, dextral
- — — Fault, approximate, movement undefined
- — — Fault, approximate, normal/reverse
- ▲— Fault, approximate, thrust, overturned
- ▲— Fault, approximate, thrust, upright
- — — Fault, assumed, dextral
- — — Fault, assumed, movement undefined
- — — Fault, assumed, normal/reverse
- ▲— Fault, assumed, thrust, overturned
- ▲— Fault, assumed, thrust, upright
- — — Fault, defined, dextral
- — — Fault, defined, movement undefined
- — — Fault, defined, normal/reverse
- — — Fault, defined, sinistral
- — ▲ Fault, defined, thrust, overturned
- ▲— Fault, defined, thrust, upright
- — — Fault, extrapolated, dextral
- — — Fault, extrapolated, movement undefined
- — — Fault, extrapolated, normal/reverse
- — — Fault, extrapolated, sinistral
- ▲— Fault, extrapolated, thrust, overturned
- ▲— Fault, extrapolated, thrust, upright

Bedrock Geology

Quaternary

- Q **QUATERNARY:** unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits

Late Cretaceous to Tertiary

- LKqP **PROSPECTOR MOUNTAIN SUITE:** quartz monzonite, biotite quartz-rich granite; porphyritic alaskite and granite with plagioclase and quartz-eye phenocrysts; biotite and hornblende quartz monzodiorite, granite, and leucocratic granodiorite with local alkali feldspar phenocrysts (Prospector Mountain Suite, Carcross Pluton)

Mid-Cretaceous

- mKqC **CASSIAR SUITE:** medium to coarse grained, equigranular to porphyritic (K-feldspar) granite and biotite quartz monzonite; biotite-hornblende quartz monzonite and granodiorite (Cassiar Suite)

Early Cretaceous

- EKgT

Upper Triassic to Lower Jurassic

- uTrJS

Lower and Middle Jurassic

- JL **LABERGE:** poorly sorted, medium bedded to massive arkosic sandstone and minor shale with interbeds and thick members of resistant heterolithic pebble and boulder conglomerate; recessive, dark brown weathering, thin bedded, dark brown to greenish, silty shale (Laberge Gp.)

Early Jurassic

- EJgA **AISHIHIK SUITE:** medium- to coarse-grained, foliated biotite-hornblende granodiorite; biotite-rich screens and gneissic schlieren; foliated hornblende diorite to monzodiorite with local K-feldspar megacrysts; may include unfoliated monzonite of the Long Lake Suite (Aishihik Suite)

Carboniferous to Triassic

- CTrC4 **CACHE CREEK:** oceanic assemblage of ribbon chert (4)
- CTrC3 **CACHE CREEK:** oceanic assemblage of carbonate (3)
- CTrC2 **CACHE CREEK:** oceanic assemblage of volcanics (2)
- CTrC1 **CACHE CREEK:** oceanic assemblage of ultramafic rocks (1)
- CTrC **CACHE CREEK:** oceanic assemblage of ultramafic rocks (1), volcanics (2), carbonate (3) and ribbon chert (4)

Carboniferous

- CK4 **KLINKIT:** muscovite-chlorite phyllite; impure, fine-grained quartzite and siltstone, locally limy; local massive, sheared, dark, fine grained quartzite; limestone lenses (2); in uncertain contact overlying(?) lithologically similar Road River Cassiar (Nasina)

Devonian/Mississippian

- DMgPW **PELLY GNEISS SUITE - SOUTHWEST:** foliated medium grained, homogeneous biotite granite gneiss to biotite or hornblende granodiorite gneiss; massive to strongly foliated dioritic to granodioritic gneiss; includes interfoliated amphibolite, quartz-mica schist and phyllite (Selwyn Gneiss, Pelly Gneiss, N. Fifty-mile Batholith, Moose Creek Orthogneiss)
- DMN4 **NASINA:** quartzite, micaceous quartzite, quartz muscovite (chlorite; feldspar augen) schist, and minor metaconglomerate and metagrit as in (1), but may locally include significant Klondike Schist Assemblage
- DMN2 **DMN2:** NASINA: marble (Nasina assem.)

Upper Proterozoic/Cambrian

- PCI4? **UNKNOWN:** sandstone, limestone, schist, amphibolite, marble, gneiss

Proterozoic and Paleozoic

- PPa **AMPHIBOLITE:** metamorphosed mafic rocks including amphibolite (1) and ultramafic rocks (2) of unknown association; i.e.) may belong in part or entirely to Nisling, Nasina, and Slide Mountain assemblages and (3), mafic-ultramafic intrusions within Nasina assemblage

ALTERATION, MINERALIZATION AND STRUCTURE (Excerpted from MacDonald, 1986)

The Eve claims cover minor occurrences of silver-copper, silver-lead and rhodonite mineralization, in three different geological environments. A vein zone is exposed to two trenches approximately 30 meters apart in a steep talus covered slope on Evelynn Creek. This vein system is apparently a fissure-filling in gneissic rocks and consists of galena and pyrite in a ribbon quartz gangue. The zone is up to 0.5 m wide and contains up to 15% galena over 10 cm increments. A grab sample of well mineralized vein material collected in 1986 contained 25.4% lead and 8.46 ounces of silver per ton. The host gneissic rock is typically fresh and unaltered except for narrow (1- 10 cm) alteration "envelopes" peripheral to the veining. Extensions of this vein structure are obscured by the talus slope. This occurrence was not visited during the site inspection by the author, though attempts to locate the occurrence during 2008 by the owner were unsuccessful.

A small chalcopyrite-bornite replacement zone occurs in schist and gneiss lithologies on the Eve 78 claim. Mineralization consisting of bornite and chalcopyrite is present in a strata-bound quartz-carbonate lense up to 30 cm in width and exposed by trenching for a 10 m length. Small (1 cm) chalcopyrite veinlets are occasionally present cross-cutting the host lithologies below the main lense. This is known as the "Mt. Grant" Minfile occurrence.

Extensions of the main zone are obscured by overburden, but similar appearing mineralization occurs sporadically as float along the strike projection as much as 400 meters southwest of the Eve 78 trenches. The zone dips moderately southeast. Garnet-diopside-magnetite skarn is present in this vicinity as float, suggesting that the alteration of the schist unit may be a local metamorphic (hydrothermal) event. This zone is present on claims Eve 12- 13 near a rhodonite skarn unit.

Exploration during 1986 evaluated the manganese-rich area identified earlier for possible silver mineralization, located a zone of rhodonite now known as the "Marlin" Minfile occurrence. This material apparently occurs in a skarn zone within the metamorphic lithologies. Rhodonite has been located in surface blast trenches (Keyser, 1986) and also is present in drill holes completed by Mt. Grant Mines Ltd. in 1968 under the surface exposure. Compilation of the results from drilling and surface trenching (Keyser, 1987) indicated that a minimum geological reserve of 4,763 tons of rhodonite was present. Some of this material was subsequently quarried.

could be traced, though past workers reported similarly-mineralized float material up to 400m from the occurrence. A single float sample (TTBV07R01) of extremely rusty weathering pyritic quartz vein material was located 100m upslope of the Eve Trench, and returned 1.43 g/t Au and 30.3 g/t Ag with highly anomalous arsenic, copper and molybdenum values.


Soil Geochemistry (Figures 5a-5f, following)

Gold/Silver Soil sample geochemistry delineated a moderately anomalous multi-element zone some 75m x 500m in area, located 500m NE of Rhodo Lake. During the visit by the author to this area, a number of small shear structures were noted, as was the presence of 1m diameter quartz subcrop boulders. The geometry of this anomaly and local topography suggest that the mineralized source may be structurally related, and likely trends NW/SE. A magnetometer survey completed by RyanWood exploration in 2006 also highlighted this area and trend, outlining a prominent magnetic feature in the area and with the same apparent orientation.

Manganese: Widespread manganese mineralization is outlined in soils, and likely represents manganese alteration migrating through various lithologies which make up the property area. As would be expected, a number of highly anomalous samples were located in the area of the Marlin occurrence, which has seen limited production. Interestingly, the anomalous zone continues some 500m upslope from the occurrence.



Lead/Zinc a number of anomalous lead samples were located in the same area as the gold-silver soil anomaly 500m NE of Rhodo Lake. In addition, a number of anomalous samples were located in a 500m x 200m area 500m south of the Eve Trench.


Copper Anomalous copper soil geochemical values were located in the SW area of the existing grid. This zone remains open and should see further work.



Eve Property
Figure 5a - Soil Geochemistry - Au
 Projection - NAD 83 UTM Zone 8N
 Scale - 1:20,000
 22/01/2008


- Legend**
- Rock Samples - Au (ppb)**
- ▲ 0 - 10
 - ▲ 11 - 170
 - ▲ 171 - 370
 - ▲ 371 - 1430
- Soil Sample - Au (ppm)**
- Au_ppb
- < 16
 - 16 - 33
 - 33 - 50
 - > 50
- ⊕ Minfile Showing
 - ▭ Property Boundary
 - TRAIL
 - River
 - Index Contour (500)
 - Contour (100')
 - Waterbody








Eve Property
Figure 5b - Soil Geochemistry - Ag
 Projection - NAD 83 UTM Zone 8N
 Scale - 1:20,000
 22/01/2008


- Legend**
- Rock Samples - Ag (ppm)**
- ▲ 0 - 1
 - ▲ 2 - 12
 - ▲ 13 - 30
 - ▲ 31 - 206
- Soil Sample - Ag (ppm)**
- < -0.43 Std. Dev.
 - -0.43 - 0.39 Std. Dev.
 - 0.39 - 1.2 Std. Dev.
 - > 1.2 Std. Dev.
- ⊕ Minfile Showing
 - ▭ Property Boundary
 - TRAIL
 - River
 - Index Contour (50')
 - Contour (100')
 - Waterbody











INTERPRETATION AND CONCLUSIONS

The Eve property overlies a structurally complex sequence of meta-sedimentary rocks with distinct mineralized veins and evidence of alteration consistent with metamorphic and metasomatic activity. Evidence of hydrothermal alteration is found in the Marlin rhodonite occurrence located in the southern area of the property. Very low-grade manganese-rich float material was found up to 1km north of the Marlin occurrence and likely represents a lateral extension of the higher-grade zone. This is supported by anomalous soil sample results returned from up to 500m upslope of the known mineralization. The rhodonite may have significant economic potential as ornamental stone, and extensions of known high-grade mineralization should be explored.

High-grade vein mineralization is present on the property on the Eve 78 claim. The single occurrence carries good copper and silver values, but over narrow widths of 10-20cm. No evidence of lateral continuity of the structure could be traced, though past workers reported similarly-mineralized float material up to 400m from the occurrence. A single float sample located upslope from the trench returned 1.43 g/t gold, though orientation of the mineralized structure could not be determined and the associated vein mineralogy suggests that the mineralized structure is unrelated to that seen in the trenches down-slope.

A multi-element soil geochemical anomaly was delineated 500m NE of Rhodo Lake in a zone 75m x 500m long, oriented in a NE/SW trend. The anomalous zone falls within a prominent magnetic anomaly of similar width and orientation. This anomaly is likely structurally related and warrants follow-up.

A prominent lead soil geochemical anomaly is located 500m south and upslope of the Mt Grant occurrence (Eve Trench), and covers an area of approximately 200m x 500m. In addition, anomalous copper values were returned from the SW area of the existing grid. These areas should see follow-up prospecting and soil geochemical sampling in an effort to locate the source of the anomalies.

RECOMMENDATIONS AND PROPOSED BUDGET

Based on work completed on the Eve property during 2006 and 2007, additional work is recommended. A 25,000 program involving additional soil geochemical sampling, prospecting and detailed geological mapping is proposed.

Extensions of the existing high-grade rhodonite are evidenced by the presence of strong Mn geochemistry up to 500m upslope from the Marlin occurrence, in addition to the location of lower-grade float material up to 1km to the northwest.

The source of the multi-element (gold, silver, lead) soil geochemical and magnetic anomaly located 500m east of Rhodo Lake should be investigated. Detailed geological mapping and prospecting of the anomaly area should be carried out. The source of the prominent lead and copper anomalies located 500m south and upslope of the Mt Grant occurrence (Eve Trench) and in the SW area of the grid, respectively, should also see follow-up prospecting in an effort to locate the source of the anomalies.

Proposed Budget-Eve Geological/Geochemical Program:

Personnel:

20 man-days x \$400/man/day	\$8,000
---------------------------------------	---------

Equipment Rental/Field Supply:

Argo 10.0 days x \$100.00/day.	1,000
Pick-up Truck/Mileage 10.0 days x \$100.00/day.	1,000
200 kms x \$ 50/km	1,000
TD 15 Bulldozer 20 hours x \$160/hours	3,200
Bulldozer mob/demob	2,000
Field Supply: 20.0 man-days x \$25.00/day	500
ATV 10.0 days x \$75.00/day	750
ATV Trailer 10.0 days x \$50/day	500

Meals/Accommodations

20.0 man-days x \$42.50 per diem	850
--	-----

Analytical (Eco-Tech Labs)	5,000
---	--------------

Maps/GIS	500
---------------------------	------------

Report	1,000
-------------------------	--------------

Drafting/Reproduction (est.)	500
---	------------

Shipping	<u>100</u>
---------------------------	-------------------

Total: \$25,900

REFERENCES


- Doherty, A (2001)· Assessment Report #094263 May 2001- Evelyn Rhodonite Property
- Keyser, H. (1987) Interim Progress Report on the Eve Claim
- MacDonald, G.C. (1986): Report on Evelynn Creek project for Anoraaq Resources.
- Mullican, R (1963): Geology of Teslin Map Area (Map 112JA); GSC Memoir 326
- Shearer, J (1994): Trenching Report on the Evelyn Creek Rhodonite Property (Eve Claims), Yukon
- Shearer, J. (1991)· Geological, Trenching and Mining Report on the Evelyn Creek Rhodonite Property (Eve Claims), Yukon,
- Yukon Minfile # 105C 017

**APPENDIX I
CERTIFICATE OF QUALIFICATION**

I, Tim J Termuende, of 2720-17th St South in the City of Cranbrook in the Province of British Columbia hereby certify that

- 1) I am a Professional Geoscientist registered with the Association of Professional Engineers and Geoscientists of British Columbia (#19201)
- 2) I am a graduate of the University of British Columbia (1987) with a B Sc degree in Geology, and have practised my profession as geologist continuously since graduation
- 3) This report is supported by data collected during fieldwork conducted from on April 19th to Sept 15th, 2007, and is supported by observations made during a field visit by the author completed on July 9th, 2007
- 4) I have no financial interest in the Eve property, directly or indirectly, nor do I expect to receive any.

Dated this 25th day of January, 2008 in Cranbrook, British Columbia

A circular professional seal for the Association of Professional Engineers and Geoscientists of British Columbia. The seal contains the text "PROFESSIONAL", "PROVINCE OF", "BRITISH COLUMBIA", and "TIM J. TERMUENDE". A handwritten signature is written across the seal.

Tim J. Termuende, P Geo.

APPENDIX II

STATEMENT OF EXPENDITURES- EVE PROGRAM

The following expenses were incurred on the Eve and Adam mineral titles for the purpose of mineral exploration between April 19th and September 15th, 2007.

Personnel:

Tim J Termuende, P Geo	5 0 days x \$600/day	\$3,000 00
Sid McKeown	19 days x \$325/day	6,175 00
Paul McLean	11 0 days x \$ 325 00/day	3,750 00
Harold Fleming	3 0 days x \$325.00/day	9,750 00
Andrew Corney	14 0 days x \$325 00/day	4,550.00

Equipment Rental/Field Supply:

Argo/ATV	11 0 days x \$100 00/day	1,100 00
Pick-up Truck/Mileage	6 0 days x \$100.00/day	600 00
	1920 kms x \$ 50/km	960 00
TD 15 Bulldozer:	57 3 hours x \$160/hours	9,168 00
Bulldozer mob/demob		1,908 00
Field Supply.	43 0 man-days x \$25 00/day	1,075 00
ATV	29 0 days x \$75 00/day	2,175 00
ATV Trailer	11 0 days x \$50/day	550 00
Haul and cut boulder sample		600 00

Air Charter

Fixed Wing (Cessna 172)		825 00
Helicopter(Heli-Dynamics)		3,682.44

Meals/Accommodations

43 0 man-days x \$42 50 per diem	1,827 50
----------------------------------	----------

Analytical (Eco-Tech Labs) 6,931 27

Maps/GIS 500 00

Drafting/Reproduction (est) 500 00

Shipping 100 00

Total: \$ 59,727.21

APPENDIX III
CERTIFICATES OF ANALYSIS-EVE PROGRAM

CERTIFICATE OF ASSAY AW 2007-7556

Sid Rock
13 Denver Road
Whitehorse, YK

18-Jan-08

No of samples received 23
Sample Type Rock
Submitted by Sid McKeown

ET #.	Tag #	Ag (g/t)	Ag (oz/t)	Cu (%)	Zn (%)
14	EVE 78 R S #2 OLD TREN	103	3 00	7 20	
23	NANA TOP CUT #8	92 0	2 68		5 12

QC DATA:

Repeat:

14	EVE 78 R S #2 OLD TREN	104	3 03	7 30	
23	NANA TOP CUT #8				4 83

Standard:

PB129	24 0	0 70			
Cu120				1 52	

JJ/dc
XLS/07

ECO TECH LABORATORY LTD.

Jutta Jealouse
B C Certified Assayer

CERTIFICATE OF ASSAY AK 2007-7243

Sidrock
13 Denver Road
Whitehorse, YT

29-Aug-07

No of samples received 10
Sample Type Rock
Project: Eve
Submitted by Sid McKeown

ET #.	Tag #	Au (g/t)	Au (oz/t)	Ag (g/t)	Ag (oz/t)	Cu (%)
2	TTBV07R02	1.43	0.042			
10	Old Trench Main Showing			206	6.008	14.2

QC DATA:

Repeat:

10	Old Trench Main Showing			208	6.066	14.4
----	-------------------------	--	--	-----	-------	------

Standard:

OX154	1.85	0.054				
Pb113			22.4	0.653		
Cu120						1.52

JJ/jl
XLS/07

ECO TECH LABORATORY LTD.

Jutta Jealouse
B C Certified Assayer

Values in ppm unless otherwise reported

		Fire Assay																																														
El #	Tag #	Au ppb	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppb	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Ro ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Tb ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	Zr ppm
1	RHODO LAKE AREA	<5	0.9	0.03	56.1	71.5	1.26	2.47	0.81	5.17	11.5	9.5	0.06	3.50	0.56	16.1	40.3	0.04	100	<0.01	3.0	1.2	0.58	>10000	1.77	0.022	0.10	43.2	344.0	606.90	0.4	0.041	0.06	13.18	0.7	0.3	0.9	34.0	<0.05	0.18	0.6	0.022	0.04	0.3	<2	9.1	50.5	2.6
2	AREA 1 EVE 14	<5	0.1	1.46	6.2	61.0	0.54	1.18	0.10	21.32	12.0	52.0	0.14	13.62	3.85	5.3	11.0	<0.02	10	<0.03	11.0	8.6	1.11	1371	1.93	0.032	0.28	3.4	761.0	4.92	3.9	0.001	1.38	0.20	4.0	0.7	0.4	30.5	<0.05	0.24	5.6	0.059	0.04	1.4	22	<0.1	4.6	0.4
3	EVE R S 22 #1	45	2.3	0.03	2.0	5.0	0.14	<0.01	0.50	0.24	1.2	312.5	<0.02	2297.00	0.56	0.3	1.5	<0.02	25	<0.01	<0.5	0.2	0.01	370	1.18	0.017	0.06	6.1	6.0	1.98	0.1	<0.001	0.06	0.12	0.5	0.1	0.2	0.5	<0.05	0.08	0.3	0.001	<0.02	0.3	<2	<0.1	8.7	0.1
4	EVE R S #2	55	2.4	0.07	3.2	40.0	0.18	1.06	3.50	0.14	1.3	133.0	<0.02	2192.00	0.58	0.4	1.8	<0.02	40	<0.01	<0.5	0.4	0.06	778	0.90	0.017	0.04	3.5	9.0	3.78	0.2	<0.001	0.10	0.12	1.1	0.3	0.1	2.0	<0.05	0.10	0.2	0.001	<0.02	0.1	<2	<0.1	21.5	0.1
5	EVE 33 R S #1	120	0.4	0.90	28.6	7.0	0.96	>10	0.45	10.59	7.7	50.5	0.06	455.60	14.01	5.8	36.2	0.04	20	<0.01	5.0	5.7	4.67	>10000	0.59	0.020	0.06	45.3	117.0	11.94	0.2	0.001	1.44	0.06	6.9	5.0	0.6	203.0	<0.05	0.28	6.9	0.007	<0.02	1.1	20	<0.1	73.3	1.1
6	EVE 33 R S #2	5	0.1	0.48	4.7	37.5	0.46	0.43	0.09	21.73	7.8	83.0	0.10	12.49	3.05	2.0	8.1	<0.02	5	0.04	11.0	1.5	0.25	412	1.78	0.042	0.34	4.6	391.0	2.88	4.4	0.001	2.22	0.10	2.0	0.9	0.3	14.5	<0.05	0.26	6.8	0.031	0.04	1.2	4	<0.1	9.6	0.4
7	EVE 33 R S #3	5	<0.1	0.39	2.9	46.0	0.40	0.32	0.03	9.48	5.7	75.5	0.12	6.08	2.43	1.5	6.4	<0.02	5	0.03	5.0	1.1	0.20	224	2.38	0.039	0.50	3.5	380.0	5.19	3.9	0.001	1.66	0.08	1.3	0.6	0.4	10.5	<0.05	0.22	5.8	0.039	0.04	0.5	2	<0.1	6.4	0.4
8	EVE 36 R S #1A	<5	0.1	0.94	4.6	94.5	0.34	0.81	0.08	23.96	6.4	120.0	0.12	8.67	2.36	3.5	6.8	<0.02	5	0.04	13.0	4.0	0.59	532	1.40	0.056	0.38	4.8	441.0	3.13	4.7	0.001	0.66	0.10	2.9	0.4	0.4	25.5	<0.05	0.14	7.6	0.053	0.04	1.3	10	<0.1	23.0	0.4
9	EVE 36 #1B	5	0.1	0.46	3.6	39.5	0.50	0.59	0.03	29.19	6.2	145.5	0.16	6.78	2.34	2.2	6.7	<0.02	10	0.05	14.0	1.2	0.13	181	1.67	0.058	0.42	5.1	368.0	2.68	6.3	0.001	2.04	0.12	1.9	0.8	0.5	16.5	<0.05	0.22	9.9	0.037	0.06	1.4	2	0.1	6.0	0.5
10	EVE R S 42#1	170	12.4	0.05	3.5	37.0	0.86	0.02	2.62	0.23	6.0	173.0	<0.02	9219.00	1.48	0.4	4.0	<0.02	260	<0.01	<0.5	0.2	0.04	421	0.87	0.018	0.06	5.9	13.0	4.16	0.2	0.001	0.64	0.20	1.2	1.1	0.3	1.0	<0.05	0.44	0.7	0.002	<0.02	0.4	<2	0.2	32.1	0.2
11	EVE R S 42#2	10	0.4	0.06	33.4	10.0	0.16	0.01	0.02	2.32	1.8	178.5	0.06	67.85	2.47	0.6	6.4	<0.02	10	<0.01	1.0	0.3	0.02	175	0.62	0.021	0.06	12.2	30.0	2.41	0.5	<0.001	1.30	0.26	0.6	0.2	0.2	0.5	<0.05	0.18	1.6	0.002	<0.02	0.3	<2	<0.1	18.3	0.3
12	[REDACTED]	5	3.3	0.12	20.2	18.0	0.62	0.65	6.01	1.37	4.2	17.5	0.24	3567.00	34.61	5.4	81.6	0.10	10	<0.01	0.5	2.2	0.94	3132	0.93	0.026	0.18	3.5	55.0	2.46	0.5	0.002	0.06	2.08	1.4	1.2	17.3	51.0	<0.05	0.14	1.0	0.008	0.02	1.1	8	0.4	590.7	4.4
13	[REDACTED]	<5	0.1	1.37	92.4	100.0	2.74	>10	1.07	6.47	3.7	70.0	0.46	21.33	0.76	3.6	3.2	0.16	5	0.01	3.0	6.4	0.62	390	0.44	0.024	0.12	19.3	779.0	3.67	2.8	<0.001	0.02	4.96	4.2	0.3	0.5	4157.0	<0.05	0.84	0.7	0.066	0.02	0.5	20	<0.1	159.9	6.1
14	EVE 78 R S #2 OLD TREN	275	>30	0.30	1.4	43.5	35.14	0.29	19.96	6.97	9.5	81.5	0.18	>10000	3.93	1.3	10.3	0.04	2040	0.03	5.5	1.1	0.08	128	84.98	0.021	0.08	2.9	618.0	171.70	5.1	0.003	1.86	1.72	1.6	21.8	2.0	56.5	<0.05	0.50	15.3	0.006	0.04	10.1	10	0.2	66.4	1.1
15	[REDACTED]	5	0.3	3.79	18.0	182.5	0.12	2.65	0.87	10.42	2.1	91.0	0.26	272.30	3.87	10.6	11.1	0.08	20	0.22	4.5	67.6	1.39	388	1.70	0.208	0.10	55.7	1358.0	5.52	22.5	0.001	0.84	1.50	3.5	0.8	0.3	493.0	<0.05	0.16	1.8	0.277	0.14	0.5	102	<0.1	171.7	2.4
16	[REDACTED]	5	0.7	4.09	35.7	48.0	0.52	3.20	0.49	17.99	22.3	127.5	5.80	108.80	4.03	14.8	11.9	0.06	10	0.10	9.0	24.0	1.35	188	1.52	0.241	0.14	82.9	1387.0	8.47	26.4	0.001	2.08	0.90	7.7	0.6	0.3	506.0	<0.05	0.22	2.3	0.201	0.20	0.6	106	<0.1	83.8	2.2
17	[REDACTED]	5	5.5	0.19	45.4	10.0	1.66	1.80	0.87	0.18	2.4	12.0	0.68	1632.00	21.19	3.4	55.7	0.08	10	<0.01	<0.5	12.2	7.56	2748	1.11	0.028	0.16	2.4	43.0	3.09	0.4	0.003	0.06	5.84	1.9	1.0	25.4	47.5	<0.05	0.12	0.9	0.012	<0.02	1.7	6	0.5	137.7	3.5
18	[REDACTED]	<5	0.1	0.40	45.3	21.0	0.26	2.49	1.21	0.38	2.0	13.5	1.00	325.90	21.10	3.0	57.2	0.12	10	<0.01	<0.5	18.0	6.71	2965	0.34	0.025	0.28	2.5	87.0	1.01	0.4	0.004	<0.02	6.48	2.4	0.2	19.2	52.0	<0.05	0.10	0.3	0.037	<0.02	2.1	10	0.8	129.6	4.7
19	[REDACTED]	5	0.1	1.02	80.7	100.5	2.44	>10	1.18	5.93	3.2	57.5	0.32	20.47	0.60	2.5	2.9	0.14	5	<0.01	3.0	5.1	0.47	268	0.40	0.023	0.12	15.0	634.0	3.06	2.1	0.001	0.02	4.38	3.6	0.3	0.5	5111.0	<0.05	0.94	0.4	0.056	<0.02	0.5	14	0.2	150.3	6.3
20	[REDACTED]	<5	0.1	0.94	5.6	55.5	0.06	1.07	0.24	18.18	4.6	48.5	0.30	15.01	1.78	5.0	5.3	0.16	<5	0.03	9.0	9.5	0.14	267	0.22	0.164	0.66	10.5	906.0	16.00	2.4	<0.001	0.06	0.72	4.6	0.2	0.8	99.5	<0.05	0.06	1.8	0.132	0.04	0.5	30	<0.1	34.3	3.7
21	[REDACTED]	<5	0.2	0.17	37.0	15.0	0.04	1.15	0.57	0.31	1.5	14.5	0.20	315.90	22.84	2.9	57.0	0.14	5	<0.01	<0.5	6.0	3.94	2443	0.32	0.031	0.22	2.5	74.0	0.52	0.3	0.003	<0.02	4.10	1.6	<0.1	18.6	30.0	<0.05	0.12	0.7	0.009	<0.02	0.6	4	0.6	1-1.2	5.4
22	[REDACTED]	<5	0.1	3.97	12.4	38.5	0.36	4.42	0.12	9.00	2.6	51.0	0.68	25.75	0.77	8.0	3.6	0.14	<5	0.01	4.0	2.3	0.13	179	0.51	0.131	<0.02	2.1	602.0	5.57	1.7	<0.001	0.02	0.52	1.5	0.2	0.4	629.0	<0.05	0.16	0.6	0.080	0.02	0.3	12	<0.1	23.6	5.5
23	[REDACTED]	35	>30	1.51	196.6	87.5	1072.00	5.90	420.50	18.72	95.0	101.0	0.28	853.90	3.35	4.0	9.1	0.28	725	<0.01	11.0	3.7	0.64	1309	4.72	0.026	0.24	54.9	693.0	520.40	0.7	0.001	0.24	35.16	5.6	8.4	3.6	496.0	<0.05	0.36	1.1	0.105	0.06	7.3	32	<0.1	>10000	14.1

QC DATA

Repeat																														
1	RHODO LAKE AREA	5	0.9	0.03	56.7	71.0	1.22	2.44	0.80	5.48	11.6	9.5	0.04	1.66	0.56	16.3	41.3	0.04	95	<0.01	3.5	1.0	0.57	>10000	1.54	0.023	0.14	43.7	339.0	598.60

Values in ppm unless otherwise reported

Et #	Tag #	Au (ppm)	Ag ppm	Al %	As ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
1	TTBV07R01	<5	0.3	0.06	3.4	6.1	0.04	0.01	0.04	5.6	327.0	51.53	0.75	0.4	4	0.01	0.2	0.05	44	6.00	0.036	4.6	25.89	2.45	<0.02	0.11	0.2	0.1	3.7	0.02	0.1	0.005	<0.02	0.3	3	0.1	5.1
2	TTBV07R02	>1000	30.2	0.33	513.1	9.1	2.11	0.07	1.85	39.1	265.4	1019.00	9.05	1.8	144	0.15	1.4	0.21	166	439.60	0.049	4.8	126.70	49.17	6.40	0.12	0.5	6.6	32.6	0.48	0.3	0.022	0.05	0.4	8	3.8	74.9
3	TTBV07R03	<5	0.2	0.75	15.7	34.3	0.03	0.38	2.73	15.0	321.2	437.80	4.50	2.0	12	0.08	12.8	0.22	507	4.63	0.040	77.8	390.70	16.71	0.04	0.47	1.8	1.3	12.9	0.04	6.5	0.001	0.02	6.3	5	0.2	677.9
4	TTBV07R04	5	0.1	0.02	39.9	46.5	0.06	<0.01	0.02	0.5	306.7	6.21	0.69	0.4	6	0.04	3.3	<0.01	20	2.17	0.037	3.7	122.90	12.16	0.05	0.46	0.1	2.1	20.8	0.36	2.5	0.000	0.03	0.1	2	<0.1	1.6
5	TTBV07R05	<5	0.1	0.57	2.6	119.5	0.72	0.03	0.01	3.2	187.0	28.00	1.48	2.3	0	0.09	4.6	0.82	131	5.11	0.063	7.6	144.00	2.34	0.36	0.05	0.8	1.7	10.8	0.41	3.8	0.059	0.03	0.3	8	0.1	18.7
6	TTBV07R06	10	0.1	0.45	1.9	1822.0	0.04	0.95	0.47	2.3	278.4	39.79	0.88	1.6	7	0.03	0.4	0.33	>10000	1.21	0.039	4.8	909.70	2.36	0.02	0.68	4.1	0.3	137.0	0.03	0.1	0.010	<0.02	0.2	27	<0.1	14.3
7	Slide Mt Grant	10	<0.1	0.43	18.9	11.3	0.03	0.65	0.04	2.8	219.2	9.33	0.73	3.4	3	0.08	8.8	0.14	118	1.13	0.067	8.9	279.70	4.39	0.08	0.42	0.9	0.3	253.0	0.03	4.6	0.054	0.06	0.9	13	<0.1	11.9
8	Slide Mt Grant	<5	0.2	0.19	3.6	96.7	0.48	2.71	0.13	4.7	123.3	3.83	1.70	0.8	3	0.13	6.4	0.61	692	3.21	0.040	1.7	316.80	13.63	0.04	0.30	1.3	0.2	441.6	0.03	5.2	0.001	0.04	0.9	3	0.2	30.7
9	Slide Mt Grant	<5	0.4	0.78	2.6	183.2	0.21	0.06	0.73	4.8	327.6	190.00	2.04	4.3	11	0.11	3.1	0.82	330	1.14	0.034	27.7	81.18	15.24	0.17	0.43	1.4	2.5	8.6	0.07	1.4	0.036	0.06	0.5	41	<0.1	228.9
10	Old Trench Main Showing	370	>30	0.08	1.3	27.1	60.71	0.03	5.24	6.4	159.3	>10000	2.75	0.5	776	0.04	3.5	0.02	35	177.50	0.053	2.3	115.60	131.90	1.31	1.53	0.4	31.3	5.7	1.70	5.4	0.003	<0.02	3.6	<2	0.1	82.5
QC DATA																																					
Repeat																																					
1	TTBV07R01	5	0.3	0.05	3.2	6.0	0.03	0.01	0.04	5.6	331.0	51.35	0.72	0.4	4	0.01	0.2	0.05	44	6.23	0.039	4.7	24.36	2.24	<0.02	0.10	0.2	0.1	3.6	0.02	0.1	0.005	<0.02	0.4	3	0.1	5.0
10	Old Trench Main Showing	430																																			
Resplit																																					
1	TTBV07R01	5	0.3	0.06	3.0	5.7	0.03	0.01	0.04	5.5	338.7	49.53	0.70	0.4	4	0.01	0.2	0.05	46	5.47	0.044	4.6	23.69	2.59	0.02	0.10	0.2	0.1	3.6	0.02	0.1	0.007	<0.02	0.4	3	0.1	5.1
Standard																																					
PB113A																																					
SE29		600	116	0.18	98.2	63.3	1.05	1.33	41.47	1.7	7.9	2226.00	0.78	1.0	65	0.11	2.2	0.10	1471	75.00	0.041	1.3	80.20	5678.00	0.51	12.13	0.3	0.3	103.1	0.41	0.3	0.006	0.08	0.3	5	0.1	6981.0

ECO TECH LABORATORY LTD
 10041 Dallas Drive
 KAMLOOPS, B C
 V2C 6T4

ICP CERTIFICATE OF ANALYSIS AW 2007- 1245-2R
 Revised

Sidrock
 13 Denver Road
 Whitehorse, YK
 Y1A 5S8

Phone 250-573-5700
 Fax 250-573-4557

No of samples received 264
 Sample Type Soil
 Project Eve & Nana
 Submitted by Sid McKeown

Values in ppm unless otherwise reported

Et#	Tag #	Au ppb	Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm	
1	AC EVE- 01	2	4	0.3	1.45	6.9	<1	85.5	0.30	0.16	0.13	5.0	12.7	18.17	2.31	4.6	30	0.10	10.5	0.54	350	1.05	0.039	9.2	389.0	20.26	0.06	0.24	2.6	0.7	9.0	0.10	2.9	0.059	0.14	1.0	36	0.4	71.7	
2	AC EVE- 02	1	2	0.1	1.23	5.7	<1	92.0	0.20	0.13	0.11	4.8	11.0	12.63	1.94	4.3	15	0.08	8.5	0.54	323	0.71	0.037	7.3	283.0	10.11	0.06	0.22	1.7	0.4	10.5	0.04	0.9	0.045	0.12	0.7	30	0.3	70.1	
3	AC EVE- 03	2	4	0.1	1.29	9.2	<1	89.5	0.24	0.12	0.19	5.2	12.0	18.30	2.07	4.4	15	0.10	14.0	0.55	440	0.85	0.037	10.2	484.0	15.10	0.06	0.32	1.8	0.5	8.5	0.06	2.1	0.038	0.16	0.7	30	0.3	75.1	
4	AC EVE- 04	4	6	0.2	1.09	11.6	<1	97.5	0.34	0.10	0.11	6.8	11.0	27.97	2.15	3.5	15	0.07	9.5	0.51	550	1.00	0.035	12.0	344.0	17.29	0.06	0.36	1.8	0.6	9.5	0.08	2.0	0.031	0.12	0.7	22	0.3	70.9	
5	AC EVE- 05	9	10	0.3	1.18	20.0	<1	136.5	0.36	0.19	0.23	6.3	13.0	32.76	2.43	4.4	40	0.12	27.5	0.55	522	1.10	0.038	12.2	441.0	20.52	0.06	0.58	2.3	1.0	12.0	0.12	5.9	0.033	0.14	1.1	26	0.2	82.3	
6	AC EVE- 06	12	15	0.4	1.27	30.7	<1	133.0	0.40	0.13	0.25	10.0	16.0	52.63	3.73	3.9	30	0.08	12.5	0.55	1282	1.22	0.036	21.1	482.0	26.99	0.10	0.68	2.4	0.9	9.5	0.14	4.2	0.028	0.12	1.4	26	0.2	104.6	
7	AC EVE- 07	29	18	0.4	0.64	48.4	<1	81.0	0.36	0.10	0.23	5.5	8.5	37.45	2.82	2.4	50	0.06	9.5	0.25	997	1.33	0.032	12.1	418.0	18.13	0.12	0.86	1.1	0.8	6.0	0.16	2.2	0.013	0.08	0.9	14	0.1	80	
8	AC EVE- 08	27	28	0.8	0.23	40.7	<1	101.0	0.64	0.06	0.06	1.4	4.5	9.63	1.41	1.4	90	0.11	7.0	0.09	102	1.65	0.032	2.2	206.0	32.12	0.24	1.26	0.3	1.3	9.0	0.22	1.1	0.004	0.12	0.3	6	0.1	18.1	
9	AC EVE- 09	52	44	1.1	0.35	78.2	<1	93.5	0.76	0.07	0.24	3.0	7.5	41.15	2.55	2.4	175	0.10	12.0	0.14	170	1.71	0.038	7.9	419.0	36.47	0.20	2.36	1.2	1.6	20.5	0.44	6.0	0.008	0.10	0.8	1.0	0.1	46.4	
10	AC EVE- 11	15	18	0.4	1.06	66.0	<1	94.0	0.46	0.07	0.18	4.8	12.5	47.02	2.43	4.7	30	0.10	16.5	0.41	244	8.92	0.040	9.2	476.0	41.25	0.08	1.30	1.6	1.8	30.0	0.34	3.7	0.029	0.10	0.8	28	0.4	44.4	
11	AC EVE- 12	29	27	0.4	1.37	82.7	<1	95.5	0.40	0.07	0.17	6.4	21.5	117.00	4.93	4.2	100	0.11	18.0	0.69	445	1.74	0.034	20.1	1088.0	19.61	0.12	0.84	3.2	1.7	20.5	0.16	12.2	0.022	0.12	2.1	32	0.1	99.9	
12	AC EVE- 13	11	11	0.3	0.32	47.4	<1	47.0	0.50	0.05	0.04	1.3	7.0	62.76	3.32	1.9	15	0.04	11.5	0.12	104	2.07	0.033	3.9	564.0	5.06	0.08	0.40	0.8	2.1	8.5	0.22	8.4	0.004	0.04	0.7	12	0.3	23.6	
13	AC EVE- 14	2	3	0.1	1.66	6.2	<1	162.0	0.12	0.40	0.25	9.0	15.5	20.95	2.50	4.5	15	0.25	7.5	1.14	588	0.50	0.054	11.9	631.0	10.78	0.04	0.24	4.0	0.3	19.5	0.02	4.3	0.076	0.16	0.8	50	0.1	88.7	
14	AC EVE- 15	6	8	0.4	2.75	10.5	<1	285.5	0.96	0.26	0.23	10.8	18.5	50.19	4.51	6.8	15	0.92	5.5	1.81	1190	1.64	0.050	10.3	556.0	66.22	0.26	0.40	6.5	0.4	37.0	0.16	1.9	0.131	0.44	0.6	72	0.1	238	
15	AC EVE- 16	10	15	0.6	3.19	8.2	<1	349.5	0.52	0.46	0.29	15.8	24.5	62.04	4.78	8.0	15	1.10	4.5	2.34	1337	1.44	0.061	13.4	645.0	34.39	0.16	0.36	8.8	0.4	47.0	0.10	1.9	0.132	0.44	0.6	98	0.1	185.1	
16	AC EVE- 17	12	20	0.3	3.93	6.7	<1	492.5	0.14	0.93	0.69	17.3	30.0	62.34	5.12	10.8	10	1.03	2.5	3.18	1958	0.99	0.109	13.5	844.0	15.06	0.08	0.20	15.0	0.2	90.5	0.04	1.4	0.135	0.30	0.4	148	<0.1	374.8	
17	AC EVE- 18	7	8	0.3	2.56	6.6	<1	216.5	0.26	0.41	0.53	11.8	16.0	46.41	3.34	6.8	20	0.57	5.5	1.83	921	1.59	0.057	12.5	461.0	19.48	0.16	0.18	6.3	0.3	55.0	0.04	1.7	0.091	0.30	0.8	68	0.1	340.5	
18	AC EVE- 19 N/S																																							
19	AC EVE- 20	9	8	0.5	2.14	7.5	<1	199.0	0.44	0.28	0.37	11.4	15.5	50.89	3.67	5.5	45	0.58	4.5	1.68	980	1.90	0.047	9.4	396.0	47.26	0.16	0.30	5.1	0.3	39.5	0.07	1.7	0.083	0.24	0.6	74	0.1	388	
20	AC EVE- 21	9	10	0.3	1.92	7.1	<1	179.0	0.30	0.31	0.29	9.6	25.0	29.93	2.93	5.2	20	0.55	5.0	1.41	950	1.11	0.047	10.9	454.0	26.50	0.06	0.22	4.9	0.3	23.0	0.06	1.9	0.066	0.22	0.5	50	0.1	178.9	
21	AC EVE- 22	8	8	0.4	1.70	12.4	<1	141.0	0.28	0.44	0.67	14.9	22.5	53.10	2.99	4.5	10	0.42	6.5	1.30	940	0.85	0.055	30.3	651.0	15.92	0.14	0.36	4.2	0.4	24.0	0.08	4.8	0.056	0.22	1.0	40	0.1	149.3	
22	AC EVE- 23	3	3	0.2	1.34	8.9	<1	145.0	0.18	0.55	0.35	7.3	14.0	26.00	2.14	3.8	10	0.22	8.0	0.91	778	0.58	0.054	16.1	558.0	8.43	0.06	0.34	3.2	0.5	15.5	0.04	2.6	0.046	0.18	1.1	32	0.1	87.1	
23	AC EVE- 24	6	3	0.1	1.51	7.2	<1	111.0	0.18	0.25	0.15	7.4	14.5	20.43	2.17	4.4	5	0.20	9.5	0.83	620	0.47	0.049	14.0	448.0	6.83	0.06	0.22	3.2	0.4	11.0	0.04	2.6	0.056	0.14	1.3	38	0.1	87.6	
24	AC EVE- 25	2	2	0.1	1.88	5.6	<1	78.0	0.10	0.24	0.22	6.9	6.0	13.78	2.07	5.0	10	0.14	11.5	0.99	1150	0.77	0.037	4.9	778.0	8.24	0.12	0.22	1.1	0.8	7.0	<0.02	0.6	0.030	0.10	1.5	20	<0.1	151.1	
25	AC EVE- 26	4	5	0.1	3.94	7.2	<1	147.0	0.14	0.46	0.10	12.9	5.0	21.40	4.49	11.4	15	0.26	5.0	2.30	1387	0.82	0.072	6.2	473.0	9.48	0.06	0.18	8.7	0.7	19.5	0.04	1.5	0.102	0.12	0.7	108	0.6	152.6	
26	AC EVE- 27	4	7	0.2	1.90	11.8	<1	174.5	0.24	0.26	0.09	7.7	16.5	21.23	2.80	5.3	15	0.20	8.5	0.92	727	1.51	0.038	12.4	420.0	9.84	0.06	0.30	3.2	0.8	11.5	0.04	1.6	0.057	0.18	1.0	42	0.1	111.2	
27	AC EVE- 28	5	7	0.4	2.31	10.8	<1	275.5	0.22	0.57	0.19	10.3	16.5	36.95	3.29	6.5	30	0.34	10.5	1.30	894	1.57	0.063	16.1	566.0	9.70	0.08	0.34	5.2	1.0	19.0	0.04	2.9	0.081	0.22	2.4	54	0.3	147.8	
28	AC EVE- 29	3	4	0.2	1.70	6.9	<1	142.0	0.14	0.34	0.08	6.6	18.0	15.95	2.37	5.0	15	0.13	9.5	0.92	523	0.69	0.049	12.3	608.0	8.81	0.06	0.15	3.6	0.7	18.5	<0.02	1.7	0.059	0.14	0.9	42	<0.1	98.6	
29	AC EVE- 30	22	4	0.1	1.39	5.5	<1	99.0	0.12	0.20	0.09	6.1	23.5	6.32	2.26	5.1	10	0.06	5.0	0.69	615	0.59	0.041	9.0	423.0	10.10	0.08	0.12	1.6	0.2	13.5	<0.02	0.3	0.039	0.08	0.4	32	<0.1	61.1	
30	AC EVE- 31	4	7	0.1	1.84	10.0	<1	164.0	0.24	0.19	0.17	12.0	17.5	16.03	2.72	5.7	20	0.12	7.0	0.85	1173	1.47	0.039	12.3	499.0	11.60	0.08	0.32	1.8	0.4	9.5	0.08	0.7	0.044	0.18	0.8	42	0.1	74.3	
31	AC EVE- 32	2	3	0.1	1.32	10.0	<1	226.5	0.18	0.22	0.19	8.7	19.0	25.89	2.25	4.1	15	0.14	10.0	0.64	569	0.48	0.040	18.7	458.0	11.31	0.02	0.36	3.4	0.4	15.5	0.04	3.5	0.053	0.14	0.8	38	0.1	66.2	
32	AC EVE- 33	4	10	0.2	1.93	11.6	<1	276.0	0.24	0.48	0.35	11.8	31.5	42.53	3.06	5.9	40	0.31	15.5	0.92	821	1.12	0.047	35.5	592.0	16.58	0.04	0.60	5.7	0.5	24.0	0.04	6.3	0.077	0.22	1.1	54	0.2	105.8	
33	AC EVE- 34	4	3	0.2	2.07	11.0	<1	161.5	0.22	0.24	0.16	8.6	21.5	31.51	2.78	5.5	20	0.18	10.0	1.11	553	0.77	0.052	15.3	514.0	13.55	0.04	0.32	3.8	0.5	19.0	0.02	2.5	0.067	0.14	0.9	52	0.2	100.7	
34	AC EVE- 35	3	4	0.2	2.04	13.0	<1	192.0	0.44	0.34																														

Et #	Tag #	Au ppb	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na ppm	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
36	AC EVE- 37	8	3	0.1	0.79	9.7	<1	63.0	0.12	0.21	0.06	2.7	9.0	8.62	1.07	2.3	5	0.06	8.5	0.27	131	0.92	0.041	7.8	587.0	5.52	0.02	0.36	1.4	0.4	8.5	<0.02	3.4	0.031	0.08	0.7	20	0.2	32
37	AC EVE- 38	3	11	0.1	1.87	11.0	<1	157.5	0.20	0.24	0.17	9.8	18.5	26.98	2.93	5.6	10	0.15	11.5	1.02	686	0.67	0.052	13.2	516.0	12.35	0.04	0.28	4.0	0.5	16.5	0.06	2.4	0.063	0.14	1.0	52	0.1	82.7
38	AC EVE- 40	19	3	0.1	1.65	9.8	<1	98.0	0.18	0.20	0.12	7.6	14.5	22.31	2.03	4.0	10	0.12	10.0	0.62	421	0.45	0.048	13.8	481.0	6.64	0.04	0.26	2.8	0.5	10.0	0.02	4.2	0.054	0.14	0.7	32	0.1	56.5
39	AC EVE- 41	2	2	0.1	1.40	8.6	<1	124.5	0.16	0.31	0.10	6.5	21.5	16.50	1.95	4.2	15	0.14	10.5	0.63	431	0.85	0.048	16.0	519.0	5.88	0.04	0.22	3.0	0.5	14.5	0.02	2.7	0.053	0.16	1.0	34	0.2	54.9
40	AC EVE- 42	3	3	0.1	0.93	7.4	<1	76.0	0.12	0.23	0.08	4.9	12.5	9.38	1.46	3.2	5	0.08	13.5	0.40	341	0.28	0.049	10.0	499.0	4.36	0.02	0.14	2.0	0.4	9.5	<0.02	4.7	0.046	0.10	0.7	26	0.2	30.8
41	AC EVE- 43	15	10	<0.1	0.91	7.9	<1	96.0	0.14	0.31	0.11	5.6	13.5	11.29	1.61	3.4	5	0.11	14.0	0.47	409	0.35	0.055	10.6	573.0	4.93	0.02	0.18	2.5	0.4	14.5	0.02	5.1	0.056	0.16	0.7	30	0.2	37.8
42	AC EVE- 44	2	5	0.1	1.58	6.7	<1	105.0	0.14	0.18	0.09	6.2	22.0	12.86	1.95	4.7	10	0.10	14.0	0.73	442	1.53	0.044	14.8	448.0	8.84	0.04	0.14	2.9	0.5	9.0	<0.02	3.7	0.058	0.14	1.4	34	0.1	54.1
43	AC EVE- 46	3	2	0.1	1.05	7.6	<1	134.0	0.16	0.31	0.16	5.8	14.0	14.19	1.89	4.3	10	0.21	24.5	0.58	777	0.57	0.058	11.7	522.0	4.99	0.02	0.12	3.2	0.6	14.0	0.02	10.7	0.063	0.20	0.9	34	0.2	46.4
44	AC EVE- 47	21	3	0.1	1.88	9.1	<1	156.5	0.18	0.37	0.09	7.6	22.0	17.28	2.46	5.3	10	0.17	8.5	1.05	599	0.73	0.060	14.3	411.0	8.38	0.04	0.16	4.0	0.4	15.5	0.02	2.9	0.069	0.18	0.9	42	0.1	86.8
45	AC EVE- 48	<1	2	<0.1	0.84	6.3	<1	90.5	0.12	0.26	0.06	4.1	11.0	7.49	1.42	3.3	5	0.16	11.5	0.43	337	0.28	0.044	9.7	473.0	3.58	0.02	0.12	1.8	0.3	10.1	<0.02	3.9	0.048	0.12	0.5	24	0.1	32.9
46	AC EVE- 50	3	3	0.3	2.84	39.8	<1	508.5	0.18	0.38	0.32	21.4	125.5	55.52	4.38	9.3	10	0.51	16.0	2.14	969	1.39	0.044	59.8	1552.0	8.73	0.12	1.68	9.7	0.9	41.5	0.08	5.3	0.112	0.36	1.6	126	0.1	96.9
47	AC EVE- 51	<1	1	0.1	0.47	5.6	<1	37.5	0.08	0.14	0.05	2.5	6.0	4.56	1.03	2.1	<5	0.07	11.5	0.21	164	0.13	0.043	6.4	262.0	2.19	<0.02	0.08	1.1	0.3	5.0	<0.02	3.9	0.029	0.06	0.5	16	<0.1	16.5
48	AC EVE- 52	1	1	0.1	0.91	6.2	<1	72.5	0.12	0.23	0.08	3.2	9.5	9.03	1.25	3.4	5	0.10	14.0	0.37	275	0.29	0.046	8.5	441.0	3.55	0.04	0.12	1.6	0.4	8.0	<0.02	2.3	0.042	0.10	0.6	22	0.1	34.1
49	AC EVE- 53	13	1	0.1	1.23	6.4	<1	114.0	0.16	0.22	0.13	4.9	11.0	15.23	1.56	4.2	10	0.13	13.5	0.43	486	0.31	0.051	11.9	521.0	3.59	0.06	0.10	2.2	0.5	9.0	<0.02	1.8	0.051	0.16	1.3	28	0.1	55.3
50	AC EVE- 54	<1	1	0.1	1.17	6.8	<1	126.5	0.16	0.27	0.13	6.6	10.5	25.53	1.56	4.3	10	0.21	16.5	0.42	536	0.26	0.054	14.7	578.0	3.36	0.04	0.12	2.8	0.5	9.0	<0.02	4.4	0.060	0.22	1.3	26	0.2	52.4
51	AC EVE- 55	1	1	0.1	1.53	7.2	<1	164.0	0.20	0.37	0.10	5.0	15.0	13.31	2.03	5.6	10	0.25	17.0	0.55	558	0.47	0.057	12.6	586.0	4.36	0.04	0.14	3.6	0.5	12.0	<0.02	3.6	0.076	0.26	1.3	36	0.2	54
52	AC EVE- 56	<1	1	0.1	1.26	6.6	<1	132.0	0.16	0.31	0.05	4.2	12.5	10.38	1.70	4.5	15	0.18	15.0	0.47	384	0.26	0.050	10.2	497.0	3.88	0.04	0.14	2.6	0.5	10.5	<0.02	2.3	0.055	0.18	1.3	30	0.1	45.1
53	AC EVE- 58	1	2	0.1	1.64	7.3	<1	194.0	0.20	0.34	0.11	6.2	14.0	18.64	2.21	5.7	15	0.28	15.0	0.66	600	0.42	0.058	12.4	483.0	6.13	0.06	0.18	3.6	0.4	14.0	<0.02	3.0	0.075	0.28	1.3	38	0.2	72.3
54	AC EVE- 59	<1	1	<0.1	0.96	7.1	<1	74.0	0.14	0.27	0.05	4.0	11.0	8.11	1.44	3.9	5	0.14	11.0	0.38	304	0.19	0.056	9.5	462.0	3.42	0.02	0.14	2.2	0.3	8.5	<0.02	4.7	0.055	0.14	0.6	26	0.1	29.6
55	AC EVE- 60	3	2	0.2	1.60	6.8	<1	92.5	0.20	0.18	0.14	5.6	14.0	15.70	1.99	5.0	15	0.13	12.5	0.63	566	0.75	0.051	9.0	459.0	10.14	0.06	0.14	2.1	0.4	11.5	0.02	1.1	0.047	0.18	0.9	38	0.1	77.8
56	AC EVE- 61	1	1	0.4	1.48	5.3	<1	77.5	0.22	0.15	0.10	3.9	11.5	10.99	1.84	5.2	15	0.14	9.5	0.51	390	0.44	0.042	7.8	257.0	4.83	0.04	0.12	2.2	0.4	8.0	<0.02	1.1	0.057	0.16	0.7	32	0.1	50.8
57	AC EVE- 62	<1	1	0.1	0.98	6.0	<1	95.0	0.14	0.23	0.10	3.0	9.5	9.79	1.10	3.5	10	0.13	12.0	0.39	243	0.21	0.051	7.1	484.0	4.00	0.04	0.14	2.3	0.4	8.5	<0.02	3.0	0.050	0.16	0.8	22	0.1	39.8
58	AC EVE- 63	<1	1	0.1	1.04	10.4	<1	89.5	0.14	0.27	0.10	7.5	17.5	27.75	1.74	3.6	10	0.11	19.0	0.58	435	0.45	0.053	15.6	517.0	4.90	0.02	0.24	2.5	0.5	10.0	<0.02	6.0	0.051	0.10	1.0	34	0.3	36.4
59	AC EVE- 64	<1	1	0.2	1.07	6.6	<1	64.5	0.24	0.25	0.05	3.4	13.0	8.43	1.48	4.1	20	0.06	15.5	0.37	214	0.40	0.046	7.7	387.0	4.73	0.06	0.14	1.5	0.5	8.5	<0.02	1.5	0.040	0.10	1.8	28	0.2	31.2
60	AC EVE- 65	<1	1	0.1	1.10	6.4	<1	106.0	0.18	0.29	0.06	3.9	11.5	8.64	1.57	4.1	15	0.09	12.0	0.44	362	0.39	0.048	8.7	433.0	3.64	0.04	0.12	2.3	0.5	9.5	<0.02	1.9	0.050	0.14	1.2	28	<0.1	40.7
61	AC EVE- 66	1	<1	0.1	0.84	5.7	<1	77.5	0.14	0.25	0.05	3.3	10.5	6.99	1.37	3.3	10	0.07	12.0	0.36	236	0.36	0.044	7.2	433.0	3.38	0.02	0.10	2.0	0.4	8.5	<0.02	3.1	0.047	0.10	1.1	24	<0.1	35.8
62	AC EVE- 67	<1	<1	0.1	0.80	7.0	<1	70.5	0.14	0.23	0.06	3.7	12.5	9.19	1.47	3.4	10	0.09	17.5	0.36	254	0.28	0.043	10.1	357.0	3.37	<0.02	0.14	2.1	0.5	7.5	<0.02	5.3	0.045	0.08	1.4	28	0.2	29.1
63	AC EVE- 68	<1	<1	0.1	0.87	6.9	<1	78.0	0.16	0.23	0.07	4.0	11.0	9.84	1.51	3.9	10	0.08	22.5	0.38	287	0.41	0.047	8.9	419.0	4.44	0.02	0.17	1.8	0.5	8.8	<0.02	4.6	0.041	0.10	1.1	26	0.1	29.9
64	AC EVE- 69	<1	<1	0.1	0.60	4.7	<1	64.5	0.10	0.24	0.07	2.6	8.0	6.86	1.06	2.5	10	0.06	11.5	0.25	186	0.35	0.037	6.5	423.0	2.51	0.02	0.12	1.5	0.5	7.5	<0.02	2.0	0.036	0.10	0.8	20	0.1	22.1
65	AC EVE- 70	<1	1	0.1	0.95	9.7	<1	129.5	0.16	0.27	0.08	4.6	14.5	12.60	1.88	3.8	10	0.14	16.5	0.40	313	0.59	0.043	12.5	395.0	3.88	0.02	0.18	2.4	0.7	10.0	<0.02	3.7	0.048	0.14	1.5	28	0.1	37.9
66	AC EVE- 71	<1	<1	0.1	0.55	6.8	<1	58.0	0.10	0.21	0.07	3.0	7.5	5.73	1.14	2.5	5	0.09	12.5	0.28	279	0.28	0.047	6.7	382.0	2.52	<0.02	0.12	1.6	0.4	7.5	<0.02	4.2	0.040	0.10	0.8	20	0.1	24.6
67	AC EVE- 72	<1	1	0.1	1.43	9.9	<1	89.0	0.14	0.16	0.08	5.6	13.0	14.50	2.07	4.7	15	0.12	15.5	0.57	414	0.74	0.054	11.2	418.0	5.28	0.04	0.24	2.5	0.5	7.0	0.02	2.7	0.058	0.14	1.5	36	0.1	40.2
68	AC EVE- 73	<1	1	0.4	1.22	11.0	<1	105.0	0.14	0.22	0.09	6.0	15.0	20.90	2.05	4.8	10	0.10	23.5	0.54	411	1.28	0.052	11.8	505.0	5.29	0.06	0.20	2.0	0.6	10.5	0.02	3.0	0.049	0.10	1.7	36	<0.1	41.5
69	AC EVE- 74	<1	1	0.1	1.24	10.0	<1	62.5	0.12	0.12	0.14	5.3	17.5	11.84	2.02	4.5	15	0.09	15.0	0.50	354	0.75	0.048	11.5	416.0	4.71	0.04	0.22	1.6	0.4	6.5	<0.02	1.8	0.045	0.08				

Et #	Tag #	ICP CERTIFICATE OF ANALYSIS AW 2007- 1245-2R																								Sidrock													
		Au ppb	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
136	PM EVE-41	2	1	0.1	0.71	4.5	<1	77.5	0.14	0.26	0.10	3.4	9.0	9.19	1.20	2.8	10	0.15	11.5	0.35	312	0.24	0.041	8.4	539.0	5.37	0.02	0.10	2.0	0.3	9.0	<0.02	3.9	0.041	0.12	0.7	22	0.6	39.7
137	PM EVE-42	<1	<1	0.1	0.41	3.7	<1	53.5	0.10	0.26	0.08	3.7	5.0	4.07	0.97	2.3	<5	0.11	14.5	0.21	270	0.11	0.041	5.3	549.0	2.37	0.02	0.06	1.3	0.4	6.5	<0.02	5.8	0.035	0.10	0.5	16	0.1	19.1
138	PM EVE-43A	2	5	0.2	1.81	5.9	<1	203.0	0.22	0.25	0.13	7.9	19.5	20.81	2.48	5.2	10	0.25	6.5	1.03	717	0.81	0.046	11.9	428.0	16.15	0.06	0.20	3.1	0.3	18.0	0.04	1.2	0.064	0.16	0.7	48	0.1	107.7
139	PM EVE-43B	1	1	0.1	1.42	6.5	<1	164.5	0.16	0.32	0.22	6.9	12.0	38.72	1.80	4.9	40	0.29	18.0	0.49	689	0.22	0.057	19.7	571.0	4.13	0.04	0.18	3.6	0.5	11.0	<0.02	7.8	0.078	0.26	1.7	28	0.2	67.4
140	PM EVE-44	4	3	0.1	1.83	12.0	<1	106.0	0.18	0.22	0.24	12.6	17.5	42.23	2.30	5.0	10	0.16	15.5	0.79	888	0.73	0.051	25.1	439.0	7.58	0.06	0.20	2.1	0.5	14.5	<0.02	1.7	0.049	0.14	1.3	34	0.1	101.6
141	PM EVE-45	4	6	0.1	1.69	9.9	<1	107.5	0.40	0.22	0.16	10.1	18.0	25.47	2.58	4.6	15	0.19	9.5	1.00	687	0.77	0.017	17.0	456.0	11.00	0.06	0.26	3.0	0.8	12.0	0.02	3.0	0.051	0.24	1.0	34	0.1	135.6
142	PM EVE-46	5	5	0.1	1.38	10.1	<1	122.5	0.50	0.30	0.21	9.3	17.0	28.37	2.51	4.6	10	0.27	13.5	0.93	586	0.84	0.013	14.9	636.0	9.95	0.04	0.34	3.4	0.8	16.0	0.04	5.2	0.058	0.28	0.8	36	0.1	71.8
143	PM EVE-47	4	4	0.1	2.18	6.3	<1	236.5	0.38	0.47	0.21	12.0	28.0	21.26	3.16	6.8	15	0.14	8.5	1.29	1119	1.70	0.013	14.4	821.0	14.00	0.14	0.34	2.6	1.0	20.0	0.02	1.2	0.050	0.26	2.1	48	<0.1	103.2
144	PM EVE-48	6	11	0.2	2.49	8.3	<1	149.0	0.38	0.33	0.09	9.8	26.5	24.68	3.28	6.7	30	0.24	8.0	1.54	616	1.23	0.013	15.1	578.0	13.93	0.08	0.24	4.8	1.1	14.5	0.02	2.5	0.072	0.26	1.8	48	<0.1	131.9
145	PM EVE-49	5	5	0.1	1.78	7.5	<1	127.5	0.34	0.19	0.12	8.5	22.5	19.48	2.58	5.4	10	0.14	11.5	0.80	585	1.04	0.009	15.9	229.0	15.09	0.04	0.26	2.7	0.6	12.0	0.02	2.4	0.055	0.26	0.7	38	<0.1	74.6
146	PM EVE-50	6	4	0.1	1.14	8.9	<1	121.5	0.32	0.23	0.12	6.8	13.0	17.26	1.99	4.0	10	0.14	13.5	0.55	473	0.49	0.012	11.2	571.0	8.11	0.02	0.24	2.5	0.7	13.0	0.04	4.0	0.050	0.22	0.7	30	<0.1	55.5
147	PM EVE-51	5	4	0.2	1.68	10.1	<1	207.5	0.36	0.27	0.16	9.0	27.5	28.00	2.67	5.9	20	0.32	20.0	0.79	598	1.07	0.017	18.2	557.0	10.40	0.04	0.36	4.2	0.9	17.5	0.04	8.8	0.070	0.30	1.2	42	<0.1	86
148	PM EVE-52	4	5	0.1	1.31	7.8	<1	150.0	0.28	0.31	0.25	8.3	19.5	21.83	1.76	4.6	20	0.17	15.0	0.75	294	1.58	0.018	15.4	581.0	8.63	0.30	0.30	3.4	2.0	17.5	0.04	6.1	0.060	0.22	1.6	38	<0.1	68.8
149	PM EVE-53	7	7	0.4	2.30	9.8	<1	438.0	0.40	0.75	0.09	7.4	31.0	34.46	3.01	6.1	75	0.16	12.0	0.87	507	1.51	0.020	19.6	164.0	15.72	0.20	0.42	2.1	2.1	60.0	0.04	1.4	0.027	0.24	3.4	34	<0.1	104.3
150	PM EVE-54	4	4	0.2	1.34	9.0	<1	168.5	0.30	0.31	0.27	9.1	15.0	32.32	1.98	4.2	20	0.23	9.5	0.82	333	1.71	0.023	16.2	602.0	11.90	0.14	0.40	3.2	0.8	19.5	0.05	4.1	0.051	0.18	1.5	34	<0.1	82.8
151	PM EVE-55	4	3	0.4	2.43	25.9	<1	246.5	0.32	0.19	0.08	6.5	27.5	22.44	2.47	6.7	60	0.09	14.5	0.79	310	2.07	0.019	14.1	914.0	13.96	0.14	0.52	1.5	2.1	16.5	0.02	0.7	0.027	0.24	4.7	42	<0.1	87.7
152	PM EVE-56	4	6	0.1	1.38	7.1	<1	147.5	0.30	0.28	0.22	8.9	16.5	26.75	1.86	4.3	15	0.14	9.5	0.79	287	2.11	0.015	12.5	467.0	12.78	0.06	0.36	3.0	1.0	18.5	0.04	3.5	0.056	0.16	2.0	38	<0.1	73.2
153	PM EVE-57	5	5	0.1	1.45	44.1	<1	123.0	0.42	0.17	0.22	12.7	16.5	51.02	3.03	4.8	15	0.21	15.5	0.91	642	1.46	0.008	21.8	667.0	19.74	0.04	2.54	3.2	0.9	13.5	0.06	6.9	0.053	0.20	1.3	36	<0.1	96.1
154	PM EVE-58	4	3	0.2	3.18	9.9	<1	300.0	0.32	0.29	0.09	9.9	33.0	31.48	3.60	9.3	40	0.47	18.0	1.06	821	1.90	0.020	24.8	520.0	9.35	0.08	0.40	6.1	1.0	21.0	0.04	4.1	0.098	0.44	3.7	60	<0.1	101.4
155	PM EVE-59	351	3	2.0	0.72	5.7	<1	76.5	0.24	0.27	0.12	6.3	27.4	14.18	1.49	3.5	10	0.12	17.5	0.36	370	6.38	0.017	133.9	634.0	5.77	<0.02	0.18	1.9	0.8	11.5	<0.02	7.0	0.046	0.16	0.6	24	<0.1	30.4
156	PM EVE-60	8	3	0.1	1.51	4.6	<1	69.5	0.24	0.09	0.06	4.1	17.0	5.97	1.79	6.3	15	0.08	8.5	0.64	286	0.88	0.007	7.4	300.0	7.29	0.04	0.20	2.2	0.5	6.0	<0.02	1.3	0.051	0.18	2.9	38	<0.1	42.9
157	PM EVE-61	4	3	0.1	1.61	6.7	<1	139.0	0.24	0.21	0.18	9.5	14.5	15.91	2.10	5.7	10	0.26	21.5	0.56	476	0.29	0.018	15.7	552.0	4.72	0.02	0.18	3.4	0.8	10.0	<0.02	8.6	0.073	0.28	0.8	36	<0.1	47.5
158	PM EVE-62	5	4	0.1	1.62	8.5	<1	66.5	0.20	0.13	0.18	8.5	20.5	8.56	2.41	5.4	15	0.19	17.0	0.69	347	0.54	0.006	11.7	610.0	6.45	0.08	0.20	2.6	0.8	6.0	0.04	3.2	0.049	0.14	0.5	42	<0.1	45.8
159	PM EVE-63	2	2	0.0	0.76	5.4	<1	74.5	0.20	0.22	0.09	4.7	10.5	7.57	1.32	3.3	10	0.11	14.0	0.31	326	0.24	0.018	9.4	598.0	3.86	<0.02	0.14	1.8	0.6	10.0	<0.02	5.2	0.046	0.14	0.6	26	<0.1	26
160	PM EVE-64	2	2	0.1	0.94	19.0	<1	99.0	0.18	0.21	0.07	4.6	11.5	9.27	1.75	4.1	10	0.14	17.5	0.40	435	1.25	0.019	8.1	551.0	5.20	0.04	0.22	2.0	0.9	11.0	<0.02	4.4	0.041	0.16	2.2	28	<0.1	40.6
161	PM EVE-65	3	4	0.1	1.22	6.8	<1	154.0	0.20	0.29	0.08	5.1	13.5	12.12	1.89	4.6	15	0.26	12.0	0.57	333	0.48	0.023	10.2	550.0	5.42	0.04	0.18	3.2	0.9	16.5	0.02	4.5	0.065	0.24	0.9	34	<0.1	55.6
162	PM EVE-66	66	1	1.2	0.64	5.9	<1	79.5	0.14	0.26	0.09	4.4	48.0	8.56	1.47	3.3	10	0.18	16.5	0.34	301	1.28	0.023	24.5	544.0	3.65	<0.02	0.14	1.9	0.6	11.5	<0.02	7.3	0.044	0.16	0.6	24	0.1	29.3
163	PM EVE-67	23	2	0.4	0.90	6.4	<1	77.0	0.16	0.17	0.09	4.0	21.0	7.29	1.67	4.6	10	0.12	13.5	0.38	273	0.64	0.015	12.1	433.0	4.56	0.04	0.18	1.6	0.5	9.5	<0.02	2.3	0.043	0.14	0.5	28	<0.1	34.7
164	PM EVE-68	4	2	0.2	2.28	12.9	<1	286.0	0.16	0.35	0.14	13.4	34.0	42.40	3.45	7.3	15	0.59	11.0	1.53	819	1.19	0.021	29.5	621.0	6.54	0.06	0.34	4.1	0.8	26.5	0.02	2.7	0.090	0.32	1.7	70	<0.1	95.3
165	PM EVE-69	2	1	<0.1	0.74	5.9	<1	76.5	0.18	0.21	0.13	3.3	9.0	6.07	1.42	4.6	10	0.11	31.5	0.29	223	0.26	0.012	8.6	594.0	3.57	0.04	0.10	1.4	1.0	8.0	<0.02	6.3	0.035	0.12	0.8	24	<0.1	26.2
166	PM EVE-70	6	4	0.1	1.40	6.8	<1	147.5	0.20	0.19	0.10	4.9	15.0	14.74	1.81	5.0	20	0.19	18.0	0.46	359	0.48	0.019	13.7	511.0	5.07	0.06	0.16	2.3	0.9	9.5	<0.02	2.8	0.046	0.20	1.2	32	<0.1	43.9
167	PM EVE-71	2	1	0.1	0.93	5.5	<1	97.0	0.14	0.19	0.07	3.9	12.0	7.82	1.52	4.5	10	0.15	22.5	0.39	292	0.24	0.013	9.7	371.0	4.32	0.04	0.10	2.4	0.9	8.5	<0.02	6.0	0.055	0.16	0.9	26	<0.1	37.2
168	PM EVE-72	3	1	0.1	1.38	6.6	<1	162.0	0.22	0.26	0.08	5.1	13.5	12.84	1.91	5.7	15	0.27	21.5	0.51	478	0.39	0.026	12.3	604.0	4.63	0.04	0.14	3.7	0.9	11.5	<0.02	7.6	0.081	0.28	1.3	34	<0.1	53.3
169	PM EVE-73	2	2	0.1	1.70	6.8	<1	207.0	0.22	0.45	0.23	6.1	16.5	21.93	2.07	6.0	20	0.28	16.5	0.59	593	0.59	0.029	18.1	57														

ECO TECH LABORATORY LTD

ICP CERTIFICATE OF ANALYSIS AW 2007- 1245-2R

Sidrock

Et #	Tag #	Au ppb	Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Ti ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
186	PM EVE-90	1	1	0.1	0.93	9.7	<1	67.0	0.16	0.12	0.11	3.6	11.0	6.76	1.51	4.4	30	0.08	14.0	0.34	267	1.72	0.009	7.3	532.0	5.57	0.06	0.16	1.0	0.6	7.5	<0.02	1.6	0.032	0.14	1.6	28	<0.1	33.9
187	PM EVE-91	4	1	0.1	1.08	34.1	<1	96.5	0.30	0.17	0.20	7.2	15.5	19.77	2.13	5.1	10	0.13	23.0	0.52	495	1.50	0.011	14.1	284.0	17.84	0.04	0.28	2.3	0.8	11.0	<0.02	4.9	0.053	0.14	1.4	32	<0.1	67.8
188	PM EVE-92	1	2	<0.1	0.91	15.6	<1	111.5	0.32	0.26	0.10	6.1	11.5	7.53	2.22	5.4	5	0.12	7.0	0.48	538	2.63	0.010	5.8	248.0	10.50	0.06	0.20	1.5	0.3	15.5	<0.02	1.1	0.055	0.10	0.7	42	<0.1	41.6
189	PM EVE-93	4	33	0.6	1.74	47.6	<1	161.0	0.30	0.30	0.55	8.5	16.5	37.29	2.51	5.0	35	0.16	16.5	0.62	602	2.21	0.016	15.2	753.0	24.79	0.10	0.38	1.7	1.5	17.5	<0.02	1.0	0.033	0.18	4.3	38	<0.1	102.5
190	PM EVE-94	2	4	0.1	1.65	37.9	<1	120.5	0.42	0.35	0.46	10.8	14.5	28.42	2.93	4.6	10	0.29	7.5	1.16	645	0.76	0.015	12.6	600.0	27.07	0.04	0.34	2.7	0.4	17.5	0.02	3.3	0.072	0.16	0.6	46	<0.1	113.1
191	PM EVE-95	2	2	0.1	1.10	57.2	<1	93.5	0.48	0.25	0.44	8.1	12.0	30.29	2.25	3.6	10	0.20	11.5	0.70	522	0.76	0.015	11.3	616.0	27.41	0.04	0.44	2.1	0.6	13.0	<0.02	4.0	0.054	0.18	0.8	32	<0.1	81.9
192	PM EVE-96	2	1	0.1	1.33	13.8	<1	126.0	0.20	0.27	0.13	7.4	13.5	15.53	2.22	4.9	10	0.22	15.0	0.71	513	1.29	0.016	11.5	429.0	11.64	0.04	0.18	2.8	0.6	15.0	<0.02	3.7	0.069	0.18	1.2	36	<0.1	63.7
193	PM EVE-97	1	1	0.1	1.18	9.6	<1	89.5	0.18	0.22	0.12	6.6	12.0	22.16	1.95	3.6	5	0.19	9.0	0.67	405	1.00	0.011	10.8	476.0	9.85	0.04	0.18	2.2	0.5	11.5	<0.02	3.3	0.054	0.16	1.0	30	<0.1	50.5
194	PM EVE-98	1	2	0.1	1.33	8.3	<1	91.5	0.26	0.20	0.12	6.1	14.0	12.87	2.03	5.4	10	0.22	15.0	0.58	463	0.40	0.014	14.4	405.0	14.55	0.04	0.22	2.9	0.6	10.5	<0.02	4.8	0.067	0.16	1.0	34	<0.1	51.3
195	PM EVE-99	2	2	0.1	3.14	8.9	<1	206.0	0.18	0.65	0.08	13.5	36.5	16.72	4.88	8.0	10	0.60	8.0	2.19	944	1.11	0.018	7.9	679.0	8.38	0.08	0.38	4.7	0.5	32.0	0.02	2.5	0.147	0.30	2.1	66	<0.1	85
196	PM EVE-100	3	2	0.2	2.24	23.6	<1	207.5	0.36	0.47	0.23	14.4	15.0	29.22	3.75	6.8	25	0.32	13.0	1.33	1170	1.59	0.023	10.1	690.0	16.55	0.08	0.36	3.1	0.8	24.0	0.04	2.0	0.076	0.32	2.3	52	<0.1	72.9
197	PM EVE-101	2	2	0.1	1.21	19.3	<1	57.5	0.38	0.23	0.20	6.4	13.0	18.42	2.45	4.7	15	0.15	12.5	0.68	330	0.81	0.016	9.4	570.0	16.33	0.06	0.38	1.5	0.5	13.5	0.06	2.4	0.051	0.10	0.6	38	<0.1	51.6
198	PM EVE-102	2	2	0.1	1.42	22.7	<1	69.5	0.30	0.16	0.98	10.1	19.5	81.05	2.90	5.4	20	0.15	18.5	0.71	585	3.86	0.015	30.2	667.0	14.99	0.08	0.68	1.8	1.3	7.5	0.04	2.8	0.051	0.14	2.6	54	<0.1	256.6
199	PM EVE-103	1	1	0.1	1.03	18.9	<1	49.0	0.34	0.07	0.14	5.5	12.0	12.03	2.26	4.3	25	0.11	7.0	0.53	389	0.73	0.011	7.1	280.0	15.44	0.06	0.44	1.3	0.4	5.5	0.02	1.1	0.057	0.10	0.5	38	<0.1	41.4
200	PM EVE 104	1	1	0.1	1.50	15.0	<1	82.0	0.24	0.07	0.15	7.7	44.5	17.37	3.25	6.5	25	0.13	10.5	0.69	616	0.79	0.008	20.1	562.0	12.32	0.06	0.36	2.0	0.6	5.0	0.04	1.2	0.067	0.12	0.6	72	<0.1	44.8
201	PM EVE-105	1	1	0.1	0.83	7.0	<1	65.0	0.14	0.17	0.10	4.6	11.5	24.69	1.39	3.1	15	0.12	9.5	0.36	257	0.42	0.015	15.2	352.0	4.02	0.04	0.16	1.6	0.5	7.5	<0.02	1.4	0.035	0.10	0.9	26	<0.1	30.7
202	PM EVE-106	1	1	<0.1	1.20	6.0	<1	63.5	0.32	0.12	0.10	4.8	15.5	8.48	1.97	4.6	15	0.12	9.0	0.39	258	0.44	0.008	9.3	428.0	5.36	0.04	0.20	1.8	0.4	7.5	<0.02	1.7	0.052	0.10	0.6	40	<0.1	32.7
203	PM EVE-107	1	<1	<0.1	0.64	5.5	<1	45.5	0.31	0.09	0.14	3.5	10.0	7.91	1.41	4.3	20	0.09	5.5	0.25	196	0.38	0.011	5.0	269.0	4.29	0.04	0.26	0.8	0.3	7.0	<0.02	0.7	0.036	0.06	0.4	30	<0.1	26.8
204	PM EVE-108	1	1	<0.1	0.78	5.6	<1	69.5	0.12	0.12	0.09	4.0	11.0	9.21	1.22	2.9	10	0.11	5.0	0.34	268	0.28	0.013	7.4	401.0	3.92	0.04	0.14	1.2	0.4	12.0	<0.02	0.8	0.033	0.10	0.4	26	<0.1	31.2
205	PM EVE-109	1	1	0.1	0.70	6.1	<1	80.0	0.28	0.19	0.12	4.6	10.5	10.02	1.60	3.2	10	0.15	12.0	0.39	301	0.22	0.010	9.9	478.0	4.13	0.02	0.18	1.9	0.5	9.0	<0.02	4.3	0.041	0.12	0.7	28	0.1	32.4
206	PM EVE-110	1	1	0.1	0.84	7.2	<1	97.0	0.46	0.24	0.07	3.7	13.0	13.45	1.65	3.6	15	0.12	15.0	0.34	190	0.98	0.014	8.7	495.0	4.56	0.04	0.26	2.2	0.8	11.0	<0.02	5.2	0.046	0.12	1.7	28	<0.1	33.1
207	PM EVE-111	2	29	0.1	1.16	7.4	<1	125.0	0.54	0.26	0.13	6.4	18.5	24.09	1.81	4.4	25	0.16	14.0	0.54	257	0.55	0.011	13.4	634.0	6.77	0.04	0.32	3.0	0.7	13.5	<0.02	4.5	0.059	0.16	1.1	36	0.3	44.6
208	PM EVE-112	2	3	0.1	1.51	6.5	<1	81.0	0.32	0.13	0.16	6.1	16.0	10.28	2.08	5.4	20	0.14	11.0	0.47	543	0.52	0.015	9.9	529.0	6.29	0.06	0.22	1.5	0.5	8.0	<0.02	1.1	0.044	0.14	0.8	42	<0.1	44.5
209	PM EVE 113	2	1	0.1	1.51	6.6	<1	98.0	0.32	0.15	0.18	7.6	15.5	12.30	2.10	5.5	15	0.17	14.0	0.52	869	0.50	0.012	10.6	563.0	5.61	0.04	0.22	2.2	0.6	8.0	<0.02	2.3	0.054	0.16	0.8	42	<0.1	49.5
210	PM EVE 114	2	1	0.1	1.65	6.7	<1	97.0	0.30	0.14	0.17	6.9	17.0	11.98	2.19	5.2	15	0.17	9.5	0.53	512	0.58	0.016	9.6	669.0	6.36	0.06	0.22	1.2	0.5	9.0	0.04	0.7	0.036	0.14	0.8	44	<0.1	47.5
211	PM EVE-115	2	6	0.1	1.24	9.1	<1	163.0	0.24	0.24	0.17	8.4	15.0	58.35	2.01	4.0	15	0.18	12.0	0.76	342	0.79	0.022	15.7	589.0	9.56	0.03	0.44	3.0	0.9	12.5	0.02	4.4	0.050	0.12	0.9	34	<0.1	58.5
212	PM EVE-116	4	3	0.1	1.28	9.4	<1	72.5	0.34	0.15	0.18	6.3	15.5	26.65	2.00	3.9	15	0.09	10.0	0.57	312	0.61	0.008	11.8	553.0	8.35	0.04	0.36	1.3	0.5	8.5	<0.02	1.1	0.034	0.08	0.6	32	<0.1	40.5
213	PM EVE-117	3	4	0.1	1.82	7.9	<1	77.5	0.32	0.18	0.11	6.0	22.5	17.95	2.25	5.5	25	0.12	14.0	0.59	314	0.58	0.011	15.6	538.0	7.61	0.04	0.30	2.7	0.8	10.0	<0.02	2.7	0.060	0.14	1.1	42	<0.1	52.1
214	PM EVE 118	2	3	0.1	0.87	6.3	<1	120.0	0.20	0.26	0.12	5.0	14.5	30.83	1.01	3.4	15	0.14	11.0	0.46	199	2.61	0.015	10.3	606.0	4.38	0.14	0.22	2.2	1.8	13.5	<0.02	4.0	0.047	0.12	6.4	26	<0.1	31.4
215	PM EVE 119	4	3	0.1	1.65	14.9	<1	189.0	0.46	0.35	0.06	6.0	25.5	25.52	2.07	8.1	75	0.17	48.0	0.69	315	1.92	0.015	13.7	678.0	9.03	0.04	0.18	5.2	2.1	16.5	<0.02	7.4	0.074	0.22	9.2	40	0.4	49.3
216	AC-01	2	2	0.1	1.89	11.4	<1	127.0	0.22	0.12	0.16	10.8	30.0	19.40	2.78	6.2	25	0.08	11.0	0.68	912	0.92	0.009	20.6	696.0	13.40	0.08	0.56	1.6	0.6	9.0	0.02	1.1	0.035	0.14	1.0	50	<0.1	55.5
217	AC-02	2	1	<0.1	2.12	8.8	<1	92.0	0.12	0.12	0.07	11.7	21.0	16.14	3.34	5.9	10	0.17	8.0	1.29	642	0.68	0.005	10.4	347.0	9.45	0.06	0.18	2.9	0.5	7.0	0.02	1.9	0.088	0.12	0.6	62	<0.1	60.1
218	AC-03	3	8	0.1	1.39	2.9	<1	78.0	0.36	0.15	0.08	8.2	9.0	150.90	2.16	3.7	10	0.16	9.0	1.05	540	1.30	0.019	6.2	403.0	10.96	0.04	0.24	1.9	0.4	8.0	<0.02	3.3	0.034	0.10	0.6	28	<0.1	42.1
219	AC 04	3	3	0.2	1.47	2.7	<1	115.0	0.18	0.20	0.06	8.7	9.5	144.30	2.26	3.8	10	0.16	10.0	1.05	503	1.20	0.020	5.9	354.0	8.35	0.06	0.18	2.2</										

Et#	Tag #	Au ppb	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
236	NAIF- 01	2	1	0.1	1.53	7.9	<1	77.5	0.16	0.32	0.14	8.1	28.0	20.50	2.33	5.4	10	0.16	10.0	0.59	355	0.65	0.042	17.8	278.0	8.10	0.04	0.32	3.3	0.5	26.0	0.04	4.1	0.073	0.10	1.0	54	<0.1	50.1
237	NAIF- 02	2	1	0.1	1.81	6.9	<1	223.0	0.14	0.49	0.10	10.5	19.5	16.20	3.49	8.2	10	0.26	25.0	0.78	841	1.36	0.038	13.6	503.0	9.71	0.04	0.26	3.4	0.9	34.0	0.04	12.5	0.137	0.24	2.8	62	<0.1	58.9
238	NAIF- 03	3	2	0.1	2.69	11.4	<1	162.5	0.16	0.58	0.05	14.0	48.5	39.67	3.62	9.0	10	0.16	11.0	1.37	398	0.63	0.071	31.0	144.0	17.87	0.06	0.48	5.9	0.6	52.5	0.04	3.9	0.161	0.13	2.4	90	<0.1	58.1
239	NAIF- 04	1	<1	0.1	1.42	6.4	<1	111.5	0.10	0.38	0.08	6.3	15.0	9.60	2.66	5.5	10	0.27	17.5	0.54	577	1.15	0.028	7.7	392.0	12.52	0.06	0.26	2.5	0.6	29.0	<0.02	7.3	0.032	0.08	0.7	38	<0.1	44.1
240	NAIF- 05	2	2	0.2	2.02	12.0	<1	184.0	0.16	0.66	0.45	11.9	38.5	53.11	3.13	6.6	20	0.25	10.5	0.99	461	0.54	0.044	23.7	382.0	9.93	0.08	0.62	4.0	0.6	75.0	0.04	2.5	0.108	0.18	1.1	76	<0.1	60.7
241	NAIF- 06	3	1	0.2	2.17	6.8	<1	274.0	0.28	0.32	0.23	19.3	26.5	36.07	3.00	8.1	10	0.08	8.0	0.55	502	0.76	0.054	23.1	341.0	15.04	0.06	0.30	2.3	0.4	63.5	0.04	1.8	0.076	0.12	0.5	62	<0.1	213.9
242	NAIF- 07	5	1	0.2	1.70	13.2	<1	139.5	0.20	0.40	0.26	13.7	24.0	22.48	2.53	6.1	15	0.11	7.5	0.60	459	0.76	0.035	17.3	546.0	9.54	0.06	0.66	1.9	0.4	78.0	0.04	1.1	0.047	0.06	0.5	54	<0.1	57.8
243	NAIF- 08	2	2	0.2	1.86	14.0	<1	149.0	0.20	1.70	0.48	12.3	31.5	29.01	2.70	5.8	50	0.16	10.0	1.32	826	0.88	0.067	25.9	645.0	11.86	0.08	1.12	1.8	0.6	102.0	0.04	0.9	0.034	0.10	0.7	54	<0.1	65.1
244	NAIF- 09	2	2	0.1	2.40	16.0	<1	121.5	0.14	0.40	0.13	10.1	36.5	29.53	2.81	6.6	20	0.08	10.0	0.91	386	0.87	0.033	29.8	735.0	11.08	0.04	1.14	4.0	0.6	38.0	0.02	3.4	0.054	0.12	0.8	66	<0.1	56.8
245	NAIF- 10	2	1	0.3	1.60	24.8	<1	89.5	0.22	1.08	3.04	15.1	27.5	52.85	2.92	5.3	25	0.09	15.5	0.55	2427	2.53	0.055	31.7	763.0	63.95	0.10	2.38	2.2	0.9	65.5	0.02	1.0	0.024	0.08	2.7	44	<0.1	558.7
246	NAIF- 11	<1	3	<0.1	<0.01	0.1	<1	5.0	<0.02	<0.01	1.00	<0.1	<0.5	<0.01	<0.01	<0.1	<5	<0.01	<0.5	<0.01	<1	<0.01	0.015	<0.1	<1	1.12	<0.02	<0.02	5.0	<0.1	<0.5	100.00	<0.1	0.005	<0.02	<0.1	2	10.0	<0.1
247	NAIF- 12	2	2	0.2	1.82	12.2	<1	124.5	0.16	0.48	0.77	13.1	24.0	28.14	2.41	6.1	45	0.10	11.5	0.54	745	1.40	0.043	22.2	1089.0	14.14	0.12	0.70	2.2	0.7	49.0	0.04	1.3	0.034	0.10	0.8	52	<0.1	74.4
248	NAIF- 13	<1	5	<0.1	<0.01	<0.1	<1	<0.5	<0.02	<0.01	<0.01	<0.1	<0.5	<0.01	<0.01	5.0	45	>10	<0.5	<0.01	<1	<0.01	<0.001	<0.1	<1	<0.01	<0.02	<0.02	<0.1	<0.1	<0.5	<0.02	1.1	0.005	<0.02	<0.1	<2	10.0	<0.1
249	NAIF- 14	5	5	0.4	3.46	16.2	<1	85.0	0.26	0.54	0.87	40.5	24.0	226.20	10.31	8.5	45	0.09	8.0	0.41	638	17.42	0.049	33.8	1498.0	35.76	0.34	1.90	3.5	0.9	79.0	0.06	1.1	0.039	0.08	1.1	60	<0.1	115.3
250	NAIF- 15	2	1	0.1	2.14	9.9	<1	134.5	0.14	0.30	0.45	10.8	29.0	18.12	2.73	6.1	25	0.07	9.5	0.56	375	0.90	0.038	22.9	429.0	11.83	0.06	0.86	2.6	0.5	25.5	0.04	2.4	0.051	0.10	0.6	60	<0.1	54.6
251	NAIF- 16	41	5	0.2	1.83	27.0	<1	62.0	0.14	0.90	0.79	12.1	28.0	28.31	2.86	6.4	20	0.07	13.5	1.08	912	0.43	0.048	19.5	774.0	86.24	0.06	0.76	3.7	0.8	72.0	0.06	1.4	0.018	0.06	0.5	54	<0.1	115
252	NAIF- 17	3	2	0.1	1.48	10.4	<1	124.0	0.14	0.85	0.29	8.6	25.5	24.74	2.37	5.3	20	0.06	11.0	0.65	458	0.59	0.061	19.9	764.0	11.50	0.08	0.60	2.2	0.7	88.0	0.04	1.2	0.029	0.06	0.8	46	<0.1	50
253	NAIF- 18	2	1	0.1	1.73	9.4	<1	77.0	0.16	0.23	0.18	8.7	24.0	19.66	2.36	6.1	25	0.06	12.0	0.59	450	0.72	0.031	17.5	592.0	16.23	0.08	0.54	1.2	0.6	22.5	<0.02	0.7	0.020	0.08	0.9	48	<0.1	55.9
254	NAIF- 19	2	4	0.1	1.45	9.8	<1	71.5	0.18	0.33	0.18	8.3	25.0	15.83	2.42	5.4	10	0.07	10.5	0.58	408	0.69	0.029	16.9	330.0	11.94	0.04	0.66	2.4	0.5	37.0	0.04	1.8	0.050	0.08	0.8	50	<0.1	53.3
255	NAIF- 20	3	2	0.2	1.45	13.3	<1	79.0	0.16	0.64	0.22	7.6	23.0	24.51	2.28	5.8	20	0.08	23.0	0.54	436	0.52	0.042	16.1	404.0	14.28	0.06	0.62	2.1	1.0	45.0	0.04	2.0	0.032	0.08	3.1	42	<0.1	50.1
256	NAIF- 21	2	1	0.2	1.78	13.5	<1	71.0	0.18	0.62	0.23	10.5	26.5	24.31	2.56	6.6	15	0.10	25.0	0.59	705	1.09	0.046	18.7	388.0	14.90	0.06	0.60	2.3	0.9	39.0	0.04	1.4	0.045	0.10	1.0	56	<0.1	52.1
257	NAIF- 22	13	2	0.2	1.82	15.9	<1	83.5	0.16	0.78	0.30	12.9	30.0	42.46	2.71	5.9	20	0.13	13.0	0.70	507	0.66	0.062	28.4	629.0	11.89	0.08	0.74	2.0	0.7	53.0	0.04	1.1	0.036	0.10	1.0	58	<0.1	49.2
258	NAIF- 23	2	1	0.3	3.55	56.8	<1	130.0	0.46	1.56	3.85	58.7	34.5	81.41	4.94	11.2	25	0.40	5.0	0.64	1018	0.83	0.040	64.5	2237.0	43.51	0.12	3.06	2.9	0.5	107.0	0.10	0.6	0.018	0.06	0.5	56	<0.1	172.4
259	NAIF- 24	14	16	0.2	1.14	252.1	<1	184.5	0.38	>10	0.28	8.2	19.5	25.98	1.85	3.3	15	0.12	6.5	6.66	384	0.84	0.053	17.4	556.0	9.60	0.08	0.76	1.9	0.5	920.5	0.46	0.7	0.032	0.12	1.4	34	0.1	33.9
260	NAIF- 25	10	8	0.3	1.64	40.4	<1	534.5	1.94	>10	3.52	14.7	19.5	56.93	2.63	4.6	10	0.24	8.0	4.22	509	0.87	0.054	33.8	803.0	11.99	0.20	1.16	2.3	0.7	2171.0	0.58	0.7	0.040	0.14	1.2	40	<0.1	507.5
261	NAIF- 26	37	38	>30	1.15	31.4	<1	93.5	2.08	0.92	5.32	9.5	14.0	6212.00	17.09	3.8	40	0.10	5.0	2.98	1450	1.88	0.056	10.4	290.0	8.17	0.18	2.24	2.8	5.1	75.0	0.20	2.0	0.034	0.06	3.6	26	1.4	426.4
262	NAMS- 02	2	1	0.1	0.93	3.4	<1	133.0	0.20	0.27	0.21	4.8	13.5	12.72	2.13	4.2	10	0.20	7.0	0.36	422	1.54	0.026	6.9	195.0	6.44	0.04	0.18	1.6	0.3	19.5	<0.02	3.6	0.061	0.08	0.6	42	<0.1	27.6
263	NAMS- 03	1	<1	0.1	0.84	2.1	<1	134.0	0.16	0.20	0.09	4.2	10.5	6.71	1.77	3.9	5	0.11	10.5	0.28	432	0.90	0.017	5.9	267.0	6.00	0.02	0.14	1.2	0.3	15.0	<0.02	5.7	0.049	0.08	0.9	32	<0.1	22.7
264	NAMS- 08	1	1	0.1	0.92	5.5	<1	88.5	0.16	0.22	0.03	4.6	13.0	6.51	1.95	4.0	10	0.19	10.0	0.38	262	0.71	0.035	7.3	172.0	6.22	0.02	0.24	1.7	0.4	20.0	<0.02	4.9	0.061	0.10	0.5	38	<0.1	21.9

QC DATA

Repeat

1	AC EVE- 01	3	4	0.2	1.43	6.7	<1	84.5	0.28	0.16	0.14	4.9	12.5	17.74	2.27	4.6	25	0.09	14.5	0.51	342	0.99	0.040	8.9	393.0	19.82	0.05	0.24	2.4	0.7	8.5	0.10	3.1	0.058	0.13	0.9	36	0.3	69.7
10	AC EVE- 11	16	19	0.4	1.10	64.6	<1	96.5	0.46	0.08	0.16	4.8	13.0	45.47	2.46	4.8	35	0.10	17.0	0.42	250	9.03	0.038	9.2	484.0	42.93	0.08	1.35	1.7	1.7	30.5	0.32	3.9	0.031	0.10	0.8	30	0.4	43
19	AC EVE- 20	10	9	0.5	2.17	7.7	<1	208.0	0.46	0.31	0.39	11.7	16.5	52.58	3.70	5.7	44	0.60	5.0	1.65	1012	1.95	0.050	9.6	412.0	46.71	0.14	0.32	5.4	0.3	41.0	0.08	1.9	0.085	0.26	0.6	76	<0.1	395.1
28	AC EVE- 29	6	3	0.2	1.73	7.0	<1	147.5	0.14	0.35	0.08	6.7	19.5	16.28	2.44	5.3	15	0.15	10.5	0.94	533	0.72	0.050	13.3	625.0	9.01	0.06	0.16	3.7	0.8	18.5	<0.02	1.9	0.061	0.16	1.0	44	0.1	102

Et #	Tag #	Au ppb	Au ppb	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppb	K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Se ppm	Sr ppm	Te ppm	Th ppm	Ti %	Tl ppm	U ppm	V ppm	W ppm	Zn ppm
176	PM EVE-80	1	2	0.1	0.91	6.8	<1	89.0	0.16	0.19	0.09	3.5	12.5	5.98	1.45	3.9	15	0.06	18.0	0.37	236	0.96	0.010	7.0	389.0	4.50	0.04	0.10	1.7	0.7	8.5	<0.02	3.4	0.038	0.12	1.2	26	<0.1	37.3
185	PM EVE-89	1	1	<0.1	0.51	5.3	<1	47.0	0.10	0.15	0.05	2.8	7.0	6.98	1.11	2.8	5	0.08	18.0	0.23	206	0.15	0.009	7.3	420.0	2.67	0.02	0.11	1.2	0.6	6.6	<0.02	6.8	0.033	0.08	0.6	18	<0.1	18.48
194	PM EVE-98	2	1	<0.1	1.29	8.1	<1	89.5	0.24	0.19	0.12	5.9	13.5	12.36	1.98	5.2	10	0.20	15.5	0.56	458	0.35	0.012	13.7	380.0	13.80	0.04	0.21	2.8	0.6	10.0	0.02	4.7	0.065	0.15	0.8	32	<0.1	49.9
203	PM EVE-107	1	1	<0.1	0.63	5.4	<1	44.0	0.30	0.08	0.14	3.4	9.5	7.67	1.39	4.1	15	0.08	6.0	0.23	192	0.36	0.009	4.7	263.0	4.25	0.04	0.26	0.8	0.3	7.0	<0.02	0.6	0.034	0.06	0.4	28	<0.1	26
211	PM EVE-115	2	2	0.1	1.22	9.3	<1	160.0	0.24	0.22	0.18	8.6	16.0	57.70	1.97	3.9	15	0.18	11.5	0.76	340	0.78	0.024	16.0	570.0	9.50	0.04	0.42	2.9	0.8	12.0	0.02	4.3	0.049	0.12	0.9	34	<0.1	57.6
220	AC -05	47	3	0.1	1.52	4.0	<1	112.0	0.24	0.19	0.07	8.0	9.5	178.50	2.30	4.0	10	0.19	10.0	1.04	503	1.41	0.015	6.1	315.0	14.09	0.04	0.18	2.2	0.4	9.5	<0.02	3.2	0.042	0.10	0.7	30	<0.1	49.6
229	EVE SM 0605	1	13	<0.1	1.32	4.4	<1	69.6	0.16	0.13	0.18	5.7	12.5	10.53	1.78	4.8	10	0.13	14.5	0.54	319	0.89	0.025	9.0	395.0	7.61	0.06	0.16	1.5	0.7	9.5	<0.02	2.0	0.043	0.10	0.9	35	<0.1	37.1
238	NAIF- 03	3	2	0.1	2.64	11.9	<1	162.5	0.16	0.56	0.05	14.0	50.0	38.98	3.61	8.9	10	0.15	10.0	1.38	393	0.62	0.074	31.2	139.0	17.66	0.06	0.50	5.7	0.5	53.5	0.04	3.6	0.159	0.12	2.3	88	<0.1	58.5
247	NAIF- 12	2	1	0.2	1.78	11.9	<1	122.5	0.15	0.46	0.76	12.9	23.5	27.72	2.39	6.2	40	0.09	10.5	0.52	738	1.45	0.040	21.2	1021.0	13.81	0.11	0.68	2.1	0.6	47.0	0.04	1.2	0.033	0.10	0.8	50	<0.1	72.1
255	NAIF- 20	2	2	0.2	1.42	12.8	<1	78.3	0.18	0.62	0.22	7.6	21.9	23.94	2.27	5.6	19	0.07	21.9	0.52	429	0.54	0.040	16.3	398.4	14.35	0.07	0.62	1.8	1.0	43.2	0.03	2.3	0.029	0.07	3.3	39	<0.1	48.84
264	NAMS -08	1	1	0.1	0.91	5.5	<1	87.0	0.16	0.22	0.03	4.7	12.5	6.85	1.94	4.1	10	0.19	11.0	0.37	258	0.69	0.030	7.5	165.0	6.17	0.04	0.26	1.8	0.4	18.5	<0.02	5.1	0.062	0.10	0.5	38	<0.1	21.9

Standard

Till-3				16	1	10	80.7	<1	46.5	0.28	0.58	0.08	10.6	71.0	21.59	1.92	4.2	100	0.08	14.0	0.61	306	0.60	0.026	30.4	425.0	15.65	0.04	0.60	3.3	0.5	17.0	<0.02	2.6	0.049	0.06	1.0	34	0.1	40.8			
Till-3				16	1	12	87.6	<1	39.5	0.30	0.60	0.10	10.1	74.0	20.88	2.05	4.4	110	0.07	14.5	0.63	318	0.64	0.035	32.6	424.0	16.83	0.02	0.70	3.3	0.5	17.0	<0.02	2.7	0.047	0.06	1.2	34	0.1	43.9			
Till-3				16	1	00	83.2	<1	43.5	0.28	0.52	0.08	10.7	75.0	20.75	1.97	3.8	115	0.07	14.5	0.66	306	0.65	0.035	32.6	428.0	16.60	0.04	0.60	2.9	0.5	17.0	<0.02	2.3	0.044	0.06	1.0	30	<0.1	44.9			
Till-3				16	1	11	82.3	<1	41.5	0.30	0.59	0.09	11.5	71.0	19.50	1.96	4.2	105	0.07	14.0	0.61	313	0.62	0.024	30.1	428.0	15.62	0.04	0.66	3.2	0.5	17.0	<0.02	2.6	0.047	0.06	1.2	32	0.1	39.9			
Till-3				15	1	12	82.1	<1	41.5	0.34	0.52	0.09	11.2	75.0	21.92	2.05	4.9	115	0.09	15.0	0.66	314	0.64	0.031	33.0	448.0	15.60	0.04	0.74	3.4	0.5	18.0	<0.02	2.9	0.046	0.06	1.2	36	<0.1	42			
Till-3				15	1	07	82.4	<1	42.0	0.34	0.51	0.10	11.2	75.0	21.66	2.02	4.9	110	0.09	15.0	0.66	311	0.64	0.029	32.8	463.0	16.86	0.04	0.72	3.3	0.5	18.0	<0.02	2.6	0.047	0.06	1.2	36	<0.1	41.9			
Till-3				15	1	06	88.1	<1	41.5	0.32	0.51	0.09	11.1	74.0	21.28	2.10	5.0	115	0.10	15.5	0.65	300	0.64	0.037	32.3	429.0	17.30	0.04	0.72	3.3	0.5	18.0	<0.02	2.7	0.046	0.06	1.0	36	<0.1	41			
Till-3				15	1	10	85.5	<1	41.0	0.32	0.50	0.09	10.8	71.5	20.70	2.03	4.8	110	0.10	15.5	0.62	307	0.68	0.028	31.8	443.0	16.93	0.04	0.72	3.2	0.5	18.5	<0.02	2.8	0.047	0.06	1.1	32	<0.1	41			
SE29A				292																																							
SE29A				305																																							
SE29A				300																																							
SE29A				299																																							
SE29A				298																																							
SE29A				272																																							

APPENDIX IV
ROCK SAMPLE DESCRIPTIONS-EVE PROGRAM

TTEV07R01 milky, white quartz with < 1 cm euhedral pyrite crystals, vein oriented 120/45NE
0589230/6732267

TTEV07R02, float boulder with rusty quartz with pyrite, trace arsenopyrite? located 75m down-slope from R01
0589190/6732805

TTEV07R03, 0590681/6732130, Rusty shear material over 25 cm

TTEV07R04, Qz subcrop in area of L14 soil anomaly Brown weathering glassy qz boulder 1m by 2m, no vis
sulphides 0590708/6732188

TTEV07R05, Boulder train 1m diameter, extremely rusty boulders of sericite/chlorite schist 0590579/6731991

TTEV07R06, Manganese oxide float in talus rubble 100 m SE of lake 0590279/6731758

Rhodo Lake Area black weathering low-grade rhodonite Pink-grey on fresh surface No sulphides

Area 1 Eve 14 dark grey pyritic meta-seds Rusty-weathering

Eve RS 22 #1- Float trace cp, in pyretic, rusty weathering qz stringers within metaseds

Eve RS 33 #1- light cream colored carbonate-limestone with light yellow-red (hematite) staining

Eve RS 33 #2 - quartz-muscovite schist, rusty weathering with 1% pyrite

Eve 33 RS #3- semi massive pyritic schist Approx 50% fine grained brassy pyrite

Eve 36 RS # 1A- grey-green schist-minor pyrite

Eve 36 RS # 1B- quartz float material-no visible sulphides

Eve RS 42 #1 - white granular quartz with trace pyrite and minor malachite staining on weathered surface

Eve RS 42 #2 - rusty weathering white quartz with patchy 2-3 mm sub-euhedral brassy pyrite

Eve 78 - white quartz vein material with some attached quartz-sericite schist Contains approx 10% chalcopyrite
and bornite, malachite staining on weathered surface

Eve 78 RS #2 Old Trench- high-grade chalcopyrite, bornite in quartz over 20cm located in Eve Trench

Old Trench, Main Showing- as above

094873

