ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da.. -AUG-2005
Account: STRGOL

CERTIFICATE VA05064959

Project: Dublin Gulch-1735

P.O. No.:

This report is for 106 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

094876

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-AUG-2005
Account: STRGOL

094876

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064959

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381005		7.62	<0.005	<0.5	8.32	20	620	2.0	<2	0.49	<0.5	15	66	45	4.25	0.01
B381006		2.52	<0.005	<0.5	6.75	22	450	1.2	<2	0.28	<0.5	12	53	26	3.07	<0.01
B381007		3.16	0.016	<0.5	5.96	10	390	1.2	<2	0.31	<0.5	10	49	25	2.56	<0.01
B381008		5.70	0.009	<0.5	2.01	67	50	<0.5	<2	0.57	<0.5	2	21	35	0.99	<0.01
B381009		<0.02	0.035													
B381010		0.12	2.88	<0.5	7.28	2080	680	12.8	<2	0.01	<0.5	2	140	100	3.30	0.09
B381011		4.38	0.009	<0.5	2.36	83	50	<0.5	<2	0.61	<0.5	4	27	13	0.94	0.01
B381012		2.02	0.071	<0.5	7.35	15	470	1.6	<2	0.37	<0.5	11	57	36	3.26	0.01
B381013		0.42	<0.005	<0.5	9.76	21	730	2.0	<2	0.20	<0.5	19	85	58	5.77	0.01
B381014		2.58	<0.005	<0.5	5.81	<5	340	1.2	<2	0.28	<0.5	8	41	22	3.29	0.01
B381015		7.40	<0.005	<0.5	7.05	30	470	1.7	<2	0.42	<0.5	12	54	30	3.92	0.01
B381016		1.66	<0.005	<0.5	0.16	<5	20	<0.5	<2	19.40	<0.5	1	5	3	0.14	<0.01
B381017		6.12	0.197	0.5	6.89	4300	510	1.8	<2	1.11	<0.5	12	52	33	3.87	0.01
B381018		6.94	<0.005	<0.5	6.71	26	480	1.7	<2	0.27	<0.5	12	55	32	3.27	0.01
B381019		5.78	<0.005	<0.5	7.01	63	480	1.5	<2	0.35	<0.5	12	54	29	3.48	0.01
B381020		6.88	<0.005	<0.5	7.88	14	590	1.9	<2	0.40	<0.5	14	65	37	3.72	0.01
B381021		0.18	<0.005	<0.5	8.96	13	830	2.5	<2	0.29	<0.5	17	84	46	4.84	0.01
B381022		3.26	<0.005	<0.5	9.04	21	820	2.5	2	0.50	<0.5	21	85	49	4.66	0.01
B381023		7.22	0.024	<0.5	8.04	88	720	1.9	<2	0.35	<0.5	15	74	42	4.26	<0.01
B381024		5.98	0.044	<0.5	5.55	176	370	1.3	<2	0.66	<0.5	9	47	24	2.90	<0.01
B381025		2.80	<0.005	<0.5	7.60	8	600	2.1	2	0.54	<0.5	14	63	36	4.26	0.01
B381026		4.92	0.021	0.5	7.33	166	670	2.1	<2	0.64	<0.5	12	60	36	3.16	0.01
B381027		7.46	0.008	<0.5	5.69	59	420	1.5	<2	0.62	<0.5	8	48	27	3.01	0.02
B381028		6.34	0.006	<0.5	8.51	72	700	2.2	<2	0.24	<0.5	16	72	35	3.88	0.02
B381029		<0.02	0.006													
B381030		0.12	0.448	3.0	8.29	10	1040	1.2	<2	1.45	<0.5	8	9	7440	3.22	0.04
B381031		6.34	<0.005	<0.5	7.89	49	660	2.3	<2	0.37	<0.5	13	71	46	3.71	0.01
B381032		6.76	0.007	<0.5	5.76	38	420	1.5	<2	0.71	<0.5	10	44	25	3.01	0.01
B381033		6.90	0.021	<0.5	5.81	494	500	1.6	<2	1.48	0.8	10	45	31	3.14	0.02
B381034		2.38	0.009	<0.5	2.60	293	130	0.7	<2	0.52	<0.5	4	33	14	1.52	0.01
B381035		4.10	0.015	<0.5	8.01	444	660	2.2	<2	0.40	<0.5	13	66	35	3.53	0.01
B381036		2.48	<0.005	<0.5	0.17	8	20	<0.5	<2	19.95	<0.5	<1	4	1	0.14	<0.01
B381037		3.42	<0.005	<0.5	6.21	38	430	1.6	<2	0.41	<0.5	11	48	23	3.19	0.01
B381038		6.68	<0.005	<0.5	8.12	57	690	2.2	<2	0.50	<0.5	15	67	34	3.60	0.01
B381039		3.86	0.063	<0.5	7.83	648	690	2.2	<2	0.48	<0.5	17	70	36	3.98	0.01
B381040		6.22	<0.005	<0.5	7.67	12	640	2.0	<2	0.78	<0.5	14	67	36	3.82	0.01
B381041		0.82	<0.005	<0.5	8.41	23	740	2.4	2	0.46	<0.5	23	78	45	4.35	0.01
B381042		0.98	<0.005	<0.5	8.09	<5	680	2.3	2	0.53	<0.5	20	72	45	4.31	0.03
B381043		2.04	<0.005	<0.5	5.42	18	320	1.1	<2	0.91	<0.5	8	47	16	2.77	0.02
B381044		2.10	<0.005	<0.5	6.20	36	480	1.3	<2	1.10	<0.5	9	51	5	2.28	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064959

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381005		3.01	1.15	277	1	0.61	38	340	20	0.76	<5	101	0.34	94	10	76
B381006		2.29	0.86	170	1	0.76	30	260	12	0.38	<5	74	0.31	65	10	63
B381007		2.09	0.73	171	<1	0.70	22	210	12	0.33	<5	85	0.27	59	<10	36
B381008		0.41	0.31	111	1	0.70	6	140	2	0.19	<5	77	0.08	13	<10	13
B381009																
B381010		3.12	0.38	65	3	0.09	9	310	26	0.02	138	135	0.22	101	20	16
B381011		0.33	0.33	111	1	1.06	6	140	6	0.13	<5	86	0.11	16	<10	20
B381012		2.41	0.91	259	1	0.65	26	250	12	0.46	<5	84	0.36	70	10	70
B381013		3.68	1.59	383	2	0.41	40	190	18	0.83	<5	77	0.49	112	10	147
B381014		1.58	0.83	339	1	0.68	16	190	9	0.38	<5	76	0.24	49	<10	60
B381015		2.18	1.00	368	1	0.69	29	250	18	0.51	<5	83	0.31	72	<10	79
B381016		0.04	11.60	159	1	0.02	7	490	3	0.02	<5	117	0.01	2	10	7
B381017		2.53	1.09	557	<1	0.40	24	220	49	1.04	12	149	0.26	67	10	56
B381018		2.39	0.90	234	<1	0.61	30	280	18	0.49	<5	80	0.29	77	<10	60
B381019		2.42	0.93	265	<1	0.74	24	250	14	0.48	<5	89	0.29	72	<10	65
B381020		2.80	1.02	265	<1	0.60	32	250	20	0.58	<5	100	0.35	90	<10	71
B381021		3.51	1.21	320	2	0.46	37	330	26	0.98	<5	113	0.41	116	<10	100
B381022		3.47	1.17	374	1	0.65	43	360	25	0.98	<5	124	0.43	121	<10	84
B381023		3.09	1.10	288	<1	0.69	33	270	16	0.90	<5	100	0.36	101	<10	70
B381024		1.74	0.82	349	<1	0.73	21	230	11	0.38	<5	102	0.25	57	<10	51
B381025		2.65	1.20	381	<1	0.65	32	300	12	0.72	<5	97	0.30	89	<10	78
B381026		3.07	0.71	306	1	0.25	26	280	57	1.09	10	94	0.29	80	<10	53
B381027		2.12	0.82	329	<1	0.50	20	240	19	0.48	11	103	0.24	56	<10	45
B381028		3.32	1.12	223	<1	0.71	33	350	9	0.43	<5	94	0.36	102	<10	67
B381029																
B381030		3.75	1.08	487	2	3.36	7	1880	9	0.25	<5	649	0.33	174	<10	55
B381031		3.17	1.06	251	<1	0.58	34	360	17	0.39	<5	104	0.33	88	<10	80
B381032		2.11	0.78	344	2	0.45	21	230	14	0.49	11	86	0.22	54	<10	67
B381033		2.35	0.84	780	<1	0.17	24	230	196	0.87	31	125	0.23	56	<10	142
B381034		0.87	0.40	182	<1	0.25	9	150	34	0.57	10	43	0.10	20	<10	37
B381035		3.54	0.75	195	<1	0.44	35	310	12	1.08	10	76	0.33	88	<10	40
B381036		0.06	11.45	157	<1	0.02	<1	540	<2	0.03	<5	110	<0.01	2	<10	6
B381037		2.24	0.92	230	<1	0.65	26	240	11	0.31	<5	82	0.26	63	<10	50
B381038		3.23	1.08	291	<1	0.64	36	310	17	0.39	<5	116	0.37	93	<10	75
B381039		2.89	1.13	331	<1	0.66	38	360	16	0.43	<5	121	0.38	92	10	86
B381040		2.63	1.09	499	<1	0.95	34	330	17	0.41	<5	160	0.36	87	<10	78
B381041		2.90	1.17	410	1	1.25	39	400	19	0.54	<5	163	0.43	116	<10	75
B381042		2.70	1.17	417	1	1.23	35	370	21	0.51	<5	162	0.41	108	<10	77
B381043		1.12	0.81	578	<1	1.63	16	220	13	0.21	<5	173	0.25	54	<10	41
B381044		1.82	0.68	547	<1	1.43	18	280	11	0.10	<5	198	0.28	65	<10	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

094876

Finalized Date: 25-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381045		2.26	<0.005	<0.5	4.34	<5	230	0.8	<2	1.09	<0.5	7	35	14	2.73	0.01
B381046		1.24	<0.005	<0.5	9.08	35	750	2.8	<2	0.45	<0.5	18	78	41	4.34	0.01
B381047		6.72	<0.005	<0.5	7.79	10	590	2.2	<2	0.59	<0.5	16	66	36	4.10	0.01
B381048		4.12	<0.005	<0.5	5.67	<5	340	1.4	<2	0.87	<0.5	8	50	21	3.35	0.01
B381049		<0.02	<0.005													
B381050		0.12	0.804	2.5	7.24	18	430	0.7	<2	1.84	0.7	24	103	2090	5.02	0.02
B381051		6.14	<0.005	<0.5	8.87	<5	760	2.5	<2	0.37	<0.5	16	77	46	4.60	0.01
B381052		4.74	<0.005	<0.5	7.45	16	560	1.8	<2	0.45	<0.5	15	61	30	4.09	0.01
B381053		6.30	<0.005	<0.5	8.33	17	650	2.3	<2	0.68	<0.5	17	78	44	4.55	0.01
B381054		4.22	<0.005	<0.5	5.77	7	320	1.0	2	0.40	<0.5	9	46	16	2.91	0.01
B381055		1.92	0.005	<0.5	9.51	32	890	2.9	<2	0.24	<0.5	19	89	51	4.20	0.01
B381056		2.20	<0.005	<0.5	0.11	<5	10	<0.5	<2	19.15	<0.5	<1	2	1	0.11	<0.01
B381057		4.48	<0.005	<0.5	8.20	<5	630	2.4	<2	0.36	<0.5	14	68	38	4.09	0.01
B381058		2.98	<0.005	<0.5	8.30	12	700	2.3	<2	0.59	<0.5	21	77	50	4.59	0.03
B381059		2.90	<0.005	<0.5	6.47	7	420	1.3	<2	0.62	<0.5	9	51	22	3.81	0.01
B381060		6.16	<0.005	<0.5	9.00	6	780	2.8	2	0.35	<0.5	16	83	47	4.56	0.01
B381061		3.32	<0.005	<0.5	7.13	8	520	1.8	<2	0.52	<0.5	9	59	31	3.86	0.01
B381062		3.08	<0.005	<0.5	6.98	6	520	1.7	<2	0.46	<0.5	11	59	33	3.81	0.01
B381063		5.94	<0.005	<0.5	7.65	12	600	2.1	<2	0.42	<0.5	13	69	32	3.70	0.01
B381064		6.48	<0.005	<0.5	5.77	6	350	1.2	2	0.59	<0.5	7	44	17	3.08	0.01
B381065		6.56	<0.005	<0.5	5.37	5	280	1.2	2	1.09	<0.5	6	42	18	2.85	0.01
B381066		7.00	<0.005	<0.5	7.88	8	570	2.1	<2	0.47	<0.5	12	61	35	4.03	0.01
B381067		7.04	<0.005	<0.5	8.86	5	750	2.6	2	0.29	<0.5	15	76	42	4.49	0.01
B381068		4.36	0.027	<0.5	3.83	541	160	0.7	<2	0.75	<0.5	7	31	14	1.72	0.01
B381069		<0.02	0.024													
B381070		0.12	0.089	0.6	7.03	109	570	2.6	2	0.52	<0.5	56	1185	393	8.47	0.03
B381071		3.98	<0.005	<0.5	7.35	14	540	1.6	<2	0.39	<0.5	11	61	30	3.31	0.01
B381072		6.98	<0.005	<0.5	7.34	9	550	1.6	<2	0.48	<0.5	11	62	38	3.80	0.03
B381073		3.24	<0.005	<0.5	7.61	<5	640	2.0	2	0.49	<0.5	13	64	36	4.29	0.01
B381074		4.82	<0.005	<0.5	4.45	9	250	0.8	<2	1.61	<0.5	5	32	11	2.40	0.01
B381075		5.66	<0.005	<0.5	7.90	<5	670	2.2	<2	0.45	<0.5	14	67	36	3.92	0.01
B381076		2.70	<0.005	<0.5	0.12	6	10	<0.5	<2	19.70	<0.5	<1	3	1	0.11	<0.01
B381077		7.02	<0.005	<0.5	8.92	21	880	2.4	2	0.30	<0.5	16	79	42	4.19	0.01
B381078		7.08	<0.005	<0.5	8.66	6	930	2.7	2	0.19	<0.5	16	83	44	4.51	0.01
B381079		6.84	<0.005	<0.5	7.92	<5	730	2.2	<2	0.28	<0.5	13	69	30	3.87	0.01
B381080		7.84	0.021	<0.5	8.75	34	880	2.9	<2	0.49	<0.5	18	84	51	5.08	0.01
B381081		1.30	0.019	<0.5	9.08	501	1030	2.4	3	0.46	<0.5	17	78	53	3.96	0.01
B381082		5.14	0.011	<0.5	9.32	61	820	2.6	2	0.24	<0.5	18	82	49	4.06	0.01
B381083		5.58	<0.005	<0.5	7.86	25	560	2.0	2	0.28	<0.5	13	69	49	4.17	0.01
B381084		0.96	<0.005	<0.5	6.25	56	500	1.2	<2	0.48	<0.5	12	57	104	2.86	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064959

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381045		0.87	0.70	609	<1	1.07	15	170	14	0.21	<5	162	0.18	34	<10	47
B381046		3.56	1.27	332	<1	0.65	37	360	14	0.51	<5	126	0.42	112	<10	84
B381047		2.67	1.11	476	<1	0.90	32	310	17	0.56	<5	149	0.36	91	<10	83
B381048		1.48	0.80	366	<1	0.91	19	250	14	0.65	<5	146	0.25	51	<10	57
B381049																
B381050		1.81	1.30	426	2	3.13	49	650	12	0.65	<5	205	0.30	93	<10	200
B381051		3.16	1.13	317	1	0.66	40	380	31	0.76	<5	156	0.40	108	<10	89
B381052		2.44	1.10	341	<1	0.92	30	300	16	0.44	<5	128	0.35	79	<10	82
B381053		3.12	1.37	510	2	0.87	41	370	15	0.61	<5	151	0.41	125	<10	86
B381054		1.30	0.82	287	<1	1.49	19	240	9	0.30	<5	96	0.29	51	<10	58
B381055		3.80	1.12	165	1	0.63	45	340	17	0.70	<5	168	0.45	124	<10	76
B381056		0.03	11.00	150	<1	0.01	3	450	<2	0.01	<5	105	<0.01	1	<10	6
B381057		2.77	1.09	244	<1	0.77	33	310	20	0.68	<5	140	0.36	93	<10	81
B381058		3.20	1.30	483	<1	0.74	45	370	20	0.92	<5	136	0.41	123	<10	97
B381059		1.81	1.01	323	<1	0.73	29	260	13	0.27	<5	114	0.28	59	<10	75
B381060		3.35	1.28	340	<1	0.70	44	360	24	0.59	<5	146	0.43	116	<10	96
B381061		2.25	1.04	361	1	0.81	30	260	21	0.65	<5	140	0.32	78	<10	75
B381062		2.29	1.00	326	1	0.78	31	250	22	0.68	<5	132	0.32	78	<10	77
B381063		2.51	0.95	344	<1	0.77	32	270	22	0.53	<5	144	0.35	89	<10	77
B381064		1.49	0.83	400	<1	1.10	22	210	15	0.33	<5	132	0.27	50	<10	65
B381065		1.28	0.75	391	<1	1.02	21	210	16	0.36	<5	144	0.25	45	<10	53
B381066		2.50	1.08	356	<1	0.79	33	290	22	0.51	<5	150	0.36	82	<10	83
B381067		3.10	1.12	277	<1	0.68	39	330	21	0.71	<5	138	0.41	103	<10	95
B381068		0.78	0.43	182	<1	1.27	11	160	9	0.49	<5	121	0.17	27	<10	15
B381069																
B381070		2.18	0.59	383	7	0.12	472	340	147	0.02	13	50	0.24	91	30	598
B381071		2.70	0.91	213	<1	0.93	29	250	12	0.46	<5	109	0.35	77	<10	50
B381072		2.40	1.02	339	<1	0.98	33	280	17	0.66	<5	128	0.33	81	<10	75
B381073		2.50	1.16	511	<1	0.89	33	300	20	0.61	<5	154	0.37	90	<10	90
B381074		0.81	0.66	696	<1	1.48	12	180	12	0.47	<5	198	0.20	33	<10	40
B381075		2.66	1.06	368	<1	1.01	36	310	21	0.67	<5	154	0.39	91	<10	82
B381076		0.03	11.95	170	<1	0.01	3	470	<2	0.01	<5	108	<0.01	2	<10	7
B381077		3.42	1.14	257	<1	0.69	42	450	14	0.49	<5	132	0.42	114	<10	79
B381078		3.31	1.15	204	<1	0.70	43	350	23	0.66	<5	149	0.43	110	<10	110
B381079		2.62	0.97	279	<1	0.77	33	300	20	0.67	<5	129	0.36	91	<10	85
B381080		3.48	1.30	430	<1	0.60	46	370	26	1.25	<5	146	0.39	116	<10	109
B381081		4.03	1.04	221	2	0.55	43	300	18	1.14	<5	105	0.35	129	<10	47
B381082		3.62	0.97	158	<1	0.52	44	310	24	0.98	<5	122	0.41	120	<10	69
B381083		2.68	1.08	211	<1	0.69	37	240	27	0.68	<5	106	0.36	92	<10	88
B381084		2.05	0.57	254	<1	0.70	32	110	13	1.02	<5	94	0.29	71	<10	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064959

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381085		4.50	<0.005	<0.5	6.17	<5	340	1.4	<2	0.38	<0.5	9	52	21	3.69	<0.01
B381086		7.08	<0.005	<0.5	8.42	8	650	2.5	2	0.18	<0.5	15	74	37	4.43	0.01
B381087		2.16	0.093	<0.5	4.68	61	260	1.1	<2	0.65	<0.5	12	38	27	2.26	0.01
B381088		6.34	0.007	<0.5	5.69	48	330	1.2	<2	0.47	<0.5	8	45	22	2.88	0.02
B381089		<0.02	0.008													
B381090		0.12	2.96	0.8	7.00	13	2020	3.2	<2	4.66	<0.5	21	142	95	5.05	0.02
B381091		4.06	<0.005	<0.5	8.70	22	720	2.2	2	0.30	<0.5	15	76	43	3.74	0.01
B381092		2.36	<0.005	<0.5	6.10	17	390	1.5	<2	0.46	<0.5	7	45	30	2.53	0.01
B381093		6.04	<0.005	<0.5	8.12	10	660	2.3	2	0.17	<0.5	16	75	39	3.77	0.01
B381094		5.84	0.011	<0.5	7.47	38	570	1.9	2	0.48	<0.5	12	59	33	3.22	0.01
B381095		5.46	0.023	<0.5	8.65	546	700	2.1	<2	0.30	<0.5	17	75	35	3.98	0.01
B381096		2.48	<0.005	<0.5	0.14	<5	10	<0.5	<2	19.05	<0.5	<1	1	1	0.11	<0.01
B381097		5.74	0.071	<0.5	7.83	16	570	2.0	2	0.28	<0.5	13	65	32	3.78	0.01
B381098		5.16	<0.005	<0.5	7.75	21	580	1.9	2	0.85	<0.5	12	62	31	4.03	0.01
B381099		4.18	0.024	<0.5	7.46	517	600	2.2	2	0.66	<0.5	12	60	39	3.38	0.01
B381100		4.54	<0.005	<0.5	6.04	102	380	1.6	<2	0.62	<0.5	10	48	27	2.99	<0.01
B381101		2.58	<0.005	<0.5	8.26	13	630	2.1	2	0.27	<0.5	14	65	34	3.98	0.01
B381102		2.52	<0.005	<0.5	7.76	<5	590	2.1	<2	0.31	<0.5	14	64	38	4.04	0.01
B381103		5.64	<0.005	<0.5	7.00	<5	460	1.6	2	0.49	<0.5	9	53	29	3.70	0.02
B381104		7.00	<0.005	<0.5	3.86	15	170	0.7	<2	0.64	<0.5	3	30	8	1.68	0.01
B381105		6.34	<0.005	<0.5	3.44	18	150	0.5	2	0.64	<0.5	3	28	6	1.55	0.01
B381106		5.94	0.007	<0.5	4.12	133	210	0.7	2	0.46	<0.5	5	29	11	1.51	0.01
B381107		5.28	<0.005	<0.5	4.63	13	240	0.9	<2	0.60	<0.5	7	35	12	1.92	0.01
B381108		1.66	<0.005	<0.5	4.05	9	170	0.9	2	0.46	<0.5	3	33	14	3.25	0.01
B381109		<0.02	<0.005													
B381110		0.12	1.430	<0.5	6.74	1195	660	5.8	2	0.01	<0.5	4	203	37	3.62	0.07

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 25-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064959

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381085		1.51	0.80	251	<1	1.14	22	210	11	0.52	<5	96	0.30	57	<10	61
B381086		2.85	0.91	201	<1	0.58	38	280	27	0.78	<5	132	0.41	95	<10	93
B381087		1.35	0.74	186	<1	0.86	22	150	9	0.41	<5	110	0.19	39	<10	31
B381088		1.67	0.77	254	<1	0.99	23	200	7	0.37	<5	95	0.26	51	<10	48
B381089																
B381090		3.30	2.91	1040	12	2.27	65	2250	24	0.30	<5	1590	0.36	164	10	94
B381091		3.51	0.92	198	<1	0.65	38	320	17	0.92	<5	120	0.40	105	<10	77
B381092		1.96	0.79	198	<1	1.06	21	200	11	0.45	<5	115	0.27	59	<10	27
B381093		3.20	0.87	215	<1	0.61	38	270	21	0.86	<5	98	0.37	101	<10	72
B381094		2.69	0.88	248	<1	0.98	31	250	9	0.55	<5	109	0.34	79	<10	41
B381095		3.25	0.97	251	<1	0.89	36	330	16	0.46	<5	108	0.42	96	<10	78
B381096		0.03	11.45	150	<1	0.01	4	460	2	0.01	<5	104	0.01	3	<10	7
B381097		2.58	0.92	288	<1	0.81	33	310	21	0.37	<5	104	0.38	84	<10	73
B381098		2.52	1.04	422	<1	0.75	31	290	18	0.56	<5	142	0.36	83	<10	76
B381099		2.67	0.87	287	<1	0.52	33	260	21	0.66	<5	140	0.32	83	<10	61
B381100		1.77	0.75	348	<1	0.64	26	220	15	0.68	<5	106	0.27	60	<10	56
B381101		2.81	0.93	327	<1	0.62	35	310	17	0.62	<5	112	0.38	94	<10	83
B381102		2.65	0.93	344	<1	0.66	35	300	23	0.71	<5	112	0.36	93	<10	86
B381103		2.09	0.87	324	<1	0.70	28	280	20	0.59	<5	112	0.32	66	<10	63
B381104		0.76	0.47	425	<1	1.25	10	210	9	0.20	<5	87	0.18	27	<10	28
B381105		0.65	0.43	466	<1	1.14	10	210	9	0.16	<5	76	0.16	23	<10	22
B381106		0.96	0.41	267	<1	1.15	10	200	7	0.30	<5	71	0.18	28	<10	20
B381107		1.07	0.50	323	<1	1.17	14	220	13	0.24	<5	90	0.21	36	<10	25
B381108		0.74	0.69	509	<1	0.83	13	250	13	0.55	<5	69	0.20	30	<10	46
B381109																
B381110		2.60	0.34	86	2	0.11	17	300	24	0.01	107	85	0.24	87	10	44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -AUG-2005
Account: STRGOL

CERTIFICATE VA05064957

Project: Dublin Gulch-1735

P.O. No.:

This report is for 178 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 8-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B382440		1.08	0.021		<0.5	8.00	126	1300	5.0	<2	1.47	<0.5	5	55	25	1.77
B382441		1.06	0.023		<0.5	7.86	177	1290	5.0	<2	1.70	<0.5	3	43	20	1.73
B382442		1.18	0.022		<0.5	7.57	143	1240	4.9	<2	1.63	<0.5	3	60	17	1.63
B382443		2.58	0.025		<0.5	7.54	134	1190	4.7	<2	1.86	<0.5	3	41	19	1.66
B382444		2.44	0.005		<0.5	8.02	72	1310	5.0	<2	1.87	<0.5	4	55	9	1.71
B382445		2.46	0.200		<0.5	7.34	238	1270	3.3	6	2.20	<0.5	5	49	70	2.18
B382446		2.84	0.039		2.0	7.15	142	1370	3.2	<2	2.10	<0.5	5	69	66	2.20
B382447		3.32	0.796		<0.5	7.72	3010	1450	3.0	12	2.04	<0.5	19	54	73	2.53
B382448		3.26	6.44	7.20	0.6	7.53	432	1550	2.8	67	2.11	<0.5	9	70	109	2.47
B382449		<0.02	7.86													
B382450		0.10	4.35		8.1	7.29	5	440	0.8	<2	2.66	1.3	15	21	124	3.96
B382451		2.34	0.109		<0.5	7.67	242	1420	2.7	4	2.64	<0.5	8	50	85	2.07
B382452		2.74	0.105		<0.5	7.68	388	1530	2.8	<2	2.11	<0.5	9	72	81	2.34
B382453		2.38	0.016		<0.5	8.02	192	1540	2.9	<2	2.51	<0.5	7	52	52	2.56
B382454		2.82	0.013		<0.5	7.78	144	1610	3.0	<2	2.41	<0.5	6	76	43	2.57
B382455		2.32	0.014		<0.5	8.17	149	1650	3.0	<2	2.29	<0.5	8	55	40	2.62
B382456		2.44	<0.005		<0.5	0.14	<5	20	<0.5	<2	19.55	<0.5	1	4	2	0.12
B382457		2.10	0.089		<0.5	7.13	156	1530	2.4	<2	1.89	<0.5	7	53	59	2.30
B382458		1.16	0.159		<0.5	7.89	101	1630	2.8	11	2.13	<0.5	7	71	63	2.46
B382459		2.48	0.021		<0.5	7.73	108	1320	2.6	<2	2.17	0.5	7	48	35	2.34
B382460		2.50	0.193		1.1	6.94	473	1350	2.6	16	2.21	1.6	8	70	48	2.49
B382461		1.60	0.070		1.4	7.88	120	1710	2.8	7	2.17	1.8	9	45	50	2.55
B382462		1.44	0.139		2.2	7.60	170	1670	2.6	3	2.21	1.5	9	74	72	2.54
B382463		2.96	0.064		2.3	7.13	188	730	2.4	<2	2.46	7.0	6	40	61	2.88
B382464		2.58	0.175		4.3	7.57	1655	1010	2.6	22	2.52	7.1	12	71	100	2.90
B382465		2.98	0.035		1.2	7.77	260	1450	2.7	<2	2.31	2.2	6	48	38	2.51
B382466		3.32	1.215	1.280	2.0	7.81	1865	1290	3.0	18	2.90	0.9	18	67	72	2.92
B382467		3.28	0.075		1.0	7.04	266	1350	2.9	4	2.01	0.8	7	55	41	2.12
B382468		2.76	0.464		1.9	7.19	708	1400	2.9	7	2.47	0.8	13	90	158	3.03
B382469		<0.02	0.429													
B382470		0.12	3.42	3.31	2.1	6.93	10	2040	3.2	<2	4.71	<0.5	26	150	100	4.96
B382471		3.44	0.233		1.0	6.58	919	1460	3.3	6	2.45	0.6	7	43	54	2.14
B382472		4.04	0.105		0.5	7.05	165	1300	4.6	10	1.88	0.8	5	57	32	1.77
B382473		3.02	0.583		0.6	7.35	110	1600	4.9	48	1.79	<0.5	4	42	35	1.66
B382474		1.02	0.342		0.8	7.82	213	1860	4.0	36	1.93	<0.5	8	71	68	2.28
B382475		2.52	0.062		<0.5	7.65	248	1590	3.2	<2	2.45	<0.5	9	53	54	2.49
B382476		2.94	0.006		<0.5	0.15	<5	20	<0.5	<2	19.85	<0.5	<1	5	4	0.11
B382477		2.72	0.083		<0.5	7.43	644	1640	3.0	7	2.28	<0.5	12	53	71	2.46
B382478		1.70	0.097		<0.5	7.66	275	1560	3.1	<2	2.39	<0.5	9	70	64	2.44
B382479		1.84	0.032		<0.5	7.50	132	1480	3.0	3	2.19	<0.5	9	53	49	2.36

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10
B382440		0.01	3.63	0.63	152	1	2.15	13	450	22	0.24	8	357	0.16	40	10
B382441		0.01	3.56	0.63	162	1	2.15	12	440	17	0.29	<5	370	0.16	39	10
B382442		0.01	3.50	0.58	150	1	2.14	6	440	19	0.27	5	367	0.16	37	<10
B382443		0.01	3.58	0.57	160	1	2.07	9	430	20	0.20	5	372	0.16	36	10
B382444		0.01	3.61	0.61	182	1	2.31	12	450	28	0.09	<5	414	0.16	38	10
B382445		0.01	3.97	0.72	178	1	1.62	18	540	18	0.43	9	387	0.25	35	40
B382446		0.01	3.93	0.73	198	3	1.58	27	560	18	0.34	5	436	0.28	34	20
B382447		0.01	3.94	0.77	180	3	1.58	26	590	19	0.48	6	424	0.30	38	40
B382448		0.02	4.28	0.79	158	4	1.64	20	610	17	0.57	5	469	0.29	38	30
B382449																
B382450		0.01	2.27	1.30	930	11	1.68	11	830	28	0.68	<5	416	0.35	147	<10
B382451		<0.01	4.31	0.65	190	4	1.66	20	630	17	0.46	<5	442	0.28	36	10
B382452		<0.01	4.46	0.75	182	5	1.62	22	610	21	0.43	<5	466	0.29	37	20
B382453		<0.01	3.84	0.83	260	1	1.78	25	640	25	0.27	<5	530	0.31	39	<10
B382454		<0.01	3.80	0.86	237	1	1.83	23	660	19	0.24	<5	549	0.34	42	20
B382455		<0.01	3.86	0.82	227	7	1.69	27	650	23	0.22	6	510	0.33	41	190
B382456		<0.01	0.04	11.85	155	<1	0.02	1	480	5	0.01	<5	119	0.01	2	<10
B382457		0.01	3.88	0.63	180	3	1.20	21	590	18	0.30	7	401	0.27	35	50
B382458		0.01	4.39	0.67	205	1	1.47	21	640	18	0.29	9	474	0.31	40	20
B382459		0.02	4.05	0.69	501	1	0.90	18	610	75	0.20	19	358	0.29	37	10
B382460		0.06	3.92	0.72	509	3	0.90	19	560	154	0.34	36	342	0.26	34	50
B382461		0.05	4.20	0.72	405	3	1.31	22	630	147	0.24	24	436	0.30	38	10
B382462		0.06	4.17	0.72	446	3	1.19	28	630	182	0.28	31	405	0.29	37	10
B382463		0.17	3.66	0.80	1320	10	0.12	20	610	386	0.35	46	147	0.23	33	20
B382464		0.12	3.86	0.80	1030	1	0.31	25	580	725	0.52	150	205	0.26	35	20
B382465		0.06	4.28	0.73	628	2	0.89	17	570	192	0.34	29	317	0.27	36	10
B382466		0.04	3.92	0.82	986	2	1.01	23	570	258	0.27	38	359	0.27	35	20
B382467		0.03	4.02	0.61	479	2	1.28	15	450	140	0.21	22	356	0.24	30	40
B382468		0.02	3.88	0.86	644	7	1.01	28	560	183	0.86	28	342	0.27	44	40
B382469																
B382470		0.01	3.44	2.87	1015	13	2.29	62	2290	25	0.30	<5	1630	0.39	172	10
B382471		0.02	3.84	0.69	533	3	1.07	15	530	89	0.30	16	300	0.23	36	10
B382472		0.03	3.51	0.55	327	1	1.49	11	430	50	0.42	12	305	0.15	38	10
B382473		0.01	3.60	0.53	158	<1	2.03	10	450	61	0.32	11	413	0.15	37	10
B382474		0.01	4.10	0.66	168	1	1.78	12	580	35	0.42	<5	458	0.24	38	30
B382475		<0.01	3.68	0.78	239	1	1.67	16	610	20	0.29	<5	494	0.30	38	30
B382476		<0.01	0.05	11.30	154	<1	0.02	<1	490	<2	0.01	<5	111	<0.01	2	10
B382477		<0.01	4.01	0.82	190	6	1.64	18	610	17	0.35	<5	490	0.30	38	40
B382478		<0.01	3.80	0.80	218	<1	1.62	21	600	20	0.30	<5	464	0.30	38	20
B382479		0.01	3.84	0.72	213	2	1.53	20	550	20	0.26	5	454	0.27	35	20

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B382440		36
B382441		37
B382442		36
B382443		41
B382444		65
B382445		30
B382446		27
B382447		24
B382448		20
B382449		
B382450		101
B382451		20
B382452		26
B382453		49
B382454		38
B382455		35
B382456		7
B382457		31
B382458		32
B382459		107
B382460		341
B382461		274
B382462		299
B382463		1215
B382464		1160
B382465		419
B382466		236
B382467		170
B382468		144
B382469		
B382470		98
B382471		105
B382472		164
B382473		33
B382474		48
B382475		39
B382476		7
B382477		30
B382478		36
B382479		41

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B382480		1.48	0.054		<0.5	7.13	259	1580	2.8	9	2.22	<0.5	10	73	67	2.38
B382481		0.82	0.148		<0.5	6.79	151	1590	2.8	2	2.56	<0.5	7	56	53	2.34
B382482		0.66	0.048		<0.5	7.61	253	1610	3.1	<2	2.68	<0.5	7	92	58	2.51
B382483		1.80	0.202		<0.5	6.91	699	1520	2.7	8	2.12	<0.5	9	55	84	2.48
B382484		1.54	0.356		<0.5	7.49	476	1640	3.1	34	2.40	<0.5	11	76	46	2.58
B382485		2.82	0.127		0.7	6.69	2150	980	2.7	14	2.41	0.9	12	51	47	2.62
B382486		3.64	0.015		<0.5	6.96	80	1500	2.9	<2	2.43	<0.5	8	73	46	2.38
B382487		2.88	0.040		<0.5	7.59	339	1520	3.2	4	2.52	<0.5	9	51	48	2.45
B382488		2.78	0.034		1.0	7.21	144	1580	3.0	<2	2.66	<0.5	8	77	53	2.52
B382489		<0.02	0.021													
B382490		0.12	0.094		<0.5	7.05	119	590	2.7	<2	0.54	<0.5	62	1235	396	8.52
B382491		3.46	0.172		0.6	7.29	450	1600	3.1	15	2.35	<0.5	11	57	67	2.48
B382492		3.24	0.025		<0.5	7.43	256	1700	2.6	<2	2.54	<0.5	10	69	50	2.44
B382493		3.28	0.071		0.5	7.74	288	1630	3.0	28	2.46	<0.5	11	56	64	2.61
B382494		3.34	0.089		<0.5	7.53	214	1380	3.5	3	2.27	<0.5	9	74	90	2.22
B382495		2.94	0.025		<0.5	7.38	212	1450	4.7	<2	1.90	<0.5	6	44	23	1.67
B382496		3.22	<0.005		<0.5	0.15	8	20	<0.5	<2	20.4	<0.5	<1	5	2	0.11
B382497		1.68	0.019		<0.5	7.97	283	1320	5.0	<2	1.96	<0.5	4	47	23	1.70
B382498		1.44	0.114		<0.5	7.74	968	1340	4.6	9	2.01	<0.5	5	64	53	1.73
B382499		3.32	0.050		<0.5	7.17	665	1460	3.1	3	2.26	<0.5	10	59	49	2.29
B382500		3.06	0.032		<0.5	7.17	166	1410	3.2	<2	2.08	<0.5	7	75	46	2.24
B382501		1.22	0.048		<0.5	7.52	411	1420	3.2	15	2.10	<0.5	13	53	37	2.19
B382502		1.66	0.023		<0.5	7.31	342	1380	3.3	<2	2.26	<0.5	8	73	48	2.15
B382503		3.16	0.179		<0.5	7.49	844	1540	3.0	15	2.40	<0.5	9	58	60	2.49
B382504		3.22	0.108		<0.5	7.52	409	1380	3.0	7	2.18	<0.5	9	79	48	2.27
B382505		3.40	0.357		<0.5	7.31	146	1570	3.0	76	2.16	<0.5	10	76	47	2.35
B382506		2.58	0.086		0.7	6.84	98	1490	2.6	12	2.33	0.5	9	72	82	2.38
B382507		3.38	0.150		1.6	7.01	622	1330	2.7	21	2.15	1.2	10	54	139	2.87
B382508		2.76	0.060		0.5	6.38	235	1140	2.5	5	2.28	<0.5	8	73	55	2.28
B382509		<0.02	0.064													
B382510		0.10	0.401		2.8	8.70	7	1020	1.1	<2	1.40	<0.5	9	8	6930	3.06
B382511		1.60	0.052		0.5	7.08	386	1510	2.9	4	2.00	<0.5	9	51	60	2.31
B382512		1.76	0.522		<0.5	7.36	66	1440	2.6	38	2.12	<0.5	10	80	49	2.25
B382513		3.36	0.272		<0.5	7.90	263	1540	2.9	20	2.04	<0.5	9	55	52	2.27
B382514		3.62	0.067		<0.5	7.20	290	1330	3.0	4	2.06	<0.5	8	73	68	2.25
B382515		2.38	0.164		1.3	6.67	411	1350	2.7	9	2.25	1.7	7	56	45	2.27
B382516		2.88	<0.005		<0.5	0.12	6	10	<0.5	<2	19.85	<0.5	<1	2	2	0.12
B382517		3.58	0.096		0.7	6.86	191	1460	3.1	5	2.37	<0.5	9	128	61	2.28
B382518		1.58	0.072		0.7	6.68	426	1500	2.8	19	2.33	<0.5	10	26	41	2.23
B382519		1.72	0.056		1.9	6.83	321	750	2.8	2	2.18	3.6	7	138	69	2.17

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B382480		0.01	4.08	0.73	217	5	1.57	20	590	23	0.33	<5	462	0.29	37	70
B382481		0.01	3.83	0.70	251	1	1.58	18	600	20	0.24	10	448	0.30	38	30
B382482		0.01	3.75	0.81	254	1	1.60	22	620	18	0.26	10	479	0.31	40	30
B382483		0.01	3.85	0.67	233	3	1.40	22	570	22	0.44	<5	403	0.27	36	30
B382484		0.01	4.04	0.68	274	3	1.55	21	630	26	0.29	8	441	0.30	38	30
B382485		0.03	3.34	0.70	616	1	0.76	18	550	133	0.66	52	270	0.24	33	40
B382486		0.01	3.53	0.76	309	1	1.61	21	590	31	0.18	<5	465	0.29	41	30
B382487		<0.01	3.64	0.78	254	<1	1.80	22	640	23	0.24	<5	490	0.31	38	20
B382488		<0.01	3.56	0.81	260	<1	1.77	20	630	26	0.26	<5	503	0.31	42	30
B382489																
B382490		0.03	2.28	0.59	382	8	0.13	512	350	144	0.02	9	54	0.24	96	30
B382491		<0.01	3.78	0.83	242	1	1.72	20	620	26	0.28	<5	490	0.31	39	20
B382492		0.01	4.20	0.84	265	<1	1.59	19	640	21	0.23	<5	480	0.30	38	80
B382493		0.01	3.92	0.89	254	45	1.71	21	640	26	0.27	<5	514	0.31	41	40
B382494		0.01	3.88	0.70	189	<1	1.71	19	560	20	0.31	7	417	0.26	40	40
B382495		0.01	4.09	0.57	164	<1	1.92	7	430	10	0.17	<5	415	0.16	38	20
B382496		<0.01	0.05	11.50	156	<1	0.02	1	510	2	0.01	<5	121	<0.01	3	10
B382497		0.01	3.54	0.64	152	<1	2.18	7	440	18	0.23	<5	463	0.16	38	20
B382498		0.01	3.83	0.61	136	<1	2.05	10	440	11	0.39	<5	425	0.15	37	300
B382499		0.01	3.74	0.74	231	<1	1.62	18	580	23	0.27	<5	461	0.29	36	20
B382500		0.01	3.70	0.73	228	7	1.62	19	590	23	0.23	<5	424	0.29	36	20
B382501		<0.01	3.74	0.75	230	1	1.61	17	550	27	0.22	<5	447	0.27	35	40
B382502		<0.01	3.86	0.74	229	2	1.63	15	570	31	0.23	<5	447	0.28	35	120
B382503		<0.01	4.00	0.78	242	1	1.68	19	580	22	0.31	<5	485	0.29	36	30
B382504		0.01	3.79	0.69	247	<1	1.59	22	560	26	0.26	<5	431	0.26	38	20
B382505		0.01	3.79	0.75	281	<1	1.56	20	570	42	0.19	13	449	0.30	40	30
B382506		0.02	3.88	0.60	338	<1	1.01	18	600	104	0.46	25	362	0.28	36	30
B382507		0.03	4.13	0.72	344	1	1.01	19	580	160	0.91	19	361	0.28	37	40
B382508		0.01	3.49	0.70	364	1	1.13	14	550	44	0.30	11	342	0.27	33	30
B382509																
B382510		0.03	3.60	1.10	448	2	3.29	8	1760	6	0.23	<5	668	0.32	166	<10
B382511		0.01	3.76	0.65	233	1	1.36	17	560	31	0.29	10	410	0.27	34	20
B382512		0.01	4.35	0.71	225	2	1.39	15	580	23	0.30	14	385	0.28	36	40
B382513		0.01	4.15	0.70	219	<1	1.52	18	550	24	0.23	16	437	0.27	34	40
B382514		0.01	3.75	0.68	284	<1	1.27	17	550	41	0.38	18	387	0.28	35	50
B382515		0.04	3.40	0.66	481	<1	0.90	17	510	124	0.27	40	341	0.23	31	20
B382516		<0.01	0.03	11.30	154	<1	0.01	3	570	5	0.01	<5	111	<0.01	2	<10
B382517		0.01	3.75	0.72	278	3	1.37	21	550	38	0.24	11	423	0.28	35	20
B382518		0.01	3.92	0.69	334	11	1.44	19	540	69	0.21	19	432	0.27	34	20
B382519		0.09	3.61	0.65	630	3	0.21	18	540	194	0.39	30	176	0.24	33	30

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B382480		43
B382481		42
B382482		42
B382483		59
B382484		50
B382485		160
B382486		71
B382487		52
B382488		48
B382489		
B382490		629
B382491		52
B382492		51
B382493		55
B382494		45
B382495		57
B382496		7
B382497		53
B382498		33
B382499		44
B382500		46
B382501		45
B382502		44
B382503		44
B382504		57
B382505		67
B382506		146
B382507		210
B382508		54
B382509		
B382510		53
B382511		46
B382512		44
B382513		44
B382514		79
B382515		272
B382516		8
B382517		64
B382518		94
B382519		584

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B382520		3.70	0.080		1.4	6.81	360	1300	3.0	13	2.39	1.5	10	27	67	2.49
B382521		2.06	0.107		3.1	7.11	728	1030	2.8	29	2.68	1.4	11	138	75	2.55
B382522		1.36	0.098		2.9	6.81	1290	1220	3.0	8	2.37	1.1	13	26	70	2.44
B382523		3.04	0.134		1.0	7.01	265	1480	3.2	22	2.38	<0.5	10	129	73	2.36
B382524		2.24	0.044		<0.5	7.51	136	1460	3.6	<2	2.47	<0.5	8	30	37	2.42
B382525		2.00	0.034		<0.5	7.04	296	1420	3.3	<2	2.39	<0.5	8	146	70	2.47
B382526		2.48	0.050		0.9	7.43	321	1180	3.2	8	2.86	1.4	6	25	68	2.78
B382527		2.02	0.034		1.4	7.12	136	1450	2.9	8	2.28	1.0	9	131	102	2.32
B382528		2.18	0.268		<0.5	7.70	254	1460	3.1	2	2.39	<0.5	11	34	62	2.71
B382529		<0.02	0.146													
B382530		0.12	0.875		2.6	7.86	<5	470	0.7	<2	1.99	0.9	25	104	2190	5.27
B382531		2.26	0.060		2.4	7.58	383	960	2.8	5	2.67	6.4	7	152	100	3.37
B382532		2.10	0.087		1.0	7.39	357	1460	3.0	9	2.40	<0.5	9	29	56	2.59
B382533		1.98	0.174		0.9	7.49	460	1420	2.9	7	2.55	0.7	11	142	69	2.63
B382534		3.22	0.100		0.7	7.44	216	1560	3.0	5	2.69	0.6	10	36	89	2.77
B382535		3.16	0.130		2.2	7.11	373	1440	2.8	16	2.81	1.3	9	140	68	2.82
B382536		2.70	<0.005		<0.5	0.16	<5	30	<0.5	<2	20.8	<0.5	1	3	1	0.13
B382537		2.36	0.325	0.417	3.4	7.05	2200	1160	2.5	31	2.15	1.7	11	144	325	3.67
B382538		2.34	0.049		2.2	7.52	1350	690	2.8	<2	2.65	6.1	8	31	91	3.08
B382539		2.22	0.392	0.445	4.4	7.35	6940	840	3.0	17	2.05	4.3	17	140	446	3.27
B382540		2.74	0.141		<0.5	7.56	952	1540	3.0	8	2.45	<0.5	10	32	84	2.59
B382541		1.52	0.064		<0.5	7.26	198	1440	2.8	9	2.30	<0.5	8	142	72	2.32
B382542		1.70	0.098		<0.5	7.41	213	1430	2.8	3	2.29	<0.5	10	29	71	2.31
B382543		3.64	0.301		<0.5	7.33	101	1540	2.7	28	2.44	<0.5	12	124	95	2.42
B382544		2.86	0.088		<0.5	7.67	247	1560	3.0	9	2.52	<0.5	12	34	90	2.55
B382545		3.08	0.049		<0.5	7.65	86	1540	3.0	4	2.56	<0.5	10	148	63	2.39
B382546		3.90	0.043		0.6	7.63	194	1580	3.0	5	2.70	<0.5	10	32	73	2.40
B382547		3.36	0.058		0.5	7.58	254	1550	2.9	12	2.44	<0.5	11	136	88	2.39
B382548		3.06	0.343		1.6	7.25	322	1390	2.8	21	2.38	0.7	14	28	94	2.48
B382549		<0.02	0.284													
B382550		0.10	1.490		<0.5	6.97	1270	680	6.1	<2	0.01	<0.5	5	220	40	3.71
B382551		2.64	0.075		<0.5	7.71	307	1520	2.9	5	2.26	<0.5	10	164	81	2.50
B382552		2.84	0.024		<0.5	7.41	170	1440	3.0	<2	2.43	<0.5	8	32	80	2.40
B382553		2.56	0.133		0.8	7.39	118	1440	2.9	22	2.40	<0.5	12	160	93	2.45
B382554		2.16	0.214		<0.5	7.69	245	1560	2.9	16	2.71	<0.5	11	32	92	2.53
B382555		2.34	0.042		<0.5	7.43	211	1640	2.9	2	2.22	<0.5	9	172	48	2.65
B382556		2.48	<0.005		<0.5	0.14	<5	20	<0.5	<2	21.4	<0.5	2	3	<1	0.13
B382557		2.38	0.035		0.9	7.69	241	1730	2.7	2	2.40	<0.5	9	130	60	2.69
B382558		1.56	0.977		<0.5	7.83	211	1680	2.9	89	2.53	<0.5	8	34	50	2.83
B382559		1.58	0.226		<0.5	7.65	136	1630	2.5	14	2.06	<0.5	13	154	108	2.96

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10
B382520		0.04	4.13	0.74	574	1	0.79	19	590	156	0.28	27	309	0.29	37	30
B382521		0.05	3.94	0.79	744	2	0.31	16	530	321	0.33	24	227	0.26	34	130
B382522		0.04	4.26	0.71	618	2	0.42	15	580	252	0.37	15	246	0.28	36	50
B382523		0.02	4.35	0.75	341	1	1.32	17	590	83	0.34	24	426	0.29	35	30
B382524		<0.01	4.11	0.83	261	<1	1.84	16	620	27	0.20	<5	537	0.31	39	30
B382525		0.01	4.19	0.83	276	1	1.52	17	620	41	0.34	<5	462	0.29	39	110
B382526		0.04	4.10	0.89	937	4	0.96	10	590	195	0.21	56	339	0.27	34	50
B382527		0.03	4.68	0.73	405	2	1.19	19	580	92	0.32	17	406	0.28	36	80
B382528		0.01	4.42	0.93	323	<1	1.51	19	640	35	0.37	9	479	0.30	43	20
B382529																
B382530		<0.01	1.90	1.42	448	1	3.27	53	670	16	0.66	5	217	0.32	95	<10
B382531		0.13	3.94	1.04	870	3	0.68	15	630	321	0.83	49	281	0.27	44	40
B382532		0.01	4.28	0.84	378	4	1.24	16	590	78	0.41	20	409	0.29	38	40
B382533		0.02	4.25	0.90	378	1	1.09	17	650	101	0.44	20	404	0.30	43	20
B382534		0.01	4.22	0.96	360	4	1.33	15	670	68	0.41	16	462	0.32	45	40
B382535		0.03	4.31	0.93	716	<1	0.92	19	620	264	0.42	30	350	0.28	43	40
B382536		<0.01	0.05	12.10	169	<1	0.01	2	550	<2	0.02	<5	123	<0.01	2	<10
B382537		0.05	4.17	0.88	696	2	0.44	20	630	353	1.18	78	235	0.25	38	50
B382538		0.20	3.86	0.91	1110	2	0.04	19	590	366	0.66	16	124	0.26	38	40
B382539		0.10	3.86	0.85	836	9	0.23	21	610	360	1.34	44	162	0.27	39	30
B382540		0.01	4.29	0.87	215	1	1.61	18	620	29	0.50	<5	509	0.30	40	10
B382541		0.01	4.00	0.84	206	5	1.57	17	590	26	0.34	<5	486	0.30	38	30
B382542		0.01	4.02	0.85	189	10	1.59	18	600	18	0.32	<5	500	0.30	38	20
B382543		0.01	4.70	0.81	203	1	1.41	19	630	33	0.42	9	448	0.31	40	320
B382544		0.01	4.48	0.92	217	3	1.70	17	650	21	0.40	<5	529	0.33	41	40
B382545		0.01	4.55	0.84	224	<1	1.74	21	660	23	0.34	<5	553	0.33	41	20
B382546		<0.01	4.65	0.88	235	3	1.68	22	650	22	0.34	<5	542	0.33	40	50
B382547		0.01	4.52	0.85	206	2	1.64	24	640	20	0.38	6	507	0.32	40	30
B382548		0.02	4.33	0.76	331	<1	1.40	20	610	165	0.44	53	432	0.31	39	30
B382549																
B382550		0.05	2.91	0.36	86	1	0.11	21	310	26	0.02	118	94	0.26	92	10
B382551		0.01	4.46	0.85	247	<1	1.69	21	660	31	0.33	5	530	0.33	41	20
B382552		0.01	4.39	0.80	239	<1	1.64	17	600	26	0.36	<5	517	0.31	39	10
B382553		0.01	4.44	0.80	230	1	1.63	19	620	34	0.43	7	501	0.31	39	40
B382554		0.01	4.31	0.92	267	1	1.61	18	690	18	0.25	9	543	0.33	42	30
B382555		0.01	3.96	0.92	265	2	1.66	23	690	20	0.21	9	526	0.34	43	20
B382556		<0.01	0.04	12.10	183	<1	0.01	<1	510	3	0.01	<5	112	<0.01	2	<10
B382557		0.01	4.61	1.00	272	1	1.54	20	710	24	0.24	9	512	0.35	46	40
B382558		<0.01	3.81	1.06	272	<1	1.73	20	700	22	0.22	7	564	0.34	46	20
B382559		0.01	5.05	1.07	245	3	1.35	19	700	19	0.50	10	489	0.31	45	30

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B382520		278
B382521		245
B382522		221
B382523		62
B382524		40
B382525		64
B382526		274
B382527		178
B382528		49
B382529		
B382530		215
B382531		1150
B382532		91
B382533		117
B382534		124
B382535		234
B382536		8
B382537		293
B382538		994
B382539		716
B382540		27
B382541		26
B382542		21
B382543		24
B382544		23
B382545		27
B382546		25
B382547		23
B382548		156
B382549		
B382550		46
B382551		30
B382552		26
B382553		28
B382554		31
B382555		37
B382556		8
B382557		34
B382558		34
B382559		28

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B382560		1.86	0.675		2.4	7.06	209	1060	2.5	50	2.59	<0.5	10	40	95	2.71
B382561		0.78	1.350		0.6	7.52	461	1470	2.5	13	2.73	<0.5	11	154	84	2.71
B382562		0.56	1.180		<0.5	7.29	113	1460	2.4	36	2.33	<0.5	9	40	61	2.53
B382563		3.02	0.247		<0.5	7.43	1005	1510	2.9	8	2.42	<0.5	9	150	68	2.82
B382564		3.02	0.093		2.2	7.04	241	970	2.8	9	2.65	2.2	9	152	69	3.03
B382565		3.40	0.176		<0.5	7.59	207	1360	2.8	24	2.56	<0.5	10	46	71	2.93
B382566		3.18	0.097		<0.5	7.34	317	1330	2.9	8	2.45	<0.5	8	140	53	2.80
B382567		3.34	0.204		<0.5	7.37	190	1280	3.0	16	2.57	<0.5	11	52	80	2.89
B382568		3.42	0.659		<0.5	6.95	31	1280	2.9	66	2.65	<0.5	9	153	26	2.75
B382569		<0.02	0.546													
B382570		0.10	2.86		<0.5	7.59	2160	750	12.8	<2	0.02	<0.5	<1	158	106	3.51
B382571		3.04	0.093		<0.5	7.72	78	1470	2.9	7	2.79	<0.5	8	49	50	2.89
B382572		2.90	0.223		<0.5	7.64	124	1270	3.2	24	2.45	<0.5	7	142	35	2.72
B382573		3.60	0.772		<0.5	7.18	646	1170	3.2	14	2.66	<0.5	11	49	39	2.86
B382574		1.22	4.40		<0.5	6.98	4780	1290	3.2	117	2.63	<0.5	204	108	68	3.03
B382575		1.24	2.02		4.4	6.44	3700	810	2.4	75	3.59	0.7	13	31	107	3.37
B382576		1.88	<0.005		<0.5	0.15	6	20	<0.5	<2	19.60	<0.5	<1	9	1	0.13
B382577		1.96	0.061		0.5	7.60	55	1270	2.9	3	2.62	<0.5	7	41	46	2.43
B382578		2.50	0.332		0.6	7.63	219	1430	2.9	15	2.46	<0.5	7	116	49	2.73
B382579		0.58	3.50		6.6	3.60	4760	390	1.4	73	2.06	1.1	107	25	37	2.14
B382580		2.90	0.161		<0.5	7.76	234	1260	2.9	25	2.56	<0.5	9	138	59	2.73
B382581		1.00	0.134		1.4	7.36	414	1120	2.4	5	2.28	0.7	8	42	90	3.27
B382582		1.24	0.114		1.5	7.16	888	1070	2.6	3	2.36	3.3	13	138	85	3.49
B382583		2.72	0.165		0.9	7.44	430	1060	2.5	9	2.46	1.8	11	45	77	3.12
B382584		1.34	0.644		1.3	7.64	112	1020	2.6	15	2.30	<0.5	8	147	95	3.26
B382585		1.32	0.255		1.6	7.52	165	980	2.4	20	2.86	0.9	13	41	62	2.89
B382586		3.10	0.190		<0.5	7.54	67	1280	2.7	8	2.72	<0.5	11	170	76	3.10
B382587		2.90	0.322		<0.5	7.16	131	1540	2.9	28	2.56	<0.5	8	38	55	2.68
B382588		3.40	0.099		<0.5	8.00	221	1640	3.0	5	2.54	<0.5	9	155	46	2.73
B382589		<0.02	0.128													
B382590		0.10	4.45		8.8	7.72	12	480	0.8	<2	2.78	1.2	17	23	125	4.17
B382591		2.20	0.773		<0.5	7.00	132	1390	2.6	56	2.46	<0.5	8	133	46	2.29
B382592		3.06	0.095		1.6	6.76	73	950	2.6	5	3.48	0.7	7	34	41	2.70
B382593		2.58	0.119		0.8	7.39	101	1330	2.6	7	2.54	<0.5	7	137	35	2.51
B382594		2.82	0.185		<0.5	7.57	68	1580	2.8	4	2.31	<0.5	8	39	55	2.82
B382595		2.68	0.191		2.3	7.40	1040	1540	2.5	8	2.12	0.9	9	121	78	2.81
B382596		3.00	<0.005		<0.5	0.13	6	20	<0.5	<2	19.20	<0.5	<1	1	1	0.13
B382597		3.48	0.130		1.4	7.12	3460	1600	2.6	44	1.98	<0.5	12	128	68	3.07
B382598		3.10	0.544		1.0	7.46	112	1460	2.9	3	2.53	<0.5	13	36	74	3.02
B382599		2.10	0.326		1.0	7.62	117	1400	2.7	4	2.33	<0.5	9	144	65	3.26

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
Sample Description LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B382560	0.01	3.75	0.74	408	2	0.91	16	650	128	0.93	46	356	0.29	44	30
B382561	0.01	4.28	0.98	341	4	1.40	16	710	28	0.36	16	446	0.32	50	20
B382562	0.01	4.17	0.93	297	2	1.40	15	660	24	0.31	15	436	0.30	47	30
B382563	0.01	3.98	1.13	301	2	1.57	17	700	19	0.34	6	533	0.32	51	40
B382564	0.05	3.67	0.94	708	1	0.81	15	710	226	0.71	26	321	0.30	55	30
B382565	0.01	3.90	1.22	331	1	1.69	13	760	24	0.28	8	593	0.34	55	20
B382566	0.01	3.86	1.23	291	3	1.71	16	730	18	0.22	9	569	0.33	55	30
B382567	0.01	3.85	1.16	336	2	1.71	14	760	22	0.29	9	552	0.33	55	30
B382568	<0.01	3.64	1.15	357	2	1.74	17	730	21	0.13	<5	566	0.33	56	10
B382569															
B382570	0.07	3.33	0.39	70	2	0.09	9	340	31	0.02	159	144	0.27	108	20
B382571	<0.01	4.44	1.12	360	2	1.62	15	740	28	0.23	<5	585	0.33	55	10
B382572	<0.01	3.77	1.16	342	5	1.61	17	680	27	0.17	6	531	0.32	49	10
B382573	0.01	4.01	1.24	395	2	1.65	21	720	32	0.21	10	507	0.34	56	10
B382574	<0.01	4.07	1.30	345	2	1.02	17	660	24	0.39	28	415	0.29	50	30
B382575	0.01	3.27	0.82	561	2	0.65	15	580	235	1.27	43	367	0.23	41	30
B382576	<0.01	0.04	11.70	157	<1	0.02	3	500	2	0.02	<5	111	0.01	2	<10
B382577	0.01	4.06	0.92	459	1	1.10	14	720	43	0.25	11	365	0.32	51	30
B382578	0.01	4.14	1.17	449	3	1.35	17	700	44	0.22	19	460	0.32	52	20
B382579	0.01	1.67	0.41	419	3	0.09	13	310	802	0.91	201	124	0.14	23	40
B382580	0.01	4.31	1.21	457	2	1.27	16	710	43	0.15	20	396	0.31	51	20
B382581	0.02	4.21	1.01	542	13	0.81	15	660	133	0.89	15	294	0.26	48	20
B382582	0.07	4.20	1.06	580	7	0.78	18	630	162	1.00	16	291	0.27	48	30
B382583	0.06	3.77	1.16	489	1	1.15	15	660	150	0.64	16	379	0.29	51	20
B382584	0.03	3.81	1.12	351	5	1.23	18	700	103	0.89	27	360	0.29	53	30
B382585	0.03	3.96	1.07	563	4	0.76	17	700	145	0.47	33	321	0.28	51	30
B382586	0.01	3.61	1.18	362	5	1.59	19	720	22	0.48	7	522	0.32	51	90
B382587	0.01	3.70	1.03	308	1	1.68	18	700	19	0.28	<5	566	0.33	47	10
B382588	0.01	3.92	1.09	288	1	1.74	20	730	22	0.25	<5	571	0.34	47	100
B382589															
B382590	0.01	2.34	1.36	953	13	1.65	12	920	25	0.69	<5	408	0.37	149	<10
B382591	0.01	3.52	0.83	276	2	1.44	17	640	22	0.25	9	445	0.29	43	30
B382592	0.02	3.50	0.93	997	2	0.56	16	630	204	0.26	37	297	0.28	42	20
B382593	0.02	3.86	0.98	520	1	1.24	16	610	82	0.22	25	411	0.28	40	20
B382594	0.01	3.98	0.99	345	1	1.30	16	700	42	0.38	12	452	0.31	47	20
B382595	0.02	4.18	0.87	530	1	0.96	17	660	212	0.54	18	297	0.28	44	20
B382596	<0.01	0.04	11.45	164	<1	0.01	3	480	<2	0.01	<5	120	0.01	2	<10
B382597	0.01	3.96	0.94	313	1	1.29	18	670	114	0.70	33	416	0.29	45	20
B382598	0.01	4.05	0.98	425	1	1.42	20	690	97	0.52	9	457	0.30	46	20
B382599	0.02	4.23	0.90	538	1	0.97	22	700	194	0.74	9	314	0.30	48	20

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B382560		69
B382561		36
B382562		34
B382563		31
B382564		434
B382565		39
B382566		32
B382567		38
B382568		43
B382569		
B382570		17
B382571		49
B382572		51
B382573		61
B382574		36
B382575		181
B382576		7
B382577		102
B382578		86
B382579		225
B382580		67
B382581		178
B382582		582
B382583		368
B382584		158
B382585		235
B382586		38
B382587		36
B382588		37
B382589		
B382590		96
B382591		33
B382592		182
B382593		109
B382594		60
B382595		203
B382596		7
B382597		52
B382598		104
B382599		238

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
B382600		2.52	0.123		4.3	7.97	69	1490	2.9	6	1.78	0.8	6	34	106	2.97
B382601		1.86	0.258		<0.5	7.44	32	1600	2.9	2	2.33	<0.5	9	146	53	2.78
B382602		1.66	0.027		<0.5	7.12	46	1590	2.9	<2	2.34	<0.5	8	34	45	2.74
B382603		1.36	0.554		0.6	7.59	84	1440	2.8	13	1.99	<0.5	7	144	37	2.66
B382604		2.96	1.080		<0.5	6.60	69	1250	2.4	19	2.99	<0.5	9	27	72	2.25
B382605		3.40	0.115		<0.5	7.47	77	1600	2.7	5	2.00	<0.5	10	129	77	2.70
B382606		3.08	0.053		<0.5	7.45	56	1560	2.8	<2	2.13	<0.5	8	35	58	2.90
B382607		0.86	0.342		2.2	5.92	2540	880	2.3	16	1.82	3.7	13	173	97	3.04
B382608		3.08	0.085		<0.5	7.69	106	1730	3.2	<2	2.32	<0.5	9	36	59	2.72
B382609		<0.02	0.068													
B382610		0.12	0.089		<0.5	6.90	108	570	2.5	<2	0.52	<0.5	61	1180	405	8.53
B382611		3.86	0.397		<0.5	7.38	54	1560	3.0	21	2.13	<0.5	10	33	59	2.64
B382612		2.70	0.119		<0.5	7.11	23	1340	3.1	4	2.55	<0.5	7	137	45	2.51
B382613		2.92	0.058		<0.5	6.18	91	1150	2.8	<2	2.94	<0.5	9	35	61	2.29
B382614		3.22	0.544		<0.5	6.61	38	1140	2.9	<2	2.35	<0.5	8	136	43	2.58
B382615		3.10	0.155		<0.5	6.73	91	1360	2.6	<2	2.23	<0.5	11	38	44	2.67
B382616		2.38	<0.005		<0.5	0.12	<5	20	<0.5	<2	18.65	<0.5	<1	5	1	0.11
B382617		3.02	0.066		<0.5	7.24	50	1250	2.9	<2	2.28	<0.5	11	138	63	2.75

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B382600		0.02	4.27	0.77	318	1	1.14	16	700	378	0.75	15	320	0.29	46	20
B382601		0.01	3.88	0.97	271	1	1.60	17	650	24	0.27	6	511	0.31	46	20
B382602		0.01	3.87	0.96	287	1	1.59	17	700	29	0.20	<5	506	0.32	46	10
B382603		0.03	3.70	0.83	312	2	1.35	19	650	112	0.27	11	397	0.29	45	20
B382604		0.01	3.74	0.76	319	1	1.37	16	590	51	0.33	6	429	0.27	39	20
B382605		0.01	4.45	0.87	234	1	1.48	22	650	48	0.39	<5	473	0.31	49	20
B382606		0.01	4.48	0.96	379	2	1.27	17	650	50	0.25	17	416	0.30	48	20
B382607		0.06	2.88	0.61	303	12	0.71	17	480	164	1.23	35	253	0.20	34	20
B382608		0.01	4.12	0.98	242	<1	1.73	22	690	27	0.29	<5	541	0.32	49	20
B382609																
B382610		0.03	2.28	0.61	384	8	0.13	489	360	152	0.02	7	53	0.24	95	30
B382611		0.01	4.16	0.94	243	<1	1.72	19	670	25	0.24	<5	521	0.31	43	20
B382612		0.01	3.86	0.95	310	2	1.83	18	640	24	0.18	<5	554	0.29	45	10
B382613		0.01	3.81	1.11	433	<1	1.71	12	580	26	0.14	<5	519	0.27	47	20
B382614		0.01	3.82	1.02	326	<1	1.62	16	550	27	0.08	<5	480	0.27	49	20
B382615		0.01	4.62	0.95	299	1	1.43	16	580	26	0.22	<5	450	0.27	50	10
B382616		0.01	0.03	11.10	144	<1	0.01	<1	490	4	0.01	<5	114	0.01	2	<10
B382617		0.01	4.31	1.08	250	1	1.59	17	580	21	0.25	<5	497	0.29	51	10

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05064957

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B382600		271
B382601		34
B382602		33
B382603		152
B382604		34
B382605		61
B382606		103
B382607		697
B382608		29
B382609		
B382610		600
B382611		35
B382612		34
B382613		35
B382614		32
B382615		31
B382616		6
B382617		28

Comments: Additional check values for samples # B382537 and B382539 are 0.401ppm and 0.445ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 7-AUG-2005
Account: STRGOL

CERTIFICATE VA05066289

Project: Dublin Gulch-1735

P.O. No.:

This report is for 70 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066289

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381111		4.08	0.006	<0.5	9.59	32	910	3.1	<2	0.21	<0.5	21	88	50	4.18	0.01
B381112		5.46	<0.005	<0.5	8.97	9	790	2.5	<2	0.20	<0.5	17	80	69	4.81	0.01
B381113		4.80	0.014	<0.5	7.42	19	600	1.7	<2	0.29	<0.5	11	63	30	3.30	0.01
B381114		1.06	<0.005	<0.5	2.99	<5	140	0.5	<2	0.76	0.5	3	23	12	1.65	0.01
B381115		5.54	<0.005	<0.5	4.07	<5	270	0.9	<2	0.46	1.1	5	35	16	2.16	0.01
B381116		3.40	<0.005	<0.5	0.13	<5	20	<0.5	<2	18.95	<0.5	<1	4	1	0.13	<0.01
B381117		5.18	0.584	<0.5	6.50	25	510	1.3	<2	0.31	<0.5	10	55	30	2.91	0.01
B381118		1.68	<0.005	<0.5	9.17	<5	890	2.5	<2	0.31	<0.5	18	84	42	4.13	0.01
B381119		0.64	<0.005	<0.5	3.61	<5	260	1.3	<2	0.70	<0.5	7	35	20	2.59	0.01
B381120		3.64	<0.005	<0.5	5.70	<5	380	1.4	<2	0.38	<0.5	9	39	23	2.69	0.01
B381121		2.90	0.054	<0.5	8.28	452	710	2.2	<2	0.30	<0.5	17	69	60	3.99	0.02
B381122		3.68	0.015	<0.5	8.10	206	690	2.1	<2	0.33	<0.5	14	68	55	3.91	0.02
B381123		4.36	<0.005	<0.5	8.18	<5	640	2.1	<2	0.18	<0.5	15	71	31	3.39	0.01
B381124		2.38	0.347	<0.5	6.23	65	420	1.4	<2	0.63	<0.5	10	51	26	2.95	0.01
B381125		3.58	0.142	<0.5	3.56	10	230	0.7	<2	0.67	<0.5	4	32	14	1.54	0.01
B381126		1.52	0.007	<0.5	9.13	<5	780	2.1	<2	0.21	<0.5	17	83	39	3.85	0.01
B381127		6.04	0.184	<0.5	4.94	12	310	1.0	<2	0.48	<0.5	8	36	21	2.33	0.01
B381128		6.34	<0.005	<0.5	6.82	<5	530	1.9	<2	0.51	<0.5	12	58	29	3.46	0.01
B381129		0.04	<0.005													
B381130		0.10	0.453	2.5	9.08	<5	1090	1.1	<2	1.48	<0.5	8	11	7300	3.37	0.04
B381131		5.52	<0.005	<0.5	7.34	<5	610	2.0	<2	0.43	<0.5	13	61	36	3.88	0.01
B381132		5.50	<0.005	<0.5	8.72	<5	800	2.5	<2	0.16	<0.5	16	82	41	4.57	0.01
B381133		5.38	0.005	<0.5	4.25	8	250	1.0	<2	0.68	<0.5	7	33	20	2.13	0.01
B381134		2.58	0.045	1.0	3.59	1380	290	1.2	<2	1.18	<0.5	6	23	198	2.54	0.01
B381135		0.58	0.062	1.3	9.30	2730	920	2.9	<2	0.54	<0.5	12	86	226	3.24	0.01
B381136		3.20	<0.005	<0.5	0.13	<5	20	<0.5	<2	19.15	<0.5	<1	2	1	0.12	<0.01
B381137		2.68	0.181	0.7	7.10	3500	790	2.0	<2	0.62	<0.5	12	55	116	3.54	0.02
B381138		1.64	0.042	0.8	9.28	2890	930	2.9	<2	1.40	<0.5	12	73	129	3.80	0.02
B381139		5.22	0.135	<0.5	5.96	2270	690	1.5	<2	0.51	<0.5	9	44	49	2.72	0.01
B381140		5.08	0.023	<0.5	7.17	412	550	1.9	<2	0.36	<0.5	14	60	67	4.02	0.01
B381141		3.18	<0.005	<0.5	7.73	<5	670	2.0	<2	0.35	<0.5	15	66	36	3.95	0.01
B381142		2.76	<0.005	<0.5	8.29	<5	770	2.3	<2	0.30	<0.5	16	74	38	4.07	0.01
B381143		7.04	<0.005	<0.5	8.46	<5	850	2.1	<2	0.24	<0.5	15	71	38	4.35	0.01
B381144		6.60	0.013	<0.5	8.50	52	880	2.4	<2	0.24	<0.5	16	72	37	4.09	0.01
B381145		5.78	<0.005	<0.5	7.26	<5	600	1.8	<2	0.35	<0.5	16	61	32	3.68	0.01
B381146		6.10	<0.005	<0.5	6.09	<5	420	1.5	<2	0.37	<0.5	10	48	24	3.04	<0.01
B381147		5.72	<0.005	<0.5	5.16	10	310	1.1	<2	0.32	<0.5	8	40	17	2.56	<0.01
B381148		5.44	<0.005	<0.5	5.71	<5	370	1.4	<2	1.01	<0.5	9	48	18	2.50	<0.01
B381149		0.04	0.005													
B381150		0.12	1.430	<0.5	6.75	1225	680	5.7	<2	0.01	<0.5	5	213	37	3.84	0.06

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066289

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381111		4.12	0.96	383	1	0.46	45	400	33	0.91	<5	134	0.47	124	<10	97
B381112		3.43	1.03	484	2	0.36	43	390	25	0.99	<5	122	0.43	114	<10	98
B381113		2.56	0.76	313	<1	0.58	29	310	33	0.62	<5	122	0.40	78	<10	83
B381114		0.53	0.43	404	<1	0.85	7	210	67	0.34	<5	73	0.14	18	<10	65
B381115		1.09	0.55	272	1	0.59	12	240	14	0.33	<5	89	0.20	36	<10	104
B381116		0.03	10.60	155	<1	0.01	2	430	4	0.02	<5	106	0.01	2	10	5
B381117		2.26	0.70	211	1	0.72	23	270	5	0.66	<5	110	0.31	65	<10	35
B381118		4.07	1.00	195	1	0.26	38	330	20	0.76	<5	149	0.43	115	<10	83
B381119		1.10	0.83	751	<1	0.11	17	300	12	0.32	<5	80	0.13	37	<10	44
B381120		1.69	0.67	315	1	0.68	19	240	21	0.34	<5	109	0.26	51	<10	62
B381121		3.24	0.93	293	1	0.50	34	340	30	0.94	<5	116	0.35	94	<10	59
B381122		3.12	0.96	301	<1	0.53	35	300	25	0.79	<5	114	0.35	93	<10	66
B381123		2.88	0.78	190	1	0.72	30	240	23	0.50	<5	127	0.40	87	<10	74
B381124		1.98	0.74	330	<1	1.21	26	210	18	0.47	<5	128	0.32	59	10	43
B381125		0.97	0.35	249	1	0.79	9	130	11	0.30	<5	83	0.19	26	<10	16
B381126		3.66	0.84	178	<1	0.63	40	310	31	0.77	<5	130	0.45	99	<10	84
B381127		1.34	0.57	277	<1	0.91	16	180	22	0.40	<5	77	0.21	38	<10	58
B381128		2.31	0.91	373	1	0.58	27	270	23	0.72	<5	116	0.33	79	<10	69
B381129																
B381130		3.73	1.18	474	3	3.31	9	1970	14	0.24	<5	688	0.34	173	10	44
B381131		2.56	0.90	363	1	0.54	30	280	23	0.81	<5	122	0.34	83	<10	76
B381132		3.34	1.01	232	1	0.50	39	320	20	0.71	<5	138	0.45	111	<10	98
B381133		1.06	0.55	333	1	0.82	14	170	15	0.55	<5	94	0.19	39	<10	35
B381134		1.28	0.63	418	<1	0.53	13	140	11	1.37	5	118	0.13	28	<10	18
B381135		4.42	0.96	212	<1	0.39	36	310	107	0.97	7	104	0.40	116	10	24
B381136		0.04	10.90	135	<1	0.01	1	480	2	0.02	<5	116	0.01	1	10	5
B381137		3.19	0.82	194	<1	0.64	27	270	50	1.61	6	106	0.29	72	10	33
B381138		4.59	1.27	374	1	0.34	40	360	102	1.46	<5	148	0.35	118	10	46
B381139		2.44	0.70	209	<1	0.90	23	250	95	0.64	<5	112	0.26	53	10	48
B381140		2.51	1.01	284	<1	0.60	30	310	82	0.54	<5	116	0.35	81	10	83
B381141		2.65	0.97	291	1	0.72	36	300	20	0.60	<5	154	0.38	89	<10	83
B381142		2.94	0.97	256	1	0.66	35	330	22	0.61	<5	156	0.41	98	<10	85
B381143		3.03	1.06	268	<1	0.60	39	280	15	0.60	<5	166	0.39	95	<10	93
B381144		3.12	0.98	282	1	0.67	40	310	23	0.48	<5	174	0.39	97	<10	87
B381145		2.44	0.86	283	1	0.67	32	230	18	0.62	<5	113	0.35	83	<10	72
B381146		2.00	0.75	266	1	0.64	25	230	14	0.44	<5	91	0.29	65	<10	60
B381147		1.42	0.59	214	<1	0.75	20	170	9	0.31	<5	75	0.23	47	<10	45
B381148		1.70	0.80	383	1	0.92	21	220	18	0.30	<5	124	0.29	54	<10	45
B381149																
B381150		2.72	0.35	86	2	0.11	19	300	24	0.02	108	89	0.23	87	10	43

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066289

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B381151		6.32	<0.005	<0.5	8.78	<5	730	2.3	<2	0.42	<0.5	16	74	36	4.27	0.02
B381152		2.84	<0.005	<0.5	7.63	<5	640	2.0	4	0.49	<0.5	14	68	39	3.95	0.01
B381153		2.76	<0.005	<0.5	2.55	10	140	0.5	<2	1.14	<0.5	4	37	9	1.55	0.01
B381154		6.24	<0.005	<0.5	4.74	<5	300	1.0	<2	0.65	<0.5	6	44	19	2.60	0.01
B381155		5.22	<0.005	<0.5	4.41	<5	270	1.0	3	0.80	<0.5	5	37	18	2.13	0.01
B381156		2.88	<0.005	<0.5	0.13	<5	10	<0.5	<2	18.25	<0.5	<1	3	2	0.13	<0.01
B381157		1.44	<0.005	<0.5	6.74	<5	520	1.8	2	0.73	<0.5	10	50	30	3.47	0.01
B381158		4.28	<0.005	<0.5	6.96	19	560	1.6	2	0.31	<0.5	10	53	25	3.42	0.01
B381159		4.70	<0.005	<0.5	8.41	<5	750	2.3	3	0.29	<0.5	14	62	37	4.10	0.01
B381160		5.72	<0.005	<0.5	7.42	<5	650	1.8	3	0.29	<0.5	11	56	31	3.74	<0.01
B381161		3.00	<0.005	<0.5	8.21	<5	680	2.3	<2	0.36	<0.5	17	66	39	4.19	0.01
B381162		2.64	<0.005	<0.5	8.40	<5	710	2.5	<2	0.37	<0.5	17	69	39	4.17	<0.01
B381163		5.06	0.005	<0.5	5.61	34	360	1.4	<2	0.56	<0.5	11	43	22	2.47	0.01
B381164		5.80	0.020	<0.5	8.63	55	950	2.6	<2	0.90	<0.5	19	77	50	4.65	0.01
B381165		4.86	0.007	<0.5	7.55	10	740	2.1	<2	0.64	<0.5	14	64	42	3.86	0.01
B381166		0.56	0.021	0.5	7.86	23	800	2.3	<2	0.34	<0.5	16	64	29	3.91	0.01
B381167		5.38	<0.005	<0.5	6.74	<5	550	1.8	<2	0.51	<0.5	13	55	27	3.22	0.02
B381168		5.58	<0.005	<0.5	5.55	5	330	1.3	<2	0.63	<0.5	9	40	19	2.63	0.01
B381169		0.04	0.005													
B381170		0.12	0.090	<0.5	6.60	94	540	2.5	<2	0.48	<0.5	58	1120	378	7.94	0.04
B381171		5.94	<0.005	<0.5	6.28	<5	470	1.4	<2	0.38	<0.5	12	50	21	2.20	0.01
B381172		6.46	<0.005	<0.5	5.90	<5	410	1.6	<2	0.35	<0.5	11	51	23	3.04	0.01
B381173		5.72	<0.005	<0.5	6.88	<5	500	1.7	<2	0.51	<0.5	12	51	25	3.35	0.01
B381174		5.70	<0.005	<0.5	6.82	<5	520	1.9	<2	0.38	<0.5	13	52	27	3.28	0.01
B381175		4.90	<0.005	<0.5	5.14	<5	330	1.2	<2	0.59	<0.5	13	44	16	2.14	0.01
B381176		2.20	<0.005	<0.5	0.15	<5	20	<0.5	<2	18.55	<0.5	2	3	2	0.12	<0.01
B381177		5.24	0.006	0.8	5.59	12	400	1.5	<2	0.64	<0.5	12	42	26	2.68	0.01
B381178		5.74	<0.005	<0.5	7.40	6	620	2.1	<2	0.50	<0.5	17	57	32	3.54	0.01
B381179		6.08	<0.005	<0.5	8.25	48	780	2.3	<2	0.46	<0.5	18	65	32	3.80	0.01
B381180		5.68	<0.005	0.5	4.17	<5	260	0.8	<2	0.76	<0.5	5	32	11	1.62	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066289

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381151		3.23	1.10	278	<1	0.71	40	310	23	0.59	<5	138	0.43	99	<10	87
B381152		2.73	1.06	328	<1	0.82	36	300	20	0.54	<5	143	0.35	82	<10	84
B381153		0.42	0.45	448	<1	0.63	13	110	9	0.13	<5	119	0.11	19	<10	27
B381154		1.31	0.71	284	<1	0.78	24	190	18	0.29	<5	115	0.20	43	<10	50
B381155		1.15	0.63	344	<1	0.93	18	170	21	0.22	<5	114	0.19	37	<10	45
B381156		0.03	11.05	144	<1	0.01	4	510	3	0.01	<5	108	0.01	2	<10	7
B381157		2.51	1.17	358	<1	0.69	28	270	24	0.32	<5	143	0.29	67	<10	69
B381158		2.43	0.94	401	<1	0.65	29	280	23	0.26	<5	97	0.30	67	<10	63
B381159		3.20	1.12	331	<1	0.54	36	340	25	0.35	<5	130	0.37	86	<10	82
B381160		2.65	0.98	351	<1	0.66	31	290	21	0.28	<5	120	0.30	73	<10	73
B381161		3.08	1.15	344	1	0.69	39	340	27	0.60	<5	121	0.38	96	<10	90
B381162		3.18	1.18	370	1	0.69	36	350	29	0.49	<5	122	0.40	102	10	88
B381163		1.62	0.78	315	1	0.84	21	250	40	0.24	5	116	0.25	54	<10	57
B381164		3.98	1.29	656	2	0.23	38	390	31	1.40	13	122	0.35	115	<10	66
B381165		3.16	1.18	490	2	0.33	36	330	19	0.51	20	121	0.33	92	<10	53
B381166		3.42	0.86	317	1	0.48	37	320	21	1.50	6	89	0.34	92	<10	60
B381167		2.19	0.89	278	2	0.66	28	280	21	0.39	<5	126	0.32	72	<10	66
B381168		1.48	0.72	285	1	1.04	23	240	20	0.25	<5	108	0.26	49	<10	52
B381169																
B381170		2.14	0.56	371	9	0.12	452	330	141	0.02	12	47	0.23	89	40	570
B381171		2.13	0.60	210	1	0.96	23	230	18	0.21	<5	107	0.28	59	<10	46
B381172		2.01	0.86	275	1	0.73	24	270	20	0.36	<5	90	0.29	65	<10	61
B381173		2.37	0.95	315	1	0.78	25	350	20	0.30	<5	128	0.31	67	<10	68
B381174		2.47	0.91	252	1	0.73	26	290	21	0.37	<5	98	0.32	68	<10	67
B381175		1.52	0.62	225	1	1.03	16	230	21	0.23	<5	102	0.24	43	<10	49
B381176		0.04	11.05	165	<1	0.02	2	420	2	0.01	<5	108	<0.01	1	<10	8
B381177		1.79	0.81	285	1	0.73	20	300	21	0.41	<5	102	0.24	57	<10	57
B381178		2.76	0.98	281	5	0.50	29	350	22	0.67	<5	136	0.34	80	<10	76
B381179		3.66	1.09	307	1	0.49	36	370	26	0.65	<5	107	0.39	92	<10	80
B381180		1.22	0.48	279	1	0.97	11	220	16	0.20	<5	108	0.19	32	<10	31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 7-AUG-2005
Account: STRGOL

CERTIFICATE VA05066350

Project: Dublin Gulch-1735

P.O. No.:

This report is for 58 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066350

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381181		0.58	0.014	<0.5	3.72	138	290	0.6	<2	0.79	<0.5	7	35	20	1.88	0.02
B381182		0.50	0.027	<0.5	3.26	1070	150	<0.5	<2	0.41	0.6	7	30	18	1.74	0.05
B381183		5.52	0.022	<0.5	3.19	136	100	<0.5	<2	0.44	<0.5	5	29	12	1.61	0.01
B381184		1.96	0.025	<0.5	3.14	68	100	<0.5	<2	0.57	<0.5	4	30	13	2.02	0.01
B381185		3.76	0.050	<0.5	6.26	1380	440	1.3	<2	0.53	<0.5	12	46	26	3.49	<0.01
B381186		4.92	0.005	<0.5	9.76	105	1060	2.3	<2	0.18	<0.5	16	80	42	4.07	0.01
B381187		5.20	0.015	<0.5	7.31	376	720	1.8	<2	0.34	<0.5	11	58	44	3.89	<0.01
B381188		5.64	<0.005	<0.5	8.52	136	810	2.0	<2	0.25	<0.5	16	70	46	4.52	<0.01
B381189		<0.02	<0.005													
B381190		0.12	3.07	1.3	7.17	15	2140	3.2	<2	4.88	<0.5	25	154	110	5.26	0.01
B381191		4.12	0.047	<0.5	9.46	787	1020	2.5	<2	0.15	<0.5	21	82	66	4.74	<0.01
B381192		5.46	0.008	<0.5	9.54	186	970	2.5	<2	0.22	<0.5	20	85	58	4.51	0.01
B381193		5.88	0.005	<0.5	8.46	219	740	2.2	<2	0.41	<0.5	18	68	46	4.09	0.01
B381194		5.56	0.022	<0.5	7.21	549	610	1.6	<2	0.46	<0.5	13	50	79	2.67	0.01
B381195		5.76	<0.005	<0.5	9.29	39	810	2.2	<2	0.37	<0.5	15	72	46	4.27	<0.01
B381196		1.46	<0.005	<0.5	0.15	7	20	<0.5	<2	21.3	<0.5	1	2	1	0.13	<0.01
B381197		2.04	0.011	<0.5	9.35	244	840	2.1	<2	0.20	<0.5	16	75	38	3.86	<0.01
B381198		0.96	0.350	0.5	3.68	>10000	170	1.0	12	0.41	<0.5	99	25	87	4.43	0.02
B381199		2.78	0.021	<0.5	5.17	861	320	1.1	<2	0.50	<0.5	7	36	38	1.96	<0.01
B381200		5.84	0.007	<0.5	4.08	701	160	0.7	<2	0.55	<0.5	6	31	18	3.53	<0.01
B381201		1.18	<0.005	<0.5	6.19	80	450	1.4	<2	0.31	<0.5	14	46	29	4.03	<0.01
B381202		1.18	0.006	<0.5	5.36	89	330	1.4	<2	0.36	<0.5	11	36	23	3.61	<0.01
B381203		3.32	0.006	0.5	8.36	71	710	2.2	<2	0.11	<0.5	16	67	57	4.18	0.01
B381204		5.22	0.018	<0.5	9.43	685	830	2.6	<2	0.25	8.0	22	72	53	4.50	0.03
B381205		5.24	0.148	2.8	8.68	553	840	2.2	<2	0.84	9.3	21	67	71	4.75	0.06
B381206		4.32	0.017	<0.5	5.93	444	400	1.4	<2	0.34	0.7	16	87	41	3.19	0.02
B381207		1.38	0.075	<0.5	7.54	1625	1170	3.0	<2	1.96	1.3	22	77	12	3.85	0.03
B381208		4.60	0.167	<0.5	7.98	1230	1640	2.9	<2	3.32	1.0	16	98	13	3.94	0.01
B381209		<0.02	0.124													
B381210		0.12	1.355	<0.5	6.33	1170	650	5.4	<2	0.01	<0.5	4	209	37	3.50	0.07
B381211		1.70	0.024	<0.5	7.78	685	1330	2.9	<2	2.49	<0.5	15	81	16	3.69	0.01
B381212		3.98	0.010	<0.5	7.37	132	680	1.6	<2	0.23	<0.5	14	89	47	2.85	0.01
B381213		4.50	0.040	<0.5	7.87	226	750	1.8	<2	0.45	<0.5	16	80	56	3.49	0.01
B381214		4.64	0.008	<0.5	8.68	99	820	1.8	<2	0.20	<0.5	16	101	72	3.69	<0.01
B381215		2.50	0.012	<0.5	8.50	163	820	2.3	<2	0.38	<0.5	19	91	42	4.05	<0.01
B381216		1.34	<0.005	<0.5	0.16	10	20	<0.5	<2	21.0	<0.5	<1	10	2	0.15	<0.01
B381217		2.02	<0.005	<0.5	8.12	44	780	2.2	<2	0.33	<0.5	15	84	36	3.70	0.01
B381218		7.34	0.057	<0.5	7.10	342	620	1.8	4	0.35	<0.5	13	111	49	3.17	0.01
B381219		1.18	0.076	<0.5	2.16	1140	80	0.7	<2	0.58	<0.5	14	74	24	1.36	<0.01
B381220		3.48	0.006	<0.5	8.24	216	770	2.3	<2	0.34	<0.5	17	107	45	4.13	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066350

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B381181		0.75	0.57	377	<1	1.12	11	210	17	0.21	<5	150	0.18	31	<10	70
B381182		0.53	0.37	354	<1	1.09	12	170	19	0.20	6	93	0.15	23	<10	124
B381183		0.38	0.39	419	<1	1.32	9	170	9	0.07	<5	87	0.14	22	<10	112
B381184		0.38	0.46	435	<1	1.15	7	170	12	0.05	<5	90	0.14	22	<10	115
B381185		1.72	0.75	427	<1	0.99	24	250	9	0.09	<5	112	0.26	61	<10	110
B381186		3.82	0.79	263	<1	0.65	40	370	9	0.09	<5	118	0.43	118	10	116
B381187		2.57	0.79	331	<1	0.57	24	270	6	0.19	<5	128	0.31	84	<10	63
B381188		3.42	1.04	295	<1	0.48	36	320	4	0.20	<5	114	0.37	99	<10	76
B381189																
B381190		3.50	3.04	1115	13	2.31	69	2340	28	0.31	<5	1710	0.39	174	10	99
B381191		3.97	0.99	342	<1	0.33	47	400	2	0.35	<5	112	0.41	118	<10	154
B381192		4.08	1.08	233	1	0.57	44	400	<2	0.63	<5	130	0.42	116	<10	98
B381193		2.89	0.97	362	<1	0.76	41	370	14	0.35	<5	130	0.37	100	<10	80
B381194		2.80	0.73	281	<1	0.74	23	310	3	0.29	<5	110	0.28	74	<10	41
B381195		4.13	1.14	280	<1	0.42	35	380	<2	0.23	<5	92	0.40	102	<10	72
B381196		0.05	12.45	185	<1	0.01	3	560	<2	0.01	<5	124	<0.01	2	10	9
B381197		4.46	0.99	198	<1	0.31	37	390	<2	0.14	<5	98	0.41	108	<10	68
B381198		1.00	0.43	148	<1	0.80	25	200	<2	1.78	18	96	0.09	27	<10	38
B381199		1.46	0.43	198	<1	1.20	15	230	<2	0.11	<5	108	0.18	41	<10	63
B381200		1.04	0.74	316	<1	0.70	14	200	4	0.23	<5	82	0.19	32	<10	66
B381201		2.15	0.90	288	<1	0.65	31	240	8	0.25	<5	78	0.27	56	<10	75
B381202		1.50	0.77	235	<1	0.77	25	220	14	0.20	<5	90	0.23	44	<10	73
B381203		3.51	0.79	253	<1	0.33	31	370	3	0.25	<5	116	0.34	95	<10	103
B381204		3.06	0.45	881	<1	0.14	61	530	20	0.09	<5	519	0.37	102	<10	1105
B381205		3.63	0.97	2010	1	0.15	50	660	303	0.17	10	172	0.31	97	10	1460
B381206		2.13	0.81	488	<1	0.13	34	290	<2	0.05	<5	111	0.26	55	<10	277
B381207		2.17	1.74	844	<1	0.22	33	810	8	0.06	<5	294	0.37	81	<10	447
B381208		2.78	1.64	603	<1	1.41	16	900	10	0.11	5	623	0.43	95	10	199
B381209																
B381210		2.59	0.33	85	2	0.10	17	280	18	0.02	106	87	0.23	88	10	44
B381211		2.04	1.70	533	<1	1.04	21	860	2	0.10	<5	485	0.40	87	<10	102
B381212		3.43	0.92	205	<1	0.52	36	300	<2	0.58	<5	89	0.26	80	<10	50
B381213		3.51	1.08	300	1	0.19	32	340	<2	0.51	<5	87	0.28	94	<10	55
B381214		4.20	1.05	161	<1	0.26	38	390	<2	0.63	<5	106	0.39	110	<10	54
B381215		4.37	1.20	216	<1	0.30	45	410	<2	0.50	<5	98	0.42	112	<10	77
B381216		0.05	12.30	163	<1	0.01	4	550	<2	0.02	<5	118	<0.01	2	<10	8
B381217		3.81	1.03	264	<1	0.31	35	370	<2	0.37	<5	85	0.40	100	<10	55
B381218		3.08	0.99	176	<1	0.49	41	290	<2	0.52	<5	99	0.29	74	<10	37
B381219		0.43	0.32	74	<1	0.51	16	300	<2	0.27	<5	95	0.07	12	<10	6
B381220		3.55	1.14	250	<1	0.63	39	320	<2	0.72	<5	118	0.37	92	<10	44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066350

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381221		3.02	0.032	<0.5	6.92	358	600	1.7	<2	0.45	<0.5	14	74	52	2.81	0.01
B381222		2.46	0.019	<0.5	7.15	399	650	1.8	<2	0.52	<0.5	14	98	50	2.98	<0.01
B381223		6.52	0.029	<0.5	8.51	675	800	2.4	<2	0.31	<0.5	18	87	66	4.12	<0.01
B381224		6.08	0.013	<0.5	9.15	418	890	2.8	<2	0.28	<0.5	16	100	55	3.69	<0.01
B381225		5.94	0.142	<0.5	4.81	1845	350	0.9	<2	0.70	<0.5	10	67	35	1.92	<0.01
B381226		5.56	0.025	<0.5	3.25	548	170	0.6	<2	0.48	<0.5	6	81	28	1.30	<0.01
B381227		5.28	0.052	<0.5	5.88	142	480	1.2	<2	0.65	<0.5	10	69	33	2.19	<0.01
B381228		6.36	0.411	<0.5	6.03	1350	440	1.4	21	0.87	<0.5	12	81	47	2.70	<0.01
B381229		<0.02	0.414													
B381230		0.12	0.830	2.4	7.13	15	440	0.7	<2	1.85	1.0	23	102	2010	4.97	0.01
B381231		4.16	0.015	<0.5	5.09	281	410	1.1	<2	0.68	<0.5	9	64	26	2.20	<0.01
B381232		6.46	0.166	<0.5	7.19	536	690	2.0	7	0.53	<0.5	16	93	51	3.38	0.02
B381233		6.04	0.083	1.3	7.68	304	690	1.8	7	0.38	11.8	14	68	50	3.69	0.12
B381234		6.60	0.023	<0.5	6.71	102	590	1.7	<2	0.55	<0.5	12	96	55	3.25	0.01
B381235		6.62	0.015	<0.5	7.97	162	840	2.4	<2	0.32	<0.5	15	81	63	3.79	<0.01
B381236		0.90	<0.005	<0.5	0.16	6	20	<0.5	<2	20.6	<0.5	1	6	1	0.14	<0.01
B381237		5.58	0.099	<0.5	7.34	1930	650	1.9	<2	0.59	<0.5	13	69	72	3.86	<0.01
B381238		5.86	0.702	<0.5	8.67	2570	810	2.1	3	0.51	<0.5	21	102	56	3.60	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066350

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381221		2.87	0.89	198	<1	0.58	26	300	<2	0.66	<5	108	0.22	70	10	21
B381222		3.06	0.98	218	<1	0.57	24	310	<2	0.70	<5	108	0.22	73	<10	22
B381223		3.66	1.17	223	1	0.56	42	360	<2	1.03	<5	112	0.32	104	<10	37
B381224		3.89	1.09	212	<1	0.66	39	370	<2	0.69	<5	120	0.36	101	10	46
B381225		1.47	0.54	156	<1	1.04	18	220	2	0.48	<5	116	0.15	38	<10	14
B381226		0.77	0.35	106	<1	1.12	7	160	4	0.29	<5	84	0.11	23	<10	9
B381227		2.17	0.74	184	<1	0.63	19	240	6	0.43	6	120	0.21	53	<10	36
B381228		1.84	0.83	183	<1	0.99	23	290	<2	0.68	<5	154	0.20	58	<10	20
B381229																
B381230		1.70	1.30	432	2	2.95	49	630	14	0.61	<5	206	0.29	91	<10	203
B381231		1.54	0.69	201	<1	0.88	17	250	<2	0.42	<5	116	0.19	51	<10	21
B381232		3.20	1.08	219	3	0.57	34	370	4	0.90	12	122	0.24	93	<10	33
B381233		3.13	0.78	1215	<1	0.37	31	330	875	0.99	357	116	0.22	72	<10	1910
B381234		2.59	0.93	219	1	0.63	28	310	3	0.92	<5	116	0.22	71	<10	37
B381235		3.52	0.99	205	<1	0.53	34	440	<2	0.99	<5	94	0.30	92	<10	50
B381236		0.04	11.90	168	<1	0.02	1	540	<2	0.01	<5	116	<0.01	3	<10	9
B381237		2.86	0.97	222	<1	0.67	31	380	2	1.15	<5	123	0.27	71	<10	39
B381238		3.78	1.19	227	<1	0.65	37	400	<2	0.87	<5	104	0.33	89	<10	33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da( )-AUG-2005
Account: STRGOL

CERTIFICATE VA05066355

Project: Dublin Gulch-1735

P.O. No.:

This report is for 63 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 11-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066355

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B382618		3.46	0.024			<0.5	10.25	414	1020	2.9	<2	0.19	<0.5	18	89	28
B382619		2.24	0.006			<0.5	10.25	304	1420	2.8	<2	0.28	<0.5	13	84	19
B382620		3.52	0.053			<0.5	5.48	228	590	1.3	<2	0.21	0.7	7	45	17
B382621		1.32	0.148			0.6	4.13	166	430	0.9	<2	0.25	3.9	5	35	26
B382622		0.76	0.023			<0.5	6.45	127	720	1.6	<2	0.40	1.0	5	48	15
B382623		5.48	0.010			<0.5	8.36	72	860	2.2	<2	0.69	<0.5	15	76	28
B382624		1.86	0.025			<0.5	7.25	35	630	1.8	3	0.63	0.7	12	64	35
B382625		0.96	0.020			<0.5	1.44	56	120	<0.5	<2	0.05	0.5	3	17	21
B382626		1.70	0.031			<0.5	11.45	70	1070	3.5	2	0.31	0.9	14	92	44
B382627		4.12	4.81	1.760	1.400	<0.5	8.00	217	970	2.2	67	0.80	1.0	14	66	43
B382628		2.52	0.603	0.490		<0.5	5.71	189	680	1.3	12	1.35	<0.5	7	39	15
B382629		0.04	0.169	0.148												
B382630		0.12	3.04			0.7	6.63	11	1900	2.9	<2	4.47	<0.5	22	130	96
B382631		1.88	0.014			<0.5	4.77	337	450	0.9	2	0.92	<0.5	4	22	11
B382632		4.82	<0.005			<0.5	9.09	117	850	2.2	2	0.66	<0.5	13	69	30
B382633		8.76	<0.005			<0.5	7.10	86	710	1.9	3	0.85	<0.5	11	62	22
B382634		2.20	<0.005			<0.5	6.39	76	600	1.2	<2	0.37	<0.5	8	56	9
B382635		1.06	<0.005			<0.5	3.21	196	320	0.8	2	0.99	<0.5	5	27	7
B382636		1.08	0.006			<0.5	3.75	388	360	0.8	2	0.63	<0.5	5	29	15
B382637		4.22	0.190			<0.5	10.00	796	1240	2.4	10	1.00	<0.5	12	71	28
B382638		5.22	0.486			<0.5	9.90	323	1230	2.4	8	1.00	<0.5	15	77	28
B382639		4.76	0.018			<0.5	5.72	108	610	1.3	2	0.69	<0.5	8	52	16
B382640		4.86	0.005			<0.5	7.32	31	800	1.7	3	0.47	<0.5	11	60	25
B382641		2.42	0.008			<0.5	6.89	95	720	1.5	2	0.59	<0.5	9	58	19
B382642		2.64	0.008			<0.5	6.72	50	710	1.5	3	0.60	0.6	9	52	25
B382643		3.84	0.147			<0.5	4.97	395	420	1.4	3	1.04	<0.5	8	41	13
B382644		2.52	0.014			<0.5	6.80	22	650	1.6	<2	0.66	<0.5	14	108	35
B382645		5.20	0.040			<0.5	7.14	35	750	1.8	<2	0.61	<0.5	14	65	16
B382646		3.22	0.006			<0.5	9.61	11	1140	2.3	<2	0.51	<0.5	18	119	17
B382647		1.92	0.022			<0.5	9.44	116	1070	2.3	<2	0.53	<0.5	25	86	31
B382648		1.90	0.066			<0.5	7.48	233	980	1.9	<2	1.24	<0.5	13	109	22
B382649		0.04	0.065													
B382650		0.12	0.420			2.8	9.18	5	1060	1.2	<2	1.53	<0.5	9	8	6980
B382651		1.70	0.044			<0.5	6.91	509	740	1.9	<2	1.18	<0.5	13	116	36
B382652		4.64	0.019			<0.5	9.19	268	1620	2.3	<2	0.81	<0.5	16	66	25
B382653		4.92	0.238			<0.5	3.57	2150	470	1.0	7	1.51	<0.5	8	109	22
B382654		4.76	0.115			<0.5	6.36	939	700	1.7	2	1.70	<0.5	12	52	26
B382655		5.38	0.084			<0.5	6.00	471	670	1.6	<2	1.38	<0.5	11	99	26
B382656		0.98	<0.005			<0.5	0.15	<5	20	<0.5	<2	19.90	<0.5	2	3	2
B382657		3.94	0.120			<0.5	6.67	1225	800	2.0	2	1.21	<0.5	12	113	21

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066355

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B382618		3.84	0.02	5.41	0.69	330	3	0.74	37	290	11	0.01	9	106	0.45	109
B382619		3.86	0.01	5.74	0.74	224	1	0.90	35	560	12	<0.01	<5	97	0.44	116
B382620		1.48	0.02	2.72	0.20	176	3	0.45	12	230	22	0.02	17	43	0.21	45
B382621		1.81	0.05	1.96	0.14	253	5	0.21	11	110	201	0.06	79	29	0.14	31
B382622		1.96	0.02	2.91	0.19	237	4	0.58	16	160	24	0.05	29	53	0.22	51
B382623		3.94	0.02	3.70	0.48	456	2	0.74	39	310	13	0.07	49	85	0.34	88
B382624		3.83	0.02	2.94	0.40	446	2	0.51	33	420	19	0.14	21	69	0.33	78
B382625		1.17	0.01	0.60	0.07	104	1	0.02	7	140	13	0.02	8	9	0.04	9
B382626		4.74	0.06	4.53	0.34	405	4	0.74	40	280	20	0.06	50	120	0.44	112
B382627		3.32	0.01	3.39	0.65	442	3	0.52	37	350	22	0.03	20	99	0.31	77
B382628		1.93	0.01	2.94	0.42	227	2	0.69	19	290	34	0.01	9	111	0.21	45
B382629																
B382630		4.80	0.01	3.28	2.83	993	12	2.32	63	2120	28	0.29	<5	1620	0.36	159
B382631		1.12	0.02	3.03	0.23	138	1	0.67	8	180	45	0.01	6	117	0.11	20
B382632		3.60	0.01	3.52	0.76	328	2	1.22	40	230	31	0.01	5	142	0.36	89
B382633		3.49	0.01	3.06	0.72	342	4	0.94	33	320	20	0.02	<5	108	0.29	76
B382634		2.89	0.01	2.27	0.53	204	1	1.00	24	200	14	0.03	<5	94	0.27	58
B382635		1.66	0.01	1.32	0.30	214	2	0.23	16	100	6	0.01	<5	41	0.10	31
B382636		1.89	<0.01	1.46	0.38	177	1	0.28	17	140	8	0.03	<5	45	0.12	33
B382637		3.67	0.01	4.63	0.59	342	3	0.49	37	440	20	0.11	20	146	0.35	97
B382638		3.68	0.02	4.24	0.54	372	4	0.36	41	330	19	0.06	15	116	0.37	97
B382639		2.39	0.01	2.27	0.48	272	2	0.74	18	590	17	0.04	8	107	0.21	49
B382640		3.16	0.01	2.41	0.63	219	1	0.87	27	330	14	0.04	<5	114	0.30	66
B382641		3.25	0.01	2.72	0.66	254	2	0.50	27	230	12	0.06	10	97	0.28	64
B382642		2.85	0.01	2.65	0.59	226	1	0.52	27	200	18	0.07	12	104	0.27	60
B382643		2.14	0.01	1.70	0.51	269	<1	0.82	16	160	6	0.06	<5	115	0.21	40
B382644		3.67	0.01	2.74	0.88	309	<1	1.23	34	170	4	0.19	<5	113	0.31	64
B382645		3.61	0.01	3.15	0.88	279	<1	0.99	34	260	8	0.07	<5	122	0.34	69
B382646		4.62	0.01	4.74	1.20	335	<1	0.89	48	400	11	0.04	<5	139	0.51	100
B382647		4.40	0.01	3.52	1.12	366	<1	0.68	41	440	7	0.05	<5	125	0.49	96
B382648		3.29	0.01	3.29	0.87	493	1	0.70	30	210	<2	0.05	<5	141	0.33	67
B382649																
B382650		3.33	0.03	3.59	1.22	497	2	3.28	10	1860	11	0.24	<5	701	0.34	165
B382651		2.81	0.01	2.68	0.71	297	<1	0.78	31	230	6	0.08	<5	147	0.32	62
B382652		3.93	0.01	4.16	0.88	316	<1	1.22	40	350	7	0.06	<5	149	0.39	84
B382653		1.74	0.01	1.28	0.43	255	<1	0.53	15	140	<2	0.19	<5	133	0.18	32
B382654		2.73	0.01	2.27	0.73	323	<1	0.61	28	230	4	0.14	<5	165	0.31	58
B382655		2.47	0.01	2.15	0.66	328	1	0.83	25	230	5	0.15	<5	156	0.27	50
B382656		0.14	<0.01	0.04	12.00	180	<1	0.02	1	510	2	0.01	<5	114	<0.01	2
B382657		2.66	0.01	2.65	0.79	234	<1	0.84	26	270	<2	0.16	<5	158	0.32	62

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066355

Sample Description	Method	ME-ICP61	ME-ICP61
	Analyte	W	Zn
	Units	ppm	ppm
	LOR	10	2
B382618		20	84
B382619		10	114
B382620		30	172
B382621		10	357
B382622		10	288
B382623		10	165
B382624		10	99
B382625		10	55
B382626		10	174
B382627		20	110
B382628		20	31
B382629			
B382630		10	87
B382631		10	13
B382632		10	70
B382633		10	63
B382634		<10	69
B382635		<10	29
B382636		10	24
B382637		20	95
B382638		20	79
B382639		10	87
B382640		10	55
B382641		20	57
B382642		10	59
B382643		40	36
B382644		10	66
B382645		10	71
B382646		20	89
B382647		10	88
B382648		20	54
B382649			
B382650		<10	55
B382651		590	52
B382652		140	70
B382653		200	21
B382654		60	37
B382655		50	39
B382656		<10	7
B382657		170	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066355

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B382658		4.10	0.011			<0.5	8.25	127	920	2.0	<2	0.96	<0.5	15	64	23
B382659		5.32	<0.005			<0.5	6.68	47	640	1.5	<2	1.25	<0.5	12	116	17
B382660		4.28	<0.005			<0.5	9.95	41	930	2.3	<2	0.58	<0.5	20	82	26
B382661		1.96	0.014			<0.5	8.04	211	660	2.1	<2	0.83	<0.5	16	96	24
B382662		2.10	0.005			<0.5	7.19	94	610	1.8	<2	0.63	<0.5	14	53	19
B382663		5.30	<0.005			<0.5	8.30	31	810	2.3	<2	0.62	<0.5	16	114	39
B382664		5.76	<0.005			<0.5	8.19	69	850	1.9	<2	0.58	<0.5	15	70	27
B382665		6.92	0.006			<0.5	9.15	49	870	2.0	<2	0.38	<0.5	15	109	23
B382666		2.60	<0.005			<0.5	9.79	32	910	2.1	<2	0.32	<0.5	11	80	31
B382667		3.76	<0.005			<0.5	5.95	29	490	1.2	<2	0.47	<0.5	10	97	20
B382668		3.20	0.009			<0.5	3.47	96	320	0.6	2	0.37	<0.5	5	29	8
B382669		0.04	0.009													
B382670		0.10	1.405			<0.5	6.95	1195	680	5.6	3	0.02	<0.5	5	202	40
B382671		4.00	<0.005			<0.5	4.51	40	440	0.9	2	0.50	0.6	7	91	12
B382672		3.16	0.039			<0.5	1.42	99	80	<0.5	<2	0.48	<0.5	4	21	8
B382673		2.46	<0.005			<0.5	2.52	27	200	<0.5	<2	0.50	<0.5	2	26	6
B382674		3.08	<0.005			<0.5	9.01	28	880	2.1	3	0.81	<0.5	12	89	23
B382675		3.70	<0.005			<0.5	9.17	155	810	1.9	3	0.59	<0.5	17	78	33
B382676		1.46	<0.005			<0.5	0.13	10	10	<0.5	<2	19.00	<0.5	1	7	2
B382677		3.06	<0.005			<0.5	8.24	47	850	1.8	3	0.66	<0.5	10	67	16
B382678		2.36	<0.005			<0.5	8.68	43	840	2.0	2	0.44	<0.5	12	104	18
B382679		3.78	<0.005			<0.5	6.95	39	590	1.6	<2	0.56	<0.5	10	55	21
B382680		4.90	<0.005			<0.5	5.86	37	540	1.3	2	0.56	<0.5	9	91	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066355

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B382658		3.58	0.01	3.33	0.90	372	2	0.90	37	360	4	0.14	<5	157	0.35	74
B382659		2.73	0.01	2.62	0.72	355	1	0.54	29	1670	<2	0.11	<5	127	0.34	60
B382660		4.64	0.01	4.50	1.16	337	1	0.88	46	260	8	0.13	<5	168	0.49	96
B382661		3.95	0.01	3.11	1.05	520	2	0.79	31	1120	8	0.19	<5	167	0.64	106
B382662		3.31	0.01	2.87	0.83	389	<1	0.82	30	350	6	0.13	<5	147	0.36	68
B382663		3.76	0.01	3.45	0.93	306	<1	0.99	41	290	6	0.32	<5	182	0.40	80
B382664		3.37	0.03	3.57	0.87	243	8	0.79	31	300	6	0.21	<5	114	0.40	76
B382665		4.06	0.02	4.44	0.92	275	7	0.98	36	310	10	0.18	<5	116	0.42	85
B382666		4.54	0.02	4.28	1.02	351	1	0.97	39	270	16	0.16	<5	132	0.47	91
B382667		2.64	0.02	2.86	0.59	266	3	0.93	25	140	9	0.11	<5	93	0.26	46
B382668		1.54	0.01	1.54	0.30	198	17	0.89	10	50	15	0.04	<5	56	0.15	26
B382669																
B382670		3.77	0.05	2.77	0.37	96	4	0.15	18	310	29	0.02	110	95	0.27	91
B382671		1.66	0.01	1.92	0.35	202	2	0.75	15	140	7	0.05	6	85	0.18	34
B382672		0.62	0.01	0.42	0.08	106	1	0.38	4	70	3	0.03	<5	42	0.04	5
B382673		0.76	0.01	1.02	0.13	122	<1	0.71	4	70	6	0.03	<5	63	0.09	15
B382674		3.70	0.01	5.16	0.92	319	4	1.39	34	570	15	0.13	<5	180	0.43	81
B382675		4.74	0.01	3.79	1.18	428	<1	0.89	42	1170	7	0.23	<5	112	0.45	88
B382676		0.14	<0.01	0.04	11.40	148	<1	0.01	6	420	5	0.01	<5	122	0.01	2
B382677		3.91	0.01	4.66	0.98	401	4	0.74	27	400	15	0.11	<5	153	0.37	76
B382678		4.24	0.01	3.61	0.94	561	1	1.08	32	330	11	0.19	<5	112	0.38	82
B382679		3.43	0.01	2.65	0.77	606	2	0.72	27	200	11	0.16	<5	110	0.30	59
B382680		2.78	0.01	2.70	0.62	412	1	0.70	22	130	11	0.15	5	94	0.25	50

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05066355

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B382658		10	63
B382659		10	38
B382660		10	72
B382661		10	55
B382662		<10	44
B382663		<10	67
B382664		10	36
B382665		<10	52
B382666		10	66
B382667		<10	35
B382668		10	20
B382669			
B382670		20	46
B382671		10	18
B382672		10	4
B382673		10	7
B382674		10	45
B382675		20	67
B382676		<10	7
B382677		10	54
B382678		10	73
B382679		10	51
B382680		<10	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da( )-AUG-2005
Account: STRGOL

CERTIFICATE VA05067824

Project: Dublin Gulch-1735

P.O. No.:

This report is for 146 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Pb-AA62	Ore grade Pb - four acid / AAS	AAS
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B381239		5.74	0.022		0.6	7.39	906	660	2.1	<2	0.49	<0.5	10	50	69	3.01
B381240		4.92	0.061		<0.5	3.70	681	240	1.0	2	0.60	<0.5	6	55	37	1.66
B381241		2.80	0.026		0.5	8.23	667	820	2.1	<2	0.33	<0.5	15	62	53	3.56
B381242		2.76	0.041		<0.5	8.24	1070	810	2.2	<2	0.37	<0.5	17	72	52	3.46
B381243		5.72	0.026		<0.5	8.38	1610	800	2.3	<2	0.52	<0.5	17	60	64	3.67
B381244		5.62	0.040		<0.5	4.90	297	340	1.1	3	0.39	<0.5	5	56	30	1.94
B381245		5.12	0.041		<0.5	3.71	638	220	0.9	<2	0.52	<0.5	5	28	38	1.16
B381246		6.06	0.015		1.0	6.87	210	580	1.9	<2	0.32	3.0	13	66	54	3.20
B381247		1.72	0.013		<0.5	8.73	409	820	2.7	<2	0.45	<0.5	14	62	55	3.26
B381248		4.34	0.005		<0.5	8.45	164	810	2.3	<2	0.27	<0.5	15	73	54	3.83
B381249		0.04	0.005													
B381250		0.12	4.73		9.9	7.40	9	470	0.9	<2	2.72	1.0	17	20	127	4.00
B381251		6.02	0.014		0.6	8.44	75	820	2.6	<2	0.26	<0.5	15	64	47	4.18
B381252		6.44	0.013		<0.5	6.55	380	530	1.7	<2	0.56	<0.5	10	63	39	2.85
B381253		6.10	0.081		<0.5	7.54	2030	700	2.1	<2	0.90	<0.5	14	57	80	3.75
B381254		3.62	0.012		<0.5	8.14	943	820	2.3	<2	0.39	<0.5	13	74	45	3.16
B381255		3.36	0.011		<0.5	3.39	323	230	0.8	<2	0.38	<0.5	5	28	31	1.44
B381256		1.24	<0.005		<0.5	0.13	5	20	<0.5	<2	18.55	<0.5	<1	2	2	0.10
B381257		4.44	0.035		<0.5	7.21	114	630	2.1	<2	0.53	<0.5	11	51	37	2.91
B381258		5.84	0.013		<0.5	6.10	585	560	1.5	<2	0.52	<0.5	9	58	36	2.44
B381259		5.54	0.034		<0.5	5.00	1315	440	1.2	<2	0.47	<0.5	6	32	31	1.83
B381260		6.20	0.048		<0.5	4.84	2150	410	1.1	<2	0.54	<0.5	7	58	22	1.74
B381261		2.86	0.073		<0.5	5.88	502	460	1.6	<2	1.31	<0.5	10	46	113	3.02
B381262		2.60	0.084		<0.5	5.63	903	430	1.5	3	1.63	<0.5	10	71	133	3.31
B381263		5.46	0.070		<0.5	4.69	655	330	1.4	4	1.82	<0.5	8	42	93	3.50
B381264		6.00	0.010		<0.5	7.07	320	700	2.0	<2	1.28	<0.5	13	68	41	3.74
B381265		4.80	<0.005		<0.5	7.55	147	710	2.6	<2	0.59	<0.5	14	108	36	3.85
B381266		4.40	<0.005		<0.5	8.53	47	760	2.3	<2	1.07	<0.5	14	64	34	3.84
B381267		2.84	0.079		1.0	7.05	1880	660	1.8	<2	0.45	<0.5	12	126	219	3.32
B381268		6.36	<0.005		<0.5	8.68	290	850	2.5	<2	0.28	<0.5	15	70	36	3.97
B381269		0.04	0.005													
B381270		0.10	0.096		<0.5	6.82	123	560	2.6	<2	0.51	<0.5	58	1145	388	8.08
B381271		5.24	0.079		<0.5	5.86	1700	530	1.5	<2	0.55	<0.5	10	120	38	2.32
B381272		4.78	0.014		<0.5	5.41	242	460	1.4	<2	0.61	<0.5	10	54	30	2.17
B381273		6.18	0.017		<0.5	6.99	506	640	1.9	<2	0.43	<0.5	11	128	41	3.04
B381274		5.68	0.010		<0.5	6.08	190	560	1.6	<2	0.50	<0.5	9	61	27	2.42
B381275		6.56	0.019		<0.5	7.27	100	700	2.1	<2	0.72	<0.5	11	132	39	2.64
B381276		2.10	<0.005		<0.5	0.11	<5	10	<0.5	<2	19.40	<0.5	1	3	1	0.10
B381277		3.70	0.017		<0.5	7.04	283	660	2.0	<2	0.33	<0.5	12	131	52	2.79
B381278		3.14	0.005		<0.5	7.35	65	630	1.7	<2	0.37	<0.5	12	70	36	2.78

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B381239		0.01	3.10	0.98	169	<1	0.64	26	330	13	0.85	<5	99	0.22	68	<10
B381240		0.01	1.21	0.50	240	<1	0.36	12	210	50	0.40	7	78	0.11	27	<10
B381241		0.02	3.02	0.77	148	<1	0.14	33	460	6	0.84	5	185	0.32	89	<10
B381242		0.02	3.09	0.78	144	<1	0.15	33	450	6	0.85	10	169	0.32	90	<10
B381243		0.01	3.59	1.20	220	<1	0.13	34	450	8	0.90	<5	94	0.31	88	<10
B381244		<0.01	1.62	0.56	111	<1	0.74	17	220	6	0.55	<5	91	0.14	37	<10
B381245		0.01	1.18	0.39	81	<1	0.64	10	190	5	0.35	<5	80	0.08	24	<10
B381246		0.06	2.83	0.73	643	<1	0.38	23	320	355	0.56	112	111	0.24	67	<10
B381247		0.03	3.48	0.82	174	1	0.15	33	420	11	0.64	23	179	0.29	93	<10
B381248		<0.01	3.77	1.07	239	<1	0.33	31	400	15	0.66	<5	74	0.31	89	<10
B381249																
B381250		<0.01	2.23	1.30	952	12	1.66	8	860	28	0.66	<5	395	0.35	148	<10
B381251		<0.01	3.89	1.15	200	<1	0.34	33	400	5	0.60	<5	72	0.34	89	<10
B381252		<0.01	2.47	0.85	188	<1	0.75	24	290	6	0.55	<5	102	0.24	56	<10
B381253		<0.01	3.40	1.27	373	<1	0.35	29	460	6	0.98	<5	93	0.27	80	<10
B381254		<0.01	3.80	0.99	219	<1	0.39	31	360	8	0.65	<5	81	0.25	80	<10
B381255		<0.01	1.18	0.33	114	<1	0.65	13	210	6	0.29	<5	70	0.11	22	<10
B381256		<0.01	0.04	11.00	130	<1	0.01	1	470	4	<0.01	<5	104	<0.01	1	<10
B381257		<0.01	3.22	0.98	148	<1	0.53	25	340	8	0.48	<5	82	0.27	66	<10
B381258		<0.01	2.53	0.78	123	<1	0.75	15	270	4	0.50	<5	92	0.20	49	<10
B381259		<0.01	2.00	0.58	104	<1	0.78	11	230	7	0.38	<5	79	0.14	37	<10
B381260		<0.01	1.87	0.55	97	<1	0.78	12	240	8	0.32	<5	78	0.14	34	<10
B381261		<0.01	2.37	0.93	433	<1	0.52	22	400	7	1.07	<5	122	0.19	62	<10
B381262		<0.01	2.15	1.02	468	<1	0.52	26	460	7	1.24	<5	145	0.20	62	10
B381263		<0.01	1.65	1.11	528	1	0.53	21	450	21	1.29	<5	154	0.20	53	<10
B381264		<0.01	3.07	1.37	389	1	0.38	27	550	6	0.92	<5	126	0.31	80	<10
B381265		0.02	2.85	1.09	371	<1	0.36	29	510	21	0.63	<5	86	0.26	76	<10
B381266		<0.01	2.70	1.05	269	<1	0.17	30	370	7	0.44	<5	116	0.35	83	10
B381267		0.01	2.92	0.99	162	<1	0.18	26	320	16	0.55	<5	69	0.28	65	<10
B381268		<0.01	3.89	1.16	182	<1	0.33	31	380	13	0.53	<5	60	0.35	85	<10
B381269																
B381270		0.03	2.20	0.58	372	7	0.12	472	330	150	0.02	12	49	0.22	91	30
B381271		<0.01	2.19	0.71	161	<1	0.30	22	280	21	0.66	<5	74	0.18	46	<10
B381272		<0.01	2.01	0.61	165	<1	0.70	18	250	7	0.51	<5	106	0.18	44	<10
B381273		<0.01	3.03	0.95	179	<1	0.59	26	310	6	0.61	<5	83	0.27	66	<10
B381274		<0.01	2.43	0.77	138	<1	0.53	19	250	10	0.41	<5	76	0.21	51	<10
B381275		<0.01	3.18	0.98	189	<1	0.31	25	300	5	0.56	<5	66	0.23	66	<10
B381276		<0.01	0.03	11.20	146	<1	0.01	<1	450	<2	<0.01	<5	102	<0.01	<1	<10
B381277		<0.01	3.16	0.86	164	<1	0.37	27	300	7	0.95	<5	51	0.19	65	<10
B381278		<0.01	2.45	0.53	231	1	0.35	28	280	11	0.72	11	42	0.23	70	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method	ME-ICP61	Pb-AA62	Ag-AA62	Zn-AA62
	Analyte	Zn	Pb	Ag	Zn
	Units	ppm	%	ppm	%
	LOR	2	0.01	1	0.01
B381239		32			
B381240		80			
B381241		31			
B381242		29			
B381243		42			
B381244		15			
B381245		9			
B381246		438			
B381247		67			
B381248		57			
B381249					
B381250		94			
B381251		63			
B381252		23			
B381253		35			
B381254		30			
B381255		18			
B381256		7			
B381257		31			
B381258		20			
B381259		16			
B381260		13			
B381261		27			
B381262		25			
B381263		33			
B381264		43			
B381265		54			
B381266		67			
B381267		47			
B381268		61			
B381269					
B381270		594			
B381271		60			
B381272		32			
B381273		25			
B381274		22			
B381275		20			
B381276		7			
B381277		18			
B381278		36			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B381279		1.96	0.013		<0.5	7.96	181	520	1.9	<2	0.14	<0.5	15	114	69	3.11
B381280		0.26	2.79		>100	8.35	>10000	40	2.0	14	0.04	129.5	14	75	443	9.66
B381281		2.40	0.141		15.0	7.79	816	690	1.7	<2	0.06	109.5	3	120	201	2.66
B381282		2.02	0.157		14.8	7.31	413	650	1.7	<2	0.06	79.0	2	67	175	2.72
B381283		1.48	0.153		18.7	6.48	88	520	1.3	4	0.09	78.4	2	98	222	6.74
B381284		1.04	1.060		8.0	2.34	>10000	120	0.6	13	0.05	42.4	18	46	41	8.16
B381285		2.40	0.057		5.4	6.18	192	410	1.4	<2	0.07	16.6	5	106	53	2.37
B381286		1.62	0.165		3.8	3.91	384	240	0.9	<2	0.08	15.5	4	46	50	2.96
B381287		0.94	3.31		10.6	2.60	>10000	190	0.7	8	0.15	109.5	19	56	89	18.55
B381288		3.48	0.052		3.8	5.16	227	360	1.3	3	0.08	19.0	4	46	60	3.78
B381289		0.04	0.049													
B381290		0.10	0.452		2.8	8.48	16	1060	1.2	<2	1.46	<0.5	9	8	7440	3.16
B381291		6.50	0.037		2.5	5.09	253	350	1.2	<2	0.09	21.4	6	112	48	3.24
B381292		2.82	0.108		4.6	6.07	876	500	1.3	2	0.07	15.8	8	55	88	4.45
B381293		0.30	3.53		59.1	0.97	>10000	80	<0.5	9	0.11	60.0	32	59	154	26.1
B381294		6.50	0.074		3.1	7.40	445	620	1.7	<2	0.14	13.0	10	62	43	4.72
B381295		5.12	0.005		<0.5	7.21	52	540	2.0	<2	0.15	0.6	13	128	32	3.38
B381296		1.68	<0.005		<0.5	0.16	15	20	<0.5	<2	19.50	<0.5	<1	2	6	0.12
B381297		5.68	<0.005		<0.5	6.93	199	510	1.7	<2	0.31	<0.5	13	139	33	2.86
B381298		5.38	0.018		<0.5	4.71	176	250	1.1	<2	1.06	<0.5	6	51	42	2.12
B381299		6.10	0.113		<0.5	5.04	117	340	1.3	<2	0.76	<0.5	7	143	35	1.98
B381300		4.56	<0.005		<0.5	7.35	179	1680	3.3	<2	2.05	<0.5	6	27	18	1.92
B381301		2.18	<0.005		<0.5	7.59	41	720	2.5	<2	0.87	<0.5	14	128	41	3.24
B381302		1.62	<0.005		<0.5	7.33	24	640	2.6	<2	1.08	<0.5	13	67	41	3.41
B381303		6.28	<0.005		<0.5	7.66	47	680	2.3	<2	0.64	<0.5	11	118	43	3.31
B381304		5.56	0.006		<0.5	4.94	109	320	1.1	<2	0.91	<0.5	8	120	26	1.90
B381305		5.68	0.006		<0.5	4.21	278	220	0.7	<2	0.78	<0.5	7	49	25	1.63
B381306		2.32	<0.005		<0.5	3.85	62	240	0.8	<2	0.71	<0.5	8	142	41	1.58
B381307		3.76	<0.005		<0.5	8.77	56	820	2.9	<2	0.57	<0.5	17	77	54	3.82
B381308		5.38	<0.005		<0.5	8.48	123	810	2.5	<2	0.50	<0.5	13	129	44	3.31
B381309		0.04	0.005													
B381310		0.10	0.916		2.8	7.59	17	450	0.8	<2	1.91	0.6	24	100	2100	5.01
B381311		3.34	0.007		<0.5	5.59	180	470	1.3	<2	0.40	<0.5	9	65	45	2.26
B381312		2.92	0.008		<0.5	8.21	24	710	3.0	<2	0.39	<0.5	17	110	54	4.59
B381313		2.62	<0.005		<0.5	9.12	67	880	2.5	<2	0.41	0.9	14	77	49	3.74
B381314		3.12	<0.005		<0.5	7.58	49	660	2.1	<2	0.12	<0.5	13	142	38	3.41
B381315		1.80	0.005		2.9	10.50	39	1080	3.2	<2	0.11	12.6	17	99	85	4.23
B381316		1.24	<0.005		<0.5	0.12	10	20	<0.5	<2	19.85	<0.5	1	7	2	0.10
B381317		0.64	0.180		22.4	4.63	151	360	1.1	2	0.13	104.5	2	43	107	8.05
B381318		2.96	0.011		4.9	8.43	93	770	1.7	<2	0.17	62.9	8	117	107	4.68

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10
B381279		0.70	2.62	0.44	570	1	0.08	31	390	39	1.10	27	110	0.22	85	10
B381280		6.17	3.79	0.29	121	<1	0.11	24	250	>10000	>10.0	>10000	179	0.20	92	<10
B381281		3.25	3.67	0.39	2020	<1	0.10	20	280	2650	1.26	696	111	0.20	81	<10
B381282		2.42	3.36	0.36	1940	<1	0.09	20	260	2440	1.18	684	112	0.18	72	<10
B381283		1.61	2.89	0.59	7250	<1	0.08	14	240	5740	1.07	2380	95	0.17	59	<10
B381284		0.97	0.78	0.31	2470	<1	0.05	15	110	2840	4.94	1210	49	0.05	18	<10
B381285		0.62	2.70	0.34	968	<1	0.05	16	230	449	1.11	44	65	0.17	46	<10
B381286		0.48	1.59	0.34	1660	<1	0.02	12	210	472	0.93	39	69	0.14	31	<10
B381287		2.32	1.16	0.91	16900	<1	0.03	17	120	>10000	4.93	6100	57	0.05	19	<10
B381288		0.39	2.06	0.42	1385	<1	0.03	15	210	1245	1.50	266	69	0.16	38	<10
B381289																
B381290		0.02	3.76	1.12	494	2	3.53	10	1880	20	0.24	<5	661	0.33	180	<10
B381291		0.48	2.04	0.46	1570	<1	0.07	18	230	367	0.77	46	59	0.18	48	<10
B381292		0.38	2.73	0.44	2170	1	0.08	22	260	1790	1.62	571	39	0.19	71	<10
B381293		1.50	0.43	0.83	19250	<1	0.01	36	50	>10000	>10.0	>10000	9	0.03	9	<10
B381294		0.25	3.24	0.67	3460	<1	0.11	27	300	3040	0.76	1340	50	0.24	71	<10
B381295		0.19	2.28	0.48	540	<1	0.09	31	290	126	0.95	86	43	0.26	73	<10
B381296		<0.01	0.04	11.20	170	<1	0.02	2	440	8	0.01	9	104	<0.01	1	<10
B381297		0.01	1.98	0.49	444	<1	0.09	28	260	30	0.50	43	34	0.24	63	10
B381298		0.01	1.14	0.62	212	<1	1.02	14	200	14	0.50	12	130	0.14	32	<10
B381299		<0.01	1.57	0.64	172	<1	0.65	16	210	18	0.44	8	100	0.17	43	<10
B381300		<0.01	3.04	0.60	177	<1	1.67	4	400	21	0.42	<5	484	0.16	22	<10
B381301		<0.01	3.13	1.29	290	<1	0.35	28	330	11	0.70	<5	81	0.25	86	<10
B381302		<0.01	2.91	1.40	325	<1	0.31	28	350	8	0.77	<5	86	0.23	84	<10
B381303		<0.01	2.91	1.12	246	<1	0.46	27	320	10	0.76	<5	79	0.26	81	<10
B381304		<0.01	1.28	0.53	170	<1	1.10	16	230	12	0.41	<5	118	0.17	38	<10
B381305		<0.01	0.98	0.44	143	<1	1.26	11	210	12	0.39	<5	124	0.14	28	<10
B381306		<0.01	1.11	0.42	98	<1	0.87	12	190	10	0.40	<5	98	0.12	27	<10
B381307		<0.01	3.68	1.30	260	<1	0.66	43	430	10	0.97	<5	111	0.30	99	<10
B381308		<0.01	3.49	1.07	189	<1	0.54	34	340	18	0.75	<5	90	0.29	86	<10
B381309																
B381310		<0.01	1.82	1.35	436	2	3.34	48	650	24	0.62	<5	212	0.30	94	<10
B381311		<0.01	2.03	0.50	127	<1	0.20	20	230	6	1.12	11	39	0.16	57	<10
B381312		<0.01	3.03	1.30	288	8	0.15	40	450	8	1.78	13	47	0.25	115	<10
B381313		<0.01	3.67	1.08	238	<1	0.17	37	360	19	0.93	6	46	0.27	96	<10
B381314		0.03	2.91	0.80	251	<1	0.12	29	340	8	0.71	15	43	0.27	72	<10
B381315		0.27	4.77	0.85	855	<1	0.17	42	350	279	1.06	45	99	0.41	118	<10
B381316		<0.01	0.04	11.55	183	<1	0.01	1	480	<2	0.01	<5	118	<0.01	1	<10
B381317		1.45	2.08	0.58	8170	<1	0.05	6	160	>10000	3.91	>10000	42	0.14	37	<10
B381318		0.83	3.83	0.54	3760	<1	0.11	29	430	1990	0.87	659	70	0.26	86	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method	ME-ICP61	Pb-AA62	Ag-AA62	Zn-AA62
	Analyte	Zn	Pb	Ag	Zn
	Units	ppm	%	ppm	%
	LOR	2	0.01	1	0.01
B381279		145			
B381280		>10000	3.02	156	1.83
B381281		>10000			1.51
B381282		>10000			1.09
B381283		>10000			1.04
B381284		6140			
B381285		2340			
B381286		2150			
B381287		>10000	1.32		1.55
B381288		2340			
B381289					
B381290		58			
B381291		3060			
B381292		2250			
B381293		8180	9.81		
B381294		1945			
B381295		219			
B381296		20			
B381297		121			
B381298		90			
B381299		27			
B381300		24			
B381301		33			
B381302		35			
B381303		31			
B381304		18			
B381305		12			
B381306		15			
B381307		37			
B381308		37			
B381309					
B381310		200			
B381311		21			
B381312		43			
B381313		196			
B381314		38			
B381315		1940			
B381316		12			
B381317		>10000	8.17		1.51
B381318		8980			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B381319		5.62	0.008		5.8	9.04	110	930	2.4	<2	0.10	78.5	12	77	147	4.86
B381320		6.02	0.013		2.0	8.00	473	510	2.0	<2	0.14	1.6	12	116	116	3.65
B381321		2.28	0.016		3.6	6.22	350	440	1.4	<2	0.10	11.5	10	55	61	2.76
B381322		2.26	0.016		3.2	7.11	338	530	1.7	<2	0.10	10.6	12	122	61	2.67
B381323		0.68	0.177		3.7	3.66	2380	230	1.2	2	0.05	104.0	7	35	29	3.07
B381324		0.78	2.08		61.9	1.31	3670	70	<0.5	5	0.10	497	9	45	368	25.5
B381325		3.98	0.007		1.5	8.90	59	910	2.0	<2	0.17	10.4	14	80	60	3.86
B381326		1.64	0.015		1.9	8.22	50	890	2.1	<2	0.18	19.0	14	82	75	4.06
B381327		4.22	0.006		<0.5	8.30	13	830	2.4	<2	0.21	<0.5	16	119	37	3.86
B381328		4.56	<0.005		<0.5	8.75	15	900	2.7	<2	0.27	<0.5	16	134	39	3.92
B381329		0.04	<0.005													
B381330		0.10	4.51		9.8	7.43	14	490	0.9	<2	2.78	1.1	18	20	127	4.08
B381331		1.16	0.008		<0.5	6.87	36	160	1.8	<2	1.20	<0.5	10	27	22	1.94
B381332		2.14	0.013		1.8	3.34	338	180	0.8	<2	0.28	4.3	7	252	41	1.82
B381333		0.56	4.52		7.8	0.34	>10000	40	<0.5	3	0.05	3.9	22	48	69	25.4
B381334		2.62	0.014		0.7	7.26	121	640	2.2	<2	0.17	2.3	11	145	29	3.22
B381335		5.64	<0.005		<0.5	8.32	44	790	2.5	<2	0.49	<0.5	13	82	56	3.39
B381336		0.52	<0.005		<0.5	0.14	9	20	<0.5	<2	18.70	<0.5	1	13	2	0.13
B381337		5.56	0.014		<0.5	7.12	1310	760	2.3	<2	0.68	<0.5	17	85	77	3.76
B381338		5.92	<0.005		0.5	7.35	74	760	2.0	<2	0.40	<0.5	12	188	43	3.29
B381339		2.20	0.015		<0.5	7.33	212	1280	3.8	<2	0.86	<0.5	17	71	23	4.37
B381340		3.28	<0.005		<0.5	8.89	18	960	2.4	<2	1.04	<0.5	14	64	39	3.12
B381341		2.68	<0.005		<0.5	8.48	27	740	2.2	<2	0.36	<0.5	17	91	46	3.98
B381342		2.46	<0.005		<0.5	9.49	25	750	2.3	<2	0.44	<0.5	17	77	46	3.97
B381343		2.52	0.019		<0.5	8.26	34	540	1.7	<2	0.20	<0.5	16	84	51	4.06
B381344		1.96	0.026		<0.5	8.99	531	350	1.9	<2	0.25	<0.5	18	84	120	4.22
B381345		2.48	0.019		0.9	6.55	198	450	1.5	2	0.15	1.4	10	75	60	3.39
B381346		1.40	0.027		1.0	1.29	124	70	<0.5	<2	0.06	2.2	3	23	29	1.38
B381347		0.50	5.69		15.1	1.82	>10000	70	0.5	9	0.04	3.1	24	93	369	15.10
B381348		2.38	0.056		3.1	9.40	636	1020	2.2	<2	0.11	2.6	15	78	63	3.06
B381349		0.04	0.057													
B381350		0.10	2.82		<0.5	7.65	2160	740	12.9	<2	0.02	<0.5	2	148	108	3.56
B381351		0.58	>10.0	15.25	47.1	0.47	>10000	30	<0.5	78	0.02	25.0	17	91	101	30.3
B381352		5.08	0.226		5.3	4.52	2040	360	1.1	2	0.06	9.2	8	37	54	2.44
B381353		5.36	0.084		3.5	3.29	1055	160	0.7	<2	0.06	9.7	4	73	26	1.69
B381354		5.78	0.030		1.8	6.17	412	360	1.7	<2	0.10	8.3	9	48	40	3.05
B381355		4.66	<0.005		<0.5	4.94	104	270	1.0	<2	0.10	<0.5	8	66	23	2.25
B381356		1.70	<0.005		<0.5	0.20	14	20	<0.5	<2	20.1	<0.5	1	3	3	0.14
B381357		5.22	0.008		3.4	8.35	350	720	2.2	<2	0.18	12.2	14	86	69	3.93
B381358		3.58	0.248		0.6	5.84	1675	300	1.8	20	3.20	2.9	16	39	69	5.11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B381319		0.98	4.37	0.63	2700	<1	0.11	35	370	1735	1.45	368	96	0.27	102	<10
B381320		0.10	3.23	0.45	722	<1	0.09	38	420	166	2.14	28	42	0.19	80	10
B381321		0.19	2.71	0.39	1375	1	0.05	23	280	663	1.04	30	23	0.16	59	<10
B381322		0.19	3.22	0.40	1035	2	0.07	28	330	516	1.38	22	29	0.16	75	<10
B381323		1.43	1.56	0.18	332	<1	0.02	12	190	1020	3.12	39	23	0.09	25	<10
B381324		5.76	0.52	0.80	11600	<1	0.02	73	50	>10000	>10.0	>10000	40	0.02	10	<10
B381325		0.15	3.93	0.74	688	1	0.16	36	450	320	1.14	46	45	0.31	106	<10
B381326		0.17	3.89	0.82	891	1	0.16	41	370	349	1.49	89	30	0.22	99	<10
B381327		0.02	3.30	0.99	179	<1	0.63	31	410	84	1.14	37	92	0.27	87	<10
B381328		0.02	3.76	1.04	216	3	0.42	37	460	21	1.18	10	78	0.26	114	<10
B381329																
B381330		0.03	2.34	1.33	978	12	1.74	11	880	33	0.68	<5	410	0.37	154	<10
B381331		0.02	1.88	0.74	162	<1	0.08	3	600	21	0.62	8	122	0.04	4	<10
B381332		0.06	1.40	0.30	580	1	0.02	13	180	301	0.50	13	26	0.08	20	<10
B381333		0.22	0.11	0.57	6760	<1	0.01	13	40	237	>10.0	77	6	0.01	2	<10
B381334		0.05	2.81	0.63	501	<1	0.10	28	330	81	0.48	19	37	0.25	69	<10
B381335		0.01	3.13	0.90	178	1	0.63	30	370	17	1.05	11	106	0.24	86	<10
B381336		<0.01	0.04	10.95	166	<1	0.01	<1	480	4	0.01	<5	111	<0.01	1	<10
B381337		0.01	2.82	1.17	213	3	0.32	35	420	11	1.26	17	74	0.23	102	<10
B381338		0.01	3.03	0.94	165	<1	0.42	30	400	11	0.80	6	63	0.29	76	<10
B381339		0.01	1.99	1.85	431	<1	0.32	12	780	11	0.30	7	152	0.37	85	<10
B381340		0.01	3.75	0.98	277	<1	0.19	32	480	9	0.82	7	59	0.31	97	<10
B381341		0.06	2.72	0.57	379	<1	0.12	37	640	12	1.28	15	41	0.36	118	<10
B381342		0.07	2.90	0.63	400	<1	0.12	35	630	5	0.99	14	48	0.37	117	<10
B381343		0.39	2.74	0.54	385	1	0.09	41	470	4	1.68	16	60	0.24	102	<10
B381344		0.08	1.25	0.64	494	6	0.03	48	600	3	0.77	8	131	0.35	176	20
B381345		0.23	2.72	0.50	432	<1	0.06	25	360	109	1.29	21	72	0.19	70	<10
B381346		0.10	0.56	0.16	176	<1	0.02	9	140	164	0.58	13	8	0.03	7	<10
B381347		0.16	0.84	0.27	832	<1	0.02	15	130	258	>10.0	177	16	0.05	12	<10
B381348		0.15	4.51	0.56	467	<1	0.11	31	410	124	1.16	33	49	0.26	100	<10
B381349																
B381350		0.09	3.40	0.39	72	1	0.09	8	330	29	0.03	154	147	0.23	110	10
B381351		1.07	0.20	0.03	20	<1	0.01	20	30	>10000	>10.0	>10000	24	0.01	4	<10
B381352		0.19	2.08	0.30	660	<1	0.04	15	200	1085	1.07	174	34	0.12	36	<10
B381353		0.24	1.28	0.19	608	<1	0.02	10	160	823	0.57	72	19	0.08	20	<10
B381354		0.11	2.19	0.47	610	<1	0.05	24	270	344	0.81	36	39	0.17	55	<10
B381355		0.09	1.38	0.30	296	<1	0.04	18	240	14	0.48	17	51	0.16	40	<10
B381356		<0.01	0.05	11.90	156	<1	0.01	<1	440	3	0.02	<5	115	<0.01	3	<10
B381357		0.28	3.52	0.54	1245	<1	0.07	33	460	642	0.84	71	85	0.28	84	10
B381358		0.08	1.50	1.78	2510	<1	0.04	38	470	27	1.05	24	95	0.25	69	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method	ME-ICP61	Pb-AA62	Ag-AA62	Zn-AA62
	Analyte	Zn	Pb	Ag	Zn
	Units	ppm	%	ppm	%
	LOR	2	0.01	1	0.01
B381319		>10000			1.13
B381320		305			
B381321		1770			
B381322		1655			
B381323		>10000			1.80
B381324		>10000	7.04		7.02
B381325		1495			
B381326		2520			
B381327		85			
B381328		55			
B381329					
B381330		99			
B381331		15			
B381332		639			
B381333		932			
B381334		404			
B381335		40			
B381336		13			
B381337		29			
B381338		29			
B381339		60			
B381340		29			
B381341		85			
B381342		89			
B381343		51			
B381344		45			
B381345		238			
B381346		305			
B381347		401			
B381348		360			
B381349					
B381350		18			
B381351		3330	3.48		
B381352		1250			
B381353		1295			
B381354		1095			
B381355		69			
B381356		12			
B381357		1765			
B381358		627			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B381359		6.48	0.212		<0.5	8.05	2980	910	2.3	<2	1.94	<0.5	21	89	63	4.25
B381360		6.34	<0.005		<0.5	9.10	32	950	2.7	<2	2.30	<0.5	17	68	79	4.62
B381361		2.82	0.009		<0.5	4.95	19	400	1.2	<2	1.73	<0.5	9	75	28	2.55
B381362		2.88	0.010		<0.5	5.11	48	420	1.2	<2	1.72	<0.5	11	35	31	2.62
B381363		6.58	0.075		<0.5	6.47	98	530	2.0	2	3.68	<0.5	15	71	87	4.15
B381364		7.18	<0.005		<0.5	8.12	32	820	2.4	<2	4.58	<0.5	22	50	61	4.77
B381365		4.72	0.015		<0.5	2.27	209	210	0.6	<2	1.04	<0.5	5	98	41	1.57
B381366		5.90	0.083		<0.5	3.20	1210	330	0.8	<2	1.74	<0.5	9	32	89	2.16
B381367		6.00	0.038		<0.5	2.47	529	160	0.6	<2	1.15	<0.5	5	94	35	1.60
B381368		5.72	0.021		<0.5	1.81	136	120	<0.5	<2	0.76	<0.5	3	24	20	1.10
B381369		0.04	0.022													
B381370		0.10	0.446		2.7	8.99	10	1070	1.2	<2	1.56	<0.5	10	9	7650	3.39
B381371		5.42	0.042		<0.5	4.21	404	360	1.2	<2	0.97	<0.5	12	106	80	2.93
B381372		5.16	0.024		<0.5	4.10	945	270	1.2	<2	1.15	<0.5	9	52	40	2.35
B381373		1.24	3.47		4.9	1.61	>10000	90	1.1	13	2.94	2.2	25	70	51	9.45
B381374		3.60	0.035		<0.5	5.70	1045	500	1.5	<2	1.07	<0.5	15	63	70	3.62
B381375		5.36	0.028		<0.5	3.52	734	330	0.9	<2	0.81	<0.5	7	97	38	2.14
B381376		1.00	<0.005		<0.5	0.13	26	10	<0.5	<2	21.0	<0.5	1	3	2	0.11
B381377		1.26	0.006		<0.5	5.45	183	350	2.9	<2	1.67	<0.5	5	85	32	2.17
B381378		4.02	0.162		<0.5	7.30	206	620	2.1	2	1.02	<0.5	19	95	148	5.68
B381379		5.78	0.596		<0.5	6.28	1700	590	1.8	<2	0.91	<0.5	18	126	78	4.54
B381380		3.34	0.306		0.7	8.59	1695	750	2.2	<2	0.48	<0.5	14	90	136	3.37
B381381		1.36	0.013		<0.5	3.86	1085	280	1.0	<2	1.06	<0.5	9	29	34	1.77
B381382		1.44	0.009		<0.5	5.12	711	440	1.3	<2	1.32	1.2	8	32	39	2.28
B381383		1.00	1.345		5.7	1.72	>10000	100	0.5	78	0.95	1.7	7	81	1430	3.78
B381384		3.14	<0.005		<0.5	8.27	154	830	2.1	<2	0.45	<0.5	11	65	29	2.38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10
B381359		0.01	3.49	1.37	723	2	0.10	33	410	3	1.04	42	108	0.27	98	<10
B381360		0.01	3.93	1.52	910	4	0.12	38	510	8	1.16	38	107	0.35	126	<10
B381361		<0.01	1.76	1.06	460	<1	0.09	21	290	8	0.44	24	75	0.18	54	<10
B381362		<0.01	1.76	1.07	476	<1	0.12	21	250	4	0.47	26	75	0.19	58	<10
B381363		0.01	2.26	2.72	929	<1	0.35	47	540	5	1.10	<5	174	0.31	84	<10
B381364		<0.01	3.36	3.67	1325	2	0.19	65	680	<2	0.86	5	206	0.42	111	<10
B381365		<0.01	0.82	0.45	207	<1	0.13	13	180	2	0.46	<5	60	0.12	33	<10
B381366		<0.01	1.40	0.53	265	<1	0.22	15	210	4	0.79	7	99	0.14	41	<10
B381367		<0.01	0.92	0.43	201	<1	0.08	10	170	8	0.48	10	52	0.11	24	<10
B381368		<0.01	0.58	0.20	140	<1	0.30	7	120	5	0.24	<5	54	0.09	16	<10
B381369																
B381370		0.02	3.87	1.14	496	2	3.40	12	1920	9	0.25	<5	682	0.34	186	<10
B381371		<0.01	1.68	0.83	295	<1	0.06	30	300	12	0.96	15	55	0.18	59	<10
B381372		<0.01	1.57	0.77	270	<1	0.06	22	230	22	0.44	19	56	0.15	59	<10
B381373		0.07	0.70	1.44	2040	<1	0.01	21	180	633	4.31	85	273	0.06	20	<10
B381374		0.01	2.45	1.24	401	<1	0.22	36	620	27	1.00	13	81	0.24	85	<10
B381375		<0.01	1.52	0.72	168	<1	0.29	23	250	4	0.44	<5	68	0.15	50	<10
B381376		<0.01	0.04	12.40	150	<1	0.02	<1	480	<2	0.01	<5	116	<0.01	2	<10
B381377		<0.01	1.32	0.67	261	<1	1.44	13	260	5	0.41	<5	180	0.09	29	<10
B381378		<0.01	3.17	1.98	519	<1	0.23	56	560	2	1.94	20	75	0.33	162	<10
B381379		<0.01	2.82	1.44	523	1	0.29	46	550	7	1.49	9	73	0.28	126	<10
B381380		0.01	3.92	1.01	196	1	0.15	33	440	34	1.01	13	38	0.29	84	<10
B381381		0.01	1.49	0.65	194	1	0.08	16	240	23	0.44	12	52	0.11	30	<10
B381382		0.02	2.03	0.86	245	1	0.10	18	290	21	0.47	14	65	0.15	40	<10
B381383		0.04	0.76	0.42	774	1	0.02	8	130	549	2.13	208	72	0.06	12	<10
B381384		<0.01	3.81	1.04	174	<1	0.70	29	360	10	0.49	6	103	0.29	83	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067824

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2	Pb-AA62 Pb % 0.01	Ag-AA62 Ag ppm 1	Zn-AA62 Zn % 0.01
B381359		45			
B381360		72			
B381361		28			
B381362		27			
B381363		59			
B381364		91			
B381365		14			
B381366		15			
B381367		14			
B381368		10			
B381369					
B381370		54			
B381371		31			
B381372		34			
B381373		355			
B381374		65			
B381375		15			
B381376		9			
B381377		16			
B381378		52			
B381379		50			
B381380		85			
B381381		39			
B381382		169			
B381383		245			
B381384		22			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da[illegible] J-AUG-2005
Account: STRGOL

CERTIFICATE VA05067826

Project: Dublin Gulch-1735

P.O. No.:

This report is for 143 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B382681		1.26	0.006				<0.5	8.69	52	910	2.2	<2	0.37	<0.5	16	77
B382682		1.22	0.006				<0.5	9.99	27	1040	2.6	<2	0.45	<0.5	18	79
B382683		1.94	0.094				<0.5	8.79	65	950	4.5	<2	0.55	<0.5	12	61
B382684		4.30	0.295				<0.5	7.88	250	1500	2.7	3	2.26	<0.5	8	31
B382685		4.90	>10.0			13.45	4.0	6.46	495	1280	2.3	288	3.43	<0.5	10	23
B382686		4.88	0.119				<0.5	6.83	61	1480	2.4	7	3.04	<0.5	7	24
B382687		3.52	0.293	0.210			<0.5	6.72	209	1270	2.4	6	3.65	<0.5	7	30
B382688		5.36	0.709	1.170			<0.5	7.58	125	1520	3.2	7	2.22	<0.5	10	43
B382689		0.04	1.165	0.331	0.427											
B382690		0.10	1.110				<0.5	7.42	2080	730	11.3	<2	0.02	<0.5	<1	142
B382691		3.52	0.560				<0.5	7.00	190	1320	2.9	17	3.07	<0.5	10	31
B382692		4.90	0.048				<0.5	6.99	50	1240	2.6	2	2.37	<0.5	7	32
B382693		4.92	0.852				<0.5	7.02	102	1450	2.7	4	1.88	<0.5	7	37
B382694		4.64	0.055				<0.5	7.09	140	1480	2.7	6	1.83	<0.5	8	34
B382695		2.42	0.117				<0.5	7.28	38	1500	2.7	3	2.66	<0.5	8	37
B382696		1.10	<0.005				<0.5	0.13	<5	20	<0.5	<2	18.90	<0.5	<1	3
B382697		3.66	0.891				<0.5	7.52	77	1460	2.8	10	3.17	<0.5	9	41
B382698		3.00	0.325				1.2	6.91	387	700	2.5	20	2.49	0.8	9	40
B382699		3.38	0.540				3.0	6.49	8260	410	2.8	17	1.84	13.9	13	30
B382700		2.14	0.167				<0.5	6.70	1735	740	3.3	<2	2.66	6.8	10	36
B363201		2.80	0.794				1.8	7.66	145	1310	3.0	42	2.10	3.9	8	37
B363202		2.74	0.574				2.8	7.13	206	1150	2.9	70	2.35	3.7	7	34
B363203		5.36	0.058				1.1	7.59	37	1220	3.1	<2	2.68	2.5	8	37
B363204		2.84	0.444				3.2	7.80	93	670	2.8	14	2.34	9.0	9	38
B363205		2.48	3.60				5.5	8.20	350	1300	3.0	20	2.42	14.0	10	38
B363206		4.30	0.513				<0.5	7.58	112	1560	2.6	12	2.56	<0.5	10	49
B363207		4.80	0.112				<0.5	7.70	144	1560	2.7	6	2.17	<0.5	12	37
B363208		4.74	0.030				<0.5	7.43	47	1540	2.7	11	3.08	<0.5	9	40
B363209		0.04	0.032													
B363210		0.12	2.69				0.9	6.79	<5	1920	2.9	<2	4.35	<0.5	22	136
B363211		2.14	2.62				<0.5	7.30	461	1460	2.5	114	1.99	<0.5	8	29
B363212		4.96	0.090				<0.5	7.81	39	1470	2.9	4	2.34	<0.5	8	35
B363213		2.24	0.013				<0.5	7.10	22	1340	2.7	<2	2.25	<0.5	6	29
B363214		4.28	0.075				<0.5	6.96	37	1470	2.6	5	2.13	<0.5	7	31
B363215		5.18	0.012				<0.5	6.23	24	1470	2.8	<2	2.01	<0.5	7	30
B363216		1.12	<0.005				<0.5	0.14	<5	10	<0.5	<2	17.95	<0.5	<1	2
B363217		4.78	0.037				<0.5	6.57	19	1350	2.6	2	2.11	<0.5	6	30
B363218		5.20	0.108				<0.5	6.77	40	1460	3.1	4	2.20	<0.5	8	31
B363219		5.30	0.030				<0.5	7.15	28	1290	3.2	<2	2.19	<0.5	8	38
B363220		5.82	0.027				<0.5	6.59	57	1360	2.8	<2	2.51	<0.5	9	46

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B382681		29	3.93	<0.01	4.33	1.09	376	1	0.86	39	480	20	0.12	9	122	0.41
B382682		31	3.90	<0.01	4.48	1.04	340	<1	0.94	39	710	22	0.10	12	145	0.42
B382683		30	3.29	0.01	3.89	0.80	260	2	0.38	33	890	21	0.12	13	147	0.38
B382684		32	2.92	0.03	3.58	0.89	331	4	0.39	22	670	34	0.07	12	312	0.33
B382685		32	1.93	0.02	3.20	0.66	412	7	0.49	19	570	290	0.15	122	323	0.26
B382686		33	1.80	0.02	3.67	0.67	297	3	0.47	17	620	29	0.06	6	375	0.29
B382687		57	1.89	0.01	3.59	0.86	314	4	0.53	14	600	24	0.15	<5	418	0.28
B382688		65	3.15	<0.01	3.91	1.07	275	2	1.31	18	720	33	0.29	<5	456	0.33
B382689																
B382690		102	3.37	0.06	3.14	0.38	70	3	0.09	11	330	34	0.02	149	138	0.21
B382691		59	2.52	<0.01	3.75	0.91	294	3	0.74	15	590	25	0.22	<5	375	0.27
B382692		24	2.42	0.01	2.99	1.09	317	2	0.61	13	560	29	0.08	5	362	0.26
B382693		52	2.66	<0.01	3.51	1.04	241	3	1.09	15	640	28	0.19	8	390	0.30
B382694		50	2.63	0.01	3.57	0.99	238	1	1.19	16	640	27	0.20	5	402	0.30
B382695		33	2.63	0.01	3.50	1.10	379	2	1.12	18	750	26	0.11	13	416	0.31
B382696		2	0.12	<0.01	0.03	11.20	149	<1	0.01	3	490	2	0.01	<5	107	<0.01
B382697		60	2.96	0.01	3.37	1.08	438	2	1.11	18	840	35	0.21	24	435	0.31
B382698		90	2.73	0.01	3.15	0.55	484	5	0.31	15	550	183	0.66	91	159	0.23
B382699		356	4.21	0.20	2.92	0.60	645	40	0.03	14	540	1025	2.97	591	71	0.19
B382700		65	3.13	0.14	3.12	0.59	995	2	0.06	13	560	225	0.96	97	118	0.21
B363201		62	3.15	0.07	3.58	0.70	624	9	0.59	15	590	1025	0.49	474	240	0.26
B363202		70	2.85	0.07	3.24	0.65	717	31	0.54	13	530	1135	0.45	559	230	0.24
B363203		43	2.44	0.06	3.68	0.56	883	1	0.38	17	630	189	0.29	54	199	0.28
B363204		109	2.74	0.17	3.41	0.69	1090	2	0.04	21	590	311	0.58	90	126	0.27
B363205		521	3.47	0.09	3.54	0.93	796	2	0.60	21	690	251	1.03	80	297	0.29
B363206		108	3.00	0.01	3.78	1.09	339	3	1.26	29	670	25	0.29	17	467	0.31
B363207		106	2.65	0.01	3.90	0.91	237	20	1.26	19	650	24	0.38	6	450	0.30
B363208		30	2.54	0.01	3.64	0.96	340	1	1.48	20	680	28	0.13	11	460	0.32
B363209																
B363210		95	4.68	0.01	3.24	2.76	974	12	2.10	64	2190	34	0.28	<5	1520	0.35
B363211		106	2.64	<0.01	3.86	0.87	228	2	1.31	16	610	28	0.44	9	409	0.28
B363212		39	2.51	<0.01	3.84	0.90	292	2	1.64	18	610	31	0.17	<5	491	0.29
B363213		35	2.20	<0.01	3.58	0.77	236	1	1.65	17	570	25	0.16	<5	460	0.27
B363214		72	2.50	0.01	3.73	0.94	315	5	1.44	20	600	20	0.19	15	470	0.31
B363215		20	2.35	0.01	3.14	0.91	346	<1	1.54	21	590	20	0.07	18	503	0.31
B363216		<1	0.15	<0.01	0.03	10.90	140	<1	0.01	3	410	<2	0.02	<5	100	0.01
B363217		20	2.23	0.01	3.41	0.92	324	<1	1.59	16	560	18	0.08	11	471	0.28
B363218		29	2.36	0.01	3.51	0.89	257	1	1.73	18	590	18	0.14	<5	517	0.31
B363219		25	2.39	0.01	3.79	1.08	322	1	1.68	15	560	25	0.10	<5	496	0.28
B363220		26	2.76	0.01	3.53	1.18	413	1	1.70	18	660	22	0.12	<5	528	0.31

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B382681		94	10	78
B382682		98	10	78
B382683		86	20	71
B382684		45	20	70
B382685		33	10	74
B382686		37	20	51
B382687		41	30	29
B382688		54	10	49
B382689				
B382690		104	10	18
B382691		40	10	28
B382692		43	10	44
B382693		47	10	34
B382694		48	10	34
B382695		61	20	37
B382696		3	<10	7
B382697		59	20	45
B382698		41	20	127
B382699		37	30	2190
B382700		40	20	1085
B363201		42	10	619
B363202		39	10	579
B363203		44	10	416
B363204		42	30	1430
B363205		45	20	2140
B363206		47	20	41
B363207		43	70	32
B363208		44	10	32
B363209				
B363210		158	<10	93
B363211		39	40	27
B363212		39	10	40
B363213		36	<10	29
B363214		41	10	33
B363215		41	<10	42
B363216		3	<10	7
B363217		39	<10	37
B363218		41	20	32
B363219		45	10	44
B363220		54	<10	55

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B363221		1.68	0.016				<0.5	7.23	16	1310	3.0	<2	2.28	<0.5	8	36
B363222		1.54	0.077				<0.5	6.36	78	1280	2.7	2	2.29	<0.5	7	39
B363223		2.48	0.042				<0.5	6.81	16	1170	2.9	2	2.01	<0.5	8	34
B363224		4.18	0.024				<0.5	6.63	27	1420	3.1	2	2.86	<0.5	12	54
B363225		5.42	0.076				<0.5	7.29	19	1410	3.0	<2	2.70	<0.5	9	40
B363226		4.76	0.200				<0.5	6.75	48	1390	2.7	6	1.83	<0.5	9	30
B363227		5.22	0.261				<0.5	6.65	26	1300	2.9	15	1.71	<0.5	7	35
B363228		2.08	0.891				<0.5	6.51	96	1120	2.8	33	2.65	<0.5	11	43
B363229		0.28	0.992													
B363230		0.10	1.340				<0.5	6.54	1215	650	5.7	<2	0.02	<0.5	4	202
B363231		2.92	0.308				<0.5	6.74	52	1310	2.9	7	2.38	<0.5	7	40
B363232		6.18	0.037				<0.5	7.34	108	1390	2.9	2	2.57	<0.5	9	50
B363233		5.64	0.079				<0.5	7.03	32	1360	2.9	4	2.36	<0.5	8	43
B363234		5.44	0.636				<0.5	6.45	129	1310	2.8	19	2.33	<0.5	11	45
B363235		5.14	1.760				<0.5	6.56	74	1270	2.5	60	2.70	<0.5	9	44
B363236		1.46	0.005				<0.5	0.12	<5	20	<0.5	<2	19.20	<0.5	<1	1
B363237		2.92	0.016				<0.5	6.83	22	1400	2.9	<2	2.95	<0.5	8	37
B363238		2.22	0.063				<0.5	6.37	28	1280	2.3	3	3.94	<0.5	7	32
B363239		4.18	0.076				<0.5	6.78	460	1320	2.6	3	2.54	<0.5	10	35
B363240		4.04	0.404				<0.5	7.51	93	1530	2.7	14	2.37	<0.5	9	38
B363241		2.32	0.078				<0.5	7.02	53	1300	2.6	2	2.01	<0.5	7	32
B363242		2.20	0.076				<0.5	7.13	150	1350	2.7	8	2.26	<0.5	9	32
B363243		1.56	0.053				<0.5	7.24	72	1280	2.2	3	3.98	<0.5	9	30
B363244		3.02	0.163				<0.5	6.69	84	1330	2.3	5	3.94	<0.5	7	29
B363245		3.72	0.221				<0.5	7.27	72	1490	3.0	12	2.30	<0.5	8	35
B363246		5.18	0.156				<0.5	7.20	89	1450	2.9	8	2.32	<0.5	9	35
B363247		4.80	0.067				<0.5	6.54	40	1320	2.9	3	2.23	<0.5	8	32
B363248		4.72	0.024				<0.5	6.95	36	1410	2.7	<2	2.32	<0.5	7	32
B363249		0.04	0.043													
B363250		0.10	2.81				<0.5	7.16	2010	700	12.1	<2	0.02	<0.5	<1	137
B363251		5.20	0.060				<0.5	7.13	798	1430	2.4	4	2.65	<0.5	9	32
B363252		3.34	0.067				<0.5	7.40	78	1430	2.7	3	2.65	<0.5	7	46
B363253		3.66	0.058				<0.5	6.70	66	1390	2.6	<2	2.87	<0.5	8	40
B363254		1.90	0.026				<0.5	6.31	42	1290	2.7	<2	3.52	<0.5	7	28
B363255		1.84	0.022				<0.5	7.41	13	1450	2.8	<2	2.60	<0.5	7	31
B363256		0.96	<0.005				<0.5	0.14	<5	20	<0.5	<2	19.15	<0.5	<1	1
B363257		5.60	0.040				<0.5	7.27	64	1310	2.9	<2	2.37	<0.5	7	28
B363258		5.30	0.027				<0.5	6.92	109	1460	3.0	<2	2.53	<0.5	8	37
B363259		6.14	0.017				<0.5	7.29	63	1460	3.0	<2	2.66	<0.5	9	32
B363260		5.64	0.063				<0.5	7.54	50	1490	2.9	<2	2.77	<0.5	8	34

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B363221		16	2.55	0.01	3.51	1.02	361	<1	1.74	17	610	23	0.08	<5	499	0.30
B363222		33	2.57	0.01	3.73	0.94	349	7	1.64	19	600	24	0.15	<5	458	0.28
B363223		35	2.25	0.01	4.02	0.87	265	<1	1.55	20	550	25	0.14	<5	451	0.26
B363224		30	2.79	0.01	3.77	1.08	366	2	1.64	32	780	23	0.11	16	609	0.34
B363225		49	2.56	0.01	3.71	1.00	282	1	1.65	24	690	21	0.14	7	568	0.32
B363226		59	2.42	0.01	3.77	0.95	191	2	1.70	18	600	20	0.24	6	479	0.31
B363227		49	2.31	0.01	4.16	1.00	242	<1	1.73	13	560	21	0.13	<5	483	0.27
B363228		37	2.54	0.02	3.23	1.28	314	<1	1.34	13	590	18	0.18	14	525	0.30
B363229																
B363230		36	3.51	0.05	2.65	0.33	83	1	0.11	18	290	22	0.01	108	88	0.24
B363231		34	2.56	0.01	3.56	1.10	327	1	1.73	14	650	23	0.14	<5	554	0.32
B363232		27	2.70	<0.01	3.56	1.22	364	2	1.70	14	670	21	0.12	<5	567	0.33
B363233		30	2.53	<0.01	3.62	1.16	313	1	1.78	12	640	17	0.10	<5	567	0.31
B363234		41	2.64	0.01	3.69	1.06	287	2	1.70	13	590	21	0.17	<5	543	0.30
B363235		61	2.78	<0.01	3.81	0.99	368	4	1.82	13	590	24	0.18	<5	482	0.29
B363236		<1	0.11	<0.01	0.04	11.55	165	<1	0.02	1	440	<2	0.01	<5	114	<0.01
B363237		12	2.47	0.01	3.39	0.93	408	<1	1.90	16	620	25	0.04	5	547	0.31
B363238		22	2.19	0.01	3.45	0.78	457	1	1.51	14	600	26	0.08	<5	493	0.29
B363239		20	2.30	0.01	3.42	0.85	337	1	1.50	17	620	26	0.09	6	457	0.32
B363240		57	2.65	0.01	4.25	0.89	316	<1	1.52	18	670	24	0.20	<5	493	0.33
B363241		38	2.46	0.01	3.52	0.82	305	<1	1.56	16	600	23	0.07	6	423	0.28
B363242		49	2.43	0.01	3.89	0.82	317	<1	1.58	16	590	25	0.09	5	437	0.30
B363243		45	2.34	0.02	3.32	0.93	368	1	1.60	14	590	17	0.07	12	547	0.29
B363244		27	2.16	0.02	3.32	0.78	384	<1	1.53	15	610	21	0.05	11	507	0.29
B363245		20	2.58	0.02	3.21	0.89	329	1	1.81	18	650	24	0.07	<5	504	0.32
B363246		60	2.60	0.01	4.27	0.85	297	1	1.62	17	640	27	0.20	<5	457	0.31
B363247		47	2.42	0.01	3.53	0.81	273	2	1.71	16	580	23	0.16	<5	466	0.30
B363248		36	2.42	0.01	3.34	0.86	279	<1	1.61	19	640	20	0.13	<5	469	0.31
B363249																
B363250		96	3.26	0.08	3.10	0.37	66	2	0.09	9	300	26	0.02	145	138	0.22
B363251		43	2.32	0.02	3.50	0.79	294	1	1.65	19	630	20	0.11	8	448	0.31
B363252		41	2.46	0.02	3.69	0.85	326	1	1.67	30	640	29	0.08	7	466	0.31
B363253		43	2.41	0.02	3.38	0.87	315	<1	1.74	24	630	26	0.08	7	466	0.31
B363254		21	2.50	0.02	3.12	0.90	353	<1	1.62	16	580	24	0.05	12	504	0.30
B363255		44	2.58	0.02	3.47	0.90	282	<1	1.67	16	650	23	0.13	6	504	0.32
B363256		<1	0.12	<0.01	0.04	11.75	139	<1	0.02	2	410	3	0.01	<5	106	<0.01
B363257		23	2.25	0.02	3.61	0.86	303	1	1.63	14	580	29	0.06	9	447	0.29
B363258		28	2.51	0.02	3.53	0.90	309	<1	1.68	19	660	22	0.09	7	498	0.33
B363259		29	2.47	0.02	3.49	0.89	314	3	1.61	18	650	23	0.09	<5	491	0.32
B363260		41	2.51	0.01	3.81	0.88	320	2	1.84	18	650	34	0.14	<5	534	0.33

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B363221		47	<10	55
B363222		46	10	49
B363223		42	<10	43
B363224		63	<10	53
B363225		51	10	36
B363226		43	40	23
B363227		44	10	28
B363228		52	20	37
B363229				
B363230		91	10	44
B363231		51	10	46
B363232		55	10	46
B363233		53	10	38
B363234		52	<10	37
B363235		52	130	46
B363236		2	<10	7
B363237		50	<10	63
B363238		45	10	56
B363239		47	10	63
B363240		49	10	60
B363241		41	10	53
B363242		43	10	53
B363243		43	20	43
B363244		41	20	48
B363245		46	10	55
B363246		43	10	48
B363247		43	10	45
B363248		43	10	44
B363249				
B363250		102	10	16
B363251		43	20	44
B363252		44	20	58
B363253		46	20	48
B363254		42	20	54
B363255		43	20	42
B363256		2	<10	7
B363257		39	20	53
B363258		46	10	56
B363259		45	20	49
B363260		44	10	63

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B363261		2.64	0.065				<0.5	7.43	110	1530	2.9	2	2.46	<0.5	9	34
B363262		3.00	0.283				0.8	6.93	218	1450	2.7	10	2.56	1.1	14	34
B363263		6.00	0.032				<0.5	7.09	121	1510	2.9	<2	2.42	<0.5	8	59
B363264		5.28	0.069				<0.5	6.95	249	1320	2.5	3	1.68	<0.5	8	35
B363265		3.12	0.041				<0.5	6.96	166	1440	3.0	<2	2.18	<0.5	7	34
B363266		4.48	0.097				<0.5	6.55	271	1340	3.0	2	3.06	<0.5	9	40
B363267		4.06	0.092				<0.5	6.53	251	1210	3.1	4	2.50	<0.5	10	48
B363268		5.44	0.052				<0.5	6.87	31	1120	3.1	2	2.59	<0.5	8	47
B363269		0.04	0.049													
B363270		0.12	2.80				<0.5	6.94	2030	690	12.0	<2	0.02	<0.5	1	136
B363271		6.04	1.580				<0.5	6.79	2770	1100	2.7	9	2.81	<0.5	16	46
B363272		6.12	1.130				<0.5	7.54	650	1230	2.9	6	2.64	<0.5	9	51
B363273		6.06	0.057				<0.5	6.99	127	1210	2.8	2	2.54	<0.5	10	59
B363274		5.82	0.087				<0.5	7.13	112	1520	3.2	6	2.79	<0.5	10	49
B363275		6.50	0.163				<0.5	6.85	242	1230	2.8	7	2.71	<0.5	12	49
B363276		1.00	<0.005				<0.5	0.11	<5	20	<0.5	<2	19.10	<0.5	<1	<1
B363277		4.84	0.044				<0.5	7.30	108	1280	2.9	5	2.67	<0.5	9	49
B363278		4.40	0.154				<0.5	7.60	86	1220	3.0	5	2.75	<0.5	10	52
B363279		6.16	0.081				2.1	7.14	166	580	2.4	5	4.06	1.4	10	45
B363280		3.16	0.026				1.2	7.38	154	1020	2.8	<2	2.87	2.8	10	50
B363281		2.12	0.152				0.5	7.91	67	1310	3.1	5	2.71	<0.5	11	57
B363282		1.92	0.031				<0.5	7.39	65	1300	3.1	<2	2.26	<0.5	10	54
B363283		5.42	0.033				<0.5	6.50	194	1260	2.7	<2	2.76	<0.5	10	61
B363284		5.26	0.028				<0.5	7.47	197	1410	2.7	2	2.53	<0.5	9	48
B363285		5.84	0.135				1.3	6.65	161	1190	2.6	7	2.37	1.1	8	41
B363286		Not Recvd														
B363287		6.56	0.092				1.3	7.26	475	1270	2.5	7	2.71	4.9	11	42
B363288		5.46	0.128				<0.5	6.99	64	1220	2.8	8	2.36	<0.5	10	38
B363289		0.04	0.185													
B363290		0.10	2.98				<0.5	6.86	8	2040	3.2	<2	4.65	<0.5	23	134
B363291		5.16	0.020				<0.5	6.38	14	1310	3.0	<2	2.32	<0.5	10	45
B363292		5.58	0.117				<0.5	6.37	30	1320	3.0	6	2.19	<0.5	8	43
B363293		6.14	0.474				<0.5	6.67	74	1370	3.0	6	2.25	<0.5	10	44
B363294		1.90	0.253				<0.5	6.77	236	1150	2.9	17	1.76	<0.5	8	32
B363295		5.32	0.155				0.5	6.57	152	1080	2.7	9	1.84	<0.5	10	32
B363296		1.62	<0.005				<0.5	0.12	<5	10	<0.5	<2	17.70	<0.5	<1	2
B363297		2.60	0.165				<0.5	6.65	97	1190	2.4	5	2.39	<0.5	9	47
B363298		2.74	0.440				<0.5	6.91	40	1290	2.6	5	2.34	<0.5	9	102
B363299		3.20	0.116				1.3	7.01	66	840	2.6	8	2.60	1.0	7	44
B363300		5.52	0.137				<0.5	6.50	45	1280	2.6	5	2.39	<0.5	8	51

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B363261		31	2.62	0.02	3.43	0.95	317	106	1.56	20	650	34	0.15	10	464	0.32
B363262		80	2.58	0.02	3.40	0.89	317	52	1.43	17	610	80	0.25	15	419	0.29
B363263		50	2.40	0.01	3.76	0.88	283	1	1.77	48	630	24	0.17	6	503	0.31
B363264		42	2.28	0.01	3.58	0.87	240	1	1.65	21	570	20	0.11	5	442	0.28
B363265		38	2.37	0.01	3.56	0.90	250	1	1.97	17	630	19	0.18	<5	572	0.31
B363266		54	2.44	0.01	3.63	0.91	300	1	1.73	16	610	15	0.25	<5	523	0.30
B363267		44	2.63	<0.01	3.74	1.16	348	2	1.69	17	630	19	0.19	<5	479	0.31
B363268		30	2.70	<0.01	3.48	1.26	396	2	1.67	18	740	18	0.13	<5	467	0.30
B363269																
B363270		97	3.23	0.08	3.10	0.36	65	2	0.09	10	310	26	0.02	145	136	0.22
B363271		29	2.69	0.01	3.46	1.06	364	<1	1.46	18	580	44	0.29	9	431	0.29
B363272		27	2.92	0.01	3.65	1.18	407	2	1.59	20	640	43	0.18	11	451	0.32
B363273		28	2.79	0.01	3.87	1.26	412	2	1.67	20	670	18	0.13	<5	481	0.33
B363274		24	3.01	0.01	3.40	1.19	405	1	1.78	23	730	17	0.12	<5	566	0.37
B363275		63	3.07	<0.01	3.79	1.24	403	1	1.61	24	640	17	0.34	<5	484	0.33
B363276		<1	0.12	<0.01	0.04	11.70	140	<1	0.02	3	470	<2	0.01	<5	110	<0.01
B363277		48	2.87	<0.01	3.99	1.32	389	1	1.69	19	670	17	0.27	<5	506	0.34
B363278		27	3.01	<0.01	3.88	1.43	462	1	1.63	23	650	24	0.16	5	475	0.35
B363279		62	2.57	0.03	3.17	0.72	1165	1	0.25	21	630	340	0.74	79	177	0.29
B363280		32	2.94	0.04	3.76	0.91	692	12	0.83	19	660	238	0.69	16	298	0.32
B363281		26	3.52	0.01	3.75	1.32	554	3	1.47	21	700	29	0.40	11	446	0.35
B363282		19	3.67	<0.01	3.79	1.30	506	2	1.44	20	700	16	0.28	13	405	0.35
B363283		33	2.75	0.01	3.83	1.14	503	<1	1.35	30	640	38	0.22	8	416	0.32
B363284		26	2.67	0.01	3.77	1.21	437	2	1.50	19	660	33	0.17	6	471	0.32
B363285		60	2.58	0.02	3.76	0.87	471	7	0.85	16	590	218	0.43	14	289	0.28
B363286																
B363287		67	2.76	0.07	4.21	1.02	590	1	1.09	16	650	196	0.34	33	371	0.31
B363288		37	2.47	<0.01	3.52	0.95	381	5	1.35	14	570	36	0.22	<5	436	0.28
B363289																
B363290		94	4.99	0.01	3.34	2.90	1010	12	2.18	65	2230	24	0.28	<5	1625	0.36
B363291		30	2.54	0.01	3.41	1.02	389	1	1.51	15	570	27	0.12	6	467	0.29
B363292		42	2.56	0.01	3.49	1.02	343	<1	1.50	15	570	24	0.16	5	480	0.29
B363293		47	2.53	<0.01	3.74	0.97	295	1	1.55	19	590	24	0.20	<5	501	0.30
B363294		64	2.24	0.01	4.13	0.77	197	<1	1.29	11	470	30	0.25	7	373	0.23
B363295		49	2.97	0.01	3.47	0.67	256	2	1.02	16	480	57	1.33	19	296	0.23
B363296		1	0.10	<0.01	0.03	10.65	126	<1	0.01	3	420	2	<0.01	<5	99	<0.01
B363297		44	2.94	0.01	3.37	1.51	404	4	0.98	14	570	28	0.14	23	365	0.26
B363298		66	2.61	0.01	3.32	1.16	345	<1	1.38	77	600	23	0.17	12	446	0.29
B363299		103	2.80	0.02	3.57	0.72	451	1	0.35	13	610	131	1.00	19	188	0.26
B363300		90	2.51	0.01	3.74	1.08	283	3	1.33	13	610	11	0.33	10	435	0.28

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B363261		47	10	83
B363262		43	30	204
B363263		44	10	52
B363264		40	20	35
B363265		44	10	30
B363266		48	20	30
B363267		55	20	38
B363268		53	370	44
B363269				
B363270		102	10	16
B363271		52	10	63
B363272		57	10	57
B363273		61	10	45
B363274		57	10	46
B363275		55	20	45
B363276		2	<10	7
B363277		57	20	37
B363278		61	<10	46
B363279		54	60	290
B363280		58	20	457
B363281		62	70	56
B363282		62	20	49
B363283		58	10	70
B363284		54	10	60
B363285		49	60	215
B363286				
B363287		51	40	843
B363288		45	10	65
B363289				
B363290		166	<10	95
B363291		49	20	60
B363292		46	<10	51
B363293		46	30	46
B363294		35	60	30
B363295		37	10	52
B363296		2	<10	7
B363297		52	10	53
B363298		51	30	39
B363299		47	30	156
B363300		50	70	27

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B363301		2.24	0.105				<0.5	7.12	48	1330	2.8	5	2.56	<0.5	10	87
B363302		2.60	0.102				<0.5	7.25	50	1370	2.8	11	2.59	<0.5	11	57
B363303		2.96	0.059				<0.5	7.30	93	1280	2.8	4	2.62	<0.5	8	56
B363304		5.48	0.058				0.7	6.98	206	850	2.8	3	2.65	0.6	7	47
B363305		4.62	0.081				2.1	6.52	329	830	2.6	5	2.22	0.7	7	40
B363306		6.30	0.077				2.1	6.80	226	1020	2.6	4	2.63	2.6	8	61
B363307		4.54	0.100				1.3	6.42	81	890	2.4	2	2.75	1.4	5	40
B363308		5.64	0.087				0.5	6.91	65	1030	2.5	8	2.71	1.1	8	58
B363309		0.04	0.081													
B363310		0.12	1.360				<0.5	6.59	1185	640	5.8	<2	0.01	<0.5	4	195
B363311		3.60	0.052				<0.5	6.81	63	1340	2.5	2	2.72	<0.5	7	58
B363312		5.66	0.071				<0.5	6.93	74	1410	2.6	4	2.43	<0.5	9	48
B363313		5.62	0.076				<0.5	6.67	78	1340	2.7	3	2.45	<0.5	8	74
B363314		5.30	0.100				<0.5	7.04	114	870	2.6	4	3.21	<0.5	8	50
B363315		5.70	0.052				1.9	7.35	41	1270	2.7	<2	2.84	0.9	8	64
B363316		1.94	0.006				<0.5	0.14	<5	30	<0.5	<2	18.50	<0.5	<1	3
B363317		5.54	0.056				<0.5	6.79	73	1200	2.6	<2	2.66	<0.5	8	59
B363318		5.34	0.057				<0.5	6.37	309	1330	2.7	2	2.23	<0.5	8	57
B363319		4.82	0.119				<0.5	6.66	17	1290	2.5	6	2.26	<0.5	7	40
B363320		4.62	0.745				<0.5	7.24	28	1380	2.7	24	2.44	<0.5	8	58
B363321		2.96	0.149				<0.5	6.94	16	1480	2.9	6	2.41	<0.5	9	48
B363322		2.74	0.197				<0.5	7.27	12	1410	2.8	17	2.39	<0.5	9	57
B363323		4.78	0.353				<0.5	6.39	16	1370	2.7	21	2.77	<0.5	9	44

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B363301		41	2.70	0.01	3.30	1.16	399	2	1.44	53	590	18	0.12	9	485	0.29
B363302		28	2.84	0.01	3.39	1.21	398	1	1.45	13	600	18	0.16	12	488	0.29
B363303		61	2.97	0.01	3.61	1.14	457	<1	1.09	13	590	53	0.42	15	396	0.28
B363304		78	2.87	0.02	3.57	1.07	443	8	0.64	14	600	62	0.64	26	272	0.26
B363305		87	3.91	0.01	3.67	0.93	435	6	0.26	14	540	140	1.92	29	183	0.22
B363306		37	2.64	0.05	3.78	0.99	893	14	0.28	12	600	351	0.33	34	224	0.26
B363307		72	2.46	0.03	3.49	1.00	748	2	0.39	14	560	160	0.32	26	251	0.25
B363308		55	2.59	0.02	3.36	0.94	459	2	0.81	32	560	119	0.47	23	283	0.25
B363309																
B363310		36	3.51	0.06	2.64	0.33	83	2	0.10	18	290	23	0.01	107	87	0.24
B363311		40	2.54	0.01	3.53	1.07	337	<1	1.26	12	600	22	0.13	14	425	0.27
B363312		46	2.66	0.01	3.63	1.22	374	1	1.38	16	620	23	0.20	9	446	0.30
B363313		35	2.62	0.01	3.50	1.20	446	2	1.50	18	630	23	0.18	5	482	0.29
B363314		50	2.74	0.02	3.14	1.09	417	1	1.05	13	570	33	0.46	9	336	0.26
B363315		41	2.90	0.02	3.40	1.22	388	5	1.29	14	650	56	0.38	9	415	0.29
B363316		<1	0.10	<0.01	0.06	11.30	130	<1	0.02	4	420	3	0.02	<5	106	0.01
B363317		52	2.43	0.01	3.43	0.96	388	2	1.24	17	610	45	0.26	11	373	0.30
B363318		33	2.47	0.01	3.36	1.03	327	1	1.45	12	580	28	0.23	<5	478	0.29
B363319		44	2.43	0.01	3.43	1.04	300	1	1.45	12	570	23	0.16	5	481	0.28
B363320		60	2.58	0.01	3.56	1.05	276	<1	1.54	15	610	20	0.24	<5	535	0.29
B363321		50	2.76	<0.01	3.64	1.15	315	2	1.63	17	660	20	0.22	<5	583	0.33
B363322		41	2.59	<0.01	3.39	1.12	295	1	1.55	14	610	22	0.20	<5	566	0.30
B363323		39	2.54	<0.01	3.40	1.03	346	1	1.61	14	610	27	0.18	<5	545	0.31

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05067826

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	V	W	Zn
	Units	ppm	ppm	ppm
	LOR	1	10	2
B363301		56	10	49
B363302		58	10	47
B363303		56	10	84
B363304		49	20	132
B363305		43	40	150
B363306		51	40	454
B363307		44	20	266
B363308		48	70	206
B363309				
B363310		88	10	42
B363311		52	20	37
B363312		56	50	39
B363313		58	30	47
B363314		54	30	83
B363315		55	20	174
B363316		2	<10	10
B363317		51	20	83
B363318		52	10	54
B363319		46	10	41
B363320		48	20	36
B363321		54	10	42
B363322		50	10	37
B363323		50	10	38

Comments: Additional Au-AA23 data for sample B363289 are as follows: 0.098 ppm, 0.238 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da)-AUG-2005
Account: STRGOL

CERTIFICATE VA05069644

Project: Dublin Gulch-1735

P.O. No.:

This report is for 3 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 21-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05069644

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381385		5.52	<0.005	<0.5	7.37	29	650	1.9	2	1.40	<0.5	9	74	41	3.43	0.01
B381386		4.78	0.073	<0.5	5.94	94	600	1.4	2	0.73	<0.5	9	43	42	2.30	0.01
B381387		4.16	0.009	4.0	7.21	38	700	2.2	3	2.57	30.7	13	68	61	3.97	0.40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 30-AUG-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05069644

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381385		2.82	1.29	502	1	0.11	26	330	<2	0.56	5	66	0.26	66	<10	29
B381386		2.52	0.74	251	<1	0.26	20	310	4	0.34	11	65	0.20	50	<10	17
B381387		2.73	1.24	2340	1	0.05	40	520	843	0.97	79	108	0.29	80	<10	4270

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 7-SEP-2005
Account: STRGOL

CERTIFICATE VA05070461

Project: Dublin Gulch-1735

P.O. No.:

This report is for 129 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B363424		5.86	0.023			<0.5	7.53	81	1550	3.2	<2	2.43	<0.5	8	27	32
B363425		5.54	0.065			<0.5	7.17	192	1520	2.9	<2	2.33	<0.5	8	29	47
B363426		6.18	0.058			<0.5	7.72	106	1520	3.1	2	2.40	<0.5	8	31	43
B363427		5.70	0.218			<0.5	7.10	51	1100	3.4	2	1.77	<0.5	7	21	17
B363428		5.12	0.112			<0.5	7.02	147	1340	2.6	24	2.16	<0.5	6	29	41
B363429		0.04	0.098													
B363430		0.10	1.545			<0.5	7.17	1310	720	6.0	<2	0.01	<0.5	4	226	41
B363431		5.20	0.026			<0.5	7.33	117	1360	3.4	<2	2.28	<0.5	6	26	51
B363432		5.16	1.835	0.228	0.246	<0.5	7.47	57	1480	3.2	22	2.30	<0.5	8	31	47
B363433		5.42	0.831	0.656	0.474	<0.5	6.88	298	1420	2.9	46	2.08	<0.5	10	26	69
B363434		1.24	2.55			3.8	6.50	4940	260	2.5	90	2.18	<0.5	14	26	174
B363435		2.06	0.008			<0.5	7.43	20	1440	3.3	<2	1.96	<0.5	6	31	19
B363436		0.94	<0.005			<0.5	0.12	11	10	<0.5	<2	19.15	<0.5	<1	2	2
B363437		2.96	0.035			<0.5	7.61	121	1440	2.9	<2	2.42	<0.5	8	29	30
B363438		4.30	0.199			<0.5	6.89	324	1120	2.6	9	3.42	<0.5	8	26	64
B363439		5.60	0.057			<0.5	7.36	151	1440	3.0	3	2.97	<0.5	8	36	50
B363440		5.28	0.020			<0.5	6.88	51	1420	3.1	2	2.81	<0.5	10	50	44
B363441		2.28	0.054			<0.5	7.35	68	1320	3.0	<2	3.10	<0.5	7	39	38
B363442		2.12	0.082			<0.5	7.41	188	1330	3.0	10	2.91	<0.5	10	58	54
B363443		5.16	0.025			<0.5	7.06	21	1250	2.8	<2	3.15	<0.5	9	95	23
B363444		4.98	0.062			<0.5	6.10	20	1240	2.6	8	2.53	<0.5	9	65	33
B363445		4.88	0.203			<0.5	7.34	678	1260	2.9	6	2.73	<0.5	8	96	31
B363446		5.84	0.012			<0.5	7.36	54	1350	3.0	<2	2.94	<0.5	8	65	14
B363447		5.34	0.046			<0.5	7.25	95	1400	2.9	2	2.77	<0.5	11	107	33
B363448		5.44	0.015			<0.5	7.26	157	1360	3.0	<2	3 07	<0.5	8	65	19
B363449		0.04	0.016													
B363450		0.10	3.12			0.7	6.82	6	2020	3.3	<2	4.67	<0.5	24	148	95
B363451		5.06	2.38			1.2	7.52	3320	1380	2.5	87	2.28	<0.5	17	69	72
B363452		4.84	0.160			1.0	7.30	158	1400	2.6	13	2.36	1.9	7	93	100
B363453		4.82	0.104			<0.5	7.41	106	1600	2.8	3	2.46	<0.5	13	71	88
B363454		4.68	0.058			<0.5	7.59	25	1620	2.9	3	2.62	<0.5	10	198	89
B363455		5.04	0.103			<0.5	7.67	162	1630	2.9	8	2.71	<0.5	9	61	98
B363456		0.98	<0.005			<0.5	0.16	<5	20	<0.5	<2	19.00	<0.5	<1	5	1
B363457		5.40	0.074			<0.5	7.38	213	1590	2.8	5	2.50	<0.5	13	37	99
B363458		2.14	0.053			<0.5	7.43	51	1690	2.9	<2	2.73	<0.5	7	55	48
B363459		3.14	0.018			0.7	7.04	61	680	2.8	<2	3.52	10.1	4	29	60
B363460		4.96	0.011			0.6	7.14	63	1100	2.7	<2	2.70	1.5	5	53	37
B363461		2.74	0.033			<0.5	6.95	67	1510	2.7	<2	2.38	<0.5	4	28	42
B363462		2.80	0.028			<0.5	7.07	47	1490	2.8	<2	2.61	<0.5	5	49	46
B363463		5.10	0.059			<0.5	7.05	98	1560	2.7	<2	2.28	<0.5	6	30	52

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B363424		2.50	<0.01	3.65	0.83	278	1	1.86	22	640	25	0.15	<5	505	0.31	38
B363425		2.47	<0.01	3.62	0.82	232	2	1.70	21	620	21	0.25	<5	452	0.30	37
B363426		2.47	<0.01	3.64	0.83	286	3	1.66	22	650	23	0.23	9	444	0.32	39
B363427		1.90	<0.01	3.84	0.58	216	2	1.62	18	460	31	0.11	<5	358	0.23	28
B363428		2.18	<0.01	3.55	0.75	225	6	1.54	19	550	20	0.19	5	437	0.26	33
B363429																
B363430		3.85	0.07	2.85	0.37	92	2	0.11	21	320	26	0.02	116	93	0.24	95
B363431		2.26	0.01	3.73	0.74	196	1	1.90	18	570	30	0.22	<5	473	0.28	34
B363432		2.49	0.01	3.68	0.87	241	3	1.80	19	640	24	0.24	6	471	0.31	38
B363433		2.22	0.01	4.22	0.66	226	2	1.43	25	550	42	0.33	18	387	0.26	32
B363434		4.09	0.01	3.20	0.51	257	9	0.96	23	450	247	2.71	61	267	0.21	27
B363435		2.31	0.03	3.67	0.80	286	1	1.86	21	590	26	0.08	8	444	0.29	35
B363436		0.10	<0.01	0.04	11.45	154	<1	0.02	3	470	<2	0.01	<5	106	<0.01	2
B363437		2.40	0.02	3.76	0.88	313	2	1.74	18	620	25	0.08	13	447	0.30	37
B363438		2.02	0.01	3.71	0.66	299	2	1.31	15	520	46	0.27	15	373	0.24	30
B363439		2.62	0.01	3.80	1.04	338	1	1.66	14	610	24	0.18	8	505	0.29	45
B363440		2.91	0.01	3.49	1.17	392	2	1.78	16	670	24	0.19	9	473	0.32	57
B363441		2.65	0.01	3.59	1.08	397	<1	1.56	15	620	21	0.16	8	449	0.29	48
B363442		2.73	0.01	3.98	1.08	373	4	1.42	16	620	22	0.32	9	430	0.27	46
B363443		2.66	0.01	3.62	1.10	476	1	1.87	14	630	29	0.09	7	472	0.29	54
B363444		2.57	0.01	3.39	1.04	409	4	1.84	15	590	30	0.08	5	426	0.28	52
B363445		2.81	0.01	3.29	1.16	426	2	1.82	15	630	27	0.16	9	467	0.29	54
B363446		2.75	0.01	3.30	1.14	467	1	2.04	15	660	34	0.06	<5	515	0.30	56
B363447		2.87	0.01	3.43	1.19	426	4	1.84	17	690	29	0.16	<5	508	0.33	61
B363448		2.63	0.01	3.53	1.06	429	1	1.93	16	640	27	0.10	<5	524	0.31	51
B363449																
B363450		4.86	<0.01	3.35	2.88	1000	12	2.33	67	2240	27	0.30	<5	1580	0.36	160
B363451		3.13	<0.01	3.87	1.02	285	11	1.54	19	600	71	0.66	28	428	0.28	46
B363452		2.78	0.03	3.63	1.06	312	9	1.42	20	630	244	0.52	120	403	0.29	49
B363453		2.74	<0.01	3.89	1.08	269	4	1.54	22	700	23	0.38	13	462	0.34	52
B363454		2.73	0.01	4.19	1.06	271	3	1.59	25	750	19	0.40	7	505	0.34	50
B363455		2.73	<0.01	3.95	1.08	241	2	1.74	23	710	18	0.48	<5	548	0.35	49
B363456		0.15	<0.01	0.04	10.55	160	<1	0.02	5	440	2	0.04	<5	109	0.01	1
B363457		2.87	<0.01	3.89	1.06	257	2	1.64	22	670	18	0.49	<5	517	0.34	45
B363458		2.82	<0.01	3.58	1.08	349	<1	1.71	20	710	19	0.29	<5	541	0.34	46
B363459		2.92	0.20	3.42	1.00	1970	1	0.07	15	670	343	0.45	153	140	0.29	40
B363460		2.60	0.04	3.81	0.86	819	1	0.47	18	670	186	0.31	37	189	0.30	38
B363461		2.50	0.01	3.96	0.69	337	2	1.26	20	640	31	0.38	20	341	0.29	37
B363462		2.65	0.01	4.10	0.71	380	1	1.25	19	630	37	0.51	20	334	0.30	37
B363463		2.43	<0.01	3.99	0.86	253	2	1.61	21	630	23	0.24	<5	460	0.31	37

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method	ME-ICP61	ME-ICP61
	Analyte	W	Zn
	Units	ppm	ppm
	LOR	10	2
B363424		10	63
B363425		30	47
B363426		60	66
B363427		40	48
B363428		60	45
B363429			
B363430		10	47
B363431		10	40
B363432		30	40
B363433		40	45
B363434		30	51
B363435		10	54
B363436		<10	7
B363437		20	59
B363438		20	37
B363439		20	38
B363440		20	54
B363441		20	52
B363442		20	46
B363443		20	57
B363444		20	51
B363445		20	50
B363446		10	60
B363447		10	62
B363448		10	56
B363449			
B363450		<10	94
B363451		20	57
B363452		30	458
B363453		30	30
B363454		40	31
B363455		50	24
B363456		10	7
B363457		40	23
B363458		<10	33
B363459		20	1710
B363460		20	330
B363461		130	48
B363462		20	81
B363463		80	29

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B363464		6.22	0.063			<0.5	7.34	39	1540	2.8	<2	2.10	<0.5	7	52	56
B363465		6.02	0.030			<0.5	7.29	49	1540	2.9	<2	2.24	<0.5	7	30	52
B363466		4.92	0.026			<0.5	6.93	28	1630	2.9	<2	2.55	<0.5	6	54	58
B363467		5.50	0.012			<0.5	7.03	18	1560	3.0	<2	2.45	<0.5	5	31	42
B363468		6.02	0.440			<0.5	6.71	28	1450	2.9	<2	2.57	<0.5	7	50	37
B363469		0.04	0.036													
B363470		0.10	0.092			<0.5	6.82	116	590	2.5	<2	0.55	<0.5	61	1230	402
B363471		6.20	0.017			<0.5	7.38	58	1430	3.1	<2	2.26	<0.5	6	30	36
B363472		5.70	0.048			<0.5	7.10	20	1490	2.9	<2	2.31	<0.5	7	52	42
B363473		6.16	0.024			<0.5	6.93	19	1430	2.7	<2	2.63	<0.5	8	30	38
B363474		1.44	0.229			<0.5	6.77	99	1390	3.0	2	2.87	<0.5	5	68	20
B363475		1.62	0.054			<0.5	7.06	129	1440	2.8	<2	2.30	<0.5	8	55	40
B363476		0.72	<0.005			<0.5	0.18	8	30	<0.5	<2	19.30	<0.5	<1	6	1
B363477		3.14	0.152			4.7	7.21	82	860	2.8	<2	2.45	12.7	7	66	67
B363478		7.66	0.026			<0.5	7.59	61	1560	3.0	<2	2.80	<0.5	8	88	27
B363479		3.30	0.347			<0.5	7.89	40	1600	3.6	3	3.97	<0.5	17	85	28
B363480		5.88	0.035			<0.5	7.82	17	1680	3.7	<2	4.02	<0.5	20	96	29
B363481		3.14	0.006			<0.5	8.01	<5	1670	3.6	<2	4.27	<0.5	19	87	30
B363482		3.22	0.019			<0.5	7.80	8	1560	3.4	<2	4.47	<0.5	19	72	48
B363483		1.30	0.023			<0.5	7.46	95	1540	2.9	<2	3.61	<0.5	17	81	20
B363484		4.16	0.547			<0.5	6.96	3770	1340	2.6	<2	2.40	<0.5	30	42	31
B363485		5.58	0.108			<0.5	7.27	68	1560	3.1	3	2.41	<0.5	7	59	45
B363486		5.06	0.015			<0.5	7.34	28	1610	3.1	<2	2.24	<0.5	6	35	47
B363487		6.10	0.046			<0.5	7.15	33	1490	2.9	<2	2.33	<0.5	8	56	44
B363488		5.66	0.073			<0.5	6.94	<5	1410	2.8	<2	2.80	<0.5	8	48	42
B363489		0.04	0.047													
B363490		0.10	1.500			<0.5	6.65	1240	680	5.8	<2	0.01	<0.5	5	220	38
B363491		5.00	0.037			<0.5	6.73	19	1400	2.8	<2	2.70	<0.5	8	83	47
B363492		5.40	0.088			<0.5	6.99	18	1290	2.8	9	2.79	<0.5	8	47	52
B363493		5.72	0.337			<0.5	6.94	12	1330	2.6	48	2.48	<0.5	7	89	40
B363494		5.26	0.033			<0.5	7.10	11	1380	2.8	<2	3.07	<0.5	7	44	48
B363495		5.88	0.101			<0.5	7.40	53	1410	2.7	<2	3.05	<0.5	7	79	36
B363496		0.76	0.049			<0.5	0.14	8	20	<0.5	<2	19.85	<0.5	<1	3	2
B363497		5.60	<0.005			<0.5	6.89	1500	1350	2.6	<2	2.63	<0.5	8	81	30
B363498		5.60	0.062			<0.5	6.79	375	1350	2.7	<2	2.87	<0.5	7	55	23
B363499		3.00	0.045			<0.5	6.85	23	1410	2.6	<2	3.87	<0.5	6	36	22
B363500		3.84	0.051			<0.5	6.62	12	1250	3.1	<2	2.33	<0.5	6	52	28
B363501		1.58	0.032			<0.5	6.73	20	1200	2.8	<2	3.20	<0.5	6	30	16
B363502		1.74	0.028			<0.5	6.58	25	1240	2.8	<2	3.31	<0.5	6	56	21
B363503		4.70	0.015			<0.5	6.98	10	1430	2.9	<2	2.62	<0.5	7	37	27

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B363464		2.55	<0.01	3.83	0.88	247	<1	1.74	20	630	22	0.26	<5	484	0.31	36
B363465		2.48	<0.01	3.69	0.86	246	1	1.76	18	660	20	0.25	<5	505	0.31	37
B363466		2.49	<0.01	3.64	0.87	274	<1	1.72	20	650	22	0.26	<5	512	0.31	37
B363467		2.57	<0.01	3.61	0.84	288	<1	1.76	23	630	28	0.19	<5	500	0.31	38
B363468		2.40	<0.01	3.54	0.81	295	1	1.68	22	600	24	0.18	<5	476	0.30	37
B363469																
B363470		8.76	0.03	2.24	0.59	396	8	0.12	493	320	147	0.02	7	50	0.21	92
B363471		2.43	<0.01	3.96	0.78	289	<1	1.52	21	610	32	0.29	5	380	0.30	36
B363472		2.46	<0.01	3.63	0.87	274	<1	1.79	21	610	20	0.18	<5	504	0.31	37
B363473		2.53	<0.01	3.47	0.91	331	1	1.82	19	650	22	0.22	5	512	0.30	38
B363474		2.49	0.01	3.77	0.91	521	1	1.09	17	620	105	0.19	24	359	0.29	40
B363475		2.61	0.01	3.73	1.06	465	1	1.71	15	650	22	0.13	16	468	0.31	46
B363476		0.16	<0.01	0.07	10.80	176	<1	0.01	2	570	4	0.04	<5	113	0.01	1
B363477		3.15	0.24	3.37	0.83	778	1	0.46	15	670	792	1.35	68	176	0.29	46
B363478		2.86	0.01	3.55	1.18	396	2	1.89	18	700	27	0.18	<5	561	0.35	50
B363479		4.09	<0.01	4.18	2.62	686	3	1.86	53	1040	39	0.08	<5	705	0.37	86
B363480		4.26	<0.01	4.09	2.85	743	2	2.07	58	1160	36	0.05	<5	774	0.40	95
B363481		4.23	<0.01	3.95	2.82	715	1	1.88	56	1140	36	0.07	<5	740	0.39	93
B363482		4.13	<0.01	3.87	2.69	726	<1	1.78	51	1120	37	0.16	<5	708	0.37	90
B363483		3.89	<0.01	4.14	2.52	669	4	1.95	48	1000	33	0.07	<5	675	0.36	84
B363484		2.95	0.01	3.63	1.02	354	5	1.68	17	600	56	0.37	10	384	0.29	46
B363485		2.57	<0.01	3.69	0.94	294	7	1.78	18	620	25	0.20	<5	496	0.31	41
B363486		2.75	<0.01	3.86	1.01	341	2	1.78	21	640	28	0.19	<5	481	0.31	43
B363487		2.69	<0.01	3.61	1.04	322	4	1.90	20	690	23	0.16	<5	520	0.31	44
B363488		2.87	0.01	3.53	1.08	354	4	1.74	17	670	24	0.20	<5	524	0.32	53
B363489																
B363490		3.81	0.06	2.73	0.35	90	1	0.11	19	300	25	0.01	109	89	0.24	88
B363491		2.56	0.02	3.58	1.00	305	3	1.70	19	680	17	0.15	<5	485	0.33	50
B363492		2.76	0.01	3.37	1.10	304	1	1.72	10	690	13	0.18	<5	491	0.34	51
B363493		2.48	0.02	4.21	1.06	287	3	1.63	11	630	21	0.15	<5	484	0.32	48
B363494		2.72	0.01	3.50	1.05	325	9	1.79	15	690	29	0.20	<5	538	0.31	51
B363495		2.78	0.02	3.57	1.12	336	1	1.59	12	690	30	0.19	<5	453	0.32	53
B363496		0.14	<0.01	0.03	11.00	178	<1	0.03	2	450	4	0.02	<5	108	0.01	3
B363497		2.59	0.02	3.31	0.95	335	1	1.47	19	620	37	0.21	7	423	0.29	50
B363498		2.54	0.02	3.26	0.81	412	2	1.45	15	600	30	0.15	8	419	0.29	47
B363499		2.61	0.01	2.95	0.88	379	<1	1.61	16	660	30	0.06	<5	548	0.32	48
B363500		2.21	0.03	3.50	0.70	317	1	1.87	15	550	36	0.06	<5	437	0.26	37
B363501		2.33	0.02	3.26	0.91	346	<1	1.73	17	550	35	0.08	<5	472	0.26	37
B363502		2.32	0.02	3.21	0.92	344	<1	1.75	17	530	32	0.07	5	495	0.26	37
B363503		2.54	0.01	3.27	0.86	348	<1	1.77	16	640	31	0.07	<5	490	0.30	42

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B363464		10	31
B363465		10	29
B363466		10	25
B363467		10	31
B363468		10	36
B363469			
B363470		30	596
B363471		10	58
B363472		20	31
B363473		20	35
B363474		40	116
B363475		10	43
B363476		<10	7
B363477		20	2130
B363478		<10	54
B363479		20	72
B363480		40	78
B363481		20	67
B363482		10	63
B363483		20	60
B363484		20	84
B363485		40	36
B363486		10	42
B363487		30	39
B363488		20	44
B363489			
B363490		10	42
B363491		30	32
B363492		20	28
B363493		20	31
B363494		30	35
B363495		20	41
B363496		<10	6
B363497		30	54
B363498		10	55
B363499		10	64
B363500		10	59
B363501		10	56
B363502		10	55
B363503		10	58

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B363504		3.44	0.076			<0.5	6.95	77	1470	2.6	5	3.21	<0.5	9	58	49
B363505		2.44	0.084			<0.5	6.37	39	1340	2.4	3	3.72	<0.5	6	29	45
B363506		5.28	0.026			<0.5	7.55	20	1600	3.0	2	2.91	<0.5	8	60	27
B363507		5.44	0.033			<0.5	7.80	57	1630	3.2	2	2.91	<0.5	8	36	40
B363508		4.80	0.019			<0.5	7.87	10	1610	3.0	<2	2.76	<0.5	7	59	29
B363509		0.04	0.015													
B363510		0.10	0.427			2.3	9.39	<5	1120	1.1	<2	1.58	<0.5	8	11	7340
B363511		4.56	0.029			<0.5	7.49	18	1570	2.8	3	2.83	<0.5	8	33	29
B363512		1.62	0.031			<0.5	7.21	74	960	2.2	<2	3.04	<0.5	7	62	11
B363513		5.36	0.047			<0.5	6.92	26	1260	2.8	2	2.55	<0.5	7	37	15
B363514		2.98	0.007			<0.5	8.00	22	1580	3.0	<2	3.18	<0.5	8	69	17
B363515		5.68	0.017			<0.5	7.95	8	1670	2.9	<2	2.93	<0.5	8	41	28
B363516		1.10	<0.005			<0.5	0.10	8	20	<0.5	<2	21.7	<0.5	<1	1	2
B363517		6.14	0.009			<0.5	8.16	53	1550	3.0	<2	2.94	<0.5	9	41	24
B363518		5.94	0.098			<0.5	7.57	44	1490	2.7	3	3.07	<0.5	10	48	28
B363519		5.90	0.017			<0.5	7.85	15	1580	2.7	<2	3.17	<0.5	10	77	29
B363520		7.02	0.072			<0.5	7.71	42	1540	3.0	8	2.78	<0.5	8	39	53
B363521		2.68	0.057			<0.5	7.61	30	1460	3.2	5	2.83	<0.5	8	62	39
B363522		3.04	0.037			<0.5	7.52	13	1490	3.2	6	2.79	<0.5	9	35	58
B363523		5.08	0.041			<0.5	7.88	14	1490	3.0	10	2.81	<0.5	8	57	32
B363524		5.80	0.025			<0.5	8.08	26	1560	3.1	7	2.66	<0.5	7	62	37
B363525		6.04	0.035			<0.5	7.58	11	1250	3.5	9	2.54	<0.5	8	44	30
B363526		6.20	0.043			<0.5	7.95	51	1610	3.0	5	2.95	<0.5	8	75	34
B363527		5.36	0.336			<0.5	7.95	348	1490	2.9	36	3.02	<0.5	11	44	42
B363528		5.58	0.019			<0.5	7.70	53	1580	3.0	<2	2.79	<0.5	10	65	37
B363529		Not Recvd														
B363530		Not Recvd														
B363531		Not Recvd														
B363532		Not Recvd														
B363533		Not Recvd														
B363534		4.42	0.016			<0.5	7.81	36	1460	3.2	<2	2.69	<0.5	8	38	41
B363535		4.40	0.011			<0.5	7.56	15	1390	3.2	<2	2.38	<0.5	8	64	22
B363536		0.76	<0.005			<0.5	0.16	12	20	<0.5	<2	21.8	<0.5	<1	2	3
B363537		2.82	0.013			0.5	7.30	27	1570	3.0	3	3.22	<0.5	10	63	39
B363538		6.64	0.005			<0.5	8.05	14	1600	3.2	<2	2.88	<0.5	8	32	37
B363539		6.38	0.012			<0.5	7.68	31	1570	3.0	2	3.17	<0.5	7	68	49
B363540		5.10	0.040			<0.5	7.45	11	1460	2.7	3	2.96	<0.5	10	45	27
B363541		3.12	0.018			<0.5	7.76	28	1450	2.9	3	3.40	<0.5	9	71	26
B363542		2.78	0.009			<0.5	7.50	38	1440	2.8	<2	3.11	<0.5	8	45	17
B363543		6.14	0.015			<0.5	7.80	29	1490	2.9	2	3.29	<0.5	8	46	27

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B363504		2.51	0.01	3.50	0.89	306	1	1.67	20	640	23	0.14	8	504	0.31	43
B363505		2.55	0.01	2.98	0.95	298	9	1.50	17	540	23	0.63	10	474	0.26	36
B363506		2.85	0.01	3.39	1.01	386	<1	1.97	23	710	30	0.07	<5	547	0.36	51
B363507		2.78	<0.01	3.60	1.02	319	3	1.89	21	720	31	0.13	<5	555	0.34	48
B363508		2.76	0.01	3.55	0.99	349	1	1.81	24	640	33	0.09	7	515	0.33	47
B363509																
B363510		3.41	0.03	3.63	1.18	491	1	3.39	10	1930	14	0.25	<5	689	0.34	175
B363511		2.59	0.02	3.75	0.93	360	<1	1.84	20	650	28	0.13	10	475	0.31	46
B363512		2.44	0.01	3.24	0.96	450	<1	2.02	15	540	45	0.03	8	379	0.25	42
B363513		2.52	0.01	3.36	0.93	429	<1	1.60	19	570	75	0.07	<5	402	0.27	48
B363514		3.14	0.01	3.45	1.37	476	<1	2.06	18	730	33	0.07	<5	572	0.34	60
B363515		2.95	<0.01	3.56	1.18	403	<1	1.96	19	770	30	0.11	<5	592	0.35	52
B363516		0.11	<0.01	0.03	11.55	149	<1	0.01	4	510	8	0.01	<5	118	<0.01	2
B363517		2.96	<0.01	3.56	1.25	419	1	2.08	16	690	35	0.10	<5	564	0.34	54
B363518		2.92	<0.01	3.45	1.26	425	<1	1.69	17	690	42	0.12	<5	506	0.32	59
B363519		3.11	<0.01	3.54	1.38	438	1	1.92	15	740	31	0.12	<5	591	0.35	61
B363520		2.86	<0.01	3.61	1.04	334	1	1.81	19	680	31	0.22	6	543	0.32	49
B363521		2.60	<0.01	3.86	0.97	303	2	1.93	19	670	32	0.15	<5	520	0.31	47
B363522		2.68	<0.01	3.88	1.00	292	3	1.92	20	700	31	0.17	<5	519	0.32	49
B363523		2.66	<0.01	3.77	1.01	352	<1	2.06	18	650	36	0.10	<5	527	0.32	46
B363524		2.65	<0.01	3.85	0.97	295	15	1.88	18	670	32	0.16	<5	531	0.31	44
B363525		2.74	<0.01	3.75	1.14	388	1	1.89	16	600	37	0.13	<5	476	0.28	50
B363526		3.19	<0.01	3.62	1.31	410	2	1.94	24	730	32	0.15	<5	560	0.35	60
B363527		2.88	<0.01	3.51	1.02	357	2	1.68	18	680	30	0.20	<5	458	0.32	55
B363528		2.74	<0.01	3.80	0.94	349	<1	1.75	20	670	32	0.18	5	465	0.31	46
B363529																
B363530																
B363531																
B363532																
B363533																
B363534		2.73	<0.01	3.64	0.97	359	<1	1.69	14	650	37	0.16	<5	440	0.31	48
B363535		2.56	<0.01	3.55	0.93	375	1	2.00	17	630	35	0.06	<5	493	0.29	43
B363536		0.13	<0.01	0.05	12.15	158	<1	0.03	4	650	10	0.01	<5	116	0.01	2
B363537		2.80	0.01	3.63	1.03	450	1	1.89	19	660	32	0.12	16	512	0.33	48
B363538		2.74	<0.01	3.52	1.00	337	1	1.91	19	680	27	0.15	<5	564	0.34	47
B363539		2.75	<0.01	3.59	0.98	358	1	1.81	17	680	29	0.20	<5	551	0.33	49
B363540		2.94	<0.01	3.39	1.24	466	1	1.85	14	680	45	0.09	<5	531	0.32	59
B363541		2.87	0.01	3.63	1.11	483	2	1.88	14	690	79	0.09	<5	530	0.31	54
B363542		2.82	<0.01	3.53	1.08	462	1	1.94	15	670	42	0.07	<5	547	0.31	54
B363543		3.01	<0.01	3.53	1.28	476	3	1.93	15	730	37	0.08	<5	563	0.33	60

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method	ME-ICP61	ME-ICP61
	Analyte	W	Zn
	Units	ppm	ppm
	LOR	10	2
B363504		20	38
B363505		30	34
B363506		20	68
B363507		10	51
B363508		10	60
B363509			
B363510		<10	53
B363511		20	54
B363512		20	59
B363513		30	71
B363514		<10	60
B363515		60	61
B363516		<10	6
B363517		<10	59
B363518		10	56
B363519		10	55
B363520		10	49
B363521		10	43
B363522		<10	40
B363523		10	54
B363524		<10	45
B363525		40	53
B363526		10	56
B363527		20	50
B363528		20	47
B363529			
B363530			
B363531			
B363532			
B363533			
B363534		10	65
B363535		10	64
B363536		<10	8
B363537		20	64
B363538		10	50
B363539		20	48
B363540		10	64
B363541		30	106
B363542		10	66
B363543		20	60

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B363544		6.56	0.011			<0.5	8.06	24	1540	2.9	<2	3.10	<0.5	9	78	17
B363545		5.70	1.375			<0.5	7.89	217	1530	3.1	170	3.12	<0.5	14	53	51
B363546		6.50	0.013			<0.5	8.23	71	1550	2.9	<2	3.06	<0.5	9	74	14
B363547		5.78	0.028			<0.5	7.58	42	1550	2.9	2	2.84	<0.5	8	42	47
B363548		3.12	0.122			<0.5	8.01	28	1480	2.9	22	2.69	<0.5	11	82	32
B363549		0.04	0.104													
B363550		0.10	3.31			0.5	7.06	7	2030	3.2	<2	4.61	<0.5	23	136	95
B363551		3.92	0.012			3.1	7.54	12	870	2.9	3	4.11	3.9	7	32	46
B363552		2.00	0.051			0.9	7.65	24	1340	2.7	4	2.55	<0.5	9	69	78

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B363544		3.16	<0.01	3.32	1.40	503	1	1.90	15	730	38	0.06	<5	594	0.33	61
B363545		3.23	<0.01	4.00	1.40	461	2	1.95	15	680	37	0.19	<5	583	0.35	63
B363546		3.06	<0.01	3.46	1.37	492	1	1.88	16	710	31	0.12	<5	595	0.33	59
B363547		2.90	<0.01	3.51	1.17	396	2	1.80	19	690	30	0.21	<5	554	0.32	53
B363548		2.97	<0.01	3.59	1.28	447	<1	1.70	18	700	33	0.14	7	519	0.32	58
B363549																
B363550		4.96	0.01	3.29	2.77	1010	13	2.27	65	2290	29	0.30	<5	1620	0.37	159
B363551		2.54	0.07	3.28	0.66	1085	<1	0.37	16	640	515	0.40	12	169	0.28	49
B363552		2.77	0.01	3.60	0.90	464	<1	1.14	17	640	93	0.36	9	341	0.29	50

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070461

Sample Description	Method	ME-ICP61	ME-ICP61
	Analyte	W	Zn
	Units	ppm	ppm
	LOR	10	2
B363544		<10	61
B363545		20	53
B363546		20	61
B363547		50	49
B363548		10	59
B363549			
B363550		10	96
B363551		20	655
B363552		10	120

Comments: Additional check assays for sample B363548 report 0.079ppm gold and 0.231ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 5-SEP-2005
Account: STRGOL

CERTIFICATE VA05070460

Project: Dublin Gulch-1735

P.O. No.:

This report is for 93 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 22-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070460

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B381388		1.44	<0.005	<0.5	10.15	93	1030	2.5	<2	0.45	<0.5	14	98	19	4.27	0.01
B381389		0.04	0.005													
B381390		0.10	0.142	<0.5	6.97	114	560	2.5	<2	0.51	<0.5	58	1130	389	8.30	0.05
B381391		1.84	0.005	<0.5	4.02	307	340	0.8	<2	0.53	<0.5	4	95	10	1.53	0.01
B381392		2.66	<0.005	<0.5	3.32	110	220	0.7	<2	0.41	<0.5	3	33	7	1.73	0.01
B381393		3.42	0.005	<0.5	3.07	49	270	0.6	<2	0.23	<0.5	4	89	9	1.47	0.03
B381394		4.22	<0.005	<0.5	2.98	102	260	0.7	<2	0.10	<0.5	5	35	8	1.48	0.02
B381395		4.18	0.005	<0.5	2.29	71	190	0.5	<2	0.07	<0.5	3	88	6	1.13	0.01
B381396		1.14	<0.005	<0.5	0.14	7	20	<0.5	<2	20.9	<0.5	<1	7	2	0.11	<0.01
B381397		4.60	0.019	<0.5	2.46	895	130	0.5	<2	0.10	<0.5	5	89	16	1.67	0.02
B381398		4.38	0.007	<0.5	1.96	83	120	<0.5	<2	0.07	<0.5	6	26	13	1.54	0.01
B381399		2.86	0.005	<0.5	2.00	91	110	<0.5	<2	0.05	<0.5	3	86	9	1.23	0.01
B381400		1.86	0.005	<0.5	1.84	16	120	<0.5	<2	0.08	<0.5	4	25	15	1.10	0.01
B381401		1.18	<0.005	<0.5	1.97	55	150	0.5	<2	0.06	<0.5	3	75	5	1.35	0.01
B381402		1.06	<0.005	<0.5	2.02	24	190	0.5	<2	0.07	<0.5	4	23	5	1.25	0.01
B381403		2.96	<0.005	<0.5	2.00	17	130	<0.5	<2	0.16	<0.5	2	93	5	1.22	0.01
B381404		2.74	<0.005	<0.5	2.23	69	170	<0.5	<2	0.18	<0.5	4	22	8	1.42	<0.01
B381405		4.08	<0.005	<0.5	2.21	85	170	<0.5	<2	0.15	<0.5	4	70	6	1.40	<0.01
B381406		2.66	0.005	<0.5	3.10	34	360	0.6	<2	0.18	<0.5	4	31	8	1.58	0.03
B381407		2.58	<0.005	<0.5	1.76	162	170	<0.5	<2	0.05	<0.5	4	23	5	0.93	0.01
B381408		5.46	<0.005	<0.5	1.77	17	210	<0.5	<2	0.06	<0.5	2	26	6	1.02	0.01
B381409		0.04	<0.005													
B381410		0.10	0.450	2.4	9.05	<5	1040	1.1	<2	1.47	<0.5	6	10	7330	3.25	0.06
B381411		4.74	<0.005	<0.5	2.12	16	240	<0.5	<2	0.13	<0.5	2	28	17	1.32	<0.01
B381412		5.10	<0.005	<0.5	2.55	11	350	0.5	<2	0.11	<0.5	2	35	3	1.19	<0.01
B381413		5.30	<0.005	<0.5	3.99	35	460	0.8	<2	0.19	<0.5	4	47	9	1.92	0.01
B381414		2.90	<0.005	1.5	5.92	45	690	1.4	<2	0.95	<0.5	10	52	47	3.21	0.02
B381415		5.28	0.005	<0.5	2.85	63	280	0.5	<2	0.75	<0.5	3	75	6	0.94	<0.01
B381416		0.66	<0.005	<0.5	0.13	<5	20	<0.5	<2	18.95	<0.5	<1	3	2	0.12	<0.01
B381417		4.78	<0.005	<0.5	8.52	59	830	2.0	<2	0.53	<0.5	12	97	28	3.98	<0.01
B381418		3.60	<0.005	<0.5	7.81	64	850	1.9	<2	0.61	<0.5	11	62	18	3.28	<0.01
B381419		3.44	<0.005	<0.5	5.82	36	530	1.3	<2	0.56	<0.5	9	87	11	2.39	<0.01
B381420		2.24	0.005	<0.5	6.40	221	880	2.0	<2	1.38	<0.5	4	23	9	1.33	<0.01
B381421		0.58	0.006	<0.5	8.41	89	1010	2.2	<2	0.73	<0.5	9	78	12	2.22	<0.01
B381422		0.56	0.008	<0.5	8.52	142	1010	2.3	<2	0.60	<0.5	12	66	52	2.25	0.02
B381423		5.44	0.010	<0.5	8.60	88	830	2.2	<2	0.58	<0.5	14	63	25	3.40	0.01
B381424		5.36	<0.005	<0.5	7.04	85	730	1.8	<2	1.23	<0.5	8	57	19	2.22	<0.01
B381425		5.22	0.006	<0.5	3.30	111	310	0.6	<2	0.69	<0.5	4	37	13	1.19	<0.01
B381426		6.02	0.005	<0.5	8.95	77	1280	2.3	<2	0.37	<0.5	12	72	25	3.86	0.01
B381427		5.54	<0.005	<0.5	9.45	59	850	2.3	<2	0.49	<0.5	15	73	26	4.21	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070460

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381388		5.44	0.92	323	3	1.17	42	550	12	0.06	<5	135	0.38	80	<10	75
B381389																
B381390		2.16	0.56	369	8	0.12	463	350	148	0.02	11	51	0.19	87	30	599
B381391		1.48	0.39	134	1	0.88	15	220	7	0.05	5	73	0.16	28	10	18
B381392		1.19	0.39	166	<1	0.32	12	160	3	0.05	<5	45	0.14	24	10	13
B381393		0.97	0.30	120	1	0.44	10	140	4	0.07	<5	30	0.13	22	10	11
B381394		0.88	0.26	89	<1	0.30	12	140	4	0.08	<5	21	0.12	20	10	13
B381395		0.79	0.21	77	2	0.14	9	90	<2	0.12	<5	13	0.07	13	10	8
B381396		0.04	11.95	149	<1	0.01	8	470	<2	0.01	<5	107	<0.01	3	<10	8
B381397		0.88	0.32	94	3	0.04	13	150	3	0.22	5	10	0.07	12	10	22
B381398		0.58	0.27	98	<1	0.19	9	100	3	0.13	<5	11	0.06	10	10	11
B381399		0.64	0.23	106	1	0.06	6	110	2	0.08	<5	10	0.05	10	<10	11
B381400		0.51	0.22	80	1	0.33	7	120	<2	0.09	<5	19	0.05	9	<10	7
B381401		0.52	0.30	82	1	0.42	9	100	<2	0.03	<5	15	0.07	12	10	7
B381402		0.53	0.26	77	<1	0.44	8	70	<2	0.04	<5	17	0.08	12	10	6
B381403		0.51	0.30	76	2	0.49	7	160	2	0.04	<5	24	0.06	11	10	8
B381404		0.61	0.38	85	2	0.56	10	210	<2	0.06	<5	31	0.06	10	10	10
B381405		0.54	0.34	69	1	0.62	10	240	<2	0.03	<5	32	0.06	10	<10	7
B381406		1.11	0.38	96	1	0.41	10	310	5	0.12	<5	31	0.10	20	10	11
B381407		0.62	0.20	51	1	0.25	7	60	<2	0.08	<5	13	0.06	11	10	8
B381408		0.66	0.21	62	<1	0.40	7	70	<2	0.04	<5	19	0.06	9	<10	5
B381409																
B381410		3.69	1.14	474	1	3.34	10	1860	11	0.23	<5	673	0.33	168	<10	47
B381411		0.73	0.30	74	<1	0.57	6	220	3	0.04	<5	26	0.06	10	<10	7
B381412		1.06	0.28	54	4	0.58	6	100	2	0.02	<5	28	0.09	16	<10	6
B381413		1.58	0.41	118	1	0.54	17	270	<2	0.13	<5	37	0.14	28	<10	13
B381414		2.39	0.67	305	<1	0.61	29	250	7	0.44	6	87	0.26	55	20	23
B381415		1.07	0.21	162	<1	0.49	6	80	4	0.05	<5	55	0.12	18	10	9
B381416		0.04	11.05	125	<1	0.01	<1	440	2	0.02	<5	106	0.01	1	<10	6
B381417		3.48	0.94	325	1	0.97	38	440	14	0.15	<5	122	0.38	81	<10	56
B381418		3.60	0.82	308	<1	1.07	29	680	14	0.11	<5	113	0.32	71	<10	44
B381419		2.55	0.61	320	<1	1.03	21	130	12	0.06	<5	85	0.27	52	<10	34
B381420		3.49	0.46	110	<1	1.58	11	340	27	0.05	<5	250	0.15	21	<10	9
B381421		4.28	0.61	225	1	1.26	23	380	18	0.08	<5	143	0.31	70	<10	25
B381422		4.21	0.60	226	<1	1.32	23	340	17	0.08	<5	140	0.34	78	<10	26
B381423		4.27	0.84	291	1	1.21	38	480	16	0.14	<5	132	0.35	73	<10	46
B381424		2.94	0.61	241	<1	0.84	22	480	6	0.16	<5	127	0.30	61	10	23
B381425		1.24	0.27	151	<1	0.77	9	90	3	0.10	<5	57	0.12	24	10	10
B381426		4.30	0.87	268	<1	0.92	40	420	15	0.13	<5	96	0.38	93	10	51
B381427		4.29	0.99	514	1	1.02	40	220	15	0.11	<5	117	0.43	91	<10	74

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070460

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381428		6.34	<0.005	<0.5	7.94	73	690	1.9	<2	0.55	<0.5	13	65	27	3.61	0.01
B381429		0.04	<0.005													
B381430		0.10	3.27	1.0	6.68	10	2000	3.0	<2	4.58	<0.5	22	137	102	4.90	<0.01
B381431		5.76	<0.005	<0.5	9.39	59	820	2.3	<2	0.47	<0.5	17	90	27	4.20	0.01
B381432		5.50	<0.005	<0.5	4.12	118	310	0.7	<2	0.59	<0.5	4	38	11	1.85	<0.01
B381433		5.26	<0.005	<0.5	4.41	70	380	0.9	<2	0.64	<0.5	5	84	11	2.07	<0.01
B381434		4.08	0.005	<0.5	6.52	126	490	1.7	<2	1.15	<0.5	9	52	23	2.72	<0.01
B381435		1.54	<0.005	<0.5	9.41	93	920	2.7	<2	0.99	<0.5	14	92	23	3.24	0.01
B381436		0.60	<0.005	<0.5	0.18	<5	20	<0.5	<2	18.25	<0.5	<1	3	1	0.13	<0.01
B381437		2.12	0.097	<0.5	3.26	714	230	0.6	3	1.23	<0.5	4	54	27	0.89	0.01
B381438		1.26	<0.005	<0.5	2.79	<5	170	0.5	<2	1.46	<0.5	1	100	9	1.00	0.01
B381439		1.28	0.005	<0.5	5.36	27	400	0.9	<2	0.87	<0.5	<1	11	3	0.75	0.01
B381440		2.82	0.025	<0.5	5.99	207	490	1.4	<2	1.14	<0.5	6	118	16	1.78	0.02
B381441		2.08	<0.005	<0.5	4.84	33	400	1.1	<2	0.96	<0.5	4	38	9	1.77	0.01
B381442		2.46	0.005	<0.5	4.95	28	420	1.1	<2	1.13	<0.5	5	121	10	1.76	0.01
B381443		1.54	0.010	<0.5	4.67	34	450	1.1	<2	1.21	<0.5	5	47	12	1.48	0.01
B381444		1.50	<0.005	<0.5	5.94	24	460	0.8	<2	1.09	<0.5	1	84	4	1.00	0.01
B381445		4.96	0.005	<0.5	7.90	142	1160	1.9	<2	0.71	<0.5	12	57	19	3.22	0.01
B381446		2.70	<0.005	<0.5	8.63	106	790	2.2	<2	0.99	<0.5	14	104	33	3.54	0.01
B381447		4.54	<0.005	<0.5	6.42	91	690	1.4	<2	1.00	<0.5	8	53	15	3.15	0.01
B381448		5.72	0.007	<0.5	8.04	163	830	2.1	<2	1.31	<0.5	12	134	26	3.32	0.01
B381449		0.04	0.008													
B381450		0.10	1.535	<0.5	6.88	1300	710	5.9	<2	0.01	<0.5	4	219	39	3.87	0.07
B381451		0.90	0.005	<0.5	6.49	88	710	1.4	<2	1.59	<0.5	8	45	21	1.83	0.01
B381452		4.94	<0.005	<0.5	4.94	134	410	1.1	<2	0.69	<0.5	4	96	5	1.12	0.01
B381453		6.28	0.013	<0.5	6.06	341	370	1.6	<2	0.79	<0.5	5	40	9	1.85	0.03
B381454		4.58	0.008	<0.5	6.41	188	490	1.9	<2	1.00	<0.5	5	108	13	1.28	<0.01
B381455		5.82	<0.005	<0.5	5.01	81	330	1.3	<2	0.57	<0.5	3	31	9	0.80	<0.01
B381456		1.70	<0.005	<0.5	0.15	<5	20	<0.5	<2	19.90	<0.5	<1	4	1	0.13	<0.01
B381457		5.50	0.015	<0.5	3.71	1350	210	0.9	<2	1.01	<0.5	4	116	4	0.89	<0.01
B381458		4.70	<0.005	<0.5	8.07	69	640	2.2	<2	0.82	<0.5	11	65	26	3.90	0.01
B381459		3.74	0.007	<0.5	9.66	71	820	2.4	<2	0.80	<0.5	10	103	18	3.53	0.01
B381460		5.72	<0.005	<0.5	10.35	61	860	2.4	<2	0.42	<0.5	15	74	28	4.62	0.01
B381461		1.80	0.006	<0.5	10.90	84	930	2.6	<2	0.38	<0.5	17	126	30	5.07	0.01
B381462		1.50	<0.005	<0.5	10.45	57	880	2.5	<2	0.36	<0.5	15	79	32	4.95	0.01
B381463		2.16	<0.005	<0.5	3.44	69	280	0.7	<2	0.66	<0.5	3	67	7	1.68	<0.01
B381464		5.04	<0.005	<0.5	2.62	15	220	0.5	<2	0.42	<0.5	3	99	17	1.25	<0.01
B381465		4.86	<0.005	<0.5	4.38	23	400	0.9	<2	0.50	<0.5	5	72	20	1.75	0.01
B381466		6.96	0.006	<0.5	6.84	76	770	1.8	<2	1.03	<0.5	11	128	22	3.07	0.01
B381467		5.58	<0.005	<0.5	5.67	169	580	1.4	<2	0.87	<0.5	5	81	12	2.37	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070460

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381428		3.71	0.90	454	<1	0.97	35	190	13	0.14	<5	120	0.35	75	<10	58
B381429																
B381430		3.43	2.82	1015	12	2.30	68	2240	28	0.30	<5	1600	0.37	163	10	87
B381431		4.20	1.06	551	<1	1.15	40	280	17	0.13	<5	142	0.43	92	10	67
B381432		1.40	0.42	336	<1	0.97	12	140	8	0.07	<5	69	0.16	31	<10	24
B381433		1.41	0.47	457	<1	0.80	15	110	6	0.07	<5	66	0.20	36	<10	31
B381434		2.52	0.63	289	<1	1.02	25	160	5	0.12	<5	118	0.27	55	<10	36
B381435		4.10	0.85	212	<1	1.63	41	370	9	0.17	<5	168	0.41	91	<10	32
B381436		0.04	10.60	132	<1	0.04	<1	380	<2	0.01	<5	105	0.01	2	<10	7
B381437		1.36	0.16	166	<1	0.70	7	120	13	0.21	<5	86	0.08	12	50	7
B381438		0.97	0.22	180	<1	0.82	6	90	11	0.04	<5	71	0.12	17	<10	9
B381439		3.17	0.17	124	<1	1.34	2	220	30	0.02	<5	106	0.05	8	<10	6
B381440		2.06	0.46	216	<1	0.90	19	240	7	0.15	<5	88	0.25	49	10	15
B381441		1.42	0.38	215	<1	1.00	12	220	6	0.08	<5	86	0.21	38	10	18
B381442		1.46	0.39	249	<1	0.92	16	160	6	0.08	<5	91	0.23	39	<10	17
B381443		1.35	0.33	211	<1	1.00	11	100	5	0.10	<5	104	0.24	41	40	12
B381444		4.31	0.19	148	<1	1.16	5	290	32	0.02	<5	130	0.10	14	<10	10
B381445		3.73	0.80	230	<1	1.24	34	360	8	0.11	<5	117	0.33	76	<10	40
B381446		3.23	0.93	378	<1	1.16	36	410	10	0.24	<5	172	0.40	80	<10	47
B381447		2.35	0.72	502	<1	0.86	24	160	9	0.11	<5	124	0.29	56	10	49
B381448		2.97	0.87	405	<1	0.66	34	430	8	0.19	<5	151	0.37	76	10	48
B381449																
B381450		2.83	0.36	93	2	0.11	19	300	28	0.02	113	91	0.27	95	10	43
B381451		2.86	0.46	259	<1	0.24	18	180	8	0.12	<5	106	0.27	56	30	14
B381452		2.27	0.28	142	<1	0.70	10	180	8	0.05	<5	73	0.15	32	10	7
B381453		2.49	0.38	240	1	0.08	14	310	13	0.76	5	68	0.20	45	20	92
B381454		2.74	0.41	156	<1	0.21	29	870	6	0.12	9	78	0.18	48	<10	10
B381455		2.13	0.25	108	<1	0.14	7	230	12	0.07	<5	47	0.10	31	<10	8
B381456		0.04	11.05	148	<1	0.01	3	370	3	0.01	<5	108	0.01	1	<10	10
B381457		1.46	0.33	210	<1	0.09	6	120	14	0.15	5	62	0.06	20	<10	18
B381458		2.90	0.91	552	<1	0.57	35	430	8	0.11	<5	98	0.36	74	10	57
B381459		4.73	0.94	434	1	0.99	36	250	16	0.18	<5	171	0.34	80	<10	38
B381460		4.44	1.02	578	<1	0.94	40	600	16	0.15	<5	131	0.39	89	<10	65
B381461		4.57	1.14	520	<1	0.85	47	510	11	0.14	<5	132	0.52	102	10	75
B381462		4.24	1.09	550	1	0.78	46	520	12	0.14	<5	118	0.50	96	10	73
B381463		1.26	0.34	231	<1	0.56	13	90	6	0.05	<5	57	0.16	26	<10	14
B381464		0.81	0.22	160	<1	0.66	9	90	10	0.12	<5	35	0.13	20	10	21
B381465		1.62	0.37	198	1	0.69	16	120	3	0.16	<5	64	0.20	34	<10	16
B381466		2.85	0.85	374	<1	0.61	32	330	12	0.08	<5	128	0.28	70	10	43
B381467		2.30	0.54	356	<1	0.42	20	250	6	0.09	<5	86	0.23	49	10	22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070460

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381468		2.22	<0.005	<0.5	3.35	10	310	0.8	<2	0.28	<0.5	3	126	9	1.59	<0.01
B381469		0.04	<0.005													
B381470		0.10	0.434	2.6	9.45	<5	1100	1.1	<2	1.55	<0.5	7	11	7500	3.40	0.04
B381471		2.36	0.007	<0.5	5.85	142	560	1.4	<2	0.51	<0.5	8	89	32	2.83	<0.01
B381472		1.08	<0.005	<0.5	1.28	36	110	<0.5	<2	0.22	<0.5	1	22	7	0.91	<0.01
B381473		4.92	<0.005	<0.5	7.20	25	690	1.8	<2	0.38	<0.5	12	81	25	3.47	0.01
B381474		4.96	<0.005	<0.5	6.34	42	620	1.4	<2	0.43	<0.5	7	58	18	2.80	0.01
B381475		4.52	<0.005	<0.5	3.38	17	350	0.6	<2	0.53	<0.5	5	74	14	1.64	<0.01
B381476		0.90	<0.005	<0.5	0.11	<5	10	<0.5	<2	20.8	<0.5	<1	2	2	0.10	<0.01
B381477		3.54	<0.005	<0.5	3.53	38	370	0.8	<2	0.49	<0.5	4	74	18	1.49	<0.01
B381478		3.52	<0.005	<0.5	5.00	55	360	1.3	<2	0.87	<0.5	8	44	13	2.29	<0.01
B381479		1.04	<0.005	<0.5	4.76	45	470	1.3	<2	0.42	<0.5	7	77	13	2.05	<0.01
B381480		3.10	0.011	<0.5	6.19	11	410	1.7	<2	0.75	6.9	2	11	10	0.99	0.16

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070460

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381468		1.18	0.29	217	<1	0.52	13	90	7	0.09	6	49	0.14	27	10	19
B381469																
B381470		3.78	1.18	494	2	3.41	11	1940	14	0.24	<5	699	0.34	174	<10	51
B381471		2.67	0.62	252	1	0.25	27	470	13	0.21	<5	97	0.23	52	<10	34
B381472		0.57	0.20	70	<1	0.07	9	150	2	0.04	<5	29	0.04	9	<10	6
B381473		2.92	0.74	362	<1	0.64	28	190	11	0.21	<5	127	0.32	65	<10	54
B381474		2.72	0.65	265	<1	0.73	25	240	10	0.13	<5	121	0.26	54	10	39
B381475		1.24	0.32	261	<1	0.78	11	80	5	0.16	<5	71	0.15	25	<10	23
B381476		0.03	12.05	187	<1	0.01	4	600	<2	0.01	<5	109	<0.01	2	<10	7
B381477		1.58	0.35	214	<1	0.58	11	90	10	0.15	<5	73	0.14	25	<10	16
B381478		1.87	0.65	341	<1	0.76	20	160	7	0.11	10	116	0.20	41	10	42
B381479		1.76	0.45	294	<1	0.53	19	120	3	0.13	5	81	0.17	40	<10	25
B381480		2.52	0.36	185	<1	0.94	6	270	190	0.13	11	86	0.04	9	<10	1130

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

CERTIFICATE VA05070531

Project: Dublin Gulch-1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 23-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B363324		3.68	0.009		<0.5	3.95	49	450	0.7	<2	0.17	<0.5	3	29	19	0.81
B363325		2.54	<0.005		<0.5	3.46	111	410	0.7	<2	0.24	<0.5	3	27	9	0.90
B363326		3.92	<0.005		<0.5	2.58	26	290	<0.5	<2	0.41	<0.5	2	20	3	0.54
B363327		4.86	0.011		<0.5	3.20	58	360	0.6	<2	0.36	<0.5	4	24	7	0.98
B363328		5.10	0.012		<0.5	3.39	113	370	0.7	<2	0.44	<0.5	2	30	6	1.22
B363329		0.04	0.009													
B363330		0.10	0.081		<0.5	7.07	113	610	2.6	<2	0.55	<0.5	60	1205	410	8.98
B363331		4.70	0.019		<0.5	2.61	213	280	<0.5	<2	0.24	<0.5	1	17	3	0.82
B363332		5.56	0.008		<0.5	5.21	317	570	1.0	<2	0.16	<0.5	5	35	10	2.14
B363333		4.70	0.053		<0.5	3.67	262	320	0.7	4	0.28	<0.5	2	24	4	1.38
B363334		5.50	0.005		<0.5	8.05	236	1000	1.8	<2	0.34	<0.5	10	65	14	2.83
B363335		3.84	<0.005		<0.5	5.91	98	610	1.3	<2	0.45	<0.5	7	44	12	2.60
B363336		2.36	<0.005		<0.5	0.12	6	10	<0.5	<2	19.85	<0.5	1	2	<1	0.11
B363337		4.58	<0.005		<0.5	9.02	135	970	1.9	<2	0.34	<0.5	11	67	15	3.25
B363338		2.02	<0.005		<0.5	6.45	68	700	1.1	2	0.54	<0.5	7	46	9	2.98
B363339		5.90	0.270		<0.5	11.75	85	1170	2.5	4	0.48	<0.5	15	84	34	4.88
B363340		3.40	0.005		<0.5	12.10	242	1180	2.7	<2	0.51	<0.5	14	84	33	4.51
B363341		2.12	<0.005		<0.5	5.36	118	560	1.1	<2	1.13	<0.5	5	36	14	2.36
B363342		1.72	<0.005		<0.5	5.32	110	490	1.2	<2	1.07	<0.5	6	37	15	2.50
B363343		1.52	0.034		<0.5	3.06	151	240	0.7	<2	1.10	<0.5	3	25	5	1.65
B363344		1.92	<0.005		<0.5	6.84	48	660	1.3	<2	1.11	<0.5	8	52	8	2.88
B363345		1.38	0.006		<0.5	4.19	174	420	0.9	<2	1.49	<0.5	4	28	10	1.87
B363346		3.20	0.033		<0.5	8.18	270	1700	3.2	<2	2.50	<0.5	8	41	27	2.66
B363347		1.50	0.037		<0.5	7.76	98	1500	3.1	2	2.16	<0.5	7	26	26	2.33
B363348		4.30	0.089		<0.5	7.99	180	1700	2.9	3	2.33	<0.5	8	28	34	2.60
B363349		0.04	0.069													
B363350		0.10	0.430		2.4	9.72	<5	1130	1.2	<2	1.57	<0.5	7	12	7580	3.48
B363351		4.10	0.061		<0.5	7.25	268	1340	2.8	2	2.26	<0.5	6	21	49	2.15
B363352		3.40	0.250		<0.5	7.66	299	1660	2.8	<2	2.39	<0.5	6	23	29	2.53
B363353		3.08	0.087		<0.5	7.37	373	1650	2.7	2	2.19	<0.5	6	22	44	2.51
B363354		2.94	0.042		<0.5	7.56	219	1620	2.7	<2	2.16	<0.5	6	25	30	2.53
B363355		4.24	0.063		<0.5	7.35	613	1630	2.8	4	2.03	<0.5	7	25	23	2.50
B363356		1.30	<0.005		<0.5	0.13	<5	20	<0.5	<2	19.65	<0.5	<1	1	<1	0.11
B363357		4.46	0.066		<0.5	7.54	364	1520	3.0	<2	2.35	<0.5	7	24	11	2.36
B363358		1.96	0.026		<0.5	7.91	160	1720	3.0	<2	2.06	<0.5	7	27	10	2.63
B363359		2.52	0.026		<0.5	8.12	94	1820	3.0	<2	2.50	<0.5	8	28	18	2.74
B363360		4.56	0.438	0.139	<0.5	7.63	194	1290	2.7	12	3.03	<0.5	8	27	34	2.48
B363361		3.30	0.084		<0.5	8.00	286	1730	2.8	8	2.56	<0.5	8	26	43	2.66
B363362		2.72	0.145		<0.5	7.69	262	1610	2.8	6	2.50	<0.5	6	29	30	2.41
B363363		6.06	0.058		<0.5	7.77	316	1490	3.0	4	2.06	<0.5	7	29	25	2.29

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B363324		<0.01	2.20	0.13	50	1	0.46	7	130	8	0.02	<5	46	0.12	27	10
B363325		<0.01	2.02	0.13	69	<1	0.44	7	110	7	<0.01	<5	43	0.13	25	10
B363326		<0.01	1.32	0.09	61	<1	0.32	4	80	6	<0.01	<5	29	0.09	15	10
B363327		<0.01	1.40	0.19	102	<1	0.61	5	180	5	<0.01	<5	54	0.12	20	10
B363328		<0.01	1.54	0.22	124	<1	0.59	8	110	7	<0.01	<5	61	0.13	24	10
B363329																
B363330		0.05	2.36	0.62	395	8	0.12	484	360	157	0.02	15	52	0.21	94	30
B363331		<0.01	1.11	0.12	111	1	0.41	5	70	8	<0.01	<5	42	0.08	14	10
B363332		<0.01	2.24	0.42	172	2	0.90	13	120	12	<0.01	5	57	0.22	41	20
B363333		<0.01	2.00	0.25	164	<1	0.56	10	120	23	<0.01	6	56	0.14	25	10
B363334		<0.01	4.59	0.60	221	<1	0.63	29	560	16	<0.01	<5	103	0.34	72	<10
B363335		<0.01	2.93	0.55	270	1	0.68	22	200	13	<0.01	<5	89	0.25	49	<10
B363336		<0.01	0.04	11.80	141	<1	0.01	3	400	3	0.01	<5	114	0.01	2	<10
B363337		<0.01	4.43	0.75	228	<1	0.80	30	300	16	<0.01	<5	98	0.40	80	10
B363338		<0.01	2.06	0.69	338	1	1.15	21	240	17	0.02	5	98	0.29	53	10
B363339		<0.01	6.12	1.14	337	1	1.02	47	530	28	0.10	5	137	0.49	102	100
B363340		<0.01	6.25	0.96	282	<1	0.97	42	660	22	0.01	7	133	0.49	106	10
B363341		<0.01	2.70	0.45	359	1	0.46	18	140	8	<0.01	<5	94	0.23	46	10
B363342		<0.01	2.08	0.44	356	1	0.38	19	190	7	<0.01	<5	75	0.22	45	10
B363343		<0.01	1.14	0.17	281	2	0.18	11	100	4	<0.01	6	43	0.14	23	10
B363344		<0.01	2.66	0.57	297	1	0.58	22	200	12	<0.01	<5	80	0.32	60	10
B363345		0.01	1.56	0.33	361	1	0.34	16	130	9	<0.01	6	82	0.18	33	10
B363346		0.01	3.81	0.88	275	1	1.76	23	670	26	0.03	<5	518	0.34	41	<10
B363347		0.01	4.26	0.81	289	<1	1.54	22	590	39	0.01	<5	419	0.32	38	10
B363348		0.01	4.01	0.88	280	<1	1.64	23	700	32	0.04	<5	477	0.33	39	20
B363349																
B363350		0.04	3.95	1.24	493	2	3.43	9	1960	22	0.24	<5	716	0.35	176	<10
B363351		0.01	4.01	0.81	236	2	1.29	18	540	29	0.03	<5	348	0.26	31	20
B363352		0.01	3.84	1.04	281	3	1.15	22	630	28	0.01	<5	368	0.31	37	20
B363353		0.01	4.16	0.92	266	2	1.22	18	610	30	0.03	<5	367	0.29	36	30
B363354		0.02	3.79	1.11	279	1	1.04	20	620	27	0.01	<5	331	0.31	37	30
B363355		0.02	3.65	1.00	276	2	1.28	23	640	27	0.04	<5	386	0.31	37	20
B363356		<0.01	0.04	11.80	132	<1	0.02	<1	480	4	<0.01	<5	113	0.01	2	<10
B363357		0.01	3.85	0.88	308	1	1.44	19	620	31	0.03	<5	406	0.29	34	10
B363358		0.01	3.77	1.12	354	1	1.04	24	710	35	0.02	6	341	0.34	40	20
B363359		0.01	3.69	0.96	322	2	1.72	23	710	34	0.11	<5	521	0.34	41	30
B363360		0.01	3.62	0.71	334	3	1.05	22	690	31	0.18	7	314	0.31	38	20
B363361		0.01	3.94	0.93	282	5	1.65	24	700	27	0.17	<5	496	0.32	39	20
B363362		0.01	3.70	0.88	281	4	1.51	22	670	24	0.17	<5	471	0.31	38	20
B363363		0.01	3.79	0.89	267	2	1.56	22	610	25	0.09	<5	432	0.28	34	20

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B363324		9
B363325		15
B363326		5
B363327		11
B363328		13
B363329		
B363330		634
B363331		13
B363332		38
B363333		26
B363334		52
B363335		40
B363336		7
B363337		50
B363338		38
B363339		79
B363340		69
B363341		29
B363342		30
B363343		19
B363344		48
B363345		24
B363346		50
B363347		69
B363348		57
B363349		
B363350		61
B363351		40
B363352		54
B363353		52
B363354		53
B363355		57
B363356		7
B363357		65
B363358		108
B363359		67
B363360		122
B363361		56
B363362		56
B363363		62

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B363364		5.24	0.418		<0.5	7.69	319	1620	2.9	15	2.32	<0.5	6	30	28	2.46
B363365		4.36	0.406		<0.5	7.46	176	1210	2.8	13	2.08	<0.5	8	23	37	2.15
B363366		3.72	0.023		<0.5	7.72	61	1600	2.8	<2	2.10	<0.5	7	27	23	2.37
B363367		4.12	0.048		<0.5	7.55	277	1520	2.6	2	2.15	<0.5	8	25	44	2.46
B363368		3.66	0.060		<0.5	7.86	69	1540	2.9	2	2.14	<0.5	7	51	21	2.33
B363369		0.04	0.042													
B363370		0.10	0.829		2.4	8.07	9	450	0.7	<2	1.96	0.9	22	98	2070	5.21
B363371		5.10	0.093		<0.5	7.86	289	1620	2.9	4	1.98	<0.5	9	92	60	2.48
B363372		4.86	0.099		<0.5	7.48	180	1580	2.7	4	2.23	<0.5	8	59	55	2.44
B363373		5.10	0.297		<0.5	7.56	375	1550	2.7	14	2.10	<0.5	8	92	56	2.38
B363374		5.78	0.047		<0.5	8.20	87	1630	3.0	4	2.36	<0.5	8	52	44	2.54
B363375		4.38	0.047		<0.5	8.32	63	1670	3.1	5	2.22	<0.5	6	64	62	2.45
B363376		1.64	<0.005		<0.5	0.15	5	20	<0.5	<2	19.60	<0.5	<1	7	4	0.11
B363377		2.48	0.051		<0.5	7.79	148	1360	3.0	10	2.00	<0.5	7	73	40	2.24
B363378		4.10	0.065		<0.5	7.89	37	1390	3.3	4	2.28	<0.5	6	47	21	2.34
B363379		4.22	0.054		<0.5	7.67	68	1420	2.8	4	1.99	<0.5	7	80	36	2.19
B363380		5.04	0.059		<0.5	8.29	138	1580	3.1	6	2.04	<0.5	7	56	50	2.51
B363381		2.04	0.281		<0.5	7.98	266	1610	2.8	21	2.43	<0.5	9	85	60	2.52
B363382		1.92	0.605		<0.5	7.65	327	1520	2.7	25	2.42	<0.5	10	58	61	2.41
B363383		2.84	0.033		<0.5	8.29	158	1660	2.9	3	2.46	<0.5	7	84	34	2.56
B363384		3.08	0.038		<0.5	7.97	134	1370	3.3	5	1.99	0.5	7	60	30	2.18
B363385		4.42	0.026		<0.5	8.45	158	1750	2.8	2	2.36	<0.5	8	81	44	2.78
B363386		4.42	0.060		<0.5	8.34	178	1490	3.3	2	2.21	<0.5	6	54	24	2.34
B363387		5.06	0.068		<0.5	8.30	611	1610	2.9	6	2.26	<0.5	8	87	44	2.42
B363388		5.80	0.191		<0.5	8.44	548	1670	2.9	10	2.33	<0.5	11	60	90	2.80
B363389		0.04	0.181													
B363390		0.10	2.76		<0.5	7.67	2230	760	12.4	2	0.01	<0.5	<1	152	105	3.58
B363391		4.98	0.057		1.1	7.57	467	1000	2.8	2	3.09	3.8	7	80	36	2.41
B363392		4.74	0.008		<0.5	8.78	62	1950	3.3	<2	2.83	<0.5	10	62	28	3.02
B363393		2.14	0.479		0.5	7.58	63	1200	2.6	11	3.09	<0.5	6	77	32	2.00
B363394		4.56	0.086		<0.5	8.65	107	1780	3.0	5	2.52	<0.5	6	63	66	2.79
B363395		6.62	0.071		2.0	8.30	140	1540	2.9	6	2.50	0.9	8	91	50	2.68
B363396		0.98	<0.005		<0.5	0.12	6	20	<0.5	<2	18.00	<0.5	<1	4	2	0.10
B363397		5.82	0.014		<0.5	8.59	35	1540	3.6	11	2.39	<0.5	9	90	34	2.42
B363398		4.64	0.170		<0.5	8.05	45	1520	2.8	10	2.47	<0.5	8	56	40	2.38
B363399		5.98	0.399		<0.5	7.70	152	1440	2.6	10	2.30	<0.5	7	84	59	2.28
B363400		6.32	0.020		<0.5	7.11	104	1640	2.8	4	2.39	<0.5	8	54	35	2.46
B363401		3.06	0.232		<0.5	7.31	78	1550	2.9	6	2.33	<0.5	7	60	31	2.43
B363402		3.16	0.059		<0.5	7.22	27	1560	2.9	12	2.33	<0.5	9	89	36	2.45
B363403		5.84	0.035		<0.5	7.13	325	1510	3.2	6	2.21	<0.5	8	58	28	2.40

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B363364		0.01	3.54	0.91	288	3	1.60	22	660	23	0.13	<5	491	0.31	37	20
B363365		0.03	3.90	0.71	270	4	1.39	20	520	162	0.30	49	346	0.24	30	40
B363366		0.01	3.46	0.94	295	4	1.50	23	650	23	0.08	<5	446	0.30	37	20
B363367		0.02	3.56	0.98	292	4	1.39	23	620	26	0.12	<5	416	0.30	36	20
B363368		0.01	3.59	0.89	290	3	1.63	21	620	27	0.08	<5	473	0.30	36	10
B363369																
B363370		<0.01	1.78	1.38	445	3	3.09	55	680	19	0.63	<5	216	0.30	90	<10
B363371		0.01	3.99	0.95	246	5	1.54	25	660	25	0.15	<5	448	0.32	46	30
B363372		0.01	3.62	0.92	250	2	1.49	24	640	22	0.20	<5	466	0.30	38	30
B363373		0.02	3.67	0.94	253	4	1.36	22	610	20	0.14	<5	410	0.29	35	40
B363374		0.01	3.70	0.98	283	2	1.66	24	690	26	0.13	<5	489	0.33	40	30
B363375		0.01	3.74	0.97	228	1	1.68	23	700	24	0.17	<5	503	0.32	39	30
B363376		<0.01	0.04	11.80	157	<1	0.02	6	470	3	0.01	<5	114	<0.01	3	<10
B363377		0.02	3.96	0.84	243	2	1.54	23	570	28	0.09	<5	419	0.27	33	20
B363378		0.01	3.36	0.88	295	1	1.68	23	600	25	0.06	<5	455	0.29	34	20
B363379		0.01	3.82	0.80	240	2	1.63	21	570	25	0.11	<5	439	0.28	33	40
B363380		0.02	3.99	0.92	252	4	1.56	20	640	26	0.07	<5	437	0.30	37	40
B363381		0.01	3.83	0.92	270	2	1.57	24	660	23	0.23	<5	488	0.32	39	30
B363382		0.01	3.83	0.89	269	3	1.48	24	630	27	0.24	<5	455	0.30	37	20
B363383		0.02	3.78	0.92	273	1	1.67	25	670	23	0.18	9	509	0.31	38	20
B363384		0.02	4.04	0.79	267	1	1.67	23	570	32	0.09	7	413	0.27	33	30
B363385		0.01	3.48	1.14	324	2	1.59	28	740	31	0.06	14	487	0.35	43	30
B363386		0.01	3.98	0.82	297	1	1.67	20	610	35	0.11	<5	450	0.28	34	20
B363387		0.01	4.02	0.90	266	1	1.64	25	660	25	0.23	<5	497	0.31	37	70
B363388		0.01	4.13	0.92	269	3	1.59	24	670	23	0.42	<5	500	0.32	38	60
B363389																
B363390		0.07	3.26	0.39	73	2	0.09	12	340	31	0.02	157	146	0.18	105	10
B363391		0.08	3.43	0.67	929	1	0.42	19	620	341	0.42	128	210	0.27	36	10
B363392		0.02	3.65	0.97	394	1	1.73	27	790	28	0.12	17	550	0.37	45	10
B363393		0.02	3.91	0.56	462	1	1.15	21	550	28	0.22	18	305	0.25	31	10
B363394		0.02	4.01	0.91	332	2	1.62	25	740	27	0.29	8	503	0.33	43	60
B363395		0.02	3.65	0.83	514	2	1.18	24	690	183	0.25	22	386	0.31	39	20
B363396		<0.01	0.03	10.75	142	<1	0.01	5	450	3	0.01	<5	111	<0.01	2	<10
B363397		0.01	3.49	0.93	269	1	1.76	22	650	22	0.15	<5	510	0.30	37	<10
B363398		0.01	3.70	0.88	291	2	1.68	22	630	26	0.15	<5	501	0.30	36	10
B363399		0.01	3.76	0.79	225	2	1.59	22	600	21	0.23	<5	459	0.28	33	30
B363400		0.01	3.30	0.81	277	1	1.84	20	690	23	0.10	5	497	0.32	38	10
B363401		0.01	3.38	0.77	269	1	1.76	19	650	25	0.14	<5	499	0.31	37	10
B363402		0.01	3.35	0.79	276	<1	1.72	23	650	23	0.12	<5	489	0.31	38	<10
B363403		0.01	3.58	0.74	244	1	1.77	20	620	25	0.16	<5	466	0.29	35	10

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B363364		61
B363365		76
B363366		74
B363367		64
B363368		69
B363369		
B363370		205
B363371		61
B363372		49
B363373		52
B363374		63
B363375		53
B363376		9
B363377		68
B363378		66
B363379		55
B363380		77
B363381		54
B363382		71
B363383		48
B363384		116
B363385		132
B363386		75
B363387		54
B363388		48
B363389		
B363390		18
B363391		563
B363392		136
B363393		65
B363394		60
B363395		215
B363396		7
B363397		45
B363398		56
B363399		36
B363400		52
B363401		54
B363402		54
B363403		42

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B363404		2.38	0.028		<0.5	7.07	169	1060	3.7	4	1.86	<0.5	5	76	15	1.77
B363405		3.40	0.018		<0.5	6.96	204	1400	3.4	5	2.23	<0.5	8	47	19	2.39
B363406		5.72	0.029		<0.5	7.28	319	1510	3.1	5	2.52	<0.5	10	73	23	2.47
B363407		5.16	0.020		<0.5	6.95	132	1400	3.3	3	2.23	<0.5	7	51	19	2.23
B363408		5.16	0.024		<0.5	7.66	326	1570	3.1	3	2.39	<0.5	8	84	25	2.49
B363409		0.04	0.034													
B363410		0.12	0.455		2.2	8.31	7	1050	1.2	4	1.49	<0.5	7	13	7210	3.28
B363411		6.96	0.032		<0.5	7.40	170	1510	3.3	5	2.40	<0.5	9	53	37	2.41
B363412		2.74	0.041		<0.5	7.13	52	1660	3.0	2	2.60	<0.5	9	71	46	2.45
B363413		4.24	0.031		<0.5	7.42	220	1660	3.1	5	2.61	<0.5	9	56	30	2.61
B363414		4.72	0.033		<0.5	6.85	208	1450	3.1	3	2.33	<0.5	9	80	23	2.21
B363415		3.68	0.019		<0.5	7.44	36	1550	3.0	2	2.41	<0.5	8	52	22	2.34
B363416		0.64	<0.005		<0.5	0.13	<5	20	<0.5	<2	19.45	<0.5	1	10	2	0.12
B363417		5.62	0.031		<0.5	7.67	39	1450	3.2	5	2.32	<0.5	8	53	17	2.34
B363418		5.58	0.024		<0.5	7.30	78	1420	3.1	3	2.20	<0.5	7	77	23	2.20
B363419		5.50	0.039		<0.5	7.16	198	1590	3.1	7	2.42	<0.5	8	54	26	2.51
B363420		4.80	0.015		<0.5	7.88	68	1580	3.2	3	2.61	<0.5	7	92	21	2.40
B363421		2.32	0.096		<0.5	7.40	24	1670	3.2	4	2.69	<0.5	9	55	25	2.63
B363422		2.82	0.039		<0.5	7.85	24	1620	3.0	9	2.52	<0.5	7	97	27	2.63
B363423		4.30	0.014		<0.5	7.12	119	1680	3.1	3	2.71	<0.5	7	81	10	2.53

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B363404		0.01	3.87	0.55	240	1	1.66	14	430	33	0.07	<5	350	0.21	25	20
B363405		0.01	3.30	0.80	299	1	1.72	20	630	28	0.08	6	403	0.30	36	20
B363406		0.01	3.37	0.82	295	1	1.88	21	650	28	0.10	9	468	0.31	38	20
B363407		0.01	3.42	0.69	263	<1	1.83	18	580	30	0.09	<5	462	0.28	33	10
B363408		<0.01	3.64	0.79	286	<1	1.89	22	650	35	0.12	<5	507	0.32	38	10
B363409																
B363410		0.03	3.43	1.03	481	2	3.48	9	1950	12	0.22	<5	663	0.33	172	<10
B363411		0.01	3.59	0.74	255	<1	1.92	20	640	27	0.16	<5	495	0.31	37	20
B363412		0.02	3.70	0.74	288	<1	1.67	19	680	26	0.17	10	450	0.32	39	20
B363413		0.01	3.44	0.79	305	2	1.91	23	710	25	0.15	7	498	0.34	41	20
B363414		0.01	3.47	0.65	284	1	1.80	20	620	31	0.09	5	448	0.29	35	20
B363415		0.02	3.44	0.73	288	<1	1.86	20	670	26	0.08	8	466	0.32	39	20
B363416		<0.01	0.04	11.20	170	<1	0.02	2	510	<2	<0.01	<5	122	<0.01	3	<10
B363417		0.01	3.44	0.73	280	1	1.86	18	610	29	0.08	<5	486	0.29	34	20
B363418		0.01	3.68	0.69	231	1	1.85	20	570	30	0.10	<5	479	0.27	33	10
B363419		0.01	3.40	0.77	290	<1	1.93	22	660	26	0.13	<5	519	0.32	39	10
B363420		0.01	3.50	0.75	282	1	1.76	22	640	27	0.08	6	473	0.30	36	20
B363421		<0.01	3.46	0.80	287	<1	1.98	22	710	25	0.12	<5	546	0.33	40	10
B363422		<0.01	3.39	0.82	275	1	1.86	23	670	25	0.14	5	518	0.32	39	10
B363423		<0.01	3.27	0.79	317	<1	1.88	24	700	28	0.06	5	525	0.33	41	10

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05070531

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B363404		46
B363405		63
B363406		57
B363407		46
B363408		63
B363409		
B363410		60
B363411		47
B363412		50
B363413		61
B363414		62
B363415		61
B363416		7
B363417		58
B363418		42
B363419		59
B363420		48
B363421		51
B363422		48
B363423		65

Comments: Additional value for Au-AA23 sample B363360 is 0.149ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D(3-SEP-2005
Account: STRGOL

CERTIFICATE VA05072072

Project: Dublin Gulch-1735

P.O. No.:

This report is for 71 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072072

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B363553		1.74	0.013	<0.5	7.54	170	1460	3.2	<2	2.20	<0.5	6	30	21	2.48	0.05
B363554		1.20	0.009	<0.5	7.56	219	1280	3.7	2	1.97	<0.5	4	122	16	2.12	0.04
B363555		3.46	0.045	<0.5	7.69	512	1580	3.1	2	2.09	<0.5	6	30	38	2.52	0.02
B363556		0.70	<0.005	<0.5	0.13	<5	20	<0.5	<2	18.95	<0.5	1	8	<1	0.11	0.01
B363557		2.62	0.009	<0.5	7.49	310	1560	3.1	<2	2.24	<0.5	7	33	27	2.58	0.01
B363558		4.50	0.027	<0.5	7.42	352	1460	3.4	4	1.92	<0.5	6	91	33	2.43	0.03
B363559		0.58	0.025	<0.5	7.40	414	1480	3.1	3	1.92	<0.5	5	25	44	2.26	0.01
B363560		0.44	0.041	<0.5	7.49	797	1530	3.0	2	1.70	<0.5	7	25	54	2.41	0.02
B363561		0.68	0.018	<0.5	7.39	203	1660	2.8	2	2.04	<0.5	6	43	38	2.55	0.03
B363562		0.78	0.027	<0.5	7.35	278	1690	2.9	3	1.92	<0.5	8	29	39	2.72	0.03
B363563		7.06	0.038	<0.5	7.51	306	1510	3.1	<2	2.09	<0.5	6	43	28	2.41	0.01
B363564		4.74	0.008	<0.5	7.95	203	1710	2.9	<2	2.50	<0.5	6	47	21	2.68	0.02
B363565		3.06	0.018	<0.5	7.39	364	1620	2.9	<2	2.25	<0.5	8	29	26	2.63	0.02
B363566		3.68	0.031	<0.5	7.22	279	1530	3.3	2	2.22	<0.5	6	41	15	2.37	0.02
B363567		4.38	0.046	<0.5	7.28	670	1460	3.1	4	2.02	<0.5	7	26	25	2.31	0.02
B363568		2.04	0.056	<0.5	7.64	689	1500	3.2	5	2.18	<0.5	7	40	23	2.35	0.01
B363569		0.04	0.059													
B363570		0.10	1.445	<0.5	6.85	1170	690	5.7	<2	0.01	0.5	6	196	38	3.57	0.08
B363571		1.80	0.016	<0.5	8.00	332	1510	3.4	<2	2.16	<0.5	6	28	33	2.26	0.01
B363572		1.68	0.089	<0.5	8.22	701	1600	3.5	5	2.18	<0.5	6	48	43	2.30	0.01
B363573		4.14	0.169	<0.5	7.67	535	1620	3.0	9	2.20	<0.5	5	58	42	2.48	0.01
B363574		2.74	0.028	<0.5	7.91	442	1730	3.0	2	2.34	<0.5	7	83	34	2.64	0.01
B363575		1.18	0.047	<0.5	8.06	297	1680	3.2	<2	2.39	<0.5	5	63	24	2.61	0.01
B363576		0.74	<0.005	<0.5	0.15	<5	20	<0.5	<2	20.6	<0.5	<1	35	3	0.15	<0.01
B363577		2.18	0.026	<0.5	7.57	270	1500	2.9	7	2.10	<0.5	7	48	34	2.38	0.01
B363578		3.90	0.016	<0.5	7.63	264	1610	3.1	<2	2.08	<0.5	6	66	25	2.48	0.01
B363579		2.30	0.036	<0.5	8.12	305	1840	3.2	10	2.22	<0.5	8	46	61	2.82	0.01
B363580		3.98	0.093	<0.5	7.48	454	1570	3.0	14	2.14	<0.5	7	63	61	2.62	0.02
B363581		1.78	0.738	<0.5	7.68	214	1740	3.2	26	1.70	<0.5	7	35	38	2.53	0.02
B363582		1.34	0.014	<0.5	8.19	266	1950	3.5	<2	1.92	<0.5	6	58	18	2.74	0.02
B363583		4.22	0.132	<0.5	7.76	784	1680	3.1	8	2.60	<0.5	8	41	25	2.62	0.02
B363584		4.64	0.280	<0.5	7.78	1920	1660	3.0	10	2.30	<0.5	8	62	45	2.57	0.02
B363585		3.70	0.031	<0.5	7.72	553	1730	2.9	4	2.89	<0.5	5	48	51	2.58	0.02
B363586		1.26	0.146	1.5	7.94	1685	930	3.6	18	1.56	1.2	6	57	43	2.85	0.15
B363587		3.88	0.027	<0.5	7.45	610	1480	2.7	<2	2.51	<0.5	5	37	23	2.28	0.01
B363588		5.28	0.099	<0.5	7.18	1520	1260	2.6	8	1.42	<0.5	7	55	61	2.47	0.02
B363589		0.04	0.097													
B363590		0.10	0.086	0.5	7.19	126	630	2.8	2	0.55	<0.5	60	1245	428	8.94	0.04
B363591		2.40	0.035	<0.5	7.26	388	1480	2.8	3	1.12	<0.5	6	25	58	2.28	0.02
B363592		2.80	0.295	<0.5	7.50	887	1430	2.7	19	1.80	<0.5	8	45	82	2.56	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072072

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B363553		3.73	0.80	265	<1	1.75	17	580	18	0.01	<5	447	0.29	36	10	44
B363554		3.91	0.70	262	<1	1.77	15	500	25	0.01	<5	408	0.26	33	<10	44
B363555		3.67	0.82	228	1	1.67	15	640	20	0.02	6	456	0.31	38	10	43
B363556		0.04	11.30	150	<1	0.02	<1	420	2	0.01	<5	106	0.01	2	<10	7
B363557		3.45	0.84	334	<1	1.68	20	620	24	0.01	6	452	0.31	38	10	63
B363558		3.71	0.78	257	<1	1.58	16	620	26	0.01	12	386	0.32	39	10	63
B363559		3.65	0.76	200	1	1.58	16	600	21	0.01	<5	422	0.29	34	<10	40
B363560		3.66	0.80	180	1	1.55	16	610	14	0.02	9	421	0.30	35	10	36
B363561		3.38	0.85	232	1	1.59	19	670	16	0.01	5	442	0.32	39	10	38
B363562		3.51	0.89	226	<1	1.58	18	670	18	0.01	5	426	0.34	42	10	40
B363563		3.69	0.79	240	<1	1.65	17	610	22	0.01	5	443	0.31	36	10	44
B363564		3.56	0.87	288	1	1.81	19	650	23	0.01	<5	502	0.32	39	<10	52
B363565		3.37	0.85	272	1	1.63	19	650	21	0.01	<5	458	0.33	39	10	53
B363566		3.62	0.76	269	<1	1.76	18	600	24	0.01	<5	451	0.30	36	10	52
B363567		3.71	0.75	227	<1	1.65	17	570	22	0.02	<5	430	0.30	35	20	44
B363568		3.71	0.82	239	1	1.73	17	590	19	0.02	<5	464	0.31	37	<10	48
B363569																
B363570		2.54	0.33	85	2	0.10	15	290	22	0.02	111	89	0.26	86	10	45
B363571		3.80	0.78	246	<1	1.72	16	600	39	0.02	<5	484	0.31	37	10	64
B363572		3.69	0.77	208	1	1.77	19	640	36	0.05	5	483	0.31	40	10	61
B363573		3.83	0.80	241	5	1.72	21	690	29	0.06	<5	491	0.31	38	20	49
B363574		3.60	0.87	256	2	1.77	23	710	27	0.03	<5	529	0.33	40	10	48
B363575		3.72	0.85	280	1	1.88	31	700	29	0.01	<5	534	0.33	40	<10	60
B363576		0.04	11.70	173	1	0.03	5	580	4	0.01	5	123	0.01	2	<10	7
B363577		3.89	0.78	291	1	1.71	18	640	36	0.01	<5	477	0.28	36	10	65
B363578		3.64	0.85	268	2	1.66	21	680	29	0.01	<5	467	0.30	36	10	48
B363579		3.87	0.86	282	2	1.72	21	740	23	0.04	<5	512	0.33	41	30	50
B363580		3.49	0.50	267	2	1.50	24	750	26	0.12	12	345	0.32	42	20	63
B363581		4.28	0.43	250	2	1.44	23	660	37	0.04	13	325	0.29	38	20	68
B363582		4.16	0.52	281	3	1.51	22	720	34	0.04	21	347	0.32	42	20	79
B363583		3.81	0.59	383	2	1.52	24	720	41	0.06	13	389	0.32	42	10	77
B363584		3.98	0.60	294	2	1.53	21	680	30	0.09	11	398	0.30	40	20	50
B363585		4.15	0.38	345	3	1.58	23	720	31	0.07	23	380	0.32	42	20	54
B363586		3.58	0.37	330	7	0.41	20	720	274	0.03	19	105	0.29	40	30	452
B363587		3.97	0.46	304	2	1.47	19	670	26	0.07	13	347	0.27	35	20	73
B363588		3.81	0.45	262	5	1.07	19	590	44	0.11	18	232	0.25	33	10	60
B363589																
B363590		2.35	0.62	418	11	0.13	510	350	166	0.02	13	55	0.25	97	30	658
B363591		3.92	0.59	185	1	1.32	15	510	23	0.03	11	293	0.24	30	10	31
B363592		3.60	0.72	219	2	1.46	16	560	21	0.08	<5	400	0.27	34	20	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072072

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B363593		5.84	0.206	<0.5	7.17	468	1360	2.7	21	2.05	<0.5	7	28	42	2.20	0.01
B363594		5.56	0.037	<0.5	7.41	680	1320	2.9	4	2.15	<0.5	7	49	27	2.17	0.01
B363595		5.76	0.058	<0.5	7.48	349	1510	3.1	4	2.27	<0.5	8	31	41	2.42	0.01
B363596		0.88	<0.005	<0.5	0.17	<5	20	<0.5	<2	19.30	<0.5	<1	7	2	0.14	<0.01
B363597		4.44	0.068	<0.5	7.36	338	1420	3.0	12	2.10	<0.5	8	30	20	2.31	0.01
B363598		4.40	0.086	<0.5	7.51	122	1450	2.9	<2	2.33	<0.5	7	44	19	2.38	0.02
B363599		4.10	0.165	<0.5	7.16	821	1230	2.7	12	2.12	<0.5	8	28	54	2.30	0.02
B363600		5.10	0.210	0.7	7.19	791	1190	2.4	13	2.04	<0.5	9	57	70	2.49	0.03
B363601		2.16	0.031	<0.5	7.62	650	1600	3.1	2	2.32	<0.5	9	33	39	2.56	0.02
B363602		2.30	0.033	<0.5	7.75	591	1640	3.1	2	2.29	<0.5	9	64	44	2.57	0.02
B363603		4.64	0.253	<0.5	7.89	659	1650	3.2	6	2.37	<0.5	9	36	51	2.71	0.02
B363604		5.76	0.190	<0.5	7.41	278	1440	2.4	13	2.33	<0.5	11	85	36	3.51	0.01
B363605		5.50	0.105	<0.5	7.35	583	1390	2.4	8	2.47	<0.5	13	75	33	3.38	0.01
B363606		7.68	0.048	<0.5	7.72	587	1440	2.4	6	2.53	<0.5	13	91	16	3.73	0.01
B363607		4.44	0.460	<0.5	7.22	869	1110	2.3	34	3.58	<0.5	13	63	26	3.55	0.02
B363608		6.00	0.033	<0.5	7.48	448	1470	2.4	2	2.37	<0.5	11	91	20	3.64	0.01
B363609		0.04	0.024													
B363610		0.10	2.73	<0.5	7.60	2070	720	12.8	2	0.01	<0.5	1	144	99	3.40	0.10
B363611		6.02	0.025	<0.5	7.81	202	1500	2.5	2	2.68	<0.5	12	72	21	3.75	0.03
B363612		6.72	0.072	<0.5	7.41	482	1410	2.9	5	2.68	<0.5	10	66	50	2.98	0.01
B363613		5.10	0.515	<0.5	7.25	1365	1320	2.6	21	2.34	<0.5	12	41	83	2.74	0.01
B363614		1.38	0.077	<0.5	7.21	1260	1360	2.7	9	2.35	<0.5	15	57	49	2.51	0.01
B363615		6.36	0.125	<0.5	7.48	847	1350	2.8	13	2.44	<0.5	10	48	99	2.64	0.01
B363616		0.88	<0.005	<0.5	0.13	<5	20	<0.5	<2	19.85	<0.5	1	5	3	0.12	<0.01
B363617		5.80	0.231	<0.5	7.51	1870	1440	2.9	17	2.67	<0.5	13	46	107	2.86	0.01
B363618		6.06	0.114	<0.5	7.32	550	1290	2.7	9	2.68	<0.5	11	59	99	2.94	0.01
B363619		5.66	0.064	<0.5	7.82	374	1370	2.7	5	2.42	<0.5	11	68	55	3.44	0.01
B363620		7.10	0.263	<0.5	7.31	922	1340	2.5	20	2.50	<0.5	14	86	48	3.47	0.01
B363621		2.36	0.091	<0.5	7.50	306	1330	2.6	11	2.68	<0.5	14	72	55	3.73	0.01
B363622		2.32	0.116	<0.5	7.17	317	1270	2.5	7	2.55	<0.5	14	89	47	3.48	0.01
B363623		6.20	0.299	<0.5	7.56	283	1330	2.6	8	2.51	<0.5	12	73	40	3.63	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072072

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B363593		3.67	0.72	229	2	1.47	18	550	19	0.03	<5	379	0.27	32	10	39
B363594		3.77	0.67	236	2	1.67	18	550	23	0.11	<5	422	0.27	31	10	42
B363595		3.45	0.79	269	2	1.66	20	640	17	0.10	5	444	0.31	37	20	43
B363596		0.05	11.00	147	<1	0.01	1	470	<2	0.02	<5	101	0.01	3	<10	7
B363597		3.56	0.75	266	1	1.63	18	590	21	0.04	<5	422	0.29	34	20	50
B363598		3.47	0.76	317	1	1.66	19	590	25	0.06	10	437	0.29	35	10	60
B363599		3.64	0.44	349	2	1.12	17	590	79	0.39	38	244	0.27	34	20	105
B363600		3.58	0.53	335	2	1.26	17	580	102	0.27	34	248	0.26	40	30	138
B363601		3.31	0.83	282	1	1.69	21	650	19	0.09	9	487	0.31	40	10	52
B363602		3.59	0.85	279	2	1.70	21	650	21	0.10	5	496	0.33	43	20	54
B363603		3.73	0.87	274	2	1.73	22	680	17	0.12	6	502	0.32	43	20	51
B363604		3.08	1.34	410	2	1.50	32	740	17	0.09	6	438	0.40	94	10	94
B363605		3.11	1.19	411	2	1.40	34	730	17	0.11	7	382	0.40	101	10	97
B363606		2.85	1.33	449	2	1.37	35	790	29	0.10	12	376	0.42	104	10	107
B363607		2.77	0.98	485	2	1.02	30	670	48	0.68	18	285	0.34	86	20	75
B363608		2.82	1.47	452	4	1.51	35	750	16	0.11	<5	437	0.40	102	20	104
B363609																
B363610		3.10	0.38	70	3	0.09	9	330	27	0.02	152	141	0.23	100	10	16
B363611		2.99	1.49	422	2	1.52	34	810	15	0.14	5	410	0.43	102	10	89
B363612		2.73	1.14	308	2	1.70	20	690	16	0.28	5	495	0.31	58	<10	49
B363613		3.61	0.99	252	2	1.46	9	580	22	0.48	6	474	0.25	45	10	33
B363614		3.71	1.05	266	2	1.60	11	580	18	0.21	<5	470	0.27	46	10	35
B363615		3.75	1.06	246	4	1.60	12	610	14	0.42	<5	502	0.26	46	10	28
B363616		0.04	11.25	180	<1	0.02	<1	500	3	0.01	<5	111	0.01	2	<10	7
B363617		3.77	1.12	247	2	1.61	10	660	14	0.52	<5	519	0.30	52	10	32
B363618		3.28	1.04	326	2	1.65	10	620	19	0.53	<5	501	0.28	52	10	42
B363619		3.36	1.33	396	2	1.61	32	710	20	0.23	<5	453	0.39	90	10	76
B363620		3.21	1.32	352	4	1.55	31	730	15	0.25	<5	417	0.40	94	10	77
B363621		3.09	1.39	413	2	1.57	32	740	16	0.24	5	441	0.41	97	10	90
B363622		2.90	1.33	396	4	1.48	30	720	15	0.20	6	418	0.39	92	10	87
B363623		2.92	1.41	408	2	1.55	34	730	16	0.15	5	439	0.40	95	10	93

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-SEP-2005
Account: STRGOL

CERTIFICATE VA05072073

Project: Dublin Gulch-1735

P.O. No.:

This report is for 96 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B381481		1.18	0.006				<0.5	9.15	82	800	2.9	3	1.34	<0.5	16	78
B381482		1.24	0.009				<0.5	7.67	51	620	2.4	3	1.33	<0.5	16	159
B381483		1.22	<0.005				<0.5	6.49	25	650	2.0	<2	0.75	<0.5	10	74
B381484		1.78	<0.005				<0.5	5.57	87	750	1.5	<2	0.19	<0.5	10	219
B381485		4.44	0.005				<0.5	5.00	72	450	1.3	<2	1.24	<0.5	9	62
B381486		2.00	0.015				<0.5	8.18	94	1150	2.3	<2	2.20	<0.5	9	145
B381487		1.10	0.036				<0.5	7.02	539	650	2.1	<2	0.95	<0.5	3	9
B381488		4.18	0.028				<0.5	7.28	309	1040	2.0	<2	1.30	<0.5	4	88
B381489		0.04	0.036													
B381490		0.10	0.091				<0.5	6.91	114	590	2.6	<2	0.53	<0.5	61	1185
B381491		5.40	0.007				<0.5	7.45	60	630	1.9	<2	1.70	<0.5	13	94
B381492		4.94	<0.005				<0.5	7.59	23	910	2.2	<2	1.82	<0.5	15	154
B381493		3.46	0.033				<0.5	4.74	230	500	1.3	<2	1.33	<0.5	7	99
B381494		2.26	<0.005				<0.5	9.10	19	1560	2.4	<2	0.80	<0.5	16	146
B381495		1.80	<0.005				<0.5	9.47	18	1470	2.6	<2	0.45	<0.5	13	106
B381496		0.98	<0.005				<0.5	0.14	<5	20	<0.5	<2	19.35	<0.5	<1	5
B381497		2.82	<0.005				<0.5	1.68	51	160	<0.5	<2	0.46	<0.5	4	102
B381498		6.02	0.037				<0.5	8.28	115	820	2.2	<2	1.30	<0.5	13	162
B381499		5.88	0.007				<0.5	9.64	108	960	2.5	<2	0.88	<0.5	16	92
B381500		4.80	0.005				<0.5	8.73	44	910	2.2	<2	0.51	<0.5	14	155
B381501		2.06	<0.005				<0.5	8.94	32	870	2.4	<2	0.60	<0.5	18	112
B381502		2.02	<0.005				<0.5	9.30	52	960	2.4	<2	0.56	<0.5	18	169
B381503		4.20	0.005				<0.5	7.91	17	830	2.0	<2	0.71	<0.5	16	80
B381504		5.74	0.010				<0.5	8.30	44	750	2.2	<2	0.84	<0.5	12	170
B381505		5.76	0.011				<0.5	8.49	128	2270	2.0	<2	1.55	<0.5	11	61
B381506		4.86	<0.005				<0.5	9.89	55	1830	2.6	<2	0.63	<0.5	16	150
B381507		4.74	0.005				<0.5	7.39	104	1050	2.0	<2	1.33	<0.5	12	55
B381508		3.34	<0.005				<0.5	10.00	20	1360	2.7	<2	0.26	<0.5	16	161
B381509		0.04	<0.005													
B381510		0.10	2.97				<0.5	6.90	12	2070	3.1	<2	4.86	<0.5	22	136
B381511		2.88	0.008				<0.5	6.48	9	940	1.2	<2	0.36	<0.5	2	27
B381512		2.92	<0.005				<0.5	11.10	6	870	3.2	<2	0.17	0.7	13	132
B381513		4.68	<0.005				<0.5	10.10	23	900	2.7	<2	0.31	<0.5	16	75
B381514		4.98	<0.005				<0.5	7.07	26	650	1.7	<2	0.70	<0.5	10	199
B381515		5.22	<0.005				<0.5	6.43	17	600	1.6	<2	0.91	<0.5	7	91
B381516		1.28	<0.005				<0.5	0.12	<5	10	<0.5	<2	19.20	<0.5	1	8
B381517		3.28	0.026	0.040			<0.5	6.10	229	450	1.6	<2	2.11	<0.5	8	95
B381518		1.84	0.025	0.054			<0.5	10.25	66	720	2.5	<2	1.64	<0.5	13	141
B381519		5.12	0.088	0.007	0.006		<0.5	10.85	112	870	2.7	<2	1.92	<0.5	14	105
B381520		3.96	0.018				<0.5	11.50	481	870	3.1	<2	0.85	<0.5	14	147

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B381481		27	2.70	0.01	3.60	0.78	579	<1	0.67	43	430	14	0.18	31	175	0.41
B381482		35	2.58	0.01	2.97	0.72	520	1	0.68	34	270	16	0.23	28	178	0.35
B381483		20	2.67	0.01	2.12	0.54	340	1	0.60	32	430	2	0.06	19	109	0.35
B381484		35	3.23	0.01	1.96	0.62	307	1	0.35	31	180	2	0.18	16	59	0.25
B381485		22	2.21	0.02	2.19	0.56	662	1	0.06	21	260	38	0.30	15	77	0.25
B381486		26	3.01	0.01	3.05	0.85	295	2	1.08	24	670	23	0.14	8	291	0.33
B381487		2	0.75	0.01	2.91	0.16	156	2	1.56	2	180	29	0.17	5	127	0.09
B381488		7	1.18	0.01	3.89	0.29	186	2	1.26	6	290	33	0.05	<5	212	0.13
B381489																
B381490		407	8.34	0.03	2.19	0.58	393	7	0.12	500	350	154	0.02	12	51	0.22
B381491		35	3.34	0.01	2.48	0.68	394	<1	0.74	35	300	13	0.23	21	118	0.35
B381492		30	3.92	0.01	2.86	0.75	494	<1	0.54	34	370	12	0.22	15	117	0.37
B381493		24	2.61	0.01	1.55	0.47	357	<1	0.27	18	230	2	0.14	5	94	0.22
B381494		35	4.99	0.01	3.50	0.95	373	<1	0.64	47	350	6	0.14	<5	132	0.44
B381495		25	4.67	<0.01	3.39	1.05	359	<1	0.82	42	290	3	0.10	<5	125	0.43
B381496		2	0.11	<0.01	0.04	11.10	146	<1	0.02	6	490	<2	0.01	<5	115	0.01
B381497		15	0.99	<0.01	0.57	0.25	146	<1	0.20	10	150	<2	0.08	<5	30	0.07
B381498		27	3.63	0.01	2.78	0.97	538	5	0.96	32	260	<2	0.19	<5	166	0.37
B381499		36	4.15	0.01	3.77	1.10	570	1	0.90	41	430	8	0.25	<5	194	0.43
B381500		31	4.24	0.01	3.28	1.10	531	<1	0.70	41	470	7	0.17	<5	160	0.39
B381501		25	4.23	0.01	3.05	1.00	433	<1	0.67	40	380	3	0.15	<5	183	0.46
B381502		26	4.23	0.01	3.48	1.02	407	<1	0.74	33	290	<2	0.15	<5	197	0.44
B381503		34	4.10	0.01	2.98	1.01	374	<1	0.83	37	350	2	0.23	<5	179	0.42
B381504		22	3.72	0.01	3.37	0.91	334	3	0.92	33	260	6	0.16	<5	161	0.40
B381505		18	3.74	0.01	3.77	0.84	503	<1	0.64	34	680	7	0.12	<5	150	0.34
B381506		39	4.44	0.01	3.97	0.98	411	<1	0.65	45	440	6	0.19	<5	142	0.40
B381507		19	3.16	0.01	2.87	0.79	673	<1	0.71	33	340	5	0.11	<5	154	0.31
B381508		31	4.47	0.01	3.79	1.08	442	<1	1.07	40	340	5	0.13	<5	138	0.41
B381509																
B381510		93	4.98	0.01	3.43	2.94	1030	12	2.34	64	2280	25	0.30	<5	1665	0.38
B381511		4	1.21	0.01	4.64	0.33	109	<1	1.04	6	240	53	0.07	<5	180	0.10
B381512		36	4.82	0.01	4.26	1.14	536	<1	1.05	39	290	17	0.22	<5	160	0.53
B381513		37	4.31	0.01	3.88	1.01	365	<1	1.04	42	470	11	0.25	<5	145	0.44
B381514		25	3.10	0.01	2.65	0.74	409	<1	0.68	31	300	6	0.17	<5	124	0.34
B381515		24	2.57	0.01	2.41	0.64	340	<1	0.82	24	170	3	0.25	<5	139	0.31
B381516		2	0.10	0.01	0.03	11.15	147	<1	0.02	<1	460	4	0.01	<5	114	<0.01
B381517		32	2.31	0.01	1.70	0.79	439	<1	0.98	26	500	3	0.23	<5	199	0.25
B381518		45	4.61	0.01	2.97	1.29	385	1	1.31	51	590	4	0.28	<5	292	0.43
B381519		92	5.05	0.03	3.41	1.36	587	<1	1.39	47	680	5	0.39	<5	307	0.47
B381520		37	4.79	0.02	3.61	1.17	309	<1	1.36	48	610	7	0.24	<5	295	0.49

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B381481		90	20	72
B381482		73	20	59
B381483		63	10	62
B381484		53	10	56
B381485		48	10	130
B381486		41	10	23
B381487		7	10	8
B381488		16	<10	13
B381489				
B381490		94	30	611
B381491		75	20	63
B381492		83	10	81
B381493		43	20	40
B381494		106	<10	118
B381495		102	<10	85
B381496		2	<10	5
B381497		16	<10	19
B381498		78	10	68
B381499		96	10	83
B381500		84	<10	84
B381501		91	<10	62
B381502		90	<10	59
B381503		85	<10	52
B381504		81	<10	49
B381505		80	10	62
B381506		98	<10	93
B381507		70	<10	54
B381508		96	<10	93
B381509				
B381510		164	<10	93
B381511		18	<10	12
B381512		108	10	106
B381513		96	20	80
B381514		67	<10	48
B381515		59	<10	33
B381516		2	<10	5
B381517		55	230	33
B381518		104	<10	79
B381519		111	10	90
B381520		116	190	91

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B381521		2.58	<0.005				<0.5	7.47	138	540	1.7	<2	1.15	<0.5	9	103
B381522		2.52	<0.005				<0.5	8.34	51	570	2.0	<2	0.95	<0.5	11	185
B381523		5.28	0.009				<0.5	8.76	327	620	2.3	<2	1.72	<0.5	11	86
B381524		5.04	0.030				<0.5	12.10	240	960	3.1	2	1.56	<0.5	18	118
B381525		5.20	0.042				<0.5	10.05	1480	840	3.0	3	3.32	<0.5	16	86
B381526		5.40	0.017				<0.5	10.70	327	1110	3.3	3	2.86	<0.5	16	111
B381527		4.70	0.020				<0.5	10.15	323	980	3.1	2	1.66	<0.5	13	98
B381528		5.84	0.009													
B381529		0.04	0.014				<0.5	12.10	394	1140	3.5	2	0.92	<0.5	12	147
B381530		0.10	1.440				<0.5	6.96	1260	680	6.0	3	0.01	<0.5	4	199
B381531		4.54	0.005				<0.5	11.65	128	1160	3.3	3	0.84	<0.5	18	128
B381532		5.82	<0.005				<0.5	11.45	75	960	3.5	<2	0.92	<0.5	14	99
B381533		5.30	0.017				<0.5	8.57	82	870	2.5	<2	1.12	<0.5	11	161
B381534		3.50	0.012				<0.5	5.38	204	570	1.4	<2	1.54	<0.5	7	82
B381535		4.58	<0.005				<0.5	4.62	123	540	1.1	<2	1.20	<0.5	6	177
B381536		1.02	<0.005				<0.5	0.18	10	20	<0.5	<2	19.35	<0.5	<1	5
B381537		4.88	0.008				<0.5	3.54	60	310	0.8	2	1.24	<0.5	4	172
B381538		3.82	0.010				<0.5	3.66	85	290	1.1	<2	0.36	<0.5	5	29
B381539		5.34	0.051				<0.5	4.12	623	320	1.2	3	0.86	1.3	6	176
B381540		2.88	0.033				<0.5	3.50	27	340	1.0	2	1.88	0.8	5	25
B381541		0.62	0.216				<0.5	6.16	40	820	1.3	5	1.24	<0.5	5	146
B381542		0.56	0.036				<0.5	6.57	28	780	1.3	2	1.67	<0.5	4	20
B381543		0.88	0.012				<0.5	8.06	61	1240	3.5	4	1.70	<0.5	7	128
B381544		3.78	0.043				<0.5	8.06	600	1300	4.1	3	2.32	<0.5	8	34
B381545		5.32	0.114				<0.5	8.26	182	1340	3.9	10	2.16	<0.5	7	137
B381546		6.32	0.094				<0.5	8.00	1575	1390	3.5	4	2.19	<0.5	9	33
B381547		5.22	0.061				<0.5	7.60	240	1210	3.9	3	1.92	<0.5	8	135
B381548		4.48	0.085				<0.5	7.35	1060	1330	3.2	2	2.04	<0.5	9	58
B381549		0.04	0.095													
B381550		0.10	2.85				<0.5	7.56	2120	730	13.5	<2	0.02	<0.5	<1	141
B381551		5.80	0.080				<0.5	7.93	134	1260	3.8	3	2.59	<0.5	7	132
B381552		4.76	0.033				<0.5	7.32	116	1370	3.0	16	2.14	<0.5	6	66
B381553		5.20	0.087				<0.5	7.71	165	1440	3.4	8	2.26	<0.5	9	158
B381554		5.24	0.098				<0.5	7.53	548	1260	3.2	4	2.27	<0.5	8	69
B381555		5.70	0.048				<0.5	7.34	268	1350	3.2	2	2.30	<0.5	8	150
B381556		0.80	<0.005				<0.5	0.16	12	20	<0.5	<2	19.50	<0.5	<1	8
B381557		5.84	0.032				<0.5	7.62	86	1440	3.2	2	2.38	<0.5	8	68
B381558		5.88	0.066				<0.5	7.52	884	1470	2.9	5	2.47	<0.5	10	142
B381559		6.04	0.024				<0.5	7.50	58	1390	2.9	2	2.40	<0.5	8	64
B381560		5.90	0.253				<0.5	7.76	3190	1500	3.0	13	2.56	<0.5	15	152

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B381521		27	3.86	0.02	2.10	0.92	345	<1	1.06	27	310	4	0.21	<5	191	0.34
B381522		25	4.00	0.02	2.39	0.97	337	<1	1.10	36	340	8	0.17	<5	200	0.39
B381523		39	3.51	<0.01	2.64	1.03	373	2	1.38	35	540	11	0.28	<5	271	0.37
B381524		52	5.07	0.02	4.27	1.34	437	<1	1.38	58	720	9	0.34	<5	267	0.51
B381525		43	4.47	0.02	3.53	1.23	646	<1	1.61	47	600	10	0.34	<5	349	0.45
B381526		54	4.61	0.02	3.74	1.32	648	<1	1.59	53	670	10	0.33	<5	342	0.48
B381527		37	4.02	0.01	3.59	1.08	368	<1	1.38	43	620	14	0.20	<5	265	0.45
B381528																
B381529		25	4.10	0.01	4.84	1.09	255	<1	1.25	44	530	8	0.15	<5	232	0.53
B381530		40	3.66	0.07	2.75	0.34	88	1	0.11	21	300	28	0.02	112	89	0.26
B381531		40	4.38	0.02	4.45	1.13	259	<1	1.10	51	720	7	0.15	<5	215	0.53
B381532		31	4.81	0.02	4.11	1.12	377	<1	0.93	46	730	10	0.15	<5	226	0.47
B381533		34	2.64	0.01	3.60	0.65	350	1	0.63	33	540	7	0.16	19	156	0.40
B381534		11	1.66	0.01	2.62	0.41	351	<1	0.75	16	380	12	0.08	9	118	0.24
B381535		8	1.90	0.01	2.16	0.42	330	<1	0.82	18	120	11	0.04	5	95	0.22
B381536		1	0.14	<0.01	0.05	11.40	154	<1	0.02	5	470	<2	0.02	<5	104	0.01
B381537		11	1.32	0.02	1.40	0.23	261	2	0.59	15	100	11	0.12	6	83	0.17
B381538		14	1.62	0.02	1.32	0.19	113	<1	0.38	13	110	22	0.65	12	52	0.18
B381539		18	1.98	0.05	1.71	0.18	207	1	0.17	16	120	120	1.25	15	69	0.17
B381540		21	1.12	0.03	1.52	0.13	366	<1	0.20	10	110	60	0.58	12	95	0.15
B381541		53	1.48	0.01	3.03	0.35	222	2	0.77	11	440	23	0.18	5	199	0.22
B381542		16	1.39	0.01	3.38	0.30	272	1	0.88	7	440	26	0.12	<5	221	0.22
B381543		30	2.43	0.02	4.08	0.81	257	<1	1.52	13	630	27	0.19	<5	414	0.29
B381544		49	2.50	0.01	4.07	0.86	265	<1	1.77	10	640	26	0.30	<5	549	0.30
B381545		83	2.44	0.02	4.34	0.94	196	1	1.78	12	660	21	0.30	<5	544	0.30
B381546		88	2.50	0.01	4.20	0.94	189	1	1.68	9	660	18	0.42	<5	517	0.29
B381547		43	2.19	0.02	4.22	0.82	252	1	1.56	13	580	27	0.20	<5	459	0.28
B381548		26	2.15	0.01	3.73	0.75	253	1	1.50	17	560	26	0.20	<5	412	0.26
B381549																
B381550		100	3.36	0.10	3.19	0.37	69	2	0.09	12	320	28	0.02	151	140	0.27
B381551		28	2.47	0.02	3.77	0.94	361	<1	1.70	14	660	29	0.16	<5	492	0.29
B381552		75	2.24	0.02	3.71	0.79	232	<1	1.48	18	570	21	0.39	<5	422	0.28
B381553		60	2.41	0.01	3.82	0.78	240	1	1.68	22	610	23	0.40	<5	476	0.30
B381554		71	2.22	0.01	4.03	0.68	337	1	1.26	15	550	39	0.42	<5	382	0.27
B381555		36	2.19	0.01	3.59	0.72	292	2	1.50	21	570	26	0.27	<5	439	0.29
B381556		2	0.14	0.01	0.04	11.60	147	<1	0.03	4	440	<2	0.01	<5	106	0.01
B381557		46	2.36	0.01	4.09	0.78	321	<1	1.48	19	580	40	0.29	<5	440	0.29
B381558		63	2.43	0.01	3.76	0.87	263	1	1.61	20	610	24	0.36	<5	470	0.29
B381559		54	2.26	0.01	3.93	0.82	250	<1	1.69	17	590	21	0.33	<5	480	0.29
B381560		48	2.54	0.01	3.89	0.83	260	5	1.64	23	630	21	0.43	<5	501	0.30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B381521		68	<10	62
B381522		78	<10	71
B381523		81	10	55
B381524		124	10	83
B381525		106	50	71
B381526		114	60	69
B381527		101	100	62
B381528				
B381529		128	30	54
B381530		93	10	45
B381531		126	10	67
B381532		116	10	80
B381533		84	50	34
B381534		45	30	14
B381535		40	20	23
B381536		2	<10	7
B381537		28	20	13
B381538		30	20	30
B381539		33	20	250
B381540		25	20	174
B381541		30	30	34
B381542		27	30	35
B381543		40	10	42
B381544		41	10	40
B381545		42	10	26
B381546		41	20	23
B381547		37	10	38
B381548		33	20	37
B381549				
B381550		107	20	16
B381551		42	10	51
B381552		37	20	20
B381553		39	30	29
B381554		35	20	38
B381555		40	20	36
B381556		2	<10	7
B381557		40	10	51
B381558		39	20	27
B381559		39	130	25
B381560		41	10	27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B381561		2.96	0.261				<0.5	7.33	2880	1560	2.8	8	2.09	<0.5	11	68
B381562		2.92	0.309				<0.5	7.38	1690	1580	2.8	5	2.13	<0.5	10	148
B381563		4.92	0.184				<0.5	7.34	3440	1620	2.7	4	2.07	<0.5	8	71
B381564		4.92	0.065				<0.5	7.90	739	1230	3.2	6	1.53	<0.5	10	132
B381565		4.74	0.156				<0.5	7.70	1045	1440	3.0	6	2.35	<0.5	7	40
B381566		5.00	0.057				<0.5	7.73	54	1460	3.0	5	2.36	<0.5	9	144
B381567		4.94	0.015				0.7	7.80	128	1340	2.9	3	2.05	0.5	10	32
B381568		2.80	0.289				1.3	8.09	83	570	3.5	3	1.84	0.6	8	152
B381569		0.04	0.334													
B381570		0.10	4.46				9.0	8.09	16	490	0.9	<2	2.86	1.5	17	21
B381571		0.72	>10.0			13.90	16.1	2.50	8410	390	1.0	1430	2.48	<0.5	35	10
B381572		1.50	1.050				3.5	7.75	3240	1060	3.1	93	1.48	2.8	8	162
B381573		0.82	6.90				39.0	1.92	7530	120	0.7	874	1.59	1.5	13	80
B381574		0.66	0.029				<0.5	8.14	86	1620	2.8	6	2.20	<0.5	7	150
B381575		5.60	0.079				<0.5	7.87	473	1670	2.8	4	2.54	<0.5	8	157
B381576		4.80	0.137				<0.5	8.17	198	1540	2.8	8	2.41	<0.5	10	68

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method Analyte Units LOR	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01
B381561		92	2.43	0.02	4.18	0.87	201	1	1.46	20	630	18	0.47	5	424	0.29
B381562		94	2.32	0.02	4.10	0.87	208	<1	1.44	21	630	17	0.40	<5	422	0.29
B381563		74	2.60	0.02	3.87	0.90	220	<1	1.54	20	620	15	0.45	6	431	0.30
B381564		32	2.78	0.03	3.99	1.17	373	1	1.45	26	720	27	0.18	6	407	0.34
B381565		47	2.64	0.04	4.03	0.99	460	<1	1.53	15	660	26	0.28	<5	459	0.32
B381566		47	2.58	0.03	3.76	0.92	399	1	1.63	19	660	28	0.28	<5	504	0.30
B381567		49	2.52	0.03	3.95	0.66	752	<1	1.11	18	630	66	0.45	8	349	0.30
B381568		32	2.71	0.05	3.56	0.43	961	1	0.14	21	590	108	1.05	8	140	0.29
B381569																
B381570		125	4.19	0.04	2.31	1.35	990	11	1.64	14	910	23	0.68	<5	409	0.37
B381571		37	1.80	0.01	1.32	0.23	942	8	0.17	8	190	596	0.67	38	106	0.08
B381572		74	3.04	0.04	3.74	0.60	768	1	0.34	22	630	214	0.73	22	162	0.28
B381573		40	1.31	0.03	0.85	0.12	721	1	0.02	5	150	854	0.47	165	70	0.06
B381574		56	2.63	0.01	4.48	0.79	406	<1	1.29	18	640	62	0.43	8	426	0.31
B381575		78	2.47	0.02	4.06	0.88	314	1	1.40	21	660	21	0.39	<5	459	0.31
B381576		108	2.77	0.02	4.47	0.79	431	1	1.45	20	640	30	0.56	<5	451	0.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072073

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	V	W	Zn
	Units	ppm	ppm	ppm
	LOR	1	10	2
B381561		40	20	29
B381562		38	20	19
B381563		39	20	21
B381564		54	10	53
B381565		47	10	45
B381566		45	30	42
B381567		40	20	115
B381568		38	20	164
B381569				
B381570		152	<10	97
B381571		11	10	40
B381572		39	20	505
B381573		9	10	168
B381574		43	10	68
B381575		42	20	29
B381576		41	30	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-SEP-2005
Account: STRGOL

CERTIFICATE VA05072075

Project: Dublin Gulch-1735

P.O. No.:

This report is for 140 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 25-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072075

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B381577		2.78	0.076	0.6	7.66	613	1390	2.9	9	1.63	<0.5	7	77	73	2.48	0.01
B381578		0.62	1.135	2.1	5.73	1005	780	2.3	86	0.79	<0.5	7	84	54	1.54	0.03
B381579		2.54	0.026	0.5	7.74	800	1340	2.9	<2	1.85	1.0	6	60	57	2.32	0.02
B381580		4.10	0.050	<0.5	7.88	572	1620	3.1	3	1.99	<0.5	6	81	43	2.51	<0.01
B381581		2.18	0.045	<0.5	7.97	636	1640	3.0	<2	1.86	<0.5	6	33	40	2.36	<0.01
B381582		2.06	0.037	<0.5	7.94	498	1660	3.0	<2	1.83	<0.5	6	51	36	2.35	<0.01
B381583		3.88	0.048	<0.5	7.97	673	1540	3.1	4	1.61	<0.5	5	27	46	2.27	<0.01
B381584		2.80	0.055	<0.5	7.62	1475	1400	5.0	6	1.33	<0.5	4	46	106	1.84	<0.01
B381585		1.70	0.040	<0.5	7.21	1240	1510	4.3	2	1.48	<0.5	4	30	74	1.74	<0.01
B381586		1.88	0.036	<0.5	7.45	1075	1500	4.1	2	1.50	<0.5	4	44	68	1.61	0.01
B381587		2.10	0.052	<0.5	7.56	751	1460	4.4	2	1.17	<0.5	4	28	82	1.66	0.01
B381588		2.00	0.038	<0.5	7.36	1270	1360	4.4	6	1.08	<0.5	4	45	69	1.59	0.02
B381589		0.04	0.039													
B381590		0.10	2.88	0.5	6.92	12	2080	3.2	<2	4.52	<0.5	22	130	97	5.13	0.01
B381591		4.28	0.050	<0.5	7.72	612	1600	4.1	<2	1.49	<0.5	5	28	59	2.19	0.01
B381592		4.36	0.059	<0.5	7.51	627	1600	3.0	4	1.51	<0.5	6	51	52	2.32	0.01
B381593		4.54	0.068	<0.5	7.99	668	1620	3.0	5	1.66	<0.5	6	24	47	2.33	0.01
B381594		5.56	0.087	<0.5	7.46	512	1560	2.9	7	1.38	<0.5	5	62	35	2.27	0.01
B381595		3.56	0.093	<0.5	7.59	541	1640	3.2	12	1.83	<0.5	6	65	69	2.36	0.01
B381596		0.78	<0.005	<0.5	0.16	10	20	<0.5	<2	17.75	<0.5	<1	2	3	0.12	<0.01
B381597		3.36	0.136	<0.5	7.79	766	1390	2.9	17	1.40	<0.5	7	28	47	2.11	0.01
B381598		3.92	0.091	<0.5	7.78	503	1510	3.1	4	1.33	<0.5	7	60	59	2.36	<0.01
B381599		4.54	0.189	<0.5	7.65	566	1480	3.0	21	1.64	<0.5	8	26	54	2.30	0.01
B381600		4.38	0.310	<0.5	7.00	804	1230	2.5	26	2.42	<0.5	6	52	59	1.65	0.01
B364201		1.58	0.020	<0.5	7.58	607	1370	2.8	6	1.30	<0.5	6	54	31	2.59	0.01
B364202		1.06	0.028	<0.5	7.67	611	1350	2.8	4	1.15	<0.5	6	32	35	2.51	0.01
B364203		5.56	0.031	<0.5	7.56	624	1400	2.9	3	1.71	<0.5	6	57	52	2.43	0.01
B364204		5.06	0.044	<0.5	7.63	699	1470	2.8	12	2.09	<0.5	7	52	62	2.24	<0.01
B364205		5.92	0.039	<0.5	7.57	439	1450	2.9	15	2.28	<0.5	8	28	47	2.56	<0.01
B364206		5.08	0.111	<0.5	7.70	488	1470	2.9	15	1.92	<0.5	7	59	52	2.46	<0.01
B364207		4.74	0.087	<0.5	7.81	1215	1470	3.0	10	2.35	<0.5	6	30	43	2.34	0.01
B364208		4.34	0.032	<0.5	7.60	799	1440	3.0	2	1.69	<0.5	7	53	69	2.34	<0.01
B364209		0.04	0.033													
B364210		0.10	1.490	<0.5	7.04	1255	670	5.7	<2	0.01	<0.5	4	205	40	3.70	0.05
B364211		4.50	0.045	<0.5	7.69	693	1450	2.6	4	2.65	<0.5	5	25	64	2.00	0.01
B364212		4.22	0.030	<0.5	7.96	724	1400	3.1	2	2.05	<0.5	6	50	37	2.47	<0.01
B364213		4.12	0.149	<0.5	7.92	1630	1550	3.2	14	2.00	<0.5	8	57	56	2.63	<0.01
B364214		4.22	0.025	<0.5	7.92	1675	1250	4.5	2	2.16	<0.5	4	23	67	1.58	0.01
B364215		3.68	0.055	<0.5	7.57	5850	1330	4.4	4	1.57	<0.5	5	49	18	1.59	0.01
B364216		0.94	<0.005	<0.5	0.17	22	20	<0.5	<2	19.15	<0.5	<1	5	2	0.10	<0.01

Comments: Additional Au-AA23 data for sample B364280 are 0.411 and 0.958 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072075

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B381577		3.66	0.67	356	1	1.02	73	660	63	0.02	10	297	0.30	43	10	92
B381578		2.58	0.36	343	1	0.31	12	480	102	0.03	29	98	0.21	28	20	106
B381579		3.98	0.52	412	1	0.95	54	590	68	0.02	19	265	0.28	37	10	190
B381580		3.92	0.77	217	1	1.60	44	640	22	0.01	<5	449	0.31	40	10	47
B381581		4.12	0.73	209	<1	1.60	27	650	18	0.01	<5	430	0.30	38	10	36
B381582		4.03	0.73	201	<1	1.58	20	640	18	0.01	<5	429	0.30	38	10	36
B381583		4.28	0.66	184	2	1.54	20	630	23	0.01	<5	405	0.29	37	10	39
B381584		3.72	0.68	83	1	1.92	12	500	13	0.11	<5	418	0.18	41	<10	20
B381585		3.45	0.77	108	1	1.70	14	550	14	0.03	<5	419	0.21	45	<10	18
B381586		3.60	0.73	104	1	1.75	14	560	16	0.03	5	418	0.21	45	<10	20
B381587		3.75	0.71	93	<1	1.74	12	530	20	0.01	<5	385	0.20	43	10	21
B381588		3.74	0.60	90	<1	1.74	12	480	16	0.02	<5	366	0.18	40	10	21
B381589																
B381590		3.36	2.92	1045	13	2.20	67	2290	26	0.29	<5	1590	0.38	165	10	94
B381591		3.70	0.65	154	<1	1.71	15	580	21	0.01	6	395	0.25	40	10	35
B381592		3.71	0.69	184	<1	1.41	19	610	13	0.01	<5	389	0.29	36	10	32
B381593		4.14	0.68	188	<1	1.53	17	630	18	0.01	<5	433	0.30	37	40	32
B381594		3.69	0.76	183	<1	1.30	29	590	17	<0.01	<5	365	0.28	34	10	37
B381595		3.90	0.63	198	<1	1.39	62	610	16	0.01	6	402	0.29	38	10	35
B381596		0.05	10.90	140	<1	0.02	2	590	2	0.01	<5	96	0.01	3	<10	7
B381597		3.81	0.48	198	<1	1.43	16	590	23	0.01	6	324	0.27	34	20	35
B381598		3.76	0.61	164	<1	1.51	20	610	15	<0.01	<5	368	0.29	35	20	34
B381599		3.74	0.54	229	1	1.36	21	610	20	<0.01	<5	338	0.28	35	20	41
B381600		3.81	0.33	314	1	1.14	14	520	44	<0.01	9	281	0.23	29	20	32
B364201		3.38	0.53	172	1	1.50	20	580	25	<0.01	<5	334	0.28	33	20	50
B364202		3.43	0.53	173	1	1.52	23	590	25	<0.01	5	339	0.28	34	20	53
B364203		3.68	0.58	176	1	1.49	22	580	21	<0.01	<5	362	0.28	34	20	41
B364204		3.72	0.57	253	<1	1.39	21	590	16	<0.01	<5	375	0.28	35	20	31
B364205		3.65	0.63	205	1	1.51	24	600	19	0.01	<5	414	0.29	36	20	34
B364206		3.54	0.63	214	1	1.58	26	610	23	0.01	<5	408	0.29	35	20	46
B364207		3.72	0.56	206	2	1.59	23	610	19	0.03	<5	411	0.29	35	30	40
B364208		3.69	0.54	185	1	1.49	26	600	18	0.01	5	386	0.29	36	40	40
B364209																
B364210		2.73	0.35	88	3	0.11	18	300	27	0.02	111	92	0.23	89	10	45
B364211		4.17	0.48	196	1	1.24	18	580	20	0.01	5	379	0.26	32	40	41
B364212		3.53	0.59	217	1	1.47	23	610	23	0.01	<5	392	0.29	35	30	48
B364213		3.85	0.65	242	1	1.39	22	630	51	0.04	<5	386	0.29	37	20	47
B364214		3.84	0.46	125	<1	1.66	11	460	15	0.02	<5	347	0.16	35	20	22
B364215		4.30	0.49	61	<1	1.49	16	460	11	0.15	<5	381	0.16	36	20	11
B364216		0.06	11.45	144	<1	0.02	4	440	<2	0.01	<5	109	0.01	2	<10	8

Comments: Additional Au-AA23 data for sample B364280 are 0.411 and 0.958 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072075

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364217		4.94	0.044	<0.5	7.70	3240	1450	4.3	4	1.65	<0.5	7	58	85	1.96	0.01
B364218		5.38	1.150	<0.5	7.82	5100	1520	4.5	53	1.64	<0.5	6	34	73	2.20	0.01
B364219		4.10	0.079	<0.5	7.76	4610	1450	4.5	8	1.91	<0.5	6	51	104	2.11	0.01
B364220		6.18	0.083	<0.5	7.83	5230	1300	4.6	6	2.39	<0.5	6	25	41	1.73	0.01
B364221		1.22	0.054	<0.5	7.90	2490	1270	4.8	2	1.63	<0.5	5	44	71	1.54	0.01
B364222		0.96	0.052	<0.5	7.88	2490	1260	4.7	2	1.47	<0.5	5	23	68	1.64	0.01
B364223		1.54	0.053	<0.5	7.81	609	1380	3.4	5	1.93	<0.5	5	29	77	2.17	<0.01
B364224		5.42	0.099	<0.5	7.97	858	1480	3.0	9	2.33	<0.5	7	54	55	2.38	0.01
B364225		4.20	0.234	<0.5	7.91	1160	1540	2.6	26	2.32	<0.5	8	32	110	2.55	<0.01
B364226		5.04	0.080	<0.5	7.78	497	1510	2.8	10	2.05	<0.5	5	62	65	2.39	<0.01
B364227		4.78	0.117	<0.5	7.96	362	1500	2.7	15	2.15	<0.5	8	64	64	2.41	<0.01
B364228		6.14	0.046	<0.5	7.96	314	1600	2.9	6	2.24	<0.5	7	33	67	2.59	0.01
B364229		0.04	0.057													
B364230		0.10	0.843	2.5	7.91	16	440	0.7	<2	1.89	1.0	21	97	2060	5.07	<0.01
B364231		1.76	0.056	<0.5	7.76	339	1400	3.3	4	1.99	<0.5	7	53	49	2.13	0.01
B364232		4.76	0.082	<0.5	8.03	608	1530	3.3	6	2.19	<0.5	8	28	56	2.39	0.01
B364233		4.62	0.066	<0.5	7.81	777	1460	3.0	8	2.09	<0.5	7	53	57	2.29	0.01
B364234		4.74	0.035	<0.5	8.21	280	1490	3.1	2	2.11	<0.5	8	27	60	2.41	0.01
B364235		4.56	0.094	<0.5	7.22	421	1540	2.8	<2	2.08	<0.5	9	55	59	2.47	0.01
B364236		0.84	<0.005	<0.5	0.14	<5	20	<0.5	<2	17.70	<0.5	<1	4	3	0.11	<0.01
B364237		3.98	0.111	<0.5	7.46	1340	1570	2.9	5	2.00	<0.5	9	31	64	2.54	0.01
B364238		2.90	0.156	<0.5	7.18	1310	1580	2.6	10	1.82	<0.5	9	48	97	2.63	0.01
B364239		3.86	0.270	0.7	7.35	1525	1180	2.7	16	2.62	<0.5	8	23	98	2.37	0.02
B364240		3.30	0.207	<0.5	7.39	327	1570	2.8	3	2.10	<0.5	8	52	66	2.51	0.01
B364241		2.14	0.067	<0.5	7.23	642	1560	2.8	5	1.89	<0.5	8	43	66	2.63	0.01
B364242		1.94	0.098	<0.5	7.24	769	1540	2.6	6	1.94	<0.5	8	58	54	2.50	0.01
B364243		5.34	0.088	<0.5	7.19	445	1510	2.7	8	2.05	<0.5	8	53	53	2.41	0.01
B364244		5.12	0.023	<0.5	7.07	326	1390	2.8	<2	2.44	<0.5	7	28	36	2.26	0.01
B364245		5.64	0.086	<0.5	7.21	1000	1520	2.9	10	2.24	<0.5	8	54	51	2.40	0.01
B364246		5.42	0.114	<0.5	7.16	923	1540	2.7	17	2.28	<0.5	10	60	92	2.54	0.01
B364247		5.32	0.105	<0.5	7.38	1030	1500	2.7	4	1.94	<0.5	8	25	71	2.54	0.02
B364248		5.04	0.126	<0.5	7.09	962	1500	3.2	10	3.56	<0.5	4	29	51	1.92	0.02
B364249		0.04	0.107													
B364250		0.10	0.335	2.5	8.65	<5	1100	1.2	<2	1.44	<0.5	6	8	7410	3.32	0.03
B364251		2.54	0.036	<0.5	7.32	244	1600	2.6	3	2.77	<0.5	7	22	43	2.39	0.01
B364252		4.90	0.073	<0.5	7.49	470	1510	2.8	11	2.16	<0.5	7	53	51	2.36	0.01
B364253		3.42	0.094	0.6	7.43	604	1300	2.9	8	2.56	0.9	8	50	56	2.49	0.03
B364254		4.92	0.054	<0.5	7.76	798	1560	3.4	<2	1.98	<0.5	6	57	42	2.17	0.01
B364255		5.34	0.146	<0.5	7.09	919	1320	3.1	9	2.18	<0.5	6	23	42	2.24	0.01
B364256		1.02	<0.005	<0.5	0.16	5	20	<0.5	<2	18.70	<0.5	1	3	2	0.12	<0.01

Comments: Additional Au-AA23 data for sample B364280 are 0.411 and 0.958 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072075

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364217		3.79	0.67	76	1	1.64	15	560	12	0.10	<5	391	0.20	44	20	15
B364218		4.15	0.63	75	1	1.65	14	590	12	0.16	5	417	0.21	45	20	14
B364219		3.81	0.65	95	1	1.65	17	560	13	0.15	5	388	0.21	44	30	15
B364220		4.27	0.47	124	<1	1.63	11	460	10	0.16	<5	409	0.16	36	30	12
B364221		3.98	0.43	85	1	1.92	13	460	14	0.09	<5	394	0.16	36	10	19
B364222		4.01	0.44	80	1	1.89	12	450	14	0.09	<5	395	0.15	36	10	18
B364223		4.02	0.56	155	1	1.57	18	550	22	0.02	<5	390	0.25	33	20	31
B364224		3.75	0.69	207	1	1.56	21	620	20	0.06	<5	455	0.29	36	20	34
B364225		4.13	0.68	202	2	1.48	22	640	18	0.09	<5	452	0.30	37	30	30
B364226		3.92	0.63	205	1	1.49	22	650	21	0.02	<5	425	0.30	37	30	35
B364227		3.88	0.72	218	1	1.60	22	640	25	0.12	<5	470	0.30	36	10	44
B364228		3.62	0.76	213	2	1.59	24	670	23	0.09	<5	475	0.32	39	20	37
B364229																
B364230		1.72	1.34	436	3	3.02	54	630	23	0.59	<5	209	0.29	90	<10	203
B364231		3.71	0.69	192	2	1.65	23	580	22	0.09	<5	438	0.28	33	40	37
B364232		3.75	0.75	196	2	1.67	24	630	20	0.11	<5	478	0.30	37	10	37
B364233		3.86	0.74	176	1	1.57	20	600	19	0.13	<5	448	0.28	35	20	30
B364234		4.11	0.78	194	2	1.63	22	630	21	0.09	<5	464	0.29	36	20	32
B364235		3.76	0.80	198	1	1.52	24	610	17	0.12	<5	434	0.29	37	20	31
B364236		0.04	11.05	144	<1	0.02	2	430	<2	0.01	<5	97	<0.01	2	<10	7
B364237		3.81	0.79	190	1	1.43	24	610	26	0.15	6	395	0.29	36	20	44
B364238		3.77	0.80	176	2	1.35	19	590	17	0.14	9	366	0.28	35	60	28
B364239		3.73	0.47	349	4	0.70	17	560	75	0.42	23	215	0.25	33	30	85
B364240		3.92	0.83	198	1	1.53	23	610	16	0.16	<5	421	0.29	37	30	29
B364241		3.55	0.86	216	3	1.44	41	610	19	0.06	<5	393	0.30	37	40	34
B364242		3.41	0.84	216	4	1.41	24	610	14	0.06	<5	397	0.29	36	40	32
B364243		3.75	0.77	203	1	1.48	23	600	16	0.11	<5	397	0.28	35	30	32
B364244		3.55	0.68	228	1	1.47	19	570	15	0.06	<5	390	0.28	34	20	31
B364245		3.80	0.67	202	1	1.47	20	590	14	0.10	<5	408	0.28	35	20	31
B364246		4.12	0.73	214	3	1.38	23	590	18	0.24	<5	402	0.29	38	30	35
B364247		3.85	0.73	207	2	1.41	20	600	18	0.15	<5	384	0.29	36	30	34
B364248		3.84	0.58	251	2	0.85	15	540	20	0.05	7	371	0.26	33	40	35
B364249																
B364250		3.71	1.18	495	2	3.24	10	1890	9	0.23	<5	663	0.33	176	<10	57
B364251		3.74	0.71	323	1	1.35	18	600	23	0.05	<5	418	0.28	35	20	55
B364252		3.78	0.72	246	3	1.48	21	590	21	0.18	<5	444	0.28	36	20	51
B364253		3.68	0.57	442	<1	0.91	47	590	236	0.40	92	300	0.27	35	20	185
B364254		3.88	0.70	235	1	1.62	22	600	28	0.09	9	431	0.26	38	40	54
B364255		3.85	0.70	271	2	1.45	18	530	36	0.16	7	403	0.25	32	20	51
B364256		0.05	11.60	155	1	0.02	3	500	<2	0.01	<5	112	0.01	3	<10	8

Comments: Additional Au-AA23 data for sample B364280 are 0.411 and 0.958 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072075

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364257		5.46	0.028	<0.5	7.35	331	1600	2.8	<2	2.60	<0.5	8	27	55	2.67	0.01
B364258		5.40	0.573	<0.5	7.74	691	1630	2.8	5	2.88	<0.5	7	28	24	2.65	0.01
B364259		5.46	0.080	<0.5	7.27	479	1580	2.9	5	2.37	<0.5	8	48	45	2.49	0.01
B364260		5.52	0.049	<0.5	7.48	920	1480	2.8	4	2.27	<0.5	6	30	36	2.59	0.01
B364261		2.34	0.108	<0.5	7.26	1030	1400	3.0	13	2.73	<0.5	8	55	62	2.48	0.01
B364262		2.30	0.083	<0.5	7.51	575	1440	3.1	7	2.20	<0.5	10	36	90	2.72	0.01
B364263		5.76	0.068	<0.5	7.55	494	1560	3.0	2	2.26	<0.5	9	94	59	2.56	<0.01
B364264		2.24	0.104	<0.5	7.28	227	1250	3.4	5	2.29	<0.5	7	48	49	2.13	0.01
B364265		2.10	0.157	<0.5	7.57	825	1640	2.6	22	2.27	<0.5	12	31	138	3.20	<0.01
B364266		5.16	0.209	<0.5	7.69	1105	1590	2.7	17	2.52	<0.5	9	51	96	2.64	0.01
B364267		4.46	0.311	<0.5	7.06	391	1440	2.3	15	3.38	<0.5	8	25	41	2.30	<0.01
B364268		4.86	0.075	<0.5	7.33	164	1500	2.9	6	2.38	<0.5	6	43	25	2.37	0.01
B364269		0.04	0.090													
B364270		0.10	4.32	8.9	7.90	16	490	0.9	<2	2.75	1.3	17	18	126	4.29	0.01
B364271		5.42	0.093	<0.5	7.36	428	1500	3.0	<2	2.46	<0.5	8	29	38	2.55	0.01
B364272		4.64	0.073	<0.5	7.09	628	1460	2.6	10	2.42	<0.5	7	46	34	2.45	0.01
B364273		4.82	0.319	<0.5	7.43	712	1350	3.6	7	3.19	1.0	10	24	52	2.50	0.03
B364274		4.14	0.312	0.5	7.53	431	1320	2.9	34	3.42	1.8	10	35	56	2.40	0.03
B364275		1.84	0.067	<0.5	7.75	186	1500	2.5	<2	1.42	<0.5	9	40	36	2.32	0.01
B364276		0.60	<0.005	<0.5	0.21	<5	20	<0.5	<2	20.2	<0.5	1	2	2	0.15	0.01
B364277		3.46	0.359	0.7	7.15	156	1170	2.4	7	2.46	<0.5	6	45	45	2.26	0.01
B364278		5.36	1.890	2.4	6.40	3180	850	2.2	52	2.29	2.2	29	47	77	3.17	0.02
B364279		2.38	0.369	0.7	8.02	349	1760	2.9	12	2.00	<0.5	8	54	35	2.61	0.01
B364280		3.32	0.709	0.8	7.41	1425	1550	2.8	30	2.27	<0.5	12	46	51	2.64	0.01
B364281		2.44	0.246	<0.5	7.13	679	1400	2.8	12	2.28	<0.5	12	56	65	3.04	0.01
B364282		2.46	0.444	0.7	7.13	627	1420	2.8	28	1.95	<0.5	13	47	73	3.02	0.01
B364283		5.86	0.316	0.6	7.37	943	1500	2.9	18	2.02	<0.5	12	58	87	2.86	0.02
B364284		6.04	0.353	0.7	7.64	3430	1530	2.6	14	1.70	<0.5	14	45	75	2.89	0.01
B364285		6.28	0.333	0.9	7.88	333	1360	3.1	12	1.92	1.2	7	56	69	2.76	0.02
B364286		5.02	0.242	1.1	7.77	289	990	3.3	8	1.93	2.1	8	52	82	3.08	0.03
B364287		5.24	0.297	<0.5	7.98	202	1670	2.9	13	2.33	<0.5	12	72	50	2.75	0.01
B364288		4.64	0.517	<0.5	7.47	267	1490	2.8	39	1.82	<0.5	10	42	76	2.55	0.01
B364289		0.04	0.496													
B364290		0.12	0.092	<0.5	7.25	118	610	2.8	<2	0.55	<0.5	60	1205	405	8.74	0.03
B364291		5.48	0.893	<0.5	7.50	325	1580	2.9	16	2.14	<0.5	9	55	65	2.52	0.01
B364292		3.10	1.320	1.3	7.67	467	1210	2.8	51	2.43	0.6	14	54	96	2.61	0.01
B364293		2.48	0.099	<0.5	8.11	320	1610	3.2	3	1.25	<0.5	7	57	88	3.36	0.01
B364294		2.92	1.180	1.8	7.74	201	1920	1.9	52	1.41	<0.5	6	53	70	3.16	0.02
B364295		2.94	1.575	3.3	8.02	1145	1480	2.5	71	1.76	0.7	8	61	69	2.96	0.01
B364296		0.66	<0.005	<0.5	0.20	5	30	<0.5	<2	19.95	<0.5	1	3	2	0.14	<0.01

Comments: Additional Au-AA23 data for sample B364280 are 0.411 and 0.958 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072075

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364257		3.57	0.88	303	2	1.59	21	640	24	0.19	5	477	0.31	38	10	62
B364258		3.57	0.90	314	1	1.53	21	620	25	0.14	<5	503	0.31	39	10	58
B364259		3.77	0.85	284	2	1.48	22	610	23	0.16	<5	430	0.30	38	10	56
B364260		4.02	0.81	267	2	1.38	20	650	36	0.22	10	400	0.29	36	20	59
B364261		3.82	0.79	265	1	1.35	19	580	21	0.27	5	459	0.28	39	20	51
B364262		4.05	0.83	249	1	1.35	22	590	25	0.33	5	410	0.28	42	10	52
B364263		3.66	0.82	277	4	1.51	58	610	25	0.20	<5	450	0.30	38	10	55
B364264		4.50	0.60	245	1	1.50	18	440	33	0.24	<5	386	0.21	25	10	40
B364265		4.51	0.80	231	1	1.35	22	610	22	0.64	<5	461	0.29	38	30	42
B364266		4.68	0.80	243	1	1.37	20	620	23	0.39	<5	458	0.28	36	30	44
B364267		3.93	0.80	288	1	1.33	18	570	20	0.17	6	473	0.27	33	20	46
B364268		3.80	0.86	295	1	1.42	18	570	26	0.10	<5	422	0.28	34	20	56
B364269																
B364270		2.32	1.37	976	12	1.58	12	900	23	0.66	<5	402	0.37	149	<10	99
B364271		3.66	0.86	359	<1	1.33	22	630	55	0.21	6	414	0.30	39	20	104
B364272		3.61	0.83	310	1	1.36	19	600	34	0.18	8	414	0.28	35	30	57
B364273		3.68	0.65	321	2	0.71	19	640	144	0.51	48	381	0.29	35	30	278
B364274		3.74	0.67	368	2	0.55	16	580	143	0.59	23	333	0.26	30	20	335
B364275		3.41	0.75	284	3	0.85	16	630	33	0.15	18	447	0.29	34	20	74
B364276		0.05	11.85	158	<1	0.01	1	600	2	0.01	<5	120	0.01	3	<10	8
B364277		3.54	0.77	549	2	0.85	16	570	65	0.35	29	309	0.26	31	20	91
B364278		3.04	0.60	491	5	0.46	17	520	383	1.67	149	186	0.21	28	30	377
B364279		4.37	0.56	445	1	0.88	21	660	101	0.59	25	253	0.29	37	20	82
B364280		3.80	0.56	447	2	0.96	21	610	86	0.75	33	276	0.27	34	20	43
B364281		3.81	0.68	419	3	1.02	19	590	48	0.87	25	285	0.26	34	30	68
B364282		3.96	0.68	364	6	1.06	23	590	69	1.04	23	285	0.26	34	30	64
B364283		4.18	0.77	403	3	0.83	20	630	87	0.47	23	273	0.28	35	20	124
B364284		4.32	0.73	328	2	0.83	19	580	70	1.00	26	252	0.24	31	30	77
B364285		4.15	0.82	511	3	0.55	19	590	123	0.72	27	209	0.26	33	30	275
B364286		3.86	0.77	540	2	0.27	16	630	162	1.06	27	173	0.26	34	40	397
B364287		3.86	0.81	331	2	1.60	22	650	32	0.21	6	491	0.32	38	40	60
B364288		3.98	0.77	243	1	1.42	19	580	29	0.39	<5	430	0.28	32	30	47
B364289																
B364290		2.28	0.60	397	8	0.13	498	350	148	0.02	9	52	0.23	93	30	616
B364291		4.20	0.75	294	2	1.36	18	590	32	0.27	<5	412	0.30	35	20	58
B364292		3.67	0.75	409	6	0.77	17	610	76	0.42	22	290	0.29	36	30	202
B364293		4.92	0.68	263	5	1.21	17	680	55	1.25	8	284	0.28	37	30	90
B364294		6.23	0.81	355	11	0.39	8	640	176	0.74	50	286	0.25	40	190	176
B364295		5.16	0.79	406	10	0.63	15	670	134	0.74	55	277	0.29	41	40	170
B364296		0.07	11.75	179	<1	0.05	<1	470	3	<0.01	<5	126	0.01	2	<10	8

Comments: Additional Au-AA23 data for sample B364280 are 0.411 and 0.958 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072075

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364297		2.82	0.327	1.2	7.34	803	1230	2.7	15	2.63	<0.5	10	56	79	2.57	0.02
B364298		3.26	0.029	<0.5	8.08	326	1560	3.2	<2	2.31	<0.5	7	55	34	2.32	0.01
B364299		2.94	0.073	<0.5	7.40	509	1550	3.0	4	2.32	<0.5	9	52	43	2.53	0.02
B364300		2.98	0.937	1.5	7.21	504	920	2.2	24	1.86	<0.5	9	61	88	3.15	0.02
B364301		2.80	1.315	0.8	7.54	434	1610	2.5	48	1.77	<0.5	11	44	83	2.75	0.02
B364302		2.40	3.33	1.3	7.35	431	1610	2.3	133	1.80	<0.5	11	46	87	2.76	0.01
B364303		2.96	0.259	<0.5	7.85	254	1720	2.5	8	4.47	<0.5	10	36	52	2.53	0.01
B364304		2.16	0.739	<0.5	7.35	271	1580	3.4	10	2.03	<0.5	14	52	53	2.49	0.02
B364305		5.84	0.296	<0.5	7.35	307	1270	3.3	8	2.12	<0.5	9	60	42	2.55	0.02
B364306		4.88	0.146	0.5	7.51	67	1430	3.3	7	2.69	1.5	11	58	42	2.86	0.06
B364307		5.90	0.084	<0.5	7.76	38	1480	3.2	2	2.79	<0.5	10	59	29	2.72	0.01
B364308		6.76	1.705	<0.5	8.07	528	1570	3.2	38	2.51	<0.5	17	61	34	2.90	0.01
B364309		0.04	1.775													
B364310		0.10	0.810	2.4	8.13	12	480	0.7	<2	2.03	0.9	24	100	2090	5.40	<0.01
B364311		4.90	1.415	<0.5	7.70	71	1390	3.0	69	2.53	<0.5	13	69	52	3.02	0.01
B364312		4.88	0.134	<0.5	7.26	93	960	1.7	3	1.62	<0.5	6	41	20	1.18	0.03
B364313		2.90	0.091	<0.5	7.22	77	1250	3.0	6	2.35	<0.5	11	62	29	2.59	0.04
B364314		4.86	0.065	<0.5	7.44	261	1490	3.1	<2	2.46	<0.5	12	71	33	2.83	0.03
B364315		2.46	0.572	0.5	7.83	82	1410	3.3	14	2.57	<0.5	8	66	32	2.84	0.03
B364316		0.76	<0.005	<0.5	0.19	<5	20	<0.5	<2	21.3	<0.5	1	11	4	0.19	<0.01

Comments: Additional Au-AA23 data for sample B364280 are 0.411 and 0.958 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05072075

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364297		4.15	0.78	503	4	0.79	16	600	93	0.54	29	311	0.27	34	410	154
B364298		4.10	0.73	297	2	1.60	15	610	38	0.21	7	468	0.29	34	60	61
B364299		4.37	0.77	411	1	0.93	18	650	44	0.44	16	324	0.30	37	20	89
B364300		4.22	0.70	388	4	0.69	13	570	147	1.65	63	259	0.24	32	50	140
B364301		4.75	0.80	288	5	0.86	19	590	57	0.61	26	310	0.27	34	290	41
B364302		4.95	0.78	314	3	0.81	16	620	81	0.69	32	304	0.26	34	300	45
B364303		4.01	1.17	436	19	0.64	20	650	23	0.23	19	474	0.31	37	50	30
B364304		3.92	0.90	242	4	1.39	19	610	24	0.25	<5	444	0.31	38	60	30
B364305		3.78	0.97	281	2	1.46	12	590	28	0.19	<5	424	0.28	43	30	36
B364306		3.81	1.07	433	2	1.18	20	710	88	0.35	14	390	0.32	46	30	341
B364307		3.84	1.03	411	1	1.51	17	670	37	0.22	8	453	0.33	48	10	60
B364308		3.83	1.14	355	1	1.52	13	690	38	0.21	8	470	0.32	55	10	45
B364309																
B364310		1.81	1.40	457	3	3.40	54	680	22	0.65	<5	217	0.32	94	10	207
B364311		3.69	1.20	370	1	1.32	12	650	32	0.25	11	414	0.30	56	20	41
B364312		5.99	0.47	208	1	1.16	5	500	33	0.08	<5	314	0.11	18	10	13
B364313		3.25	1.14	356	15	1.58	12	600	26	0.13	<5	411	0.28	50	10	46
B364314		3.68	1.26	362	1	1.65	12	640	21	0.17	<5	456	0.31	54	10	37
B364315		3.71	1.02	384	8	1.32	15	660	89	0.46	7	365	0.30	47	10	75
B364316		0.05	12.45	183	<1	0.03	1	510	2	<0.01	<5	124	0.01	4	<10	8

Comments: Additional Au-AA23 data for sample B364280 are 0.411 and 0.958 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-SEP-2005
Account: STRGOL

CERTIFICATE VA05074728

Project: Dublin Gulch-1735

P.O. No.:

This report is for 119 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

094878

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

094876

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B363624		5.28	0.199				<0.5	7.80	1035	1400	2.3	9	2.46	<0.5	14	67
B363625		3.98	0.178				<0.5	7.47	626	1290	2.3	20	1.93	<0.5	12	104
B363626		2.16	0.113				<0.5	7.90	161	1340	2.3	11	2.36	<0.5	15	64
B363627		3.00	0.085				<0.5	6.55	244	250	1.7	9	4.56	<0.5	15	105
B363628		2.16	0.197				<0.5	6.71	604	1170	2.2	14	2.06	<0.5	11	49
B363629		0.04	0.112													
B363630		0.12	3.21				0.5	6.82	<5	2030	3.1	<2	4.72	<0.5	22	138
B363631		4.80	0.174				<0.5	7.38	1100	1620	2.6	12	2.36	<0.5	11	79
B363632		2.96	0.229				<0.5	7.33	529	1620	2.4	14	2.24	<0.5	9	28
B363633		5.52	0.382				<0.5	7.43	541	1250	2.2	32	2.26	<0.5	12	108
B363634		4.74	0.185				<0.5	7.46	318	1380	2.2	18	2.43	<0.5	11	62
B363635		4.12	0.152				<0.5	7.36	285	1470	2.3	13	2.68	<0.5	11	110
B363636		0.68	0.013				<0.5	0.12	5	20	<0.5	<2	19.60	<0.5	<1	3
B363637		4.38	0.222				<0.5	7.27	199	1400	2.4	13	3.29	<0.5	10	89
B363638		3.82	0.459				<0.5	7.15	264	1240	2.4	20	2.51	<0.5	10	82
B363639		5.98	0.062				<0.5	7.26	494	1550	2.6	5	2.10	<0.5	9	31
B363640		5.08	0.387	0.328	0.181		<0.5	7.40	559	1640	2.6	15	2.66	<0.5	10	70
B363641		2.18	0.782	0.197	0.199		<0.5	7.28	564	1390	2.6	11	2.17	<0.5	9	23
B363642		1.70	1.465	0.221	0.608		<0.5	6.67	283	1160	2.6	7	2.14	<0.5	7	62
B363643		3.28	4.91	0.383	0.410		<0.5	7.23	429	1370	2.8	33	2.34	<0.5	10	26
B363644		4.12	0.194				<0.5	8.10	578	1720	2.9	14	3.25	<0.5	13	33
B363645		4.48	0.238				<0.5	8.06	710	1570	3.0	22	2.55	<0.5	10	29
B363646		6.10	0.328	0.440	0.495		<0.5	7.55	396	1480	2.7	19	2.21	<0.5	9	69
B363647		3.16	0.460	0.164	0.150		<0.5	7.68	236	1500	3.0	7	2.04	<0.5	9	57
B363648		3.52	0.196	0.177	0.566		<0.5	7.34	849	690	2.4	7	3.09	<0.5	11	26
B363649		0.04	0.975	0.140	0.158											
B363650		0.10	2.82				<0.5	7.48	2120	720	12.7	2	0.02	<0.5	2	141
B363651		4.56	0.081				<0.5	7.60	406	1340	2.8	7	2.79	<0.5	9	65
B363652		5.32	0.126				<0.5	7.40	536	1360	2.9	9	2.12	<0.5	9	28
B363653		5.76	0.513				<0.5	7.42	1080	1430	2.7	48	2.35	<0.5	10	68
B363654		5.06	0.098				<0.5	7.77	439	1700	2.8	2	2.53	<0.5	8	30
B363655		5.12	0.107				<0.5	7.57	138	1300	2.7	19	2.84	<0.5	8	69
B363656		1.04	<0.005				<0.5	0.14	<5	20	<0.5	<2	19.50	<0.5	1	6
B363657		5.52	0.294				<0.5	7.66	266	1560	2.8	32	2.49	<0.5	9	66
B363658		4.76	0.151				<0.5	7.74	316	1590	2.8	3	2.38	<0.5	7	28
B363659		4.86	0.168				<0.5	7.58	324	1580	2.8	10	2.49	<0.5	9	62
B363660		5.08	1.860				<0.5	7.69	550	1640	2.9	56	2.44	<0.5	9	31
B363661		2.56	0.077				<0.5	7.51	328	1500	2.8	8	2.37	<0.5	9	65
B363662		2.60	0.077				<0.5	7.70	320	1550	2.8	5	2.42	<0.5	8	31
B363663		4.68	0.041				<0.5	7.66	149	1510	3.1	3	2.40	<0.5	8	66

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B363624		51	3.41	0.01	3.00	1.39	407	1	1.43	30	720	26	0.22	<5	451	0.38
B363625		74	3.18	0.02	2.98	1.11	287	2	1.25	33	680	26	0.20	<5	347	0.36
B363626		78	3.60	0.01	2.90	1.24	378	1	1.33	33	740	23	0.23	<5	402	0.38
B363627		108	2.05	0.02	2.26	0.46	344	1	0.63	27	570	25	0.44	<5	561	0.29
B363628		48	2.83	0.01	2.85	0.96	230	1	1.10	28	590	18	0.22	<5	323	0.30
B363629																
B363630		99	4.91	0.02	3.32	2.80	1000	12	2.15	70	2230	28	0.29	<5	1560	0.36
B363631		45	2.63	0.01	3.50	1.03	268	5	1.30	25	690	27	0.20	<5	430	0.34
B363632		53	2.22	0.01	3.79	0.77	179	3	1.36	21	650	22	0.21	<5	441	0.30
B363633		58	2.95	0.04	3.09	1.17	315	2	1.35	28	630	20	0.21	<5	440	0.33
B363634		42	3.09	0.02	3.16	1.22	340	2	1.37	32	650	22	0.17	<5	438	0.35
B363635		32	2.86	0.01	3.18	1.18	341	13	1.36	30	620	21	0.13	<5	453	0.34
B363636		2	0.12	<0.01	0.03	11.00	159	<1	0.02	2	480	<2	0.01	<5	101	<0.01
B363637		48	2.82	0.01	3.04	1.12	317	1	1.47	29	700	20	0.19	11	454	0.35
B363638		63	2.61	0.01	3.32	0.94	283	10	1.28	25	610	25	0.15	12	376	0.30
B363639		34	2.40	0.01	3.65	0.76	237	2	1.52	20	620	24	0.16	5	407	0.31
B363640		55	2.40	0.01	3.89	0.78	237	5	1.48	21	660	23	0.22	<5	450	0.31
B363641		55	2.34	0.01	3.84	0.70	239	9	1.42	17	540	26	0.22	<5	381	0.27
B363642		25	1.94	0.01	3.44	0.61	218	3	1.33	15	490	24	0.11	<5	347	0.23
B363643		64	2.31	0.01	3.83	0.68	236	7	1.45	19	550	27	0.25	<5	412	0.26
B363644		69	2.66	0.01	4.31	0.84	250	2	1.66	23	720	25	0.25	<5	515	0.33
B363645		59	2.53	0.01	4.06	0.82	216	2	1.67	22	660	24	0.24	<5	495	0.31
B363646		65	2.42	0.01	3.67	0.76	220	1	1.60	20	600	24	0.26	<5	461	0.28
B363647		31	2.35	0.01	3.44	0.80	209	<1	1.45	21	640	26	0.13	7	437	0.30
B363648		74	2.16	0.01	2.83	0.53	233	1	1.28	21	630	23	0.32	18	299	0.30
B363649																
B363650		101	3.35	0.07	3.16	0.36	67	2	0.09	8	320	32	0.02	150	139	0.23
B363651		35	2.42	0.03	3.55	0.64	268	2	1.46	20	670	25	0.17	8	406	0.31
B363652		37	2.19	0.01	4.08	0.70	237	1	1.47	17	550	31	0.16	<5	417	0.26
B363653		54	2.32	<0.01	3.71	0.72	218	1	1.39	19	620	24	0.28	<5	428	0.29
B363654		35	2.60	0.01	3.62	0.92	280	1	1.61	23	670	29	0.13	<5	518	0.32
B363655		42	2.36	0.01	3.61	0.70	266	1	1.45	22	620	27	0.21	5	421	0.29
B363656		2	0.11	<0.01	0.04	11.00	145	<1	0.02	6	550	<2	0.01	<5	106	0.01
B363657		40	2.42	<0.01	3.63	0.81	255	1	1.65	22	650	27	0.21	<5	494	0.30
B363658		42	2.52	0.01	3.63	0.84	251	2	1.67	22	650	27	0.19	<5	498	0.31
B363659		35	2.42	0.01	3.67	0.83	270	6	1.61	22	650	24	0.14	<5	507	0.31
B363660		36	2.52	0.01	3.60	0.82	251	8	1.68	23	680	22	0.20	<5	511	0.32
B363661		58	2.39	0.01	3.78	0.75	239	1	1.60	23	610	23	0.20	<5	473	0.29
B363662		33	2.45	0.01	3.72	0.79	256	2	1.63	20	630	24	0.17	<5	493	0.30
B363663		31	2.36	<0.01	3.52	0.78	293	2	1.70	20	620	42	0.09	<5	481	0.30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B363624		87	20	80
B363625		82	10	69
B363626		88	<10	84
B363627		69	10	61
B363628		66	10	52
B363629				
B363630		154	<10	96
B363631		52	20	69
B363632		36	20	34
B363633		73	20	62
B363634		82	20	67
B363635		79	10	69
B363636		3	<10	7
B363637		60	30	47
B363638		52	30	59
B363639		36	20	54
B363640		36	30	42
B363641		31	20	49
B363642		27	10	45
B363643		30	20	49
B363644		39	30	42
B363645		35	30	36
B363646		33	20	44
B363647		35	30	45
B363648		35	30	37
B363649				
B363650		98	10	17
B363651		36	10	57
B363652		31	20	53
B363653		34	10	49
B363654		38	10	60
B363655		34	20	57
B363656		2	<10	7
B363657		36	10	54
B363658		36	20	51
B363659		36	20	52
B363660		39	10	50
B363661		35	10	48
B363662		35	10	49
B363663		35	10	78

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B363664		5.74	0.177				<0.5	7.49	406	1530	2.7	8	2.28	<0.5	10	70
B363665		5.50	0.258				<0.5	8.09	293	1650	2.9	13	2.50	<0.5	10	33
B363666		5.16	0.111				<0.5	7.86	393	1510	3.0	13	2.30	<0.5	9	68
B363667		6.16	0.189				<0.5	6.81	694	1490	2.5	5	1.67	<0.5	12	32
B363668		5.90	0.085				<0.5	7.18	25	1550	2.9	<2	2.19	<0.5	10	71
B363669		0.04	0.055													
B363670		0.10	1.490				<0.5	6.42	1155	690	5.8	<2	0.01	<0.5	7	212
B363671		5.78	0.302				<0.5	7.16	373	1570	2.7	<2	2.28	<0.5	10	34
B363672		5.82	0.296				<0.5	7.20	204	1300	3.1	12	1.86	<0.5	10	30
B363673		6.64	0.113				<0.5	7.43	317	1610	2.8	8	2.32	<0.5	12	73
B363674		5.42	0.188				<0.5	7.73	147	1650	3.0	2	2.44	<0.5	11	34
B363675		6.30	0.063				<0.5	7.28	168	1620	2.7	<2	2.16	<0.5	11	33
B363676		0.96	0.010				<0.5	0.13	12	20	<0.5	<2	18.80	<0.5	1	4
B363677		6.44	0.045				<0.5	7.06	172	1550	2.7	<2	2.31	<0.5	7	32
B363678		5.50	0.077				<0.5	7.46	263	1510	3.0	7	2.34	<0.5	6	30
B363679		7.18	0.119				<0.5	7.27	188	1420	3.0	10	2.24	<0.5	7	32
B363680		5.88	0.066				<0.5	7.18	537	1430	2.9	<2	2.25	<0.5	12	29
B363681		2.88	0.076				<0.5	7.35	150	1540	2.8	3	2.42	<0.5	8	30
B363682		2.90	0.144				<0.5	7.01	172	1550	2.7	6	2.62	<0.5	10	29
B363683		5.50	0.102				<0.5	7.13	271	1350	2.8	2	2.16	<0.5	7	28
B363684		5.62	0.139				<0.5	7.45	86	1470	3.0	2	2.24	<0.5	6	27
B363685		4.58	0.224				<0.5	7.17	124	1440	3.0	9	2.24	<0.5	7	29
B363686		3.24	0.472				<0.5	7.42	1355	1540	2.8	15	2.29	<0.5	28	30
B363687		4.20	0.098				<0.5	6.95	152	1470	2.6	3	2.41	<0.5	8	28
B363688		4.60	0.094				<0.5	7.39	65	1580	2.7	<2	2.16	<0.5	6	27
B363689		0.04	0.086													
B363690		0.12	2.68				<0.5	7.34	2160	730	12.5	<2	0.01	<0.5	1	143
B363691		4.24	0.177				<0.5	7.49	300	1660	2.8	2	2.30	<0.5	7	29
B363692		5.02	0.067				<0.5	7.29	277	1610	2.9	9	2.18	<0.5	7	29
B363693		5.40	0.287				<0.5	6.92	503	1550	2.6	6	1.89	<0.5	8	27
B363694		5.00	0.072				<0.5	7.04	452	1530	2.6	<2	2.12	<0.5	6	25
B363695		2.98	0.181				<0.5	7.04	596	1640	2.7	7	1.12	<0.5	7	25
B363696		0.70	0.009				<0.5	0.12	11	20	<0.5	<2	18.55	<0.5	<1	2
B363697		3.00	0.349				<0.5	7.10	745	1720	2.6	12	1.07	<0.5	9	27
B363698		4.96	0.299				2.7	7.36	726	750	3.1	49	1.35	1.1	9	24
B363699		4.46	5.46				1.5	6.27	450	650	2.4	177	2.51	1.0	5	20
B363700		4.70	0.209				<0.5	7.39	282	1480	2.8	4	2.05	<0.5	7	27
B363701		1.46	0.435				<0.5	7.15	426	1350	2.8	3	1.89	<0.5	7	26
B363702		1.28	0.121				<0.5	7.17	667	1350	2.7	5	1.88	<0.5	7	23
B363703		5.30	0.099				<0.5	7.37	411	1530	2.8	2	2.42	<0.5	8	27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B363664		67	2.49	<0.01	3.66	0.82	235	2	1.56	22	650	23	0.25	<5	475	0.31
B363665		84	2.71	0.01	3.69	0.84	240	<1	1.71	21	690	25	0.31	<5	512	0.32
B363666		24	2.46	0.01	3.65	0.80	253	1	1.63	21	650	26	0.13	<5	472	0.30
B363667		43	2.10	<0.01	3.83	0.65	186	1	1.37	16	520	21	0.25	<5	383	0.26
B363668		26	2.32	0.01	3.41	0.76	265	2	1.59	18	570	25	0.16	<5	490	0.31
B363669																
B363670		33	3.48	0.05	2.49	0.33	84	2	0.10	16	280	23	0.01	113	90	0.24
B363671		38	2.35	0.01	3.37	0.73	252	1	1.53	16	600	18	0.22	<5	489	0.30
B363672		36	2.08	<0.01	3.76	0.64	212	3	1.55	15	500	25	0.19	<5	422	0.26
B363673		33	2.34	<0.01	3.55	0.79	256	<1	1.59	18	580	23	0.17	<5	494	0.31
B363674		36	2.44	<0.01	3.42	0.81	275	2	1.71	20	640	26	0.17	<5	539	0.32
B363675		44	2.43	0.01	3.68	0.78	252	3	1.47	20	610	19	0.23	<5	482	0.31
B363676		2	0.12	<0.01	0.04	10.95	150	<1	0.02	<1	450	4	0.01	<5	112	<0.01
B363677		35	2.47	<0.01	3.65	0.77	276	9	1.60	20	620	27	0.13	<5	478	0.30
B363678		34	2.37	<0.01	3.74	0.77	276	1	1.67	18	620	28	0.14	<5	492	0.28
B363679		30	2.35	0.01	3.66	0.72	266	2	1.60	20	600	28	0.15	<5	454	0.27
B363680		29	2.31	<0.01	3.79	0.69	250	4	1.63	21	600	32	0.15	<5	460	0.27
B363681		25	2.47	0.01	3.58	0.76	281	1	1.52	19	630	28	0.12	6	456	0.29
B363682		56	2.40	<0.01	3.74	0.73	287	2	1.53	21	620	27	0.16	<5	475	0.28
B363683		33	2.22	0.01	3.71	0.69	247	2	1.49	16	590	26	0.13	5	420	0.26
B363684		29	2.33	<0.01	3.52	0.76	282	1	1.65	20	630	32	0.08	<5	470	0.27
B363685		19	2.27	0.01	3.64	0.71	289	2	1.66	17	590	31	0.07	<5	484	0.28
B363686		95	2.65	0.02	3.68	0.82	256	2	1.61	22	650	19	0.34	<5	495	0.31
B363687		21	2.34	0.01	3.43	0.78	300	1	1.53	19	610	31	0.10	<5	454	0.29
B363688		19	2.42	0.01	3.44	0.84	283	1	1.43	22	640	25	0.10	<5	417	0.30
B363689																
B363690		107	3.53	0.07	3.17	0.37	70	2	0.09	14	350	30	0.02	154	138	0.23
B363691		38	2.50	0.01	3.73	0.84	286	2	1.68	18	650	26	0.21	<5	529	0.30
B363692		31	2.38	<0.01	3.66	0.80	267	4	1.63	22	620	23	0.15	<5	516	0.30
B363693		38	2.29	0.01	3.63	0.84	270	1	1.29	20	600	26	0.14	<5	458	0.28
B363694		21	2.27	0.01	3.50	0.82	294	2	1.27	18	610	28	0.09	<5	440	0.26
B363695		31	2.18	0.01	3.83	0.82	201	3	1.09	18	610	25	0.12	7	389	0.26
B363696		2	0.12	<0.01	0.03	10.30	147	<1	0.01	7	420	4	0.01	<5	103	<0.01
B363697		59	2.44	0.01	3.90	0.87	201	1	1.07	19	650	24	0.18	11	369	0.29
B363698		66	2.96	0.04	3.47	0.58	196	6	0.56	20	610	348	1.62	34	132	0.25
B363699		46	2.13	0.01	3.09	0.41	338	2	0.41	12	420	209	1.00	53	160	0.17
B363700		43	2.36	0.02	3.67	0.74	232	3	1.45	20	610	26	0.19	10	445	0.27
B363701		31	2.10	0.02	3.78	0.66	186	1	1.46	20	530	25	0.19	5	416	0.24
B363702		37	1.96	0.01	3.80	0.64	174	2	1.46	16	530	22	0.18	<5	414	0.23
B363703		45	2.40	0.01	3.63	0.83	254	5	1.47	21	630	24	0.21	<5	497	0.28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	V	W	Zn
	Units	ppm	ppm	ppm
	LOR	1	10	2
B363664		36	20	50
B363665		38	10	50
B363666		36	10	56
B363667		32	10	45
B363668		37	10	63
B363669				
B363670		87	10	44
B363671		36	10	53
B363672		31	10	48
B363673		37	20	52
B363674		39	10	59
B363675		38	10	52
B363676		2	<10	7
B363677		36	10	56
B363678		34	10	55
B363679		34	10	57
B363680		34	20	52
B363681		35	20	58
B363682		35	10	54
B363683		32	10	51
B363684		34	10	59
B363685		33	10	63
B363686		39	20	50
B363687		35	10	63
B363688		37	10	67
B363689				
B363690		101	20	16
B363691		36	30	52
B363692		36	20	53
B363693		34	20	52
B363694		32	10	55
B363695		32	20	48
B363696		1	10	6
B363697		36	20	44
B363698		34	30	250
B363699		22	20	180
B363700		34	20	48
B363701		29	40	32
B363702		28	30	29
B363703		35	20	44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B363704		5.36	0.141				<0.5	7.25	1060	1500	2.6	8	2.12	<0.5	8	25
B363705		5.34	0.082				<0.5	7.62	922	1650	2.9	<2	2.10	<0.5	8	32
B363706		4.14	0.286				<0.5	7.33	426	1600	2.7	5	2.21	<0.5	10	24
B363707		2.34	0.027				<0.5	7.29	21	1450	2.9	<2	1.94	<0.5	8	28
B363708		6.20	0.198				<0.5	7.37	287	1340	3.0	5	1.71	<0.5	6	22
B363709		0.04	0.190													
B363710		0.10	0.457				2.9	9.10	9	1060	1.2	<2	1.43	<0.5	9	8
B363711		5.70	0.443				<0.5	7.44	318	1520	2.8	21	1.82	<0.5	9	27
B363712		5.84	0.089				<0.5	7.70	250	1690	2.8	4	1.37	<0.5	11	29
B363713		5.22	2.11	0.689	0.354		<0.5	7.97	375	1570	3.1	32	2.75	<0.5	10	29
B363714		5.88	0.089				<0.5	7.53	339	1450	2.8	<2	1.80	<0.5	9	27
B363715		3.76	0.150				<0.5	7.64	494	1500	2.8	5	2.93	<0.5	11	30
B363716		1.22	<0.005				<0.5	0.16	7	20	<0.5	<2	20.6	<0.5	2	4
B363717		6.60	0.134				<0.5	8.04	626	1660	3.0	<2	2.21	<0.5	11	32
B363718		5.74	0.145				<0.5	7.73	318	1640	3.2	5	1.89	<0.5	9	27
B363719		4.98	1.255				0.6	7.36	491	1380	2.7	31	2.07	<0.5	10	22
B363720		3.98	0.163				<0.5	7.88	489	1710	2.9	4	2.26	<0.5	11	32
B363721		2.22	0.153				<0.5	7.81	417	1660	2.9	13	1.94	<0.5	12	29
B363722		2.18	0.360				<0.5	7.68	314	1620	2.9	12	2.06	<0.5	10	30
B363723		5.28	1.745				<0.5	7.04	642	1370	2.5	13	1.82	<0.5	15	26
B363724		4.66	7.65				4.6	6.75	1435	1200	2.4	304	1.31	0.5	22	86
B363725		6.50	2.49				5.1	6.28	1085	430	2.3	62	2.41	4.2	10	22
B363726		6.42	0.745				5.3	7.51	846	550	2.7	10	1.80	9.0	10	25
B363727		5.20	0.294				<0.5	7.16	560	1360	2.0	8	0.74	1.6	6	63
B363728		5.06	0.188				<0.5	8.02	243	1370	3.0	<2	2.06	0.7	9	30
B363729		0.04	0.146													
B363730		0.12	0.991				2.7	7.95	16	460	0.8	<2	1.88	1.0	23	102
B363731		5.52	0.555				1.5	7.61	278	920	2.8	11	2.31	1.9	12	84
B363732		4.54	0.577				1.5	6.73	399	1040	1.8	12	2.35	2.3	8	13
B363733		5.80	1.725				4.2	6.91	350	650	2.6	39	3.10	1.9	14	92
B363734		3.98	0.477				<0.5	7.83	335	1530	2.9	5	1.79	<0.5	16	32
B363735		2.42	>10.0			13.35	<0.5	6.66	553	1280	2.1	426	2.12	<0.5	14	97
B363736		1.14	0.011				<0.5	0.15	<5	20	<0.5	<2	19.20	<0.5	<1	3
B363737		5.28	0.454				0.5	6.42	433	820	1.7	9	1.89	0.6	6	55
B363738		4.84	0.357				<0.5	7.35	377	1330	2.9	7	1.81	1.1	13	31
B363739		5.18	0.124				0.5	7.00	205	870	2.6	<2	4.28	0.7	8	96
B363740		3.50	1.150				0.6	7.53	177	1410	2.4	17	1.63	<0.5	9	32
B363741		1.70	0.514				0.6	7.63	704	1080	2.9	18	2.55	<0.5	12	105
B363742		1.46	0.291				0.5	7.38	397	1190	2.7	3	2.71	0.5	8	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B363704		45	2.33	0.01	3.84	0.80	237	2	1.43	20	580	25	0.23	<5	483	0.26
B363705		33	2.44	0.01	3.44	0.93	254	1	1.58	21	640	24	0.20	<5	540	0.31
B363706		36	2.13	0.01	3.71	0.90	251	<1	1.11	20	570	17	0.17	<5	468	0.27
B363707		28	2.16	0.01	3.36	0.81	248	1	1.54	18	560	21	0.14	<5	525	0.28
B363708		29	2.13	0.01	3.68	0.79	257	<1	1.40	15	540	26	0.20	<5	462	0.25
B363709																
B363710		7350	3.13	0.04	3.66	1.16	474	2	3.27	9	1850	3	0.23	<5	684	0.33
B363711		59	2.26	0.02	3.79	0.87	246	2	1.40	19	620	20	0.19	<5	472	0.29
B363712		35	2.37	0.01	3.64	0.99	229	14	1.36	20	640	17	0.13	<5	477	0.30
B363713		52	2.29	0.01	3.91	0.86	306	2	1.56	19	660	21	0.23	<5	514	0.31
B363714		38	2.21	0.02	3.88	0.83	219	2	1.37	20	580	20	0.18	<5	451	0.28
B363715		48	2.48	0.01	3.62	0.90	299	1	1.46	19	650	18	0.23	7	507	0.30
B363716		2	0.14	<0.01	0.04	12.10	181	<1	0.01	1	530	4	0.01	<5	126	<0.01
B363717		48	2.38	0.02	3.84	0.91	236	4	1.50	17	690	13	0.28	<5	489	0.32
B363718		27	2.40	0.02	3.82	0.99	294	3	1.40	19	630	21	0.14	<5	504	0.31
B363719		32	1.96	0.02	4.15	0.83	254	3	1.13	14	510	56	0.20	10	435	0.24
B363720		43	2.42	0.01	4.11	0.84	238	6	1.44	20	670	21	0.26	5	473	0.32
B363721		65	2.51	0.01	3.69	0.91	239	1	1.41	22	670	20	0.30	5	464	0.31
B363722		55	2.51	0.02	3.67	0.91	247	1	1.36	18	670	20	0.34	6	463	0.30
B363723		71	2.32	0.02	3.89	0.71	231	2	1.20	22	540	26	0.40	10	368	0.25
B363724		122	2.36	0.01	3.66	0.47	245	3	0.98	19	490	284	0.91	137	242	0.22
B363725		100	2.48	0.05	2.81	0.46	732	4	0.04	16	480	661	1.23	289	87	0.20
B363726		113	2.56	0.15	3.49	0.44	690	1	0.07	15	590	343	1.72	146	73	0.22
B363727		47	1.51	0.03	4.51	0.28	173	1	0.72	9	520	102	0.39	47	138	0.14
B363728		52	2.34	0.02	4.05	0.49	451	1	0.89	19	630	48	0.31	25	240	0.28
B363729																
B363730		2100	5.11	0.01	1.78	1.36	437	2	3.12	47	660	16	0.60	<5	215	0.30
B363731		68	2.04	0.03	3.76	0.40	518	1	0.23	17	610	148	0.45	59	156	0.27
B363732		48	1.07	0.03	4.68	0.22	482	<1	0.25	4	470	130	0.43	52	153	0.11
B363733		124	2.29	0.03	3.27	0.38	735	5	0.09	14	530	350	1.43	141	132	0.22
B363734		67	2.73	0.03	3.93	0.95	268	2	1.30	16	620	23	0.29	5	468	0.28
B363735		78	2.30	<0.01	3.77	0.79	349	13	0.83	15	540	25	0.36	18	338	0.23
B363736		2	0.12	<0.01	0.05	11.40	151	<1	0.02	1	520	2	0.01	<5	109	<0.01
B363737		19	0.95	0.01	5.01	0.29	250	1	0.71	5	420	43	0.16	5	219	0.09
B363738		51	2.54	0.03	3.82	0.89	324	<1	0.88	15	550	345	0.37	108	362	0.26
B363739		39	1.56	0.02	3.59	0.43	682	2	0.35	13	500	41	0.37	18	211	0.22
B363740		66	2.40	0.01	4.31	0.85	339	<1	0.91	15	560	37	0.14	11	329	0.26
B363741		57	2.47	0.03	3.77	0.83	439	1	0.68	16	620	125	0.48	36	294	0.28
B363742		47	2.19	0.01	4.00	0.69	461	1	0.71	14	600	58	0.37	24	276	0.26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	V	W	Zn
	Units	ppm	ppm	ppm
	LOR	1	10	2
B363704		32	20	42
B363705		37	40	50
B363706		33	20	44
B363707		33	20	46
B363708		29	30	51
B363709				
B363710		164	<10	50
B363711		37	30	51
B363712		38	30	55
B363713		38	20	37
B363714		34	20	47
B363715		37	20	39
B363716		1	<10	8
B363717		39	30	36
B363718		37	20	62
B363719		29	20	43
B363720		39	30	42
B363721		38	20	46
B363722		38	30	45
B363723		32	20	45
B363724		29	20	45
B363725		28	30	704
B363726		33	30	1500
B363727		17	10	273
B363728		38	20	111
B363729				
B363730		91	<10	210
B363731		36	10	335
B363732		14	10	368
B363733		34	20	324
B363734		41	10	32
B363735		36	10	32
B363736		1	<10	7
B363737		12	10	114
B363738		38	20	226
B363739		35	20	93
B363740		41	10	48
B363741		39	20	108
B363742		37	10	77

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 9-SEP-2005
Account: STRGOL

CERTIFICATE VA05074737

Project: Dublin Gulch-1735

P.O. No.:

This report is for 30 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074737

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B363743		2.94	0.116	0.5	5.92	364	1180	1.1	3	3.56	3.8	5	8	29	1.08	0.09
B363744		4.18	0.521	<0.5	7.21	620	1340	2.8	12	1.90	<0.5	13	33	58	2.50	0.02
B363745		2.92	0.596	<0.5	7.47	139	1390	2.9	6	2.30	<0.5	7	37	42	2.75	0.01
B363746		3.78	0.790	<0.5	7.20	399	1350	2.5	13	2.37	<0.5	11	35	84	2.81	0.01
B363747		4.76	0.383	0.9	6.63	604	660	2.7	8	3.67	1.8	12	32	108	3.40	0.06
B363748		3.64	0.430	<0.5	7.34	639	1410	2.5	11	2.18	<0.5	8	42	59	2.96	<0.01
B363749		0.04	0.382													
B363750		0.10	2.87	<0.5	7.27	2130	730	12.6	<2	0.01	<0.5	<1	137	104	3.53	0.07
B363751		4.24	0.392	<0.5	7.30	118	1480	2.9	7	2.09	<0.5	7	41	53	2.86	0.01
B363752		5.56	0.462	<0.5	7.08	389	1430	2.6	8	2.20	<0.5	10	35	53	2.77	0.01
B363753		4.36	0.744	<0.5	7.49	192	1570	2.5	15	1.97	<0.5	8	37	44	2.94	0.01
B363754		4.28	0.440	<0.5	7.51	483	1600	2.6	10	2.22	<0.5	8	34	59	2.95	0.01
B363755		3.32	0.803	<0.5	7.19	377	1570	2.9	15	2.45	<0.5	12	35	82	2.96	0.01
B363756		1.38	<0.005	<0.5	0.12	6	20	<0.5	<2	19.50	<0.5	1	2	1	0.12	<0.01
B363757		5.08	1.220	<0.5	7.58	691	1630	2.8	26	2.27	<0.5	18	38	79	2.72	0.01
B363758		2.58	0.267	0.5	7.75	427	1560	2.8	<2	2.08	<0.5	18	43	66	2.84	0.01
B363759		0.88	7.42	<0.5	1.93	2640	430	0.7	194	0.70	<0.5	12	20	21	1.41	<0.01
B363760		5.24	8.82	0.5	8.46	1480	1790	2.8	103	2.19	<0.5	15	35	64	3.04	<0.01
B363761		2.98	0.357	<0.5	7.38	289	1440	3.1	5	2.29	<0.5	13	32	74	2.45	0.01
B363762		3.22	0.190	<0.5	7.25	216	1470	3.1	<2	2.25	<0.5	11	32	67	2.50	0.01
B363763		5.98	0.817	<0.5	7.36	213	1410	2.7	16	2.20	<0.5	12	32	93	2.52	0.02
B363764		5.12	0.356	<0.5	7.32	297	1510	2.7	9	2.47	<0.5	10	29	77	2.37	0.01
B363765		6.42	1.645	<0.5	6.59	188	1150	2.0	19	2.25	0.6	5	21	41	2.11	0.04
B363766		6.14	1.110	0.9	7.67	197	1200	2.8	30	3.09	2.9	13	44	52	2.90	0.04
B363767		5.66	1.060	<0.5	7.59	200	1330	2.6	27	3.08	<0.5	10	40	42	2.77	0.01
B363768		6.20	0.870	<0.5	7.84	68	1400	2.8	11	2.58	<0.5	10	43	49	2.92	0.01
B363769		0.04	0.956													
B363770		0.10	0.095	<0.5	7.18	106	590	2.6	<2	0.51	<0.5	59	1180	393	8.37	0.02
B363771		4.64	1.945	<0.5	7.32	270	1340	2.9	14	2.73	0.5	12	43	57	2.76	0.01
B363772		3.04	0.695	0.5	7.49	69	1380	3.0	10	2.91	<0.5	9	45	68	2.81	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074737

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B363743		5.42	0.17	413	1	0.41	5	380	128	0.43	25	197	0.04	5	<10	694
B363744		4.02	0.85	254	2	1.26	18	600	60	0.20	22	439	0.26	39	20	36
B363745		3.74	0.80	313	2	1.38	19	610	43	0.22	15	415	0.28	42	10	77
B363746		4.10	0.92	306	9	1.07	18	640	21	0.31	7	433	0.28	44	50	33
B363747		3.22	0.49	451	19	0.17	20	610	220	2.28	61	164	0.24	41	30	433
B363748		4.17	0.98	287	7	1.32	10	640	27	0.21	<5	461	0.29	49	20	39
B363749																
B363750		3.12	0.37	71	2	0.09	10	350	29	0.02	151	135	0.24	102	20	17
B363751		3.86	0.95	260	3	1.43	15	650	21	0.20	8	484	0.29	46	20	39
B363752		3.67	1.01	266	2	1.37	16	630	26	0.26	<5	499	0.28	43	20	35
B363753		3.89	0.99	249	11	1.43	18	660	20	0.19	<5	509	0.30	45	20	36
B363754		3.85	0.97	234	4	1.48	20	690	19	0.31	<5	515	0.30	43	10	26
B363755		3.68	0.90	232	1	1.53	19	690	17	0.40	<5	511	0.31	42	10	25
B363756		0.03	11.50	144	<1	0.01	<1	560	<2	<0.01	<5	110	<0.01	2	<10	8
B363757		4.01	0.96	199	2	1.50	19	660	12	0.37	<5	497	0.31	42	10	22
B363758		3.84	1.01	217	<1	1.60	15	660	8	0.30	<5	533	0.32	44	10	30
B363759		1.14	0.24	104	1	0.27	7	150	9	0.22	9	113	0.07	10	10	6
B363760		4.30	1.02	254	2	1.54	20	690	18	0.45	<5	540	0.31	41	30	25
B363761		3.68	0.95	233	1	1.50	19	600	19	0.30	<5	508	0.30	40	10	30
B363762		3.68	0.94	232	1	1.52	18	620	17	0.28	<5	502	0.29	39	10	26
B363763		4.04	0.95	221	5	1.44	18	580	12	0.42	<5	493	0.28	40	20	24
B363764		3.94	0.99	255	2	1.34	15	620	14	0.21	<5	528	0.29	39	20	24
B363765		4.07	0.63	258	3	1.17	8	500	102	0.58	17	364	0.18	25	20	125
B363766		3.76	1.35	473	4	1.08	18	680	123	0.35	22	504	0.32	50	30	481
B363767		4.09	1.30	437	2	1.06	16	690	27	0.23	14	485	0.30	48	30	60
B363768		3.87	1.46	392	1	1.16	16	660	24	0.10	16	531	0.31	52	30	44
B363769																
B363770		2.24	0.59	384	8	0.12	483	350	145	0.02	8	52	0.22	90	30	620
B363771		3.75	1.14	406	2	1.06	14	610	44	0.54	11	452	0.27	47	30	77
B363772		3.76	1.25	398	5	1.05	13	610	49	0.38	14	442	0.28	49	30	102

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 7-SEP-2005
Account: STRGOL

CERTIFICATE VA05074725

Project: Dublin Gulch-1735

P.O. No.:

This report is for 81 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B363773		1.28	1.430	<0.5	7.17	235	1680	2.8	159	1.80	<0.5	8	29	39	2.45	0.16
B363774		2.52	0.067	<0.5	7.44	194	1620	3.0	7	1.82	<0.5	8	42	43	2.46	0.03
B363775		5.06	0.624	<0.5	7.63	213	1600	2.9	38	1.82	<0.5	8	30	44	2.38	0.09
B363776		0.98	0.005	<0.5	0.15	<5	10	<0.5	<2	19.50	<0.5	<1	5	2	0.15	0.01
B363777		4.00	0.139	<0.5	7.78	106	1700	3.0	7	2.31	<0.5	10	34	44	2.65	0.04
B363778		4.34	0.325	<0.5	7.91	282	1580	3.1	33	2.03	<0.5	13	24	51	2.45	0.01
B363779		5.62	0.133	<0.5	7.79	229	1560	3.1	9	2.02	<0.5	8	27	48	2.44	0.02
B363780		3.80	0.125	<0.5	8.26	270	1530	3.3	2	1.85	<0.5	10	26	49	2.55	0.01
B363781		2.64	0.084	<0.5	7.87	219	1540	3.2	12	2.16	<0.5	13	26	68	2.53	0.02
B363782		2.22	0.046	<0.5	7.76	204	1600	3.1	5	2.12	<0.5	10	25	56	2.52	0.01
B363783		5.90	0.055	<0.5	8.04	275	1630	3.2	6	2.17	<0.5	11	31	50	2.55	0.03
B363784		5.68	0.092	1.6	7.91	301	1350	3.1	11	2.62	0.5	9	21	43	2.41	0.02
B363785		3.98	0.072	<0.5	7.99	158	1300	3.2	9	2.09	<0.5	8	21	34	2.19	0.03
B363786		2.58	0.125	0.7	7.98	138	1580	3.1	14	2.38	<0.5	8	27	32	2.44	0.01
B363787		4.58	0.096	0.8	8.19	414	1320	3.0	15	2.05	<0.5	9	27	57	2.55	0.03
B363788		5.30	0.101	<0.5	8.22	262	1650	3.0	10	2.16	<0.5	9	29	45	2.60	0.01
B363789		0.04	0.078													
B363790		0.10	0.453	1.9	10.50	8	1180	1.2	<2	1.66	<0.5	6	12	7950	3.67	0.03
B363791		6.52	0.117	<0.5	8.19	96	1710	3.0	9	2.49	<0.5	9	30	55	2.77	0.03
B363792		5.68	0.163	<0.5	8.24	136	1700	3.0	11	2.33	<0.5	9	28	53	2.62	0.01
B363793		7.14	0.090	0.7	7.86	196	1060	2.7	7	3.25	<0.5	9	25	47	2.33	0.02
B363794		4.66	0.160	<0.5	8.27	144	1730	3.1	17	2.51	<0.5	8	27	33	2.68	0.01
B363795		6.10	0.091	<0.5	8.09	471	1690	3.0	8	2.22	<0.5	9	28	57	2.56	0.02
B363796		0.92	<0.005	<0.5	0.13	<5	20	<0.5	<2	21.4	<0.5	<1	3	4	0.13	0.01
B363797		5.90	0.136	<0.5	7.81	253	1580	3.0	13	2.03	<0.5	12	28	62	2.51	0.02
B363798		6.04	0.056	<0.5	8.17	470	1660	3.2	5	2.20	<0.5	8	26	38	2.45	0.01
B363799		6.22	0.117	<0.5	8.11	285	1680	3.0	5	2.72	<0.5	9	29	47	2.69	0.02
B363800		6.34	0.039	<0.5	8.34	412	1780	3.0	4	2.56	<0.5	8	31	52	2.74	0.01
B363801		2.60	0.038	<0.5	8.17	134	1690	3.0	<2	2.32	<0.5	7	31	39	2.67	0.01
B363802		2.42	0.056	<0.5	8.28	187	1700	3.0	4	2.27	<0.5	9	27	46	2.74	0.01
B363803		6.30	0.117	<0.5	8.08	231	1660	2.9	7	2.33	<0.5	9	30	45	2.57	0.01
B363804		5.94	0.167	<0.5	8.01	106	1550	3.0	16	2.33	<0.5	8	26	36	2.43	0.01
B363805		6.16	0.124	<0.5	8.01	264	1620	2.9	11	2.30	<0.5	9	42	41	2.50	0.01
B363806		4.72	0.052	<0.5	8.07	230	1620	3.1	6	2.18	<0.5	9	29	34	2.57	0.01
B363807		5.42	0.316	<0.5	8.01	290	1600	3.1	4	2.11	<0.5	8	47	31	2.45	0.01
B363808		5.26	0.071	<0.5	8.16	345	1660	2.9	9	2.09	<0.5	9	29	43	2.58	0.01
B363809		0.04	0.105													
B363810		0.10	3.00	<0.5	6.85	8	2060	3.0	<2	4.74	<0.5	23	140	99	5.08	0.01
B363811		2.22	0.145	<0.5	7.08	555	710	2.6	4	2.65	<0.5	6	38	47	1.83	0.01
B363812		3.46	0.440	<0.5	7.83	336	1290	2.9	16	2.06	<0.5	6	26	30	2.29	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B363773		3.60	0.74	198	2	1.48	22	810	29	0.02	13	401	0.31	36	150	54
B363774		3.82	0.79	196	1	1.58	19	620	22	0.03	6	426	0.31	35	50	56
B363775		3.94	0.77	186	2	1.58	20	610	18	0.04	6	429	0.30	32	30	60
B363776		0.03	11.15	151	<1	0.02	<1	540	<2	0.02	<5	100	0.01	2	<10	7
B363777		3.77	0.87	221	1	1.70	21	670	13	0.13	<5	476	0.33	37	20	44
B363778		4.03	0.81	184	1	1.62	21	610	20	0.11	<5	460	0.30	34	70	35
B363779		3.86	0.81	189	1	1.61	18	620	18	0.09	5	452	0.30	35	40	33
B363780		4.05	0.64	197	2	1.24	20	640	24	0.12	12	360	0.30	36	30	58
B363781		3.77	0.80	178	5	1.56	22	630	14	0.26	<5	448	0.31	38	70	34
B363782		3.73	0.80	180	7	1.55	21	660	12	0.17	5	441	0.31	36	30	34
B363783		4.08	0.72	214	3	1.41	22	640	16	0.13	7	405	0.31	36	40	33
B363784		4.31	0.33	882	3	0.39	20	630	39	0.11	40	162	0.28	35	30	128
B363785		4.02	0.64	277	2	1.30	17	590	20	0.08	12	366	0.29	34	80	42
B363786		3.63	0.84	256	6	1.63	22	650	22	0.17	7	470	0.32	38	10	40
B363787		4.15	0.43	566	3	0.64	19	670	33	0.14	39	208	0.30	36	70	84
B363788		4.20	0.76	266	3	1.48	22	640	24	0.10	10	425	0.32	38	70	50
B363789																
B363790		4.06	1.30	535	3	3.77	9	2050	7	0.26	<5	766	0.38	186	<10	56
B363791		3.93	0.97	265	1	1.72	22	640	17	0.19	<5	497	0.34	39	40	41
B363792		4.10	0.84	198	2	1.68	18	660	15	0.15	<5	479	0.33	37	30	31
B363793		3.91	0.53	694	2	0.73	16	620	20	0.22	21	253	0.29	35	30	65
B363794		3.85	0.84	273	1	1.66	22	680	7	0.04	5	475	0.34	38	20	37
B363795		3.98	0.87	202	4	1.70	17	660	16	0.13	5	494	0.33	38	80	33
B363796		0.04	12.35	164	1	0.02	1	610	<2	0.01	<5	115	0.01	1	<10	10
B363797		3.92	0.76	194	3	1.57	20	590	19	0.16	5	440	0.30	34	60	32
B363798		4.15	0.79	260	2	1.62	20	650	28	0.06	9	437	0.32	36	10	70
B363799		4.04	0.72	408	3	1.28	18	650	26	0.16	16	413	0.32	36	20	47
B363800		3.88	0.89	245	2	1.72	22	690	14	0.21	<5	500	0.35	39	40	36
B363801		3.72	0.87	231	1	1.68	23	680	19	0.11	5	468	0.33	37	10	37
B363802		3.78	0.89	226	1	1.70	18	670	18	0.09	<5	476	0.34	38	10	36
B363803		3.78	0.86	191	2	1.70	17	650	10	0.13	<5	488	0.33	36	30	28
B363804		3.90	0.81	197	3	1.73	17	600	14	0.16	<5	489	0.32	36	20	32
B363805		3.85	0.83	201	2	1.68	20	630	13	0.15	<5	489	0.32	36	40	32
B363806		3.86	0.80	228	2	1.69	22	640	15	0.05	<5	462	0.33	37	10	41
B363807		3.91	0.80	196	1	1.63	18	630	16	0.02	<5	453	0.32	36	20	30
B363808		3.96	0.78	205	1	1.58	24	680	11	0.05	6	433	0.34	39	40	33
B363809																
B363810		3.36	2.89	1045	13	2.30	62	2240	28	0.30	<5	1590	0.39	158	10	95
B363811		3.35	0.27	172	2	0.89	15	580	16	<0.01	17	182	0.30	33	30	32
B363812		3.80	0.54	165	<1	1.34	18	610	10	0.01	11	328	0.32	35	20	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method Analyte Units LOR	Ag-AA62 Ag ppm 1
B363773 B363774 B363775 B363776 B363777		
B363778 B363779 B363780 B363781 B363782		
B363783 B363784 B363785 B363786 B363787		
B363788 B363789 B363790 B363791 B363792		
B363793 B363794 B363795 B363796 B363797		
B363798 B363799 B363800 B363801 B363802		
B363803 B363804 B363805 B363806 B363807		
B363808 B363809 B363810 B363811 B363812		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B363813		3.76	0.092	<0.5	8.07	263	1670	3.0	6	2.12	<0.5	8	48	41	2.57	0.01
B363814		6.10	0.143	<0.5	8.24	256	1680	3.0	9	2.23	<0.5	8	29	45	2.51	<0.01
B363815		5.32	0.257	<0.5	8.07	173	1660	3.0	13	2.17	<0.5	7	45	30	2.58	0.01
B363816		0.86	0.006	<0.5	0.12	<5	20	<0.5	<2	19.05	<0.5	<1	1	1	0.11	<0.01
B363817		5.80	0.100	<0.5	7.67	260	1500	3.2	<2	2.04	<0.5	8	49	39	2.36	<0.01
B363818		5.76	0.052	<0.5	7.56	194	1510	3.1	3	2.05	<0.5	6	27	32	2.35	0.01
B363819		5.22	0.079	<0.5	7.66	190	1480	3.2	4	1.94	<0.5	9	44	34	2.35	<0.01
B363820		6.60	0.038	<0.5	7.81	76	1570	3.2	3	2.29	<0.5	8	30	22	2.41	0.01
B363821		2.58	0.021	<0.5	7.27	153	1240	3.5	<2	1.82	<0.5	7	39	21	1.99	0.01
B363822		2.86	0.033	<0.5	7.33	145	1280	3.5	<2	1.86	<0.5	7	23	17	2.00	0.01
B363823		5.52	0.034	<0.5	7.47	153	1350	3.4	<2	2.06	<0.5	8	48	23	2.22	0.01
B363824		6.60	0.175	<0.5	7.43	194	1530	3.0	8	2.07	<0.5	7	26	25	2.31	<0.01
B363825		5.20	0.063	<0.5	7.64	164	1480	3.2	12	1.99	<0.5	8	45	24	2.32	0.01
B363826		4.64	0.205	<0.5	7.83	164	1570	3.1	16	2.07	<0.5	8	27	32	2.44	<0.01
B363827		6.00	0.086	<0.5	7.61	198	1460	3.2	3	2.18	<0.5	8	43	31	2.38	0.01
B363828		0.88	0.039	27.7	7.75	148	2270	3.5	7	2.08	<0.5	7	47	142	2.49	0.01
B363829		0.04	0.028													
B363830		0.10	0.094	<0.5	6.70	104	540	2.7	<2	0.49	<0.5	55	1160	370	7.98	0.03
B363831		4.94	0.044	<0.5	7.68	122	1540	3.2	2	2.34	<0.5	8	29	35	2.33	<0.01
B363832		2.66	2.25	>100	6.96	77	1530	2.7	84	2.20	<0.5	7	34	548	2.19	0.02
B363833		4.20	0.046	<0.5	7.40	342	1450	3.0	7	2.21	<0.5	8	27	26	2.21	<0.01
B363834		6.20	0.172	<0.5	7.44	235	1520	2.9	25	2.19	<0.5	6	29	36	2.23	<0.01
B363835		5.98	0.234	<0.5	7.21	80	1280	3.1	11	1.92	<0.5	7	24	18	1.99	<0.01
B363836		1.00	<0.005	<0.5	0.11	<5	20	<0.5	<2	18.25	<0.5	<1	1	1	0.11	<0.01
B363837		6.48	0.342	<0.5	7.29	120	1430	3.0	13	2.17	<0.5	7	26	22	2.19	<0.01
B363838		5.70	0.207	<0.5	6.62	63	1280	2.7	15	1.98	<0.5	6	26	16	1.98	0.01
B363839		1.90	0.024	<0.5	7.87	37	1680	3.2	<2	2.51	<0.5	7	28	13	2.52	<0.01
B363840		2.30	0.085	<0.5	6.94	165	890	2.8	4	2.38	<0.5	7	25	22	1.96	0.02
B363841		3.98	0.109	<0.5	7.51	117	1560	3.2	27	2.31	<0.5	9	31	28	2.31	0.01
B363842		2.94	0.134	<0.5	7.54	178	1550	3.2	26	2.29	<0.5	9	29	31	2.29	0.01
B363843		6.60	0.040	<0.5	7.50	104	1440	3.1	<2	2.19	0.7	7	28	31	2.27	0.01
B363844		6.20	0.493	<0.5	7.60	153	1610	3.0	4	2.22	<0.5	9	30	18	2.43	0.01
B363845		5.70	0.019	<0.5	7.40	54	1460	3.0	<2	2.31	<0.5	8	28	17	2.28	<0.01
B363846		6.68	0.014	<0.5	7.49	50	1430	3.1	<2	2.26	<0.5	7	28	18	2.23	0.01
B363847		6.34	0.027	<0.5	7.57	49	1400	3.2	<2	2.30	<0.5	6	24	20	2.22	<0.01
B363848		5.28	0.047	<0.5	7.84	178	1530	3.2	<2	2.26	<0.5	8	27	25	2.35	<0.01
B363849		0.04	0.085													
B363850		0.10	1.435	<0.5	6.86	1165	650	6.0	<2	0.01	<0.5	4	216	38	3.54	0.05
B363851		6.74	0.054	<0.5	7.75	97	1430	3.3	2	2.26	<0.5	7	25	25	2.25	<0.01
B363852		5.50	0.086	<0.5	7.97	240	1520	3.3	6	2.33	<0.5	7	29	24	2.35	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B363813		3.82	0.83	178	1	1.66	22	650	14	0.05	<5	478	0.33	37	10	26
B363814		4.00	0.85	194	2	1.70	18	630	15	0.09	<5	490	0.32	36	20	29
B363815		3.83	0.85	192	3	1.68	21	640	16	0.03	<5	468	0.32	36	10	29
B363816		0.03	11.65	134	<1	0.02	3	500	4	0.01	<5	110	<0.01	1	<10	8
B363817		3.77	0.79	160	1	1.58	21	610	15	0.02	<5	439	0.31	37	10	47
B363818		3.70	0.82	174	1	1.53	20	620	14	0.02	<5	427	0.30	35	40	26
B363819		3.59	0.77	180	1	1.59	18	600	16	0.01	<5	440	0.30	34	10	30
B363820		3.58	0.82	220	1	1.70	23	640	13	0.03	<5	474	0.33	38	20	36
B363821		3.71	0.62	189	1	1.60	15	500	23	0.03	<5	377	0.25	27	10	34
B363822		3.77	0.62	194	1	1.62	15	500	19	0.03	<5	381	0.25	27	<10	35
B363823		3.64	0.69	223	1	1.60	17	530	20	0.04	<5	402	0.27	31	<10	41
B363824		3.47	0.76	178	1	1.56	21	620	12	0.01	<5	437	0.30	35	10	31
B363825		3.60	0.74	187	<1	1.61	20	580	20	0.01	<5	431	0.29	33	10	40
B363826		3.75	0.77	200	1	1.60	19	630	14	0.01	5	431	0.31	35	30	41
B363827		3.73	0.68	201	2	1.35	21	600	17	0.04	5	369	0.30	34	30	34
B363828		3.65	0.86	242	1	1.67	29	610	20	0.02	6	438	0.30	37	420	68
B363829																
B363830		2.13	0.56	354	9	0.12	462	330	133	0.02	13	49	0.20	86	30	573
B363831		3.80	0.78	188	1	1.68	20	610	19	0.18	<5	471	0.31	35	20	29
B363832		3.36	0.73	181	2	1.44	49	540	16	0.11	5	404	0.27	31	1870	27
B363833		3.53	0.77	184	1	1.64	21	600	14	0.13	<5	459	0.30	34	20	30
B363834		3.76	0.76	160	1	1.56	20	600	15	0.16	<5	449	0.29	33	30	23
B363835		3.79	0.65	171	1	1.58	18	520	22	0.06	<5	396	0.26	29	40	29
B363836		0.03	10.75	158	<1	0.01	3	540	<2	0.01	<5	117	<0.01	1	<10	6
B363837		3.53	0.74	196	1	1.62	20	580	18	0.12	<5	439	0.28	33	30	34
B363838		3.26	0.65	164	1	1.39	18	510	13	0.10	<5	390	0.25	29	60	27
B363839		3.49	0.81	221	1	1.72	21	660	13	0.10	<5	487	0.32	38	10	32
B363840		3.80	0.34	247	2	0.83	17	530	19	0.09	16	211	0.26	31	40	71
B363841		3.69	0.63	199	1	1.52	22	620	19	0.10	6	411	0.30	35	20	37
B363842		3.76	0.63	198	1	1.56	21	620	17	0.09	<5	409	0.31	38	10	39
B363843		3.56	0.67	204	1	1.54	22	600	24	0.11	10	397	0.30	34	10	164
B363844		3.57	0.82	246	1	1.64	21	630	17	0.08	<5	465	0.32	38	10	44
B363845		3.37	0.78	215	1	1.66	18	610	16	0.09	<5	471	0.30	35	30	36
B363846		3.50	0.75	222	<1	1.68	19	570	18	0.11	<5	468	0.29	33	10	37
B363847		3.40	0.74	246	1	1.68	18	560	18	0.10	<5	463	0.28	33	<10	43
B363848		3.72	0.79	211	1	1.73	21	620	17	0.06	<5	483	0.31	36	10	34
B363849																
B363850		2.71	0.33	82	2	0.11	18	300	25	0.02	110	90	0.21	87	10	43
B363851		3.61	0.75	201	1	1.74	19	590	19	0.10	<5	472	0.29	33	10	33
B363852		3.84	0.80	229	2	1.73	20	620	19	0.12	<5	479	0.30	35	20	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method Analyte Units LOR	Ag-AA62 Ag ppm 1
B363813 B363814 B363815 B363816 B363817		
B363818 B363819 B363820 B363821 B363822		
B363823 B363824 B363825 B363826 B363827		
B363828 B363829 B363830 B363831 B363832		129
B363833 B363834 B363835 B363836 B363837		
B363838 B363839 B363840 B363841 B363842		
B363843 B363844 B363845 B363846 B363847		
B363848 B363849 B363850 B363851 B363852		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B363853		6.28	0.153	<0.5	7.61	279	1480	3.1	7	2.04	<0.5	6	27	35	2.18	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B363853		3.85	0.73	190	1	1.60	20	600	16	0.13	<5	448	0.28	33	30	32

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method Analyte Units LOR	Ag-AA62 Ag ppm 1
B363853		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 9-SEP-2005
Account: STRGOL

CERTIFICATE VA05074196

Project: Dublin Gulch-1735

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B363854		5.80	0.404		<0.5	7.23	1265	1420	3.0	26	2.08	<0.5	25	129	34	2.32
B363855		6.28	0.245		<0.5	7.78	371	1570	3.0	14	2.38	<0.5	10	51	31	2.55
B363856		0.88	<0.005		<0.5	0.11	<5	10	<0.5	<2	20.8	0.5	<1	9	4	0.11
B363857		5.66	0.367		<0.5	7.69	190	1670	2.9	19	2.55	<0.5	8	48	32	2.59
B363858		6.06	0.148		<0.5	7.73	192	1580	3.0	23	2.35	<0.5	6	111	37	2.45
B363859		5.36	0.197		<0.5	7.62	281	1610	2.8	21	2.24	<0.5	9	42	29	2.52
B363860		5.76	0.078		<0.5	7.62	367	1490	2.9	7	2.06	<0.5	8	110	28	2.25
B363861		2.70	0.423		<0.5	7.56	253	1630	2.9	14	2.16	<0.5	9	48	39	2.60
B363862		2.66	0.151		<0.5	7.64	314	1540	3.0	15	2.23	<0.5	10	135	40	2.49
B363863		6.46	0.146		<0.5	7.56	140	1590	3.0	7	2.22	<0.5	7	45	26	2.55
B363864		6.16	2.13		<0.5	7.00	407	1320	3.1	42	1.78	<0.5	9	122	35	2.10
B363865		6.28	0.272		<0.5	7.14	819	1530	2.7	8	2.08	<0.5	8	45	23	2.26
B363866		6.66	0.088		<0.5	7.33	79	1480	2.9	2	2.22	<0.5	7	126	37	2.38
B363867		6.40	0.352		<0.5	7.25	128	1410	3.0	26	2.12	<0.5	7	45	29	2.29
B363868		5.86	0.024		<0.5	7.33	63	1450	3.0	3	2.08	<0.5	7	129	34	2.33
B363869		<0.02	0.027													
B363870		0.10	0.481		2.6	8.96	<5	1030	1.2	<2	1.43	<0.5	8	13	7480	3.28
B363871		2.06	0.094		<0.5	7.39	248	1490	2.8	5	2.16	<0.5	8	47	39	2.36
B363872		3.60	0.196		<0.5	7.28	174	1480	2.8	3	2.20	<0.5	7	108	26	2.31
B363873		6.52	0.085		<0.5	7.20	110	1360	2.9	6	2.13	<0.5	7	40	26	2.22
B363874		6.24	1.730		<0.5	7.56	132	1570	2.9	26	2.16	<0.5	7	124	40	2.43
B363875		4.70	0.233		<0.5	7.16	69	1350	3.0	17	2.16	<0.5	6	51	30	2.30
B363876		0.88	<0.005		<0.5	0.13	12	20	<0.5	<2	20.2	<0.5	<1	11	2	0.12
B363877		6.26	0.125		<0.5	7.61	96	1540	3.0	5	2.36	<0.5	7	49	24	2.50
B363878		6.30	0.284		<0.5	7.63	245	1550	3.0	6	2.43	<0.5	7	123	24	2.54
B363879		6.22	0.125		<0.5	7.84	268	1590	3.1	11	2.35	<0.5	9	32	35	2.63
B363880		6.46	0.278		<0.5	7.75	826	1620	3.0	8	2.44	<0.5	14	125	39	2.65
B363881		2.04	0.043		<0.5	7.56	61	1590	3.1	<2	2.34	<0.5	8	29	30	2.57
B363882		4.20	0.140		<0.5	7.66	149	1610	3.0	<2	2.25	<0.5	8	137	32	2.46
B363883		4.66	0.082		<0.5	7.43	150	1340	3.1	<2	1.95	<0.5	6	27	21	2.28
B363884		5.26	1.725		<0.5	7.26	1270	1480	2.9	31	1.99	<0.5	14	118	25	2.37
B363885		4.54	0.069		<0.5	7.09	159	1320	2.8	<2	2.01	<0.5	8	28	20	2.30
B363886		5.82	0.434		<0.5	6.97	66	1470	2.9	13	2.02	<0.5	6	120	28	2.30
B363887		6.20	0.111		<0.5	7.00	166	1340	3.0	6	1.91	<0.5	6	28	21	2.14
B363888		5.62	0.349		<0.5	6.92	915	1500	2.7	12	2.06	<0.5	14	131	21	2.30
B363889		<0.02	0.386													
B363890		0.10	0.098		<0.5	6.74	106	560	2.6	<2	0.52	<0.5	59	1205	397	8.49
B363891		3.30	1.040		<0.5	7.29	267	1590	2.9	42	1.75	<0.5	6	148	25	2.37
B363892		3.46	0.285		<0.5	7.42	282	1580	2.8	30	1.53	<0.5	8	24	28	2.42
B363893		2.88	0.123		0.5	7.37	424	1090	2.7	4	1.99	<0.5	8	124	32	1.97

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B363854		0.01	4.16	0.73	178	1	1.64	19	630	16	0.29	<5	452	0.28	33	80
B363855		<0.01	3.86	0.86	238	1	1.78	23	670	20	0.16	<5	512	0.33	38	<10
B363856		<0.01	0.03	11.45	148	<1	0.02	4	480	4	0.01	<5	115	<0.01	1	10
B363857		<0.01	3.58	0.88	234	1	1.70	23	680	21	0.12	<5	506	0.32	39	20
B363858		<0.01	3.71	0.83	211	1	1.69	26	660	22	0.12	<5	479	0.30	36	60
B363859		<0.01	3.65	0.82	219	2	1.64	22	650	23	0.08	<5	481	0.31	37	30
B363860		<0.01	4.09	0.71	178	2	1.53	21	590	23	0.04	<5	422	0.27	33	30
B363861		<0.01	3.57	0.70	190	1	1.37	26	650	20	0.07	<5	386	0.31	37	20
B363862		0.01	3.52	0.67	190	2	1.32	28	670	21	0.06	<5	367	0.31	37	10
B363863		<0.01	3.63	0.88	240	2	1.69	21	700	21	0.10	<5	484	0.33	38	20
B363864		<0.01	4.01	0.68	174	2	1.50	17	530	21	0.10	<5	391	0.26	30	20
B363865		<0.01	3.93	0.74	204	37	1.53	20	620	23	0.12	<5	438	0.29	35	10
B363866		<0.01	3.86	0.84	212	1	1.65	22	600	28	0.13	<5	469	0.31	36	20
B363867		<0.01	3.81	0.77	205	1	1.68	16	620	18	0.10	<5	458	0.30	34	20
B363868		0.01	3.95	0.78	215	2	1.67	19	630	27	0.12	<5	456	0.30	35	<10
B363869																
B363870		0.03	3.80	1.18	478	2	3.46	10	1960	10	0.23	<5	697	0.35	174	<10
B363871		<0.01	3.81	0.78	214	1	1.58	20	630	14	0.13	<5	454	0.32	37	40
B363872		<0.01	3.58	0.81	225	2	1.61	22	640	18	0.11	<5	468	0.31	35	10
B363873		<0.01	3.78	0.73	213	5	1.59	20	610	19	0.11	<5	423	0.29	34	20
B363874		<0.01	3.99	0.84	212	1	1.67	22	650	19	0.14	<5	475	0.31	37	30
B363875		<0.01	3.78	0.73	245	<1	1.55	20	600	20	0.13	<5	418	0.28	34	10
B363876		<0.01	0.04	11.10	148	<1	0.02	3	480	3	0.01	<5	114	0.01	2	<10
B363877		<0.01	3.66	0.86	263	1	1.69	25	700	18	0.12	<5	485	0.33	38	10
B363878		<0.01	3.73	0.86	265	2	1.68	21	670	22	0.11	<5	477	0.33	39	20
B363879		<0.01	3.94	0.90	257	1	1.80	21	670	21	0.15	<5	510	0.34	40	10
B363880		<0.01	3.98	0.83	231	<1	1.62	23	660	21	0.31	<5	462	0.33	38	20
B363881		<0.01	3.76	0.83	246	1	1.66	18	640	21	0.16	<5	477	0.31	37	10
B363882		0.01	4.06	0.77	222	<1	1.57	19	630	47	0.17	7	450	0.31	37	10
B363883		0.03	3.83	0.57	268	1	1.11	15	620	56	0.11	20	312	0.29	34	20
B363884		0.01	3.90	0.71	193	2	1.50	23	600	18	0.18	<5	403	0.30	35	50
B363885		0.01	3.55	0.70	235	<1	1.52	20	600	22	0.11	<5	383	0.30	36	10
B363886		0.01	3.63	0.79	240	<1	1.58	20	580	21	0.13	<5	428	0.29	34	<10
B363887		0.01	3.90	0.73	204	<1	1.58	18	540	23	0.13	<5	417	0.27	31	10
B363888		0.01	3.72	0.74	213	2	1.47	23	600	17	0.14	<5	424	0.29	34	20
B363889																
B363890		0.03	2.25	0.59	378	8	0.13	480	350	150	0.02	5	50	0.22	92	20
B363891		0.01	3.87	0.77	212	2	1.41	19	630	20	0.04	7	393	0.31	37	40
B363892		0.03	3.92	0.67	209	1	1.21	19	620	32	0.03	23	337	0.30	36	10
B363893		0.02	3.83	0.29	410	3	0.70	16	670	35	0.03	26	188	0.31	36	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B363854		37
B363855		43
B363856		9
B363857		41
B363858		40
B363859		44
B363860		34
B363861		34
B363862		33
B363863		42
B363864		33
B363865		39
B363866		36
B363867		36
B363868		39
B363869		
B363870		53
B363871		37
B363872		37
B363873		37
B363874		36
B363875		44
B363876		7
B363877		50
B363878		51
B363879		49
B363880		55
B363881		79
B363882		152
B363883		220
B363884		38
B363885		46
B363886		43
B363887		36
B363888		66
B363889		
B363890		621
B363891		204
B363892		333
B363893		361

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B363894		5.30	>10.0	14.65	20.4	6.02	3350	710	2.6	421	2.10	6.6	20	21	46	2.21
B363895		5.52	5.95		7.0	6.17	2060	590	2.7	176	2.12	6.1	16	155	36	2.61
B363896		1.12	0.005		<0.5	0.13	11	20	<0.5	<2	19.95	<0.5	<1	10	2	0.13
B363897		4.26	0.123		<0.5	7.37	587	910	3.3	<2	2.35	6.8	7	116	38	1.94
B363898		3.42	0.933		1.7	6.27	507	550	2.4	14	2.54	2.6	5	19	47	1.83
B363899		5.86	1.120		0.8	7.42	734	1540	2.8	30	1.82	<0.5	10	100	30	2.66
B363900		6.38	0.653		<0.5	7.17	306	1500	2.7	10	2.16	<0.5	9	24	35	2.31
B363901		1.28	0.770		<0.5	7.06	305	1330	2.5	8	3.35	<0.5	7	124	27	1.91
B363902		1.28	0.301		<0.5	7.31	344	1320	2.7	6	3.89	<0.5	11	23	31	2.18
B363903		4.18	0.447		<0.5	7.47	209	1450	2.9	14	2.20	<0.5	10	136	37	2.31
B363904		5.04	0.481		<0.5	7.52	579	1600	2.7	9	2.02	<0.5	23	121	42	2.33
B363905		2.78	2.52		0.6	3.72	2030	490	1.3	25	1.26	1.0	18	49	15	1.64
B363906		2.58	0.796		<0.5	7.70	572	1790	2.7	11	0.54	7.7	19	113	41	2.45
B363907		4.70	1.195		1.1	7.72	530	1300	3.0	14	1.70	3.3	18	42	39	2.67
B363908		5.78	0.976		0.9	7.02	447	1100	2.7	16	2.09	0.6	6	116	40	1.79
B363909		<0.02	0.892													
B363910		0.12	3.24		0.7	6.60	<5	1920	3.1	<2	4.64	<0.5	21	133	98	4.88
B363911		5.78	0.299		0.7	7.26	445	930	2.8	5	2.29	0.8	6	46	73	1.93
B363912		1.06	>10.0	13.45	18.7	5.08	>10000	170	2.3	177	0.40	8.9	9	133	768	14.50
B363913		5.98	0.527		0.9	7.77	1265	950	3.2	9	1.75	4.0	5	38	116	2.45
B363914		5.12	0.280		<0.5	6.98	843	1570	2.7	3	1.75	<0.5	7	134	29	2.43
B363915		5.46	3.31		0.5	6.90	1035	1400	2.3	58	1.44	<0.5	8	41	35	2.23
B363916		0.74	<0.005		<0.5	0.12	<5	20	<0.5	<2	19.40	<0.5	<1	12	2	0.12
B363917		6.42	0.380		<0.5	7.51	387	1620	2.9	5	1.90	<0.5	10	39	42	2.48
B363918		5.38	1.730		<0.5	7.32	1650	1400	2.7	26	2.53	<0.5	7	128	29	2.47
B363919		6.32	0.442		<0.5	7.26	444	1470	2.7	19	2.06	<0.5	7	41	37	2.32
B363920		5.64	2.30		<0.5	7.26	755	1500	2.9	43	1.99	<0.5	10	127	35	2.38
B363921		1.16	>10.0	15.55	1.5	3.93	852	750	1.7	344	1.54	<0.5	4	47	27	1.32
B363922		0.88	>10.0	19.10	2.6	3.35	1065	610	1.4	402	1.28	<0.5	5	227	21	1.35
B363923		4.42	0.146		<0.5	7.35	118	1500	2.9	2	2.06	<0.5	8	40	40	2.21
B363924		6.82	0.375		<0.5	7.56	174	1580	2.9	9	2.31	<0.5	7	116	26	2.40
B363925		6.34	1.775		<0.5	7.56	118	1550	2.9	30	2.25	<0.5	6	43	23	2.38
B363926		5.88	3.05		0.5	7.12	704	1530	2.5	74	1.68	<0.5	7	121	34	2.32
B363927		5.20	0.220		<0.5	7.58	211	950	2.8	2	2.01	2.4	5	38	25	1.93
B363928		1.08	1.135		2.0	7.34	287	440	2.5	43	2.27	1.3	2	104	56	1.81
B363929		<0.02	1.280													
B363930		0.10	0.960		<0.5	6.91	1220	680	5.7	<2	0.01	<0.5	5	218	38	3.83
B363931		6.16	0.271		<0.5	7.65	221	1440	2.9	2	1.87	<0.5	9	120	27	2.64
B363932		0.26	0.272		0.6	7.51	160	650	2.8	3	2.31	0.6	6	42	55	2.23
B363933		3.24	5.13		5.1	7.11	1195	550	2.8	122	2.48	2.2	14	126	74	2.53

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B363894		0.02	2.76	0.42	855	4	0.04	11	560	1450	0.10	500	96	0.21	28	30
B363895		0.04	2.59	0.54	947	5	0.03	24	510	1000	0.11	400	92	0.22	28	20
B363896		<0.01	0.04	11.00	170	<1	0.02	9	530	7	<0.01	5	112	0.01	1	<10
B363897		0.12	3.58	0.61	1075	4	0.04	10	630	162	0.05	77	88	0.26	36	20
B363898		0.08	2.95	0.49	767	4	0.04	11	520	250	0.16	100	96	0.22	28	20
B363899		0.06	3.90	0.69	356	1	0.79	22	650	69	0.07	67	271	0.30	36	20
B363900		0.03	3.92	0.68	272	1	1.21	19	600	18	0.13	16	354	0.29	35	50
B363901		0.02	4.14	0.39	353	2	1.13	16	640	18	0.09	15	330	0.29	35	40
B363902		0.02	4.20	0.43	431	2	1.14	16	620	16	0.08	19	342	0.30	36	30
B363903		0.02	3.85	0.73	236	12	1.35	24	660	16	0.13	13	371	0.32	37	20
B363904		0.02	4.14	0.80	216	1	1.15	25	640	13	0.12	10	376	0.31	37	40
B363905		0.04	1.76	0.18	182	5	0.24	9	300	63	0.39	59	89	0.13	16	10
B363906		0.02	4.54	0.54	184	3	1.03	26	630	29	0.13	25	238	0.28	34	20
B363907		0.04	4.29	0.55	459	1	0.43	28	670	175	0.24	51	171	0.31	38	10
B363908		0.04	4.34	0.41	437	1	0.37	14	520	158	0.15	69	167	0.24	29	20
B363909																
B363910		0.01	3.42	2.85	1000	11	2.28	66	2270	26	0.28	<5	1630	0.38	160	<10
B363911		0.03	4.00	0.48	552	12	0.16	17	620	211	0.13	90	146	0.27	35	40
B363912		0.07	2.32	0.33	64	<1	0.03	17	370	3200	>10.0	1100	187	0.13	22	30
B363913		0.07	4.13	0.49	445	1	0.12	15	660	231	0.97	81	93	0.27	37	20
B363914		0.03	3.94	0.73	245	1	1.12	17	590	28	0.15	22	347	0.28	35	20
B363915		0.03	3.90	0.57	227	2	0.71	17	550	34	0.10	35	260	0.26	31	20
B363916		<0.01	0.03	11.35	158	<1	0.02	3	430	3	0.02	<5	110	0.01	2	<10
B363917		0.03	3.95	0.80	229	2	1.35	24	650	20	0.17	12	405	0.32	37	10
B363918		0.04	3.77	0.68	307	1	0.93	24	620	106	0.18	41	322	0.29	35	10
B363919		0.02	3.90	0.78	222	4	1.38	24	610	33	0.18	12	418	0.30	36	30
B363920		0.02	3.87	0.80	208	1	1.43	21	610	27	0.17	11	422	0.30	35	20
B363921		0.01	2.02	0.30	183	5	0.64	12	290	114	0.12	47	186	0.14	17	10
B363922		0.04	1.59	0.30	159	5	0.56	17	260	94	0.11	43	164	0.13	17	<10
B363923		0.01	3.92	0.73	223	1	1.47	22	610	16	0.17	11	403	0.30	35	10
B363924		0.01	3.76	0.84	262	2	1.58	22	670	19	0.17	<5	461	0.32	37	10
B363925		0.01	4.04	0.84	256	1	1.51	20	620	20	0.14	9	441	0.30	36	40
B363926		0.01	4.04	0.75	231	14	0.94	23	600	49	0.20	24	317	0.29	35	10
B363927		0.02	4.09	0.49	411	2	0.38	19	640	54	0.25	15	190	0.29	35	20
B363928		0.10	3.57	0.33	491	1	0.04	13	590	131	0.32	42	160	0.28	36	20
B363929																
B363930		0.04	2.75	0.35	88	2	0.11	20	300	25	0.02	110	89	0.24	92	10
B363931		0.02	4.10	0.75	328	2	0.73	24	640	41	0.27	12	265	0.30	37	20
B363932		0.03	3.73	0.68	454	2	0.05	21	650	70	0.16	16	116	0.28	38	20
B363933		0.06	3.32	0.50	514	6	0.03	31	590	637	1.49	88	88	0.25	33	40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B363894		831
B363895		1520
B363896		14
B363897		695
B363898		564
B363899		186
B363900		35
B363901		42
B363902		46
B363903		35
B363904		49
B363905		388
B363906		2320
B363907		1465
B363908		275
B363909		
B363910		92
B363911		269
B363912		971
B363913		778
B363914		59
B363915		86
B363916		8
B363917		49
B363918		155
B363919		62
B363920		38
B363921		35
B363922		31
B363923		37
B363924		43
B363925		42
B363926		46
B363927		249
B363928		365
B363929		
B363930		47
B363931		114
B363932		179
B363933		418

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B363934		5.42	3.50		2.9	6.75	2950	510	2.8	45	2.09	2.1	6	39	139	2.84
B363935		4.08	3.35		6.3	6.99	2630	1400	2.6	31	1.16	0.5	8	147	86	2.47
B363936		0.66	0.010		<0.5	0.16	<5	20	<0.5	<2	20.2	<0.5	1	3	1	0.13
B363937		5.60	1.165		<0.5	7.78	322	1650	2.9	52	1.96	<0.5	8	119	23	2.51
B363938		5.54	0.893		<0.5	7.30	681	1440	2.9	16	2.45	3.9	8	38	65	2.45
B363939		3.68	0.437		0.9	7.48	658	1240	2.8	20	2.87	1.5	8	114	36	2.44
B363940		5.36	0.715		<0.5	7.32	663	1500	2.6	10	2.29	<0.5	8	41	35	2.27
B363941		3.12	1.150		0.9	7.59	2300	1180	2.9	4	2.86	<0.5	11	134	27	2.30
B363942		2.78	0.943		1.0	7.22	1900	1170	2.8	8	2.62	0.6	11	42	38	2.04
B363943		6.14	0.282		<0.5	7.60	169	1580	3.1	<2	2.10	<0.5	8	124	31	2.38
B363944		5.72	0.220		<0.5	7.61	262	1640	3.1	<2	2.18	<0.5	10	43	27	2.52
B363945		6.54	0.141		<0.5	7.99	94	1650	3.0	2	2.40	<0.5	9	125	28	2.60
B363946		1.34	0.217		0.5	6.96	83	1120	2.4	<2	2.76	<0.5	7	35	27	1.59
B363947		5.94	0.902		<0.5	7.48	116	1420	2.6	3	2.43	<0.5	9	113	33	2.22
B363948		5.76	0.382		<0.5	7.09	108	1460	3.0	10	2.28	<0.5	8	44	30	2.20
B363949		<0.02	0.352													
B363950		0.10	0.095		0.5	6.76	115	560	2.6	<2	0.50	<0.5	57	1195	392	8.49
B363951		6.04	0.327		<0.5	7.65	291	1600	3.1	13	2.36	<0.5	10	118	30	2.45
B363952		7.50	0.466		<0.5	7.14	993	1600	3.3	14	2.78	<0.5	10	43	43	2.32
B363953		5.50	0.763		1.7	7.14	748	1010	2.8	26	2.20	1.3	9	129	40	1.92
B363954		5.58	1.795		2.1	6.98	434	1760	1.9	51	2.21	<0.5	9	47	52	1.86
B363955		5.46	0.419		0.6	7.23	389	1360	2.9	9	1.51	<0.5	7	128	37	2.28
B363956		0.76	<0.005		<0.5	0.13	<5	20	<0.5	<2	18.95	<0.5	<1	4	1	0.11
B363957		4.84	0.709		<0.5	7.28	484	1480	2.6	22	1.20	<0.5	9	122	43	2.24
B363958		2.88	0.149		0.5	7.63	374	1620	3.2	2	0.90	<0.5	9	40	71	2.62
B363959		3.30	0.334		<0.5	7.90	198	1660	3.4	4	2.13	<0.5	13	147	88	3.15
B363960		3.44	2.32		0.7	5.41	775	670	2.3	30	4.78	<0.5	8	67	55	3.39
B363961		3.04	0.084		<0.5	7.61	100	1470	3.8	<2	2.70	<0.5	14	130	67	3.91
B363962		3.38	0.091		0.7	7.68	124	1430	3.6	<2	2.76	<0.5	15	79	67	3.98
B363963		2.66	0.286		0.6	7.14	154	850	3.1	2	2.94	<0.5	10	126	82	2.65
B363964		4.80	0.308		0.6	7.04	98	1220	2.9	4	2.43	<0.5	9	49	70	2.30
B363965		6.04	0.033		<0.5	7.72	15	1690	3.4	<2	2.82	<0.5	12	140	46	3.54
B363966		6.02	0.124		<0.5	7.64	106	1760	3.4	<2	1.41	<0.5	11	34	55	2.81
B363967		5.62	0.398		<0.5	7.24	226	1520	2.7	2	1.50	<0.5	9	130	56	1.86
B363968		3.48	0.485		0.5	6.48	50	990	2.5	6	2.45	0.5	10	29	85	2.35
B363969		<0.02	0.481													
B363970		0.10	0.475		2.6	8.82	<5	1040	1.2	<2	1.40	<0.5	9	9	7160	3.24
B363971		6.14	0.115		0.8	7.30	37	1240	2.9	<2	3.41	<0.5	13	136	65	3.36
B363972		3.40	0.092		<0.5	7.41	22	1500	3.1	<2	3.10	<0.5	13	64	67	3.74
B363973		6.40	0.030		<0.5	7.37	73	1520	3.1	<2	2.66	<0.5	10	136	43	2.82

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B363934		0.07	3.32	0.39	442	3	0.03	18	550	275	2.07	68	84	0.22	31	30
B363935		0.03	4.38	0.47	233	2	0.34	20	490	146	0.81	32	164	0.21	27	80
B363936		<0.01	0.05	12.05	162	<1	0.02	1	500	4	0.01	<5	119	<0.01	<1	<10
B363937		0.02	3.72	0.77	268	2	1.17	20	630	45	0.16	14	381	0.31	37	10
B363938		0.10	3.81	0.70	324	1	0.89	23	610	74	0.48	19	320	0.29	35	10
B363939		0.07	3.89	0.77	353	2	0.37	17	570	108	0.31	24	301	0.27	33	30
B363940		0.02	4.42	0.65	288	2	0.72	25	580	33	0.23	14	311	0.27	34	20
B363941		0.02	4.04	0.51	357	2	0.59	21	610	96	0.74	20	248	0.28	35	30
B363942		0.03	4.02	0.50	333	1	0.56	23	610	95	0.43	22	242	0.28	34	20
B363943		0.02	4.02	0.86	237	1	1.43	24	620	22	0.16	<5	422	0.31	37	<10
B363944		0.01	3.96	0.82	204	2	1.37	24	620	17	0.16	5	439	0.31	37	10
B363945		0.01	3.89	0.79	241	1	1.43	23	670	25	0.18	<5	431	0.30	37	20
B363946		0.01	4.50	0.59	298	1	0.72	19	410	51	0.19	12	234	0.20	24	10
B363947		0.02	3.89	0.71	219	7	1.11	18	600	20	0.19	5	356	0.28	33	10
B363948		0.01	3.66	0.76	156	1	1.50	21	610	17	0.15	<5	443	0.28	35	20
B363949																
B363950		0.06	2.23	0.58	374	8	0.12	482	330	149	0.02	13	49	0.19	91	20
B363951		0.01	3.75	0.82	194	1	1.31	25	660	10	0.17	5	438	0.31	38	30
B363952		0.02	4.04	0.69	249	2	1.13	18	620	27	0.27	11	420	0.30	37	40
B363953		0.05	3.89	0.70	359	10	0.63	21	580	166	0.35	16	221	0.25	32	100
B363954		0.04	5.74	0.65	220	2	0.71	17	580	91	0.30	28	326	0.24	28	40
B363955		0.02	3.90	0.72	178	1	0.99	18	610	36	0.25	10	325	0.27	34	20
B363956		0.01	0.04	11.40	141	<1	0.02	1	490	5	0.01	<5	110	<0.01	<1	<10
B363957		0.02	4.65	0.76	170	2	0.65	18	600	37	0.29	10	317	0.27	34	20
B363958		0.01	4.27	0.99	140	<1	0.60	18	640	9	0.22	11	354	0.32	39	40
B363959		0.01	4.36	1.13	220	3	0.90	24	710	16	0.37	14	430	0.34	53	100
B363960		0.02	2.73	1.59	1270	10	0.10	16	540	134	0.16	62	332	0.21	50	680
B363961		0.01	3.74	1.30	365	4	0.95	20	770	12	0.32	10	470	0.36	72	50
B363962		0.01	3.58	1.35	381	5	0.94	22	820	16	0.31	9	475	0.35	70	100
B363963		0.03	3.69	0.98	381	1	0.15	16	630	40	0.54	15	296	0.27	47	20
B363964		0.02	4.08	0.83	266	2	0.47	16	620	23	0.58	6	293	0.28	39	20
B363965		0.01	3.80	1.22	348	2	1.11	20	740	10	0.29	8	481	0.34	63	10
B363966		0.01	4.24	0.82	176	<1	0.61	20	720	13	0.31	7	328	0.32	45	10
B363967		0.02	4.42	0.65	174	2	0.26	17	590	21	0.44	8	267	0.27	35	30
B363968		0.04	3.43	0.89	269	2	0.29	18	590	61	0.27	11	288	0.26	34	50
B363969																
B363970		0.03	3.69	1.16	473	1	3.28	9	1840	13	0.24	<5	663	0.34	180	<10
B363971		0.01	3.66	1.34	461	2	0.85	16	730	15	0.38	12	414	0.32	64	30
B363972		0.01	3.40	1.52	446	3	1.43	18	790	13	0.35	<5	475	0.35	71	10
B363973		0.01	3.52	1.04	337	1	1.51	18	690	11	0.23	5	462	0.33	54	10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B363934		401
B363935		158
B363936		10
B363937		64
B363938		704
B363939		311
B363940		72
B363941		120
B363942		178
B363943		47
B363944		31
B363945		47
B363946		54
B363947		41
B363948		20
B363949		
B363950		609
B363951		28
B363952		30
B363953		277
B363954		50
B363955		35
B363956		7
B363957		85
B363958		23
B363959		28
B363960		65
B363961		42
B363962		40
B363963		93
B363964		42
B363965		34
B363966		28
B363967		76
B363968		136
B363969		
B363970		62
B363971		33
B363972		42
B363973		32

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da(1-SEP-2005
Account: STRGOL

CERTIFICATE VA05074726

Project: Dublin Gulch-1735

P.O. No.:

This report is for 141 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B364317		3.42	0.286		<0.5	7.80	405	1230	2.9	3	2.65	<0.5	12	39	69	2.63
B364318		2.88	0.156		<0.5	7.66	153	1630	2.8	2	2.62	<0.5	9	118	40	2.78
B364319		2.56	0.085		<0.5	7.85	62	1600	2.9	<2	2.41	<0.5	10	33	69	2.84
B364320		1.48	0.808		1.0	7.27	296	1630	2.7	8	2.17	<0.5	13	118	120	2.58
B364321		0.70	0.145		<0.5	7.50	63	1800	3.1	2	2.35	<0.5	14	36	80	2.58
B364322		0.66	0.144		<0.5	7.73	90	1770	3.1	3	2.36	<0.5	12	128	101	2.68
B364323		2.54	0.293		0.5	7.57	236	1770	2.6	19	2.36	<0.5	13	35	108	2.87
B364324		2.42	1.325		<0.5	7.50	429	1620	2.6	15	2.52	<0.5	12	126	90	2.58
B364325		2.02	0.428		<0.5	7.26	344	1680	2.5	10	2.12	<0.5	13	34	100	2.68
B364326		2.30	0.584		<0.5	7.66	99	1680	2.9	2	2.83	<0.5	13	115	82	2.75
B364327		2.08	0.168		<0.5	7.47	108	1590	2.7	7	2.32	<0.5	12	32	79	2.56
B364328		0.68	0.201		<0.5	7.96	821	1620	2.3	5	3.08	<0.5	19	112	165	2.43
B364329		0.06	0.195													
B364330		0.10	2.62		<0.5	7.57	2060	740	13.6	<2	0.01	<0.5	2	150	101	3.30
B364331		2.20	0.230		<0.5	7.81	414	1650	3.4	7	2.51	<0.5	13	36	59	2.71
B364332		2.96	0.102		<0.5	7.33	236	1510	2.9	6	2.20	<0.5	12	118	57	2.34
B364333		3.02	1.685		<0.5	7.51	569	1490	2.7	67	2.29	<0.5	19	32	129	2.96
B364334		2.74	0.056		<0.5	7.87	130	1530	3.2	<2	2.56	<0.5	14	124	35	2.46
B364335		2.16	0.297		<0.5	7.58	87	1460	3.3	<2	2.48	<0.5	11	33	33	2.35
B364336		1.16	<0.005		<0.5	0.15	<5	20	<0.5	<2	20.7	<0.5	3	8	2	0.12
B364337		1.98	0.019		<0.5	7.88	49	1660	3.4	4	2.39	<0.5	12	33	51	2.62
B364338		2.64	0.212		<0.5	7.46	226	1480	3.3	5	2.27	<0.5	14	129	68	2.40
B364339		3.26	0.405		0.6	7.52	283	1440	2.8	15	1.88	<0.5	14	35	61	2.42
B364340		2.82	0.345		<0.5	7.39	237	1390	3.1	15	2.03	<0.5	12	129	47	2.31
B364341		1.58	0.429		<0.5	7.21	171	1350	2.8	5	2.06	<0.5	9	30	23	2.32
B364342		1.20	0.592		<0.5	7.53	124	1310	2.7	9	2.59	<0.5	7	105	29	2.33
B364343		2.56	1.155		<0.5	7.12	268	1450	2.6	6	1.82	<0.5	10	38	48	2.44
B364344		2.70	1.110		5.4	7.66	838	800	2.8	29	2.72	24.9	10	140	105	3.94
B364345		1.12	0.275		<0.5	7.33	106	1290	2.9	7	2.10	<0.5	10	38	29	2.35
B364346		2.12	0.957		2.9	7.08	2570	1150	2.9	18	2.27	0.8	11	113	256	3.02
B364347		2.58	0.150		1.4	7.33	209	1040	2.9	3	2.35	1.5	9	37	124	2.60
B364348		2.60	0.129		2.4	7.48	666	1140	3.0	5	2.37	<0.5	13	108	136	2.81
B364349		0.04	0.126													
B364350		0.10	0.420		2.9	8.87	<5	1020	1.2	<2	1.37	<0.5	9	8	7180	3.06
B364351		2.54	2.20		0.9	7.01	357	1220	2.7	66	2.47	1.0	11	35	37	2.67
B364352		3.10	0.237		<0.5	7.75	60	1360	2.9	6	2.57	<0.5	11	111	42	2.81
B364353		2.30	0.101		<0.5	7.11	67	1310	2.6	2	2.39	<0.5	11	42	40	2.62
B364354		2.82	0.312		0.5	7.39	616	1240	2.7	7	2.45	<0.5	14	114	55	3.06
B364355		2.88	0.369		<0.5	7.43	320	1510	2.6	11	2.03	<0.5	9	40	61	2.71
B364356		0.90	<0.005		<0.5	0.14	<5	20	<0.5	<2	20.00	<0.5	2	10	2	0.12

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B364317		0.03	3.54	0.94	373	<1	1.26	14	600	53	0.49	8	362	0.26	42	20
B364318		0.03	3.35	1.00	312	1	1.48	16	670	31	0.25	5	475	0.28	42	10
B364319		0.02	3.76	0.95	228	1	1.44	23	700	25	0.31	11	446	0.31	44	10
B364320		0.02	4.26	0.82	201	6	1.06	15	630	41	0.64	6	365	0.27	38	30
B364321		0.02	3.82	0.96	211	<1	1.60	20	700	17	0.34	<5	521	0.32	41	20
B364322		0.02	3.85	0.95	207	3	1.55	22	700	17	0.42	<5	517	0.32	41	10
B364323		0.02	4.26	0.90	231	2	1.16	16	670	31	0.91	6	451	0.30	40	290
B364324		0.01	4.08	0.82	251	3	1.18	20	660	19	0.51	13	398	0.30	40	20
B364325		0.02	4.18	0.96	199	1	1.17	17	670	18	0.52	<5	429	0.29	38	40
B364326		0.02	3.86	1.01	266	<1	1.50	21	700	17	0.42	<5	544	0.32	41	30
B364327		0.02	3.99	1.01	233	<1	1.41	20	660	21	0.34	5	531	0.31	39	30
B364328		0.01	5.81	0.82	253	<1	1.12	21	680	21	0.67	<5	491	0.29	41	60
B364329																
B364330		0.07	3.03	0.37	69	2	0.08	8	320	26	0.02	152	141	0.25	100	10
B364331		0.01	3.62	0.98	255	2	1.70	17	690	16	0.29	<5	535	0.33	43	30
B364332		0.01	4.00	0.85	233	1	1.58	17	620	16	0.29	<5	477	0.29	38	10
B364333		0.01	3.78	0.88	196	1	1.36	19	620	16	0.86	<5	416	0.28	37	20
B364334		0.01	3.58	0.91	276	2	1.70	16	660	25	0.19	<5	524	0.31	40	20
B364335		0.01	3.50	0.88	283	1	1.64	16	660	22	0.18	<5	500	0.30	37	20
B364336		<0.01	0.04	11.50	177	<1	0.02	1	550	3	0.01	<5	109	<0.01	2	<10
B364337		0.01	3.53	0.90	276	<1	1.70	22	670	20	0.25	<5	499	0.31	39	10
B364338		0.01	4.02	0.87	252	2	1.58	15	630	23	0.31	<5	464	0.28	37	10
B364339		0.01	3.79	0.88	198	2	1.50	14	580	20	0.33	8	458	0.28	39	30
B364340		0.01	3.51	0.76	242	1	1.49	18	620	22	0.22	7	422	0.28	38	10
B364341		0.04	3.50	1.04	315	1	1.15	16	560	29	0.09	8	362	0.26	36	20
B364342		0.01	3.41	1.12	363	<1	1.14	16	580	38	0.09	6	403	0.27	37	20
B364343		0.01	3.69	0.99	312	1	1.15	14	620	31	0.19	14	399	0.27	39	20
B364344		0.43	3.44	0.94	812	3	0.30	15	690	1435	2.05	268	197	0.25	44	30
B364345		0.01	3.74	0.80	318	1	1.37	15	610	35	0.14	10	407	0.27	39	<10
B364346		0.02	3.28	0.73	432	3	0.91	16	610	177	1.20	67	330	0.26	37	20
B364347		0.03	3.77	0.85	592	2	0.52	11	600	192	0.54	26	231	0.25	40	30
B364348		0.02	3.73	0.85	369	1	1.32	19	630	168	0.76	62	366	0.28	44	20
B364349																
B364350		0.03	3.47	1.08	460	1	3.21	10	1920	10	0.23	<5	673	0.32	160	<10
B364351		0.02	3.41	1.12	455	<1	0.96	15	620	85	0.28	25	378	0.27	42	50
B364352		0.01	3.60	1.16	372	1	1.64	15	730	31	0.18	6	549	0.32	49	20
B364353		0.01	3.59	1.03	337	1	1.43	13	690	24	0.20	<5	481	0.31	47	10
B364354		0.01	3.88	1.20	357	3	1.43	19	720	22	0.51	5	493	0.31	52	10
B364355		0.02	3.85	0.96	290	7	1.33	14	690	36	0.38	6	430	0.29	43	40
B364356		0.01	0.04	11.40	180	<1	0.02	<1	540	8	0.01	<5	109	<0.01	2	<10

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B364317		127
B364318		54
B364319		42
B364320		54
B364321		23
B364322		24
B364323		50
B364324		39
B364325		21
B364326		24
B364327		23
B364328		21
B364329		
B364330		17
B364331		30
B364332		30
B364333		21
B364334		39
B364335		43
B364336		8
B364337		45
B364338		42
B364339		30
B364340		41
B364341		49
B364342		49
B364343		50
B364344		3810
B364345		56
B364346		146
B364347		263
B364348		66
B364349		
B364350		44
B364351		154
B364352		54
B364353		40
B364354		57
B364355		43
B364356		7

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B364357		3.20	0.653		<0.5	7.23	493	1330	2.3	16	2.08	0.5	13	38	76	2.89
B364358		3.18	0.168		<0.5	7.23	505	1160	2.5	3	2.24	<0.5	11	114	45	2.88
B364359		2.88	8.88		6.1	6.76	7120	900	2.2	184	1.84	1.3	15	41	95	4.17
B364360		1.74	0.162		0.8	7.23	250	1420	2.6	3	2.13	1.1	11	126	50	2.96
B364361		1.18	0.202		0.6	7.43	102	1330	3.3	4	2.51	0.5	12	43	43	2.54
B364362		1.10	0.198		0.5	7.48	137	1380	3.4	3	2.69	<0.5	12	109	54	2.68
B364363		3.24	0.290		1.0	7.44	185	1110	3.1	8	2.73	1.1	13	46	54	2.67
B364364		3.26	0.107		0.6	7.47	77	1160	2.9	2	2.46	<0.5	12	106	35	2.48
B364365		3.58	0.468		1.2	7.41	108	1360	2.7	7	2.57	1.5	12	40	68	2.68
B364366		3.58	0.652		1.8	7.24	1015	1160	2.2	19	2.12	3.2	23	136	129	3.31
B364367		3.44	0.315		0.9	7.57	282	1610	2.8	5	2.57	0.6	14	41	51	3.06
B364368		3.48	0.471		0.8	7.16	161	1280	2.6	9	2.91	0.9	10	111	52	2.95
B364369		0.04	0.476													
B364370		0.12	1.265		<0.5	7.19	1220	700	5.8	<2	0.01	<0.5	6	211	39	3.74
B364371		1.66	0.386		1.2	7.59	229	860	2.7	4	3.12	2.8	13	42	110	3.09
B364372		1.64	0.371		0.7	7.45	4490	850	2.5	37	3.03	1.4	14	148	232	2.41
B364373		3.24	0.168		<0.5	8.24	91	1660	2.8	<2	2.82	<0.5	13	47	37	2.94
B364374		3.38	0.221		<0.5	7.39	68	1480	2.8	7	2.39	<0.5	13	120	43	2.56
B364375		3.22	0.075		<0.5	7.52	82	1410	2.9	<2	2.45	<0.5	10	57	24	2.53
B364376		0.86	<0.005		<0.5	0.11	6	20	<0.5	<2	19.50	<0.5	3	12	21	0.13
B364377		3.50	0.614		<0.5	7.47	149	1450	2.7	14	2.67	<0.5	11	38	43	2.58
B364378		3.48	0.351		<0.5	7.62	97	1490	3.0	6	2.43	<0.5	11	117	53	2.50
B364379		3.18	2.88		4.0	7.96	436	1180	3.0	44	2.19	0.7	15	38	85	3.24
B364380		3.44	0.468		<0.5	7.83	50	1480	2.9	8	2.32	<0.5	12	136	36	2.65
B364381		1.50	1.320		<0.5	7.97	275	1510	2.9	6	2.36	<0.5	13	44	57	2.59
B364382		1.46	0.665		<0.5	7.83	128	1460	2.9	8	2.40	<0.5	13	136	44	2.61
B364383		3.18	1.015		0.7	7.53	224	1430	2.8	9	2.61	<0.5	13	38	57	2.60
B364384		2.92	0.390		<0.5	7.49	53	1250	2.8	7	1.94	<0.5	10	115	45	2.22
B364385		2.96	0.309		<0.5	7.89	146	1520	2.8	7	2.18	<0.5	15	33	55	2.58
B364386		2.36	0.611		<0.5	7.79	75	1510	2.9	7	2.36	<0.5	10	108	43	2.51
B364387		2.34	1.550		<0.5	7.17	125	1240	2.7	20	2.08	<0.5	10	31	54	2.38
B364388		2.10	0.291		<0.5	7.97	87	1520	3.2	4	2.58	<0.5	12	127	58	2.61
B364389		0.04	0.210													
B364390		0.10	NSS		1.4	7.83	6	2200	3.3	<2	4.93	<0.5	28	146	105	5.33
B364391		3.24	0.748		<0.5	7.78	103	1410	3.0	16	2.35	<0.5	10	38	53	2.44
B364392		3.42	1.010		0.5	7.84	143	1420	2.9	13	2.47	<0.5	14	132	65	2.77
B364393		2.12	>10.0	10.20	1.8	7.39	3270	1230	2.8	105	2.55	<0.5	16	53	48	3.07
B364394		1.34	0.959		5.9	8.03	646	980	2.9	20	2.98	3.1	35	157	86	2.88
B364395		2.42	0.351		1.7	7.19	93	730	2.9	7	3.34	2.2	8	41	41	2.60
B364396		1.12	<0.005		<0.5	0.10	9	10	<0.5	<2	20.0	<0.5	1	6	1	0.09

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B364357		0.02	3.83	0.96	346	5	0.99	11	640	61	0.54	25	360	0.27	41	50
B364358		0.02	3.69	1.10	416	4	1.14	16	670	45	0.43	23	378	0.29	47	20
B364359		0.01	3.19	1.06	532	2	0.72	15	570	448	1.34	166	290	0.22	42	40
B364360		0.03	3.99	1.00	491	1	0.97	17	640	119	0.56	21	364	0.27	44	80
B364361		0.01	3.65	0.99	380	3	1.34	15	670	63	0.22	<5	453	0.30	47	50
B364362		0.01	3.71	1.06	385	2	1.43	14	700	58	0.22	<5	482	0.31	48	20
B364363		0.02	3.64	1.08	602	<1	1.13	12	670	135	0.26	18	420	0.29	47	30
B364364		0.01	3.58	1.06	413	<1	1.52	14	640	39	0.14	<5	473	0.28	44	10
B364365		0.03	3.55	0.97	389	<1	1.26	15	670	100	0.44	8	434	0.29	43	40
B364366		0.05	3.70	0.80	555	2	0.46	14	640	297	1.12	118	262	0.25	40	140
B364367		0.02	3.64	0.94	467	1	1.25	15	710	120	0.62	24	434	0.30	43	50
B364368		0.02	3.57	0.93	900	1	0.63	14	620	108	0.35	31	319	0.26	39	30
B364369																
B364370		0.05	2.60	0.33	89	2	0.10	17	300	25	0.02	116	93	0.22	85	10
B364371		0.05	3.28	0.89	755	2	0.21	16	690	241	0.68	102	239	0.29	44	130
B364372		0.02	3.11	0.65	683	2	0.33	18	680	645	0.52	390	237	0.27	40	240
B364373		<0.01	3.35	1.12	394	<1	1.70	21	740	30	0.20	<5	566	0.33	48	40
B364374		0.01	3.39	0.99	307	1	1.70	15	670	19	0.19	<5	543	0.30	44	20
B364375		0.01	3.35	0.96	345	1	1.72	17	660	24	0.12	<5	517	0.30	43	<10
B364376		<0.01	0.03	10.75	165	<1	0.01	1	520	11	0.02	<5	110	<0.01	1	<10
B364377		0.01	3.38	1.02	323	<1	1.81	16	660	21	0.20	<5	506	0.30	43	30
B364378		0.01	3.66	0.97	248	6	1.46	15	660	28	0.27	<5	475	0.30	43	80
B364379		0.01	3.70	0.77	377	1	0.82	12	660	312	1.14	68	278	0.28	42	40
B364380		0.01	3.65	0.98	295	1	1.76	18	670	22	0.17	<5	532	0.29	43	10
B364381		0.01	3.63	0.94	289	1	1.72	12	690	27	0.19	<5	553	0.30	43	10
B364382		0.01	3.61	0.93	284	1	1.76	16	680	15	0.20	<5	550	0.31	43	10
B364383		0.01	3.62	0.94	294	2	1.61	16	710	38	0.27	<5	509	0.31	43	20
B364384		0.01	3.80	0.82	215	4	1.63	12	560	20	0.23	<5	468	0.25	37	20
B364385		0.01	3.60	0.96	233	7	1.59	19	660	21	0.25	<5	542	0.31	43	50
B364386		<0.01	3.65	0.94	255	4	1.63	18	670	21	0.22	<5	526	0.30	41	30
B364387		0.01	3.47	0.63	208	1	1.27	15	530	57	0.52	11	372	0.24	33	40
B364388		0.01	3.88	0.83	276	2	1.57	20	650	25	0.29	<5	480	0.29	40	30
B364389																
B364390		0.01	3.49	3.04	1105	13	2.40	69	2560	35	0.33	<5	1750	0.39	169	<10
B364391		<0.01	3.91	0.80	236	<1	1.55	16	640	26	0.27	<5	453	0.29	40	20
B364392		0.01	3.87	1.09	275	2	1.55	15	680	20	0.32	<5	485	0.30	50	20
B364393		<0.01	3.59	1.20	368	14	1.26	19	650	112	0.44	36	430	0.29	51	60
B364394		0.04	3.95	0.74	559	6	0.65	20	720	530	0.96	59	253	0.31	56	50
B364395		0.04	3.16	1.02	1115	15	0.20	12	630	286	0.20	26	191	0.25	47	30
B364396		<0.01	0.03	11.35	155	<1	0.01	<1	510	5	<0.01	<5	103	<0.01	2	<10

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B364357		110
B364358		59
B364359		211
B364360		233
B364361		72
B364362		69
B364363		192
B364364		55
B364365		270
B364366		530
B364367		119
B364368		152
B364369		
B364370		43
B364371		447
B364372		222
B364373		58
B364374		46
B364375		48
B364376		12
B364377		44
B364378		34
B364379		102
B364380		39
B364381		44
B364382		43
B364383		44
B364384		28
B364385		30
B364386		41
B364387		39
B364388		41
B364389		
B364390		99
B364391		35
B364392		35
B364393		44
B364394		495
B364395		352
B364396		6

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B364397		2.62	0.393		<0.5	7.68	95	1260	2.7	7	2.09	<0.5	11	49	49	2.70
B364398		3.76	0.528		0.8	7.43	68	1210	3.0	8	2.38	<0.5	12	139	67	2.83
B364399		3.10	0.304		<0.5	7.92	47	1290	3.1	4	2.59	<0.5	12	45	69	2.80
B364400		3.36	0.627		0.5	8.09	54	1500	3.3	10	2.42	<0.5	13	124	70	3.03
B364401		1.56	0.994		0.5	8.28	77	1330	3.1	9	2.57	<0.5	15	51	79	2.95
B364402		1.48	0.755		<0.5	7.62	82	1300	2.9	8	2.61	<0.5	17	131	77	2.94
B364403		3.54	1.100		<0.5	7.85	81	1270	2.7	15	2.68	<0.5	14	51	73	2.98
B364404		3.30	0.498		0.6	7.72	53	1260	2.7	7	2.49	<0.5	13	143	59	2.89
B364405		3.60	3.88		<0.5	7.72	1220	1290	2.5	17	2.41	<0.5	13	49	67	2.94
B364406		3.84	0.430		<0.5	6.59	369	1050	2.2	4	2.09	<0.5	12	109	44	2.47
B364407		3.74	1.375		<0.5	7.59	32	1220	2.6	20	2.52	<0.5	12	48	56	2.90
B364408		3.50	0.804		0.5	7.64	82	1250	2.7	11	2.59	<0.5	13	135	72	2.88
B364409		0.04	0.800													
B364410		0.12	4.87		10.2	8.56	9	510	0.9	<2	2.92	1.6	21	21	136	4.39
B364411		3.56	1.515		<0.5	8.00	221	1560	2.9	39	2.45	<0.5	20	36	84	2.64
B364412		3.44	0.502		<0.5	8.25	135	1600	3.0	7	2.61	<0.5	13	110	51	2.62
B364413		3.74	1.865		0.9	8.86	191	1750	3.3	35	2.63	<0.5	19	40	93	2.98
B364414		3.08	1.355		<0.5	8.38	107	1520	3.1	13	2.76	<0.5	14	130	67	3.12
B364415		3.64	0.601		<0.5	7.79	80	1390	3.0	8	2.69	<0.5	12	54	55	3.02
B364416		0.80	<0.005		<0.5	0.10	<5	10	<0.5	<2	19.15	<0.5	<1	6	1	0.10
B364417		2.40	0.592		<0.5	7.58	47	1320	2.7	5	2.61	<0.5	11	54	37	2.90
B364418		2.64	0.913		1.3	6.99	154	830	2.5	12	3.61	3.2	11	134	41	2.94
B364419		1.50	0.454		<0.5	7.08	41	1200	2.7	10	2.41	<0.5	11	136	31	2.76
B364420		3.46	0.102		<0.5	7.09	53	1220	2.7	3	2.59	<0.5	10	49	41	2.55
B364421		1.52	0.800		<0.5	7.44	34	1430	3.0	5	2.55	<0.5	11	120	67	2.50
B364422		1.72	0.526		<0.5	7.40	52	1440	3.0	5	2.45	<0.5	11	43	69	2.56
B364423		3.38	0.367		<0.5	7.21	23	1400	2.9	11	2.64	<0.5	9	123	33	2.59
B364424		2.86	0.448		<0.5	7.16	48	1300	2.7	7	2.59	<0.5	11	52	38	2.55
B364425		1.06	0.202		<0.5	6.26	530	610	1.6	<2	1.48	<0.5	4	123	17	1.06
B364426		3.00	0.193		<0.5	7.50	35	1500	2.9	2	2.43	<0.5	10	50	87	2.78
B364427		3.54	0.608		<0.5	7.15	61	1410	2.7	4	2.24	<0.5	9	123	52	2.59
B364428		0.12	0.045		<0.5	7.29	27	1460	2.8	<2	2.20	<0.5	8	185	54	2.69
B364429		0.04	0.044													
B364430		0.10	0.459		2.5	8.84	<5	1030	1.1	<2	1.42	<0.5	7	9	6790	3.04
B364431		6.52	0.236		<0.5	7.74	39	1440	2.9	<2	2.79	<0.5	8	54	48	2.79
B364432		2.72	0.434		<0.5	7.18	35	1240	2.3	3	2.63	<0.5	8	123	39	2.62
B364433		2.70	0.386		<0.5	7.33	23	1530	2.5	3	2.16	<0.5	9	50	34	2.63
B364434		2.96	0.578		<0.5	7.43	18	1420	2.3	6	2.21	<0.5	5	112	42	2.80
B364435		3.50	0.438		<0.5	7.47	53	1580	2.7	5	2.28	<0.5	9	45	44	2.61
B364436		0.98	<0.005		<0.5	0.13	<5	20	<0.5	<2	18.35	<0.5	<1	7	1	0.10

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B364397		0.01	3.99	1.22	319	3	1.37	20	650	21	0.17	21	379	0.29	51	20
B364398		0.01	3.88	1.22	279	2	1.52	16	640	20	0.30	<5	441	0.30	53	20
B364399		<0.01	4.25	1.26	291	5	1.61	17	650	21	0.30	<5	488	0.31	52	20
B364400		<0.01	4.03	1.30	258	6	1.88	21	770	25	0.30	<5	531	0.35	56	40
B364401		<0.01	4.20	1.32	336	1	1.88	15	730	17	0.30	<5	520	0.33	57	20
B364402		<0.01	4.00	1.26	320	2	1.66	19	670	18	0.33	<5	471	0.32	54	30
B364403		<0.01	4.16	1.32	336	2	1.55	18	720	18	0.36	<5	483	0.33	57	50
B364404		<0.01	3.95	1.20	322	1	1.53	18	650	23	0.31	<5	464	0.31	54	80
B364405		<0.01	4.31	1.24	316	2	1.48	16	670	19	0.45	<5	475	0.30	54	70
B364406		<0.01	3.25	1.06	275	2	1.38	14	550	17	0.27	<5	420	0.27	45	40
B364407		<0.01	3.77	1.20	313	<1	1.59	19	690	16	0.27	<5	488	0.30	52	10
B364408		<0.01	4.02	1.21	298	9	1.66	23	650	15	0.37	<5	493	0.32	53	20
B364409																
B364410		0.01	2.41	1.40	1015	12	1.70	12	980	25	0.73	<5	446	0.38	148	<10
B364411		<0.01	4.08	0.98	222	2	1.70	17	700	19	0.35	<5	556	0.34	48	100
B364412		<0.01	3.50	0.99	273	1	1.80	19	720	20	0.25	<5	590	0.33	46	10
B364413		<0.01	3.98	1.14	222	1	1.86	19	810	19	0.43	<5	621	0.36	49	70
B364414		<0.01	3.83	1.32	336	<1	1.78	24	750	20	0.30	<5	572	0.36	57	20
B364415		<0.01	3.61	1.29	340	<1	1.59	20	710	21	0.29	<5	503	0.33	56	10
B364416		<0.01	0.03	11.30	175	<1	0.01	5	620	<2	<0.01	<5	106	0.01	2	<10
B364417		<0.01	3.68	1.30	361	1	1.58	20	680	23	0.19	<5	482	0.31	54	20
B364418		0.06	3.34	1.08	1220	<1	0.63	23	590	628	0.40	356	285	0.27	50	20
B364419		<0.01	3.73	1.32	391	6	1.40	24	630	17	0.14	10	420	0.30	54	10
B364420		<0.01	3.52	1.18	392	1	1.40	19	630	29	0.21	13	427	0.30	49	50
B364421		<0.01	3.55	1.03	290	6	1.49	15	690	23	0.32	<5	465	0.30	47	10
B364422		<0.01	3.72	1.02	279	2	1.48	14	680	22	0.40	<5	462	0.31	48	10
B364423		<0.01	3.26	1.13	346	4	1.57	14	640	19	0.19	<5	502	0.29	49	10
B364424		<0.01	3.63	1.05	337	<1	1.41	12	610	25	0.22	5	441	0.29	52	10
B364425		0.01	4.08	0.36	178	2	1.60	5	440	39	0.12	5	193	0.09	15	10
B364426		<0.01	3.57	1.16	325	<1	1.62	12	650	30	0.34	<5	541	0.29	50	10
B364427		<0.01	3.45	1.08	290	3	1.56	14	610	22	0.32	<5	491	0.29	47	20
B364428		0.01	3.41	1.07	297	1	1.63	15	640	28	0.24	5	495	0.30	50	10
B364429																
B364430		0.03	3.43	1.11	463	2	3.19	7	1860	14	0.23	<5	660	0.33	159	<10
B364431		<0.01	3.51	1.18	364	1	1.60	11	700	37	0.31	<5	540	0.31	51	20
B364432		0.01	3.50	0.91	346	6	1.18	13	640	35	0.22	16	350	0.28	48	10
B364433		<0.01	3.40	1.23	337	3	1.44	12	640	31	0.18	5	537	0.30	49	40
B364434		0.01	3.12	1.13	308	<1	1.31	10	660	41	0.35	12	427	0.26	43	20
B364435		0.01	3.55	1.11	298	3	1.60	15	680	27	0.18	11	527	0.32	46	20
B364436		<0.01	0.03	11.00	147	<1	0.01	3	510	2	0.02	<5	104	0.01	2	<10

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B364397		42
B364398		40
B364399		26
B364400		27
B364401		32
B364402		30
B364403		31
B364404		35
B364405		29
B364406		28
B364407		28
B364408		29
B364409		
B364410		105
B364411		25
B364412		32
B364413		25
B364414		36
B364415		35
B364416		7
B364417		68
B364418		652
B364419		44
B364420		43
B364421		35
B364422		31
B364423		34
B364424		35
B364425		20
B364426		64
B364427		31
B364428		34
B364429		
B364430		51
B364431		43
B364432		54
B364433		42
B364434		44
B364435		37
B364436		7

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B364437		3.58	1.215		0.6	7.29	148	1460	2.5	8	2.19	<0.5	10	37	78	2.87
B364438		3.38	0.948		<0.5	7.54	80	1480	2.9	3	2.50	<0.5	10	114	61	2.52
B364439		3.48	0.081		<0.5	7.60	39	1500	2.8	<2	2.62	<0.5	7	36	43	2.44
B364440		2.68	2.01		<0.5	7.11	59	1440	2.6	28	2.15	<0.5	9	123	57	2.41
B364441		1.40	0.201		0.8	7.29	44	1250	2.6	2	2.35	<0.5	7	37	36	2.30
B364442		1.64	0.325		0.9	7.04	51	1280	2.5	2	2.29	0.5	5	114	38	2.28
B364443		3.82	0.359		0.6	7.33	444	1310	2.8	3	2.38	0.6	8	38	47	2.43
B364444		3.22	0.447		<0.5	7.26	66	1430	2.7	6	2.22	<0.5	9	118	56	2.38
B364445		3.36	0.861		<0.5	7.07	114	1370	2.7	17	2.17	<0.5	9	35	67	2.30
B364446		3.06	0.398		<0.5	7.46	30	1440	2.9	3	2.37	<0.5	10	117	63	2.61
B364447		2.98	0.169		<0.5	7.22	47	1500	2.6	<2	2.21	<0.5	10	34	70	2.30
B364448		2.94	0.564		<0.5	7.27	81	1490	2.6	6	1.98	<0.5	7	135	60	2.45
B364449		0.04	0.595													
B364450		0.12	1.295		<0.5	6.64	1120	660	5.5	<2	0.02	<0.5	4	198	35	3.45
B364451		3.36	0.521		<0.5	7.43	52	1500	2.9	5	2.32	<0.5	10	38	93	2.52
B364452		1.68	0.478		0.6	7.40	42	1370	3.0	14	2.34	<0.5	8	122	78	2.59
B364453		2.70	0.215		2.0	7.26	48	790	2.8	<2	2.78	7.5	8	32	114	2.76
B364454		1.92	0.081		2.0	7.78	11	1420	3.0	2	2.63	0.7	10	117	82	2.77
B364455		1.18	0.496		2.1	6.65	28	780	2.3	7	3.21	<0.5	11	36	88	2.56
B364456		0.98	<0.005		<0.5	0.16	8	10	<0.5	<2	18.90	<0.5	<1	6	5	0.14
B364457		1.92	1.080		1.8	7.59	54	930	2.9	4	3.02	1.9	11	37	89	2.58

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B364437		0.01	3.38	0.94	275	3	1.36	16	640	48	0.73	8	450	0.29	40	20
B364438		0.01	3.58	0.97	262	1	1.62	17	630	26	0.29	<5	508	0.30	39	20
B364439		<0.01	3.49	0.92	254	<1	1.63	16	670	25	0.23	<5	505	0.30	40	10
B364440		<0.01	3.51	0.89	254	1	1.46	16	630	24	0.27	5	447	0.29	38	10
B364441		0.01	3.67	0.66	321	<1	1.06	15	580	97	0.44	16	266	0.25	36	20
B364442		0.01	3.62	0.62	309	<1	1.07	16	580	106	0.48	16	263	0.25	35	20
B364443		0.01	3.29	0.83	287	<1	1.26	15	620	62	0.36	14	387	0.28	38	20
B364444		<0.01	3.44	0.90	210	2	1.57	15	600	25	0.27	<5	486	0.28	39	10
B364445		<0.01	3.67	0.89	229	2	1.51	14	590	29	0.32	<5	450	0.27	38	40
B364446		<0.01	3.67	1.04	242	2	1.59	16	630	21	0.32	<5	487	0.29	44	20
B364447		<0.01	3.78	0.89	233	1	1.58	18	620	24	0.29	<5	464	0.28	38	60
B364448		0.01	3.63	0.97	250	2	1.41	18	630	23	0.26	14	429	0.30	39	70
B364449																
B364450		0.05	2.48	0.32	84	2	0.11	16	300	27	0.01	106	88	0.23	80	10
B364451		<0.01	3.73	0.89	237	1	1.38	18	660	33	0.43	8	463	0.31	40	30
B364452		0.01	3.52	0.85	254	<1	1.29	18	640	46	0.52	11	414	0.30	40	10
B364453		0.12	3.35	0.73	715	5	0.20	16	640	264	0.83	25	170	0.27	39	20
B364454		0.02	4.33	0.99	452	1	0.87	18	700	156	0.38	20	347	0.30	48	30
B364455		0.01	3.33	1.05	819	7	0.57	19	620	60	0.33	49	293	0.26	43	20
B364456		<0.01	0.03	10.85	149	<1	0.01	7	440	4	0.02	<5	111	0.01	2	10
B364457		0.03	3.89	1.01	1040	1	0.39	19	680	261	0.32	57	248	0.28	47	40

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B364437		50
B364438		34
B364439		32
B364440		37
B364441		118
B364442		127
B364443		144
B364444		42
B364445		26
B364446		25
B364447		20
B364448		28
B364449		
B364450		42
B364451		41
B364452		37
B364453		1190
B364454		190
B364455		73
B364456		7
B364457		373

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da .1-SEP-2005
Account: STRGOL

CERTIFICATE VA05074738

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B364458		1.48	0.810		6.4	7.07	4160	1210	2.4	12	1.04	32.4	4	23	134	5.42
B364459		3.16	0.051		<0.5	8.11	306	1600	3.1	<2	1.78	2.2	9	27	40	2.40
B364460		2.80	0.052		<0.5	7.43	422	1520	2.6	<2	1.29	<0.5	10	24	45	2.16
B364461		1.76	0.072		<0.5	7.75	447	1530	3.0	6	2.06	<0.5	10	23	47	2.34
B364462		1.54	0.054		<0.5	7.84	449	1540	2.9	<2	1.86	<0.5	11	23	51	2.34
B364463		4.20	0.041		<0.5	8.43	401	1610	3.1	<2	2.06	<0.5	10	24	46	2.36
B364464		5.88	0.128		<0.5	7.98	297	1500	2.9	7	2.12	<0.5	11	25	97	2.29
B364465		5.36	0.091		<0.5	8.22	431	1610	3.0	4	2.42	<0.5	14	28	42	2.44
B364466		5.88	0.095		<0.5	8.61	576	1680	3.1	7	2.13	<0.5	13	28	55	2.51
B364467		4.52	0.643		3.2	7.30	3190	960	2.8	26	0.49	5.2	15	24	366	3.19
B364468		1.46	0.160		1.0	7.45	1125	1430	2.4	14	1.60	2.4	18	22	58	2.03
B364469		0.04	0.142													
B364470		0.10	0.978		3.2	8.32	13	460	0.7	<2	2.03	0.9	25	98	2200	5.24
B364471		3.60	0.068		<0.5	7.68	472	1610	2.9	<2	1.40	0.8	13	28	39	2.66
B364472		4.98	0.162		1.7	7.86	755	1040	2.7	3	1.93	4.9	10	21	56	2.24
B364473		4.66	0.213		1.0	7.29	5680	1160	2.5	12	1.65	1.2	10	22	50	2.55
B364474		5.08	0.342		0.7	7.80	737	1440	2.7	28	1.80	0.7	11	23	42	2.29
B364475		4.76	0.346		<0.5	7.32	599	1420	2.8	18	1.33	<0.5	11	23	45	2.26
B364476		1.50	<0.005		<0.5	0.13	6	20	<0.5	<2	20.0	<0.5	2	2	3	0.12
B364477		4.42	0.162		<0.5	7.42	442	1660	2.7	4	1.77	<0.5	11	24	30	2.34
B364478		5.22	0.067		<0.5	7.17	463	1590	2.6	3	1.79	<0.5	10	26	42	2.28
B364479		4.62	0.146		<0.5	6.95	691	1580	2.6	7	1.64	<0.5	10	25	34	2.21
B364480		5.26	0.161		<0.5	7.23	299	1600	2.8	7	1.82	<0.5	8	27	39	2.29
B364481		2.44	0.060		<0.5	7.50	312	1520	2.9	4	1.98	<0.5	8	26	28	2.28
B364482		2.78	0.107		<0.5	7.44	407	1520	3.0	<2	1.95	<0.5	10	29	29	2.26
B364483		6.36	0.126		<0.5	7.19	383	1470	2.8	12	1.76	<0.5	7	25	37	2.21
B364484		4.66	0.154		<0.5	7.78	208	1620	2.8	6	2.12	<0.5	7	29	43	2.48
B364485		5.56	0.655		1.7	7.47	5150	1450	2.7	24	1.48	<0.5	7	26	892	2.90
B364486		4.60	0.101		0.6	7.34	1220	1220	2.4	8	0.27	<0.5	5	21	77	2.40
B364487		5.14	0.078	0.084	<0.5	7.68	535	1630	2.9	2	1.71	<0.5	7	29	39	2.56
B364488		3.66	0.208	0.103	<0.5	7.74	502	1570	2.9	9	1.80	<0.5	8	27	56	2.30
B364489		0.04	0.119	0.097												
B364490		0.10	2.53		<0.5	7.64	2100	760	12.8	<2	0.02	<0.5	1	152	103	3.45
B364491		3.42	0.428		0.5	7.65	733	1850	2.8	18	1.57	<0.5	11	47	76	2.59
B364492		2.28	0.184		<0.5	7.66	573	1770	2.8	23	1.96	<0.5	8	29	43	2.52
B364493		4.30	0.192		<0.5	7.61	447	1650	2.8	3	1.70	<0.5	8	45	45	2.31
B364494		5.88	0.124		<0.5	7.66	459	1610	2.9	17	1.80	<0.5	9	27	50	2.39
B364495		4.68	0.099		<0.5	7.43	444	1480	2.7	6	1.72	<0.5	9	42	42	2.29
B364496		1.20	<0.005		<0.5	0.12	<5	20	<0.5	<2	18.60	<0.5	<1	4	4	0.12
B364497		5.90	0.075		<0.5	7.91	409	1580	2.9	2	2.04	<0.5	9	43	57	2.40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B364458		2.71	3.10	0.56	120	2	0.80	11	600	9540	0.82	3740	424	0.25	32	20
B364459		0.02	3.89	0.82	200	<1	1.62	19	660	36	0.02	29	475	0.31	36	10
B364460		0.01	3.82	0.63	159	1	1.19	18	600	28	0.01	32	316	0.29	34	20
B364461		0.01	3.78	0.77	194	2	1.38	22	640	17	0.01	9	393	0.30	36	30
B364462		0.01	3.83	0.81	186	2	1.34	20	620	17	0.01	9	380	0.30	36	50
B364463		0.01	3.95	0.80	192	1	1.60	21	640	18	0.02	5	448	0.30	36	20
B364464		<0.01	3.95	0.68	235	2	1.57	20	600	25	0.10	5	445	0.29	34	50
B364465		<0.01	3.84	0.80	266	2	1.68	20	650	32	0.15	6	503	0.31	37	20
B364466		0.01	4.20	0.81	223	1	1.67	21	660	21	0.07	6	500	0.32	38	30
B364467		0.09	3.38	0.43	894	4	0.37	16	510	459	0.27	269	175	0.23	32	30
B364468		0.02	4.37	0.36	397	1	0.65	15	580	39	0.03	44	216	0.26	34	20
B364469																
B364470		<0.01	1.81	1.43	450	4	3.28	50	680	19	0.65	<5	232	0.31	93	10
B364471		0.01	3.77	0.58	228	1	1.20	22	630	21	0.02	31	311	0.29	36	20
B364472		0.13	3.47	0.40	587	1	0.37	17	620	256	0.01	149	152	0.26	35	40
B364473		0.03	3.47	0.53	576	1	0.47	17	600	61	0.05	50	205	0.25	33	20
B364474		0.02	4.04	0.54	357	1	0.83	17	640	66	0.01	35	268	0.29	36	30
B364475		0.01	3.83	0.57	208	1	1.19	17	510	42	0.01	19	306	0.24	30	20
B364476		<0.01	0.04	11.70	172	<1	0.02	<1	470	11	<0.01	<5	114	<0.01	1	<10
B364477		0.01	3.68	0.69	251	<1	1.17	17	620	25	<0.01	19	335	0.28	35	20
B364478		0.01	3.78	0.70	247	1	1.12	19	570	22	<0.01	10	305	0.28	36	50
B364479		0.01	3.67	0.77	207	1	1.05	20	580	22	<0.01	10	293	0.27	33	40
B364480		0.03	3.81	0.79	194	1	1.44	21	600	16	0.01	<5	381	0.30	36	20
B364481		0.01	3.53	0.72	209	1	1.56	21	600	15	0.01	5	414	0.29	35	20
B364482		0.01	3.53	0.72	201	1	1.58	21	590	16	0.01	<5	410	0.29	35	10
B364483		0.01	3.87	0.69	190	1	1.45	19	560	20	0.01	<5	388	0.27	32	30
B364484		0.01	3.62	0.79	216	1	1.62	20	600	21	0.08	<5	468	0.30	35	30
B364485		0.01	3.80	0.55	234	1	1.15	19	620	75	0.22	16	325	0.27	33	20
B364486		0.01	4.27	0.31	153	2	0.94	16	420	52	0.01	14	143	0.20	25	20
B364487		<0.01	3.81	0.73	209	1	1.55	23	600	18	0.01	<5	406	0.30	35	20
B364488		<0.01	3.99	0.70	167	1	1.58	20	560	21	0.02	<5	429	0.28	33	20
B364489																
B364490		0.07	3.14	0.38	70	3	0.09	11	320	29	0.02	152	140	0.26	106	20
B364491		<0.01	4.15	0.70	173	2	1.40	23	650	15	0.01	7	384	0.31	38	50
B364492		<0.01	3.73	0.82	190	1	1.57	20	650	14	0.01	<5	454	0.32	38	90
B364493		<0.01	3.93	0.74	176	1	1.50	20	610	16	0.01	<5	394	0.30	35	20
B364494		<0.01	3.97	0.76	180	2	1.58	20	590	16	0.04	<5	438	0.30	35	10
B364495		<0.01	3.62	0.72	196	1	1.56	17	570	21	0.02	<5	422	0.28	33	20
B364496		0.01	0.03	10.90	151	<1	0.02	5	460	3	0.02	<5	103	0.01	2	<10
B364497		0.01	3.82	0.78	195	1	1.67	23	610	22	0.08	<5	464	0.30	36	60

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
B364458		648
B364459		412
B364460		75
B364461		32
B364462		29
B364463		31
B364464		52
B364465		63
B364466		52
B364467		1035
B364468		331
B364469		
B364470		211
B364471		250
B364472		805
B364473		297
B364474		211
B364475		134
B364476		10
B364477		98
B364478		62
B364479		52
B364480		35
B364481		33
B364482		33
B364483		33
B364484		37
B364485		50
B364486		68
B364487		30
B364488		24
B364489		
B364490		16
B364491		28
B364492		26
B364493		25
B364494		28
B364495		34
B364496		6
B364497		31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B364498		5.26	0.119		<0.5	7.69	392	1580	2.9	17	2.06	<0.5	9	29	36	2.36
B364499		5.34	0.629		<0.5	7.89	337	1630	3.0	10	2.20	<0.5	8	42	46	2.41
B364500		5.00	0.215		<0.5	7.48	462	1480	2.8	8	1.80	<0.5	10	26	41	2.19
B364501		5.38	0.095		<0.5	7.53	392	1520	2.8	4	1.76	<0.5	8	45	41	2.33
B364502		1.54	<0.005		<0.5	0.16	5	20	<0.5	<2	19.45	<0.5	<1	4	2	0.12
B364503		4.20	0.330		<0.5	7.16	663	1460	2.4	21	1.35	<0.5	10	41	56	1.97
B364504		5.78	0.122		<0.5	7.87	437	1640	2.9	17	1.90	<0.5	7	28	65	2.43
B364505		4.48	0.281		<0.5	7.43	496	1560	2.7	22	1.66	<0.5	8	39	45	2.21
B364506		4.48	0.110		<0.5	7.55	370	1460	2.9	3	1.91	<0.5	7	24	36	2.13
B364507		4.84	0.102		<0.5	7.30	346	1490	2.8	4	1.90	<0.5	7	44	38	2.18
B364508		4.14	0.062		<0.5	7.34	375	1500	2.6	3	1.81	<0.5	7	25	38	2.23
B364509		0.04	0.054													
B364510		0.10	2.66		0.5	7.59	2040	740	12.4	<2	0.02	<0.5	<1	144	100	3.37
B364511		4.24	0.149		<0.5	8.02	378	1730	2.8	3	2.03	<0.5	7	75	40	2.77
B364512		3.92	0.294		<0.5	7.66	307	1650	2.9	27	1.72	<0.5	8	27	54	2.43
B364513		5.34	0.620		<0.5	7.40	547	1590	2.6	25	1.72	<0.5	9	46	55	2.29
B364514		4.48	0.992		<0.5	7.14	587	1510	2.7	33	1.84	<0.5	10	23	44	2.12
B364515		4.00	1.745		<0.5	7.67	868	1670	2.6	55	1.60	<0.5	11	46	63	2.46
B364516		0.92	<0.005		<0.5	0.12	25	10	<0.5	<2	19.45	<0.5	1	2	2	0.10
B364517		5.20	0.668		<0.5	7.17	700	1470	2.7	25	2.12	<0.5	10	26	50	2.21
B364518		4.34	0.734		<0.5	7.36	784	1540	2.8	43	1.74	<0.5	8	42	45	2.22
B364519		3.96	0.189		<0.5	7.42	431	1470	2.9	3	2.20	<0.5	6	27	43	2.24
B364520		4.58	0.223		<0.5	7.25	265	1460	2.9	6	2.41	<0.5	6	50	29	2.33
B364521		2.70	0.424		<0.5	7.27	427	1510	2.9	6	2.16	<0.5	8	43	31	2.31
B364522		2.46	0.396		<0.5	7.45	234	1530	3.0	25	2.21	<0.5	8	24	33	2.24
B364523		4.62	4.17		<0.5	7.58	476	1600	2.8	59	1.89	<0.5	6	44	43	2.26
B364524		4.60	1.060		<0.5	7.42	882	1570	2.6	41	1.51	<0.5	12	25	59	2.26
B364525		4.20	0.149		<0.5	7.77	472	1660	2.7	5	1.97	<0.5	10	50	55	2.42
B364526		5.68	0.515		<0.5	8.31	601	1780	3.0	13	2.48	<0.5	10	28	52	2.74
B364527		4.06	1.415		<0.5	7.97	407	1680	2.9	12	2.00	<0.5	7	46	38	2.49
B364528		4.98	0.068		<0.5	8.15	312	1710	2.9	<2	2.28	<0.5	7	26	42	2.53
B364529		0.04	0.080													
B364530		0.10	0.454		2.5	9.52	20	1120	1.2	<2	1.60	<0.5	8	11	7370	3.39
B364531		5.80	0.037		<0.5	8.05	460	1780	3.2	<2	2.37	<0.5	6	48	66	2.55
B364532		4.68	0.187		<0.5	7.51	1625	1310	5.0	23	1.43	<0.5	5	25	75	1.58
B364533		4.48	4.31		<0.5	7.49	3120	1340	4.9	42	1.55	<0.5	7	39	62	1.64
B364534		2.96	0.073		<0.5	7.80	3130	1510	4.6	<2	1.52	<0.5	5	32	100	2.04
B364535		4.66	0.254		<0.5	7.67	3110	1540	4.7	12	1.84	<0.5	7	47	111	2.15
B364536		1.34	<0.005		<0.5	0.10	6	10	<0.5	<2	20.4	<0.5	<1	1	2	0.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10
B364498		0.01	3.73	0.77	216	1	1.67	19	610	21	0.03	<5	475	0.31	36	20
B364499		0.01	3.75	0.78	189	2	1.72	21	610	20	0.11	<5	490	0.31	36	20
B364500		0.02	4.00	0.69	167	2	1.56	19	550	18	0.07	<5	432	0.27	31	50
B364501		0.01	3.89	0.74	190	2	1.59	21	580	20	0.02	<5	416	0.29	34	70
B364502		0.01	0.05	11.45	160	<1	0.03	7	520	3	0.01	<5	110	0.01	3	<10
B364503		0.01	4.41	0.59	120	2	1.30	17	510	16	0.07	<5	365	0.24	29	140
B364504		0.01	4.04	0.78	185	1	1.62	19	610	18	0.02	<5	474	0.31	37	20
B364505		0.01	3.89	0.71	160	2	1.48	21	590	17	0.01	<5	422	0.28	33	30
B364506		0.01	3.75	0.70	171	1	1.64	20	560	20	0.01	<5	453	0.29	34	10
B364507		0.01	4.06	0.67	196	2	1.51	20	550	19	0.01	<5	405	0.28	33	60
B364508		0.01	3.70	0.71	193	2	1.49	17	550	19	0.01	<5	393	0.28	33	30
B364509																
B364510		0.07	3.07	0.38	68	3	0.09	12	320	31	0.02	154	140	0.24	102	10
B364511		0.01	3.54	0.79	232	3	1.60	21	650	19	0.02	<5	437	0.31	39	30
B364512		0.01	3.76	0.74	172	1	1.55	20	610	15	0.01	<5	422	0.31	36	10
B364513		0.01	3.91	0.71	166	3	1.45	19	590	17	0.04	<5	406	0.28	33	150
B364514		0.01	3.79	0.69	153	2	1.46	16	570	16	0.06	<5	409	0.28	33	40
B364515		0.01	4.28	0.73	148	5	1.42	22	600	19	0.09	<5	419	0.28	35	40
B364516		<0.01	0.03	10.85	124	<1	0.02	3	480	6	0.01	<5	110	0.01	2	<10
B364517		0.01	3.97	0.65	176	<1	1.37	17	590	20	0.06	<5	391	0.28	35	30
B364518		0.01	3.91	0.69	158	3	1.44	21	570	15	0.03	<5	414	0.28	35	90
B364519		0.01	3.77	0.64	201	1	1.49	22	620	12	0.05	<5	398	0.29	37	80
B364520		0.01	3.47	0.72	221	2	1.54	18	620	21	0.05	<5	428	0.29	35	20
B364521		0.01	3.73	0.67	199	1	1.56	17	590	19	0.10	<5	434	0.28	35	20
B364522		0.01	3.75	0.68	200	<1	1.57	17	600	21	0.09	<5	437	0.28	35	20
B364523		<0.01	3.85	0.64	173	1	1.46	22	600	20	0.01	<5	413	0.28	35	40
B364524		0.01	4.19	0.68	143	<1	1.37	20	580	19	0.02	<5	407	0.27	34	70
B364525		0.01	4.25	0.74	167	1	1.49	22	640	18	0.11	5	451	0.29	37	30
B364526		<0.01	3.88	0.85	232	<1	1.77	23	690	20	0.11	<5	527	0.33	41	50
B364527		<0.01	3.67	0.77	203	1	1.66	22	660	17	0.04	<5	479	0.31	38	20
B364528		0.01	3.67	0.78	204	<1	1.71	24	690	22	0.04	<5	497	0.31	38	10
B364529																
B364530		0.03	3.62	1.17	492	1	3.43	7	1960	12	0.25	<5	718	0.33	178	<10
B364531		0.01	3.91	0.78	189	1	1.66	23	690	23	0.09	<5	484	0.32	40	20
B364532		0.01	3.50	0.57	78	<1	2.01	10	460	15	0.13	<5	396	0.15	37	10
B364533		0.01	3.70	0.59	72	<1	1.82	8	470	12	0.14	<5	438	0.16	37	10
B364534		0.01	3.65	0.76	73	<1	1.83	12	580	14	0.15	<5	461	0.20	45	10
B364535		0.01	3.65	0.79	74	1	1.87	12	600	16	0.43	<5	488	0.21	47	20
B364536		<0.01	0.03	11.30	168	<1	0.01	2	390	4	<0.01	<5	118	<0.01	2	<10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B364498		32
B364499		27
B364500		26
B364501		29
B364502		7
B364503		19
B364504		30
B364505		25
B364506		28
B364507		30
B364508		31
B364509		
B364510		15
B364511		31
B364512		27
B364513		24
B364514		22
B364515		22
B364516		7
B364517		25
B364518		24
B364519		28
B364520		30
B364521		28
B364522		28
B364523		27
B364524		22
B364525		25
B364526		36
B364527		34
B364528		31
B364529		
B364530		59
B364531		28
B364532		18
B364533		14
B364534		12
B364535		13
B364536		6

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 1
Finalized Dat /-SEP-2005
Account: STRGOL

CERTIFICATE VA05078596

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-SEP-2005.

The following have access to data associated with this certificate:


DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B363974		6.32	0.170	<0.5	6.95	28	1260	3.0	<2	2.68	<0.5	7	39	28	2.26	0.01
B363975		6.00	0.373	<0.5	7.28	940	1580	2.9	<2	2.28	<0.5	20	58	49	2.49	0.01
B363976		0.96	<0.005	<0.5	0.19	<5	20	<0.5	<2	19.60	<0.5	1	4	2	0.15	<0.01
B363977		6.22	0.143	0.6	7.31	29	1820	3.1	<2	2.57	<0.5	9	80	87	3.47	0.01
B363978		5.96	0.059	<0.5	6.96	121	1380	2.8	<2	2.35	<0.5	6	29	73	2.27	0.01
B363979		5.64	0.043	<0.5	7.25	108	1470	3.1	<2	2.00	<0.5	7	49	43	2.03	0.01
B363980		6.22	0.050	<0.5	7.22	119	1470	3.1	<2	1.90	<0.5	5	23	47	2.04	0.01
B363981		1.54	0.078	<0.5	7.25	85	1530	3.3	<2	1.54	<0.5	8	54	70	2.03	0.02
B363982		1.84	0.226	<0.5	6.96	105	1480	3.2	4	1.68	<0.5	9	29	64	1.98	0.02
B363983		4.66	0.178	<0.5	7.04	90	1340	2.9	<2	1.65	<0.5	4	56	47	1.76	0.01
B363984		4.08	0.037	<0.5	7.23	692	1340	4.7	<2	1.75	<0.5	4	27	62	1.50	0.01
B363985		6.00	0.108	<0.5	7.29	2410	1300	5.0	5	1.78	<0.5	4	52	67	1.53	0.01
B363986		6.24	0.182	<0.5	7.28	2670	1430	4.6	5	1.60	<0.5	3	26	48	1.44	0.01
B363987		6.28	0.186	<0.5	7.30	2660	1580	4.4	3	1.57	<0.5	4	43	39	1.34	0.01
B363988		4.68	0.178	<0.5	7.34	850	1380	4.4	2	1.62	<0.5	5	25	64	1.48	0.02
B363989		<0.02	0.218													
B363990		0.12	0.792	1.9	7.24	5	440	0.7	2	1.88	0.5	23	106	2020	5.09	0.01
B363991		4.68	0.152	<0.5	7.43	174	1520	3.2	6	2.04	<0.5	10	55	56	2.15	0.01
B363992		5.80	0.462	<0.5	6.84	134	1430	2.9	6	3.00	<0.5	9	25	59	2.01	0.01
B363993		5.90	0.164	<0.5	6.86	134	1450	3.2	5	2.03	<0.5	8	49	56	2.06	0.02
B363994		6.64	0.081	<0.5	7.00	65	1400	3.2	<2	2.34	<0.5	6	28	52	2.16	0.01
B363995		6.80	0.180	<0.5	7.12	45	1500	3.1	4	2.22	<0.5	8	67	32	2.14	0.01
B363996		0.98	<0.005	<0.5	0.11	<5	20	<0.5	<2	18.70	<0.5	1	<1	2	0.11	<0.01
B363997		6.76	0.170	<0.5	6.54	72	1380	3.0	<2	2.05	<0.5	8	53	40	2.02	0.01
B363998		5.70	0.280	<0.5	6.75	69	1320	2.9	4	2.30	<0.5	6	21	40	2.10	0.01
B363999		6.26	0.174	<0.5	6.87	87	1490	3.2	2	2.21	<0.5	8	54	35	2.07	0.01
B364000		5.38	1.720	0.5	7.13	51	1580	3.2	19	2.09	<0.5	9	32	53	2.14	0.02
B364001		3.00	0.065	<0.5	7.00	57	1440	3.3	<2	1.65	<0.5	9	54	51	2.34	0.02
B364002		2.96	0.114	<0.5	6.72	68	1420	3.0	2	1.61	<0.5	8	23	45	2.15	0.02
B364003		4.52	0.156	<0.5	6.62	268	1440	3.2	5	0.62	<0.5	7	51	51	1.78	0.02
B364004		3.54	0.959	<0.5	5.68	867	1210	2.8	10	1.40	<0.5	4	25	41	1.22	0.04
B364005		5.52	0.182	<0.5	6.45	2100	1320	3.9	7	1.47	<0.5	8	46	56	1.38	0.04
B364006		5.46	0.206	<0.5	6.96	2440	1370	4.1	5	1.77	<0.5	5	22	62	1.56	0.04
B364007		5.54	0.164	<0.5	7.36	1425	1390	4.6	5	1.31	<0.5	4	43	58	1.76	0.04
B364008		1.84	0.344	<0.5	4.57	295	370	2.2	3	1.00	<0.5	6	91	56	3.61	0.03
B364009		<0.02	0.365													
B364010		0.12	4.46	8.0	7.46	14	470	0.9	<2	2.77	0.9	19	20	123	4.14	0.01
B364011		4.68	0.269	<0.5	7.07	102	1480	3.0	5	1.38	<0.5	9	92	67	2.15	0.01
B364012		4.58	5.76	1.8	4.73	>10000	710	2.0	41	0.18	2.2	47	99	76	2.79	0.01
B364013		0.54	6.11	1.8	0.83	>10000	110	0.6	38	0.06	<0.5	36	129	98	4.03	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B363974		3.37	0.77	293	3	1.55	22	660	12	0.19	5	452	0.27	53	20	39
B363975		3.62	0.80	234	4	1.37	21	620	23	0.31	6	441	0.28	41	60	37
B363976		0.04	10.85	157	1	0.02	6	520	<2	0.02	<5	118	0.01	4	<10	8
B363977		4.18	1.29	398	9	1.07	25	750	33	0.71	10	379	0.30	62	20	39
B363978		3.78	0.79	278	4	1.48	22	620	23	0.44	8	375	0.24	38	50	33
B363979		3.83	0.64	169	1	1.32	18	580	12	0.22	5	401	0.26	33	10	20
B363980		3.81	0.66	134	1	1.33	18	550	33	0.23	10	409	0.26	31	20	16
B363981		3.96	0.66	121	1	1.12	20	600	16	0.31	8	400	0.28	35	20	16
B363982		3.79	0.65	130	<1	1.08	19	580	12	0.28	10	396	0.27	33	20	16
B363983		3.74	0.60	127	<1	1.14	17	570	15	0.21	<5	340	0.25	30	20	25
B363984		3.47	0.55	101	1	1.71	9	450	16	0.34	6	382	0.14	33	10	22
B363985		3.61	0.58	80	1	1.75	9	450	23	0.41	7	419	0.15	34	10	15
B363986		4.01	0.58	77	<1	1.67	7	450	15	0.34	6	424	0.14	34	20	16
B363987		4.37	0.52	73	9	1.54	7	430	16	0.31	6	403	0.14	33	50	16
B363988		3.90	0.55	84	2	1.60	10	450	17	0.36	<5	401	0.15	36	40	21
B363989																
B363990		1.74	1.37	436	1	3.23	48	670	17	0.63	<5	210	0.30	90	<10	206
B363991		3.86	0.74	150	1	1.56	16	600	12	0.30	5	463	0.29	32	30	21
B363992		3.67	0.64	188	1	0.91	19	620	20	0.42	11	360	0.25	31	20	23
B363993		3.88	0.65	150	3	1.29	16	590	24	0.33	9	401	0.27	32	20	20
B363994		3.58	0.74	178	<1	1.48	20	610	13	0.27	8	446	0.29	33	20	21
B363995		3.58	0.75	189	1	1.62	23	610	13	0.18	<5	473	0.29	34	30	26
B363996		0.03	11.10	160	<1	0.01	<1	490	<2	0.01	<5	102	<0.01	2	<10	6
B363997		3.97	0.72	153	1	1.52	18	580	14	0.21	<5	442	0.28	33	30	22
B363998		3.40	0.78	231	<1	1.34	12	600	21	0.24	10	400	0.26	31	40	21
B363999		3.78	0.72	214	<1	1.36	18	620	21	0.25	8	415	0.28	33	20	23
B364000		4.13	0.71	226	15	1.19	20	640	62	0.31	20	392	0.29	37	30	79
B364001		3.71	0.69	165	1	1.13	16	630	18	0.26	13	357	0.29	36	20	29
B364002		3.82	0.64	151	<1	1.14	13	610	16	0.27	13	357	0.26	33	20	21
B364003		3.46	0.49	78	7	0.60	14	530	24	0.20	16	258	0.24	31	20	63
B364004		3.06	0.42	149	<1	1.08	9	360	57	0.24	12	245	0.11	26	20	38
B364005		3.90	0.49	84	<1	1.12	7	430	9	0.34	8	328	0.15	32	20	18
B364006		3.93	0.54	107	2	1.22	6	450	17	0.48	11	358	0.15	34	20	27
B364007		3.74	0.58	98	<1	1.16	6	470	16	0.29	13	370	0.15	34	20	32
B364008		2.12	0.55	184	4	0.24	3	360	29	2.80	34	130	0.13	25	150	90
B364009																
B364010		2.30	1.38	979	12	1.68	8	910	22	0.69	<5	413	0.38	148	<10	101
B364011		4.42	0.61	155	2	0.34	18	630	26	0.31	13	320	0.28	34	30	41
B364012		2.45	0.21	178	9	0.04	13	390	234	1.12	88	58	0.15	21	40	451
B364013		0.39	0.06	59	9	0.03	6	60	353	3.14	178	18	0.02	4	40	7

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364014		3.36	0.685	0.7	5.94	1900	560	2.8	6	0.23	<0.5	10	87	71	2.64	0.01
B364015		4.12	0.722	<0.5	7.07	118	1280	2.6	9	0.34	<0.5	7	77	42	2.67	0.01
B364016		0.84	<0.005	<0.5	0.39	13	60	<0.5	<2	18.80	<0.5	1	8	2	0.15	<0.01
B364017		4.66	0.470	<0.5	7.41	293	1500	2.7	4	0.37	<0.5	8	96	77	1.77	0.01
B364018		4.50	0.229	<0.5	7.44	98	1540	3.1	4	1.28	<0.5	6	72	61	2.30	0.01
B364019		5.60	0.904	0.5	7.40	61	1620	3.2	18	1.24	0.6	5	74	57	2.37	0.02
B364020		3.80	0.051	<0.5	8.01	98	1940	3.5	<2	1.79	<0.5	7	76	75	2.56	0.01
B364021		1.92	0.558	0.6	8.01	118	1480	3.7	10	1.80	<0.5	10	97	73	2.89	0.02
B364022		2.06	0.900	0.6	7.50	92	1400	3.6	7	1.39	<0.5	9	94	65	2.72	0.02
B364023		2.98	1.535	0.6	7.24	176	1190	3.2	19	1.56	<0.5	12	117	65	2.47	0.02
B364024		2.64	0.070	<0.5	7.33	53	1120	3.5	<2	2.70	<0.5	10	61	35	2.98	0.02
B364025		2.50	0.099	<0.5	8.10	186	1600	3.6	<2	1.63	<0.5	9	93	60	2.57	0.01
B364026		4.78	0.094	<0.5	7.45	50	1480	3.1	<2	1.66	<0.5	5	33	33	2.27	0.01
B364027		4.50	0.046	<0.5	7.12	180	1240	3.2	<2	2.82	<0.5	12	137	44	3.63	0.01
B364028		6.24	0.158	<0.5	7.52	57	1600	2.9	<2	1.93	<0.5	7	30	50	2.19	0.01
B364029		<0.02	0.200													
B364030		0.14	2.05	<0.5	6.67	1820	640	11.3	<2	0.01	<0.5	2	126	87	2.89	0.06
B364031		2.98	0.020	<0.5	7.44	33	1590	2.9	<2	1.84	<0.5	8	25	19	2.22	0.01
B364032		3.04	0.445	<0.5	7.64	149	1510	3.2	5	2.62	<0.5	8	30	53	1.94	0.02
B364033		6.04	1.140	<0.5	6.82	70	1560	2.6	8	2.12	<0.5	6	26	43	2.11	0.01
B364034		5.42	0.265	<0.5	7.40	40	1650	3.2	2	1.90	<0.5	7	27	38	2.13	0.01
B364035		3.44	0.255	<0.5	7.29	64	1600	3.2	4	2.01	<0.5	8	28	43	2.15	0.01
B364036		0.78	<0.005	<0.5	0.09	<5	20	<0.5	<2	18.90	<0.5	<1	4	2	0.10	<0.01
B364037		2.16	0.091	<0.5	7.28	77	1590	2.9	<2	2.35	<0.5	5	26	40	2.11	0.01
B364038		6.12	0.073	<0.5	7.35	52	1550	2.8	<2	2.14	<0.5	6	28	33	2.05	0.01
B364039		6.28	0.593	<0.5	7.61	150	1570	3.3	3	2.13	<0.5	9	28	45	2.21	0.01
B364040		3.82	0.253	<0.5	7.53	112	1540	3.0	2	2.12	<0.5	9	28	31	2.12	0.01
B364041		2.22	0.159	<0.5	7.28	96	1650	2.5	2	1.40	<0.5	7	31	41	2.05	0.02
B364042		1.98	0.254	<0.5	6.94	88	1510	2.2	2	1.62	<0.5	6	29	34	1.87	0.02
B364043		4.04	0.434	<0.5	7.38	214	1680	2.5	20	1.59	<0.5	8	28	30	1.87	0.02
B364044		4.80	0.201	<0.5	7.25	53	1560	2.9	3	2.09	<0.5	9	28	39	2.21	0.01
B364045		5.98	1.010	1.3	6.50	4330	1190	2.5	14	1.38	<0.5	20	25	41	2.41	0.02
B364046		6.70	0.085	0.5	7.58	61	1530	2.8	<2	2.24	0.6	6	27	43	2.10	0.03
B364047		4.70	0.123	<0.5	7.10	55	1540	2.7	<2	1.50	<0.5	6	25	38	2.10	0.01
B364048		5.98	0.996	<0.5	6.93	109	1470	2.6	14	1.62	<0.5	8	27	31	1.90	0.01
B364049		<0.02	1.025													
B364050		0.12	2.79	<0.5	8.19	2200	790	14.3	<2	0.01	<0.5	2	152	104	3.54	0.11
B364051		6.32	0.253	<0.5	6.56	145	1170	2.5	2	2.46	<0.5	9	25	37	1.82	0.01
B364052		2.46	0.177	<0.5	7.23	154	1590	2.4	2	2.80	<0.5	10	26	27	2.10	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method Analyte Units LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364014		2.48	0.27	323	2	0.06	15	470	54	1.03	38	115	0.21	27	30	63
B364015		3.53	0.31	492	3	0.13	15	620	16	0.19	19	222	0.28	33	50	25
B364016		0.25	11.10	146	<1	0.06	4	620	<2	0.02	<5	115	0.01	3	<10	8
B364017		4.15	0.28	196	1	0.13	21	670	22	0.40	15	210	0.29	37	40	38
B364018		3.87	0.55	211	2	0.44	20	610	37	0.20	12	250	0.27	36	30	60
B364019		3.87	0.60	180	2	0.76	21	560	53	0.21	13	275	0.26	35	20	156
B364020		4.09	0.76	219	1	0.41	22	710	29	0.28	12	340	0.32	44	20	40
B364021		3.64	0.87	308	3	0.24	30	760	73	0.48	21	358	0.34	66	60	106
B364022		3.54	0.74	214	2	0.20	27	690	59	0.44	18	330	0.32	60	50	97
B364023		3.31	0.93	299	2	0.16	35	720	44	0.35	19	363	0.36	73	40	78
B364024		3.20	1.26	458	1	0.42	22	720	10	0.12	10	488	0.36	75	30	62
B364025		3.86	1.06	233	1	0.66	35	800	13	0.33	16	394	0.38	72	40	46
B364026		3.73	0.78	182	1	1.23	20	580	15	0.24	7	358	0.26	37	10	23
B364027		3.30	1.36	429	1	1.22	49	710	14	0.21	12	460	0.31	66	30	61
B364028		4.09	0.76	170	61	1.44	20	580	20	0.27	7	459	0.27	35	520	24
B364029																
B364030		2.75	0.33	60	2	0.07	10	300	26	0.02	134	125	0.20	90	10	15
B364031		3.46	0.70	205	<1	1.42	19	610	24	0.15	<5	434	0.28	33	10	32
B364032		4.27	0.61	176	<1	0.96	23	660	44	0.32	14	413	0.31	38	30	156
B364033		3.84	0.76	171	1	1.08	21	590	17	0.22	5	426	0.27	33	70	20
B364034		3.71	0.73	164	<1	1.53	18	580	17	0.22	<5	441	0.28	34	40	25
B364035		3.79	0.74	143	<1	1.57	21	590	14	0.26	<5	469	0.28	34	30	18
B364036		0.03	11.00	160	<1	0.01	3	440	<2	0.01	<5	101	<0.01	2	<10	6
B364037		3.93	0.81	170	1	1.31	21	580	15	0.21	<5	469	0.28	33	20	18
B364038		4.46	0.77	178	2	1.32	19	590	18	0.18	<5	443	0.28	34	30	25
B364039		4.09	0.81	150	<1	1.56	20	610	16	0.26	<5	481	0.30	35	40	18
B364040		3.84	0.74	170	1	1.54	19	570	19	0.19	<5	481	0.29	33	30	26
B364041		3.89	0.81	146	<1	0.99	26	610	14	0.18	7	383	0.31	37	40	23
B364042		3.92	0.75	146	2	0.92	21	600	15	0.18	9	369	0.29	34	40	20
B364043		4.07	0.73	126	9	1.11	21	600	23	0.20	10	395	0.27	32	50	14
B364044		3.76	0.77	178	1	1.27	20	610	18	0.20	8	433	0.29	34	80	22
B364045		3.54	0.46	135	9	0.61	20	520	87	0.88	23	244	0.23	30	60	77
B364046		3.75	0.60	381	1	0.82	21	620	53	0.29	18	302	0.26	32	20	140
B364047		3.89	0.54	170	2	0.90	19	590	28	0.22	14	270	0.26	33	20	41
B364048		3.71	0.46	196	3	1.02	22	550	51	0.21	19	286	0.26	32	20	31
B364049																
B364050		3.29	0.40	74	2	0.09	11	350	32	0.02	164	152	0.27	109	20	18
B364051		3.45	0.44	291	13	0.77	20	520	35	0.34	9	279	0.23	29	30	47
B364052		3.76	0.72	332	1	0.95	22	580	28	0.14	16	384	0.27	32	20	34

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 6-SEP-2005
Account: STRGOL

CERTIFICATE VA05078597

Project: Dublin Gulch-1735

P.O. No.:

This report is for 84 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364537		5.00	0.167	<0.5	7.67	3450	1440	4.8	5	1.87	<0.5	6	71	112	2.03	<0.01
B364538		2.06	0.327	<0.5	7.57	3100	1450	4.3	14	1.29	<0.5	7	33	96	1.96	<0.01
B364539		1.78	0.082	<0.5	6.88	4400	1260	4.0	6	1.30	<0.5	6	28	74	1.59	<0.01
B364540		2.42	0.132	<0.5	7.32	2930	1380	4.2	5	1.54	<0.5	6	33	97	1.72	0.01
B364541		2.56	0.070	<0.5	7.50	3430	1400	4.9	2	1.62	<0.5	7	58	102	1.94	<0.01
B364542		2.66	0.067	<0.5	7.67	3330	1410	4.7	3	1.71	<0.5	6	30	89	1.97	0.01
B364543		4.90	0.107	<0.5	7.48	3260	1370	4.8	2	1.53	<0.5	8	27	93	1.74	<0.01
B364544		5.54	0.707	<0.5	7.49	3990	1430	4.4	23	1.51	<0.5	7	28	76	1.83	0.01
B364545		4.06	0.160	<0.5	7.37	5620	1310	4.3	7	1.52	<0.5	4	49	41	1.50	0.01
B364546		2.82	0.416	<0.5	7.31	5820	1260	4.1	21	1.43	<0.5	5	25	32	1.46	0.02
B364547		0.94	0.056	<0.5	7.45	2520	1400	4.3	<2	1.37	<0.5	6	27	83	1.78	0.01
B364548		3.84	6.50	<0.5	7.22	333	1460	2.9	156	1.87	<0.5	5	26	47	2.19	0.01
B364549		0.02	4.57													
B364550		0.14	0.096	0.5	6.72	117	570	2.6	<2	0.51	<0.5	54	1120	393	8.21	0.03
B364551		4.84	0.706	<0.5	7.22	421	1480	2.8	24	1.78	<0.5	7	28	45	2.11	0.01
B364552		5.30	1.495	<0.5	7.15	582	1510	2.8	10	1.91	<0.5	7	26	52	2.20	0.01
B364553		6.06	0.749	<0.5	8.10	441	1800	3.2	23	2.17	<0.5	13	28	63	2.48	<0.01
B364554		5.38	5.33	<0.5	7.86	547	1730	3.2	16	2.42	<0.5	10	30	57	2.46	<0.01
B364555		5.86	1.250	<0.5	7.82	222	1670	3.2	16	2.32	<0.5	11	30	39	2.46	0.01
B364556		0.76	<0.005	<0.5	0.11	9	20	<0.5	<2	21.0	<0.5	2	4	1	0.09	<0.01
B364557		4.64	0.226	<0.5	7.83	187	1540	3.4	<2	2.21	<0.5	8	28	29	2.23	<0.01
B364558		6.90	2.33	<0.5	7.90	158	1670	3.2	31	2.24	<0.5	9	27	38	2.44	<0.01
B364559		5.10	0.152	<0.5	8.31	162	1630	3.6	7	2.47	<0.5	10	29	29	2.45	<0.01
B364560		4.22	0.946	<0.5	7.96	112	1720	3.1	27	2.41	<0.5	9	71	27	2.45	<0.01
B364561		2.82	4.64	<0.5	7.36	261	1530	3.0	80	1.83	<0.5	9	25	31	2.16	0.03
B364562		2.78	9.05	<0.5	7.61	247	1620	3.1	14	1.94	<0.5	9	77	29	2.22	0.01
B364563		5.20	1.350	<0.5	7.47	303	1530	3.0	39	1.81	<0.5	10	26	45	2.12	<0.01
B364564		4.88	1.250	<0.5	7.74	296	1550	3.0	55	2.24	<0.5	12	80	40	2.27	<0.01
B364565		4.72	0.608	<0.5	8.30	285	1800	3.2	16	2.32	<0.5	10	30	43	2.51	<0.01
B364566		2.98	0.650	<0.5	8.14	518	1920	3.2	16	2.25	<0.5	12	73	50	2.60	0.01
B364567		3.72	0.909	<0.5	7.73	241	1290	2.7	55	1.90	<0.5	8	24	39	1.90	0.02
B364568		1.76	0.544	<0.5	7.89	135	1660	3.2	4	1.89	<0.5	11	71	40	2.30	0.01
B364569		1.96	1.330	<0.5	8.01	224	1740	3.1	10	2.27	<0.5	10	28	51	2.41	0.01
B364570		0.14	1.015	2.3	8.16	18	510	0.8	<2	2.11	1.3	27	99	2260	5.54	<0.01
B364571		4.88	2.74	<0.5	7.66	218	1670	2.8	27	2.02	<0.5	10	68	44	2.26	0.01
B364572		3.62	1.115	<0.5	7.32	359	1710	2.7	23	1.46	<0.5	11	28	44	2.22	0.01
B364573		1.98	1.415	<0.5	7.58	895	1640	3.2	35	1.37	<0.5	13	26	47	3.04	0.01
B364574		2.60	0.672	<0.5	7.51	421	1590	2.8	9	1.27	<0.5	9	22	53	2.05	0.01
B364575		3.50	1.025	<0.5	7.73	312	1660	2.9	17	1.91	<0.5	10	28	59	2.39	0.01
B364576		0.88	<0.005	<0.5	0.11	12	20	<0.5	<2	21.5	<0.5	2	1	1	0.11	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364537		3.92	0.76	72	<1	1.85	15	560	10	0.48	<5	497	0.21	44	40	12
B364538		3.93	0.76	81	<1	1.71	16	560	14	0.15	5	432	0.20	44	30	13
B364539		3.68	0.64	64	<1	1.63	15	460	17	0.21	<5	419	0.17	36	20	11
B364540		3.84	0.70	78	<1	1.72	17	510	12	0.16	<5	438	0.19	41	20	13
B364541		3.63	0.75	74	<1	1.79	16	540	10	0.29	<5	483	0.20	42	10	14
B364542		3.40	0.75	71	1	1.84	11	550	10	0.32	<5	499	0.19	40	10	12
B364543		3.69	0.67	72	1	1.85	10	490	19	0.29	5	447	0.18	38	10	14
B364544		4.05	0.67	82	<1	1.67	10	530	14	0.24	<5	430	0.19	38	20	14
B364545		4.15	0.62	75	1	1.65	10	460	14	0.18	<5	411	0.17	38	20	14
B364546		4.00	0.56	70	<1	1.67	10	430	16	0.19	<5	389	0.15	34	20	14
B364547		3.70	0.64	92	1	1.80	15	530	17	0.20	5	422	0.20	37	20	20
B364548		3.73	0.70	186	2	1.47	15	560	27	0.04	<5	409	0.28	33	20	31
B364549																
B364550		2.08	0.58	380	8	0.12	455	340	146	0.02	10	51	0.22	87	30	606
B364551		3.78	0.65	168	1	1.45	19	560	18	0.05	<5	405	0.27	32	20	28
B364552		3.57	0.62	187	1	1.42	23	630	25	0.08	<5	388	0.29	35	20	35
B364553		4.32	0.78	172	2	1.50	25	660	17	0.20	<5	446	0.32	40	40	31
B364554		4.03	0.84	194	4	1.62	25	660	13	0.29	<5	487	0.33	40	70	30
B364555		3.59	0.82	223	3	1.59	24	640	16	0.13	<5	478	0.32	39	20	40
B364556		0.04	11.80	174	<1	0.01	2	480	<2	<0.01	<5	113	<0.01	2	<10	7
B364557		4.14	0.79	200	1	1.62	23	590	23	0.07	<5	421	0.29	34	20	34
B364558		4.08	0.82	208	2	1.68	22	660	26	0.12	<5	469	0.32	38	30	39
B364559		4.07	0.82	228	2	1.76	26	630	24	0.12	<5	495	0.31	37	20	40
B364560		3.97	0.85	216	1	1.64	26	670	21	0.13	<5	488	0.32	40	20	39
B364561		4.12	0.70	176	2	1.36	20	560	20	0.04	<5	383	0.29	35	50	34
B364562		3.93	0.75	187	2	1.47	23	610	20	0.04	<5	403	0.29	35	30	36
B364563		4.23	0.65	158	2	1.44	23	570	21	0.12	<5	391	0.27	32	20	29
B364564		4.05	0.71	194	2	1.44	27	630	21	0.09	<5	391	0.31	36	30	33
B364565		4.30	0.83	207	2	1.61	23	650	19	0.16	<5	481	0.33	40	40	37
B364566		4.16	0.92	198	2	1.56	27	710	19	0.15	<5	478	0.35	43	50	33
B364567		4.36	0.42	176	4	1.44	19	520	60	0.05	7	276	0.26	32	20	30
B364568		4.20	0.78	174	2	1.46	26	610	21	0.12	<5	406	0.30	36	20	31
B364569		4.38	0.79	194	3	1.45	24	630	15	0.16	<5	426	0.30	37	50	28
B364570		1.88	1.47	465	4	3.22	60	690	19	0.64	<5	222	0.33	99	<10	224
B364571		4.17	0.77	174	2	1.40	27	600	17	0.11	<5	417	0.29	36	70	38
B364572		4.13	0.73	171	3	1.22	20	590	16	0.08	<5	336	0.29	36	30	26
B364573		4.14	0.61	195	4	0.79	28	600	21	0.03	22	240	0.30	37	30	36
B364574		4.24	0.51	152	2	0.97	25	600	18	0.03	<5	226	0.28	35	20	21
B364575		4.12	0.73	185	3	1.35	25	640	18	0.22	9	361	0.31	37	20	31
B364576		0.03	12.25	166	<1	0.01	7	520	<2	<0.01	<5	117	<0.01	2	<10	7

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364577		4.74	0.946	0.5	7.60	368	1670	2.9	33	1.99	<0.5	12	27	58	2.46	0.01
B364578		5.98	1.165	<0.5	8.22	697	1930	2.6	31	1.44	<0.5	13	25	82	2.26	0.01
B364579		4.42	2.90	0.9	7.03	1395	1620	2.1	61	0.97	<0.5	16	23	78	2.30	0.02
B364580		4.88	1.360	1.0	7.60	624	1700	2.7	46	2.11	1.0	10	24	73	2.11	0.02
B364581		2.30	0.669	0.5	7.55	298	1540	2.8	14	3.25	1.1	11	25	40	2.28	0.01
B364582		2.18	0.698	<0.5	7.79	306	1540	2.8	12	2.86	1.0	12	25	41	2.19	0.01
B364583		4.88	1.165	1.2	7.71	196	1520	3.1	41	2.33	3.7	11	27	79	3.08	0.05
B364584		5.46	0.399	<0.5	7.64	648	1710	3.0	6	2.34	0.6	11	24	26	2.48	0.01
B364585		3.22	1.175	<0.5	7.68	185	1700	2.7	22	2.43	<0.5	9	24	39	2.45	0.01
B364586		4.22	0.094	0.5	7.78	233	1160	3.2	2	2.53	3.8	10	59	42	2.15	0.05
B364587		4.12	0.983	1.3	7.90	448	1440	3.0	13	2.91	1.3	15	30	31	2.70	0.01
B364588		4.86	0.079	<0.5	7.28	296	1490	3.3	<2	3.83	<0.5	10	58	17	2.28	0.01
B364589		<0.02	0.086													
B364590		0.10	0.460	2.9	8.84	<5	1100	1.2	<2	1.46	<0.5	11	8	7330	3.16	0.03
B364591		4.66	1.650	<0.5	6.86	5200	1340	4.1	45	1.51	<0.5	5	58	44	1.45	0.01
B364592		3.34	0.354	<0.5	7.18	765	1420	3.3	11	1.86	<0.5	9	22	56	2.03	0.01
B364593		2.54	0.036	<0.5	7.20	85	1520	3.0	<2	2.11	<0.5	9	71	30	2.17	0.01
B364594		5.16	0.325	<0.5	7.24	201	1410	3.2	14	2.20	<0.5	11	23	46	2.19	0.01
B364595		5.76	0.632	<0.5	7.12	126	1590	3.1	12	1.91	<0.5	9	79	63	2.26	0.01
B364596		0.52	<0.005	<0.5	0.20	<5	30	<0.5	<2	20.2	<0.5	2	6	2	0.14	0.01
B364597		4.40	0.135	<0.5	7.44	96	1520	3.2	<2	2.44	<0.5	9	95	56	2.06	<0.01
B364598		3.48	0.453	<0.5	7.23	460	1780	3.5	3	1.62	<0.5	6	23	56	1.72	0.01
B364599		2.82	0.234	<0.5	6.78	745	1180	4.2	4	2.19	<0.5	7	30	66	1.36	0.01
B364600		5.22	0.090	0.6	6.54	688	1130	4.4	3	2.64	<0.5	5	22	69	1.39	0.01
B364601		2.16	0.350	<0.5	7.49	3200	1390	5.1	8	1.64	<0.5	8	26	62	1.58	0.01
B364602		2.84	1.455	<0.5	6.94	3190	1240	4.7	89	1.92	<0.5	6	23	64	1.46	0.01
B364603		5.10	0.526	<0.5	6.39	1890	1330	4.2	23	1.74	<0.5	5	26	65	1.38	0.01
B364604		5.34	2.39	0.7	6.68	1450	1290	4.6	40	1.84	<0.5	7	35	94	1.58	0.02
B364605		4.52	2.88	1.0	6.60	1380	1360	4.2	58	1.67	<0.5	8	28	82	1.55	0.01
B364606		5.08	0.723	<0.5	6.76	936	1300	4.0	8	1.48	<0.5	7	25	60	1.57	0.01
B364607		5.32	0.058	<0.5	7.14	1700	1280	4.7	6	2.01	<0.5	6	25	83	1.54	0.01
B364608		5.82	0.945	0.6	7.22	1395	1380	4.2	26	2.05	<0.5	10	33	82	1.90	0.02
B364609		<0.02	0.761													
B364610		0.12	4.29	9.0	7.49	12	480	0.9	<2	2.75	1.7	19	21	125	4.01	0.02
B364611		6.02	3.22	<0.5	6.83	1485	1360	4.4	38	1.74	<0.5	7	32	90	1.82	0.03
B364612		5.12	0.202	<0.5	7.15	2000	1410	4.5	20	1.49	<0.5	6	37	80	1.61	0.03
B364613		5.48	1.680	0.8	6.48	727	1090	4.4	15	1.77	<0.5	6	27	62	1.38	0.02
B364614		5.40	1.645	1.2	6.75	297	1050	3.9	28	2.42	0.8	6	24	34	1.70	0.02
B364615		5.52	0.240	0.6	6.83	108	1220	3.2	6	2.01	1.5	7	25	50	2.14	0.05
B364616		0.52	<0.005	<0.5	0.13	<5	20	<0.5	<2	19.60	<0.5	2	2	2	0.11	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364577		4.34	0.65	196	7	1.34	28	630	25	0.18	6	366	0.30	37	30	30
B364578		5.28	0.53	166	2	1.18	21	640	25	0.34	17	328	0.30	38	70	33
B364579		4.34	0.33	173	5	0.65	20	510	89	0.27	35	164	0.23	32	30	56
B364580		4.32	0.36	356	2	0.61	23	650	134	0.35	55	198	0.29	39	30	122
B364581		4.19	0.51	523	4	0.76	22	640	66	0.15	33	320	0.29	38	30	192
B364582		4.05	0.50	426	6	0.78	23	620	55	0.15	31	303	0.30	39	30	172
B364583		3.74	0.76	381	2	1.02	25	620	490	0.90	74	352	0.30	38	30	474
B364584		3.90	0.80	320	2	1.32	25	640	41	0.12	9	402	0.31	38	20	77
B364585		4.42	0.77	285	1	1.18	24	610	24	0.11	11	402	0.29	35	60	80
B364586		3.88	0.63	523	4	0.51	19	610	136	0.34	23	198	0.29	36	30	405
B364587		3.94	0.78	577	5	0.69	25	680	152	0.42	39	281	0.30	40	20	198
B364588		3.72	0.57	418	2	0.87	21	600	26	0.13	18	342	0.29	38	20	92
B364589																
B364590		3.57	1.16	470	3	3.18	12	1870	9	0.23	<5	659	0.33	167	10	55
B364591		3.92	0.58	96	1	1.38	11	410	14	0.17	<5	355	0.15	35	10	15
B364592		3.81	0.63	172	4	1.38	24	580	35	0.17	11	350	0.27	33	20	44
B364593		3.65	0.76	219	8	1.38	24	590	25	0.11	<5	406	0.28	33	90	39
B364594		3.71	0.61	212	14	1.28	23	570	37	0.28	7	377	0.27	33	80	59
B364595		3.81	0.78	145	2	1.42	21	570	19	0.30	7	426	0.30	35	30	20
B364596		0.05	11.05	140	<1	0.02	2	460	<2	0.02	<5	114	<0.01	2	<10	8
B364597		3.74	0.62	178	2	1.30	25	580	21	0.31	10	402	0.28	34	20	31
B364598		4.36	0.47	128	2	1.12	17	440	23	0.41	9	286	0.16	33	140	45
B364599		3.45	0.44	136	4	1.26	12	420	31	0.31	14	305	0.14	33	30	59
B364600		3.36	0.42	172	1	1.56	11	400	13	0.36	9	342	0.15	34	20	33
B364601		3.76	0.57	111	1	1.51	9	460	27	0.37	11	358	0.16	37	10	51
B364602		3.65	0.51	114	3	1.46	10	410	295	0.39	165	367	0.15	33	10	41
B364603		3.52	0.42	102	2	1.26	10	370	18	0.35	7	319	0.14	32	10	38
B364604		3.59	0.57	121	2	1.32	15	460	59	0.43	31	349	0.18	40	20	31
B364605		3.56	0.56	106	3	1.42	12	440	69	0.43	32	354	0.16	35	20	26
B364606		3.57	0.52	120	3	1.22	12	400	29	0.35	8	283	0.14	32	10	43
B364607		3.54	0.55	91	1	1.65	12	440	14	0.39	<5	373	0.16	36	10	20
B364608		3.37	0.73	186	2	1.36	15	540	29	0.44	9	385	0.20	42	20	72
B364609																
B364610		2.22	1.32	934	12	1.54	15	840	27	0.65	<5	392	0.37	146	<10	96
B364611		3.47	0.61	124	2	1.32	15	470	57	0.53	13	357	0.18	39	30	47
B364612		3.89	0.57	89	1	1.62	14	450	14	0.43	7	374	0.16	36	10	21
B364613		3.11	0.50	116	1	1.60	12	390	30	0.35	14	319	0.14	33	10	31
B364614		3.37	0.61	394	3	0.74	12	430	157	0.21	45	235	0.17	31	20	108
B364615		3.63	0.59	301	2	0.72	19	550	108	0.62	24	243	0.26	32	20	305
B364616		0.04	11.45	162	<1	0.02	1	670	2	<0.01	<5	106	<0.01	2	<10	8

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364617		5.20	1.140	1.0	6.85	791	1250	3.9	18	1.92	0.8	7	26	55	1.89	0.04
B364618		5.22	7.41	3.3	7.39	340	1130	3.6	142	2.18	1.3	8	27	86	1.82	0.03
B364619		4.70	0.166	0.5	7.07	95	1580	2.9	4	2.13	<0.5	9	26	61	2.14	0.02
B364620		5.64	0.070	<0.5	7.36	171	1570	3.0	<2	2.38	<0.5	9	31	63	2.32	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364617		3.32	0.49	241	4	1.01	14	410	104	0.76	23	266	0.16	32	10	170
B364618		3.69	0.64	335	2	0.56	17	580	296	0.35	68	230	0.27	36	30	228
B364619		3.76	0.62	184	2	1.22	20	610	17	0.39	14	361	0.29	36	20	24
B364620		3.57	0.76	194	2	1.31	29	600	17	0.37	8	403	0.30	39	20	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da J-OCT-2005
Account: STRGOL

CERTIFICATE VA05080930

Project: Dublin Gulch-1735

P.O. No.:

This report is for 129 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B364053		0.52	0.375				0.7	7.44	143	1640	2.9	22	1.52	<0.5	7	20
B364054		0.64	1.855				<0.5	7.30	87	1580	2.9	39	1.58	<0.5	6	25
B364055		1.38	0.660				<0.5	7.41	110	1640	3.1	103	1.97	<0.5	8	23
B364056		0.62	<0.005				<0.5	0.12	7	20	<0.5	<2	20.0	<0.5	2	<1
B364057		1.36	0.468				<0.5	7.30	229	1480	2.8	20	1.92	<0.5	9	23
B364058		0.98	0.892				<0.5	7.19	138	1490	3.0	58	1.69	<0.5	7	24
B364059		6.36	0.056				<0.5	7.35	152	1660	3.0	5	1.98	<0.5	8	23
B364060		1.10	4.11				<0.5	6.73	153	1560	2.5	21	2.32	<0.5	6	22
B364061		3.28	0.552				<0.5	7.02	155	1670	3.0	6	1.56	<0.5	8	27
B364062		3.28	0.125				<0.5	6.82	141	1550	2.7	8	2.10	<0.5	7	23
B364063		3.20	0.112				<0.5	6.84	246	1460	2.7	11	1.00	<0.5	10	21
B364064		1.96	1.140				<0.5	7.16	325	1300	2.8	41	1.91	<0.5	9	18
B364065		2.48	10.0			9.90	0.7	4.44	307	740	1.5	675	2.90	<0.5	7	11
B364066		4.76	0.026				<0.5	7.25	99	1600	2.6	2	2.10	<0.5	8	24
B364067		1.42	0.009				<0.5	7.49	187	1500	2.6	<2	2.36	<0.5	7	23
B364068		3.94	0.024				<0.5	7.65	280	1380	3.0	<2	1.36	<0.5	9	22
B364069		0.04	0.023													
B364070		0.10	0.089				<0.5	6.94	122	590	2.6	<2	0.54	<0.5	57	1185
B364071		2.28	2.66				2.4	5.45	392	1090	2.3	171	0.21	<0.5	9	18
B364072		4.26	1.350				1.1	7.36	341	1700	2.7	97	0.37	0.5	14	20
B364073		4.82	0.069				<0.5	7.18	138	1660	2.7	7	1.35	<0.5	7	22
B364074		4.82	0.432				<0.5	7.09	110	1640	2.8	19	1.62	<0.5	7	21
B364075		3.10	0.224				<0.5	7.00	347	1570	2.8	12	2.01	<0.5	10	20
B364076		0.74	<0.005				<0.5	0.15	<5	40	<0.5	<2	19.45	<0.5	1	2
B364077		3.92	0.487				<0.5	7.25	171	1560	2.6	27	1.98	<0.5	9	24
B364078		2.96	0.097				<0.5	7.09	109	1510	2.9	11	1.92	<0.5	7	23
B364079		5.48	0.435				0.5	6.51	125	1520	2.4	19	1.98	<0.5	7	20
B364080		4.14	0.404				0.5	6.98	274	1640	2.6	54	1.51	<0.5	10	22
B364081		0.98	0.155				<0.5	7.33	151	1690	2.7	9	1.57	<0.5	10	23
B364082		0.82	0.068				<0.5	6.93	115	1450	2.5	<2	1.69	<0.5	8	20
B364083		4.36	0.149				<0.5	7.28	108	1620	2.9	16	1.85	<0.5	10	40
B364084		3.46	0.424				<0.5	7.41	118	1720	2.8	15	1.93	<0.5	9	26
B364085		5.36	0.838				<0.5	7.53	254	1700	2.8	43	2.14	<0.5	14	48
B364086		2.90	1.105				<0.5	6.71	210	1460	2.3	59	1.85	<0.5	10	22
B364087		3.96	1.195				1.4	6.57	162	1280	3.0	68	1.96	<0.5	11	44
B364088		4.44	0.082				<0.5	7.26	126	850	3.8	3	3.84	<0.5	9	23
B364089		0.04	0.082													
B364090		0.10	3.13				1.3	7.40	24	2220	3.4	<2	4.99	<0.5	28	148
B364091		2.32	0.050				<0.5	7.98	59	1090	2.5	<2	3.96	<0.5	7	44
B364092		3.10	0.140				<0.5	8.06	119	2050	3.0	3	1.99	<0.5	10	26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B364053		33	2.09	0.02	4.10	0.77	156	1	1.49	17	650	17	0.02	<5	431	0.30
B364054		35	2.34	0.01	3.66	0.82	172	3	1.46	21	590	16	0.01	<5	404	0.31
B364055		46	2.54	0.03	3.71	0.89	204	2	1.57	21	660	15	0.02	<5	445	0.33
B364056		3	0.11	<0.01	0.04	11.60	148	<1	0.02	1	540	5	<0.01	<5	116	0.01
B364057		39	2.20	0.01	3.93	0.79	180	2	1.33	19	650	17	0.01	<5	379	0.28
B364058		56	2.29	0.01	3.73	0.84	170	2	1.42	23	640	21	0.01	<5	376	0.29
B364059		45	2.44	0.01	3.71	0.95	208	3	1.34	23	630	10	0.01	<5	388	0.31
B364060		55	2.32	0.01	4.02	0.89	212	4	1.02	20	600	12	<0.01	<5	340	0.29
B364061		42	2.55	0.01	3.85	0.94	209	2	1.17	19	650	16	0.01	5	324	0.32
B364062		43	2.37	0.01	3.61	0.89	211	1	1.14	20	600	13	<0.01	5	347	0.29
B364063		35	3.23	0.02	3.33	0.93	232	4	0.67	28	600	20	<0.01	23	201	0.30
B364064		64	2.52	0.01	3.44	0.67	208	5	0.47	24	570	21	0.01	24	216	0.26
B364065		14	1.46	0.01	1.98	0.38	283	4	0.42	15	350	24	0.01	15	227	0.15
B364066		31	2.63	0.03	3.68	0.73	262	1	0.74	24	590	19	<0.01	18	284	0.28
B364067		14	2.78	0.02	3.56	0.68	301	1	1.00	20	660	22	<0.01	25	330	0.30
B364068		36	2.92	0.02	3.57	0.53	234	3	0.81	21	660	19	<0.01	24	232	0.29
B364069																
B364070		400	8.77	0.04	2.21	0.60	394	8	0.12	491	350	150	0.02	11	52	0.27
B364071		51	2.31	0.08	2.76	0.22	53	4	0.28	17	440	146	0.01	56	105	0.21
B364072		42	2.77	0.04	4.45	0.31	84	3	0.56	23	640	76	0.01	31	169	0.27
B364073		29	2.48	0.02	3.98	0.41	213	2	0.90	24	620	19	<0.01	19	262	0.29
B364074		39	2.36	0.02	3.94	0.34	273	2	1.06	21	630	13	0.01	24	276	0.29
B364075		40	2.29	0.01	3.69	0.37	287	2	0.87	22	610	21	<0.01	17	245	0.28
B364076		3	0.13	<0.01	0.05	11.10	143	<1	0.02	5	460	6	0.01	<5	126	0.01
B364077		42	2.58	0.02	3.90	0.64	229	2	0.75	20	640	20	<0.01	17	247	0.29
B364078		38	2.40	0.01	3.93	0.60	211	1	0.71	19	590	19	<0.01	14	236	0.29
B364079		32	1.68	0.01	4.06	0.31	273	2	0.88	18	570	26	0.01	18	222	0.27
B364080		32	2.04	0.02	4.04	0.43	240	1	0.98	16	670	42	0.01	17	241	0.29
B364081		46	2.54	0.01	4.04	0.57	253	3	1.05	24	660	19	0.01	11	261	0.32
B364082		53	1.70	0.01	4.12	0.43	248	2	1.20	16	610	22	0.05	8	265	0.29
B364083		50	2.42	0.02	3.92	0.67	216	2	1.39	19	660	20	0.07	<5	379	0.32
B364084		36	2.38	0.03	3.96	0.72	194	1	1.44	21	630	14	0.02	<5	427	0.30
B364085		46	2.04	0.06	4.27	0.43	250	2	1.00	24	630	33	0.02	18	282	0.29
B364086		39	1.90	0.01	3.67	0.51	188	1	0.95	15	550	20	0.02	<5	300	0.24
B364087		42	2.04	0.02	3.34	0.60	206	2	0.83	19	560	96	0.02	11	266	0.26
B364088		35	2.11	0.01	2.49	0.61	372	4	0.58	26	560	15	0.01	11	242	0.25
B364089																
B364090		102	5.16	0.01	3.33	3.01	1105	14	2.32	69	2400	25	0.33	<5	1700	0.40
B364091		29	2.42	0.01	3.38	0.71	359	2	1.32	19	590	13	0.01	7	360	0.28
B364092		46	2.37	0.01	3.87	0.64	241	1	1.17	22	690	15	0.01	8	347	0.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364053		35	30	27
B364054		40	20	26
B364055		39	20	28
B364056		1	<10	7
B364057		33	30	25
B364058		35	30	24
B364059		37	10	25
B364060		35	30	20
B364061		39	20	25
B364062		35	20	22
B364063		35	30	30
B364064		32	10	33
B364065		20	490	15
B364066		35	10	36
B364067		37	10	54
B364068		36	10	41
B364069				
B364070		92	30	615
B364071		26	10	31
B364072		36	20	44
B364073		39	20	39
B364074		36	20	31
B364075		35	20	32
B364076		2	<10	7
B364077		38	10	30
B364078		36	30	36
B364079		34	20	19
B364080		36	20	23
B364081		38	40	32
B364082		34	20	29
B364083		38	30	31
B364084		37	40	31
B364085		37	160	43
B364086		31	70	26
B364087		33	80	57
B364088		32	130	77
B364089				
B364090		172	10	102
B364091		34	40	28
B364092		38	10	25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B364093		2.92	0.090				<0.5	7.80	124	1500	2.8	2	1.71	<0.5	10	45
B364094		4.30	0.087				<0.5	7.93	158	1820	3.0	2	1.68	<0.5	10	23
B364095		3.52	0.419				1.1	7.94	166	1460	3.1	17	2.63	0.5	12	52
B364096		0.68	<0.005				<0.5	0.12	9	20	<0.5	<2	22.9	<0.5	2	2
B364097		4.74	0.205				<0.5	7.78	82	1470	2.7	4	2.06	<0.5	11	46
B364098		3.62	0.059				<0.5	7.64	67	1270	2.7	5	2.21	<0.5	7	16
B364099		5.40	0.240				<0.5	7.67	154	1370	3.1	12	2.79	0.7	13	51
B364100		4.22	0.094				<0.5	7.52	54	1660	3.1	5	2.03	<0.5	10	22
B364101		1.26	0.029				<0.5	8.23	33	1720	3.3	<2	2.35	<0.5	12	42
B364102		1.04	0.052				<0.5	8.35	44	1810	3.1	<2	2.39	<0.5	14	23
B364103		2.68	0.030				<0.5	8.44	80	1670	3.4	<2	2.77	<0.5	9	37
B364104		3.94	0.312				<0.5	7.94	65	1720	3.2	<2	2.27	<0.5	9	23
B364105		5.12	0.071				<0.5	7.50	82	1570	2.9	5	3.51	<0.5	9	36
B364106		5.60	0.181				<0.5	7.84	122	1530	3.0	20	2.42	<0.5	12	23
B364107		6.14	0.048				<0.5	8.58	61	1920	3.1	<2	2.43	<0.5	11	49
B364108		5.12	0.208				<0.5	7.67	114	1670	2.7	10	2.46	<0.5	12	32
B364109		0.04	0.233													
B364110		0.10	0.439				2.9	9.36	15	1110	1.2	<2	1.54	<0.5	10	8
B364111		5.16	0.228				0.6	8.27	96	1790	3.2	10	2.56	<0.5	14	56
B364112		2.40	0.056				<0.5	7.83	143	1360	3.0	<2	3.36	<0.5	14	40
B364113		5.06	0.185				<0.5	7.83	186	1610	3.1	7	1.97	<0.5	12	43
B364114		4.90	0.084				<0.5	7.25	191	1480	2.9	2	2.05	<0.5	11	23
B364115		5.54	0.141				<0.5	7.84	286	1700	3.1	4	1.65	<0.5	13	42
B364116		0.52	<0.005				<0.5	0.13	<5	20	<0.5	<2	20.8	<0.5	2	1
B364117		4.98	0.012				<0.5	7.65	140	1600	2.8	<2	2.01	<0.5	12	38
B364118		5.30	<0.005				<0.5	7.40	520	1480	2.9	10	1.43	<0.5	12	25
B364119		4.34	0.287				<0.5	7.43	151	1530	3.0	12	2.02	<0.5	7	42
B364120		5.10	0.078				<0.5	7.33	170	1600	2.6	5	1.48	<0.5	8	29
B364121		2.26	0.076				<0.5	7.53	188	1480	2.9	5	1.80	<0.5	6	43
B364122		2.36	0.071				<0.5	7.27	213	1450	2.9	2	1.85	<0.5	6	28
B364123		5.40	0.069				<0.5	7.40	270	1300	2.9	6	2.05	<0.5	7	47
B364124		5.46	0.069				<0.5	7.07	237	1350	2.6	6	1.94	<0.5	10	26
B364125		3.68	0.025				<0.5	7.86	246	1460	3.2	<2	2.13	<0.5	9	44
B364126		5.76	0.240				<0.5	7.85	242	1530	3.1	15	2.45	<0.5	10	27
B364127		5.10	0.148				<0.5	7.73	1260	1520	3.4	14	2.33	<0.5	13	45
B364128		2.30	0.035				<0.5	7.90	160	1520	3.3	<2	1.89	<0.5	6	28
B364129		0.04	0.042													
B364130		0.10	1.440				<0.5	6.97	1275	690	5.8	<2	0.01	<0.5	5	222
B364131		2.70	0.082				<0.5	8.01	239	1610	3.2	6	1.60	<0.5	8	46
B364132		4.26	0.185				<0.5	7.72	171	1540	3.1	12	1.66	<0.5	8	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01
B364093		35	2.32	0.01	3.94	0.53	196	2	1.18	18	610	22	<0.01	<5	302	0.26
B364094		42	2.50	0.01	4.02	0.60	179	2	1.14	20	650	20	0.01	<5	340	0.28
B364095		56	1.96	0.01	3.79	0.44	379	5	0.73	18	660	66	0.07	16	226	0.28
B364096		4	0.10	0.01	0.04	12.70	183	<1	0.02	2	630	3	<0.01	<5	123	<0.01
B364097		30	2.58	0.02	3.57	0.68	239	1	0.96	22	610	16	<0.01	10	263	0.27
B364098		26	1.88	0.02	3.94	0.50	261	1	1.06	15	510	20	0.01	10	293	0.22
B364099		59	2.07	0.02	3.92	0.34	488	3	0.66	21	630	93	0.05	47	225	0.23
B364100		26	2.32	0.02	3.70	0.55	281	2	1.09	22	590	37	0.01	14	304	0.28
B364101		24	2.61	0.01	3.54	0.69	284	2	1.39	21	690	19	0.01	5	393	0.32
B364102		27	2.57	0.01	3.79	0.64	284	2	1.27	22	630	19	0.01	7	372	0.30
B364103		24	2.65	0.02	3.68	0.77	309	2	0.78	24	660	19	<0.01	5	281	0.31
B364104		28	2.46	0.01	3.61	0.84	238	1	1.34	19	630	14	0.01	<5	406	0.31
B364105		36	2.27	0.01	3.54	0.79	247	2	1.25	19	580	9	0.02	<5	444	0.29
B364106		40	2.34	0.01	3.57	0.58	192	2	1.39	20	630	17	0.02	<5	390	0.30
B364107		42	2.78	0.01	3.75	0.98	245	2	1.69	19	730	14	0.06	<5	520	0.35
B364108		56	2.60	0.01	3.44	0.95	247	3	1.54	21	690	13	0.07	<5	473	0.33
B364109																
B364110		7290	3.20	0.03	3.46	1.14	490	3	3.20	15	1900	8	0.24	<5	690	0.32
B364111		73	2.99	<0.01	3.50	1.11	281	2	1.62	18	720	8	0.13	<5	537	0.35
B364112		44	2.70	0.01	3.17	0.83	312	1	1.28	19	700	13	0.01	<5	375	0.32
B364113		64	2.31	0.01	3.76	0.78	182	8	1.46	17	640	10	0.14	<5	447	0.30
B364114		49	2.23	0.01	3.42	0.76	183	4	1.42	18	580	11	0.14	<5	436	0.29
B364115		55	2.53	0.01	3.90	0.83	185	3	1.40	21	640	10	0.07	<5	424	0.31
B364116		2	0.11	<0.01	0.04	11.70	161	<1	0.02	2	500	2	<0.01	<5	110	<0.01
B364117		43	2.32	0.01	3.98	0.84	206	2	1.40	20	620	11	0.09	<5	428	0.30
B364118		68	2.29	0.01	3.74	0.77	150	4	1.31	21	600	12	0.13	<5	380	0.28
B364119		45	2.34	0.01	3.87	0.84	217	1	1.39	18	610	18	0.01	<5	384	0.32
B364120		50	2.31	<0.01	4.01	0.85	191	1	1.30	15	590	21	0.02	<5	374	0.32
B364121		45	2.24	0.01	3.65	0.76	204	1	1.60	17	600	11	0.07	<5	408	0.31
B364122		46	2.20	0.01	3.66	0.74	206	2	1.60	17	590	16	0.05	<5	397	0.31
B364123		59	2.33	0.01	3.62	0.70	208	1	1.37	18	640	16	0.05	<5	329	0.32
B364124		55	2.09	0.01	3.62	0.63	194	4	1.84	17	580	14	0.12	<5	335	0.30
B364125		45	2.35	0.01	3.82	0.76	225	4	1.54	20	630	15	0.07	<5	394	0.32
B364126		55	2.46	<0.01	3.89	0.86	224	1	1.64	20	600	16	0.26	<5	479	0.32
B364127		55	2.48	<0.01	3.63	0.87	218	3	1.63	21	630	13	0.21	<5	471	0.33
B364128		33	2.33	<0.01	3.67	0.91	221	<1	1.52	18	630	12	0.01	<5	411	0.33
B364129																
B364130		41	3.72	0.05	2.77	0.36	88	3	0.11	17	320	25	0.02	122	94	0.28
B364131		53	2.53	<0.01	3.89	0.88	198	1	1.52	20	650	15	0.01	<5	423	0.34
B364132		30	2.40	<0.01	3.61	0.87	227	<1	1.56	20	620	16	0.03	<5	412	0.32

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364093		34	20	29
B364094		36	20	28
B364095		36	50	60
B364096		1	<10	6
B364097		35	20	39
B364098		28	20	32
B364099		36	30	102
B364100		35	20	52
B364101		39	10	36
B364102		36	30	34
B364103		38	30	34
B364104		36	20	27
B364105		34	30	23
B364106		36	30	25
B364107		45	20	33
B364108		44	30	29
B364109				
B364110		167	<10	60
B364111		51	20	36
B364112		51	40	36
B364113		37	50	20
B364114		35	60	23
B364115		39	10	24
B364116		1	<10	5
B364117		38	10	23
B364118		36	10	22
B364119		39	30	27
B364120		38	30	25
B364121		37	10	25
B364122		37	10	26
B364123		40	10	27
B364124		36	570	29
B364125		39	10	25
B364126		37	10	30
B364127		39	30	26
B364128		39	20	29
B364129				
B364130		93	20	47
B364131		40	10	31
B364132		38	10	33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B364133		5.44	0.231				<0.5	8.82	341	1780	3.1	14	2.45	<0.5	11	46
B364134		2.00	0.157				<0.5	7.57	177	1610	2.6	10	2.25	<0.5	6	25
B364135		2.96	0.120				<0.5	8.43	312	1760	3.2	6	2.53	<0.5	8	45
B364136		0.46	<0.005				<0.5	0.17	<5	10	<0.5	<2	20.2	<0.5	<1	3
B364137		6.06	0.721				<0.5	7.78	312	1580	2.6	55	2.27	<0.5	7	39
B364138		5.20	0.235				<0.5	7.83	247	1540	3.0	13	2.36	<0.5	10	27
B364139		5.88	0.120				<0.5	7.68	303	1510	2.9	11	2.19	<0.5	8	44
B364140		4.60	0.218				<0.5	7.66	118	1520	2.8	21	2.26	<0.5	9	26
B364141		2.74	0.048				<0.5	7.73	202	1450	2.9	5	1.93	<0.5	16	44
B364142		2.90	0.086				<0.5	7.61	278	1460	2.7	12	1.86	<0.5	18	24
B364143		5.34	0.197				<0.5	7.90	116	1500	3.2	19	2.38	<0.5	9	39
B364144		6.00	0.165				<0.5	8.34	249	1640	3.7	11	2.60	<0.5	11	26
B364145		5.08	0.235				<0.5	8.19	227	1640	3.2	30	2.51	<0.5	11	46
B364146		4.80	0.243				<0.5	8.31	506	1650	3.6	28	2.15	<0.5	30	28
B364147		4.42	0.091	0.196	0.102		<0.5	8.08	426	1610	3.4	8	1.92	<0.5	11	27
B364148		5.18	0.253	0.256			<0.5	7.66	237	1580	2.9	16	2.12	<0.5	10	26
B364149		0.04	0.865	0.278	0.132											
B364150		0.10	2.76				0.5	7.90	2220	780	13.6	<2	0.02	<0.5	1	156
B364151		3.42	0.109				<0.5	7.92	224	1540	3.3	5	2.25	<0.5	10	28
B364152		3.00	0.198				<0.5	8.03	477	1560	3.4	13	2.13	<0.5	11	27
B364153		3.30	0.067				<0.5	7.84	216	1570	3.1	5	2.16	<0.5	9	26
B364154		2.12	0.025				<0.5	7.91	118	1560	3.3	<2	2.39	<0.5	10	24
B364155		3.16	0.066				<0.5	8.20	259	1620	3.2	6	2.54	<0.5	10	27
B364156		0.52	<0.005				<0.5	0.13	<5	20	<0.5	<2	19.90	<0.5	<1	3
B364157		3.04	0.046				<0.5	8.08	112	1580	3.7	3	2.40	<0.5	9	27
B364158		2.74	0.075				<0.5	7.53	126	1480	3.3	5	2.25	<0.5	9	27
B364159		2.80	0.736				<0.5	7.70	277	1530	3.0	13	2.29	<0.5	12	26
B364160		3.44	0.281				<0.5	7.85	198	1580	3.0	27	2.28	<0.5	13	67
B364161		1.60	0.041				<0.5	8.14	168	1660	3.2	2	2.60	<0.5	12	28
B364162		1.28	0.033				<0.5	8.12	166	1640	3.2	4	2.62	<0.5	12	65
B364163		3.32	0.039				<0.5	6.97	226	1380	2.9	<2	2.08	<0.5	9	28
B364164		2.80	0.171				<0.5	7.35	571	1510	3.0	<2	2.26	<0.5	10	61
B364165		3.32	0.039				<0.5	7.08	238	1390	2.8	<2	2.27	<0.5	9	28
B364166		3.22	0.078				<0.5	7.19	184	1490	2.9	2	2.25	<0.5	10	60
B364167		3.40	0.091	0.098			<0.5	7.11	663	1400	2.6	4	2.06	<0.5	10	28
B364168		3.44	0.081	0.058			<0.5	7.48	109	1490	3.1	<2	2.47	<0.5	8	58
B364169		0.04	0.038	0.038												
B364170		0.10	2.91				<0.5	6.82	10	2010	3.2	<2	4.61	<0.5	23	135
B364171		1.10	0.018				<0.5	7.25	102	1490	2.9	<2	2.28	<0.5	9	24
B364172		2.00	0.061				<0.5	7.11	119	1500	2.9	<2	2.18	<0.5	10	63

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method Analyte Units LOR	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01
B364133		64	2.78	<0.01	4.64	0.97	224	3	1.75	20	700	19	0.28	<5	521	0.35
B364134		70	2.40	<0.01	4.29	0.91	186	1	1.44	18	600	13	0.26	<5	430	0.31
B364135		63	2.66	<0.01	4.41	0.99	217	1	1.72	20	680	13	0.30	<5	506	0.34
B364136		2	0.16	<0.01	0.04	12.30	142	<1	0.03	<1	530	6	0.01	<5	106	0.01
B364137		52	2.41	<0.01	3.66	0.88	186	5	1.61	16	600	15	0.29	<5	480	0.28
B364138		58	2.48	<0.01	3.97	0.91	206	7	1.65	20	610	15	0.28	<5	483	0.33
B364139		52	2.41	<0.01	3.94	0.87	200	7	1.68	19	590	14	0.27	<5	484	0.32
B364140		56	2.46	<0.01	3.91	0.87	210	4	1.60	21	600	14	0.28	<5	466	0.31
B364141		37	2.40	<0.01	3.81	0.83	215	4	1.60	20	600	15	0.15	<5	382	0.30
B364142		44	2.34	<0.01	3.87	0.80	201	2	1.54	21	590	17	0.18	<5	365	0.29
B364143		49	2.41	<0.01	4.06	0.83	237	3	1.68	20	580	19	0.23	<5	473	0.31
B364144		79	2.63	<0.01	4.16	0.90	217	10	1.75	21	650	20	0.40	<5	508	0.33
B364145		73	2.75	<0.01	4.14	0.91	222	2	1.68	21	650	18	0.38	<5	498	0.35
B364146		84	2.63	<0.01	4.73	0.88	184	29	1.64	20	630	19	0.31	<5	474	0.33
B364147		72	2.51	<0.01	4.20	0.82	196	5	1.66	20	640	16	0.13	<5	442	0.33
B364148		69	2.49	<0.01	4.10	0.82	196	10	1.54	19	610	18	0.20	<5	456	0.32
B364149																
B364150		108	3.60	0.07	3.38	0.41	73	3	0.09	11	360	31	0.02	168	150	0.31
B364151		72	2.52	<0.01	3.88	0.81	212	4	1.64	18	630	17	0.22	<5	465	0.32
B364152		83	2.46	<0.01	4.30	0.79	186	5	1.64	19	610	18	0.23	<5	476	0.32
B364153		56	2.41	<0.01	4.19	0.81	203	5	1.62	19	620	20	0.21	<5	460	0.33
B364154		58	2.32	<0.01	4.00	0.80	201	1	1.72	18	620	17	0.25	<5	491	0.32
B364155		53	2.54	<0.01	4.08	0.87	237	2	1.78	22	640	20	0.10	<5	489	0.34
B364156		5	0.12	<0.01	0.04	11.65	157	<1	0.02	<1	480	4	0.01	<5	114	0.01
B364157		76	2.47	<0.01	4.34	0.87	214	3	1.74	19	620	18	0.28	<5	489	0.33
B364158		107	2.38	<0.01	4.01	0.81	189	10	1.60	19	580	16	0.35	<5	468	0.30
B364159		76	2.51	<0.01	3.91	0.79	208	10	1.66	22	610	17	0.27	<5	470	0.32
B364160		65	2.56	<0.01	4.14	0.85	208	5	1.69	21	640	18	0.28	<5	490	0.32
B364161		62	2.62	<0.01	3.97	0.90	236	6	1.78	24	670	16	0.31	<5	526	0.35
B364162		62	2.60	<0.01	3.96	0.90	237	3	1.74	20	660	18	0.30	<5	514	0.35
B364163		55	2.20	<0.01	3.77	0.71	184	1	1.56	20	590	17	0.20	<5	442	0.28
B364164		96	2.49	<0.01	3.66	0.82	228	4	1.67	18	640	15	0.24	<5	480	0.31
B364165		35	2.37	<0.01	3.38	0.76	232	1	1.63	19	610	17	0.20	<5	469	0.29
B364166		58	2.45	<0.01	3.86	0.79	222	25	1.59	18	580	20	0.30	<5	466	0.29
B364167		57	2.20	<0.01	4.12	0.72	177	2	1.46	19	530	17	0.30	<5	441	0.27
B364168		34	2.46	<0.01	3.58	0.79	258	4	1.71	21	630	22	0.21	<5	489	0.30
B364169																
B364170		100	5.01	<0.01	3.43	2.88	1035	11	2.32	66	2310	29	0.28	<5	1665	0.38
B364171		34	2.47	<0.01	3.59	0.80	252	1	1.66	22	610	20	0.18	<5	480	0.30
B364172		35	2.42	<0.01	3.49	0.78	257	1	1.64	19	640	24	0.03	<5	455	0.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364133		43	20	27
B364134		38	30	22
B364135		42	10	27
B364136		5	10	9
B364137		34	50	21
B364138		39	60	27
B364139		38	10	26
B364140		37	40	29
B364141		36	80	35
B364142		36	20	35
B364143		36	90	31
B364144		39	190	30
B364145		43	30	30
B364146		39	70	27
B364147		39	20	29
B364148		38	820	27
B364149				
B364150		111	20	19
B364151		38	10	31
B364152		38	160	27
B364153		38	10	29
B364154		37	10	26
B364155		40	10	35
B364156		2	<10	14
B364157		39	20	31
B364158		36	40	26
B364159		38	20	28
B364160		38	30	30
B364161		40	<10	30
B364162		41	20	30
B364163		33	10	23
B364164		37	10	29
B364165		33	<10	29
B364166		35	80	30
B364167		32	50	25
B364168		35	10	34
B364169				
B364170		160	<10	90
B364171		35	<10	36
B364172		36	20	44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B364173		1.40	0.066				<0.5	6.88	280	1370	2.9	2	2.15	<0.5	10	28
B364174		2.12	0.077				<0.5	6.84	290	1410	2.8	5	2.26	<0.5	8	75
B364175		2.46	0.229				<0.5	7.19	166	1430	3.0	<2	2.34	<0.5	7	30
B364176		0.62	<0.005				<0.5	0.12	16	20	<0.5	<2	19.00	<0.5	1	11
B364177		1.98	0.045				<0.5	7.36	223	1440	3.1	<2	2.47	<0.5	10	28
B364178		2.90	0.041				<0.5	7.07	138	1360	2.9	<2	2.32	<0.5	9	60
B364179		3.56	1.465				<0.5	7.37	369	1470	3.0	107	2.31	<0.5	10	33
B364180		3.56	0.483				<0.5	7.25	394	1480	3.1	9	2.36	<0.5	11	59
B364181		Not Recvd														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B364173		40	2.34	<0.01	3.70	0.74	233	2	1.65	25	560	24	0.17	<5	443	0.29
B364174		41	2.33	<0.01	3.57	0.73	226	4	1.57	23	610	22	0.19	<5	450	0.29
B364175		29	2.35	<0.01	3.58	0.73	272	4	1.66	21	600	26	0.12	<5	472	0.29
B364176		3	0.13	<0.01	0.04	10.90	175	<1	0.02	5	420	3	<0.01	<5	108	0.01
B364177		48	2.48	<0.01	3.74	0.79	247	21	1.70	23	610	18	0.26	<5	477	0.29
B364178		43	2.25	<0.01	3.66	0.73	229	1	1.64	20	560	19	0.20	<5	451	0.28
B364179		51	2.55	<0.01	3.67	0.79	271	6	1.64	25	610	26	0.24	<5	476	0.30
B364180		35	2.42	<0.01	3.73	0.78	254	1	1.70	20	610	26	0.19	<5	482	0.30
B364181																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364173		34	10	41
B364174		35	20	40
B364175		35	10	52
B364176		2	<10	7
B364177		34	<10	34
B364178		33	10	36
B364179		36	10	49
B364180		36	<10	42
B364181				

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 2-OCT-2005
Account: STRGOL

CERTIFICATE VA05080697

Project: Dublin Gulch-1735

P.O. No.:

This report is for 136 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364181		1.44	0.046	<0.5	8.43	216	1700	3.1	<2	2.45	<0.5	14	46	198	2.55	0.01
B364182		1.62	0.029	0.6	8.03	164	1610	3.0	<2	2.42	<0.5	12	102	111	2.43	0.01
B364183		3.74	0.106	<0.5	8.08	574	1540	3.1	5	2.30	<0.5	16	46	41	2.35	<0.01
B364184		2.92	0.032	<0.5	8.07	114	1560	3.1	5	2.45	<0.5	10	117	49	2.50	0.01
B364185		2.96	0.105	<0.5	7.77	91	1480	2.9	18	2.28	<0.5	10	48	39	2.31	<0.01
B364186		3.36	0.135	1.0	7.60	258	1560	3.0	12	2.31	<0.5	14	110	74	2.24	<0.01
B364187		3.70	0.196	<0.5	7.82	384	1500	3.1	10	2.35	<0.5	10	49	61	2.20	<0.01
B364188		2.86	0.152	<0.5	7.77	440	1560	3.1	6	2.35	<0.5	13	114	73	2.30	<0.01
B364189		<0.02	0.148													
B364190		0.10	2.82	<0.5	7.63	2110	720	12.2	<2	0.02	<0.5	<1	156	100	3.31	0.08
B364191		3.12	0.100	<0.5	7.65	247	1540	2.8	9	2.15	<0.5	13	50	54	2.25	<0.01
B364192		3.30	0.060	<0.5	8.03	106	1480	3.2	11	2.35	<0.5	9	104	30	2.28	<0.01
B364193		1.08	0.085	<0.5	8.36	190	1360	3.1	3	2.65	<0.5	11	30	38	2.57	0.01
B364194		1.66	0.027	<0.5	8.09	266	1630	3.2	<2	2.35	<0.5	10	102	40	2.42	0.01
B364195		3.44	0.029	<0.5	7.96	82	1510	3.2	<2	2.30	<0.5	10	28	32	2.23	<0.01
B364196		0.54	<0.005	<0.5	0.22	13	30	<0.5	<2	20.6	<0.5	1	9	4	0.14	<0.01
B364197		3.48	0.090	<0.5	8.35	140	1600	3.2	7	2.45	<0.5	11	33	31	2.45	<0.01
B364198		3.08	0.025	<0.5	8.26	176	1540	3.0	<2	2.61	<0.5	10	102	28	2.32	<0.01
B364199		3.34	0.028	<0.5	8.01	124	1580	3.0	<2	2.78	<0.5	14	50	27	2.41	0.01
B364200		3.34	0.051	<0.5	8.25	106	1620	3.1	<2	2.59	<0.5	11	106	23	2.37	0.01
B365201		1.72	0.049	<0.5	8.34	49	1690	3.1	2	2.53	<0.5	10	56	21	2.53	0.01
B365202		1.72	0.045	<0.5	8.08	64	1650	2.9	<2	2.51	<0.5	10	115	20	2.37	0.01
B365203		1.18	0.038	<0.5	8.07	71	1680	3.1	<2	2.60	<0.5	8	51	18	2.49	0.01
B365204		2.22	0.598	<0.5	8.26	89	1640	3.1	31	2.37	<0.5	10	108	46	2.33	0.01
B365205		1.28	0.034	<0.5	7.94	39	1540	3.2	4	2.35	<0.5	12	27	28	2.36	0.14
B365206		1.88	0.095	<0.5	7.83	65	1710	2.7	3	2.54	<0.5	11	27	42	2.22	<0.01
B365207		3.20	0.036	<0.5	7.76	92	1560	2.9	<2	2.70	<0.5	10	120	31	2.26	0.01
B365208		2.14	0.026	<0.5	8.06	71	1730	3.0	<2	2.59	<0.5	12	29	32	2.44	<0.01
B365209		<0.02	0.025													
B365210		0.10	0.093	<0.5	7.31	114	600	2.6	<2	0.55	<0.5	61	1260	391	8.54	0.03
B365211		2.74	0.039	<0.5	7.83	40	1630	2.8	4	2.75	<0.5	10	110	28	2.31	<0.01
B365212		1.40	0.013	<0.5	7.80	64	1660	2.8	<2	2.85	<0.5	7	40	13	2.43	<0.01
B365213		2.08	0.037	<0.5	8.04	47	1710	2.9	3	2.70	<0.5	8	83	16	2.37	<0.01
B365214		3.24	0.104	1.0	7.96	93	1620	3.0	4	3.35	<0.5	14	71	74	3.31	0.01
B365215		2.56	0.176	<0.5	8.08	524	1540	2.9	13	2.74	<0.5	13	109	75	3.18	0.01
B365216		0.42	<0.005	<0.5	0.26	8	30	<0.5	<2	21.4	<0.5	2	3	2	0.20	<0.01
B365217		2.70	0.420	<0.5	7.68	65	1610	3.0	14	2.55	<0.5	9	118	47	2.41	0.01
B365218		2.20	0.128	<0.5	7.87	40	1630	3.0	16	2.48	<0.5	11	37	53	2.56	0.01
B365219		2.94	0.933	<0.5	7.58	110	1500	2.9	65	2.22	<0.5	11	112	46	2.39	0.01
B365220		2.82	0.084	<0.5	7.70	120	1480	3.0	5	2.40	<0.5	11	32	33	2.30	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364181		4.25	0.87	309	2	1.63	18	700	25	0.24	<5	494	0.32	54	10	59
B364182		3.94	0.83	298	3	1.64	21	630	25	0.19	<5	483	0.32	46	10	60
B364183		3.85	0.77	254	2	1.65	18	590	26	0.19	<5	472	0.30	37	50	50
B364184		3.85	0.76	299	1	1.69	19	590	39	0.21	<5	474	0.31	37	30	67
B364185		3.74	0.75	251	1	1.63	15	610	25	0.17	<5	464	0.30	36	10	52
B364186		3.79	0.76	158	1	1.55	20	590	12	0.33	<5	464	0.31	35	20	19
B364187		3.78	0.78	168	2	1.62	20	600	15	0.29	<5	487	0.31	37	10	20
B364188		3.79	0.78	172	2	1.59	20	600	14	0.36	<5	469	0.31	36	10	19
B364189																
B364190		3.15	0.37	68	2	0.09	9	320	29	0.02	152	144	0.22	104	20	14
B364191		4.02	0.75	192	1	1.51	15	610	17	0.25	<5	453	0.30	37	40	23
B364192		3.87	0.76	282	2	1.72	19	590	33	0.12	<5	466	0.31	36	20	60
B364193		3.89	0.76	269	1	1.66	14	630	27	0.09	<5	409	0.31	40	10	47
B364194		3.93	0.84	241	1	1.74	21	630	20	0.19	<5	486	0.33	39	10	35
B364195		3.84	0.76	250	<1	1.58	13	580	20	0.15	<5	467	0.30	35	20	44
B364196		0.07	11.40	162	<1	0.03	<1	480	<2	0.02	<5	118	<0.01	1	<10	7
B364197		3.91	0.82	257	1	1.70	16	620	30	0.18	<5	501	0.31	37	10	47
B364198		3.79	0.80	270	2	1.61	19	600	24	0.15	<5	486	0.31	37	120	45
B364199		3.78	0.77	271	1	1.61	20	600	24	0.16	<5	484	0.31	36	20	41
B364200		3.83	0.83	261	4	1.60	20	630	21	0.10	<5	474	0.32	38	10	42
B365201		3.61	0.85	258	1	1.68	18	660	17	0.09	<5	496	0.33	40	10	36
B365202		3.54	0.82	249	1	1.63	18	620	19	0.09	<5	477	0.32	38	20	35
B365203		3.42	0.82	274	<1	1.66	19	640	16	0.06	<5	482	0.34	39	20	42
B365204		3.90	0.83	241	1	1.61	22	640	24	0.09	<5	474	0.32	38	30	41
B365205		3.64	0.78	275	<1	1.62	22	630	24	0.08	<5	437	0.32	38	20	69
B365206		4.31	0.77	217	3	1.39	19	640	21	0.14	<5	445	0.31	37	10	33
B365207		3.53	0.79	247	3	1.52	19	620	21	0.13	<5	451	0.32	39	10	36
B365208		3.67	0.86	261	2	1.63	20	690	17	0.09	<5	495	0.34	40	10	40
B365209																
B365210		2.21	0.59	390	8	0.12	500	340	149	0.02	13	52	0.24	94	30	635
B365211		3.66	0.85	260	2	1.52	23	630	16	0.08	<5	470	0.32	40	10	43
B365212		3.37	1.01	322	1	1.24	15	610	20	0.03	<5	454	0.32	38	10	47
B365213		3.36	0.99	293	2	1.40	24	680	16	0.03	<5	487	0.34	40	<10	43
B365214		3.75	1.39	395	4	1.10	24	690	16	0.44	<5	463	0.34	55	30	60
B365215		3.73	1.18	305	3	1.14	23	650	36	0.62	14	406	0.33	48	70	73
B365216		0.06	11.75	190	<1	0.05	2	510	<2	0.02	<5	115	0.01	3	<10	6
B365217		3.46	0.88	215	1	1.50	20	630	20	0.25	<5	459	0.31	39	20	22
B365218		3.67	0.88	241	1	1.42	21	610	21	0.22	5	430	0.31	42	10	29
B365219		3.70	0.71	234	4	1.28	16	610	65	0.31	23	371	0.28	37	10	47
B365220		3.35	0.82	238	1	1.53	18	620	17	0.18	<5	446	0.31	39	20	31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365221		1.34	0.182	0.7	7.83	118	1560	3.0	20	2.12	<0.5	13	118	64	2.17	<0.01
B365222		1.14	0.161	1.1	8.05	60	1560	3.3	9	2.26	<0.5	11	27	59	2.28	<0.01
B365223		2.56	0.069	<0.5	8.11	64	1640	3.2	<2	2.22	<0.5	8	114	58	2.39	0.01
B365224		1.68	0.429	<0.5	7.51	54	1450	2.8	22	2.18	0.6	6	43	37	2.17	0.01
B365225		2.38	0.018	<0.5	7.43	47	1520	3.0	<2	2.20	<0.5	8	96	27	2.18	<0.01
B365226		2.62	0.297	<0.5	7.57	38	1600	3.1	4	2.31	<0.5	6	45	30	2.25	<0.01
B365227		2.20	0.264	<0.5	7.63	433	1560	3.0	13	2.27	<0.5	8	100	48	2.25	<0.01
B365228		1.66	0.040	<0.5	7.04	113	740	2.7	4	3.17	<0.5	6	50	24	1.80	0.01
B365229		<0.02	0.045													
B365230		0.12	1.705	1.4	6.91	27	2020	3.1	<2	4.69	<0.5	24	137	100	5.06	0.01
B365231		2.96	1.370	<0.5	7.53	53	1470	3.0	15	2.14	<0.5	7	26	31	2.13	<0.01
B365232		1.24	0.086	<0.5	7.66	69	1450	3.2	3	1.97	<0.5	7	51	23	2.04	<0.01
B365233		1.72	0.122	<0.5	7.47	90	1540	3.1	6	2.08	<0.5	5	21	37	2.08	0.01
B365234		1.68	0.061	<0.5	8.00	66	1690	3.3	4	2.36	<0.5	7	55	29	2.37	<0.01
B365235		2.18	0.056	0.6	8.06	125	1380	3.2	<2	2.42	1.5	6	26	58	2.34	0.04
B365236		0.64	<0.005	<0.5	0.23	17	30	<0.5	<2	20.0	<0.5	<1	19	4	0.16	<0.01
B365237		3.08	0.100	<0.5	8.36	88	1670	3.6	<2	2.41	<0.5	7	27	36	2.34	0.01
B365238		2.64	0.154	<0.5	7.97	67	1600	3.3	9	2.28	<0.5	8	57	37	2.35	0.01
B365239		2.30	0.964	<0.5	8.13	45	1640	3.4	18	2.39	<0.5	7	25	42	2.34	0.01
B365240		1.48	1.620	<0.5	8.00	78	1640	3.1	57	2.44	<0.5	12	52	25	2.29	<0.01
B365241		0.70	0.110	<0.5	7.91	28	1640	4.8	100	2.87	<0.5	7	22	26	1.79	0.01
B365242		0.68	0.037	<0.5	7.84	40	1600	5.2	3	2.68	<0.5	8	26	25	1.74	0.01
B365243		2.14	0.114	<0.5	7.49	46	1520	2.7	17	2.57	<0.5	6	20	29	2.17	0.01
B365244		1.42	0.187	<0.5	7.49	67	1590	2.8	11	2.33	<0.5	6	49	27	2.06	<0.01
B365245		2.02	0.033	<0.5	8.22	201	1700	3.2	<2	2.55	<0.5	17	27	19	2.51	<0.01
B365246		1.96	0.212	<0.5	8.00	55	1720	3.0	11	2.37	<0.5	8	56	38	2.42	<0.01
B365247		2.32	0.058	<0.5	7.70	69	1620	3.0	3	2.19	<0.5	6	23	44	2.24	0.01
B365248		2.28	1.055	<0.5	7.68	47	1560	2.9	57	2.20	<0.5	7	53	24	2.22	0.01
B365249		<0.02	0.643													
B365250		0.12	4.71	8.9	8.01	18	480	0.9	<2	2.80	1.3	17	22	130	4.20	0.20
B365251		2.60	0.077	<0.5	8.25	146	1640	3.2	4	2.27	<0.5	8	23	42	2.35	0.05
B365252		2.12	0.141	<0.5	7.69	54	1580	3.0	9	2.16	<0.5	7	57	34	2.23	0.04
B365253		1.72	0.093	<0.5	7.90	81	1660	3.2	3	1.54	<0.5	7	24	34	2.34	0.03
B365254		2.68	0.119	<0.5	7.86	42	1620	3.0	9	1.62	<0.5	7	49	41	2.45	0.03
B365255		2.64	0.371	<0.5	8.01	83	1640	3.1	5	2.65	<0.5	7	24	45	2.45	0.02
B365256		0.66	<0.005	<0.5	0.21	22	20	<0.5	<2	19.15	<0.5	<1	3	2	0.16	<0.01
B365257		2.78	0.064	<0.5	7.56	88	1540	3.0	7	2.49	<0.5	8	50	43	2.29	0.01
B365258		1.70	0.134	<0.5	7.84	45	1460	3.2	7	2.34	<0.5	6	23	28	2.35	0.01
B365259		2.44	0.033	<0.5	7.76	63	1530	3.1	<2	2.39	<0.5	7	52	19	2.30	<0.01
B365260		1.82	0.032	<0.5	7.67	56	1540	3.1	2	2.11	<0.5	6	21	33	2.20	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365221		3.80	0.77	166	1	1.50	23	570	25	0.24	<5	445	0.29	35	40	33
B365222		3.75	0.81	178	<1	1.61	19	640	21	0.25	<5	463	0.31	37	20	24
B365223		3.75	0.81	201	1	1.57	22	630	25	0.31	<5	448	0.31	37	20	32
B365224		3.71	0.75	232	1	1.28	22	610	38	0.22	13	400	0.28	34	20	40
B365225		3.52	0.78	202	1	1.62	23	580	15	0.14	<5	481	0.30	35	10	23
B365226		3.41	0.82	189	2	1.68	21	630	14	0.12	5	506	0.31	35	10	21
B365227		3.59	0.80	179	2	1.55	22	610	15	0.26	7	473	0.30	35	10	21
B365228		3.14	0.40	438	1	0.46	19	530	36	0.20	10	216	0.24	29	10	88
B365229																
B365230		3.36	2.94	1050	12	2.25	65	2310	25	0.30	<5	1705	0.39	160	<10	96
B365231		3.77	0.74	192	1	1.58	20	580	17	0.15	<5	476	0.28	33	20	25
B365232		3.83	0.67	175	1	1.58	19	550	16	0.12	<5	448	0.27	31	<10	24
B365233		3.89	0.76	198	1	1.35	18	580	22	0.13	<5	457	0.28	32	20	39
B365234		3.79	0.82	213	2	1.65	24	660	20	0.13	6	502	0.32	37	<10	29
B365235		4.03	0.62	287	2	1.06	23	670	54	0.45	10	352	0.31	37	20	236
B365236		0.07	11.80	167	<1	0.03	6	490	5	0.01	<5	122	0.01	3	<10	9
B365237		3.93	0.81	220	3	1.76	21	670	16	0.19	7	527	0.32	37	220	28
B365238		3.79	0.82	214	1	1.70	23	650	17	0.19	<5	514	0.31	36	10	26
B365239		3.72	0.84	194	8	1.79	22	660	12	0.19	<5	542	0.33	37	30	23
B365240		3.92	0.80	192	<1	1.70	23	630	18	0.13	<5	534	0.30	35	30	22
B365241		3.74	0.85	198	2	0.68	20	630	18	0.16	10	468	0.30	35	30	29
B365242		3.69	0.86	182	2	0.60	18	650	17	0.14	12	460	0.32	37	30	26
B365243		3.31	0.75	219	1	1.48	18	590	17	0.27	7	457	0.26	30	10	21
B365244		3.98	0.76	197	27	1.28	18	580	19	0.13	<5	449	0.26	30	10	21
B365245		3.62	0.86	286	1	1.78	23	680	23	0.08	<5	566	0.32	37	10	47
B365246		3.84	0.86	219	2	1.67	23	670	14	0.17	<5	546	0.32	37	10	27
B365247		3.92	0.85	213	2	1.44	18	630	19	0.14	<5	497	0.30	36	10	30
B365248		3.77	0.83	244	1	1.56	21	600	26	0.11	<5	487	0.30	34	10	44
B365249																
B365250		2.36	1.37	972	13	1.64	14	910	27	0.70	<5	436	0.39	149	<10	100
B365251		3.77	0.87	236	1	1.69	23	660	25	0.14	<5	514	0.33	38	20	45
B365252		3.72	0.80	204	1	1.64	22	600	15	0.16	<5	510	0.31	35	10	27
B365253		3.69	0.87	196	1	1.65	21	630	17	0.14	<5	531	0.32	35	<10	23
B365254		3.56	0.94	209	2	1.55	22	650	14	0.15	<5	530	0.32	37	30	26
B365255		3.60	0.93	239	1	1.70	22	650	18	0.22	<5	559	0.32	37	<10	24
B365256		0.05	11.35	188	<1	0.04	<1	450	5	0.02	<5	119	0.01	3	<10	8
B365257		3.65	0.89	210	1	1.52	23	620	19	0.21	<5	527	0.30	35	20	25
B365258		3.54	0.89	231	1	1.62	18	620	22	0.15	<5	517	0.30	34	10	34
B365259		3.55	0.83	310	1	1.70	21	620	35	0.09	<5	554	0.31	35	<10	62
B365260		3.88	0.84	247	4	1.48	21	580	27	0.16	8	524	0.29	32	20	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365261		1.16	0.216	1.1	7.74	174	750	3.2	15	2.97	3.5	2	53	78	1.72	0.09
B365262		1.20	0.549	0.9	7.34	868	690	3.1	10	2.40	4.6	4	22	122	2.34	0.11
B365263		1.18	6.33	3.6	6.08	>10000	120	2.4	47	1.59	4.3	49	53	88	8.75	0.01
B365264		1.00	1.735	0.5	7.49	337	1460	3.0	49	2.20	0.6	7	23	42	2.31	0.01
B365265		2.28	0.091	<0.5	7.28	48	1510	3.0	12	2.12	<0.5	6	48	42	2.27	0.01
B365266		1.96	0.391	<0.5	7.57	39	1580	2.9	11	2.17	<0.5	6	26	40	2.34	0.01
B365267		3.10	0.853	<0.5	7.23	39	1560	3.0	68	2.08	<0.5	7	53	39	2.22	<0.01
B365268		2.96	0.205	1.0	7.00	95	1120	2.8	5	3.13	0.5	7	23	74	2.11	0.01
B365269		<0.02	0.287													
B365270		0.10	0.093	<0.5	6.85	101	560	2.4	2	0.52	<0.5	52	1080	367	8.34	0.03
B365271		2.80	0.630	<0.5	7.76	92	1700	2.8	13	2.39	<0.5	7	55	65	2.23	<0.01
B365272		2.46	0.236	<0.5	7.22	91	1500	2.4	4	1.76	<0.5	6	24	50	2.06	<0.01
B365273		2.40	1.265	0.7	7.34	48	1630	2.6	33	2.70	<0.5	6	54	43	2.02	0.01
B365274		2.88	0.778	1.7	7.57	56	1100	2.7	20	2.88	1.1	6	28	57	2.19	0.03
B365275		1.60	0.166	<0.5	7.92	58	1680	2.8	5	2.30	<0.5	8	56	47	2.16	0.01
B365276		0.56	<0.005	<0.5	0.15	<5	30	<0.5	<2	19.40	<0.5	<1	3	2	0.12	<0.01
B365277		2.30	0.595	<0.5	7.52	107	1530	2.7	7	2.48	<0.5	9	54	45	2.11	0.01
B365278		3.46	0.050	0.6	7.43	52	1300	2.7	5	2.90	<0.5	5	23	43	2.23	0.01
B365279		2.70	0.136	<0.5	7.60	29	1380	3.1	2	2.34	<0.5	6	55	50	2.14	0.01
B365280		2.42	0.088	<0.5	7.38	33	1480	3.0	4	2.00	<0.5	5	24	44	2.21	<0.01
B365281		1.16	0.064	<0.5	7.97	30	1680	3.3	3	2.15	<0.5	8	24	46	2.48	0.01
B365282		1.26	0.054	<0.5	7.77	40	1700	3.1	3	2.41	<0.5	9	54	49	2.34	<0.01
B365283		2.92	0.420	<0.5	7.65	46	1530	2.8	11	2.05	<0.5	7	24	41	2.21	<0.01
B365284		3.26	0.613	<0.5	8.06	65	1750	2.5	20	2.32	<0.5	8	51	55	2.29	0.01
B365285		3.44	0.361	<0.5	7.80	40	1560	2.9	4	2.42	<0.5	8	28	56	2.43	<0.01
B365286		2.94	0.081	<0.5	7.73	39	1540	2.9	2	2.14	<0.5	7	57	55	2.18	<0.01
B365287		2.98	0.477	<0.5	7.58	78	1580	2.8	14	2.11	<0.5	7	27	48	2.12	<0.01
B365288		3.68	1.775	<0.5	7.47	101	1660	2.8	15	1.99	<0.5	8	59	47	2.22	<0.01
B365289		<0.02	1.985													
B365290		0.10	2.87	<0.5	7.21	2050	700	11.7	2	0.01	<0.5	1	133	101	3.30	0.07
B365291		3.54	0.305	<0.5	7.14	44	1460	2.9	8	2.01	<0.5	7	27	49	2.09	<0.01
B365292		2.34	0.940	<0.5	7.85	142	1630	3.0	23	2.16	<0.5	10	57	27	2.27	<0.01
B365293		3.26	0.396	<0.5	7.52	414	1600	2.4	13	1.98	<0.5	16	24	33	1.96	<0.01
B365294		3.26	0.103	<0.5	7.56	37	1500	2.8	4	2.10	<0.5	5	54	41	2.18	0.01
B365295		3.02	0.199	<0.5	7.80	76	1520	3.0	3	2.38	<0.5	10	26	40	2.40	0.01
B365296		0.54	<0.005	<0.5	0.18	6	20	<0.5	<2	18.90	<0.5	<1	5	2	0.14	<0.01
B365297		2.60	0.199	<0.5	7.58	32	1510	2.9	4	2.48	<0.5	8	26	32	2.31	<0.01
B365298		2.54	0.055	<0.5	7.95	26	1620	3.1	<2	2.44	<0.5	7	56	31	2.54	<0.01
B365299		2.46	0.583	<0.5	7.78	34	1570	2.9	3	2.11	<0.5	6	25	25	2.33	<0.01
B365300		0.54	4.48	1.0	7.17	24	1380	2.9	169	2.32	0.9	6	62	29	2.06	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365261		3.61	0.52	564	4	0.15	19	660	142	0.24	66	125	0.20	32	30	636
B365262		3.43	0.53	444	2	0.13	18	620	280	0.94	139	108	0.24	31	50	794
B365263		2.83	0.40	274	3	0.12	45	440	540	7.49	229	98	0.14	23	30	705
B365264		3.52	0.84	290	3	0.93	23	620	98	0.32	51	430	0.28	33	30	102
B365265		3.46	0.86	221	<1	1.38	21	570	26	0.20	15	517	0.28	34	10	25
B365266		3.52	0.90	178	1	1.64	21	620	19	0.22	8	542	0.30	37	20	26
B365267		3.62	0.87	181	1	1.40	21	600	19	0.23	7	507	0.29	34	20	18
B365268		3.47	0.56	348	<1	0.90	19	570	44	0.47	18	328	0.27	32	20	88
B365269																
B365270		2.05	0.57	383	8	0.12	435	340	150	0.02	18	53	0.21	82	20	565
B365271		4.11	0.80	184	<1	1.32	20	640	11	0.34	7	484	0.29	36	10	19
B365272		4.06	0.72	158	<1	1.21	16	580	14	0.34	8	407	0.27	35	20	17
B365273		4.15	0.64	194	1	1.21	20	590	52	0.28	30	442	0.27	33	20	22
B365274		3.82	0.42	351	1	0.81	20	630	109	0.42	32	248	0.29	36	30	194
B365275		4.57	0.64	197	<1	1.26	23	630	18	0.29	9	437	0.30	36	40	17
B365276		0.05	11.25	140	<1	0.02	<1	450	2	0.01	<5	112	0.01	2	<10	7
B365277		4.03	0.64	187	1	1.08	19	590	21	0.35	14	388	0.26	33	20	22
B365278		3.32	0.58	310	<1	0.96	20	620	93	0.40	12	339	0.27	32	10	40
B365279		3.59	0.77	181	<1	1.40	21	600	16	0.27	<5	478	0.30	35	10	27
B365280		3.67	0.84	156	<1	1.43	20	590	14	0.23	<5	506	0.29	34	<10	18
B365281		3.81	0.80	153	1	1.52	22	650	21	0.57	10	489	0.31	36	10	20
B365282		3.95	0.84	182	1	1.53	22	620	16	0.24	7	497	0.30	36	10	23
B365283		3.93	0.67	159	2	1.40	20	620	15	0.28	7	408	0.30	36	20	19
B365284		4.96	0.82	187	1	1.45	20	640	35	0.33	9	520	0.30	36	20	25
B365285		3.77	0.83	185	<1	1.56	22	670	14	0.32	8	487	0.32	39	20	22
B365286		4.04	0.74	139	1	1.51	23	640	18	0.32	6	445	0.31	41	30	24
B365287		4.18	0.82	117	<1	1.54	19	620	17	0.26	<5	500	0.30	36	10	17
B365288		4.43	0.91	115	1	1.42	22	650	15	0.27	<5	511	0.32	42	10	14
B365289																
B365290		3.06	0.36	67	2	0.08	10	310	29	0.02	153	143	0.23	98	10	16
B365291		4.15	0.79	122	1	1.42	20	570	16	0.30	<5	475	0.29	35	80	14
B365292		4.06	0.83	142	6	1.60	22	650	18	0.20	7	509	0.30	36	20	18
B365293		5.22	0.61	150	14	1.26	20	570	20	0.27	8	429	0.25	31	100	20
B365294		3.87	0.79	180	14	1.55	19	600	19	0.21	<5	489	0.29	34	20	26
B365295		3.94	0.77	263	1	1.44	22	630	35	0.26	9	442	0.29	36	10	37
B365296		0.05	11.20	184	<1	0.01	3	540	6	0.01	<5	113	0.01	2	<10	8
B365297		3.69	0.86	265	2	1.52	20	600	24	0.19	5	480	0.29	36	10	34
B365298		3.59	0.95	271	3	1.73	21	660	18	0.19	<5	544	0.32	39	<10	33
B365299		3.75	0.83	253	1	1.54	19	610	19	0.17	5	479	0.29	35	10	39
B365300		3.38	0.67	242	1	1.28	21	550	124	0.28	18	408	0.26	30	10	167

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365301		1.30	2.78	2.1	7.18	208	1300	2.7	77	2.28	1.8	14	24	69	2.38	0.01
B365302		1.10	7.53	2.7	6.77	218	1420	2.6	146	1.94	0.7	13	62	55	1.96	<0.01
B365303		2.12	0.335	<0.5	6.94	37	1320	2.8	5	1.95	0.5	5	29	51	2.75	0.01
B365304		3.40	0.360	<0.5	7.15	48	1440	2.6	8	2.07	0.5	6	56	40	1.94	0.01
B365305		3.58	0.284	0.5	6.99	43	1440	2.7	10	2.18	<0.5	6	25	36	2.09	0.01
B365306		1.74	0.059	0.6	6.93	37	1300	2.8	3	2.12	0.6	5	60	42	1.88	0.01
B365307		1.30	0.677	0.5	6.91	4310	1320	2.7	6	1.51	0.5	31	25	50	2.87	0.01
B365308		1.70	0.126	<0.5	7.16	40	1430	2.9	2	1.97	0.5	7	56	43	2.22	0.01
B365309		<0.02	0.076													
B365310		0.10	0.466	2.4	8.67	5	1000	1.1	2	1.39	<0.5	8	11	7110	3.06	0.02
B365311		1.74	0.055	<0.5	7.21	53	1440	2.9	<2	2.00	<0.5	6	26	33	2.15	<0.01
B365312		2.52	0.457	<0.5	6.89	47	1480	2.6	10	2.11	<0.5	7	58	45	2.14	<0.01
B365313		2.78	0.156	<0.5	7.34	33	1520	3.0	<2	2.04	<0.5	6	28	42	2.40	<0.01
B365314		2.68	0.254	<0.5	7.21	36	1470	2.9	4	2.14	<0.5	6	57	32	2.18	<0.01
B365315		2.08	0.484	<0.5	7.23	21	1460	3.0	5	2.55	<0.5	7	49	33	2.60	<0.01
B365316		0.52	<0.005	<0.5	0.24	<5	30	<0.5	2	18.15	<0.5	<1	6	2	0.15	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365301		3.74	0.60	373	2	0.83	23	540	189	0.77	46	279	0.24	32	20	263
B365302		4.03	0.46	316	2	0.83	20	540	156	0.68	46	262	0.24	32	100	132
B365303		3.57	0.64	357	1	0.93	19	600	44	0.87	29	267	0.25	32	20	112
B365304		3.79	0.58	362	<1	1.02	18	580	43	0.27	24	299	0.26	33	10	67
B365305		3.79	0.69	328	<1	1.12	18	570	44	0.25	20	360	0.27	33	10	63
B365306		3.53	0.61	341	1	1.02	17	560	21	0.17	10	337	0.27	33	20	116
B365307		3.30	0.59	281	1	1.08	31	560	34	1.01	36	272	0.23	31	20	67
B365308		3.66	0.76	201	1	1.40	20	580	25	0.22	6	424	0.28	34	20	42
B365309																
B365310		3.52	1.11	466	2	3.16	11	1830	10	0.23	<5	679	0.32	159	<10	61
B365311		3.59	0.82	204	1	1.47	18	570	20	0.15	9	463	0.27	31	50	24
B365312		3.84	0.80	166	3	1.34	19	560	14	0.26	<5	480	0.27	32	30	18
B365313		3.53	0.93	177	<1	1.56	21	610	14	0.23	<5	519	0.31	37	30	20
B365314		3.76	0.84	216	1	1.54	19	560	17	0.19	<5	511	0.29	33	20	23
B365315		3.53	1.03	254	<1	1.48	24	610	16	0.20	<5	519	0.31	43	30	32
B365316		0.08	10.90	142	<1	0.05	1	460	6	0.02	<5	111	0.01	3	<10	7

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-OCT-2005
Account: STRGOL

CERTIFICATE VA05080698

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B364621		2.82	0.093	<0.5	7.45	127	1600	2.8	2	2.25	<0.5	8	31	57	2.41	0.01
B364622		2.74	0.152	<0.5	7.50	234	1530	2.8	<2	2.32	<0.5	9	32	58	2.28	0.01
B364623		5.24	0.203	<0.5	7.32	69	1640	2.9	6	1.92	<0.5	5	28	51	2.49	0.02
B364624		5.48	0.175	<0.5	7.06	122	1380	2.7	2	1.67	<0.5	8	25	61	2.36	0.01
B364625		4.36	0.696	<0.5	6.61	145	1440	2.4	17	1.99	<0.5	7	27	48	2.00	0.01
B364626		5.52	0.256	<0.5	7.27	118	1540	2.6	2	1.37	<0.5	6	56	80	2.59	0.01
B364627		3.62	0.078	<0.5	7.09	70	1370	2.7	<2	1.85	<0.5	8	26	37	2.07	0.01
B364628		4.76	0.391	0.6	6.13	253	1660	2.3	6	1.93	1.2	7	91	66	1.88	0.04
B364629		<0.02	0.333													
B364630		0.12	1.485	<0.5	7.04	1190	700	5.8	<2	0.02	<0.5	5	218	38	3.73	0.05
B364631		5.86	0.062	<0.5	6.98	190	1520	2.7	<2	1.84	<0.5	9	27	61	2.26	0.01
B364632		4.82	0.327	0.9	6.67	128	1300	2.4	7	1.97	0.5	8	67	65	2.22	0.02
B364633		5.42	0.243	<0.5	7.42	236	1710	2.7	3	1.95	<0.5	10	33	30	2.54	0.01
B364634		2.52	0.197	<0.5	7.29	58	1540	2.7	<2	2.03	<0.5	9	63	33	2.63	0.01
B364635		2.04	0.647	<0.5	2.39	102	240	1.0	6	2.01	<0.5	5	16	29	1.81	0.01
B364636		0.70	<0.005	<0.5	0.23	9	40	<0.5	<2	19.40	<0.5	1	5	3	0.16	<0.01
B364637		4.74	0.430	<0.5	5.90	102	1180	2.3	13	2.05	<0.5	8	29	43	2.08	0.01
B364638		5.54	0.245	<0.5	7.49	64	1560	2.9	4	2.19	<0.5	9	75	48	2.46	0.01
B364639		5.02	0.303	<0.5	6.87	293	1340	2.3	4	1.75	<0.5	8	26	45	1.86	0.02
B364640		5.34	0.673	<0.5	6.07	186	1300	1.9	11	1.77	<0.5	11	70	37	1.78	<0.01
B364641		3.08	0.470	<0.5	6.30	45	1300	2.2	6	1.58	<0.5	8	27	49	1.77	0.01
B364642		2.68	0.096	<0.5	5.09	28	1070	1.8	<2	1.55	<0.5	7	30	38	1.54	<0.01
B364643		5.74	0.197	<0.5	7.11	89	1740	2.7	3	1.98	<0.5	10	29	53	2.01	0.01
B364644		5.42	0.526	<0.5	7.26	48	1620	3.0	15	1.92	<0.5	9	30	56	2.28	<0.01
B364645		5.16	0.087	<0.5	7.30	61	1480	2.9	2	1.89	<0.5	8	28	48	2.19	<0.01
B364646		4.44	0.431	<0.5	7.12	49	1600	2.8	7	2.10	<0.5	10	38	55	2.07	0.01
B364647		5.50	0.223	<0.5	7.12	78	1460	2.9	3	2.08	<0.5	8	27	46	2.22	<0.01
B364648		5.32	0.122	<0.5	7.36	35	1490	3.1	2	2.19	<0.5	8	33	60	2.21	<0.01
B364649		<0.02	0.108													
B364650		0.12	3.04	1.4	6.80	15	1940	3.0	<2	4.36	<0.5	25	135	94	4.71	0.01
B364651		4.18	0.493	<0.5	7.05	42	1520	2.9	10	1.87	<0.5	9	28	54	2.20	0.01
B364652		5.86	0.215	<0.5	7.47	41	1580	3.0	<2	2.02	<0.5	8	31	31	2.33	0.01
B364653		5.40	0.856	<0.5	7.23	33	1500	2.8	12	1.94	<0.5	8	53	38	2.19	0.01
B364654		4.70	0.940	<0.5	7.54	178	1640	2.8	36	2.00	<0.5	9	29	47	2.30	0.01
B364655		5.48	0.180	<0.5	7.33	127	1520	3.1	8	2.13	<0.5	9	51	62	2.28	0.01
B364656		0.60	<0.005	<0.5	0.21	<5	30	<0.5	<2	17.75	<0.5	1	3	2	0.13	0.01
B364657		5.34	0.509	<0.5	7.32	912	1470	3.1	17	2.27	<0.5	10	55	53	2.39	0.01
B364658		4.88	3.62	<0.5	7.33	152	1620	1.5	60	1.94	<0.5	13	31	63	2.03	0.01
B364659		5.46	1.225	<0.5	7.27	95	1520	2.5	38	1.96	<0.5	9	29	67	2.19	0.01
B364660		5.94	0.124	<0.5	7.24	36	1480	2.8	3	2.12	<0.5	7	28	38	2.21	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364621		4.05	0.81	233	3	1.32	20	630	20	0.32	8	421	0.30	40	30	23
B364622		3.99	0.77	233	3	1.34	20	620	18	0.32	8	415	0.29	39	30	25
B364623		4.01	0.85	215	13	1.18	18	610	19	0.25	8	411	0.29	37	60	28
B364624		3.75	0.70	204	3	1.18	18	580	30	0.27	11	339	0.27	36	40	34
B364625		3.69	0.59	224	7	0.84	18	510	38	0.28	16	313	0.25	32	20	54
B364626		3.79	0.61	169	<1	1.07	18	570	23	0.87	13	315	0.25	33	20	33
B364627		3.42	0.62	273	<1	1.17	17	560	28	0.25	8	361	0.26	32	30	79
B364628		3.17	0.49	291	8	0.81	18	480	128	0.37	22	290	0.21	29	40	326
B364629																
B364630		2.61	0.34	91	2	0.10	19	300	24	0.02	120	89	0.23	88	10	46
B364631		3.87	0.61	234	3	1.16	17	560	27	0.34	15	361	0.26	32	50	36
B364632		3.41	0.61	318	2	0.87	18	510	312	0.50	63	286	0.24	31	20	166
B364633		3.49	0.73	260	2	1.34	20	620	32	0.20	15	424	0.30	38	10	57
B364634		3.52	0.72	369	2	1.13	20	670	37	0.35	18	326	0.30	39	20	64
B364635		0.99	0.17	267	3	0.17	8	180	37	1.26	11	123	0.08	11	10	59
B364636		0.05	10.85	164	<1	0.04	2	490	3	0.01	<5	111	<0.01	3	<10	8
B364637		2.81	0.63	222	3	1.03	15	500	41	0.37	9	348	0.22	27	40	24
B364638		3.62	0.82	181	1	1.44	21	610	13	0.25	<5	449	0.30	38	20	22
B364639		3.71	0.60	142	1	1.23	18	540	10	0.28	7	365	0.24	30	10	18
B364640		4.11	0.59	133	3	0.93	16	480	5	0.22	<5	354	0.22	28	60	13
B364641		3.80	0.55	116	1	1.04	18	470	13	0.26	<5	361	0.26	27	90	14
B364642		3.04	0.43	112	1	0.82	9	380	7	0.19	<5	299	0.27	24	60	10
B364643		4.06	0.70	121	3	1.30	19	580	10	0.26	<5	434	0.29	33	60	14
B364644		3.48	0.75	138	<1	1.46	21	580	10	0.28	<5	457	0.28	35	20	17
B364645		3.71	0.72	138	1	1.42	21	580	13	0.25	<5	454	0.27	34	10	19
B364646		3.48	0.64	152	1	1.35	22	570	21	0.28	8	403	0.27	34	10	28
B364647		3.57	0.74	136	1	1.43	18	570	12	0.24	<5	454	0.28	34	10	18
B364648		3.75	0.76	128	5	1.57	20	580	10	0.32	<5	466	0.29	36	10	16
B364649																
B364650		3.17	2.66	987	12	2.09	61	2130	25	0.29	<5	1565	0.36	153	<10	90
B364651		3.92	0.72	120	6	1.34	17	580	12	0.32	<5	437	0.28	33	30	15
B364652		3.56	0.82	184	1	1.47	21	630	11	0.17	<5	466	0.30	38	20	30
B364653		3.71	0.66	166	<1	1.39	19	550	18	0.22	8	409	0.27	33	20	28
B364654		3.91	0.68	191	7	1.35	19	590	32	0.37	13	412	0.28	35	10	37
B364655		3.47	0.78	174	1	1.62	24	590	13	0.36	<5	488	0.30	36	10	21
B364656		0.07	10.20	136	<1	0.05	<1	460	<2	0.01	<5	104	<0.01	2	<10	7
B364657		3.38	0.81	200	3	1.67	22	610	28	0.32	<5	489	0.30	38	20	36
B364658		5.30	0.76	139	1	0.86	17	570	18	0.44	<5	403	0.28	37	60	16
B364659		4.50	0.78	140	4	1.26	18	570	17	0.38	<5	447	0.29	35	40	18
B364660		3.50	0.73	176	1	1.53	21	560	18	0.27	<5	462	0.27	34	10	23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B364661		2.10	0.049	<0.5	7.46	39	1660	3.0	2	2.33	<0.5	8	29	28	2.31	0.01
B364662		2.46	0.098	<0.5	7.51	38	1540	2.9	<2	2.29	<0.5	9	29	34	2.33	0.01
B364663		5.30	0.276	<0.5	8.20	123	1640	3.2	<2	2.41	<0.5	10	30	43	2.48	0.01
B364664		5.32	0.079	<0.5	8.04	108	1580	3.1	2	2.35	<0.5	12	29	34	2.42	<0.01
B364665		6.32	0.058	<0.5	8.25	28	1590	3.2	<2	2.37	<0.5	8	46	40	2.46	0.01
B364666		5.80	0.152	<0.5	8.42	65	1640	3.2	<2	2.53	<0.5	9	43	30	2.60	<0.01
B364667		5.96	2.15	<0.5	8.15	282	1580	3.0	10	2.38	<0.5	12	49	35	2.44	0.01
B364668		5.80	1.610	<0.5	8.23	131	1670	3.1	18	2.53	<0.5	10	28	30	2.60	0.01
B364669		<0.02	1.195													
B364670		0.12	4.52	10.2	8.70	17	520	0.9	<2	2.94	1.5	21	25	133	4.40	0.01
B364671		5.46	0.606	<0.5	8.25	101	1630	3.0	12	2.29	<0.5	11	45	76	2.61	<0.01
B364672		5.44	2.60	<0.5	7.94	109	1540	3.1	15	2.26	<0.5	10	28	55	2.52	0.01
B364673		5.64	0.737	<0.5	8.42	84	1400	3.0	12	2.98	<0.5	10	54	38	2.15	0.01
B364674		4.90	0.187	<0.5	8.52	40	1820	3.4	10	2.57	<0.5	8	28	31	2.65	0.01
B364675		2.18	0.108	<0.5	8.47	35	1690	3.2	<2	2.36	<0.5	9	54	45	2.66	0.01
B364676		0.54	<0.005	<0.5	0.17	8	30	<0.5	<2	20.8	<0.5	1	3	2	0.12	<0.01
B364677		4.04	0.227	<0.5	8.05	121	1180	3.0	6	3.77	<0.5	11	24	41	2.65	0.02
B364678		4.58	0.157	0.7	8.41	60	1610	3.1	4	2.68	<0.5	9	36	49	2.63	0.01
B364679		4.48	0.201	<0.5	8.16	156	1650	3.0	15	2.33	<0.5	13	35	45	2.56	0.01
B364680		5.04	0.232	<0.5	8.56	106	1740	3.0	5	2.37	<0.5	11	30	50	2.55	0.01
B364681		2.44	0.164	<0.5	7.92	47	1560	2.9	<2	1.94	<0.5	7	26	37	2.36	0.01
B364682		1.94	0.143	<0.5	8.04	50	1550	3.0	<2	2.39	<0.5	9	26	48	2.43	0.01
B364683		5.06	0.736	<0.5	7.32	194	1520	2.6	41	1.86	<0.5	15	27	50	2.31	0.01
B364684		5.12	0.694	<0.5	7.95	49	1600	3.2	20	2.47	<0.5	11	48	44	2.49	0.01
B364685		5.44	0.112	<0.5	8.13	48	1700	2.9	3	2.32	<0.5	10	28	45	2.44	<0.01
B364686		4.54	1.145	<0.5	7.98	81	1600	2.9	12	2.35	<0.5	12	54	45	2.45	0.03
B364687		5.02	0.119	<0.5	8.05	98	1680	2.9	3	2.65	<0.5	13	27	34	2.55	0.01
B364688		4.34	0.226	0.5	8.03	100	1680	2.8	6	2.45	<0.5	13	56	39	2.58	0.01
B364689		<0.02	0.305													
B364690		0.10	1.445	<0.5	7.37	1285	710	6.1	<2	0.02	<0.5	6	211	41	3.82	0.05
B364691		4.72	0.303	<0.5	8.44	34	1660	3.1	6	2.44	<0.5	9	33	41	2.68	0.01
B364692		5.86	0.232	<0.5	8.35	39	1660	3.3	6	2.32	<0.5	10	28	45	2.59	0.01
B364693		5.92	0.378	<0.5	7.90	35	1600	3.0	8	2.32	<0.5	10	28	56	2.59	0.01
B364694		4.32	0.051	0.7	8.02	69	1350	3.1	<2	2.80	<0.5	9	28	36	2.32	0.02
B364695		6.04	0.517	1.0	7.92	71	1340	3.0	7	2.59	12.6	10	26	52	2.53	0.16
B364696		0.60	<0.005	<0.5	0.15	<5	20	<0.5	<2	19.75	<0.5	1	7	2	0.13	0.01
B364697		4.88	0.282	<0.5	8.10	61	1680	3.0	7	2.37	<0.5	10	29	55	2.44	0.01
B364698		4.28	0.384	0.8	7.91	74	1340	3.1	10	2.56	<0.5	11	31	55	2.48	0.02
B364699		4.66	0.168	<0.5	8.26	39	1560	3.3	<2	2.35	<0.5	12	36	51	2.31	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364661		3.43	0.77	212	2	1.65	20	600	16	0.20	<5	485	0.30	37	10	31
B364662		3.44	0.76	221	3	1.60	18	590	18	0.19	<5	481	0.29	35	<10	31
B364663		3.69	0.87	232	2	1.76	23	660	11	0.26	<5	535	0.32	39	<10	36
B364664		3.61	0.83	207	1	1.71	22	610	15	0.23	<5	519	0.30	38	10	28
B364665		3.59	0.83	186	<1	1.72	24	630	7	0.21	<5	515	0.30	38	10	23
B364666		3.71	0.89	257	3	1.79	22	660	18	0.17	<5	552	0.32	39	20	45
B364667		3.66	0.82	193	<1	1.64	19	630	19	0.22	<5	507	0.30	38	10	30
B364668		3.59	0.84	215	1	1.67	24	650	18	0.18	<5	522	0.31	40	<10	31
B364669																
B364670		2.38	1.39	1035	14	1.64	20	950	23	0.73	<5	435	0.39	156	<10	103
B364671		4.08	0.86	200	1	1.63	27	630	20	0.37	<5	521	0.31	39	20	24
B364672		3.51	0.76	172	2	1.52	25	640	17	0.31	<5	444	0.30	38	20	23
B364673		3.47	0.61	324	3	1.42	19	640	38	0.30	11	374	0.30	37	10	54
B364674		3.92	0.87	272	1	1.77	21	700	26	0.21	<5	546	0.33	40	<10	42
B364675		3.92	0.82	245	14	1.69	24	640	25	0.23	<5	518	0.32	38	<10	41
B364676		0.05	11.95	179	<1	0.03	<1	480	<2	<0.01	<5	113	<0.01	2	<10	8
B364677		3.80	0.80	891	1	0.67	23	630	102	0.32	25	294	0.28	36	20	144
B364678		3.90	0.79	338	<1	1.20	28	660	81	0.33	17	397	0.31	41	20	53
B364679		4.04	0.83	190	<1	1.60	27	630	19	0.25	<5	509	0.30	38	20	26
B364680		4.37	0.86	209	2	1.67	20	670	20	0.31	<5	542	0.31	39	20	27
B364681		3.83	0.83	211	1	1.53	17	610	24	0.17	<5	473	0.29	36	20	40
B364682		3.96	0.87	219	1	1.62	20	630	19	0.21	7	511	0.30	37	20	37
B364683		3.83	0.77	167	2	1.33	25	570	20	0.29	<5	443	0.28	34	20	25
B364684		3.95	0.83	225	2	1.58	24	630	26	0.26	<5	525	0.31	37	10	35
B364685		3.97	0.88	190	1	1.58	22	660	12	0.25	<5	547	0.32	39	10	30
B364686		4.05	0.86	188	2	1.52	24	600	18	0.23	<5	520	0.30	41	20	29
B364687		3.80	0.89	245	1	1.58	22	660	15	0.20	5	553	0.31	39	10	35
B364688		3.88	0.95	250	2	1.50	25	670	17	0.21	<5	549	0.31	40	20	35
B364689																
B364690		2.80	0.35	91	2	0.11	20	320	27	0.02	119	98	0.28	95	10	48
B364691		3.61	0.94	231	1	1.74	24	670	22	0.21	<5	550	0.33	41	<10	33
B364692		3.72	0.87	226	1	1.66	20	650	20	0.26	<5	506	0.32	40	20	33
B364693		3.67	0.86	205	1	1.58	22	650	15	0.30	<5	479	0.31	39	20	25
B364694		3.77	0.68	431	1	1.08	22	660	100	0.28	8	377	0.30	40	10	170
B364695		3.73	0.78	598	2	1.12	21	610	233	0.40	53	386	0.29	37	10	1965
B364696		0.04	11.30	154	<1	0.03	6	430	3	<0.01	<5	118	<0.01	2	<10	12
B364697		4.03	0.87	175	2	1.57	19	650	18	0.29	<5	501	0.30	38	10	23
B364698		3.62	0.81	335	<1	1.08	23	620	124	0.40	12	397	0.30	38	30	71
B364699		3.81	0.81	182	2	1.64	19	780	21	0.26	<5	493	0.30	37	260	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D(i-OCT-2005
Account: STRGOL

CERTIFICATE VA05080696

Project: Dublin Gulch-1735

P.O. No.:

This report is for 41 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364700		3.34	0.053	<0.5	8.56	414	830	2.6	<2	2.93	<0.5	13	94	72	3.80	<0.01
B364701		0.66	0.139	<0.5	4.86	198	460	1.3	<2	0.82	<0.5	5	161	10	1.38	<0.01
B364702		0.78	0.061	<0.5	8.19	325	790	2.1	<2	0.34	<0.5	7	97	19	2.26	<0.01
B364703		1.90	0.038	<0.5	2.70	236	170	1.1	<2	1.39	<0.5	3	201	7	1.62	<0.01
B364704		5.00	0.059	<0.5	9.34	321	800	2.9	<2	1.18	<0.5	14	79	17	3.15	0.01
B364705		7.50	0.255	<0.5	10.85	185	1100	2.5	<2	0.83	<0.5	16	116	29	3.80	0.01
B364706		5.54	0.090	<0.5	6.62	776	550	1.8	7	2.95	<0.5	11	69	41	3.50	0.02
B364707		4.28	0.011	<0.5	4.07	212	270	0.9	<2	0.92	<0.5	5	180	12	1.83	<0.01
B364708		2.48	0.014	<0.5	7.08	104	520	1.7	<2	1.69	<0.5	8	93	10	2.87	0.01
B364709		<0.02	0.023													
B364710		0.12	0.917	2.4	7.62	20	440	0.7	<2	1.90	1.2	21	102	2030	5.02	<0.01
B364711		3.28	0.008	<0.5	5.75	60	430	1.5	<2	1.60	<0.5	6	193	10	2.37	0.01
B364712		1.32	0.006	<0.5	8.99	47	1000	2.2	<2	0.96	<0.5	13	97	9	3.30	0.01
B364713		4.24	0.007	<0.5	5.52	35	540	1.3	<2	0.63	<0.5	9	188	10	2.46	<0.01
B364714		3.02	0.022	<0.5	2.58	206	230	0.6	<2	0.67	<0.5	2	61	10	1.00	<0.01
B364715		3.36	0.006	<0.5	8.13	108	890	1.8	<2	0.67	<0.5	12	147	21	3.37	<0.01
B364716		0.54	<0.005	<0.5	0.12	<5	20	<0.5	<2	20.2	<0.5	<1	5	2	0.11	<0.01
B364717		4.68	0.010	<0.5	5.50	47	530	1.2	<2	0.77	<0.5	7	155	9	2.40	<0.01
B364718		7.02	0.170	<0.5	6.62	1595	670	2.1	7	0.93	<0.5	9	75	23	2.61	0.01
B364719		3.04	0.009	<0.5	1.73	56	200	0.5	2	0.53	<0.5	7	184	11	0.91	<0.01
B364720		4.54	0.017	<0.5	8.81	139	890	2.4	4	0.79	<0.5	9	69	40	3.02	0.01
B364721		2.06	0.023	0.5	5.06	500	450	1.3	<2	0.72	1.9	6	157	25	1.70	0.05
B364722		2.36	0.022	0.5	4.15	682	360	1.1	<2	0.61	3.7	4	34	23	1.26	0.09
B364723		2.50	0.016	<0.5	4.81	233	760	1.5	<2	1.13	<0.5	5	171	12	1.81	<0.01
B364724		2.66	0.115	<0.5	7.44	650	1370	3.0	5	1.09	<0.5	12	32	18	2.17	0.01
B364725		4.96	0.075	<0.5	7.83	516	1270	2.1	<2	1.47	<0.5	7	98	19	1.82	0.01
B364726		4.40	0.054	<0.5	4.84	806	570	1.5	<2	0.81	<0.5	6	53	10	1.48	<0.01
B364727		4.62	0.013	<0.5	6.81	104	970	2.0	<2	0.84	<0.5	9	179	10	2.05	0.12
B364728		4.28	0.051	<0.5	6.49	185	1120	1.9	<2	1.32	<0.5	4	58	20	1.59	0.01
B364729		<0.02	0.042													
B364730		0.10	0.447	2.5	8.70	5	1030	1.1	<2	1.41	<0.5	7	12	6880	3.04	0.03
B364731		3.32	0.072	<0.5	6.68	352	1460	2.5	<2	1.44	<0.5	5	98	33	2.03	0.01
B364732		2.46	0.084	<0.5	7.02	763	1360	2.9	5	2.27	<0.5	7	45	32	2.38	0.01
B364733		5.72	0.065	<0.5	7.40	541	1590	2.8	4	2.62	<0.5	7	96	35	2.19	0.01
B364734		5.62	0.113	<0.5	7.40	364	1370	2.7	7	2.90	<0.5	7	28	37	2.35	0.01
B364735		5.70	0.040	<0.5	6.72	109	1230	2.7	<2	2.87	<0.5	5	75	26	1.70	0.01
B364736		0.60	<0.005	<0.5	0.13	<5	20	<0.5	<2	18.80	<0.5	<1	3	2	0.12	<0.01
B364737		5.56	0.203	<0.5	6.37	2110	1290	2.4	26	1.84	<0.5	9	82	32	1.96	0.01
B364738		6.32	0.171	<0.5	6.88	1515	1320	2.5	4	3.13	<0.5	7	46	40	2.30	0.01
B364739		3.12	0.054	<0.5	7.10	19	1320	3.1	2	2.20	<0.5	5	88	24	2.03	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364700		2.86	0.97	292	1	0.78	39	410	16	0.31	<5	272	0.40	87	300	71
B364701		1.72	0.33	93	1	0.27	15	240	5	0.01	8	55	0.19	43	30	13
B364702		3.23	0.53	82	1	0.35	20	700	8	0.01	5	77	0.33	78	30	27
B364703		0.90	0.11	202	2	0.15	13	80	3	0.02	8	28	0.10	20	10	15
B364704		3.54	0.83	210	2	1.04	37	1690	16	0.05	<5	145	0.41	90	150	56
B364705		4.41	0.94	286	2	0.91	48	610	12	0.16	12	106	0.42	100	10	61
B364706		1.99	0.77	532	1	0.36	42	340	9	0.21	12	126	0.29	65	20	47
B364707		1.38	0.39	248	1	0.51	17	200	11	0.04	<5	68	0.17	33	10	22
B364708		2.84	0.34	307	3	0.36	25	300	11	0.02	11	82	0.31	78	30	34
B364709																
B364710		1.68	1.30	427	3	3.01	52	660	17	0.62	<5	212	0.29	87	<10	201
B364711		2.30	0.46	291	3	0.23	22	200	14	0.03	8	117	0.22	46	20	28
B364712		3.68	0.76	277	1	0.61	33	170	9	0.03	13	113	0.48	93	20	48
B364713		1.85	0.61	227	1	1.04	23	280	14	0.05	<5	82	0.32	53	10	42
B364714		0.81	0.18	137	<1	0.56	7	90	5	0.07	<5	64	0.11	18	20	9
B364715		3.66	0.82	269	2	0.92	34	190	14	0.10	<5	113	0.38	76	<10	45
B364716		0.03	11.70	150	<1	0.01	1	480	7	<0.01	<5	115	0.01	2	<10	7
B364717		2.21	0.56	253	2	0.56	24	230	9	0.04	11	85	0.23	47	20	30
B364718		2.72	0.62	190	1	0.92	28	1540	13	0.19	9	131	0.26	55	360	28
B364719		0.67	0.15	103	2	0.15	14	100	4	0.07	<5	39	0.08	16	10	10
B364720		4.05	0.75	518	2	0.27	33	210	25	0.33	20	98	0.31	81	20	44
B364721		2.10	0.36	606	3	0.05	18	130	96	0.49	18	47	0.21	40	10	374
B364722		1.89	0.30	560	1	0.04	13	110	112	0.25	21	42	0.17	32	10	704
B364723		2.37	0.48	192	6	0.17	19	150	17	0.09	5	183	0.19	37	30	22
B364724		2.97	0.67	112	3	0.64	26	730	17	0.11	6	260	0.32	42	30	20
B364725		3.74	0.65	158	6	0.35	28	780	16	0.12	10	243	0.34	44	30	19
B364726		2.00	0.36	161	5	0.16	16	230	14	0.09	10	106	0.19	34	20	14
B364727		3.07	0.51	169	4	0.31	24	200	25	0.04	9	135	0.29	55	20	27
B364728		3.02	0.47	177	3	0.66	17	480	19	0.19	11	209	0.21	29	40	19
B364729																
B364730		3.31	1.10	457	2	3.17	9	1910	12	0.22	<5	664	0.32	158	<10	56
B364731		3.36	0.62	150	3	0.91	19	580	27	0.17	11	287	0.27	33	20	32
B364732		3.28	0.67	274	1	0.61	22	640	36	0.35	12	291	0.29	35	30	44
B364733		3.43	0.72	195	3	1.04	21	640	28	0.28	13	389	0.30	36	20	27
B364734		3.40	0.78	313	2	1.05	20	660	31	0.29	9	435	0.29	35	30	32
B364735		3.40	0.56	199	1	0.89	16	480	28	0.15	<5	367	0.23	26	30	27
B364736		0.04	11.35	140	<1	0.01	2	440	2	0.02	<5	114	0.01	2	<10	7
B364737		3.41	0.81	142	4	0.77	20	470	31	0.28	5	348	0.22	27	100	21
B364738		3.45	0.95	243	3	0.99	17	570	21	0.26	<5	430	0.23	36	70	33
B364739		3.71	0.78	214	1	1.50	16	490	27	0.11	<5	417	0.25	32	20	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364740		4.00	0.029	<0.5	7.20	75	1240	3.2	<2	1.82	<0.5	6	44	35	1.96	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364740		3.61	0.69	131	3	1.52	18	510	18	0.22	<5	381	0.23	33	30	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 1-OCT-2005
Account: STRGOL

CERTIFICATE VA05080587

Project: Dublin Gulch-1735

P.O. No.:

This report is for 51 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080587

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365317		2.26	1.315	<0.5	8.10	207	1730	2.7	99	1.79	<0.5	7	32	60	2.42	0.01
B365318		6.20	0.186	<0.5	7.45	272	1450	2.9	18	1.57	<0.5	7	28	68	2.22	0.01
B365319		4.30	0.112	<0.5	7.62	269	1530	3.0	15	1.79	<0.5	7	30	80	2.28	0.01
B365320		6.04	0.091	<0.5	7.84	372	1530	3.1	9	1.81	<0.5	8	28	69	2.35	0.01
B365321		3.42	0.071	<0.5	7.47	616	1420	2.9	8	1.80	<0.5	11	28	71	2.23	0.01
B365322		2.58	0.070	<0.5	7.30	404	1470	2.9	5	1.91	<0.5	10	31	58	2.28	0.01
B365323		2.50	0.022	<0.5	8.18	213	1640	3.1	2	2.25	<0.5	7	30	53	2.48	0.01
B365324		6.64	0.138	<0.5	8.04	642	1580	3.0	16	2.09	<0.5	9	29	58	2.37	0.01
B365325		1.98	0.013	<0.5	7.52	179	1480	3.1	<2	2.07	<0.5	7	33	40	2.32	<0.01
B365326		0.94	0.014	<0.5	7.95	158	1550	3.2	<2	1.87	<0.5	6	29	41	2.30	<0.01
B365327		1.86	0.022	<0.5	8.34	244	1700	3.1	<2	1.97	<0.5	7	30	60	2.41	<0.01
B365328		3.38	0.071	<0.5	7.94	302	1580	2.9	4	1.99	<0.5	6	28	49	2.36	<0.01
B365329		0.04	0.169													
B365330		0.12	0.091	<0.5	7.09	112	580	2.7	<2	0.53	<0.5	60	1175	399	8.28	0.05
B365331		1.80	0.358	<0.5	8.02	578	1370	3.2	45	1.67	<0.5	11	26	108	2.37	0.01
B365332		2.50	0.044	<0.5	7.76	142	1560	2.9	3	1.96	<0.5	7	28	51	2.32	0.01
B365333		7.02	0.515	<0.5	7.30	234	1410	2.8	11	1.89	<0.5	8	29	48	2.12	<0.01
B365334		5.58	0.109	<0.5	8.11	174	1500	3.1	10	2.15	<0.5	6	29	51	2.40	<0.01
B365335		6.22	0.088	<0.5	7.89	162	1510	3.1	9	2.11	<0.5	7	29	54	2.31	<0.01
B365336		0.60	<0.005	<0.5	0.24	<5	20	<0.5	<2	18.95	<0.5	<1	3	4	0.19	<0.01
B365337		4.84	0.331	<0.5	7.98	236	1560	3.2	15	2.22	<0.5	9	31	59	2.35	<0.01
B365338		2.80	0.717	<0.5	7.92	205	1500	3.1	20	2.05	<0.5	8	28	63	2.24	<0.01
B365339		5.60	0.439	<0.5	7.57	251	1470	3.1	17	1.99	<0.5	6	28	63	2.19	<0.01
B365340		6.26	0.175	<0.5	7.81	312	1490	3.0	11	1.86	<0.5	8	31	74	2.31	<0.01
B365341		1.74	0.290	<0.5	7.90	241	1630	3.1	14	2.22	<0.5	9	29	60	2.48	<0.01
B365342		4.36	0.137	<0.5	7.71	335	1580	3.0	10	2.23	<0.5	9	89	45	2.32	0.02
B365343		5.26	0.171	<0.5	7.51	156	1440	2.9	18	2.00	<0.5	9	46	47	2.20	<0.01
B365344		7.02	0.373	<0.5	7.18	197	1400	2.9	27	2.02	<0.5	10	82	44	2.11	0.01
B365345		6.34	0.106	<0.5	7.93	203	1650	3.0	13	2.10	<0.5	7	45	51	2.39	0.02
B365346		5.62	0.050	<0.5	7.82	260	1540	3.1	4	2.16	<0.5	10	91	53	2.30	0.01
B365347		6.74	0.082	<0.5	8.16	206	1650	3.2	9	2.29	<0.5	11	32	54	2.47	<0.01
B365348		5.74	0.065	<0.5	8.29	353	1640	3.2	9	2.41	<0.5	10	87	47	2.44	0.02
B365349		0.04	0.092													
B365350		0.12	3.09	0.5	6.98	13	1970	3.2	<2	4.58	<0.5	23	137	100	4.79	0.02
B365351		5.22	0.103	<0.5	7.68	257	1480	3.0	3	2.04	<0.5	8	29	50	2.25	0.01
B365352		5.46	0.023	<0.5	7.86	339	1610	3.0	<2	2.23	<0.5	7	93	37	2.41	0.01
B365353		4.28	0.054	<0.5	7.97	271	1570	2.9	3	2.10	<0.5	7	46	36	2.26	0.01
B365354		5.36	0.023	<0.5	7.55	154	1470	2.9	<2	2.11	<0.5	6	55	40	2.23	0.01
B365355		6.38	0.100	<0.5	8.25	170	1620	3.1	2	2.38	<0.5	9	31	40	2.41	0.01
B365356		1.24	<0.005	<0.5	0.12	13	20	<0.5	<2	21.5	<0.5	2	5	2	0.10	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080587

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365317		4.28	0.79	209	3	1.45	21	660	30	0.02	22	438	0.32	38	40	33
B365318		4.01	0.67	155	4	1.44	18	580	25	0.01	9	399	0.28	33	10	25
B365319		3.69	0.76	157	3	1.56	20	620	12	0.01	<5	448	0.32	36	<10	24
B365320		3.70	0.73	172	2	1.50	19	620	19	0.02	9	427	0.31	35	10	29
B365321		3.71	0.72	161	2	1.53	19	580	15	0.09	<5	438	0.30	34	20	23
B365322		3.54	0.73	177	2	1.55	19	590	14	0.05	<5	445	0.31	35	10	25
B365323		3.66	0.84	206	2	1.69	19	660	12	0.02	<5	510	0.34	38	10	25
B365324		3.78	0.79	178	2	1.62	22	650	10	0.11	<5	490	0.32	37	30	24
B365325		3.56	0.75	213	2	1.63	22	620	12	<0.01	10	431	0.32	37	10	30
B365326		3.71	0.78	190	2	1.64	19	650	14	<0.01	<5	433	0.33	36	10	29
B365327		3.97	0.78	203	3	1.61	19	660	11	0.02	<5	455	0.33	38	30	32
B365328		3.74	0.76	216	2	1.64	21	650	16	0.01	5	425	0.32	36	30	28
B365329																
B365330		2.19	0.57	378	9	0.13	485	350	146	0.02	12	53	0.18	91	30	610
B365331		3.82	0.76	183	6	1.20	24	620	15	<0.01	8	309	0.31	36	40	28
B365332		3.73	0.75	177	2	1.57	20	620	12	0.02	<5	461	0.32	36	40	26
B365333		3.66	0.68	180	3	1.52	19	570	15	0.01	<5	434	0.30	34	30	29
B365334		3.62	0.75	218	2	1.68	18	610	15	0.02	<5	478	0.31	35	10	34
B365335		3.76	0.75	215	3	1.66	21	640	15	0.02	<5	475	0.33	36	30	35
B365336		0.05	11.05	160	<1	0.04	7	540	<2	0.03	<5	118	0.02	4	<10	8
B365337		3.64	0.78	208	2	1.69	22	650	13	0.02	5	492	0.34	38	10	31
B365338		3.88	0.76	165	2	1.63	20	600	12	0.04	<5	466	0.31	35	20	26
B365339		3.89	0.73	180	3	1.65	21	610	15	0.04	<5	468	0.31	35	10	26
B365340		3.80	0.73	168	3	1.60	19	610	13	0.03	<5	452	0.32	35	<10	26
B365341		3.73	0.80	214	2	1.72	21	670	13	0.02	<5	505	0.34	38	50	31
B365342		3.65	0.80	214	2	1.69	22	660	12	0.05	<5	486	0.34	38	10	31
B365343		3.69	0.70	189	2	1.61	20	590	14	0.07	<5	446	0.30	33	10	27
B365344		3.25	0.72	200	2	1.56	20	580	10	0.03	<5	443	0.31	35	<10	28
B365345		3.79	0.76	221	1	1.70	20	640	15	0.02	<5	471	0.32	36	10	31
B365346		3.69	0.77	220	2	1.68	22	640	11	0.08	<5	478	0.32	37	<10	33
B365347		4.06	0.84	231	2	1.76	22	670	13	0.09	<5	502	0.35	39	30	36
B365348		3.79	0.83	236	3	1.79	21	670	15	0.13	<5	518	0.34	37	10	31
B365349																
B365350		3.28	2.82	997	13	2.26	63	2260	23	0.30	<5	1620	0.41	159	10	91
B365351		3.68	0.72	210	2	1.63	20	610	15	0.07	<5	454	0.31	35	10	32
B365352		3.66	0.81	244	3	1.68	21	670	13	0.05	<5	477	0.35	39	10	33
B365353		3.75	0.73	232	3	1.70	18	640	11	0.02	<5	485	0.33	36	10	33
B365354		3.36	0.72	221	2	1.61	19	610	13	0.01	5	455	0.31	34	10	31
B365355		3.84	0.80	238	1	1.74	19	690	22	0.05	<5	515	0.31	37	10	36
B365356		0.04	12.05	162	<1	0.02	<1	600	4	0.01	<5	124	<0.01	1	<10	6

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080587

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365357		4.72	0.034	<0.5	8.13	255	1590	3.1	3	2.27	<0.5	9	28	48	2.30	<0.01
B365358		5.94	0.040	<0.5	8.10	224	1550	3.0	6	2.17	<0.5	9	60	40	2.29	<0.01
B365359		4.56	0.041	<0.5	8.09	244	1660	3.0	3	2.18	<0.5	9	27	43	2.41	<0.01
B365360		6.56	0.024	<0.5	8.25	282	1600	2.9	2	2.16	<0.5	10	63	46	2.40	<0.01
B365361		3.22	0.060	<0.5	7.32	202	1470	2.7	2	1.99	<0.5	8	35	35	2.21	<0.01
B365362		3.48	0.019	<0.5	7.99	183	1580	2.9	<2	2.15	<0.5	9	59	36	2.36	<0.01
B365363		5.30	0.057	<0.5	7.89	363	1580	2.9	4	1.88	<0.5	8	25	57	2.31	<0.01
B365364		5.20	0.030	<0.5	7.87	172	1580	2.9	3	2.10	<0.5	9	57	30	2.22	0.01
B365365		6.76	0.221	<0.5	8.39	332	1670	3.2	13	2.30	<0.5	11	30	46	2.43	<0.01
B365366		4.88	0.056	<0.5	8.43	217	1650	3.4	<2	2.20	<0.5	11	60	43	2.46	0.01
B365367		4.38	0.031	0.6	8.17	264	1540	3.3	<2	2.12	<0.5	8	26	45	2.23	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080587

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365357		4.03	0.80	219	<1	1.73	17	660	24	0.01	<5	512	0.31	35	<10	34
B365358		3.89	0.78	224	1	1.75	16	680	22	0.01	<5	512	0.31	36	10	35
B365359		3.78	0.81	229	<1	1.72	18	670	21	0.01	8	523	0.32	37	10	33
B365360		3.99	0.80	233	<1	1.69	21	680	20	0.02	<5	509	0.32	39	20	33
B365361		3.60	0.73	223	1	1.58	19	630	19	0.02	<5	464	0.29	34	10	33
B365362		3.80	0.79	233	<1	1.65	20	680	19	0.01	<5	491	0.32	38	10	36
B365363		4.06	0.72	195	<1	1.59	16	630	18	0.02	<5	466	0.28	35	10	30
B365364		3.55	0.75	226	<1	1.57	18	650	16	0.02	<5	467	0.29	35	10	32
B365365		4.06	0.80	237	<1	1.73	19	710	20	0.05	<5	533	0.32	38	<10	35
B365366		4.03	0.79	242	<1	1.80	20	700	24	0.02	<5	526	0.33	39	10	42
B365367		4.10	0.73	213	1	1.74	18	640	23	0.01	<5	511	0.30	35	20	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-OCT-2005
Account: STRGOL

CERTIFICATE VA05082980

Project: Dublin Gulch-1735

P.O. No.:

This report is for 133 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B364741		2.40	0.090				<0.5	7.84	56	1650	3.1	7	2.04	<0.5	11	28
B364742		2.42	0.097				<0.5	7.76	52	1560	3.2	8	2.30	<0.5	10	26
B364743		4.58	0.201				<0.5	7.96	121	1640	2.8	7	2.50	<0.5	7	25
B364744		4.42	0.666				<0.5	8.05	152	1700	3.0	15	2.26	<0.5	8	28
B364745		2.54	0.389				<0.5	8.03	2050	1420	3.0	4	1.56	<0.5	7	22
B364746		2.82	0.019				<0.5	7.50	21	1650	3.1	<2	2.51	<0.5	8	30
B364747		4.18	0.018				<0.5	7.80	26	1380	3.3	<2	2.05	<0.5	6	24
B364748		5.56	0.064				<0.5	7.71	1015	1780	3.1	<2	2.59	<0.5	10	28
B364749		0.04	0.060													
B364750		0.10	4.54				8.9	7.52	14	460	0.9	2	2.72	1.5	17	20
B364751		5.24	0.076				<0.5	7.28	169	1420	3.4	3	1.80	<0.5	7	26
B364752		5.14	1.465				1.2	7.04	1375	1080	2.7	18	2.37	<0.5	13	23
B364753		4.58	0.088				<0.5	7.45	871	1620	2.8	3	1.97	<0.5	11	26
B364754		6.20	0.137				<0.5	7.97	553	1600	2.9	<2	1.93	<0.5	8	26
B364755		5.60	0.066				<0.5	7.53	172	1520	3.0	5	2.08	<0.5	9	27
B364756		0.52	<0.005				<0.5	0.16	<5	20	<0.5	<2	19.20	<0.5	2	4
B364757		5.86	0.171				0.5	7.49	121	1530	3.1	<2	2.05	<0.5	9	29
B364758		5.88	0.058				<0.5	7.36	130	1470	2.9	<2	2.25	<0.5	8	30
B364759		5.70	0.042				<0.5	7.37	119	1610	2.7	7	2.17	<0.5	7	29
B364760		5.16	0.065				<0.5	7.33	75	1570	2.9	<2	2.57	<0.5	8	31
B364761		2.78	0.088				<0.5	7.05	43	1490	2.7	2	2.00	<0.5	8	32
B364762		2.84	0.393				<0.5	7.14	160	1570	2.7	4	2.51	<0.5	8	34
B364763		5.12	0.100				0.9	7.81	26	1470	3.8	<2	2.06	<0.5	9	33
B364764		5.58	0.050				0.7	7.38	87	1490	3.1	<2	2.26	<0.5	9	34
B364765		5.44	0.046				<0.5	7.48	283	1510	3.2	<2	2.25	<0.5	9	32
B364766		5.82	0.235				0.5	7.83	680	1600	3.0	7	2.33	<0.5	19	30
B364767		5.66	0.050	0.064			<0.5	7.79	76	1580	3.0	7	2.40	<0.5	8	30
B364768		5.24	2.06	0.120	0.096		<0.5	7.58	54	1480	3.1	<2	2.26	<0.5	9	29
B364769		0.04	0.072	0.053												
B364770		0.10	2.84	2.87			<0.5	7.85	1995	700	13.4	4	0.02	<0.5	2	144
B364771		6.50	0.076	0.100			<0.5	7.54	512	1540	2.9	2	2.46	<0.5	10	32
B364772		5.56	0.803	0.515	0.854		<0.5	7.64	373	1440	2.8	13	2.05	<0.5	11	26
B364773		5.28	0.125	0.077			<0.5	7.78	21	1540	2.9	3	2.49	<0.5	8	29
B364774		4.54	0.021				<0.5	7.83	105	1560	3.0	<2	2.51	<0.5	9	32
B364775		4.82	<0.005				<0.5	7.69	23	1580	2.8	2	2.60	<0.5	9	31
B364776		0.56	<0.005				<0.5	0.12	5	20	<0.5	<2	18.90	<0.5	1	1
B364777		4.84	0.026				<0.5	7.66	82	1500	3.0	2	2.36	<0.5	11	30
B364778		6.04	0.032				<0.5	7.73	32	1340	3.2	<2	2.20	<0.5	7	25
B364779		4.76	0.017				<0.5	7.53	45	1480	2.9	2	2.16	<0.5	9	31
B364780		4.84	0.245				<0.5	7.13	176	1300	2.6	12	2.01	<0.5	8	26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B364741		83	2.54	0.01	4.72	0.93	180	1	1.36	24	690	15	0.40	<5	453	0.31
B364742		67	2.45	0.01	4.20	0.97	177	1	1.44	21	690	18	0.30	<5	459	0.31
B364743		39	2.27	0.02	4.48	0.87	195	2	1.43	18	640	18	0.19	<5	477	0.28
B364744		40	2.40	0.02	4.06	0.87	197	2	1.58	21	670	16	0.21	<5	503	0.31
B364745		26	2.41	0.03	4.05	0.80	183	1	1.34	19	570	31	0.23	<5	373	0.25
B364746		28	2.51	0.01	3.37	0.89	269	2	1.65	22	700	12	0.18	<5	524	0.33
B364747		26	2.11	0.01	3.84	0.72	164	1	1.60	15	570	20	0.16	<5	441	0.26
B364748		46	2.56	0.02	3.68	0.89	242	<1	1.58	23	720	11	0.31	<5	512	0.33
B364749																
B364750		122	4.03	0.01	2.23	1.34	929	14	1.60	12	910	21	0.66	<5	408	0.37
B364751		76	2.19	0.02	3.58	0.74	124	2	1.48	19	620	10	0.39	<5	390	0.28
B364752		30	1.98	0.02	3.16	0.50	233	2	1.08	18	620	37	0.26	10	280	0.26
B364753		43	2.36	0.02	3.69	0.73	194	3	1.36	21	650	15	0.26	6	410	0.29
B364754		36	2.26	0.03	4.05	0.76	163	1	1.47	17	610	23	0.20	8	414	0.28
B364755		62	2.25	0.01	3.78	0.80	160	5	1.55	18	630	16	0.24	<5	460	0.29
B364756		2	0.14	<0.01	0.04	10.90	138	<1	0.02	1	500	2	0.01	<5	116	<0.01
B364757		54	2.26	<0.01	3.93	0.78	154	1	1.48	20	600	15	0.28	<5	466	0.28
B364758		31	2.22	<0.01	3.64	0.75	188	<1	1.62	16	600	22	0.16	<5	481	0.28
B364759		38	2.35	0.01	4.00	0.84	206	<1	1.42	17	620	19	0.19	<5	458	0.28
B364760		33	2.48	0.02	3.29	0.91	276	2	1.52	17	670	21	0.16	<5	497	0.30
B364761		51	2.19	0.01	3.83	0.86	182	2	1.33	15	610	16	0.24	<5	451	0.27
B364762		45	2.21	0.01	4.34	0.88	209	5	1.28	15	620	15	0.23	<5	467	0.30
B364763		76	2.15	0.01	4.43	0.89	152	1	1.44	18	620	14	0.35	<5	468	0.28
B364764		43	2.42	0.01	3.36	0.86	251	2	1.53	17	620	19	0.23	<5	499	0.29
B364765		34	2.45	0.01	3.21	0.86	257	1	1.56	18	600	20	0.19	<5	502	0.30
B364766		63	3.22	0.01	3.25	0.85	196	7	1.58	24	640	17	0.83	<5	507	0.31
B364767		26	2.46	0.01	3.50	0.87	206	1	1.68	22	660	18	0.16	<5	498	0.32
B364768		29	2.39	0.01	3.24	0.88	219	1	1.65	21	640	19	0.16	<5	478	0.31
B364769																
B364770		102	3.35	0.08	3.21	0.37	68	1	0.09	11	310	30	0.02	152	142	0.26
B364771		21	2.39	0.01	3.36	0.85	268	1	1.73	21	620	16	0.16	<5	507	0.31
B364772		18	2.21	0.01	3.95	0.78	205	1	1.50	18	590	18	0.12	<5	425	0.28
B364773		28	2.35	0.03	3.91	0.87	254	1	1.64	21	630	20	0.15	<5	490	0.31
B364774		16	2.49	0.02	3.26	0.89	312	<1	1.74	22	660	20	0.09	<5	519	0.32
B364775		10	2.51	0.03	3.27	0.93	325	1	1.60	21	670	19	0.05	<5	494	0.33
B364776		1	0.11	<0.01	0.04	11.25	198	<1	0.02	5	490	<2	0.01	<5	101	0.01
B364777		31	2.48	0.02	3.24	0.85	271	1	1.70	20	640	15	0.08	<5	488	0.31
B364778		24	2.26	0.02	3.57	0.77	220	1	1.62	19	570	22	0.12	<5	436	0.28
B364779		34	2.41	0.02	3.44	0.80	215	1	1.50	25	630	18	0.15	<5	452	0.31
B364780		29	2.09	0.01	3.31	0.65	186	5	1.41	18	550	19	0.16	<5	409	0.26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method Analyte Units LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364741		42	40	25
B364742		40	40	23
B364743		37	20	24
B364744		47	30	28
B364745		32	10	32
B364746		41	10	42
B364747		33	10	24
B364748		43	50	35
B364749				
B364750		147	<10	96
B364751		35	40	14
B364752		34	140	35
B364753		37	10	30
B364754		36	20	25
B364755		37	40	25
B364756		2	<10	7
B364757		35	100	23
B364758		34	20	29
B364759		38	30	27
B364760		41	20	37
B364761		38	20	23
B364762		40	60	25
B364763		39	20	15
B364764		41	20	36
B364765		39	<10	41
B364766		37	10	26
B364767		37	10	30
B364768		37	20	30
B364769				
B364770		99	20	17
B364771		38	10	40
B364772		34	10	34
B364773		38	30	38
B364774		41	10	54
B364775		41	10	51
B364776		2	<10	7
B364777		39	10	41
B364778		33	20	37
B364779		37	10	32
B364780		29	100	32

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B364781		0.92	0.204				<0.5	7.58	1405	1410	2.8	13	2.04	<0.5	13	28
B364782		0.58	0.164				<0.5	5.62	712	1030	2.1	30	1.51	<0.5	11	23
B364783		3.44	0.313				<0.5	6.92	95	1070	2.8	5	1.90	<0.5	8	26
B364784		5.46	0.049				<0.5	7.54	203	1350	2.9	5	2.25	<0.5	8	30
B364785		6.44	0.239				<0.5	7.74	120	1420	3.0	13	2.27	<0.5	9	28
B364786		4.14	0.049	0.056			<0.5	7.79	135	1260	3.1	5	2.51	<0.5	8	25
B364787		4.82	0.235	0.197			<0.5	7.66	431	1420	2.8	12	2.07	<0.5	8	26
B364788		6.04	0.219	0.280			<0.5	7.52	168	1460	3.0	10	2.22	<0.5	8	28
B364789		0.04	1.120	4.42	0.254											
B364790		0.10	2.97	3.03			0.6	7.35	12	2020	3.3	3	4.68	<0.5	25	136
B364791		5.56	0.172	0.145			<0.5	8.05	259	1540	2.9	6	2.04	<0.5	9	29
B364792		4.98	0.075	0.073			<0.5	8.10	40	1480	3.0	4	2.11	<0.5	8	31
B364793		5.48	0.035	0.035			<0.5	8.16	32	1540	3.1	3	2.37	<0.5	8	31
B364794		6.18	0.067				<0.5	7.27	45	1590	2.9	3	2.38	<0.5	7	32
B364795		5.58	1.495				<0.5	7.65	1005	1520	3.0	15	2.20	<0.5	14	29
B364796		0.56	<0.005				<0.5	0.14	8	20	<0.5	3	19.00	<0.5	<1	2
B364797		4.38	0.043				<0.5	7.52	83	1500	2.9	2	2.43	<0.5	5	29
B364798		5.12	0.036				<0.5	7.89	36	1600	3.2	4	2.50	<0.5	9	32
B364799		5.86	0.185				<0.5	7.96	44	1600	3.1	3	2.67	<0.5	8	31
B364800		6.22	0.019				<0.5	7.65	110	1540	3.2	2	2.56	<0.5	7	30
B364801		2.72	0.200				<0.5	7.36	57	1480	2.9	4	2.20	<0.5	7	26
B364802		2.96	0.338				<0.5	7.83	80	1830	3.1	4	2.39	<0.5	9	29
B364803		2.78	1.320				<0.5	7.11	1055	1430	3.0	20	1.79	<0.5	11	28
B364804		3.08	2.50				<0.5	7.33	827	1560	2.8	43	2.12	<0.5	13	29
B364805		4.92	2.19				<0.5	7.19	77	1340	2.7	23	1.95	<0.5	7	28
B364806		1.24	5.89				<0.5	2.35	106	540	0.8	60	2.99	<0.5	2	16
B364807		1.80	2.59				<0.5	5.96	138	1310	1.5	36	2.22	<0.5	5	26
B364808		2.42	>10.0			19.30	1.4	4.32	186	800	1.7	306	2.10	<0.5	9	21
B364809		0.04	>10.0			13.05										
B364810		0.10	0.427				2.5	9.06	14	1090	1.2	<2	1.52	<0.5	8	6
B364811		2.14	3.19				<0.5	7.31	76	1490	2.8	84	1.97	<0.5	8	28
B364812		2.66	8.96				<0.5	6.36	158	1330	2.4	124	1.76	<0.5	7	43
B364813		2.46	0.164				<0.5	3.66	68	830	1.1	11	1.02	<0.5	2	24
B364814		3.70	0.172				<0.5	7.67	98	1490	3.0	2	2.28	<0.5	7	45
B364815		6.10	0.134				<0.5	7.82	27	1600	2.9	2	2.48	<0.5	7	32
B364816		0.60	<0.005				<0.5	0.09	12	10	<0.5	<2	19.50	<0.5	<1	7
B364817		5.14	0.124				<0.5	7.76	38	1610	2.9	<2	2.52	<0.5	8	31
B364818		5.46	0.308				<0.5	7.37	89	1540	2.6	7	2.25	<0.5	8	94
B364819		2.00	0.307				<0.5	7.36	94	1680	2.6	4	2.67	<0.5	11	30
B364820		3.70	0.024				<0.5	7.75	23	1610	2.9	<2	2.47	<0.5	7	90

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B364781		47	2.35	0.01	3.41	0.77	159	5	1.60	19	610	14	0.30	<5	454	0.29
B364782		60	1.92	0.01	2.63	0.57	117	18	1.07	17	430	11	0.32	<5	317	0.21
B364783		44	2.07	<0.01	3.49	0.56	177	3	1.44	15	440	28	0.31	<5	365	0.22
B364784		37	2.22	0.01	3.47	0.75	174	1	1.63	20	590	19	0.20	<5	455	0.29
B364785		51	2.21	0.01	3.58	0.69	226	5	1.51	20	590	27	0.24	9	428	0.28
B364786		38	2.03	0.01	3.57	0.63	316	1	1.12	21	580	26	0.28	10	365	0.28
B364787		55	2.25	0.02	4.01	0.75	175	1	1.40	20	590	15	0.31	<5	444	0.29
B364788		39	2.24	0.02	3.55	0.78	212	4	1.67	20	600	17	0.26	<5	480	0.30
B364789																
B364790		102	5.00	0.02	3.38	2.92	1040	12	2.34	67	2300	33	0.30	5	1650	0.38
B364791		74	2.47	0.02	4.07	0.82	186	2	1.63	22	620	15	0.39	<5	472	0.30
B364792		45	2.37	0.02	3.87	0.77	206	<1	1.57	22	620	21	0.25	9	429	0.30
B364793		34	2.39	0.01	3.87	0.81	210	1	1.77	24	630	22	0.19	<5	506	0.31
B364794		30	2.32	0.01	3.51	0.80	229	<1	1.64	24	600	19	0.17	<5	486	0.30
B364795		38	2.42	0.01	3.71	0.79	237	1	1.56	19	600	21	0.26	<5	474	0.28
B364796		1	0.10	<0.01	0.04	10.65	167	<1	0.02	4	590	<2	0.02	<5	103	0.01
B364797		28	2.35	0.01	3.54	0.79	289	<1	1.73	23	610	32	0.14	<5	495	0.29
B364798		27	2.47	0.01	3.56	0.85	264	1	1.78	21	630	18	0.18	<5	515	0.31
B364799		28	2.44	0.01	3.70	0.83	293	<1	1.72	22	640	24	0.12	<5	519	0.30
B364800		17	2.43	0.01	3.70	0.80	267	2	1.79	19	630	21	0.15	<5	514	0.30
B364801		18	2.22	0.01	3.37	0.71	269	<1	1.59	19	600	22	0.09	<5	457	0.27
B364802		25	2.40	0.01	3.74	0.76	283	<1	1.69	22	640	24	0.13	7	493	0.29
B364803		91	2.41	0.01	3.75	0.66	128	<1	1.43	16	560	12	0.55	<5	407	0.26
B364804		79	2.33	0.01	4.22	0.69	130	2	1.42	18	610	14	0.44	<5	441	0.27
B364805		36	2.09	0.01	3.39	0.67	178	1	1.14	18	570	25	0.25	13	322	0.27
B364806		22	0.91	<0.01	1.39	0.16	211	128	0.29	2	200	26	0.32	8	107	0.07
B364807		65	1.68	0.01	3.69	0.48	189	7	0.74	14	460	8	0.39	14	272	0.21
B364808		88	1.88	<0.01	2.17	0.46	160	14	0.51	15	350	63	0.59	39	219	0.15
B364809																
B364810		7340	3.28	0.02	3.76	1.16	490	2	3.41	9	2010	6	0.24	<5	695	0.34
B364811		98	2.48	<0.01	3.67	0.73	165	3	1.44	23	620	18	0.44	<5	424	0.26
B364812		70	2.18	<0.01	3.37	0.61	159	2	1.22	18	490	17	0.45	5	360	0.23
B364813		39	1.18	<0.01	2.48	0.24	73	2	0.57	7	280	2	0.34	<5	186	0.12
B364814		54	2.23	<0.01	3.86	0.77	162	<1	1.72	20	610	9	0.30	<5	469	0.28
B364815		34	2.50	0.01	3.72	0.83	263	1	1.73	20	660	18	0.24	7	493	0.30
B364816		1	0.09	<0.01	0.03	11.20	135	<1	0.01	<1	440	<2	0.02	<5	100	<0.01
B364817		25	2.48	<0.01	3.69	0.87	277	<1	1.77	19	640	18	0.15	<5	511	0.31
B364818		52	2.21	<0.01	3.78	0.79	186	1	1.52	22	600	10	0.30	<5	448	0.28
B364819		71	2.42	0.01	3.93	0.81	183	1	1.46	23	660	14	0.33	<5	477	0.30
B364820		45	2.40	<0.01	3.51	0.82	189	<1	1.69	21	690	14	0.27	<5	472	0.30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	V	W	Zn
	Units	ppm	ppm	ppm
	LOR	1	10	2
B364781		35	130	24
B364782		25	110	16
B364783		25	80	33
B364784		33	20	24
B364785		33	80	34
B364786		32	10	44
B364787		33	60	24
B364788		34	20	29
B364789				
B364790		161	<10	94
B364791		35	90	25
B364792		36	20	34
B364793		36	20	34
B364794		37	20	38
B364795		35	30	40
B364796		2	10	7
B364797		36	20	62
B364798		38	20	39
B364799		38	10	56
B364800		39	20	38
B364801		33	10	53
B364802		36	20	58
B364803		33	10	21
B364804		33	20	18
B364805		34	20	34
B364806		9	10	8
B364807		25	20	25
B364808		20	<10	14
B364809				
B364810		178	<10	65
B364811		35	30	27
B364812		29	80	28
B364813		14	50	10
B364814		36	10	20
B364815		38	30	41
B364816		1	<10	7
B364817		38	<10	38
B364818		37	60	23
B364819		38	40	18
B364820		40	10	21

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B364821		2.74	0.189				<0.5	7.87	54	1720	2.7	5	2.48	<0.5	8	33
B364822		2.56	0.071				<0.5	7.78	22	1600	2.7	2	2.51	<0.5	7	85
B364823		4.00	0.208				<0.5	7.35	54	1640	2.5	6	2.14	<0.5	8	29
B364824		1.60	0.553				1.7	3.54	779	510	1.5	8	1.31	1.1	13	141
B364825		2.70	0.367				0.5	7.40	407	1570	2.7	6	1.56	1.1	10	29
B364826		2.08	0.182				<0.5	7.25	309	1780	2.4	2	1.91	<0.5	10	96
B364827		4.80	0.139				<0.5	7.83	102	1640	2.7	<2	2.33	<0.5	9	29
B364828		5.18	0.172				<0.5	8.04	47	1600	2.7	4	2.38	<0.5	8	98
B364829		0.04	0.235													
B364830		0.10	0.090				<0.5	6.15	97	510	2.3	<2	0.47	<0.5	53	1030
B364831		4.78	0.943				<0.5	7.57	108	1560	2.7	11	2.16	4.6	8	32
B364832		4.98	0.111				<0.5	7.76	34	1960	2.8	2	2.33	<0.5	9	86
B364833		6.36	0.245				<0.5	7.96	51	1740	2.8	3	2.44	<0.5	9	36
B364834		5.50	0.368				1.4	7.56	69	1630	2.7	20	2.46	<0.5	8	104
B364835		5.96	0.093				<0.5	7.48	45	1610	2.7	<2	2.18	<0.5	7	30
B364836		0.52	<0.005				<0.5	0.16	12	20	<0.5	<2	19.70	<0.5	<1	9
B364837		5.76	0.077				<0.5	8.07	26	1650	2.9	<2	2.42	<0.5	9	35
B364838		5.98	0.049				<0.5	8.12	27	1710	3.1	<2	2.68	<0.5	10	94
B364839		5.06	0.038				<0.5	8.11	29	1820	3.1	<2	2.76	<0.5	10	34
B364840		6.16	0.126				<0.5	8.36	12	1780	3.0	3	2.64	<0.5	9	93
B364841		2.86	0.093				<0.5	8.42	29	1820	3.0	<2	2.73	<0.5	9	36
B364842		2.90	0.063				<0.5	7.98	36	1720	2.9	3	2.63	<0.5	9	100
B364843		4.84	5.76				0.8	6.75	46	1380	2.3	75	2.37	<0.5	8	30
B364844		4.70	0.824				<0.5	7.50	67	1790	2.3	15	2.67	<0.5	12	85
B364845		3.60	0.928				<0.5	7.82	30	1680	3.0	15	2.33	<0.5	10	32
B364846		4.12	0.124				<0.5	8.01	16	1710	3.1	5	2.39	<0.5	9	100
B364847		5.02	0.861				<0.5	7.94	28	1700	2.8	13	2.22	<0.5	9	29
B364848		5.70	0.189				<0.5	7.66	32	1570	2.8	6	2.25	<0.5	7	98
B364849		0.04	0.459													
B364850		0.12	1.505				<0.5	7.12	1245	700	5.8	<2	0.01	<0.5	5	209
B364851		4.62	0.459				<0.5	7.66	25	1570	2.8	6	2.51	<0.5	7	23
B364852		5.36	0.287				<0.5	7.54	51	1460	2.8	2	2.26	<0.5	6	86
B364853		2.16	0.121				<0.5	7.88	31	1610	3.0	5	2.29	<0.5	11	31
B364854		5.18	0.421				<0.5	7.80	50	1750	2.8	5	2.19	<0.5	10	96
B364855		5.72	1.310				<0.5	7.67	28	1710	2.9	22	2.54	<0.5	7	33
B364856		0.72	<0.005				<0.5	0.18	8	20	<0.5	2	19.20	<0.5	<1	8
B364857		5.40	0.521				<0.5	7.57	46	1490	2.8	6	3.18	<0.5	8	37
B364858		3.78	0.043				<0.5	8.22	28	1840	3.2	<2	2.57	0.6	7	89
B364859		2.88	0.144				<0.5	7.42	41	1630	2.6	4	2.37	<0.5	6	25
B364860		5.00	0.418				1.3	7.48	60	1370	2.6	5	2.89	0.8	8	86

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B364821		74	2.71	<0.01	4.05	0.83	205	3	1.57	20	670	15	0.42	<5	488	0.31
B364822		44	2.43	<0.01	3.58	0.81	215	1	1.60	22	630	15	0.27	<5	471	0.29
B364823		43	2.49	0.01	3.37	0.77	213	5	1.39	22	660	23	0.26	13	447	0.28
B364824		44	1.70	0.01	1.82	0.30	328	53	0.14	13	320	109	0.89	37	84	0.13
B364825		62	2.50	0.01	3.77	0.60	202	<1	1.07	21	650	57	0.38	32	312	0.29
B364826		59	2.31	0.01	4.33	0.67	175	3	1.23	18	630	16	0.42	13	391	0.27
B364827		43	2.48	0.01	3.79	0.77	251	1	1.53	20	630	22	0.23	5	472	0.29
B364828		41	2.31	0.01	4.18	0.84	196	1	1.57	23	640	15	0.23	6	505	0.30
B364829																
B364830		340	7.29	0.03	1.92	0.50	333	6	0.11	409	290	126	0.02	8	45	0.18
B364831		58	2.59	0.09	4.00	0.72	195	1	1.32	20	630	87	0.60	19	394	0.27
B364832		47	2.53	<0.01	4.13	0.72	228	1	1.37	18	700	28	0.30	13	415	0.30
B364833		48	2.83	<0.01	3.91	0.96	231	<1	1.66	23	700	20	0.28	5	503	0.32
B364834		65	2.39	0.01	3.85	0.74	224	2	1.47	24	670	49	0.37	14	454	0.29
B364835		50	2.49	0.01	3.82	0.74	200	<1	1.46	20	640	16	0.37	<5	443	0.28
B364836		2	0.13	<0.01	0.05	10.90	224	<1	0.02	11	530	<2	0.02	<5	119	0.01
B364837		33	2.59	0.01	3.67	0.88	252	<1	1.66	23	650	15	0.20	<5	498	0.31
B364838		53	2.51	<0.01	3.89	0.93	208	<1	1.82	22	720	14	0.24	<5	553	0.33
B364839		48	2.69	<0.01	4.02	0.94	241	1	1.88	25	720	19	0.22	<5	560	0.34
B364840		42	2.59	<0.01	3.80	0.92	217	<1	1.83	24	710	20	0.24	<5	558	0.33
B364841		41	2.68	0.02	3.78	0.94	237	1	1.83	23	730	15	0.21	<5	582	0.33
B364842		42	2.55	0.01	3.63	0.91	220	1	1.78	24	700	12	0.22	<5	548	0.33
B364843		82	2.41	0.03	3.45	0.70	174	3	1.28	22	520	14	0.50	<5	429	0.25
B364844		47	2.21	0.02	4.86	0.84	218	1	1.31	17	690	13	0.19	16	486	0.31
B364845		61	2.56	0.02	3.75	0.87	201	1	1.72	21	690	28	0.32	13	520	0.32
B364846		53	2.50	0.02	3.74	0.87	199	<1	1.75	20	690	12	0.28	5	532	0.32
B364847		78	2.43	0.02	4.86	0.87	150	1	1.46	19	660	13	0.38	6	486	0.30
B364848		42	2.27	0.02	3.90	0.79	149	1	1.53	21	610	13	0.27	11	450	0.29
B364849																
B364850		40	3.77	0.06	2.78	0.35	91	2	0.11	20	320	26	0.02	114	93	0.22
B364851		34	2.22	0.01	3.98	0.72	201	1	1.26	16	580	18	0.21	8	437	0.26
B364852		37	2.12	0.01	3.65	0.72	201	<1	1.48	18	570	21	0.20	7	432	0.27
B364853		37	2.51	0.01	3.66	0.85	244	1	1.64	17	630	20	0.23	5	498	0.31
B364854		49	2.46	0.02	4.12	0.93	185	3	1.60	26	680	15	0.26	<5	513	0.32
B364855		53	2.41	0.01	3.92	0.86	180	1	1.67	21	680	15	0.26	<5	512	0.31
B364856		1	0.14	<0.01	0.04	11.10	143	<1	0.01	8	540	<2	0.03	<5	108	0.01
B364857		47	2.49	0.02	3.69	0.88	267	3	1.45	23	660	18	0.34	16	468	0.29
B364858		27	2.63	0.01	3.61	0.95	280	2	1.77	23	720	18	0.17	<5	577	0.34
B364859		41	2.34	0.02	3.82	0.83	277	2	1.42	21	610	14	0.12	13	455	0.29
B364860		29	2.38	0.02	4.10	0.56	465	<1	0.74	23	630	140	0.52	12	328	0.26

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	V	W	Zn
	Units	ppm	ppm	ppm
	LOR	1	10	2
B364821		40	130	24
B364822		38	20	29
B364823		38	40	35
B364824		17	20	205
B364825		36	20	234
B364826		36	40	29
B364827		38	20	47
B364828		38	30	31
B364829				
B364830		81	20	525
B364831		38	20	815
B364832		40	20	36
B364833		43	30	36
B364834		39	40	38
B364835		37	30	35
B364836		2	<10	7
B364837		41	30	48
B364838		42	<10	27
B364839		44	10	28
B364840		43	10	27
B364841		43	10	30
B364842		41	20	27
B364843		34	190	20
B364844		36	50	18
B364845		40	30	23
B364846		41	20	22
B364847		38	40	14
B364848		37	30	16
B364849				
B364850		93	10	46
B364851		35	20	25
B364852		35	20	29
B364853		41	30	39
B364854		43	40	24
B364855		40	40	22
B364856		2	<10	8
B364857		41	40	59
B364858		43	30	41
B364859		37	30	35
B364860		36	30	144

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B364861		2.72	0.530				1.1	7.47	124	1570	2.4	3	1.57	0.9	10	25
B364862		2.64	0.186				0.5	7.54	44	1560	2.4	<2	1.63	1.2	6	85
B364863		5.18	0.246				0.7	7.76	233	1690	2.5	2	1.41	0.9	7	27
B364864		5.76	0.371				2.0	7.39	145	1320	2.5	17	1.83	1.7	5	81
B364865		4.94	0.143				1.1	7.29	432	1320	2.4	2	2.18	1.3	5	28
B364866		2.08	0.728				2.6	1.58	297	150	0.6	4	4.24	0.5	1	134
B364867		2.46	4.64				6.4	6.92	2740	790	2.6	31	1.64	<0.5	25	26
B364868		5.46	0.053				<0.5	7.30	36	1170	2.5	<2	3.04	<0.5	8	89
B364869		0.04	0.095													
B364870		0.12	2.96				<0.5	6.75	<5	1980	3.1	<2	4.64	<0.5	23	134
B364871		5.60	0.069				<0.5	7.00	53	820	2.4	<2	2.62	<0.5	8	30
B364872		5.30	0.020				<0.5	7.86	34	1620	2.9	<2	2.56	<0.5	10	88
B364873		4.04	0.150				<0.5	7.83	27	1460	2.6	7	2.06	<0.5	8	25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01
B364861		44	2.86	0.03	4.05	0.63	364	2	1.04	17	540	141	0.66	19	282	0.24
B364862		39	2.80	0.03	3.97	0.63	372	1	1.25	18	610	90	0.56	18	304	0.25
B364863		56	2.64	0.02	4.04	0.56	324	1	1.34	18	620	78	0.83	7	290	0.21
B364864		52	2.53	0.04	3.99	0.64	417	1	0.93	19	600	165	0.73	21	240	0.23
B364865		45	2.19	0.03	4.12	0.67	522	1	0.55	16	590	83	0.45	42	244	0.25
B364866		13	1.27	0.01	0.72	0.35	375	7	0.02	6	170	52	0.57	26	119	0.04
B364867		43	2.91	0.03	3.20	0.55	258	1	0.52	16	560	192	1.38	71	254	0.23
B364868		26	1.98	0.02	3.31	0.67	329	<1	1.60	20	650	20	0.13	12	405	0.29
B364869																
B364870		92	5.03	0.01	3.29	2.88	1025	11	2.22	62	2300	25	0.29	<5	1645	0.38
B364871		22	2.18	0.01	2.85	0.82	281	1	1.60	18	610	29	0.09	13	333	0.29
B364872		20	2.53	0.01	3.41	0.73	303	1	1.45	22	710	28	0.09	9	507	0.34
B364873		27	2.21	0.01	3.70	0.85	260	1	1.45	21	640	24	0.19	11	480	0.31

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B364861		32	360	156
B364862		34	40	182
B364863		34	30	132
B364864		33	30	221
B364865		35	50	160
B364866		7	20	83
B364867		31	40	83
B364868		37	20	62
B364869				
B364870		156	10	91
B364871		35	30	67
B364872		39	20	73
B364873		34	30	44

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized [illegible]-OCT-2005
Account: STRGOL

CERTIFICATE VA05083121

Project: Dublin Gulch-1735

P.O. No.:

This report is for 52 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364874		1.62	0.415	<0.5	8.10	138	1710	3.0	23	1.98	<0.5	12	30	56	2.45	0.01
B364875		5.14	0.084	<0.5	7.92	156	1630	2.9	9	1.76	<0.5	11	97	48	2.23	<0.01
B364876		0.58	<0.005	<0.5	0.28	8	30	<0.5	<2	20.3	<0.5	1	1	6	0.19	<0.01
B364877		5.36	0.729	<0.5	7.51	116	1540	2.7	50	1.99	<0.5	8	97	40	2.12	<0.01
B364878		4.58	2.01	<0.5	8.30	216	1880	3.3	68	1.96	<0.5	12	33	64	2.42	<0.01
B364879		4.78	0.378	<0.5	7.96	100	1580	2.9	16	1.97	<0.5	9	100	44	2.25	0.01
B364880		4.90	0.238	<0.5	8.03	78	1670	2.8	19	1.74	<0.5	9	26	42	2.28	0.01
B364881		3.02	2.21	<0.5	7.13	165	1620	2.5	91	1.65	<0.5	12	106	36	2.23	<0.01
B364882		2.46	3.28	<0.5	7.42	198	1660	2.6	149	2.06	<0.5	11	25	35	2.36	<0.01
B364883		3.60	0.033	<0.5	8.13	58	1780	2.8	3	2.08	<0.5	8	90	29	2.43	<0.01
B364884		4.96	0.371	<0.5	8.11	197	1640	3.0	30	2.17	<0.5	10	27	40	2.48	<0.01
B364885		4.86	0.338	<0.5	7.74	148	1640	2.9	44	2.20	<0.5	10	95	48	2.46	<0.01
B364886		5.06	0.434	<0.5	8.03	134	1700	2.8	61	2.20	<0.5	9	27	34	2.47	<0.01
B364887		4.14	3.42	<0.5	7.73	87	1580	2.7	137	2.08	<0.5	8	102	34	2.17	<0.01
B364888		5.12	0.620	<0.5	7.73	133	1670	2.8	39	2.01	<0.5	9	28	43	2.40	<0.01
B364889		<0.02	0.760													
B364890		0.12	0.341	3.1	9.93	6	1120	1.2	<2	1.55	<0.5	9	7	7650	3.41	0.02
B364891		4.40	0.624	<0.5	7.40	95	1640	2.6	50	2.03	<0.5	8	89	36	2.19	<0.01
B364892		3.96	2.07	<0.5	7.07	182	1580	2.2	121	1.73	<0.5	8	24	37	1.97	<0.01
B364893		3.08	0.165	<0.5	7.94	199	1770	2.7	26	1.90	<0.5	9	99	39	2.37	<0.01
B364894		4.38	0.397	<0.5	8.40	84	1720	3.1	4	2.18	<0.5	7	26	37	2.54	<0.01
B364895		0.92	0.657	<0.5	8.13	150	1780	2.9	24	1.82	<0.5	9	95	39	2.27	<0.01
B364896		0.58	<0.005	<0.5	0.16	7	30	<0.5	<2	21.3	<0.5	2	1	3	0.12	<0.01
B364897		3.56	0.345	<0.5	8.36	265	1770	2.9	30	1.46	<0.5	10	95	47	2.36	<0.01
B364898		3.90	0.069	<0.5	7.88	168	1630	2.8	2	2.03	<0.5	9	24	48	2.32	0.01
B364899		4.94	0.273	<0.5	7.70	261	1570	2.8	41	1.82	<0.5	9	90	45	2.12	<0.01
B364900		4.94	0.783	<0.5	7.76	273	1610	3.0	37	1.89	<0.5	12	25	55	2.31	0.01
B364901		2.60	0.061	<0.5	7.62	165	1620	3.0	<2	1.64	<0.5	11	92	51	2.37	<0.01
B364902		2.26	0.116	<0.5	8.37	224	1740	3.3	8	1.92	<0.5	11	27	73	2.62	<0.01
B364903		4.60	0.119	1.0	8.39	484	1830	3.2	9	1.72	<0.5	17	91	99	2.81	0.01
B364904		3.58	0.218	<0.5	7.68	421	1540	3.0	8	1.91	<0.5	12	25	62	2.56	<0.01
B364905		4.12	0.062	<0.5	8.22	315	1650	3.2	2	1.90	<0.5	11	90	55	2.46	<0.01
B364906		5.10	0.803	<0.5	7.71	461	1550	3.0	34	1.57	<0.5	10	24	100	2.55	<0.01
B364907		4.32	0.367	<0.5	8.28	315	1620	3.1	21	2.00	<0.5	13	95	55	2.49	<0.01
B364908		5.74	0.154	<0.5	7.32	373	1510	2.7	7	1.33	<0.5	13	25	59	2.18	<0.01
B364909		<0.02	0.109													
B364910		0.12	4.42	9.1	7.53	19	470	0.9	<2	2.74	1.7	17	21	122	3.99	0.01
B364911		4.14	0.268	<0.5	7.25	218	1490	2.8	21	2.05	<0.5	12	87	65	2.41	<0.01
B364912		5.38	0.593	<0.5	7.51	139	1520	2.9	13	1.82	<0.5	9	28	42	2.37	<0.01
B364913		4.36	0.178	<0.5	7.42	486	1620	2.9	7	1.27	<0.5	10	94	99	2.44	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364874		3.95	0.88	172	1	1.68	21	700	15	0.02	<5	568	0.34	41	20	24
B364875		4.11	0.81	150	2	1.52	20	620	19	0.02	<5	467	0.31	39	10	19
B364876		0.08	12.15	193	<1	0.04	1	560	<2	0.03	<5	132	<0.01	3	<10	10
B364877		3.91	0.78	156	1	1.45	20	590	20	0.01	6	433	0.29	35	20	21
B364878		5.19	0.86	136	2	1.71	22	710	18	0.04	<5	493	0.34	43	30	20
B364879		4.19	0.79	180	2	1.56	19	630	18	0.03	<5	473	0.30	37	10	28
B364880		4.59	0.84	123	5	1.49	19	630	18	0.04	<5	465	0.31	40	40	20
B364881		3.83	0.77	143	3	1.34	22	640	14	0.01	<5	415	0.30	36	20	23
B364882		4.02	0.81	171	3	1.38	22	630	17	0.01	<5	449	0.31	38	20	25
B364883		4.42	0.86	171	2	1.61	21	680	17	0.01	<5	511	0.34	40	10	27
B364884		4.07	0.90	187	1	1.66	24	690	20	0.01	<5	547	0.34	39	10	29
B364885		3.72	0.87	179	1	1.56	19	660	16	0.01	5	491	0.33	39	20	27
B364886		3.82	0.87	187	1	1.62	21	680	20	0.01	<5	519	0.33	39	10	28
B364887		4.24	0.73	168	2	1.56	21	620	20	0.01	7	478	0.31	36	10	25
B364888		3.99	0.84	158	3	1.55	21	680	17	0.02	<5	495	0.32	39	20	24
B364889																
B364890		3.98	1.26	493	3	3.47	8	1990	15	0.26	<5	741	0.36	177	<10	54
B364891		4.21	0.73	167	4	1.50	23	600	16	0.02	5	472	0.30	37	20	26
B364892		4.39	0.69	124	3	1.16	21	560	16	0.01	<5	375	0.27	34	30	15
B364893		4.07	0.84	149	3	1.52	20	660	18	0.01	5	493	0.32	38	20	24
B364894		4.02	0.89	200	2	1.78	23	730	19	0.01	<5	554	0.35	40	<10	30
B364895		4.30	0.90	142	1	1.62	18	700	16	0.01	<5	512	0.34	40	10	22
B364896		0.06	12.60	165	<1	0.01	2	510	4	0.01	<5	127	<0.01	2	<10	9
B364897		4.16	0.87	136	1	1.56	24	680	21	0.01	<5	430	0.33	40	20	22
B364898		3.87	0.78	175	1	1.50	19	630	21	0.01	<5	440	0.31	36	20	26
B364899		4.27	0.71	161	2	1.41	17	590	20	0.01	<5	413	0.29	35	20	26
B364900		4.22	0.75	162	6	1.53	19	640	21	0.02	<5	453	0.31	36	20	28
B364901		3.79	0.69	153	1	1.50	21	630	17	0.01	<5	404	0.32	38	10	25
B364902		4.13	0.77	172	2	1.66	21	730	15	0.02	<5	455	0.35	42	<10	25
B364903		4.29	0.85	138	8	1.63	19	690	15	0.03	<5	479	0.34	40	10	22
B364904		3.77	0.79	200	2	1.57	18	600	16	0.02	<5	449	0.32	38	10	29
B364905		4.07	0.83	177	2	1.70	20	610	21	0.01	<5	488	0.32	38	10	28
B364906		4.12	0.74	148	3	1.47	19	620	21	0.03	<5	417	0.30	35	30	23
B364907		4.13	0.81	208	2	1.60	22	620	28	0.02	<5	458	0.31	36	20	37
B364908		4.16	0.58	163	3	1.26	19	610	18	0.01	11	293	0.30	36	20	30
B364909																
B364910		2.22	1.30	974	13	1.53	15	940	19	0.67	<5	397	0.36	146	<10	95
B364911		3.43	0.68	258	4	1.20	23	700	22	0.01	<5	322	0.30	38	20	33
B364912		3.64	0.71	213	2	1.43	19	630	21	0.03	<5	406	0.29	36	20	40
B364913		3.61	0.71	142	3	1.22	21	650	11	0.03	6	321	0.30	38	20	24

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B364914		3.86	0.076	<0.5	7.61	605	1570	3.1	5	1.65	<0.5	8	29	72	2.44	<0.01
B364915		1.26	0.040	<0.5	7.68	225	1600	3.0	2	1.94	<0.5	8	96	47	2.32	<0.01
B364916		4.22	0.683	<0.5	7.43	208	1620	3.0	27	1.91	<0.5	13	90	64	2.43	<0.01
B364917		4.90	0.459	<0.5	6.91	932	1420	2.5	33	1.51	<0.5	22	25	77	2.38	0.03
B364918		3.28	0.338	<0.5	7.01	942	1570	2.6	12	2.16	<0.5	11	95	47	2.31	0.02
B364919		2.16	0.073	<0.5	6.73	305	1540	2.5	5	2.04	<0.5	12	27	53	2.34	0.02
B364920		3.08	0.834	<0.5	7.34	534	1620	2.5	73	1.69	<0.5	17	91	66	2.51	0.02
B364921		0.70	0.197	<0.5	7.26	349	1690	2.3	14	1.47	<0.5	15	28	82	2.37	0.02
B364922		0.74	0.249	<0.5	7.60	344	1720	2.4	12	1.43	<0.5	12	86	84	2.40	0.02
B364923		5.76	0.305	<0.5	7.11	273	1350	2.7	14	1.59	<0.5	13	23	51	2.07	0.02
B364924		3.94	0.303	<0.5	7.33	215	1600	2.8	17	2.36	<0.5	10	90	53	2.26	0.01
B364925		5.46	0.044	<0.5	7.31	204	1440	2.9	3	1.86	<0.5	9	24	35	2.21	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364914		3.52	0.79	166	2	1.42	23	680	17	0.02	5	389	0.30	40	20	32
B364915		3.82	0.78	196	3	1.55	22	710	17	0.01	<5	463	0.31	38	10	30
B364916		3.46	0.81	195	3	1.52	21	640	14	0.03	<5	459	0.30	40	20	32
B364917		3.40	0.66	152	4	1.32	18	600	18	0.06	<5	387	0.26	33	30	27
B364918		3.65	0.72	214	2	1.38	21	630	15	0.10	7	421	0.28	37	30	27
B364919		3.48	0.73	189	2	1.34	18	630	15	0.19	<5	410	0.28	37	100	24
B364920		3.71	0.77	196	3	1.23	20	660	17	0.04	5	358	0.28	36	30	34
B364921		4.51	0.85	250	3	1.02	16	630	14	0.02	<5	333	0.28	37	30	34
B364922		4.49	0.92	235	3	1.02	16	690	18	0.01	7	332	0.31	40	30	34
B364923		3.95	0.61	212	6	1.16	16	600	33	0.10	5	318	0.25	31	40	60
B364924		4.26	0.74	261	3	1.34	15	660	18	0.05	5	403	0.28	37	20	46
B364925		3.63	0.74	251	2	1.44	18	600	20	0.02	<5	390	0.27	33	30	48

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 2-OCT-2005
Account: STRGOL

CERTIFICATE VA05082694

Project: Dublin Gulch-1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B364926		4.90	0.058			<0.5	7.84	537	1420	3.1	<2	1.56	1.1	9	28	64
B364927		4.22	0.065			<0.5	7.74	232	1490	3.1	8	1.92	0.5	11	82	64
B364928		2.82	0.048			<0.5	7.71	121	1560	3.1	4	1.90	<0.5	9	32	45
B364929		<0.02	0.062													
B364930		0.10	0.088			<0.5	6.87	116	570	2.6	<2	0.49	0.5	58	1170	379
B364931		5.18	0.131			<0.5	8.09	184	1880	2.6	11	1.88	<0.5	10	73	84
B364932		4.60	0.133			<0.5	8.08	168	1750	3.0	16	1.94	<0.5	11	29	63
B364933		3.56	0.176			<0.5	7.90	209	1730	3.0	55	2.26	<0.5	12	73	59
B364934		4.24	0.229			<0.5	7.46	619	1650	2.9	23	1.96	<0.5	17	38	68
B364935		4.84	0.269			<0.5	7.49	160	1700	2.9	5	2.27	<0.5	9	76	42
B364936		0.44	<0.005			<0.5	0.15	6	20	<0.5	<2	20.6	<0.5	1	4	3
B364937		4.70	0.130			<0.5	7.31	370	1670	2.8	4	1.89	<0.5	11	75	63
B364938		3.44	0.285			<0.5	6.98	122	1610	2.5	12	1.94	<0.5	7	28	42
B364939		5.76	0.191			<0.5	7.19	144	1650	2.6	33	2.28	<0.5	8	69	34
B364940		5.82	0.472			<0.5	7.06	150	1650	2.8	6	2.17	<0.5	6	28	37
B364941		2.66	0.114			<0.5	7.36	91	1490	2.9	37	2.05	<0.5	7	75	37
B364942		2.80	0.406			<0.5	6.87	126	1380	2.7	31	1.95	<0.5	7	26	35
B364943		5.90	1.245			<0.5	6.99	140	1170	2.7	54	1.86	<0.5	7	73	26
B364944		6.18	0.054			<0.5	7.07	166	1280	3.0	10	1.79	<0.5	6	25	36
B364945		5.42	0.035			<0.5	7.10	142	1390	2.9	<2	2.14	<0.5	7	71	44
B364946		4.74	0.065			<0.5	7.49	283	1640	2.5	3	2.01	<0.5	11	32	61
B364947		4.70	0.212			<0.5	7.23	812	1570	2.5	14	1.40	<0.5	11	78	96
B364948		5.96	0.432			<0.5	6.76	563	1730	1.9	30	1.07	<0.5	15	26	210
B364949		<0.02	0.551													
B364950		0.12	0.901			2.2	7.33	7	430	0.6	<2	1.89	0.6	22	103	1985
B364951		5.32	0.493			<0.5	7.15	558	1720	2.0	32	1.34	<0.5	15	82	217
B364952		3.78	0.129			<0.5	6.87	520	1510	2.5	9	1.75	<0.5	10	28	122
B364953		5.86	0.555			<0.5	7.16	572	1880	1.8	39	1.26	<0.5	26	70	265
B364954		6.60	0.156			<0.5	6.76	702	1570	2.7	14	1.74	<0.5	14	29	96
B364955		5.40	0.507			<0.5	7.25	432	1730	2.6	39	1.84	<0.5	13	78	146
B364956		0.66	<0.005			<0.5	0.09	5	10	<0.5	<2	18.80	<0.5	<1	2	1
B364957		5.30	0.138			<0.5	7.39	171	1670	2.7	21	2.18	<0.5	10	82	91
B364958		4.96	0.340			<0.5	6.95	288	1590	2.5	25	1.79	<0.5	7	30	60
B364959		6.62	0.092			<0.5	7.04	340	1590	2.6	12	2.03	<0.5	9	74	50
B364960		2.78	0.388			1.3	6.29	877	1120	2.3	30	1.78	<0.5	14	25	54
B364961		1.82	0.466			1.9	6.05	1635	350	2.2	17	2.86	0.9	13	88	69
B364962		1.38	0.379			2.3	6.71	3470	320	2.3	19	2.86	1.2	19	23	88
B364963		3.06	0.472			1.7	6.43	4360	710	2.1	17	2.23	1.2	19	85	129
B364964		2.64	0.324			<0.5	6.42	461	1300	2.2	26	2.28	<0.5	11	29	102
B364965		6.04	0.092			<0.5	7.23	601	1530	2.7	9	2.26	<0.5	9	83	51

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B364926		2.38	0.03	3.67	0.71	302	1	1.07	18	640	60	0.05	22	307	0.29	36
B364927		2.29	0.01	3.76	0.74	239	3	1.57	21	610	25	0.08	7	442	0.29	34
B364928		2.39	0.01	3.44	0.86	260	1	1.57	20	650	24	0.02	<5	438	0.33	39
B364929																
B364930		7.91	0.04	2.07	0.56	370	7	0.12	458	330	141	0.02	13	50	0.21	87
B364931		2.36	0.01	4.59	0.82	208	6	1.37	19	660	16	0.01	13	430	0.30	36
B364932		2.33	0.01	4.01	0.82	212	2	1.49	20	660	17	0.01	7	438	0.32	38
B364933		2.38	0.01	3.62	0.88	226	2	1.39	25	680	18	0.01	9	410	0.32	39
B364934		2.46	0.01	3.65	0.85	194	3	1.44	21	670	11	0.03	5	439	0.31	40
B364935		2.63	0.01	3.51	0.88	258	3	1.61	21	710	16	0.01	5	484	0.35	42
B364936		0.14	<0.01	0.04	11.45	176	<1	0.01	<1	500	3	0.01	<5	114	0.01	2
B364937		2.52	0.01	3.68	0.79	197	3	1.41	21	670	23	0.03	<5	427	0.31	37
B364938		2.11	0.01	3.66	0.76	196	3	1.30	19	630	22	0.02	<5	367	0.30	36
B364939		2.45	0.01	3.40	0.88	264	2	1.34	20	690	15	0.01	7	372	0.34	42
B364940		2.32	0.01	3.71	0.80	230	1	1.40	17	640	21	0.01	<5	394	0.31	36
B364941		2.15	0.01	3.91	0.68	180	2	1.53	18	630	19	0.03	<5	406	0.29	35
B364942		2.04	0.01	3.69	0.65	172	2	1.42	18	580	21	0.05	<5	378	0.27	32
B364943		2.02	0.01	3.69	0.54	198	2	1.25	19	550	24	0.01	6	284	0.26	30
B364944		1.96	0.01	3.89	0.61	176	2	1.44	15	550	23	0.06	<5	360	0.26	31
B364945		2.16	0.01	3.66	0.67	189	6	1.38	18	600	26	0.04	<5	380	0.29	35
B364946		2.19	0.01	4.38	0.60	168	<1	1.21	17	620	22	0.07	<5	332	0.28	36
B364947		2.26	0.01	4.27	0.69	133	2	1.19	16	590	19	0.09	<5	347	0.28	34
B364948		2.63	0.01	5.62	0.63	120	3	0.92	12	560	17	0.05	7	335	0.26	32
B364949																
B364950		5.07	0.01	1.72	1.26	429	1	2.94	49	650	21	0.57	<5	203	0.30	90
B364951		2.81	0.01	5.71	0.69	142	4	1.03	17	590	19	0.20	<5	390	0.29	38
B364952		2.16	0.01	4.28	0.67	142	2	1.28	16	600	19	0.08	<5	402	0.29	34
B364953		2.84	0.01	5.76	0.73	112	3	0.93	18	630	17	0.44	<5	360	0.30	36
B364954		2.29	0.01	3.44	0.75	126	2	1.29	24	620	11	0.20	<5	384	0.30	35
B364955		2.60	0.01	4.08	0.83	126	2	1.39	22	670	14	0.26	5	465	0.34	44
B364956		0.08	<0.01	0.03	10.70	130	<1	0.01	5	340	<2	0.01	<5	99	<0.01	2
B364957		2.42	0.03	3.62	0.83	144	3	1.47	23	680	10	0.26	<5	460	0.33	38
B364958		2.28	0.02	3.63	0.77	161	2	1.33	18	650	16	0.07	5	392	0.31	36
B364959		2.23	0.01	3.72	0.71	183	2	1.35	21	600	16	0.09	10	380	0.28	34
B364960		1.97	0.02	3.28	0.47	208	2	0.70	15	540	37	0.08	9	203	0.24	29
B364961		1.36	0.02	2.84	0.22	353	2	0.02	20	530	60	0.30	14	68	0.25	32
B364962		1.61	0.02	2.94	0.24	364	1	0.02	18	600	61	0.42	14	75	0.27	33
B364963		2.13	0.05	2.83	0.36	304	8	0.34	18	520	43	0.45	16	148	0.21	27
B364964		2.30	0.02	3.41	0.57	199	7	1.05	17	570	14	0.46	9	333	0.26	30
B364965		2.41	0.01	3.47	0.77	201	4	1.54	23	620	20	0.28	<5	442	0.30	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	ME-ICP61	ME-ICP61
	Analyte	W	Zn
	Units	ppm	ppm
	LOR	10	2
B364926		30	207
B364927		20	91
B364928		10	62
B364929			
B364930		30	596
B364931		40	27
B364932		30	30
B364933		30	29
B364934		20	29
B364935		10	36
B364936		<10	9
B364937		10	29
B364938		20	26
B364939		30	38
B364940		60	37
B364941		20	25
B364942		20	22
B364943		20	28
B364944		30	28
B364945		30	26
B364946		20	22
B364947		20	19
B364948		30	14
B364949			
B364950		10	208
B364951		60	17
B364952		20	18
B364953		30	13
B364954		10	17
B364955		20	16
B364956		<10	7
B364957		10	18
B364958		10	22
B364959		20	23
B364960		20	82
B364961		40	161
B364962		30	181
B364963		20	234
B364964		220	64
B364965		10	29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B364966		5.84	0.133			<0.5	7.18	397	1540	2.8	11	2.20	<0.5	15	31	56
B364967		3.90	0.103	0.117		<0.5	6.95	479	1570	2.6	4	2.10	<0.5	11	71	65
B364968		5.60	0.357	0.181	0.104	<0.5	7.06	225	1460	2.7	12	2.09	<0.5	12	31	70
B364969		<0.02	0.101	0.151	0.197											
B364970		0.12	1.385			<0.5	6.62	1170	650	5.7	2	0.01	<0.5	4	198	36
B364971		6.82	0.044			<0.5	7.20	135	1470	2.6	4	2.11	<0.5	7	80	36
B364972		2.62	0.216			<0.5	6.36	182	1250	2.5	10	1.88	<0.5	8	27	36
B364973		3.42	5.99			<0.5	5.55	1270	1120	2.0	267	1.48	<0.5	21	96	82
B364974		6.26	0.327			<0.5	7.13	744	1470	2.7	25	2.26	<0.5	13	33	54
B364975		5.52	0.112			<0.5	7.04	629	1440	2.9	5	2.10	<0.5	10	90	56
B364976		0.88	<0.005			<0.5	0.09	<5	10	<0.5	<2	19.30	<0.5	<1	3	1
B364977		5.38	0.313			<0.5	7.35	352	1530	2.6	15	1.95	<0.5	10	61	81
B364978		6.10	0.063			<0.5	7.19	182	1500	2.8	6	2.05	<0.5	8	62	58
B364979		4.44	0.211			<0.5	7.23	69	1480	3.1	6	2.00	<0.5	6	27	29
B364980		4.54	0.222			<0.5	7.09	142	1590	2.5	21	1.99	<0.5	10	55	52
B364981		1.76	0.658			<0.5	6.86	679	1500	2.4	31	1.87	<0.5	17	24	66
B364982		1.56	0.781			<0.5	6.79	589	1550	2.4	36	2.16	<0.5	14	57	54
B364983		4.42	0.230			<0.5	6.82	149	1470	2.4	11	2.29	<0.5	7	22	39
B364984		4.66	0.274			0.9	6.84	736	1320	2.1	13	2.81	0.9	6	52	68
B364985		5.96	0.058			0.7	7.20	263	1350	2.5	2	2.51	1.4	4	22	41
B364986		4.58	0.346			1.2	7.58	410	1500	2.5	17	2.47	1.3	4	62	85
B364987		2.68	0.340			3.7	6.52	515	470	2.5	35	3.35	4.9	16	18	93
B364988		3.54	0.094			1.2	6.66	426	570	2.5	6	3.08	3.8	5	60	81
B364989		<0.02	0.106													
B364990		0.10	4.54			9.1	7.63	9	470	0.9	<2	2.77	1.4	16	22	115
B364991		5.44	0.133			2.5	7.38	216	620	2.7	12	3.03	6.2	5	22	70
B364992		3.26	0.059			0.7	7.53	363	620	2.8	3	2.78	2.0	5	72	31
B364993		2.06	0.047			<0.5	8.12	290	1680	2.8	4	1.92	<0.5	8	26	48
B364994		5.64	0.561			<0.5	7.54	268	1660	2.9	25	2.34	<0.5	11	70	44
B364995		5.02	0.492			1.0	7.91	438	1400	2.8	38	2.08	<0.5	9	25	73
B364996		0.66	<0.005			<0.5	0.12	6	20	<0.5	<2	19.85	<0.5	<1	3	1
B364997		5.48	0.366			<0.5	7.56	300	1560	2.9	23	2.25	<0.5	12	28	66
B364998		6.04	0.149			1.3	7.53	770	1290	2.5	13	2.57	<0.5	11	26	96
B364999		2.42	0.292			2.1	7.77	2450	870	2.7	19	2.43	0.5	11	60	326
B365000		3.48	0.134			1.8	8.32	578	1070	2.7	29	2.36	1.7	8	25	52
B365001		1.54	1.980			6.7	7.29	2770	250	2.6	38	2.01	<0.5	20	23	789
B365002		1.42	1.320			4.8	7.43	1270	310	2.1	34	2.15	<0.5	10	47	573
B365003		3.02	0.062			<0.5	7.77	241	1640	2.7	6	2.35	<0.5	10	26	66
B365004		2.74	0.363			0.8	7.61	150	1540	2.6	12	2.24	<0.5	13	58	50
B365005		2.36	0.339			1.2	7.54	764	1380	2.4	37	1.30	1.0	12	66	77

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B364966		2.55	0.01	3.44	0.78	226	2	1.52	24	620	23	0.35	<5	444	0.30	35
B364967		2.29	0.01	3.67	0.80	184	4	1.33	21	620	17	0.28	6	392	0.30	35
B364968		2.39	0.01	3.49	0.74	185	1	1.49	19	580	20	0.35	<5	428	0.28	33
B364969																
B364970		3.61	0.06	2.55	0.32	83	2	0.11	20	300	29	0.01	110	89	0.24	83
B364971		2.23	0.01	3.65	0.71	218	2	1.46	19	600	25	0.17	7	415	0.28	33
B364972		2.09	0.01	3.19	0.67	223	4	1.34	16	510	28	0.17	<5	373	0.24	30
B364973		2.62	0.01	2.78	0.56	181	8	1.09	18	430	23	0.79	13	317	0.21	24
B364974		2.53	0.01	3.37	0.77	263	3	1.47	22	600	26	0.31	5	437	0.29	34
B364975		2.36	0.01	3.54	0.74	221	2	1.48	19	570	22	0.29	7	422	0.29	33
B364976		0.09	<0.01	0.03	11.10	130	<1	0.01	4	360	<2	0.01	<5	98	<0.01	2
B364977		2.35	<0.01	4.48	0.73	189	2	1.35	18	610	18	0.43	5	412	0.28	32
B364978		2.45	0.01	3.94	0.77	226	3	1.40	21	570	20	0.33	7	412	0.29	34
B364979		2.29	0.01	3.45	0.73	243	1	1.54	19	580	27	0.15	13	402	0.28	33
B364980		2.39	0.01	3.44	0.67	264	2	1.57	17	560	19	0.29	16	382	0.28	36
B364981		2.34	0.01	3.60	0.65	251	2	1.24	21	570	25	0.20	30	329	0.27	31
B364982		2.21	0.01	3.77	0.62	284	2	1.21	18	560	31	0.18	26	336	0.27	32
B364983		2.35	0.01	3.65	0.44	455	3	1.23	20	540	29	0.20	24	271	0.25	30
B364984		2.63	0.04	3.83	0.35	663	2	0.38	17	550	89	0.67	57	141	0.22	28
B364985		2.40	0.05	4.03	0.34	653	2	0.46	20	580	76	0.48	34	148	0.26	32
B364986		2.73	0.04	4.30	0.37	773	3	0.46	20	610	103	0.59	52	144	0.27	33
B364987		2.61	0.15	2.83	0.51	1480	2	0.03	19	530	765	0.71	224	127	0.24	29
B364988		2.66	0.14	2.97	0.64	1635	20	0.03	17	550	353	0.38	121	127	0.25	31
B364989																
B364990		4.11	0.03	2.16	1.28	944	13	1.58	14	880	25	0.65	<5	393	0.37	140
B364991		2.94	0.18	3.32	0.78	1660	1	0.03	16	590	509	0.45	135	120	0.26	32
B364992		1.82	0.05	3.52	0.45	1100	<1	0.04	19	620	85	0.21	41	108	0.27	35
B364993		3.08	0.01	4.24	0.53	515	1	0.98	18	660	40	0.44	30	316	0.30	37
B364994		2.77	0.02	3.63	0.77	359	2	1.40	21	640	32	0.30	18	397	0.31	37
B364995		2.54	0.03	3.95	0.68	332	1	1.08	20	610	67	0.38	20	301	0.29	35
B364996		0.10	<0.01	0.03	11.50	139	<1	0.02	6	430	4	<0.01	<5	102	0.01	2
B364997		2.53	0.02	3.92	0.70	250	1	1.42	20	640	23	0.35	19	392	0.31	37
B364998		2.66	0.02	3.93	0.51	485	4	0.59	20	620	78	0.70	23	229	0.29	37
B364999		3.52	0.03	3.91	0.67	472	2	0.75	24	650	85	1.22	41	272	0.31	41
B365000		3.10	0.06	4.21	0.53	591	<1	0.12	22	690	316	0.53	77	122	0.29	39
B365001		4.47	0.05	3.44	0.81	312	<1	1.18	23	620	240	2.58	112	343	0.27	36
B365002		4.25	0.04	2.75	0.77	330	1	1.22	17	600	224	2.47	95	368	0.21	27
B365003		2.50	0.01	4.05	0.81	331	<1	1.34	21	660	41	0.30	7	413	0.31	37
B365004		2.72	0.01	3.59	0.82	360	1	1.36	19	600	34	0.28	10	407	0.29	35
B365005		2.56	0.03	4.45	0.66	317	1	0.70	20	600	92	0.38	27	217	0.27	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	ME-ICP61	ME-ICP61
	Analyte	W	Zn
	Units	ppm	ppm
	LOR	10	2
B364966		10	39
B364967		30	24
B364968		30	26
B364969			
B364970		10	43
B364971		40	40
B364972		70	45
B364973		20	35
B364974		30	49
B364975		30	38
B364976		<10	7
B364977		180	30
B364978		80	37
B364979		10	50
B364980		30	36
B364981		20	45
B364982		20	43
B364983		20	46
B364984		20	168
B364985		20	241
B364986		30	205
B364987		30	844
B364988		30	712
B364989			
B364990		<10	96
B364991		30	1010
B364992		20	352
B364993		20	60
B364994		20	52
B364995		20	117
B364996		<10	8
B364997		20	40
B364998		30	108
B364999		20	149
B365000		30	322
B365001		40	50
B365002		20	39
B365003		30	52
B365004		10	64
B365005		20	234

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B365006		2.44	0.532			3.6	6.50	2430	590	2.4	32	3.53	3.2	11	20	235
B365007		2.52	0.358			0.5	7.69	156	1540	2.6	36	2.03	<0.5	9	64	56
B365008		5.42	0.123			<0.5	7.24	83	1340	2.8	21	1.94	<0.5	6	20	37
B365009		<0.02	0.126													
B365010		0.10	2.91			<0.5	7.45	2140	720	12.7	3	0.01	<0.5	<1	138	99
B365011		5.72	0.067			<0.5	7.87	227	1580	3.1	10	2.32	<0.5	8	24	45
B365012		5.34	0.257			0.7	7.46	145	1350	2.6	16	2.47	0.7	9	72	56
B365013		3.02	0.833			1.4	7.20	142	1290	2.6	69	2.75	2.1	9	23	63
B365014		3.18	0.041			0.9	7.54	337	1390	2.5	6	3.32	1.4	6	65	55
B365015		5.14	0.626			0.6	6.66	277	1210	2.8	46	2.93	<0.5	11	19	77
B365016		0.56	<0.005			<0.5	0.12	8	20	<0.5	<2	19.45	<0.5	<1	5	2
B365017		1.86	0.220			<0.5	8.40	164	1670	3.7	19	2.28	<0.5	9	29	85
B365018		4.06	0.445			<0.5	8.15	356	1800	2.7	34	1.71	<0.5	10	55	97
B365019		3.94	0.033			<0.5	7.62	60	1590	3.1	3	1.58	<0.5	8	51	59
B365020		3.96	0.110			<0.5	8.13	82	1700	3.4	9	2.27	<0.5	10	24	82
B365021		2.38	0.054			<0.5	7.78	50	1560	3.3	7	2.03	<0.5	12	24	64
B365022		2.44	0.792			<0.5	7.95	47	1560	3.2	111	2.24	<0.5	11	63	79
B365023		3.02	0.027			<0.5	8.10	406	1600	3.4	2	2.31	<0.5	8	27	43
B365024		4.12	0.031			<0.5	8.34	56	1680	3.5	5	2.38	<0.5	8	59	57
B365025		5.86	0.036			<0.5	7.50	37	1460	3.1	7	2.44	<0.5	7	26	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B365006		2.41	0.06	3.15	0.39	987	<1	0.03	20	540	504	1.34	103	106	0.24	31
B365007		2.70	0.01	4.56	0.72	388	3	0.89	19	590	53	0.32	19	293	0.28	34
B365008		2.18	0.02	4.03	0.69	319	<1	1.20	16	510	59	0.22	17	326	0.25	29
B365009																
B365010		3.52	0.08	3.16	0.38	71	2	0.08	10	310	27	0.02	155	139	0.24	104
B365011		2.54	0.01	3.88	0.88	328	<1	1.50	20	620	34	0.20	6	447	0.31	37
B365012		2.39	0.01	3.86	0.64	358	<1	1.07	21	600	85	0.35	26	347	0.29	36
B365013		2.25	0.04	3.80	0.65	406	3	0.89	17	580	362	0.32	146	314	0.28	34
B365014		2.17	0.02	4.17	0.41	510	12	0.53	19	640	114	0.59	33	268	0.30	36
B365015		2.33	0.02	3.19	0.74	283	<1	1.15	18	510	28	0.37	6	466	0.25	30
B365016		0.12	<0.01	0.04	11.45	144	<1	0.01	3	490	<2	0.02	<5	104	0.01	2
B365017		2.56	0.01	3.95	0.99	220	<1	1.92	20	680	13	0.31	<5	528	0.35	41
B365018		2.42	0.01	5.31	0.91	213	3	1.34	20	660	15	0.28	6	405	0.30	39
B365019		2.29	0.01	3.85	0.92	174	<1	1.61	20	630	10	0.10	8	423	0.32	39
B365020		2.64	0.01	3.97	0.92	217	1	1.78	21	640	26	0.36	<5	476	0.33	40
B365021		2.49	0.01	3.61	0.88	197	3	1.72	21	650	12	0.24	<5	457	0.32	37
B365022		2.56	<0.01	3.77	0.90	206	3	1.74	19	650	10	0.28	<5	490	0.31	38
B365023		2.49	<0.01	3.77	0.93	236	1	1.84	24	670	11	0.22	<5	498	0.33	39
B365024		2.68	0.01	3.83	0.94	214	<1	1.89	25	720	11	0.29	<5	521	0.35	41
B365025		2.26	0.01	3.48	0.82	220	<1	1.67	21	610	12	0.22	<5	461	0.30	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	ME-ICP61	ME-ICP61
	Analyte	W	Zn
	Units	ppm	ppm
	LOR	10	2
B365006		30	530
B365007		20	82
B365008		20	99
B365009			
B365010		10	18
B365011		10	62
B365012		30	116
B365013		50	404
B365014		40	206
B365015		110	72
B365016		<10	9
B365017		20	27
B365018		20	29
B365019		20	25
B365020		30	26
B365021		10	23
B365022		10	23
B365023		10	26
B365024		30	25
B365025		10	23

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-OCT-2005
Account: STRGOL

CERTIFICATE VA05082695

Project: Dublin Gulch-1735

P.O. No.:

This report is for 102 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365026		4.42	0.026	<0.5	8.14	68	1600	3.2	5	2.39	<0.5	8	27	46	2.58	0.02
B365027		4.08	0.117	<0.5	7.54	94	1360	2.8	21	1.64	<0.5	9	22	76	2.12	0.01
B365028		4.12	0.030	<0.5	7.77	85	1610	3.3	5	2.25	<0.5	9	31	63	2.52	0.01
B365029		<0.02	0.042													
B365030		0.12	3.06	0.9	6.85	15	1960	3.1	3	4.61	<0.5	23	144	90	5.00	0.01
B365031		4.58	0.057	<0.5	7.46	92	1490	3.0	11	1.82	<0.5	8	33	71	2.37	<0.01
B365032		1.42	0.067	<0.5	7.40	88	1400	2.7	8	0.97	<0.5	7	24	53	2.16	0.13
B365033		2.32	0.513	<0.5	6.50	39	650	1.3	16	0.27	<0.5	4	5	15	0.54	<0.01
B365034		1.62	0.046	<0.5	6.61	21	670	1.5	3	0.30	<0.5	1	4	7	0.41	<0.01
B365035		2.76	0.106	<0.5	7.20	146	1320	3.2	7	1.47	<0.5	9	24	68	2.25	0.01
B365036		0.54	<0.005	<0.5	0.10	<5	10	<0.5	<2	19.40	<0.5	<1	1	<1	0.10	<0.01
B365037		4.94	1.065	<0.5	7.43	144	1540	2.9	56	2.42	<0.5	8	27	58	2.52	<0.01
B365038		5.42	0.133	0.5	6.95	84	1420	3.0	7	2.18	<0.5	11	28	68	2.42	<0.01
B365039		5.46	0.526	<0.5	7.04	31	1550	2.6	29	2.22	<0.5	7	27	53	2.18	<0.01
B365040		5.98	0.132	<0.5	6.29	32	1240	2.3	10	1.74	<0.5	7	24	48	2.03	0.01
B365041		3.44	0.037	<0.5	7.95	32	1550	2.6	5	2.50	<0.5	7	28	48	2.46	<0.01
B365042		3.56	0.121	<0.5	7.32	32	1420	2.4	6	2.34	<0.5	8	28	42	2.33	<0.01
B365043		6.54	0.110	<0.5	7.81	32	1600	2.9	3	1.98	<0.5	6	28	67	2.46	<0.01
B365044		5.54	0.166	<0.5	7.39	44	1480	3.1	25	2.17	<0.5	9	25	70	2.36	<0.01
B365045		5.46	0.343	<0.5	7.14	70	1490	2.7	30	1.90	<0.5	16	27	65	2.31	<0.01
B365046		5.54	0.075	<0.5	7.86	61	1620	3.2	11	2.19	<0.5	8	31	60	2.47	<0.01
B365047		4.10	0.064	<0.5	7.30	44	1560	2.9	6	2.03	<0.5	8	27	61	2.31	<0.01
B365048		5.24	0.390	0.5	7.80	67	1700	2.4	33	2.29	<0.5	9	26	108	2.87	0.01
B365049		<0.02	0.327													
B365050		0.12	1.440	<0.5	7.03	1230	690	5.8	5	0.01	<0.5	5	211	38	3.88	0.05
B365051		4.88	0.099	<0.5	7.80	114	1640	3.0	9	2.19	<0.5	11	30	96	2.59	<0.01
B365052		4.06	0.172	<0.5	7.30	38	1520	2.9	17	2.09	<0.5	8	27	51	2.32	<0.01
B365053		4.72	0.102	<0.5	7.39	37	1540	2.9	7	2.57	<0.5	7	24	55	2.38	<0.01
B365054		5.58	0.615	<0.5	7.46	50	1540	3.0	49	2.39	<0.5	6	24	46	2.38	<0.01
B365055		5.40	0.053	<0.5	6.77	47	1300	2.8	6	2.22	<0.5	9	21	47	1.94	0.01
B365056		0.78	<0.005	<0.5	0.10	16	20	<0.5	<2	21.1	<0.5	<1	2	<1	0.11	<0.01
B365057		5.30	0.088	<0.5	6.19	55	1220	2.3	<2	1.76	<0.5	6	17	61	1.90	<0.01
B365058		5.42	0.410	<0.5	7.30	32	1450	2.9	9	2.01	<0.5	6	23	51	2.30	0.01
B365059		2.72	0.042	<0.5	7.77	48	1550	3.4	5	2.20	<0.5	8	22	61	2.37	0.01
B365060		2.42	0.078	<0.5	7.44	15	1480	2.9	5	2.60	<0.5	11	23	100	2.26	0.01
B365061		2.32	0.117	0.6	7.65	29	1490	3.2	4	2.17	<0.5	9	26	68	2.44	<0.01
B365062		2.32	0.056	0.6	7.87	37	1580	3.3	6	2.23	<0.5	9	25	66	2.46	0.01
B365063		5.38	0.085	<0.5	7.71	37	1560	3.2	10	2.19	<0.5	11	26	65	2.54	<0.01
B365064		1.94	0.461	<0.5	7.88	18	1610	3.7	6	2.29	<0.5	9	28	80	2.50	<0.01
B365065		3.52	0.124	2.2	7.33	45	480	2.7	16	2.61	1.7	6	22	66	1.68	0.06

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365026		3.86	0.90	224	<1	1.85	21	690	16	0.25	<5	517	0.34	40	10	28
B365027		4.40	0.73	123	2	1.56	16	600	12	0.32	<5	386	0.27	31	30	16
B365028		3.75	0.88	198	<1	1.74	22	650	11	0.28	<5	485	0.33	38	10	26
B365029																
B365030		3.20	2.84	1020	12	2.27	62	2230	27	0.29	5	1570	0.37	157	<10	94
B365031		3.93	0.82	152	1	1.60	19	620	14	0.30	5	445	0.30	34	10	22
B365032		3.90	0.81	121	4	1.51	17	650	17	0.14	<5	372	0.29	33	20	21
B365033		5.84	0.13	26	<1	1.01	1	430	23	0.08	<5	206	0.04	4	<10	4
B365034		5.53	0.10	21	1	1.15	2	400	30	0.05	<5	212	0.03	2	10	3
B365035		3.47	0.82	132	<1	1.37	21	600	13	0.23	<5	436	0.30	35	30	20
B365036		0.03	11.15	121	<1	0.01	5	390	5	0.02	<5	106	<0.01	3	<10	7
B365037		3.66	0.83	178	<1	1.64	20	630	15	0.34	<5	485	0.31	37	20	22
B365038		3.52	0.81	170	<1	1.63	22	620	10	0.31	<5	442	0.31	37	30	23
B365039		3.88	0.71	147	4	1.40	18	590	12	0.32	<5	441	0.27	33	30	19
B365040		3.08	0.68	141	37	1.24	20	490	16	0.25	5	367	0.25	30	20	21
B365041		4.15	0.88	182	12	1.38	20	650	14	0.21	12	444	0.32	37	30	25
B365042		3.62	0.80	166	4	1.28	20	580	14	0.24	10	415	0.28	34	20	21
B365043		4.16	0.78	155	<1	1.55	17	600	14	0.39	11	412	0.29	37	20	23
B365044		3.90	0.77	148	<1	1.70	20	600	15	0.36	<5	464	0.30	35	20	20
B365045		3.73	0.75	131	1	1.48	21	580	17	0.38	<5	426	0.28	33	10	19
B365046		4.15	0.84	147	1	1.74	22	670	14	0.35	<5	494	0.33	39	30	20
B365047		3.93	0.79	141	<1	1.61	19	590	13	0.36	<5	467	0.30	35	20	18
B365048		5.03	0.83	155	<1	1.38	20	670	15	0.72	6	418	0.29	36	40	20
B365049																
B365050		2.67	0.36	91	1	0.11	19	310	25	0.02	114	91	0.23	90	10	46
B365051		4.49	0.84	146	<1	1.58	23	640	11	0.45	<5	491	0.31	37	30	20
B365052		3.50	0.82	170	<1	1.65	20	610	11	0.25	<5	463	0.29	35	10	20
B365053		3.61	0.85	174	<1	1.52	21	610	12	0.28	<5	483	0.30	36	30	20
B365054		3.64	0.83	166	2	1.64	18	620	14	0.26	<5	473	0.30	35	30	20
B365055		3.51	0.67	137	<1	1.44	15	530	12	0.25	5	394	0.25	29	20	16
B365056		0.03	12.30	173	<1	0.01	4	440	<2	0.01	<5	122	0.01	3	<10	8
B365057		3.29	0.68	120	5	1.12	15	480	9	0.22	<5	349	0.23	28	20	14
B365058		3.63	0.81	168	<1	1.54	18	570	13	0.27	<5	422	0.29	33	20	23
B365059		3.69	0.87	142	<1	1.58	20	620	17	0.26	<5	463	0.31	36	30	18
B365060		3.74	0.81	155	<1	1.49	21	590	9	0.32	<5	468	0.29	36	30	18
B365061		3.77	0.84	139	<1	1.74	23	620	14	0.33	<5	485	0.32	36	20	19
B365062		3.66	0.83	142	<1	1.79	21	620	14	0.34	<5	504	0.31	35	10	21
B365063		3.90	0.85	147	<1	1.71	20	620	11	0.41	<5	471	0.32	40	20	17
B365064		3.74	0.86	165	<1	1.78	20	670	10	0.37	7	502	0.34	40	<10	20
B365065		3.19	0.36	406	<1	0.19	18	620	119	0.45	35	156	0.28	34	30	359

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365066		4.68	0.042	0.5	7.56	174	1550	3.2	11	2.41	<0.5	8	25	58	2.51	0.01
B365067		3.28	0.050	0.7	7.66	85	1540	3.2	10	2.22	<0.5	10	23	46	2.43	0.01
B365068		3.60	0.152	<0.5	7.45	65	1470	3.1	12	2.21	<0.5	8	22	53	2.35	0.01
B365069		<0.02	0.130													
B365070		0.10	2.94	<0.5	7.42	2120	710	12.8	4	0.01	<0.5	1	140	100	3.49	0.07
B365071		5.34	0.430	<0.5	7.47	41	1480	3.0	11	2.32	<0.5	7	23	48	2.32	0.01
B365072		4.94	0.488	<0.5	7.42	50	1480	2.8	18	2.09	<0.5	7	21	48	2.22	0.01
B365073		4.70	0.298	<0.5	7.25	46	1540	3.0	25	2.00	<0.5	6	24	55	2.42	0.01
B365074		5.38	0.074	<0.5	7.74	44	1470	3.1	8	2.26	<0.5	7	22	39	2.34	0.01
B365075		4.04	1.130	<0.5	7.29	55	1460	2.9	15	2.47	<0.5	7	22	45	2.40	<0.01
B365076		0.64	<0.005	<0.5	0.14	6	20	<0.5	<2	20.7	<0.5	<1	1	2	0.13	<0.01
B365077		3.90	0.148	0.7	7.58	53	1380	3.1	10	2.52	<0.5	11	57	62	2.41	0.01
B365078		4.48	0.551	0.6	7.60	93	1590	3.0	20	2.28	<0.5	12	24	50	2.53	0.01
B365079		4.06	1.575	<0.5	7.53	67	1460	2.9	80	2.86	<0.5	9	53	51	2.49	0.01
B365080		5.36	0.091	<0.5	7.86	56	1580	3.2	65	2.42	<0.5	9	25	43	2.52	0.01
B365081		1.60	0.704	<0.5	7.46	55	1600	3.0	17	2.41	<0.5	10	54	34	2.42	0.01
B365082		2.10	0.694	<0.5	7.52	47	1620	3.0	35	2.60	<0.5	11	24	43	2.52	<0.01
B365083		2.76	0.053	<0.5	7.44	57	1560	3.2	16	2.28	<0.5	7	63	39	2.45	0.01
B365084		5.64	0.082	<0.5	7.64	45	1600	2.9	15	2.43	<0.5	7	23	48	2.52	0.01
B365085		6.16	0.213	<0.5	7.92	102	1600	2.9	10	2.37	<0.5	9	53	43	2.52	0.01
B365086		4.86	0.028	<0.5	7.61	43	1520	3.0	<2	2.39	<0.5	7	26	26	2.37	0.01
B365087		5.92	0.049	<0.5	7.63	34	1520	3.0	8	2.27	<0.5	6	49	39	2.33	0.01
B365088		5.30	0.368	1.0	7.80	62	1320	3.1	54	2.94	<0.5	8	28	39	2.59	0.01
B365089		<0.02	0.548													
B365090		0.10	0.447	2.7	9.82	<5	1080	1.2	5	1.58	<0.5	8	10	7330	3.47	0.02
B365091		5.42	0.145	<0.5	7.76	76	1320	3.0	8	2.89	<0.5	8	52	39	2.31	0.02
B365092		5.08	0.045	<0.5	8.34	91	1650	3.2	2	2.64	<0.5	10	51	37	2.55	0.01
B365093		5.80	0.077	<0.5	7.98	65	1660	3.2	6	2.20	<0.5	8	25	39	2.46	0.01
B365094		4.30	0.109	<0.5	7.91	41	1540	3.2	28	2.43	<0.5	9	61	42	2.52	0.01
B365095		5.46	0.076	<0.5	7.65	49	1560	2.9	8	1.86	<0.5	9	25	44	2.34	0.01
B365096		0.50	<0.005	<0.5	0.12	13	20	<0.5	<2	19.70	<0.5	<1	3	2	0.11	<0.01
B365097		5.82	0.140	1.0	7.86	260	1270	2.8	16	1.96	1.7	9	22	47	2.72	0.07
B365098		5.78	0.594	2.8	7.57	1265	750	2.6	33	2.79	2.7	10	56	74	2.95	0.09
B365099		5.66	0.024	<0.5	7.75	73	1400	2.8	2	2.12	<0.5	8	23	28	2.35	0.02
B365100		6.06	0.469	3.8	7.12	6730	210	2.5	8	2.36	4.5	25	17	63	4.39	0.10
B365101		2.50	0.017	0.9	7.80	52	1380	2.7	<2	2.65	0.5	11	53	27	2.64	0.03
B365102		2.14	0.019	0.9	7.91	58	1480	2.8	<2	2.91	0.5	12	25	28	2.90	0.03
B365103		6.74	0.240	4.3	7.68	368	450	2.7	56	2.47	1.7	11	54	90	4.44	0.08
B365104		5.28	0.057	<0.5	6.94	72	1480	2.8	9	1.98	<0.5	10	27	40	2.28	0.02
B365105		5.64	0.058	<0.5	7.41	46	1660	2.7	4	2.06	<0.5	9	54	37	2.37	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365066		3.90	0.92	232	<1	1.55	21	630	15	0.25	6	471	0.32	39	20	24
B365067		3.82	0.92	214	<1	1.52	20	620	20	0.22	9	475	0.32	37	10	31
B365068		3.91	0.91	172	2	1.40	19	620	13	0.25	5	469	0.30	36	20	22
B365069																
B365070		3.19	0.37	70	1	0.08	10	320	27	0.02	149	140	0.22	105	10	18
B365071		4.08	0.79	189	1	1.58	19	590	18	0.25	<5	472	0.30	34	30	27
B365072		4.29	0.79	159	6	1.48	19	590	16	0.24	<5	441	0.30	36	30	22
B365073		4.10	0.85	173	1	1.60	22	600	17	0.26	12	459	0.31	37	20	25
B365074		3.79	0.83	198	<1	1.70	17	610	19	0.21	6	486	0.30	35	20	29
B365075		3.95	0.85	210	<1	1.52	18	600	20	0.23	<5	464	0.31	37	20	32
B365076		0.04	11.95	152	<1	0.02	5	440	2	0.01	<5	110	0.01	3	<10	8
B365077		3.79	0.78	191	4	1.60	22	630	13	0.30	10	429	0.32	39	20	31
B365078		4.10	0.88	173	<1	1.68	22	660	12	0.32	<5	495	0.33	40	20	23
B365079		3.94	0.83	237	1	1.64	21	610	17	0.28	<5	520	0.31	38	20	31
B365080		3.94	0.85	191	2	1.73	23	620	15	0.26	<5	509	0.32	38	10	26
B365081		4.08	0.89	205	<1	1.58	21	640	13	0.19	<5	494	0.32	38	10	26
B365082		3.88	0.93	216	1	1.54	25	640	26	0.24	11	511	0.32	38	10	28
B365083		3.70	0.87	244	2	1.74	21	640	21	0.21	6	520	0.32	38	20	38
B365084		4.23	0.94	236	<1	1.50	21	630	18	0.28	8	514	0.32	38	10	32
B365085		4.34	0.86	263	<1	1.48	19	650	32	0.33	15	449	0.32	38	20	45
B365086		3.85	0.82	233	1	1.75	21	630	19	0.17	<5	498	0.31	36	100	37
B365087		4.14	0.82	225	<1	1.50	21	590	23	0.23	<5	480	0.30	36	30	36
B365088		3.72	0.78	360	<1	1.27	23	630	119	0.36	13	419	0.32	40	30	104
B365089																
B365090		3.77	1.22	499	2	3.57	10	1960	13	0.25	<5	718	0.35	180	<10	61
B365091		3.89	0.68	302	<1	1.32	23	630	54	0.29	18	394	0.31	37	30	84
B365092		3.78	0.82	248	4	1.82	23	670	16	0.26	6	507	0.33	39	20	32
B365093		4.05	0.80	208	1	1.76	20	640	20	0.24	<5	486	0.33	38	20	30
B365094		3.99	0.78	205	1	1.78	22	610	28	0.28	<5	477	0.32	42	20	31
B365095		4.79	0.70	202	<1	1.44	20	590	20	0.33	14	417	0.29	34	40	37
B365096		0.04	11.50	137	<1	0.02	6	520	2	0.01	<5	104	0.01	2	<10	7
B365097		3.81	0.54	283	1	1.00	17	630	90	0.86	49	260	0.31	37	30	333
B365098		3.91	0.55	601	10	0.43	18	610	236	1.40	123	193	0.26	34	30	459
B365099		3.84	0.61	286	<1	1.32	18	630	24	0.17	14	310	0.31	36	20	45
B365100		3.10	0.68	744	1	0.43	25	570	370	2.70	147	175	0.23	31	20	713
B365101		3.96	0.76	524	<1	0.57	21	640	93	0.29	38	301	0.30	39	30	160
B365102		3.94	0.85	593	<1	0.68	20	670	90	0.21	42	331	0.31	43	30	148
B365103		3.42	0.78	619	1	0.24	23	630	227	2.83	140	196	0.29	38	30	349
B365104		3.52	0.69	232	1	1.20	20	580	34	0.25	25	393	0.28	33	20	31
B365105		3.91	0.72	307	1	1.03	19	620	34	0.21	21	367	0.29	37	20	60

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365106		5.40	0.151	<0.5	7.05	208	1400	2.6	9	2.06	<0.5	10	27	35	2.38	0.02
B365107		6.88	0.236	0.9	6.60	4800	510	2.3	20	2.30	1.4	9	66	34	2.65	0.06
B365108		5.14	0.184	0.6	6.96	2090	580	2.4	7	2.56	2.8	8	22	33	2.58	0.09
B365109		<0.02	0.197													
B365110		0.12	0.848	1.8	7.49	13	430	0.7	2	1.79	<0.5	23	99	2020	5.03	<0.01
B365111		5.76	0.695	0.9	7.42	174	910	2.7	17	1.91	<0.5	8	63	31	2.41	0.03
B365112		5.48	0.037	0.7	7.16	71	1130	2.8	2	2.53	3.1	10	23	33	2.22	0.08
B365113		6.66	0.118	0.7	7.22	274	970	2.8	7	2.52	1.7	8	55	39	2.39	0.06
B365114		5.18	0.066	0.5	6.79	86	980	2.6	3	2.46	<0.5	9	25	36	2.12	0.02
B365115		5.96	0.310	<0.5	7.27	64	1440	2.6	5	2.07	<0.5	10	57	31	2.32	0.02
B365116		0.48	<0.005	<0.5	0.10	<5	10	<0.5	<2	17.40	<0.5	1	2	2	0.11	0.01
B365117		5.26	0.653	0.7	7.00	35	1440	2.4	24	3.07	3.2	7	63	35	2.29	0.10
B365118		5.48	0.143	<0.5	7.04	36	1500	2.5	6	1.98	<0.5	8	56	31	2.25	0.02
B365119		4.62	0.734	1.2	6.89	152	1620	2.1	37	1.49	0.5	11	19	38	1.80	0.03
B365120		2.96	0.857	2.3	6.22	937	1240	1.2	50	0.89	<0.5	8	8	36	1.02	0.02
B365121		1.34	0.728	0.5	6.50	327	1440	2.4	32	1.51	<0.5	11	65	38	2.32	0.02
B365122		1.56	0.363	<0.5	6.71	242	1580	2.4	22	1.48	<0.5	12	25	45	2.45	0.02
B365123		5.72	0.343	<0.5	7.06	51	1400	2.5	10	2.33	<0.5	10	54	39	2.29	0.02
B365124		3.72	0.119	<0.5	8.03	59	1550	2.9	6	2.35	0.5	10	26	39	2.58	0.01
B365125		4.18	0.296	<0.5	7.89	59	1590	2.8	15	2.65	<0.5	9	52	34	2.16	0.01
B365126		3.62	0.112	<0.5	7.67	50	1540	2.8	<2	2.62	<0.5	17	25	44	2.36	0.01
B365127		6.10	0.035	<0.5	7.95	43	1690	2.9	<2	2.32	<0.5	11	63	25	2.47	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365106		3.60	0.73	298	1	0.99	22	610	25	0.28	23	357	0.29	36	20	44
B365107		2.89	0.87	1420	2	0.04	18	610	358	1.12	181	134	0.24	31	20	323
B365108		3.05	0.90	1200	1	0.04	18	620	252	0.75	138	158	0.25	33	20	605
B365109																
B365110		1.68	1.28	434	2	2.91	51	630	16	0.57	5	200	0.30	94	<10	213
B365111		3.39	0.67	366	1	0.58	20	580	83	0.75	49	248	0.28	35	30	102
B365112		3.50	0.71	582	<1	0.63	19	550	150	0.22	40	269	0.26	33	20	658
B365113		3.34	0.68	702	5	0.47	21	580	123	0.49	62	242	0.27	34	20	425
B365114		3.55	0.65	370	4	0.49	18	560	57	0.27	31	263	0.26	32	20	95
B365115		3.62	0.72	301	3	1.14	22	610	32	0.20	19	369	0.29	37	20	74
B365116		0.03	10.60	128	<1	0.03	3	420	<2	0.01	<5	92	<0.01	2	<10	7
B365117		3.66	0.74	466	1	0.79	21	670	110	0.24	33	356	0.29	37	30	688
B365118		3.70	0.76	305	3	1.08	21	590	36	0.15	20	381	0.30	37	30	76
B365119		4.61	0.54	207	5	1.06	18	590	150	0.24	46	343	0.21	27	20	173
B365120		5.30	0.19	170	<1	0.61	7	440	154	0.38	48	209	0.07	10	20	77
B365121		3.49	0.66	246	3	1.16	21	540	80	0.29	36	353	0.26	33	40	78
B365122		3.70	0.64	240	2	1.06	18	530	60	0.49	28	342	0.25	32	40	84
B365123		3.63	0.73	342	1	1.04	19	580	39	0.19	19	392	0.27	35	30	145
B365124		3.82	0.86	322	1	0.92	20	660	50	0.29	20	419	0.32	37	30	102
B365125		3.99	0.65	315	<1	1.40	18	630	25	0.21	11	434	0.30	35	30	35
B365126		3.60	0.77	268	1	1.48	21	640	25	0.23	5	470	0.31	35	10	38
B365127		3.70	0.84	293	1	1.54	20	670	35	0.13	<5	491	0.32	37	20	68

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-OCT-2005
Account: STRGOL

CERTIFICATE VA05082983

Project: Dublin Gulch-1735

P.O. No.:

This report is for 99 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365128		1.48	0.035		<0.5	8.19	119	1660	3.1	9	2.11	<0.5	9	83	39	2.56
B365129		0.04	0.037													
B365130		0.12	2.76		<0.5	7.64	2030	720	13.1	<2	<0.01	<0.5	1	138	104	3.26
B365131		2.88	0.020		<0.5	7.88	204	1530	3.1	<2	1.98	<0.5	8	59	43	2.34
B365132		2.04	0.037		<0.5	8.21	190	1690	3.3	3	2.13	<0.5	9	82	31	2.51
B365133		1.12	0.016		<0.5	8.53	298	1600	4.0	<2	1.83	<0.5	7	58	40	2.40
B365134		1.08	0.056		<0.5	8.00	825	1400	4.6	2	1.44	<0.5	6	64	51	1.70
B365135		0.64	0.025		<0.5	7.96	1775	1360	5.1	3	1.18	<0.5	6	43	63	1.60
B365136		0.94	<0.005		<0.5	0.16	5	20	<0.5	<2	19.10	<0.5	2	5	3	0.14
B365137		1.02	0.036		<0.5	7.93	1065	1490	4.3	3	1.42	<0.5	8	59	54	2.03
B365138		7.14	0.065		<0.5	7.89	4630	1300	5.4	8	1.06	<0.5	6	52	48	1.54
B365139		5.94	0.137		<0.5	7.92	1810	1340	5.2	29	1.24	<0.5	7	40	78	1.58
B365140		4.90	0.373		<0.5	8.05	453	1580	3.1	18	1.78	<0.5	9	78	92	2.46
B365141		0.92	0.052		<0.5	7.85	1100	1560	4.1	3	1.48	<0.5	11	40	80	1.90
B365142		0.68	0.049		<0.5	7.90	1190	1470	4.6	2	1.14	<0.5	8	43	90	1.58
B365143		2.88	0.033		<0.5	8.42	710	1540	4.5	<2	1.91	<0.5	6	41	56	1.94
B365144		5.88	0.033		<0.5	7.71	772	1530	3.2	2	1.84	<0.5	6	64	37	2.20
B365145		6.22	0.437		<0.5	7.65	700	1520	2.9	47	1.82	<0.5	8	48	41	2.21
B365146		4.74	0.047		<0.5	7.88	435	1560	3.0	<2	1.82	<0.5	7	75	45	2.17
B365147		3.40	0.104		<0.5	7.84	1070	1620	3.0	5	1.80	<0.5	10	57	57	2.28
B365148		1.68	0.136		<0.5	7.92	902	1660	3.0	7	1.54	<0.5	8	83	55	2.29
B365149		0.04	0.142													
B365150		0.10	0.088		<0.5	7.13	114	580	2.7	<2	0.51	<0.5	58	1145	398	8.21
B365151		8.22	0.084		<0.5	7.92	611	1560	3.1	5	1.88	<0.5	7	51	36	2.24
B365152		6.20	0.111		<0.5	8.90	317	1790	3.5	6	2.36	<0.5	8	85	36	2.56
B365153		3.34	0.018		<0.5	8.16	231	1650	3.2	<2	2.00	<0.5	6	58	29	2.29
B365154		3.28	0.044		<0.5	8.38	723	1480	4.9	2	1.65	<0.5	6	67	63	1.82
B365155		4.56	0.080		<0.5	8.06	420	1600	3.7	6	1.76	<0.5	5	56	34	2.00
B365156		1.02	<0.005		<0.5	0.12	7	20	<0.5	<2	20.8	<0.5	<1	4	2	0.10
B365157		1.54	0.021		<0.5	7.88	272	1520	3.3	<2	1.84	<0.5	5	55	26	2.23
B365158		0.98	0.025		<0.5	7.82	277	1650	3.3	<2	1.99	<0.5	8	87	26	2.33
B365159		3.30	0.024		<0.5	7.84	272	1520	3.0	<2	2.06	<0.5	6	53	24	2.22
B365160		6.12	0.056		<0.5	7.80	162	1460	3.3	<2	2.23	<0.5	7	76	25	2.21
B365161		1.86	0.045		<0.5	7.61	510	1520	3.1	<2	1.96	<0.5	10	60	48	2.29
B365162		2.30	0.015		<0.5	7.80	323	1520	3.2	<2	2.07	<0.5	8	76	42	2.31
B365163		6.20	0.312		<0.5	7.43	339	1520	3.4	31	1.95	<0.5	6	50	25	2.07
B365164		4.44	0.025		<0.5	7.83	236	1520	2.9	<2	1.88	<0.5	6	85	35	2.15
B365165		5.36	0.041		<0.5	7.87	232	1480	3.2	3	1.90	<0.5	6	49	30	2.14
B365166		4.54	0.015	0.012	<0.5	7.96	214	1530	3.3	<2	2.12	<0.5	7	77	25	2.32
B365167		6.12	0.219	0.152	<0.5	7.88	512	1480	3.2	7	1.72	<0.5	6	62	34	2.09

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365128		0.01	3.52	0.86	255	<1	1.74	23	670	18	0.01	5	520	0.34	41	10
B365129																
B365130		0.08	3.05	0.36	68	2	0.09	11	330	23	0.02	154	143	0.25	101	20
B365131		<0.01	3.37	0.76	223	<1	1.63	20	610	17	0.01	<5	474	0.30	36	10
B365132		<0.01	3.50	0.81	263	<1	1.78	23	710	16	<0.01	<5	528	0.34	41	10
B365133		<0.01	3.47	0.75	222	<1	1.88	20	660	17	0.01	<5	486	0.31	40	10
B365134		<0.01	3.65	0.61	129	1	1.85	13	530	12	0.02	<5	443	0.22	36	10
B365135		0.01	3.66	0.55	88	<1	1.91	14	470	32	0.06	<5	410	0.18	37	10
B365136		<0.01	0.04	10.85	166	<1	0.02	3	490	<2	0.03	<5	115	<0.01	2	10
B365137		<0.01	3.73	0.70	138	<1	1.78	15	580	12	0.03	<5	457	0.25	39	10
B365138		0.01	3.96	0.57	66	<1	1.79	9	440	8	0.12	<5	455	0.16	35	20
B365139		0.01	3.77	0.57	82	<1	1.83	10	480	18	0.06	<5	402	0.17	35	10
B365140		<0.01	3.97	0.77	160	<1	1.56	19	630	20	0.04	<5	460	0.31	36	10
B365141		0.01	3.98	0.68	138	<1	1.52	17	540	14	0.01	5	382	0.24	38	20
B365142		0.01	3.82	0.60	89	<1	1.64	11	500	14	<0.01	<5	369	0.19	39	20
B365143		<0.01	3.80	0.66	155	<1	1.99	16	570	18	0.01	<5	471	0.24	38	20
B365144		0.01	3.47	0.74	217	<1	1.65	20	600	10	<0.01	<5	483	0.29	37	20
B365145		<0.01	3.60	0.70	208	<1	1.54	16	600	20	0.01	<5	439	0.29	35	30
B365146		<0.01	3.79	0.71	208	<1	1.66	18	620	15	<0.01	<5	472	0.30	34	40
B365147		0.01	3.92	0.57	212	1	1.42	16	610	20	0.01	7	408	0.30	36	40
B365148		0.01	3.99	0.62	178	<1	1.49	14	650	14	0.01	5	430	0.31	37	40
B365149																
B365150		0.03	2.17	0.58	384	6	0.12	478	370	151	0.02	9	52	0.25	91	30
B365151		<0.01	3.60	0.65	200	<1	1.63	18	600	12	0.01	<5	476	0.30	35	20
B365152		<0.01	3.85	0.79	242	<1	1.90	22	700	15	<0.01	<5	571	0.35	42	10
B365153		<0.01	3.54	0.66	206	<1	1.74	18	650	17	<0.01	<5	508	0.31	36	<10
B365154		0.01	3.79	0.56	152	<1	1.98	14	590	10	0.01	<5	445	0.23	39	20
B365155		<0.01	3.58	0.59	161	<1	1.70	14	580	20	<0.01	<5	450	0.26	34	10
B365156		<0.01	0.03	11.80	156	<1	0.02	<1	540	4	0.01	<5	119	<0.01	1	<10
B365157		<0.01	3.34	0.66	218	<1	1.57	18	590	17	<0.01	<5	431	0.30	35	20
B365158		<0.01	3.40	0.72	221	<1	1.61	22	620	19	<0.01	<5	457	0.31	36	10
B365159		<0.01	3.47	0.67	233	<1	1.64	24	590	22	0.01	<5	475	0.30	34	10
B365160		<0.01	3.40	0.73	250	<1	1.69	20	610	17	0.03	<5	479	0.30	35	20
B365161		<0.01	3.70	0.72	222	<1	1.61	22	630	16	0.02	<5	476	0.31	36	20
B365162		<0.01	3.47	0.77	231	<1	1.69	20	640	14	0.01	<5	495	0.32	36	10
B365163		0.01	3.39	0.67	228	<1	1.74	21	600	18	0.01	<5	474	0.28	38	10
B365164		<0.01	3.61	0.67	211	<1	1.55	20	580	14	0.01	<5	457	0.29	34	60
B365165		<0.01	3.82	0.67	216	<1	1.61	22	580	15	0.01	<5	443	0.29	33	30
B365166		0.01	3.65	0.74	271	<1	1.74	18	620	23	0.01	<5	485	0.31	37	10
B365167		0.01	3.84	0.62	195	<1	1.54	14	570	15	0.01	6	404	0.27	33	30

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B365128		42
B365129		
B365130		16
B365131		39
B365132		49
B365133		55
B365134		41
B365135		40
B365136		7
B365137		43
B365138		16
B365139		24
B365140		29
B365141		29
B365142		25
B365143		39
B365144		47
B365145		45
B365146		34
B365147		65
B365148		45
B365149		
B365150		618
B365151		41
B365152		43
B365153		39
B365154		33
B365155		30
B365156		7
B365157		37
B365158		42
B365159		40
B365160		40
B365161		38
B365162		38
B365163		43
B365164		41
B365165		39
B365166		56
B365167		38

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365168		2.50	0.714	2.65	<0.5	7.85	545	1330	5.0	53	1.50	<0.5	4	53	54	1.42
B365169		0.04	1.315	1.355												
B365170		0.10	1.470	1.460	<0.5	6.97	1195	680	5.9	<2	<0.01	<0.5	5	204	39	3.53
B365171		2.70	0.211	0.411	<0.5	7.56	1375	1210	5.2	16	1.40	<0.5	5	49	98	1.44
B365172		6.06	0.053	0.050	0.5	8.14	798	1380	5.7	5	1.32	<0.5	3	48	94	1.46
B365173		2.76	0.030	0.029	0.5	7.97	1175	1330	5.5	4	1.26	<0.5	5	42	94	1.52
B365174		4.56	0.302		2.0	8.04	1400	590	4.0	8	0.65	2.0	5	58	68	1.33
B365175		4.48	0.335		1.7	7.89	1700	940	3.5	21	1.14	8.0	8	71	77	2.68
B365176		0.78	<0.005		<0.5	0.12	10	20	<0.5	<2	19.90	<0.5	2	8	2	0.11
B365177		4.52	0.068		1.1	7.47	922	1120	3.0	10	2.36	9.7	7	58	64	2.55
B365178		2.96	0.137		<0.5	7.61	549	1460	3.2	9	1.92	<0.5	10	27	50	2.32
B365179		6.54	0.023		<0.5	7.87	174	1520	3.1	<2	2.13	<0.5	9	26	44	2.28
B365180		7.64	0.268		<0.5	7.52	267	1380	2.9	9	2.08	<0.5	8	25	56	2.22
B365181		2.68	0.281		<0.5	7.92	483	1610	3.1	8	1.90	<0.5	8	28	47	2.28
B365182		2.48	0.808		<0.5	7.75	1840	1600	3.1	47	1.86	<0.5	8	26	53	2.35
B365183		5.36	0.050		<0.5	8.56	228	1630	3.5	<2	2.28	<0.5	7	26	31	2.47
B365184		6.42	0.107		<0.5	8.21	615	1580	3.6	4	1.92	<0.5	8	26	44	2.18
B365185		6.98	1.410		<0.5	8.05	305	1560	3.1	54	2.12	<0.5	8	25	40	2.29
B365186		7.06	0.029		<0.5	8.20	310	1590	3.2	<2	2.29	<0.5	9	26	29	2.38
B365187		7.74	0.033		<0.5	8.12	174	1510	3.3	4	2.34	<0.5	8	25	27	2.27
B365188		5.80	0.152		<0.5	8.06	375	1560	3.1	8	2.09	<0.5	8	29	38	2.31
B365189		0.04	0.113													
B365190		0.10	0.435		3.1	9.73	5	1120	1.3	<2	1.52	<0.5	9	8	7770	3.27
B365191		7.32	0.270		<0.5	7.94	343	1580	3.1	14	2.17	<0.5	9	27	49	2.34
B365192		5.96	0.203		<0.5	7.79	921	1570	3.1	5	2.09	<0.5	10	28	44	2.31
B365193		7.08	0.154		<0.5	7.62	161	1350	3.4	24	1.98	<0.5	8	25	41	2.02
B365194		3.06	0.156		<0.5	7.48	302	1200	2.9	4	2.07	<0.5	10	27	67	2.17
B365195		2.64	0.801		<0.5	7.71	1815	1630	2.6	22	1.80	<0.5	28	28	86	2.52
B365196		0.72	<0.005		<0.5	0.14	6	20	<0.5	<2	20.8	<0.5	2	3	2	0.10
B365197		7.32	0.311		<0.5	7.71	517	1500	3.2	55	1.90	<0.5	12	27	77	2.19
B365198		2.84	4.36		<0.5	7.46	325	1460	2.8	60	1.75	<0.5	6	29	70	2.28
B365199		3.36	0.314		<0.5	7.43	999	1610	2.7	12	2.12	<0.5	9	31	61	2.54
B365200		4.78	0.131		<0.5	7.52	304	1500	2.8	3	1.87	<0.5	7	27	72	2.28
B365801		2.64	0.393		<0.5	7.26	362	1560	2.8	48	1.78	<0.5	6	27	74	2.35
B365802		2.66	0.199		<0.5	7.64	353	1570	2.8	3	1.80	<0.5	7	27	58	2.44
B365803		4.36	0.103		<0.5	7.11	409	1520	2.6	9	1.57	<0.5	5	58	48	2.32
B365804		3.68	0.178		<0.5	7.34	301	1570	2.8	21	1.81	<0.5	5	82	46	2.36
B365805		5.38	0.529		<0.5	6.76	889	1410	2.6	10	1.61	<0.5	9	28	64	2.34
B365806		5.70	0.075		<0.5	7.38	233	1430	2.9	4	2.03	<0.5	7	29	68	2.29
B365807		6.66	0.077		<0.5	7.58	146	1400	3.2	<2	2.03	<0.5	9	31	60	2.16

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365168		0.01	3.66	0.50	124	<1	1.94	10	480	21	0.03	5	375	0.16	36	20
B365169																
B365170		0.06	2.60	0.34	86	2	0.11	18	320	25	0.01	112	91	0.24	88	10
B365171		0.01	3.60	0.47	80	<1	1.74	12	470	27	0.07	12	352	0.17	38	20
B365172		0.01	3.72	0.57	79	<1	2.02	10	490	22	0.03	7	413	0.17	38	10
B365173		0.01	3.72	0.57	74	<1	1.93	11	470	11	0.03	8	395	0.17	37	20
B365174		0.07	3.46	0.24	198	2	0.16	7	460	130	0.04	92	58	0.16	37	20
B365175		0.09	3.47	0.24	1000	16	0.30	15	600	2470	0.03	931	93	0.24	35	30
B365176		<0.01	0.04	11.55	163	<1	0.01	2	560	6	<0.01	<5	116	<0.01	1	<10
B365177		0.19	3.40	0.54	1050	16	0.99	16	560	745	0.03	287	288	0.26	32	20
B365178		0.01	3.38	0.69	239	<1	1.49	20	610	16	0.04	11	430	0.29	35	40
B365179		0.01	3.76	0.72	227	<1	1.70	18	620	24	0.05	5	471	0.31	36	10
B365180		<0.01	3.54	0.67	203	2	1.54	16	580	23	0.06	<5	431	0.28	32	60
B365181		0.01	3.78	0.79	207	<1	1.64	18	670	12	0.02	<5	467	0.32	38	30
B365182		0.01	3.92	0.78	196	<1	1.57	21	640	15	0.05	<5	459	0.32	37	30
B365183		<0.01	3.83	0.84	251	<1	1.91	20	690	16	0.01	<5	538	0.34	40	10
B365184		0.01	3.75	0.75	186	<1	1.79	18	650	17	0.05	<5	481	0.30	38	10
B365185		0.01	3.78	0.78	218	<1	1.68	18	640	18	0.04	5	478	0.32	37	20
B365186		0.01	3.70	0.83	238	1	1.76	22	670	14	0.07	<5	500	0.32	37	20
B365187		0.01	3.53	0.79	232	<1	1.77	18	630	19	0.06	<5	505	0.31	36	<10
B365188		0.01	3.74	0.76	206	1	1.68	20	640	14	0.05	5	461	0.32	37	20
B365189																
B365190		0.05	3.82	1.20	502	2	3.55	9	2000	7	0.25	<5	744	0.36	179	<10
B365191		0.01	3.73	0.79	210	1	1.65	20	640	19	0.13	5	479	0.31	36	20
B365192		<0.01	3.61	0.79	192	<1	1.58	21	640	11	0.14	<5	456	0.31	37	30
B365193		0.01	4.00	0.60	194	<1	1.61	14	530	21	0.07	<5	398	0.26	31	20
B365194		0.01	3.55	0.53	174	2	1.48	18	570	14	0.10	7	335	0.28	33	20
B365195		0.01	4.93	0.80	167	1	1.40	19	630	18	0.42	<5	435	0.29	37	130
B365196		<0.01	0.04	11.90	164	<1	0.02	<1	550	4	<0.01	<5	118	<0.01	1	<10
B365197		<0.01	4.30	0.74	162	2	1.52	17	600	16	0.24	<5	446	0.28	34	90
B365198		<0.01	4.19	0.72	186	3	1.54	17	600	21	0.08	<5	424	0.28	33	110
B365199		0.01	3.47	0.82	201	1	1.63	22	630	21	0.11	<5	473	0.32	38	10
B365200		0.01	3.89	0.70	180	2	1.62	20	610	19	0.04	<5	446	0.29	35	20
B365801		0.01	3.76	0.70	186	2	1.51	21	630	20	0.02	<5	399	0.29	35	40
B365802		0.01	3.63	0.74	184	1	1.56	22	630	20	0.02	<5	414	0.29	34	30
B365803		0.01	3.73	0.71	193	1	1.42	19	620	22	0.03	<5	349	0.29	35	30
B365804		0.01	3.55	0.71	209	2	1.54	20	620	17	0.02	<5	415	0.30	37	10
B365805		0.01	3.73	0.69	175	2	1.38	19	560	16	0.05	<5	378	0.28	34	30
B365806		<0.01	4.05	0.73	184	2	1.62	20	580	18	0.21	<5	441	0.28	33	40
B365807		<0.01	3.75	0.70	172	1	1.55	19	570	13	0.12	<5	436	0.29	34	30

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B365168		37
B365169		
B365170		45
B365171		35
B365172		31
B365173		33
B365174		207
B365175		1105
B365176		8
B365177		841
B365178		78
B365179		39
B365180		32
B365181		39
B365182		38
B365183		51
B365184		48
B365185		44
B365186		38
B365187		40
B365188		34
B365189		
B365190		62
B365191		34
B365192		32
B365193		35
B365194		33
B365195		28
B365196		7
B365197		27
B365198		34
B365199		32
B365200		32
B365801		35
B365802		33
B365803		38
B365804		39
B365805		31
B365806		29
B365807		28

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365808		4.68	0.057		<0.5	7.53	283	1500	3.1	2	2.00	<0.5	6	32	38	2.15
B365809		0.04	0.052													
B365810		0.10	4.33		8.6	7.50	15	460	0.9	<2	2.57	1.5	17	22	122	3.82
B365811		2.66	0.053		<0.5	7.84	192	1510	3.1	<2	2.09	<0.5	6	34	24	2.23
B365812		1.88	0.067		<0.5	7.82	303	1620	2.9	3	1.98	<0.5	7	32	49	2.21
B365813		4.96	0.220		<0.5	7.52	114	1510	3.2	6	1.75	<0.5	8	29	45	2.06
B365814		2.26	1.195		<0.5	7.95	392	1590	2.9	48	0.95	1.2	10	32	285	2.66
B365815		1.62	0.131		<0.5	7.58	765	1580	2.9	2	1.88	<0.5	9	30	47	2.28
B365816		0.66	<0.005		<0.5	0.14	9	10	<0.5	<2	18.35	<0.5	1	5	2	0.12
B365817		6.90	0.885		<0.5	7.51	104	1640	2.8	12	1.94	0.5	7	28	46	2.24
B365818		5.56	0.108		<0.5	7.45	256	1640	2.9	5	2.01	0.5	8	29	42	2.15
B365819		4.30	0.035		<0.5	7.35	115	1420	2.8	<2	2.27	<0.5	7	29	34	2.06
B365820		2.88	2.76		1.7	7.50	725	670	2.7	56	1.84	0.8	6	29	63	2.25
B365821		1.16	1.665		0.5	7.81	374	1540	2.6	35	0.80	0.6	7	28	48	1.92
B365822		0.92	3.40		0.6	7.75	490	1460	2.5	72	1.18	0.6	7	28	50	2.03
B365823		2.64	0.118		<0.5	7.78	688	1190	2.9	<2	1.71	0.8	6	30	45	2.25
B365824		3.12	0.046		<0.5	7.56	224	1460	2.9	3	2.16	0.6	9	28	25	2.21
B365825		3.48	0.043		<0.5	7.56	204	1580	2.8	<2	1.76	0.9	7	27	30	2.09
B365826		2.60	0.134		1.4	7.73	412	930	3.1	13	1.80	2.7	6	31	32	2.30

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365808		<0.01	3.50	0.69	206	<1	1.60	19	600	11	0.03	<5	456	0.30	35	20
B365809																
B365810		0.02	2.18	1.27	924	11	1.59	13	860	20	0.66	<5	404	0.37	140	<10
B365811		0.01	3.43	0.75	220	1	1.70	20	640	21	0.01	<5	491	0.31	36	10
B365812		<0.01	3.64	0.73	184	<1	1.54	20	630	16	0.01	<5	460	0.31	37	80
B365813		0.01	3.75	0.61	169	5	1.48	17	560	18	0.08	<5	394	0.27	31	350
B365814		0.02	3.82	0.27	283	1	1.22	29	710	31	0.04	19	239	0.29	35	20
B365815		0.02	3.84	0.44	243	7	1.22	20	610	26	0.07	17	307	0.28	34	20
B365816		<0.01	0.03	10.80	166	<1	0.01	1	490	<2	0.01	<5	102	<0.01	1	<10
B365817		0.03	3.81	0.51	254	2	1.27	22	610	47	0.12	28	346	0.28	33	20
B365818		0.02	3.89	0.61	243	1	1.21	19	600	27	0.16	21	363	0.28	33	30
B365819		0.03	3.79	0.54	301	1	0.97	20	570	25	0.17	24	306	0.28	34	20
B365820		0.04	3.51	0.19	261	6	0.24	13	600	56	0.20	46	60	0.25	33	30
B365821		0.02	4.17	0.18	174	3	0.98	21	590	34	0.05	26	206	0.27	33	60
B365822		0.02	4.21	0.21	228	4	0.90	17	640	52	0.10	37	193	0.28	34	40
B365823		0.02	3.84	0.25	262	6	0.59	14	640	43	0.14	39	110	0.28	36	30
B365824		0.02	3.79	0.38	315	1	1.12	21	620	31	0.06	32	279	0.28	35	20
B365825		0.02	3.70	0.49	247	1	1.11	22	630	27	0.07	30	330	0.29	34	20
B365826		0.09	3.74	0.50	706	3	0.24	16	630	112	0.21	60	148	0.28	36	20

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B365808		39
B365809		
B365810		94
B365811		42
B365812		33
B365813		28
B365814		432
B365815		94
B365816		7
B365817		61
B365818		114
B365819		95
B365820		128
B365821		220
B365822		176
B365823		110
B365824		134
B365825		138
B365826		461

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da( )-OCT-2005
Account: STRGOL

CERTIFICATE VA05083821

Project: Dublin Gulch-1735

P.O. No.:

This report is for 150 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B365548		1.60	0.006				<0.5	0.60	107	50	<0.5	<2	0.14	<0.5	2	18
B365549		<0.02	0.006													
B365550		0.12	0.888				2.4	8.23	15	470	0.8	<2	2.01	1.2	25	99
B365551		2.64	2.89				<0.5	9.34	820	950	3.1	345	3.89	<0.5	27	116
B365552		5.54	0.064				<0.5	10.15	1120	1220	3.3	6	2.17	<0.5	15	80
B365553		5.04	0.053				<0.5	9.37	722	1140	3.8	6	4.50	<0.5	19	113
B365554		1.28	1.225				<0.5	9.28	687	1020	3.5	93	2.69	<0.5	32	69
B365555		1.02	0.195				<0.5	8.99	318	1370	2.7	9	1.00	<0.5	13	156
B365556		0.84	<0.005				<0.5	0.12	<5	20	<0.5	<2	18.85	<0.5	1	2
B365557		3.56	0.021				<0.5	7.36	310	1620	2.8	<2	2.15	<0.5	8	116
B365558		5.04	0.034				<0.5	7.96	288	1560	3.1	<2	2.33	<0.5	11	32
B365559		6.38	0.526	0.350	0.338		<0.5	7.42	581	1610	2.7	217	1.86	<0.5	14	30
B365560		2.04	0.059	0.139	0.092		<0.5	7.32	208	1460	2.8	5	2.38	<0.5	8	116
B365561		1.22	0.816	0.472	0.628		<0.5	7.29	535	1710	2.9	30	1.89	<0.5	12	128
B365562		1.24	0.045				<0.5	7.54	355	1720	3.1	3	1.99	<0.5	11	34
B365563		4.80	0.246				<0.5	7.55	618	1640	3.2	14	1.91	<0.5	13	125
B365564		3.30	0.050	0.064			<0.5	7.15	206	1660	3.1	3	1.95	<0.5	8	32
B365565		2.48	0.041	0.065			<0.5	7.16	194	1620	3.1	8	1.99	<0.5	9	120
B365566		1.14	0.033				<0.5	7.57	334	1620	2.4	2	1.75	<0.5	12	28
B365567		2.68	1.030	1.150			<0.5	7.29	279	1480	2.6	92	2.35	<0.5	9	102
B365568		4.88	0.066				<0.5	7.51	398	1470	2.7	9	2.04	<0.5	8	26
B365569		<0.02	0.049	0.051												
B365570		0.10	0.092				<0.5	6.68	110	560	2.4	<2	0.50	<0.5	56	1170
B365571		3.68	0.053				<0.5	7.10	658	1340	2.7	4	2.16	<0.5	9	98
B365572		3.62	0.068				<0.5	7.30	366	1600	2.8	20	1.75	<0.5	9	28
B365573		2.64	0.074				<0.5	7.20	351	1400	2.8	16	1.70	<0.5	9	120
B365574		3.60	0.055				<0.5	7.67	283	1520	2.8	8	1.63	<0.5	11	27
B365575		3.10	0.257				<0.5	7.63	536	1720	2.4	21	1.63	<0.5	16	98
B365576		1.00	<0.005				<0.5	0.12	9	20	<0.5	<2	19.20	<0.5	1	3
B365577		4.34	0.490				<0.5	7.14	379	1890	2.1	48	1.51	<0.5	13	99
B365578		6.44	0.576				<0.5	8.00	495	2040	2.0	48	1.14	<0.5	23	30
B365579		4.86	0.143				<0.5	7.56	344	1480	2.7	20	1.73	<0.5	15	112
B365580		4.74	0.292	0.438	0.327		<0.5	7.33	513	1580	2.7	41	1.87	<0.5	16	122
B365581		3.50	0.159	0.327	0.203		<0.5	7.43	362	1560	2.9	12	1.98	<0.5	11	29
B365582		2.96	0.237	0.272			<0.5	7.62	345	1630	3.0	20	2.15	<0.5	11	36
B365583		5.86	0.478	0.421			<0.5	7.47	161	1540	3.0	27	2.12	<0.5	10	140
B365584		5.44	0.166	0.291	0.274		<0.5	7.33	186	1520	2.7	54	2.05	<0.5	9	48
B365585		6.16	0.140	0.204			<0.5	7.43	262	1520	2.8	13	2.06	<0.5	7	100
B365586		5.40	0.605	0.332	0.410		<0.5	7.25	247	1530	2.6	43	1.87	<0.5	10	55
B365587		6.34	0.059				<0.5	7.49	166	1490	2.8	11	1.97	<0.5	8	97

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B365548		3	0.44	<0.01	0.22	0.02	46	<1	0.16	3	540	3	0.01	<5	13	0.01
B365549																
B365550		2060	5.23	<0.01	1.82	1.38	447	2	3.24	50	700	23	0.63	<5	222	0.32
B365551		397	7.26	0.01	2.59	0.92	464	1	0.95	50	380	13	0.55	5	380	0.46
B365552		222	5.44	<0.01	3.68	1.03	234	4	1.18	38	700	9	0.07	<5	311	0.46
B365553		210	4.85	0.01	3.36	0.97	446	3	1.02	40	1010	14	0.04	<5	387	0.45
B365554		229	4.49	<0.01	2.59	0.82	270	3	0.92	55	400	11	0.01	<5	323	0.41
B365555		9	2.55	<0.01	4.42	0.80	211	1	1.04	30	470	16	0.01	<5	302	0.43
B365556		2	0.12	<0.01	0.03	11.30	158	<1	0.03	4	450	3	0.01	<5	103	0.01
B365557		37	2.51	<0.01	3.15	0.89	210	1	1.62	24	740	19	0.01	<5	482	0.39
B365558		30	2.66	<0.01	2.94	0.95	228	1	1.74	26	770	20	0.01	<5	495	0.39
B365559		40	2.39	<0.01	3.49	0.84	138	1	1.50	24	650	17	0.02	<5	434	0.33
B365560		31	2.37	<0.01	3.22	0.84	186	2	1.60	24	670	17	0.01	<5	454	0.34
B365561		31	2.43	<0.01	3.36	0.86	160	1	1.52	24	670	9	0.01	<5	499	0.33
B365562		50	2.64	<0.01	3.12	0.92	167	1	1.70	25	730	13	0.01	5	544	0.35
B365563		55	2.26	0.01	3.32	0.82	117	2	1.56	24	650	11	0.04	<5	457	0.32
B365564		32	2.38	<0.01	3.19	0.81	152	1	1.62	22	670	10	0.01	<5	454	0.33
B365565		35	2.34	<0.01	3.36	0.80	184	1	1.58	25	640	10	0.01	<5	485	0.33
B365566		33	2.58	<0.01	3.22	0.73	194	1	1.34	25	650	9	<0.01	<5	298	0.32
B365567		29	2.33	<0.01	3.17	0.74	227	1	1.40	23	650	16	<0.01	<5	353	0.31
B365568		29	2.32	<0.01	3.30	0.73	184	1	1.48	18	610	13	<0.01	<5	365	0.30
B365569																
B365570		382	8.25	0.03	2.08	0.56	381	8	0.12	480	330	142	0.02	15	48	0.23
B365571		38	2.22	<0.01	3.41	0.66	172	1	1.38	23	560	19	0.01	<5	346	0.27
B365572		45	2.25	<0.01	3.78	0.70	170	1	1.42	20	630	19	<0.01	<5	348	0.30
B365573		45	1.98	0.01	3.90	0.63	115	1	1.44	21	540	13	0.01	<5	334	0.27
B365574		53	2.28	<0.01	3.94	0.71	132	1	1.42	22	610	14	0.01	5	399	0.29
B365575		53	2.29	<0.01	4.43	0.66	130	2	1.18	25	580	17	0.01	5	327	0.28
B365576		2	0.10	<0.01	0.04	11.45	144	<1	0.03	2	530	2	<0.01	<5	104	0.01
B365577		46	2.03	<0.01	5.36	0.59	112	2	1.09	21	580	17	0.01	<5	312	0.28
B365578		65	2.31	<0.01	6.11	0.75	102	4	1.15	19	670	12	0.03	5	370	0.28
B365579		59	2.39	<0.01	3.54	0.73	144	3	1.42	23	600	16	0.03	<5	411	0.28
B365580		40	2.34	<0.01	3.81	0.77	148	1	1.46	23	610	11	0.02	<5	441	0.31
B365581		61	2.58	<0.01	3.38	0.81	176	2	1.52	25	650	11	0.03	<5	483	0.31
B365582		56	2.71	<0.01	3.67	0.91	197	2	1.62	25	680	15	0.02	<5	503	0.34
B365583		49	2.71	0.01	3.56	0.92	196	2	1.60	28	690	14	0.02	<5	485	0.36
B365584		40	2.34	<0.01	3.46	0.74	182	1	1.48	22	600	16	0.01	<5	445	0.31
B365585		38	2.25	<0.01	3.69	0.76	190	1	1.55	21	600	20	0.01	<5	428	0.30
B365586		35	2.44	<0.01	3.88	0.83	158	3	1.35	23	590	15	0.01	<5	391	0.29
B365587		41	2.17	<0.01	3.87	0.71	171	2	1.54	21	580	14	0.02	<5	451	0.29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	V	W	Zn
	Units	ppm	ppm	ppm
	LOR	1	10	2
B365548		2	<10	2
B365549				
B365550		94	<10	210
B365551		89	80	71
B365552		107	620	76
B365553		100	430	78
B365554		86	390	52
B365555		75	10	42
B365556		2	<10	7
B365557		46	10	42
B365558		48	10	49
B365559		44	20	23
B365560		43	10	36
B365561		44	10	27
B365562		44	10	26
B365563		40	20	17
B365564		42	10	22
B365565		40	10	28
B365566		38	20	27
B365567		38	20	34
B365568		36	20	25
B365569				
B365570		91	30	617
B365571		32	10	29
B365572		36	10	30
B365573		33	10	15
B365574		36	10	21
B365575		36	20	21
B365576		2	<10	7
B365577		35	30	17
B365578		39	20	15
B365579		35	20	21
B365580		38	10	21
B365581		39	10	21
B365582		46	10	26
B365583		46	10	29
B365584		37	10	27
B365585		36	20	28
B365586		42	20	24
B365587		35	10	25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B365588		4.10	0.068				<0.5	6.80	133	1360	2.9	3	2.22	<0.5	7	39
B365589		<0.02	0.035													
B365590		0.10	0.450				2.2	9.48	<5	1070	1.1	<2	1.48	<0.5	9	11
B365591		5.22	0.368				<0.5	7.23	97	1360	3.0	12	1.93	<0.5	6	24
B365592		2.76	0.546				<0.5	7.15	132	1300	2.7	23	1.34	<0.5	5	44
B365593		5.16	0.600				<0.5	7.43	112	1520	2.9	44	1.74	<0.5	8	30
B365594		4.98	1.480				<0.5	7.19	126	1380	3.0	28	1.72	<0.5	9	46
B365595		4.96	0.094				<0.5	7.33	144	1560	2.9	8	2.58	<0.5	10	33
B365596		0.90	<0.005				<0.5	0.11	7	20	<0.5	<2	19.40	<0.5	<1	4
B365597		7.24	0.522				<0.5	7.37	99	1600	2.9	9	2.30	<0.5	10	52
B365598		6.08	0.889				<0.5	7.42	149	1640	2.5	66	2.00	<0.5	11	47
B365599		7.46	0.848				<0.5	6.98	398	1430	2.5	50	1.43	<0.5	13	27
B365600		7.26	1.030				<0.5	7.10	148	1490	2.7	32	2.07	<0.5	10	30
B365601		3.70	0.141				<0.5	7.35	168	1540	2.8	14	2.10	<0.5	9	26
B365602		3.38	0.145				<0.5	7.57	171	1550	2.8	11	1.85	<0.5	9	27
B365603		7.08	0.084				<0.5	7.12	144	1470	2.8	6	2.05	<0.5	8	29
B365604		5.74	0.239				<0.5	7.34	159	1480	2.7	19	1.84	<0.5	8	40
B365605		0.64	0.038				<0.5	7.01	108	1410	2.8	7	2.37	<0.5	7	35
B365606		1.16	0.020				<0.5	3.85	116	540	0.9	3	0.32	<0.5	5	43
B365607		3.40	0.692	1.185	0.746		<0.5	7.46	696	1570	2.7	57	1.46	<0.5	12	25
B365608		5.88	0.401	1.055	0.300		<0.5	7.14	358	1570	2.8	23	1.68	<0.5	10	28
B365609		<0.02	0.288	0.315	0.641											
B365610		0.10	1.460				<0.5	6.73	1230	670	5.6	<2	0.01	<0.5	5	206
B365611		7.90	0.169				<0.5	7.52	252	1540	2.8	14	1.81	<0.5	9	28
B365612		7.94	0.110				<0.5	7.31	329	1500	2.8	23	1.94	<0.5	10	30
B365613		6.82	0.093				<0.5	7.24	196	1500	2.9	9	1.97	<0.5	9	30
B365614		7.82	0.425				<0.5	7.34	164	1500	2.9	61	1.96	<0.5	8	31
B365615		6.98	0.309				<0.5	7.48	92	1500	2.9	29	1.86	<0.5	7	30
B365616		1.12	<0.005				<0.5	0.17	7	20	<0.5	<2	19.05	<0.5	2	4
B365617		6.82	0.047				<0.5	7.53	131	1440	2.9	3	2.38	<0.5	8	30
B365618		6.60	0.290				<0.5	6.76	164	1370	2.6	28	1.71	<0.5	8	26
B365619		8.32	0.232				<0.5	7.51	74	1480	2.9	10	2.06	<0.5	8	30
B365620		5.62	0.849				<0.5	7.44	197	1560	2.7	33	2.15	<0.5	10	30
B365621		3.06	0.117				<0.5	7.26	218	1620	2.6	16	2.01	<0.5	9	29
B365622		3.04	0.211				<0.5	7.17	261	1700	2.6	25	1.96	<0.5	8	31
B365623		5.98	0.084				<0.5	7.16	190	1650	2.6	12	1.96	<0.5	9	27
B365624		5.48	0.209				<0.5	7.12	522	1530	2.7	29	1.57	<0.5	11	60
B365625		2.34	0.409				<0.5	7.10	626	1440	2.6	38	1.51	<0.5	11	29
B365626		2.30	0.714				5.4	7.33	9870	760	2.7	76	0.45	1.6	12	59
B365627		1.98	0.522				1.9	7.27	2140	1090	2.7	32	1.73	2.1	18	27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B365588		23	2.07	<0.01	3.54	0.66	236	1	1.46	17	550	25	0.01	<5	412	0.28
B365589																
B365590		7360	3.32	0.03	3.63	1.18	498	3	3.28	12	1930	10	0.23	<5	692	0.35
B365591		30	2.09	<0.01	3.70	0.65	176	1	1.55	20	540	19	0.02	<5	429	0.27
B365592		23	1.81	<0.01	3.80	0.56	156	<1	1.52	14	480	20	0.01	<5	365	0.23
B365593		25	2.39	<0.01	4.02	0.80	204	1	1.60	20	630	26	0.02	7	441	0.31
B365594		38	2.21	<0.01	3.66	0.68	192	1	1.50	22	560	23	0.01	7	423	0.28
B365595		51	2.53	<0.01	3.34	0.87	224	1	1.60	24	690	12	0.05	<5	515	0.36
B365596		1	0.11	<0.01	0.04	11.75	140	<1	0.03	3	420	<2	0.01	<5	103	0.01
B365597		41	2.60	<0.01	3.35	0.92	206	1	1.62	23	720	11	0.05	<5	522	0.35
B365598		39	2.65	<0.01	3.66	0.92	242	2	1.47	26	630	13	0.02	<5	479	0.34
B365599		28	1.90	<0.01	3.86	0.59	122	1	1.34	21	520	16	0.03	<5	356	0.26
B365600		32	2.08	<0.01	3.62	0.67	150	1	1.47	21	600	16	0.02	<5	416	0.29
B365601		52	2.20	0.01	3.70	0.70	151	2	1.54	19	600	15	0.01	<5	446	0.29
B365602		49	2.18	0.01	3.83	0.70	140	1	1.54	21	600	14	0.01	<5	433	0.29
B365603		52	2.20	<0.01	3.39	0.73	181	1	1.56	21	590	16	0.01	<5	480	0.30
B365604		40	2.23	<0.01	3.71	0.76	182	1	1.52	20	590	15	0.01	5	465	0.30
B365605		32	2.21	0.01	3.47	0.70	213	1	1.46	21	580	19	0.01	<5	462	0.30
B365606		11	1.52	<0.01	1.86	0.34	99	<1	0.71	13	210	4	<0.01	<5	89	0.17
B365607		244	2.39	0.01	3.53	0.66	163	2	1.36	21	570	27	0.03	5	424	0.29
B365608		72	2.36	<0.01	3.83	0.72	162	2	1.50	21	620	16	0.02	<5	443	0.30
B365609																
B365610		38	3.68	0.05	2.60	0.34	89	2	0.11	21	300	25	0.01	107	87	0.24
B365611		57	2.28	<0.01	3.51	0.71	160	1	1.54	21	590	15	0.01	5	437	0.29
B365612		61	2.31	<0.01	3.75	0.72	162	1	1.58	20	630	17	0.04	5	450	0.31
B365613		60	2.20	<0.01	3.77	0.72	184	2	1.60	20	620	17	0.03	<5	484	0.31
B365614		50	2.32	<0.01	3.65	0.72	196	2	1.60	22	610	17	0.04	<5	459	0.30
B365615		41	2.23	<0.01	3.74	0.70	198	2	1.55	21	620	20	0.03	7	435	0.30
B365616		4	0.15	<0.01	0.05	11.40	140	<1	0.03	2	440	2	0.03	<5	103	0.01
B365617		34	2.32	<0.01	3.51	0.73	270	1	1.59	20	600	27	0.02	<5	468	0.30
B365618		42	2.09	<0.01	3.52	0.66	198	2	1.40	20	550	22	0.05	5	380	0.27
B365619		30	2.29	<0.01	3.44	0.76	208	2	1.58	21	610	16	0.02	<5	461	0.31
B365620		29	2.37	<0.01	3.41	0.81	229	1	1.54	22	640	16	0.02	6	445	0.32
B365621		40	2.41	<0.01	3.44	0.81	238	3	1.49	24	660	16	0.04	7	450	0.32
B365622		43	2.45	<0.01	3.53	0.83	231	3	1.53	22	690	20	0.04	5	460	0.33
B365623		63	2.25	<0.01	3.75	0.80	228	4	1.40	21	610	14	0.03	<5	431	0.30
B365624		103	2.49	0.01	3.46	0.81	218	9	1.12	20	670	21	0.03	14	327	0.33
B365625		138	2.45	0.01	3.84	0.56	312	5	0.98	23	630	15	0.09	21	252	0.31
B365626		355	3.77	0.06	3.51	0.35	226	3	0.18	20	630	164	1.20	130	126	0.28
B365627		392	3.70	0.09	3.67	0.64	875	4	1.06	27	590	180	1.33	134	318	0.29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B365588		33	10	44
B365589				
B365590		177	<10	58
B365591		32	10	35
B365592		27	10	30
B365593		40	20	42
B365594		34	10	34
B365595		43	<10	31
B365596		2	<10	7
B365597		46	10	28
B365598		55	10	38
B365599		32	10	18
B365600		35	10	20
B365601		35	20	19
B365602		35	20	17
B365603		37	20	25
B365604		38	10	29
B365605		37	<10	41
B365606		30	<10	16
B365607		35	10	37
B365608		37	10	24
B365609				
B365610		91	10	47
B365611		36	30	22
B365612		36	20	22
B365613		37	<10	27
B365614		37	10	29
B365615		36	10	38
B365616		3	<10	8
B365617		36	10	56
B365618		34	<10	46
B365619		38	<10	35
B365620		39	20	37
B365621		40	30	45
B365622		41	30	43
B365623		37	30	30
B365624		41	40	37
B365625		38	10	86
B365626		39	30	519
B365627		35	10	939

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B365628		6.16	0.075				<0.5	7.43	469	1760	2.6	4	1.46	2.7	14	58
B365629		<0.02	0.087													
B365630		0.12	0.806				2.0	7.59	12	450	0.7	<2	1.87	0.7	22	102
B365631		5.90	0.036				<0.5	7.54	190	1700	2.8	2	2.19	0.6	11	31
B365632		5.34	0.284				<0.5	7.36	395	1700	2.7	24	2.17	<0.5	9	59
B365633		5.34	0.246				0.6	6.42	327	1460	2.4	29	1.53	0.6	8	29
B365634		5.82	1.405				3.4	7.56	756	1010	2.9	81	0.42	3.1	9	72
B365635		6.28	0.174				1.2	7.26	547	1320	2.8	8	0.88	2.0	13	33
B365636		0.96	<0.005				<0.5	0.08	7	10	<0.5	<2	18.70	<0.5	<1	3
B365637		2.60	0.157				<0.5	7.25	261	1440	2.8	10	1.90	<0.5	11	29
B365638		0.86	6.90				2.1	4.36	721	820	1.6	387	1.22	0.5	15	88
B365639		3.76	0.103				<0.5	7.35	266	1650	2.6	6	1.93	<0.5	10	30
B365640		5.98	0.090				<0.5	6.79	393	1440	2.6	7	1.87	<0.5	10	54
B365641		3.14	0.149				<0.5	6.97	70	1450	2.9	12	2.27	<0.5	8	25
B365642		3.22	0.137				<0.5	6.69	80	1390	2.8	6	2.15	<0.5	8	56
B365643		6.16	0.140				<0.5	7.12	43	1500	2.5	5	2.29	<0.5	8	26
B365644		7.30	0.418				<0.5	7.33	144	1500	2.9	23	1.90	<0.5	7	69
B365645		1.10	>10.0			9.66	2.9	0.42	631	40	<0.5	676	1.33	<0.5	6	5
B365646		5.38	0.235				<0.5	7.40	225	1350	3.1	21	2.01	<0.5	11	92
B365647		6.06	0.052				<0.5	7.31	70	1490	2.9	6	2.12	<0.5	9	29
B365648		6.66	0.063				<0.5	7.28	100	1450	3.0	7	2.09	<0.5	9	85
B365649		<0.02	0.050													
B365650		0.12	2.65				<0.5	7.23	2080	730	12.4	2	0.01	<0.5	1	146
B365651		7.28	0.179				<0.5	7.54	127	1530	3.0	19	1.78	<0.5	10	27
B365652		6.48	0.063				<0.5	7.56	278	1580	2.7	7	1.86	<0.5	11	86
B365653		3.12	0.018				<0.5	7.62	48	1490	2.9	2	2.04	<0.5	10	28
B365654		3.92	0.315				<0.5	7.33	71	1520	2.6	8	2.03	<0.5	9	78
B365655		1.38	1.670				<0.5	6.09	1405	1260	1.8	108	2.96	<0.5	57	20
B365656		0.84	<0.005				<0.5	1.67	7	70	<0.5	<2	14.30	<0.5	<1	19
B365657		6.48	0.462				2.1	7.09	55	1380	2.6	34	1.84	<0.5	6	25
B365658		4.00	0.682				7.8	7.19	157	530	2.6	39	2.04	10.7	8	105
B365659		4.18	1.100				<0.5	7.12	44	1600	3.0	36	2.29	<0.5	6	29
B365660		4.76	0.851				<0.5	7.43	91	1510	2.9	10	2.14	<0.5	8	89
B365661		3.40	0.192				<0.5	7.71	35	1590	3.2	23	2.06	<0.5	9	27
B365662		3.48	0.743				<0.5	7.22	48	1510	2.9	16	2.09	<0.5	10	80
B365663		6.74	0.773				<0.5	6.81	40	1400	2.8	52	2.17	<0.5	7	26
B365664		7.24	2.74				<0.5	7.02	49	1440	2.7	110	2.08	<0.5	8	81
B365665		6.06	0.137				<0.5	7.19	71	1390	2.9	11	2.02	<0.5	7	24
B365666		6.82	1.485				<0.5	7.39	74	1480	2.9	80	2.01	<0.5	8	87
B365667		6.28	0.072				<0.5	7.37	36	1410	3.1	9	1.92	<0.5	7	25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B365628		87	2.68	0.01	3.64	0.86	556	2	1.35	28	690	13	0.02	80	406	0.33
B365629																
B365630		2090	5.22	<0.01	1.74	1.34	449	2	3.05	53	670	14	0.61	<5	208	0.31
B365631		81	2.43	<0.01	3.66	0.86	319	1	1.53	20	700	11	0.02	27	454	0.35
B365632		83	2.30	0.01	3.66	0.82	262	1	1.44	21	690	22	0.03	20	442	0.34
B365633		107	2.33	0.01	3.18	0.72	241	12	1.18	20	600	95	0.04	45	349	0.29
B365634		172	3.94	0.08	3.50	0.49	293	9	0.32	14	540	360	0.15	142	179	0.28
B365635		167	3.41	0.02	3.76	0.58	314	4	0.77	27	670	140	0.16	41	263	0.32
B365636		2	0.09	<0.01	0.02	11.25	136	<1	0.02	3	460	<2	0.01	<5	96	<0.01
B365637		65	2.26	<0.01	3.66	0.75	196	5	1.43	22	580	20	0.19	13	434	0.29
B365638		51	1.56	0.01	2.32	0.32	229	16	0.33	23	360	144	0.29	59	126	0.15
B365639		82	2.39	0.02	3.62	0.84	220	5	1.49	24	650	12	0.08	15	447	0.32
B365640		56	2.16	0.01	3.68	0.74	234	4	1.39	21	560	22	0.07	13	389	0.28
B365641		32	2.10	0.01	3.92	0.66	281	2	1.56	18	570	32	0.05	9	421	0.28
B365642		31	2.12	0.01	3.75	0.66	274	3	1.48	20	530	26	0.06	6	399	0.27
B365643		35	2.31	0.01	3.84	0.77	253	4	1.52	20	600	18	0.08	8	414	0.29
B365644		37	2.24	0.01	3.98	0.74	228	3	1.30	21	590	29	0.13	6	341	0.30
B365645		19	0.51	0.02	0.18	0.03	149	37	0.01	5	40	284	0.05	30	44	0.01
B365646		46	2.33	0.02	3.87	0.72	248	10	1.38	22	590	38	0.23	11	370	0.29
B365647		44	2.35	0.01	3.77	0.77	230	14	1.64	21	590	22	0.16	<5	448	0.30
B365648		33	2.34	0.02	3.72	0.74	256	3	1.67	22	570	26	0.12	<5	459	0.29
B365649																
B365650		102	3.35	0.08	3.13	0.37	69	2	0.08	12	330	33	0.01	151	139	0.25
B365651		77	2.55	0.02	3.93	0.83	247	3	1.68	22	600	25	0.35	<5	486	0.29
B365652		53	2.33	0.03	3.94	0.82	198	2	1.74	25	610	14	0.16	<5	468	0.30
B365653		42	2.37	0.01	3.52	0.85	235	5	1.88	26	640	19	0.09	<5	497	0.32
B365654		43	2.32	0.04	3.63	0.80	265	2	1.79	25	590	17	0.03	<5	461	0.30
B365655		130	2.88	0.02	3.34	0.60	339	2	1.22	23	450	15	0.91	5	379	0.22
B365656		7	0.79	0.01	0.40	8.13	183	<1	0.62	14	450	2	0.01	<5	108	0.06
B365657		25	2.13	0.02	3.72	0.58	309	13	1.17	23	580	80	0.07	26	318	0.27
B365658		54	2.57	0.22	3.33	0.37	855	3	0.28	24	640	941	0.65	291	89	0.26
B365659		21	2.40	0.01	3.46	0.73	348	1	1.48	26	620	17	0.07	11	437	0.31
B365660		26	2.26	<0.01	3.92	0.76	301	5	1.55	23	590	29	0.08	<5	434	0.28
B365661		29	2.30	<0.01	4.20	0.84	269	26	1.56	23	600	22	0.11	<5	437	0.30
B365662		24	2.17	<0.01	4.06	0.79	276	21	1.48	25	580	23	0.09	<5	422	0.29
B365663		19	2.11	<0.01	3.47	0.72	265	3	1.27	20	550	18	0.06	6	357	0.27
B365664		25	2.20	<0.01	3.58	0.75	236	7	1.39	28	580	22	0.06	<5	394	0.28
B365665		25	2.07	<0.01	3.73	0.71	232	5	1.50	21	560	26	0.05	<5	400	0.28
B365666		29	2.36	<0.01	3.66	0.82	250	6	1.51	25	610	26	0.07	<5	422	0.30
B365667		22	2.14	<0.01	3.75	0.74	233	2	1.47	21	570	25	0.02	<5	402	0.28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B365628		40	20	1005
B365629				
B365630		96	10	219
B365631		43	30	79
B365632		42	30	91
B365633		37	20	208
B365634		39	30	673
B365635		44	20	467
B365636		3	<10	8
B365637		37	20	40
B365638		19	20	39
B365639		38	20	44
B365640		33	20	43
B365641		32	20	59
B365642		33	10	53
B365643		34	20	34
B365644		35	20	60
B365645		1	<10	10
B365646		35	30	67
B365647		36	20	46
B365648		34	10	47
B365649				
B365650		101	20	16
B365651		34	30	44
B365652		36	30	21
B365653		37	30	29
B365654		34	30	23
B365655		26	20	78
B365656		22	<10	17
B365657		32	10	115
B365658		35	20	1940
B365659		37	10	39
B365660		33	10	51
B365661		35	<10	37
B365662		33	10	35
B365663		31	10	35
B365664		32	<10	32
B365665		31	<10	40
B365666		36	<10	48
B365667		32	<10	40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1
B365668		6.42	0.237				<0.5	7.59	45	1460	3.0	15	1.85	<0.5	7	91
B365669		<0.02	0.140													
B365670		0.12	0.090				<0.5	6.40	108	550	2.4	<2	0.49	<0.5	55	1140
B365671		5.04	0.185				<0.5	7.95	50	1630	3.1	28	2.42	<0.5	7	75
B365672		8.96	0.096				<0.5	7.55	53	1520	2.9	21	2.26	<0.5	7	100
B365673		6.36	0.034				<0.5	8.94	110	1990	3.3	85	3.00	<0.5	11	37
B365674		6.96	0.163				<0.5	7.53	72	1650	2.7	73	2.45	<0.5	8	30
B365675		6.56	0.603				<0.5	7.51	144	1710	2.6	16	2.37	<0.5	8	29
B365676		0.76	<0.005				<0.5	0.23	<5	20	<0.5	<2	20.2	<0.5	<1	6
B365677		7.28	0.067				<0.5	8.60	23	1700	3.0	7	2.95	<0.5	7	35
B365678		7.34	0.098				<0.5	8.43	48	1720	2.9	10	2.58	<0.5	7	33
B365679		6.48	0.023				<0.5	8.34	39	1670	3.0	3	2.61	<0.5	8	32
B365680		7.10	0.046				<0.5	8.02	41	1580	2.9	4	2.37	<0.5	7	30
B365681		3.60	0.050				<0.5	7.94	32	1580	2.9	<2	2.50	<0.5	9	30
B365682		4.06	0.021				<0.5	7.89	32	1560	2.9	4	2.40	<0.5	10	28
B365683		6.22	0.038				<0.5	8.05	37	1580	2.9	2	2.47	<0.5	10	33
B365684		4.88	0.042				<0.5	8.20	26	1590	2.9	6	2.53	<0.5	8	28
B365685		5.42	0.129				<0.5	8.14	34	1650	3.0	8	2.51	<0.5	8	32
B365686		4.48	0.021				<0.5	8.34	23	1520	2.9	2	2.35	<0.5	8	30
B365687		6.26	0.716				<0.5	7.94	30	1610	2.7	76	2.39	<0.5	9	28
B365688		6.58	0.452				<0.5	7.80	43	1690	2.7	28	2.62	<0.5	9	33
B365689		<0.02	0.547													
B365690		0.10	4.37				9.6	8.38	11	500	0.9	<2	2.95	1.6	18	21
B365691		3.96	0.197				3.1	7.91	136	1490	2.7	27	2.24	0.6	9	32
B365692		1.74	9.35				98.5	0.53	3290	40	<0.5	742	0.55	31.1	23	22
B365693		3.74	0.557				3.4	7.33	230	810	2.5	32	2.13	1.3	7	32
B365694		3.44	0.251				<0.5	8.18	25	1770	2.5	8	2.52	0.7	7	28
B365695		2.96	0.153				<0.5	8.30	28	1640	3.2	7	2.49	<0.5	7	34
B365696		1.04	<0.005				<0.5	0.12	<5	20	<0.5	<2	19.95	<0.5	<1	2
B365697		5.56	0.036				<0.5	8.33	46	1520	3.4	5	2.41	<0.5	7	28

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Cu	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti
	Units	ppm	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	1	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01
B365668		33	2.29	<0.01	3.82	0.79	210	11	1.47	25	610	20	0.05	5	395	0.29
B365669																
B365670		379	7.92	0.03	2.09	0.56	362	8	0.11	448	330	147	0.01	12	48	0.24
B365671		33	2.53	<0.01	3.99	0.84	256	11	1.78	26	680	23	0.10	<5	504	0.33
B365672		34	2.29	<0.01	3.72	0.77	210	12	1.67	25	620	19	0.13	<5	480	0.31
B365673		45	2.74	<0.01	4.89	0.93	245	1	2.05	29	800	20	0.26	<5	603	0.39
B365674		36	2.26	<0.01	3.96	0.78	197	1	1.65	26	660	20	0.22	<5	491	0.32
B365675		34	2.30	<0.01	4.27	0.85	214	2	1.42	21	650	15	0.11	<5	467	0.30
B365676		2	0.18	<0.01	0.05	11.55	130	<1	0.02	5	450	4	0.04	<5	109	0.01
B365677		19	2.81	<0.01	3.20	1.02	312	4	1.84	25	760	20	0.12	<5	564	0.34
B365678		26	2.53	0.01	3.82	0.88	242	1	1.75	23	670	22	0.13	<5	530	0.33
B365679		21	2.48	<0.01	3.61	0.86	245	1	1.79	22	650	20	0.11	<5	530	0.32
B365680		35	2.43	<0.01	3.87	0.83	244	1	1.72	23	630	23	0.17	<5	498	0.31
B365681		30	2.47	<0.01	3.66	0.82	242	10	1.70	26	640	20	0.16	<5	495	0.31
B365682		31	2.39	<0.01	3.64	0.80	232	13	1.68	23	660	19	0.17	<5	490	0.31
B365683		43	2.45	<0.01	3.63	0.84	219	8	1.68	23	650	21	0.22	<5	508	0.31
B365684		41	2.52	0.01	3.58	0.86	239	12	1.71	25	670	20	0.21	<5	511	0.31
B365685		39	2.52	<0.01	3.62	0.86	237	3	1.70	23	630	21	0.21	<5	516	0.33
B365686		29	2.42	<0.01	3.75	0.79	292	2	1.67	23	660	27	0.12	6	463	0.32
B365687		42	2.49	<0.01	3.80	0.85	312	2	1.48	24	660	32	0.15	13	441	0.31
B365688		33	2.59	<0.01	3.64	0.84	366	2	1.50	24	710	33	0.18	8	494	0.32
B365689																
B365690		127	4.31	0.01	2.34	1.40	996	13	1.67	14	960	24	0.70	<5	429	0.38
B365691		35	2.71	0.01	3.51	0.78	571	1	1.21	24	680	86	0.24	26	404	0.31
B365692		114	3.00	0.13	0.23	0.11	1225	5	0.01	24	50	1935	1.80	543	23	0.02
B365693		36	2.97	0.03	3.23	0.53	925	4	0.23	19	640	145	0.77	40	156	0.29
B365694		30	2.56	0.01	3.86	0.81	364	8	1.53	24	660	33	0.17	9	502	0.31
B365695		22	2.69	<0.01	3.69	0.95	352	7	1.68	23	690	27	0.15	<5	510	0.31
B365696		<1	0.11	<0.01	0.04	11.75	139	<1	0.01	4	500	<2	0.01	<5	111	0.01
B365697		21	2.41	0.02	3.90	0.86	309	4	1.73	24	610	31	0.11	<5	486	0.29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B365668		34	10	29
B365669				
B365670		86	30	596
B365671		37	30	41
B365672		35	30	27
B365673		44	10	29
B365674		36	10	22
B365675		37	10	24
B365676		4	<10	10
B365677		45	<10	36
B365678		41	10	31
B365679		39	<10	31
B365680		37	40	37
B365681		38	70	32
B365682		37	40	31
B365683		40	30	29
B365684		39	40	30
B365685		39	<10	30
B365686		37	<10	62
B365687		38	20	58
B365688		43	10	67
B365689				
B365690		155	<10	102
B365691		41	10	102
B365692		3	<10	4600
B365693		44	20	225
B365694		40	20	136
B365695		44	<10	71
B365696		3	<10	8
B365697		36	10	59

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da(2-OCT-2005
Account: STRGOL

CERTIFICATE VA05083822

Project: Dublin Gulch-1735

P.O. No.:

This report is for 97 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365698		5.84	0.041		<0.5	8.05	49	1650	2.9	2	2.49	<0.5	8	30	48	2.52
B365699		3.54	0.287	0.355	1.7	8.22	103	1670	3.1	28	2.26	<0.5	10	30	58	3.32
B365700		1.46	0.493		20.4	7.76	298	260	2.7	142	2.50	5.4	10	20	65	6.08
B365701		2.14	0.443	0.505	1.0	7.80	283	1030	2.8	41	2.11	1.1	6	26	26	2.50
B365702		2.02	0.244		1.5	7.94	63	1030	2.8	17	1.93	1.6	5	22	27	2.62
B365703		5.22	0.018		<0.5	7.95	40	1420	3.1	<2	2.19	<0.5	7	28	22	2.29
B365704		5.82	0.015		<0.5	7.64	24	1050	3.7	2	1.85	<0.5	4	16	17	1.70
B365705		3.30	0.524		<0.5	7.57	103	1020	3.0	18	2.06	<0.5	8	20	58	1.96
B365706		6.78	0.048		<0.5	7.73	96	1430	3.0	5	2.29	<0.5	7	26	43	2.25
B365707		5.90	0.106		<0.5	8.13	88	1580	3.0	14	2.36	<0.5	10	28	43	2.40
B365708		6.34	0.111		<0.5	8.21	54	1590	3.3	6	2.47	<0.5	8	28	61	2.46
B365709		<0.02	0.123													
B365710		0.12	3.00		0.6	7.12	<5	2090	3.3	<2	4.91	<0.5	22	134	97	5.09
B365711		6.00	0.026		<0.5	8.03	78	1590	3.2	3	2.38	<0.5	8	26	63	2.44
B365712		5.38	0.156		<0.5	8.21	43	1580	3.1	16	2.52	<0.5	9	28	44	2.41
B365713		5.92	0.592		<0.5	7.53	41	1270	3.3	22	2.19	<0.5	6	21	38	1.94
B365714		7.04	0.127		<0.5	7.35	44	1470	3.0	10	2.26	<0.5	6	32	47	2.25
B365715		4.56	0.033		<0.5	7.23	44	1430	2.9	<2	2.89	<0.5	6	25	28	2.26
B365716		1.46	<0.005		<0.5	0.12	5	20	<0.5	<2	18.80	<0.5	<1	4	<1	0.10
B365717		7.24	0.163		<0.5	7.16	43	1370	3.1	7	2.12	<0.5	5	26	32	2.15
B365718		6.74	0.060		<0.5	7.49	82	1490	3.0	10	2.75	<0.5	10	29	56	2.32
B365719		6.88	0.069		<0.5	7.33	395	1470	2.9	9	2.70	<0.5	10	28	62	2.33
B365720		6.42	0.237		<0.5	7.54	79	1510	2.9	13	2.31	<0.5	8	29	38	2.38
B365721		3.54	0.030		<0.5	7.58	57	1500	3.0	4	2.43	<0.5	7	32	50	2.32
B365722		3.86	0.056		<0.5	7.52	58	1490	3.0	2	2.40	<0.5	7	32	50	2.34
B365723		7.16	0.029		<0.5	7.52	54	1500	2.9	3	2.46	<0.5	8	30	48	2.86
B365724		6.86	0.164		<0.5	7.42	63	1540	3.0	10	2.44	<0.5	10	32	58	2.67
B365725		6.24	0.098		<0.5	7.42	195	1450	3.0	11	2.33	<0.5	8	91	62	2.48
B365726		6.46	0.165		<0.5	7.63	49	1500	3.0	4	2.32	<0.5	8	30	42	2.42
B365727		6.10	0.105		<0.5	7.37	28	1450	2.8	14	2.42	<0.5	6	94	42	2.37
B365728		7.78	0.066		<0.5	7.66	36	1490	3.0	2	2.35	<0.5	8	27	33	2.37
B365729		<0.02	0.034													
B365730		0.10	1.335		<0.5	6.67	1165	650	5.5	<2	0.01	<0.5	4	196	36	3.51
B365731		6.22	0.504		<0.5	7.51	45	1460	2.9	29	2.25	<0.5	8	91	51	2.37
B365732		7.22	0.071		<0.5	7.29	90	1420	2.8	10	2.24	<0.5	10	31	82	2.36
B365733		7.02	0.337		<0.5	7.27	151	1490	2.9	9	2.15	<0.5	12	102	93	2.49
B365734		6.78	0.274		<0.5	7.73	268	1570	2.6	20	1.87	<0.5	14	28	118	2.60
B365735		2.62	0.037		<0.5	7.86	65	1580	3.1	6	2.17	<0.5	8	95	46	2.52
B365736		0.74	<0.005		<0.5	0.14	<5	20	<0.5	<2	19.20	<0.5	<1	3	1	0.12
B365737		4.34	0.676		9.0	7.13	458	300	2.3	34	1.57	5.2	11	104	97	2.44

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365698		<0.01	3.83	0.84	329	4	1.64	23	670	29	0.16	<5	508	0.32	39	<10
B365699		0.01	3.76	0.88	409	1	1.50	25	710	106	0.52	19	478	0.33	41	10
B365700		0.10	3.51	0.58	1475	1	0.17	20	610	1070	3.50	81	157	0.21	31	30
B365701		0.03	3.41	0.53	907	2	0.45	23	660	94	0.24	25	197	0.28	36	20
B365702		0.05	3.52	0.55	923	<1	0.36	18	690	80	0.24	12	163	0.28	37	30
B365703		<0.01	3.92	0.74	320	<1	1.65	17	580	33	0.11	<5	445	0.28	34	20
B365704		<0.01	3.94	0.53	235	2	1.67	17	430	35	0.09	<5	341	0.20	24	10
B365705		0.01	3.98	0.47	225	5	1.49	17	530	20	0.27	18	303	0.25	30	30
B365706		<0.01	3.65	0.75	232	6	1.54	20	600	19	0.20	<5	444	0.29	36	10
B365707		<0.01	3.84	0.82	220	4	1.69	25	650	21	0.22	<5	504	0.31	39	10
B365708		<0.01	3.72	0.84	222	1	1.77	24	640	15	0.29	7	521	0.31	40	<10
B365709																
B365710		0.01	3.41	2.99	1050	13	2.27	65	2410	31	0.30	<5	1645	0.38	170	10
B365711		<0.01	3.79	0.86	210	1	1.65	21	650	20	0.27	5	501	0.31	39	10
B365712		<0.01	3.83	0.83	219	2	1.74	25	660	17	0.23	<5	517	0.31	38	10
B365713		<0.01	4.08	0.65	176	13	1.66	18	480	14	0.19	<5	436	0.25	31	10
B365714		<0.01	3.57	0.75	196	3	1.61	18	610	19	0.25	<5	474	0.29	35	30
B365715		<0.01	3.23	0.84	270	2	1.44	20	600	23	0.13	<5	487	0.29	35	<10
B365716		<0.01	0.04	10.85	139	<1	0.01	11	440	4	0.01	<5	100	0.01	2	10
B365717		<0.01	3.56	0.76	202	1	1.45	19	560	16	0.18	<5	450	0.27	31	<10
B365718		<0.01	3.59	0.79	205	1	1.62	23	620	16	0.27	<5	500	0.30	37	<10
B365719		<0.01	3.53	0.77	202	2	1.56	22	650	13	0.30	<5	484	0.29	35	10
B365720		<0.01	3.35	0.79	215	4	1.61	24	590	14	0.20	<5	486	0.29	36	<10
B365721		<0.01	3.40	0.77	209	7	1.65	23	610	19	0.24	<5	492	0.29	36	10
B365722		<0.01	3.43	0.77	204	5	1.66	19	640	15	0.25	<5	489	0.30	36	10
B365723		<0.01	3.39	0.79	250	3	1.61	19	650	13	0.23	<5	493	0.30	36	<10
B365724		0.01	3.72	0.79	217	1	1.65	22	620	13	0.28	<5	486	0.30	36	20
B365725		<0.01	3.49	0.76	202	1	1.60	21	600	20	0.32	<5	471	0.29	36	20
B365726		<0.01	3.43	0.80	226	3	1.60	23	630	23	0.23	<5	488	0.29	35	<10
B365727		<0.01	3.64	0.80	224	1	1.50	19	630	19	0.22	<5	478	0.28	35	<10
B365728		<0.01	3.48	0.78	240	2	1.60	22	640	26	0.18	<5	487	0.29	35	<10
B365729																
B365730		0.05	2.55	0.33	83	2	0.10	20	300	23	0.01	108	89	0.22	85	<10
B365731		<0.01	3.70	0.74	212	1	1.53	22	570	18	0.29	6	467	0.27	33	20
B365732		<0.01	3.63	0.74	180	6	1.52	22	600	15	0.46	7	443	0.28	35	10
B365733		<0.01	4.13	0.77	195	<1	1.52	20	610	15	0.43	6	457	0.31	38	10
B365734		<0.01	4.90	0.79	187	1	1.34	19	640	17	0.60	5	450	0.29	35	70
B365735		0.01	3.71	0.81	280	1	1.57	20	610	19	0.25	12	457	0.30	38	<10
B365736		<0.01	0.05	11.35	140	<1	0.02	8	410	3	0.02	<5	108	0.01	2	<10
B365737		0.14	3.03	0.29	566	2	0.06	22	570	192	1.40	75	82	0.25	33	20

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B365698		62
B365699		75
B365700		909
B365701		210
B365702		310
B365703		61
B365704		35
B365705		22
B365706		30
B365707		27
B365708		28
B365709		
B365710		99
B365711		26
B365712		29
B365713		22
B365714		27
B365715		33
B365716		8
B365717		31
B365718		25
B365719		22
B365720		25
B365721		24
B365722		24
B365723		26
B365724		23
B365725		27
B365726		28
B365727		26
B365728		30
B365729		
B365730		43
B365731		24
B365732		17
B365733		22
B365734		19
B365735		26
B365736		10
B365737		915

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365738		6.28	0.083		2.3	7.80	231	700	2.6	4	2.22	4.1	9	25	63	2.50
B365739		5.74	2.66		1.1	7.33	157	1130	2.5	160	1.80	1.0	9	96	60	2.55
B365740		6.74	0.182		<0.5	7.48	107	1320	2.9	19	1.72	<0.5	7	27	53	2.55
B365741		3.08	0.285		<0.5	7.29	288	1450	2.8	20	2.19	<0.5	11	100	65	2.47
B365742		3.30	0.767		<0.5	7.08	210	1410	2.8	29	2.08	<0.5	10	27	71	2.39
B365743		7.92	0.802		<0.5	7.10	1585	1470	2.6	28	2.09	<0.5	9	87	60	2.59
B365744		6.84	0.074		<0.5	7.06	58	1310	2.5	12	2.03	0.8	6	25	46	2.13
B365745		7.26	0.369		<0.5	7.53	103	1460	2.9	9	2.07	<0.5	6	77	53	2.24
B365746		7.14	0.030		<0.5	7.45	236	1480	3.0	4	2.36	<0.5	5	29	37	2.33
B365747		6.72	0.032		<0.5	7.44	45	1510	2.8	4	2.31	<0.5	8	90	49	2.35
B365748		5.60	0.080		<0.5	7.41	100	1510	2.9	10	2.31	<0.5	9	79	70	2.39
B365749		<0.02	0.074													
B365750		Empty Bag														
B365751		2.68	0.375		<0.5	7.88	140	1340	3.4	22	3.65	<0.5	12	104	64	4.16
B365752		5.32	0.104		<0.5	7.42	81	1480	2.9	10	2.12	<0.5	8	86	63	2.46
B365753		6.06	0.057		<0.5	6.86	198	1300	2.8	2	2.05	<0.5	7	27	43	2.25
B365754		5.98	0.068		<0.5	6.99	180	1380	2.9	15	2.17	<0.5	8	90	68	2.38
B365755		6.42	0.058		<0.5	7.13	174	1410	3.1	3	2.28	<0.5	5	27	69	2.43
B365756		0.86	<0.005		<0.5	0.13	11	20	<0.5	<2	18.30	<0.5	<1	12	2	0.10
B365757		7.40	0.192		<0.5	7.09	45	1390	2.9	18	2.12	<0.5	8	26	62	2.37
B365758		6.86	0.074		<0.5	6.77	75	1390	2.9	28	2.23	<0.5	9	29	64	2.34
B365759		5.54	0.107		0.5	6.82	111	1380	2.8	5	2.37	<0.5	7	74	55	2.29
B365760		5.96	0.413		<0.5	7.09	84	1440	2.6	27	2.35	<0.5	9	25	79	2.41
B365761		3.70	0.383		<0.5	7.18	52	1430	3.2	7	2.40	<0.5	6	93	34	2.41
B365762		3.26	0.144		<0.5	7.06	53	1440	3.0	14	2.29	<0.5	7	27	47	2.34
B365763		5.96	0.048		<0.5	7.28	68	1480	2.7	3	2.49	<0.5	9	88	49	2.37
B365764		6.62	0.081		<0.5	7.55	108	1620	2.7	10	2.18	<0.5	7	29	61	2.50
B365765		6.38	0.588		<0.5	7.22	51	1210	2.5	16	2.46	<0.5	5	88	34	2.35
B365766		7.14	0.031		<0.5	7.34	64	1550	2.7	21	2.24	<0.5	6	27	41	2.34
B365767		6.98	0.031		<0.5	7.39	123	1610	2.9	2	2.27	<0.5	7	88	59	2.40
B365768		4.98	0.215		<0.5	6.94	93	1550	2.8	16	2.25	<0.5	9	27	68	2.24
B365769		<0.02	0.275													
B365770		0.10	0.090		<0.5	6.68	103	550	2.5	<2	0.50	<0.5	56	1070	375	7.80
B365771		2.00	0.025		<0.5	7.46	49	1660	2.9	3	2.38	<0.5	8	80	56	2.42
B365772		6.68	0.070		<0.5	7.15	84	1570	2.9	17	2.06	<0.5	10	30	88	2.34
B365773		4.06	0.096		<0.5	7.78	145	1600	3.0	5	2.21	<0.5	9	76	70	2.46
B365774		4.28	0.079		<0.5	7.38	102	1240	2.7	5	2.48	<0.5	9	25	77	2.46
B365775		4.40	0.043		<0.5	7.53	140	1620	2.8	3	2.47	<0.5	8	80	50	2.43
B365776		1.48	<0.005		<0.5	0.13	<5	20	<0.5	<2	19.50	<0.5	<1	3	4	0.11
B365777		6.66	0.044		<0.5	7.09	44	1380	2.6	5	2.64	<0.5	6	23	36	2.21

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10
B365738		0.14	3.49	0.47	826	2	0.38	21	630	196	0.71	95	189	0.28	34	10
B365739		0.01	3.65	0.55	572	3	0.79	21	580	63	0.49	40	245	0.27	33	10
B365740		0.01	3.59	0.67	275	2	1.22	21	600	29	0.34	13	340	0.27	34	10
B365741		0.01	3.55	0.78	222	7	1.45	20	600	31	0.35	14	438	0.28	36	10
B365742		0.01	3.49	0.74	201	7	1.45	15	610	48	0.39	13	426	0.28	34	10
B365743		0.01	3.49	0.70	190	<1	1.43	21	560	31	0.52	6	424	0.26	32	30
B365744		0.02	3.51	0.62	194	2	1.27	18	550	28	0.27	13	369	0.26	32	20
B365745		<0.01	3.93	0.69	166	1	1.54	20	570	24	0.30	<5	438	0.27	33	40
B365746		<0.01	3.46	0.78	218	<1	1.66	22	630	19	0.22	5	496	0.29	34	<10
B365747		<0.01	3.71	0.75	176	3	1.50	22	610	15	0.26	11	454	0.28	34	10
B365748		0.01	3.71	0.77	180	3	1.53	21	640	14	0.35	<5	466	0.29	36	10
B365749																
B365750																
B365751		<0.01	3.33	1.90	509	3	1.60	36	720	11	0.39	<5	536	0.36	76	<10
B365752		0.01	3.48	0.80	164	1	1.58	22	630	18	0.34	<5	466	0.29	36	10
B365753		0.01	3.44	0.71	212	2	1.59	20	570	22	0.20	<5	411	0.27	32	20
B365754		0.01	3.54	0.72	161	2	1.59	18	570	15	0.33	6	441	0.28	32	30
B365755		0.01	3.43	0.77	202	1	1.58	20	590	18	0.31	6	448	0.29	34	30
B365756		<0.01	0.04	10.55	138	<1	0.03	5	450	<2	0.01	<5	95	0.01	2	<10
B365757		0.01	3.44	0.76	166	1	1.53	20	590	15	0.29	9	428	0.28	33	30
B365758		0.01	3.60	0.74	172	2	1.56	24	590	15	0.32	5	434	0.29	37	30
B365759		0.01	3.62	0.75	190	4	1.58	22	570	21	0.27	<5	430	0.28	32	30
B365760		0.01	3.99	0.71	163	4	1.44	18	570	18	0.41	<5	432	0.27	31	20
B365761		<0.01	3.57	0.74	261	2	1.68	20	610	25	0.16	<5	469	0.29	34	20
B365762		<0.01	3.55	0.75	232	1	1.59	18	580	22	0.22	<5	444	0.28	33	20
B365763		<0.01	3.54	0.75	257	5	1.60	19	590	27	0.23	<5	467	0.28	33	20
B365764		0.01	3.47	0.87	243	3	1.68	21	640	23	0.22	<5	486	0.31	36	30
B365765		0.01	3.19	0.72	358	2	1.30	21	600	35	0.23	10	375	0.28	33	20
B365766		0.01	3.45	0.80	239	1	1.62	21	610	18	0.20	5	474	0.30	35	10
B365767		<0.01	3.44	0.85	191	2	1.66	23	660	19	0.28	5	494	0.32	38	10
B365768		0.01	3.37	0.78	176	1	1.60	19	610	11	0.31	5	486	0.29	34	10
B365769																
B365770		0.03	2.08	0.56	366	9	0.12	442	320	138	0.02	13	48	0.22	85	20
B365771		0.01	3.38	0.86	197	1	1.74	22	650	15	0.27	<5	521	0.32	37	<10
B365772		<0.01	3.64	0.80	150	2	1.62	23	630	15	0.40	<5	472	0.30	36	10
B365773		<0.01	3.55	0.82	183	2	1.66	22	640	15	0.34	<5	465	0.31	36	<10
B365774		0.01	3.53	0.57	167	2	1.01	20	630	28	0.74	10	317	0.29	34	10
B365775		<0.01	3.57	0.82	243	2	1.69	23	650	15	0.27	<5	490	0.31	36	40
B365776		<0.01	0.04	11.40	149	1	0.02	2	460	2	0.01	5	105	0.01	2	<10
B365777		<0.01	3.39	0.82	283	1	1.45	18	590	22	0.15	11	442	0.28	32	20

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B365738		792
B365739		146
B365740		26
B365741		35
B365742		28
B365743		25
B365744		118
B365745		24
B365746		31
B365747		21
B365748		22
B365749		
B365750		
B365751		63
B365752		21
B365753		37
B365754		22
B365755		32
B365756		7
B365757		24
B365758		22
B365759		24
B365760		19
B365761		49
B365762		39
B365763		46
B365764		45
B365765		76
B365766		34
B365767		21
B365768		20
B365769		
B365770		560
B365771		23
B365772		18
B365773		21
B365774		28
B365775		29
B365776		7
B365777		41

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365778		4.40	0.146		<0.5	7.06	54	1400	2.8	3	2.19	<0.5	7	39	34	2.18
B365779		6.12	0.104		<0.5	7.24	142	1110	2.7	4	2.53	<0.5	9	24	58	2.37
B365780		5.72	0.162		<0.5	6.96	55	1480	2.8	<2	2.23	<0.5	6	38	31	2.24
B365781		3.78	0.032		<0.5	7.04	93	1130	2.7	3	2.89	<0.5	8	23	35	2.11
B365782		3.66	0.020		<0.5	6.91	32	1100	2.7	<2	2.82	<0.5	4	39	35	2.05
B365783		6.92	0.023		<0.5	6.82	47	1390	2.7	<2	2.37	<0.5	5	24	35	2.13
B365784		5.72	0.289		<0.5	7.16	76	1470	2.6	15	2.10	<0.5	7	41	61	2.26
B365785		6.04	0.036		<0.5	7.19	99	1330	2.8	3	2.00	<0.5	6	24	56	2.19
B365786		4.58	0.048		<0.5	6.77	113	1370	2.6	2	2.51	<0.5	7	24	45	2.06
B365787		6.68	0.027		<0.5	7.09	40	1370	2.9	<2	2.27	<0.5	7	24	21	2.15
B365788		6.58	0.037		<0.5	6.96	35	1330	2.7	<2	2.60	<0.5	6	23	31	2.10
B365789		<0.02	0.040													
B365790		0.12	2.92		0.6	6.53	8	1930	3.0	<2	4.36	<0.5	20	132	89	4.56
B365791		4.72	0.129		<0.5	7.69	184	1650	2.8	8	2.56	<0.5	11	31	112	2.69
B365792		6.92	0.122		<0.5	7.67	192	1550	2.8	5	2.47	<0.5	9	32	68	2.69
B365793		5.28	0.027		<0.5	6.66	70	1270	2.8	<2	2.08	<0.5	7	27	36	2.01
B365794		2.52	0.100		<0.5	7.33	47	1380	2.7	2	2.13	<0.5	6	28	42	2.34

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365778		<0.01	3.36	0.78	303	2	1.50	20	560	27	0.16	13	408	0.27	32	10
B365779		0.01	3.37	0.69	388	1	0.98	17	590	57	0.37	14	333	0.28	32	20
B365780		<0.01	3.38	0.77	248	1	1.58	21	580	20	0.18	<5	420	0.29	34	20
B365781		0.01	3.13	0.58	283	1	1.28	19	560	29	0.33	8	350	0.27	32	10
B365782		0.01	3.16	0.57	282	1	1.30	22	580	23	0.23	13	344	0.28	32	20
B365783		<0.01	3.39	0.74	240	1	1.70	18	590	20	0.18	9	434	0.28	33	20
B365784		0.01	3.90	0.78	191	2	1.50	18	590	21	0.31	5	431	0.28	33	20
B365785		<0.01	3.63	0.72	229	1	1.60	18	550	26	0.20	5	430	0.28	32	10
B365786		<0.01	3.46	0.72	239	1	1.44	18	550	22	0.21	<5	434	0.27	33	10
B365787		<0.01	3.20	0.76	243	2	1.65	20	600	23	0.12	10	444	0.29	34	20
B365788		<0.01	3.38	0.79	221	1	1.60	20	550	22	0.14	<5	470	0.28	33	20
B365789																
B365790		0.01	3.15	2.70	974	12	2.17	60	2140	25	0.27	5	1485	0.34	151	<10
B365791		<0.01	3.92	0.90	207	1	1.59	23	740	13	0.51	<5	530	0.33	44	20
B365792		0.01	3.57	0.89	231	<1	1.62	21	670	18	0.35	<5	494	0.32	42	20
B365793		0.01	3.35	0.67	210	1	1.40	18	530	15	0.18	<5	413	0.27	35	10
B365794		0.01	3.54	0.76	227	1	1.51	20	600	16	0.23	7	455	0.28	36	20

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method Analyte Units LOR	ME-ICP61 Zn ppm 2
B365778		48
B365779		99
B365780		29
B365781		39
B365782		38
B365783		33
B365784		24
B365785		43
B365786		40
B365787		42
B365788		28
B365789		
B365790		87
B365791		22
B365792		50
B365793		37
B365794		42

094876

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-OCT-2005
Account: STRGOL

CERTIFICATE VA05083939

Project: Dublin Gulch-1735

P.O. No.:

This report is for 180 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B365368		4.42	0.023			0.5	7.68	156	1550	3.0	3	2.17	<0.5	7	95	30
B365369		0.04	0.033													
B365370		0.10	0.451			2.6	9.10	10	1070	1.2	<2	1.44	<0.5	7	12	7470
B365371		3.80	0.025			<0.5	7.56	194	1510	3.0	2	2.05	<0.5	6	28	50
B365372		4.16	0.009			<0.5	7.81	126	1570	3.1	<2	2.20	<0.5	7	91	30
B365373		5.44	0.022			<0.5	7.85	196	1530	3.1	<2	2.10	<0.5	7	100	46
B365374		3.94	0.024			<0.5	7.60	176	1460	3.1	<2	2.11	<0.5	7	29	23
B365375		1.48	0.019			<0.5	7.66	228	1500	3.0	<2	1.90	<0.5	6	108	44
B365376		1.22	<0.005			<0.5	0.11	<5	20	<0.5	<2	18.70	<0.5	<1	4	2
B365377		6.16	0.025			<0.5	7.62	122	1500	3.0	2	2.19	<0.5	6	91	40
B365378		4.78	0.028			<0.5	7.53	187	1480	3.0	<2	2.26	<0.5	5	29	38
B365379		6.94	0.018			<0.5	7.71	132	1520	3.0	<2	2.29	<0.5	6	93	28
B365380		6.24	0.814			<0.5	7.75	141	1510	3.0	66	2.22	<0.5	8	30	35
B365381		3.48	0.022			<0.5	7.96	134	1520	3.1	<2	2.33	<0.5	7	98	37
B365382		2.74	0.043			<0.5	7.73	132	1460	3.0	<2	2.29	<0.5	7	28	35
B365383		5.58	0.025			<0.5	7.57	68	1470	2.9	<2	2.28	<0.5	7	95	22
B365384		5.38	0.077			<0.5	7.56	180	1500	2.9	4	2.09	<0.5	7	28	39
B365385		6.66	0.025			<0.5	7.85	178	1530	3.2	<2	2.32	<0.5	7	96	33
B365386		5.84	0.096			<0.5	7.57	184	1570	2.9	3	2.11	<0.5	7	29	42
B365387		5.66	0.189			<0.5	7.81	304	1500	3.0	8	2.05	<0.5	7	106	43
B365388		5.56	0.479	0.312		<0.5	7.30	294	1360	2.8	25	2.20	<0.5	8	30	64
B365389		0.04	0.298	0.522												
B365390		0.12	0.957			2.1	7.87	<5	460	0.7	<2	1.91	0.9	23	102	2100
B365391		5.78	0.047			<0.5	7.79	140	1530	2.9	8	2.21	<0.5	7	98	34
B365392		4.20	0.147			<0.5	7.43	219	1500	2.7	8	1.68	<0.5	8	28	60
B365393		7.40	0.085			<0.5	7.67	176	1560	3.0	10	2.24	<0.5	6	96	37
B365394		4.92	0.019			<0.5	7.33	150	1470	2.9	<2	2.18	<0.5	7	36	39
B365395		5.96	0.031			<0.5	7.72	205	1550	3.1	<2	2.31	<0.5	9	104	36
B365396		1.38	<0.005			<0.5	0.09	<5	10	<0.5	<2	18.50	<0.5	<1	2	1
B365397		2.60	0.034			<0.5	7.23	113	1410	2.8	<2	2.04	<0.5	7	112	36
B365398		3.40	0.039			<0.5	7.55	298	1490	3.0	4	2.36	<0.5	7	30	20
B365399		5.64	0.108			<0.5	7.37	201	1500	2.9	4	2.19	<0.5	8	98	34
B365400		7.08	0.029			<0.5	7.42	186	1520	3.0	<2	2.17	<0.5	7	32	36
B365401		2.58	0.093			<0.5	7.35	349	1540	3.0	7	2.19	<0.5	7	99	32
B365402		2.16	0.038			<0.5	7.48	146	1530	3.1	<2	2.21	<0.5	8	30	32
B365403		5.40	0.213			<0.5	7.37	400	1570	3.1	5	2.14	<0.5	10	104	56
B365404		6.18	0.021			<0.5	7.46	265	1540	3.1	<2	2.19	<0.5	7	33	37
B365405		6.66	0.225			<0.5	7.30	337	1600	3.0	3	2.05	<0.5	8	90	37
B365406		1.92	0.074			<0.5	7.35	804	1740	2.8	<2	1.50	<0.5	8	88	45
B365407		1.90	>10.0		33.8	34.3	4.58	>10000	340	1.5	546	0.43	0.6	7	89	4470

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B365368		2.37	<0.01	3.54	0.75	266	<1	1.65	24	640	18	0.01	<5	470	0.32	36
B365369																
B365370		3.24	0.03	3.77	1.14	492	1	3.26	9	1980	8	0.24	<5	681	0.35	173
B365371		2.35	<0.01	3.71	0.74	236	<1	1.62	19	630	17	0.01	<5	475	0.31	36
B365372		2.39	<0.01	3.61	0.77	260	1	1.70	23	660	19	0.01	<5	492	0.33	38
B365373		2.35	<0.01	3.79	0.76	227	1	1.64	22	640	16	0.03	<5	482	0.32	37
B365374		2.32	<0.01	3.65	0.70	253	<1	1.58	21	620	15	0.01	<5	442	0.32	36
B365375		2.25	0.01	3.84	0.70	222	<1	1.60	22	610	20	0.01	<5	462	0.31	35
B365376		0.10	<0.01	0.03	10.80	168	<1	0.01	<1	510	3	0.01	<5	105	<0.01	1
B365377		2.31	<0.01	3.56	0.75	241	<1	1.65	22	620	24	0.02	<5	487	0.32	36
B365378		2.40	<0.01	3.64	0.74	251	<1	1.66	20	620	24	0.01	<5	473	0.31	35
B365379		2.35	<0.01	3.63	0.76	259	<1	1.64	21	640	23	0.04	<5	490	0.32	36
B365380		2.41	<0.01	3.78	0.76	251	<1	1.60	22	630	25	0.08	<5	472	0.32	35
B365381		2.28	<0.01	3.93	0.77	233	1	1.68	22	640	21	0.14	<5	491	0.31	35
B365382		2.34	<0.01	3.77	0.77	233	<1	1.61	21	610	18	0.13	<5	475	0.31	34
B365383		2.29	<0.01	3.50	0.76	257	<1	1.64	21	620	21	0.07	<5	474	0.31	34
B365384		2.34	<0.01	3.59	0.74	219	<1	1.58	19	620	18	0.04	<5	471	0.31	34
B365385		2.36	<0.01	3.63	0.78	244	1	1.68	24	650	20	0.09	<5	488	0.32	37
B365386		2.32	<0.01	4.01	0.75	211	1	1.54	21	640	14	0.06	<5	464	0.31	36
B365387		2.25	<0.01	3.88	0.73	210	1	1.60	19	620	21	0.01	<5	479	0.30	34
B365388		2.36	<0.01	3.58	0.70	235	2	1.42	18	590	21	0.02	<5	419	0.29	33
B365389																
B365390		5.19	<0.01	1.77	1.34	451	2	3.08	52	670	24	0.64	<5	217	0.31	91
B365391		2.32	0.01	3.64	0.75	231	<1	1.64	21	630	18	0.03	<5	482	0.30	34
B365392		2.17	<0.01	4.16	0.70	163	<1	1.41	20	600	17	0.04	5	426	0.29	33
B365393		2.40	0.01	3.48	0.78	236	<1	1.61	19	640	15	0.01	<5	470	0.32	37
B365394		2.39	0.01	3.30	0.77	251	<1	1.54	23	650	19	0.02	<5	453	0.31	42
B365395		2.45	0.01	3.51	0.80	250	1	1.64	21	650	18	0.06	<5	480	0.33	37
B365396		0.09	<0.01	0.02	10.80	146	<1	0.01	4	430	7	0.01	<5	101	<0.01	1
B365397		2.21	0.01	3.54	0.72	219	1	1.52	22	590	16	0.05	<5	441	0.29	34
B365398		2.37	0.01	3.39	0.78	267	1	1.60	21	600	20	0.10	<5	468	0.30	36
B365399		2.28	0.01	3.49	0.75	245	1	1.53	20	610	19	0.09	<5	455	0.30	35
B365400		2.37	<0.01	3.49	0.77	247	1	1.52	21	620	17	0.09	<5	457	0.31	37
B365401		2.29	0.01	3.39	0.77	250	2	1.54	22	610	14	0.09	<5	460	0.31	37
B365402		2.42	<0.01	3.44	0.77	258	1	1.58	20	620	18	0.05	<5	463	0.33	37
B365403		2.36	<0.01	3.73	0.79	226	2	1.54	23	620	16	0.17	<5	462	0.32	38
B365404		2.39	<0.01	3.53	0.77	263	1	1.52	22	610	17	0.13	<5	450	0.31	36
B365405		2.30	0.01	3.51	0.77	244	1	1.50	23	620	19	0.09	<5	447	0.31	37
B365406		2.38	0.01	3.68	0.66	188	1	1.39	24	590	15	0.04	8	391	0.30	37
B365407		8.56	0.16	2.65	0.20	49	244	0.16	8	400	1110	3.24	197	512	0.09	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	W	Zn	Zn
	Units	ppm	ppm	%
	LOR	10	2	0.01
B365368		10	42	
B365369				
B365370		<10	55	
B365371		<10	35	
B365372		<10	37	
B365373		<10	32	
B365374		20	38	
B365375		20	38	
B365376		<10	7	
B365377		10	41	
B365378		10	39	
B365379		<10	44	
B365380		<10	43	
B365381		10	35	
B365382		20	35	
B365383		10	43	
B365384		30	34	
B365385		10	36	
B365386		20	33	
B365387		30	34	
B365388		10	36	
B365389				
B365390		<10	204	
B365391		10	35	
B365392		<10	24	
B365393		<10	36	
B365394		10	40	
B365395		<10	39	
B365396		<10	6	
B365397		280	37	
B365398		<10	42	
B365399		<10	39	
B365400		<10	38	
B365401		<10	39	
B365402		20	39	
B365403		10	34	
B365404		10	40	
B365405		30	39	
B365406		10	55	
B365407		50	113	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B365408		2.22	0.052			0.8	7.49	391	1520	2.5	<2	1.70	<0.5	7	86	57
B365409		0.04	0.048													
B365410		0.12	1.495			<0.5	6.61	1275	700	5.6	<2	0.01	<0.5	4	208	41
B365411		7.22	0.045			<0.5	7.23	247	1580	2.8	<2	2.02	<0.5	6	82	35
B365412		6.42	0.095			<0.5	6.98	586	1240	2.6	5	2.15	<0.5	9	90	39
B365413		5.08	0.074			<0.5	7.11	735	1350	2.8	<2	2.07	<0.5	5	83	38
B365414		4.76	0.034			<0.5	7.56	250	1690	3.1	4	2.21	<0.5	8	98	53
B365415		6.48	0.047			<0.5	7.37	150	1660	3.0	<2	2.05	<0.5	8	89	38
B365416		0.84	<0.005			<0.5	0.11	<5	20	<0.5	<2	19.00	<0.5	<1	5	1
B365417		6.44	0.010			<0.5	7.37	85	1520	2.9	<2	2.16	<0.5	5	82	26
B365418		6.78	0.045			<0.5	7.47	240	1500	3.0	<2	2.26	<0.5	8	32	48
B365419		4.14	0.058			<0.5	7.25	113	1530	3.0	3	2.02	<0.5	8	50	39
B365420		3.70	0.141			<0.5	6.90	1610	1570	2.9	6	1.42	<0.5	14	26	35
B365421		3.52	0.090			<0.5	7.04	358	1450	2.9	<2	1.93	<0.5	7	29	56
B365422		3.56	0.177			<0.5	6.84	302	1420	3.0	<2	2.02	<0.5	8	28	50
B365423		5.04	0.060			<0.5	7.12	239	1490	2.9	3	1.98	<0.5	7	28	52
B365424		5.76	0.208			<0.5	7.09	278	1530	3.0	<2	2.06	<0.5	10	31	69
B365425		5.40	0.027			<0.5	7.33	226	1560	3.1	<2	2.07	<0.5	10	29	49
B365426		4.70	0.483			<0.5	7.03	2800	1570	2.9	14	1.62	<0.5	19	28	33
B365427		5.28	0.035			<0.5	7.37	382	1550	3.0	<2	2.26	<0.5	7	30	56
B365428		6.52	0.035			<0.5	6.95	237	1460	2.9	<2	2.17	<0.5	9	29	46
B365429		0.04	0.042													
B365430		0.12	2.81			<0.5	7.31	2080	740	12.9	<2	0.02	<0.5	2	152	100
B365431		5.08	0.074			<0.5	7.12	524	1470	2.9	<2	2.21	<0.5	6	31	29
B365432		6.72	0.086			<0.5	7.35	466	1560	3.0	4	2.35	<0.5	7	30	36
B365433		6.22	0.099			<0.5	7.49	492	1590	2.8	3	2.32	<0.5	6	36	31
B365434		6.18	0.185			<0.5	6.96	539	1510	2.8	6	2.18	<0.5	9	33	54
B365435		6.54	0.018			<0.5	7.17	371	1480	3.0	<2	2.21	<0.5	8	31	43
B365436		1.20	<0.005			<0.5	0.12	13	10	<0.5	<2	19.30	<0.5	<1	2	1
B365437		2.82	0.016			<0.5	7.10	106	1540	3.0	<2	2.28	<0.5	7	29	40
B365438		4.08	0.162			<0.5	6.70	900	1200	2.5	13	2.39	<0.5	9	26	57
B365439		6.70	0.269			<0.5	7.03	295	1430	2.8	15	2.18	<0.5	9	30	39
B365440		7.06	0.642			<0.5	7.00	495	1400	2.8	20	2.21	<0.5	6	30	36
B365441		3.18	0.133			<0.5	6.96	422	1320	2.6	14	2.39	<0.5	8	29	58
B365442		3.50	0.182			<0.5	6.95	436	1340	2.6	13	2.35	<0.5	8	26	57
B365443		6.24	0.023			<0.5	7.28	457	1570	2.9	<2	2.39	<0.5	7	33	29
B365444		5.70	>10.0		17.20	0.6	6.74	191	1560	2.4	553	2.20	<0.5	10	31	79
B365445		7.46	0.144			<0.5	7.44	406	1520	3.0	38	2.36	<0.5	7	32	40
B365446		5.44	0.309			<0.5	7.20	596	1590	2.8	9	1.85	<0.5	11	26	63
B365447		4.80	0.119			<0.5	7.06	77	1460	2.9	45	1.99	<0.5	7	31	51

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B365408		2.14	0.02	4.13	0.30	285	3	1.06	26	660	32	0.06	7	226	0.31	38
B365409																
B365410		3.61	0.06	2.61	0.33	89	1	0.09	19	300	29	0.02	112	87	0.24	89
B365411		2.15	0.01	3.90	0.37	275	3	1.12	21	630	27	0.06	22	287	0.29	36
B365412		2.38	0.03	3.51	0.34	307	2	0.97	23	600	58	0.14	19	228	0.27	36
B365413		2.12	0.01	3.86	0.35	317	2	0.92	20	570	27	0.03	15	239	0.27	33
B365414		2.50	0.01	3.68	0.81	252	2	1.52	24	660	16	0.12	<5	464	0.33	38
B365415		2.36	0.01	3.62	0.77	261	1	1.52	23	610	18	0.07	<5	452	0.30	35
B365416		0.10	<0.01	0.03	11.00	157	<1	0.02	3	450	5	0.01	<5	105	0.01	1
B365417		2.26	0.01	3.39	0.77	278	<1	1.62	21	600	22	0.10	<5	460	0.29	34
B365418		2.45	<0.01	3.64	0.80	266	4	1.52	22	600	19	0.22	<5	450	0.31	36
B365419		2.41	0.01	3.38	0.79	258	17	1.50	24	640	20	0.05	<5	434	0.31	37
B365420		2.30	0.02	3.67	0.78	237	4	1.60	16	610	16	0.07	5	419	0.30	35
B365421		2.27	0.01	3.50	0.73	220	3	1.46	20	590	14	0.12	<5	429	0.29	34
B365422		2.26	0.01	3.46	0.73	241	1	1.49	19	570	18	0.10	<5	425	0.29	35
B365423		2.30	0.01	3.57	0.75	229	2	1.56	22	590	16	0.03	<5	448	0.30	34
B365424		2.41	0.01	3.76	0.73	224	2	1.56	20	610	16	0.08	<5	457	0.31	37
B365425		2.33	0.01	3.53	0.76	240	1	1.55	24	630	14	0.06	<5	454	0.32	37
B365426		2.47	0.03	3.55	0.79	241	2	1.47	19	640	15	0.05	<5	489	0.31	37
B365427		2.45	0.01	3.73	0.78	258	1	1.50	20	660	16	0.10	<5	459	0.32	37
B365428		2.29	<0.01	3.47	0.74	249	11	1.46	23	600	17	0.18	<5	435	0.30	35
B365429																
B365430		3.40	0.08	3.08	0.36	73	1	0.08	10	320	33	0.02	148	138	0.27	104
B365431		2.26	0.01	3.54	0.71	267	3	1.52	20	610	20	0.15	5	437	0.29	34
B365432		2.40	0.01	3.63	0.78	278	1	1.60	21	610	19	0.18	<5	468	0.31	36
B365433		2.44	<0.01	3.80	0.68	251	<1	1.42	21	660	17	0.16	<5	432	0.31	38
B365434		2.38	<0.01	3.61	0.74	227	2	1.42	21	610	17	0.32	<5	428	0.30	35
B365435		2.36	0.01	3.80	0.81	229	5	1.60	21	600	15	0.20	<5	447	0.32	38
B365436		0.11	<0.01	0.03	11.50	156	<1	0.01	6	510	4	0.01	<5	112	0.01	3
B365437		2.37	<0.01	3.73	0.80	242	2	1.76	23	600	14	0.20	<5	539	0.32	37
B365438		2.23	0.03	3.39	0.90	212	2	1.72	20	540	14	0.23	<5	357	0.27	32
B365439		2.38	0.02	3.61	0.79	235	2	1.66	21	590	13	0.20	<5	447	0.30	38
B365440		2.27	0.01	3.60	0.75	220	2	1.59	21	570	16	0.19	<5	430	0.30	35
B365441		2.40	0.01	3.47	0.73	208	7	1.34	21	580	9	0.29	<5	350	0.29	35
B365442		2.37	0.01	3.69	0.71	202	5	1.36	23	600	15	0.35	<5	357	0.30	35
B365443		2.50	0.01	3.58	0.89	272	1	1.68	21	620	18	0.17	<5	442	0.32	39
B365444		2.67	<0.01	3.97	0.73	219	2	1.52	21	590	21	0.60	9	416	0.29	36
B365445		2.46	0.01	3.61	0.81	256	2	1.72	21	620	15	0.22	<5	460	0.32	37
B365446		2.41	0.02	4.03	0.89	250	2	1.40	20	600	36	0.27	9	408	0.31	39
B365447		2.42	0.01	3.56	0.94	228	2	1.70	21	600	11	0.15	<5	416	0.31	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	W	Zn	Zn
	Units	ppm	ppm	%
	LOR	10	2	0.01
B365408		20	102	
B365409				
B365410		10	46	
B365411		20	112	
B365412		80	131	
B365413		20	100	
B365414		30	37	
B365415		30	40	
B365416		<10	7	
B365417		<10	41	
B365418		30	42	
B365419		10	41	
B365420		10	31	
B365421		10	33	
B365422		<10	38	
B365423		10	34	
B365424		20	32	
B365425		<10	36	
B365426		40	34	
B365427		40	41	
B365428		70	39	
B365429				
B365430		20	17	
B365431		90	43	
B365432		10	43	
B365433		20	38	
B365434		140	31	
B365435		10	33	
B365436		<10	7	
B365437		10	33	
B365438		20	28	
B365439		<10	38	
B365440		10	32	
B365441		100	30	
B365442		50	30	
B365443		10	35	
B365444		10	27	
B365445		20	42	
B365446		10	44	
B365447		20	30	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
B365448		3.82	0.140			<0.5	7.47	61	1480	3.2	2	2.29	<0.5	8	37	46
B365449		0.04	0.038													
B365450		0.10	0.101			<0.5	6.91	122	590	2.6	<2	0.54	<0.5	60	1205	394
B365451		4.74	0.085			<0.5	7.35	164	1460	3.2	5	2.21	<0.5	11	30	51
B365452		6.50	0.787			<0.5	6.69	166	1340	2.5	10	1.84	<0.5	7	24	34
B365453		6.38	0.063			<0.5	7.08	84	1410	3.0	2	2.13	<0.5	9	28	47
B365454		6.82	0.313			<0.5	6.92	190	1480	3.0	17	2.30	<0.5	16	28	82
B365455		5.00	0.023			<0.5	6.69	41	1440	3.0	<2	2.31	<0.5	6	29	19
B365456		1.18	<0.005			<0.5	0.11	15	10	<0.5	<2	19.45	<0.5	<1	2	5
B365457		5.08	0.029			<0.5	7.77	38	1580	3.4	<2	2.64	<0.5	7	32	34
B365458		1.46	0.983			<0.5	7.34	58	1630	3.1	22	2.62	<0.5	9	28	58
B365459		7.08	0.330			<0.5	7.56	108	1600	3.2	49	1.94	<0.5	7	28	49
B365460		6.04	0.065			<0.5	7.22	70	1450	2.9	2	1.94	<0.5	6	31	51
B365461		3.52	0.097			<0.5	6.95	70	1410	3.0	<2	2.20	<0.5	7	28	34
B365462		3.20	0.066			<0.5	7.23	67	1450	3.0	4	2.10	<0.5	6	28	41
B365463		7.10	0.030			<0.5	7.28	53	1500	3.1	<2	2.25	<0.5	7	29	43
B365464		6.76	0.200			<0.5	6.76	181	1480	2.9	16	2.09	<0.5	6	29	39
B365465		6.42	0.357			<0.5	7.53	338	1570	3.0	3	2.28	<0.5	7	30	28
B365466		7.18	0.010			<0.5	7.27	54	1540	3.2	<2	2.35	<0.5	7	30	27
B365467		6.40	0.063			<0.5	7.17	33	1540	3.1	10	2.13	<0.5	7	30	61
B365468		5.34	0.047			<0.5	7.09	154	1480	2.9	<2	2.00	<0.5	6	63	58
B365469		0.04	0.053													
B365470		0.12	3.18			0.6	6.67	13	1990	3.2	<2	4.55	<0.5	21	140	91
B365471		4.64	0.113			<0.5	7.29	104	1560	3.0	4	2.35	<0.5	5	25	51
B365472		1.68	5.00			0.7	4.06	4620	490	1.3	114	0.64	<0.5	18	83	48
B365473		5.32	0.239			<0.5	7.16	126	1530	2.7	7	1.78	<0.5	6	25	54
B365474		7.02	0.051			<0.5	7.41	73	1460	2.8	3	2.35	<0.5	5	60	53
B365475		6.18	0.174			0.6	7.17	76	1470	2.9	12	2.30	<0.5	8	29	65
B365476		1.12	<0.005			<0.5	0.22	<5	20	<0.5	<2	19.20	<0.5	<1	4	2
B365477		7.78	0.662			<0.5	7.10	80	1520	2.8	9	2.03	<0.5	9	28	54
B365478		5.56	0.190			0.5	7.02	69	1510	2.7	10	2.46	<0.5	8	59	61
B365479		6.30	1.040			<0.5	7.07	109	1520	2.7	79	1.95	<0.5	5	26	51
B365480		7.64	0.286			<0.5	7.23	59	1560	3.0	8	2.12	<0.5	6	70	52
B365481		2.72	0.153			<0.5	3.59	43	700	1.4	8	2.59	<0.5	3	21	30
B365482		2.68	0.105			<0.5	4.98	39	1020	1.9	5	2.42	<0.5	4	73	33
B365483		4.74	0.231			<0.5	7.20	40	1690	3.2	5	1.80	<0.5	7	27	50
B365484		2.94	0.064			<0.5	6.79	65	1480	3.0	4	2.72	<0.5	7	48	60
B365485		6.56	1.010			0.6	6.19	189	1090	3.0	50	2.79	1.4	6	19	57
B365486		5.60	0.559			<0.5	7.09	63	1590	2.5	5	2.33	<0.5	6	61	42
B365487		7.22	0.400			<0.5	6.89	97	1560	2.4	7	1.78	<0.5	5	24	42

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B365448		2.59	0.01	3.55	1.06	236	2	1.94	27	670	13	0.16	<5	469	0.35	48
B365449																
B365450		8.71	0.03	2.24	0.60	390	8	0.12	500	360	152	0.02	11	51	0.27	96
B365451		2.41	0.01	3.46	0.94	223	1	1.88	26	640	13	0.20	<5	465	0.34	41
B365452		2.04	0.07	3.64	0.78	183	3	1.82	19	540	10	0.17	<5	399	0.28	33
B365453		2.44	0.01	3.48	0.90	223	3	1.96	24	630	12	0.17	<5	444	0.33	42
B365454		2.49	0.02	3.45	0.75	180	3	1.72	23	590	11	0.49	<5	472	0.30	35
B365455		2.30	0.01	3.37	0.77	246	2	1.81	24	620	14	0.11	<5	437	0.31	37
B365456		0.13	<0.01	0.03	11.55	173	<1	0.01	7	420	7	0.03	<5	107	0.01	2
B365457		2.56	0.01	3.51	0.94	233	3	1.94	27	670	18	0.15	<5	494	0.36	41
B365458		2.26	0.01	3.61	0.94	211	1	1.60	23	610	9	0.15	5	678	0.32	37
B365459		2.36	0.01	3.75	0.90	181	2	1.78	22	630	14	0.19	<5	439	0.32	39
B365460		2.23	0.01	3.85	0.82	218	2	1.62	19	580	15	0.25	<5	418	0.30	35
B365461		2.14	0.01	3.47	0.68	243	1	1.50	23	600	24	0.23	6	364	0.30	36
B365462		2.16	0.01	3.57	0.72	225	1	1.49	21	610	25	0.23	7	384	0.30	36
B365463		2.27	0.01	3.76	0.81	206	2	1.54	21	630	21	0.21	5	429	0.33	38
B365464		2.24	<0.01	3.58	0.78	192	3	1.64	20	580	18	0.22	<5	451	0.30	35
B365465		2.33	<0.01	3.80	0.80	221	1	1.80	23	620	13	0.20	<5	494	0.32	36
B365466		2.22	<0.01	3.39	0.79	215	4	1.89	23	640	15	0.18	<5	490	0.32	37
B365467		2.24	<0.01	3.78	0.81	158	3	1.66	23	600	14	0.32	<5	465	0.31	37
B365468		2.18	<0.01	3.84	0.78	175	1	1.60	20	560	14	0.25	<5	454	0.29	33
B365469																
B365470		4.93	0.02	3.36	2.86	1000	12	2.32	68	2270	29	0.29	5	1595	0.40	165
B365471		2.19	<0.01	3.75	0.70	205	1	1.55	23	580	12	0.32	5	450	0.29	34
B365472		1.87	0.01	1.63	0.21	90	2	0.74	20	330	55	0.93	23	83	0.14	19
B365473		2.41	0.01	4.00	0.55	192	2	1.37	21	580	23	0.45	10	327	0.28	34
B365474		2.35	0.01	3.91	0.71	232	2	1.38	22	600	20	0.28	10	387	0.29	35
B365475		2.29	<0.01	3.93	0.73	156	1	1.59	19	570	16	0.39	<5	439	0.29	35
B365476		0.17	<0.01	0.05	11.25	179	<1	0.03	9	490	3	0.01	<5	111	0.01	4
B365477		2.28	<0.01	3.88	0.65	151	2	1.52	22	590	12	0.39	<5	411	0.29	35
B365478		2.27	<0.01	3.82	0.62	207	2	1.43	22	590	19	0.37	5	399	0.28	34
B365479		2.26	<0.01	3.94	0.77	167	7	1.52	18	570	12	0.25	<5	431	0.28	34
B365480		2.44	<0.01	3.90	0.81	185	3	1.69	22	600	13	0.28	<5	470	0.31	38
B365481		1.48	<0.01	1.86	0.37	187	3	0.64	14	260	10	0.38	<5	309	0.13	16
B365482		1.73	<0.01	2.66	0.49	181	3	0.92	14	380	10	0.36	5	351	0.19	22
B365483		2.49	0.01	3.78	0.87	174	4	1.52	23	610	13	0.24	7	437	0.31	37
B365484		2.33	0.01	3.61	0.91	206	3	0.95	19	560	15	0.24	15	432	0.28	33
B365485		2.31	0.05	2.79	0.84	256	3	0.61	19	480	122	0.51	44	373	0.24	28
B365486		2.37	0.02	3.91	0.79	260	3	1.20	23	580	34	0.18	17	409	0.28	34
B365487		2.44	0.02	3.72	0.83	212	1	1.16	18	560	30	0.27	10	400	0.28	33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	W	Zn	Zn
	Units	ppm	ppm	%
	LOR	10	2	0.01
B365448		10	25	
B365449				
B365450		30	624	
B365451		10	26	
B365452		10	22	
B365453		20	29	
B365454		<10	21	
B365455		20	32	
B365456		<10	12	
B365457		<10	30	
B365458		10	24	
B365459		20	22	
B365460		20	24	
B365461		10	37	
B365462		10	51	
B365463		20	28	
B365464		20	28	
B365465		10	29	
B365466		20	24	
B365467		30	18	
B365468		40	21	
B365469				
B365470		<10	94	
B365471		10	25	
B365472		100	105	
B365473		20	37	
B365474		20	64	
B365475		40	16	
B365476		<10	9	
B365477		20	19	
B365478		30	25	
B365479		20	22	
B365480		30	23	
B365481		30	8	
B365482		20	12	
B365483		20	23	
B365484		20	20	
B365485		20	313	
B365486		20	72	
B365487		10	29	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	WEI-21	Au-AA23	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au Check	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.005	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1
B365488		6.20	0.060			<0.5	6.94	42	1550	2.6	2	2.38	<0.5	6	57	41
B365489		0.04	0.049													
B365490		0.12	0.444			2.5	8.65	<5	1050	1.1	<2	1.43	<0.5	6	12	7000
B365491		6.62	0.024			<0.5	7.36	32	1640	2.9	2	1.97	<0.5	6	27	36
B365492		6.52	0.142			<0.5	7.53	47	1660	2.8	2	2.06	<0.5	7	57	60
B365493		7.26	0.163			<0.5	7.29	32	1560	2.8	2	1.92	<0.5	5	29	48
B365494		6.72	0.136			0.5	7.12	26	1370	2.7	9	2.46	<0.5	6	26	48
B365495		6.52	0.111			<0.5	7.19	40	1600	2.8	4	2.13	<0.5	7	28	42
B365496		1.80	<0.005			<0.5	0.15	5	20	<0.5	<2	19.65	<0.5	<1	3	2
B365497		5.80	0.078			<0.5	7.32	78	1470	2.4	<2	2.35	<0.5	5	25	38
B365498		3.20	0.270			0.7	7.38	48	1790	2.4	14	1.53	<0.5	6	27	57
B365499		4.52	4.33			7.8	4.02	>10000	170	1.4	112	2.00	<0.5	18	18	146
B365500		7.02	0.881			1.4	6.43	4020	730	2.6	39	2.11	2.1	5	22	62
B365501		2.82	0.072			0.5	7.44	99	1350	2.8	<2	1.97	<0.5	8	29	47
B365502		2.90	0.067			0.7	7.09	46	1230	2.6	<2	1.93	<0.5	5	27	43
B365503		5.60	0.296			0.7	7.05	49	1530	2.8	21	1.96	<0.5	5	29	39
B365504		6.18	0.157			<0.5	7.38	44	1550	2.9	4	2.06	<0.5	6	30	33
B365505		4.96	0.098			<0.5	7.10	38	1540	2.9	5	2.21	<0.5	6	28	44
B365506		6.36	0.099			<0.5	7.07	37	1420	2.9	4	2.14	<0.5	5	27	33
B365507		5.88	0.313			<0.5	7.11	40	1490	2.9	12	2.21	<0.5	6	30	28
B365508		6.86	0.069			<0.5	7.04	49	1420	2.9	3	2.15	<0.5	5	33	33
B365509		0.04	0.060													
B365510		0.10	1.435			<0.5	6.57	1210	650	5.8	<2	0.01	<0.5	4	207	37
B365511		7.42	0.402			<0.5	7.60	88	1560	3.1	17	2.23	<0.5	10	29	38
B365512		2.18	0.383			9.5	5.65	76	130	2.4	18	3.33	83.1	12	16	134
B365513		3.38	0.716			<0.5	7.31	103	1540	3.0	12	2.00	<0.5	8	25	43
B365514		6.00	0.075			<0.5	7.25	64	1470	3.1	3	1.92	<0.5	8	29	39
B365515		6.54	0.133			<0.5	7.43	76	1600	3.1	3	2.25	<0.5	9	31	52
B365516		1.00	<0.005			<0.5	0.15	<5	20	<0.5	<2	18.70	<0.5	1	3	6
B365517		2.90	1.910			1.7	6.53	144	740	2.4	30	2.70	3.1	9	21	55
B365518		4.50	0.082			<0.5	7.60	87	1410	3.2	<2	2.89	<0.5	11	40	59
B365519		5.62	0.142			<0.5	7.58	53	1590	3.0	10	2.24	<0.5	8	28	41
B365520		5.68	0.363			<0.5	7.86	61	1670	3.3	<2	2.39	<0.5	9	29	54
B365521		2.38	0.062			<0.5	7.43	33	1500	3.1	<2	2.39	<0.5	8	28	36
B365522		2.34	0.032			<0.5	7.83	65	1590	3.2	<2	2.30	<0.5	9	27	37
B365523		4.14	0.174			0.7	7.62	94	1250	2.9	<2	2.27	0.5	7	25	49
B365524		4.92	0.933			0.5	7.46	128	1550	3.2	31	2.34	<0.5	9	28	43
B365525		6.42	0.181			<0.5	7.71	221	1480	3.0	2	2.19	0.7	10	26	47
B365526		6.56	0.112			<0.5	7.14	187	1510	2.8	<2	2.09	<0.5	8	25	63
B365527		6.90	0.281			0.7	7.46	68	1510	3.1	13	2.38	<0.5	8	25	77

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B365488		2.35	0.01	3.70	0.80	231	1	1.31	21	600	24	0.27	8	446	0.30	36
B365489																
B365490		3.22	0.06	3.62	1.15	465	3	3.40	11	1860	11	0.23	<5	658	0.34	173
B365491		2.49	0.01	3.76	0.85	263	1	1.32	17	610	34	0.24	6	424	0.32	38
B365492		2.59	0.01	4.33	0.77	211	7	1.41	22	620	15	0.38	8	430	0.31	38
B365493		2.65	0.01	3.55	0.81	192	2	1.36	23	600	14	0.30	12	403	0.30	37
B365494		2.04	0.02	3.66	0.64	398	1	1.17	20	610	85	0.27	16	313	0.30	36
B365495		2.49	0.01	3.76	0.87	308	1	1.12	22	640	27	0.21	17	390	0.32	38
B365496		0.12	<0.01	0.04	11.55	154	<1	0.02	7	500	2	0.01	<5	120	0.01	3
B365497		2.56	0.01	4.10	0.70	313	1	0.89	19	610	40	0.50	17	329	0.29	36
B365498		2.70	0.02	4.51	0.74	191	2	0.90	22	610	34	0.43	19	323	0.29	36
B365499		5.96	0.06	1.98	0.28	353	5	0.16	13	330	579	5.26	280	134	0.12	17
B365500		3.07	0.06	2.93	0.56	440	7	0.18	18	530	311	1.70	132	170	0.23	29
B365501		2.56	0.02	3.79	0.74	366	5	1.00	19	650	65	0.36	18	296	0.31	38
B365502		2.45	0.02	3.69	0.71	354	4	0.99	19	610	60	0.33	14	285	0.29	36
B365503		2.37	0.02	3.84	0.74	200	2	1.46	21	580	67	0.28	24	406	0.29	35
B365504		2.40	0.01	3.67	0.78	200	1	1.60	20	590	20	0.26	5	443	0.30	36
B365505		2.32	0.01	3.78	0.72	195	2	1.66	22	590	16	0.24	7	443	0.29	36
B365506		2.34	0.01	3.64	0.68	229	1	1.42	21	580	34	0.19	11	387	0.29	35
B365507		2.26	0.01	3.55	0.75	234	<1	1.62	19	580	21	0.16	<5	452	0.29	34
B365508		2.31	0.01	3.55	0.72	211	3	1.56	19	580	17	0.25	10	411	0.29	36
B365509																
B365510		3.59	0.07	2.63	0.34	83	2	0.10	20	290	26	0.02	106	87	0.28	89
B365511		2.38	0.01	3.64	0.75	204	1	1.56	22	640	17	0.22	8	442	0.31	37
B365512		5.46	2.08	2.62	0.88	1125	<1	0.03	16	440	2310	4.24	30	217	0.17	25
B365513		2.30	0.01	3.72	0.71	214	1	1.43	22	600	22	0.21	18	407	0.29	35
B365514		2.25	0.01	3.55	0.68	188	1	1.47	21	600	22	0.26	12	382	0.29	36
B365515		2.45	0.01	3.80	0.81	172	2	1.56	21	630	17	0.30	<5	473	0.31	38
B365516		0.11	<0.01	0.04	10.90	143	1	0.02	5	410	6	0.01	<5	103	0.01	2
B365517		2.10	0.06	3.16	0.59	381	9	0.24	17	430	250	0.43	92	196	0.20	27
B365518		3.22	0.01	3.70	1.33	385	2	1.69	21	680	17	0.31	<5	480	0.35	56
B365519		2.43	<0.01	3.85	0.82	185	1	1.63	23	630	17	0.26	<5	474	0.31	37
B365520		2.61	<0.01	3.79	0.87	208	1	1.71	22	670	18	0.29	5	499	0.33	40
B365521		2.48	<0.01	3.50	0.78	227	4	1.48	21	650	19	0.20	13	440	0.30	37
B365522		2.47	0.01	3.74	0.78	220	1	1.53	21	650	16	0.20	12	452	0.31	38
B365523		2.43	0.02	3.90	0.66	366	2	0.92	20	590	81	0.68	38	281	0.27	35
B365524		2.47	0.01	3.54	0.79	273	1	1.53	21	630	44	0.27	21	448	0.30	37
B365525		2.44	0.03	4.06	0.73	309	2	1.27	21	600	78	0.38	30	398	0.29	35
B365526		2.35	0.01	4.00	0.76	186	2	1.36	20	580	17	0.33	8	425	0.28	35
B365527		2.33	0.01	4.12	0.72	267	1	1.15	21	610	58	0.39	25	394	0.28	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	W	Zn	Zn
	Units	ppm	ppm	%
	LOR	10	2	0.01
B365488		20	29	
B365489				
B365490		<10	62	
B365491		20	62	
B365492		20	30	
B365493		20	24	
B365494		20	68	
B365495		10	57	
B365496		<10	7	
B365497		20	77	
B365498		20	31	
B365499		20	56	
B365500		30	407	
B365501		20	91	
B365502		20	95	
B365503		10	36	
B365504		10	27	
B365505		20	28	
B365506		10	58	
B365507		10	40	
B365508		20	35	
B365509				
B365510		10	44	
B365511		30	28	
B365512		<10	>10000	1.34
B365513		30	51	
B365514		20	37	
B365515		50	22	
B365516		<10	14	
B365517		60	483	
B365518		10	45	
B365519		70	27	
B365520		20	25	
B365521		20	26	
B365522		10	26	
B365523		30	90	
B365524		20	36	
B365525		20	141	
B365526		120	22	
B365527		30	74	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B365528		5.66	1.470			<0.5	7.21	806	1370	4.6	40	1.70	<0.5	4	24	44
B365529		0.04	1.155													
B365530		0.10	4.47			8.9	7.91	10	480	0.9	<2	2.81	1.5	18	20	126
B365531		7.36	0.297			0.7	7.39	2820	1140	4.6	20	1.65	<0.5	7	25	66
B365532		6.30	0.207			0.5	7.39	1925	840	4.5	5	1.90	0.8	7	22	69
B365533		6.76	0.131			<0.5	7.50	1800	1090	4.5	4	1.89	<0.5	7	23	71
B365534		4.22	0.128			0.8	7.36	342	1150	4.2	5	1.72	0.6	5	24	33
B365535		2.48	0.390			0.6	7.52	65	1400	3.1	4	1.99	<0.5	7	26	63
B365536		1.24	<0.005			<0.5	0.15	<5	20	<0.5	<2	19.40	<0.5	2	2	1
B365537		6.10	0.624			<0.5	7.34	75	1550	2.7	14	1.86	<0.5	10	30	89
B365538		6.98	0.103			<0.5	7.28	50	1400	2.9	<2	2.11	0.6	8	24	56
B365539		4.40	0.330			<0.5	7.21	37	1540	2.7	5	1.87	<0.5	10	26	100
B365540		1.58	0.143			0.7	7.06	179	1510	2.8	3	2.38	1.0	7	23	57
B365541		2.16	0.356			0.9	7.89	87	1840	3.0	3	2.52	<0.5	8	28	49
B365542		2.06	0.255			1.4	7.12	116	1730	2.7	4	2.93	<0.5	8	25	46
B365543		3.04	0.198			<0.5	7.21	79	1420	2.7	8	1.70	<0.5	7	25	45
B365544		6.34	0.639			<0.5	7.23	82	1310	2.8	23	2.00	<0.5	8	25	42
B365545		5.68	3.41			2.6	7.57	54	1650	2.7	67	2.20	<0.5	7	26	32
B365546		6.86	0.212			<0.5	7.30	49	1540	3.0	3	2.32	<0.5	9	29	49
B365547		6.14	0.103			<0.5	7.44	53	1440	2.8	<2	2.19	<0.5	6	26	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V
	Units	%	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.01	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1
B365528		1.62	0.01	3.69	0.58	140	1	1.76	11	440	23	0.32	15	385	0.16	36
B365529																
B365530		4.15	0.03	2.33	1.33	980	13	1.66	15	910	21	0.68	<5	409	0.38	154
B365531		1.63	0.02	3.80	0.56	146	<1	1.09	11	440	84	0.57	43	313	0.16	36
B365532		1.54	0.02	3.44	0.52	160	1	0.67	9	440	50	0.65	55	273	0.15	35
B365533		1.61	0.02	3.76	0.55	160	1	1.04	10	450	50	0.58	45	309	0.16	36
B365534		1.64	0.03	3.54	0.49	175	2	1.33	11	450	46	0.53	30	302	0.16	35
B365535		2.39	0.01	4.01	0.72	209	1	1.07	20	600	56	0.52	30	379	0.29	36
B365536		0.12	<0.01	0.05	11.40	147	<1	0.02	7	410	<2	0.01	<5	104	0.01	2
B365537		2.59	0.01	4.82	0.76	183	1	1.19	20	620	34	0.49	20	404	0.29	37
B365538		2.33	0.02	3.71	0.68	246	1	1.32	22	610	55	0.33	17	380	0.28	35
B365539		2.58	0.02	4.64	0.74	245	1	1.08	23	620	110	0.56	22	384	0.29	36
B365540		2.24	0.04	4.43	0.65	381	2	0.95	17	580	132	0.30	31	359	0.27	34
B365541		2.81	0.02	4.66	0.82	528	1	0.84	21	650	127	0.45	29	384	0.31	41
B365542		3.12	0.02	4.18	0.91	753	1	0.90	20	600	366	0.43	26	414	0.28	38
B365543		2.12	0.01	4.06	0.59	175	2	0.88	22	610	18	0.40	17	334	0.29	36
B365544		2.33	0.01	3.91	0.68	208	1	1.08	20	580	27	0.27	17	360	0.27	34
B365545		2.19	0.02	4.54	0.69	238	1	1.13	20	640	67	0.19	30	398	0.30	39
B365546		2.34	0.01	3.66	0.71	280	1	1.52	23	590	48	0.26	8	447	0.30	42
B365547		2.22	0.01	3.85	0.70	301	2	1.22	20	590	48	0.22	14	385	0.28	35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	ME-ICP61	Zn-AA62
	Analyte	W	Zn	Zn
	Units	ppm	ppm	%
	LOR	10	2	0.01
B365528		30	35	
B365529				
B365530		<10	99	
B365531		20	80	
B365532		20	133	
B365533		40	73	
B365534		20	145	
B365535		20	65	
B365536		<10	8	
B365537		90	39	
B365538		20	112	
B365539		30	96	
B365540		20	168	
B365541		70	80	
B365542		70	83	
B365543		30	38	
B365544		50	38	
B365545		40	38	
B365546		10	57	
B365547		20	75	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-OCT-2005
Account: STRGOL

CERTIFICATE VA05085049

Project: Dublin Gulch-1735

P.O. No.:

This report is for 138 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365827		3.54	0.049		<0.5	7.27	62	1160	2.8	3	2.37	1.2	6	29	24	2.39
B365828		3.80	0.197		0.8	7.77	241	1110	2.8	7	1.97	2.0	5	135	29	3.00
B365829		0.04	0.207													
B365830		0.10	0.092		<0.5	7.28	113	600	2.6	<2	0.56	<0.5	58	1185	404	8.85
B365831		1.50	0.207		<0.5	7.63	55	1560	3.0	5	1.87	<0.5	9	31	38	2.35
B365832		2.32	0.108		<0.5	7.94	106	1480	2.8	5	2.17	<0.5	7	98	33	2.29
B365833		3.30	0.411		<0.5	8.19	146	1670	3.0	15	2.44	<0.5	9	31	57	2.58
B365834		3.22	0.233		<0.5	8.48	409	1990	2.6	12	2.12	<0.5	11	95	56	2.77
B365835		3.26	0.350		<0.5	7.52	247	1380	2.6	16	2.47	<0.5	11	27	59	2.44
B365836		0.84	<0.005		<0.5	0.13	<5	20	<0.5	<2	21.0	<0.5	<1	8	2	0.11
B365837		2.96	0.734		1.4	7.50	93	800	2.7	10	2.69	<0.5	7	26	33	2.40
B365838		3.02	0.201		<0.5	7.52	234	1160	2.9	6	2.21	<0.5	8	106	33	2.51
B365839		1.96	0.347		<0.5	7.42	461	970	2.7	17	2.65	<0.5	8	29	63	2.41
B365840		2.22	0.054		<0.5	8.04	271	1630	3.0	<2	2.32	<0.5	8	102	43	2.65
B365841		1.20	0.205		<0.5	7.95	73	1440	3.1	9	2.08	<0.5	7	26	47	2.38
B365842		1.24	1.475		<0.5	8.31	210	1510	3.0	5	2.24	<0.5	7	94	102	2.53
B365843		3.46	0.293		<0.5	7.90	347	1500	2.9	20	2.29	<0.5	9	29	39	2.42
B365844		3.36	0.060		<0.5	7.94	143	1390	3.2	2	2.16	<0.5	7	79	36	2.35
B365845		2.88	0.051		<0.5	8.26	145	1630	3.0	<2	2.34	<0.5	6	29	31	2.54
B365846		3.58	0.134		<0.5	8.20	56	1690	3.1	4	2.43	<0.5	8	84	48	2.64
B365847		3.94	0.181		<0.5	8.12	792	1650	3.1	9	2.47	<0.5	11	32	52	2.62
B365848		3.22	5.46		<0.5	8.28	152	1660	2.9	22	2.31	<0.5	10	86	42	2.60
B365849		0.04	5.16													
B365850		0.10	4.57		8.5	8.40	14	490	0.9	<2	2.96	0.9	17	21	124	4.31
B365851		3.80	1.135		<0.5	8.47	268	1730	3.0	27	2.32	<0.5	9	32	45	2.69
B365852		3.66	0.723		<0.5	7.30	130	1100	2.6	25	2.92	<0.5	8	96	41	2.48
B365853		3.64	0.423		<0.5	8.44	71	1700	3.0	8	2.52	<0.5	8	35	46	2.70
B365854		4.02	0.163		<0.5	8.22	77	1630	3.1	5	2.45	<0.5	8	86	33	2.50
B365855		4.22	0.589		0.8	7.93	323	1000	2.8	13	2.31	1.1	8	25	22	2.91
B365856		0.64	<0.005		<0.5	0.11	<5	10	<0.5	<2	20.3	<0.5	<1	5	1	0.12
B365857		3.06	0.836		0.9	7.48	124	1030	2.7	7	2.60	0.7	7	26	36	2.45
B365858		3.24	0.163		<0.5	7.46	265	1440	2.8	3	2.24	<0.5	8	83	31	2.22
B365859		4.02	0.381		<0.5	7.11	283	1150	2.7	5	2.42	<0.5	6	25	29	2.20
B365860		3.46	0.063		<0.5	8.26	176	1730	3.1	<2	2.47	<0.5	8	100	23	2.78
B365861		1.38	0.726		<0.5	7.85	462	1620	2.8	11	2.26	<0.5	7	30	29	2.28
B365862		1.30	0.199		<0.5	8.36	520	1740	2.9	4	2.36	<0.5	7	97	28	2.51
B365863		3.56	0.271		<0.5	7.90	145	1380	2.8	5	2.48	<0.5	7	27	30	2.20
B365864		3.64	0.926		<0.5	7.99	83	1580	2.8	11	2.66	<0.5	8	94	25	2.46
B365865		3.18	0.063		<0.5	7.66	29	1720	2.7	<2	2.12	<0.5	8	27	25	2.56
B365866		3.20	0.458		<0.5	7.72	85	1240	3.3	16	3.08	<0.5	8	84	28	2.57

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365827		0.06	3.58	0.61	798	2	0.69	20	540	102	0.14	54	238	0.25	33	20
B365828		0.05	3.64	0.58	875	5	0.73	15	570	329	0.13	169	243	0.27	35	30
B365829																
B365830		0.03	2.17	0.61	393	8	0.13	486	340	152	0.02	14	52	0.21	93	30
B365831		0.01	3.93	0.52	233	7	1.45	24	590	27	0.09	27	361	0.29	35	50
B365832		0.01	3.89	0.57	247	3	1.50	21	620	18	0.08	21	344	0.28	35	30
B365833		0.01	4.15	0.70	315	4	1.21	23	650	24	0.20	15	347	0.31	40	40
B365834		0.01	3.96	0.77	262	4	1.47	26	720	21	0.09	20	387	0.34	42	20
B365835		0.01	3.84	0.57	351	3	1.26	26	640	27	0.11	24	309	0.29	37	20
B365836		<0.01	0.04	11.50	159	1	0.01	5	520	<2	<0.01	<5	118	0.01	2	<10
B365837		0.02	3.41	0.74	628	2	0.28	19	580	76	0.43	27	196	0.26	34	20
B365838		0.02	3.42	0.63	264	1	1.26	27	650	23	0.20	13	290	0.31	39	30
B365839		0.01	3.40	0.64	240	1	1.40	22	620	18	0.19	13	318	0.29	36	30
B365840		0.01	3.74	0.77	253	2	1.67	26	640	27	0.13	10	436	0.31	38	20
B365841		0.01	3.83	0.72	189	2	1.63	18	630	19	0.11	7	398	0.29	35	20
B365842		0.01	4.03	0.77	204	1	1.63	22	630	28	0.10	6	412	0.29	35	20
B365843		0.01	3.75	0.75	238	5	1.61	23	620	25	0.08	7	427	0.29	36	20
B365844		0.01	3.78	0.73	243	2	1.67	21	560	26	0.10	<5	421	0.28	35	30
B365845		0.01	3.60	0.84	260	1	1.77	25	640	20	0.11	<5	481	0.30	38	20
B365846		<0.01	3.71	0.88	236	2	1.82	28	660	21	0.14	<5	506	0.33	40	20
B365847		0.02	3.88	0.90	227	1	1.81	20	680	24	0.23	<5	512	0.32	40	40
B365848		0.06	3.69	0.87	239	1	1.74	27	650	25	0.10	7	510	0.31	39	40
B365849																
B365850		0.02	2.22	1.39	982	13	1.70	12	890	21	0.68	<5	412	0.37	148	<10
B365851		<0.01	4.04	0.90	213	3	1.76	24	700	22	0.20	<5	490	0.32	40	30
B365852		0.01	3.36	0.67	235	2	1.54	24	580	22	0.11	13	357	0.29	36	30
B365853		0.02	3.80	0.90	255	2	1.76	22	680	26	0.19	<5	520	0.33	41	60
B365854		0.01	3.73	0.85	234	3	1.82	24	660	23	0.14	<5	508	0.31	38	50
B365855		0.03	3.47	0.74	901	1	0.72	22	630	405	0.98	184	249	0.27	36	30
B365856		<0.01	0.03	11.30	150	<1	0.01	7	500	5	<0.01	<5	104	<0.01	2	<10
B365857		0.02	3.64	0.74	587	2	0.43	17	610	97	0.24	46	224	0.28	35	20
B365858		0.01	3.53	0.71	218	1	1.42	25	590	23	0.14	16	357	0.29	36	20
B365859		0.01	3.06	0.76	231	1	1.48	19	530	20	0.10	11	350	0.25	30	20
B365860		0.01	3.56	0.94	300	<1	1.70	27	690	24	0.11	<5	500	0.33	40	20
B365861		0.01	4.04	0.72	224	2	1.57	22	620	22	0.16	6	431	0.31	39	30
B365862		0.01	3.87	0.77	243	2	1.68	30	690	22	0.17	6	457	0.31	39	10
B365863		0.01	3.82	0.63	227	1	1.53	19	590	30	0.12	9	390	0.29	36	50
B365864		<0.01	3.92	0.72	277	3	1.46	23	640	25	0.09	10	414	0.29	36	30
B365865		0.01	3.80	0.79	289	4	1.48	23	650	24	0.10	10	420	0.32	39	50
B365866		0.01	3.55	0.66	380	3	0.91	20	630	26	0.06	28	364	0.31	38	40

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B365827		243
B365828		437
B365829		
B365830		623
B365831		93
B365832		49
B365833		78
B365834		135
B365835		275
B365836		7
B365837		153
B365838		80
B365839		37
B365840		56
B365841		30
B365842		31
B365843		55
B365844		56
B365845		48
B365846		41
B365847		38
B365848		58
B365849		
B365850		98
B365851		34
B365852		33
B365853		41
B365854		40
B365855		330
B365856		7
B365857		126
B365858		95
B365859		47
B365860		55
B365861		44
B365862		46
B365863		37
B365864		44
B365865		55
B365866		54

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365867		1.74	0.037		<0.5	7.79	30	1920	2.6	<2	2.26	<0.5	9	26	30	2.30
B365868		1.06	0.080		<0.5	8.06	43	1850	2.7	<2	2.50	<0.5	8	91	27	2.26
B365869		0.04	0.098													
B365870		0.12	0.880		2.4	8.10	12	470	0.7	<2	2.00	0.8	22	102	2060	5.35
B365871		2.04	0.245		<0.5	8.15	51	1860	2.8	4	2.44	<0.5	9	27	29	2.52
B365872		3.78	0.099		<0.5	7.86	46	850	2.7	<2	2.51	<0.5	7	93	28	2.64
B365873		3.50	1.040		1.7	7.48	36	1510	2.8	31	2.76	<0.5	9	27	27	2.54
B365874		2.96	0.111		<0.5	8.20	244	1530	3.1	<2	2.75	8.4	9	88	37	2.77
B365875		3.14	1.770		1.9	7.19	305	630	2.5	18	3.24	13.5	9	26	33	3.61
B365876		0.92	<0.005		<0.5	0.13	6	20	<0.5	<2	19.90	<0.5	<1	3	2	0.12
B365877		3.82	0.949		<0.5	7.78	20	1350	2.9	2	2.58	<0.5	9	110	25	2.67
B365878		3.10	5.36		<0.5	7.51	82	1530	2.7	47	2.36	<0.5	9	30	24	2.36
B365879		3.54	0.551		<0.5	7.51	26	1560	2.9	21	2.38	<0.5	8	104	24	2.56
B365880		3.70	>10.0	12.65	2.7	7.72	74	1560	2.8	254	2.52	<0.5	8	30	26	2.46
B365881		1.52	0.703		<0.5	7.68	100	1470	2.9	18	2.50	0.5	10	94	27	2.54
B365882		1.92	0.662		<0.5	7.63	57	1450	3.0	24	2.76	0.5	8	34	23	2.60
B365883		3.10	1.255		<0.5	7.48	46	1360	3.0	24	1.93	<0.5	6	91	26	2.11
B365884		2.56	0.967		<0.5	7.72	53	1560	3.0	40	2.17	<0.5	10	28	34	2.54
B365885		2.98	1.410		<0.5	7.92	53	1630	2.9	20	2.53	<0.5	8	108	49	2.69
B365886		1.60	7.23		<0.5	7.52	63	1590	2.6	109	2.71	<0.5	7	28	32	2.59
B365887		1.88	0.783		2.3	6.93	86	460	2.6	104	2.08	1.6	8	104	188	5.97
B365888		2.90	1.890		2.5	7.17	53	850	2.5	41	2.85	5.3	6	25	42	2.66
B365889		0.04	1.695													
B365890		0.12	1.425		<0.5	7.19	1330	710	5.9	<2	0.02	<0.5	5	216	41	3.93
B365891		3.10	0.554		1.5	7.30	286	1360	2.6	50	2.55	0.8	8	91	35	2.62
B365892		2.74	0.958		<0.5	8.09	38	1850	2.8	14	3.03	<0.5	9	31	24	2.86
B365893		3.04	0.250		<0.5	7.94	41	1690	3.0	50	2.59	<0.5	10	98	74	2.86
B365894		3.04	0.259		<0.5	7.76	104	1640	2.9	9	2.51	<0.5	9	30	36	2.67
B365895		1.56	0.488		<0.5	7.68	47	1720	2.8	5	2.18	<0.5	7	87	29	2.57
B365896		0.86	<0.005		<0.5	0.12	6	20	<0.5	<2	19.25	<0.5	<1	1	1	0.11
B365897		1.76	0.156		0.7	6.73	1275	380	2.5	8	1.28	2.3	7	18	191	6.09
B365898		3.40	0.372		<0.5	7.89	142	1460	2.9	2	2.41	0.7	12	75	46	2.68
B365899		3.06	1.940		<0.5	7.66	24	1520	2.9	28	2.70	0.6	8	27	44	2.47
B365900		3.32	1.360		<0.5	8.05	54	1650	2.9	7	2.85	<0.5	11	93	31	2.77
B365901		1.48	0.279		<0.5	8.10	62	1670	3.0	4	2.63	<0.5	12	30	35	2.75
B365902		1.90	0.880		<0.5	7.95	67	1600	2.9	9	2.57	<0.5	11	89	42	2.70
B365903		2.88	0.747		1.3	7.07	67	1240	2.9	16	2.33	3.3	9	26	50	2.44
B365904		2.66	0.090		<0.5	7.12	33	1350	2.9	<2	2.25	0.6	10	92	25	2.31
B365905		3.40	0.108		<0.5	7.54	18	1540	3.0	2	2.40	<0.5	10	30	21	2.52
B365906		3.34	0.877		0.5	7.43	48	1270	2.9	6	2.66	0.7	9	102	25	2.66

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365867		0.01	3.56	0.46	300	2	1.54	21	650	22	0.10	15	435	0.33	38	30
B365868		0.02	3.79	0.45	350	3	1.42	20	670	24	0.06	15	435	0.31	39	20
B365869																
B365870		0.04	1.79	1.39	451	3	3.29	52	680	17	0.61	<5	216	0.32	93	<10
B365871		0.02	3.76	0.53	332	4	1.57	22	690	20	0.09	13	461	0.32	39	30
B365872		0.02	3.18	0.77	536	2	1.19	23	690	43	0.08	27	261	0.32	39	30
B365873		0.28	3.43	0.86	421	2	1.23	24	660	102	0.16	31	404	0.31	39	20
B365874		0.16	3.74	0.85	775	1	1.31	25	660	221	0.27	98	432	0.32	40	40
B365875		0.18	3.26	0.92	1950	2	0.07	17	610	479	1.50	152	152	0.27	36	20
B365876		<0.01	0.04	12.00	142	<1	0.02	2	450	<2	<0.01	<5	105	<0.01	2	<10
B365877		0.02	3.83	0.82	598	2	1.16	22	630	66	0.19	16	383	0.31	40	40
B365878		0.09	3.74	0.73	303	2	1.52	20	600	29	0.12	5	449	0.29	36	40
B365879		0.01	3.73	0.80	329	1	1.62	23	630	50	0.12	9	468	0.30	37	20
B365880		0.07	3.83	0.81	318	3	1.60	21	640	313	0.14	149	478	0.29	36	190
B365881		0.02	4.00	0.79	468	3	1.36	25	620	78	0.21	37	404	0.29	38	30
B365882		0.02	3.83	0.87	473	2	1.42	20	650	116	0.16	51	426	0.30	39	30
B365883		0.02	4.22	0.67	231	3	1.48	17	520	41	0.15	12	422	0.24	29	20
B365884		0.01	3.56	0.77	211	4	1.60	22	650	19	0.20	12	478	0.30	37	10
B365885		0.01	3.79	0.83	274	7	1.62	25	640	25	0.23	5	492	0.31	38	20
B365886		0.01	3.68	0.73	346	1	1.44	21	640	43	0.12	20	459	0.30	37	20
B365887		0.03	3.52	0.88	648	1	0.39	19	540	1410	2.61	242	201	0.22	29	20
B365888		0.09	3.63	0.86	1070	2	0.18	18	580	548	0.33	178	163	0.26	34	20
B365889																
B365890		0.04	2.86	0.37	97	3	0.12	18	330	28	0.01	115	93	0.27	95	10
B365891		0.03	3.81	0.79	556	4	1.00	20	650	240	0.20	80	324	0.30	38	30
B365892		0.01	3.61	0.92	339	3	1.68	23	730	23	0.15	8	559	0.35	43	20
B365893		0.01	3.83	0.82	246	1	1.66	29	660	59	0.55	6	519	0.32	39	30
B365894		0.01	3.78	0.83	398	3	1.56	21	660	49	0.22	15	481	0.31	39	10
B365895		<0.01	3.66	0.72	260	2	1.46	22	660	24	0.15	14	427	0.30	38	10
B365896		<0.01	0.04	11.70	168	1	0.01	3	490	<2	0.01	<5	99	<0.01	1	<10
B365897		0.04	3.46	0.71	489	2	0.22	12	530	307	4.10	108	112	0.18	29	40
B365898		0.01	4.16	0.85	390	2	1.29	21	670	68	0.24	11	398	0.30	37	90
B365899		0.02	4.03	0.80	315	2	1.57	20	610	43	0.16	14	456	0.29	36	60
B365900		0.01	3.66	0.90	359	1	1.73	22	680	33	0.13	5	522	0.32	39	<10
B365901		0.01	3.71	0.88	352	1	1.74	22	690	36	0.14	<5	508	0.33	40	10
B365902		0.03	3.68	0.85	336	2	1.69	21	660	35	0.16	5	489	0.32	39	20
B365903		0.07	3.68	0.73	332	1	1.10	19	540	401	0.35	118	320	0.25	31	20
B365904		0.02	3.66	0.72	374	1	1.26	18	590	61	0.20	10	349	0.27	34	10
B365905		0.02	3.76	0.73	361	7	1.46	20	620	55	0.16	11	413	0.29	36	10
B365906		0.03	3.66	0.76	612	3	1.04	18	600	121	0.33	31	314	0.28	35	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B365867		48
B365868		53
B365869		
B365870		207
B365871		57
B365872		99
B365873		88
B365874		1470
B365875		2530
B365876		10
B365877		128
B365878		63
B365879		72
B365880		74
B365881		147
B365882		104
B365883		42
B365884		32
B365885		43
B365886		65
B365887		318
B365888		1020
B365889		
B365890		50
B365891		226
B365892		65
B365893		46
B365894		120
B365895		42
B365896		7
B365897		414
B365898		150
B365899		148
B365900		83
B365901		76
B365902		80
B365903		533
B365904		139
B365905		100
B365906		174

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	WEI-21	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe
	Units	kg	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
B365907		3.12	0.257		0.5	6.78	36	1460	2.8	10	2.12	<0.5	9	30	27	2.31
B365908		3.16	0.295		0.6	7.40	37	1410	2.7	4	2.49	<0.5	9	98	27	2.52
B365909		0.04	0.288													
B365910		0.10	0.445		2.4	9.06	11	1070	1.2	<2	1.51	<0.5	8	10	7500	3.30
B365911		2.80	1.805		<0.5	6.99	23	1410	2.6	4	2.34	<0.5	9	27	25	2.25
B365912		3.08	1.150		<0.5	7.28	50	1350	3.1	13	2.13	<0.5	11	26	48	2.23
B365913		2.86	0.380		<0.5	7.32	96	1470	2.9	4	2.26	<0.5	12	78	28	2.39
B365914		2.76	0.354		<0.5	7.48	23	1520	2.8	7	2.22	<0.5	11	30	30	2.40
B365915		2.26	0.950		<0.5	6.98	371	1420	2.6	24	1.94	<0.5	9	86	37	2.38
B365916		0.52	<0.005		<0.5	0.15	<5	20	<0.5	<2	19.90	<0.5	<1	2	1	0.13
B365917		2.50	0.425		0.7	7.63	79	1450	2.9	9	3.24	0.5	9	86	28	2.94
B365918		3.22	0.466		<0.5	7.36	62	1470	2.8	11	2.35	<0.5	11	27	29	2.31
B365919		2.92	0.628		0.6	7.32	299	1460	2.6	7	2.79	0.5	29	102	34	2.59
B365920		3.68	1.330		0.5	7.94	81	1680	2.7	45	2.27	<0.5	7	31	41	2.51
B365921		1.44	1.140		0.9	7.46	55	1530	2.4	29	2.30	<0.5	10	85	54	2.43
B365922		1.48	0.660		<0.5	7.53	119	1580	2.4	18	2.17	<0.5	7	28	35	2.28
B365923		3.18	0.455		0.9	7.57	71	1700	2.8	8	2.41	0.7	12	83	51	2.60
B365924		2.88	0.159		<0.5	7.21	46	1690	2.7	2	2.29	<0.5	12	28	36	2.44
B365925		3.58	0.176		<0.5	7.66	24	1570	2.8	3	2.63	<0.5	12	83	34	2.69
B365926		3.02	0.219		<0.5	7.31	57	1610	2.7	4	2.40	<0.5	11	29	38	2.40
B365927		2.72	0.213		<0.5	7.52	75	1560	2.9	3	2.37	<0.5	10	29	46	2.48
B365928		3.26	0.185		<0.5	7.26	35	1480	2.7	<2	2.35	<0.5	10	60	48	2.31
B365929		0.04	0.217													
B365930		0.12	4.55		9.1	7.32	22	460	0.8	<2	2.72	1.4	19	19	125	3.95
B365931		3.38	0.386		0.7	7.38	74	1490	2.9	10	2.34	<0.5	12	78	59	2.35
B365932		2.96	0.241		<0.5	6.88	77	1500	2.8	6	2.23	<0.5	12	63	41	2.31
B365933		3.54	1.040		<0.5	7.23	138	1420	2.9	10	2.36	<0.5	13	83	39	2.50
B365934		2.80	0.568		<0.5	7.28	128	1460	3.0	8	2.26	<0.5	12	58	53	2.31
B365935		3.02	0.423		<0.5	7.31	270	1320	3.1	10	2.09	<0.5	10	85	43	2.07
B365936		0.68	<0.005		<0.5	0.10	5	10	<0.5	<2	18.70	<0.5	1	3	1	0.10
B365937		3.14	1.125		<0.5	7.16	45	1350	3.0	13	2.15	<0.5	8	77	32	2.19
B365938		2.84	0.288		<0.5	7.20	42	1430	2.9	4	2.23	<0.5	7	61	28	2.33
B365939		3.18	0.315		<0.5	7.75	137	1480	3.0	<2	2.31	<0.5	10	76	40	2.36
B365940		3.18	0.243		<0.5	7.56	182	1500	2.9	3	2.27	<0.5	11	57	74	2.41
B365941		1.32	0.117		<0.5	6.96	30	1440	2.6	<2	2.44	<0.5	9	88	57	2.41
B365942		1.50	1.080		<0.5	7.45	64	1600	2.9	53	2.32	<0.5	16	69	69	2.52
B365943		3.18	0.456		<0.5	7.23	35	1610	2.9	2	2.28	<0.5	11	89	53	2.47
B365944		3.32	0.290		1.5	6.97	73	1360	2.6	8	2.57	1.7	12	68	87	2.59
B365945		3.22	0.255		<0.5	7.78	33	1610	2.9	7	2.26	<0.5	9	91	56	2.51
B365946		3.08	0.097		<0.5	7.20	73	1440	2.6	<2	2.45	<0.5	13	63	39	2.35

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365907		0.02	3.69	0.68	372	1	1.15	20	580	78	0.22	26	334	0.28	36	20
B365908		0.02	3.83	0.78	415	3	1.10	21	640	45	0.26	25	335	0.30	38	30
B365909																
B365910		0.03	3.80	1.21	507	2	3.38	9	1980	11	0.23	<5	679	0.34	178	<10
B365911		0.01	3.43	0.68	286	4	1.45	19	580	35	0.13	6	407	0.27	33	70
B365912		0.01	3.78	0.64	207	2	1.58	18	560	27	0.23	<5	402	0.27	32	20
B365913		0.01	3.76	0.76	308	8	1.54	19	600	32	0.15	5	423	0.29	36	70
B365914		0.01	3.90	0.76	260	3	1.58	20	620	31	0.15	<5	453	0.28	34	70
B365915		0.01	3.74	0.71	239	15	1.34	18	560	66	0.29	23	386	0.26	33	70
B365916		<0.01	0.05	11.90	184	1	0.02	5	540	3	<0.01	<5	111	0.01	2	<10
B365917		0.01	3.59	0.94	684	1	1.52	19	620	285	0.16	36	477	0.30	36	20
B365918		<0.01	4.02	0.73	294	8	1.41	18	580	27	0.18	6	414	0.27	33	50
B365919		0.01	3.76	0.82	493	2	1.13	23	660	240	0.38	47	372	0.29	37	20
B365920		<0.01	4.14	0.81	283	5	1.47	23	690	55	0.28	14	440	0.31	38	40
B365921		<0.01	4.02	0.73	320	12	1.28	22	630	61	0.28	8	381	0.28	36	20
B365922		<0.01	4.13	0.68	317	7	1.32	19	640	34	0.24	9	394	0.30	37	30
B365923		0.01	3.79	0.84	270	1	1.56	21	640	105	0.30	6	496	0.32	41	20
B365924		<0.01	3.50	0.79	238	1	1.46	22	640	22	0.19	<5	464	0.30	38	10
B365925		<0.01	3.32	0.91	312	2	1.57	23	650	25	0.20	<5	484	0.33	42	20
B365926		<0.01	3.49	0.83	243	4	1.59	20	650	20	0.20	<5	496	0.32	38	40
B365927		<0.01	3.51	0.85	222	1	1.62	21	610	19	0.25	<5	489	0.31	39	10
B365928		<0.01	3.57	0.81	257	1	1.59	22	590	26	0.19	<5	465	0.29	37	40
B365929																
B365930		0.03	2.11	1.30	961	13	1.56	13	860	19	0.67	<5	399	0.36	144	<10
B365931		0.01	3.54	0.83	179	2	1.63	22	620	19	0.29	<5	476	0.30	37	100
B365932		0.02	3.40	0.75	212	1	1.62	21	590	24	0.19	<5	462	0.29	37	40
B365933		0.02	3.67	0.87	194	2	1.56	21	610	17	0.26	<5	449	0.29	40	50
B365934		0.01	3.65	0.78	197	3	1.62	19	590	17	0.25	<5	467	0.29	36	40
B365935		0.01	3.60	0.70	172	3	1.54	21	530	21	0.25	<5	426	0.26	31	570
B365936		<0.01	0.03	11.25	150	<1	0.02	1	400	<2	<0.01	<5	98	<0.01	2	<10
B365937		0.07	3.60	0.73	206	1	1.60	18	550	26	0.19	<5	417	0.26	32	70
B365938		0.01	3.56	0.79	225	1	1.58	19	600	21	0.15	<5	440	0.29	34	20
B365939		0.01	3.83	0.80	248	2	1.67	20	600	25	0.18	<5	466	0.29	35	30
B365940		0.01	4.09	0.81	182	4	1.61	19	630	16	0.39	<5	472	0.30	36	30
B365941		0.01	4.04	0.80	240	5	1.36	20	590	39	0.27	5	424	0.27	35	200
B365942		0.01	4.11	0.82	177	1	1.50	20	660	18	0.38	10	443	0.31	40	70
B365943		0.01	3.84	0.87	194	2	1.64	20	640	15	0.25	<5	466	0.31	38	10
B365944		0.03	4.17	0.80	275	1	1.32	25	600	322	0.50	8	400	0.28	35	180
B365945		0.01	4.11	0.88	201	3	1.66	21	640	28	0.28	<5	479	0.31	37	30
B365946		<0.01	4.11	0.78	249	2	1.51	22	610	24	0.23	<5	436	0.28	35	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B365907		91
B365908		110
B365909		
B365910		60
B365911		70
B365912		34
B365913		74
B365914		52
B365915		39
B365916		7
B365917		170
B365918		53
B365919		140
B365920		49
B365921		55
B365922		62
B365923		116
B365924		39
B365925		64
B365926		40
B365927		35
B365928		48
B365929		
B365930		92
B365931		22
B365932		39
B365933		31
B365934		31
B365935		27
B365936		6
B365937		32
B365938		37
B365939		45
B365940		26
B365941		29
B365942		21
B365943		23
B365944		301
B365945		32
B365946		43

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01
B365947		3.36	0.282		<0.5	7.29	41	1290	2.6	<2	2.58	0.7	9	87	28	2.48
B365948		3.40	0.261		<0.5	7.22	21	1500	2.7	4	2.26	<0.5	10	63	20	2.36
B365949		0.04	0.493													
B365950		0.12	2.97		<0.5	6.71	7	1990	3.1	<2	4.63	<0.5	23	140	93	4.98
B365951		2.82	0.169		<0.5	7.71	24	1510	3.0	3	2.30	<0.5	12	90	39	2.48
B365952		3.26	1.330		<0.5	7.41	36	1520	2.7	6	2.29	<0.5	13	67	41	2.41
B365953		3.12	0.025		<0.5	7.82	39	1570	3.0	<2	2.66	<0.5	10	100	19	2.57
B365954		3.06	0.100		<0.5	7.91	45	1590	3.0	3	2.40	<0.5	10	95	36	2.61
B365955		3.24	0.066		<0.5	7.24	41	1470	2.6	<2	3.09	<0.5	10	75	40	2.43
B365956		0.58	<0.005		<0.5	0.17	<5	20	<0.5	<2	19.95	<0.5	1	8	1	0.13
B365957		2.86	0.124		<0.5	7.66	26	1520	2.9	<2	2.63	<0.5	13	65	46	2.57
B365958		2.86	0.119		0.9	7.59	74	1350	3.0	<2	2.53	0.5	7	86	38	2.71
B365959		2.94	0.062		<0.5	7.23	23	1590	2.7	<2	2.16	<0.5	7	70	24	2.41
B365960		2.96	0.063		<0.5	7.47	39	1530	2.9	<2	2.57	<0.5	10	89	34	2.49
B365961		2.04	0.036		<0.5	7.53	50	1580	2.8	<2	2.49	<0.5	12	73	31	2.44
B365962		2.16	0.075		<0.5	7.16	23	1520	2.7	<2	2.50	<0.5	11	94	29	2.37
B365963		1.80	0.042		<0.5	7.64	33	1420	2.7	<2	2.36	<0.5	10	76	40	2.44
B365964		2.10	0.139		<0.5	7.34	146	1380	2.8	2	2.43	<0.5	15	81	38	2.48

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Hg-CV41	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Hg	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B365947		0.03	3.62	0.79	456	2	1.38	18	590	69	0.24	6	358	0.27	35	40
B365948		<0.01	3.42	0.81	289	1	1.62	19	600	28	0.08	<5	463	0.30	36	50
B365949																
B365950		0.01	3.34	2.95	1070	12	2.19	66	2300	28	0.29	<5	1550	0.38	161	10
B365951		<0.01	3.91	0.81	272	7	1.64	21	630	30	0.16	<5	468	0.30	37	100
B365952		<0.01	3.77	0.82	243	4	1.59	19	610	25	0.19	<5	462	0.31	37	30
B365953		0.02	3.52	0.88	350	3	1.76	23	660	31	0.09	<5	507	0.32	39	20
B365954		0.02	3.77	0.91	274	2	1.76	19	700	27	0.17	<5	497	0.33	40	40
B365955		0.01	3.70	0.84	313	5	1.74	21	640	26	0.16	<5	482	0.31	37	20
B365956		<0.01	0.05	11.95	138	<1	0.02	5	550	2	0.01	<5	109	0.01	2	<10
B365957		0.01	3.72	0.84	323	1	1.56	18	650	36	0.23	5	449	0.31	39	20
B365958		0.03	3.49	0.86	457	2	1.27	21	640	100	0.50	27	380	0.30	38	30
B365959		0.01	3.61	0.85	287	2	1.54	18	640	30	0.10	6	425	0.30	37	10
B365960		0.01	3.51	0.79	294	5	1.60	21	670	25	0.19	5	446	0.31	39	10
B365961		0.01	3.66	0.75	259	2	1.56	22	650	23	0.15	<5	446	0.31	38	10
B365962		0.01	3.52	0.70	265	2	1.48	21	630	23	0.15	<5	427	0.30	37	10
B365963		0.01	3.59	0.76	258	1	1.37	22	640	27	0.21	12	389	0.30	37	20
B365964		0.01	3.75	0.73	375	1	1.25	21	660	39	0.30	25	370	0.30	37	130

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B365947		184
B365948		63
B365949		
B365950		96
B365951		60
B365952		46
B365953		71
B365954		46
B365955		40
B365956		8
B365957		58
B365958		160
B365959		59
B365960		45
B365961		45
B365962		46
B365963		40
B365964		43

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

CERTIFICATE VA05086390

Project: Dublin Gulch-1735

P.O. No.:

This report is for 84 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05086390

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
B364568		0.581

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-JUL-2005
Account: STRGOL

CERTIFICATE VA05055418

Project: Dublin Gulch-1735

P.O. No.:

This report is for 185 Pulp samples submitted to our lab in Vancouver, BC, Canada on 11-JUL-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05055418

Sample Description	Method / Analyte / Units / LOR	Au-GRA21 / Au / ppm / 0.05
B291163		18.75

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-JUL-2005
Account: STRGOL

CERTIFICATE VA05055419

Project: Dublin Gulch-1735

P.O. No.:

This report is for 181 Pulp samples submitted to our lab in Vancouver, BC, Canada on 11-JUL-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05055419

Sample Description	Method Analyte Units LOR	Au-GRA21 Au ppm 0.05
B291452		14.90

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-JUL-2005
Account: STRGOL

CERTIFICATE VA05056060

Project: Dublin Gulch-1735

P.O. No.:

This report is for 216 Pulp samples submitted to our lab in Vancouver, BC, Canada on 11-JUL-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05056060

Sample Description	Method / Analyte / Units / LOR	Au-GRA21 / Au / ppm / 0.05
B292883		26.1

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 2-JUL-2005
Account: STRGOL

CERTIFICATE VA05056888

Project: Dublin Gulch-1735

P.O. No.:

This report is for 185 Pulp samples submitted to our lab in Vancouver, BC, Canada on 15-JUL-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05056888

Sample Description	Method Analyte Units LOR	Au-GRA21 Au ppm 0.05
B291268		11.85
B291269		11.45

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 2-JUL-2005
Account: STRGOL

CERTIFICATE VA05056889

Project: Dublin Gulch-1735

P.O. No.:

This report is for 181 Pulp samples submitted to our lab in Vancouver, BC, Canada on 15-JUL-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 22-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05056889

Sample Description	Method / Analyte / Units / LOR	Au-GRA21 / Au / ppm / 0.05
B291329		2.06
B291422		22.3

Comments: Additional check assay for sample B291329 reports 24.6ppm gold.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 6-JUL-2005
Account: STRGOL

CERTIFICATE VA05057300

Project: Dublin Gulch-1735

P.O. No.:

This report is for 193 Pulp samples submitted to our lab in Vancouver, BC, Canada on 15-JUL-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05057300

Sample Description	Method / Analyte / Units / LOR	Au-GRA21 / Au / ppm / 0.05
B291712		7.30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

CERTIFICATE VA05089300

Project: Dublin Gulch-1735

P.O. No.:

This report is for 20 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089300

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
B291490		NSS	2.3	9.38	16	1100	1.3	<2	1.50	<0.5	7	4	7290	3.32	0.07	3.79

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
/01-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089300

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B291490		1.19	483	3	3.33	8	2020	<2	0.24	<5	697	0.35	177	<10	57

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
/01-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da( )-OCT-2005
Account: STRGOL

CERTIFICATE VA05089301

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089301

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
B364030		2.38	<0.5	7.00	1950	670	11.5	<2	0.01	<0.5	1	125	95	3.13	0.10	2.88

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089301

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B364030		0.35	63	2	0.08	4	310	17	0.02	135	132	0.25	94	20	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -OCT-2005
Account: STRGOL

CERTIFICATE VA05089302

Project: Dublin Gulch-1735

P.O. No.:

This report is for 93 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089302

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
B381390		0.094	<0.5	6.89	110	560	2.5	<2	0.51	0.5	53	1125	368	8.22	0.05	2.12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089302

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B381390		0.57	367	8	0.12	458	370	141	0.02	16	51	0.24	88	20	587

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da(1-OCT-2005
Account: STRGOL

CERTIFICATE VA05089309

Project: Dublin Gulch-1735

P.O. No.:

This report is for 148 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089309

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
B292650		2.81	<0.5	7.16	2040	710	12.1	4	0.01	<0.5	1	144	102	3.34	0.07	3.12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089309

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B292650		0.37	68	3	0.09	11	320	26	0.02	150	136	0.23	97	10	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da(1-OCT-2005
Account: STRGOL

CERTIFICATE VA05089440

Project: Dublin Gulch-1735

P.O. No.:

This report is for 86 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089440

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
B380870		1.450	<0.5	6.68	1190	660	5.5	<2	0.01	<0.5	5	205	39	3.58	0.05	2.64

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089440

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B380870		0.34	85	3	0.11	20	300	23	0.02	106	86	0.23	83	10	47

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 1-OCT-2005
Account: STRGOL

CERTIFICATE VA05089441

Project: Dublin Gulch-1735

P.O. No.:

This report is for 82 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089441

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
B380950		2.91	<0.5	6.97	2000	690	11.6	2	0.01	<0.5	<1	138	99	3.21	0.07	3.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089441

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B380950		0.36	66	3	0.08	8	320	27	0.03	145	132	0.21	94	10	18

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-OCT-2005
Account: STRGOL

CERTIFICATE VA05089442

Project: Dublin Gulch-1735

P.O. No.:

This report is for 60 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089442

Sample Description	Method	Au-AA23	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au Check	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B382170		0.432	0.444	2.6	9.01	<5	1070	1.2	4	1.45	<0.5	5	12	7400	3.27	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089442

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B382170		3.74	1.18	483	3	3.56	11	1960	11	0.25	<5	682	0.35	165	<10	46

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-OCT-2005
Account: STRGOL

CERTIFICATE VA05089443

Project: Dublin Gulch-1735

P.O. No.:

This report is for 143 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089443

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B382690		2.96	2.82	<0.5	6.92	1990	810	11.6	2	0.01	<0.5	<1	137	101	3.22	0.07

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05089443

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B382690		3.04	0.36	66	2	0.08	12	310	27	0.03	141	133	0.22	93	10	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da(J-NOV-2005
Account: STRGOL

CERTIFICATE VA05093073

Project: Dublin Gulch-1735

P.O. No.:

This report is for 113 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05093073

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05
B291078		0.220	0.209	
B291079		8.76		
B291080		0.216	0.178	
B291081		0.484	0.344	
B291082		0.218	0.264	
B291083		0.822	0.448	
B291084		2.73		
B291085		0.300		
B291086		0.371	0.299	
B291087		0.194		
B291088		0.128		
B291089		0.221		
B291090		0.099		
B291091		0.964	0.753	
B291092		0.786		
B291093		0.143		
B291094		0.126		
B291095		0.256		
B291096		0.005		
B291097		9.68		
B291098		0.785		
B291099		0.272		
B291100		0.422		
B291101		0.188		
B291102		0.123		
B291103		0.079		
B291104		0.163	0.122	
B291105		0.199		
B291106		0.178		
B291107		>10.0		3.57
B291108		0.068		
B291109		0.064		
B291110		2.87		
B291111		0.396		
B291112		1.060	0.685	
B291113		0.886		

Comments: Sample B291107 has additional AA and grav results of >10 ppm and 4.77 ppm respectively.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 7-NOV-2005
Account: STRGOL

CERTIFICATE VA05094260

Project: Dublin Gulch-1735

P.O. No.:

This report is for 129 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094260

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B363486		0.019	
B363487		0.046	
B363488		0.046	
B363489		0.035	
B363490		1.465	
B363491		0.040	
B363492		0.342	0.110
B363493		0.424	0.319
B363494		0.035	
B363495		0.054	0.098
B363496		<0.005	<0.005
B363497		0.056	0.047
B363498		0.057	
B363499		0.051	
B363500		0.021	
B363501		0.025	
B363502		0.024	
B363503		0.018	
B363504		0.107	
B363505		0.083	
B363506		0.021	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-NOV-2005
Account: STRGOL

CERTIFICATE VA05094261

Project: Dublin Gulch-1735

P.O. No.:

This report is for 96 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094261

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05
B381566		0.046		
B381567		0.019		
B381568		0.269		
B381569		0.342		
B381570		4.45		
B381571		>10.0		13.85
B381572		0.961		
B381573		9.43	9.14	
B381574		0.039		
B381575		0.089		
B381576		0.144		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 4-NOV-2005
Account: STRGOL

CERTIFICATE VA05094262

Project: Dublin Gulch-1735

P.O. No.:

This report is for 52 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094262

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B364874		0.216	0.160
B364875		0.194	0.072
B364876		<0.005	
B364877		0.726	
B364878		1.315	0.825
B364879		0.212	0.229
B364880		0.230	
B364881		1.660	3.05
B364882		3.14	
B364883		0.061	0.031
B364884		0.255	
B364885		0.263	
B364886		0.432	
B364887		5.24	
B364888		0.355	0.249
B364889		0.282	0.315
B364890		0.411	
B364891		0.897	2.65
B364892		1.800	
B364893		0.524	
B364894		0.101	0.064
B364895		0.552	0.572
B364896		<0.005	
B364897		0.388	
B364898		0.052	
B364899		0.168	0.235
B364900		0.575	0.388
B364901		0.047	
B364902		0.074	
B364903		0.155	
B364904		0.149	0.255
B364905		0.083	
B364906		0.324	0.237
B364907		0.332	
B364908		0.122	
B364909		0.145	
B364910		4.73	
B364911		0.426	0.213
B364912		0.649	
B364913		0.118	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094262

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B364914		0.079	
B364915		0.056	
B364916		0.641	
B364917		0.580	1.515
B364918		0.211	0.201
B364919		0.083	
B364920		1.095	0.726
B364921		0.226	
B364922		0.183	
B364923		0.175	0.158
B364924		0.238	
B364925		0.042	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D / -NOV-2005
Account: STRGOL

CERTIFICATE VA05094263

Project: Dublin Gulch-1735

P.O. No.:

This report is for 148 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094263

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
B292637		0.108
B292638		1.155
B292639		0.299
B292640		0.064
B292641		0.187
B292642		0.384
B292643		0.103
B292644		0.251
B292645		0.111
B292646		0.137
B292647		0.091
B292648		0.098
B292649		0.100
B292650		2.74
B292651		0.120
B292652		0.040
B292653		0.061
B292654		0.124
B292655		0.085
B292656		<0.005
B292657		0.156
B292658		0.319
B292659		0.129
B292660		1.035
B292661		0.463
B292662		0.739
B292663		0.839
B292664		0.753
B292665		0.161

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-NOV-2005
Account: STRGOL

CERTIFICATE VA05094264

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094264

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B364020		0.044	
B364021		0.497	
B364022		0.874	
B364023		1.655	
B364024		0.076	
B364025		0.103	
B364026		0.089	
B364027		0.099	0.050
B364028		0.153	
B364029		0.134	
B364030		2.61	NSS
B364031		0.016	
B364032		0.603	0.554
B364033		0.834	6.10
B364034		0.111	0.091
B364035		0.127	0.148
B364036		<0.005	
B364037		0.073	
B364038		0.085	
B364039		0.631	
B364040		0.420	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-NOV-2005
Account: STRGOL

CERTIFICATE VA05094266

Project: Dublin Gulch-1735

P.O. No.:

This report is for 82 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094266

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
B380945		<0.005
B380946		<0.005
B380947		0.017
B380948		<0.005
B380949		<0.005
B380950		2.96
B380951		<0.005
B380952		<0.005
B380953		<0.005
B380954		<0.005
B380955		<0.005
B380956		<0.005
B380957		<0.005
B380958		0.029
B380959		0.010
B380960		<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-NOV-2005
Account: STRGOL

CERTIFICATE VA05094268

Project: Dublin Gulch-1735

P.O. No.:

This report is for 60 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094268

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B382157		0.185	0.119
B382158		0.444	
B382159		0.130	
B382160		0.326	
B382161		2.20	
B382162		4.11	2.53
B382163		0.388	
B382164		0.139	0.141
B382165		0.191	0.467
B382166		0.032	
B382167		0.160	0.204
B382168		0.541	0.064
B382169		0.072	0.118
B382170		0.434	NSS
B382171		0.008	
B382172		0.058	
B382173		0.024	0.005
B382174		0.134	0.388
B382175		0.054	0.041
B382176		<0.005	
B382177		0.165	0.084
B382178		0.159	0.121
B382179		0.072	
B382180		0.166	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D /-NOV-2005
Account: STRGOL

CERTIFICATE VA05094269

Project: Dublin Gulch-1735

P.O. No.:

This report is for 143 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094269

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-GRA21 Au ppm 0.05
B382681		0.005		
B382682		0.005		
B382683		0.040	0.049	
B382684		0.117	0.157	
B382685		>10.0		12.65
B382686		0.071	0.083	
B382687		0.512	0.851	
B382688		0.906		
B382689		NSS		
B382690		2.84		
B382691		0.754		
B382692		0.060		
B382693		0.253	0.498	
B382694		0.062		
B382695		0.221		
B382696		<0.005		
B382697		0.154		
B382698		0.456		
B382699		0.486		
B382700		0.123		
B363201		0.807		
B363202		0.796		
B363203		0.057		
B363204		0.561		
B363205		3.75		
B363206		0.181	0.201	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 8-NOV-2005
Account: STRGOL

CERTIFICATE VA05094400

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094400

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B364458		0.844	
B364459		0.085	
B364460		0.040	
B364461		0.075	
B364462		0.057	
B364463		0.052	
B364464		0.129	
B364465		0.083	
B364466		0.084	
B364467		0.578	
B364468		0.148	
B364469		0.130	
B364470		0.968	
B364471		0.141	0.070
B364472		0.129	
B364473		0.250	
B364474		0.284	
B364475		0.607	0.284
B364476		<0.005	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-NOV-2005
Account: STRGOL

CERTIFICATE VA05094401

Project: Dublin Gulch-1735

P.O. No.:

This report is for 84 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094401

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B364545		0.141	
B364546		0.344	
B364547		0.058	
B364548		4.62	
B364549		4.62	
B364550		0.095	
B364551		0.776	
B364552		0.546	0.534
B364553		0.650	
B364554		0.540	1.385
B364555		0.852	
B364556		<0.005	
B364557		0.179	
B364558		0.770	0.985
B364559		0.117	
B364560		0.755	
B364561		5.46	
B364562		0.813	
B364563		1.005	
B364564		1.255	
B364565		0.569	
B364566		0.481	1.020
B364567		0.939	
B364568		0.230	0.233
B364569		0.647	0.327
B364570		0.902	
B364571		1.440	0.736
B364572		0.749	0.953
B364573		1.330	
B364574		2.73	0.614
B364575		0.910	
B364576		<0.005	
B364577		1.100	
B364578		1.010	
B364579		4.03	2.55
B364580		1.565	
B364581		0.370	0.378
B364582		0.675	
B364583		0.671	0.677
B364584		0.219	0.227

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094401

Sample Description	Method	Au-AA23	Au-AA23
	Analyte	Au	Au Check
	Units	ppm	ppm
	LOR	0.005	0.005
B364585		1.075	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 6-NOV-2005
Account: STRGOL

CERTIFICATE VA05094402

Project: Dublin Gulch-1735

P.O. No.:

This report is for 136 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094402

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B365219		2.99	3.30
B365220		0.146	
B365221		0.202	
B365222		0.377	
B365223		0.055	
B365224		0.949	0.400
B365225		0.020	
B365226		0.058	
B365227		0.125	
B365228		0.043	
B365229		0.042	
B365230		3.10	
B365231		0.285	0.316
B365232		0.013	
B365233		0.145	
B365234		0.060	
B365235		0.056	
B365236		<0.005	
B365237		0.019	
B365238		0.273	
B365239		0.140	0.959
B365240		0.139	0.164

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-NOV-2005
Account: STRGOL

CERTIFICATE VA05093639

Project: Dublin Gulch-1735

P.O. No.:

This report is for 20 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05093639

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B291480		<0.005	
B291481		<0.005	
B291482		0.005	
B291483		0.014	
B291484		0.098	0.747
B291485		0.008	
B291486		0.061	
B291487		0.231	
B291488		NSS	
B291489		NSS	
B291490		NSS	
B291491		0.453	0.312
B291492		1.080	1.225
B291493		1.970	0.347
B291494		0.853	0.305
B291495		0.139	0.259
B291496		<0.005	
B291497		1.025	0.449
B291498		0.615	
B291499		0.750	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-NOV-2005
Account: STRGOL

CERTIFICATE VA05094770

Project: Dublin Gulch-1735

P.O. No.:

This report is for 146 Pulp samples submitted to our lab in Vancouver, BC, Canada on 2-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
/01-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094770

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
B381380		0.355
B381381		0.016
B381382		0.010
B381383		1.435
B381384		0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 8-NOV-2005
Account: STRGOL

CERTIFICATE VA05094771

Project: Dublin Gulch-1735

P.O. No.:

This report is for 3 Pulp samples submitted to our lab in Vancouver, BC, Canada on 2-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094771

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
B381385		<0.005
B381386		0.043
B381387		0.015

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-NOV-2005
Account: STRGOL

CERTIFICATE VA05096533

Project: 1735

P.O. No.:

This report is for 16 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05096533

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B365968		2.18	0.019	<0.5	7.08	74	1390	2.9	<2	2.38	<0.5	7	38	30	2.45	0.01
B365969		<0.02	0.018													
B365970		0.12	0.978	2.2	7.43	<5	440	0.7	<2	1.82	0.5	21	94	2020	5.08	0.02
B365971		2.48	0.025	<0.5	7.28	48	1370	3.1	2	2.53	<0.5	7	34	44	2.27	<0.01
B365972		1.44	0.064	0.7	7.20	24	940	2.8	19	2.67	2.2	7	35	34	2.26	0.04
B365973		2.72	0.034	<0.5	7.33	49	1640	3.0	8	2.31	<0.5	7	37	32	2.72	<0.01
B365974		2.48	0.105	<0.5	7.11	496	1410	2.7	3	2.56	<0.5	7	23	44	2.19	0.01
B365975		2.46	0.102	<0.5	6.91	432	1250	2.9	2	2.37	<0.5	6	20	34	2.03	<0.01
B365976		<0.02	0.109													
B365977		2.62	0.417	<0.5	7.22	1330	1550	2.8	7	2.09	<0.5	16	25	42	2.46	<0.01
B365978		<0.02	0.649													
B365979		0.12	0.939	2.2	7.19	21	440	0.7	<2	1.79	0.7	20	94	2020	5.04	0.01
B365980		2.56	0.313	<0.5	7.08	461	1400	2.4	12	2.75	<0.5	8	23	56	2.19	<0.01
B365981		2.06	0.638	<0.5	6.59	149	1270	2.7	3	1.74	<0.5	5	22	32	1.96	0.01
B365982		<0.02	0.942													
B365983		2.82	1.095	<0.5	7.15	145	1570	2.6	13	1.75	<0.5	6	25	42	2.17	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05096533

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B365968		3.51	0.89	321	1	1.61	19	620	23	0.13	8	440	0.29	45	10	47
B365969																
B365970		1.70	1.32	416	3	3.02	48	630	19	0.58	<5	207	0.28	90	<10	199
B365971		3.73	0.84	284	3	1.80	18	670	24	0.18	<5	523	0.26	40	10	42
B365972		3.31	0.71	463	20	0.81	18	640	192	0.27	11	232	0.26	43	30	453
B365973		3.65	1.04	392	1	1.68	22	670	32	0.15	7	482	0.33	47	10	63
B365974		3.73	0.81	191	2	1.25	19	620	19	0.02	5	384	0.27	36	30	25
B365975		3.55	0.74	204	2	0.92	17	540	19	0.01	<5	333	0.23	30	30	31
B365976																
B365977		3.71	0.88	234	1	1.27	19	600	18	0.24	9	444	0.27	34	20	45
B365978																
B365979		1.69	1.32	415	2	3.03	51	660	14	0.58	<5	204	0.28	90	<10	199
B365980		3.82	0.69	286	3	1.21	24	610	18	0.20	13	375	0.26	36	30	61
B365981		3.91	0.65	160	1	1.27	17	480	20	0.09	<5	351	0.22	28	50	22
B365982																
B365983		3.95	0.74	169	2	1.40	21	590	16	0.09	<5	412	0.27	35	30	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D(2-NOV-2005
Account: STRGOL

CERTIFICATE VA05094265

Project: Dublin Gulch-1735

P.O. No.:

This report is for 86 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094265

Sample Description	Method	Au-AA23
	Analyte	Au
	Units	ppm
	LOR	0.005
B380864		<0.005
B380865		<0.005
B380866		<0.005
B380867		3.91
B380868		0.144
B380869		0.145
B380870		1.560
B380871		0.960
B380872		<0.005
B380873		<0.005
B380874		<0.005
B380875		<0.005
B380876		<0.005
B380877		<0.005

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D -NOV-2005
Account: STRGOL

CERTIFICATE VA05094267

Project: Dublin Gulch-1735

P.O. No.:

This report is for 93 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05094267

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005
B381388		<0.005	
B381389		0.005	
B381390		0.059	0.058
B381391		0.007	
B381392		<0.005	
B381393		0.005	
B381394		<0.005	
B381395		<0.005	
B381396		<0.005	
B381397		0.024	
B381398		0.011	
B381399		0.005	
B381400		<0.005	

094876

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 8-SEP-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05074728

Project: Dublin Gulch-1735

P.O. No.:

This report is for 119 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

094876

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
STANDARDS																
BM-8				5.5	2.46	62	80	13.2	30	0.36	12.6	40	247	77	3.43	
BM-8				5.7	2.49	70	80	13.4	31	0.35	13.2	44	253	87	3.64	
Target Range - Lower Bound				5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	
Upper Bound				7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	
BM-9/A				13.6	3.60	30	200	0.9	113	0.23	26.1	97	356	5540	4.25	
BM-9/A				16.0	3.63	21	210	0.9	115	0.21	26.3	96	355	5570	4.15	
Target Range - Lower Bound				11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	
Upper Bound				15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59	
G2000																0.77
G2000																0.77
G2000																0.73
G2000																0.76
G2000																0.69
G2000																0.70
G2000																0.76
G2000																0.76
G2000				3.4	5.01	494	2330	1.3	<2	0.60	7.1	24	99	302	3.79	
G2000				3.4	5.06	488	2350	1.3	3	0.60	7.1	24	98	303	3.85	
G2000				3.7	5.15	495	2540	1.4	<2	0.59	7.3	26	107	309	3.87	
G2000				4.2	5.12	507	2370	1.3	<2	0.56	7.3	25	102	299	3.72	
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81
OxE21		0.630														
OxE21		0.667														
OxE21		0.716														
OxE21		0.654														
OxE21		0.664														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.56														
OXK35		3.62														
OXK35		3.70														
OXK35		3.60														
OXK35			3.47													
OXK35			3.56													
OXK35		3.50														
OXK35		3.54														
Target Range - Lower Bound		3.24	3.19													
Upper Bound		3.74	3.78													
SP17			17.90													
Target Range - Lower Bound			16.80													

094876

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Upper Bound	19.45
	Analyte	
	Units	
	LOR	

094876

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
BM-8		0.79	0.19	347	30	1.14	178	80	83	0.19	35	105	0.03	74	30	161
BM-8		0.77	0.19	370	30	1.14	169	90	92	0.20	34	106	0.03	77	30	154
Target Range - Lower Bound		0.72	0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.90	0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.13	0.79	639	3	0.46	385	100	6710	1.36	9	89	0.08	21	<10	8050
BM-9/A		0.12	0.80	612	3	0.46	368	90	6600	1.35	<5	89	0.09	21	<10	8110
Target Range - Lower Bound		0.10	0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		1.28	0.73	567	5	0.13	294	960	684	0.26	32	115	0.33	99	10	1260
G2000		1.29	0.74	557	6	0.13	284	980	678	0.26	34	116	0.34	100	10	1260
G2000		1.29	0.78	579	5	0.14	285	950	685	0.29	34	124	0.37	108	20	1315
G2000		1.29	0.75	557	5	0.13	287	950	684	0.26	30	118	0.35	104	20	1305
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
SP17																
Target Range - Lower Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Upper Bound ... Analyte Units LOR	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
BLANKS																
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.7	1	<1	<1	<0.01	
BLANK				<0.5	<0.01	5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.05													
BLANK		<0.005														
BLANK		0.017														
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		1.965														
DUP		2.06														
Target Range - Lower Bound		1.900														
Upper Bound		2.12														
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method Analyte Units LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	20	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL		0.009														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.104														
DUP		0.097														
Target Range - Lower Bound		0.085														
Upper Bound		0.116														
ORIGINAL				<0.5	7.70	88	300	5.2	2	0.09	<0.5	15	216	44	2.52	
DUP				<0.5	7.45	82	290	5.0	<2	0.09	<0.5	15	200	46	2.45	
Target Range - Lower Bound				<0.5	7.18	71	260	3.8	<2	0.07	<0.5	12	196	41	2.34	
Upper Bound				1.0	7.97	99	330	6.4	4	0.11	1.0	18	220	49	2.63	
B363634																0.02
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B363639				<0.5	7.26	494	1550	2.6	5	2.10	<0.5	9	31	34	2.40	
DUP				<0.5	7.27	432	1510	2.6	6	2.06	<0.5	9	25	34	2.33	
Target Range - Lower Bound				<0.5	6.88	430	1430	1.5	<2	1.96	<0.5	7	25	30	2.23	
Upper Bound				1.0	7.65	496	1630	3.7	10	2.20	1.0	11	31	38	2.50	
B363640		0.387														
DUP		0.181														
Target Range - Lower Bound		0.260														
Upper Bound		0.308														
B363643		4.91														
DUP		0.408														
Target Range - Lower Bound		2.52														
Upper Bound		2.80														
B363672																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		4.17	0.62	363	<1	0.11	63	300	16	1.93	<5	107	0.33	154	70	91
DUP		4.07	0.59	350	<1	0.11	61	280	16	1.82	<5	102	0.31	147	70	93
Target Range - Lower Bound		3.89	0.55	329	<1	0.08	57	260	11	1.76	<5	97	0.28	141	50	83
Upper Bound		4.35	0.66	384	2	0.14	67	320	21	1.99	10	112	0.36	160	90	101
B363634																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363639		3.65	0.76	237	2	1.52	20	620	24	0.16	5	407	0.31	36	20	54
DUP		3.58	0.74	228	1	1.48	21	640	25	0.16	<5	401	0.29	34	20	50
Target Range - Lower Bound		3.41	0.69	211	<1	1.41	17	580	19	0.13	<5	382	0.27	31	<10	45
Upper Bound		3.82	0.81	254	2	1.60	24	680	30	0.19	10	426	0.34	39	40	59
B363640																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363643																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363672																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
B363677				<0.5	7.06	172	1550	2.7	<2	2.31	<0.5	7	32	35	2.47	
DUP				<0.5	7.27	182	1510	2.7	<2	2.23	<0.5	7	29	34	2.40	
Target Range - Lower Bound				<0.5	6.79	158	1430	1.6	<2	2.14	<0.5	5	27	31	2.29	
Upper Bound				1.0	7.54	196	1630	3.8	4	2.40	1.0	9	34	38	2.58	
B363709		0.190														
DUP		0.155														
Target Range - Lower Bound		0.154														
Upper Bound		0.191														
B363710																0.04
DUP																0.03
Target Range - Lower Bound																<0.01
Upper Bound																0.06
B363715				<0.5	7.64	494	1500	2.8	5	2.93	<0.5	11	30	48	2.48	
DUP				<0.5	7.41	539	1430	2.7	7	2.80	<0.5	12	28	47	2.39	
Target Range - Lower Bound				<0.5	7.13	481	1370	1.6	<2	2.70	<0.5	9	26	43	2.29	
Upper Bound				1.0	7.92	552	1560	3.9	10	3.03	1.0	14	32	52	2.58	
B363735		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														
B290406																0.79
DUP																0.86
Target Range - Lower Bound																0.76
Upper Bound																0.89
ORIGINAL		0.027														
DUP		0.025														
Target Range - Lower Bound		0.015														
Upper Bound		0.037														
ORIGINAL		0.037														
DUP		0.029														
Target Range - Lower Bound		0.021														
Upper Bound		0.045														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
B363677		3.65	0.77	276	9	1.60	20	620	27	0.13	<5	478	0.30	36	10	56
DUP		3.60	0.76	265	13	1.59	18	600	25	0.13	<5	487	0.29	35	10	54
Target Range - Lower Bound		3.42	0.71	247	8	1.50	16	560	21	0.10	<5	456	0.26	32	<10	48
Upper Bound		3.83	0.82	294	14	1.69	22	660	31	0.16	10	509	0.33	39	20	62
B363709																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363710																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363715		3.62	0.90	299	1	1.46	19	650	18	0.23	7	507	0.30	37	20	39
DUP		3.54	0.88	287	1	1.42	16	640	16	0.22	5	496	0.30	37	20	40
Target Range - Lower Bound		3.38	0.83	268	<1	1.35	15	590	12	0.19	<5	474	0.27	33	<10	34
Upper Bound		3.78	0.95	318	2	1.53	20	700	22	0.26	10	529	0.34	41	40	45
B363735																
DUP																
Target Range - Lower Bound																
Upper Bound																
B290406																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL		0.066														
DUP		0.056														
Target Range - Lower Bound		0.048														
Upper Bound		0.074														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074728

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 9-SEP-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05074737

Project: Dublin Gulch-1735

P.O. No.:

This report is for 30 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074737

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.9	2.55	61	80	13.6	30	0.35	13.4	42	257	85	3.60		0.79
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			14.0	3.67	21	210	0.9	116	0.21	26.2	97	373	5490	4.20		0.12
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000															0.78	
G2000			3.7	4.77	473	2280	1.2	<2	0.57	6.9	21	95	301	3.70		1.22
G2000			3.5	5.07	492	2430	1.3	<2	0.58	7.4	26	103	297	3.77		1.26
G2000															0.77	
G2000															0.76	
G2000															0.78	
G2000															0.81	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.686														
OxE21		0.616														
OxE21		0.675														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.72														
OXK35		3.53														
OXK35		3.58														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK															0.01	
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074737

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.20	357	31	1.17	168	110	93	0.20	35	108	0.03	77	20	165
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.81	637	3	0.46	365	90	6640	1.36	<5	93	0.09	22	<10	8010
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000															
G2000		0.69	549	5	0.14	263	920	675	0.25	31	110	0.32	99	10	1235
G2000		0.74	564	5	0.13	281	970	688	0.26	30	116	0.35	104	20	1305
G2000															
G2000															
G2000															
G2000															
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK		<0.01	<5	1	<0.01	1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074737

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL															0.12	
DUP															0.12	
Target Range - Lower Bound															0.09	
Upper Bound															0.15	
ORIGINAL		0.007														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.012														
DUP		0.012														
Target Range - Lower Bound		<0.005														
Upper Bound		0.023														
ORIGINAL		0.025														
DUP		0.026														
Target Range - Lower Bound		0.014														
Upper Bound		0.037														
ORIGINAL		0.014														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B290411			<0.5	0.74	7	60	<0.5	<2	0.01	<0.5	<1	22	2	0.41		0.21
DUP			<0.5	0.75	12	60	<0.5	<2	0.01	<0.5	<1	24	2	0.41		0.21
Target Range - Lower Bound			<0.5	0.69	<5	40	<0.5	<2	<0.01	<0.5	<1	20	<1	0.37		0.18
Upper Bound			1.0	0.80	10	80	1.0	4	0.02	1.0	2	26	4	0.45		0.24
B363765			<0.5	6.59	188	1150	2.0	19	2.25	0.6	5	21	41	2.11		4.07
DUP			<0.5	6.58	195	1170	1.9	25	2.27	0.7	6	20	40	2.12		4.02
Target Range - Lower Bound			<0.5	6.24	172	1080	0.9	17	2.13	<0.5	3	17	36	1.99		3.82
Upper Bound			1.0	6.93	211	1240	3.0	27	2.39	1.0	8	24	45	2.24		4.27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074737

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B290411		0.05	23	1	0.01	1	40	20	0.01	<5	3	0.04	8	<10	2
DUP		0.05	23	1	0.01	3	40	22	0.01	<5	4	0.04	8	<10	2
Target Range - Lower Bound		0.03	12	<1	<0.01	<1	20	16	<0.01	<5	<1	0.02	6	<10	<2
Upper Bound		0.07	34	2	0.02	4	60	26	0.02	10	6	0.06	10	20	4
B363765		0.63	258	3	1.17	8	500	102	0.58	17	364	0.18	25	20	125
DUP		0.63	259	2	1.15	8	450	101	0.57	13	361	0.18	25	10	124
Target Range - Lower Bound		0.58	236	<1	1.08	6	430	92	0.53	<5	342	0.15	22	<10	114
Upper Bound		0.68	281	5	1.24	10	520	111	0.62	26	383	0.21	28	20	135

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074737

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B363772		0.695														
DUP		0.758														
Target Range - Lower Bound		0.680														
Upper Bound		0.773														
ORIGINAL															0.04	
DUP															0.04	
Target Range - Lower Bound															0.02	
Upper Bound															0.06	
ORIGINAL		0.118														
DUP		0.116														
Target Range - Lower Bound		0.101														
Upper Bound		0.133														
ORIGINAL		0.115														
DUP		0.126														
Target Range - Lower Bound		0.104														
Upper Bound		0.137														
ORIGINAL															0.03	
DUP															0.03	
Target Range - Lower Bound															<0.01	
Upper Bound															0.05	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074737

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
B363772	DUP														
	Target Range - Lower Bound														
	Upper Bound														
ORIGINAL	DUP														
	Target Range - Lower Bound														
	Upper Bound														
ORIGINAL	DUP														
	Target Range - Lower Bound														
	Upper Bound														
ORIGINAL	DUP														
	Target Range - Lower Bound														
	Upper Bound														
ORIGINAL	DUP														
	Target Range - Lower Bound														
	Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 7-SEP-2005
This copy reported on 18-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05074725

Project: Dublin Gulch-1735

P.O. No.:

This report is for 81 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Ag-AA62	Ore grade Ag - four acid /AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.9	2.59	69	80	13.6	31	0.35	13.3	43	266	85	3.66		0.79
BM-8			5.5	2.55	63	80	14.7	30	0.36	13.5	42	265	77	3.55		0.79
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			13.6	3.83	24	210	0.9	120	0.23	27.6	108	364	5810	4.57		0.13
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000															0.76	
G2000															0.79	
G2000															0.76	
G2000															0.79	
G2000															0.81	
G2000															0.80	
G2000			3.6	4.97	481	2390	1.3	<2	0.58	7.5	23	100	303	3.87		1.26
G2000			3.6	5.25	490	2430	1.4	2	0.62	7.6	24	98	303	4.03		1.31
G2000			3.6	5.18	479	2350	1.4	<2	0.58	7.4	24	102	302	3.84		1.30
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
OxE21		0.653														
OxE21		0.667														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.66														
OXK35		3.60														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
Pb-107																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
STANDARDS																
BM-8		0.21	382	30	1.24	177	80	126	0.20	107	110	0.03	78	30	167	
BM-8		0.20	357	31	1.24	179	80	83	0.20	34	108	0.03	80	30	156	
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136	
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171	
BM-9/A		0.85	668	3	0.50	386	110	7120	1.42	8	93	0.09	22	<10	8730	
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350	
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990	
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		0.75	561	5	0.13	280	930	684	0.26	33	116	0.35	101	20	1270	
G2000		0.79	579	6	0.15	291	1010	711	0.28	38	120	0.36	109	10	1290	
G2000		0.77	557	6	0.15	284	950	669	0.27	35	120	0.35	106	20	1245	
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130	
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385	
GBM399-5																24
Target Range - Lower Bound																22
Upper Bound																26
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
Pb-107																170
Target Range - Lower Bound																164
Upper Bound																178

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK																
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.008														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.743														
DUP		0.739														
Target Range - Lower Bound		0.694														
Upper Bound		0.788														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		1.965														
DUP		2.01														
Target Range - Lower Bound		1.880														
Upper Bound		2.10														
B363774															0.03	
DUP															0.03	
Target Range - Lower Bound															<0.01	
Upper Bound															0.05	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Ag-AA62
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	Ag
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	1
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	
BLANK																1
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2	<1
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																196
DUP																193
Target Range - Lower Bound																188
Upper Bound																201
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363774																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B363782		0.046														
DUP		0.043														
Target Range - Lower Bound		0.032														
Upper Bound		0.057														
B363787			0.8	8.19	414	1320	3.0	15	2.05	<0.5	9	27	57	2.55		4.15
DUP			<0.5	7.80	405	1240	2.9	12	1.92	<0.5	9	23	56	2.41		4.00
Target Range - Lower Bound			<0.5	7.58	379	1200	1.8	9	1.87	<0.5	7	22	52	2.34		3.85
Upper Bound			1.0	8.41	440	1360	4.1	18	2.10	1.0	11	28	61	2.62		4.30
B363802		0.056														
DUP		0.047														
Target Range - Lower Bound		0.039														
Upper Bound		0.064														
B363812															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B363825			<0.5	7.64	164	1480	3.2	12	1.99	<0.5	8	45	24	2.32		3.60
DUP			<0.5	7.61	174	1440	3.1	9	1.95	<0.5	7	45	24	2.27		3.57
Target Range - Lower Bound			<0.5	7.22	151	1370	2.0	6	1.85	<0.5	5	41	21	2.16		3.39
Upper Bound			1.0	8.03	187	1550	4.3	15	2.09	1.0	10	49	27	2.43		3.78
B363840		0.085														
DUP		0.075														
Target Range - Lower Bound		0.066														
Upper Bound		0.094														
B363850															0.05	
DUP															0.05	
Target Range - Lower Bound															0.03	
Upper Bound															0.07	
B290537			19.4	1.67	268	20	<0.5	<2	0.01	0.5	<1	19	10	1.47		0.05
DUP			19.9	1.65	263	20	<0.5	<2	0.02	<0.5	<1	18	9	1.41		0.05
Target Range - Lower Bound			17.7	1.56	242	<10	<0.5	<2	<0.01	<0.5	<1	16	7	1.35		0.03
Upper Bound			21.6	1.76	289	40	1.0	4	0.02	1.0	2	21	12	1.53		0.07

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074725

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	Ag-AA62 Ag ppm 1
DUPLICATES																
B363782																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363787		0.43	566	3	0.64	19	670	33	0.14	39	208	0.30	36	70	84	
DUP		0.41	532	2	0.61	18	600	27	0.13	38	201	0.28	34	70	80	
Target Range - Lower Bound		0.38	512	<1	0.57	16	580	25	0.11	27	192	0.26	31	50	74	
Upper Bound		0.46	586	5	0.68	21	690	36	0.16	50	217	0.32	39	90	90	
B363802																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363812																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363825		0.74	187	<1	1.61	20	580	20	0.01	<5	431	0.29	33	10	40	
DUP		0.72	182	1	1.56	17	570	16	0.01	5	424	0.28	32	10	39	
Target Range - Lower Bound		0.67	165	<1	1.49	16	530	13	<0.01	<5	404	0.25	29	<10	34	
Upper Bound		0.79	204	2	1.68	21	620	23	0.02	10	451	0.32	36	20	45	
B363840																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363850																
DUP																
Target Range - Lower Bound																
Upper Bound																
B290537		0.15	51	1	0.09	<1	20	2390	0.03	840	14	0.05	8	<10	9	
DUP		0.15	48	<1	0.09	<1	30	2400	0.03	807	14	0.05	9	<10	8	
Target Range - Lower Bound		0.12	37	<1	0.07	<1	<10	2270	<0.01	772	11	0.03	6	<10	4	
Upper Bound		0.18	62	2	0.11	2	50	2520	0.05	875	17	0.07	11	20	13	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 1-SEP-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05074738

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-8			6.3	2.56	69	80	13.9	31	0.36	13.1	41	273	84	3.51		0.78
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			13.9	3.65	29	200	0.9	113	0.22	26.2	100	349	5350	4.18		0.12
BM-9/A			15.3	3.85	20	220	1.0	117	0.24	27.6	102	375	5600	4.47		0.12
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000			3.4	5.07	486	2280	1.3	<2	0.57	6.9	26	94	294	3.65		1.22
G2000			4.0	5.00	476	2350	1.2	<2	0.58	6.9	23	99	300	3.72		1.23
G2000			3.8	5.21	515	2420	1.3	2	0.61	7.1	23	94	310	3.84		1.25
G2000															0.80	
G2000															0.79	
G2000															0.80	
G2000															0.79	
G2000															0.74	
G2000															0.75	
G2000															0.75	
G2000															0.81	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	6.9	29	112	334	4.19	0.81	1.44
OxE21		0.691														
OxE21		0.675														
OxE21		0.675														
OxE21		0.620														
OxE21		0.649														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.49														
OXK35		3.54														
OXK35		3.63														
OXK35		3.38														
OXK35		3.57														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.810														
SI15		1.815														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.20	363	30	1.25	177	80	89	0.20	35	110	0.03	79	30	170
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.80	676	4	0.45	372	110	6530	1.38	10	89	0.09	22	<10	8000
BM-9/A		0.84	683	3	0.49	391	110	6790	1.52	11	96	0.09	24	<10	8560
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000		0.74	545	6	0.13	270	940	642	0.26	34	119	0.34	101	10	1235
G2000		0.74	546	5	0.14	271	950	667	0.26	31	116	0.35	102	10	1190
G2000		0.75	576	5	0.15	284	970	656	0.28	32	120	0.34	108	10	1270
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	6	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
SI15															
SI15															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	1	1	1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK															0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL															0.04	
DUP															0.06	
Target Range - Lower Bound															0.03	
Upper Bound															0.07	
ORIGINAL		0.028														
DUP		0.028														
Target Range - Lower Bound		0.017														
Upper Bound		0.039														
ORIGINAL		0.041														
DUP		0.050														
Target Range - Lower Bound		0.033														
Upper Bound		0.058														
ORIGINAL															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
B367366			3.2	7.86	32	940	2.0	<2	0.43	2.1	14	71	25	3.59		2.59
DUP			3.6	8.37	38	1000	2.0	<2	0.48	2.0	16	76	26	3.84		2.68
Target Range - Lower Bound			2.2	7.69	23	900	0.9	<2	0.41	0.9	12	68	22	3.51		2.48
Upper Bound			4.6	8.54	47	1040	3.1	4	0.50	3.2	18	79	29	3.92		2.79
B364462															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364467		0.643														
DUP		0.573														
Target Range - Lower Bound		0.568														
Upper Bound		0.648														
B364487		0.078	<0.5	7.68	535	1630	2.9	2	1.71	<0.5	7	29	39	2.56		3.81
DUP		0.081	<0.5	7.66	528	1600	2.8	2	1.67	<0.5	7	26	37	2.57		3.66
Target Range - Lower Bound		0.066	<0.5	7.27	495	1510	1.7	<2	1.59	<0.5	5	24	34	2.42		3.53
Upper Bound		0.093	1.0	8.07	568	1720	4.0	4	1.79	1.0	9	31	42	2.71		3.94
B364506															0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364507		0.102														
DUP		0.085														
Target Range - Lower Bound		0.079														
Upper Bound		0.108														
B364525			<0.5	7.77	472	1660	2.7	5	1.97	<0.5	10	50	55	2.42		4.25
DUP			<0.5	7.52	466	1590	2.7	7	1.88	<0.5	9	46	55	2.32		4.20
Target Range - Lower Bound			<0.5	7.24	436	1520	1.6	<2	1.81	<0.5	7	44	50	2.23		3.99
Upper Bound			1.0	8.05	502	1730	3.8	10	2.04	1.0	12	52	60	2.51		4.46
B367047		0.009														
DUP		0.010														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
B367366		0.73	679	1	0.48	20	910	496	0.03	7	101	0.33	119	<10	186
DUP		0.78	725	2	0.50	23	960	526	0.03	7	107	0.35	125	10	198
Target Range - Lower Bound		0.70	657	<1	0.45	18	870	481	<0.01	<5	97	0.30	114	<10	178
Upper Bound		0.81	747	2	0.53	25	1000	541	0.05	10	111	0.38	130	20	206
B364462															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364467															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364487		0.73	209	1	1.55	23	600	18	0.01	<5	406	0.30	35	20	30
DUP		0.73	205	1	1.51	21	580	18	0.01	5	399	0.29	35	10	30
Target Range - Lower Bound		0.67	187	<1	1.43	19	540	13	<0.01	<5	380	0.26	31	<10	25
Upper Bound		0.79	227	2	1.63	25	640	23	0.02	10	425	0.33	39	20	36
B364506															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364507															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364525		0.74	167	1	1.49	22	640	18	0.11	5	451	0.29	37	30	25
DUP		0.71	158	2	1.46	21	620	20	0.10	<5	441	0.29	37	20	25
Target Range - Lower Bound		0.67	144	<1	1.38	18	580	14	0.08	<5	422	0.26	33	<10	20
Upper Bound		0.78	181	2	1.57	25	680	24	0.13	10	470	0.32	41	50	30
B367047															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		1.630														
DUP		2.21														
Target Range - Lower Bound		1.815														
Upper Bound		2.03														
ORIGINAL		0.180														
DUP		0.185														
Target Range - Lower Bound		0.163														
Upper Bound		0.202														
ORIGINAL		1.015														
DUP		0.969														
Target Range - Lower Bound		0.932														
Upper Bound		1.050														
ORIGINAL		0.073														
DUP		0.077														
Target Range - Lower Bound		0.061														
Upper Bound		0.089														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074738

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 9-SEP-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05074196

Project: Dublin Gulch-1735

P.O. No.:

This report is for 120 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
STANDARDS																
BM-8				6.0	2.56	70	80	13.6	29	0.36	12.7	44	260	87	3.61	
BM-8				6.1	2.49	62	80	13.7	31	0.35	13.2	41	263	79	3.57	
BM-8				6.3	2.68	67	90	14.1	33	0.38	13.8	45	256	82	3.67	
Target Range - Lower Bound				5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	
Upper Bound				7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	
BM-9/A				13.4	3.63	32	210	1.0	112	0.21	27.3	95	369	5410	4.34	
BM-9/A				13.9	3.60	24	210	0.9	112	0.22	26.8	95	342	5540	4.29	
Target Range - Lower Bound				11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	
Upper Bound				15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59	
G2000																0.81
G2000																0.80
G2000																0.81
G2000																0.76
G2000																0.67
G2000																0.79
G2000				3.6	5.07	465	2330	1.3	<2	0.58	7.0	23	97	303	3.95	
G2000				3.3	4.88	483	2260	1.3	<2	0.56	6.4	21	93	291	3.81	
G2000				3.6	5.07	468	2410	1.3	<2	0.59	7.5	23	100	300	4.00	
G2000				3.7	4.99	498	2360	1.3	<2	0.57	7.4	24	102	298	3.88	
G2000																0.74
G2000																0.72
G2000				3.7	5.24	488	2440	1.3	2	0.63	7.3	23	96	306	3.96	
G2000																0.80
G2000																0.75
G2000				3.8	5.08	474	2390	1.3	2	0.59	7.5	23	96	304	3.89	
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81
OxE21		0.640														
OxE21		0.634														
OxE21		0.681														
OxE21		0.636														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
BM-8		0.80	0.21	374	29	1.22	184	90	86	0.20	34	110	0.03	80	20	165
BM-8		0.79	0.20	372	30	1.19	182	90	90	0.21	33	104	0.03	80	30	156
BM-8		0.80	0.21	395	32	1.24	188	80	99	0.22	35	115	0.03	82	30	166
Target Range - Lower Bound		0.72	0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.90	0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.13	0.82	633	3	0.48	372	110	6670	1.41	7	89	0.09	21	<10	7860
BM-9/A		0.12	0.80	638	4	0.46	361	100	6330	1.36	10	89	0.09	22	<10	8100
Target Range - Lower Bound		0.10	0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		1.29	0.76	571	6	0.15	278	980	670	0.26	35	118	0.35	104	10	1290
G2000		1.26	0.73	538	5	0.15	272	940	651	0.25	32	114	0.35	102	10	1245
G2000		1.30	0.76	561	5	0.13	290	970	689	0.27	32	116	0.35	106	20	1275
G2000		1.28	0.75	571	6	0.13	288	950	680	0.27	36	115	0.35	107	10	1275
G2000																
G2000																
G2000		1.26	0.76	577	5	0.15	296	1030	675	0.26	34	120	0.34	106	20	1295
G2000																
G2000																
G2000		1.25	0.75	574	5	0.15	277	960	660	0.26	34	118	0.35	104	10	1275
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21																
OxE21																
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
OXK35		3.61														
OXK35		3.54														
OXK35		3.50														
OXK35			3.47													
OXK35			3.58													
OXK35		3.60														
OXK35			3.57													
OXK35			3.66													
Target Range - Lower Bound		3.24	3.19													
Upper Bound		3.74	3.78													
SP17			17.70													
Target Range - Lower Bound			16.80													
Upper Bound			19.45													
BLANKS																
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK																<0.01
BLANK				<0.5	<0.01	9	<10	<0.5	2	<0.01	<0.5	<1	1	<1	<0.01	
BLANK																<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.05													
BLANK		<0.005														
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
SP17																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK		<0.01	<0.01	<5	1	<0.01	<1	20	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	2	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL																2.26
DUP																2.20
Target Range - Lower Bound																2.10
Upper Bound																2.36
ORIGINAL		0.091														
DUP		0.079														
Target Range - Lower Bound		0.071														
Upper Bound		0.099														
ORIGINAL		0.063														
DUP		0.056														
Target Range - Lower Bound		0.047														
Upper Bound		0.072														
ORIGINAL		0.130														
DUP		0.125														
Target Range - Lower Bound		0.111														
Upper Bound		0.144														
ORIGINAL		0.072														
DUP		0.055														
Target Range - Lower Bound		0.050														
Upper Bound		0.077														
ORIGINAL			45.9													
DUP			46.6													
Target Range - Lower Bound			43.8													
Upper Bound			48.7													
ORIGINAL				>100	1.40	13	220	1.1	<2	1.86	3.4	2	168	635	1.04	
DUP				>100	1.44	13	230	1.1	<2	1.88	3.8	4	169	658	1.03	
Target Range - Lower Bound				94.0	1.33	<5	190	<0.5	<2	1.76	2.4	<1	158	612	0.96	
Upper Bound				100.0	1.51	24	260	2.2	4	1.98	4.8	5	179	681	1.11	
ORIGINAL																0.11
DUP																0.11
Target Range - Lower Bound																0.08
Upper Bound																0.14

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.65	0.55	517	1	0.02	11	120	216	0.59	25	40	0.08	44	<10	423
DUP		0.68	0.56	526	1	0.03	14	120	212	0.58	27	41	0.09	46	<10	467
Target Range - Lower Bound		0.61	0.51	485	<1	<0.01	10	90	199	0.54	15	36	0.06	41	<10	419
Upper Bound		0.72	0.60	558	2	0.05	15	150	229	0.63	37	45	0.11	49	20	471
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
ORIGINAL				3.6	6.78	62	390	3.0	7	0.04	1.0	7	23	342	2.58	
DUP				3.9	6.25	64	350	2.8	8	0.04	0.9	6	18	313	2.34	
Target Range - Lower Bound				2.6	6.17	50	330	1.8	3	0.02	<0.5	4	17	309	2.32	
Upper Bound				4.9	6.86	76	410	4.0	12	0.06	1.0	9	24	346	2.60	
ORIGINAL		0.024														
DUP		0.021														
Target Range - Lower Bound		0.011														
Upper Bound		0.034														
B363863				<0.5	7.56	140	1590	3.0	7	2.22	<0.5	7	45	26	2.55	
DUP				<0.5	7.38	141	1570	2.9	4	2.20	<0.5	8	43	25	2.51	
Target Range - Lower Bound				<0.5	7.08	123	1480	1.8	<2	2.08	<0.5	5	40	22	2.38	
Upper Bound				1.0	7.86	158	1680	4.1	10	2.34	1.0	10	48	29	2.68	
B363879		0.125														
DUP		0.127														
Target Range - Lower Bound		0.110														
Upper Bound		0.142														
B363887																0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B363899		1.120														
DUP		1.155														
Target Range - Lower Bound		1.070														
Upper Bound		1.205														
B363901				<0.5	7.06	305	1330	2.5	8	3.35	<0.5	7	124	27	1.91	
DUP				<0.5	6.96	228	1290	2.5	10	3.26	<0.5	7	109	27	1.83	
Target Range - Lower Bound				<0.5	6.64	243	1220	1.4	5	3.12	<0.5	5	109	24	1.76	
Upper Bound				1.0	7.38	290	1400	3.6	13	3.49	1.0	9	124	30	1.98	
B363916				<0.5	0.12	<5	20	<0.5	<2	19.40	<0.5	<1	12	2	0.12	
DUP				<0.5	0.11	<5	10	<0.5	<2	19.55	<0.5	<1	12	2	0.11	
Target Range - Lower Bound				<0.5	0.09	<5	<10	<0.5	<2	18.50	<0.5	<1	9	<1	0.09	
Upper Bound				1.0	0.14	10	20	1.0	4	20.5	1.0	2	15	4	0.14	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
ORIGINAL		3.48	0.27	98	20	0.05	9	420	52	2.12	<5	130	0.10	119	10	220
DUP		3.20	0.25	88	19	0.05	8	370	46	1.94	<5	120	0.09	108	10	200
Target Range - Lower Bound		3.15	0.23	78	17	0.03	6	360	43	1.91	<5	117	0.07	106	<10	196
Upper Bound		3.53	0.29	108	22	0.07	11	430	55	2.15	10	133	0.12	121	20	225
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363863		3.63	0.88	240	2	1.69	21	700	21	0.10	<5	484	0.33	38	20	42
DUP		3.46	0.86	235	1	1.60	18	660	16	0.10	<5	465	0.32	37	10	40
Target Range - Lower Bound		3.35	0.81	216	<1	1.54	17	630	14	0.08	<5	449	0.29	34	<10	35
Upper Bound		3.74	0.93	259	2	1.75	22	730	23	0.13	10	500	0.36	41	20	47
B363879																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363887																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363899																
DUP																
Target Range - Lower Bound																
Upper Bound																
B363901		4.14	0.39	353	2	1.13	16	640	18	0.09	15	330	0.29	35	40	42
DUP		4.20	0.39	345	2	1.14	17	590	16	0.09	16	331	0.29	34	40	40
Target Range - Lower Bound		3.94	0.35	322	<1	1.06	14	560	12	0.07	<5	312	0.26	31	20	35
Upper Bound		4.40	0.43	376	4	1.21	19	670	22	0.11	26	349	0.32	38	60	47
B363916		0.03	11.35	158	<1	0.02	3	430	3	0.02	<5	110	0.01	2	<10	8
DUP		0.03	11.40	159	<1	0.01	5	410	7	0.01	<5	110	<0.01	2	<10	7
Target Range - Lower Bound		<0.01	10.80	141	<1	<0.01	2	380	<2	<0.01	<5	103	<0.01	<1	<10	3
Upper Bound		0.05	11.95	176	2	0.02	6	460	9	0.02	10	118	0.02	4	20	12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
B363925																0.01
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B363939				0.9	7.48	658	1240	2.8	20	2.87	1.5	8	114	36	2.44	
DUP				0.9	7.05	645	1200	2.8	19	2.79	1.6	8	116	34	2.35	
Target Range - Lower Bound				<0.5	6.88	609	1140	1.7	15	2.67	<0.5	6	107	31	2.26	
Upper Bound				1.0	7.65	694	1300	3.9	24	2.99	2.6	10	123	39	2.53	
B363957		0.709														
DUP		0.799														
Target Range - Lower Bound		0.706														
Upper Bound		0.802														
B363963																0.03
DUP																0.03
Target Range - Lower Bound																<0.01
Upper Bound																0.05
B363850																0.05
DUP																0.05
Target Range - Lower Bound																0.03
Upper Bound																0.07
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074196

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
		DUPLICATES														
B363925 DUP																
Target Range - Lower Bound																
Upper Bound																
B363939		3.89	0.77	353	2	0.37	17	570	108	0.31	24	301	0.27	33	30	311
DUP		3.84	0.75	343	1	0.36	20	550	106	0.29	21	294	0.27	33	30	313
Target Range - Lower Bound		3.65	0.70	321	<1	0.33	16	510	98	0.27	11	281	0.24	29	<10	292
Upper Bound		4.08	0.82	375	2	0.40	21	610	116	0.34	34	314	0.30	37	50	332
B363957 DUP																
Target Range - Lower Bound																
Upper Bound																
B363963 DUP																
Target Range - Lower Bound																
Upper Bound																
B363850 DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-SEP-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05074726

Project: Dublin Gulch-1735

P.O. No.:

This report is for 141 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
STANDARDS																
BM-8				6.0	2.59	66	80	13.9	31	0.34	13.0	43	279	83	3.58	
BM-8				5.7	2.72	61	80	14.4	31	0.35	13.4	44	278	94	3.62	
BM-8				6.0	2.65	63	90	13.9	33	0.36	13.2	42	255	88	3.75	
BM-8				6.5	2.64	71	80	14.3	30	0.37	13.4	44	265	88	3.66	
Target Range - Lower Bound				5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	
Upper Bound				7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	
BM-9/A				14.0	3.72	21	220	0.9	111	0.21	26.8	102	356	5300	4.30	
BM-9/A				12.9	3.44	18	200	0.9	108	0.21	25.3	90	348	4910	3.93	
Target Range - Lower Bound				11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	
Upper Bound				15.7	3.92	34	240	1.0	127	0.25	29.0	110	409	5980	4.59	
G2000				3.7	5.19	494	2400	1.3	<2	0.57	7.4	26	106	307	3.72	
G2000				4.1	5.14	470	2380	1.3	<2	0.56	6.8	25	99	299	3.76	
G2000				3.6	4.96	473	2350	1.3	<2	0.56	7.0	25	98	290	3.70	
G2000				3.2	4.82	455	2290	1.2	<2	0.56	7.0	24	100	297	3.75	
G2000																0.72
G2000																0.72
G2000																0.70
G2000																0.78
G2000																0.73
G2000																0.76
G2000																0.72
G2000				3.9	5.11	468	2410	1.3	<2	0.58	6.4	23	98	293	3.83	
G2000																0.75
G2000																0.70
G2000				4.0	4.99	471	2360	1.3	<2	0.59	6.8	23	109	293	3.74	
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81
LKSD-3				2.9	6.41	23	630	1.4	<2	1.58	<0.5	28	65	33	3.76	
Target Range - Lower Bound				1.9	5.93	19	560	1.0	<2	1.47	<0.5	26	62	31	3.46	
Upper Bound				3.5	7.27	35	700	2.4	4	1.81	1.0	34	77	40	4.26	
OxE21		0.633														
OxE21		0.648														
OxE21		0.648														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.60														
OXK35		3.53														
OXK35		3.80														
OXK35			3.52													

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
BM-8		0.79	0.21	361	30	1.22	184	80	86	0.21	38	111	0.03	76	30	154
BM-8		0.81	0.20	364	30	1.25	181	90	95	0.21	33	116	0.03	81	20	170
BM-8		0.78	0.21	373	31	1.24	180	70	95	0.21	34	110	0.03	80	30	152
BM-8		0.81	0.21	366	31	1.23	186	80	92	0.21	34	115	0.03	81	30	154
Target Range - Lower Bound		0.72	0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.90	0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.12	0.78	636	4	0.46	366	100	6500	1.42	<5	91	0.09	23	<10	8070
BM-9/A		0.12	0.76	601	3	0.44	340	100	6220	1.32	9	86	0.08	20	<10	7760
Target Range - Lower Bound		0.10	0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000		1.26	0.75	562	5	0.13	290	980	674	0.27	34	121	0.36	103	10	1305
G2000		1.21	0.72	551	6	0.13	277	970	652	0.27	31	118	0.34	100	10	1235
G2000		1.19	0.70	558	5	0.12	275	950	639	0.26	27	112	0.33	100	10	1230
G2000		1.26	0.73	548	4	0.13	271	950	615	0.24	29	116	0.33	102	10	1255
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		1.24	0.73	565	4	0.14	290	990	687	0.26	30	117	0.35	104	20	1245
G2000																
G2000																
G2000		1.24	0.75	546	6	0.15	285	970	671	0.26	34	116	0.34	103	20	1245
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
LKSD-3		1.70	1.09	1295	<1	1.56	52	1020	32	0.16	<5	246	0.27	71	<10	138
Target Range - Lower Bound		1.63	1.08	1210	<1	1.52	41	910	24	0.12	<5	238	0.24	67	<10	133
Upper Bound		2.01	1.34	1490	2	1.88	53	1130	34	0.16	10	294	0.32	84	20	167
OxE21																
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																
OXK35																
OXK35																
OXK35																
OXK35																

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
STANDARDS																
OXK35			3.55													
Target Range - Lower Bound		3.24	3.19													
Upper Bound		3.74	3.78													
BLANKS																
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	2	<0.01	0.6	<1	<1	1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	2	<1	<0.01	
BLANK																<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK		<0.005														
BLANK		0.009														
BLANK		<0.005														
BLANK			<0.05													
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		0.017														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.027														

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
OXK35																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
ORIGINAL		0.026														
DUP		0.026														
Target Range - Lower Bound		0.015														
Upper Bound		0.037														
ORIGINAL				<0.5	2.49	6	30	<0.5	<2	2.13	<0.5	87	3100	281	7.06	
DUP				<0.5	2.40	10	30	<0.5	<2	2.09	<0.5	84	3040	272	6.82	
Target Range - Lower Bound				<0.5	2.30	<5	<10	<0.5	<2	1.98	<0.5	79	2910	261	6.57	
Upper Bound				1.0	2.59	10	50	1.0	4	2.24	1.0	92	3230	292	7.31	
ORIGINAL																10.70
DUP																10.50
Target Range - Lower Bound																10.05
Upper Bound																11.15
B364317				<0.5	7.80	405	1230	2.9	3	2.65	<0.5	12	39	69	2.63	
DUP				0.7	7.43	399	1220	2.9	<2	2.63	<0.5	12	35	68	2.57	
Target Range - Lower Bound				<0.5	7.21	372	1140	1.8	<2	2.49	<0.5	9	33	63	2.45	
Upper Bound				1.0	8.02	432	1310	4.0	4	2.79	1.0	15	41	74	2.75	
B364326																0.02
DUP																0.02
Target Range - Lower Bound																<0.01
Upper Bound																0.04
B364350				2.9	8.87	<5	1020	1.2	<2	1.37	<0.5	9	8	7180	3.06	
DUP				3.0	8.91	8	1040	1.1	<2	1.41	<0.5	9	8	7030	3.11	
Target Range - Lower Bound				1.8	8.43	<5	960	<0.5	<2	1.30	<0.5	7	6	6750	2.91	
Upper Bound				4.1	9.35	10	1100	2.2	4	1.48	1.0	11	10	7460	3.26	
B364364																0.01
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B364365		0.468														
DUP		0.441														
Target Range - Lower Bound		0.422														
Upper Bound		0.487														

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.08	14.10	1165	<1	0.35	1345	70	<2	<0.01	<5	41	0.12	107	<10	72
DUP		0.08	13.70	1150	<1	0.33	1320	70	<2	<0.01	<5	40	0.12	105	<10	71
Target Range - Lower Bound		0.06	13.20	1090	<1	0.30	1265	50	<2	<0.01	<5	36	0.09	99	<10	64
Upper Bound		0.10	14.60	1225	2	0.38	1400	90	4	0.02	10	45	0.15	113	20	79
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B364317		3.54	0.94	373	<1	1.26	14	600	53	0.49	8	362	0.26	42	20	127
DUP		3.55	0.88	366	1	1.22	13	620	56	0.47	9	348	0.27	42	20	128
Target Range - Lower Bound		3.35	0.84	341	<1	1.16	11	560	48	0.44	<5	335	0.23	38	<10	117
Upper Bound		3.74	0.98	398	2	1.32	16	660	61	0.52	10	375	0.30	46	40	138
B364326																
DUP																
Target Range - Lower Bound																
Upper Bound																
B364350		3.47	1.08	460	1	3.21	10	1920	10	0.23	<5	673	0.32	160	<10	44
DUP		3.39	1.08	466	3	3.14	8	1930	11	0.23	<5	657	0.32	158	<10	47
Target Range - Lower Bound		3.24	1.01	430	<1	3.00	7	1810	6	0.20	<5	630	0.28	149	<10	39
Upper Bound		3.62	1.15	496	4	3.35	11	2040	15	0.26	10	700	0.36	169	20	52
B364364																
DUP																
Target Range - Lower Bound																
Upper Bound																
B364365																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074726

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
B364387		1.550		<0.5	7.17	125	1240	2.7	20	2.08	<0.5	10	31	54	2.38	
DUP		0.757		1.0	7.34	129	1240	2.7	16	2.08	<0.5	10	33	56	2.39	
Target Range - Lower Bound		1.085		<0.5	6.87	111	1160	1.6	13	1.96	<0.5	8	28	50	2.25	
Upper Bound		1.220		1.0	7.64	143	1320	3.8	23	2.20	1.0	13	36	60	2.52	
B364402																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B364409		0.800														
DUP		0.833														
Target Range - Lower Bound		0.766														
Upper Bound		0.867														
B364425				<0.5	6.26	530	610	1.6	<2	1.48	<0.5	4	123	17	1.06	
DUP				<0.5	6.33	501	610	1.6	<2	1.50	<0.5	4	111	16	1.07	
Target Range - Lower Bound				<0.5	5.96	480	560	<0.5	<2	1.40	<0.5	2	109	14	0.99	
Upper Bound				1.0	6.63	551	660	2.7	4	1.58	1.0	6	125	19	1.14	
B364440																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05074726

Sample Description / Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
B364387	3.47	0.63	208	1	1.27	15	530	57	0.52	11	372	0.24	33	40	39
DUP	3.66	0.64	209	1	1.31	12	540	52	0.52	8	386	0.24	33	40	39
Target Range - Lower Bound	3.37	0.58	188	<1	1.21	11	490	48	0.47	<5	358	0.21	29	20	33
Upper Bound	3.76	0.69	229	2	1.37	16	580	61	0.57	10	400	0.27	37	60	45
B364402															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364409															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364425	4.08	0.36	178	2	1.60	5	440	39	0.12	5	193	0.09	15	10	20
DUP	3.96	0.36	178	1	1.56	4	420	39	0.13	5	190	0.09	14	10	21
Target Range - Lower Bound	3.80	0.32	159	<1	1.48	2	390	33	0.10	<5	180	0.07	12	<10	15
Upper Bound	4.24	0.40	197	2	1.68	7	470	45	0.15	10	203	0.11	17	20	26
B364440															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Additional Au assay value for sample B364387 is 1.06 ppm. NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da .6-SEP-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05078597

Project: Dublin Gulch-1735

P.O. No.:

This report is for 84 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			6.0	2.64	74	80	13.8	29	0.34	13.8	42	267	89	3.63		0.80
BM-8			6.5	2.70	71	90	15.0	35	0.38	14.1	45	268	91	3.81		0.85
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			14.8	3.56	31	210	1.0	124	0.21	27.5	104	357	5580	4.23		0.12
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000			3.7	5.05	486	2370	1.2	<2	0.58	6.9	23	100	301	3.80		1.23
G2000															0.77	
G2000															0.78	
G2000															0.80	
G2000															0.81	
G2000															0.72	
G2000															0.78	
G2000															0.77	
G2000			3.6	5.32	493	2590	1.4	<2	0.62	7.8	27	100	324	3.95		1.32
G2000			4.1	4.95	484	2430	1.3	<2	0.57	7.3	26	93	302	3.73		1.24
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.671														
OxE21		0.670														
OxE21		0.705														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.51														
OXK35		3.45														
OXK35		3.61														
OXK35		3.36														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.21	359	30	1.24	178	70	86	0.21	33	115	0.03	79	30	167
BM-8		0.22	380	33	1.24	192	80	86	0.21	39	112	0.03	86	30	168
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.81	626	4	0.45	372	110	6410	1.38	8	85	0.09	22	<10	8180
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000		0.74	561	5	0.15	278	960	651	0.26	30	118	0.34	101	20	1275
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000		0.79	598	8	0.13	299	980	673	0.27	34	122	0.37	113	20	1335
G2000		0.74	550	5	0.13	282	930	681	0.26	34	114	0.35	104	10	1250
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01		<0.01
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
BLANK		<0.005													<0.01	
BLANK																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01		<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.039														
DUP		0.038														
Target Range - Lower Bound		0.027														
Upper Bound		0.050														
ORIGINAL		1.910														
DUP		2.19														
Target Range - Lower Bound		1.940														
Upper Bound		2.16														
ORIGINAL			<0.5	8.12	17	670	1.7	<2	1.99	0.7	14	149	130	4.31		2.69
DUP			<0.5	8.26	18	690	1.7	<2	2.05	0.9	17	154	132	4.46		2.73
Target Range - Lower Bound			<0.5	7.76	7	630	0.6	<2	1.90	<0.5	13	142	122	4.15		2.55
Upper Bound			1.0	8.62	28	730	2.8	4	2.14	1.0	18	161	140	4.62		2.87

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS															
BLANK		<0.01	<5	<1	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	1	10	3	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		1.61	472	10	1.62	83	670	27	0.56	<5	182	0.47	178	<10	208
DUP		1.64	486	9	1.63	90	690	29	0.58	<5	184	0.48	185	<10	217
Target Range - Lower Bound		1.52	445	7	1.52	80	630	23	0.52	<5	172	0.43	170	<10	198
Upper Bound		1.73	513	12	1.73	93	730	33	0.62	10	194	0.52	193	20	227

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B364541		0.070													<0.01	
DUP		0.067													<0.01	
Target Range - Lower Bound		0.055													<0.01	
Upper Bound		0.082													0.02	
B364546															0.02	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364562		9.05	<0.5	7.61	247	1620	3.1	14	1.94	<0.5	9	77	29	2.22		3.93
DUP		0.527	<0.5	7.55	227	1620	3.1	13	1.94	<0.5	9	70	29	2.23		3.89
Target Range - Lower Bound		4.54	<0.5	7.18	215	1520	1.9	9	1.82	<0.5	7	68	26	2.09		3.69
Upper Bound		5.04	1.0	7.98	259	1720	4.3	18	2.06	1.0	11	79	32	2.36		4.13
B364583															0.05	
DUP															0.05	
Target Range - Lower Bound															0.03	
Upper Bound															0.07	
B364599		0.234	<0.5	6.78	745	1180	4.2	4	2.19	<0.5	7	30	66	1.36		3.45
DUP		0.257	<0.5	6.80	705	1140	4.2	8	2.11	<0.5	8	26	64	1.32		3.35
Target Range - Lower Bound		0.223	<0.5	6.43	679	1080	3.0	<2	2.02	<0.5	5	25	60	1.25		3.21
Upper Bound		0.268	1.0	7.15	771	1240	5.4	10	2.28	1.0	10	31	70	1.43		3.59
B364620															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
ORIGINAL		0.023														
DUP		0.030														
Target Range - Lower Bound		0.015														
Upper Bound		0.038														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 26-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078597

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364541															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364546															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364562		0.75	187	2	1.47	23	610	20	0.04	<5	403	0.29	35	30	36
DUP		0.74	188	2	1.46	21	590	23	0.04	<5	400	0.29	34	30	36
Target Range - Lower Bound		0.69	168	<1	1.37	19	550	16	0.02	<5	379	0.26	31	<10	30
Upper Bound		0.80	207	4	1.56	25	650	27	0.06	10	424	0.32	38	50	42
B364583															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364599		0.44	136	4	1.26	12	420	31	0.31	14	305	0.14	33	30	59
DUP		0.44	132	4	1.25	11	410	30	0.31	12	303	0.14	33	30	57
Target Range - Lower Bound		0.40	117	2	1.17	9	370	25	0.27	<5	287	0.11	29	<10	51
Upper Bound		0.48	151	6	1.34	14	460	36	0.35	24	321	0.17	37	50	65
B364620															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da .7-SEP-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05078596

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 14-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-8			6.0	2.55	70	80	13.6	29	0.36	13.2	40	255	94	3.59		0.80
BM-8			6.6	2.62	64	110	14.8	30	0.35	13.1	40	265	89	3.51		0.80
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			13.5	3.63	17	210	1.0	122	0.23	27.0	103	374	5620	4.43		0.13
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000															0.81	
G2000															0.77	
G2000															0.80	
G2000															0.72	
G2000															0.76	
G2000			3.1	4.88	479	2270	1.2	<2	0.59	7.1	21	99	296	3.70		1.24
G2000			5.1	5.08	473	2310	1.3	<2	0.59	7.0	22	96	291	3.78		1.26
G2000			3.7	5.19	483	2430	1.3	<2	0.61	6.9	25	102	301	3.76		1.27
G2000			3.8	5.04	475	2420	1.3	<2	0.58	6.6	22	100	300	3.66		1.26
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.642														
OxE21		0.619														
OxE21		0.680														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.48														
OXK35		3.42														
OXK35		3.74														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.20	355	30	1.19	182	90	85	0.20	33	111	0.03	82	30	166
BM-8		0.20	354	32	1.23	181	80	136	0.26	42	110	0.03	81	30	174
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.85	674	3	0.50	377	110	6830	1.44	12	92	0.09	23	<10	8640
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000															
G2000															
G2000															
G2000															
G2000															
G2000		0.70	542	6	0.15	274	930	630	0.26	30	114	0.32	101	20	1235
G2000		0.74	553	6	0.15	276	980	667	0.26	32	117	0.33	103	20	1280
G2000		0.75	594	5	0.13	283	980	703	0.27	37	119	0.36	105	20	1280
G2000		0.74	553	6	0.14	278	950	673	0.26	32	114	0.35	104	20	1220
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK			<0.5	<0.01	6	<10	<0.5	<2	<0.01	0.6	1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01		<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.9	<1	2	1	<0.01		<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			1.1	1.79	56	590	0.8	<2	0.09	18.8	1	54	83	1.26		0.60
DUP			1.2	1.81	48	590	0.8	<2	0.09	19.0	1	54	85	1.26		0.61
Target Range - Lower Bound			<0.5	1.69	39	540	<0.5	<2	0.07	17.0	<1	49	78	1.18		0.55
Upper Bound			2.2	1.91	65	640	1.0	4	0.11	20.8	2	59	90	1.34		0.66
ORIGINAL		0.014														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
ORIGINAL		0.308														
DUP		0.303														
Target Range - Lower Bound		0.280														
Upper Bound		0.331														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	20	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	4
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL		0.13	16	107	0.05	35	520	17	0.17	51	90	0.08	2430	<10	464
DUP		0.13	16	108	0.05	33	510	16	0.17	52	91	0.08	2460	<10	468
Target Range - Lower Bound		0.10	<5	100	0.03	30	470	12	0.14	39	84	0.06	2320	<10	439
Upper Bound		0.16	27	115	0.07	38	560	21	0.20	64	97	0.10	2570	20	493
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		0.377														
DUP		0.367														
Target Range - Lower Bound		0.343														
Upper Bound		0.401														
ORIGINAL															2.74	
DUP															2.78	
Target Range - Lower Bound															2.60	
Upper Bound															2.92	
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B363979		0.043														
DUP		0.055														
Target Range - Lower Bound		0.037														
Upper Bound		0.061														
B363983															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B363990			1.9	7.24	5	440	0.7	2	1.88	0.5	23	106	2020	5.09		1.74
DUP			2.0	7.34	17	450	0.7	<2	1.92	0.7	23	99	2020	5.20		1.74
Target Range - Lower Bound			0.9	6.91	<5	400	<0.5	<2	1.79	<0.5	20	95	1915	4.87		1.63
Upper Bound			3.0	7.67	22	490	1.0	4	2.02	1.0	26	110	2120	5.42		1.85
B363999		0.174														
DUP		0.167														
Target Range - Lower Bound		0.152														
Upper Bound		0.189														
B364021															0.02	
DUP															0.02	
Target Range - Lower Bound															<0.01	
Upper Bound															0.04	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B363979															
DUP															
Target Range - Lower Bound															
Upper Bound															
B363983															
DUP															
Target Range - Lower Bound															
Upper Bound															
B363990		1.37	436	1	3.23	48	670	17	0.63	<5	210	0.30	90	<10	206
DUP		1.39	444	2	3.24	45	670	15	0.65	<5	213	0.31	90	<10	213
Target Range - Lower Bound		1.29	408	<1	3.05	42	620	11	0.59	<5	199	0.27	84	<10	195
Upper Bound		1.47	472	2	3.42	51	720	21	0.69	10	224	0.34	97	20	224
B363999															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364021															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B364024			<0.5	7.33	53	1120	3.5	<2	2.70	<0.5	10	61	35	2.98		3.20
DUP			<0.5	7.86	54	1120	3.4	<2	2.73	<0.5	10	59	36	3.00		3.19
Target Range - Lower Bound			<0.5	7.20	41	1040	2.3	<2	2.56	<0.5	8	55	32	2.82		3.02
Upper Bound			1.0	7.99	66	1200	4.6	4	2.87	1.0	13	65	39	3.16		3.37
B364027		0.055	<0.5	7.12	180	1240	3.2	<2	2.82	<0.5	12	137	44	3.63		3.30
DUP		0.064	<0.5	7.37	184	1210	3.2	<2	2.75	<0.5	11	135	43	3.56		3.17
Target Range - Lower Bound		0.042	<0.5	6.86	163	1140	2.0	<2	2.63	<0.5	9	127	39	3.40		3.05
Upper Bound		0.068	1.0	7.63	201	1310	4.4	4	2.94	1.0	14	145	48	3.79		3.42
B364037		0.091														
DUP		0.084														
Target Range - Lower Bound		0.073														
Upper Bound		0.102														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 27-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05078596

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
B364024		1.26	458	1	0.42	22	720	10	0.12	10	488	0.36	75	30	62
DUP		1.32	453	<1	0.41	22	730	9	0.13	14	491	0.35	74	30	68
Target Range - Lower Bound		1.21	423	<1	0.37	19	670	5	0.10	<5	463	0.32	69	<10	58
Upper Bound		1.37	488	2	0.46	25	780	14	0.15	23	516	0.39	80	50	72
B364027		1.36	429	1	1.22	49	710	14	0.21	12	460	0.31	66	30	61
DUP		1.36	419	<1	1.17	49	680	17	0.21	9	450	0.31	64	40	59
Target Range - Lower Bound		1.27	393	<1	1.12	45	640	11	0.18	<5	430	0.27	60	<10	53
Upper Bound		1.45	455	2	1.27	53	750	20	0.24	21	480	0.35	70	60	67
B364037															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 1-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05080587

Project: Dublin Gulch-1735

P.O. No.:

This report is for 51 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080587

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.6	2.43	65	80	13.3	29	0.34	12.0	38	245	78	3.23		0.74
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			16.9	3.75	58	220	1.0	117	0.22	26.9	98	349	5580	4.23		0.13
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000			3.7	5.06	477	2410	1.3	<2	0.60	7.0	23	104	299	3.79		1.24
G2000			3.7	4.96	489	2380	1.3	<2	0.57	7.0	24	95	291	3.62		1.24
G2000															0.70	
G2000															0.70	
G2000															0.71	
G2000															0.71	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.665														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.61														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	1.0	<1	1	1	<0.01		<0.01
BLANK															<0.01	
BLANK															<0.01	
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080587

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.19	330	30	1.15	165	70	78	0.19	34	104	0.03	74	20	142
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.82	625	3	0.48	369	110	6640	1.42	8	95	0.09	22	<10	8330
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000		0.73	577	7	0.14	284	1000	670	0.27	38	117	0.38	103	20	1255
G2000		0.72	558	6	0.13	276	990	680	0.26	35	119	0.34	102	20	1265
G2000															
G2000															
G2000															
G2000															
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	<0.01	<1	<10	2	<0.01	<5	1	<0.01	1	<10	<2
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080587

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.222														
DUP		0.241														
Target Range - Lower Bound		0.210														
Upper Bound		0.253														
B365320															0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365326			<0.5	7.95	158	1550	3.2	<2	1.87	<0.5	6	29	41	2.30		3.71
DUP			<0.5	7.92	155	1540	3.1	<2	1.86	<0.5	6	27	39	2.27		3.58
Target Range - Lower Bound			<0.5	7.52	139	1450	2.0	<2	1.75	<0.5	4	25	36	2.15		3.44
Upper Bound			1.0	8.35	174	1640	4.3	4	1.98	1.0	8	31	44	2.42		3.85
B365336		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B365356		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B365358															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365364			<0.5	7.87	172	1580	2.9	3	2.10	<0.5	9	57	30	2.22		3.55
DUP			<0.5	8.00	180	1620	3.0	4	2.15	<0.5	8	58	32	2.30		3.79
Target Range - Lower Bound			<0.5	7.52	157	1500	1.8	<2	2.00	<0.5	6	53	27	2.13		3.47
Upper Bound			1.0	8.35	195	1700	4.1	4	2.25	1.0	11	62	35	2.39		3.87

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 1-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080587

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365320															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365326		0.78	190	2	1.64	19	650	14	<0.01	<5	433	0.33	36	10	29
DUP		0.77	188	2	1.60	18	640	9	<0.01	12	426	0.32	36	10	28
Target Range - Lower Bound		0.72	170	<1	1.52	16	590	7	<0.01	<5	406	0.29	32	<10	23
Upper Bound		0.83	208	4	1.72	21	700	16	0.02	10	453	0.36	40	20	34
B365336															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365356															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365358															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365364		0.75	226	<1	1.57	18	650	16	0.02	<5	467	0.29	35	10	32
DUP		0.78	242	<1	1.67	21	680	22	0.02	<5	492	0.31	38	<10	34
Target Range - Lower Bound		0.71	212	<1	1.52	17	610	14	<0.01	<5	454	0.27	33	<10	27
Upper Bound		0.82	256	2	1.72	22	720	24	0.04	10	505	0.34	40	20	39

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 4-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05080696

Project: Dublin Gulch-1735

P.O. No.:

This report is for 41 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.6	2.53	62	80	13.6	29	0.34	12.6	44	259	86	3.42		0.76
BM-8			6.1	2.64	60	80	14.0	32	0.35	13.5	43	264	96	3.53		0.83
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000															0.74	
G2000															0.76	
G2000															0.76	
G2000															0.78	
G2000			3.5	5.05	485	2310	1.3	<2	0.58	6.8	23	100	298	3.72		1.22
G2000			3.6	5.06	476	2430	1.3	2	0.58	7.1	22	94	295	3.78		1.27
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.675														
OxE21		0.667														
OxE21		0.619														
OxE21		0.673														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.49														
OXK35		3.64														
OXK35		3.49														
OXK35		3.52														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.815														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	7	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.19	346	30	1.17	180	80	85	0.19	34	108	0.03	76	20	153
BM-8		0.21	361	31	1.22	178	80	87	0.21	37	113	0.03	82	30	156
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000															
G2000															
G2000															
G2000															
G2000		0.72	539	6	0.14	283	980	668	0.26	34	117	0.35	101	10	1230
G2000		0.76	558	7	0.15	281	950	660	0.26	35	117	0.34	106	10	1260
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.030														
DUP		0.031														
Target Range - Lower Bound		0.019														
Upper Bound		0.042														
ORIGINAL		0.422														
DUP		0.402														
Target Range - Lower Bound		0.381														
Upper Bound		0.443														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			5.6	2.51	41	140	1.4	<2	0.06	<0.5	<1	34	4	0.48		1.00
DUP			5.8	2.40	42	140	1.3	<2	0.06	<0.5	<1	29	4	0.48		0.96
Target Range - Lower Bound			4.4	2.31	29	110	<0.5	<2	0.04	<0.5	<1	28	2	0.44		0.91
Upper Bound			7.0	2.60	54	170	2.4	4	0.08	1.0	2	35	6	0.52		1.05
B290748															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364707			<0.5	4.07	212	270	0.9	<2	0.92	<0.5	5	180	12	1.83		1.38
DUP			<0.5	4.08	218	280	0.9	<2	0.94	<0.5	4	153	12	1.86		1.39
Target Range - Lower Bound			<0.5	3.85	194	240	<0.5	<2	0.86	<0.5	2	156	9	1.73		1.30
Upper Bound			1.0	4.30	236	310	1.0	4	1.00	1.0	7	177	15	1.96		1.47

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn	
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2	
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.15	44	33	0.02	3	50	46	0.01	36	18	0.05	14	<10	27	
DUP		0.15	45	32	0.01	2	60	46	0.01	34	17	0.05	14	10	28	
Target Range - Lower Bound		0.12	32	29	<0.01	<1	30	40	<0.01	23	15	0.03	11	<10	22	
Upper Bound		0.18	57	36	0.02	5	80	52	0.02	47	20	0.07	17	20	33	
B290748																
DUP																
Target Range - Lower Bound																
Upper Bound																
B364707		0.39	248	1	0.51	17	200	11	0.04	<5	68	0.17	33	10	22	
DUP		0.40	252	1	0.52	16	210	9	0.04	<5	68	0.16	34	10	23	
Target Range - Lower Bound		0.36	228	<1	0.47	14	170	6	0.02	<5	63	0.14	30	<10	17	
Upper Bound		0.43	273	2	0.56	19	240	15	0.06	10	73	0.19	37	20	28	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B364735															0.01	
DUP															0.02	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364738		0.171														
DUP		0.155														
Target Range - Lower Bound		0.145														
Upper Bound		0.181														
ORIGINAL		0.426														
DUP		0.391														
Target Range - Lower Bound		0.378														
Upper Bound		0.439														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080696

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
		DUPLICATES													
B364735															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364738															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 2-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05080697

Project: Dublin Gulch-1735

P.O. No.:

This report is for 136 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			6.3	2.75	68	90	14.6	33	0.37	13.9	44	280	90	3.69		0.84
BM-8			5.6	2.46	71	70	13.3	31	0.34	12.7	39	246	78	3.39		0.76
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			14.1	3.75	29	210	0.9	118	0.23	27.2	100	398	5280	4.32		0.13
BM-9/A			14.5	3.67	18	200	0.9	117	0.22	27.3	100	366	5600	4.32		0.12
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000			3.8	5.37	501	2390	1.3	<2	0.59	6.6	26	102	308	3.86		1.31
G2000			3.6	5.09	479	2330	1.3	<2	0.57	6.7	24	98	289	3.68		1.25
G2000			3.5	5.08	470	2370	1.3	2	0.60	7.4	22	93	303	3.86		1.26
G2000			4.2	5.10	481	2390	1.3	<2	0.59	7.2	22	96	305	3.84		1.27
G2000			3.5	5.03	479	2330	1.3	<2	0.59	7.2	22	97	296	3.81		1.22
G2000															0.71	
G2000															0.71	
G2000															0.70	
G2000															0.69	
G2000															0.72	
G2000															0.83	
G2000															0.69	
G2000															0.72	
G2000															0.70	
G2000															0.69	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.665														
OxE21		0.693														
OxE21		0.695														
OxE21		0.659														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.61														
OXK35		3.73														
OXK35		3.59														
OXK35		3.57														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.21	399	31	1.26	187	90	92	0.22	35	119	0.03	81	30	168
BM-8		0.19	347	28	1.14	165	70	87	0.19	32	108	0.03	74	30	146
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.81	663	3	0.45	385	100	6760	1.41	6	91	0.09	22	<10	8470
BM-9/A		0.80	654	4	0.46	374	100	6850	1.41	8	94	0.09	22	<10	8400
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000		0.77	573	6	0.13	289	1000	702	0.27	32	121	0.36	109	10	1300
G2000		0.73	568	5	0.13	278	930	659	0.26	30	114	0.35	104	20	1300
G2000		0.75	581	5	0.14	279	960	673	0.26	35	121	0.35	102	10	1260
G2000		0.74	577	6	0.14	279	970	672	0.27	32	122	0.35	102	10	1260
G2000		0.73	560	6	0.14	274	960	682	0.26	39	119	0.34	99	10	1265
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	6	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	6	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	9	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.096														
DUP		0.093														
Target Range - Lower Bound		0.080														
Upper Bound		0.109														
ORIGINAL		0.242														
DUP		0.267														
Target Range - Lower Bound		0.232														
Upper Bound		0.277														
ORIGINAL			0.9	2.01	13	1020	1.4	<2	2.03	<0.5	2	66	56	0.61		0.66
DUP			0.9	1.95	12	950	1.4	<2	1.90	<0.5	2	59	54	0.58		0.64
Target Range - Lower Bound			<0.5	1.86	<5	920	<0.5	<2	1.85	<0.5	<1	57	50	0.55		0.60
Upper Bound			1.0	2.10	23	1050	2.5	4	2.08	1.0	4	68	60	0.64		0.70

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	2
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		0.27	28	2	0.07	67	2280	10	0.03	9	73	0.10	2020	<10	507
DUP		0.26	27	1	0.07	63	2200	10	0.03	8	72	0.10	1940	<10	487
Target Range - Lower Bound		0.23	16	<1	0.05	60	2110	6	<0.01	<5	67	0.08	1880	<10	468
Upper Bound		0.30	39	2	0.09	70	2370	15	0.05	10	78	0.13	2080	20	526

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		2.84														
DUP		2.64														
Target Range - Lower Bound		2.59														
Upper Bound		2.89														
ORIGINAL		0.222														
DUP		0.241														
Target Range - Lower Bound		0.210														
Upper Bound		0.253														
B365336		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B365356		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B365358															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364196			<0.5	0.22	13	30	<0.5	<2	20.6	<0.5	1	9	4	0.14		0.07
DUP			<0.5	0.20	<5	30	<0.5	<2	20.2	<0.5	1	7	4	0.13		0.06
Target Range - Lower Bound			<0.5	0.18	<5	<10	<0.5	<2	19.35	<0.5	<1	6	2	0.11		0.04
Upper Bound			1.0	0.24	10	50	1.0	4	21.4	1.0	2	10	6	0.16		0.09
B365207		0.036														
DUP		0.025														
Target Range - Lower Bound		0.019														
Upper Bound		0.042														
B365208															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365336															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365356															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365358															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364196		11.40	162	<1	0.03	<1	480	<2	0.02	<5	118	<0.01	1	<10	7
DUP		11.15	159	<1	0.03	3	470	<2	0.02	<5	115	<0.01	2	<10	4
Target Range - Lower Bound		10.70	142	<1	<0.01	<1	430	<2	<0.01	<5	109	<0.01	<1	<10	<2
Upper Bound		11.85	179	2	0.05	4	520	4	0.04	10	124	0.02	2	20	10
B365207															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365208															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B365234			<0.5	8.00	66	1690	3.3	4	2.36	<0.5	7	55	29	2.37		3.79
DUP			<0.5	7.92	68	1630	3.3	4	2.28	<0.5	7	52	28	2.29		3.74
Target Range - Lower Bound			<0.5	7.54	54	1560	2.1	<2	2.18	<0.5	5	49	25	2.19		3.56
Upper Bound			1.0	8.38	80	1760	4.5	8	2.46	1.0	9	58	32	2.47		3.97
B365246															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365272			<0.5	7.22	91	1500	2.4	4	1.76	<0.5	6	24	50	2.06		4.06
DUP			<0.5	7.16	98	1460	2.4	4	1.72	<0.5	6	22	50	2.02		4.07
Target Range - Lower Bound			<0.5	6.81	80	1390	1.3	<2	1.63	<0.5	4	20	46	1.92		3.84
Upper Bound			1.0	7.57	109	1570	3.5	8	1.85	1.0	8	26	55	2.16		4.29
B365284															0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365305		0.284														
DUP		0.294														
Target Range - Lower Bound		0.265														
Upper Bound		0.313														
B365310			2.4	8.67	5	1000	1.1	2	1.39	<0.5	8	11	7110	3.06		3.52
DUP			2.6	8.76	13	1000	1.1	<2	1.39	<0.5	6	11	7040	3.06		3.47
Target Range - Lower Bound			1.4	8.26	<5	930	<0.5	<2	1.30	<0.5	5	8	6720	2.89		3.30
Upper Bound			3.6	9.17	10	1070	2.2	4	1.48	1.0	9	14	7430	3.23		3.69
B364626															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
ORIGINAL		0.042														
DUP		0.038														
Target Range - Lower Bound		0.028														
Upper Bound		0.052														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080697

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
B365234		0.82	213	2	1.65	24	660	20	0.13	6	502	0.32	37	<10	29
DUP		0.79	206	1	1.62	23	650	18	0.13	5	499	0.31	36	<10	29
Target Range - Lower Bound		0.74	189	<1	1.53	20	600	14	0.10	<5	473	0.28	33	<10	24
Upper Bound		0.87	230	2	1.74	27	710	24	0.16	10	528	0.35	40	20	34
B365246															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365272		0.72	158	<1	1.21	16	580	14	0.34	8	407	0.27	35	20	17
DUP		0.71	155	1	1.22	18	570	13	0.33	<5	407	0.26	34	20	18
Target Range - Lower Bound		0.66	139	<1	1.13	14	530	9	0.30	<5	385	0.23	31	<10	13
Upper Bound		0.77	174	2	1.30	20	620	18	0.37	10	429	0.30	38	40	22
B365284															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365305															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365310		1.11	466	2	3.16	11	1830	10	0.23	<5	679	0.32	159	<10	61
DUP		1.11	465	2	3.15	10	1790	13	0.23	<5	679	0.32	159	<10	55
Target Range - Lower Bound		1.03	432	<1	2.98	8	1700	7	0.20	<5	643	0.28	149	<10	51
Upper Bound		1.19	499	4	3.33	13	1920	16	0.26	10	715	0.36	169	20	65
B364626															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 3-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05080698

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			6.1	2.73	62	80	14.4	31	0.38	13.6	42	268	84	3.76		0.85
BM-8			6.2	2.72	81	90	14.2	34	0.37	13.2	47	261	94	3.58		0.82
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			13.6	3.51	27	200	0.9	113	0.24	25.7	102	357	5190	3.95		0.12
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000															0.70	
G2000															0.69	
G2000															0.69	
G2000															0.69	
G2000															0.77	
G2000															0.72	
G2000			3.7	5.00	472	2270	1.3	<2	0.58	6.9	23	97	297	3.72		1.26
G2000			3.2	5.11	483	2380	1.3	<2	0.57	7.0	26	97	304	3.79		1.27
G2000			4.3	5.39	499	2440	1.3	<2	0.59	7.2	26	98	319	3.93		1.31
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.630														
OxE21		0.643														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.50														
OXK35		3.65														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01		<0.01
BLANK			<0.5	<0.01	8	<10	<0.5	<2	<0.01	0.7	1	1	1	<0.01		<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.22	376	32	1.25	188	90	93	0.21	37	116	0.03	84	30	168
BM-8		0.21	394	32	1.21	188	80	92	0.21	37	114	0.03	83	30	159
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.77	610	4	0.44	356	100	6220	1.34	6	87	0.08	21	<10	8130
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000		0.75	552	5	0.14	276	970	683	0.26	34	115	0.34	102	10	1260
G2000		0.72	577	6	0.13	288	970	672	0.27	36	117	0.34	102	10	1255
G2000		0.76	587	6	0.13	288	990	694	0.28	38	123	0.36	109	10	1285
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	2	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	2
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
B364626															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364635			<0.5	2.39	102	240	1.0	6	2.01	<0.5	5	16	29	1.81		0.99
DUP			<0.5	2.36	110	240	1.0	4	1.93	<0.5	3	17	28	1.73		0.98
Target Range - Lower Bound			<0.5	2.24	91	210	<0.5	<2	1.85	<0.5	2	14	25	1.66		0.92
Upper Bound			1.0	2.51	121	270	2.1	9	2.09	1.0	6	19	32	1.88		1.05
B364664															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364673			<0.5	8.42	84	1400	3.0	12	2.98	<0.5	10	54	38	2.15		3.47
DUP			0.5	7.85	69	1310	2.8	12	2.80	<0.5	8	52	36	2.02		3.31
Target Range - Lower Bound			<0.5	7.71	63	1270	1.8	7	2.73	<0.5	7	48	33	1.96		3.20
Upper Bound			1.0	8.56	90	1440	4.0	17	3.05	1.0	11	58	41	2.21		3.58
B290927															0.02	
DUP															0.02	
Target Range - Lower Bound															<0.01	
Upper Bound															0.04	
B290933		0.106														
DUP		0.112														
Target Range - Lower Bound		0.094														
Upper Bound		0.124														
B290953		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B290973		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
B364626															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364635		0.17	267	3	0.17	8	180	37	1.26	11	123	0.08	11	10	59
DUP		0.17	256	3	0.18	7	180	34	1.24	11	124	0.08	11	10	60
Target Range - Lower Bound		0.14	238	<1	0.15	5	150	30	1.17	<5	115	0.06	8	<10	53
Upper Bound		0.20	285	5	0.20	10	210	41	1.33	22	132	0.10	14	20	66
B364664															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364673		0.61	324	3	1.42	19	640	38	0.30	11	374	0.30	37	10	54
DUP		0.57	304	3	1.38	20	600	38	0.29	11	364	0.28	36	20	51
Target Range - Lower Bound		0.54	288	<1	1.31	17	570	32	0.26	<5	349	0.26	33	<10	46
Upper Bound		0.64	340	5	1.49	22	670	44	0.33	22	389	0.32	40	20	59
B290927															
DUP															
Target Range - Lower Bound															
Upper Bound															
B290933															
DUP															
Target Range - Lower Bound															
Upper Bound															
B290953															
DUP															
Target Range - Lower Bound															
Upper Bound															
B290973															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL			<0.5	5.41	<5	90	<0.5	<2	7.27	<0.5	52	567	4620	9.72		0.55
DUP			<0.5	5.51	17	100	<0.5	<2	7.32	<0.5	52	560	4760	9.63		0.57
Target Range - Lower Bound			<0.5	5.17	<5	70	<0.5	<2	6.91	<0.5	47	533	4450	9.17		0.51
Upper Bound			1.0	5.75	22	120	1.0	4	7.68	1.0	57	594	4930	10.20		0.61

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080698

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL		6.25	1505	<1	0.90	304	310	74	1.49	<5	180	0.56	231	<10	223
DUP		6.36	1530	<1	0.87	305	310	72	1.52	<5	184	0.57	235	<10	227
Target Range - Lower Bound		5.97	1430	<1	0.82	287	270	65	1.41	<5	171	0.52	219	<10	210
Upper Bound		6.64	1605	2	0.95	322	350	81	1.60	10	193	0.61	247	20	240

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da .2-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05083822

Project: Dublin Gulch-1735

P.O. No.:

This report is for 97 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-8			5.7	2.51	63	80	13.4	28	0.35	12.8	39	266	80	3.57		0.77
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			14.4	3.75	23	220	1.0	125	0.23	27.9	102	364	5640	4.45		0.13
BM-9/A			13.4	3.69	36	210	0.9	113	0.23	25.8	100	345	5270	4.27		0.12
BM-9/A			13.9	3.66	17	200	0.9	113	0.22	26.3	99	345	5570	4.24		0.12
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000															0.82	
G2000															0.69	
G2000															0.70	
G2000															0.72	
G2000															0.74	
G2000															0.70	
G2000															0.75	
G2000															0.88	
G2000			5.3	5.23	508	2480	1.3	4	0.63	8.0	24	102	310	3.95		1.30
G2000			3.5	4.89	456	2280	1.2	2	0.58	6.6	22	97	287	3.69		1.22
G2000			3.4	4.79	461	2300	1.2	<2	0.56	7.1	23	95	283	3.68		1.22
G2000			3.5	4.93	496	2240	1.2	<2	0.58	6.8	22	99	299	3.72		1.19
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.695														
OxE21		0.651														
OxE21		0.651														
OxE21		0.653														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.37														
OXK35		3.46														
OXK35		3.57														
OXK35		3.53														
OXK35		3.60														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.955														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.20	351	29	1.18	171	80	82	0.20	37	107	0.03	78	20	155
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.84	663	4	0.48	388	110	6710	1.45	13	97	0.09	24	<10	8580
BM-9/A		0.82	679	4	0.48	363	90	6520	1.39	12	89	0.08	21	<10	8200
BM-9/A		0.81	653	3	0.44	373	100	6660	1.35	10	88	0.08	22	<10	8340
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000		0.77	588	6	0.14	294	1030	688	0.27	31	121	0.35	110	10	1355
G2000		0.72	533	5	0.13	262	960	640	0.25	33	114	0.33	101	10	1235
G2000		0.70	548	5	0.13	284	950	669	0.26	31	110	0.33	97	20	1235
G2000		0.73	551	6	0.13	281	930	673	0.25	32	111	0.33	103	10	1260
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	1	<1	<0.01		<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL			<0.5	7.83	396	1480	1.5	<2	2.17	<0.5	10	85	130	3.96		2.73
DUP			<0.5	7.94	389	1480	1.5	<2	2.15	<0.5	10	78	128	3.95		2.71
Target Range - Lower Bound			<0.5	7.47	363	1390	<0.5	<2	2.03	<0.5	8	75	121	3.74		2.56
Upper Bound			1.0	8.30	422	1570	2.6	4	2.29	1.0	13	88	137	4.17		2.88
ORIGINAL		0.534														
DUP		0.547														
Target Range - Lower Bound		0.503														
Upper Bound		0.578														
ORIGINAL		0.016														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
ORIGINAL		0.044														
DUP		0.043														
Target Range - Lower Bound		0.031														
Upper Bound		0.056														

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK		<0.01	<5	2	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL		1.46	310	2	0.14	25	1050	7	0.24	18	258	0.39	100	10	65
DUP		1.47	306	2	0.14	25	1050	7	0.24	13	254	0.38	95	10	63
Target Range - Lower Bound		1.37	283	<1	0.11	22	980	3	0.21	<5	241	0.35	91	<10	57
Upper Bound		1.56	333	4	0.17	28	1120	11	0.27	26	271	0.42	104	20	71
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B365009		0.126														
DUP		0.109														
Target Range - Lower Bound		0.102														
Upper Bound		0.133														
B365120		0.857														
DUP		0.951														
Target Range - Lower Bound		0.849														
Upper Bound		0.959														
B365188		0.152														
DUP		0.120														
Target Range - Lower Bound		0.119														
Upper Bound		0.153														
B365809		0.052														
DUP		0.093														
Target Range - Lower Bound		0.059														
Upper Bound		0.086														
B365814															0.02	
DUP															0.02	
Target Range - Lower Bound															<0.01	
Upper Bound															0.04	
B365685			<0.5	8.14	34	1650	3.0	8	2.51	<0.5	8	32	39	2.52		3.62
DUP			<0.5	8.10	23	1680	3.0	10	2.56	<0.5	8	30	39	2.55		3.71
Target Range - Lower Bound			<0.5	7.69	17	1560	1.9	5	2.39	<0.5	6	27	35	2.39		3.46
Upper Bound			1.0	8.55	40	1770	4.2	13	2.68	1.0	10	35	43	2.68		3.87
B365722															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365723			<0.5	7.52	54	1500	2.9	3	2.46	<0.5	8	30	48	2.86		3.39
DUP			<0.5	7.55	49	1480	2.9	5	2.42	<0.5	7	30	48	2.85		3.36
Target Range - Lower Bound			<0.5	7.14	39	1400	1.8	<2	2.30	<0.5	5	27	44	2.69		3.19
Upper Bound			1.0	7.93	64	1580	4.0	8	2.58	1.0	10	34	52	3.02		3.56

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
B365009 DUP															
Target Range - Lower Bound															
Upper Bound															
B365120 DUP															
Target Range - Lower Bound															
Upper Bound															
B365188 DUP															
Target Range - Lower Bound															
Upper Bound															
B365809 DUP															
Target Range - Lower Bound															
Upper Bound															
B365814 DUP															
Target Range - Lower Bound															
Upper Bound															
B365685		0.86	237	3	1.70	23	630	21	0.21	<5	516	0.33	39	<10	30
DUP		0.87	241	5	1.77	25	690	15	0.21	<5	529	0.33	40	10	30
Target Range - Lower Bound		0.80	217	2	1.63	21	610	13	0.18	<5	494	0.29	36	<10	25
Upper Bound		0.93	261	6	1.84	27	710	23	0.24	10	551	0.37	43	20	36
B365722 DUP															
Target Range - Lower Bound															
Upper Bound															
B365723		0.79	250	3	1.61	19	650	13	0.23	<5	493	0.30	36	<10	26
DUP		0.79	249	3	1.63	20	640	18	0.23	<5	498	0.29	35	<10	26
Target Range - Lower Bound		0.73	227	<1	1.52	17	590	11	0.20	<5	469	0.26	32	<10	21
Upper Bound		0.85	272	5	1.72	22	700	20	0.26	10	522	0.33	39	20	31

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B365760		0.413														
DUP		0.319														
Target Range - Lower Bound		0.338														
Upper Bound		0.394														
B365761															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365762			<0.5	7.06	53	1440	3.0	14	2.29	<0.5	7	27	47	2.34		3.55
DUP			<0.5	7.07	50	1410	3.0	12	2.25	<0.5	8	24	46	2.28		3.47
Target Range - Lower Bound			<0.5	6.69	39	1330	1.9	8	2.14	<0.5	5	22	42	2.17		3.31
Upper Bound			1.0	7.44	64	1520	4.2	18	2.40	1.0	10	29	51	2.45		3.71
B365779		0.104														
DUP		0.097														
Target Range - Lower Bound		0.085														
Upper Bound		0.116														
B365794															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
ORIGINAL		0.025														
DUP		0.034														
Target Range - Lower Bound		0.018														
Upper Bound		0.041														
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083822

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
B365760															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365761															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365762		0.75	232	1	1.59	18	580	22	0.22	<5	444	0.28	33	20	39
DUP		0.74	225	2	1.54	18	570	25	0.21	6	437	0.27	32	20	39
Target Range - Lower Bound		0.69	207	<1	1.47	15	530	18	0.18	<5	416	0.24	29	<10	33
Upper Bound		0.80	250	2	1.66	21	620	29	0.25	10	465	0.31	36	40	45
B365779															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365794															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Additional Au assay value for sample B365760 is 0.251 ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 8-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05083121

Project: Dublin Gulch-1735

P.O. No.:

This report is for 52 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-8			5.9	2.76	72	90	14.7	33	0.37	13.7	43	279	91	3.80		0.90
BM-8			5.8	2.61	68	80	13.9	31	0.37	13.3	43	264	86	3.61		0.81
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000															0.78	
G2000															0.70	
G2000															0.77	
G2000															0.72	
G2000															0.83	
G2000															0.75	
G2000			3.3	4.97	465	2390	1.3	<2	0.56	7.1	24	98	301	3.79		1.31
G2000			3.4	4.86	494	2350	1.3	<2	0.58	7.0	23	100	298	3.66		1.24
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.630														
OxE21		0.645														
OxE21		0.683														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.49														
OXK35		3.62														
OXK35		3.68														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK															<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
BLANK			<0.5	<0.01	7	<10	<0.5	<2	<0.01	0.8	1	<1	1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01		<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.23	383	33	1.32	190	100	96	0.22	42	121	0.03	86	30	166
BM-8		0.21	387	33	1.24	176	100	96	0.22	27	113	0.03	82	20	154
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000		0.76	565	7	0.13	270	960	655	0.28	34	120	0.36	102	10	1270
G2000		0.72	560	6	0.13	269	990	658	0.26	27	116	0.34	103	10	1235
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	2	<0.01	1	<10	<2	<0.01	<5	2	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	2	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		0.024														
DUP		0.027														
Target Range - Lower Bound		0.014														
Upper Bound		0.037														
ORIGINAL		0.038														
DUP		0.036														
Target Range - Lower Bound		0.025														
Upper Bound		0.049														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL															0.41	
DUP															0.43	
Target Range - Lower Bound															0.38	
Upper Bound															0.46	
ORIGINAL		0.241														
DUP		0.238														
Target Range - Lower Bound		0.218														
Upper Bound		0.261														
ORIGINAL		0.880														
DUP		0.851														
Target Range - Lower Bound		0.812														
Upper Bound		0.919														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B364851															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364881			<0.5	7.13	165	1620	2.5	91	1.65	<0.5	12	106	36	2.23		3.83
DUP			<0.5	7.66	169	1730	2.7	106	1.78	<0.5	12	103	39	2.40		4.20
Target Range - Lower Bound			<0.5	7.01	149	1570	1.5	90	1.61	<0.5	9	97	34	2.18		3.79
Upper Bound			1.0	7.78	185	1780	3.7	107	1.82	1.0	15	112	41	2.45		4.24
B364883		0.033														
DUP		0.038														
Target Range - Lower Bound		0.024														
Upper Bound		0.047														
B364888															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B364919			<0.5	6.73	305	1540	2.5	5	2.04	<0.5	12	27	53	2.34		3.48
DUP			<0.5	7.07	285	1570	2.6	4	2.10	<0.5	11	26	55	2.38		3.59
Target Range - Lower Bound			<0.5	6.54	270	1460	1.4	<2	1.95	<0.5	9	23	49	2.22		3.34
Upper Bound			1.0	7.27	320	1650	3.7	9	2.19	1.0	14	30	59	2.50		3.73
B364921		0.197														
DUP		0.199														
Target Range - Lower Bound		0.178														
Upper Bound		0.218														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083121

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
B364851															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364881		0.77	143	3	1.34	22	640	14	0.01	<5	415	0.30	36	20	23
DUP		0.83	153	4	1.44	26	680	17	0.01	<5	452	0.32	39	20	25
Target Range - Lower Bound		0.74	131	<1	1.30	21	610	11	<0.01	<5	410	0.27	34	<10	19
Upper Bound		0.86	165	6	1.48	27	710	20	0.02	10	457	0.35	41	40	29
B364883															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364888															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364919		0.73	189	2	1.34	18	630	15	0.19	<5	410	0.28	37	100	24
DUP		0.76	190	2	1.36	21	630	14	0.19	<5	418	0.28	36	100	26
Target Range - Lower Bound		0.69	170	<1	1.26	17	580	10	0.16	<5	391	0.25	33	80	20
Upper Bound		0.80	209	4	1.44	22	680	19	0.22	10	437	0.31	40	130	30
B364921															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat 4-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05082983

Project: Dublin Gulch-1735

P.O. No.:

This report is for 99 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-8			6.1	2.63	74	80	14.6	31	0.34	12.8	43	254	87	3.37		0.79
BM-8			5.6	2.50	58	80	13.5	29	0.35	12.8	41	247	86	3.47		0.79
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			14.4	3.79	28	210	1.0	123	0.21	26.8	106	346	5570	4.22		0.13
BM-9/A			12.8	3.49	24	190	0.9	114	0.19	24.6	95	339	5280	3.92		0.11
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000															0.81	
G2000															0.82	
G2000															0.80	
G2000															0.81	
G2000															0.82	
G2000															0.69	
G2000			4.4	5.45	509	2390	1.4	<2	0.60	7.7	26	103	322	3.87		1.30
G2000			4.0	5.23	496	2440	1.4	<2	0.59	7.6	26	101	308	3.80		1.26
G2000			3.4	4.87	482	2280	1.2	<2	0.57	7.0	23	94	288	3.73		1.24
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.629														
OxE21		0.695														
OxE21		0.651														
OxE21		0.653														
OxE21		0.623														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.48														
OXK35		3.37														
OXK35		3.53														
OXK35		3.49														
OXK35		3.60														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.20	360	32	1.23	176	90	86	0.20	36	114	0.03	80	30	155
BM-8		0.19	367	31	1.24	180	90	88	0.20	35	106	0.03	77	30	151
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.81	656	4	0.48	376	90	6690	1.44	10	96	0.09	22	<10	8360
BM-9/A		0.75	605	3	0.45	344	90	6180	1.35	8	87	0.08	21	<10	7670
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000		0.78	588	5	0.14	291	1030	716	0.28	33	127	0.38	109	20	1345
G2000		0.75	590	5	0.13	281	1000	692	0.27	34	121	0.37	106	20	1265
G2000		0.71	562	5	0.13	278	950	676	0.27	31	112	0.34	99	10	1270
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005													<0.01	
BLANK															<0.01	
BLANK															<0.01	
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	<1	1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.013														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.038														
DUP		0.043														
Target Range - Lower Bound		0.028														
Upper Bound		0.053														

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	2	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<5	2	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	1	0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL			<0.5	3.09	184	260	1.2	<2	6.71	<0.5	6	117	10	2.59		0.83
DUP			<0.5	3.15	194	270	1.2	<2	6.76	<0.5	6	118	9	2.62		0.84
Target Range - Lower Bound			<0.5	2.94	170	230	<0.5	<2	6.38	<0.5	4	110	7	2.45		0.77
Upper Bound			1.0	3.30	208	300	2.3	4	7.09	1.0	8	125	12	2.76		0.90
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B365131		0.020														
DUP		0.026														
Target Range - Lower Bound		0.012														
Upper Bound		0.034														
B365132			<0.5	8.21	190	1690	3.3	3	2.13	<0.5	9	82	31	2.51		3.50
DUP			<0.5	8.03	180	1620	3.2	<2	2.05	<0.5	9	77	28	2.44		3.28
Target Range - Lower Bound			<0.5	7.69	166	1550	2.1	<2	1.97	<0.5	7	74	26	2.33		3.20
Upper Bound			1.0	8.55	204	1760	4.4	4	2.21	1.0	11	85	33	2.62		3.58
B365138															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365170			<0.5	6.97	1195	680	5.9	<2	<0.01	<0.5	5	204	39	3.53		2.60
DUP			<0.5	7.14	1260	700	6.2	<2	0.01	<0.5	6	211	40	3.63		2.67
Target Range - Lower Bound			<0.5	6.68	1155	640	4.7	<2	<0.01	<0.5	3	195	36	3.38		2.48
Upper Bound			1.0	7.43	1300	740	7.4	4	0.02	1.0	8	220	43	3.78		2.79
B365176															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365188		0.152														
DUP		0.120														
Target Range - Lower Bound		0.119														
Upper Bound		0.153														

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL		0.84	1155	4	0.03	31	1530	2	<0.01	<5	163	0.14	130	30	29
DUP		0.85	1155	4	0.03	30	1560	4	<0.01	<5	166	0.14	133	30	29
Target Range - Lower Bound		0.78	1085	2	<0.01	27	1450	<2	<0.01	<5	154	0.11	123	<10	24
Upper Bound		0.91	1225	6	0.05	34	1640	4	0.02	10	175	0.17	140	50	34
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365131															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365132		0.81	263	<1	1.78	23	710	16	<0.01	<5	528	0.34	41	10	49
DUP		0.79	253	<1	1.72	21	670	16	0.01	<5	514	0.33	39	10	47
Target Range - Lower Bound		0.74	235	<1	1.64	19	640	11	<0.01	<5	493	0.30	36	<10	42
Upper Bound		0.86	281	2	1.86	25	740	21	0.02	10	549	0.37	44	20	54
B365138															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365170		0.34	86	2	0.11	18	320	25	0.01	112	91	0.24	88	10	45
DUP		0.35	89	2	0.11	18	310	20	0.01	119	94	0.25	90	10	46
Target Range - Lower Bound		0.31	73	<1	0.08	15	280	17	<0.01	100	86	0.21	83	<10	39
Upper Bound		0.38	102	4	0.14	21	350	28	0.02	131	99	0.28	95	20	52
B365176															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365188															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B365807			<0.5	7.58	146	1400	3.2	<2	2.03	<0.5	9	31	60	2.16		3.75
DUP			0.5	7.78	164	1420	3.1	<2	2.08	<0.5	8	29	60	2.22		3.81
Target Range - Lower Bound			<0.5	7.28	137	1320	2.0	<2	1.93	<0.5	6	27	55	2.06		3.57
Upper Bound			1.0	8.08	173	1500	4.3	4	2.18	1.0	11	34	65	2.32		3.99
B365809		0.052														
DUP		0.093														
Target Range - Lower Bound		0.059														
Upper Bound		0.086														
B365814															0.02	
DUP															0.02	
Target Range - Lower Bound															<0.01	
Upper Bound															0.04	
B365760		0.413														
DUP		0.319														
Target Range - Lower Bound		0.338														
Upper Bound		0.394														
ORIGINAL		0.025														
DUP		0.034														
Target Range - Lower Bound		0.018														
Upper Bound		0.041														
ORIGINAL		0.074														
DUP		0.086														
Target Range - Lower Bound		0.066														
Upper Bound		0.094														

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082983

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
B365807		0.70	172	1	1.55	19	570	13	0.12	<5	436	0.29	34	30	28
DUP		0.73	176	<1	1.62	22	600	15	0.13	<5	460	0.29	35	30	28
Target Range - Lower Bound		0.66	155	<1	1.49	17	540	9	0.10	<5	424	0.26	31	<10	23
Upper Bound		0.77	193	2	1.68	24	630	19	0.15	10	472	0.32	38	50	33
B365809															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365814															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365760															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: Samples B365167, B365168, B365171 are exhibit possible erratic gold. Additional readings are 0.111, 0.976, 0.172ppm.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05082695

Project: Dublin Gulch-1735

P.O. No.:

This report is for 102 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-8			5.9	2.55	71	80	13.8	32	0.35	13.2	41	252	84	3.47		0.78
BM-8			6.2	2.65	65	80	14.5	33	0.37	13.7	44	263	83	3.64		0.82
BM-8			6.3	2.76	83	80	14.6	35	0.37	13.8	45	267	89	3.66		0.84
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			14.5	3.71	21	210	1.0	122	0.23	27.9	103	360	5460	4.43		0.13
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000															0.72	
G2000															0.71	
G2000															0.71	
G2000															0.77	
G2000															0.73	
G2000															0.74	
G2000															0.82	
G2000															0.79	
G2000			3.6	5.14	503	2370	1.3	4	0.60	7.1	25	99	306	3.93		1.30
G2000			3.7	5.09	488	2330	1.3	4	0.59	7.4	24	101	294	3.87		1.24
G2000			3.9	5.18	494	2360	1.3	5	0.61	7.5	25	100	300	3.96		1.27
G2000			3.2	4.94	468	2310	1.2	3	0.56	6.6	22	96	297	3.82		1.23
G2000			3.7	5.31	501	2430	1.3	2	0.60	7.4	24	98	300	3.86		1.32
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.604														
OxE21		0.638														
OxE21		0.653														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.59														
OXK35		3.66														
OXK35		3.60														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.955														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.20	351	29	1.24	175	80	90	0.21	35	106	0.03	79	30	159
BM-8		0.21	373	31	1.30	182	80	90	0.22	34	112	0.03	82	30	168
BM-8		0.21	381	31	1.28	182	80	94	0.21	35	118	0.03	82	30	159
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.82	643	3	0.49	375	100	6750	1.40	8	90	0.09	23	<10	8390
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000		0.76	582	4	0.12	288	970	672	0.27	34	117	0.36	109	10	1270
G2000		0.75	556	5	0.12	284	970	670	0.27	31	116	0.35	105	10	1250
G2000		0.77	565	5	0.13	292	990	683	0.28	32	118	0.37	107	10	1315
G2000		0.73	583	6	0.14	282	950	671	0.26	32	114	0.34	105	10	1260
G2000		0.76	588	6	0.15	283	990	704	0.27	37	125	0.37	105	20	1295
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK															<0.01	
BLANK															<0.01	
BLANK															0.01	
BLANK															<0.01	
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
B365000			1.8	8.32	578	1070	2.7	29	2.36	1.7	8	25	52	3.10		4.21
DUP			1.8	7.89	454	1020	2.6	30	2.21	1.9	7	24	48	2.93		3.97
Target Range - Lower Bound			0.7	7.68	480	970	1.5	24	2.15	0.7	5	21	46	2.84		3.87
Upper Bound			2.9	8.53	552	1120	3.8	35	2.42	2.9	10	28	55	3.19		4.31
B365009		0.126														
DUP		0.109														
Target Range - Lower Bound		0.102														
Upper Bound		0.133														
B365012															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365038			0.5	6.95	84	1420	3.0	7	2.18	<0.5	11	28	68	2.42		3.52
DUP			<0.5	7.45	79	1470	3.0	9	2.24	<0.5	12	28	66	2.52		3.55
Target Range - Lower Bound			<0.5	6.82	67	1350	1.9	4	2.08	<0.5	9	25	62	2.33		3.34
Upper Bound			1.0	7.58	96	1540	4.2	12	2.34	1.0	14	31	72	2.61		3.73

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<5	<1	0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
B365000		0.53	591	<1	0.12	22	690	316	0.53	77	122	0.29	39	30	322
DUP		0.50	557	<1	0.12	20	640	299	0.50	74	115	0.28	37	30	317
Target Range - Lower Bound		0.47	535	<1	0.09	18	610	288	0.47	62	111	0.25	34	<10	300
Upper Bound		0.56	613	2	0.15	24	720	327	0.56	89	126	0.32	42	50	339
B365009															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365012															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365038		0.81	170	<1	1.63	22	620	10	0.31	<5	442	0.31	37	30	23
DUP		0.85	174	<1	1.64	23	630	12	0.31	<5	463	0.31	38	30	24
Target Range - Lower Bound		0.77	153	<1	1.53	19	570	6	0.27	<5	428	0.27	34	<10	18
Upper Bound		0.89	191	2	1.74	26	680	16	0.35	10	477	0.35	41	50	29

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B365041		0.037														
DUP		0.037														
Target Range - Lower Bound		0.025														
Upper Bound		0.049														
B365050															0.05	
DUP															0.05	
Target Range - Lower Bound															0.03	
Upper Bound															0.07	
B365076			<0.5	0.14	6	20	<0.5	<2	20.7	<0.5	<1	1	2	0.13		0.04
DUP			<0.5	0.14	12	20	<0.5	<2	20.5	<0.5	<1	1	1	0.12		0.04
Target Range - Lower Bound			<0.5	0.11	<5	<10	<0.5	<2	19.55	<0.5	<1	<1	<1	0.10		0.02
Upper Bound			1.0	0.17	10	40	1.0	4	21.7	1.0	2	2	2	0.15		0.06
B365087															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365099		0.024														
DUP		0.022														
Target Range - Lower Bound		0.012														
Upper Bound		0.034														
B365114			0.5	6.79	86	980	2.6	3	2.46	<0.5	9	25	36	2.12		3.55
DUP			0.5	6.66	49	940	2.5	3	2.34	<0.5	9	24	35	2.04		3.43
Target Range - Lower Bound			<0.5	6.37	54	890	1.4	<2	2.26	<0.5	7	21	32	1.86		3.30
Upper Bound			1.0	7.08	81	1030	3.7	4	2.54	1.0	11	28	39	2.20		3.68
B365120		0.857														
DUP		0.951														
Target Range - Lower Bound		0.849														
Upper Bound		0.959														
B365125															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
B365041 DUP															
Target Range - Lower Bound															
Upper Bound															
B365050 DUP															
Target Range - Lower Bound															
Upper Bound															
B365076		11.95	152	<1	0.02	5	440	2	0.01	<5	110	0.01	3	<10	8
DUP		11.80	150	<1	0.02	8	420	4	<0.01	<5	110	0.01	3	<10	9
Target Range - Lower Bound		11.25	133	<1	<0.01	4	390	<2	<0.01	<5	103	<0.01	<1	<10	4
Upper Bound		12.50	169	2	0.04	9	470	4	0.02	10	118	0.02	5	20	13
B365087 DUP															
Target Range - Lower Bound															
Upper Bound															
B365099 DUP															
Target Range - Lower Bound															
Upper Bound															
B365114		0.65	370	4	0.49	18	560	57	0.27	31	263	0.26	32	20	95
DUP		0.64	353	4	0.46	19	530	55	0.27	31	251	0.25	32	20	95
Target Range - Lower Bound		0.59	333	2	0.43	16	500	49	0.24	19	242	0.22	28	<10	86
Upper Bound		0.70	390	6	0.52	21	590	63	0.30	43	272	0.29	36	40	104
B365120 DUP															
Target Range - Lower Bound															
Upper Bound															
B365125 DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
B365554			<0.5	9.28	687	1020	3.5	93	2.69	<0.5	32	69	229	4.49		2.59
DUP			<0.5	9.08	669	1010	3.5	98	2.69	<0.5	32	70	232	4.48		2.58
Target Range - Lower Bound			<0.5	8.70	634	940	2.3	87	2.54	<0.5	28	64	217	4.24		2.44
Upper Bound			1.0	9.66	722	1090	4.7	104	2.84	1.0	36	75	244	4.73		2.73

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082695

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
B365554		0.82	270	3	0.92	55	400	11	0.01	<5	323	0.41	86	390	52
DUP		0.81	271	3	0.92	54	380	9	0.01	<5	324	0.41	86	380	54
Target Range - Lower Bound		0.75	247	<1	0.85	50	350	6	<0.01	<5	305	0.37	80	350	46
Upper Bound		0.88	294	5	0.99	59	430	15	0.02	10	342	0.45	92	420	60

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat 2-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05082694

Project: Dublin Gulch-1735

P.O. No.:

This report is for 100 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.7	2.47	60	80	13.0	29	0.36	12.7	41	268	82	3.58		0.79
BM-8			5.9	2.55	71	80	13.8	32	0.35	13.2	41	252	84	3.47		0.78
BM-8			5.4	2.47	60	80	13.4	29	0.35	12.3	41	241	79	3.57		0.75
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
BM-9/A			12.8	3.49	24	190	0.9	114	0.19	24.6	95	339	5280	3.92		0.11
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73		0.10
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59		0.14
G2000															0.80	
G2000															0.75	
G2000															0.78	
G2000															0.70	
G2000															0.72	
G2000															0.71	
G2000			3.6	4.98	500	2390	1.3	<2	0.61	6.9	24	100	314	3.92		1.31
G2000			3.6	5.14	503	2370	1.3	4	0.60	7.1	25	99	306	3.93		1.30
G2000			3.9	5.02	481	2430	1.3	2	0.60	7.0	24	97	289	3.87		1.26
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.669														
OxE21		0.604														
OxE21		0.627														
OxE21		0.653														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.46														
OXK35		3.59														
OXK35		3.69														
OXK35		3.60														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.755														
SI15		1.955														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.19	360	29	1.16	178	90	89	0.20	34	105	0.03	79	20	174
BM-8		0.20	351	29	1.24	175	80	90	0.21	35	106	0.03	79	30	159
BM-8		0.19	357	29	1.17	168	80	88	0.19	35	105	0.03	74	20	149
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.75	605	3	0.45	344	90	6180	1.35	8	87	0.08	21	<10	7670
Target Range - Lower Bound		0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000															
G2000															
G2000															
G2000															
G2000															
G2000															
G2000		0.73	566	4	0.14	291	1000	698	0.27	31	117	0.37	109	20	1360
G2000		0.76	582	4	0.12	288	970	672	0.27	34	117	0.36	109	10	1270
G2000		0.73	560	6	0.14	275	980	680	0.26	34	116	0.35	100	10	1250
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
SI15															
SI15															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005													0.01	
BLANK															0.01	
BLANK															<0.01	
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01		<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	<1	1	<0.01		<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		0.079														
DUP		0.076														
Target Range - Lower Bound		0.064														
Upper Bound		0.091														
ORIGINAL			<0.5	8.07	6	520	1.0	<2	3.97	<0.5	14	45	24	4.25		1.04
DUP			<0.5	8.01	7	500	1.0	<2	3.80	<0.5	14	43	25	4.14		1.04
Target Range - Lower Bound			<0.5	7.62	<5	460	<0.5	<2	3.67	<0.5	11	40	21	3.97		0.97
Upper Bound			1.0	8.46	10	560	2.1	4	4.10	1.0	17	48	28	4.42		1.11
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B364936															<0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK		<0.01	<5	2	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK		<0.01	<5	<1	<0.01	2	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		1.48	783	<1	2.76	12	2000	14	0.01	<5	641	0.47	150	<10	71
DUP		1.46	754	<1	2.78	13	1980	13	<0.01	<5	638	0.45	148	<10	68
Target Range - Lower Bound		1.38	720	<1	2.61	10	1870	9	<0.01	<5	606	0.42	140	<10	62
Upper Bound		1.56	817	2	2.93	15	2110	18	0.02	10	673	0.50	158	20	77
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364936															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
B364944		0.054														
DUP		0.052														
Target Range - Lower Bound		0.040														
Upper Bound		0.066														
B364963			1.7	6.43	4360	710	2.1	17	2.23	1.2	19	85	129	2.13		2.83
DUP			1.0	6.51	4450	710	2.1	18	2.25	1.2	19	79	131	2.15		2.85
Target Range - Lower Bound			<0.5	6.13	4170	650	1.0	13	2.11	<0.5	16	76	122	2.01		2.68
Upper Bound			2.4	6.81	4640	770	3.2	22	2.37	2.3	22	88	139	2.27		3.00
B364964		0.324														
DUP		0.308														
Target Range - Lower Bound		0.290														
Upper Bound		0.342														
B364974															0.01	
DUP															<0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365000			1.8	8.32	578	1070	2.7	29	2.36	1.7	8	25	52	3.10		4.21
DUP			1.8	7.89	454	1020	2.6	30	2.21	1.9	7	24	48	2.93		3.97
Target Range - Lower Bound			0.7	7.68	480	970	1.5	24	2.15	0.7	5	21	46	2.84		3.87
Upper Bound			2.9	8.53	552	1120	3.8	35	2.42	2.9	10	28	55	3.19		4.31
B365009		0.126														
DUP		0.109														
Target Range - Lower Bound		0.102														
Upper Bound		0.133														
B365012															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
B365041		0.037														
DUP		0.037														
Target Range - Lower Bound		0.025														
Upper Bound		0.049														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
B364944															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364963		0.36	304	8	0.34	18	520	43	0.45	16	148	0.21	27	20	234
DUP		0.37	306	8	0.34	19	530	42	0.46	15	148	0.21	26	20	238
Target Range - Lower Bound		0.33	280	6	0.30	16	480	36	0.41	<5	139	0.18	23	<10	220
Upper Bound		0.40	330	10	0.38	21	570	49	0.50	26	157	0.24	30	40	252
B364964															
DUP															
Target Range - Lower Bound															
Upper Bound															
B364974															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365000		0.53	591	<1	0.12	22	690	316	0.53	77	122	0.29	39	30	322
DUP		0.50	557	<1	0.12	20	640	299	0.50	74	115	0.28	37	30	317
Target Range - Lower Bound		0.47	535	<1	0.09	18	610	288	0.47	62	111	0.25	34	<10	300
Upper Bound		0.56	613	2	0.15	24	720	327	0.56	89	126	0.32	42	50	339
B365009															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365012															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365041															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
B365120		0.857														
DUP		0.951														
Target Range - Lower Bound		0.849														
Upper Bound		0.959														
B365807			<0.5	7.58	146	1400	3.2	<2	2.03	<0.5	9	31	60	2.16		3.75
DUP			0.5	7.78	164	1420	3.1	<2	2.08	<0.5	8	29	60	2.22		3.81
Target Range - Lower Bound			<0.5	7.28	137	1320	2.0	<2	1.93	<0.5	6	27	55	2.06		3.57
Upper Bound			1.0	8.08	173	1500	4.3	4	2.18	1.0	11	34	65	2.32		3.99
B365926		0.219														
DUP		0.208														
Target Range - Lower Bound		0.193														
Upper Bound		0.234														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082694

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
B365120															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365807		0.70	172	1	1.55	19	570	13	0.12	<5	436	0.29	34	30	28
DUP		0.73	176	<1	1.62	22	600	15	0.13	<5	460	0.29	35	30	28
Target Range - Lower Bound		0.66	155	<1	1.49	17	540	9	0.10	<5	424	0.26	31	<10	23
Upper Bound		0.77	193	2	1.68	24	630	19	0.15	10	472	0.32	38	50	33
B365926															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da J-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05080930

Project: Dublin Gulch-1735

P.O. No.:

This report is for 129 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-8				6.0	2.66	67	90	14.2	32	0.37	13.5	43	269	94	3.77	
BM-8				6.7	2.69	73	90	14.4	31	0.38	14.2	45	279	90	3.67	
BM-8				6.6	2.69	71	120	15.0	36	0.37	14.6	43	274	85	3.66	
BM-8				5.9	2.54	78	80	13.6	29	0.35	13.2	43	250	83	3.71	
BM-8				5.8	2.73	63	90	14.6	31	0.37	13.6	44	269	93	3.79	
Target Range - Lower Bound				5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	
Upper Bound				7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	
BM-9/A				14.7	3.51	17	210	0.9	112	0.22	25.7	93	360	5370	4.24	
BM-9/A				15.2	3.74	34	210	1.0	118	0.22	26.6	102	364	5680	4.33	
Target Range - Lower Bound				11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	
Upper Bound				15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59	
G2000																0.82
G2000																0.78
G2000																0.78
G2000																0.74
G2000																0.79
G2000																0.79
G2000																0.76
G2000				3.3	5.11	490	2380	1.3	2	0.61	7.4	23	95	309	3.93	
G2000				3.5	4.90	488	2340	1.2	<2	0.58	6.7	23	103	305	3.76	
G2000				3.4	4.99	481	2360	1.3	<2	0.57	7.1	25	99	298	3.66	
G2000				4.1	5.17	490	2400	1.3	<2	0.60	6.8	24	106	310	3.86	
G2000				3.8	5.31	493	2430	1.3	<2	0.61	7.3	23	105	318	3.93	
G2000				3.3	5.01	490	2330	1.3	<2	0.58	7.1	23	95	303	3.81	
G2000																0.78
G2000																0.82
G2000				3.1	4.95	486	2390	1.3	2	0.56	6.5	23	97	300	3.81	
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81
GS-30		34.5														
Target Range - Lower Bound		31.1														
Upper Bound		35.9														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
BM-8		0.83	0.21	371	30	1.24	188	80	92	0.22	35	113	0.03	82	30	167
BM-8		0.78	0.21	400	32	1.23	189	90	91	0.22	37	114	0.03	84	30	171
BM-8		0.84	0.22	367	33	1.26	180	90	88	0.22	39	116	0.03	85	30	159
BM-8		0.79	0.20	371	29	1.20	181	70	89	0.20	30	111	0.03	77	20	157
BM-8		0.84	0.21	388	33	1.30	197	100	96	0.22	34	121	0.03	83	30	166
Target Range - Lower Bound		0.72	0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.90	0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.12	0.82	627	3	0.44	367	100	6610	1.40	9	88	0.08	22	<10	8090
BM-9/A		0.13	0.85	647	4	0.48	372	100	6700	1.44	5	94	0.09	23	<10	8340
Target Range - Lower Bound		0.10	0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		1.28	0.76	579	5	0.15	283	1000	653	0.27	31	117	0.36	106	10	1275
G2000		1.22	0.74	564	6	0.13	281	930	652	0.26	31	114	0.34	104	20	1290
G2000		1.18	0.73	555	5	0.13	270	950	645	0.26	28	118	0.34	100	20	1250
G2000		1.31	0.78	569	6	0.14	281	980	678	0.28	32	120	0.37	107	20	1310
G2000		1.36	0.80	583	6	0.15	289	990	700	0.27	35	124	0.39	109	10	1300
G2000		1.26	0.73	564	5	0.15	279	1000	671	0.25	29	118	0.34	100	10	1245
G2000																
G2000																
G2000		1.30	0.72	552	5	0.13	277	970	679	0.26	30	119	0.34	102	10	1335
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
GS-30																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
LKSD-3				2.6	6.07	28	590	1.4	<2	1.54	0.5	28	67	33	3.75	
LKSD-3				2.4	6.47	36	640	1.4	4	1.58	<0.5	29	70	38	3.87	
Target Range - Lower Bound				1.9	5.93	19	560	1.0	<2	1.47	<0.5	26	62	31	3.46	
Upper Bound				3.5	7.27	35	700	2.4	4	1.81	1.0	34	77	40	4.26	
OxE21		0.637														
OxE21		0.649														
OxE21		0.644														
OxE21		0.639														
OxE21		0.652														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.48														
OXK35		3.51														
OXK35		3.44														
OXK35			3.53													
OXK35		3.51														
OXK35		3.53														
Target Range - Lower Bound		3.24	3.19													
Upper Bound		3.74	3.78													
SI15		1.780														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																<0.01
BLANK																<0.01
BLANK																0.01
BLANK																<0.01
BLANK				<0.5	<0.01	7	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	6	<1	<0.01	
BLANK				<0.5	<0.01	8	<10	<0.5	<2	<0.01	0.9	<1	1	1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	<1	1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
LKSD-3		1.72	1.08	1290	1	1.57	51	1020	30	0.15	<5	249	0.26	68	<10	130
LKSD-3		1.84	1.12	1330	1	1.60	52	1080	35	0.17	<5	262	0.27	75	<10	145
Target Range - Lower Bound		1.63	1.08	1210	<1	1.52	41	910	24	0.12	<5	238	0.24	67	<10	133
Upper Bound		2.01	1.34	1490	2	1.88	53	1130	34	0.16	10	294	0.32	84	20	167
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	1	10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
BLANKS																
BLANK																<0.01
BLANK			<0.05													
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL																1.20
DUP																1.14
Target Range - Lower Bound																1.09
Upper Bound																1.25
ORIGINAL		0.010														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL				<0.5	2.41	8	20	<0.5	<2	2.12	<0.5	112	3110	493	8.70	
DUP				<0.5	2.32	<5	20	<0.5	<2	2.02	<0.5	105	2710	472	8.25	
Target Range - Lower Bound				<0.5	2.23	<5	<10	<0.5	<2	1.95	<0.5	101	2760	456	8.03	
Upper Bound				1.0	2.50	10	40	1.0	4	2.19	1.0	116	3060	509	8.92	
B364056				<0.5	0.12	7	20	<0.5	<2	20.0	<0.5	2	<1	3	0.11	
DUP				<0.5	0.11	<5	20	<0.5	<2	18.95	<0.5	<1	<1	2	0.10	
Target Range - Lower Bound				<0.5	0.09	<5	<10	<0.5	<2	18.50	<0.5	<1	<1	<1	0.08	
Upper Bound				1.0	0.14	10	40	1.0	4	20.5	1.0	2	2	5	0.13	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	3	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.03	14.70	1550	<1	0.28	2270	10	2	0.01	<5	37	0.09	104	<10	74
DUP		0.04	13.90	1465	1	0.27	2140	20	2	<0.01	<5	36	0.09	100	<10	74
Target Range - Lower Bound		<0.01	13.55	1420	<1	0.24	2090	<10	<2	<0.01	<5	33	0.07	95	<10	66
Upper Bound		0.06	15.05	1595	2	0.31	2320	20	4	0.02	10	40	0.11	109	20	82
B364056		0.04	11.60	148	<1	0.02	1	540	5	<0.01	<5	116	0.01	1	<10	7
DUP		0.04	11.00	140	<1	0.02	4	500	2	<0.01	<5	110	0.01	2	<10	6
Target Range - Lower Bound		0.02	10.70	127	<1	<0.01	<1	470	<2	<0.01	<5	105	<0.01	<1	<10	<2
Upper Bound		0.06	11.90	161	2	0.04	5	570	4	0.02	10	121	0.02	2	20	11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
B364062																0.01
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B364063		0.112														
DUP		0.102														
Target Range - Lower Bound		0.092														
Upper Bound		0.122														
B364090				1.3	7.40	24	2220	3.4	<2	4.99	<0.5	28	148	102	5.16	
DUP				1.8	7.16	10	2170	3.6	<2	4.83	<0.5	26	136	100	4.99	
Target Range - Lower Bound				<0.5	6.90	6	2070	2.3	<2	4.64	<0.5	24	133	94	4.80	
Upper Bound				2.6	7.66	28	2320	4.7	4	5.18	1.0	30	151	108	5.35	
B364100																0.02
DUP																0.02
Target Range - Lower Bound																<0.01
Upper Bound																0.04
B364101		0.029														
DUP		0.027														
Target Range - Lower Bound		0.017														
Upper Bound		0.039														
B364121		0.076														
DUP		0.085														
Target Range - Lower Bound		0.066														
Upper Bound		0.095														
B364135				<0.5	8.43	312	1760	3.2	6	2.53	<0.5	8	45	63	2.66	
DUP				<0.5	7.95	256	1680	3.1	5	2.40	<0.5	8	40	63	2.53	
Target Range - Lower Bound				<0.5	7.76	260	1610	2.0	<2	2.32	<0.5	6	38	58	2.45	
Upper Bound				1.0	8.62	308	1830	4.3	10	2.61	1.0	10	47	68	2.74	
B364138																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
B364062 DUP																
Target Range - Lower Bound																
Upper Bound																
B364063 DUP																
Target Range - Lower Bound																
Upper Bound																
B364090		3.33	3.01	1105	14	2.32	69	2400	25	0.33	<5	1700	0.40	172	10	102
DUP		3.28	2.90	1075	13	2.24	64	2310	30	0.31	<5	1645	0.35	163	<10	97
Target Range - Lower Bound		3.12	2.79	1025	11	2.15	61	2220	22	0.28	<5	1585	0.34	157	<10	91
Upper Bound		3.49	3.12	1155	16	2.41	72	2490	33	0.36	10	1760	0.41	178	20	108
B364100 DUP																
Target Range - Lower Bound																
Upper Bound																
B364101 DUP																
Target Range - Lower Bound																
Upper Bound																
B364121 DUP																
Target Range - Lower Bound																
Upper Bound																
B364135		4.41	0.99	217	1	1.72	20	680	13	0.30	<5	506	0.34	42	10	27
DUP		4.27	0.95	208	3	1.67	19	650	17	0.28	<5	480	0.34	41	10	27
Target Range - Lower Bound		4.10	0.90	192	<1	1.59	17	610	10	0.26	<5	466	0.30	37	<10	22
Upper Bound		4.58	1.04	233	4	1.80	22	720	20	0.32	10	520	0.38	46	20	32
B364138 DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
B364141		0.048														
DUP		0.044														
Target Range - Lower Bound		0.034														
Upper Bound		0.058														
B364176																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B364179		1.465														
DUP		1.305														
Target Range - Lower Bound		1.305														
Upper Bound		1.465														
ORIGINAL			18.45													
DUP			18.85													
Target Range - Lower Bound			17.60													
Upper Bound			19.70													
ORIGINAL				53.1	5.93	566	80	4.5	4	0.10	0.9	83	149	2100	9.76	
DUP				53.7	5.99	581	120	4.6	2	0.10	1.3	85	154	2160	9.90	
Target Range - Lower Bound				49.7	5.64	535	80	3.3	<2	0.08	<0.5	78	142	2020	9.32	
Upper Bound				57.1	6.28	612	130	5.8	4	0.13	2.2	90	161	2240	10.35	
ORIGINAL			12.15													
DUP			12.20													
Target Range - Lower Bound			11.45													
Upper Bound			12.90													
ORIGINAL		0.450														
DUP		0.438														
Target Range - Lower Bound		0.412														
Upper Bound		0.476														
ORIGINAL				2.1	8.11	60	730	5.1	<2	0.03	<0.5	12	53	346	2.03	
DUP				0.6	8.13	56	650	5.1	3	0.04	<0.5	12	52	387	2.02	
Target Range - Lower Bound				<0.5	7.69	45	640	3.8	<2	<0.01	<0.5	9	48	346	1.90	
Upper Bound				2.4	8.55	71	740	6.4	4	0.06	1.0	15	57	387	2.15	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
B364141 DUP																
Target Range - Lower Bound																
Upper Bound																
B364176 DUP																
Target Range - Lower Bound																
Upper Bound																
B364179 DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		2.07	0.06	50	7	0.07	166	2330	1445	>10.0	109	483	0.20	373	290	44
DUP		2.11	0.06	49	7	0.07	172	2350	1440	>10.0	115	486	0.21	384	300	45
Target Range - Lower Bound		1.97	0.04	37	5	0.05	159	2200	1365	9.48	96	458	0.17	358	260	38
Upper Bound		2.21	0.08	62	9	0.09	179	2480	1520	10.00	128	511	0.24	399	330	51
ORIGINAL DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		4.27	0.32	62	3	0.10	9	650	141	2.21	<5	382	0.25	162	40	25
DUP		4.27	0.33	64	2	0.11	12	650	145	2.19	<5	386	0.24	163	30	25
Target Range - Lower Bound		4.04	0.29	50	<1	0.08	8	600	132	2.07	<5	363	0.21	152	<10	20
Upper Bound		4.50	0.36	76	5	0.13	13	700	154	2.33	10	405	0.28	173	60	30

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
ORIGINAL				6.7	6.17	112	110	5.2	26	0.08	1.6	4	34	315	2.98	
DUP				6.8	6.16	118	70	5.2	25	0.09	1.9	5	35	311	2.91	
Target Range - Lower Bound				5.4	5.84	99	70	3.9	20	0.06	0.7	2	31	295	2.78	
Upper Bound				8.1	6.49	131	110	6.5	31	0.11	2.8	7	38	331	3.11	
ORIGINAL		0.015														
DUP		0.016														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
ORIGINAL		0.027														
DUP		0.027														
Target Range - Lower Bound		0.016														
Upper Bound		0.038														
ORIGINAL		0.335														
DUP		0.364														
Target Range - Lower Bound		0.322														
Upper Bound		0.377														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05080930

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
	ORIGINAL	3.75	0.24	59	22	0.08	9	1660	175	3.70	<5	683	0.05	160	<10	114
	DUP	3.73	0.24	56	22	0.08	7	1610	172	3.67	<5	676	0.05	158	10	112
	Target Range - Lower Bound	3.53	0.21	45	19	0.06	6	1530	161	3.48	<5	644	0.03	149	<10	103
	Upper Bound	3.95	0.27	70	25	0.10	10	1740	186	3.89	10	715	0.07	169	20	123
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05083821

Project: Dublin Gulch-1735

P.O. No.:

This report is for 150 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
STANDARDS																
BM-8				5.6	2.53	68	80	13.0	29	0.34	13.0	41	269	80	3.65	
BM-8				6.3	2.63	73	80	13.8	30	0.36	13.7	44	274	83	3.61	
BM-8				6.3	2.76	83	80	14.6	35	0.37	13.8	45	267	89	3.66	
Target Range - Lower Bound				5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	
Upper Bound				7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	
BM-9/A				12.1	3.42	22	190	0.9	108	0.21	25.3	91	364	5390	4.16	
BM-9/A				14.4	3.75	23	220	1.0	125	0.23	27.9	102	364	5640	4.45	
Target Range - Lower Bound				11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	
Upper Bound				15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59	
G2000																0.78
G2000																0.78
G2000																0.73
G2000																0.77
G2000																0.72
G2000																0.73
G2000																0.69
G2000																0.68
G2000																0.76
G2000																0.79
G2000				3.2	4.94	468	2310	1.2	3	0.56	6.6	22	96	297	3.82	
G2000				3.7	5.01	475	2370	1.2	<2	0.58	6.9	23	103	299	3.85	
G2000				4.0	4.88	487	2280	1.2	<2	0.56	6.7	22	104	302	3.75	
G2000				5.3	5.23	508	2480	1.3	4	0.63	8.0	24	102	310	3.95	
G2000				3.4	5.02	477	2370	1.3	4	0.58	7.1	23	98	305	3.78	
G2000				3.7	5.31	501	2430	1.3	2	0.60	7.4	24	98	300	3.86	
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81
GS-30			33.7													
Target Range - Lower Bound			31.1													
Upper Bound			35.9													
OxE21		0.609														
OxE21		0.704														
OxE21		0.638														
OxE21		0.651														
OxE21		0.639														
OxE21		0.605														
OxE21		0.627														
OxE21		0.658														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
BM-8		0.77	0.20	368	29	1.19	180	80	87	0.19	35	107	0.03	82	30	166
BM-8		0.82	0.21	380	31	1.28	179	90	89	0.20	37	111	0.03	81	30	157
BM-8		0.84	0.21	381	31	1.28	182	80	94	0.21	35	118	0.03	82	30	159
Target Range - Lower Bound		0.72	0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.90	0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.12	0.77	619	3	0.45	374	100	6340	1.31	8	84	0.09	22	<10	8020
BM-9/A		0.13	0.84	663	4	0.48	388	110	6710	1.45	13	97	0.09	24	<10	8580
Target Range - Lower Bound		0.10	0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		1.23	0.73	583	6	0.14	282	950	671	0.26	32	114	0.34	105	10	1260
G2000		1.22	0.74	582	5	0.13	284	960	678	0.26	32	114	0.35	106	20	1285
G2000		1.24	0.72	564	5	0.13	287	950	651	0.25	35	112	0.35	107	10	1280
G2000		1.30	0.77	588	6	0.14	294	1030	688	0.27	31	121	0.35	110	10	1355
G2000		1.26	0.75	569	5	0.12	281	970	666	0.25	33	117	0.35	104	10	1270
G2000		1.32	0.76	588	6	0.15	283	990	704	0.27	37	125	0.37	105	20	1295
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
GS-30																
Target Range - Lower Bound																
Upper Bound																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
STANDARDS																
OXK35		3.59														
OXK35		3.53														
OXK35		3.42														
OXK35		3.57														
OXK35		3.44														
OXK35		3.61														
OXK35		3.69														
OXK35			3.48													
OXK35		3.58														
Target Range - Lower Bound		3.24	3.19													
Upper Bound		3.74	3.78													
SI15		1.755														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.05													
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	<1	<1	<1	<0.01	
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	0.01	1	10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	0.01	1	10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	1	<10	<2
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL		0.424														
DUP		0.466														
Target Range - Lower Bound		0.413														
Upper Bound		0.477														
ORIGINAL		0.079														
DUP		0.076														
Target Range - Lower Bound		0.064														
Upper Bound		0.091														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.672														
DUP		0.667														
Target Range - Lower Bound		0.626														
Upper Bound		0.713														
ORIGINAL		0.023														
DUP		0.015														
Target Range - Lower Bound		0.008														
Upper Bound		0.030														
ORIGINAL		0.331														
DUP		0.300														
Target Range - Lower Bound		0.290														
Upper Bound		0.341														
ORIGINAL		0.298														
DUP		0.288														
Target Range - Lower Bound		0.268														
Upper Bound		0.318														
ORIGINAL			11.75													
DUP			11.80													
Target Range - Lower Bound			11.10													
Upper Bound			12.45													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL			0.36													
DUP			0.31													
Target Range - Lower Bound			0.22													
Upper Bound			0.45													
ORIGINAL		0.016														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
ORIGINAL		0.044														
DUP		0.043														
Target Range - Lower Bound		0.031														
Upper Bound		0.056														
B365114				0.5	6.79	86	980	2.6	3	2.46	<0.5	9	25	36	2.12	
DUP				0.5	6.66	49	940	2.5	3	2.34	<0.5	9	24	35	2.04	
Target Range - Lower Bound				<0.5	6.37	54	890	1.4	<2	2.26	<0.5	7	21	32	1.96	
Upper Bound				1.0	7.08	81	1030	3.7	4	2.54	1.0	11	28	39	2.20	
B365554				<0.5	9.28	687	1020	3.5	93	2.69	<0.5	32	69	229	4.49	<0.01
DUP				<0.5	9.08	669	1010	3.5	98	2.69	<0.5	32	70	232	4.48	<0.01
Target Range - Lower Bound				<0.5	8.70	634	940	2.3	87	2.54	<0.5	28	64	217	4.24	<0.01
Upper Bound				1.0	9.66	722	1090	4.7	104	2.84	1.0	36	75	244	4.73	0.02
B365568		0.066														
DUP		0.071														
Target Range - Lower Bound		0.055														
Upper Bound		0.082														
B365572				<0.5	7.30	366	1600	2.8	20	1.75	<0.5	9	28	45	2.25	
DUP				<0.5	6.76	331	1440	2.6	16	1.60	<0.5	9	23	42	2.04	
Target Range - Lower Bound				<0.5	6.66	321	1420	1.6	13	1.57	<0.5	7	22	39	2.02	
Upper Bound				1.0	7.40	376	1620	3.8	23	1.78	1.0	11	29	48	2.27	
B365582		0.237														
DUP		0.125														
Target Range - Lower Bound		0.162														
Upper Bound		0.200														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365114		3.55	0.65	370	4	0.49	18	560	57	0.27	31	263	0.26	32	20	95
DUP		3.43	0.64	353	4	0.46	19	530	55	0.27	31	251	0.25	32	20	95
Target Range - Lower Bound		3.30	0.59	333	2	0.43	16	500	49	0.24	19	242	0.22	28	<10	86
Upper Bound		3.68	0.70	390	6	0.52	21	590	63	0.30	43	272	0.29	36	40	104
B365554		2.59	0.82	270	3	0.92	55	400	11	0.01	<5	323	0.41	86	390	52
DUP		2.58	0.81	271	3	0.92	54	380	9	0.01	<5	324	0.41	86	380	54
Target Range - Lower Bound		2.44	0.75	247	<1	0.85	50	350	6	<0.01	<5	305	0.37	80	350	46
Upper Bound		2.73	0.88	294	5	0.99	59	430	15	0.02	10	342	0.45	92	420	60
B365568																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365572		3.78	0.70	170	1	1.42	20	630	19	<0.01	<5	348	0.30	36	10	30
DUP		3.58	0.64	154	<1	1.30	20	570	17	<0.01	<5	322	0.28	34	10	28
Target Range - Lower Bound		3.48	0.62	144	<1	1.27	17	550	13	<0.01	<5	316	0.26	31	<10	24
Upper Bound		3.88	0.72	180	2	1.45	23	650	23	0.02	10	354	0.32	39	20	34
B365582																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
B365592																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365610				<0.5	6.73	1230	670	5.6	<2	0.01	<0.5	5	206	38	3.68	
DUP				<0.5	6.48	1200	640	5.5	<2	0.02	<0.5	5	192	38	3.53	
Target Range - Lower Bound				<0.5	6.25	1145	600	4.3	<2	<0.01	<0.5	3	187	34	3.40	
Upper Bound				1.0	6.96	1285	710	6.8	4	0.02	1.0	7	211	42	3.81	
B365630																<0.01
DUP																0.02
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365639		0.103														
DUP		0.095														
Target Range - Lower Bound		0.084														
Upper Bound		0.114														
B365647				<0.5	7.31	70	1490	2.9	6	2.12	<0.5	9	29	44	2.35	
DUP				<0.5	7.54	68	1520	3.0	7	2.16	<0.5	8	29	45	2.38	
Target Range - Lower Bound				<0.5	7.03	56	1410	1.8	<2	2.01	<0.5	6	26	40	2.23	
Upper Bound				1.0	7.82	82	1600	4.1	11	2.27	1.0	11	32	49	2.50	
B365658		0.682														
DUP		0.669														
Target Range - Lower Bound		0.632														
Upper Bound		0.719														
B365667																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365685				<0.5	8.14	34	1650	3.0	8	2.51	<0.5	8	32	39	2.52	
DUP				<0.5	8.10	23	1680	3.0	10	2.56	<0.5	8	30	39	2.55	
Target Range - Lower Bound				<0.5	7.69	17	1560	1.9	5	2.39	<0.5	6	27	35	2.39	
Upper Bound				1.0	8.55	40	1770	4.2	13	2.68	1.0	10	35	43	2.68	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
B365592																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365610		2.60	0.34	89	2	0.11	21	300	25	0.01	107	87	0.24	91	10	47
DUP		2.57	0.33	86	2	0.11	20	290	24	0.01	106	85	0.24	90	10	46
Target Range - Lower Bound		2.44	0.30	73	<1	0.08	17	260	19	<0.01	91	80	0.21	84	<10	40
Upper Bound		2.73	0.37	102	4	0.14	24	330	30	0.02	122	92	0.27	97	20	53
B365630																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365639																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365647		3.77	0.77	230	14	1.64	21	590	22	0.16	<5	448	0.30	36	20	46
DUP		3.85	0.78	232	14	1.70	23	600	22	0.17	<5	463	0.30	36	10	47
Target Range - Lower Bound		3.60	0.72	209	11	1.57	19	550	17	0.14	<5	431	0.27	32	<10	40
Upper Bound		4.02	0.83	253	17	1.77	25	640	27	0.19	10	480	0.34	40	20	53
B365658																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365667																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365685		3.62	0.86	237	3	1.70	23	630	21	0.21	<5	516	0.33	39	<10	30
DUP		3.71	0.87	241	5	1.77	25	690	15	0.21	<5	529	0.33	40	10	30
Target Range - Lower Bound		3.46	0.80	217	2	1.63	21	610	13	0.18	<5	494	0.29	36	<10	25
Upper Bound		3.87	0.93	261	6	1.84	27	710	23	0.24	10	551	0.37	43	20	36

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
ORIGINAL		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B365926		0.219														
DUP		0.208														
Target Range - Lower Bound		0.193														
Upper Bound		0.234														
ORIGINAL		0.028														
DUP		0.028														
Target Range - Lower Bound		0.017														
Upper Bound		0.039														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		5.42														
DUP		5.27														
Target Range - Lower Bound		5.07														
Upper Bound		5.62														
ORIGINAL																0.09
DUP																0.08
Target Range - Lower Bound																0.06
Upper Bound																0.11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083821

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365926																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da(4-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05082980

Project: Dublin Gulch-1735

P.O. No.:

This report is for 133 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-8				6.7	2.68	81	80	14.3	33	0.37	13.3	44	275	95	3.65	
BM-8				5.6	2.68	61	80	13.9	32	0.36	13.2	41	262	82	3.55	
Target Range - Lower Bound				5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	
Upper Bound				7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	
BM-9/A				14.5	3.80	8	230	1.0	124	0.23	28.7	106	388	5800	4.50	
BM-9/A				14.0	3.68	29	210	0.9	112	0.24	26.5	100	363	5450	4.26	
BM-9/A				13.2	3.73	21	210	1.0	120	0.23	26.1	102	338	5540	4.46	
BM-9/A				13.5	3.57	25	210	0.9	118	0.22	26.2	97	360	5360	4.19	
Target Range - Lower Bound				11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	
Upper Bound				15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59	
G2000																0.78
G2000																0.75
G2000																0.80
G2000																0.68
G2000																0.78
G2000																0.70
G2000				3.9	4.99	475	2300	1.3	<2	0.57	7.2	23	95	299	3.72	
G2000				3.8	5.19	484	2470	1.3	2	0.61	7.3	24	101	305	3.87	
G2000				3.2	4.97	467	2350	1.3	<2	0.59	7.2	22	97	292	3.72	
G2000				6.4	4.98	483	2210	1.3	<2	0.58	6.6	24	95	294	3.77	
G2000																0.79
G2000																0.78
G2000				3.7	4.99	483	2320	1.3	<2	0.55	6.9	24	103	298	3.70	
G2000				3.9	5.35	480	2410	1.3	<2	0.60	7.4	25	101	308	3.87	
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81
GS-30			33.7													
Target Range - Lower Bound			31.1													
Upper Bound			35.9													
OxE21		0.633														
OxE21		0.659														
OxE21		0.640														
OxE21		0.660														
OxE21		0.648														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
BM-8		0.83	0.20	369	31	1.26	184	100	88	0.21	40	114	0.03	85	30	163
BM-8		0.81	0.20	359	29	1.26	175	80	87	0.20	33	112	0.03	77	30	150
Target Range - Lower Bound		0.72	0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.90	0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.13	0.87	662	4	0.50	398	110	7120	1.43	11	98	0.09	24	<10	8700
BM-9/A		0.12	0.81	637	4	0.47	361	100	6660	1.42	9	90	0.08	22	<10	8140
BM-9/A		0.12	0.83	644	3	0.47	388	90	6900	1.37	11	94	0.09	22	<10	8680
BM-9/A		0.11	0.78	676	3	0.45	374	110	6500	1.39	5	90	0.08	22	<10	7910
Target Range - Lower Bound		0.10	0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		1.27	0.75	545	6	0.13	281	990	675	0.25	31	119	0.35	106	10	1255
G2000		1.30	0.75	581	6	0.14	281	970	676	0.27	34	118	0.35	109	10	1310
G2000		1.24	0.72	553	4	0.13	272	960	640	0.26	30	115	0.33	104	10	1235
G2000		1.26	0.73	562	5	0.13	275	960	659	0.25	35	117	0.35	102	10	1270
G2000																
G2000																
G2000		1.20	0.72	567	5	0.13	276	950	647	0.26	26	118	0.33	99	10	1220
G2000		1.29	0.76	581	5	0.14	286	980	683	0.27	34	120	0.36	103	10	1300
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
GS-30																
Target Range - Lower Bound																
Upper Bound																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
STANDARDS																
OXK35		3.62														
OXK35		3.59														
OXK35		3.58														
OXK35			3.52													
OXK35		3.50														
OXK35		3.62														
Target Range - Lower Bound		3.24	3.19													
Upper Bound		3.74	3.78													
SI15		1.845														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
SP17			17.85													
Target Range - Lower Bound			16.80													
Upper Bound			19.45													
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK		<0.005														
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK																<0.01
BLANK			<0.05													
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
SP17																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
ORIGINAL																0.39
DUP																0.36
Target Range - Lower Bound																0.34
Upper Bound																0.41
ORIGINAL		0.031														
DUP		0.038														
Target Range - Lower Bound		0.023														
Upper Bound		0.046														
ORIGINAL		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														
ORIGINAL		2.68														
DUP		2.74														
Target Range - Lower Bound		2.56														
Upper Bound		2.86														
ORIGINAL			79.8													
DUP			82.1													
Target Range - Lower Bound			76.8													
Upper Bound			85.1													
ORIGINAL		0.007														
DUP		0.016														
Target Range - Lower Bound		<0.005														
Upper Bound		0.022														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL				<0.5	0.08	<5	600	<0.5	<2	0.30	<0.5	<1	9	1310	0.57	
DUP				<0.5	0.08	8	570	<0.5	<2	0.30	<0.5	<1	9	1305	0.56	
Target Range - Lower Bound				<0.5	0.06	<5	540	<0.5	<2	0.27	<0.5	<1	7	1240	0.52	
Upper Bound				1.0	0.10	10	630	1.0	4	0.34	1.0	2	11	1375	0.61	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															
	ORIGINAL															
	DUP															
	Target Range - Lower Bound															
	Upper Bound															
	ORIGINAL	0.03	0.01	23	<1	0.01	<1	80	<2	0.16	<5	3150	<0.01	3	<10	3
	DUP	0.03	0.01	23	1	0.01	1	80	<2	0.17	<5	3240	<0.01	3	<10	2
	Target Range - Lower Bound	<0.01	<0.01	12	<1	<0.01	<1	60	<2	0.14	<5	3030	<0.01	<1	<10	<2
	Upper Bound	0.05	0.02	34	2	0.02	2	100	4	0.19	10	3360	0.02	5	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
ORIGINAL				<0.5	5.31	8	390	1.4	<2	0.26	<0.5	2	178	2	0.83	
DUP				<0.5	4.99	<5	370	1.3	<2	0.24	<0.5	1	163	2	0.80	
Target Range - Lower Bound				<0.5	4.87	<5	340	<0.5	<2	0.22	<0.5	<1	160	<1	0.75	
Upper Bound				1.0	5.43	10	420	2.4	4	0.28	1.0	2	181	4	0.88	
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B364775																0.03
DUP																0.04
Target Range - Lower Bound																<0.01
Upper Bound																0.06
B364777				<0.5	7.66	82	1500	3.0	2	2.36	<0.5	11	30	31	2.48	
DUP				<0.5	8.23	83	1540	3.2	3	2.43	<0.5	12	32	34	2.56	
Target Range - Lower Bound				<0.5	7.53	68	1420	1.9	<2	2.26	<0.5	9	27	29	2.37	
Upper Bound				1.0	8.36	97	1620	4.3	4	2.53	1.0	14	35	36	2.67	
B364787																0.02
DUP																0.02
Target Range - Lower Bound																<0.01
Upper Bound																0.04
B364788		0.219														
DUP		0.449														
Target Range - Lower Bound		0.307														
Upper Bound		0.361														
B364803				<0.5	7.11	1055	1430	3.0	20	1.79	<0.5	11	28	91	2.41	
DUP				<0.5	7.21	1070	1610	3.0	23	1.82	<0.5	10	29	90	2.45	
Target Range - Lower Bound				<0.5	6.78	999	1420	1.9	16	1.69	<0.5	8	25	84	2.29	
Upper Bound				1.0	7.54	1125	1620	4.2	27	1.92	1.0	13	32	97	2.57	
B364813																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

094876

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL		1.47	0.29	366	1	0.87	11	140	13	0.01	<5	79	0.60	67	<10	14
DUP		1.41	0.27	347	<1	0.81	10	140	12	0.01	<5	74	0.58	63	<10	13
Target Range - Lower Bound		1.35	0.25	329	<1	0.78	8	110	8	<0.01	<5	71	0.54	60	<10	9
Upper Bound		1.53	0.31	384	2	0.90	13	170	17	0.02	10	82	0.64	70	20	18
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B364775																
DUP																
Target Range - Lower Bound																
Upper Bound																
B364777		3.24	0.85	271	1	1.70	20	640	15	0.08	<5	488	0.31	39	10	41
DUP		3.35	0.87	278	1	1.76	20	650	17	0.09	<5	515	0.32	39	10	44
Target Range - Lower Bound		3.11	0.80	251	<1	1.62	17	590	11	0.06	<5	474	0.28	35	<10	36
Upper Bound		3.48	0.92	298	2	1.84	23	700	21	0.11	10	529	0.35	43	20	49
B364787																
DUP																
Target Range - Lower Bound																
Upper Bound																
B364788																
DUP																
Target Range - Lower Bound																
Upper Bound																
B364803		3.75	0.66	128	<1	1.43	16	560	12	0.55	<5	407	0.26	33	10	21
DUP		3.72	0.66	131	<1	1.41	17	570	14	0.55	<5	406	0.26	33	20	22
Target Range - Lower Bound		3.53	0.61	113	<1	1.33	14	520	8	0.50	<5	384	0.23	29	<10	16
Upper Bound		3.94	0.71	146	2	1.51	19	610	18	0.60	10	429	0.29	37	20	27
B364813																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
B364841				<0.5	8.42	29	1820	3.0	<2	2.73	<0.5	9	36	41	2.68	
DUP				<0.5	8.27	21	1780	2.9	<2	2.65	<0.5	9	30	39	2.63	
Target Range - Lower Bound				<0.5	7.91	14	1690	1.8	<2	2.54	<0.5	7	29	36	2.50	
Upper Bound				1.0	8.78	36	1910	4.1	4	2.84	1.0	11	37	44	2.81	
B364848		0.189														
DUP		0.196														
Target Range - Lower Bound		0.173														
Upper Bound		0.212														
B364851																0.01
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B364868		0.053														
DUP		0.051														
Target Range - Lower Bound		0.039														
Upper Bound		0.065														
ORIGINAL				<0.5	7.09	<5	160	<0.5	<2	6.15	<0.5	43	225	32	7.51	
DUP				<0.5	6.98	<5	160	<0.5	<2	6.20	<0.5	42	252	31	7.53	
Target Range - Lower Bound				<0.5	6.66	<5	130	<0.5	<2	5.85	<0.5	38	225	28	7.12	
Upper Bound				1.0	7.41	10	190	1.0	4	6.50	1.0	47	252	35	7.92	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05082980

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
B364841		3.78	0.94	237	1	1.83	23	730	15	0.21	<5	582	0.33	43	10	30
DUP		3.65	0.92	233	<1	1.77	18	710	10	0.20	<5	555	0.33	42	10	29
	Target Range - Lower Bound	3.51	0.86	213	<1	1.69	17	660	8	0.17	<5	538	0.29	38	<10	24
	Upper Bound	3.92	1.00	257	2	1.91	24	780	17	0.24	10	599	0.37	47	20	35
B364848																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
B364851																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
B364868																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL		0.93	4.32	1395	1	1.58	146	550	6	0.15	<5	236	0.53	190	<10	136
DUP		0.92	4.29	1400	<1	1.54	153	550	3	0.14	<5	230	0.53	191	<10	138
	Target Range - Lower Bound	0.86	4.07	1320	<1	1.46	140	500	<2	0.12	<5	219	0.48	179	<10	126
	Upper Bound	0.99	4.54	1475	2	1.66	159	600	9	0.17	10	247	0.58	202	20	148

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05083939

Project: Dublin Gulch-1735

P.O. No.:

This report is for 180 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 28-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Zn-AA62	Ore grade Zn - four acid / AAS	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-8				5.7	2.51	67	80	13.4	30	0.35	12.7	42	257	81	3.55	
BM-8				5.9	2.60	64	80	13.9	31	0.35	12.6	44	264	83	3.61	
Target Range - Lower Bound				5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	
Upper Bound				7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	
BM-9/A				12.7	3.55	16	200	0.9	110	0.23	26.0	92	352	5370	4.07	
BM-9/A				13.5	3.66	30	210	0.9	116	0.22	26.7	106	373	5430	4.37	
BM-9/A				14.4	3.56	19	200	0.9	109	0.22	26.9	94	336	5430	4.18	
Target Range - Lower Bound				11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	
Upper Bound				15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59	
G2000																0.82
G2000																0.79
G2000																0.77
G2000																0.74
G2000																0.72
G2000																0.79
G2000																0.79
G2000																0.67
G2000																0.76
G2000																0.74
G2000				3.4	5.01	482	2280	1.2	2	0.56	6.9	22	98	300	3.68	
G2000				4.0	4.99	492	2310	1.3	<2	0.57	7.2	23	100	304	3.71	
G2000				3.6	4.93	488	2370	1.2	<2	0.58	6.9	22	103	289	3.84	
G2000				3.8	5.13	494	2380	1.3	<2	0.59	7.3	24	100	304	3.87	
G2000				3.6	5.03	479	2360	1.3	<2	0.58	7.4	24	97	301	3.81	
G2000																0.79
G2000																0.77
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GS-30			34.2													
Target Range - Lower Bound			31.1													
Upper Bound			35.9													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method Analyte Units LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
BM-8		0.77	0.20	375	29	1.12	184	80	87	0.20	35	106	0.03	80	20	155
BM-8		0.81	0.21	364	30	1.30	182	80	92	0.21	32	110	0.03	82	30	170
Target Range - Lower Bound		0.72	0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.90	0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.12	0.77	643	2	0.44	362	100	6450	1.36	7	87	0.09	20	<10	8080
BM-9/A		0.13	0.83	659	4	0.50	387	110	6590	1.43	6	89	0.09	23	<10	8340
BM-9/A		0.12	0.78	605	3	0.47	369	100	6490	1.37	8	89	0.08	22	<10	8120
Target Range - Lower Bound		0.10	0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		1.26	0.70	565	5	0.11	271	940	645	0.26	31	113	0.35	100	10	1250
G2000		1.25	0.71	567	5	0.11	283	950	668	0.26	33	114	0.35	105	10	1290
G2000		1.24	0.74	549	5	0.12	281	940	663	0.26	31	112	0.36	106	10	1240
G2000		1.30	0.77	570	5	0.13	285	960	671	0.27	32	118	0.36	108	10	1285
G2000		1.28	0.73	566	6	0.14	283	950	669	0.26	34	117	0.35	105	10	1285
G2000																
G2000																
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
GBM399-5																
Target Range - Lower Bound																
Upper Bound																
GS-30																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
		STANDARDS
BM-8		
BM-8		
Target Range - Lower Bound		
Upper Bound		
BM-9/A		
BM-9/A		
BM-9/A		
Target Range - Lower Bound		
Upper Bound		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
G2000		
Target Range - Lower Bound		
Upper Bound		
GBM399-5		0.92
Target Range - Lower Bound		0.91
Upper Bound		0.99
GS-30		
Target Range - Lower Bound		
Upper Bound		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
OxE21		0.630														
OxE21		0.612														
OxE21		0.625														
OxE21		0.653														
OxE21		0.658														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.54														
OXK35		3.52														
OXK35		3.55														
OXK35		3.60														
OXK35		3.58														
OXK35			3.48													
Target Range - Lower Bound		3.24	3.19													
Upper Bound		3.74	3.78													
Pb-107																
Target Range - Lower Bound																
Upper Bound																
SI15		1.955														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.05													
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
Pb-107																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	Zn-AA62
	Analyte	Zn
	Units	%
	LOR	0.01
STANDARDS		
OxE21		
OxE21		
OxE21		
OxE21		
OxE21		
Target Range - Lower Bound		
Upper Bound		
OXK35		
OXK35		
OXK35		
OXK35		
OXK35		
OXK35		
Target Range - Lower Bound		
Upper Bound		
Pb-107		2.72
Target Range - Lower Bound		2.69
Upper Bound		2.91
SI15		
Target Range - Lower Bound		
Upper Bound		
BLANKS		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		
BLANK		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
BLANKS																
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK																<0.01
BLANK																
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		6.53														
DUP		5.94														
Target Range - Lower Bound		5.91														
Upper Bound		6.56														
ORIGINAL		0.672														
DUP		0.667														
Target Range - Lower Bound		0.626														
Upper Bound		0.713														
B365009		0.126														
DUP		0.109														
Target Range - Lower Bound		0.102														
Upper Bound		0.133														
B365120		0.857														
DUP		0.951														
Target Range - Lower Bound		0.849														
Upper Bound		0.959														
B365125																0.01
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365582		0.272														
DUP		0.125														
Target Range - Lower Bound		0.179														
Upper Bound		0.218														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS																
BLANK		<0.01	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365009																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365120																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365125																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365582																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
BLANKS		
BLANK		
BLANK		
BLANK		
BLANK		<0.01
Target Range - Lower Bound		<0.01
Upper Bound		0.02
DUPLICATES		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
B365009		
DUP		
Target Range - Lower Bound		
Upper Bound		
B365120		
DUP		
Target Range - Lower Bound		
Upper Bound		
B365125		
DUP		
Target Range - Lower Bound		
Upper Bound		
B365582		
DUP		
Target Range - Lower Bound		
Upper Bound		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
B365368				0.5	7.68	156	1550	3.0	3	2.17	<0.5	7	95	30	2.37	
DUP				<0.5	7.47	155	1500	3.0	<2	2.10	<0.5	7	96	27	2.31	
Target Range - Lower Bound				<0.5	7.18	138	1430	1.9	<2	2.01	<0.5	5	89	25	2.20	
Upper Bound				1.0	7.97	173	1620	4.2	4	2.26	1.0	9	102	32	2.48	
B365375		0.019														
DUP		0.022														
Target Range - Lower Bound		0.009														
Upper Bound		0.032														
B365395		0.031														
DUP		0.032														
Target Range - Lower Bound		0.020														
Upper Bound		0.043														
B365403																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365406				<0.5	7.35	804	1740	2.8	<2	1.50	<0.5	8	88	45	2.38	
DUP				<0.5	7.36	810	1790	2.9	<2	1.53	<0.5	9	90	46	2.44	
Target Range - Lower Bound				<0.5	6.97	757	1660	1.7	<2	1.42	<0.5	6	83	41	2.27	
Upper Bound				1.0	7.74	857	1870	4.0	4	1.61	1.0	11	95	50	2.55	
B365441																0.01
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365444				0.6	6.74	191	1560	2.4	553	2.20	<0.5	10	31	79	2.67	
DUP				<0.5	7.09	197	1560	2.4	558	2.19	<0.5	11	29	81	2.68	
Target Range - Lower Bound				<0.5	6.55	174	1460	1.3	524	2.07	<0.5	8	27	74	2.52	
Upper Bound				1.0	7.28	214	1660	3.5	587	2.32	1.0	13	34	86	2.83	
B365453		0.063														
DUP		0.065														
Target Range - Lower Bound		0.051														
Upper Bound		0.077														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
B365368		3.54	0.75	266	<1	1.65	24	640	18	0.01	<5	470	0.32	36	10	42
DUP		3.47	0.74	259	<1	1.64	23	630	19	0.01	<5	465	0.31	36	<10	41
Target Range - Lower Bound		3.31	0.69	239	<1	1.54	20	580	14	<0.01	<5	442	0.28	32	<10	35
Upper Bound		3.70	0.80	286	2	1.75	27	690	23	0.02	10	493	0.35	40	20	48
B365375																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365395																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365403																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365406		3.68	0.66	188	1	1.39	24	590	15	0.04	8	391	0.30	37	10	55
DUP		3.70	0.67	194	1	1.42	24	620	15	0.04	13	394	0.31	38	10	55
Target Range - Lower Bound		3.49	0.61	171	<1	1.31	21	550	10	0.02	<5	371	0.27	34	<10	48
Upper Bound		3.89	0.72	211	2	1.50	27	660	20	0.06	21	414	0.34	41	20	62
B365441																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365444		3.97	0.73	219	2	1.52	21	590	21	0.60	9	416	0.29	36	10	27
DUP		4.11	0.76	216	3	1.54	22	610	21	0.61	8	426	0.30	37	10	28
Target Range - Lower Bound		3.82	0.69	197	<1	1.43	18	550	16	0.55	<5	398	0.26	33	<10	22
Upper Bound		4.26	0.80	238	5	1.63	25	650	26	0.66	10	444	0.33	40	20	33
B365453																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
		DUPLICATES
B365368 DUP		
Target Range - Lower Bound		
Upper Bound		
B365375 DUP		
Target Range - Lower Bound		
Upper Bound		
B365395 DUP		
Target Range - Lower Bound		
Upper Bound		
B365403 DUP		
Target Range - Lower Bound		
Upper Bound		
B365406 DUP		
Target Range - Lower Bound		
Upper Bound		
B365441 DUP		
Target Range - Lower Bound		
Upper Bound		
B365444 DUP		
Target Range - Lower Bound		
Upper Bound		
B365453 DUP		
Target Range - Lower Bound		
Upper Bound		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description / Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES															
B365479															<0.01
DUP															0.01
Target Range - Lower Bound															<0.01
Upper Bound															0.02
B365482			<0.5	4.98	39	1020	1.9	5	2.42	<0.5	4	73	33	1.73	
DUP			<0.5	4.91	43	990	1.9	4	2.35	<0.5	4	75	33	1.69	
Target Range - Lower Bound			<0.5	4.68	29	930	0.8	<2	2.25	<0.5	2	68	29	1.60	
Upper Bound			1.0	5.21	53	1080	3.0	9	2.52	1.0	6	80	37	1.82	
B365512															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365517															0.06
DUP															0.05
Target Range - Lower Bound															0.03
Upper Bound															0.08
B365520			<0.5	7.86	61	1670	3.3	<2	2.39	<0.5	9	29	54	2.61	
DUP			<0.5	7.53	61	1590	3.1	<2	2.26	<0.5	7	26	49	2.48	
Target Range - Lower Bound			<0.5	7.29	48	1530	2.0	<2	2.19	<0.5	6	24	47	2.40	
Upper Bound			1.0	8.10	74	1730	4.4	4	2.46	1.0	10	31	56	2.69	
B365531	0.297														
DUP	0.327														
Target Range - Lower Bound	0.286														
Upper Bound	0.338														
B627494															<0.01
DUP															<0.01
Target Range - Lower Bound															<0.01
Upper Bound															0.02
ORIGINAL	0.009														
DUP	0.008														
Target Range - Lower Bound	<0.005														
Upper Bound	0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
B365479																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365482		2.66	0.49	181	3	0.92	14	380	10	0.36	5	351	0.19	22	20	12
DUP		2.63	0.48	177	3	0.92	15	360	9	0.35	<5	348	0.18	22	20	12
Target Range - Lower Bound		2.49	0.44	160	<1	0.85	12	330	5	0.32	<5	330	0.16	19	<10	7
Upper Bound		2.80	0.53	198	5	0.99	17	410	14	0.39	10	369	0.21	25	40	17
B365512																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365517																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365520		3.79	0.87	208	1	1.71	22	670	18	0.29	5	499	0.33	40	20	25
DUP		3.55	0.82	197	1	1.61	23	640	17	0.27	<5	472	0.31	37	20	23
Target Range - Lower Bound		3.47	0.78	182	<1	1.56	19	600	13	0.25	<5	459	0.28	35	<10	19
Upper Bound		3.87	0.91	223	2	1.76	26	710	22	0.31	10	512	0.36	42	40	29
B365531																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627494																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
		DUPLICATES
B365479	DUP	
	Target Range - Lower Bound	
	Upper Bound	
B365482	DUP	
	Target Range - Lower Bound	
	Upper Bound	
B365512	DUP	1.34
		1.35
	Target Range - Lower Bound	1.29
	Upper Bound	1.40
B365517	DUP	
	Target Range - Lower Bound	
	Upper Bound	
B365520	DUP	
	Target Range - Lower Bound	
	Upper Bound	
B365531	DUP	
	Target Range - Lower Bound	
	Upper Bound	
B627494	DUP	
	Target Range - Lower Bound	
	Upper Bound	
ORIGINAL	DUP	
	Target Range - Lower Bound	
	Upper Bound	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
ORIGINAL		5.42														
DUP		5.27														
Target Range - Lower Bound		5.07														
Upper Bound		5.62														
ORIGINAL			16.20													
DUP			16.25													
Target Range - Lower Bound			15.30													
Upper Bound			17.15													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05083939

Sample Description	Method / Analyte / Units / LOR	Zn-AA62 / Zn / % / 0.01
		DUPLICATES
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		
ORIGINAL		
DUP		
Target Range - Lower Bound		
Upper Bound		

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05085049

Project: Dublin Gulch-1735

P.O. No.:

This report is for 138 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 29-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
BM-8				5.3	2.65	65	80	13.5	30	0.36	12.6	41	265	80	3.62	
BM-8				5.5	2.39	67	70	12.8	32	0.33	11.8	38	247	84	3.26	
Target Range - Lower Bound				5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	
Upper Bound				7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	
BM-9/A				13.9	3.61	24	210	0.9	112	0.23	25.9	95	360	5720	4.39	
BM-9/A				14.1	3.60	24	200	0.9	113	0.23	25.8	97	381	5590	4.34	
Target Range - Lower Bound				11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	
Upper Bound				15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59	
G2000																0.76
G2000																0.74
G2000																0.77
G2000																0.73
G2000																0.73
G2000																0.67
G2000																0.72
G2000																0.72
G2000																0.75
G2000																0.78
G2000																0.76
G2000																0.75
G2000				3.6	4.95	474	2230	1.3	<2	0.58	7.0	24	96	303	3.73	
G2000				3.6	5.27	489	2380	1.3	<2	0.62	7.4	26	99	303	4.01	
G2000				3.2	4.85	477	2340	1.2	<2	0.58	6.7	23	97	298	3.76	
G2000				3.4	4.72	473	2270	1.2	<2	0.57	6.5	22	96	288	3.68	
G2000				3.9	5.10	466	2400	1.3	<2	0.59	7.4	24	97	305	3.80	
Target Range - Lower Bound				2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68
Upper Bound				4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81
GS-30		34.2														
Target Range - Lower Bound		31.1														
Upper Bound		35.9														
LKSD-3				2.8	6.30	41	600	1.3	3	1.58	0.8	27	63	34	3.62	
Target Range - Lower Bound				1.9	5.93	19	560	1.0	<2	1.47	<0.5	26	62	31	3.46	
Upper Bound				3.5	7.27	35	700	2.4	4	1.81	1.0	34	77	40	4.26	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS																
BM-8		0.76	0.20	359	29	1.24	178	80	81	0.19	33	108	0.03	80	30	155
BM-8		0.72	0.19	336	27	1.11	167	70	77	0.19	31	102	0.03	75	30	146
Target Range - Lower Bound		0.72	0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.90	0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		0.13	0.85	656	4	0.48	381	90	6840	1.35	9	88	0.09	22	<10	8350
BM-9/A		0.13	0.84	661	4	0.47	381	100	6740	1.35	8	89	0.09	22	<10	8380
Target Range - Lower Bound		0.10	0.72	561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		0.14	0.90	697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
G2000		1.23	0.72	541	7	0.13	281	900	641	0.25	31	110	0.34	104	10	1270
G2000		1.31	0.78	577	5	0.15	283	1010	691	0.27	35	120	0.37	108	10	1310
G2000		1.27	0.75	559	5	0.14	286	960	676	0.26	34	112	0.34	102	10	1260
G2000		1.24	0.73	554	5	0.14	271	930	650	0.25	33	108	0.33	100	10	1215
G2000		1.19	0.76	577	7	0.13	278	940	662	0.28	35	118	0.35	104	20	1245
Target Range - Lower Bound		1.16	0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		1.44	0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
GS-30																
Target Range - Lower Bound																
Upper Bound																
LKSD-3		1.65	1.10	1300	2	1.53	48	970	30	0.16	<5	249	0.26	71	<10	134
Target Range - Lower Bound		1.63	1.08	1210	<1	1.52	41	910	24	0.12	<5	238	0.24	67	<10	133
Upper Bound		2.01	1.34	1490	2	1.88	53	1130	34	0.16	10	294	0.32	84	20	167

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
STANDARDS																
OxE21		0.651														
OxE21		0.605														
OxE21		0.627														
OxE21		0.620														
OxE21		0.653														
OxE21		0.658														
OxE21		0.635														
OxE21		0.681														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.53														
OXK35		3.61														
OXK35		3.69														
OXK35		3.59														
OXK35		3.43														
OXK35		3.60														
OXK35		3.58														
OXK35		3.59														
OXK35		3.60														
OXK35			3.51													
Target Range - Lower Bound		3.24	3.19													
Upper Bound		3.74	3.78													
SI15		1.755														
SI15		1.955														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01
BLANK																<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
OxE21																
Target Range - Lower Bound																
Upper Bound																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
OXK35																
Target Range - Lower Bound																
Upper Bound																
SI15																
SI15																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
BLANKS																
BLANK																<0.01
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																<0.01
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	
BLANK			<0.05													
BLANK				<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.7	1	<1	1	<0.01	
Target Range - Lower Bound		<0.005	<0.05	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01
Upper Bound		0.010	0.10	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.079														
DUP		0.076														
Target Range - Lower Bound		0.064														
Upper Bound		0.091														
ORIGINAL		0.672														
DUP		0.667														
Target Range - Lower Bound		0.626														
Upper Bound		0.713														
ORIGINAL		0.298														
DUP		0.288														
Target Range - Lower Bound		0.268														
Upper Bound		0.318														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<5	2	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	1	<10	2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<0.01	<0.01	<5	2	<0.01	<1	<10	3	<0.01	<5	1	<0.01	<1	<10	<2
BLANK																
BLANK		<0.01	<0.01	<5	2	<0.01	1	<10	2	<0.01	<5	<1	<0.01	1	<10	<2
Target Range - Lower Bound		<0.01	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
B365009		0.126														
DUP		0.109														
Target Range - Lower Bound		0.102														
Upper Bound		0.133														
B365120		0.857														
DUP		0.951														
Target Range - Lower Bound		0.849														
Upper Bound		0.959														
B365188		0.152														
DUP		0.120														
Target Range - Lower Bound		0.119														
Upper Bound		0.153														
B365568		0.066														
DUP		0.071														
Target Range - Lower Bound		0.055														
Upper Bound		0.082														
B365582		0.237														
DUP		0.125														
Target Range - Lower Bound		0.191														
Upper Bound		0.232														
B365760		0.413														
DUP		0.319														
Target Range - Lower Bound		0.338														
Upper Bound		0.394														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
		DUPLICATES														
B365009 DUP	Target Range - Lower Bound															
	Upper Bound															
B365120 DUP	Target Range - Lower Bound															
	Upper Bound															
B365188 DUP	Target Range - Lower Bound															
	Upper Bound															
B365568 DUP	Target Range - Lower Bound															
	Upper Bound															
B365582 DUP	Target Range - Lower Bound															
	Upper Bound															
B365760 DUP	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL DUP	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL DUP	Target Range - Lower Bound															
	Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
DUPLICATES																
ORIGINAL		0.025														
DUP		0.034														
Target Range - Lower Bound		0.018														
Upper Bound		0.041														
B627467		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B627487		0.007														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B627494																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B627279		0.012														
DUP		0.017														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
B365837				1.4	7.50	93	800	2.7	10	2.69	<0.5	7	26	33	2.40	
DUP				1.1	7.66	112	830	2.8	9	2.80	<0.5	7	23	34	2.48	
Target Range - Lower Bound				<0.5	7.18	87	750	1.6	5	2.59	<0.5	5	21	30	2.30	
Upper Bound				2.3	7.98	118	880	3.9	14	2.90	1.0	9	28	37	2.58	
B365847																0.02
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365875				1.9	7.19	305	630	2.5	18	3.24	13.5	9	26	33	3.61	
DUP				2.2	7.53	306	650	2.5	20	3.34	14.2	9	23	33	3.74	
Target Range - Lower Bound				0.9	6.97	280	590	1.4	14	3.11	12.2	7	21	29	3.47	
Upper Bound				3.2	7.75	331	690	3.6	24	3.47	15.5	11	28	37	3.88	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627467																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627487																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627494																
DUP																
Target Range - Lower Bound																
Upper Bound																
B627279																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365837		3.41	0.74	628	2	0.28	19	580	76	0.43	27	196	0.26	34	20	153
DUP		3.56	0.74	652	2	0.29	20	610	81	0.44	31	198	0.27	35	30	162
Target Range - Lower Bound		3.29	0.68	598	<1	0.25	17	550	71	0.39	18	185	0.23	31	<10	146
Upper Bound		3.68	0.80	682	4	0.32	22	640	86	0.48	40	209	0.30	38	50	169
B365847																
DUP																
Target Range - Lower Bound																
Upper Bound																
B365875		3.26	0.92	1950	2	0.07	17	610	479	1.50	152	152	0.27	36	20	2530
DUP		3.34	0.96	2020	2	0.07	19	620	500	1.57	167	158	0.28	37	20	2520
Target Range - Lower Bound		3.12	0.87	1875	<1	0.05	15	560	461	1.44	142	145	0.24	33	<10	2390
Upper Bound		3.49	1.01	2090	4	0.09	21	670	518	1.63	177	165	0.31	40	40	2660

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
B365880			12.65													
DUP			13.60													
Target Range - Lower Bound			12.35													
Upper Bound			13.90													
B365886																0.01
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365913				<0.5	7.32	96	1470	2.9	4	2.26	<0.5	12	78	28	2.39	
DUP				<0.5	7.52	120	1460	2.9	7	2.24	<0.5	12	76	27	2.41	
Target Range - Lower Bound				<0.5	7.03	93	1370	1.8	<2	2.12	<0.5	9	71	24	2.26	
Upper Bound				1.0	7.81	123	1560	4.0	10	2.38	1.0	15	83	31	2.54	
B365924																<0.01
DUP																<0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365926		0.219														
DUP		0.208														
Target Range - Lower Bound		0.193														
Upper Bound		0.234														
B365933				<0.5	7.23	138	1420	2.9	10	2.36	<0.5	13	83	39	2.50	
DUP				<0.5	6.98	160	1400	2.9	11	2.35	<0.5	14	84	39	2.49	
Target Range - Lower Bound				<0.5	6.73	132	1320	1.8	6	2.22	<0.5	11	77	35	2.35	
Upper Bound				1.0	7.48	166	1500	4.0	15	2.49	1.0	16	90	43	2.64	
B365951				<0.5	7.71	24	1510	3.0	3	2.30	<0.5	12	90	39	2.48	
DUP				<0.5	7.57	31	1530	2.9	<2	2.28	<0.5	11	83	37	2.48	
Target Range - Lower Bound				<0.5	7.24	16	1420	1.8	<2	2.16	<0.5	9	80	34	2.34	
Upper Bound				1.0	8.04	39	1620	4.1	4	2.42	1.0	14	93	42	2.62	
B365954		0.100														
DUP		0.097														
Target Range - Lower Bound		0.084														
Upper Bound		0.113														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
B365880 DUP																
Target Range - Lower Bound																
Upper Bound																
B365886 DUP																
Target Range - Lower Bound																
Upper Bound																
B365913		3.76	0.76	308	8	1.54	19	600	32	0.15	5	423	0.29	36	70	74
DUP		3.79	0.77	306	8	1.50	18	590	31	0.15	5	430	0.29	36	70	75
Target Range - Lower Bound		3.57	0.71	282	6	1.42	16	550	26	0.12	<5	403	0.26	32	50	67
Upper Bound		3.98	0.82	332	10	1.62	21	640	37	0.18	10	450	0.32	40	90	82
B365924 DUP																
Target Range - Lower Bound																
Upper Bound																
B365926 DUP																
Target Range - Lower Bound																
Upper Bound																
B365933		3.67	0.87	194	2	1.56	21	610	17	0.26	<5	449	0.29	40	50	31
DUP		3.68	0.85	196	3	1.56	22	590	19	0.26	<5	442	0.29	40	60	31
Target Range - Lower Bound		3.47	0.80	175	<1	1.46	18	550	13	0.23	<5	421	0.26	36	30	25
Upper Bound		3.88	0.92	215	5	1.66	25	650	23	0.29	10	470	0.32	44	80	37
B365951		3.91	0.81	272	7	1.64	21	630	30	0.16	<5	468	0.30	37	100	60
DUP		3.83	0.81	270	9	1.60	22	620	35	0.16	<5	457	0.29	36	100	60
Target Range - Lower Bound		3.66	0.75	247	6	1.52	18	570	27	0.13	<5	437	0.26	33	80	53
Upper Bound		4.08	0.87	295	10	1.72	25	680	38	0.19	10	488	0.33	40	130	67
B365954 DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	Au-AA23	Au-GRA21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Au	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
DUPLICATES																
B365962																0.01
DUP																0.01
Target Range - Lower Bound																<0.01
Upper Bound																0.02
B365963		0.042														
DUP		0.052														
Target Range - Lower Bound		0.035														
Upper Bound		0.059														
ORIGINAL		5.42														
DUP		5.27														
Target Range - Lower Bound		5.07														
Upper Bound		5.62														
ORIGINAL																3.32
DUP																3.28
Target Range - Lower Bound																3.12
Upper Bound																3.49

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05085049

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES																
B365962 DUP Target Range - Lower Bound Upper Bound																
B365963 DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05089300

Project: Dublin Gulch-1735

P.O. No.:

This report is for 20 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089300

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-8		6.0	2.58	73	80	13.7	29	0.35	13.0	41	269	78	3.49		0.79	0.20
Target Range - Lower Bound		5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72	0.17
Upper Bound		7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90	0.23
G2000		3.3	5.12	489	2410	1.3	<2	0.59	6.8	24	98	295	3.83		1.26	0.75
G2000														0.78		
Target Range - Lower Bound		2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16	0.67
Upper Bound		4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44	0.85
BLANKS																
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01		<0.01	<0.01
Target Range - Lower Bound		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01	<0.01
Upper Bound		1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02		0.02	0.02
DUPLICATES																
ORIGINAL		<0.5	7.67	10	100	<0.5	<2	8.40	<0.5	49	64	1090	11.00		0.74	2.50
DUP		<0.5	7.80	16	110	<0.5	<2	8.65	<0.5	49	64	1115	11.30		0.75	2.56
Target Range - Lower Bound		<0.5	7.33	<5	80	<0.5	<2	8.08	<0.5	45	59	1045	10.55		0.69	2.38
Upper Bound		1.0	8.14	24	130	1.0	4	8.97	1.0	53	69	1160	11.75		0.80	2.68

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089300

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-8		349	29	1.20	174	70	88	0.20	31	111	0.03	78	20	154
Target Range - Lower Bound		325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000		563	6	0.14	280	990	673	0.27	27	120	0.35	104	10	1260
G2000														
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
BLANKS														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL		2040	<1	1.66	42	410	<2	1.94	<5	146	0.75	341	20	113
DUP		2090	<1	1.68	45	480	<2	1.97	<5	147	0.77	352	10	118
Target Range - Lower Bound		1950	<1	1.57	39	400	<2	1.84	<5	137	0.70	327	<10	106
Upper Bound		2180	2	1.77	48	490	4	2.07	10	156	0.82	366	20	125

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05089301

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089301

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			6.0	2.58	73	80	13.7	29	0.35	13.0	41	269	78	3.49		0.79
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000			3.3	5.12	489	2410	1.3	<2	0.59	6.8	24	98	295	3.83		1.26
G2000															0.78	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.655														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.45														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01		<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02		0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089301

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.20	349	29	1.20	174	70	88	0.20	31	111	0.03	78	20	154
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000		0.75	563	6	0.14	280	990	673	0.27	27	120	0.35	104	10	1260
G2000															
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089301

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.045														
DUP		0.044														
Target Range - Lower Bound		0.032														
Upper Bound		0.057														
ORIGINAL			<0.5	7.67	10	100	<0.5	<2	8.40	<0.5	49	64	1090	11.00		0.74
DUP			<0.5	7.80	16	110	<0.5	<2	8.65	<0.5	49	64	1115	11.30		0.75
Target Range - Lower Bound			<0.5	7.33	<5	80	<0.5	<2	8.08	<0.5	45	59	1045	10.55		0.69
Upper Bound			1.0	8.14	24	130	1.0	4	8.97	1.0	53	69	1160	11.75		0.80

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089301

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		2.50	2040	<1	1.66	42	410	<2	1.94	<5	146	0.75	341	20	113
DUP		2.56	2090	<1	1.68	45	480	<2	1.97	<5	147	0.77	352	10	118
Target Range - Lower Bound		2.38	1950	<1	1.57	39	400	<2	1.84	<5	137	0.70	327	<10	106
Upper Bound		2.68	2180	2	1.77	48	490	4	2.07	10	156	0.82	366	20	125

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05089302

Project: Dublin Gulch-1735

P.O. No.:

This report is for 93 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089302

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			6.0	2.58	73	80	13.7	29	0.35	13.0	41	269	78	3.49		0.79
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000			3.3	5.12	489	2410	1.3	<2	0.59	6.8	24	98	295	3.83		1.26
G2000															0.78	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OXK35		3.36														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK		0.006														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01		<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02		0.02
DUPLICATES																
ORIGINAL		0.006														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.048														
DUP		0.051														
Target Range - Lower Bound		0.037														
Upper Bound		0.062														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089302

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.20	349	29	1.20	174	70	88	0.20	31	111	0.03	78	20	154
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000		0.75	563	6	0.14	280	990	673	0.27	27	120	0.35	104	10	1260
G2000															
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK		<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089302

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL			<0.5	7.67	10	100	<0.5	<2	8.40	<0.5	49	64	1090	11.00		0.74
DUP			<0.5	7.80	16	110	<0.5	<2	8.65	<0.5	49	64	1115	11.30		0.75
Target Range - Lower Bound			<0.5	7.33	<5	80	<0.5	<2	8.08	<0.5	45	59	1045	10.55		0.69
Upper Bound			1.0	8.14	24	130	1.0	4	8.97	1.0	53	69	1160	11.75		0.80

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089302

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL		2.50	2040	<1	1.66	42	410	<2	1.94	<5	146	0.75	341	20	113
DUP		2.56	2090	<1	1.68	45	480	<2	1.97	<5	147	0.77	352	10	118
Target Range - Lower Bound		2.38	1950	<1	1.57	39	400	<2	1.84	<5	137	0.70	327	<10	106
Upper Bound		2.68	2180	2	1.77	48	490	4	2.07	10	156	0.82	366	20	125

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05089309

Project: Dublin Gulch-1735

P.O. No.:

This report is for 148 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089309

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.6	2.42	64	80	12.7	31	0.33	12.2	42	250	84	3.46		0.76
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000															0.75	
G2000			3.8	5.08	495	2430	1.3	3	0.59	6.9	23	101	304	3.87		1.27
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.662														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.48														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01		<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02		0.02
DUPLICATES																
ORIGINAL		0.022														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
ORIGINAL			<0.5	8.46	183	480	0.7	2	0.26	<0.5	<1	6	442	4.07		2.57
DUP			<0.5	8.22	189	480	0.7	<2	0.25	<0.5	<1	6	446	4.07		2.57
Target Range - Lower Bound			<0.5	7.90	167	440	<0.5	<2	0.22	<0.5	<1	4	420	3.85		2.42
Upper Bound			1.0	8.78	205	520	1.0	4	0.29	1.0	2	8	468	4.29		2.72

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089309

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.19	359	29	1.23	170	80	80	0.21	33	102	0.03	72	30	162
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000															
G2000		0.76	568	6	0.13	284	980	665	0.29	34	117	0.37	101	10	1275
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		0.53	87	40	0.12	2	470	9	0.26	<5	63	0.38	132	<10	891
DUP		0.51	85	40	0.12	1	490	11	0.26	<5	61	0.39	133	<10	903
Target Range - Lower Bound		0.47	72	36	0.09	<1	440	6	0.23	<5	57	0.35	124	<10	848
Upper Bound		0.57	100	44	0.15	2	520	15	0.29	10	67	0.42	141	20	946

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089309

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.025														
DUP		0.022														
Target Range - Lower Bound		0.012														
Upper Bound		0.035														
ORIGINAL		0.016														
DUP		0.019														
Target Range - Lower Bound		0.007														
Upper Bound		0.028														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089309

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05089440

Project: Dublin Gulch-1735

P.O. No.:

This report is for 86 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089440

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.6	2.42	64	80	12.7	31	0.33	12.2	42	250	84	3.46		0.76
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000															0.75	
G2000			3.8	5.08	495	2430	1.3	3	0.59	6.9	23	101	304	3.87		1.27
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.662														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.48														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01		<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02		0.02
DUPLICATES																
ORIGINAL		0.022														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
ORIGINAL			<0.5	8.46	183	480	0.7	2	0.26	<0.5	<1	6	442	4.07		2.57
DUP			<0.5	8.22	189	480	0.7	<2	0.25	<0.5	<1	6	446	4.07		2.57
Target Range - Lower Bound			<0.5	7.90	167	440	<0.5	<2	0.22	<0.5	<1	4	420	3.85		2.42
Upper Bound			1.0	8.78	205	520	1.0	4	0.29	1.0	2	8	468	4.29		2.72

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089440

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
BM-8		0.19	359	29	1.23	170	80	80	0.21	33	102	0.03	72	30	162
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000															
G2000		0.76	568	6	0.13	284	980	665	0.29	34	117	0.37	101	10	1275
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		0.53	87	40	0.12	2	470	9	0.26	<5	63	0.38	132	<10	891
DUP		0.51	85	40	0.12	1	490	11	0.26	<5	61	0.39	133	<10	903
Target Range - Lower Bound		0.47	72	36	0.09	<1	440	6	0.23	<5	57	0.35	124	<10	848
Upper Bound		0.57	100	44	0.15	2	520	15	0.29	10	67	0.42	141	20	946

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089440

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.025														
DUP		0.022														
Target Range - Lower Bound		0.012														
Upper Bound		0.035														
ORIGINAL		0.016														
DUP		0.019														
Target Range - Lower Bound		0.007														
Upper Bound		0.028														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089440

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05089441

Project: Dublin Gulch-1735

P.O. No.:

This report is for 82 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089441

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.6	2.42	64	80	12.7	31	0.33	12.2	42	250	84	3.46		0.76
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000															0.75	
G2000			3.8	5.08	495	2430	1.3	3	0.59	6.9	23	101	304	3.87		1.27
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.662														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.48														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01		<0.01
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02		0.02
DUPLICATES																
ORIGINAL		0.022														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
ORIGINAL			<0.5	8.46	183	480	0.7	2	0.26	<0.5	<1	6	442	4.07		2.57
DUP			<0.5	8.22	189	480	0.7	<2	0.25	<0.5	<1	6	446	4.07		2.57
Target Range - Lower Bound			<0.5	7.90	167	440	<0.5	<2	0.22	<0.5	<1	4	420	3.85		2.42
Upper Bound			1.0	8.78	205	520	1.0	4	0.29	1.0	2	8	468	4.29		2.72

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089441

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.19	359	29	1.23	170	80	80	0.21	33	102	0.03	72	30	162
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000															
G2000		0.76	568	6	0.13	284	980	665	0.29	34	117	0.37	101	10	1275
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		0.53	87	40	0.12	2	470	9	0.26	<5	63	0.38	132	<10	891
DUP		0.51	85	40	0.12	1	490	11	0.26	<5	61	0.39	133	<10	903
Target Range - Lower Bound		0.47	72	36	0.09	<1	440	6	0.23	<5	57	0.35	124	<10	848
Upper Bound		0.57	100	44	0.15	2	520	15	0.29	10	67	0.42	141	20	946

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089441

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	K
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.025														
DUP		0.022														
Target Range - Lower Bound		0.012														
Upper Bound		0.035														
ORIGINAL		0.016														
DUP		0.019														
Target Range - Lower Bound		0.007														
Upper Bound		0.028														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 21-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089441

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
		DUPLICATES													
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05089442

Project: Dublin Gulch-1735

P.O. No.:

This report is for 60 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089442

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.6	2.42	64	80	12.7	31	0.33	12.2	42	250	84	3.46		0.76
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000															0.75	
G2000			3.8	5.08	495	2430	1.3	3	0.59	6.9	23	101	304	3.87		1.27
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.662														
OxE21		0.668														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.48														
OXK35		3.66														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.750														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01		<0.01
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02		0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089442

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.19	359	29	1.23	170	80	80	0.21	33	102	0.03	72	30	162
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000															
G2000		0.76	568	6	0.13	284	980	665	0.29	34	117	0.37	101	10	1275
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089442

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		0.678														
DUP		0.714														
Target Range - Lower Bound		0.651														
Upper Bound		0.741														
ORIGINAL		0.035														
DUP		0.034														
Target Range - Lower Bound		0.023														
Upper Bound		0.046														
ORIGINAL		0.022														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
ORIGINAL			<0.5	8.46	183	480	0.7	2	0.26	<0.5	<1	6	442	4.07		2.57
DUP			<0.5	8.22	189	480	0.7	<2	0.25	<0.5	<1	6	446	4.07		2.57
Target Range - Lower Bound			<0.5	7.90	167	440	<0.5	<2	0.22	<0.5	<1	4	420	3.85		2.42
Upper Bound			1.0	8.78	205	520	1.0	4	0.29	1.0	2	8	468	4.29		2.72
ORIGINAL		0.025														
DUP		0.022														
Target Range - Lower Bound		0.012														
Upper Bound		0.035														
ORIGINAL		0.016														
DUP		0.019														
Target Range - Lower Bound		0.007														
Upper Bound		0.028														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089442

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		0.53	87	40	0.12	2	470	9	0.26	<5	63	0.38	132	<10	891
DUP		0.51	85	40	0.12	1	490	11	0.26	<5	61	0.39	133	<10	903
Target Range - Lower Bound		0.47	72	36	0.09	<1	440	6	0.23	<5	57	0.35	124	<10	848
Upper Bound		0.57	100	44	0.15	2	520	15	0.29	10	67	0.42	141	20	946
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05089443

Project: Dublin Gulch-1735

P.O. No.:

This report is for 143 Pulp samples submitted to our lab in Vancouver, BC, Canada on 17-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089443

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
BM-8			5.6	2.42	64	80	12.7	31	0.33	12.2	42	250	84	3.46		0.76
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99		0.72
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67		0.90
G2000															0.75	
G2000			3.8	5.08	495	2430	1.3	3	0.59	6.9	23	101	304	3.87		1.27
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.662														
OxE21		0.668														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.48														
OXK35		3.66														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.750														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	1	<1	1	<0.01		<0.01
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02		0.02
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089443

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS															
BM-8		0.19	359	29	1.23	170	80	80	0.21	33	102	0.03	72	30	162
Target Range - Lower Bound		0.17	325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		0.23	409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
G2000															
G2000		0.76	568	6	0.13	284	980	665	0.29	34	117	0.37	101	10	1275
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089443

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		0.678														
DUP		0.714														
Target Range - Lower Bound		0.651														
Upper Bound		0.741														
ORIGINAL		0.035														
DUP		0.034														
Target Range - Lower Bound		0.023														
Upper Bound		0.046														
ORIGINAL		0.022														
DUP		0.021														
Target Range - Lower Bound		0.010														
Upper Bound		0.033														
ORIGINAL			<0.5	8.46	183	480	0.7	2	0.26	<0.5	<1	6	442	4.07		2.57
DUP			<0.5	8.22	189	480	0.7	<2	0.25	<0.5	<1	6	446	4.07		2.57
Target Range - Lower Bound			<0.5	7.90	167	440	<0.5	<2	0.22	<0.5	<1	4	420	3.85		2.42
Upper Bound			1.0	8.78	205	520	1.0	4	0.29	1.0	2	8	468	4.29		2.72
ORIGINAL		0.025														
DUP		0.022														
Target Range - Lower Bound		0.012														
Upper Bound		0.035														
ORIGINAL		0.016														
DUP		0.019														
Target Range - Lower Bound		0.007														
Upper Bound		0.028														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05089443

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL		0.53	87	40	0.12	2	470	9	0.26	<5	63	0.38	132	<10	891
DUP		0.51	85	40	0.12	1	490	11	0.26	<5	61	0.39	133	<10	903
Target Range - Lower Bound		0.47	72	36	0.09	<1	440	6	0.23	<5	57	0.35	124	<10	848
Upper Bound		0.57	100	44	0.15	2	520	15	0.29	10	67	0.42	141	20	946
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05093073

Project: Dublin Gulch-1735

P.O. No.:

This report is for 113 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05093073

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05
STANDARDS			
GS-30			35.0
Target Range - Lower Bound			31.1
Upper Bound			35.9
OxE21		0.627	
OxE21		0.618	
OxE21		0.641	
OxE21		0.639	
Target Range - Lower Bound		0.600	
Upper Bound		0.702	
OXK35		3.60	
OXK35		3.48	
OXK35		3.48	
OXK35		3.53	
OXK35			3.54
Target Range - Lower Bound		3.24	3.19
Upper Bound		3.74	3.78
BLANKS			
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
BLANK			<0.05
Target Range - Lower Bound		<0.005	<0.05
Upper Bound		0.010	0.10
DUPLICATES			
ORIGINAL		0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	

Comments: Sample B291107 has additional AA and grav results of >10 ppm and 4.77 ppm respectively.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05093073

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05
DUPLICATES			
ORIGINAL		0.030	
DUP		0.031	
Target Range - Lower Bound		0.019	
Upper Bound		0.042	
ORIGINAL		0.005	
DUP		0.006	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		0.014	
DUP		0.010	
Target Range - Lower Bound		<0.005	
Upper Bound		0.023	
ORIGINAL			2.52
DUP			2.37
Target Range - Lower Bound			2.22
Upper Bound			2.67
ORIGINAL		0.008	
DUP		0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		0.005	
DUP		0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		0.010	
DUP		0.015	
Target Range - Lower Bound		<0.005	
Upper Bound		0.023	
ORIGINAL		0.062	
DUP		0.074	
Target Range - Lower Bound		0.055	
Upper Bound		0.081	

Comments: Sample B291107 has additional AA and grav results of >10 ppm and 4.77 ppm respectively.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 10-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05093073

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05
DUPLICATES			
ORIGINAL		0.007	
DUP		0.007	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	

Comments: Sample B291107 has additional AA and grav results of >10 ppm and 4.77 ppm respectively.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da. . 7-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094260

Project: Dublin Gulch-1735

P.O. No.:

This report is for 129 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094260

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
		STANDARDS
OxE21		0.660
OxE21		0.641
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.55
OXK35		3.48
Target Range - Lower Bound		3.24
Upper Bound		3.74
		BLANKS
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.062
DUP		0.074
Target Range - Lower Bound		0.055
Upper Bound		0.081
B292660		1.035
DUP		1.020
Target Range - Lower Bound		0.966
Upper Bound		1.090

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094260

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		DUPLICATES
ORIGINAL		0.007
DUP		0.007
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da. 3-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094261

Project: Dublin Gulch-1735

P.O. No.:

This report is for 96 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094261

Sample Description / Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05
STANDARDS		
GS-30		34.5
Target Range - Lower Bound		31.1
Upper Bound		35.9
OxE21	0.640	
OxE21	0.643	
Target Range - Lower Bound	0.600	
Upper Bound	0.702	
OXK35	3.64	
OXK35	3.58	
OXK35		3.52
Target Range - Lower Bound	3.24	3.19
Upper Bound	3.74	3.78
BLANKS		
BLANK	<0.005	
BLANK	<0.005	
BLANK		<0.05
Target Range - Lower Bound	<0.005	<0.05
Upper Bound	0.010	0.10
DUPLICATES		
ORIGINAL	0.009	
DUP	0.018	
Target Range - Lower Bound	<0.005	
Upper Bound	0.024	
B381568	0.269	
DUP	0.290	
Target Range - Lower Bound	0.256	
Upper Bound	0.303	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094261

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05
		DUPLICATES	
B382160		0.326	
DUP		0.303	
Target Range - Lower Bound		0.289	
Upper Bound		0.340	
B364568		0.233	
DUP		0.225	
Target Range - Lower Bound		0.208	
Upper Bound		0.250	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094262

Project: Dublin Gulch-1735

P.O. No.:

This report is for 52 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094262

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
		STANDARDS
OxE21		0.672
OxE21		0.640
OxE21		0.624
OxE21		0.643
OxE21		0.645
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.54
OXK35		3.64
OXK35		3.51
OXK35		3.58
OXK35		3.34
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.855
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094262

Sample Description / Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005
	DUPLICATES
ORIGINAL	0.012
DUP	0.012
Target Range - Lower Bound	<0.005
Upper Bound	0.023
ORIGINAL	1.390
DUP	1.390
Target Range - Lower Bound	1.310
Upper Bound	1.470
ORIGINAL	0.838
DUP	0.802
Target Range - Lower Bound	0.769
Upper Bound	0.871
ORIGINAL	0.009
DUP	0.018
Target Range - Lower Bound	<0.005
Upper Bound	0.024
ORIGINAL	0.321
DUP	0.309
Target Range - Lower Bound	0.289
Upper Bound	0.341
ORIGINAL	0.012
DUP	0.011
Target Range - Lower Bound	<0.005
Upper Bound	0.022
B381568	0.269
DUP	0.290
Target Range - Lower Bound	0.256
Upper Bound	0.303
B364904	0.149
DUP	0.133
Target Range - Lower Bound	0.124
Upper Bound	0.158

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094262

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		DUPLICATES
B382160		0.326
DUP		0.303
Target Range - Lower Bound		0.289
Upper Bound		0.340
B364568		0.233
DUP		0.225
Target Range - Lower Bound		0.208
Upper Bound		0.250

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da /-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094263

Project: Dublin Gulch-1735

P.O. No.:

This report is for 148 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094263

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.600
OxE21		0.660
OxE21		0.635
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.47
OXK35		3.55
OXK35		3.45
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.790
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.005
DUP		0.009
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094263

Sample Description / Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005
	DUPLICATES
B292652	0.040
DUP	0.043
Target Range - Lower Bound	0.029
Upper Bound	0.054
B292660	1.035
DUP	1.020
Target Range - Lower Bound	0.966
Upper Bound	1.090
B364036	<0.005
DUP	<0.005
Target Range - Lower Bound	<0.005
Upper Bound	0.010
ORIGINAL	0.570
DUP	0.566
Target Range - Lower Bound	0.530
Upper Bound	0.606

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094264

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094264

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.600
OxE21		0.640
OxE21		0.612
OxE21		0.626
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.47
OXK35		3.64
OXK35		3.64
OXK35		3.56
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.850
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		1.270
DUP		1.170
Target Range - Lower Bound		1.150
Upper Bound		1.290

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094264

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		DUPLICATES
ORIGINAL		0.011
DUP		0.007
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.025
DUP		0.022
Target Range - Lower Bound		0.012
Upper Bound		0.035
B381568		0.269
DUP		0.290
Target Range - Lower Bound		0.256
Upper Bound		0.303
B292652		0.040
DUP		0.043
Target Range - Lower Bound		0.029
Upper Bound		0.054
B364036		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.011
DUP		0.008
Target Range - Lower Bound		<0.005
Upper Bound		0.010

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da. . ô-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094266

Project: Dublin Gulch-1735

P.O. No.:

This report is for 82 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094266

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
		STANDARDS
OxE21		0.600
OxE21		0.672
OxE21		0.660
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.47
OXK35		3.54
OXK35		3.55
Target Range - Lower Bound		3.24
Upper Bound		3.74
		BLANKS
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		0.838
DUP		0.802
Target Range - Lower Bound		0.769
Upper Bound		0.871
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
B292652		0.040
DUP		0.043
Target Range - Lower Bound		0.029
Upper Bound		0.054

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094266

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
		DUPLICATES
B292660		1.035
DUP		1.020
Target Range - Lower Bound		0.966
Upper Bound		1.090
B364036		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da... 3-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094268

Project: Dublin Gulch-1735

P.O. No.:

This report is for 60 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094268

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
	STANDARDS	
OxE21		0.640
OxE21		0.643
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.64
OXK35		3.58
Target Range - Lower Bound		3.24
Upper Bound		3.74
	BLANKS	
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
	DUPLICATES	
ORIGINAL		0.009
DUP		0.018
Target Range - Lower Bound		<0.005
Upper Bound		0.024
B381568		0.269
DUP		0.290
Target Range - Lower Bound		0.256
Upper Bound		0.303
B382160		0.326
DUP		0.303
Target Range - Lower Bound		0.289
Upper Bound		0.340

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094268

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
		DUPLICATES
B364568		0.233
DUP		0.225
Target Range - Lower Bound		0.208
Upper Bound		0.250

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094269

Project: Dublin Gulch-1735

P.O. No.:

This report is for 143 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094269

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05
STANDARDS			
GS-30			34.5
Target Range - Lower Bound			31.1
Upper Bound			35.9
OxE21		0.640	
OxE21		0.643	
OxE21		0.660	
OxE21		0.626	
OxE21		0.641	
Target Range - Lower Bound		0.600	
Upper Bound		0.702	
OXK35		3.64	
OXK35		3.59	
OXK35		3.58	
OXK35			3.52
OXK35		3.55	
OXK35		3.56	
OXK35		3.48	
Target Range - Lower Bound		3.24	3.19
Upper Bound		3.74	3.78
BLANKS			
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
BLANK			<0.05
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
Target Range - Lower Bound		<0.005	<0.05
Upper Bound		0.010	0.10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094269

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05
		DUPLICATES	
ORIGINAL		0.011	
DUP		0.007	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		0.009	
DUP		0.018	
Target Range - Lower Bound		<0.005	
Upper Bound		0.024	
ORIGINAL		0.062	
DUP		0.074	
Target Range - Lower Bound		0.055	
Upper Bound		0.081	
B381568		0.269	
DUP		0.290	
Target Range - Lower Bound		0.256	
Upper Bound		0.303	
B292660		1.035	
DUP		1.020	
Target Range - Lower Bound		0.966	
Upper Bound		1.090	
B382160		0.326	
DUP		0.303	
Target Range - Lower Bound		0.289	
Upper Bound		0.340	
B382697		0.154	
DUP		0.218	
Target Range - Lower Bound		0.167	
Upper Bound		0.205	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094269

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-GRA21 Au ppm 0.05
		DUPLICATES	
B364469		0.130	
DUP		0.126	
Target Range - Lower Bound		0.112	
Upper Bound		0.144	
B364557		0.179	
DUP		0.118	
Target Range - Lower Bound		0.131	
Upper Bound		0.166	
B364568		0.233	
DUP		0.225	
Target Range - Lower Bound		0.208	
Upper Bound		0.250	
ORIGINAL		0.007	
DUP		0.007	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da... 6-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094400

Project: Dublin Gulch-1735

P.O. No.:

This report is for 79 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094400

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
		STANDARDS
OxE21		0.626
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.59
OXK35		3.56
Target Range - Lower Bound		3.24
Upper Bound		3.74
		BLANKS
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		0.011
DUP		0.007
Target Range - Lower Bound		<0.005
Upper Bound		0.010
B382697		0.154
DUP		0.218
Target Range - Lower Bound		0.167
Upper Bound		0.205
B364469		0.130
DUP		0.126
Target Range - Lower Bound		0.112
Upper Bound		0.144
B364557		0.179
DUP		0.118
Target Range - Lower Bound		0.131
Upper Bound		0.166

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094401

Project: Dublin Gulch-1735

P.O. No.:

This report is for 84 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094401

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.630
OxE21		0.643
OxE21		0.626
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.38
OXK35		3.59
OXK35		3.58
OXK35		3.56
Target Range - Lower Bound		3.24
Upper Bound		3.74
		BLANKS
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		0.011
DUP		0.010
Target Range - Lower Bound		<0.005
Upper Bound		0.021
ORIGINAL		0.012
DUP		0.012
Target Range - Lower Bound		<0.005
Upper Bound		0.023

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094401

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005
		DUPLICATES
ORIGINAL		0.011
DUP		0.007
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.009
DUP		0.018
Target Range - Lower Bound		<0.005
Upper Bound		0.024
B382160		0.326
DUP		0.303
Target Range - Lower Bound		0.289
Upper Bound		0.340
B382697		0.154
DUP		0.218
Target Range - Lower Bound		0.167
Upper Bound		0.205
B364469		0.130
DUP		0.126
Target Range - Lower Bound		0.112
Upper Bound		0.144
B364557		0.179
DUP		0.118
Target Range - Lower Bound		0.131
Upper Bound		0.166
B364568		0.230
DUP		0.225
Target Range - Lower Bound		0.206
Upper Bound		0.249

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da[illegible]-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094402

Project: Dublin Gulch-1735

P.O. No.:

This report is for 136 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094402

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.626
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.59
OXK35		3.56
Target Range - Lower Bound		3.24
Upper Bound		3.74
		BLANKS
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		0.011
DUP		0.007
Target Range - Lower Bound		<0.005
Upper Bound		0.010
B382697		0.154
DUP		0.218
Target Range - Lower Bound		0.167
Upper Bound		0.205
B364469		0.130
DUP		0.126
Target Range - Lower Bound		0.112
Upper Bound		0.144
B364557		0.179
DUP		0.118
Target Range - Lower Bound		0.131
Upper Bound		0.166

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05093639

Project: Dublin Gulch-1735

P.O. No.:

This report is for 20 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05093639

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.672
OxE21		0.624
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.54
OXK35		3.51
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.855
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		1.390
DUP		1.390
Target Range - Lower Bound		1.310
Upper Bound		1.470
ORIGINAL		0.838
DUP		0.802
Target Range - Lower Bound		0.769
Upper Bound		0.871
ORIGINAL		0.012
DUP		0.011
Target Range - Lower Bound		<0.005
Upper Bound		0.022

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05093639

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		DUPLICATES
B364904		0.149
DUP		0.133
Target Range - Lower Bound		0.160
Upper Bound		0.198

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da .6-OCT-2005
This copy reported on 17-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05086390

Project: Dublin Gulch-1735

P.O. No.:

This report is for 84 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 12-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05086390

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
	STANDARDS	
OxE21		0.615
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.50
Target Range - Lower Bound		3.24
Upper Bound		3.74
	BLANKS	
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
	DUPLICATES	
ORIGINAL		0.009
DUP		0.009
Target Range - Lower Bound		<0.005
Upper Bound		0.010
ORIGINAL		0.067
DUP		0.065
Target Range - Lower Bound		0.053
Upper Bound		0.079
ORIGINAL		0.008
DUP		0.007
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 2-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094265

Project: Dublin Gulch-1735

P.O. No.:

This report is for 86 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 2-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094265

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
	STANDARDS	
OxE21		0.600
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.47
Target Range - Lower Bound		3.24
Upper Bound		3.74
	BLANKS	
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
	DUPLICATES	
B292652		0.040
DUP		0.043
Target Range - Lower Bound		0.029
Upper Bound		0.054
B364036		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D(3-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094267

Project: Dublin Gulch-1735

P.O. No.:

This report is for 93 Pulp samples submitted to our lab in Vancouver, BC, Canada on 31-OCT-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094267

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.672
OxE21		0.630
OxE21		0.624
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.54
OXK35		3.38
OXK35		3.51
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.855
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
ORIGINAL		0.011
DUP		0.010
Target Range - Lower Bound		<0.005
Upper Bound		0.021
ORIGINAL		0.012
DUP		0.012
Target Range - Lower Bound		<0.005
Upper Bound		0.023

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094267

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		DUPLICATES
ORIGINAL		1.390
DUP		1.390
Target Range - Lower Bound		1.310
Upper Bound		1.470
ORIGINAL		0.838
DUP		0.802
Target Range - Lower Bound		0.769
Upper Bound		0.871
ORIGINAL		0.012
DUP		0.011
Target Range - Lower Bound		<0.005
Upper Bound		0.022
B364904		0.149
DUP		0.133
Target Range - Lower Bound		0.160
Upper Bound		0.198

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094770

Project: Dublin Gulch-1735

P.O. No.:

This report is for 146 Pulp samples submitted to our lab in Vancouver, BC, Canada on 2-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094770

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.628
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.49
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.870
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
B381386		0.043
DUP		0.028
Target Range - Lower Bound		0.024
Upper Bound		0.047
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da... 6-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094771

Project: Dublin Gulch-1735

P.O. No.:

This report is for 3 Pulp samples submitted to our lab in Vancouver, BC, Canada on 2-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094771

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.628
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.49
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.870
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
B381386		0.043
DUP		0.028
Target Range - Lower Bound		0.024
Upper Bound		0.047
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05096532

Project: 1735

P.O. No.:

This report is for 6 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
OA-VOL08	Basic Acid Base Accounting	
S-IR08	Total Sulphur (Leco)	LECO
OA-ELE07	Paste pH	
S-CAL06	Sulfide Sulfur (calculated)	LECO
S-GRA06	Sulfate Sulfur-carbonate leach	LECO
C-GAS05	Inorganic Carbon (CO2)	
S-GRA06a	Sulfate Sulfur (HCl leachable)	

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-NOV-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05096532

Sample Description	Method Analyte Units LOR	OA-VOL08 MPA tCaCO3/1000t 0.3	OA-VOL08 FIZZ RAT Unity 1	OA-VOL08 NNP t CaCO3/ 100 1	OA-VOL08 NP tCaCO3/1000t 1	OA-ELE07 pH Unity 0.1	OA-VOL08 Ratio (N Unity 0.01	S-IR08 S % 0.01	S-GRA06 S % 0.01	S-GRA06a S % 0.01	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2
STANDARDS												
CO-ASSAY											0.53	1.9
Target Range - Lower Bound											0.44	1.6
Upper Bound											0.62	2.3
G2000						7.3						
G2000						7.4						
G2000		8.4	1	3	11		1.30					
G2000		8.4	1	3	11		1.30					
Target Range - Lower Bound		7.5	<1	<1	9	6.6	1.20					
Upper Bound		9.3	2	4	13	8.2	1.40					
MA-1b								1.20				
Target Range - Lower Bound								1.15				
Upper Bound								1.25				
SY-4											0.92	3.4
Target Range - Lower Bound											0.84	3.1
Upper Bound											1.08	3.9
UTS-1									0.91			
UTS-1										0.91		
UTS-1										0.91		
UTS-1								1.00				
Target Range - Lower Bound								0.95	0.83	0.83		
Upper Bound								1.05	0.93	0.93		
UTS-4									1.73			
Target Range - Lower Bound									1.64			
Upper Bound									1.84			
BLANKS												
BLANK											<0.05	<0.2
BLANK									<0.01			
BLANK										<0.01		
BLANK								<0.01				
Target Range - Lower Bound								<0.01	<0.01		<0.05	<0.2
Upper Bound								0.02	0.02		0.10	0.4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-NOV-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05096532

Sample Description	Method / Analyte / Units / LOR	OA-VOL08 MPA tCaCO3/1000t 0.3	OA-VOL08 FIZZ RAT Unity 1	OA-VOL08 NNP t CaCO3/ 100 1	OA-VOL08 NP tCaCO3/1000t 1	OA-ELE07 pH Unity 0.1	OA-VOL08 Ratio (N Unity 0.01	S-IR08 S % 0.01	S-GRA06 S % 0.01	S-GRA06a S % 0.01	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2
DUPLICATES												
ORIGINAL								1.66				
DUP								1.60				
Target Range - Lower Bound								1.57				
Upper Bound								1.69				
B365985		2.2	1	6	8	8.9	3.79					
DUP		2.2	1	7	9	9.0	4.19					
Target Range - Lower Bound		1.5	<1	4	6	8.3	3.77					
Upper Bound		2.9	2	9	11	9.6	4.21					
B365989									<0.01			
DUP									<0.01			
Target Range - Lower Bound									<0.01			
Upper Bound									0.02			
ORIGINAL										0.02	0.22	0.8
DUP										0.02	0.22	0.8
Target Range - Lower Bound										<0.01	0.11	0.4
Upper Bound										0.04	0.33	1.2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05099507

Project: Dublin Gulch-1735

P.O. No.:

This report is for 76 Other samples submitted to our lab in Vancouver, BC, Canada on 15-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
CRU-31	Fine crushing - 70% <2mm
FND-03	Find Reject for Addn Analysis
WEI-21	Received Sample Weight
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24T	Triplicate - Au 50g FA-AA finish	AAS
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05099507

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	Au-AA24T Au ppm 0.005
STANDARDS				
OxE21		0.640	0.640	
OxE21		0.664	0.664	
OxE21				0.644
OxE21			0.659	
Target Range - Lower Bound		0.600	0.600	0.600
Upper Bound		0.702	0.702	0.702
OXK35		3.46	3.46	
OXK35		3.53	3.53	
OXK35				3.51
OXK35			3.64	
Target Range - Lower Bound		3.24	3.24	3.24
Upper Bound		3.74	3.74	3.74
SI15			1.855	
Target Range - Lower Bound			1.675	
Upper Bound			1.935	
BLANKS				
BLANK		<0.005	<0.005	
BLANK		<0.005	<0.005	
BLANK				<0.005
BLANK			<0.005	
Target Range - Lower Bound		<0.005	<0.005	<0.005
Upper Bound		0.010	0.010	0.010
DUPLICATES				
ORIGINAL		0.593		
DUP		0.581	0.581	
Target Range - Lower Bound		0.548	0.542	
Upper Bound		0.626	0.620	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05099507

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	Au-AA24T Au ppm 0.005
		DUPLICATES		
ORIGINAL		0.224		
DUP		0.196	0.196	
Target Range - Lower Bound		0.190	0.176	
Upper Bound		0.231	0.216	
B364880a		0.305	0.344	0.626
DUP		0.344	0.344	0.483
Target Range - Lower Bound		0.298	0.317	0.517
Upper Bound		0.351	0.371	0.592
B364883c		0.029	0.038	0.045
DUP		0.036	0.036	0.048
Target Range - Lower Bound		0.021	0.025	0.034
Upper Bound		0.044	0.049	0.059
B364885h		0.361	0.703	0.467
DUP		0.393	0.393	0.249
Target Range - Lower Bound		0.348	0.511	0.330
Upper Bound		0.406	0.585	0.386

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05096533

Project: 1735

P.O. No.:

This report is for 16 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094770

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.628
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.49
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.870
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
B381386		0.043
DUP		0.028
Target Range - Lower Bound		0.024
Upper Bound		0.047
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da... 6-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05094771

Project: Dublin Gulch-1735

P.O. No.:

This report is for 3 Pulp samples submitted to our lab in Vancouver, BC, Canada on 2-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05094771

Sample Description	Method / Analyte / Units / LOR	Au-AA23 / Au / ppm / 0.005
		STANDARDS
OxE21		0.628
Target Range - Lower Bound		0.600
Upper Bound		0.702
OXK35		3.49
Target Range - Lower Bound		3.24
Upper Bound		3.74
SI15		1.870
Target Range - Lower Bound		1.675
Upper Bound		1.935
		BLANKS
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010
		DUPLICATES
B381386		0.043
DUP		0.028
Target Range - Lower Bound		0.024
Upper Bound		0.047
ORIGINAL		<0.005
DUP		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05096532

Project: 1735

P.O. No.:

This report is for 6 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
OA-VOL08	Basic Acid Base Accounting	
S-IR08	Total Sulphur (Leco)	LECO
OA-ELE07	Paste pH	
S-CAL06	Sulfide Sulfur (calculated)	LECO
S-GRA06	Sulfate Sulfur-carbonate leach	LECO
C-GAS05	Inorganic Carbon (CO2)	
S-GRA06a	Sulfate Sulfur (HCl leachable)	

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-NOV-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05096532

Sample Description	Method Analyte Units LOR	OA-VOL08 MPA tCaCO3/1000t 0.3	OA-VOL08 FIZZ RAT Unity 1	OA-VOL08 NNP t CaCO3/ 100 1	OA-VOL08 NP tCaCO3/1000t 1	OA-ELE07 pH Unity 0.1	OA-VOL08 Ratio (N Unity 0.01	S-IR08 S % 0.01	S-GRA06 S % 0.01	S-GRA06a S % 0.01	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2
STANDARDS												
CO-ASSAY											0.53	1.9
Target Range - Lower Bound											0.44	1.6
Upper Bound											0.62	2.3
G2000						7.3						
G2000						7.4						
G2000		8.4	1	3	11		1.30					
G2000		8.4	1	3	11		1.30					
Target Range - Lower Bound		7.5	<1	<1	9	6.6	1.20					
Upper Bound		9.3	2	4	13	8.2	1.40					
MA-1b								1.20				
Target Range - Lower Bound								1.15				
Upper Bound								1.25				
SY-4											0.92	3.4
Target Range - Lower Bound											0.84	3.1
Upper Bound											1.08	3.9
UTS-1									0.91			
UTS-1										0.91		
UTS-1										0.91		
UTS-1								1.00				
Target Range - Lower Bound								0.95	0.83	0.83		
Upper Bound								1.05	0.93	0.93		
UTS-4									1.73			
Target Range - Lower Bound									1.64			
Upper Bound									1.84			
BLANKS												
BLANK											<0.05	<0.2
BLANK									<0.01			
BLANK										<0.01		
BLANK								<0.01				
Target Range - Lower Bound								<0.01	<0.01		<0.05	<0.2
Upper Bound								0.02	0.02		0.10	0.4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-NOV-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05096532

Sample Description	Method / Analyte / Units / LOR	OA-VOL08 MPA tCaCO3/1000t 0.3	OA-VOL08 FIZZ RAT Unity 1	OA-VOL08 NNP t CaCO3/ 100 1	OA-VOL08 NP tCaCO3/1000t 1	OA-ELE07 pH Unity 0.1	OA-VOL08 Ratio (N Unity 0.01	S-IR08 S % 0.01	S-GRA06 S % 0.01	S-GRA06a S % 0.01	C-GAS05 C % 0.05	C-GAS05 CO2 % 0.2
DUPLICATES												
ORIGINAL								1.66				
DUP								1.60				
Target Range - Lower Bound								1.57				
Upper Bound								1.69				
B365985		2.2	1	6	8	8.9	3.79					
DUP		2.2	1	7	9	9.0	4.19					
Target Range - Lower Bound		1.5	<1	4	6	8.3	3.77					
Upper Bound		2.9	2	9	11	9.6	4.21					
B365989									<0.01			
DUP									<0.01			
Target Range - Lower Bound									<0.01			
Upper Bound									0.02			
ORIGINAL										0.02	0.22	0.8
DUP										0.02	0.22	0.8
Target Range - Lower Bound										<0.01	0.11	0.4
Upper Bound										0.04	0.33	1.2

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05099507

Project: Dublin Gulch-1735

P.O. No.:

This report is for 76 Other samples submitted to our lab in Vancouver, BC, Canada on 15-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
CRU-31	Fine crushing - 70% <2mm
FND-03	Find Reject for Addn Analysis
WEI-21	Received Sample Weight
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24T	Triplicate - Au 50g FA-AA finish	AAS
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05099507

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	Au-AA24T Au ppm 0.005
STANDARDS				
OxE21		0.640	0.640	
OxE21		0.664	0.664	
OxE21				0.644
OxE21			0.659	
Target Range - Lower Bound		0.600	0.600	0.600
Upper Bound		0.702	0.702	0.702
OXK35		3.46	3.46	
OXK35		3.53	3.53	
OXK35				3.51
OXK35			3.64	
Target Range - Lower Bound		3.24	3.24	3.24
Upper Bound		3.74	3.74	3.74
SI15			1.855	
Target Range - Lower Bound			1.675	
Upper Bound			1.935	
BLANKS				
BLANK		<0.005	<0.005	
BLANK		<0.005	<0.005	
BLANK				<0.005
BLANK			<0.005	
Target Range - Lower Bound		<0.005	<0.005	<0.005
Upper Bound		0.010	0.010	0.010
DUPLICATES				
ORIGINAL		0.593		
DUP		0.581	0.581	
Target Range - Lower Bound		0.548	0.542	
Upper Bound		0.626	0.620	

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

QC CERTIFICATE OF ANALYSIS VA05099507

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	Au-AA24T Au ppm 0.005
		DUPLICATES		
ORIGINAL		0.224		
DUP		0.196	0.196	
Target Range - Lower Bound		0.190	0.176	
Upper Bound		0.231	0.216	
B364880a		0.305	0.344	0.626
DUP		0.344	0.344	0.483
Target Range - Lower Bound		0.298	0.317	0.517
Upper Bound		0.351	0.371	0.592
B364883c		0.029	0.038	0.045
DUP		0.036	0.036	0.048
Target Range - Lower Bound		0.021	0.025	0.034
Upper Bound		0.044	0.049	0.059
B364885h		0.361	0.703	0.467
DUP		0.393	0.393	0.249
Target Range - Lower Bound		0.348	0.511	0.330
Upper Bound		0.406	0.585	0.386

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2005
Account: STRGOL

QC CERTIFICATE VA05096533

Project: 1735

P.O. No.:

This report is for 16 Drill Core samples submitted to our lab in Vancouver, BC, Canada on 7-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21d	Split sample - duplicate

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05096533

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
STANDARDS																
G2000			3.7	5.16	487	2450	1.4	<2	0.59	7.0	23	96	310	4.03		1.29
G2000															0.75	
G2000															0.81	
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	0.68	1.16
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	0.81	1.44
OxE21		0.699														
OxE21		0.633														
OxE21		0.662														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.79														
OXK35		3.54														
OXK35		3.47														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.910														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01		<0.01
BLANK															<0.01	
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05096533

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS															
G2000		0.76	587	5	0.15	296	970	672	0.27	34	121	0.34	108	20	1300
G2000															
G2000															
Target Range - Lower Bound		0.67	506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		0.85	630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21															
OxE21															
OxE21															
Target Range - Lower Bound															
Upper Bound															
OXK35															
OXK35															
OXK35															
Target Range - Lower Bound															
Upper Bound															
SI15															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<0.01	<5	1	<0.01	2	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05096533

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01	ME-ICP61 K % 0.01
DUPLICATES																
ORIGINAL		5.59														
DUP		5.75														
Target Range - Lower Bound		5.38														
Upper Bound		5.96														
ORIGINAL		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														
B365968			<0.5	7.08	74	1390	2.9	<2	2.38	<0.5	7	38	30	2.45		3.51
DUP			<0.5	7.18	83	1400	2.9	<2	2.42	<0.5	8	36	29	2.48		3.54
Target Range - Lower Bound			<0.5	6.75	65	1310	1.8	<2	2.26	<0.5	5	33	26	2.32		3.33
Upper Bound			1.0	7.51	92	1480	4.0	4	2.54	1.0	10	41	33	2.61		3.72
B365974															0.01	
DUP															0.01	
Target Range - Lower Bound															<0.01	
Upper Bound															0.02	
ORIGINAL		0.410														
DUP		0.397														
Target Range - Lower Bound		0.373														
Upper Bound		0.434														
ORIGINAL		0.252														
DUP		0.241														
Target Range - Lower Bound		0.224														
Upper Bound		0.269														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-NOV-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05096533

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
		DUPLICATES													
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
B365968		0.89	321	1	1.61	19	620	23	0.13	8	440	0.29	45	10	47
DUP		0.90	325	1	1.63	18	620	27	0.15	6	447	0.29	45	10	46
Target Range - Lower Bound		0.83	297	<1	1.52	16	570	20	0.11	<5	419	0.26	41	<10	40
Upper Bound		0.96	349	2	1.72	21	670	30	0.17	10	468	0.32	49	20	53
B365974															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

ACME ANALYTICAL LABORATORIES LTD. (ISO 1 Accredited Co.)
852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A504193 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B291009	<2	28	21	47	<.5	18	6	223	2.40	265	<10	<4	21	417	.4	<5	<5	42	1.85	.062	41	26	.77	1529	.34	7.64	1.71	3.74	17	21	3	9	14	3	7	16
B291029	3	53	20	67	<.5	19	9	211	2.46	678	<10	<4	18	373	<.4	8	17	39	1.97	.062	39	28	.73	1491	.32	7.17	1.52	3.68	23	21	4	11	14	3	7	122
B291049	3	35	24	76	<.5	21	10	277	2.64	428	<10	<4	22	485	<.4	10	<5	44	2.45	.071	48	28	.87	1677	.39	8.40	1.89	3.76	13	22	3	11	14	3	7	288
B291069	2	185	29	195	<.5	59	10	253	2.50	415	<10	<4	19	460	<.4	<5	<5	40	2.10	.065	43	30	.79	1593	.35	7.82	1.76	3.85	>200	22	2	12	13	3	7	104
B291089	9	36	27	98	<.5	19	13	283	2.47	175	<10	<4	22	434	<.4	<5	18	39	2.28	.063	46	28	.73	1552	.32	7.54	1.66	3.79	17	22	2	11	13	3	7	369
B291109	3	34	34	69	<.5	19	10	300	2.44	111	<10	<4	22	381	<.4	16	<5	39	2.16	.059	44	25	.70	1646	.33	7.49	1.43	3.98	25	21	3	12	13	3	7	80
B291129	9	54	22	53	<.5	21	11	280	2.57	231	<10	<4	20	488	<.4	5	7	42	2.54	.064	46	31	.80	1542	.36	7.65	1.75	3.94	61	18	4	12	13	3	7	159
B291149	3	36	121	85	<.5	17	9	289	2.43	379	<10	<4	19	371	.5	57	73	35	2.15	.057	39	27	.68	1530	.28	7.06	1.46	3.77	24	20	5	11	11	3	6	460
B291169	3	37	71	111	<.5	18	7	527	2.56	60	<10	<4	21	283	.7	41	22	40	2.33	.061	51	23	.80	1165	.31	7.38	.66	3.81	23	19	3	12	13	3	7	395
B291189	2	42	25	49	<.5	20	9	241	2.49	491	<10	<4	23	470	<.4	<5	14	40	2.19	.062	47	26	.75	1548	.33	7.47	1.71	3.95	15	20	2	10	13	3	7	452
B291209	5	50	62	86	.6	19	8	328	2.44	31	<10	<4	22	328	.5	31	19	40	2.32	.061	47	25	.75	1475	.29	7.48	1.15	4.11	15	17	4	11	12	3	7	836
B291229	4	47	76	40	.5	15	8	269	2.49	50	11	<4	20	438	<.4	8	59	43	2.30	.057	36	32	.79	1352	.28	7.41	1.62	4.07	49	19	3	10	11	3	7	2119
RE B291229	5	47	79	39	<.5	14	8	276	2.52	64	<10	<4	20	450	.6	13	64	43	2.36	.059	37	33	.81	1380	.29	7.87	1.66	4.13	52	21	3	10	12	3	7	3743
B291249	3	42	29	41	<.5	16	9	257	2.57	21	<10	<4	20	484	<.4	<5	43	42	2.28	.063	47	27	.90	1554	.33	7.72	1.80	3.88	22	14	2	10	13	3	7	589
B291269	3	48	29	34	.7	16	9	211	2.26	72	10	<4	23	443	<.4	<5	153	38	2.07	.055	40	31	.74	1308	.29	7.93	1.72	4.20	12	24	4	12	13	3	7	5250
B291289	2	55	27	41	<.5	13	9	285	2.51	23	<10	<4	18	487	<.4	<5	<5	43	2.36	.058	36	28	.90	1390	.31	7.70	1.82	4.18	6	23	3	10	13	3	7	279
B291309	2	38	32	55	<.5	16	6	212	2.37	277	<10	<4	20	407	.5	9	12	38	1.85	.061	34	27	.70	1540	.32	7.46	1.70	4.09	4	21	3	9	14	3	6	245
B291329	2	28	75	108	1.9	18	8	382	2.63	288	<10	<4	20	384	.4	29	87	46	2.51	.065	42	35	.92	1519	.32	7.64	1.45	3.71	20	20	3	11	14	3	8	635
B291349	3	44	60	163	<.5	23	9	330	2.84	683	<10	<4	21	297	.9	42	8	49	1.85	.077	59	29	.59	1730	.35	9.04	1.33	4.22	19	22	4	12	13	3	8	2360
B291369	3	33	29	73	<.5	22	10	301	2.78	352	12	<4	21	499	<.4	7	<5	44	2.48	.069	49	32	.89	1667	.37	8.40	1.87	3.83	12	23	2	11	14	3	7	257
B291389	3	34	31	75	3.6	21	10	326	2.74	88	<10	<4	24	502	.5	6	<5	45	2.56	.070	49	29	.88	1823	.38	8.57	1.85	4.16	26	19	3	12	13	3	8	103
B291409	3	39	32	56	<.5	19	10	264	2.43	133	<10	<4	23	409	<.4	6	<5	38	2.23	.061	44	27	.66	1543	.33	7.97	1.69	3.85	9	19	3	11	12	3	7	121
B291429	3	33	34	81	<.5	22	9	355	2.70	17	<10	<4	21	465	<.4	<5	<5	42	2.63	.064	43	32	.86	1547	.36	8.18	1.91	3.86	8	21	2	12	14	3	7	55
B291449	5	47	68	119	<.5	20	15	322	2.53	30	<10	<4	22	406	1.0	21	<5	41	2.61	.061	49	26	.70	1481	.33	8.06	1.51	3.78	13	20	4	11	11	3	7	77
B291469	6	65	38	48	<.5	19	10	299	2.56	41	<10	<4	20	402	<.4	15	42	41	2.72	.063	46	28	.71	1422	.33	7.60	1.60	3.63	10	18	2	11	12	3	7	1390
B291489	2	29	18	79	<.5	20	10	255	2.51	416	<10	<4	19	371	.4	<5	10	40	2.25	.068	43	27	.81	1681	.35	7.69	1.41	3.98	13	18	4	11	14	3	7	433
B291509	4	48	19	61	<.5	19	9	264	2.43	408	<10	<4	22	411	.4	10	26	38	2.39	.059	43	23	.75	1535	.30	7.37	1.46	4.02	63	18	3	11	14	3	7	956
B291529	2	37	18	36	<.5	19	8	238	2.55	283	<10	<4	23	350	<.4	5	<5	37	2.26	.061	45	24	.82	1451	.33	7.61	1.40	3.77	20	23	2	13	15	3	7	76
B291549A	2	31	19	28	<.5	14	7	241	1.98	372	<10	<4	21	347	<.4	<5	<5	28	2.89	.048	35	16	.66	1276	.25	6.91	1.15	3.89	18	22	<2	13	12	3	6	174
B291569	3	21	30	57	<.5	15	7	248	2.15	53	<10	<4	22	358	<.4	<5	<5	32	1.86	.051	38	21	.49	1391	.28	7.47	1.68	4.18	14	22	3	12	14	3	6	13
B291589	15	48	27	39	<.5	16	7	203	2.25	109	<10	<4	19	393	<.4	5	<5	34	2.06	.056	37	22	.68	1416	.28	7.21	1.59	4.24	36	17	2	12	12	3	6	192
B291609	<2	14	31	68	<.5	16	8	294	2.23	52	<10	<4	21	443	<.4	<5	<5	35	2.43	.053	38	23	.69	1335	.29	8.03	1.86	3.96	<4	24	<2	12	13	3	6	35
B291629	3	55	31	63	<.5	21	10	332	2.49	54	<10	<4	19	421	<.4	15	<5	38	2.86	.062	43	24	.84	1520	.31	7.38	1.40	3.85	16	17	2	12	13	3	7	38
B291649	6	84	35	78	<.5	16	13	447	2.94	942	<10	<4	19	224	<.4	23	33	51	2.62	.065	41	35	.44	1424	.30	7.26	.88	4.17	17	20	4	11	12	3	8	1570
STANDARD D	12	133	31	176	<.5	30	14	994	3.97	27	<10	<4	8	299	5.3	7	7	116	2.25	.094	27	259	1.07	688	.42	7.06	1.68	1.41	8	48	5	14	9	3	12	817

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK CHIP P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data A FA ____ DATE RECEIVED: AUG 5 2005 DATE REPORT MAILED: Aug 17/05

BRITISH COLUMBIA CERTIFIED ASSAYER

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B291669	5	44	321	158	<.5	16	9	430	2.33	767	<10	<4	19	292	.4	76	9	37	3.03	.059	42	20	.59	1146	.31	7.21	1.09	4.13	34	21	2	12	13	3	7	409
B291689	3	70	114	214	<.5	18	10	468	2.86	636	<10	<4	19	219	<.4	32	16	35	1.59	.063	46	24	.62	1544	.27	7.49	.82	5.32	26	23	6	10	11	3	7	546
B291709	6	43	1389	657	8.4	24	14	108	4.86	3855	<10	<4	15	148	<.4	600	16	35	.53	.038	45	24	.31	431	.27	7.35	.05	4.23	21	22	13	4	10	3	5	1897
B291729	3	34	32	63	<.5	19	11	291	2.55	169	<10	<4	15	431	<.4	<5	10	35	2.36	.061	44	27	.80	1473	.34	7.33	1.67	4.22	17	23	2	11	12	3	7	289
B291749	2	38	50	59	<.5	18	8	274	2.49	24	<10	<4	18	427	<.4	7	7	32	2.23	.058	47	26	.77	1460	.31	7.58	1.76	4.77	13	22	2	12	12	3	7	309
B291769	2	24	33	72	<.5	18	9	334	2.47	196	<10	<4	19	391	<.4	<5	<5	36	2.31	.061	45	22	.86	1450	.33	7.35	1.65	4.43	14	24	<2	13	12	3	7	424
B291789	4	69	21	26	<.5	16	10	209	2.59	58	<10	<4	20	493	<.4	<5	<5	38	2.43	.067	48	29	.86	1525	.36	7.94	1.87	5.06	22	22	4	11	14	3	7	236
B291809	3	70	480	3987	1.0	13	7	1227	3.68	34	25	<4	17	218	25.0	157	5	50	3.24	.065	42	33	1.12	979	.28	7.26	.49	4.33	23	22	7	12	10	3	9	147
B291829	6	43	145	287	.8	15	5	841	2.10	484	27	<4	11	20	1.4	73	<5	31	.21	.011	20	28	.16	243	.16	3.72	.04	1.74	13	35	2	7	5	1	4	18
B291849	2	51	18	42	<.5	21	13	235	2.74	516	<10	<4	17	435	<.4	7	<5	40	2.14	.070	44	28	.92	1613	.38	8.34	1.75	4.60	31	22	2	11	13	3	7	60
B291869	3	80	17	29	<.5	18	15	194	2.66	461	<10	<4	19	353	<.4	<5	6	38	2.11	.065	48	23	1.00	1563	.36	7.53	1.33	4.67	36	23	<2	12	13	3	7	153
B291889	3	75	18	34	<.5	19	17	224	2.71	495	16	<4	19	322	<.4	<5	12	39	2.28	.061	46	26	.96	1575	.35	7.55	1.01	5.05	19	22	3	12	11	3	7	429
B291909	<2	56	18	71	<.5	19	14	204	2.44	638	<10	<4	23	415	<.4	<5	<5	36	2.18	.059	45	23	.78	1519	.32	7.98	1.71	5.16	8	25	3	12	14	4	7	178
B291929	2	19	38	64	<.5	18	8	292	2.27	48	10	<4	16	292	<.4	13	<5	32	2.02	.056	39	21	.57	1540	.27	7.43	1.19	4.50	11	23	<2	10	11	3	6	25
B291949	6	46	64	215	<.5	17	9	342	2.31	82	<10	<4	18	296	<.4	24	<5	40	2.76	.066	48	25	.65	1487	.33	7.72	1.01	5.12	12	17	3	10	11	3	7	319
B291969	3	39	34	53	<.5	12	9	326	2.56	33	<10	<4	16	455	<.4	<5	13	41	2.37	.056	35	29	.85	1348	.31	7.64	1.70	4.65	11	26	4	10	13	3	7	1030
B291989	4	65	22	30	<.5	14	11	244	2.60	167	<10	<4	21	458	<.4	5	7	45	2.30	.062	44	33	.96	1319	.34	7.51	1.69	4.66	22	28	3	11	14	3	7	2397
B292009	3	38	31	57	<.5	15	10	371	2.85	30	<10	<4	21	475	<.4	<5	<5	47	2.53	.066	49	31	.97	1494	.36	8.03	1.80	4.85	6	27	3	12	13	3	8	49
B292029	3	22	27	76	<.5	17	11	439	2.95	18	<10	<4	20	540	<.4	<5	<5	50	2.94	.071	52	34	1.08	1596	.38	8.58	1.98	4.47	5	28	<2	13	14	4	8	22
B292709	<2	56	17	27	<.5	16	9	216	2.59	653	<10	<4	20	481	<.4	<5	<5	44	2.57	.065	50	35	.91	1494	.38	7.95	1.83	4.62	4	26	3	12	13	4	7	92
B292729	4	51	17	23	<.5	11	8	194	2.47	1629	11	<4	19	478	<.4	<5	5	46	2.47	.062	44	33	.98	1384	.35	7.81	1.81	5.01	9	28	3	10	12	4	7	118
B292749	4	114	74	48	<.5	14	8	172	2.87	4859	<10	<4	18	201	<.4	26	20	41	2.10	.062	47	25	.99	1084	.30	7.60	.60	5.10	28	26	4	10	11	3	7	491
RE B292749	2	111	69	49	<.5	15	8	168	2.81	5016	<10	<4	18	197	<.4	28	21	40	2.06	.061	46	24	.97	882	.29	7.46	.58	5.00	28	24	4	10	10	3	7	472
B292769	2	49	16	33	<.5	14	8	391	2.34	783	<10	<4	19	404	<.4	9	<5	36	3.81	.059	54	25	.83	1287	.32	7.42	1.61	4.56	21	27	3	13	13	3	6	86
B292789	2	63	214	827	1.8	14	10	972	2.65	2672	<10	<4	19	207	4.2	44	6	37	2.46	.059	46	20	.77	980	.30	7.47	.57	4.98	19	26	4	11	10	3	6	196
B292809	5	43	23	30	<.5	12	8	234	2.45	844	<10	<4	18	452	<.4	8	<5	38	2.02	.064	39	24	.78	1548	.35	7.58	1.63	5.15	25	26	4	8	13	4	6	70
B292829	2	88	260	368	1.6	9	8	1366	1.93	765	<10	<4	19	134	1.9	54	<5	33	2.43	.058	45	19	.68	803	.26	7.33	.18	4.45	27	28	<2	9	11	3	6	74
B292849	3	33	23	23	<.5	12	8	240	2.20	605	<10	<4	20	425	<.4	<5	<5	36	2.08	.061	49	23	1.09	1575	.33	7.64	1.45	5.19	28	27	2	11	13	3	6	87
B292869	<2	32	19	33	<.5	18	9	210	2.54	1378	<10	<4	18	460	<.4	<5	<5	42	2.29	.064	43	24	.77	1643	.37	7.94	1.66	4.40	6	22	3	11	13	3	7	123
B292889	3	5	242	9	1.3	7	11	47	1.21	4264	<10	<4	2	14	<.4	13	<5	9	.11	.003	2	14	.06	48	.02	.82	.08	.15	23	6	<2	<2	2	<1	<1	86
B292909	<2	59	9	49	<.5	29	20	502	4.48	4714	<10	<4	14	339	<.4	<5	<5	83	3.61	.077	43	110	2.29	1224	.40	7.29	1.18	3.00	26	21	<2	14	11	3	17	347
B292049	4	98	741	518	1.6	7	7	1732	2.76	1235	<10	<4	18	111	6.9	223	<5	36	3.20	.060	46	22	.82	638	.27	7.06	.03	3.95	29	22	6	11	9	3	6	55
B292069	4	55	71	255	<.5	20	11	270	2.30	804	<10	<4	16	205	.5	19	<5	36	1.67	.064	52	25	.43	1634	.34	7.55	.85	4.98	14	27	3	11	12	3	7	29
B292089	6	110	27	86	<.5	17	19	327	2.76	989	<10	<4	14	275	<.4	19	7	37	2.50	.058	43	23	.77	1151	.32	7.15	1.01	4.16	32	20	3	13	11	3	6	184
STANDARD DST6/0xF41	12	131	33	178	<.5	29	14	996	3.97	27	<10	<4	8	297	5.3	7	5	115	2.25	.096	28	263	1.07	678	.43	7.01	1.67	1.74	8	52	4	14	9	3	12	802

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data ✓ FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B292109	4	98	25	58	<.5	20	15	174	4.34	471	<10	<4	15	262	<.4	29	<5	38	1.54	.055	44	27	.70	212	.27	7.22	1.31	3.75	18	20	4	8	10	3	6	184
B292129	4	45	24	51	<.5	18	9	305	2.71	118	<10	<4	15	483	<.4	<5	<5	43	2.45	.060	37	27	.88	1504	.36	7.27	1.83	3.79	17	18	2	8	12	3	7	39
B292149	4	66	16	30	<.5	18	9	262	2.76	127	<10	<4	17	489	<.4	<5	<5	44	2.63	.062	43	31	.91	1456	.36	8.01	1.79	4.11	6	24	3	10	11	3	7	31
B292169	5	62	38	72	<.5	13	10	297	2.57	144	<10	<4	15	255	<.4	9	7	38	1.82	.055	41	24	.73	1254	.28	7.17	.92	4.18	16	20	3	10	10	3	7	100
B292569	3	55	30	33	<.5	14	10	239	2.54	1185	<10	<4	19	398	<.4	8	13	44	2.28	.056	39	33	.85	1306	.33	7.35	1.56	4.29	8	30	5	10	11	4	6	57
B292589	4	66	19	22	<.5	15	10	164	2.47	2136	<10	<4	16	416	<.4	<5	5	43	1.99	.057	42	31	.92	1258	.33	7.17	1.56	4.44	8	30	5	9	12	3	7	92
B292609	8	120	18	30	<.5	13	9	142	2.52	1577	<10	<4	17	396	<.4	8	13	40	2.14	.058	44	30	.79	1362	.31	7.28	1.52	4.40	28	23	7	10	13	3	6	69
B292629	3	46	24	50	<.5	16	12	259	2.90	3220	<10	<4	16	405	<.4	5	21	47	2.18	.056	38	38	.85	1353	.31	6.86	1.53	4.10	44	28	3	8	11	3	7	194
B292649	4	92	48	96	<.5	21	9	286	2.94	2738	<10	<4	18	394	<.4	20	14	48	2.48	.065	46	32	.78	1539	.35	7.80	1.25	4.50	32	25	5	8	12	3	7	104
B292669	<2	146	>10000	3389	11.0	21	10	6013	19.64	1918	75	5	6	110	21.0	>4000	58	12	4.12	.019	17	18	1.20	69	.06	2.41	.02	.99	<4	10	16	7	3	1	2	1365
B292689	4	77	81	74	<.5	19	10	444	2.85	2231	<10	<4	16	299	<.4	47	18	41	2.11	.061	46	27	.88	1419	.31	7.27	.96	4.36	18	18	5	9	11	3	7	140
RE B292689	3	76	79	82	<.5	18	11	465	3.00	2973	<10	<4	17	316	<.4	38	20	43	2.26	.065	44	27	.93	1485	.34	7.55	1.01	4.54	16	19	5	10	11	3	7	134
B292929	2	39	572	333	1.8	23	10	651	3.60	86	<10	<4	12	63	1.4	66	<5	68	.79	.026	39	43	.79	606	.24	6.52	.08	2.99	6	26	<2	6	5	2	9	18
B292949	2	29	47	65	<.5	23	11	413	2.98	91	<10	<4	12	98	<.4	16	<5	69	.94	.023	42	45	.77	566	.27	6.42	.10	2.45	9	32	2	6	6	1	9	10
B292969	3	4716	24	78	32.0	43	60	166	11.30	>10000	<10	<4	11	35	<.4	144	7	71	.16	.028	29	43	.65	131	.15	7.01	.11	3.28	12	29	14	4	4	2	12	2796
B292989	3	7	32	10	<.5	14	5	85	1.06	320	<10	<4	25	218	<.4	<5	<5	22	.86	.015	39	12	.35	1010	.12	6.47	1.37	4.29	4	35	<2	7	8	2	4	13
B380209	4	35	17	70	<.5	33	15	188	3.79	165	<10	<4	15	122	<.4	<5	<5	97	.32	.033	55	62	1.08	883	.41	8.83	1.08	4.49	<4	43	2	7	7	2	13	8
B380229	<2	22	6	17	<.5	12	8	186	1.14	173	<10	<4	4	56	<.4	<5	<5	29	.54	.017	15	21	.25	62	.17	1.88	.04	.30	10	16	<2	4	3	<1	2	43
B292189	5	43	27	36	<.5	20	11	304	2.83	192	<10	<4	19	539	<.4	7	<5	49	2.75	.070	51	29	.97	1618	.39	8.07	1.80	3.94	11	19	3	10	13	3	8	25
B292209	11	74	73	62	<.5	14	11	386	3.06	381	<10	<4	18	376	<.4	29	238	50	2.02	.064	49	46	.88	1548	.29	7.24	1.18	4.38	16	41	5	8	14	3	7	3369
B292229	2	8	11	18	<.5	9	5	151	1.51	181	<10	<4	16	59	<.4	5	<5	27	.28	.010	30	24	.25	416	.19	3.38	.62	1.81	4	15	<2	4	5	1	4	7
B292249	4	92	14	12	<.5	17	17	83	2.34	2423	<10	<4	19	340	<.4	<5	13	34	1.31	.051	39	24	.69	1413	.29	6.79	1.27	4.50	19	19	4	8	10	2	6	112
B292269	2	73	20	65	<.5	19	11	175	2.61	898	<10	<4	13	374	<.4	<5	<5	38	1.83	.060	41	22	.78	1484	.35	7.15	1.51	3.95	10	19	4	8	12	3	6	41
B292289	3	63	14	22	<.5	19	11	234	2.67	226	<10	<4	17	416	<.4	9	<5	35	2.00	.056	40	23	.83	1407	.32	7.03	1.53	3.58	10	24	<2	10	11	3	6	37
B292309	6	55	268	530	1.0	12	6	480	2.36	818	<10	<4	18	42	1.6	18	6	35	1.93	.058	46	20	.35	593	.26	8.09	.04	3.73	17	17	7	9	10	3	6	79
B292329	3	65	23	46	<.5	19	10	243	2.74	402	<10	<4	17	406	<.4	<5	6	41	2.28	.062	42	25	.80	1502	.37	7.18	1.62	3.78	<4	20	4	9	12	3	7	95
B292349	4	40	27	52	<.5	18	11	258	2.57	102	<10	<4	19	422	<.4	<5	<5	38	2.31	.058	49	25	.76	1414	.32	7.32	1.79	3.59	8	17	4	11	13	3	7	15
B292369	4	75	26	42	<.5	20	11	272	2.71	67	<10	<4	18	446	<.4	<5	10	40	2.46	.061	39	26	.79	1492	.36	7.20	1.73	3.84	36	18	3	10	13	3	7	60
B380249	<2	15	6	24	<.5	9	4	254	1.17	150	<10	<4	3	13	<.4	<5	<5	23	.08	.014	11	30	.12	60	.09	1.92	.03	.32	8	18	<2	4	2	<1	2	13
B380269	2	203	14	35	<.5	34	13	160	2.89	780	<10	<4	12	63	<.4	5	<5	57	.78	.032	35	45	.73	543	.11	5.33	.23	3.25	17	38	2	5	4	2	8	27
B380289	2	39	13	33	<.5	20	9	255	2.27	455	<10	<4	12	166	<.4	<5	<5	50	1.23	.025	39	32	.69	599	.17	6.25	.12	2.62	5	36	<2	6	5	2	8	48
B380309	2	27	38	55	<.5	20	9	460	2.43	2317	<10	<4	19	228	<.4	5	5	36	2.11	.052	41	23	.66	1238	.28	7.03	.81	4.09	25	21	2	11	10	3	6	172
B380329	3	28	22	38	<.5	21	9	224	2.22	1971	<10	<4	17	322	<.4	<5	11	33	2.25	.058	42	25	.68	1338	.29	7.21	1.29	4.06	24	21	3	10	12	3	6	166
B380349	<2	27	10	28	<.5	11	4	242	1.16	758	<10	<4	4	69	<.4	10	7	15	.98	.014	15	18	.39	142	.11	2.05	.02	.82	16	13	<2	5	4	<1	2	76
STANDARD DST6/0xF41	13	130	28	176	<.5	30	14	972	4.06	25	<10	<4	6	293	5.3	5	5	115	2.20	.092	26	259	1.04	683	.43	6.85	1.64	1.40	6	47	5	11	9	3	11	816

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B380369	<2	29	22	38	<.5	26	11	232	2.52	555	<10	<4	19	210	<.4	19	<5	44	1.80	.073	45	28	.81	1346	.30	7.46	.81	3.70	12	27	2	11	9	3	8	79
B380389	2	27	17	44	<.5	24	10	457	3.24	52	<10	<4	15	150	<.4	7	<5	66	1.14	.033	44	52	.98	683	.24	6.82	.86	2.66	<4	29	3	7	6	2	9	18
B380409	2	47	13	61	<.5	37	14	424	3.95	89	<10	<4	17	121	<.4	11	<5	77	.62	.051	52	68	1.08	815	.39	9.65	.92	4.00	5	45	2	6	8	2	12	8
B380429	3	32	9	78	<.5	47	21	681	4.59	67	<10	<4	16	92	<.4	<5	<5	87	.45	.054	57	75	.98	918	.43	10.57	.16	3.66	24	31	3	7	21	2	13	4
B292389	2	88	21	22	<.5	13	6	82	2.12	3238	<10	<4	14	434	<.4	<5	12	46	1.30	.051	37	28	.57	1457	.24	8.06	1.96	4.02	9	46	7	7	28	5	6	116
B292409	3	54	35	56	<.5	21	8	252	2.67	655	<10	<4	22	343	<.4	10	11	37	2.49	.059	47	27	.67	1560	.32	7.73	1.34	3.97	12	31	4	11	14	3	7	43
B292429	4	51	18	36	<.5	18	8	217	2.47	262	<10	<4	16	344	<.4	<5	7	39	1.82	.056	43	28	.85	1454	.33	7.12	1.48	3.64	18	24	3	9	11	3	6	214
B292449	2	41	290	612	1.1	18	7	684	2.64	213	<10	<4	21	236	3.1	39	<5	40	2.88	.063	47	25	.79	966	.31	7.91	.67	3.74	13	22	7	10	11	3	7	50
B292469	3	79	310	226	1.0	15	11	534	2.59	243	<10	<4	19	281	.7	111	10	38	2.93	.058	46	21	.65	1198	.29	7.30	.86	3.54	18	18	5	9	11	3	6	94
B292489	9	63	28	53	.6	21	14	246	2.79	113	11	<4	21	457	<.4	7	14	41	2.23	.063	46	25	.86	1641	.37	7.56	1.67	3.76	14	20	3	9	12	3	7	288
B381609	3	61	28	72	<.5	20	12	295	2.68	171	<10	<4	17	375	<.4	13	13	39	2.36	.059	41	28	.81	1535	.33	7.17	1.40	3.60	18	20	3	8	12	3	6	583
B381629	5	60	23	38	<.5	15	11	256	3.11	122	<10	<4	17	314	<.4	21	10	46	1.47	.062	47	31	.85	1416	.31	7.33	1.11	3.96	12	19	4	9	12	3	7	422
B381649	4	47	36	55	<.5	16	12	393	3.17	56	<10	<4	22	473	<.4	7	6	56	2.55	.069	49	39	1.24	1445	.39	7.43	1.69	3.88	34	32	4	10	15	3	8	446
B381669	6	40	26	49	<.5	17	11	320	2.90	83	<10	<4	17	498	<.4	<5	<5	51	2.69	.067	48	35	1.02	1546	.37	7.49	1.72	3.59	10	21	3	9	13	3	8	147
B381689	3	17	15	70	<.5	21	12	124	2.00	118	<10	<4	18	114	<.4	21	5	99	.26	.018	75	65	.37	1216	.37	10.79	.72	4.75	<4	47	3	6	12	3	14	7
RE B381689	3	18	15	70	<.5	19	12	123	2.04	114	<10	<4	20	112	<.4	14	<5	97	.23	.018	73	66	.37	1215	.36	10.65	.72	4.76	<4	48	4	5	17	3	14	7
B381709	<2	22	20	70	<.5	29	14	315	3.65	154	<10	<4	14	126	<.4	<5	<5	82	1.22	.022	48	65	.87	897	.45	8.53	.88	3.46	12	30	3	7	10	2	11	5
B380449	3	116	34	23	<.5	12	12	189	2.87	1872	<10	<4	19	374	<.4	9	97	50	2.05	.062	47	35	.88	1405	.32	7.75	1.32	4.31	13	33	8	8	12	3	7	266
B380489	3	70	21	17	<.5	12	9	165	2.81	2461	<10	<4	19	441	<.4	7	32	47	2.54	.058	45	34	.93	1362	.32	7.65	1.54	4.28	11	27	7	10	12	3	7	198
B380509	3	56	25	20	<.5	17	9	160	2.70	1833	<10	<4	17	484	<.4	8	11	45	2.17	.057	44	31	.90	1541	.33	8.18	1.76	4.28	6	25	8	9	12	3	7	130
B380549	3	41	30	25	<.5	19	13	176	2.46	1905	<10	<4	19	490	<.4	<5	16	39	2.56	.058	47	23	.77	1530	.35	8.02	1.72	4.21	7	21	5	10	12	3	6	164
B380569	4	57	19	31	<.5	13	11	307	2.95	680	<10	<4	19	492	<.4	5	5	64	3.09	.065	45	49	1.15	1381	.36	7.78	1.67	4.00	5	31	9	11	13	3	10	39
B380589	3	77	28	23	<.5	17	10	171	2.32	1489	<10	<4	19	332	<.4	<5	11	42	2.26	.059	44	28	.59	1429	.33	7.28	1.16	4.37	11	24	8	8	12	3	7	77
B380469	2	36	19	20	<.5	9	45	140	3.24	4493	<10	<4	18	374	<.4	<5	38	38	1.71	.050	39	32	.73	1099	.28	6.59	1.26	4.02	17	31	6	9	11	3	6	379
B380529	3	91	27	17	<.5	17	8	128	2.24	1972	<10	<4	20	384	<.4	6	15	35	2.12	.051	41	25	.74	1348	.30	6.99	1.49	4.18	7	24	9	10	12	3	6	177
B380609	2	53	21	27	<.5	13	9	219	2.36	324	<10	<4	17	437	<.4	<5	7	42	2.13	.055	42	34	.93	1258	.31	7.05	1.69	3.76	9	23	7	9	12	3	7	32
B381909	<2	10	22	97	<.5	33	13	424	3.57	235	<10	<4	12	348	<.4	6	66	105	2.31	.073	35	68	1.38	1321	.47	7.51	1.47	2.84	5	14	3	13	10	2	11	1096
B382109	3	25	29	35	<.5	14	7	217	2.38	1097	<10	<4	20	443	<.4	<5	13	32	2.08	.052	40	24	.74	1464	.31	7.16	1.28	4.00	11	25	9	8	12	3	5	123
B382129	3	27	23	30	<.5	17	9	216	2.62	856	<10	<4	18	475	<.4	6	11	38	2.37	.058	44	23	.78	1590	.34	7.52	1.51	3.87	11	25	5	9	13	3	6	36
B382149	4	34	21	30	<.5	21	9	209	2.77	903	<10	<4	19	474	<.4	5	7	42	2.23	.063	46	32	.83	1631	.36	7.91	1.68	3.87	7	22	7	9	13	3	7	37
B381929	3	69	18	30	<.5	12	10	180	2.57	1358	<10	<4	16	468	<.4	<5	5	42	2.33	.055	40	32	.86	1251	.31	7.23	1.72	3.97	<4	29	7	7	11	4	6	36
B381969	3	258	716	3734	2.9	8	5	1669	5.53	421	13	<4	16	36	24.3	251	<5	37	1.45	.050	39	31	.88	229	.19	6.67	.04	3.44	15	27	14	7	8	3	6	125
B382009	2	78	22	19	<.5	17	9	125	2.39	1335	<10	<4	17	437	<.4	<5	14	37	2.04	.056	41	26	.74	1462	.33	7.25	1.59	4.19	8	24	9	9	10	3	7	57
B382029	3	65	26	24	<.5	14	8	123	2.52	1777	<10	<4	18	480	<.4	6	10	40	1.89	.056	41	30	.75	1446	.32	7.30	1.52	4.18	19	24	9	8	12	3	6	59
STANDARD DST6/OxF41	12	127	31	169	.5	30	14	941	3.94	28	<10	<4	7	289	5.6	6	5	111	2.18	.089	26	260	1.03	676	.40	6.83	1.63	1.39	7	50	6	12	8	3	11	815

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B382089	7	91	17	28	<.5	21	6	149	2.12	614	<10	<4	19	429	<.4	<5	<5	34	1.90	.056	40	24	.84	1358	.33	6.93	1.19	3.92	17	22	7	10	13	3	6	17
B382229	2	26	25	65	<.5	22	9	306	2.65	33	<10	<4	21	438	<.4	11	<5	45	1.96	.064	44	26	.99	1572	.37	7.30	1.55	3.72	13	24	<2	9	13	3	7	67
B382249	3	24	26	66	<.5	22	10	314	2.67	138	<10	<4	18	509	<.4	6	5	42	2.46	.065	40	24	.88	1616	.37	7.45	1.82	3.63	11	22	2	9	13	3	7	76
B382269	7	56	22	42	<.5	20	8	228	2.58	260	<10	<4	16	440	<.4	<5	7	43	2.03	.062	39	25	.77	1487	.35	6.96	1.54	3.58	16	22	3	8	11	3	6	113
B382289	2	26	37	75	<.5	20	9	318	2.63	187	<10	<4	20	418	<.4	9	6	41	2.09	.061	43	24	.85	1481	.35	7.42	1.58	3.61	11	20	2	10	11	3	7	108
B382309	3	53	31	61	<.5	19	9	259	2.52	360	<10	<4	19	411	<.4	<5	9	39	2.53	.061	39	28	.70	1405	.33	7.13	1.67	3.71	10	20	4	9	12	3	6	91
B382329	3	73	103	398	.6	18	14	391	2.54	72	<10	<4	21	320	1.4	27	7	44	2.15	.061	42	25	.93	1298	.31	7.35	.95	4.15	11	22	4	11	12	4	7	101
RE B382329	4	72	111	418	.5	18	13	393	2.59	58	19	<4	20	328	1.5	21	9	45	2.19	.063	44	25	.94	1336	.33	7.46	.96	4.20	11	24	3	11	12	4	7	156
B380629	2	35	21	142	<.5	50	21	723	5.27	39	<10	<4	22	62	<.4	14	<5	103	.12	.027	59	72	.53	655	.47	10.02	.15	2.37	4	73	<2	7	16	2	14	5
B380649	<2	21	10	69	<.5	20	10	829	3.20	17	<10	<4	11	106	<.4	<5	<5	43	1.31	.021	27	29	.83	221	.23	4.41	.29	1.00	<4	44	<2	8	6	1	6	7
B380669	2	38	21	94	<.5	38	19	338	4.33	19	<10	<4	19	79	<.4	<5	<5	97	.28	.032	49	62	1.04	643	.43	8.62	.72	2.59	<4	68	<2	5	10	3	12	2
B380689	2	62	21	147	<.5	54	27	826	5.08	58	<10	<4	21	52	<.4	<5	<5	132	.20	.030	57	84	.98	830	.45	11.04	.33	4.06	<4	65	3	6	32	3	16	6
B380709	<2	26	16	52	<.5	23	10	278	2.77	10	<10	<4	15	50	<.4	<5	<5	55	.64	.023	31	35	.72	330	.29	5.49	.71	1.53	<4	45	<2	5	7	2	7	2
B380729	2	31	14	57	<.5	25	12	384	3.35	16	<10	<4	13	77	<.4	5	5	69	.63	.023	34	47	.94	454	.33	6.11	.76	1.97	<4	48	<2	6	8	2	9	9
B380749	2	64	6	22	<.5	16	7	191	2.16	538	<10	<4	12	13	<.4	9	<5	37	.07	.019	25	28	.22	174	.17	4.35	.03	.97	<4	35	3	6	5	1	5	11
B380769	2	63	49	451	<.5	35	21	230	3.41	1700	<10	<4	19	58	2.2	7	7	110	.18	.032	51	69	.64	746	.34	8.69	.17	3.73	<4	62	2	6	9	2	13	22
B380789	2	37	15	81	<.5	34	17	348	4.26	19	<10	<4	18	93	<.4	<5	<5	93	.46	.031	45	64	1.10	637	.43	8.00	.59	2.77	<4	66	<2	5	11	3	12	5
B381949	3	81	208	216	1.0	12	12	298	2.88	2919	<10	<4	18	250	.7	35	11	43	1.88	.052	40	27	.71	1060	.24	6.90	.82	3.89	15	28	7	7	10	3	6	241
B381989	2	104	19	16	<.5	13	9	169	2.49	2264	<10	<4	19	463	<.4	7	14	48	2.01	.058	40	34	.79	1350	.31	7.43	1.61	4.42	11	36	6	8	12	4	7	94
B382049	2	82	17	17	<.5	14	9	134	2.51	3636	<10	<4	18	470	<.4	5	19	38	2.17	.057	36	27	.66	1397	.32	7.11	1.50	4.19	8	24	6	8	13	4	6	69
B382069	2	116	24	15	<.5	11	8	74	2.09	4235	<10	<4	14	405	<.4	<5	48	43	1.73	.049	34	28	.70	1328	.20	7.18	1.67	4.22	10	54	8	8	23	5	6	180
B381749	3	17	17	97	<.5	41	17	485	3.98	555	<10	<4	16	430	<.4	<5	<5	127	2.79	.084	36	70	1.61	1417	.52	8.32	1.75	2.82	<4	21	<2	14	16	3	13	62
B381829	4	23	46	91	<.5	21	8	466	2.51	261	<10	<4	21	202	<.4	24	<5	37	2.09	.060	48	23	.54	1456	.28	7.60	.88	4.30	11	26	2	10	13	3	7	31
B381869	4	101	21	24	<.5	16	12	256	2.90	218	<10	<4	17	499	<.4	6	14	46	2.47	.065	48	30	1.15	1604	.35	7.50	1.23	4.28	21	20	4	10	13	3	8	674
STANDARD DST6/OxF41	13	131	30	175	<.5	31	14	987	4.01	27	<10	<4	8	297	5.6	6	6	117	2.23	.096	27	264	1.07	685	.44	7.04	1.67	1.46	6	51	4	12	9	3	12	799

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A504697 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B382169	<2	23	20	99	<.5	24	12	412	3.44	32	<10	<4	18	513	.8	<5	17	78	3.05	.076	38	51	1.24	1458	.40	8.23	1.86	2.69	8	27	<2	15	12	3	10	72
B382188	4	24	25	82	<.5	24	12	366	3.09	355	<10	<4	16	502	.7	7	26	77	2.86	.071	40	48	1.27	1494	.37	7.56	1.54	2.91	29	19	<2	16	11	3	10	420
B382209	<2	37	30	91	<.5	20	8	282	3.16	37	<10	<4	20	387	.9	24	9	41	2.21	.068	45	26	.71	1413	.32	7.93	1.33	3.88	11	25	2	15	11	3	8	157
B380929	<2	221	7	26	.5	14	7	580	3.30	23	19	<4	9	72	.4	13	15	40	.88	.017	19	25	.63	121	.22	2.85	.02	.55	4	31	4	13	4	1	5	2
B380949	2	44	8	81	<.5	33	19	528	4.69	9	<10	<4	14	96	.5	<5	5	105	1.06	.037	44	63	1.23	560	.42	7.68	.05	2.77	<4	46	4	18	11	2	15	<2
B380969	<2	17	5	27	.6	14	6	414	2.07	<5	<10	<4	8	250	<.4	8	12	34	3.52	.025	17	19	.79	387	.14	2.95	.03	1.61	4	29	<2	12	4	1	5	<2
B380989	<2	17	<5	7	<.5	5	3	67	.90	38	<10	<4	8	41	<.4	<5	<5	12	.30	.013	16	11	.16	60	.07	2.06	.51	.26	<4	34	<2	7	2	<1	2	7
B380849	<2	21	7	78	<.5	24	11	394	2.38	8	<10	<4	10	25	.6	<5	12	44	.15	.023	25	24	.33	290	.21	4.42	.04	1.12	4	43	<2	10	5	1	6	<2
B380869	2	99	9	134	<.5	88	43	864	7.23	2444	18	<4	17	184	.4	19	22	144	2.31	.090	41	504	3.48	633	.42	7.23	.11	1.99	8	102	5	16	11	3	24	141
B380889	<2	23	17	92	<.5	30	13	450	3.71	9	<10	<4	13	80	.4	<5	<5	62	.43	.025	32	41	.84	424	.33	6.58	.57	1.49	<4	55	<2	12	8	2	9	11
B380909	<2	41	24	80	<.5	32	17	243	3.98	<5	<10	<4	15	96	.4	<5	11	100	.31	.025	44	60	.90	673	.41	8.75	.69	2.52	<4	57	2	8	9	3	13	3
B382349	2	61	15	34	<.5	18	11	308	2.92	40	<10	<4	20	592	.5	16	7	51	2.85	.075	48	28	1.06	1634	.37	8.21	2.02	3.21	6	20	4	12	13	4	9	25
B382369	4	80	20	34	<.5	15	10	345	2.91	95	<10	<4	19	513	<.4	14	<5	55	2.88	.068	41	37	1.12	1420	.35	7.75	1.97	3.23	9	26	4	16	12	3	9	31
B382389	2	58	31	64	<.5	20	11	284	2.89	349	<10	<4	16	504	<.4	<5	20	39	2.37	.071	45	27	.87	1710	.37	8.12	1.82	3.83	17	24	3	14	12	3	8	138
B382409	4	68	578	2009	5.1	18	14	826	3.16	1176	<10	<4	19	152	12.6	193	20	36	1.43	.058	44	21	.51	717	.29	7.98	.31	3.12	15	20	3	16	11	4	7	176
B382429	<2	48	22	47	<.5	23	10	290	2.79	505	<10	<4	17	447	<.4	10	24	39	2.89	.066	36	23	.77	1614	.36	7.57	1.63	3.27	11	22	3	14	13	3	7	213
RE B382429	2	48	21	41	<.5	19	10	275	2.75	487	<10	<4	18	454	<.4	13	14	38	2.91	.066	39	24	.77	1619	.34	7.78	1.65	3.33	13	19	3	14	13	3	7	127
B089341	<2	65	6	65	<.5	42	19	1238	4.99	6	<10	<4	14	107	<.4	<5	9	96	1.92	.069	48	52	1.74	697	.29	9.60	.09	2.82	<4	70	<2	13	11	3	15	2
B089361	2	15	<5	11	<.5	42	16	573	1.75	92	<10	<4	12	60	.4	<5	24	99	2.37	.070	53	43	1.29	569	.38	9.64	.17	3.36	5	80	4	14	16	2	17	3
B089381	<2	21	<5	4	<.5	19	6	407	1.89	70	<10	<4	7	32	<.4	<5	8	41	1.17	.012	20	34	.48	240	.11	4.93	.09	1.72	<4	37	4	8	2	1	6	6
B089401	<2	4	<5	<2	<.5	14	9	315	3.11	215	<10	<4	8	22	<.4	<5	15	38	2.66	.014	22	33	.42	115	.10	4.79	.08	1.77	<4	39	7	8	<2	1	6	22
B089421	<2	67	<5	60	<.5	52	27	437	5.86	26	<10	<4	10	54	.6	<5	<5	104	.27	.077	33	80	1.01	478	.24	11.80	.22	4.40	<4	69	<2	9	12	3	14	11
B089441	<2	51	<5	48	<.5	56	25	291	5.91	219	<10	<4	12	47	<.4	<5	21	106	.19	.050	34	86	1.05	177	.25	11.25	.26	3.82	5	71	2	9	15	3	14	23
B089461	<2	13	14	10	<.5	40	19	208	5.58	216	<10	<4	8	29	<.4	<5	31	49	1.27	.051	27	35	.63	32	.09	5.47	.16	1.47	4	45	5	9	<2	1	8	70
B089481	<2	15	10	43	<.5	27	11	538	2.14	41	15	<4	11	45	.6	5	14	59	4.49	.017	27	38	.60	324	.18	6.49	.12	2.18	<4	53	<2	10	5	2	9	5
B089121	<2	<2	<5	103	<.5	40	20	690	5.85	<5	<10	<4	18	99	.5	<5	6	99	.34	.036	46	58	.87	504	.24	10.79	.62	3.12	<4	52	<2	10	7	3	16	54
B089141	<2	19	16	91	<.5	33	19	861	5.12	11	<10	<4	16	93	<.4	<5	<5	91	1.10	.032	49	56	1.10	369	.25	8.34	.89	2.14	<4	58	<2	11	5	2	14	<2
B089161	<2	35	6	88	<.5	37	19	353	5.22	10	<10	<4	15	47	<.4	<5	12	107	.47	.029	46	65	1.11	477	.32	9.64	.82	2.67	<4	62	2	11	9	3	15	<2
B089181	<2	31	18	116	<.5	36	21	526	4.82	16	<10	<4	19	36	<.4	<5	<5	104	.18	.033	52	68	.87	506	.30	10.65	.29	2.88	<4	62	<2	13	16	3	16	<2
B089201	<2	29	15	64	<.5	35	19	534	4.14	45	<10	<4	15	70	.6	7	9	107	2.17	.032	40	69	1.10	542	.25	8.37	.08	2.73	<4	46	<2	12	6	3	14	6
B089241	<2	4	9	12	<.5	6	6	774	2.20	11	<10	<4	9	52	<.4	<5	<5	24	.76	.015	17	16	.47	176	.06	4.03	.10	1.16	<4	32	5	8	<2	1	4	100
B089261	<2	<2	5	7	<.5	<2	4	135	1.71	508	<10	<4	5	17	<.4	<5	39	12	.02	.006	16	15	.07	153	.05	1.88	.04	.87	5	32	4	6	2	<1	2	4
B089281	<2	<2	9	2	<.5	<2	<2	20	1.40	1011	<10	<4	4	41	<.4	<5	40	19	.01	.010	25	18	.12	231	.09	2.93	.02	1.35	5	52	7	7	3	<1	3	<2
B089301	<2	53	21	84	<.5	34	18	886	4.69	69	<10	<4	15	42	.5	<5	<5	73	.18	.036	42	47	1.28	542	.23	7.59	.18	2.24	<4	48	<2	11	5	2	12	<2
STANDARD DST6/OxF41	12	129	31	178	<.5	29	13	948	3.99	26	<10	<4	6	311	5.5	12	<5	110	2.26	.095	25	189	1.02	678	.40	7.02	1.59	1.28	6	48	5	16	7	3	12	806

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data ✓ FA ____ DATE RECEIVED: AUG 19 2005 DATE REPORT MAILED: Sept. 5/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B089321	2	35	8	63	.6	50	21	882	3.94	38	<10	<4	13	165	.6	6	<5	107	.99	.045	46	57	1.79	859	.32	9.22	.12	3.54	<4	73	3	12	26	3	17	7
B089501	<2	12	7	151	<.5	14	7	727	2.48	15	<10	<4	9	56	.7	<5	<5	31	2.71	.013	20	29	.66	121	.08	3.55	.08	.86	<4	28	2	8	2	1	5	6
B089521	<2	25	5	72	<.5	33	14	399	4.42	24	<10	<4	16	50	.4	7	<5	70	.48	.048	44	52	1.03	440	.19	7.85	.15	2.20	<4	51	3	10	11	2	11	4
B381009	<2	21	<5	16	.6	6	3	117	1.06	43	<10	<4	9	76	<.4	<5	<5	14	.60	.016	13	17	.27	58	.10	2.15	.73	.33	<4	24	2	7	4	<1	2	16
B381029	2	39	9	83	<.5	38	15	236	4.36	40	<10	<4	16	98	<.4	<5	9	110	.30	.032	46	62	1.17	706	.44	9.28	.77	3.02	<4	74	4	10	28	2	15	10
B381049	<2	21	13	70	<.5	22	10	398	3.81	14	<10	<4	14	156	<.4	<5	<5	57	.98	.027	34	41	.84	358	.31	5.86	.99	1.37	<4	62	3	11	11	2	8	6
RE B381049	<2	24	14	70	<.5	20	10	387	3.74	13	<10	<4	14	152	<.4	<5	<5	55	.97	.026	33	37	.82	344	.31	5.69	.97	1.34	<4	62	2	11	9	1	8	4
B381069	<2	15	10	19	<.5	12	9	182	1.89	332	<10	<4	10	127	<.4	<5	<5	29	.81	.015	22	23	.43	171	.21	3.99	1.32	.89	<4	42	2	10	6	1	5	31
B381089	<2	27	9	59	.5	22	11	270	3.17	36	<10	<4	14	103	<.4	5	5	55	.55	.021	30	38	.76	338	.32	5.75	1.03	1.55	4	60	3	9	11	1	8	9
B381109	<2	16	16	56	<.5	13	6	528	3.65	10	<10	<4	13	75	<.4	6	<5	37	.51	.027	26	31	.71	191	.24	4.37	.90	.89	<4	52	3	9	8	1	5	3
B381189	2	48	<5	83	.8	35	17	286	4.74	133	<10	<4	19	107	.6	<5	9	98	.28	.030	45	58	1.03	766	.42	8.82	.47	2.98	<4	56	5	9	26	2	13	14
B381209	2	14	10	198	.9	20	17	593	4.03	673	<10	<4	23	587	1.0	<5	9	97	3.33	.096	45	65	1.61	1576	.49	8.09	1.47	2.33	<4	77	3	17	25	3	15	159
B381229	<2	52	<5	25	.7	24	13	177	2.82	699	<10	<4	16	160	<.4	7	32	62	.95	.032	35	33	.83	463	.22	6.20	1.09	1.76	<4	52	3	10	8	2	9	357
B381129	2	33	18	78	<.5	27	12	419	3.68	9	<10	<4	14	119	<.4	8	8	88	.59	.027	33	49	.94	455	.39	7.10	.67	2.05	<4	60	4	8	12	2	11	6
B381149	<2	23	14	62	.5	21	13	415	2.76	7	<10	<4	18	130	<.4	<5	<5	63	1.14	.024	35	39	.80	387	.34	6.07	1.04	1.58	<4	67	3	11	10	1	9	11
B381169	<2	21	17	67	<.5	21	9	309	2.99	<5	<10	<4	14	117	<.4	<5	5	51	.75	.023	32	32	.74	353	.29	5.76	1.08	1.37	<4	61	2	10	10	1	8	9
B382449	6	109	16	24	.6	21	12	162	2.65	261	<10	10	20	421	.5	13	66	40	2.18	.064	43	24	.76	564	.34	7.39	1.53	3.94	30	14	7	14	16	3	7	6818
B382469	8	159	177	155	1.1	24	13	690	3.29	485	<10	<4	16	328	1.0	25	13	42	2.58	.057	38	40	.83	215	.28	7.06	1.04	3.73	15	28	6	15	12	3	8	280
B382489	3	53	20	54	<.5	19	9	267	2.76	96	<10	<4	20	488	<.4	8	6	44	2.68	.065	45	35	.82	1553	.34	7.67	1.75	3.16	26	24	6	15	15	3	8	25
B382509	4	53	44	64	<.5	17	8	417	2.69	155	<10	<4	22	346	.5	18	10	34	2.51	.059	44	21	.77	1108	.29	7.25	1.11	3.26	13	25	4	14	14	3	7	52
B382529	2	60	30	52	<.5	18	10	321	2.82	168	<10	<4	20	448	<.4	16	9	43	2.35	.064	42	29	.86	1312	.32	7.43	1.48	4.03	13	25	4	15	16	3	7	479
B382549	3	89	172	181	.9	19	13	343	2.70	140	<10	<4	19	412	1.5	58	21	40	2.47	.065	47	25	.75	1090	.34	7.62	1.37	3.96	21	22	6	14	16	3	7	235
B382569	<2	26	13	51	<.5	17	10	381	3.02	25	<10	<4	20	554	<.4	8	45	60	2.87	.073	43	42	1.16	1303	.40	7.37	1.73	3.23	6	43	2	14	17	3	9	1481
B382589	3	43	19	40	<.5	17	10	289	2.88	137	<10	<4	22	522	.5	13	13	50	2.56	.071	44	30	1.01	1535	.37	7.39	1.72	3.31	108	22	4	13	16	3	8	81
STANDARD D	12	128	30	177	.5	29	13	946	3.96	26	<10	<4	6	315	5.5	7	<5	111	2.26	.095	25	180	1.01	683	.40	6.92	1.61	1.29	7	49	6	16	8	3	12	820

Standard is STANDARD DST6/OxF41. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data K FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A505373 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B381249	2	58	<5	66	<.5	37	18	275	4.60	78	<10	<4	16	83	<.4	8	6	98	.32	.045	40	63	1.17	843	.34	9.17	.40	4.50	<4	61	5	10	18	3	13	5
B381269	<2	40	<5	69	<.5	35	17	192	4.41	134	<10	<4	16	59	<.4	5	<5	88	.29	.040	35	61	1.16	831	.37	8.90	.34	4.43	<4	50	2	9	19	3	12	3
B381289	<2	72	1610	3036	4.4	18	6	1660	4.53	167	17	<4	12	78	21.1	434	<5	42	.09	.024	23	35	.46	340	.17	5.61	.04	2.71	7	35	6	10	5	1	7	64
B381309	<2	52	12	43	<.5	34	17	206	3.83	53	<10	<4	17	90	.4	5	<5	91	.55	.033	40	56	1.10	813	.32	9.06	.55	4.13	<4	51	2	10	5	3	12	4
B381329	4	40	<5	57	<.5	39	18	237	4.61	<5	<10	<4	13	80	<.4	6	<5	118	.28	.048	30	68	1.09	874	.26	9.12	.44	4.29	<4	59	3	10	10	3	13	2
B381349	<2	62	161	455	2.1	30	14	505	3.30	423	<10	<4	17	43	3.1	34	<5	96	.13	.041	39	61	.54	914	.23	9.20	.14	4.68	<4	59	10	10	4	2	13	57
B381369	<2	18	11	11	<.5	7	3	134	1.16	90	<10	<4	4	51	<.4	<5	<5	14	.72	.012	10	21	.17	119	.07	1.90	.33	.49	<4	12	<2	8	4	<1	2	67
B382689	2	58	22	48	<.5	14	11	263	3.23	45	<10	<4	16	438	.4	<5	<5	53	2.14	.070	28	40	.98	1508	.34	7.21	1.39	4.36	11	27	4	12	13	4	8	237
B363209	<2	32	16	34	<.5	18	10	354	2.74	16	<10	<4	15	430	<.4	<5	10	44	3.30	.068	31	28	.93	1516	.33	7.02	1.53	4.06	14	20	<2	13	11	3	8	21
B363229	<2	41	18	40	<.5	13	11	335	2.84	52	14	<4	19	523	.5	16	35	51	2.89	.066	33	35	1.26	1270	.30	7.27	1.57	4.02	14	30	2	14	13	3	9	894
RE B363229	<2	41	12	46	<.5	12	12	346	2.84	68	10	<4	19	524	.4	12	31	51	2.88	.065	33	34	1.25	1267	.29	7.27	1.59	4.06	16	33	3	15	13	3	9	1100
B363249	2	40	23	50	<.5	18	10	322	2.92	22	<10	<4	18	477	.4	6	<5	48	2.58	.069	31	30	.92	1554	.34	7.25	1.83	4.13	16	27	2	14	14	3	8	33
B363269	4	36	21	50	<.5	19	11	452	3.08	34	10	<4	20	483	.4	<5	7	63	2.98	.082	32	46	1.30	1241	.35	7.60	1.88	4.20	>200	43	2	16	14	4	9	42
B363289	4	39	38	74	<.5	14	11	429	2.85	37	<10	<4	18	449	<.4	<5	<5	51	2.60	.073	33	36	1.00	1364	.32	7.14	1.58	4.21	14	30	<2	15	13	3	8	126
B363309	2	55	110	234	.7	13	10	534	3.02	31	<10	<4	18	302	1.6	24	9	55	3.11	.068	33	40	.98	1172	.26	7.54	1.00	4.20	42	32	<2	14	10	3	9	115
B381389	4	25	5	80	<.5	44	18	340	4.69	79	<10	<4	12	130	<.4	<5	<5	91	.44	.057	34	79	.92	1034	.40	10.75	1.25	5.60	<4	43	2	10	20	3	13	7
B381409	<2	5	<5	4	<.5	5	3	64	1.13	<5	<10	<4	7	22	<.4	<5	<5	11	.10	.010	11	19	.20	228	.06	2.21	.49	.67	<4	14	<2	7	2	<1	2	3
B381429	<2	28	14	70	<.5	34	17	473	4.13	76	<10	<4	15	115	<.4	<5	<5	83	.57	.020	34	63	.90	741	.39	7.66	1.04	4.36	<4	30	<2	10	12	2	11	7
B381449	<2	30	7	57	<.5	33	16	439	3.62	112	12	<4	15	149	<.4	<5	<5	82	1.41	.050	37	56	.84	840	.39	8.30	.68	3.81	<4	37	2	12	9	2	12	10
B381469	<2	14	5	21	<.5	12	5	236	1.73	10	<10	<4	7	55	<.4	<5	<5	28	.33	.010	17	20	.28	312	.13	3.64	.58	1.40	4	12	<2	8	4	1	4	2
B363429	6	36	17	48	<.5	16	8	225	2.27	96	<10	<4	14	416	<.4	<5	13	31	2.14	.056	30	20	.70	1343	.28	6.42	1.55	4.11	44	17	<2	13	11	3	6	83
B363449	2	20	28	60	<.5	14	10	447	2.81	121	<10	<4	15	497	<.4	5	7	51	3.03	.064	28	37	.99	1376	.32	6.94	1.86	4.10	9	27	2	15	14	3	8	26
B363469	<2	40	25	45	<.5	19	10	313	2.69	23	<10	<4	16	502	<.4	<5	<5	40	2.75	.067	33	25	.88	1537	.33	7.55	1.85	4.22	9	20	<2	13	13	4	7	27
B363489	4	47	22	56	<.5	17	11	393	3.20	16	<10	<4	16	534	<.4	<5	<5	61	3.04	.077	32	47	1.14	1496	.36	7.45	1.83	4.20	11	29	<2	14	14	3	9	54
B363509	2	32	24	68	<.5	16	10	374	2.92	13	<10	<4	16	495	<.4	10	<5	49	2.76	.070	33	31	.97	1595	.35	7.50	1.82	4.17	11	22	<2	14	15	3	8	20
B363549	<2	37	29	57	<.5	14	11	458	3.12	26	<10	<4	18	504	<.4	7	22	58	2.79	.068	31	46	1.21	1457	.33	7.34	1.77	4.16	7	29	2	14	13	3	9	149
B381589	2	71	19	28	<.5	11	6	94	1.77	1045	<10	<4	14	400	<.4	5	9	44	1.26	.053	29	28	.60	1416	.20	7.64	2.02	4.46	4	48	8	11	26	5	5	33
B364209	2	72	19	43	<.5	22	9	203	2.70	749	<10	<4	16	394	<.4	<5	<5	38	1.84	.066	31	23	.52	1524	.32	7.21	1.65	4.34	34	26	3	13	13	3	7	29
B364229	3	63	14	41	<.5	23	10	210	2.62	265	<10	<4	16	469	.4	<5	<5	40	2.29	.067	33	24	.70	1640	.34	7.48	1.71	4.19	19	22	3	13	12	3	7	59
B364249	3	50	19	37	.5	14	7	260	1.98	858	<10	<4	16	370	<.4	8	12	35	3.79	.058	40	17	.54	1484	.29	7.02	.99	4.33	36	23	3	15	12	4	6	123
B364269	2	28	24	67	<.5	17	8	293	2.41	112	<10	<4	17	421	<.4	<5	<5	33	2.43	.059	31	20	.78	1497	.30	7.12	1.55	4.29	16	24	2	15	13	3	7	69
B364289	2	81	25	56	<.5	19	12	249	2.90	176	<10	<4	18	438	<.4	6	27	36	1.94	.059	34	21	.77	1514	.30	7.33	1.46	4.66	31	20	3	14	12	3	7	641
B364309	<2	36	35	49	<.5	14	15	362	2.98	219	<10	<4	14	467	.4	9	57	55	2.55	.068	32	37	1.08	1542	.31	7.61	1.53	4.29	9	28	2	12	13	3	9	2104
B381489	3	10	31	11	<.5	5	5	198	1.50	261	<10	<4	15	222	<.4	8	<5	15	1.36	.029	24	12	.29	1056	.14	7.56	1.44	4.74	7	36	<2	9	12	2	3	29
STANDARD DST6/0xF41	12	130	30	178	<.5	30	14	962	4.05	25	<10	<4	7	320	5.5	6	5	113	2.28	.099	19	231	1.03	694	.37	7.07	1.64	1.63	9	48	4	16	8	3	12	796

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: SEP 7 2005 DATE REPORT MAILED: Sept 26/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B381509	<2	32	<5	101	<.5	49	19	461	4.58	18	<10	<4	15	130	<.4	<5	<5	100	.27	.034	44	49	1.06	1294	.47	10.09	1.11	4.56	<4	31	2	8	19	3	15	5
B381529	<2	29	<5	59	<.5	46	17	255	4.33	405	<10	<4	17	209	.4	<5	<5	127	.84	.051	48	55	1.07	1042	.61	11.01	1.31	5.10	13	39	5	10	35	4	17	13
B381549	3	28	19	45	<.5	17	10	283	2.36	1042	<10	<4	16	429	<.4	<5	5	37	2.18	.059	26	17	.75	1355	.32	7.31	1.65	4.72	18	23	4	12	12	4	6	84
B381569	<2	30	99	159	<.5	18	7	998	2.81	86	<10	<4	19	139	.9	<5	6	36	1.91	.057	39	16	.40	509	.28	7.96	.15	4.38	7	23	4	11	8	3	7	256
B363569	<2	29	7	52	<.5	21	8	254	2.47	740	<10	<4	19	470	<.4	<5	<5	40	2.30	.063	34	16	.78	1498	.35	7.94	1.80	4.50	<4	24	8	14	11	4	7	66
B363589	5	50	25	58	<.5	23	9	265	2.76	795	<10	<4	16	249	<.4	9	12	36	1.58	.060	37	10	.48	1301	.28	8.07	1.24	4.87	7	23	5	13	9	3	7	65
B363609	6	25	<5	116	<.5	40	15	471	3.94	412	<10	<4	12	445	<.4	<5	<5	108	2.43	.082	32	50	1.52	1518	.47	8.40	1.58	3.99	11	17	4	17	14	3	12	30
B364329	<2	172	11	26	<.5	22	19	292	2.86	693	<10	<4	14	466	<.4	<5	14	44	3.38	.067	39	16	.85	840	.34	7.83	1.16	5.27	39	20	6	15	11	3	8	300
B364349	2	93	121	70	1.2	19	13	387	2.84	373	<10	<4	20	354	<.4	48	<5	48	2.55	.066	33	27	.84	1218	.33	7.73	1.46	4.64	17	48	5	13	11	3	8	166
B364369	<2	53	103	151	.9	16	12	976	3.40	205	10	<4	20	325	.9	35	14	43	3.16	.065	39	21	.98	1336	.28	7.29	.70	4.80	21	23	5	13	9	3	8	520
B364389	2	54	20	44	<.5	19	13	287	2.65	84	<10	<4	17	451	<.4	7	12	42	2.53	.061	32	19	.80	1412	.33	7.72	1.60	4.75	26	23	4	14	11	3	7	226
B364409	4	76	7	32	<.5	22	15	325	3.32	100	<10	<4	17	467	.4	<5	20	59	2.74	.067	37	35	1.24	1267	.38	7.48	1.67	5.03	21	37	5	14	11	3	10	1512
B364429	2	54	11	40	<.5	15	11	349	3.12	42	<10	<4	18	518	<.4	<5	6	57	2.55	.070	35	30	1.19	1489	.36	8.41	1.84	4.58	<4	32	5	12	10	3	9	78
B364449	<2	63	11	28	<.5	17	10	273	2.74	82	<10	<4	17	443	<.4	8	15	43	2.18	.065	34	17	.95	1514	.33	7.23	1.52	4.77	25	19	5	11	8	3	7	762
RE B364449	2	66	7	30	<.5	18	11	290	2.83	93	<10	<4	17	457	<.4	8	17	45	2.26	.067	35	20	.99	1563	.35	7.78	1.59	4.86	22	20	5	12	9	3	7	870
B363789	2	39	13	48	<.5	22	10	242	2.49	202	<10	<4	16	398	<.4	7	16	40	2.14	.064	34	13	.70	1533	.34	7.58	1.45	4.95	40	24	4	13	9	3	7	529
B363809	<2	41	<5	33	<.5	23	12	210	2.66	292	<10	<4	18	425	<.4	<5	14	40	2.15	.068	37	18	.77	1602	.37	7.95	1.54	4.74	18	17	5	12	9	3	7	66
B363829	<2	112	10	75	22.5	29	10	264	2.83	201	<10	<4	15	438	<.4	<5	17	42	2.28	.065	29	45	.86	2215	.36	7.88	1.71	4.63	>200	30	5	14	9	4	8	37
B363849	2	37	6	41	<.5	25	11	247	2.79	357	<10	<4	17	471	<.4	<5	9	40	2.43	.069	37	22	.83	1596	.38	7.94	1.69	4.59	5	24	4	13	10	3	7	151
STANDARD DST6/OxF41	13	132	24	180	<.5	35	15	982	4.13	26	<10	<4	7	325	5.3	6	5	115	2.32	.099	21	152	1.05	705	.43	7.14	1.67	1.34	7	49	6	15	8	3	12	801

Sample type: Rock Chip P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data ___ FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 1 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A505930

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B363329	<2	9	<5	20	<.5	12	4	151	1.32	104	<10	<4	10	73	<.4	<5	<5	28	.55	.013	21	20	.24	395	.18	3.80	.71	1.99	9	21	3	8	4	1	4	14
B363349	2	36	25	63	<.5	22	12	304	2.75	157	14	<4	17	453	<.4	<5	<5	42	2.39	.068	37	24	.86	1621	.37	7.81	1.65	4.35	14	21	5	13	14	3	8	73
B363369	4	25	26	72	<.5	21	10	310	2.50	87	<10	<4	17	442	<.4	<5	<5	38	2.23	.065	39	22	.84	1501	.34	7.42	1.66	4.11	13	21	4	12	13	3	7	78
B363389	4	93	25	53	<.5	22	14	280	2.96	349	<10	<4	18	465	<.4	7	7	42	2.33	.067	39	21	.85	1627	.37	7.70	1.61	4.50	42	21	3	14	13	3	7	203
RE B363389	3	94	20	54	<.5	22	13	289	2.94	631	<10	<4	21	461	.4	5	14	41	2.32	.066	42	25	.84	1609	.37	7.62	1.62	4.43	41	21	4	13	13	3	7	140
B363409	2	29	27	62	<.5	20	9	306	2.67	172	<10	<4	20	507	.4	11	<5	41	2.50	.065	39	21	.81	1543	.36	7.88	1.89	4.27	4	23	4	13	15	3	7	18
B363629	3	62	20	62	<.5	29	14	294	3.36	294	11	<4	15	345	.5	<5	19	79	2.50	.068	35	50	1.03	1253	.38	6.89	1.24	3.84	7	25	4	17	11	2	9	104
B363649	2	88	19	43	.9	22	13	263	2.38	362	<10	<4	19	311	.4	20	12	42	3.39	.067	40	21	.56	719	.36	7.54	1.41	3.81	25	20	5	13	12	3	7	232
B363669	3	33	28	70	<.5	20	11	314	2.80	31	16	<4	20	497	.4	6	11	42	2.52	.068	42	27	.81	1592	.37	7.76	1.76	4.27	6	23	4	14	13	3	7	49
B363689	2	25	29	79	<.5	20	10	324	2.79	50	<10	<4	19	436	.4	10	6	44	2.43	.072	43	23	.91	1706	.38	8.60	1.62	4.31	4	21	4	14	10	3	8	100
B363709	<2	35	30	61	<.5	19	9	294	2.49	156	<10	<4	21	475	<.4	<5	5	34	1.97	.056	37	20	.80	1400	.30	7.51	1.53	4.36	16	26	4	15	12	3	6	139
B363729	2	57	44	110	.7	16	11	461	2.48	126	<10	<4	20	231	.5	22	<5	40	2.15	.062	43	19	.46	1323	.29	7.69	.91	4.42	10	22	3	15	11	3	7	161
B363869	4	42	21	45	<.5	20	10	248	2.66	96	<10	<4	21	435	.4	5	<5	40	2.26	.066	44	24	.74	1572	.34	7.78	1.64	4.34	9	26	5	15	13	3	7	49
B363889	<2	26	16	75	.5	21	19	245	2.57	655	<10	<4	20	421	<.4	<5	9	37	2.24	.063	41	23	.71	1562	.32	7.52	1.50	4.23	18	22	2	13	11	3	7	229
B363909	2	42	155	286	1.7	16	9	494	2.05	333	15	<4	22	176	1.9	79	17	32	2.28	.055	40	18	.41	1161	.24	7.51	.40	4.67	15	28	6	14	10	3	6	762
B363929	2	52	107	336	2.1	10	3	548	1.77	237	20	<4	15	146	1.7	34	40	35	2.48	.058	41	16	.32	480	.26	7.55	.05	4.10	15	25	10	11	10	2	7	1052
B363949	2	35	15	26	<.5	19	10	189	2.51	98	<10	<4	18	471	.4	<5	10	38	2.62	.065	40	23	.78	1606	.30	7.73	1.60	4.18	19	23	4	13	11	3	7	409
B363969	3	89	44	140	1.0	17	11	282	2.40	45	<10	<4	16	299	.8	15	9	38	2.56	.062	40	25	.86	1044	.28	6.53	.33	4.08	57	18	7	12	10	2	7	445
B364469	<2	65	41	368	.9	18	18	417	2.28	949	<10	<4	19	220	2.5	42	13	36	1.64	.063	41	20	.37	1520	.29	7.66	.72	5.01	17	26	4	14	11	3	7	107
B364489	2	60	18	33	<.5	19	12	180	2.51	434	<10	<4	20	446	.4	5	10	35	1.92	.061	38	24	.72	1591	.33	7.85	1.68	4.61	14	22	5	13	13	3	7	107
B364509	3	42	18	37	<.5	18	9	215	2.45	331	<10	<4	17	410	<.4	<5	<5	37	2.00	.062	39	21	.73	1564	.33	7.54	1.58	4.33	21	22	5	12	12	3	7	168
B364529	2	49	22	39	<.5	22	11	235	2.84	283	12	<4	22	503	.4	8	12	43	2.41	.074	46	26	.83	1774	.37	8.59	1.85	4.46	8	21	5	13	12	3	8	445
B363749	9	68	24	47	<.5	12	12	329	3.22	355	<10	<4	19	486	.4	5	12	57	2.49	.071	46	38	1.07	1522	.35	7.86	1.52	4.68	7	31	4	13	12	3	9	368
B363769	2	52	26	48	<.5	16	12	423	3.01	42	<10	<4	18	505	<.4	15	14	55	2.84	.072	43	38	1.40	1419	.35	7.52	1.22	4.35	23	31	5	13	12	3	9	590
STANDARD D	12	129	32	174	<.5	30	14	978	4.08	24	<10	<4	6	325	5.8	6	5	113	2.32	.099	24	229	1.05	703	.41	7.14	1.65	1.69	7	49	6	16	8	3	12	820

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK CHIP P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: SEP 19 2005 DATE REPORT MAILED: Oct 12/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A505930

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B363329	<2	9	<5	20	<.5	12	4	151	1.32	104	<10	<4	10	73	<.4	<5	<5	28	.55	.013	21	20	.24	395	.18	3.80	.71	1.99	9	21	3	8	4	1	4	14
B363349	2	36	25	63	<.5	22	12	304	2.75	157	14	<4	17	453	<.4	<5	<5	42	2.39	.068	37	24	.86	1621	.37	7.81	1.65	4.35	14	21	5	13	14	3	8	73
B363369	4	25	26	72	<.5	21	10	310	2.50	87	<10	<4	17	442	<.4	<5	<5	38	2.23	.065	39	22	.84	1501	.34	7.42	1.66	4.11	13	21	4	12	13	3	7	78
B363389	4	93	25	53	<.5	22	14	280	2.96	349	<10	<4	18	465	<.4	7	7	42	2.33	.067	39	21	.85	1627	.37	7.70	1.61	4.50	42	21	3	14	13	3	7	203
RE B363389	3	94	20	54	<.5	22	13	289	2.94	631	<10	<4	21	461	.4	5	14	41	2.32	.066	42	25	.84	1609	.37	7.62	1.62	4.43	41	21	4	13	13	3	7	140
B363409	2	29	27	62	<.5	20	9	306	2.67	172	<10	<4	20	507	.4	11	<5	41	2.50	.065	39	21	.81	1543	.36	7.88	1.89	4.27	4	23	4	13	15	3	7	18
B363629	3	62	20	62	<.5	29	14	294	3.36	294	11	<4	15	345	.5	<5	19	79	2.50	.068	35	50	1.03	1253	.38	6.89	1.24	3.84	7	25	4	17	11	2	9	104
B363649	2	88	19	43	.9	22	13	263	2.38	362	<10	<4	19	311	.4	20	12	42	3.39	.067	40	21	.56	719	.36	7.54	1.41	3.81	25	20	5	13	12	3	7	232
B363669	3	33	28	70	<.5	20	11	314	2.80	31	16	<4	20	497	.4	6	11	42	2.52	.068	42	27	.81	1592	.37	7.76	1.76	4.27	6	23	4	14	13	3	7	49
B363689	2	25	29	79	<.5	20	10	324	2.79	50	<10	<4	19	436	.4	10	6	44	2.43	.072	43	23	.91	1706	.38	8.60	1.62	4.31	4	21	4	14	10	3	8	100
B363709	<2	35	30	61	<.5	19	9	294	2.49	156	<10	<4	21	475	<.4	<5	5	34	1.97	.056	37	20	.80	1400	.30	7.51	1.53	4.36	16	26	4	15	12	3	6	139
B363729	2	57	44	110	.7	16	11	461	2.48	126	<10	<4	20	231	.5	22	<5	40	2.15	.062	43	19	.46	1323	.29	7.69	.91	4.42	10	22	3	15	11	3	7	161
B363869	4	42	21	45	<.5	20	10	248	2.66	96	<10	<4	21	435	.4	5	<5	40	2.26	.066	44	24	.74	1572	.34	7.78	1.64	4.34	9	26	5	15	13	3	7	49
B363889	<2	26	16	75	.5	21	19	245	2.57	655	<10	<4	20	421	<.4	<5	9	37	2.24	.063	41	23	.71	1562	.32	7.52	1.50	4.23	18	22	2	13	11	3	7	229
B363909	2	42	155	286	1.7	16	9	494	2.05	333	15	<4	22	176	1.9	79	17	32	2.28	.055	40	18	.41	1161	.24	7.51	.40	4.67	15	28	6	14	10	3	6	762
B363929	2	52	107	336	2.1	10	3	548	1.77	237	20	<4	15	146	1.7	34	40	35	2.48	.058	41	16	.32	480	.26	7.55	.05	4.10	15	25	10	11	10	2	7	1052
B363949	2	35	15	26	<.5	19	10	189	2.51	98	<10	<4	18	471	.4	<5	10	38	2.62	.065	40	23	.78	1606	.30	7.73	1.60	4.18	19	23	4	13	11	3	7	409
B363969	3	89	44	140	1.0	17	11	282	2.40	45	<10	<4	16	299	.8	15	9	38	2.56	.062	40	25	.86	1044	.28	6.53	.33	4.08	57	18	7	12	10	2	7	445
B364469	<2	65	41	368	.9	18	18	417	2.28	949	<10	<4	19	220	2.5	42	13	36	1.64	.063	41	20	.37	1520	.29	7.66	.72	5.01	17	26	4	14	11	3	7	107
B364489	2	60	18	33	<.5	19	12	180	2.51	434	<10	<4	20	446	.4	5	10	35	1.92	.061	38	24	.72	1591	.33	7.85	1.68	4.61	14	22	5	13	13	3	7	107
B364509	3	42	18	37	<.5	18	9	215	2.45	331	<10	<4	17	410	<.4	<5	<5	37	2.00	.062	39	21	.73	1564	.33	7.54	1.58	4.33	21	22	5	12	12	3	7	168
B364529	2	49	22	39	<.5	22	11	235	2.84	283	12	<4	22	503	.4	8	12	43	2.41	.074	46	26	.83	1774	.37	8.59	1.85	4.46	8	21	5	13	12	3	8	445
B363749	9	68	24	47	<.5	12	12	329	3.22	355	<10	<4	19	486	.4	5	12	57	2.49	.071	46	38	1.07	1522	.35	7.86	1.52	4.68	7	31	4	13	12	3	9	368
B363769	2	52	26	48	<.5	16	12	423	3.01	42	<10	<4	18	505	<.4	15	14	55	2.84	.072	43	38	1.40	1419	.35	7.52	1.22	4.35	23	31	5	13	12	3	9	590
STANDARD D	12	129	32	174	<.5	30	14	978	4.08	24	<10	<4	6	325	5.8	6	5	113	2.32	.099	24	229	1.05	703	.41	7.14	1.65	1.69	7	49	6	16	8	3	12	820

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK CHIP P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: SEP 19 2005 DATE REPORT MAILED: Oct 12/05

BRITISH COLUMBIA CERTIFIED ASSAYER

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 1 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506150

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B363989	2	55	13	26	<.5	6	6	103	1.59	457	<10	<4	14	382	.5	<5	<5	37	1.65	.043	24	21	.51	1303	.18	7.31	1.56	4.80	31	50	5	11	30	5	5	1266
B364009	8	68	37	106	<.5	7	8	188	3.98	386	<10	<4	11	137	.5	33	7	25	1.11	.038	21	21	.53	48	.10	4.64	.26	2.91	83	19	14	10	7	3	4	604
B364029	98	55	14	31	<.5	16	9	189	2.50	56	<10	<4	20	461	.4	<5	<5	42	2.11	.064	34	30	.78	1574	.31	7.87	1.43	5.26>200		21	5	15	9	3	8	114
B364049	3	32	47	34	.7	18	9	212	2.16	58	<10	5	19	299	<.4	28	7	35	1.83	.058	33	21	.46	1449	.29	7.25	1.06	4.96	26	21	4	14	10	3	7	913
B364629	12	69	137	366	.7	15	6	293	1.87	145	<10	<4	14	300	1.8	21	5	29	2.07	.052	31	28	.50	664	.21	5.84	.90	4.52	36	16	4	13	10	3	5	413
B364649	6	60	10	22	<.5	18	9	139	2.50	18	<10	<4	21	481	<.4	<5	<5	40	2.44	.064	40	28	.79	1486	.36	8.02	1.67	4.97	21	20	7	16	17	3	8	195
B364669	2	32	9	31	<.5	19	8	212	2.60	91	<10	<4	22	500	.7	<5	24	39	2.50	.065	40	28	.80	1523	.37	8.14	1.75	4.75	8	22	3	16	13	3	8	587
B364689	2	40	13	40	.7	22	15	258	2.68	78	<10	<4	20	518	.4	8	<5	43	2.51	.070	37	29	.92	1585	.37	7.94	1.54	4.91	18	16	3	15	11	3	8	335
B364709	2	11	<5	37	<.5	23	8	316	2.95	92	<10	<4	14	81	<.4	8	<5	81	1.65	.027	30	52	.31	505	.30	6.70	.40	3.87	27	28	3	11	8	2	12	16
B364729	2	23	15	25	<.5	17	6	194	1.82	104	<10	<4	18	213	<.4	8	<5	36	1.45	.050	33	26	.47	1146	.28	6.44	.69	4.58	45	22	3	14	10	2	7	40
B364189	4	71	9	26	<.5	20	12	204	2.72	260	<10	<4	21	503	.7	<5	<5	44	2.65	.070	38	26	.82	1604	.38	8.46	1.77	5.06	13	19	5	16	25	4	8	57
B365209	3	32	8	44	<.5	20	11	265	2.60	51	<10	<4	18	484	<.4	<5	<5	45	2.49	.069	35	25	.85	1620	.39	8.18	1.69	4.85	11	18	4	14	18	3	7	25
B365229	2	24	38	98	<.5	18	9	432	2.05	50	<10	<4	19	217	.5	11	9	33	3.19	.056	36	20	.42	762	.28	7.71	.51	4.40	8	21	4	16	10	3	6	60
B365249	2	23	18	47	<.5	19	7	254	2.41	27	<10	<4	18	453	<.4	<5	33	37	2.27	.062	33	23	.80	1532	.33	7.99	1.55	4.79	12	15	4	14	10	3	7	596
RE B365249	2	25	22	46	.5	18	8	235	2.35	32	<10	<4	19	444	<.4	8	37	38	2.19	.061	35	25	.78	1499	.32	7.84	1.54	4.75	14	18	4	15	11	3	7	964
B365269	2	72	36	135	<.5	20	10	361	2.47	43	<10	<4	19	332	.9	16	7	38	3.24	.069	42	23	.62	1270	.32	8.47	1.07	4.87	14	18	6	16	9	3	7	141
B365289	<2	49	8	16	<.5	21	10	135	2.62	55	<10	<4	20	494	<.4	<5	20	49	2.24	.071	39	28	.95	1660	.39	8.39	1.51	5.43	11	17	8	16	10	3	8	975
B365309	2	47	15	42	<.5	20	8	233	2.70	34	<10	<4	22	453	.5	6	<5	41	2.35	.068	39	25	.84	1554	.34	8.28	1.58	4.96	16	21	6	16	17	3	8	73
B365329	2	53	8	35	<.5	18	10	246	2.68	300	<10	<4	21	435	<.4	<5	5	41	2.22	.069	40	26	.80	1620	.38	8.32	1.70	4.91	21	21	3	14	24	3	7	92
B365349	<2	45	7	34	<.5	20	11	247	2.61	257	<10	<4	19	472	<.4	5	10	42	2.36	.067	36	28	.79	1530	.38	8.12	1.73	4.75	12	21	4	16	11	3	8	66
B364069	3	38	5	47	<.5	22	10	256	3.12	255	<10	<4	18	235	<.4	26	<5	39	1.42	.069	35	26	.51	1375	.29	8.16	.87	4.65	8	19	2	14	9	3	7	28
B364089	3	31	9	79	<.5	19	8	341	2.12	114	<10	<4	17	208	<.4	10	5	33	3.49	.055	40	18	.51	781	.25	6.27	.59	3.04	87	20	4	16	11	4	6	84
B364109	2	58	5	34	<.5	20	12	266	2.97	81	<10	<4	20	471	<.4	<5	11	51	2.69	.076	40	32	.96	1644	.40	8.49	1.64	4.75	15	19	4	15	21	3	9	144
B364129	<2	33	6	30	<.5	16	7	231	2.56	137	<10	<4	20	392	<.4	<5	<5	43	1.94	.068	38	24	.84	1530	.38	8.31	1.55	4.71	14	25	4	14	11	4	8	41
B364149	6	66	10	26	<.5	19	11	205	2.71	147	<10	<4	20	450	<.4	<5	17	45	2.28	.069	38	25	.75	1576	.37	8.08	1.61	5.16>200		22	4	16	11	3	8	93
B364169	3	41	7	40	<.5	19	8	288	2.80	57	<10	<4	21	489	<.4	<5	<5	44	2.72	.070	43	27	.80	1606	.39	8.44	1.81	4.77	7	22	3	18	17	4	8	27
B364889	4	44	5	26	<.5	23	9	189	2.68	100	<10	<4	19	487	<.4	<5	22	45	2.23	.072	41	29	.84	1674	.39	8.28	1.69	4.82	14	17	6	15	17	3	8	353
B364909	2	62	11	29	<.5	18	14	178	2.32	351	<10	<4	20	282	<.4	12	7	38	1.48	.064	38	23	.55	1445	.32	7.59	1.31	4.86	16	19	4	15	12	3	7	114
STANDARD D	12	129	30	177	<.5	30	13	964	4.06	22	<10	<4	6	322	5.6	<5	5	112	2.30	.098	21	225	1.04	695	.40	7.34	1.62	1.53	8	42	6	16	7	3	12	816

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: OCT 5 2005 DATE REPORT MAILED: Oct 13/05

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506150

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B363989	2	55	13	26	<.5	6	6	103	1.59	457	<10	<4	14	382	.5	<5	<5	37	1.65	.043	24	21	.51	1303	.18	7.31	1.56	4.80	31	50	5	11	30	5	5	1266
B364009	8	68	37	106	<.5	7	8	188	3.98	386	<10	<4	11	137	.5	33	7	25	1.11	.038	21	21	.53	48	.10	4.64	.26	2.91	83	19	14	10	7	3	4	604
B364029	98	55	14	31	<.5	16	9	189	2.50	56	<10	<4	20	461	.4	<5	<5	42	2.11	.064	34	30	.78	1574	.31	7.87	1.43	5.26	>200	21	5	15	9	3	8	114
B364049	3	32	47	34	.7	18	9	212	2.16	58	<10	5	19	299	<.4	28	7	35	1.83	.058	33	21	.46	1449	.29	7.25	1.06	4.96	26	21	4	14	10	3	7	913
B364629	12	69	137	366	.7	15	6	293	1.87	145	<10	<4	14	300	1.8	21	5	29	2.07	.052	31	28	.50	664	.21	5.84	.90	4.52	36	16	4	13	10	3	5	413
B364649	6	60	10	22	<.5	18	9	139	2.50	18	<10	<4	21	481	<.4	<5	<5	40	2.44	.064	40	28	.79	1486	.36	8.02	1.67	4.97	21	20	7	16	17	3	8	195
B364669	2	32	9	31	<.5	19	8	212	2.60	91	<10	<4	22	500	.7	<5	24	39	2.50	.065	40	28	.80	1523	.37	8.14	1.75	4.75	8	22	3	16	13	3	8	587
B364689	2	40	13	40	.7	22	15	258	2.68	78	<10	<4	20	518	.4	8	<5	43	2.51	.070	37	29	.92	1585	.37	7.94	1.54	4.91	18	16	3	15	11	3	8	335
B364709	2	11	<5	37	<.5	23	8	316	2.95	92	<10	<4	14	81	<.4	8	<5	81	1.65	.027	30	52	.31	505	.30	6.70	.40	3.87	27	28	3	11	8	2	12	16
B364729	2	23	15	25	<.5	17	6	194	1.82	104	<10	<4	18	213	<.4	8	<5	36	1.45	.050	33	26	.47	1146	.28	6.44	.69	4.58	45	22	3	14	10	2	7	40
B364189	4	71	9	26	<.5	20	12	204	2.72	260	<10	<4	21	503	.7	<5	<5	44	2.65	.070	38	26	.82	1604	.38	8.46	1.77	5.06	13	19	5	16	25	4	8	57
B365209	3	32	8	44	<.5	20	11	265	2.60	51	<10	<4	18	484	<.4	<5	<5	45	2.49	.069	35	25	.85	1620	.39	8.18	1.69	4.85	11	18	4	14	18	3	7	25
B365229	2	24	38	98	<.5	18	9	432	2.05	50	<10	<4	19	217	.5	11	9	33	3.19	.056	36	20	.42	762	.28	7.71	.51	4.40	8	21	4	16	10	3	6	60
B365249	2	23	18	47	<.5	19	7	254	2.41	27	<10	<4	18	453	<.4	<5	33	37	2.27	.062	33	23	.80	1532	.33	7.99	1.55	4.79	12	15	4	14	10	3	7	596
RE B365249	2	25	22	46	.5	18	8	235	2.35	32	<10	<4	19	444	<.4	8	37	38	2.19	.061	35	25	.78	1499	.32	7.84	1.54	4.75	14	18	4	15	11	3	7	964
B365269	2	72	36	135	<.5	20	10	361	2.47	43	<10	<4	19	332	.9	16	7	38	3.24	.069	42	23	.62	1270	.32	8.47	1.07	4.87	14	18	6	16	9	3	7	141
B365289	<2	49	8	16	<.5	21	10	135	2.62	55	<10	<4	20	494	<.4	<5	20	49	2.24	.071	39	28	.95	1660	.39	8.39	1.51	5.43	11	17	8	16	10	3	8	975
B365309	2	47	15	42	<.5	20	8	233	2.70	34	<10	<4	22	453	.5	6	<5	41	2.35	.068	39	25	.84	1554	.34	8.28	1.58	4.96	16	21	6	16	17	3	8	73
B365329	2	53	8	35	<.5	18	10	246	2.68	300	<10	<4	21	435	<.4	<5	5	41	2.22	.069	40	26	.80	1620	.38	8.32	1.70	4.91	21	21	3	14	24	3	7	92
B365349	<2	45	7	34	<.5	20	11	247	2.61	257	<10	<4	19	472	<.4	5	10	42	2.36	.067	36	28	.79	1530	.38	8.12	1.73	4.75	12	21	4	16	11	3	8	66
B364069	3	38	5	47	<.5	22	10	256	3.12	255	<10	<4	18	235	<.4	26	<5	39	1.42	.069	35	26	.51	1375	.29	8.16	.87	4.65	8	19	2	14	9	3	7	28
B364089	3	31	9	79	<.5	19	8	341	2.12	114	<10	<4	17	208	<.4	10	5	33	3.49	.055	40	18	.51	781	.25	6.27	.59	3.04	87	20	4	16	11	4	6	84
B364109	2	58	5	34	<.5	20	12	266	2.97	81	<10	<4	20	471	<.4	<5	11	51	2.69	.076	40	32	.96	1644	.40	8.49	1.64	4.75	15	19	4	15	21	3	9	144
B364129	<2	33	6	30	<.5	16	7	231	2.56	137	<10	<4	20	392	<.4	<5	<5	43	1.94	.068	38	24	.84	1530	.38	8.31	1.55	4.71	14	25	4	14	11	4	8	41
B364149	6	66	10	26	<.5	19	11	205	2.71	147	<10	<4	20	450	<.4	<5	17	45	2.28	.069	38	25	.75	1576	.37	8.08	1.61	5.16	>200	22	4	16	11	3	8	93
B364169	3	41	7	40	<.5	19	8	288	2.80	57	<10	<4	21	489	<.4	<5	<5	44	2.72	.070	43	27	.80	1606	.39	8.44	1.81	4.77	7	22	3	18	17	4	8	27
B364889	4	44	5	26	<.5	23	9	189	2.68	100	<10	<4	19	487	<.4	<5	22	45	2.23	.072	41	29	.84	1674	.39	8.28	1.69	4.82	14	17	6	15	17	3	8	353
B364909	2	62	11	29	<.5	18	14	178	2.32	351	<10	<4	20	282	<.4	12	7	38	1.48	.064	38	23	.55	1445	.32	7.59	1.31	4.86	16	19	4	15	12	3	7	114
STANDARD D	12	129	30	177	<.5	30	13	964	4.06	22	<10	<4	6	322	5.6	<5	5	112	2.30	.098	21	225	1.04	695	.40	7.34	1.62	1.53	8	42	6	16	7	3	12	816

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: OCT 5 2005 DATE REPORT MAILED: Oct 13/05

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506193

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B364749	<2	48	18	43	<.5	27	14	280	3.00	1309	<10	<4	21	525	.4	<5	<5	52	2.95	.079	42	27	1.03	1842	.41	8.87	1.70	3.99	31	19	4	14	21	3	8	70
B364769	2	28	17	38	<.5	26	11	240	2.82	61	<10	<4	20	515	<.4	<5	<5	49	2.60	.075	36	26	1.10	1610	.40	8.46	1.81	3.67	10	22	4	14	17	4	8	18
B364789	5	41	15	39	<.5	25	10	251	2.82	165	<10	<4	22	523	.4	<5	9	47	2.62	.070	40	25	1.01	1645	.40	8.51	1.86	3.98	18	20	3	14	17	3	8	327
B364809	15	84	78	19	.7	18	9	170	2.14	177	<10	10	12	225	<.4	50	469	22	2.29	.040	22	25	.54	144	.20	4.54	.57	2.81	9	13	2	11	7	2	4	28731
B364829	2	41	27	35	<.5	22	9	206	2.63	18	<10	<4	22	489	<.4	7	10	43	2.44	.068	39	26	.97	1556	.36	7.89	1.62	4.22	18	20	5	12	12	3	7	283
B364849	2	45	18	21	<.5	24	13	167	2.65	53	<10	<4	21	464	<.4	13	7	44	2.44	.070	39	24	.94	1595	.35	8.37	1.65	4.14	19	21	3	14	11	3	7	776
B364869	<2	22	24	65	<.5	19	9	341	2.25	28	<10	<4	17	406	<.4	12	<5	41	3.07	.064	40	21	.78	1138	.33	7.37	1.69	3.55	13	17	<2	13	10	3	7	46
RE B364869	2	23	28	69	<.5	21	10	354	2.31	28	<10	<4	20	416	<.4	20	<5	44	3.15	.068	43	24	.80	1165	.34	7.79	1.73	3.60	15	20	4	14	10	3	7	67
B365129	<2	35	15	47	<.5	22	11	264	2.92	126	<10	<4	21	514	<.4	<5	<5	50	2.33	.073	43	24	.99	1696	.41	8.89	1.88	3.84	<4	23	4	14	22	3	8	1132
B365149	2	67	12	60	<.5	20	13	229	3.01	1158	<10	<4	20	454	.4	<5	15	49	1.87	.077	42	26	.81	1730	.41	8.93	1.74	4.30	23	23	6	15	23	3	8	168
B365169	<2	57	19	42	<.5	9	6	135	1.72	604	<10	<4	14	398	.4	<5	31	44	1.71	.050	25	25	.62	1382	.20	8.85	2.21	4.02	7	59	5	11	43	6	5	664
B365189	2	36	21	38	<.5	20	10	214	2.69	329	<10	<4	19	465	<.4	<5	14	44	2.34	.069	34	24	.87	1557	.37	8.88	1.85	3.97	10	23	4	14	22	3	7	184
B365809	2	40	17	47	<.5	21	8	232	2.62	308	<10	<4	18	474	<.4	<5	<5	45	2.28	.068	35	25	.86	1585	.38	8.38	1.79	3.88	12	20	6	14	12	3	7	63
B365549	<2	2	<5	<2	<.5	<2	<2	34	.44	84	<10	<4	<2	16	<.4	<5	<5	2	.17	.060	3	5	.03	64	.01	.82	.22	.21	<4	3	<2	7	<2	<1	<1	12
B365569	<2	30	16	28	<.5	21	11	192	2.49	436	<10	<4	18	382	<.4	<5	19	43	2.36	.067	32	25	.86	1470	.36	7.80	1.66	3.58	11	21	3	14	12	3	7	84
B365589	<2	23	24	49	<.5	19	9	260	2.42	138	<10	<4	22	447	<.4	<5	<5	40	2.60	.063	35	22	.80	1446	.35	7.82	1.70	3.93	8	27	3	16	12	3	7	33
B365609	2	75	13	25	<.5	22	13	171	2.64	376	<10	<4	21	474	<.4	7	26	43	1.95	.067	35	27	.85	1628	.35	8.43	1.70	4.09	9	22	3	14	10	3	7	207
B365629	2	87	11	1014	<.5	28	18	571	3.12	442	<10	<4	20	444	3.0	92	7	51	1.77	.078	35	28	1.06	1838	.41	8.41	1.61	4.05	16	19	6	14	16	3	8	67
B365649	4	31	34	54	<.5	20	12	275	2.57	97	<10	<4	19	491	<.4	<5	<5	41	2.37	.062	33	19	.85	1532	.34	8.65	1.88	3.96	9	23	4	16	9	4	7	108
B365669	12	33	22	33	<.5	25	11	220	2.46	43	<10	<4	21	383	.5	<5	12	43	1.96	.062	34	24	.87	1456	.35	7.62	1.49	3.87	<4	23	3	14	13	3	7	269
B365689	3	32	32	72	<.5	24	12	383	2.82	46	<10	<4	17	476	<.4	5	21	47	2.67	.072	38	29	.94	1664	.38	7.64	1.56	3.68	14	18	4	13	12	3	8	442
B365709	<2	59	14	31	<.5	23	13	251	2.76	57	<10	<4	20	508	<.4	<5	8	47	2.62	.069	40	25	.95	1583	.40	8.41	1.89	3.74	4	20	4	15	11	4	8	69
B365729	2	34	21	35	<.5	21	11	275	2.68	39	<10	<4	20	511	<.4	5	<5	42	2.60	.068	36	23	.94	1571	.37	8.14	1.83	3.82	<4	21	3	15	13	3	7	432
B365749	4	76	12	26	<.5	22	12	213	2.83	97	<10	<4	21	495	<.4	7	6	45	2.57	.070	37	25	.94	1606	.37	8.36	1.74	4.02	8	24	3	14	10	3	8	172
B365769	2	75	11	24	<.5	23	13	198	2.77	67	<10	<4	19	558	<.4	<5	16	45	2.72	.073	37	24	1.00	1730	.40	8.11	1.85	3.90	11	17	5	13	12	3	8	758
B365789	<2	26	22	31	<.5	20	8	249	2.61	28	<10	<4	19	495	<.4	<5	<5	42	2.72	.062	36	16	.96	1401	.34	7.45	1.78	3.61	12	22	2	14	11	3	7	31
STANDARD DST6/OxF41	12	129	32	174	<.5	35	15	976	4.10	28	<10	<4	7	323	6.0	6	5	112	2.32	.098	22	236	1.18	702	.41	7.10	1.65	1.50	5	48	4	16	7	3	12	811

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: OCT 6 2005 DATE REPORT MAILED: Oct 18/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9002 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506193

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B364749	<2	48	18	43	<.5	27	14	280	3.00	1309	<10	<4	21	525	.4	<5	<5	52	2.95	.079	42	27	1.03	1842	.41	8.87	1.70	3.99	31	19	4	14	21	3	8	70
B364769	2	28	17	38	<.5	26	11	240	2.82	61	<10	<4	20	515	<.4	<5	<5	49	2.60	.075	36	26	1.10	1610	.40	8.46	1.81	3.67	10	22	4	14	17	4	8	18
B364789	5	41	15	39	<.5	25	10	251	2.82	165	<10	<4	22	523	.4	<5	9	47	2.62	.070	40	25	1.01	1645	.40	8.51	1.86	3.98	18	20	3	14	17	3	8	327
B364809	15	84	78	19	.7	18	9	170	2.14	177	<10	10	12	225	<.4	50	469	22	2.29	.040	22	25	.54	144	.20	4.54	.57	2.81	9	13	2	11	7	2	4	28731
B364829	2	41	27	35	<.5	22	9	206	2.63	18	<10	<4	22	489	<.4	7	10	43	2.44	.068	39	26	.97	1556	.36	7.89	1.62	4.22	18	20	5	12	12	3	7	283
B364849	2	45	18	21	<.5	24	13	167	2.65	53	<10	<4	21	464	<.4	13	7	44	2.44	.070	39	24	.94	1595	.35	8.37	1.65	4.14	19	21	3	14	11	3	7	776
B364869	<2	22	24	65	<.5	19	9	341	2.25	28	<10	<4	17	406	<.4	12	<5	41	3.07	.064	40	21	.78	1138	.33	7.37	1.69	3.55	13	17	<2	13	10	3	7	46
RE B364869	2	23	28	69	<.5	21	10	354	2.31	28	<10	<4	20	416	<.4	20	<5	44	3.15	.068	43	24	.80	1165	.34	7.79	1.73	3.60	15	20	4	14	10	3	7	67
B365129	<2	35	15	47	<.5	22	11	264	2.92	126	<10	<4	21	514	<.4	<5	<5	50	2.33	.073	43	24	.99	1696	.41	8.89	1.88	3.84	<4	23	4	14	22	3	8	1132
B365149	2	67	12	60	<.5	20	13	229	3.01	1158	<10	<4	20	454	.4	<5	15	49	1.87	.077	42	26	.81	1730	.41	8.93	1.74	4.30	23	23	6	15	23	3	8	168
B365169	<2	57	19	42	<.5	9	6	135	1.72	604	<10	<4	14	398	.4	<5	31	44	1.71	.050	25	25	.62	1382	.20	8.85	2.21	4.02	7	59	5	11	43	6	5	664
B365189	2	36	21	38	<.5	20	10	214	2.69	329	<10	<4	19	465	<.4	<5	14	44	2.34	.069	34	24	.87	1557	.37	8.88	1.85	3.97	10	23	4	14	22	3	7	184
B365809	2	40	17	47	<.5	21	8	232	2.62	308	<10	<4	18	474	<.4	<5	<5	45	2.28	.068	35	25	.86	1585	.38	8.38	1.79	3.88	12	20	6	14	12	3	7	63
B365549	<2	2	<5	<2	<.5	<2	<2	34	.44	84	<10	<4	<2	16	<.4	<5	<5	2	.17	.060	3	5	.03	64	.01	.82	.22	.21	<4	3	<2	7	<2	<1	<1	12
B365569	<2	30	16	28	<.5	21	11	192	2.49	436	<10	<4	18	382	<.4	<5	19	43	2.36	.067	32	25	.86	1470	.36	7.80	1.66	3.58	11	21	3	14	12	3	7	84
B365589	<2	23	24	49	<.5	19	9	260	2.42	138	<10	<4	22	447	<.4	<5	<5	40	2.60	.063	35	22	.80	1446	.35	7.82	1.70	3.93	8	27	3	16	12	3	7	33
B365609	2	75	13	25	<.5	22	13	171	2.64	376	<10	<4	21	474	<.4	7	26	43	1.95	.067	35	27	.85	1628	.35	8.43	1.70	4.09	9	22	3	14	10	3	7	207
B365629	2	87	11	1014	<.5	28	18	571	3.12	442	<10	<4	20	444	3.0	92	7	51	1.77	.078	35	28	1.06	1838	.41	8.41	1.61	4.05	16	19	6	14	16	3	8	67
B365649	4	31	34	54	<.5	20	12	275	2.57	97	<10	<4	19	491	<.4	<5	<5	41	2.37	.062	33	19	.85	1532	.34	8.65	1.88	3.96	9	23	4	16	9	4	7	108
B365669	12	33	22	33	<.5	25	11	220	2.46	43	<10	<4	21	383	.5	<5	12	43	1.96	.062	34	24	.87	1456	.35	7.62	1.49	3.87	<4	23	3	14	13	3	7	269
B365689	3	32	32	72	<.5	24	12	383	2.82	46	<10	<4	17	476	<.4	5	21	47	2.67	.072	38	29	.94	1664	.38	7.64	1.56	3.68	14	18	4	13	12	3	8	442
B365709	<2	59	14	31	<.5	23	13	251	2.76	57	<10	<4	20	508	<.4	<5	8	47	2.62	.069	40	25	.95	1583	.40	8.41	1.89	3.74	4	20	4	15	11	4	8	69
B365729	2	34	21	35	<.5	21	11	275	2.68	39	<10	<4	20	511	<.4	5	<5	42	2.60	.068	36	23	.94	1571	.37	8.14	1.83	3.82	<4	21	3	15	13	3	7	432
B365749	4	76	12	26	<.5	22	12	213	2.83	97	<10	<4	21	495	<.4	7	6	45	2.57	.070	37	25	.94	1606	.37	8.36	1.74	4.02	8	24	3	14	10	3	8	172
B365769	2	75	11	24	<.5	23	13	198	2.77	67	<10	<4	19	558	<.4	<5	16	45	2.72	.073	37	24	1.00	1730	.40	8.11	1.85	3.90	11	17	5	13	12	3	8	758
B365789	<2	26	22	31	<.5	20	8	249	2.61	28	<10	<4	19	495	<.4	<5	<5	42	2.72	.062	36	16	.96	1401	.34	7.45	1.78	3.61	12	22	2	14	11	3	7	31
STANDARD DST6/0xF41	12	129	32	174	<.5	35	15	976	4.10	28	<10	<4	7	323	6.0	6	5	112	2.32	.098	22	236	1.18	702	.41	7.10	1.65	1.50	5	48	4	16	7	3	12	811

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ DATE RECEIVED: OCT 6 2005 DATE REPORT MAILED: Oct 18/05

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

094876

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

094876

ACME ANALYTICAL LABS LTD.

852 E. Hastings St., Vancouver, BC
CANADA V6A 1R6

Confirmation of Request for Analyses

(Please DO NOT fax back to ACME unless there are changes to be made.)

File No. A504193
Date: August 08, 2005

To:		From:	
Name:	Jim Sparling	Name:	Clarence / Jacky
Company:	StrataGold Corporation		
		Phone:	(604) 253-3158
Fax:	(604) 682-5404	Fax:	(604) 253-3716
Project:	Dublin Gulch 1735	e-mail:	tech@acmelab.com

# of Samples: 155 Sample Type: Rock Chip Date Received: August 05, 2005

First sample name: B291009 Last sample name: B381869

Analysis Requested: Group 1E (0.25gm) Group 3B (30gm)+Au-rock

(Please review carefully and notify us of any changes to be made.)

Estimated date of completion: August 18/05

STORAGE: ☐ **Unless we receive further instructions, coarse rejects and pulps will be discarded after three months. Please refer to our price schedule for storage charges.**

☐ **Please note the following missing / extra samples were noted in the sample sequence.**

☐ Missing Samples:

Do you want us to hold analysis until the samples are received?

☐ Hold analysis ** **Missing samples will be sent to Acme on**

☐ Proceed with analysis

☐ Extra Samples:

☐ Discard / disregard extra samples

☐ Include extra samples in analysis Date:

Authorizing Name or Signature Required

ACME ANALYTICAL LABS LTD.

852 E. Hastings St., Vancouver, BC
CANADA V6A 1R6

Confirmation of Request for Analyses

(Please DO NOT fax back to ACME unless there are changes to be made.)

File No. A504697
Date: August 22, 2005

To:		From:	
Name:	Jim Sparling	Name:	Clarence / Jacky
Company:	StrataGold Corporation		
		Phone:	(604) 253-3158
Fax:	(604) 682-5404	Fax:	(604) 253-1716
Project:	Dublin Gulch 1735	e-mail:	tech@acmelab.com

# of Samples: **56** Sample Type: **Rock Chip** Date Received: **August 19, 2005**

First sample name: **B382169** Last sample name: **B382589**

Analysis Requested: Group 1E (0.25gm) Group 3B (30gm)+Au-rock

(Please review carefully and notify us of any changes to be made.)

Estimated date of completion: September 2/05

STORAGE: ☐ **Unless we receive further instructions, coarse rejects and pulps will be discarded after three months. Please refer to our price schedule for storage charges.**

☐ **Please note the following missing / extra samples were noted in the sample sequence.**

☐ Missing Samples: _____

Do you want us to hold analysis until the samples are received?

☐ Hold analysis ** **Missing samples will be sent to Acme on** _____

☐ Proceed with analysis

☐ Extra Samples: _____

☐ Discard / disregard extra samples

☐ Include extra samples in analysis **Date:** _____

_____
Authorizing Name or Signature Required

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 1 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A504193 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B291009	<2	28	21	47	<.5	18	6	223	2.40	265	<10	<4	21	417	.4	<5	<5	42	1.85	.062	41	26	.77	1529	.34	7.64	1.71	3.74	17	21	3	9	14	3	7	16
B291029	3	53	20	67	<.5	19	9	211	2.46	678	<10	<4	18	373	<.4	8	17	39	1.97	.062	39	28	.73	1491	.32	7.17	1.52	3.68	23	21	4	11	14	3	7	122
B291049	3	35	24	76	<.5	21	10	277	2.64	428	<10	<4	22	485	<.4	10	<5	44	2.45	.071	48	28	.87	1677	.39	8.40	1.89	3.76	13	22	3	11	14	3	7	288
B291069	2	185	29	195	<.5	59	10	253	2.50	415	<10	<4	19	460	<.4	<5	<5	40	2.10	.065	43	30	.79	1593	.35	7.82	1.76	3.85>200	22	2	12	13	3	7	104
B291089	9	36	27	98	<.5	19	13	283	2.47	175	<10	<4	22	434	<.4	<5	18	39	2.28	.063	46	28	.73	1552	.32	7.54	1.66	3.79	17	22	2	11	13	3	7	369
B291109	3	34	34	69	<.5	19	10	300	2.44	111	<10	<4	22	381	<.4	16	<5	39	2.16	.059	44	25	.70	1646	.33	7.49	1.43	3.98	25	21	3	12	13	3	7	80
B291129	9	54	22	53	<.5	21	11	280	2.57	231	<10	<4	20	488	<.4	5	7	42	2.54	.064	46	31	.80	1542	.36	7.65	1.75	3.94	61	18	4	12	13	3	7	159
B291149	3	36	121	85	<.5	17	9	289	2.43	379	<10	<4	19	371	.5	57	73	35	2.15	.057	39	27	.68	1530	.28	7.06	1.46	3.77	24	20	5	11	11	3	6	460
B291169	3	37	71	111	<.5	18	7	527	2.56	60	<10	<4	21	283	.7	41	22	40	2.33	.061	51	23	.80	1165	.31	7.38	.66	3.81	23	19	3	12	13	3	7	395
B291189	2	42	25	49	<.5	20	9	241	2.49	491	<10	<4	23	470	<.4	<5	14	40	2.19	.062	47	26	.75	1548	.33	7.47	1.71	3.95	15	20	2	10	13	3	7	452
B291209	5	50	62	86	.6	19	8	328	2.44	31	<10	<4	22	328	.5	31	19	40	2.32	.061	47	25	.75	1475	.29	7.48	1.15	4.11	15	17	4	11	12	3	7	836
B291229	4	47	76	40	.5	15	8	269	2.49	50	11	<4	20	438	<.4	8	59	43	2.30	.057	36	32	.79	1352	.28	7.41	1.62	4.07	49	19	3	10	11	3	7	2119
RE B291229	5	47	79	39	<.5	14	8	276	2.52	64	<10	<4	20	450	.6	13	64	43	2.36	.059	37	33	.81	1380	.29	7.87	1.66	4.13	52	21	3	10	12	3	7	3743
B291249	3	42	29	41	<.5	16	9	257	2.57	21	<10	<4	20	484	<.4	<5	43	42	2.28	.063	47	27	.90	1554	.33	7.72	1.80	3.88	22	14	2	10	13	3	7	589
B291269	3	48	29	34	.7	16	9	211	2.26	72	10	<4	23	443	<.4	<5	153	38	2.07	.055	40	31	.74	1308	.29	7.93	1.72	4.20	12	24	4	12	13	3	7	5250
B291289	2	55	27	41	<.5	13	9	285	2.51	23	<10	<4	18	487	<.4	<5	<5	43	2.36	.058	36	28	.90	1390	.31	7.70	1.82	4.18	6	23	3	10	13	3	7	279
B291309	2	38	32	55	<.5	16	6	212	2.37	277	<10	<4	20	407	.5	9	12	38	1.85	.061	34	27	.70	1540	.32	7.46	1.70	4.09	4	21	3	9	14	3	6	245
B291329	2	28	75	108	1.9	18	8	382	2.63	288	<10	<4	20	384	.4	29	87	46	2.51	.065	42	35	.92	1519	.32	7.64	1.45	3.71	20	20	3	11	14	3	8	635
B291349	3	44	60	163	<.5	23	9	330	2.84	683	<10	<4	21	297	.9	42	8	49	1.85	.077	59	29	.59	1730	.35	9.04	1.33	4.22	19	22	4	12	13	3	8	2360
B291369	3	33	29	73	<.5	22	10	301	2.78	352	12	<4	21	499	<.4	7	<5	44	2.48	.069	49	32	.89	1667	.37	8.40	1.87	3.83	12	23	2	11	14	3	7	257
B291389	3	34	31	75	3.6	21	10	326	2.74	88	<10	<4	24	502	.5	6	<5	45	2.56	.070	49	29	.88	1823	.38	8.57	1.85	4.16	26	19	3	12	13	3	8	103
B291409	3	39	32	56	<.5	19	10	264	2.43	133	<10	<4	23	409	<.4	6	<5	38	2.23	.061	44	27	.66	1543	.33	7.97	1.69	3.85	9	19	3	11	12	3	7	121
B291429	3	33	34	81	<.5	22	9	355	2.70	17	<10	<4	21	465	<.4	<5	<5	42	2.63	.064	43	32	.86	1547	.36	8.18	1.91	3.86	8	21	2	12	14	3	7	55
B291449	5	47	68	119	<.5	20	15	322	2.53	30	<10	<4	22	406	1.0	21	<5	41	2.61	.061	49	26	.70	1481	.33	8.06	1.51	3.78	13	20	4	11	11	3	7	77
B291469	6	65	38	48	<.5	19	10	299	2.56	41	<10	<4	20	402	<.4	15	42	41	2.72	.063	46	28	.71	1422	.33	7.60	1.60	3.63	10	18	2	11	12	3	7	1390
B291489	2	29	18	79	<.5	20	10	255	2.51	416	<10	<4	19	371	.4	<5	10	40	2.25	.068	43	27	.81	1681	.35	7.69	1.41	3.98	13	18	4	11	14	3	7	433
B291509	4	48	19	61	<.5	19	9	264	2.43	408	<10	<4	22	411	.4	10	26	38	2.39	.059	43	23	.75	1535	.30	7.37	1.46	4.02	63	18	3	11	14	3	7	956
B291529	2	37	18	36	<.5	19	8	238	2.55	283	<10	<4	23	350	<.4	5	<5	37	2.26	.061	45	24	.82	1451	.33	7.61	1.40	3.77	20	23	2	13	15	3	7	76
B291549A	2	31	19	28	<.5	14	7	241	1.98	372	<10	<4	21	347	<.4	<5	<5	28	2.89	.048	35	16	.66	1276	.25	6.91	1.15	3.89	18	22	<2	13	12	3	6	174
B291569	3	21	30	57	<.5	15	7	248	2.15	53	<10	<4	22	358	<.4	<5	<5	32	1.86	.051	38	21	.49	1391	.28	7.47	1.68	4.18	14	22	3	12	14	3	6	13
B291589	15	48	27	39	<.5	16	7	203	2.25	109	<10	<4	19	393	<.4	5	<5	34	2.06	.056	37	22	.68	1416	.28	7.21	1.59	4.24	36	17	2	12	12	3	6	192
B291609	<2	14	31	68	<.5	16	8	294	2.23	52	<10	<4	21	443	<.4	<5	<5	35	2.43	.053	38	23	.69	1335	.29	8.03	1.86	3.96	<4	24	<2	12	13	3	6	35
B291629	3	55	31	63	<.5	21	10	332	2.49	54	<10	<4	19	421	<.4	15	<5	38	2.86	.062	43	24	.84	1520	.31	7.38	1.40	3.85	16	17	2	12	13	3	7	38
B291649	6	84	35	78	<.5	16	13	447	2.94	942	<10	<4	19	224	<.4	23	33	51	2.62	.065	41	35	.44	1424	.30	7.26	.88	4.17	17	20	4	11	12	3	8	1570
STANDARD D	12	133	31	176	<.5	30	14	994	3.97	27	<10	<4	8	299	5.3	7	7	116	2.25	.094	27	259	1.07	688	.42	7.06	1.68	1.41	8	48	5	14	9	3	12	817

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK CHIP P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data A FA ____ DATE RECEIVED: AUG 5 2005 DATE REPORT MAILED: Aug 17/05

Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B291669	5	44	321	158	<.5	16	9	430	2.33	767	<10	<4	19	292	.4	76	9	37	3.03	.059	42	20	.59	1146	.31	7.21	1.09	4.13	34	21	2	12	13	3	7	409
B291689	3	70	114	214	<.5	18	10	468	2.86	636	<10	<4	19	219	<.4	32	16	35	1.59	.063	46	24	.62	1544	.27	7.49	.82	5.32	26	23	6	10	11	3	7	546
B291709	6	43	1389	657	8.4	24	14	108	4.86	3855	<10	<4	15	148	<.4	600	16	35	.53	.038	45	24	.31	431	.27	7.35	.05	4.23	21	22	13	4	10	3	5	1897
B291729	3	34	32	63	<.5	19	11	291	2.55	169	<10	<4	15	431	<.4	<5	10	35	2.36	.061	44	27	.80	1473	.34	7.33	1.67	4.22	17	23	2	11	12	3	7	289
B291749	2	38	50	59	<.5	18	8	274	2.49	24	<10	<4	18	427	<.4	7	7	32	2.23	.058	47	26	.77	1460	.31	7.58	1.76	4.77	13	22	2	12	12	3	7	309
B291769	2	24	33	72	<.5	18	9	334	2.47	196	<10	<4	19	391	<.4	<5	<5	36	2.31	.061	45	22	.86	1450	.33	7.35	1.65	4.43	14	24	<2	13	12	3	7	424
B291789	4	69	21	26	<.5	16	10	209	2.59	58	<10	<4	20	493	<.4	<5	<5	38	2.43	.067	48	29	.86	1525	.36	7.94	1.87	5.06	22	22	4	11	14	3	7	236
B291809	3	70	480	3987	1.0	13	7	1227	3.68	34	25	<4	17	218	25.0	157	5	50	3.24	.065	42	33	1.12	979	.28	7.26	.49	4.33	23	22	7	12	10	3	9	147
B291829	6	43	145	287	.8	15	5	841	2.10	484	27	<4	11	20	1.4	73	<5	31	.21	.011	20	28	.16	243	.16	3.72	.04	1.74	13	35	2	7	5	1	4	18
B291849	2	51	18	42	<.5	21	13	235	2.74	516	<10	<4	17	435	<.4	7	<5	40	2.14	.070	44	28	.92	1613	.38	8.34	1.75	4.60	31	22	2	11	13	3	7	60
B291869	3	80	17	29	<.5	18	15	194	2.66	461	<10	<4	19	353	<.4	<5	6	38	2.11	.065	48	23	1.00	1563	.36	7.53	1.33	4.67	36	23	<2	12	13	3	7	153
B291889	3	75	18	34	<.5	19	17	224	2.71	495	16	<4	19	322	<.4	<5	12	39	2.28	.061	46	26	.96	1575	.35	7.55	1.01	5.05	19	22	3	12	11	3	7	429
B291909	<2	56	18	71	<.5	19	14	204	2.44	638	<10	<4	23	415	<.4	<5	<5	36	2.18	.059	45	23	.78	1519	.32	7.98	1.71	5.16	8	25	3	12	14	4	7	178
B291929	2	19	38	64	<.5	18	8	292	2.27	48	10	<4	16	292	<.4	13	<5	32	2.02	.056	39	21	.57	1540	.27	7.43	1.19	4.50	11	23	<2	10	11	3	6	25
B291949	6	46	64	215	<.5	17	9	342	2.31	82	<10	<4	18	296	<.4	24	<5	40	2.76	.066	48	25	.65	1487	.33	7.72	1.01	5.12	12	17	3	10	11	3	7	319
B291969	3	39	34	53	<.5	12	9	326	2.56	33	<10	<4	16	455	<.4	<5	13	41	2.37	.056	35	29	.85	1348	.31	7.64	1.70	4.65	11	26	4	10	13	3	7	1030
B291989	4	65	22	30	<.5	14	11	244	2.60	167	<10	<4	21	458	<.4	5	7	45	2.30	.062	44	33	.96	1319	.34	7.51	1.69	4.66	22	28	3	11	14	3	7	2397
B292009	3	38	31	57	<.5	15	10	371	2.85	30	<10	<4	21	475	<.4	<5	<5	47	2.53	.066	49	31	.97	1494	.36	8.03	1.80	4.85	6	27	3	12	13	3	8	49
B292029	3	22	27	76	<.5	17	11	439	2.95	18	<10	<4	20	540	<.4	<5	<5	50	2.94	.071	52	34	1.08	1596	.38	8.58	1.98	4.47	5	28	<2	13	14	4	8	22
B292709	<2	56	17	27	<.5	16	9	216	2.59	653	<10	<4	20	481	<.4	<5	<5	44	2.57	.065	50	35	.91	1494	.38	7.95	1.83	4.62	4	26	3	12	13	4	7	92
B292729	4	51	17	23	<.5	11	8	194	2.47	1629	11	<4	19	478	<.4	<5	5	46	2.47	.062	44	33	.98	1384	.35	7.81	1.81	5.01	9	28	3	10	12	4	7	118
B292749	4	114	74	48	<.5	14	8	172	2.87	4859	<10	<4	18	201	<.4	26	20	41	2.10	.062	47	25	.99	1084	.30	7.60	.60	5.10	28	26	4	10	11	3	7	491
RE B292749	2	111	69	49	<.5	15	8	168	2.81	5016	<10	<4	18	197	<.4	28	21	40	2.06	.061	46	24	.97	882	.29	7.46	.58	5.00	28	24	4	10	10	3	7	472
B292769	2	49	16	33	<.5	14	8	391	2.34	783	<10	<4	19	404	<.4	9	<5	36	3.81	.059	54	25	.83	1287	.32	7.42	1.61	4.56	21	27	3	13	13	3	6	86
B292789	2	63	214	827	1.8	14	10	972	2.65	2672	<10	<4	19	207	4.2	44	6	37	2.46	.059	46	20	.77	980	.30	7.47	.57	4.98	19	26	4	11	10	3	6	196
B292809	5	43	23	30	<.5	12	8	234	2.45	844	<10	<4	18	452	<.4	8	<5	38	2.02	.064	39	24	.78	1548	.35	7.58	1.63	5.15	25	26	4	8	13	4	6	70
B292829	2	88	260	368	1.6	9	8	1366	1.93	765	<10	<4	19	134	1.9	54	<5	33	2.43	.058	45	19	.68	803	.26	7.33	.18	4.45	27	28	<2	9	11	3	6	74
B292849	3	33	23	23	<.5	12	8	240	2.20	605	<10	<4	20	425	<.4	<5	<5	36	2.08	.061	49	23	1.09	1575	.33	7.64	1.45	5.19	28	27	2	11	13	3	6	87
B292869	<2	32	19	33	<.5	18	9	210	2.54	1378	<10	<4	18	460	<.4	<5	<5	42	2.29	.064	43	24	.77	1643	.37	7.94	1.66	4.40	6	22	3	11	13	3	7	123
B292889	3	5	242	9	1.3	7	11	47	1.21	4264	<10	<4	2	14	<.4	13	<5	9	.11	.003	2	14	.06	48	.02	.82	.08	.15	23	6	<2	<2	2	<1	<1	86
B292909	<2	59	9	49	<.5	29	20	502	4.48	4714	<10	<4	14	339	<.4	<5	<5	83	3.61	.077	43	110	2.29	1224	.40	7.29	1.18	3.00	26	21	<2	14	11	3	17	347
B292049	4	98	741	518	1.6	7	7	1732	2.76	1235	<10	<4	18	111	6.9	223	<5	36	3.20	.060	46	22	.82	638	.27	7.06	.03	3.95	29	22	6	11	9	3	6	55
B292069	4	55	71	255	<.5	20	11	270	2.30	804	<10	<4	16	205	.5	19	<5	36	1.67	.064	52	25	.43	1634	.34	7.55	.85	4.98	14	27	3	11	12	3	7	29
B292089	6	110	27	86	<.5	17	19	327	2.76	989	<10	<4	14	275	<.4	19	7	37	2.50	.058	43	23	.77	1151	.32	7.15	1.01	4.16	32	20	3	13	11	3	6	184
STANDARD DST6/0xF41	12	131	33	178	<.5	29	14	996	3.97	27	<10	<4	8	297	5.3	7	5	115	2.25	.096	28	263	1.07	678	.43	7.01	1.67	1.74	8	52	4	14	9	3	12	802

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B292109	4	98	25	58	<.5	20	15	174	4.34	471	<10	<4	15	262	<.4	29	<5	38	1.54	.055	44	27	.70	212	.27	7.22	1.31	3.75	18	20	4	8	10	3	6	184
B292129	4	45	24	51	<.5	18	9	305	2.71	118	<10	<4	15	483	<.4	<5	<5	43	2.45	.060	37	27	.88	1504	.36	7.27	1.83	3.79	17	18	2	8	12	3	7	39
B292149	4	66	16	30	<.5	18	9	262	2.76	127	<10	<4	17	489	<.4	<5	<5	44	2.63	.062	43	31	.91	1456	.36	8.01	1.79	4.11	6	24	3	10	11	3	7	31
B292169	5	62	38	72	<.5	13	10	297	2.57	144	<10	<4	15	255	<.4	9	7	38	1.82	.055	41	24	.73	1254	.28	7.17	.92	4.18	16	20	3	10	10	3	7	100
B292569	3	55	30	33	<.5	14	10	239	2.54	1185	<10	<4	19	398	<.4	8	13	44	2.28	.056	39	33	.85	1306	.33	7.35	1.56	4.29	8	30	5	10	11	4	6	57
B292589	4	66	19	22	<.5	15	10	164	2.47	2136	<10	<4	16	416	<.4	<5	5	43	1.99	.057	42	31	.92	1258	.33	7.17	1.56	4.44	8	30	5	9	12	3	7	92
B292609	8	120	18	30	<.5	13	9	142	2.52	1577	<10	<4	17	396	<.4	8	13	40	2.14	.058	44	30	.79	1362	.31	7.28	1.52	4.40	28	23	7	10	13	3	6	69
B292629	3	46	24	50	<.5	16	12	259	2.90	3220	<10	<4	16	405	<.4	5	21	47	2.18	.056	38	38	.85	1353	.31	6.86	1.53	4.10	44	28	3	8	11	3	7	194
B292649	4	92	48	96	<.5	21	9	286	2.94	2738	<10	<4	18	394	<.4	20	14	48	2.48	.065	46	32	.78	1539	.35	7.80	1.25	4.50	32	25	5	8	12	3	7	104
B292669	<2	146	>10000	3389	11.0	21	10	6013	19.64	1918	75	5	6	110	21.0	>4000	58	12	4.12	.019	17	18	1.20	69	.06	2.41	.02	.99	<4	10	16	7	3	1	2	1365
B292689	4	77	81	74	<.5	19	10	444	2.85	2231	<10	<4	16	299	<.4	47	18	41	2.11	.061	46	27	.88	1419	.31	7.27	.96	4.36	18	18	5	9	11	3	7	140
RE B292689	3	76	79	82	<.5	18	11	465	3.00	2973	<10	<4	17	316	<.4	38	20	43	2.26	.065	44	27	.93	1485	.34	7.55	1.01	4.54	16	19	5	10	11	3	7	134
B292929	2	39	572	333	1.8	23	10	651	3.60	86	<10	<4	12	63	1.4	66	<5	68	.79	.026	39	43	.79	606	.24	6.52	.08	2.99	6	26	<2	6	5	2	9	18
B292949	2	29	47	65	<.5	23	11	413	2.98	91	<10	<4	12	98	<.4	16	<5	69	.94	.023	42	45	.77	566	.27	6.42	.10	2.45	9	32	2	6	6	1	9	10
B292969	3	4716	24	78	32.0	43	60	166	11.30	>10000	<10	<4	11	35	<.4	144	7	71	.16	.028	29	43	.65	131	.15	7.01	.11	3.28	12	29	14	4	4	2	12	2796
B292989	3	7	32	10	<.5	14	5	85	1.06	320	<10	<4	25	218	<.4	<5	<5	22	.86	.015	39	12	.35	1010	.12	6.47	1.37	4.29	4	35	<2	7	8	2	4	13
B380209	4	35	17	70	<.5	33	15	188	3.79	165	<10	<4	15	122	<.4	<5	<5	97	.32	.033	55	62	1.08	883	.41	8.83	1.08	4.49	<4	43	2	7	7	2	13	8
B380229	<2	22	6	17	<.5	12	8	186	1.14	173	<10	<4	4	56	<.4	<5	<5	29	.54	.017	15	21	.25	62	.17	1.88	.04	.30	10	16	<2	4	3	<1	2	43
B292189	5	43	27	36	<.5	20	11	304	2.83	192	<10	<4	19	539	<.4	7	<5	49	2.75	.070	51	29	.97	1618	.39	8.07	1.80	3.94	11	19	3	10	13	3	8	25
B292209	11	74	73	62	<.5	14	11	386	3.06	381	<10	<4	18	376	<.4	29	238	50	2.02	.064	49	46	.88	1548	.29	7.24	1.18	4.38	16	41	5	8	14	3	7	3369
B292229	2	8	11	18	<.5	9	5	151	1.51	181	<10	<4	16	59	<.4	5	<5	27	.28	.010	30	24	.25	416	.19	3.38	.62	1.81	4	15	<2	4	5	1	4	7
B292249	4	92	14	12	<.5	17	17	83	2.34	2423	<10	<4	19	340	<.4	<5	13	34	1.31	.051	39	24	.69	1413	.29	6.79	1.27	4.50	19	19	4	8	10	2	6	112
B292269	2	73	20	65	<.5	19	11	175	2.61	898	<10	<4	13	374	<.4	<5	<5	38	1.83	.060	41	22	.78	1484	.35	7.15	1.51	3.95	10	19	4	8	12	3	6	41
B292289	3	63	14	22	<.5	19	11	234	2.67	226	<10	<4	17	416	<.4	9	<5	35	2.00	.056	40	23	.83	1407	.32	7.03	1.53	3.58	10	24	<2	10	11	3	6	37
B292309	6	55	268	530	1.0	12	6	480	2.36	818	<10	<4	18	42	1.6	18	6	35	1.93	.058	46	20	.35	593	.26	8.09	.04	3.73	17	17	7	9	10	3	6	79
B292329	3	65	23	46	<.5	19	10	243	2.74	402	<10	<4	17	406	<.4	<5	6	41	2.28	.062	42	25	.80	1502	.37	7.18	1.62	3.78	<4	20	4	9	12	3	7	95
B292349	4	40	27	52	<.5	18	11	258	2.57	102	<10	<4	19	422	<.4	<5	<5	38	2.31	.058	49	25	.76	1414	.32	7.32	1.79	3.59	8	17	4	11	13	3	7	15
B292369	4	75	26	42	<.5	20	11	272	2.71	67	<10	<4	18	446	<.4	<5	10	40	2.46	.061	39	26	.79	1492	.36	7.20	1.73	3.84	36	18	3	10	13	3	7	60
B380249	<2	15	6	24	<.5	9	4	254	1.17	150	<10	<4	3	13	<.4	<5	<5	23	.08	.014	11	30	.12	60	.09	1.92	.03	.32	8	18	<2	4	2	<1	2	13
B380269	2	203	14	35	<.5	34	13	160	2.89	780	<10	<4	12	63	<.4	5	<5	57	.78	.032	35	45	.73	543	.11	5.33	.23	3.25	17	38	2	5	4	2	8	27
B380289	2	39	13	33	<.5	20	9	255	2.27	455	<10	<4	12	166	<.4	<5	<5	50	1.23	.025	39	32	.69	599	.17	6.25	.12	2.62	5	36	<2	6	5	2	8	48
B380309	2	27	38	55	<.5	20	9	460	2.43	2317	<10	<4	19	228	<.4	5	5	36	2.11	.052	41	23	.66	1238	.28	7.03	.81	4.09	25	21	2	11	10	3	6	172
B380329	3	28	22	38	<.5	21	9	224	2.22	1971	<10	<4	17	322	<.4	<5	11	33	2.25	.058	42	25	.68	1338	.29	7.21	1.29	4.06	24	21	3	10	12	3	6	166
B380349	<2	27	10	28	<.5	11	4	242	1.16	758	<10	<4	4	69	<.4	10	7	15	.98	.014	15	18	.39	142	.11	2.05	.02	.82	16	13	<2	5	4	<1	2	76
STANDARD DST6/OxF41	13	130	28	176	<.5	30	14	972	4.06	25	<10	<4	6	293	5.3	5	5	115	2.20	.092	26	259	1.04	683	.43	6.85	1.64	1.40	6	47	5	11	9	3	11	816

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data FA

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B380369	<2	29	22	38	<.5	26	11	232	2.52	555	<10	<4	19	210	<.4	19	<5	44	1.80	.073	45	28	.81	1346	.30	7.46	.81	3.70	12	27	2	11	9	3	8	79
B380389	2	27	17	44	<.5	24	10	457	3.24	52	<10	<4	15	150	<.4	7	<5	66	1.14	.033	44	52	.98	683	.24	6.82	.86	2.66	<4	29	3	7	6	2	9	18
B380409	2	47	13	61	<.5	37	14	424	3.95	89	<10	<4	17	121	<.4	11	<5	77	.62	.051	52	68	1.08	815	.39	9.65	.92	4.00	5	45	2	6	8	2	12	8
B380429	3	32	9	78	<.5	47	21	681	4.59	67	<10	<4	16	92	<.4	<5	<5	87	.45	.054	57	75	.98	918	.43	10.57	.16	3.66	24	31	3	7	21	2	13	4
B292389	2	88	21	22	<.5	13	6	82	2.12	3238	<10	<4	14	434	<.4	<5	12	46	1.30	.051	37	28	.57	1457	.24	8.06	1.96	4.02	9	46	7	7	28	5	6	116
B292409	3	54	35	56	<.5	21	8	252	2.67	655	<10	<4	22	343	<.4	10	11	37	2.49	.059	47	27	.67	1560	.32	7.73	1.34	3.97	12	31	4	11	14	3	7	43
B292429	4	51	18	36	<.5	18	8	217	2.47	262	<10	<4	16	344	<.4	<5	7	39	1.82	.056	43	28	.85	1454	.33	7.12	1.48	3.64	18	24	3	9	11	3	6	214
B292449	2	41	290	612	1.1	18	7	684	2.64	213	<10	<4	21	236	3.1	39	<5	40	2.88	.063	47	25	.79	966	.31	7.91	.67	3.74	13	22	7	10	11	3	7	50
B292469	3	79	310	226	1.0	15	11	534	2.59	243	<10	<4	19	281	.7	111	10	38	2.93	.058	46	21	.65	1198	.29	7.30	.86	3.54	18	18	5	9	11	3	6	94
B292489	9	63	28	53	.6	21	14	246	2.79	113	11	<4	21	457	<.4	7	14	41	2.23	.063	46	25	.86	1641	.37	7.56	1.67	3.76	14	20	3	9	12	3	7	288
B381609	3	61	28	72	<.5	20	12	295	2.68	171	<10	<4	17	375	<.4	13	13	39	2.36	.059	41	28	.81	1535	.33	7.17	1.40	3.60	18	20	3	8	12	3	6	583
B381629	5	60	23	38	<.5	15	11	256	3.11	122	<10	<4	17	314	<.4	21	10	46	1.47	.062	47	31	.85	1416	.31	7.33	1.11	3.96	12	19	4	9	12	3	7	422
B381649	4	47	36	55	<.5	16	12	393	3.17	56	<10	<4	22	473	<.4	7	6	56	2.55	.069	49	39	1.24	1445	.39	7.43	1.69	3.88	34	32	4	10	15	3	8	446
B381669	6	40	26	49	<.5	17	11	320	2.90	83	<10	<4	17	498	<.4	<5	<5	51	2.69	.067	48	35	1.02	1546	.37	7.49	1.72	3.59	10	21	3	9	13	3	8	147
B381689	3	17	15	70	<.5	21	12	124	2.00	118	<10	<4	18	114	<.4	21	5	99	.26	.018	75	65	.37	1216	.37	10.79	.72	4.75	<4	47	3	6	12	3	14	7
RE B381689	3	18	15	70	<.5	19	12	123	2.04	114	<10	<4	20	112	<.4	14	<5	97	.23	.018	73	66	.37	1215	.36	10.65	.72	4.76	<4	48	4	5	17	3	14	7
B381709	<2	22	20	70	<.5	29	14	315	3.65	154	<10	<4	14	126	<.4	<5	<5	82	1.22	.022	48	65	.87	897	.45	8.53	.88	3.46	12	30	3	7	10	2	11	5
B380449	3	116	34	23	<.5	12	12	189	2.87	1872	<10	<4	19	374	<.4	9	97	50	2.05	.062	47	35	.88	1405	.32	7.75	1.32	4.31	13	33	8	8	12	3	7	266
B380489	3	70	21	17	<.5	12	9	165	2.81	2461	<10	<4	19	441	<.4	7	32	47	2.54	.058	45	34	.93	1362	.32	7.65	1.54	4.28	11	27	7	10	12	3	7	198
B380509	3	56	25	20	<.5	17	9	160	2.70	1833	<10	<4	17	484	<.4	8	11	45	2.17	.057	44	31	.90	1541	.33	8.18	1.76	4.28	6	25	8	9	12	3	7	130
B380549	3	41	30	25	<.5	19	13	176	2.46	1905	<10	<4	19	490	<.4	<5	16	39	2.56	.058	47	23	.77	1530	.35	8.02	1.72	4.21	7	21	5	10	12	3	6	164
B380569	4	57	19	31	<.5	13	11	307	2.95	680	<10	<4	19	492	<.4	5	5	64	3.09	.065	45	49	1.15	1381	.36	7.78	1.67	4.00	5	31	9	11	13	3	10	39
B380589	3	77	28	23	<.5	17	10	171	2.32	1489	<10	<4	19	332	<.4	<5	11	42	2.26	.059	44	28	.59	1429	.33	7.28	1.16	4.37	11	24	8	8	12	3	7	77
B380469	2	36	19	20	<.5	9	45	140	3.24	4493	<10	<4	18	374	<.4	<5	38	38	1.71	.050	39	32	.73	1099	.28	6.59	1.26	4.02	17	31	6	9	11	3	6	379
B380529	3	91	27	17	<.5	17	8	128	2.24	1972	<10	<4	20	384	<.4	6	15	35	2.12	.051	41	25	.74	1348	.30	6.99	1.49	4.18	7	24	9	10	12	3	6	177
B380609	2	53	21	27	<.5	13	9	219	2.36	324	<10	<4	17	437	<.4	<5	7	42	2.13	.055	42	34	.93	1258	.31	7.05	1.69	3.76	9	23	7	9	12	3	7	32
B381909	<2	10	22	97	<.5	33	13	424	3.57	235	<10	<4	12	348	<.4	6	66	105	2.31	.073	35	68	1.38	1321	.47	7.51	1.47	2.84	5	14	3	13	10	2	11	1096
B382109	3	25	29	35	<.5	14	7	217	2.38	1097	<10	<4	20	443	<.4	<5	13	32	2.08	.052	40	24	.74	1464	.31	7.16	1.28	4.00	11	25	9	8	12	3	5	123
B382129	3	27	23	30	<.5	17	9	216	2.62	856	<10	<4	18	475	<.4	6	11	38	2.37	.058	44	23	.78	1590	.34	7.52	1.51	3.87	11	25	5	9	13	3	6	36
B382149	4	34	21	30	<.5	21	9	209	2.77	903	<10	<4	19	474	<.4	5	7	42	2.23	.063	46	32	.83	1631	.36	7.91	1.68	3.87	7	22	7	9	13	3	7	37
B381929	3	69	18	30	<.5	12	10	180	2.57	1358	<10	<4	16	468	<.4	<5	5	42	2.33	.055	40	32	.86	1251	.31	7.23	1.72	3.97	<4	29	7	7	11	4	6	36
B381969	3	258	716	3734	2.9	8	5	1669	5.53	421	13	<4	16	36	24.3	251	<5	37	1.45	.050	39	31	.88	229	.19	6.67	.04	3.44	15	27	14	7	8	3	6	125
B382009	2	78	22	19	<.5	17	9	125	2.39	1335	<10	<4	17	437	<.4	<5	14	37	2.04	.056	41	26	.74	1462	.33	7.25	1.59	4.19	8	24	9	9	10	3	7	57
B382029	3	65	26	24	<.5	14	8	123	2.52	1777	<10	<4	18	480	<.4	6	10	40	1.89	.056	41	30	.75	1446	.32	7.30	1.52	4.18	19	24	9	8	12	3	6	59
STANDARD DST6/OxF41	12	127	31	169	.5	30	14	941	3.94	28	<10	<4	7	289	5.6	6	5	111	2.18	.089	26	260	1.03	676	.40	6.83	1.63	1.39	7	50	6	12	8	3	11	815

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA ___

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B382089	7	91	17	28	<.5	21	6	149	2.12	614	<10	<4	19	429	<.4	<5	<5	34	1.90	.056	40	24	.84	1358	.33	6.93	1.19	3.92	17	22	7	10	13	3	6	17
B382229	2	26	25	65	<.5	22	9	306	2.65	33	<10	<4	21	438	<.4	11	<5	45	1.96	.064	44	26	.99	1572	.37	7.30	1.55	3.72	13	24	<2	9	13	3	7	67
B382249	3	24	26	66	<.5	22	10	314	2.67	138	<10	<4	18	509	<.4	6	5	42	2.46	.065	40	24	.88	1616	.37	7.45	1.82	3.63	11	22	2	9	13	3	7	76
B382269	7	56	22	42	<.5	20	8	228	2.58	260	<10	<4	16	440	<.4	<5	7	43	2.03	.062	39	25	.77	1487	.35	6.96	1.54	3.58	16	22	3	8	11	3	6	113
B382289	2	26	37	75	<.5	20	9	318	2.63	187	<10	<4	20	418	<.4	9	6	41	2.09	.061	43	24	.85	1481	.35	7.42	1.58	3.61	11	20	2	10	11	3	7	108
B382309	3	53	31	61	<.5	19	9	259	2.52	360	<10	<4	19	411	<.4	<5	9	39	2.53	.061	39	28	.70	1405	.33	7.13	1.67	3.71	10	20	4	9	12	3	6	91
B382329	3	73	103	398	.6	18	14	391	2.54	72	<10	<4	21	320	1.4	27	7	44	2.15	.061	42	25	.93	1298	.31	7.35	.95	4.15	11	22	4	11	12	4	7	101
RE B382329	4	72	111	418	.5	18	13	393	2.59	58	19	<4	20	328	1.5	21	9	45	2.19	.063	44	25	.94	1336	.33	7.46	.96	4.20	11	24	3	11	12	4	7	156
B380629	2	35	21	142	<.5	50	21	723	5.27	39	<10	<4	22	62	<.4	14	<5	103	.12	.027	59	72	.53	655	.47	10.02	.15	2.37	4	73	<2	7	16	2	14	5
B380649	<2	21	10	69	<.5	20	10	829	3.20	17	<10	<4	11	106	<.4	<5	<5	43	1.31	.021	27	29	.83	221	.23	4.41	.29	1.00	<4	44	<2	8	6	1	6	7
B380669	2	38	21	94	<.5	38	19	338	4.33	19	<10	<4	19	79	<.4	<5	<5	97	.28	.032	49	62	1.04	643	.43	8.62	.72	2.59	<4	68	<2	5	10	3	12	2
B380689	2	62	21	147	<.5	54	27	826	5.08	58	<10	<4	21	52	<.4	<5	<5	132	.20	.030	57	84	.98	830	.45	11.04	.33	4.06	<4	65	3	6	32	3	16	6
B380709	<2	26	16	52	<.5	23	10	278	2.77	10	<10	<4	15	50	<.4	<5	<5	55	.64	.023	31	35	.72	330	.29	5.49	.71	1.53	<4	45	<2	5	7	2	7	2
B380729	2	31	14	57	<.5	25	12	384	3.35	16	<10	<4	13	77	<.4	5	5	69	.63	.023	34	47	.94	454	.33	6.11	.76	1.97	<4	48	<2	6	8	2	9	9
B380749	2	64	6	22	<.5	16	7	191	2.16	538	<10	<4	12	13	<.4	9	<5	37	.07	.019	25	28	.22	174	.17	4.35	.03	.97	<4	35	3	6	5	1	5	11
B380769	2	63	49	451	<.5	35	21	230	3.41	1700	<10	<4	19	58	2.2	7	7	110	.18	.032	51	69	.64	746	.34	8.69	.17	3.73	<4	62	2	6	9	2	13	22
B380789	2	37	15	81	<.5	34	17	348	4.26	19	<10	<4	18	93	<.4	<5	<5	93	.46	.031	45	64	1.10	637	.43	8.00	.59	2.77	<4	66	<2	5	11	3	12	5
B381949	3	81	208	216	1.0	12	12	298	2.88	2919	<10	<4	18	250	.7	35	11	43	1.88	.052	40	27	.71	1060	.24	6.90	.82	3.89	15	28	7	7	10	3	6	241
B381989	2	104	19	16	<.5	13	9	169	2.49	2264	<10	<4	19	463	<.4	7	14	48	2.01	.058	40	34	.79	1350	.31	7.43	1.61	4.42	11	36	6	8	12	4	7	94
B382049	2	82	17	17	<.5	14	9	134	2.51	3636	<10	<4	18	470	<.4	5	19	38	2.17	.057	36	27	.66	1397	.32	7.11	1.50	4.19	8	24	6	8	13	4	6	69
B382069	2	116	24	15	<.5	11	8	74	2.09	4235	<10	<4	14	405	<.4	<5	48	43	1.73	.049	34	28	.70	1328	.20	7.18	1.67	4.22	10	54	8	8	23	5	6	180
B381749	3	17	17	97	<.5	41	17	485	3.98	555	<10	<4	16	430	<.4	<5	<5	127	2.79	.084	36	70	1.61	1417	.52	8.32	1.75	2.82	<4	21	<2	14	16	3	13	62
B381829	4	23	46	91	<.5	21	8	466	2.51	261	<10	<4	21	202	<.4	24	<5	37	2.09	.060	48	23	.54	1456	.28	7.60	.88	4.30	11	26	2	10	13	3	7	31
B381869	4	101	21	24	<.5	16	12	256	2.90	218	<10	<4	17	499	<.4	6	14	46	2.47	.065	48	30	1.15	1604	.35	7.50	1.23	4.28	21	20	4	10	13	3	8	674
STANDARD DST6/0xF41	13	131	30	175	<.5	31	14	987	4.01	27	<10	<4	8	297	5.6	6	6	117	2.23	.096	27	264	1.07	685	.44	7.04	1.67	1.46	6	51	4	12	9	3	12	799

Sample type: ROCK CHIP P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data A FA

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A504697 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B382169	<2	23	20	99	<.5	24	12	412	3.44	32	<10	<4	18	513	.8	<5	17	78	3.05	.076	38	51	1.24	1458	.40	8.23	1.86	2.69	8	27	<2	15	12	3	10	72
B382188	4	24	25	82	<.5	24	12	366	3.09	355	<10	<4	16	502	.7	7	26	77	2.86	.071	40	48	1.27	1494	.37	7.56	1.54	2.91	29	19	<2	16	11	3	10	420
B382209	<2	37	30	91	<.5	20	8	282	3.16	37	<10	<4	20	387	.9	24	9	41	2.21	.068	45	26	.71	1413	.32	7.93	1.33	3.88	11	25	2	15	11	3	8	157
B380929	<2	221	7	26	.5	14	7	580	3.30	23	19	<4	9	72	.4	13	15	40	.88	.017	19	25	.63	121	.22	2.85	.02	.55	4	31	4	13	4	1	5	2
B380949	2	44	8	81	<.5	33	19	528	4.69	9	<10	<4	14	96	.5	<5	5	105	1.06	.037	44	63	1.23	560	.42	7.68	.05	2.77	<4	46	4	18	11	2	15	<2
B380969	<2	17	5	27	.6	14	6	414	2.07	<5	<10	<4	8	250	<.4	8	12	34	3.52	.025	17	19	.79	387	.14	2.95	.03	1.61	4	29	<2	12	4	1	5	<2
B380989	<2	17	<5	7	<.5	5	3	67	.90	38	<10	<4	8	41	<.4	<5	<5	12	.30	.013	16	11	.16	60	.07	2.06	.51	.26	<4	34	<2	7	2	<1	2	7
B380849	<2	21	7	78	<.5	24	11	394	2.38	8	<10	<4	10	25	.6	<5	12	44	.15	.023	25	24	.33	290	.21	4.42	.04	1.12	4	43	<2	10	5	1	6	<2
B380869	2	99	9	134	<.5	88	43	864	7.23	2444	18	<4	17	184	.4	19	22	144	2.31	.090	41	504	3.48	633	.42	7.23	.11	1.99	8	102	5	16	11	3	24	141
B380889	<2	23	17	92	<.5	30	13	450	3.71	9	<10	<4	13	80	.4	<5	<5	62	.43	.025	32	41	.84	424	.33	6.58	.57	1.49	<4	55	<2	12	8	2	9	11
B380909	<2	41	24	80	<.5	32	17	243	3.98	<5	<10	<4	15	96	.4	<5	11	100	.31	.025	44	60	.90	673	.41	8.75	.69	2.52	<4	57	2	8	9	3	13	3
B382349	2	61	15	34	<.5	18	11	308	2.92	40	<10	<4	20	592	.5	16	7	51	2.85	.075	48	28	1.06	1634	.37	8.21	2.02	3.21	6	20	4	12	13	4	9	25
B382369	4	80	20	34	<.5	15	10	345	2.91	95	<10	<4	19	513	<.4	14	<5	55	2.88	.068	41	37	1.12	1420	.35	7.75	1.97	3.23	9	26	4	16	12	3	9	31
B382389	2	58	31	64	<.5	20	11	284	2.89	349	<10	<4	16	504	<.4	<5	20	39	2.37	.071	45	27	.87	1710	.37	8.12	1.82	3.83	17	24	3	14	12	3	8	138
B382409	4	68	578	2009	5.1	18	14	826	3.16	1176	<10	<4	19	152	12.6	193	20	36	1.43	.058	44	21	.51	717	.29	7.98	.31	3.12	15	20	3	16	11	4	7	176
B382429	<2	48	22	47	<.5	23	10	290	2.79	505	<10	<4	17	447	<.4	10	24	39	2.89	.066	36	23	.77	1614	.36	7.57	1.63	3.27	11	22	3	14	13	3	7	213
RE B382429	2	48	21	41	<.5	19	10	275	2.75	487	<10	<4	18	454	<.4	13	14	38	2.91	.066	39	24	.77	1619	.34	7.78	1.65	3.33	13	19	3	14	13	3	7	127
B089341	<2	65	6	65	<.5	42	19	1238	4.99	6	<10	<4	14	107	<.4	<5	9	96	1.92	.069	48	52	1.74	697	.29	9.60	.09	2.82	<4	70	<2	13	11	3	15	2
B089361	2	15	<5	11	<.5	42	16	573	1.75	92	<10	<4	12	60	.4	<5	24	99	2.37	.070	53	43	1.29	569	.38	9.64	.17	3.36	5	80	4	14	16	2	17	3
B089381	<2	21	<5	4	<.5	19	6	407	1.89	70	<10	<4	7	32	<.4	<5	8	41	1.17	.012	20	34	.48	240	.11	4.93	.09	1.72	<4	37	4	8	2	1	6	6
B089401	<2	4	<5	<2	<.5	14	9	315	3.11	215	<10	<4	8	22	<.4	<5	15	38	2.66	.014	22	33	.42	115	.10	4.79	.08	1.77	<4	39	7	8	<2	1	6	22
B089421	<2	67	<5	60	<.5	52	27	437	5.86	26	<10	<4	10	54	.6	<5	<5	104	.27	.077	33	80	1.01	478	.24	11.80	.22	4.40	<4	69	<2	9	12	3	14	11
B089441	<2	51	<5	48	<.5	56	25	291	5.91	219	<10	<4	12	47	<.4	<5	21	106	.19	.050	34	86	1.05	177	.25	11.25	.26	3.82	5	71	2	9	15	3	14	23
B089461	<2	13	14	10	<.5	40	19	208	5.58	216	<10	<4	8	29	<.4	<5	31	49	1.27	.051	27	35	.63	32	.09	5.47	.16	1.47	4	45	5	9	<2	1	8	70
B089481	<2	15	10	43	<.5	27	11	538	2.14	41	15	<4	11	45	.6	5	14	59	4.49	.017	27	38	.60	324	.18	6.49	.12	2.18	<4	53	<2	10	5	2	9	5
B089121	<2	<2	<5	103	<.5	40	20	690	5.85	<5	<10	<4	18	99	.5	<5	6	99	.34	.036	46	58	.87	504	.24	10.79	.62	3.12	<4	52	<2	10	7	3	16	54
B089141	<2	19	16	91	<.5	33	19	861	5.12	11	<10	<4	16	93	<.4	<5	<5	91	1.10	.032	49	56	1.10	369	.25	8.34	.89	2.14	<4	58	<2	11	5	2	14	<2
B089161	<2	35	6	88	<.5	37	19	353	5.22	10	<10	<4	15	47	<.4	<5	12	107	.47	.029	46	65	1.11	477	.32	9.64	.82	2.67	<4	62	2	11	9	3	15	<2
B089181	<2	31	18	116	<.5	36	21	526	4.82	16	<10	<4	19	36	<.4	<5	<5	104	.18	.033	52	68	.87	506	.30	10.65	.29	2.88	<4	62	<2	13	16	3	16	<2
B089201	<2	29	15	64	<.5	35	19	534	4.14	45	<10	<4	15	70	.6	7	9	107	2.17	.032	40	69	1.10	542	.25	8.37	.08	2.73	<4	46	<2	12	6	3	14	6
B089241	<2	4	9	12	<.5	6	6	774	2.20	11	<10	<4	9	52	<.4	<5	<5	24	.76	.015	17	16	.47	176	.06	4.03	.10	1.16	<4	32	5	8	<2	1	4	100
B089261	<2	<2	5	7	<.5	<2	4	135	1.71	508	<10	<4	5	17	<.4	<5	39	12	.02	.006	16	15	.07	153	.05	1.88	.04	.87	5	32	4	6	2	<1	2	4
B089281	<2	<2	9	2	<.5	<2	<2	20	1.40	1011	<10	<4	4	41	<.4	<5	40	19	.01	.010	25	18	.12	231	.09	2.93	.02	1.35	5	52	7	7	3	<1	3	<2
B089301	<2	53	21	84	<.5	34	18	886	4.69	69	<10	<4	15	42	.5	<5	<5	73	.18	.036	42	47	1.28	542	.23	7.59	.18	2.24	<4	48	<2	11	5	2	12	<2
STANDARD DST6/OxF41	12	129	31	178	<.5	29	13	948	3.99	26	<10	<4	6	311	5.5	12	<5	110	2.26	.095	25	189	1.02	678	.40	7.02	1.59	1.28	6	48	5	16	7	3	12	806

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
- SAMPLE TYPE: ROCK CHIP P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data A FA ____ DATE RECEIVED: AUG 19 2005 DATE REPORT MAILED: Sept. 5/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B089321	2	35	8	63	.6	50	21	882	3.94	38	<10	<4	13	165	.6	6	<5	107	.99	.045	46	57	1.79	859	.32	9.22	.12	3.54	<4	73	3	12	26	3	17	7
B089501	<2	12	7	151	<.5	14	7	727	2.48	15	<10	<4	9	56	.7	<5	<5	31	2.71	.013	20	29	.66	121	.08	3.55	.08	.86	<4	28	2	8	2	1	5	6
B089521	<2	25	5	72	<.5	33	14	399	4.42	24	<10	<4	16	50	.4	7	<5	70	.48	.048	44	52	1.03	440	.19	7.85	.15	2.20	<4	51	3	10	11	2	11	4
B381009	<2	21	<5	16	.6	6	3	117	1.06	43	<10	<4	9	76	<.4	<5	<5	14	.60	.016	13	17	.27	58	.10	2.15	.73	.33	<4	24	2	7	4	<1	2	16
B381029	2	39	9	83	<.5	38	15	236	4.36	40	<10	<4	16	98	<.4	<5	9	110	.30	.032	46	62	1.17	706	.44	9.28	.77	3.02	<4	74	4	10	28	2	15	10
B381049	<2	21	13	70	<.5	22	10	398	3.81	14	<10	<4	14	156	<.4	<5	<5	57	.98	.027	34	41	.84	358	.31	5.86	.99	1.37	<4	62	3	11	11	2	8	6
RE B381049	<2	24	14	70	<.5	20	10	387	3.74	13	<10	<4	14	152	<.4	<5	<5	55	.97	.026	33	37	.82	344	.31	5.69	.97	1.34	<4	62	2	11	9	1	8	4
B381069	<2	15	10	19	<.5	12	9	182	1.89	332	<10	<4	10	127	<.4	<5	<5	29	.81	.015	22	23	.43	171	.21	3.99	1.32	.89	<4	42	2	10	6	1	5	31
B381089	<2	27	9	59	.5	22	11	270	3.17	36	<10	<4	14	103	<.4	5	5	55	.55	.021	30	38	.76	338	.32	5.75	1.03	1.55	4	60	3	9	11	1	8	9
B381109	<2	16	16	56	<.5	13	6	528	3.65	10	<10	<4	13	75	<.4	6	<5	37	.51	.027	26	31	.71	191	.24	4.37	.90	.89	<4	52	3	9	8	1	5	3
B381189	2	48	<5	83	.8	35	17	286	4.74	133	<10	<4	19	107	.6	<5	9	98	.28	.030	45	58	1.03	766	.42	8.82	.47	2.98	<4	56	5	9	26	2	13	14
B381209	2	14	10	198	.9	20	17	593	4.03	673	<10	<4	23	587	1.0	<5	9	97	3.33	.096	45	65	1.61	1576	.49	8.09	1.47	2.33	<4	77	3	17	25	3	15	159
B381229	<2	52	<5	25	.7	24	13	177	2.82	699	<10	<4	16	160	<.4	7	32	62	.95	.032	35	33	.83	463	.22	6.20	1.09	1.76	<4	52	3	10	8	2	9	357
B381129	2	33	18	78	<.5	27	12	419	3.68	9	<10	<4	14	119	<.4	8	8	88	.59	.027	33	49	.94	455	.39	7.10	.67	2.05	<4	60	4	8	12	2	11	6
B381149	<2	23	14	62	.5	21	13	415	2.76	7	<10	<4	18	130	<.4	<5	<5	63	1.14	.024	35	39	.80	387	.34	6.07	1.04	1.58	<4	67	3	11	10	1	9	11
B381169	<2	21	17	67	<.5	21	9	309	2.99	<5	<10	<4	14	117	<.4	<5	5	51	.75	.023	32	32	.74	353	.29	5.76	1.08	1.37	<4	61	2	10	10	1	8	9
B382449	6	109	16	24	.6	21	12	162	2.65	261	<10	10	20	421	.5	13	66	40	2.18	.064	43	24	.76	564	.34	7.39	1.53	3.94	30	14	7	14	16	3	7	6818
B382469	8	159	177	155	1.1	24	13	690	3.29	485	<10	<4	16	328	1.0	25	13	42	2.58	.057	38	40	.83	215	.28	7.06	1.04	3.73	15	28	6	15	12	3	8	280
B382489	3	53	20	54	<.5	19	9	267	2.76	96	<10	<4	20	488	<.4	8	6	44	2.68	.065	45	35	.82	1553	.34	7.67	1.75	3.16	26	24	6	15	15	3	8	25
B382509	4	53	44	64	<.5	17	8	417	2.69	155	<10	<4	22	346	.5	18	10	34	2.51	.059	44	21	.77	1108	.29	7.25	1.11	3.26	13	25	4	14	14	3	7	52
B382529	2	60	30	52	<.5	18	10	321	2.82	168	<10	<4	20	448	<.4	16	9	43	2.35	.064	42	29	.86	1312	.32	7.43	1.48	4.03	13	25	4	15	16	3	7	479
B382549	3	89	172	181	.9	19	13	343	2.70	140	<10	<4	19	412	1.5	58	21	40	2.47	.065	47	25	.75	1090	.34	7.62	1.37	3.96	21	22	6	14	16	3	7	235
B382569	<2	26	13	51	<.5	17	10	381	3.02	25	<10	<4	20	554	<.4	8	45	60	2.87	.073	43	42	1.16	1303	.40	7.37	1.73	3.23	6	43	2	14	17	3	9	1481
B382589	3	43	19	40	<.5	17	10	289	2.88	137	<10	<4	22	522	.5	13	13	50	2.56	.071	44	30	1.01	1535	.37	7.39	1.72	3.31	108	22	4	13	16	3	8	81
STANDARD D	12	128	30	177	.5	29	13	946	3.96	26	<10	<4	6	315	5.5	7	<5	111	2.26	.095	25	180	1.01	683	.40	6.92	1.61	1.29	7	49	6	16	8	3	12	820

Standard is STANDARD DST6/OxF41. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data ✓ FA ___

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A505373 Page 1

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B381249	2	58	<5	66	<.5	37	18	275	4.60	78	<10	<4	16	83	<.4	8	6	98	.32	.045	40	63	1.17	843	.34	9.17	.40	4.50	<4	61	5	10	18	3	13	5
B381269	<2	40	<5	69	<.5	35	17	192	4.41	134	<10	<4	16	59	<.4	5	<5	88	.29	.040	35	61	1.16	831	.37	8.90	.34	4.43	<4	50	2	9	19	3	12	3
B381289	<2	72	1610	3036	4.4	18	6	1660	4.53	167	17	<4	12	78	21.1	434	<5	42	.09	.024	23	35	.46	340	.17	5.61	.04	2.71	7	35	6	10	5	1	7	64
B381309	<2	52	12	43	<.5	34	17	206	3.83	53	<10	<4	17	90	.4	5	<5	91	.55	.033	40	56	1.10	813	.32	9.06	.55	4.13	<4	51	2	10	5	3	12	4
B381329	4	40	<5	57	<.5	39	18	237	4.61	<5	<10	<4	13	80	<.4	6	<5	118	.28	.048	30	68	1.09	874	.26	9.12	.44	4.29	<4	59	3	10	10	3	13	2
B381349	<2	62	161	455	2.1	30	14	505	3.30	423	<10	<4	17	43	3.1	34	<5	96	.13	.041	39	61	.54	914	.23	9.20	.14	4.68	<4	59	10	10	4	2	13	57
B381369	<2	18	11	11	<.5	7	3	134	1.16	90	<10	<4	4	51	<.4	<5	<5	14	.72	.012	10	21	.17	119	.07	1.90	.33	.49	<4	12	<2	8	4	<1	2	67
B382689	2	58	22	48	<.5	14	11	263	3.23	45	<10	<4	16	438	.4	<5	<5	53	2.14	.070	28	40	.98	1508	.34	7.21	1.39	4.36	11	27	4	12	13	4	8	237
B363209	<2	32	16	34	<.5	18	10	354	2.74	16	<10	<4	15	430	<.4	<5	10	44	3.30	.068	31	28	.93	1516	.33	7.02	1.53	4.06	14	20	<2	13	11	3	8	21
B363229	<2	41	18	40	<.5	13	11	335	2.84	52	14	<4	19	523	.5	16	35	51	2.89	.066	33	35	1.26	1270	.30	7.27	1.57	4.02	14	30	2	14	13	3	9	894
RE B363229	<2	41	12	46	<.5	12	12	346	2.84	68	10	<4	19	524	.4	12	31	51	2.88	.065	33	34	1.25	1267	.29	7.27	1.59	4.06	16	33	3	15	13	3	9	1100
B363249	2	40	23	50	<.5	18	10	322	2.92	22	<10	<4	18	477	.4	6	<5	48	2.58	.069	31	30	.92	1554	.34	7.25	1.83	4.13	16	27	2	14	14	3	8	33
B363269	4	36	21	50	<.5	19	11	452	3.08	34	10	<4	20	483	.4	<5	7	63	2.98	.082	32	46	1.30	1241	.35	7.60	1.88	4.20	>200	43	2	16	14	4	9	42
B363289	4	39	38	74	<.5	14	11	429	2.85	37	<10	<4	18	449	<.4	<5	<5	51	2.60	.073	33	36	1.00	1364	.32	7.14	1.58	4.21	14	30	<2	15	13	3	8	126
B363309	2	55	110	234	.7	13	10	534	3.02	31	<10	<4	18	302	1.6	24	9	55	3.11	.068	33	40	.98	1172	.26	7.54	1.00	4.20	42	32	<2	14	10	3	9	115
B381389	4	25	5	80	<.5	44	18	340	4.69	79	<10	<4	12	130	<.4	<5	<5	91	.44	.057	34	79	.92	1034	.40	10.75	1.25	5.60	<4	43	2	10	20	3	13	7
B381409	<2	5	<5	4	<.5	5	3	64	1.13	<5	<10	<4	7	22	<.4	<5	<5	11	.10	.010	11	19	.20	228	.06	2.21	.49	.67	<4	14	<2	7	2	<1	2	3
B381429	<2	28	14	70	<.5	34	17	473	4.13	76	<10	<4	15	115	<.4	<5	<5	83	.57	.020	34	63	.90	741	.39	7.66	1.04	4.36	<4	30	<2	10	12	2	11	7
B381449	<2	30	7	57	<.5	33	16	439	3.62	112	12	<4	15	149	<.4	<5	<5	82	1.41	.050	37	56	.84	840	.39	8.30	.68	3.81	<4	37	2	12	9	2	12	10
B381469	<2	14	5	21	<.5	12	5	236	1.73	10	<10	<4	7	55	<.4	<5	<5	28	.33	.010	17	20	.28	312	.13	3.64	.58	1.40	4	12	<2	8	4	1	4	2
B363429	6	36	17	48	<.5	16	8	225	2.27	96	<10	<4	14	416	<.4	<5	13	31	2.14	.056	30	20	.70	1343	.28	6.42	1.55	4.11	44	17	<2	13	11	3	6	83
B363449	2	20	28	60	<.5	14	10	447	2.81	121	<10	<4	15	497	<.4	5	7	51	3.03	.064	28	37	.99	1376	.32	6.94	1.86	4.10	9	27	2	15	14	3	8	26
B363469	<2	40	25	45	<.5	19	10	313	2.69	23	<10	<4	16	502	<.4	<5	<5	40	2.75	.067	33	25	.88	1537	.33	7.55	1.85	4.22	9	20	<2	13	13	4	7	27
B363489	4	47	22	56	<.5	17	11	393	3.20	16	<10	<4	16	534	<.4	<5	<5	61	3.04	.077	32	47	1.14	1496	.36	7.45	1.83	4.20	11	29	<2	14	14	3	9	54
B363509	2	32	24	68	<.5	16	10	374	2.92	13	<10	<4	16	495	<.4	10	<5	49	2.76	.070	33	31	.97	1595	.35	7.50	1.82	4.17	11	22	<2	14	15	3	8	20
B363549	<2	37	29	57	<.5	14	11	458	3.12	26	<10	<4	18	504	<.4	7	22	58	2.79	.068	31	46	1.21	1457	.33	7.34	1.77	4.16	7	29	2	14	13	3	9	149
B381589	2	71	19	28	<.5	11	6	94	1.77	1045	<10	<4	14	400	<.4	5	9	44	1.26	.053	29	28	.60	1416	.20	7.64	2.02	4.46	4	48	8	11	26	5	5	33
B364209	2	72	19	43	<.5	22	9	203	2.70	749	<10	<4	16	394	<.4	<5	<5	38	1.84	.066	31	23	.52	1524	.32	7.21	1.65	4.34	34	26	3	13	13	3	7	29
B364229	3	63	14	41	<.5	23	10	210	2.62	265	<10	<4	16	469	.4	<5	<5	40	2.29	.067	33	24	.70	1640	.34	7.48	1.71	4.19	19	22	3	13	12	3	7	59
B364249	3	50	19	37	.5	14	7	260	1.98	858	<10	<4	16	370	<.4	8	12	35	3.79	.058	40	17	.54	1484	.29	7.02	.99	4.33	36	23	3	15	12	4	6	123
B364269	2	28	24	67	<.5	17	8	293	2.41	112	<10	<4	17	421	<.4	<5	<5	33	2.43	.059	31	20	.78	1497	.30	7.12	1.55	4.29	16	24	2	15	13	3	7	69
B364289	2	81	25	56	<.5	19	12	249	2.90	176	<10	<4	18	438	<.4	6	27	36	1.94	.059	34	21	.77	1514	.30	7.33	1.46	4.66	31	20	3	14	12	3	7	641
B364309	<2	36	35	49	<.5	14	15	362	2.98	219	<10	<4	14	467	.4	9	57	55	2.55	.068	32	37	1.08	1542	.31	7.61	1.53	4.29	9	28	2	12	13	3	9	2104
B381489	3	10	31	11	<.5	5	5	198	1.50	261	<10	<4	15	222	<.4	8	<5	15	1.36	.029	24	12	.29	1056	.14	7.56	1.44	4.74	7	36	<2	9	12	2	3	29
STANDARD DST6/OxF41	12	130	30	178	<.5	30	14	962	4.05	25	<10	<4	7	320	5.5	6	5	113	2.28	.099	19	231	1.03	694	.37	7.07	1.64	1.63	9	48	4	16	8	3	12	796

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: Rock Chip P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA ____ DATE RECEIVED: SEP 7 2005 DATE REPORT MAILED: Sept 26/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B381509	<2	32	<5	101	<.5	49	19	461	4.58	18	<10	<4	15	130	<.4	<5	<5	100	.27	.034	44	49	1.06	1294	.47	10.09	1.11	4.56	<4	31	2	8	19	3	15	5
B381529	<2	29	<5	59	<.5	46	17	255	4.33	405	<10	<4	17	209	.4	<5	<5	127	.84	.051	48	55	1.07	1042	.61	11.01	1.31	5.10	13	39	5	10	35	4	17	13
B381549	3	28	19	45	<.5	17	10	283	2.36	1042	<10	<4	16	429	<.4	<5	5	37	2.18	.059	26	17	.75	1355	.32	7.31	1.65	4.72	18	23	4	12	12	4	6	84
B381569	<2	30	99	159	<.5	18	7	998	2.81	86	<10	<4	19	139	.9	<5	6	36	1.91	.057	39	16	.40	509	.28	7.96	.15	4.38	7	23	4	11	8	3	7	256
B363569	<2	29	7	52	<.5	21	8	254	2.47	740	<10	<4	19	470	<.4	<5	<5	40	2.30	.063	34	16	.78	1498	.35	7.94	1.80	4.50	<4	24	8	14	11	4	7	66
B363589	5	50	25	58	<.5	23	9	265	2.76	795	<10	<4	16	249	<.4	9	12	36	1.58	.060	37	10	.48	1301	.28	8.07	1.24	4.87	7	23	5	13	9	3	7	65
B363609	6	25	<5	116	<.5	40	15	471	3.94	412	<10	<4	12	445	<.4	<5	<5	108	2.43	.082	32	50	1.52	1518	.47	8.40	1.58	3.99	11	17	4	17	14	3	12	30
B364329	<2	172	11	26	<.5	22	19	292	2.86	693	<10	<4	14	466	<.4	<5	14	44	3.38	.067	39	16	.85	840	.34	7.83	1.16	5.27	39	20	6	15	11	3	8	300
B364349	2	93	121	70	1.2	19	13	387	2.84	373	<10	<4	20	354	<.4	48	<5	48	2.55	.066	33	27	.84	1218	.33	7.73	1.46	4.64	17	48	5	13	11	3	8	166
B364369	<2	53	103	151	.9	16	12	976	3.40	205	10	<4	20	325	.9	35	14	43	3.16	.065	39	21	.98	1336	.28	7.29	.70	4.80	21	23	5	13	9	3	8	520
B364389	2	54	20	44	<.5	19	13	287	2.65	84	<10	<4	17	451	<.4	7	12	42	2.53	.061	32	19	.80	1412	.33	7.72	1.60	4.75	26	23	4	14	11	3	7	226
B364409	4	76	7	32	<.5	22	15	325	3.32	100	<10	<4	17	467	.4	<5	20	59	2.74	.067	37	35	1.24	1267	.38	7.48	1.67	5.03	21	37	5	14	11	3	10	1512
B364429	2	54	11	40	<.5	15	11	349	3.12	42	<10	<4	18	518	<.4	<5	6	57	2.55	.070	35	30	1.19	1489	.36	8.41	1.84	4.58	<4	32	5	12	10	3	9	78
B364449	<2	63	11	28	<.5	17	10	273	2.74	82	<10	<4	17	443	<.4	8	15	43	2.18	.065	34	17	.95	1514	.33	7.23	1.52	4.77	25	19	5	11	8	3	7	762
RE B364449	2	66	7	30	<.5	18	11	290	2.83	93	<10	<4	17	457	<.4	8	17	45	2.26	.067	35	20	.99	1563	.35	7.78	1.59	4.86	22	20	5	12	9	3	7	870
B363789	2	39	13	48	<.5	22	10	242	2.49	202	<10	<4	16	398	<.4	7	16	40	2.14	.064	34	13	.70	1533	.34	7.58	1.45	4.95	40	24	4	13	9	3	7	529
B363809	<2	41	<5	33	<.5	23	12	210	2.66	292	<10	<4	18	425	<.4	<5	14	40	2.15	.068	37	18	.77	1602	.37	7.95	1.54	4.74	18	17	5	12	9	3	7	66
B363829	<2	112	10	75	22.5	29	10	264	2.83	201	<10	<4	15	438	<.4	<5	17	42	2.28	.065	29	45	.86	2215	.36	7.88	1.71	4.63	>200	30	5	14	9	4	8	37
B363849	2	37	6	41	<.5	25	11	247	2.79	357	<10	<4	17	471	<.4	<5	9	40	2.43	.069	37	22	.83	1596	.38	7.94	1.69	4.59	5	24	4	13	10	3	7	151
STANDARD DST6/0xF41	13	132	24	180	<.5	35	15	982	4.13	26	<10	<4	7	325	5.3	6	5	115	2.32	.099	21	152	1.05	705	.43	7.14	1.67	1.34	7	49	6	15	8	3	12	801

Sample type: Rock Chip P150. Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

Data \ FA ___

ACME ANALYTICAL LABS LTD.

852 E. Hastings St., Vancouver, BC
CANADA V6A 1R6

Confirmation of Request for Analyses

(Please DO NOT fax back to ACME unless there are changes to be made.)

File No. A504697

Date: August 22, 2005

To:		From:	
Name:	Jim Sparling	Name:	Clarence / Jacky
Company:	StrataGold Corporation		
		Phone:	(604) 253-3158
Fax:	(604) 682-5404	Fax:	(604) 253-1716
Project:	Dublin Gulch 1735	e-mail:	tech@acmelab.com

# of Samples: 56 Sample Type: Rock Chip Date Received: August 19, 2005

First sample name: B382169 Last sample name: B382589

Analysis Requested: Group 1E (0.25gm) Group 3B (30gm)+Au-rock

(Please review carefully and notify us of any changes to be made.)

Estimated date of completion: September 2/05

STORAGE: ☐ **Unless we receive further instructions, coarse rejects and pulps will be discarded after three months. Please refer to our price schedule for storage charges.**

☐ **Please note the following missing / extra samples were noted in the sample sequence.**

☐ Missing Samples:

Do you want us to hold analysis until the samples are received?

☐ Hold analysis ** **Missing samples will be sent to Acme on**

☐ Proceed with analysis

☐ Extra Samples:

☐ Discard / disregard extra samples

☐ Include extra samples in analysis **Date:**

Authorizing Name or Signature Required

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506149

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B363748	6	57	28	45	<.5	14	11	316	3.01	433	<10	<4	19	455	<.4	9	16	54	2.34	.069	41	40	1.04	1428	.37	8.00	1.41	5.09	10	27	7	13	9	3	9	451
B363768	<2	55	22	49	<.5	18	11	406	3.05	64	<10	<4	21	503	<.4	19	13	57	2.62	.073	43	38	1.46	1390	.40	8.13	1.19	4.89	27	28	5	13	9	3	9	728
B382449	4	117	12	23	<.5	21	10	191	2.84	181	<10	6	20	458	<.4	7	58	43	2.36	.070	41	29	.85	590	.37	8.88	1.68	4.81	27	17	9	14	6	3	8	6572
B382469	9	157	179	184	2.0	25	14	751	3.39	413	<10	<4	20	342	.7	32	14	45	2.68	.062	37	44	.91	447	.29	7.45	1.08	4.94	18	23	9	15	8	3	9	355
B382489	<2	57	18	56	<.5	21	9	291	2.88	91	<10	<4	19	514	<.4	5	<5	46	2.86	.073	48	31	.90	1637	.40	9.07	1.83	4.71	21	20	8	14	7	3	9	25
B382509	<2	55	44	63	<.5	19	9	442	2.73	137	<10	<4	18	353	<.4	13	<5	36	2.59	.062	39	23	.81	1157	.32	7.91	1.16	4.33	13	19	6	13	9	3	7	52
RE B382509	2	55	40	62	<.5	18	9	432	2.69	111	<10	<4	19	347	<.4	11	5	36	2.55	.061	39	21	.80	1150	.33	7.57	1.14	4.63	16	19	5	13	9	3	7	115
B382529	<2	57	26	48	<.5	19	10	340	2.91	144	<10	<4	18	468	<.4	10	<5	45	2.49	.071	39	29	.92	1498	.35	8.48	1.51	5.23	15	26	5	14	8	3	8	87
B382549	2	98	182	194	1.0	21	19	383	3.00	226	<10	<4	20	441	.7	61	20	44	2.68	.073	46	30	.83	1058	.37	9.18	1.45	4.55	20	19	8	13	7	3	8	297
B382569	<2	25	18	49	<.5	13	10	387	3.07	20	<10	<4	21	570	<.4	<5	58	59	2.92	.079	46	43	1.20	1341	.41	8.47	1.79	4.65	7	37	5	13	17	3	9	1189
B382589	2	54	16	42	<.5	20	10	318	3.09	143	<10	<4	20	565	<.4	<5	7	50	2.79	.077	45	33	1.11	1674	.42	9.25	1.78	4.93	80	19	6	13	8	3	9	138
B382609	<2	64	15	34	<.5	18	11	263	3.01	60	<10	<4	18	520	<.4	<5	<5	51	2.54	.075	44	31	1.00	1838	.41	9.17	1.75	5.09	12	21	6	14	20	3	9	108
B381729	2	53	8	61	<.5	18	11	393	3.64	364	<10	<4	16	420	<.4	<5	<5	75	2.66	.084	43	41	1.36	1561	.43	9.94	1.39	4.63	6	20	4	14	24	3	11	69
B381769	5	68	15	62	<.5	23	12	300	3.20	174	<10	<4	18	461	<.4	<5	25	77	2.71	.074	37	43	1.25	1516	.41	9.15	1.50	5.10	12	20	6	14	7	3	10	232
B381809	4	123	1062	26	17.5	13	48	704	2.00	1593	<10	19	7	118	.7	401	1294	13	4.29	.027	19	18	.26	267	.08	3.19	.08	1.70	16	9	6	10	3	1	3	17248
B381849	<2	61	136	795	.9	15	8	601	3.50	78	<10	<4	17	202	4.0	31	<5	30	4.13	.055	36	19	.37	80	.22	7.52	.34	4.17	15	21	5	14	7	3	6	139
B380809	<2	47	<5	68	<.5	24	11	989	4.09	23	<10	<4	7	45	<.4	5	<5	52	.08	.023	20	36	.23	234	.18	4.20	.03	1.49	<4	29	5	9	4	1	8	43
B380829	<2	13	<5	20	<.5	11	4	418	2.03	18	<10	<4	5	70	<.4	9	<5	17	.04	.013	12	21	.12	97	.07	2.17	.02	.46	<4	16	6	6	3	<1	3	4
B292509	3	87	13	19	4.0	19	8	155	2.80	2750	<10	<4	18	415	<.4	<5	12	40	2.29	.070	44	23	.88	1560	.37	8.82	1.40	5.05	8	24	8	14	8	3	8	433
B292529	<2	74	19	29	<.5	19	9	248	2.84	1959	<10	<4	18	449	<.4	8	20	42	2.46	.068	40	25	.78	864	.37	8.64	1.49	4.48	12	24	7	15	8	3	8	306
B292549	2	59	35	119	<.5	19	11	598	2.96	1077	<10	<4	19	405	.5	13	<5	46	3.19	.072	41	27	.82	897	.36	9.02	1.30	4.32	8	25	7	14	6	3	9	54
B381788	<2	41	9	55	<.5	22	17	291	2.96	1039	<10	<4	18	493	<.4	<5	5	41	2.56	.073	42	23	.97	1772	.37	8.98	1.52	4.74	15	24	5	14	13	3	8	536
STANDARD DST6/OxF41	10	126	28	174	<.5	29	12	948	3.99	22	<10	<4	5	315	5.4	5	<5	102	2.24	.096	21	202	1.01	681	.42	6.97	1.60	1.59	7	47	7	15	6	3	12	800

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data 1 FA ____ **DATE RECEIVED:** OCT 3 2005 **DATE REPORT MAILED:** Oct 20/2005

BRITISH COLUMBIA CERTIFIED ASSAYER Jacky Wang

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506149

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B363748	6	57	28	45	<.5	14	11	316	3.01	433	<10	<4	19	455	<.4	9	16	54	2.34	.069	41	40	1.04	1428	.37	8.00	1.41	5.09	10	27	7	13	9	3	9	451
B363768	<2	55	22	49	<.5	18	11	406	3.05	64	<10	<4	21	503	<.4	19	13	57	2.62	.073	43	38	1.46	1390	.40	8.13	1.19	4.89	27	28	5	13	9	3	9	728
B382449	4	117	12	23	<.5	21	10	191	2.84	181	<10	6	20	458	<.4	7	58	43	2.36	.070	41	29	.85	590	.37	8.88	1.68	4.81	27	17	9	14	6	3	8	6572
B382469	9	157	179	184	2.0	25	14	751	3.39	413	<10	<4	20	342	.7	32	14	45	2.68	.062	37	44	.91	447	.29	7.45	1.08	4.94	18	23	9	15	8	3	9	355
B382489	<2	57	18	56	<.5	21	9	291	2.88	91	<10	<4	19	514	<.4	5	<5	46	2.86	.073	48	31	.90	1637	.40	9.07	1.83	4.71	21	20	8	14	7	3	9	25
B382509	<2	55	44	63	<.5	19	9	442	2.73	137	<10	<4	18	353	<.4	13	<5	36	2.59	.062	39	23	.81	1157	.32	7.91	1.16	4.33	13	19	6	13	9	3	7	52
RE B382509	2	55	40	62	<.5	18	9	432	2.69	111	<10	<4	19	347	<.4	11	5	36	2.55	.061	39	21	.80	1150	.33	7.57	1.14	4.63	16	19	5	13	9	3	7	115
B382529	<2	57	26	48	<.5	19	10	340	2.91	144	<10	<4	18	468	<.4	10	<5	45	2.49	.071	39	29	.92	1498	.35	8.48	1.51	5.23	15	26	5	14	8	3	8	87
B382549	2	98	182	194	1.0	21	19	383	3.00	226	<10	<4	20	441	.7	61	20	44	2.68	.073	46	30	.83	1058	.37	9.18	1.45	4.55	20	19	8	13	7	3	8	297
B382569	<2	25	18	49	<.5	13	10	387	3.07	20	<10	<4	21	570	<.4	<5	58	59	2.92	.079	46	43	1.20	1341	.41	8.47	1.79	4.65	7	37	5	13	17	3	9	1189
B382589	2	54	16	42	<.5	20	10	318	3.09	143	<10	<4	20	565	<.4	<5	7	50	2.79	.077	45	33	1.11	1674	.42	9.25	1.78	4.93	80	19	6	13	8	3	9	138
B382609	<2	64	15	34	<.5	18	11	263	3.01	60	<10	<4	18	520	<.4	<5	<5	51	2.54	.075	44	31	1.00	1838	.41	9.17	1.75	5.09	12	21	6	14	20	3	9	108
B381729	2	53	8	61	<.5	18	11	393	3.64	364	<10	<4	16	420	<.4	<5	<5	75	2.66	.084	43	41	1.36	1561	.43	9.94	1.39	4.63	6	20	4	14	24	3	11	69
B381769	5	68	15	62	<.5	23	12	300	3.20	174	<10	<4	18	461	<.4	<5	25	77	2.71	.074	37	43	1.25	1516	.41	9.15	1.50	5.10	12	20	6	14	7	3	10	232
B381809	4	123	1062	26	17.5	13	48	704	2.00	1593	<10	19	7	118	.7	401	1294	13	4.29	.027	19	18	.26	267	.08	3.19	.08	1.70	16	9	6	10	3	1	3	17248
B381849	<2	61	136	795	.9	15	8	601	3.50	78	<10	<4	17	202	4.0	31	<5	30	4.13	.055	36	19	.37	80	.22	7.52	.34	4.17	15	21	5	14	7	3	6	139
B380809	<2	47	<5	68	<.5	24	11	989	4.09	23	<10	<4	7	45	<.4	5	<5	52	.08	.023	20	36	.23	234	.18	4.20	.03	1.49	<4	29	5	9	4	1	8	43
B380829	<2	13	<5	20	<.5	11	4	418	2.03	18	<10	<4	5	70	<.4	9	<5	17	.04	.013	12	21	.12	97	.07	2.17	.02	.46	<4	16	6	6	3	<1	3	4
B292509	3	87	13	19	4.0	19	8	155	2.80	2750	<10	<4	18	415	<.4	<5	12	40	2.29	.070	44	23	.88	1560	.37	8.82	1.40	5.05	8	24	8	14	8	3	8	433
B292529	<2	74	19	29	<.5	19	9	248	2.84	1959	<10	<4	18	449	<.4	8	20	42	2.46	.068	40	25	.78	864	.37	8.64	1.49	4.48	12	24	7	15	8	3	8	306
B292549	2	59	35	119	<.5	19	11	598	2.96	1077	<10	<4	19	405	.5	13	<5	46	3.19	.072	41	27	.82	897	.36	9.02	1.30	4.32	8	25	7	14	6	3	9	54
B381788	<2	41	9	55	<.5	22	17	291	2.96	1039	<10	<4	18	493	<.4	<5	5	41	2.56	.073	42	23	.97	1772	.37	8.98	1.52	4.74	15	24	5	14	13	3	8	536
STANDARD DST6/OxF41	10	126	28	174	<.5	29	12	948	3.99	22	<10	<4	5	315	5.4	5	<5	102	2.24	.096	21	202	1.01	681	.42	6.97	1.60	1.59	7	47	7	15	6	3	12	800

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.
- SAMPLE TYPE: Rock Chip P150 Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data f FA ____ DATE RECEIVED: OCT 3 2005 DATE REPORT MAILED: Oct 20/2005

BRITISH COLUMBIA CERTIFIED ASSAYER Jacky Wang

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506524

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B364549	2	104	23	64	<.5	19	7	212	2.49	314	<10	<4	18	424	<.4	<5	170	39	2.17	.068	37	26	.73	1565	.34	7.91	1.60	3.22	24	21	3	12	14	4	7	4499
B364568	<2	44	23	43	<.5	20	9	195	2.43	147	<10	<4	18	405	<.4	<5	6	37	1.95	.063	34	24	.72	1566	.32	7.73	1.56	3.11	26	26	2	12	15	3	6	467
B364589	2	26	21	111	.5	18	8	430	2.44	263	<10	<4	18	356	<.4	16	<5	39	3.75	.065	45	22	.55	1482	.31	7.50	.97	3.74	14	29	2	14	13	4	7	124
B364609	2	91	28	92	<.5	11	9	221	2.26	992	12	<4	16	430	.4	13	18	50	2.35	.062	38	32	.79	1496	.25	8.09	1.62	3.58	21	50	5	11	26	5	7	1294
B382629	<2	18	30	49	<.5	20	8	263	2.26	187	<10	<4	12	115	<.4	8	13	53	1.48	.033	28	39	.44	759	.24	6.14	.73	2.87	12	23	2	9	8	2	8	316
B382649	<2	25	<5	65	<.5	27	13	529	3.58	223	<10	<4	13	136	<.4	<5	<5	76	1.29	.024	35	58	.81	1074	.35	7.43	.76	3.16	14	31	2	8	11	2	10	44
B382669	21	7	10	25	<.5	11	4	213	1.59	77	<10	<4	9	56	<.4	<5	<5	28	.40	.009	22	29	.29	334	.16	3.49	.92	1.52	6	14	2	4	5	1	4	16
B363528	<2	39	28	58	<.5	18	11	380	2.91	39	<10	<4	19	462	<.4	6	<5	50	2.72	.071	35	33	.89	1614	.37	7.82	1.74	3.01	15	30	<2	12	16	4	7	17
B381889	<2	26	27	84	<.5	35	12	389	3.65	166	<10	<4	12	396	<.4	<5	9	107	2.51	.082	28	61	1.23	1414	.49	8.08	1.67	2.78	8	21	4	16	14	3	10	86
STANDARD	12	127	31	176	.5	29	13	946	3.96	26	<10	<4	6	317	5.4	6	7	110	2.24	.096	25	226	1.01	675	.42	7.13	1.61	1.32	<4	51	4	15	9	4	12	809

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK CHIP P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data L FA ____ DATE RECEIVED: OCT 17 2005 DATE REPORT MAILED: Nov 8/05

BRITISH COLUMBIA CERTIFIED ASSAYER
C.L
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506524

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B364549	2	104	23	64	<.5	19	7	212	2.49	314	<10	<4	18	424	<.4	<5	170	39	2.17	.068	37	26	.73	1565	.34	7.91	1.60	3.22	24	21	3	12	14	4	7	4499
B364568	<2	44	23	43	<.5	20	9	195	2.43	147	<10	<4	18	405	<.4	<5	6	37	1.95	.063	34	24	.72	1566	.32	7.73	1.56	3.11	26	26	2	12	15	3	6	467
B364589	2	26	21	111	.5	18	8	430	2.44	263	<10	<4	18	356	<.4	16	<5	39	3.75	.065	45	22	.55	1482	.31	7.50	.97	3.74	14	29	2	14	13	4	7	124
B364609	2	91	28	92	<.5	11	9	221	2.26	992	12	<4	16	430	.4	13	18	50	2.35	.062	38	32	.79	1496	.25	8.09	1.62	3.58	21	50	5	11	26	5	7	1294
B382629	<2	18	30	49	<.5	20	8	263	2.26	187	<10	<4	12	115	<.4	8	13	53	1.48	.033	28	39	.44	759	.24	6.14	.73	2.87	12	23	2	9	8	2	8	316
B382649	<2	25	<5	65	<.5	27	13	529	3.58	223	<10	<4	13	136	<.4	<5	<5	76	1.29	.024	35	58	.81	1074	.35	7.43	.76	3.16	14	31	2	8	11	2	10	44
B382669	21	7	10	25	<.5	11	4	213	1.59	77	<10	<4	9	56	<.4	<5	<5	28	.40	.009	22	29	.29	334	.16	3.49	.92	1.52	6	14	2	4	5	1	4	16
B363528	<2	39	28	58	<.5	18	11	380	2.91	39	<10	<4	19	462	<.4	6	<5	50	2.72	.071	35	33	.89	1614	.37	7.82	1.74	3.01	15	30	<2	12	16	4	7	17
B381889	<2	26	27	84	<.5	35	12	389	3.65	166	<10	<4	12	396	<.4	<5	9	107	2.51	.082	28	61	1.23	1414	.49	8.08	1.67	2.78	8	21	4	16	14	3	10	86
STANDARD	12	127	31	176	.5	29	13	946	3.96	26	<10	<4	6	317	5.4	6	7	110	2.24	.096	25	226	1.01	675	.42	7.13	1.61	1.32	<4	51	4	15	9	4	12	809

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: ROCK CHIP P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Data L FA ____ DATE RECEIVED: OCT 17 2005 DATE REPORT MAILED: Nov 8/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506212

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B365369	2	29	15	57	<.5	24	9	300	2.66	154	<10	<4	17	499	.4	<5	<5	39	2.45	.069	37	27	.94	1576	.38	8.39	1.63	4.80	5	20	4	2	14	4	8	28
B365389	5	68	18	181	<.5	19	11	250	2.62	283	<10	<4	18	455	.4	<5	23	37	2.43	.067	37	29	.90	1499	.35	8.06	1.52	5.16	16	20	4	3	12	4	7	414
B365409	3	56	30	137	.5	28	12	322	2.60	345	<10	<4	21	251	1.0	10	<5	43	2.05	.077	44	25	.41	1602	.34	8.73	1.19	5.75	20	20	5	2	11	3	8	33
B365429	20	55	12	48	<.5	27	13	288	2.76	157	<10	<4	20	492	<.4	<5	<5	41	2.61	.071	43	28	1.00	1641	.38	8.27	1.69	5.22	72	17	3	2	13	4	8	52
B365449	3	50	5	30	.7	28	13	273	2.84	36	<10	<4	21	493	.4	<5	<5	49	2.58	.074	41	33	1.30	1538	.41	8.43	1.84	4.99	11	17	5	2	14	4	9	71
B365469	2	63	9	23	<.5	24	11	200	2.42	87	<10	<4	19	485	.4	<5	<5	37	2.28	.063	36	24	.97	1628	.33	8.14	1.66	5.52	38	16	6	2	12	4	7	46
B365489	<2	40	18	34	<.5	24	9	244	2.55	20	<10	<4	18	448	<.4	8	<5	35	2.38	.065	39	22	.95	1682	.32	7.60	1.28	5.22	14	20	2	2	11	3	7	36
B365509	6	40	17	46	<.5	24	9	256	2.66	30	<10	<4	18	443	<.4	9	<5	38	2.53	.067	41	26	.92	1553	.34	8.15	1.54	5.14	21	20	4	2	12	4	7	71
B365529	3	45	21	52	<.5	11	7	163	1.90	305	<10	<4	13	412	<.4	13	45	38	1.97	.047	27	24	.74	1418	.19	8.01	1.75	5.12	25	52	3	<2	26	6	5	1546
B365829	5	32	393	496	1.1	16	7	908	3.08	250	10	<4	22	257	2.5	209	<5	38	2.04	.061	41	26	.67	1186	.30	8.25	.73	5.22	30	24	4	<2	11	4	7	208
B365849	2	52	23	84	<.5	29	15	275	2.92	139	<10	<4	19	523	<.4	7	28	43	2.53	.073	44	31	1.07	1803	.39	8.55	1.58	5.24	31	19	6	2	12	4	8	4980
B365869	4	33	19	68	<.5	24	12	419	2.55	41	<10	<4	19	448	.4	17	<5	43	2.90	.076	44	27	.60	1855	.37	8.55	1.33	5.24	22	20	4	<2	12	3	8	118
B365889	<2	47	881	952	4.2	20	9	1127	2.87	40	21	<4	18	172	5.6	299	83	34	3.06	.062	35	25	1.03	908	.26	7.62	.20	5.15	18	19	3	<2	10	3	7	4828
B365909	4	34	65	149	2.1	24	14	474	2.79	36	<10	<4	19	355	.7	39	5	41	2.78	.072	43	25	.98	1491	.34	8.36	1.06	5.34	21	18	4	2	11	3	8	262
B365929	<2	49	25	63	<.5	25	12	296	2.72	18	<10	<4	20	489	.4	<5	5	41	2.65	.068	42	28	1.04	1589	.37	8.31	1.65	5.29	16	20	4	2	10	4	8	467
B365949	<2	28	31	86	<.5	23	15	350	2.88	17	<10	<4	19	538	<.4	5	7	43	2.72	.072	39	26	1.11	1693	.39	8.81	1.82	5.10	27	18	3	2	12	4	8	581
B364929	2	50	21	75	<.5	24	12	302	2.88	122	<10	<4	18	444	<.4	5	<5	43	2.24	.072	38	27	1.11	1640	.40	8.37	1.50	4.97	10	19	2	2	13	4	8	53
B364949	6	205	13	21	<.5	18	19	137	3.03	503	<10	<4	19	383	<.4	5	42	37	1.34	.062	39	26	.85	1875	.35	7.94	1.09	7.07	34	20	6	<2	12	3	7	435
RE B364949	6	213	17	19	.5	18	20	157	3.21	533	<10	<4	21	398	<.4	9	50	39	1.40	.065	40	27	.90	1961	.36	8.36	1.13	7.41	36	19	8	2	12	3	8	429
B364969	2	81	13	35	<.5	25	16	224	2.84	110	<10	<4	19	481	<.4	<5	15	38	2.37	.067	39	28	1.01	1658	.37	8.37	1.67	5.48	23	19	4	<2	14	4	7	117
B364989	21	91	434	888	1.3	20	8	1948	2.98	182	30	<4	16	142	5.1	156	7	34	3.47	.062	36	19	.83	636	.26	6.97	.05	4.75	27	17	6	<2	9	3	7	116
B365009	2	41	72	135	<.5	19	8	368	2.37	43	<10	<4	17	315	.7	11	8	30	2.21	.052	35	19	.84	1324	.29	7.43	1.16	5.41	10	20	4	2	11	3	6	186
B365029	4	65	9	28	<.5	24	11	226	2.69	21	<10	<4	18	473	<.4	<5	<5	42	2.41	.067	40	24	1.05	1630	.40	8.32	1.64	5.11	12	18	4	2	12	4	7	27
B365049	3	111	12	23	<.5	25	14	161	3.07	40	<10	<4	19	412	.4	<5	30	38	2.44	.067	41	24	1.01	1647	.34	8.23	1.32	6.56	30	19	5	2	11	3	8	419
B365069	2	52	6	29	<.5	23	13	184	2.51	36	<10	<4	19	458	<.4	8	6	39	2.39	.062	35	21	1.10	1527	.37	7.76	1.34	5.24	26	19	3	2	12	4	7	82
B365089	<2	41	131	114	1.3	28	11	381	2.77	30	<10	<4	21	394	.6	19	53	41	3.08	.064	41	28	.93	1345	.37	8.02	1.18	4.97	36	18	4	2	12	4	8	1056
B365109	<2	40	318	761	.9	23	10	1365	3.04	790	14	<4	16	181	3.9	186	<5	35	3.05	.069	35	22	1.12	643	.28	7.33	.06	4.81	20	16	5	<2	10	3	7	193
STANDARD D	14	135	30	186	<.5	38	16	995	4.17	24	<10	<4	6	327	6.2	6	<5	116	2.34	.101	21	240	1.23	710	.43	7.25	1.60	1.59	8	46	7	3	7	4	12	808

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: Rock Chip P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA ____ DATE RECEIVED: OCT 7 2005 DATE REPORT MAILED: Oct 25/05

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT Dublin Gulch 1735 File # A506212

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: Jim Sparling

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B365369	2	29	15	57	<.5	24	9	300	2.66	154	<10	<4	17	499	.4	<5	<5	39	2.45	.069	37	27	.94	1576	.38	8.39	1.63	4.80	5	20	4	2	14	4	8	28
B365389	5	68	18	181	<.5	19	11	250	2.62	283	<10	<4	18	455	.4	<5	23	37	2.43	.067	37	29	.90	1499	.35	8.06	1.52	5.16	16	20	4	3	12	4	7	414
B365409	3	56	30	137	.5	28	12	322	2.60	345	<10	<4	21	251	1.0	10	<5	43	2.05	.077	44	25	.41	1602	.34	8.73	1.19	5.75	20	20	5	2	11	3	8	33
B365429	20	55	12	48	<.5	27	13	288	2.76	157	<10	<4	20	492	<.4	<5	<5	41	2.61	.071	43	28	1.00	1641	.38	8.27	1.69	5.22	72	17	3	2	13	4	8	52
B365449	3	50	5	30	.7	28	13	273	2.84	36	<10	<4	21	493	.4	<5	<5	49	2.58	.074	41	33	1.30	1538	.41	8.43	1.84	4.99	11	17	5	2	14	4	9	71
B365469	2	63	9	23	<.5	24	11	200	2.42	87	<10	<4	19	485	.4	<5	<5	37	2.28	.063	36	24	.97	1628	.33	8.14	1.66	5.52	38	16	6	2	12	4	7	46
B365489	<2	40	18	34	<.5	24	9	244	2.55	20	<10	<4	18	448	<.4	8	<5	35	2.38	.065	39	22	.95	1682	.32	7.60	1.28	5.22	14	20	2	2	11	3	7	36
B365509	6	40	17	46	<.5	24	9	256	2.66	30	<10	<4	18	443	<.4	9	<5	38	2.53	.067	41	26	.92	1553	.34	8.15	1.54	5.14	21	20	4	2	12	4	7	71
B365529	3	45	21	52	<.5	11	7	163	1.90	305	<10	<4	13	412	<.4	13	45	38	1.97	.047	27	24	.74	1418	.19	8.01	1.75	5.12	25	52	3	<2	26	6	5	1546
B365829	5	32	393	496	1.1	16	7	908	3.08	250	10	<4	22	257	2.5	209	<5	38	2.04	.061	41	26	.67	1186	.30	8.25	.73	5.22	30	24	4	<2	11	4	7	208
B365849	2	52	23	84	<.5	29	15	275	2.92	139	<10	<4	19	523	<.4	7	28	43	2.53	.073	44	31	1.07	1803	.39	8.55	1.58	5.24	31	19	6	2	12	4	8	4980
B365869	4	33	19	68	<.5	24	12	419	2.55	41	<10	<4	19	448	.4	17	<5	43	2.90	.076	44	27	.60	1855	.37	8.55	1.33	5.24	22	20	4	<2	12	3	8	118
B365889	<2	47	881	952	4.2	20	9	1127	2.87	40	21	<4	18	172	5.6	299	83	34	3.06	.062	35	25	1.03	908	.26	7.62	.20	5.15	18	19	3	<2	10	3	7	4828
B365909	4	34	65	149	2.1	24	14	474	2.79	36	<10	<4	19	355	.7	39	5	41	2.78	.072	43	25	.98	1491	.34	8.36	1.06	5.34	21	18	4	2	11	3	8	262
B365929	<2	49	25	63	<.5	25	12	296	2.72	18	<10	<4	20	489	.4	<5	5	41	2.65	.068	42	28	1.04	1589	.37	8.31	1.65	5.29	16	20	4	2	10	4	8	467
B365949	<2	28	31	86	<.5	23	15	350	2.88	17	<10	<4	19	538	<.4	5	7	43	2.72	.072	39	26	1.11	1693	.39	8.81	1.82	5.10	27	18	3	2	12	4	8	581
B364929	2	50	21	75	<.5	24	12	302	2.88	122	<10	<4	18	444	<.4	5	<5	43	2.24	.072	38	27	1.11	1640	.40	8.37	1.50	4.97	10	19	2	2	13	4	8	53
B364949	6	205	13	21	<.5	18	19	137	3.03	503	<10	<4	19	383	<.4	5	42	37	1.34	.062	39	26	.85	1875	.35	7.94	1.09	7.07	34	20	6	<2	12	3	7	435
RE B364949	6	213	17	19	.5	18	20	157	3.21	533	<10	<4	21	398	<.4	9	50	39	1.40	.065	40	27	.90	1961	.36	8.36	1.13	7.41	36	19	8	2	12	3	8	429
B364969	2	81	13	35	<.5	25	16	224	2.84	110	<10	<4	19	481	<.4	<5	15	38	2.37	.067	39	28	1.01	1658	.37	8.37	1.67	5.48	23	19	4	<2	14	4	7	117
B364989	21	91	434	888	1.3	20	8	1948	2.98	182	30	<4	16	142	5.1	156	7	34	3.47	.062	36	19	.83	636	.26	6.97	.05	4.75	27	17	6	<2	9	3	7	116
B365009	2	41	72	135	<.5	19	8	368	2.37	43	<10	<4	17	315	.7	11	8	30	2.21	.052	35	19	.84	1324	.29	7.43	1.16	5.41	10	20	4	2	11	3	6	186
B365029	4	65	9	28	<.5	24	11	226	2.69	21	<10	<4	18	473	<.4	<5	<5	42	2.41	.067	40	24	1.05	1630	.40	8.32	1.64	5.11	12	18	4	2	12	4	7	27
B365049	3	111	12	23	<.5	25	14	161	3.07	40	<10	<4	19	412	.4	<5	30	38	2.44	.067	41	24	1.01	1647	.34	8.23	1.32	6.56	30	19	5	2	11	3	8	419
B365069	2	52	6	29	<.5	23	13	184	2.51	36	<10	<4	19	458	<.4	8	6	39	2.39	.062	35	21	1.10	1527	.37	7.76	1.34	5.24	26	19	3	2	12	4	7	82
B365089	<2	41	131	114	1.3	28	11	381	2.77	30	<10	<4	21	394	.6	19	53	41	3.08	.064	41	28	.93	1345	.37	8.02	1.18	4.97	36	18	4	2	12	4	8	1056
B365109	<2	40	318	761	.9	23	10	1365	3.04	790	14	<4	16	181	3.9	186	<5	35	3.05	.069	35	22	1.12	643	.28	7.33	.06	4.81	20	16	5	<2	10	3	7	193
STANDARD D	14	135	30	186	<.5	38	16	995	4.17	24	<10	<4	6	327	6.2	6	<5	116	2.34	.101	21	240	1.23	710	.43	7.25	1.60	1.59	8	46	7	3	7	4	12	808

Standard is STANDARD DST6/OxF41.

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.

- SAMPLE TYPE: Rock Chip P150 AU** GROUP 3B - 30.00 GM SAMPLE ANALYSIS BY FA/ICP.

Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA ____ DATE RECEIVED: OCT 7 2005 DATE REPORT MAILED: Oct 25/05

BRITISH COLUMBIA CERTIFIED ASSAYER Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 1 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT 1735 File # A503174

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: D. Hladky

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B290013	<2	<2	<5	8	<.5	4	<2	171	.13	<5	<10	<4	<2	89	<.4	<5	<5	<2	21.09	.048	5	3	11.51	20	.01	.18	.04	.07	<4	<2	<2	3	5	<1	<1	5
B290014	<2	<2	8	8	<.5	5	<2	199	.14	<5	<10	<4	<2	93	<.4	<5	<5	<2	22.29	.047	6	2	11.94	23	.02	.19	.03	.05	<4	<2	<2	4	6	<1	<1	<2
B290015	<2	3	7	5	<.5	4	<2	201	.10	<5	<10	<4	2	78	<.4	<5	<5	<2	21.12	.048	4	<2	11.54	15	.01	.06	.02	.05	<4	<2	<2	3	5	<1	<1	2
B290016	<2	<2	9	7	<.5	5	<2	161	.18	<5	<10	<4	<2	81	<.4	<5	<5	<2	20.53	.045	6	3	11.11	21	.02	.17	.03	.06	<4	<2	<2	3	5	<1	<1	6
B290017	<2	5	<5	8	1.2	6	<2	211	.12	<5	21	<4	7	91	<.4	<5	5	3	21.96	.054	7	<2	11.72	17	.01	.15	.02	.04	<4	<2	<2	4	7	<1	<1	7
B290018 (pulp)	3	6820	10	68	4.2	11	10	527	3.66	13	<10	<4	6	672	<.4	5	<5	192	1.61	.200	10	13	1.21	1068	.40	9.13	3.55	4.23	<4	44	8	13	13	1	8	464
B290019	<2	9	5	6	<.5	6	<2	225	.15	<5	<10	<4	<2	88	<.4	<5	<5	<2	21.73	.047	4	2	11.59	14	.01	.10	.02	.06	<4	<2	<2	3	5	<1	<1	5
B290020	<2	5	<5	7	1.2	4	<2	204	.12	<5	19	<4	8	94	<.4	<5	14	3	22.64	.051	5	<2	12.13	18	.01	.10	.04	.06	<4	<2	<2	4	7	<1	<1	4
RE B290020	<2	2	<5	5	<.5	6	<2	199	.12	<5	<10	<4	5	93	<.4	<5	5	<2	22.38	.049	4	<2	11.99	16	.01	.09	.02	.04	<4	<2	<2	3	6	<1	<1	6
B290021	<2	3	<5	7	<.5	18	<2	223	.16	6	22	<4	<2	89	<.4	<5	7	<2	22.19	.042	5	15	12.04	14	.01	.12	.02	.05	<4	<2	<2	3	6	<1	<1	3
B290022	<2	4	<5	6	.5	3	<2	215	.11	<5	<10	<4	4	95	<.4	<5	6	<2	22.58	.053	5	<2	12.13	16	.01	.08	.03	.03	<4	<2	<2	3	7	<1	<1	5
B290023	<2	5	<5	11	<.5	4	<2	170	.15	<5	45	<4	4	83	<.4	<5	6	2	20.94	.047	7	2	11.40	16	<.01	.13	.02	.09	<4	<2	<2	3	6	<1	<1	<2
B290024	<2	<2	<5	6	<.5	3	<2	184	.13	<5	<10	<4	<2	91	<.4	<5	<5	2	22.34	.049	4	<2	12.07	14	<.01	.09	.01	.01	<4	<2	<2	3	6	<1	<1	3
STANDARD DST6/AU-R	12	125	32	175	.6	31	14	987	4.12	26	<10	<4	7	293	6.1	6	6	112	2.26	.091	27	255	1.05	673	.41	6.90	1.66	1.33	4	48	7	15	7	3	11	468


GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK R150 AU** GROUP 3B - 30.00 GM SAMPLE BY FIRE ASSAY & ANALYSIS BY ICP-ES.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data Ly FA ____ DATE RECEIVED: JUL 6 2005 DATE REPORT MAILED: July 19/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

SGS



CERTIFICATE OF ANALYSIS

Work Order: 084434

To: **Strata Gold Corp.**
Attn: Jim Sparling

701-475 Howe St.
VANCOUVER
BC/CANADA/V6C 2B3

Date : 29/07/05

Copy 1 to :

P.O. No.	:	
Project No.	:	1735
No. of Samples	:	12 Rock
Date Submitted	:	04/07/05
Report Comprises	:	Cover Sheet plus Pages 1 to 3

Distribution of unused material:
Pulps: STORE
Rejects: STORE

Certified By :

Tim Elliott, Operations Manager

ISO 9002 REGISTERED

ISO 17025 Accredited for Specific Tests. SCC No. 456

Report Footer:

L.N.R.	= Listed not received	I.S.	= Insufficient Sample
n.a.	= Not applicable	--	= No result

*INF = Composition of this sample makes detection impossible by this method
M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Subject to SGS General Terms and Conditions

SGS

Work Order: 084434 **Date:** 29/07/05 **FINAL**

Element.	Au
Method.	FAA313
Det.Lim.	5
Units.	ppb
B290025	14
B290026	5
B290027	6
B290028	418
B290029	<5
B290030	5
B290031	<5
B290032	<5
B290033	5
B290034	<5
B290035	<5
B290036	5
*Dup B290025	18
*Blk BLANK	<5
*Std AUOE2	535

SGS

Work Order: 084434 **Date:** 29/07/05 **FINAL**

Element.	Be	Na	Mg	Al	P	K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu
Method.	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B
Det.Lim.	0.5	0.01	0.01	0.01	0.01	0.01	0.01	0.5	0.01	2	1	2	0.01	1	1	0.5
Units.	ppm	%	%	%	%	%	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
B290025	<0.5	0.02	10.52	0.10	0.03	0.03	>15.00	<0.5	<0.01	3	6	157	0.15	1	6	20.8
B290026	<0.5	0.01	10.40	0.16	0.04	0.05	>15.00	0.5	<0.01	3	9	232	0.17	1	7	12.2
B290027	<0.5	<0.01	10.80	0.08	0.04	0.02	>15.00	<0.5	<0.01	<2	3	194	0.11	<1	6	4.5
B290028	1.1	2.88	1.25	12.07	0.21	3.48	1.67	12.1	0.29	167	7	510	3.37	8	13	6851.7
B290029	<0.5	<0.01	10.82	0.08	0.05	0.03	>15.00	<0.5	<0.01	<2	3	145	0.10	1	5	8.8
B290030	<0.5	0.01	11.07	0.07	0.04	0.02	>15.00	<0.5	<0.01	<2	3	147	0.10	<1	5	3.1
B290031	<0.5	<0.01	10.70	0.15	0.04	0.04	>15.00	0.7	<0.01	2	8	178	0.18	1	7	3.6
B290032	<0.5	<0.01	10.78	0.08	0.04	0.02	>15.00	<0.5	<0.01	<2	5	157	0.09	1	6	2.7
B290033	<0.5	<0.01	11.42	0.07	0.05	0.02	>15.00	<0.5	<0.01	<2	4	154	0.09	<1	6	4.8
B290034	<0.5	0.01	11.52	0.10	0.05	0.03	>15.00	<0.5	<0.01	2	5	146	0.11	1	6	3.6
B290035	<0.5	<0.01	11.07	0.06	0.04	0.02	>15.00	<0.5	<0.01	<2	4	140	0.08	<1	5	2.1
B290036	<0.5	<0.01	11.41	0.07	0.04	0.02	>15.00	<0.5	<0.01	<2	4	167	0.09	1	5	2.5
*Dup B290025	<0.5	<0.01	11.30	0.10	0.04	0.03	>15.00	0.5	<0.01	3	6	152	0.15	<1	6	21.3
*Blk BLANK	<0.5	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.5	<0.01	<2	<1	<2	<0.01	<1	<1	<0.5
*Std SO3	0.7	0.73	5.18	3.20	0.05	1.18	14.20	5.0	0.16	34	21	528	1.50	5	13	16.3

SGS

Work Order: 084434 **Date:** 29/07/05 **FINAL**

Element.	Zn	As	Sr	Y	Zr	Mo	Ag	Cd	Sn	Sb	Ba	La	W	Pb	Bi	Li
Method.	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B
Det.Lim.	0.5	3	0.5	0.5	0.5	1	2	1	10	5	1	0.5	10	2	5	1
Units.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
B290025	55.2	<3	92.3	2.9	1.3	<1	<2	1	<10	<5	11	0.6	<10	4	<5	2
B290026	11.5	<3	103.7	2.9	1.6	<1	<2	<1	<10	<5	20	1.6	<10	<2	<5	2
B290027	9.9	<3	94.2	2.6	1.1	<1	<2	<1	<10	<5	11	0.8	<10	<2	<5	1
B290028	57.4	<3	833.1	18.7	50.0	2	2	<1	<10	<5	1230	18.8	<10	22	5	8
B290029	8.1	<3	94.6	2.7	1.5	<1	<2	<1	<10	<5	13	1.0	<10	<2	<5	<1
B290030	7.3	<3	96.8	2.7	1.0	<1	<2	<1	<10	<5	12	0.8	<10	2	<5	<1
B290031	7.7	<3	95.3	2.9	1.7	<1	<2	<1	<10	<5	13	1.0	<10	2	<5	2
B290032	6.5	<3	89.6	2.6	1.0	<1	<2	<1	<10	<5	13	0.9	<10	<2	<5	1
B290033	6.8	<3	92.6	2.8	1.1	<1	<2	<1	<10	<5	11	0.8	<10	<2	<5	1
B290034	7.2	<3	103.5	2.7	1.3	<1	<2	<1	<10	<5	16	1.0	<10	2	<5	2
B290035	6.4	<3	99.3	2.5	1.0	<1	<2	<1	<10	<5	15	0.8	<10	<2	<5	1
B290036	7.0	<3	88.1	2.6	0.9	<1	<2	<1	<10	<5	12	0.8	<10	3	<5	2
*Dup B290025	58.6	<3	88.6	3.0	1.1	<1	<2	1	<10	<5	12	1.3	<10	4	<5	1
*Blk BLANK	0.7	<3	<0.5	<0.5	<0.5	<1	<2	<1	<10	<5	<1	<0.5	<10	<2	<5	<1
*Std SO3	48.2	<3	223.9	14.8	57.4	1	<2	<1	<10	<5	284	16.3	<10	14	<5	10

SGS

Work Order: 084434 Date: 29/07/05 **FINAL**

Element.	Au
Method.	FAA313
Det.Lim.	5
Units.	ppb
B290025	14
B290026	5
B290027	6
B290028	418
B290029	<5
B290030	5
B290031	<5
B290032	<5
B290033	5
B290034	<5
B290035	<5
B290036	5
*Dup B290025	18
*Blk BLANK	<5
*Std AUOE2	535

SGS

Work Order: 084434 Date: 29/07/05 **FINAL**

Element.	Be	Na	Mg	Al	P	K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu
Method.	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B
Det.Lim.	0.5	0.01	0.01	0.01	0.01	0.01	0.01	0.5	0.01	2	1	2	0.01	1	1	0.5
Units.	ppm	%	%	%	%	%	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
B290025	<0.5	0.02	10.52	0.10	0.03	0.03	>15.00	<0.5	<0.01	3	6	157	0.15	1	6	20.8
B290026	<0.5	0.01	10.40	0.16	0.04	0.05	>15.00	0.5	<0.01	3	9	232	0.17	1	7	12.2
B290027	<0.5	<0.01	10.80	0.08	0.04	0.02	>15.00	<0.5	<0.01	<2	3	194	0.11	<1	6	4.5
B290028	1.1	2.88	1.25	12.07	0.21	3.48	1.67	12.1	0.29	167	7	510	3.37	8	13	6851.7
B290029	<0.5	<0.01	10.82	0.08	0.05	0.03	>15.00	<0.5	<0.01	<2	3	145	0.10	1	5	8.8
B290030	<0.5	0.01	11.07	0.07	0.04	0.02	>15.00	<0.5	<0.01	<2	3	147	0.10	<1	5	3.1
B290031	<0.5	<0.01	10.70	0.15	0.04	0.04	>15.00	0.7	<0.01	2	8	178	0.18	1	7	3.6
B290032	<0.5	<0.01	10.78	0.08	0.04	0.02	>15.00	<0.5	<0.01	<2	5	157	0.09	1	6	2.7
B290033	<0.5	<0.01	11.42	0.07	0.05	0.02	>15.00	<0.5	<0.01	<2	4	154	0.09	<1	6	4.8
B290034	<0.5	0.01	11.52	0.10	0.05	0.03	>15.00	<0.5	<0.01	2	5	146	0.11	1	6	3.6
B290035	<0.5	<0.01	11.07	0.06	0.04	0.02	>15.00	<0.5	<0.01	<2	4	140	0.08	<1	5	2.1
B290036	<0.5	<0.01	11.41	0.07	0.04	0.02	>15.00	<0.5	<0.01	<2	4	167	0.09	1	5	2.5
*Dup B290025	<0.5	<0.01	11.30	0.10	0.04	0.03	>15.00	0.5	<0.01	3	6	152	0.15	<1	6	21.3
*Blk BLANK	<0.5	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.5	<0.01	<2	<1	<2	<0.01	<1	<1	<0.5
*Std SO3	0.7	0.73	5.18	3.20	0.05	1.18	14.20	5.0	0.16	34	21	528	1.50	5	13	16.3

SGS


Work Order: 084434 Date: 29/07/05 **FINAL**

Element.	Zn	As	Sr	Y	Zr	Mo	Ag	Cd	Sn	Sb	Ba	La	W	Pb	Bi	Li
Method.	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B	ICP40B
Det.Lim.	0.5	3	0.5	0.5	0.5	1	2	1	10	5	1	0.5	10	2	5	1
Units.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
B290025	55.2	<3	92.3	2.9	1.3	<1	<2	1	<10	<5	11	0.6	<10	4	<5	2
B290026	11.5	<3	103.7	2.9	1.6	<1	<2	<1	<10	<5	20	1.6	<10	<2	<5	2
B290027	9.9	<3	94.2	2.6	1.1	<1	<2	<1	<10	<5	11	0.8	<10	<2	<5	1
B290028	57.4	<3	833.1	18.7	50.0	2	2	<1	<10	<5	1230	18.8	<10	22	5	8
B290029	8.1	<3	94.6	2.7	1.5	<1	<2	<1	<10	<5	13	1.0	<10	<2	<5	<1
B290030	7.3	<3	96.8	2.7	1.0	<1	<2	<1	<10	<5	12	0.8	<10	2	<5	<1
B290031	7.7	<3	95.3	2.9	1.7	<1	<2	<1	<10	<5	13	1.0	<10	2	<5	2
B290032	6.5	<3	89.6	2.6	1.0	<1	<2	<1	<10	<5	13	0.9	<10	<2	<5	1
B290033	6.8	<3	92.6	2.8	1.1	<1	<2	<1	<10	<5	11	0.8	<10	<2	<5	1
B290034	7.2	<3	103.5	2.7	1.3	<1	<2	<1	<10	<5	16	1.0	<10	2	<5	2
B290035	6.4	<3	99.3	2.5	1.0	<1	<2	<1	<10	<5	15	0.8	<10	<2	<5	1
B290036	7.0	<3	88.1	2.6	0.9	<1	<2	<1	<10	<5	12	0.8	<10	3	<5	2
*Dup B290025	58.6	<3	88.6	3.0	1.1	<1	<2	1	<10	<5	12	1.3	<10	4	<5	1
*Blk BLANK	0.7	<3	<0.5	<0.5	<0.5	<1	<2	<1	<10	<5	<1	<0.5	<10	<2	<5	<1
*Std SO3	48.2	<3	223.9	14.8	57.4	1	<2	<1	<10	<5	284	16.3	<10	14	<5	10

INVOICE

Invoice Number	: 10065584
Date	: 27-JUL-05
Page	: 1 / 1

STRATA GOLD CORPORATION
701-475 HOWE STREET
VANCOUVER BC V6C 2B3
Canada



Customer Number	319859
Currency	CAD
Payment Term	Net Due in 30 Days
SGS Order No.	48771

Customer Reference Attn: Jim Sparling
Order source reference number: 00059599
WO#:084434: 1735

Item	Description	Quantity	UoM	Unit Price	Net Amount	Tax Code	Amount
37351	**Sample Preparation** CRU21 Crushing entire sample / 11 sample(s)	1	Ea	39.05	39.05		41.78
37351	**Sample Preparation** PP02 Milling 250g in Cr steel / 11 sample(s)	1	Ea	37.95	37.95		40.61
37350	**Precious Metals Analysis** FAA313 1AT Au Inst. Fire Assay / 12 sample(s)	1	Ea	147.00	147.00		157.29
37339	**Geochemical Package by ICPOES** ICP40B ICP, Multi-acid Digestion / 12 sample(s)	1	Ea	174.00	174.00		186.18


	GST	27.86
Net Amount	CAD	398.00
Sum of Tax	CAD	27.86
Total Amount	**CAD**	**425.86**

Contact Name:	LEE, MA LYRA
Direct line:	416-445-5755 ext 235
E-mail:	Ma.LyraLee@sgs.com

Please Remit To:
SGS Canada Inc PO Box 3400 Station Terminal
Vancouver V6B 3Y4
Canada

SGVC (LEE) 1735 - 5016 # 398.00
1012 # 27.86
425.86.

SGS



CERTIFICATE OF ANALYSIS

Work Order: 084434

To: **Strata Gold Corp.**
Attn: Jim Sparling

701-475 Howe St.
VANCOUVER
BC/CANADA/V6C 2B3

Date : 29/07/05

Copy 1 to :

P.O. No.	:	
Project No.	:	1735
No. of Samples	:	12 Rock
Date Submitted	:	04/07/05
Report Comprises	:	Cover Sheet plus Pages 1 to 3

Distribution of unused material:
Pulps: STORE
Rejects: STORE

Certified By :

Tim Elliott, Operations Manager

ISO 9002 REGISTERED

ISO 17025 Accredited for Specific Tests. SCC No. 456

Report Footer:

L.N.R.	= Listed not received	I.S.	= Insufficient Sample
n.a.	= Not applicable	--	= No result
*INF	= Composition of this sample makes detection impossible by this method		

M after a result denotes ppb to ppm conversion, % denotes ppm to % conversion

Subject to SGS General Terms and Conditions

Jim Sparling

From: Jim Sparling [jimsparling@stratagold.com]
Sent: Wednesday, September 07, 2005 2:40 PM
To: 'Ma.LyraLee@sgs.com'
Subject: StrataGold Corporation Customer Number 319859

Dear Ma Lyra Lee

Regarding SGS Order Number 48771, Work Order # 084434, Project # 1735 and 12 samples, date submitted 04/07/05

I have the paper copy of the results as well as StrataGold has paid the invoice (received August 8th) for this service. However, can you please also forward the results of the analysis digitally to me via email?

Thank you for your attention to this matter.

Sincerely
Jim Sparling
StrataGold Corporation

ACME ANALYTICAL LABORATORIES LTD. 852 E. HASTINGS ST. VANCOUVER BC V6A 1R6 PHONE(604)253-3158 FAX(604)253-1716
(ISO 9001 Accredited Co.)

GEOCHEMICAL ANALYSIS CERTIFICATE

StrataGold Corporation PROJECT 1735 File # A503174

701 - 475 Howe St., Vancouver BC V6C 2B3 Submitted by: D. Hladky

SAMPLE#	Mo ppm	Cu ppm	Pb ppm	Zn ppm	Ag ppm	Ni ppm	Co ppm	Mn ppm	Fe %	As ppm	U ppm	Au ppm	Th ppm	Sr ppm	Cd ppm	Sb ppm	Bi ppm	V ppm	Ca %	P %	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	Al %	Na %	K %	W ppm	Zr ppm	Sn ppm	Y ppm	Nb ppm	Be ppm	Sc ppm	Au** ppb
B290013	<2	<2	<5	8	<.5	4	<2	171	.13	<5	<10	<4	<2	89	<.4	<5	<5	<2	21.09	.048	5	3	11.51	20	.01	.18	.04	.07	<4	<2	<2	3	5	<1	<1	5
B290014	<2	<2	8	8	<.5	5	<2	199	.14	<5	<10	<4	<2	93	<.4	<5	<5	<2	22.29	.047	6	2	11.94	23	.02	.19	.03	.05	<4	<2	<2	4	6	<1	<1	<2
B290015	<2	3	7	5	<.5	4	<2	201	.10	<5	<10	<4	2	78	<.4	<5	<5	<2	21.12	.048	4	<2	11.54	15	.01	.06	.02	.05	<4	<2	<2	3	5	<1	<1	2
B290016	<2	<2	9	7	<.5	5	<2	161	.18	<5	<10	<4	<2	81	<.4	<5	<5	<2	20.53	.045	6	3	11.11	21	.02	.17	.03	.06	<4	<2	<2	3	5	<1	<1	6
B290017	<2	5	<5	8	1.2	6	<2	211	.12	<5	21	<4	7	91	<.4	<5	5	3	21.96	.054	7	<2	11.72	17	.01	.15	.02	.04	<4	<2	<2	4	7	<1	<1	7
B290018 (pulp)	3	6820	10	68	4.2	11	10	527	3.66	13	<10	<4	6	672	<.4	5	<5	192	1.61	.200	10	13	1.21	1068	.40	9.13	3.55	4.23	<4	44	8	13	13	1	8	464
B290019	<2	9	5	6	<.5	6	<2	225	.15	<5	<10	<4	<2	88	<.4	<5	<5	<2	21.73	.047	4	2	11.59	14	.01	.10	.02	.06	<4	<2	<2	3	5	<1	<1	5
B290020	<2	5	<5	7	1.2	4	<2	204	.12	<5	19	<4	8	94	<.4	<5	14	3	22.64	.051	5	<2	12.13	18	.01	.10	.04	.06	<4	<2	<2	4	7	<1	<1	4
RE B290020	<2	2	<5	5	<.5	6	<2	199	.12	<5	<10	<4	5	93	<.4	<5	5	<2	22.38	.049	4	<2	11.99	16	.01	.09	.02	.04	<4	<2	<2	3	6	<1	<1	6
B290021	<2	3	<5	7	<.5	18	<2	223	.16	6	22	<4	<2	89	<.4	<5	7	<2	22.19	.042	5	15	12.04	14	.01	.12	.02	.05	<4	<2	<2	3	6	<1	<1	3
B290022	<2	4	<5	6	.5	3	<2	215	.11	<5	<10	<4	4	95	<.4	<5	6	<2	22.58	.053	5	<2	12.13	16	.01	.08	.03	.03	<4	<2	<2	3	7	<1	<1	5
B290023	<2	5	<5	11	<.5	4	<2	170	.15	<5	45	<4	4	83	<.4	<5	6	2	20.94	.047	7	2	11.40	16	<.01	.13	.02	.09	<4	<2	<2	3	6	<1	<1	<2
B290024	<2	<2	<5	6	<.5	3	<2	184	.13	<5	<10	<4	<2	91	<.4	<5	<5	2	22.34	.049	4	<2	12.07	14	<.01	.09	.01	.01	<4	<2	<2	3	6	<1	<1	3
STANDARD DST6/AU-R	12	125	32	175	.6	31	14	987	4.12	26	<10	<4	7	293	6.1	6	6	112	2.26	.091	27	255	1.05	673	.41	6.90	1.66	1.33	4	48	7	15	7	3	11	468

GROUP 1E - 0.25 GM SAMPLE DIGESTED WITH HCLO4-HNO3-HCL-HF TO 10 ML. (>) CONCENTRATION EXCEEDS UPPER LIMITS. SOME MINERALS MAY BE PARTIALLY ATTACKED/VOLATILIZED. REFRACTORY AND GRAPHITIC SAMPLES CAN LIMIT AU SOLUBILITY. ANALYSIS BY ICP-ES.
- SAMPLE TYPE: ROCK R150 AU** GROUP 3B - 30.00 GM SAMPLE BY FIRE ASSAY & ANALYSIS BY ICP-ES.
Samples beginning 'RE' are Reruns and 'RRE' are Reject Reruns.

Data FA ____ DATE RECEIVED: JUL 6 2005 DATE REPORT MAILED: July 19/05

BRITISH COLUMBIA CERTIFIED ASSAYER
Clarence Leong

All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of the analysis only.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-JUN-2005
Account: STRGOL

CERTIFICATE VA05047183

Project: Dublin Gulch-1735

P.O. No.:

This report is for 12 Rock samples submitted to our lab in Vancouver, BC, Canada on 15-JUN-2005.

The following have access to data associated with this certificate:


DAVID HLADKY	JIM SPARLING	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-JUN-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05047183

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290001		2.26	<0.005	<0.5	0.12	<5	20	<0.5	<2	19.45	<0.5	<1	10	5	0.13	0.01
B290002		2.00	<0.005	<0.5	0.08	<5	10	<0.5	<2	19.15	<0.5	<1	7	3	0.10	0.01
B290003		2.04	<0.005	<0.5	0.13	<5	10	<0.5	<2	18.95	<0.5	<1	6	3	0.12	0.02
B290004		1.82	<0.005	<0.5	0.10	<5	10	<0.5	<2	18.55	<0.5	<1	9	2	0.10	0.01
B290005		1.70	<0.005	<0.5	0.12	5	10	<0.5	<2	18.65	<0.5	<1	8	2	0.09	0.01
B290006		1.66	<0.005	<0.5	0.10	<5	10	<0.5	<2	19.15	<0.5	<1	7	2	0.11	0.01
B290007		2.02	<0.005	<0.5	0.07	<5	10	<0.5	<2	18.40	<0.5	<1	6	2	0.08	<0.01
B290008		0.10	0.426	3.0	8.44	6	1030	1.2	<2	1.42	<0.5	12	14	7190	3.11	0.04
B290009		1.82	<0.005	<0.5	0.11	5	30	<0.5	<2	18.25	<0.5	<1	5	7	0.12	0.01
B290010		1.46	<0.005	<0.5	0.09	<5	10	<0.5	<2	18.65	<0.5	<1	6	3	0.09	0.01
B290011		2.14	<0.005	<0.5	0.15	5	30	<0.5	<2	18.40	<0.5	<1	5	2	0.13	0.03
B290012		1.40	<0.005	<0.5	0.14	<5	20	<0.5	<2	18.50	<0.5	<1	6	2	0.11	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 23-JUN-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05047183

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290001		0.04	11.40	192	<1	0.01	12	470	2	0.02	<5	122	0.01	2	<10	8
B290002		0.02	11.35	157	<1	0.01	7	430	2	0.01	<5	108	<0.01	1	<10	7
B290003		0.03	11.05	177	<1	0.01	6	470	3	0.02	<5	113	0.01	1	<10	7
B290004		0.02	10.95	142	<1	0.01	5	440	<2	0.01	<5	105	0.01	1	<10	6
B290005		0.03	11.00	144	<1	0.01	4	460	<2	0.01	<5	111	0.01	1	<10	6
B290006		0.02	11.40	127	<1	0.01	4	440	<2	0.01	<5	104	<0.01	1	<10	7
B290007		0.02	10.80	137	<1	<0.01	4	510	<2	<0.01	<5	107	<0.01	1	<10	6
B290008		3.67	1.12	487	3	3.27	9	1820	7	0.24	<5	678	0.35	170	<10	59
B290009		0.02	10.60	186	<1	0.01	5	410	3	0.01	<5	109	0.01	1	<10	6
B290010		0.02	11.05	145	<1	0.01	4	380	3	0.01	<5	99	<0.01	1	<10	7
B290011		0.04	10.85	175	<1	0.01	7	500	<2	0.02	<5	105	0.01	2	<10	7
B290012		0.04	10.80	142	<1	0.01	2	450	2	0.01	<5	106	0.01	1	<10	6

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: **STRATAGOLD CORPORATION**
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

CERTIFICATE VA05099507

Project: Dublin Gulch-1735

P.O. No.:

This report is for 76 Other samples submitted to our lab in Vancouver, BC, Canada on 15-NOV-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
CRU-31	Fine crushing - 70% <2mm
FND-03	Find Reject for Addn Analysis
WEI-21	Received Sample Weight
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24T	Triplicate - Au 50g FA-AA finish	AAS
Au-AA24	Au 50g FA AA finish	AAS
Au-AA24d	Dup - Au 50g FA-AA finish	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05099507

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	Au-AA24T Au ppm 0.005	WEI-21 Recvd Wt. kg 0.02
B364879a		0.200	0.185	0.297	4.48
B364879b		0.509	0.579	0.315	
B364879c		0.227	0.141	0.190	
B364879d		0.256	0.159	0.243	
B364879e		0.247	0.226	0.162	
B364879f		0.256	0.173	0.191	
B364879g		0.139	0.145	0.238	
B364879h		2.98	1.315	1.495	
B364879i		0.309	0.174	0.179	
B364880a		0.305	0.344	0.626	4.58
B364880b		0.434	0.353	0.374	
B364880c		0.392	0.296	0.454	
B364880d		0.419	0.576	0.438	
B364880e		0.296	0.418	0.288	
B364880f		0.339	0.521	0.423	
B364880g		0.384	0.688	0.482	
B364880h		0.314	0.537	0.412	
B364880i		0.358	0.350	0.370	
B364881a		4.02	3.73	2.92	2.74
B364881b		3.36	2.31	5.37	
B364881c		3.46	3.30	2.81	
B364881d		2.19	3.32	2.13	
B364881e		2.42	3.19	2.20	
B364882a		2.31	2.32	2.36	2.14
B364882b		2.48	2.53	2.37	
B364882c		3.44	2.33	2.46	
B364882d		4.19	4.10	3.34	
B364883a		0.042	0.050	0.070	3.28
B364883b		0.101	0.056	0.105	
B364883c		0.029	0.038	0.045	
B364883d		0.039	0.053	0.036	
B364883e		0.385	0.040	0.038	
B364883f		0.055	0.064	0.043	
B364884a		0.360	0.463	0.254	4.64
B364884b		0.487	0.381	0.355	
B364884c		0.335	0.270	0.245	
B364884d		0.396	0.301	0.372	
B364884e		0.373	0.308	0.248	
B364884f		0.415	0.409	0.516	
B364884g		0.401	0.352	0.328	

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-NOV-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05099507


Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	Au-AA24d Au ppm 0.005	Au-AA24T Au ppm 0.005	WEI-21 Recvd Wt. kg 0.02
B364884h		0.265	0.304	0.249	
B364884i		0.281	0.256	0.234	
B364885a		0.404	0.405	0.324	4.54
B364885b		1.215	0.451	0.340	
B364885c		0.545	0.675	0.533	
B364885d		0.471	0.797	0.329	
B364885e		1.555	1.455	1.635	
B364885f		0.467	1.570	0.579	
B364885g		0.538	0.682	0.502	
B364885h		0.361	0.703	0.467	
B364885i		0.491	0.484	0.605	
B364886a		0.840	0.735	1.695	4.74
B364886b		1.030	0.835	1.135	
B364886c		1.050	0.665	3.02	
B364886d		0.797	0.887	1.100	
B364886e		1.115	1.325	0.856	
B364886f		0.757	0.689	0.483	
B364886g		0.848	0.745	1.085	
B364886h		0.720	0.858	0.633	
B364886i		1.915	0.875	0.723	
B364887a		1.065	1.390	1.210	3.86
B364887b		1.975	1.880	1.420	
B364887c		2.37	2.46	1.460	
B364887d		5.32	1.315	1.945	
B364887e		2.66	2.27	2.42	
B364887f		2.06	1.160	1.790	
B364887g		1.520	1.615	1.435	
B364888a		0.318	0.424	0.332	4.58
B364888b		0.711	0.722	0.759	
B364888c		0.385	0.413	0.504	
B364888d		0.468	0.488	0.310	
B364888e		0.355	0.238	0.249	
B364888f		0.534	0.551	0.420	
B364888g		0.271	0.352	0.493	
B364888h		0.877	0.658	0.754	
B364888i		0.323	0.471	0.402	

APPENDIX I

REPORT

Review of the Dublin Gulch Quality Control Program

By: Lynda Bloom, Analytical Solutions Ltd.



REVIEW OF THE DUBLIN GULCH QUALITY CONTROL PROGRAM

Prepared on behalf of STRATAGOLD CORPORATION

Prepared by Lynda Bloom, M.Sc., P.Geo.
Analytical Solutions Ltd.
1214-3266 Yonge Street, Toronto, Ontario M4N 2L6
416-462-9124 FAX 416-462-1637 lynda@explorationgeochem.com

December 2005

Executive Summary

Approximately 7,583 samples were collected and assayed in 2005 from Holes DG05-276C through DG05-309C for the Dublin Gulch Gold project in the Yukon.

The samples were prepared and assayed at ALS-Chemex, Vancouver. Check assays were performed at ACME Analytical Laboratories, Vancouver.

Sample preparation and assay procedures are:

a) 1 to 5 kg split drill core samples are shipped to ALS-Chemex;
b) the entire sample is crushed to 70% passing 2 mm;
c) 250 gm is riffle split from the crushed sample;
d) the 250 gm sub-sample is pulverized to better than 85% passing 75 microns;
e) pulps are analyzed for gold by fire assay on a 30 gm aliquot with an ICP finish (Au-AA23); and
f) pulps are analyzed for a multi-element suite by four-acid digestion and ICP-OES finish (method code ME-ICP61).

Quality control procedures include:

a) insertion of a coarse blank with every 20 samples;
b) insertion of a reference material with every 20 samples;
c) analysis of a pulp "Preparation Duplicate" with every 20 samples;
d) submission of 250 gm riffle split sub-sample to ACME for preparation and gold analysis;
e) analysis of a quarter-core drill core sample ("Core Duplicate") with every 20 samples; and
f) the laboratories internal assay quality control program of blanks, standards and duplicates.

There is no evidence of systematic gold contamination based on the blanks that were inserted with samples and there is no evidence for bias for the gold assays based on results for the reference materials.

Approximately 5% of the samples appear to contain a portion of gold that is not homogenously distributed in drill core or sample pulps. Improvements to the sample preparation and assaying procedures should be considered including

- crushing to better than 70% passing –2 mm;
- pulverizing a 500 or 1,000 g sample;
- assaying 50 g instead of 30 g; and
- selecting samples on the basis of Bi for gold re-assays.

It is recommended that pulps be submitted for check assays, not a riffle split of the crushed material, and that the procedure for pulp "Preparation Duplicates" be replaced by a standard procedure for assaying two splits of the crushed material.

Table of Contents

Executive Summary ii
1.0 Introduction 1
2.0 Sample Preparation, QC and Assay Procedures 2
3.0 Accuracy as Determined by Blanks and Standards 3
3.1 Laboratory Performance for Blank Samples 3
3.2 Laboratory Performance Based on Reference Materials and Control Samples.. 5
4.0 Laboratory Pulp Duplicates 7
5.0 Preparation Duplicates 9
5.1 "StrataGold Preparation Duplicates" 9
6.0 Drill Core Duplicate Samples 12
7.0 Check Assays at Secondary Laboratory 16
8.0 Laboratory Audit 20
9.0 Conclusions 21

Figures

Figure 3.1.1: Gold Assays for Blanks
Figure 4.1: Laboratory Pulp Duplicates (0 to 2 g/t Au)
Figure 6.1: Comparison of Gold Assays for Drill Core Duplicates
Figure 7.1: Check Assays

Tables

Table 3.1.1: Assays for the Dublin Gulch Blanks
Table 3.1.2: List of Failures for Blanks
Table 3.2.1: Results for RMs Inserted with Sample Batches – Gold (ppm)
Table 3.2.2: List of Suspected Clerical Errors for RMs
Table 3.2.3: List of QC Failures for RMs
Table 4.1: Percentage of Laboratory Pulp Duplicate Pairs Reporting Within Specific Ranges for Gold Assays
Table 5.1.1: Summary of "StrataGold Preparation Duplicates"
Table 5.1.2: Percentage of "StrataGold Preparation Duplicate" Pairs Reporting Within Specific Ranges
Table 5.1.3: Samples with Variances Greater Than 100% for "StrataGold Preparation Duplicates"
Table 6.1: Summary of Core Duplicates
Table 6.2: Percentage of Core Duplicates Pairs Reporting Within Specific Ranges
Table 6.3: Samples with Variances Greater Than 100% for Drill Core Duplicates
Table 7.1: Percentage of Check Assays Reporting Within Specific Ranges
Table 7.2: Summary of Check Assays
Table 7.3: Summary of Check Assays (Specific Grade Ranges)
Table 7.4: Samples with Variances Greater Than 100% for Gold Check Assays

Appendices

Appendix 1: Control Charts for Reference Materials
Appendix 2: Control Charts for "StrataGold Preparation Duplicates"
Appendix 3: Control Charts for Drill Core Duplicates
Appendix 4: Control Charts for Check Assays

1.0 Introduction

A total of 7,583 samples, including standards and blanks, were collected and assayed from a total of 8,105 metres from Hole DG05-276C through Hole DG05-309C inclusive at the Dublin Gulch Gold project in the Yukon.

This report summarizes the results of the 2005 Quality Control ("QC") program based on data provided in a series of Excel spreadsheets by David Hladky, Senior Project Manager, of StrataGold Corporation.

The objective of this report is to document the gold data acquired for quality control samples and various types of duplicate assays in order to identify any bias in the gold assays or sources of contamination.

2.0 Sample Preparation, QC and Assay Procedures

Sample preparation and assay procedures are:

a) 1 to 5 kg split drill core samples are shipped to ALS-Chemex;
b) the entire sample is crushed to 70% passing 2 mm;
c) 250 gm is riffle split from the crushed sample;
d) the 250 gm sub-sample is pulverized to better than 85% passing 75 microns;
e) pulps are analyzed for gold by fire assay on a 30 gm aliquot with an ICP finish (Au-AA23); and
f) pulps are analyzed for a multi-element suite by four-acid digestion and ICP-OES finish (method code ME-ICP61).

Quality control procedures include:

a) insertion of a coarse blank with every 20 samples;
b) insertion of a reference material with every 20 samples;
c) analysis of a pulp "Preparation Duplicate" with every 20 samples;
d) submission of 250 gm riffle split sub-sample to ACME for preparation and gold analysis;
e) analysis of a quarter-core drill core sample ("Core Duplicate") with every 20 samples; and
f) the laboratories internal assay quality control program of blanks, standards and duplicates.

The samples were prepared by and assayed at the ALS-Chemex, Vancouver laboratory. Sub-samples for check assays were pulverized and assayed at ACME Analytical Laboratories, Vancouver.

3.0 Accuracy as Determined by Blanks and Standards

Data were provided in file "ALS_ACME_MASTER.xls".

Coarse blanks and reference materials were submitted with samples for preparation and assaying at ALS-Chemex at a rate of one in 20 samples.

3.1 Laboratory Performance for Blank Samples

Barren coarse material ("blanks") is submitted with samples for crushing and pulverizing to determine if there has been contamination or sample cross-contamination in preparation. Elevated values for blanks may also indicate sources of contamination in the fire assay procedure (contaminated reagents or crucibles) or sample solution carry-over during instrumental finish.

The source of the blank material was garden rock from Canadian Tire.

A total of 359 coarse blank samples were submitted for sample preparation and assaying. Gold values were reported as less than detection limit (5 ppb Au) for 94% of the blanks. The maximum value reported for a blank was 137 ppb Au. The data were plotted (Figure 3.1.1) and Table 3.1.1 summarizes the results.

Table 3.1.1: Assays for the Dublin Gulch Blanks

Element	No. of Insertions	Expected Mean	Observed Values		No. of QC Failures
			Mean*	Std. Dev.	
Au (ppm)	359	0.005	0.0029	0.0023	4


* - The mean was calculated based on assigning each sample with less than detection limit gold as 2.5 ppb Au.

There were four samples for which the gold assays were outside acceptable limits (Table 3.1.2). These were excluded from the calculations in Table 3.1.1.

Table 3.1.2: List of Failures for Blanks

Sample No	Certificate No.	Expected Au (ppm)	Observed Au (ppm)
B291096	VA05042605	0.005	0.065
B291496	VA05045519	0.005	0.396
B363496	VA05070461	0.005	0.049
B381576	VA05072073	0.005	0.137

Figure 3.1.1: Gold Assays for Blanks



There is no evidence of systematic gold contamination based on the blanks that were inserted with samples. Samples from the batches with assays outside acceptable limits should be re-assayed.

Rejects for the following samples were submitted for preparation of a new pulp and assaying:

- B291086 to B291106
- B291486 to B291506
- B363486 to B363506
- B381566 to B381586

3.2 Laboratory Performance Based on Reference Materials and Control Samples

Reference materials ("RM") are submitted with samples for assay to identify:
(a) if there were assay problems with specific sample batches; and
(b) possible long-term biases in the overall dataset.

The definition of a quality control failure is when:
(a) assays for two consecutive RMs are outside ± two standard deviations, or
(b) assays for a RM are outside ± three standard deviations.

If the assays for reference materials failed the acceptance tests, sample pulps should be re-submitted for assay.

A total of 368 reference materials ("RMs") purchased from CANMET and OREAS were submitted with samples. The results are plotted against time as a series of graphs in Appendix 1 and the results are summarized in Table 3.2.1. Quality control failures are excluded from the calculations in Table 3.2.1.

The average gold for the seven RMs falls within less than 0.5% of the expected values and shows no bias.

Table 3.2.1: Results for RMs Inserted with Sample Batches – Gold (ppm)

Reference Material	No. of Insertions	Expected Au (ppm)		Observed Au (ppm)		No. of Mislabels	No. of Failures
		Mean	Std Dev	Mean	Std Dev		
Canmet CH-4	38	0.88	0.040	0.881	0.068	1	0
Canmet Ma-2c	47	3.02	0.130	3.092	0.171	0	0
OREAS 42P	67	0.091	n.a.	0.091	0.005	2	1
OREAS 51P	65	0.43	0.023	0.439	0.027	1	2
OREAS 6Pb	59	1.425	0.052	1.434	0.069	1	1
OREAS 7Pb	50	2.77	0.050	2.782	0.109	1	4
OREAS 61Pa	42	4.46	0.130	4.495	0.140	0	0
	368					6	8

There are seven cases where it is suspected that the reference material code was recorded incorrectly (Table 3.2.2) and these values are excluded from the previous calculations.

Table 3.2.2: List of Suspected Clerical Errors for RMs

Sample No	Recorded as RM	Expected Au (g/t)	Possibly RM	Observed Au (g/t)
B291070	OREAS 42P	0.091	CH-4	0.809
B291530	OREAS 42P	0.091	CH-4	0.844
B292110	OREAS 7Pb	2.77	Ma-2c	3.070
B292210	OREAS 51P	0.43	6Pb	1.560
B363550	Canmet CH-4	0.88	Ma-2c	3.310
B363930	OREAS 6Pb	1.425	CH-4	0.960

Aside from these six samples, there were nine QC failures (Table 3.2.3).

Table 3.2.3: List of QC Failures for RMs

RM	Sample No	Expected Au (g/t)	Observed Au (g/t)	% of Expected
OREAS 51P	B291490	0.430	0.239	**55.6**
OREAS 7Pb	B292650	2.770	2.480	**89.5**
OREAS 7Pb	B364030	2.770	2.380	**85.9**
Canmet CH-4	B365230	0.880	1.705	**193.8**
OREAS 6Pb	B380870	1.425	1.150	**80.7**
OREAS 7Pb	B380950	2.770	2.540	**91.7**
OREAS 42P	B381390	0.091	0.142	**156.0**
OREAS 51P	B382170	0.430	0.189	**44.0**
OREAS 7Pb	B382690	2.770	1.110	**40.1**

Sample pulps from ten samples before and after the nine quality control failures were resubmitted for assay.

The number of QC failures (2%) is within the range expected for fire assay gold.

There is no evidence of bias for the gold assays based on results for the reference materials.

4.0 Pulp Duplicates


Commercial laboratories routinely assay a second aliquot of the sample pulp for one in ten samples. The data are used by the laboratory for their internal quality control monitoring. The data are either automatically reported to clients or can be requested.

The assays for pulp duplicates provide an estimate of the reproducibility related to the uncertainties inherent in the analytical method and the homogeneity of the pulps. The precision or relative percent difference calculated for the pulp duplicates indicates whether pulverizing specifications should be changed and/or whether alternative methods, such as screened metallics for gold, should be considered.

4.1 ALS-Chemex Internal QC Pulp Duplicates

For most fire assay methods, ALS-Chemex analyzes gold in batches of 84 samples. With every 84 samples, they run two internal standards, one blank and three duplicates. These data were provided in two Excel files "STRGOL_QC Data June to October.xls" and "STRGOL_QC Data October 18 to November 24.xls". The original and duplicate assays are plotted in Figure 4.1.1.

Figure 4.1.1: Laboratory Pulp Duplicates (0 to 2 g/t Au)



There were a total of 558 laboratory duplicate gold assays reported. The reproducibility of these assays was generally within ± 20% (Table 4.1.1 and Figure 4.1.1).

Table 4.1.1: Percentage of Laboratory Pulp Duplicate Pairs Reporting Within Specific Ranges for Gold Assays

Criteria	N	5%	10%	20%	25%	50%	> 50%
all samples	558	283	374	449	466	511	47
		51%	67%	80%	84%	92%	8%
> 5 x d.l.	300	142	218	261	272	290	10
		47%	73%	88%	91%	97%	3%

Duplicate assays reported by ALS-Chemex are within an expected range for Dublin Gulch rock types and based on these data the pulps are reasonably homogeneous with respect to gold.

4.2 StrataGold Pulp Duplicates

ALS-Chemex received two sample bags with consecutive sample numbers, one of which was empty for one in 20 samples. ALS-Chemex assayed two 30 g aliquots of the sample, assigning consecutive sample numbers.

A total of 362 StrataGold Pulp Duplicates were assayed at ALS-Chemex. Relative Percent Difference ("RPD") was calculated (original assay less duplicate assay relative to the average assay). The results are plotted as a series of graphs in Appendix 2.

Table 4.2.1 shows how many of the duplicate pairs agree within ± 5%, 10%, 20%, 25%, 50% and greater than 50%. Only samples where the average concentration was greater than five times the detection limit (5 ppb Au) were included in the calculations.

Table 4.2.1: Percentage of StrataGold Pulp Duplicate Pairs Reporting Within Specific Ranges

Element	Total N	N (> 5 x d.l.)	N = falling within					
			5%	10%	20%	25%	50%	> 50%
Au (ppm)	362	283	62	118	177	197	245	38
			22%	42%	63%	70%	87%	13%

The reproducibility of these assays can be compared with the ALS-Chemex Internal QC Pulp Duplicates ("Internal QC Duplicates") discussed in Section 4.1, which is also the comparison of two 30 g aliquots for fire assay from the same 250 g pulp. The description of the reproducibility of the pulps in Section 4.1 was that 88% of the pulps repeated within ±20% and 3% of the samples repeated outside ±50%. In comparison, in Section

4.2, the reproducibility of the pulps can be described as 63% of the assays agreeing within ±20% and 13% of the assays repeating outside ±50%.

ALS-Chemex uses the Internal QC Duplicates for its internal quality control and their procedures require that the duplicates are reported within a specific range. If the results do not agree within the range that is preset for their quality control procedures, samples may be re-assayed until an acceptable range is reported. In contrast, the StrataGold Pulp Duplicates were reported by ALS-Chemex without comparing the assays for duplicate pairs, and therefore the reproducibility in Section 4.2 may be a more reliable measurement of reproducibility than in Section 4.1.

There are 12 cases where there are variances greater than 100% between the gold assays for the two StrataGold Pulp Duplicates and where the average values are greater than 100 ppb Au (Table 4.2.2), which represent the most extreme differences between duplicate pairs.

Table 4.2.2: Samples with Variances Greater Than 100% for StrataGold Pulp Duplicates

Original			Duplicate			Average Au (ppm)	RPD (%)
Sample No.	Au (ppm)	Certificate	Sample No.	Au (ppm)	Certificate		
B291488	1.015	VA05045519	B291489	0.239	VA05045519	0.627	123.76
B291508	0.768	VA05044876	B291509	4.170	VA05044876	2.469	-137.79
B363468	0.440	VA05070461	B363469	0.036	VA05070461	0.238	169.75
B363648	0.196	VA05074728	B363649	0.975	VA05074728	0.586	-133.05
B364148	0.253	VA05080930	B364149	0.865	VA05080930	0.559	-109.48
B364768	2.060	VA05082980	B364769	0.072	VA05082980	1.066	186.49
B364788	0.219	VA05082980	B364789	1.120	VA05082980	0.670	-134.58
B364968	0.357	VA05082694	B364969	0.101	VA05082694	0.229	111.79
B381788	0.513	VA05058632	B381789	0.139	VA05060567	0.326	114.72
B382048	0.430	VA05058633	B382049	0.076	VA05058633	0.253	139.92
B382088	0.502	VA05058633	B382089	0.012	VA05060235	0.257	190.66
B382628	0.603	VA05066355	B382629	0.169	VA05066355	0.386	112.44

It appears that these "extreme differences" may be related to the fact that pulps are not homogeneous with respect to gold. The comparisons of core duplicates and check assays also demonstrate that there is a small population of samples (5%) that have assays with poor reproducibility.

It is recommended that a second riffle split be prepared for every 20th sample for future programs. Test work on the riffle splitting may indicate that larger pulps (usually 1,000 g) should be used routinely and it may be preferable to have samples crushed to better than 70% passing 2 mm prior to taking a split for pulverizing.

5.0 Preparation Duplicates

Preparation duplicates are created by splitting a second cut of the crushed sample in the same way and for the same weight as the original sample. The objective is to determine if:

a) splitting procedures are applied consistently, and
b) whether changes to sample preparation procedures, specifically specification for the crush size, are required.

No preparation duplicates (according to the definition above) were requested and this procedure should be implemented immediately.


6.0 Drill Core Duplicate Samples

Drill core duplicates are the second half of a drill core sample, which is assayed to determine:

(a) the reproducibility of assays for different halves of the core, and
(b) if there is any sampling bias.

In this case, quarter-core was submitted as drill core duplicates. The gold assays for the original and duplicate samples are compared in Figure 6.1. A total of 364 pairs were submitted, out of which there are 263 cases where the mean of the two values is greater than 25 ppb (five times detection limit). There are 178 cases where the assays for the original sample are higher than duplicate sample and 155 cases where the opposite it true.

Figure 6.1: Comparison of Gold Assays for Drill Core Duplicates



RPD was calculated (original core assay less duplicate core assay relative to the average). The results are summarized in Tables 6.1 and 6.2 and the graphs are in Appendix 3. Seven percent of the duplicate pairs agree within ±5%, 16% within ±10% and 29% within ±25%.

Table 6.1: Summary of Core Duplicates

Criteria	N	Positive	Negative	Zero
all samples	364	178	155	31
		49%	43%	9%
> 5 x d.l.	263	139	123	1
		53%	47%	0%

Table 6.2: Percentage of Core Duplicates Pairs Reporting Within Specific Ranges

Element	Total N	N (> 5 x d.l.)	N = falling within					
			5%	10%	20%	25%	50%	> 50%
Au (ppm)	364	263	19	41	62	76	146	117
			7%	16%	24%	29%	56%	44%

There is no bias evident between original and duplicate halves of the drill core. It is therefore assumed that there has been no bias introduced by preferentially submitting the more mineralized half of the core for assay.

The reproducibility of the pulps was described as 63% of the assays agreeing within ±20% and 13% of the assays repeating outside ±50% (Section 5). It is evident, and expected, that the reproducibility of two parts of the core would be worse that reproducibility of two assays from the same pulp (Table 6.2). Only 24% of the assays for core duplicates agree within ±20%.

The pulp is fine-grained and can be homogenized whereas the core is only sawn and the two samples cannot be homogenized. In addition, the assays compared for core duplicates incorporate all of the sampling, sub-sampling and analytical errors for handling of crushed material and pulps.

It is possible to change sample preparation procedures to improve sample reproducibility but the only solution to improving the comparison between two halves of the core is to submit whole core for analysis. Submission of whole core is unacceptable for a number of other reasons, such as having an archive sample for future reference, and therefore, no changes to the drill core sampling procedure are recommended.

There are 37 cases where there are variances greater than 100% between the gold assays for the two field splits and where the average values are greater than 100 ppb Au (Table 6.3).

It is possible that in some cases the differences are due to mislabeling of samples in the field or sample mix-ups at the laboratory. To test this theory, the distribution of bismuth, which is associated with gold, was examined for the samples with high variance between assays.

There are 27 cases where duplicates with higher Bi also have higher Au. Although the Bi:Au ratio is not constant, the gold assay differences are supported by variations in the bismuth results. Bismuth is analyzed by four-acid digestion and ICP finish while Au is assayed by 30 gm Fire Assay with ICP finish and because the analytical methods are different for gold and bismuth it is reasonable to assume that variation in gold assays for core duplicates is not due to sample mix-ups. Other elements (namely, As, Cr, Cu, Fe, Mo, Pb, S, Sb, W and Zn) also show correspondence within $\pm$10% for most of the core duplicates, again supporting the premise that the gold variation is a function of the rock type and not laboratory error.

Table 6.3: Samples with Variances Greater Than 100% for Drill Core Duplicates

Original Sample No.	Original Au (ppm)	Duplicate Au (ppm)	Original Bi (ppm)	Duplicate Bi (ppm)
B291041	0.895	0.222	54	13
B291221	0.781	3.250	12	14
B291321	0.176	1.735	1	9
B291341	0.682	0.168	31	7
B291501	0.886	0.234	13	7
B291581	0.341	0.087	9	3
B291601	0.009	1.910	1	112
B291681	0.261	0.071	3	1
B291740	0.127	2.070	1	47
B291861	4.050	0.814	105	41
B291981	0.853	0.083	5	5
B363261	0.065	0.283	2	10
B363401	0.232	0.059	6	12
B363581	0.738	0.014	26	1
B363701	0.435	0.121	3	5
B364061	0.552	0.125	6	8
B364601	0.350	1.455	8	89
B364641	0.470	0.096	6	1
B364761	0.088	0.393	2	4
B364941	0.114	0.406	37	31
B365021	0.054	0.792	7	111
B365561	0.816	0.045	30	3
B365661	0.192	0.743	23	16
B365841	0.205	1.475	9	5
B365861	0.726	0.199	11	4
B365901	0.279	0.880	4	9

Original Sample No.	Original Au (ppm)	Duplicate Au (ppm)	Original Bi (ppm)	Duplicate Bi (ppm)
B365941	0.117	1.080	1	53
B380321	1.080	0.359	34	8
B381541	0.216	0.036	5	2
B381601	1.015	0.180	15	5
B381721	0.035	1.845	2	49
B381741	0.054	0.342	5	8
B381861	0.844	4.950	9	63
B382341	1.790	0.138	229	2
B382541	0.064	1.180	9	3
B382561	1.350	0.114	13	36
B382601	0.258	0.023	2	1

7.0 Check Assays at Secondary Laboratory

Check assays are recommended for up to 5% of the samples submitted. The same pulp that was assayed originally is submitted to a different laboratory for the same analytical procedures primarily to augment the assessment of bias based on the RMs and in-house control samples submitted to the original laboratory. Reference materials are also inserted with samples submitted to the secondary laboratory to measure whether the secondary laboratory is potentially biased.

In this case, a second split of the crushed material was submitted to ACME for preparation and assaying. Submission of the -2 mm crushed material to a second laboratory, instead of sample pulps, means that several criteria are being tested simultaneously including:

- sampling error associated with selection of the 250 gm riffle split;
- possible sample contamination at ACME during preparation; and
- assay biases between ALS-Chemex and ACME.

Three hundred and fifty-nine samples were submitted to ACME for check assays (original samples were assayed at ALS-Chemex). RPD was calculated (ALS-Chemex assay less ACME assay relative to the ALS-Chemex assay) and plotted (Figure 7.1). The results are summarized in Tables 7.1 and 7.2 and additional graphs are in Appendix 4.

Figure 7.1: Check Assays




Table 7.1 shows how many of the duplicate pairs agree within ±5%, ±10%, ±20%, ±25%, ±50% and greater than 50%. Only samples where the average gold concentration was greater than five times the detection limit (5 ppb) were included in the calculations.

Table 7.1: Percentage of Check Assays Reporting Within Specific Ranges

Element	Total N	N (> 5 x d.l.)	N = falling within					
			5%	10%	20%	25%	50%	> 50%
Au (ppm)	359	279	37	73	128	148	214	65
			13%	26%	46%	53%	77%	23%

Table 7.1 is a comparison of assays for two different splits of the –2 mm crushed material and there is no comparable data where two different splits of the –2mm crushed material were assayed at the same laboratory. The differences between ACME and ALS-Chemex are within ±20% for 46% of the samples; this is not that different than the reproducibility for the pulp "Preparation Duplicates", both assayed at ALS-Chemex, which was reported as 63% reporting within ±20%. However, the number of samples outside ±50% is 23% for the check assays, which is considerably different than reported for the pulps (13%).

Part of the difference is attributed to a bias between the assays from the two laboratories. Table 7.2 summarizes the number of cases with positive and negative RPD.

Table 7.2: Summary of Check Assays

Criteria	N	ALS-C > ACME	ALS-C < ACME	ALS-C = ACME
all samples	359	141	212	6
		39%	59%	2%
> 5 x d.l.	279	121	155	3
		43%	56%	1%

There should be a near equal number of cases where the RPD is positive and where it is negative. For the 279 samples with Au concentrations greater than five times detection limit, there are 155 cases where ACME assays are higher than ALS-Chemex assays (i.e. RPD is negative) and only 121 cases where ACME assays are lower than ALS-Chemex assays (i.e. RPD is positive).

The median RPD is -9.38% suggesting that the ACME Au assays tend to be 9.38% higher than ALS-Chemex. The differences are particularly apparent for the lower grade gold samples in Figure 7.1. Table 7.3 documents that ALS-Chemex assays are lower than ACME for approximately 60% of the samples and ACME is lower than ALS-Chemex for only 40% of the samples.

Table 7.3: Summary of Check Assays (Specific Grade Ranges)

Au (ppm)	N	ALS-C > ACME	ALS-C < ACME	ALS-C = ACME
0.025 – 0.1 ppm	127	54	72	1
		42%	57%	1%
0.1 – 0.5 ppm	117	52	63	2
		44%	54%	2%
> 0.5 ppm	35	15	20	0
		43%	57%	0%

Due to the variance in the data caused by the cumulative uncertainties in preparation and sample splitting, it is difficult to determine if the bias is statistically significant and/or possible causes. Also since no standards were submitted to ACME with the samples, it is not possible to state which laboratory is 'more' accurate, i.e. although there is a bias it is not known which laboratory is correct.

Whereas 46% of assays for the two splits agree within ±20%, 23 samples (Table 7.4) have assays reported that are much different.

The samples listed in Table 7.4, represent about 7% of the samples submitted for check assays. Based on other assays comparisons, it appears that 7% of the samples have characteristics consistent with the presence of "coarse gold" and assays do not reproduce within ±100%.

As stated by MRDI (1997): "The presence of coarse gold has been established previously by petrographic studies, which provided an estimate of *in situ* gold particle sizes ranging from 4 to 1,400 microns, with an average size of 155 microns. Gold particles of this size can be expected to have a negative impact on the reproducibility of assay results. The combination of low grade and coarse particle size provides a most difficult situation for obtaining accurate grade estimates."

Table 7.4: Samples with Variances Greater Than 100% for Gold Check Assays

ACME			ALS-Chemex			RPD (%)
Sample #	Au (ppm)	Certificate	Sample #	Au (ppm)	Certificate	
B291049	0.288	A504193	B291048	0.106	VA05042605	-171.70
B291089	0.369	A504193	B291088	0.135	VA05042605	-173.33
B291349	2.360	A504193	B291348	0.211	VA05045437	-1,018.48
B291369	0.257	A504193	B291368	0.101	VA05045437	-154.46
B291469	1.390	A504193	B291468	0.628	VA05045437	-121.34
B291549A	0.174	A504193	B291548	0.042	VA05044876	-314.29
B291749	0.309	A504193	B291748	0.123	VA05046971	-151.22
B291769	0.424	A504193	B291768	0.201	VA05046971	-110.95
B291989	2.397	A504193	B291988	0.232	VA05049846	-933.19
B363789	0.529	A505373	B363788	0.101	VA05074725	-423.76
B363849	0.151	A505373	B363848	0.047	VA05074725	-221.28
B363989	1.266	A506150	B363988	0.178	VA05078596	-611.24
B364509	0.168	A505930	B364508	0.062	VA05074738	-170.97
B364529	0.445	A505930	B364528	0.068	VA05074738	-554.41
B364849	0.776	A506193	B364848	0.189	VA05082980	-310.58
B365089	1.056	A506212	B365088	0.368	VA05082695	-186.96
B365129	1.132	A506193	B365128	0.035	VA05082983	-3,134.29
B365729	0.432	A506193	B365728	0.066	VA05083822	-554.55
B365749	0.172	A506193	B365748	0.080	VA05083822	-115.00
B365769	0.758	A506193	B365768	0.215	VA05083822	-252.56
B365889	4.828	A506212	B365888	1.890	VA05085049	-155.45
B365929	0.467	A506212	B365928	0.185	VA05085049	-152.43
B382289	0.108	A504193	B382288	0.030	VA05060214	-260.00

8.0 Laboratory Audit

Both ACME Analytical Laboratories and ALS-Chemex Laboratories are well-recognized, ISO-accredited laboratories. The author has visited the ALS-Chemex, Vancouver facility as recently as January 2005. A laboratory audit was not considered necessary at this time.

9.0 Conclusions

There is no evidence of systematic gold contamination based on the blanks that were inserted with samples.

Reference materials were inserted 368 times with samples and in general, gold results fall within +/-1% of the expected gold value reported. There are nine cases which are quality control failures for which repeat assays were requested. There is no evidence for bias for the gold assays based on results for the reference materials.

There is consistent evidence that approximately 5% of the samples contain a portion of gold that is not homogenously distributed in drill core or sample pulps. Improvements to the sample preparation and assaying procedures should be considered including


- crushing to better than 70% passing –2 mm;
- pulverizing a 500 or 1,000 g sample;
- assaying 50 g instead of 30 g; and
- selecting samples on the basis of Bi for gold re-assays.

It is recommended that pulps be submitted for check assays, not a riffle split of the crushed material.

It is recommended that the procedure for pulp "Preparation Duplicates" be replaced by a standard procedure for assaying two splits of the crushed material.

There has been no audit of the ACME or ALS-Chemex sample preparation or laboratory facilities.

Respectfully submitted,





Lynda Bloom, M.Sc., P.Geo.


REVIEW OF THE DUBLIN GULCH QUALITY CONTROL PROGRAM


APPENDIX 1:


Control Charts for Reference Materials



Dublin Gulch - CANMET CH-4 - Gold (g/t)
Gold (g/t)
1.05
1.00
0.95
0.90
0.85
0.80
0.75
0.70
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)



Dublin Gulch - CANMET CH-4 - Silver (ppm)
Silver (ppm)
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)



Dublin Gulch - CANMET Ma-2c - Gold (g/t)
Gold (g/t)
3.6
3.4
3.2
3.0
2.8
2.6
2.4
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)



Dublin Gulch - CANMET Ma-2c - Silver (ppm)
Silver (ppm)
3.0
2.5
2.0
1.5
1.0
0.5
0.0
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)



Dublin Gulch - OREAS 42P - Gold (g/t)
Gold (g/t)
0.110
0.105
0.100
0.095
0.090
0.085
0.080
0.075
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)


Dublin Gulch - OREAS 51P - Gold (g/t)
Gold (g/t)
0.55
0.50
0.45
0.40
0.35
0.30
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)


Dublin Gulch - OREAS 6Pb - Gold (g/t)
Gold (g/t)
1.65
1.60
1.55
1.50
1.45
1.40
1.35
1.30
1.25
1.20
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)


Dublin Gulch - OREAS 7Pb - Gold (g/t)
Gold (g/t)
3.0
2.9
2.8
2.7
2.6
2.5
2.4
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)



Dublin Gulch - OREAS 61Pa - Gold (g/t)
Gold (g/t)
5.0
4.9
4.8
4.7
4.6
4.5
4.4
4.3
4.2
4.1
4.0
Gold (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)



Dublin Gulch - OREAS 61Pa - Silver (g/t)
Silver (g/t)
10.5
10.0
9.5
9.0
8.5
8.0
7.5
7.0
6.5
6.0
5.5
Silver (g/t)
5040000
5050000
5060000
5070000
5080000
5090000
5100000
Lab Certificate Number (VA)


REVIEW OF THE DUBLIN GULCH QUALITY CONTROL PROGRAM


APPENDIX 2:


Control Charts for "StrataGold Preparation Duplicates"



Dublin Gulch - Comparison of Preparation Samples at ALS-Chemex
Gold (ppm)
Gold (ppm)
+20%
-20%
Duplicate Preparation Samples (ALS-Chemex) - Gold (ppm)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
0
2
4
6
8
10
12
14
16
18
20



Dublin Gulch - Comparison of Preparation Duplicates - Gold (ppm)
(both axes capped at 2 ppm)
Gold (ppm)
+20%
-20%
Duplicate Preparation Samples (ALS-Chemex) - Gold (ppm)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
2.0


Dublin Gulch - Comparison of Preparation Duplicates - Gold (ppm)
(both axes capped at 0.5 ppm)
Gold (ppm)
+20%
-20%
Duplicate Preparation Samples (ALS-Chemex) - Gold (ppm)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.40
0.45
0.50


Dublin Gulch - Comparison of Preparation Duplicates - Gold (ppm)
Gold (ppm)
Relative Percent Difference (original preparation sample less duplicate preparation sample with respect to the average) (%)
Average Gold (ppm)
200
150
100
50
0
-50
-100
-150
-200
0
2
4
6
8
10
12
14
16
18


Dublin Gulch - Comparison of Preparation Duplicates - Gold (ppm)
(y-axis capped at ±100%)
Gold (ppm)
Relative Percent Difference (original preparation sample less duplicate preparation sample with respect to the average) (%)
100
80
60
40
20
0
-20
-40
-60
-80
-100
0
2
4
6
8
10
12
14
16
18
Average Gold (ppm)



Dublin Gulch - Comparison of Preparation Duplicates - Gold (ppm)
(x-axis capped at 2 ppm; y-axis capped at ±100%)
Gold (ppm)
Relative Percent Difference (original preparation sample less duplicate preparation sample with respect to the average) (%)
100
80
60
40
20
0
-20
-40
-60
-80
-100
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
2.0
Average Gold (ppm)



Dublin Gulch - Comparison of Preparation Duplicates - Gold (ppm)
(x-axis capped at 0.5 ppm; y-axis capped at ±100%)
Gold (ppm)
Relative Percent Difference (original preparation sample less duplicate preparation sample with respect to the average) (%)
100
80
60
40
20
0
-20
-40
-60
-80
-100
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.40
0.45
0.50
Average Gold (ppm)


REVIEW OF THE DUBLIN GULCH QUALITY CONTROL PROGRAM


APPENDIX 3:


Control Charts for Drill Core Duplicates



Dublin Gulch - Core Duplicates - Gold (ppm)
Au (ppm)
Core Duplicates - Gold (ppm)
Original Core Samples - Gold (ppm)
0
5
10
15
20
25



Dublin Gulch - Core Duplicates - Gold (ppm)
(both axes capped at 5 ppm)
Au (ppm)
Core Duplicates - Gold (ppm)
Original Core Samples - Gold (ppm)
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
4.5
5.0



Dublin Gulch - Core Duplicates - Gold (ppm)
(both axes capped at 1 ppm)
Au (ppm)
Core Duplicates - Gold (ppm)
Original Core Samples - Gold (ppm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0


Dublin Gulch - Core Duplicates - Gold (ppm)
(both axes capped at 0.2 ppm)
Au (ppm)
Core Duplicates - Gold (ppm)
Original Core Samples - Gold (ppm)
0.00
0.02
0.04
0.06
0.08
0.10
0.12
0.14
0.16
0.18
0.20


Dublin Gulch - Core Duplicates - Gold (ppm)
Au (ppm)
Relative Percent Difference (original assay less duplicate assay with respect to the average) (%)
200
150
100
50
0
-50
-100
-150
-200
0
2
4
6
8
10
12
14
16
18
20
Average Gold (ppm)


Dublin Gulch - Core Duplicates - Gold (ppm)
(x-axis capped at 3 ppm)
Au (ppm)
Relative Percent Difference (original assay less duplicate assay with respect to the average) (%)
200
150
100
50
0
-50
-100
-150
-200
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Average Gold (ppm)



Dublin Gulch - Core Duplicates - Gold (ppm)
(x-axis capped at 3 ppm; y-axis capped at ±100%))
Au (ppm)
Relative Percent Difference (original assay less duplicate assay with respect to the average) (%)
100
80
60
40
20
0
-20
-40
-60
-80
-100
0.0
0.5
1.0
1.5
2.0
2.5
3.0
Average Gold (ppm)



Dublin Gulch - Core Duplicates - Gold (ppm)
(x-axis capped at 1 ppm; y-axis capped at ±100%))
Au (ppm)
Relative Percent Difference (original assay less duplicate assay with respect to the average) (%)
100
80
60
40
20
0
-20
-40
-60
-80
-100
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Average Gold (ppm)


REVIEW OF THE DUBLIN GULCH QUALITY CONTROL PROGRAM


APPENDIX 4:


Control Charts for Check Assays



Dublin Gulch - Check Assays - Gold (ppm)
Gold (ppm)
+20%
-20%
Check Assays (ACME) - Gold (ppm)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
0
5
10
15
20
25
30



Dublin Gulch - Check Assays - Gold (ppm)
(both axes capped at 5 ppm)
Gold (ppm)
+20%
-20%
Check Assays (ACME) - Gold (ppm)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
4.5
5.0



Dublin Gulch - Check Assays - Gold (ppm)
(both axes capped at 1 ppm)
Gold (ppm)
+20%
-20%
Check Assays (ACME) - Gold (ppm)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0



Dublin Gulch - Check Assays - Gold (ppm)
(both axes capped at 0.5 ppm)
Gold (ppm)
+20%
-20%
Check Assays (ACME) - Gold (ppm)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
0.00
0.05
0.10
0.15
0.20
0.25
0.30
0.35
0.40
0.45
0.50



Dublin Gulch - Check Assays - Gold (ppm)
(both axes capped at 0.1 ppm)
Gold (ppm)
+20%
-20%
Check Assays (ACME) - Gold (ppm)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
0.00
0.01
0.02
0.03
0.04
0.05
0.06
0.07
0.08
0.09
0.10



Dublin Gulch - Check Assays - Gold (ppm)
Gold (ppm)
Relative Percent Difference (original preparation sample less check assay with respect to original preparation sample) (%)
Original Preparation Samples (ALS-Chemex) - Gold (ppm)
500
0
-500
-1,000
-1,500
-2,000
-2,500
-3,000
-3,500
0
5
10
15
20
25



Dublin Gulch - Check Assays - Gold (ppm)
(y-axis capped at -1,200%)
Gold (ppm)
Relative Percent Difference (original preparation sample less check assay with respect to original preparation sample) (%)
200
0
-200
-400
-600
-800
-1,000
-1,200
0
5
10
15
20
25
Original Preparation Samples (ALS-Chemex) - Gold (ppm)


Dublin Gulch - Check Assays - Gold (ppm)
(y-axis capped at -400%)
Gold (ppm)
Relative Percent Difference (original preparation sample less check assay with respect to original preparation sample) (%)
200
100
0
-100
-200
-300
-400
0
5
10
15
20
25
Original Preparation Samples (ALS-Chemex) - Gold (ppm)


Dublin Gulch - Check Assays - Gold (ppm)
(x-axis capped at 4 ppm; y-axis capped at -400%)
Gold (ppm)
Relative Percent Difference (original preparation sample less check assay with respect to original preparation sample) (%)
200
100
0
-100
-200
-300
-400
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
Original Preparation Samples (ALS-Chemex) - Gold (ppm)


Dublin Gulch - Check Assays - Gold (ppm)
(x-axis capped at 4 ppm; y-axis capped at ±200%)
Gold (ppm)
Relative Percent Difference (original preparation sample less check assay with respect to original preparation sample) (%)
200
150
100
50
0
-50
-100
-150
-200
0.0
0.5
1.0
1.5
2.0
2.5
3.0
3.5
4.0
Original Preparation Samples (ALS-Chemex) - Gold (ppm)


Dublin Gulch - Check Assays - Gold (ppm)
(x-axis capped at 2 ppm; y-axis capped at 100% and -300%)
Gold (ppm)
Relative Percent Difference (original preparation sample less check assay with respect to original preparation sample) (%)
100
50
0
-50
-100
-150
-200
-250
-300
0.0
0.2
0.4
0.6
0.8
1.0
1.2
1.4
1.6
1.8
2.0
Original Preparation Samples (ALS-Chemex) - Gold (ppm)


Dublin Gulch - Check Assays - Gold (ppm)
(x-axis capped at 1 ppm; y-axis capped at ±100%)
Gold (ppm)
Relative Percent Difference (original preparation sample less check assay with respect to original preparation sample) (%)
100
80
60
40
20
0
-20
-40
-60
-80
-100
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
0.9
1.0
Original Preparation Samples (ALS-Chemex) - Gold (ppm)

APPENDIX J

REPORT

Report on Results of a Laboratory Audit of ALS Chemex Laboratory, North Vancouver, B.C.

By: Stephen Cook, Consulting Geochemist

REPORT ON RESULTS OF A LABORATORY AUDIT OF ALS CHEMEX LABORATORY, NORTH VANCOUVER, B.C.

PREPARED FOR
STRATAGOLD CORPORATION

701 - 475 Howe Street
Vancouver, British Columbia
V6C 2B3

By

Stephen Cook, M.Sc., P. Geo.
Consulting Geochemist

Cook Geochemical Consulting
5-3341 Mary Anne Crescent
Victoria, B.C. V9C 3S7

November 4, 2005

Executive Summary

Auditing, both pre-arranged and unannounced, of all geochemical labs used should be conducted on a regular basis by mineral exploration companies. Lab auditing ensures and documents that preparation and analytical equipment is appropriate and is functioning properly, that established procedures are adhered to, standards of cleanliness maintained, and that the lab is generally in good operational order. Well-designed riffle splitters, the presence of cleaning quartz supplies beside each crushing and pulverizing station, and the tracking of individual fire assay crucibles are among the many typically factors examined during a lab audit, all of which may have a close bearing on the ultimate quality of analyses and assays. The importance of regular audits should not be disregarded on the premise that the lab is regarded as a good one, or that its sister lab in another country was once deemed suitable. Audits may uncover numerous deficiencies even in well-regarded labs, and it is not unusual for good labs to periodically slide in some areas. In this respect regular lab auditing by independent investigators is an important component of a comprehensive quality assurance program.

An examination of the facilities, equipment and procedures of ALS Chemex Lab, North Vancouver, was carried out as a laboratory audit on October 27 2005 on behalf of StrataGold Corporation. The audit produced mostly positive observations, particularly on their analytical capabilities. In the opinion of the author, ALS Chemex in North Vancouver is a highly-reputable geochemical laboratory whose good reputation for quality analytical work is well-founded. As far as could be determined over the course of the visit, the methods, procedures, equipment and systems which are used, available and employed at ALS Chemex conform to standard Canadian exploration industry practices. In all likelihood they are also among the best of those Canadian geochemical labs currently used by the mineral exploration industry. A few minor causes for concern are noted, mostly dealing with sample preparation, and some recommendations regarding possible future actions by StrataGold are given.

1) Introduction and Scope of the Project

The author was retained by Mr. Jim Sparling, Exploration Manager of StrataGold Corporation, to conduct an independent laboratory audit on the company's primary geochemical laboratory, ALS Chemex Laboratory, North Vancouver, B.C. This lab handles StrataGold's preparation, analytical and assay work for its exploration projects, including the Dublin Gulch gold deposit, a bulk-tonnage intrusive-related Au-W-Bi prospect. Although the projects span a range of exploration stages, including the sampling of surficial materials, the majority of samples are rock and drill core samples for geochemical analysis and Au fire assay.

The author visited the laboratory on October 27 2005 together with a small group of geologists from the Expatriate group of companies including Dave Hladky (StrataGold), J.J. O'Donnell (Pacifica Resources) and Cliff Pearson (Pearson Geological Services, Victoria). The audit was conducted over the course of an approximately 6 hour-long group laboratory tour, which required most of the work day. This was not a surprise visit, but was arranged in advance by StrataGold. The tour was conducted by Stuart McLeod (Analytical Services Manager-Northern Region) and Lawrence Ng (Manager-Geochemical Analysis), assisted en route by various department managers, and covered all preparation and analytical facilities of the laboratory.

This report comprises i) personal observations made by the author during the tour, and ii) results of the answers to specific questions posed to ALS Chemex personnel. Some additional information was also obtained from the company website. The photographs in this report were all personally taken by the author during this visit. All observations are essentially a 'snapshot in time' of the single day visit. Given that the visit was made on a busy workday with a larger group in the midst of the post-field season sample rush, it was not possible to physically inspect each and every jaw crusher, ring mill, riffle splitter and balance as would typically be the case for a smaller lab on a quieter day.

The author has previously prepared quality control recommendations for StrataGold's analytical work, but has not personally visited any of the company's exploration properties, nor had any involvement with the review of subsequent QA/QC data.

2) General Laboratory Information

ALS Chemex is generally considered to be one of the world's premier geochemical laboratory groups for the mineral exploration industry, and the North Vancouver lab in particular to be one of the better full-service laboratories. ALS Chemex is the Minerals Division of ALS, which also operates environmental, oil, food and electronics laboratory divisions. The ALS group of companies is owned by Campbell Brothers Limited, a publicly-listed Australian company. Other ALS Chemex labs elsewhere in North America include Val d'Or, Quebec, Reno, Nevada and Fairbanks, Alaska. As well, there are numerous facilities world-wide including those in South America, Australia, Asia, Europe and Africa.

ALS Chemex was formed in 1999 through the acquisition of Chemex Labs and its merger with the existing ALS (Australian Laboratory Services) mineral laboratories. In North

Vancouver, ALS Chemex laboratory (212 Brooksbank Avenue) handles analytical work mainly for the mineral exploration and mining industries. This lab originated as Chemex Labs prior to becoming part of ALS Chemex, and has been located at the same site for approximately 30-35 years. The current laboratory building was built in the early 1980's. In 2001 the company took over a well-established rival laboratory group, Bondar-Clegg, and closed its nearby North Vancouver facility. ALS Chemex has ISO 9001:2000 registration in North America.

Both Stuart McLeod and Lawrence Ng, who conducted the tour, have been with the company for approximately 20 years. Mr. McLeod stated that he has been there since 1986. Keith Rogers, the executive manager of the lab (not present during the audit) was the former Bondar-Clegg lab manager, and was stated to have approximately 30 years experience in the business.

General Impressions

In general, this is a large laboratory, with expansive facilities and a large staff. The physical size of the digestion laboratory and the sample weighing facilities are the largest ever observed in a commercial laboratory by the author, and the number of ICP units the greatest. Sample preparation and reception is located at ground level, and the air-conditioned analytical facilities are upstairs. Backup generators are available to provide power at the laboratory in case of electricity disruptions. Although the sample reception and prep areas are relatively cramped, the weighing, digestion and instrumental analysis departments are all quite spacious and, for the most part, very clean, tidy and free of miscellaneous clutter. The wearing of safety glasses was ubiquitous throughout the lab, implying to an outsider that management views staff health and safety issues as being of a high priority. The general impression conveyed is a positive one.

Staff Qualifications and Training

Lab personnel comprise some 260 laboratory staff and 50 administrative staff. Approximately 20-25% of the lab staff are reported to have university degrees. As well, there are 6 B.C. Certified Assayers on staff in Vancouver. Each department has its own internal training program, and each month holds a departmental 'crew talk' session to discuss issues. The lab recently hosted a 3 day internal seminar from a Varian (ICP manufacturer) instrumentation representative. The lab encourages and reportedly will pay for extra external training for staff.

3) Sample Receiving and Preparation

The sample receiving and preparation area is perhaps one of the weaker aspects of the laboratory. At sample receiving, all samples are unpacked, weighed, sorted in correct numerical order, bar-coded and sent to the appropriate drying area. One the positive side, the immediate bar-coding of samples is efficient and no doubt greatly reduces the possibility of sample mix-ups and errors. On the negative side, the reception area is to some degree shared with the sample prep area, and seems rather small and cramped for a lab of this size.




Photo 1. General view of ALS Chemex sample receiving and preparation area. Note the ring milling station in the background.




Photo 2. TM Rhino 'Terminator' jaw crusher within self-contained station with dust extraction at ALS Chemex sample prep area.

The moveable tables used for unpacking and sorting the samples did not appear to be specifically marked for use for either ore-grade or trace-level samples. Furthermore they did not seem to be kept too clean and free of dust or grit - the author ran his finger over one while passing and there was noticeable rock dust on it No protective layer of disposable paper, from large rolls, was observed to be laid beneath the samples during sorting and bar-coding.

Separate drying facilities, on either side of the receiving and prep area, are used for ore-grade and trace level samples.

Crushing and Pulverizing of Rock and Core

The equipment observed, and general procedures used, in sample prep here are in accordance with standard industry norms in the preparation of rock and core samples. Jaw crushers are used to reduce rock and core to small fragments, riffle splitters to obtain a smaller, representative split of the coarse-crushed material, and ring mill pulverizers then used to pulverize the sample to a fine powder for subsequent analysis. Rock and core preparation capacity was stated to be about 3000 samples per day.

Sample preparation is designed to completely pulverize rock in two operations – jaw crusher and ring mill. No disc mills, roll crushers or other types of inappropriate sample preparation equipment were observed in the lab. The major items of prep equipment seemed to be of reasonably recent vintage, and in good shape. The TM Rhino 'Terminator' primary jaw crusher shown in Photo 2 was stated to be one year old. A check of the sample receiving tray showed no rust, holes or other defects. The primary crushers are enclosed within enclosed wooden 'stations' with dust extraction systems to prevent cross-contamination between individual crushing stations. Although the author has in the past visited other ALS Chemex labs where cleanliness around the base of the jaw crushers was questionable, the stations at the North Vancouver lab seemed reasonably clean. Vacuum cleaner hoses were present for cleaning purposes, and the ventilation air flow within the enclosed confines of the station was stated to be routinely checked on an annual basis. A steel ring mill examined at one of the pulverizing stations was in good condition, with no obvious wear, cracks or holes which might result in an incomplete or cross-contaminated grind. Ring mill bowls are manufactured by TM Engineering, and are all composed of low-chromium steel made to specific ALS Chemex specifications (*note: specs not obtained*). Apparently no Cr-steel ring mills are used at all in the lab. Although the use of these so-called 'soft steel' mills increases wear and the rate at which they must be replaced, it also reduces if not eliminates the likelihood of chromium contamination of rock and core samples. However, the undertaking of specific tests are recommended should chromium contamination of rock samples ever be an issue in a StrataGold exploration project. Larger 1.7 kg-capacity bowls of a different manufacture are also available in the prep lab.

Barren blank cleaning materials were observed to be present adjacent to both jaw crusher and ring mill prep stations. Compressed air hoses for cleaning are present at these stations (Photo 1); coarse brushes for cleaning of the jaw crushers were not observed, although they may have been overlooked in the relatively cluttered prep area. Coarse

stream gravel (Photo 5) is used for cleaning jaw crushers, and a well-sorted siliceous coarse sand (Photo 6; of unknown origin) is used for cleaning of ring mills. Pails and bins of these barren materials were seen to be kept immediately beside individual stations for ease of access and use by the prep staff. In discussion with ALS Chemex personnel, jaw crushers and ring mills are not routinely cleaned with these blank materials between each sample, but cleaning is instead restricted to cleaning between batches, or between individual sets of samples. Cleaning between individual samples is limited to the use of compressed air. Each blank material is analyzed and tested monthly for any possible contamination as part of the labs internal quality control procedure; it was not apparent whether this referred to individual machines, or individual batches of blank material.

The desired sieve size crushing standard for primary jaw crushing is 70% of the material passing < 2 mm. Similarly, the desired sieve size standard for ring milling is 85% of the material passing -200 mesh. Results are stated to be checked daily, and weekly test results are posted on a bulletin board in the sample prep area (Photos 7 and 8). A casual examination of the weekly results for each in Photos 7 and 8 shows that test results are generally exceeding the desired standard, at least for the single week in question. These examples here show that 82-84% of coarse crushed material is passing a < 2mm sieve, and that about 91-97% of ring milled material is passing a -200 mesh sieve. However the posted weekly results did not seem to very timely, dating here from early to mid-September, about 1.5 months prior to this visit). It is possible there might have been another bulletin board with more recent data posted. Sieve test results are recently being captured electronically, so the absence of a notebook at each crushing or pulverizing station noting the sieve tests results over a period of time is not a cause for concern here.

Riffle splitters are used to reduce the sample size of jaw-crushed rock and core prior to ring milling. In the case of StrataGold, standard procedure is to reduce the complete coarse-crushed rock or core sample down to approximately 250 grams using the riffle splitter. This would normally entail several passes of material through the riffle splitter to achieve this weight reduction in a representative fashion. A riffle splitter in a splitting station located immediately next to the primary jaw crusher (Photo 2) is shown in Photo 3. The station was reasonably clean, and the splitter appeared to be in good physical shape. There were an even number of riffles, which is a necessity for representative splitting, but unfortunately the individual riffles were not all completely parallel with one another. As is evident in Photo 3, one of the riffles in the foreground is attached at an oblique angle relative to the other riffles. This would be expected to reduce the likelihood of achieving a representative split.

The receiving pans at the above riffle splitter station were obviously very new and in good shape, with rounded corners and no rust, holes, etc. (Photo 3). However a number of pans which were observed stacked on storage shelves beneath the prep stations did appear to be much more beaten up, and in rougher condition. The surprisingly poor design of the riffle splitter, which was in plain view, leads one to wonder if other riffle splitters in the lab were of similarly-poor design. The relatively crowded prep lab was very busy during the visit, so it is possible that other splitters in equal or worse shape could easily have been in use.




Photo 3. Riffle splitter adjacent to primary jaw crusher. Note the uneven riffle in the foreground; the opening is wider on the left side than on the right side.




Photo 4. Cleaning ring mills with an air hose at a pulverizing station.




Photo 5. Barren coarse mixed alluvial gravel used for cleaning primary jaw crushers. The pail is located next to the jaw crusher for ease of access.




Photo 6. Barren coarse sand used for cleaning ring mills at pulverizing station. As with the gravels in Photo 5 above, this bin is located at the pulverizing station.




Photo 7. Chart on lab bulletin board in prep area showing results of weekly sieve tests of material crushed in the jaw mills.




Photo 8. Chart on lab bulletin board in ring milling area showing results of weekly sieve tests of pulverized material in ring milling equipment.

Preparation of Soils and other Surficial Materials

Dedicated stations for the sieving of soils, sediments and other surficial materials were located in one corner of the prep area, a short distance away from the main rock prep area. This some-what segregated location for the soil prep area is one positive feature of it; a second is that ALS Chemex's standard procedure is to routinely sieve soils and sediments to completion. This is a critical but often overlooked factor in the integrity of gold exploration programs. Only stainless steel sieves are used, in accordance with best practices for geochemical analysis, but the -80 mesh sieve that was present at one of the work stations (Photos 9 and 10) did appear quite worn and battered.

Lab staff admit that they find it more difficult to adequately deal with the preparation of organic-rich surficial materials, and state that they may subcontract out the preparation and/or ashing of organic soils (*e.g.* peat) and vegetation to other laboratories.

The soil prep area is surprisingly small for such a major lab, particularly in comparison to the area devoted to rock crushing and pulverizing. During the course of discussion with ALS Chemex personnel the author questioned the lack of fume hoods over the prep areas, but lab staff suggested that use of downward dust extraction system (Photo 9) was cleaner than use of overhead dust extraction. As a more general comment, in no part of the lab, in this department or elsewhere, did the author notice any small trays of fine silica set out for the monitoring of general airborne contamination levels.




Photo 9. Soil preparation work station, showing sieve, downdraft dust removal system, and wooden mallet for disaggregating samples on outside of bag as required.




Photo 10. ALS Chemex prep lab manager Bill Anslow talks to our group in soil prep area. Note segregation of the soil prep area from the rest of the prep lab (behind).




Photo 11. Bar-coded box of prepped sample splits ready for transfer to the digestion labs.

Subsplitting of Samples for Assay and Analysis

A significant concern of the author is the manner by which the final rock and core splits are obtained from the pulverized material prepared in the ring mill. Although the riffle splitter is used to obtain representative ~ 250 gram splits, after coarse crushing, for pulverization in a ring mill, no similar such procedure is apparently used after pulverization to obtain the splits used for assay (e.g. 30 grams for gold fire assay) or analysis. The use of a micro-splitter yields the most reproducible results, but this procedure is unlikely to be routinely performed in a commercial laboratory due to the extra time and expense required.

The final splitting of pulps was not observed during the lab visit, so the author is unable to state whether the assay pulp was obtained by rolling and quartering the pulverized 250 gram sample with a sheet of paper, or merely scooping 30 grams out of the ring mill and into a pulp bag (Photo 11). While ring milling generally produces a homogenous product, it is unwise to assume this when dealing with gold. This step of the sample prep process should be more closely examined should StrataGold's QA/QC analytical duplicate results prove imprecise.

4) Sample Weighing and Internal QA/QC Procedures

The weighing room at ALS Chemex may be the largest one the author has ever seen at a commercial laboratory. A total of 14 balances are used to weigh out sample material for digestion and subsequent analysis (Photo 12), with a possible capacity of 8000-12000 samples per day. The balances are mostly Sartorius and Mettler models, and only digital-readout models were observed. One balance was selected at random and checked for accuracy using a pair of balance verification weights – a 30 gram weight and a 1 gram weight. In each case, the desired 30 gram and 1 gram results was achieved, to 3 decimal places. Although balances in the gravimetric analysis lab are located on heavy tables to minimize any shaking or vibration, those in the weighing room seem to be located on standard tables. This may be because only a specified weight range of sample material is weighed out in each case, not the exact amount, as shown in the example in Photo 12. Balances are stated to be checked for accuracy on a monthly basis. They are also stated to be externally certified every 3 years, although this period was said to be soon reduced to 1 year intervals.

The lab's routine internal QA/QC procedures are put into place during the sample weighing process. Each internal batch of samples for multi-element ICP (40 samples) and fire assay (84) samples contains a fixed number of internal QA/QC samples of varying type. In the case of the 84-sample fire assay batch, for example, each batch contains 78 routine samples and 6 QA/QC samples: 1 barren method blank, 2 standards and 3 pulp duplicates. Only external standards are used; ALS Chemex apparently uses no internal standards as part of their internal quality control. Of commercially-available external standards, it appears that Rocklabs and Geostats standards are extensively used. Some CANMET standards were also observed on shelves in the weighing room, although they are probably not used as frequently as Rocklabs or Geostats standards due to their higher cost.



Photo 12. A Mettler balance used for weighing 0.4-0.5 gram samples for ME-ICP41 digestion and analysis. Note the white jars of Rocklabs standards, used here as part of ALS Chemex's internal QA/QC system.

5) Fire Assay

The fire assay facility at ALS Chemex is clean and relatively spacious. It contains 3 fire assay fusion furnaces and 3 cupellation furnaces, and the sample through-put capacity is about 7000 samples per day. The fusion furnaces are gas-powered and operate at 1050°C; furnace temperatures are checked by certified thermocouples. They are located at ground level, adjacent to a large garage-style door which was open during the visit.

Each fire assay batch consists of 84 samples, with a combination of 78 routine and 6 QA/QC samples as previously described in the weighing section above. Crucibles of Chinese manufacture are used at ALS Chemex (Photo 14). The fire assay flux is pre-mixed in bulk by Anachemia off-site, and delivered from a hopper bag to the crucibles by auto-loader as shown in Photos 15 and 16. The auto-loader is an ALS Chemex design and is reputed to be unique in the world. Use of this technique likely produces a superior mixture of flux and sample relative to more manual methods of mixing; in addition, the use of pre-mixed flux and both auto-loading and auto-mixing techniques no doubt results in a lower-lead workplace environment which is far healthier for the fire assayers. The process operates as follows: the batch-tray of 84 samples in crucibles is placed within the loading machine where the pre-mixed flux is added into each crucible from a central bulk hopper bag on top (Photo 15). The tray leaves the bulk loader, where a saran wrap-type cover is put over the samples before the tray then proceeds into the shaking machine for mixing (Photos 16 and 17). Once mixing is complete (Figure 17), the batch-tray of samples proceeds to the fusion furnace (Photo 18).




Photo 13. ALS Chemex fire assay manager discussing procedures with StrataGold and Pacifica Resources personnel.






Photo 14. Crucibles of Chinese manufacture used for fire assay at ALS Chemex.





Photos 15 and 16. Batches of fire assay crucibles containing samples to be assayed are bulk-loaded with pre-mixed flux from an upper hopper (top), then along moved to a mixer machine (blue, at left) where flux and sample are uniformly mixed.




Photo 17. A batch of crucibles with mixed sample and flux emerging from the mixing machine.




Photo 18. The fusion complete, preparing for the first pour at one of the fire assay fusion furnaces.




Photo 19. A very clean pour from the crucibles; no splattering, spillage or messy pours were observed during our visit to the ALS Chemex fire assay lab.

The fire assay fusion requires 15 minutes, and once removed from the furnace each pour empties 12 crucibles simultaneously (Photos 18 and 19). Each of the pours observed by the author during the visit were neat and clean, with no splattering, spillage or sample intermixing as is sometimes seen.

Crucial to the integrity of gold exploration programs, crucibles from all samples assaying greater than 500 ppb gold are discarded. As all samples are bar-coded, crucible usage is monitored by computer. This no doubt ensures that those crucibles containing high-grade gold samples really are discarded as intended, rather than being accidentally reused where they might cross-contaminate a later sample. Used crucibles are also thrown away if they are chipped or otherwise damaged; the author observed a worker going through a rack of used crucibles and discarding a large number of them.

A silver nitrate solution is added during the cupellation stage (Photo 20), rather than using silver wire. However pure silver foil is used for high-grade samples. Fire assay staff stated that a switch to the use of compressed air during cupellation, rather than 'natural breathing', has reduced the time necessary to complete the process. Two Sartorius microbalances are used for any subsequent gravimetric finish. The lab has a capacity of up to 1500 gravimetric analyses per day. The methods manuals shown on a shelf in the gravimetric weighing room (Photo 21) are typical of the ready access to documentation of standard procedures at this lab.




Photo 20. Collecting the silver-gold beads following cupellation.




Photo 21. Easily-accessible procedures manuals in the gravimetric weighing room are typical of the use of written systematic procedures at ALS Chemex.

6) Acid Digestions

The acid digestion lab, like most of the analytical facilities at ALS Chemex, is spacious and clean. From the point of view of the various acid digests, graphite heating blocks (Photo 22) are widely used in the digestion lab in place of the old hot plates and water bathes. The use of graphite blocks helps to better regulate the temperature at which the digestions take place, in all likelihood producing a more constant and consistent digestion within the same batch of samples. Lab staff indicated that, following digestion, all acid solutions are expected to be analyzed within 3 days. If they are not analyzed within 5 days, new sample splits must be made and the digestions must be repeated.

Other than Teflon test tubes (Photo 22), glass test tubes which require washing after use are not used in the lab. Only disposable test tubes are used, then discarded, preventing any possibility of accidental cross-contamination of samples from the use of dirty glassware. The lab equipment was not rusty due to the effects of acid fumes as is often seen, and the author noticed that even the trolley carts used for moving racks of test tubes around were of a high-density plastic rather than metal construction.

All lab staff were wearing safety glasses, and warning signs on the fume hoods directed that face shields were also to be worn when handling concentrated acids.

As a minor negative point, the author felt that the various acid digestion stations were not very clearly marked as to the type of digestions typically performed in, although the fume hoods or digestion cabinets were individually numbered.




Photo 22. Multi-acid digestions using Teflon test tubes. Note the use of graphite heating blocks rather than hot plates and water baths.

7) Analytical Instrumentation

XRF

The XRF lab at ALS Chemex has three Phillips XRF units of various vintages, the most recent one being brand new (background in Figure 23). The lab is capable of producing both pressed pellets (10 gram samples) and fused pellets (1 gram samples) for XRF total determinations. Individual runs of 40 samples include internal QA/QC standards for instrument calibration.

Given that XRF determinations are unlikely to be a major component of StrataGold's analytical work at ALS Chemex, more attention was given to other analytical facilities such as the ICP and AAS labs.



Photo 23. XRF laboratory, showing the two most recent of the three Phillips XRF units at ALS Chemex.

ICP-MS

The ICP-MS (inductively coupled plasma-mass spectrometry) laboratory on the 2nd floor of ALS Chemex contains 9 modern Perkin-Elmer Elan 9000 ICP-MS units (Photo 24). Most were stated to be 2-3 years old; one new one had clearly just arrived, and was not yet operational. The lab is very roomy and clean, with a minimum of clutter. The lab is air conditioned, and the wrap-around windows are covered with inside darkening screens to help regulate the temperature at which the ICP-MS's operate. In addition, a great deal of effort has obviously been expended to minimize the environmental effects of acid fumes on both personnel and instrumentation. Trays of test tubes at the auto-samplers are




Photo 24. ICP-MS laboratory, showing modern Perkin-Elmer Elan 9000 ICP-MS units. Note the venting of acid fumes by vertical exhaust pipes to minimize health and equipment damage by the acid fumes.




Photo 25. Autosampler aspirating sample solutions into an ICP-MS from disposable test tubes within a Plexiglass containment; it rinses in distilled water between each sample.

kept within a plexiglass containment, and acid fumes are vented to vertical plastic exhaust pipes which remove the fumes from the lab environment (Photos 24 and 25). This increases the level of environmental safety in the workplace, and helps to minimize the ever-present problem of equipment damage by the acid fumes.

The autosampler shown in Photo 25 is typical of those found with ICP units in modern geochemical laboratories. Sample solutions are aspirated into the ICP-MS from disposable test tubes. A typical instrument batch run is set up to include 3 racks of 42 test tubes each, including 6 internal QA/QC samples. In addition the autosampler rinses in distilled water between each sample to prevent any possible carryover contamination from a previous sample solution.

ICP-ES

The ICP-ES (inductively coupled plasma-emission spectroscopy) lab at ALS Chemex is certainly the largest ever visited by the author at a commercial lab. There are 14 modern Varian ICP-ES units in the clean and uncluttered lab (Photo 26), which is adjacent to the ICP-MS lab. They all appeared to be identical Varian Vista-Pro units; they were stated to be all within only 4 years of age. Consistent with this, the units appeared to be in exceptionally good shape, with no obvious external rust or other damage. As shown in Photos 26 and 27, all batches of test tubes containing sample solutions are within Plexiglas containment during the analytical runs, and the acid fumes vented off from the immediate lab environment.

The ICP-ES lab was stated to have a capacity of 650-700 samples per day, per unit, for a daily through-put of up to 9000 samples. The internal QA/QC protocols for each run are equivalent to those of the ICP-MS units, and fresh ICP calibration standards are prepared each day. As with the ICP-MS units, individual machines are not dedicated to specific types of samples, for example water samples which are typically very low-level, but are routinely purged and cleaned before any such batch.

The concentration of such a large number of Varian ICP-ES units must be viewed as being very positive from the point of view of the client. ALS Chemex being such a substantial ICP customer, any instrumentation problems are likely to be fixed by Varian representatives very quickly, minimizing the chances of receiving faulty data. Furthermore the lab has considerable internal back-up and redundancy with so many similar units in place, reducing the likelihood that instrument problems at any one machine might affect the time required to complete a given batch of samples.




Photo 26. StrataGold and Pacifica personnel with ALS Chemex ICP lab manager amid a roomful of Varian ICP-ES units. Note the use of plastic rather than metal trolley carts.




Photo 27. View of an autosampler attached to ICP-ES unit, showing typical run set-up of 3 trays of 40 test tubes each (in these case, Teflon test tubes). Method blanks and standards are at the left.

AAS

The atomic adsorption lab at ALS Chemex is a large one, with 4 modern Varian 240 AAS units and 2 older Varian 220 AAS units (about 5 years old). In addition, 3 AAS units are dedicated to the analysis of mercury by cold vapour-AAS, as shown below in Photo 28. Typically these machines have a capacity of about 800 samples per day.

Two of the AAS instruments are reserved for gold analysis. However there is no graphite furnace (GF-AAS) set-up available. Like all instrumentation at ALS Chemex, all recording of data is entirely computerized; there is no manual recording of AAS element data as is often observed at smaller laboratories. This must be expected to all but eliminate the possibility, if not the probability, of any operator transcription errors.

Lab staff indicate that they are capable of determining high-grade selenium concentrations using an AAS finish.




Photo 28. Three Varian atomic absorption (AAS) units. These particular ones are dedicated to the analysis of mercury by the cold vapour-AAS method.

8) Miscellaneous Laboratory Issues

Computerization and Automation

All data recording is entirely computerized; no manual data entry is carried out or, according to lab staff, is it even possible once the bar-coded samples have left the sample prep area. This systematic computerized treatment of sample data recording must be

viewed positively as greatly reducing the chance of sample mix-ups, omissions or transcription errors.

This extends to the treatment of overlimit samples as well, providing an automatic trigger for a more appropriate analysis of an overlimit sample. Such samples are automatically flagged for additional analysis or assay, removing the human factor and eliminating the chance that this will somehow be overlooked by the lab staff.

LIMS

A LIMS (laboratory information management system) has been in place at ALS Chemex since 2001. As noted earlier, this system relies on bar coding and scanning of samples to provide chain of custody records for sample batches at all stages of sample preparation and analysis. The LIMS is web-based, and was developed in-house rather than purchased off-the-shelf. If any problems develop with the LIMS, ALS Chemex has an internal IT group on-site which can attack the problem immediately, rather than waiting for external contractors to show up.

Retention of Records

The response to questions about the availability of historical records at ALS Chemex was a bit fuzzy, but such records are available depending on their age. Mineral exploration companies are compelled by National Instrument 43-101 to retain hardcopy analytical certificates for 7 years, and ALS Chemex staff confirm that they do retain hardcopy certificates for that length of time. They also suggested that in fact such hardcopy records are likely to be kept by ALS Chemex for a bit longer than that as well. In the case of digital data, staff suggest that they are able to access digital files back to about 1983. They do admit, however, that older files in perhaps-obsolete formats might take a bit of work to access. They suggested that they would not be able to recover any files from prior to 1983. As ALS Chemex's global server is located in Vancouver, digital files from international projects are likely to be accessible as well.

Retention of Pulps and Rejects

Pulps are stored at ALS Chemex without charge for 90 days following issue of the certificate of analysis. Rejects and other oversize material are stored for 30 days; in both cases the lab will notify clients for further instructions at the end of this period. At this point the client may either accept return of the materials, pay for their continued storage, or have them discarded.

Pulps are bar-coded and this serves as their identifier during storage. The question of security of stored pulps was put to the ALS Chemex representatives during the visit, and to what extent the pulps are protected from either malicious or incidental mischief during storage. Lab staff stated that the pulps are stored in a multi-use warehouse, but are shrink-wrapped on pallets such as to be inaccessible to casual tampering. Furthermore, the samples are identified by barcode only and are not identified by either company name or project on the storage pallets, greatly reducing the potential for any malicious tampering to occur during storage.

Waste Disposal

ALS Chemex lab staff state that old pulps and reject materials are sent to a landfill via a contractor. Hazardous wastes are also disposed of using a contractor 'Clean Carbon'. Used cupels are sent to Quebec for disposal.

External Accreditation

ALS Chemex has ISO 9001:2000 certification in North America, and this fact is prominently displayed on page 1 of the current ALS Chemex Canadian schedule of services and fees. Other various certification levels have also been achieved in other countries, particularly Peru. ISO certification has little to do with actual analyses, and does not ensure that a lab is using the best equipment or the most appropriate methods. It does indicate however that a lab has specific protocols and procedures on file and in place for dealing with management of quality systems, process controls, calibration of equipment, internal auditing, staff training, records management and so on, all of which may be contributing factors to performing good quality work.

At present ALS Chemex is working toward accreditation to ISO 17025. This is a very different standard, providing a specific assessment of analytical competence for specific analytical techniques.

The lab also conducts their own internal audits; in fact, an internal quality audit was underway in the preparation lab at the time as our visit.

As noted earlier, ALS Chemex has 6 B.C. Certified Assayers on its North Vancouver analytical staff. The Assayers Certification Program is authorized by statute in British Columbia, and ensures that assayers practicing in the province meet the high standards of competency required by the mining and securities industries. British Columbia is the only mining jurisdiction in the world that requires assayers to undergo extensive theoretical and practical training, and pass a rigorous practical examination before being certified. In addition, ALS Chemex is a sponsor of the Assayers Certification Program, and the Program website lists two senior ALS Chemex staff as being members.

ALS Chemex also participates in several international round-robin tests among laboratories as part of its progress toward ISO 17025 certification. One of these is the Geostats Round-Robin of Laboratories, involving approximately 100 labs world-wide. This round-robin set of comparative analyses is conducted twice a year by Geostats Pty of Perth, Australia, who should be consulted directly for a copy of the most recent sets of results. In addition, ALS Chemex also participates in the CANMET Proficiency Testing Program for Mineral Analysis Laboratories. CANMET, or the Canada Centre for Mineral and Energy Technology, is a division of the federal Ministry of Natural Resources. Other round-robins in which ALS Chemex participates include the Canadian Certified Reference Materials Project (CCRMP), RockLabs, and PTP MAL.

9) Summary and Recommendations

Laboratory audits and inspections are carried out to confirm the qualifications of the lab and its staff, and to investigate the reputation of the lab, inspect its facilities, equipment, procedures, general cleanliness and internal quality assurance and quality control programs. The audit of ALS Chemex Labs, North Vancouver, which was carried out by the author on October 27 2005 produced mostly positive observations, particularly on the analytical side. In the opinion of the author, ALS Chemex in North Vancouver is a highly-reputable geochemical laboratory whose good reputation for quality analytical work is well-founded. As far as could be determined over the course of the visit, the methods, procedures, equipment and systems which are used, available and employed at ALS Chemex conform to standard Canadian exploration industry practices. In all likelihood they are also among the best of those Canadian geochemical labs which currently serve the mineral exploration industry. A few minor causes for concern are noted, mostly dealing with sample preparation, and some recommendations regarding possible future StrataGold work are given.

Broadly, some of the positive features of ALS Chemex identified by the audit include the following:

- ALS Chemex is a full-service laboratory, with a broad analytical capability which should be sufficient to meet all or most of an exploration company's needs without having to find a second lab for certain procedures. This analytical capacity spans the range from AAS to ICP-MS work, and includes both assay and low-level trace element capabilities.

- The North Vancouver laboratory is a stable cornerstone of a global analytical company, and has been located at the same site for some 35 years. Senior managers met during the have some 20 years of service in the company, and it is evident from the discussions that took place that they are enthusiastic and engaged. Senior staff seem to be able and willing to discuss available geochemical methods and analytical options with clients to ensure that their specific analytical needs are met.

- Forays into high-technology methods of i) tracking samples with bar codes, ii) computerization of analytical results to eliminate manual transcription errors, iii) efforts to standardize methods from one ALS Chemex lab to another, and iv) the 'Webtrieve' online data tracking and access system to monitor progress of analytical batches and retrieve data, may presumably result in a relatively more consistent set of geochemical analyses and assays, with less chance of errors due to mix-ups, omissions or oversights. For example, barcoded samples permit quick identification and systematic discarding of fire assay crucibles which have been used for high-grade gold samples.

- ALS Chemex provides a transparent documentation of its analytical methods, QA/QC procedures and even the expected levels of metal contamination during ring mill pulverization on its corporate website (www.alschemex.com).

- ALS Chemex maintains systematic internal QA/QC procedures to monitor data quality during sample preparation and analysis.

- Automation of certain procedures, in particular the bulk-loading and automatic mixing of pre-mixed flux with the samples for gold fire assay in crucibles, would be expected to produce a more consistent analysis or assay compared to labs where manual, and more variable, procedures are used.

- Most analytical equipment, particularly the many ICP-ES and ICP-MS units, are relatively new and recent models. Older analytical equipment, other than perhaps those for low-throughput specialty analyses (*e.g.* Leco), was conspicuously absent in the laboratory. Similarly the instrumentation seemed to be in overall good condition, with a minimum of rust, peeling or wear.

- The very large number of ICP-ES, ICP-MS and AAS units in ALS Chemex's analytical labs provide a considerable level of internal redundancy and backup, making it relatively unlikely that instrumentation problems would affect the timeline for delivery of geochemical data to a client. Furthermore the concentration of all units of the same type among only two common manufacturers (*e.g.* Perkin-Elmer for ICP-MS; Varian for ICP-ES) should ensure a much greater consistency of analytical results than if a more eclectic group of machines from different ICP manufacturers was used.

- ALS Chemex seems to have taken efforts to maintain a relatively healthy lab environment, i) using pre-mixed fire assay flux and automated methods of flux addition and mixing to presumably reduce lead levels in the fire assay lab, and ii) striving to vent away acid fumes in the instrumentation labs.

- The general lab environment, other than in sample prep areas, was generally clean and tidy, with a minimum of clutter.

A few negative observations were also produced by the audit, and while relatively few in number they are no less important for the success of StrataGold's exploration programs. The sample preparation facilities could bear with some improvement. Although the preparation area is reasonably clean, the equipment uniform and for the most part seemingly modern, and the general methods used in accordance with industry practice (*e.g.* use of jaw crusher followed by ring milling), a few points are worthy of mention:

- The receiving and prep area is relatively small and cramped given the large overall size of this lab, and it appeared that greater attention could be given to keeping the receiving carts and trolleys clean.

- One of the riffle splitters observed in the prep lab had an irregular, poorly-designed, riffle and while it was accompanied by new receiving trays, other trays seen stacked on the shelves below looked fairly worn.

- In discussions with lab staff, it was evident that instructions related to earlier QA/QC procedure recommendations from the author to StrataGold had not been correctly carried out at ALS Chemex. Preparation of prep duplicates were evidently not carried out as instructed, with the individual ring milling of two separate sample splits of coarse-crushed material from the riffle splitter. Instead it appeared that two samples for subsequent analysis were being taken from the same single pulverized sample. While this is still a perfectly good duplicate, it represents an analytical duplicate, not a preparation duplicate. In fairness, the procedure might not have been adequately explained to ALS Chemex by StrataGold.


Admittedly these few negative points turned up by the lab audit are relatively minor ones in a review which returned otherwise-impressive results. The author does not wish to overstress them. They do highlight however the need for constant vigilance concerning evaluation of QA/QC results, and continued verification that ALS Chemex is actually conducting the sample prep methods that it is supposed to, in the way that it is supposed to. StrataGold should request to be routinely provided with all internal QA/QC results from each batch, if they do not do so already.


Sample preparation is commonly one of the most individual-dependent activities in a modern geochemical laboratory, and it is the area least affected by the advent of automation, computerization and high technology which has swept over the industry over the past two decades. This wave has brought about highly accurate and precise ICP-MS geochemical determinations on rock samples which however, are often crushed and pulverized in almost the same manner as they were years ago. With respect to sample preparation, some additional recommendations to StrataGold are as follows:

- Follow up on the sample preparation comments in this report by conducting additional surprise visits to verify that samples are being continually prepped as requested. Verification of sample prep and analysis procedures is not a matter of just faxing over some instructions and then walking away – they must be continually be stressed, results and methods queried (in the case of drill core, in particular) in light of any new geological or mineralogical information, and changes or alterations made if required.

- Depending on results of an assessment of QA/QC results (e.g. accuracy and precision of gold results) from StrataGold's 2005 drill program, tests may be warranted and sample prep or analytical changes may be required to better deal with any varying styles of gold mineralization in StrataGold's deposits and projects. Within the necessary bounds of the industry-standard preparation methods of jaw crushing, riffle splitting and pulverization, there may be some minor changes more appropriate to each project area, depending on mineralogy, which might improve the accuracy and precision of results. These might include, for example, changes in such details as the particle size grind, or in the method of obtaining the final sample split for fire assay. Generic standard preparation methods are an important guide, but they should not be viewed as completely rigid or static in light of an evolving understanding of deposit geology, ore mineralogy, or other factors.

094876





APPENDIX K

Dublin Gulch Map
with
Regional Silt and Rock Sample Locations

094876

StrataGold Corporation

Dublin Gulch Claims Map with Regional Silt and Rock Sample Locations

Date: 14/11/2005	
Author: DH	
Office: Vancouver	
Figure:	
Scale: 1:25000	Projection: UTM Zone 8 (NAD 27 for Canada)

0 500 1000 metres

LEGEND

- Silt samples within Claim Boundary (3419)
- Rock Samples within Claim Boundary (634)
- Silt Samples outside Claim Boundary (88)
- Rock Samples outside Claim Boundary (16)
- WATERCOURSE
- CONTOUR

452000 mE
456000 mE
460000 mE
464000 mE
468000 mE
472000 mE
476000 mE
7108000 mN
7104000 mN
7100000 mN
7096000 mN
7092000 mN

094876

APPENDIX L

List of Geochemical Rock Samples

Table 4: List of Geochemical Rock Samples from 2005 Dublin Gulch Regional Program

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290401	459824	7103052							Quartzite with thin (2mm) quartz vein; No vis min'n; White quartz; Light grey; Slightly foliated.
B290402	459760	7104687							Quartzite with 3-4 8 to 10 mm quartz veins; White quartz; No visible mineralization; Light grey.
B290403	459283	7103004							White quartz vein with 2ndary quartz veins with semi-massive (up to 20%) pyrite, limonite, white oxide; Pyrite cement, slightly brecciated venilets up to 1.3cm thick; Host rock barren, 2ndary min'n.
B290405	454244	7104676							Quartzite; Slightly metamorophosed, similar to 290506-590508; Weakly foliated; Light grey; 2-3mm quartz eyes common; Siliceous; Quartz/argillite cement; Coarse grained quartz to fine grained conglomerate.
B290406	451135	7104931						Aug 19, 05 / Jason Kindrat	White Quartz vein in grey MSED; No min'n
B290407	450924	7104904		Outcrop				Aug 19, 05 / Jason Kindrat	White quartz (sub cm vnlts) with slight hematite stain, in grey MSED, no visible min'n.
B290408	451991	7107282		Outcrop				Aug 20, 05 / Jason Kindrat	1 cm quartz veinlets (whit) in grey qtzt; No visible min'n
B290409	454602	7106729		Outcrop				Aug 20, 05 / Jason Kindrat	3 cm quartz vein; Slightly vuggy, no vis min'n
B290410	454573	7107249		Outcrop?				Aug 20, 05 / Jason Kindrat	Coarse grained Sandstone; Grains 2-4mm; No min'n; Slightly limonitic; Appears sorted; Silica matrix.
B290411	455539	7105086						Aug 20, 05 / Jason Kindrat	White "bull" quartz vein; 1.5 - 3.5cm thick; No visible min'n.
B290412	462469	7107271		Outcrop					White to grey quartz vein; 4 cm thick; No visible min'n
B290413	462374	7107785		Grab					White quartz vein; 2.5cm thick; No visible min'n.
B290414	461584	7106813		Chip/Outcrop					White quartz; No visible min'n; Oxidized fractures; 1-4cm thick
B290415	461339	7107627		Grab float					Grey to white quartz vein; No visible min'n; 2-4cm thick
B290416	461066	7107310		Grab					Grey quartz vein; 4-5cm thick; No visible min'n; In grey MSED
B290417	461326	7107175		Outcrop					0.5 - 1.5cm white-grey quartz veins in hematitic fine grained quartzite; No visible min'n
B290418	462645	7105531							Quartz vein; White
B290419	462503	7104429							No Sample
B290420	462455	7104321		Grab float					Quartz vein; Rounded (transported); Cobble; 5-6cm thick, no vis min'n
B290421	469601	7105930	1202						
B290422	469920	7106445	1061						
B290423	469758	7107442	1148						
B290424	471040	7107421	932						
B290425	454875	7100969	1117						
B290426	469983	7105869	1180						
B290427	472105	7102701	1320						
B290428	471991	7102531	1266						
B290501	453170	7105590	918	Chip/Grab	320	13	NE		Gossan; Highly oxidized; Appears to be sed, though textures obliterated; Regolith?; Breccia text locly, very vuggy; No visible mineralization.

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290502	453170	7105590	917.5	Vert chip sample	320	13	NE		Sub-cm laminations; Appears to be sed; No vis min'n; Dk brown-orange
B290503	453170	7105590	917	Vert chip sample	320	13	NE		Lt. Grey clay layer, with yellow to red envelope; Oxidized clay or altered rhy/feld?; 3-5cm thick
B290504	453170	7105590	916.5	Vert chip sample	320	13	NE		Cm to sub-cm bands of oxidized sed; No text; Locally breccia?; Cemented breccia?; No intrusive visible; No min'n
B290505	453170	7105590	915.5	Vert chip sample	320	13	NE		Sim to above; Thicker beds; Up to 2-4cm thick; Breccia texture with vugs; Hioghly ox'd as above; no vis min'n.
B290506	453334	7105399	1014	Chip/Grab	330	73	NE		Quartzite o/c with qtz veining (white); Very siliciesou; Light grey-green- 1 cm qtz veins at 330 73 deg NE; 1-3 mm foliations; weak S1?; Folations at 330 67 deg NE.
B290507	453334	7105399	1014	Chip/Grab	330	73	NE		Sample of white "bull" quartz; 30 cm thick; No vis min'n.
B290508	453376	7105371	1031	Chip/Grab					Quartzite o/c; 40 60 deg fracture foliation perpendicular to sed foliation; 2 cm and 5 cm quartz veins (white); No vis min'n.
B290509	452722	7102973	1353	Outcrop	145	5	SW		Sample of quartz vein in Quartzite; Minor hemaite staining (2%); no visible mineralization; Outcrop 30 by 30m
B290510	452480	7103119	1312	Outcrop	240	22	NW		Quartz vein (white to grey) in Quartzite, irregular, no visible min'n
B290511	452413	7103137	1322	Outcrop	195	22	NW		Quartz vein in Quartzite; Grey to white vein; No min'n; Outcrop 3 by 4m
B290512	452297	7103033	1340	Rubble-Crop					Quartz vein, trace limonite stain; In Quartzite
B290513	452212	7102875	1334	Rubble-Crop					Thick quartz vein in quartzite; 30-40 cm thick, white to grey-white; Slightly limonitic; No visible min'n.
B290514	452064	7102551	1369	Rubble-Crop					Massive quartz vein; White; No visible min'n; Massive boulders
B290515	451463	7102347	1371	Rubble-Crop					Massive quartz veins in quartzite; Relict Py? (empty cubes); White quartz; 20-30 cm thick; No visible min'n, grab from rubble-crop.
B290516	451041	7102341	1365	Rubble-Crop					Quartz vein in Quartzite; No visible min'n
B290517	450752	7102636	1353	Rubble-Crop					Quartz vein in quartzite, similar to previous; Quartz vein up to 60 cm thick; No visible min'n.
B290518	450794	7103157	1316	Rubble-Crop					Quartz vein in quartzite, as previous; Slightly limonitic; No visible min'n
B290519	450641	7103451	1315	Outcrop	220	27	NW		Metased/Quartzite outcrop with local quartz veining; No min'n; Quartz vein 3-6mm thick
B290520	450548	7103962	1292	Outcrop	275	23	NE		Quartz vein (8cm thick) in quartzite; No visible min'n; Long outcrop (100m + by 10-20m); Slightly limonitic overall; Grey quartzite with qhite quartz.
B290521	450497	7103994	1299	Outcrop	297	47	NE		Felsic (?); limonitic, light brown-yellow; highly altered and vuggy; Similar to oxidized zone in 290501; Some thin quartxz (2-4mm); No visible mineralization; Weak foliation at 297 47 NE.
B290522	450493	7103995	1301	Outcrop					Similar to previous; Some quartz; Highly limonitic/hematitic; Appears felsic; Some late quartz veinint
B290523	450415	7104030	1308	Sub-crop					Dark red oxidation (hem) with metased/felsic hr; No vis Min'n; Quartz eyes (4-6mm) (alt'd MSED);Vuggy; Appears brecciated; Sub crop
B290524	461930	7101656	1155	Outcrop				Dave H / Aug 25/05	White quartz vein in lt. bronw-grey MSED; 1-10cm thick, minor oxidation, no vis min'n

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290525	462317	7101745	1192	Grab-Talus				Dave H / Aug 25/05	Grey to white quartz vein in GND, Med grained; 2 cm selvage of weak ser/arg alteration; No visible min'n; QV 1.5cm thick; Talus slope north of creek.
B290526	462375	7101712	1198	Grab-Talus				Dave H / Aug 25/05	Quartz vein in GND; Grey; Talus slope, No vis min'n; Ven 2 cm wide
B290527	462458	7101702	1220	Grab-Talus				Dave H / Aug 25/05	1-2cm grey to white quartz veins in GND; MGD clasts visible, gen 4x10 cm; Some chloritic veins with limonite; Med to coarse grained GND; Common quartz veins in talus, up to 10 cm.
B290528	462505	7101704	1236	Grab-Talus				Dave H / Aug 25/05	Sheeted (1cm) grey quartz veins in GND; GND talus; 1% pyrite cubes, disseminated; Chloritic; 55% qtz, 35% feld, + chl and dk mins.
B290529	456069	7096953	1178	Grab					Trench grab sample , sulfide rich galena sample
B290530	456152	7096974	1165	Trench Grab					Trench Grab
B290531	456252	7096997		Trench Grab					Sampled bedrock outcrop along portal entrance
B290532	456022	7096940		Trench Grab					
B290534	455357	7099447	1306	Outcrop					Phyllite on mountain top
B290535	456761	7099036	1129	Grab / Float					grab sample in trench of qtz vn material
B290536	455321	7099460	1311	Grab / Float					qtz float
B290537	456763	7099009	1132	Grab / Float					push pile at end of trench w/ phyllite and welded qtzte
B290538	456745	7099078	1135	Grab / Float					sample of galena / arsenopy material w/ qtz vning
B290539	456688	7099120	1147	Chip / Output					granodiorite
B290540	454718	7101467	1352	Grab / Float					qtz boulder
B290541	454648	7101623	1336	Outcrop					phyllite dipping 42 NW trending 098
B290542	454663	7101403	1355	Grab / Float					phyllite debris exposed as rubble on surface
B290543	454559	7101363	1355	Grab / Float					debris , qtzt, fgss
B290544	454503	7101370	1345	Grab / Float					exposed rubble , grab sample
B290545	455423	7099404	1282	Outcrop					phyllite
B290546	455491	7099321	1257	Grab / Float					phyllite w/ qtz vns in shallow trench
B290547	455569	7099287	1234	Grab / Float					qtz vning in phyllite along shallow trench/road
B290548	455676	7099267	1206	Grab / Float					large qtzvn boulder on shallow trench phyllite pieces abundant
B290549	455886	7099183	1152	Grab / Float					qtz vn pieces of float w/ phyllite and qtzte present
B290550	456049	7099140	1144	Grab / Float					qtz w/ abundant boulders of qtz / sstone or qtzite
B290551	456112	7099148	1151	Chip/outcrop				28-AUG-05 2:18:38PM	granodiorite
B290552	456223	7099147	1143	Outcrop				28-AUG-05 2:25:38PM	from meters wide qtz vn outcropped in a granodiorite host striking 082
B290553	456360	7099189	1120	Grab				28-AUG-05 2:37:01PM	qtz vn pieces in a trench
B290554	456614	7099157	1133	Scree grab				28-AUG-05 2:48:09PM	granodiorite with minor vning of qtz in slope scree
B290555	456847	7098983	1133	Outcrop				28-AUG-05 3:02:42PM	qtz boudins in phyllite outcrop
B290556	456904	7099006	1130	Grab				28-AUG-05 3:10:28PM	phyllite float grab sample
B290557	456978	7099004	1115	Grab / Outcrop ?				28-AUG-05 3:16:36PM	qtzite with minor qtz vn pieces
B290558	457514	7099306	1006	Grab				28-AUG-05 3:37:41PM	granodiorite float from trench
B290559	451127	7099798	1211	Outcrop				29-AUG-05 10:31:26AM	fine grained sandstone / qtzite
B290560	451130	7099824	1210	Grab				29-AUG-05 10:36:37AM	Qtzite with qtz vns as a float sample
B290561	451153	7099891	1230	Outcrop				29-AUG-05 10:46:37AM	phyllite

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290562	451165	7099921	1238	Outcrop				29-AUG-05 10:52:00AM	Granodiorite
B290563	451175	7099949	1231	Outcrop				29-AUG-05 11:00:01AM	Qtz vn in phyllite
B290564	451177	7099962	1234	Outcrop				29-AUG-05 11:03:53AM	Green phyllite / medaseds
B290565	451193	7100031	1221	Outcrop				29-AUG-05 11:09:10AM	Qtzt / sandstone (fine-grained)
B290566	451190	7100063	1225	Grab / Float				29-AUG-05 11:13:39AM	Qtz vning in fgss
B290567	451177	7100101	1229	Outcrop				29-AUG-05 11:24:57AM	Granodiorite
B290568	451172	7100166	1218	Outcrop				29-AUG-05 11:32:04AM	Granodiorite
B290569	451151	7100209	1211	Outcrop				29-AUG-05 11:35:20AM	tan sandstone with shale-like structure. dipping approx. 20 to NE
B290570	452904	7100303	1151	Outcrop				29-AUG-05 11:57:27AM	Phyllite
B290571	452954	7100348	1161	Grab / Float				29-AUG-05 12:05:12PM	Qtz float in fgss or qtzite
B290572	452972	7100389	1170	Outcrop				29-AUG-05 12:11:36PM	Qtz vn in sandstone / qtzite
B290573	452990	7100466	1191	Outcrop				29-AUG-05 12:22:29PM	Qtz vn in Qtzite unit
B290574	453038	7100563	1222	Outcrop				29-AUG-05 12:31:16PM	Phyllite
B290575	453073	7100594	1240	Outcrop				29-AUG-05 12:40:18PM	Meters thick qtz vn in phyllite unit dipping 20 to NE
B290576	453139	7100668	1242	Outcrop				29-AUG-05 12:49:16PM	Qtz vn in phyllite
B290577	453211	7100729	1263	Outcrop				29-AUG-05 12:56:15PM	Qtz vns in phyllite
B290578	453281	7100818	1289	Grab				29-AUG-05 1:03:24PM	Qtz vn material in qtzite / sandstone
B290579	453354	7100920	1296	Outcrop				29-AUG-05 1:16:57PM	fgss / qtzite
B290580	453410	7100962	1293	Outcrop				29-AUG-05 1:26:10PM	Quartzite
B290581	453494	7100966	1297	Outcrop				29-AUG-05 1:33:15PM	fgss / qtzite
B290582	453597	7101031	1313	Outcrop				29-AUG-05 1:47:51PM	qtz float w/ in qtzite outcrop
B290583	453695	7101051	1300	Outcrop				29-AUG-05 1:58:54PM	fgss
B290584	453766	7101080	1284	Outcrop and				29-AUG-05 2:04:42PM	Qtz vns in Qtzite
B290585	453881	7101105	1283	Scree Grab				29-AUG-05 2:13:33PM	Qtz vns in Qtzite
B290586	454015	7101105	1340	Outcrop				29-AUG-05 2:39:30PM	Qtz vns in Qtzite
B290587	454109	7101086	1345	Outcrop				29-AUG-05 2:47:06PM	Quartzite
B290588	454153	7101191	1337	Grab				29-AUG-05 2:53:11PM	Qtz vns in Qtzite
B290589	454229	7101216	1338	Grab				29-AUG-05 3:00:03PM	Qtz vns in Qtzite
B290590	454290	7101223	1344	Outcrop				29-AUG-05 3:04:15PM	Quartzite
B290591	454368	7101250	1346	Outcrop				29-AUG-05 3:07:35PM	Quartzite
B290592	454453	7101334	1344	Outcrop				29-AUG-05 3:13:08PM	Quartzite
B290593	454542	7101335	1345	Grab / Float				29-AUG-05 3:19:47PM	Quartzite possible outcrop
B290594	454638	7101400	1348	Grab / Float				29-AUG-05 3:25:43PM	Quartzite
B290595	454717	7101467	1351	Grab / Float				29-AUG-05 3:37:14PM	Qtz boulder float in phyllite chips
B290596	454800	7101585	1364	Outcrop				29-AUG-05 3:44:44PM	Phyllite
B290597	452911	7098374	1072	Trench Grab				30-AUG-05 10:57:31AM	Qtz vn in phyllite
B290598	452989	7098437	1084	Grab / Float				30-AUG-05 11:03:00AM	Phyllite pieces
B290599	453049	7098421	1092	Trench Grab				30-AUG-05 11:10:47AM	oxidized galena sulfides some bleached zone in phyllite
B290600	453120	7098423	1101	Trench Grab				30-AUG-05 11:20:57AM	oxidized galena / silver sulfides some bleached zone in phyllite
B290601	453196	7098447	1115	Trench Grab				30-AUG-05 11:29:21AM	oxidized galena / silver sulfide in phyllite rock is olive green and grey ,
B290602	453240	7098483	1124	Trench Grab				30-AUG-05 11:38:30AM	oxidized galena / silver sulfide in phyllite and qtzite, rock is olive green
B290603	453336	7098519	1129	Trench Grab				30-AUG-05 11:46:05AM	oxidized material either py or aspy vn approx 1 meter wide striking 068 to 072
B290604	453415	7098451	1152	Grab / Float				30-AUG-05 11:52:11AM	Phyllite pieces on road

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290605	453480	7098390	1173	Outcrop / Chip				30-AUG-05 11:57:48AM	Qtz vns in phyllite outcrop
B290606	453582	7098425	1161	Outcrop / Chip				30-AUG-05 12:13:56PM	Qtz boulder outcrop along road side
B290607	453700	7098417	1158	Outcrop / Chip				30-AUG-05 12:19:39PM	Phyllite outcrop
B290608	453776	7098430	1152	Outcrop / Chip				30-AUG-05 12:27:44PM	Phyllite outcrop
B290609	453883	7098436	1160	Grab / Float				30-AUG-05 12:35:30PM	Phyllite chips sampled from road
B290610	453989	7098422	1174	Grab / Float				30-AUG-05 12:40:36PM	Qtz pieces sampled from road in Phyllite predominant chips
B290611	454093	7098433	1193	Grab / Float				30-AUG-05 12:46:21PM	Qtz pieces sampled from road in Phyllite predominant chips
B290612	454189	7098470	1206	Grab / Float				30-AUG-05 12:53:55PM	limonite stained Qtz pieces sampled from road in Phyllite predominant chips
B290613	454288	7098513	1223	Outcrop / Chip				30-AUG-05 1:04:34PM	Qtz vn chipped of phllite outcrop
B290614	454357	7098599	1229	Grab / Float				30-AUG-05 1:08:20PM	Qtz and phyllite sampled from phyllite outcrop
B290615	454436	7098653	1243	Trench Grab				30-AUG-05 1:19:26PM	Oxidized welded qtz vns and vuggy metaseds, limonite and abundant phyllite
B290616	454539	7098632	1264	Trench Grab				30-AUG-05 1:36:35PM	rusty metaseds , limonite, oxidized sulfides py? , in phyllite outcrop
B290617	454612	7098613	1279	Trench Grab				30-AUG-05 1:45:27PM	Qtzite with limonite , oxidized , in a phyllite outcrop exposed from trenching
B290618	454678	7098640	1278	Trench Grab				30-AUG-05 1:49:34PM	oxid galena / silver , rock is yellow / green coated layer w/ extensive
B290619	454770	7098727	1269	Trench Grab				30-AUG-05 2:07:39PM	Portal Entrance , 10 -12 meters wide oxid sulfide vn w/ galena, ground is
B290620	454855	7098823	1267	Outcrop / Chip				30-AUG-05 2:17:00PM	qtzte / phyllite w/ sheeted qtz vns (1 cm wide) outcrop
B290621	454865	7098870	1259	Outcrop / Chip				30-AUG-05 2:21:52PM	Qtz vn in phyllite outcrop
B290622	454882	7098967	1252	Grab / Float				30-AUG-05 2:28:40PM	Phyllite rubble from outcrop on road
B290623	454914	7099090	1249	Grab / Float				30-AUG-05 2:36:09PM	Qtz float on road in phyllite scree possible outcrop
B290624	454926	7099169	1273	Outcrop / Chip				30-AUG-05 2:43:23PM	Qtz vn in phyllite outcrop
B290625	454959	7099275	1285	Grab / Float				30-AUG-05 2:51:37PM	Qtzite on road
B290626	454977	7099352	1303	Outcrop / Chip				30-AUG-05 2:57:41PM	Qtz vn from Qtzte / Phyllite outcrop
B290627	455067	7099410	1294	Outcrop / Chip				30-AUG-05 3:07:46PM	Phyllite
B290628	455160	7099446	1294	Grab / Float				30-AUG-05 3:11:46PM	Qtz float in phyllite ground
B290629	454333	7100399	1348	Outcrop / Chip				31-AUG-05 9:07:30AM	Qtzite outcrop
B290630	454358	7100338	1346	Trench Chip				31-AUG-05 9:11:48AM	Qtzite chip from outcrop in trench
B290631	454396	7100284	1338	Outcrop / Chip				31-AUG-05 9:14:57AM	Phyllite
B290632	454483	7100235	1307	Grab / Float				31-AUG-05 9:22:50AM	Phyllite and Qtzite on road
B290633	454542	7100222	1293	Grab / Float				31-AUG-05 9:25:29AM	Qtz vn pieces in Phyllite outcrop? float
B290634	454626	7100180	1268	Grab / Float				31-AUG-05 9:30:46AM	Qtz vning in phyllite / Qtzite scree near outcrop
B290635	454703	7100142	1253	Grab / Float				31-AUG-05 9:37:32AM	Phyllite chips on road
B290636	454800	7100110	1246	Outcrop / Chip				31-AUG-05 9:42:46AM	Granodiorite
B290637	454839	7100101	1226	Outcrop / Chip				31-AUG-05 9:51:44AM	Qtz vns in granodiorite outcrop w/ some grano sampled
B290638	455027	7099947	1186	Grab / Float				31-AUG-05 10:02:26AM	Phyllite float grab sample by creek
B290639	455060	7099864	1186	Grab / Float				31-AUG-05 10:13:49AM	Qtzite
B290640	455110	7099786	1219	Grab / Float				31-AUG-05 10:22:10AM	Phyllite
B290641	455192	7099763	1267	Outcrop / Chip				31-AUG-05 10:33:33AM	Qtzite
B290642	455250	7099673	1279	Grab / Float				31-AUG-05 10:44:15AM	Qtzite
B290643	455311	7099595	1293	Outcrop / Chip				31-AUG-05 10:51:42AM	Qtzite
B290644	455309	7099519	1294	Grab / Float				31-AUG-05 11:03:41AM	Qtzite
B290645	455330	7099642	1289	Outcrop / Chip				31-AUG-05 11:14:43AM	Phyllite

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290646	455368	7099728	1277	Outcrop / Chip				31-AUG-05 11:22:23AM	Phyllite / Qtzite
B290647	455406	7099806	1279	Outcrop / Chip				31-AUG-05 11:30:01AM	Qtz vn in Qtzite outcrop
B290648	455432	7099883	1263	Outcrop / Chip				31-AUG-05 11:36:27AM	Qtz vn in qtzite
B290649	455499	7099959	1257	Outcrop / Chip				31-AUG-05 11:45:38AM	Phyllite
B290650	455617	7100036	1240	Outcrop / Chip				31-AUG-05 11:57:23AM	Phyllite
B290651	455671	7100125	1239	Outcrop / Chip				31-AUG-05 12:02:10PM	Phyllite
B290652	455757	7100167	1225	Outcrop / Chip				31-AUG-05 12:08:18PM	Phyllite
B290653	455834	7100222	1204	Outcrop / Chip				31-AUG-05 12:27:41PM	Phyllite
B290654	455922	7100253	1183	Outcrop / Chip				31-AUG-05 12:31:27PM	Phyllite
B290655	456019	7100262	1164	Grab / Float				31-AUG-05 12:36:07PM	Phyllite
B290656	456167	7100253	1153	Outcrop / Chip				31-AUG-05 12:41:49PM	Phyllite
B290657	456272	7100270	1134	Grab / Float				31-AUG-05 12:49:29PM	Phyllite
B290658	456374	7100283	1117	Grab / Float				31-AUG-05 12:52:35PM	Phyllite
B290659	456477	7100288	1107	Grab / Float				31-AUG-05 12:59:15PM	Phyllite
B290660	456589	7100305	1110	Outcrop / Chip				31-AUG-05 1:05:06PM	Qtzite boulders, poss outcrop
B290661	456664	7100359	1114	Outcrop / Chip				31-AUG-05 1:09:59PM	Qtz vn in qtzite
B290662	456746	7100414	1111	Outcrop / Chip				31-AUG-05 1:14:21PM	Phyllite
B290663	456813	7100481	1102	Outcrop / Chip				31-AUG-05 1:19:34PM	Phyllite
B290664	456885	7100540	1087	Outcrop / Chip				31-AUG-05 1:24:01PM	Phyllite
B290665	457010	7100644	1095	Grab / Float				31-AUG-05 1:30:45PM	Phyllite
B290666	457086	7100713	1114	Outcrop / Chip				31-AUG-05 1:38:42PM	Phyllite
B290667	457136	7100791	1116	Outcrop / Chip				31-AUG-05 1:44:17PM	Phyllite
B290668	457208	7100886	1109	Grab / Float				31-AUG-05 1:49:20PM	Qtzite float
B290669	461315	7106780	1476	Grab / Float				01-SEP-05 7:57:40AM	Qtz piece and phyllite chips , possible outcrop
B290670	461239	7106712	1480	Grab / Float				01-SEP-05 8:03:08AM	Qtz piece and phyllite chips , possible outcrop
B290671	461150	7106666	1480	Grab / Float				01-SEP-05 8:08:02AM	Qtz piece and phyllite chips , possible outcrop
B290672	461093	7106610	1485	Outcrop / Chip				01-SEP-05 8:13:01AM	Qtz and Phyllite
B290673	461002	7106641	1489	Outcrop / Chip				01-SEP-05 8:18:08AM	Qtz and Phyllite
B290674	460956	7106710	1501	Outcrop / Chip				01-SEP-05 8:23:45AM	Qtz and Phyllite
B290675	460861	7106736	1496	Chip /Grab				01-SEP-05 8:29:39AM	Qtz boulders in qtzite rubble
B290676	460768	7106768	1497	Chip /Grab				01-SEP-05 8:36:36AM	Qtz vn chips off qtzite / phyllite boulders
B290677	460667	7106773	1494	Grab / Float				01-SEP-05 8:42:17AM	Qtz / Qtzite
B290678	460574	7106756	1485	Grab / Float				01-SEP-05 8:47:08AM	Qtz vning qtzite float
B290679	460477	7106807	1474	Chip /Grab				01-SEP-05 8:52:36AM	Phyllitic Qtzite
B290680	460379	7106849	1467	Outcrop / Chip				01-SEP-05 8:58:45AM	Phyllite outcrop
B290681	460288	7106875	1447	Chip /Grab				01-SEP-05 9:06:07AM	Phyllitic Qtzite scree from outcrop
B290682	460183	7106892	1431	Grab / Float				01-SEP-05 9:11:53AM	Phyllite Chips
B290683	460075	7106897	1412	Grab / Float				01-SEP-05 9:17:12AM	Qtz vn and Phyllite Float
B290684	459975	7106896	1395	Outcrop / Chip				01-SEP-05 9:25:15AM	Qtzite boulders and qtz vning
B290685	459881	7106918	1385	Grab / Float				01-SEP-05 9:32:47AM	Qtz float
B290686	459786	7106883	1377	Chip /Grab				01-SEP-05 9:38:02AM	Phyllite and Qtzite rock
B290687	459697	7106851	1373	Grab / Float				01-SEP-05 9:43:12AM	Phyllite float
B290688	459601	7106878	1367	Chip /Grab				01-SEP-05 9:47:56AM	Qtz boulders and phylite float
B290689	459510	7106915	1360	Grab / Float				01-SEP-05 9:57:05AM	Qtzite / Phyllite rubble , large meter sized qtz boulder 2 meters due east

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290690	459417	7106942	1352	Grab / Float				01-SEP-05 10:02:14AM	Phyllite chips
B290691	459315	7106968	1345	Grab / Float				01-SEP-05 10:07:07AM	Phyllite chips , possible outcrop
B290692	459215	7106948	1340	Outcrop / Chip				01-SEP-05 10:11:54AM	Phyllite outcrop
B290693	459106	7106949	1332	Outcrop / Chip				01-SEP-05 10:16:57AM	Phyllite outcrop
B290694	459015	7106953	1326	Outcrop / Chip				01-SEP-05 10:21:52AM	Qtzite outcrop
B290695	458925	7106930	1320	Outcrop / Chip				01-SEP-05 10:25:56AM	Phyllite outcrop
B290696	458843	7106880	1314	Grab / Float				01-SEP-05 10:30:42AM	Qtz Vned qtzite float from outcrop grab
B290697	458769	7106805	1312	Grab / Float				01-SEP-05 10:35:34AM	Qtzite float
B290698	458688	7106834	1309	Grab / Float				01-SEP-05 10:41:57AM	Qtzite float
B290699	458594	7106867	1303	Outcrop / Chip				01-SEP-05 10:46:11AM	Qtzite
B290700	458492	7106881	1300	Outcrop / Chip				01-SEP-05 10:49:57AM	Qtzite
B290701	458426	7106817	1297	Outcrop / Chip				01-SEP-05 10:55:18AM	Phyllite / Qtzite outcrop
B290702	458351	7106871	1293	Outcrop / Chip				01-SEP-05 10:59:51AM	Qtz vned qtzite
B290703	458252	7106877	1283	Grab / Float				01-SEP-05 11:04:34AM	Qtzite float
B290704	458210	7106835	1282	Outcrop / Chip				01-SEP-05 11:09:10AM	Qtzite outcrop
B290705	461839	7105526	1351	Grab / Float				03-SEP-05 9:58:30AM	Phyllitic qtzite , possible outcrop
B290706	461805	7105466	1359	Grab / Float				03-SEP-05 10:02:46AM	Qtz flooded qtzite w/ oxidized material inclusive
B290707	461768	7105401	1367	Outcrop / Chip				03-SEP-05 10:07:40AM	Qtzite outcrop
B290708	461685	7105372	1354	Grab / Float				03-SEP-05 10:12:11AM	Qtzite float
B290709	461624	7105292	1320	Grab / Float				03-SEP-05 10:17:04AM	Qtz vning and qtzite float
B290710	461558	7105257	1315	Outcrop / Chip				03-SEP-05 10:21:29AM	Qtzite outcrop
B290711	461445	7105242	1295	Grab / Float				03-SEP-05 10:29:19AM	Qtzite float
B290712	461358	7105218	1277	Outcrop / Chip				03-SEP-05 10:32:01AM	Qtzite outcrop
B290713	461274	7105165	1251	Grab / Float				03-SEP-05 10:36:40AM	Qtzite float
B290714	461196	7105123	1234	Grab / Float				03-SEP-05 10:41:07AM	Qtzite float
B290715	461143	7105076	1221	Outcrop / Chip				03-SEP-05 10:44:44AM	Phyllite outcrop
B290716	461040	7105057	1206	Outcrop / Chip				03-SEP-05 10:49:14AM	Qtz vn / bleb (meters in size)
B290717	460954	7105028	1192	Outcrop / Chip				03-SEP-05 10:55:17AM	Phyllite / Qtzite outcrop
B290718	460850	7104974	1184	Outcrop / Chip				03-SEP-05 10:58:19AM	Phyllite / Qtzite outcrop
B290719	460525	7104813	1129	Grab / Float				03-SEP-05 11:16:50AM	Phyllite float
B290720	460592	7104860	1151	Outcrop / Chip				03-SEP-05 11:21:38AM	Phyllite / Qtzite outcrop
B290721	460643	7104905	1159	Outcrop / Chip				03-SEP-05 11:31:24AM	Qtzite outcrop
B290722	460717	7104941	1171	Outcrop / Chip				03-SEP-05 11:37:47AM	Qtzite outcrop
B290723	460769	7104955	1183	Outcrop / Chip				03-SEP-05 11:42:59AM	Qtzite outcrop
B290724	461782	7105749	1330	Outcrop / Chip				03-SEP-05 12:09:12PM	vned material in phyllite outcrop
B290725	461777	7105828	1335	Outcrop / Chip				03-SEP-05 12:14:08PM	Phyllite outcrop
B290726	461702	7105899	1335	Grab / Float				03-SEP-05 12:20:17PM	Qtzite float
B290727	461639	7105971	1335	Grab / Float				03-SEP-05 12:24:21PM	Qtzite float
B290728	461582	7106037	1359	Outcrop / Chip				03-SEP-05 12:28:18PM	Phyllitic qtzite
B290729	461514	7106110	1371	Grab / Float				03-SEP-05 12:34:18PM	Phyllite float
B290730	461420	7106160	1372	Grab / Float				03-SEP-05 12:41:02PM	Qtzite scree
B290731	461355	7106242	1383	Grab / Float				03-SEP-05 12:45:11PM	Phyllite float
B290732	461286	7106319	1400	Grab / Float				03-SEP-05 12:53:12PM	Phyllite float
B290733	461239	7106380	1414	Grab / Float				03-SEP-05 12:57:48PM	Phyllite float

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290734	461153	7106420	1439	Grab / Float				03-SEP-05 1:10:52PM	Qtzite float
B290735	461043	7106395	1456	Grab / Float				03-SEP-05 1:14:30PM	Phyllite chips
B290736	460982	7106306	1438	Outcrop / Chip				03-SEP-05 1:19:41PM	Qtzite outcrop
B290737	460994	7106415	1454	Outcrop / Chip				03-SEP-05 1:25:52PM	Phyllite outcrop and scree
B290738	460940	7106506	1482	Grab / Float				03-SEP-05 1:31:21PM	Qtzite float
B290739	460847	7106501	1485	Grab / Float				03-SEP-05 1:35:45PM	Qtzite float
B290740	460728	7106478	1477	Grab / Float				03-SEP-05 1:40:11PM	Qtzite float
B290741	460659	7106427	1464	Outcrop / Chip				03-SEP-05 1:49:05PM	Qtzite outcrop
B290742	460589	7106378	1448	Outcrop / Chip				03-SEP-05 1:51:19PM	Qtzite outcrop
B290743	460504	7106312	1446	Outcrop / Chip				03-SEP-05 2:00:04PM	Phyllitic qtzite outcrop
B290744	460408	7106287	1427	Grab / Float				03-SEP-05 2:04:38PM	Qtzite rubble
B290745	460295	7106275	1410	Grab / Float				03-SEP-05 2:11:06PM	Sanstone float
B290746	460196	7106245	1395	Grab / Float				03-SEP-05 2:20:51PM	Qtzite float
B290747	460129	7106178	1388	Outcrop / Chip				03-SEP-05 2:25:51PM	Phyllite / Qtzite outcrop
B290748	460069	7106092	1383	Grab / Float				03-SEP-05 2:30:05PM	Qtzite float possible outcrop
B290749	460004	7106021	1377	Grab / Float				03-SEP-05 2:34:10PM	Phyllite float
B290750	459914	7105982	1364	Grab / Float				03-SEP-05 2:42:12PM	Phyllite float
B290801	459811	7105960	1356	Grab / Float				03-SEP-05 2:46:17PM	Qtzite float
B290802	464702	7105230	1330	Outcrop / Chip				03-SEP-05 3:05:57PM	Phyllite / Qtzite outcrop
B290803	464782	7105280	1334	Outcrop / Chip				03-SEP-05 3:09:04PM	Phyllite outcrop, chiped out qtz vn for sample
B290804	464844	7105310	1330	Outcrop / Chip				03-SEP-05 3:13:15PM	Phyllite outcrop
B290805	464904	7105273	1327	Grab / Float				03-SEP-05 3:22:42PM	Qtzite float
B290806	464980	7105256	1336	Chip / Grab				03-SEP-05 3:27:37PM	Qtz / qtzite boulders
B290807	465070	7105275	1353	Grab / Float				03-SEP-05 3:32:15PM	Phyllite float
B290808	465163	7105292	1363	Grab / Float				03-SEP-05 3:50:58PM	Phyllite float
B290809	465295	7105328	1374	Grab / Float				03-SEP-05 3:56:35PM	Qtz and Phyllite float
B290810	465405	7105361	1383	Grab / Float				03-SEP-05 4:02:00PM	Qtz and Phyllite float
B290811	465496	7105379	1385	Grab / Float				03-SEP-05 4:07:54PM	Qtz and Phyllite float
B290812	465573	7105376	1398	Outcrop / Chip				03-SEP-05 4:13:17PM	Phyllite / Qtzite outcrop
B290813	465661	7105424	1403	Grab / Float				03-SEP-05 4:17:51PM	Qtz and Phyllite float
B290814	465708	7105458	1411	Outcrop / Chip				03-SEP-05 4:21:42PM	Phyllite w/ qtz vns some vugs in vning
B290815	465801	7105462	1406	Grab / Float				03-SEP-05 4:26:22PM	Phyllite float
B290816	465887	7105481	1416	Grab / Float				03-SEP-05 4:30:29PM	Qtz and Phyllite float
B290817	466000	7105482	1425	Grab / Float				03-SEP-05 4:35:43PM	Phyllite float
B290818	466108	7105471	1436	Grab / Float				03-SEP-05 4:46:08PM	Qtzite float, some qtz and vugs
B290819	466212	7105463	1440	Grab / Float				03-SEP-05 4:50:00PM	Phyllite float
B290820	466309	7105452	1436	Grab / Float				03-SEP-05 4:54:07PM	Phyllite float
B290821	466408	7105447	1443	Grab / Float				03-SEP-05 4:58:11PM	Phyllite w/ qtz vning
B290822	466502	7105463	1443	Outcrop / Chip				03-SEP-05 5:02:12PM	Qtzite float
B290823	468068	7105866	1494	Outcrop / Chip				04-SEP-05 8:48:37AM	Qtzite outcrop
B290824	468156	7105912	1478	Grab / Float				04-SEP-05 8:52:15AM	Qtz and Qtzite float
B290825	468252	7105884	1463	Grab / Float				04-SEP-05 8:56:41AM	Qtz and Qtzite float
B290826	468354	7105874	1448	Grab / Float				04-SEP-05 9:00:50AM	Qtz and Qtzite float on road bank
B290827	468451	7105852	1434	Grab / Float				04-SEP-05 9:05:31AM	Qtzite float

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290828	468548	7105842	1418	Grab / Float				04-SEP-05 9:09:36AM	Qtzite float
B290829	468681	7105816	1413	Grab / Float				04-SEP-05 9:14:26AM	Qtz and phyllite float
B290830	468769	7105766	1403	Grab / Float				04-SEP-05 9:18:13AM	Qtz and Qtzite float
B290831	468852	7105726	1394	Grab / Float				04-SEP-05 9:21:42AM	Qtz and qtzte/phyllite float
B290832	468942	7105681	1388	Outcrop / Chip				04-SEP-05 9:28:22AM	Phyllite outcrop
B290833	469040	7105635	1382	Grab / Float				04-SEP-05 9:32:35AM	Phyllite float
B290834	469097	7105577	1372	Outcrop / Chip				04-SEP-05 9:39:43AM	Qtz vning in qtzte/phyllite outcrop
B290835	469188	7105531	1364	Grab / Float				04-SEP-05 9:49:47AM	Qtzite float
B290836	469256	7105446	1370	Grab / Float				04-SEP-05 9:52:37AM	Qtzite float
B290837	469308	7105381	1373	Grab / Float				04-SEP-05 9:56:21AM	Phyllite float
B290838	469351	7105334	1368	Outcrop / Chip				04-SEP-05 10:01:34AM	Limestone outcrop
B290839	469345	7105234	1360	Outcrop / Chip				04-SEP-05 10:06:00AM	Limestone outcrop
B290840	469539	7105021	1333	Outcrop / Chip				04-SEP-05 10:13:49AM	Phyllitic qtzite outcrop
B290841	468173	7105717	1484	Grab / Float				04-SEP-05 10:33:12AM	Qtzite float
B290842	468211	7105626	1468	Grab / Float				04-SEP-05 10:38:57AM	Qtzite float
B290843	468273	7105545	1435	Grab / Float				04-SEP-05 10:44:51AM	Phyllite and qtzite float w/ qtz vning
B290844	468335	7105464	1419	Grab / Float				04-SEP-05 10:57:17AM	Qtzite float
B290845	468399	7105386	1405	Grab / Float				04-SEP-05 11:02:31AM	Qtz and Qtzite float
B290846	468451	7105307	1390	Grab / Float				04-SEP-05 11:07:15AM	Qtzite float
B290847	468495	7105213	1373	Grab / Float				04-SEP-05 11:11:54AM	Qtz and Qtzite float
B290848	468553	7105138	1362	Grab / Float				04-SEP-05 11:17:41AM	Qtzite float
B290849	468623	7105060	1349	Grab / Float				04-SEP-05 11:22:23AM	Qtzite boulders
B290850	468673	7104966	1344	Grab / Float				04-SEP-05 11:27:15AM	Phyllite float
B290851	468013	7105877	1499	Grab / Float					Phyllitic metaseds
B290852	467942	7105871	1509	Outcrop / Chip					Qtzite
B290853	467844	7105859	1510	Outcrop / Chip					Metaseds
B290854	467744	7105848	1530	Outcrop / Chip					Phyllitic metased / Qtzite
B290855	467645	7105842	1536	Grab / Float					Qtzite / metaseds
B290856	467542	7105847	1537	Outcrop / Chip					Qtzite / metaseds
B290857	467448	7105843	1535	Outcrop / Chip					Qtzite , top of Haggart dome
B290858	467356	7105799	1512	Grab / Float					Phyllitic metaseds
B290859	467263	7105759	1503	Outcrop / Chip					Phyllitic metaseds
B290860	467174	7105708	1492	Grab / Float					Phyllitic metaseds
B290861	467084	7105656	1482	Grab / Float					Phyllitic metaseds
B290862	466991	7105669		Grab / Float					Phyllitic metaseds
B290863	466894	7105585	1454	Grab / Float					Phyllitic metaseds
B290864	466818	7105517	1458	Grab / Float					Qtzite / Phyllitic metaseds
B290865	466720	7105489	1448	Grab / Float					Phyllitic metaseds
B290866	468709	7104884	1339	Grab / Float				04-SEP-05 11:32:54AM	Qtzite float
B290867	466617	7105480		Grab / Float					Phyllitic metaseds
B290868	468763	7104719	1316	Outcrop / Chip				04-SEP-05 11:51:09AM	Qtz vned phyllite outcrop
B290869	468780	7104629	1311	Outcrop / Chip				04-SEP-05 11:56:31AM	Phyllite and qtzite outcrop w/ qtz vning
B290870	468780	7104629	1311	Outcrop / Chip				04-SEP-05 11:56:31AM	Phyllte outcrop
B290871	468809	7104526	1310	Outcrop / Chip				04-SEP-05 12:01:04PM	Phyllite and qtzite outcrop

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290872	468838	7104425	1301	Outcrop / Chip				04-SEP-05 12:05:39PM	Qtz and phyllite outcrop
B290873	468836	7104363	1301	Grab / Float				04-SEP-05 12:08:59PM	Qtz and phyllite float from phyllite outcrop in trench
B290874	468853	7104263	1299	Grab / Float				04-SEP-05 12:15:24PM	Qtzite float
B290875	468858	7104155	1293	Grab / Float				04-SEP-05 12:20:07PM	Phyllite float
B290876	468884	7104051	1286	Grab / Float				04-SEP-05 12:24:18PM	Phyllite and qtzite float
B290877	468967	7104093	1274	Outcrop / Chip				04-SEP-05 12:29:57PM	Qtz vned phyllite outcrop
B290878	474653	7101187	1335	Outcrop / Chip				04-SEP-05 1:17:40PM	Diorite outcrop on whole peak of mountain
B290879	474607	7101111	1324	Outcrop/ Chip /				04-SEP-05 1:22:09PM	Diorite and qtz scree
B290880	474591	7101087	1315	Outcrop / Chip				04-SEP-05 1:30:53PM	Phyllite outcrop
B290881	474519	7101020	1297	Outcrop / Chip				04-SEP-05 1:34:24PM	Qtz vned sample in phyllite outcrop
B290882	474387	7100873	1289	Grab / Float				04-SEP-05 1:41:14PM	Phyllite float
B290883	474334	7100823	1295	Outcrop / Chip				04-SEP-05 1:56:23PM	Diorite qtz vn material from outcropping diorite
B290884	474256	7100841	1291	Grab / Float				04-SEP-05 1:58:36PM	Diorite float
B290885	474032	7100848	1266	Outcrop / Chip				04-SEP-05 2:07:11PM	Diorite outcrop
B290886	473978	7100930	1278	Outcrop / Chip				04-SEP-05 2:16:31PM	Diorite qtz vn material from outcropping diorite
B290887	474016	7100998	1273	Outcrop / Chip				04-SEP-05 2:19:17PM	Diorite outcrop
B290888	474071	7101089	1295	Grab / Float				04-SEP-05 2:31:04PM	Phyllite float
B290889	474100	7101227	1303	Outcrop / Chip				04-SEP-05 2:37:34PM	Diorite qtz vn material from outcropping diorite
B290890	474176	7101407	1305	Outcrop / Chip				04-SEP-05 2:44:14PM	Phyllite outcrop
B290891	474135	7101509	1306	Outcrop / Chip				04-SEP-05 3:02:53PM	Diorite outcrop
B290892	474058	7101516	1297	Outcrop / Chip				04-SEP-05 3:07:41PM	Phyllite outcrop
B290893	473802	7101567	1284	Outcrop / Chip				04-SEP-05 3:17:50PM	Phyllite and Qtz outcrop
B290894	473790	7101561	1282	Grab / Float				04-SEP-05 3:25:31PM	Granodiorite boulder float, possible outcrop
B290895	473728	7101588	1262	Grab / Float				04-SEP-05 3:29:52PM	Granodiorite boulder float, pos. outcrop, sampled a qtz vn , m-sized dead
B290896	473344	7101947	1276	Outcrop / Chip				04-SEP-05 4:09:05PM	Grano outcrop, grano boulder field from last point
B290897	472968	7102215	1263	Grab / Float				04-SEP-05 4:24:24PM	Granodiorite boulder float, possible outcrop
B290898	472819	7102273	1265	Grab / Float				04-SEP-05 4:33:40PM	Granodiorite boulder float
B290899	472525	7102386	1294	Grab / Float				05-SEP-05 11:38:41AM	Granodiorite float on outcrop
B290900	472487	7102479	1293	Grab / Float				05-SEP-05 11:45:54AM	Granodiorite boulder chip in boulder field
B290901	472425	7102556	1301	Grab / Float				05-SEP-05 11:51:42AM	Granodiorite boulder chip in boulder field, possible outcrop
B290902	472345	7102621	1305	Grab / Float				05-SEP-05 11:58:06AM	Granodiorite boulder chip in boulder field, possible outcrop
B290903	472305	7102636	1301	Grab / Float				05-SEP-05 12:02:22PM	qtz vned granodiorite in trench walls, trench was 200m long, N-S
B290904	472198	7102692	1308	Grab / Float				05-SEP-05 12:09:23PM	qtz vned granodiorite in trench walls, trench was 250m long, N-S
B290905	472121	7102710	1322	Outcrop / Chip				05-SEP-05 12:15:29PM	qtz vned granodiorite from outcrop peak
B290906	472073	7102833	1275	Grab / Float				05-SEP-05 12:28:39PM	Granodiorite outcrop, boulders on the road sampled
B290907	472041	7102907	1244	Grab / Float				05-SEP-05 12:36:47PM	Qtzite begins as outcrop on road, sample is brown in color (chert-like)
B290908	471994	7102958	1212	Grab / Float				05-SEP-05 12:43:43PM	Qtzite outcrop on road some qtz vns in sample
B290909	471991	7102970	1204	Grab / Float				05-SEP-05 12:50:34PM	Iron rust stained qtzite w/ galena-aspy like sulfides dissem found on scree slope
B290910	471947	7103027	1161	Grab / Float				05-SEP-05 12:58:50PM	Qtz and granodiorite scree float
B290911	471824	7103096	1095	Grab / Float				05-SEP-05 1:07:48PM	granodiorite scree float
B290912	471688	7103153	1088	Outcrop / Chip				05-SEP-05 1:19:13PM	granodiorite outcrop, cm sized x-cutting qtz vns, whole outcrop peak is
B290913	465967	7097252	1315	Outcrop / Chip				05-SEP-05 1:39:00PM	Phyllitic qtzite outcrop some qtz vning in sample
B290914	466036	7097273	1321	Outcrop / Chip				05-SEP-05 1:44:17PM	Qtz vned phyllite outcrop
B290915	466116	7097332	1326	Outcrop / Chip				05-SEP-05 1:49:27PM	Qtz vned phyllite outcrop

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290916	466209	7097349	1322	Grab / Float				05-SEP-05 1:56:00PM	Phyllite qtzite float
B290917	466295	7097346	1319	Outcrop / Chip				05-SEP-05 2:06:28PM	Phyllite qtzite float
B290918	466390	7097299	1335	Outcrop / Chip				05-SEP-05 2:25:29PM	Phyllite outcrop
B290919	466471	7097288	1333	Outcrop / Chip				05-SEP-05 2:30:02PM	Qtz vned phyllite outcrop
B290920	466555	7097295	1333	Outcrop / Chip				05-SEP-05 2:36:15PM	Qtz vned Qtzite outcrop
B290921	466654	7097320	1337	Outcrop / Chip				05-SEP-05 2:40:12PM	Phyllitic qtzite outcrop
B290922	466717	7097405	1339	Outcrop / Chip				05-SEP-05 2:46:02PM	Qtz vned phyllite outcrop
B290923	466781	7097460	1328	Outcrop / Chip				05-SEP-05 2:52:04PM	Qtz vned phyllite / Qtzite outcrop
B290924	466869	7097493	1312	Outcrop / Chip				05-SEP-05 3:00:21PM	Qtzite outcrop
B290925	459529	7102060	1050	Grab / Float				06-SEP-05 2:37:06PM	Trench Grab , Tin Dome , oxidized qtzite, like a breccia
B290926	459552	7102048	1049	Grab / Float				06-SEP-05 2:40:14PM	Trench Grab , Tin Dome , oxidized qtzite, like a breccia
B290927	459402	7101612	1025	Outcrop / Chip				06-SEP-05 2:46:19PM	Phyllite outcrop / scree on road side graphittic argillite, like metaseds
B290928	459290	7101730	1072	Grab / Float				06-SEP-05 3:03:43PM	Qtzite w/ oxidized nodules, poss sulfides, on roadside, Tin Dome
B290929	459315	7101704	1077	Outcrop / Chip				06-SEP-05 3:12:08PM	Outcrop in trench area oxidized, welded metaseds(qtzite), interpreted as
B290930	464862	7102070	1542	Outcrop / Chip				07-SEP-05 8:46:17AM	Phyllitic qtzite outcrop
B290931	464851	7102169	1527	Grab / Float				07-SEP-05 8:51:22AM	Qtz and Qtzite scree from below by 10meters of an outcrop of qtzite
B290932	464871	7102252	1489	Outcrop / Chip				07-SEP-05 8:56:43AM	Phyllitic qtzite outcrop
B290933	464963	7102306	1477	Outcrop / Chip				07-SEP-05 9:03:22AM	Phyllitic qtzite outcrop
B290934	465073	7102377	1467	Grab / Float				07-SEP-05 9:08:19AM	Qtzite float
B290935	465150	7102435	1462	Grab / Float				07-SEP-05 9:13:54AM	Qtzite float
B290936	465247	7102451	1463	Grab / Float				07-SEP-05 9:18:36AM	Qtzite float
B290937	465358	7102437	1456	Grab / Float				07-SEP-05 9:25:20AM	Qtzite float
B290938	465434	7102355	1455	Outcrop / Chip				07-SEP-05 9:32:09AM	Qtzite outcrop
B290939	465520	7102340	1455	Outcrop / Chip				07-SEP-05 9:36:24AM	Qtzite outcrop
B290940	465189	7102483	1456	Grab / Float				07-SEP-05 9:48:07AM	Qtzite float on road
B290941	465255	7102555	1446	Grab / Float				07-SEP-05 9:52:38AM	Qtzite float on road
B290942	465315	7102638	1437	Grab / Float				07-SEP-05 9:57:02AM	Qtz vned qtzite float
B290943	465377	7102702	1426	Grab / Float				07-SEP-05 10:00:55AM	Qtzite float
B290944	465448	7102774	1423	Grab / Float				07-SEP-05 10:04:29AM	Qtzite float on road
B290945	465538	7102827	1420	Grab / Float				07-SEP-05 10:08:00AM	Qtz vned qtzite float on road
B290946	465627	7102864	1412	Grab / Float				07-SEP-05 10:11:44AM	Qtz vned qtzite float on road
B290947	465695	7102930	1403	Grab / Float				07-SEP-05 10:15:32AM	Qtz vned qtzite float on road
B290948	465757	7103005	1395	Grab / Float				07-SEP-05 10:20:27AM	Qtz vned qtzite float on road
B290949	465836	7103074	1386	Grab / Float				07-SEP-05 10:25:14AM	Qtz and qtzite float
B290950	465908	7103137	1385	Grab / Float				07-SEP-05 10:30:12AM	Qtz and qtzite and granodiorite float on road
B290951	465981	7103199	1382	Grab / Float				07-SEP-05 10:33:58AM	Qtz vned qtzite float on road
B290952	466100	7103285	1379	Grab / Float				07-SEP-05 10:38:57AM	Qtz vned qtzite float on road
B290953	463532	7102567	1404	Outcrop / Chip				07-SEP-05 10:52:31AM	Qtzite outcrop
B290954	463457	7102594	1395	Outcrop / Chip				07-SEP-05 10:56:22AM	Qtzite outcrop
B290955	463369	7102622	1373	Grab / Float				07-SEP-05 11:01:58AM	Qtzite and Granodiorite float
B290956	463292	7102603	1362	Outcrop / Chip				07-SEP-05 11:06:37AM	Qtzite outcrop
B290957	463226	7102603	1358	Outcrop / Chip				07-SEP-05 11:11:50AM	Qtzite outcrop , mnr qtz vning in sample
B290958	463141	7102621	1357	Outcrop / Chip				07-SEP-05 11:19:06AM	Qtz vned qtzite outcrop
B290959	463045	7102614	1332	Grab / Float				07-SEP-05 11:23:40AM	Qtzite float
B290960	462940	7102618	1324	Grab / Float				07-SEP-05 11:28:31AM	Granodiorite boulder float

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B290961	462846	7102596	1319	Grab / Float				07-SEP-05 11:34:44AM	Granodiorite boulder float
B290962	462751	7102580	1318	Grab / Float				07-SEP-05 11:38:45AM	Granodiorite float
B290963	462655	7102547	1313	Grab / Float				07-SEP-05 11:44:52AM	Granodiorite float
B290964	461931	7102497	1270	Outcrop / Chip				07-SEP-05 1:58:17PM	Phyllite qtzite outcrop
B290965	461888	7102409	1273	Outcrop / Chip				07-SEP-05 2:00:43PM	Phyllite qtzite outcrop
B290966	461808	7102395	1266	Grab / Float				07-SEP-05 2:08:47PM	Phyllite float on road, poss outcrop
B290967	461697	7102372	1265	Grab / Float				07-SEP-05 2:12:44PM	Phyllitic qtzite float on road
B290968	461678	7102278	1263	Grab / Float				07-SEP-05 2:17:06PM	Qtzite float, gravel
B290969	461564	7102326	1252	Outcrop / Chip				07-SEP-05 2:22:27PM	Qtz vned qtzite outcrop
B290970	461511	7102263	1252	Outcrop / Chip				07-SEP-05 2:29:43PM	Qtz vned qtzite outcrop
B290971	461428	7102192	1261	Outcrop / Chip				07-SEP-05 2:33:24PM	Qtz vned qtzite outcrop
B290972	461350	7102142	1253	Grab / Float				07-SEP-05 2:38:11PM	Phyllite qtzite float
B290973	461184	7101977	1251	Grab / Float				07-SEP-05 2:45:26PM	Qtz vn float
B290974	461089	7102079	1242	Grab / Float				07-SEP-05 2:51:23PM	Qtzite float on road
B290975	460989	7102090	1233	Grab / Float				07-SEP-05 2:55:53PM	Qtz vned qtzite float on road
B290976	460872	7102035	1233	Outcrop / Chip				07-SEP-05 3:02:26PM	Qtz vn pieces abundant in qtzite outcrop, sample taken from little shallow
B290977	460795	7102068	1221	Grab / Float				07-SEP-05 3:22:04PM	Qtzite float on road
B290978	460700	7102029	1212	Grab / Float				07-SEP-05 3:25:37PM	Qtzite float, gravel on road
B290979	460588	7102009	1202	Grab / Float				07-SEP-05 3:30:21PM	Qtzite float, gravel on road, possible outcrop
B290980	460499	7101966	1184	Grab / Float				07-SEP-05 3:34:21PM	Qtzite float, gravel and boulders on road, possible outcrop nearby or below
B290981	460403	7101941	1161	Grab / Float				07-SEP-05 3:39:05PM	Qtzite float, gravel and boulders on road, possible outcrop nearby or below
B290982	460307	7101888	1148	Grab / Float				07-SEP-05 3:43:08PM	Qtz vned qtzite float on road
B290983	460244	7101950	1134	Grab / Float				07-SEP-05 3:46:53PM	Qtzite boulders float from road
B290984	460189	7102038	1115	Grab / Float				07-SEP-05 3:50:18PM	Qtzite boulders float from road
B290985	460105	7102094	1093	Grab / Float				07-SEP-05 3:54:02PM	Qtzite gravel / boulders / float on road
B290986	460012	7102156	1074	Grab / Float				07-SEP-05 4:00:59PM	Qtzite rubble float on road
B290987	454706	7097303	1194	Outcrop / Chip				08-SEP-05 1:57:03PM	Phyllite Qtzite outcrop
B290988	454619	7097275	1172	Outcrop / Chip				08-SEP-05 2:01:54PM	Phyllite outcrop
B290989	454521	7097257	1146	Grab / Float				08-SEP-05 2:04:34PM	Qtz float in phyllite chips
B290990	454391	7097247	1119	Outcrop / Chip				08-SEP-05 2:08:55PM	Oxidized qtz vn pieces in phyllite outcrop from trench
B290991	454293	7097207	1126	Outcrop / Chip				08-SEP-05 2:14:14PM	Phyllite outcrop
B290992	454210	7097154	1134	Outcrop / Chip				08-SEP-05 2:19:50PM	Qtz vns in phyllite outcrop (ridge top)
B290993	454082	7097135	1120	Outcrop / Chip				08-SEP-05 2:23:45PM	Phyllite outcrop, strata lying flat to surface
B290994	453970	7097089	1121	Outcrop / Chip				08-SEP-05 2:27:23PM	Qtz vns in qtzite outcrop
B290995	453866	7097061	1111	Grab / Float				08-SEP-05 2:31:26PM	Qtzite rubble float on road
B290996	453776	7097014	1096	Outcrop / Chip				08-SEP-05 2:35:29PM	Qtz vns in qtzite outcrop
B290997	453674	7096998	1085	Grab / Float				08-SEP-05 2:38:40PM	Phyllite Qtzite float
B290998	453588	7096965	1088	Outcrop / Chip				08-SEP-05 2:42:32PM	Qtzite outcrop
B290999	454801	7097321	1204	Grab / Float				08-SEP-05 3:06:30PM	Qtz vns in qtzite float
B291000	454897	7097339	1212	Grab / Float				08-SEP-05 3:14:29PM	Qtz vns in qtzite float
B627451	454989	7097386	1218	Grab / Float				08-SEP-05 3:18:11PM	Qtzite rubble float on road
B627452	455095	7097448	1226	Grab / Float				08-SEP-05 3:21:34PM	Phyllite qtzite float

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B627453	455200	7097450	1218	Grab / Float				08-SEP-05 3:25:09PM	Phyllite qtzite float
B627454	455317	7097502	1213	Grab / Float				08-SEP-05 3:29:39PM	Phyllite qtzite float
B627455	455353	7097590	1202	Grab / Float				08-SEP-05 3:34:35PM	Phyllite float on road
B627456	455332	7097676	1202	Grab / Float				08-SEP-05 3:38:51PM	Phyllite float on road
B627457	456283	7097304	1072	Grab / Float				08-SEP-05 4:15:44PM	Bornite and pyrite in metaseds in waste dump rock at old mine site
B627458	455378	7097541	1200	Grab / Float				09-SEP-05 9:51:55AM	qtz vned qtzite float on road
B627459	455515	7097458	1199	Grab / Float				09-SEP-05 9:58:00AM	Qtz boulder float on road
B627460	455623	7097428	1183	Grab / Float				09-SEP-05 10:02:09AM	Phyllite float on road
B627461	455727	7097396	1185	Grab / Float				09-SEP-05 10:07:23AM	Phyllite qtzite float on road
B627462	455848	7097266	1184	Grab / Float				09-SEP-05 10:12:13AM	Qtzite float on road
B627463	455909	7097179	1189	Grab / Float				09-SEP-05 10:16:08AM	Qtzite float on road
B627464	455978	7097061	1183	Grab / Float				09-SEP-05 10:20:44AM	Phyllite float from push pile
B627465	456038	7096981	1183	Grab / Float				09-SEP-05 10:26:12AM	Phyllite qtzite float
B627466	455926	7096942	1171	Outcrop / chip				09-SEP-05 10:31:07AM	Qtzite outcrop from trench wall
B627467	455850	7096880	1166	Outcrop / chip				09-SEP-05 10:36:31AM	Qtzite outcrop from trench wall
B627468	455762	7096847	1159	Grab / Float				09-SEP-05 10:39:30AM	Qtzite float
B627469	455795	7096724	1165	Grab / Float				09-SEP-05 10:45:56AM	Phyllite qtzite float on road
B627470	455726	7096620	1152	Grab / Float				09-SEP-05 10:52:53AM	Qtzite float on road
B627471	455664	7096536	1142	Grab / Float				09-SEP-05 10:59:26AM	Qtzite float
B627472	455617	7096455	1126	Outcrop / chip				09-SEP-05 11:04:36AM	Phyllite qtzite outcrop from trench
B627473	455522	7096386	1108	Grab / Float				09-SEP-05 11:09:13AM	Qtzite float on road
B627474	455470	7096324	1085	Grab / Float				09-SEP-05 11:13:28AM	Qtzite float on road
B627475	455416	7096235	1068	Grab / Float				09-SEP-05 11:17:35AM	Qtzite float on road
B627476	455287	7096134	1064	Grab / Float				09-SEP-05 11:23:05AM	Qtzite float on road
B627477	455220	7096082	1079	Outcrop / chip				09-SEP-05 11:26:56AM	Qtzite outcrop from trench wall
B627478	455166	7096049	1086	Grab / Float				09-SEP-05 11:35:00AM	Qtzite float on road
B627479	455081	7095983	1088	Grab / Float				09-SEP-05 11:38:11AM	Qtzite float on road
B627480	455007	7095920	1087	Grab / Float				09-SEP-05 11:40:49AM	Qtzite float on road
B627481	467629	7097345	1246	Outcrop / chip				09-SEP-05 1:08:53PM	Granodiorite outcrop
B627482	467603	7097438	1231	Grab / Float				09-SEP-05 1:12:34PM	Granodiorite float
B627483	467606	7097507	1226	Outcrop / chip				09-SEP-05 1:17:23PM	Phyllite outcrop w/ qtz eyes in sample
B627484	467662	7097562	1209	Outcrop / chip				09-SEP-05 1:21:06PM	Phyllite outcrop
B627485	467694	7097626	1192	Outcrop / chip				09-SEP-05 1:25:40PM	Phyllite outcrop
B627486	467758	7097713	1166	Outcrop / chip				09-SEP-05 1:30:12PM	Phyllite outcrop
B627487	467768	7097819	1162	Outcrop / chip				09-SEP-05 1:35:46PM	Phyllite outcrop
B627488	467820	7097903	1136	Outcrop / chip				09-SEP-05 1:39:33PM	Phyllitic qtzite outcrop
B627489	467816	7097954	1124	Outcrop / chip				09-SEP-05 1:43:08PM	Qtz and qtzite outcrop
B627490	467816	7097954	1124	Outcrop / chip				09-SEP-05 1:43:08PM	Phyllite outcrop
B627491	467816	7098241	1063	Outcrop / chip				09-SEP-05 1:54:35PM	Phyllitic qtzite outcrop
B627492	467832	7098371	1063	Outcrop / chip				09-SEP-05 2:00:02PM	Qtz and qtzite outcrop
B627493	467793	7098475	1029	Grab / Float				09-SEP-05 2:05:40PM	Qtzite boulder float
B627494	463104	7099733	1389	Grab / Float				09-SEP-05 2:27:27PM	Qtz and qtzite float on road
B627495	463119	7099820	1388	Outcrop / chip				09-SEP-05 2:31:05PM	Qtz and qtzite outcrop
B627496	463145	7099925	1386	Outcrop / chip				09-SEP-05 2:35:36PM	Qtzite outcrop

Sample	Easting NAD 27	Northing NAD 27	Elev	SampleType	Strike	Dip	Dip Dir.	Date & Sampler	Sample Notes
B627497	463243	7099948	1381	Outcrop / chip				09-SEP-05 2:39:24PM	Qtzite outcrop
B627498	463241	7100070	1388	Outcrop / chip				09-SEP-05 3:06:17PM	Qtzite outcrop
B627499	463318	7100116	1388	Grab / Float				09-SEP-05 3:12:57PM	Granodiorite float possible outcrop
B627500	463390	7100187	1398	Grab / Float				09-SEP-05 3:17:26PM	Qtzite float
B627501	463456	7100267	1401	Outcrop / chip				09-SEP-05 3:22:33PM	Qtz and qtzite outcrop
B627502	463499	7100319	1416	Outcrop / chip				09-SEP-05 3:26:06PM	Qtzite outcrop
B627503	463554	7100411	1426	Outcrop / chip				09-SEP-05 3:31:52PM	Qtzite outcrop
B627504	463619	7100509	1420	Outcrop / chip				09-SEP-05 3:37:42PM	Poss. mafic dyke outcrop in trench green/ mafics/ w/ calcite vnlets,
B627505	463702	7100569	1419	Grab / Float				09-SEP-05 3:43:19PM	granodiorite and qtzite float
B627506	463757	7100641	1409	Grab / Float				09-SEP-05 3:46:44PM	Qtzite float
B627507	463905	7100728	1388	Outcrop / chip				09-SEP-05 4:04:02PM	Qtzite outcrop
B627508	451905	7096407	772	outcrop / chip				10-SEP-05 4:04:02PM	qtzite w/ green material (40%) looks siliceous like torquoise
B627509	451554	7096274	745	outcrop / chip				10-SEP-05 4:04:02PM	3 in qtz vn on foln in qtzite outcrop
B290037	459135	7100843		MS	130	55	SW		Massive sulphide vein; <5 to 15cm thick, 10-12 at sample location; 50% Aspy, 10% py, 40%+ qtz, panned oxide material, no vg, though lots of sulphides, modly oxidized, possible to find a fresh very siliceous surface, outcrop over 10m, vein near vertical
B290038	459196	7100857		QV	140	20	SW		15 to 30 cm quartz vein with 1-3% aspy and 1-2% py on margins, and locally diss as coarse 1-2mm xtls, no vg, 5% blotchy yellow carbonate, appears to be parallel to banding in metased
B290039	459200	7100862		QV	135	23	SW		Possibly the same quartz vein as previous, smokey white to grey quartz; 1-3% aspy on margins and locally disseminations; 4-14cm wide, boudinaged, adjacent to gougy and graphitic flt?; visible for 3m along strike;
B290040	459437	7100976		QV	170	58	SW		Quartz vein parallel to metased banding; 10-20cm thick; white to grey quartz with 2-4% sulphides including pyrite and aspy; metaseds possibly steepen or folded to E; boudinaged
B290041	461359	7100977		Grab	100	90	S		Dip 90 to 85 deg
B290042	458269	7100365		Sulphide Veins					Numerous veins at Haggart Creek, no orientation given
B290043	458269	7100365		Sulphide Veins					Weathered Aspy
B290044	458269	7100364		Sulphide Veins					
B290045	458269	7100362		Sulphide Veins					Weathered Sulphide veins; vein material at Haggart Creek
B290046	458269	7100360		Sulphide Veins					Haggart Creek
B290047	459232	7102931		Massive Aspy					Haggart Creek Tin Dome Property
B290048	459262	7102931		Massive Aspy					Tin Dome Property; Massive sulphide Aspy, Haggart Creek
B290049	459232	7102931		Massive Sulphide					Massive sulphide Float, Tim Dome, Haggart Creek
B290050	459232	7102991		Massive Sulphide					Massive Sulphide Float, Haggart Creek, Across creek from Massive Aspy
B290051	462385	7101777		Sulphide Veins					Aspy Float from waste pile at Cascallen Vein

APPENDIX M

ALS Chemex Assay Certificates

- Rock Samples -

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 1
Finalized Dat -JUN-2005
Account: STRGOL

CERTIFICATE VA05047182

Project: Dublin Gulch-1735

P.O. No.:

This report is for 4 Rock samples submitted to our lab in Vancouver, BC, Canada on 15-JUN-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	


SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	A	AAS
Hg-CV41	T	FIMS
ME-ICP61	2	ICP-AES

Soils/Rocks



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

094876

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-JUN-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05047182

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290037		2.56	1.415	5.5	1.73	9460	70	0.6	27	0.28	<0.5	21	33	1295	30.6	0.05
B290038		2.34	0.081	<0.5	0.98	3080	40	<0.5	<2	0.21	<0.5	19	33	19	1.12	<0.01
B290039		1.60	<0.005	<0.5	1.00	18	40	<0.5	2	0.04	<0.5	3	33	11	1.52	<0.01
B290040		1.42	<0.005	<0.5	1.12	26	50	<0.5	<2	0.27	<0.5	4	36	26	1.35	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 24-JUN-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05047182

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290037		0.57	0.59	410	<1	0.01	24	360	150	>10.0	35	18	0.06	22	10	43
B290038		0.25	0.18	55	<1	0.07	15	460	<2	0.33	<5	22	0.05	10	<10	7
B290039		0.16	0.39	74	<1	0.05	10	110	29	0.12	<5	7	0.03	9	<10	35
B290040		0.29	0.26	101	1	0.12	8	270	3	0.41	<5	42	0.03	7	<10	11

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D(3-JUL-2005
Account: STRGOL

CERTIFICATE VA05051387

Project: Dublin Gulch-1735

P.O. No.:

This report is for 11 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-JUN-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	


SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Pb-AA62	Ore grade Pb - four acid / AAS	AAS
Au-GRA21	Au 30g FA-GRAV finish	WST-SIM

Rock samples around DG



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05051387

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290041		0.44	5.57	11.2	1.79	>10000	200	0.5	157	0.05	1.9	2	58	95	10.40	1.31
B290042		1.50	0.892	46.2	0.68	2340	40	<0.5	20	2.29	36.1	11	9	109	25.7	2.12
B290043		2.38	0.966	34.6	2.04	2520	80	0.5	4	0.11	6.7	12	76	112	25.5	3.87
B290044		2.44	0.445	15.1	4.61	1660	100	0.9	7	0.02	0.5	13	54	118	15.70	0.40
B290045		2.00	0.983	16.8	2.64	1790	110	0.6	22	0.04	1.1	7	71	13	13.10	1.98
B290046		1.04	0.561	12.2	2.35	1400	90	0.6	2	0.01	0.8	5	24	15	11.50	1.92
B290047		1.32	1.470	4.2	0.99	>10000	30	<0.5	77	0.11	6.1	558	49	21	25.1	0.11
B290048		1.54	0.435	2.7	0.83	>10000	30	<0.5	40	0.06	3.1	352	11	268	31.0	0.38
B290049		1.96	0.673	2.7	3.40	>10000	70	0.8	48	0.11	6.2	131	65	120	12.30	0.78
B290050		1.80	0.011	0.6	2.44	588	90	<0.5	21	0.29	0.7	47	57	646	8.79	0.01
B290051		1.92	>10.0	57.7	0.38	>10000	50	<0.5	529	<0.01	13.3	15	53	65	21.1	2.12

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05051387

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290041		0.79	0.07	88	8	0.01	4	3440	1085	0.31	725	42	0.07	65	20	39
B290042		0.31	0.45	421	<1	0.01	10	80	>10000	>10.0	>10000	28	0.02	5	<10	6120
B290043		0.98	0.15	50	<1	0.02	18	170	>10000	>10.0	5010	21	0.09	21	10	1460
B290044		2.04	0.29	44	1	0.02	29	60	5490	>10.0	316	29	0.20	73	10	67
B290045		1.13	0.19	69	<1	0.07	12	70	>10000	>10.0	4200	25	0.10	22	10	51
B290046		1.16	0.17	36	<1	0.01	7	30	2190	>10.0	138	10	0.11	19	10	98
B290047		0.11	0.41	138	1	0.07	386	150	132	>10.0	936	20	0.03	27	10	269
B290048		0.14	0.20	73	2	0.06	228	60	57	>10.0	1390	89	0.02	14	10	36
B290049		0.26	0.52	131	1	0.23	35	190	92	4.54	457	90	0.08	61	<10	108
B290050		0.68	0.66	233	<1	0.02	40	140	14	6.04	22	8	0.26	124	10	10
B290051		0.16	0.01	27	<1	<0.01	9	30	3040	>10.0	1360	7	0.01	<1	10	2360

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
/01-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-JUL-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05051387

Sample Description	Method	Pb-AA62	Au-GRA21
	Analyte	Pb	Au
	Units	%	ppm
	LOR	0.01	0.05
B290041			
B290042		8.61	
B290043		2.40	
B290044			
B290045		1.17	
B290046			
B290047			
B290048			
B290049			
B290050			
B290051			34.7

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da / -SEP-2005
Account: STRGOL

CERTIFICATE VA05074730

Project: Dublin Gulch-1735

P.O. No.:

This report is for 25 Rock samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074730

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290401		0.56	<0.005	<0.5	1.61	15	70	<0.5	<2	0.03	<0.5	3	16	7	1.06	0.01
B290402		1.88	0.005	<0.5	2.47	<5	90	<0.5	<2	0.04	<0.5	5	28	6	1.18	<0.01
B290403		0.48	0.032	2.4	1.26	421	30	<0.5	11	0.02	<0.5	56	28	772	13.05	0.15
B290404		Not Recvd														
B290405		0.68	0.015	<0.5	2.92	14	160	0.6	<2	0.01	<0.5	1	21	5	0.72	0.09
B290406		0.52	0.005	<0.5	0.17	20	20	<0.5	<2	0.01	<0.5	<1	25	7	0.77	0.79
B290407		0.96	<0.005	<0.5	1.81	71	220	<0.5	<2	0.01	<0.5	<1	30	9	1.66	0.29
B290408		0.60	<0.005	<0.5	1.93	5	80	<0.5	<2	0.01	<0.5	1	20	7	0.90	0.04
B290409		0.92	<0.005	<0.5	0.18	<5	10	<0.5	<2	0.02	<0.5	<1	34	2	0.64	0.02
B290410		0.50	<0.005	<0.5	0.94	11	50	<0.5	<2	0.01	<0.5	<1	14	4	1.09	0.02
B290411		0.64	<0.005	<0.5	0.74	7	60	<0.5	<2	0.01	<0.5	<1	22	2	0.41	0.05
B290412		0.62	<0.005	<0.5	0.10	8	20	<0.5	<2	0.03	<0.5	1	23	2	0.36	<0.01
B290413		0.18	<0.005	<0.5	0.41	<5	20	<0.5	<2	0.05	<0.5	1	12	4	1.17	<0.01
B290414		1.20	<0.005	<0.5	0.06	5	10	<0.5	<2	0.01	<0.5	<1	25	2	0.33	0.01
B290415		0.92	<0.005	<0.5	0.32	10	10	<0.5	<2	0.01	<0.5	1	33	3	0.53	<0.01
B290416		1.44	<0.005	<0.5	1.14	<5	60	<0.5	<2	0.03	<0.5	3	32	4	0.63	0.01
B290417		0.78	<0.005	<0.5	2.33	7	20	<0.5	<2	0.03	<0.5	4	17	2	0.70	<0.01
B290418		0.70	<0.005	<0.5	0.36	8	20	<0.5	<2	0.07	<0.5	1	28	2	0.48	<0.01
B290419		0.74	<0.005	<0.5	0.72	7	30	<0.5	<2	0.92	<0.5	1	16	4	0.86	<0.01
B290420		1.06	<0.005	<0.5	1.40	<5	40	<0.5	<2	0.27	<0.5	2	18	9	1.08	<0.01
B290421		1.76	<0.005	<0.5	5.12	<5	1000	1.4	<2	0.19	<0.5	7	38	24	2.59	<0.01
B290422		1.00	<0.005	<0.5	2.68	5	200	<0.5	<2	1.06	<0.5	4	21	10	3.19	0.01
B290423		0.64	<0.005	<0.5	1.50	15	110	<0.5	<2	0.03	<0.5	3	19	11	1.56	<0.01
B290424		1.08	0.007	<0.5	3.10	5	130	0.5	<2	18.35	<0.5	4	17	4	1.76	0.01
B290425		1.46	0.005	<0.5	1.23	7	60	<0.5	<2	0.01	<0.5	<1	26	7	3.33	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074730

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B290401		0.19	0.12	114	<1	0.61	9	140	13	0.01	<5	22	0.05	10	<10	18
B290402		0.02	0.02	701	<1	1.76	9	150	7	0.03	<5	59	0.04	3	<10	12
B290403		0.14	0.05	57	<1	0.01	41	60	12	8.50	36	23	0.11	50	<10	13
B290404																
B290405		0.67	0.06	38	<1	0.02	3	90	8	0.01	5	15	0.10	21	<10	11
B290406		0.05	0.01	23	<1	<0.01	3	40	9	0.02	10	2	0.01	3	<10	2
B290407		0.75	0.11	36	<1	0.01	1	60	7	0.01	21	3	0.08	21	<10	4
B290408		0.12	0.01	77	<1	0.01	7	100	6	0.01	<5	10	0.06	9	<10	17
B290409		0.02	<0.01	79	<1	0.01	5	100	5	<0.01	<5	3	0.01	2	<10	5
B290410		0.11	0.01	56	<1	0.01	4	120	9	0.01	<5	5	0.04	8	<10	13
B290411		0.21	0.05	23	1	0.01	1	40	20	0.01	<5	3	0.04	8	<10	2
B290412		0.02	<0.01	86	<1	0.01	3	130	3	0.01	<5	5	<0.01	1	<10	2
B290413		0.05	0.07	93	1	0.01	7	270	2	<0.01	<5	8	0.01	3	<10	16
B290414		<0.01	<0.01	18	<1	0.03	1	30	<2	<0.01	<5	1	<0.01	<1	<10	<2
B290415		0.01	<0.01	95	<1	0.20	4	80	<2	<0.01	<5	7	<0.01	1	<10	8
B290416		0.12	0.06	280	<1	0.50	9	150	13	0.01	<5	15	0.03	6	<10	15
B290417		0.01	<0.01	401	<1	1.67	6	180	4	<0.01	<5	44	0.02	1	<10	8
B290418		0.04	0.03	141	1	0.11	4	40	4	<0.01	<5	8	0.01	2	<10	5
B290419		0.06	0.12	216	<1	0.26	5	150	34	<0.01	<5	51	0.01	4	<10	11
B290420		0.06	0.04	529	<1	0.84	7	350	26	<0.01	<5	19	0.01	3	<10	10
B290421		2.13	0.60	590	<1	0.06	17	310	21	<0.01	<5	30	0.23	49	<10	59
B290422		0.53	0.27	622	<1	0.53	19	280	24	0.01	<5	33	0.06	18	<10	36
B290423		0.28	0.04	433	<1	0.58	8	130	21	0.01	<5	14	0.03	8	<10	18
B290424		0.78	0.23	832	1	1.04	10	790	50	0.24	<5	1005	0.09	18	<10	34
B290425		0.35	0.05	30	<1	0.01	<1	80	18	0.01	6	4	0.04	9	<10	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 6-SEP-2005
Account: STRGOL

CERTIFICATE VA05074736

Project: Dublin Gulch-1735

P.O. No.:

This report is for 32 Rock samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Pb-AA62	Ore grade Pb - four acid / AAS	AAS
Ag-AA62	Ore grade Ag - four acid /AAS	AAS
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074736

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290427		1.08	<0.005	<0.5	7.31	21	1100	4.0	<2	1.54	<0.5	<1	12	2	1.08	0.01
B290428		1.62	<0.005	<0.5	0.23	5	20	<0.5	<2	0.09	<0.5	<1	20	5	0.58	0.01
B290529		2.04	0.051	>100	0.08	144	<10	<0.5	6	0.06	92.8	<1	4	3350	40.1	3.27
B290530		1.30	<0.005	6.1	2.07	443	230	<0.5	<2	0.01	0.5	<1	26	18	1.54	0.23
B290531		1.72	0.025	>100	0.85	414	60	<0.5	4	0.04	63.5	<1	7	1735	20.3	1.84
B290532		1.50	0.020	>100	0.22	3280	10	<0.5	<2	<0.01	44.4	5	4	294	40.3	0.42
B290533		1.68	0.095	>100	0.54	2070	40	<0.5	3	1.92	59.4	2	18	298	17.50	3.63
B290534		0.58	<0.005	2.2	9.70	34	790	2.4	2	0.04	<0.5	3	85	16	4.65	0.03
B290535		0.98	0.075	5.9	0.67	96	10	<0.5	<2	0.01	0.5	1	19	24	1.69	0.06
B290536		1.44	<0.005	0.8	0.14	9	10	<0.5	<2	0.02	<0.5	<1	18	4	0.64	0.01
B290537		1.42	0.043	19.4	1.67	268	20	<0.5	<2	0.01	0.5	<1	19	10	1.47	0.16
B290538		1.14	0.445	5.2	5.39	>10000	350	2.2	351	0.07	1.0	34	43	24	7.88	0.02
B290539		0.72	<0.005	<0.5	7.63	105	1610	2.8	2	2.16	0.5	8	45	6	3.13	0.01
B290540		0.98	<0.005	<0.5	0.42	50	30	<0.5	<2	0.01	<0.5	<1	21	5	0.87	0.01
B290541		0.84	<0.005	<0.5	8.35	27	770	2.9	<2	0.01	<0.5	1	87	26	3.82	0.01
B290542		1.44	<0.005	<0.5	2.53	13	210	0.8	<2	<0.01	<0.5	<1	21	7	1.12	0.01
B290543		1.06	<0.005	<0.5	2.32	5	160	0.6	<2	0.01	<0.5	<1	55	7	1.94	0.01
B290544		1.14	<0.005	<0.5	2.79	<5	180	0.6	<2	0.02	<0.5	<1	16	6	0.77	0.05
B290545		0.86	<0.005	<0.5	3.02	<5	130	0.6	<2	0.02	1.0	10	52	8	1.64	0.01
B290546		0.60	<0.005	0.5	0.70	<5	30	<0.5	<2	0.14	<0.5	<1	23	9	1.26	0.04
B290547		0.82	<0.005	<0.5	1.40	5	80	<0.5	<2	0.10	<0.5	1	75	5	1.64	<0.01
B290548		0.74	<0.005	<0.5	0.15	14	10	<0.5	<2	0.04	2.1	2	22	4	0.56	0.02
B290549		0.80	<0.005	<0.5	0.69	<5	10	<0.5	<2	0.01	<0.5	2	78	6	0.75	0.01
B290550		0.34	<0.005	<0.5	0.19	6	10	<0.5	<2	0.02	<0.5	<1	21	3	0.54	0.01
B290551		0.32	<0.005	<0.5	7.73	25	1580	2.9	<2	2.06	0.6	7	63	11	2.93	<0.01
B290552		0.60	<0.005	<0.5	0.43	27	40	<0.5	<2	0.02	<0.5	<1	31	7	0.80	0.01
B290553		0.58	<0.005	<0.5	0.62	<5	10	<0.5	<2	0.03	<0.5	<1	71	9	0.68	<0.01
B290554		0.64	0.012	<0.5	7.47	23	1160	2.6	<2	0.32	<0.5	4	38	7	2.29	<0.01
B290555		0.66	0.007	<0.5	5.64	12	500	1.5	3	0.02	<0.5	3	69	15	2.91	0.01
B290556		0.76	<0.005	<0.5	2.54	<5	100	<0.5	<2	0.02	<0.5	2	23	9	1.48	<0.01
B290557		0.76	<0.005	1.0	1.24	10	80	<0.5	<2	0.01	0.5	<1	24	11	1.16	0.11
B290558		0.70	<0.005	0.5	7.56	11	1380	2.7	<2	0.07	<0.5	3	34	42	4.23	0.03

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074736

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290427		1.40	0.35	158	3	3.11	5	320	5	<0.01	<5	719	0.15	18	<10	19
B290428		0.06	0.06	67	1	0.03	1	90	<2	<0.01	<5	7	0.04	4	<10	9
B290529		0.03	0.08	47200	<1	<0.01	<1	30	>10000	0.94	>10000	10	<0.01	6	<10	8670
B290530		0.93	0.14	146	<1	0.01	4	100	664	0.03	367	10	0.10	17	<10	126
B290531		0.41	0.06	13300	<1	<0.01	9	60	>10000	2.00	>10000	15	0.03	9	<10	4320
B290532		0.06	<0.01	51200	1	<0.01	25	50	>10000	0.39	>10000	34	<0.01	7	<10	2600
B290533		0.23	1.12	16200	<1	0.01	7	60	>10000	7.30	>10000	49	0.01	6	<10	6840
B290534		3.29	1.10	561	<1	0.42	11	330	683	0.03	397	105	0.25	102	<10	113
B290535		0.07	0.05	148	1	0.03	2	50	668	0.04	355	7	0.01	2	<10	58
B290536		0.03	0.03	112	1	0.01	<1	80	268	<0.01	47	3	<0.01	<1	<10	10
B290537		0.05	0.15	51	1	0.09	<1	20	2390	0.03	840	14	0.05	8	<10	9
B290538		0.03	0.89	117	<1	0.46	20	330	8090	2.46	6030	274	0.11	48	<10	29
B290539		3.14	1.24	660	<1	1.66	8	750	100	0.03	60	496	0.32	51	10	83
B290540		0.15	0.04	74	1	0.01	1	50	61	0.01	30	4	0.02	4	10	9
B290541		3.82	0.75	75	<1	0.03	7	140	38	0.01	14	18	0.40	89	<10	86
B290542		1.03	0.15	41	<1	0.01	<1	50	27	<0.01	10	9	0.12	18	<10	16
B290543		0.85	0.11	42	1	0.01	2	40	45	<0.01	7	6	0.10	16	<10	42
B290544		0.68	0.13	31	<1	0.01	3	50	14	<0.01	6	13	0.09	14	<10	15
B290545		0.44	0.10	752	<1	0.07	26	140	22	<0.01	7	19	0.08	19	<10	57
B290546		0.11	0.15	105	1	0.08	5	450	21	<0.01	<5	13	0.02	5	<10	26
B290547		0.31	0.33	110	1	0.11	4	460	12	<0.01	<5	15	0.03	12	<10	32
B290548		0.03	0.01	258	1	0.01	5	170	162	<0.01	105	6	<0.01	<1	<10	85
B290549		0.06	0.01	180	1	0.01	5	50	20	<0.01	16	2	0.01	<1	<10	47
B290550		0.05	0.01	40	<1	0.02	1	20	31	<0.01	10	3	0.01	1	<10	3
B290551		3.14	1.17	775	1	1.66	9	660	39	<0.01	8	521	0.29	48	<10	91
B290552		0.14	0.02	47	<1	0.01	1	80	78	0.01	15	5	0.04	5	<10	24
B290553		0.02	0.05	63	1	0.34	1	40	8	0.02	<5	9	0.01	2	<10	5
B290554		3.34	0.72	436	<1	0.68	2	420	35	<0.01	11	194	0.19	31	<10	63
B290555		2.01	0.69	192	1	0.21	7	250	8	0.01	9	60	0.16	64	<10	59
B290556		0.37	0.26	319	1	0.86	12	110	5	<0.01	<5	33	0.07	14	<10	45
B290557		0.35	0.05	59	1	0.02	2	130	158	0.03	7	7	0.04	7	<10	140
B290558		4.60	0.28	505	1	0.08	10	460	8	0.02	9	68	0.16	38	10	37

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074736

Sample Description	Method Analyte Units LOR	Pb-AA62 Pb % 0.01	Ag-AA62 Ag ppm 1	Ag-GRA21 Ag ppm 5
B290427				
B290428				
B290529		4.83	>1000	2890
B290530				
B290531		10.25	425	
B290532		9.33	203	
B290533		8.30	300	
B290534				
B290535				
B290536				
B290537				
B290538				
B290539				
B290540				
B290541				
B290542				
B290543				
B290544				
B290545				
B290546				
B290547				
B290548				
B290549				
B290550				
B290551				
B290552				
B290553				
B290554				
B290555				
B290556				
B290557				
B290558				

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da -SEP-2005
Account: STRGOL

CERTIFICATE VA05074729

Project: Dublin Gulch-1735

P.O. No.:

This report is for 28 Rock samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074729

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290501		1.06	<0.005	<0.5	1.50	<5	340	<0.5	<2	0.04	<0.5	<1	18	9	36.6	0.07
B290502		1.04	<0.005	<0.5	1.05	18	150	<0.5	<2	0.02	<0.5	<1	11	11	45.4	0.05
B290503		1.20	<0.005	<0.5	2.88	6	510	0.6	<2	0.12	<0.5	<1	49	9	19.35	0.11
B290504		2.86	<0.005	<0.5	0.93	166	40	<0.5	<2	0.01	<0.5	<1	3	34	>50	0.03
B290505		2.34	<0.005	<0.5	0.79	199	20	<0.5	<2	0.01	<0.5	<1	4	78	>50	0.02
B290506		1.18	<0.005	<0.5	1.67	<5	140	<0.5	<2	0.01	<0.5	<1	75	7	0.57	0.20
B290507		0.86	<0.005	<0.5	0.07	6	10	<0.5	<2	0.01	<0.5	<1	25	3	0.44	<0.01
B290508		1.36	<0.005	<0.5	0.96	10	100	<0.5	<2	0.01	<0.5	<1	20	2	0.45	0.07
B290509		0.34	<0.005	<0.5	0.78	22	120	<0.5	<2	0.02	<0.5	<1	89	3	0.71	0.04
B290510		1.06	<0.005	<0.5	1.62	<5	150	<0.5	<2	0.01	<0.5	<1	21	1	0.48	0.12
B290511		0.58	<0.005	<0.5	1.07	10	130	<0.5	<2	0.01	<0.5	<1	78	2	0.63	0.13
B290512		1.12	<0.005	<0.5	0.05	<5	10	<0.5	<2	<0.01	<0.5	<1	25	1	0.37	0.01
B290513		0.58	<0.005	<0.5	0.40	9	40	<0.5	<2	0.01	<0.5	<1	93	2	0.51	0.02
B290514		0.52	<0.005	<0.5	0.04	<5	10	<0.5	<2	<0.01	<0.5	<1	19	3	0.57	0.03
B290515		0.90	<0.005	<0.5	0.60	6	60	<0.5	<2	<0.01	<0.5	<1	86	1	0.39	0.06
B290516		0.74	<0.005	<0.5	0.66	13	80	<0.5	<2	0.01	<0.5	<1	17	1	0.45	0.22
B290517		0.68	<0.005	<0.5	0.17	<5	20	<0.5	<2	<0.01	<0.5	<1	110	3	0.47	0.01
B290518		0.58	<0.005	<0.5	0.57	14	40	<0.5	<2	0.01	<0.5	<1	17	5	1.56	0.02
B290519		0.48	<0.005	<0.5	1.64	28	130	<0.5	<2	0.01	<0.5	<1	80	4	0.72	0.01
B290520		0.64	<0.005	<0.5	0.08	<5	10	<0.5	<2	0.01	<0.5	<1	23	3	0.55	0.53
B290521		1.40	<0.005	<0.5	0.70	16	100	<0.5	<2	0.01	<0.5	<1	62	35	13.35	2.68
B290522		1.24	<0.005	<0.5	0.82	30	110	<0.5	<2	0.01	<0.5	<1	28	35	11.20	0.85
B290523		1.48	<0.005	<0.5	0.53	100	40	<0.5	<2	0.01	<0.5	<1	58	31	9.98	1.04
B290524		1.28	0.018	<0.5	5.10	49	510	1.1	<2	1.33	<0.5	5	45	55	2.94	0.01
B290525		1.40	0.006	<0.5	4.64	148	1800	1.6	<2	0.90	<0.5	1	64	1	1.03	0.01
B290526		1.38	<0.005	<0.5	1.74	<5	720	0.6	<2	0.35	<0.5	1	20	1	0.62	<0.01
B290527		0.92	<0.005	<0.5	5.52	17	2540	1.9	<2	1.59	<0.5	<1	63	<1	1.08	<0.01
B290528		1.52	<0.005	<0.5	5.98	17	2780	2.6	<2	2.19	<0.5	1	25	<1	1.09	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05074729

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290501		0.37	0.06	54	3	0.18	<1	250	17	0.66	<5	22	0.10	36	<10	106
B290502		0.22	0.03	50	4	0.10	<1	180	22	0.77	<5	12	0.06	23	<10	106
B290503		0.83	0.12	59	2	0.44	2	230	12	0.32	<5	56	0.22	54	<10	69
B290504		0.06	0.01	43	4	0.04	<1	400	23	0.81	<5	4	0.02	44	<10	190
B290505		0.04	0.01	43	5	0.02	<1	540	20	0.99	<5	1	0.01	89	<10	186
B290506		0.52	0.10	23	<1	0.01	2	60	14	0.01	<5	6	0.09	25	<10	12
B290507		0.01	0.01	25	<1	0.01	1	10	5	<0.01	<5	2	<0.01	1	<10	4
B290508		0.30	0.06	24	<1	0.01	1	80	4	<0.01	<5	11	0.05	14	<10	5
B290509		0.31	0.06	30	<1	0.01	2	170	8	0.01	<5	74	0.04	9	<10	4
B290510		0.47	0.09	26	<1	0.01	<1	110	12	0.01	<5	89	0.08	18	<10	3
B290511		0.34	0.08	23	<1	0.01	<1	150	6	<0.01	<5	100	0.05	12	<10	3
B290512		0.01	<0.01	20	<1	0.01	<1	10	<2	<0.01	<5	1	<0.01	1	<10	2
B290513		0.13	0.02	23	<1	0.01	<1	10	2	<0.01	<5	4	0.02	5	<10	2
B290514		0.01	<0.01	21	<1	0.01	<1	20	<2	<0.01	<5	<1	<0.01	<1	<10	2
B290515		0.17	0.02	24	<1	0.01	<1	30	5	<0.01	<5	17	0.04	5	<10	2
B290516		0.19	0.03	25	<1	0.01	<1	20	2	0.01	14	5	0.05	8	<10	3
B290517		0.05	0.01	31	<1	0.01	1	10	<2	<0.01	<5	2	0.01	2	<10	2
B290518		0.13	0.02	58	<1	0.01	2	90	3	0.01	<5	2	0.05	5	<10	13
B290519		0.65	0.10	23	<1	0.01	2	60	3	<0.01	<5	5	0.08	18	<10	4
B290520		0.02	0.01	23	<1	0.01	<1	10	<2	<0.01	<5	1	<0.01	1	<10	2
B290521		0.25	0.05	55	1	0.01	2	70	9	0.04	68	3	0.09	19	<10	16
B290522		0.33	0.06	52	1	0.01	2	60	7	0.03	41	6	0.08	17	<10	14
B290523		0.12	0.02	35	2	0.01	<1	410	15	0.03	236	3	0.06	14	<10	18
B290524		1.29	0.73	694	<1	0.71	14	100	22	0.10	<5	162	0.22	41	<10	58
B290525		2.98	0.40	145	<1	0.89	7	330	18	0.01	<5	286	0.17	22	270	31
B290526		1.02	0.15	89	5	0.37	4	130	4	<0.01	<5	127	0.07	8	60	8
B290527		4.10	0.51	234	7	1.01	13	400	12	<0.01	<5	433	0.21	30	310	16
B290528		2.87	0.56	201	13	1.65	11	500	13	<0.01	<5	643	0.23	27	390	15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D( )-OCT-2005
Account: STRGOL

CERTIFICATE VA05080588

Project: Dublin Gulch-1735

P.O. No.:

This report is for 192 Rock samples submitted to our lab in Vancouver, BC, Canada on 19-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Pb-AA62	Ore grade Pb - four acid / AAS	AAS
Ag-AA62	Ore grade Ag - four acid /AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290559		0.70	<0.005	<0.5	2.99	173	120	0.5	8	0.03	<0.5	<1	14	3	0.76	0.01
B290560		1.28	<0.005	0.7	1.09	827	40	<0.5	68	0.05	1.2	<1	10	4	0.74	0.07
B290561		0.06	<0.005	<0.5	3.68	<5	130	0.5	2	0.03	<0.5	3	22	28	2.87	0.01
B290562		0.92	<0.005	<0.5	8.01	97	1000	2.5	10	1.80	<0.5	15	158	41	5.25	0.01
B290563		0.70	<0.005	<0.5	1.76	<5	80	<0.5	<2	0.03	<0.5	1	9	6	0.93	<0.01
B290564		0.86	<0.005	<0.5	7.35	<5	520	1.5	<2	0.02	<0.5	4	55	16	4.87	0.01
B290565		0.82	<0.005	<0.5	2.28	<5	50	<0.5	3	0.04	<0.5	1	13	12	1.62	<0.01
B290566		0.78	<0.005	<0.5	0.35	12	10	<0.5	2	0.01	<0.5	<1	5	3	0.75	<0.01
B290567		0.70	<0.005	<0.5	7.29	663	220	3.3	<2	0.01	<0.5	2	3	2	2.77	0.02
B290568		0.68	<0.005	<0.5	7.97	1285	800	2.5	12	0.03	<0.5	16	25	5	5.01	0.08
B290569		0.54	<0.005	<0.5	3.53	10	140	0.6	3	0.04	<0.5	<1	14	11	0.66	0.02
B290570		0.38	<0.005	<0.5	8.75	<5	690	1.4	<2	0.05	<0.5	5	64	25	3.85	<0.01
B290571		0.02	0.006	<0.5	0.31	18	10	<0.5	<2	0.01	<0.5	1	6	3	0.60	<0.01
B290572		0.46	<0.005	<0.5	0.21	9	10	<0.5	3	0.01	<0.5	1	3	3	0.57	<0.01
B290573		0.42	<0.005	<0.5	0.61	<5	10	<0.5	2	0.01	<0.5	<1	3	4	1.02	<0.01
B290574		0.60	<0.005	<0.5	3.12	<5	80	<0.5	<2	0.02	<0.5	1	14	7	1.57	<0.01
B290575		0.56	<0.005	<0.5	1.67	<5	20	<0.5	<2	0.01	<0.5	3	5	11	3.31	<0.01
B290576		0.62	<0.005	<0.5	1.35	<5	20	<0.5	<2	0.01	<0.5	1	6	14	1.34	0.01
B290577		0.52	<0.005	<0.5	0.39	<5	30	<0.5	<2	0.01	<0.5	3	6	10	1.40	0.01
B290578		0.42	<0.005	<0.5	0.28	<5	10	<0.5	<2	0.01	<0.5	<1	3	3	0.63	<0.01
B290579		0.54	<0.005	<0.5	5.00	<5	360	1.0	<2	0.02	<0.5	2	22	6	2.05	<0.01
B290580		0.70	<0.005	<0.5	1.68	<5	240	<0.5	<2	<0.01	<0.5	<1	6	3	0.70	0.02
B290581		0.62	<0.005	<0.5	2.74	7	110	<0.5	<2	0.03	<0.5	4	19	7	1.86	<0.01
B290582		0.84	<0.005	<0.5	0.04	<5	10	<0.5	2	<0.01	<0.5	<1	2	2	0.47	<0.01
B290583		0.58	<0.005	<0.5	1.64	15	200	0.5	2	0.01	<0.5	4	12	12	8.48	0.30
B290584		0.38	<0.005	<0.5	1.76	<5	180	<0.5	2	0.01	<0.5	1	9	3	0.73	0.02
B290585		0.08	<0.005	<0.5	0.74	<5	70	<0.5	2	<0.01	<0.5	1	15	2	0.58	<0.01
B290586		0.58	<0.005	0.5	0.80	<5	60	<0.5	<2	<0.01	<0.5	<1	5	2	0.50	<0.01
B290587		0.60	<0.005	<0.5	3.58	<5	340	0.6	<2	0.82	<0.5	4	23	8	1.50	0.01
B290588		0.80	<0.005	<0.5	1.16	<5	90	<0.5	<2	0.01	<0.5	3	6	7	0.93	<0.01
B290589		1.16	<0.005	<0.5	0.92	<5	80	<0.5	<2	<0.01	<0.5	1	5	11	1.67	0.03
B290590		0.64	<0.005	<0.5	2.73	<5	230	0.7	2	<0.01	<0.5	1	10	4	1.48	0.02
B290591		0.42	<0.005	<0.5	2.77	<5	180	0.7	2	0.01	<0.5	1	10	3	0.68	0.01
B290592		0.70	<0.005	<0.5	2.88	5	230	0.7	<2	0.01	<0.5	<1	8	3	0.73	0.02
B290593		0.70	<0.005	<0.5	3.40	<5	350	1.0	<2	0.01	<0.5	1	12	4	1.23	0.01
B290594		1.04	<0.005	<0.5	2.40	<5	190	0.6	<2	0.01	<0.5	1	8	7	1.12	<0.01
B290595		0.84	<0.005	<0.5	0.38	6	30	<0.5	<2	0.01	<0.5	1	6	6	0.93	<0.01
B290596		0.64	<0.005	<0.5	8.32	13	680	2.9	<2	0.03	<0.5	7	70	37	4.89	0.01
B290597		0.74	<0.005	<0.5	0.45	<5	20	<0.5	3	0.01	<0.5	1	6	9	1.30	0.01
B290598		0.74	<0.005	<0.5	3.66	46	190	0.8	<2	0.02	<0.5	3	23	25	2.58	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290559		0.49	0.08	34	<1	0.10	3	160	12	0.02	9	47	0.10	19	<10	9
B290560		0.20	0.13	44	<1	0.05	<1	70	540	0.07	399	20	0.04	8	<10	6
B290561		0.51	0.61	163	<1	1.10	4	160	12	0.02	<5	41	0.12	27	<10	47
B290562		1.92	2.90	314	<1	1.18	40	940	17	0.05	12	379	0.47	127	<10	41
B290563		0.31	0.12	52	<1	0.69	2	80	2	0.01	<5	44	0.05	11	10	5
B290564		2.04	1.27	379	<1	0.81	6	230	16	0.04	5	71	0.24	67	<10	98
B290565		0.36	0.12	50	1	0.86	<1	210	27	0.02	11	39	0.09	16	<10	8
B290566		0.04	0.01	33	<1	0.02	<1	50	7	0.01	13	8	0.01	2	<10	2
B290567		1.46	0.12	50	<1	0.03	<1	340	29	0.02	10	41	0.09	7	<10	48
B290568		1.83	0.19	483	<1	0.03	34	710	85	0.02	53	132	0.25	42	<10	104
B290569		0.51	0.07	26	<1	0.03	13	280	17	0.01	10	64	0.11	20	<10	6
B290570		2.80	1.03	283	<1	0.42	9	230	4	0.01	8	41	0.40	90	10	68
B290571		0.07	0.01	33	<1	0.01	<1	10	40	<0.01	13	4	0.01	2	<10	3
B290572		0.04	0.02	35	<1	0.04	<1	30	23	0.01	<5	4	0.01	2	<10	2
B290573		0.03	0.10	70	<1	0.24	2	130	8	0.01	<5	12	0.02	4	<10	9
B290574		0.32	0.38	144	<1	1.10	5	150	21	0.01	11	62	0.09	18	10	25
B290575		0.06	0.87	234	<1	0.02	7	130	3	<0.01	<5	6	0.01	12	<10	70
B290576		0.06	0.13	61	<1	0.48	6	190	10	0.01	<5	19	0.03	8	<10	18
B290577		0.09	0.05	95	1	0.04	11	170	18	0.01	<5	6	0.01	3	<10	12
B290578		0.03	0.01	38	<1	0.13	2	70	11	0.01	<5	6	0.01	1	<10	2
B290579		1.38	0.57	117	<1	0.90	7	240	16	0.01	<5	57	0.14	32	<10	38
B290580		0.84	0.16	30	<1	0.01	<1	60	<2	0.01	8	7	0.05	11	<10	6
B290581		0.40	0.28	117	<1	1.04	11	220	5	<0.01	<5	49	0.08	16	<10	31
B290582		0.01	<0.01	30	<1	0.01	<1	20	<2	<0.01	<5	1	<0.01	<1	<10	<2
B290583		0.56	0.10	72	<1	0.01	7	1090	60	0.01	11	13	0.07	14	<10	138
B290584		0.29	0.05	34	1	0.01	2	150	13	<0.01	6	26	0.07	11	<10	4
B290585		0.23	0.04	29	<1	0.01	2	30	<2	<0.01	<5	8	0.03	5	<10	4
B290586		0.17	0.03	28	<1	0.01	<1	20	2	<0.01	<5	5	0.04	5	<10	3
B290587		0.89	0.53	187	<1	0.64	12	200	5	0.01	<5	80	0.18	48	<10	19
B290588		0.36	0.07	41	<1	0.01	2	40	2	<0.01	<5	8	0.06	10	<10	18
B290589		0.33	0.05	74	<1	0.01	2	30	19	<0.01	<5	2	0.11	8	<10	14
B290590		1.06	0.14	32	<1	0.01	3	50	19	<0.01	<5	17	0.12	20	<10	13
B290591		0.92	0.13	34	<1	0.02	6	80	12	<0.01	<5	26	0.14	21	<10	9
B290592		0.78	0.13	26	<1	0.01	1	100	16	<0.01	<5	18	0.11	16	<10	13
B290593		1.30	0.19	28	<1	0.02	2	120	29	<0.01	<5	43	0.15	25	<10	19
B290594		0.76	0.12	35	<1	0.01	2	40	9	<0.01	<5	8	0.11	18	<10	21
B290595		0.12	0.04	80	<1	0.01	5	30	6	<0.01	<5	3	0.02	5	<10	10
B290596		3.59	1.50	201	<1	0.03	12	580	8	0.07	<5	21	0.32	105	10	156
B290597		0.07	0.02	35	<1	0.01	2	140	18	0.01	15	5	0.01	5	<10	24
B290598		0.72	0.29	140	<1	0.07	8	340	44	0.01	25	34	0.08	29	<10	99

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method	Pb-AA62	Ag-AA62
	Analyte	Pb	Ag
	Units	%	ppm
	LOR	0.01	1
B290559			
B290560			
B290561			
B290562			
B290563			
B290564			
B290565			
B290566			
B290567			
B290568			
B290569			
B290570			
B290571			
B290572			
B290573			
B290574			
B290575			
B290576			
B290577			
B290578			
B290579			
B290580			
B290581			
B290582			
B290583			
B290584			
B290585			
B290586			
B290587			
B290588			
B290589			
B290590			
B290591			
B290592			
B290593			
B290594			
B290595			
B290596			
B290597			
B290598			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B290599		0.76	0.694	>100	2.86	>10000	20	0.6	31	0.06	<0.5	4	15	361	18.45	0.51
B290600		0.82	0.358	18.3	2.14	>10000	20	<0.5	<2	0.03	2.7	3	14	533	14.85	0.34
B290601		1.04	0.186	>100	2.09	>10000	80	<0.5	3	0.03	40.5	4	16	701	4.29	0.57
B290602		0.62	0.135	6.2	1.73	>10000	30	<0.5	<2	0.02	1.5	3	12	99	9.80	0.45
B290603		1.00	0.119	>100	5.44	>10000	30	1.2	30	0.10	4.4	2	34	140	7.10	0.84
B290604		0.60	<0.005	1.4	2.57	2680	70	<0.5	<2	0.02	0.5	8	14	14	2.11	0.03
B290605		0.50	<0.005	4.1	2.99	1135	210	0.7	<2	0.02	<0.5	2	35	12	1.70	0.02
B290606		0.56	<0.005	0.8	0.18	432	10	<0.5	<2	0.02	<0.5	1	7	6	0.66	0.01
B290607		0.66	<0.005	0.6	3.77	156	90	<0.5	<2	0.02	<0.5	2	16	12	2.20	0.01
B290608		1.24	<0.005	0.6	12.30	55	1010	3.2	<2	0.01	<0.5	6	95	43	3.94	<0.01
B290609		0.72	<0.005	<0.5	3.00	22	160	0.5	2	0.02	<0.5	4	17	20	1.83	<0.01
B290610		0.74	<0.005	<0.5	0.87	24	20	<0.5	6	0.02	<0.5	2	6	15	1.58	<0.01
B290611		0.80	<0.005	<0.5	0.88	10	10	<0.5	<2	0.01	<0.5	5	7	9	0.86	0.01
B290612		0.56	<0.005	<0.5	1.38	32	60	<0.5	<2	0.01	<0.5	4	10	15	1.64	<0.01
B290613		0.30	<0.005	<0.5	0.22	12	10	<0.5	<2	0.03	0.5	9	3	9	0.97	<0.01
B290614		0.86	<0.005	2.6	1.93	19	80	<0.5	<2	0.01	2.4	1	11	22	1.62	0.01
B290615		0.92	<0.005	0.9	2.62	6	80	0.6	<2	0.01	<0.5	6	17	32	5.63	0.27
B290616		0.44	<0.005	12.4	3.44	136	140	1.7	<2	0.02	30.2	13	19	431	26.4	4.91
B290617		0.88	<0.005	1.6	1.95	35	100	<0.5	<2	0.02	0.6	2	15	12	1.87	0.02
B290618		1.10	0.024	>100	1.26	1260	10	<0.5	16	0.03	>500	2	7	398	2.52	2.52
B290619		1.04	0.013	93.6	3.67	9930	50	0.6	<2	0.03	15.8	<1	192	75	11.35	6.37
B290620		0.76	<0.005	3.6	1.92	142	100	<0.5	<2	0.01	2.5	16	10	9	1.11	0.04
B290621		0.52	<0.005	1.1	1.06	79	<10	<0.5	<2	0.02	<0.5	7	7	12	1.14	0.02
B290622		0.82	<0.005	0.7	2.27	183	70	<0.5	2	0.01	<0.5	8	12	13	1.36	0.02
B290623		0.44	<0.005	0.5	0.38	22	10	<0.5	3	0.03	0.9	3	6	9	0.80	0.05
B290624		0.54	<0.005	<0.5	0.15	75	<10	<0.5	3	0.02	<0.5	4	4	4	0.57	0.01
B290625		0.60	<0.005	<0.5	7.88	47	920	4.6	<2	0.03	<0.5	2	7	6	1.17	0.02
B290626		0.80	<0.005	<0.5	2.00	76	100	<0.5	2	0.03	<0.5	5	15	6	1.60	<0.01
B290627		1.02	<0.005	<0.5	4.23	23	200	0.6	<2	0.02	<0.5	3	28	11	2.23	<0.01
B290628		1.10	<0.005	<0.5	0.34	10	10	<0.5	<2	0.14	0.9	4	4	6	0.83	<0.01
B290629		0.70	<0.005	0.6	1.91	43	80	<0.5	<2	0.01	<0.5	1	15	4	0.59	0.01
B290630		0.58	<0.005	<0.5	3.50	11	210	0.7	<2	0.01	0.6	7	18	12	1.85	0.22
B290631		0.66	<0.005	<0.5	3.69	6	170	0.5	<2	0.05	<0.5	11	20	19	1.71	0.01
B290632		1.08	<0.005	<0.5	6.39	<5	1210	1.2	<2	1.68	<0.5	17	45	32	4.97	<0.01
B290633		0.76	<0.005	<0.5	0.55	14	20	<0.5	<2	0.03	<0.5	2	5	4	0.93	<0.01
B290634		0.98	<0.005	<0.5	1.54	29	30	<0.5	<2	0.03	<0.5	3	14	4	0.99	0.02
B290635		0.74	<0.005	<0.5	4.48	54	240	0.8	<2	0.07	<0.5	4	30	7	1.90	<0.01
B290636		0.78	<0.005	<0.5	7.37	7	1680	2.5	<2	1.86	<0.5	7	49	16	2.88	0.01
B290637		0.92	<0.005	<0.5	5.33	40	690	1.4	<2	1.64	<0.5	9	63	12	2.83	0.01
B290638		0.88	<0.005	<0.5	2.21	14	110	<0.5	<2	0.06	<0.5	5	17	11	1.76	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290599		0.03	0.44	89	<1	0.19	2	550	>10000	0.49	5870	52	0.03	.26	<10	281
B290600		0.04	0.32	38	<1	0.15	<1	150	>10000	1.41	>10000	32	0.03	21	<10	34
B290601		0.02	0.28	58	<1	0.13	9	120	>10000	9.06	>10000	25	0.04	20	10	112
B290602		0.08	0.20	31	<1	0.11	2	360	3690	0.39	3060	22	0.03	15	<10	71
B290603		0.08	0.82	85	<1	0.35	1	860	5780	0.32	7150	76	0.09	47	<10	36
B290604		0.24	0.16	177	<1	0.49	14	140	215	0.02	247	17	0.06	15	<10	114
B290605		0.87	0.26	81	<1	0.15	3	130	678	0.04	634	43	0.13	33	<10	28
B290606		0.03	0.02	49	<1	0.01	4	50	47	0.01	39	5	<0.01	2	<10	5
B290607		0.34	0.55	225	<1	0.97	4	140	165	0.02	102	29	0.06	17	<10	39
B290608		3.95	0.78	190	<1	0.37	9	310	74	0.01	44	135	0.26	136	<10	73
B290609		0.56	0.37	146	<1	0.06	13	120	25	0.01	15	24	0.07	20	<10	52
B290610		0.08	0.30	109	<1	0.03	6	60	72	0.01	60	6	0.01	7	<10	36
B290611		0.03	0.06	80	<1	0.01	18	70	13	0.01	6	3	0.02	4	<10	18
B290612		0.20	0.05	53	<1	0.03	7	140	15	0.01	12	12	0.04	10	<10	59
B290613		0.01	0.01	334	<1	0.04	21	140	11	0.01	21	5	<0.01	1	<10	56
B290614		0.43	0.12	72	<1	0.03	2	140	1080	0.04	554	18	0.05	10	<10	25
B290615		0.36	0.03	104	<1	0.02	15	280	100	0.04	70	42	0.05	16	<10	228
B290616		0.56	0.16	2330	<1	0.09	33	200	2220	0.79	1370	104	0.03	30	<10	7050
B290617		0.61	0.09	67	<1	0.04	1	100	624	0.02	142	19	0.07	15	<10	148
B290618		0.04	0.22	96	<1	0.08	8	80	>10000	9.18	>10000	19	0.01	5	10	327
B290619		0.13	0.43	854	<1	0.16	14	150	>10000	1.63	7990	77	0.05	56	<10	2350
B290620		0.59	0.07	945	<1	0.03	30	100	1060	0.05	444	11	0.05	8	<10	70
B290621		0.01	0.07	138	<1	0.57	15	110	209	0.02	127	17	0.02	4	<10	36
B290622		0.27	0.18	240	<1	0.66	13	100	174	0.01	92	24	0.07	13	<10	30
B290623		0.04	0.02	122	<1	0.13	6	80	106	0.01	38	10	0.01	1	<10	164
B290624		0.01	0.01	81	<1	0.05	6	50	78	<0.01	32	5	<0.01	1	<10	11
B290625		3.17	0.21	92	<1	0.05	8	170	114	0.01	34	29	0.10	11	10	68
B290626		0.37	0.33	147	<1	0.42	9	140	54	0.01	24	24	0.05	14	<10	38
B290627		0.80	0.51	183	<1	0.96	6	160	47	0.02	26	46	0.13	34	<10	51
B290628		0.03	0.08	139	<1	0.01	9	70	32	<0.01	16	10	0.01	2	<10	36
B290629		0.42	0.04	39	<1	0.02	7	120	41	<0.01	18	12	0.09	13	<10	12
B290630		0.73	0.08	162	<1	0.03	11	150	47	<0.01	18	43	0.09	22	<10	84
B290631		0.49	0.37	336	<1	0.96	26	180	15	<0.01	6	57	0.10	19	<10	36
B290632		1.52	1.65	666	<1	1.19	54	1490	9	0.02	5	349	0.36	87	<10	88
B290633		0.06	0.17	77	2	0.07	4	90	2	<0.01	5	7	0.01	3	<10	15
B290634		0.12	0.13	87	<1	0.47	8	110	11	<0.01	10	16	0.05	9	<10	15
B290635		0.95	0.53	184	<1	0.91	9	220	63	0.01	51	47	0.13	33	<10	37
B290636		3.09	1.22	367	<1	1.69	13	740	27	0.02	16	547	0.32	55	<10	45
B290637		1.13	1.58	567	1	1.28	24	450	52	0.01	41	262	0.23	55	10	87
B290638		0.31	0.33	219	1	0.57	14	140	23	0.01	10	29	0.07	16	<10	54

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 Pb % 0.01	Ag-AA62 Ag ppm 1
B290599		1.10	246
B290600		3.47	
B290601		20.6	727
B290602			
B290603			109
B290604			
B290605			
B290606			
B290607			
B290608			
B290609			
B290610			
B290611			
B290612			
B290613			
B290614			
B290615			
B290616			
B290617			
B290618		>30.0	999
B290619		2.87	90
B290620			
B290621			
B290622			
B290623			
B290624			
B290625			
B290626			
B290627			
B290628			
B290629			
B290630			
B290631			
B290632			
B290633			
B290634			
B290635			
B290636			
B290637			
B290638			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	Hg-CV41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B290639		0.90	<0.005	<0.5	0.84	44	30	<0.5	<2	0.24	<0.5	3	12	6	1.28	<0.01
B290640		0.54	<0.005	<0.5	5.75	12	330	1.1	<2	0.06	<0.5	7	42	11	3.14	<0.01
B290641		0.78	<0.005	<0.5	3.04	26	120	<0.5	<2	0.14	<0.5	7	21	7	1.44	<0.01
B290642		0.54	<0.005	<0.5	3.47	15	40	<0.5	<2	0.04	<0.5	7	20	15	1.62	<0.01
B290643		0.80	<0.005	<0.5	1.84	16	40	<0.5	<2	0.02	<0.5	4	13	9	1.66	<0.01
B290644		0.66	<0.005	<0.5	1.47	8	30	<0.5	<2	0.01	<0.5	6	13	4	0.98	0.01
B290645		0.74	<0.005	<0.5	3.34	<5	90	<0.5	<2	0.04	<0.5	6	21	9	1.80	<0.01
B290646		0.66	<0.005	<0.5	3.77	17	170	0.5	<2	0.41	<0.5	13	19	10	1.60	0.01
B290647		0.52	<0.005	<0.5	0.90	15	20	<0.5	<2	0.04	<0.5	1	11	4	0.66	<0.01
B290648		0.58	<0.005	<0.5	2.21	<5	30	<0.5	<2	0.02	<0.5	16	13	8	0.79	0.02
B290649		0.70	<0.005	<0.5	5.29	13	230	0.9	<2	0.02	<0.5	6	37	20	4.61	<0.01
B290650		0.50	<0.005	<0.5	4.58	9	270	0.9	<2	0.06	<0.5	5	30	16	2.00	<0.01
B290651		0.58	<0.005	<0.5	4.96	<5	240	0.9	<2	0.03	<0.5	4	34	10	2.41	<0.01
B290652		0.54	<0.005	<0.5	4.18	5	150	0.6	<2	0.03	<0.5	6	21	13	2.94	<0.01
B290653		0.84	<0.005	<0.5	3.47	7	50	<0.5	<2	0.02	1.2	18	21	8	1.80	<0.01
B290654		0.64	<0.005	<0.5	4.76	18	270	1.0	<2	0.01	<0.5	5	35	12	3.79	<0.01
B290655		0.60	<0.005	<0.5	3.62	6	230	0.5	<2	0.28	<0.5	7	19	18	2.13	0.01
B290656		0.78	<0.005	<0.5	2.97	<5	100	<0.5	<2	0.04	<0.5	10	19	9	1.66	<0.01
B290657		0.66	<0.005	<0.5	4.37	5	210	0.8	<2	0.02	<0.5	3	28	8	2.62	<0.01
B290658		0.74	<0.005	<0.5	3.07	<5	150	0.6	<2	0.03	<0.5	3	20	7	1.56	<0.01
B290659		0.64	<0.005	<0.5	2.72	13	70	<0.5	<2	0.03	<0.5	5	17	4	1.28	<0.01
B290660		0.76	<0.005	<0.5	1.62	10	70	<0.5	<2	0.27	<0.5	2	15	4	0.78	<0.01
B290661		0.90	<0.005	<0.5	0.10	<5	<10	<0.5	<2	0.02	<0.5	1	8	1	0.31	<0.01
B290662		0.92	<0.005	<0.5	4.42	<5	210	0.8	<2	0.03	<0.5	6	31	16	2.91	<0.01
B290663		0.70	<0.005	<0.5	4.08	<5	140	0.6	<2	0.03	<0.5	8	28	14	2.42	<0.01
B290664		0.78	<0.005	<0.5	7.58	<5	460	1.6	<2	0.01	<0.5	5	56	31	5.28	<0.01
B290665		0.84	<0.005	<0.5	4.18	<5	120	0.5	<2	0.03	<0.5	7	30	24	3.66	<0.01
B290666		0.92	<0.005	<0.5	6.98	7	480	1.6	<2	0.02	<0.5	5	50	10	3.75	<0.01
B290667		1.08	<0.005	<0.5	3.12	9	120	<0.5	<2	0.05	<0.5	4	15	6	1.30	<0.01
B290668		1.36	<0.005	<0.5	1.86	36	70	<0.5	<2	0.01	<0.5	3	12	5	1.50	<0.01
B290669		0.58	<0.005	<0.5	1.76	7	90	<0.5	<2	0.03	<0.5	4	16	12	1.25	0.01
B290670		0.68	<0.005	<0.5	4.71	8	340	1.0	<2	0.02	<0.5	6	35	13	2.65	0.02
B290671		0.50	<0.005	<0.5	1.97	<5	100	<0.5	<2	0.02	<0.5	9	16	8	1.66	0.01
B290672		0.54	<0.005	<0.5	5.41	15	230	1.0	<2	0.03	<0.5	5	36	10	2.59	0.01
B290673		0.66	<0.005	<0.5	0.65	<5	10	<0.5	<2	0.02	<0.5	2	8	3	0.98	0.02
B290674		0.62	<0.005	<0.5	0.88	<5	30	<0.5	<2	0.03	<0.5	2	11	2	0.59	0.01
B290675		0.70	<0.005	<0.5	0.07	<5	<10	<0.5	<2	<0.01	<0.5	1	9	2	0.43	0.01
B290676		0.76	<0.005	<0.5	2.44	<5	170	<0.5	<2	0.55	<0.5	5	13	11	1.42	0.01
B290677		0.74	<0.005	<0.5	1.50	6	20	<0.5	<2	0.02	<0.5	2	13	2	0.75	0.01
B290678		0.78	<0.005	<0.5	2.19	<5	30	<0.5	<2	0.02	<0.5	2	15	5	1.20	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290639		0.12	0.24	128	<1	0.10	11	1040	51	<0.01	45	30	0.03	12	<10	30
B290640		1.24	0.89	253	<1	0.90	12	300	14	0.02	5	64	0.18	73	<10	62
B290641		0.41	0.30	530	<1	1.10	11	160	47	0.01	31	51	0.09	20	<10	47
B290642		0.14	0.31	127	<1	1.45	20	160	23	0.01	12	44	0.08	16	<10	62
B290643		0.17	0.26	115	<1	0.59	6	90	37	0.01	21	25	0.05	10	<10	27
B290644		0.10	0.04	154	<1	0.03	15	100	15	<0.01	7	14	0.05	9	<10	43
B290645		0.33	0.39	355	<1	1.26	12	150	26	<0.01	10	51	0.09	21	<10	39
B290646		0.58	0.34	844	<1	1.26	33	180	16	0.01	<5	73	0.08	21	<10	44
B290647		0.05	0.08	65	<1	0.47	4	120	22	<0.01	6	22	0.04	6	<10	7
B290648		0.09	0.14	336	<1	0.02	24	100	19	<0.01	<5	6	0.07	12	<10	30
B290649		0.93	1.14	376	<1	0.61	12	210	25	<0.01	5	35	0.11	42	<10	104
B290650		0.94	0.58	183	<1	1.15	13	350	17	<0.01	<5	73	0.13	34	<10	35
B290651		0.95	0.65	173	<1	1.06	12	210	21	0.01	<5	57	0.11	38	<10	53
B290652		0.60	0.73	205	<1	0.99	11	170	15	0.01	<5	41	0.08	25	<10	67
B290653		0.21	0.48	816	<1	1.43	40	140	17	0.01	7	41	0.06	17	<10	84
B290654		1.28	0.83	232	<1	0.06	9	210	37	0.03	7	32	0.11	38	<10	83
B290655		1.06	0.25	217	<1	0.26	11	240	51	0.05	9	43	0.13	30	<10	52
B290656		0.40	0.39	197	<1	1.01	27	190	8	<0.01	<5	48	0.09	21	<10	33
B290657		0.91	0.76	204	<1	0.73	7	150	18	0.01	<5	49	0.10	33	<10	55
B290658		0.66	0.39	114	<1	0.73	4	140	16	<0.01	<5	45	0.08	23	<10	34
B290659		0.27	0.26	296	<1	1.16	3	120	12	<0.01	<5	41	0.07	16	<10	23
B290660		0.19	0.12	246	<1	0.67	7	130	9	0.01	<5	47	0.06	11	10	20
B290661		0.01	0.01	27	<1	0.04	<1	60	6	<0.01	<5	5	<0.01	1	<10	<2
B290662		0.88	0.74	208	<1	0.81	8	210	17	<0.01	<5	38	0.11	34	<10	61
B290663		0.56	0.62	236	<1	1.19	19	170	14	0.01	<5	36	0.11	28	10	52
B290664		1.93	1.40	405	<1	0.34	7	250	10	0.01	<5	62	0.13	70	<10	111
B290665		0.48	0.84	268	<1	1.07	15	200	26	0.01	6	46	0.08	30	<10	85
B290666		1.75	1.35	227	<1	0.71	5	160	26	0.02	<5	82	0.14	60	10	81
B290667		0.43	0.26	188	<1	1.06	6	200	8	<0.01	<5	45	0.06	17	10	24
B290668		0.20	0.03	82	<1	0.01	4	160	5	<0.01	<5	71	0.04	10	<10	16
B290669		0.26	0.16	247	<1	0.49	11	90	47	0.01	<5	22	0.05	14	10	29
B290670		1.11	0.51	201	<1	0.51	13	180	16	0.01	<5	59	0.15	45	10	59
B290671		0.35	0.29	424	<1	0.32	19	100	6	<0.01	<5	17	0.07	16	<10	33
B290672		1.00	0.62	128	<1	1.07	10	170	17	0.01	<5	60	0.11	42	<10	64
B290673		0.05	0.01	66	<1	0.13	8	70	7	<0.01	<5	10	0.01	4	<10	13
B290674		0.11	0.04	244	<1	0.39	2	140	5	<0.01	<5	13	0.02	5	<10	5
B290675		0.01	<0.01	40	<1	0.04	<1	10	4	<0.01	<5	2	<0.01	<1	<10	2
B290676		0.37	0.31	307	1	0.65	6	240	6	0.04	<5	76	0.10	25	10	26
B290677		0.06	0.07	63	<1	0.83	3	100	2	<0.01	<5	20	0.04	7	10	14
B290678		0.12	0.18	102	<1	1.11	9	90	9	<0.01	<5	30	0.06	12	10	21

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 Pb % 0.01	Ag-AA62 Ag ppm 1
B290639			
B290640			
B290641			
B290642			
B290643			
B290644			
B290645			
B290646			
B290647			
B290648			
B290649			
B290650			
B290651			
B290652			
B290653			
B290654			
B290655			
B290656			
B290657			
B290658			
B290659			
B290660			
B290661			
B290662			
B290663			
B290664			
B290665			
B290666			
B290667			
B290668			
B290669			
B290670			
B290671			
B290672			
B290673			
B290674			
B290675			
B290676			
B290677			
B290678			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290679		0.76	<0.005	<0.5	2.28	<5	60	<0.5	<2	0.01	<0.5	31	13	13	2.06	0.01
B290680		0.62	<0.005	<0.5	3.52	<5	100	0.5	<2	0.03	<0.5	15	24	8	3.07	0.01
B290681		0.70	0.012	<0.5	9.10	8	690	2.7	<2	0.01	<0.5	6	76	34	4.33	0.03
B290682		0.44	<0.005	<0.5	3.13	113	140	0.5	<2	0.02	<0.5	6	19	12	2.05	<0.01
B290683		0.80	<0.005	<0.5	2.17	73	90	<0.5	<2	0.03	<0.5	5	18	6	1.06	0.01
B290684		0.96	<0.005	<0.5	0.69	<5	20	<0.5	<2	0.14	<0.5	1	14	2	0.52	<0.01
B290685		0.94	<0.005	<0.5	3.84	7	160	0.6	<2	0.03	<0.5	5	27	7	2.31	0.01
B290686		0.82	<0.005	<0.5	2.85	<5	110	<0.5	<2	0.02	<0.5	5	14	6	1.14	0.01
B290687		0.64	<0.005	<0.5	8.20	<5	590	1.7	<2	0.07	<0.5	8	64	23	4.45	0.01
B290688		0.64	<0.005	<0.5	3.45	<5	260	0.6	<2	0.02	<0.5	3	24	7	2.56	0.01
B290689		0.66	<0.005	<0.5	4.80	<5	360	0.7	<2	0.05	<0.5	10	33	10	3.52	0.01
B290690		0.56	<0.005	<0.5	5.75	11	390	1.1	<2	0.03	<0.5	22	39	13	4.65	0.01
B290691		0.64	<0.005	<0.5	0.87	<5	30	<0.5	<2	0.07	<0.5	3	12	9	1.38	0.01
B290692		0.70	<0.005	<0.5	8.65	14	730	2.2	<2	0.04	<0.5	9	64	17	3.88	0.01
B290693		0.80	<0.005	<0.5	1.32	10	40	<0.5	<2	0.16	<0.5	4	22	5	0.84	0.01
B290694		0.74	<0.005	<0.5	1.30	<5	50	<0.5	<2	0.12	<0.5	10	9	20	1.76	0.02
B290695		0.70	<0.005	<0.5	1.24	<5	30	<0.5	<2	0.16	<0.5	3	11	3	0.71	0.01
B290696		0.88	<0.005	<0.5	3.98	<5	240	0.9	<2	0.01	<0.5	10	24	11	1.64	0.03
B290697		0.84	<0.005	<0.5	1.48	<5	130	<0.5	<2	0.01	<0.5	2	13	9	0.86	0.14
B290698		0.66	<0.005	<0.5	2.16	8	130	<0.5	<2	0.02	<0.5	4	13	5	0.99	<0.01
B290699		0.92	<0.005	<0.5	2.35	<5	140	<0.5	<2	0.03	<0.5	7	15	6	1.30	<0.01
B290700		0.70	<0.005	<0.5	3.06	<5	160	0.5	<2	0.04	<0.5	6	14	6	1.17	0.01
B290701		0.82	<0.005	<0.5	4.22	8	400	1.3	<2	0.02	<0.5	6	43	23	2.85	0.04
B290702		0.92	<0.005	<0.5	2.03	<5	220	<0.5	<2	0.03	<0.5	3	16	6	0.93	0.08
B290703		0.70	<0.005	<0.5	1.58	<5	130	<0.5	<2	0.01	<0.5	1	13	8	1.00	0.06
B290704		1.38	<0.005	<0.5	1.24	<5	150	<0.5	<2	0.01	<0.5	1	14	9	1.00	0.06
B290705		0.88	<0.005	<0.5	5.48	10	370	1.2	<2	0.02	<0.5	4	36	12	2.98	<0.01
B290706		0.90	<0.005	<0.5	1.07	7	110	<0.5	<2	0.06	<0.5	1	7	5	1.77	0.02
B290707		0.64	<0.005	<0.5	1.81	57	200	<0.5	<2	0.02	<0.5	<1	14	5	0.75	0.98
B290708		0.56	<0.005	<0.5	1.94	17	240	<0.5	<2	0.01	<0.5	<1	22	5	0.94	0.34
B290709		0.72	<0.005	<0.5	1.11	10	60	<0.5	<2	0.01	<0.5	<1	9	2	0.41	0.16
B290710		0.58	<0.005	<0.5	3.11	<5	220	<0.5	<2	0.10	<0.5	1	20	7	1.67	<0.01
B290711		0.76	<0.005	<0.5	1.90	9	90	<0.5	<2	0.02	<0.5	<1	16	21	2.17	0.17
B290712		0.66	<0.005	<0.5	5.67	9	380	1.3	<2	0.07	<0.5	9	42	31	4.22	<0.01
B290713		0.78	<0.005	<0.5	5.66	7	310	0.9	<2	0.03	<0.5	3	32	13	2.82	<0.01
B290714		0.92	<0.005	<0.5	3.03	6	80	<0.5	<2	0.03	<0.5	<1	16	9	1.43	<0.01
B290715		0.92	<0.005	<0.5	2.46	11	50	<0.5	<2	0.04	<0.5	9	14	31	1.66	<0.01
B290716		1.04	<0.005	<0.5	0.20	<5	<10	<0.5	<2	<0.01	<0.5	<1	6	2	0.72	0.01
B290717		0.70	<0.005	<0.5	5.77	<5	330	1.0	<2	0.01	<0.5	2	39	9	4.71	<0.01
B290718		1.04	<0.005	<0.5	3.06	<5	120	<0.5	<2	0.04	<0.5	4	22	7	1.71	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290679		0.22	0.34	412	<1	0.69	33	80	5	0.01	<5	19	0.05	14	<10	62
B290680		0.40	0.62	316	<1	0.77	25	130	2	<0.01	<5	36	0.10	25	<10	44
B290681		2.55	0.70	177	<1	0.69	11	270	19	0.02	<5	159	0.26	111	<10	68
B290682		0.55	0.41	180	<1	0.68	19	120	23	<0.01	8	29	0.08	21	10	43
B290683		0.36	0.16	121	<1	0.68	8	150	16	<0.01	6	28	0.07	14	<10	17
B290684		0.05	0.04	216	<1	0.37	1	50	4	<0.01	<5	21	0.01	3	<10	8
B290685		0.74	0.51	171	<1	0.76	9	220	9	<0.01	<5	33	0.12	29	<10	47
B290686		0.42	0.16	269	<1	1.15	10	160	12	0.01	<5	34	0.07	15	<10	21
B290687		2.19	1.28	204	<1	0.78	21	450	12	0.03	<5	77	0.21	76	<10	102
B290688		0.70	0.59	127	<1	0.47	7	160	20	0.01	<5	31	0.10	25	<10	49
B290689		0.89	0.84	318	<1	0.81	18	230	12	0.02	<5	45	0.13	38	10	74
B290690		1.19	1.13	355	<1	0.51	42	230	10	0.01	<5	48	0.14	48	<10	106
B290691		0.08	0.27	108	<1	0.09	14	250	81	0.01	<5	13	0.01	5	<10	28
B290692		2.63	1.04	210	<1	0.43	19	280	16	0.01	<5	84	0.22	80	<10	89
B290693		0.08	0.08	339	<1	0.71	13	160	7	0.01	<5	31	0.04	6	10	13
B290694		0.19	0.34	215	<1	0.13	22	360	30	<0.01	<5	26	0.02	10	10	35
B290695		0.09	0.06	230	1	0.70	5	140	9	<0.01	<5	33	0.01	4	<10	12
B290696		1.03	0.30	166	<1	0.60	11	150	26	0.01	<5	40	0.11	30	<10	36
B290697		0.36	0.07	44	<1	0.01	4	70	8	<0.01	<5	13	0.06	12	<10	7
B290698		0.46	0.16	300	<1	0.66	10	130	12	<0.01	<5	18	0.07	13	<10	18
B290699		0.52	0.27	116	<1	0.62	11	170	5	<0.01	<5	23	0.07	15	<10	25
B290700		0.64	0.24	125	<1	0.98	12	240	12	<0.01	<5	31	0.09	18	10	25
B290701		1.52	0.62	90	<1	0.13	16	220	7	0.01	<5	14	0.16	55	<10	67
B290702		0.52	0.12	95	<1	0.51	11	120	7	0.01	<5	18	0.10	19	<10	18
B290703		0.43	0.08	79	<1	0.01	7	120	5	<0.01	5	9	0.08	15	<10	16
B290704		0.61	0.11	55	<1	0.01	8	150	5	0.01	<5	10	0.07	13	<10	19
B290705		1.54	0.65	192	<1	0.72	19	200	12	0.01	<5	58	0.19	49	<10	59
B290706		0.04	0.02	576	<1	0.66	6	150	58	<0.01	<5	41	0.02	2	<10	24
B290707		0.85	0.17	34	<1	0.01	3	180	56	0.02	22	37	0.10	23	<10	77
B290708		0.98	0.20	35	<1	0.01	1	60	9	0.01	8	6	0.21	60	<10	40
B290709		0.24	0.05	27	<1	0.01	2	30	27	0.02	7	6	0.04	7	<10	3
B290710		0.83	0.33	266	<1	0.94	7	230	4	0.01	<5	64	0.18	28	<10	13
B290711		0.35	0.06	45	<1	0.01	2	410	14	0.01	5	53	0.10	15	<10	13
B290712		2.01	0.83	374	<1	0.27	23	450	15	0.01	<5	30	0.33	72	<10	71
B290713		1.26	0.59	178	<1	1.15	5	210	14	0.01	<5	59	0.22	43	<10	53
B290714		0.35	0.15	109	1	1.38	3	210	10	0.03	<5	53	0.12	19	<10	18
B290715		0.19	0.28	296	<1	1.12	24	150	2	0.01	<5	37	0.10	15	<10	41
B290716		0.01	0.08	48	<1	0.01	3	10	<2	<0.01	<5	1	<0.01	1	<10	11
B290717		1.34	1.17	322	<1	0.48	6	210	6	0.03	<5	40	0.23	50	<10	100
B290718		0.47	0.24	460	<1	0.92	12	190	13	0.01	<5	33	0.12	22	<10	30

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 Pb % 0.01	Ag-AA62 Ag ppm 1
B290679			
B290680			
B290681			
B290682			
B290683			
B290684			
B290685			
B290686			
B290687			
B290688			
B290689			
B290690			
B290691			
B290692			
B290693			
B290694			
B290695			
B290696			
B290697			
B290698			
B290699			
B290700			
B290701			
B290702			
B290703			
B290704			
B290705			
B290706			
B290707			
B290708			
B290709			
B290710			
B290711			
B290712			
B290713			
B290714			
B290715			
B290716			
B290717			
B290718			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290719		0.98	<0.005	<0.5	3.47	<5	120	0.5	<2	0.02	<0.5	3	20	15	3.58	<0.01
B290720		0.88	<0.005	<0.5	5.07	<5	70	<0.5	<2	0.10	<0.5	2	20	4	1.27	0.01
B290721		0.80	<0.005	<0.5	2.01	11	20	<0.5	<2	0.02	<0.5	<1	15	8	1.21	0.01
B290722		1.18	<0.005	<0.5	0.14	<5	10	<0.5	<2	0.19	<0.5	<1	8	1	0.41	<0.01
B290723		1.14	<0.005	<0.5	4.47	<5	310	0.9	<2	0.01	<0.5	1	33	12	1.88	<0.01
B290724		0.70	<0.005	<0.5	3.18	9	230	0.6	<2	0.03	<0.5	3	23	16	2.64	0.01
B290725		0.58	0.005	<0.5	1.57	<5	70	<0.5	<2	0.02	<0.5	5	13	4	1.02	0.01
B290726		0.82	<0.005	<0.5	1.48	9	30	<0.5	<2	0.02	<0.5	10	9	16	1.09	0.02
B290727		0.52	<0.005	<0.5	4.53	<5	30	<0.5	<2	0.03	<0.5	3	17	6	3.12	<0.01
B290728		0.54	<0.005	<0.5	7.39	<5	460	1.4	<2	0.05	<0.5	4	34	10	3.33	<0.01
B290729		0.40	<0.005	<0.5	4.70	<5	220	0.9	<2	0.04	<0.5	12	29	12	2.81	0.01
B290730		0.76	<0.005	<0.5	1.84	8	50	<0.5	<2	0.02	<0.5	6	13	7	1.20	0.03
B290731		0.60	<0.005	<0.5	3.90	12	220	0.7	<2	0.01	<0.5	6	26	30	2.63	0.01
B290732		0.72	<0.005	<0.5	6.52	<5	510	1.7	<2	0.03	<0.5	7	52	28	3.53	0.01
B290733		0.54	<0.005	<0.5	5.31	<5	270	0.9	<2	0.02	<0.5	5	36	13	3.45	0.01
B290734		0.72	<0.005	<0.5	3.38	<5	70	<0.5	<2	0.03	<0.5	13	17	11	2.83	0.01
B290735		0.38	0.005	<0.5	8.59	17	720	2.1	<2	0.03	<0.5	6	67	27	3.54	0.03
B290736		0.80	<0.005	<0.5	3.84	<5	170	0.7	<2	0.01	<0.5	3	25	16	4.23	0.02
B290737		0.86	<0.005	<0.5	4.55	<5	160	0.6	<2	0.04	<0.5	8	29	16	2.30	0.01
B290738		0.62	<0.005	<0.5	3.52	6	130	0.6	<2	0.02	<0.5	6	22	19	2.70	0.01
B290739		0.58	0.005	<0.5	2.39	<5	80	<0.5	<2	0.05	<0.5	2	15	5	1.07	0.01
B290740		0.92	0.005	<0.5	1.97	<5	90	<0.5	<2	0.03	<0.5	8	15	6	1.30	0.01
B290741		0.66	<0.005	<0.5	0.83	<5	20	<0.5	<2	0.02	<0.5	1	10	1	0.47	<0.01
B290742		0.70	0.005	<0.5	2.17	<5	50	<0.5	<2	0.06	<0.5	5	17	5	1.06	<0.01
B290743		0.82	<0.005	<0.5	3.54	<5	160	0.5	<2	0.20	<0.5	16	22	11	1.90	<0.01
B290744		0.98	<0.005	<0.5	1.48	<5	90	<0.5	<2	0.03	<0.5	3	10	7	1.02	0.19
B290745		0.54	0.007	<0.5	3.30	78	390	1.0	<2	0.02	<0.5	5	30	21	2.14	0.24
B290746		0.68	<0.005	<0.5	2.02	8	170	<0.5	<2	0.02	<0.5	3	17	4	1.24	0.03
B290747		0.64	0.005	<0.5	7.97	15	550	2.3	<2	0.08	<0.5	6	78	15	3.96	0.01
B290748		0.76	0.005	<0.5	1.86	<5	40	<0.5	<2	0.04	<0.5	2	15	4	0.96	0.01
B290749		0.66	<0.005	<0.5	5.17	7	320	1.0	<2	0.01	<0.5	2	34	10	2.14	0.03
B290750		0.68	<0.005	<0.5	2.43	<5	60	<0.5	<2	0.05	<0.5	3	16	4	1.14	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B290719		0.53	0.77	217	<1	0.69	8	160	7	0.01	<5	23	0.10	28	<10	75
B290720		0.30	0.21	149	<1	3.12	6	340	19	<0.01	<5	123	0.10	17	<10	28
B290721		0.03	0.16	97	<1	1.06	7	420	10	<0.01	<5	33	0.07	10	<10	22
B290722		0.01	<0.01	111	<1	0.09	2	80	16	<0.01	<5	11	<0.01	<1	<10	2
B290723		1.18	0.37	103	1	0.70	6	180	13	0.01	<5	57	0.17	43	<10	31
B290724		0.83	0.53	175	<1	0.13	16	200	29	0.01	<5	30	0.10	30	<10	58
B290725		0.28	0.09	186	<1	0.53	10	170	7	<0.01	<5	19	0.07	11	<10	19
B290726		0.12	0.02	243	<1	0.71	20	140	10	0.01	<5	26	0.03	8	<10	48
B290727		0.08	0.74	171	<1	2.17	15	180	66	0.01	<5	53	0.07	23	<10	67
B290728		2.06	0.94	227	<1	1.43	19	320	29	0.02	<5	83	0.16	50	<10	76
B290729		0.93	0.48	290	<1	0.96	29	170	17	0.01	<5	45	0.17	38	<10	65
B290730		0.20	0.06	281	1	0.72	18	130	6	<0.01	<5	18	0.07	12	<10	36
B290731		0.85	0.42	98	<1	0.76	29	210	10	0.02	<5	35	0.14	30	<10	67
B290732		1.94	0.66	201	<1	0.51	17	290	26	0.02	<5	94	0.26	75	<10	74
B290733		1.12	0.78	201	1	0.82	25	170	13	0.01	<5	39	0.18	46	<10	69
B290734		0.22	0.51	376	<1	1.17	36	170	6	0.01	<5	23	0.10	20	<10	54
B290735		2.87	0.78	156	1	0.54	16	200	24	0.02	<5	100	0.36	106	<10	82
B290736		0.73	0.83	207	<1	0.39	11	200	4	0.02	<5	19	0.13	31	<10	80
B290737		0.59	0.40	154	1	1.63	23	200	17	0.01	<5	54	0.15	32	<10	54
B290738		0.44	0.35	175	1	0.96	28	180	14	0.01	<5	72	0.11	25	<10	70
B290739		0.29	0.21	77	1	0.94	8	290	8	0.01	<5	31	0.07	14	<10	22
B290740		0.30	0.14	346	<1	0.78	18	160	4	0.01	<5	27	0.06	13	<10	25
B290741		0.05	0.04	83	1	0.49	2	40	3	<0.01	<5	19	0.01	2	<10	5
B290742		0.20	0.19	154	<1	1.03	11	240	4	<0.01	<5	30	0.05	14	<10	19
B290743		0.48	0.42	710	1	1.23	46	190	11	<0.01	<5	57	0.08	24	<10	51
B290744		0.46	0.09	68	1	0.01	7	150	<2	<0.01	6	9	0.06	18	<10	19
B290745		1.71	0.36	96	<1	0.02	15	380	19	0.02	28	35	0.17	33	<10	49
B290746		0.63	0.28	64	<1	0.30	7	120	3	0.01	<5	34	0.07	16	<10	23
B290747		2.54	1.18	161	1	0.60	33	540	12	0.01	<5	63	0.40	97	<10	92
B290748		0.14	0.10	58	1	0.96	8	230	14	0.01	<5	25	0.05	9	<10	19
B290749		1.22	0.37	101	1	0.99	7	190	13	0.01	<5	60	0.14	40	<10	36
B290750		0.21	0.14	96	<1	1.19	7	250	4	<0.01	<5	33	0.07	13	<10	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080588

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 Pb % 0.01	Ag-AA62 Ag ppm 1
B290719			
B290720			
B290721			
B290722			
B290723			
B290724			
B290725			
B290726			
B290727			
B290728			
B290729			
B290730			
B290731			
B290732			
B290733			
B290734			
B290735			
B290736			
B290737			
B290738			
B290739			
B290740			
B290741			
B290742			
B290743			
B290744			
B290745			
B290746			
B290747			
B290748			
B290749			
B290750			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -SEP-2005
Account: STRGOL

CERTIFICATE VA05080589

Project: Dublin Gulch-1735

P.O. No.:

This report is for 124 Rock samples submitted to our lab in Vancouver, BC, Canada on 19-SEP-2005.

The following have access to data associated with this certificate:


DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES



To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080589

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290801		0.82	<0.005	<0.5	1.54	9	50	<0.5	<2	0.02	<0.5	1	79	15	0.87	0.02
B290802		0.70	<0.005	<0.5	3.16	<5	260	0.5	2	0.09	<0.5	3	24	12	1.34	0.01
B290803		0.88	<0.005	<0.5	0.34	6	40	<0.5	<2	0.03	<0.5	1	119	5	0.44	<0.01
B290804		0.60	0.005	<0.5	6.94	13	650	1.5	<2	0.04	<0.5	9	89	14	2.95	0.01
B290805		0.62	<0.005	<0.5	3.04	<5	160	<0.5	<2	0.04	<0.5	1	16	9	0.69	<0.01
B290806		0.76	<0.005	<0.5	3.14	12	30	<0.5	<2	0.10	<0.5	1	87	8	1.44	0.01
B290807		0.62	<0.005	<0.5	4.34	7	390	1.0	<2	0.03	<0.5	8	29	16	2.12	<0.01
B290808		0.46	0.005	<0.5	2.57	<5	150	<0.5	<2	0.04	<0.5	2	81	12	0.78	0.01
B290809		0.60	<0.005	<0.5	2.85	7	200	0.5	<2	0.04	<0.5	8	95	9	1.32	0.01
B290810		0.44	<0.005	<0.5	2.57	<5	270	0.6	<2	0.04	<0.5	5	32	10	1.22	<0.01
B290811		0.78	<0.005	<0.5	1.65	<5	120	<0.5	<2	0.09	<0.5	4	85	6	1.40	0.01
B290812		0.58	<0.005	<0.5	3.04	<5	200	<0.5	<2	0.03	<0.5	1	18	8	0.72	<0.01
B290813		0.68	<0.005	<0.5	3.24	<5	340	0.6	<2	0.04	<0.5	6	100	19	2.10	<0.01
B290814		0.80	<0.005	<0.5	2.05	8	70	<0.5	<2	0.66	<0.5	6	21	6	1.80	0.01
B290815		0.68	<0.005	<0.5	6.03	9	400	0.9	<2	0.09	<0.5	7	68	9	2.52	<0.01
B290816		0.72	<0.005	<0.5	5.41	<5	400	1.2	<2	0.06	<0.5	8	37	19	3.23	0.01
B290817		0.62	<0.005	<0.5	5.19	10	320	0.8	<2	0.03	<0.5	6	67	8	2.54	<0.01
B290818		0.86	<0.005	<0.5	3.41	<5	130	<0.5	<2	0.82	<0.5	3	21	11	1.30	<0.01
B290819		0.64	<0.005	<0.5	4.61	9	230	0.7	<2	3.11	<0.5	7	72	16	2.14	0.01
B290820		0.64	<0.005	<0.5	4.40	5	180	0.5	<2	11.15	<0.5	1	22	4	1.08	<0.01
B290821		0.64	<0.005	<0.5	2.31	<5	270	<0.5	<2	0.09	<0.5	11	62	52	1.17	0.01
B290822		0.98	<0.005	<0.5	3.05	<5	280	<0.5	<2	0.29	<0.5	3	28	4	0.77	0.01
B290823		0.72	<0.005	<0.5	3.82	<5	360	0.9	<2	0.07	<0.5	7	68	19	3.07	0.01
B290824		0.76	<0.005	<0.5	2.37	13	200	0.5	2	0.01	<0.5	3	39	7	1.54	0.01
B290825		0.94	<0.005	<0.5	3.34	9	290	0.6	3	0.04	<0.5	4	84	31	1.66	0.01
B290826		0.80	<0.005	<0.5	3.36	<5	300	0.6	<2	0.04	<0.5	4	30	5	1.40	<0.01
B290827		0.90	<0.005	<0.5	0.90	9	40	0.6	<2	<0.01	1.0	6	75	10	0.05	0.01
B290828		1.00	<0.005	<0.5	1.34	11	170	<0.5	<2	0.02	<0.5	6	29	5	1.21	<0.01
B290829		1.16	<0.005	<0.5	0.50	<5	40	<0.5	<2	<0.01	<0.5	2	101	14	0.90	0.01
B290830		1.00	<0.005	<0.5	2.37	10	130	<0.5	<2	0.03	<0.5	2	31	4	0.62	0.01
B290831		1.16	0.006	<0.5	3.78	9	100	<0.5	<2	0.06	<0.5	4	76	10	1.87	0.01
B290832		0.76	<0.005	<0.5	3.55	<5	200	0.5	<2	0.62	<0.5	4	35	4	1.62	0.01
B290833		0.74	<0.005	<0.5	3.00	<5	370	0.7	2	0.03	<0.5	5	70	5	1.20	<0.01
B290834		0.94	<0.005	<0.5	1.31	<5	90	<0.5	<2	0.02	<0.5	1	58	6	1.01	0.01
B290835		1.66	<0.005	<0.5	1.65	5	170	<0.5	<2	0.01	<0.5	1	59	3	0.91	0.02
B290836		1.00	<0.005	<0.5	3.47	10	130	<0.5	<2	0.07	<0.5	4	18	8	1.46	0.01
B290837		0.84	<0.005	<0.5	5.57	16	400	1.2	<2	0.07	<0.5	6	66	10	1.86	0.01
B290838		1.30	<0.005	<0.5	0.07	10	20	<0.5	<2	41.1	<0.5	1	2	1	0.06	<0.01
B290839		1.40	<0.005	<0.5	0.06	5	20	<0.5	<2	36.9	<0.5	<1	6	1	0.14	<0.01
B290840		1.30	<0.005	<0.5	2.85	<5	190	<0.5	<2	0.22	<0.5	2	18	5	1.28	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080589

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290801		0.19	0.05	50	1	0.65	8	110	11	0.01	<5	24	0.05	11	<10	18
B290802		0.94	0.19	244	<1	0.96	9	140	14	0.01	<5	26	0.07	19	<10	11
B290803		0.13	0.02	71	<1	0.06	3	70	3	<0.01	<5	6	0.02	3	<10	3
B290804		2.15	0.71	128	1	1.61	24	240	21	<0.01	<5	27	0.22	57	<10	76
B290805		0.42	0.12	120	<1	1.57	5	60	7	0.01	<5	27	0.05	12	<10	9
B290806		0.06	0.29	264	1	1.90	6	350	5	<0.01	<5	44	0.05	11	<10	27
B290807		1.10	0.50	134	<1	0.94	22	150	14	0.01	<5	30	0.12	34	<10	52
B290808		0.43	0.11	130	1	1.14	8	90	14	0.01	<5	22	0.05	14	<10	9
B290809		0.47	0.20	646	<1	1.15	22	130	20	0.01	<5	23	0.07	18	<10	22
B290810		0.76	0.24	248	1	0.49	9	100	14	0.01	<5	25	0.07	25	<10	21
B290811		0.33	0.24	275	1	0.32	17	110	35	<0.01	<5	17	0.04	12	<10	27
B290812		0.67	0.12	75	<1	1.20	4	150	7	0.01	<5	20	0.06	15	<10	7
B290813		0.99	0.37	200	1	0.33	16	100	8	<0.01	<5	25	0.11	31	<10	31
B290814		0.18	0.35	374	<1	0.78	18	340	41	0.01	<5	61	0.03	12	<10	38
B290815		1.14	0.71	193	<1	2.69	17	140	23	<0.01	<5	25	0.15	45	<10	57
B290816		1.30	0.66	396	<1	1.25	26	220	15	0.01	<5	47	0.14	43	<10	33
B290817		1.12	0.46	264	<1	1.63	20	130	15	<0.01	<5	28	0.14	35	<10	38
B290818		0.46	0.23	350	<1	1.59	9	100	6	<0.01	<5	51	0.04	12	<10	12
B290819		0.82	0.35	656	<1	1.85	19	220	25	<0.01	<5	172	0.10	25	<10	33
B290820		0.63	0.21	402	<1	2.32	8	150	20	0.01	<5	324	0.06	17	<10	16
B290821		0.53	0.37	1350	<1	0.51	10	350	8	<0.01	<5	28	0.05	13	<10	39
B290822		0.82	0.13	266	<1	1.13	8	150	19	0.01	<5	23	0.06	12	<10	19
B290823		1.52	0.20	398	<1	0.12	22	440	16	<0.01	<5	42	0.13	34	<10	52
B290824		0.79	0.10	130	<1	0.25	9	100	12	<0.01	<5	15	0.07	17	<10	29
B290825		1.20	0.18	221	<1	0.37	16	190	33	<0.01	<5	26	0.09	26	<10	32
B290826		0.93	0.13	275	<1	1.01	11	170	15	<0.01	<5	26	0.09	24	<10	17
B290827		1.10	0.02	44	<1	0.02	15	20	3	<0.01	<5	5	0.08	21	<10	31
B290828		0.48	0.08	639	1	0.10	8	130	23	<0.01	<5	16	0.05	10	<10	23
B290829		0.12	0.03	277	<1	0.11	6	30	17	<0.01	<5	5	0.01	4	<10	8
B290830		0.40	0.08	92	<1	1.11	6	90	20	<0.01	<5	14	0.05	9	<10	13
B290831		0.23	0.24	347	<1	2.00	13	230	14	<0.01	<5	121	0.06	14	<10	29
B290832		0.57	0.33	498	<1	1.38	12	120	21	<0.01	<5	91	0.13	25	<10	26
B290833		0.97	0.19	239	<1	0.75	9	110	15	<0.01	<5	17	0.10	20	<10	20
B290834		0.33	0.11	159	<1	0.35	6	50	7	0.01	<5	9	0.05	9	<10	14
B290835		0.57	0.05	110	<1	0.06	3	80	16	0.01	<5	13	0.06	9	<10	77
B290836		0.52	0.07	376	<1	1.69	9	140	14	0.01	<5	18	0.09	18	<10	22
B290837		1.45	0.38	661	<1	1.40	11	290	22	<0.01	<5	37	0.18	33	<10	38
B290838		0.01	0.23	232	<1	0.01	<1	220	5	<0.01	<5	376	<0.01	<1	<10	<2
B290839		0.01	2.37	309	<1	0.01	<1	340	<2	<0.01	<5	443	<0.01	<1	<10	2
B290840		0.78	0.20	126	<1	0.59	7	80	10	<0.01	<5	19	0.13	21	<10	25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080589

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290841		1.28	<0.005	<0.5	3.05	<5	240	0.6	<2	0.09	<0.5	3	55	5	1.55	0.01
B290842		1.56	<0.005	<0.5	3.54	9	340	0.7	<2	0.04	<0.5	4	30	7	1.76	<0.01
B290843		0.96	0.009	<0.5	1.80	21	160	<0.5	<2	0.02	<0.5	3	78	7	1.53	0.01
B290844		1.08	<0.005	<0.5	2.44	11	200	<0.5	<2	0.02	<0.5	3	15	7	0.87	<0.01
B290845		1.04	<0.005	<0.5	0.80	10	100	<0.5	<2	0.03	<0.5	6	85	10	1.04	<0.01
B290846		0.94	<0.005	<0.5	2.13	6	170	<0.5	<2	0.03	<0.5	3	17	4	1.56	<0.01
B290847		1.00	<0.005	<0.5	1.58	10	130	<0.5	<2	1.89	<0.5	4	100	13	1.24	<0.01
B290848		1.18	<0.005	<0.5	1.76	<5	130	<0.5	<2	0.06	<0.5	3	24	10	1.20	<0.01
B290849		0.92	<0.005	<0.5	2.04	<5	230	<0.5	<2	0.09	<0.5	4	65	6	1.32	<0.01
B290850		1.50	<0.005	<0.5	2.65	13	220	0.5	<2	0.12	<0.5	10	26	14	2.06	<0.01
B290851		0.98	<0.005	<0.5	1.63	<5	170	<0.5	<2	0.04	<0.5	5	98	5	3.34	0.01
B290852		1.62	<0.005	<0.5	2.30	5	150	<0.5	<2	0.02	<0.5	3	36	9	1.21	0.01
B290853		0.98	<0.005	<0.5	2.36	8	180	0.5	<2	0.01	<0.5	3	23	5	2.30	<0.01
B290854		1.22	<0.005	<0.5	3.25	7	280	0.6	<2	0.06	<0.5	5	91	12	2.28	<0.01
B290855		1.98	<0.005	<0.5	2.25	<5	210	<0.5	<2	0.01	<0.5	2	69	6	1.84	<0.01
B290856		1.20	<0.005	<0.5	2.75	11	200	0.5	<2	0.02	<0.5	4	22	6	2.20	<0.01
B290857		1.26	<0.005	<0.5	0.78	7	110	<0.5	<2	0.02	<0.5	1	98	3	0.68	0.01
B290858		2.08	<0.005	<0.5	2.12	9	190	<0.5	<2	0.01	<0.5	2	23	5	1.16	<0.01
B290859		1.84	<0.005	<0.5	2.22	10	150	<0.5	<2	0.01	<0.5	2	73	5	1.15	0.01
B290860		1.54	<0.005	<0.5	3.93	<5	260	0.6	<2	0.01	<0.5	6	34	9	2.10	<0.01
B290861		1.76	<0.005	<0.5	2.94	<5	210	0.5	<2	<0.01	<0.5	4	82	8	2.33	0.01
B290862		1.36	<0.005	<0.5	1.52	<5	120	<0.5	<2	<0.01	<0.5	2	18	4	1.07	<0.01
B290863		1.90	<0.005	<0.5	2.43	<5	190	<0.5	<2	0.01	<0.5	4	59	5	1.14	<0.01
B290864		1.78	<0.005	<0.5	1.90	<5	250	0.5	<2	0.03	<0.5	6	23	7	1.80	0.01
B290865		1.88	<0.005	<0.5	3.36	21	170	0.6	<2	0.06	<0.5	7	71	16	2.09	0.01
B290866		1.02	<0.005	<0.5	2.16	8	200	<0.5	<2	0.06	<0.5	3	22	3	1.37	0.01
B290867		2.14	<0.005	<0.5	4.37	12	220	0.6	<2	0.04	<0.5	5	70	5	1.57	<0.01
B290868		1.14	<0.005	<0.5	4.54	<5	350	0.9	<2	0.10	<0.5	8	37	17	2.10	<0.01
B290869		0.98	<0.005	<0.5	3.14	6	240	0.5	<2	0.04	<0.5	5	82	5	1.58	0.01
B290870		1.12	<0.005	<0.5	5.02	<5	410	1.0	<2	0.05	<0.5	5	65	12	2.14	0.01
B290871		1.28	<0.005	<0.5	2.92	<5	350	0.7	<2	0.36	<0.5	6	73	11	1.62	<0.01
B290872		1.12	<0.005	<0.5	1.14	11	100	<0.5	<2	0.06	<0.5	2	15	5	1.12	0.01
B290873		1.24	<0.005	<0.5	1.27	<5	60	<0.5	<2	0.02	<0.5	2	83	9	1.02	<0.01
B290874		1.42	<0.005	<0.5	1.72	<5	140	<0.5	<2	0.28	<0.5	6	18	12	1.19	0.01
B290875		1.04	0.006	<0.5	3.26	<5	210	<0.5	<2	0.12	<0.5	3	28	18	1.79	<0.01
B290876		1.10	<0.005	<0.5	1.34	16	70	<0.5	<2	0.01	<0.5	2	78	6	0.84	<0.01
B290877		2.70	<0.005	<0.5	6.83	13	560	1.5	<2	0.23	<0.5	19	60	44	4.32	0.01
B290878		1.50	0.018	<0.5	6.37	14	300	1.0	<2	6.44	<0.5	63	13	214	13.95	0.01
B290879		1.36	<0.005	<0.5	4.15	<5	250	1.4	<2	3.96	<0.5	16	40	34	3.49	0.01
B290880		1.00	<0.005	<0.5	4.18	10	210	1.1	<2	5.18	<0.5	7	57	11	1.86	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080589

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290841		1.13	0.12	204	<1	0.25	11	120	8	<0.01	<5	31	0.07	22	<10	30
B290842		1.32	0.20	128	<1	0.32	9	70	14	<0.01	<5	27	0.12	30	<10	30
B290843		0.67	0.06	226	<1	0.14	8	110	4	<0.01	<5	15	0.05	14	<10	17
B290844		0.71	0.08	130	<1	0.67	6	70	13	<0.01	<5	18	0.05	14	<10	14
B290845		0.25	0.09	734	<1	0.03	8	100	33	<0.01	<5	7	0.02	7	<10	10
B290846		0.81	0.16	308	<1	0.25	6	60	8	<0.01	<5	16	0.07	17	<10	19
B290847		0.43	0.17	197	<1	0.20	9	8800	16	<0.01	<5	279	0.05	14	<10	22
B290848		0.37	0.19	420	<1	0.43	6	180	21	<0.01	<5	24	0.06	12	<10	18
B290849		0.47	0.18	693	2	0.41	12	140	8	<0.01	<5	26	0.08	16	<10	27
B290850		0.67	0.51	312	<1	0.31	13	140	12	<0.01	<5	24	0.13	23	<10	39
B290851		0.31	0.04	2960	1	0.64	8	410	60	0.01	<5	26	0.03	8	<10	17
B290852		0.55	0.13	293	<1	0.70	5	90	9	<0.01	<5	23	0.06	14	<10	17
B290853		0.70	0.06	1210	<1	0.37	4	60	4	<0.01	<5	35	0.06	18	<10	9
B290854		1.06	0.25	349	<1	0.35	12	360	15	<0.01	<5	38	0.11	27	<10	36
B290855		0.92	0.10	262	<1	0.08	6	70	2	0.01	<5	21	0.05	16	<10	19
B290856		0.87	0.13	358	<1	0.60	8	120	7	0.01	<5	18	0.07	18	<10	24
B290857		0.24	0.03	106	<1	0.15	3	70	<2	<0.01	<5	7	0.01	4	<10	5
B290858		0.78	0.08	230	<1	0.15	4	70	<2	<0.01	<5	17	0.07	18	<10	11
B290859		0.69	0.07	196	<1	0.43	7	110	6	<0.01	<5	20	0.05	14	<10	11
B290860		1.14	0.11	575	<1	0.90	14	90	12	<0.01	<5	23	0.09	29	<10	32
B290861		0.92	0.10	414	1	0.51	14	100	8	<0.01	<5	19	0.07	21	<10	31
B290862		0.58	0.06	356	<1	0.06	7	50	7	<0.01	<5	15	0.05	11	<10	8
B290863		0.99	0.12	223	<1	0.07	7	60	<2	<0.01	<5	20	0.07	16	<10	7
B290864		0.68	0.13	389	<1	0.17	10	160	11	<0.01	<5	16	0.09	23	<10	23
B290865		0.82	0.20	402	<1	0.96	12	310	21	0.01	<5	20	0.09	17	<10	36
B290866		0.70	0.30	227	<1	0.22	7	80	7	<0.01	<5	30	0.09	17	<10	19
B290867		0.80	0.13	470	<1	1.76	12	180	6	<0.01	<5	31	0.09	19	<10	13
B290868		1.33	0.47	230	<1	0.55	13	240	24	<0.01	<5	51	0.19	37	<10	44
B290869		0.76	0.33	164	<1	0.92	10	120	8	<0.01	<5	27	0.13	23	<10	28
B290870		1.46	0.60	333	<1	0.78	14	170	14	0.01	<5	49	0.23	35	<10	44
B290871		0.89	0.46	374	<1	0.20	17	110	11	<0.01	<5	42	0.14	24	<10	40
B290872		0.34	0.31	308	<1	0.04	2	60	<2	<0.01	<5	12	0.06	10	<10	22
B290873		0.24	0.10	80	<1	0.22	7	50	10	<0.01	<5	8	0.04	7	<10	40
B290874		0.44	0.29	411	<1	0.28	12	80	5	0.01	<5	34	0.09	14	<10	48
B290875		0.79	0.52	449	<1	0.26	7	120	5	0.02	<5	35	0.16	23	<10	40
B290876		0.26	0.08	75	1	0.11	3	40	2	<0.01	<5	4	0.08	10	<10	10
B290877		1.29	1.02	1020	1	1.34	39	400	22	<0.01	<5	66	0.38	66	<10	93
B290878		0.64	2.57	2110	1	1.46	14	1070	20	0.01	<5	182	2.24	521	10	171
B290879		0.36	1.60	885	<1	1.52	22	1320	5	0.02	<5	152	0.47	125	<10	114
B290880		0.49	1.10	798	1	0.63	14	2190	3	0.02	<5	184	0.27	41	<10	111

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080589

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290881		0.78	0.008	<0.5	1.26	<5	140	0.5	<2	1.22	<0.5	1	30	33	1.50	0.01
B290882		0.78	<0.005	<0.5	5.57	12	380	1.5	<2	4.29	<0.5	13	116	42	3.11	0.01
B290883		1.24	<0.005	<0.5	7.00	<5	150	0.5	<2	7.05	<0.5	34	94	107	7.10	<0.01
B290884		0.76	<0.005	<0.5	9.16	8	230	<0.5	<2	8.41	<0.5	45	184	145	7.74	<0.01
B290885		0.72	<0.005	<0.5	9.85	<5	170	0.5	<2	8.62	<0.5	41	182	52	7.53	<0.01
B290886		0.80	<0.005	<0.5	7.19	23	130	<0.5	<2	5.56	<0.5	31	169	38	5.45	<0.01
B290887		1.20	<0.005	<0.5	9.08	12	290	<0.5	<2	7.96	<0.5	49	182	148	7.77	0.01
B290888		1.10	<0.005	<0.5	4.79	6	330	1.3	<2	4.42	<0.5	8	66	15	2.51	0.01
B290889		1.22	<0.005	<0.5	1.62	10	100	<0.5	<2	1.14	<0.5	8	87	52	2.16	0.01
B290890		0.98	<0.005	<0.5	4.62	<5	500	1.1	<2	4.21	<0.5	7	37	19	2.39	0.01
B290891		1.34	0.082	1.0	6.08	20	550	1.4	<2	4.86	<0.5	29	13	100	13.10	0.02
B290892		1.18	<0.005	<0.5	5.18	14	360	1.3	<2	5.39	<0.5	6	45	16	2.20	<0.01
B290893		1.28	<0.005	<0.5	5.18	<5	160	1.3	<2	6.51	<0.5	11	76	20	4.26	<0.01
B290894		1.16	<0.005	<0.5	8.18	13	1480	2.7	<2	0.54	<0.5	3	11	2	1.94	<0.01
B290895		0.96	<0.005	<0.5	5.16	63	490	1.5	<2	0.36	0.8	4	66	3	0.56	0.01
B290896		0.78	<0.005	<0.5	8.16	<5	1490	3.2	<2	2.25	<0.5	7	14	2	2.36	<0.01
B290897		1.18	<0.005	0.5	7.59	<5	1120	2.9	<2	2.29	<0.5	5	46	2	1.61	0.01
B290898		0.72	<0.005	<0.5	3.67	<5	710	1.3	<2	0.84	<0.5	4	9	2	1.34	<0.01
B290899		1.14	<0.005	0.6	8.02	32	960	4.1	<2	0.48	0.5	4	45	3	0.94	<0.01
B290900		0.84	<0.005	<0.5	7.17	<5	1030	4.6	<2	1.73	<0.5	3	14	2	0.77	0.01
B290901		0.96	<0.005	0.5	7.28	11	860	4.6	<2	2.00	<0.5	1	50	2	0.94	<0.01
B290902		0.98	<0.005	<0.5	7.57	<5	1340	4.4	<2	2.12	<0.5	4	53	12	1.38	0.01
B290903		0.92	<0.005	<0.5	3.52	8	230	1.8	<2	0.81	<0.5	1	68	2	0.50	<0.01
B290904		1.36	<0.005	0.5	6.84	20	810	2.5	<2	1.83	<0.5	3	12	2	1.09	<0.01
B290905		1.12	<0.005	<0.5	5.34	11	310	2.3	<2	1.47	<0.5	3	60	3	0.98	0.01
B290906		1.26	<0.005	<0.5	4.51	22	520	1.9	<2	1.37	<0.5	3	16	2	1.06	<0.01
B290907		1.00	<0.005	<0.5	3.18	14	330	1.6	<2	2.47	<0.5	8	97	32	2.45	<0.01
B290908		1.22	<0.005	<0.5	4.09	9	480	2.0	<2	1.09	<0.5	<1	16	2	0.48	0.01
B290909		1.46	<0.005	<0.5	8.19	16	330	1.0	<2	8.82	<0.5	41	158	284	7.21	0.01
B290910		1.26	<0.005	<0.5	3.05	19	310	1.1	<2	1.02	<0.5	2	18	3	0.87	<0.01
B290911		1.36	<0.005	<0.5	4.67	24	520	1.7	<2	1.49	<0.5	4	16	7	1.34	0.01
B290912		1.66	0.033	0.5	6.60	<5	860	2.5	<2	1.96	<0.5	3	15	6	0.98	<0.01
B290913		1.16	<0.005	<0.5	6.83	20	490	1.5	<2	0.43	<0.5	13	109	47	3.30	0.02
B290914		0.96	<0.005	<0.5	1.64	9	110	<0.5	<2	0.11	<0.5	4	24	12	1.12	0.01
B290915		1.00	<0.005	<0.5	3.59	36	190	0.7	<2	0.76	<0.5	8	75	21	3.03	0.01
B290916		1.02	<0.005	<0.5	2.21	<5	180	<0.5	<2	0.66	<0.5	8	19	28	1.64	0.01
B290917		0.82	0.022	0.9	7.65	180	610	2.1	3	3.51	<0.5	17	88	88	3.63	0.03
B290918		1.24	<0.005	<0.5	3.65	120	270	0.9	<2	0.46	<0.5	6	36	27	3.03	0.01
B290919		1.10	<0.005	<0.5	1.38	62	70	<0.5	<2	0.27	<0.5	4	89	39	2.77	0.01
B290920		0.92	<0.005	<0.5	1.80	44	110	<0.5	<2	0.19	<0.5	3	96	11	0.97	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080589

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B290881		0.23	0.63	263	2	0.19	5	450	<2	0.04	<5	35	0.08	63	<10	23
B290882		0.90	1.60	1820	7	0.59	32	1340	12	0.48	<5	191	0.32	98	<10	80
B290883		0.26	3.34	1270	<1	1.25	59	690	7	<0.01	<5	203	0.72	278	<10	83
B290884		0.40	4.00	1260	<1	1.54	107	510	14	0.02	<5	289	0.79	295	<10	84
B290885		0.31	3.93	1060	<1	1.74	99	570	7	<0.01	<5	426	0.83	310	10	58
B290886		0.23	3.39	871	<1	1.89	92	420	10	<0.01	<5	305	0.60	224	<10	50
B290887		0.29	4.47	1295	<1	1.34	132	550	17	0.01	<5	222	0.80	291	<10	82
B290888		1.16	1.23	1035	1	0.73	13	1600	9	0.02	<5	124	0.29	47	10	168
B290889		0.21	0.92	285	2	0.35	22	150	<2	0.02	<5	38	0.20	83	<10	31
B290890		1.65	1.47	602	1	0.70	13	2430	13	0.03	<5	139	0.28	48	<10	130
B290891		0.80	1.37	2180	2	1.52	<1	2090	20	0.08	<5	269	1.76	47	10	233
B290892		0.90	1.04	733	1	0.45	11	1720	13	0.01	<5	207	0.33	64	<10	123
B290893		0.49	1.30	1530	1	0.42	21	1100	7	0.03	<5	156	0.30	56	80	234
B290894		3.18	0.30	224	1	1.80	5	570	16	<0.01	5	393	0.26	30	<10	31
B290895		1.11	0.09	240	14	1.46	5	350	21	<0.01	6	220	0.13	9	1770	152
B290896		3.28	0.69	309	<1	1.92	2	620	23	<0.01	<5	610	0.28	29	10	34
B290897		1.82	0.55	198	<1	2.56	3	570	20	<0.01	<5	813	0.24	23	<10	42
B290898		1.89	0.40	195	5	0.75	4	220	13	<0.01	<5	244	0.14	15	1670	12
B290899		1.98	0.16	700	<1	2.05	2	260	176	<0.01	17	412	0.14	15	10	341
B290900		1.22	0.36	131	<1	3.19	<1	290	13	<0.01	<5	819	0.15	17	30	17
B290901		0.60	0.40	120	<1	3.17	3	350	12	<0.01	<5	926	0.17	19	<10	17
B290902		3.16	0.49	138	1	2.07	6	350	21	0.12	<5	587	0.17	39	180	20
B290903		0.11	0.21	70	1	1.55	<1	140	3	<0.01	<5	511	0.07	10	30	5
B290904		0.47	0.49	126	<1	2.89	4	470	8	<0.01	<5	940	0.21	21	990	17
B290905		0.51	0.43	162	3	2.02	5	390	5	<0.01	<5	545	0.17	23	290	17
B290906		0.62	0.38	124	4	1.52	4	300	8	<0.01	<5	495	0.15	18	10	12
B290907		0.24	0.91	357	9	0.80	14	970	3	0.15	<5	270	0.18	60	2150	30
B290908		0.28	0.11	66	5	1.72	2	180	7	<0.01	<5	475	0.05	10	640	8
B290909		0.72	3.89	1565	6	0.74	85	610	10	1.88	<5	549	0.93	335	20	76
B290910		0.39	0.33	118	8	1.10	<1	250	2	0.01	<5	325	0.10	16	2780	13
B290911		0.65	0.52	328	6	1.50	6	390	6	0.01	<5	436	0.17	33	370	75
B290912		0.78	0.33	127	8	2.56	3	360	18	0.01	<5	858	0.15	17	390	19
B290913		1.63	0.74	727	1	0.77	28	890	22	0.02	<5	120	0.28	55	10	74
B290914		0.37	0.19	160	<1	0.22	8	340	29	<0.01	<5	46	0.07	13	<10	16
B290915		0.64	0.69	884	<1	0.43	21	170	19	0.04	<5	81	0.16	28	<10	56
B290916		0.42	0.73	545	<1	0.38	16	140	6	0.11	<5	42	0.09	15	<10	56
B290917		2.06	2.30	1015	3	0.57	33	410	21	0.70	<5	235	0.36	103	20	156
B290918		1.03	0.66	672	1	0.23	15	260	9	0.11	<5	62	0.16	32	<10	44
B290919		0.23	0.55	591	<1	0.07	9	770	9	0.03	<5	37	0.05	15	<10	46
B290920		0.34	0.31	205	<1	0.53	8	190	5	0.02	<5	45	0.10	10	<10	19

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080589

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290921		1.20	<0.005	<0.5	1.66	55	110	<0.5	2	0.63	<0.5	1	19	14	0.86	0.03
B290922		1.00	<0.005	<0.5	2.58	65	220	<0.5	<2	0.38	0.7	2	69	9	0.78	0.06
B290923		1.44	<0.005	<0.5	1.18	91	80	<0.5	<2	0.20	<0.5	2	24	13	1.25	0.01
B290924		0.86	<0.005	<0.5	5.43	36	430	0.8	<2	0.45	<0.5	5	82	17	2.21	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 29-SEP-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080589

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290921		0.39	0.54	328	1	0.42	4	120	11	<0.01	<5	55	0.04	9	<10	47
B290922		0.27	0.33	309	<1	1.42	6	50	7	0.01	<5	91	<0.01	2	<10	84
B290923		0.28	0.23	119	<1	0.08	5	70	3	0.05	<5	34	0.05	13	<10	15
B290924		1.15	0.52	301	<1	1.64	16	140	9	0.03	<5	105	0.24	43	<10	38

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da -OCT-2005
Account: STRGOL

CERTIFICATE VA05080931

Project: Dublin Gulch-1735

P.O. No.:

This report is for 83 Rock samples submitted to our lab in Vancouver, BC, Canada on 23-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES
Pb-AA62	Ore grade Pb - four acid / AAS	AAS
Ag-AA62	Ore grade Ag - four acid /AAS	AAS

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290925		0.92	<0.005	<0.5	1.36	14	230	<0.5	3	2.49	<0.5	1	21	7	1.80	<0.01
B290926		1.40	<0.005	<0.5	1.81	8	220	0.5	<2	2.25	<0.5	2	18	13	1.04	<0.01
B290927		1.42	<0.005	<0.5	6.39	47	290	1.9	<2	0.07	<0.5	15	53	94	6.14	0.02
B290928		1.36	<0.005	0.8	3.19	124	190	0.9	2	0.03	0.8	11	25	161	6.23	0.09
B290929		1.98	<0.005	1.6	6.90	47	20	2.6	<2	0.13	<0.5	7	51	318	10.15	0.06
B290930		1.18	<0.005	<0.5	6.27	24	470	1.1	4	0.16	<0.5	5	54	13	3.00	0.01
B290931		1.00	0.006	<0.5	5.08	15	400	0.7	2	0.15	<0.5	5	44	18	2.30	0.01
B290932		1.14	<0.005	<0.5	0.73	5	40	<0.5	2	0.07	<0.5	2	26	5	0.72	0.01
B290933		1.06	0.106	<0.5	1.24	11	160	<0.5	2	0.08	<0.5	2	21	19	1.77	<0.01
B290934		1.06	<0.005	<0.5	0.99	11	50	<0.5	3	0.10	<0.5	1	29	7	1.16	<0.01
B290935		1.08	0.018	<0.5	2.99	13	330	0.5	2	0.38	<0.5	3	28	19	1.86	<0.01
B290936		1.14	0.006	<0.5	2.64	8	180	<0.5	2	0.10	<0.5	2	25	8	1.40	<0.01
B290937		0.90	0.021	<0.5	3.67	225	310	<0.5	3	0.96	<0.5	1	24	7	1.28	<0.01
B290938		1.16	<0.005	<0.5	3.95	7	360	0.7	3	0.54	<0.5	4	34	8	1.62	0.01
B290939		0.82	<0.005	<0.5	6.71	18	640	1.7	<2	0.70	<0.5	9	48	15	2.98	0.01
B290940		1.22	0.009	<0.5	2.88	10	200	0.6	3	0.02	<0.5	3	28	6	1.53	<0.01
B290941		0.72	<0.005	<0.5	2.35	10	150	<0.5	<2	0.02	<0.5	2	22	5	1.47	<0.01
B290942		0.76	0.007	<0.5	0.91	9	60	<0.5	2	0.03	<0.5	<1	22	12	0.98	<0.01
B290943		1.64	<0.005	<0.5	0.48	19	40	<0.5	2	0.03	<0.5	1	23	8	0.91	<0.01
B290944		1.00	<0.005	<0.5	0.69	19	40	<0.5	3	0.01	<0.5	2	28	6	0.80	<0.01
B290945		1.24	<0.005	<0.5	0.60	12	90	<0.5	<2	0.14	<0.5	1	29	5	0.99	<0.01
B290946		1.08	0.005	<0.5	2.10	82	200	<0.5	<2	0.11	<0.5	3	24	8	1.22	0.04
B290947		1.30	0.008	<0.5	1.90	22	250	0.6	<2	0.28	0.6	8	23	7	1.30	0.36
B290948		1.16	<0.005	<0.5	2.13	73	270	<0.5	<2	0.08	<0.5	4	24	6	0.97	0.01
B290949		0.74	<0.005	<0.5	1.46	22	150	<0.5	<2	0.14	<0.5	3	19	9	1.17	<0.01
B290950		0.62	<0.005	<0.5	0.94	48	80	<0.5	<2	0.12	<0.5	2	28	8	0.83	0.10
B290951		0.70	<0.005	<0.5	2.27	20	210	0.5	<2	1.19	<0.5	5	27	12	1.72	<0.01
B290952		1.96	<0.005	<0.5	1.44	8	90	<0.5	<2	0.34	<0.5	1	24	16	1.16	<0.01
B290953		0.92	<0.005	<0.5	8.64	16	1030	2.1	<2	0.32	<0.5	11	75	12	4.10	0.01
B290954		1.16	0.007	<0.5	6.86	5	910	1.6	<2	2.72	<0.5	5	50	19	2.99	<0.01
B290955		1.08	<0.005	<0.5	8.43	7	1370	2.4	<2	0.74	<0.5	11	62	7	4.41	<0.01
B290956		1.12	<0.005	<0.5	6.06	9	430	1.2	<2	2.17	<0.5	8	46	20	2.99	0.01
B290957		0.92	0.005	<0.5	4.88	17	500	1.1	<2	1.10	<0.5	8	46	22	2.31	<0.01
B290958		1.76	<0.005	<0.5	8.58	7	880	2.0	<2	0.42	<0.5	20	78	76	4.68	<0.01
B290959		1.80	<0.005	<0.5	11.15	5	1410	3.3	<2	0.28	<0.5	17	106	59	5.69	<0.01
B290960		1.50	<0.005	<0.5	8.57	40	1520	3.6	<2	2.01	<0.5	8	48	3	2.99	<0.01
B290961		1.56	<0.005	<0.5	7.96	9	1380	3.1	<2	2.01	<0.5	7	37	5	2.53	<0.01
B290962		1.40	<0.005	<0.5	3.25	<5	670	1.0	2	0.82	<0.5	4	51	3	1.68	<0.01
B290963		1.16	<0.005	<0.5	7.34	<5	840	3.1	<2	1.25	<0.5	3	18	6	1.50	0.01
B290964		0.92	<0.005	<0.5	4.44	6	310	0.6	<2	0.04	<0.5	2	36	12	2.02	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B290925		0.95	0.14	383	<1	0.15	7	130	4	0.10	<5	120	0.11	16	<10	9
B290926		0.93	0.15	212	<1	0.25	8	160	4	<0.01	<5	120	0.11	17	<10	14
B290927		1.58	0.53	485	2	0.25	39	310	5	0.02	21	87	0.16	76	<10	43
B290928		0.79	0.25	1005	<1	0.08	37	140	16	0.01	10	31	0.07	35	<10	133
B290929		0.08	0.92	449	1	0.68	39	270	16	0.02	34	133	0.19	79	<10	54
B290930		2.11	0.60	255	<1	0.39	17	300	15	0.03	<5	128	0.28	49	<10	67
B290931		1.85	0.45	230	<1	0.52	17	120	16	0.01	<5	100	0.23	39	<10	51
B290932		0.16	0.10	144	<1	0.08	8	40	4	<0.01	<5	17	0.03	5	<10	11
B290933		0.25	0.30	267	1	0.12	6	70	2	0.07	<5	22	0.06	9	<10	21
B290934		0.22	0.17	170	1	0.16	5	260	5	0.01	<5	22	0.04	7	<10	19
B290935		0.63	0.41	279	<1	0.51	11	80	5	0.08	<5	81	0.14	23	<10	23
B290936		0.66	0.26	225	<1	0.46	7	80	6	<0.01	<5	39	0.13	20	<10	18
B290937		0.66	0.11	844	<1	1.27	3	100	5	<0.01	<5	364	0.18	20	<10	17
B290938		1.14	0.37	194	<1	1.08	12	90	9	0.02	<5	85	0.19	32	<10	28
B290939		2.80	0.73	355	<1	1.32	21	290	15	0.01	6	108	0.33	53	<10	69
B290940		0.78	0.24	130	<1	0.23	9	90	3	<0.01	<5	26	0.12	20	<10	25
B290941		0.54	0.23	136	<1	0.38	8	50	5	<0.01	<5	22	0.11	17	<10	21
B290942		0.31	0.01	50	<1	0.02	2	210	8	0.02	<5	14	0.01	2	<10	7
B290943		0.14	0.06	111	<1	0.02	3	80	24	<0.01	<5	8	0.02	4	<10	7
B290944		0.17	0.04	132	<1	0.02	5	40	3	<0.01	<5	4	0.03	5	<10	10
B290945		0.16	0.07	245	1	0.04	7	50	6	<0.01	<5	25	0.04	7	<10	15
B290946		0.54	0.10	268	1	0.11	9	80	45	<0.01	52	17	0.10	15	<10	133
B290947		0.40	0.14	1130	1	0.13	16	120	12	<0.01	<5	38	0.11	14	<10	44
B290948		0.74	0.07	290	<1	0.16	6	70	17	<0.01	7	32	0.10	15	<10	48
B290949		0.46	0.07	429	1	0.45	7	190	19	<0.01	<5	39	0.04	6	<10	13
B290950		0.22	0.06	175	1	0.13	6	120	68	0.01	19	19	0.04	6	<10	25
B290951		0.61	0.56	536	1	0.45	14	220	9	<0.01	<5	99	0.10	18	<10	35
B290952		0.15	0.19	348	1	0.36	7	310	3	0.01	<5	39	0.04	6	<10	19
B290953		3.24	0.84	346	1	1.29	34	370	17	0.01	<5	73	0.45	98	<10	84
B290954		2.61	0.65	601	1	0.93	15	280	23	0.03	<5	251	0.27	52	10	67
B290955		3.68	0.79	235	1	1.02	33	380	14	0.01	<5	186	0.40	63	<10	80
B290956		1.62	0.66	537	1	0.99	21	250	10	0.05	<5	212	0.28	44	<10	66
B290957		1.61	0.52	1445	1	0.38	22	350	8	0.21	<5	115	0.19	37	<10	25
B290958		3.17	1.11	371	2	0.93	33	470	26	0.02	<5	82	0.45	76	<10	102
B290959		4.78	1.19	415	2	0.79	50	720	15	0.10	<5	86	0.70	125	<10	126
B290960		3.05	1.32	443	1	1.90	19	760	16	<0.01	<5	563	0.33	61	<10	59
B290961		3.27	0.89	393	1	1.69	14	590	27	<0.01	<5	449	0.30	44	<10	59
B290962		1.21	0.57	231	1	0.58	18	310	11	<0.01	<5	144	0.19	42	90	43
B290963		3.78	0.45	227	1	1.74	6	340	38	<0.01	<5	330	0.15	21	<10	33
B290964		1.33	0.44	235	1	0.74	9	140	6	<0.01	<5	35	0.22	29	<10	33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 Pb % 0.01	Ag-AA62 Ag ppm 1
B290925			
B290926			
B290927			
B290928			
B290929			
B290930			
B290931			
B290932			
B290933			
B290934			
B290935			
B290936			
B290937			
B290938			
B290939			
B290940			
B290941			
B290942			
B290943			
B290944			
B290945			
B290946			
B290947			
B290948			
B290949			
B290950			
B290951			
B290952			
B290953			
B290954			
B290955			
B290956			
B290957			
B290958			
B290959			
B290960			
B290961			
B290962			
B290963			
B290964			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B290965		0.76	<0.005	<0.5	2.70	12	130	<0.5	<2	0.30	<0.5	3	29	6	1.68	<0.01
B290966		0.96	<0.005	<0.5	5.43	7	390	0.8	<2	0.34	<0.5	6	46	11	2.75	<0.01
B290967		1.00	0.005	<0.5	4.43	10	310	0.7	<2	0.29	<0.5	5	35	15	2.21	<0.01
B290968		1.00	<0.005	<0.5	6.31	10	680	1.3	<2	0.13	<0.5	4	52	8	2.66	<0.01
B290969		0.96	0.005	<0.5	1.79	39	200	<0.5	<2	0.02	<0.5	1	21	3	0.88	<0.01
B290970		1.14	0.014	<0.5	1.51	27	100	<0.5	<2	0.01	<0.5	<1	26	3	0.51	0.01
B290971		0.96	0.055	<0.5	1.00	756	100	<0.5	<2	0.02	<0.5	1	14	4	0.76	0.01
B290972		1.02	<0.005	<0.5	3.22	12	360	<0.5	<2	0.11	<0.5	3	29	2	1.30	<0.01
B290973		0.94	<0.005	<0.5	0.04	10	20	<0.5	<2	<0.01	<0.5	<1	21	2	0.52	<0.01
B290974		1.04	0.012	<0.5	2.52	13	380	<0.5	<2	0.03	<0.5	3	25	7	1.10	0.01
B290975		1.02	0.008	<0.5	1.18	27	290	<0.5	<2	0.03	<0.5	1	22	5	0.98	<0.01
B290976		2.08	0.007	<0.5	1.92	43	490	<0.5	<2	0.01	<0.5	1	26	4	1.16	0.04
B290977		1.40	0.498	<0.5	1.84	26	360	<0.5	<2	0.01	<0.5	<1	24	6	0.93	0.02
B290978		1.10	0.006	<0.5	1.86	34	270	<0.5	<2	0.01	<0.5	1	20	5	1.28	0.01
B290979		1.32	0.062	<0.5	0.71	27	130	<0.5	<2	0.01	<0.5	<1	15	4	0.62	0.01
B290980		1.26	0.028	<0.5	1.51	35	230	<0.5	<2	0.01	<0.5	1	18	8	0.66	<0.01
B290981		1.28	<0.005	<0.5	1.65	13	220	<0.5	<2	0.01	<0.5	2	16	5	0.60	<0.01
B290982		1.22	0.011	<0.5	1.93	11	300	<0.5	<2	0.01	<0.5	1	13	8	0.74	<0.01
B290983		1.00	0.005	<0.5	1.68	17	220	<0.5	<2	0.02	<0.5	2	17	13	0.97	<0.01
B290984		0.94	<0.005	<0.5	1.66	72	190	<0.5	<2	0.01	<0.5	1	16	24	0.88	<0.01
B290985		1.02	<0.005	<0.5	1.92	13	210	<0.5	<2	0.08	<0.5	5	18	34	1.76	<0.01
B290986		1.48	0.005	<0.5	2.92	9	190	<0.5	<2	0.63	<0.5	7	33	12	1.56	<0.01
B290987		0.80	<0.005	<0.5	3.33	<5	140	0.6	<2	0.01	<0.5	2	21	17	2.89	<0.01
B290988		0.66	<0.005	<0.5	9.21	<5	770	2.3	<2	0.03	<0.5	2	89	18	3.93	<0.01
B290989		1.08	<0.005	<0.5	0.14	<5	10	<0.5	<2	0.01	<0.5	2	13	8	1.13	0.01
B290990		1.20	<0.005	<0.5	0.38	<5	20	<0.5	<2	0.08	<0.5	1	91	16	2.12	<0.01
B290991		0.94	<0.005	<0.5	3.90	<5	240	0.8	<2	0.01	<0.5	13	26	18	2.34	0.01
B290992		1.06	<0.005	<0.5	0.35	<5	10	<0.5	<2	0.05	<0.5	5	83	5	0.59	<0.01
B290993		0.98	<0.005	<0.5	6.14	<5	380	1.2	<2	0.01	<0.5	6	41	17	4.18	<0.01
B290994		1.06	<0.005	<0.5	0.12	<5	<10	<0.5	<2	0.03	<0.5	1	86	2	0.32	<0.01
B290995		1.12	<0.005	<0.5	0.34	<5	20	<0.5	<2	0.02	<0.5	1	28	3	0.66	<0.01
B290996		1.98	<0.005	<0.5	0.08	<5	<10	<0.5	<2	0.02	<0.5	1	95	3	0.36	<0.01
B290997		1.22	<0.005	<0.5	4.39	<5	190	0.7	<2	0.02	<0.5	9	28	26	4.46	<0.01
B290998		1.26	<0.005	<0.5	4.92	7	240	0.8	<2	0.01	<0.5	4	55	21	3.71	<0.01
B290999		1.44	<0.005	<0.5	2.22	<5	40	<0.5	<2	0.04	<0.5	11	54	11	1.20	<0.01
B291000		1.52	<0.005	<0.5	0.08	<5	10	<0.5	<2	0.01	<0.5	1	95	3	0.36	<0.01
B627451		1.18	<0.005	<0.5	3.61	<5	40	<0.5	<2	0.05	<0.5	5	50	5	1.88	<0.01
B627452		1.22	<0.005	<0.5	1.85	<5	70	<0.5	<2	0.01	<0.5	4	47	5	0.97	<0.01
B627453		1.18	<0.005	<0.5	3.26	<5	100	<0.5	<2	0.03	<0.5	7	39	14	2.11	<0.01
B627454		1.20	<0.005	<0.5	2.72	<5	110	<0.5	<2	0.02	<0.5	3	48	8	1.56	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B290965		0.35	0.30	290	<1	0.96	10	110	4	<0.01	<5	45	0.14	20	<10	20
B290966		1.49	0.65	388	1	1.26	20	370	2	<0.01	<5	62	0.28	45	<10	45
B290967		1.10	0.48	311	1	1.11	17	230	4	0.01	<5	87	0.18	33	<10	31
B290968		2.38	0.58	296	1	0.61	15	350	5	0.01	<5	76	0.27	53	<10	42
B290969		0.69	0.05	48	3	0.54	6	130	2	<0.01	<5	22	0.08	13	<10	7
B290970		0.63	0.05	29	2	0.01	1	50	<2	<0.01	<5	5	0.06	9	10	2
B290971		0.38	0.03	31	3	0.01	2	70	2	0.03	<5	6	0.02	4	460	<2
B290972		0.43	0.29	62	1	1.68	10	160	<2	<0.01	<5	52	0.15	23	10	11
B290973		0.02	<0.01	36	1	0.01	2	10	<2	<0.01	<5	2	<0.01	1	10	<2
B290974		1.01	0.06	83	1	0.56	6	120	<2	<0.01	<5	53	0.11	18	10	11
B290975		0.37	0.02	92	2	0.29	5	50	<2	<0.01	<5	31	0.05	9	10	9
B290976		1.31	0.05	55	9	0.04	6	50	2	<0.01	<5	35	0.07	12	780	9
B290977		0.87	0.05	44	5	0.06	2	120	<2	<0.01	<5	48	0.07	12	50	4
B290978		0.73	0.04	57	2	0.14	5	90	<2	<0.01	<5	42	0.09	13	30	11
B290979		0.29	0.03	45	2	0.01	1	60	<2	<0.01	<5	22	0.03	7	30	2
B290980		0.72	0.04	78	2	0.08	2	80	2	0.01	<5	33	0.06	12	20	3
B290981		0.63	0.05	45	<1	0.02	2	100	3	<0.01	<5	39	0.08	13	10	3
B290982		0.99	0.04	38	<1	0.05	2	150	<2	<0.01	<5	50	0.09	16	10	4
B290983		0.58	0.10	66	<1	0.12	2	90	3	<0.01	<5	32	0.06	12	<10	9
B290984		0.64	0.07	54	<1	0.17	3	100	4	0.01	<5	22	0.07	13	10	6
B290985		0.51	0.14	119	<1	0.14	9	310	8	<0.01	<5	73	0.06	13	20	8
B290986		0.75	0.35	431	<1	0.98	11	160	8	<0.01	<5	134	0.17	27	<10	28
B290987		0.53	0.57	147	<1	0.34	5	130	25	0.01	<5	24	0.07	19	<10	59
B290988		2.96	0.89	211	<1	0.60	4	270	27	0.03	<5	122	0.20	102	<10	71
B290989		0.03	0.01	53	<1	0.01	8	30	4	<0.01	<5	2	<0.01	1	<10	9
B290990		0.06	0.05	86	<1	0.01	8	510	4	<0.01	<5	8	0.01	4	<10	21
B290991		0.94	0.29	664	<1	0.28	43	90	34	0.01	<5	45	0.08	30	<10	48
B290992		0.03	0.03	101	<1	0.01	17	220	5	<0.01	<5	5	0.01	2	<10	9
B290993		1.52	0.90	165	<1	0.26	17	140	23	0.01	<5	66	0.13	53	<10	96
B290994		0.01	<0.01	81	<1	0.03	1	100	2	<0.01	<5	3	<0.01	1	<10	<2
B290995		0.05	0.02	117	<1	0.03	4	70	2	<0.01	<5	4	0.01	2	<10	7
B290996		0.01	<0.01	25	<1	0.01	2	70	4	<0.01	<5	2	<0.01	1	<10	2
B290997		0.67	0.78	531	<1	0.75	18	200	20	0.01	<5	42	0.06	31	<10	88
B290998		0.92	0.79	180	<1	0.68	11	230	37	0.01	<5	48	0.08	35	<10	80
B290999		0.08	0.02	333	<1	1.12	26	220	7	<0.01	<5	30	0.03	6	<10	31
B291000		0.02	<0.01	29	<1	0.01	2	40	<2	<0.01	<5	3	<0.01	2	<10	<2
B627451		0.12	0.40	192	<1	1.87	12	180	11	<0.01	<5	51	0.05	15	<10	38
B627452		0.26	0.07	92	<1	0.64	6	110	7	<0.01	<5	24	0.05	12	<10	14
B627453		0.41	0.41	157	<1	1.07	15	160	10	<0.01	<5	40	0.07	24	<10	38
B627454		0.45	0.35	125	<1	0.80	9	120	13	0.01	<5	34	0.06	18	<10	34

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method / Analyte / Units / LOR	Pb-AA62 Pb % 0.01	Ag-AA62 Ag ppm 1
B290965			
B290966			
B290967			
B290968			
B290969			
B290970			
B290971			
B290972			
B290973			
B290974			
B290975			
B290976			
B290977			
B290978			
B290979			
B290980			
B290981			
B290982			
B290983			
B290984			
B290985			
B290986			
B290987			
B290988			
B290989			
B290990			
B290991			
B290992			
B290993			
B290994			
B290995			
B290996			
B290997			
B290998			
B290999			
B291000			
B627451			
B627452			
B627453			
B627454			

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B627455		1.10	<0.005	<0.5	3.48	<5	220	0.8	<2	0.01	<0.5	3	51	17	2.16	<0.01
B627456		1.60	<0.005	<0.5	2.87	<5	120	<0.5	<2	0.03	<0.5	5	47	16	2.08	<0.01
B627457		2.08	0.358	>100	0.45	>10000	20	<0.5	<2	1.60	9.0	14	7	847	30.8	0.81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627455		0.95	0.46	107	<1	0.39	7	120	22	<0.01	<5	40	0.09	29	<10	42
B627456		0.48	0.44	190	<1	0.75	12	160	16	<0.01	<5	29	0.06	20	<10	43
B627457		0.17	1.15	37600	<1	0.01	27	30	>10000	9.77	>10000	38	0.02	11	<10	1070

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 5-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05080931

Sample Description	Method	Pb-AA62	Ag-AA62
	Analyte	Pb	Ag
	Units	%	ppm
	LOR	0.01	1
B627455			
B627456			
B627457		6.35	681

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -OCT-2005
Account: STRGOL

CERTIFICATE VA05082981

Project: Dublin Gulch-1735

P.O. No.:

This report is for 2 Rock samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082981

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B627508		1.20	<0.005	<0.5	7.54	<5	100	0.9	<2	0.17	<0.5	48	2250	82	1.14	1.95
B627509		1.32	<0.005	<0.5	0.05	<5	10	<0.5	<2	0.06	<0.5	1	34	2	0.27	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05082981

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627508		0.06	0.07	151	<1	0.01	247	610	5	0.03	17	24	1.62	654	40	88
B627509		0.01	0.01	20	<1	0.01	1	10	2	<0.01	<5	1	<0.01	2	<10	5

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -OCT-2005
Account: STRGOL

CERTIFICATE VA05084942

Project: Dublin Gulch-1735

P.O. No.:

This report is for 50 Rock samples submitted to our lab in Vancouver, BC, Canada on 28-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05084942

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B627458		1.30	0.005	<0.5	0.30	<5	40	<0.5	<2	0.04	<0.5	3	175	5	0.69	<0.01
B627459		1.20	<0.005	<0.5	0.18	<5	10	<0.5	<2	0.01	<0.5	2	35	8	0.68	<0.01
B627460		0.74	<0.005	<0.5	2.88	<5	110	<0.5	<2	0.01	<0.5	4	107	27	4.03	<0.01
B627461		0.98	<0.005	<0.5	5.32	<5	340	1.0	<2	0.04	<0.5	3	39	19	2.06	<0.01
B627462		0.84	<0.005	<0.5	1.95	<5	80	<0.5	<2	0.03	<0.5	4	104	9	1.32	<0.01
B627463		0.76	<0.005	<0.5	4.98	<5	310	0.9	<2	0.02	<0.5	3	32	12	2.43	<0.01
B627464		1.08	<0.005	<0.5	3.75	<5	60	<0.5	2	0.55	<0.5	8	118	42	2.98	0.01
B627465		0.88	<0.005	<0.5	6.60	<5	900	1.6	2	0.09	<0.5	12	112	24	3.43	<0.01
B627466		0.98	<0.005	<0.5	4.35	104	280	0.9	2	0.05	1.2	14	95	19	3.40	0.01
B627467		0.98	<0.005	<0.5	4.84	<5	430	1.2	<2	0.26	<0.5	11	55	34	3.61	0.01
B627468		1.06	<0.005	<0.5	3.39	<5	320	1.0	<2	0.04	<0.5	5	101	9	1.52	<0.01
B627469		0.92	<0.005	<0.5	1.47	<5	130	<0.5	<2	0.02	<0.5	3	29	6	0.93	<0.01
B627470		1.76	0.005	<0.5	2.59	<5	200	0.7	<2	0.02	<0.5	5	83	10	1.32	0.01
B627471		1.14	<0.005	<0.5	0.30	<5	30	<0.5	<2	<0.01	<0.5	1	27	3	0.48	<0.01
B627472		1.12	<0.005	<0.5	0.32	<5	40	<0.5	<2	0.22	<0.5	2	168	8	0.60	<0.01
B627473		1.28	<0.005	<0.5	1.77	11	220	<0.5	<2	0.03	<0.5	4	26	11	1.34	0.01
B627474		1.08	<0.005	<0.5	3.09	<5	240	0.6	<2	0.02	<0.5	4	97	6	1.69	0.03
B627475		1.16	<0.005	<0.5	2.10	<5	150	<0.5	<2	0.01	<0.5	4	19	5	1.12	0.01
B627476		1.00	<0.005	<0.5	2.20	<5	170	<0.5	<2	0.02	<0.5	4	103	11	1.34	0.03
B627477		0.92	<0.005	<0.5	2.04	14	180	<0.5	<2	0.02	0.5	3	26	8	1.22	0.05
B627478		0.92	<0.005	<0.5	3.98	26	270	0.7	<2	0.02	<0.5	8	103	20	2.35	0.09
B627479		1.02	<0.005	<0.5	2.53	<5	210	0.7	3	0.02	<0.5	5	27	11	1.67	<0.01
B627480		1.46	<0.005	<0.5	3.58	<5	200	0.8	<2	0.02	<0.5	9	100	13	1.89	0.02
B627481		1.52	<0.005	<0.5	8.50	23	3130	3.5	<2	1.21	<0.5	1	9	4	1.50	<0.01
B627482		0.92	<0.005	<0.5	2.84	<5	160	<0.5	<2	0.06	<0.5	2	99	4	0.99	<0.01
B627483		1.16	<0.005	<0.5	6.53	11	600	1.5	<2	0.40	<0.5	6	49	15	3.25	0.01
B627484		0.94	<0.005	<0.5	4.46	6	400	0.9	<2	0.96	<0.5	5	130	9	1.66	<0.01
B627485		1.40	<0.005	<0.5	1.70	<5	120	<0.5	<2	0.05	<0.5	2	27	5	1.19	<0.01
B627486		0.96	<0.005	<0.5	3.46	<5	270	0.9	<2	0.52	<0.5	10	135	18	2.60	0.01
B627487		1.06	0.007	<0.5	1.62	8	90	<0.5	<2	0.45	<0.5	2	18	11	1.34	<0.01
B627488		1.24	<0.005	<0.5	3.16	11	360	0.6	<2	2.29	<0.5	4	115	8	1.43	<0.01
B627489		0.96	0.051	<0.5	4.63	132	320	0.9	<2	1.43	<0.5	6	40	21	2.30	<0.01
B627490		1.06	<0.005	<0.5	8.30	13	1240	1.9	<2	1.20	<0.5	13	137	36	3.31	<0.01
B627491		1.12	0.006	<0.5	1.73	67	200	<0.5	<2	0.12	<0.5	3	20	15	1.45	0.01
B627492		1.10	0.005	<0.5	5.62	27	670	1.4	<2	0.95	<0.5	4	146	19	2.70	0.01
B627493		1.00	<0.005	<0.5	3.10	19	280	0.6	<2	0.73	<0.5	5	19	7	1.22	<0.01
B627494		1.18	<0.005	<0.5	4.67	17	450	1.2	<2	2.19	<0.5	5	137	21	1.95	<0.01
B627495		1.62	<0.005	<0.5	5.54	<5	150	4.3	<2	3.19	<0.5	<1	30	13	0.71	0.01
B627496		1.16	<0.005	<0.5	7.12	13	670	1.2	<2	0.48	<0.5	11	164	21	2.81	<0.01
B627497		0.94	<0.005	<0.5	8.53	9	930	1.8	<2	5.55	<0.5	8	66	40	3.63	<0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05084942

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627458		0.04	0.03	577	2	0.09	8	110	<2	<0.01	<5	8	0.01	3	<10	6
B627459		0.02	0.07	63	1	0.01	4	10	3	<0.01	<5	5	<0.01	2	<10	9
B627460		0.34	0.56	235	1	0.40	11	160	<2	0.01	<5	29	0.05	21	<10	80
B627461		1.14	0.49	140	<1	1.40	7	220	5	<0.01	<5	75	0.14	44	<10	43
B627462		0.22	0.17	280	1	0.71	13	120	6	<0.01	5	30	0.05	13	<10	25
B627463		1.14	0.50	194	<1	1.12	9	160	14	<0.01	<5	64	0.11	40	<10	43
B627464		0.12	1.13	211	1	1.89	39	220	7	0.16	<5	104	0.18	38	<10	23
B627465		1.82	1.82	321	<1	1.50	54	350	16	0.01	<5	93	0.28	78	<10	66
B627466		1.14	0.19	4060	<1	0.32	45	260	11	<0.01	23	39	0.12	33	<10	872
B627467		1.60	1.08	616	<1	0.90	35	410	14	0.01	<5	63	0.25	67	<10	76
B627468		1.31	0.30	121	<1	0.46	9	120	12	<0.01	<5	24	0.19	34	<10	39
B627469		0.54	0.14	84	<1	0.24	5	60	5	<0.01	<5	14	0.08	13	<10	17
B627470		0.81	0.16	307	<1	0.37	9	100	11	<0.01	<5	17	0.12	20	<10	34
B627471		0.10	0.02	47	<1	0.01	2	10	2	<0.01	<5	1	0.01	2	<10	9
B627472		0.10	0.05	139	1	0.02	6	30	<2	<0.01	<5	5	0.01	4	<10	4
B627473		0.60	0.16	216	<1	0.11	9	110	5	<0.01	<5	10	0.10	20	<10	24
B627474		0.84	0.14	276	<1	0.02	14	140	4	<0.01	<5	12	0.20	33	<10	36
B627475		0.45	0.07	268	<1	0.02	7	110	34	<0.01	<5	8	0.15	31	<10	46
B627476		0.58	0.09	321	<1	0.03	11	110	14	<0.01	7	14	0.13	25	<10	108
B627477		0.65	0.08	428	<1	0.02	7	110	15	<0.01	<5	10	0.15	27	<10	101
B627478		1.18	0.20	300	1	0.12	17	210	12	<0.01	<5	18	0.25	46	<10	50
B627479		0.77	0.16	276	<1	0.03	11	140	6	<0.01	<5	11	0.14	24	<10	25
B627480		0.91	0.30	514	1	0.61	12	110	18	<0.01	<5	27	0.17	28	<10	41
B627481		3.70	0.39	129	<1	1.79	9	480	49	<0.01	<5	460	0.22	21	<10	92
B627482		0.57	0.22	169	<1	1.16	5	140	18	<0.01	<5	35	0.10	13	<10	16
B627483		2.72	0.78	417	<1	0.62	24	330	17	0.05	<5	72	0.34	55	<10	73
B627484		1.48	0.38	766	<1	1.02	12	220	18	<0.01	<5	103	0.17	23	<10	26
B627485		0.45	0.18	233	<1	0.41	7	90	4	<0.01	<5	24	0.07	10	<10	18
B627486		0.88	0.77	674	<1	0.29	29	280	21	0.03	<5	87	0.15	31	<10	61
B627487		0.40	0.35	201	<1	0.15	7	420	7	0.01	<5	53	0.06	12	<10	24
B627488		1.04	0.40	362	<1	0.46	14	120	7	0.02	<5	167	0.11	20	<10	19
B627489		1.13	0.51	345	<1	0.54	22	140	9	0.08	<5	113	0.21	41	<10	35
B627490		3.21	1.10	476	<1	0.26	42	420	12	0.26	<5	167	0.46	93	<10	64
B627491		0.44	0.43	162	<1	0.13	11	150	3	0.02	<5	28	0.08	14	<10	27
B627492		1.88	0.65	391	<1	0.59	17	220	45	0.01	<5	172	0.22	41	<10	60
B627493		0.83	0.28	298	<1	0.73	13	100	9	<0.01	<5	82	0.13	17	<10	42
B627494		1.28	0.52	458	1	0.60	16	220	4	0.05	<5	200	0.20	35	<10	33
B627495		0.42	0.24	138	<1	0.83	5	400	3	0.03	<5	257	0.08	13	<10	6
B627496		2.34	0.60	304	1	0.69	28	210	19	0.06	<5	131	0.36	70	<10	61
B627497		2.65	0.96	693	<1	0.62	28	600	12	0.10	<5	425	0.40	87	10	86

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
/01-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05084942

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	Hg-CV41 Hg ppm 0.01
B627498		1.06	0.006	<0.5	6.73	6	580	4.7	<2	3.92	<0.5	10	96	24	4.72	<0.01
B627499		1.24	<0.005	<0.5	6.09	7	2120	3.6	<2	0.99	<0.5	<1	8	2	0.42	<0.01
B627500		1.22	<0.005	<0.5	2.61	<5	340	1.5	<2	0.56	<0.5	<1	161	5	0.70	<0.01
B627501		1.22	<0.005	<0.5	2.88	<5	450	1.1	<2	0.16	<0.5	2	35	3	1.26	<0.01
B627502		1.30	<0.005	<0.5	5.81	<5	620	4.4	<2	1.41	<0.5	1	124	11	0.62	<0.01
B627503		1.34	<0.005	<0.5	2.77	9	320	1.2	<2	0.69	<0.5	1	24	17	1.06	<0.01
B627504		1.22	<0.005	<0.5	2.63	<5	90	2.2	<2	12.85	<0.5	21	49	4	10.85	0.02
B627505		1.54	<0.005	<0.5	6.70	5	610	3.7	<2	1.12	<0.5	1	13	2	0.80	<0.01
B627506		1.20	<0.005	<0.5	7.28	15	640	3.4	<2	0.79	<0.5	3	120	4	1.57	0.01
B627507		1.36	0.008	<0.5	7.09	<5	700	1.6	<2	6.79	<0.5	12	54	15	6.04	0.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: Dublin Gulch-1735

CERTIFICATE OF ANALYSIS VA05084942

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627498		2.80	0.50	1455	<1	1.07	20	250	22	0.13	<5	292	0.17	39	30	76
B627499		2.30	0.08	78	<1	1.80	2	90	15	<0.01	<5	412	0.04	3	<10	9
B627500		0.76	0.10	136	1	0.77	9	60	2	0.01	<5	145	0.02	13	<10	10
B627501		1.12	0.21	213	<1	0.63	5	170	7	<0.01	<5	81	0.15	23	<10	14
B627502		1.24	0.18	85	1	1.62	9	90	8	0.01	<5	215	0.06	18	<10	11
B627503		0.96	0.36	165	1	0.65	6	140	7	0.02	<5	111	0.07	15	10	13
B627504		0.26	0.88	3170	11	0.27	42	300	5	0.01	<5	267	0.10	34	3030	213
B627505		3.32	0.23	101	<1	1.96	4	180	34	<0.01	<5	275	0.09	10	<10	9
B627506		2.77	0.36	162	<1	2.15	13	160	27	<0.01	<5	282	0.16	31	20	43
B627507		1.28	0.90	1660	<1	1.01	31	230	13	0.02	<5	612	0.27	68	20	98

094876

APPENDIX N

List of Geochemical Silt Samples

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366231	455929	7101149	969	14-AUG-05 4:02:53PM	SILT	North East	flat	ss/diorite	
B366232	455841	7101155	975	14-AUG-05 4:14:09PM	SILT	North East	0.25	ss/diorite	
B366233	455735	7101138	985	14-AUG-05 4:28:58PM	SILT	North East	1	ss/diorite	
B366234	455632	7101102	986	14-AUG-05 4:39:57PM	SILT	North East	1	ss/diorite	
B366235	455549	7101056	1000	14-AUG-05 4:52:08PM	SILT	North East	flat	ss/diorite	
B366236	455488	7100988	1010	14-AUG-05 5:08:22PM	SILT	North East	1.5	ss/diorite	
B366237	455436	7100902	1017	14-AUG-05 5:20:39PM	SILT	North East	1.5	ss/diorite	
B366238	455386	7100818	1027	14-AUG-05 5:27:49PM	SILT	North East	flat	ss/diorite	
B366239	455351	7100732	1040	14-AUG-05 5:40:06PM	SILT	North East	flat	ss/diorite	
B366240	455908	7101135	971	14-AUG-05 6:14:36PM	SILT	North East		ss/diorite	
B366241	456622	7099817	989	15-AUG-05 12:20:30PM	SILT	North East	0.4	metasediment	
B366242	456616	7099817	982	15-AUG-05 12:34:04PM	DUP	North East		metasediment	
B366243	456702	7099893	972	15-AUG-05 12:56:58PM	SILT	North East	0.2	metasediment	
B366244	456825	7099926	953	15-AUG-05 1:20:36PM	SILT	North East	0.5	metasediment	
B366245	456942	7099930	934	15-AUG-05 1:48:46PM	SILT	North East	0.5	metasediment	
B366246	457054	7099916	917	15-AUG-05 2:11:47PM	SILT	North East	0.5	metasediment	
B366247	457082	7099868	916	15-AUG-05 2:26:32PM	SILT	North East	0.5	metasediment	
B366248	457017	7099805	927	15-AUG-05 2:44:35PM	SILT	North East	0.1	metasediment	
B366249	457188	7099891	892	15-AUG-05 3:08:44PM	SILT	North East	1	metasediment	
B366251	458455	7097760	751	15-AUG-05 9:45:25AM	SILT	North East	1	ss/Granodiorite	
B366252	458342	7097767	758	15-AUG-05 9:53:06AM	SILT	North East	2	ss/Granodiorite	
B366253	458238	7097812	755	15-AUG-05 10:01:25AM	SILT	North East	2	ss/Granodiorite	
B366254	458122	7097832	768	15-AUG-05 10:08:49AM	SILT	North East	1.5	ss/Granodiorite	
B366255	458018	7097853	767	15-AUG-05 10:16:41AM	SILT	North East	1.5	ss/Granodiorite	
B366256	457897	7097881	778	15-AUG-05 10:27:35AM	SILT	North East	1.5	ss/Granodiorite	
B366257	457788	7097890	782	15-AUG-05 10:37:36AM	SILT	North East	1.5	ss/Granodiorite	
B366258	457682	7097928	785	15-AUG-05 10:47:13AM	SILT	North East	1	ss/Granodiorite	
B366259	457569	7097919	798	15-AUG-05 10:57:34AM	SILT	North East	1.5	ss/Granodiorite	
B366260	457456	7097949	811	15-AUG-05 11:07:27AM	SILT	North East	1	ss/Granodiorite	
B366261	457401	7097912	813	15-AUG-05 11:19:01AM	SILT	North East	0.25	ss/Granodiorite	
B366262	457367	7097843	836	15-AUG-05 11:30:12AM	SILT	North East	0.25	ss/Granodiorite	
B366263	457369	7097943	811	15-AUG-05 11:38:22AM	SILT	North East	2	ss/Granodiorite	
B366264	457267	7097958	818	15-AUG-05 11:47:21AM	SILT	North East	2	ss/Granodiorite	
B366265	457191	7097966	828	15-AUG-05 12:00:00PM	SILT	North East	1	ss/Granodiorite	
B366266	457108	7097930	844	15-AUG-05 12:10:07PM	SILT	North East	0.25	ss/Granodiorite	
B366267	457020	7097874	856	15-AUG-05 12:19:44PM	SILT	North East	0.25	ss/Granodiorite	
B366268	457140	7098011	827	15-AUG-05 12:37:21PM	SILT	North East	1.5	ss/Granodiorite	
B366269	457054	7098094	836	15-AUG-05 12:49:37PM	SILT	North East	1.5	ss/Granodiorite	
B366271	456940	7098147	853	15-AUG-05 12:59:30PM	SILT	North East	1.5	ss/Granodiorite	
B366272	456826	7098157	873	15-AUG-05 1:14:40PM	SILT	North East	1	ss/Granodiorite	
B366273	456731	7098214	882	15-AUG-05 1:26:02PM	SILT	North East	2	ss/Granodiorite	
B366274	456646	7098275	892	15-AUG-05 1:36:51PM	SILT	North East	1.5	ss/Granodiorite	
B366275	456550	7098342	903	15-AUG-05 1:51:31PM	SILT	North East	1	ss/Granodiorite	
B366276	456499	7098362	902	15-AUG-05 2:03:59PM	SILT	North East	flat	ss/Granodiorite	
B366277	458216	7100961	788	16-AUG-05 10:37:14AM	SILT	South West	5	Metased./Granodiorite	
B366278	458163	7100857	774	16-AUG-05 10:39:49AM	SILT	South West	4	Metased./Granodiorite	
B366279	458174	7100749	776	16-AUG-05 10:48:47AM	SILT	South East	4	Metased./Granodiorite	
B366280	458226	7100660	774	16-AUG-05 10:58:36AM	SILT	South East	4.5	Metased./Granodiorite	
B366281	458249	7100566	776	16-AUG-05 11:11:49AM	SILT	South East	3.5	Metased./Granodiorite	
B366282	458272	7100467	768	16-AUG-05 11:39:11AM	SILT	South East	5	Metased./Granodiorite	
B366283	458271	7100467	773	16-AUG-05 11:47:16AM	DUP	South	4	Metased./Granodiorite	
B366284	458263	7100359	771	16-AUG-05 11:55:28AM	SILT	South East	5	Metased./Granodiorite	
B366285	458293	7100266	771	16-AUG-05 12:13:08PM	SILT	South East	5	Metased./Granodiorite	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366286	458364	7100083	765	16-AUG-05 12:47:20PM	SILT	South West	4	Metased./Granodiorite	
B366287	458347	7099981	772	16-AUG-05 1:02:01PM	SILT	South	5	Metased./Granodiorite	
B366288	458328	7099877	769	16-AUG-05 1:19:10PM	SILT	South		Metased./Granodiorite	
B366289	458331	7099775	763	16-AUG-05 1:34:59PM	SILT	South	4	Metased./Granodiorite	
B366291	458306	7099666	760	16-AUG-05 1:50:04PM	SILT	South	5	Metased./Granodiorite	
B366292	458331	7099566	760	16-AUG-05 2:03:30PM	SILT	South	5	Metased./Granodiorite	
B366293	458334	7099462	757	16-AUG-05 2:15:37PM	SILT	South	5	Metased./Granodiorite	
B366294	458351	7099350	757	16-AUG-05 2:36:56PM	SILT	South	5	Metased./Granodiorite	
B366295	458339	7099234	753	16-AUG-05 2:52:59PM	SILT	South	5	Metased./Granodiorite	
B366296	458322	7099118	759	16-AUG-05 3:06:12PM	SILT	South	5	Metased./Granodiorite	
B366297	458336	7099014	752	16-AUG-05 3:17:23PM	SILT	South	5	Metased./Granodiorite	
B366298	458340	7098911	751	16-AUG-05 3:28:05PM	SILT	South	5	Metased./Granodiorite	
B366299	458369	7098808	754	16-AUG-05 3:39:10PM	SILT	South	5	Metased./Granodiorite	
B366300	458374	7098698	750	16-AUG-05 3:46:15PM	SILT	South	6	Metased./Granodiorite	
B366301	457296	7099906	887	15-AUG-05 3:27:00PM	SILT	North East	1	metasediment	
B366302	457296	7099901	886	15-AUG-05 3:38:09PM	DUP	North East	1	metasediment	
B366303	457402	7099931	882	15-AUG-05 3:59:53PM	SILT	North East	0.5	metasediment	
B366304	457441	7099929	876	15-AUG-05 4:12:14PM	SILT	North East	2	metasediment	
B366305	457541	7099934	857	15-AUG-05 4:29:36PM	SILT	south east	1.5	metasediment	
B366306	457534	7099974	860	15-AUG-05 4:40:35PM	SILT	south east	1	metasediment	
B366307	457644	7099970	853	15-AUG-05 4:55:11PM	SILT	North East	1	metasediment	
B366308	457736	7100001	845	15-AUG-05 5:05:52PM	SILT	North East	1	metasediment	
B366309	457836	7100053	824	15-AUG-05 5:26:03PM	SILT	North East	1	metasediment	
B366311	457927	7100101	811	15-AUG-05 5:43:51PM	SILT	North East	1.5	metasediment	
B366312	458046	7100083	792	15-AUG-05 6:03:37PM	SILT	North East	1	metasediment	
B366313	458152	7100051	784	15-AUG-05 6:13:37PM	SILT	North East	1	metasediment	
B366314	458364	7098593	748	16-AUG-05 4:02:36PM	SILT	South	4	Metased./Granodiorite	
B366315	458350	7098494	751	16-AUG-05 4:12:44PM	SILT	South	lake	Metased./Granodiorite	
B366316	458369	7098388	750	16-AUG-05 4:51:28PM	SILT	South	lake	Metased./Granodiorite	
B366317	458399	7098257	746	16-AUG-05 5:10:37PM	SILT	South	5	Metased./Granodiorite	
B366318	458437	7098169	743	16-AUG-05 5:22:17PM	SILT	South East	5	Metased./Granodiorite	
B366319	458469	7098070	740	16-AUG-05 5:34:51PM	SILT	South East	4	Metased./Granodiorite	
B366320	458451	7097970	741	16-AUG-05 5:42:42PM	SILT	South East	5	Metased./Granodiorite	
B366321	458505	7097884	741	16-AUG-05 5:54:10PM	SILT	South East	8	Metased./Granodiorite	
B366322	458502	7097884	742	16-AUG-05 6:07:04PM	DUP	South East	7	Metased./Granodiorite	
B366323	458528	7097782	733	16-AUG-05 6:09:17PM	SILT	South East	7	Metased./Granodiorite	
B366324	458574	7097690	737	16-AUG-05 6:20:09PM	SILT	South East	5	Metased./Granodiorite	
B366325	458566	7097588	735	16-AUG-05 6:30:28PM	SILT	South East	5	Metased./Granodiorite	
B366326	458571	7097485	739	16-AUG-05 6:47:45PM	SILT	South East	4	Metased./Granodiorite	
B366327	458522	7097345	740	17-AUG-05 8:36:42AM	SILT	South	3	Metased./Granodiorite	
B366328	458493	7097248	737	17-AUG-05 8:38:49AM	SILT	south west	5	Metased./Granodiorite	
B366329	458489	7097154	737	17-AUG-05 8:45:24AM	SILT	south west	6	Metased./Granodiorite	
B366331	458481	7097063	733	17-AUG-05 8:57:59AM	SILT	south west	4	Metased./Granodiorite	
B366332	458384	7097028	734	17-AUG-05 9:15:29AM	SILT	south west	4	Metased./Granodiorite	
B366333	458397	7096925	730	17-AUG-05 9:23:02AM	SILT	south west	5	Metased./Granodiorite	
B366334	458392	7096828	728	17-AUG-05 9:35:29AM	SILT	south east	4	Metased./Granodiorite	
B366335	458324	7096757	727	17-AUG-05 9:46:44AM	SILT	south west	4	Metased./Granodiorite	
B366336	458283	7096669	728	17-AUG-05 9:57:46AM	SILT	south west	5	Metased./Granodiorite	
B366337	458229	7096595	730	17-AUG-05 10:06:41AM	SILT	south west	4	Metased./Granodiorite	
B366338	458136	7096537	726	17-AUG-05 10:21:34AM	SILT	south west	5	Metased./Granodiorite	
B366339	458162	7096435	723	17-AUG-05 10:34:10AM	SILT	south west	4	Metased./Granodiorite	
B366340	458104	7096334	723	17-AUG-05 10:40:53AM	SILT	south west	4	Metased./Granodiorite	
B366341	458098	7096233	721	17-AUG-05 10:48:52AM	SILT	south west	3	Metased./Granodiorite	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366342	458096	7096233	724	17-AUG-05 10:51:39AM	DUP	south east	2	Metased./Granodiorite	
B366343	458016	7096159	718	17-AUG-05 10:59:13AM	SILT	south east	2	Metased./Granodiorite	
B366344	458017	7096062	720	17-AUG-05 11:07:12AM	SILT	south	3	Metased./Granodiorite	
B366345	457968	7095968	718	17-AUG-05 11:13:50AM	SILT	south	5	Metased./Granodiorite	
B366346	457980	7095843	719	17-AUG-05 11:20:08AM	SILT	south	8	Metased./Granodiorite	
B366347	457998	7095747	719	17-AUG-05 11:29:11AM	SILT	south	6	Metased./Granodiorite	
B366348	457969	7095607	713	17-AUG-05 11:38:49AM	SILT	south west	5	Metased./Granodiorite	
B366349	457998	7095504	716	17-AUG-05 11:45:19AM	SILT	south	2	Metased./Granodiorite	
B366351	458048	7095513	714	17-AUG-05 12:16:28PM	SILT	south west	5	Metased./Granodiorite	
B366352	458073	7095590	711	17-AUG-05 12:25:46PM	SILT	south	3	Metased./Granodiorite	
B366353	458147	7095650	713	17-AUG-05 12:34:30PM	SILT	south	4	Metased./Granodiorite	
B366354	458177	7095748	715	17-AUG-05 12:48:38PM	SILT	south west	2	Metased./Granodiorite	
B366355	458217	7095844	713	17-AUG-05 12:59:36PM	SILT	south	3	Metased./Granodiorite	
B366356	458310	7095884	719	17-AUG-05 1:12:47PM	SILT	south west	2	Metased./Granodiorite	
B366357	458408	7095905	718	17-AUG-05 1:40:20PM	SILT	south west	3	Metased./Granodiorite	
B366358	458463	7095871	722	17-AUG-05 1:49:06PM	SILT	south	3	Metased./Granodiorite	
B366359	458560	7095900	722	17-AUG-05 1:57:12PM	SILT	south west	3	Metased./Granodiorite	
B366360	458635	7095800	718	17-AUG-05 2:05:12PM	SILT	west	2	Metased./Granodiorite	
B366361	458721	7095735	722	17-AUG-05 2:18:53PM	SILT	west	3	Metased./Granodiorite	
B366362	458789	7095722	724	17-AUG-05 2:27:09PM	SILT	south	4	Metased./Granodiorite	
B366363	458790	7095721	724	17-AUG-05 2:27:44PM	SILT	south	3	Metased./Granodiorite	
B366364	458843	7095797	724	17-AUG-05 2:40:47PM	SILT	south	3	Metased./Granodiorite	
B366365	458958	7095782	725	17-AUG-05 2:50:17PM	SILT	west	4	Metased./Granodiorite	
B366366	459051	7095764	725	17-AUG-05 2:59:18PM	SILT	sout west	4	Metased./Granodiorite	
B366367	459096	7095813	719	17-AUG-05 3:07:12PM	SILT	west	4	Metased./Granodiorite	
B366368	451268	7103163	1201	18-AUG-05 9:15:57AM	SILT	North	0.5		
B366369	451284	7103261	1194	18-AUG-05 9:30:05AM	SILT	North	Marsh		
B366371	451333	7103344	1186	18-AUG-05 9:40:35AM	SILT	North	Marsh		
B366372	451365	7103443	1178	18-AUG-05 9:51:33AM	SILT	North	0.2		
B366373	451400	7103558	1163	18-AUG-05 10:01:41AM	SILT	North	No Water		
B366374	451457	7103636	1154	18-AUG-05 10:09:23AM	SILT	North	0.5		
B366375	451538	7103695	1145	18-AUG-05 10:17:34AM	SILT	North	Underground		
B366376	451630	7103697	1139	18-AUG-05 10:27:46AM	SILT	North	1		
B366377	451731	7103722	1128	18-AUG-05 10:35:24AM	SILT	North	1		
B366378	451820	7103761	1120	18-AUG-05 10:46:12AM	SILT	North	0.5		
B366379	451848	7103354		18-AUG-05 11:21:36AM	SILT	North West	1		
B366380	451884	7103454	1143	18-AUG-05 11:32:51AM	SILT	N/a	1		
B366381	451877	7103566	1136	18-AUG-05 11:39:28AM	SILT	North West	0.5		
B366382	451905	7103665	1124	18-AUG-05 11:46:12AM	SILT	North West	1		
B366383	451902	7103660	1125	18-AUG-05 11:49:15AM	SILT	North West	1		
B366384	451895	7103772	1117	18-AUG-05 11:59:02AM	SILT	North West	1		
B366385	451944	7103854	1109	18-AUG-05 12:09:49PM	SILT	North West	1		
B366386	452022	7103924	1103	18-AUG-05 12:20:03PM	SILT	North West	1		
B366387	452128	7103961	1097	18-AUG-05 12:31:07PM	SILT	North	0.5		
B366388	452221	7103960	1089	18-AUG-05 12:40:06PM	SILT	North	1	Metased./Granodiorite	
B366389	452325	7103985	1081	18-AUG-05 12:58:54PM	SILT	North East	0.2		
B366391	452419	7104004	1078	18-AUG-05 1:07:44PM	SILT	East	1		
B366392	452517	7104017	1062	18-AUG-05 1:16:17PM	SILT	North East	0.3		
B366393	452608	7104059	1056	18-AUG-05 1:24:25PM	SILT	North East	1	Metased./Granodiorite	
B366394	452652	7103903	1083	18-AUG-05 1:38:55PM	SILT	North	No Water		
B366395	452639	7103982	1068	18-AUG-05 1:45:48PM	SILT	North	No Water		
B366396	452654	7104080	1051	18-AUG-05 1:53:15PM	SILT	North East	1	Metased./Granodiorite	
B366397	452712	7104166	1043	18-AUG-05 2:01:43PM	SILT	North East	0.6	Metased./Granodiorite	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366398	452771	7104252	1039	18-AUG-05 2:08:50PM	SILT	North	0.5	Metased./Granodiorite	
B366399	452807	7104343	1030	18-AUG-05 2:16:54PM	SILT	North	2	Metased./Granodiorite	
B366400	452854	7104434	1023	18-AUG-05 2:25:02PM	SILT	North	1	Metased./Granodiorite	
B366401	452920	7104524	1016	18-AUG-05 2:33:17PM	SILT	North	1	Metased./Granodiorite	
B366402	452923	7104520	1007	18-AUG-05 2:34:54PM	DUP	North	1	Metased./Granodiorite	
B366403	452975	7104618	1005	18-AUG-05 2:47:03PM	SILT	North	1	Metased./Granodiorite	
B366404	452995	7104714	992	18-AUG-05 3:02:35PM	SILT	North	0.3	Metased./Granodiorite	
B366405	453002	7104816	981	18-AUG-05 3:11:07PM	SILT	North	1	Metased./Granodiorite	
B366406	453003	7104932	979	18-AUG-05 3:19:13PM	SILT	North	1	Metased./Granodiorite	
B366407	453045	7105038	967	18-AUG-05 3:29:57PM	SILT	North	1	Metased./Granodiorite	
B366408	453049	7105137	965	18-AUG-05 3:42:36PM	SILT	North	1	Metased./Granodiorite	
B366409	453620	7104173	1177	19-AUG-05 8:53:43AM	SILT	NW	No Water	Metased./Granodiorite	
B366411	453541	7104240	1161	19-AUG-05 9:01:47AM	SILT	NW	no water	Metased./Granodiorite	
B366412	453477	7104314	1131	19-AUG-05 9:13:56AM	SILT	W	0.1	Metased./Granodiorite	
B366413	453355	7104352	1097	19-AUG-05 9:25:07AM	SILT	NW	0.1	Metased./Granodiorite	
B366414	453239	7104396	1063	19-AUG-05 9:34:11AM	SILT	NW	0.1	Metased./Granodiorite	
B366415	453198	7104296	1071	19-AUG-05 9:45:13AM	SILT	NW	0.1	Metased./Granodiorite	
B366416	453203	7104191	1083	19-AUG-05 9:54:32AM	SILT	NW	0.1	Metased./Granodiorite	
B366417	453211	7104080	1094	19-AUG-05 10:01:07AM	SILT	NW	0.2	Metased./Granodiorite	
B366418	453201	7103977	1115	19-AUG-05 10:07:35AM	SILT	NW	0.2	Metased./Granodiorite	
B366419	453183	7103882	1136	19-AUG-05 10:16:43AM	SILT	NW	no water	Metased./Granodiorite	
B366420	453171	7103800	1163	19-AUG-05 10:27:53AM	SILT	NW	no water	Metased./Granodiorite	
B366421	453206	7104497	1054	19-AUG-05 11:03:26AM	SILT	NW	no water	Metased./Granodiorite	
B366422	453206	7104496	1051	19-AUG-05 11:04:03AM	DUP	NW	no water	Metased./Granodiorite	
B366423	453151	7104591	1036	19-AUG-05 11:13:24AM	SILT	NW	1	Metased./Granodiorite	
B366424	453082	7104670	1021	19-AUG-05 11:20:50AM	SILT	NW	no water	Metased./Granodiorite	
B366425	453020	7104744	1005	19-AUG-05 11:32:17AM	SILT	NW	0.5	Metased./Granodiorite	
B366426	453062	7105262	949	19-AUG-05 11:54:21AM	SILT	N	1	Metased./Granodiorite	
B366427	453067	7105366	940	19-AUG-05 12:01:07PM	SILT	N	1	Metased./Granodiorite	
B366428	453105	7105472	931	19-AUG-05 12:08:43PM	SILT	N	1.5	Metased./Granodiorite	
B366429	453154	7105552	926	19-AUG-05 12:18:17PM	SILT	N	5	Metased./Granodiorite	
B366431	453153	7105552	925	19-AUG-05 12:18:42PM	SILT	N	no water	Metased./Granodiorite	
B366432	451878	7105415	1157	19-AUG-05 1:37:03PM	SILT	NNE	no water	Metased./Granodiorite	
B366433	451942	7105496	1127	19-AUG-05 1:45:20PM	SILT	N	no water	Metased./Granodiorite	
B366434	451979	7105600	1099	19-AUG-05 1:56:34PM	SILT	N	no water	Metased./Granodiorite	
B366435	452007	7105711	1076	19-AUG-05 2:04:20PM	SILT	N	0.1	Metased./Granodiorite	
B366436	452031	7105816	1058	19-AUG-05 2:11:54PM	SILT	N	no water	Metased./Granodiorite	
B366437	452054	7105930	1045	19-AUG-05 2:18:58PM	SILT	N	0.2	Metased./Granodiorite	
B366438	452100	7106030	1032	19-AUG-05 2:28:25PM	SILT	N	0.5	Metased./Granodiorite	
B366439	452154	7106133	1016	19-AUG-05 2:34:52PM	SILT	N	0.2	Metased./Granodiorite	
B366440	452226	7106202	996	19-AUG-05 2:42:10PM	SILT	N	no water	Metased./Granodiorite	
B366441	452312	7106282	998	19-AUG-05 2:52:08PM	SILT	N	no water	Metased./Granodiorite	
B366442	452311	7106283	995	19-AUG-05 2:52:30PM	DUP	N	no water	Metased./Granodiorite	
B366443	452401	7106351	975	19-AUG-05 3:03:50PM	SILT	N	no water	Metased./Granodiorite	
B366444	452481	7106407	963	19-AUG-05 3:11:54PM	SILT	N	0.2	Metased./Granodiorite	
B366445	452567	7106458	953	19-AUG-05 3:18:00PM	SILT	NE	1	Metased./Granodiorite	
B366446	452640	7106525	942	19-AUG-05 3:26:04PM	SILT	NE	0.2	Metased./Granodiorite	
B366447	452723	7106574	927	19-AUG-05 3:35:12PM	SILT	NE	0.3	Metased./Granodiorite	
B366448	452794	7106635	919	19-AUG-05 3:43:59PM	SILT	NE	1	Metased./Granodiorite	
B366449	452881	7106683	908	19-AUG-05 3:51:42PM	SILT	NE	0.5	Metased./Granodiorite	
B366451	452973	7106736	899	19-AUG-05 3:59:39PM	SILT	NE	0.3	Metased./Granodiorite	
B366452	453055	7106800	882	19-AUG-05 4:07:45PM	SILT	NE	1	Metased./Granodiorite	
B366453	453140	7106870	873	19-AUG-05 4:13:38PM	SILT	NE	0.5	Metased./Granodiorite	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366454	453224	7106934	867	19-AUG-05 4:19:59PM	SILT	NE	0.3	Metased./Granodiorite	
B366455	453313	7106984	854	19-AUG-05 4:28:04PM	SILT	NE	0.3	Metased./Granodiorite	
B366456	454082	7104856	1094	20-AUG-05 10:52:18AM	SILT	North	No Water		
B366457	454083	7104956	1063	20-AUG-05 11:05:37AM	SILT	North	No Water		
B366458	454085	7105056	1041	20-AUG-05 11:13:26AM	SILT	North	No Water		
B366459	454083	7105156	1019	20-AUG-05 11:24:18AM	SILT	North	No Water		
B366460	454093	7105259	1005	20-AUG-05 11:35:39AM	SILT	North	No Water		
B366461	454094	7105361	986	20-AUG-05 11:44:33AM	SILT	North	No Water		
B366462	454093	7105361	986	20-AUG-05 11:44:53AM	DUP	North	No Water		
B366463	454092	7105459	980	20-AUG-05 10:06:28AM	SILT	North	No Water		
B366464	454094	7105568	966	20-AUG-05 10:15:28AM	SILT	North	No Water		
B366465	454089	7105669	959	20-AUG-05 10:29:28AM	SILT	North	No Water		
B366466	454089	7105775	954	20-AUG-05 10:41:02AM	SILT	North	No Water		
B366467	453437	7106216	881	20-AUG-05 11:07:59AM	SILT	North	1.5		
B366468	453391	7106114	894	20-AUG-05 11:25:03AM	SILT	North	4	Metased./Granodiorite	
B366469	453385	7106000	890	20-AUG-05 11:32:23AM	SILT	North	2	Metased./Granodiorite	
B366471	453331	7105909	898	20-AUG-05 11:41:06AM	SILT	North	2	Metased./Granodiorite	
B366472	453291	7105815	900	20-AUG-05 11:51:30AM	SILT	North	2	Metased./Granodiorite	
B366473	453236	7105725	905	20-AUG-05 12:00:51PM	SILT	North	2	Metased./Granodiorite	
B366474	453185	7105628	911	20-AUG-05 12:08:26PM	SILT	North	1	Metased./Granodiorite	
B366475	456296	7105918	953	20-AUG-05 1:29:03PM	SILT	North	marsh		
B366476	456292	7106022	951	20-AUG-05 1:36:00PM	SILT	North	marsh		
B366477	456307	7106121	954	20-AUG-05 1:53:12PM	SILT	North	marsh		
B366478	456309	7106224	941	20-AUG-05 1:59:50PM	SILT	North	marsh		
B366479	456262	7106313	933	20-AUG-05 2:12:18PM	SILT	North	marsh		
B366480	456257	7106414	940	20-AUG-05 2:26:00PM	SILT	North	marsh	Metased./Granodiorite	
B366481	456234	7106534	927	20-AUG-05 2:42:06PM	SILT	North	marsh	Metased./Granodiorite	
B366482	456234	7106536	928	20-AUG-05 2:42:33PM	DUP	North	marsh	Metased./Granodiorite	
B366483	456207	7106651	922	20-AUG-05 2:55:38PM	SILT	North	marsh	Metased./Granodiorite	
B366484	456163	7106747	914	20-AUG-05 3:03:19PM	SILT	North West	1	Metased./Granodiorite	
B366485	456122	7106852	910	20-AUG-05 3:17:25PM	SILT	North West	1	Metased./Granodiorite	
B366486	456064	7106960	899	20-AUG-05 3:26:49PM	SILT	North West	1	Metased./Granodiorite	
B366487	455977	7107053	904	20-AUG-05 3:36:10PM	SILT	North West	1.5	Metased./Granodiorite	
B366488	456059	7107022	902	21-AUG-05 8:34:16AM	SILT	North West	0.4	Metased	
B366489	456186	7106920	912	21-AUG-05 8:49:29AM	SILT	North West	0.3	Metased	
B366491	456285	7106879	924	21-AUG-05 8:59:36AM	SILT	North West	0.3	Metased	
B366492	456400	7106850	944	21-AUG-05 9:12:08AM	SILT	North West	0.1	Metased	
B366493	456502	7106857	947	21-AUG-05 9:27:00AM	SILT	North West	no water		
B366494	456613	7106822	960	21-AUG-05 9:40:29AM	SILT	North West	no water		
B366495	455861	7107133	890	21-AUG-05 10:41:18AM	SILT	North West	marsh		
B366496	455764	7107178	892	21-AUG-05 11:06:12AM	SILT	North	marsh		
B366497	455701	7107085	901	21-AUG-05 11:13:53AM	SILT	North	0.4		
B366498	455639	7107006	917	21-AUG-05 11:22:34AM	SILT	North	0.2		
B366499	455558	7106940	927	21-AUG-05 11:32:18AM	SILT	North	no water	Metased	
B366500	455614	7106915	930	21-AUG-05 11:44:30AM	SILT	North	0.2		
B366501	455545	7106839	945	21-AUG-05 12:10:50PM	SILT	North	0.2		
B366502	455545	7106839	946	21-AUG-05 12:11:07PM	DUP	North	0.2		
B366503	455533	7106701	968	21-AUG-05 12:18:44PM	SILT	North	no water		
B366504	455440	7106594	998	21-AUG-05 12:33:35PM	SILT	North	no water		
B366505	455744	7107289	890	21-AUG-05 1:08:32PM	SILT	North West	marsh	Metased	
B366506	455706	7107389	873	21-AUG-05 1:17:29PM	SILT	North West	marsh	Metased	
B366507	455645	7107485	867	21-AUG-05 1:25:06PM	SILT	North West	marsh	Metased	
B366508	455616	7107597	865	21-AUG-05 1:31:26PM	SILT	North West	marsh	Metased	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366509	455574	7107711	862	21-AUG-05 1:38:08PM	SILT	North West	marsh	Metased	
B366511	455556	7107816	848	21-AUG-05 1:42:55PM	SILT	North West	marsh	Metased	
B366512	459860	7106100		21-AUG-05 1:38:08PM	SILT	North West	marsh		
B366513	459804	7106187			SILT	North West	no water	Metased	
B366514	459697	7106195			SILT	North West	no water	Metased	
B366515	459584	7106229			SILT	North West	no water	Metased	
B366516	459469	7106275			SILT	North West	no water	Metased	
B366517	459375	7106320			SILT	North West	no water	Metased	
B366518	459271	7106317	1147	21-AUG-05 3:46:13PM	SILT	North West	no water	Metased	
B366519	459163	7106296	1118	21-AUG-05 3:51:05PM	SILT	North West	no water		
B366520	459056	7106301	1123	22-AUG-05 8:50:14AM	SILT	South West	0.3		
B366521	458966	7106259	1090	22-AUG-05 9:03:05AM	SILT	South West	0.2		
B366522	458966	7106259	1101	22-AUG-05 9:03:34AM	DUP	South West	0.2		
B366523	458875	7106221	1080	22-AUG-05 9:22:23AM	SILT	South West	0.2		
B366524	458779	7106183	1069	22-AUG-05 9:34:12AM	SILT	South West	no water		
B366525	458679	7106149	1053	22-AUG-05 9:48:42AM	SILT	South West	no water	Metased	
B366526	458573	7106111	1039	22-AUG-05 10:01:22AM	SILT	South West	0.2	Metased	
B366527	458472	7106073	1029	22-AUG-05 10:15:38AM	SILT	South West	0.3	Metased	
B366528	458362	7106023	1018	22-AUG-05 10:26:59AM	SILT	South West	0.3	Metased	
B366529	458266	7105975	1010	22-AUG-05 10:40:45AM	SILT	South West	0.3	Metased	
B366531	458051	7105819	989	22-AUG-05 11:30:51AM	SILT	South West	0.3	Metased	
B366532	457975	7105725	980	22-AUG-05 11:42:00AM	SILT	South West	0.3		
B366533	457922	7105615	963	22-AUG-05 11:50:25AM	SILT	South West	0.3		
B366534	457861	7105524	962	22-AUG-05 11:59:47AM	SILT	South West	0.3		
B366535	457809	7105433	954	22-AUG-05 12:14:43PM	SILT	South West	0.3		
B366536	457706	7105359	937	22-AUG-05 12:24:06PM	SILT	South West	0.3		
B366537	457607	7105332	934	22-AUG-05 1:10:58PM	SILT	South West	1	Metased	
B366538	457556	7105421	949	22-AUG-05 1:22:13PM	SILT	South West	0.3	Metased	
B366539	457492	7105535	970	22-AUG-05 1:38:06PM	SILT	South West	0.2	Metased	
B366540	457447	7105649	999	22-AUG-05 1:57:47PM	SILT	South	0.2	Metased	
B366541	457408	7105747	1016	22-AUG-05 2:14:53PM	SILT	South	no water	Metased	
B366542	457409	7105744	1008	22-AUG-05 2:16:11PM	DUP	South	no water	Metased	
B366543	457383	7105836	1028	22-AUG-05 2:33:09PM	SILT	South	no water	Metased	
B366544	457543	7105253	927	22-AUG-05 3:04:12PM	SILT	South	1	Metased	
B366545	465180	7107780	1171	23-AUG-05 8:56:01AM	SILT		No Water		
B366546	465136	7107693	1168	23-AUG-05 9:05:55AM	SILT		No Water		
B366547	465068	7107614	1156	23-AUG-05 9:12:20AM	SILT		No Water		
B366548	465015	7107526	1144	23-AUG-05 9:18:37AM	SILT		No Water		
B366549	464943	7107452	1135	23-AUG-05 9:24:41AM	SILT		No Water		
B366551	464890	7107360	1122	23-AUG-05 9:32:35AM	SILT		No Water		
B366552	464823	7107274	1102	23-AUG-05 9:40:10AM	SILT		No Water		
B366553	464749	7107202	1089	23-AUG-05 9:46:30AM	SILT		No Water		
B366554	464693	7107126	1073	23-AUG-05 9:53:28AM	SILT		Pools		
B366555	464627	7107049	1061	23-AUG-05 10:01:54AM	SILT		Pools		
B366556	464465	7106663	1033	23-AUG-05 10:39:09AM	SILT		1.25		
B366557	464402	7106567	1022	23-AUG-05 10:46:12AM	SILT		1.5		
B366558	464326	7106487	1017	23-AUG-05 10:54:02AM	SILT		1.5		
B366559	464257	7106407	1015	23-AUG-05 11:01:40AM	SILT		1.5		
B366560	464187	7106329	1007	23-AUG-05 11:08:12AM	SILT		1		
B366561	464104	7106273	1002	23-AUG-05 11:14:40AM	SILT		1.5		
B366562	464104	7106274	1007	23-AUG-05 11:16:02AM	DUP		1		
B366563	464032	7106196	998	23-AUG-05 11:21:52AM	SILT		1		
B366564	464001	7106097	997	23-AUG-05 11:28:25AM	SILT		1.5		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366565	463962	7106002	992	23-AUG-05 11:34:37AM	SILT		2		
B366566	463910	7105911	991	23-AUG-05 11:41:03AM	SILT		2		
B366567	463871	7105814	985	23-AUG-05 11:47:23AM	SILT		2		
B366568	463823	7105731	984	23-AUG-05 12:40:14PM	SILT		2		
B366569	463765	7105646	978	23-AUG-05 12:46:15PM	SILT		1.5		
B366571	463725	7105556	978	23-AUG-05 12:51:35PM	SILT		1.5		
B366572	463664	7105475	975	23-AUG-05 12:59:30PM	SILT		1.5		
B366573	463594	7105393	971	23-AUG-05 1:05:30PM	SILT		1		
B366574	463535	7105305	966	23-AUG-05 1:13:46PM	SILT		2		
B366575	463456	7105233	960	23-AUG-05 1:20:15PM	SILT		1		
B366576	463406	7105153	957	23-AUG-05 1:26:02PM	SILT		1		
B366577	463357	7105065	951	23-AUG-05 1:31:08PM	SILT		1.5		
B366578	463287	7104994	947	23-AUG-05 1:37:19PM	SILT		1.5		
B366579	463212	7104925	939	23-AUG-05 1:45:11PM	SILT		1.5		
B366580	463144	7104845	936	23-AUG-05 1:51:42PM	SILT		2		
B366581	463064	7104764	933	23-AUG-05 1:58:20PM	SILT		1		
B366582	463067	7104763	938	23-AUG-05 1:59:43PM	SILT		1		
B366583	463034	7104680	930	23-AUG-05 2:07:48PM	SILT		2		
B366584	462983	7104595	925	23-AUG-05 2:16:12PM	SILT		1.2		
B366585	462937	7104516	926	23-AUG-05 2:27:45PM	SILT		1.5		
B366586	462742	7104412	916	23-AUG-05 2:40:37PM	SILT		2		
B366587	462832	7104345	923	23-AUG-05 2:49:10PM	SILT		2		
B366588	462916	7104294	929	23-AUG-05 2:56:49PM	SILT		2		
B366589	463009	7104256	932	23-AUG-05 3:03:49PM	SILT		2		
B366591	463101	7104243	933	23-AUG-05 3:14:48PM	SILT		2		
B366592	463211	7104243	949	23-AUG-05 3:26:32PM	SILT		1.5		
B366593	463290	7104261	957	23-AUG-05 3:36:24PM	SILT		1.5		
B366594	469076	7105766	1360	24-AUG-05 8:27:18AM	SILT	North West	No Water	Meta/Granodiorite	
B366595	469002	7105937	1312	24-AUG-05 8:47:36AM	SILT	East	No Water		
B366596	469040	7106029	1290	24-AUG-05 8:57:02AM	SILT	North East	No Water		
B366597	469080	7106124	1260	24-AUG-05 9:09:23AM	SILT	North East	No Water		
B366598	469081	7106219	1239	24-AUG-05 9:21:05AM	SILT	East	0.1	Meta/Granodiorite	
B366599	469173	7106287	1208	24-AUG-05 9:35:48AM	SILT	North East	No Water		
B366600	469216	7106375	1175	24-AUG-05 9:45:18AM	SILT	East	0.6	Meta	
B366601	469272	7106459	1151	24-AUG-05 9:54:54AM	SILT	North East	0.6	Meta	
B366602	469273	7106459	1152	24-AUG-05 9:55:08AM	DUP	North East	0.3	Meta	
B366603	469335	7106543	1144	24-AUG-05 10:10:27AM	SILT	North East	0.1	Meta/Granodiorite	
B366604	469401	7106632	1138	24-AUG-05 10:38:13AM	SILT	North East	0.2	Meta/Granodiorite	
B366605	469473	7106718	1111	24-AUG-05 10:49:11AM	SILT	East	0.3	Meta/Granodiorite	
B366606	469570	7106688	1099	24-AUG-05 11:00:55AM	SILT	North East	0.4	Meta/Granodiorite	
B366607	469663	7106664	1084	24-AUG-05 11:11:25AM	SILT	North East	0.4	Meta/Granodiorite	
B366608	469760	7106617	1071	24-AUG-05 11:24:19AM	SILT	North East	1	Meta/Granodiorite	
B366609	469861	7106607	1058	24-AUG-05 11:33:42AM	SILT	North East	1	Meta/Granodiorite	
B366611	469960	7106565	1042	24-AUG-05 11:41:24AM	SILT	East	1	Meta/Granodiorite	
B366612	470968	7107278	947	24-AUG-05 1:00:30PM	SILT	East	1	Meta/Granodiorite	
B366613	471046	7107299	935	24-AUG-05 1:09:10PM	SILT	North	1	Meta/Granodiorite	
B366614	471129	7107236	951	24-AUG-05 1:19:01PM	SILT	North	1	Meta/Granodiorite	
B366615	471196	7107166	958	24-AUG-05 1:30:58PM	SILT	North	0.2	Meta/Granodiorite	
B366616	471279	7107113	980	24-AUG-05 1:57:32PM	SILT	North	0.1	Meta/Granodiorite	
B366617	471366	7107057	989	24-AUG-05 2:11:59PM	SILT	North West	0.1	Meta/Granodiorite	
B366618	471466	7107018	1003	24-AUG-05 2:27:26PM	SILT	West	0.2	Meta/Granodiorite	
B366619	471564	7106979	1017	24-AUG-05 2:43:42PM	SILT	West	0.3	Meta/Granodiorite	
B366620	471666	7106982	1027	24-AUG-05 2:57:42PM	SILT	West	0.2	Meta/Granodiorite	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366621	471774	7106977	1039	24-AUG-05 3:10:39PM	SILT	West	0.3	Meta/Granodiorite	
B366622	471770	7106973	1040	24-AUG-05 3:12:18PM	DUP	West	0.1	Meta/Granodiorite	
B366623	454833	7103461	970	25-AUG-05 9:48:05AM	SILT	North	0.1		
B366624	454887	7103365	978	25-AUG-05 9:53:16AM	SILT	North West	0.1		
B366625	454913	7103267	987	25-AUG-05 10:03:37AM	SILT	North	0.2	Meta	
B366626	454935	7103154	1000	25-AUG-05 10:15:40AM	SILT	North	0.4	Meta	
B366627	454933	7103053	1011	25-AUG-05 10:26:02AM	SILT	North	0.2	Meta	
B366628	454938	7102954	1026	25-AUG-05 10:38:39AM	SILT	North East	0.1		
B366629	454923	7102854	1043	25-AUG-05 10:57:09AM	SILT	North	No Water		
B366631	454947	7102752	1057	25-AUG-05 11:08:21AM	SILT	North	No Water	Meta/Granodiorite	
B366632	454951	7102644	1081	25-AUG-05 11:20:02AM	SILT	North	1		
B366633	455166	7102795	1071	25-AUG-05 11:35:06AM	SILT	North	0.1		
B366634	455084	7102888	1047	25-AUG-05 11:45:46AM	SILT	North West	0.1		
B366635	455006	7102967	1028	25-AUG-05 11:56:18AM	SILT	East	1	Meta/Granodiorite	
B366636	454879	7103567	961	25-AUG-05 12:45:40PM	SILT	East	1	Meta/Granodiorite	
B366637	454979	7103617	959	25-AUG-05 1:00:13PM	SILT	East	2	Meta/Granodiorite	
B366638	455090	7103658	953	25-AUG-05 1:12:52PM	SILT	East	2	Meta/Granodiorite	
B366639	455194	7103666	950	25-AUG-05 1:21:49PM	SILT	East	2	Meta/Granodiorite	
B366640	455297	7103684	948	25-AUG-05 1:31:51PM	SILT	East	1	Meta/Granodiorite	
B366641	455406	7103711	937	25-AUG-05 1:40:54PM	SILT	East	1	Meta/Granodiorite	
B366642	455409	7103707	930	25-AUG-05 1:41:12PM	DUP	East	1	Meta/Granodiorite	
B366643	455516	7103731	937	25-AUG-05 2:00:55PM	SILT	East	1	Meta/Granodiorite	
B366644	455618	7103699	930	25-AUG-05 2:13:34PM	SILT	East	1	Meta/Granodiorite	
B366645	455723	7103714	924	25-AUG-05 2:20:18PM	SILT	East	1	Meta/Granodiorite	
B366646	455838	7103727	922	25-AUG-05 2:34:10PM	SILT	East	2	Meta/Granodiorite	
B366647	455937	7103738	921	25-AUG-05 2:43:30PM	SILT	East	1.5	Meta/Granodiorite	
B366648	456046	7103726	914	25-AUG-05 2:51:54PM	SILT	East	1	Meta/Granodiorite	
B366649	456147	7103742	906	25-AUG-05 2:59:34PM	SILT	East	1	Meta/Granodiorite	
B366651	468724	7105564	1369	26-AUG-05 8:40:07AM	SILT	South	No Water		
B366652	468730	7105461	1315	26-AUG-05 9:13:53AM	SILT	South	0.1	Meta/Granodiorite	
B366653	468773	7105370	1283	26-AUG-05 9:28:03AM	SILT	South East	0.1	Meta/Granodiorite	
B366654	468836	7105277	1256	26-AUG-05 9:38:27AM	SILT	South East	0.2	Meta/Granodiorite	
B366655	468901	7105199	1235	26-AUG-05 9:47:33AM	SILT	South East	0.2	Meta/Granodiorite	
B366656	468992	7105133	1218	26-AUG-05 9:57:13AM	SILT	South East	0.3	Meta/Granodiorite	
B366657	469047	7105036	1206	26-AUG-05 10:08:07AM	SILT	South East	1	Meta/Granodiorite	
B366658	469073	7104939	1189	26-AUG-05 10:17:55AM	SILT	South East	1	Meta/Granodiorite	
B366659	469109	7104832	1170	26-AUG-05 10:29:24AM	SILT	South East	1	Meta/Granodiorite	
B366660	469174	7104755	1150	26-AUG-05 10:40:05AM	SILT	South East	0.5	Meta/Granodiorite	
B366661	469233	7104645	1127	26-AUG-05 10:49:52AM	SILT	South East	1	Meta/Granodiorite	
B366662	469285	7104559	1119	26-AUG-05 11:08:08AM	SILT	South East	1	Meta/Granodiorite	
B366663	469314	7104456	1108	26-AUG-05 11:20:26AM	SILT	South East	1	Meta/Granodiorite	
B366664	469346	7104356	1088	26-AUG-05 11:30:40AM	SILT	South East	1	Meta/Granodiorite	
B366665	469416	7104279	1075	26-AUG-05 11:41:15AM	SILT	South East	1.5	Meta/Granodiorite	
B366666	469493	7104185	1061	26-AUG-05 11:54:15AM	SILT	South East	1.5	Meta/Granodiorite	
B366667	469573	7104104	1045	26-AUG-05 12:02:39PM	SILT	South East	2	Meta/Granodiorite	
B366668	469640	7104023	1026	26-AUG-05 12:14:30PM	SILT	South East	1	Meta/Granodiorite	
B366669	469718	7103952	1031	26-AUG-05 1:05:49PM	SILT	South East	1	Meta/Granodiorite	
B366671	469755	7103849	1000	26-AUG-05 1:20:51PM	SILT	South	1	Meta/Granodiorite	
B366672	469797	7103761	990	26-AUG-05 1:28:42PM	SILT	South	1	Meta/Granodiorite	
B366673	469845	7103655	986	26-AUG-05 1:35:35PM	SILT	South East	1	Meta/Granodiorite	
B366674	469926	7103584	971	26-AUG-05 1:47:26PM	SILT	South East	1.5	Meta/Granodiorite	
B366675	470045	7103516	957	26-AUG-05 1:58:55PM	SILT	East	1.5	Meta/Granodiorite	
B366676	470151	7103448	941	26-AUG-05 2:09:19PM	SILT	East	1	Meta/Granodiorite	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366677	470243	7103393	926	26-AUG-05 2:18:22PM	SILT	South East	1	Meta/Granodiorite	
B366678	470328	7103323	917	26-AUG-05 2:33:28PM	SILT	South East	1	Meta/Granodiorite	
B366679	470412	7103234	904	26-AUG-05 2:47:06PM	SILT	South East	1	Meta/Granodiorite	
B366680	470513	7103181	896	26-AUG-05 2:58:58PM	SILT	South East	1	Meta/Granodiorite	
B366681	470612	7103141	885	26-AUG-05 3:08:39PM	SILT	North East	1	Meta/Granodiorite	
B366682	470612	7103143	883	26-AUG-05 3:09:02PM	DUP	South West	1		
B366683	470408	7102805	866	26-AUG-05 3:30:05PM	SILT	South West	1		
B366684	470452	7102784	868	26-AUG-05 3:41:04PM	SILT	South	No Water		
B366685	472386	7106253	1055	27-AUG-05 8:44:42AM	SILT	South	No Water		
B366686	472451	7106166	1053	27-AUG-05 9:17:59AM	SILT	South	No Water		
B366687	472472	7106063	1046	27-AUG-05 9:25:42AM	SILT	South	0.05		
B366688	472507	7105969	1037	27-AUG-05 9:36:08AM	SILT	South	0.1		
B366689	472505	7105857	1028	27-AUG-05 9:47:46AM	SILT	South	0.1		
B366691	472545	7105757	1015	27-AUG-05 10:01:01AM	SILT	South	0.1		
B366692	472511	7105665	998	27-AUG-05 10:10:14AM	SILT	South	0.1		
B366693	472517	7105549	991	27-AUG-05 10:21:00AM	SILT	South	0.2		
B366694	472485	7105444	973	27-AUG-05 10:31:45AM	SILT	South	0.2		
B366695	472476	7105342	961	27-AUG-05 10:42:21AM	SILT	South	0.3		
B366696	472472	7105235	944	27-AUG-05 11:01:39AM	SILT	South	0.3		
B366697	472461	7105124	935	27-AUG-05 11:18:07AM	SILT	South	0.3	Meta/Granodiorite	
B366698	472342	7104967	927	27-AUG-05 11:52:44AM	SILT	South West	0.3	Meta/Granodiorite	
B366699	472294	7104864	916	27-AUG-05 12:03:30PM	SILT	South West	0.3	Meta/Granodiorite	
B366700	472251	7104766	917	27-AUG-05 12:23:32PM	SILT	South	0.3	Meta/Granodiorite	
B366701	458368	7101091	785	16-AUG-05 9:52:15AM	SILT				
B366702	458374	7101097	789	16-AUG-05 9:56:30AM	DUP				
B366703	458444	7101182	789	16-AUG-05 10:07:44AM	SILT				
B366704	458501	7101263	783	16-AUG-05 10:15:47AM	SILT				
B366705	458525	7101369	783	16-AUG-05 10:28:20AM	SILT				
B366706	458537	7101487	787	16-AUG-05 10:44:02AM	SILT				
B366707	458573	7101593	786	16-AUG-05 10:53:48AM	SILT	South	4	metasediment	
B366708	458518	7101724	786	16-AUG-05 11:05:28AM	SILT	South	4	metasediment	
B366709	458499	7101851	788	16-AUG-05 11:19:54AM	SILT	South	3	metasediment	
B366711	458490	7101981	792	16-AUG-05 11:34:38AM	SILT	South	2	metasediment	
B366712	458459	7102079	794	16-AUG-05 11:49:19AM	SILT	South	2	metasediment	
B366713	458439	7102240	794	16-AUG-05 12:06:33PM	SILT	South	2	metasediment	
B366714	458443	7102343	798	16-AUG-05 12:18:52PM	SILT	South	2	metasediment	
B366715	458448	7102462	798	16-AUG-05 12:29:23PM	SILT	South	3	metasediment	
B366716	458449	7102561	798	16-AUG-05 12:38:32PM	SILT				
B366717	458442	7102677	800	16-AUG-05 12:50:18PM	SILT	South	2	metasediment	
B366718	458539	7102721	813	16-AUG-05 1:04:06PM	SILT	South	2	metasediment	
B366719	458661	7102778	817	16-AUG-05 1:17:10PM	SILT	South	5	metasediment	
B366720	458820	7102803	827	16-AUG-05 1:27:38PM	SILT	South West	5	metasediment	
B366721	458929	7102825	824	16-AUG-05 1:42:24PM	SILT	South	5	metasediment	
B366722	459039	7102843	826	16-AUG-05 2:10:34PM	SILT	South	2	metasediment	
B366723	459039	7102843	822	16-AUG-05 2:11:24PM	DUP	South	5	metasediment	
B366724	459130	7102873	817	16-AUG-05 2:25:42PM	SILT	South West	3	metasediment	
B366725	459193	7102933	826	16-AUG-05 2:34:26PM	SILT	South West	3	metasediment	
B366726	459225	7102971	817	17-AUG-05 8:01:24AM	SILT	South West	3	metasediment	
B366727	459284	7103052	827	17-AUG-05 8:11:09AM	SILT	South West	5	metasediment	
B366728	459313	7103151	837	17-AUG-05 8:22:03AM	SILT	South West	4	metasediment	
B366729	459330	7103255	838	17-AUG-05 8:30:22AM	SILT	South West	4	metasediment	
B366731	459357	7103361	852	17-AUG-05 8:38:14AM	SILT	South West	3	metasediment	
B366732	459353	7103451	856	17-AUG-05 8:49:19AM	SILT	South West	4	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366733	459313	7103544	862	17-AUG-05 8:59:59AM	SILT	South West	4	metasediment	
B366734	459315	7103648	869	17-AUG-05 9:09:46AM	SILT	South West	1.5	metasediment	
B366735	459251	7103735	875	17-AUG-05 9:18:41AM	SILT	South West	1	metasediment	
B366736	459211	7103821	877	17-AUG-05 9:26:55AM	SILT	South West	1	metasediment	
B366737	459208	7103946	893	17-AUG-05 9:39:17AM	SILT	South West	0.5	metasediment	
B366738	459250	7104038	901	17-AUG-05 9:52:42AM	SILT	South West	0.5	metasediment	
B366739	459303	7104166	907	17-AUG-05 10:02:20AM	SILT	South West	0.5	metasediment	
B366740	459347	7104280	921	17-AUG-05 10:09:58AM	SILT	South West	0.5	metasediment	
B366741	459412	7104372	932	17-AUG-05 10:18:33AM	SILT	South West	0.25	metasediment	
B366742	459507	7104429	940	17-AUG-05 10:37:49AM	SILT	South West	0.25	metasediment	
B366743	459506	7104427	938	17-AUG-05 10:29:05AM	DUP	South West	0.25	metasediment	
B366744	459590	7104504	946	17-AUG-05 10:42:21AM	SILT	South West	0.25	metasediment	
B366745	459649	7104604	953	17-AUG-05 11:00:55AM	SILT	South West	0.25	metasediment	
B366746	459739	7104667	963	17-AUG-05 11:25:01AM	SILT	South West	0.25	metasediment	
B366747	459843	7104747	971	17-AUG-05 11:41:27AM	SILT	South West	0.25	metasediment	
B366748	459937	7104833	980	17-AUG-05 11:49:37AM	SILT	South West	0.25	metasediment	
B366749	460019	7104911	987	17-AUG-05 12:01:41PM	SILT	South West	0.25	metasediment	
B366751	460147	7104991	998	17-AUG-05 12:12:55PM	SILT	South West	0.25	metasediment	
B366752	459337	7103030	829	17-AUG-05 1:42:25PM	SILT	South West	0.25	metasediment	
B366753	459485	7103061	828	17-AUG-05 1:52:17PM	SILT	South West	0.25	metasediment	
B366754	459578	7103120	832	17-AUG-05 1:59:05PM	SILT	South West	0.25	metasediment	
B366755	459647	7103179	830	17-AUG-05 2:15:23PM	SILT	South West	0.25	metasediment	
B366756	459734	7103245	840	17-AUG-05 2:22:19PM	SILT	South West	0.25	metasediment	
B366757	459836	7103313	840	17-AUG-05 2:41:35PM	SILT	South West	flat	metasediment	
B366758	459921	7103341	838	17-AUG-05 2:48:29PM	SILT	South West	flat	metasediment	
B366759	460020	7103396	847	17-AUG-05 2:55:57PM	SILT	South West	0.25	metasediment	
B366760	460118	7103444	840	17-AUG-05 3:05:05PM	SILT	South West	3	metasediment	
B366761	460216	7103483	837	17-AUG-05 3:13:32PM	SILT	South West	3	metasediment	
B366762	454145	7105744	959	18-AUG-05 9:34:30AM	SILT	South West	2	metasediment	
B366763	454145	7105743	956	18-AUG-05 9:36:46AM	DUP	South West	3	metasediment	
B366764	454085	7105828	946	18-AUG-05 9:45:27AM	SILT	South West	3	metasediment	
B366765	454030	7105914	926	18-AUG-05 9:53:40AM	SILT	South West	3	metasediment	
B366766	453999	7106002	917	18-AUG-05 10:02:41AM	SILT	South West	3	metasediment	
B366767	454057	7106012	924	18-AUG-05 10:13:48AM	SILT	South West	3	metasediment	
B366768	453967	7106063	914	18-AUG-05 10:25:54AM	SILT	North	Flat	metasediment	
B366769	453861	7106056	911	18-AUG-05 10:33:44AM	SILT	North	Flat	metasediment	
B366771	453763	7106087	904	18-AUG-05 10:46:02AM	SILT	North	o.5	metasediment	
B366772	453658	7106132	896	18-AUG-05 10:57:38AM	SILT	North	0.5	metasediment	
B366773	453579	7106186	887	18-AUG-05 11:05:11AM	SILT	North	flat	metasediment	
B366774	453495	7106268	883	18-AUG-05 11:13:03AM	SILT	North	flat	metasediment	
B366775	453446	7106356	870	18-AUG-05 11:21:40AM	SILT	North	flat	metasediment	
B366776	453421	7106481	866	18-AUG-05 11:30:17AM	SILT	North	flat	metasediment	
B366777	453403	7106582	863	18-AUG-05 11:38:20AM	SILT	North	flat	metasediment	
B366778	453380	7106700	858	18-AUG-05 11:44:22AM	SILT	North	2	metasediment	
B366779	453363	7106786	855	18-AUG-05 11:50:40AM	SILT	North	1	metasediment	
B366780	453381	7106907	855	18-AUG-05 12:09:41PM	SILT	North	1	metasediment	
B366781	453350	7106999	850	18-AUG-05 12:22:06PM	SILT	North	1.5	metasediment	
B366782	453328	7107104	845	18-AUG-05 12:33:51PM	SILT	North	1.5	metasediment	
B366783	453326	7107104	839	18-AUG-05 12:34:55PM	DUP	North	2	metasediment	
B366784	453303	7107208	839	18-AUG-05 12:51:35PM	SILT	North	2	metasediment	
B366785	453271	7107322	840	18-AUG-05 12:58:15PM	SILT	North	2	metasediment	
B366786	453300	7107413	827	18-AUG-05 1:04:19PM	SILT	North	1.5	metasediment	
B366787	453312	7107528	828	18-AUG-05 1:09:53PM	SILT	North	1.5	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366788	453304	7107619	826	18-AUG-05 1:15:46PM	SILT	North	2	metasediment	
B366789	453295	7107733	824	18-AUG-05 1:23:59PM	SILT	North	2	metasediment	
B366791	453323	7107870	816	18-AUG-05 1:33:11PM	SILT	North	2	metasediment	
B366792	453319	7107971	811	18-AUG-05 1:41:42PM	SILT	North	3	metasediment	
B366793	453335	7108071	803	18-AUG-05 1:52:42PM	SILT	North	1.5	metasediment	
B366794	453360	7108252	804	18-AUG-05 2:01:14PM	SILT	North	1.5	metasediment	
B366795	453439	7108378	800	18-AUG-05 2:09:52PM	SILT	North	2	metasediment	
B366796	453504	7108460	790	18-AUG-05 2:17:57PM	SILT	North	2	metasediment	
B366797	453497	7108571	788	18-AUG-05 2:26:55PM	SILT	North	2	metasediment	
B366798	453521	7108676	786	18-AUG-05 2:35:54PM	SILT	North	2	metasediment	
B366799	453559	7108785	777	18-AUG-05 2:43:03PM	SILT	North	2	metasediment	
B366800	453590	7108895	776	18-AUG-05 2:50:25PM	SILT	North	2	metasediment	
B366801	453598	7109037	769	18-AUG-05 2:57:49PM	SILT	North	2	metasediment	
B366802	451136	7104932	1134	19-AUG-05 8:39:27AM	SILT	North	dry	metasediment	
B366803	451135	7104930	1140	19-AUG-05 8:41:17AM	DUP	North	dry	metasediment	
B366804	451154	7105053	1112	19-AUG-05 8:56:44AM	SILT	North	dry	metasediment	
B366805	451160	7105154	1082	19-AUG-05 9:03:38AM	SILT	North	0.25	metasediment	
B366806	451167	7105271	1075	19-AUG-05 9:09:43AM	SILT	North	dry	metasediment	
B366807	451162	7105368	1057	19-AUG-05 9:15:39AM	SILT	North	dry	metasediment	
B366808	451146	7105427	1050	19-AUG-05 9:21:29AM	SILT	North	0.25	metasediment	
B366809	450877	7104836	1123	19-AUG-05 9:45:47AM	SILT	North	dry	metasediment	
B366811	450933	7104935	1111	19-AUG-05 9:52:12AM	SILT	North	0.25	metasediment	
B366812	450961	7105036	1085	19-AUG-05 9:59:08AM	SILT	North	dry	metasediment	
B366813	450999	7105134	1069	19-AUG-05 10:04:47AM	SILT	North	0.25	metasediment	
B366814	451020	7105232	1062	19-AUG-05 10:12:23AM	SILT	North	dry	metasediment	
B366815	451011	7105332	1054	19-AUG-05 10:18:27AM	SILT	North	0.25	metasediment	
B366816	451029	7105439	1045	19-AUG-05 10:24:02AM	SILT	North	0.25	metasediment	
B366817	451038	7105545	1038	19-AUG-05 10:32:39AM	SILT	North	0.25	metasediment	
B366818	451054	7105642	1030	19-AUG-05 10:40:04AM	SILT	North	0.25	metasediment	
B366819	451070	7105749	1018	19-AUG-05 10:46:49AM	SILT	North	0.5	metasediment	
B366820	451049	7105854	1009	19-AUG-05 10:55:25AM	SILT	North	0.25	metasediment	
B366821	451030	7105948	1011	19-AUG-05 11:01:41AM	SILT	North	0.25	metasediment	
B366822	451017	7106047	1006	19-AUG-05 11:08:46AM	SILT	North	dry	metasediment	
B366823	451017	7106047	1004	19-AUG-05 11:10:13AM	DUP	North	dry	metasediment	
B366824	450996	7106137	996	19-AUG-05 11:20:47AM	SILT	North	pools	metasediment	
B366825	450908	7106195	988	19-AUG-05 11:31:03AM	SILT	North	pools	metasediment	
B366826	450338	7107440	957	19-AUG-05 1:33:04PM	SILT	North	pools	metasediment	
B366827	450417	7107504	938	19-AUG-05 1:40:59PM	SILT	North	0.25	metasediment	
B366828	450422	7107612	918	19-AUG-05 1:47:12PM	SILT	North	0.25	metasediment	
B366829	450427	7107712	922	19-AUG-05 1:54:40PM	SILT	North	0.5	metasediment	
B366831	450430	7107820	906	19-AUG-05 2:01:39PM	SILT	North	dry	metasediment	
B366832	450467	7107932	894	19-AUG-05 2:09:42PM	SILT	North	0.25	metasediment	
B366833	450475	7108038	884	19-AUG-05 2:15:50PM	SILT	North		metasediment	
B366834	450492	7108158	875	19-AUG-05 2:22:34PM	SILT	North	0.5	metasediment	
B366835	450480	7108269	870	19-AUG-05 2:31:33PM	SILT	North	0.5	metasediment	
B366836	450444	7108376	866	19-AUG-05 2:37:43PM	SILT	North	flat	metasediment	
B366837	451862	7107018	1070	20-AUG-05 8:48:19AM	SILT	North	dry	metasediment	
B366838	451900	7107103	1040	20-AUG-05 8:54:46AM	SILT	North	flat/pools	metasediment	
B366839	451937	7107196	1019	20-AUG-05 9:00:46AM	SILT	North	0.25	metasediment	
B366840	451988	7107286	995	20-AUG-05 9:06:03AM	SILT	North	0.25	metasediment	
B366841	452020	7107393	981	20-AUG-05 9:13:26AM	SILT	North	0.5	metasediment	
B366842	452044	7107501	963	20-AUG-05 9:18:56AM	SILT	North	0.5	metasediment	
B366843	452039	7107499	960	20-AUG-05 9:20:00AM	DUP	North	0.5	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366844	452083	7107590	944	20-AUG-05 9:29:48AM	SILT	North	0.25	metasediment	
B366845	454603	7106726	1049	20-AUG-05 10:20:59AM	SILT	North	dry	metasediment	
B366846	454596	7106833	1017	20-AUG-05 10:30:42AM	SILT	North	dry	metasediment	
B366847	454583	7106928	990	20-AUG-05 10:37:44AM	SILT	North	0.25	metasediment	
B366848	454585	7107037	970	20-AUG-05 10:45:30AM	SILT	North	0.25	metasediment	
B366849	454585	7107146	960	20-AUG-05 10:52:15AM	SILT	North	0.25	metasediment	
B366851	454580	7107246	948	20-AUG-05 10:59:32AM	SILT	North	0.25	metasediment	
B366852	454584	7107357	935	20-AUG-05 11:11:04AM	SILT	North	0.25	metasediment	
B366853	454583	7107467	914	20-AUG-05 11:18:32AM	SILT	North	0.5	metasediment	
B366854	454586	7107567	904	20-AUG-05 11:25:16AM	SILT	North	0.5	metasediment	
B366855	454614	7107663	890	20-AUG-05 11:31:09AM	SILT	North	flat	metasediment	
B366856	454625	7107762	876	20-AUG-05 11:37:55AM	SILT	North	0.25	metasediment	
B366857	455353	7104919	1129	20-AUG-05 12:53:27PM	SILT	North	0.25	metasediment	
B366858	455360	7105023	1109	20-AUG-05 1:01:40PM	SILT	East	dry	metasediment	
B366859	455395	7105135	1096	20-AUG-05 1:08:12PM	SILT	East	dry	metasediment	
B366860	455458	7105232	1068	20-AUG-05 1:15:59PM	SILT	East	pools	metasediment	
B366861	455522	7105357	1051	20-AUG-05 1:23:28PM	SILT	East	0.25	metasediment	
B366862	455638	7105435	1035	20-AUG-05 1:34:29PM	SILT	East	dry	metasediment	
B366863	455640	7105438	1036	20-AUG-05 1:35:43PM	DUP	East	dry	metasediment	
B366864	455758	7105448	1025	20-AUG-05 1:44:10PM	SILT	East	dry	metasediment	
B366865	455863	7105474	1013	20-AUG-05 1:51:56PM	SILT	East	dry	metasediment	
B366866	455969	7105489	995	20-AUG-05 1:58:42PM	SILT	East	dry	metasediment	
B366867	456066	7105502	988	20-AUG-05 2:07:37PM	SILT	East	dry	metasediment	
B366868	456170	7105517	981	20-AUG-05 2:18:20PM	SILT	East	0.25	metasediment	
B366869	456274	7105558	967	20-AUG-05 2:28:14PM	SILT	East	0.5	metasediment	
B366871	456377	7105613	953	20-AUG-05 2:50:33PM	SILT	East	0.5	metasediment	
B366872	456478	7105640	952	20-AUG-05 3:00:55PM	SILT	East	flat	metasediment	
B366873	456536	7105528	944	20-AUG-05 3:09:25PM	SILT	East	flat	metasediment	
B366874	456580	7105443	941	20-AUG-05 3:19:08PM	SILT	East	flat	metasediment	
B366875	456608	7105363	939	20-AUG-05 3:32:49PM	SILT	East	flat	metasediment	
B366876	456651	7105267	930	20-AUG-05 3:40:18PM	SILT	East	flat	metasediment	
B366877	456728	7105181	930	20-AUG-05 3:52:35PM	SILT	East	flat	metasediment	
B366878	462405	7107109	1280	21-AUG-05 8:37:32AM	SILT	North	dry	metasediment	
B366879	462442	7107206	1263	21-AUG-05 8:44:01AM	SILT	North	dry	metasediment	
B366880	462490	7107297	1234	21-AUG-05 8:53:01AM	SILT	North	dry	metasediment	
B366881	462525	7107393	1209	21-AUG-05 8:59:09AM	SILT	North	dry	metasediment	
B366882	462558	7107485	1188	21-AUG-05 9:06:57AM	SILT	North	0.25	metasediment	
B366883	462557	7107486	1186	21-AUG-05 9:07:51AM	DUP	North	0.25	metasediment	
B366884	462581	7107585	1165	21-AUG-05 9:17:31AM	SILT	North	0.25	metasediment	
B366885	462601	7107685	1151	21-AUG-05 9:24:59AM	SILT	North	0.25	metasediment	
B366886	462643	7107784	1139	21-AUG-05 9:31:53AM	SILT	North	0.25	metasediment	
B366887	462163	7107826	1135	21-AUG-05 9:56:23AM	SILT	North	0.25	metasediment	
B366888	462150	7107722	1152	21-AUG-05 10:06:05AM	SILT	North	0.25	metasediment	
B366889	462146	7107619	1165	21-AUG-05 10:15:22AM	SILT	North	dry	metasediment	
B366891	462147	7107521	1181	21-AUG-05 10:22:35AM	SILT	North	dry	metasediment	
B366892	462145	7107411	1195	21-AUG-05 10:30:56AM	SILT	North	dry	metasediment	
B366893	462150	7107307	1226	21-AUG-05 10:40:18AM	SILT	North	dry	metasediment	
B366894	462119	7107213	1246	21-AUG-05 10:49:25AM	SILT	North	dry	metasediment	
B366895	461613	7106868	1347	21-AUG-05 12:13:12PM	SILT	North	dry	metasediment	
B366896	461670	7106960	1305	21-AUG-05 12:23:48PM	SILT	North	dry	metasediment	
B366897	461724	7107063	1269	21-AUG-05 12:31:54PM	SILT	North	dry	metasediment	
B366898	461756	7107176	1240	21-AUG-05 12:40:30PM	SILT	North	0.25	metasediment	
B366899	461772	7107280	1230	21-AUG-05 12:53:52PM	SILT	North	0.25	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366900	461777	7107399	1203	21-AUG-05 1:02:38PM	SILT	North	0.25	metasediment	
B366901	461781	7107506	1181	21-AUG-05 1:11:00PM	SILT	North	0.25	metasediment	
B366902	461801	7107602	1167	21-AUG-05 1:19:49PM	SILT	North	dry	metasediment	
B366903	461801	7107598	1169	21-AUG-05 1:20:48PM	DUP	North	dry	metasediment	
B366904	461797	7107704	1156	21-AUG-05 1:32:57PM	SILT	North	dry	metasediment	
B366905	461023	7107710	1225	21-AUG-05 2:14:22PM	SILT	North	dry	metasediment	
B366906	461057	7107613	1230	21-AUG-05 2:21:54PM	SILT	North	dry	metasediment	
B366907	461057	7107508	1247	21-AUG-05 2:29:59PM	SILT	North	dry	metasediment	
B366908	461054	7107413	1261	21-AUG-05 2:41:51PM	SILT	North	dry	metasediment	
B366909	461066	7107314	1280	21-AUG-05 2:51:08PM	SILT	North	dry	metasediment	
B366911	461092	7107201	1304	21-AUG-05 3:01:25PM	SILT	North	dry	metasediment	
B366912	461102	7107112	1340	21-AUG-05 3:16:33PM	SILT	North	dry	metasediment	
B366913	461824	7106335	1364	22-AUG-05 8:36:43AM	SILT		dry	metasediment	
B366914	461902	7106285	1324	22-AUG-05 8:44:03AM	SILT		dry	metasediment	
B366915	461944	7106174	1274	22-AUG-05 8:50:27AM	SILT		dry	metasediment	
B366916	462022	7106091	1242	22-AUG-05 8:57:21AM	SILT		dry	metasediment	
B366917	462090	7106002	1198	22-AUG-05 9:04:03AM	SILT		dry	metasediment	
B366918	462179	7105940	1159	22-AUG-05 9:11:24AM	SILT		dry	metasediment	
B366919	462247	7105867	1133	22-AUG-05 9:20:12AM	SILT		dry	metasediment	
B366920	462338	7105808	1105	22-AUG-05 9:27:35AM	SILT		dry	metasediment	
B366921	462440	7105791	1086	22-AUG-05 9:35:37AM	SILT		dry	metasediment	
B366922	462370	7105785	1103	22-AUG-05 9:44:45AM	SILT		dry	metasediment	
B366923	462369	7105783	1102	22-AUG-05 9:45:41AM	DUP		dry	metasediment	
B366924	462343	7105775	1107	22-AUG-05 9:57:13AM	SILT		dry	metasediment	
B366925	462538	7105748	1075	22-AUG-05 10:05:43AM	SILT		0.25	metasediment	
B366926	463002	7106356	1193	22-AUG-05 10:37:11AM	SILT		dry	metasediment	
B366927	462935	7106261	1174	22-AUG-05 10:43:49AM	SILT		dry	metasediment	
B366928	462864	7106180	1150	22-AUG-05 10:50:06AM	SILT		dry	metasediment	
B366929	462775	7106095	1135	22-AUG-05 10:56:29AM	SILT		dry	metasediment	
B366931	462692	7106011	1114	22-AUG-05 11:04:42AM	SILT		dry	metasediment	
B366932	462669	7105903	1096	22-AUG-05 11:11:06AM	SILT		dry	metasediment	
B366933	462616	7105815	1075	22-AUG-05 11:19:07AM	SILT		0.25	metasediment	
B366934	462583	7105721	1054	22-AUG-05 11:27:11AM	SILT		0.25	metasediment	
B366935	462615	7105631	1051	22-AUG-05 11:37:19AM	SILT		0.25	metasediment	
B366936	462641	7105536	1033	22-AUG-05 11:44:43AM	SILT		0.25	metasediment	
B366937	462671	7105428	1025	22-AUG-05 11:52:19AM	SILT		0.25	metasediment	
B366938	462693	7105314	1008	22-AUG-05 11:59:35AM	SILT		0.25	metasediment	
B366939	462710	7105209	995	22-AUG-05 12:07:14PM	SILT		0.5	metasediment	
B366940	462759	7105119	984	22-AUG-05 12:15:06PM	SILT		0.5	metasediment	
B366941	462823	7105053	974	22-AUG-05 12:24:17PM	SILT		0.5	metasediment	
B366942	462885	7104967	970	22-AUG-05 12:33:36PM	SILT		0.5	metasediment	
B366943	462879	7104969	969	22-AUG-05 12:34:29PM	DUP		0.5	metasediment	
B366944	462919	7104869	956	22-AUG-05 12:43:56PM	SILT			metasediment	
B366945	462913	7104761	948	22-AUG-05 12:51:35PM	SILT		0.25	metasediment	
B366946	462887	7104659	940	22-AUG-05 1:20:32PM	SILT		0.25	metasediment	
B366947	462863	7104570	934	22-AUG-05 1:32:19PM	SILT		1.25	metasediment	
B366948	462836	7104493	925	22-AUG-05 1:40:16PM	SILT		1.5	metasediment	
B366949	462697	7104495	916	22-AUG-05 1:50:25PM	SILT		2	metasediment	
B366951	462603	7104453	918	22-AUG-05 1:59:15PM	SILT		2	metasediment	
B366952	462503	7104428	914	22-AUG-05 2:08:40PM	SILT		2	metasediment	
B366953	462437	7104361	912	22-AUG-05 2:18:00PM	SILT		2	metasediment	
B366954	462341	7104287	912	22-AUG-05 2:24:41PM	SILT		2	metasediment	
B366955	462268	7104211	902	22-AUG-05 2:35:02PM	SILT		2	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B366956	462170	7104176	905	22-AUG-05 2:46:37PM	SILT		2	metasediment	
B366957	462066	7104156	904	22-AUG-05 3:00:21PM	SILT		2	metasediment	
B366958	461974	7104110	893	22-AUG-05 3:15:44PM	SILT		2	metasediment	
B366959	461883	7104104	887	22-AUG-05 3:27:44PM	SILT		2	metasediment	
B366960	461767	7104075	889	22-AUG-05 3:39:31PM	SILT		2	metasediment	
B366961	461664	7104051	883	22-AUG-05 3:48:03PM	SILT		2	metasediment	
B366962	461583	7103991	877	22-AUG-05 4:02:29PM	SILT		2	metasediment	
B366963	469473	7105761	1274	24-AUG-05 8:35:39AM	SILT		dry	metasediment	
B366964	469529	7105848	1240	24-AUG-05 8:41:58AM	SILT		dry	metasediment	
B366965	469598	7105919	1198	24-AUG-05 8:48:47AM	SILT		dry	metasediment	
B366966	469661	7106005	1166	24-AUG-05 9:00:41AM	SILT		dry	metasediment	
B366967	469697	7106110	1134	24-AUG-05 9:09:47AM	SILT		dry	metasediment	
B366968	469743	7106190	1108	24-AUG-05 9:16:04AM	SILT		dry	metasediment	
B366969	469771	7106289	1090	24-AUG-05 9:23:08AM	SILT		0.25	metasediment	
B366971	469838	7106375	1068	24-AUG-05 9:33:04AM	SILT		0.25	metasediment	
B366972	469923	7106449	1057	24-AUG-05 9:39:49AM	SILT		0.25	metasediment	
B366973	469989	7106517	1038	24-AUG-05 9:48:36AM	SILT		0.25	metasediment	
B366974	470077	7106555	1036	24-AUG-05 9:56:53AM	SILT		1.5	metasediment	
B366975	470179	7106573	1029	24-AUG-05 10:05:40AM	SILT		1.5	metasediment	
B366976	470273	7106600	1015	24-AUG-05 10:12:05AM	SILT		1.5	metasediment	
B366977	470382	7106617	1005	24-AUG-05 10:20:12AM	SILT		2	metasediment	
B366978	470495	7106622	999	24-AUG-05 10:29:04AM	SILT		1.5	metasediment	
B366979	470585	7106666	993	24-AUG-05 10:38:14AM	SILT		1.5	metasediment	
B366980	470658	7106717	986	24-AUG-05 10:44:57AM	SILT		1.5	metasediment	
B366981	470734	7106784	976	24-AUG-05 10:57:34AM	SILT		1.5	metasediment	
B366982	470789	7106899	965	24-AUG-05 11:22:27AM	SILT		1	metasediment	
B366983	470788	7106899	968	24-AUG-05 11:22:50AM	DUP		1	metasediment	
B366984	470837	7106995	955	24-AUG-05 11:37:04AM	SILT		1	metasediment	
B366985	470882	7107089	955	24-AUG-05 12:41:58PM	SILT		1	metasediment	
B366986	470922	7107181	950	24-AUG-05 12:48:05PM	SILT		1	metasediment	
B366987	469759	7107472	1145	24-AUG-05 1:44:32PM	SILT		1	metasediment	
B366988	469849	7107432	1130	24-AUG-05 1:57:27PM	SILT		dry	metasediment	
B366989	469958	7107444	1119	24-AUG-05 2:07:16PM	SILT		flat	metasediment	
B366991	470061	7107450	1094	24-AUG-05 2:17:45PM	SILT		dry	metasediment	
B366992	470167	7107449	1073	24-AUG-05 2:27:02PM	SILT		dry	metasediment	
B366993	470279	7107441	1051	24-AUG-05 2:34:18PM	SILT		dry	metasediment	
B366994	470392	7107420	1031	24-AUG-05 2:42:48PM	SILT		dry	metasediment	
B366995	470497	7107417	1016	24-AUG-05 2:50:07PM	SILT		dry	metasediment	
B366996	470609	7107406	999	24-AUG-05 2:59:06PM	SILT		2	metasediment	
B366997	470706	7107377	985	24-AUG-05 3:05:11PM	SILT		2	metasediment	
B366998	470796	7107321	972	24-AUG-05 3:10:34PM	SILT		2	metasediment	
B366999	470912	7107279	956	24-AUG-05 3:18:18PM	SILT		2	metasediment	
B367000	471041	7107421	935	24-AUG-05 3:31:22PM	SILT		2	metasediment	
B367001	471063	7107525	929	24-AUG-05 3:41:53PM	SILT		2	metasediment	
B367002	471095	7107630	921	24-AUG-05 3:51:18PM	SILT		2	metasediment	
B367003	471095	7107628	921	24-AUG-05 3:51:41PM	DUP		2	metasediment	
B367004	471126	7107716	916	24-AUG-05 3:59:49PM	SILT		2	metasediment	
B367005	454874	7100969	1114	25-AUG-05 9:58:33AM	SILT	North	dry	metasediment	
B367006	454982	7101014	1111	25-AUG-05 10:09:00AM	SILT	North	dry	metasediment	
B367007	455082	7101059	1100	25-AUG-05 10:20:03AM	SILT	North	flat	metasediment	
B367008	455212	7101067	1082	25-AUG-05 10:26:29AM	SILT	North	0.25	metasediment	
B367009	455327	7101055	1058	25-AUG-05 10:32:46AM	SILT	North	flat	metasediment	
B367011	455430	7101022	1021	25-AUG-05 10:39:49AM	SILT	North	dry	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367012	455897	7100392	1162	25-AUG-05 11:16:41AM	SILT	North	dry	metasediment	
B367013	455889	7100493	1120	25-AUG-05 11:23:19AM	SILT	North	0.25	metasediment	
B367014	455878	7100598	1084	25-AUG-05 11:30:46AM	SILT	North	flat	metasediment	
B367015	455868	7100710	1073	25-AUG-05 11:38:46AM	SILT	North	flat	metasediment	
B367016	455871	7100824	1039	25-AUG-05 11:46:36AM	SILT	North	flat	metasediment	
B367017	455877	7100933	1010	25-AUG-05 11:54:31AM	SILT	North	dry	metasediment	
B367018	455927	7101051	986	25-AUG-05 12:03:11PM	SILT	North	dry	metasediment	
B367019	455607	7101962	1175	25-AUG-05 1:16:43PM	SILT	North	dry	metasediment	
B367020	455651	7101876	1145	25-AUG-05 1:25:01PM	SILT	North	dry	metasediment	
B367021	455699	7101791	1128	25-AUG-05 1:32:50PM	SILT	South	dry	metasediment	
B367022	455763	7101706	1106	25-AUG-05 1:40:28PM	SILT	South	dry	metasediment	
B367023	455739	7101753	1105	25-AUG-05 1:43:02PM	SILT	South	dry	metasediment	
B367024	455817	7101563		25-AUG-05 1:51:53PM	SILT	South	dry	metasediment	
B367025	455932	7101560	1050	25-AUG-05 1:59:21PM	SILT	South	dry	metasediment	
B367026	456027	7101486	1012	25-AUG-05 2:07:11PM	SILT	South	dry	metasediment	
B367027	456129	7101407	1003	25-AUG-05 2:13:50PM	SILT	South	dry	metasediment	
B367028	456112	7101409		25-AUG-05 2:22:11PM	SILT	South	dry	metasediment	
B367029	456327	7100455	1102	25-AUG-05 2:57:33PM	SILT	North	dry	metasediment	
B367031	456397	7100532	1069	25-AUG-05 3:06:18PM	SILT	North	dry	metasediment	
B367032	456433	7100630	1040	25-AUG-05 3:12:37PM	SILT	North	dry	metasediment	
B367033	456521	7100696	1008	25-AUG-05 3:19:55PM	SILT	North	dry	metasediment	
B367034	456539	7100803	979	25-AUG-05 3:25:49PM	SILT	North	dry	metasediment	
B367035	456581	7100892	960	25-AUG-05 3:34:11PM	SILT	North	0.25	metasediment	
B367036	456578	7100994	940	25-AUG-05 3:41:53PM	SILT	North	0.25	metasediment	
B367037	456630	7101095	928	25-AUG-05 3:47:54PM	SILT	North	0.25	metasediment	
B367038	456670	7101203	912	25-AUG-05 3:53:48PM	SILT	North	dry	metasediment	
B367039	469900	7105580	1235	26-AUG-05 8:34:08AM	SILT	East	pools	metasediment	
B367040	469917	7105677	1224	26-AUG-05 8:50:00AM	SILT	East	dry	metasediment	
B367041	469975	7105762	1196	26-AUG-05 9:00:00AM	SILT	East	dry	metasediment	
B367042	469986	7105872	1189	26-AUG-05 9:09:53AM	SILT	East	pools	metasediment	
B367043	469983	7105869	1180	26-AUG-05 9:11:46AM	DUP	East	pools	metasediment	
B367044	470037	7105968	1158	26-AUG-05 9:23:09AM	SILT	East	pools	metasediment	
B367045	470110	7106044	1139	26-AUG-05 9:34:02AM	SILT	East	pools	metasediment	
B367046	470259	7106020	1107	26-AUG-05 9:48:56AM	SILT	East	pools	metasediment	
B367047	470396	7105938	1083	26-AUG-05 9:59:28AM	SILT	South	pools	metasediment	
B367048	470536	7105898	1065	26-AUG-05 10:08:21AM	SILT	South	dry	metasediment	
B367049	470679	7105875	1048	26-AUG-05 10:18:16AM	SILT	South	dry	metasediment	
B367051	470787	7105830			SILT		dry		
B367052	470977	7105781			SILT		0.25		
B367053	471037	7105690	1010	26-AUG-05 10:48:03AM	SILT	South	0.25	metasediment	
B367054	471101	7105589	1005	26-AUG-05 10:58:01AM	SILT	South	0.25	metasediment	
B367055	471142	7105497	991	26-AUG-05 11:07:43AM	SILT	South	0.25	metasediment	
B367056	471216	7105417	990	26-AUG-05 11:17:09AM	SILT	South	0.25	metasediment	
B367057	471286	7105352	980	26-AUG-05 11:26:57AM	SILT	South	0.25	metasediment	
B367058	471363	7105283	968	26-AUG-05 11:38:19AM	SILT	South	0.25	metasediment	
B367059	471398	7105195	959	26-AUG-05 11:48:04AM	SILT	South	0.25	metasediment	
B367060	471437	7105103	951	26-AUG-05 12:02:44PM	SILT	South	0.25	metasediment	
B367061	471491	7105011	940	26-AUG-05 12:11:18PM	SILT	South	0.25	metasediment	
B367062	471513	7104916	924	26-AUG-05 12:20:05PM	SILT	South	0.25	metasediment	
B367063	471510	7104915	924	26-AUG-05 12:20:23PM	DUP	South	0.25	metasediment	
B367064	471488	7104805	910	26-AUG-05 12:32:58PM	SILT	South	0.25	metasediment	
B367065	471482	7104701	904	26-AUG-05 1:16:34PM	SILT	South	0.25	metasediment	
B367066	471497	7104593	897	26-AUG-05 1:29:58PM	SILT	South	0.25	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367067	471433	7104512	891	26-AUG-05 1:40:53PM	SILT	South	0.25	metasediment	
B367068	471360	7104448	883	26-AUG-05 1:50:10PM	SILT	South	0.25	metasediment	
B367069	471303	7104375	890	26-AUG-05 2:00:36PM	SILT	South	0.25	metasediment	
B367071	471940	7102422	1208	27-AUG-05 8:52:25AM	SILT	West	dry	metasediment	
B367072	471872	7102340	1182	27-AUG-05 9:00:09AM	SILT	West	dry	metasediment	
B367073	471777	7102285	1169	27-AUG-05 9:06:42AM	SILT	West	dry	metasediment	
B367074	471682	7102251	1151	27-AUG-05 9:12:52AM	SILT	West	dry	metasediment	
B367075	471581	7102218	1115	27-AUG-05 9:19:45AM	SILT	West	dry	metasediment	
B367076	471480	7102198	1067	27-AUG-05 9:29:41AM	SILT	West	dry	metasediment	
B367077	471390	7102176	1027	27-AUG-05 9:39:48AM	SILT	West	dry	metasediment	
B367078	471779	7101778	1176	27-AUG-05 10:19:42AM	SILT	West	dry	metasediment	
B367079	471675	7101800	1173	27-AUG-05 10:25:51AM	SILT	West	dry	metasediment	
B367080	471576	7101748	1159	27-AUG-05 10:33:01AM	SILT	West	dry	metasediment	
B367081	471495	7101690	1145	27-AUG-05 10:40:26AM	SILT	West	dry	metasediment	
B367082	471460	7101773	1141	27-AUG-05 10:48:10AM	SILT	West	dry	metasediment	
B367083	471462	7101773	1143	27-AUG-05 10:49:59AM	DUP	West	dry	metasediment	
B367084	471571	7102015	1141	27-AUG-05 11:11:22AM	SILT	West	dry	metasediment	
B367085	471510	7102092	1093	27-AUG-05 11:19:53AM	SILT	West	dry	metasediment	
B367086	471427	7102141	1048	27-AUG-05 11:30:04AM	SILT	West	dry	metasediment	
B367087	471332	7102182	1016	27-AUG-05 11:38:40AM	SILT	West	0.25	metasediment	
B367088	471227	7102198	1000	27-AUG-05 11:47:29AM	SILT	West	0.25	metasediment	
B367089	471128	7102208	988	27-AUG-05 11:55:58AM	SILT	West	0.25	metasediment	
B367091	471053	7102290	981	27-AUG-05 12:03:08PM	SILT	West	0.25	metasediment	
B367092	470978	7102333	957	27-AUG-05 12:10:47PM	SILT	West	0.25	metasediment	
B367093	470895	7102397	937	27-AUG-05 12:17:28PM	SILT	West	0.25	metasediment	
B367094	470794	7102425	902	27-AUG-05 12:27:06PM	SILT	West	Flat	metasediment	
B367095	470698	7102439	894	27-AUG-05 1:03:18PM	SILT	West	Flat	metasediment	
B367096	470596	7102437	879	27-AUG-05 1:13:23PM	SILT	West	Flat	metasediment	
B367097	470505	7102386	879	27-AUG-05 1:21:54PM	SILT	West	Flat	metasediment	
B367098	470397	7102362	873	27-AUG-05 1:28:58PM	SILT	West	Flat	metasediment	
B367099	470296	7102388	870	27-AUG-05 1:36:26PM	SILT	South	Flat	metasediment	
B367100	470188	7102446	867	27-AUG-05 1:47:51PM	SILT	South	Flat	metasediment	
B367101	470129	7102536	865	27-AUG-05 1:57:28PM	SILT	South	Flat	metasediment	
B367102	470262	7102557	867	27-AUG-05 2:07:44PM	SILT	South	Flat	metasediment	
B367103	470262	7102556	867	27-AUG-05 2:09:53PM	DUP	South	Flat	metasediment	
B367104	470336	7102646	867	27-AUG-05 2:24:27PM	SILT	South	Flat	metasediment	
B367105	470438	7102761	872	27-AUG-05 2:40:34PM	SILT	South	Flat	metasediment	
B367106	470533	7102794	869	27-AUG-05 2:48:58PM	SILT	South	Flat	metasediment	
B367107	470618	7102876	869	27-AUG-05 2:57:47PM	SILT	South	Flat	metasediment	
B367108	470696	7102942	872	27-AUG-05 3:06:49PM	SILT	South	Flat	metasediment	
B367109	470790	7102977	871	27-AUG-05 3:14:48PM	SILT	South	Flat	metasediment	
B367111	470854	7103041	878	27-AUG-05 3:23:54PM	SILT	South	Flat	metasediment	
B367112	470935	7103114	876	27-AUG-05 3:31:54PM	SILT	South	Flat	metasediment	
B367113	470938	7103216	873	27-AUG-05 3:42:01PM	SILT	South	Flat	metasediment	
B367114	471011	7103289	871	27-AUG-05 3:50:00PM	SILT	South	Flat	metasediment	
B367115	471028	7103379	873	27-AUG-05 3:57:32PM	SILT	South	Flat	metasediment	
B367116	470959	7103451	877	27-AUG-05 4:08:16PM	SILT	South	Flat	metasediment	
B367117	471016	7103535	878	27-AUG-05 4:19:55PM	SILT	South	Flat	metasediment	
B367118	474452	7107786	1025	28-AUG-05 8:39:00AM	SILT	South	1	metasediment	
B367119	474509	7107734	1022	28-AUG-05 8:48:46AM	SILT	South	1	metasediment	
B367120	474593	7107721	1024	28-AUG-05 8:58:03AM	SILT	South	0.25	metasediment	
B367121	474661	7107698	1020	28-AUG-05 9:09:19AM	SILT	South	0.5	metasediment	
B367122	474730	7107658	1022	28-AUG-05 9:22:18AM	SILT	South	0.5	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367123	474727	7107658	1022	28-AUG-05 9:24:20AM	DUP	South	0.5	metasediment	
B367124	474785	7107603	1016	28-AUG-05 9:37:13AM	SILT	South	0.75	metasediment	
B367125	474850	7107550	1021	28-AUG-05 9:46:39AM	SILT	South	0.75	metasediment	
B367126	474897	7107492	1016	28-AUG-05 9:53:50AM	SILT	South	0.75	metasediment	
B367127	474882	7107395	1012	28-AUG-05 10:01:30AM	SILT	South	0.75	metasediment	
B367128	474884	7107315	1006	28-AUG-05 10:08:04AM	SILT	South	0.75	metasediment	
B367129	474868	7107230	995	28-AUG-05 10:16:33AM	SILT	South	0.75	metasediment	
B367131	474903	7107166	989	28-AUG-05 10:25:20AM	SILT	South	0.5	metasediment	
B367132	474979	7107127	989	28-AUG-05 10:38:34AM	SILT	South	0.5	metasediment	
B367133	475032	7107071	981	28-AUG-05 10:46:14AM	SILT	South	0.5	metasediment	
B367134	475069	7107000	976	28-AUG-05 10:53:07AM	SILT	South	0.5	metasediment	
B367135	475101	7106924	972	28-AUG-05 11:02:42AM	SILT	South	0.5	metasediment	
B367136	475136	7106846	969	28-AUG-05 11:12:03AM	SILT	South	0.5	metasediment	
B367137	475171	7106775	964	28-AUG-05 11:22:14AM	SILT	South	0.5	metasediment	
B367138	475212	7106704	960	28-AUG-05 11:28:07AM	SILT	South	0.25	metasediment	
B367139	475226	7106624	957	28-AUG-05 11:35:20AM	SILT	South	0.25	metasediment	
B367140	475225	7106545	953	28-AUG-05 11:43:36AM	SILT	South	0.25	metasediment	
B367141	475260	7106469	950	28-AUG-05 11:49:31AM	SILT	South	0.25	metasediment	
B367142	475326	7106435	948	28-AUG-05 11:59:09AM	SILT	South	0.25	metasediment	
B367143	475323	7106438	944	28-AUG-05 12:01:04PM	DUP	South	0.25	metasediment	
B367144	475373	7106514	961	28-AUG-05 1:09:04PM	SILT	South	0.25	metasediment	
B367145	475403	7106595	962	28-AUG-05 1:16:37PM	SILT	South	0.25	metasediment	
B367146	475393	7106676	972	28-AUG-05 1:23:40PM	SILT	South	0.25	metasediment	
B367147	475403	7106757	983	28-AUG-05 1:30:39PM	SILT	South	0.25	metasediment	
B367148	475433	7106835	987	28-AUG-05 1:39:31PM	SILT	South	Flat	metasediment	
B367149	475489	7106903	980	28-AUG-05 1:47:37PM	SILT	South	Flat	metasediment	
B367151	475540	7106959	1001	28-AUG-05 1:54:09PM	SILT	South	Flat	metasediment	
B367152	475546	7107038	1005	28-AUG-05 2:07:56PM	SILT	South	Flat	metasediment	
B367153	475583	7107105	1006	28-AUG-05 2:10:22PM	SILT	South	Flat	metasediment	
B367154	475635	7107181	1006	28-AUG-05 2:22:33PM	SILT	South	Flat	metasediment	
B367155	475695	7107244	1020	28-AUG-05 2:35:01PM	SILT	South	Flat	metasediment	
B367156	475752	7107290	1019	28-AUG-05 2:44:30PM	SILT	South	Flat	metasediment	
B367157	475267	7106119	935	29-AUG-05 8:42:04AM	SILT	South	1	metasediment	
B367158	475265	7106040	930	29-AUG-05 8:53:47AM	SILT	South	1	metasediment	
B367159	475274	7105966	931	29-AUG-05 9:03:45AM	SILT	South	1	metasediment	
B367160	475260	7105897	926	29-AUG-05 9:11:29AM	SILT	South	1	metasediment	
B367161	475253	7105828	922	29-AUG-05 9:20:01AM	SILT	South	1	metasediment	
B367162	475279	7105760	923	29-AUG-05 9:33:57AM	SILT	South	1	metasediment	
B367163	475279	7105764	931	29-AUG-05 9:35:15AM	DUP	South	1	metasediment	
B367164	475305	7105692	912	29-AUG-05 9:43:27AM	SILT	South	1	metasediment	
B367165	475341	7105612	908	29-AUG-05 9:50:47AM	SILT	South	1	metasediment	
B367166	475357	7105538	902	29-AUG-05 9:59:45AM	SILT	South	1	metasediment	
B367167	475389	7105477	905	29-AUG-05 10:11:39AM	SILT	South	1	metasediment	
B367168	475415	7105414	898	29-AUG-05 10:19:25AM	SILT	South	1	metasediment	
B367169	475446	7105349	891	29-AUG-05 10:28:08AM	SILT	South	1	metasediment	
B367171	475493	7105289	882	29-AUG-05 10:34:57AM	SILT	South	1	metasediment	
B367172	475530	7105224	876	29-AUG-05 10:43:37AM	SILT	South	1	metasediment	
B367173	475521	7105148	880	29-AUG-05 10:55:23AM	SILT	South	1	metasediment	
B367174	475572	7105091	880	29-AUG-05 11:03:38AM	SILT	South	1	metasediment	
B367175	475617	7105030	866	29-AUG-05 11:13:30AM	SILT	South	2	metasediment	
B367176	475642	7104957	867	29-AUG-05 11:23:09AM	SILT	South	2	metasediment	
B367177	475699	7104908	861	29-AUG-05 12:57:18PM	SILT	South	2	metasediment	
B367178	475725	7104842	859	29-AUG-05 1:07:01PM	SILT	South	2	metasediment	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367179	475769	7104778	856	29-AUG-05 1:15:00PM	SILT	South	1	metasediment	
B367180	475822	7104731	847	29-AUG-05 1:22:55PM	SILT	South	1	metasediment	
B367181	475886	7104692	848	29-AUG-05 1:30:13PM	SILT	South	1	metasediment	
B367182	475938	7104636	848	29-AUG-05 1:37:48PM	SILT	South	1	metasediment	
B367183	475936	7104638	844	29-AUG-05 1:39:51PM	DUP	South	1	metasediment	
B367184	475996	7104620	844	29-AUG-05 1:49:33PM	SILT	South	2	metasediment	
B367185	476049	7104567	838	29-AUG-05 1:58:08PM	SILT	South	2	metasediment	
B367186	476093	7104528	833	29-AUG-05 2:07:22PM	SILT	South	2	metasediment	
B367187	476151	7104521	834	29-AUG-05 2:18:26PM	SILT	South	2	metasediment	
B367188	476207	7104504	829	29-AUG-05 2:29:39PM	SILT	South	2	metasediment	
B367189	476290	7104540	827	29-AUG-05 2:38:44PM	SILT	South	2	metasediment	
B367191	476359	7104505	823	29-AUG-05 2:48:18PM	SILT	South	2	metasediment	
B367192	476432	7104494	816	29-AUG-05 2:58:24PM	SILT	South	2	metasediment	
B367193	476494	7104450	827	29-AUG-05 3:11:14PM	SILT	South	2	metasediment	
B367194	473627	7100815	1182	30-AUG-05 8:48:33AM	SILT		dry		
B367195	473619	7100737	1172	30-AUG-05 8:58:23AM	SILT		dry		
B367196	473573	7100672	1163	30-AUG-05 9:04:52AM	SILT		dry		
B376197	473563	7100595	1158	30-AUG-05 9:13:08AM	SILT		dry		
B376198	473562	7100521	1151	30-AUG-05 9:19:41AM	SILT		Flat		
B367199	473549	7100446	1146	30-AUG-05 9:28:48AM	SILT		Flat		
B367200	473499	7100390	1144	30-AUG-05 9:36:20AM	SILT		Flat		
B367201	458135	7105903		22-AUG-05 4:02:29PM	SILT	SW	marsh		
B367202	458135	7105903		22-AUG-05 4:02:29PM	DUP	SW	marsh		
B367203	457751	7105209		22-AUG-05 4:02:29PM	SILT	SW	0.1		
B367204	457890	7105210		22-AUG-05 4:02:29PM	SILT	SW	1		
B367205	457995	7105243		22-AUG-05 4:02:29PM	SILT	SW	0.5		
B367206	458142	7105319		22-AUG-05 4:02:29PM	SILT	SW	0		
B367207	458265	7105225		22-AUG-05 4:02:29PM	SILT	SW	0		
B367208	458454	7105294		22-AUG-05 4:02:29PM	SILT	SW	0		
B367209	458544	7105360		22-AUG-05 4:02:29PM	SILT	SW	0		
B367211	458615	7105393		22-AUG-05 4:02:29PM	SILT	SW	0		
B367212	463342	7107439	1226	23-AUG-05 9:04:25AM	SILT	NE	0		moss/dry
B367213	463389	7107549	1214	23-AUG-05 9:18:42AM	SILT	NE	0		moss/dry
B367214	463433	7107642	1206	23-AUG-05 9:27:02AM	SILT	NE	0		moss/dry
B367215	463522	7107713	1192	23-AUG-05 9:37:13AM	SILT	NE	0.1		moss/dry
B367216	463673	7107140	1214	23-AUG-05 10:09:14AM	SILT	NE	0		moss/dry
B367217	463817	7107196	1196	23-AUG-05 10:26:36AM	SILT	NE	0		moss/dry
B367218	463922	7107241	1182	23-AUG-05 10:36:23AM	SILT	NE	0		moss/dry
B367219	464044	7107275	1153	23-AUG-05 10:50:27AM	SILT	NE	0		moss/dry
B367220	464133	7107336	1146	23-AUG-05 10:59:12AM	SILT	NE	0		moss/dry
B367221	464244	7107352	1130	23-AUG-05 11:08:17AM	SILT	E	0.2		
B367222	464245	7107353	1141	23-AUG-05 11:08:32AM	DUP	E	0.2		
B367223	464358	7107317	1103	23-AUG-05 11:20:38AM	SILT	E	0.2		
B367224	464467	7107262	1085	23-AUG-05 11:29:14AM	SILT	SE	0.2		meta
B367225	464517	7107171	1068	23-AUG-05 11:40:46AM	SILT	S	0.5		meta
B367226	464554	7107058	1059	23-AUG-05 11:53:36AM	SILT	S	0.5		meta
B367227	464559	7106948	1047	23-AUG-05 12:06:28PM	SILT	S	1		meta
B367228	464555	7106830	1036	23-AUG-05 12:15:50PM	SILT	S	1		meta
B367229	464567	7106813	1034	23-AUG-05 12:26:07PM	SILT	SW	1		meta
B367231	464677	7106847	1042	23-AUG-05 1:03:55PM	SILT	SW	0.5		
B367232	464803	7106862	1052	23-AUG-05 1:12:40PM	SILT	SW	1		
B367233	464904	7106920	1053	23-AUG-05 1:28:49PM	SILT	SW	1		
B367234	465004	7106956	1060	23-AUG-05 1:39:59PM	SILT	SW	1		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B267235	465092	7107019	1071	23-AUG-05 1:50:35PM	SILT	SW	2		
B367236	465204	7107067	1078	23-AUG-05 2:01:19PM	SILT	SW	0.5		
B367237	465297	7107134	1095	23-AUG-05 2:10:53PM	SILT	SW	1		
B367238	465410	7107133	1100	23-AUG-05 2:27:38PM	SILT	W	1		
B367239	465529	7107131	1110	23-AUG-05 2:35:57PM	SILT	W			
B367240	465623	7107062	1116	23-AUG-05 2:46:08PM	SILT	NW	0.5	meta	
B367241	465715	7106967	1123	23-AUG-05 2:55:39PM	DUP	NW	1	meta	
B367242	465716	7106965	1123	23-AUG-05 2:55:56PM	SILT	NW	1	meta	
B367243	465802	7106871	1125	23-AUG-05 3:06:41PM	SILT	NW	1	meta	
B367244	465832	7106765	1139	23-AUG-05 3:14:39PM	SILT	NW	1	meta	
B367245	465886	7106657	1148	23-AUG-05 3:27:59PM	SILT	NW	1	meta	
B367246	465950	7106559	1156	23-AUG-05 3:34:53PM	SILT	NW	1	meta	
B367247	466023	7106462	1165	23-AUG-05 3:40:41PM	SILT	NW	1	meta	
B367248	466136	7106368	1183	23-AUG-05 3:47:49PM	SILT	NW	1	meta	
B367249	466241	7106266	1205	23-AUG-05 3:56:52PM	SILT	NW	1		
B367251	461721	7101846	1122	15-AUG-05 1:52:13PM	SILT				
B367252	461789	7101884	1129	15-AUG-05 1:59:05PM	SILT				
B367253	461874	7101932	1139	15-AUG-05 2:10:44PM	SILT				
B367254	461944	7102008	1161	15-AUG-05 2:21:10PM	SILT				
B367255	461961	7102000	1149	15-AUG-05 2:31:46PM	SILT				
B367256	462055	7102062	1173	15-AUG-05 2:42:39PM	SILT				
B367257	462158	7102076	1183	15-AUG-05 2:54:28PM	SILT				
B367258	462224	7102064	1217	15-AUG-05 3:04:37PM	SILT				
B367259	462261	7102070	1220	15-AUG-05 3:15:09PM	SILT				
B367260	462280	7102079	1229	15-AUG-05 3:21:55PM	SILT				
B367261	462365	7102062	1253	15-AUG-05 3:34:23PM	SILT				
B367262	462368	7102062	1247	15-AUG-05 3:37:22PM	DUP				
B367263	462451	7102121	1267	15-AUG-05 3:56:11PM	SILT				
B367264	462532	7102160	1281	15-AUG-05 4:06:41PM	SILT				
B367265	462557	7102173	1279	15-AUG-05 4:15:43PM	SILT	W	3	GND/MSED	good
B367266	462647	7102209	1295	15-AUG-05 4:24:33PM	SILT	SW	0.6	MSED/GND	deep, side creek off Cascallen?
B367267	462746	7102249	1307	15-AUG-05 4:34:40PM	SILT	SW	0.5	MSED/GND	
B367268	454589	7105025			SILT	SW	0.5	MSED	
B367269	454543	7105123			SILT	SW	0.3	MSED	Small creek to S of other, along old trench
B367271	454500	7105224			SILT	W	0.5	MSED/GND	
B367272	454464	7105319			SILT	NW	0.15	GND	Side creek, peters out
B367273	454456	7105433			SILT	W	0.4	GND	Main creek
B367274	454441	7105541			SILT	W	0.2	GND	Flat, organics, N of main creek
B367275	454427	7105658			SILT	W	0.5	GND	Main, Silt/Moss
B367276	454403	7105789			SILT	W	0.5	GND	Duplicate
B367277	454349	7105890			SILT	W	1.5	GND	Flattening
B367278	454247	7105979			SILT	W	0.5	GND	Silt...Scheelite?...Nearing Potatoe Hill
B367279	454155	7106020			SILT	W	0.3	GND	Small side creek, slower moving, silt
B367280	458392	7107718			SILT	W	0.75	GND	Main
B367281	457992	7107700			SILT	W	0.8	GND	Saddle
B367282	457941	7107708			SILT	N	0		No Water
B367283	457941	7107708			DUP	N	0		
B367284	457928	7107591			SILT		0		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367285	456989	7107083			SILT	N	0		meta
B367286	456891	7107012			SILT	N	0		ground water
B367287	456800	7106950			SILT	NW	0		
B367288	459705	7106470	1206	21-AUG-05 2:59:35PM	SILT	NW	0		
B367289	459605	7106391	1204	21-AUG-05 2:59:01PM	SILT	NW	0		
B367291	459508	7106335	1185	21-AUG-05 3:10:09PM	SILT	NW	Marsh		
B367292	459409	7106306	1174	21-AUG-05 3:15:58PM	SILT	NW	Marsh		
B367293	458990	7105647			SILT	NW	Marsh		
B367294	458869	7105662			SILT	W	Marsh		
B367295	458750	7105699			SILT	NW	Marsh		pond
B367296	458620	7105727			SILT				
B367297	458498	7105772			SILT	N	0.1		
B367298	458419	7105851			SILT	N	0.1		
B367299	458338	7105922			SILT	SW	0.1		Dry
B367300	458233	7105963			SILT	SW	0.1		Dry
B367301	466324	7106142	1247	23-AUG-05 4:11:07PM	SILT	NW	0.3		
B367302	466329	7106144	1250	23-AUG-05 4:12:47PM	DUP	NW	0.3		meta
B367303	466420	7106059	1272	23-AUG-05 4:26:01PM	SILT	NW	1		meta
B367304	467433	7106817	1337	24-AUG-05 10:49:14AM	SILT	N	0	meta	dry
B367305	467491	7106916	1280	24-AUG-05 11:05:55AM	SILT	N	0	meta	dry
B367306	467491	7107044	1229	24-AUG-05 11:17:08AM	SILT	N	0	meta	dry
B367307	467511	7107171	1188	24-AUG-05 11:28:24AM	SILT	N	0.3	meta	dry
B367308	467516	7107314	1168	24-AUG-05 11:35:47AM	SILT	N	0.3	meta	wet
B367309	467532	7107435	1148	24-AUG-05 11:45:08AM	SILT	N	0.3	meta	
B367311	467557	7107559	1135	24-AUG-05 11:55:49AM	SILT	N	0.5	meta	
B367312	467517	7107659	1126	24-AUG-05 12:08:26PM	SILT	NW	1	meta	
B367313	467450	7107748	1111	24-AUG-05 12:18:43PM	SILT	NW	1	meta	
B367314	467609	7107554	1143	24-AUG-05 12:31:29PM	SILT	W	0.5	meta	
B367315	467706	7107468	1147	24-AUG-05 12:42:41PM	SILT	W	0.3	meta	
B367316	467804	7107387	1171	24-AUG-05 12:51:13PM	SILT	W	0.5	meta	
B367317	467889	7107287	1195	24-AUG-05 1:03:24PM	SILT	W	0.5	meta	
B367318	468364	7107388	1202	24-AUG-05 1:52:42PM	SILT	NW	0	meta	
B367319	468379	7107490	1165	24-AUG-05 2:01:52PM	SILT	NW	0.1	meta	
B367320	468355	7107587	1112	24-AUG-05 2:24:52PM	SILT	NW	0	meta	
B367321	468342	7107686	1119	24-AUG-05 2:20:58PM	SILT	NW	0.1	meta	
B367322	468343	7107690	1126	24-AUG-05 2:21:15PM	DUP	NW	0.1	meta	
B367323	468324	7107778	1119	24-AUG-05 2:31:38PM	SILT	NW	0.1	meta	
B367324	467958	7107187	1206	24-AUG-05 3:32:23PM	SILT	NW	0.3	meta	
B367325	468043	7107092	1225	24-AUG-05 3:46:54PM	SILT	NW	0.3	meta	moss
B367326	468127	7106991	1247	24-AUG-05 3:56:28PM	SILT	NW	0.3	meta	moss
B367327	468188	7106867	1272	24-AUG-05 4:07:41PM	SILT	NW	0.3	meta	moss
B367328	468212	7106748	1296	24-AUG-05 4:20:02PM	SILT	NW	0.3	meta	marsh
B367329	468219	7106646	1323	24-AUG-05 4:30:04PM	SILT	NW	0	meta	
B367331	468248	7106545	1358	24-AUG-05 4:40:07PM	SILT	NW	0	meta	
B367332	468562	7106428	1370	24-AUG-05 3:12:58PM	SILT	NE	0	meta	
B367333	468628	7106516	1316	24-AUG-05 3:23:06PM	SILT	NE	0	meta	
B367334	468699	7106599	1278	24-AUG-05 3:32:22PM	SILT	NE	0	meta/granite vien	
B367335	468767	7106664	1264	24-AUG-05 3:42:11PM	SILT	NE	0	meta	
B367336	468858	7106732	1238	24-AUG-05 3:49:22PM	SILT	NE	0	meta	
B367337	468919	7106817	1208	24-AUG-05 3:58:09PM	SILT	NE	0.5	meta	
B367338	469025	7106891	1190	24-AUG-05 4:04:53PM	SILT	NE	0.5	meta	
B367339	469151	7106899	1168	24-AUG-05 4:12:47PM	SILT	NE	0.5	meta	
B367340	469257	7106869	1158	24-AUG-05 4:19:50PM	SILT	NE	0.5	meta	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367341	469307	7106785	1134	24-AUG-05 4:26:33PM	SILT	NE	0.5	meta	
B367342	469307	7106786	1134	24-AUG-05 4:26:48PM	DUP	NE	0.5	meta	
B367343	454812	7103542	965	25-AUG-05 9:39:19AM	SILT	NE	marsh	no rocks	
B367344	454733	7103429	964	25-AUG-05 9:51:47AM	SILT	NE	marsh	no rocks	
B367345	454648	7103367	971	25-AUG-05 10:02:51AM	SILT	NE	marsh	no rocks	
B367346	454563	7103290	981	25-AUG-05 10:09:08AM	SILT	NE	marsh	no rocks	
B367347	454455	7103200	982	25-AUG-05 10:18:19AM	SILT	NE	marsh	no rocks	
B367348	454371	7103096	987	25-AUG-05 10:34:02AM	SILT	NE	marsh	no rocks	
B367349	454280	7102980	994	25-AUG-05 10:42:50AM	SILT	NE	marsh	no rocks	
B367351	454201	7102899	1000	25-AUG-05 10:50:56AM	SILT	NE	marsh	no rocks	
B367352	454126	7102789	1001	25-AUG-05 10:57:54AM	SILT	NE	marsh	no rocks	
B367353	454073	7102702	1007	25-AUG-05 11:04:19AM	SILT	NE	marsh	meta	
B367354	453982	7102616	1013	25-AUG-05 11:11:05AM	SILT	NE	marsh	meta	
B367355	453900	7102543	1017	25-AUG-05 11:24:52AM	SILT	NE	marsh	meta	
B367356	453797	7102461	1022	25-AUG-05 11:34:37AM	SILT	NE	marsh	meta	
B367357	453812	7102309	1039	25-AUG-05 11:54:39AM	SILT	NE	marsh	meta	
B367358	453790	7102199	1041	25-AUG-05 12:03:47PM	SILT	NW	stagnet pools	meta	
B367359	453893	7102111	1050	25-AUG-05 12:21:17PM	SILT	NW	stagnet pools	meta	
B367360	453976	7102032	1064	25-AUG-05 12:32:24PM	SILT	NW	stagnet pools	meta	
B367361	454047	7101952	1069	25-AUG-05 12:39:04PM	SILT	NW	stagnet pools	meta	
B367362	454049	7101949	1069	25-AUG-05 12:39:24PM	DUP	NW	stagnet pools	meta	
B367363	454126	7101858	1096	25-AUG-05 12:59:00PM	SILT	NW	0.1	meta	
B367364	454208	7101769	1150	25-AUG-05 1:29:04PM	SILT	NW	0.1	meta	
B367365	454319	7101726	1164	25-AUG-05 1:45:05PM	SILT	NW	0.1	meta	
B367366	454406	7101627	1164	25-AUG-05 1:46:24PM	SILT	NW	0.1	meta	
B367367	456220	7103844		25-AUG-05 3:44:03PM	SILT	NW	0.1	meta	
B367368	456371	7103882	896	25-AUG-05 3:53:18PM	SILT	E	1	meta	
B367369	456478	7103923	880	25-AUG-05 4:02:12PM	SILT	E	1	meta	
B367371	456608	7103943	879	25-AUG-05 4:09:02PM	SILT	E	1	meta	
B367372	456729	7103940	875	25-AUG-05 4:17:24PM	SILT	E	1	meta	
B367373	456844	7103946	870	25-AUG-05 4:23:58PM	SILT	E	1	meta	
B367374	472813	7102882	1190	26-AUG-05 9:06:42AM	SILT	N	0	meta	In burnt forest
B367375	472871	7102975	1152	26-AUG-05 9:24:13AM	SILT	N	0.1	meta	
B367376	472880	7103104	1117	26-AUG-05 9:34:37AM	SILT	N	0.1	meta	
B367377	472895	7103213	1101	26-AUG-05 9:41:34AM	SILT	N	0.1	meta	
B367378	472899	7103339	1079	26-AUG-05 9:51:21AM	SILT	N	0.1	meta	
B367379	472902	7103462	1072	26-AUG-05 9:58:49AM	SILT	N	0.1	meta	
B367380	472932	7103573	1058	26-AUG-05 10:04:45AM	SILT	N	0.2	meta	
B367381	472934	7103682	1043	26-AUG-05 10:17:47AM	SILT	N	0.2	meta	Many creeks
B367382	472934	7103683	1046	26-AUG-05 10:18:02AM	DUP	N	0.2	meta	
B367383	472954	7103787	1037	26-AUG-05 10:32:01AM	SILT	N	0.2	No rocks	
B367384	472969	7103896	1016	26-AUG-05 10:44:22AM	SILT	N	0.2	No rocks	
B367385	472981	7104033	1012	26-AUG-05 10:55:43AM	SILT	N	0.2	No rocks	
B367386	473010	7104149	998	26-AUG-05 11:09:39AM	SILT	N	0.2	No rocks	
B367387	473023	7104267	987	26-AUG-05 11:24:10AM	SILT	N	0.3	meta	
B367388	473039	7104387	976	26-AUG-05 11:30:34AM	SILT	N	0.3	meta	
B367389	472945	7104460	962	26-AUG-05 11:40:53AM	SILT	N	0.5	meta	
B367391	472855	7104543	947	26-AUG-05 11:49:35AM	SILT	NW	0.5	meta	
B367392	472771	7104607	931	26-AUG-05 11:56:50AM	SILT	NW	0.5	No Rocks	
B367393	472671	7104645	923	26-AUG-05 12:08:19PM	SILT	NW	0.5	No Rocks	
B367394	472563	7104657	912	26-AUG-05 12:14:20PM	SILT	NW	0.5	No Rocks	
B367395	472464	7104646	913	26-AUG-05 12:21:04PM	SILT	W	0.5	No Rocks	
B367396	472380	7104615	909	26-AUG-05 12:33:58PM	SILT	W	Marsh	No Rocks	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367397	472301	7104546	908	26-AUG-05 1:25:23PM	SILT	SW	Marsh	No Rocks	
B367398	472196	7104476	904	26-AUG-05 1:33:43PM	SILT	SW	Marsh	No Rocks	
B367399	472070	7104439	900	26-AUG-05 1:41:16PM	SILT	SW	Marsh	No Rocks	
B367400	471941	7104377	896	26-AUG-05 1:51:47PM	SILT	SW	Marsh	No Rocks	
B367401	471850	7104299	895	26-AUG-05 2:10:59PM	SILT	SW	Marsh	No Rocks	
B367402	471850	7104300	894	26-AUG-05 2:11:14PM	DUP	SW	Marsh	No Rocks	
B367403	471715	7104231	893	26-AUG-05 2:19:10PM	SILT	SW	Marsh	No Rocks	
B367404	471613	7104205	882	26-AUG-05 2:32:11PM	SILT	SW	Marsh	No Rocks	
B367405	471491	7104167	878	26-AUG-05 2:42:16PM	SILT	SW	Marsh	No Rocks	
B367406	471386	7104086	876	26-AUG-05 2:53:37PM	SILT	SW	Marsh	No Rocks	
B367407	471270	7104010	875	26-AUG-05 3:04:17PM	SILT	SW	Marsh	No Rocks	
B367408	471149	7103957	879	26-AUG-05 3:14:29PM	SILT	SW	Marsh	No Rocks	Ponds
B367409	471088	7103831	878	26-AUG-05 3:28:27PM	SILT	S	Marsh	No Rocks	Near lakes
B367411	473523	7105632	1034	27-AUG-05 8:34:14AM	SILT	SW	Stagnet pools	Meta	
B367412	473424	7105586	1029	27-AUG-05 8:43:14AM	SILT	SW	Stagnet pools	Meta	
B367413	473340	7105522	997	27-AUG-05 8:57:31AM	SILT	SW	Stagnet pools	Meta	
B367414	473238	7105500	1013	27-AUG-05 9:15:29AM	SILT	SW	Marsh	Meta	
B367415	473119	7105446	1007	27-AUG-05 9:19:47AM	SILT	SW	0.3	Meta	
B367416	473050	7105359	1006	27-AUG-05 9:35:08AM	SILT	SW	0.5	Meta	
B367417	472946	7105348	988	27-AUG-05 9:48:51AM	SILT	SW	0.5	Meta	
B367418	472833	7105285	977	27-AUG-05 10:03:17AM	SILT	SW	0.5	Meta	
B367419	472748	7105223	964	27-AUG-05 10:13:19AM	SILT	SW	0.5	No Rocks	
B367420	472628	7105146	950	27-AUG-05 10:26:57AM	SILT	SW	0.5	No Rocks	
B367421	472533	7105124	955	27-AUG-05 10:42:12AM	SILT	SW	0.5	No Rocks	
B367422	472532	7105124	954	27-AUG-05 10:42:29AM	DUP	SW	0.5	No Rocks	
B367423	472442	7105103	935	27-AUG-05 11:02:18AM	SILT	SW	0.3	No Rocks	
B367424	472340	7105054	927	27-AUG-05 11:13:45AM	SILT	SW	0.3	No Rocks	
B367425	472186	7104686	910	27-AUG-05 12:55:24PM	SILT	SW	0.3	Meta	
B367426	472078	7104591	906	27-AUG-05 1:12:01PM	SILT	SW	0.3	Meta	
B367427	472062	7104490	902	27-AUG-05 1:26:52PM	SILT	SW	0.3	Meta	
B367428	471951	7104480	902	27-AUG-05 1:38:51PM	SILT	SW	0.3	Meta	
B367429	471840	7104457	900	27-AUG-05 1:49:43PM	SILT	SW	0.3	Meta	
B367431	471616	7104251	884	27-AUG-05 2:24:20PM	SILT	SW	marsh	Meta	
B367432	471492	7104233	888	27-AUG-05 2:39:22PM	SILT	SW	marsh	Meta	
B367433	471402	7104170	883	27-AUG-05 2:59:53PM	SILT	SW	marsh	Meta	
B367434	471208	7103705	876	27-AUG-05 4:03:31PM	SILT	SW	lake	Meta	
B367435	473253	7102827	1179	28-AUG-05 9:09:53AM	SILT	NE	0	Meta	
B367436	473263	7102903	1165	28-AUG-05 9:30:15AM	SILT	NE	0	Meta	
B367437	473271	7102992	1138	28-AUG-05 9:44:55AM	SILT	NE	0.1	Meta	
B367438	473268	7103068	1118	28-AUG-05 9:48:56AM	SILT	NE	0	Meta	
B367439	473300	7103150	1115	28-AUG-05 9:59:50AM	SILT	NE	0	Meta	
B367440	473326	7103237	1103	28-AUG-05 10:09:57AM	SILT	NE	0.1	Meta	
B367441	473357	7103316	1100	28-AUG-05 10:21:18AM	SILT	NE	0.1	Meta	
B367442	473356	7103316	1101	28-AUG-05 10:21:33AM	DUP	NE	0.1	Meta	
B367443	473393	7103408	1092	28-AUG-05 10:35:30AM	SILT	NE	0.1	Meta	
B367444	473413	7103495	1078	28-AUG-05 10:52:11AM	SILT	NE	0.1	Meta	
B367445	473440	7103574	1057	28-AUG-05 11:00:29AM	SILT	NE	0.1	Meta	
B367446	473469	7103677	1048	28-AUG-05 11:10:00AM	SILT	NE	0.1	Meta	
B367447	473500	7103769	1034	28-AUG-05 11:18:17AM	SILT	NE	0.1	Meta	
B367448	473524	7103856	1029	28-AUG-05 11:27:10AM	SILT	NE	0.1	Meta	
B367449	473546	7103958	1014	28-AUG-05 11:34:00AM	SILT	NE	0.5		
B367451	473821	7103357	1123	28-AUG-05 9:49:28AM	SILT	North East	0.1		
B367452	473832	7103434	1112	28-AUG-05 10:02:37AM	SILT	North East	0.1	Meta/granodiorite	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367453	473834	7103518	1089	28-AUG-05 10:14:45AM	SILT	North East	0.1	Meta/granodiorite	
B367454	473830	7103595	1076	28-AUG-05 10:26:36AM	SILT	North East	0.1		
B367455	473829	7103668	1071	28-AUG-05 10:37:24AM	SILT	North East	0.1		
B367456	473831	7103744	1051	28-AUG-05 10:47:07AM	SILT	North East	no water		
B367457	473819	7103819	1039	28-AUG-05 10:57:27AM	SILT	North East	0.2		
B367458	473859	7103885	1026	28-AUG-05 11:09:08AM	SILT	North East	0.2	Meta/granodiorite	
B367459	473854	7103962	1015	28-AUG-05 11:21:31AM	SILT	North East	0.2	Meta/granodiorite	
B367460	473846	7104036	1003	28-AUG-05 11:34:44AM	SILT	North East	0.1	Meta/granodiorite	
B367461	473874	7104103	991	28-AUG-05 11:53:54AM	SILT	North East	0.3	Meta/granodiorite	
B367462	473874	7104103	992	28-AUG-05 11:54:10AM	DUP	North East	0.3	Meta/granodiorite	
B367463	473888	7104185	970	28-AUG-05 12:18:20PM	SILT	North East	0.2	Meta/granodiorite	
B367464	473938	7104240	980	28-AUG-05 12:37:57PM	SILT	North East	0.1		
B367465	474008	7104277	971	28-AUG-05 1:02:32PM	SILT	North East	marsh		
B367466	474008	7104354	975	28-AUG-05 1:23:40PM	SILT	North East	marsh		
B367467	474087	7104434	966	28-AUG-05 1:56:56PM	SILT	North East	0.4		
B367468	474120	7104509	966	28-AUG-05 2:08:52PM	SILT	North East	0.4		
B367469	474231	7104801	955	28-AUG-05 2:42:33PM	SILT	East	marsh		
B367471	474304	7104807	948	28-AUG-05 3:06:33PM	SILT	East	1		
B367472	474386	7104815	945	28-AUG-05 3:17:44PM	SILT	East	2		
B367473	474462	7104830	942	28-AUG-05 3:29:58PM	SILT	East	2		
B367474	474092	7102289	1162	29-AUG-05 9:37:51AM	SILT	North East	0.3		
B367475	474144	7102338	1156	29-AUG-05 9:51:10AM	SILT	North East	0.1		
B367476	474186	7102405	1145	29-AUG-05 10:05:19AM	SILT	North East	0.1	Meta/granodiorite	
B367477	474270	7102438	1126	29-AUG-05 10:22:02AM	SILT	North East	underground	Meta/granodiorite	
B367478	474328	7102504	1105	29-AUG-05 10:32:40AM	SILT	North East	1	Granodiorite	
B367479	474409	7102541	1081	29-AUG-05 10:50:58AM	SILT	North East	1	Granodiorite	
B367480	474486	7102570	1074	29-AUG-05 11:02:38AM	SILT	North East	0.5	Granodiorite	
B367481	474548	7102618	1059	29-AUG-05 11:21:58AM	SILT	North East	0.4	Granodiorite	
B367482	474549	7102617	1060	29-AUG-05 11:22:18AM	DUP	North East	0.4	Granodiorite	
B367483	474600	7102674	1050	29-AUG-05 11:34:49AM	SILT	North East	0.5	Granodiorite	
B367484	474669	7102723	1041	29-AUG-05 11:46:10AM	SILT	North East	2	Granodiorite	
B367485	474732	7102761	1034	29-AUG-05 12:02:08PM	SILT	North East	1	Granodiorite	
B367486	474793	7102813	1029	29-AUG-05 12:11:18PM	SILT	North East	1	Granodiorite	
B367487	474852	7102869	1025	29-AUG-05 1:18:43PM	SILT	North East	1	Granodiorite	
B367488	474890	7102939	1022	29-AUG-05 1:32:34PM	SILT	North East	1	Granodiorite	
B367489	474957	7102979	1010	29-AUG-05 1:40:38PM	SILT	North	2		
B367491	475006	7103037	1005	29-AUG-05 1:49:28PM	SILT	North	2	Granodiorite	
B367492	475045	7103117	1000	29-AUG-05 2:01:52PM	SILT	North	2		
B367493	475082	7103185	987	29-AUG-05 2:15:10PM	SILT	North	2	Meta/granodiorite	
B367494	475095	7103260	982	29-AUG-05 2:24:42PM	SILT	North	1	Granodiorite	
B367495	475119	7103339	972	29-AUG-05 2:43:42PM	SILT	North	2	Granodiorite	
B367496	475140	7103416	966	29-AUG-05 2:57:05PM	SILT	North	1	Granodiorite	
B367497	475149	7103495	953	29-AUG-05 3:14:01PM	SILT	North	1	Granodiorite	
B367498	475116	7103569	949	29-AUG-05 3:16:16PM	SILT	North East	1	Granodiorite	
B367499	475117	7103646	947	29-AUG-05 3:27:49PM	SILT	North East	1	Meta/granodiorite	
B367500	475148	7103719	942	29-AUG-05 3:42:07PM	SILT	North East	1	Meta/granodiorite	
B367501	473548	7104067	1003	28-AUG-05 11:41:41AM	SILT	NE	0.2	meta	
B367502	473549	7104066	1010	28-AUG-05 11:43:30AM	DUP	NE	0.2	meta	
B367503	473528	7104220	995	28-AUG-05 11:57:48AM	SILT	NE	0.3	meta	
B367504	473573	7104299	992	28-AUG-05 12:13:20PM	SILT	NE	0.3	meta	
B367505	473621	7104383	981	28-AUG-05 12:20:23PM	SILT	NE	0.3	meta	
B367506	473693	7104438	976	28-AUG-05 1:04:07PM	SILT	NE	0.3	meta	
B367507	473766	7104506	972	28-AUG-05 1:08:36PM	SILT	NE	0.3	meta	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367508	473800	7104626	967	28-AUG-05 1:19:30PM	SILT	NE	0.3	meta	
B367509	473843	7104734	959	28-AUG-05 1:28:26PM	SILT	NE	0.3	meta	
B367511	473933	7104713	965	28-AUG-05 2:09:00PM	SILT	NE	1	meta	
B367512	474104	7103098			SILT	N			
B367513	474120	7103177			SILT	N			
B367514	474137	7103284			SILT	N			
B367515	474140	7103380			SILT	N			
B367516	474140	7103468			SILT	N			
B367517	474151	7103599			SILT	N			
B367518	474146	7103687			SILT	N			
B367519	474132	7103783			SILT	N			
B367520	474111	7103867			SILT	N			
B367521	474173	7103969			SILT	N			
B367522	474173	7103969			DUP				
B367523	474179	7104060			SILT	N			
B367524	474185	7104158			SILT	N			
B367525	474235	7104253			SILT	N			
B367526	474238	7104368			SILT	N			
B367527	474282	7104452			SILT	N			
B367528	474339	7104517			SILT	NE			
B367529	474415	7104550			SILT	NE			
B367531	474487	7104626			SILT	NE			
B367532	474552	7104690			SILT	NE			
B367533	474646	7104723			SILT	NE			
B367535	474827	7104789			SILT	NE			
B367538	475078	7104856			SILT	E	1		
B367539	475142	7104897			SILT	E	1		
B367540	475214	7104934			SILT	E	1		
B367541	475277	7104983			SILT	E	1		
B367542	475277	7104983			DUP				
B367543	475367	7105074			SILT	E	1		
B367544	475463	7105053			SILT	E	1		
B367545	475541	7105030			SILT	E	1		
B367546	474868	7097439	957	30-AUG-05 9:30:14AM	SILT				
B367547	474918	7097373	953	30-AUG-05 9:44:06AM	SILT				
B367548	475012	7097298	941	30-AUG-05 9:54:57AM	SILT				
B367549	475063	7097226	941	30-AUG-05 10:03:41AM	SILT				
B367551	473474	7100321	1141	30-AUG-05 9:42:43AM	SILT	South	dry	None visible	
B367552	473467	7100245	1140	30-AUG-05 9:46:12AM	SILT	South	dry	None visible	
B367553	473495	7100173	1135	30-AUG-05 9:54:25AM	SILT	South	dry	None visible	
B367554	473514	7100099	1130	30-AUG-05 9:59:34AM	SILT	South	dry	None visible	
B367555	473488	7100001	1126	30-AUG-05 10:04:58AM	SILT	South	flat	None visible	
B367556	473445	7099934	1122	30-AUG-05 10:10:22AM	SILT	South	flat	None visible	
B367557	473437	7099860	1119	30-AUG-05 10:20:10AM	SILT	South	flat	None visible	
B367558	473448	7099784	1112	30-AUG-05 10:31:57AM	SILT	South	flat	None visible	
B367559	473442	7099703	1105	30-AUG-05 10:37:27AM	SILT	South	flat	None visible	
B367560	473473	7099633	1106	30-AUG-05 10:43:07AM	SILT	South	flat	None visible	
B367561	473523	7099571	1102	30-AUG-05 10:49:42AM	SILT	South	flat	None visible	
B367562	473553	7099499	1097	30-AUG-05 10:55:06AM	SILT	South	flat	None visible	
B367563	473553	7099500	1097	30-AUG-05 11:04:09AM	DUP	South	flat	None visible	
B367564	473603	7099441	1091	30-AUG-05 11:06:35AM	SILT	South	flat	None visible	
B367565	473652	7099384	1089	30-AUG-05 11:11:54AM	SILT	South	flat	None visible	
B367566	473691	7099316	1085	30-AUG-05 11:20:59AM	SILT	South	flat	None visible	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367567	473720	7099245	1080	30-AUG-05 11:30:06AM	SILT	South	flat	None visible	
B367568	473758	7099179	1078	30-AUG-05 11:35:45AM	SILT	South	flat	None visible	
B367569	473808	7099114	1075	30-AUG-05 11:41:12AM	SILT	South	flat	None visible	
B367571	473847	7099046	1075	30-AUG-05 11:54:51AM	SILT	South	flat	None visible	
B367572	474081	7099342	1070	30-AUG-05 1:01:17PM	SILT	South	flat	None visible	
B367573	474137	7099286	1061	30-AUG-05 1:07:34PM	SILT	South	flat	None visible	many creeks
B367574	474190	7099233	1057	30-AUG-05 1:17:31PM	SILT	South	flat	None visible	
B367575	474230	7099162	1055	30-AUG-05 1:24:43PM	SILT	South	flat	None visible	
B367576	474308	7099138	1054	30-AUG-05 1:31:19PM	SILT	South	flat	None visible	
B367577	474367	7099084	1052	30-AUG-05 1:39:04PM	SILT	South	flat	None visible	
B367578	474457	7099064	1049	30-AUG-05 1:48:35PM	SILT	South	flat	None visible	
B367579	474466	7098974	1049	30-AUG-05 1:55:28PM	SILT	South	flat	None visible	
B367580	474437	7098898	1047	30-AUG-05 2:02:31PM	SILT	South	flat	None visible	
B367581	474395	7098857	1049	30-AUG-05 2:11:31PM	SILT	South	flat	None visible	
B367582	474319	7098819	1048	30-AUG-05 2:19:56PM	SILT	South	flat	None visible	
B367583	474320	7098818	1049	30-AUG-05 2:21:38PM	DUP	South	flat	None visible	
B367584	474327	7098742	1046	30-AUG-05 2:46:38PM	SILT	South	flat	None visible	
B367585	474296	7098674	1042	30-AUG-05 2:55:47PM	SILT	South	flat	None visible	
B367586	474297	7098601	1037	30-AUG-05 3:01:45PM	SILT	South	flat	None visible	
B367587	474366	7098549	1040	30-AUG-05 3:10:04PM	SILT	South	flat	None visible	
B367588	474373	7098474	1031	30-AUG-05 3:19:58PM	SILT	South	flat	None visible	
B367589	474404	7098404	1027	30-AUG-05 3:24:52PM	SILT	South	flat	None visible	
B367591	474381	7098325	1022	30-AUG-05 3:39:28PM	SILT	South	1	None visible	
B367592	474372	7098244	1020	30-AUG-05 3:45:55PM	SILT	South	1	None visible	
B367593	474380	7098172	1014	30-AUG-05 3:51:09PM	SILT	South	1	None visible	
B367594	474379	7098088	1010	30-AUG-05 3:57:30PM	SILT	South	1	None visible	
B367595	468765	7102976	966	31-AUG-05 12:47:16PM	SILT	E	2.5	Phyllitic MSED	
B367596	468857	7102945	954	31-AUG-05 1:12:10PM	SILT	E	2	Phyllitic MSED	
B367597	468944	7102890	949	31-AUG-05 1:22:13PM	SILT	E	2.5	Phyllitic MSED	
B367598	469015	7102815	942	31-AUG-05 1:31:25PM	SILT	E	2	Phyllitic MSED	
B367599	469096	7102744	931	31-AUG-05 1:41:33PM	SILT	E	2	Phyllitic MSED	
B367600	469225	7102668	923	31-AUG-05 1:59:48PM	SILT	E	0.5	Phyllitic MSED	
B367601	474587	7101703	1230	30-AUG-05 9:29:52AM	SILT	North	No Water		
B367602	474587	7101703	1206	30-AUG-05 9:50:10AM	DUP	North	No Water		
B367603	474623	7101772	1205	30-AUG-05 9:49:29AM	SILT	North	No Water	Granodiorite	
B367604	474664	7101852	1190	30-AUG-05 9:59:33AM	SILT	North	No Water	Granodiorite	
B367605	474723	7101905	1179	30-AUG-05 10:08:05AM	SILT	North East	No Water	Granodiorite	
B367606	474769	7101968	1173	30-AUG-05 10:17:44AM	SILT	North East	No Water		
B367607	474829	7102021	1158	30-AUG-05 10:26:22AM	SILT	North East	No Water		
B367608	474885	7102083	1147	30-AUG-05 10:37:21AM	SILT	North East	No Water		
B367609	474932	7102140	1144	30-AUG-05 10:50:12AM	SILT	North West	0.5		
B367611	474966	7102209	1127	30-AUG-05 11:07:38AM	SILT	North West	0.5		
B367612	475031	7102270	1120	30-AUG-05 11:22:14AM	SILT	North West	0.5		
B367613	475082	7102348	1111	30-AUG-05 11:30:33AM	SILT	North East	0.3		
B367614	475129	7102420	1101	30-AUG-05 11:40:13AM	SILT	North East	0.5	Meta/granodiorite	
B367615	475168	7102497	1085	30-AUG-05 11:48:23AM	SILT	North East	0.5		
B367616	475210	7102570	1081	30-AUG-05 11:58:25AM	SILT	North East	0.5	Meta/granodiorite	
B367617	475235	7102670	1059	30-AUG-05 12:09:07PM	SILT	North East	0.4	Meta/granodiorite	
B367618	475282	7102753	1046	30-AUG-05 12:17:17PM	SILT	north	0.5	Meta/granodiorite	
B367619	475308	7102823	1039	30-AUG-05 12:24:05PM	SILT	north	0.5		
B367620	475287	7102919	1027	30-AUG-05 1:15:56PM	SILT	North West	0.6		
B367621	475247	7102984	1020	30-AUG-05 1:29:52PM	SILT	North West	1		
B367622	475246	7102984	1018	30-AUG-05 1:30:08PM	DUP	North East	1		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367623	475197	7103046	1013	30-AUG-05 1:41:56PM	SILT	North East	1	Meta/granodiorite	
B367624	475168	7103114	999	30-AUG-05 1:51:41PM	SILT	North	1	Meta/granodiorite	
B367625	475164	7103200	988	30-AUG-05 1:58:11PM	SILT	North	1	Meta/granodiorite	
B367626	475172	7103786	934	30-AUG-05 2:21:40PM	SILT	North	2	Meta/granodiorite	
B367627	475187	7103870	936	30-AUG-05 2:31:12PM	SILT	North East	2	Meta/granodiorite	
B367628	475188	7103952	932	30-AUG-05 2:44:31PM	SILT	North East	2	Meta/granodiorite	
B367629	475230	7104041	921	30-AUG-05 2:53:17PM	SILT	North East	2	Meta/granodiorite	
B367631	475290	7104122	909	30-AUG-05 3:03:06PM	SILT	North East	2	Meta/granodiorite	
B367632	475362	7104176	902	30-AUG-05 3:11:17PM	SILT	North East	2	Meta/granodiorite	
B367633	475451	7104174	900	30-AUG-05 3:18:19PM	SILT	East	2	Meta/granodiorite	
B367634	475547	7104192	895	30-AUG-05 3:31:20PM	SILT	East	2	Meta/granodiorite	
B367635	471448	7101498	1092	31-AUG-05 9:30:24AM	SILT				
B367636	471345	7101521	1054	31-AUG-05 9:48:50AM	SILT				
B367637	471213	7101585	1016	31-AUG-05 10:29:06AM	SILT				
B367638	471143	7101650	1001	31-AUG-05 10:54:33AM	SILT				
B367639	471057	7101721	981	31-AUG-05 10:08:12AM	SILT				
B367640	470959	7101756	969	31-AUG-05 11:08:54AM	SILT				
B367641	471490	7101467	1107	01-SEP-05 8:38:09AM	SILT	S	0.1		
B367642	471491	7101466	1109	01-SEP-05 8:43:03AM	DUP	S	0.1		
B367643	471408	7101519	1074	01-SEP-05 8:57:53AM	SILT	S	0.1		
B367644	471309	7101540	1059	01-SEP-05 9:09:33AM	SILT	S	0.1		
B367645	471221	7101585	1025	01-SEP-05 9:20:08AM	SILT	S	marshy		
B367646	471149	7101649	1009	01-SEP-05 9:28:30AM	SILT	S	0.2-0.5		
B367647	471081	7101723	985	01-SEP-05 9:39:24AM	SILT	S	0.2-0.5		
B367648	470981	7101758	970	01-SEP-05 9:51:23AM	SILT	S	0.2-0.5		
B367649	470890	7101784	961	01-SEP-05 10:02:23AM	SILT	S	0.2		
B367651	475017	7097126	939	30-AUG-05 10:12:42AM	SILT				
B367652	474989	7097043	935	30-AUG-05 10:19:55AM	SILT				
B367653	474957	7096966	934	30-AUG-05 10:27:19AM	SILT				
B367654	474928	7096868	933	30-AUG-05 10:35:50AM	SILT				
B367655	474918	7096787	930	30-AUG-05 10:44:05AM	SILT				
B367656	474888	7096703	926	30-AUG-05 10:55:23AM	SILT				
B367657	474839	7096625	925	30-AUG-05 11:06:07AM	SILT				
B367658	474838	7096537	917	30-AUG-05 11:16:32AM	SILT				
B367659	474806	7096465	914	30-AUG-05 11:26:49AM	SILT				
B367660	474789	7096375	911	30-AUG-05 11:34:33AM	SILT				
B367661	474778	7096282	903	30-AUG-05 11:42:20AM	SILT				
B367662	474778	7096282	900	30-AUG-05 11:44:13AM	DUP				
B367663	474779	7096196	899	30-AUG-05 11:55:49AM	SILT				
B367664	474765	7096099	894	30-AUG-05 12:24:55PM	SILT				
B367665	474743	7096011	892	30-AUG-05 12:33:10PM	SILT				
B367666	474723	7095928	887	30-AUG-05 12:59:07PM	SILT				
B367667	474709	7095828	882	30-AUG-05 1:06:40PM	SILT				
B367668	474678	7095742	871	30-AUG-05 1:13:50PM	SILT				
B367669	474657	7095642	866	30-AUG-05 1:22:23PM	SILT				
B367671	474647	7095556	865	30-AUG-05 1:30:46PM	SILT				
B367672	474635	7095469	858	30-AUG-05 1:40:20PM	SILT				
B367673	474637	7095368	853	30-AUG-05 1:54:50PM	SILT				
B367674	474613	7095248	842	30-AUG-05 2:02:09PM	SILT				
B367675	474611	7095158	826	30-AUG-05 2:12:52PM	SILT				
B367676	474678	7095093	814	30-AUG-05 2:24:45PM	SILT				
B367677	474722	7095016	810	30-AUG-05 2:34:16PM	SILT				
B367678	474755	7094928	805	30-AUG-05 2:43:21PM	SILT				

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367679	474755	7094839	787	30-AUG-05 2:59:26PM	SILT				
B367680	474758	7094748	774	30-AUG-05 3:06:34PM	SILT				
B367681	474772	7094654	767	30-AUG-05 3:18:32PM	SILT				
B367682	474772	7094654	772	30-AUG-05 3:19:05PM	DUP				
B367683	474813	7094550	750	30-AUG-05 3:30:24PM	SILT				
B367684	474866	7094467	741	30-AUG-05 3:40:21PM	SILT				
B367685	474873	7094369	727	30-AUG-05 3:48:39PM	SILT				
B367686	467419	7103210	1169	31-AUG-05 9:13:32AM	SILT	E	1	Phyllitic MSED	
B367687	467501	7103272	1152	31-AUG-05 9:25:26AM	SILT	E	1.5	Phyllitic MSED	
B367688	467615	7103264	1142	31-AUG-05 9:37:25AM	SILT	E	1	Phyllitic MSED	
B367689	467723	7103243	1125	31-AUG-05 9:51:10AM	SILT	E	1	Phyllitic MSED	
B367691	467820	7103212	1107	31-AUG-05 10:03:11AM	SILT	E	1.5	Phyllitic MSED	
B367692	467918	7103211	1085	31-AUG-05 10:12:13AM	SILT	E	2	Phyllitic MSED	
B367693	468021	7103187	1073	31-AUG-05 10:20:59AM	SILT	E	1.5	Phyllitic MSED	
B367694	468119	7103167	1053	31-AUG-05 10:39:51AM	SILT	E	1.5	Phyllitic MSED	
B367695	468214	7103089	1033	31-AUG-05 10:55:46AM	SILT	E	1.5	Phyllitic MSED	
B367696	468314	7103058	1014	31-AUG-05 11:06:28AM	SILT	E	1.5	Phyllitic MSED	
B367697	468410	7103053	1010	31-AUG-05 12:02:55PM	SILT	E	1	Phyllitic MSED	
B367698	468504	7103108	992	31-AUG-05 12:13:42PM	SILT	E	1.5	Phyllitic MSED	
B367699	468588	7103054	976	31-AUG-05 12:22:28PM	SILT	E	1	Phyllitic MSED	
B367700	468690	7103042	981	31-AUG-05 12:32:42PM	SILT	E	3	Phyllitic MSED	
B367701	470971	7100813	1117	01-SEP-05 1:30:11PM	SILT				
B367702	470917	7100897	1097	01-SEP-05 1:41:29PM	SILT				
B367703	470873	7100981	1053	01-SEP-05 2:19:21PM	SILT				
B367704	470844	7101070	1023	01-SEP-05 1:53:37PM	SILT				
B367705	470824	7101176	1012	01-SEP-05 2:14:35PM	SILT				
B367706	470804	7101271	1000	01-SEP-05 2:32:09PM	SILT				
B367707	470783	7101363	1008	01-SEP-05 2:43:38PM	SILT				
B367708	470753	7101461	975	01-SEP-05 2:59:37PM	SILT				
B367709	470719	7101559	963	01-SEP-05 3:16:20PM	SILT				
B367711	470645	7101624	952	01-SEP-05 3:24:07PM	SILT				
B367712	470586	7101707	933	01-SEP-05 3:44:33PM	SILT				
B367713	470504	7101769	916	01-SEP-05 3:55:17PM	SILT				
B367714	470420	7101826	902	01-SEP-05 4:06:13PM	SILT				
B367715	470322	7101846	889	01-SEP-05 4:13:56PM	SILT				
B367716	470231	7101885	879	01-SEP-05 4:25:59PM	SILT				
B367717	465234	7102136	1359	04-SEP-05 10:20:15AM	SILT		1m		
B367718	465279	7102047	1294	04-SEP-05 10:33:57AM	SILT		.5m		
B367719	465361	7101988	1241	04-SEP-05 10:47:33AM	SILT		1m		
B367720	465439	7101917	1202	04-SEP-05 11:01:33AM	SILT		1m		
B367721	465512	7101847	1177	04-SEP-05 11:16:04AM	SILT		1m		
B367722	465588	7101788	1146	04-SEP-05 11:32:07AM	SILT				
B367723	465584	7101788	1150	04-SEP-05 11:37:21AM	DUP		1m		
B367724	465669	7101728	1128	04-SEP-05 11:53:58AM	SILT		.5m		
B367725	465764	7101703	1118	04-SEP-05 12:06:52PM	SILT		.5m		
B367726	465855	7101640	1100	04-SEP-05 12:19:40PM	SILT		dried		
B367727	465869	7101544	1081	04-SEP-05 12:35:07PM	SILT		1m		
B367728	465842	7101460	1052	04-SEP-05 1:26:38PM	SILT		1m		
B367729	465827	7101349	1049	04-SEP-05 1:35:46PM	SILT		1m		
B367731	472624	7098391	1084	06-SEP-05 9:07:48AM	SILT	E	SWAMPY PUDDLES		
B367732	472698	7098322	1077	06-SEP-05 9:37:53AM	SILT	SE	SWAMPY PUDDLES		
B367733	472790	7098274	1072	06-SEP-05 10:01:11AM	SILT	SE	0.5		
B367734	472871	7098215	1067	06-SEP-05 10:19:02AM	SILT	SE			

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367735	472964	7098163	1062	06-SEP-05 10:34:59AM	SILT	SE			
B367736	473047	7098104	1059	06-SEP-05 10:46:02AM	SILT	SE			
B367737	473142	7098053	1055	06-SEP-05 11:14:55AM	SILT	SE	1.5		
B367738	473193	7097968	1050	06-SEP-05 11:41:29AM	SILT	SE	6		Swampy Creek, Many Channels
B367739	473177	7097866	1046	06-SEP-05 11:55:32AM	SILT	S	6		Swampy Creek, Many Channels
B367740	473157	7097771	1045	06-SEP-05 12:36:35PM	SILT	S	5		Swampy Creek, Many Channels
B367741	473220	7097686	1040	06-SEP-05 12:48:10PM	SILT	SE	3		Swampy Creek, Many Channels
B367742	473220	7097686			DUP				
B367743	473256	7097590	1037	06-SEP-05 1:01:48PM	SILT	SE	2		
B367744	473244	7097492	1036	06-SEP-05 1:14:28PM	SILT	SE	10		Swampy Creek Many Channels
B367745	473179	7097407	1034	06-SEP-05 1:26:25PM	SILT	SE	4		Pond
B367746	473116	7097328	1034	06-SEP-05 1:39:51PM	SILT	S	3		
B367747	473029	7097253	1031	06-SEP-05 1:54:07PM	SILT				
B367748	472989	7097164	1028	06-SEP-05 2:31:52PM	SILT				
B367749	472966	7097065	1025	06-SEP-05 2:44:56PM	SILT		4		pond
B367751	466912	7101448	1164		SILT	S		meta seds,qtz	dry crk
B367752	466947	7101357	1135		SILT	S		same as last sample	dry crk
B367753	467019	7101299	1130		SILT	S		same as last sample	dry crk
B367754	467098	7101234	1071		SILT	S		same as last sample	dry crk meta seds. meta sed 3m O/c 3m to west
B367755	467134	7101133	1050		SILT	S	30cm	meta seds qrtz	some water
B367756	467137	7101020	1025		SILT	S		meta seds	dry crk
B367757	467117	7100927	1003		SILT	S		meta seds	dry crk
B367758	467147	7100830	978		SILT	S	1m	meta sed,gravel silt	
B367759	467178	7100727	960		SILT	S		meta seds, qrtz	Dry Creek
B367760	467208	7100626	942		SILT	S			dry crk, silt w/ organics
B367761	467187	7100530	925		SILT	S		meta seds	some organics
B367762	467187	7100530	925		DUP				
B367763	467182	7100450	916		SILT	S		meta seds	
B367764	467219	7100349	902		SILT	S			silt organics dry crk
B367765	467228	7100261	894		SILT	S	1m	meta seds. granodrite	1 30x50cm granodirite boulder in crk at this sample
B367766	467292	7100175	877		SILT	S		meta seds	dry crk
B367767	467327	7100107	865		SILT			mets seds, qrtz	dry crk
B367768	467421	7099948	839		SILT				wet place, silt and organics,
B367769	467421	7099809	827		SILT	S			wet whole, no crk,seds
B367771	467348	7099483	815		SILT	S			damp crk bed/swamp/silt /organics
B367772	467325	7099428	810		SILT	NW	3m	meta seds qrtz	
B367773	467422	7099378	810		SILT	NW	3m	meta seds, qrtz	
B367774	467509	7099339	805		SILT	NW	3m	mets seds, qrtz	
B367775	469307	7101242	842		SILT	SW	2m	metaseds/quartz	
B367776	469205	7101212	851		SILT	SW	3m	meta seds	
B367777	469128	7101161	867		SILT	SW	2m	meta seds	
B367778	469097	7101066	843		SILT	SW	3m	meta seds	
B367779	469070	7100959	847		SILT	S	2m	meta seds	
B367780	468993	7100889	846		SILT	SW	2m	meta seds	
B367781	468986	7100763	847		SILT	SE	2m	metaseds/quartz	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367782	468945	7100661	843		SILT	SE	3m	meta seds	
B367783	468866	7100594	838		SILT	SE	2m	meta seds	
B367784	468862	7100486	839		SILT	S	2m	metaseds/quartz	
B367785	468811	7100384	831		SILT	W	3m	meta seds	
B367786	468763	7100395	829		SILT	S	70cm	meta seds	
B367787	468766	7100393	832		SILT	W	2m	meta seds	
B367788	468702	7100312	831		SILT	W	3m	meta seds	
B367789	468702	7100312	831		DUP	W	3m	meta seds	
B367791	468615	7100237	831		SILT	S	3m	metaseds/quartz/granodiorite	
B367792	468553	7100146	828		SILT	S	3m	metaseds/quartz/granodiorite	
B367793	468530	7100038	828		SILT	SSW	3m	metaseds/quartz	
B367794	468448	7099955	830		SILT	W	3m	metaseds/granodiorite	
B367795	468380	7099876	828		SILT	SW	3m	metaseds/quartz	
B367796	468283	7099914	829		SILT	NW	30cm	silt/organics	side creek
B367797	468276	7099914	827		SILT	NE	3m	meta seds	
B367798	468201	7099824	824		SILT	NE	2m	schist sand/ organics	
B367799	468104	7099825	817		SILT	SSW	3m	metaseds/quartz	
B367800	467557	7097613	1173		SILT	N	30cm	meta seds/qrtz	
B367801	468333	7101635	966	02-SEP-05 3:27:01PM	SILT	S	0.5		
B367802	468332	7101637	963	02-SEP-05 3:28:27PM	DUP	S	0.5		
B367803	468379	7101551	952	02-SEP-05 3:37:02PM	SILT	S	0.5		
B367804	468381	7101443	944	02-SEP-05 3:45:32PM	SILT	S	0.5		
B367805	468411	7101344	922	02-SEP-05 4:07:45PM	SILT	S	0.5		
B367806	467296	7104531	1337	03-SEP-05 9:27:03AM	SILT	SE	underground	meta seds	soil only
B367807	467393	7104502	1307	03-SEP-05 9:39:51AM	SILT	SE	underground	meta seds	soil only
B367808	467493	7104467	1280	03-SEP-05 9:50:19AM	SILT	SE	50cm	meta seds	Dry Creek
B367809	467587	7104430	1245	03-SEP-05 10:00:41AM	SILT	SE	50cm	meta seds	Dry Creek
B367811	467683	7104448	1237	03-SEP-05 10:09:00AM	SILT	SE	30cm	meta seds	
B367812	467780	7104495	1214	03-SEP-05 10:16:23AM	SILT	SE	30cm	meta seds	weak trickle/ silt and organics
B367813	467873	7104459	1194	03-SEP-05 10:29:38AM	SILT	SE	10cm	meta seds	weak trickle/ silt and organics
B367814	467984	7104437	1180	03-SEP-05 10:38:08AM	SILT	SE	150cm	meta seds	good flow
B367815	468063	7104358	1165	03-SEP-05 10:47:14AM	SILT	SE	150cm	meta seds	good flow
B367816	468109	7104252	1151	03-SEP-05 10:55:47AM	SILT	SE	150cm	meta seds	good flow
B367817	468158	7104160	1136	03-SEP-05 11:05:23AM	SILT	SE	150cm	meta seds	good flow
B367818	468220	7104078	1122	03-SEP-05 11:14:27AM	SILT	SE	1m	meta seds	good flow
B367819	468283	7103999	1101	03-SEP-05 11:24:23AM	SILT	SE	150cm	meta seds	good flow
B367820	468333	7103909	1087	03-SEP-05 11:33:19AM	SILT	SE	1m	meta seds	good flow
B367821	468328	7103945	1086	03-SEP-05 12:28:17PM	SILT	SE	2m	meta seds	very good flow; stream joint
B367822	468329	7103946	1094	03-SEP-05 12:29:16PM	DUP	SE	2m	meta seds	very good flow
B367823	468358	7103814	1081	03-SEP-05 1:31:27PM	SILT	SE	2m	meta seds	very good flow
B367824	468376	7103710	1073	03-SEP-05 1:48:13PM	SILT	SE	150cm	meta seds	good flow
B367825	468376	7103599	1046	03-SEP-05 2:09:08PM	SILT	SE	150cm	meta seds	good flow
B367826	468380	7103495	1036	03-SEP-05 2:20:56PM	SILT	SE	150cm	meta seds	good flow
B367827	468379	7103384	1016	03-SEP-05 2:45:18PM	SILT	SE	150cm	meta seds	good flow
B367828	468424	7103278	1003	03-SEP-05 3:02:11PM	SILT	SE	250cm	meta seds	very good flow
B367829	468465	7103187	990	03-SEP-05 3:18:37PM	SILT	SE	250cm	meta seds	very good flow
B367831	466083	7102984	1364	04-SEP-05 9:30:19AM	SILT				
B367832	466171	7102948	1349	04-SEP-05 9:39:36AM	SILT	E	0.25		
B367833	466264	7102975	1336	04-SEP-05 9:47:24AM	SILT	E	0.5		
B367834	466365	7103008	1316	04-SEP-05 9:52:23AM	SILT	E	0.5		
B367835	466451	7103058	1298	04-SEP-05 9:58:29AM	SILT	E	0.5		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367836	466533	7103075	1272	04-SEP-05 10:10:07AM	SILT	E	1		
B367837	466620	7103109	1264	04-SEP-05 10:16:37AM	SILT	E	1.5		
B367838	466704	7103144	1252	04-SEP-05 10:24:15AM	SILT	E	0.5		
B367839	466798	7103155	1239	04-SEP-05 10:34:47AM	SILT	E	1		
B367840	466898	7103151	1236	04-SEP-05 10:41:01AM	SILT	E	0.5		
B367841	467001	7103160	1209	04-SEP-05 10:48:06AM	SILT	E	1		
B367842	467000	7103159	1214	04-SEP-05 10:49:07AM	DUP	E	1		
B367843	467100	7103137	1200	04-SEP-05 11:00:30AM	SILT	E	1		
B367844	467196	7103152	1185	04-SEP-05 11:07:22AM	SILT	E	1		
B367845	467300	7103170	1179	04-SEP-05 11:14:33AM	SILT	E	1.5		
B367846	467403	7103213	1165	04-SEP-05 11:23:04AM	SILT	E	1		
B367847	467494	7103263	1146	04-SEP-05 11:33:44AM	SILT	E	1		
B367848	467471	7103364	1171	04-SEP-05 11:46:36AM	SILT	S	1		
B367849	467443	7103459	1198	04-SEP-05 12:04:19PM	SILT	S	0.25		
B367851	467423	7103542	1219	04-SEP-05 1:05:33PM	SILT	S			
B367852	467429	7103644	1248	04-SEP-05 1:14:50PM	SILT	S	0.5		
B367853	467378	7103743	1272	04-SEP-05 1:24:29PM	SILT	S	1.5		
B367854	467377	7103844	1293	04-SEP-05 1:34:19PM	SILT	S	1		
B367855	466757	7103934	1283	04-SEP-05 2:12:36PM	SILT	W	3		
B367856	466652	7103936	1256	04-SEP-05 2:20:12PM	SILT	W	1		
B367857	466574	7103990	1249	04-SEP-05 2:29:12PM	SILT	W	0.5		
B367858	466492	7104046	1236	04-SEP-05 2:39:40PM	SILT	W	0.5		
B367859	466409	7104106	1222	04-SEP-05 2:47:15PM	SILT	W	1		
B367860	466465	7104161	1224	04-SEP-05 3:09:43PM	SILT	N	1		
B367861	466561	7104187	1239	04-SEP-05 3:15:47PM	SILT	N	0.5		
B367862	466561	7104189	1241	04-SEP-05 3:16:44PM	DUP	N	0.5		
B367863	466669	7104216	1250	04-SEP-05 3:23:49PM	SILT	N	0.5		
B367864	467019	7097717	1194	05-SEP-05 9:01:28AM	SILT	N	underground		
B367865	467061	7097822	1158	05-SEP-05 9:11:22AM	SILT	N	underground		
B367866	467054	7097920	1098	05-SEP-05 9:27:03AM	SILT	N	underground		
B367867	467075	7098018	1064	05-SEP-05 9:37:29AM	SILT	N	underground		
B367868	467055	7098114	1031	05-SEP-05 9:49:10AM	SILT	N	underground		
B367869	467040	7098221	990	05-SEP-05 10:00:45AM	SILT	N	underground		
B367871	467039	7098326	971	05-SEP-05 10:17:52AM	SILT	N	underground		
B367872	467042	7098430	932	05-SEP-05 10:27:53AM	SILT	N	underground		
B367873	467026	7098524	908	05-SEP-05 10:38:54AM	SILT	N	underground		
B367874	466974	7098612	884	05-SEP-05 10:49:13AM	SILT	N	underground		
B367875	466904	7098691	866	05-SEP-05 10:59:30AM	SILT	N	underground		
B367876	466841	7098777	849	05-SEP-05 11:09:43AM	SILT	N	underground		
B367877	466773	7098853	828	05-SEP-05 11:24:26AM	SILT	N	underground		
B367878	466720	7098950	813	05-SEP-05 11:32:11AM	SILT	N	underground		
B367879	466656	7099034	807	05-SEP-05 11:43:27AM	SILT	N	underground		
B367880	466622	7099062	805	05-SEP-05 11:51:04AM	SILT	N	underground		
B367881	466557	7098991	802	05-SEP-05 12:51:19PM	SILT	W	4		
B367882	466555	7098991	800	05-SEP-05 12:57:26PM	DUP	W	4		
B367883	466519	7098904	798	05-SEP-05 1:03:35PM	SILT	W	4		
B367884	466466	7098840	805	05-SEP-05 1:11:24PM	SILT	W	10		
B367885	466369	7098819	804	05-SEP-05 1:31:18PM	SILT	W	15		
B367886	466278	7098865	795	05-SEP-05 1:49:18PM	SILT	W	3		
B367887	466151	7098903	799	05-SEP-05 2:05:45PM	SILT	W	3		
B367888	466073	7098940	800	05-SEP-05 2:31:43PM	SILT	W	10		
B367889	465990	7098926	799	05-SEP-05 2:45:19PM	SILT	W	10		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367891	473174	7099422	1093		SILT	SE	1m	silt/organics	Swampy Region/Dry Swampy Area
B367892	473238	7099357	1089		SILT	SE	1m	silt/organics	Swampy Region
B367893	473281	7099268	1086		SILT	SE	1m	silt/organics	Swampy Region
B367894	473338	7099185	1081		SILT	SE	1m	silt/organics	Swampy Region
B367895	473387	7099102	1074		SILT	SSW	4m	silt	Swampy Region
B367896	473367	7098998	1071		SILT	SE	1m	silt	Swampy Region/silt possible cat road
B367897	473379	7098907	1070		SILT	S	3m	silt/organics	Swampy Region
B367898	473384	7098805	1070		SILT	SW	2m	silt	Swampy Region
B367899	473364	7098705	1064		SILT	S	1.5m	silt/organics	Swampy Region
B367900	473397	7098615	1064		SILT	S	5m	silt/organics	Swampy Region
B367901	461765	7101789	1122	25-AUG-05 1:30:58PM	SILT	WNW	0.9	MSED/GND	
B367902	461765	7101789	1122	25-AUG-05 1:31:24PM	DUP	WNW	0.9	MSED/GND	
B367903	461846	7101738	1135	25-AUG-05 1:40:41PM	SILT	WNW	0.9	GND	
B367904	461913	7101669	1138	25-AUG-05 1:52:11PM	SILT	NW	0.3	GND	
B367905	461994	7101599	1171	25-AUG-05 2:13:57PM	SILT	N		GND	
B367906	462045	7101604	1184	25-AUG-05 2:22:01PM	SILT	NW			
B367907	462246	7101744	1177	25-AUG-05 2:46:12PM	SILT	W	1.4	GND	
B367908	462349	7101725	1207	25-AUG-05 3:09:06PM	SILT	W	1.6	GND	
B367909	462461	7101709	1217	25-AUG-05 3:30:54PM	SILT	W	2	GND	
B367911	462553	7101692	1235	25-AUG-05 4:02:39PM	SILT	W	3	GND	
B367912	462649	7101655	1246	25-AUG-05 4:18:54PM	SILT	W	3	GND	
B367913	462699	7101698	1252	25-AUG-05 4:21:57PM	SILT	SSW	0.8	GND	
B367914	462694	7101763	1258	25-AUG-05 4:33:13PM	SILT	SSW	0.3	GND	
B367915	462744	7101830	1284	25-AUG-05 4:48:55PM	SILT	SW	0.3	GND	
B367916	462759	7101771	1287	25-AUG-05 4:59:34PM	SILT	W	0.4	GND	
B367917	462824	7101803	1302	25-AUG-05 5:09:18PM	SILT	W	0.2	GND	
B367918	462777	7101721	1278	25-AUG-05 5:18:06PM	SILT	SSW	0.2	GND	
B367919	469293	7102595	913	31-AUG-05 2:16:36PM	SILT	E	1	None Visible	
B367920	469359	7102517	901	31-AUG-05 2:22:59PM	SILT	E	2.5	None Visible	
B367921	469425	7102441	896	31-AUG-05 2:39:40PM	SILT	E	1.5	None Visible	
B367922	469502	7102381	892	31-AUG-05 2:57:32PM	SILT	E	1.5	None Visible	
B367923	469504	7102377	893	31-AUG-05 3:10:55PM	DUP	E	1.5	None Visible	
B367924	469564	7102305	889	31-AUG-05 3:18:09PM	SILT	E	1	None Visible	
B367925	469591	7102196	889	31-AUG-05 3:28:39PM	SILT	E	2	None Visible	
B367926	469618	7102086	881	31-AUG-05 3:38:55PM	SILT	E	2	None Visible	
B367927	466823	7102437	1261	02-SEP-05 9:35:51AM	SILT	E	0.5		
B367928	466919	7102456	1248	02-SEP-05 9:59:44AM	SILT	E	0.5		
B367929	467012	7102502	1240	02-SEP-05 10:07:41AM	SILT	E	0.5		
B367931	467100	7102539	1219	02-SEP-05 10:16:01AM	SILT	E	0.5		
B367932	467199	7102576	1217	02-SEP-05 10:22:07AM	SILT	E	0.5		
B367933	467299	7102592	1204	02-SEP-05 10:30:46AM	SILT	E	0.5		
B367934	467390	7102628	1191	02-SEP-05 10:37:15AM	SILT	E	0.5		
B367935	467482	7102660	1174	02-SEP-05 11:05:07AM	SILT	E	1		
B367936	467577	7102632	1168	02-SEP-05 11:14:39AM	SILT	E	2		
B367937	467678	7102609	1147	02-SEP-05 11:23:43AM	SILT	E	1		
B367938	467760	7102555	1137	02-SEP-05 11:48:10AM	SILT	E	0.5		
B367939	467833	7102485	1121	02-SEP-05 12:01:01PM	SILT	E	0.5		
B367940	467906	7102410	1107	02-SEP-05 1:34:11PM	SILT	E	1	MSED, dipping 28° to 280°	
B367941	467959	7102331	1091	02-SEP-05 1:46:16PM	SILT	E	1		
B367942	467962	7102332	1091	02-SEP-05 1:48:40PM	DUP	E	0.5		
B367943	467996	7102229	1074	02-SEP-05 1:54:57PM	SILT	E	0.5		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B367944	468028	7102129	1057	02-SEP-05 2:05:59PM	SILT	E	0.5		
B367945	468054	7102035	1048	02-SEP-05 2:18:59PM	SILT	E	0.5		
B367946	468091	7101950	1027	02-SEP-05 2:27:41PM	SILT	E	1		
B367947	468134	7101862	1012	02-SEP-05 2:38:49PM	SILT	E	1		
B367948	468198	7101782	995	02-SEP-05 3:02:25PM	SILT	E	1		
B367949	468267	7101717	979	02-SEP-05 3:14:38PM	SILT	E	0.5		
B367951	470176	7102385	870	03-SEP-05 9:47:20AM	SILT		10		
B367952	470188	7102287	865	03-SEP-05 10:00:00AM	SILT	SW	10		
B367953	470166	7102191	878	03-SEP-05 10:25:27AM	SILT	SW	4		
B367954	470120	7102103	866	03-SEP-05 10:35:02AM	SILT	SW	2.5		
B367955	470077	7102008	864	03-SEP-05 10:42:18AM	SILT	SW	8		
B367956	470015	7101927	864	03-SEP-05 10:49:51AM	SILT	SW	4		
B367957	469982	7101833	861	03-SEP-05 10:57:47AM	SILT	SW	4		
B367958	469923	7101748	863	03-SEP-05 11:05:13AM	SILT	SW	1.5		
B367959	469841	7101689	864	03-SEP-05 11:14:05AM	SILT	SW	2		
B367960	469800	7101598	863	03-SEP-05 11:32:54AM	SILT	SW	3		
B367961	469721	7101537	860	03-SEP-05 11:42:58AM	SILT	SW	1		
B367962	469635	7101477	860	03-SEP-05 11:56:52AM	SILT	SW	1		
B367963	469633	7101476	859	03-SEP-05 11:59:19AM	DUP	SW	1		
B367964	469588	7101392	859	03-SEP-05 12:10:52PM	SILT	SW	4		
B367965	469482	7101347	853	03-SEP-05 12:21:35PM	SILT	SW	3		
B367966	469410	7101281	850	03-SEP-05 12:35:02PM	SILT	SW	2.5		
B367967	464853	7101474	1388	04-SEP-05 9:21:54AM	SILT	E			
B367968	464946	7101440	1346	04-SEP-05 9:42:32AM	SILT	E			
B367969	465041	7101409	1299	04-SEP-05 9:58:58AM	SILT	E	0.5		
B367971	465133	7101381	1239	04-SEP-05 10:17:19AM	SILT	E	1		
B367972	465227	7101424	1204	04-SEP-05 10:39:01AM	SILT	E	0.5		
B367973	465321	7101462	1169	04-SEP-05 10:50:38AM	SILT	E	0.5		
B367974	465413	7101466	1139	04-SEP-05 11:07:14AM	SILT	E	1.5		
B367975	465506	7101433	1123	04-SEP-05 11:33:34AM	SILT	E	1		
B367976	465591	7101427	1100	04-SEP-05 12:07:58PM	SILT	E	1.5		
B367977	465683	7101444	1089	04-SEP-05 12:14:04PM	SILT	E	0.5		
B367978	465784	7101412	1062	04-SEP-05 12:34:20PM	SILT	E	0.5		
B367979	465816	7101338	1049	04-SEP-05 1:32:43PM	SILT	E	2		
B367980	465799	7101237	1031	04-SEP-05 2:02:08PM	SILT				
B367981	465759	7101134	1033	04-SEP-05 2:11:36PM	SILT				
B367982	465759	7101134	1033	04-SEP-05 2:11:36PM	DUP				
B367983	465751	7101046	1025	04-SEP-05 2:29:17PM	SILT				
B367984	465779	7100949	1006	04-SEP-05 2:42:24PM	SILT				
B367985	465822	7100864	986	04-SEP-05 2:54:10PM	SILT				
B367986	465835	7100761	978	04-SEP-05 3:10:20PM	SILT				
B367987	465861	7100669	963	04-SEP-05 3:22:12PM	SILT				
B367988	465882	7100579	953	04-SEP-05 3:34:42PM	SILT				
B367989	465924	7100492	944	04-SEP-05 3:44:23PM	SILT				
B367991	465970	7100399	929	04-SEP-05 3:58:40PM	SILT				
B367992	466018	7100312	917	04-SEP-05 4:08:52PM	SILT				
B367993	465937	7102484	1359	05-SEP-05 9:05:43AM	SILT				
B367994	465922	7102393	1322	05-SEP-05 9:21:42AM	SILT				
B367995	465928	7102299	1282	05-SEP-05 9:29:09AM	SILT				
B367996	465931	7102193	1254	05-SEP-05 9:39:31AM	SILT		0.5		
B367997	465939	7102085	1218	05-SEP-05 9:51:43AM	SILT				
B367998	465944	7101990	1182	05-SEP-05 10:05:11AM	SILT				
B367999	465919	7101894	1169	05-SEP-05 10:19:28AM	SILT				

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B368000	465926	7101794	1122	05-SEP-05 10:31:48AM	SILT				
B368051	468377	7104034	1116	03-SEP-05 1:16:21PM	SILT			meta seds/ phyllite	weak trickle/ silt and organics
B368052	468420	7104124	1134	03-SEP-05 1:29:03PM	SILT	S	50cm	meta seds/ phyllite	weak trickle/ silt and organics
B368053	468447	7104223	1160	03-SEP-05 1:43:27PM	SILT	S	50cm	meta seds/ phyllite	weak trickle/ silt and organics
B368054	468467	7104324	1194	03-SEP-05 1:53:05PM	SILT	S	30cm	meta seds/ phyllite	weak trickle/ silt and organics
B368056	468539	7104520	1232	03-SEP-05 2:16:08PM	SILT	S	30cm	meta seds/ phyllite	weak trickle/ silt and organics
B368058	468571	7104733	1282	03-SEP-05 3:00:57PM	SILT	S	25cm	meta seds/ phyllite	dry creek/ weak to non existing
B368055	468513	7104426	1205	03-SEP-05 2:06:28PM	SILT	S	25cm	meta seds/ phyllite	weak trickle/ silt and organics
B368057	468558	7104629	1262	03-SEP-05 2:26:00PM	SILT	S	30cm		weak trickle/ silt and organics
B368059	468571	7104832	1324	03-SEP-05 3:09:06PM	SILT	S	none		dry creek/ weak to non exsiting
B368060	465897	7101695	1097	05-SEP-05 10:46:34AM	SILT				
B368061	465863	7101604	1081	05-SEP-05 10:55:14AM	SILT				
B368062	465856	7101495	1067	05-SEP-05 11:05:33AM	SILT				
B368063	465857	7101496	1067	05-SEP-05 11:15:53AM	DUP				
B368064	465833	7101387	1052	05-SEP-05 11:21:23AM	SILT				
B368065	466081	7100214	898	05-SEP-05 12:27:56PM	SILT		1		
B368066	466173	7100159	888	05-SEP-05 12:35:15PM	SILT		1		
B368067	466247	7100079	880	05-SEP-05 12:43:21PM	SILT		1		
B368068	466291	7099977	870	05-SEP-05 12:50:30PM	SILT		1		
B368069	466329	7099881	859	05-SEP-05 12:59:12PM	SILT		0.5		
B368071	466328	7099782	854	05-SEP-05 1:07:46PM	SILT		1		
B368072	466317	7099682	846	05-SEP-05 1:16:39PM	SILT		1		
B368073	466355	7099586	842	05-SEP-05 1:24:59PM	SILT		1		
B368074	466394	7099481	838	05-SEP-05 1:36:31PM	SILT				
B368075	466456	7099398	825	05-SEP-05 1:46:04PM	SILT		2		
B368076	466507	7099310	823	05-SEP-05 1:56:00PM	SILT		1		
B368077	466549	7099218	816	05-SEP-05 2:07:27PM	SILT		1		
B368078	466583	7099119	807	05-SEP-05 2:20:27PM	SILT		1		
B368079	472573	7097885	1076	06-SEP-05 9:51:39AM	SILT				
B368080	472641	7097797	1057	06-SEP-05 10:12:44AM	SILT				
B368081	472701	7097711	1058	06-SEP-05 10:24:25AM	SILT				
B368082	472704	7097711	1061	06-SEP-05 10:35:48AM	DUP				
B368083	472792	7097699	1050	06-SEP-05 10:43:28AM	SILT				
B368084	472886	7097665	1046	06-SEP-05 10:58:50AM	SILT				
B368085	472967	7097609	1041	06-SEP-05 11:09:12AM	SILT		2		
B368086	473065	7097579	1031	06-SEP-05 11:36:13AM	SILT				
B368087	472256	7094780	954	07-SEP-05 11:36:35AM	SILT	SE	0.5		
B368088	472347	7094738	938	07-SEP-05 11:46:33AM	SILT	SE	1		
B368089	472438	7094687	922	07-SEP-05 11:52:05AM	SILT	E	1		
B368091	472533	7094660	905	07-SEP-05 12:01:46PM	SILT	E	1		
B368092	472636	7094646	898	07-SEP-05 12:09:56PM	SILT	E	1		
B368093	472745	7094653	880	07-SEP-05 12:19:54PM	SILT	E	1		
B368094	472846	7094623	868	07-SEP-05 12:27:18PM	SILT	E	1		
B368095	472916	7094546	849	07-SEP-05 12:34:09PM	SILT	E	1		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B368096	472960	7094450	838	07-SEP-05 12:41:23PM	SILT	E	1		
B368097	470284	7096723	1139	07-SEP-05 1:35:17PM	SILT	S	swampy puddles		
B368098	470363	7096542	1135	07-SEP-05 1:56:55PM	SILT	S	0.5		
B368099	470298	7096617	1136	07-SEP-05 1:46:26PM	SILT	S	swampy		
B368100	470417	7096454	1124	07-SEP-05 2:04:54PM	SILT	S	1		
B368101	468023	7099756	821		SILT	W	3m	metaseds/quartz	a lot of organics
B368102	467989	7099753	819		SILT	SW	1m	metaseds/quartz/granodiorite	Side creek/ missed duplicate
B368103	467992	7099739	818		SILT	S	4m	meta seds	
B368104	467956	7099633	822		SILT	SW	3m	metaseds/quartz	
B368105	467892	7099586	817		SILT	N	20cm	silt/organics	side creek drainage swamp
B368106	467890	7099598	818		SILT	N	4m	metaseds/quartz	
B368107	467801	7099532	812		SILT	W	3m	metaseds/quartz	
B368108	467733	7099467	817		SILT	NW	70cm	metaseds/schists	
B368109	467720	7099482	819		SILT	NW	5m	metaseds/quartz	
B368111	467627	7099535	817		SILT	SW	1m	silt/organics	side creek
B368112	467633	7099523	814		SILT	W	4m	metaseds/quartz	taken upstream of sidecreek
B368113	467610	7099522	816		SILT	W	4m	metaseds/quartz	
B368114	467583	7099420	814		SILT	SSW	4m	metaseds/quartz	
B368115	467241	7099431	805		SILT	SW	4m	metaseds/quartz/organics	
B368116	467142	7099377	807		SILT	SW	1m	silt/organics	side creek
B368117	467145	7099373	804		SILT	W	4m	metaseds/organics	
B368118	467547	7097728	1126		SILT	N	30cm	metaseds/qttz/organics	Dry Creek
B368119	467564	7097827	1077		SILT	N	30cm	metaseds/qtrz	Dry Creek
B368120	467556	7097924	1038		SILT	N	30cm	metaseds/organics	Dry Creek
B368121	467559	7098027	1016		SILT	N	1m	metaseds/organics	Dry Creek
B368122	467563	7098019	997		SILT	N	1m	metaseds	Dry Creek
B368123	467573	7098121	1006		SILT	N	30cm	metaseds	Dry Creek
B368124	467595	7098206	999		SILT	N	30cm	metaseds/organics	Dry Creek/ lots of organics/ swampy
B368125	467624	7098294	991		SILT	N	1m	silt/organics	Dry Creek
B368126	467612	7098398	977		SILT	N	70cm	silt/organics/metaseds	Dry Creek
B368127	467572	7098481	957		SILT	N	70cm	silt/organics	
B368128	467546	7098571	932		SILT	N	1m	silt/organics	
B368129	467528	7098670	917		SILT	N	1m	metaseds/qtz/organics	
B368131	467484	7098763	907		SILT	N	1m	silt/organics	
B368132	467411	7098825	890		SILT	N	50cm	silt/organics	
B368133	467360	7098921	871		SILT	N	50cm	silt/organics	
B368134	467335	7099013	860		SILT	N	1m	silt/organics/metaseds	Dry Creek
B368135	467256	7099085	849		SILT	N	50cm	metaseds/qtrz	Dry Creek
B368136	467183	7099156	834		SILT	N	30cm	metaseds/qtrz	Dry Creek
B368137	467093	7099223	818		SILT	N	30cm	silt/organics	Dry Creek/swampy area
B368138	467053	7099274	815		SILT	W	30cm	silt/organics/metaseds	Dry Creek
B368139	467036	7099356	809		SILT	W	8m	silt/metased sand	
B368140	466980	7099266	803		SILT	W	3m	metaseds/granodiorite	
B368141	466965	7099167	804		SILT	W	3m	metased/qrtz	
B368142	466964	7099167	810		DUP	W	3m	metased/qrtz	
B368143	466920	7099066	805		SILT	W	3m	metased/qrtz	
B368144	466915	7099056	806		SILT	N	30cm	metaseds/granodiorite/qrtz	side creek
B368145	466897	7099053	802		SILT	W	4m	metaseds/qtrz	
B368146	466816	7099042	807		SILT	N	30cm	metaseds/granodiorite/qrtz	dry side creek
B368147	466816	7099035	808		SILT	W	4m	metaseds/granodiorite/qrtz	
B368148	466732	7099090	802		SILT	W	4m	metased/qrtz	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B368149	466628	7099129	807		SILT	W	3m	metased/qrtz	
B368150	466626	7099136	807		STD 5E				
B368151	473451	7098534	1063		SILT	S	5m	silt/organics	
B368152	473480	7098417	1049		SILT	S	3m	silt/organics	
B368153	473564	7098303	1044		SILT	SSE	3m	silt/organics	
B368154	473631	7098209	1043		SILT	S	2m	silt	
B368155	472252	7095928	1017		SILT	S	3m	silt/organics	
B368156	472216	7095822	1017		SILT	S	3m	silt/organics	
B368157	472179	7095733	1007		SILT	S	3m	silt	
B368158	472235	7095642	1003		SILT	SW	1m	silt/sand	side creek
B368159	472225	7095615	999		SILT	S	1m	silt/organics	
B368160	472240	7095524	997		SILT	S	1m	silt/organics	
B368161	472316	7095461	988		SILT	S	1m	silt/organics	
B368162	472317	7095457	992		DUP	S	1m	silt/organics	
B368163	472415	7095427	977		SILT	S	1m	metaseds/granodiorite	
B368164	472474	7095336	958		SILT	S	1m	metaseds/granodiorite	
B368165	472559	7095285	949		SILT	S	1m	metaseds/granodiorite	
B368166	472656	7095236	943		SILT	S	1m	silt/organics	
B368167	472708	7095147	926		SILT	S	1m	metaseds/qtrz	
B368168	472747	7095042	913		SILT	S	1m	metaseds/granodiorite/qrtz	
B368169	472811	7094976	902		SILT	S	1m	metaseds/granodiorite/qrtz	
B368170	472808	7094981	899		STD 3C				
B368171	472866	7094895	885		SILT	S	1m	metaseds/granodiorite/qrtz	
B368172	472901	7094785	877		SILT	S	1m	metaseds/granodiorite/qrtz	
B368173	472948	7094681	864		SILT	SE	1m	silt/organics	
B368174	473041	7094638	856		SILT	SE	1.5m	metaseds/organics	
B368175	467681	7096954	1215		SILT	S	1m	metaseds	small wash
B368176	467723	7096861	1201		SILT	S	1.5m	metaseds/granodiorite/organics	
B368177	467779	7096759	1188		SILT	S	30cm	silt/organics	
B368178	467839	7096664	1176		SILT	S	30cm	silt/organics	
B368179	467885	7096572	1162		SILT	S	50cm	metaseds/granodiorite/silt/organics	
B368180	467924	7096482	1149		SILT	S	30cm	metaseds/qrtz/silt/organics	
B368181	467973	7096398	1133		SILT	S	40cm	metaseds/qrtz	
B368182	467972	7096399	1138		DUP	S	40cm	metaseds/qrtz	
B368183	467997	7096293	1126		SILT	S	1m	metaseds	
B368184	468027	7096202	1108		SILT	S	50cm	metaseds/qrtz	
B368185	468049	7096109	1095		SILT	S	1m	metaseds/granodiorite	
B368186	468089	7096013	1078		SILT	S	1m	metaseds/granodiorite/qrtz	
B368187	468077	7095923	1070		SILT	S	1m	metaseds/granodiorite/qrtz	
B368188	468042	7095837	1052		SILT	S	1m	metaseds/granodiorite/qrtz	
B368189	467992	7095742	1041		SILT	S	1m	metaseds/granodiorite/qrtz	
B368190	467994	7095745	1033		STD 5E	S			
B368191	467956	7095652	1022		SILT	S	1m	metaseds/granodiorite/qrtz	
B368192	467939	7095550	1013		SILT	S	50cm	silt	
B368193	467911	7095467	1001		SILT	S	70cm	silt	
B368194	467929	7095367	984		SILT	S	50cm	metaseds/qrtz	
B368195	467958	7095271	981		SILT	S	1m	metaseds/granodiorite/qrtz	
B368196	467972	7095180	967		SILT	S	70cm	silt	
B368197	467966	7095083	951		SILT	S	70cm	silt/organics	
B368198	467948	7094988	944		SILT	S	1m	metaseds/granodiorite/qrtz	
B368199	469050	7096368	1144		SILT	SSE	1m	silt/organics	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B368200	469021	7096269	1132		SILT	SSE	1m	silt	
B626701	468996	7096181	1120		SILT	S	50cm	metaseds	
B626702	468988	7096066	973		SILT	S	50cm	metaseds	
B626703	468985	7096071	1099		DUP	S	50cm	metaseds	
B626704	468964	7095973	1100		SILT	S	50cm	silt	
B626705	468923	7095894	1101		SILT	S	50cm	silt/organics	
B626706	468943	7095846	1102		SILT	S	50cm	silt/organics	Side Creek
B626707	468862	7095778	1103		SILT	SW	1m	metaseds	
B626708	468787	7095709	1104		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626709	468705	7095659	1105		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626710	468704	7095660	1106		STD 4D		1m		
B626711	468603	7095625	1107		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626712	468529	7095594	1108		SILT	SE	1m	metaseds/silt	Side Creek
B626713	468526	7095573	1109		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626714	468477	7095495	1110		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626715	468409	7095429	1111		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626716	468326	7095362	1112		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626717	468254	7095307	1113		SILT	SW	30cm	metaseds/granodiorite/qrtz	
B626718	468165	7095233	1114		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626719	468107	7095142	1115		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626720	468044	7095052	1116		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626721	467988	7094975	1117		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626722	467987	7094974	1118		DUP	SW	1m	metaseds/granodiorite/qrtz	
B626723	467928	7094903	1119		SILT	SW	2m	metaseds/granodiorite/qrtz	
B626724	467867	7094816	1120		SILT	SW	1m	metaseds/granodiorite/qrtz	
B626725	467822	7094726	1121		SILT	SW	2m	metaseds/granodiorite/qrtz	
B626726	467769	7094643	1122		SILT	SW	2m	metaseds/granodiorite/qrtz	
B626727	467705	7094559	1123		SILT	SW	2m	metaseds/granodiorite/qrtz	
B626728	467671	7094455	1124		SILT	SW	3m	metaseds/granodiorite/qrtz	
B626729	467702	7094338	1125		SILT	SW	2m	metaseds/granodiorite/qrtz	Old Channel
B626730	467705	7094339	1126		STD 6F				
B626731	467653	7094244	1127		SILT	SW	2m	metaseds/granodiorite/qrtz	
B626732	467642	7094233	1128		SILT	SW	50cm	silt	Side Creek
B626733	467612	7094137	1129		SILT	SW	1m	metaseds/granodiorite	
B626734	467617	7094042	1130		SILT	SW	2m	metaseds/granodiorite	
B626735	472312	7099082	1092		SILT	W	30cm	silt/organics	
B626736	472182	7099101	1066		SILT	W	30cm	silt/organics	
B626737	472118	7099035	1059		SILT	W	30cm	silt/organics	
B626738	471979	7098991	1051		SILT	W	30cm	silt/organics	
B626739	471888	7098969	1047		SILT	W	30cm	silt/organics	
B626740	471792	7098954	1044		SILT	W	30cm	silt/organics	
B626741	471700	7098974	1041		SILT	W	30cm	silt/organics	
B626742	471700	7098976	1038		DUP	W	30cm	silt/organics	
B626743	471597	7099030	1029		SILT	W	2m	silt/organics	
B626744	471493	7099065	1023		SILT	W	1m	silt/organics	
B626745	471405	7099051	1011		SILT	W	1m	silt/organics	
B626746	466492	7096324	1204		SILT	W	1m	metaseds	Dry Creek
B626747	466433	7096224	1185		SILT	W	1m	metaseds/marble	Dry Creek
B626748	466399	7096113	1165		SILT	W	50cm	silt	Dry Creek
B626749	466341	7096025	1133		SILT	S	50cm	silt	Dry Creek
B626750	466335	7096022	1134		STD 5E				
B626751	472026	7097101	1069	06-SEP-05 8:57:38AM	SILT	SE	flat		
B626752	472059	7097012	1060	06-SEP-05 9:09:39AM	SILT	SE	flat		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B626753	472120	7096928	1049	06-SEP-05 9:19:02AM	SILT	SE	flat		
B626754	472206	7096867	1044	06-SEP-05 9:30:51AM	SILT	SE	flat		
B626755	472262	7096786	1035	06-SEP-05 9:46:34AM	SILT	SE	flat		
B626756	472333	7096707	1025	06-SEP-05 10:00:06AM	SILT	SE	flat		
B626757	472425	7096670	1022	06-SEP-05 10:10:40AM	SILT	SE	flat		
B626758	472526	7096625	1019	06-SEP-05 10:19:25AM	SILT	SE	flat		
B626759	472614	7096515	1023	06-SEP-05 10:32:16AM	SILT	SE	flat		
B626760	472586	7096417	1020	06-SEP-05 10:45:21AM	SILT	SE	flat		
B626761	472523	7096332	1021	06-SEP-05 10:55:10AM	SILT	SE	flat		
B626762	472524	7096332	1019	06-SEP-05 10:55:58AM	DUP	SE	flat		
B626763	472940	7096266	1011	06-SEP-05 11:53:21AM	SILT	SE	1		
B626764	472940	7096158	1003	06-SEP-05 12:05:58PM	SILT	S	2		
B626765	472935	7096051	1000	06-SEP-05 12:53:27PM	SILT	S	2		
B626766	472992	7095953	994	06-SEP-05 1:02:53PM	SILT	SE	1.5		
B626767	473040	7095871	991	06-SEP-05 1:13:12PM	SILT	SE	1		
B626768	473046	7095757	975	06-SEP-05 1:20:36PM	SILT	S	3		
B626769	473051	7095652	956	06-SEP-05 1:29:22PM	SILT	S	1.5		
B626771	473037	7095544	947	06-SEP-05 1:38:35PM	SILT	SE	1.5		
B626772	473030	7095440	945	06-SEP-05 1:46:31PM	SILT	S	1.5		
B626773	473018	7095341	933	06-SEP-05 2:12:50PM	SILT	S	1		
B626774	473038	7095249	919	06-SEP-05 2:20:49PM	SILT	S	2		
B626775	473061	7095153	905	06-SEP-05 2:33:04PM	SILT	SE	2		
B626776	473057	7095053	894	06-SEP-05 2:42:38PM	SILT	SE	2		
B626777	473060	7094937	887	06-SEP-05 2:51:07PM	SILT	S	3		
B626778	473036	7094837	869	06-SEP-05 3:01:22PM	SILT	S	2		
B626779	473042	7094736	859	06-SEP-05 3:08:58PM	SILT	S	3		
B626780	473047	7094625	849	06-SEP-05 3:18:02PM	SILT	S	2		
B626781	473087	7094529	837	06-SEP-05 3:29:38PM	SILT	SE	5		
B626782	473087	7094528	835	06-SEP-05 3:29:59PM	DUP	SE	4		
B626783	471367	7095095	1025	07-SEP-05 8:42:03AM	SILT	E	3		Swampy
B626784	471437	7095025	1017	07-SEP-05 8:50:27AM	SILT	E	3		Swampy
B626785	471532	7094990	1017	07-SEP-05 8:57:50AM	SILT	E	2		
B626786	471566	7094899	1018	07-SEP-05 9:03:52AM	SILT	SE	2		
B626787	471545	7094800	1017	07-SEP-05 9:11:56AM	SILT	SE	2		
B626788	471502	7094707	1015	07-SEP-05 9:18:33AM	SILT	SE	2		Swampy
B626789	471446	7094622	1015	07-SEP-05 9:26:11AM	SILT	SE	2		Swampy
B626791	471347	7094590	1009	07-SEP-05 9:34:40AM	SILT	S	4		
B626792	471268	7094521	1012	07-SEP-05 9:44:44AM	SILT	S	7		Swampy
B626793	471175	7094474	1009	07-SEP-05 9:54:05AM	SILT	S	0.5		
B626794	471599	7095014	1021	07-SEP-05 10:36:58AM	SILT	E			no creek just swampy puddles
B626795	471692	7094983	1022	07-SEP-05 10:48:18AM	SILT	E			Swampy puddles
B626796	471791	7094956	1012	07-SEP-05 10:57:48AM	SILT	E			
B626797	471895	7094941	1006	07-SEP-05 11:03:33AM	SILT	SE			
B626798	471995	7094945	992	07-SEP-05 11:14:18AM	SILT	E	1		
B626799	472092	7094907	982	07-SEP-05 11:20:21AM	SILT	E	1		
B626800	472186	7094855	967	07-SEP-05 11:27:37AM	SILT	SE	0.5		
B626801	471105	7098335	1074	09-SEP-05 9:53:05AM	SILT	NE	30cm	silt/organics	
B626802	471106	7098337	1100	09-SEP-05 9:53:56AM	DUP	NE	30cm	silt/organics	
B626803	471151	7098427	1098	09-SEP-05 10:08:18AM	SILT	NE	30cm	silt/organics	
B626804	471182	7098527	1084	09-SEP-05 10:22:40AM	SILT	NNE	40cm	silt/organics	
B626805	471205	7098630	1069	09-SEP-05 10:34:10AM	SILT	NE	35cm	silt/organics	
B626806	471233	7098748	1051	09-SEP-05 10:47:46AM	SILT	NNE	40cm	silt/organics	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B626807	471247	7098852	1039	09-SEP-05 10:58:55AM	SILT	NNE	20cm	silt/organics	
B626808	471264	7098954	1031	09-SEP-05 11:10:09AM	SILT	NE	20cm	silt	
B626809	471300	7099050	1011	09-SEP-05 11:25:48AM	SILT	NNE	40cm	silt	
B626810	471296	7099044	1007	09-SEP-05 11:33:33AM	STD 5E				
B626811	471265	7099144	1002	09-SEP-05 11:40:45AM	SILT	NNW	40cm	silt/organics	
B626812	471181	7099224	986	09-SEP-05 12:04:50PM	SILT	NNW	50cm	silt	
B626813	471167	7099249	989	09-SEP-05 12:15:28PM	SILT	W	2m	metaseds/silt/organics	
B626814	466300	7095925	1115		SILT	S	50cm	silt	Dry Creek
B626815	466286	7095816	1092		SILT	S	50cm	metaseds/marble	Dry Creek
B626816	466272	7095729	1083		SILT	S	50cm	metaseds	Dry Creek
B626817	466203	7095656	1070		SILT	S	50cm	metaseds	Dry Creek
B626818	466125	7095582	1058		SILT	S	50cm	metaseds/silt	Dry Creek
B626819	466040	7095527	1040		SILT	S	50cm	metaseds	Dry Creek
B626820	465930	7095521	1018		SILT	W	50cm	metaseds	
B626821	465828	7095521	1017		SILT	W	50cm	silt	
B626822	465825	7095520	1011		DUP	W	50cm	silt	
B626823	465717	7095492	1003		SILT	W	50cm	metaseds	heavy organic material
B626824	465610	7095498	998		SILT	W	50cm	silt/organics	
B626825	465586	7095508	995		SILT	W	50cm	silt	Side Creek
B626826	465513	7095476	976		SILT	W	50cm	silt	
B626827	465409	7095477	985		SILT	W	1m	silt/organics	
B626828	465318	7095459	965		SILT	W	1m	silt/organics	
B626829	455542	7096978	1077		SILT	SW	20cm	meta seds	
B626830	455541	7096980	1089		STD 3C				
B626831	455471	7096905	1064		SILT	SW	20cm	meta seds	Dry crk
B626832	455409	7096823	1041		SILT	SW	20cm	silt	puddle
B626833	455329	7096755	1034		SILT	SW	20cm	silt	Dry crk
B626834	455248	7096679	1016		SILT	SW	20cm	silt	Dry crk
B626835	455169	7096608	1001		SILT	SW	50cm	silt	Dry crk
B626836	455085	7096547	985		SILT	SW	50cm	silt	Dry crk
B626837	455002	7096491	975		SILT	SW	50cm	silt	Dry crk
B626838	454894	7096476	954		SILT	SW	50cm	meta seds/silt	Dry crk
B626839	454800	7096451	956		SILT	SW	50cm	silt	Dry crk
B626840	454703	7096421	950		SILT	W	1m	silt	
B626841	454631	7096397	939		SILT	NE	50cm	silt	side crk
B626842	454630	7096396	939		DUP	NE	50cm	silt	
B626843	454624	7096410	939		SILT	W	1m	silt	
B626844	454525	7096421	938		SILT	W	1m	silt/organics	
B626845	454428	7096428	931		SILT	W	1m	silt	
B626846	454318	7096419	926		SILT	W	1m	silt	
B626847	454222	7096388	916		SILT	W	1m	silt	
B626848	454129	7096361	910		SILT	W	1m	silt	
B626849	454047	7096301	904		SILT	W	1m	silt	
B626850	454047	7096304	899		STD 6F				
B626851	472991	7096971	1023	06-SEP-05 2:59:21PM	SILT				
B626852	472904	7096913	1020	06-SEP-05 3:10:08PM	SILT	S	2		
B626853	472840	7096822	1018	06-SEP-05 3:32:44PM	SILT				swampy lake, confluence
B626854	472744	7096554	1024	06-SEP-05 4:10:17PM	SILT		5		swampy
B626855	472767	7096428	1018	06-SEP-05 4:21:02PM	SILT	SE	3		
B626856	472826	7096336	1023	06-SEP-05 4:33:51PM	SILT	SE	1		
B626857	470461	7096364	1118	07-SEP-05 2:13:58PM	SILT	S	1		swampy stream many channels
B626858	470474	7096260	1117	07-SEP-05 2:22:38PM	SILT	S	1		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B626859	470474	7096158	1104	07-SEP-05 2:35:17PM	SILT	S	1		
B626860	470494	7096054	1098	07-SEP-05 2:43:44PM	SILT	S	0.5		
B626861	470488	7095954	1089	07-SEP-05 2:51:27PM	SILT	S	1		
B626862	470488	7095954			DUP				
B626863	470493	7095852	1083	07-SEP-05 3:01:11PM	SILT	S			
B626864	470469	7095752	1075	07-SEP-05 3:13:04PM	SILT	S	0.5		
B626865	470456	7095646	1066	07-SEP-05 3:21:01PM	SILT	S	1		
B626866	470441	7095546	1061	07-SEP-05 3:32:47PM	SILT	S	0.5		
B626867	470420	7095444	1061	07-SEP-05 3:54:36PM	SILT	S			
B626868	470379	7095342	1056	08-SEP-05 8:59:56AM	SILT	S	3		willowy swampy, many channels
B626869	470354	7095242	1048	08-SEP-05 9:11:10AM	SILT	S			
B626871	470335	7095136	1038	08-SEP-05 9:22:01AM	SILT	S	1		
B626872	470302	7095040	1036	08-SEP-05 9:31:31AM	SILT	S	1		
B626873	470301	7094937	1022	08-SEP-05 9:44:10AM	SILT	S	1		
B626874	470307	7094833	1009	08-SEP-05 9:56:43AM	SILT	S	1		
B626875	470359	7094740	1021	08-SEP-05 10:12:53AM	SILT	S			
B626876	470358	7094635	995	08-SEP-05 10:23:12AM	SILT	S			
B626877	470335	7094535	990	08-SEP-05 10:32:33AM	SILT	S			
B626878	470326	7094435	978	08-SEP-05 10:41:08AM	SILT	S			
B626879	467212	7095867	1152	08-SEP-05 1:13:38PM	SILT	S			swampt puddles
B626880	467194	7095622	1140	08-SEP-05 1:32:39PM	SILT	S			swampy puddles
B626881	467197	7095467	1122	08-SEP-05 1:43:51PM	SILT	S			puddles every couple hundred metres, no creek beds
B626882	467197	7095467			DUP				
B626883	467212	7095149	1023	08-SEP-05 2:06:22PM	SILT	S			old creek bed
B626884	467208	7095030	994	08-SEP-05 2:19:12PM	SILT	S.E.	1		confluence
B626885	467271	7094955	979	08-SEP-05 2:26:46PM	SILT	E	0.5		
B626886	467363	7094895	959	08-SEP-05 2:37:02PM	SILT	E	0.5		
B626887	467414	7094802	946	08-SEP-05 2:47:10PM	SILT	E	0.5		
B626888	467493	7094733	935	08-SEP-05 2:56:10PM	SILT	E	0.5		
B626889	467587	7094677	923	08-SEP-05 3:05:53PM	SILT	S.E.	0.5		
B626891	467658	7094593	911	08-SEP-05 3:14:57PM	SILT	S.E.	1		
B626892	467698	7094524	910	08-SEP-05 3:27:29PM	SILT	S	3		confluence
B626893	471655	7098216	1102	09-SEP-05 9:56:11AM	SILT	N.W.	0.5		
B626894	471592	7098305	1094	09-SEP-05 10:23:28AM	SILT	NW	1		swampy
B626895	471549	7098403	1084	09-SEP-05 10:37:05AM	SILT	NW	0.5		
B626896	471496	7098492	1074	09-SEP-05 10:50:37AM	SILT	NW	1		
B626897	471487	7098598	1063	09-SEP-05 11:05:50AM	SILT	NW	2		
B626898	471465	7098705	1052	09-SEP-05 11:18:17AM	SILT	NW			underground creek
B626899	471450	7098803	1034	09-SEP-05 11:32:09AM	SILT	NW			underground creek
B626900	471447	7098910	1033	09-SEP-05 11:44:58AM	SILT	NW	0.5		
B626901	471407	7099017	1033	09-SEP-05 12:05:14PM	SILT	NW	1		
B626902	471407	7099017			DUP				
B626903	471328	7099079	1002	09-SEP-05 12:27:27PM	SILT	W	1		
B626904	466033	7094366	1062	09-SEP-05 2:10:17PM	SILT	W	1		
B626905	465935	7094389	1056	09-SEP-05 2:18:42PM	SILT	W	2		
B626906	465845	7094431	1050	09-SEP-05 2:27:08PM	SILT	W	1		
B626907	465737	7094434	1049	09-SEP-05 2:33:46PM	SILT	W	0.5		
B626908	465638	7094462	1028	09-SEP-05 2:41:42PM	SILT	W	1		
B626909	465547	7094503	1023	09-SEP-05 2:51:37PM	SILT	W	1		
B626911	465456	7094552	1023	09-SEP-05 2:59:01PM	SILT	NW	1		

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B626912	465383	7094642	1008	09-SEP-05 3:08:50PM	SILT	NW	1		
B626913	465311	7094713	1013	09-SEP-05 3:17:58PM	SILT	N	1		
B626914	465331	7094815	1007	09-SEP-05 3:28:42PM	SILT	N	2		
B626915	465317	7094914	999	09-SEP-05 3:39:03PM	SILT	N	0.5		
B626916	465283	7095011	994	09-SEP-05 3:49:22PM	SILT	N	2		
B626917	465260	7095110	984	09-SEP-05 3:58:41PM	SILT	N	1		
B626918	465229	7095202	964	09-SEP-05 4:08:45PM	SILT	N	2		
B626919	465217	7095314	985	09-SEP-05 4:19:55PM	SILT	N	1		
B626920	465164	7095441	947	09-SEP-05 4:32:40PM	SILT	N			confluence
B626921	453701	7100560	1133	10-SEP-05 9:13:40AM	SILT	SW			top of creek
B626922	453701	7100560			DUP		0.5		
B626923	453606	7100486	1114	10-SEP-05 9:28:54AM	SILT	SW			
B626924	453522	7100438	1097	10-SEP-05 9:40:39AM	SILT	SW	0.5		
B626925	453444	7100364	1092	10-SEP-05 9:51:15AM	SILT	SW	0.5		
B626926	453408	7100286	1049	10-SEP-05 10:00:56AM	SILT	SW	0.5		
B626927	453325	7100211	1036	10-SEP-05 10:09:47AM	SILT	SW	0.5		Dry, deep channel
B626928	453242	7100151	1019	10-SEP-05 10:20:30AM	SILT	SW	0.5		Dry
B626929	453164	7100108	997	10-SEP-05 10:31:17AM	SILT	SW	1		Dry
B626931	453110	7100024	989	10-SEP-05 10:40:53AM	SILT	SW			Dry
B626932	453050	7099942	977	10-SEP-05 10:49:37AM	SILT	SW	1		Dry
B626933	453002	7099851	965	10-SEP-05 11:04:23AM	SILT	SW	1		Dry
B626934	452938	7099759	949	10-SEP-05 11:14:08AM	SILT	SW	1		Dry
B626935	452848	7099713	939	10-SEP-05 11:25:24AM	SILT	W	0.5		Dry
B626936	452744	7099705	918	10-SEP-05 11:40:40AM	SILT	W	1		Dry
B626937	452645	7099722	906	10-SEP-05 11:49:48AM	SILT	W	1		Dry
B626938	452541	7099722	896	10-SEP-05 11:58:38AM	SILT	W	1		Dry
B626939	452438	7099702	881	10-SEP-05 12:15:19PM	SILT	W	0.5		Dry
B626940	452338	7099686	870	10-SEP-05 12:24:02PM	SILT	W	1		
B626941	452277	7099667	862	10-SEP-05 1:01:28PM	SILT	W	0.5		Confluence
B626942	452277	7099667	863		DUP		2		
B626943	452223	7099647	867	10-SEP-05 1:38:41PM	SILT	S			Confluence, granodiorite found
B626944	471912	7099738	1041		SILT	S	0.5		
B626945	471867	7099648	1047		SILT	S	0.5		
B626946	471784	7099589	1046		SILT	S			
B626947	471711	7099515	1037		SILT	S	2		
B626948	471646	7099437	1029		SILT	S	1		
B626949	471576	7099363	1022		SILT	S	2		
B626951	472131	7098925	1065		SILT	NW	1		
B626952	472037	7098963	1057		SILT	NW	2		
B626953	471934	7098950	1053		SILT	NW	1		
B626954	470660	7100297	1122	11-SEP-05 9:21:11AM	SILT				
B626955	470584	7100238	1107	11-SEP-05 9:25:36AM	SILT				
B626956	470505	7100160	1095	11-SEP-05 9:37:00AM	SILT				
B626957	470451	7100073	1080	11-SEP-05 9:47:44AM	SILT				
B626958	470403	7099961	1057	11-SEP-05 9:58:14AM	SILT				
B626959	470365	7099873	1028	11-SEP-05 10:12:41AM	SILT				
B626960	470299	7099781	1013	11-SEP-05 10:26:30AM	SILT				
B626961	470265	7099681	982	11-SEP-05 10:41:01AM	SILT				
B626962	470266	7099681	978	11-SEP-05 10:55:18AM	DUP				
B626963	470242	7099591	971	11-SEP-05 11:04:14AM	SILT				
B626964	470226	7099504	942	11-SEP-05 11:18:54AM	SILT				
B626965	470213	7099421	932	11-SEP-05 11:31:27AM	SILT				

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B626966	470234	7099393	936	11-SEP-05 11:43:16AM	SILT				
B626967	470166	7099387	932	11-SEP-05 12:17:35PM	SILT				
B626968	470085	7099337	909	11-SEP-05 12:35:29PM	SILT				
B626969	469993	7099352	912	11-SEP-05 12:52:36PM	SILT				
B626970	469916	7099390	902	11-SEP-05 1:07:43PM	STD 7G				
B626971	469916	7099390	904	11-SEP-05 1:07:59PM	SILT				
B626972	456856	7105068	925	11-SEP-05 3:23:17PM	SILT				
B626973	456934	7105001	928	11-SEP-05 3:40:24PM	SILT				
B626974	457014	7104941	913	11-SEP-05 3:56:17PM	SILT				
B626975	457085	7104866	910	11-SEP-05 4:12:59PM	SILT				
B626976	457169	7104806	894	11-SEP-05 4:26:50PM	SILT				
B626977	457245	7104734	887	11-SEP-05 4:38:40PM	SILT				
B626978	457328	7104664	878	11-SEP-05 4:47:01PM	SILT				
B627001	454356	7099198	1124	10-SEP-05 9:05:23AM	SILT	NNW	40cm	silt/organics	Dry Creek
B627002	454351	7099205	1124	10-SEP-05 9:08:50AM	DUP	NNW	40cm	silt/organics	Dry Creek
B627003	454298	7099272	1109	10-SEP-05 9:20:23AM	SILT	NNW	50cm	silt/organics	Dry Creek
B627004	454228	7099346	1104	10-SEP-05 9:29:45AM	SILT	NNW	50cm	silt/organics	Dry Creek
B627005	454127	7099448	1070	10-SEP-05 9:47:17AM	SILT	NNW	60cm	silt/organics	
B627006	454046	7099512	1065	10-SEP-05 9:50:19AM	SILT	NNW	40cm	silt/organics	
B627007	453946	7099526	1055	10-SEP-05 9:58:53AM	SILT	NW	30cm	silt/organics	
B627008	453847	7099497	1034	10-SEP-05 10:09:01AM	SILT	NW	20cm	silt/organics	
B627009	453748	7099482	1029	10-SEP-05 10:23:05AM	SILT	NW	40cm	silt/organics	
B627010	453648	7099471	1020	10-SEP-05 10:31:26AM	STD 5E				
B627011	453625	7099475	1011	10-SEP-05 10:42:10AM	SILT	NW	40cm	metaseds/qrtz/silt/organics	
B627012	453589	7099469	1013	10-SEP-05 10:45:12AM	SILT	SW	30cm	metaseds/qrtz/silt/organics	
B627013	453531	7099467	1007	10-SEP-05 10:54:16AM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627014	453424	7099464	999	10-SEP-05 11:04:59AM	SILT	NW	1.5m	metaseds/qrtz/silt/organics	
B627015	453321	7099470	990	10-SEP-05 11:16:36AM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627016	453219	7099461	979	10-SEP-05 11:29:51AM	SILT	W	40cm	metaseds/qrtz/silt/organics	Side Creek
B627017	453133	7099413	974	10-SEP-05 11:47:38AM	SILT	W	1m	metaseds/qrtz/silt/organics	
B627018	453051	7099470	963	10-SEP-05 12:19:09PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627019	452950	7099483	954	10-SEP-05 12:30:31PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627020	452853	7099451	945	10-SEP-05 12:40:20PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627021	452755	7099437	925	10-SEP-05 12:56:41PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627022	452757	7099435	923	10-SEP-05 1:01:05PM	DUP	NW	1m	metaseds/qrtz/silt/organics	
B627023	452656	7099483	910	10-SEP-05 1:15:53PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627024	452553	7099464	912	10-SEP-05 1:21:04PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627025	452488	7099537	897	10-SEP-05 1:29:21PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627026	452405	7099596	885	10-SEP-05 1:44:19PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627027	452318	7099657	875	10-SEP-05 1:47:17PM	SILT	NW	1m	metaseds/qrtz/silt/organics	
B627028	468846	7098061	1087	11-SEP-05 8:55:40AM	SILT	NNE	40cm		
B627029	468868	7098161	1072	11-SEP-05 9:03:23AM	SILT	NNE	40cm		
B627031	468871	7098262	1063	11-SEP-05 9:19:30AM	SILT	NNE	50cm	silt/organics	Dry Creek
B627032	468899	7098353	1049	11-SEP-05 9:25:11AM	SILT	NNE	50cm	silt/organics	Dry Creek
B627033	468918	7098456	1043	11-SEP-05 9:40:58AM	SILT	NNE	50cm	metaseds/qrtz/silt/organics	
B627034	468910	7098558	1015	11-SEP-05 9:53:02AM	SILT	NNE	50cm	metaseds/qrtz/silt/organics	
B627035	468844	7098630	994	11-SEP-05 10:03:06AM	SILT	NNW	50cm	metaseds/qrtz/silt/organics	
B627036	468790	7098714	971	11-SEP-05 10:14:08AM	SILT	N	70cm	metaseds/qrtz/silt/organics	
B627037	468764	7098808	957	11-SEP-05 10:23:34AM	SILT	N	70cm	metaseds/qrtz/silt/organics	
B627038	468729	7098906	932	11-SEP-05 10:35:20AM	SILT	NNW	70cm	metaseds/qrtz/silt/organics	
B627039	468670	7098990	912	11-SEP-05 10:44:44AM	SILT	NNW	50cm	metaseds/qrtz/silt/organics	
B627040	468637	7099084	901	11-SEP-05 11:04:08AM	SILT	NNW	50cm	metaseds/qrtz/silt/organics	
B627041	468623	7099189	880	11-SEP-05 11:15:12AM	SILT	NW	50cm	metaseds/qrtz/silt/organics	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B627042	468622	7099186	874	11-SEP-05 11:15:28AM	DUP	NW	50cm	metaseds/qrtz/silt/organics	
B627043	468569	7099274	870	11-SEP-05 11:28:06AM	SILT	NW	70cm	metaseds/qrtz/silt/organics	
B627044	468565	7099373	856	11-SEP-05 11:38:44AM	SILT	NNE	1m	metaseds/qrtz/silt/organics	
B627045	468613	7099487	869	11-SEP-05 11:52:42AM	SILT	NNW	2.5m	metaseds/qrtz/silt/organics	Stream confluence with Skate Creek
B627046	468664	7099403	842	11-SEP-05 12:04:10PM	SILT	NNE	3m	metaseds/qrtz/silt/organics	
B627047	468755	7099352	851	11-SEP-05 12:17:02PM	SILT	NNE	3m	metaseds/qrtz/silt/organics	
B627048	468855	7099325	855	11-SEP-05 12:34:32PM	SILT	N	3m	metaseds/qrtz/silt/organics	
B627049	468948	7099309	851	11-SEP-05 12:43:40PM	SILT	N	3m	metaseds/qrtz/silt/organics	
B627050	468942	7099322	863	11-SEP-05 12:53:43PM	STD 7G				
B627051	453960	7096264	891		SILT	W	2m	meta seds/ silt	
B627052	453869	7096236	891		SILT	NW	2m	silt	side crk
B627053	453862	7096254	885		SILT	W	2m	meta seds/ silt	
B627054	453765	7096225	878		SILT	W	2m	silt /sand	
B627055	453659	7096220	871		SILT	W	2m	silt/sand	
B627056	453558	7096225	863		SILT	W	1m	meta seds/silt	
B627057	453454	7096208	858		SILT	W	2m	meta seds	
B627058	453343	7096195	846		SILT	W	2m	meta seds	
B627059	453237	7096191	838		SILT	W	2m	meta seds/ sand	
B627060	453183	7096196	840		SILT	NW	50cm	meta seds	side crk,some rust
B627061	453191	7096214	842		SILT	W	1m	meta seds	
B627062	453190	7096212	842		DUP	W	2m	meta seds	
B627063	453079	7096239	842		SILT	W	2m	meta seds/ sand	
B627064	452955	7096279	828		SILT	W	2m	silt/sand	
B627065	452857	7096272	826		SILT	W	2m	meta seds/ sand	
B627066	452806	7096362	817		SILT	W	1m	meta seds	
B627067	452701	7096400	809		SILT	W	1m	silt	
B627068	452596	7096433	804		SILT	W	1m	silt	
B627069	452537	7096505	801		SILT	W	1m	silt	
B627070	452535	7096503			STD 7G				
B627071	468215	7097546	1122		SILT	N	1m	meta seds	seep
B627072	468184	7097649	1090		SILT	N	30cm	meta seds/silt	dry
B627073	468167	7097748	1072		SILT	N	30cm	meta seds/silt	dry
B627074	468167	7097848	1055		SILT	N	30cm	silt	
B627075	468167	7097953	1043		SILT	N	30cm	meta seds/qrtz	
B627076	468156	7098053	1011		SILT	N	30cm	meta seds/qrtz	
B627077	468160	7098161	1003		SILT	N	1m	meta seds/qrtz	
B627078	468152	7098263	983		SILT	N	1m	meta seds/qrtz	
B627079	468159	7098369	966		SILT	N	1m	meta seds/qrtz	
B627080	468159	7098466	954		SILT	N	1m	meta seds/qrtz	
B627081	468169	7098569	942		SILT	N	1m	meta seds/qrtz	
B627082	468167	7098565	940		DUP	N	1m	meta seds/qrtz	
B627083	468154	7098660	925		SILT	N	1m	meta seds/qrtz	
B627084	468172	7098765	911		SILT	N	1m	meta seds/qrtz	
B627085	468174	7098888	894		SILT	N	1m	meta seds/qrtz	
B627086	468154	7098985	880		SILT	N	1m	meta seds/qrtz	some rusty rcks
B627087	468137	7099093	865		SILT	N	1m	meta seds/qrtz	
B627088	468066	7099179	857		SILT	N	1m	silt	dry
B627089	467978	7099224	842		SILT	NW	1m	meta seds/qrtz	
B627090	467977	7099221	839		STD 7G				
B627091	467898	7099288	830		SILT	N	1m	meta seds/qrtz	
B627092	467815	7099350	815		SILT	N	1m	grano/qrtz	
B627093	467784	7099448	820		SILT	N	1.5m	grano/qrtz/meta seds	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B627094	456181	7102553	1159		SILT	NE	1m	meta seds/qrtz	seep
B627095	456219	7102648	1125		SILT	NE	1m	meta seds/qrtz	seep
B627096	456233	7102747	1088		SILT	NE	1m	meta seds/qrtz	seep
B627097	456271	7102844	1054		SILT	NE	1m	meta seds/qrtz	
B627098	456274	7102954	1020		SILT	NE	1m	silt	
B627099	456314	7103057	1016		SILT	NE	1m	silt	
B627100	456329	7103163	966		SILT	NW	1m	meta/seds	
B627101	454858	7097985	1084	10-SEP-05 8:39:28AM	SILT	SW	30M	metaseds/qrtz/silt/organics	
B627102	454858	7097985	1085	10-SEP-05 8:39:28AM	DUP	SW	30M	metaseds/qrtz/silt/organics	
B627103	454767	7097945	1076	10-SEP-05 8:48:28AM	SILT	SW	30M	metaseds/qrtz/silt/organics	
B627104	454666	7097927	1054	10-SEP-05 8:54:16AM	SILT	SW	30M	metaseds/qrtz/silt/organics	
B627105	454568	7097910	1039	10-SEP-05 9:03:08AM	SILT	SW	20M	metaseds/qrtz/silt/organics	
B627106	454469	7097917	1021	10-SEP-05 9:09:35AM	SILT	SW	15M	metaseds/qrtz/silt/organics	
B627107	454369	7097895	1003	10-SEP-05 9:15:11AM	SILT	SW	10M	metaseds/qrtz/silt/organics	
B627108	454283	7097847	992	10-SEP-05 9:19:53AM	SILT	SW	5M	metaseds/qrtz/silt/organics	
B627109	454189	7097808	980	10-SEP-05 9:26:49AM	SILT	SW	10M	metaseds/qrtz/silt/organics	
B627110	454094	7097776	972	10-SEP-05 9:34:34AM	SILT	SW	5M	metaseds/qrtz/silt/organics	
B627111	453996	7097739	960	10-SEP-05 9:41:11AM	SILT	SW	5M	metaseds/qrtz/silt/organics	
B627112	453893	7097713	947	10-SEP-05 9:47:30AM	SILT	SW	5M	metaseds/qrtz/silt/organics	
B627113	453798	7097712	942	10-SEP-05 9:54:05AM	SILT	SW	3M	metaseds/qrtz/silt/organics	
B627114	453699	7097669	927	10-SEP-05 10:00:27AM	SILT	SW	4M	metaseds/qrtz/silt/organics	
B627115	453591	7097664	926	10-SEP-05 10:07:26AM	SILT	SW	3M	metaseds/qrtz/silt/organics	
B627116	453497	7097634	917	10-SEP-05 10:12:57AM	SILT	SW	3M	metaseds/qrtz/silt/organics	
B627117	453404	7097596	908	10-SEP-05 10:20:01AM	SILT	SW	5M	metaseds/qrtz/silt/organics	
B627118	453299	7097560	895	10-SEP-05 10:27:02AM	SILT	SW	7M	metaseds/qrtz/silt/polished boulders	
B627119	453211	7097515	885	10-SEP-05 10:34:24AM	SILT	SW	20M	metaseds/qrtz/silt/organics	
B627120	453126	7097470	878	10-SEP-05 10:43:55AM	SILT	SW	10M	metaseds/qrtz/silt/organics	
B627121	453048	7097420	871	10-SEP-05 10:49:54AM	SILT	SW	10M	metaseds/qrtz/silt/organics	
B627122	453048	7097420	871	10-SEP-05 10:49:54AM	DUP	SW	10M	metaseds/qrtz/silt/organics	
B627123	452969	7097355	867	10-SEP-05 11:00:33AM	SILT	SW	10M	metaseds/qrtz/silt/organics	
B627124	452892	7097296	852	10-SEP-05 11:07:55AM	SILT	SW	10M	metaseds/qrtz/silt/organics	
B627125	452842	7097209	852	10-SEP-05 11:15:44AM	SILT	SW	5M	metaseds/qrtz/silt/organics	
B627126	452757	7097131	842	10-SEP-05 11:23:46AM	SILT	SW	10M	metaseds/qrtz/silt/organics	
B627127	452721	7097030	840	10-SEP-05 11:31:06AM	SILT	SW	25M	metaseds/qrtz/silt/organics	
B627128	452708	7096925	827	10-SEP-05 11:38:24AM	SILT	SW	10M	metaseds/qrtz/silt/qtzite pebbles	
B627129	452665	7096835	821	10-SEP-05 11:46:24AM	SILT	SW	5M	metaseds/qrtz/silt/organics	
B627131	452597	7096763	813	10-SEP-05 11:53:09AM	SILT	SW	10M	metaseds/qrtz/silt/organics	
B627132	452555	7096674	802	10-SEP-05 12:00:12PM	SILT	WSW	6M	metaseds/qrtz/silt/organics	
B627133	452519	7096588	795	10-SEP-05 12:08:49PM	SILT	WSW	10M	metaseds/qrtz/silt/organics	
B627134	452488	7096515	789	10-SEP-05 12:14:22PM	SILT	WSW	10M	metaseds/qrtz/silt/organics	
B627135	452416	7096493	784	10-SEP-05 12:46:26PM	SILT	WSW	6M	metaseds/qrtz/silt/organics	
B627136	452321	7096513	782	10-SEP-05 12:53:38PM	SILT	S	5M	metaseds/qrtz/silt/organics	
B627137	452229	7096499	778	10-SEP-05 12:59:14PM	SILT	S	5M	metaseds/qrtz/silt/organics	
B627138	452129	7096459	776	10-SEP-05 1:04:48PM	SILT	S	5M	metaseds/qrtz/silt/polished boulders	
B627139	452039	7096425	769	10-SEP-05 1:11:20PM	SILT	S	15M	metaseds/qrtz/silt/polished boulders	
B627140	451937	7096400	765	10-SEP-05 1:17:00PM	SILT	S	5M	metaseds/qrtz/silt/organics	
B627141	451841	7096380	759	10-SEP-05 1:26:37PM	SILT	S	2M	metaseds/qrtz/silt/organics	
B627142	451841	7096380	759	10-SEP-05 1:26:37PM	DUP	S	2M	metaseds/qrtz/silt/organics	
B627143	451743	7096345	756	10-SEP-05 1:34:57PM	SILT	S	5M	metaseds/qrtz/silt/organics	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B627144	451638	7096306	746	10-SEP-05 1:41:24PM	SILT	S	2M	metaseds/qrtz/silt/organics	qtzite outcrop
B627145	451550	7096263	744	10-SEP-05 1:49:14PM	SILT	S	3M	metaseds/qrtz/silt/organics	3inch qtz vn on foln in qtzite outcrop
B627146	451436	7096254	736	10-SEP-05 2:20:37PM	SILT	S	3M	metaseds/qrtz/silt/organics	
B627147	469934	7098007	1065	11-SEP-05 9:04:05AM	SILT	N	3M	metaseds/qrtz/silt/organics	
B627148	469952	7098099	1057	11-SEP-05 9:14:17AM	SILT	N	1M	metaseds/qrtz/silt/organics	
B627149	469951	7098199	1045	11-SEP-05 9:20:15AM	SILT	N	10M	metaseds/qrtz/silt/organics	
B627151	469927	7098293	1037	11-SEP-05 9:27:21AM	SILT	N	10M	metaseds/qrtz/silt/organics	
B627152	469897	7098381	1031	11-SEP-05 9:34:45AM	SILT	N	1M	metaseds/qrtz/silt/organics	
B627153	469863	7098470	1029	11-SEP-05 9:40:58AM	SILT	N	.5M	metaseds/qrtz/silt/organics	
B627154	469823	7098551	1001	11-SEP-05 9:48:41AM	SILT	N	1M	metaseds/qrtz/silt/organics	marble boulder scree outcrop
B627155	469801	7098646	994	11-SEP-05 9:58:24AM	SILT	N	2M	metaseds/qrtz/silt/organics	marble boulder scree outcrop
B627156	469838	7098733	977	11-SEP-05 10:06:35AM	SILT	N	1M	metaseds/qrtz/silt/organics	marble boulder scree outcrop
B627157	469876	7098813	977	11-SEP-05 10:12:26AM	SILT	N	.5M	metaseds/qrtz/silt/organics	marble boulder scree outcrop
B627158	469861	7098922	960	11-SEP-05 10:27:09AM	SILT	N	.5M	metaseds/qrtz/silt/organics	
B627159	469843	7099024	947	11-SEP-05 10:34:27AM	SILT	N	1M	qtzite pebbles	
B627160	469812	7099108	934	11-SEP-05 10:59:31AM	SILT	N	1M	qtz phyllite and qtzite pieces	
B627161	469787	7099203	925	11-SEP-05 11:05:36AM	SILT	N	1M	qtz phyllite and qtzite pieces	
B627162	469787	7099203	925	11-SEP-05 11:05:36AM	DUP			metaseds/qrtz/silt/organics	
B627163	469743	7099291	914	11-SEP-05 11:13:03AM	SILT	N	1M	metaseds/qrtz/silt/organics	qtzite boulders present
B627164	469670	7099358	906	11-SEP-05 11:20:04AM	SILT	N	1M	phyllite chips in silt	
B627165	469617	7099418	889	11-SEP-05 11:27:27AM	SILT	N	5M	phyllite chips in silt	
B627166	469520	7099398	881	11-SEP-05 11:48:32AM	SILT	N	3M	phyllite chips in silt	
B627167	469420	7099413	877	11-SEP-05 11:59:03AM	SILT	WNW	5M	metaseds/qrtz/silt/organics	
B627168	469305	7099414	873	11-SEP-05 12:09:28PM	SILT	W	5M	metaseds/qrtz/silt/organics	
B627169	469349	7099240	903	11-SEP-05 12:52:28PM	SILT	W	.5M	phyllite chips in silt	
B627171	469373	7099176	919	11-SEP-05 12:59:46PM	SILT	W	1M	metaseds/qrtz/silt/organics	
B627172	469331	7099332	876	11-SEP-05 1:14:55PM	SILT	N	1M	metaseds/qrtz/silt/organics	
B627173	456974	7103449	941	11-SEP-05 3:28:58PM	SILT	N	1M	metaseds/qrtz/silt/organics	
B627174	457008	7103528	933	11-SEP-05 3:34:40PM	SILT	N	1M	metaseds/qrtz/silt/organics	
B627175	457052	7103611	917	11-SEP-05 3:39:20PM	SILT	N	2M	metaseds/qrtz/silt/organics	
B627176	457079	7103710	902	11-SEP-05 3:44:17PM	SILT	N	1M	metaseds/qrtz/silt/organics	
B627177	457156	7103776	890	11-SEP-05 3:51:19PM	SILT	N	1M	metaseds/qrtz/silt/organics	
B627178	457237	7103833	874	11-SEP-05 3:58:06PM	SILT	N	1M	metaseds/qrtz/silt/organics	
B627179	457262	7103892	861	11-SEP-05 4:04:34PM	SILT	N	1M	metaseds/qrtz/silt/organics	phyllitc qtzite boulder scree to
B627180	457337	7103919	846	11-SEP-05 4:15:11PM	SILT	E	2M	metaseds/qrtz/silt/organics	
B627181	457416	7103892	844	11-SEP-05 4:20:24PM	SILT	E	5M	metaseds/qrtz/silt/organics	
B627182	457416	7103892	844	11-SEP-05 4:20:24PM	DUP			metaseds/qrtz/silt/organics	
B627183	457494	7103814	841	11-SEP-05 4:26:23PM	SILT	E	5M	metaseds/qrtz/silt/organics	
B627184	457575	7103752	836	11-SEP-05 4:31:18PM	SILT	ESE	10M	metaseds/qrtz/silt/organics	
B627185	457608	7103662	833	11-SEP-05 4:35:54PM	SILT	ESE	10M	metaseds/qrtz/silt/organics	
B627186	457679	7103588	836	11-SEP-05 4:40:42PM	SILT	SE	10M	metaseds/qrtz/silt/organics	
B627187	457724	7103501	833	11-SEP-05 4:46:12PM	SILT	SE	10M	qtzite pebbles	
B627188	457787	7103418	830	11-SEP-05 4:50:54PM	SILT	SE	10M	metaseds/qrtz/silt/organics	
B627189	457867	7103334	826	11-SEP-05 4:58:11PM	SILT	SE	10M	metaseds/qrtz/silt/organics	
B627190	463492	7095692	1083	12-SEP-05 9:25:36AM	SILT	N	5	phyllite chips	
B627191	463442	7095766	1051	12-SEP-05 9:31:16AM	SILT	N	5	phyllite; quartz cobbles	
B627192	463408	7095861	1023	12-SEP-05 9:38:55AM	SILT	N	3	phyllite and phyllitic quartzite	
B627193	463375	7095953	994	12-SEP-05 9:45:42AM	SILT	N	5	phyllite chips	
B627194	463356	7096042	976	12-SEP-05 9:51:16AM	SILT	N	5	phyllite chips	
B627195	463333	7096139	951	12-SEP-05 9:56:45AM	SILT	N	5	phyllite chips	
B627196	463327	7096252	933	12-SEP-05 10:02:39AM	SILT	N	5	phyllite chips	
B627197	463342	7096340	916	12-SEP-05 10:07:57AM	SILT	N	5	phyllite chips	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B627198	463340	7096438	896	12-SEP-05 10:13:33AM	SILT	N	5	phyllite chips	
B627199	463337	7096531	880	12-SEP-05 10:18:20AM	SILT	N	2	phyllite chips	
B627200	463336	7096632	871	12-SEP-05 10:23:12AM	SILT	N	2	phyllite chips	
B627201	456341	7103268	961		SILT	NE	1m	meta seds	
B627202	456342	7103269	960		DUP	NE	1m	meta seds	
B627203	456339	7103373	952		SILT	NE	1m	meta seds	
B627204	456347	7103479	938		SILT	NE	2m	silt	
B627205	456354	7103650	914		SILT	NE	1m	meta seds	
B627206	460341	7099707	1189		SILT	N	50cm	seep	
B627207	460369	7099805	1148		SILT	N	50cm	seep	some oxidation
B627208	460356	7099919	1101		SILT	N	1m	seep	
B627209	460318	7100019	1072		SILT	N	50cm	grano/meta seds	
B627210	460319	7100014	1070		STD 6F				
B627211	460296	7100122	1038		SILT	N	50cm	grano/meta seds	dry crk
B627212	460293	7100225	1016		SILT	N	1m	grano/meta seds	dry crk,some oxidation
B627213	460283	7100332	994		SILT	N	1m	grano/meta seds	dry crk,some oxidation
B627214	460268	7100428	981		SILT	N	1m	grano/meta seds	dry crk,some oxidation
B627215	460232	7100533	968		SILT	N	1m	grano/meta seds	dry crk,some oxidation,beside rd
B627216	460168	7100618	949		SILT	N	1m	grano/meta seds	dry crk,some oxidation,beside rd
B627217	460082	7100674	943		SILT	NW	1m	grano/meta seds	dry crk,some oxidation
B627218	459996	7100736	924		SILT	NW	1m	grano/meta seds	dry crk,some oxidation
B627219	459906	7100782	917		SILT	NW	1m	grano/meta seds	dry crk,some oxidation
B627220	459818	7100829	894		SILT	NW	2.5m	grano/meta seds	start placer area
B627251	471513	7099283	1013	11-SEP-05 10:39:01AM	SILT	S	2		
B627252	471422	7099239	1008	11-SEP-05 10:58:44AM	SILT	SW	1		
B627253	471321	7099234	992	11-SEP-05 11:14:19AM	SILT	SW	1		
B627254	471210	7099230	989	11-SEP-05 11:30:37AM	SILT	W	2		confluence
B627255	471110	7099256	981	11-SEP-05 11:52:39AM	SILT	W	1		
B627256	471010	7099260	987	11-SEP-05 12:05:37PM	SILT	W	1.5		
B627257	470909	7099271	974	11-SEP-05 12:17:47PM	SILT	W NW	2		
B627258	470804	7099276	959	11-SEP-05 12:30:26PM	SILT	W NW	1.5		
B627259	470701	7099262	960	11-SEP-05 12:55:20PM	SILT	W NW	1		
B627260	470610	7099312	951	11-SEP-05 1:10:53PM	SILT	W NW	2		
B627261	470518	7099338	938	11-SEP-05 1:25:43PM	SILT	NW	2		
B627262	470518	7099338	938		DUP				
B627263	470416	7099361	935	11-SEP-05 1:43:01PM	SILT	NW	2		
B627264	470313	7099372	929	11-SEP-05 1:58:42PM	SILT	NW	2		
B627265	457523	7105136	917	11-SEP-05 3:39:11PM	SILT	S	1		New Creek
B627266	457496	7105035	904	11-SEP-05 3:52:20PM	SILT	S	1		
B627267	457438	7104946	906	11-SEP-05 4:03:58PM	SILT	S	1		
B627268	457398	7104850	887	11-SEP-05 4:13:17PM	SILT	S	1		
B627269	457356	7104755	884	11-SEP-05 4:26:52PM	SILT	SW	1		
B627271	457340	7104647	873	11-SEP-05 4:38:32PM	SILT	SW	2		confluence
B627272	457343	7104451	860	11-SEP-05 5:02:04PM	SILT	SW	2		
B627273	457361	7104242	858	11-SEP-05 5:11:15PM	SILT	SW	2		
B627274	460066	7098710	1145	12-SEP-05 9:07:37AM	SILT	N	0.5		dry
B627275	459993	7098773	1113	12-SEP-05 9:20:16AM	SILT	N	1		dry
B627276	459911	7098841	1081	12-SEP-05 9:30:36AM	SILT	N	1		dry
B627277	459818	7098868	1049	12-SEP-05 9:41:38AM	SILT	NW	1		dry
B627278	459727	7098900	1018	12-SEP-05 9:53:41AM	SILT	NW	1		dry
B627279	459636	7098938	975	12-SEP-05 10:07:46AM	SILT	NW	0.5		dry

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B627280	459563	7099015	955	12-SEP-05 10:23:42AM	SILT	NW	0.5		
B627281	459502	7099094	935	12-SEP-05 10:33:28AM	SILT	NW	0.5		dry
B627282	459502	7099094	935		DUP				
B627283	459436	7099175	915	12-SEP-05 10:45:06AM	SILT	NW	0.5		
B627284	459375	7099258	905	12-SEP-05 10:52:37AM	SILT	NW	0.5		
B627285	459305	7099331	889	12-SEP-05 11:02:00AM	SILT	NW	0.5		
B627286	459198	7099351	873	12-SEP-05 11:15:02AM	SILT	NW	1		dry
B627287	459098	7099358	863	12-SEP-05 11:25:29AM	SILT	NW	2		rocky cr.
B627288	458998	7099342	849	12-SEP-05 11:38:07AM	SILT	NW	2		dry
B627289	458897	7099331	840	12-SEP-05 11:46:02AM	SILT	NW	2		rocky creek bed, granodiorite
B627291	458797	7099357	823	12-SEP-05 11:56:59AM	SILT	NW	1		dry
B627292	458692	7099369	808	12-SEP-05 12:05:31PM	SILT	NW	1		
B627293	458589	7099378	795	12-SEP-05 12:19:04PM	SILT	NW	2		
B627294	458491	7099401	785	12-SEP-05 12:28:09PM	SILT	NW	1		
B627295	458491	7099401	784		SILT	W	1		
B627296	457889	7103332	831	13-SEP-05 10:11:58AM	SILT	SE	5		rocky, gravel cr. bd
B627297	457951	7103255	821	13-SEP-05 10:18:12AM	SILT	SE	5		rocky, gravel cr. bd
B627298	457888	7103316	826	13-SEP-05 10:41:41AM	SILT	NE	0.5		
B627299	457794	7103264	853	13-SEP-05 10:53:12AM	SILT	NE	0.5		
B627300	461118	7103346	955	13-SEP-05 12:33:39PM	SILT	SW	0.5		
B627301	469040	7099329	853	11-SEP-05 12:56:37PM	SILT	WSW	2m	metaseds/qrtz/silt/organics	
B627302	469041	7099333	853	11-SEP-05 1:06:24PM	DUP	WSW	2m	metaseds/qrtz/silt/organics	
B627303	469149	7099334	860	11-SEP-05 1:09:42PM	SILT	W	2.5m	metaseds/qrtz/silt/organics	
B627304	455920	7104664	1132	11-SEP-05 3:39:03PM	SILT	ESE	70cm	silt/organics	Dry Creek
B627305	456019	7104626	1103	11-SEP-05 3:50:22PM	SILT	ESE	20cm	silt/clay	Dry Creek
B627306	456115	7104593	1083	11-SEP-05 3:58:41PM	SILT	ESE	20cm	silt/clay	Dry Creek
B627307	456215	7104555	1046	11-SEP-05 4:07:48PM	SILT	ESE	10cm	silt/clay	Dry Creek
B627308	456270	7104464	1027	11-SEP-05 4:17:04PM	SILT	ESE	10cm	silt/clay	Dry Creek
B627309	456289	7104365	1008	11-SEP-05 4:25:03PM	SILT	ESE	30cm	silt/clay/metaseds	Dry Creek
B627310	456293	7104368	1028	11-SEP-05 4:33:14PM	STD 7G				Dry Creek
B627311	456322	7104277	985	11-SEP-05 4:42:18PM	SILT	SSE	1m	metaseds/qrtz/silt/organics	Dry Creek
B627312	456363	7104196	965	11-SEP-05 4:49:58PM	SILT	SSE	1m	metaseds/qrtz/silt/organics	Dry Creek
B627313	456422	7104096	933	11-SEP-05 4:49:58PM	SILT	SSE	1m	metaseds/qrtz/silt/organics	Dry Creek
B627314	456460	7103995	910	11-SEP-05 5:03:34PM	SILT	SSE	1.5 m	metaseds/qrtz/silt/organics	Hydrothermal alteration zone (fault)
B627315	460158	7099556	1184	12-SEP-05 9:10:02AM	SILT	NW	50cm	silt/organics	
B627316	460067	7099612	1146	12-SEP-05 9:25:23AM	SILT	NW	20cm	silt/organics	
B627317	459990	7099674	1109	12-SEP-05 9:42:27AM	SILT	NW	30cm	silt/organics	
B627318	459921	7099751	1072	12-SEP-05 10:03:14AM	SILT	NW	40cm	metaseds/qrtz/silt/granodiorite	
B627319	459836	7099806	1040	12-SEP-05 10:07:33AM	SILT	NW	50cm	metaseds/qrtz/silt/organics	
B627320	459757	7099861	1019	12-SEP-05 10:31:19AM	SILT	NW	50cm	silt/organics	
B627321	459673	7099913	985	12-SEP-05 10:46:31AM	SILT	NW	50cm	metaseds/qrtz/silt/granodiorite	
B627322	459674	7099912	980	12-SEP-05 10:46:57AM	DUP	NW	50cm	metaseds/qrtz/silt/granodiorite	
B672323	459594	7099977	968	12-SEP-05 11:00:07AM	SILT	NW	50cm	silt/organics	
B627324	459535	7100056	955	12-SEP-05 11:15:14AM	SILT	NW	40cm	metaseds/qrtz/silt/granodiorite	Hydrothermal show (vien perhaps)
B627325	459493	7100148	936	12-SEP-05 11:37:48AM	SILT	NW	50cm	metaseds/qrtz/silt/granodiorite	
B627326	459475	7100249	920	12-SEP-05 11:53:31AM	SILT	NW	50cm	metaseds/qrtz/silt/granodiorite	
B627327	459426	7100336	904	12-SEP-05 11:56:40AM	SILT	NW	50cm	metaseds/qrtz/silt/granodiorite	
B627328	459379	7100423	889	12-SEP-05 12:05:14PM	SILT	N	75cm	metaseds/qrtz/silt/granodiorite	
B627329	459322	7100514	867	12-SEP-05 12:16:57PM	SILT	N	1m	metaseds/qrtz/silt/granodiorite	
B627330	459324	7100518	862	12-SEP-05 12:24:43PM	SILT				
B627331	459305	7100618	852	12-SEP-05 12:28:18PM	SILT	NW	1m	metaseds/qrtz/silt/granodiorite	

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B627332	459260	7100707	841	12-SEP-05 12:38:18PM	SILT	NW	1.5m	metaseds/qrtz/silt/granodiorite	placer mining tailings (irrelevant)
B627351	463324	7096727	849	12-SEP-05 10:30:41AM	SILT	N	2	phyllite chips	
B627352	463312	7096823	841	12-SEP-05 10:35:52AM	SILT	N	2	phyllite chips	
B627353	463275	7096928	829	12-SEP-05 10:40:58AM	SILT	N	2	phyllite chips	
B627354	463236	7097026	818	12-SEP-05 10:46:08AM	SILT	N	2	phyllite chips	
B627355	463214	7097134	809	12-SEP-05 10:52:03AM	SILT	N	1	phyllite chips	
B627356	463144	7097210	798	12-SEP-05 10:58:11AM	SILT	N	1	phyllite chips; quartzite boulders	
B627357	463081	7097300	787	12-SEP-05 11:04:10AM	SILT	N	1	phyllite chips	
B627358	463065	7097400	779	12-SEP-05 11:08:17AM	SILT	N	1	phyllite chips	
B627359	463035	7097523	764	12-SEP-05 11:13:54AM	SILT	N	5	phyllite chips	confluence
B627360	463001	7097547	765	12-SEP-05 11:26:10AM	SILT	NW	15	phyllite chips	
B627401	461026	7103356	943	13-SEP-05 12:43:22PM	SILT	SW	0.5		silty
B627402	461026	7103356	944		DUP				
B627403	461045	7103274	943	13-SEP-05 12:52:55PM	SILT	NW	1		silty
B627404	460984	7103347	931	13-SEP-05 1:01:12PM	SILT	NW	1		
B627405	460966	7103355	932	13-SEP-05 1:07:37PM	SILT	NW	0.5		confluence
B627406	460749	7103377	909	13-SEP-05 1:18:31PM	SILT	NW	0.5		
B627407	460700	7103479	886	13-SEP-05 1:28:00PM	SILT	N	0.5		rocky/ silty
B627408	460667	7103578	856	13-SEP-05 1:36:29PM	SILT	W	1		rocky/ silty
B627409	461965	7103783	955	13-SEP-05 2:16:57PM	SILT	NW	1		
B627411	461986	7103787	953	13-SEP-05 2:21:48PM	SILT	W	1		
B627412	461970	7103786	940	13-SEP-05 2:28:27PM	SILT	NW	1		confluence
B627413	461912	7103875	929	13-SEP-05 2:36:01PM	SILT	NW	1		
B627551	459663	7101588	951		SILT				
B627552	459657	7101487	935		SILT				dry creek bed
B627553	461084	7100457	1120		SILT				flowing
B627554	461035	7100548	1105		SILT				
B627555	460979	7100639	1076		SILT				creek flowing
B627556	460924	7100727	1063		SILT				
B627557	460875	7100817	1046		SILT				flowing
B627558	460827	7100900	1050		SILT				flowing
B627559	460761	7100974	1014		SILT				flowing

Sample Number	Easting NAD 27	Northing NAD 27	Elev (m)	Sample Date	Sample Type	Creek Flow Direction	Creek Width (m)	General Petrology	Notes
B290429	470784	7101820	942	01-SEP-05 10:13:53AM	SILT	S	Underground		
B290430	470674	7101829	925	01-SEP-05 10:25:12AM	SILT	S	Underground		
B290431	470586	7101871	908	01-SEP-05 10:46:57AM	SILT	S	Underground		
B290432	470501	7101930	904	01-SEP-05 10:57:15AM	SILT	S	Underground		
B290433	470413	7101980	887	01-SEP-05 11:06:19AM	SILT	S	Underground		
B290434	470387	7102097	880	01-SEP-05 11:20:08AM	SILT	S	0.5		
B290435	470326	7102184	867	01-SEP-05 11:32:22AM	SILT	S	0.2		
B290436	470222	7102180	866	01-SEP-05 11:45:28AM	SILT	S	1		
B290437	470139	7102158	866	01-SEP-05 12:05:43PM	SILT	S	1.5		
B290438	470328	7100709	1137	01-SEP-05 1:31:10PM	SILT	S	Underground		
B290439	470292	7100819	1126	01-SEP-05 1:48:02PM	SILT	S	Underground		
B290440	470292	7100929	1084	01-SEP-05 2:10:24PM	SILT	S	Underground		
B290441	470319	7101039	1047	01-SEP-05 2:40:16PM	SILT	S	0.3		
B290442	470319	7101039	1042	01-SEP-05 2:40:56PM	DUP	S	0.3		
B290443	470327	7101119	976	01-SEP-05 3:13:07PM	SILT	S	0.2		
B290444	470340	7101227	971	01-SEP-05 3:30:02PM	SILT	S	0.2		
B290445	470339	7101333	943	01-SEP-05 3:36:50PM	SILT	S	0.2-0.5		
B290446	470328	7101441	921	01-SEP-05 3:49:54PM	SILT	S	0.2-0.5		
B290447	470273	7101536	904	01-SEP-05 4:05:43PM	SILT	S	0.3		
B290448	470184	7101602	893	01-SEP-05 4:23:46PM	SILT	S	0.3		
B290449	470082	7101609	877	01-SEP-05 4:34:54PM	SILT	S	0.5		
B366201	458506	7101344	789	14-AUG-05 10:45:45AM	SILT	North East	1	ss/diorite	
B366202	458506	7101345	789		DUP				small stream
B366203	458515	7101718	790	14-AUG-05 11:17:48AM	SILT	North East	2	ss/diorite	convergence point
B366204	458442	7101627	799	14-AUG-05 11:21:04AM	SILT	North	1.5	ss/diorite	
B366205	458363	7101612	805	14-AUG-05 11:39:53AM	SILT	North East	1.5	ss/diorite	
B366206	458258	7101604	804	14-AUG-05 11:45:55AM	SILT	North East	1	ss/diorite	
B366207	458164	7101638	811	14-AUG-05 11:51:54AM	SILT	North East	1	ss/diorite	
B366208	458069	7101662	825	14-AUG-05 11:58:07AM	SILT	North East	1	ss/diorite	
B366209	457964	7101652	831	14-AUG-05 12:05:57PM	SILT	North East	1.25	ss/diorite	old campsite nearby
B366210	457860	7101644	826	14-AUG-05 12:13:12PM	STD 7G	North East	1	ss/diorite	old road embankment (oxidized)
B366211	457758	7101639	826	14-AUG-05 12:20:15PM	SILT	North East	2	ss/diorite	
B366212	457659	7101627	832	14-AUG-05 12:25:41PM	SILT	North East	2	ss/diorite	still old campsite
B366213	457562	7101613	831	14-AUG-05 12:31:05PM	SILT	North East	0.75	ss/diorite	
B366214	457463	7101570	844	14-AUG-05 12:37:07PM	SILT	North East	1	ss/diorite	
B366215	457337	7101561	851	14-AUG-05 12:48:20PM	SILT	North East	1	ss/diorite	
B366216	457220	7101567	855	14-AUG-05 12:57:28PM	SILT	North East	1	ss/diorite	
B366217	457121	7101524	861	14-AUG-05 1:03:23PM	SILT	North East	1	ss/diorite	Red (oxidized for about 50 meters)
B366218	457006	7101503	878	14-AUG-05 1:11:52PM	SILT	North East	1	ss/diorite	just before convergence
B366219	456911	7101465	877	14-AUG-05 1:24:30PM	SILT	North East	1	ss/diorite	
B366220	456826	7101402	889	14-AUG-05 1:33:57PM	SILT	North East	0.5	ss/diorite	
B366221	456731	7101347	899	14-AUG-05 1:54:20PM	SILT	North East	1	ss/diorite	dry creek beds all around
B366222	456674	7101313	904	14-AUG-05 2:32:06PM	SILT	North East	1	ss/diorite	
B366223	456605	7101254	910	14-AUG-05 2:42:02PM	SILT	North East	0.5	ss/diorite	
B366224	456531	7101243	914	14-AUG-05 2:52:21PM	SILT	North East	1	ss/diorite	
B366225	456431	7101210	924	14-AUG-05 3:03:49PM	SILT	North East	1	ss/diorite	
B366226	456329	7101216	929	14-AUG-05 3:11:36PM	SILT	North East	1.5	ss/diorite	
B366227	456215	7101220	939	14-AUG-05 3:20:53PM	SILT	North East	1	ss/diorite	
B366228	456108	7101233	946	14-AUG-05 3:32:13PM	SILT	North East	1.5	ss/diorite	some earlier oxidation
B366229	456000	7101212	953	14-AUG-05 3:40:22PM	SILT	North East	1	ss/diorite	
B366230	455891	7101179	969	14-AUG-05 3:50:29PM	SILT	North East	0.25	ss/diorite	

APPENDIX O

ALS Chemex Assay Certificates

- Silt Samples -

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-SEP-2005
Account: STRGOL

CERTIFICATE VA05072078

Project: 1735

P.O. No.:

This report is for 208 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 25-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

094876

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
/01-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B366201		0.58	<0.005			<0.5	6.82	75	800	1.8	<2	0.43	0.6	25	59	27
B366202		0.38	0.028			<0.5	5.76	48	780	1.4	<2	0.70	<0.5	13	55	27
B366203		0.42	<0.005			<0.5	7.18	115	760	1.8	<2	0.37	<0.5	24	62	32
B366204		0.48	0.007			<0.5	4.97	58	750	1.3	<2	0.67	<0.5	16	50	27
B366205		0.30	0.011			<0.5	5.76	41	790	1.4	<2	0.66	<0.5	16	56	28
B366206		0.44	0.007			<0.5	6.24	48	840	1.5	<2	0.68	<0.5	12	58	27
B366207		0.38	0.005			<0.5	5.27	67	810	1.3	<2	0.63	<0.5	16	50	28
B366208		0.44	0.017			<0.5	4.85	72	790	1.2	<2	0.67	<0.5	16	53	27
B366209		0.44	<0.005			<0.5	5.20	62	750	1.3	<2	0.59	<0.5	14	49	26
B366210		0.30	<0.005			0.5	4.94	64	710	1.3	<2	0.40	0.5	17	44	29
B366211		0.30	<0.005			<0.5	6.76	52	850	1.9	<2	0.63	<0.5	21	65	38
B366212		0.50	<0.005			<0.5	5.11	49	710	1.4	<2	0.57	<0.5	17	47	27
B366213		0.44	<0.005			<0.5	6.32	24	840	1.6	<2	0.73	<0.5	11	57	24
B366214		0.60	<0.005			<0.5	6.00	38	810	1.5	<2	0.56	<0.5	12	54	23
B366215		0.34	<0.005			0.5	5.85	26	780	1.4	<2	0.68	<0.5	9	54	22
B366216		0.54	<0.005			<0.5	6.42	23	810	1.6	<2	0.64	<0.5	10	58	22
B366217		0.54	<0.005			0.6	7.54	55	770	2.1	<2	0.32	<0.5	15	66	26
B366218		0.54	<0.005			<0.5	6.44	28	760	1.6	<2	0.67	<0.5	8	58	21
B366219		0.34	0.008			0.5	5.74	34	690	1.4	<2	0.64	<0.5	10	54	23
B366220		0.38	<0.005			<0.5	6.38	17	720	1.6	<2	0.62	<0.5	8	56	17
B366221		0.40	0.014			<0.5	5.64	32	690	1.4	<2	0.68	<0.5	9	55	19
B366222		0.26	<0.005			0.9	4.93	56	660	1.2	<2	0.66	<0.5	11	46	25
B366223		0.38	0.012			0.8	5.40	83	700	1.3	<2	0.67	0.5	12	50	29
B366224		0.36	<0.005			0.7	5.49	48	720	1.4	<2	0.64	<0.5	10	50	28
B366225		0.52	<0.005			1.3	5.83	66	750	1.5	<2	0.67	0.5	14	57	32
B366226		0.48	0.016			1.1	5.78	59	740	1.4	<2	0.71	0.5	12	60	31
B366227		0.56	<0.005			0.9	5.49	41	750	1.3	<2	0.77	<0.5	9	51	27
B366228		0.54	<0.005			1.4	5.54	47	730	1.3	<2	0.72	<0.5	11	55	30
B366229		0.52	0.006			0.5	6.01	53	730	1.5	<2	0.64	<0.5	13	57	29
B366230		0.30	<0.005			1.2	6.65	46	880	1.6	<2	0.67	<0.5	10	65	39
B366231		0.24	<0.005			<0.5	8.06	9	910	2.3	<2	0.61	<0.5	21	73	24
B366232		0.20	0.011			<0.5	6.55	13	720	1.6	<2	0.65	<0.5	12	66	18
B366233		0.34	<0.005			<0.5	7.77	16	860	2.1	<2	0.60	<0.5	14	72	23
B366234		0.30	0.010			<0.5	6.74	8	720	1.8	<2	0.54	<0.5	13	63	20
B366235		0.24	<0.005			<0.5	7.55	16	800	2.1	<2	0.49	<0.5	14	72	22
B366236		0.26	<0.005			<0.5	8.10	20	860	2.2	<2	0.49	<0.5	15	76	23
B366237		0.44	<0.005			<0.5	7.54	15	770	2.0	<2	0.47	<0.5	15	70	21
B366238		0.24	<0.005			<0.5	7.52	17	770	2.0	<2	0.46	<0.5	14	70	23
B366239		0.30	<0.005			<0.5	7.64	20	790	1.9	<2	0.49	<0.5	14	70	23
B366240		0.30	<0.005			<0.5	8.20	11	910	2.2	<2	0.58	<0.5	16	68	23

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B366201		3.89	2.15	0.57	2390	<1	0.65	44	460	29	0.03	7	111	0.27	80	<10
B366202		3.25	1.63	0.56	776	<1	0.79	30	650	36	0.02	11	138	0.39	82	<10
B366203		4.35	2.24	0.59	2020	<1	0.65	45	550	32	0.04	10	107	0.25	82	<10
B366204		3.23	1.40	0.49	874	<1	0.74	31	630	36	0.02	12	128	0.41	74	<10
B366205		3.33	1.67	0.56	891	<1	0.71	29	620	37	0.02	9	128	0.42	84	<10
B366206		3.17	1.77	0.58	624	<1	0.83	28	600	34	0.02	10	140	0.38	86	<10
B366207		3.43	1.51	0.51	978	<1	0.70	31	600	41	0.02	15	123	0.40	79	<10
B366208		3.63	1.36	0.50	888	<1	0.67	33	640	45	0.02	15	125	0.51	79	<10
B366209		3.35	1.51	0.51	906	<1	0.65	31	540	36	0.02	12	119	0.39	76	<10
B366210		3.55	1.48	0.48	1080	<1	0.48	34	490	44	0.02	13	91	0.39	70	<10
B366211		3.80	2.17	0.68	1400	<1	0.48	42	620	46	0.07	12	115	0.30	91	<10
B366212		3.35	1.47	0.51	1095	<1	0.61	34	530	43	0.02	10	113	0.38	75	<10
B366213		3.10	1.81	0.64	721	<1	0.78	27	530	37	0.03	9	144	0.32	89	<10
B366214		3.12	1.80	0.60	765	<1	0.67	26	480	35	0.02	9	124	0.36	84	<10
B366215		2.86	1.63	0.59	530	<1	0.81	22	510	29	0.03	6	142	0.36	83	<10
B366216		2.83	1.92	0.63	488	<1	0.79	21	490	28	0.03	9	142	0.33	91	<10
B366217		4.27	2.55	0.83	1230	<1	0.45	31	500	37	0.03	14	101	0.27	97	<10
B366218		2.90	1.87	0.67	488	<1	0.79	21	510	30	0.04	7	145	0.31	89	<10
B366219		2.93	1.62	0.59	549	<1	0.76	23	520	36	0.02	7	135	0.41	83	<10
B366220		2.93	1.87	0.68	481	<1	0.74	19	460	29	0.03	6	134	0.32	87	<10
B366221		2.89	1.58	0.59	441	<1	0.73	20	490	27	0.02	7	135	0.39	83	<10
B366222		2.69	1.34	0.48	838	<1	0.73	22	520	38	0.02	11	131	0.41	75	<10
B366223		3.05	1.48	0.52	824	<1	0.75	27	550	47	0.02	10	136	0.46	82	<10
B366224		2.91	1.52	0.52	826	<1	0.75	26	520	40	0.02	10	135	0.40	82	<10
B366225		3.17	1.65	0.58	1490	<1	0.75	30	550	42	0.02	9	136	0.44	92	<10
B366226		3.23	1.54	0.57	813	<1	0.77	27	590	45	0.02	12	143	0.47	90	<10
B366227		2.94	1.42	0.56	605	<1	0.91	23	540	33	0.02	9	156	0.44	87	<10
B366228		3.09	1.45	0.57	751	<1	0.82	25	540	40	0.02	11	145	0.48	91	<10
B366229		3.14	1.67	0.62	557	<1	0.70	25	520	40	0.02	11	131	0.44	93	<10
B366230		3.31	1.62	0.65	306	<1	0.65	29	1020	48	0.04	12	131	0.33	105	<10
B366231		3.11	2.80	0.78	560	<1	0.59	37	600	33	0.04	8	143	0.34	104	<10
B366232		2.64	1.90	0.68	354	<1	0.63	23	510	31	0.04	7	133	0.41	89	<10
B366233		2.88	2.45	0.77	415	<1	0.62	30	540	37	0.05	8	139	0.33	103	<10
B366234		2.72	2.05	0.69	392	<1	0.56	25	480	32	0.04	9	123	0.32	87	<10
B366235		2.90	2.43	0.76	382	<1	0.53	29	510	38	0.04	14	125	0.31	98	<10
B366236		3.06	2.68	0.81	448	<1	0.56	29	500	44	0.04	15	132	0.31	106	<10
B366237		2.88	2.35	0.73	425	<1	0.56	27	470	44	0.03	16	126	0.28	95	<10
B366238		2.91	2.32	0.74	375	<1	0.56	24	500	47	0.04	19	125	0.31	95	<10
B366239		2.93	2.33	0.75	403	<1	0.61	24	500	44	0.03	14	130	0.28	100	<10
B366240		3.05	2.69	0.76	646	<1	0.65	28	600	31	0.02	10	144	0.32	103	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B366201		137
B366202		98
B366203		133
B366204		103
B366205		99
B366206		91
B366207		115
B366208		124
B366209		116
B366210		128
B366211		128
B366212		116
B366213		88
B366214		91
B366215		78
B366216		75
B366217		118
B366218		71
B366219		83
B366220		70
B366221		78
B366222		91
B366223		100
B366224		97
B366225		114
B366226		105
B366227		94
B366228		101
B366229		103
B366230		99
B366231		106
B366232		76
B366233		92
B366234		80
B366235		87
B366236		84
B366237		75
B366238		76
B366239		78
B366240		87

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B366241		0.28	<0.005			0.7	8.96	23	950	2.6	<2	0.38	<0.5	13	87	25
B366242		0.24	<0.005			0.8	8.88	20	960	2.6	<2	0.39	0.5	13	87	25
B366243		0.50	<0.005			0.6	8.39	26	890	2.3	<2	0.46	<0.5	13	77	27
B366244		0.30	0.024			<0.5	7.82	17	790	2.1	<2	0.40	<0.5	11	69	28
B366245		0.34	<0.005			<0.5	9.25	48	870	2.8	<2	0.28	<0.5	22	91	46
B366246		0.38	<0.005			<0.5	8.54	54	900	2.5	<2	0.49	<0.5	16	88	41
B366247		0.30	<0.005			<0.5	6.35	18	830	1.5	<2	0.74	<0.5	9	62	14
B366248		0.30	<0.005			<0.5	4.17	11	600	0.9	<2	0.72	<0.5	4	40	7
B366249		0.26	<0.005			<0.5	5.69	15	780	1.3	<2	0.72	<0.5	8	50	15
B366250		0.08	2.70			<0.5	7.46	2090	730	12.7	<2	0.01	<0.5	1	144	102
B366251		0.84	0.041			<0.5	5.02	44	720	1.2	<2	1.26	<0.5	10	65	23
B366252		1.12	0.018			<0.5	4.68	44	680	1.1	<2	1.16	<0.5	11	65	23
B366253		1.32	0.012			<0.5	5.29	27	790	1.3	<2	1.55	<0.5	13	114	25
B366254		0.94	0.043			<0.5	5.43	27	790	1.3	<2	1.54	<0.5	12	111	24
B366255		1.38	0.021			<0.5	5.72	26	740	1.4	<2	1.56	<0.5	15	130	27
B366256		1.26	0.014			<0.5	5.84	30	800	1.4	<2	1.29	<0.5	12	86	26
B366257		1.24	0.028			<0.5	6.34	23	810	1.6	<2	1.53	<0.5	16	120	33
B366258		1.04	0.052			<0.5	5.55	26	660	1.4	<2	0.97	<0.5	11	74	21
B366259		0.86	0.039			<0.5	5.60	25	670	1.3	<2	1.04	<0.5	11	77	21
B366260		0.80	0.005			<0.5	6.13	34	760	1.5	<2	0.99	<0.5	13	73	27
B366261		1.32	0.026			<0.5	4.74	11	660	1.0	<2	1.00	<0.5	9	56	11
B366262		1.12	<0.005			<0.5	5.49	16	760	1.3	<2	0.98	<0.5	11	60	17
B366263		1.08	<0.005			<0.5	6.00	39	720	1.5	<2	1.02	<0.5	13	75	26
B366264		1.02	0.012			<0.5	6.05	36	730	1.4	<2	0.97	<0.5	13	70	26
B366265		1.02	0.009			<0.5	6.64	20	820	1.7	<2	0.83	<0.5	13	71	20
B366266		1.14	<0.005			<0.5	6.77	39	820	1.6	<2	0.82	<0.5	11	72	22
B366267		0.76	<0.005			<0.5	6.27	14	770	1.6	<2	0.91	0.5	15	75	22
B366268		0.88	0.166			<0.5	6.29	31	760	1.6	<2	0.92	<0.5	12	74	27
B366269		1.04	<0.005			<0.5	6.72	29	800	1.7	<2	0.94	<0.5	13	77	28
B366270		0.08	2.62			<0.5	7.32	2030	720	12.7	<2	0.01	<0.5	<1	142	100
B366271		0.88	0.005			<0.5	6.39	32	760	1.6	<2	0.95	0.5	12	72	24
B366272		0.66	0.030			<0.5	6.72	37	820	1.7	<2	0.87	<0.5	11	69	25
B366273		1.08	<0.005			<0.5	6.18	33	730	1.5	<2	0.90	<0.5	13	69	25
B366274		0.78	<0.005			<0.5	6.23	30	760	1.5	<2	0.88	<0.5	11	65	23
B366275		1.08	<0.005			<0.5	6.53	24	790	1.6	<2	0.86	<0.5	13	67	25
B366276		0.82	<0.005			<0.5	6.41	28	780	1.5	<2	0.86	<0.5	10	63	23
B366277		0.60	0.967			<0.5	6.16	287	760	1.6	<2	0.92	<0.5	17	64	29
B366278		0.42	0.064			<0.5	5.91	112	730	1.5	<2	0.66	0.6	18	55	30
B366279		0.40	0.883			<0.5	6.04	143	780	1.5	<2	0.79	0.6	19	56	31
B366280		0.64	0.144	0.062		<0.5	5.66	196	700	1.4	<2	0.73	0.6	18	53	36

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B366241		3.17	3.11	0.82	401	<1	0.47	32	430	76	0.03	14	128	0.25	116	<10
B366242		3.15	3.16	0.82	410	<1	0.50	32	440	81	0.03	17	132	0.29	118	<10
B366243		3.20	2.85	0.80	357	<1	0.53	31	530	63	0.03	10	134	0.28	110	<10
B366244		3.23	2.60	0.76	376	<1	0.47	28	500	46	0.03	9	120	0.23	98	<10
B366245		5.03	3.49	0.97	597	<1	0.28	45	490	45	0.02	16	105	0.20	124	<10
B366246		3.96	3.08	0.85	430	<1	0.60	39	580	41	0.02	13	141	0.27	123	<10
B366247		2.57	1.76	0.64	562	<1	0.85	17	520	43	0.03	14	152	0.34	93	<10
B366248		1.72	1.00	0.46	227	<1	0.86	10	420	20	0.01	5	136	0.32	72	<10
B366249		2.42	1.48	0.57	435	<1	0.87	16	510	35	0.03	8	150	0.27	86	<10
B366250		3.35	3.18	0.38	70	2	0.09	11	330	30	0.02	151	143	0.22	105	10
B366251		2.76	1.31	0.81	560	<1	0.91	28	650	51	0.02	26	175	0.30	85	<10
B366252		2.78	1.28	0.77	588	<1	0.84	31	670	37	0.02	18	160	0.30	79	10
B366253		3.25	1.43	1.11	624	<1	0.91	39	690	30	0.02	9	194	0.35	108	<10
B366254		3.29	1.52	1.13	615	<1	0.89	38	740	31	0.02	13	190	0.37	109	10
B366255		3.58	1.58	1.25	673	<1	0.89	44	690	37	0.02	14	204	0.39	117	<10
B366256		3.22	1.64	0.97	611	<1	0.89	35	680	30	0.02	10	179	0.32	100	<10
B366257		3.77	1.81	1.23	744	<1	0.87	48	670	41	0.02	12	196	0.41	122	10
B366258		2.96	1.57	0.78	572	<1	0.79	29	630	38	0.02	13	159	0.36	93	10
B366259		3.06	1.52	0.80	590	<1	0.83	31	680	46	0.02	19	171	0.34	98	10
B366260		3.07	1.74	0.78	579	<1	0.81	30	650	56	0.03	19	169	0.34	99	<10
B366261		2.28	1.20	0.56	585	<1	0.89	17	600	21	0.02	7	157	0.42	82	<10
B366262		2.62	1.45	0.62	736	<1	0.87	21	620	28	0.02	11	160	0.35	87	<10
B366263		3.23	1.68	0.83	724	<1	0.81	34	680	54	0.02	22	171	0.33	101	<10
B366264		3.08	1.68	0.77	632	<1	0.88	31	730	48	0.02	21	175	0.33	98	<10
B366265		2.89	1.96	0.73	839	<1	0.86	29	670	30	0.02	9	163	0.34	96	<10
B366266		3.26	1.94	0.73	655	<1	0.84	27	720	31	0.02	11	161	0.33	97	<10
B366267		3.00	1.87	0.77	1410	<1	0.70	31	610	36	0.04	13	164	0.30	93	<10
B366268		3.09	1.81	0.79	661	<1	0.80	32	650	55	0.02	23	166	0.31	100	<10
B366269		3.23	1.93	0.82	772	<1	0.79	35	650	64	0.03	21	170	0.31	104	<10
B366270		3.28	3.10	0.37	68	1	0.08	9	310	28	0.02	146	141	0.22	102	10
B366271		3.07	1.81	0.76	688	<1	0.86	30	650	59	0.02	26	175	0.33	102	10
B366272		3.02	1.95	0.74	572	<1	0.87	28	660	56	0.03	24	170	0.33	103	<10
B366273		3.00	1.76	0.73	682	<1	0.78	31	640	67	0.03	22	167	0.32	99	<10
B366274		2.89	1.74	0.71	586	<1	0.83	27	640	62	0.02	27	168	0.32	95	<10
B366275		2.95	1.84	0.69	701	<1	0.87	28	660	68	0.03	28	171	0.33	97	<10
B366276		2.80	1.75	0.68	549	<1	0.88	27	620	59	0.03	22	169	0.31	92	<10
B366277		3.38	1.64	0.62	626	1	0.93	29	810	38	0.06	11	173	0.45	82	220
B366278		3.45	1.60	0.55	871	<1	0.79	28	660	34	0.03	11	137	0.38	77	10
B366279		3.34	1.62	0.60	1180	1	0.87	35	640	36	0.04	5	155	0.33	81	30
B366280		3.30	1.49	0.56	857	1	0.82	30	680	42	0.06	10	143	0.37	72	30

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Zn ppm 2
B366241		138
B366242		140
B366243		124
B366244		101
B366245		142
B366246		120
B366247		76
B366248		39
B366249		70
B366250		17
B366251		79
B366252		82
B366253		83
B366254		85
B366255		89
B366256		85
B366257		98
B366258		93
B366259		102
B366260		107
B366261		61
B366262		73
B366263		120
B366264		108
B366265		114
B366266		89
B366267		150
B366268		123
B366269		136
B366270		17
B366271		133
B366272		130
B366273		130
B366274		127
B366275		140
B366276		130
B366277		100
B366278		104
B366279		111
B366280		108

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B366281		0.60	0.505	1.110		<0.5	6.20	241	780	1.5	<2	0.84	0.6	18	65	31
B366282		0.48	0.144	0.260		<0.5	5.63	199	720	1.4	<2	0.79	<0.5	17	55	28
B366283		0.58	0.019	0.046	0.060	<0.5	6.25	237	780	1.6	<2	0.82	0.6	19	57	29
B366284		0.42	0.043	1.280	1.115	<0.5	6.62	167	830	1.6	<2	0.87	0.5	20	63	30
B366285		0.70	1.555	2.69		0.6	5.95	250	730	1.5	<2	0.72	0.7	18	60	30
B366286		0.36	0.051	0.196		<0.5	6.23	174	780	1.6	<2	0.77	0.5	18	59	30
B366287		0.58	0.180	0.077		1.4	6.17	186	780	1.6	<2	0.82	0.5	17	63	29
B366288		0.64	0.016			<0.5	6.20	206	750	1.5	<2	0.78	0.5	18	52	31
B366289		0.44	0.087			<0.5	5.65	170	750	1.5	<2	0.84	0.5	16	54	27
B366290		0.08	4.45			9.3	8.23	10	500	0.9	<2	2.91	1.7	22	22	135
B366291		0.56	0.497			<0.5	6.35	263	800	1.5	<2	0.91	0.7	18	67	34
B366292		0.44	0.321			<0.5	5.46	136	710	1.3	<2	0.86	0.6	14	54	25
B366293		0.30	0.072			<0.5	6.96	285	840	1.8	<2	0.75	0.7	16	65	38
B366294		0.54	0.783			<0.5	6.43	224	830	1.6	<2	0.88	0.6	17	68	30
B366295		0.60	0.052			<0.5	5.15	89	700	1.2	<2	0.98	<0.5	13	51	23
B366296		0.56	0.314			<0.5	5.84	178	760	1.4	<2	0.95	<0.5	15	60	25
B366297		0.70	0.018			<0.5	5.44	92	720	1.3	<2	0.99	<0.5	13	53	25
B366298		0.58	0.010			<0.5	5.65	138	660	1.4	<2	0.72	0.5	13	48	31
B366299		0.68	0.226			<0.5	5.99	180	750	1.5	<2	0.83	0.6	16	57	33
B366300		0.70	0.059			<0.5	5.86	180	750	1.4	<2	0.88	0.5	16	60	28
B366301		0.30	<0.005			<0.5	6.78	34	820	1.7	<2	0.75	<0.5	13	68	27
B366302		0.24	<0.005			0.5	6.95	25	850	1.8	<2	0.70	0.5	14	69	25
B366303		0.30	<0.005			<0.5	6.61	31	820	1.6	<2	0.74	0.7	13	68	22
B366304		0.20	0.007			<0.5	5.90	20	730	1.4	<2	0.73	1.4	9	60	16
B366305		0.24	<0.005			<0.5	5.59	22	700	1.3	<2	0.71	1.4	8	57	16
B366306		0.26	0.018			<0.5	7.05	27	780	1.8	<2	0.69	0.7	16	72	27
B366307		0.34	0.006			<0.5	7.25	44	810	1.9	<2	0.67	0.8	16	75	28
B366308		0.26	0.016			<0.5	5.85	28	700	1.4	<2	1.00	0.7	11	64	20
B366309		0.38	<0.005			<0.5	6.98	16	780	1.9	<2	0.86	0.6	13	80	23
B366310		0.10	1.445			<0.5	7.03	1225	710	5.8	<2	0.01	<0.5	6	219	40
B366311		0.34	<0.005			<0.5	5.59	36	700	1.3	<2	1.03	0.7	12	62	18
B366312		0.46	<0.005			<0.5	4.89	20	660	1.1	<2	1.10	<0.5	10	55	17
B366313		0.46	<0.005			<0.5	4.59	34	680	1.1	<2	1.06	<0.5	9	48	19
B366314		0.44	0.019			<0.5	5.63	103	780	1.4	<2	1.08	<0.5	13	57	23
B366315		0.64	0.023			<0.5	5.21	127	700	1.3	<2	0.84	<0.5	12	53	26
B366316		0.48	0.006			<0.5	5.04	98	700	1.2	<2	0.98	<0.5	10	49	21
B366317		0.46	0.064			<0.5	5.59	212	730	1.4	<2	0.84	0.6	14	54	27
B366318		0.48	0.030			<0.5	6.97	371	720	1.8	<2	0.67	<0.5	12	62	44
B366319		0.32	0.013			<0.5	7.08	160	910	1.8	<2	0.82	0.6	16	69	31
B366320		0.36	0.037			<0.5	6.22	130	820	1.6	<2	0.95	<0.5	13	61	26

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B366281		3.51	1.64	0.61	974	1	0.90	33	760	29	0.06	9	163	0.42	84	160
B366282		3.28	1.50	0.57	866	1	0.84	28	730	32	0.06	10	150	0.42	78	160
B366283		3.57	1.66	0.62	1035	1	0.89	34	730	40	0.06	13	156	0.40	81	40
B366284		3.66	1.79	0.66	1335	1	0.85	37	710	30	0.05	7	163	0.38	87	20
B366285		3.70	1.67	0.59	1020	2	0.76	32	690	56	0.13	15	145	0.38	80	340
B366286		3.52	1.72	0.62	943	3	0.83	35	650	50	0.07	13	153	0.39	83	80
B366287		3.50	1.63	0.61	980	<1	0.88	30	730	46	0.08	9	159	0.41	84	140
B366288		3.75	1.57	0.62	1000	1	0.84	33	660	75	0.18	22	148	0.31	73	30
B366289		3.36	1.49	0.59	912	1	0.85	30	720	59	0.14	14	150	0.37	75	40
B366290		4.28	2.33	1.39	1010	13	1.76	15	950	24	0.74	<5	443	0.39	155	<10
B366291		3.90	1.71	0.66	1090	1	0.87	32	780	60	0.18	16	164	0.39	87	60
B366292		3.15	1.43	0.58	701	<1	0.85	24	670	46	0.10	14	154	0.36	77	50
B366293		3.45	2.12	0.67	1640	1	0.78	35	670	40	0.07	13	158	0.36	86	10
B366294		3.66	1.75	0.66	906	1	0.82	32	710	55	0.12	13	160	0.40	88	130
B366295		2.75	1.29	0.59	704	1	0.91	24	660	42	0.07	16	168	0.33	77	10
B366296		3.26	1.50	0.64	686	<1	0.91	29	780	47	0.10	10	171	0.42	83	50
B366297		2.82	1.38	0.61	737	1	0.96	26	690	32	0.05	10	169	0.32	77	10
B366298		3.03	1.56	0.56	554	1	0.86	26	660	28	0.03	<5	143	0.31	72	10
B366299		3.65	1.61	0.63	879	1	0.84	33	710	52	0.14	16	154	0.41	82	30
B366300		3.42	1.56	0.61	827	1	0.89	32	750	47	0.11	14	161	0.40	82	100
B366301		2.90	1.91	0.67	710	<1	0.78	26	540	39	0.04	12	160	0.28	94	<10
B366302		3.04	2.09	0.70	756	<1	0.74	27	560	44	0.04	9	154	0.31	100	<10
B366303		2.94	1.90	0.68	647	<1	0.74	23	580	37	0.04	10	153	0.29	96	<10
B366304		2.25	1.58	0.60	324	<1	0.84	18	500	27	0.02	<5	152	0.31	88	<10
B366305		2.29	1.54	0.58	404	<1	0.80	18	460	30	0.02	7	146	0.29	82	<10
B366306		3.26	2.09	0.75	719	1	0.68	29	580	35	0.03	11	154	0.29	98	<10
B366307		3.36	2.22	0.75	990	1	0.67	28	590	42	0.03	10	151	0.30	101	<10
B366308		2.80	1.55	0.67	611	1	0.86	21	670	28	0.01	11	170	0.37	91	<10
B366309		3.02	2.07	0.74	480	<1	0.77	26	600	32	0.02	8	168	0.38	105	<10
B366310		3.80	2.64	0.35	92	2	0.11	20	350	25	0.02	126	95	0.25	91	10
B366311		2.58	1.42	0.65	484	<1	0.97	22	650	19	0.01	<5	179	0.33	88	<10
B366312		2.53	1.20	0.62	502	<1	0.92	19	620	21	0.01	5	175	0.35	83	10
B366313		2.53	1.16	0.56	505	1	0.93	24	620	25	0.01	6	166	0.33	74	<10
B366314		3.21	1.50	0.65	781	<1	0.93	32	700	43	0.06	13	169	0.33	81	40
B366315		3.20	1.44	0.57	707	1	0.80	31	630	41	0.07	9	143	0.34	73	50
B366316		2.80	1.34	0.59	623	1	0.89	28	600	38	0.06	11	162	0.29	75	10
B366317		3.47	1.55	0.61	883	1	0.84	34	610	48	0.11	14	146	0.37	75	30
B366318		3.89	2.28	0.71	677	1	0.61	34	590	69	0.07	24	122	0.33	82	10
B366319		3.94	2.10	0.75	1280	1	0.78	40	640	47	0.06	11	148	0.34	94	10
B366320		3.43	1.72	0.66	863	1	0.87	34	690	36	0.03	12	162	0.34	83	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B366281		112
B366282		97
B366283		106
B366284		120
B366285		133
B366286		118
B366287		114
B366288		146
B366289		140
B366290		104
B366291		120
B366292		113
B366293		110
B366294		128
B366295		88
B366296		102
B366297		91
B366298		89
B366299		134
B366300		118
B366301		94
B366302		100
B366303		106
B366304		172
B366305		162
B366306		120
B366307		123
B366308		92
B366309		118
B366310		48
B366311		84
B366312		73
B366313		66
B366314		106
B366315		96
B366316		89
B366317		136
B366318		114
B366319		126
B366320		106

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B366321		0.54	0.020			<0.5	5.16	160	680	1.3	<2	0.81	<0.5	12	52	24
B366322		0.66	0.062			<0.5	5.07	156	670	1.3	<2	0.82	<0.5	11	48	23
B366323		0.54	0.073			<0.5	4.91	144	660	1.2	2	0.83	<0.5	10	50	22
B366324		0.34	0.015			<0.5	5.79	120	760	1.4	<2	0.91	<0.5	13	61	26
B366325		0.48	0.236			<0.5	6.19	136	790	1.5	<2	1.00	<0.5	16	72	29
B366326		0.40	0.022			0.6	11.10	599	1140	3.0	3	0.43	0.7	19	107	79
B366327		0.62	0.021			<0.5	5.88	175	720	1.5	<2	0.92	<0.5	13	72	28
B366328		0.76	0.010			<0.5	5.48	139	710	1.3	<2	0.98	<0.5	12	61	25
B366329		0.58	0.229			<0.5	5.41	119	720	1.4	<2	0.99	<0.5	13	70	22
B366330		0.08	0.087			<0.5	7.05	106	600	2.6	2	0.59	<0.5	59	1185	383
B366331		0.40	0.008			<0.5	8.81	42	980	2.6	<2	0.46	<0.5	12	78	38
B366332		0.78	0.255			<0.5	5.19	174	660	1.4	<2	0.91	<0.5	11	56	27
B366333		0.56	1.050			2.0	5.43	131	690	1.4	<2	1.10	<0.5	12	105	26
B366334		0.56	0.005			<0.5	5.55	36	800	1.3	<2	0.85	<0.5	9	52	23
B366335		0.60	0.577			<0.5	5.44	134	740	1.3	<2	1.08	<0.5	12	74	23
B366336		0.74	0.280			<0.5	5.37	110	750	1.3	<2	1.19	0.5	13	76	24
B366337		0.90	0.112			<0.5	4.99	88	680	1.2	<2	1.07	<0.5	12	73	24
B366338		0.80	0.304			<0.5	5.12	112	690	1.3	<2	1.08	<0.5	12	74	22
B366339		0.58	0.010			<0.5	5.56	136	700	1.4	<2	0.94	<0.5	14	64	26
B366340		0.48	0.384			<0.5	4.49	102	610	1.1	<2	1.09	0.5	11	75	21
B366341		0.90	0.447			<0.5	5.02	106	670	1.3	<2	1.05	<0.5	13	73	26
B366342		0.70	0.525			<0.5	5.22	115	700	1.3	<2	1.14	<0.5	13	89	25
B366343		0.40	0.260			<0.5	5.13	90	660	1.3	<2	0.97	<0.5	11	66	26
B366344		0.40	0.006			<0.5	4.45	96	600	1.1	<2	1.02	<0.5	11	64	21
B366345		0.30	0.048			<0.5	5.56	142	710	1.4	<2	0.93	<0.5	12	66	26
B366346		0.60	2.09			0.9	6.12	156	790	1.5	<2	1.08	<0.5	13	89	28
B366347		0.38	0.246			<0.5	5.18	99	720	1.2	<2	1.14	<0.5	11	63	21
B366348		0.60	0.407			<0.5	5.08	111	680	1.3	<2	1.10	<0.5	12	70	22
B366349		0.44	0.103			<0.5	5.35	122	710	1.3	<2	0.89	<0.5	13	64	28
B366350		0.10	1.255			<0.5	6.44	1175	670	5.6	<2	0.01	<0.5	5	205	37
B366351		0.52	0.055			<0.5	4.70	110	770	1.1	<2	1.10	<0.5	9	48	30
B366352		0.54	0.028			<0.5	5.14	92	700	1.3	<2	0.87	<0.5	12	55	25
B366353		0.78	0.394			<0.5	4.99	84	800	1.1	<2	1.16	<0.5	10	47	19
B366354		0.66	0.007			<0.5	4.91	60	760	1.1	<2	1.06	<0.5	9	47	19
B366355		0.44	<0.005			<0.5	5.23	53	800	1.1	<2	1.11	<0.5	10	49	18
B366356		0.48	0.059			<0.5	5.06	56	790	1.1	<2	1.12	<0.5	10	51	17
B366357		0.74	<0.005			<0.5	4.79	52	790	1.1	<2	1.27	<0.5	7	45	18
B366358		0.36	0.053			<0.5	4.96	39	770	1.1	<2	1.17	<0.5	9	51	17
B366359		0.62	0.060			<0.5	4.95	52	800	1.1	<2	1.24	<0.5	9	48	18
B366360		0.54	0.011			<0.5	5.09	52	810	1.1	<2	1.13	<0.5	9	48	18

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B366321		3.15	1.42	0.55	672	1	0.80	30	640	36	0.04	13	142	0.35	70	60
B366322		3.02	1.39	0.54	639	1	0.80	29	650	37	0.04	9	142	0.36	69	50
B366323		3.07	1.36	0.53	637	1	0.79	28	650	35	0.04	10	137	0.36	68	90
B366324		3.28	1.62	0.65	2060	1	0.86	44	640	40	0.05	11	148	0.32	79	10
B366325		3.57	1.76	0.73	1730	1	0.82	40	710	47	0.04	15	162	0.37	88	50
B366326		6.13	3.98	1.01	1110	2	0.38	52	430	101	0.05	29	128	0.39	137	20
B366327		3.54	1.72	0.74	1090	1	0.76	38	640	51	0.04	21	148	0.35	80	20
B366328		3.25	1.48	0.66	842	1	0.86	34	680	39	0.03	11	154	0.33	77	20
B366329		3.28	1.50	0.68	645	1	0.85	32	710	37	0.02	11	156	0.39	83	70
B366330		8.89	2.17	0.60	412	9	0.12	491	350	162	0.02	15	52	0.20	90	30
B366331		4.34	3.07	0.77	416	2	0.83	37	660	30	0.15	<5	170	0.27	113	10
B366332		3.29	1.51	0.61	582	1	0.78	31	710	39	0.02	13	150	0.36	72	90
B366333		3.74	1.54	0.80	794	2	0.78	40	730	46	0.05	21	154	0.40	93	600
B366334		2.77	1.44	0.59	358	1	0.98	26	670	23	0.01	5	150	0.30	77	<10
B366335		3.43	1.46	0.70	611	1	0.91	33	780	40	0.03	16	168	0.41	87	100
B366336		3.37	1.48	0.74	893	1	0.87	35	750	38	0.04	14	167	0.36	85	170
B366337		3.08	1.36	0.70	828	1	0.83	36	710	34	0.03	14	157	0.36	79	60
B366338		3.19	1.38	0.69	832	<1	0.83	35	760	36	0.04	9	158	0.39	81	90
B366339		3.25	1.56	0.73	827	1	0.85	36	580	40	0.03	11	151	0.31	77	10
B366340		3.15	1.22	0.70	659	1	0.78	33	730	44	0.04	14	148	0.40	78	150
B366341		3.19	1.42	0.71	1125	1	0.80	34	670	37	0.03	11	151	0.36	79	150
B366342		3.54	1.41	0.75	1165	2	0.80	37	750	43	0.04	14	157	0.39	85	410
B366343		3.09	1.44	0.70	853	1	0.79	37	610	38	0.03	15	149	0.31	78	30
B366344		2.90	1.19	0.64	646	1	0.80	32	660	37	0.03	12	147	0.35	73	30
B366345		3.35	1.54	0.70	1110	1	0.80	36	650	41	0.03	14	147	0.32	79	20
B366346		3.76	1.72	0.76	983	1	0.80	39	810	42	0.04	14	168	0.41	97	400
B366347		3.05	1.40	0.69	976	1	0.85	32	720	31	0.03	8	159	0.32	75	110
B366348		3.24	1.40	0.71	729	1	0.85	34	760	40	0.03	15	161	0.43	81	200
B366349		3.35	1.59	0.73	867	<1	0.78	37	630	38	0.03	10	148	0.34	78	20
B366350		3.75	2.64	0.35	87	1	0.11	18	320	30	0.01	115	86	0.27	85	10
B366351		2.96	1.22	0.69	439	<1	0.79	24	810	21	0.06	5	133	0.30	73	10
B366352		3.04	1.48	0.68	795	<1	0.84	30	640	36	0.02	11	149	0.31	74	10
B366353		2.76	1.28	0.70	721	<1	0.84	27	840	18	0.05	5	142	0.33	75	10
B366354		2.47	1.24	0.66	512	1	0.89	26	800	19	0.04	<5	149	0.32	75	<10
B366355		2.57	1.30	0.69	601	<1	0.93	22	790	20	0.04	<5	157	0.38	80	<10
B366356		2.42	1.28	0.67	376	<1	0.91	24	810	15	0.04	<5	153	0.36	80	<10
B366357		2.42	1.20	0.69	546	<1	0.87	24	840	19	0.05	5	146	0.31	74	<10
B366358		2.39	1.18	0.71	382	<1	0.93	23	780	21	0.04	<5	156	0.33	76	10
B366359		2.51	1.24	0.69	617	<1	0.88	25	860	20	0.06	5	150	0.33	75	<10
B366360		2.52	1.24	0.68	603	<1	0.92	27	820	21	0.04	6	152	0.32	76	<10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B366321		91
B366322		88
B366323		91
B366324		104
B366325		120
B366326		198
B366327		102
B366328		100
B366329		91
B366330		618
B366331		112
B366332		86
B366333		100
B366334		72
B366335		88
B366336		92
B366337		91
B366338		91
B366339		97
B366340		91
B366341		91
B366342		95
B366343		93
B366344		83
B366345		99
B366346		106
B366347		89
B366348		88
B366349		94
B366350		43
B366351		94
B366352		88
B366353		94
B366354		94
B366355		90
B366356		90
B366357		88
B366358		89
B366359		95
B366360		96

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B366361		0.50	0.017			<0.5	4.47	48	740	1.0	<2	1.22	<0.5	8	44	18
B366362		0.88	0.095			<0.5	4.48	57	730	1.0	<2	1.27	<0.5	7	41	16
B366363		0.64	<0.005			<0.5	4.29	44	690	0.9	<2	1.17	<0.5	7	39	13
B366364		0.38	<0.005			<0.5	5.00	53	780	1.1	<2	1.01	0.6	9	47	16
B366365		0.64	0.005			<0.5	4.59	55	740	1.0	<2	1.08	<0.5	9	43	17
B366366		0.50	<0.005			<0.5	4.20	56	700	1.0	<2	1.21	<0.5	8	39	18
B366367		0.54	<0.005			<0.5	4.60	58	760	1.0	<2	1.36	<0.5	8	45	20
B366368		0.42	<0.005			<0.5	4.85	13	710	1.0	<2	0.65	<0.5	5	49	14
B366369		0.30	<0.005			<0.5	4.46	10	760	1.0	<2	0.76	0.5	10	44	16
B366370		0.10	1.335			<0.5	6.60	1205	690	5.6	<2	0.03	<0.5	5	205	38
B366371		0.46	<0.005			<0.5	5.29	7	720	1.0	<2	0.54	<0.5	4	51	10
B366372		0.54	<0.005			<0.5	5.69	<5	740	1.2	<2	0.50	<0.5	4	55	12
B366373		0.44	<0.005			<0.5	5.71	<5	730	1.2	<2	0.49	<0.5	4	57	10
B366374		0.60	<0.005			<0.5	5.57	12	710	1.2	<2	0.49	<0.5	4	55	10
B366375		0.54	0.011			<0.5	5.63	11	790	1.2	<2	0.68	<0.5	8	55	13
B366376		0.44	0.005			<0.5	5.58	18	770	1.1	<2	0.68	<0.5	5	54	11
B366377		0.66	0.006			<0.5	5.77	20	820	1.2	<2	0.69	<0.5	9	56	12
B366378		0.50	<0.005			<0.5	5.50	9	860	1.2	<2	0.68	<0.5	10	58	15
B366379		0.46	<0.005			<0.5	7.99	8	880	1.8	<2	0.33	<0.5	7	78	16
B366380		0.48	<0.005			<0.5	7.91	26	910	1.8	<2	0.37	<0.5	8	78	20
B366381		0.44	<0.005			<0.5	8.54	18	850	1.9	<2	0.36	<0.5	7	79	21
B366382		0.62	0.005			<0.5	9.12	15	910	2.0	<2	0.32	<0.5	13	79	21
B366383		0.54	<0.005			<0.5	8.11	10	850	1.9	<2	0.34	<0.5	12	77	20
B366384		0.56	<0.005			<0.5	7.64	17	810	1.9	<2	0.42	<0.5	9	74	20
B366385		0.44	<0.005			<0.5	6.49	5	830	1.6	<2	0.56	<0.5	13	68	21
B366386		0.52	<0.005			<0.5	6.27	15	840	1.6	<2	0.62	<0.5	15	65	18
B366387		0.56	0.019			<0.5	6.03	5	790	1.4	2	0.82	<0.5	14	72	15
B366388		0.70	<0.005			<0.5	5.73	14	790	1.5	<2	0.61	<0.5	12	61	17
B366389		0.62	<0.005			<0.5	6.58	16	910	1.7	2	0.70	0.5	20	72	20
B366390		0.10	2.53			<0.5	7.43	2100	740	12.5	3	0.01	<0.5	1	141	106
B366391		0.50	0.005			<0.5	5.99	25	810	1.5	<2	0.64	<0.5	17	67	18
B366392		0.48	0.013			<0.5	6.57	12	880	1.6	<2	0.69	<0.5	14	73	19
B366393		0.64	<0.005			<0.5	6.15	23	870	1.5	<2	0.75	<0.5	14	66	18
B366394		0.46	NSS			<0.5	5.88	14	750	1.3	2	0.70	1.1	39	62	18
B366395		0.56	<0.005			0.5	8.11	25	960	1.8	2	0.64	0.7	33	92	27
B366396		0.74	0.005			<0.5	6.14	20	770	1.4	<2	0.65	<0.5	23	64	29
B366397		0.44	0.010			<0.5	7.04	26	900	1.8	<2	0.80	0.5	31	74	34
B366398		0.54	<0.005			<0.5	7.26	21	830	2.5	<2	0.69	2.5	65	67	62
B366399		0.40	0.005			<0.5	6.16	34	710	1.8	2	0.64	1.3	34	67	33
B366400		0.52	0.007			<0.5	6.79	50	780	2.1	2	0.66	2.5	53	70	39

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method Analyte Units LOR	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Tl % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10
B366361		2.32	1.10	0.65	532	<1	0.82	24	830	18	0.07	<5	138	0.31	70	<10
B366362		2.24	1.12	0.64	545	<1	0.86	21	800	16	0.07	<5	142	0.30	69	<10
B366363		2.09	1.02	0.61	464	<1	0.89	19	850	14	0.04	<5	142	0.31	65	<10
B366364		2.44	1.23	0.65	566	<1	0.92	22	760	17	0.03	<5	147	0.31	74	10
B366365		2.30	1.18	0.64	588	<1	0.84	21	810	17	0.06	<5	137	0.29	70	<10
B366366		2.21	1.06	0.64	491	<1	0.76	23	830	19	0.09	5	128	0.28	65	<10
B366367		2.44	1.16	0.70	558	<1	0.81	24	910	17	0.08	<5	141	0.32	73	<10
B366368		2.37	1.26	0.56	234	<1	0.76	17	850	17	0.04	<5	132	0.35	84	<10
B366369		2.62	1.09	0.47	412	1	0.55	20	1270	26	0.10	<5	123	0.27	69	<10
B366370		3.82	2.73	0.36	98	2	0.12	16	330	27	0.02	110	90	0.28	88	10
B366371		2.10	1.30	0.53	179	<1	0.67	13	930	19	0.05	<5	122	0.35	82	<10
B366372		2.00	1.51	0.54	196	<1	0.63	17	640	21	0.05	<5	125	0.43	88	<10
B366373		2.03	1.56	0.54	187	<1	0.63	16	650	21	0.04	<5	119	0.39	86	<10
B366374		2.14	1.44	0.52	182	<1	0.62	14	640	18	0.04	<5	116	0.40	86	10
B366375		2.34	1.38	0.55	258	<1	0.74	24	690	21	0.04	7	135	0.41	91	<10
B366376		2.27	1.32	0.55	235	<1	0.72	20	650	24	0.04	<5	131	0.42	86	<10
B366377		2.38	1.37	0.56	350	<1	0.73	28	690	21	0.04	<5	137	0.39	87	<10
B366378		2.67	1.33	0.56	1305	<1	0.72	51	730	22	0.05	<5	133	0.39	89	<10
B366379		2.30	2.62	0.64	302	<1	0.40	17	640	28	0.04	<5	120	0.45	114	<10
B366380		2.61	2.57	0.64	272	<1	0.45	22	690	27	0.04	<5	126	0.45	112	<10
B366381		3.55	2.65	0.63	301	<1	0.44	20	600	26	0.03	<5	116	0.55	119	<10
B366382		3.71	2.78	0.65	634	<1	0.41	22	600	27	0.03	<5	110	0.49	122	<10
B366383		3.40	2.65	0.62	451	<1	0.43	19	560	27	0.03	<5	107	0.52	120	<10
B366384		2.84	2.30	0.55	271	<1	0.52	22	610	23	0.03	<5	118	0.43	115	<10
B366385		2.93	1.80	0.56	476	1	0.65	28	680	23	0.04	<5	133	0.39	101	<10
B366386		2.85	1.70	0.56	783	1	0.68	35	650	22	0.03	<5	136	0.40	98	<10
B366387		2.74	1.47	0.57	593	<1	0.72	31	640	17	0.03	5	148	0.53	98	<10
B366388		2.73	1.49	0.52	557	1	0.67	31	670	18	0.03	<5	131	0.38	92	10
B366389		3.16	1.74	0.59	1180	1	0.69	46	690	25	0.04	<5	142	0.38	103	<10
B366390		3.44	3.09	0.38	75	2	0.09	12	370	27	0.02	144	141	0.23	99	10
B366391		2.78	1.60	0.55	731	<1	0.66	39	670	17	0.04	6	136	0.37	94	<10
B366392		3.07	1.73	0.60	661	<1	0.66	38	750	37	0.04	6	138	0.39	105	<10
B366393		2.82	1.57	0.58	659	<1	0.69	31	740	27	0.04	5	143	0.36	96	10
B366394		3.07	1.68	0.58	1575	<1	0.59	31	780	33	0.05	5	158	0.30	92	10
B366395		3.54	2.51	0.77	1635	1	0.55	51	1120	46	0.05	8	192	0.40	133	<10
B366396		2.89	1.52	0.58	928	1	0.73	35	740	29	0.03	<5	142	0.38	98	<10
B366397		3.41	1.67	0.60	1610	1	0.62	57	990	30	0.06	6	150	0.36	103	<10
B366398		3.60	1.57	0.54	3910	1	0.61	120	750	26	0.06	5	143	0.34	96	10
B366399		3.12	1.39	0.49	1650	1	0.64	59	640	22	0.05	<5	135	0.36	89	<10
B366400		3.17	1.52	0.52	2360	<1	0.56	87	740	22	0.06	<5	135	0.32	90	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B366361		84
B366362		80
B366363		69
B366364		92
B366365		88
B366366		84
B366367		88
B366368		49
B366369		47
B366370		44
B366371		39
B366372		39
B366373		39
B366374		42
B366375		62
B366376		56
B366377		75
B366378		83
B366379		42
B366380		50
B366381		53
B366382		57
B366383		55
B366384		58
B366385		79
B366386		85
B366387		80
B366388		81
B366389		118
B366390		18
B366391		106
B366392		104
B366393		84
B366394		73
B366395		87
B366396		87
B366397		160
B366398		354
B366399		180
B366400		264

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1
B366401		0.54	0.005			<0.5	6.97	30	800	2.3	<2	0.70	3.0	58	63	52
B366402		0.50	<0.005			<0.5	7.28	34	820	2.5	<2	0.71	3.5	65	63	62
B366403		0.34	0.005			<0.5	6.80	27	790	2.2	<2	0.64	2.1	45	62	44
B366404		0.34	0.038			<0.5	6.59	50	880	1.5	2	0.74	<0.5	16	72	23
B366405		0.44	<0.005			<0.5	5.23	14	840	1.1	<2	0.96	<0.5	6	54	14
B366406		0.50	0.012			<0.5	6.51	38	780	1.8	<2	0.69	1.4	33	64	33
B366407		0.42	0.016			<0.5	6.87	44	820	1.7	<2	0.78	0.7	25	72	26
B366408		0.36	0.037			<0.5	6.34	30	770	1.6	<2	0.73	0.9	19	67	25

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W
	Units	%	%	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
	LOR	0.01	0.01	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10
B366401		3.12	1.52	0.53	2290	<1	0.63	126	750	28	0.05	7	143	0.33	91	<10
B366402		3.25	1.55	0.54	2790	1	0.64	154	710	28	0.05	7	148	0.33	90	10
B366403		2.95	1.50	0.52	1925	1	0.60	95	680	27	0.06	5	137	0.32	91	<10
B366404		2.86	1.47	0.59	788	<1	0.73	39	850	31	0.05	10	150	0.37	101	<10
B366405		2.29	1.14	0.61	280	1	1.07	26	740	14	0.03	<5	182	0.39	90	<10
B366406		2.89	1.55	0.52	1530	2	0.70	61	690	24	0.04	<5	144	0.38	94	10
B366407		2.96	1.59	0.57	698	1	0.73	53	700	29	0.05	5	151	0.42	100	<10
B366408		2.81	1.51	0.54	867	1	0.72	42	710	25	0.05	<5	147	0.41	94	10

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072078

Sample Description	Method	ME-ICP61
	Analyte	Zn
	Units	ppm
	LOR	2
B366401		359
B366402		395
B366403		306
B366404		111
B366405		60
B366406		201
B366407		196
B366408		148

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 3-SEP-2005
Account: STRGOL

CERTIFICATE VA05072077

Project: 1735

P.O. No.:

This report is for 101 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 25-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072077

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B366701		0.70	NSS	<0.5	6.96	399	760	1.9	2	0.73	0.5	15	54	44	3.69	2.19
B366702		0.66	NSS	<0.5	6.95	506	770	1.8	<2	0.76	<0.5	16	56	47	3.74	2.08
B366703		0.56	<0.005	<0.5	4.92	103	670	1.1	<2	0.62	<0.5	13	43	24	3.66	1.26
B366704		0.44	<0.005	<0.5	6.23	84	770	1.5	<2	0.75	0.6	20	55	30	3.66	1.64
B366705		0.42	0.006	<0.5	4.93	48	650	1.2	<2	0.65	<0.5	14	45	23	2.75	1.29
B366706		0.58	0.052	<0.5	5.12	86	690	1.3	<2	0.63	0.6	16	56	29	3.44	1.40
B366707		0.42	0.046	<0.5	5.32	47	710	1.2	<2	0.77	<0.5	14	52	24	3.16	1.32
B366708		0.44	NSS	<0.5	5.75	65	690	1.3	<2	0.63	<0.5	19	51	27	3.35	1.50
B366709		0.52	0.033	<0.5	5.69	34	730	1.3	<2	0.88	0.5	13	52	21	2.75	1.38
B366710		0.08	4.51	9.1	8.00	8	480	0.9	<2	2.74	1.4	18	21	127	4.15	2.27
B366711		0.64	<0.005	<0.5	5.45	53	650	1.2	<2	0.71	0.5	16	49	25	2.89	1.36
B366712		0.78	<0.005	<0.5	5.96	63	730	1.3	<2	0.73	0.5	17	51	27	3.25	1.53
B366713		1.06	<0.005	<0.5	5.46	80	640	1.2	<2	0.57	<0.5	18	43	25	3.13	1.38
B366714		0.42	<0.005	<0.5	6.13	59	770	1.4	<2	0.76	0.6	20	55	25	3.69	1.58
B366715		0.84	0.005	<0.5	5.28	95	570	1.2	<2	0.58	<0.5	15	46	23	3.03	1.34
B366716		0.78	0.006	<0.5	5.98	54	700	1.3	<2	0.75	<0.5	14	51	22	2.93	1.49
B366717		0.76	<0.005	<0.5	6.08	70	710	1.3	<2	0.74	<0.5	15	53	27	3.01	1.58
B366718		0.92	0.005	<0.5	5.36	68	620	1.2	<2	0.65	<0.5	12	45	21	2.69	1.35
B366719		0.80	<0.005	<0.5	6.26	64	730	1.4	<2	0.76	<0.5	14	53	37	3.17	1.56
B366720		0.60	NSS	<0.5	6.25	99	720	1.4	<2	0.77	0.5	15	53	27	3.14	1.56
B366721		0.62	0.005	<0.5	5.85	57	700	1.3	<2	0.80	<0.5	14	49	24	2.84	1.43
B366722		0.84	0.019	<0.5	5.12	68	600	1.1	<2	0.82	<0.5	13	52	18	2.69	1.21
B366723		0.68	0.022	<0.5	5.29	50	610	1.2	<2	0.74	<0.5	12	49	20	2.78	1.27
B366724		1.04	0.014	<0.5	5.80	93	660	1.3	<2	0.72	<0.5	13	51	25	2.85	1.51
B366725		0.64	0.005	<0.5	5.93	58	750	1.4	4	0.83	<0.5	12	51	20	2.81	1.56
B366726		0.58	<0.005	<0.5	5.95	44	700	1.4	4	0.73	<0.5	13	53	25	3.07	1.56
B366727		0.58	<0.005	<0.5	5.69	21	650	1.4	4	0.69	<0.5	12	45	23	2.93	1.58
B366728		0.50	<0.005	<0.5	5.90	15	710	1.5	4	0.73	<0.5	12	50	23	2.72	1.63
B366729		0.54	0.005	<0.5	5.84	20	680	1.5	2	0.74	<0.5	11	51	23	2.73	1.63
B366730		0.08	0.084	0.5	7.04	115	600	2.8	3	0.54	<0.5	61	1200	409	8.47	2.25
B366731		0.40	<0.005	<0.5	6.11	16	730	1.6	3	0.73	<0.5	13	52	24	2.89	1.70
B366732		0.58	0.013	<0.5	5.90	19	720	1.5	3	0.74	<0.5	12	53	21	2.73	1.62
B366733		0.70	0.005	<0.5	5.98	10	730	1.4	3	0.77	<0.5	10	53	20	2.68	1.59
B366734		0.60	<0.005	<0.5	5.85	12	720	1.4	3	0.78	<0.5	12	53	20	2.68	1.57
B366735		0.74	<0.005	<0.5	6.00	7	710	1.5	3	0.68	<0.5	13	53	22	2.73	1.63
B366736		0.50	0.007	<0.5	5.87	<5	730	1.4	4	0.81	<0.5	12	53	18	2.42	1.59
B366737		0.56	0.006	<0.5	6.17	<5	760	1.5	5	0.90	<0.5	13	60	20	2.69	1.67
B366738		0.72	<0.005	<0.5	6.51	<5	800	1.6	5	0.81	<0.5	13	57	21	2.68	1.79
B366739		0.52	<0.005	<0.5	6.62	<5	810	1.7	4	0.75	<0.5	12	56	23	2.91	1.82
B366740		0.40	<0.005	<0.5	6.73	9	830	1.7	4	1.11	<0.5	12	60	25	2.73	1.87

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072077

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366701		0.62	579	1	0.69	33	630	48	0.07	9	148	0.43	79	340	103
B366702		0.68	562	2	0.76	34	730	45	0.11	7	155	0.47	80	310	114
B366703		0.46	581	<1	0.76	25	560	28	0.03	<5	128	0.36	66	<10	91
B366704		0.58	1745	<1	0.76	43	610	30	0.05	<5	142	0.33	80	10	136
B366705		0.48	371	<1	0.76	26	550	31	0.02	7	131	0.35	69	<10	90
B366706		0.49	888	1	0.70	32	680	44	0.03	8	124	0.47	77	<10	102
B366707		0.51	702	<1	0.84	29	690	36	0.03	6	145	0.48	76	<10	93
B366708		0.53	1665	<1	0.76	33	580	28	0.05	6	128	0.32	71	<10	105
B366709		0.55	962	<1	0.93	30	630	22	0.04	<5	163	0.39	77	<10	94
B366710		1.32	963	12	1.65	12	870	30	0.71	<5	425	0.38	149	<10	103
B366711		0.51	877	1	0.86	26	630	22	0.05	<5	139	0.35	69	<10	93
B366712		0.56	1365	<1	0.87	29	590	24	0.04	<5	148	0.34	74	<10	104
B366713		0.47	1405	<1	0.82	28	540	19	0.05	6	124	0.29	66	<10	103
B366714		0.56	1885	<1	0.84	43	650	30	0.04	<5	149	0.37	78	<10	134
B366715		0.49	410	1	0.83	29	650	21	0.05	5	121	0.35	68	<10	71
B366716		0.57	661	<1	0.92	29	580	20	0.03	<5	147	0.34	75	<10	79
B366717		0.59	677	<1	0.83	29	570	21	0.04	<5	141	0.33	75	<10	80
B366718		0.52	537	<1	0.82	25	570	23	0.04	<5	129	0.32	64	<10	69
B366719		0.60	644	<1	0.89	27	630	41	0.05	<5	148	0.35	77	<10	96
B366720		0.60	636	<1	0.92	28	650	28	0.05	<5	150	0.35	78	<10	82
B366721		0.58	610	1	0.92	23	620	27	0.03	<5	152	0.34	73	<10	78
B366722		0.52	951	<1	0.97	23	810	19	0.03	<5	148	0.45	70	<10	63
B366723		0.53	720	<1	0.96	23	770	21	0.03	<5	145	0.42	69	<10	66
B366724		0.57	502	<1	0.91	25	610	19	0.04	<5	145	0.37	78	<10	74
B366725		0.60	504	<1	0.97	24	610	19	0.02	5	157	0.35	82	<10	74
B366726		0.59	580	<1	0.97	26	700	17	0.03	<5	137	0.36	84	<10	71
B366727		0.53	462	<1	0.88	26	650	17	0.03	<5	136	0.31	70	<10	72
B366728		0.51	444	<1	0.82	26	580	17	0.03	<5	154	0.33	80	<10	77
B366729		0.52	319	<1	0.80	23	680	18	0.04	7	146	0.34	78	<10	75
B366730		0.59	391	8	0.12	505	340	149	0.02	12	50	0.24	96	30	621
B366731		0.51	479	<1	0.77	25	580	19	0.03	<5	155	0.34	85	<10	79
B366732		0.50	426	<1	0.82	25	600	18	0.03	6	156	0.35	83	<10	74
B366733		0.51	400	<1	0.86	23	590	17	0.02	<5	164	0.36	82	<10	69
B366734		0.49	630	<1	0.85	24	590	15	0.03	<5	164	0.35	81	<10	72
B366735		0.46	430	<1	0.77	23	510	17	0.03	<5	161	0.34	84	<10	70
B366736		0.50	354	<1	0.84	21	530	14	0.04	<5	167	0.35	84	<10	68
B366737		0.55	408	<1	0.85	25	570	18	0.04	<5	177	0.41	90	<10	72
B366738		0.53	502	<1	0.88	27	550	16	0.03	<5	180	0.35	93	<10	77
B366739		0.52	532	<1	0.80	26	560	19	0.03	<5	170	0.33	92	<10	79
B366740		0.66	615	<1	0.87	24	710	20	0.08	<5	200	0.35	94	<10	75

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072077

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366741		0.72	<0.005	<0.5	6.59	12	820	1.7	4	0.89	<0.5	12	62	22	2.90	1.83
B366742		0.66	NSS	<0.5	8.12	21	810	2.4	4	0.36	<0.5	18	67	28	4.63	2.61
B366743		0.58	0.024	<0.5	6.45	6	790	1.6	4	0.91	<0.5	11	58	20	2.72	1.76
B366744		0.50	0.005	<0.5	6.81	11	890	1.7	4	0.98	<0.5	25	62	22	2.98	1.79
B366745		0.50	<0.005	<0.5	7.41	7	900	2.0	5	0.74	<0.5	14	73	25	2.99	2.26
B366746		0.26	<0.005	<0.5	7.38	7	900	1.8	4	0.99	<0.5	14	68	27	2.95	2.07
B366747		0.48	<0.005	<0.5	6.42	10	880	1.4	4	0.77	<0.5	16	60	18	2.89	1.64
B366748		0.84	<0.005	<0.5	8.23	11	990	2.2	5	0.67	<0.5	13	75	31	3.32	2.46
B366749		0.28	<0.005	<0.5	6.58	13	810	1.7	3	1.07	<0.5	14	57	27	2.69	1.80
B366750		0.10	0.163	2.4	9.16	<5	1120	1.2	6	1.50	<0.5	8	9	7370	3.29	3.67
B366751		0.54	<0.005	<0.5	6.67	15	810	1.6	5	0.93	<0.5	14	65	26	2.91	1.80
B366752		0.52	<0.005	<0.5	7.06	112	840	1.8	5	0.65	<0.5	17	59	24	3.90	2.12
B366753		0.60	<0.005	<0.5	5.84	37	760	1.3	3	0.91	<0.5	11	50	18	2.70	1.47
B366754		0.48	0.011	<0.5	6.41	61	820	1.4	4	0.77	<0.5	9	60	24	2.91	1.63
B366755		0.76	0.011	<0.5	6.31	113	790	1.4	5	0.62	<0.5	7	60	19	2.68	1.71
B366756		0.76	<0.005	<0.5	6.44	43	840	1.4	5	0.91	<0.5	14	60	22	3.04	1.58
B366757		0.50	0.014	<0.5	6.63	41	870	1.5	6	1.00	<0.5	14	62	24	3.21	1.68
B366758		0.72	<0.005	<0.5	6.43	56	740	1.5	6	0.67	<0.5	16	54	33	3.62	1.75
B366759		0.82	<0.005	<0.5	6.71	46	790	1.6	7	0.58	<0.5	16	56	21	3.38	1.93
B366760		0.84	<0.005	<0.5	6.11	31	820	1.4	4	1.00	<0.5	12	59	18	2.78	1.51
B366761		0.58	<0.005	<0.5	5.60	29	760	1.3	5	0.92	<0.5	12	51	18	2.61	1.38
B366762		0.68	<0.005	0.6	5.74	5	800	1.5	7	0.24	<0.5	6	49	24	15.10	1.99
B366763		0.94	<0.005	<0.5	5.45	8	760	1.5	8	0.25	<0.5	5	47	23	14.50	1.89
B366764		0.62	0.038	<0.5	5.65	<5	880	1.3	6	0.61	<0.5	6	49	12	3.21	1.62
B366765		0.52	<0.005	<0.5	5.39	11	820	1.6	4	0.59	<0.5	45	49	24	9.83	1.57
B366766		0.58	<0.005	<0.5	5.16	11	720	1.4	4	0.62	<0.5	18	46	14	4.48	1.43
B366767		0.48	<0.005	<0.5	7.12	6	970	2.0	5	0.55	<0.5	13	63	19	2.78	2.21
B366768		0.92	<0.005	<0.5	7.50	14	780	2.2	6	0.25	<0.5	15	60	22	4.19	2.45
B366769		0.68	<0.005	<0.5	6.19	11	780	1.7	5	0.55	<0.5	25	55	16	4.92	1.90
B366770		0.10	2.83	<0.5	7.04	1995	710	12.8	4	0.01	<0.5	1	143	99	3.24	3.07
B366771		0.46	0.011	<0.5	6.29	35	900	2.0	5	0.35	<0.5	53	53	34	10.85	1.87
B366772		0.78	<0.005	<0.5	5.68	11	810	1.4	6	0.68	<0.5	11	53	17	4.05	1.60
B366773		0.96	<0.005	<0.5	5.00	10	890	1.2	5	0.94	<0.5	12	47	23	2.70	1.26
B366774		1.04	0.010	<0.5	4.03	9	750	0.9	2	1.08	<0.5	9	44	15	2.34	0.89
B366775		0.84	NSS	<0.5	5.73	39	820	2.0	10	0.64	<0.5	80	49	36	14.90	1.47
B366776		0.66	<0.005	<0.5	5.00	17	870	1.3	3	0.89	<0.5	15	46	22	3.50	1.26
B366777		0.70	<0.005	<0.5	5.10	8	820	1.4	4	0.90	<0.5	25	47	23	3.65	1.24
B366778		0.74	0.029	<0.5	4.81	6	710	1.4	4	0.92	<0.5	25	59	18	3.98	1.15
B366779		0.84	<0.005	<0.5	4.96	<5	810	1.2	4	0.91	<0.5	14	46	18	2.96	1.20
B366780		0.68	0.013	<0.5	5.50	14	820	1.5	5	0.94	<0.5	28	56	22	4.56	1.35

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072077

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366741		0.64	423	<1	0.82	30	680	19	0.05	<5	168	0.39	93	<10	86
B366742		0.68	553	<1	0.67	34	540	27	0.03	6	124	0.27	104	<10	110
B366743		0.62	258	<1	0.85	28	650	17	0.05	<5	169	0.38	91	<10	77
B366744		0.66	740	<1	0.93	29	710	23	0.05	6	182	0.38	99	<10	104
B366745		0.68	449	<1	0.83	28	620	24	0.04	<5	168	0.37	106	<10	81
B366746		0.70	341	<1	0.80	34	770	22	0.08	5	180	0.35	100	<10	96
B366747		0.68	705	<1	0.99	21	650	17	0.03	<5	164	0.37	106	<10	71
B366748		0.72	338	<1	1.00	28	550	33	0.01	7	186	0.40	118	<10	88
B366749		0.62	567	<1	0.72	31	810	19	0.10	7	176	0.29	89	<10	96
B366750		1.20	502	2	3.52	8	1980	7	0.24	<5	698	0.34	177	<10	53
B366751		0.64	618	<1	0.88	29	690	23	0.04	6	179	0.39	95	<10	91
B366752		0.65	1205	<1	0.85	33	550	16	0.02	<5	155	0.31	82	<10	87
B366753		0.59	582	<1	1.07	23	660	13	0.02	<5	168	0.38	81	<10	69
B366754		0.58	342	<1	0.77	18	670	19	0.07	<5	165	0.36	94	<10	57
B366755		0.55	364	<1	0.76	17	520	18	0.04	6	160	0.37	92	<10	53
B366756		0.67	646	<1	1.10	27	690	16	0.03	6	168	0.36	89	<10	81
B366757		0.71	672	<1	1.04	28	700	17	0.04	5	170	0.37	92	<10	84
B366758		0.60	593	<1	0.99	33	680	18	0.02	7	136	0.32	75	<10	79
B366759		0.60	857	<1	0.93	30	540	18	0.02	5	124	0.29	78	<10	82
B366760		0.67	522	<1	1.09	23	620	14	0.02	<5	176	0.36	88	<10	75
B366761		0.61	531	<1	1.01	22	590	14	0.03	<5	158	0.34	80	<10	69
B366762		0.40	150	1	0.43	10	440	11	0.60	<5	81	0.17	88	<10	41
B366763		0.39	137	1	0.44	8	400	7	0.53	<5	82	0.19	83	<10	38
B366764		0.49	196	<1	0.85	15	540	9	0.07	<5	136	0.31	92	<10	47
B366765		0.41	3820	<1	0.53	49	560	11	0.06	<5	107	0.24	77	<10	88
B366766		0.41	912	<1	0.67	22	490	12	0.04	6	118	0.27	76	<10	53
B366767		0.54	680	<1	0.65	26	580	15	0.04	6	130	0.33	104	<10	72
B366768		0.36	564	1	0.28	22	670	17	0.03	7	89	0.28	97	<10	72
B366769		0.40	2010	<1	0.53	31	590	14	0.03	6	116	0.32	86	<10	70
B366770		0.36	70	2	0.08	10	310	25	0.02	150	134	0.22	100	10	16
B366771		0.36	5610	1	0.37	77	880	23	0.03	8	85	0.17	92	<10	160
B366772		0.45	582	<1	0.72	21	630	14	0.06	6	134	0.32	84	<10	57
B366773		0.58	706	1	1.01	25	760	14	0.01	<5	158	0.34	84	<10	70
B366774		0.50	361	<1	1.05	16	780	8	0.01	<5	174	0.36	74	<10	49
B366775		0.46	5320	<1	0.57	95	630	15	0.11	5	112	0.20	79	<10	233
B366776		0.54	780	<1	1.00	29	730	14	0.02	<5	158	0.33	83	<10	83
B366777		0.52	1260	<1	1.02	55	730	12	0.02	<5	160	0.33	79	<10	137
B366778		0.49	1055	<1	0.88	48	690	9	0.03	<5	151	0.40	80	<10	129
B366779		0.52	548	<1	1.03	33	700	10	0.02	<5	164	0.32	80	<10	92
B366780		0.55	1335	<1	0.91	47	760	14	0.03	5	163	0.36	87	<10	140

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072077

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366781		0.56	0.005	<0.5	6.04	12	850	2.2	6	0.80	<0.5	61	52	31	7.08	1.41
B366782		0.88	0.014	<0.5	5.29	8	800	1.7	2	0.92	<0.5	39	56	21	4.88	1.23
B366783		0.74	0.010	<0.5	5.50	5	840	1.5	5	0.97	<0.5	24	54	20	4.18	1.32
B366784		0.72	0.008	<0.5	5.88	14	870	1.9	5	0.89	0.5	51	55	25	4.85	1.37
B366785		0.68	<0.005	<0.5	5.41	16	820	1.6	4	0.80	<0.5	34	49	25	4.74	1.29
B366786		0.64	<0.005	<0.5	6.06	18	710	2.7	6	0.65	<0.5	87	45	33	9.85	1.23
B366787		0.92	<0.005	<0.5	4.99	11	760	1.5	2	0.89	<0.5	25	49	21	4.28	1.19
B366788		0.82	<0.005	<0.5	4.95	8	780	1.3	4	0.87	<0.5	18	45	19	3.30	1.21
B366789		0.68	0.005	<0.5	5.60	19	750	1.9	5	0.79	<0.5	47	50	25	5.96	1.30
B366790		0.10	0.906	2.5	7.53	<5	460	0.7	5	1.91	0.7	24	102	2100	5.15	1.76
B366791		0.82	<0.005	<0.5	5.35	12	830	1.5	5	0.90	<0.5	30	44	23	4.77	1.19
B366792		0.82	0.020	<0.5	5.85	15	890	1.7	5	1.04	<0.5	40	62	22	4.49	1.40
B366793		0.76	0.006	<0.5	5.16	11	770	1.7	4	0.79	<0.5	43	46	25	5.28	1.22
B366794		1.06	0.009	<0.5	5.15	<5	800	1.5	4	0.92	<0.5	29	52	20	3.97	1.23
B366795		0.92	<0.005	<0.5	5.26	7	800	1.5	4	0.89	<0.5	33	50	21	4.23	1.25
B366796		0.76	<0.005	<0.5	5.14	16	760	1.5	4	0.78	<0.5	36	45	22	4.29	1.25
B366797		0.92	<0.005	<0.5	5.48	12	830	1.6	<2	0.80	<0.5	30	49	24	4.69	1.30
B366798		0.58	<0.005	<0.5	5.51	7	830	1.5	<2	0.90	<0.5	31	52	21	4.20	1.29
B366799		0.66	<0.005	<0.5	5.57	9	840	1.5	<2	0.97	<0.5	27	54	22	3.88	1.35
B366800		0.80	<0.005	<0.5	5.96	8	850	1.9	<2	0.86	0.5	42	52	24	5.40	1.37
B366801		0.96	<0.005	<0.5	5.60	14	810	1.7	<2	0.85	<0.5	35	49	23	4.60	1.31

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072077

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366781		0.52	3100	<1	0.78	104	640	14	0.05	<5	142	0.29	83	<10	269
B366782		0.51	1770	<1	0.88	81	680	9	0.03	<5	154	0.35	82	<10	229
B366783		0.55	1140	<1	1.03	53	720	12	0.02	<5	168	0.38	86	<10	160
B366784		0.53	2470	<1	0.90	117	680	12	0.03	<5	160	0.33	85	<10	292
B366785		0.49	1600	<1	0.93	55	650	14	0.03	<5	150	0.29	82	<10	152
B366786		0.40	4440	<1	0.59	134	580	13	0.06	7	116	0.22	72	<10	357
B366787		0.49	1220	<1	0.89	49	650	12	0.02	<5	152	0.33	78	<10	154
B366788		0.50	812	<1	0.98	37	670	10	0.02	<5	156	0.33	78	<10	114
B366789		0.47	2330	<1	0.82	79	630	12	0.04	6	144	0.28	77	<10	223
B366790		1.36	446	2	3.24	51	670	11	0.64	<5	212	0.31	94	<10	204
B366791		0.53	1600	<1	0.97	53	680	13	0.03	6	158	0.28	74	<10	153
B366792		0.59	1960	<1	0.94	85	800	12	0.03	<5	171	0.42	92	<10	236
B366793		0.48	2090	<1	0.83	73	610	10	0.03	<5	141	0.26	73	<10	198
B366794		0.51	1355	<1	0.94	61	680	11	0.02	<5	158	0.33	79	<10	172
B366795		0.51	1615	<1	0.94	64	670	14	0.02	<5	157	0.34	79	<10	180
B366796		0.48	1690	<1	0.86	63	600	11	0.03	<5	144	0.28	76	<10	176
B366797		0.53	1445	<1	0.89	56	620	17	0.03	<5	151	0.28	79	<10	178
B366798		0.54	1560	<1	0.98	64	670	16	0.02	<5	163	0.32	81	<10	193
B366799		0.58	1425	<1	1.01	69	680	19	0.02	<5	176	0.34	91	<10	201
B366800		0.55	2100	<1	0.90	83	650	16	0.03	<5	159	0.31	84	<10	267
B366801		0.53	1880	<1	0.91	71	650	17	0.03	<5	158	0.30	82	<10	209

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized D 7-SEP-2005
Account: STRGOL

CERTIFICATE VA05072076

Project: 1735

P.O. No.:

This report is for 17 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 25-AUG-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Robert Rogers

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072076

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367251		0.70	0.244	<0.5	7.09	451	980	2.2	<2	1.44	<0.5	11	57	12	2.67	1.38
B367252		0.90	0.008	<0.5	5.93	132	940	1.4	<2	1.30	<0.5	13	68	16	2.84	1.28
B367253		0.76	0.078	<0.5	5.83	214	950	1.3	<2	1.40	<0.5	13	68	15	2.90	1.20
B367254		0.86	0.075	<0.5	5.85	266	930	1.3	<2	1.38	<0.5	15	73	15	2.93	1.20
B367255		1.32	0.016	<0.5	6.85	465	1020	1.9	<2	1.58	<0.5	22	112	31	3.84	1.41
B367256		0.96	0.179	<0.5	6.12	270	960	1.3	<2	1.42	<0.5	12	81	16	3.24	1.22
B367257		0.72	0.013	<0.5	6.38	297	1020	1.6	<2	1.54	<0.5	12	67	14	2.86	1.28
B367258		1.00	<0.005	<0.5	6.04	360	980	1.5	<2	1.50	0.5	11	62	12	2.71	1.20
B367259		1.26	0.044	<0.5	6.31	310	1000	1.7	<2	1.46	0.7	15	62	15	2.90	1.28
B367260		1.36	0.016	<0.5	5.92	138	940	1.4	<2	1.36	<0.5	12	70	13	2.85	1.30
B367261		0.94	0.008	<0.5	5.38	289	880	1.4	<2	1.39	0.5	11	61	10	2.36	1.06
B367262		0.88	0.064	<0.5	5.47	281	880	1.4	<2	1.44	<0.5	11	57	10	2.37	1.08
B367263		1.00	0.007	<0.5	5.62	308	930	1.4	<2	1.47	<0.5	13	55	11	2.43	1.12
B367264		1.18	0.158	<0.5	5.46	208	850	1.5	<2	1.48	<0.5	11	49	9	2.20	1.10
B367265		1.22	<0.005	<0.5	6.59	268	1070	1.9	<2	1.56	<0.5	17	66	12	2.80	1.40
B367266		1.38	0.025	<0.5	6.01	388	960	1.6	<2	1.66	<0.5	12	51	10	2.58	1.20
B367267		1.20	0.073	<0.5	5.68	271	890	1.5	<2	1.55	0.5	9	56	11	2.37	1.16

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05072076

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367251		0.65	584	2	1.10	21	1430	24	0.03	6	252	0.46	82	180	85
B367252		0.76	376	3	1.09	24	870	12	0.02	<5	200	0.44	98	20	76
B367253		0.76	522	2	1.08	24	860	14	0.03	<5	207	0.51	100	50	81
B367254		0.75	578	2	1.05	27	960	12	0.03	<5	204	0.49	98	10	93
B367255		1.15	608	3	1.01	58	1380	14	0.06	10	242	0.53	118	30	110
B367256		0.79	506	2	1.13	24	1030	15	0.03	<5	216	0.53	108	40	88
B367257		0.85	627	4	1.21	25	1160	10	0.04	<5	242	0.46	102	30	100
B367258		0.77	698	4	1.15	27	1180	12	0.05	<5	228	0.45	94	40	104
B367259		0.82	759	5	1.16	24	1150	13	0.04	<5	234	0.43	99	20	110
B367260		0.82	507	3	1.15	22	960	15	0.03	<5	221	0.45	104	10	74
B367261		0.68	628	4	1.04	19	1100	10	0.05	<5	208	0.43	83	30	89
B367262		0.68	553	4	1.10	21	1110	11	0.04	<5	215	0.45	85	60	83
B367263		0.69	745	5	1.08	21	1200	8	0.05	<5	218	0.42	84	30	86
B367264		0.66	523	3	1.12	19	1080	12	0.04	<5	220	0.43	79	90	77
B367265		0.79	918	12	1.23	26	1250	12	0.04	<5	245	0.46	100	30	102
B367266		0.74	847	3	1.19	23	1240	11	0.06	<5	244	0.43	85	40	93
B367267		0.74	414	2	1.12	21	1200	9	0.06	<5	230	0.45	84	70	92

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 7-SEP-2005
Account: STRGOL

CERTIFICATE VA05074733

Project: 1735

P.O. No.:

This report is for 242 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B366409		0.44	0.011	<0.5	5.10	10	640	0.9	2	0.56	<0.5	3	53	17	2.01	1.04
B366410		0.10	0.952	2.0	7.18	16	410	0.7	<2	1.74	<0.5	20	99	1935	4.79	1.61
B366411		0.50	0.014	<0.5	5.80	23	680	1.1	3	0.49	<0.5	5	58	20	2.27	1.12
B366412		0.38	0.019	<0.5	6.47	27	780	1.2	<2	0.45	<0.5	5	70	26	3.02	1.29
B366413		0.48	0.024	<0.5	5.06	15	690	0.9	<2	0.57	<0.5	3	55	9	1.82	1.10
B366414		0.40	0.043	<0.5	5.19	49	800	1.0	<2	0.87	<0.5	6	55	14	2.46	1.15
B366415		0.66	0.007	<0.5	4.87	13	660	1.1	<2	0.74	<0.5	6	50	13	1.98	1.17
B366416		0.44	0.005	<0.5	4.69	<5	700	1.0	<2	0.69	<0.5	6	49	16	2.11	1.06
B366417		0.46	0.007	<0.5	4.54	<5	640	0.9	<2	0.70	<0.5	5	46	11	1.94	1.06
B366418		0.48	0.011	<0.5	4.44	<5	600	0.9	<2	0.52	<0.5	2	46	8	1.78	1.10
B366419		0.52	<0.005	<0.5	5.45	10	700	1.2	<2	0.45	<0.5	4	56	13	2.11	1.49
B366420		0.44	0.008	<0.5	5.18	<5	700	1.0	<2	0.49	<0.5	3	51	10	1.98	1.28
B366421		0.24	0.017	<0.5	5.51	25	800	1.2	<2	0.96	0.8	17	55	18	2.64	1.24
B366422		0.30	0.012	<0.5	5.60	32	810	1.2	<2	0.98	0.7	18	54	18	2.73	1.27
B366423		0.50	0.038	0.5	7.11	39	960	1.3	6	0.81	0.6	7	73	29	3.06	1.42
B366424		0.56	0.014	<0.5	5.82	19	770	1.2	3	0.75	<0.5	11	58	12	2.58	1.29
B366425		0.40	0.013	<0.5	8.40	35	1020	2.4	<2	0.52	1.3	13	77	21	2.82	2.70
B366426		0.78	0.012	<0.5	6.21	33	750	1.6	<2	0.72	0.5	24	64	24	2.76	1.43
B366427		0.70	0.016	<0.5	6.59	25	800	1.8	<2	0.75	1.4	31	70	29	2.96	1.62
B366428		0.66	0.016	<0.5	8.25	32	900	2.5	2	0.55	1.2	49	83	46	4.51	2.33
B366429		0.46	<0.005	<0.5	0.54	358	<10	<0.5	<2	0.02	<0.5	9	3	46	46.8	0.01
B366430		0.10	3.48	<0.5	6.93	<5	2070	3.1	<2	4.75	<0.5	23	138	99	5.04	3.37
B366431		0.30	0.020	<0.5	4.87	82	520	1.1	<2	0.31	<0.5	19	58	28	18.40	1.24
B366432		0.52	<0.005	<0.5	9.85	<5	980	2.6	<2	0.20	<0.5	4	92	15	1.97	3.48
B366433		0.58	0.008	<0.5	6.83	12	900	1.8	<2	0.62	<0.5	9	80	18	2.77	2.01
B366434		0.38	0.011	<0.5	7.51	<5	930	1.9	<2	0.59	<0.5	11	75	19	2.72	2.29
B366435		0.30	0.013	<0.5	8.72	<5	1050	2.3	<2	0.53	<0.5	17	90	26	3.20	2.69
B366436		0.32	0.006	<0.5	7.50	<5	900	1.9	<2	0.42	<0.5	13	70	19	2.33	2.37
B366437		0.46	0.005	<0.5	9.36	<5	1090	2.5	<2	0.39	<0.5	21	93	25	3.39	3.03
B366438		0.34	0.010	<0.5	7.79	<5	900	2.0	<2	0.51	<0.5	9	79	17	2.66	2.45
B366439		0.36	0.005	<0.5	8.24	<5	950	2.0	<2	0.48	<0.5	8	85	17	2.82	2.60
B366440		0.68	0.005	<0.5	7.82	7	1030	2.0	<2	0.50	<0.5	9	78	22	2.62	2.49
B366441		0.50	0.014	<0.5	7.12	<5	880	1.7	<2	0.62	<0.5	9	82	15	2.60	2.11
B366442		0.58	0.008	<0.5	6.82	<5	840	1.7	<2	0.61	<0.5	9	76	15	2.54	2.03
B366443		0.44	<0.005	<0.5	7.72	<5	980	2.0	<2	0.56	<0.5	15	81	17	2.75	2.36
B366444		0.42	<0.005	<0.5	7.61	11	980	2.0	<2	0.56	<0.5	17	83	17	2.65	2.29
B366445		0.54	0.007	<0.5	6.79	<5	940	1.7	<2	0.67	<0.5	15	75	17	2.41	2.00
B366446		0.60	0.008	<0.5	6.21	<5	870	1.5	<2	0.69	<0.5	12	71	14	2.35	1.74
B366447		0.62	0.006	<0.5	7.25	<5	960	1.9	<2	0.65	<0.5	15	83	19	2.86	2.15
B366448		0.80	<0.005	<0.5	6.71	<5	910	1.7	<2	0.67	<0.5	12	75	16	2.67	1.90

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366409		0.41	170	<1	0.72	13	950	18	0.05	<5	127	0.33	90	<10	39
B366410		1.25	403	1	2.94	50	580	18	0.61	<5	202	0.28	84	<10	186
B366411		0.45	166	1	0.62	17	990	19	0.07	9	115	0.29	99	<10	46
B366412		0.53	202	<1	0.58	21	1220	27	0.05	15	110	0.30	115	<10	65
B366413		0.47	188	1	0.71	14	860	23	0.03	<5	122	0.33	85	<10	37
B366414		0.56	324	<1	0.97	22	690	21	0.02	12	169	0.35	94	<10	60
B366415		0.52	248	<1	0.68	22	870	24	0.07	6	123	0.31	75	<10	72
B366416		0.49	273	<1	0.73	19	630	23	0.03	<5	123	0.30	82	<10	56
B366417		0.48	283	<1	0.75	14	610	18	0.02	<5	125	0.33	76	<10	44
B366418		0.43	185	<1	0.64	11	660	18	0.02	<5	110	0.34	76	<10	31
B366419		0.47	179	<1	0.60	14	900	20	0.03	<5	107	0.34	90	<10	35
B366420		0.46	183	<1	0.63	12	930	22	0.04	<5	118	0.33	83	<10	36
B366421		0.58	878	<1	0.62	30	1090	24	0.11	<5	140	0.30	83	<10	119
B366422		0.59	993	1	0.64	31	1100	24	0.10	5	139	0.31	87	<10	115
B366423		0.58	618	<1	0.61	22	1200	31	0.07	10	144	0.33	112	<10	62
B366424		0.58	474	<1	0.70	22	840	24	0.05	<5	135	0.34	94	<10	62
B366425		0.57	923	<1	0.56	81	780	56	0.06	<5	130	0.36	112	<10	200
B366426		0.53	886	<1	0.72	45	640	23	0.05	<5	142	0.37	93	<10	134
B366427		0.52	1280	2	0.64	68	690	28	0.05	8	142	0.37	97	<10	219
B366428		0.51	2490	2	0.42	97	860	35	0.06	9	124	0.36	110	<10	242
B366429		0.01	20	<1	<0.01	27	1180	<2	2.00	31	1	<0.01	82	10	84
B366430		2.86	1055	14	2.31	66	2210	32	0.30	5	1685	0.37	158	<10	91
B366431		0.31	923	<1	0.39	23	700	13	0.47	10	80	0.19	81	<10	105
B366432		0.39	105	1	0.41	14	630	26	0.03	<5	112	0.39	121	<10	35
B366433		0.54	387	1	0.68	25	650	22	0.02	<5	145	0.37	107	<10	62
B366434		0.55	506	2	0.70	27	620	24	0.02	<5	150	0.39	107	<10	72
B366435		0.57	805	1	0.61	35	770	31	0.03	<5	147	0.40	121	<10	106
B366436		0.48	597	1	0.48	24	920	19	0.08	<5	120	0.34	99	<10	62
B366437		0.53	1150	2	0.48	26	950	29	0.05	<5	131	0.38	125	<10	84
B366438		0.51	372	1	0.60	22	640	24	0.03	<5	135	0.39	108	<10	58
B366439		0.51	282	1	0.62	20	630	24	0.02	<5	132	0.41	114	<10	53
B366440		0.49	375	1	0.70	21	470	20	0.01	<5	140	0.39	110	<10	60
B366441		0.51	347	<1	0.67	20	640	25	0.03	<5	140	0.45	105	<10	55
B366442		0.50	389	1	0.67	19	630	19	0.03	<5	138	0.44	101	<10	53
B366443		0.53	713	2	0.61	22	730	24	0.04	<5	134	0.37	107	<10	69
B366444		0.52	924	1	0.62	26	720	24	0.04	<5	138	0.34	103	<10	85
B366445		0.52	886	1	0.69	25	680	16	0.04	<5	149	0.37	95	<10	90
B366446		0.49	600	1	0.72	21	650	19	0.03	<5	145	0.38	91	<10	80
B366447		0.54	672	1	0.70	27	700	20	0.03	<5	148	0.37	105	<10	79
B366448		0.51	440	1	0.73	21	630	18	0.03	<5	148	0.38	97	<10	71

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366449		0.62	0.007	<0.5	6.83	<5	970	1.7	<2	0.68	<0.5	14	79	16	2.67	1.92
B366450		0.10	1.555	<0.5	6.98	1315	710	5.9	<2	0.01	<0.5	6	224	39	3.81	2.79
B366451		0.84	<0.005	<0.5	6.64	<5	990	1.6	<2	0.76	<0.5	13	80	18	2.81	1.83
B366452		0.38	<0.005	<0.5	5.46	8	840	1.3	<2	0.79	<0.5	10	61	16	2.37	1.44
B366453		0.50	<0.005	<0.5	5.28	<5	780	1.3	<2	0.74	<0.5	10	58	16	2.39	1.38
B366454		0.38	<0.005	<0.5	5.57	<5	820	1.4	<2	0.73	<0.5	10	59	17	2.53	1.52
B366455		0.58	<0.005	<0.5	5.68	<5	830	1.4	<2	0.74	<0.5	10	68	18	2.59	1.56
B366456		0.44	0.006	<0.5	6.79	7	900	1.4	<2	0.65	<0.5	8	79	16	2.95	1.78
B366457		0.34	<0.005	<0.5	5.39	<5	760	1.1	<2	0.73	<0.5	6	68	12	2.63	1.34
B366458		0.34	0.007	<0.5	5.87	<5	840	1.4	<2	0.60	<0.5	6	69	17	2.16	1.72
B366459		0.48	<0.005	<0.5	6.50	9	930	1.4	<2	0.77	<0.5	8	73	14	3.03	1.75
B366460		0.34	0.030	<0.5	5.53	<5	810	1.2	<2	0.76	<0.5	12	67	10	2.60	1.56
B366461		0.44	<0.005	<0.5	6.90	5	1000	1.6	<2	0.64	<0.5	8	74	14	2.95	2.05
B366462		0.32	<0.005	<0.5	6.90	<5	990	1.6	<2	0.63	<0.5	8	80	13	2.76	2.10
B366463		0.44	0.005	<0.5	7.42	18	990	1.7	<2	0.58	<0.5	8	65	16	3.36	2.14
B366464		0.44	0.008	<0.5	6.30	5	830	1.4	<2	0.60	<0.5	6	56	11	2.27	1.80
B366465		0.34	<0.005	<0.5	7.75	15	1060	1.8	<2	0.56	<0.5	22	66	18	3.75	2.28
B366466		0.52	0.008	<0.5	7.99	9	1090	2.0	<2	0.44	<0.5	6	68	16	4.17	2.83
B366467		0.42	0.009	<0.5	6.09	37	510	2.2	<2	0.45	<0.5	42	41	34	14.65	1.14
B366468		0.42	0.046	<0.5	5.98	29	610	1.7	<2	0.57	<0.5	25	51	25	9.07	1.37
B366469		0.48	0.009	<0.5	5.71	24	660	1.5	<2	0.74	<0.5	20	59	19	5.48	1.40
B366470		0.10	0.097	0.5	6.99	114	570	2.6	<2	0.53	<0.5	57	1125	400	8.49	2.25
B366471		0.44	<0.005	<0.5	6.87	6	970	1.6	<2	0.65	<0.5	9	57	27	4.82	1.94
B366472		0.40	0.010	<0.5	5.22	32	530	1.4	<2	0.52	0.6	26	45	27	11.65	1.12
B366473		0.54	0.010	<0.5	6.05	30	700	1.5	<2	0.68	<0.5	26	63	21	5.39	1.51
B366474		0.56	0.013	<0.5	6.13	30	650	1.7	<2	0.61	0.6	39	55	31	6.25	1.36
B366475		0.52	0.009	<0.5	5.71	16	1020	1.2	<2	1.02	<0.5	7	58	28	3.20	1.23
B366476		0.68	0.005	<0.5	5.23	25	850	1.5	<2	0.88	0.5	11	53	33	4.73	1.14
B366477		0.50	0.013	<0.5	5.13	45	880	1.1	<2	0.73	<0.5	10	56	17	5.62	1.16
B366478		0.62	0.007	<0.5	4.80	16	800	1.2	<2	1.08	0.7	35	50	15	4.96	1.08
B366479		0.34	0.009	<0.5	4.96	27	780	0.9	<2	0.78	<0.5	7	55	11	2.86	1.06
B366480		0.40	0.005	<0.5	5.10	34	830	1.0	<2	1.11	<0.5	7	47	11	2.39	1.16
B366481		0.54	0.006	<0.5	7.94	19	1130	1.8	<2	0.97	<0.5	16	76	35	3.98	2.17
B366482		0.54	0.005	<0.5	8.12	17	1210	1.9	<2	1.01	<0.5	16	74	37	4.07	2.20
B366483		0.56	<0.005	<0.5	5.27	12	890	1.1	<2	1.04	<0.5	8	49	17	2.43	1.22
B366484		0.52	<0.005	<0.5	6.16	10	940	1.2	<2	1.10	<0.5	10	57	17	2.84	1.48
B366485		0.52	<0.005	<0.5	5.81	8	870	1.3	<2	1.12	<0.5	13	51	16	2.93	1.42
B366486		0.42	<0.005	<0.5	5.62	8	770	1.3	<2	0.81	<0.5	10	50	17	2.47	1.50
B366487		0.58	<0.005	<0.5	6.15	10	830	1.4	<2	0.96	<0.5	11	56	19	2.58	1.62
B366488		0.56	0.005	<0.5	6.36	13	870	1.4	<2	0.90	<0.5	10	52	17	2.57	1.72

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366449		0.54	529	1	0.76	22	640	22	0.03	<5	151	0.36	98	<10	81
B366450		0.35	93	3	0.11	20	300	29	0.01	116	94	0.26	92	10	47
B366451		0.56	591	<1	0.81	24	670	18	0.03	<5	158	0.40	101	<10	78
B366452		0.50	443	1	0.91	20	580	16	0.01	5	158	0.35	84	<10	62
B366453		0.44	510	<1	0.85	20	530	16	0.01	<5	150	0.32	79	<10	60
B366454		0.49	479	1	0.82	20	570	16	0.02	<5	149	0.34	84	<10	62
B366455		0.50	422	1	0.81	23	570	18	0.02	<5	152	0.37	86	<10	66
B366456		0.61	265	1	0.79	23	1010	26	0.04	7	139	0.35	107	<10	70
B366457		0.52	225	1	0.82	18	640	21	0.03	<5	140	0.33	90	<10	54
B366458		0.51	188	2	0.74	15	630	20	0.03	<5	126	0.35	88	<10	56
B366459		0.62	342	1	0.93	19	620	21	0.02	<5	158	0.37	105	<10	63
B366460		0.53	575	1	0.81	18	630	18	0.02	5	142	0.40	92	<10	51
B366461		0.63	276	2	0.87	21	700	15	0.02	9	149	0.35	111	<10	66
B366462		0.61	269	1	0.78	19	760	17	0.03	9	140	0.35	110	10	61
B366463		0.60	290	1	0.74	21	690	22	0.02	6	134	0.34	116	<10	74
B366464		0.47	262	<1	0.75	15	580	18	0.02	<5	136	0.36	89	<10	49
B366465		0.65	930	1	0.77	23	870	27	0.03	6	139	0.35	122	<10	81
B366466		0.61	199	2	0.65	19	580	16	0.07	<5	127	0.38	124	<10	59
B366467		0.30	1970	<1	0.39	47	510	15	0.22	5	87	0.17	64	<10	151
B366468		0.38	1315	<1	0.55	38	560	14	0.11	5	112	0.25	76	<10	135
B366469		0.45	1030	<1	0.71	33	570	18	0.06	5	135	0.35	84	<10	110
B366470		0.56	389	8	0.12	485	350	144	0.02	12	52	0.19	91	20	615
B366471		0.57	303	1	0.83	28	670	18	0.06	<5	146	0.30	96	<10	80
B366472		0.33	1330	<1	0.51	41	510	16	0.20	5	100	0.19	69	<10	129
B366473		0.46	1535	<1	0.66	38	650	22	0.07	6	130	0.35	88	<10	120
B366474		0.41	2170	<1	0.62	56	590	19	0.09	7	121	0.29	80	<10	171
B366475		0.67	338	1	1.09	32	740	14	0.02	<5	186	0.36	110	<10	75
B366476		0.56	243	1	1.03	49	730	13	0.02	<5	171	0.32	95	<10	113
B366477		0.48	413	1	0.73	23	1120	17	0.09	<5	136	0.27	94	<10	65
B366478		0.54	1385	1	0.82	40	860	13	0.07	<5	163	0.27	80	<10	153
B366479		0.49	368	1	0.71	16	1240	16	0.10	<5	143	0.29	96	<10	51
B366480		0.63	374	1	0.99	17	670	15	0.02	<5	184	0.33	94	<10	51
B366481		0.79	582	1	0.79	40	720	20	0.06	<5	180	0.36	131	<10	106
B366482		0.82	516	1	1.02	39	720	21	0.03	<5	202	0.40	134	<10	103
B366483		0.54	484	<1	0.97	22	690	16	0.02	<5	180	0.32	90	<10	63
B366484		0.67	615	1	0.96	24	710	19	0.03	<5	188	0.36	104	<10	81
B366485		0.62	706	<1	1.01	28	710	16	0.06	<5	187	0.32	89	<10	93
B366486		0.48	408	<1	0.84	24	570	16	0.03	<5	157	0.33	78	<10	71
B366487		0.55	273	1	0.92	27	650	15	0.06	<5	174	0.36	87	<10	81
B366488		0.54	553	<1	0.90	25	580	18	0.04	<5	170	0.31	87	<10	74

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366489		0.84	<0.005	<0.5	5.89	10	800	1.4	<2	0.88	<0.5	9	53	14	2.39	1.58
B366490		Not Recvd														
B366491		0.52	0.008	<0.5	7.11	<5	850	1.6	<2	0.95	<0.5	10	60	18	2.87	2.02
B366492		0.44	0.005	<0.5	7.08	<5	920	1.6	<2	0.95	<0.5	13	62	18	2.91	1.99
B366493		0.62	0.013	<0.5	6.23	10	810	1.4	<2	0.98	<0.5	10	71	12	2.65	1.64
B366494		0.46	0.005	<0.5	8.29	<5	1120	2.0	<2	0.76	<0.5	10	74	26	3.36	2.44
B366495		0.42	<0.005	<0.5	5.64	11	830	1.3	<2	1.01	<0.5	11	54	16	3.39	1.36
B366496		0.82	0.005	<0.5	5.33	5	800	1.2	<2	0.93	<0.5	8	56	9	2.40	1.35
B366497		0.60	<0.005	<0.5	5.89	6	870	1.3	<2	0.89	<0.5	11	54	15	2.60	1.57
B366498		0.64	<0.005	<0.5	5.54	<5	830	1.2	<2	1.00	<0.5	7	50	11	2.23	1.40
B366499		0.56	0.006	<0.5	5.44	5	810	1.2	<2	0.97	<0.5	9	49	10	2.23	1.38
B366500		0.74	<0.005	<0.5	5.73	8	840	1.2	<2	0.77	<0.5	8	61	12	2.36	1.50
B366501		0.44	0.006	<0.5	6.08	7	920	1.3	<2	0.71	<0.5	8	62	12	2.44	1.62
B366502		0.50	0.005	<0.5	6.36	11	940	1.4	<2	0.67	<0.5	9	65	14	2.63	1.72
B366503		0.62	0.005	<0.5	6.41	13	870	1.4	<2	0.66	<0.5	8	67	12	2.62	1.76
B366504		0.36	0.011	<0.5	6.62	8	810	1.5	<2	0.61	<0.5	4	68	8	2.01	1.92
B366505		0.38	<0.005	<0.5	5.17	6	780	1.2	<2	0.95	<0.5	9	54	12	2.26	1.32
B366506		0.36	0.007	<0.5	4.83	5	740	1.1	<2	0.86	<0.5	9	49	9	2.03	1.22
B366507		0.76	<0.005	<0.5	4.89	9	710	1.1	<2	0.87	<0.5	9	50	12	2.10	1.22
B366508		0.56	0.036	<0.5	5.12	7	710	1.1	<2	1.04	<0.5	9	51	14	2.54	1.31
B366509		0.54	<0.005	<0.5	6.45	6	770	1.5	<2	0.92	<0.5	10	61	21	2.92	1.92
B366510		0.10	0.093	<0.5	6.71	108	550	2.5	<2	0.50	<0.5	54	1100	383	8.15	2.16
B366511		0.56	<0.005	<0.5	6.05	8	790	1.4	<2	0.91	<0.5	11	62	30	2.77	1.61
B366512		0.40	0.006	<0.5	8.04	14	810	1.9	<2	0.52	<0.5	6	81	27	2.98	2.48
B366513		0.56	0.006	<0.5	8.88	9	930	2.1	<2	0.34	<0.5	8	89	29	3.89	2.80
B366514		0.52	0.005	<0.5	8.79	8	910	2.1	<2	0.36	<0.5	7	85	33	4.01	2.71
B366515		0.76	<0.005	<0.5	8.19	6	940	2.1	<2	0.74	<0.5	12	87	29	3.91	2.49
B366516		0.36	0.009	<0.5	7.64	7	860	1.9	<2	0.91	<0.5	10	78	28	3.55	2.23
B366517		0.56	0.005	<0.5	6.60	12	960	1.5	<2	1.07	<0.5	11	68	28	3.16	1.88
B366518		0.36	0.010	<0.5	7.76	9	950	1.8	<2	0.85	<0.5	12	82	26	3.53	2.23
B366519		0.48	0.006	<0.5	6.97	16	920	1.5	<2	1.35	<0.5	11	78	29	3.20	1.99
B366520		0.48	0.007	<0.5	6.59	11	760	1.5	<2	1.03	<0.5	9	71	20	2.86	1.80
B366521		0.54	0.005	<0.5	7.43	11	860	1.7	<2	1.02	<0.5	11	80	21	3.20	2.06
B366522		0.42	0.007	<0.5	7.38	5	850	1.7	<2	0.98	<0.5	12	80	22	3.25	2.03
B366523		0.56	0.008	<0.5	6.85	8	790	1.7	<2	1.01	<0.5	11	74	21	2.97	1.87
B366524		0.38	0.009	<0.5	6.38	10	760	1.6	<2	1.35	0.8	22	64	32	3.03	1.74
B366525		0.40	0.015	<0.5	6.33	8	730	1.5	<2	1.06	0.6	11	66	25	2.90	1.70
B366526		0.46	0.007	<0.5	5.60	10	710	1.2	<2	0.86	<0.5	6	61	12	2.27	1.43
B366527		0.42	0.007	<0.5	6.24	5	790	1.6	<2	1.09	<0.5	12	63	23	2.78	1.65
B366528		0.40	0.013	<0.5	6.55	11	820	1.6	<2	1.15	0.7	18	66	25	2.99	1.73

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366489		0.51	497	<1	0.84	23	580	14	0.03	<5	159	0.38	83	<10	68
B366490															
B366491		0.57	652	<1	0.75	25	630	16	0.05	5	165	0.35	93	<10	87
B366492		0.56	647	<1	0.74	28	670	18	0.06	<5	162	0.33	92	<10	106
B366493		0.52	514	<1	0.81	22	680	12	0.04	<5	166	0.44	88	<10	86
B366494		0.65	592	<1	0.83	31	650	18	0.04	<5	156	0.36	108	<10	98
B366495		0.55	344	<1	1.00	22	680	15	0.03	<5	178	0.32	87	<10	80
B366496		0.50	535	<1	0.89	18	580	12	0.03	<5	164	0.37	79	<10	60
B366497		0.55	479	1	0.81	21	590	15	0.05	<5	159	0.36	87	<10	71
B366498		0.54	374	<1	0.97	18	540	12	0.04	<5	178	0.33	83	<10	57
B366499		0.52	526	1	0.96	18	520	13	0.04	<5	172	0.36	81	<10	60
B366500		0.50	371	<1	0.89	19	560	18	0.02	<5	154	0.36	90	<10	57
B366501		0.51	303	<1	0.86	17	530	15	0.02	<5	153	0.31	97	<10	59
B366502		0.53	353	<1	0.81	19	580	18	0.03	<5	146	0.32	102	<10	62
B366503		0.52	345	1	0.81	18	630	16	0.02	<5	144	0.35	99	<10	56
B366504		0.45	188	<1	0.72	13	470	15	0.02	<5	134	0.37	94	<10	41
B366505		0.49	478	<1	0.89	19	560	11	0.04	<5	162	0.31	79	<10	63
B366506		0.45	454	<1	0.87	17	520	12	0.03	<5	156	0.28	72	<10	57
B366507		0.46	367	<1	0.92	19	560	13	0.03	<5	159	0.30	74	<10	58
B366508		0.48	459	<1	0.83	17	720	15	0.03	<5	148	0.31	78	<10	72
B366509		0.57	539	<1	0.77	25	650	19	0.03	<5	136	0.31	82	<10	82
B366510		0.54	372	8	0.12	457	330	136	0.02	14	50	0.20	86	30	582
B366511		0.56	592	1	0.97	26	680	27	0.04	<5	162	0.30	83	<10	93
B366512		0.54	228	1	0.77	19	960	25	0.06	<5	158	0.38	110	<10	61
B366513		0.62	301	1	0.81	26	690	26	0.03	<5	141	0.34	122	<10	81
B366514		0.62	248	1	0.76	28	770	32	0.03	<5	137	0.31	116	<10	82
B366515		0.84	696	1	0.74	31	950	26	0.05	<5	145	0.37	122	<10	94
B366516		0.75	615	1	0.73	28	770	22	0.05	<5	160	0.35	108	<10	91
B366517		0.75	539	<1	0.89	34	770	15	0.03	<5	181	0.32	106	<10	93
B366518		0.74	734	<1	0.77	34	940	21	0.05	<5	160	0.35	116	<10	122
B366519		0.76	425	1	0.73	34	860	18	0.06	<5	215	0.31	111	<10	101
B366520		0.64	515	1	0.83	27	750	22	0.05	<5	184	0.33	98	<10	91
B366521		0.70	428	1	0.83	29	810	20	0.05	<5	189	0.36	108	<10	97
B366522		0.69	526	<1	0.81	30	840	21	0.05	<5	183	0.33	106	<10	98
B366523		0.63	492	1	0.79	31	770	16	0.05	<5	181	0.32	97	<10	98
B366524		0.58	1530	1	0.53	41	1310	25	0.13	<5	200	0.23	85	<10	159
B366525		0.58	680	1	0.68	31	920	20	0.07	<5	179	0.30	87	<10	115
B366526		0.53	327	1	0.85	15	630	19	0.03	<5	163	0.32	85	<10	57
B366527		0.57	639	1	0.79	29	820	19	0.05	<5	187	0.33	91	<10	102
B366528		0.58	905	<1	0.73	31	970	20	0.07	<5	194	0.28	91	<10	134

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366529		0.44	0.006	<0.5	6.53	<5	800	1.5	<2	1.16	<0.5	12	70	23	2.89	1.69
B366530		0.10	0.447	2.6	8.96	<5	1070	1.2	<2	1.51	<0.5	9	16	7460	3.29	3.79
B366531		0.48	0.017	<0.5	6.53	7	800	1.5	<2	1.25	<0.5	13	68	36	2.68	1.72
B366532		0.52	0.005	<0.5	6.10	<5	770	1.3	<2	1.01	<0.5	10	68	17	2.44	1.58
B366533		0.60	0.008	<0.5	5.93	<5	760	1.3	<2	1.00	<0.5	11	68	16	2.48	1.50
B366534		0.36	0.031	0.5	7.20	6	750	1.7	<2	1.17	<0.5	10	75	26	2.52	1.89
B366535		0.52	0.010	<0.5	6.74	7	790	1.5	<2	1.01	<0.5	10	73	18	2.65	1.76
B366536		0.38	0.007	<0.5	6.48	<5	840	1.4	<2	1.03	<0.5	12	61	18	2.80	1.65
B366537		0.58	0.011	<0.5	7.29	8	870	1.7	<2	0.99	<0.5	11	63	20	2.93	1.96
B366538		0.68	0.012	<0.5	6.20	9	900	1.4	<2	0.74	<0.5	9	68	19	2.83	1.56
B366539		0.42	0.020	0.6	7.41	9	1200	1.7	2	0.64	0.6	58	82	34	4.37	1.60
B366540		0.66	0.075	0.5	5.76	<5	830	1.3	<2	0.69	<0.5	14	62	18	2.78	1.40
B366541		1.00	0.009	<0.5	6.00	<5	790	1.3	<2	0.53	<0.5	5	59	19	2.49	1.48
B366542		0.56	0.014	<0.5	6.29	14	820	1.4	<2	0.50	<0.5	6	66	22	3.04	1.60
B366543		0.46	0.008	0.8	6.11	13	900	1.6	<2	0.33	<0.5	10	66	48	3.51	1.34
B366544		0.50	0.012	<0.5	5.69	16	740	1.3	<2	0.73	<0.5	8	58	25	2.99	1.34
B366545		0.68	0.005	<0.5	6.66	6	680	1.2	<2	0.32	<0.5	4	50	9	1.50	1.79
B366546		0.78	<0.005	<0.5	4.71	18	700	0.8	<2	0.65	<0.5	5	49	11	2.11	1.06
B366547		0.66	<0.005	<0.5	4.84	<5	750	0.8	<2	0.62	<0.5	3	51	8	1.78	1.16
B366548		0.64	0.008	<0.5	5.16	5	720	1.0	<2	0.59	<0.5	5	50	16	2.36	1.24
B366549		0.80	0.005	<0.5	6.23	7	780	1.2	<2	0.57	<0.5	5	61	10	2.54	1.62
B366550		0.08	2.78	<0.5	8.17	2300	780	14.7	<2	0.01	<0.5	1	150	110	3.72	3.51
B366551		0.74	0.005	<0.5	5.91	11	790	1.2	<2	0.77	<0.5	7	55	15	2.54	1.50
B366552		0.62	0.006	<0.5	6.27	8	840	1.2	<2	0.75	<0.5	5	64	13	2.58	1.54
B366553		0.48	0.007	<0.5	5.67	9	750	1.1	<2	0.71	<0.5	3	53	12	2.04	1.37
B366554		0.78	0.006	<0.5	7.63	8	950	1.6	<2	0.78	<0.5	10	71	18	3.08	2.01
B366555		0.74	<0.005	<0.5	6.66	8	920	1.4	<2	0.92	<0.5	10	63	14	2.95	1.62
B366556		0.80	0.007	<0.5	8.01	7	1020	2.0	<2	1.01	<0.5	15	83	31	3.72	2.31
B366557		0.92	0.017	<0.5	7.30	10	860	1.6	<2	0.81	<0.5	12	70	20	3.29	2.02
B366558		0.48	0.005	<0.5	7.15	9	910	1.6	<2	1.01	<0.5	12	64	23	3.14	1.94
B366559		0.96	0.007	<0.5	6.91	7	830	1.5	<2	0.86	<0.5	11	66	20	3.14	1.87
B366560		0.58	0.007	<0.5	7.74	5	970	1.8	<2	0.85	<0.5	14	76	23	3.51	2.20
B366561		0.72	0.006	<0.5	7.67	11	950	1.8	<2	0.86	<0.5	13	71	25	3.33	2.25
B366562		1.08	0.008	<0.5	7.08	8	860	1.6	<2	0.84	<0.5	13	67	22	3.23	1.97
B366563		0.50	0.008	<0.5	7.75	7	950	1.8	<2	0.85	<0.5	13	74	23	3.38	2.25
B366564		1.06	<0.005	<0.5	6.67	22	880	1.6	<2	0.97	<0.5	14	69	22	3.01	1.83
B366565		0.76	0.005	<0.5	6.52	31	850	1.5	<2	1.14	<0.5	12	66	21	3.24	1.71
B366566		0.68	0.005	<0.5	7.98	12	980	1.8	<2	0.89	<0.5	14	77	20	3.42	2.28
B366567		0.68	0.013	<0.5	7.57	7	1030	1.7	<2	1.18	<0.5	9	67	24	2.89	2.29
B366568		0.74	0.007	<0.5	7.67	16	970	1.8	<2	0.93	<0.5	14	73	27	3.44	2.25

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
/01-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366529		0.60	564	1	0.78	36	910	19	0.08	<5	193	0.31	92	<10	113
B366530		1.13	496	2	3.32	9	1970	8	0.23	<5	685	0.33	172	<10	60
B366531		0.56	570	<1	0.75	32	940	17	0.10	<5	196	0.29	88	<10	109
B366532		0.57	360	1	0.86	24	680	17	0.05	<5	179	0.31	86	<10	75
B366533		0.58	448	1	0.91	22	660	11	0.04	<5	177	0.34	89	<10	70
B366534		0.47	562	1	0.56	26	1020	20	0.10	<5	202	0.29	93	<10	55
B366535		0.56	469	1	0.86	25	640	17	0.04	<5	189	0.33	95	<10	69
B366536		0.62	415	<1	0.91	27	710	19	0.05	<5	182	0.39	96	<10	79
B366537		0.60	469	<1	0.92	29	670	15	0.04	<5	192	0.39	102	<10	85
B366538		0.54	342	<1	0.82	23	660	18	0.03	<5	157	0.37	100	<10	66
B366539		0.56	3280	1	0.41	46	1350	37	0.10	5	123	0.26	118	<10	132
B366540		0.51	559	<1	0.77	22	700	18	0.03	<5	145	0.36	98	<10	66
B366541		0.44	211	<1	0.71	19	820	19	0.04	<5	135	0.34	98	<10	49
B366542		0.46	214	1	0.67	22	990	23	0.04	<5	134	0.33	109	<10	59
B366543		0.36	487	1	0.35	34	1750	38	0.08	7	102	0.25	108	<10	74
B366544		0.58	312	<1	0.82	26	440	24	0.02	<5	154	0.33	91	<10	63
B366545		0.39	192	1	0.48	11	920	16	0.02	<5	90	0.35	73	<10	27
B366546		0.50	187	<1	0.94	14	680	13	0.01	<5	138	0.34	95	<10	38
B366547		0.47	174	<1	0.88	14	750	13	0.02	<5	131	0.35	89	<10	34
B366548		0.48	216	1	0.80	18	1410	17	0.04	<5	127	0.34	93	<10	38
B366549		0.53	232	1	0.81	15	1000	16	0.03	5	137	0.39	102	<10	44
B366550		0.39	76	2	0.09	10	360	32	0.02	163	151	0.31	114	20	18
B366551		0.60	344	<1	1.08	20	620	15	0.01	<5	166	0.35	99	<10	57
B366552		0.59	250	2	1.01	18	830	17	0.02	<5	163	0.40	117	<10	48
B366553		0.55	227	1	0.97	18	780	14	0.03	<5	154	0.32	93	<10	41
B366554		0.70	311	1	0.87	30	770	17	0.03	<5	161	0.35	106	<10	80
B366555		0.63	534	<1	0.97	23	760	17	0.03	<5	170	0.36	97	<10	67
B366556		0.78	694	<1	1.00	38	840	17	0.04	<5	179	0.40	113	<10	94
B366557		0.67	519	<1	1.05	33	940	14	0.02	<5	164	0.41	95	<10	88
B366558		0.68	726	<1	1.05	29	770	20	0.03	<5	169	0.39	96	<10	86
B366559		0.65	695	<1	1.04	31	910	12	0.02	<5	157	0.38	86	<10	84
B366560		0.73	614	<1	1.09	38	950	15	0.02	<5	158	0.40	100	<10	92
B366561		0.72	592	<1	0.93	35	780	20	0.04	<5	162	0.37	99	<10	107
B366562		0.68	748	<1	1.01	34	870	17	0.03	<5	151	0.37	90	<10	92
B366563		0.73	647	1	1.00	34	830	16	0.03	<5	162	0.39	101	<10	102
B366564		0.71	430	1	0.96	32	700	18	0.05	<5	163	0.39	103	<10	71
B366565		0.71	771	1	1.20	30	800	13	0.03	<5	192	0.42	98	<10	78
B366566		0.73	517	<1	1.00	35	930	16	0.04	<5	168	0.38	103	<10	102
B366567		0.73	402	1	0.94	27	920	17	0.07	<5	177	0.35	98	<10	78
B366568		0.74	597	<1	0.98	37	800	20	0.04	<5	171	0.40	100	<10	110

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366569		0.66	0.005	<0.5	8.06	17	990	1.8	<2	0.98	<0.5	13	74	25	3.49	2.33
B366570		0.12	0.459	2.4	8.98	<5	1010	1.1	<2	1.47	<0.5	6	8	6980	3.15	3.56
B366571		0.80	0.006	<0.5	6.57	22	840	1.3	<2	1.03	<0.5	8	60	21	2.81	1.69
B366572		0.58	0.006	<0.5	6.63	17	840	1.6	<2	0.90	<0.5	14	67	22	2.98	1.79
B366573		0.60	0.017	<0.5	6.27	21	770	1.4	<2	0.84	<0.5	13	63	17	2.74	1.61
B366574		0.40	<0.005	<0.5	6.31	17	770	1.4	<2	0.78	<0.5	13	60	19	2.67	1.65
B366575		0.62	0.005	<0.5	6.01	19	720	1.4	<2	0.67	<0.5	11	57	18	2.50	1.60
B366576		0.56	0.006	<0.5	6.47	19	790	1.5	<2	0.83	<0.5	14	64	22	2.86	1.68
B366577		0.40	0.007	<0.5	6.66	16	820	1.5	<2	0.92	<0.5	14	66	21	2.89	1.72
B366578		0.58	0.060	<0.5	6.90	20	870	1.6	<2	0.85	<0.5	15	69	23	2.99	1.80
B366579		0.52	0.007	<0.5	6.63	18	840	1.5	<2	0.91	0.6	14	64	21	2.90	1.72
B366580		0.62	0.006	<0.5	6.43	13	800	1.5	<2	0.91	<0.5	14	66	22	2.90	1.71
B366581		0.48	0.014	<0.5	6.81	11	890	1.7	<2	0.91	<0.5	14	71	25	2.98	1.89
B366582		0.52	0.012	<0.5	6.67	17	860	1.6	<2	0.89	<0.5	13	68	23	2.92	1.78
B366583		0.80	0.009	<0.5	7.39	15	930	1.8	<2	0.86	<0.5	15	76	26	3.40	2.05
B366584		0.86	0.165	<0.5	6.42	18	740	1.5	<2	0.82	<0.5	15	66	23	3.31	1.62
B366585		0.74	<0.005	<0.5	5.28	12	840	1.1	<2	1.06	<0.5	11	56	17	2.47	1.11
B366586		0.60	0.009	<0.5	6.83	34	800	1.7	<2	0.45	<0.5	14	61	44	3.74	2.08
B366587		0.40	0.018	<0.5	7.16	62	900	1.8	<2	0.94	<0.5	17	73	34	3.84	1.90
B366588		0.66	0.010	<0.5	6.26	56	750	1.5	<2	0.87	<0.5	14	53	25	3.03	1.52
B366589		0.54	0.009	<0.5	6.67	48	810	1.6	<2	0.94	<0.5	14	57	26	3.22	1.66
B366590		0.10	1.545	<0.5	6.49	1225	670	5.4	<2	0.01	<0.5	7	213	37	3.67	2.32
B366591		1.22	0.018	<0.5	6.46	65	790	1.6	<2	1.00	<0.5	13	58	26	3.20	1.59
B366592		0.56	0.013	<0.5	6.57	52	790	1.6	<2	0.95	<0.5	14	58	28	3.18	1.66
B366593		0.84	0.008	<0.5	6.44	39	760	1.5	<2	0.87	<0.5	14	57	26	3.02	1.54
B366594		0.56	0.010	1.9	5.34	190	630	1.1	<2	7.50	2.7	12	48	22	2.88	1.27
B366595		0.64	0.006	<0.5	6.02	<5	830	1.3	<2	0.82	<0.5	10	62	15	2.77	1.39
B366596		0.92	0.006	<0.5	5.73	15	850	1.2	<2	1.02	<0.5	13	64	15	2.98	1.16
B366597		0.56	0.016	<0.5	5.40	9	750	1.0	<2	0.89	<0.5	10	54	12	2.41	1.13
B366598		0.66	0.005	<0.5	5.64	8	770	1.2	<2	1.00	<0.5	11	60	20	2.80	1.25
B366599		0.54	0.005	<0.5	5.75	11	790	1.2	<2	1.38	<0.5	11	62	17	2.71	1.30
B366600		0.72	0.008	<0.5	5.56	33	710	1.2	<2	1.05	0.6	10	55	18	2.54	1.33
B366601		0.54	0.006	<0.5	6.20	42	760	1.4	<2	1.38	<0.5	11	61	23	2.75	1.46
B366602		0.62	0.012	<0.5	6.39	44	780	1.4	<2	1.35	0.5	10	61	25	2.84	1.56
B366603		0.56	0.007	<0.5	5.79	21	760	1.2	<2	1.17	0.5	11	61	17	2.65	1.33
B366604		0.76	0.005	<0.5	5.83	21	720	1.3	<2	1.07	0.5	12	61	16	2.67	1.36
B366605		0.82	0.010	<0.5	6.23	39	660	1.4	<2	0.89	1.3	12	57	23	2.83	1.58
B366606		1.16	0.009	<0.5	8.83	21	790	2.2	<2	0.74	<0.5	18	75	39	4.01	2.65
B366607		0.48	0.061	0.9	7.03	44	740	1.6	<2	0.74	2.1	13	62	23	3.07	1.89
B366608		0.64	0.027	0.5	6.51	31	710	1.5	<2	0.78	1.4	10	62	21	3.04	1.86

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B366569		0.78	627	<1	0.97	37	770	20	0.04	<5	175	0.37	104	<10	115
B366570		1.08	468	3	3.11	9	1850	8	0.21	<5	658	0.31	165	<10	56
B366571		0.65	333	<1	1.24	20	690	15	0.03	<5	149	0.35	92	<10	58
B366572		0.65	588	1	0.91	30	690	23	0.04	5	159	0.33	89	<10	93
B366573		0.59	421	1	0.95	25	740	13	0.03	<5	153	0.34	83	<10	85
B366574		0.60	352	<1	0.95	26	670	17	0.03	<5	155	0.32	82	<10	80
B366575		0.53	407	<1	0.86	24	550	20	0.03	<5	150	0.32	78	<10	74
B366576		0.59	360	<1	0.93	26	700	22	0.03	<5	158	0.32	84	<10	89
B366577		0.64	626	<1	0.98	28	700	19	0.04	<5	164	0.34	86	<10	92
B366578		0.64	669	<1	0.97	32	750	26	0.04	<5	160	0.35	90	<10	92
B366579		0.64	459	1	0.93	26	700	20	0.04	7	161	0.32	86	<10	89
B366580		0.63	433	1	0.92	29	710	22	0.05	<5	163	0.33	86	<10	88
B366581		0.69	344	1	0.90	32	710	17	0.06	<5	162	0.33	92	<10	102
B366582		0.66	338	<1	0.92	31	710	18	0.05	<5	160	0.32	89	<10	97
B366583		0.70	613	<1	0.87	33	830	23	0.05	<5	161	0.34	95	<10	100
B366584		0.58	517	<1	0.92	31	910	21	0.03	<5	155	0.35	82	<10	86
B366585		0.59	430	<1	1.17	21	720	11	0.01	<5	185	0.39	88	<10	61
B366586		0.47	341	1	0.66	30	750	18	0.01	8	150	0.27	71	<10	82
B366587		0.79	562	<1	0.90	35	750	31	0.04	<5	155	0.41	90	<10	108
B366588		0.62	527	1	1.08	25	720	25	0.03	<5	156	0.35	74	<10	85
B366589		0.67	520	1	1.14	27	740	23	0.03	6	167	0.37	78	<10	90
B366590		0.32	89	2	0.10	18	290	23	0.01	115	84	0.22	84	10	44
B366591		0.67	533	<1	1.02	29	720	20	0.04	12	160	0.36	77	<10	96
B366592		0.66	519	<1	1.04	31	680	29	0.03	11	162	0.35	77	<10	92
B366593		0.60	563	1	1.12	28	730	18	0.01	6	159	0.36	75	<10	82
B366594		0.60	709	<1	1.02	23	690	355	0.02	67	318	0.33	70	<10	672
B366595		0.68	442	<1	1.22	23	550	17	0.02	<5	132	0.43	89	<10	70
B366596		0.65	1015	<1	0.89	20	1180	15	0.05	<5	152	0.37	99	<10	87
B366597		0.60	430	<1	1.06	17	930	16	0.05	<5	157	0.34	88	<10	66
B366598		0.63	656	1	0.93	24	680	16	0.03	<5	160	0.34	91	<10	76
B366599		0.66	412	<1	1.00	22	800	15	0.06	<5	193	0.37	93	<10	94
B366600		0.56	503	<1	0.96	23	640	58	0.03	<5	159	0.32	83	<10	174
B366601		0.64	435	<1	0.95	24	750	16	0.07	<5	196	0.35	87	<10	109
B366602		0.65	458	1	0.91	26	770	21	0.07	<5	192	0.35	87	<10	106
B366603		0.65	447	<1	0.96	24	770	21	0.05	<5	178	0.37	92	<10	108
B366604		0.61	458	<1	0.96	22	670	15	0.04	<5	165	0.38	86	<10	114
B366605		0.57	578	1	0.91	25	690	150	0.04	41	148	0.33	76	<10	325
B366606		0.85	529	<1	0.53	33	760	47	0.04	8	128	0.31	91	<10	139
B366607		0.62	429	1	0.83	26	710	174	0.04	36	141	0.32	80	<10	468
B366608		0.61	371	<1	0.84	26	730	156	0.03	38	137	0.35	79	<10	370

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366609		0.74	0.008	<0.5	7.35	25	860	1.7	<2	0.84	<0.5	8	66	24	3.28	2.34
B366610		0.10	0.442	2.5	9.00	13	1050	1.2	<2	1.50	<0.5	8	12	7430	3.33	3.65
B366611		0.58	0.010	<0.5	6.67	28	750	1.5	2	0.92	1.5	10	60	28	3.01	1.90
B366612		0.82	0.007	<0.5	6.44	9	950	1.4	<2	0.94	<0.5	10	63	24	3.12	1.65
B366613		0.58	0.007	<0.5	5.40	16	780	1.1	<2	1.19	<0.5	10	64	16	2.78	1.24
B366614		0.50	0.020	<0.5	5.65	21	870	1.2	<2	1.15	<0.5	11	60	21	3.04	1.40
B366615		0.62	0.007	<0.5	5.29	16	810	1.1	<2	1.18	0.5	9	60	15	2.74	1.14
B366616		0.68	0.009	<0.5	5.58	23	1030	1.3	<2	1.37	0.7	17	67	25	3.77	1.25
B366617		0.50	0.005	<0.5	5.43	33	900	1.1	<2	1.34	<0.5	11	66	17	3.03	1.12
B366618		0.72	0.007	<0.5	5.31	31	1010	1.1	<2	1.33	<0.5	14	63	19	3.39	1.08
B366619		0.94	0.006	<0.5	5.48	21	790	1.2	<2	1.11	<0.5	10	57	26	2.81	1.36
B366620		0.76	<0.005	<0.5	5.22	33	1120	1.1	<2	1.45	0.6	18	64	18	4.36	1.09
B366621		0.52	0.009	<0.5	5.17	42	1120	1.0	<2	1.50	0.5	16	68	13	3.93	0.99
B366622		0.52	0.009	<0.5	5.10	33	1190	1.0	<2	1.58	<0.5	19	65	14	4.66	1.02
B366623		1.02	0.013	0.8	5.09	35	690	1.0	<2	0.82	0.5	5	57	12	2.24	1.18
B366624		0.60	0.011	1.0	5.52	28	720	1.1	2	0.72	<0.5	5	58	15	2.32	1.30
B366625		0.52	0.011	1.1	5.11	35	680	1.1	<2	0.62	<0.5	5	56	18	2.23	1.28
B366626		0.50	0.011	1.4	5.45	39	750	1.2	<2	0.71	<0.5	7	58	23	2.48	1.38
B366627		0.44	0.015	1.1	6.20	72	720	1.3	<2	0.54	<0.5	10	57	21	2.73	1.47
B366628		0.38	0.013	1.3	5.77	39	740	1.1	<2	0.63	<0.5	4	62	14	1.92	1.37
B366629		0.46	0.018	1.0	5.21	54	640	1.0	<2	0.61	<0.5	4	53	17	2.12	1.21
B366630		0.12	0.094	<0.5	6.68	98	570	2.5	<2	0.52	<0.5	55	1165	390	8.48	2.13
B366631		0.44	0.044	2.2	7.62	200	650	1.3	2	0.42	<0.5	4	73	36	2.63	1.50
B366632		0.48	0.030	3.7	7.54	459	760	1.4	3	0.36	<0.5	4	80	56	3.29	1.92
B366633		0.32	0.010	0.6	5.76	42	690	1.2	2	0.62	<0.5	5	57	19	2.36	1.50
B366634		0.26	0.010	0.6	5.69	50	680	1.2	<2	0.54	<0.5	4	53	18	2.25	1.50
B366635		0.34	0.006	0.5	5.60	34	700	1.2	<2	0.59	<0.5	5	55	19	2.19	1.52
B366636		0.54	0.009	1.3	5.63	48	780	1.2	<2	0.70	1.0	24	61	16	3.19	1.35
B366637		0.40	0.006	0.6	5.25	32	800	1.2	<2	0.74	<0.5	14	59	18	3.69	1.23
B366638		0.50	0.011	0.6	5.42	35	790	1.1	<2	0.72	<0.5	13	72	16	3.69	1.34
B366639		0.48	0.006	<0.5	6.29	14	950	1.3	<2	1.17	<0.5	9	75	18	3.24	1.60
B366640		0.48	0.009	<0.5	4.85	9	700	0.9	2	0.80	<0.5	4	54	6	2.04	1.18
B366641		0.54	<0.005	0.5	4.89	36	830	1.1	<2	0.85	1.2	14	52	14	3.86	1.16
B366642		0.38	0.005	0.5	4.99	39	830	1.1	<2	0.85	1.3	13	55	15	3.77	1.17
B366643		0.50	0.005	<0.5	5.16	20	830	1.0	<2	0.83	<0.5	7	57	18	2.69	1.24
B366644		0.48	0.007	<0.5	6.58	<5	1040	1.3	<2	1.07	<0.5	10	70	18	3.02	1.60
B366645		0.48	0.005	<0.5	5.03	35	770	1.0	<2	0.77	<0.5	9	58	13	4.82	1.13
B366646		0.36	0.008	0.9	5.62	8	860	1.0	<2	0.65	0.5	3	61	14	1.61	1.40
B366647		0.52	0.007	<0.5	4.58	20	720	1.0	<2	0.78	0.8	15	50	12	10.50	1.12
B366648		0.66	0.006	<0.5	6.79	10	1020	1.5	<2	1.25	<0.5	11	64	26	3.25	1.77

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366609		0.60	383	<1	0.79	27	620	28	0.03	6	129	0.33	88	<10	96
B366610		1.16	486	2	3.29	11	1890	14	0.23	<5	689	0.34	172	<10	56
B366611		0.66	470	<1	0.89	29	700	127	0.04	29	148	0.34	82	<10	400
B366612		0.68	891	<1	0.99	27	690	20	0.04	8	166	0.37	96	<10	91
B366613		0.68	763	<1	1.14	25	770	18	0.04	5	190	0.37	86	<10	89
B366614		0.68	1600	<1	1.01	28	760	21	0.04	<5	171	0.35	89	<10	101
B366615		0.70	819	<1	1.09	26	690	19	0.04	<5	181	0.33	83	<10	93
B366616		0.77	3330	<1	0.88	39	900	24	0.07	<5	175	0.32	90	<10	171
B366617		0.78	1310	<1	1.07	31	890	20	0.06	<5	190	0.34	90	<10	103
B366618		0.74	2850	1	0.96	34	840	21	0.07	<5	181	0.31	85	<10	128
B366619		0.64	568	<1	0.95	29	840	21	0.04	<5	159	0.33	86	<10	106
B366620		0.71	5700	<1	1.00	36	890	18	0.06	<5	195	0.31	87	<10	118
B366621		0.78	5380	<1	1.10	33	870	16	0.06	<5	210	0.34	87	<10	105
B366622		0.79	6450	<1	1.09	34	890	20	0.06	<5	218	0.32	85	<10	113
B366623		0.55	314	<1	0.83	17	550	52	0.02	5	149	0.47	92	<10	56
B366624		0.56	291	<1	0.82	17	600	58	0.03	6	145	0.41	93	<10	65
B366625		0.52	316	<1	0.71	17	590	63	0.03	5	130	0.40	88	<10	64
B366626		0.56	285	<1	0.83	19	570	61	0.03	<5	148	0.40	96	<10	75
B366627		0.56	579	<1	0.64	19	680	103	0.04	6	127	0.35	92	<10	67
B366628		0.53	203	<1	0.76	16	660	73	0.03	<5	139	0.38	96	<10	48
B366629		0.47	213	<1	0.75	14	620	44	0.03	<5	133	0.34	89	<10	45
B366630		0.59	382	8	0.12	469	330	145	0.02	11	50	0.25	92	30	600
B366631		0.45	178	<1	0.51	15	790	125	0.05	10	133	0.31	116	10	55
B366632		0.51	186	<1	0.49	17	690	122	0.05	14	141	0.32	120	<10	65
B366633		0.53	229	<1	0.70	14	540	58	0.02	6	133	0.44	91	<10	53
B366634		0.52	192	<1	0.67	14	500	62	0.02	5	126	0.35	88	<10	52
B366635		0.52	201	<1	0.77	14	470	53	0.01	<5	136	0.35	87	<10	52
B366636		0.55	1670	1	0.75	21	720	100	0.04	<5	141	0.41	96	<10	88
B366637		0.55	1170	<1	0.77	24	670	49	0.03	<5	146	0.37	87	<10	102
B366638		0.56	717	<1	0.81	20	780	41	0.03	<5	146	0.38	97	<10	83
B366639		0.84	456	<1	1.15	22	720	29	0.01	<5	203	0.43	119	<10	93
B366640		0.54	239	<1	0.88	16	450	25	0.02	<5	147	0.43	85	<10	45
B366641		0.54	1670	<1	0.87	35	710	38	0.03	<5	159	0.34	81	<10	165
B366642		0.55	1085	<1	0.88	31	720	41	0.03	<5	161	0.33	81	<10	160
B366643		0.57	407	<1	0.91	21	720	35	0.04	<5	159	0.33	91	<10	76
B366644		0.76	399	1	1.04	23	760	32	0.02	<5	186	0.40	111	<10	89
B366645		0.53	630	1	0.85	20	740	42	0.04	<5	147	0.32	80	<10	85
B366646		0.42	210	<1	0.88	11	1140	71	0.03	<5	145	0.40	90	10	41
B366647		0.51	692	1	0.80	32	580	44	0.05	<5	142	0.27	71	<10	395
B366648		0.78	494	1	1.14	30	840	25	0.02	5	203	0.37	96	<10	81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366649		0.44	0.007	1.8	6.32	25	930	1.3	2	0.84	<0.5	9	69	15	3.13	1.59
B366650		0.10	1.495	<0.5	6.95	1245	680	6.0	<2	0.01	<0.5	5	205	38	3.66	2.64

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074733

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B366649		0.61	359	<1	0.80	23	750	61	0.04	<5	155	0.38	95	<10	105
B366650		0.35	87	3	0.11	18	310	30	0.01	113	89	0.25	86	10	46

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 4-SEP-2005
Account: STRGOL

CERTIFICATE VA05074735

Project: 1735

P.O. No.:

This report is for 50 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074735

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367201		0.64	0.005	<0.5	6.61	6	830	1.5	<2	0.89	<0.5	9	61	16	2.46	1.75
B367202		0.60	<0.005	<0.5	6.78	9	860	1.5	<2	0.93	<0.5	8	62	17	2.48	1.75
B367203		0.68	0.006	<0.5	6.22	10	840	1.5	<2	0.74	<0.5	10	57	21	2.63	1.63
B367204		0.52	<0.005	<0.5	6.29	14	930	1.4	<2	0.89	<0.5	11	58	16	2.39	1.47
B367205		0.56	<0.005	<0.5	6.65	7	930	1.5	<2	0.90	<0.5	10	65	18	2.57	1.72
B367206		0.72	<0.005	<0.5	6.39	<5	840	1.5	<2	0.81	<0.5	9	59	18	2.56	1.67
B367207		0.42	0.006	0.7	4.58	9	690	1.1	<2	1.02	<0.5	15	44	20	2.47	1.03
B367208		0.52	0.006	<0.5	4.62	18	620	0.9	<2	0.70	<0.5	4	52	9	2.19	1.00
B367209		0.48	0.006	<0.5	6.07	11	810	1.3	<2	0.55	<0.5	6	65	27	3.04	1.43
B367210		0.10	0.804	2.1	7.37	<5	440	0.7	<2	1.84	<0.5	22	101	1980	4.93	1.65
B367211		0.34	<0.005	<0.5	4.63	9	630	0.9	<2	0.67	<0.5	4	48	13	2.02	1.05
B367212		0.56	<0.005	<0.5	5.73	<5	760	1.3	<2	0.70	<0.5	8	57	19	2.74	1.45
B367213		0.42	<0.005	<0.5	5.35	<5	660	1.2	<2	0.56	<0.5	2	52	11	2.17	1.38
B367214		0.54	0.005	<0.5	7.49	<5	970	1.7	<2	0.60	<0.5	12	70	18	2.70	2.11
B367215		0.66	<0.005	<0.5	6.47	13	920	1.3	<2	0.81	<0.5	12	59	13	2.93	1.42
B367216		0.50	<0.005	<0.5	6.95	5	870	1.4	<2	0.51	<0.5	5	68	19	3.16	1.78
B367217		0.52	0.005	<0.5	6.95	8	870	1.5	<2	0.60	<0.5	6	65	25	3.20	1.85
B367218		0.44	<0.005	<0.5	8.22	<5	1040	1.8	<2	0.36	<0.5	6	72	19	2.62	2.52
B367219		0.56	<0.005	<0.5	7.86	10	1020	1.7	2	0.67	<0.5	17	75	19	3.53	2.06
B367220		0.46	0.005	<0.5	9.87	<5	1160	2.3	<2	0.46	<0.5	12	83	22	3.45	3.07
B367221		0.62	<0.005	<0.5	9.64	<5	1220	2.3	<2	0.51	<0.5	9	81	22	3.03	2.97
B367222		0.62	<0.005	<0.5	9.27	10	1170	2.2	2	0.48	<0.5	10	75	22	3.04	2.80
B367223		0.56	<0.005	<0.5	8.33	5	1030	1.9	2	0.65	<0.5	10	71	20	2.88	2.35
B367224		0.50	<0.005	<0.5	7.51	7	920	1.7	<2	0.69	0.5	10	65	18	2.75	2.07
B367225		0.50	<0.005	<0.5	8.26	9	970	1.9	2	0.64	0.5	12	74	22	2.94	2.47
B367226		0.48	<0.005	<0.5	10.50	5	970	2.5	2	0.52	<0.5	12	92	28	3.32	3.07
B367227		0.48	<0.005	<0.5	9.09	<5	1100	2.0	<2	0.66	0.5	13	83	26	3.28	2.39
B367228		0.76	<0.005	<0.5	7.66	<5	990	1.7	<2	0.80	<0.5	14	75	22	3.32	2.01
B367229		0.64	<0.005	<0.5	7.94	12	1000	1.9	<2	0.72	<0.5	16	87	30	3.87	2.37
B367230		0.10	2.18	<0.5	7.00	5	2110	3.2	<2	4.80	<0.5	24	146	99	5.18	3.42
B367231		0.64	0.005	<0.5	8.32	5	1020	2.0	2	0.75	<0.5	15	87	32	4.04	2.57
B367232		0.60	<0.005	<0.5	8.25	15	1040	2.0	<2	0.76	<0.5	15	92	32	3.96	2.56
B367233		0.62	<0.005	<0.5	8.54	12	1120	2.2	<2	0.76	<0.5	17	95	38	3.99	2.85
B367234		0.74	<0.005	<0.5	8.89	8	1100	2.2	<2	0.58	<0.5	20	99	38	4.71	2.84
B367235		0.54	0.005	<0.5	8.58	10	1080	2.1	<2	0.78	<0.5	16	91	35	3.90	2.74
B367236		0.68	0.007	<0.5	8.80	12	1190	2.2	<2	0.73	0.6	20	97	45	4.48	2.78
B367237		0.52	0.005	<0.5	8.28	6	1080	2.1	<2	0.72	<0.5	15	92	36	3.80	2.70
B367238		0.62	<0.005	<0.5	7.46	11	970	1.8	<2	0.69	<0.5	14	75	29	3.66	2.30
B367239		0.62	<0.005	<0.5	8.15	19	1020	2.0	<2	0.70	<0.5	17	85	35	3.81	2.61
B367240		0.60	<0.005	<0.5	8.33	19	980	2.1	<2	0.72	<0.5	17	82	36	3.80	2.70

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074735

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367201		0.58	263	1	0.90	25	590	22	0.04	<5	186	0.35	95	<10	67
B367202		0.59	252	1	0.92	21	630	23	0.05	<5	190	0.35	96	<10	66
B367203		0.57	325	<1	0.95	24	490	18	0.02	<5	163	0.35	94	<10	67
B367204		0.58	887	<1	0.90	25	590	16	0.04	<5	171	0.34	94	<10	67
B367205		0.64	359	<1	0.90	23	630	18	0.05	<5	178	0.36	106	<10	65
B367206		0.55	422	1	0.95	22	600	17	0.02	<5	178	0.34	96	<10	61
B367207		0.50	696	<1	0.54	17	990	21	0.10	<5	149	0.23	67	<10	43
B367208		0.50	243	<1	0.84	12	570	13	0.02	<5	135	0.40	84	<10	41
B367209		0.53	228	1	0.77	22	750	28	0.03	<5	134	0.35	112	10	58
B367210		1.29	427	2	3.04	45	640	25	0.59	<5	205	0.29	89	10	196
B367211		0.45	211	<1	0.85	14	650	13	0.03	<5	135	0.33	81	<10	38
B367212		0.56	327	<1	0.95	22	600	17	0.02	<5	158	0.36	90	<10	56
B367213		0.47	181	<1	0.89	15	820	16	0.05	<5	136	0.33	85	<10	40
B367214		0.54	330	<1	0.85	25	600	18	0.04	<5	164	0.37	101	<10	71
B367215		0.59	716	<1	0.91	28	640	18	0.04	<5	161	0.36	95	<10	88
B367216		0.61	224	2	0.82	18	880	18	0.04	<5	139	0.35	104	<10	63
B367217		0.64	300	1	0.95	22	590	18	0.02	<5	153	0.37	105	<10	69
B367218		0.43	203	1	0.69	18	550	15	0.03	<5	141	0.36	94	<10	57
B367219		0.59	1070	1	0.82	24	810	22	0.04	<5	161	0.37	106	<10	89
B367220		0.45	430	1	0.58	28	610	16	0.04	<5	191	0.36	97	<10	124
B367221		0.47	369	<1	0.68	26	630	12	0.02	<5	164	0.35	94	<10	69
B367222		0.45	365	1	0.69	25	630	16	0.02	<5	161	0.35	91	<10	67
B367223		0.52	560	1	0.76	25	650	16	0.03	<5	169	0.35	88	<10	106
B367224		0.48	450	<1	0.76	24	610	11	0.04	<5	164	0.34	81	<10	98
B367225		0.51	613	<1	0.65	24	610	23	0.03	6	158	0.34	85	<10	82
B367226		0.60	622	<1	0.61	30	800	20	0.05	<5	219	0.35	95	<10	104
B367227		0.56	589	1	0.75	27	850	30	0.03	<5	220	0.34	104	<10	86
B367228		0.64	850	1	0.88	29	690	13	0.03	<5	190	0.36	95	<10	101
B367229		0.82	850	1	0.98	38	1000	23	0.03	<5	143	0.35	100	<10	124
B367230		2.97	1070	13	2.35	64	2250	26	0.30	<5	1645	0.39	162	<10	98
B367231		0.85	632	1	0.98	41	1090	10	0.03	<5	146	0.39	103	<10	114
B367232		0.85	542	<1	1.02	38	1060	18	0.03	<5	148	0.39	106	<10	98
B367233		0.86	671	1	0.87	43	840	18	0.04	<5	146	0.36	112	<10	134
B367234		0.99	873	1	0.90	56	900	19	0.03	7	128	0.35	110	<10	146
B367235		0.83	571	1	0.87	44	880	16	0.05	<5	149	0.38	108	<10	137
B367236		0.92	966	1	0.93	56	1140	14	0.04	<5	143	0.40	114	<10	125
B367237		0.80	584	1	0.75	41	820	20	0.05	6	137	0.38	107	10	144
B367238		0.75	708	1	0.81	33	640	26	0.03	<5	142	0.36	97	<10	142
B367239		0.73	1185	<1	0.78	40	850	22	0.04	<5	139	0.34	104	<10	172
B367240		0.73	708	1	0.79	36	780	20	0.05	<5	141	0.35	97	<10	158

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074735

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367241		0.66	<0.005	<0.5	9.22	9	1350	2.7	<2	1.10	<0.5	15	102	66	4.20	3.45
B367242		0.64	<0.005	<0.5	9.66	16	1380	2.8	<2	1.15	<0.5	16	104	69	4.37	3.56
B367243		0.64	<0.005	<0.5	7.43	16	930	1.8	3	0.73	0.5	15	72	29	3.74	2.23
B367244		0.60	<0.005	<0.5	7.90	16	980	1.9	<2	0.77	<0.5	14	78	31	3.81	2.41
B367245		0.66	0.038	<0.5	7.70	14	930	1.8	<2	0.76	0.7	15	71	30	3.71	2.29
B367246		0.54	<0.005	<0.5	8.23	18	880	1.9	<2	1.52	<0.5	8	72	31	3.18	2.68
B367247		0.50	0.012	<0.5	6.10	11	730	1.3	<2	1.56	<0.5	9	56	23	2.58	1.66
B367248		0.58	<0.005	<0.5	7.62	10	960	1.8	2	0.64	<0.5	16	72	30	4.22	2.26
B367249		0.78	<0.005	<0.5	7.45	21	920	1.8	<2	0.77	1.0	22	76	44	3.89	2.11
B367250		0.10	0.081	<0.5	6.71	104	570	2.5	<2	0.51	<0.5	58	1195	385	8.43	2.13

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 14-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074735

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B367241		0.86	497	2	0.56	46	990	10	0.06	<5	122	0.43	134	<10	96
B367242		0.88	478	<1	0.56	46	1000	8	0.06	<5	126	0.47	140	<10	96
B367243		0.75	730	<1	0.88	33	680	38	0.04	<5	142	0.35	92	<10	196
B367244		0.78	716	<1	0.85	35	720	36	0.05	<5	143	0.36	94	<10	267
B367245		0.72	790	<1	0.86	29	690	40	0.05	<5	145	0.36	89	<10	272
B367246		0.66	1235	1	0.53	27	830	18	0.12	<5	178	0.34	84	<10	79
B367247		0.59	462	1	1.02	25	830	15	0.09	<5	179	0.30	72	<10	79
B367248		0.78	784	1	0.88	29	670	48	0.03	<5	144	0.37	94	<10	174
B367249		0.75	1835	1	0.82	34	890	115	0.04	<5	150	0.37	97	<10	301
B367250		0.58	383	10	0.12	468	350	144	0.02	12	49	0.22	87	30	608

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 7-SEP-2005
Account: STRGOL

CERTIFICATE VA05074731

Project: 1735
P.O. No.:
This report is for 18 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 1-SEP-2005.
The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41d	Screen to -100um, save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Robert Long

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074731

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367901		0.54	0.052	<0.5	6.13	228	820	1.6	<2	1.10	<0.5	8	65	18	2.81	1.41
B367902		0.66	0.049	0.5	6.03	247	800	1.6	<2	1.12	0.5	8	64	17	2.75	1.37
B367903		0.58	0.027	<0.5	6.14	300	820	1.8	<2	1.38	<0.5	8	53	14	2.58	1.29
B367904		0.60	0.022	<0.5	6.51	307	730	1.8	<2	1.26	0.5	11	59	22	3.09	1.32
B367905		0.60	0.110	<0.5	6.05	475	840	1.8	<2	1.38	<0.5	6	53	11	2.68	1.18
B367906		0.66	0.081	0.8	5.83	618	740	1.8	<2	1.40	0.5	7	48	23	2.79	1.24
B367907		0.54	0.042	<0.5	5.86	261	740	1.8	<2	1.56	<0.5	7	64	9	2.49	1.12
B367908		0.50	0.040	<0.5	5.81	292	750	1.7	<2	1.28	<0.5	6	59	9	2.32	1.11
B367909		0.64	0.013	<0.5	5.60	303	760	1.5	<2	1.06	<0.5	7	67	12	2.57	1.11
B367910		0.08	2.76	<0.5	7.07	1990	670	12.2	<2	0.01	<0.5	<1	153	96	3.30	2.91
B367911		0.68	0.078	<0.5	6.61	297	820	2.1	<2	1.47	<0.5	7	53	10	2.24	1.20
B367912		0.70	0.028	<0.5	5.89	559	790	1.8	<2	1.22	<0.5	9	54	12	2.54	1.13
B367913		0.66	0.007	<0.5	9.93	195	810	3.2	<2	0.96	<0.5	5	51	4	2.12	1.10
B367914		0.72	0.300	<0.5	7.98	542	870	3.1	<2	1.39	<0.5	9	52	9	2.87	1.35
B367915		0.64	0.009	<0.5	5.55	390	760	1.6	<2	1.12	<0.5	7	52	10	2.23	1.07
B367916		0.66	0.009	<0.5	5.37	217	750	1.6	<2	1.33	<0.5	4	49	6	2.03	1.02
B367917		0.62	0.296	<0.5	6.58	316	850	2.3	<2	1.64	<0.5	7	54	7	2.22	1.13
B367918		0.90	0.029	<0.5	8.78	91	670	4.4	<2	1.54	<0.5	4	78	10	5.03	1.01

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 16-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074731

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367901		0.71	440	1	1.08	32	850	48	0.02	13	200	0.36	84	30	91
B367902		0.69	440	1	1.06	27	870	46	0.02	18	199	0.37	83	50	91
B367903		0.71	432	1	1.03	22	1060	46	0.05	13	216	0.36	79	40	120
B367904		0.74	645	2	1.04	31	870	50	0.04	20	199	0.38	87	30	138
B367905		0.73	457	2	1.05	25	980	47	0.04	14	219	0.38	81	60	97
B367906		0.65	536	4	1.01	23	1060	132	0.05	66	216	0.37	76	40	191
B367907		0.58	503	1	1.11	20	1810	17	0.01	<5	248	0.57	83	240	57
B367908		0.55	445	2	1.05	17	1320	19	0.01	5	225	0.45	77	190	60
B367909		0.64	479	2	1.01	24	900	15	0.02	<5	186	0.39	86	40	71
B367910		0.35	66	1	0.09	10	300	29	0.02	147	133	0.22	96	10	16
B367911		0.52	556	1	1.13	18	1680	20	0.01	7	265	0.47	72	380	58
B367912		0.64	609	1	1.04	24	1090	21	0.03	<5	207	0.36	81	40	87
B367913		0.41	348	5	0.67	22	1740	15	0.01	12	222	0.52	71	520	58
B367914		0.54	639	5	1.26	28	1580	24	0.01	<5	312	0.47	76	380	63
B367915		0.62	303	4	1.07	21	1120	16	0.05	<5	212	0.37	77	40	63
B367916		0.57	317	2	1.30	13	830	15	0.02	<5	277	0.42	78	50	43
B367917		0.71	580	1	1.33	23	1120	12	0.04	<5	328	0.42	73	100	63
B367918		0.43	304	9	1.32	23	1650	28	<0.01	12	425	0.50	89	160	96

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -OCT-2005
Account: STRGOL

CERTIFICATE VA05074931

Project: 1735

P.O. No.:

This report is for 50 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074931

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366651		0.44	<0.005	<0.5	5.78	10	830	1.2	<2	0.64	<0.5	7	63	15	2.90	1.46
B366652		0.52	0.013	<0.5	5.66	<5	760	1.4	<2	0.72	0.6	6	51	17	2.44	1.27
B366653		0.34	<0.005	<0.5	8.96	20	1050	2.1	<2	0.68	<0.5	18	79	31	3.65	2.80
B366654		0.38	0.013	<0.5	5.76	<5	720	1.4	<2	1.28	0.5	7	53	31	2.46	1.45
B366655		0.40	<0.005	<0.5	7.83	29	790	1.9	<2	0.49	<0.5	10	66	28	3.50	2.38
B366656		0.50	<0.005	<0.5	6.82	7	840	1.6	<2	0.88	<0.5	11	63	24	3.16	1.90
B366657		0.64	<0.005	<0.5	6.24	19	680	1.5	<2	0.99	0.5	10	57	23	3.06	1.62
B366658		0.30	<0.005	<0.5	5.98	15	620	1.4	<2	1.84	<0.5	11	55	26	3.07	1.50
B366659		0.50	<0.005	<0.5	5.49	12	560	1.3	<2	1.55	0.5	12	52	29	2.96	1.37
B366660		0.50	<0.005	<0.5	6.65	23	590	1.7	<2	1.23	<0.5	15	53	50	4.10	1.45
B366661		0.40	<0.005	<0.5	6.28	24	690	1.3	<2	1.26	<0.5	10	58	23	2.80	1.52
B366662		0.44	0.007	<0.5	6.09	12	640	1.4	<2	1.25	0.5	12	60	26	3.20	1.43
B366663		0.54	0.006	<0.5	5.76	9	710	1.3	<2	1.21	<0.5	12	60	24	3.02	1.31
B366664		Not Recvd														
B366665		0.56	0.036	<0.5	5.73	21	680	1.3	<2	1.62	0.5	10	54	26	2.73	1.39
B366666		0.42	<0.005	<0.5	6.94	26	770	1.6	<2	1.28	<0.5	13	61	30	3.33	1.66
B366667		0.50	<0.005	<0.5	6.34	27	830	1.5	<2	1.19	<0.5	12	63	29	3.21	1.46
B366668		Not Recvd														
B366669		0.54	<0.005	<0.5	5.77	19	840	1.3	<2	1.26	0.5	11	61	26	2.82	1.28
B366670		0.08	0.077	0.5	6.99	100	550	2.6	<2	0.52	<0.5	55	1140	390	8.19	2.14
B366671		0.56	<0.005	<0.5	6.06	<5	750	1.5	<2	2.01	<0.5	9	59	22	2.57	1.05
B366672		0.62	0.005	<0.5	5.80	20	840	1.3	<2	1.28	0.5	12	63	27	2.90	1.28
B366673		0.46	<0.005	<0.5	5.86	24	840	1.3	<2	1.45	0.5	11	63	26	2.85	1.23
B366674		0.58	<0.005	<0.5	6.03	31	880	1.4	<2	1.45	0.5	12	65	28	2.93	1.31
B366675		0.64	0.014	<0.5	5.54	28	840	1.3	<2	1.46	0.7	13	61	27	2.83	1.16
B366676		0.48	<0.005	<0.5	5.02	27	790	1.1	<2	1.13	<0.5	11	59	24	2.60	1.06
B366677		0.46	<0.005	<0.5	5.81	28	850	1.4	<2	1.48	0.6	11	62	28	2.82	1.25
B366678		0.40	0.005	<0.5	6.05	26	900	1.4	<2	1.54	0.6	11	65	29	2.96	1.30
B366679		0.58	0.005	<0.5	5.86	31	890	1.3	<2	1.52	<0.5	12	66	28	2.92	1.23
B366680		0.40	0.005	<0.5	6.53	32	900	1.6	<2	1.53	0.7	13	69	35	3.21	1.43
B366681		0.42	<0.005	0.6	6.86	33	1000	1.6	<2	1.56	0.8	14	75	45	3.42	1.45
B366682		0.40	0.005	0.5	6.71	38	970	1.5	<2	1.51	0.9	13	74	38	3.33	1.44
B366683		0.42	<0.005	<0.5	4.35	16	760	0.9	<2	1.15	<0.5	8	46	24	2.26	0.93
B366684		0.46	<0.005	<0.5	4.62	7	770	0.9	<2	1.27	<0.5	7	48	12	1.94	0.94
B366685		0.72	<0.005	<0.5	4.94	5	920	1.0	<2	1.40	0.6	10	52	30	2.71	1.06
B366686		0.74	<0.005	<0.5	4.64	<5	880	0.9	<2	1.25	0.6	7	46	19	2.12	0.92
B366687		0.48	0.005	<0.5	5.01	<5	980	1.1	<2	1.27	<0.5	8	51	22	2.26	1.04
B366688		0.42	<0.005	0.5	6.04	10	1440	1.3	<2	1.61	0.5	10	71	25	2.63	1.31
B366689		0.52	<0.005	0.5	4.96	<5	1160	1.0	<2	1.78	0.7	9	56	24	2.29	1.04
B366690		0.08	1.430	<0.5	6.62	1125	620	5.2	<2	0.02	<0.5	5	202	37	3.46	2.45

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074931

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366651		0.67	984	1	0.83	20	1260	18	0.05	5	128	0.37	98	<10	94
B366652		0.59	671	<1	0.76	22	1200	21	0.07	<5	125	0.33	80	<10	150
B366653		0.74	1680	1	0.58	33	1080	37	0.05	<5	137	0.39	102	<10	106
B366654		0.62	803	<1	0.63	27	1240	34	0.12	<5	151	0.30	73	<10	130
B366655		0.97	539	1	0.58	30	490	23	0.02	<5	99	0.38	81	<10	87
B366656		0.84	603	<1	0.74	33	780	25	0.04	<5	135	0.39	89	<10	112
B366657		0.74	649	<1	0.74	27	790	25	0.04	<5	123	0.37	78	<10	110
B366658		0.83	743	<1	0.70	30	800	22	0.04	<5	140	0.35	74	<10	101
B366659		0.84	650	<1	0.59	30	930	21	0.09	<5	136	0.33	66	<10	107
B366660		2.27	1020	1	0.41	43	720	27	0.03	<5	134	0.33	88	<10	108
B366661		0.85	472	1	0.73	25	790	26	0.07	<5	155	0.36	77	<10	89
B366662		0.94	693	1	0.75	29	870	20	0.05	<5	148	0.41	80	<10	106
B366663		0.88	643	1	0.77	27	930	20	0.04	<5	149	0.43	78	<10	90
B366664															
B366665		0.76	550	1	0.61	28	990	18	0.10	<5	144	0.36	67	<10	106
B366666		0.96	716	<1	0.69	33	860	21	0.05	<5	148	0.40	82	<10	102
B366667		0.90	581	1	0.70	33	950	22	0.08	<5	139	0.40	82	<10	109
B366668															
B366669		0.86	554	1	0.73	31	1040	17	0.06	<5	148	0.37	81	<10	96
B366670		0.57	370	8	0.12	457	340	142	0.02	10	52	0.22	85	30	602
B366671		1.11	441	2	1.03	30	1250	16	0.06	<5	148	0.37	87	<10	85
B366672		0.87	619	1	0.74	29	1080	21	0.06	<5	141	0.38	81	<10	108
B366673		0.89	498	1	0.80	31	1300	22	0.06	<5	154	0.42	85	<10	108
B366674		0.93	654	1	0.76	32	1220	20	0.06	<5	150	0.40	87	<10	113
B366675		0.88	591	1	0.73	31	1310	19	0.06	<5	142	0.40	83	<10	111
B366676		0.72	873	2	0.87	23	960	12	0.03	<5	126	0.35	93	<10	72
B366677		0.92	566	1	0.74	30	1250	18	0.08	<5	141	0.37	84	<10	116
B366678		0.95	608	1	0.82	34	1300	22	0.06	<5	154	0.41	89	<10	115
B366679		0.91	522	1	0.80	33	1450	23	0.07	<5	145	0.44	90	<10	112
B366680		1.04	705	1	0.72	35	1110	23	0.08	<5	149	0.38	92	<10	130
B366681		1.09	619	1	0.76	38	1180	34	0.09	<5	152	0.39	102	<10	158
B366682		1.07	741	1	0.76	37	1120	26	0.08	<5	150	0.38	100	<10	148
B366683		0.58	359	1	0.82	21	960	15	0.04	<5	126	0.30	72	<10	66
B366684		0.63	359	1	0.98	18	980	11	0.04	<5	162	0.37	75	<10	75
B366685		0.74	574	1	1.02	26	950	18	0.02	<5	173	0.33	88	<10	85
B366686		0.54	427	<1	1.07	18	940	16	0.03	<5	181	0.33	77	<10	69
B366687		0.59	349	1	0.94	21	920	10	0.03	<5	165	0.31	87	<10	78
B366688		0.70	898	1	0.82	27	1060	15	0.07	<5	166	0.35	106	<10	117
B366689		0.65	462	1	0.76	23	1160	12	0.10	<5	153	0.29	85	<10	105
B366690		0.32	83	2	0.10	16	290	22	0.01	100	86	0.20	77	10	43

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074931

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366691		0.48	<0.005	0.5	5.24	<5	1340	1.2	<2	1.69	1.0	11	64	30	2.62	1.13
B366692		0.56	<0.005	<0.5	5.09	10	1040	1.1	<2	1.24	0.6	8	57	21	2.41	1.11
B366693		0.44	<0.005	<0.5	4.73	<5	950	1.0	<2	1.18	0.5	8	52	19	2.06	0.96
B366694		0.70	<0.005	<0.5	4.91	8	1000	1.0	<2	1.19	0.5	9	57	20	2.24	1.04
B366695		0.54	<0.005	0.5	4.76	<5	1020	1.0	<2	1.32	0.5	8	55	27	2.20	1.00
B366696		0.76	<0.005	<0.5	4.98	6	1050	1.0	<2	1.26	0.5	8	57	26	2.28	1.03
B366697		0.54	0.005	<0.5	5.32	10	1090	1.1	<2	1.40	0.5	9	64	33	2.53	1.16
B366698		0.42	0.005	0.5	5.15	11	870	1.0	<2	1.52	<0.5	11	62	31	2.70	1.02
B366699		0.38	<0.005	<0.5	4.86	11	920	1.0	<2	1.46	0.5	10	59	24	2.80	0.99
B366700		0.54	<0.005	<0.5	4.49	<5	780	0.9	<2	1.29	0.5	7	51	20	1.92	0.88

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074931

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366691		0.71	851	1	0.78	30	1040	17	0.08	<5	153	0.30	93	<10	135
B366692		0.63	455	1	0.86	26	1150	13	0.04	<5	144	0.32	93	<10	108
B366693		0.57	325	1	0.87	20	1000	10	0.05	<5	146	0.32	81	<10	83
B366694		0.59	340	1	0.87	23	1060	13	0.04	<5	146	0.35	90	<10	92
B366695		0.60	478	1	0.83	23	1010	12	0.06	<5	145	0.31	85	<10	91
B366696		0.63	434	1	0.89	25	1120	11	0.05	<5	146	0.34	89	<10	88
B366697		0.75	494	1	0.86	28	1100	15	0.08	<5	142	0.33	96	<10	102
B366698		0.81	701	1	1.02	27	1170	11	0.06	<5	138	0.31	97	<10	83
B366699		0.74	658	<1	0.89	25	1080	14	0.08	<5	133	0.34	89	<10	85
B366700		0.62	248	1	1.00	19	1060	10	0.09	<5	141	0.35	81	<10	67

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat J-SEP-2005
Account: STRGOL

CERTIFICATE VA05074932

Project: 1735

P.O. No.:

This report is for 100 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074932

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366802		0.64	0.009	0.7	8.32	120	330	1.0	3	0.08	<0.5	1	74	15	1.48	0.96
B366803		0.78	0.009	0.8	8.38	118	350	1.1	4	0.09	<0.5	2	79	16	1.54	1.01
B366804		0.60	0.010	1.0	9.12	115	560	1.4	3	0.14	<0.5	2	92	14	1.82	1.74
B366805		0.72	0.016	1.1	8.86	118	790	1.6	3	0.28	<0.5	3	98	17	2.47	2.12
B366806		0.56	0.015	1.0	9.22	118	800	1.7	<2	0.24	<0.5	4	101	17	2.63	2.39
B366807		0.52	0.015	1.1	9.76	121	830	1.8	3	0.27	<0.5	4	106	17	2.76	2.45
B366808		0.66	0.008	0.9	8.99	83	920	1.7	<2	0.34	<0.5	3	89	16	2.56	2.17
B366809		0.68	0.005	0.7	7.86	48	960	1.8	<2	0.52	<0.5	5	88	18	2.73	2.44
B366810		0.10	4.54	8.6	7.62	6	440	0.8	<2	2.71	1.6	16	22	114	3.90	2.08
B366811		0.46	0.006	0.6	6.84	31	870	1.5	<2	0.60	<0.5	5	80	15	2.51	1.99
B366812		0.60	0.009	0.6	7.72	39	910	1.8	<2	0.44	<0.5	4	87	16	2.51	2.53
B366813		0.62	0.009	0.8	7.63	33	890	1.8	<2	0.45	<0.5	4	79	14	2.39	2.41
B366814		0.64	0.005	0.7	7.80	27	870	1.8	<2	0.46	<0.5	5	77	16	2.52	2.44
B366815		0.46	0.015	0.8	8.78	37	990	2.1	<2	0.35	<0.5	6	90	18	2.66	2.93
B366816		0.88	0.012	0.6	8.81	34	930	2.2	<2	0.33	<0.5	4	89	17	2.65	2.93
B366817		0.66	0.007	0.5	8.71	20	920	2.1	2	0.38	<0.5	5	89	18	2.83	2.82
B366818		0.72	0.009	0.5	9.06	18	1040	2.3	<2	0.36	<0.5	6	89	17	2.78	2.92
B366819		0.58	0.005	0.5	8.87	24	970	2.2	<2	0.31	<0.5	7	83	19	3.15	2.78
B366820		0.66	0.013	0.6	9.91	36	1040	2.5	<2	0.27	<0.5	6	98	20	3.33	3.11
B366821		0.64	<0.005	<0.5	7.90	26	870	1.9	<2	0.35	<0.5	8	70	16	2.70	2.29
B366822		0.36	0.006	<0.5	7.56	16	840	1.7	<2	0.43	<0.5	6	68	12	2.36	2.13
B366823		0.46	<0.005	0.5	8.86	37	960	2.1	<2	0.33	<0.5	8	82	20	4.35	2.59
B366824		0.46	0.006	<0.5	12.75	<5	1330	3.9	<2	0.07	<0.5	6	108	19	1.99	5.03
B366825		0.46	<0.005	<0.5	8.28	21	990	2.0	<2	0.44	<0.5	12	73	16	2.66	2.39
B366826		0.82	0.006	<0.5	10.70	5	1020	2.8	<2	0.25	<0.5	7	89	23	2.97	3.70
B366827		0.68	<0.005	<0.5	8.09	<5	880	1.9	<2	0.50	<0.5	8	72	17	2.64	2.35
B366828		0.62	<0.005	<0.5	8.77	<5	1000	2.2	<2	0.50	<0.5	12	80	19	2.79	2.71
B366829		0.80	<0.005	<0.5	7.17	<5	900	1.6	<2	0.65	<0.5	11	64	18	2.72	1.88
B366830		0.08	2.75	<0.5	7.68	2010	700	12.5	<2	0.01	<0.5	1	148	100	3.38	3.06
B366831		0.36	0.005	<0.5	5.61	7	730	1.3	<2	0.59	<0.5	10	50	15	2.30	1.40
B366832		0.36	<0.005	<0.5	6.47	11	870	1.6	<2	0.57	<0.5	12	60	16	2.67	1.68
B366833		0.50	<0.005	<0.5	6.33	<5	820	1.6	<2	0.57	<0.5	12	60	13	2.39	1.66
B366834		0.42	<0.005	<0.5	6.66	<5	860	1.7	<2	0.55	<0.5	13	63	15	2.53	1.74
B366835		0.48	<0.005	<0.5	4.79	10	770	1.0	<2	0.70	<0.5	7	48	8	2.02	1.03
B366836		0.42	<0.005	<0.5	5.95	7	810	1.5	<2	0.61	<0.5	12	57	13	2.35	1.51
B366837		0.74	0.015	<0.5	6.82	10	960	1.5	<2	0.56	<0.5	11	71	22	2.86	1.63
B366838		0.74	<0.005	<0.5	6.52	10	870	1.5	<2	0.53	<0.5	9	67	10	2.49	1.71
B366839		0.92	0.012	<0.5	6.69	<5	890	1.6	<2	0.49	<0.5	8	67	11	2.45	1.79
B366840		0.70	<0.005	<0.5	6.60	10	850	1.5	<2	0.49	<0.5	7	64	12	2.31	1.76
B366841		0.68	0.009	<0.5	6.68	6	890	1.6	<2	0.57	<0.5	12	67	10	2.42	1.85

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074932

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366802		0.25	58	1	0.09	9	510	152	0.03	48	84	0.59	101	10	22
B366803		0.25	61	1	0.11	8	540	159	0.03	47	90	0.63	106	10	23
B366804		0.42	65	1	0.17	10	660	138	0.04	43	93	0.57	123	10	27
B366805		0.58	137	1	0.31	13	800	104	0.04	46	101	0.47	131	10	45
B366806		0.60	130	2	0.30	13	760	106	0.04	46	97	0.48	142	<10	46
B366807		0.62	135	1	0.32	14	820	110	0.05	46	104	0.49	143	10	47
B366808		0.55	162	1	0.37	15	680	86	0.04	35	105	0.45	123	<10	46
B366809		0.69	250	1	0.61	13	650	52	0.03	41	124	0.45	125	<10	50
B366810		1.25	908	12	1.53	11	840	24	0.63	<5	386	0.35	132	<10	93
B366811		0.62	204	1	0.68	12	660	48	0.02	31	127	0.41	112	<10	49
B366812		0.66	164	<1	0.54	14	680	51	0.03	45	110	0.40	124	<10	47
B366813		0.61	165	1	0.53	12	620	47	0.03	40	110	0.40	113	<10	42
B366814		0.58	192	1	0.60	15	580	44	0.03	31	119	0.39	111	<10	49
B366815		0.64	207	1	0.47	15	660	49	0.03	39	105	0.41	128	<10	49
B366816		0.60	142	1	0.46	14	530	45	0.03	27	103	0.41	126	<10	48
B366817		0.57	192	1	0.48	15	520	44	0.03	26	109	0.44	121	<10	51
B366818		0.53	212	<1	0.47	16	510	37	0.02	19	112	0.38	119	<10	50
B366819		0.51	256	1	0.42	17	520	38	0.02	18	106	0.40	113	<10	56
B366820		0.55	161	1	0.41	17	660	50	0.03	18	109	0.44	132	<10	53
B366821		0.46	281	1	0.47	17	520	38	0.02	15	107	0.36	99	<10	50
B366822		0.46	224	<1	0.53	14	560	34	0.04	10	115	0.37	96	<10	44
B366823		0.49	416	1	0.42	17	730	53	0.05	16	108	0.36	113	<10	51
B366824		0.40	97	1	0.30	14	380	21	0.01	<5	118	0.35	153	<10	44
B366825		0.47	472	1	0.50	22	540	36	0.03	10	119	0.38	103	<10	63
B366826		0.44	170	<1	0.49	23	400	46	0.02	<5	110	0.41	123	<10	112
B366827		0.51	249	1	0.61	21	630	31	0.03	<5	123	0.39	105	<10	77
B366828		0.52	425	<1	0.63	28	560	30	0.02	<5	142	0.42	115	<10	131
B366829		0.52	388	1	0.77	26	580	27	0.03	<5	143	0.38	96	<10	116
B366830		0.37	68	3	0.09	10	330	28	0.02	151	142	0.25	96	20	17
B366831		0.42	381	<1	0.75	20	490	20	0.02	<5	131	0.36	78	<10	83
B366832		0.42	382	1	0.70	23	470	27	0.02	<5	138	0.34	90	<10	93
B366833		0.43	305	<1	0.68	22	470	19	0.02	<5	138	0.38	89	<10	85
B366834		0.44	383	<1	0.66	24	450	27	0.03	<5	140	0.35	93	<10	92
B366835		0.48	214	<1	0.91	14	600	14	0.01	<5	145	0.34	80	<10	48
B366836		0.42	342	1	0.72	19	450	20	0.02	<5	142	0.35	85	<10	76
B366837		0.53	281	1	0.75	21	920	22	0.03	<5	136	0.37	113	<10	71
B366838		0.49	247	1	0.66	17	680	19	0.03	<5	128	0.39	101	<10	57
B366839		0.47	242	1	0.64	17	640	22	0.03	<5	128	0.39	103	<10	54
B366840		0.48	192	<1	0.61	15	640	25	0.03	<5	124	0.36	97	<10	48
B366841		0.51	417	1	0.66	17	600	25	0.03	<5	138	0.40	97	<10	55

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074932

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B366842		0.46	0.013	<0.5	6.72	8	880	1.6	<2	0.59	<0.5	13	68	10	2.46	1.84
B366843		0.56	<0.005	<0.5	6.46	8	820	1.5	<2	0.54	<0.5	11	63	10	2.30	1.71
B366844		0.84	<0.005	<0.5	6.63	11	880	1.6	<2	0.51	<0.5	11	62	11	2.50	1.82
B366845		1.08	<0.005	<0.5	7.38	10	940	2.0	<2	0.65	<0.5	10	61	17	2.62	2.30
B366846		0.76	<0.005	<0.5	6.52	16	890	1.6	<2	0.65	<0.5	12	61	9	2.56	1.71
B366847		0.74	<0.005	<0.5	7.13	8	1010	1.9	<2	0.53	<0.5	16	67	12	2.84	2.06
B366848		0.56	0.008	<0.5	5.96	6	840	1.3	<2	0.67	<0.5	8	62	8	2.42	1.42
B366849		1.18	<0.005	<0.5	6.01	<5	840	1.4	<2	0.69	<0.5	10	59	12	2.25	1.56
B366850		0.10	4.31	9.7	7.64	17	500	0.9	<2	2.72	1.3	20	23	118	4.04	2.20
B366851		0.90	0.006	<0.5	5.48	9	770	1.3	<2	0.81	<0.5	10	57	9	2.30	1.31
B366852		1.00	0.007	<0.5	5.55	18	800	1.2	<2	0.85	<0.5	10	55	9	2.16	1.34
B366853		1.12	0.018	<0.5	6.65	12	830	1.6	<2	0.65	<0.5	14	61	13	3.20	1.69
B366854		0.94	<0.005	<0.5	5.41	21	910	1.3	<2	0.71	<0.5	13	53	19	2.87	1.28
B366855		1.18	<0.005	<0.5	4.61	12	730	1.0	<2	0.79	<0.5	10	48	9	2.11	1.03
B366856		1.20	<0.005	<0.5	5.26	8	810	1.1	<2	0.88	<0.5	10	49	12	2.29	1.20
B366857		0.48	0.007	<0.5	9.66	6	1150	2.8	<2	0.37	<0.5	10	90	24	2.91	3.23
B366858		0.58	0.193	<0.5	5.82	<5	820	1.1	2	0.53	<0.5	6	49	14	1.98	1.28
B366859		0.52	<0.005	<0.5	6.16	9	890	1.4	<2	0.64	<0.5	14	59	12	2.24	1.53
B366860		0.78	0.005	<0.5	6.45	<5	890	1.4	<2	0.55	<0.5	7	66	10	2.36	1.67
B366861		0.60	<0.005	<0.5	5.99	<5	810	1.4	<2	0.62	<0.5	6	60	13	1.92	1.54
B366862		0.52	0.010	<0.5	6.43	14	940	1.5	<2	0.70	<0.5	9	63	10	2.22	1.66
B366863		0.52	0.020	<0.5	6.15	13	890	1.4	<2	0.68	<0.5	8	62	11	2.19	1.58
B366864		0.76	0.012	<0.5	6.23	7	900	1.5	<2	0.67	<0.5	8	63	11	2.74	1.58
B366865		0.22	0.013	<0.5	6.00	20	1000	1.5	<2	0.72	<0.5	20	61	16	2.64	1.51
B366866		0.34	<0.005	<0.5	5.52	15	880	1.5	<2	0.62	<0.5	16	54	16	2.76	1.42
B366867		0.72	0.027	<0.5	7.08	18	920	2.0	<2	0.39	<0.5	13	61	21	3.49	2.14
B366868		0.70	0.005	<0.5	4.90	11	760	1.2	<2	0.69	<0.5	8	50	14	2.22	1.34
B366869		0.76	0.006	<0.5	4.95	<5	760	1.1	<2	0.81	<0.5	4	51	8	1.72	1.22
B366870		Not Recvd														
B366871		0.54	<0.005	<0.5	5.60	<5	870	1.2	<2	0.79	<0.5	5	56	9	1.89	1.38
B366872		0.58	0.006	<0.5	4.30	13	670	1.1	<2	0.80	<0.5	24	47	10	5.07	1.00
B366873		0.96	0.015	<0.5	5.86	27	820	1.5	3	0.76	<0.5	24	60	25	5.28	1.42
B366874		0.54	0.017	<0.5	4.70	10	760	1.2	<2	0.92	<0.5	12	52	17	5.40	1.10
B366875		0.76	0.008	<0.5	4.83	<5	820	1.1	2	0.90	<0.5	6	51	11	1.89	1.13
B366876		0.50	<0.005	<0.5	0.78	709	190	<0.5	<2	0.35	<0.5	9	5	6	41.2	0.20
B366877		0.48	<0.005	<0.5	4.56	12	760	1.0	<2	1.00	<0.5	11	48	11	3.44	1.04
B366878		0.78	<0.005	<0.5	6.11	6	870	1.3	<2	0.82	<0.5	9	59	21	2.76	1.46
B366879		0.98	<0.005	<0.5	6.34	59	860	1.4	<2	0.73	<0.5	8	62	24	2.83	1.62
B366880		0.74	<0.005	<0.5	7.52	16	880	1.8	<2	0.49	<0.5	10	66	29	3.34	2.21
B366881		1.28	0.006	<0.5	6.66	16	840	1.5	<2	0.67	<0.5	7	69	18	2.89	1.83

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074932

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366842		0.50	509	1	0.68	17	570	24	0.03	5	144	0.43	96	<10	55
B366843		0.47	434	1	0.65	16	520	21	0.03	<5	134	0.38	93	<10	51
B366844		0.47	465	1	0.64	16	590	24	0.03	<5	134	0.35	95	<10	55
B366845		0.49	299	1	0.78	22	630	23	0.01	<5	163	0.40	97	<10	58
B366846		0.47	432	1	0.72	18	550	18	0.02	<5	146	0.39	91	<10	54
B366847		0.44	691	<1	0.58	23	610	20	0.05	<5	137	0.36	94	<10	62
B366848		0.50	229	<1	0.78	14	590	18	0.03	<5	136	0.37	91	<10	52
B366849		0.51	251	1	0.80	17	530	17	0.04	<5	148	0.35	90	<10	61
B366850		1.32	936	13	1.59	12	870	31	0.71	<5	404	0.39	152	10	106
B366851		0.49	324	<1	0.81	16	540	16	0.03	<5	150	0.40	81	10	55
B366852		0.47	406	1	0.84	12	520	14	0.03	<5	158	0.40	80	<10	51
B366853		0.43	605	<1	0.64	18	610	21	0.03	<5	138	0.31	88	<10	70
B366854		0.45	680	<1	0.75	23	630	24	0.02	6	172	0.34	78	10	63
B366855		0.43	437	<1	0.86	14	550	17	0.02	<5	152	0.40	71	<10	50
B366856		0.50	400	1	1.01	19	600	17	0.02	6	167	0.37	76	<10	56
B366857		0.55	272	1	0.42	24	770	34	0.03	6	140	0.41	124	10	67
B366858		0.48	245	1	0.67	13	670	28	0.04	<5	122	0.30	76	<10	45
B366859		0.55	676	1	0.74	19	940	23	0.05	5	141	0.33	95	<10	72
B366860		0.53	182	1	0.66	12	770	32	0.03	<5	128	0.38	105	10	49
B366861		0.49	163	<1	0.63	14	820	28	0.08	<5	130	0.36	88	<10	39
B366862		0.53	267	1	0.79	15	700	23	0.03	<5	150	0.37	95	<10	54
B366863		0.51	244	<1	0.74	15	720	20	0.03	<5	142	0.36	91	<10	52
B366864		0.54	250	1	0.74	17	670	22	0.03	<5	142	0.37	96	<10	53
B366865		0.51	974	1	0.60	20	980	28	0.06	<5	138	0.26	92	<10	60
B366866		0.44	700	1	0.47	18	1140	23	0.07	7	119	0.28	83	<10	57
B366867		0.45	562	2	0.28	22	1300	31	0.08	<5	95	0.21	93	<10	65
B366868		0.44	407	1	0.63	16	960	17	0.05	5	127	0.33	74	<10	48
B366869		0.48	252	<1	0.83	11	610	14	0.03	<5	147	0.41	76	<10	36
B366870															
B366871		0.53	225	<1	0.87	14	620	14	0.04	<5	154	0.36	86	<10	42
B366872		0.44	981	<1	0.84	23	640	14	0.07	<5	143	0.31	68	<10	43
B366873		0.55	1305	1	0.83	32	780	20	0.04	<5	156	0.37	91	<10	64
B366874		0.52	498	1	0.86	28	810	15	0.07	<5	155	0.36	81	<10	59
B366875		0.52	257	<1	0.94	22	660	12	0.04	<5	163	0.39	80	<10	51
B366876		0.10	153	2	0.09	20	350	22	0.08	<5	54	0.03	14	<10	58
B366877		0.53	366	<1	1.00	25	620	12	0.05	<5	172	0.34	73	<10	60
B366878		0.73	279	1	1.17	25	700	16	0.02	<5	181	0.36	100	<10	68
B366879		0.64	306	1	0.95	22	630	18	0.01	<5	166	0.37	102	<10	64
B366880		0.69	309	1	0.88	27	530	24	0.01	<5	157	0.34	101	<10	72
B366881		0.68	296	1	0.91	21	650	23	0.01	<5	153	0.39	104	<10	60

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074932

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366882		0.84	<0.005	<0.5	6.29	9	830	1.4	<2	0.85	<0.5	9	61	21	2.74	1.67
B366883		0.76	0.006	<0.5	6.22	9	830	1.4	<2	0.82	<0.5	8	59	22	2.73	1.65
B366884		1.04	<0.005	<0.5	6.84	7	860	1.6	<2	0.69	<0.5	13	63	18	2.83	1.82
B366885		0.76	<0.005	<0.5	8.73	<5	1060	2.2	<2	0.52	<0.5	15	76	25	3.21	2.79
B366886		0.48	<0.005	<0.5	7.80	12	900	1.9	<2	0.69	<0.5	14	70	19	2.94	2.16
B366887		0.92	<0.005	<0.5	8.02	14	920	2.2	<2	0.59	<0.5	18	71	23	3.29	2.46
B366888		0.46	0.005	<0.5	8.33	10	990	2.2	<2	0.64	0.5	21	71	24	3.35	2.52
B366889		0.66	<0.005	<0.5	7.79	12	950	1.9	<2	0.71	<0.5	20	72	22	3.32	2.11
B366890		0.10	2.61	<0.5	7.90	2190	780	13.2	<2	0.01	<0.5	2	147	105	3.53	3.28
B366891		0.74	0.005	<0.5	7.12	14	890	1.8	2	0.73	<0.5	19	69	21	3.15	1.90
B366892		0.74	<0.005	<0.5	7.19	22	880	1.7	2	0.74	<0.5	15	69	19	2.96	1.87
B366893		1.04	0.007	<0.5	6.82	17	810	1.5	<2	0.60	<0.5	6	69	16	2.90	1.80
B366894		0.72	<0.005	<0.5	6.37	11	760	1.4	<2	0.47	<0.5	5	63	15	2.48	1.72
B366895		0.78	<0.005	<0.5	10.50	15	960	3.0	3	0.07	<0.5	12	89	46	4.52	3.44
B366896		0.98	<0.005	<0.5	10.45	11	940	3.0	<2	0.07	<0.5	12	92	46	4.62	3.33
B366897		0.58	<0.005	<0.5	11.15	8	1010	3.0	<2	0.19	<0.5	9	97	37	3.84	3.44
B366898		0.74	<0.005	<0.5	9.11	10	870	2.5	<2	0.35	<0.5	16	77	27	3.21	2.89
B366899		0.42	<0.005	<0.5	8.44	10	820	2.4	<2	0.42	<0.5	19	75	31	3.36	2.69
B366900		0.84	<0.005	<0.5	8.64	9	850	2.6	<2	0.46	1.0	32	80	33	3.50	2.78
B366901		0.66	<0.005	<0.5	8.43	8	840	2.3	3	0.48	<0.5	21	75	31	3.54	2.53

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 20-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074932

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366882		0.66	365	1	0.94	22	690	19	0.02	<5	169	0.36	97	<10	64
B366883		0.65	359	1	0.90	23	700	17	0.02	<5	165	0.35	96	<10	64
B366884		0.65	481	1	0.85	24	780	20	0.03	<5	157	0.36	100	<10	69
B366885		0.59	591	<1	0.62	33	630	21	0.05	<5	153	0.32	97	<10	83
B366886		0.61	544	1	0.77	35	700	19	0.05	<5	161	0.30	98	<10	101
B366887		0.61	848	1	0.58	32	840	30	0.05	<5	140	0.32	100	<10	118
B366888		0.67	1140	<1	0.66	37	980	27	0.06	<5	147	0.34	107	<10	134
B366889		0.68	845	1	0.78	34	970	25	0.05	<5	157	0.34	110	<10	114
B366890		0.40	76	2	0.09	11	360	31	0.02	163	148	0.25	106	20	18
B366891		0.66	848	1	0.80	33	870	25	0.04	<5	156	0.38	106	<10	106
B366892		0.65	484	<1	0.83	32	840	22	0.05	<5	161	0.37	107	<10	94
B366893		0.58	263	1	0.83	19	720	20	0.03	<5	149	0.42	106	<10	60
B366894		0.50	184	1	0.74	14	1270	21	0.05	<5	127	0.36	106	<10	44
B366895		0.55	254	2	0.71	31	500	33	0.02	<5	168	0.36	124	<10	97
B366896		0.56	282	1	0.67	29	530	35	0.03	5	170	0.38	124	<10	96
B366897		0.56	178	1	0.62	27	1000	32	0.08	5	171	0.41	134	<10	78
B366898		0.55	451	1	0.62	39	580	26	0.06	<5	154	0.34	107	<10	100
B366899		0.56	482	<1	0.60	47	650	29	0.07	<5	154	0.35	100	<10	140
B366900		0.65	1280	1	0.62	54	740	32	0.06	<5	148	0.31	108	<10	158
B366901		0.68	798	1	0.72	43	740	30	0.05	<5	150	0.32	105	<10	122

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
/01-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -SEP-2005
Account: STRGOL

CERTIFICATE VA05074933

Project: 1735

P.O. No.:

This report is for 137 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074933

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366902		0.52	<0.005	<0.5	8.46	12	840	2.3	2	0.56	0.6	17	74	28	3.18	2.68
B366903		0.40	<0.005	<0.5	7.61	12	740	2.0	<2	0.63	<0.5	12	64	27	2.89	2.30
B366904		0.88	<0.005	<0.5	8.99	12	930	2.5	2	0.38	<0.5	16	78	31	3.73	3.09
B366905		0.80	<0.005	<0.5	6.80	11	780	1.5	<2	0.68	<0.5	14	54	17	2.82	1.62
B366906		0.74	0.007	<0.5	6.07	10	710	1.5	<2	0.57	<0.5	30	62	23	2.94	1.60
B366907		0.92	<0.005	<0.5	6.45	12	710	1.7	<2	0.51	<0.5	33	61	27	3.21	1.70
B366908		0.78	<0.005	<0.5	6.47	12	740	1.7	<2	0.61	<0.5	12	64	25	3.03	1.71
B366909		1.02	<0.005	<0.5	7.72	8	850	1.9	<2	0.57	<0.5	11	72	22	3.14	2.07
B366910		0.10	4.40	9.1	7.97	10	490	0.9	<2	2.84	1.6	18	21	126	4.14	2.32
B366911		0.62	<0.005	<0.5	7.49	7	820	2.0	<2	0.66	<0.5	16	68	28	3.12	2.03
B366912		0.66	<0.005	<0.5	8.07	11	900	2.0	2	0.51	<0.5	13	78	29	3.59	2.15
B366913		0.62	0.005	<0.5	10.75	13	1010	3.1	2	0.15	<0.5	13	95	46	4.53	3.60
B366914		0.44	NSS	<0.5	11.00	16	1050	3.2	2	0.15	<0.5	13	100	47	4.64	3.71
B366915		0.48	<0.005	<0.5	11.05	7	1010	3.0	<2	0.11	<0.5	14	94	42	4.42	3.47
B366916		0.44	<0.005	<0.5	10.55	<5	1020	3.0	<2	0.33	<0.5	18	92	37	4.30	3.34
B366917		0.70	<0.005	<0.5	9.05	9	890	2.6	<2	0.41	<0.5	25	83	36	3.96	2.87
B366918		0.34	<0.005	<0.5	9.79	8	980	2.6	<2	0.32	<0.5	15	88	34	3.82	3.06
B366919		0.72	<0.005	<0.5	8.95	5	990	2.0	<2	0.55	<0.5	10	80	34	3.61	2.44
B366920		0.70	<0.005	0.5	9.19	27	1030	2.3	2	0.52	<0.5	13	85	35	3.85	2.56
B366921		0.76	<0.005	<0.5	8.34	19	970	2.0	<2	0.68	<0.5	17	77	29	3.69	2.28
B366922		0.82	0.006	0.8	10.70	66	1160	2.6	<2	0.19	0.6	14	80	40	4.14	3.70
B366923		0.90	0.005	0.6	9.40	71	1070	2.3	3	0.23	0.7	15	75	41	4.27	3.28
B366924		1.28	<0.005	<0.5	8.69	128	1020	1.9	<2	0.38	<0.5	7	74	19	2.39	2.55
B366925		1.00	<0.005	<0.5	7.75	9	910	1.8	<2	0.70	<0.5	14	72	23	2.88	2.19
B366926		0.68	<0.005	<0.5	7.11	19	1000	1.6	<2	0.63	<0.5	9	69	18	3.14	1.89
B366927		0.80	<0.005	<0.5	7.89	336	980	1.9	2	0.81	<0.5	22	75	20	3.66	2.14
B366928		0.38	<0.005	<0.5	8.03	184	920	2.0	2	0.82	0.5	14	71	24	3.27	2.34
B366929		0.80	<0.005	<0.5	7.57	128	890	1.9	<2	1.06	<0.5	16	70	27	3.35	2.05
B366930		0.10	0.092	<0.5	6.97	112	590	2.6	<2	0.53	<0.5	60	1150	397	8.37	2.21
B366931		0.44	<0.005	<0.5	8.88	73	1030	2.3	<2	0.74	0.5	14	79	25	3.34	2.92
B366932		0.64	<0.005	<0.5	8.06	74	860	2.0	3	0.90	0.7	18	65	30	3.22	2.18
B366933		0.80	<0.005	<0.5	7.37	86	850	1.8	<2	0.52	0.7	44	68	21	3.38	2.00
B366934		0.74	NSS	0.7	6.13	103	680	1.7	<2	1.67	3.0	92	52	43	3.58	1.24
B366935		0.70	<0.005	<0.5	7.43	21	840	1.8	<2	0.73	0.5	17	69	23	2.85	2.04
B366936		0.84	<0.005	<0.5	8.32	34	930	2.0	2	0.89	0.6	21	73	30	3.45	2.27
B366937		0.78	0.006	<0.5	7.45	32	850	1.8	3	0.76	0.6	18	64	25	2.94	2.05
B366938		0.80	<0.005	<0.5	7.63	36	850	1.8	<2	0.79	<0.5	15	70	26	3.13	2.12
B366939		0.92	<0.005	<0.5	7.03	25	800	1.7	<2	0.95	<0.5	12	63	26	2.79	1.87
B366940		0.70	<0.005	<0.5	6.91	31	780	1.6	2	0.79	<0.5	12	58	24	2.74	1.91
B366941		0.90	<0.005	0.5	7.45	32	810	1.8	3	0.80	<0.5	12	62	30	3.08	2.05

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074933

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366902		0.67	560	1	0.61	40	740	24	0.09	<5	150	0.33	103	<10	112
B366903		0.62	403	1	0.58	33	690	22	0.10	<5	140	0.31	92	<10	96
B366904		0.58	481	1	0.50	33	700	35	0.05	8	162	0.31	103	<10	98
B366905		0.55	634	1	0.80	21	630	26	0.03	<5	155	0.32	83	<10	60
B366906		0.55	1900	<1	0.77	25	820	22	0.05	<5	135	0.34	86	<10	74
B366907		0.55	1995	1	0.70	33	910	26	0.06	<5	127	0.32	85	<10	93
B366908		0.59	713	1	0.77	29	820	18	0.05	<5	140	0.36	91	<10	86
B366909		0.67	567	1	0.84	27	830	21	0.04	<5	150	0.38	110	<10	78
B366910		1.39	978	13	1.65	12	930	25	0.68	<5	424	0.37	146	<10	98
B366911		0.61	857	1	0.73	67	1060	26	0.08	<5	151	0.34	101	<10	118
B366912		0.73	473	<1	0.85	30	930	31	0.05	<5	153	0.38	120	<10	83
B366913		0.73	321	1	0.63	33	530	29	0.04	<5	147	0.41	130	<10	97
B366914		0.75	332	1	0.65	36	560	37	0.04	<5	153	0.44	136	<10	99
B366915		0.63	334	1	0.73	32	700	29	0.04	<5	159	0.40	126	<10	96
B366916		0.68	1010	1	0.61	35	740	31	0.05	<5	158	0.37	123	<10	113
B366917		0.63	1680	1	0.58	35	780	33	0.06	<5	142	0.36	108	<10	106
B366918		0.65	573	1	0.61	28	720	34	0.05	<5	148	0.37	115	<10	91
B366919		0.64	379	<1	0.86	27	720	41	0.03	<5	173	0.39	113	<10	92
B366920		0.66	820	1	0.69	38	860	52	0.05	6	162	0.34	115	<10	142
B366921		0.69	940	1	0.81	31	770	33	0.03	7	168	0.35	111	<10	91
B366922		0.34	444	1	0.45	34	600	104	0.02	12	338	0.31	98	<10	168
B366923		0.32	496	1	0.48	35	600	99	0.02	15	322	0.30	90	<10	170
B366924		0.34	178	1	0.59	18	460	24	0.01	6	252	0.39	99	<10	61
B366925		0.54	469	1	0.84	31	550	22	0.03	<5	191	0.36	96	<10	86
B366926		0.67	341	1	0.84	24	910	19	0.03	<5	152	0.38	111	<10	80
B366927		0.62	1515	1	0.70	26	990	34	0.05	<5	187	0.39	107	<10	136
B366928		0.62	649	1	0.69	31	840	28	0.05	5	187	0.36	104	<10	159
B366929		0.57	959	1	0.63	32	1010	29	0.08	5	195	0.37	95	<10	128
B366930		0.60	391	9	0.12	470	350	154	0.02	12	52	0.20	90	30	606
B366931		0.62	730	1	0.50	30	800	24	0.06	6	181	0.33	105	<10	159
B366932		0.52	1310	1	0.51	32	990	43	0.08	5	175	0.31	83	<10	170
B366933		0.49	2360	1	0.60	33	690	53	0.03	6	156	0.31	87	<10	116
B366934		0.56	4810	1	0.49	58	1540	84	0.15	6	181	0.18	65	<10	198
B366935		0.58	814	<1	0.79	35	580	28	0.03	<5	177	0.34	90	<10	108
B366936		0.66	1095	1	0.81	43	740	33	0.05	6	188	0.33	100	<10	126
B366937		0.58	970	1	0.77	37	630	26	0.04	<5	175	0.33	89	<10	120
B366938		0.62	341	1	0.73	33	690	34	0.06	<5	173	0.35	93	<10	110
B366939		0.60	356	<1	0.77	31	690	30	0.07	<5	180	0.33	85	<10	102
B366940		0.55	556	1	0.78	32	670	25	0.05	<5	166	0.33	86	<10	114
B366941		0.58	588	1	0.71	37	730	29	0.06	6	164	0.33	88	<10	132

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074933

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B366942		0.86	0.007	<0.5	7.78	19	930	1.8	3	0.74	<0.5	12	66	25	3.20	2.20
B366943		0.66	<0.005	<0.5	7.70	19	940	1.8	2	0.76	<0.5	13	67	25	3.18	2.17
B366944		0.90	0.019	<0.5	8.86	31	820	2.2	2	0.36	<0.5	17	73	32	4.31	2.84
B366945		0.72	<0.005	<0.5	7.27	23	840	1.6	<2	0.90	<0.5	12	62	23	3.05	1.93
B366946		0.44	<0.005	<0.5	7.56	23	860	1.7	2	0.92	<0.5	11	65	24	3.01	2.06
B366947		0.74	0.007	<0.5	7.06	26	810	1.6	2	0.88	<0.5	11	62	23	2.86	1.94
B366948		1.18	0.005	<0.5	6.74	18	770	1.6	2	0.77	<0.5	12	61	27	3.22	1.85
B366949		0.88	0.028	<0.5	7.04	20	840	1.6	3	0.88	0.5	11	71	26	3.48	1.87
B366950		0.10	0.162	2.6	10.00	<5	1100	1.2	4	1.54	<0.5	8	16	7970	3.41	3.72
B366951		1.18	<0.005	<0.5	6.84	26	870	1.6	3	1.03	<0.5	12	65	31	3.48	1.77
B366952		1.18	0.022	<0.5	6.57	38	780	1.5	3	1.04	<0.5	12	71	25	3.56	1.68
B366953		1.04	<0.005	<0.5	7.30	44	880	1.7	4	0.85	<0.5	14	68	30	3.77	1.97
B366954		0.96	0.006	<0.5	6.62	34	790	1.5	3	1.00	0.6	13	66	26	3.27	1.68
B366955		1.40	0.011	<0.5	6.71	36	830	1.6	4	0.88	<0.5	13	59	27	3.32	1.74
B366956		0.88	0.020	<0.5	6.35	30	790	1.5	3	0.91	0.5	12	55	25	3.13	1.65
B366957		0.80	0.013	<0.5	6.55	26	790	1.5	3	0.85	0.5	13	60	26	3.24	1.73
B366958		0.92	0.005	<0.5	6.90	42	800	1.6	3	0.80	0.5	13	60	29	3.57	1.86
B366959		1.12	0.022	<0.5	6.06	49	690	1.4	3	0.81	<0.5	10	58	25	3.19	1.55
B366960		0.66	0.005	<0.5	6.71	32	810	1.6	4	0.83	<0.5	14	59	30	3.28	1.81
B366961		1.22	0.008	<0.5	6.78	47	810	1.6	4	0.87	<0.5	12	59	27	3.32	1.77
B366962		1.34	0.025	<0.5	6.57	46	780	1.5	3	0.84	<0.5	13	60	26	3.35	1.72
B366963		0.92	0.020	<0.5	7.01	32	800	1.6	3	1.47	<0.5	8	60	25	3.29	1.94
B366964		0.80	<0.005	<0.5	6.70	32	820	1.6	3	0.75	0.5	11	67	32	3.11	2.00
B366965		0.74	<0.005	<0.5	6.16	15	740	1.4	2	1.56	0.7	10	59	26	2.88	1.66
B366966		0.56	<0.005	<0.5	6.35	21	750	1.4	2	1.09	<0.5	9	62	24	3.02	1.67
B366967		0.46	0.009	<0.5	5.98	6	760	1.3	3	1.48	<0.5	10	54	24	2.76	1.49
B366968		1.00	0.007	<0.5	6.60	29	750	1.4	2	1.26	<0.5	10	64	32	3.15	1.71
B366969		0.80	<0.005	<0.5	6.40	17	680	1.4	2	1.15	<0.5	8	57	35	2.82	1.74
B366970		0.12	1.440	<0.5	7.12	1315	700	6.0	4	0.01	<0.5	5	213	43	3.90	2.73
B366971		0.62	0.005	<0.5	7.59	13	900	1.7	2	1.04	<0.5	12	70	35	3.42	2.02
B366972		0.82	0.018	<0.5	7.09	18	830	1.5	2	1.18	<0.5	11	67	26	3.15	1.94
B366973		0.80	0.005	<0.5	6.74	21	740	1.5	4	0.95	0.5	11	62	23	3.15	1.81
B366974		0.64	0.005	<0.5	7.13	14	770	1.6	3	0.95	1.3	12	63	25	3.07	1.94
B366975		0.90	<0.005	<0.5	7.64	<5	900	1.7	3	1.34	<0.5	10	64	31	3.26	2.06
B366976		1.02	<0.005	<0.5	7.20	26	750	1.6	3	0.87	1.5	11	63	26	3.07	2.05
B366977		1.14	<0.005	<0.5	7.38	40	800	1.8	3	0.90	1.3	12	65	29	3.24	2.16
B366978		1.22	<0.005	<0.5	7.29	46	740	1.7	3	0.80	1.1	15	64	29	3.64	2.16
B366979		0.88	0.006	<0.5	7.35	36	790	1.7	4	0.92	1.3	10	65	27	3.20	2.10
B366980		1.44	<0.005	<0.5	6.30	14	750	1.4	3	0.91	0.5	9	56	22	2.77	1.67
B366981		0.82	<0.005	<0.5	6.89	29	750	1.5	3	1.02	1.1	10	61	27	2.97	1.91

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074933

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B366942		0.59	504	1	0.82	29	640	24	0.03	<5	180	0.36	103	<10	94
B366943		0.59	510	1	0.83	30	620	28	0.03	<5	182	0.36	102	<10	91
B366944		0.64	783	1	0.57	41	560	29	0.03	6	140	0.29	91	<10	122
B366945		0.60	440	<1	0.81	32	690	24	0.06	<5	176	0.35	89	<10	107
B366946		0.62	469	1	0.81	34	690	23	0.06	<5	180	0.35	92	<10	110
B366947		0.59	461	1	0.77	31	690	28	0.06	<5	170	0.34	85	<10	109
B366948		0.61	524	1	0.97	32	850	22	0.03	<5	157	0.33	82	<10	85
B366949		0.66	572	2	1.01	31	900	24	0.03	<5	174	0.39	90	10	97
B366950		1.20	486	3	3.50	10	2100	15	0.25	<5	736	0.34	174	<10	54
B366951		0.71	645	1	1.04	30	910	24	0.03	<5	176	0.38	83	<10	100
B366952		0.67	639	1	1.14	29	1320	23	0.02	<5	176	0.49	83	<10	82
B366953		0.72	758	1	1.09	32	830	27	0.03	<5	166	0.38	84	<10	102
B366954		0.68	484	1	1.02	31	870	26	0.04	<5	176	0.38	81	<10	92
B366955		0.68	652	1	1.11	32	820	26	0.03	<5	170	0.37	80	10	96
B366956		0.66	647	2	1.04	27	810	22	0.03	<5	167	0.37	76	<10	91
B366957		0.65	694	<1	0.99	31	840	22	0.03	<5	162	0.35	77	<10	97
B366958		0.66	882	1	1.09	34	870	28	0.02	<5	160	0.38	78	<10	93
B366959		0.60	530	1	1.05	28	920	22	0.02	<5	154	0.37	72	<10	83
B366960		0.68	697	1	0.99	31	760	24	0.04	<5	158	0.34	77	10	101
B366961		0.67	638	<1	1.12	33	810	25	0.03	<5	168	0.37	77	<10	98
B366962		0.65	663	1	1.05	30	870	24	0.03	<5	159	0.38	77	10	93
B366963		0.73	429	1	0.84	30	1100	27	0.11	<5	172	0.36	89	10	145
B366964		0.81	564	3	0.72	30	950	25	0.02	<5	123	0.38	114	<10	129
B366965		0.71	583	2	0.70	30	940	25	0.10	<5	166	0.33	87	<10	145
B366966		0.77	468	<1	0.91	24	790	21	0.06	<5	160	0.38	89	<10	106
B366967		0.65	808	1	0.85	27	950	19	0.07	<5	177	0.33	86	<10	97
B366968		0.71	651	1	0.88	29	890	29	0.06	<5	172	0.38	91	<10	111
B366969		0.59	558	1	0.70	30	800	32	0.07	<5	151	0.31	86	<10	78
B366970		0.36	91	4	0.11	21	320	27	0.02	117	96	0.26	91	20	49
B366971		0.65	1065	1	0.69	34	940	32	0.05	<5	156	0.34	100	<10	101
B366972		0.70	434	1	0.81	30	840	27	0.07	<5	162	0.37	89	<10	125
B366973		0.65	557	1	0.87	25	800	36	0.04	<5	133	0.33	75	<10	120
B366974		0.66	469	<1	0.93	26	740	128	0.05	23	159	0.34	81	<10	382
B366975		0.70	483	1	0.97	30	690	29	0.05	<5	185	0.33	93	<10	104
B366976		0.64	468	1	0.84	27	690	111	0.04	25	151	0.31	80	<10	346
B366977		0.63	612	1	0.75	29	710	104	0.04	27	147	0.31	81	<10	329
B366978		0.64	700	1	0.80	29	640	105	0.03	22	134	0.28	76	<10	312
B366979		0.66	525	2	0.89	29	750	90	0.04	16	154	0.33	83	<10	275
B366980		0.59	387	<1	0.91	25	730	68	0.04	12	152	0.31	76	10	211
B366981		0.63	469	1	0.83	28	740	95	0.05	18	153	0.31	80	<10	265

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074933

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B366982		0.52	<0.005	<0.5	5.87	7	660	1.4	4	1.14	<0.5	10	51	32	2.59	1.79
B366983		0.48	0.007	<0.5	7.75	<5	850	1.9	4	1.25	<0.5	12	68	39	3.16	2.58
B366984		0.96	0.005	<0.5	5.80	18	700	1.3	2	1.07	0.6	9	58	23	2.85	1.71
B366985		0.56	0.007	<0.5	6.56	13	870	1.5	2	0.93	<0.5	11	63	28	2.91	1.86
B366986		0.64	0.018	<0.5	5.93	13	750	1.3	3	1.21	<0.5	10	66	21	2.79	1.50
B366987		0.50	<0.005	<0.5	7.24	19	1030	1.4	3	0.87	0.7	15	68	23	3.09	1.81
B366988		0.90	0.005	<0.5	6.16	30	820	1.2	4	0.81	<0.5	10	64	18	2.72	1.40
B366989		0.70	<0.005	<0.5	5.81	11	760	1.2	<2	0.77	<0.5	8	55	15	2.33	1.33
B366990		0.10	0.466	2.5	9.24	<5	1040	1.2	2	1.43	<0.5	7	13	7480	3.21	3.50
B366991		0.72	<0.005	<0.5	6.36	24	890	1.3	5	0.77	<0.5	12	62	22	2.91	1.46
B366992		0.60	0.005	<0.5	6.47	7	980	1.3	3	0.85	<0.5	14	64	24	3.13	1.48
B366993		1.04	<0.005	<0.5	5.99	15	840	1.3	3	0.82	<0.5	9	62	18	2.72	1.39
B366994		0.76	<0.005	<0.5	5.84	12	850	1.2	3	0.80	<0.5	10	62	17	2.57	1.39
B366995		0.84	<0.005	<0.5	7.82	34	960	2.0	6	0.58	<0.5	23	72	46	4.05	2.47
B366996		0.76	0.015	<0.5	6.12	<5	850	1.3	3	0.72	<0.5	9	59	17	2.67	1.44
B366997		0.76	0.018	<0.5	6.77	35	890	1.8	2	2.08	<0.5	11	60	59	3.04	2.05
B366998		0.84	<0.005	<0.5	6.57	15	900	1.5	3	0.93	<0.5	10	64	28	3.03	1.80
B366999		0.58	<0.005	<0.5	6.09	22	890	1.3	3	0.94	0.6	9	63	19	2.76	1.41
B367000		1.06	0.005	<0.5	5.84	26	710	1.3	5	0.92	<0.5	11	54	29	2.78	1.56
B367001		0.74	<0.005	<0.5	6.61	<5	800	1.6	5	1.36	<0.5	8	60	31	2.76	1.97
B367002		0.66	<0.005	<0.5	5.75	5	680	1.4	2	1.55	<0.5	8	53	30	2.47	1.63
B367003		0.82	<0.005	<0.5	7.31	<5	880	1.7	2	1.10	<0.5	10	68	25	3.14	2.13
B367004		0.80	0.008	<0.5	7.78	16	900	1.9	4	1.14	<0.5	12	70	33	3.28	2.49
B367005		0.60	<0.005	<0.5	5.61	6	710	1.2	3	0.54	<0.5	3	55	10	2.13	1.48
B367006		0.60	<0.005	<0.5	5.66	<5	690	1.2	3	0.48	<0.5	3	57	12	2.15	1.47
B367007		0.82	<0.005	<0.5	5.97	9	690	1.3	3	0.46	<0.5	4	62	14	2.81	1.61
B367008		0.76	0.022	0.6	5.31	22	630	1.1	3	0.53	<0.5	3	56	10	2.15	1.33
B367009		0.78	0.009	<0.5	5.08	<5	620	1.1	2	0.58	<0.5	2	52	9	1.84	1.27
B367010		0.10	0.463	2.4	9.14	<5	1050	1.2	2	1.44	<0.5	8	14	7820	3.23	3.65
B367011		0.64	<0.005	<0.5	6.15	25	780	1.4	2	0.66	<0.5	3	59	16	2.37	1.53
B367012		0.56	NSS	<0.5	2.49	20	320	0.5	2	0.47	0.5	7	24	16	1.12	0.59
B367013		0.88	0.027	<0.5	11.65	32	1090	3.5	5	0.11	<0.5	16	96	43	4.56	4.20
B367014		0.96	<0.005	<0.5	11.05	22	990	3.3	4	0.09	<0.5	11	100	37	3.73	3.88
B367015		1.00	<0.005	<0.5	7.14	8	780	1.8	3	0.48	<0.5	10	65	22	2.86	2.12
B367016		0.76	<0.005	<0.5	8.52	7	820	2.4	4	0.24	<0.5	11	77	21	2.67	2.84
B367017		1.08	NSS	<0.5	9.93	19	940	2.8	3	0.20	<0.5	8	88	24	3.35	3.41
B367018		0.98	<0.005	<0.5	8.21	5	800	2.3	2	0.28	<0.5	21	74	22	3.59	2.68
B367019		0.60	0.006	<0.5	5.76	134	900	1.2	3	0.83	<0.5	6	59	20	2.61	1.14
B367020		0.66	0.025	1.0	6.93	472	850	1.5	6	0.92	<0.5	8	63	37	3.00	1.32
B367021		0.74	0.019	0.7	5.99	365	800	1.4	5	0.82	1.0	14	54	36	2.80	1.28

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074933

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B366982		0.59	703	2	0.81	26	650	20	0.05	<5	148	0.27	68	<10	79
B366983		0.75	818	1	0.78	32	710	23	0.07	<5	164	0.31	86	<10	97
B366984		0.62	572	1	0.79	28	850	47	0.04	6	139	0.31	77	<10	148
B366985		0.73	369	2	0.84	29	710	28	0.04	<5	137	0.31	93	<10	100
B366986		0.65	470	1	0.92	26	870	35	0.04	6	168	0.39	84	<10	137
B366987		0.72	863	1	1.02	31	830	19	0.04	<5	175	0.33	107	<10	96
B366988		0.63	542	1	1.06	27	650	15	0.02	<5	167	0.36	93	<10	72
B366989		0.57	404	1	1.11	23	550	16	0.01	<5	165	0.31	85	10	61
B366990		1.14	460	2	3.31	12	1970	12	0.23	<5	697	0.32	162	10	54
B366991		0.66	857	1	0.99	27	730	20	0.04	<5	161	0.33	95	<10	80
B366992		0.68	1430	2	0.95	30	840	21	0.04	<5	165	0.35	95	<10	87
B366993		0.63	781	1	0.98	21	700	17	0.03	<5	162	0.35	90	<10	79
B366994		0.64	618	1	0.99	23	620	18	0.02	<5	161	0.35	90	<10	69
B366995		0.81	1505	4	0.75	39	720	34	0.04	<5	113	0.32	135	<10	109
B366996		0.62	807	1	0.97	24	640	18	0.03	<5	148	0.32	89	<10	75
B366997		0.58	627	1	0.64	39	950	31	0.11	5	204	0.25	77	<10	86
B366998		0.71	760	2	0.84	27	760	21	0.04	<5	160	0.34	92	<10	99
B366999		0.64	859	1	0.97	26	710	19	0.04	<5	168	0.33	90	<10	100
B367000		0.59	555	1	0.93	24	740	44	0.03	8	146	0.31	73	<10	136
B367001		0.60	487	1	0.72	29	670	17	0.07	<5	164	0.29	81	<10	81
B367002		0.53	606	1	0.62	25	760	22	0.11	<5	167	0.24	69	<10	57
B367003		0.64	459	1	0.79	24	630	26	0.06	<5	164	0.32	92	10	71
B367004		0.76	542	1	0.86	33	660	22	0.05	<5	172	0.33	93	<10	98
B367005		0.51	184	1	0.71	13	580	30	0.03	6	130	0.33	80	<10	41
B367006		0.53	173	2	0.67	14	670	32	0.04	<5	121	0.29	79	10	41
B367007		0.61	216	2	0.65	15	720	40	0.03	<5	120	0.35	89	<10	55
B367008		0.54	210	<1	0.68	13	660	37	0.03	<5	121	0.37	77	<10	43
B367009		0.51	216	2	0.71	11	440	26	0.02	<5	125	0.37	73	<10	38
B367010		1.12	464	3	3.30	10	1940	12	0.23	<5	694	0.33	170	<10	54
B367011		0.62	214	<1	0.76	17	640	35	0.04	<5	141	0.38	88	<10	48
B367012		0.24	93	1	0.36	13	750	18	0.07	<5	79	0.13	36	<10	37
B367013		1.03	381	1	0.41	34	520	39	0.02	<5	163	0.32	134	10	122
B367014		0.93	247	1	0.34	34	460	34	0.01	<5	144	0.33	126	10	88
B367015		0.72	294	1	0.67	23	560	26	0.02	<5	140	0.31	91	<10	72
B367016		0.74	258	<1	0.45	26	660	20	0.03	<5	136	0.29	99	<10	63
B367017		0.94	247	2	0.43	21	540	25	0.02	5	141	0.31	117	<10	78
B367018		0.79	728	1	0.43	25	580	31	0.03	<5	129	0.28	98	<10	78
B367019		0.61	338	2	0.85	19	1130	32	0.04	<5	160	0.35	93	<10	63
B367020		0.66	387	3	0.69	24	1060	76	0.06	11	145	0.32	90	<10	74
B367021		0.61	765	3	0.71	26	950	39	0.05	6	143	0.32	85	10	82

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074933

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367022		0.86	0.015	0.7	6.54	259	840	1.6	5	0.67	<0.5	12	72	45	2.91	1.33
B367023		0.76	0.013	0.7	6.16	221	790	1.4	3	0.66	0.5	11	54	41	2.68	1.25
B367024		0.48	0.013	0.6	6.01	226	780	1.3	4	0.73	0.8	14	53	37	2.65	1.21
B367025		0.82	0.015	0.9	6.19	322	780	1.4	6	0.60	<0.5	9	56	36	2.85	1.26
B367026		0.80	0.014	1.1	6.24	370	760	1.5	6	0.64	<0.5	15	54	38	2.97	1.28
B367027		0.90	0.022	0.6	5.61	227	690	1.2	4	0.64	<0.5	8	49	23	2.34	1.18
B367028		0.80	0.010	0.8	5.36	148	700	1.1	5	0.61	<0.5	7	49	19	2.29	1.19
B367029		0.96	0.005	<0.5	6.82	<5	920	1.5	2	0.64	<0.5	8	63	24	2.91	1.81
B367030		0.10	1.335	<0.5	7.02	1325	700	5.7	4	0.01	<0.5	5	208	41	3.87	2.68
B367031		1.06	0.352	<0.5	8.06	13	970	2.0	3	0.48	<0.5	7	76	30	3.43	2.38
B367032		0.98	0.006	<0.5	7.12	28	910	1.6	3	0.61	<0.5	7	71	28	2.83	1.85
B367033		0.92	<0.005	<0.5	7.54	11	810	1.8	4	0.40	<0.5	6	69	18	3.28	2.25
B367034		0.84	<0.005	<0.5	9.07	16	900	2.4	4	0.31	<0.5	10	78	31	3.33	2.99
B367035		0.84	<0.005	<0.5	9.56	132	850	2.6	6	0.24	<0.5	16	84	43	4.45	3.14
B367036		0.88	0.005	<0.5	7.75	30	840	1.9	4	0.47	<0.5	5	75	21	3.22	2.28
B367037		0.96	<0.005	<0.5	6.55	27	720	1.6	4	0.59	<0.5	6	58	21	3.11	1.87
B367038		0.88	0.009	<0.5	6.64	53	730	1.7	2	0.54	<0.5	10	60	32	3.46	2.01

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 19-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074933

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367022		0.65	496	2	0.75	30	940	43	0.05	6	140	0.33	91	<10	91
B367023		0.60	480	1	0.72	25	920	42	0.05	7	135	0.32	85	10	86
B367024		0.62	584	2	0.68	25	970	39	0.05	<5	137	0.30	83	<10	90
B367025		0.62	464	2	0.70	27	920	44	0.05	11	129	0.30	87	10	90
B367026		0.63	660	1	0.68	30	910	42	0.05	8	129	0.32	88	<10	94
B367027		0.57	343	2	0.72	22	730	33	0.04	6	131	0.33	76	10	72
B367028		0.55	303	1	0.70	21	690	35	0.05	<5	126	0.32	74	<10	65
B367029		0.72	291	2	0.97	23	540	16	0.01	<5	167	0.35	105	<10	66
B367030		0.35	89	3	0.11	19	340	32	0.02	115	94	0.23	90	10	48
B367031		0.82	301	1	0.83	25	570	23	0.01	<5	154	0.36	117	<10	77
B367032		0.76	239	2	0.84	25	860	21	0.03	<5	153	0.33	105	<10	67
B367033		0.78	215	1	0.68	17	620	28	0.02	<5	130	0.33	102	<10	65
B367034		0.91	217	1	0.61	29	530	34	0.02	5	131	0.31	106	<10	78
B367035		0.83	400	1	0.47	34	590	50	0.02	22	127	0.28	109	<10	114
B367036		0.76	223	1	0.76	19	570	32	0.02	8	144	0.32	95	<10	63
B367037		0.68	315	<1	0.70	21	540	27	0.03	5	140	0.31	81	10	68
B367038		0.71	322	2	0.64	26	550	30	0.03	10	129	0.29	86	<10	73

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -OCT-2005
Account: STRGOL

CERTIFICATE VA05074930

Project: 1735

P.O. No.:

This report is for 118 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074930

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367039		0.68	<0.005	<0.5	5.61	5	750	1.2	<2	0.99	<0.5	7	52	21	2.71	1.26
B367040		0.86	<0.005	<0.5	5.65	43	790	1.1	<2	0.82	<0.5	8	65	18	3.16	1.24
B367041		0.82	0.014	<0.5	6.22	57	870	1.3	<2	0.77	<0.5	10	63	23	3.32	1.48
B367042		0.62	0.005	<0.5	5.90	22	790	1.1	<2	0.72	<0.5	7	65	19	3.17	1.37
B367043		0.64	0.013	<0.5	5.78	21	770	1.1	<2	0.69	<0.5	7	62	17	3.04	1.35
B367044		0.76	0.013	<0.5	6.51	52	920	1.4	<2	1.07	<0.5	10	68	25	3.13	1.53
B367045		0.68	0.005	<0.5	2.66	14	560	0.5	<2	3.64	<0.5	3	28	16	1.52	0.52
B367046		1.38	<0.005	<0.5	5.44	24	810	1.0	<2	0.84	<0.5	5	57	18	2.56	1.19
B367047		0.44	0.009	<0.5	8.19	109	1230	1.9	<2	0.54	<0.5	12	67	34	4.06	2.41
B367048		0.28	<0.005	<0.5	5.71	26	840	1.1	<2	0.69	<0.5	7	53	19	2.77	1.38
B367049		0.62	0.006	<0.5	6.63	22	1090	1.4	<2	0.78	<0.5	10	61	26	3.24	1.60
B367050		0.08	1.425	<0.5	6.86	1320	700	5.8	<2	0.01	<0.5	5	202	39	3.80	2.66
B367051		0.64	0.005	<0.5	6.09	15	1220	1.5	<2	1.01	1.2	22	74	37	3.45	1.49
B367052		0.34	<0.005	<0.5	5.11	19	990	1.1	<2	1.04	0.5	9	56	25	2.71	1.13
B367053		0.32	<0.005	<0.5	5.56	17	940	1.2	<2	1.01	0.5	10	57	20	2.82	1.29
B367054		0.32	<0.005	<0.5	5.58	25	980	1.2	<2	1.23	0.9	11	57	20	3.14	1.27
B367055		0.42	<0.005	<0.5	5.23	10	850	1.0	<2	1.12	<0.5	9	51	16	2.38	1.12
B367056		0.36	<0.005	<0.5	5.26	28	910	1.2	<2	1.09	<0.5	10	54	19	2.49	1.19
B367057		0.36	<0.005	<0.5	5.05	11	860	1.1	<2	1.12	<0.5	8	53	16	2.35	1.12
B367058		0.40	0.006	<0.5	4.94	6	840	1.0	<2	1.19	<0.5	9	54	15	2.26	1.08
B367059		0.42	<0.005	<0.5	5.38	18	940	1.1	<2	1.12	<0.5	9	58	17	2.42	1.22
B367060		0.44	0.007	<0.5	5.44	18	930	1.2	<2	1.27	0.6	8	57	22	2.44	1.26
B367061		0.28	0.009	<0.5	5.01	24	890	1.1	<2	1.21	<0.5	9	55	21	2.47	1.16
B367062		0.44	0.007	<0.5	4.60	13	770	1.0	<2	1.07	<0.5	8	50	16	2.26	1.01
B367063		0.38	0.006	<0.5	4.70	12	800	1.0	<2	1.12	<0.5	8	50	15	2.28	1.02
B367064		0.28	<0.005	<0.5	4.78	16	790	1.0	<2	1.14	<0.5	9	56	15	2.23	1.07
B367065		0.30	<0.005	<0.5	5.80	18	1080	1.3	<2	1.29	0.6	12	67	23	2.88	1.38
B367066		0.20	<0.005	0.6	5.10	30	1050	1.3	<2	1.83	1.7	13	63	53	3.17	1.25
B367067		0.50	<0.005	<0.5	4.77	<5	780	1.0	<2	0.89	<0.5	6	51	14	2.31	1.08
B367068		0.40	<0.005	<0.5	4.68	10	790	1.0	<2	1.06	0.5	7	51	18	2.00	1.02
B367069		0.30	<0.005	<0.5	4.81	10	830	1.0	<2	0.98	0.5	7	52	20	2.03	1.06
B367070		0.08	2.79	<0.5	7.44	2190	740	12.6	<2	0.01	<0.5	1	152	100	3.48	3.07
B367071		0.10	0.022	<0.5	4.15	7	1080	0.7	<2	0.75	2.4	4	52	19	1.62	0.82
B367072		0.30	<0.005	<0.5	5.14	25	950	1.0	<2	1.11	<0.5	7	55	18	2.28	1.00
B367073		0.32	<0.005	<0.5	4.86	18	790	0.9	<2	0.92	<0.5	6	52	12	2.20	0.99
B367074		0.30	<0.005	<0.5	4.81	22	750	1.0	<2	1.04	<0.5	5	60	12	2.46	0.96
B367075		0.12	0.006	<0.5	5.08	27	840	1.0	<2	0.93	<0.5	7	57	13	2.60	1.02
B367076		0.26	<0.005	<0.5	5.38	20	1010	1.0	<2	1.16	0.7	14	65	16	2.63	1.02
B367077		0.32	0.006	<0.5	5.18	34	870	1.0	<2	1.10	<0.5	9	57	17	2.64	1.01
B367078		0.44	<0.005	<0.5	4.73	16	750	0.9	<2	0.74	<0.5	4	47	9	1.80	1.01

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074930

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367039		0.72	380	<1	1.06	24	670	14	0.01	<5	164	0.37	93	<10	66
B367040		0.76	372	<1	0.95	23	790	18	0.01	<5	143	0.40	115	<10	63
B367041		0.76	498	<1	0.98	26	700	18	0.01	<5	155	0.38	115	<10	74
B367042		0.70	315	<1	0.92	22	600	24	0.01	<5	141	0.39	110	<10	64
B367043		0.68	299	<1	0.92	19	540	20	0.01	<5	140	0.39	108	<10	58
B367044		0.78	551	<1	1.03	29	740	20	0.02	<5	180	0.40	113	<10	78
B367045		0.42	205	<1	0.47	12	1120	15	0.20	7	231	0.17	46	<10	27
B367046		0.60	325	<1	0.99	19	830	13	0.01	<5	156	0.36	97	<10	57
B367047		0.77	597	<1	0.81	34	620	29	0.01	6	132	0.41	112	<10	123
B367048		0.63	363	<1	0.89	23	730	16	0.02	6	138	0.35	98	<10	65
B367049		0.74	493	1	0.98	27	620	16	0.01	<5	157	0.42	112	<10	80
B367050		0.35	89	2	0.11	16	310	27	0.02	115	92	0.24	93	20	46
B367051		0.79	1040	2	0.97	43	1100	22	0.01	6	150	0.39	130	<10	116
B367052		0.66	862	1	0.93	27	1230	17	0.03	<5	133	0.30	105	<10	99
B367053		0.65	634	1	0.91	23	990	15	0.06	<5	141	0.35	98	<10	95
B367054		0.66	1130	<1	0.94	28	970	19	0.08	<5	159	0.34	99	<10	99
B367055		0.60	774	<1	1.01	23	930	13	0.05	<5	160	0.32	83	<10	80
B367056		0.62	955	<1	0.91	26	860	16	0.05	<5	149	0.31	89	<10	93
B367057		0.59	788	<1	0.91	23	940	13	0.04	<5	147	0.33	86	<10	88
B367058		0.59	573	<1	0.94	25	1040	14	0.04	<5	150	0.35	86	<10	81
B367059		0.64	550	<1	0.90	26	850	16	0.05	<5	146	0.33	92	<10	92
B367060		0.63	664	<1	0.87	25	980	20	0.05	<5	144	0.31	91	<10	80
B367061		0.60	776	<1	0.81	25	970	17	0.06	<5	137	0.31	89	<10	99
B367062		0.56	647	<1	0.89	21	1020	14	0.03	5	133	0.35	82	<10	77
B367063		0.58	664	<1	0.91	23	1040	11	0.03	<5	133	0.32	83	<10	79
B367064		0.57	656	<1	0.92	22	1020	12	0.04	<5	144	0.35	84	<10	82
B367065		0.72	949	<1	0.92	32	1060	18	0.07	<5	158	0.35	106	<10	115
B367066		0.66	2000	1	0.57	45	1250	16	0.15	<5	139	0.26	94	<10	154
B367067		0.62	281	<1	0.92	20	1120	10	0.03	<5	113	0.33	85	<10	76
B367068		0.57	284	<1	0.94	24	1100	9	0.06	<5	137	0.33	84	<10	69
B367069		0.58	222	<1	0.92	24	980	13	0.05	<5	138	0.31	85	<10	74
B367070		0.38	70	2	0.09	10	320	28	0.02	152	140	0.21	105	10	17
B367071		0.34	220	1	0.81	13	1000	50	0.02	<5	139	0.40	101	<10	65
B367072		0.64	357	1	1.03	22	800	23	0.03	<5	174	0.32	95	<10	88
B367073		0.60	246	<1	1.02	18	730	23	0.02	<5	161	0.33	97	<10	75
B367074		0.62	325	<1	1.05	16	760	19	0.01	<5	170	0.41	100	10	62
B367075		0.65	327	<1	1.01	19	730	22	0.02	<5	161	0.36	107	<10	70
B367076		0.67	744	8	0.96	27	800	22	0.04	<5	162	0.35	110	<10	116
B367077		0.65	402	1	0.99	23	760	21	0.02	<5	165	0.37	106	<10	80
B367078		0.49	193	<1	0.96	13	560	24	0.01	<5	147	0.36	89	<10	39

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074930

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367079		0.40	0.005	<0.5	4.88	35	750	0.9	<2	0.85	<0.5	5	50	13	2.30	1.01
B367080		0.38	<0.005	<0.5	5.03	33	810	1.0	<2	0.76	<0.5	6	60	21	2.74	0.97
B367081		0.22	<0.005	<0.5	5.84	38	1160	1.1	<2	0.73	<0.5	7	65	31	2.92	1.20
B367082		0.22	<0.005	<0.5	4.99	16	870	0.9	<2	0.72	<0.5	4	52	17	2.20	1.02
B367083		0.32	<0.005	<0.5	5.26	10	900	0.9	<2	0.72	<0.5	5	55	20	2.26	1.07
B367084		0.22	<0.005	<0.5	4.81	21	750	0.9	<2	0.67	<0.5	4	55	18	2.08	0.96
B367085		0.22	<0.005	<0.5	0.36	6	150	<0.5	<2	2.57	0.6	1	5	13	0.28	0.07
B367086		0.32	<0.005	<0.5	4.62	23	920	0.9	<2	1.10	<0.5	6	53	17	2.28	0.90
B367087		0.38	0.011	<0.5	6.25	84	1190	1.5	<2	1.21	<0.5	13	63	30	3.24	1.09
B367088		0.42	<0.005	<0.5	5.06	26	900	1.0	<2	1.12	<0.5	8	54	15	2.33	1.01
B367089		0.44	<0.005	<0.5	4.49	5	830	0.9	<2	1.07	<0.5	8	57	14	2.37	0.87
B367090		0.08	2.79	<0.5	7.27	2080	730	12.7	<2	0.01	<0.5	1	148	97	3.42	2.98
B367091		0.52	<0.005	<0.5	4.72	17	860	0.9	<2	1.12	<0.5	9	52	13	2.25	0.92
B367092		0.32	<0.005	<0.5	4.58	26	850	0.9	<2	1.08	<0.5	11	50	15	2.28	0.90
B367093		0.64	0.006	<0.5	5.11	24	990	1.1	<2	1.25	1.0	13	62	25	2.86	0.95
B367094		0.42	<0.005	<0.5	4.86	21	930	1.0	<2	1.20	<0.5	10	56	19	2.44	0.91
B367095		0.32	<0.005	<0.5	4.92	27	930	1.0	<2	1.12	0.5	11	55	18	2.46	0.94
B367096		0.46	0.010	<0.5	4.61	17	910	1.0	<2	1.22	0.5	8	55	18	2.18	0.89
B367097		0.44	<0.005	<0.5	4.60	17	910	1.0	<2	1.16	<0.5	8	52	18	2.00	0.88
B367098		0.56	<0.005	<0.5	4.70	15	900	1.0	<2	1.17	<0.5	9	50	18	2.06	0.90
B367099		0.42	0.005	<0.5	4.90	16	960	1.0	<2	1.17	<0.5	8	53	21	2.11	0.94
B367100		0.34	<0.005	<0.5	5.23	25	960	1.1	<2	1.16	<0.5	7	59	20	2.25	1.04
B367101		0.36	<0.005	<0.5	5.24	24	940	1.1	<2	1.23	<0.5	8	57	20	2.37	1.09
B367102		0.46	<0.005	<0.5	5.41	20	1030	1.1	<2	1.11	<0.5	9	63	22	2.15	1.13
B367103		0.52	<0.005	<0.5	5.57	17	1020	1.2	<2	1.08	<0.5	8	63	25	2.13	1.13
B367104		0.48	0.005	<0.5	5.47	9	1010	1.2	<2	1.10	<0.5	11	62	23	2.18	1.14
B367105		0.38	<0.005	<0.5	5.61	46	1050	1.2	<2	1.21	<0.5	11	67	22	3.29	1.16
B367106		0.54	0.005	<0.5	4.97	17	890	1.0	<2	1.25	<0.5	7	60	17	2.37	1.01
B367107		0.36	0.005	<0.5	5.04	23	910	1.0	<2	1.28	0.5	8	57	19	2.29	1.02
B367108		0.44	<0.005	<0.5	4.81	18	860	1.0	<2	1.95	<0.5	7	51	19	2.18	1.02
B367109		0.58	0.005	<0.5	4.62	19	820	1.0	<2	1.29	<0.5	7	50	16	2.05	0.94
B367110		0.08	4.48	8.4	7.43	<5	470	0.9	<2	2.84	1.6	17	23	122	4.13	2.13
B367111		0.62	0.006	<0.5	4.70	36	830	1.0	<2	3.16	<0.5	7	51	16	2.13	0.97
B367112		0.76	0.005	<0.5	4.92	37	870	1.0	<2	1.91	<0.5	8	57	18	2.27	1.00
B367113		0.38	<0.005	<0.5	4.90	33	880	1.0	<2	1.21	<0.5	9	55	25	2.26	0.99
B367114		0.44	<0.005	<0.5	5.35	30	980	1.2	<2	1.29	<0.5	10	62	27	2.48	1.14
B367115		0.48	<0.005	<0.5	5.36	30	1010	1.2	<2	1.17	0.6	9	64	26	2.55	1.15
B367116		0.32	0.005	<0.5	5.74	16	1080	1.3	<2	1.15	<0.5	9	67	26	2.65	1.23
B367117		0.28	0.006	<0.5	5.26	23	980	1.1	<2	1.26	0.5	10	61	26	2.80	1.13
B367118		0.24	0.005	<0.5	6.36	34	1350	1.4	<2	1.34	1.0	11	77	25	4.69	1.57

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074930

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367079		0.59	241	<1	0.96	18	780	19	0.02	<5	156	0.33	97	<10	57
B367080		0.66	293	<1	0.90	23	750	14	0.01	<5	135	0.37	106	<10	55
B367081		0.75	268	1	0.95	29	1040	93	0.03	<5	146	0.34	126	<10	99
B367082		0.56	231	<1	0.94	17	720	18	0.02	<5	140	0.34	104	<10	54
B367083		0.56	232	<1	0.95	18	930	17	0.02	<5	143	0.36	112	<10	56
B367084		0.47	192	<1	0.77	14	1490	15	0.07	<5	125	0.32	97	<10	53
B367085		0.14	500	8	0.06	6	840	10	0.22	<5	77	0.02	12	<10	21
B367086		0.58	290	2	0.85	20	670	18	0.04	<5	142	0.32	94	<10	69
B367087		0.63	733	2	0.80	34	940	28	0.05	6	149	0.33	110	<10	140
B367088		0.64	345	<1	1.00	23	800	21	0.04	<5	165	0.33	95	<10	77
B367089		0.59	352	<1	0.97	18	810	17	0.01	<5	157	0.41	94	<10	59
B367090		0.37	69	1	0.09	7	320	31	0.02	152	139	0.22	101	10	16
B367091		0.60	437	2	0.97	21	750	18	0.03	<5	164	0.36	92	<10	72
B367092		0.57	539	1	0.94	21	740	19	0.03	<5	158	0.31	88	<10	74
B367093		0.69	900	3	0.89	37	980	22	0.05	<5	158	0.36	103	10	126
B367094		0.64	536	2	0.93	28	840	16	0.04	<5	159	0.34	96	<10	102
B367095		0.63	749	2	0.93	28	800	19	0.04	<5	157	0.31	94	<10	109
B367096		0.62	374	1	0.94	25	890	14	0.05	<5	159	0.31	90	<10	99
B367097		0.62	284	1	0.95	24	890	13	0.05	<5	158	0.30	89	<10	92
B367098		0.63	305	1	1.01	26	900	14	0.03	<5	164	0.31	87	<10	98
B367099		0.65	288	1	1.00	29	910	13	0.06	<5	164	0.31	94	<10	103
B367100		0.74	240	<1	0.89	22	940	15	0.08	<5	150	0.33	95	<10	91
B367101		0.73	447	1	0.97	24	1060	14	0.07	<5	161	0.34	92	<10	100
B367102		0.80	307	<1	0.98	28	960	15	0.09	<5	159	0.35	102	<10	112
B367103		0.80	288	<1	0.95	26	900	19	0.09	<5	155	0.34	101	<10	117
B367104		0.75	347	<1	0.96	25	1000	17	0.05	<5	161	0.35	99	<10	102
B367105		0.82	575	<1	0.85	29	1060	22	0.07	<5	149	0.34	106	<10	120
B367106		0.71	371	<1	0.93	21	1020	16	0.06	<5	158	0.38	91	<10	88
B367107		0.72	502	<1	0.96	25	1020	14	0.06	<5	162	0.36	91	<10	90
B367108		0.69	401	<1	0.94	23	970	15	0.22	<5	164	0.32	85	<10	86
B367109		0.64	385	<1	0.93	20	910	13	0.08	<5	154	0.33	83	<10	78
B367110		1.29	946	10	1.59	14	880	23	0.69	<5	398	0.36	148	<10	96
B367111		0.67	438	<1	0.96	21	970	11	0.36	<5	181	0.32	78	<10	75
B367112		0.70	384	<1	0.98	20	960	14	0.23	<5	170	0.33	87	<10	84
B367113		0.70	459	<1	0.95	22	910	16	0.07	<5	158	0.33	88	<10	93
B367114		0.78	477	<1	0.88	27	1090	17	0.16	<5	152	0.34	97	<10	120
B367115		0.81	306	<1	0.86	29	1080	18	0.16	<5	148	0.32	97	<10	114
B367116		0.83	315	<1	0.84	30	990	18	0.13	<5	146	0.34	104	<10	124
B367117		0.79	799	<1	0.87	29	1150	14	0.21	<5	155	0.31	97	<10	133
B367118		0.85	358	<1	0.74	36	1060	21	0.13	<5	168	0.34	124	<10	178

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074930

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367119		0.42	0.006	<0.5	4.45	7	790	0.8	<2	0.91	<0.5	2	51	6	1.91	1.02
B367120		0.40	0.005	<0.5	5.36	25	1020	1.1	<2	1.27	<0.5	9	62	21	4.48	1.22
B367121		0.52	0.007	<0.5	4.46	17	800	0.9	<2	1.04	0.7	6	49	15	2.14	0.98
B367122		0.40	0.010	<0.5	5.18	19	950	1.1	<2	1.26	0.5	7	58	20	2.84	1.15
B367123		0.36	<0.005	<0.5	5.18	25	970	1.1	<2	1.29	<0.5	8	58	20	2.81	1.15
B367124		0.44	0.006	<0.5	5.05	25	1000	1.1	<2	1.38	0.5	8	60	19	3.22	1.12
B367125		0.58	0.005	<0.5	4.81	16	900	1.1	<2	1.61	0.5	8	58	27	2.59	1.10
B367126		0.32	<0.005	<0.5	4.85	<5	950	1.0	<2	1.24	0.5	8	53	16	2.24	1.03
B367127		0.34	0.013	<0.5	4.79	<5	890	1.0	<2	1.27	<0.5	7	52	21	2.26	1.13
B367128		0.38	0.008	<0.5	4.83	<5	890	1.0	<2	1.42	<0.5	8	51	28	2.36	1.14
B367129		0.42	<0.005	<0.5	4.95	5	900	1.0	<2	1.18	<0.5	8	52	22	2.21	1.15
B367130		0.08	2.74	<0.5	7.77	2190	770	12.4	<2	0.01	<0.5	<1	153	108	3.52	3.31
B367131		0.30	0.005	<0.5	4.75	<5	850	1.0	<2	1.16	<0.5	7	49	21	2.14	1.12
B367132		0.34	0.005	<0.5	5.36	20	1050	1.2	<2	1.41	<0.5	10	60	27	2.79	1.29
B367133		0.50	0.006	<0.5	5.71	105	1150	1.3	<2	1.46	0.6	11	69	36	3.16	1.47
B367134		0.40	0.009	<0.5	5.58	28	1160	1.3	<2	1.49	<0.5	13	69	37	3.20	1.44
B367135		0.22	0.005	<0.5	2.31	27	900	0.6	<2	2.59	2.1	15	28	39	1.84	0.55
B367136		0.18	<0.005	<0.5	1.60	<5	340	<0.5	<2	2.03	1.1	2	20	14	0.84	0.42
B367137		0.32	<0.005	<0.5	5.00	37	900	1.0	<2	1.15	0.8	7	60	14	2.55	1.16
B367138		0.74	0.006	<0.5	5.44	16	970	1.1	<2	2.79	<0.5	9	54	34	2.59	1.36
B367139		0.34	0.008	<0.5	5.30	<5	940	1.1	<2	1.97	<0.5	9	67	25	2.80	1.24
B367140		0.32	<0.005	<0.5	5.31	10	970	1.1	<2	1.16	<0.5	7	57	23	2.26	1.22
B367141		0.54	0.009	<0.5	5.03	5	1020	1.1	<2	1.65	0.8	11	58	32	2.90	1.24
B367142		0.66	0.028	<0.5	5.56	<5	1060	1.2	<2	1.19	<0.5	9	66	31	2.71	1.36
B367143		0.58	0.007	<0.5	5.21	<5	990	1.2	<2	1.16	0.5	10	62	28	2.57	1.28
B367144		0.40	0.006	<0.5	5.13	10	940	1.2	<2	1.29	<0.5	9	60	28	2.55	1.22
B367145		0.40	0.006	<0.5	5.04	9	980	1.1	<2	1.45	1.0	12	64	28	2.64	1.20
B367146		0.40	0.006	<0.5	5.07	<5	960	1.1	<2	1.43	0.5	9	60	28	2.53	1.22
B367147		0.36	0.005	<0.5	5.01	<5	970	1.1	<2	1.29	<0.5	9	57	28	2.40	1.17
B367148		0.24	0.007	<0.5	3.50	13	890	0.8	<2	2.74	0.7	8	42	30	2.02	0.70
B367149		0.50	0.008	<0.5	5.53	5	1030	1.2	<2	1.26	<0.5	7	61	21	2.45	1.26
B367150		0.08	0.099	<0.5	7.22	113	620	2.7	<2	0.55	<0.5	61	1255	426	8.72	2.31
B367151		0.40	0.007	<0.5	6.11	10	1230	1.4	<2	1.36	<0.5	8	75	29	2.82	1.50
B367152		0.38	0.006	<0.5	5.28	11	980	1.1	<2	1.27	<0.5	9	59	21	2.71	1.22
B367153		0.40	<0.005	<0.5	5.08	5	910	1.0	<2	1.28	<0.5	7	57	20	2.55	1.14
B367154		0.34	0.005	<0.5	5.04	<5	990	1.1	<2	1.44	0.7	6	56	29	2.49	1.11
B367155		0.38	<0.005	<0.5	6.18	<5	1150	1.5	<2	1.35	<0.5	10	72	34	2.78	1.61
B367156		0.38	0.007	<0.5	8.66	<5	1930	2.2	<2	1.29	0.7	16	100	49	3.71	2.32

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074930

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367119		0.48	203	<1	1.07	11	470	12	0.08	<5	169	0.35	78	<10	27
B367120		0.67	362	<1	0.95	23	960	18	0.12	<5	178	0.31	100	<10	112
B367121		0.50	211	<1	1.02	20	710	12	0.28	<5	172	0.30	75	<10	68
B367122		0.64	231	<1	0.95	23	960	17	0.09	<5	171	0.31	93	<10	102
B367123		0.64	264	<1	0.94	26	930	16	0.09	<5	172	0.31	91	<10	99
B367124		0.65	538	<1	0.85	25	960	19	0.09	<5	164	0.32	96	<10	102
B367125		0.77	624	1	0.93	26	1130	16	0.05	<5	167	0.33	96	<10	87
B367126		0.61	471	<1	0.93	24	1060	14	0.05	<5	159	0.31	88	<10	93
B367127		0.64	524	1	0.98	24	1230	10	0.08	<5	169	0.28	85	<10	94
B367128		0.82	442	2	1.00	29	1160	13	0.02	<5	165	0.30	88	<10	85
B367129		0.64	411	1	0.99	25	1070	17	0.05	<5	171	0.30	89	<10	91
B367130		0.41	73	4	0.09	13	360	31	0.02	161	148	0.24	106	10	17
B367131		0.64	317	1	1.03	25	1200	13	0.04	<5	167	0.30	87	<10	78
B367132		0.78	1995	3	0.92	36	1140	17	0.06	<5	170	0.30	98	<10	112
B367133		0.91	1635	2	0.79	38	1230	16	0.06	<5	140	0.34	118	<10	146
B367134		0.91	952	2	0.89	40	1330	24	0.14	<5	160	0.35	116	<10	132
B367135		0.39	12200	2	0.37	38	1360	9	0.24	<5	143	0.13	44	<10	102
B367136		0.51	355	1	0.26	12	830	7	0.20	<5	93	0.10	33	<10	52
B367137		0.63	490	2	1.02	22	870	14	0.03	<5	173	0.35	99	<10	79
B367138		1.38	581	2	1.14	36	1240	14	0.03	<5	219	0.33	97	<10	86
B367139		1.04	686	<1	1.10	33	1200	15	0.02	<5	203	0.40	106	<10	86
B367140		0.66	309	2	1.13	25	950	14	0.04	<5	190	0.35	99	<10	79
B367141		0.83	2140	2	0.90	32	1220	21	0.06	<5	163	0.31	98	<10	118
B367142		0.73	645	2	0.86	33	1320	17	0.05	<5	148	0.34	109	<10	116
B367143		0.69	627	1	0.85	28	1400	13	0.04	<5	145	0.36	103	<10	110
B367144		0.71	712	2	0.90	28	1580	15	0.04	<5	153	0.36	100	<10	98
B367145		0.76	1865	2	0.86	33	1440	14	0.04	<5	152	0.35	99	<10	100
B367146		0.78	715	1	0.89	33	1470	17	0.05	<5	154	0.35	93	<10	91
B367147		0.68	444	2	0.96	28	1420	16	0.04	<5	160	0.35	98	<10	85
B367148		0.63	1475	2	0.50	23	1110	11	0.23	<5	144	0.20	69	<10	63
B367149		0.72	508	2	0.92	22	1860	14	0.04	<5	146	0.40	105	<10	92
B367150		0.63	399	10	0.13	508	400	158	0.02	15	53	0.23	96	30	630
B367151		0.82	473	1	0.88	27	1670	18	0.07	<5	155	0.42	119	<10	114
B367152		0.69	1915	1	0.87	24	1820	12	0.06	<5	138	0.36	91	<10	84
B367153		0.68	290	1	1.03	23	1180	14	0.04	<5	170	0.32	94	<10	89
B367154		0.67	206	1	0.84	24	1180	19	0.11	<5	147	0.32	94	<10	96
B367155		0.79	796	3	0.64	33	2200	15	0.07	<5	125	0.41	112	<10	99
B367156		0.87	3730	5	0.53	52	1660	17	0.08	<5	140	0.47	174	<10	136

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da(3-SEP-2005
Account: STRGOL

CERTIFICATE VA05074404

Project: 1735

P.O. No.:

This report is for 106 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074404

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367268		0.46	0.007	<0.5	5.29	9	740	1.2	<2	0.77	<0.5	7	61	8	2.12	1.31
B367269		0.54	0.009	<0.5	7.22	12	930	1.9	<2	0.46	<0.5	8	71	14	2.66	2.25
B367270		0.10	0.090	<0.5	6.83	106	600	2.7	<2	0.51	<0.5	61	1210	390	8.26	2.18
B367271		0.44	0.008	<0.5	6.28	20	790	1.5	<2	0.51	<0.5	7	64	10	2.38	1.84
B367272		0.80	<0.005	<0.5	11.05	19	1040	3.4	<2	0.04	<0.5	7	83	17	2.46	4.10
B367273		0.76	<0.005	<0.5	11.60	9	1130	2.9	<2	0.05	<0.5	7	73	17	2.54	3.58
B367274		0.44	0.006	<0.5	6.88	<5	900	1.9	<2	0.50	<0.5	25	63	13	2.74	2.11
B367275		0.52	<0.005	0.6	7.40	26	980	1.9	<2	0.58	<0.5	13	69	10	2.61	2.23
B367276		0.56	0.008	<0.5	6.81	5	860	1.8	<2	0.39	<0.5	7	60	11	2.20	2.11
B367277		0.66	<0.005	<0.5	7.12	12	1000	2.1	<2	0.63	<0.5	26	65	25	2.84	2.12
B367278		0.72	0.005	<0.5	6.54	11	880	2.0	<2	0.52	<0.5	36	63	18	2.81	1.91
B367279		0.92	<0.005	<0.5	7.46	<5	1080	2.0	<2	0.57	<0.5	8	68	17	2.28	2.26
B367280		0.86	0.025	<0.5	6.71	9	810	1.7	<2	0.60	<0.5	20	68	16	3.05	1.95
B367281		0.56	0.007	<0.5	6.82	<5	850	1.6	<2	0.61	<0.5	12	64	15	2.65	1.86
B367282		0.46	0.010	<0.5	6.28	11	810	1.5	<2	0.57	<0.5	16	59	13	2.64	1.74
B367283		0.48	0.008	<0.5	6.36	10	860	1.5	<2	0.63	<0.5	12	64	10	2.66	1.77
B367284		0.94	0.005	<0.5	6.96	6	870	1.9	<2	0.47	<0.5	10	61	15	2.65	2.41
B367285		0.32	<0.005	<0.5	6.86	9	950	1.7	<2	0.91	0.7	11	63	22	2.60	1.89
B367286		0.66	<0.005	<0.5	5.78	8	930	1.3	<2	1.12	<0.5	9	81	14	2.27	1.40
B367287		0.46	0.005	<0.5	7.04	<5	1010	1.7	<2	1.10	0.5	14	68	17	2.71	1.94
B367288		0.56	0.005	<0.5	6.62	8	1010	1.6	<2	0.90	<0.5	11	77	19	3.23	1.80
B367289		0.50	<0.005	<0.5	6.08	7	870	1.4	<2	0.68	<0.5	10	69	16	2.80	1.74
B367290		0.12	0.952	2.4	8.21	11	520	0.8	<2	2.06	0.9	28	118	2210	5.51	1.86
B367291		0.40	0.005	<0.5	6.51	12	890	1.6	<2	0.71	0.5	13	66	20	3.06	1.80
B367292		0.64	<0.005	<0.5	7.50	11	970	1.9	<2	0.75	<0.5	14	78	23	3.39	2.13
B367293		0.42	<0.005	<0.5	5.27	<5	690	1.1	<2	0.54	<0.5	6	59	8	1.96	1.31
B367294		0.56	0.006	<0.5	6.69	11	920	1.5	<2	0.71	<0.5	11	70	21	2.96	1.69
B367295		0.48	<0.005	<0.5	5.65	10	740	1.2	<2	0.56	<0.5	6	60	8	2.25	1.45
B367296		0.36	0.006	<0.5	5.73	10	710	1.2	<2	0.52	<0.5	7	59	8	2.26	1.47
B367297		0.40	0.009	<0.5	6.69	13	790	1.6	<2	0.56	<0.5	7	72	12	2.75	1.78
B367298		0.56	0.008	<0.5	7.85	6	890	1.9	<2	0.47	<0.5	9	81	14	2.94	2.17
B367299		0.48	0.021	<0.5	6.77	<5	820	1.5	<2	0.58	<0.5	8	72	12	2.51	1.72
B367300		0.70	0.010	<0.5	6.02	17	850	1.4	<2	0.97	<0.5	12	66	17	2.70	1.55
B367301		0.56	0.009	<0.5	7.51	19	1010	1.9	<2	0.73	<0.5	16	76	25	3.95	2.14
B367302		0.50	0.014	<0.5	7.74	22	1030	1.9	<2	0.70	<0.5	17	77	24	4.09	2.24
B367303		0.56	<0.005	<0.5	8.72	14	1090	2.0	<2	0.43	<0.5	8	89	30	3.87	2.72
B367304		0.46	0.008	1.0	10.30	60	1230	2.8	<2	0.50	1.4	19	88	34	4.00	4.14
B367305		0.46	<0.005	<0.5	7.58	40	930	1.8	<2	0.88	1.4	13	74	21	3.05	2.34
B367306		0.48	0.005	0.5	8.68	51	1050	2.3	<2	0.73	0.6	12	87	20	3.23	3.27
B367307		0.42	0.007	<0.5	9.82	41	1180	2.5	<2	0.70	0.6	15	94	29	3.56	3.74

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074404

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367268		0.53	270	<1	0.89	12	620	17	0.02	<5	158	0.48	87	<10	49
B367269		0.53	194	<1	0.63	14	710	30	0.03	13	140	0.43	106	<10	50
B367270		0.58	378	8	0.12	468	340	149	0.02	8	54	0.31	93	40	617
B367271		0.47	215	<1	0.64	14	580	27	0.03	15	134	0.44	89	<10	46
B367272		0.38	115	<1	0.17	13	360	28	0.02	<5	103	0.46	114	<10	45
B367273		0.40	207	<1	0.20	17	320	22	0.01	8	126	0.42	107	<10	47
B367274		0.44	971	<1	0.56	19	600	29	0.04	6	143	0.37	92	<10	75
B367275		0.50	411	<1	0.70	17	590	17	0.02	<5	162	0.42	104	<10	65
B367276		0.45	169	<1	0.52	14	580	20	0.04	9	121	0.36	92	<10	45
B367277		0.60	451	<1	0.76	29	620	18	0.03	<5	149	0.38	104	<10	91
B367278		0.50	1420	<1	0.67	23	620	23	0.04	6	138	0.38	97	<10	60
B367279		0.58	186	<1	0.75	26	600	23	0.04	5	156	0.41	110	<10	75
B367280		0.57	821	<1	0.78	23	610	22	0.03	<5	151	0.43	96	<10	68
B367281		0.58	278	<1	0.93	19	520	20	0.02	<5	164	0.37	95	<10	71
B367282		0.57	500	<1	0.71	21	700	15	0.05	<5	132	0.37	89	<10	61
B367283		0.61	400	<1	0.78	19	630	17	0.04	<5	143	0.39	92	<10	58
B367284		0.64	187	1	0.63	20	540	17	0.02	<5	112	0.37	97	<10	65
B367285		0.62	391	<1	0.71	23	730	21	0.08	<5	167	0.37	92	<10	116
B367286		0.60	465	1	1.01	31	580	19	0.06	<5	207	0.38	88	<10	73
B367287		0.63	532	<1	0.84	25	660	18	0.08	<5	203	0.40	99	<10	108
B367288		0.72	544	<1	0.81	26	870	22	0.04	5	160	0.42	116	<10	82
B367289		0.65	425	<1	0.74	22	790	20	0.04	<5	137	0.37	106	<10	77
B367290		1.45	474	3	3.39	53	700	23	0.70	<5	240	0.34	102	<10	235
B367291		0.66	736	<1	0.77	19	880	22	0.05	<5	148	0.37	105	<10	94
B367292		0.75	643	<1	0.81	26	850	28	0.06	<5	167	0.40	113	<10	102
B367293		0.48	201	<1	0.77	13	700	15	0.02	<5	129	0.39	95	<10	41
B367294		0.70	338	<1	1.04	22	640	15	0.01	<5	172	0.43	111	<10	71
B367295		0.54	212	1	0.79	14	650	18	0.03	<5	135	0.39	92	<10	42
B367296		0.55	199	1	0.80	13	590	14	0.03	<5	135	0.37	93	<10	48
B367297		0.63	233	1	0.82	23	580	17	0.03	<5	145	0.41	104	<10	57
B367298		0.65	239	<1	0.73	24	630	22	0.04	<5	149	0.40	116	<10	66
B367299		0.59	201	<1	0.77	19	760	21	0.05	<5	148	0.38	100	<10	52
B367300		0.61	475	<1	0.92	24	620	13	0.03	<5	188	0.43	98	<10	60
B367301		0.78	821	<1	0.89	31	820	26	0.04	<5	161	0.43	106	<10	102
B367302		0.79	827	1	0.91	30	780	22	0.03	<5	160	0.42	107	<10	102
B367303		0.78	326	1	0.84	25	600	28	0.02	<5	144	0.41	126	<10	78
B367304		0.55	815	<1	0.55	39	640	64	0.04	27	118	0.35	113	<10	246
B367305		0.60	899	<1	0.76	30	990	79	0.06	39	163	0.38	103	<10	239
B367306		0.60	702	<1	0.60	30	830	59	0.05	26	140	0.37	108	<10	230
B367307		0.68	1275	<1	0.57	37	930	47	0.06	15	153	0.36	121	<10	211

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074404

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367308		0.52	0.009	<0.5	8.81	16	1070	2.1	<2	0.76	<0.5	13	86	20	3.14	3.17
B367309		0.54	0.006	<0.5	8.62	15	1020	2.1	<2	0.81	<0.5	12	80	18	3.01	3.00
B367310		0.10	0.834	2.8	7.65	19	470	0.7	<2	1.88	1.0	25	104	1995	5.02	1.71
B367311		0.54	0.015	0.6	8.91	17	1070	2.3	<2	0.78	<0.5	13	86	22	3.18	3.13
B367312		0.62	<0.005	<0.5	8.51	12	960	2.1	<2	0.78	<0.5	13	77	21	3.13	2.85
B367313		0.62	<0.005	<0.5	8.62	13	970	2.1	<2	0.72	<0.5	13	78	21	3.10	2.93
B367314		0.56	0.007	<0.5	7.66	9	820	1.8	<2	0.82	<0.5	12	74	20	3.04	2.34
B367315		0.56	<0.005	<0.5	7.84	13	880	1.9	<2	0.77	<0.5	15	79	19	3.15	2.45
B367316		0.46	0.006	0.7	7.91	<5	830	1.9	<2	0.92	<0.5	14	79	23	3.12	2.27
B367317		0.50	<0.005	<0.5	7.85	10	860	2.0	<2	1.02	<0.5	15	76	29	3.22	2.36
B367318		0.68	0.010	<0.5	8.92	9	900	2.0	<2	0.36	<0.5	9	90	17	3.20	2.31
B367319		0.50	<0.005	<0.5	9.44	19	1000	2.2	<2	0.58	<0.5	14	94	26	3.28	2.66
B367320		0.46	0.006	0.5	7.03	9	800	1.7	<2	1.15	0.8	15	69	23	2.98	1.86
B367321		0.76	<0.005	<0.5	8.99	15	990	2.0	<2	0.50	<0.5	12	76	23	3.11	2.91
B367322		0.66	0.011	<0.5	8.81	15	970	2.1	<2	0.49	<0.5	12	77	22	3.00	2.91
B367323		0.70	<0.005	<0.5	9.91	18	1100	2.3	<2	0.44	<0.5	13	86	23	3.24	3.42
B367324		0.60	<0.005	<0.5	10.25	12	930	2.5	<2	0.50	<0.5	16	95	43	3.68	3.50
B367325		0.50	<0.005	<0.5	7.66	11	810	1.7	<2	0.85	<0.5	10	73	23	3.02	2.18
B367326		0.50	<0.005	<0.5	6.57	9	740	1.5	2	1.02	<0.5	9	63	23	2.79	1.68
B367327		0.48	<0.005	<0.5	6.96	10	800	1.5	<2	1.00	<0.5	10	67	22	2.90	1.75
B367328		0.58	<0.005	<0.5	6.59	10	770	1.4	<2	0.95	<0.5	9	64	19	2.74	1.59
B367329		0.50	0.007	<0.5	6.82	8	850	1.5	<2	0.85	<0.5	11	68	19	2.96	1.54
B367330		0.10	3.13	0.5	6.81	7	2050	3.1	<2	4.65	<0.5	23	144	98	4.89	3.27
B367331		0.62	0.005	<0.5	6.75	<5	810	1.4	<2	0.72	<0.5	8	69	18	2.81	1.53
B367332		0.68	<0.005	<0.5	6.01	<5	780	1.2	<2	0.65	<0.5	6	62	15	2.65	1.41
B367333		0.52	<0.005	<0.5	6.21	8	820	1.6	<2	0.88	<0.5	8	60	22	2.74	1.38
B367334		0.52	<0.005	<0.5	6.23	11	850	1.4	<2	0.77	<0.5	9	64	18	2.85	1.44
B367335		0.70	0.006	<0.5	6.61	11	940	1.4	<2	0.78	<0.5	9	72	16	2.97	1.67
B367336		0.54	0.006	<0.5	6.37	10	860	1.4	<2	0.95	<0.5	10	67	18	2.92	1.53
B367337		0.70	0.007	1.1	6.23	99	730	1.4	<2	1.22	2.3	8	60	20	2.67	1.72
B367338		0.54	<0.005	<0.5	5.69	18	770	1.2	<2	1.16	0.5	8	57	19	2.64	1.37
B367339		0.68	0.007	<0.5	6.83	23	830	1.5	<2	0.97	<0.5	11	62	23	2.95	1.80
B367340		0.62	<0.005	<0.5	8.38	8	890	1.8	<2	0.72	<0.5	11	73	26	3.17	2.13
B367341		0.66	0.006	1.0	7.89	62	810	1.8	<2	0.76	2.3	11	67	29	3.36	2.15
B367342		0.66	0.006	1.1	7.66	65	790	1.7	<2	0.76	2.1	11	67	27	3.25	2.06
B367343		0.52	0.009	0.9	5.73	45	820	1.2	<2	0.79	0.5	9	58	19	2.97	1.32
B367344		0.72	0.006	<0.5	4.88	9	800	1.0	<2	0.77	<0.5	7	51	15	2.29	1.09
B367345		0.52	<0.005	<0.5	4.95	7	810	0.9	<2	0.77	<0.5	5	51	15	2.05	1.06
B367346		0.82	0.009	<0.5	4.93	7	840	1.0	<2	1.02	<0.5	6	45	14	2.19	1.14
B367347		0.50	0.007	0.9	5.24	45	770	1.3	<2	0.75	1.0	15	54	15	4.70	1.22

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074404

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367308		0.71	546	<1	0.68	27	750	28	0.07	9	144	0.34	105	<10	158
B367309		0.72	434	<1	0.77	26	700	21	0.06	8	148	0.38	99	<10	146
B367310		1.33	432	3	3.07	46	650	13	0.65	<5	220	0.31	92	<10	207
B367311		0.72	510	<1	0.73	30	680	24	0.05	<5	149	0.37	103	<10	136
B367312		0.66	439	<1	0.76	26	690	20	0.05	5	158	0.35	97	<10	116
B367313		0.64	528	<1	0.81	29	660	30	0.04	<5	170	0.35	98	<10	100
B367314		0.64	395	<1	0.81	27	690	23	0.06	<5	168	0.36	90	<10	91
B367315		0.68	482	<1	0.81	28	710	23	0.05	<5	161	0.36	94	<10	108
B367316		0.69	473	<1	0.81	27	820	24	0.07	<5	181	0.36	93	<10	114
B367317		0.69	1530	<1	0.84	28	710	23	0.08	<5	184	0.34	87	<10	98
B367318		0.71	327	<1	0.89	24	560	21	0.02	<5	157	0.43	107	<10	63
B367319		0.67	780	<1	0.84	31	760	17	0.04	<5	179	0.40	111	<10	88
B367320		0.60	1475	<1	0.74	31	840	29	0.08	<5	185	0.32	86	<10	212
B367321		0.61	658	<1	0.56	33	580	25	0.03	<5	122	0.32	96	<10	82
B367322		0.59	696	1	0.54	33	560	23	0.03	<5	119	0.31	96	<10	82
B367323		0.64	640	1	0.51	35	520	25	0.02	5	120	0.33	107	<10	87
B367324		0.79	517	1	0.77	43	560	20	0.05	<5	175	0.35	97	<10	93
B367325		0.68	555	1	0.91	31	720	18	0.04	<5	168	0.37	95	<10	95
B367326		0.61	557	1	0.87	27	1000	21	0.07	<5	160	0.33	85	<10	124
B367327		0.65	601	<1	0.88	30	1020	19	0.07	<5	165	0.34	90	<10	126
B367328		0.63	639	1	0.88	27	1020	17	0.06	<5	158	0.34	86	<10	114
B367329		0.69	721	1	0.95	28	980	17	0.04	<5	163	0.37	99	<10	110
B367330		2.86	1015	13	2.26	67	2220	27	0.29	<5	1565	0.37	162	<10	92
B367331		0.69	410	1	1.04	26	910	17	0.04	<5	166	0.38	99	<10	83
B367332		0.65	433	1	0.93	20	1240	17	0.06	<5	143	0.36	99	<10	68
B367333		0.62	934	1	0.83	24	1300	20	0.07	<5	148	0.34	88	<10	118
B367334		0.66	875	1	0.93	22	1020	19	0.05	<5	142	0.36	100	<10	94
B367335		0.70	760	1	0.93	23	910	18	0.03	<5	146	0.40	108	<10	83
B367336		0.66	929	<1	0.93	26	910	22	0.04	<5	154	0.39	100	<10	112
B367337		0.58	467	<1	0.93	22	750	134	0.06	25	168	0.33	84	<10	832
B367338		0.63	461	1	0.97	24	710	30	0.05	<5	165	0.34	87	<10	168
B367339		0.70	511	<1	0.91	29	690	35	0.05	<5	148	0.34	87	<10	196
B367340		0.75	554	1	1.02	30	600	27	0.02	7	174	0.34	93	<10	123
B367341		0.69	590	<1	0.88	30	720	294	0.04	60	150	0.33	86	<10	558
B367342		0.68	534	1	0.88	28	750	283	0.04	60	152	0.34	86	<10	611
B367343		0.57	1010	1	0.85	23	670	74	0.03	<5	148	0.40	91	<10	102
B367344		0.55	247	1	1.00	18	630	18	0.01	<5	148	0.34	93	<10	59
B367345		0.53	210	1	0.98	16	660	19	0.03	<5	148	0.35	87	<10	48
B367346		0.56	291	1	1.20	18	610	25	0.01	<5	194	0.33	83	<10	60
B367347		0.56	953	1	0.84	39	710	53	0.03	<5	146	0.33	84	<10	216

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074404

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367348		0.70	0.010	1.0	6.23	23	910	1.3	<2	0.74	1.6	8	62	18	3.12	1.50
B367349		0.56	0.010	1.0	5.26	29	800	1.1	<2	0.77	1.2	10	54	14	2.73	1.19
B367350		0.10	0.082	<0.5	6.60	99	550	2.5	<2	0.49	<0.5	54	1135	383	7.90	2.09
B367351		0.56	0.007	1.0	6.27	30	840	1.3	<2	0.71	<0.5	5	63	18	2.99	1.60
B367352		0.58	0.011	1.5	6.05	85	830	1.2	<2	0.66	<0.5	14	61	21	4.64	1.30
B367353		0.52	0.016	1.0	6.69	70	780	1.3	<2	0.53	<0.5	6	67	16	2.68	1.73
B367354		0.52	0.013	19.0	5.02	127	680	1.0	<2	0.62	0.7	5	57	24	3.40	1.15
B367355		0.68	0.008	0.6	4.64	52	830	1.1	<2	0.81	1.9	9	45	18	5.49	1.23
B367356		0.62	0.009	<0.5	3.85	<5	630	0.8	<2	0.81	<0.5	3	38	8	1.63	0.83
B367357		0.40	0.017	0.8	7.56	9	830	1.8	<2	0.54	0.5	7	69	11	2.77	2.29
B367358		0.56	0.008	0.5	5.82	10	740	1.1	<2	0.76	<0.5	8	57	8	2.28	1.35
B367359		0.74	0.008	1.6	6.56	8	830	1.3	<2	0.77	1.0	10	59	16	2.75	1.51
B367360		0.58	0.006	0.5	5.46	14	770	1.2	<2	0.86	<0.5	12	52	16	2.59	1.25
B367361		0.60	0.006	<0.5	6.02	<5	770	1.2	<2	0.74	<0.5	7	53	7	2.32	1.49
B367362		0.76	0.007	<0.5	6.21	<5	780	1.3	<2	0.73	<0.5	7	57	9	2.50	1.56
B367363		0.68	0.015	1.1	9.09	8	900	2.5	<2	0.31	0.8	8	75	22	3.11	3.24
B367364		0.58	0.011	0.8	9.45	6	950	2.7	<2	0.36	<0.5	8	72	21	2.89	3.57
B367365		0.52	0.009	2.9	7.42	31	910	1.8	<2	0.54	1.3	10	69	24	3.33	2.27
B367366		0.70	0.016	3.2	7.86	32	940	2.0	<2	0.43	2.1	14	71	25	3.59	2.59
B367367		0.52	<0.005	<0.5	5.39	36	880	1.1	<2	1.04	1.4	22	52	9	4.19	1.22
B367368		0.72	<0.005	<0.5	5.49	28	950	1.2	<2	1.01	1.5	25	53	10	4.51	1.24
B367369		0.62	0.006	<0.5	6.56	18	820	1.6	<2	0.53	<0.5	10	62	10	6.03	1.88
B367370		0.10	0.428	3.1	9.72	<5	1080	1.2	<2	1.53	<0.5	9	8	7770	3.24	3.76
B367371		0.52	0.010	<0.5	5.62	30	890	1.3	<2	0.91	1.9	28	54	18	4.72	1.34
B367372		0.92	0.009	<0.5	9.05	14	1020	2.2	<2	0.37	<0.5	15	76	30	3.81	2.62
B367373		0.64	0.011	<0.5	5.44	15	750	1.2	<2	0.83	0.8	19	52	13	4.07	1.32

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 18-SEP-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074404

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B367348		0.64	348	1	0.88	36	740	82	0.08	<5	164	0.35	100	<10	184
B367349		0.55	1285	<1	0.85	31	720	62	0.04	<5	149	0.35	83	<10	132
B367350		0.55	363	8	0.12	450	320	138	0.02	11	48	0.22	87	30	572
B367351		0.61	258	1	0.90	17	570	90	0.02	<5	170	0.36	102	<10	76
B367352		0.60	571	1	0.80	27	780	131	0.06	<5	139	0.32	94	<10	106
B367353		0.57	407	<1	0.67	22	690	115	0.04	5	120	0.36	99	<10	70
B367354		0.49	407	1	0.81	26	840	59	0.06	<5	124	0.31	77	<10	102
B367355		0.50	792	1	0.76	21	840	61	0.03	<5	136	0.28	72	<10	126
B367356		0.44	217	1	0.92	14	650	25	0.01	<5	141	0.34	64	<10	41
B367357		0.68	229	2	0.63	16	620	117	0.02	<5	127	0.38	105	<10	83
B367358		0.62	237	1	0.87	13	580	65	0.02	<5	146	0.39	92	<10	71
B367359		0.65	353	<1	0.84	18	870	178	0.03	<5	155	0.37	100	<10	108
B367360		0.61	463	1	0.78	20	890	32	0.05	<5	141	0.36	86	<10	78
B367361		0.66	229	<1	0.89	15	580	33	0.02	<5	149	0.37	89	<10	60
B367362		0.68	239	<1	0.89	15	610	36	0.02	<5	149	0.39	97	<10	64
B367363		0.73	233	1	0.41	16	610	150	0.02	<5	103	0.33	115	<10	98
B367364		0.73	233	1	0.46	16	470	148	0.02	<5	115	0.36	117	<10	85
B367365		0.69	380	<1	0.54	21	900	477	0.04	7	114	0.36	113	10	158
B367366		0.73	679	1	0.48	20	910	496	0.03	7	101	0.33	119	<10	186
B367367		0.59	3040	1	0.97	37	690	39	0.03	<5	187	0.35	85	<10	177
B367368		0.60	3390	<1	1.01	44	700	34	0.03	<5	189	0.34	86	<10	231
B367369		0.51	266	1	0.68	29	560	20	0.05	<5	129	0.32	94	<10	110
B367370		1.21	489	2	3.46	9	1900	14	0.24	<5	739	0.34	171	<10	48
B367371		0.59	3800	<1	0.91	49	700	43	0.03	<5	175	0.33	85	<10	224
B367372		0.65	543	1	0.71	33	520	27	0.01	5	142	0.39	117	<10	87
B367373		0.54	1610	1	0.83	34	620	33	0.03	<5	159	0.33	82	<10	155

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Page: 1
Finalized Date: -OCT-2005
Account: STRGOL

CERTIFICATE VA05074197

Project: 1735

P.O. No.:

This report is for 61 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074197

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367374		0.50	0.023	<0.5	5.36	101	780	1.1	<2	1.30	1.7	11	75	18	3.07	1.14
B367375		0.60	0.006	<0.5	5.51	111	840	1.2	<2	1.24	1.3	10	58	16	2.76	1.20
B367376		0.82	0.006	0.5	5.59	29	770	1.2	<2	1.37	1.3	17	61	61	3.10	1.10
B367377		0.62	0.013	<0.5	6.19	9	760	1.4	<2	2.33	<0.5	12	67	25	3.04	1.31
B367378		0.68	0.006	<0.5	5.54	76	800	1.2	<2	1.24	<0.5	12	64	20	2.92	1.08
B367379		0.60	0.008	<0.5	5.73	67	830	1.2	<2	1.32	0.5	13	65	21	2.96	1.14
B367380		0.62	0.005	<0.5	5.50	81	810	1.2	<2	1.31	<0.5	12	60	18	2.93	1.09
B367381		0.64	<0.005	<0.5	5.23	47	780	1.1	<2	1.29	<0.5	11	55	18	2.51	1.08
B367382		0.66	<0.005	<0.5	5.26	40	810	1.1	<2	1.35	<0.5	10	60	18	2.56	1.12
B367383		0.52	0.009	<0.5	6.07	24	650	1.5	<2	2.37	<0.5	14	58	39	3.28	1.25
B367384		0.64	0.009	<0.5	4.67	20	740	1.0	<2	1.22	<0.5	9	53	15	2.06	0.95
B367385		0.44	0.005	<0.5	5.03	35	800	1.1	<2	1.28	0.5	10	56	17	2.26	1.06
B367386		0.86	0.008	<0.5	4.72	12	740	0.9	<2	1.16	<0.5	8	55	15	2.58	0.98
B367387		0.70	0.005	<0.5	5.05	24	780	1.1	<2	1.26	<0.5	10	55	16	2.37	1.04
B367388		0.66	0.006	<0.5	5.56	34	850	1.2	<2	1.48	0.7	10	62	23	2.80	1.12
B367389		0.92	0.006	<0.5	5.50	36	860	1.2	<2	1.57	0.5	10	63	21	2.67	1.10
B367390		0.08	2.78	<0.5	7.60	2110	760	12.6	<2	0.02	<0.5	1	142	100	3.57	3.23
B367391		0.60	0.010	<0.5	5.10	29	690	1.2	<2	1.39	<0.5	9	51	18	2.42	1.10
B367392		0.60	0.006	<0.5	4.84	30	690	1.1	<2	1.39	<0.5	9	56	17	2.33	1.02
B367393		0.84	0.005	<0.5	5.48	21	830	1.3	<2	1.53	<0.5	10	58	23	2.59	1.16
B367394		0.70	0.005	<0.5	4.78	24	710	1.1	<2	1.36	<0.5	9	51	14	2.23	0.99
B367395		0.78	0.006	<0.5	5.14	24	770	1.2	<2	1.35	0.5	11	57	21	2.56	1.06
B367396		0.70	0.009	<0.5	5.21	27	810	1.2	<2	1.48	0.5	10	56	21	2.41	1.10
B367397		0.82	0.008	<0.5	4.90	25	770	1.1	<2	1.37	<0.5	10	54	16	2.28	1.03
B367398		0.66	<0.005	<0.5	4.75	9	760	1.0	<2	1.25	<0.5	7	47	17	1.84	0.99
B367399		0.60	0.007	<0.5	4.79	29	770	1.0	<2	1.29	0.5	9	51	18	2.24	0.99
B367400		0.66	0.006	<0.5	5.02	18	820	1.1	<2	1.49	<0.5	8	55	18	2.31	1.03
B367401		0.58	0.005	<0.5	5.13	31	840	1.1	<2	1.38	0.5	9	55	21	2.53	1.07
B367402		0.58	0.008	<0.5	4.98	17	820	1.1	<2	1.33	0.6	10	57	23	2.54	1.06
B367403		0.50	0.011	<0.5	5.24	18	840	1.1	<2	1.31	0.5	9	56	22	2.28	1.08
B367404		0.30	0.008	<0.5	6.42	57	1210	1.4	<2	1.16	<0.5	21	79	32	4.34	1.33
B367405		0.44	<0.005	<0.5	5.29	16	950	1.1	<2	1.19	<0.5	10	63	24	2.51	1.10
B367406		0.44	0.005	<0.5	5.57	18	910	1.2	<2	1.32	0.5	12	62	29	2.66	1.17
B367407		0.38	0.006	<0.5	4.96	20	820	1.0	<2	1.19	<0.5	9	53	20	2.25	1.04
B367408		0.36	0.008	<0.5	5.05	14	860	1.1	<2	1.08	<0.5	8	55	24	1.91	1.12
B367409		0.48	0.006	<0.5	6.38	30	1100	1.4	<2	1.15	<0.5	14	79	33	3.11	1.38
B367410		0.08	0.093	<0.5	7.17	119	580	2.6	<2	0.52	<0.5	60	1190	397	8.51	2.27
B367461		0.64	0.007	<0.5	5.58	9	1000	1.1	<2	1.16	<0.5	9	70	24	2.38	1.12
B367462		0.60	<0.005	<0.5	5.16	14	960	1.1	<2	1.15	<0.5	9	61	22	2.13	1.04
B367463		0.74	0.006	<0.5	5.05	8	950	1.1	<2	1.26	<0.5	10	61	21	2.52	1.04

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074197

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367374		0.80	645	3	1.01	26	1120	66	0.02	7	174	0.51	113	10	574
B367375		0.74	563	3	1.10	23	990	69	0.02	9	191	0.37	99	10	513
B367376		0.93	729	2	1.09	31	910	28	0.02	<5	146	0.36	114	<10	276
B367377		1.08	679	3	1.11	29	1580	22	0.05	<5	172	0.40	91	<10	121
B367378		0.82	516	3	0.97	24	1040	47	0.04	<5	157	0.41	106	<10	238
B367379		0.84	705	3	1.02	26	1090	60	0.04	7	164	0.40	105	<10	241
B367380		0.80	693	3	1.00	22	960	50	0.04	8	163	0.37	103	10	229
B367381		0.79	460	2	0.97	23	930	36	0.04	<5	157	0.35	92	<10	183
B367382		0.80	457	2	0.97	24	1030	27	0.04	<5	162	0.37	95	<10	169
B367383		1.16	597	3	0.94	39	1640	17	0.06	<5	160	0.37	76	10	115
B367384		0.72	595	2	0.85	20	990	16	0.04	<5	138	0.34	85	<10	82
B367385		0.75	382	2	0.96	24	1040	24	0.05	<5	158	0.35	89	<10	171
B367386		0.68	369	<1	0.97	22	1000	15	0.01	<5	157	0.38	88	<10	58
B367387		0.78	560	3	0.95	26	1080	21	0.05	<5	154	0.34	86	<10	160
B367388		0.94	736	2	0.97	28	1280	24	0.04	<5	156	0.37	98	<10	182
B367389		0.93	531	2	1.03	25	1280	21	0.04	<5	163	0.39	97	<10	170
B367390		0.39	76	3	0.09	10	340	33	0.02	153	145	0.23	101	10	18
B367391		0.94	489	1	0.93	26	1240	16	0.04	<5	144	0.31	82	<10	118
B367392		0.84	515	2	0.91	27	1280	17	0.04	<5	146	0.37	85	<10	134
B367393		0.90	395	2	1.09	28	1290	23	0.02	<5	179	0.35	96	<10	142
B367394		0.80	463	2	0.95	20	1380	14	0.03	<5	145	0.36	81	<10	120
B367395		0.89	319	1	0.94	26	1280	20	0.10	<5	152	0.34	89	<10	150
B367396		0.87	396	2	0.99	23	1340	18	0.09	<5	162	0.36	92	<10	134
B367397		0.80	450	1	0.97	21	1300	18	0.06	<5	156	0.34	85	<10	121
B367398		0.70	241	1	1.06	17	1180	19	0.02	<5	164	0.35	81	<10	104
B367399		0.76	408	1	0.96	22	1170	14	0.06	<5	154	0.33	80	<10	118
B367400		0.80	421	2	1.01	21	1300	14	0.07	<5	166	0.37	86	<10	122
B367401		0.82	584	1	1.00	22	1220	19	0.10	<5	162	0.35	90	<10	126
B367402		0.81	645	2	0.94	24	1180	13	0.11	<5	154	0.33	88	<10	128
B367403		0.84	337	1	1.03	23	1180	16	0.07	<5	166	0.35	91	<10	126
B367404		1.10	1315	3	0.85	36	1150	19	0.07	<5	150	0.36	127	<10	164
B367405		0.84	319	2	0.93	26	1120	18	0.08	<5	156	0.36	99	<10	123
B367406		0.93	444	1	0.99	33	1120	18	0.13	<5	165	0.34	100	<10	150
B367407		0.76	431	1	0.98	22	1060	13	0.06	<5	156	0.33	86	<10	112
B367408		0.69	271	1	0.96	21	970	12	0.07	<5	152	0.33	86	<10	90
B367409		1.06	339	1	1.00	36	1120	23	0.07	<5	172	0.39	122	<10	181
B367410		0.60	386	9	0.12	479	360	154	0.02	11	51	0.29	91	30	626
B367461		0.93	321	3	0.96	32	1000	16	0.05	<5	166	0.38	110	<10	111
B367462		0.84	408	2	0.93	29	990	12	0.05	<5	161	0.36	99	<10	95
B367463		0.82	547	2	0.95	26	1080	15	0.04	<5	168	0.38	99	<10	97

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074197

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367464		0.72	0.008	<0.5	5.02	15	940	1.1	<2	1.22	<0.5	10	62	21	2.42	1.06
B367465		0.62	0.006	<0.5	5.38	15	930	1.2	<2	1.23	<0.5	11	63	23	2.70	1.12
B367466		0.72	<0.005	<0.5	4.95	8	970	1.1	<2	1.28	0.6	8	56	21	2.22	1.05
B367467		0.56	0.005	<0.5	3.80	23	820	1.0	<2	1.26	<0.5	7	46	9	7.96	0.80
B367468		0.68	<0.005	<0.5	4.62	8	990	1.0	<2	1.17	<0.5	8	59	23	2.56	0.97
B367469		0.50	<0.005	<0.5	5.09	21	980	1.1	<2	1.43	<0.5	10	64	21	4.42	1.11
B367470		0.08	0.088	<0.5	7.39	126	610	2.7	<2	0.54	<0.5	62	1255	413	8.93	2.37
B367471		0.36	<0.005	<0.5	5.49	41	1090	1.3	<2	1.50	0.6	12	73	28	4.88	1.20
B367472		0.62	0.006	<0.5	5.23	20	960	1.1	<2	1.27	<0.5	8	61	20	2.00	1.13
B367473		0.28	0.005	0.5	5.60	41	1120	1.2	<2	1.63	1.1	13	71	27	4.99	1.24
B367501		0.46	<0.005	<0.5	5.33	6	920	1.2	<2	1.37	0.5	10	63	23	2.78	1.16
B367502		0.54	0.006	<0.5	5.33	15	920	1.2	<2	1.33	0.5	9	62	21	2.77	1.16
B367503		0.54	0.009	<0.5	5.29	40	1010	1.2	<2	1.34	1.0	13	69	26	3.66	1.16
B367504		0.72	0.005	<0.5	4.86	6	970	1.1	<2	1.25	<0.5	8	57	17	2.14	1.07
B367505		0.50	<0.005	<0.5	5.70	22	1020	1.2	<2	1.34	0.6	11	68	26	2.69	1.22
B367506		0.48	0.006	<0.5	5.39	25	960	1.1	<2	1.26	0.6	10	62	21	2.52	1.15
B367507		0.60	0.006	<0.5	5.05	12	900	1.1	<2	1.31	<0.5	9	60	17	2.48	1.08
B367508		0.58	0.005	<0.5	5.45	18	970	1.2	<2	1.31	0.6	11	64	23	2.90	1.15
B367509		0.48	0.010	<0.5	5.54	25	1000	1.2	<2	1.28	0.6	10	67	27	2.80	1.18
B367510		0.08	2.60	<0.5	7.71	2150	740	13.3	<2	0.01	<0.5	1	148	102	3.50	3.31
B367511		0.38	0.006	<0.5	4.86	13	850	1.0	<2	1.34	<0.5	7	55	18	2.25	1.07

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05074197

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367464		0.83	502	2	0.93	28	980	16	0.04	<5	164	0.36	99	<10	100
B367465		0.88	382	3	0.97	27	1000	10	0.05	<5	168	0.35	105	<10	108
B367466		0.80	322	2	0.96	25	1050	12	0.06	<5	172	0.35	98	<10	100
B367467		0.62	753	10	0.72	23	1140	10	0.09	<5	140	0.25	81	<10	78
B367468		0.75	361	3	0.91	29	970	13	0.05	<5	169	0.35	102	<10	97
B367469		0.79	1455	3	0.86	28	990	15	0.13	<5	170	0.31	104	<10	113
B367470		0.63	408	10	0.13	501	360	162	0.02	11	54	0.26	95	30	652
B367471		0.87	1885	5	0.80	33	1150	23	0.14	<5	165	0.32	120	<10	136
B367472		0.76	270	2	1.06	24	1070	16	0.06	<5	188	0.39	104	<10	97
B367473		0.90	1620	3	0.82	37	1180	21	0.14	<5	170	0.32	123	<10	150
B367501		0.84	528	3	1.03	30	1140	20	0.04	<5	182	0.36	104	<10	108
B367502		0.83	508	3	1.03	28	1060	17	0.04	<5	182	0.38	103	<10	107
B367503		0.89	974	5	0.90	32	1230	18	0.05	<5	168	0.36	115	<10	131
B367504		0.75	354	2	0.97	24	1010	13	0.04	<5	170	0.36	93	<10	92
B367505		0.94	495	2	1.01	35	1040	21	0.06	<5	178	0.36	110	<10	133
B367506		0.84	390	3	1.03	27	1030	12	0.05	<5	179	0.34	102	<10	114
B367507		0.77	445	2	1.02	24	1040	12	0.03	<5	178	0.38	96	<10	95
B367508		0.86	453	3	1.00	28	1030	17	0.06	<5	177	0.35	106	<10	120
B367509		0.92	369	2	1.01	31	1160	18	0.09	<5	178	0.37	110	<10	124
B367510		0.39	70	3	0.09	8	330	30	0.02	156	148	0.27	105	20	18
B367511		0.72	267	2	1.02	21	1040	16	0.06	<5	181	0.35	92	<10	91

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat 4-OCT-2005
Account: STRGOL

CERTIFICATE VA05074936

Project:

P.O. No.:

This report is for 26 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 2-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

CERTIFICATE OF ANALYSIS VA05074936

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367435		0.40	0.013	<0.5	5.02	18	710	1.0	<2	0.86	<0.5	8	54	14	2.53	1.07
B367436		0.30	<0.005	<0.5	4.76	20	680	0.9	<2	0.92	<0.5	7	53	12	2.36	1.03
B367437		0.44	0.007	<0.5	4.95	15	760	1.0	<2	1.02	<0.5	11	57	23	2.64	1.05
B367438		0.32	0.005	<0.5	5.05	26	770	1.0	<2	0.99	<0.5	12	58	18	2.64	1.08
B367439		0.42	<0.005	<0.5	5.86	25	1090	1.4	<2	0.95	1.1	43	71	33	3.95	1.28
B367440		0.34	0.010	<0.5	5.08	46	820	1.1	<2	1.17	0.6	15	59	19	2.78	1.04
B367441		0.46	0.022	<0.5	4.93	32	830	1.1	<2	1.14	0.6	13	63	17	2.71	1.06
B367442		0.44	0.029	<0.5	4.90	24	840	1.0	<2	1.19	0.5	11	65	17	2.82	1.05
B367443		0.46	0.006	<0.5	5.26	27	900	1.1	<2	1.20	0.6	12	67	23	2.91	1.11
B367444		0.56	<0.005	<0.5	5.39	13	920	1.2	<2	1.53	0.8	10	63	27	2.82	1.23
B367445		0.50	<0.005	<0.5	5.26	17	950	1.2	<2	1.33	<0.5	7	63	26	2.71	1.13
B367446		0.54	0.009	<0.5	4.83	<5	920	1.1	<2	1.65	0.8	8	63	27	2.38	1.02
B367447		0.56	0.006	<0.5	4.92	13	850	1.0	<2	1.23	<0.5	8	60	22	2.49	1.02
B367448		0.42	<0.005	<0.5	4.97	13	870	1.1	<2	1.25	<0.5	8	62	24	2.47	1.06
B367449		0.36	<0.005	<0.5	5.08	6	890	1.0	<2	1.26	<0.5	9	60	27	2.56	1.04
B367450		0.08	0.429	2.6	8.83	<5	1080	1.1	<2	1.48	<0.5	7	12	7710	3.35	3.71
B367451		0.54	0.016	<0.5	4.42	12	700	0.9	<2	0.85	<0.5	8	58	18	2.58	0.91
B367452		0.58	0.005	<0.5	4.72	13	970	1.0	<2	1.04	<0.5	21	70	27	2.92	0.99
B367453		0.64	0.017	<0.5	4.99	16	1030	1.1	<2	1.15	0.7	20	73	30	3.06	1.03
B367454		0.64	0.010	<0.5	5.15	17	1000	1.1	<2	1.20	<0.5	9	76	28	3.06	1.08
B367455		0.64	<0.005	<0.5	5.77	20	980	1.3	<2	1.42	0.6	11	79	34	3.23	1.18
B367456		0.68	<0.005	0.5	5.17	15	910	1.2	<2	1.55	1.0	10	72	31	2.91	1.10
B367457		0.72	<0.005	<0.5	4.86	15	870	1.1	<2	1.31	0.8	9	66	23	2.71	1.02
B367458		0.82	<0.005	<0.5	5.06	21	910	1.1	<2	1.38	<0.5	10	65	25	2.77	1.04
B367459		0.68	<0.005	<0.5	5.12	7	940	1.1	<2	1.32	<0.5	8	68	26	2.81	1.06
B367460		0.50	<0.005	<0.5	5.19	25	950	1.1	<2	1.43	<0.5	11	69	30	3.05	1.08

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

CERTIFICATE OF ANALYSIS VA05074936

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B367435		0.71	295	2	0.93	20	920	15	0.03	<5	148	0.38	96	<10	76
B367436		0.68	308	2	0.97	17	740	13	0.03	<5	155	0.41	94	<10	68
B367437		0.69	473	2	0.93	22	840	14	0.03	<5	150	0.35	100	<10	78
B367438		0.70	588	3	0.97	22	890	13	0.03	<5	157	0.36	99	<10	82
B367439		0.87	1205	8	0.85	44	1260	19	0.08	<5	156	0.32	126	<10	160
B367440		0.70	875	4	0.87	30	1030	16	0.05	<5	156	0.36	98	<10	144
B367441		0.70	621	3	0.96	29	990	17	0.03	<5	174	0.43	101	<10	117
B367442		0.71	566	2	0.98	26	960	13	0.03	<5	176	0.45	103	<10	108
B367443		0.79	605	3	0.98	31	1040	18	0.04	<5	176	0.41	110	<10	119
B367444		0.94	446	2	1.01	31	1240	18	0.04	<5	186	0.35	106	<10	142
B367445		0.82	446	3	0.96	31	1070	14	0.04	<5	165	0.32	103	<10	128
B367446		0.81	422	2	0.84	26	1240	15	0.09	<5	158	0.30	91	<10	104
B367447		0.83	372	3	0.85	28	1080	13	0.04	<5	145	0.35	97	<10	83
B367448		0.77	396	2	0.92	28	1020	16	0.04	5	160	0.32	97	<10	105
B367449		0.80	552	3	0.80	27	1070	14	0.08	<5	142	0.29	98	<10	110
B367450		1.13	493	3	3.28	10	1920	12	0.24	<5	683	0.32	169	10	55
B367451		0.57	418	2	0.88	20	740	12	0.03	<5	140	0.35	89	10	68
B367452		0.73	1215	4	0.85	28	960	14	0.04	<5	154	0.35	110	<10	120
B367453		0.76	1255	3	0.89	34	1020	13	0.04	<5	165	0.35	111	<10	144
B367454		0.79	530	4	0.95	32	1070	13	0.04	<5	174	0.41	117	<10	111
B367455		1.16	682	3	0.90	39	1180	15	0.05	<5	158	0.34	113	<10	140
B367456		0.98	639	3	0.85	38	1200	13	0.06	<5	156	0.31	101	<10	160
B367457		0.78	639	3	0.88	29	1080	11	0.04	<5	157	0.38	100	10	99
B367458		0.81	513	3	0.89	30	1100	14	0.05	<5	158	0.35	103	<10	104
B367459		0.83	576	3	0.89	27	1080	14	0.04	5	156	0.36	106	<10	110
B367460		0.88	918	4	0.86	32	1090	16	0.05	<5	155	0.35	108	<10	114

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -OCT-2005
Account: STRGOL

CERTIFICATE VA05080233

Project: Dubli Gulch 1735

P.O. No.:

This report is for 307 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 19-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41d	Screen to -100um, save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B368051		1.12	0.005	<0.5	7.29	182	820	1.9	2	1.03	0.8	16	63	32	3.63	1.82
B368052		1.42	0.005	<0.5	7.05	142	780	1.8	<2	0.84	<0.5	15	64	28	3.48	1.78
B368053		1.50	<0.005	<0.5	7.75	186	810	1.9	<2	0.75	<0.5	18	64	33	3.84	2.09
B368054		1.08	<0.005	<0.5	7.54	241	880	1.9	<2	0.87	0.5	19	68	31	3.80	1.81
B368055		1.82	0.009	<0.5	7.42	204	870	1.8	3	0.81	0.6	25	68	31	3.90	1.85
B368056		1.66	<0.005	<0.5	7.67	116	890	1.9	2	0.77	0.5	23	67	30	4.11	1.97
B368057		1.04	<0.005	<0.5	7.07	44	830	1.7	2	0.81	<0.5	17	64	26	3.93	1.58
B368058		0.90	<0.005	<0.5	7.63	21	820	1.6	<2	0.54	<0.5	10	67	20	3.36	1.90
B368059		0.96	<0.005	<0.5	6.75	30	720	1.4	2	0.84	<0.5	8	62	17	2.91	1.46
B368060		0.84	0.011	<0.5	7.07	113	790	1.9	3	1.69	0.9	12	58	36	3.51	1.80
B368061		1.08	0.011	<0.5	6.91	100	790	1.8	<2	1.56	0.9	14	59	32	3.42	1.69
B368062		1.28	0.009	<0.5	7.07	123	820	1.8	2	1.30	<0.5	13	61	29	3.58	1.72
B368063		1.26	0.013	<0.5	7.27	110	880	1.8	<2	1.34	0.7	17	60	33	3.57	1.91
B368064		1.34	0.005	<0.5	6.75	102	810	1.7	<2	1.23	<0.5	14	55	29	3.28	1.73
B368065		1.38	0.011	<0.5	7.83	150	1060	2.0	<2	1.26	0.8	16	55	30	3.29	2.10
B368066		1.54	0.455	<0.5	7.52	132	1060	1.9	<2	1.25	0.6	16	58	28	3.40	1.94
B368067		1.56	0.055	<0.5	7.03	124	1030	1.8	<2	1.37	0.6	14	55	30	3.20	1.82
B368068		1.32	0.008	<0.5	7.40	130	1090	1.9	<2	1.33	0.5	15	59	29	3.28	1.96
B368069		1.50	0.007	<0.5	7.49	130	1100	1.9	<2	1.25	0.6	15	61	27	3.25	2.03
B368070		0.10	0.310	3.2	9.52	<5	1170	1.3	<2	1.52	<0.5	11	9	8260	3.28	3.96
B368071		1.18	0.014	<0.5	6.87	118	1090	1.8	<2	1.32	0.6	14	55	40	3.06	1.84
B368072		1.48	0.049	<0.5	6.37	114	1040	1.5	<2	1.37	0.6	14	59	26	3.04	1.58
B368073		1.20	<0.005	<0.5	6.50	96	980	1.5	<2	1.31	<0.5	12	58	24	2.96	1.64
B368074		1.14	0.058	<0.5	6.88	104	1030	1.6	<2	1.36	<0.5	12	62	26	3.09	1.71
B368075		1.42	0.007	<0.5	7.60	156	1120	1.9	<2	1.59	<0.5	17	69	37	3.71	1.84
B368076		1.04	0.008	<0.5	7.86	164	1100	1.9	<2	1.54	0.6	18	72	38	3.73	1.83
B368077		1.20	0.010	<0.5	7.53	152	1040	1.7	<2	1.49	<0.5	15	70	34	3.47	1.83
B368078		1.58	<0.005	<0.5	7.12	116	1060	1.6	<2	1.25	<0.5	12	63	23	3.29	2.19
B368079		0.54	NSS	0.7	5.22	37	880	1.1	<2	0.64	0.6	6	65	30	2.14	1.11
B368080		0.38	NSS	0.6	4.69	36	820	1.1	<2	0.86	<0.5	7	59	24	2.47	1.10
B368081		0.36	NSS	2.0	3.79	18	760	0.8	<2	0.71	0.9	10	45	28	1.92	0.72
B368082		0.50	NSS	1.1	3.13	12	690	0.7	2	0.69	0.9	9	38	23	1.78	0.58
B368083		0.46	0.006	<0.5	5.39	<5	1100	1.2	<2	1.05	1.0	15	61	34	2.36	1.01
B368084		0.38	0.005	<0.5	4.76	<5	910	1.0	<2	1.02	0.6	9	53	17	1.74	0.94
B368085		0.22	<0.005	<0.5	3.95	16	820	0.9	<2	0.88	1.2	9	43	28	2.14	0.74
B368086		0.20	NSS	0.5	0.90	<5	570	<0.5	<2	0.96	1.9	11	12	24	1.49	0.11
B368087		0.84	0.012	<0.5	4.43	27	830	1.1	<2	1.50	0.6	10	57	19	2.36	0.95
B368088		0.72	0.007	<0.5	4.54	16	840	1.2	<2	1.69	0.5	10	48	24	2.49	1.01
B368089		0.60	0.006	<0.5	4.98	33	990	1.2	<2	1.88	0.8	10	55	31	2.69	1.13
B368090		0.10	0.905	<0.5	7.34	1280	820	6.1	<2	0.02	<0.5	7	217	42	3.69	2.73

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B368051		0.88	1025	2	0.72	36	1060	31	0.08	<5	158	0.39	98	<10	187
B368052		0.88	1000	2	0.73	32	940	26	0.06	<5	131	0.38	90	<10	133
B368053		0.91	1110	2	0.75	38	920	30	0.07	<5	119	0.39	86	<10	204
B368054		0.92	1310	1	0.81	39	1130	32	0.05	<5	146	0.41	105	<10	195
B368055		0.82	1940	1	0.77	31	1320	34	0.07	<5	130	0.40	95	<10	150
B368056		0.85	1995	2	0.76	34	1400	32	0.08	<5	123	0.40	96	<10	142
B368057		0.85	1780	2	0.76	29	1790	31	0.08	<5	133	0.38	98	<10	136
B368058		1.01	1175	2	0.75	25	1140	26	0.05	<5	121	0.41	98	<10	103
B368059		0.78	524	1	0.85	21	1300	28	0.07	<5	143	0.38	89	<10	80
B368060		0.81	613	1	0.51	36	840	16	0.14	<5	155	0.36	81	<10	116
B368061		0.78	804	2	0.61	34	860	17	0.11	<5	158	0.38	84	<10	108
B368062		0.85	713	<1	0.66	35	790	14	0.08	<5	156	0.40	87	<10	102
B368063		0.84	747	<1	0.59	33	760	18	0.08	<5	159	0.38	89	<10	108
B368064		0.82	734	<1	0.59	28	740	9	0.08	<5	152	0.35	83	<10	105
B368065		0.68	733	<1	0.72	28	780	23	0.06	<5	158	0.35	80	10	121
B368066		0.68	638	<1	0.71	30	900	18	0.04	6	159	0.41	92	<10	119
B368067		0.73	596	1	0.63	26	750	22	0.07	<5	163	0.36	88	20	118
B368068		0.73	617	1	0.68	34	830	21	0.06	<5	164	0.39	91	40	122
B368069		0.72	594	<1	0.71	28	930	21	0.05	<5	162	0.42	92	60	108
B368070		1.25	520	2	3.40	10	2020	9	0.27	<5	716	0.36	185	<10	60
B368071		0.71	556	1	0.67	29	860	13	0.08	<5	159	0.37	86	<10	113
B368072		0.79	517	<1	0.68	25	790	22	0.05	<5	169	0.40	94	10	112
B368073		0.81	475	<1	0.71	29	740	16	0.04	<5	176	0.38	93	10	108
B368074		0.85	483	<1	0.75	28	750	16	0.05	<5	184	0.39	98	<10	118
B368075		0.96	606	1	0.71	33	810	23	0.08	5	190	0.40	110	<10	148
B368076		0.97	589	<1	0.73	36	860	23	0.09	<5	182	0.41	113	10	154
B368077		0.95	683	<1	0.77	29	830	18	0.08	<5	186	0.41	113	<10	146
B368078		0.88	721	<1	0.68	23	680	13	0.03	<5	164	0.38	94	20	118
B368079		0.60	220	2	0.51	26	1150	24	0.06	<5	96	0.27	100	10	86
B368080		0.66	256	3	0.68	28	1070	18	0.05	<5	117	0.30	100	10	94
B368081		0.45	435	4	0.53	23	1780	23	0.14	<5	103	0.22	67	<10	79
B368082		0.37	444	4	0.42	21	1850	21	0.15	<5	94	0.17	54	<10	66
B368083		0.67	926	3	0.72	27	1080	9	0.12	<5	142	0.31	98	10	106
B368084		0.61	346	2	0.83	17	1080	7	0.07	<5	150	0.34	86	10	85
B368085		0.50	457	2	0.64	16	1250	13	0.14	<5	118	0.25	73	<10	80
B368086		0.11	1325	3	0.07	18	1540	6	0.20	5	73	0.03	9	<10	46
B368087		0.65	705	1	0.83	20	1230	14	0.05	<5	167	0.42	91	<10	122
B368088		0.69	694	<1	0.86	20	1140	20	0.07	<5	170	0.33	87	<10	118
B368089		0.77	653	<1	0.76	28	1100	14	0.09	<5	168	0.33	97	10	170
B368090		0.37	95	3	0.11	17	310	28	0.02	120	96	0.28	95	10	49

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B368091		0.76	0.127	<0.5	4.80	18	880	1.2	<2	1.64	<0.5	11	56	23	2.46	1.04
B368092		0.86	<0.005	<0.5	4.89	10	910	1.2	<2	1.97	<0.5	11	49	28	2.33	1.12
B368093		0.52	0.015	<0.5	4.71	5	890	1.1	<2	1.90	<0.5	10	52	28	2.42	1.06
B368094		0.64	0.019	<0.5	4.63	15	940	1.1	<2	1.59	<0.5	10	57	21	2.42	1.03
B368095		0.78	0.026	<0.5	4.66	18	920	1.2	<2	1.67	<0.5	11	56	22	2.49	1.05
B368096		0.96	0.025	<0.5	4.32	23	890	1.1	<2	1.86	<0.5	11	44	27	2.39	0.98
B368097		0.48	0.009	<0.5	6.15	45	1360	1.3	<2	1.09	<0.5	14	64	27	2.69	1.12
B368098		0.52	<0.005	<0.5	5.81	65	1190	1.2	<2	1.18	<0.5	19	60	17	3.29	1.06
B368099		0.50	0.006	<0.5	4.68	86	990	0.9	<2	1.07	<0.5	9	50	12	2.61	0.85
B368100		0.50	0.006	<0.5	5.13	65	1290	1.1	<2	1.16	<0.5	11	51	13	2.38	0.95
B368101		0.74	0.014	<0.5	5.62	96	990	1.3	<2	1.42	1.0	19	64	26	2.83	1.18
B368102		0.92	<0.005	<0.5	4.61	43	1240	1.0	<2	1.30	<0.5	11	49	21	2.08	0.98
B368103		0.64	0.017	<0.5	5.43	106	1320	1.3	<2	1.51	1.5	24	64	26	2.86	1.13
B368104		1.22	0.009	<0.5	5.36	116	1060	1.2	<2	1.46	0.5	14	60	27	2.83	1.17
B368105		0.80	0.007	<0.5	5.16	112	920	1.2	<2	1.63	<0.5	15	57	25	2.49	1.10
B368106		1.02	0.009	<0.5	5.56	54	980	1.2	<2	1.47	0.7	16	60	27	2.56	1.14
B368107		1.28	0.019	<0.5	5.03	195	940	1.2	<2	1.28	1.0	18	53	27	3.00	1.12
B368108		1.02	0.046	0.5	6.81	282	950	1.6	<2	1.51	4.8	14	66	32	3.27	1.62
B368109		0.96	0.012	<0.5	5.99	121	950	1.4	<2	1.39	1.1	16	62	29	2.65	1.35
B368110		0.08	4.28	10.0	8.39	<5	510	1.0	<2	2.98	1.0	20	22	136	4.24	2.33
B368111		1.46	0.018	<0.5	4.93	54	840	1.1	<2	1.31	<0.5	9	46	19	1.83	1.06
B368112		2.04	0.031	<0.5	5.34	176	960	1.3	<2	1.32	1.2	20	56	28	3.03	1.21
B368113		1.74	0.006	<0.5	5.41	180	990	1.3	<2	1.28	1.6	20	58	29	3.04	1.27
B368114		1.58	0.395	<0.5	5.24	156	930	1.2	<2	1.35	0.8	17	55	25	2.79	1.14
B368115		1.58	0.028	<0.5	5.31	90	930	1.2	<2	1.29	1.5	16	56	29	2.52	1.19
B368116		1.24	0.016	<0.5	5.01	319	980	1.2	<2	1.14	4.2	20	51	29	3.10	1.25
B368117		1.34	0.008	<0.5	6.08	172	1060	1.4	<2	1.42	1.4	21	68	30	3.09	1.31
B368118		0.98	<0.005	<0.5	8.54	69	870	2.3	<2	1.12	<0.5	27	77	38	4.84	1.96
B368119		0.62	<0.005	<0.5	7.98	38	760	2.1	<2	1.48	0.6	22	68	38	4.33	1.83
B368120		1.18	<0.005	<0.5	7.40	37	730	1.9	<2	1.11	<0.5	18	59	29	3.90	1.83
B368121		0.64	0.007	<0.5	7.10	47	840	1.7	<2	1.45	<0.5	15	67	30	3.45	1.84
B368122		0.74	0.009	<0.5	7.31	69	850	1.8	<2	1.44	<0.5	17	68	31	3.57	1.98
B368123		0.98	<0.005	<0.5	6.78	39	990	1.7	<2	1.48	<0.5	17	63	30	3.40	1.66
B368124		0.50	0.005	<0.5	5.95	61	840	1.5	<2	1.85	<0.5	14	55	33	3.06	1.47
B368125		0.92	0.005	<0.5	5.82	219	990	1.3	<2	1.16	0.9	20	65	24	3.52	1.37
B368126		1.22	0.021	<0.5	6.80	104	1020	1.6	<2	1.37	0.7	16	65	29	3.42	1.68
B368127		1.00	<0.005	<0.5	7.41	108	1360	1.7	<2	1.33	<0.5	18	74	27	3.56	1.91
B368128		0.64	0.008	<0.5	6.68	174	960	1.6	<2	1.55	1.2	19	65	30	3.30	1.69
B368129		1.22	0.014	<0.5	7.54	439	1110	1.8	<2	1.58	2.2	19	70	32	3.63	1.87
B368130		0.10	2.84	<0.5	8.19	2220	770	14.0	<2	0.02	<0.5	2	156	111	3.48	3.22

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B368091		0.72	524	<1	0.84	22	980	16	0.06	<5	172	0.39	96	10	113
B368092		0.92	479	1	1.04	25	1100	14	0.02	<5	204	0.30	85	<10	86
B368093		0.75	424	<1	0.83	22	1040	10	0.08	<5	174	0.34	88	<10	108
B368094		0.72	450	<1	0.91	17	1210	13	0.03	<5	179	0.42	94	10	97
B368095		0.78	498	<1	0.88	19	1170	13	0.04	<5	176	0.41	95	10	104
B368096		0.80	618	1	0.79	22	990	16	0.05	<5	166	0.32	82	<10	99
B368097		0.70	268	1	0.86	26	1200	14	0.16	<5	162	0.35	109	<10	114
B368098		0.68	778	1	0.94	21	1240	16	0.08	<5	171	0.36	107	<10	106
B368099		0.53	231	<1	0.88	13	970	6	0.10	<5	156	0.33	87	<10	68
B368100		0.57	356	1	0.93	16	910	12	0.10	<5	179	0.33	87	<10	76
B368101		0.80	1105	1	0.89	35	1130	18	0.06	<5	162	0.40	102	<10	168
B368102		0.62	408	1	0.82	24	1020	12	0.06	<5	149	0.35	77	<10	112
B368103		0.79	1935	1	0.86	35	1140	18	0.07	<5	160	0.41	102	10	191
B368104		0.77	3100	3	0.86	30	1120	19	0.06	<5	156	0.39	96	20	138
B368105		0.74	621	2	0.87	26	1030	17	0.08	<5	163	0.35	92	<10	138
B368106		0.79	504	2	0.93	31	1100	22	0.07	<5	166	0.38	101	<10	168
B368107		0.72	1435	2	0.77	31	1010	16	0.05	7	137	0.32	87	<10	170
B368108		0.91	804	<1	0.65	31	810	39	0.08	15	150	0.40	94	<10	682
B368109		0.83	359	1	0.84	33	950	25	0.09	7	161	0.38	96	<10	212
B368110		1.42	1045	13	1.62	11	940	21	0.74	<5	422	0.39	156	<10	105
B368111		0.64	458	<1	1.04	20	920	12	0.11	<5	180	0.32	81	<10	108
B368112		0.78	1285	1	0.78	40	1040	23	0.06	8	144	0.33	94	10	209
B368113		0.79	1140	<1	0.74	39	1070	21	0.06	<5	137	0.32	96	10	225
B368114		0.74	1125	2	0.85	31	1060	19	0.05	6	154	0.35	92	10	162
B368115		0.75	680	1	0.86	31	1010	17	0.06	<5	155	0.35	94	<10	172
B368116		0.71	1315	1	0.72	35	1020	24	0.07	<5	130	0.29	85	<10	192
B368117		0.84	811	2	0.88	39	1100	25	0.08	<5	167	0.39	106	<10	190
B368118		1.26	1605	<1	0.52	36	1010	30	0.05	<5	156	0.46	103	<10	175
B368119		1.18	1305	<1	0.45	35	1040	30	0.10	6	162	0.38	88	10	188
B368120		1.09	998	<1	0.51	32	570	21	0.04	<5	152	0.38	77	<10	137
B368121		0.95	730	<1	0.67	24	750	18	0.06	<5	166	0.41	92	<10	120
B368122		0.98	675	<1	0.68	27	690	20	0.07	<5	166	0.39	95	<10	118
B368123		1.07	719	<1	0.74	27	780	14	0.05	<5	181	0.39	96	<10	134
B368124		0.97	692	<1	0.52	28	850	19	0.10	<5	167	0.32	80	<10	122
B368125		0.75	1130	<1	0.85	27	890	55	0.04	<5	158	0.39	106	<10	178
B368126		1.01	757	<1	0.81	30	820	33	0.07	<5	176	0.40	98	<10	150
B368127		1.13	556	1	1.12	41	880	4	0.04	<5	201	0.43	113	<10	108
B368128		1.01	650	<1	0.73	38	820	15	0.12	5	174	0.39	97	<10	187
B368129		1.08	557	<1	0.80	53	750	27	0.09	5	188	0.40	117	<10	482
B368130		0.41	76	1	0.09	7	360	21	0.02	170	153	0.27	109	10	20

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B368131		1.02	0.020	<0.5	7.23	749	930	1.8	<2	1.58	1.4	17	65	34	3.49	1.84
B368132		1.26	0.052	<0.5	6.61	449	850	1.6	<2	1.32	0.6	15	61	26	3.27	1.63
B368133		0.78	0.016	<0.5	7.20	654	940	1.7	<2	1.44	0.5	20	64	33	3.45	1.78
B368134		1.18	0.011	<0.5	7.12	499	910	1.7	<2	1.50	0.8	18	64	30	3.47	1.76
B368135		0.86	0.024	<0.5	6.59	491	870	1.6	<2	1.40	0.5	15	60	28	3.28	1.70
B368136		0.96	0.038	<0.5	7.15	528	930	1.7	<2	1.53	<0.5	16	66	31	3.53	1.80
B368137		1.00	0.025	<0.5	6.17	329	850	1.5	<2	1.22	<0.5	14	57	25	3.08	1.53
B368138		1.04	0.012	<0.5	6.55	468	970	1.6	<2	1.53	0.5	16	62	34	3.30	1.63
B368139		1.08	0.012	<0.5	5.43	95	910	1.3	<2	1.28	1.4	17	56	28	2.57	1.17
B368140		1.48	<0.005	<0.5	5.12	164	850	1.2	<2	1.24	0.6	13	52	22	2.58	1.17
B368141		0.84	0.010	<0.5	5.97	184	1000	1.4	<2	1.46	1.6	18	66	29	2.91	1.28
B368142		1.06	0.011	<0.5	5.24	96	880	1.2	<2	1.36	0.6	14	62	22	2.50	1.13
B368143		0.98	0.009	<0.5	4.87	52	850	1.1	<2	1.31	<0.5	15	59	20	2.56	1.03
B368144		1.52	0.006	<0.5	6.46	57	1500	1.5	<2	1.81	<0.5	15	73	28	3.17	1.47
B368145		1.74	0.022	<0.5	5.67	345	920	1.3	<2	1.32	1.1	17	61	24	3.03	1.28
B368146		1.02	0.007	<0.5	6.95	102	1000	1.5	<2	1.59	<0.5	14	66	29	3.15	1.69
B368147		1.42	0.032	<0.5	5.30	220	860	1.2	<2	1.36	<0.5	15	61	21	2.87	1.15
B368148		1.66	0.017	<0.5	5.21	327	850	1.3	<2	1.15	0.7	16	54	21	2.69	1.17
B368149		2.32	0.007	<0.5	5.60	226	920	1.3	<2	1.35	0.8	15	59	24	2.95	1.27
B368150		0.10	1.330	<0.5	7.57	1335	720	6.4	<2	0.01	<0.5	6	227	43	3.83	2.79
B368151		0.86	<0.005	<0.5	4.39	6	860	1.0	<2	1.09	0.5	15	48	14	2.11	0.85
B368152		0.82	<0.005	<0.5	5.16	25	1060	1.1	<2	1.11	0.5	25	59	19	3.20	0.98
B368153		0.76	<0.005	<0.5	5.25	57	1100	1.4	<2	1.09	1.1	20	62	33	4.91	0.92
B368154		1.00	<0.005	<0.5	4.99	16	970	1.1	<2	1.11	<0.5	9	56	20	2.07	0.96
B368155		0.46	<0.005	<0.5	4.92	36	1180	1.0	<2	1.34	0.6	15	59	26	3.19	0.95
B368156		0.80	0.005	<0.5	5.40	33	1170	1.1	<2	1.11	<0.5	10	56	23	2.55	1.07
B368157		0.68	<0.005	<0.5	4.29	9	860	0.9	<2	1.07	<0.5	8	46	15	1.85	0.84
B368158		0.94	0.011	<0.5	4.18	22	760	1.0	<2	1.69	<0.5	10	48	23	2.26	0.89
B368159		1.12	<0.005	<0.5	4.56	<5	910	1.0	<2	1.15	<0.5	9	48	18	2.04	0.89
B368160		0.58	0.017	<0.5	5.05	234	1300	1.2	<2	1.58	1.4	20	60	29	3.53	0.99
B368161		0.78	0.029	<0.5	5.40	64	1060	1.3	<2	1.58	<0.5	13	66	28	3.07	1.12
B368162		0.62	0.011	<0.5	5.05	66	1030	1.2	<2	1.71	<0.5	13	57	32	2.89	1.06
B368163		0.88	0.014	<0.5	4.94	63	990	1.1	<2	1.45	0.9	15	59	23	2.72	1.01
B368164		1.32	0.015	<0.5	4.83	56	940	1.1	<2	1.42	0.7	13	51	23	2.52	1.00
B368165		0.70	0.019	<0.5	4.72	37	900	1.1	<2	1.38	0.5	11	60	23	2.38	1.04
B368166		1.02	0.028	<0.5	4.92	60	900	1.2	<2	1.43	<0.5	11	56	22	2.54	1.05
B368167		0.96	0.009	<0.5	5.20	52	1040	1.2	<2	1.49	0.5	12	57	27	2.61	1.15
B368168		1.04	0.071	<0.5	4.81	33	880	1.2	<2	1.55	<0.5	11	59	23	2.58	1.09
B368169		0.90	0.032	<0.5	5.10	36	990	1.2	<2	1.61	<0.5	13	60	27	2.77	1.11
B368170		0.08	0.094	<0.5	7.25	122	580	2.7	<2	0.53	<0.5	61	1205	420	8.30	2.17

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B368131		1.01	724	<1	0.67	35	770	23	0.12	<5	178	0.39	93	<10	226
B368132		0.98	619	<1	0.75	27	710	21	0.07	<5	177	0.43	88	<10	199
B368133		0.98	624	<1	0.78	36	740	23	0.09	<5	184	0.38	93	<10	190
B368134		1.05	692	<1	0.74	34	710	25	0.09	<5	186	0.38	91	<10	198
B368135		0.95	685	<1	0.68	33	780	30	0.08	<5	168	0.37	85	<10	186
B368136		1.03	637	<1	0.67	34	810	23	0.10	<5	173	0.38	93	<10	209
B368137		0.91	612	<1	0.71	28	680	24	0.06	<5	164	0.40	85	<10	154
B368138		0.96	698	<1	0.70	32	810	39	0.09	<5	174	0.38	89	<10	200
B368139		0.75	901	<1	0.93	33	1060	19	0.09	<5	167	0.36	92	<10	170
B368140		0.73	758	1	0.83	28	1120	20	0.04	<5	152	0.35	87	10	136
B368141		0.84	871	<1	0.94	33	1180	20	0.08	<5	175	0.38	102	<10	188
B368142		0.76	611	1	0.88	30	1080	13	0.06	7	161	0.39	93	10	152
B368143		0.69	745	1	0.99	21	1000	11	0.02	<5	178	0.42	92	<10	95
B368144		1.01	618	<1	1.24	32	1080	13	0.02	<5	254	0.46	134	<10	109
B368145		0.79	1160	1	0.92	35	1030	23	0.04	<5	176	0.42	96	<10	176
B368146		1.04	494	<1	1.02	28	820	21	0.08	<5	224	0.35	100	<10	131
B368147		0.74	732	<1	0.94	27	1040	20	0.04	<5	182	0.41	93	10	144
B368148		0.71	774	1	0.90	27	870	24	0.04	<5	166	0.36	87	<10	153
B368149		0.78	1235	1	0.93	27	1040	23	0.04	<5	177	0.41	96	<10	158
B368150		0.38	101	2	0.11	14	330	20	0.02	121	97	0.27	96	10	50
B368151		0.56	585	2	0.87	16	930	7	0.10	<5	154	0.29	79	<10	90
B368152		0.67	1410	4	0.91	21	1040	12	0.10	<5	162	0.32	97	10	124
B368153		0.64	987	7	0.71	27	1280	15	0.26	<5	141	0.28	103	<10	160
B368154		0.64	294	3	0.99	23	980	16	0.08	<5	171	0.35	93	<10	87
B368155		0.65	2100	2	0.76	23	1180	14	0.12	<5	152	0.28	96	<10	134
B368156		0.69	312	<1	1.01	20	920	16	0.06	<5	170	0.33	102	<10	101
B368157		0.54	288	<1	0.92	10	870	10	0.04	<5	158	0.32	78	<10	70
B368158		0.67	1600	1	0.92	16	1220	15	0.04	<5	180	0.36	75	<10	87
B368159		0.58	477	<1	0.94	14	880	11	0.06	<5	163	0.30	83	10	83
B368160		0.66	7110	1	0.81	42	1100	14	0.11	<5	168	0.32	91	10	176
B368161		0.76	1260	<1	0.88	28	1240	17	0.07	<5	172	0.36	102	<10	144
B368162		0.72	1535	1	0.80	30	1140	16	0.10	<5	164	0.32	91	<10	136
B368163		0.67	1720	<1	0.90	25	1110	14	0.07	<5	170	0.36	92	<10	140
B368164		0.66	1520	<1	0.94	23	1130	17	0.06	<5	172	0.34	89	10	119
B368165		0.68	945	1	0.90	22	1080	17	0.05	<5	164	0.35	90	<10	108
B368166		0.69	800	1	0.95	22	1280	20	0.04	<5	175	0.38	92	<10	103
B368167		0.74	1285	1	0.96	29	1100	19	0.06	<5	176	0.32	96	<10	128
B368168		0.77	694	1	0.92	26	1310	14	0.03	<5	165	0.38	95	10	99
B368169		0.79	1210	2	0.92	27	1260	16	0.05	5	170	0.37	96	10	123
B368170		0.61	401	8	0.12	488	350	156	0.03	10	51	0.23	92	30	650

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B368171		0.76	0.025	<0.5	5.51	61	1080	1.4	<2	1.41	0.5	14	66	30	3.09	1.23
B368172		0.78	0.061	<0.5	4.94	45	930	1.2	<2	1.44	0.8	12	56	25	2.61	1.08
B368173		0.84	0.016	<0.5	4.76	54	870	1.1	<2	1.41	<0.5	12	53	25	2.68	1.08
B368174		0.74	0.080	<0.5	5.12	56	970	1.2	<2	1.57	<0.5	12	57	29	2.76	1.18
B368175		0.98	<0.005	<0.5	7.96	555	970	2.1	<2	1.02	<0.5	22	67	46	4.56	2.00
B368176		0.66	<0.005	<0.5	6.33	673	740	1.9	<2	1.46	1.2	22	54	34	3.60	1.36
B368177		0.56	<0.005	<0.5	6.63	28	950	1.8	<2	1.06	0.5	22	54	22	3.35	1.78
B368178		0.62	0.005	<0.5	6.63	267	860	1.7	<2	1.06	0.5	20	58	26	3.58	1.70
B368179		0.64	0.008	<0.5	7.05	236	920	1.9	<2	1.19	0.5	18	60	33	3.76	1.89
B368180		0.96	0.019	<0.5	6.84	192	890	1.9	<2	1.00	0.6	22	61	41	4.44	1.99
B368181		0.56	0.030	0.7	7.02	136	1010	1.8	<2	1.30	0.8	16	67	31	3.84	2.00
B368182		0.64	0.021	0.8	6.57	122	930	1.6	<2	1.18	0.7	16	62	29	3.55	1.82
B368183		0.60	0.015	0.7	7.35	120	1040	1.9	<2	1.32	<0.5	16	69	35	3.88	2.20
B368184		1.06	0.017	0.6	7.21	100	1040	1.9	<2	1.17	0.5	16	70	35	3.96	2.25
B368185		1.18	0.010	<0.5	6.92	85	880	1.8	<2	1.55	<0.5	19	63	46	4.53	2.23
B368186		0.84	0.009	<0.5	7.06	96	1020	1.9	<2	1.25	0.5	17	67	38	4.15	2.23
B368187		0.72	0.015	<0.5	7.09	81	1030	1.8	<2	1.13	<0.5	14	68	31	3.88	2.10
B368188		0.94	0.070	<0.5	6.83	67	990	1.6	<2	1.00	<0.5	14	67	30	3.72	1.98
B368189		0.70	0.023	<0.5	6.72	71	970	1.7	<2	1.02	<0.5	14	67	33	3.75	1.98
B368190		0.08	1.365	<0.5	6.92	1285	700	6.0	<2	<0.01	<0.5	5	216	41	3.88	2.82
B368191		1.42	0.008	0.5	6.40	78	980	1.7	<2	1.04	<0.5	14	62	32	3.72	2.05
B368192		0.88	0.020	<0.5	6.65	55	1020	1.7	<2	1.06	<0.5	13	67	32	3.44	2.05
B368193		1.08	0.005	<0.5	6.39	19	1190	1.5	<2	1.18	<0.5	9	60	25	3.02	2.07
B368194		0.48	0.007	<0.5	7.02	32	1230	1.7	<2	1.24	<0.5	11	67	24	3.24	2.23
B368195		1.08	0.012	<0.5	6.13	50	920	1.4	<2	1.18	<0.5	12	66	26	3.04	1.83
B368196		1.22	0.007	<0.5	5.15	25	850	1.1	<2	1.15	<0.5	7	55	22	2.50	1.31
B368197		0.84	0.024	<0.5	6.67	58	1220	1.6	<2	1.33	<0.5	10	71	29	3.25	1.96
B368198		0.80	0.019	<0.5	6.10	57	1050	1.4	<2	1.21	<0.5	11	63	24	2.96	1.74
B368199		0.54	0.006	<0.5	5.31	46	1040	1.2	<2	1.34	1.1	10	55	21	3.42	1.08
B368200		0.66	0.005	<0.5	5.19	32	940	1.1	<2	1.10	<0.5	7	53	16	2.44	1.16
B367730		0.10	1.330	<0.5	6.83	1265	700	5.9	<2	<0.01	<0.5	5	215	41	3.81	2.79
B367731		1.08	0.005	<0.5	4.84	14	750	0.9	<2	0.75	<0.5	4	53	13	2.29	1.01
B367732		1.06	0.008	<0.5	4.21	12	860	0.9	<2	1.72	<0.5	4	47	29	1.62	0.92
B367733		1.34	0.008	<0.5	4.90	45	920	1.1	<2	1.25	<0.5	14	59	26	3.13	1.01
B367734		1.52	0.006	<0.5	5.62	49	1140	1.3	<2	1.29	<0.5	14	68	36	3.34	1.23
B367735		1.30	0.006	<0.5	4.81	13	830	1.0	<2	1.18	<0.5	8	53	22	2.36	1.02
B367736		0.72	<0.005	<0.5	4.85	26	910	1.1	<2	1.32	0.5	12	55	22	2.77	1.00
B367737		1.22	0.008	<0.5	4.70	24	870	1.0	<2	1.32	<0.5	9	56	19	2.53	1.00
B367738		1.44	<0.005	<0.5	4.26	27	810	0.9	<2	1.20	<0.5	6	43	15	2.00	0.89
B367739		1.36	0.006	<0.5	4.77	25	910	1.0	<2	1.25	0.5	10	48	21	2.35	0.97

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B368171		0.80	1495	1	0.85	35	1180	16	0.05	5	160	0.38	109	<10	144
B368172		0.72	1110	1	0.92	24	1260	12	0.04	<5	169	0.36	94	<10	128
B368173		0.75	639	<1	0.83	22	1190	16	0.04	<5	153	0.33	95	<10	110
B368174		0.83	1250	1	0.87	26	1180	16	0.05	<5	164	0.33	98	<10	125
B368175		1.36	1495	1	0.35	39	990	21	0.04	<5	127	0.35	90	<10	135
B368176		0.96	1610	1	0.34	41	1260	18	0.13	7	124	0.29	71	<10	342
B368177		0.83	1115	1	0.38	32	940	21	0.07	5	107	0.35	76	<10	183
B368178		1.02	1155	<1	0.42	35	900	24	0.06	5	112	0.37	82	<10	177
B368179		1.03	1135	<1	0.43	35	970	25	0.08	11	119	0.38	89	<10	194
B368180		1.11	2110	1	0.43	45	900	40	0.06	39	112	0.35	84	<10	172
B368181		0.95	1090	<1	0.61	38	940	50	0.07	34	144	0.39	96	<10	184
B368182		0.84	1150	<1	0.57	35	870	52	0.06	32	131	0.38	88	<10	168
B368183		0.94	826	<1	0.46	35	940	52	0.09	31	130	0.39	94	<10	165
B368184		0.94	695	<1	0.46	37	970	43	0.09	26	122	0.40	97	<10	150
B368185		1.05	1515	<1	0.48	46	900	43	0.05	26	128	0.33	86	<10	143
B368186		0.96	1240	<1	0.41	37	930	43	0.06	23	123	0.39	91	<10	143
B368187		0.98	828	<1	0.57	35	950	37	0.05	19	131	0.42	92	<10	137
B368188		0.91	809	<1	0.56	34	930	34	0.04	16	122	0.44	91	<10	122
B368189		0.90	901	<1	0.53	35	910	35	0.05	18	118	0.41	90	<10	126
B368190		0.36	94	2	0.12	22	320	29	0.02	114	94	0.27	93	10	49
B368191		0.87	1005	1	0.49	34	840	34	0.04	19	113	0.37	84	<10	122
B368192		0.83	735	1	0.70	33	900	28	0.04	12	135	0.41	99	10	124
B368193		0.79	620	1	0.75	28	680	24	0.05	5	140	0.42	87	<10	92
B368194		0.87	646	<1	0.70	29	730	27	0.06	8	140	0.42	95	<10	108
B368195		0.80	609	<1	0.75	29	860	24	0.06	11	140	0.44	88	<10	99
B368196		0.67	438	1	0.95	25	800	19	0.02	8	157	0.41	85	<10	76
B368197		0.88	539	<1	0.84	33	840	24	0.05	7	162	0.43	103	<10	111
B368198		0.78	501	<1	0.91	29	800	24	0.03	13	158	0.45	96	<10	100
B368199		0.63	944	1	0.96	28	1160	18	0.08	5	176	0.36	95	<10	112
B368200		0.64	563	<1	1.03	24	910	16	0.04	<5	168	0.39	91	<10	92
B367730		0.36	92	2	0.12	22	310	29	0.02	112	94	0.27	92	10	48
B367731		0.61	219	<1	0.99	21	1210	16	0.02	<5	140	0.37	97	<10	63
B367732		0.52	306	2	0.71	23	700	16	0.19	<5	146	0.27	74	<10	71
B367733		0.71	966	5	0.92	31	1110	21	0.04	<5	156	0.36	98	10	101
B367734		0.82	680	3	0.96	39	1140	23	0.07	7	161	0.36	114	<10	120
B367735		0.66	261	2	0.99	26	860	18	0.15	6	168	0.34	92	<10	83
B367736		0.70	722	3	0.94	29	940	18	0.10	<5	160	0.31	90	<10	102
B367737		0.66	503	2	1.01	23	970	20	0.05	<5	174	0.37	90	<10	83
B367738		0.56	258	<1	1.03	20	910	13	0.09	<5	173	0.34	78	<10	66
B367739		0.65	323	2	1.04	24	940	16	0.13	<5	178	0.33	85	<10	82

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367740		1.30	0.005	<0.5	4.84	19	910	1.0	<2	1.16	<0.5	9	53	24	2.45	1.03
B367741		1.02	<0.005	<0.5	4.56	25	910	1.0	<2	1.17	0.5	10	49	23	2.62	0.96
B367742		1.00	0.006	<0.5	4.38	22	860	0.9	<2	1.14	<0.5	8	47	21	2.33	0.92
B367743		0.92	<0.005	<0.5	5.12	26	1050	1.1	<2	1.06	<0.5	10	56	26	2.87	1.06
B367744		0.96	0.005	<0.5	5.43	35	1080	1.2	<2	0.84	1.1	16	63	35	3.66	1.12
B367745		1.08	<0.005	<0.5	4.43	7	870	1.0	<2	1.04	0.6	7	46	22	2.07	0.94
B367746		0.76	0.005	<0.5	5.21	13	1040	1.2	<2	1.16	0.6	11	57	27	2.92	1.06
B367747		1.00	<0.005	<0.5	4.59	27	840	0.9	<2	1.11	<0.5	11	51	20	1.98	0.96
B367748		1.10	<0.005	<0.5	5.26	27	1020	1.1	<2	1.02	<0.5	8	58	25	2.27	1.09
B367749		0.84	0.005	<0.5	4.63	18	870	0.9	<2	0.90	<0.5	6	46	17	2.01	1.01
B367750		0.10	1.290	<0.5	6.48	1195	650	5.7	<2	<0.01	<0.5	4	201	38	3.63	2.63
B367891		1.06	0.020	<0.5	4.32	22	700	0.9	<2	0.81	<0.5	5	58	21	2.41	0.93
B367892		0.98	<0.005	<0.5	4.55	20	740	0.9	<2	0.82	<0.5	5	50	18	2.33	0.95
B367893		0.72	0.005	<0.5	4.89	30	870	1.1	<2	1.04	<0.5	19	55	20	3.27	0.98
B367894		0.96	0.006	<0.5	4.75	14	870	1.0	<2	1.08	<0.5	15	59	17	2.87	0.97
B367895		0.96	0.007	<0.5	4.54	16	860	1.0	<2	1.04	<0.5	10	49	18	2.43	0.93
B367896		1.18	0.007	<0.5	4.35	15	830	0.9	<2	1.11	0.5	6	44	17	1.76	0.92
B367897		1.00	0.006	<0.5	3.98	12	750	0.8	<2	1.12	<0.5	6	44	13	1.66	0.85
B367898		0.68	0.014	<0.5	4.46	7	900	1.0	<2	1.10	0.5	9	57	20	2.24	0.95
B367899		0.86	0.005	<0.5	4.56	22	900	1.0	<2	1.04	<0.5	8	49	20	2.62	0.97
B367900		0.64	<0.005	<0.5	4.81	51	1060	1.1	<2	1.24	<0.5	21	57	23	5.89	1.04
B626701		0.78	0.007	<0.5	5.96	48	930	1.5	<2	1.20	<0.5	13	62	34	3.35	1.58
B626702		0.84	0.008	<0.5	5.60	50	960	1.3	<2	1.12	<0.5	10	60	27	2.88	1.38
B626703		0.82	0.007	<0.5	5.66	45	950	1.3	<2	1.10	0.6	10	60	27	2.95	1.41
B626704		0.82	0.008	<0.5	5.03	43	850	1.2	<2	1.06	<0.5	11	49	25	2.70	1.21
B626705		0.70	<0.005	<0.5	5.46	36	850	1.3	<2	1.36	<0.5	10	56	31	2.65	1.39
B626706		0.74	0.012	<0.5	5.70	23	890	1.4	<2	1.06	0.5	12	62	30	3.09	1.57
B626707		1.04	0.010	<0.5	6.34	73	1260	1.7	<2	0.93	1.7	14	64	50	3.91	1.95
B626708		0.64	0.069	<0.5	6.57	41	1130	1.6	<2	1.12	<0.5	12	64	27	3.41	1.89
B626709		0.70	0.065	<0.5	6.22	43	1060	1.6	<2	1.10	<0.5	10	59	29	3.26	1.81
B626710		0.08	0.120	2.6	9.23	<5	1080	1.2	<2	1.54	<0.5	6	12	7400	3.37	3.76
B626711		0.88	0.038	<0.5	5.87	39	1000	1.5	<2	0.88	0.5	11	55	28	3.27	1.72
B626712		0.60	0.009	<0.5	5.39	64	1050	1.3	<2	1.23	1.1	9	58	25	2.71	1.46
B626713		0.96	0.016	<0.5	6.53	52	1100	1.7	<2	0.53	0.6	14	60	25	3.65	2.12
B626714		0.80	0.050	<0.5	5.73	42	1080	1.4	<2	1.14	1.4	10	60	26	3.00	1.61
B626715		0.84	0.022	<0.5	6.21	56	1050	1.3	<2	0.87	<0.5	9	63	15	2.57	1.74
B626716		0.72	0.233	<0.5	6.34	63	1080	1.5	<2	1.12	0.8	10	62	22	3.03	1.83
B626717		0.74	0.109	<0.5	5.99	51	1000	1.4	<2	1.10	0.9	10	61	23	2.82	1.76
B626718		0.92	0.023	<0.5	5.48	71	930	1.3	<2	1.14	0.5	11	55	26	2.92	1.49
B626719		0.64	0.061	<0.5	5.94	42	1000	1.4	<2	1.06	0.6	9	63	23	2.80	1.73

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367740		0.64	361	2	1.02	25	960	15	0.09	<5	170	0.35	93	<10	92
B367741		0.62	409	2	1.00	27	1080	16	0.11	5	167	0.34	88	<10	86
B367742		0.60	372	1	0.98	24	980	14	0.09	<5	164	0.34	84	<10	79
B367743		0.71	338	2	0.96	28	810	20	0.12	<5	158	0.33	96	10	110
B367744		0.71	830	5	0.88	33	1000	24	0.10	6	142	0.33	111	<10	132
B367745		0.59	283	1	0.97	23	870	16	0.09	<5	162	0.31	84	<10	90
B367746		0.72	482	2	0.88	30	1020	20	0.19	<5	158	0.32	101	<10	135
B367747		0.61	257	2	0.97	25	840	15	0.16	<5	162	0.33	86	<10	96
B367748		0.71	285	1	0.94	28	840	19	0.15	<5	156	0.33	102	<10	115
B367749		0.60	201	1	0.99	22	760	14	0.07	<5	157	0.31	87	<10	76
B367750		0.34	87	2	0.11	20	300	29	0.01	108	89	0.26	87	10	44
B367891		0.58	296	1	0.89	22	1070	18	0.02	<5	137	0.40	97	<10	59
B367892		0.58	231	<1	0.92	21	960	16	0.03	<5	142	0.33	90	<10	64
B367893		0.66	442	13	0.89	31	1070	18	0.09	<5	146	0.33	97	<10	111
B367894		0.64	528	4	0.97	26	1040	19	0.04	<5	156	0.34	95	<10	85
B367895		0.60	269	4	0.94	24	930	15	0.04	<5	155	0.34	89	<10	76
B367896		0.58	249	1	1.03	20	870	14	0.05	<5	169	0.34	82	<10	68
B367897		0.53	259	1	0.99	17	860	11	0.05	<5	165	0.38	76	<10	58
B367898		0.62	362	2	0.96	23	950	16	0.06	<5	158	0.38	92	<10	89
B367899		0.60	319	1	0.99	23	900	16	0.07	<5	162	0.32	86	<10	83
B367900		0.68	1290	5	0.87	31	930	19	0.10	<5	160	0.29	98	<10	105
B626701		0.80	963	<1	0.83	37	900	24	0.04	6	151	0.39	99	<10	108
B626702		0.74	625	<1	0.91	33	900	23	0.04	7	155	0.39	95	<10	122
B626703		0.75	623	<1	0.90	32	940	23	0.04	5	152	0.39	96	<10	123
B626704		0.65	763	<1	0.88	28	860	21	0.03	<5	150	0.33	84	10	96
B626705		0.71	525	1	0.81	29	830	21	0.06	5	162	0.35	89	<10	120
B626706		0.76	805	2	0.83	36	970	18	0.04	7	141	0.38	113	<10	136
B626707		0.79	793	5	0.52	54	950	29	0.04	6	125	0.34	124	<10	197
B626708		0.84	459	2	0.73	38	890	23	0.06	<5	144	0.43	118	<10	148
B626709		0.78	574	1	0.73	35	870	22	0.05	<5	138	0.38	106	<10	140
B626710		1.23	505	2	3.47	11	1960	14	0.25	<5	714	0.35	176	<10	58
B626711		0.75	646	1	0.74	33	740	24	0.03	8	121	0.35	93	<10	140
B626712		0.71	460	<1	0.73	30	840	22	0.06	6	150	0.35	96	<10	142
B626713		0.89	790	1	0.58	35	700	23	0.02	5	87	0.35	105	<10	129
B626714		0.75	733	<1	0.75	32	850	22	0.05	6	144	0.37	97	<10	151
B626715		0.74	420	<1	0.91	23	630	36	0.03	12	146	0.40	91	<10	90
B626716		0.78	524	1	0.84	29	820	28	0.05	7	152	0.43	100	<10	130
B626717		0.74	476	<1	0.80	28	800	30	0.05	9	146	0.43	93	<10	128
B626718		0.68	787	1	0.81	29	840	27	0.03	10	144	0.36	84	<10	105
B626719		0.75	395	<1	0.80	30	790	22	0.05	9	146	0.42	99	<10	122

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B626720		0.88	0.192	<0.5	5.10	52	840	1.2	<2	1.03	0.5	9	54	17	2.59	1.42
B626721		0.68	0.022	<0.5	6.21	58	1060	1.5	<2	1.11	<0.5	9	62	26	3.01	1.81
B626722		0.82	0.029	<0.5	6.29	61	1060	1.5	<2	1.08	0.5	10	62	26	2.99	1.85
B626723		0.78	0.055	<0.5	5.29	47	920	1.3	<2	1.10	0.6	10	52	24	2.70	1.53
B626724		0.90	0.031	<0.5	5.31	43	870	1.2	<2	1.13	<0.5	9	53	22	2.67	1.43
B626725		0.86	0.080	<0.5	5.45	55	880	1.3	<2	1.10	<0.5	9	55	22	2.69	1.50
B626726		1.20	0.031	<0.5	5.21	51	850	1.2	<2	1.02	<0.5	9	53	21	2.65	1.44
B626727		0.96	0.236	<0.5	5.45	36	880	1.2	<2	1.18	<0.5	10	57	21	2.67	1.48
B626728		0.82	0.065	<0.5	4.96	81	800	1.2	<2	1.20	<0.5	10	48	22	2.60	1.36
B626729		0.68	0.034	<0.5	5.15	61	810	1.2	<2	1.14	<0.5	9	52	19	2.53	1.37
B626730		0.08	2.90	<0.5	7.21	2040	690	12.9	<2	<0.01	<0.5	1	148	103	3.35	3.14
B626731		0.70	0.031	<0.5	5.50	62	890	1.3	<2	1.16	<0.5	9	58	22	2.69	1.52
B626732		0.74	0.008	<0.5	5.94	13	1000	1.4	<2	1.06	<0.5	8	56	22	2.56	1.63
B626733		0.80	0.050	<0.5	5.08	53	800	1.1	<2	1.08	<0.5	8	52	18	2.45	1.35
B626734		0.84	0.077	<0.5	5.17	53	840	1.1	<2	1.08	<0.5	8	51	16	2.45	1.40
B626751		0.38	0.025	<0.5	4.59	39	810	1.0	<2	1.02	<0.5	8	52	16	2.41	0.90
B626752		0.44	0.050	<0.5	4.38	30	770	1.0	<2	1.10	<0.5	11	56	16	2.43	0.88
B626753		0.28	<0.005	<0.5	4.50	20	810	1.0	<2	1.04	<0.5	10	52	16	2.29	0.92
B626754		0.26	0.005	<0.5	4.83	22	960	1.0	<2	1.12	1.3	17	53	20	2.43	0.97
B626755		0.34	<0.005	<0.5	4.32	7	830	0.9	<2	1.12	0.5	6	47	26	1.66	0.88
B626756		0.48	0.007	<0.5	4.28	52	810	0.9	<2	1.04	<0.5	9	49	20	3.01	0.85
B626757		0.38	0.005	<0.5	4.66	31	910	1.0	<2	1.04	<0.5	10	49	24	2.34	0.90
B626758		0.48	<0.005	<0.5	4.47	19	860	1.0	<2	0.97	<0.5	9	49	20	2.01	0.93
B626759		0.38	0.006	<0.5	4.91	8	1000	1.0	<2	1.21	<0.5	10	55	22	2.19	1.02
B626760		0.56	0.005	<0.5	5.76	38	1300	1.2	<2	1.00	<0.5	12	63	32	2.98	1.13
B626761		0.40	<0.005	<0.5	2.00	47	490	0.6	<2	1.32	1.0	7	26	35	2.65	0.35
B626762		0.46	<0.005	<0.5	5.16	41	1080	1.1	<2	1.10	0.8	11	58	33	2.68	1.02
B626763		0.28	<0.005	<0.5	4.06	29	790	0.9	<2	1.26	0.5	13	47	17	2.75	0.89
B626764		0.72	0.119	<0.5	4.56	14	790	1.1	<2	1.30	<0.5	8	53	21	2.42	1.02
B626765		0.54	0.006	<0.5	4.47	35	850	1.1	<2	1.18	0.8	12	50	28	2.77	1.01
B626766		0.38	<0.005	<0.5	4.29	42	800	1.1	<2	1.35	<0.5	10	51	22	3.39	0.96
B626767		0.36	<0.005	<0.5	4.34	39	830	1.1	<2	1.37	0.9	13	50	23	3.31	0.99
B626768		0.36	<0.005	<0.5	4.05	47	820	1.1	<2	1.42	1.1	14	46	22	3.51	0.90
B626769		0.48	0.075	<0.5	4.57	40	870	1.2	<2	1.39	1.0	12	52	25	3.41	0.96
B626770		0.10	0.447	2.5	8.89	13	1040	1.2	<2	1.44	<0.5	8	15	7090	3.08	3.44
B626771		0.54	0.007	<0.5	4.43	26	970	1.1	<2	1.56	1.1	14	50	24	3.17	0.95
B626772		0.40	0.008	<0.5	3.69	22	720	0.9	<2	1.97	1.1	8	41	25	2.24	0.84
B626773		0.58	<0.005	<0.5	4.16	75	1180	1.2	<2	1.96	2.9	21	47	36	5.31	0.86
B626774		0.80	<0.005	<0.5	5.38	18	890	1.2	<2	2.05	0.5	8	53	28	2.61	1.31
B626775		0.44	0.406	<0.5	4.62	26	860	1.1	<2	1.64	0.8	10	56	24	3.02	1.02

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B626720		0.65	486	<1	0.83	24	810	25	0.03	9	140	0.45	83	<10	97
B626721		0.78	475	<1	0.79	32	820	27	0.05	7	150	0.40	102	<10	115
B626722		0.79	449	1	0.80	30	820	25	0.06	13	148	0.40	101	<10	112
B626723		0.67	676	<1	0.80	29	790	25	0.04	7	140	0.37	82	<10	102
B626724		0.68	564	<1	0.90	25	870	24	0.03	10	152	0.42	84	<10	88
B626725		0.70	546	<1	0.96	27	850	21	0.03	7	152	0.42	84	<10	91
B626726		0.67	542	1	0.92	27	830	25	0.03	9	142	0.40	81	<10	89
B626727		0.72	471	1	0.93	25	890	23	0.03	7	154	0.43	86	10	87
B626728		0.66	844	<1	0.89	27	770	24	0.04	9	144	0.35	76	<10	89
B626729		0.69	492	<1	0.95	25	830	20	0.03	7	154	0.39	80	<10	82
B626730		0.38	69	2	0.09	12	330	27	0.02	145	144	0.25	101	10	17
B626731		0.72	520	<1	0.91	28	860	23	0.04	10	157	0.41	88	<10	91
B626732		0.69	474	<1	0.90	23	560	18	0.06	5	147	0.38	82	<10	79
B626733		0.64	410	<1	0.92	22	860	21	0.03	9	154	0.40	79	<10	78
B626734		0.65	549	<1	0.90	23	790	18	0.03	7	153	0.39	79	<10	84
B626751		0.60	344	2	0.90	21	960	15	0.05	<5	145	0.38	90	<10	72
B626752		0.59	536	1	0.88	23	930	16	0.03	5	148	0.44	91	<10	76
B626753		0.59	453	1	0.92	23	920	14	0.04	7	152	0.36	85	<10	82
B626754		0.66	848	2	0.90	26	970	23	0.06	<5	150	0.33	90	<10	160
B626755		0.61	262	1	0.90	22	920	15	0.07	<5	148	0.32	78	<10	98
B626756		0.58	514	1	0.90	23	920	20	0.05	<5	148	0.32	82	<10	78
B626757		0.63	399	2	0.99	23	860	19	0.06	<5	160	0.33	87	<10	84
B626758		0.62	256	1	0.94	22	780	17	0.07	<5	153	0.35	89	<10	82
B626759		0.71	303	1	1.01	27	840	21	0.20	<5	166	0.36	91	<10	104
B626760		0.82	296	4	0.94	31	830	27	0.14	<5	163	0.35	113	<10	139
B626761		0.33	193	6	0.27	23	1200	16	0.49	<5	87	0.12	49	<10	74
B626762		0.73	234	3	0.86	32	900	26	0.21	5	148	0.32	101	<10	137
B626763		0.56	2700	2	0.87	23	1140	13	0.09	<5	158	0.32	81	<10	116
B626764		0.68	446	1	0.88	24	1280	20	0.07	<5	154	0.39	90	<10	122
B626765		0.64	1170	1	0.81	28	1170	19	0.13	<5	144	0.30	90	<10	137
B626766		0.63	1145	2	0.81	26	1330	18	0.11	<5	148	0.31	85	<10	128
B626767		0.65	2360	2	0.79	28	1230	19	0.12	<5	146	0.29	86	10	153
B626768		0.59	4020	3	0.78	29	1300	17	0.11	<5	148	0.28	82	<10	176
B626769		0.62	2090	2	0.83	28	1390	20	0.11	<5	150	0.30	87	<10	142
B626770		1.12	470	3	3.24	9	1910	13	0.23	<5	675	0.33	166	<10	63
B626771		0.64	3550	3	0.80	29	1190	21	0.08	<5	154	0.29	84	<10	161
B626772		0.61	1580	2	0.70	23	1170	17	0.11	<5	145	0.24	67	<10	125
B626773		0.61	10050	4	0.61	47	1470	23	0.20	<5	148	0.23	88	<10	288
B626774		1.18	495	2	1.02	30	1040	24	0.01	<5	178	0.31	98	<10	97
B626775		0.77	1310	2	0.88	28	1230	18	0.06	<5	168	0.35	90	<10	128

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B626776		0.42	<0.005	<0.5	5.32	40	1020	1.3	<2	2.01	1.1	10	65	33	3.32	1.21
B626777		0.56	0.017	<0.5	4.98	33	890	1.1	<2	1.40	<0.5	10	67	20	2.98	1.13
B626778		0.62	0.012	<0.5	4.80	25	910	1.1	<2	2.03	<0.5	9	59	28	2.80	1.11
B626779		0.76	0.020	<0.5	4.84	21	920	1.2	<2	1.91	0.6	9	59	20	2.87	1.09
B626780		0.70	0.022	<0.5	4.76	67	910	1.1	<2	1.62	0.7	9	53	28	2.66	1.08
B626781		0.68	0.007	<0.5	5.06	37	950	1.2	<2	1.69	0.6	9	59	23	2.75	1.12
B626782		0.62	0.010	<0.5	5.05	44	970	1.2	<2	1.51	0.8	10	58	25	2.72	1.12
B626783		0.48	<0.005	<0.5	6.04	13	870	1.0	<2	1.98	<0.5	17	119	24	3.74	1.01
B626784		0.64	0.006	<0.5	5.73	17	900	1.0	<2	1.55	<0.5	13	99	21	3.08	1.00
B626785		0.36	0.008	<0.5	6.02	31	960	1.1	<2	1.76	0.5	18	130	35	4.60	0.99
B626786		0.38	0.005	<0.5	6.06	26	980	1.2	<2	1.18	<0.5	13	86	26	3.82	1.24
B626787		0.34	0.010	<0.5	4.62	238	940	1.3	<2	1.76	1.0	25	106	49	9.59	0.79
B626788		0.38	0.008	<0.5	3.81	347	620	1.2	<2	1.73	0.7	18	115	48	8.49	0.48
B626789		0.34	0.017	<0.5	1.86	97	570	0.9	<2	1.38	1.8	21	37	66	4.35	0.21
B626790		0.10	1.495	<0.5	6.90	1265	690	5.9	<2	0.01	<0.5	5	215	40	3.68	2.63
B626791		0.22	NSS	<0.5	1.66	64	730	0.7	<2	0.94	3.6	25	30	50	4.11	0.24
B626792		0.20	0.050	<0.5	1.50	21	320	0.6	<2	1.86	1.0	4	23	65	1.48	0.30
B626793		0.22	0.010	<0.5	2.80	88	650	0.8	<2	1.39	2.1	7	46	58	2.53	0.52
B626794		0.62	0.012	<0.5	1.59	24	380	0.5	<2	0.70	0.8	7	27	38	2.16	0.30
B626795		0.34	0.008	<0.5	4.38	210	780	1.0	<2	1.04	<0.5	19	88	27	5.63	0.86
B626796		0.44	0.010	<0.5	3.10	72	960	1.2	<2	1.15	5.6	23	66	85	3.97	0.45
B626797		0.50	0.008	<0.5	2.76	42	720	0.8	<2	2.27	2.2	10	33	35	2.68	0.55
B626798		0.76	0.013	<0.5	5.01	22	980	1.2	<2	1.51	0.6	8	59	26	2.44	1.15
B626799		0.74	0.017	<0.5	4.56	25	860	1.0	<2	1.53	0.6	8	52	23	2.37	0.97
B626800		0.70	0.016	<0.5	4.48	23	850	1.0	<2	1.37	0.7	7	48	19	2.43	0.92
B626851		0.76	<0.005	<0.5	5.05	8	960	1.0	<2	0.78	0.5	5	53	32	1.90	1.05
B626852		0.90	0.008	0.7	3.12	16	600	0.8	<2	1.80	1.7	8	39	78	1.70	0.54
B626853		0.92	0.006	<0.5	4.90	14	980	1.0	<2	1.22	0.8	10	54	25	2.37	0.95
B626854		0.70	0.011	<0.5	4.36	17	280	0.9	<2	1.43	1.7	13	50	40	2.12	0.83
B626855		1.24	0.006	<0.5	5.05	35	980	1.3	<2	1.46	0.8	14	48	28	3.41	1.10
B626856		1.04	0.005	<0.5	4.32	14	840	1.0	<2	1.29	0.6	10	44	20	2.50	0.89
B626857		0.52	0.005	<0.5	5.21	34	1040	1.0	<2	1.08	<0.5	11	49	12	2.17	0.95
B626858		0.78	0.009	<0.5	5.48	51	1120	1.1	<2	1.03	<0.5	12	52	14	2.42	1.03
B626859		0.84	0.013	<0.5	5.42	63	1080	1.1	<2	1.12	<0.5	11	54	14	2.51	1.02
B626860		0.60	0.011	<0.5	5.72	83	1150	1.2	<2	1.18	<0.5	12	59	20	2.74	1.13
B626861		0.50	0.009	<0.5	5.29	33	1060	1.0	<2	1.09	0.5	10	51	12	2.34	1.01
B626862		0.54	0.009	<0.5	5.59	50	1120	1.1	<2	1.13	0.6	11	54	15	2.48	1.09
B626863		0.68	0.007	<0.5	5.49	42	1150	1.1	<2	1.08	0.7	11	53	17	2.32	1.07
B626864		0.72	0.006	<0.5	5.62	38	1180	1.1	<2	1.08	0.7	12	53	17	2.45	1.09
B626865		0.78	0.005	<0.5	5.77	67	1260	1.1	<2	1.19	0.6	13	57	17	2.73	1.09

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B626776		0.98	2130	3	0.91	36	1250	23	0.08	5	183	0.35	101	<10	150
B626777		0.73	687	2	0.96	29	1020	23	0.03	<5	178	0.42	101	<10	100
B626778		1.01	1130	3	0.87	29	1160	21	0.04	<5	170	0.34	94	<10	114
B626779		0.94	895	2	0.93	29	1260	20	0.04	6	181	0.38	96	10	110
B626780		0.75	1350	2	0.89	30	1130	25	0.04	<5	162	0.32	87	<10	105
B626781		0.83	874	1	0.93	29	1150	22	0.04	<5	174	0.34	94	<10	114
B626782		0.75	917	2	0.89	29	1150	19	0.05	<5	166	0.33	94	<10	118
B626783		1.54	479	1	1.12	69	1060	15	0.04	<5	251	0.63	107	<10	102
B626784		1.25	436	1	0.98	51	840	20	0.05	<5	207	0.49	102	<10	88
B626785		1.62	514	2	0.89	78	1130	23	0.08	<5	202	0.54	120	<10	114
B626786		1.01	386	1	0.96	47	970	24	0.05	<5	165	0.42	102	<10	102
B626787		1.23	1625	4	0.35	72	1460	20	0.22	<5	141	0.30	121	<10	133
B626788		1.38	689	6	0.29	77	1700	17	0.24	<5	97	0.27	118	<10	114
B626789		0.32	1275	6	0.17	34	1790	8	0.40	5	91	0.09	45	<10	192
B626790		0.34	91	3	0.11	21	320	29	0.02	111	92	0.25	89	10	46
B626791		0.27	1725	2	0.14	31	1080	10	0.47	<5	75	0.08	30	<10	114
B626792		0.26	467	2	0.17	20	1730	10	0.44	5	125	0.08	25	<10	62
B626793		0.45	332	2	0.38	32	1200	13	0.43	<5	124	0.16	52	<10	77
B626794		0.24	100	2	0.29	26	1030	13	0.18	<5	85	0.10	27	<10	44
B626795		0.94	596	4	0.61	48	1130	18	0.08	<5	122	0.35	126	<10	126
B626796		0.58	3200	5	0.24	57	1590	18	0.40	7	104	0.16	63	<10	134
B626797		0.39	2710	2	0.34	28	1530	19	0.22	<5	172	0.15	51	<10	131
B626798		0.68	565	2	0.82	26	1120	26	0.07	<5	170	0.34	96	<10	136
B626799		0.63	673	1	0.88	25	1130	19	0.06	<5	174	0.34	84	<10	110
B626800		0.60	714	2	0.83	23	1020	22	0.05	<5	162	0.32	80	<10	130
B626851		0.56	216	3	0.86	23	640	15	0.25	<5	142	0.29	88	<10	71
B626852		0.42	444	9	0.35	35	1430	14	0.88	<5	110	0.14	60	<10	118
B626853		0.64	300	2	0.95	26	860	16	0.34	<5	164	0.31	89	<10	105
B626854		0.56	439	2	0.65	33	890	20	1.20	<5	128	0.24	78	<10	139
B626855		0.94	1820	4	0.91	32	1380	33	0.07	<5	144	0.26	96	<10	133
B626856		0.60	796	2	0.87	25	1170	18	0.13	<5	154	0.31	81	<10	110
B626857		0.57	728	1	0.97	23	970	17	0.08	6	173	0.34	83	<10	85
B626858		0.61	697	1	0.95	24	940	22	0.06	<5	168	0.34	93	<10	91
B626859		0.61	662	2	0.95	25	1000	20	0.06	<5	172	0.35	89	<10	96
B626860		0.63	1000	1	0.84	29	970	22	0.07	6	165	0.32	92	<10	118
B626861		0.60	675	2	0.92	25	930	21	0.05	<5	167	0.33	84	<10	99
B626862		0.63	669	1	0.92	25	1010	20	0.06	<5	171	0.35	91	<10	114
B626863		0.62	456	2	0.86	25	970	18	0.08	<5	163	0.32	86	<10	118
B626864		0.63	512	1	0.90	25	960	20	0.08	<5	167	0.34	90	<10	118
B626865		0.66	892	1	0.88	26	1050	24	0.08	6	173	0.35	92	<10	112

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B626866		0.64	0.008	<0.5	5.89	102	1300	1.2	<2	1.20	1.3	18	61	20	3.16	1.19
B626867		0.82	0.018	<0.5	5.51	38	1180	1.1	<2	1.07	0.6	9	55	17	2.21	1.10
B626868		0.82	0.013	<0.5	4.92	31	1090	1.0	<2	1.29	0.6	8	52	19	2.20	1.10
B626869		1.48	0.010	<0.5	7.81	48	1330	1.9	<2	1.03	<0.5	14	83	53	3.71	2.16
B626870		0.12	1.425	<0.5	6.84	1255	680	5.8	<2	0.01	<0.5	5	213	39	3.62	2.58
B626871		1.34	0.011	<0.5	5.84	30	1190	1.2	<2	1.25	<0.5	9	62	23	2.75	1.22
B626872		1.06	0.012	<0.5	4.90	38	920	1.1	<2	1.16	0.5	9	55	23	2.43	1.08
B626873		0.88	0.009	<0.5	5.47	28	1230	1.1	<2	1.28	0.9	9	57	23	2.38	1.18
B626874		1.16	0.032	<0.5	4.91	22	880	1.1	<2	1.26	0.6	8	52	20	2.23	1.06
B626875		1.08	0.047	<0.5	5.00	20	910	1.0	<2	1.34	0.7	9	60	17	2.38	1.07
B626876		1.16	0.010	<0.5	4.71	25	870	1.0	<2	1.22	0.5	7	49	19	2.15	1.01
B626877		1.14	0.019	<0.5	5.25	28	950	1.1	<2	1.17	<0.5	9	57	20	2.53	1.16
B626878		0.88	0.008	<0.5	6.00	33	1130	1.3	<2	1.00	0.5	15	64	24	2.81	1.36
B626879		0.86	0.012	<0.5	6.12	39	820	1.4	<2	1.66	0.6	10	61	25	2.56	1.40
B626880		0.64	0.006	<0.5	5.67	34	800	1.3	<2	1.86	0.6	10	54	25	2.93	1.46
B626881		0.58	0.007	<0.5	5.98	47	840	1.3	<2	1.54	<0.5	9	59	23	2.78	1.53
B626882		0.74	0.015	<0.5	6.26	46	1080	1.3	<2	1.68	<0.5	9	60	23	2.98	1.55
B626883		0.48	0.006	<0.5	5.41	20	870	1.0	2	1.99	0.5	5	42	23	2.38	1.26
B626884		0.78	0.012	<0.5	6.78	61	920	1.5	<2	1.43	<0.5	9	62	27	2.79	1.88
B626885		0.70	0.028	0.5	7.24	105	1110	1.7	<2	1.58	1.8	8	67	27	2.96	2.27
B626886		0.64	0.041	0.5	6.47	100	820	1.6	<2	1.43	1.2	10	64	26	2.68	1.98
B626887		0.70	0.009	<0.5	5.70	57	750	1.2	<2	1.47	<0.5	8	49	18	2.36	1.48
B626888		0.86	0.015	<0.5	6.90	156	910	1.5	<2	1.73	0.6	10	63	24	2.98	1.99
B626889		0.80	0.021	<0.5	5.88	73	850	1.3	<2	1.49	<0.5	10	53	18	2.43	1.53
B626890		0.10	1.395	<0.5	6.90	1280	730	5.9	<2	0.01	<0.5	3	215	39	3.72	2.61
B626891		0.64	0.015	<0.5	4.30	51	830	1.0	<2	1.33	<0.5	8	43	20	1.97	1.01
B626892		0.76	0.016	<0.5	5.13	28	840	1.2	<2	1.07	<0.5	8	50	22	2.27	1.33

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: Dubli Gulch 1735

CERTIFICATE OF ANALYSIS VA05080233

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B626866		0.66	1915	1	0.85	29	1040	25	0.09	7	174	0.34	95	<10	141
B626867		0.63	299	1	0.90	24	930	20	0.09	<5	165	0.36	89	<10	104
B626868		0.61	419	2	0.86	23	990	26	0.05	17	165	0.33	92	<10	104
B626869		0.91	653	2	0.80	45	1040	33	0.01	11	144	0.40	117	<10	124
B626870		0.34	87	3	0.11	22	320	30	0.01	114	93	0.23	87	10	45
B626871		0.72	634	1	0.87	28	1100	25	0.04	7	168	0.36	108	<10	111
B626872		0.64	534	2	0.89	26	1020	24	0.03	8	152	0.37	83	<10	88
B626873		0.68	527	2	0.84	27	910	21	0.07	6	164	0.33	104	<10	114
B626874		0.61	512	1	0.94	25	960	20	0.04	<5	166	0.39	85	10	88
B626875		0.65	773	1	0.98	26	1140	20	0.03	8	173	0.45	88	<10	97
B626876		0.59	508	1	0.93	25	930	22	0.03	9	160	0.36	82	<10	84
B626877		0.70	646	2	1.01	29	990	21	0.03	7	161	0.40	87	10	94
B626878		0.79	708	2	0.98	35	990	25	0.04	8	156	0.37	96	<10	102
B626879		0.73	273	1	0.87	31	1090	23	0.12	10	198	0.35	92	<10	140
B626880		0.68	438	1	0.71	27	940	19	0.15	6	191	0.31	86	<10	104
B626881		0.71	438	1	0.87	24	940	18	0.06	6	184	0.36	90	<10	102
B626882		0.75	508	1	0.87	26	1030	18	0.08	6	190	0.36	91	<10	108
B626883		0.64	400	1	0.63	20	780	20	0.09	6	192	0.23	59	<10	74
B626884		0.82	378	2	0.95	30	670	25	0.06	9	166	0.39	87	<10	93
B626885		0.87	376	1	0.76	33	760	28	0.09	12	169	0.36	92	<10	154
B626886		0.75	496	1	0.89	30	690	24	0.07	9	158	0.38	86	<10	137
B626887		0.67	588	1	0.96	25	660	23	0.05	<5	168	0.34	74	<10	78
B626888		0.80	685	1	0.85	27	760	25	0.08	9	182	0.35	84	<10	116
B626889		0.69	676	1	0.95	23	660	22	0.05	7	172	0.33	75	<10	84
B626890		0.34	91	3	0.11	22	320	29	0.02	118	92	0.24	89	10	46
B626891		0.55	515	1	0.83	21	770	22	0.05	6	150	0.30	66	<10	67
B626892		0.62	283	1	0.83	24	770	21	0.04	9	141	0.36	76	<10	83

Comments: ** CORRECTED COPY for sample type ** NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 4-OCT-2005
Account: STRGOL

CERTIFICATE VA05080198

Project: 1735

P.O. No.:

This report is for 290 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41	Screen to -180um and save both
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367157		0.44	<0.005	<0.5	4.90	22	1100	1.1	<2	1.35	<0.5	11	62	29	3.05	1.15
B367158		0.36	0.005	<0.5	4.67	10	870	1.0	<2	1.27	<0.5	10	52	21	2.24	1.04
B367159		0.40	0.009	<0.5	5.03	15	920	1.1	<2	2.01	<0.5	11	57	26	2.58	1.21
B367160		0.44	0.009	<0.5	5.58	30	1120	1.3	<2	1.40	<0.5	13	70	28	3.03	1.29
B367161		0.38	0.007	<0.5	5.14	32	970	1.1	<2	1.50	<0.5	11	58	28	2.70	1.16
B367162		0.56	0.005	<0.5	4.96	11	970	1.1	<2	1.26	<0.5	10	63	29	2.63	1.20
B367163		0.36	0.005	<0.5	4.92	<5	990	1.1	<2	1.29	<0.5	11	64	31	2.55	1.20
B367164		0.58	0.006	<0.5	4.79	21	990	1.1	<2	1.65	0.5	13	62	30	3.04	1.12
B367165		0.74	0.010	<0.5	5.08	24	1030	1.2	<2	1.46	<0.5	13	60	31	2.98	1.24
B367166		0.52	<0.005	<0.5	4.57	13	910	1.0	<2	1.10	<0.5	10	60	25	2.41	1.13
B367167		0.94	0.005	0.7	5.44	19	1360	1.3	<2	2.37	1.1	11	73	61	3.09	1.44
B367168		0.42	0.009	<0.5	4.69	14	1010	1.1	<2	1.23	0.9	12	62	39	2.61	1.12
B367169		0.54	0.006	<0.5	5.99	6	1220	1.4	<2	0.88	<0.5	8	74	30	2.35	1.42
B367170		0.08	2.86	<0.5	7.70	2090	750	12.8	<2	0.01	<0.5	2	141	100	3.31	3.05
B367171		0.56	0.007	<0.5	4.80	20	950	1.0	<2	1.81	<0.5	12	56	37	2.60	1.13
B367172		0.38	0.005	<0.5	4.52	11	930	1.0	<2	1.06	<0.5	11	58	37	2.80	1.05
B367173		0.32	0.009	<0.5	4.31	5	820	0.9	<2	1.13	<0.5	10	69	26	2.53	0.98
B367174		0.60	0.007	<0.5	4.47	14	880	1.0	<2	1.54	<0.5	10	51	29	2.37	1.04
B367175		0.44	<0.005	<0.5	4.34	16	870	1.0	<2	1.48	0.7	11	50	32	2.33	1.03
B367176		0.40	0.006	<0.5	4.30	19	850	0.9	<2	1.40	<0.5	9	55	22	2.32	0.97
B367177		0.50	0.012	<0.5	4.41	22	880	1.0	<2	1.01	0.7	11	66	30	2.59	1.08
B367178		0.58	0.006	<0.5	5.03	17	1010	1.1	<2	1.26	<0.5	9	63	27	2.74	1.20
B367179		0.46	0.006	0.6	5.65	17	1190	1.3	<2	1.57	<0.5	11	70	40	3.06	1.50
B367180		0.70	0.006	<0.5	4.87	16	1010	1.1	<2	1.58	<0.5	9	63	30	2.82	1.17
B367181		0.52	0.007	0.5	4.78	13	980	1.1	<2	2.36	<0.5	9	56	37	2.71	1.27
B367182		0.54	0.005	0.5	6.06	17	1300	1.5	<2	1.24	0.5	14	86	38	3.63	1.58
B367183		0.60	0.011	0.5	5.58	14	1170	1.3	<2	1.12	0.6	12	75	35	3.33	1.44
B367184		0.46	<0.005	<0.5	4.92	14	1010	1.1	<2	1.58	0.5	10	62	29	2.85	1.20
B367185		0.42	0.010	<0.5	5.11	18	970	1.1	<2	1.31	0.9	10	65	29	2.94	1.22
B367186		0.62	0.005	<0.5	5.34	20	1090	1.2	2	1.38	<0.5	9	70	30	3.06	1.36
B367187		0.44	0.007	0.5	6.27	23	1270	1.4	<2	1.50	0.7	13	76	42	3.90	1.61
B367188		0.58	<0.005	<0.5	4.70	12	900	1.0	<2	1.92	<0.5	8	59	27	2.60	1.13
B367189		0.76	0.006	0.6	5.94	28	1270	1.4	<2	1.82	<0.5	12	77	51	4.06	1.48
B367190		0.08	4.63	9.0	8.33	11	500	0.9	<2	2.89	0.8	17	23	121	4.29	2.33
B367191		0.58	<0.005	<0.5	5.71	15	1190	1.3	<2	1.60	0.5	10	76	35	3.48	1.42
B367192		0.78	0.007	0.5	6.06	23	1280	1.4	<2	2.60	<0.5	12	74	47	3.62	1.61
B367193		0.80	0.005	<0.5	4.82	20	1010	1.1	<2	4.52	<0.5	12	70	38	3.14	1.28
B367194		0.44	0.005	<0.5	4.95	17	750	0.9	<2	0.98	<0.5	5	61	12	2.56	1.04
B367195		0.66	0.017	<0.5	6.02	31	920	1.2	<2	1.20	<0.5	8	70	27	3.02	1.18
B367196		0.28	0.006	<0.5	5.21	16	790	0.9	<2	1.02	<0.5	6	68	13	2.84	1.07

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367157		0.79	2290	1	0.77	31	1060	22	0.05	5	138	0.32	106	<10	115
B367158		0.69	1030	2	0.95	24	1160	15	0.03	<5	156	0.31	87	<10	88
B367159		0.87	599	2	0.89	27	1120	17	0.05	<5	166	0.29	97	<10	104
B367160		0.86	1565	1	0.86	36	1140	16	0.04	<5	158	0.35	114	<10	120
B367161		0.82	1235	1	0.97	24	1150	21	0.04	<5	169	0.31	98	<10	104
B367162		0.71	597	2	0.88	25	1040	18	0.02	<5	151	0.32	108	<10	110
B367163		0.70	577	2	0.84	31	1000	16	0.03	<5	145	0.31	108	<10	111
B367164		0.92	1535	2	0.80	33	1220	17	0.03	<5	140	0.38	109	<10	112
B367165		0.85	1635	2	0.80	32	1090	24	0.04	<5	145	0.33	107	<10	119
B367166		0.64	480	2	0.78	27	1000	13	0.02	5	134	0.35	105	<10	95
B367167		1.04	514	7	0.61	49	1400	30	0.01	6	134	0.30	141	<10	162
B367168		0.65	856	3	0.69	29	980	23	0.04	<5	133	0.29	110	<10	113
B367169		0.76	272	2	0.84	29	860	19	0.02	<5	136	0.33	132	<10	114
B367170		0.38	70	3	0.09	9	320	30	0.02	158	142	0.20	101	10	16
B367171		0.99	812	2	0.91	30	1120	25	0.04	<5	161	0.31	98	<10	114
B367172		0.62	479	3	0.83	28	950	21	0.03	<5	135	0.31	102	<10	102
B367173		0.62	363	2	0.79	24	990	16	0.05	5	136	0.44	106	<10	89
B367174		0.86	640	2	0.89	25	1140	15	0.03	<5	152	0.30	92	<10	94
B367175		0.82	650	2	0.83	29	1060	17	0.03	5	142	0.28	95	<10	96
B367176		0.76	732	2	0.87	27	1140	17	0.03	<5	149	0.33	93	<10	90
B367177		0.63	331	4	0.77	30	1150	17	0.03	<5	128	0.33	106	<10	109
B367178		0.68	602	2	0.99	30	1280	15	0.04	<5	164	0.35	111	<10	114
B367179		1.02	555	2	0.84	42	1230	20	0.02	<5	148	0.35	130	<10	139
B367180		0.86	1075	2	0.89	31	1260	14	0.04	<5	156	0.35	110	<10	114
B367181		1.28	675	2	0.74	33	1060	17	0.03	<5	137	0.30	110	<10	116
B367182		0.90	727	3	0.82	46	1300	20	0.03	<5	137	0.44	156	<10	163
B367183		0.83	657	3	0.77	42	1170	16	0.02	<5	128	0.40	140	<10	143
B367184		0.86	976	2	0.93	32	1250	16	0.04	<5	161	0.35	108	<10	114
B367185		0.76	750	2	0.92	34	1160	17	0.06	<5	162	0.35	110	<10	191
B367186		0.85	445	2	0.80	33	1330	14	0.03	<5	136	0.37	130	<10	115
B367187		1.09	963	3	0.88	45	1230	20	0.05	<5	154	0.37	139	<10	172
B367188		0.96	554	2	0.89	28	1300	12	0.02	<5	156	0.36	110	<10	102
B367189		1.13	574	4	0.91	47	1190	23	0.07	<5	158	0.36	136	<10	152
B367190		1.38	987	13	1.66	13	960	18	0.69	<5	420	0.38	154	<10	102
B367191		1.06	684	3	0.85	37	1390	19	0.04	<5	142	0.39	135	<10	136
B367192		1.43	586	2	0.89	43	1240	18	0.02	<5	162	0.38	140	<10	138
B367193		1.90	774	2	0.74	37	1240	20	0.07	<5	177	0.40	118	<10	119
B367194		0.70	280	1	0.99	18	720	15	0.02	<5	152	0.39	107	<10	62
B367195		0.92	359	<1	1.16	30	930	11	0.01	<5	176	0.41	122	<10	73
B367196		0.72	393	1	1.02	19	950	14	0.02	<5	156	0.40	114	<10	67

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367197		0.64	0.005	<0.5	5.39	13	870	1.0	<2	1.14	<0.5	8	65	18	2.64	1.06
B367198		0.34	<0.005	<0.5	5.43	21	860	1.0	<2	0.90	<0.5	36	64	15	3.50	1.05
B367199		0.44	<0.005	<0.5	5.50	24	940	1.0	<2	1.21	<0.5	15	64	18	3.50	1.04
B367200		0.38	<0.005	0.5	5.83	18	1020	1.1	<2	0.92	<0.5	14	64	19	3.62	1.12
B367474		0.42	0.005	<0.5	6.53	145	830	1.5	<2	1.55	<0.5	11	66	25	3.49	1.58
B367475		0.52	0.007	<0.5	6.15	85	840	1.4	<2	1.57	<0.5	20	65	20	3.02	1.25
B367476		0.42	0.007	<0.5	5.10	85	770	1.2	<2	1.18	0.9	10	55	24	2.53	1.10
B367477		0.60	0.012	<0.5	5.49	80	840	1.1	<2	1.21	<0.5	8	63	15	2.85	1.11
B367478		0.60	<0.005	<0.5	5.60	136	850	1.2	<2	1.18	<0.5	11	63	18	2.94	1.14
B367479		0.62	0.017	<0.5	5.25	49	810	1.1	<2	1.22	<0.5	7	64	13	2.77	1.10
B367480		0.40	0.013	<0.5	5.67	77	940	1.3	<2	1.30	1.0	13	63	21	3.37	1.18
B367481		0.46	0.005	<0.5	5.04	29	850	1.0	<2	1.10	1.0	9	61	19	2.80	1.08
B367482		0.52	0.005	<0.5	5.16	38	850	1.1	<2	1.10	1.2	10	59	21	2.89	1.12
B367483		0.64	0.009	<0.5	5.27	36	870	1.1	<2	1.36	1.6	9	66	19	3.07	1.10
B367484		0.62	0.005	<0.5	5.77	11	1070	1.2	<2	1.51	1.4	10	49	27	2.49	1.32
B367485		0.56	<0.005	<0.5	5.81	19	1060	1.2	<2	1.80	0.9	9	48	28	2.62	1.36
B367486		0.82	<0.005	<0.5	6.76	34	1370	1.6	<2	1.24	1.5	15	86	51	3.96	1.70
B367487		0.72	0.012	<0.5	5.86	46	1160	1.3	<2	1.30	1.0	11	74	35	3.21	1.31
B367488		0.68	0.018	0.5	6.43	13	1250	1.4	<2	1.18	0.5	11	83	38	3.92	1.53
B367489		0.62	0.005	<0.5	5.26	46	990	1.0	<2	1.02	<0.5	6	66	16	2.86	1.16
B367490		0.10	0.099	0.6	6.86	107	560	2.5	<2	0.51	<0.5	57	1150	370	8.19	2.14
B367491		0.52	<0.005	0.5	5.50	24	1060	1.2	<2	1.30	0.6	8	67	24	2.87	1.25
B367492		1.04	<0.005	0.8	6.54	16	1260	1.5	<2	0.87	<0.5	8	89	43	3.60	1.51
B367493		0.58	0.005	<0.5	4.80	21	920	1.1	<2	1.19	<0.5	7	60	23	2.33	1.08
B367494		0.64	0.010	<0.5	5.03	23	980	1.1	<2	1.31	<0.5	9	65	18	2.52	1.15
B367495		0.68	0.013	<0.5	5.25	26	970	1.1	<2	1.29	1.1	9	72	23	2.87	1.16
B367496		0.82	0.011	<0.5	5.09	26	990	1.1	<2	1.26	<0.5	9	65	22	2.81	1.18
B367497		0.66	0.006	0.5	5.43	18	1140	1.2	2	0.98	<0.5	10	73	35	3.18	1.16
B367498		0.62	0.007	<0.5	5.55	19	1050	1.2	<2	1.42	1.0	11	70	27	3.04	1.26
B367499		0.74	0.009	<0.5	5.48	19	1040	1.2	<2	1.48	0.8	11	73	22	2.93	1.23
B367500		0.56	<0.005	<0.5	5.68	27	1080	1.2	<2	1.35	0.9	10	68	29	2.97	1.28
B367512		0.56	0.007	<0.5	4.99	12	890	0.9	<2	0.89	<0.5	5	72	20	2.64	1.02
B367513		0.56	0.005	<0.5	4.90	15	860	1.0	<2	1.00	<0.5	8	65	20	2.68	1.03
B367514		0.50	0.007	<0.5	4.58	11	840	1.0	<2	0.95	<0.5	17	56	22	2.54	0.96
B367515		0.44	<0.005	<0.5	5.07	14	1020	1.1	<2	1.22	<0.5	32	64	25	3.12	1.06
B367516		0.52	<0.005	<0.5	4.83	17	930	1.0	<2	1.05	<0.5	18	58	22	2.57	1.04
B367517		0.52	0.005	<0.5	4.65	6	1050	1.0	<2	1.05	<0.5	9	64	25	2.70	1.00
B367518		0.52	<0.005	<0.5	5.02	10	1050	1.1	<2	1.16	<0.5	11	74	26	2.84	1.04
B367519		0.58	0.027	<0.5	5.15	13	1100	1.2	<2	1.28	0.7	12	75	30	3.11	1.08
B367520		0.30	<0.005	0.5	5.09	11	1090	1.2	<2	1.52	1.7	13	65	37	2.83	1.08

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B367197		0.76	301	1	1.06	20	940	15	0.03	<5	162	0.41	108	<10	73
B367198		0.71	1995	3	0.97	23	1140	17	0.04	<5	147	0.35	108	<10	89
B367199		0.74	543	3	1.05	25	950	14	0.05	<5	167	0.38	106	<10	81
B367200		0.70	2010	5	1.01	26	1080	16	0.04	<5	154	0.34	108	<10	102
B367474		1.18	580	6	1.02	27	1470	18	0.03	<5	175	0.39	101	<10	128
B367475		0.97	800	5	0.98	30	1230	24	0.08	<5	182	0.38	101	<10	145
B367476		0.67	742	4	0.95	28	910	56	0.04	<5	174	0.37	93	10	311
B367477		0.75	462	4	1.06	22	950	32	0.03	<5	181	0.43	105	<10	150
B367478		0.76	690	4	1.08	25	1000	47	0.03	5	183	0.40	104	<10	200
B367479		0.72	448	4	1.02	21	910	24	0.03	<5	177	0.45	98	<10	167
B367480		0.77	925	5	0.98	29	1000	36	0.04	<5	188	0.39	108	<10	326
B367481		0.68	521	3	1.02	26	820	28	0.02	6	174	0.36	96	<10	501
B367482		0.68	548	3	1.02	26	890	31	0.02	7	176	0.36	102	<10	539
B367483		0.72	573	3	1.06	27	930	31	0.03	<5	195	0.40	101	<10	446
B367484		0.88	403	1	1.36	33	890	22	0.01	<5	230	0.31	102	<10	359
B367485		1.02	451	1	1.30	32	840	22	0.02	<5	224	0.29	100	<10	250
B367486		1.02	675	3	0.97	51	1120	32	0.02	<5	175	0.40	154	<10	307
B367487		0.85	577	5	1.00	36	1100	48	0.05	6	185	0.41	129	<10	350
B367488		0.95	523	6	1.05	34	1200	17	0.03	<5	186	0.37	144	<10	156
B367489		0.70	391	5	1.00	22	880	21	0.02	<5	166	0.36	112	<10	200
B367490		0.57	370	7	0.12	471	350	143	0.02	13	49	0.23	89	30	595
B367491		0.77	533	3	1.06	29	940	30	0.03	<5	192	0.38	110	<10	291
B367492		0.85	456	10	0.88	34	1310	18	0.03	5	162	0.41	198	<10	150
B367493		0.68	414	3	1.01	24	890	21	0.03	<5	179	0.36	98	<10	187
B367494		0.74	445	2	1.01	25	970	29	0.04	<5	186	0.42	110	<10	211
B367495		0.76	519	3	1.02	28	1080	21	0.03	<5	188	0.44	115	<10	223
B367496		0.75	621	2	0.98	29	1000	24	0.03	<5	177	0.42	110	<10	237
B367497		0.78	491	2	0.89	29	1050	15	0.02	<5	150	0.35	124	<10	112
B367498		0.83	618	2	1.06	35	1030	26	0.04	<5	192	0.37	114	<10	265
B367499		0.83	598	2	1.08	31	1040	23	0.03	<5	194	0.41	116	<10	257
B367500		0.79	561	4	1.13	32	1020	28	0.03	<5	199	0.36	114	<10	278
B367512		0.69	324	3	0.95	23	1000	14	0.03	<5	149	0.43	113	<10	73
B367513		0.69	404	2	1.00	24	910	13	0.03	<5	166	0.40	105	<10	73
B367514		0.62	871	2	0.93	23	800	11	0.03	<5	154	0.33	91	<10	75
B367515		0.74	1925	3	0.97	28	1120	20	0.05	<5	164	0.38	113	<10	105
B367516		0.68	1010	2	0.95	25	960	13	0.04	<5	159	0.34	100	<10	85
B367517		0.72	701	2	0.85	28	980	12	0.04	<5	149	0.39	109	<10	106
B367518		0.79	783	3	0.95	26	1050	14	0.04	<5	168	0.42	116	<10	108
B367519		0.80	660	3	0.90	36	1100	13	0.05	<5	168	0.43	124	<10	164
B367520		0.79	1015	2	0.86	35	1270	12	0.08	<5	164	0.31	111	<10	184

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367521		0.38	<0.005	0.7	4.41	10	1510	0.9	<2	0.88	<0.5	6	67	27	2.12	0.97
B367522		0.40	<0.005	0.9	4.60	13	1650	1.0	<2	0.83	<0.5	7	76	38	2.46	0.94
B367523		0.48	0.005	0.6	5.58	10	1290	1.2	<2	1.43	0.8	8	78	29	3.11	1.23
B367524		0.38	<0.005	0.8	4.78	11	1160	1.1	<2	1.27	1.4	8	65	38	2.69	1.04
B367525		0.36	<0.005	0.6	4.92	5	1270	1.0	<2	1.37	1.5	8	70	30	2.61	1.08
B367526		0.36	0.006	0.7	4.79	15	1190	1.0	<2	1.32	1.3	7	66	29	2.64	1.06
B367527		0.60	<0.005	0.5	4.89	13	1070	1.0	<2	1.21	1.3	8	58	30	2.40	1.04
B367528		0.48	<0.005	0.6	4.89	11	1080	1.0	<2	1.23	1.2	8	58	31	2.39	1.04
B367529		0.54	<0.005	<0.5	4.87	14	1070	1.0	<2	1.23	0.8	8	59	28	2.49	1.06
B367530		0.08	0.087	0.6	6.97	110	570	2.6	<2	0.52	<0.5	56	1160	379	8.31	2.19
B367531		0.60	<0.005	<0.5	4.86	7	1030	1.0	<2	1.21	0.8	6	60	31	2.46	1.04
B367532		0.54	<0.005	<0.5	4.72	5	990	1.0	<2	1.17	0.8	8	56	25	2.35	1.02
B367533		0.52	0.005	0.6	4.95	18	1100	1.2	<2	1.19	2.6	12	66	45	2.93	1.14
B367534		0.52	<0.005	0.7	4.86	19	1080	1.1	<2	1.16	2.5	11	63	45	2.83	1.14
B367535		0.32	<0.005	<0.5	4.89	16	1040	1.0	<2	1.32	3.1	10	61	28	2.70	1.10
B367536		0.66	<0.005	0.5	5.40	15	1140	1.2	<2	1.16	0.5	9	72	34	2.81	1.18
B367537		0.74	0.009	<0.5	4.34	10	830	0.9	<2	1.39	<0.5	7	60	22	2.36	0.99
B367538		0.62	0.006	0.5	5.70	27	1140	1.3	<2	2.16	<0.5	10	71	41	2.94	1.48
B367539		0.80	0.007	0.5	5.48	19	1130	1.3	<2	1.62	0.6	11	75	43	2.96	1.44
B367540		0.58	0.005	0.7	5.88	22	1240	1.4	<2	1.48	<0.5	11	78	46	3.09	1.54
B367541		0.68	0.010	0.5	6.21	16	1340	1.5	<2	1.25	0.5	11	82	49	3.26	1.64
B367542		0.66	0.007	<0.5	5.28	13	1050	1.2	<2	1.30	<0.5	10	69	37	2.74	1.32
B367543		0.56	0.107	<0.5	4.67	8	920	1.0	<2	1.29	<0.5	9	71	26	2.69	1.10
B367544		0.58	0.022	0.6	4.98	15	1020	1.1	<2	1.47	0.5	11	69	35	2.81	1.22
B367545		0.92	0.008	1.4	5.60	20	1210	1.3	<2	1.70	0.6	10	75	54	3.14	1.47
B367546		0.52	0.013	<0.5	5.12	47	950	1.3	<2	1.42	<0.5	10	52	25	2.87	1.14
B367547		0.60	0.032	<0.5	4.72	49	910	1.2	<2	1.41	<0.5	11	51	24	2.95	1.06
B367548		0.40	<0.005	<0.5	4.45	49	870	1.1	<2	1.62	0.6	10	51	29	2.67	0.96
B367549		0.44	0.005	<0.5	4.92	67	910	1.3	<2	1.56	<0.5	11	55	29	3.38	1.09
B367550		0.10	1.445	<0.5	6.83	1240	680	5.7	<2	0.01	<0.5	4	216	37	3.65	2.63
B367551		0.74	0.005	<0.5	5.54	21	970	1.2	<2	0.98	<0.5	7	66	25	2.64	1.22
B367552		0.58	0.009	<0.5	5.70	24	1040	1.2	<2	0.89	<0.5	7	71	27	2.76	1.33
B367553		0.60	0.016	<0.5	5.57	16	1020	1.1	<2	0.98	<0.5	7	64	25	2.57	1.18
B367554		0.86	<0.005	<0.5	5.13	15	930	1.1	<2	0.84	<0.5	8	55	26	2.59	1.08
B367555		0.78	<0.005	<0.5	5.84	20	990	1.3	<2	0.90	<0.5	10	70	31	3.11	1.24
B367556		0.86	0.006	<0.5	5.57	23	940	1.2	<2	0.87	<0.5	7	61	30	2.85	1.20
B367557		0.40	<0.005	0.5	3.71	11	590	0.7	<2	0.60	<0.5	3	41	24	2.00	0.78
B367558		0.68	<0.005	<0.5	4.68	14	720	0.9	<2	0.76	<0.5	5	53	18	2.57	0.98
B367559		0.76	0.013	<0.5	5.20	24	900	1.1	<2	0.84	<0.5	7	61	28	2.64	1.12
B367560		0.58	<0.005	<0.5	4.29	13	690	0.8	<2	0.80	<0.5	4	48	15	2.14	0.95

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367521		0.98	312	5	0.74	28	960	11	0.05	<5	128	0.31	134	<10	110
B367522		1.06	320	6	0.73	33	1020	13	0.04	<5	129	0.32	150	<10	134
B367523		0.98	424	3	1.00	40	1200	13	0.06	<5	196	0.37	142	<10	191
B367524		0.81	510	4	0.84	31	1000	11	0.05	<5	156	0.30	120	<10	146
B367525		0.90	459	3	0.87	34	1060	9	0.06	<5	172	0.34	124	<10	142
B367526		0.86	410	3	0.87	30	1050	10	0.06	<5	170	0.34	120	<10	135
B367527		0.74	281	3	0.98	31	1000	11	0.07	<5	174	0.31	116	<10	126
B367528		0.74	277	3	0.97	30	1010	13	0.11	<5	172	0.31	118	<10	127
B367529		0.74	432	3	0.96	29	1000	8	0.06	<5	173	0.35	116	<10	120
B367530		0.58	376	7	0.12	473	360	142	0.02	14	50	0.22	89	30	591
B367531		0.72	462	3	1.00	28	970	25	0.04	<5	174	0.33	106	<10	128
B367532		0.68	410	2	1.02	26	980	13	0.05	<5	174	0.32	102	<10	112
B367533		0.65	1585	5	0.81	41	1180	14	0.04	<5	142	0.30	117	<10	148
B367534		0.64	1510	4	0.80	41	1150	14	0.04	<5	140	0.30	116	<10	148
B367535		0.74	1485	2	0.83	33	1080	15	0.08	<5	150	0.29	104	<10	180
B367536		0.84	318	3	0.90	31	1120	14	0.05	<5	157	0.34	129	<10	148
B367537		0.70	396	2	0.91	23	1260	12	0.02	<5	152	0.38	97	<10	97
B367538		1.14	520	2	0.99	39	1190	14	0.01	<5	182	0.35	122	<10	124
B367539		1.03	588	3	0.88	42	1230	17	0.02	<5	154	0.36	128	<10	127
B367540		0.95	601	3	0.92	41	1250	15	0.02	<5	162	0.37	138	<10	137
B367541		0.94	566	3	0.90	46	1120	17	0.01	<5	155	0.36	144	<10	140
B367542		0.80	514	2	0.97	35	1100	15	0.01	<5	166	0.33	114	<10	112
B367543		0.70	520	2	0.88	26	1280	12	0.04	<5	156	0.41	112	<10	106
B367544		0.81	872	2	0.88	33	1220	14	0.04	<5	155	0.36	114	<10	124
B367545		0.99	561	3	0.85	45	1250	17	0.01	<5	148	0.35	134	<10	148
B367546		0.71	1055	2	0.91	28	990	15	0.05	<5	178	0.30	95	10	128
B367547		0.67	1200	3	0.81	26	970	17	0.07	<5	164	0.29	86	<10	133
B367548		0.67	1475	3	0.75	28	1050	14	0.12	<5	146	0.27	80	<10	132
B367549		0.72	1005	3	0.85	30	1110	15	0.09	<5	160	0.30	92	10	138
B367550		0.34	89	2	0.11	20	320	23	0.01	111	87	0.22	87	10	46
B367551		0.80	337	2	0.96	25	890	17	0.01	<5	148	0.37	115	<10	79
B367552		0.83	349	2	0.87	27	930	21	0.02	<5	132	0.38	120	<10	89
B367553		0.71	335	1	1.01	22	850	14	0.01	<5	162	0.38	111	<10	79
B367554		0.64	354	1	0.98	24	750	14	0.01	<5	154	0.35	102	<10	73
B367555		0.84	387	1	0.93	26	870	17	0.01	<5	139	0.39	124	<10	88
B367556		0.77	384	1	0.96	25	790	13	0.01	<5	146	0.38	112	<10	78
B367557		0.40	211	<1	0.75	13	2450	12	0.05	<5	112	0.29	68	<10	39
B367558		0.59	247	<1	0.94	16	1050	12	0.01	<5	139	0.36	95	<10	59
B367559		0.72	315	1	0.92	24	980	16	0.01	<5	136	0.36	108	<10	78
B367560		0.54	237	1	0.92	15	770	11	0.01	<5	138	0.33	88	<10	50

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367561		0.52	0.005	<0.5	4.96	9	780	1.0	<2	0.76	<0.5	5	59	20	2.60	1.06
B367562		0.46	0.006	<0.5	4.89	20	810	0.9	<2	0.82	<0.5	6	58	18	2.45	1.05
B367563		0.60	0.008	<0.5	5.14	19	830	1.0	<2	0.84	<0.5	6	60	19	2.60	1.09
B367564		0.82	0.005	<0.5	5.09	20	870	1.1	<2	0.96	<0.5	8	58	25	2.61	1.06
B367565		0.64	0.007	<0.5	4.81	13	910	1.0	<2	0.94	<0.5	9	54	21	2.50	1.00
B367566		0.72	0.009	<0.5	5.49	22	1020	1.1	<2	1.09	<0.5	6	63	24	2.74	1.09
B367567		0.52	0.005	0.6	5.41	36	1210	1.2	<2	1.25	<0.5	13	67	39	3.31	1.04
B367568		0.78	0.007	<0.5	5.36	33	1080	1.2	<2	1.18	<0.5	8	64	31	2.97	1.10
B367569		0.64	<0.005	<0.5	4.69	16	840	1.0	<2	0.90	<0.5	7	54	24	2.39	1.00
B367570		0.08	1.430	<0.5	7.03	1240	700	5.7	<2	0.01	<0.5	6	207	38	3.74	2.67
B367571		0.70	0.007	<0.5	5.59	18	960	1.1	<2	1.01	<0.5	10	65	26	2.78	1.16
B367572		0.22	<0.005	<0.5	5.00	27	950	1.1	<2	1.25	<0.5	9	55	21	2.37	1.00
B367573		0.52	<0.005	<0.5	5.26	18	970	1.1	<2	1.27	<0.5	11	56	21	2.37	1.06
B367574		0.42	<0.005	<0.5	4.86	6	930	1.0	<2	1.17	<0.5	8	54	19	1.94	1.03
B367575		0.42	0.007	<0.5	4.96	37	910	1.0	<2	1.11	<0.5	9	54	18	3.10	0.98
B367576		0.30	<0.005	<0.5	5.01	12	970	1.0	<2	1.19	<0.5	9	52	19	2.33	1.01
B367577		0.38	<0.005	<0.5	5.72	66	1060	1.1	<2	1.58	<0.5	14	65	28	3.50	1.06
B367578		0.72	0.008	<0.5	5.33	28	1040	1.1	<2	1.23	<0.5	19	59	26	2.22	1.08
B367579		0.30	0.006	<0.5	4.95	33	930	1.0	<2	1.27	<0.5	10	56	25	2.68	1.03
B367580		0.24	<0.005	<0.5	3.72	17	720	1.0	<2	1.10	2.4	10	44	43	1.89	0.70
B367581		0.38	<0.005	<0.5	5.62	28	1030	1.1	<2	0.91	<0.5	8	67	28	2.79	1.20
B367582		0.30	0.007	<0.5	4.81	15	920	0.9	<2	0.69	0.9	9	59	52	1.96	0.94
B367583		0.36	<0.005	<0.5	5.34	26	990	1.0	<2	0.76	<0.5	8	67	35	2.25	1.04
B367584		0.28	0.008	<0.5	6.17	38	1210	1.3	<2	1.18	<0.5	13	72	44	2.99	1.18
B367585		0.42	<0.005	<0.5	5.16	32	930	1.0	<2	1.10	<0.5	12	55	30	2.70	1.06
B367586		0.24	0.008	<0.5	5.64	112	1210	1.3	<2	1.36	1.2	34	65	31	5.31	1.13
B367587		0.42	<0.005	<0.5	5.41	108	1410	1.3	<2	1.31	1.6	30	63	27	5.84	1.08
B367588		0.58	0.005	<0.5	5.91	47	1120	1.4	<2	1.17	<0.5	14	63	34	3.28	1.25
B367589		0.50	0.011	<0.5	5.12	38	930	1.2	<2	2.02	<0.5	14	50	30	2.87	1.23
B367590		0.08	2.76	<0.5	8.09	2280	790	13.4	<2	0.02	<0.5	2	155	106	3.70	3.32
B367591		0.32	0.007	<0.5	5.05	46	950	1.2	<2	1.57	<0.5	13	50	29	3.10	1.21
B367592		0.30	0.014	<0.5	5.43	80	1030	1.2	<2	1.51	0.9	18	59	25	4.04	1.14
B367593		0.36	<0.005	<0.5	5.53	71	1080	1.2	<2	1.45	1.2	17	61	19	3.92	1.18
B367594		0.46	<0.005	<0.5	5.23	116	890	1.2	<2	1.37	<0.5	9	61	13	4.23	1.08
B367595		0.58	0.011	<0.5	7.33	61	950	1.8	<2	1.58	<0.5	18	90	50	3.85	1.78
B367596		0.36	<0.005	<0.5	5.95	34	780	1.2	<2	1.12	<0.5	10	65	27	2.56	1.28
B367597		0.68	0.018	<0.5	6.52	158	910	1.5	<2	1.18	<0.5	17	60	33	3.14	1.61
B367598		0.70	0.688	<0.5	6.54	89	1150	1.2	<2	0.63	<0.5	7	65	20	2.58	2.08
B367599		0.58	0.016	0.8	6.06	152	700	1.3	<2	1.39	1.1	16	58	69	2.96	1.11
B367600		0.62	0.019	<0.5	6.93	148	890	1.7	<2	1.31	<0.5	16	63	41	3.26	1.64

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367561		0.62	286	<1	0.90	20	1030	15	0.01	<5	136	0.35	102	<10	64
B367562		0.63	281	1	0.90	22	870	16	0.02	<5	138	0.36	100	<10	65
B367563		0.67	284	1	0.93	21	950	18	0.02	<5	144	0.37	103	<10	71
B367564		0.70	330	1	0.98	23	860	12	0.01	<5	150	0.37	104	<10	73
B367565		0.62	364	<1	1.00	23	810	10	0.01	<5	156	0.35	95	<10	68
B367566		0.73	321	<1	1.03	24	920	13	0.02	<5	167	0.36	110	<10	76
B367567		0.72	556	2	0.78	36	1520	16	0.08	<5	142	0.30	110	<10	92
B367568		0.75	447	1	1.02	28	970	15	0.01	<5	171	0.37	110	<10	88
B367569		0.62	314	1	0.92	22	910	10	0.01	<5	146	0.33	94	<10	68
B367570		0.35	87	2	0.10	19	310	33	0.01	114	90	0.24	89	10	48
B367571		0.79	307	1	0.96	22	1020	20	0.02	<5	154	0.37	114	10	86
B367572		0.73	342	2	0.90	21	920	17	0.06	<5	158	0.34	96	<10	94
B367573		0.76	282	<1	0.99	22	960	18	0.10	<5	166	0.36	100	<10	99
B367574		0.69	254	1	0.93	20	890	18	0.07	<5	158	0.35	92	<10	87
B367575		0.69	291	2	0.89	18	1120	19	0.05	<5	152	0.34	97	<10	85
B367576		0.71	249	2	0.94	24	960	15	0.07	<5	157	0.33	92	<10	100
B367577		0.85	587	1	0.97	33	1010	22	0.06	<5	170	0.35	110	<10	157
B367578		0.72	273	5	0.97	28	830	18	0.07	<5	168	0.38	108	<10	116
B367579		0.68	360	1	0.94	22	1030	18	0.07	<5	163	0.34	95	<10	98
B367580		0.44	341	3	0.54	23	1740	18	0.32	<5	105	0.21	72	<10	63
B367581		0.80	247	2	0.84	24	1040	22	0.06	<5	141	0.36	116	<10	116
B367582		0.55	178	2	0.68	24	1350	19	0.16	<5	111	0.30	91	<10	81
B367583		0.69	228	3	0.74	22	1180	21	0.13	<5	119	0.33	103	<10	93
B367584		0.87	387	5	0.80	32	950	28	0.10	<5	149	0.35	131	<10	130
B367585		0.69	622	4	0.78	26	1150	19	0.14	<5	138	0.30	100	<10	92
B367586		0.78	4970	9	0.65	37	1450	27	0.12	<5	137	0.29	134	<10	231
B367587		0.74	9190	13	0.74	41	1230	25	0.07	<5	148	0.32	124	10	209
B367588		0.80	717	2	0.98	35	1030	25	0.02	<5	174	0.37	115	<10	97
B367589		0.95	823	3	0.97	28	1100	30	0.02	<5	198	0.35	97	<10	106
B367590		0.41	76	4	0.09	7	340	32	0.02	166	154	0.25	111	20	18
B367591		0.78	1130	3	0.93	29	1120	25	0.03	<5	183	0.32	97	<10	121
B367592		0.81	2260	4	0.84	30	1250	18	0.08	<5	169	0.32	111	10	169
B367593		0.79	2450	5	0.81	28	1140	17	0.08	<5	161	0.33	114	<10	232
B367594		0.76	666	6	0.81	15	1210	20	0.08	<5	167	0.34	110	<10	138
B367595		1.54	562	4	0.98	43	1770	33	0.06	<5	132	0.46	146	<10	166
B367596		0.93	260	2	0.78	24	1410	44	0.07	<5	110	0.41	103	<10	114
B367597		0.85	471	1	0.62	41	1000	27	0.09	6	137	0.37	84	<10	122
B367598		0.71	346	2	0.59	20	640	21	0.05	<5	103	0.40	89	<10	69
B367599		0.89	677	3	0.79	27	1470	121	0.09	<5	123	0.39	102	<10	437
B367600		0.92	484	2	0.64	31	950	31	0.11	5	142	0.37	89	<10	141

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367601		0.52	<0.005	<0.5	5.78	14	850	1.2	<2	1.05	<0.5	12	61	24	3.03	1.25
B367602		0.58	0.006	<0.5	5.47	<5	850	1.1	<2	1.06	<0.5	10	61	23	2.92	1.20
B367603		0.52	0.007	<0.5	5.42	11	830	1.2	<2	0.91	<0.5	14	60	21	3.03	1.06
B367604		0.60	<0.005	<0.5	5.12	9	830	1.1	<2	0.99	<0.5	12	60	21	2.96	1.09
B367605		0.54	0.005	<0.5	5.00	16	820	1.0	<2	1.07	1.4	10	56	29	2.85	1.00
B367606		0.74	0.007	<0.5	5.07	18	880	1.0	3	1.17	0.5	10	66	31	3.13	1.10
B367607		0.78	<0.005	<0.5	4.80	11	850	1.0	3	1.06	0.9	7	59	29	2.46	1.02
B367608		0.50	0.006	<0.5	4.47	9	750	0.9	<2	1.04	0.5	8	55	26	2.65	0.98
B367609		0.48	<0.005	<0.5	4.97	17	840	1.0	3	1.13	0.8	10	60	20	2.82	1.02
B367610		0.08	0.082	<0.5	7.09	110	600	2.6	2	0.52	<0.5	57	1175	399	8.48	2.20
B367611		0.56	<0.005	<0.5	5.54	12	900	1.2	<2	1.20	0.8	10	67	25	2.78	1.20
B367612		0.72	<0.005	<0.5	5.31	11	880	1.2	<2	1.76	1.0	12	58	28	2.84	1.20
B367613		0.68	<0.005	<0.5	5.47	10	870	1.1	<2	1.73	1.2	12	75	27	3.15	1.21
B367614		0.46	0.005	<0.5	5.75	11	930	1.2	2	1.50	0.8	11	53	26	2.72	1.30
B367615		0.62	<0.005	<0.5	5.65	13	950	1.2	<2	1.27	2.6	12	66	33	3.20	1.28
B367616		0.64	0.009	<0.5	5.84	20	1000	1.3	<2	1.29	3.3	13	72	38	3.50	1.34
B367617		0.42	0.007	0.6	5.13	6	1130	1.2	3	1.03	0.6	9	72	45	2.72	0.97
B367618		0.72	0.008	<0.5	6.05	9	1090	1.4	<2	1.01	1.0	12	78	50	3.83	1.46
B367619		0.62	<0.005	<0.5	5.82	14	1070	1.3	2	1.01	0.7	11	73	39	3.23	1.39
B367620		0.80	0.007	<0.5	5.53	11	1240	1.3	3	1.24	1.0	10	65	38	2.97	1.22
B367621		0.62	0.008	<0.5	5.47	11	990	1.3	2	1.36	1.1	12	75	33	3.15	1.24
B367622		0.54	0.007	<0.5	5.64	12	1000	1.3	3	1.34	1.2	10	73	34	3.24	1.28
B367623		0.62	0.006	<0.5	5.60	9	980	1.3	2	1.18	0.8	10	70	35	2.81	1.25
B367624		0.92	0.008	<0.5	5.26	13	960	1.2	<2	1.26	1.1	10	68	32	2.90	1.18
B367625		0.46	<0.005	<0.5	5.52	18	950	1.2	<2	1.27	1.3	12	68	31	2.91	1.21
B367626		0.86	0.011	<0.5	5.06	20	940	1.1	3	1.27	0.8	8	66	23	2.62	1.12
B367627		0.94	0.005	<0.5	5.15	7	1000	1.1	2	1.02	0.7	9	61	25	2.66	1.14
B367628		0.60	0.006	<0.5	5.18	13	1050	1.2	2	1.31	1.7	11	65	32	2.84	1.18
B367629		0.68	0.005	<0.5	4.86	16	920	1.1	2	1.36	1.3	10	62	24	2.77	1.10
B367630		0.08	2.75	<0.5	7.64	2200	740	13.1	2	0.01	<0.5	1	150	105	3.44	3.25
B367631		0.62	0.009	<0.5	4.94	23	940	1.2	2	1.24	0.8	10	67	31	2.96	1.22
B367632		0.72	0.005	<0.5	5.46	17	1000	1.2	4	1.31	1.3	10	65	27	2.94	1.23
B367633		0.62	0.006	<0.5	5.02	17	920	1.1	2	1.27	1.1	9	59	22	2.53	1.14
B367634		0.64	0.018	<0.5	5.15	21	980	1.1	3	1.20	1.3	10	61	27	2.81	1.17
B367635		0.92	0.019	<0.5	5.21	23	970	1.0	<2	0.64	<0.5	6	68	22	2.45	1.05
B367636		0.64	0.011	0.9	5.69	43	1270	1.3	2	1.13	0.9	12	91	45	3.23	1.16
B367637		0.58	0.008	0.5	6.24	32	1850	1.5	<2	0.77	1.2	7	93	57	3.68	1.50
B367638		0.60	0.011	0.9	5.58	19	1260	1.5	<2	1.30	4.1	12	78	69	3.22	1.03
B367639		1.06	0.008	0.5	6.04	18	1920	1.6	3	0.81	3.0	14	108	77	4.23	1.27
B367640		0.78	0.007	0.5	5.60	21	1250	1.2	2	0.77	0.6	5	82	36	3.11	1.16

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367601		0.81	470	3	0.99	24	1130	18	0.04	<5	158	0.37	110	<10	136
B367602		0.77	401	2	0.98	22	1070	21	0.04	<5	159	0.39	108	<10	129
B367603		0.79	905	3	0.84	24	1160	23	0.06	<5	134	0.36	105	<10	118
B367604		0.75	839	3	0.86	24	990	19	0.06	<5	142	0.40	106	10	134
B367605		0.71	490	4	0.86	24	1090	22	0.07	<5	145	0.37	102	<10	110
B367606		0.72	551	2	1.04	31	1060	20	0.02	<5	178	0.48	112	<10	107
B367607		0.67	323	2	1.09	25	860	12	0.02	<5	178	0.36	95	<10	195
B367608		0.62	435	2	0.99	28	890	12	0.01	<5	166	0.39	94	<10	104
B367609		0.69	500	3	1.05	26	850	20	0.03	<5	177	0.40	97	<10	220
B367610		0.60	396	9	0.13	487	350	150	0.02	12	53	0.22	90	30	617
B367611		0.74	506	2	1.21	30	930	21	0.02	<5	209	0.38	104	<10	175
B367612		0.93	685	2	1.22	35	950	18	0.01	<5	220	0.35	100	<10	175
B367613		0.93	580	1	1.22	35	1190	15	0.02	<5	225	0.44	115	<10	228
B367614		0.86	479	2	1.37	33	900	17	0.02	<5	234	0.32	97	<10	193
B367615		0.83	725	2	1.06	39	1040	19	0.03	<5	188	0.32	110	<10	477
B367616		0.86	849	3	1.00	49	1080	21	0.04	<5	183	0.40	122	<10	678
B367617		0.94	507	5	0.82	46	990	12	0.06	<5	141	0.33	112	<10	129
B367618		0.85	537	4	0.97	41	1120	17	0.02	<5	175	0.35	139	<10	139
B367619		0.86	536	3	0.85	39	960	16	0.03	<5	148	0.35	134	<10	145
B367620		0.82	489	2	1.04	39	1010	17	0.04	<5	183	0.33	110	<10	200
B367621		0.84	516	3	0.92	37	1130	16	0.04	<5	176	0.42	126	<10	223
B367622		0.86	577	2	0.94	39	1100	17	0.04	<5	178	0.41	126	<10	254
B367623		0.80	322	2	0.99	38	1100	22	0.02	<5	178	0.40	124	<10	254
B367624		0.79	448	3	0.90	35	1060	19	0.04	<5	169	0.35	115	<10	215
B367625		0.79	589	3	1.01	34	1130	18	0.05	<5	182	0.36	116	<10	241
B367626		0.73	414	3	1.02	29	950	21	0.03	<5	187	0.42	108	<10	195
B367627		0.69	609	2	1.03	26	1000	18	0.02	<5	175	0.33	106	<10	103
B367628		0.77	960	3	0.88	36	980	18	0.04	<5	170	0.35	115	<10	187
B367629		0.76	777	3	0.95	32	1010	19	0.03	<5	178	0.39	106	<10	178
B367630		0.39	73	3	0.09	12	330	30	0.02	154	147	0.23	106	10	18
B367631		0.72	448	3	0.84	34	1210	18	0.04	<5	153	0.38	116	<10	157
B367632		0.80	629	3	1.06	35	1000	19	0.04	<5	192	0.36	112	<10	215
B367633		0.72	553	3	1.03	31	930	20	0.05	<5	185	0.34	101	<10	185
B367634		0.73	699	3	0.99	34	980	20	0.04	<5	177	0.35	106	<10	197
B367635		0.62	279	4	0.77	23	980	16	0.03	<5	131	0.37	118	<10	76
B367636		0.75	620	9	0.59	39	1480	48	0.10	<5	143	0.34	173	<10	164
B367637		0.97	320	10	0.53	47	1400	22	0.08	<5	130	0.32	176	<10	189
B367638		0.76	536	6	0.67	90	1240	18	0.13	<5	158	0.30	140	<10	429
B367639		0.86	689	14	0.40	78	1530	24	0.09	<5	148	0.29	214	<10	363
B367640		0.84	264	7	0.83	27	1090	17	0.04	<5	154	0.33	150	<10	100

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367641		1.00	0.007	<0.5	4.90	16	850	1.0	3	0.71	<0.5	6	51	21	2.46	1.05
B367642		0.84	<0.005	<0.5	4.95	21	910	1.0	<2	0.75	<0.5	7	50	22	2.51	1.08
B367643		0.64	0.005	<0.5	4.84	22	970	0.9	<2	0.67	<0.5	6	64	21	2.36	0.98
B367644		0.64	0.008	0.9	6.24	40	2130	1.2	<2	0.61	<0.5	6	88	38	3.63	1.30
B367645		0.94	0.011	0.5	5.91	24	1930	1.4	<2	0.94	1.6	12	81	60	3.73	1.35
B367646		0.42	0.005	1.0	4.76	12	1180	1.3	<2	1.72	4.9	11	68	117	2.99	0.89
B367647		0.56	0.005	0.9	6.10	18	1740	1.5	<2	1.14	3.5	17	98	78	3.88	1.22
B367648		0.54	0.006	0.8	4.90	19	1340	1.3	<2	1.54	2.2	17	78	63	2.97	0.94
B367649		0.56	<0.005	0.6	5.48	23	1610	1.3	<2	1.21	2.6	11	92	49	3.55	1.10
B367650		0.10	0.085	<0.5	7.06	128	630	2.6	<2	0.58	0.5	63	1215	407	9.02	2.20
B367651		0.42	0.006	<0.5	4.69	20	820	1.2	<2	1.45	0.8	8	47	26	2.03	0.99
B367652		0.40	0.007	<0.5	4.94	48	1000	1.2	<2	1.83	1.4	12	54	36	3.35	1.03
B367653		0.42	0.005	<0.5	4.58	65	900	1.1	<2	1.59	0.5	12	55	23	4.50	0.93
B367654		0.42	0.006	<0.5	4.96	61	1040	1.2	<2	1.89	1.6	15	58	40	4.33	1.04
B367655		0.42	0.008	<0.5	4.95	55	1130	1.2	<2	1.89	1.6	15	60	39	3.89	1.06
B367656		0.56	0.006	<0.5	4.54	29	860	1.1	<2	1.60	0.6	10	51	25	2.67	0.97
B367657		0.32	0.008	<0.5	4.29	13	900	1.0	<2	1.79	0.7	10	47	18	2.38	0.97
B367658		0.48	0.010	<0.5	4.46	42	940	1.1	<2	1.57	0.7	12	52	21	3.55	0.99
B367659		0.76	0.009	<0.5	4.90	29	920	1.1	<2	1.60	<0.5	9	55	21	2.81	1.16
B367660		0.48	<0.005	<0.5	4.63	23	880	1.0	<2	1.63	0.6	10	53	19	2.66	1.02
B367661		0.40	<0.005	<0.5	4.34	30	860	1.0	<2	1.55	0.8	11	50	20	2.80	0.96
B367662		0.42	0.006	<0.5	4.54	28	890	1.1	<2	1.59	0.7	10	52	20	2.82	1.02
B367663		0.50	0.014	<0.5	4.64	27	930	1.1	<2	1.65	0.8	10	50	20	3.01	1.04
B367664		0.46	<0.005	<0.5	4.61	23	850	1.1	<2	1.53	0.5	10	50	18	2.48	1.00
B367665		0.46	0.005	<0.5	4.72	36	970	1.1	<2	1.71	1.1	13	53	24	3.17	1.04
B367666		0.32	0.012	<0.5	4.85	43	1030	1.1	<2	1.80	1.5	13	54	28	3.44	1.08
B367667		0.38	0.011	<0.5	4.40	32	830	1.1	<2	1.54	0.7	11	48	20	2.68	0.98
B367668		0.46	0.007	<0.5	4.68	33	880	1.1	<2	1.57	0.7	10	54	18	2.81	1.05
B367669		0.50	0.151	<0.5	4.74	31	920	1.1	<2	1.63	0.8	10	56	24	2.92	1.08
B367670A		0.08	0.091	<0.5	6.69	105	570	2.5	<2	0.51	<0.5	57	1145	388	8.24	2.11
B367670B		0.10	0.437	2.6	9.76	10	1130	1.2	<2	1.61	<0.5	9	9	7570	3.44	3.69
B367671		0.50	0.020	<0.5	4.83	43	900	1.3	<2	1.75	0.8	14	51	33	3.06	1.17
B367672		0.30	0.020	<0.5	5.00	25	920	1.2	<2	1.55	0.5	11	56	22	2.95	1.18
B367673		0.46	0.008	<0.5	4.56	21	860	1.1	<2	1.49	<0.5	9	51	17	2.67	1.08
B367674		0.38	0.007	<0.5	4.78	36	900	1.2	<2	1.55	0.8	12	57	24	2.91	1.14
B367675		0.46	0.010	<0.5	4.84	34	920	1.2	<2	1.80	0.9	11	53	28	2.96	1.15
B367676		0.40	0.056	<0.5	4.52	16	840	1.1	<2	1.61	0.7	9	54	23	2.69	1.06
B367677		0.36	0.005	<0.5	5.42	19	980	1.4	<2	1.57	0.7	13	63	28	3.06	1.33
B367678		0.54	0.017	<0.5	5.23	34	940	1.4	<2	1.68	0.8	14	61	26	3.10	1.25
B367679		0.36	0.011	<0.5	5.19	19	920	1.3	<2	1.46	0.9	12	59	29	2.83	1.33

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367641		0.58	253	2	0.95	21	840	16	0.02	<5	146	0.31	95	10	68
B367642		0.57	255	1	0.95	25	830	17	0.01	<5	145	0.31	94	<10	70
B367643		0.56	246	4	0.74	23	910	18	0.04	<5	124	0.33	107	<10	78
B367644		1.13	374	8	0.47	34	1120	26	0.08	<5	104	0.34	141	<10	123
B367645		0.94	364	8	0.62	55	1310	21	0.09	<5	140	0.34	146	<10	223
B367646		0.60	347	6	0.43	77	1730	14	0.19	<5	142	0.21	125	<10	246
B367647		0.78	800	10	0.57	80	1510	22	0.09	5	159	0.31	176	<10	382
B367648		0.69	542	7	0.52	50	1390	18	0.18	<5	138	0.26	134	<10	205
B367649		0.81	577	9	0.54	42	1460	21	0.11	<5	145	0.29	169	<10	224
B367650		0.59	409	9	0.12	496	380	158	0.02	12	52	0.22	90	30	656
B367651		0.69	511	1	0.87	28	1120	17	0.11	<5	156	0.30	78	<10	123
B367652		0.75	1125	3	0.79	33	1240	18	0.16	<5	159	0.29	92	<10	162
B367653		0.69	1935	5	0.74	26	1210	22	0.12	<5	148	0.28	96	<10	125
B367654		0.79	1835	3	0.68	39	1230	22	0.18	<5	147	0.28	96	<10	182
B367655		0.79	4270	4	0.70	41	1230	21	0.16	<5	150	0.28	95	<10	200
B367656		0.68	1080	2	0.82	26	1130	16	0.14	<5	153	0.30	83	<10	127
B367657		0.64	1145	1	0.87	24	1040	17	0.10	<5	171	0.29	76	<10	117
B367658		0.68	2150	2	0.81	28	1160	16	0.09	<5	159	0.30	81	20	129
B367659		0.72	630	1	1.06	26	1060	18	0.03	<5	197	0.33	89	<10	98
B367660		0.68	1485	1	0.89	24	1120	17	0.08	<5	171	0.32	81	<10	112
B367661		0.64	1815	1	0.83	27	1090	16	0.08	<5	159	0.31	76	<10	118
B367662		0.66	1550	2	0.89	25	1120	20	0.07	<5	171	0.31	82	<10	116
B367663		0.68	2190	2	0.87	28	1100	16	0.08	<5	171	0.32	84	<10	125
B367664		0.68	1205	1	0.90	24	1110	13	0.08	<5	170	0.31	80	<10	111
B367665		0.71	2900	2	0.81	31	1140	16	0.10	<5	165	0.30	85	<10	162
B367666		0.74	3220	2	0.82	34	1240	15	0.11	<5	166	0.32	89	10	167
B367667		0.64	1710	2	0.84	27	1040	14	0.08	<5	164	0.30	75	<10	113
B367668		0.69	1150	1	0.89	27	1150	15	0.07	<5	173	0.36	86	10	126
B367669		0.73	1305	2	0.86	29	1100	15	0.09	<5	169	0.36	89	10	123
B367670A		0.54	377	9	0.11	462	330	144	0.02	12	50	0.22	85	30	607
B367670B		1.18	507	3	3.25	11	1990	8	0.24	<5	708	0.35	171	<10	59
B367671		0.92	1155	3	0.85	33	1090	21	0.03	<5	158	0.31	93	<10	107
B367672		0.77	871	2	0.91	29	1190	18	0.05	<5	173	0.37	95	<10	110
B367673		0.70	577	2	0.86	24	1120	17	0.04	<5	173	0.42	93	10	103
B367674		0.76	1520	4	0.85	30	1130	19	0.05	<5	165	0.34	91	<10	127
B367675		0.86	1510	2	0.86	29	1190	19	0.06	<5	171	0.31	88	10	116
B367676		0.77	1030	1	0.85	26	1170	17	0.06	<5	163	0.35	84	<10	107
B367677		0.87	953	<1	0.85	30	1100	17	0.07	<5	177	0.39	110	<10	143
B367678		0.86	1305	<1	0.93	30	1300	14	0.05	<5	191	0.43	109	<10	137
B367679		0.88	684	<1	0.90	32	1240	18	0.05	<5	176	0.36	104	<10	119

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367680		0.62	0.018	<0.5	4.66	25	860	1.1	<2	2.22	<0.5	13	60	25	2.71	1.13
B367681		0.46	0.020	<0.5	5.15	28	990	1.3	<2	1.64	0.6	15	67	27	3.17	1.22
B367682		0.44	0.013	<0.5	5.06	11	970	1.2	<2	1.64	0.5	15	65	26	3.05	1.21
B367683		0.62	0.035	<0.5	4.75	14	850	1.2	<2	2.04	<0.5	12	50	26	2.47	1.13
B367684		0.56	<0.005	<0.5	4.74	18	850	1.2	<2	2.23	0.6	12	48	27	2.53	1.16
B367685		0.64	0.013	<0.5	4.67	14	870	1.1	<2	2.10	0.6	12	58	26	2.84	1.12
B367686		0.54	0.030	<0.5	6.90	333	730	1.9	<2	1.00	0.7	21	64	30	3.24	1.65
B367687		0.54	0.029	<0.5	6.94	330	740	1.9	<2	1.06	0.7	19	61	32	3.27	1.69
B367688		0.76	0.013	<0.5	6.03	118	770	1.6	<2	0.78	<0.5	9	60	27	2.63	1.45
B367689		0.62	0.015	<0.5	6.88	277	690	1.8	<2	0.97	<0.5	17	59	29	3.30	1.70
B367690		0.08	0.092	<0.5	7.13	123	600	2.8	<2	0.53	<0.5	63	1255	418	8.59	2.26
B367691		0.44	0.012	0.8	6.29	197	680	1.8	<2	1.36	<0.5	13	57	34	2.59	1.49
B367692		0.52	0.019	<0.5	7.18	366	750	2.0	<2	1.12	0.7	21	67	37	3.46	1.86
B367693		0.46	0.022	<0.5	7.24	289	750	2.0	<2	1.12	0.7	20	66	36	3.35	1.88
B367694		0.60	0.031	<0.5	6.73	292	690	1.8	<2	0.97	<0.5	17	63	34	3.31	1.75
B367695		0.50	0.020	<0.5	7.43	304	830	2.0	<2	1.08	0.5	19	67	40	3.53	1.97
B367696		0.50	0.023	<0.5	6.63	241	770	1.8	<2	1.05	0.5	18	63	34	3.17	1.67
B367697		0.42	<0.005	<0.5	5.96	31	1200	1.1	<2	0.65	<0.5	7	70	26	2.88	1.27
B367698		0.38	0.020	<0.5	7.05	174	850	1.8	<2	0.98	<0.5	25	66	34	3.31	1.90
B367699		0.38	0.041	<0.5	7.05	188	950	1.8	<2	1.15	0.6	20	66	36	3.37	1.82
B367700		0.56	0.016	<0.5	7.52	210	1070	2.0	<2	1.13	<0.5	19	73	41	3.71	2.04
B367701		0.86	0.005	<0.5	4.83	19	720	1.0	<2	0.79	<0.5	8	62	16	2.91	1.00
B367702		0.66	0.011	<0.5	5.22	13	720	1.0	<2	0.72	<0.5	8	64	13	2.90	1.26
B367703		0.84	0.007	0.5	4.37	12	700	1.0	<2	1.25	<0.5	8	48	18	1.94	1.06
B367704		1.04	0.005	<0.5	5.76	7	890	1.4	<2	1.50	<0.5	13	69	25	2.99	1.29
B367705		0.84	<0.005	<0.5	5.83	16	1140	1.4	<2	1.52	0.5	17	69	30	2.89	1.39
B367706		0.84	<0.005	0.5	5.38	11	1180	1.3	<2	1.21	2.3	15	81	38	2.85	1.36
B367707		0.56	0.005	<0.5	5.06	16	1000	1.1	<2	1.08	1.0	13	69	28	2.54	1.15
B367708		0.64	0.005	0.6	4.76	10	980	1.1	<2	0.86	1.5	44	73	34	2.82	1.12
B367709		0.94	0.011	0.5	5.07	9	1080	1.2	<2	1.22	<0.5	24	73	30	3.64	1.06
B367710		0.10	1.475	<0.5	7.26	1320	730	6.2	<2	0.01	<0.5	7	221	41	3.87	2.86
B367711		0.64	0.005	0.6	5.28	23	1140	1.2	<2	1.20	<0.5	20	75	28	3.83	1.13
B367712		0.74	0.007	<0.5	4.90	13	1060	1.2	<2	1.46	1.2	11	67	27	2.77	1.12
B367713		0.60	<0.005	0.5	3.28	18	770	0.9	<2	1.88	3.0	14	46	39	1.92	0.72
B367714		0.92	0.005	0.7	5.46	24	1200	1.4	<2	1.18	2.3	45	74	49	4.05	1.11
B367715		0.62	<0.005	<0.5	5.38	9	1800	1.5	<2	1.05	2.2	14	97	36	4.00	1.25
B367716		0.64	<0.005	<0.5	4.28	64	1060	1.3	<2	1.33	3.4	29	61	45	8.75	0.86
B367717		0.76	0.006	<0.5	8.68	75	790	3.0	<2	0.85	<0.5	24	67	56	4.65	2.91
B367718		0.46	0.011	0.5	7.25	76	760	2.2	<2	1.96	<0.5	18	63	64	4.03	1.98
B367719		0.38	0.009	<0.5	7.69	63	900	2.1	<2	1.72	0.5	21	70	53	4.04	2.10

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367680		1.18	661	1	0.97	27	1320	15	0.04	<5	196	0.37	96	<10	97
B367681		0.92	900	1	0.97	33	1320	23	0.04	<5	197	0.44	111	10	110
B367682		0.91	852	1	0.94	33	1260	19	0.05	<5	190	0.42	109	<10	110
B367683		1.00	611	1	0.98	25	1140	17	0.04	<5	198	0.32	89	<10	93
B367684		1.08	715	1	0.96	29	1170	19	0.04	<5	201	0.33	88	<10	93
B367685		1.12	715	1	0.95	25	1360	17	0.03	<5	201	0.41	99	10	97
B367686		0.83	467	<1	0.67	38	790	25	0.09	<5	146	0.37	81	<10	155
B367687		0.85	584	<1	0.71	42	810	16	0.09	<5	156	0.38	83	<10	150
B367688		0.69	267	<1	0.78	24	950	15	0.06	<5	146	0.36	93	<10	57
B367689		0.81	525	<1	0.63	31	750	18	0.09	6	143	0.37	78	<10	124
B367690		0.60	396	9	0.12	499	360	149	0.02	15	54	0.22	98	30	643
B367691		0.69	365	<1	0.64	31	1200	17	0.14	<5	154	0.33	76	<10	88
B367692		0.85	688	1	0.68	41	910	17	0.09	<5	156	0.39	88	<10	158
B367693		0.83	610	<1	0.64	37	820	25	0.10	<5	150	0.38	85	<10	146
B367694		0.78	547	<1	0.64	29	810	26	0.08	<5	144	0.41	81	<10	108
B367695		0.83	550	<1	0.58	43	840	20	0.09	<5	145	0.39	86	<10	123
B367696		0.76	566	<1	0.64	37	770	22	0.08	<5	144	0.36	80	<10	136
B367697		0.79	260	3	0.33	12	900	12	0.09	<5	87	0.34	124	<10	62
B367698		0.80	649	<1	0.58	33	880	23	0.09	<5	126	0.38	90	<10	112
B367699		0.83	840	<1	0.60	36	880	24	0.09	6	150	0.38	89	<10	131
B367700		0.91	647	<1	0.62	37	940	21	0.08	<5	155	0.40	98	<10	142
B367701		0.61	272	1	0.90	18	1300	17	0.02	<5	146	0.42	110	<10	63
B367702		0.59	292	<1	0.76	17	830	17	0.03	<5	120	0.45	128	<10	64
B367703		0.68	253	<1	0.65	19	1220	13	0.12	<5	121	0.31	76	<10	73
B367704		0.96	316	3	0.90	35	1380	14	0.05	<5	162	0.37	110	<10	104
B367705		0.90	571	1	1.04	31	1220	17	0.04	<5	202	0.40	121	<10	116
B367706		0.93	588	3	0.67	44	1230	15	0.07	<5	141	0.36	129	<10	168
B367707		0.81	520	4	0.70	33	1080	15	0.07	<5	134	0.33	110	<10	134
B367708		0.77	1985	6	0.63	28	1120	15	0.07	<5	121	0.32	109	<10	122
B367709		0.81	1335	6	0.69	33	1100	14	0.09	<5	144	0.33	118	10	110
B367710		0.36	95	2	0.11	20	340	22	0.02	127	99	0.26	97	10	49
B367711		0.84	881	7	0.73	34	1200	15	0.08	<5	148	0.34	125	<10	124
B367712		0.82	472	3	0.84	31	1260	18	0.05	<5	162	0.35	114	10	132
B367713		0.59	1270	3	0.51	32	1160	16	0.12	<5	132	0.21	72	10	115
B367714		0.80	4200	10	0.76	44	1200	19	0.08	<5	150	0.32	128	<10	156
B367715		0.80	955	8	0.50	35	1420	20	0.07	<5	116	0.25	208	10	160
B367716		0.64	3150	15	0.58	41	1450	14	0.11	<5	134	0.22	114	<10	166
B367717		1.29	846	<1	0.43	56	460	14	0.15	<5	134	0.37	75	<10	114
B367718		1.14	603	<1	0.54	38	800	294	0.16	<5	220	0.37	81	<10	110
B367719		1.11	641	<1	0.63	43	850	17	0.13	<5	186	0.40	98	<10	137

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367720		0.46	0.011	<0.5	6.56	69	830	1.7	<2	1.67	<0.5	15	62	35	3.51	1.80
B367721		0.48	0.010	<0.5	7.14	75	860	2.0	<2	1.80	0.5	19	71	42	3.76	1.79
B367722		0.46	0.008	<0.5	7.27	74	800	1.9	<2	1.70	0.5	18	70	41	3.75	1.73
B367723		0.76	0.008	<0.5	7.16	67	830	1.9	<2	1.73	<0.5	16	72	39	3.78	1.75
B367724		0.42	0.008	<0.5	7.26	59	800	1.9	<2	1.74	<0.5	16	67	37	3.64	1.73
B367725		0.50	0.006	<0.5	6.96	59	820	1.8	<2	1.61	<0.5	18	68	31	3.55	1.65
B367726		0.38	0.008	<0.5	7.27	84	850	1.9	<2	1.80	<0.5	18	71	38	3.89	1.78
B367727		0.50	0.006	<0.5	6.97	114	820	1.8	<2	1.32	<0.5	17	67	29	3.51	1.73
B367728		0.42	0.007	<0.5	6.53	94	770	1.7	<2	1.34	0.8	15	62	29	3.30	1.65
B367729		0.56	0.007	<0.5	6.72	99	790	1.8	<2	1.44	1.0	16	61	31	3.36	1.71

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05080198

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367720		0.97	602	<1	0.62	34	790	17	0.10	<5	181	0.38	93	<10	104
B367721		1.01	633	<1	0.64	42	910	16	0.12	<5	182	0.39	101	<10	122
B367722		0.95	677	<1	0.73	35	870	14	0.09	<5	184	0.40	96	<10	110
B367723		0.95	675	<1	0.74	35	900	16	0.08	<5	191	0.41	98	<10	111
B367724		0.96	686	<1	0.70	33	900	14	0.10	<5	185	0.39	93	<10	118
B367725		0.94	746	<1	0.70	34	900	18	0.08	<5	177	0.40	94	<10	120
B367726		0.99	736	<1	0.68	38	1020	15	0.11	<5	186	0.40	98	<10	164
B367727		0.84	690	<1	0.63	34	820	10	0.09	<5	161	0.40	91	<10	103
B367728		0.78	738	<1	0.60	32	800	17	0.09	<5	156	0.38	85	<10	110
B367729		0.83	870	<1	0.60	30	840	14	0.10	<5	156	0.37	86	<10	122

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da 2-OCT-2005
Account: STRGOL

CERTIFICATE VA05078835

Project: 1735

P.O. No.:

This report is for 244 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 20-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SCR-41d	Screen to -100um, save both
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B290429		0.48	<0.005	<0.5	4.85	6	1150	1.2	<2	1.12	3.8	16	68	36	2.85	0.96
B290430		0.62	0.007	0.7	4.66	15	1140	1.0	<2	1.36	2.4	10	69	35	2.72	0.90
B290431		0.56	<0.005	0.8	3.14	30	1040	1.2	<2	2.37	24.1	49	41	97	2.39	0.51
B290432		0.64	0.007	1.0	4.72	7	1200	1.1	<2	1.57	3.1	10	69	64	2.73	0.90
B290433		0.86	0.033	0.5	5.37	21	1560	1.3	<2	1.02	1.9	13	92	41	3.59	1.06
B290434		0.98	0.008	<0.5	4.45	14	850	1.1	<2	1.14	3.7	15	57	54	5.96	0.89
B290435		1.18	<0.005	<0.5	4.18	10	760	1.0	<2	1.16	2.6	26	51	45	4.66	0.85
B290436		0.94	<0.005	<0.5	4.48	12	840	1.0	<2	1.13	2.2	11	54	36	2.87	0.90
B290437		1.10	<0.005	<0.5	4.56	18	830	1.0	<2	1.10	0.6	9	51	24	2.16	0.94
B290438		0.84	<0.005	<0.5	4.73	7	730	0.9	<2	0.78	<0.5	5	49	14	2.14	0.98
B290439		0.64	<0.005	<0.5	5.74	8	940	1.2	<2	1.03	<0.5	11	60	19	2.79	1.11
B290440		0.54	<0.005	<0.5	6.55	8	790	1.7	<2	1.51	<0.5	13	69	26	3.31	1.46
B290441		0.60	0.061	<0.5	6.13	11	850	1.4	<2	1.51	<0.5	14	67	25	3.02	1.18
B290442		0.64	0.006	<0.5	6.10	22	850	1.4	<2	1.50	<0.5	14	67	24	3.05	1.18
B290443		0.56	<0.005	<0.5	6.36	23	760	1.4	<2	1.61	<0.5	13	71	26	3.19	1.18
B290444		0.60	0.022	<0.5	5.08	<5	760	1.0	<2	1.14	<0.5	9	66	17	2.46	1.16
B290445		0.40	0.006	<0.5	5.37	15	770	1.2	<2	1.20	<0.5	24	67	22	3.08	1.11
B290446		0.44	0.008	<0.5	5.14	20	750	1.1	<2	1.24	<0.5	12	63	18	2.68	1.09
B290447		0.52	0.005	0.5	5.51	14	810	1.2	<2	1.37	0.8	19	65	26	2.92	1.10
B290448		0.58	0.028	<0.5	4.88	12	760	1.0	<2	1.44	0.6	11	64	16	2.54	1.04
B290449		1.00	0.005	<0.5	4.96	10	830	1.1	<2	1.24	<0.5	10	59	15	2.45	1.08
B290450		0.10	0.445	2.5	9.07	<5	1050	1.2	<2	1.47	<0.5	8	12	7010	3.26	3.56
B367751		0.58	0.008	<0.5	7.23	99	820	1.6	<2	1.04	2.2	12	73	29	3.62	1.56
B367752		0.88	0.026	<0.5	6.66	99	880	1.4	<2	0.98	4.2	12	77	31	3.48	1.34
B367753		0.58	0.013	0.5	8.58	82	930	1.7	<2	1.28	0.7	15	122	46	3.93	1.40
B367754		0.50	0.011	0.5	6.88	92	940	1.4	2	1.08	4.0	12	80	34	3.36	1.38
B367755		0.44	0.010	<0.5	5.85	61	970	1.2	<2	1.10	2.2	10	71	25	2.87	1.20
B367756		0.42	0.007	<0.5	5.71	59	950	1.2	<2	1.08	2.7	10	66	25	2.75	1.19
B367757		0.36	0.010	0.5	6.78	163	1020	1.5	<2	1.16	3.8	13	75	34	3.15	1.35
B367758		0.60	0.015	<0.5	6.02	284	950	1.3	<2	1.13	2.8	10	68	30	2.89	1.18
B367759		0.40	0.037	<0.5	5.94	335	930	1.3	<2	1.23	4.4	13	66	29	2.95	1.14
B367760		0.64	0.018	<0.5	5.94	286	950	1.3	<2	1.30	3.7	15	65	29	2.84	1.12
B367761		0.36	0.009	<0.5	5.96	221	960	1.3	<2	1.16	1.8	10	65	29	2.82	1.15
B367762		0.46	0.007	<0.5	5.95	207	970	1.3	<2	1.16	1.9	10	66	29	2.81	1.16
B367763		0.62	0.016	<0.5	5.63	214	970	1.2	<2	1.32	1.0	10	64	32	2.71	1.10
B367764		0.74	0.008	<0.5	5.84	128	970	1.2	<2	1.18	1.0	9	65	29	2.57	1.12
B367765		0.76	0.011	<0.5	5.81	141	930	1.2	2	1.31	1.2	9	65	34	2.74	1.12
B367766		0.58	<0.005	<0.5	5.71	126	930	1.2	<2	1.33	1.8	9	60	28	2.60	1.08
B367767		0.54	0.010	<0.5	5.78	126	960	1.1	<2	1.22	1.7	10	61	26	2.61	1.10
B367768		0.72	0.006	<0.5	5.26	55	930	1.1	<2	1.38	0.7	6	54	25	2.14	1.04

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B290429		0.68	1475	6	0.78	36	1160	17	0.07	<5	157	0.30	122	<10	179
B290430		0.68	541	6	0.63	33	1260	19	0.09	<5	142	0.29	119	10	181
B290431		0.44	6570	12	0.30	84	2000	17	0.20	<5	136	0.13	73	<10	321
B290432		0.67	599	7	0.61	46	1470	16	0.16	<5	154	0.25	124	<10	185
B290433		0.81	578	8	0.61	43	1380	22	0.06	6	142	0.30	178	<10	226
B290434		0.62	672	10	0.88	50	1170	19	0.05	7	155	0.28	94	<10	233
B290435		0.57	651	8	0.86	77	1050	17	0.07	<5	145	0.27	85	<10	252
B290436		0.60	286	4	0.93	55	1030	17	0.06	<5	157	0.30	90	<10	213
B290437		0.61	315	2	0.97	31	950	17	0.04	<5	162	0.32	83	<10	123
B290438		0.54	244	1	0.98	15	1140	14	0.01	<5	149	0.31	89	<10	51
B290439		0.73	356	2	1.08	28	1000	17	0.02	<5	174	0.37	108	<10	81
B290440		1.09	588	5	0.63	33	2010	23	0.04	<5	114	0.38	100	<10	110
B290441		0.88	519	4	0.78	34	1480	21	0.05	<5	133	0.38	102	<10	127
B290442		0.89	516	4	0.76	33	1500	24	0.05	6	131	0.38	102	<10	119
B290443		0.94	715	4	0.76	35	1650	26	0.08	<5	125	0.39	107	<10	144
B290444		0.85	410	2	0.85	21	980	19	0.05	5	128	0.40	100	<10	81
B290445		0.83	931	5	0.82	26	1180	27	0.07	<5	129	0.36	111	<10	110
B290446		0.79	556	3	0.83	25	1150	21	0.06	<5	133	0.37	99	<10	102
B290447		0.83	1015	4	0.87	28	1270	21	0.07	<5	141	0.35	99	<10	119
B290448		0.76	638	3	0.88	25	1290	17	0.04	<5	146	0.44	93	<10	90
B290449		0.75	518	3	0.87	23	1190	15	0.04	<5	139	0.37	95	<10	91
B290450		1.16	471	3	3.37	10	1940	16	0.23	<5	695	0.34	165	<10	58
B367751		0.78	730	2	0.65	32	820	61	0.05	10	140	0.43	96	10	628
B367752		0.72	750	2	0.71	32	880	131	0.05	12	139	0.42	101	<10	1175
B367753		0.62	964	2	0.41	44	950	25	0.08	8	115	0.53	130	10	176
B367754		0.70	699	2	0.68	37	980	103	0.06	8	135	0.44	108	<10	1125
B367755		0.67	646	1	0.81	32	910	37	0.04	8	145	0.43	105	<10	497
B367756		0.64	595	2	0.78	28	880	48	0.04	10	143	0.38	99	<10	544
B367757		0.69	702	2	0.70	36	970	59	0.06	10	143	0.41	107	<10	749
B367758		0.65	432	2	0.71	33	980	62	0.07	10	140	0.39	95	<10	699
B367759		0.67	616	2	0.70	37	1060	58	0.08	9	143	0.38	93	<10	718
B367760		0.66	769	1	0.74	36	1070	56	0.08	8	151	0.37	93	<10	704
B367761		0.68	522	2	0.76	32	940	49	0.07	5	149	0.37	97	10	545
B367762		0.67	523	2	0.75	32	930	50	0.07	5	147	0.37	96	<10	548
B367763		0.68	434	2	0.81	33	960	39	0.08	7	159	0.37	94	<10	441
B367764		0.68	368	2	0.82	32	890	41	0.07	5	155	0.38	97	<10	446
B367765		0.67	457	2	0.79	33	1000	41	0.08	6	152	0.37	96	<10	425
B367766		0.65	499	1	0.77	31	970	37	0.08	8	150	0.35	91	<10	451
B367767		0.67	548	2	0.80	30	940	36	0.08	<5	153	0.36	92	<10	470
B367768		0.64	255	1	0.89	26	860	24	0.09	5	169	0.33	83	<10	256

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367769		1.02	0.052	<0.5	5.84	52	1160	1.2	<2	1.28	<0.5	9	60	26	2.61	1.26
B367770		0.10	0.432	2.5	8.88	6	1030	1.1	<2	1.46	<0.5	7	12	7090	3.12	3.53
B367771		0.84	0.007	<0.5	4.81	40	910	0.9	<2	1.36	<0.5	5	47	18	1.80	1.00
B367772		1.22	0.015	<0.5	5.24	91	890	1.2	<2	1.31	1.4	14	55	25	2.63	1.16
B367773		1.46	0.013	<0.5	5.20	134	900	1.2	<2	1.32	1.4	14	55	25	2.74	1.14
B367774		1.40	0.005	<0.5	5.20	123	890	1.1	<2	1.30	0.9	13	54	24	2.66	1.18
B367775		1.20	<0.005	<0.5	5.21	39	910	1.2	<2	1.30	3.5	25	55	26	2.80	1.19
B367776		0.96	0.009	<0.5	5.24	37	900	1.2	<2	1.35	2.1	22	60	25	2.76	1.12
B367777		0.96	<0.005	<0.5	5.15	18	880	1.1	<2	1.32	2.1	17	55	24	2.40	1.12
B367778		0.50	0.005	<0.5	5.09	25	870	1.2	2	1.38	3.8	29	57	25	2.71	1.09
B367779		1.32	0.010	<0.5	5.30	43	900	1.2	<2	1.31	2.0	18	57	24	2.60	1.18
B367780		1.02	0.012	<0.5	5.03	41	860	1.0	<2	1.25	1.0	16	57	17	2.46	1.08
B367781		0.68	0.020	<0.5	5.14	24	890	1.1	<2	1.33	2.7	21	55	24	2.58	1.11
B367782		0.78	0.010	<0.5	5.25	52	910	1.2	<2	1.41	3.7	25	59	29	3.06	1.14
B367783		0.68	0.006	<0.5	5.33	36	910	1.3	<2	1.50	3.2	24	61	33	2.94	1.11
B367784		0.50	0.006	<0.5	5.36	21	910	1.2	<2	1.42	2.5	18	58	28	2.71	1.14
B367785		0.94	0.005	<0.5	5.24	27	900	1.2	<2	1.36	2.4	19	57	27	2.67	1.14
B367786		0.96	0.014	<0.5	5.99	45	890	1.3	<2	1.34	0.5	13	67	29	3.17	1.23
B367787		0.56	0.008	<0.5	5.27	64	920	1.2	<2	1.40	4.8	30	59	30	3.12	1.12
B367788		0.94	0.010	<0.5	5.62	48	970	1.6	<2	1.46	4.1	28	60	31	3.10	1.20
B367789		1.14	0.006	<0.5	5.42	51	940	1.3	<2	1.46	6.3	34	59	35	3.21	1.14
B367790		0.10	0.399	2.6	9.03	<5	1040	1.1	<2	1.46	<0.5	9	9	7070	3.06	3.46
B367791		1.24	0.006	<0.5	5.67	45	1010	1.4	<2	1.46	3.5	27	67	43	3.12	1.18
B367792		0.64	0.009	<0.5	5.70	63	1060	1.4	<2	1.64	6.0	46	68	42	3.95	1.15
B367793		0.68	0.011	<0.5	5.61	32	980	1.4	<2	1.66	4.8	32	64	40	3.22	1.12
B367794		0.88	0.008	<0.5	5.77	38	1020	1.4	<2	1.44	3.0	24	66	33	3.40	1.19
B367795		0.88	0.007	<0.5	5.50	79	1040	1.4	<2	1.42	3.7	34	64	34	3.73	1.16
B367796		0.64	0.008	<0.5	5.25	28	980	1.2	<2	1.28	1.0	16	58	24	2.59	1.08
B367797		0.78	0.009	<0.5	5.30	52	990	1.2	<2	1.32	2.0	24	65	26	2.87	1.09
B367798		0.82	0.007	<0.5	5.17	52	990	1.2	<2	1.34	2.3	27	62	26	2.96	1.06
B367799		1.46	0.008	<0.5	5.68	132	1100	1.4	<2	1.28	2.2	31	66	33	3.50	1.29
B367800		1.06	0.007	<0.5	7.74	30	930	1.8	<2	0.81	0.5	23	76	26	3.99	1.73
B367801		0.44	0.013	<0.5	6.65	54	870	1.5	<2	1.42	2.0	20	75	40	3.17	1.25
B367802		0.44	0.033	<0.5	6.99	52	850	1.6	<2	1.59	2.3	23	76	45	3.21	1.20
B367803		0.48	0.008	<0.5	6.56	39	910	1.5	<2	1.58	1.3	24	77	38	3.25	1.18
B367804		0.42	0.041	<0.5	6.60	41	860	1.7	<2	1.94	0.5	16	72	40	3.28	1.41
B367805		0.28	0.009	<0.5	7.17	31	930	1.6	<2	1.95	1.6	18	77	50	3.46	1.28
B367806		1.92	0.006	<0.5	5.43	20	780	1.2	<2	0.74	<0.5	12	65	21	3.04	1.21
B367807		0.80	0.005	<0.5	5.96	45	810	1.3	<2	0.70	<0.5	20	65	16	3.28	1.33
B367808		2.24	<0.005	<0.5	6.73	31	810	1.7	<2	0.75	<0.5	38	70	28	4.01	1.38

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B367769		0.74	381	2	1.08	27	730	23	0.03	7	200	0.36	109	<10	137
B367770		1.11	466	3	3.26	10	1870	14	0.24	<5	679	0.32	163	10	59
B367771		0.57	221	<1	0.98	18	710	21	0.12	7	178	0.31	76	<10	140
B367772		0.71	1125	1	0.91	31	970	20	0.05	<5	162	0.32	89	10	156
B367773		0.70	1215	2	0.90	39	980	24	0.06	<5	162	0.34	88	<10	184
B367774		0.70	1170	2	0.87	34	980	23	0.05	<5	158	0.34	88	10	150
B367775		0.73	1315	1	0.84	74	1040	17	0.06	<5	152	0.32	88	<10	294
B367776		0.73	984	1	0.91	58	1080	17	0.06	<5	163	0.35	92	<10	263
B367777		0.71	739	2	0.92	43	1080	18	0.06	<5	160	0.32	91	10	209
B367778		0.72	1220	2	0.90	69	1120	16	0.06	<5	162	0.33	90	<10	337
B367779		0.74	795	2	0.90	48	1080	17	0.06	<5	157	0.33	92	<10	226
B367780		0.69	692	1	0.90	31	1030	20	0.05	<5	158	0.36	90	<10	152
B367781		0.73	833	1	0.94	62	1020	17	0.06	<5	157	0.32	90	<10	284
B367782		0.73	1255	2	0.87	80	1090	19	0.07	<5	159	0.34	90	<10	370
B367783		0.77	882	3	0.86	62	1120	21	0.10	<5	154	0.32	101	10	300
B367784		0.77	718	2	0.93	53	1100	16	0.08	<5	158	0.32	99	10	265
B367785		0.74	756	2	0.90	51	1050	21	0.07	<5	155	0.32	94	<10	261
B367786		0.77	673	2	0.92	36	1130	26	0.04	8	157	0.40	102	<10	213
B367787		0.73	1765	1	0.87	87	1070	19	0.07	<5	158	0.34	92	<10	403
B367788		0.79	1595	2	0.89	87	1160	21	0.07	6	163	0.34	98	<10	370
B367789		0.76	2030	2	0.87	106	1100	21	0.08	<5	160	0.33	94	<10	433
B367790		1.14	461	4	3.20	8	1820	14	0.23	<5	660	0.33	169	<10	58
B367791		0.84	1305	2	0.89	70	1100	23	0.08	5	160	0.35	102	<10	346
B367792		0.85	2090	2	0.80	118	1120	21	0.10	<5	162	0.34	105	10	596
B367793		0.86	1170	4	0.83	81	1180	23	0.12	<5	157	0.33	107	<10	403
B367794		0.84	623	3	0.89	73	1100	20	0.11	<5	161	0.37	104	<10	370
B367795		0.81	1745	4	0.76	75	1100	13	0.08	5	144	0.33	102	10	332
B367796		0.75	518	3	0.91	33	990	17	0.07	<5	155	0.33	96	<10	172
B367797		0.77	1010	2	0.84	45	1040	19	0.07	<5	148	0.34	99	<10	237
B367798		0.75	1615	3	0.82	49	1010	18	0.06	<5	149	0.33	98	<10	252
B367799		0.82	2060	3	0.74	52	1080	21	0.07	<5	136	0.33	103	10	233
B367800		1.00	1300	2	0.61	29	910	32	0.03	8	120	0.43	104	<10	144
B367801		0.80	494	4	0.75	46	1360	61	0.08	9	132	0.40	111	<10	500
B367802		0.80	490	3	0.69	64	1440	82	0.10	10	127	0.39	109	<10	721
B367803		0.81	805	4	0.76	49	1330	49	0.07	8	130	0.42	114	10	416
B367804		1.06	667	4	0.72	42	1400	26	0.10	5	121	0.37	109	<10	182
B367805		0.94	730	3	0.68	54	1400	45	0.15	5	127	0.37	116	<10	350
B367806		0.67	498	2	0.87	23	850	22	0.02	5	130	0.35	102	<10	81
B367807		0.66	2550	2	0.72	21	1800	28	0.08	<5	112	0.34	96	10	84
B367808		1.70	3330	2	0.64	32	1170	36	0.05	<5	102	0.37	105	<10	144

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367809		1.60	<0.005	<0.5	6.53	21	830	1.5	<2	1.00	<0.5	18	65	28	3.52	1.33
B367810		0.10	0.420	2.9	9.56	<5	1140	1.2	<2	1.64	<0.5	10	9	7490	3.37	3.66
B367811		1.40	0.005	<0.5	6.82	61	770	1.8	<2	0.98	1.1	24	62	44	3.62	1.45
B367812		0.76	0.006	0.5	5.70	193	700	1.5	<2	2.03	1.2	13	56	62	2.96	1.38
B367813		1.02	0.006	<0.5	6.90	58	800	1.6	<2	0.92	0.6	17	68	28	3.37	1.54
B367814		1.02	0.021	<0.5	6.78	119	760	1.7	<2	1.20	1.6	19	63	32	3.31	1.53
B367815		1.30	0.006	<0.5	6.78	102	810	1.7	<2	1.23	1.4	19	62	32	3.44	1.59
B367816		1.04	0.005	<0.5	6.70	114	760	1.7	<2	1.15	1.2	18	62	33	3.32	1.67
B367817		1.48	0.006	<0.5	6.80	120	810	1.7	<2	1.22	0.8	16	61	32	3.47	1.59
B367818		0.78	0.019	<0.5	6.07	131	760	1.6	<2	1.88	1.2	15	52	39	2.94	1.49
B367819		1.12	0.011	<0.5	7.38	126	850	2.0	<2	1.23	0.5	18	65	35	3.61	1.74
B367820		0.96	0.016	<0.5	6.81	102	780	1.8	<2	1.18	0.6	17	60	31	3.21	1.62
B367821		0.96	0.009	<0.5	6.72	128	790	1.9	<2	1.23	1.0	17	62	34	3.32	1.62
B367822		1.26	0.010	<0.5	6.91	128	820	1.9	<2	1.22	0.9	17	61	35	3.49	1.68
B367823		0.54	0.009	<0.5	6.81	101	760	1.8	<2	1.08	<0.5	14	64	29	3.24	1.62
B367824		0.72	0.005	<0.5	5.95	19	750	1.4	<2	0.85	<0.5	12	62	17	2.91	1.33
B367825		0.54	0.006	<0.5	7.79	56	780	2.3	<2	1.46	<0.5	14	71	39	4.07	2.24
B367826		0.56	0.005	<0.5	5.16	71	2550	1.2	<2	0.61	<0.5	7	57	42	2.55	1.24
B367827		0.58	0.009	<0.5	6.11	67	750	1.5	<2	1.07	<0.5	14	58	24	2.98	1.55
B367828		0.54	0.034	1.8	5.88	328	1560	1.3	4	0.71	0.8	8	70	75	2.44	1.42
B367829		0.62	0.009	<0.5	6.43	128	860	1.6	<2	0.78	<0.5	12	62	28	3.30	1.58
B367830		0.12	1.485	<0.5	7.03	1230	680	5.8	<2	0.01	<0.5	5	205	39	3.76	2.67
B367831		0.74	0.024	1.0	6.42	387	830	1.3	<2	0.84	1.5	7	60	15	2.60	1.32
B367832		0.76	0.037	0.9	6.69	639	810	1.5	2	1.00	1.7	9	60	27	3.13	1.39
B367833		1.06	0.023	0.9	6.57	548	800	1.5	<2	0.87	0.7	9	65	20	3.04	1.38
B367834		0.80	0.034	0.9	6.53	663	810	1.7	<2	0.94	2.4	15	66	29	3.40	1.48
B367835		0.52	0.031	0.6	6.54	721	820	1.7	2	1.05	2.3	15	65	30	3.41	1.52
B367836		0.92	0.024	<0.5	7.08	572	830	1.7	<2	0.94	<0.5	13	72	33	3.68	1.60
B367837		0.78	0.037	<0.5	5.19	439	760	1.1	<2	1.06	<0.5	9	54	27	2.79	1.16
B367838		0.62	0.047	0.5	6.30	627	770	1.6	2	1.12	1.3	13	63	29	3.33	1.44
B367839		0.80	0.045	<0.5	6.79	616	750	1.9	<2	1.05	<0.5	13	66	42	3.47	1.64
B367840		1.24	0.035	<0.5	6.63	302	710	1.8	<2	0.82	<0.5	12	63	36	3.29	1.65
B367841		0.64	0.032	<0.5	6.29	449	710	1.7	<2	1.07	0.7	15	60	26	3.30	1.48
B367842		0.86	0.052	<0.5	6.79	452	750	1.7	<2	1.11	0.8	16	63	28	3.48	1.62
B367843		1.14	0.022	<0.5	6.81	432	740	1.8	<2	1.06	1.1	18	64	29	3.43	1.62
B367844		0.78	0.022	<0.5	6.52	386	740	1.8	<2	1.05	1.6	19	62	32	3.35	1.60
B367845		0.82	0.016	<0.5	6.73	395	740	1.8	<2	1.07	1.0	18	61	32	3.40	1.60
B367846		0.54	0.052	<0.5	6.97	321	770	1.8	2	1.06	0.7	15	64	33	3.29	1.66
B367847		0.66	0.029	<0.5	6.92	433	750	1.8	2	1.10	0.7	17	63	31	3.48	1.67
B367848		0.76	0.008	<0.5	5.54	82	700	1.2	<2	0.97	<0.5	12	63	19	2.81	1.20

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367809		1.51	873	1	0.81	30	830	27	0.04	<5	135	0.37	103	<10	112
B367810		1.21	512	4	3.33	7	1960	18	0.25	<5	693	0.35	180	<10	65
B367811		1.45	2110	3	0.60	40	1230	35	0.07	<5	116	0.33	89	<10	289
B367812		0.87	942	1	0.56	38	1320	28	0.21	<5	180	0.26	67	<10	106
B367813		1.25	685	3	0.73	34	960	40	0.08	<5	136	0.38	97	10	150
B367814		1.23	834	2	0.66	36	1020	34	0.11	<5	144	0.34	84	<10	199
B367815		1.06	965	2	0.68	39	1020	37	0.10	<5	146	0.34	87	<10	174
B367816		1.05	940	2	0.65	37	970	30	0.09	<5	138	0.33	82	<10	160
B367817		1.01	927	2	0.69	36	950	32	0.09	<5	148	0.32	82	<10	148
B367818		0.85	811	2	0.62	34	970	24	0.15	6	176	0.30	72	<10	118
B367819		1.02	593	1	0.69	42	890	25	0.10	<5	162	0.37	85	<10	142
B367820		0.94	611	2	0.67	34	870	23	0.11	<5	157	0.35	81	<10	129
B367821		0.93	750	2	0.68	35	890	31	0.10	<5	156	0.34	79	<10	140
B367822		0.96	760	1	0.67	40	880	26	0.09	5	152	0.33	83	<10	144
B367823		0.93	500	1	0.69	31	900	28	0.10	<5	147	0.38	81	<10	113
B367824		0.75	466	2	0.78	21	750	11	0.04	<5	134	0.40	91	<10	75
B367825		1.01	594	1	0.61	41	710	12	0.06	<5	154	0.39	91	<10	104
B367826		0.52	487	3	0.62	24	690	13	0.04	6	112	0.40	116	<10	55
B367827		0.77	513	1	0.66	32	840	22	0.07	<5	142	0.37	80	<10	105
B367828		0.54	261	2	0.54	37	1250	11	0.11	<5	126	0.35	110	<10	56
B367829		0.83	487	1	0.67	32	970	21	0.07	<5	121	0.36	85	<10	101
B367830		0.33	91	2	0.11	21	310	25	0.01	111	92	0.27	91	10	46
B367831		0.56	781	<1	0.71	23	950	38	0.06	7	124	0.35	84	<10	183
B367832		0.71	583	<1	0.76	32	980	63	0.06	8	129	0.38	85	<10	325
B367833		0.68	579	<1	0.76	28	950	38	0.06	5	129	0.38	85	<10	241
B367834		0.72	1105	<1	0.71	42	990	42	0.07	7	128	0.37	86	<10	291
B367835		0.72	988	1	0.77	39	1010	42	0.07	6	141	0.39	91	<10	281
B367836		0.94	371	1	0.88	34	880	33	0.05	9	154	0.39	106	<10	119
B367837		0.66	414	1	0.97	25	810	42	0.02	9	168	0.35	91	<10	88
B367838		0.73	704	<1	0.79	35	910	36	0.07	8	149	0.39	87	<10	202
B367839		0.72	343	<1	0.71	39	1010	25	0.12	5	169	0.38	86	<10	110
B367840		0.78	353	<1	0.69	39	700	14	0.08	<5	143	0.39	88	<10	79
B367841		0.77	619	<1	0.75	34	800	28	0.08	5	145	0.39	82	<10	146
B367842		0.83	736	<1	0.78	35	810	27	0.09	<5	153	0.40	85	<10	149
B367843		0.83	647	<1	0.78	40	750	25	0.08	<5	150	0.40	84	10	172
B367844		0.79	770	1	0.70	41	790	23	0.07	<5	141	0.37	80	<10	165
B367845		0.79	638	1	0.74	40	790	19	0.08	<5	149	0.38	84	<10	156
B367846		0.84	508	<1	0.75	38	780	23	0.10	<5	149	0.39	86	<10	142
B367847		0.82	627	<1	0.75	42	790	24	0.09	<5	152	0.39	87	<10	148
B367848		0.66	483	1	0.88	26	710	12	0.03	<5	152	0.41	91	<10	77

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367849		0.84	0.005	<0.5	6.00	83	700	1.5	<2	0.99	<0.5	15	60	21	3.20	1.24
B367850		0.10	2.87	<0.5	7.41	2020	690	12.7	<2	0.01	<0.5	1	140	99	3.30	3.06
B367851		1.00	0.010	<0.5	6.04	98	680	1.4	<2	0.89	<0.5	9	59	24	3.24	1.30
B367852		0.98	0.011	<0.5	6.03	169	740	1.5	<2	0.94	0.5	15	62	20	3.25	1.32
B367853		1.06	0.008	<0.5	5.61	162	720	1.3	<2	0.83	<0.5	9	57	19	2.85	1.26
B367854		0.98	0.008	<0.5	6.17	239	780	1.4	<2	0.84	<0.5	10	69	19	3.08	1.40
B367855		0.68	0.010	<0.5	5.16	21	760	1.0	<2	0.70	<0.5	7	59	16	2.65	1.12
B367856		0.66	<0.005	<0.5	4.77	43	720	1.1	<2	0.86	<0.5	15	57	14	2.67	1.00
B367857		0.96	<0.005	<0.5	5.28	40	740	1.2	<2	0.86	<0.5	12	56	16	2.46	1.12
B367858		0.64	0.006	<0.5	5.95	55	780	1.4	<2	0.91	<0.5	14	66	19	3.02	1.23
B367859		1.12	<0.005	<0.5	6.28	78	810	1.3	<2	0.92	<0.5	9	65	13	3.02	1.38
B367860		0.84	<0.005	<0.5	8.10	84	760	2.1	<2	0.86	<0.5	11	64	23	3.74	2.64
B367861		0.96	<0.005	<0.5	6.01	59	760	1.4	<2	1.16	<0.5	9	57	20	2.78	1.44
B367862		0.70	<0.005	<0.5	6.06	53	770	1.4	<2	1.08	0.5	10	60	19	2.81	1.47
B367863		0.58	<0.005	<0.5	5.80	37	780	1.3	<2	1.07	<0.5	8	59	16	2.77	1.39
B367864		1.08	0.008	<0.5	6.59	94	870	1.4	<2	1.06	<0.5	11	63	23	3.26	1.66
B367865		0.58	0.005	<0.5	5.71	118	750	1.3	<2	1.09	0.5	9	57	20	2.82	1.41
B367866		0.90	0.009	<0.5	6.55	143	840	1.5	<2	1.18	0.7	11	63	25	3.21	1.70
B367867		1.08	0.010	<0.5	6.82	109	760	1.8	<2	1.18	<0.5	15	47	32	3.40	1.91
B367868		0.94	<0.005	<0.5	5.64	48	700	1.3	<2	1.16	<0.5	10	51	23	2.70	1.40
B367869		0.74	0.014	0.5	6.71	113	890	1.6	<2	1.34	0.8	12	66	31	3.26	1.68
B367870		0.08	0.092	0.6	7.08	118	570	2.6	<2	0.52	<0.5	55	1190	396	8.52	2.17
B367871		0.86	0.009	<0.5	6.05	84	790	1.4	<2	1.26	0.5	10	60	25	2.91	1.49
B367872		0.68	0.021	<0.5	5.69	71	760	1.3	<2	1.24	<0.5	9	55	21	2.71	1.39
B367873		0.40	0.014	<0.5	6.26	101	840	1.5	<2	1.64	0.6	12	63	30	3.15	1.54
B367874		0.78	0.009	<0.5	6.21	142	820	1.4	<2	1.44	<0.5	12	59	26	3.06	1.52
B367875		0.92	0.010	<0.5	6.00	93	800	1.4	<2	1.36	0.5	11	59	25	2.97	1.45
B367876		1.16	<0.005	<0.5	5.83	68	890	1.4	<2	1.69	<0.5	13	52	34	3.15	1.36
B367877		0.78	<0.005	<0.5	4.57	54	730	1.1	<2	1.31	<0.5	10	41	22	2.25	1.10
B367878		0.64	0.007	<0.5	5.32	68	740	1.2	<2	1.32	<0.5	9	50	20	2.56	1.24
B367879		1.02	<0.005	<0.5	4.55	40	710	1.0	<2	1.17	<0.5	7	45	12	2.20	1.06
B367880		0.84	0.005	<0.5	5.77	973	810	1.5	<2	1.31	0.6	15	60	28	6.55	1.45
B367881		1.10	0.010	<0.5	5.05	76	800	1.0	<2	1.20	<0.5	9	56	15	2.41	1.10
B367882		0.88	0.011	<0.5	5.06	70	810	1.1	<2	1.20	<0.5	9	55	15	2.41	1.12
B367883		1.16	<0.005	<0.5	5.62	18	870	1.2	<2	1.24	<0.5	9	53	15	2.53	1.32
B367884		0.90	0.007	<0.5	5.36	24	790	1.1	<2	1.10	<0.5	8	55	12	2.25	1.24
B367885		0.56	<0.005	<0.5	5.18	16	750	1.1	<2	1.02	<0.5	8	48	11	2.11	1.24
B367886		0.58	0.007	<0.5	5.60	141	910	1.2	<2	1.28	0.6	13	60	24	2.84	1.24
B367887		0.92	0.012	<0.5	5.03	97	820	1.2	<2	1.18	<0.5	11	53	20	2.46	1.08
B367888		0.84	0.008	<0.5	4.99	137	840	1.1	<2	1.18	0.5	12	55	22	2.62	1.14

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B367849		0.67	904	1	0.79	29	790	16	0.05	<5	144	0.37	86	<10	115
B367850		0.34	67	2	0.09	11	310	28	0.02	142	139	0.21	100	10	17
B367851		0.79	562	1	0.78	28	610	14	0.04	<5	138	0.39	89	<10	84
B367852		0.71	1170	1	0.78	31	880	23	0.04	8	141	0.38	93	<10	144
B367853		0.62	493	1	0.87	27	970	16	0.04	<5	137	0.36	88	<10	101
B367854		0.67	443	1	0.89	28	1000	28	0.04	<5	139	0.40	101	<10	104
B367855		0.62	276	1	0.88	23	1100	16	0.04	<5	133	0.38	101	<10	68
B367856		0.56	972	2	0.83	21	910	14	0.03	<5	130	0.37	88	<10	86
B367857		0.61	354	1	0.92	24	890	17	0.05	<5	146	0.36	91	<10	84
B367858		0.69	786	1	0.89	31	1020	19	0.05	<5	151	0.38	91	<10	103
B367859		0.69	455	1	0.92	25	790	31	0.03	<5	156	0.42	95	<10	109
B367860		0.69	535	<1	0.81	31	760	34	0.06	<5	114	0.41	69	<10	124
B367861		0.62	498	1	0.80	27	1050	27	0.08	<5	147	0.35	80	<10	120
B367862		0.63	528	1	0.79	28	1060	26	0.07	<5	141	0.35	81	<10	125
B367863		0.63	502	<1	0.82	24	980	21	0.07	<5	141	0.35	84	<10	117
B367864		0.84	516	1	0.87	29	750	13	0.05	<5	166	0.37	91	<10	91
B367865		0.77	544	<1	0.87	27	600	22	0.04	<5	160	0.38	86	<10	103
B367866		0.88	513	1	0.85	31	610	22	0.06	<5	170	0.35	93	<10	129
B367867		0.89	503	1	1.02	39	620	21	0.02	<5	276	0.32	82	<10	103
B367868		0.93	557	1	0.78	27	500	16	0.04	<5	153	0.36	78	<10	84
B367869		0.97	592	1	0.84	34	740	52	0.07	11	181	0.37	99	<10	207
B367870		0.56	387	8	0.12	483	350	154	0.02	15	53	0.24	90	30	616
B367871		0.85	572	<1	0.85	29	560	24	0.05	6	172	0.37	86	<10	118
B367872		0.79	566	<1	0.82	24	530	24	0.04	<5	176	0.37	81	<10	106
B367873		0.95	628	1	0.71	33	710	27	0.07	6	187	0.37	94	<10	144
B367874		0.95	571	1	0.81	30	670	26	0.05	5	194	0.37	90	<10	128
B367875		0.89	541	1	0.80	32	630	25	0.05	5	182	0.38	89	<10	139
B367876		1.23	471	<1	0.79	32	710	12	0.03	<5	216	0.31	91	<10	75
B367877		0.75	385	1	0.82	24	670	11	0.02	<5	185	0.27	72	<10	62
B367878		0.78	514	<1	0.83	26	650	19	0.05	<5	184	0.35	78	<10	86
B367879		0.64	358	<1	0.87	20	700	13	0.02	<5	175	0.39	72	<10	63
B367880		0.84	797	2	0.75	34	1130	30	0.03	6	163	0.35	95	<10	165
B367881		0.66	521	1	0.88	24	930	17	0.03	<5	163	0.37	87	<10	111
B367882		0.66	522	1	0.89	24	930	15	0.03	<5	161	0.38	87	<10	111
B367883		0.76	439	<1	0.98	25	560	13	0.03	<5	193	0.35	85	<10	77
B367884		0.68	397	<1	0.89	24	730	15	0.03	<5	168	0.37	86	<10	93
B367885		0.62	302	<1	0.96	22	540	13	0.03	<5	173	0.34	81	<10	69
B367886		0.74	777	1	0.89	35	950	19	0.06	<5	165	0.35	98	<10	164
B367887		0.67	468	1	0.86	28	910	20	0.05	<5	155	0.33	85	<10	108
B367888		0.66	860	1	0.82	30	960	21	0.04	<5	149	0.35	88	<10	129

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367889		0.94	0.006	<0.5	5.03	124	820	1.1	2	1.22	0.6	11	54	21	2.53	1.12
B367890		0.10	1.430	<0.5	7.00	1215	670	5.7	<2	0.01	<0.5	5	210	39	3.69	2.64
B367919		0.56	0.014	<0.5	5.97	138	810	1.5	<2	1.16	0.5	14	59	33	2.99	1.44
B367920		0.38	0.014	<0.5	5.74	190	900	1.4	<2	1.32	1.3	14	54	40	3.06	1.63
B367921		0.56	0.017	<0.5	6.99	204	1250	1.6	<2	0.79	0.5	15	68	39	3.40	2.28
B367922		0.40	0.012	<0.5	6.32	162	910	1.6	<2	1.24	<0.5	16	66	41	3.35	1.60
B367923		0.28	0.015	<0.5	6.42	171	920	1.6	<2	1.19	<0.5	14	67	40	3.39	1.65
B367924		0.38	0.009	<0.5	5.47	76	790	1.3	<2	1.34	<0.5	10	59	29	2.52	1.24
B367925		0.44	0.010	<0.5	6.27	175	990	1.5	<2	1.12	0.6	13	63	40	3.31	1.76
B367926		0.56	0.074	<0.5	5.56	92	850	1.3	<2	1.22	<0.5	12	58	30	2.81	1.32
B367927		0.42	0.005	<0.5	5.73	208	750	1.5	<2	0.99	<0.5	13	57	21	3.00	1.14
B367928		0.40	0.010	<0.5	5.56	70	700	1.2	<2	0.81	<0.5	7	59	16	2.60	1.20
B367929		0.50	0.008	<0.5	6.42	55	760	1.4	<2	0.71	<0.5	11	62	15	2.87	1.62
B367930		0.08	1.445	<0.5	6.61	1165	680	5.5	<2	0.01	<0.5	5	199	35	3.48	2.57
B367931		0.64	0.011	<0.5	6.12	78	730	1.6	<2	1.18	0.6	16	58	20	3.04	1.45
B367932		0.30	0.013	<0.5	7.31	53	740	1.5	<2	1.02	0.7	21	85	18	2.87	1.39
B367933		0.34	0.017	<0.5	8.40	109	990	1.9	<2	0.73	0.6	20	67	21	3.86	2.76
B367934		0.48	0.008	<0.5	6.61	67	890	1.5	<2	1.20	0.7	18	71	20	2.97	1.40
B367935		0.50	0.032	<0.5	6.09	83	720	1.5	<2	1.24	0.7	21	62	20	2.87	1.28
B367936		0.68	0.014	<0.5	5.82	105	850	1.3	<2	1.18	0.5	17	66	20	2.80	1.25
B367937		0.58	0.005	<0.5	6.19	100	810	1.5	<2	1.16	<0.5	13	61	20	3.02	1.40
B367938		0.30	0.079	<0.5	6.18	86	750	1.6	<2	1.20	1.1	25	60	28	2.83	1.30
B367939		0.30	0.010	<0.5	5.96	94	750	1.4	<2	1.21	<0.5	16	58	21	2.85	1.34
B367940		0.30	0.011	<0.5	5.88	110	960	1.2	<2	0.96	0.5	9	64	28	2.85	1.12
B367941		0.36	0.011	<0.5	5.59	48	800	1.2	<2	1.08	0.5	13	62	23	2.81	1.12
B367942		0.48	0.041	<0.5	6.07	53	900	1.3	<2	1.14	<0.5	14	62	23	2.90	1.23
B367943		0.36	0.011	<0.5	6.27	74	810	1.5	<2	1.32	1.0	17	61	27	3.00	1.31
B367944		0.46	0.008	<0.5	6.11	78	820	1.5	<2	1.40	1.0	19	61	29	2.90	1.29
B367945		0.44	0.008	<0.5	6.01	53	850	1.4	<2	1.26	0.9	21	65	34	2.75	1.14
B367946		0.36	<0.005	0.7	7.13	38	620	1.4	<2	1.86	0.5	17	80	102	3.45	1.12
B367947		0.42	0.011	0.5	6.90	73	780	1.6	<2	1.60	2.4	28	76	85	3.65	1.25
B367948		0.54	0.006	<0.5	6.88	52	810	1.5	<2	1.58	0.7	22	72	44	3.34	1.28
B367949		0.70	0.006	<0.5	6.25	54	830	1.4	<2	1.36	0.9	19	67	39	3.02	1.18
B367950		0.08	4.51	8.3	7.61	11	450	0.8	<2	2.69	1.2	17	19	114	3.92	2.19
B367951		0.54	0.007	<0.5	5.53	7	990	1.2	<2	1.06	<0.5	8	58	25	2.31	1.18
B367952		0.44	<0.005	<0.5	5.67	11	1060	1.1	<2	1.04	<0.5	9	62	21	2.29	1.20
B367953		0.84	<0.005	<0.5	4.87	8	870	1.1	<2	1.16	1.3	11	54	27	2.17	1.04
B367954		0.66	<0.005	<0.5	4.98	17	900	1.1	<2	1.17	1.7	18	57	26	2.50	1.09
B367955		1.06	<0.005	<0.5	4.69	16	830	1.0	<2	1.04	0.7	11	51	21	2.15	1.02
B367956		0.58	0.009	<0.5	5.11	17	920	1.2	<2	1.14	1.5	16	57	28	2.53	1.11

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B367889		0.66	595	1	0.83	29	920	21	0.04	5	154	0.34	86	<10	124
B367890		0.32	89	2	0.11	21	310	26	0.01	109	92	0.23	89	10	46
B367919		0.76	503	1	0.63	34	880	23	0.08	7	132	0.34	81	<10	121
B367920		0.67	752	1	0.44	34	840	27	0.12	6	116	0.28	75	10	127
B367921		0.76	761	1	0.49	39	730	23	0.05	5	100	0.33	93	<10	119
B367922		0.80	594	1	0.57	39	960	26	0.12	<5	125	0.35	91	<10	127
B367923		0.81	559	2	0.58	40	950	26	0.11	<5	124	0.36	94	<10	129
B367924		0.73	363	1	0.72	29	920	20	0.11	<5	143	0.33	87	<10	107
B367925		0.84	647	1	0.59	36	850	25	0.07	5	111	0.33	96	<10	144
B367926		0.80	489	1	0.75	28	940	25	0.07	<5	131	0.36	86	10	112
B367927		0.72	1060	1	0.87	25	1030	12	0.07	<5	145	0.35	89	<10	101
B367928		0.70	313	<1	0.93	23	880	15	0.05	<5	150	0.38	89	<10	81
B367929		0.75	429	<1	0.83	26	640	18	0.03	<5	132	0.38	89	<10	99
B367930		0.33	83	2	0.11	18	290	25	0.01	105	86	0.22	85	10	44
B367931		0.74	700	<1	0.81	29	870	17	0.06	<5	144	0.36	81	<10	137
B367932		0.67	686	<1	0.75	27	820	40	0.05	5	141	0.44	98	10	151
B367933		0.75	1080	<1	0.68	32	580	34	0.02	8	118	0.39	87	<10	155
B367934		0.72	645	<1	0.81	30	900	31	0.07	<5	149	0.40	89	10	144
B367935		0.69	761	<1	0.80	28	970	31	0.08	<5	149	0.39	82	<10	145
B367936		0.63	803	<1	0.85	29	1110	43	0.06	<5	158	0.39	96	<10	121
B367937		0.77	423	<1	0.91	29	940	19	0.06	<5	156	0.41	92	<10	95
B367938		0.66	799	<1	0.77	71	1070	24	0.07	<5	150	0.36	84	<10	335
B367939		0.71	641	<1	0.85	30	890	18	0.08	<5	154	0.37	87	<10	115
B367940		0.70	347	2	0.73	37	1070	11	0.09	<5	131	0.36	120	<10	142
B367941		0.65	413	1	0.84	40	740	15	0.05	<5	138	0.39	99	<10	174
B367942		0.70	375	<1	0.86	40	820	20	0.06	<5	145	0.40	99	10	178
B367943		0.69	750	<1	0.76	63	970	20	0.08	<5	147	0.38	91	<10	339
B367944		0.66	834	<1	0.72	60	990	27	0.09	5	145	0.35	89	<10	301
B367945		0.72	615	<1	0.78	56	910	30	0.07	<5	132	0.37	98	<10	394
B367946		1.06	432	1	0.87	49	1560	22	0.06	<5	120	0.43	126	<10	161
B367947		0.89	1110	1	0.74	73	1270	32	0.08	<5	124	0.37	116	<10	492
B367948		0.91	445	<1	0.81	53	1570	25	0.08	6	130	0.42	113	<10	415
B367949		0.79	782	1	0.83	43	1120	41	0.07	<5	134	0.40	108	<10	363
B367950		1.30	904	11	1.57	10	870	23	0.62	<5	392	0.36	145	<10	96
B367951		0.82	321	1	0.95	25	930	15	0.07	<5	152	0.34	102	<10	116
B367952		0.82	321	<1	0.97	27	980	17	0.08	<5	158	0.35	106	<10	122
B367953		0.69	314	<1	0.97	41	990	12	0.05	<5	162	0.34	94	<10	180
B367954		0.72	774	<1	0.94	38	1000	16	0.07	<5	154	0.34	94	<10	183
B367955		0.67	414	<1	0.92	29	910	12	0.05	<5	151	0.32	85	<10	131
B367956		0.75	680	<1	0.88	39	960	16	0.08	<5	152	0.32	94	<10	183

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B367957		0.72	<0.005	<0.5	4.76	12	870	1.0	<2	1.04	0.5	9	53	17	2.05	1.04
B367958		0.80	0.009	<0.5	5.01	19	920	1.1	<2	1.20	1.0	16	58	21	2.52	1.08
B367959		0.80	<0.005	<0.5	4.94	19	900	1.1	<2	1.22	2.0	24	53	23	2.57	1.07
B367960		0.74	<0.005	<0.5	5.00	21	870	1.1	<2	1.22	1.4	17	56	21	2.46	1.08
B367961		0.76	<0.005	<0.5	4.75	24	850	1.0	<2	1.24	1.5	15	58	21	2.45	1.01
B367962		1.02	<0.005	<0.5	4.57	26	790	1.0	<2	1.16	0.7	12	52	21	2.12	0.98
B367963		0.78	<0.005	<0.5	4.62	24	800	1.0	<2	1.15	0.8	14	53	21	2.17	0.98
B367964		0.72	<0.005	<0.5	4.86	50	860	1.1	<2	1.30	2.0	22	56	23	2.74	1.04
B367965		0.54	0.006	<0.5	4.78	56	870	1.1	<2	1.32	2.7	31	60	25	2.99	1.02
B367966		1.22	0.010	<0.5	4.78	39	840	1.0	<2	1.23	1.2	16	56	21	2.44	1.03
B367967		0.88	0.009	<0.5	6.86	20	730	1.2	<2	0.54	<0.5	6	67	15	2.73	1.46
B367968		0.90	0.009	<0.5	7.14	43	820	1.5	<2	0.73	<0.5	12	69	23	3.51	1.59
B367969		1.12	0.017	<0.5	6.65	48	800	1.5	<2	0.90	1.1	11	66	25	3.31	1.44
B367970		0.08	0.442	2.7	9.38	13	1080	1.2	<2	1.51	<0.5	8	11	7460	3.35	3.68
B367971		1.04	0.010	<0.5	7.15	47	850	1.6	<2	1.22	1.3	14	71	35	3.52	1.59
B367972		0.94	0.009	<0.5	8.24	81	970	1.9	<2	1.42	0.5	17	81	45	4.20	2.08
B367973		0.86	0.010	<0.5	7.53	60	860	1.7	<2	1.56	0.8	15	70	45	3.73	1.69
B367974		1.76	0.011	<0.5	7.52	60	900	1.8	<2	1.54	0.9	17	72	46	3.82	1.90
B367975		1.12	0.008	<0.5	6.69	40	790	1.6	<2	1.44	0.7	15	66	33	3.49	1.50
B367976		1.18	0.008	<0.5	6.59	51	780	1.6	<2	1.75	1.5	15	61	43	3.39	1.48
B367977		1.60	0.007	<0.5	6.18	43	760	1.4	<2	1.62	1.9	13	59	36	3.22	1.45
B367978		1.00	0.012	<0.5	6.70	50	780	1.5	<2	1.34	1.2	13	64	30	3.38	1.46
B367979		1.08	0.008	<0.5	6.95	72	810	1.7	<2	1.48	1.0	14	65	32	3.56	1.58
B367980		1.68	0.008	<0.5	6.85	101	840	1.7	<2	1.43	1.1	12	63	36	3.53	1.78
B367981		1.44	0.013	<0.5	6.87	72	960	1.6	<2	1.55	2.7	13	64	38	3.50	1.62
B367982		1.96	0.009	<0.5	6.87	80	970	1.7	<2	1.51	2.6	14	66	43	3.51	1.72
B367983		1.50	0.006	<0.5	5.90	60	840	1.4	<2	1.40	1.3	12	58	32	3.04	1.40
B367984		1.30	0.145	<0.5	6.76	56	860	1.7	<2	1.60	2.1	13	66	33	3.48	1.54
B367985		1.74	0.049	<0.5	7.00	94	900	1.7	<2	1.52	1.1	12	66	33	3.67	1.67
B367986		1.42	0.008	<0.5	6.27	98	870	1.5	<2	1.53	2.2	12	60	37	3.11	1.50
B367987		1.52	0.008	<0.5	6.19	94	880	1.5	<2	1.56	2.2	12	57	38	3.10	1.46
B367988		1.66	0.013	<0.5	6.98	118	910	1.7	<2	1.64	1.0	13	67	35	3.52	1.60
B367989		2.20	0.021	<0.5	6.77	181	970	1.6	<2	1.52	1.0	12	59	34	3.27	1.97
B367990		0.10	0.435	2.7	9.34	<5	1060	1.2	<2	1.52	<0.5	7	10	7510	3.32	3.69
B367991		1.40	0.091	<0.5	6.35	115	890	1.5	<2	1.60	1.4	13	59	37	3.06	1.54
B367992		1.46	0.030	<0.5	6.13	162	860	1.5	<2	1.92	2.6	12	58	41	3.01	1.50
B367993		0.92	0.021	<0.5	9.59	1180	860	2.7	<2	0.72	<0.5	13	80	57	4.86	3.12
B367994		0.66	0.021	<0.5	7.86	575	790	1.9	<2	0.53	<0.5	13	70	35	3.98	2.07
B367995		1.04	0.020	<0.5	8.23	773	940	2.3	3	1.02	<0.5	15	71	41	4.57	2.18
B367996		0.52	0.014	<0.5	4.87	366	560	1.3	<2	1.86	1.8	11	43	34	2.60	1.30

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B367957		0.68	285	1	0.93	24	930	13	0.04	<5	153	0.33	88	<10	119
B367958		0.73	743	1	0.92	36	970	15	0.05	<5	157	0.35	94	<10	184
B367959		0.71	908	1	0.92	43	1020	13	0.05	<5	160	0.34	93	<10	221
B367960		0.72	835	1	0.94	38	1030	16	0.05	<5	160	0.34	96	<10	192
B367961		0.65	770	1	0.87	42	980	12	0.05	<5	157	0.36	90	<10	188
B367962		0.61	338	1	0.87	35	930	13	0.04	<5	153	0.34	85	<10	150
B367963		0.61	363	<1	0.86	36	930	14	0.04	<5	152	0.33	85	<10	147
B367964		0.65	917	1	0.87	57	990	12	0.06	<5	157	0.35	92	<10	270
B367965		0.65	1325	1	0.82	71	990	12	0.06	<5	153	0.35	93	<10	326
B367966		0.64	671	1	0.88	43	970	16	0.05	<5	153	0.36	89	<10	177
B367967		0.57	245	<1	0.75	20	790	22	0.03	<5	120	0.41	96	10	67
B367968		0.65	683	1	0.71	28	870	68	0.04	10	131	0.41	101	10	168
B367969		0.64	651	2	0.71	37	920	57	0.05	11	135	0.38	100	10	353
B367970		1.14	503	3	3.30	13	1960	10	0.24	<5	699	0.34	178	<10	59
B367971		0.75	835	2	0.71	37	1050	46	0.08	6	149	0.40	106	10	289
B367972		0.99	719	1	0.73	47	890	32	0.08	<5	169	0.43	121	10	181
B367973		0.87	669	1	0.72	47	1060	29	0.10	<5	165	0.39	106	10	185
B367974		0.82	855	2	0.68	45	980	31	0.09	<5	160	0.38	104	<10	184
B367975		0.81	585	1	0.80	38	870	28	0.07	<5	164	0.39	95	<10	156
B367976		0.72	924	1	0.62	40	1010	38	0.11	<5	152	0.34	93	<10	212
B367977		0.71	715	1	0.66	35	1000	38	0.10	<5	153	0.34	91	<10	373
B367978		0.77	544	1	0.78	37	820	40	0.07	<5	160	0.38	98	10	346
B367979		0.83	665	1	0.73	37	880	24	0.08	6	165	0.39	94	10	208
B367980		0.82	621	1	0.61	36	810	24	0.08	<5	156	0.37	89	<10	236
B367981		0.80	699	2	0.66	40	980	26	0.10	<5	166	0.38	103	<10	285
B367982		0.78	697	2	0.64	41	970	33	0.09	<5	163	0.38	108	10	311
B367983		0.72	647	1	0.82	40	900	18	0.06	<5	175	0.36	90	<10	207
B367984		0.82	486	1	0.72	44	860	26	0.11	<5	176	0.39	90	<10	371
B367985		0.88	574	1	0.74	41	860	24	0.09	<5	180	0.39	99	10	212
B367986		0.77	527	1	0.69	42	900	22	0.09	<5	167	0.35	90	<10	256
B367987		0.76	555	1	0.68	41	840	21	0.08	<5	166	0.34	90	<10	252
B367988		0.85	671	1	0.72	40	880	26	0.10	<5	178	0.38	99	10	183
B367989		0.75	751	1	0.58	39	750	20	0.09	<5	162	0.32	87	<10	164
B367990		1.13	497	2	3.35	12	1960	11	0.24	<5	716	0.34	175	<10	59
B367991		0.77	588	1	0.68	38	840	21	0.09	<5	176	0.35	88	<10	183
B367992		0.72	551	1	0.57	42	1040	23	0.16	<5	170	0.32	83	10	198
B367993		1.57	452	1	0.41	43	720	13	0.10	<5	111	0.41	98	<10	93
B367994		0.93	976	1	0.53	28	960	13	0.11	<5	118	0.39	92	<10	89
B367995		1.18	815	2	0.56	46	790	32	0.06	<5	149	0.40	107	<10	150
B367996		0.66	1010	1	0.38	25	1050	16	0.15	<5	132	0.24	57	<10	133

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367997		0.90	0.023	<0.5	6.16	369	740	1.7	<2	1.66	1.4	11	50	31	3.15	1.70
B367998		1.04	0.010	<0.5	6.80	331	830	2.1	<2	1.36	0.5	14	62	43	3.71	1.84
B367999		0.98	0.011	<0.5	6.96	285	770	1.9	<2	1.66	0.6	13	64	38	3.72	1.78
B368000		0.96	0.015	<0.5	6.73	176	740	1.7	<2	1.60	<0.5	12	60	34	3.47	1.78

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 12-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05078835

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367997		0.79	813	1	0.44	28	920	24	0.12	<5	143	0.28	67	<10	213
B367998		0.93	577	1	0.53	35	1020	17	0.15	<5	154	0.35	80	10	126
B367999		0.94	802	1	0.53	35	890	21	0.11	<5	164	0.36	81	<10	154
B368000		0.86	576	<1	0.45	32	830	18	0.16	5	147	0.34	71	10	116

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized [illegible]-OCT-2005
Account: STRGOL

CERTIFICATE VA05082982

Project: 1735

P.O. No.:

This report is for 27 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 27-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
DRY-21	High Temperature Drying
LOG-24	Pulp Login - Rcd w/o Barcode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05082982

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B627551		0.70	0.029	<0.5	6.25	68	840	1.4	<2	0.80	<0.5	16	64	25	3.06	1.63
B627552		0.50	0.059	<0.5	6.34	73	900	1.4	<2	0.83	<0.5	20	67	20	2.88	1.61
B627553		0.52	0.014	<0.5	5.79	194	930	1.7	<2	1.57	0.5	10	57	17	2.64	1.43
B627554		0.62	0.023	<0.5	5.63	278	850	1.5	<2	1.46	0.9	11	67	17	2.66	1.22
B627555		0.60	0.495	0.5	5.91	270	880	1.6	<2	1.41	1.3	10	59	15	2.61	1.37
B627556		0.70	0.092	<0.5	5.96	361	900	1.7	<2	1.52	1.0	10	63	20	2.75	1.35
B627557		0.72	0.162	<0.5	5.83	299	870	1.6	<2	1.43	0.9	10	66	17	2.64	1.31
B627558		0.62	0.033	<0.5	5.95	410	920	1.5	<2	1.41	1.2	11	66	20	2.82	1.34
B627559		0.88	NSS	<0.5	8.73	662	1170	2.4	<2	1.12	0.8	15	75	23	4.49	2.86
B627296		0.74	<0.005	<0.5	5.48	41	920	1.2	<2	0.99	0.9	28	52	18	4.31	1.37
B627297		0.90	0.006	<0.5	5.35	12	840	1.2	<2	0.93	0.6	19	52	18	3.30	1.37
B627298		0.82	0.010	1.0	6.29	74	810	1.5	<2	0.58	1.4	14	64	29	3.23	2.00
B627299		0.58	0.008	1.7	7.42	77	940	1.5	5	0.61	1.1	13	73	39	3.38	2.19
B627300		0.70	0.012	<0.5	5.34	74	770	1.0	<2	0.86	<0.5	16	60	15	2.64	1.27
B627401		0.82	0.007	<0.5	5.10	47	720	1.0	<2	0.90	<0.5	12	57	10	2.44	1.20
B627402		0.76	0.006	<0.5	5.02	58	700	1.0	<2	0.86	<0.5	12	59	10	2.41	1.20
B627403		0.84	0.008	<0.5	5.61	68	750	1.1	<2	0.68	<0.5	8	52	13	2.31	1.39
B627404		0.60	0.013	<0.5	5.46	74	730	1.1	<2	0.66	<0.5	8	55	14	2.33	1.35
B627405		0.86	0.005	<0.5	5.62	80	760	1.1	<2	0.74	<0.5	15	63	13	2.93	1.40
B627406		0.58	0.009	<0.5	7.42	72	810	1.8	<2	0.52	<0.5	18	67	31	3.91	1.96
B627407		0.78	0.007	<0.5	6.38	49	740	1.5	<2	0.67	0.5	15	64	44	3.22	1.67
B627408		0.66	0.021	<0.5	6.16	66	770	1.4	<2	0.77	<0.5	15	60	20	3.02	1.60
B627409		0.96	0.009	<0.5	5.90	55	780	1.2	<2	0.80	<0.5	12	63	47	2.77	1.47
B627410		0.12	0.435	3.0	9.19	<5	1070	1.1	<2	1.47	<0.5	8	12	7250	3.25	3.76
B627411		0.68	0.024	<0.5	6.14	51	890	1.4	<2	1.10	<0.5	13	70	30	3.15	1.51
B627412		0.60	0.010	<0.5	6.53	53	870	1.3	<2	0.93	<0.5	11	58	18	3.01	1.64
B627413		0.68	0.010	<0.5	6.41	73	860	1.4	<2	0.85	<0.5	12	59	18	3.02	1.63

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 8-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05082982

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B627551		0.68	723	1	0.82	27	620	16	0.04	<5	152	0.35	89	<10	70
B627552		0.66	552	<1	0.88	25	600	18	0.04	5	165	0.39	93	<10	76
B627553		0.77	522	5	1.20	25	990	36	0.03	<5	276	0.41	83	20	98
B627554		0.81	513	2	1.02	24	1040	36	0.06	5	251	0.43	85	10	136
B627555		0.77	658	3	1.08	17	1110	42	0.05	5	235	0.48	84	90	146
B627556		0.81	555	3	1.04	30	1090	41	0.06	7	257	0.44	84	40	145
B627557		0.79	472	2	0.99	25	1080	39	0.06	<5	244	0.44	81	40	148
B627558		0.80	684	3	0.91	27	1100	38	0.07	<5	242	0.42	85	20	180
B627559		0.68	564	7	0.91	29	1000	68	0.02	15	217	0.44	102	30	151
B627296		0.59	3440	1	0.98	46	700	23	0.04	<5	189	0.33	83	<10	170
B627297		0.57	1565	<1	1.02	44	670	22	0.03	<5	186	0.35	81	<10	124
B627298		0.54	897	1	0.68	22	640	106	0.02	31	130	0.37	97	<10	99
B627299		0.62	872	<1	0.77	22	690	154	0.03	45	148	0.39	108	<10	104
B627300		0.67	662	1	0.97	24	640	15	0.03	<5	160	0.39	85	<10	60
B627401		0.65	590	<1	1.01	22	590	13	0.02	<5	162	0.43	79	<10	51
B627402		0.64	588	1	0.97	21	590	9	0.02	<5	157	0.41	77	<10	50
B627403		0.57	259	<1	1.00	17	500	10	0.02	<5	149	0.39	81	<10	52
B627404		0.56	258	<1	0.93	18	540	12	0.03	<5	142	0.36	79	<10	51
B627405		0.64	773	1	0.93	21	620	12	0.02	<5	148	0.37	83	10	56
B627406		0.68	510	2	0.80	30	650	23	0.05	<5	148	0.40	93	10	79
B627407		0.64	643	2	0.84	28	540	41	0.05	<5	152	0.37	80	10	110
B627408		0.66	714	<1	0.92	26	650	15	0.03	5	156	0.38	83	<10	76
B627409		0.68	454	<1	0.98	21	600	17	0.03	6	156	0.42	85	<10	62
B627410		1.19	475	2	3.34	15	1930	9	0.25	<5	699	0.34	165	10	51
B627411		0.73	570	<1	0.90	29	710	11	0.05	<5	170	0.45	93	<10	78
B627412		0.75	464	<1	1.04	28	640	18	0.03	<5	168	0.43	89	<10	70
B627413		0.73	485	<1	1.00	28	650	15	0.03	<5	160	0.42	88	<10	73

Comments: NSS is non-sufficient sample.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Da(/-OCT-2005
Account: STRGOL

QC CERTIFICATE VA05084943

Project: 1735

P.O. No.:

This report is for 88 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 28-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: Robert Long

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-8			5.7	2.67	72	80	14.0	32	0.36	13.1	43	270	87	3.73	0.85	0.21
BM-8			6.0	2.54	55	80	14.6	29	0.36	13.1	43	251	87	3.38	0.81	0.20
Target Range - Lower Bound			5.0	2.25	55	60	11.8	25	0.31	10.9	37	238	74	2.99	0.72	0.17
Upper Bound			7.2	2.77	79	100	15.5	35	0.40	14.5	47	293	92	3.67	0.90	0.23
BM-9/A			15.6	3.67	20	210	0.9	119	0.22	26.2	94	380	5600	4.37	0.13	0.83
Target Range - Lower Bound			11.9	3.19	19	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.92	34	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.5	4.92	468	2330	1.2	3	0.57	6.7	23	99	295	3.75	1.25	0.74
G2000			3.4	5.07	480	2360	1.3	2	0.59	6.7	24	98	305	3.84	1.30	0.76
G2000			3.6	5.00	489	2320	1.3	<2	0.58	6.6	24	91	305	3.60	1.28	0.74
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.3	22	90	272	3.41	1.16	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.9	29	112	334	4.19	1.44	0.85
OxE21		0.635														
OxE21		0.695														
OxE21		0.656														
OxE21		0.653														
Target Range - Lower Bound		0.600														
Upper Bound		0.702														
OXK35		3.59														
OXK35		3.44														
OXK35		3.52														
OXK35		3.58														
Target Range - Lower Bound		3.24														
Upper Bound		3.74														
SI15		1.735														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
BLANKS																
BLANK		<0.005														
BLANK		0.006														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-8		377	31	1.24	178	90	89	0.21	37	113	0.03	82	30	164
BM-8		359	29	1.22	182	80	91	0.21	32	106	0.03	82	30	160
Target Range - Lower Bound		325	27	1.03	156	70	76	0.17	26	97	0.02	71	<10	136
Upper Bound		409	35	1.29	193	100	97	0.22	43	121	0.04	89	40	171
BM-9/A		641	4	0.46	362	100	6700	1.41	12	90	0.09	23	<10	8250
Target Range - Lower Bound		561	3	0.40	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.51	404	120	7310	1.57	10	99		26	20	8990
G2000		561	6	0.11	272	960	682	0.26	32	115	0.35	101	10	1260
G2000		575	5	0.12	273	990	680	0.27	33	118	0.35	104	10	1325
G2000		560	5	0.14	276	940	657	0.27	33	115	0.35	106	10	1200
Target Range - Lower Bound		506	4	0.13	256	840	601	0.23	24	103	0.31	96	<10	1130
Upper Bound		630	8	0.18	316	1050	739	0.30	40	129	0.40	120	20	1385
OxE21														
OxE21														
OxE21														
OxE21														
Target Range - Lower Bound														
Upper Bound														
OXK35														
OXK35														
OXK35														
OXK35														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.104														
DUP		0.117														
Target Range - Lower Bound		0.095														
Upper Bound		0.126														
ORIGINAL		1.540														
DUP		1.715														
Target Range - Lower Bound		1.540														
Upper Bound		1.725														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B627260			<0.5	5.20	36	930	1.1	3	1.34	<0.5	10	56	24	2.44	1.14	0.72
DUP			<0.5	5.39	27	960	1.2	<2	1.41	0.5	11	59	24	2.52	1.16	0.75
Target Range - Lower Bound			<0.5	5.01	20	880	<0.5	<2	1.29	<0.5	8	53	21	2.34	1.07	0.68
Upper Bound			1.0	5.58	43	1010	2.2	4	1.46	1.0	13	62	27	2.62	1.23	0.79
B627279		0.012														
DUP		0.017														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
B627301			<0.5	4.59	46	810	1.0	<2	1.26	0.7	8	53	19	2.24	1.03	0.68
DUP			<0.5	5.01	62	880	1.1	<2	1.37	0.5	8	56	20	2.39	1.12	0.73
Target Range - Lower Bound			<0.5	4.54	41	780	<0.5	<2	1.23	<0.5	6	50	17	2.18	1.00	0.65
Upper Bound			1.0	5.06	67	910	2.1	4	1.40	1.0	10	59	22	2.45	1.15	0.76
B627355			<0.5	6.60	16	790	1.5	<2	0.73	<0.5	10	61	19	3.12	2.10	0.68
DUP			<0.5	6.71	21	790	1.5	<2	0.74	<0.5	11	59	20	3.13	2.12	0.70
Target Range - Lower Bound			<0.5	6.30	8	730	<0.5	<2	0.68	<0.5	8	55	17	2.95	1.98	0.64
Upper Bound			1.0	7.01	29	850	2.6	4	0.79	1.0	13	65	22	3.30	2.24	0.74
B365954		0.100														
DUP		0.097														
Target Range - Lower Bound		0.084														
Upper Bound		0.113														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
		DUPLICATES												
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
B627260		726	2	1.01	28	980	22	0.05	<5	166	0.38	98	<10	108
DUP		748	1	1.02	29	1020	23	0.05	5	172	0.39	103	10	110
Target Range - Lower Bound		690	<1	0.94	25	930	17	0.03	<5	159	0.35	93	<10	100
Upper Bound		784	2	1.09	32	1070	28	0.07	10	179	0.42	108	20	118
B627279														
DUP														
Target Range - Lower Bound														
Upper Bound														
B627301		574	2	0.86	21	1000	18	0.04	<5	147	0.37	87	<10	87
DUP		614	2	0.94	23	1110	17	0.04	<5	161	0.39	93	<10	93
Target Range - Lower Bound		554	<1	0.84	19	980	13	0.02	<5	144	0.34	84	<10	82
Upper Bound		634	4	0.97	25	1130	22	0.06	10	164	0.42	97	20	99
B627355		757	1	0.94	28	740	28	0.02	<5	146	0.38	77	<10	100
DUP		768	<1	0.96	26	730	28	0.02	<5	149	0.37	79	10	98
Target Range - Lower Bound		714	<1	0.88	24	680	23	<0.01	<5	138	0.34	72	<10	90
Upper Bound		811	2	1.02	30	790	33	0.04	10	157	0.41	84	20	108
B365954														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.007														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.291														
DUP		0.273														
Target Range - Lower Bound		0.258														
Upper Bound		0.306														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

QC CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat -OCT-2005
Account: STRGOL

CERTIFICATE VA05084943

Project: 1735

P.O. No.:

This report is for 88 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 28-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B627251		0.98	0.014	0.5	5.20	37	960	1.1	3	1.26	<0.5	8	54	21	2.34	1.16
B627252		0.96	0.007	0.5	5.37	53	1000	1.2	<2	1.31	<0.5	8	55	21	2.26	1.15
B627253		0.90	0.010	<0.5	5.48	61	1020	1.2	<2	1.34	0.8	11	58	24	2.53	1.17
B627254		1.32	0.015	<0.5	5.13	35	910	1.1	<2	1.48	0.5	12	60	31	2.65	1.06
B627255		1.24	0.013	<0.5	4.92	28	860	1.1	2	1.40	0.5	9	64	21	2.28	1.05
B627256		1.14	0.005	<0.5	5.04	23	890	1.1	<2	1.46	<0.5	10	57	24	2.50	1.08
B627257		1.42	0.009	<0.5	4.78	38	860	1.1	2	1.38	0.7	10	52	24	2.49	1.03
B627258		0.80	0.014	<0.5	4.96	59	900	1.2	<2	1.45	0.7	11	55	28	2.72	1.10
B627259		0.84	0.030	<0.5	5.29	11	920	1.2	2	1.39	<0.5	7	61	21	2.23	1.21
B627260		0.90	0.007	<0.5	5.20	36	930	1.1	3	1.34	<0.5	10	56	24	2.44	1.14
B627261		0.68	0.019	<0.5	5.80	17	1010	1.3	2	1.36	<0.5	9	63	26	2.29	1.33
B627262		0.80	0.031	0.5	5.55	22	960	1.3	<2	1.34	<0.5	10	63	22	2.52	1.30
B627263		1.10	<0.005	<0.5	5.18	23	920	1.1	<2	1.34	<0.5	9	54	25	2.35	1.10
B627264		0.92	<0.005	<0.5	4.93	33	890	1.1	<2	1.36	<0.5	8	51	21	2.22	1.09
B627265		0.98	<0.005	<0.5	7.13	15	920	1.7	<2	1.04	<0.5	12	61	23	2.88	1.86
B627266		1.00	0.005	<0.5	6.22	<5	880	1.4	2	1.02	<0.5	11	56	17	2.48	1.53
B627267		1.08	0.011	<0.5	4.77	8	750	1.0	<2	0.97	<0.5	7	48	10	2.02	1.09
B627268		0.94	<0.005	<0.5	5.71	13	820	1.3	<2	0.98	<0.5	10	51	15	2.31	1.40
B627269		1.44	0.013	<0.5	6.54	14	830	1.5	<2	0.81	<0.5	13	59	22	3.03	1.76
B627270		0.10	0.437	2.4	8.84	<5	1050	1.2	4	1.45	<0.5	7	11	7190	3.06	3.59
B627271		1.16	0.006	<0.5	5.50	13	870	1.3	<2	0.97	<0.5	26	59	26	4.05	1.35
B627272		1.04	0.013	<0.5	5.15	10	770	1.1	<2	0.98	<0.5	11	49	14	2.40	1.22
B627273		1.28	0.005	<0.5	6.91	15	990	1.5	2	0.99	<0.5	13	63	27	2.71	1.76
B627274		0.64	0.029	0.6	6.85	78	1020	1.5	3	1.15	<0.5	12	71	31	3.31	1.76
B627275		0.70	0.021	<0.5	6.10	46	880	1.4	<2	1.09	<0.5	13	61	19	2.97	1.41
B627276		0.88	0.014	<0.5	6.31	104	900	1.3	<2	1.07	<0.5	11	67	17	3.01	1.41
B627277		0.70	0.012	<0.5	5.86	132	840	1.3	<2	1.03	<0.5	12	60	18	2.80	1.33
B627278		0.72	0.015	<0.5	6.20	318	900	1.4	3	1.10	<0.5	12	63	23	2.99	1.33
B627279		0.74	0.012	<0.5	6.03	402	850	1.3	2	1.14	<0.5	13	60	22	2.89	1.26
B627280		0.70	0.027	<0.5	5.86	590	830	1.4	3	1.25	<0.5	11	58	31	2.84	1.22
B627281		0.72	0.021	<0.5	5.75	505	810	1.3	2	1.17	<0.5	12	58	23	2.78	1.19
B627282		0.72	0.023	<0.5	5.67	423	790	1.3	<2	1.17	<0.5	10	57	21	2.68	1.18
B627283		0.92	0.025	<0.5	5.16	763	850	1.2	5	1.25	<0.5	7	57	23	2.56	1.22
B627284		0.64	0.080	<0.5	5.71	525	780	1.4	6	1.28	<0.5	11	60	26	2.73	1.29
B627285		0.78	0.041	0.5	5.82	673	840	1.5	8	1.30	<0.5	10	54	32	2.70	1.34
B627286		0.82	0.080	0.5	5.81	650	810	1.5	6	1.31	<0.5	10	57	31	2.73	1.33
B627287		0.66	0.031	<0.5	4.71	307	770	1.0	3	1.23	<0.5	7	46	20	2.28	1.18
B627288		0.92	0.006	<0.5	4.30	44	690	0.8	<2	1.13	<0.5	4	37	8	1.64	0.95
B627289		0.84	0.023	<0.5	4.79	306	770	1.1	<2	1.10	<0.5	7	42	19	2.17	1.26
B627290		0.08	2.84	<0.5	7.48	2110	730	12.8	<2	0.02	<0.5	1	147	104	3.46	3.27

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627251		0.69	483	2	1.01	26	990	29	0.04	8	168	0.36	97	<10	115
B627252		0.71	444	1	1.02	26	1000	32	0.05	8	173	0.36	96	<10	123
B627253		0.75	669	1	0.99	29	1030	32	0.05	8	169	0.37	102	<10	139
B627254		0.79	639	2	1.00	30	1010	25	0.07	<5	170	0.41	106	<10	101
B627255		0.70	448	2	1.00	24	1060	21	0.05	5	172	0.42	96	20	87
B627256		0.72	664	2	1.04	25	1060	23	0.05	7	173	0.43	98	<10	93
B627257		0.70	805	2	0.97	26	980	26	0.05	<5	160	0.35	93	10	92
B627258		0.75	1070	3	0.94	28	1040	27	0.06	<5	158	0.35	97	<10	103
B627259		0.74	358	1	0.97	27	1120	24	0.05	5	166	0.46	101	10	106
B627260		0.72	726	2	1.01	28	980	22	0.05	<5	166	0.38	98	<10	108
B627261		0.80	302	2	0.99	30	1100	28	0.10	10	166	0.42	106	10	115
B627262		0.76	359	1	0.99	29	1100	27	0.07	8	163	0.43	108	10	116
B627263		0.72	692	2	1.03	28	970	24	0.06	7	171	0.36	98	10	96
B627264		0.70	481	2	1.04	24	1040	24	0.04	<5	166	0.37	93	<10	86
B627265		0.64	614	1	1.05	32	690	21	0.05	6	196	0.39	102	<10	86
B627266		0.60	601	<1	1.06	25	650	22	0.04	5	186	0.35	91	<10	73
B627267		0.50	401	<1	1.02	17	580	15	0.02	5	166	0.41	78	<10	51
B627268		0.55	485	<1	1.04	22	590	17	0.03	<5	179	0.36	84	<10	65
B627269		0.56	683	<1	0.93	30	600	26	0.03	<5	164	0.38	93	<10	75
B627270		1.15	470	2	3.26	10	1820	14	0.23	<5	664	0.33	174	<10	57
B627271		0.55	3100	<1	0.95	64	650	20	0.04	6	172	0.33	85	<10	88
B627272		0.53	717	<1	1.04	25	590	16	0.03	5	173	0.39	80	<10	62
B627273		0.67	376	<1	1.02	35	630	21	0.04	<5	175	0.38	106	<10	81
B627274		0.88	511	1	0.97	35	900	40	0.05	9	171	0.43	106	<10	106
B627275		0.79	631	<1	0.93	28	770	23	0.05	7	156	0.44	94	<10	82
B627276		0.79	401	1	0.99	30	730	27	0.07	9	162	0.45	101	<10	88
B627277		0.75	505	1	0.93	27	690	27	0.04	5	157	0.40	93	<10	84
B627278		0.79	548	1	0.99	30	730	23	0.04	<5	172	0.42	98	<10	84
B627279		0.75	489	1	0.94	31	710	20	0.05	7	170	0.39	96	<10	82
B627280		0.73	430	1	0.90	32	750	21	0.06	5	176	0.37	90	<10	86
B627281		0.72	553	1	0.91	28	720	19	0.05	8	170	0.40	87	<10	82
B627282		0.70	468	1	0.91	26	700	20	0.05	8	168	0.41	89	<10	79
B627283		0.69	385	1	1.08	24	810	23	0.02	7	192	0.41	95	10	72
B627284		0.72	451	1	0.98	25	840	32	0.04	15	186	0.46	89	10	98
B627285		0.72	477	1	0.99	29	840	37	0.05	12	190	0.37	88	<10	104
B627286		0.73	463	1	0.96	30	880	37	0.05	12	188	0.41	87	<10	108
B627287		0.64	378	1	1.06	18	780	20	0.02	5	194	0.36	76	<10	70
B627288		0.54	231	<1	1.12	13	650	14	0.01	<5	181	0.33	73	<10	46
B627289		0.61	338	1	1.05	17	700	20	0.02	<5	191	0.32	72	10	68
B627290		0.39	72	3	0.08	12	330	29	0.02	152	145	0.26	104	10	17

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B627291		0.82	0.032	<0.5	4.45	266	740	0.9	<2	1.20	<0.5	6	53	16	2.29	1.02
B627292		1.00	0.016	<0.5	4.74	262	760	1.0	<2	1.15	<0.5	6	40	16	2.10	1.21
B627293		0.76	0.018	<0.5	4.28	236	710	0.9	<2	1.13	<0.5	4	44	15	2.08	0.98
B627294		0.88	0.117	<0.5	5.27	323	960	1.1	3	1.52	0.5	7	78	21	3.06	1.19
B627295		1.12	0.020	<0.5	4.32	192	700	0.9	2	1.17	<0.5	6	49	15	2.19	1.02
B627301		0.60	0.014	<0.5	4.59	46	810	1.0	<2	1.26	0.7	8	53	19	2.24	1.03
B627302		0.76	0.012	<0.5	4.94	50	870	1.1	<2	1.38	0.7	9	57	25	2.36	1.10
B627303		0.90	0.008	<0.5	4.94	51	850	1.0	<2	1.40	<0.5	8	56	20	2.33	1.09
B627304		0.94	0.007	<0.5	5.85	11	860	1.2	<2	0.69	<0.5	6	58	22	2.87	1.41
B627305		0.72	0.006	<0.5	5.54	6	820	1.1	<2	0.59	<0.5	4	57	16	2.34	1.44
B627306		0.74	<0.005	<0.5	7.00	9	890	1.5	<2	0.49	<0.5	6	71	16	3.24	1.84
B627307		0.66	0.005	<0.5	6.86	24	990	1.3	<2	0.51	<0.5	7	83	20	3.34	1.84
B627308		0.74	<0.005	<0.5	9.44	11	940	2.4	<2	0.24	<0.5	10	85	28	3.21	3.17
B627309		0.88	0.006	<0.5	7.66	21	880	2.0	<2	0.37	<0.5	10	68	27	3.20	2.51
B627310		0.08	4.44	8.8	7.35	11	470	0.8	<2	2.73	1.3	16	22	125	4.09	2.27
B627311		0.66	0.009	<0.5	6.76	13	890	1.5	<2	0.52	<0.5	7	76	19	3.11	1.92
B627312		0.56	<0.005	<0.5	7.44	10	860	1.9	<2	0.41	<0.5	7	71	22	2.88	2.54
B627313		0.88	0.008	<0.5	6.53	29	960	1.3	<2	0.82	<0.5	10	76	29	3.52	1.50
B627314		1.28	0.010	<0.5	3.99	18	520	0.9	<2	0.20	<0.5	3	46	15	21.0	1.29
B627315		0.78	0.097	<0.5	6.44	338	880	1.6	8	0.88	<0.5	14	65	24	3.55	1.40
B627316		0.70	0.077	<0.5	6.83	273	930	1.6	4	0.90	<0.5	16	68	23	3.37	1.63
B627317		0.74	0.099	<0.5	6.14	318	910	1.5	2	0.98	<0.5	12	64	23	3.08	1.42
B627318		0.76	0.098	<0.5	7.17	199	940	1.6	<2	1.11	<0.5	11	72	23	3.50	1.79
B627319		0.68	0.033	<0.5	5.99	152	880	1.5	2	1.22	<0.5	11	62	27	2.89	1.58
B627320		0.56	0.041	<0.5	6.44	180	910	1.4	<2	1.07	<0.5	10	64	18	3.07	1.54
B627321		0.78	0.079	<0.5	6.26	184	900	1.6	<2	1.05	<0.5	9	62	16	2.95	1.60
B627322		0.94	0.106	<0.5	6.25	193	900	1.4	2	1.07	<0.5	10	64	16	2.99	1.58
B627323		0.64	0.041	<0.5	6.20	194	970	1.3	<2	1.19	<0.5	12	59	19	3.01	1.48
B627324		0.66	0.057	<0.5	6.21	1220	950	1.4	<2	1.16	<0.5	14	61	20	5.96	1.50
B627325		0.94	0.038	<0.5	6.22	153	870	1.3	<2	0.86	<0.5	7	64	24	2.94	1.67
B627326		0.60	0.140	0.5	6.71	567	930	1.5	<2	1.13	0.6	11	64	25	3.19	1.66
B627327		0.96	0.054	<0.5	6.46	453	870	1.4	<2	0.96	<0.5	12	60	19	2.92	1.62
B627328		0.88	0.049	<0.5	6.76	331	910	1.6	<2	0.79	<0.5	11	69	25	3.23	1.91
B627329		1.08	0.046	<0.5	5.40	89	930	1.2	2	1.47	<0.5	9	60	27	2.84	1.34
B627330		0.08	4.11	8.7	7.79	12	480	0.9	2	2.82	1.4	16	22	128	4.24	2.37
B627331		0.84	0.047	<0.5	5.70	187	740	1.3	<2	0.80	<0.5	9	52	24	2.77	1.64
B627332		1.02	0.087	<0.5	7.24	253	980	1.8	<2	0.95	<0.5	13	75	44	3.80	2.36
B627333		Not Recvd														
B627351		1.56	<0.005	<0.5	7.79	21	950	1.6	<2	0.87	<0.5	11	67	22	3.58	2.28
B627352		1.08	0.010	<0.5	5.90	37	740	1.2	<2	0.93	<0.5	8	53	19	2.66	1.64

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627291		0.60	407	1	0.98	17	840	14	0.02	5	184	0.44	83	<10	63
B627292		0.61	335	1	1.10	17	740	20	0.02	5	195	0.33	71	<10	63
B627293		0.57	361	1	0.97	14	770	15	0.02	<5	178	0.39	76	<10	59
B627294		0.76	552	1	1.08	21	1020	20	0.03	<5	220	0.58	106	10	82
B627295		0.57	383	1	0.97	16	810	16	0.02	<5	180	0.41	76	20	58
B627301		0.68	574	2	0.86	21	1000	18	0.04	<5	147	0.37	87	<10	87
B627302		0.73	604	2	0.95	21	1070	27	0.04	<5	163	0.41	94	<10	99
B627303		0.73	543	1	0.96	22	1080	19	0.03	<5	165	0.40	93	<10	89
B627304		0.65	337	<1	0.95	16	700	16	0.01	<5	151	0.39	109	<10	64
B627305		0.54	219	1	0.80	16	950	16	0.02	<5	130	0.39	108	<10	47
B627306		0.52	222	2	0.71	15	410	20	0.01	5	125	0.43	120	<10	53
B627307		0.74	317	3	0.70	21	610	27	0.02	6	120	0.47	162	<10	66
B627308		0.44	207	3	0.47	27	340	23	0.01	9	130	0.45	130	10	69
B627309		0.46	293	1	0.63	28	270	20	0.01	7	139	0.34	108	<10	71
B627310		1.32	973	13	1.57	12	870	27	0.67	<5	401	0.37	148	<10	99
B627311		0.63	284	2	0.66	22	1060	24	0.04	<5	130	0.38	122	<10	65
B627312		0.53	250	1	0.57	22	640	22	0.03	<5	146	0.39	108	10	61
B627313		0.81	400	1	0.92	26	950	23	0.02	<5	167	0.39	137	10	84
B627314		0.26	170	1	0.35	8	730	18	0.28	<5	63	0.18	78	<10	56
B627315		0.74	676	4	0.96	24	1080	47	0.05	8	170	0.39	110	10	119
B627316		0.77	809	3	0.87	31	870	40	0.05	12	158	0.45	106	10	113
B627317		0.70	633	4	0.86	23	920	34	0.05	13	160	0.44	104	20	104
B627318		0.84	407	3	0.94	30	870	28	0.05	6	175	0.46	108	10	104
B627319		0.70	622	1	0.82	27	840	23	0.06	5	173	0.38	91	<10	73
B627320		0.72	559	2	0.93	24	760	31	0.04	8	168	0.42	96	10	93
B627321		0.70	451	2	0.93	23	660	26	0.03	10	172	0.43	94	10	75
B627322		0.71	464	1	0.94	24	660	24	0.03	<5	173	0.46	96	20	76
B627323		0.76	585	1	1.02	25	670	20	0.05	<5	192	0.37	97	<10	94
B627324		0.68	1445	1	0.80	22	730	35	0.05	<5	170	0.35	89	<10	100
B627325		0.64	316	1	0.95	23	700	27	0.01	7	179	0.40	98	<10	88
B627326		0.75	599	1	0.83	25	760	57	0.07	13	171	0.38	96	<10	142
B627327		0.67	595	1	0.84	24	770	53	0.04	6	160	0.39	87	10	133
B627328		0.74	620	1	0.80	28	760	53	0.03	11	154	0.39	94	10	118
B627329		0.74	578	1	1.05	27	830	23	0.03	<5	207	0.38	96	10	89
B627330		1.38	999	13	1.62	13	910	28	0.68	5	419	0.38	148	<10	101
B627331		0.59	426	1	0.84	22	660	34	0.02	7	152	0.37	74	10	83
B627332		0.83	537	1	0.90	36	700	42	0.02	13	178	0.42	110	<10	112
B627333															
B627351		0.84	886	1	1.10	32	770	28	0.02	<5	175	0.39	86	<10	100
B627352		0.67	600	<1	0.96	22	740	22	0.02	<5	162	0.39	75	<10	81

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B627353		1.82	0.010	<0.5	5.92	18	720	1.3	<2	0.90	<0.5	9	57	16	2.69	1.67
B627354		1.38	<0.005	<0.5	6.82	10	820	1.6	<2	0.69	<0.5	7	66	20	2.55	2.20
B627355		1.08	<0.005	<0.5	6.60	16	790	1.5	<2	0.73	<0.5	10	61	19	3.12	2.10
B627356		0.78	<0.005	<0.5	5.53	18	810	1.1	<2	1.03	<0.5	8	53	16	2.35	1.40
B627357		1.30	<0.005	<0.5	6.58	21	790	1.5	3	0.83	<0.5	10	60	19	2.96	2.14
B627358		1.12	<0.005	<0.5	6.10	23	770	1.3	<2	0.93	<0.5	10	59	20	2.84	1.78
B627359		1.18	0.019	<0.5	6.25	13	790	1.3	<2	1.06	<0.5	10	63	18	2.91	1.75
B627360		1.00	0.012	<0.5	6.04	191	930	1.4	<2	1.09	<0.5	13	61	23	3.53	1.68

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 17-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084943

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
B627353		0.65	747	<1	1.00	21	790	18	0.02	<5	161	0.42	75	<10	85
B627354		0.66	255	<1	0.90	22	640	22	0.03	5	145	0.37	83	<10	93
B627355		0.68	757	1	0.94	28	740	28	0.02	<5	146	0.38	77	<10	100
B627356		0.65	383	<1	1.05	19	720	18	0.02	<5	180	0.35	85	<10	77
B627357		0.63	397	1	0.84	23	590	25	0.04	<5	145	0.36	78	<10	97
B627358		0.67	663	1	1.00	26	700	22	0.02	<5	166	0.37	80	<10	90
B627359		0.72	367	<1	1.04	22	710	23	0.02	<5	180	0.43	90	10	95
B627360		0.85	964	1	0.81	30	990	26	0.03	<5	149	0.37	94	<10	144

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: -OCT-2005
Account: STRGOL

CERTIFICATE VA05084502

Project: 1735

P.O. No.:

This report is for 152 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 28-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084502

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B626735		0.60	0.008	<0.5	4.91	38	860	1.0	<2	1.28	<0.5	8	54	23	2.57	1.08
B626736		0.62	0.007	<0.5	4.77	18	820	1.0	<2	1.15	<0.5	9	54	18	2.53	1.02
B626737		0.82	0.010	<0.5	4.99	32	870	1.0	<2	1.27	<0.5	9	57	23	2.62	1.08
B626738		0.72	<0.005	<0.5	4.60	10	820	0.9	<2	1.33	<0.5	9	51	17	2.26	1.01
B626739		0.90	0.010	<0.5	4.79	26	830	1.0	<2	1.35	<0.5	8	56	20	2.27	1.04
B626740		0.74	0.005	<0.5	5.28	22	930	1.1	<2	1.31	<0.5	11	60	23	2.98	1.14
B626741		1.06	<0.005	<0.5	4.61	13	820	1.0	<2	1.21	<0.5	7	48	16	1.92	1.02
B626742		0.92	0.007	<0.5	4.63	11	820	0.9	<2	1.24	<0.5	6	50	16	2.00	1.00
B626743		1.12	0.009	<0.5	4.99	10	900	1.1	<2	1.27	0.7	8	54	20	2.13	1.10
B626744		0.90	<0.005	<0.5	4.81	21	900	1.0	<2	1.36	0.5	9	58	17	2.57	1.04
B626745		1.00	<0.005	<0.5	5.50	<5	930	1.1	2	1.20	<0.5	8	55	27	2.51	1.23
B626746		0.82	0.053	<0.5	5.45	90	740	1.2	<2	0.66	0.5	10	61	20	3.04	1.36
B626747		0.78	0.009	<0.5	5.25	70	820	1.3	<2	0.76	<0.5	13	56	22	2.96	1.20
B626748		0.94	0.009	<0.5	4.81	43	730	1.0	<2	0.70	<0.5	7	49	18	2.52	1.12
B626749		0.82	0.014	<0.5	6.51	59	990	1.7	2	0.92	1.0	33	75	30	4.04	1.45
B626750		0.08	1.460	<0.5	7.00	1295	700	6.0	2	0.01	<0.5	6	213	42	3.85	2.89
B626801		0.96	0.007	<0.5	5.08	23	810	1.0	<2	0.83	<0.5	6	59	25	2.74	1.10
B626802		0.94	0.005	<0.5	5.18	12	840	1.0	<2	0.85	<0.5	7	59	26	2.79	1.13
B626803		1.44	0.008	<0.5	5.91	34	1110	1.3	<2	1.07	<0.5	9	63	37	3.06	1.46
B626804		0.86	0.012	<0.5	4.82	15	790	0.9	<2	0.89	<0.5	4	61	18	2.44	1.06
B626805		0.78	0.021	<0.5	4.55	14	770	0.8	2	0.96	<0.5	4	57	14	2.34	0.97
B626806		0.72	0.017	<0.5	4.44	9	740	0.9	<2	0.97	<0.5	8	56	12	2.29	0.98
B626807		0.78	0.138	<0.5	4.97	27	840	0.9	2	0.99	<0.5	8	71	15	2.80	1.10
B626808		0.82	0.027	<0.5	5.35	26	940	1.1	<2	0.95	<0.5	15	63	20	2.83	1.18
B626809		0.68	<0.005	<0.5	5.60	21	990	1.2	<2	1.07	<0.5	15	61	21	2.74	1.24
B626810		0.10	1.490	<0.5	6.64	1175	640	5.7	<2	0.01	<0.5	4	197	38	3.59	2.61
B626811		0.80	0.007	<0.5	4.89	17	860	1.0	<2	1.30	0.6	9	54	21	2.48	1.08
B626812		1.00	0.023	<0.5	4.78	13	820	1.0	<2	1.27	<0.5	8	55	18	2.38	1.04
B626813		0.84	0.010	<0.5	5.32	28	930	1.1	<2	1.45	0.5	10	62	23	2.66	1.18
B626814		0.68	0.007	<0.5	5.33	58	820	1.4	<2	1.08	0.7	29	55	24	3.13	1.22
B626815		0.76	0.007	<0.5	6.00	69	850	1.5	<2	0.87	0.6	19	66	26	3.57	1.50
B626816		0.94	<0.005	<0.5	6.09	19	810	1.4	2	0.81	<0.5	13	62	25	3.62	1.73
B626817		0.64	0.005	<0.5	6.08	54	880	1.4	<2	1.31	<0.5	13	65	25	3.28	1.48
B626818		0.52	<0.005	<0.5	5.70	45	810	1.3	<2	1.05	0.6	14	58	21	3.01	1.40
B626819		0.74	0.005	<0.5	5.84	35	830	1.4	<2	1.17	0.5	12	61	23	3.07	1.48
B626820		0.78	0.005	<0.5	5.75	23	920	1.3	<2	1.23	<0.5	11	63	23	2.81	1.42
B626821		0.72	<0.005	<0.5	5.72	23	960	1.3	<2	1.26	1.4	11	63	19	2.89	1.54
B626822		0.62	0.008	<0.5	5.59	23	910	1.2	<2	1.07	1.1	10	60	17	2.97	1.52
B626823		0.72	0.005	<0.5	6.20	18	960	1.4	<2	1.31	0.8	11	63	25	3.15	1.64
B626824		0.66	0.007	<0.5	5.87	14	930	1.3	<2	1.27	<0.5	12	61	22	2.90	1.50

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084502

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B626735		0.67	699	6	0.98	24	980	20	0.04	<5	173	0.36	95	<10	87
B626736		0.66	325	2	0.91	23	870	15	0.04	<5	156	0.35	93	<10	84
B626737		0.71	387	4	0.93	21	960	20	0.06	<5	166	0.36	99	<10	100
B626738		0.63	684	3	0.92	21	910	11	0.08	<5	167	0.35	85	<10	86
B626739		0.68	300	4	0.91	21	960	15	0.08	<5	164	0.36	91	<10	96
B626740		0.75	533	4	0.92	26	940	15	0.08	<5	165	0.35	104	<10	103
B626741		0.62	255	1	0.99	18	810	16	0.09	<5	172	0.35	86	<10	77
B626742		0.63	268	1	1.00	21	860	17	0.07	<5	174	0.37	86	<10	79
B626743		0.69	268	2	1.02	23	870	15	0.10	<5	174	0.36	94	<10	92
B626744		0.68	1110	3	0.99	22	960	14	0.06	<5	177	0.40	93	<10	90
B626745		0.71	468	1	1.05	24	850	15	0.02	<5	182	0.35	100	<10	81
B626746		0.64	428	<1	0.83	21	880	20	0.03	5	119	0.45	97	<10	86
B626747		0.59	650	1	0.79	24	950	19	0.03	<5	125	0.40	94	<10	93
B626748		0.57	383	1	0.86	19	800	15	0.02	<5	129	0.34	88	10	71
B626749		0.79	2250	1	0.73	33	1130	27	0.04	10	136	0.38	112	<10	197
B626750		0.36	99	3	0.10	18	320	29	0.01	121	94	0.27	93	10	48
B626801		0.68	343	2	0.91	20	910	18	0.01	<5	142	0.38	104	<10	74
B626802		0.69	345	2	0.93	20	910	17	0.01	<5	145	0.39	108	<10	76
B626803		0.79	541	2	0.98	29	940	21	0.01	<5	167	0.41	116	10	100
B626804		0.65	275	1	0.87	17	930	16	0.02	<5	142	0.40	102	<10	62
B626805		0.63	326	1	0.85	16	870	15	0.02	<5	142	0.44	93	<10	59
B626806		0.61	449	1	0.85	18	840	19	0.02	<5	143	0.44	93	<10	60
B626807		0.70	509	2	0.84	20	1000	18	0.03	<5	145	0.53	107	10	80
B626808		0.70	876	2	0.82	22	990	20	0.04	<5	142	0.37	102	<10	106
B626809		0.73	915	1	0.89	26	970	23	0.03	<5	155	0.36	105	<10	111
B626810		0.34	87	2	0.10	15	290	24	0.01	109	88	0.25	86	20	44
B626811		0.71	609	2	0.92	23	1000	16	0.04	<5	162	0.38	95	<10	94
B626812		0.68	557	2	0.93	22	990	18	0.04	<5	164	0.38	91	<10	90
B626813		0.78	678	2	1.00	26	1110	20	0.04	<5	180	0.43	101	10	103
B626814		0.71	2370	1	0.68	34	1040	21	0.06	7	122	0.33	82	<10	169
B626815		0.91	1265	1	0.72	38	1060	21	0.05	8	122	0.35	94	<10	147
B626816		0.92	1060	1	0.69	31	910	25	0.02	5	119	0.37	94	<10	110
B626817		0.84	789	1	0.73	32	970	23	0.06	<5	152	0.36	97	<10	147
B626818		0.77	867	1	0.79	29	870	17	0.04	<5	145	0.36	91	<10	127
B626819		0.77	557	1	0.77	31	820	20	0.05	<5	150	0.38	91	<10	132
B626820		0.79	586	<1	0.87	27	880	21	0.07	5	169	0.40	94	<10	103
B626821		0.80	2090	<1	0.81	27	810	20	0.06	<5	166	0.38	90	<10	140
B626822		0.84	1600	1	0.83	29	760	18	0.04	<5	151	0.37	87	<10	114
B626823		0.85	1210	1	0.74	35	830	16	0.06	<5	168	0.37	95	<10	156
B626824		0.80	721	<1	0.76	30	820	18	0.08	<5	168	0.35	92	<10	98

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084502

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B626825		0.86	0.095	<0.5	5.76	50	810	1.2	<2	1.34	<0.5	8	61	24	2.84	1.45
B626826		0.90	0.010	<0.5	5.62	49	810	1.2	<2	1.27	<0.5	9	55	24	2.69	1.40
B626827		0.78	0.005	<0.5	5.51	29	800	1.2	<2	1.35	<0.5	9	59	21	2.67	1.39
B626828		0.78	0.018	<0.5	5.31	22	820	1.1	<2	1.04	<0.5	9	62	17	2.67	1.30
B626829		0.74	0.010	<0.5	7.09	<5	920	1.8	<2	0.70	<0.5	13	135	20	3.02	2.23
B626830		0.10	0.095	<0.5	6.83	112	570	2.6	<2	0.51	<0.5	56	1160	402	8.42	2.25
B626831		0.88	0.006	<0.5	6.62	13	820	1.7	<2	0.72	<0.5	11	120	22	3.09	2.14
B626832		0.78	<0.005	<0.5	6.35	6	830	1.5	<2	0.91	<0.5	7	118	16	2.48	1.94
B626833		0.78	<0.005	<0.5	6.76	13	850	1.8	<2	0.72	<0.5	14	143	24	3.28	2.22
B626834		0.70	<0.005	<0.5	5.25	<5	800	1.1	<2	1.17	<0.5	9	64	17	2.51	1.42
B626835		0.80	<0.005	<0.5	7.18	14	920	1.9	<2	0.70	<0.5	12	162	22	3.05	2.47
B626836		0.76	0.007	<0.5	6.83	13	900	1.7	<2	0.74	<0.5	9	136	22	2.97	2.26
B626837		0.76	<0.005	<0.5	6.35	<5	840	1.5	<2	0.77	<0.5	7	111	23	2.68	1.96
B626838		0.54	<0.005	<0.5	8.29	6	890	2.2	2	0.75	<0.5	13	113	33	3.40	2.85
B626839		0.82	<0.005	<0.5	7.45	8	980	2.0	2	0.59	<0.5	14	150	24	3.08	2.60
B626840		0.76	<0.005	<0.5	5.73	15	800	1.3	<2	0.87	<0.5	9	81	18	2.81	1.61
B626841		0.82	<0.005	<0.5	5.80	17	700	1.4	<2	0.63	<0.5	9	57	16	3.14	1.64
B626842		0.70	<0.005	<0.5	5.95	5	730	1.3	<2	0.78	<0.5	8	56	14	2.87	1.57
B626843		0.86	<0.005	<0.5	5.94	<5	730	1.3	<2	0.83	<0.5	9	54	16	2.79	1.56
B626844		0.60	0.009	<0.5	7.41	14	930	1.6	<2	1.11	<0.5	11	76	22	4.94	2.04
B626845		0.56	<0.005	<0.5	7.08	<5	890	1.6	<2	1.05	0.6	11	94	21	3.08	2.02
B626846		0.58	<0.005	<0.5	6.23	<5	800	1.4	<2	0.89	0.5	10	72	20	3.14	1.71
B626847		0.68	0.005	<0.5	5.90	8	710	1.4	<2	0.76	<0.5	12	69	17	3.23	1.70
B626848		0.60	0.008	<0.5	6.24	10	770	1.4	<2	0.85	<0.5	13	70	20	2.97	1.73
B626849		0.86	<0.005	<0.5	6.32	<5	780	1.4	<2	0.85	<0.5	11	68	22	2.85	1.74
B626850		0.12	2.85	<0.5	8.03	2160	770	13.1	<2	0.01	<0.5	<1	148	102	3.75	3.26
B626893		1.34	<0.005	<0.5	4.80	16	750	0.8	<2	0.85	<0.5	4	47	12	2.49	0.93
B626894		1.52	0.007	<0.5	4.72	15	740	0.9	<2	0.85	<0.5	6	51	15	2.48	1.00
B626895		1.42	<0.005	<0.5	4.77	24	740	0.9	<2	1.01	<0.5	7	53	24	2.47	0.97
B626896		1.70	0.009	<0.5	4.89	22	810	1.0	<2	1.05	0.5	14	55	18	2.84	0.98
B626897		1.24	<0.005	<0.5	4.92	16	830	0.9	<2	1.11	<0.5	9	50	16	2.49	0.94
B626898		0.98	0.016	<0.5	5.06	21	850	1.0	<2	1.19	<0.5	10	52	19	2.55	1.04
B626899		0.92	0.005	<0.5	4.84	19	840	1.0	<2	1.22	<0.5	9	54	18	2.58	0.99
B626900		1.08	<0.005	<0.5	5.03	11	870	1.1	<2	1.19	0.6	11	53	21	2.47	1.02
B626901		0.98	0.007	<0.5	6.38	23	1090	1.4	<2	1.20	<0.5	12	67	35	3.18	1.62
B626902		0.78	0.007	<0.5	6.13	13	1050	1.4	<2	1.14	<0.5	11	65	32	2.99	1.58
B626903		1.08	0.019	<0.5	5.18	16	910	1.0	<2	1.30	0.6	10	55	18	2.50	1.08
B626904		0.58	<0.005	<0.5	4.45	41	860	0.9	<2	0.87	0.5	6	45	16	4.12	0.84
B626905		0.70	<0.005	<0.5	4.96	23	880	0.9	<2	1.07	<0.5	8	47	13	2.47	0.98
B626906		1.00	0.008	<0.5	4.24	12	720	0.8	<2	1.10	<0.5	6	42	11	2.05	0.86

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084502

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B626825		0.74	525	1	0.88	24	690	23	0.03	7	169	0.38	92	<10	89
B626826		0.72	499	1	0.90	26	670	21	0.03	<5	172	0.34	88	<10	86
B626827		0.75	496	<1	0.86	27	720	17	0.07	5	169	0.36	85	<10	90
B626828		0.74	541	<1	0.91	24	770	15	0.03	<5	157	0.44	92	<10	86
B626829		0.79	654	1	0.76	37	810	26	0.04	<5	167	0.38	116	<10	74
B626830		0.60	389	9	0.11	469	350	147	0.02	11	52	0.24	91	30	624
B626831		0.79	376	<1	0.94	37	790	52	0.02	13	175	0.40	108	<10	92
B626832		0.74	217	<1	0.73	27	800	30	0.06	<5	159	0.34	104	<10	75
B626833		0.88	687	1	0.81	46	760	61	0.03	20	162	0.35	112	<10	111
B626834		0.63	595	<1	0.86	18	770	16	0.04	<5	169	0.38	91	<10	70
B626835		1.00	423	<1	0.84	47	710	62	0.03	19	169	0.35	119	<10	117
B626836		0.91	484	1	0.83	37	670	54	0.03	11	165	0.35	112	<10	105
B626837		0.75	314	<1	0.77	28	690	45	0.05	5	153	0.36	105	<10	91
B626838		0.97	534	1	0.52	40	620	21	0.05	<5	159	0.33	122	<10	85
B626839		0.98	499	1	0.79	49	630	49	0.03	13	156	0.30	122	<10	106
B626840		0.68	245	<1	0.83	22	720	46	0.15	12	163	0.35	95	<10	97
B626841		0.61	346	1	0.70	18	540	19	0.03	<5	137	0.31	82	<10	59
B626842		0.61	354	1	0.83	18	540	20	0.02	<5	152	0.37	84	<10	58
B626843		0.61	322	<1	0.82	18	560	17	0.08	<5	156	0.33	81	<10	61
B626844		0.79	434	1	0.78	29	750	29	0.06	<5	194	0.33	103	<10	106
B626845		0.82	773	1	0.78	35	650	31	0.08	6	178	0.35	102	<10	114
B626846		0.67	552	<1	0.77	26	640	27	0.06	5	162	0.37	89	<10	84
B626847		0.63	801	1	0.71	26	640	25	0.03	6	146	0.39	87	<10	86
B626848		0.65	580	<1	0.76	24	580	17	0.05	<5	160	0.37	87	<10	83
B626849		0.65	282	<1	0.78	22	560	29	0.05	<5	163	0.35	91	<10	78
B626850		0.39	73	2	0.09	12	350	27	0.02	164	148	0.28	106	20	17
B626893		0.60	226	1	0.92	15	950	10	0.02	<5	140	0.33	92	<10	51
B626894		0.60	231	1	0.93	20	950	15	0.02	<5	142	0.37	99	<10	60
B626895		0.61	253	2	0.90	19	870	10	0.03	<5	142	0.36	94	<10	71
B626896		0.62	498	2	0.87	22	940	13	0.03	<5	142	0.38	99	<10	94
B626897		0.64	343	2	0.93	20	890	12	0.03	<5	152	0.35	89	<10	74
B626898		0.67	435	2	0.93	22	920	8	0.02	<5	152	0.39	98	<10	85
B626899		0.65	601	2	0.90	24	960	12	0.03	<5	152	0.39	96	10	88
B626900		0.67	468	3	0.88	28	930	14	0.04	<5	148	0.35	94	<10	93
B626901		0.75	729	3	0.88	32	910	22	0.03	<5	158	0.33	112	<10	114
B626902		0.73	617	2	0.90	27	890	23	0.03	<5	156	0.35	110	<10	110
B626903		0.70	541	2	0.96	22	1060	14	0.03	<5	161	0.39	93	<10	91
B626904		0.51	255	2	0.80	20	1350	9	0.08	<5	138	0.28	92	<10	58
B626905		0.60	309	1	1.02	18	840	9	0.03	<5	170	0.36	84	<10	59
B626906		0.53	308	<1	1.00	18	770	10	0.02	<5	166	0.38	76	<10	52

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084502

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B626907		1.20	0.005	<0.5	4.41	12	770	0.8	<2	1.20	<0.5	6	47	10	2.24	0.90
B626908		1.04	0.005	<0.5	4.28	<5	720	0.8	<2	1.09	<0.5	6	42	8	1.92	0.88
B626909		1.12	<0.005	<0.5	4.47	<5	760	0.9	<2	1.09	<0.5	8	42	10	1.87	0.96
B626910		0.10	2.87	<0.5	7.65	2140	740	13.0	<2	0.01	<0.5	<1	148	101	3.58	3.27
B626911		0.96	<0.005	<0.5	4.96	14	880	1.0	<2	1.11	<0.5	8	45	13	2.26	1.09
B626912		0.96	<0.005	<0.5	4.44	<5	790	0.9	<2	1.01	<0.5	7	41	11	2.03	0.93
B626913		0.94	<0.005	<0.5	5.49	5	880	1.1	<2	0.93	<0.5	7	49	12	2.40	1.32
B626914		0.90	<0.005	<0.5	5.26	9	960	1.0	<2	1.16	<0.5	7	50	11	2.49	1.16
B626915		0.84	0.006	<0.5	5.18	<5	840	1.1	<2	1.07	<0.5	8	57	13	2.54	1.15
B626916		0.82	0.019	<0.5	5.26	15	900	1.1	<2	1.14	<0.5	10	55	16	2.73	1.21
B626917		0.76	<0.005	<0.5	4.70	26	820	1.0	<2	1.22	<0.5	11	49	9	3.21	1.05
B626918		0.76	<0.005	<0.5	5.45	6	920	1.1	<2	1.16	<0.5	10	53	15	2.62	1.28
B626919		0.68	<0.005	<0.5	6.58	16	980	1.4	<2	0.95	<0.5	10	63	19	2.96	1.88
B626920		1.12	0.009	<0.5	4.80	10	690	1.0	<2	1.06	0.5	8	49	12	2.18	1.15
B626921		0.78	<0.005	<0.5	6.71	16	790	1.6	<2	0.51	<0.5	5	78	13	2.77	2.01
B626922		0.86	0.005	<0.5	6.53	16	780	1.5	<2	0.49	<0.5	6	74	12	2.70	1.92
B626923		1.04	<0.005	<0.5	6.81	8	860	1.5	<2	0.60	<0.5	5	69	13	2.76	1.86
B626924		1.12	0.006	0.5	6.95	55	780	1.7	<2	0.52	<0.5	7	66	15	2.60	2.14
B626925		0.92	<0.005	<0.5	6.92	38	790	1.7	<2	0.49	<0.5	4	73	14	2.88	2.18
B626926		0.88	<0.005	<0.5	5.66	30	680	1.3	<2	0.58	<0.5	4	57	10	2.09	1.61
B626927		0.94	0.013	<0.5	6.50	71	780	1.5	<2	0.69	<0.5	7	73	16	2.91	1.89
B626928		0.70	0.013	<0.5	6.61	293	740	1.6	3	0.67	<0.5	9	65	28	2.78	1.84
B626929		0.80	<0.005	0.6	6.45	90	710	1.9	<2	0.55	1.4	16	60	61	2.64	1.73
B626930		0.08	0.445	1.8	9.58	<5	1100	1.2	<2	1.55	<0.5	8	12	7590	3.45	3.89
B626931		0.88	<0.005	0.7	6.22	108	700	2.0	<2	0.60	0.7	18	77	60	2.62	2.00
B626932		0.70	<0.005	0.7	7.08	207	800	1.9	<2	0.69	1.6	29	67	38	2.85	1.94
B626933		0.84	0.006	1.8	7.61	267	840	2.4	<2	0.69	2.9	76	72	56	3.21	2.21
B626934		0.58	<0.005	0.5	7.05	96	780	1.7	<2	0.54	<0.5	14	69	27	3.20	2.14
B626935		0.88	0.018	3.0	6.76	288	720	1.8	11	0.49	0.6	22	76	37	3.39	2.04
B626936		0.76	0.008	1.2	6.53	187	720	1.6	5	0.53	<0.5	8	69	27	3.02	1.92
B626937		0.84	0.069	2.3	6.13	269	690	1.5	12	0.54	<0.5	9	61	27	2.87	1.78
B626938		0.58	0.005	2.0	5.92	308	680	1.4	13	0.58	0.5	25	61	26	2.92	1.68
B626939		0.82	0.371	1.8	5.75	131	650	1.3	5	0.59	0.5	6	58	23	2.55	1.64
B626940		0.84	0.042	1.2	5.61	233	650	1.3	7	0.55	<0.5	10	57	23	2.74	1.56
B626941		1.26	<0.005	<0.5	7.37	136	750	1.9	<2	0.45	<0.5	15	74	30	3.91	2.29
B626942		1.50	<0.005	<0.5	7.25	144	710	1.9	<2	0.37	0.7	14	71	27	3.92	2.31
B626943		1.24	0.006	<0.5	5.18	75	710	1.2	<2	0.71	0.6	14	56	15	2.70	1.34
B626944		1.22	0.011	<0.5	5.14	76	990	1.1	<2	1.33	0.6	8	57	18	2.52	1.13
B626945		0.78	0.006	<0.5	4.91	58	970	1.1	<2	1.27	0.6	8	54	16	2.27	1.12
B626946		1.20	0.016	<0.5	5.15	71	1010	1.2	<2	1.34	0.7	11	59	19	2.50	1.16

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084502

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B626907		0.56	371	1	1.00	18	820	10	0.02	<5	172	0.43	80	<10	54
B626908		0.52	293	<1	1.03	15	750	10	0.02	<5	170	0.38	74	<10	48
B626909		0.53	247	1	1.04	12	700	8	0.03	<5	170	0.36	76	<10	52
B626910		0.38	70	2	0.09	8	340	25	0.02	155	141	0.26	104	10	17
B626911		0.59	321	<1	1.05	20	750	10	0.04	<5	176	0.34	85	<10	64
B626912		0.53	268	<1	0.95	16	690	8	0.04	<5	160	0.32	75	<10	54
B626913		0.62	310	<1	1.00	18	510	12	0.03	<5	168	0.32	84	<10	59
B626914		0.62	504	<1	0.96	15	750	11	0.05	<5	172	0.37	85	<10	68
B626915		0.62	400	1	1.02	19	650	11	0.03	<5	160	0.39	91	<10	59
B626916		0.65	512	<1	0.96	21	760	16	0.05	<5	164	0.40	94	<10	70
B626917		0.56	1045	<1	0.94	17	730	14	0.04	<5	172	0.36	82	<10	63
B626918		0.65	589	<1	1.00	20	690	12	0.04	<5	167	0.35	87	<10	72
B626919		0.77	893	1	0.84	23	570	15	0.03	<5	145	0.36	100	<10	87
B626920		0.59	329	1	0.94	19	670	10	0.04	<5	153	0.41	73	<10	62
B626921		0.75	236	1	0.68	20	580	19	0.03	<5	130	0.37	104	<10	58
B626922		0.73	228	<1	0.68	19	580	21	0.03	<5	128	0.35	101	<10	56
B626923		0.76	216	1	0.78	20	660	18	0.03	<5	144	0.34	100	10	59
B626924		0.63	260	<1	0.64	20	560	73	0.04	13	140	0.34	97	<10	72
B626925		0.69	227	1	0.65	17	650	35	0.04	7	130	0.34	102	<10	58
B626926		0.59	197	1	0.75	16	510	18	0.03	<5	130	0.37	85	<10	45
B626927		0.72	275	<1	0.75	22	640	26	0.04	8	142	0.42	100	<10	59
B626928		0.69	233	1	0.74	25	620	15	0.04	10	138	0.37	91	<10	62
B626929		0.63	494	<1	0.70	29	560	35	0.04	8	132	0.35	87	<10	110
B626930		1.19	491	3	3.35	10	1960	9	0.24	<5	706	0.36	183	10	61
B626931		0.62	391	<1	0.72	27	550	32	0.03	9	136	0.42	102	<10	96
B626932		0.69	741	1	0.77	38	610	33	0.04	10	150	0.37	98	<10	134
B626933		0.69	1930	1	0.60	56	850	49	0.07	11	140	0.34	101	<10	191
B626934		0.69	400	1	0.72	25	620	61	0.02	25	138	0.35	95	<10	83
B626935		0.67	663	1	0.63	30	660	223	0.05	117	125	0.34	94	<10	86
B626936		0.65	272	1	0.66	20	600	108	0.04	61	133	0.36	94	<10	70
B626937		0.60	329	<1	0.65	17	620	190	0.04	104	130	0.33	86	<10	68
B626938		0.59	760	2	0.63	21	700	189	0.05	87	128	0.32	83	<10	66
B626939		0.58	243	<1	0.69	17	610	86	0.03	43	132	0.37	79	<10	64
B626940		0.56	338	<1	0.65	17	670	118	0.04	58	126	0.34	79	<10	62
B626941		0.74	469	<1	0.59	30	530	40	0.03	10	120	0.31	92	<10	106
B626942		0.73	465	1	0.57	30	490	35	0.02	13	113	0.29	88	<10	102
B626943		0.54	855	1	0.78	34	600	24	0.03	<5	137	0.33	79	<10	104
B626944		0.69	558	2	0.92	22	1040	28	0.06	<5	169	0.39	97	10	124
B626945		0.66	410	2	0.91	23	1000	25	0.05	<5	166	0.36	91	10	118
B626946		0.69	580	2	0.93	24	1050	27	0.06	<5	171	0.37	97	10	131

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084502

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B626947		0.92	0.012	<0.5	5.20	70	1000	1.2	<2	1.25	0.6	10	57	21	2.51	1.20
B626948		1.36	0.020	<0.5	5.45	74	1050	1.3	<2	1.37	0.8	10	65	24	2.77	1.24
B626949		1.00	0.009	<0.5	5.49	73	1070	1.2	<2	1.40	0.9	9	58	21	2.67	1.21
B626950		0.10	0.439	1.7	9.08	<5	1070	1.2	<2	1.50	<0.5	8	11	7200	3.36	3.71
B626951		1.04	0.008	<0.5	5.68	15	960	1.1	<2	1.20	<0.5	9	60	30	2.83	1.18
B626952		0.68	<0.005	<0.5	4.73	53	850	1.1	<2	1.31	0.5	15	49	18	4.80	0.93
B626953		0.88	<0.005	<0.5	5.45	15	1060	1.1	<2	1.05	<0.5	10	61	22	3.15	1.12
B626954		0.84	0.005	<0.5	5.16	13	800	0.9	<2	0.73	<0.5	5	54	14	2.60	1.08
B626955		1.02	<0.005	<0.5	5.52	9	940	1.2	<2	1.33	<0.5	7	45	19	2.49	1.14
B626956		0.60	<0.005	<0.5	4.97	<5	750	0.9	<2	0.94	<0.5	6	50	12	2.21	1.02
B626957		0.74	0.005	<0.5	5.04	<5	760	1.0	<2	0.97	<0.5	6	53	12	2.41	1.05
B626958		0.72	0.006	<0.5	5.41	11	860	1.1	<2	1.16	<0.5	10	62	18	2.89	1.09
B626959		0.86	0.009	<0.5	5.21	12	790	1.1	<2	1.24	<0.5	11	60	18	2.76	1.00
B626960		0.62	<0.005	<0.5	5.11	9	810	1.0	<2	1.34	0.5	11	60	17	2.70	1.00
B626961		0.74	<0.005	<0.5	5.34	25	880	1.1	<2	1.36	0.6	11	59	23	2.72	1.07
B626962		0.74	0.005	<0.5	5.31	23	880	1.1	<2	1.34	0.7	11	58	23	2.66	1.06
B626963		0.72	0.226	<0.5	5.27	17	880	1.1	<2	1.43	0.5	10	57	25	2.71	1.04
B626964		0.76	0.011	<0.5	4.98	15	820	1.1	<2	1.31	<0.5	11	61	17	2.45	1.06
B626965		0.64	0.005	<0.5	5.53	20	950	1.2	<2	1.44	<0.5	9	61	27	2.76	1.14
B626966		0.82	<0.005	<0.5	4.63	17	800	1.0	<2	1.29	<0.5	8	49	16	2.13	1.00
B626967		0.88	0.007	<0.5	5.39	25	950	1.3	<2	1.40	0.5	10	62	28	2.71	1.31
B626968		0.74	0.019	<0.5	5.30	30	870	1.2	<2	1.43	<0.5	11	60	23	2.63	1.20
B626969		1.02	0.009	<0.5	4.81	20	830	1.0	<2	1.40	0.6	9	57	16	2.32	1.04
B626970		0.10	4.48	9.8	8.74	14	530	1.0	<2	3.14	1.4	18	24	137	4.72	2.52
B626971		0.90	0.007	<0.5	4.87	24	840	1.1	<2	1.40	0.6	9	54	18	2.31	1.09
B626972		0.88	0.008	<0.5	4.52	<5	730	1.0	<2	1.00	<0.5	6	46	10	2.23	1.02
B626973		0.56	<0.005	<0.5	4.75	7	770	1.0	<2	0.88	<0.5	6	41	8	1.97	1.10
B626974		0.72	0.005	<0.5	5.09	12	820	1.1	<2	0.99	<0.5	6	49	9	2.27	1.24
B626975		0.92	0.006	<0.5	4.63	<5	730	0.9	<2	1.00	<0.5	6	45	9	1.91	1.03
B626976		0.76	0.006	<0.5	5.32	13	870	1.1	<2	1.01	<0.5	7	54	10	2.40	1.24
B626977		0.86	<0.005	<0.5	5.49	5	1060	1.2	<2	1.47	<0.5	9	54	21	2.65	1.27
B626978		0.62	0.006	<0.5	4.87	9	800	1.1	<2	0.99	<0.5	10	49	11	2.25	1.15

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084502

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B626947		0.69	486	2	0.91	25	980	24	0.06	<5	166	0.36	98	10	129
B626948		0.75	562	2	0.89	27	1120	30	0.05	<5	169	0.40	107	10	135
B626949		0.73	753	2	0.98	27	1080	25	0.05	<5	181	0.38	99	<10	137
B626950		1.14	480	2	3.28	11	1940	18	0.24	<5	685	0.35	175	<10	64
B626951		0.71	383	4	1.00	26	930	16	0.09	<5	170	0.38	108	<10	93
B626952		0.59	761	10	0.84	20	1320	15	0.11	<5	151	0.29	88	<10	108
B626953		0.71	628	4	0.89	25	1090	14	0.05	<5	151	0.37	106	<10	81
B626954		0.61	213	1	0.97	14	1030	17	0.02	<5	144	0.35	106	<10	57
B626955		0.69	326	1	1.20	20	990	10	0.01	<5	192	0.38	93	10	68
B626956		0.64	254	2	0.99	18	910	10	0.03	<5	156	0.38	91	<10	63
B626957		0.65	272	1	0.96	20	930	15	0.03	<5	152	0.40	98	<10	67
B626958		0.73	434	1	0.97	24	1070	11	0.03	<5	159	0.42	108	<10	85
B626959		0.70	531	2	0.93	22	940	16	0.04	<5	155	0.41	102	<10	86
B626960		0.70	627	3	0.94	24	940	14	0.04	<5	160	0.44	100	<10	91
B626961		0.74	526	3	0.95	30	980	14	0.04	<5	161	0.39	104	<10	99
B626962		0.72	526	2	0.91	25	940	10	0.04	<5	156	0.39	103	<10	99
B626963		0.76	584	2	0.91	25	960	13	0.04	<5	156	0.39	102	10	97
B626964		0.71	549	2	0.93	25	900	13	0.03	<5	156	0.44	99	10	91
B626965		0.78	463	1	0.94	29	980	18	0.05	<5	162	0.39	109	<10	106
B626966		0.63	443	2	0.98	17	970	14	0.03	<5	165	0.37	85	<10	76
B626967		0.76	408	2	0.90	25	1160	25	0.04	<5	160	0.39	102	10	98
B626968		0.82	591	2	0.89	24	1320	14	0.03	<5	146	0.41	100	10	95
B626969		0.67	487	2	0.95	18	1100	14	0.03	<5	163	0.46	91	20	77
B626970		1.47	1055	14	1.76	14	980	22	0.76	<5	451	0.41	162	<10	104
B626971		0.69	476	2	0.96	17	1120	15	0.03	<5	164	0.40	91	10	84
B626972		0.50	294	1	0.98	19	640	9	0.03	<5	170	0.37	75	<10	56
B626973		0.49	268	<1	0.98	15	530	9	0.03	<5	165	0.32	73	<10	45
B626974		0.57	237	<1	1.02	17	570	12	0.03	<5	180	0.35	82	<10	55
B626975		0.50	251	<1	1.02	20	600	8	0.03	<5	173	0.38	71	<10	52
B626976		0.55	396	<1	1.05	18	600	12	0.03	<5	184	0.37	86	<10	56
B626977		0.78	394	<1	1.28	28	840	8	0.01	<5	227	0.35	102	<10	73
B626978		0.54	301	1	1.04	23	610	5	0.06	<5	178	0.36	78	<10	63

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 3-OCT-2005
Account: STRGOL

CERTIFICATE VA05084501

Project: 1735

P.O. No.:

This report is for 220 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 28-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B627001		0.72	0.008	<0.5	6.84	35	630	1.7	<2	0.27	<0.5	34	113	26	4.08	1.90
B627002		0.82	0.131	<0.5	7.00	24	640	1.7	<2	0.26	0.5	28	111	25	3.98	1.96
B627003		0.82	0.005	0.5	6.60	12	700	1.6	<2	0.40	<0.5	9	81	18	2.96	1.94
B627004		0.82	0.006	0.5	7.12	24	790	1.9	<2	0.55	1.3	35	79	23	3.20	2.18
B627005		0.66	0.007	<0.5	8.61	18	940	2.4	<2	0.53	1.8	55	96	23	3.29	2.79
B627006		0.76	0.006	<0.5	8.15	19	920	2.2	<2	0.48	0.6	31	95	22	3.16	2.59
B627007		0.58	<0.005	<0.5	7.15	40	830	1.9	<2	0.58	0.9	49	77	21	3.25	2.18
B627008		0.70	0.005	<0.5	7.78	53	830	2.0	4	0.35	<0.5	8	77	28	2.80	2.58
B627009		0.96	0.016	<0.5	6.98	119	780	1.8	2	0.52	<0.5	14	72	29	3.25	2.16
B627010		0.10	1.390	<0.5	7.11	1245	690	5.7	<2	0.01	<0.5	5	199	39	3.72	2.77
B627011		0.68	<0.005	<0.5	7.43	72	870	1.9	3	0.62	0.6	23	71	24	3.20	2.28
B627012		0.80	0.006	<0.5	7.06	76	810	1.7	<2	0.60	<0.5	11	68	28	2.98	2.19
B627013		0.68	0.005	<0.5	6.64	53	750	1.7	2	0.54	<0.5	9	66	22	2.89	1.97
B627014		0.84	<0.005	<0.5	6.21	33	710	1.5	<2	0.66	<0.5	7	60	22	2.31	1.88
B627015		0.76	<0.005	<0.5	6.44	78	720	1.6	<2	0.55	<0.5	12	65	21	2.91	1.97
B627016		0.66	0.020	<0.5	6.62	71	760	1.6	3	0.70	<0.5	12	66	24	2.73	1.96
B627017		1.12	0.021	<0.5	7.32	96	780	1.9	2	0.52	<0.5	13	74	30	3.50	2.33
B627018		0.92	<0.005	<0.5	7.33	100	700	1.9	4	0.36	<0.5	15	77	41	3.79	2.45
B627019		0.88	<0.005	<0.5	6.19	102	600	1.6	2	0.34	0.5	15	62	43	3.73	1.94
B627020		0.62	<0.005	<0.5	6.33	39	740	1.8	<2	0.64	<0.5	10	68	22	2.47	2.05
B627021		1.00	0.005	<0.5	6.65	77	690	1.7	2	0.45	<0.5	12	66	31	3.13	2.13
B627022		1.20	<0.005	<0.5	6.84	73	710	1.8	<2	0.42	<0.5	12	67	28	3.20	2.21
B627023		0.90	<0.005	<0.5	6.07	45	680	1.4	<2	0.65	<0.5	9	59	22	2.60	1.75
B627024		1.00	0.005	<0.5	8.24	110	810	2.2	2	0.35	<0.5	10	81	29	3.44	2.87
B627025		1.08	<0.005	<0.5	7.32	123	700	1.9	2	0.30	<0.5	12	81	28	3.64	2.46
B627026		0.88	<0.005	<0.5	9.91	82	1050	2.8	2	0.33	<0.5	13	98	37	4.00	3.76
B627027		0.90	<0.005	<0.5	6.32	47	700	1.6	2	0.58	<0.5	11	61	23	2.85	1.94
B627028		0.60	<0.005	<0.5	5.49	43	800	1.2	<2	1.17	<0.5	12	66	19	2.86	1.20
B627029		0.54	<0.005	<0.5	5.69	53	830	1.3	3	1.28	0.7	13	64	24	3.13	1.24
B627030		0.10	4.56	8.5	7.49	7	460	0.8	<2	2.72	1.6	16	26	122	4.07	2.26
B627031		0.70	0.021	<0.5	5.30	96	740	1.1	2	1.36	1.6	11	64	24	2.97	1.18
B627032		1.00	0.020	<0.5	5.15	102	790	1.1	<2	1.32	1.1	9	61	24	2.82	1.26
B627033		0.94	0.011	<0.5	4.83	90	730	1.0	<2	1.17	0.9	8	50	19	2.36	1.12
B627034		0.66	0.029	<0.5	4.97	270	750	1.1	3	1.13	1.0	9	54	19	2.53	1.10
B627035		0.88	0.040	<0.5	5.20	224	830	1.1	2	1.00	0.9	8	57	20	2.61	1.19
B627036		0.62	0.049	0.6	5.79	373	830	1.2	<2	1.37	2.2	12	64	23	3.13	1.24
B627037		0.64	0.043	0.7	5.58	594	800	1.2	2	1.27	1.6	10	64	25	2.99	1.23
B627038		0.76	0.066	<0.5	5.46	415	800	1.1	<2	1.16	1.0	10	64	20	2.78	1.23
B627039		0.68	0.030	<0.5	6.38	353	900	1.2	3	0.83	<0.5	8	63	20	2.91	1.65
B627040		1.02	0.028	<0.5	8.11	647	1070	1.8	2	0.66	<0.5	13	77	30	3.75	2.61

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627001		0.74	1360	1	0.49	36	740	172	0.03	26	99	0.26	122	<10	147
B627002		0.73	1095	1	0.51	34	700	149	0.03	29	102	0.27	124	<10	145
B627003		0.59	291	<1	0.65	24	590	92	0.02	18	117	0.32	103	<10	82
B627004		0.60	1055	<1	0.59	35	640	90	0.04	13	124	0.30	100	<10	141
B627005		0.70	1430	<1	0.57	43	610	84	0.04	14	130	0.34	120	<10	206
B627006		0.71	1050	1	0.64	36	580	74	0.03	14	131	0.33	118	<10	138
B627007		0.64	1315	1	0.62	31	660	55	0.04	10	127	0.32	102	<10	141
B627008		0.72	201	<1	0.69	23	610	19	0.03	9	122	0.36	108	<10	59
B627009		0.74	350	<1	0.73	28	570	31	0.04	10	127	0.35	99	<10	79
B627010		0.35	90	2	0.12	17	320	26	0.02	116	92	0.25	90	10	45
B627011		0.71	605	<1	0.74	31	600	43	0.03	7	134	0.32	99	<10	115
B627012		0.70	309	<1	0.76	27	560	28	0.03	<5	132	0.33	95	<10	73
B627013		0.66	283	<1	0.69	26	530	36	0.03	10	125	0.32	94	<10	74
B627014		0.62	203	<1	0.80	25	570	26	0.04	<5	134	0.32	84	<10	66
B627015		0.65	401	1	0.70	25	520	34	0.04	9	124	0.31	89	<10	78
B627016		0.67	325	1	0.74	27	550	36	0.06	11	136	0.35	90	<10	80
B627017		0.79	414	1	0.67	33	550	39	0.03	10	124	0.30	99	<10	96
B627018		0.83	394	<1	0.53	40	590	35	0.02	18	104	0.30	95	<10	96
B627019		0.68	374	<1	0.56	40	540	38	0.01	19	100	0.27	83	<10	90
B627020		0.65	233	<1	0.77	27	530	31	0.05	9	136	0.34	95	<10	76
B627021		0.68	405	<1	0.63	29	530	34	0.03	8	117	0.28	87	<10	82
B627022		0.70	416	<1	0.63	30	490	32	0.02	9	114	0.28	90	<10	81
B627023		0.62	291	1	0.73	24	540	31	0.04	11	130	0.32	82	<10	71
B627024		0.77	276	<1	0.59	22	500	34	0.01	15	117	0.28	102	<10	70
B627025		0.77	354	<1	0.55	26	490	31	0.02	14	108	0.28	92	<10	82
B627026		1.02	336	<1	0.57	36	480	36	0.02	13	126	0.32	133	<10	105
B627027		0.62	326	<1	0.70	24	550	34	0.03	10	131	0.34	85	<10	80
B627028		0.77	688	1	0.83	27	820	16	0.04	<5	155	0.41	95	<10	110
B627029		0.84	683	1	0.74	32	920	17	0.06	8	150	0.34	97	<10	156
B627030		1.31	946	13	1.60	14	880	22	0.66	<5	384	0.36	146	<10	97
B627031		0.86	595	2	0.70	34	750	42	0.07	19	144	0.35	87	<10	194
B627032		0.73	516	2	0.81	28	840	34	0.04	23	143	0.38	91	<10	138
B627033		0.66	393	1	0.88	28	740	27	0.03	19	147	0.33	82	<10	154
B627034		0.65	404	1	0.93	27	700	35	0.03	29	158	0.32	84	<10	220
B627035		0.67	386	2	0.96	26	650	62	0.03	38	155	0.32	89	<10	174
B627036		0.78	482	1	0.85	35	780	62	0.07	39	160	0.35	93	<10	459
B627037		0.74	499	1	0.80	31	750	70	0.07	33	151	0.33	87	<10	414
B627038		0.68	422	1	0.92	27	680	38	0.04	26	157	0.35	87	<10	250
B627039		0.72	314	<1	0.87	26	680	28	0.05	10	146	0.37	95	<10	139
B627040		0.85	487	2	0.72	33	610	22	0.03	11	137	0.42	102	<10	139

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B627041		0.86	0.032	0.5	6.35	536	900	1.3	4	1.32	1.6	12	66	28	3.29	1.50
B627042		0.78	0.037	0.5	5.99	567	930	1.3	2	1.30	1.8	12	60	26	3.13	1.40
B627043		0.62	0.034	0.5	6.05	569	930	1.3	2	1.32	1.5	12	61	25	3.09	1.45
B627044		0.66	0.079	<0.5	6.14	742	870	1.4	2	1.40	1.9	14	63	29	3.25	1.56
B627045		0.72	0.007	<0.5	5.19	77	880	1.1	4	1.34	0.6	9	57	18	2.42	1.14
B627046		0.96	0.006	<0.5	6.11	30	900	1.3	<2	1.38	0.6	8	57	24	2.55	1.66
B627047		0.86	0.005	<0.5	4.74	40	820	1.0	2	1.34	0.5	7	49	18	2.21	1.04
B627048		0.88	0.006	<0.5	4.97	57	840	1.0	2	1.38	0.7	8	54	20	2.34	1.08
B627049		0.10	4.40	9.0	8.05	11	480	0.9	3	2.85	1.6	16	24	128	4.31	2.37
B627050		1.06	0.024	<0.5	5.01	44	840	1.1	2	1.40	0.7	8	56	19	2.33	1.08
B627051		0.68	0.005	<0.5	6.77	12	830	1.7	5	0.90	1.0	15	81	34	3.42	2.00
B627052		0.78	<0.005	<0.5	5.28	<5	670	1.1	2	1.14	<0.5	10	62	16	2.65	1.32
B627053		1.24	<0.005	<0.5	6.83	<5	810	1.7	4	0.77	0.5	14	79	26	3.44	2.03
B627054		0.50	<0.005	<0.5	6.45	<5	790	1.5	2	0.95	<0.5	14	71	24	3.04	1.82
B627055		0.62	0.008	<0.5	6.52	<5	810	1.5	3	0.95	0.6	13	69	26	3.19	1.82
B627056		0.82	0.007	<0.5	5.80	7	710	1.3	3	0.80	<0.5	10	60	19	2.70	1.56
B627057		0.80	0.018	<0.5	6.63	<5	1270	1.6	3	0.79	1.6	36	78	35	3.69	1.84
B627058		0.78	<0.005	<0.5	6.23	9	760	1.4	<2	0.98	<0.5	12	66	24	3.01	1.70
B627059		0.92	0.009	<0.5	5.97	20	910	1.4	<2	1.55	<0.5	12	75	23	3.48	1.60
B627060		0.92	0.014	<0.5	4.34	<5	510	1.0	2	3.90	<0.5	16	120	15	4.65	1.04
B627061		0.80	0.035	<0.5	4.92	10	910	1.1	4	2.52	<0.5	11	82	20	3.74	1.18
B627062		0.90	0.008	<0.5	4.74	<5	860	1.1	3	2.15	<0.5	11	70	19	3.04	1.12
B627063		0.92	<0.005	<0.5	5.36	5	940	1.2	3	2.36	0.5	14	90	23	3.81	1.32
B627064		0.78	0.008	<0.5	4.90	9	800	1.1	2	2.28	0.7	11	75	19	3.63	1.20
B627065		0.76	0.007	<0.5	4.99	9	710	1.1	2	1.56	0.5	11	66	19	3.07	1.29
B627066		0.66	<0.005	<0.5	5.97	<5	730	1.4	4	1.16	<0.5	10	71	22	2.98	1.58
B627067		0.96	0.009	<0.5	4.87	8	750	1.1	3	1.63	0.5	11	59	19	2.79	1.22
B627068		0.66	<0.005	<0.5	5.47	13	790	1.2	2	1.28	<0.5	10	60	20	2.69	1.40
B627069		1.02	<0.005	<0.5	5.26	<5	780	1.2	2	1.34	<0.5	11	59	19	2.70	1.33
B627070		0.12	4.53	8.7	7.51	<5	450	0.8	2	2.68	1.3	16	20	120	4.05	2.23
B627071		0.86	0.009	<0.5	9.60	29	1250	2.6	6	0.62	<0.5	15	79	44	4.83	2.79
B627072		0.68	0.006	<0.5	6.55	13	870	1.5	4	0.77	0.5	9	57	21	2.70	1.84
B627073		0.54	<0.005	<0.5	6.47	21	930	1.5	5	0.86	<0.5	9	58	22	2.75	1.76
B627074		0.56	0.012	<0.5	5.59	9	970	1.2	3	1.10	0.6	6	52	20	2.60	1.40
B627075		0.60	0.010	<0.5	5.36	23	710	1.3	3	0.90	0.8	11	55	24	3.12	1.34
B627076		0.80	0.018	<0.5	6.06	11	810	1.3	2	1.22	0.5	11	74	24	3.27	1.51
B627077		0.68	0.008	<0.5	5.50	30	770	1.2	3	1.05	<0.5	10	54	23	2.95	1.37
B627078		1.10	0.005	<0.5	5.88	38	790	1.4	<2	0.93	0.5	12	56	25	3.31	1.56
B627079		1.08	0.023	<0.5	6.17	108	850	1.4	4	1.20	0.9	12	63	27	3.32	1.58
B627080		0.84	0.017	<0.5	5.36	86	730	1.2	2	1.10	<0.5	10	54	22	2.97	1.33

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627041		0.79	443	2	0.81	35	830	45	0.09	31	158	0.36	97	<10	318
B627042		0.75	494	1	0.79	34	820	45	0.09	29	154	0.35	91	<10	313
B627043		0.75	501	1	0.88	34	770	42	0.07	26	163	0.36	95	<10	293
B627044		0.75	542	1	0.75	38	780	44	0.08	24	152	0.32	94	<10	345
B627045		0.71	492	2	0.96	26	1030	20	0.05	<5	159	0.37	93	<10	100
B627046		0.69	277	2	0.79	27	630	13	0.04	<5	139	0.34	86	<10	89
B627047		0.67	552	2	0.97	23	1030	17	0.03	<5	157	0.37	87	10	80
B627048		0.70	545	1	0.99	23	990	17	0.03	<5	162	0.36	91	<10	87
B627049		1.40	997	13	1.70	16	910	23	0.69	<5	413	0.38	153	<10	101
B627050		0.73	498	2	0.98	25	1040	16	0.03	<5	160	0.38	92	<10	86
B627051		0.71	1510	1	0.74	35	600	34	0.06	<5	169	0.32	98	<10	105
B627052		0.74	412	1	0.96	20	650	19	0.03	<5	195	0.38	97	<10	60
B627053		0.71	1180	1	0.72	34	560	27	0.05	<5	157	0.32	99	<10	96
B627054		0.73	701	1	0.84	30	550	18	0.05	<5	180	0.33	102	<10	82
B627055		0.70	1000	1	0.84	32	570	20	0.04	<5	182	0.34	98	<10	83
B627056		0.61	594	<1	0.85	26	500	18	0.02	<5	164	0.34	89	<10	67
B627057		0.67	11200	2	0.79	50	580	29	0.04	<5	170	0.30	100	<10	131
B627058		0.71	668	1	0.84	27	570	20	0.04	<5	183	0.33	99	<10	83
B627059		0.96	608	1	0.97	31	800	25	0.02	<5	237	0.43	124	<10	84
B627060		2.01	786	<1	0.86	37	1480	16	0.02	<5	503	0.79	238	<10	66
B627061		1.21	602	<1	1.01	29	1110	18	0.02	<5	295	0.54	148	<10	72
B627062		1.02	506	1	1.08	27	1010	12	0.02	<5	269	0.48	120	<10	65
B627063		1.28	736	1	1.00	33	1080	20	0.03	<5	299	0.47	149	<10	78
B627064		1.22	1105	1	0.91	31	960	15	0.02	<5	280	0.44	130	<10	69
B627065		0.93	888	2	0.88	29	790	17	0.02	<5	235	0.41	116	<10	73
B627066		0.77	378	1	0.86	25	680	20	0.03	<5	205	0.42	108	<10	74
B627067		0.91	615	1	0.96	26	820	14	0.02	<5	236	0.40	110	<10	67
B627068		0.80	485	<1	1.02	26	740	17	0.02	<5	219	0.39	105	<10	74
B627069		0.82	531	1	1.00	25	750	17	0.03	<5	221	0.37	104	<10	73
B627070		1.32	934	13	1.60	14	860	22	0.65	<5	386	0.36	144	<10	95
B627071		1.35	999	2	0.12	47	1000	21	0.03	<5	52	0.50	136	<10	124
B627072		0.52	576	1	0.46	24	780	20	0.03	<5	89	0.39	83	<10	77
B627073		0.61	661	<1	0.49	25	810	15	0.03	<5	95	0.38	84	<10	82
B627074		0.64	622	1	0.59	27	710	13	0.04	<5	116	0.35	85	<10	101
B627075		0.66	757	1	0.63	30	810	14	0.02	<5	122	0.44	82	<10	81
B627076		0.87	759	1	0.65	31	830	13	0.03	<5	142	0.49	95	<10	91
B627077		0.74	669	2	0.62	32	700	15	0.03	<5	124	0.36	80	<10	86
B627078		0.85	803	1	0.49	33	690	17	0.02	6	111	0.38	83	<10	90
B627079		0.89	736	1	0.63	34	790	28	0.03	13	141	0.42	91	<10	123
B627080		0.74	695	1	0.67	27	780	27	0.02	10	139	0.39	81	<10	105

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B627081		0.70	0.006	<0.5	5.50	62	750	1.3	<2	1.00	0.5	11	54	24	3.20	1.38
B627082		0.60	0.010	<0.5	5.57	64	770	1.3	2	1.04	0.9	12	54	25	3.19	1.39
B627083		0.64	0.008	<0.5	5.45	100	770	1.3	3	1.08	<0.5	12	50	25	3.03	1.37
B627084		0.74	0.039	0.8	7.26	523	980	1.6	<2	1.25	3.1	10	68	31	3.38	2.01
B627085		0.74	0.024	<0.5	8.15	600	960	1.8	2	1.21	5.7	13	72	30	3.59	2.17
B627086		0.80	0.102	<0.5	6.49	339	840	1.5	2	1.27	3.9	11	62	29	3.24	1.70
B627087		0.70	0.018	<0.5	6.60	223	880	1.5	3	1.20	2.0	11	63	27	3.29	1.72
B627088		0.72	0.021	<0.5	7.45	270	960	1.7	3	1.37	2.4	11	71	33	3.52	2.01
B627089		0.56	0.027	<0.5	6.42	294	850	1.4	4	1.24	2.1	10	63	27	3.25	1.68
B627090		0.08	4.49	8.7	7.85	<5	460	0.8	<2	2.74	1.9	16	20	121	4.14	2.25
B627091		0.58	0.022	<0.5	6.02	229	820	1.4	3	1.14	2.1	9	58	24	3.04	1.52
B627092		0.84	0.037	<0.5	6.30	267	860	1.4	2	1.26	2.2	10	62	26	3.13	1.66
B627093		0.70	0.023	<0.5	5.98	226	800	1.3	2	1.23	3.0	10	58	23	2.96	1.48
B627094		0.54	<0.005	<0.5	6.12	38	760	1.4	4	0.70	<0.5	5	51	21	2.19	1.82
B627095		0.72	0.010	<0.5	7.06	61	820	1.5	4	0.67	0.5	6	76	20	2.80	2.01
B627096		0.50	0.010	<0.5	6.79	36	710	1.4	3	0.56	0.5	6	71	17	2.29	1.94
B627097		0.68	0.006	0.8	6.74	28	750	1.5	4	0.52	0.6	6	72	19	2.44	2.08
B627098		0.70	0.007	1.4	7.13	29	770	1.4	3	0.55	0.5	6	75	21	2.75	2.08
B627099		0.60	0.005	0.9	6.22	41	700	1.2	5	0.63	0.5	4	66	15	2.28	1.70
B627100		0.64	0.005	0.9	6.17	25	710	1.2	5	0.61	0.5	5	63	14	2.14	1.72
B627101		1.02	<0.005	<0.5	7.08	11	810	1.6	2	0.47	0.5	5	70	16	2.66	2.06
B627102		0.86	<0.005	<0.5	7.21	<5	810	1.6	2	0.46	<0.5	4	68	16	2.70	2.11
B627103		0.76	<0.005	<0.5	5.65	<5	730	1.2	3	0.52	<0.5	4	56	17	2.04	1.48
B627104		0.70	<0.005	<0.5	5.99	<5	730	1.3	5	0.59	0.6	4	56	13	2.14	1.64
B627105		0.78	<0.005	<0.5	6.50	<5	800	1.4	3	0.70	<0.5	8	61	13	2.47	1.75
B627106		0.80	0.006	<0.5	8.84	<5	840	2.1	3	2.06	<0.5	19	204	47	4.38	2.97
B627107		1.02	0.005	0.6	10.10	23	1010	2.7	6	0.39	0.9	8	83	26	3.35	3.35
B627108		0.82	0.005	<0.5	7.87	<5	880	1.9	5	0.96	0.5	15	100	24	3.31	2.42
B627109		1.14	0.009	<0.5	6.80	<5	740	1.6	4	0.79	<0.5	10	87	19	3.03	1.96
B627110		0.76	0.005	<0.5	6.98	9	800	1.6	4	0.84	<0.5	11	87	17	2.98	1.98
B627111		1.44	<0.005	<0.5	6.58	7	750	1.4	3	0.64	<0.5	6	63	17	3.04	1.75
B627112		1.12	<0.005	<0.5	6.54	9	760	1.5	3	0.83	<0.5	9	76	18	2.76	1.83
B627113		0.90	<0.005	<0.5	6.09	<5	710	1.5	3	1.46	1.3	15	60	28	2.47	1.63
B627114		1.82	<0.005	<0.5	8.21	10	880	2.0	4	0.51	0.5	8	71	25	3.03	2.49
B627115		1.34	0.018	<0.5	11.65	8	990	3.1	3	0.12	<0.5	18	98	40	4.38	4.00
B627116		1.08	0.006	<0.5	7.56	12	840	1.8	4	0.63	<0.5	7	72	21	2.91	2.14
B627117		1.42	0.017	<0.5	6.54	16	700	1.7	3	0.54	0.5	10	62	25	2.95	1.93
B627118		1.36	<0.005	<0.5	8.73	8	920	2.1	2	0.47	0.7	8	78	20	2.70	2.69
B627119		1.34	0.006	<0.5	6.60	9	750	1.5	4	0.84	0.7	10	63	22	2.49	1.82
B627120		1.54	0.018	<0.5	6.55	8	770	1.5	<2	0.73	0.5	13	61	23	3.09	1.80

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627081		0.90	686	1	0.58	35	680	18	0.02	5	122	0.37	78	<10	105
B627082		0.89	733	2	0.58	33	680	23	0.03	6	123	0.36	79	<10	113
B627083		0.82	692	2	0.61	33	680	22	0.03	10	133	0.35	79	<10	112
B627084		0.85	362	2	0.74	36	650	87	0.06	44	148	0.40	97	<10	875
B627085		0.86	412	2	0.71	40	640	36	0.05	9	149	0.39	98	<10	997
B627086		0.87	534	2	0.65	36	730	42	0.06	17	144	0.39	92	<10	569
B627087		0.90	528	2	0.69	35	740	31	0.05	7	146	0.40	93	<10	379
B627088		1.00	677	1	0.60	38	740	33	0.06	14	141	0.38	100	<10	480
B627089		0.89	539	1	0.71	34	710	41	0.04	10	148	0.40	92	<10	381
B627090		1.34	951	13	1.61	13	870	20	0.66	<5	397	0.36	144	<10	96
B627091		0.82	501	1	0.72	31	710	30	0.04	10	142	0.36	87	<10	289
B627092		0.85	487	1	0.66	31	710	44	0.06	13	142	0.37	89	<10	347
B627093		0.79	555	1	0.72	31	700	33	0.05	9	146	0.37	84	<10	400
B627094		0.52	219	1	0.87	16	500	30	0.01	5	176	0.43	92	<10	57
B627095		0.61	295	1	0.75	19	640	37	0.01	<5	148	0.45	114	<10	66
B627096		0.52	215	1	0.68	16	460	62	0.02	<5	132	0.40	106	<10	47
B627097		0.53	306	<1	0.62	18	540	85	0.02	5	122	0.43	108	<10	53
B627098		0.58	249	1	0.67	14	620	181	0.02	5	130	0.44	114	<10	58
B627099		0.52	284	<1	0.71	16	510	110	0.02	7	132	0.46	100	<10	50
B627100		0.51	225	1	0.70	13	510	97	0.02	6	130	0.40	96	<10	52
B627101		0.57	227	1	0.73	19	610	32	0.02	5	135	0.35	104	<10	60
B627102		0.57	224	1	0.73	16	620	33	0.02	6	133	0.34	106	<10	60
B627103		0.45	186	1	0.77	16	1080	18	0.04	<5	127	0.32	87	<10	38
B627104		0.54	224	1	0.84	18	490	22	0.02	<5	137	0.33	89	<10	51
B627105		0.60	340	1	0.86	19	590	22	0.02	<5	150	0.36	97	<10	60
B627106		2.07	464	1	0.49	75	750	14	0.07	<5	274	0.46	217	<10	80
B627107		0.75	311	1	0.55	31	590	88	0.04	26	141	0.33	124	10	141
B627108		1.00	512	<1	0.72	39	660	23	0.03	<5	183	0.37	134	<10	86
B627109		0.79	412	1	0.67	26	520	28	0.02	6	151	0.35	108	<10	67
B627110		0.82	412	<1	0.77	26	640	28	0.03	<5	165	0.33	114	<10	60
B627111		0.61	274	1	0.78	21	600	21	0.02	5	149	0.32	96	<10	61
B627112		0.72	338	1	0.83	23	540	27	0.02	<5	165	0.35	98	<10	66
B627113		0.68	987	1	0.57	36	800	23	0.11	<5	173	0.25	81	<10	111
B627114		0.70	242	1	0.77	27	350	29	0.02	5	150	0.31	110	<10	76
B627115		0.73	373	2	0.47	47	360	33	0.01	<5	150	0.31	140	<10	102
B627116		0.66	230	1	0.80	23	470	55	0.03	12	155	0.28	104	<10	69
B627117		0.58	335	1	0.67	26	430	53	0.02	19	133	0.30	91	<10	83
B627118		0.66	279	2	0.71	25	470	50	0.02	12	153	0.29	110	<10	80
B627119		0.62	284	1	0.80	24	560	32	0.04	6	160	0.31	90	<10	79
B627120		0.64	562	1	0.86	26	600	27	0.02	<5	160	0.33	93	<10	84

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B627121		1.22	0.005	<0.5	6.43	6	740	1.5	2	0.73	<0.5	6	66	22	2.65	1.76
B627122		1.46	0.012	<0.5	6.54	14	760	1.5	3	0.71	0.5	7	67	21	2.76	1.82
B627123		1.04	0.006	<0.5	6.55	15	730	1.6	2	0.76	0.6	14	62	26	3.14	1.86
B627124		1.44	<0.005	1.1	11.20	8	1120	2.9	4	0.38	1.5	12	96	35	3.12	3.88
B627125		1.40	0.006	<0.5	7.07	16	740	1.8	2	0.57	1.1	14	68	28	3.53	2.13
B627126		1.30	<0.005	<0.5	9.85	6	1050	2.5	5	0.68	<0.5	10	90	27	3.11	3.31
B627127		1.34	<0.005	<0.5	6.16	6	740	1.3	3	0.75	<0.5	7	54	18	2.44	1.63
B627128		0.94	0.006	<0.5	8.72	17	980	2.1	3	0.62	0.5	11	81	21	3.32	2.58
B627129		1.42	0.008	<0.5	6.34	21	810	1.5	3	0.80	0.5	10	62	22	2.83	1.78
B627130		0.10	0.413	2.5	9.63	5	1050	1.2	4	1.51	<0.5	7	11	7410	3.33	3.79
B627131		1.02	<0.005	<0.5	5.82	13	750	1.4	4	0.61	<0.5	9	52	25	2.68	1.66
B627132		1.44	0.016	<0.5	6.54	29	760	1.6	3	0.59	0.5	11	64	25	3.24	1.93
B627133		1.04	<0.005	<0.5	6.34	24	760	1.5	3	0.64	<0.5	11	58	27	3.06	1.82
B627134		1.46	<0.005	<0.5	6.23	<5	790	1.5	<2	1.16	<0.5	12	67	27	3.25	1.76
B627135		1.12	<0.005	<0.5	5.64	9	790	1.3	2	1.41	0.6	10	59	20	3.04	1.51
B627136		0.76	<0.005	<0.5	7.55	6	890	1.7	4	0.87	0.6	10	71	22	2.98	2.22
B627137		1.34	<0.005	<0.5	11.65	11	1190	3.4	<2	0.24	<0.5	11	108	31	3.00	4.43
B627138		0.94	0.008	<0.5	5.98	15	750	1.2	<2	0.90	<0.5	10	58	19	2.95	1.42
B627139		1.04	<0.005	<0.5	5.62	16	870	1.3	<2	1.20	<0.5	13	61	24	2.81	1.48
B627140		1.02	0.005	<0.5	5.73	10	860	1.3	<2	1.31	<0.5	13	64	26	3.02	1.54
B627141		1.10	<0.005	<0.5	5.95	13	750	1.4	<2	0.89	0.6	12	63	24	2.84	1.70
B627142		0.92	<0.005	<0.5	6.33	22	780	1.5	<2	0.88	0.5	12	65	25	2.98	1.79
B627143		1.38	<0.005	<0.5	5.55	17	970	1.2	<2	1.19	<0.5	12	57	23	2.92	1.44
B627144		1.28	0.007	<0.5	5.31	10	810	1.2	<2	1.15	<0.5	10	59	18	2.85	1.42
B627145		1.52	0.009	<0.5	6.49	34	800	1.6	<2	0.75	<0.5	12	64	26	3.16	1.94
B627146		1.32	0.007	<0.5	5.73	32	790	1.3	<2	0.95	0.5	13	60	21	2.90	1.54
B627147		1.24	0.015	<0.5	6.00	95	780	1.3	<2	1.05	0.6	13	55	19	3.00	1.44
B627148		1.14	0.028	<0.5	5.70	68	840	1.2	<2	1.03	0.5	14	58	17	2.80	1.28
B627149		1.00	0.024	<0.5	5.88	63	860	1.2	<2	1.00	<0.5	14	59	17	2.85	1.36
B627150		0.10	0.420	2.4	9.08	5	1000	1.1	<2	1.42	<0.5	9	9	6820	3.10	3.46
B627151		1.36	0.019	<0.5	5.03	47	810	1.0	<2	1.03	0.5	9	56	21	2.45	1.10
B627152		1.42	0.026	0.6	5.28	78	830	1.0	2	0.98	<0.5	11	56	28	2.52	1.08
B627153		1.24	0.018	<0.5	5.48	133	820	1.1	<2	1.06	0.6	11	58	20	2.55	1.18
B627154		0.82	0.018	0.5	5.43	142	860	1.1	<2	1.06	<0.5	11	57	23	2.61	1.18
B627155		1.30	0.022	<0.5	5.29	236	830	1.1	<2	1.07	0.5	12	56	21	2.64	1.12
B627156		1.38	0.023	<0.5	7.03	79	1040	1.2	<2	0.71	<0.5	7	97	38	2.91	1.26
B627157		1.04	0.029	<0.5	5.75	240	930	1.2	<2	0.90	<0.5	11	63	21	2.78	1.22
B627158		0.90	0.092	<0.5	5.57	377	850	1.1	<2	1.11	0.6	12	60	20	2.77	1.16
B627159		1.60	0.012	<0.5	5.53	54	1090	1.1	<2	1.06	<0.5	12	64	30	2.86	1.12
B627160		1.12	0.007	<0.5	4.89	44	930	1.0	<2	0.99	<0.5	10	53	21	2.12	1.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627121		0.65	240	1	0.86	22	460	33	0.02	11	158	0.34	91	<10	66
B627122		0.64	244	1	0.84	22	490	37	0.02	9	156	0.34	93	<10	69
B627123		0.64	588	1	0.73	29	550	34	0.04	7	150	0.30	90	<10	99
B627124		0.60	371	2	0.59	30	400	98	0.01	13	165	0.35	141	<10	158
B627125		0.65	576	1	0.63	31	490	39	0.03	9	135	0.27	94	<10	112
B627126		0.75	312	1	0.75	32	500	20	0.03	<5	182	0.32	130	<10	82
B627127		0.59	242	1	0.93	22	480	31	0.02	<5	162	0.31	87	<10	68
B627128		0.75	324	2	0.75	28	470	43	0.02	11	163	0.31	118	<10	90
B627129		0.61	312	1	0.86	26	590	33	0.02	7	161	0.33	90	<10	78
B627130		1.18	480	3	3.38	11	1890	8	0.23	<5	691	0.33	176	<10	54
B627131		0.45	328	1	0.70	25	580	32	0.01	8	138	0.28	75	<10	73
B627132		0.52	468	1	0.69	25	620	38	0.02	11	138	0.31	86	<10	92
B627133		0.54	518	1	0.77	30	580	36	0.02	7	146	0.31	88	<10	83
B627134		0.84	513	2	0.92	30	730	25	0.02	<5	206	0.37	110	<10	83
B627135		0.88	840	1	0.99	28	760	19	0.02	<5	220	0.35	105	<10	78
B627136		0.72	367	1	0.89	26	660	27	0.03	<5	185	0.35	108	<10	96
B627137		0.54	436	1	0.36	27	490	13	0.01	<5	210	0.31	161	<10	76
B627138		0.66	554	1	0.85	23	700	25	0.02	9	178	0.29	84	<10	68
B627139		0.79	550	1	0.92	28	700	23	0.03	5	198	0.32	99	<10	85
B627140		0.84	759	1	0.93	30	760	25	0.02	<5	209	0.33	104	<10	87
B627141		0.64	554	1	0.77	29	710	22	0.03	<5	178	0.32	95	<10	110
B627142		0.67	553	1	0.77	29	680	25	0.03	<5	176	0.28	97	<10	107
B627143		0.76	611	1	1.01	28	800	20	0.02	6	200	0.34	94	<10	81
B627144		0.72	550	1	0.91	25	740	20	0.02	<5	199	0.36	94	<10	76
B627145		0.67	550	1	0.69	28	670	35	0.01	7	162	0.35	96	<10	98
B627146		0.67	746	<1	0.87	29	680	28	0.02	<5	182	0.35	91	<10	95
B627147		0.83	724	1	0.73	28	760	13	0.07	<5	132	0.32	81	<10	112
B627148		0.73	736	1	0.85	28	800	13	0.04	<5	146	0.39	85	<10	102
B627149		0.74	443	1	0.79	28	820	21	0.06	5	138	0.35	85	<10	110
B627150		1.14	459	2	3.16	12	1780	8	0.22	<5	668	0.32	166	<10	55
B627151		0.66	440	1	0.83	24	830	12	0.04	<5	139	0.37	85	<10	99
B627152		0.67	368	2	0.82	26	800	20	0.04	8	136	0.33	91	<10	97
B627153		0.69	376	1	0.84	26	1030	19	0.07	7	144	0.37	89	<10	118
B627154		0.68	417	1	0.79	27	940	21	0.06	7	136	0.32	88	<10	107
B627155		0.66	526	1	0.78	30	990	24	0.06	8	136	0.35	88	<10	112
B627156		0.67	237	2	0.67	23	1130	15	0.04	10	132	0.42	159	<10	71
B627157		0.66	404	2	0.81	29	1040	25	0.06	13	140	0.35	96	<10	140
B627158		0.67	616	1	0.82	30	1040	23	0.06	12	143	0.37	92	<10	156
B627159		0.79	442	2	0.96	27	850	17	0.02	<5	154	0.36	105	<10	91
B627160		0.65	365	1	0.88	22	780	16	0.03	<5	142	0.33	86	<10	86

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B627161		1.46	0.011	<0.5	5.23	66	980	1.2	<2	1.18	<0.5	10	56	38	2.49	1.18
B627162		1.50	0.015	<0.5	5.11	56	960	1.2	<2	1.20	<0.5	10	57	35	2.46	1.17
B627163		1.28	0.019	<0.5	5.22	298	930	1.1	<2	1.30	0.9	11	59	26	2.74	1.10
B627164		0.94	0.044	<0.5	5.18	185	880	1.1	<2	1.22	0.7	10	57	22	2.58	1.10
B627165		1.06	0.026	<0.5	5.05	207	820	1.1	<2	1.37	0.5	11	54	22	2.55	1.10
B627166		0.84	0.024	<0.5	6.25	102	870	1.3	<2	1.60	<0.5	16	77	74	3.43	1.10
B627167		1.36	0.006	<0.5	4.52	32	790	0.9	<2	1.30	<0.5	8	47	16	2.12	0.95
B627168		1.52	0.221	<0.5	4.74	44	810	1.0	<2	1.35	<0.5	10	53	18	2.28	0.99
B627169		1.72	0.064	<0.5	4.62	118	810	0.9	<2	1.11	<0.5	7	47	10	2.06	0.93
B627170		0.10	0.427	2.2	8.88	5	1000	1.1	<2	1.40	<0.5	8	9	6800	3.09	3.45
B627171		0.96	0.010	<0.5	5.06	99	910	1.0	<2	1.07	<0.5	7	52	21	2.17	1.04
B627172		0.96	0.051	<0.5	5.28	417	1250	1.1	<2	1.03	<0.5	10	59	30	2.66	1.10
B627173		1.44	0.012	1.3	5.90	37	690	1.2	<2	0.68	<0.5	7	65	15	2.60	1.58
B627174		1.04	0.012	1.8	6.88	47	830	1.4	2	0.59	0.8	10	71	21	2.89	1.98
B627175		0.88	0.011	1.2	6.12	38	780	1.2	3	0.72	0.7	9	63	18	2.65	1.64
B627176		0.90	0.013	1.8	7.18	51	930	1.5	<2	0.62	1.4	20	70	24	3.42	2.04
B627177		1.22	0.010	0.6	5.68	24	730	1.2	<2	0.67	0.5	8	56	17	2.41	1.52
B627178		0.78	0.006	<0.5	5.04	14	720	1.0	<2	0.88	<0.5	7	50	12	2.27	1.22
B627179		1.18	0.005	<0.5	4.75	14	690	0.9	2	0.83	0.5	8	46	11	2.06	1.14
B627180		1.12	<0.005	0.6	5.10	36	910	1.2	<2	0.88	2.4	38	53	23	4.60	1.28
B627181		1.46	<0.005	<0.5	4.40	10	770	0.8	<2	1.73	<0.5	7	43	18	2.22	0.92
B627182		1.06	<0.005	<0.5	4.49	16	780	0.9	<2	1.82	<0.5	8	47	18	2.30	0.93
B627183		1.42	0.006	<0.5	6.61	15	830	1.4	<2	0.75	<0.5	11	60	22	2.81	1.80
B627184		1.16	<0.005	<0.5	4.88	18	840	1.1	<2	1.00	1.0	23	45	19	3.15	1.20
B627185		1.74	0.005	<0.5	5.41	22	840	1.2	<2	1.05	<0.5	16	51	19	3.25	1.28
B627186		0.96	0.006	<0.5	5.09	16	770	1.1	<2	0.96	0.5	15	48	15	2.92	1.21
B627187		1.26	0.005	<0.5	7.01	39	900	1.5	<2	0.63	<0.5	9	64	31	3.06	1.91
B627188		1.26	<0.005	<0.5	6.56	24	890	1.4	<2	0.75	<0.5	11	63	25	2.87	1.75
B627189		1.32	0.017	<0.5	4.93	23	770	1.1	<2	0.95	0.6	20	52	16	3.74	1.22
B627190		1.58	0.005	<0.5	6.73	8	850	1.4	<2	0.77	0.7	11	66	23	2.98	1.94
B627191		0.96	0.005	0.5	6.76	13	870	1.3	<2	0.86	0.8	10	67	19	2.83	1.83
B627192		0.76	0.023	0.5	8.20	19	950	1.8	<2	0.89	0.5	15	76	27	3.52	2.44
B627193		0.88	0.007	<0.5	7.64	32	810	1.7	<2	0.63	0.5	15	74	28	4.05	2.29
B627194		1.48	0.006	<0.5	8.34	27	900	1.9	<2	0.71	0.5	15	76	31	3.86	2.59
B627195		1.36	0.008	<0.5	7.84	14	820	1.7	<2	0.54	<0.5	14	70	25	3.54	2.45
B627196		1.16	0.012	<0.5	7.00	14	770	1.5	<2	0.66	0.6	12	62	21	3.03	2.06
B627197		1.36	0.007	<0.5	7.87	44	940	1.8	<2	0.62	<0.5	16	72	27	3.80	2.54
B627198		1.04	<0.005	<0.5	7.24	14	830	1.6	<2	1.38	<0.5	13	64	39	3.10	2.25
B627199		1.02	<0.005	<0.5	6.78	30	780	1.5	<2	0.77	<0.5	12	62	21	3.11	1.96
B627200		1.02	0.009	<0.5	6.53	12	780	1.3	<2	0.94	<0.5	10	62	19	2.88	1.78

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627161		0.79	411	2	0.82	28	1120	24	0.01	5	128	0.33	98	<10	105
B627162		0.78	416	2	0.83	25	1120	24	0.01	<5	128	0.34	96	10	103
B627163		0.70	1445	2	0.74	32	1060	23	0.06	10	135	0.32	90	10	138
B627164		0.71	589	1	0.81	23	1080	30	0.05	11	137	0.33	89	<10	136
B627165		0.72	742	1	0.82	26	1090	19	0.05	8	140	0.31	85	10	115
B627166		0.94	602	2	0.82	37	1040	15	0.05	<5	134	0.42	132	<10	98
B627167		0.65	627	2	0.96	20	980	11	0.03	<5	159	0.32	81	<10	78
B627168		0.67	643	2	0.98	21	1040	17	0.03	<5	165	0.37	86	<10	84
B627169		0.58	380	1	0.94	16	690	16	0.03	5	162	0.35	80	10	65
B627170		1.14	462	3	3.15	8	1780	4	0.22	<5	661	0.32	166	<10	51
B627171		0.66	263	1	0.90	19	750	19	0.03	8	158	0.32	89	<10	78
B627172		0.68	493	2	0.83	22	850	19	0.04	7	155	0.34	98	<10	86
B627173		0.52	411	1	0.67	15	530	98	0.02	15	138	0.45	91	<10	71
B627174		0.58	527	1	0.61	20	660	141	0.02	19	134	0.37	106	<10	96
B627175		0.56	513	1	0.74	17	620	112	0.02	12	146	0.39	95	<10	79
B627176		0.60	1600	1	0.62	21	710	160	0.03	15	137	0.31	110	<10	102
B627177		0.50	653	1	0.75	15	560	66	0.02	6	137	0.35	83	<10	70
B627178		0.53	468	<1	0.96	16	620	27	0.01	5	162	0.35	80	<10	59
B627179		0.50	392	<1	0.96	15	560	26	0.01	<5	156	0.31	75	<10	57
B627180		0.52	6210	1	0.80	84	690	35	0.03	<5	154	0.31	79	<10	318
B627181		0.70	355	1	1.20	21	910	9	0.01	<5	220	0.32	75	<10	53
B627182		0.73	365	<1	1.22	21	980	8	0.01	<5	227	0.35	79	<10	54
B627183		0.63	379	1	0.95	23	600	19	0.01	<5	160	0.35	89	<10	74
B627184		0.55	3750	1	0.98	48	630	14	0.02	<5	181	0.26	71	<10	152
B627185		0.64	1490	1	1.05	34	650	16	0.02	<5	186	0.31	88	<10	117
B627186		0.54	1385	<1	1.01	32	610	16	0.02	<5	176	0.32	77	<10	99
B627187		0.62	466	1	0.82	24	620	24	0.02	<5	142	0.31	96	<10	87
B627188		0.67	379	1	0.89	24	550	19	0.02	5	152	0.36	100	<10	78
B627189		0.53	2480	<1	0.91	41	610	17	0.02	<5	169	0.31	75	<10	142
B627190		0.64	893	1	0.84	27	700	41	0.02	14	149	0.33	94	<10	131
B627191		0.67	581	1	0.89	26	670	47	0.03	19	160	0.36	100	<10	130
B627192		0.73	1455	<1	0.88	35	710	33	0.03	5	170	0.34	96	<10	142
B627193		0.78	1220	1	0.80	43	750	44	0.02	7	125	0.27	86	<10	154
B627194		0.78	944	<1	0.83	37	650	36	0.03	7	147	0.31	95	<10	147
B627195		0.70	1145	1	0.88	30	590	25	0.03	<5	124	0.32	86	<10	112
B627196		0.64	775	1	0.99	27	620	23	0.03	<5	140	0.32	78	<10	108
B627197		0.70	1385	1	0.78	31	580	36	0.02	7	140	0.36	92	<10	120
B627198		0.68	705	1	0.71	30	620	24	0.07	<5	186	0.33	82	<10	94
B627199		0.62	1275	1	0.90	26	600	24	0.02	5	150	0.33	80	<10	98
B627200		0.64	620	<1	1.02	25	670	16	0.02	<5	168	0.39	84	<10	85

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01
B627201		0.80	0.007	2.2	6.64	43	760	1.3	<2	0.53	0.6	7	70	20	2.57	1.81
B627202		0.84	<0.005	2.4	7.22	39	810	1.5	<2	0.51	0.6	8	73	23	2.78	2.00
B627203		0.62	0.016	3.5	7.69	38	840	1.5	<2	0.52	1.1	6	78	27	2.61	2.20
B627204		0.64	0.005	1.7	7.34	24	920	1.6	<2	0.74	0.8	10	73	21	2.70	2.09
B627205		0.58	0.010	0.5	5.96	15	870	1.2	<2	0.97	0.8	12	61	22	2.74	1.45
B627206		0.66	0.518	<0.5	6.32	60	900	1.5	<2	1.21	<0.5	11	69	21	2.97	1.48
B627207		0.96	0.028	<0.5	5.77	32	840	1.4	<2	1.36	<0.5	9	57	12	2.44	1.41
B627208		0.54	0.082	<0.5	5.69	74	880	1.5	<2	1.46	<0.5	8	55	16	2.54	1.38
B627209		0.76	0.449	<0.5	6.12	175	860	1.8	<2	1.46	<0.5	11	59	21	2.76	1.43
B627210		0.12	2.73	<0.5	7.53	2060	740	12.9	<2	0.02	<0.5	1	149	97	3.44	3.12
B627211		0.62	0.175	<0.5	7.46	442	890	2.2	2	1.26	<0.5	12	63	25	3.40	1.81
B627212		0.80	0.079	0.8	6.81	344	930	2.0	<2	1.23	<0.5	10	56	21	2.91	1.66
B627213		0.92	0.235	<0.5	6.63	317	910	1.9	<2	1.24	<0.5	10	56	20	2.89	1.63
B627214		0.66	0.161	<0.5	6.57	305	890	1.9	<2	1.20	<0.5	10	54	20	2.89	1.66
B627215		1.06	0.064	<0.5	6.65	439	840	1.7	<2	0.72	<0.5	11	57	28	3.42	1.88
B627216		1.10	1.125	<0.5	7.34	437	930	1.9	<2	0.83	<0.5	13	63	31	3.59	2.08
B627217		1.00	0.069	<0.5	7.13	398	880	1.8	<2	0.80	0.5	13	65	27	3.57	2.13
B627218		1.10	0.596	<0.5	7.05	406	890	1.8	<2	0.75	<0.5	14	65	28	3.43	2.11
B627219		1.00	0.261	<0.5	6.88	341	900	1.7	<2	0.89	<0.5	13	63	27	3.44	1.96
B627220		1.10	0.198	<0.5	6.52	282	850	1.6	<2	0.88	<0.5	12	58	26	3.22	1.86

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

Project: 1735

CERTIFICATE OF ANALYSIS VA05084501

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B627201		0.54	304	1	0.61	18	640	182	0.03	9	130	0.39	102	<10	71
B627202		0.57	334	1	0.59	17	710	224	0.03	7	130	0.38	112	<10	78
B627203		0.60	229	1	0.56	18	550	312	0.03	5	138	0.37	114	<10	95
B627204		0.66	280	<1	0.81	20	590	164	0.02	<5	162	0.39	116	<10	110
B627205		0.61	735	1	0.93	22	660	60	0.02	<5	170	0.38	100	<10	90
B627206		0.77	474	1	1.09	24	1000	35	0.03	5	198	0.49	99	10	103
B627207		0.72	548	2	1.20	19	910	18	0.01	<5	229	0.40	91	10	66
B627208		0.71	462	1	1.13	21	870	32	0.03	<5	217	0.43	85	20	94
B627209		0.71	492	2	1.05	25	1080	39	0.04	8	222	0.47	86	30	95
B627210		0.37	70	2	0.09	8	330	29	0.02	152	138	0.25	104	20	17
B627211		0.76	477	3	0.91	29	1040	40	0.04	7	203	0.46	89	20	123
B627212		0.65	473	3	1.07	25	970	29	0.03	7	215	0.44	81	20	93
B627213		0.68	458	2	1.03	25	980	36	0.03	6	217	0.44	82	20	101
B627214		0.66	471	2	1.00	24	930	38	0.03	<5	199	0.42	81	20	109
B627215		0.50	476	1	0.75	31	750	54	0.02	6	146	0.44	80	10	118
B627216		0.57	533	1	0.83	32	850	51	0.02	7	166	0.46	86	10	124
B627217		0.59	606	2	0.81	32	800	51	0.01	9	162	0.48	86	30	115
B627218		0.58	534	1	0.79	32	710	47	0.02	10	158	0.44	83	20	113
B627219		0.61	577	2	0.86	31	780	48	0.02	9	171	0.45	82	20	108
B627220		0.60	519	2	0.89	29	760	32	0.01	6	164	0.43	82	20	93

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Dat 3-OCT-2005
Account: STRGOL

CERTIFICATE VA05082213

Project:

P.O. No.:

This report is for 24 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 29-SEP-2005.

The following have access to data associated with this certificate:

DAVID HLADKY	JIM SPARLING	TERRY TUCKER

SAMPLE PREPARATION


ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41d	Screen to -100um, save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: JIM SPARLING
701-475 HOWE ST
VANCOUVER BC V6C 2B3

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

CERTIFICATE OF ANALYSIS VA05082213

Sample Description	Method	WEI-21	Au-AA23	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%
	LOR	0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01
B367411		0.26	<0.005	0.7	5.87	38	1640	1.5	<2	1.62	0.9	8	92	39	2.47	1.62
B367412		0.40	<0.005	0.5	4.86	25	1100	1.0	<2	1.12	1.2	11	69	32	2.44	1.11
B367413		0.38	<0.005	<0.5	4.87	19	900	1.0	<2	1.38	0.6	9	55	20	2.27	1.04
B367414		0.48	<0.005	<0.5	4.59	17	830	1.0	<2	1.25	<0.5	7	54	18	2.04	1.00
B367415		0.48	<0.005	<0.5	4.87	14	990	1.0	<2	1.44	0.5	11	64	32	2.52	1.04
B367416		0.36	<0.005	<0.5	4.84	20	1000	1.0	<2	1.44	0.7	11	62	32	2.56	1.02
B367417		0.32	<0.005	<0.5	5.06	29	980	1.1	<2	1.47	0.6	10	68	32	2.97	1.07
B367418		0.30	<0.005	<0.5	4.84	18	910	1.0	<2	1.44	<0.5	10	62	27	2.57	1.01
B367419		0.32	<0.005	<0.5	5.37	23	1100	1.1	<2	1.66	0.7	12	66	33	2.81	1.15
B367420		0.44	<0.005	<0.5	5.22	17	1020	1.1	<2	1.55	0.5	10	67	24	2.65	1.11
B367421		0.30	<0.005	<0.5	5.60	21	1230	1.2	<2	1.72	0.5	12	75	41	2.86	1.26
B367422		0.40	<0.005	<0.5	5.74	20	1270	1.3	<2	1.64	<0.5	14	76	42	3.02	1.30
B367423		0.40	<0.005	<0.5	4.77	16	1120	1.0	<2	1.37	0.5	9	60	30	2.39	1.06
B367424		0.58	<0.005	<0.5	4.30	8	890	0.9	<2	1.27	<0.5	7	61	17	2.25	0.90
B367425		0.56	<0.005	<0.5	4.20	11	800	0.9	<2	1.20	<0.5	5	61	20	1.91	0.88
B367426		0.44	0.005	<0.5	5.15	19	1060	1.1	<2	1.30	0.6	9	73	27	2.75	1.12
B367427		0.74	0.005	<0.5	4.44	<5	880	0.9	<2	1.20	<0.5	6	59	17	1.60	0.97
B367428		0.50	<0.005	<0.5	4.64	10	980	1.0	<2	1.00	0.5	7	58	24	2.07	1.02
B367429		0.42	<0.005	<0.5	4.73	16	810	1.0	<2	1.28	<0.5	7	52	18	2.24	0.99
B367430		0.10	2.84	<0.5	7.31	2070	730	12.3	<2	0.01	<0.5	1	146	98	3.32	3.10
B367431		0.54	0.007	<0.5	4.44	18	760	1.0	<2	1.24	<0.5	7	50	17	2.13	0.94
B367432		0.36	<0.005	<0.5	4.80	21	860	1.1	<2	1.24	<0.5	8	53	23	2.74	1.01
B367433		0.56	<0.005	<0.5	4.45	11	740	1.0	<2	1.22	<0.5	7	47	15	1.90	0.94
B367434		0.24	0.005	<0.5	4.29	21	690	1.8	<2	1.12	5.2	21	42	23	2.58	0.79

Comments: ** CORRECTED COPY for sample type **

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
701-475 HOWE ST
VANCOUVER BC V6C 2B3

Finalized Date: 13-OCT-2005
Account: STRGOL

CERTIFICATE OF ANALYSIS VA05082213

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
B367411		0.82	391	1	0.61	32	1400	33	0.14	<5	116	0.35	153	<10	112
B367412		0.71	806	3	0.97	32	1420	17	0.02	<5	127	0.35	113	<10	108
B367413		0.72	385	<1	1.15	21	1380	16	0.12	<5	136	0.34	86	<10	86
B367414		0.67	268	<1	1.11	21	1220	14	0.10	<5	134	0.29	81	<10	78
B367415		0.82	480	<1	0.98	29	1080	15	0.12	<5	140	0.29	98	<10	91
B367416		0.79	527	<1	0.99	26	1070	15	0.09	<5	140	0.32	95	<10	91
B367417		0.88	391	<1	0.96	28	1120	18	0.09	<5	140	0.35	102	<10	91
B367418		0.85	354	<1	1.00	25	1130	15	0.07	<5	140	0.36	97	<10	83
B367419		0.88	1330	<1	0.94	31	1140	17	0.11	<5	146	0.33	102	<10	101
B367420		0.85	690	<1	1.04	27	1200	15	0.07	<5	142	0.38	101	<10	100
B367421		0.99	469	<1	0.80	33	1060	17	0.16	<5	136	0.31	110	<10	117
B367422		1.02	534	<1	0.82	35	1020	16	0.15	<5	134	0.32	115	<10	122
B367423		0.67	670	<1	0.87	23	1030	16	0.07	<5	138	0.32	91	<10	86
B367424		0.64	406	<1	0.92	20	1170	11	0.04	<5	126	0.38	87	<10	70
B367425		0.61	229	<1	0.98	19	1040	12	0.06	<5	131	0.33	81	<10	58
B367426		0.77	662	<1	0.96	27	1080	17	0.06	<5	146	0.38	102	<10	95
B367427		0.60	256	<1	0.99	17	940	11	0.09	<5	144	0.33	79	<10	66
B367428		0.66	248	<1	0.86	21	980	16	0.10	<5	124	0.32	91	<10	76
B367429		0.75	445	<1	1.04	20	1060	13	0.06	<5	156	0.34	84	<10	108
B367430		0.36	68	1	0.09	10	330	29	0.02	150	136	0.22	100	10	16
B367431		0.70	465	<1	0.99	18	1030	10	0.05	<5	147	0.32	77	<10	103
B367432		0.81	899	<1	0.94	23	1040	16	0.08	<5	146	0.32	88	<10	130
B367433		0.70	232	<1	1.01	19	1060	16	0.04	<5	148	0.31	78	<10	98
B367434		0.60	264	1	0.59	66	950	12	0.48	<5	131	0.22	70	<10	345

094876

Comments: ** CORRECTED COPY for sample type **