StrataGold Corporation
#2550-1066 West Hastings St.
Vancouver, BC, Canada
V6E 3X2

CLEAR CREEK, AMENDED ASSESSMENT REPORT 2006

Title: **2006 AMENDED SUMMARY REPORT ON THE TRENCHING, SOIL AND SILT SAMPLING PROGRAM ON THE CLEAR CREEK PROPERTY (LQ00141)**

Location: **Dawson Mining District, 365 km North of Whitehorse, Y.T. NTS 115P/14 & 115P/15, latitude 63°50’ and longitude 137°10’.**

Dates of Field Work: **June 29th to August 7th, 2006**

Prepared by: **Kristian Whitehead, Project Geologist, StrataGold Corporation**

Amended by: **Kimberly Ferguson, Project Geologist, StrataGold Coporation**

Supervised by: **Jim Sparling, MBA, B.Sc., P.Geo, Exploration Manager North and Central America StrataGold Corporation (Canada) Ltd.**

Sample Storage: **Troll Farms 8640 Deroche Landing Road, R.R. 1, Deroche, B.C., Canada, V0M 1G0, Ph. # (604) 826-7820.**

TABLE OF CONTENTS

ITEM **PAGE**

1. PROGRAM OUTLINE AND SUMMARY 1
   Figure 1: Clear Creek Property – 2006 Preseason Compilation Map
2. INTRODUCTION AND LOCATION 1
   Figure 2: Clear Creek Property Claim Map
3. PROPERTY GEOLOGY 2
   Figure 3: Clear Creek Property Location Map
   Figure 4: Clear Creek Property Trench Location Map
4. TRENCHING - DESCRIPTION OF WORK 4
   Table 1: 2006 Trench Start and End Points Summary Table
5. SOIL and SILT SAMPLING - DESCRIPTION OF WORK 5
6. ASSAYS - METHODS OF ANALYSIS 6
7. TRENCHING – RESULTS AND RECOMMENDATIONS 6
   Table 2: 2006 Au Anomalous Trench Results with Widths Tables
8. SOIL and SILT SAMPLING – RESULTS AND RECOMMENDATIONS 7
9. STATEMENT OF EXPENDITURES 7
   Table 3: Statement of Expenditures
10. REFERENCES 8
11. CERTIFICATE OF QUALIFICATIONS 8

Appendix A – Clear Creek Property – 2006 Preseason Compilation Map
Appendix B – Clear Creek Property Claim Map
Appendix C - List of Clear Creek Quartz Mineral Claims
Appendix D – Clear Creek Property Trench Map with Au assay values
Appendix E – Clear Creek Soil and Silt Sample Map with Au assay values
Appendix F - ALS Chemex Assay Sheets

1. PROGRAM OUTLINE AND SUMMARY

StrataGold Corporation Geologists began reviewing historical maps and confirming historical data during the fall and winter months of 2005. In early 2006 a four trench program was laid out for the Bear Paw Breccia Zone to determine overall structure, confirm extent of the brecciated zone and to follow up on historical soil assay anomalies to depth. As well, additional soil sampling grids were laid out to assist with defining known gold anomalous areas. Additionally, the 2006 soil grids were used to confirm historical soil values and possibly extend potential areas, where previously unsampled. A small silt sampling program was conducted to test for anomalous Au, Bi and As in creeks and streams located in the northern extent of the property. Historical grids, drillholes, soil, rock and stream sample locations and fault structures have been compiled onto the Clear Creek property – 2006 Preseason Compilation Basemap, in Appendix A.

Figure 1: Clear Creek Property – 2006 Preseason Compilation Map (see Appendix A for map)



2. INTRODUCTION AND LOCATION

The Clear Creek Property is comprised of 639 contiguous quartz mineral claims, and is located in the Dawson Mining District, approximately 365 km North of Whitehorse. The property is approximately 126.71 km² (31,310 acres) in size, and is situated on NTS map sheet 115P/14 and 115P/15 at latitude 63°50′ and longitude 137°10′. All Claims are registered in the name of StrataGold Corporation and consist of the 79 BZ, 131CC, 34 Dum, 70 Jo, 20 Rain, 90 Rum, 56 Rye, 126 Sleet, 28 Wet, and 5 Wind Claims.

Figure 2: Clear Creek Property Claim Map (see Appendix B for map)



3. PROPERTY GEOLOGY

The Clear Creek property geology has been summarized thoroughly by previous operators going back to Bema's work in 1982. The rock descriptions presented below are partially derived from others including Rainbird and Kelly (1981); Fleming, Hitchins and Orssich (1993) and Coombes (1995).

Hyland Group phyllite, schist, quartzite, meta-grit, metamorphosed fine pebble conglomerate and rare limestone underlie the claims. Overall, outcrop is generally less than 10% and is limited to ridge crests, cirque walls and creek canyons. Schistosity (and bedding) generally trends (strikes) west-northwesterly with gentle to moderate northeast dips. Regional metamorphic grade is nominally greenschist but is transitional and decreases from south to north.

Intrusive rocks including stocks, small plugs, sills and dykes range in composition from granite to diorite. Their size may be less than a meter to a maximum of 4.0 square kilometres at the Rhosgobel stock. Other major named stocks on the property include the Pukelman, Saddle, Eiger, Josephine and Barney. It is postulated by others that these stocks are only partially unroofed and limited age dating indicates they are a part of the 95 to 87 Ma, mid-Cretaceous Tombstone plutonic Suite. Contact metamorphism around the larger stocks transformed the metasediments to massive quartz-biotite hornfels and rare calc-silicate skarn. Zones of variably mineralized, hydrothermal breccias are spatially and temporally (?) related to the intrusive rocks.

Figure 3: Clear Creek Property Location Map



Figure 4: Clear Property Trench Location Map (See Appendix D)



4. TRENCHING – DESCRIPTION OF WORK

During early July, Nelson Harper performed trenching activities on the Bear Paw Zone utilizing his 235 excavator. Trenching ensued for approximately 9 days to complete a total of 677 meters of trench length. Trenches were dug to an approximate depth of 1.5 to 2.0 meters and approximately 1 ½ - 2 meters wide. Material was placed on one side of the trench for future reclamation. No trenches were reclamated in the 2006 field season. Trench start and end points were marked with flagging and marked with two meter posts indicating trench #, elevation and coordinates in Nad 83, Zone 8. Upon completion of trenching, trench walls were cleared of slumping material, measured and spray paint marked in 2 meter intervals prior to sampling. Before collecting a sample from the trench wall the wall would be geologically map drawn on Mylar noting structure and other key information followed by being digital photographed. Sample collection subsequently followed and was obtained by utilizing a trowel creating an even line at constant height and extracting a consistent channel sample where necessary. Chip samples were substituted for channel samples if hard rock material was encountered. All efforts were employed to collect a representative sample within each prescribed sample length along the trench. Samples were typically in 2 meter length intervals with significant veins and alteration zones sampled in more discrete lengths. All samples collected were placed in plastic poly-ore bags with a sample tag and zip tied closed. Individual sample bags were then placed into rice bags and shipped to ALS Chemex located in North Vancouver to be assayed for gold and 27 element ICP.

Table 1: 2006 Trench Start and End Points Summary Table

Trench # Number	Start UTM Easting (NAD 83 Z9)	Start UTM Northing (NAD 83 Z9)	End UTM Easting (NAD 83 Z9)	End UTM Northing (NAD 83 Z9)	Length (m)	Total Trench Volume (m^3)
BP06-TR1	395778	7078855	395780	7079054	197	610.06
BP06-TR2	395858	7078856	395856	7079053	194	527.75
BP06-TR3	396105	7078936	396103	7079084	140	264.35
BP06-TR4	396379	7078894	396380	7079044	146	575.17

5. SOIL and SILT SAMPLING - DESCRIPTION OF WORK

During the field season various selected soil sampling grids including: Bear Paw Breccia Zone, Contact Zone, and Barney Zone grids were extended or infill sampled to follow up on various interpreted geophysical anomalies and or historical anomalous soil and grab samples. See Appendix A for the "Clear Creek Property – 2006 Preseason Compilation Map" detailing the historical data. Samples were collected using either a soil auger or mattocks. Soil was collected at 12 to 18 inch depths, with the B soil horizon being the targeted soil unit. Sample spacing varied from 25 meter to 50 meter spacings. All sample locations were flagged with their associated sample numbers for subsequent review.

Silt samples were collected on 100 meter spacings, all sample locations were recorded using a Garmin GPS unit with coordinates being based in Nad 83, Zone 8. Samples were then shipped to ALS Chemex in North Vancouver and were assayed for gold and 27 element ICP.

6. ASSAYS - METHODS OF ANALYSIS

The samples, once received by ALS Chemex, underwent the following procedure:

- The received sample was weighed and dried if necessary
- The sample was then crushed to 70% of the sample passing <2mm
- The sample was split using a riffle splitter
- The sample was then pulverized to 85% passing <75 um, with the crushers and pulverizers being washed at the beginning and end of the sample batch, and at the beginning of the technicians shift
- Followed by 50 gram Fire Assay and AAS with trace Hg via cold vapor/AAS
- Finally 27 element four acid ICP-AES

The analytical results were placed in an Access database as they were received for subsequent review.

7. TRENCHING – RESULTS AND RECOMMENDATIONS

Table 2: 2006 Au Anomalous Trench Results with Widths Tables

BP06-TR1		from (m)	to (m)	width (m)	Au (ppm)
		32.00	58.00	26.00	0.283
	including	32.00	38.00	6.00	0.536
	including	56.00	58.00	2.00	1.670
		100.00	102.00	2.00	0.531
		138.00	140.00	2.00	0.480
		144.00	194.00	50.00	0.235
	including	150.00	154.00	4.00	0.357
	including	190.00	194.00	4.00	1.531

BP06-TR3	from (m)	to (m)	width (m)	Au (ppm)
	54.00	56.00	2.00	0.488
	100.00	102.00	2.00	0.568
	128.00	134.00	6.00	0.698
	140.00	148.00	8.00	0.246

BP06-TR4	from (m)	to (m)	width (m)	Au (ppm)
	40.00	42.00	2.00	0.515
	106.00	108.00	2.00	0.317

BP06-TR2		from (m)	to (m)	width (m)	Au (ppm)
		0.00	2.00	2.00	0.774
		22.00	24.00	2.00	0.404
		80.00	90.00	10.00	0.324
		106.00	108.00	2.00	0.659
		124.00	128.00	4.00	0.530
		162.00	192.00	30.00	0.559
	including	174.00	186.00	12.00	1.190

Based on the successful nature of obtaining structural information as well as positive anomalous gold values during the 2006 program it would be advised that two additional trenches be completed. The proposed trenches would total 600 meters of strike length located on East and West extents of the current 2006 trenches. The purpose of such additional trenches would be to further confirm the trend of the interpreted Barney Linear as well as intersect anomalous soil results at depth. In addition, both current trenches, BP06-TR3 and BP06-TR4 should be extended by 150 meters south. This would assist in possibly confirming the Barney Linear, as well as allow for verifying anomalous soil results to depth.

8. SOIL and SILT SAMPLING – RESULTS AND RECOMMENDATIONS

2006 Soil sample grids confirmed several historical anomalous values, and providing credence to the idea mineralization along the currently structurally interpreted Barney Linear exists. Additional sampling should be focused on extending the soil grids along the Barney Linear to both the West and East. Silt samples yielded some anomalous values of Au and As however further sampling is required.

9. STATEMENT OF EXPENDITURES

Table 3: Statement of Expenditures

5014 · Accommodation & Meals	3,048.63
5016 · Assays Geochem Analysis	43,456.01
5042 · Helicopter	6,460.00
5050 · Communications/Telephone	2,932.88
5055 · Bulldoze & Equip Contract	9,045.00
5080 · Equipment Maintenance	144.50
5082 · Equipment Rentals	250.00
5085 · Expediting	1,328.25
5100 · Fuel	781.16
5116 · Fuel - Jet B	2,611.12
5118 · Fuel - Diesel	1,202.38
5130 · Geophysical Consultants	1,137.50
5132 · Geological Salaries & Wages:	
Pre-season compilation	20,919.19
Work Program	26,840.28
Post-season report writing	2,992.82
5140 · Cook/First Aid Attendant	199.37
5175 · Materials & Supplies	2,235.90
5195 · Printing & Reproduction	329.17
5212 · Truck Rental	2,910.61
5214 · Delivery/shipping	1,441.87
5232 · Travel Costs	247.24
5250 · Workers' Compensation	1,110.81
5260 · Warehouse	97.00
5710 · Safety Supplies	244.44
Total	**131,966.13**

10. REFERENCES

Coombes, S., 1995. 1995 Assessment Report on the Clear Creek Option, Private Report for Kennecott Canada Inc.

Fleming, D.B., Hitchens, A.C., and Orssich, C.N., 1993. 1993 Clear Creek Property Report, Private Report for Ivanhoe Goldfields Ltd.

Rainbird, R.H., and Kelly, D.A., 1981. Geological and Geochemical Assessment Report on the C.C., SLUGGO, RAIN, and BEE Claims, Dawson Mining Recorder.

Respectfully submitted,

Jim Sparling, MBA, B.Sc., P.Geo.

Exploration Manager - StrataGold Corporation

11. CERTIFICATE OF QUALIFICATIONS

1. I **Jim Sparling**, of 2673 Hardy Court, North Vancouver, British Columbia, Canada, hereby state - that I am the Exploration Manager with StrataGold Corporation, with offices at 2550 West Hastings Street, Vancouver, British Columbia, V6E 3X2, and that:

2. I hold a BA (Economics Major) from the University of Manitoba, Winnipeg, Manitoba (1978), a B.Sc. (Advanced Geology) from the University of Saskatchewan, Saskatoon, Saskatchewan (1984) and an MBA from Royal Roads University, Victoria, British Columbia (2003).

3. I have 20 years experience with various mining and oil and gas companies in Canada. My primary employment since 1992 has been in the field of mineral exploration.

2004	Exploration Manager, North and Central America, StrataGold Corporation
2003	Project Geologist, StrataGold Corporation
1994 - 2003	Project Geologist and Geophysical Crew Chief Hudson Bay Exploration & Development Co. Ltd.

1992 - 1994 Geophysical Crew Chief/ Technician, Brad Koop Exploration Ltd.

1989 - 1992 Geological Systems and Data Base Analyst, Petro Canada Resources Ltd.

1988 – 1989 Geological Consultant, Schindler Exploration, Indian and Northern Affairs (Minerals West)

1987 – 1988 Field Exploration Geologist, Hudson Bay Exploration & Development Co. Ltd.

1985 – 1987 Wellsite Geologist, Geotemp Consulting Ltd.

1984 – 1985 Field Exploration Geologist, Hudson Bay Exploration & Development Co. Ltd.

4. I am a practicing member in good standing with the Association of Professional Engineers and Geoscientists of Manitoba and Saskatchewan.

5. I have extensive exploration and development project experience with volcanic massive sulphide ore deposit geology and hydrothermal alteration, and experience with gold ore deposit geology. This experience has allowed me to become familiar with the evaluation of both regional and property geology, prospecting, geophysical surveys, diamond core drilling, underground exploration, development and production, and permitting processes in Manitoba, Saskatchewan, Nunavut Territory and the Yukon Territory.

6. This report is based upon data collected during the summer trench and soil sampling programs in the Yukon Territory, Canada in 2006

Dated at Vancouver, British Columbia; Thursday, October 11, 2007

Respectfully submitted,

Jim Sparling

Jim Sparling, MBA, B.Sc., P.Geo.

Exploration Manager – StrataGold Corporation

APPENDIX A

Clear Creek Property
2006 Preseason Compilation map

StrataGold Corporation

Clear Creek Property

Dawson Mining District, Yukon Territory

2006 Preseason Compilation Basemap

Historical Drillholes,
Soil, Rock, and Stream Sample Locations
and Fault Structures

Date: 2006/03/10	Author: WSH	Figure:
Revision Date:	Office: Vancouver	
Contour Interval: 20 meters	Projection: UTM Zone 8	Datum: NAD 83
Filename: S01740_comp_20060309_2006_Preseason_Basemap_36x60_v1.0.mxd		

0 750 1,500 3,000

Meters

Scale: 1:20,000

Legend

- Drill Hole Trace
- Interpretive Linear from Magnetic Survey (Assumed)
- Interpretive Linear from Magnetic Survey
- Road
- Watercourse
- Breccia
- Intrusive Rocks
- Waterbody
- Clear Creek Claim Boundary
- Dawson Mining District Boundary

Drill Hole (by Year)

- 1965
- 1980
- 1992
- 1995
- 1999
- 2000

Clear Creek Claims

External Clear Creek Claim Owners

- Russell Marshall
- Shawn Ryan
- Archer Cathro & Associates (1981) Ltd.
- Cullen Lake Resources Ltd.
- Douglas Wayne Schwing
- Lee Hart
- Robert S. Adamson
- Select Resources Ltd.
- Thor Explorations Inc.

Rock Sample Location Au (ppb)

- -5 - 100
- 101 - 500
- 501 - 1000
- 1001 - 2000
- 2001 - 5000
- >5000

Silt Sample Location Au (ppb)

- -5 - 100
- 101 - 500
- 501 - 1000
- 1001 - 2000
- 2001 - 5000
- >5000

Soil Sample Location Au (ppb)

- -5 - 100
- 101 - 500
- 501 - 1000
- 1001 - 2000
- 2001 - 5000
- >5000



APPENDIX B

Clear Creek Property Claim Map


E
387500
390000
392500
395000
397500
400000
402500
405000
7087500
7085000
7082500
7080000
7077500
StrataGold Corporation
Clear Creek
Dawson Mining District, Yukon Territories
Claims Compilation
Date: 2006/11/24
Author: J.Scully
Office: Vancouver
Figure:
Rev. Date: 2007/03/28
Version:
File Name: S01740_comp_20070328_ClearCreek_Claims_Lrg.mxd
Scale:1:25,000
Projection: UTM Zone 8 (NAD 83)
1 0 1 2 3
Kilometers

APPENDIX C

List of Clear Creek Quartz Mineral Claims

Appendix C - List of Clear Creek Quartz Mineral Claims

Grant #	Claim	Claim #	Expiry
YA31506	Rain	7	2008-12-31
YA31507	Rain	9	2008-12-31
YA31508	Rain	11	2008-12-31
YA31509	Rain	13	2008-12-31
YA31513	Rain	8	2008-12-31
YA31514	Rain	10	2008-12-31
YA31515	Rain	12	2008-12-31
YA31516	Rain	14	2008-12-31
YA31517	Rain	15	2008-12-31
YA31523	Rain	27	2008-12-31
YA31525	Rain	16	2008-12-31
YA31531	Rain	28	2008-12-31
YA31855	Wind	2	2008-12-31
YA31857	Wind	4	2008-12-31
YA31859	Wind	6	2008-12-31
YA31861	Wind	8	2008-12-31
YA88957	Rum	2	2008-12-31
YA88958	Rum	3	2008-12-31
YA88959	Rum	4	2008-12-31
YA88960	Rum	5	2008-12-31
YA88961	Rum	6	2008-12-31
YA88962	Rum	7	2008-12-31
YA88963	Rum	8	2008-12-31
YA88964	Rum	9	2008-12-31
YA88965	Rum	10	2008-12-31
YA88966	Rum	11	2008-12-31
YA88967	Rum	12	2008-12-31
YA88968	Rum	13	2008-12-31
YA88969	Rum	14	2008-12-31
YA88970	Rum	15	2008-12-31
YA88971	Rum	16	2008-12-31
YA88972	Rum	17	2008-12-31
YA88973	Rum	18	2008-12-31
YA88974	Rum	19	2008-12-31
YA88975	Rum	20	2008-12-31
YA88976	Rum	21	2008-12-31
YA88977	Rum	22	2008-12-31
YA88978	Rum	23	2008-12-31
YA88979	Rum	24	2008-12-31
YA88980	Rum	25	2008-12-31
YA88981	Rum	26	2008-12-31
YA88982	Rum	27	2008-12-31
YA88983	Rum	28	2008-12-31
YA88984	Rum	29	2008-12-31
YA88985	Rum	30	2008-12-31
YA88986	Rum	31	2008-12-31
YA88987	Rum	32	2008-12-31
YA88988	Rum	33	2008-12-31
YA88989	Rum	34	2008-12-31
YA88990	Rum	35	2008-12-31
YA88991	Rum	36	2008-12-31
YA88992	Rum	37	2008-12-31
YA88993	Rum	38	2008-12-31
YA88994	Rum	39	2008-12-31
YA88995	Rum	40	2008-12-31
YA88996	Rum	41	2008-12-31
YA88997	Rum	42	2008-12-31
YA88998	Rum	43	2008-12-31
YA88999	Rum	44	2008-12-31
YA89000	Rum	45	2008-12-31
YA89001	Rum	46	2008-12-31
YA89002	Rum	47	2008-12-31
YA89003	Rum	48	2008-12-31
YA89004	Rum	49	2008-12-31
YA89005	Rum	50	2008-12-31
YA89345	Rum	51	2008-12-31
YA89346	Rum	52	2008-12-31
YA89347	Rum	53	2008-12-31
YA89348	Rum	54	2008-12-31
YA89349	Rum	55	2008-12-31
YA89350	Rum	56	2008-12-31
YA89351	Rum	57	2008-12-31
YA89352	Rum	58	2008-12-31
YA89353	Rum	59	2008-12-31
YA89354	Rum	60	2008-12-31
YA89355	Rum	61	2008-12-31
YA89356	Rum	62	2008-12-31
YA89357	Rum	63	2008-12-31
YA89358	Rum	64	2008-12-31
YA89359	Rum	65	2008-12-31
YA89360	Rum	66	2008-12-31
YA89361	Rum	67	2008-12-31
YA89362	Rum	68	2008-12-31
YA89363	Rum	69	2008-12-31
YA89364	Rum	70	2008-12-31
YA89365	Rum	71	2008-12-31
YA89366	Rum	72	2008-12-31
YA89367	Rum	73	2008-12-31
YA89368	Rum	74	2008-12-31
YA89369	Rum	75	2008-12-31
YA89370	Rum	76	2008-12-31
YA89371	Rum	77	2008-12-31
YA89372	Rum	78	2008-12-31
YA89374	Rum	80	2008-12-31
YA89375	Rum	81	2008-12-31

Appendix C - List of Clear Creek Quartz Mineral Claims

YA89376	Rum	82	2008-12-31
YA89377	Rum	83	2008-12-31
YA89378	Rum	84	2008-12-31
YA89379	Rum	85	2008-12-31
YA89380	Rum	86	2008-12-31
YA89381	Rum	87	2008-12-31
YA89382	Rum	88	2008-12-31
YA89383	Rum	89	2008-12-31
YA89384	Rum	90	2008-12-31
YB04287	Sleet	40	2008-12-31
YB04298	Sleet	51	2008-12-31
YB04299	Sleet	52	2008-12-31
YB04300	Sleet	53	2008-12-31
YB04301	Sleet	54	2008-12-31
YB04302	Sleet	55	2008-12-31
YB04303	Sleet	56	2008-12-31
YB04304	Sleet	57	2008-12-31
YB04305	Sleet	58	2008-12-31
YB04306	Sleet	59	2008-12-31
YB04307	Sleet	61	2008-12-31
YB04308	Sleet	63	2008-12-31
YB04309	Sleet	64	2008-12-31
YB04310	Sleet	65	2008-12-31
YB04311	Sleet	66	2008-12-31
YB04312	Sleet	67	2008-12-31
YB04314	Sleet	111	2008-12-31
YB04315	Sleet	112	2008-12-31
YB04316	Sleet	113	2008-12-31
YB04317	Sleet	114	2008-12-31
YB04318	Sleet	115	2008-12-31
YB04319	Sleet	116	2008-12-31
YB04320	Sleet	117	2008-12-31
YB04321	Sleet	118	2008-12-31
YB04322	Sleet	119	2008-12-31
YB04323	Sleet	120	2008-12-31
YB04324	Sleet	121	2008-12-31
YB04326	Sleet	123	2008-12-31
YB04327	Sleet	124	2008-12-31
YB04328	Sleet	125	2008-12-31
YB04329	Sleet	126	2008-12-31
YB04330	Sleet	127	2008-12-31
YB04331	Sleet	128	2008-12-31
YB04332	Sleet	129	2008-12-31
YB04333	Sleet	130	2008-12-31
YB04334	Sleet	131	2008-12-31
YB04335	Sleet	132	2008-12-31
YB04336	Sleet	133	2008-12-31
YB04337	Sleet	134	2008-12-31
YB04338	Sleet	135	2008-12-31
YB04339	Sleet	136	2008-12-31
YB04340	Sleet	137	2008-12-31
YB04341	Sleet	138	2008-12-31
YB04342	Sleet	139	2008-12-31
YB04343	Sleet	140	2008-12-31
YB04344	Sleet	141	2008-12-31
YB04345	Sleet	142	2008-12-31
YB04346	Sleet	143	2008-12-31
YB04347	Sleet	144	2008-12-31
YB04414	Sleet	69	2008-12-31
YB04415	Sleet	70	2008-12-31
YB04416	Sleet	71	2008-12-31
YB04417	Sleet	72	2008-12-31
YB04418	Sleet	73	2008-12-31
YB04419	Sleet	74	2008-12-31
YB04420	Sleet	75	2008-12-31
YB04421	Sleet	76	2008-12-31
YB04422	Sleet	77	2008-12-31
YB04423	Sleet	78	2008-12-31
YB04424	Sleet	79	2008-12-31
YB04425	Sleet	80	2008-12-31
YB04426	Sleet	81	2008-12-31
YB04427	Sleet	82	2008-12-31
YB04428	Sleet	83	2008-12-31
YB04429	Sleet	84	2008-12-31
YB04430	Sleet	87	2008-12-31
YB04431	Sleet	88	2008-12-31
YB04432	Sleet	89	2008-12-31
YB04433	Sleet	90	2008-12-31
YB04434	Sleet	91	2008-12-31
YB04435	Sleet	92	2008-12-31
YB04437	Sleet	94	2008-12-31
YB04438	Sleet	95	2008-12-31
YB04439	Sleet	96	2008-12-31
YB04440	Sleet	97	2008-12-31
YB04441	Sleet	98	2008-12-31
YB04442	Sleet	99	2008-12-31
YB04443	Sleet	100	2008-12-31
YB04444	Sleet	101	2008-12-31
YB04445	Sleet	102	2008-12-31
YB04446	Sleet	103	2008-12-31
YB04447	Sleet	104	2008-12-31
YB04448	Sleet	105	2008-12-31
YB04449	Sleet	106	2008-12-31
YB04450	Sleet	107	2008-12-31
YB04451	Sleet	108	2008-12-31
YB04452	Sleet	109	2008-12-31

Appendix C - List of Clear Creek Quartz Mineral Claims

YB04453	Sleet	110	2008-12-31
YB05624	Rye	1	2008-12-31
YB05625	Rye	2	2008-12-31
YB05626	Rye	3	2008-12-31
YB05627	Rye	4	2008-12-31
YB05628	Rye	5	2008-12-31
YB05629	Rye	6	2008-12-31
YB05630	Rye	7	2008-12-31
YB05631	Rye	8	2008-12-31
YB05632	Rye	9	2008-12-31
YB05633	Rye	10	2008-12-31
YB05634	Rye	11	2008-12-31
YB05635	Rye	12	2008-12-31
YB05636	Rye	13	2008-12-31
YB05637	Rye	14	2008-12-31
YB05638	Rye	15	2008-12-31
YB05639	Rye	16	2008-12-31
YB05640	Rye	17	2008-12-31
YB05641	Rye	18	2008-12-31
YB05642	Rye	19	2008-12-31
YB05643	Rye	20	2008-12-31
YB05644	Rye	21	2008-12-31
YB05645	Rye	22	2008-12-31
YB05646	Rye	23	2008-12-31
YB05647	Rye	24	2008-12-31
YB05652	Rye	29	2008-12-31
YB05653	Rye	30	2008-12-31
YB05654	Rye	31	2008-12-31
YB05655	Rye	32	2008-12-31
YB05656	Rye	33	2008-12-31
YB05657	Rye	34	2008-12-31
YB05658	Rye	35	2008-12-31
YB05659	Rye	36	2008-12-31
YB05660	Rye	37	2008-12-31
YB05661	Rye	38	2008-12-31
YB05662	Rye	39	2008-12-31
YB05663	Rye	40	2008-12-31
YB05664	Rye	41	2008-12-31
YB05665	Rye	43	2008-12-31
YB05666	Rye	45	2008-12-31
YB05667	Rye	47	2008-12-31
YB05668	Rye	49	2008-12-31
YB05669	Rye	51	2008-12-31
YB05671	Rye	54	2008-12-31
YB05673	Rye	56	2008-12-31
YB05678	Rye	61	2008-12-31
YB05679	Rye	62	2008-12-31
YB05692	Rye	75	2008-12-31
YB05693	Rye	76	2008-12-31
YB05694	Rye	77	2008-12-31
YB05695	Rye	78	2008-12-31
YB05696	Rye	79	2008-12-31
YB05697	Rye	80	2008-12-31
YB05698	Rye	81	2008-12-31
YB05699	Rye	82	2008-12-31
YB05700	Rye	83	2008-12-31
YB05701	Rye	84	2008-12-31
YB40487	Dum	1	2008-12-31
YB40488	Dum	2	2008-12-31
YB40489	Dum	3	2008-12-31
YB40490	Dum	4	2008-12-31
YB40491	Dum	5	2008-12-31
YB40492	Dum	6	2008-12-31
YB40493	Dum	7	2008-12-31
YB40494	Dum	8	2008-12-31
YB40495	Dum	9	2008-12-31
YB40496	Dum	10	2008-12-31
YB40497	Dum	11	2008-12-31
YB40498	Dum	12	2008-12-31
YB40499	Dum	13	2008-12-31
YB40500	Dum	14	2008-12-31
YB40501	Dum	15	2008-12-31
YB40502	Dum	16	2008-12-31
YB40503	Dum	17	2008-12-31
YB40504	Dum	18	2008-12-31
YB40505	Dum	19	2008-12-31
YB40506	Dum	20	2008-12-31
YB40507	Dum	21	2008-12-31
YB40508	Dum	22	2008-12-31
YB40509	Dum	23	2008-12-31
YB40510	Dum	24	2008-12-31
YB40511	Dum	25	2008-12-31
YB40512	Dum	26	2008-12-31
YB40513	Dum	27	2008-12-31
YB40514	Dum	28	2008-12-31
YB40515	Dum	29	2008-12-31
YB40516	Dum	30	2008-12-31
YB40517	Dum	31	2008-12-31
YB40518	Dum	32	2008-12-31
YB40519	Dum	33	2008-12-31
YB40520	Dum	34	2008-12-31
YB45087	CC	1	2008-12-31
YB45088	CC	2	2008-12-31
YB45089	CC	3	2008-12-31
YB45090	CC	4	2008-12-31
YB45091	CC	5	2008-12-31

Appendix C - List of Clear Creek Quartz Mineral Claims

YB45092	CC	6	2008-12-31
YB45093	CC	7	2008-12-31
YB45094	CC	8	2008-12-31
YB45095	CC	9	2008-12-31
YB45096	CC	10	2008-12-31
YB45097	CC	11	2008-12-31
YB45098	CC	12	2008-12-31
YB45099	CC	13	2008-12-31
YB45100	CC	14	2008-12-31
YB45101	CC	15	2008-12-31
YB45102	CC	16	2008-12-31
YB45103	CC	17	2008-12-31
YB45104	CC	18	2008-12-31
YB45105	CC	19	2008-12-31
YB45106	CC	20	2008-12-31
YB45107	CC	21	2008-12-31
YB45108	CC	22	2008-12-31
YB45109	CC	23	2008-12-31
YB45110	CC	24	2008-12-31
YB45111	CC	25	2008-12-31
YB45112	CC	26	2008-12-31
YB45113	CC	27	2008-12-31
YB45114	CC	28	2008-12-31
YB45115	CC	29	2008-12-31
YB45116	CC	30	2008-12-31
YB45117	CC	31	2008-12-31
YB45118	CC	32	2008-12-31
YB45119	CC	33	2008-12-31
YB45120	CC	34	2008-12-31
YB45121	CC	35	2008-12-31
YB45122	CC	36	2008-12-31
YB45123	CC	37	2008-12-31
YB45124	CC	38	2008-12-31
YB45125	CC	39	2008-12-31
YB45126	CC	40	2008-12-31
YB45127	CC	41	2008-12-31
YB45128	CC	42	2008-12-31
YB45129	CC	43	2008-12-31
YB45130	CC	44	2008-12-31
YB45131	CC	45	2008-12-31
YB45132	CC	46	2008-12-31
YB45133	CC	47	2008-12-31
YB45134	CC	48	2008-12-31
YB45135	CC	49	2008-12-31
YB45136	CC	50	2008-12-31
YB45137	CC	51	2008-12-31
YB45139	CC	53	2008-12-31
YB45140	CC	54	2008-12-31
YB45141	CC	55	2008-12-31
YB45142	CC	56	2008-12-31
YB45143	CC	57	2008-12-31
YB45144	CC	58	2008-12-31
YB45145	CC	59	2008-12-31
YB45146	CC	60	2008-12-31
YB45147	CC	61	2008-12-31
YB45148	CC	62	2008-12-31
YB45149	CC	63	2008-12-31
YB45150	CC	64	2008-12-31
YB45151	CC	65	2008-12-31
YB45152	CC	66	2008-12-31
YB45153	CC	67	2008-12-31
YB45154	CC	68	2008-12-31
YB45155	CC	69	2008-12-31
YB45156	CC	70	2008-12-31
YB45157	CC	71	2008-12-31
YB45158	CC	72	2008-12-31
YB45159	CC	73	2008-12-31
YB45160	CC	74	2008-12-31
YB45161	CC	75	2008-12-31
YB45162	CC	76	2008-12-31
YB45163	CC	77	2008-12-31
YB45164	CC	78	2008-12-31
YB45165	CC	79	2008-12-31
YB45166	CC	80	2008-12-31
YB45167	CC	81	2008-12-31
YB45168	CC	82	2008-12-31
YB45169	CC	83	2008-12-31
YB45170	CC	84	2008-12-31
YB45171	CC	85	2008-12-31
YB45172	CC	86	2008-12-31
YB45173	CC	87	2008-12-31
YB45174	CC	88	2008-12-31
YB45175	CC	89	2008-12-31
YB45176	CC	90	2008-12-31
YB45177	CC	91	2008-12-31
YB45178	CC	92	2008-12-31
YB45179	CC	93	2008-12-31
YB45180	CC	94	2008-12-31
YB45181	CC	95	2008-12-31
YB45182	CC	96	2008-12-31
YB45605	Wet	2	2008-12-31
YB45606	Wet	3	2008-12-31
YB45607	Wet	4	2008-12-31
YB45608	Wet	5	2008-12-31
YB45609	Wet	6	2008-12-31
YB45610	Wet	7	2008-12-31

Appendix C - List of Clear Creek Quartz Mineral Claims

YB45611	Wet	8	2008-12-31
YB45612	Wet	9	2008-12-31
YB45614	Wet	11	2008-12-31
YB45616	Wet	13	2008-12-31
YB45618	Wet	15	2008-12-31
YB45620	Wet	17	2008-12-31
YB45622	Wet	19	2008-12-31
YB45623	Wet	20	2008-12-31
YB45624	Wet	21	2008-12-31
YB45625	Wet	22	2008-12-31
YB45626	Wet	23	2008-12-31
YB45627	Wet	24	2008-12-31
YB45628	Wet	25	2008-12-31
YB45629	Wet	26	2008-12-31
YB45630	Wet	27	2008-12-31
YB45631	Wet	28	2008-12-31
YB47963	CC	97	2008-12-31
YB47964	CC	98	2008-12-31
YB47965	CC	99	2008-12-31
YB47966	CC	100	2008-12-31
YB47967	CC	101	2008-12-31
YB47968	CC	102	2008-12-31
YB47969	CC	103	2008-12-31
YB47970	CC	104	2008-12-31
YB47971	CC	105	2008-12-31
YB47972	CC	106	2008-12-31
YB47973	CC	107	2008-12-31
YB47974	CC	108	2008-12-31
YB47975	CC	109	2008-12-31
YB47976	CC	110	2008-12-31
YB47977	CC	111	2008-12-31
YB47978	CC	112	2008-12-31
YB47979	CC	113	2008-12-31
YB47980	CC	114	2008-12-31
YB47981	CC	115	2008-12-31
YB47982	CC	116	2008-12-31
YB47983	CC	117	2008-12-31
YB47984	CC	118	2008-12-31
YB47985	CC	119	2008-12-31
YB47986	CC	120	2008-12-31
YB47987	CC	121	2008-12-31
YB47988	CC	122	2008-12-31
YB47989	CC	123	2008-12-31
YB47990	CC	124	2008-12-31
YB47991	CC	125	2008-12-31
YB47992	CC	126	2008-12-31
YB47993	CC	127	2008-12-31
YB47994	CC	128	2008-12-31
YB47995	CC	129	2008-12-31
YB47996	CC	130	2008-12-31
YB47997	CC	131	2008-12-31
YB94420	BZ	1	2008-12-31
YB94421	BZ	2	2008-12-31
YB94422	BZ	3	2008-12-31
YB94423	BZ	4	2008-12-31
YB94424	BZ	5	2008-12-31
YB94425	BZ	6	2008-12-31
YB94426	BZ	7	2008-12-31
YB94427	BZ	8	2008-12-31
YB94428	BZ	9	2008-12-31
YB94429	BZ	10	2008-12-31
YB94430	BZ	11	2008-12-31
YB94431	BZ	12	2008-12-31
YB94432	BZ	13	2008-12-31
YB94433	BZ	14	2008-12-31
YB94434	BZ	15	2008-12-31
YB94435	BZ	16	2008-12-31
YB94436	BZ	17	2008-12-31
YB94437	BZ	18	2008-12-31
YB94438	BZ	19	2008-12-31
YB94439	BZ	20	2008-12-31
YB94440	BZ	21	2008-12-31
YB94441	BZ	22	2008-12-31
YB94442	BZ	23	2008-12-31
YB94443	BZ	24	2008-12-31
YB94444	BZ	25	2008-12-31
YB94445	BZ	26	2008-12-31
YB94446	BZ	27	2008-12-31
YB94447	BZ	28	2008-12-31
YB94448	BZ	29	2008-12-31
YB94449	BZ	30	2008-12-31
YB94450	BZ	31	2008-12-31
YB94451	BZ	32	2008-12-31
YB94452	BZ	33	2008-12-31
YB94453	BZ	34	2008-12-31
YB94454	BZ	35	2008-12-31
YB94455	BZ	36	2008-12-31
YB94456	BZ	37	2008-12-31
YB94457	BZ	38	2008-12-31
YB94458	BZ	39	2008-12-31
YB94459	BZ	40	2008-12-31
YB94460	BZ	41	2008-12-31
YB94461	BZ	42	2008-12-31
YB94462	BZ	43	2008-12-31
YB94463	BZ	44	2008-12-31
YB94464	BZ	45	2008-12-31

Appendix C - List of Clear Creek Quartz Mineral Claims

YB94465	BZ	46	2008-12-31
YB94466	BZ	47	2008-12-31
YB94467	BZ	48	2008-12-31
YB94468	BZ	49	2008-12-31
YB94469	BZ	50	2008-12-31
YB94470	BZ	51	2008-12-31
YB94471	BZ	52	2008-12-31
YB94472	BZ	53	2008-12-31
YB94473	BZ	54	2008-12-31
YB94474	BZ	55	2008-12-31
YB94475	BZ	56	2008-12-31
YB94476	BZ	57	2008-12-31
YB94477	BZ	58	2008-12-31
YB94478	BZ	59	2008-12-31
YB94479	BZ	60	2008-12-31
YB94480	BZ	61	2008-12-31
YB94481	BZ	62	2008-12-31
YB94482	BZ	63	2008-12-31
YB94483	BZ	64	2008-12-31
YB94484	BZ	65	2008-12-31
YB94485	BZ	66	2008-12-31
YB94486	BZ	67	2008-12-31
YB94487	BZ	68	2008-12-31
YB94488	BZ	69	2008-12-31
YB94489	BZ	70	2008-12-31
YB94490	BZ	71	2008-12-31
YB94491	BZ	72	2008-12-31
YB94492	BZ	73	2008-12-31
YB94493	BZ	74	2008-12-31
YB94494	BZ	75	2008-12-31
YB94495	BZ	76	2008-12-31
YB94496	BZ	77	2008-12-31
YB94497	BZ	78	2008-12-31
YB94498	BZ	79	2008-12-31
YB94499	Jo	1	2008-12-31
YB94500	Jo	2	2008-12-31
YB94501	Jo	3	2008-12-31
YB94502	Jo	4	2008-12-31
YB94503	Jo	5	2008-12-31
YB94504	Jo	6	2008-12-31
YB94505	Jo	7	2008-12-31
YB94506	Jo	8	2008-12-31
YB94507	Jo	9	2008-12-31
YB94508	Jo	10	2008-12-31
YB94509	Jo	11	2008-12-31
YB94510	Jo	12	2008-12-31
YB94511	Jo	13	2008-12-31
YB94512	Jo	14	2008-12-31
YB94513	Jo	15	2008-12-31
YB94514	Jo	16	2008-12-31
YB94515	Jo	17	2008-12-31
YB94516	Jo	18	2008-12-31
YB94517	Jo	19	2008-12-31
YB94518	Jo	20	2008-12-31
YB94519	Jo	21	2008-12-31
YB94520	Jo	22	2008-12-31
YB94521	Jo	23	2008-12-31
YB94522	Jo	24	2008-12-31
YB94523	Jo	25	2008-12-31
YB94524	Jo	26	2008-12-31
YB94525	Jo	27	2008-12-31
YB94526	Jo	28	2008-12-31
YB94527	Jo	29	2008-12-31
YB94528	Jo	30	2008-12-31
YB94529	Jo	31	2008-12-31
YB94530	Jo	32	2008-12-31
YB94531	Jo	33	2008-12-31
YB94532	Jo	34	2008-12-31
YB94533	Jo	35	2008-12-31
YB94534	Jo	36	2008-12-31
YB94535	Jo	37	2008-12-31
YB94536	Jo	38	2008-12-31
YB94537	Jo	39	2008-12-31
YB94538	Jo	40	2008-12-31
YB94539	Jo	41	2008-12-31
YB94540	Jo	42	2008-12-31
YB94541	Jo	43	2008-12-31
YB94542	Jo	44	2008-12-31
YB94543	Jo	45	2008-12-31
YB94544	Jo	46	2008-12-31
YB94545	Jo	47	2008-12-31
YB94546	Jo	48	2008-12-31
YB94547	Jo	49	2008-12-31
YB94548	Jo	50	2008-12-31
YB94549	Jo	51	2008-12-31
YB94550	Jo	52	2008-12-31
YB94551	Jo	53	2008-12-31
YB94552	Jo	54	2008-12-31
YB94553	Jo	55	2008-12-31
YB94554	Jo	56	2008-12-31
YB94555	Jo	57	2008-12-31
YB94556	Jo	58	2008-12-31
YB94557	Jo	59	2008-12-31
YB94558	Jo	60	2008-12-31
YB94559	Jo	61	2008-12-31
YB94560	Jo	62	2008-12-31

Appendix C - List of Clear Creek Quartz Mineral Claims

YB94561	Jo	63	2008-12-31
YB94562	Jo	64	2008-12-31
YB94563	Jo	65	2008-12-31
YB94564	Jo	66	2008-12-31
YB94565	Jo	67	2008-12-31
YB94566	Jo	68	2008-12-31
YB94567	Jo	69	2008-12-31
YB94568	Jo	70	2008-12-31
YA31863	Wind	10	2009-12-31
YB04313	Sleet	68	2009-12-31
YB04436	Sleet	93	2009-12-31
YA88956	Rum	1	2010-12-31
YA89373	Rum	79	2010-12-31
YB04325	Sleet	122	2010-12-31
YB45138	CC	52	2010-12-31
YA31503	Rain	1	2011-12-31
YA31504	Rain	3	2011-12-31
YA31505	Rain	5	2011-12-31
YA31510	Rain	2	2011-12-31
YA31511	Rain	4	2011-12-31
YA31512	Rain	6	2011-12-31
YA31522	Rain	25	2011-12-31
YA31530	Rain	26	2011-12-31
YB04262	Sleet	7	2011-12-31
YB04263	Sleet	8	2011-12-31
YB04264	Sleet	9	2011-12-31
YB04265	Sleet	10	2011-12-31
YB04266	Sleet	11	2011-12-31
YB04267	Sleet	12	2011-12-31
YB04268	Sleet	13	2011-12-31
YB04269	Sleet	14	2011-12-31
YB04270	Sleet	15	2011-12-31
YB04271	Sleet	16	2011-12-31
YB04272	Sleet	17	2011-12-31
YB04273	Sleet	18	2011-12-31
YB04274	Sleet	19	2011-12-31
YB04275	Sleet	20	2011-12-31
YB04276	Sleet	21	2011-12-31
YB04277	Sleet	22	2011-12-31
YB04278	Sleet	23	2011-12-31
YB04279	Sleet	24	2011-12-31
YB04280	Sleet	33	2011-12-31
YB04281	Sleet	34	2011-12-31
YB04282	Sleet	35	2011-12-31
YB04283	Sleet	36	2011-12-31
YB04284	Sleet	37	2011-12-31
YB04285	Sleet	38	2011-12-31
YB04286	Sleet	39	2011-12-31
YB04288	Sleet	41	2011-12-31
YB04289	Sleet	42	2011-12-31
YB04290	Sleet	43	2011-12-31
YB04291	Sleet	44	2011-12-31
YB04292	Sleet	45	2011-12-31
YB04293	Sleet	46	2011-12-31
YB04294	Sleet	47	2011-12-31
YB04295	Sleet	48	2011-12-31
YB04296	Sleet	49	2011-12-31
YB04297	Sleet	50	2011-12-31
YB45604	Wet	1	2011-12-31
YB45613	Wet	10	2011-12-31
YB45615	Wet	12	2011-12-31
YB45617	Wet	14	2011-12-31
YB45619	Wet	16	2011-12-31
YB45621	Wet	18	2011-12-31

APPENDIX D

2006 Trench Map with Sample Locations for Grab and Channel Samples

395700 395850 396000 396150 396300 396450

7078250 7078050 7077950 7077850

BP06-TR1 B687433 B687335

BP06-TR2 B687334 B687238

BP06-TR3 B687237 B687068

BP06-TR4 B687068 B687068

Barney Ridge Linear

Legend

Trench Channel Samples

Au ppm

- 0 - 0.05
- 0.05 - 0.1
- 0.1 - 0.3
- 0.3 - 0.6
- >0.6
- Trench line
- Interpretive Linear from Magnetic Survey (Assumed)
- Road
- Contours (Approx. 20 meter intervals)
- Watercourse
- Quartz Claims

StrataGold Corporation

Date: 2006/09/29	Clear Creek Property 2006 Bear Paw Zone Geochemical: Trench
Rev.Date: 2007/03/12	
Office: Vancouver	
Author: J. Scully	
Projection: UTM Zone 8 (NAD 83)	Contour Interval: 20 meters

Scale: 1:750

25 0 25 50 75

Meters

APPENDIX E

2006 Soils and Silt Map with Sample Numbers for Reference to Assay Values

390000 393000 396000 399000 402000 405000 408000

7088000 7086000 7084000 7082000 7080000 7078000 7076000



StrataGold Corporation

Date: 2007/02/19	**Clear Creek**
Author: J.Scully	Soil and Silt Sampling
Office: Vancouver	
Version: 1.0	
Figure:	
Rev. Date:	Projection: UTM Zone 8 (NAD 83)
Scale: 1:25,000	Filename: S01735_chem_20070219_Dub-G_Regional_Sampling.mxd

1 0 1 2 3
Kilometers

Legend

- SGV Clear Creek Claims
- Contact Zone Soil Samples
- Barney Soil Samples
- Bear Paw Soil Samples
- Silt Samples
- Contours
- Streams

APPENDIX F

ALS Chemex Assay Sheets

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075279

Project: Clear Creek - 1740

P.O. No.:

This report is for 71 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			15.1	0.81	23	<10	80	0.9	117	0.17	27.8	101	198	5380	3.75	<10
BM-9/A			14.4	0.88	22	<10	90	0.9	110	0.17	26.9	96	197	5350	3.65	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.4	1.84	485	<10	870	1.0	2	0.52	7.1	23	70	297	3.89	10
G2000			3.5	1.95	490	<10	870	1.0	<2	0.54	7.3	24	73	308	4.03	10
G2000			4.1	1.95	469	<10	870	1.0	3	0.53	7.4	23	70	297	3.95	10
G2000			3.6	2.08	494	<10	960	1.0	<2	0.56	7.9	24	76	311	4.17	10
G2000			3.3	1.73	457	<10	860	0.9	2	0.50	6.8	23	65	281	3.72	10
G2000			3.8	1.85	458	<10	900	1.0	2	0.51	7.1	22	68	287	3.84	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			63.0	0.21	2	<10	60	<0.5	<2	0.05	<0.5	3	4	487	3.01	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.411														
OXD43		0.419														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		0.991														
OxG46		1.035														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.800														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.46														
ST-259		2.57														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.88														
ST-327		6.54														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.45	0.02	10	0.42	677	4	0.44	370	90	6880	1.43	8	9	75	0.01
BM-9/A		0.38	0.02	10	0.42	622	3	0.43	367	90	6420	1.38	5	9	76	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.76	0.42	20	0.67	558	6	0.03	279	930	678	0.26	29	7	67	0.05
G2000		0.82	0.43	20	0.70	572	6	0.03	284	960	705	0.27	28	8	70	0.05
G2000		0.74	0.42	20	0.69	576	5	0.03	281	980	670	0.26	24	8	69	0.05
G2000		0.81	0.44	20	0.73	605	5	0.03	299	1050	717	0.27	26	8	74	0.05
G2000		0.72	0.39	20	0.65	543	5	0.03	272	930	634	0.25	24	7	63	0.05
G2000		0.71	0.41	20	0.66	555	5	0.03	272	950	626	0.25	24	7	68	0.05
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	61	3	0.01	3	40	497	0.28	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	15	<10	8370
BM-9/A		<10	<10	15	<10	8020
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	67	<10	1290
G2000		<10	<10	70	<10	1320
G2000		10	<10	68	10	1280
G2000		<10	<10	72	10	1350
G2000		<10	<10	63	<10	1205
G2000		<10	<10	66	<10	1250
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	6	<10	111
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL			<0.2	0.45	7	10	280	1.8	<2	1.00	<0.5	1	13	3	1.37	<10
DUP			<0.2	0.52	8	10	300	1.8	<2	1.07	<0.5	1	14	4	1.47	<10
Target Range - Lower Bound			<0.2	0.44	3	<10	250	0.7	<2	0.96	<0.5	<1	11	<1	1.33	<10
Upper Bound			0.4	0.53	12	20	330	2.9	4	1.11	1.0	2	16	6	1.51	20
ORIGINAL		0.051														
DUP		0.046														
Target Range - Lower Bound		0.036														
Upper Bound		0.061														
ORIGINAL		0.043														
DUP		0.048														
Target Range - Lower Bound		0.033														
Upper Bound		0.058														
ORIGINAL		2.26														
DUP		2.45														
Target Range - Lower Bound		2.23														
Upper Bound		2.48														
ORIGINAL		0.262														
DUP		0.228														
Target Range - Lower Bound		0.223														
Upper Bound		0.267														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		0.18	0.26	30	0.41	343	7	0.06	1	50	11	0.08	2	2	145	<0.01
DUP		0.19	0.28	30	0.44	361	7	0.06	1	60	11	0.08	<2	2	155	<0.01
Target Range - Lower Bound		0.16	0.24	<10	0.38	324	5	0.04	<1	30	6	0.06	<2	<1	141	<0.01
Upper Bound		0.21	0.30	50	0.47	380	9	0.08	2	80	16	0.10	4	4	160	0.02
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL		<10	<10	<1	<10	62
DUP		<10	<10	1	<10	64
Target Range - Lower Bound		<10	<10	<1	<10	56
Upper Bound		20	20	2	20	70
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
ORIGINAL		0.222														
DUP		0.214														
Target Range - Lower Bound		0.197														
Upper Bound		0.239														
ORIGINAL		0.190														
DUP		0.174														
Target Range - Lower Bound		0.163														
Upper Bound		0.201														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.012														
DUP		0.018														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
ORIGINAL		0.008														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088708			<0.2	1.26	102	<10	110	<0.5	<2	0.13	<0.5	5	19	13	2.20	<10
DUP			<0.2	1.32	106	<10	110	<0.5	<2	0.14	<0.5	5	20	14	2.28	<10
Target Range - Lower Bound			<0.2	1.21	95	<10	80	<0.5	<2	0.11	<0.5	3	17	11	2.11	<10
Upper Bound			0.4	1.37	113	20	140	1.0	4	0.16	1.0	7	22	16	2.37	20
B088743			<0.2	0.94	21	<10	80	<0.5	2	0.09	<0.5	4	16	10	1.73	<10
DUP			<0.2	0.98	22	<10	90	<0.5	2	0.10	<0.5	4	17	10	1.79	<10
Target Range - Lower Bound			<0.2	0.89	16	<10	60	<0.5	<2	0.07	<0.5	2	14	8	1.65	<10
Upper Bound			0.4	1.03	27	20	110	1.0	4	0.12	1.0	6	19	13	1.87	20
B687765		0.011														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088708		0.04	0.05	20	0.36	162	<1	<0.01	16	580	9	<0.01	<2	2	12	0.03
DUP		0.04	0.06	20	0.37	170	<1	<0.01	15	580	9	<0.01	<2	2	13	0.03
Target Range - Lower Bound		0.02	0.03	<10	0.33	148	<1	<0.01	13	530	5	<0.01	<2	<1	10	<0.01
Upper Bound		0.06	0.08	40	0.40	184	2	0.02	18	630	13	0.02	4	4	15	0.05
B088743		0.03	0.04	10	0.28	126	<1	0.01	11	560	8	0.02	<2	1	9	0.02
DUP		0.03	0.04	10	0.29	131	<1	0.01	12	580	8	0.03	<2	1	10	0.03
Target Range - Lower Bound		<0.01	0.02	<10	0.25	112	<1	<0.01	9	520	4	<0.01	<2	<1	7	<0.01
Upper Bound		0.05	0.06	20	0.32	145	2	0.02	14	620	12	0.05	4	2	12	0.05
B687765																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088708		<10	<10	33	<10	50
DUP		<10	<10	35	<10	52
Target Range - Lower Bound		<10	<10	30	<10	44
Upper Bound		20	20	38	20	58
B088743		<10	<10	30	<10	37
DUP		<10	<10	32	<10	39
Target Range - Lower Bound		<10	<10	27	<10	32
Upper Bound		20	20	35	20	44
B687765						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075640

Project: Clear Creek - 1740

P.O. No.:

This report is for 281 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A		14.4	0.88	22	<10	90	0.9	110	0.17	26.9	96	197	5350	3.65	<10	
BM-9/A		12.7	0.85	21	<10	90	0.8	111	0.16	25.3	95	197	5320	3.34	<10	
BM-9/A		14.1	0.86	27	<10	90	0.9	112	0.17	26.7	98	202	5460	3.48	<10	
BM-9/A		15.6	0.88	18	<10	90	0.9	122	0.17	27.7	100	201	5500	3.68	<10	
BM-9/A		14.0	1.02	25	<10	110	0.9	120	0.18	27.2	104	214	5620	3.70	<10	
BM-9/A		14.1	0.92	24	<10	90	0.9	114	0.17	28.0	101	207	5770	3.74	<10	
Target Range - Lower Bound		12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10	
Upper Bound		15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20	
G2000		3.3	1.73	457	<10	860	0.9	2	0.50	6.8	23	65	281	3.72	10	
G2000		3.8	1.85	458	<10	900	1.0	2	0.51	7.1	22	68	287	3.84	10	
G2000		4.2	2.08	494	10	980	1.0	<2	0.55	7.6	24	75	311	4.15	10	
G2000		3.4	1.80	479	<10	850	0.9	<2	0.49	6.5	23	68	297	3.56	10	
G2000		3.3	1.91	489	<10	950	1.0	<2	0.51	7.0	23	72	303	3.72	10	
G2000		3.3	1.89	477	<10	910	1.0	<2	0.51	6.7	23	71	298	3.67	10	
G2000		3.4	1.95	498	<10	940	1.0	2	0.52	7.3	24	74	305	3.73	10	
G2000		3.4	1.83	475	<10	890	1.0	<2	0.50	6.8	24	69	294	3.62	10	
G2000		3.3	1.87	482	<10	840	1.0	<2	0.51	6.9	23	71	302	3.67	10	
G2000		3.8	2.12	503	<10	990	1.1	<2	0.57	7.8	24	76	320	4.10	10	
G2000		4.0	1.99	495	<10	940	1.0	<2	0.55	7.6	24	73	309	3.98	10	
G2000		3.5	1.86	475	<10	880	1.0	<2	0.53	7.2	23	70	299	3.84	10	
G2000		3.5	1.90	480	<10	920	1.0	<2	0.54	7.4	23	71	306	3.94	10	
G2000		3.6	1.81	471	<10	860	1.0	3	0.51	7.1	23	68	297	3.80	10	
G2000		3.3	1.89	493	<10	870	1.0	<2	0.53	7.3	24	71	312	3.95	10	
G2000		3.3	1.89	478	<10	960	1.0	2	0.56	7.1	23	73	304	3.75	10	
G2000		3.9	1.99	497	<10	960	1.0	<2	0.58	7.0	24	77	316	3.89	10	
G2000		3.6	2.01	503	<10	980	1.0	<2	0.54	7.4	24	74	314	4.05	10	
G2000		3.5	2.03	493	<10	990	1.0	<2	0.53	7.2	23	73	309	3.97	10	
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound		3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10	
Upper Bound		4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20	

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.38	0.02	10	0.42	622	3	0.43	367	90	6420	1.38	5	9	76	0.01
BM-9/A		0.46	0.02	10	0.38	604	3	0.37	360	90	6220	1.41	7	8	75	0.01
BM-9/A		0.44	0.02	10	0.40	631	3	0.40	373	90	6490	1.49	8	9	78	0.01
BM-9/A		0.40	0.02	10	0.42	653	2	0.43	372	100	6820	1.40	7	9	77	0.01
BM-9/A			0.02	10	0.45	667	4	0.41	381	90	6900	1.54	9	9	79	0.01
BM-9/A		0.48	0.02	10	0.43	654	4	0.43	379	90	6970	1.49	3	9	79	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000			0.39	20	0.65	543	5	0.03	272	930	634	0.25	24	7	63	0.05
G2000		0.71	0.41	20	0.66	555	5	0.03	272	950	626	0.25	24	7	68	0.05
G2000			0.45	20	0.72	591	5	0.03	300	1050	709	0.27	24	8	74	0.05
G2000		0.77	0.37	20	0.62	542	5	0.03	281	920	644	0.28	26	7	66	0.05
G2000		0.77	0.39	20	0.65	570	5	0.03	287	960	668	0.29	27	7	71	0.06
G2000		0.77	0.38	20	0.64	558	5	0.03	279	950	659	0.29	28	7	70	0.05
G2000		0.81	0.40	20	0.65	562	5	0.03	292	960	680	0.30	26	7	72	0.06
G2000		0.76	0.38	20	0.63	542	5	0.03	281	940	650	0.29	27	7	68	0.05
G2000		0.75	0.38	20	0.64	551	5	0.03	282	960	671	0.29	28	7	68	0.05
G2000		0.78	0.46	20	0.72	601	5	0.02	305	1040	724	0.27	25	8	75	0.05
G2000		0.77	0.44	20	0.70	588	5	0.02	289	1020	713	0.26	26	8	72	0.05
G2000		0.71	0.42	20	0.67	561	4	0.02	282	980	700	0.25	26	7	67	0.05
G2000		0.69	0.43	20	0.68	575	5	0.02	288	1010	691	0.26	25	8	70	0.05
G2000		0.76	0.41	20	0.66	555	5	0.03	281	950	653	0.27	24	7	69	0.05
G2000		0.81	0.42	20	0.69	587	6	0.03	296	970	689	0.29	24	7	72	0.05
G2000			0.42	20	0.67	556	6	0.03	287	970	674	0.30	29	7	72	0.06
G2000			0.44	20	0.70	569	5	0.03	295	1000	698	0.30	30	8	75	0.06
G2000		0.79	0.43	20	0.70	602	6	0.03	292	1000	703	0.29	25	8	73	0.06
G2000		0.78	0.43	20	0.69	596	5	0.03	286	990	688	0.28	26	8	74	0.06
G2000		0.72														
G2000		0.72														
G2000		0.80														
G2000		0.84														
G2000		0.75														
G2000		0.77														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	8020
BM-9/A		<10	<10	15	<10	8160
BM-9/A		<10	<10	15	<10	8410
BM-9/A		<10	<10	15	<10	8240
BM-9/A		<10	<10	16	<10	8520
BM-9/A		<10	<10	16	<10	8510
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	63	<10	1205
G2000		<10	<10	66	<10	1250
G2000		10	<10	72	<10	1340
G2000		<10	<10	66	10	1230
G2000		<10	<10	68	<10	1270
G2000		<10	<10	68	10	1230
G2000		<10	<10	69	10	1290
G2000		<10	<10	67	<10	1240
G2000		<10	<10	67	<10	1260
G2000		<10	<10	72	<10	1330
G2000		<10	<10	70	<10	1290
G2000		<10	<10	66	<10	1240
G2000		<10	<10	67	<10	1270
G2000		<10	<10	66	10	1250
G2000		<10	<10	69	<10	1270
G2000		<10	<10	69	<10	1260
G2000		<10	<10	73	<10	1310
G2000		<10	<10	71	10	1350
G2000		10	<10	71	<10	1320
G2000						
G2000						
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
GBM999-5			67.5	0.21	<2	<10	60	<0.5	<2	0.06	<0.5	3	5	511	3.08	<10
GBM999-5			61.3	0.20	3	<10	60	<0.5	<2	0.05	<0.5	3	5	484	2.78	<10
GBM999-5			67.5	0.21	<2	<10	60	<0.5	<2	0.06	<0.5	3	4	506	3.05	<10
GBM999-5			61.9	0.18	3	<10	50	<0.5	2	0.05	<0.5	3	4	450	2.75	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.419														
OXD43		0.408														
OXD43		0.398														
OXD43		0.413														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.035														
OxG46		0.984														
OxG46		1.025														
OxG46		0.997														
OxG46		1.005														
OxG46		1.020														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.915														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.57														
ST-259		2.39														
ST-259		2.30														
ST-259		2.63														
ST-259		2.46														
ST-259		2.33														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.54														
ST-327		7.25														
ST-327		6.94														
ST-327		6.86														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
GBM999-5			0.05	10	0.02	67	3	0.01	5	40	528	0.29	3	1	4	<0.01
GBM999-5		0.11	0.05	10	0.02	60	3	0.02	4	40	485	0.31	5	1	4	<0.01
GBM999-5		0.12	0.05	10	0.02	67	2	<0.01	4	40	529	0.28	3	1	4	<0.01
GBM999-5		0.07	0.04	10	0.02	60	3	0.01	3	40	489	0.28	6	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OXD43																
OXD43																
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS				
GBM999-5		<10	<10	6	<10	117
GBM999-5		<10	<10	6	<10	109
GBM999-5		<10	<10	6	<10	111
GBM999-5		<10	<10	5	<10	101
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
BLANK		<0.01														
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		0.07														
DUP		0.07														
Target Range - Lower Bound		0.05														
Upper Bound		0.09														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.040														
DUP		0.039														
Target Range - Lower Bound		0.028														
Upper Bound		0.051														
ORIGINAL		0.206														
DUP		0.207														
Target Range - Lower Bound		0.186														
Upper Bound		0.227														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.012														
DUP		0.016														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.010														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.005														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description / Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
	DUPLICATES				
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					
ORIGINAL					
DUP					
Target Range - Lower Bound					
Upper Bound					

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.270														
DUP		0.277														
Target Range - Lower Bound		0.250														
Upper Bound		0.297														
ORIGINAL		0.043														
DUP		0.048														
Target Range - Lower Bound		0.033														
Upper Bound		0.058														
ORIGINAL		2.26														
DUP		2.45														
Target Range - Lower Bound		2.23														
Upper Bound		2.48														
ORIGINAL		0.262														
DUP		0.228														
Target Range - Lower Bound		0.223														
Upper Bound		0.267														
ORIGINAL		0.222														
DUP		0.214														
Target Range - Lower Bound		0.197														
Upper Bound		0.239														
ORIGINAL		0.190														
DUP		0.174														
Target Range - Lower Bound		0.163														
Upper Bound		0.201														
ORIGINAL		0.034														
DUP		0.030														
Target Range - Lower Bound		0.020														
Upper Bound		0.044														
ORIGINAL		0.095														
DUP		0.101														
Target Range - Lower Bound		0.083														
Upper Bound		0.113														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description / Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range - Lower Bound															
Upper Bound															

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
B088743			<0.2	0.94	21	<10	80	<0.5	2	0.09	<0.5	4	16	10	1.73	<10
DUP			<0.2	0.98	22	<10	90	<0.5	2	0.10	<0.5	4	17	10	1.79	<10
Target Range - Lower Bound			<0.2	0.89	16	<10	60	<0.5	<2	0.07	<0.5	2	14	8	1.65	<10
Upper Bound			0.4	1.03	27	20	110	1.0	4	0.12	1.0	6	19	13	1.87	20
B687726			0.2	1.06	19	<10	120	<0.5	4	0.20	<0.5	6	20	20	1.99	<10
DUP			0.2	1.11	16	<10	120	<0.5	4	0.20	<0.5	6	21	20	2.06	<10
Target Range - Lower Bound			<0.2	1.01	13	<10	90	<0.5	<2	0.17	<0.5	4	17	17	1.90	<10
Upper Bound			0.4	1.16	22	20	150	1.0	8	0.23	1.0	8	24	23	2.15	20
B687728			0.2	1.35	50	<10	80	<0.5	5	0.10	<0.5	6	20	18	2.54	<10
DUP			<0.2	1.27	45	<10	80	<0.5	4	0.11	<0.5	6	19	17	2.38	<10
Target Range - Lower Bound			<0.2	1.22	41	<10	50	<0.5	<2	0.08	<0.5	4	17	15	2.32	<10
Upper Bound			0.4	1.40	54	20	110	1.0	9	0.13	1.0	8	22	20	2.60	20
B687737																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687763			<0.2	1.53	35	<10	90	0.5	<2	0.08	<0.5	6	22	12	2.23	10
DUP			<0.2	1.48	30	<10	90	0.5	<2	0.07	<0.5	5	20	11	2.09	10
Target Range - Lower Bound			<0.2	1.41	27	<10	60	<0.5	<2	0.05	<0.5	3	18	9	2.03	<10
Upper Bound			0.4	1.60	38	20	120	1.0	4	0.10	1.0	8	24	14	2.29	20
B687765		0.011														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
B687798			<0.2	1.29	32	<10	70	<0.5	3	0.07	<0.5	4	20	11	2.03	10
DUP			<0.2	1.29	31	<10	70	<0.5	3	0.07	<0.5	4	20	11	2.05	10
Target Range - Lower Bound			<0.2	1.21	26	<10	40	<0.5	<2	0.05	<0.5	2	17	8	1.92	<10
Upper Bound			0.4	1.37	37	20	100	1.0	4	0.09	1.0	6	23	14	2.16	20
B687833			0.3	1.44	34	<10	120	0.5	2	0.09	<0.5	8	24	36	2.91	<10
DUP			0.2	1.40	35	<10	110	0.5	2	0.09	<0.5	8	23	30	2.84	<10
Target Range - Lower Bound			<0.2	1.33	29	<10	90	<0.5	<2	0.07	<0.5	6	20	29	2.71	<10
Upper Bound			0.4	1.51	40	20	140	1.0	4	0.11	1.0	10	27	37	3.04	20

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
B088743		0.03	0.04	10	0.28	126	<1	0.01	11	560	8	0.02	<2	1	9	0.02
DUP		0.03	0.04	10	0.29	131	<1	0.01	12	580	8	0.03	<2	1	10	0.03
Target Range - Lower Bound		<0.01	0.02	<10	0.25	112	<1	<0.01	9	520	4	<0.01	<2	<1	7	<0.01
Upper Bound		0.05	0.06	20	0.32	145	2	0.02	14	620	12	0.05	4	2	12	0.05
B687726		0.03	0.09	20	0.39	191	1	0.01	17	570	9	0.02	<2	2	16	0.06
DUP		0.04	0.09	20	0.40	194	1	0.01	18	590	8	0.02	<2	2	17	0.06
Target Range - Lower Bound		<0.01	0.07	<10	0.36	173	<1	<0.01	15	530	4	<0.01	<2	<1	14	0.04
Upper Bound		0.06	0.11	40	0.43	212	2	0.02	20	630	13	0.04	4	4	19	0.08
B687728			0.10	20	0.36	222	1	<0.01	16	480	9	0.01	<2	2	12	0.04
DUP			0.09	20	0.35	237	<1	<0.01	14	470	9	0.01	<2	2	11	0.04
Target Range - Lower Bound			0.07	<10	0.32	208	<1	<0.01	12	430	5	<0.01	<2	<1	9	0.02
Upper Bound			0.12	40	0.39	251	2	0.02	18	520	13	0.02	4	4	14	0.06
B687737		0.04														
DUP		0.06														
Target Range - Lower Bound		0.03														
Upper Bound		0.07														
B687763		0.1	0.07	10	0.33	186	<1	0.01	14	270	10	0.01	<2	2	8	0.04
DUP		<0.10	0.07	10	0.30	172	<1	0.01	13	260	11	0.01	<2	2	8	0.04
Target Range - Lower Bound		0.08	0.05	<10	0.28	160	<1	<0.01	11	230	6	<0.01	<2	<1	6	0.02
Upper Bound		0.13	0.09	20	0.35	198	2	0.02	16	300	15	0.02	4	4	10	0.06
B687765																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687798		0.03	0.05	10	0.24	136	1	0.01	10	210	11	0.01	<2	2	9	0.05
DUP		0.02	0.05	10	0.24	136	1	0.01	10	210	10	0.02	<2	2	9	0.05
Target Range - Lower Bound		<0.01	0.03	<10	0.21	119	<1	<0.01	8	180	6	<0.01	<2	<1	7	0.03
Upper Bound		0.05	0.07	20	0.27	153	2	0.02	13	240	15	0.02	4	4	11	0.07
B687833		0.04	0.08	20	0.38	267	1	0.01	24	450	21	0.03	2	2	13	0.05
DUP		0.04	0.07	20	0.37	261	1	0.01	22	450	14	0.03	<2	2	12	0.05
Target Range - Lower Bound		0.02	0.05	<10	0.34	241	<1	<0.01	20	410	13	<0.01	<2	<1	10	0.03
Upper Bound		0.06	0.10	40	0.41	287	2	0.02	26	490	22	0.05	4	4	15	0.07

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B088743		<10	<10	30	<10	37
DUP		<10	<10	32	<10	39
Target Range - Lower Bound		<10	<10	27	<10	32
Upper Bound		20	20	35	20	44
B687726		<10	<10	34	<10	51
DUP		<10	<10	36	<10	53
Target Range - Lower Bound		<10	<10	31	<10	45
Upper Bound		20	20	39	20	59
B687728		<10	<10	38	<10	47
DUP		<10	<10	34	<10	45
Target Range - Lower Bound		<10	<10	32	<10	40
Upper Bound		20	20	40	20	52
B687737						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687763		<10	<10	36	<10	43
DUP		<10	<10	35	<10	40
Target Range - Lower Bound		<10	<10	32	<10	35
Upper Bound		20	20	39	20	48
B687765						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687798		<10	<10	43	10	32
DUP		<10	<10	43	10	32
Target Range - Lower Bound		<10	<10	39	<10	26
Upper Bound		20	20	47	20	38
B687833		<10	<10	41	<10	68
DUP		<10	<10	39	<10	59
Target Range - Lower Bound		<10	<10	36	<10	56
Upper Bound		20	20	44	20	71

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B687868			0.4	1.35	37	<10	120	0.5	<2	0.14	<0.5	8	22	27	2.82	<10
DUP			0.4	1.39	36	<10	130	0.5	<2	0.14	<0.5	7	23	27	2.88	<10
Target Range - Lower Bound			<0.2	1.28	31	<10	100	<0.5	<2	0.11	<0.5	5	19	24	2.69	<10
Upper Bound			0.8	1.46	42	20	150	1.0	4	0.17	1.0	10	26	30	3.01	20
B687887		0.073														
DUP		0.053														
Target Range - Lower Bound		0.050														
Upper Bound		0.076														
B687903			<0.2	1.11	20	<10	120	<0.5	<2	0.17	<0.5	9	20	26	2.44	<10
DUP			0.2	1.16	23	<10	120	<0.5	<2	0.18	<0.5	9	21	27	2.54	<10
Target Range - Lower Bound			<0.2	1.06	16	<10	90	<0.5	<2	0.15	<0.5	7	17	23	2.35	<10
Upper Bound			0.4	1.21	27	20	150	1.0	4	0.20	1.0	11	24	30	2.63	20
B687930		0.078														
DUP		0.066														
Target Range - Lower Bound		0.058														
Upper Bound		0.086														
B687938			3.1	1.76	25	<10	420	0.9	6	0.29	<0.5	127	27	51	4.19	10
DUP			3.1	1.75	27	<10	420	0.9	5	0.29	<0.5	124	27	50	4.20	10
Target Range - Lower Bound			2.5	1.65	21	<10	370	<0.5	<2	0.26	<0.5	117	24	46	3.97	<10
Upper Bound			3.7	1.86	31	20	470	1.0	10	0.32	1.0	134	30	55	4.42	20
B687973			0.3	1.37	43	<10	130	<0.5	<2	0.14	<0.5	4	30	16	2.05	<10
DUP			0.4	1.39	42	<10	130	<0.5	2	0.14	<0.5	5	30	16	2.07	<10
Target Range - Lower Bound			<0.2	1.29	36	<10	100	<0.5	<2	0.11	<0.5	2	27	13	1.94	<10
Upper Bound			0.4	1.47	49	20	160	1.0	4	0.17	1.0	7	34	19	2.18	20
B686833		0.009														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B687868		0.03	0.07	20	0.40	277	<1	<0.01	23	630	11	0.01	<2	2	15	0.04
DUP		0.04	0.07	20	0.41	270	<1	<0.01	23	640	10	0.01	<2	2	16	0.04
Target Range - Lower Bound		<0.01	0.05	<10	0.36	250	<1	<0.01	20	580	6	<0.01	<2	<1	13	0.02
Upper Bound		0.06	0.09	40	0.45	297	2	0.02	26	690	15	0.02	4	4	18	0.06
B687887																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687903		0.02	0.06	20	0.40	348	<1	<0.01	24	640	8	<0.01	<2	2	13	0.04
DUP		0.02	0.07	20	0.42	362	<1	<0.01	26	680	8	<0.01	<2	2	14	0.05
Target Range - Lower Bound		<0.01	0.04	<10	0.37	327	<1	<0.01	22	610	4	<0.01	<2	<1	11	0.02
Upper Bound		0.04	0.09	40	0.45	383	2	0.02	28	710	12	0.02	4	4	16	0.07
B687930																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687938		0.11	0.06	20	0.23	6940	10	0.01	20	1910	61	0.18	<2	2	38	0.02
DUP		0.11	0.06	20	0.23	6830	10	0.01	20	1900	60	0.18	2	2	37	0.02
Target Range - Lower Bound		0.08	0.04	<10	0.20	6530	8	<0.01	17	1790	53	0.15	<2	<1	34	<0.01
Upper Bound		0.14	0.08	40	0.26	7240	13	0.02	23	2020	68	0.21	4	4	41	0.04
B687973		0.04	0.11	10	0.38	135	<1	0.01	17	500	15	0.03	<2	1	17	0.05
DUP		0.04	0.11	10	0.39	135	1	0.01	18	500	14	0.02	<2	2	18	0.05
Target Range - Lower Bound		0.02	0.08	<10	0.35	118	<1	<0.01	15	460	10	<0.01	<2	<1	15	0.03
Upper Bound		0.06	0.14	20	0.42	152	2	0.02	20	550	19	0.05	4	2	20	0.07
B686833																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B687868		<10	<10	36	<10	58
DUP		<10	<10	37	<10	59
Target Range - Lower Bound		<10	<10	33	<10	52
Upper Bound		20	20	40	20	65
B687887						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687903		<10	<10	33	<10	56
DUP		<10	<10	34	<10	59
Target Range - Lower Bound		<10	<10	30	<10	51
Upper Bound		20	20	37	20	64
B687930						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687938		<10	<10	59	<10	47
DUP		<10	<10	59	10	47
Target Range - Lower Bound		<10	<10	54	<10	41
Upper Bound		20	20	64	20	53
B687973		<10	<10	34	<10	50
DUP		<10	<10	35	10	50
Target Range - Lower Bound		<10	<10	31	<10	44
Upper Bound		20	20	38	20	57
B686833						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

:STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075643

Project: Clear Creek - 1740

P.O. No.:

This report is for 261 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			14.1	0.92	24	<10	90	0.9	114	0.17	28.0	101	207	5770	3.74	<10
BM-9/A			14.6	0.97	21	<10	90	0.8	120	0.16	26.5	99	205	5520	3.64	<10
BM-9/A			13.5	0.94	24	<10	100	0.8	110	0.17	24.9	95	196	5370	3.74	<10
BM-9/A			16.1	0.92	24	<10	100	0.9	121	0.17	28.2	103	209	5780	3.80	<10
BM-9/A			13.9	0.93	22	<10	90	0.8	114	0.17	26.2	99	200	5460	3.69	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.6	2.01	503	<10	980	1.0	<2	0.54	7.4	24	74	314	4.05	10
G2000			3.5	2.03	493	<10	990	1.0	<2	0.53	7.2	23	73	309	3.97	10
G2000			3.8	1.96	472	10	920	1.0	<2	0.52	7.5	23	71	302	3.93	<10
G2000			3.4	1.95	480	<10	920	1.0	<2	0.50	6.9	23	70	305	3.84	10
G2000			6.5	1.86	489	10	850	0.9	3	0.49	6.8	23	71	306	3.72	10
G2000			3.1	1.91	489	<10	870	0.9	3	0.50	6.9	22	71	304	3.78	10
G2000			3.9	1.98	502	10	950	1.0	<2	0.52	7.4	24	73	322	3.95	10
G2000			3.7	1.99	493	10	940	1.0	<2	0.53	7.7	24	73	323	3.97	10
G2000			3.3	1.87	457	<10	920	1.0	<2	0.51	7.1	23	71	293	3.76	10
G2000			3.2	2.01	468	<10	940	1.0	2	0.56	7.0	22	72	303	4.07	10
G2000			3.0	1.75	467	<10	780	0.9	2	0.48	6.7	21	67	288	3.59	10
G2000			4.4	1.91	488	<10	870	0.9	3	0.50	6.8	22	70	303	3.80	10
G2000			3.3	1.97	504	<10	960	1.0	<2	0.53	7.8	24	73	312	3.98	10
G2000			4.1	2.05	498	<10	990	1.0	<2	0.54	7.6	25	75	317	4.04	10
G2000			3.7	1.85	476	<10	900	0.9	<2	0.51	6.7	23	69	294	3.80	10
G2000			3.6	1.96	499	<10	940	1.0	2	0.53	7.1	23	72	307	3.98	10
G2000			3.7	1.94	470	10	890	0.9	3	0.50	7.2	23	70	306	3.81	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			61.1	0.19	<2	<10	50	<0.5	<2	0.05	<0.5	3	4	478	2.91	<10
GBM999-5																
GBM999-5			61.2	0.20	6	<10	50	<0.5	<2	0.05	<0.5	3	5	490	2.89	<10
GBM999-5			74.3	0.21	4	<10	60	<0.5	<2	0.06	<0.5	3	5	493	3.01	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.48	0.02	10	0.43	654	4	0.43	379	90	6970	1.49	3	9	79	0.01
BM-9/A			0.02	10	0.42	650	4	0.37	372	90	6640	1.45	6	9	79	0.01
BM-9/A		0.42	0.02	10	0.45	634	3	0.44	353	90	6320	1.45	6	8	76	0.01
BM-9/A		0.45	0.02	10	0.43	675	4	0.44	382	90	7000	1.53	9	9	81	0.01
BM-9/A			0.02	10	0.43	615	4	0.42	358	80	6570	1.48	7	9	76	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.79	0.43	20	0.70	602	6	0.03	292	1000	703	0.29	25	8	73	0.06
G2000		0.78	0.43	20	0.69	596	5	0.03	286	990	688	0.28	26	8	74	0.06
G2000		0.76	0.41	20	0.69	561	5	0.03	277	950	671	0.27	27	8	71	0.05
G2000		0.79	0.42	20	0.68	550	5	0.03	273	930	654	0.27	28	7	71	0.05
G2000			0.40	20	0.64	553	5	0.03	285	930	655	0.27	23	7	70	0.06
G2000			0.40	20	0.65	560	5	0.03	279	940	669	0.27	23	7	72	0.06
G2000		0.85	0.44	20	0.69	581	6	0.03	289	990	684	0.30	29	8	72	0.06
G2000		0.82	0.43	20	0.69	590	6	0.03	291	1000	697	0.30	30	8	71	0.06
G2000		0.80	0.40	20	0.65	564	5	0.04	274	950	677	0.29	24	7	69	0.06
G2000		0.82	0.45	20	0.73	553	5	0.04	270	970	672	0.29	25	7	73	0.06
G2000		0.75	0.38	20	0.62	538	5	0.03	268	890	635	0.26	23	7	67	0.05
G2000		0.76	0.40	20	0.65	567	5	0.04	280	940	668	0.27	23	7	73	0.05
G2000		0.75	0.42	20	0.69	584	5	0.03	289	990	710	0.28	25	8	72	0.06
G2000		0.76	0.43	20	0.70	588	6	0.03	296	1000	711	0.29	21	8	75	0.06
G2000		0.72	0.41	20	0.66	562	5	0.03	269	940	672	0.27	26	7	68	0.05
G2000		0.77	0.43	20	0.69	568	5	0.04	286	970	686	0.29	27	8	72	0.06
G2000			0.42	20	0.67	542	6	0.04	275	930	653	0.28	26	7	71	0.05
G2000		0.81														
G2000		0.78														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.09	0.05	10	0.02	61	3	0.01	3	40	491	0.29	4	1	4	<0.01
GBM999-5		0.10														
GBM999-5		0.08	0.05	10	0.02	60	3	0.02	3	40	505	0.30	4	1	4	<0.01
GBM999-5		0.04	0.05	10	0.02	64	3	0.02	4	40	518	0.31	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	16	<10	8510
BM-9/A		<10	<10	15	<10	8190
BM-9/A		<10	<10	15	<10	8060
BM-9/A		<10	<10	17	<10	8530
BM-9/A		<10	<10	15	<10	8140
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	71	10	1350
G2000		10	<10	71	<10	1320
G2000		<10	<10	68	<10	1325
G2000		<10	<10	68	<10	1275
G2000		<10	<10	66	<10	1255
G2000		<10	<10	66	10	1270
G2000		<10	<10	70	10	1300
G2000		<10	<10	70	10	1320
G2000		<10	<10	67	<10	1235
G2000		<10	<10	67	<10	1260
G2000		<10	<10	62	<10	1220
G2000		<10	<10	65	<10	1245
G2000		10	<10	71	<10	1355
G2000		<10	<10	72	10	1350
G2000		<10	<10	65	<10	1235
G2000		<10	<10	68	10	1305
G2000		<10	<10	66	<10	1295
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	6	<10	111
GBM999-5						
GBM999-5		<10	<10	5	<10	110
GBM999-5		<10	<10	5	<10	115
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
OXD43		0.403														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.005														
OxG46		1.015														
OxG46		1.020														
OxG46		1.050														
OxG46		1.015														
OxG46		1.030														
OxG46		0.973														
OxG46		1.060														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.825														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.46														
ST-259		2.49														
ST-259		2.33														
ST-259		2.58														
ST-259		2.59														
ST-259		2.42														
ST-259		2.45														
ST-259		2.43														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.85														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	0.6	1	1	1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	3	0.01	0.7	1	<1	<1	<0.01	<10
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.206														
DUP		0.207														
Target Range - Lower Bound		0.186														
Upper Bound		0.227														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	2	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK			<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.025														
DUP		0.026														
Target Range - Lower Bound		0.014														
Upper Bound		0.037														
ORIGINAL		0.815														
DUP		0.850														
Target Range - Lower Bound		0.781														
Upper Bound		0.884														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.005														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.023														
DUP		0.023														
Target Range - Lower Bound		0.012														
Upper Bound		0.034														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.295														
DUP		0.307														
Target Range - Lower Bound		0.276														
Upper Bound		0.326														
B687973			0.3	1.37	43	<10	130	<0.5	<2	0.14	<0.5	4	30	16	2.05	<10
DUP			0.4	1.39	42	<10	130	<0.5	2	0.14	<0.5	5	30	16	2.07	<10
Target Range - Lower Bound			<0.2	1.29	36	<10	100	<0.5	<2	0.11	<0.5	2	27	13	1.94	<10
Upper Bound			0.4	1.47	49	20	160	1.0	4	0.17	1.0	7	34	19	2.18	20
B686727			<0.2	0.84	11	<10	80	<0.5	<2	0.12	<0.5	4	16	16	1.70	<10
DUP			<0.2	0.86	9	<10	80	<0.5	<2	0.12	<0.5	4	16	16	1.76	<10
Target Range - Lower Bound			<0.2	0.79	6	<10	50	<0.5	<2	0.09	<0.5	2	13	13	1.62	<10
Upper Bound			0.4	0.91	15	20	110	1.0	4	0.15	1.0	6	19	19	1.84	20
B686739		0.024														
DUP		0.024														
Target Range - Lower Bound		0.013														
Upper Bound		0.035														
B686759		0.007														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B686762			0.3	1.50	10	<10	80	<0.5	4	0.08	<0.5	7	24	20	2.66	10
DUP			<0.2	1.60	13	<10	90	<0.5	5	0.09	<0.5	6	25	20	2.81	10
Target Range - Lower Bound			<0.2	1.45	7	<10	60	<0.5	<2	0.06	<0.5	4	21	17	2.58	<10
Upper Bound			0.4	1.65	16	20	110	1.0	9	0.11	1.0	9	28	23	2.89	20
B686779		0.044														
DUP		0.044														
Target Range - Lower Bound		0.032														
Upper Bound		0.056														
B686794			0.2	0.60	56	<10	40	<0.5	2	0.06	<0.5	13	17	30	2.80	<10
DUP			0.2	0.63	55	<10	40	<0.5	2	0.10	<0.5	13	18	30	2.82	<10
Target Range - Lower Bound			<0.2	0.56	49	<10	20	<0.5	<2	0.06	<0.5	10	15	27	2.65	<10
Upper Bound			0.4	0.67	62	20	60	1.0	4	0.10	1.0	16	20	34	2.97	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687973		0.04	0.11	10	0.38	135	<1	0.01	17	500	15	0.03	<2	1	17	0.05
DUP		0.04	0.11	10	0.39	135	1	0.01	18	500	14	0.02	<2	2	18	0.05
Target Range - Lower Bound		0.02	0.08	<10	0.35	118	<1	<0.01	15	460	10	<0.01	<2	<1	15	0.03
Upper Bound		0.06	0.14	20	0.42	152	2	0.02	20	550	19	0.05	4	2	20	0.07
B686727		0.02	0.04	10	0.28	118	<1	0.01	13	450	7	0.01	<2	1	11	0.04
DUP		0.03	0.04	10	0.29	125	<1	0.01	14	450	7	0.01	<2	1	11	0.04
Target Range - Lower Bound		<0.01	0.02	<10	0.25	105	<1	<0.01	11	410	3	<0.01	<2	<1	8	0.02
Upper Bound		0.05	0.06	20	0.32	138	2	0.02	16	490	11	0.02	4	2	14	0.06
B686739																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686759																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686762		0.09	0.09	10	0.29	282	2	<0.01	15	400	10	0.05	<2	2	12	0.07
DUP		0.09	0.09	10	0.31	300	2	0.01	16	420	13	0.05	<2	2	14	0.07
Target Range - Lower Bound		0.07	0.07	<10	0.27	266	<1	<0.01	13	370	7	0.03	<2	<1	10	0.05
Upper Bound		0.11	0.11	20	0.34	316	4	0.02	18	450	16	0.07	4	4	16	0.09
B686779																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686794			0.05	40	0.16	513	<1	0.01	35	590	9	0.02	2	2	9	0.02
DUP			0.05	40	0.17	524	1	0.01	33	600	9	0.02	2	2	10	0.02
Target Range - Lower Bound			0.03	20	0.14	483	<1	<0.01	30	550	5	<0.01	<2	<1	7	<0.01
Upper Bound			0.07	60	0.19	554	2	0.02	38	640	13	0.04	4	4	12	0.04

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687973		<10	<10	34	<10	50
DUP		<10	<10	35	10	50
Target Range - Lower Bound		<10	<10	31	<10	44
Upper Bound		20	20	38	20	57
B686727		<10	<10	30	<10	41
DUP		<10	<10	31	<10	43
Target Range - Lower Bound		<10	<10	27	<10	36
Upper Bound		20	20	34	20	48
B686739						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686759						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686762		<10	<10	54	<10	51
DUP		<10	<10	55	<10	50
Target Range - Lower Bound		<10	<10	50	<10	44
Upper Bound		20	20	59	20	57
B686779						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686794		<10	<10	20	<10	64
DUP		<10	<10	20	<10	64
Target Range - Lower Bound		<10	<10	17	<10	57
Upper Bound		20	20	23	20	71

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B686797			0.3	1.88	23	<10	180	0.9	<2	0.19	<0.5	14	34	27	3.39	10
DUP			<0.2	1.73	17	<10	170	0.9	<2	0.18	<0.5	14	32	25	3.15	10
Target Range - Lower Bound			<0.2	1.69	15	<10	140	<0.5	<2	0.16	<0.5	11	29	23	3.09	<10
Upper Bound			0.4	1.92	25	20	210	1.0	4	0.21	1.0	17	37	29	3.45	20
B686832			0.3	1.38	25	<10	140	<0.5	<2	0.19	<0.5	7	24	24	2.62	<10
DUP			0.2	1.35	28	<10	140	<0.5	<2	0.18	<0.5	7	23	24	2.59	<10
Target Range - Lower Bound			<0.2	1.28	21	<10	110	<0.5	<2	0.16	<0.5	5	20	21	2.45	<10
Upper Bound			0.4	1.45	32	20	170	1.0	4	0.21	1.0	9	27	27	2.76	20
B686833		0.009														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B686867			<0.2	2.38	20	<10	90	<0.5	2	0.23	<0.5	35	50	171	6.24	10
DUP			<0.2	2.39	20	<10	90	<0.5	2	0.21	<0.5	34	50	168	6.17	10
Target Range - Lower Bound			<0.2	2.25	15	<10	60	<0.5	<2	0.19	<0.5	31	46	159	5.87	<10
Upper Bound			0.4	2.52	25	20	120	1.0	4	0.25	1.0	38	55	180	6.54	20
B686902			<0.2	2.18	261	<10	110	0.7	<2	0.09	<0.5	12	27	18	3.31	<10
DUP			<0.2	2.11	251	<10	100	0.7	<2	0.09	<0.5	12	26	18	3.23	<10
Target Range - Lower Bound			<0.2	2.02	239	<10	80	<0.5	<2	0.07	<0.5	9	23	15	3.09	<10
Upper Bound			0.4	2.27	273	20	130	1.0	4	0.11	1.0	15	30	21	3.45	20
B686937			<0.2	1.56	45	<10	170	<0.5	<2	0.09	<0.5	8	27	19	3.19	<10
DUP			<0.2	1.66	49	<10	180	<0.5	<2	0.10	<0.5	8	28	20	3.36	10
Target Range - Lower Bound			<0.2	1.51	41	<10	140	<0.5	<2	0.07	<0.5	6	24	17	3.09	<10
Upper Bound			0.4	1.71	53	20	210	1.0	4	0.12	1.0	10	31	22	3.46	20
B686940		0.155														
DUP		0.148														
Target Range - Lower Bound		0.134														
Upper Bound		0.169														
ORIGINAL		0.225														
DUP		0.229														
Target Range - Lower Bound		0.206														
Upper Bound		0.248														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B686797		0.01	0.39	30	0.56	776	1	0.01	31	550	21	0.02	2	4	18	0.10
DUP		0.02	0.35	30	0.53	710	1	0.01	29	560	16	0.02	2	4	17	0.09
Target Range - Lower Bound		<0.01	0.33	<10	0.50	696	<1	<0.01	27	510	14	<0.01	<2	2	15	0.07
Upper Bound		0.02	0.41	50	0.59	790	2	0.02	34	600	23	0.04	4	6	20	0.12
B686832		0.03	0.18	20	0.45	232	1	0.01	18	610	10	0.01	<2	3	15	0.08
DUP		0.05	0.18	20	0.44	227	<1	0.01	19	600	9	0.01	<2	3	15	0.08
Target Range - Lower Bound		0.02	0.15	<10	0.40	208	<1	<0.01	16	550	5	<0.01	<2	<1	12	0.06
Upper Bound		0.06	0.21	40	0.49	251	2	0.02	21	660	14	0.02	4	5	18	0.10
B686833																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686867		0.04	0.09	20	0.94	951	1	0.02	58	590	12	0.03	20	9	15	0.03
DUP		0.04	0.09	20	0.94	942	1	0.01	59	540	15	0.03	22	9	15	0.03
Target Range - Lower Bound		0.02	0.07	<10	0.87	889	<1	<0.01	54	520	9	<0.01	15	7	12	<0.01
Upper Bound		0.06	0.11	40	1.01	1005	2	0.02	63	610	18	0.05	27	11	18	0.05
B686902		0.06	0.04	10	0.35	539	1	0.01	28	740	15	0.04	<2	2	11	0.04
DUP		0.06	0.04	10	0.34	527	1	0.01	28	720	16	0.04	<2	2	11	0.04
Target Range - Lower Bound		0.04	0.02	<10	0.31	496	<1	<0.01	25	670	11	0.02	<2	<1	8	0.02
Upper Bound		0.08	0.06	20	0.38	570	2	0.02	31	790	20	0.06	4	4	14	0.06
B686937		0.03	0.05	10	0.38	272	<1	0.01	21	380	12	0.01	2	3	12	0.05
DUP		0.03	0.05	20	0.40	285	1	0.01	21	390	12	0.02	<2	3	13	0.05
Target Range - Lower Bound		<0.01	0.03	<10	0.35	255	<1	<0.01	18	350	7	<0.01	<2	<1	10	0.03
Upper Bound		0.05	0.07	20	0.43	302	2	0.02	24	420	17	0.02	4	5	15	0.07
B686940																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B686797		<10	<10	35	60	77
DUP		<10	<10	35	50	75
Target Range - Lower Bound		<10	<10	31	30	68
Upper Bound		20	20	39	80	84
B686832		<10	<10	35	<10	57
DUP		<10	<10	34	<10	55
Target Range - Lower Bound		<10	<10	31	<10	49
Upper Bound		20	20	38	20	63
B686833						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686867		<10	<10	84	<10	75
DUP		<10	<10	84	<10	74
Target Range - Lower Bound		<10	<10	78	<10	67
Upper Bound		20	20	90	20	82
B686902		<10	<10	50	<10	78
DUP		<10	<10	49	<10	76
Target Range - Lower Bound		<10	<10	45	<10	69
Upper Bound		20	20	54	20	85
B686937		<10	<10	51	<10	63
DUP		<10	<10	54	<10	65
Target Range - Lower Bound		<10	<10	48	<10	57
Upper Bound		20	20	57	20	71
B686940						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075851

Project: Clear Creek-1740

P.O. No.:

This report is for 200 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			13.7	1.02	26	<10	70	0.8	114	0.16	26.5	94	206	5440	3.67	<10
BM-9/A			14.3	0.94	24	<10	90	0.8	114	0.16	27.0	99	205	5440	3.74	<10
BM-9/A			14.9	0.76	25	<10	80	0.8	118	0.16	26.5	96	192	5500	3.57	<10
BM-9/A			13.6	0.85	24	<10	90	0.8	114	0.17	26.6	95	193	5430	3.65	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.7	1.85	476	<10	900	0.9	<2	0.51	6.7	23	69	294	3.80	10
G2000			3.6	1.96	499	<10	940	1.0	2	0.53	7.1	23	72	307	3.98	10
G2000			3.8	2.00	501	<10	720	1.0	2	0.50	7.2	22	73	304	3.81	10
G2000			3.4	1.78	482	<10	910	0.9	3	0.49	6.8	22	67	296	3.68	10
G2000			3.2	1.73	483	<10	950	0.9	2	0.48	6.7	21	68	291	3.66	10
G2000			3.1	1.95	479	<10	920	0.9	3	0.51	7.4	22	71	310	3.84	10
G2000			3.1	1.88	469	<10	900	0.9	<2	0.49	7.0	23	70	297	3.72	10
G2000			3.2	1.79	460	<10	880	1.0	<2	0.52	7.0	22	68	299	3.71	10
G2000			3.5	1.92	476	<10	910	1.0	<2	0.54	7.5	24	71	307	3.83	10
G2000			3.2	1.77	470	<10	830	0.9	3	0.49	7.0	22	69	305	3.73	10
G2000			3.1	1.84	470	<10	870	0.9	<2	0.50	7.1	23	69	305	3.80	10
G2000			3.4	1.92	471	10	960	1.0	<2	0.54	7.7	24	70	304	3.81	10
G2000			3.5	1.94	475	<10	880	1.0	<2	0.54	7.5	23	71	307	3.80	10
G2000			4.5	1.92	472	10	890	1.0	<2	0.55	7.3	24	74	311	3.98	10
G2000			3.2	1.89	487	<10	900	1.0	<2	0.53	6.9	23	69	295	3.96	10
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			74.3	0.21	4	<10	60	<0.5	<2	0.06	<0.5	3	5	493	3.01	<10
GBM999-5			54.8	0.18	4	<10	60	<0.5	<2	0.05	<0.5	2	5	466	2.78	<10
GBM999-5			64.0	0.20	3	<10	60	<0.5	<2	0.06	<0.5	3	5	515	2.93	<10
GBM999-5			62.0	0.20	4	<10	50	<0.5	<2	0.05	<0.5	3	4	495	2.87	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A			0.02	10	0.45	663	2	0.38	374	90	6870	1.45	7	9	75	0.01
BM-9/A			0.02	10	0.43	671	4	0.41	380	80	6720	1.45	6	9	76	0.01
BM-9/A		0.40	0.02	10	0.40	637	4	0.41	366	80	6570	1.43	6	8	74	0.01
BM-9/A		0.40	0.02	10	0.42	620	3	0.42	366	90	6620	1.44	6	8	74	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.72	0.41	20	0.66	562	5	0.03	269	940	672	0.27	26	7	68	0.05
G2000		0.77	0.43	20	0.69	568	5	0.04	286	970	686	0.29	27	8	72	0.06
G2000			0.42	20	0.66	574	5	0.01	276	980	698	0.24	24	7	69	0.06
G2000		0.74	0.40	20	0.65	554	4	0.01	279	950	691	0.26	24	7	67	0.05
G2000		0.76	0.40	20	0.64	562	4	0.01	266	950	662	0.25	23	7	66	0.05
G2000			0.43	20	0.68	575	6	0.03	282	950	674	0.27	23	7	71	0.06
G2000		0.75	0.41	20	0.65	568	6	0.03	276	910	649	0.28	24	7	68	0.06
G2000		0.69	0.42	20	0.67	570	6	0.03	278	920	651	0.27	21	7	65	0.05
G2000		0.82	0.43	20	0.69	588	5	0.03	285	950	670	0.29	24	8	69	0.06
G2000		0.76	0.41	20	0.65	553	6	0.03	281	910	662	0.27	25	7	65	0.05
G2000		0.73	0.42	20	0.67	572	6	0.03	279	960	647	0.28	24	7	68	0.05
G2000		0.82	0.43	20	0.69	578	6	0.03	290	950	686	0.28	22	8	69	0.06
G2000		0.85	0.44	20	0.69	585	5	0.03	291	960	663	0.29	24	8	69	0.06
G2000		0.76	0.44	20	0.72	566	6	0.02	294	990	686	0.27	23	8	71	0.05
G2000		0.70	0.42	20	0.69	559	5	0.03	283	960	666	0.28	27	7	68	0.05
G2000		0.76														
G2000		0.77														
G2000		0.73														
G2000		0.75														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.04	0.05	10	0.02	64	3	0.02	4	40	518	0.31	5	1	4	<0.01
GBM999-5		0.04	0.05	10	0.02	61	2	<0.01	4	40	506	0.27	4	1	3	<0.01
GBM999-5		0.04	0.05	10	0.02	64	4	0.01	2	40	510	0.31	2	1	4	<0.01
GBM999-5		0.05	0.05	10	0.02	66	4	0.02	4	40	499	0.31	4	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	14	<10	8770
BM-9/A		<10	<10	16	<10	8310
BM-9/A		<10	<10	15	<10	8170
BM-9/A		<10	<10	15	<10	8380
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	65	<10	1235
G2000		<10	<10	68	10	1305
G2000		<10	<10	67	<10	1360
G2000		<10	<10	63	10	1270
G2000		<10	<10	62	<10	1250
G2000		<10	<10	68	10	1305
G2000		<10	<10	66	10	1270
G2000		<10	<10	67	<10	1190
G2000		<10	<10	70	<10	1240
G2000		<10	<10	65	<10	1270
G2000		<10	<10	66	10	1285
G2000		<10	<10	69	<10	1220
G2000		<10	<10	70	10	1250
G2000		<10	<10	69	10	1330
G2000		<10	<10	66	10	1270
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	5	<10	115
GBM999-5		<10	<10	4	<10	108
GBM999-5		<10	<10	6	<10	116
GBM999-5		<10	<10	6	<10	108
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
OxG46		1.015														
OxG46		1.040														
OxG46		1.035														
OxG46		1.050														
OxG46		1.045														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.53														
ST-259		2.53														
ST-259		2.42														
ST-259		2.61														
ST-259		2.42														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	<10
BLANK			<0.2	<0.01	3	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	10	<10	<0.5	<2	<0.01	0.9	<1	1	1	<0.01	<10
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK																
BLANK		<0.005														
BLANK		<0.005														
BLANK																
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	1	<10	2	<0.01	<2	<1	1	<0.01
BLANK																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK		<0.01														
BLANK																
BLANK																
BLANK		<0.01														
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

**: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2**

**Finalized Date: 31-AUG-2006
Account: STRGOL**

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	1	<10	<2
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.014														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
ORIGINAL		0.024														
DUP		0.027														
Target Range - Lower Bound		0.014														
Upper Bound		0.037														
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.071														
DUP		0.072														
Target Range - Lower Bound		0.058														
Upper Bound		0.085														
ORIGINAL		0.655														
DUP		0.622														
Target Range - Lower Bound		0.597														
Upper Bound		0.680														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B686937			<0.2	1.56	45	<10	170	<0.5	<2	0.09	<0.5	8	27	19	3.19	<10
DUP			<0.2	1.66	49	<10	180	<0.5	<2	0.10	<0.5	8	28	20	3.36	10
Target Range - Lower Bound			<0.2	1.51	41	<10	140	<0.5	<2	0.07	<0.5	6	24	17	3.09	<10
Upper Bound			0.4	1.71	53	20	210	1.0	4	0.12	1.0	10	31	22	3.46	20
B688205		<0.005														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686937		0.03	0.05	10	0.38	272	<1	0.01	21	380	12	0.01	2	3	12	0.05
DUP		0.03	0.05	20	0.40	285	1	0.01	21	390	12	0.02	<2	3	13	0.05
Target Range - Lower Bound		<0.01	0.03	<10	0.35	255	<1	<0.01	18	350	7	<0.01	<2	<1	10	0.03
Upper Bound		0.05	0.07	20	0.43	302	2	0.02	24	420	17	0.02	4	5	15	0.07
B688205																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686937		<10	<10	51	<10	63
DUP		<10	<10	54	<10	65
Target Range - Lower Bound		<10	<10	48	<10	57
Upper Bound		20	20	57	20	71
B688205						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B688211			<0.2	1.06	84	<10	90	<0.5	<2	0.07	<0.5	5	18	18	2.29	<10
DUP			<0.2	1.04	83	<10	90	<0.5	<2	0.07	<0.5	5	18	18	2.27	<10
Target Range - Lower Bound			<0.2	0.98	75	<10	60	<0.5	<2	0.05	<0.5	3	15	15	2.15	<10
Upper Bound			0.4	1.12	92	20	120	1.0	4	0.09	1.0	7	21	21	2.41	20
B688221																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688245		0.011														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B688246			<0.2	1.12	13	<10	70	<0.5	<2	0.12	<0.5	3	18	10	1.82	<10
DUP			<0.2	1.14	12	<10	70	<0.5	<2	0.12	<0.5	3	19	10	1.84	<10
Target Range - Lower Bound			<0.2	1.05	8	<10	40	<0.5	<2	0.09	<0.5	<1	16	8	1.72	<10
Upper Bound			0.4	1.21	17	20	100	1.0	4	0.15	1.0	5	21	13	1.94	20
B688281			<0.2	1.64	57	<10	80	<0.5	3	0.08	<0.5	8	25	17	2.87	<10
DUP			<0.2	1.57	56	<10	80	<0.5	3	0.07	<0.5	7	24	17	2.76	<10
Target Range - Lower Bound			<0.2	1.50	50	<10	50	<0.5	<2	0.05	<0.5	5	21	14	2.65	<10
Upper Bound			0.4	1.71	63	20	110	1.0	4	0.10	1.0	10	28	20	2.98	20
B688283		0.011														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B688316			<0.2	1.35	52	<10	100	<0.5	2	0.07	<0.5	6	21	19	2.81	10
DUP			0.2	1.31	51	<10	90	<0.5	2	0.07	<0.5	6	20	18	2.68	10
Target Range - Lower Bound			<0.2	1.24	45	<10	70	<0.5	<2	0.05	<0.5	4	17	16	2.59	<10
Upper Bound			0.4	1.42	58	20	120	1.0	4	0.09	1.0	8	24	21	2.90	20
B688351			0.4	1.83	26	<10	160	0.7	2	0.13	<0.5	9	29	28	2.75	<10
DUP			0.4	1.85	29	<10	160	0.7	2	0.13	<0.5	8	29	29	2.75	<10
Target Range - Lower Bound			<0.2	1.73	22	<10	130	<0.5	<2	0.10	<0.5	6	26	25	2.59	<10
Upper Bound			0.8	1.95	33	20	190	1.0	4	0.16	1.0	11	32	32	2.91	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
B688211		0.03	0.07	20	0.31	177	<1	<0.01	16	460	8	0.03	<2	1	9	0.03
DUP		0.04	0.07	20	0.31	177	1	<0.01	16	450	9	0.03	<2	1	9	0.03
Target Range - Lower Bound		<0.01	0.05	<10	0.27	158	<1	<0.01	13	410	4	<0.01	<2	<1	7	<0.01
Upper Bound		0.06	0.09	40	0.35	196	2	0.02	19	500	13	0.05	4	2	11	0.05
B688221		0.03														
DUP		0.04														
Target Range - Lower Bound		<0.01														
Upper Bound		0.06														
B688245																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688246		0.04	0.05	10	0.31	119	<1	<0.01	12	480	9	<0.01	<2	1	9	0.04
DUP		0.04	0.05	10	0.31	121	<1	<0.01	12	480	9	<0.01	<2	1	9	0.04
Target Range - Lower Bound		0.02	0.03	<10	0.27	104	<1	<0.01	9	440	5	<0.01	<2	<1	7	0.02
Upper Bound		0.06	0.07	20	0.35	136	2	0.02	15	520	13	0.02	4	2	11	0.06
B688281		0.04	0.07	20	0.39	266	1	<0.01	17	420	9	0.02	<2	2	11	0.04
DUP		0.03	0.07	20	0.37	255	1	<0.01	19	400	10	0.01	<2	2	10	0.04
Target Range - Lower Bound		<0.01	0.05	<10	0.34	237	<1	<0.01	15	370	5	<0.01	<2	<1	8	0.02
Upper Bound		0.06	0.09	40	0.42	284	2	0.02	21	450	14	0.02	4	4	13	0.06
B688283																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688316		0.04	0.06	10	0.24	189	1	<0.01	12	430	11	0.03	<2	2	10	0.06
DUP		0.03	0.06	10	0.23	182	1	0.01	11	420	13	0.04	<2	2	10	0.05
Target Range - Lower Bound		<0.01	0.04	<10	0.20	166	<1	<0.01	9	380	7	<0.01	<2	<1	8	0.03
Upper Bound		0.06	0.08	20	0.27	205	2	0.02	14	470	17	0.06	4	4	13	0.08
B688351		0.05	0.06	20	0.47	263	1	<0.01	24	200	14	0.01	<2	4	17	0.06
DUP		0.05	0.06	20	0.48	264	1	<0.01	25	200	13	0.01	<2	4	17	0.06
Target Range - Lower Bound		0.03	0.04	<10	0.43	240	<1	<0.01	21	170	9	<0.01	<2	2	14	0.04
Upper Bound		0.07	0.08	40	0.52	287	2	0.02	28	230	18	0.02	4	6	20	0.08

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B688211		<10	<10	33	<10	43
DUP		<10	<10	33	<10	43
Target Range - Lower Bound		<10	<10	29	<10	37
Upper Bound		20	20	37	20	49
B688221						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688245						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688246		<10	<10	29	<10	39
DUP		<10	<10	29	<10	40
Target Range - Lower Bound		<10	<10	26	<10	34
Upper Bound		20	20	32	20	45
B688281		<10	<10	37	10	50
DUP		<10	<10	36	10	48
Target Range - Lower Bound		<10	<10	33	<10	43
Upper Bound		20	20	40	20	55
B688283						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688316		<10	<10	63	<10	31
DUP		<10	<10	60	<10	29
Target Range - Lower Bound		<10	<10	56	<10	25
Upper Bound		20	20	67	20	36
B688351		<10	<10	43	10	56
DUP		<10	<10	44	<10	56
Target Range - Lower Bound		<10	<10	39	<10	49
Upper Bound		20	20	48	20	63

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B688386			<0.2	1.02	14	<10	150	<0.5	<2	0.22	0.5	7	22	23	2.30	<10
DUP			<0.2	0.98	15	<10	140	<0.5	<2	0.21	<0.5	8	22	22	2.22	<10
Target Range - Lower Bound			<0.2	0.93	10	<10	110	<0.5	<2	0.18	<0.5	5	19	19	2.13	<10
Upper Bound			0.4	1.07	19	20	180	1.0	4	0.25	1.0	10	25	26	2.39	20
B688484																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B688386		0.02	0.06	20	0.39	267	1	0.01	22	680	11	0.01	<2	3	15	0.06
DUP		0.02	0.06	20	0.37	260	1	0.01	21	640	13	0.01	<2	3	16	0.06
Target Range - Lower Bound		<0.01	0.04	<10	0.34	240	<1	<0.01	18	610	7	<0.01	<2	<1	13	0.04
Upper Bound		0.04	0.08	40	0.42	287	2	0.02	25	710	17	0.02	4	5	18	0.08
B688484		0.05														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.07														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B688386		<10	<10	41	<10	59
DUP		<10	<10	39	<10	57
Target Range - Lower Bound		<10	<10	36	<10	51
Upper Bound		20	20	44	20	65
B688484						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075852

Project: Clear Creek-1740

P.O. No.:

This report is for 169 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			15.3	1.02	24	<10	100	0.9	126	0.18	29.2	106	208	5840	3.80	<10
BM-9/A			13.8	0.80	24	<10	80	0.8	120	0.17	26.9	99	197	5220	3.56	<10
BM-9/A			14.9	0.87	22	<10	90	0.9	113	0.16	27.1	100	204	5390	3.62	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.4	1.92	471	10	960	1.0	<2	0.54	7.7	24	70	304	3.81	10
G2000			3.5	1.94	475	<10	880	1.0	<2	0.54	7.5	23	71	307	3.80	10
G2000			4.1	2.09	502	<10	1000	1.0	<2	0.58	8.2	25	75	324	4.06	10
G2000			3.6	1.84	479	<10	910	1.0	<2	0.54	7.6	23	70	308	3.80	10
G2000			3.5	1.92	487	<10	920	1.0	<2	0.51	7.3	23	71	305	3.79	10
G2000			3.7	2.00	498	<10	940	1.0	<2	0.52	7.6	24	74	315	3.88	10
G2000			4.6	1.92	491	<10	970	1.0	<2	0.53	7.2	25	76	313	3.92	10
G2000			3.9	1.92	474	<10	980	1.0	<2	0.52	7.0	23	71	288	3.84	10
G2000			3.7	1.79	476	<10	890	0.9	<2	0.49	6.8	23	68	294	3.68	10
G2000			4.6	1.85	476	<10	860	1.0	2	0.50	7.4	23	70	301	3.74	10
G2000			3.2	1.96	483	<10	950	1.0	2	0.53	7.2	24	76	306	3.89	10
G2000			3.4	2.03	498	<10	970	1.0	2	0.55	7.4	24	77	308	3.99	10
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			62.0	0.20	4	<10	50	<0.5	<2	0.05	<0.5	3	4	495	2.87	<10
GBM999-5			65.1	0.21	<2	<10	60	<0.5	<2	0.05	<0.5	3	5	503	2.94	<10
GBM999-5			63.1	0.19	2	<10	50	<0.5	<2	0.05	<0.5	3	5	483	2.82	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.410														
OXD43		0.408														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.44	0.02	10	0.47	689	4	0.46	391	90	6910	1.57	4	9	78	0.01
BM-9/A		0.39	0.02	10	0.40	624	4	0.40	363	90	6490	1.42	8	9	73	0.01
BM-9/A		0.42	0.02	10	0.42	630	4	0.42	373	90	6580	1.44	7	9	75	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.82	0.43	20	0.69	578	6	0.03	290	950	686	0.28	22	8	69	0.06
G2000		0.85	0.44	20	0.69	585	5	0.03	291	960	663	0.29	24	8	69	0.06
G2000			0.45	20	0.73	625	6	0.03	297	1010	719	0.30	22	8	75	0.06
G2000		0.79	0.43	20	0.68	585	5	0.03	290	950	667	0.27	21	7	67	0.06
G2000		0.82	0.41	20	0.67	560	6	0.04	277	960	665	0.28	26	7	70	0.06
G2000			0.42	20	0.69	567	6	0.04	285	990	675	0.29	28	8	73	0.06
G2000			0.44	20	0.68	568	5	0.03	293	1010	687	0.28	26	8	71	0.06
G2000		0.79	0.41	20	0.67	554	5	0.03	275	990	672	0.27	26	8	71	0.05
G2000		0.78	0.39	20	0.64	534	6	0.03	270	930	664	0.27	27	7	67	0.05
G2000		0.79	0.39	20	0.66	558	6	0.03	272	940	659	0.27	26	7	68	0.05
G2000		0.78	0.44	20	0.68	560	6	0.03	288	1000	677	0.28	27	8	72	0.06
G2000		0.79	0.44	20	0.70	598	6	0.04	291	1040	710	0.29	28	8	74	0.06
G2000		0.76														
G2000		0.77														
G2000		0.79														
G2000		0.82														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	66	4	0.02	4	40	499	0.31	4	1	4	<0.01
GBM999-5		0.07	0.05	10	0.02	62	4	0.01	4	40	499	0.30	6	1	4	<0.01
GBM999-5		0.06	0.05	10	0.02	61	4	0.01	4	40	488	0.29	4	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	16	<10	8130
BM-9/A		<10	<10	15	<10	8270
BM-9/A		<10	<10	16	<10	8470
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	69	<10	1220
G2000		<10	<10	70	10	1250
G2000		<10	<10	74	<10	1320
G2000		<10	<10	70	<10	1260
G2000		<10	<10	68	<10	1300
G2000		<10	<10	71	10	1340
G2000		<10	<10	72	<10	1310
G2000		<10	<10	67	<10	1220
G2000		<10	<10	66	<10	1225
G2000		<10	<10	67	10	1275
G2000		<10	<10	72	<10	1280
G2000		<10	<10	72	<10	1320
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	6	<10	108
GBM999-5		<10	<10	6	<10	111
GBM999-5		<10	<10	5	<10	111
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
OxG46		1.025														
OxG46		1.040														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.750														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.60														
ST-259		2.54														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.05														
ST-327		6.93														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	2	10	<10	<0.5	<2	<0.01	0.9	<1	1	1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK																
BLANK		<0.005														
BLANK		0.009														
BLANK		<0.005														
BLANK																
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	1	<10	2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS				
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						
		BLANKS				
BLANK		<10	<10	1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														
ORIGINAL		0.018														
DUP		0.018														
Target Range - Lower Bound		0.007														
Upper Bound		0.029														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688386			<0.2	1.02	14	<10	150	<0.5	<2	0.22	0.5	7	22	23	2.30	<10
DUP			<0.2	0.98	15	<10	140	<0.5	<2	0.21	<0.5	8	22	22	2.22	<10
Target Range - Lower Bound			<0.2	0.93	10	<10	110	<0.5	<2	0.18	<0.5	5	19	19	2.13	<10
Upper Bound			0.4	1.07	19	20	180	1.0	4	0.25	1.0	10	25	26	2.39	20
B688402		0.007														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B688421			0.9	1.75	16	<10	120	0.6	7	0.16	<0.5	9	32	34	3.35	10
DUP			0.9	1.64	17	<10	120	0.5	7	0.15	<0.5	9	30	31	3.16	10
Target Range - Lower Bound			0.5	1.59	12	<10	90	<0.5	3	0.13	<0.5	7	27	29	3.07	<10
Upper Bound			1.3	1.80	21	20	150	1.0	11	0.18	1.0	11	35	36	3.44	20
B688456			0.2	1.44	26	<10	80	<0.5	2	0.09	<0.5	5	34	15	3.33	<10
DUP			0.2	1.46	30	<10	80	0.5	3	0.09	<0.5	5	34	15	3.38	<10
Target Range - Lower Bound			<0.2	1.36	23	<10	50	<0.5	<2	0.07	<0.5	3	30	12	3.17	<10
Upper Bound			0.4	1.54	33	20	110	1.0	4	0.11	1.0	7	38	18	3.54	20
B688457		0.029														
DUP		0.021														
Target Range - Lower Bound		0.014														
Upper Bound		0.036														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.03														
DUP		0.03														
Target Range - Lower Bound		<0.01														
Upper Bound		0.05														
B688386		0.02	0.06	20	0.39	267	1	0.01	22	680	11	0.01	<2	3	15	0.06
DUP		0.02	0.06	20	0.37	260	1	0.01	21	640	13	0.01	<2	3	16	0.06
Target Range - Lower Bound		<0.01	0.04	<10	0.34	240	<1	<0.01	18	610	7	<0.01	<2	<1	13	0.04
Upper Bound		0.04	0.08	40	0.42	287	2	0.02	25	710	17	0.02	4	5	18	0.08
B688402																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688421		0.05	0.14	20	0.54	353	1	0.01	24	470	12	0.03	<2	3	22	0.08
DUP		0.05	0.13	20	0.50	333	1	0.01	23	440	13	0.03	<2	3	20	0.07
Target Range - Lower Bound		0.03	0.11	<10	0.47	316	<1	<0.01	20	410	8	<0.01	<2	<1	18	0.05
Upper Bound		0.07	0.16	40	0.57	370	2	0.02	27	500	17	0.05	4	5	24	0.10
B688456		0.06	0.11	20	0.31	187	1	<0.01	17	460	11	0.02	<2	2	11	0.07
DUP		0.05	0.11	20	0.32	191	<1	<0.01	16	470	10	0.03	<2	2	11	0.07
Target Range - Lower Bound		0.03	0.08	<10	0.28	170	<1	<0.01	14	420	6	<0.01	<2	<1	8	0.05
Upper Bound		0.08	0.14	40	0.35	208	2	0.02	19	510	15	0.05	4	4	14	0.09
B688457																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688386		<10	<10	41	<10	59
DUP		<10	<10	39	<10	57
Target Range - Lower Bound		<10	<10	36	<10	51
Upper Bound		20	20	44	20	65
B688402						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688421		<10	<10	50	<10	63
DUP		<10	<10	47	<10	59
Target Range - Lower Bound		<10	<10	44	<10	54
Upper Bound		20	20	53	20	68
B688456		<10	<10	45	<10	46
DUP		<10	<10	45	<10	47
Target Range - Lower Bound		<10	<10	41	<10	40
Upper Bound		20	20	49	20	53
B688457						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
B688477		0.018														
DUP		0.023														
Target Range - Lower Bound		0.009														
Upper Bound		0.032														
B688484																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688491			<0.2	1.01	42	<10	90	<0.5	<2	0.12	<0.5	8	19	14	2.77	<10
DUP			<0.2	1.02	42	<10	100	<0.5	<2	0.11	<0.5	8	19	14	2.81	<10
Target Range - Lower Bound			<0.2	0.94	36	<10	70	<0.5	<2	0.09	<0.5	6	16	11	2.63	<10
Upper Bound			0.4	1.09	48	20	120	1.0	4	0.14	1.0	10	22	17	2.95	20
B688526			0.4	1.79	99	<10	200	0.7	<2	0.13	<0.5	10	29	36	3.26	10
DUP			0.5	1.80	105	<10	200	0.7	<2	0.13	<0.5	11	29	36	3.30	10
Target Range - Lower Bound			<0.2	1.69	93	<10	170	<0.5	<2	0.10	<0.5	8	26	32	3.10	<10
Upper Bound			0.9	1.90	111	20	240	1.0	4	0.16	1.0	13	32	40	3.46	20
B688561			0.7	1.73	1255	<10	100	0.9	3	0.07	<0.5	7	24	61	4.45	10
DUP			0.7	1.72	1255	<10	100	0.9	3	0.08	<0.5	7	24	62	4.43	10
Target Range - Lower Bound			0.3	1.62	1190	<10	70	<0.5	<2	0.05	<0.5	5	21	56	4.20	<10
Upper Bound			1.1	1.83	1320	20	130	1.0	4	0.10	1.0	9	27	67	4.68	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B688477																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688484		0.05														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.07														
B688491		0.03	0.06	20	0.27	404	1	<0.01	19	560	14	0.01	9	2	12	0.03
DUP		0.02	0.06	20	0.28	414	1	<0.01	18	570	16	0.01	9	2	12	0.03
Target Range - Lower Bound		<0.01	0.04	<10	0.24	379	<1	<0.01	16	520	10	<0.01	4	<1	9	<0.01
Upper Bound		0.05	0.08	40	0.31	439	2	0.02	21	610	20	0.02	14	4	15	0.05
B688526		0.08	0.04	20	0.34	286	2	<0.01	34	750	8	0.04	9	3	18	0.03
DUP		0.08	0.04	20	0.34	290	2	<0.01	33	750	8	0.04	7	3	18	0.03
Target Range - Lower Bound		0.06	0.02	<10	0.30	264	<1	<0.01	30	690	4	0.02	3	<1	15	<0.01
Upper Bound		0.10	0.06	40	0.38	312	4	0.02	37	810	12	0.06	13	5	21	0.05
B688561		0.04	0.12	30	0.42	196	1	0.02	19	670	10	0.09	4	2	31	0.03
DUP		0.04	0.12	30	0.42	196	1	0.02	18	680	9	0.10	4	2	31	0.03
Target Range - Lower Bound		0.02	0.09	<10	0.38	176	<1	<0.01	16	620	5	0.07	<2	<1	27	<0.01
Upper Bound		0.06	0.15	50	0.46	216	2	0.04	21	730	14	0.12	8	4	35	0.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B688477						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688484						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688491		<10	<10	38	<10	66
DUP		<10	<10	37	<10	65
Target Range - Lower Bound		<10	<10	34	<10	58
Upper Bound		20	20	41	20	73
B688526		<10	<10	43	<10	72
DUP		<10	<10	43	<10	71
Target Range - Lower Bound		<10	<10	39	<10	64
Upper Bound		20	20	47	20	79
B688561		<10	<10	28	<10	49
DUP		<10	<10	29	<10	49
Target Range - Lower Bound		<10	<10	25	<10	43
Upper Bound		20	20	32	20	55

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080880

Project: Clear Creek-1740

P.O. No.:

This report is for 167 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.0	3.52	19	200	0.9	108	0.21	26.0	97	351	5150	4.10	0.12	0.78
BM-9/A			14.3	3.66	16	200	0.9	112	0.23	26.5	99	372	5440	4.30	0.12	0.79
BM-9/A			14.3	3.66	25	200	0.9	110	0.22	26.2	97	363	5310	4.29	0.12	0.79
BM-9/A			14.5	3.65	27	200	0.9	110	0.22	26.5	94	345	5240	4.13	0.12	0.80
BM-9/A			14.4	3.75	28	220	1.0	115	0.23	27.0	97	380	5430	4.39	0.12	0.82
BM-9/A			14.3	3.49	26	190	0.9	105	0.21	24.9	97	367	5360	4.15	0.12	0.76
BM-9/A			13.7	3.55	24	200	0.9	109	0.21	25.3	95	360	5250	4.29	0.12	0.77
BM-9/A			13.3	3.45	24	210	0.9	108	0.21	25.3	97	362	5290	4.25	0.12	0.80
BM-9/A			14.0	3.58	28	200	0.9	106	0.21	25.9	95	378	5420	4.32	0.13	0.83
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.6	5.26	465	2420	1.4	<2	0.58	7.2	23	102	306	3.87	1.30	0.76
G2000			3.9	5.22	492	2500	1.3	<2	0.61	7.2	23	103	304	3.96	1.26	0.75
G2000			3.9	5.01	475	2340	1.3	<2	0.58	6.9	22	101	292	3.77	1.27	0.72
G2000			3.7	5.09	487	2410	1.3	<2	0.61	7.4	24	102	296	3.75	1.27	0.74
G2000			3.5	5.24	478	2440	1.4	<2	0.62	7.2	24	105	307	3.90	1.27	0.75
G2000			3.6	5.21	514	2490	1.4	<2	0.63	6.5	24	102	312	4.05	1.33	0.76
G2000			3.6	4.98	475	2380	1.3	<2	0.59	6.2	24	96	292	3.76	1.25	0.73
G2000			3.9	5.14	486	2490	1.3	2	0.62	6.5	24	94	301	3.90	1.28	0.75
G2000			3.6	5.10	501	2470	1.3	<2	0.62	6.4	23	99	300	3.89	1.28	0.75
G2000			4.0	4.98	463	2380	1.2	<2	0.60	6.4	21	96	284	3.83	1.21	0.72
G2000			3.0	4.96	467	2360	1.3	<2	0.57	6.2	23	91	291	3.74	1.23	0.71
G2000			3.7	5.02	468	2370	1.3	<2	0.59	7.3	23	97	292	3.91	1.26	0.76
G2000			3.4	4.99	466	2390	1.2	<2	0.58	6.7	22	94	285	3.89	1.24	0.76
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			62.3	4.71	<5	180	1.2	<2	0.10	<0.5	1	4	475	3.02	3.50	0.04
GBM999-5			58.7	4.78	<5	190	1.2	<2	0.10	<0.5	4	4	473	2.99	3.52	0.04
GBM999-5			63.9	5.17	<5	200	1.3	<2	0.11	<0.5	2	4	498	3.22	3.73	0.04
GBM999-5			53.8	4.82	<5	180	1.2	<2	0.11	<0.5	1	5	449	2.99	3.37	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		606	3	0.46	349	90	6450	1.39	6	88	0.08	21	<10	8150
BM-9/A		644	4	0.46	365	100	6590	1.45	5	93	0.09	22	<10	8540
BM-9/A		650	3	0.49	356	100	6460	1.40	9	88	0.08	21	<10	8110
BM-9/A		625	3	0.47	354	100	6550	1.42	7	93	0.09	21	<10	8360
BM-9/A		636	4	0.47	378	110	6950	1.45	<5	95	0.09	22	<10	8330
BM-9/A		606	2	0.46	364	110	6200	1.36	<5	88	0.09	21	<10	7710
BM-9/A		627	3	0.47	358	90	6430	1.45	8	87	0.09	21	<10	7950
BM-9/A		613	6	0.49	361	100	6340	1.38	10	87	0.09	21	20	8130
BM-9/A		603	3	0.46	375	90	6330	1.36	5	88	0.09	22	<10	8080
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		570	5	0.14	274	1040	695	0.28	40	124	0.35	107	10	1310
G2000		598	6	0.13	286	970	689	0.28	36	120	0.37	104	10	1370
G2000		556	6	0.12	268	970	645	0.26	33	114	0.34	98	10	1240
G2000		573	5	0.13	279	1000	680	0.27	32	117	0.37	103	10	1260
G2000		581	6	0.14	285	1030	689	0.28	30	124	0.37	103	20	1310
G2000		593	5	0.15	297	1050	686	0.28	27	121	0.37	109	20	1360
G2000		567	6	0.14	271	980	652	0.26	32	115	0.35	100	10	1290
G2000		597	5	0.14	277	1020	676	0.27	39	119	0.36	104	10	1330
G2000		582	5	0.14	286	1030	686	0.27	37	118	0.36	105	10	1320
G2000		545	5	0.14	271	980	645	0.27	25	116	0.34	98	20	1270
G2000		558	4	0.14	275	920	634	0.28	31	113	0.35	101	20	1260
G2000		564	5	0.14	273	980	670	0.28	35	120	0.34	98	10	1320
G2000		555	5	0.14	265	940	652	0.26	33	114	0.34	97	10	1260
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		67	3	0.98	<1	70	535	0.30	10	20	0.02	7	<10	114
GBM999-5		68	3	0.97	5	60	545	0.30	8	20	0.02	6	<10	118
GBM999-5		74	4	1.04	2	50	597	0.33	6	21	0.02	7	<10	121
GBM999-5		65	2	0.98	<1	50	534	0.31	<5	20	0.02	6	<10	108
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
MP-2			4.6	1.85	2020	10	<0.5	2510	2.44	8.6	6	2	850	3.47	0.36	0.02
MP-2			5.0	1.85	1440	10	<0.5	2480	2.63	8.2	5	4	862	3.71	0.36	0.03
MP-2			5.1	1.87	2030	10	<0.5	2390	2.48	7.8	6	4	845	3.65	0.36	0.03
Target Range - Lower Bound			3.9	<0.01				2200					772			
Upper Bound			5.9	0.02				2700					946			
OXD43		0.393														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.050														
OxG46		1.010														
OxG46		1.020														
OxG46		1.010														
OxG46		1.090														
OxG46		1.025														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.45														
ST-259		2.42														
ST-259		2.35														
ST-259		2.38														
ST-259		2.46														
ST-259		2.57														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.42														
ST-327		7.01														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
MP-2		685	2730	0.01	2	100	415	0.65	11	12	0.02	<1	4150	3450
MP-2		693	2620	0.01	2	110	394	0.66	5	13	0.02	<1	4160	3500
MP-2		683	2670	0.01	1	90	393	0.62	<5	13	0.02	<1	4220	3630
Target Range - Lower Bound			2530										5840	
Upper Bound			3090										7160	
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	1	1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		2.05														
DUP		2.09														
Target Range - Lower Bound		1.955														
Upper Bound		2.18														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	3	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	2	20	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
ORIGINAL		0.008														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			<0.5	4.79	76	860	<0.5	4	0.05	<0.5	<1	23	21	2.27	0.02	0.01
DUP			<0.5	4.94	88	900	<0.5	3	0.06	<0.5	<1	22	21	2.36	0.03	0.01
Target Range - Lower Bound			<0.5	4.60	68	820	<0.5	<2	0.03	<0.5	<1	19	18	2.18	<0.01	<0.01
Upper Bound			1.0	5.13	96	940	1.0	4	0.08	1.0	2	26	24	2.45	0.05	0.02
ORIGINAL		0.094														
DUP		0.096														
Target Range - Lower Bound		0.080														
Upper Bound		0.110														
ORIGINAL			<0.5	11.05	50	80	<0.5	<2	0.07	<0.5	27	10	13	4.66	1.81	0.02
DUP			<0.5	11.45	52	60	<0.5	<2	0.08	<0.5	26	9	13	4.78	1.81	0.02
Target Range - Lower Bound			<0.5	10.65	38	50	<0.5	<2	0.05	<0.5	23	7	10	4.46	1.70	<0.01
Upper Bound			1.0	11.85	64	90	1.0	4	0.10	1.0	30	12	16	4.98	1.92	0.04
ORIGINAL			0.5	3.33	228	540	0.9	<2	7.59	<0.5	2	99	14	1.75	1.11	3.09
DUP			<0.5	3.20	215	520	0.8	<2	7.35	<0.5	3	92	13	1.69	1.06	3.00
Target Range - Lower Bound			<0.5	3.08	200	480	<0.5	<2	7.08	<0.5	<1	89	11	1.61	1.01	2.87
Upper Bound			1.0	3.45	243	580	1.0	4	7.86	1.0	5	102	16	1.83	1.16	3.22
ORIGINAL		0.017														
DUP		0.017														
Target Range - Lower Bound		0.006														
Upper Bound		0.028														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			4.4	6.18	796	810	1.2	<2	0.06	<0.5	<1	1	27	2.25	6.29	0.07
DUP			4.4	6.10	774	810	1.2	<2	0.06	<0.5	<1	1	26	2.26	6.15	0.08
Target Range - Lower Bound			3.2	5.81	736	750	<0.5	<2	0.04	<0.5	<1	<1	23	2.12	5.89	0.05
Upper Bound			5.6	6.47	834	870	2.3	4	0.08	1.0	2	2	30	2.39	6.55	0.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		15	17	0.06	<1	650	51	0.11	39	651	0.39	64	<10	12
DUP		16	18	0.06	<1	680	53	0.12	36	662	0.40	66	<10	13
Target Range - Lower Bound		<5	15	0.04	<1	610	45	0.09	26	622	0.36	60	<10	8
Upper Bound		26	20	0.08	2	720	59	0.14	49	691	0.43	70	20	17
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		18	206	0.32	6	860	118	6.86	<5	424	0.39	185	<10	18
DUP		18	213	0.33	8	910	122	7.15	<5	436	0.39	185	<10	17
Target Range - Lower Bound		7	197	0.29	5	820	110	6.63	<5	407	0.35	174	<10	13
Upper Bound		29	222	0.36	9	950	130	7.38	10	454	0.43	196	20	22
ORIGINAL		287	3	0.03	36	760	8	1.29	14	145	0.22	49	10	105
DUP		279	3	0.03	32	740	8	1.24	10	140	0.21	46	10	96
Target Range - Lower Bound		259	<1	<0.01	30	690	4	1.18	<5	133	0.18	43	<10	91
Upper Bound		307	5	0.05	38	810	12	1.35	23	152	0.25	52	20	110
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		138	<1	0.10	1	180	1230	0.21	42	95	0.03	1	<10	18
DUP		139	<1	0.10	1	160	1220	0.21	44	93	0.03	2	10	18
Target Range - Lower Bound		122	<1	0.08	<1	140	1160	0.18	31	87	<0.01	<1	<10	13
Upper Bound		155	2	0.13	2	200	1290	0.24	55	101	0.05	2	20	23

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.066														
DUP		0.068														
Target Range - Lower Bound		0.054														
Upper Bound		0.080														
ORIGINAL		0.038														
DUP		0.026														
Target Range - Lower Bound		0.020														
Upper Bound		0.044														
ORIGINAL			<0.5	6.97	44	1550	1.3	<2	1.02	<0.5	3	22	44	1.94	2.93	0.45
DUP			<0.5	7.32	58	1590	1.4	<2	1.07	<0.5	3	23	41	2.00	3.02	0.47
Target Range - Lower Bound			<0.5	6.77	38	1470	<0.5	<2	0.97	<0.5	<1	19	38	1.85	2.81	0.42
Upper Bound			1.0	7.52	64	1670	2.4	4	1.12	1.0	5	26	47	2.09	3.14	0.50
ORIGINAL			1.5	7.49	17	930	1.4	<2	2.49	<0.5	9	11	108	2.98	3.08	0.92
DUP			1.5	7.77	20	940	1.3	<2	2.55	<0.5	8	10	105	3.07	3.01	0.94
Target Range - Lower Bound			<0.5	7.23	8	870	<0.5	<2	2.37	<0.5	6	8	99	2.85	2.87	0.86
Upper Bound			2.6	8.03	29	1000	2.4	4	2.67	1.0	11	13	114	3.20	3.22	1.00
ORIGINAL			1.7	5.72	23	850	0.7	<2	0.09	0.5	5	10	>10000	2.97	4.70	0.80
DUP			1.7	5.92	27	880	0.8	3	0.09	0.7	4	10	>10000	3.05	3.86	0.83
Target Range - Lower Bound			0.6	5.51	14	800	<0.5	<2	0.07	<0.5	2	8	9500	2.84	4.05	0.75
Upper Bound			2.8	6.13	36	930	1.0	4	0.11	1.0	7	13	>10000	3.18	4.51	0.88
ORIGINAL			4.2	1.69	123	400	<0.5	<2	0.05	5.2	4	58	16	1.84	0.50	0.04
DUP			3.8	1.62	121	500	<0.5	<2	0.05	5.0	3	56	15	1.78	0.49	0.04
Target Range - Lower Bound			2.8	1.55	106	410	<0.5	<2	0.03	3.8	<1	52	13	1.70	0.45	0.02
Upper Bound			5.2	1.76	138	490	1.0	4	0.07	6.4	6	62	18	1.92	0.54	0.06
B686974			<0.5	5.62	20	590	1.2	10	0.29	<0.5	7	42	24	2.97	1.83	0.54
DUP			<0.5	5.51	16	590	1.1	8	0.29	<0.5	8	42	22	2.95	1.75	0.54
Target Range - Lower Bound			<0.5	5.27	7	540	<0.5	5	0.26	<0.5	5	38	20	2.79	1.68	0.49
Upper Bound			1.0	5.86	29	640	2.2	13	0.32	1.0	10	46	26	3.13	1.90	0.59
B686979		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		359	4	2.05	8	580	21	0.02	<5	262	0.16	55	<10	89
DUP		371	1	2.13	7	600	23	0.02	<5	273	0.17	56	<10	92
Target Range - Lower Bound		337	<1	1.97	5	540	17	<0.01	<5	252	0.14	51	<10	82
Upper Bound		393	5	2.21	10	640	27	0.04	10	283	0.19	60	20	99
ORIGINAL		2260	13	1.93	3	610	33	0.85	<5	333	0.35	81	10	89
DUP		2300	14	1.97	7	600	33	0.89	7	345	0.35	81	20	86
Target Range - Lower Bound		2160	11	1.83	3	550	27	0.81	<5	320	0.31	75	<10	79
Upper Bound		2400	16	2.07	7	660	39	0.93	10	358	0.39	87	20	96
ORIGINAL		218	307	0.24	4	550	30	1.41	66	79	0.12	46	1060	166
DUP		227	304	0.25	4	560	31	1.46	73	82	0.12	47	1080	171
Target Range - Lower Bound		201	288	0.21	2	510	25	1.34	56	74	0.09	42	1000	156
Upper Bound		244	323	0.28	6	600	36	1.53	83	87	0.15	51	1140	181
ORIGINAL		91	<1	0.05	24	140	356	1.85	20	40	0.12	34	<10	510
DUP		88	<1	0.04	20	140	335	1.79	20	39	0.12	32	<10	489
Target Range - Lower Bound		75	<1	0.02	19	110	324	1.71	9	36	0.09	29	<10	471
Upper Bound		104	2	0.07	25	170	367	1.93	31	43	0.15	37	20	528
B686974		280	<1	1.06	21	200	3	0.01	<5	78	0.25	39	<10	49
DUP		279	<1	1.04	19	210	8	<0.01	<5	77	0.24	39	10	46
Target Range - Lower Bound		256	<1	0.98	17	170	<2	<0.01	<5	72	0.21	35	<10	41
Upper Bound		303	2	1.12	23	240	10	0.02	10	83	0.28	43	20	54
B686979														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
B687027		0.017	0.5	6.53	38	560	1.5	<2	0.06	<0.5	12	51	34	3.44	2.04	0.63
DUP		0.018	0.5	7.37	34	620	1.7	<2	0.07	<0.5	12	55	38	3.81	2.30	0.71
Target Range - Lower Bound		0.007	<0.5	6.58	24	540	<0.5	<2	0.04	<0.5	9	48	32	3.42	2.04	0.62
Upper Bound		0.028	1.0	7.32	48	640	2.7	4	0.09	1.0	15	58	40	3.83	2.30	0.72
B687063			<0.5	1.18	37	110	<0.5	<2	0.03	<0.5	2	17	13	1.50	0.49	0.06
DUP			<0.5	1.24	43	120	<0.5	<2	0.03	<0.5	3	24	14	1.57	0.50	0.06
Target Range - Lower Bound			<0.5	1.13	28	90	<0.5	<2	<0.01	<0.5	<1	17	11	1.44	0.45	0.04
Upper Bound			1.0	1.29	52	140	1.0	4	0.05	1.0	5	24	16	1.63	0.54	0.08
B687068		0.010														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B687088		0.061														
DUP		0.050														
Target Range - Lower Bound		0.043														
Upper Bound		0.068														
B687099			<0.5	8.60	100	1760	3.1	<2	0.85	<0.5	5	29	22	2.66	3.52	0.49
DUP			<0.5	8.71	95	1790	3.1	<2	0.87	<0.5	4	28	23	2.72	3.58	0.50
Target Range - Lower Bound			<0.5	8.20	83	1670	1.9	<2	0.80	<0.5	2	25	19	2.54	3.35	0.45
Upper Bound			1.0	9.11	112	1880	4.3	4	0.92	1.0	7	32	26	2.84	3.75	0.54
C082729		0.011														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.021														
ORIGINAL			2.8	6.19	11	1550	3.1	<2	4.81	<0.5	23	164	118	4.72	3.94	2.92
DUP			2.2	6.41	11	1610	3.0	<2	5.02	<0.5	24	160	113	4.90	3.99	3.01
Target Range - Lower Bound			1.4	5.97	<5	1480	1.9	<2	4.65	<0.5	20	152	108	4.55	3.75	2.80
Upper Bound			3.6	6.64	22	1680	4.2	4	5.18	1.0	27	172	123	5.07	4.18	3.13
ORIGINAL			1.4	7.87	13	300	0.8	<2	1.82	7.8	9	4	378	4.37	3.00	0.93
DUP			1.4	8.24	21	250	0.8	<2	1.88	8.2	9	2	393	4.52	3.11	0.97
Target Range - Lower Bound			<0.5	7.63	6	240	<0.5	<2	1.74	6.6	7	<1	364	4.20	2.88	0.88
Upper Bound			2.5	8.48	28	310	1.0	4	1.96	9.4	11	5	407	4.69	3.23	1.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
B687027		268	<1	0.22	27	210	4	0.01	<5	66	0.29	56	10	60
DUP		302	<1	0.24	30	240	<2	0.01	<5	75	0.31	63	10	66
Target Range - Lower Bound		261	<1	0.20	25	190	<2	<0.01	<5	65	0.27	55	<10	56
Upper Bound		309	2	0.26	32	260	4	0.02	10	76	0.34	64	20	70
B687063		101	<1	0.03	9	120	2	<0.01	<5	10	0.05	9	<10	11
DUP		105	<1	0.04	11	130	9	<0.01	<5	10	0.05	9	<10	11
Target Range - Lower Bound		88	<1	<0.01	8	100	<2	<0.01	<5	8	0.03	7	<10	6
Upper Bound		118	2	0.06	13	150	10	0.02	10	13	0.07	11	20	16
B687068														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687088														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687099		337	1	1.25	10	430	28	<0.01	<5	349	0.27	44	10	60
DUP		346	1	1.26	9	430	25	<0.01	<5	355	0.27	46	10	61
Target Range - Lower Bound		314	<1	1.17	7	390	21	<0.01	<5	332	0.24	41	<10	53
Upper Bound		369	2	1.34	12	470	32	0.02	10	372	0.30	49	20	68
C082729														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		1010	46	1.36	64	2000	34	1.05	<5	1170	0.35	171	10	79
DUP		1050	48	1.40	64	2080	42	1.09	<5	1195	0.36	174	20	83
Target Range - Lower Bound		969	43	1.29	59	1920	32	1.00	<5	1120	0.32	162	<10	73
Upper Bound		1090	51	1.47	69	2160	44	1.14	10	1245	0.39	183	20	89
ORIGINAL		1695	157	0.10	<1	1180	35	2.68	<5	77	0.16	142	10	674
DUP		1740	153	0.10	<1	1220	33	2.73	<5	79	0.16	148	<10	699
Target Range - Lower Bound		1620	145	0.08	<1	1120	28	2.55	<5	72	0.13	136	<10	648
Upper Bound		1815	165	0.13	2	1280	40	2.86	10	84	0.19	154	20	725

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080881

Project: Clear Creek-1740

P.O. No.:

This report is for 197 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

:STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.8	3.37	18	180	0.9	107	0.20	24.3	93	334	5210	3.96	0.12	0.75
BM-9/A			13.1	3.48	25	200	0.9	108	0.23	25.9	103	364	5320	4.21	0.11	0.77
BM-9/A			13.4	3.52	26	200	0.9	109	0.22	25.9	93	379	5270	4.23	0.12	0.80
BM-9/A			15.1	3.79	23	220	0.9	115	0.23	27.0	100	342	5390	4.50	0.12	0.83
BM-9/A			13.9	3.46	33	210	0.9	118	0.21	26.0	101	397	5520	4.24	0.12	0.75
BM-9/A			13.2	3.48	20	200	0.9	107	0.21	26.7	96	342	5360	4.12	0.11	0.76
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.7	5.04	480	2350	1.3	<2	0.64	7.1	24	100	303	3.76	1.25	0.74
G2000			3.1	4.80	477	2330	1.3	<2	0.57	6.2	24	94	307	3.75	1.20	0.70
G2000			3.6	5.00	485	2450	1.3	3	0.59	6.7	22	97	295	3.83	1.25	0.75
G2000			3.6	5.38	482	2480	1.3	<2	0.62	7.3	24	97	305	4.05	1.29	0.77
G2000			3.8	5.09	461	2350	1.3	3	0.58	7.1	23	95	288	3.83	1.23	0.73
G2000			3.3	4.88	472	2310	1.3	<2	0.56	7.4	22	94	303	3.73	1.17	0.70
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			56.5	4.77	<5	180	1.2	<2	0.11	<0.5	3	5	453	3.00	3.47	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
MP-2			4.5	1.74	1420	10	<0.5	2250	2.31	7.7	5	4	778	3.36	0.32	0.02
Target Range - Lower Bound			3.9	<0.01				2200					772			
Upper Bound			5.9	0.02				2700					946			
OXD43		0.395														
OXD43		0.395														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.055														
OxG46		1.055														
OxG46		1.100														
OxG46		1.080														
OxG46		1.005														
OxG46		1.125														
OxG46		1.050														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		609	4	0.44	349	90	5990	1.31	8	87	0.08	20	<10	7920
BM-9/A		626	3	0.46	366	90	6280	1.27	16	89	0.09	22	<10	7890
BM-9/A		625	3	0.46	356	90	6560	1.42	12	86	0.09	20	<10	8220
BM-9/A		666	4	0.49	365	100	6720	1.47	9	95	0.09	22	<10	8410
BM-9/A		627	4	0.45	362	90	6470	1.35	9	88	0.08	22	<10	8130
BM-9/A		605	4	0.44	362	90	6460	1.29	11	87	0.08	22	<10	8030
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		566	6	0.13	279	970	654	0.27	36	117	0.36	102	20	1260
G2000		541	6	0.14	271	970	637	0.25	38	113	0.35	100	10	1275
G2000		577	5	0.16	277	980	687	0.28	35	116	0.35	104	20	1320
G2000		593	6	0.17	286	1030	701	0.29	32	122	0.36	105	20	1325
G2000		565	5	0.17	267	950	640	0.26	33	116	0.35	100	10	1265
G2000		537	6	0.16	279	930	665	0.25	34	113	0.34	101	10	1270
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		67	4	0.94	3	60	577	0.30	6	21	0.02	6	<10	124
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
MP-2		641	2540	0.01	<1	90	361	0.58	10	13	0.02	<1	3830	3220
Target Range - Lower Bound			2530										5840	
Upper Bound			3090										7160	
OXD43														
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
SI15		1.805														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.64														
ST-259		2.51														
ST-259		2.62														
ST-259		2.43														
ST-259		2.57														
ST-259		2.43														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.73														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.008														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.010														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.7	<1	1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	2	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	<1	2	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	2	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL			71.8	5.98	44	1480	1.0	<2	0.14	2.2	6	18	36	2.95	4.40	0.40
DUP			67.3	6.06	47	1500	1.0	<2	0.15	2.0	5	17	36	2.97	5.85	0.41
Target Range - Lower Bound			65.1	5.70	33	1400	<0.5	<2	0.12	1.0	3	15	32	2.79	4.85	0.36
Upper Bound			74.0	6.34	58	1580	2.1	4	0.17	3.2	8	20	40	3.13	5.40	0.45
ORIGINAL			7.6	6.28	74	550	0.9	<2	0.03	0.9	2	13	593	1.73	3.68	0.32
DUP			7.2	5.95	75	530	0.9	<2	0.03	1.0	1	12	551	1.68	3.40	0.30
Target Range - Lower Bound			6.0	5.79	61	490	<0.5	<2	<0.01	<0.5	<1	10	541	1.60	3.34	0.27
Upper Bound			8.8	6.44	88	590	1.0	4	0.05	1.0	2	15	603	1.81	3.74	0.35
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.017														
DUP		0.018														
Target Range - Lower Bound		0.007														
Upper Bound		0.028														
ORIGINAL			<0.5	7.44	<5	270	0.8	<2	3.22	<0.5	25	40	82	8.10	0.73	2.40
DUP			<0.5	7.76	<5	280	0.8	<2	3.35	<0.5	26	41	89	8.33	0.79	2.50
Target Range - Lower Bound			<0.5	7.20	<5	240	<0.5	<2	3.10	<0.5	22	36	79	7.78	0.70	2.31
Upper Bound			1.0	8.00	10	310	1.0	4	3.47	1.0	29	45	92	8.65	0.82	2.59
C080555		0.006														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080575		0.008														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B687209		0.041														
DUP		0.032														
Target Range - Lower Bound		0.025														
Upper Bound		0.048														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL		659	3	0.19	8	310	1090	0.05	17	124	0.21	81	10	954
DUP		655	2	0.19	6	310	1080	0.05	20	127	0.21	79	10	941
Target Range - Lower Bound		614	<1	0.16	5	270	1025	0.03	8	117	0.18	74	<10	896
Upper Bound		700	5	0.22	9	350	1145	0.07	29	134	0.24	86	20	999
ORIGINAL		74	565	0.10	3	180	99	0.32	557	36	0.12	52	140	73
DUP		72	527	0.10	4	170	103	0.32	531	34	0.11	48	140	77
Target Range - Lower Bound		59	517	0.08	<1	150	92	0.28	507	31	0.09	46	110	67
Upper Bound		87	575	0.13	6	200	110	0.36	581	39	0.14	55	170	83
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		1060	<1	3.22	39	780	7	0.08	9	303	0.77	173	<10	92
DUP		1100	<1	3.39	45	830	8	0.08	<5	318	0.81	183	<10	97
Target Range - Lower Bound		1015	<1	3.12	38	740	3	0.06	<5	293	0.73	167	<10	86
Upper Bound		1145	2	3.49	46	870	12	0.10	10	328	0.85	189	20	103
C080555														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080575														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687209														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
B687259		0.069														
DUP		0.066														
Target Range - Lower Bound		0.054														
Upper Bound		0.081														
B687273			<0.5	4.27	6	320	1.3	<2	0.53	<0.5	4	29	9	1.78	1.16	0.50
DUP			<0.5	4.26	9	310	1.2	<2	0.53	<0.5	4	28	8	1.78	1.13	0.50
Target Range - Lower Bound			<0.5	4.03	<5	280	<0.5	<2	0.48	<0.5	2	25	6	1.67	1.07	0.46
Upper Bound			1.0	4.50	10	350	2.3	4	0.58	1.0	6	32	11	1.89	1.22	0.55
B687279		0.206														
DUP		0.210														
Target Range - Lower Bound		0.188														
Upper Bound		0.228														
B687309			<0.5	7.38	49	760	2.2	<2	0.11	<0.5	7	35	27	2.85	2.60	0.38
DUP			<0.5	7.21	50	730	2.1	2	0.11	<0.5	7	33	26	2.76	2.53	0.37
Target Range - Lower Bound			<0.5	6.91	37	690	1.0	<2	0.08	<0.5	5	30	23	2.64	2.42	0.34
Upper Bound			1.0	7.68	62	800	3.3	4	0.14	1.0	9	38	30	2.97	2.71	0.41
B687320		0.252														
DUP		0.248														
Target Range - Lower Bound		0.228														
Upper Bound		0.273														
B687336		0.025														
DUP		0.021														
Target Range - Lower Bound		0.012														
Upper Bound		0.034														
B687345			<0.5	9.14	25	990	1.9	<2	0.23	<0.5	14	67	31	4.26	3.72	1.07
DUP			<0.5	9.13	22	990	2.0	<2	0.23	<0.5	13	69	31	4.29	3.75	1.07
Target Range - Lower Bound			<0.5	8.66	12	920	0.9	<2	0.20	<0.5	11	63	27	4.04	3.53	1.00
Upper Bound			1.0	9.61	35	1060	3.0	4	0.26	1.0	16	73	35	4.51	3.94	1.14
B687356		0.009														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
B687259														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687273		257	<1	0.80	17	160	6	<0.01	<5	118	0.17	31	<10	43
DUP		256	<1	0.81	15	160	7	<0.01	<5	118	0.17	30	10	41
Target Range - Lower Bound		234	<1	0.74	13	130	<2	<0.01	<5	110	0.14	27	<10	36
Upper Bound		279	2	0.87	19	190	11	0.02	10	126	0.20	34	20	48
B687279														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687309		347	1	0.06	22	360	10	<0.01	<5	32	0.24	53	10	48
DUP		336	1	0.06	20	350	11	<0.01	<5	30	0.23	51	10	46
Target Range - Lower Bound		314	<1	0.04	18	320	6	<0.01	<5	27	0.20	47	<10	41
Upper Bound		369	2	0.08	24	390	15	0.02	10	35	0.27	57	20	53
B687320														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687336														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687345		536	1	0.29	33	590	6	<0.01	<5	65	0.39	86	<10	77
DUP		545	<1	0.28	38	590	7	<0.01	<5	65	0.40	88	<10	79
Target Range - Lower Bound		503	<1	0.25	32	540	<2	<0.01	<5	60	0.36	81	<10	70
Upper Bound		578	2	0.32	39	640	11	0.02	10	70	0.43	93	20	86
B687356														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
DUPLICATES																
B687381			<0.5	6.91	12	990	2.5	7	1.39	<0.5	5	30	17	2.18	1.70	0.56
DUP			<0.5	7.00	14	990	2.5	5	1.40	<0.5	4	29	16	2.21	1.70	0.57
Target Range - Lower Bound			<0.5	6.59	<5	920	1.4	<2	1.31	<0.5	2	26	14	2.07	1.60	0.52
Upper Bound			1.0	7.32	24	1060	3.6	10	1.48	1.0	7	33	19	2.32	1.81	0.61

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
B687381		291	1	1.41	17	330	18	0.05	<5	367	0.20	38	10	41
DUP		300	1	1.41	17	330	16	0.05	<5	369	0.20	38	10	40
Target Range - Lower Bound		271	<1	1.32	14	290	12	0.03	<5	348	0.17	34	<10	34
Upper Bound		320	2	1.50	20	370	22	0.07	10	388	0.23	42	20	47

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080882

Project: Clear Creek-1740

P.O. No.:

This report is for 26 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080882

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			14.5	3.69	17	210	1.0	115	0.22	26.0	102	353	5400	4.41	0.13	0.84
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.6	5.09	476	2420	1.3	3	0.59	6.4	22	98	296	3.88	1.29	0.76
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
OxG46		1.025														
OxG46		1.050														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.27														
ST-259		2.47														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		5.90														
DUP		6.64														
Target Range - Lower Bound		5.95														
Upper Bound		6.59														
ORIGINAL		1.245														
DUP		1.275														
Target Range - Lower Bound		1.185														
Upper Bound		1.335														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080882

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		656	3	0.48	381	100	6630	1.45	9	94	0.09	21	<10	8250
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		555	5	0.16	283	960	671	0.28	38	119	0.36	104	10	1310
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080882

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C079267		0.106														
DUP		0.412														
Target Range - Lower Bound		0.236														
Upper Bound		0.282														
B687157			0.9	6.06	55	350	3.2	13	0.21	<0.5	10	61	128	5.41	1.62	0.39
DUP			0.5	5.73	51	330	3.0	10	0.20	<0.5	8	64	120	5.11	1.53	0.37
Target Range - Lower Bound			<0.5	5.58	40	300	1.9	7	0.17	<0.5	7	57	116	4.98	1.48	0.34
Upper Bound			1.0	6.21	66	380	4.3	16	0.24	1.0	11	68	132	5.54	1.67	0.42
B687161		0.055														
DUP		0.050														
Target Range - Lower Bound		0.040														
Upper Bound		0.065														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080882

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C079267														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687157		234	2	0.21	29	410	10	0.07	<5	53	0.24	48	40	73
DUP		222	2	0.20	25	390	11	0.06	<5	50	0.23	45	40	69
Target Range - Lower Bound		207	<1	0.17	24	360	6	0.04	<5	47	0.20	42	20	63
Upper Bound		249	4	0.24	30	440	15	0.09	10	56	0.27	51	60	79
B687161														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06083754

Project: Clear Creek 1740

P.O. No.:

This report is for 46 Rock samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method	Au-AA24	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	0.01	0.01
STANDARDS																
BM-9/A			14.4	3.71	23	210	0.9	113	0.24	27.1	99	357	5560	4.49	0.13	0.87
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.6	4.87	465	2310	1.3	3	0.61	6.6	21	94	296	3.79	1.26	0.76
G2000			3.8	5.01	482	2390	1.3	<2	0.63	7.0	22	100	303	3.93	1.29	0.78
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			59.9	4.54	<5	170	1.2	<2	0.10	<0.5	4	6	490	2.99	3.72	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OxG46		1.065														
OxG46		1.050														
OxG46		1.010														
OxG46		1.105														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.840														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.48														
ST-259		2.48														
ST-259		2.33														
ST-259		2.54														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.008														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
STANDARDS														
BM-9/A		630	3	0.52	366	100	6600	1.45	12	92	0.09	21	<10	8300
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		537	5	0.15	266	930	623	0.26	28	112	0.35	98	10	1265
G2000		569	5	0.16	275	970	673	0.27	27	115	0.36	100	20	1310
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		62	4	1.01	2	50	545	0.29	<5	20	0.02	7	<10	115
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		2.40														
DUP		2.49														
Target Range - Lower Bound		2.31														
Upper Bound		2.58														
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079837		0.011														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.022														
C079857		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079877		0.014														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
C079899			<0.5	2.97	15	150	0.7	<2	0.79	<0.5	3	26	14	1.37	0.63	0.44
DUP			<0.5	2.88	11	150	0.7	<2	0.76	<0.5	5	24	15	1.32	0.65	0.43
Target Range - Lower Bound			<0.5	2.76	<5	120	<0.5	<2	0.72	<0.5	2	22	12	1.26	0.59	0.39
Upper Bound			1.0	3.09	24	180	1.0	4	0.83	1.0	6	28	17	1.43	0.69	0.48
B687407		0.037														
DUP		0.033														
Target Range - Lower Bound		0.023														
Upper Bound		0.047														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079837														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079857														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079877														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079899		143	<1	0.03	6	190	8	0.16	6	155	0.09	19	<10	49
DUP		139	<1	0.03	8	180	7	0.15	5	150	0.09	19	<10	52
Target Range - Lower Bound		124	<1	<0.01	5	160	3	0.13	<5	143	0.07	16	<10	44
Upper Bound		158	2	0.05	9	210	12	0.18	10	162	0.11	22	20	57
B687407														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
B687427		0.067														
DUP		0.066														
Target Range - Lower Bound		0.053														
Upper Bound		0.080														
B687433			<0.5	6.95	45	770	1.8	3	0.13	<0.5	9	49	26	2.96	2.85	0.58
DUP			<0.5	7.66	51	840	2.0	2	0.14	<0.5	9	52	29	3.21	3.04	0.64
Target Range - Lower Bound			<0.5	6.92	36	740	0.8	<2	0.11	<0.5	7	46	24	2.91	2.78	0.56
Upper Bound			1.0	7.69	60	870	3.0	4	0.16	1.0	11	55	31	3.26	3.11	0.66

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
B687427														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687433		204	<1	0.47	23	280	10	<0.01	<5	73	0.29	62	10	34
DUP		225	1	0.51	24	310	8	<0.01	<5	80	0.32	67	10	37
Target Range - Lower Bound		194	<1	0.45	20	260	5	<0.01	<5	71	0.27	59	<10	30
Upper Bound		235	2	0.53	27	330	13	0.02	10	82	0.34	70	20	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06083755

Project: Clear Creek 1740

P.O. No.:

This report is for 109 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			13.7	0.94	23	<10	90	0.8	113	0.16	26.0	95	195	5300	3.55	<10
BM-9/A			13.8	0.99	20	<10	90	0.9	120	0.18	27.7	102	209	5680	3.78	<10
BM-9/A																
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.2	1.98	487	<10	950	1.0	2	0.52	6.8	23	71	299	3.82	10
G2000			3.3	2.01	493	<10	900	1.0	3	0.53	7.3	24	74	311	3.86	10
G2000			3.4	1.96	494	<10	870	1.0	3	0.52	7.1	23	71	307	3.81	10
G2000			3.9	2.03	471	<10	880	0.9	4	0.53	7.2	21	68	290	3.94	10
G2000			3.5	1.94	489	10	790	1.0	4	0.52	7.3	23	72	309	3.82	10
G2000			3.5	1.95	494	<10	840	1.0	2	0.52	7.0	24	72	315	3.84	10
G2000			3.5	1.85	476	10	920	1.0	<2	0.53	6.9	22	70	300	3.89	10
G2000			3.2	1.98	498	<10	970	1.0	<2	0.55	7.2	24	75	313	4.05	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
OXD43		0.410														
OXD43		0.406														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.030														
OxG46		1.055														
OxG46		1.000														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.850														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.56														
ST-259		2.55														
ST-259		2.50														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.00														
ST-327		7.11														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.47	0.02	10	0.41	603	3	0.41	354	80	6340	1.48	6	9	72	0.01
BM-9/A		0.45	0.02	10	0.44	659	3	0.43	379	100	6860	1.57	7	9	76	0.01
BM-9/A		0.47														
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.72	0.41	20	0.67	558	5	0.04	274	950	673	0.30	25	7	69	0.06
G2000		0.77	0.42	20	0.68	565	6	0.04	278	930	672	0.29	22	8	70	0.06
G2000		0.77	0.41	20	0.67	559	5	0.03	280	930	662	0.28	25	7	68	0.06
G2000		0.79	0.40	20	0.69	584	6	0.03	268	940	682	0.28	23	8	70	0.05
G2000		0.76	0.41	20	0.67	566	6	0.03	279	910	671	0.28	25	7	67	0.05
G2000		0.76	0.41	20	0.67	562	6	0.03	281	910	671	0.28	26	7	68	0.05
G2000		0.80	0.41	20	0.68	558	4	0.03	274	980	661	0.26	27	7	69	0.05
G2000		0.83	0.43	20	0.71	583	5	0.03	291	1000	684	0.27	27	8	73	0.06
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	15	<10	7840
BM-9/A		<10	<10	16	<10	8560
BM-9/A						
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	67	10	1270
G2000		<10	<10	68	<10	1310
G2000		<10	<10	67	<10	1300
G2000		<10	<10	64	10	1225
G2000		<10	<10	67	<10	1315
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	<10	1260
G2000		<10	<10	70	<10	1320
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.010														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		0.230														
DUP		0.204														
Target Range - Lower Bound		0.196														
Upper Bound		0.238														
ORIGINAL		3.28														
DUP		3.20														
Target Range - Lower Bound		3.07														
Upper Bound		3.41														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.006														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.009														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.111														
DUP		0.112														
Target Range - Lower Bound		0.096														
Upper Bound		0.127														
B688579			<0.2	1.65	313	<10	130	1.0	4	0.29	<0.5	19	74	45	3.12	<10
DUP			0.2	1.72	312	<10	140	1.0	5	0.30	<0.5	21	74	46	3.25	<10
Target Range - Lower Bound			<0.2	1.58	293	<10	100	<0.5	<2	0.26	<0.5	17	68	41	3.01	<10
Upper Bound			0.4	1.79	332	20	170	2.1	9	0.33	1.0	23	80	50	3.36	20
B688614			0.2	1.85	310	<10	170	0.7	5	0.48	<0.5	14	38	33	3.00	<10
DUP			<0.2	1.88	313	<10	180	0.7	4	0.48	<0.5	14	39	34	3.04	10
Target Range - Lower Bound			<0.2	1.75	292	<10	140	<0.5	<2	0.44	<0.5	11	35	30	2.85	<10
Upper Bound			0.4	1.98	331	20	210	1.0	9	0.52	1.0	17	42	37	3.19	20
B688649			0.2	1.18	271	<10	110	0.5	2	0.28	<0.5	12	25	26	2.76	<10
DUP			0.2	1.10	257	<10	110	0.5	<2	0.27	<0.5	12	24	25	2.62	<10
Target Range - Lower Bound			<0.2	1.06	247	<10	80	<0.5	<2	0.24	<0.5	9	21	22	2.54	<10
Upper Bound			0.4	1.22	281	20	140	1.0	4	0.31	1.0	15	28	29	2.84	20
B688675			<0.2	0.77	12	<10	100	<0.5	<2	0.23	<0.5	7	11	8	1.56	<10
DUP			0.2	0.78	13	<10	100	<0.5	<2	0.23	<0.5	8	11	9	1.59	<10
Target Range - Lower Bound			<0.2	0.72	8	<10	70	<0.5	<2	0.20	<0.5	5	8	6	1.48	<10
Upper Bound			0.4	0.83	17	20	130	1.0	4	0.26	1.0	10	14	11	1.67	20
ORIGINAL		0.007														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688579		0.03	0.31	30	0.70	576	1	0.01	52	760	15	0.05	3	5	26	0.10
DUP		0.03	0.32	30	0.73	609	2	0.02	51	760	17	0.06	6	5	26	0.10
Target Range - Lower Bound		<0.01	0.28	<10	0.66	553	<1	<0.01	47	700	11	0.03	<2	3	23	0.08
Upper Bound		0.05	0.35	50	0.77	632	2	0.02	56	820	21	0.06	9	7	29	0.13
B688614		0.03	0.14	20	0.74	576	1	0.02	25	830	11	0.02	3	5	52	0.09
DUP		0.03	0.14	20	0.75	580	1	0.02	25	820	10	0.02	2	5	53	0.09
Target Range - Lower Bound		<0.01	0.11	<10	0.69	539	<1	<0.01	22	760	6	<0.01	<2	3	48	0.07
Upper Bound		0.05	0.17	40	0.80	617	2	0.04	28	890	15	0.04	4	7	57	0.11
B688649		0.02	0.11	20	0.46	448	1	0.02	25	590	19	0.02	5	3	27	0.06
DUP		0.02	0.10	20	0.43	434	1	0.01	25	590	12	0.02	3	3	26	0.06
Target Range - Lower Bound		<0.01	0.08	<10	0.40	409	<1	<0.01	22	540	11	<0.01	<2	<1	23	0.04
Upper Bound		0.04	0.13	40	0.49	473	2	0.02	28	640	20	0.04	8	5	30	0.08
B688675		0.03	0.03	10	0.26	301	<1	<0.01	12	440	7	0.01	<2	1	18	0.02
DUP		0.02	0.03	10	0.26	305	<1	<0.01	14	430	8	0.01	<2	1	18	0.02
Target Range - Lower Bound		<0.01	<0.01	<10	0.23	278	<1	<0.01	10	390	3	<0.01	<2	<1	15	<0.01
Upper Bound		0.05	0.05	20	0.29	328	2	0.02	16	480	12	0.02	4	2	21	0.04
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688579		<10	<10	45	10	91
DUP		<10	<10	45	10	90
Target Range - Lower Bound		<10	<10	41	<10	82
Upper Bound		20	20	49	20	99
B688614		<10	<10	48	10	78
DUP		<10	<10	49	<10	79
Target Range - Lower Bound		<10	<10	44	<10	71
Upper Bound		20	20	53	20	86
B688649		<10	<10	31	20	62
DUP		<10	<10	30	20	60
Target Range - Lower Bound		<10	<10	27	<10	54
Upper Bound		20	20	34	40	68
B688675		<10	<10	17	<10	45
DUP		<10	<10	17	<10	47
Target Range - Lower Bound		<10	<10	14	<10	40
Upper Bound		20	20	20	20	52
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.119														
DUP		0.121														
Target Range - Lower Bound		0.104														
Upper Bound		0.136														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06083756

Project: Clear Creek 1740

P.O. No.:

This report is for 101 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Au Check	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
STANDARDS																
BM-9/A					14.3	0.89	22	<10	90	0.8	111	0.17	26.8	100	199	5590
BM-9/A																
Target Range - Lower Bound					12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890
Upper Bound					15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980
G2000					3.7	2.05	488	<10	950	1.0	2	0.53	7.6	23	73	325
G2000					3.8	2.05	486	<10	990	1.0	2	0.55	7.6	24	74	322
G2000					3.7	1.81	474	<10	890	0.9	<2	0.51	6.6	23	71	300
G2000					3.3	1.80	459	<10	900	0.9	3	0.50	6.8	23	70	292
G2000					3.4	1.85	458	10	870	1.0	2	0.50	6.9	22	68	303
G2000					3.6	2.03	486	<10	850	1.0	2	0.54	7.4	24	73	322
G2000					3.5	1.85	476	10	920	1.0	<2	0.53	6.9	22	70	300
G2000					3.2	1.98	498	<10	970	1.0	<2	0.55	7.2	24	75	313
Target Range - Lower Bound					3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272
Upper Bound					4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334
OxG46		1.000														
OxG46		1.070	1.070													
OxG46		1.090	1.090													
OxG46		1.050	1.050													
OxG46		1.055	1.055	1.055												
Target Range - Lower Bound		0.959	0.959	0.959												
Upper Bound		1.115	1.115	1.115												
SI15		1.820	1.820													
Target Range - Lower Bound		1.675	1.675													
Upper Bound		1.935	1.935													
ST-259		2.50														
ST-259		2.57	2.57													
ST-259		2.57	2.57													
ST-259		2.44	2.44													
ST-259		2.41	2.41	2.41												
Target Range - Lower Bound		2.30	2.30	2.30												
Upper Bound		2.66	2.66	2.66												

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method	ME-ICP41	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
STANDARDS																
BM-9/A		3.60	<10	0.43	0.02	10	0.43	637	3	0.41	359	90	6720	1.41	8	9
BM-9/A				0.47												
Target Range - Lower Bound		3.28	<10	0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6
Upper Bound		4.04	20	0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10
G2000		4.01	10	0.84	0.44	20	0.70	571	5	0.03	293	1000	693	0.30	22	8
G2000		4.10	10	0.84	0.44	20	0.71	602	5	0.03	294	1000	718	0.30	25	8
G2000		3.79	10	0.71	0.40	20	0.68	566	5	0.03	275	940	678	0.26	24	7
G2000		3.69	10	0.74	0.39	20	0.66	550	5	0.03	269	940	671	0.26	23	7
G2000		3.80	10	0.77	0.41	20	0.66	551	5	0.03	279	940	670	0.27	25	7
G2000		4.10	10	0.81	0.43	20	0.72	602	5	0.04	289	1000	720	0.28	24	8
G2000		3.89	10	0.80	0.41	20	0.68	558	4	0.03	274	980	661	0.26	27	7
G2000		4.05	10	0.83	0.43	20	0.71	583	5	0.03	291	1000	684	0.27	27	8
Target Range - Lower Bound		3.41	<10	0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5
Upper Bound		4.19	20	0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	10	1	10	2
STANDARDS								
BM-9/A		76	0.01	<10	<10	16	<10	8190
BM-9/A								
Target Range - Lower Bound		67	<0.01	<10	<10	12	<10	7350
Upper Bound		84	0.02	20	20	17	20	8990
G2000		74	0.05	<10	<10	70	<10	1300
G2000		74	0.05	<10	<10	70	<10	1320
G2000		68	0.05	<10	<10	67	10	1270
G2000		67	0.05	<10	<10	66	<10	1240
G2000		69	0.05	<10	<10	66	<10	1240
G2000		73	0.05	<10	<10	69	<10	1290
G2000		69	0.05	<10	<10	67	<10	1260
G2000		73	0.06	<10	<10	70	<10	1320
Target Range - Lower Bound		60	0.04	<10	<10	59	<10	1145
Upper Bound		76	0.07	20	20	74	20	1400
OxG46								
OxG46								
OxG46								
OxG46								
OxG46								
Target Range - Lower Bound								
Upper Bound								
SI15								
Target Range - Lower Bound								
Upper Bound								
ST-259								
ST-259								
ST-259								
ST-259								
ST-259								
Target Range - Lower Bound								
Upper Bound								

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
BLANKS																
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK		0.010														
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005	<0.005												
Target Range - Lower Bound		<0.005	<0.005	<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
Upper Bound		0.010	0.010	0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2
DUPLICATES																
ORIGINAL		0.055														
DUP		0.054	0.054													
Target Range - Lower Bound		0.042	0.041													
Upper Bound		0.067	0.067													
ORIGINAL		3.28														
DUP		3.20														
Target Range - Lower Bound		3.07														
Upper Bound		3.41														
ORIGINAL		1.830														
DUP		1.795	1.795													
Target Range - Lower Bound		1.710	1.695													
Upper Bound		1.915	1.895													
ORIGINAL		0.070														
DUP		0.055	0.055	0.055												
Target Range - Lower Bound		0.049	0.042	0.042												
Upper Bound		0.076	0.068	0.068												
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
BLANKS																
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
Upper Bound		0.02	20	0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS								
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK								
BLANK								
BLANK								
BLANK								
BLANK								
Target Range - Lower Bound		<1	<0.01	<10	<10	<1	<10	<2
Upper Bound		2	0.02	20	20	2	20	4
DUPLICATES								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
DUPLICATES																
B688675					<0.2	0.77	12	<10	100	<0.5	<2	0.23	<0.5	7	11	8
DUP					0.2	0.78	13	<10	100	<0.5	<2	0.23	<0.5	8	11	9
Target Range - Lower Bound					<0.2	0.72	8	<10	70	<0.5	<2	0.20	<0.5	5	8	6
Upper Bound					0.4	0.83	17	20	130	1.0	4	0.26	1.0	10	14	11
C182006		0.005			0.6	1.30	18	<10	160	<0.5	<2	0.10	<0.5	5	18	19
DUP					0.5	1.42	24	<10	180	<0.5	2	0.11	<0.5	5	17	18
Target Range - Lower Bound					<0.2	1.27	16	<10	140	<0.5	<2	0.08	<0.5	3	15	16
Upper Bound					1.0	1.45	26	20	200	1.0	4	0.13	1.0	7	20	21
C182041					<0.2	0.91	179	<10	90	<0.5	3	0.17	<0.5	13	33	30
DUP					<0.2	0.92	172	<10	90	<0.5	<2	0.17	<0.5	12	32	30
Target Range - Lower Bound					<0.2	0.85	163	<10	60	<0.5	<2	0.14	<0.5	10	29	27
Upper Bound					0.4	0.98	188	20	120	1.0	4	0.20	1.0	15	36	34
C182076					0.2	1.40	425	<10	130	0.6	2	0.22	<0.5	12	33	41
DUP					0.3	1.29	409	<10	120	0.6	2	0.21	<0.5	12	31	38
Target Range - Lower Bound					<0.2	1.26	392	<10	100	<0.5	<2	0.18	<0.5	9	28	36
Upper Bound					0.4	1.43	442	20	150	1.0	4	0.25	1.0	15	36	43
B687182		0.113														
DUP		0.153	0.153													
Target Range - Lower Bound		0.116	0.135													
Upper Bound		0.150	0.171													
B687604		0.068														
DUP		0.093	0.093													
Target Range - Lower Bound		0.066	0.078													
Upper Bound		0.095	0.108													
ORIGINAL		<0.005														
DUP		0.009	0.009	0.009												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.010	0.010	0.010												
ORIGINAL		<0.005														
DUP		<0.005	<0.005	<0.005												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.010	0.010	0.010												

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
DUPLICATES																
B688675		1.56	<10	0.03	0.03	10	0.26	301	<1	<0.01	12	440	7	0.01	<2	1
DUP		1.59	<10	0.02	0.03	10	0.26	305	<1	<0.01	14	430	8	0.01	<2	1
	Target Range - Lower Bound	1.48	<10	<0.01	<0.01	<10	0.23	278	<1	<0.01	10	390	3	<0.01	<2	<1
	Upper Bound	1.67	20	0.05	0.05	20	0.29	328	2	0.02	16	480	12	0.02	4	2
C182006		2.60	<10	0.06	0.06	20	0.33	268	<1	0.01	16	760	29	0.06	2	1
DUP		2.84	<10	0.06	0.06	20	0.36	297	<1	0.01	18	840	31	0.07	2	1
	Target Range - Lower Bound	2.56	<10	0.04	0.04	<10	0.31	258	<1	<0.01	14	740	25	0.04	<2	<1
	Upper Bound	2.88	20	0.08	0.08	40	0.38	307	2	0.02	20	860	36	0.09	4	2
C182041		2.88	<10	0.01	0.22	20	0.46	439	<1	0.01	32	490	11	0.04	4	3
DUP		2.90	<10	0.01	0.21	20	0.46	466	<1	0.01	32	530	13	0.04	5	3
	Target Range - Lower Bound	2.73	<10	<0.01	0.18	<10	0.42	420	<1	<0.01	28	460	7	0.02	<2	<1
	Upper Bound	3.05	20	0.02	0.25	40	0.50	485	2	0.02	36	560	17	0.06	9	5
C182076		3.30	<10	0.02	0.23	20	0.58	483	<1	0.02	35	610	11	0.04	4	3
DUP		3.07	<10	0.01	0.22	20	0.53	450	<1	0.02	30	570	12	0.03	4	3
	Target Range - Lower Bound	3.01	<10	<0.01	0.19	<10	0.51	433	<1	<0.01	29	540	7	<0.01	<2	<1
	Upper Bound	3.36	20	0.02	0.26	40	0.60	500	2	0.04	36	640	16	0.06	8	5
B687182																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
B687604																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
	Target Range - Lower Bound															
	Upper Bound															

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				DUPLICATES				
B688675		18	0.02	<10	<10	17	<10	45
DUP		18	0.02	<10	<10	17	<10	47
Target Range - Lower Bound		15	<0.01	<10	<10	14	<10	40
Upper Bound		21	0.04	20	20	20	20	52
C182006		14	0.02	<10	<10	36	<10	53
DUP		16	0.02	<10	<10	36	<10	54
Target Range - Lower Bound		12	<0.01	<10	<10	32	<10	47
Upper Bound		18	0.04	20	20	40	20	60
C182041		21	0.05	<10	<10	24	<10	65
DUP		21	0.05	<10	<10	24	10	63
Target Range - Lower Bound		18	0.03	<10	<10	21	<10	57
Upper Bound		24	0.07	20	20	27	20	71
C182076		30	0.06	<10	<10	35	10	66
DUP		29	0.06	<10	<10	33	<10	63
Target Range - Lower Bound		26	0.04	<10	<10	30	<10	57
Upper Bound		33	0.08	20	20	38	20	72
B687182								
DUP								
Target Range - Lower Bound								
Upper Bound								
B687604								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06083757

Project: Clear Creek 1740

P.O. No.:

This report is for 168 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			14.9	0.90	21	<10	90	0.8	117	0.15	27.1	101	198	5440	3.55	<10
BM-9/A			15.3	0.97	22	<10	90	0.8	114	0.16	28.2	102	199	5500	3.58	<10
BM-9/A			14.0	0.83	27	<10	80	0.9	115	0.16	26.9	98	197	5350	3.62	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.6	1.91	484	<10	920	1.0	<2	0.50	7.1	24	70	304	3.70	10
G2000			3.7	1.92	492	<10	940	1.0	3	0.50	7.1	24	70	317	3.79	10
G2000			4.1	1.96	494	<10	950	1.0	2	0.50	7.2	24	71	307	3.76	10
G2000			4.6	1.96	473	<10	960	1.0	3	0.49	7.3	23	70	303	3.75	10
G2000			3.6	2.01	487	<10	930	1.0	3	0.50	7.1	24	71	312	3.77	10
G2000			3.8	1.94	474	<10	930	1.0	3	0.48	7.1	23	69	305	3.69	10
G2000			4.9	1.92	470	10	930	1.0	<2	0.53	7.2	23	74	305	3.79	10
G2000			3.3	1.98	484	10	930	1.0	<2	0.53	7.0	23	75	304	3.83	10
G2000			3.3	1.93	484	10	870	1.0	<2	0.51	7.1	24	72	303	3.88	10
G2000			3.2	1.88	488	<10	860	1.0	<2	0.50	7.1	25	71	306	3.85	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			60.4	0.20	6	<10	50	<0.5	<2	0.05	<0.5	4	5	467	2.80	<10
GBM999-5			64.0	0.21	3	<10	60	<0.5	<2	0.06	<0.5	3	5	509	2.99	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.418														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.065														
OxG46		1.045														
OxG46		1.050														
OxG46		1.010														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.780														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.45														
ST-259		2.56														
ST-259		2.53														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A			0.02	10	0.42	652	4	0.39	362	90	6680	1.55	5	9	76	0.01
BM-9/A		0.48	0.02	10	0.43	662	4	0.40	367	90	6740	1.57	6	9	77	0.01
BM-9/A		0.41	0.02	10	0.42	641	4	0.41	364	90	6700	1.45	5	8	77	<0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.79	0.38	20	0.66	574	5	0.02	277	950	681	0.29	24	7	70	0.05
G2000		0.77	0.39	20	0.67	578	6	0.03	284	970	692	0.30	24	8	72	0.05
G2000		0.76	0.39	20	0.67	579	6	0.02	283	970	684	0.30	25	8	73	0.05
G2000		0.82	0.39	20	0.66	570	6	0.02	281	960	682	0.29	24	8	73	0.05
G2000		0.81	0.39	20	0.67	577	5	0.03	280	960	688	0.30	26	8	74	0.05
G2000		0.81	0.39	20	0.66	562	6	0.02	271	940	661	0.29	22	7	71	0.05
G2000		0.81	0.43	20	0.69	564	7	0.03	285	960	662	0.28	22	7	70	0.05
G2000		0.80	0.44	20	0.69	567	6	0.03	282	960	671	0.28	21	8	71	0.06
G2000		0.73	0.41	20	0.69	577	5	0.04	286	970	689	0.28	21	7	70	0.05
G2000		0.75	0.41	20	0.68	577	6	0.04	287	950	675	0.27	23	7	69	0.05
G2000		0.71														
G2000		0.77														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.10	0.05	10	0.02	62	4	0.01	3	40	485	0.31	4	1	4	<0.01
GBM999-5		0.17	0.05	10	0.02	62	4	0.01	5	40	528	0.31	6	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	16	<10	8260
BM-9/A		<10	<10	16	<10	8360
BM-9/A		<10	<10	15	<10	8340
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	10	1300
G2000		<10	<10	68	10	1300
G2000		<10	<10	66	10	1260
G2000		<10	<10	70	<10	1275
G2000		<10	<10	69	<10	1285
G2000		<10	<10	66	<10	1270
G2000		<10	<10	66	<10	1270
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	6	<10	108
GBM999-5		<10	<10	6	<10	115
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
ST-259		2.45														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.04														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		0.163														
DUP		0.158														
Target Range - Lower Bound		0.142														
Upper Bound		0.179														
ORIGINAL		1.225														
DUP		1.125														
Target Range - Lower Bound		1.105														
Upper Bound		1.245														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B688688		0.115	0.3	1.76	846	<10	100	1.1	3	0.11	<0.5	9	25	58	3.66	10
DUP		0.118	0.4	1.76	861	<10	90	1.0	3	0.11	<0.5	9	24	58	3.65	<10
Target Range - Lower Bound		0.101	<0.2	1.65	807	<10	70	<0.5	<2	0.08	<0.5	7	21	53	3.45	<10
Upper Bound		0.132	0.4	1.87	900	20	120	2.1	4	0.14	1.0	11	28	63	3.86	20
B687989		0.268														
DUP		0.288														
Target Range - Lower Bound		0.254														
Upper Bound		0.302														
B688004			0.2	1.08	361	<10	70	0.5	3	0.04	<0.5	9	19	28	2.99	<10
DUP			0.3	1.06	363	<10	70	0.5	2	0.05	<0.5	10	18	27	2.96	<10
Target Range - Lower Bound			<0.2	1.00	340	<10	40	<0.5	<2	0.02	<0.5	7	16	24	2.81	<10
Upper Bound			0.4	1.14	384	20	100	1.0	4	0.07	1.0	12	21	31	3.14	20
B688062			0.3	1.59	892	<10	130	0.9	6	0.10	<0.5	18	26	54	3.91	<10
DUP			0.2	1.57	892	<10	130	0.9	5	0.10	<0.5	18	26	52	3.87	<10
Target Range - Lower Bound			<0.2	1.48	843	<10	100	<0.5	<2	0.08	<0.5	15	23	48	3.68	<10
Upper Bound			0.4	1.68	941	20	160	1.0	10	0.13	1.0	21	29	58	4.10	20
B688097			0.4	1.19	221	<10	90	0.6	4	0.08	<0.5	5	28	33	2.84	<10
DUP			0.4	1.19	221	<10	90	0.6	3	0.07	<0.5	5	28	33	2.83	<10
Target Range - Lower Bound			<0.2	1.11	206	<10	60	<0.5	<2	0.05	<0.5	3	25	29	2.67	<10
Upper Bound			0.8	1.27	236	20	120	1.0	4	0.10	1.0	7	31	37	3.00	20
B688132			<0.2	1.48	471	<10	80	0.6	<2	0.08	<0.5	8	26	31	3.56	10
DUP			<0.2	1.52	468	<10	80	0.6	<2	0.08	<0.5	8	27	32	3.65	10
Target Range - Lower Bound			<0.2	1.41	442	<10	50	<0.5	<2	0.06	<0.5	6	23	28	3.40	<10
Upper Bound			0.4	1.60	497	20	110	1.0	4	0.10	1.0	10	30	35	3.81	20
B688148		0.072														
DUP		0.074														
Target Range - Lower Bound		0.059														
Upper Bound		0.087														
ORIGINAL		0.030														
DUP		0.031														
Target Range - Lower Bound		0.019														
Upper Bound		0.042														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B688688		0.07	0.09	20	0.46	209	1	0.02	26	920	9	0.13	<2	2	32	0.04
DUP		0.06	0.09	20	0.45	207	1	0.02	25	910	10	0.13	<2	2	33	0.04
Target Range - Lower Bound		0.04	0.07	<10	0.41	188	<1	<0.01	22	850	5	0.10	<2	<1	29	0.02
Upper Bound		0.09	0.11	40	0.50	228	2	0.04	29	980	14	0.16	4	4	36	0.06
B687989																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688004		0.07	0.07	20	0.21	333	1	0.01	20	660	10	0.08	<2	1	13	0.03
DUP		0.07	0.07	20	0.21	324	1	<0.01	20	650	10	0.07	2	1	13	0.03
Target Range - Lower Bound		0.05	0.05	<10	0.18	302	<1	<0.01	17	600	6	0.05	<2	<1	10	<0.01
Upper Bound		0.09	0.09	40	0.24	355	2	0.02	23	710	15	0.10	4	2	16	0.05
B688062		0.05	0.17	30	0.42	356	1	0.03	30	580	16	0.16	<2	3	21	0.07
DUP		0.04	0.17	30	0.41	354	1	0.03	29	580	12	0.16	3	3	22	0.07
Target Range - Lower Bound		0.02	0.14	<10	0.37	327	<1	<0.01	26	530	9	0.13	<2	<1	18	0.05
Upper Bound		0.07	0.20	50	0.46	383	2	0.05	33	630	19	0.19	4	5	25	0.09
B688097		0.05	0.12	20	0.33	177	1	0.01	17	780	9	0.10	3	1	19	0.04
DUP		0.05	0.12	20	0.33	177	1	0.01	18	780	10	0.10	2	1	19	0.04
Target Range - Lower Bound		0.03	0.09	<10	0.29	158	<1	<0.01	15	720	5	0.08	<2	<1	16	0.02
Upper Bound		0.07	0.15	40	0.37	196	2	0.02	20	840	14	0.13	4	2	22	0.06
B688132		0.04	0.08	20	0.41	240	1	0.01	23	530	8	0.06	<2	2	22	0.05
DUP		0.04	0.08	20	0.43	248	1	0.01	22	530	9	0.06	2	2	22	0.05
Target Range - Lower Bound		0.02	0.06	<10	0.38	222	<1	<0.01	19	480	4	0.04	<2	<1	19	0.03
Upper Bound		0.06	0.10	40	0.46	266	2	0.02	26	580	13	0.08	4	4	25	0.07
B688148																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B688688		<10	<10	37	<10	63
DUP		<10	<10	37	<10	62
Target Range - Lower Bound		<10	<10	33	<10	55
Upper Bound		20	20	41	20	70
B687989						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688004		<10	<10	32	<10	53
DUP		<10	<10	32	10	51
Target Range - Lower Bound		<10	<10	28	<10	45
Upper Bound		20	20	36	20	59
B688062		<10	<10	46	10	67
DUP		<10	<10	45	20	63
Target Range - Lower Bound		<10	<10	41	<10	58
Upper Bound		20	20	50	20	72
B688097		<10	<10	32	10	45
DUP		<10	<10	31	10	44
Target Range - Lower Bound		<10	<10	28	<10	38
Upper Bound		20	20	35	20	51
B688132		<10	<10	41	<10	57
DUP		<10	<10	41	<10	58
Target Range - Lower Bound		<10	<10	37	<10	51
Upper Bound		20	20	45	20	64
B688148						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.012														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		3.24														
DUP		3.21														
Target Range - Lower Bound		3.05														
Upper Bound		3.40														
ORIGINAL		0.008														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.010														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.12														
DUP		0.11														
Target Range - Lower Bound		0.09														
Upper Bound		0.14														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06084462

Project: Clear Creek 1740

P.O. No.:

This report is for 133 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

O: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method	Au-AA23	Au-AA23	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Au Check	Au Check	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.005	0.005	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
STANDARDS																
BM-9/A					13.3	0.94	20	<10	90	0.8	108	0.16	25.3	97	202	5330
BM-9/A					13.1	0.91	24	<10	80	0.8	112	0.16	26.3	99	199	5330
BM-9/A					13.1	0.94	21	<10	90	0.8	109	0.16	25.8	95	199	5420
BM-9/A					14.1	0.86	24	<10	90	0.8	113	0.16	26.4	99	197	5180
Target Range - Lower Bound					12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890
Upper Bound					15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980
G2000					3.7	2.03	468	<10	880	0.9	<2	0.51	7.3	23	72	303
G2000					3.1	1.99	460	<10	840	1.0	<2	0.51	7.2	22	72	304
G2000					3.4	1.90	460	<10	810	0.9	2	0.51	7.3	22	70	300
G2000					3.2	1.96	471	<10	840	0.9	<2	0.52	7.3	22	71	298
G2000					3.7	1.95	497	<10	900	1.0	3	0.55	7.4	25	75	306
G2000					4.0	2.04	511	<10	900	1.1	3	0.56	7.8	25	78	314
G2000					3.3	1.81	457	<10	760	0.9	<2	0.48	6.7	23	68	289
G2000					3.2	1.95	479	<10	810	1.0	<2	0.51	6.9	23	71	301
G2000					3.4	1.74	487	<10	820	0.9	<2	0.48	7.1	24	72	301
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound					3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272
Upper Bound					4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334
OXD43		0.416														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.090	1.090													
OxG46		1.060	1.060													
OxG46		1.000														
OxG46		1.010	1.010	1.010												
Target Range - Lower Bound		0.959	0.959	0.959												
Upper Bound		1.115	1.115	1.115												
ST-259		2.57	2.57													
ST-259		2.45	2.45													
ST-259		2.49														
ST-259		2.35	2.35	2.35												
Target Range - Lower Bound		2.30	2.30	2.30												
Upper Bound		2.66	2.66	2.66												
ST-327		6.75														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method	ME-ICP41	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
STANDARDS																
BM-9/A		3.56	<10	0.47	0.02	10	0.43	645	2	0.40	357	80	6300	1.39	4	8
BM-9/A		3.62	<10	0.45	0.02	10	0.42	633	3	0.41	365	90	6460	1.41	5	8
BM-9/A		3.59	<10		0.02	10	0.42	614	3	0.40	359	80	6480	1.42	5	8
BM-9/A		3.54	<10		0.02	10	0.41	619	3	0.39	358	90	6530	1.42	8	9
Target Range - Lower Bound		3.28	<10	0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6
Upper Bound		4.04	20	0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10
G2000		3.84	10	0.70	0.43	20	0.68	564	5	0.02	274	960	718	0.26	22	7
G2000		3.81	10	0.76	0.43	20	0.68	553	4	0.03	276	960	637	0.26	20	7
G2000		3.80	10	0.83	0.42	20	0.67	552	5	0.03	269	970	647	0.26	23	7
G2000		3.90	10	0.81	0.42	20	0.68	570	5	0.03	272	960	662	0.27	23	7
G2000		3.98	10	0.75	0.43	20	0.70	583	6	0.04	287	990	715	0.27	23	7
G2000		4.07	10	0.83	0.44	20	0.73	603	6	0.04	297	1030	721	0.29	21	8
G2000		3.67	10		0.41	20	0.64	530	5	0.03	269	880	653	0.26	17	7
G2000		3.81	10		0.43	20	0.67	551	5	0.03	281	940	675	0.27	20	7
G2000		3.65	10		0.40	20	0.64	539	5	0.03	270	940	639	0.26	23	7
G2000				0.73												
G2000				0.72												
G2000				0.74												
G2000				0.74												
Target Range - Lower Bound		3.41	<10	0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5
Upper Bound		4.19	20	0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS				
BM-9/A		74	0.01	<10	<10	15	<10	8040
BM-9/A		76	0.01	<10	<10	15	<10	8170
BM-9/A		74	0.01	<10	<10	15	<10	8320
BM-9/A		72	0.01	<10	<10	15	<10	8130
Target Range - Lower Bound		67	<0.01	<10	<10	12	<10	7350
Upper Bound		84	0.02	20	20	17	20	8990
G2000		73	0.05	<10	<10	67	<10	1245
G2000		72	0.05	<10	<10	66	<10	1230
G2000		68	0.05	<10	<10	66	<10	1265
G2000		71	0.05	<10	<10	66	<10	1260
G2000		70	0.05	<10	<10	71	<10	1330
G2000		73	0.06	<10	<10	74	<10	1330
G2000		66	0.05	<10	<10	63	<10	1235
G2000		70	0.05	<10	<10	66	<10	1320
G2000		64	0.05	<10	<10	67	<10	1280
G2000								
G2000								
G2000								
G2000								
Target Range - Lower Bound		60	0.04	<10	<10	59	<10	1145
Upper Bound		76	0.07	20	20	74	20	1400
OXD43								
Target Range - Lower Bound								
Upper Bound								
OxG46								
OxG46								
OxG46								
OxG46								
Target Range - Lower Bound								
Upper Bound								
ST-259								
ST-259								
ST-259								
ST-259								
Target Range - Lower Bound								
Upper Bound								
ST-327								
Target Range - Lower Bound								
Upper Bound								

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
BLANKS																
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK																
BLANK																
BLANK		<0.005	<0.005													
BLANK		<0.005														
BLANK		<0.005	<0.005													
BLANK		<0.005														
BLANK		<0.005	<0.005	<0.005												
Target Range - Lower Bound		<0.005	<0.005	<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
Upper Bound		0.010	0.010	0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2
DUPLICATES																
B687144					0.3	1.45	930	<10	70	0.5	3	0.07	<0.5	5	23	30
DUP					0.2	1.35	905	<10	70	0.5	2	0.07	<0.5	5	22	29
Target Range - Lower Bound					<0.2	1.31	868	<10	40	<0.5	<2	0.05	<0.5	3	19	26
Upper Bound					0.4	1.49	967	20	100	1.0	4	0.09	1.0	7	26	33
B687182		0.113	0.116													
DUP		0.153	0.153													
Target Range - Lower Bound		0.116	0.118													
Upper Bound		0.150	0.151													
B687604		0.068	0.059													
DUP		0.093	0.093													
Target Range - Lower Bound		0.066	0.062													
Upper Bound		0.095	0.090													
B687607					0.7	0.86	726	<10	70	0.5	3	0.07	<0.5	11	16	43
DUP					0.9	0.87	735	<10	70	0.5	3	0.07	<0.5	11	16	43
Target Range - Lower Bound					0.4	0.80	690	<10	40	<0.5	<2	0.05	<0.5	8	13	39
Upper Bound					1.2	0.93	771	20	100	1.0	4	0.09	1.0	14	19	47

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
BLANKS																
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10		<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	2	<1
BLANK				<0.01												
BLANK				<0.01												
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
Upper Bound		0.02	20	0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2
DUPLICATES																
B687144		3.73	10	0.06	0.08	20	0.35	201	<1	0.01	16	500	12	0.08	2	2
DUP		3.48	<10	0.07	0.08	20	0.33	188	1	<0.01	14	470	10	0.07	<2	2
Target Range - Lower Bound		3.40	<10	0.04	0.06	<10	0.30	175	<1	<0.01	12	440	6	0.05	<2	<1
Upper Bound		3.81	20	0.09	0.10	40	0.38	214	2	0.02	18	530	16	0.10	4	4
B687182																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687604																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687607		2.95	<10	0.03	0.08	20	0.26	258	1	0.01	21	530	15	0.05	5	2
DUP		3.03	<10	0.03	0.08	20	0.27	262	1	0.01	20	550	15	0.06	5	2
Target Range - Lower Bound		2.82	<10	<0.01	0.06	<10	0.23	237	<1	<0.01	17	490	10	0.03	<2	<1
Upper Bound		3.16	20	0.05	0.10	40	0.30	283	2	0.02	24	590	20	0.08	9	4

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS								
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK								
BLANK								
BLANK								
BLANK								
BLANK								
BLANK								
Target Range - Lower Bound		<1	<0.01	<10	<10	<1	<10	<2
Upper Bound		2	0.02	20	20	2	20	4
DUPLICATES								
B687144		21	0.05	<10	<10	45	<10	44
DUP		20	0.05	<10	<10	43	<10	42
Target Range - Lower Bound		17	0.03	<10	<10	40	<10	37
Upper Bound		24	0.07	20	20	48	20	49
B687182								
DUP								
Target Range - Lower Bound								
Upper Bound								
B687604								
DUP								
Target Range - Lower Bound								
Upper Bound								
B687607		14	0.03	<10	<10	26	10	51
DUP		14	0.03	<10	<10	26	<10	52
Target Range - Lower Bound		11	<0.01	<10	<10	23	<10	45
Upper Bound		17	0.05	20	20	29	20	58

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
DUPLICATES																
B687642		0.020			0.3	1.27	312	<10	60	<0.5	2	0.06	0.5	5	22	23
DUP					<0.2	1.27	307	<10	60	<0.5	<2	0.06	<0.5	5	22	23
Target Range - Lower Bound					<0.2	1.19	290	<10	40	<0.5	<2	0.04	<0.5	3	19	20
Upper Bound					0.4	1.35	329	20	80	1.0	4	0.08	1.0	7	25	26
B687683					0.4	1.29	372	<10	70	<0.5	3	0.06	<0.5	5	22	24
DUP					0.4	1.27	359	<10	70	<0.5	2	0.05	<0.5	5	21	24
Target Range - Lower Bound					<0.2	1.20	343	<10	40	<0.5	<2	0.03	<0.5	3	18	21
Upper Bound					0.6	1.36	388	20	100	1.0	4	0.08	1.0	7	25	27
ORIGINAL		0.024														
DUP		0.023														
Target Range - Lower Bound		0.012														
Upper Bound		0.035														
ORIGINAL		0.014														
DUP		0.012														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
ORIGINAL		0.083														
DUP		0.100	0.100	0.100												
Target Range - Lower Bound		0.077	0.085	0.085												
Upper Bound		0.106	0.115	0.115												
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
ORIGINAL					0.5	0.43	347	10	280	0.6	<2	0.21	<0.5	1	36	12
DUP					0.5	0.41	333	10	270	0.6	<2	0.20	<0.5	1	25	11
Target Range - Lower Bound					<0.2	0.38	319	<10	230	<0.5	<2	0.17	<0.5	<1	27	9
Upper Bound					0.9	0.46	361	20	320	1.0	4	0.24	1.0	2	34	14

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
DUPLICATES																
B687642		2.83	<10	0.05	0.05	20	0.32	215	<1	<0.01	15	510	11	0.04	<2	1
DUP		2.83	<10	0.05	0.05	20	0.32	217	<1	0.01	16	520	11	0.04	<2	1
	Target Range - Lower Bound	2.67	<10	0.03	0.03	<10	0.28	195	<1	<0.01	13	470	6	0.02	<2	<1
	Upper Bound	2.99	20	0.07	0.07	40	0.36	237	2	0.02	18	560	16	0.06	4	2
B687683		2.94	<10	0.06	0.05	20	0.23	134	1	<0.01	12	580	9	0.05	<2	1
DUP		2.83	<10	0.07	0.05	20	0.22	130	1	<0.01	11	560	8	0.04	<2	1
	Target Range - Lower Bound	2.72	<10	0.04	0.03	<10	0.19	115	<1	<0.01	9	520	4	0.02	<2	<1
	Upper Bound	3.05	20	0.09	0.07	40	0.26	149	2	0.02	14	620	13	0.07	4	2
ORIGINAL																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL																
DUP																
	Target Range - Lower Bound															
	Upper Bound															
ORIGINAL		1.12	<10	1.10	0.25	10	0.05	108	12	<0.01	4	130	32	0.10	16	1
DUP		1.06	<10	1.07	0.24	10	0.05	112	12	<0.01	3	120	31	0.09	14	1
	Target Range - Lower Bound	1.02	<10	1.01	0.21	<10	0.03	95	9	<0.01	<1	100	26	0.07	10	<1
	Upper Bound	1.16	20	1.16	0.28	20	0.07	126	15	0.02	6	150	37	0.12	20	2

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Ti ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				DUPLICATES				
B687642		12	0.03	<10	<10	37	<10	50
DUP		13	0.03	<10	<10	37	<10	49
Target Range - Lower Bound		10	<0.01	<10	<10	33	<10	43
Upper Bound		15	0.05	20	20	41	20	56
B687683		13	0.03	<10	<10	40	10	36
DUP		13	0.03	<10	<10	39	<10	35
Target Range - Lower Bound		10	<0.01	<10	<10	36	<10	30
Upper Bound		16	0.05	20	20	43	20	41
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL		39	<0.01	<10	<10	16	<10	18
DUP		37	<0.01	<10	<10	15	<10	27
Target Range - Lower Bound		34	<0.01	<10	<10	13	<10	17
Upper Bound		42	0.02	20	20	18	20	28

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex (QA/QC) Assay Sheets

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075279

Project: Clear Creek - 1740

P.O. No.:

This report is for 71 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			15.1	0.81	23	<10	80	0.9	117	0.17	27.8	101	198	5380	3.75	<10
BM-9/A			14.4	0.88	22	<10	90	0.9	110	0.17	26.9	96	197	5350	3.65	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.4	1.84	485	<10	870	1.0	2	0.52	7.1	23	70	297	3.89	10
G2000			3.5	1.95	490	<10	870	1.0	<2	0.54	7.3	24	73	308	4.03	10
G2000			4.1	1.95	469	<10	870	1.0	3	0.53	7.4	23	70	297	3.95	10
G2000			3.6	2.08	494	<10	960	1.0	<2	0.56	7.9	24	76	311	4.17	10
G2000			3.3	1.73	457	<10	860	0.9	2	0.50	6.8	23	65	281	3.72	10
G2000			3.8	1.85	458	<10	900	1.0	2	0.51	7.1	22	68	287	3.84	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			63.0	0.21	2	<10	60	<0.5	<2	0.05	<0.5	3	4	487	3.01	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.411														
OXD43		0.419														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		0.991														
OxG46		1.035														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.800														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.46														
ST-259		2.57														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.88														
ST-327		6.54														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.45	0.02	10	0.42	677	4	0.44	370	90	6880	1.43	8	9	75	0.01
BM-9/A		0.38	0.02	10	0.42	622	3	0.43	367	90	6420	1.38	5	9	76	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.76	0.42	20	0.67	558	6	0.03	279	930	678	0.26	29	7	67	0.05
G2000		0.82	0.43	20	0.70	572	6	0.03	284	960	705	0.27	28	8	70	0.05
G2000		0.74	0.42	20	0.69	576	5	0.03	281	980	670	0.26	24	8	69	0.05
G2000		0.81	0.44	20	0.73	605	5	0.03	299	1050	717	0.27	26	8	74	0.05
G2000		0.72	0.39	20	0.65	543	5	0.03	272	930	634	0.25	24	7	63	0.05
G2000		0.71	0.41	20	0.66	555	5	0.03	272	950	626	0.25	24	7	68	0.05
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	61	3	0.01	3	40	497	0.28	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
BM-9/A		<10	<10	15	<10	8370
BM-9/A		<10	<10	15	<10	8020
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	67	<10	1290
G2000		<10	<10	70	<10	1320
G2000		10	<10	68	10	1280
G2000		<10	<10	72	10	1350
G2000		<10	<10	63	<10	1205
G2000		<10	<10	66	<10	1250
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	6	<10	111
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL			<0.2	0.45	7	10	280	1.8	<2	1.00	<0.5	1	13	3	1.37	<10
DUP			<0.2	0.52	8	10	300	1.8	<2	1.07	<0.5	1	14	4	1.47	<10
Target Range - Lower Bound			<0.2	0.44	3	<10	250	0.7	<2	0.96	<0.5	<1	11	<1	1.33	<10
Upper Bound			0.4	0.53	12	20	330	2.9	4	1.11	1.0	2	16	6	1.51	20
ORIGINAL		0.051														
DUP		0.046														
Target Range - Lower Bound		0.036														
Upper Bound		0.061														
ORIGINAL		0.043														
DUP		0.048														
Target Range - Lower Bound		0.033														
Upper Bound		0.058														
ORIGINAL		2.26														
DUP		2.45														
Target Range - Lower Bound		2.23														
Upper Bound		2.48														
ORIGINAL		0.262														
DUP		0.228														
Target Range - Lower Bound		0.223														
Upper Bound		0.267														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		0.18	0.26	30	0.41	343	7	0.06	1	50	11	0.08	2	2	145	<0.01
DUP		0.19	0.28	30	0.44	361	7	0.06	1	60	11	0.08	<2	2	155	<0.01
Target Range - Lower Bound		0.16	0.24	<10	0.38	324	5	0.04	<1	30	6	0.06	<2	<1	141	<0.01
Upper Bound		0.21	0.30	50	0.47	380	9	0.08	2	80	16	0.10	4	4	160	0.02
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				BLANKS		
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
				DUPLICATES		
ORIGINAL		<10	<10	<1	<10	62
DUP		<10	<10	1	<10	64
Target Range - Lower Bound		<10	<10	<1	<10	56
Upper Bound		20	20	2	20	70
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
ORIGINAL		0.222														
DUP		0.214														
Target Range - Lower Bound		0.197														
Upper Bound		0.239														
ORIGINAL		0.190														
DUP		0.174														
Target Range - Lower Bound		0.163														
Upper Bound		0.201														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.012														
DUP		0.018														
Target Range - Lower Bound		<0.005														
Upper Bound		0.026														
ORIGINAL		0.008														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B088708			<0.2	1.26	102	<10	110	<0.5	<2	0.13	<0.5	5	19	13	2.20	<10
DUP			<0.2	1.32	106	<10	110	<0.5	<2	0.14	<0.5	5	20	14	2.28	<10
Target Range - Lower Bound			<0.2	1.21	95	<10	80	<0.5	<2	0.11	<0.5	3	17	11	2.11	<10
Upper Bound			0.4	1.37	113	20	140	1.0	4	0.16	1.0	7	22	16	2.37	20
B088743			<0.2	0.94	21	<10	80	<0.5	2	0.09	<0.5	4	16	10	1.73	<10
DUP			<0.2	0.98	22	<10	90	<0.5	2	0.10	<0.5	4	17	10	1.79	<10
Target Range - Lower Bound			<0.2	0.89	16	<10	60	<0.5	<2	0.07	<0.5	2	14	8	1.65	<10
Upper Bound			0.4	1.03	27	20	110	1.0	4	0.12	1.0	6	19	13	1.87	20
B687765		0.011														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B088708		0.04	0.05	20	0.36	162	<1	<0.01	16	580	9	<0.01	<2	2	12	0.03
DUP		0.04	0.06	20	0.37	170	<1	<0.01	15	580	9	<0.01	<2	2	13	0.03
Target Range - Lower Bound		0.02	0.03	<10	0.33	148	<1	<0.01	13	530	5	<0.01	<2	<1	10	<0.01
Upper Bound		0.06	0.08	40	0.40	184	2	0.02	18	630	13	0.02	4	4	15	0.05
B088743		0.03	0.04	10	0.28	126	<1	0.01	11	560	8	0.02	<2	1	9	0.02
DUP		0.03	0.04	10	0.29	131	<1	0.01	12	580	8	0.03	<2	1	10	0.03
Target Range - Lower Bound		<0.01	0.02	<10	0.25	112	<1	<0.01	9	520	4	<0.01	<2	<1	7	<0.01
Upper Bound		0.05	0.06	20	0.32	145	2	0.02	14	620	12	0.05	4	2	12	0.05
B687765																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 26-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075279

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B088708		<10	<10	33	<10	50
DUP		<10	<10	35	<10	52
Target Range - Lower Bound		<10	<10	30	<10	44
Upper Bound		20	20	38	20	58
B088743		<10	<10	30	<10	37
DUP		<10	<10	32	<10	39
Target Range - Lower Bound		<10	<10	27	<10	32
Upper Bound		20	20	35	20	44
B687765						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075640

Project: Clear Creek - 1740

P.O. No.:

This report is for 281 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			14.4	0.88	22	<10	90	0.9	110	0.17	26.9	96	197	5350	3.65	<10
BM-9/A			12.7	0.85	21	<10	90	0.8	111	0.16	25.3	95	197	5320	3.34	<10
BM-9/A			14.1	0.86	27	<10	90	0.9	112	0.17	26.7	98	202	5460	3.48	<10
BM-9/A			15.6	0.88	18	<10	90	0.9	122	0.17	27.7	100	201	5500	3.68	<10
BM-9/A			14.0	1.02	25	<10	110	0.9	120	0.18	27.2	104	214	5620	3.70	<10
BM-9/A			14.1	0.92	24	<10	90	0.9	114	0.17	28.0	101	207	5770	3.74	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.3	1.73	457	<10	860	0.9	2	0.50	6.8	23	65	281	3.72	10
G2000			3.8	1.85	458	<10	900	1.0	2	0.51	7.1	22	68	287	3.84	10
G2000			4.2	2.08	494	10	980	1.0	<2	0.55	7.6	24	75	311	4.15	10
G2000			3.4	1.80	479	<10	850	0.9	<2	0.49	6.5	23	68	297	3.56	10
G2000			3.3	1.91	489	<10	950	1.0	<2	0.51	7.0	23	72	303	3.72	10
G2000			3.3	1.89	477	<10	910	1.0	<2	0.51	6.7	23	71	298	3.67	10
G2000			3.4	1.95	498	<10	940	1.0	2	0.52	7.3	24	74	305	3.73	10
G2000			3.4	1.83	475	<10	890	1.0	<2	0.50	6.8	24	69	294	3.62	10
G2000			3.3	1.87	482	<10	840	1.0	<2	0.51	6.9	23	71	302	3.67	10
G2000			3.8	2.12	503	<10	990	1.1	<2	0.57	7.8	24	76	320	4.10	10
G2000			4.0	1.99	495	<10	940	1.0	<2	0.55	7.6	24	73	309	3.98	10
G2000			3.5	1.86	475	<10	880	1.0	<2	0.53	7.2	23	70	299	3.84	10
G2000			3.5	1.90	480	<10	920	1.0	<2	0.54	7.4	23	71	306	3.94	10
G2000			3.6	1.81	471	<10	860	1.0	3	0.51	7.1	23	68	297	3.80	10
G2000			3.3	1.89	493	<10	870	1.0	<2	0.53	7.3	24	71	312	3.95	10
G2000			3.3	1.89	478	<10	960	1.0	2	0.56	7.1	23	73	304	3.75	10
G2000			3.9	1.99	497	<10	960	1.0	<2	0.58	7.0	24	77	316	3.89	10
G2000			3.6	2.01	503	<10	980	1.0	<2	0.54	7.4	24	74	314	4.05	10
G2000			3.5	2.03	493	<10	990	1.0	<2	0.53	7.2	23	73	309	3.97	10
G2000																
G2000																
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.38	0.02	10	0.42	622	3	0.43	367	90	6420	1.38	5	9	76	0.01
BM-9/A		0.46	0.02	10	0.38	604	3	0.37	360	90	6220	1.41	7	8	75	0.01
BM-9/A		0.44	0.02	10	0.40	631	3	0.40	373	90	6490	1.49	8	9	78	0.01
BM-9/A		0.40	0.02	10	0.42	653	2	0.43	372	100	6820	1.40	7	9	77	0.01
BM-9/A			0.02	10	0.45	667	4	0.41	381	90	6900	1.54	9	9	79	0.01
BM-9/A		0.48	0.02	10	0.43	654	4	0.43	379	90	6970	1.49	3	9	79	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000			0.39	20	0.65	543	5	0.03	272	930	634	0.25	24	7	63	0.05
G2000		0.71	0.41	20	0.66	555	5	0.03	272	950	626	0.25	24	7	68	0.05
G2000			0.45	20	0.72	591	5	0.03	300	1050	709	0.27	24	8	74	0.05
G2000		0.77	0.37	20	0.62	542	5	0.03	281	920	644	0.28	26	7	66	0.05
G2000		0.77	0.39	20	0.65	570	5	0.03	287	960	668	0.29	27	7	71	0.06
G2000		0.77	0.38	20	0.64	558	5	0.03	279	950	659	0.29	28	7	70	0.05
G2000		0.81	0.40	20	0.65	562	5	0.03	292	960	680	0.30	26	7	72	0.06
G2000		0.76	0.38	20	0.63	542	5	0.03	281	940	650	0.29	27	7	68	0.05
G2000		0.75	0.38	20	0.64	551	5	0.03	282	960	671	0.29	28	7	68	0.05
G2000		0.78	0.46	20	0.72	601	5	0.02	305	1040	724	0.27	25	8	75	0.05
G2000		0.77	0.44	20	0.70	588	5	0.02	289	1020	713	0.26	26	8	72	0.05
G2000		0.71	0.42	20	0.67	561	4	0.02	282	980	700	0.25	26	7	67	0.05
G2000		0.69	0.43	20	0.68	575	5	0.02	288	1010	691	0.26	25	8	70	0.05
G2000		0.76	0.41	20	0.66	555	5	0.03	281	950	653	0.27	24	7	69	0.05
G2000		0.81	0.42	20	0.69	587	6	0.03	296	970	689	0.29	24	7	72	0.05
G2000			0.42	20	0.67	556	6	0.03	287	970	674	0.30	29	7	72	0.06
G2000			0.44	20	0.70	569	5	0.03	295	1000	698	0.30	30	8	75	0.06
G2000		0.79	0.43	20	0.70	602	6	0.03	292	1000	703	0.29	25	8	73	0.06
G2000		0.78	0.43	20	0.69	596	5	0.03	286	990	688	0.28	26	8	74	0.06
G2000		0.72														
G2000		0.72														
G2000		0.80														
G2000		0.84														
G2000		0.75														
G2000		0.77														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	15	<10	8020
BM-9/A		<10	<10	15	<10	8160
BM-9/A		<10	<10	15	<10	8410
BM-9/A		<10	<10	15	<10	8240
BM-9/A		<10	<10	16	<10	8520
BM-9/A		<10	<10	16	<10	8510
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	63	<10	1205
G2000		<10	<10	66	<10	1250
G2000		10	<10	72	<10	1340
G2000		<10	<10	66	10	1230
G2000		<10	<10	68	<10	1270
G2000		<10	<10	68	10	1230
G2000		<10	<10	69	10	1290
G2000		<10	<10	67	<10	1240
G2000		<10	<10	67	<10	1260
G2000		<10	<10	72	<10	1330
G2000		<10	<10	70	<10	1290
G2000		<10	<10	66	<10	1240
G2000		<10	<10	67	<10	1270
G2000		<10	<10	66	10	1250
G2000		<10	<10	69	<10	1270
G2000		<10	<10	69	<10	1260
G2000		<10	<10	73	<10	1310
G2000		<10	<10	71	10	1350
G2000		10	<10	71	<10	1320
G2000						
G2000						
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
GBM999-5			67.5	0.21	<2	<10	60	<0.5	<2	0.06	<0.5	3	5	511	3.08	<10
GBM999-5			61.3	0.20	3	<10	60	<0.5	<2	0.05	<0.5	3	5	484	2.78	<10
GBM999-5			67.5	0.21	<2	<10	60	<0.5	<2	0.06	<0.5	3	4	506	3.05	<10
GBM999-5			61.9	0.18	3	<10	50	<0.5	2	0.05	<0.5	3	4	450	2.75	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.419														
OXD43		0.408														
OXD43		0.398														
OXD43		0.413														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.035														
OxG46		0.984														
OxG46		1.025														
OxG46		0.997														
OxG46		1.005														
OxG46		1.020														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.915														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.57														
ST-259		2.39														
ST-259		2.30														
ST-259		2.63														
ST-259		2.46														
ST-259		2.33														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.54														
ST-327		7.25														
ST-327		6.94														
ST-327		6.86														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
GBM999-5			0.05	10	0.02	67	3	0.01	5	40	528	0.29	3	1	4	<0.01
GBM999-5		0.11	0.05	10	0.02	60	3	0.02	4	40	485	0.31	5	1	4	<0.01
GBM999-5		0.12	0.05	10	0.02	67	2	<0.01	4	40	529	0.28	3	1	4	<0.01
GBM999-5		0.07	0.04	10	0.02	60	3	0.01	3	40	489	0.28	6	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OXD43																
OXD43																
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
GBM999-5		<10	<10	6	<10	117
GBM999-5		<10	<10	6	<10	109
GBM999-5		<10	<10	6	<10	111
GBM999-5		<10	<10	5	<10	101
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK			<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
BLANK		<0.01														
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL		0.07														
DUP		0.07														
Target Range - Lower Bound		0.05														
Upper Bound		0.09														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.040														
DUP		0.039														
Target Range - Lower Bound		0.028														
Upper Bound		0.051														
ORIGINAL		0.206														
DUP		0.207														
Target Range - Lower Bound		0.186														
Upper Bound		0.227														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.012														
DUP		0.016														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.010														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.005														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.270														
DUP		0.277														
Target Range - Lower Bound		0.250														
Upper Bound		0.297														
ORIGINAL		0.043														
DUP		0.048														
Target Range - Lower Bound		0.033														
Upper Bound		0.058														
ORIGINAL		2.26														
DUP		2.45														
Target Range - Lower Bound		2.23														
Upper Bound		2.48														
ORIGINAL		0.262														
DUP		0.228														
Target Range - Lower Bound		0.223														
Upper Bound		0.267														
ORIGINAL		0.222														
DUP		0.214														
Target Range - Lower Bound		0.197														
Upper Bound		0.239														
ORIGINAL		0.190														
DUP		0.174														
Target Range - Lower Bound		0.163														
Upper Bound		0.201														
ORIGINAL		0.034														
DUP		0.030														
Target Range - Lower Bound		0.020														
Upper Bound		0.044														
ORIGINAL		0.095														
DUP		0.101														
Target Range - Lower Bound		0.083														
Upper Bound		0.113														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B088743			<0.2	0.94	21	<10	80	<0.5	2	0.09	<0.5	4	16	10	1.73	<10
DUP			<0.2	0.98	22	<10	90	<0.5	2	0.10	<0.5	4	17	10	1.79	<10
Target Range - Lower Bound			<0.2	0.89	16	<10	60	<0.5	<2	0.07	<0.5	2	14	8	1.65	<10
Upper Bound			0.4	1.03	27	20	110	1.0	4	0.12	1.0	6	19	13	1.87	20
B687726			0.2	1.06	19	<10	120	<0.5	4	0.20	<0.5	6	20	20	1.99	<10
DUP			0.2	1.11	16	<10	120	<0.5	4	0.20	<0.5	6	21	20	2.06	<10
Target Range - Lower Bound			<0.2	1.01	13	<10	90	<0.5	<2	0.17	<0.5	4	17	17	1.90	<10
Upper Bound			0.4	1.16	22	20	150	1.0	8	0.23	1.0	8	24	23	2.15	20
B687728			0.2	1.35	50	<10	80	<0.5	5	0.10	<0.5	6	20	18	2.54	<10
DUP			<0.2	1.27	45	<10	80	<0.5	4	0.11	<0.5	6	19	17	2.38	<10
Target Range - Lower Bound			<0.2	1.22	41	<10	50	<0.5	<2	0.08	<0.5	4	17	15	2.32	<10
Upper Bound			0.4	1.40	54	20	110	1.0	9	0.13	1.0	8	22	20	2.60	20
B687737																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687763			<0.2	1.53	35	<10	90	0.5	<2	0.08	<0.5	6	22	12	2.23	10
DUP			<0.2	1.48	30	<10	90	0.5	<2	0.07	<0.5	5	20	11	2.09	10
Target Range - Lower Bound			<0.2	1.41	27	<10	60	<0.5	<2	0.05	<0.5	3	18	9	2.03	<10
Upper Bound			0.4	1.60	38	20	120	1.0	4	0.10	1.0	8	24	14	2.29	20
B687765		0.011														
DUP		0.015														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
B687798			<0.2	1.29	32	<10	70	<0.5	3	0.07	<0.5	4	20	11	2.03	10
DUP			<0.2	1.29	31	<10	70	<0.5	3	0.07	<0.5	4	20	11	2.05	10
Target Range - Lower Bound			<0.2	1.21	26	<10	40	<0.5	<2	0.05	<0.5	2	17	8	1.92	<10
Upper Bound			0.4	1.37	37	20	100	1.0	4	0.09	1.0	6	23	14	2.16	20
B687833			0.3	1.44	34	<10	120	0.5	2	0.09	<0.5	8	24	36	2.91	<10
DUP			0.2	1.40	35	<10	110	0.5	2	0.09	<0.5	8	23	30	2.84	<10
Target Range - Lower Bound			<0.2	1.33	29	<10	90	<0.5	<2	0.07	<0.5	6	20	29	2.71	<10
Upper Bound			0.4	1.51	40	20	140	1.0	4	0.11	1.0	10	27	37	3.04	20

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B088743		0.03	0.04	10	0.28	126	<1	0.01	11	560	8	0.02	<2	1	9	0.02
DUP		0.03	0.04	10	0.29	131	<1	0.01	12	580	8	0.03	<2	1	10	0.03
Target Range - Lower Bound		<0.01	0.02	<10	0.25	112	<1	<0.01	9	520	4	<0.01	<2	<1	7	<0.01
Upper Bound		0.05	0.06	20	0.32	145	2	0.02	14	620	12	0.05	4	2	12	0.05
B687726		0.03	0.09	20	0.39	191	1	0.01	17	570	9	0.02	<2	2	16	0.06
DUP		0.04	0.09	20	0.40	194	1	0.01	18	590	8	0.02	<2	2	17	0.06
Target Range - Lower Bound		<0.01	0.07	<10	0.36	173	<1	<0.01	15	530	4	<0.01	<2	<1	14	0.04
Upper Bound		0.06	0.11	40	0.43	212	2	0.02	20	630	13	0.04	4	4	19	0.08
B687728			0.10	20	0.36	222	1	<0.01	16	480	9	0.01	<2	2	12	0.04
DUP			0.09	20	0.35	237	<1	<0.01	14	470	9	0.01	<2	2	11	0.04
Target Range - Lower Bound			0.07	<10	0.32	208	<1	<0.01	12	430	5	<0.01	<2	<1	9	0.02
Upper Bound			0.12	40	0.39	251	2	0.02	18	520	13	0.02	4	4	14	0.06
B687737		0.04														
DUP		0.06														
Target Range - Lower Bound		0.03														
Upper Bound		0.07														
B687763		0.1	0.07	10	0.33	186	<1	0.01	14	270	10	0.01	<2	2	8	0.04
DUP		<0.10	0.07	10	0.30	172	<1	0.01	13	260	11	0.01	<2	2	8	0.04
Target Range - Lower Bound		0.08	0.05	<10	0.28	160	<1	<0.01	11	230	6	<0.01	<2	<1	6	0.02
Upper Bound		0.13	0.09	20	0.35	198	2	0.02	16	300	15	0.02	4	4	10	0.06
B687765																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687798		0.03	0.05	10	0.24	136	1	0.01	10	210	11	0.01	<2	2	9	0.05
DUP		0.02	0.05	10	0.24	136	1	0.01	10	210	10	0.02	<2	2	9	0.05
Target Range - Lower Bound		<0.01	0.03	<10	0.21	119	<1	<0.01	8	180	6	<0.01	<2	<1	7	0.03
Upper Bound		0.05	0.07	20	0.27	153	2	0.02	13	240	15	0.02	4	4	11	0.07
B687833		0.04	0.08	20	0.38	267	1	0.01	24	450	21	0.03	2	2	13	0.05
DUP		0.04	0.07	20	0.37	261	1	0.01	22	450	14	0.03	<2	2	12	0.05
Target Range - Lower Bound		0.02	0.05	<10	0.34	241	<1	<0.01	20	410	13	<0.01	<2	<1	10	0.03
Upper Bound		0.06	0.10	40	0.41	287	2	0.02	26	490	22	0.05	4	4	15	0.07

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B088743		<10	<10	30	<10	37
DUP		<10	<10	32	<10	39
Target Range - Lower Bound		<10	<10	27	<10	32
Upper Bound		20	20	35	20	44
B687726		<10	<10	34	<10	51
DUP		<10	<10	36	<10	53
Target Range - Lower Bound		<10	<10	31	<10	45
Upper Bound		20	20	39	20	59
B687728		<10	<10	38	<10	47
DUP		<10	<10	34	<10	45
Target Range - Lower Bound		<10	<10	32	<10	40
Upper Bound		20	20	40	20	52
B687737						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687763		<10	<10	36	<10	43
DUP		<10	<10	35	<10	40
Target Range - Lower Bound		<10	<10	32	<10	35
Upper Bound		20	20	39	20	48
B687765						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687798		<10	<10	43	10	32
DUP		<10	<10	43	10	32
Target Range - Lower Bound		<10	<10	39	<10	26
Upper Bound		20	20	47	20	38
B687833		<10	<10	41	<10	68
DUP		<10	<10	39	<10	59
Target Range - Lower Bound		<10	<10	36	<10	56
Upper Bound		20	20	44	20	71

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B687868			0.4	1.35	37	<10	120	0.5	<2	0.14	<0.5	8	22	27	2.82	<10
DUP			0.4	1.39	36	<10	130	0.5	<2	0.14	<0.5	7	23	27	2.88	<10
Target Range - Lower Bound			<0.2	1.28	31	<10	100	<0.5	<2	0.11	<0.5	5	19	24	2.69	<10
Upper Bound			0.8	1.46	42	20	150	1.0	4	0.17	1.0	10	26	30	3.01	20
B687887		0.073														
DUP		0.053														
Target Range - Lower Bound		0.050														
Upper Bound		0.076														
B687903			<0.2	1.11	20	<10	120	<0.5	<2	0.17	<0.5	9	20	26	2.44	<10
DUP			0.2	1.16	23	<10	120	<0.5	<2	0.18	<0.5	9	21	27	2.54	<10
Target Range - Lower Bound			<0.2	1.06	16	<10	90	<0.5	<2	0.15	<0.5	7	17	23	2.35	<10
Upper Bound			0.4	1.21	27	20	150	1.0	4	0.20	1.0	11	24	30	2.63	20
B687930		0.078														
DUP		0.066														
Target Range - Lower Bound		0.058														
Upper Bound		0.086														
B687938			3.1	1.76	25	<10	420	0.9	6	0.29	<0.5	127	27	51	4.19	10
DUP			3.1	1.75	27	<10	420	0.9	5	0.29	<0.5	124	27	50	4.20	10
Target Range - Lower Bound			2.5	1.65	21	<10	370	<0.5	<2	0.26	<0.5	117	24	46	3.97	<10
Upper Bound			3.7	1.86	31	20	470	1.0	10	0.32	1.0	134	30	55	4.42	20
B687973			0.3	1.37	43	<10	130	<0.5	<2	0.14	<0.5	4	30	16	2.05	<10
DUP			0.4	1.39	42	<10	130	<0.5	2	0.14	<0.5	5	30	16	2.07	<10
Target Range - Lower Bound			<0.2	1.29	36	<10	100	<0.5	<2	0.11	<0.5	2	27	13	1.94	<10
Upper Bound			0.4	1.47	49	20	160	1.0	4	0.17	1.0	7	34	19	2.18	20
B686833		0.009														
DUP		0.009														
Target Range - Lower Bound		≤0.005														
Upper Bound		0.010														

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B687868		0.03	0.07	20	0.40	277	<1	<0.01	23	630	11	0.01	<2	2	15	0.04
DUP		0.04	0.07	20	0.41	270	<1	<0.01	23	640	10	0.01	<2	2	16	0.04
Target Range - Lower Bound		<0.01	0.05	<10	0.36	250	<1	<0.01	20	580	6	<0.01	<2	<1	13	0.02
Upper Bound		0.06	0.09	40	0.45	297	2	0.02	26	690	15	0.02	4	4	18	0.06
B687887																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687903		0.02	0.06	20	0.40	348	<1	<0.01	24	640	8	<0.01	<2	2	13	0.04
DUP		0.02	0.07	20	0.42	362	<1	<0.01	26	680	8	<0.01	<2	2	14	0.05
Target Range - Lower Bound		<0.01	0.04	<10	0.37	327	<1	<0.01	22	610	4	<0.01	<2	<1	11	0.02
Upper Bound		0.04	0.09	40	0.45	383	2	0.02	28	710	12	0.02	4	4	16	0.07
B687930																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687938		0.11	0.06	20	0.23	6940	10	0.01	20	1910	61	0.18	<2	2	38	0.02
DUP		0.11	0.06	20	0.23	6830	10	0.01	20	1900	60	0.18	2	2	37	0.02
Target Range - Lower Bound		0.08	0.04	<10	0.20	6530	8	<0.01	17	1790	53	0.15	<2	<1	34	<0.01
Upper Bound		0.14	0.08	40	0.26	7240	13	0.02	23	2020	68	0.21	4	4	41	0.04
B687973		0.04	0.11	10	0.38	135	<1	0.01	17	500	15	0.03	<2	1	17	0.05
DUP		0.04	0.11	10	0.39	135	1	0.01	18	500	14	0.02	<2	2	18	0.05
Target Range - Lower Bound		0.02	0.08	<10	0.35	118	<1	<0.01	15	460	10	<0.01	<2	<1	15	0.03
Upper Bound		0.06	0.14	20	0.42	152	2	0.02	20	550	19	0.05	4	2	20	0.07
B686833																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 3-SEP-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075640

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B687868		<10	<10	36	<10	58
DUP		<10	<10	37	<10	59
Target Range - Lower Bound		<10	<10	33	<10	52
Upper Bound		20	20	40	20	65
B687887						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687903		<10	<10	33	<10	56
DUP		<10	<10	34	<10	59
Target Range - Lower Bound		<10	<10	30	<10	51
Upper Bound		20	20	37	20	64
B687930						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687938		<10	<10	59	<10	47
DUP		<10	<10	59	10	47
Target Range - Lower Bound		<10	<10	54	<10	41
Upper Bound		20	20	64	20	53
B687973		<10	<10	34	<10	50
DUP		<10	<10	35	10	50
Target Range - Lower Bound		<10	<10	31	<10	44
Upper Bound		20	20	38	20	57
B686833						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: NSS is non-sufficient sample. Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075643

Project: Clear Creek - 1740

P.O. No.:

This report is for 261 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 

Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			14.1	0.92	24	<10	90	0.9	114	0.17	28.0	101	207	5770	3.74	<10
BM-9/A			14.6	0.97	21	<10	90	0.8	120	0.16	26.5	99	205	5520	3.64	<10
BM-9/A			13.5	0.94	24	<10	100	0.8	110	0.17	24.9	95	196	5370	3.74	<10
BM-9/A			16.1	0.92	24	<10	100	0.9	121	0.17	28.2	103	209	5780	3.80	<10
BM-9/A			13.9	0.93	22	<10	90	0.8	114	0.17	26.2	99	200	5460	3.69	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.6	2.01	503	<10	980	1.0	<2	0.54	7.4	24	74	314	4.05	10
G2000			3.5	2.03	493	<10	990	1.0	<2	0.53	7.2	23	73	309	3.97	10
G2000			3.8	1.96	472	10	920	1.0	<2	0.52	7.5	23	71	302	3.93	<10
G2000			3.4	1.95	480	<10	920	1.0	<2	0.50	6.9	23	70	305	3.84	10
G2000			6.5	1.86	489	10	850	0.9	3	0.49	6.8	23	71	306	3.72	10
G2000			3.1	1.91	489	<10	870	0.9	3	0.50	6.9	22	71	304	3.78	10
G2000			3.9	1.98	502	10	950	1.0	<2	0.52	7.4	24	73	322	3.95	10
G2000			3.7	1.99	493	10	940	1.0	<2	0.53	7.7	24	73	323	3.97	10
G2000			3.3	1.87	457	<10	920	1.0	<2	0.51	7.1	23	71	293	3.76	10
G2000			3.2	2.01	468	<10	940	1.0	2	0.56	7.0	22	72	303	4.07	10
G2000			3.0	1.75	467	<10	780	0.9	2	0.48	6.7	21	67	288	3.59	10
G2000			4.4	1.91	488	<10	870	0.9	3	0.50	6.8	22	70	303	3.80	10
G2000			3.3	1.97	504	<10	960	1.0	<2	0.53	7.8	24	73	312	3.98	10
G2000			4.1	2.05	498	<10	990	1.0	<2	0.54	7.6	25	75	317	4.04	10
G2000			3.7	1.85	476	<10	900	0.9	<2	0.51	6.7	23	69	294	3.80	10
G2000			3.6	1.96	499	<10	940	1.0	2	0.53	7.1	23	72	307	3.98	10
G2000			3.7	1.94	470	10	890	0.9	3	0.50	7.2	23	70	306	3.81	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			61.1	0.19	<2	<10	50	<0.5	<2	0.05	<0.5	3	4	478	2.91	<10
GBM999-5																
GBM999-5			61.2	0.20	6	<10	50	<0.5	<2	0.05	<0.5	3	5	490	2.89	<10
GBM999-5			74.3	0.21	4	<10	60	<0.5	<2	0.06	<0.5	3	5	493	3.01	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.48	0.02	10	0.43	654	4	0.43	379	90	6970	1.49	3	9	79	0.01
BM-9/A			0.02	10	0.42	650	4	0.37	372	90	6640	1.45	6	9	79	0.01
BM-9/A		0.42	0.02	10	0.45	634	3	0.44	353	90	6320	1.45	6	8	76	0.01
BM-9/A		0.45	0.02	10	0.43	675	4	0.44	382	90	7000	1.53	9	9	81	0.01
BM-9/A			0.02	10	0.43	615	4	0.42	358	80	6570	1.48	7	9	76	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.79	0.43	20	0.70	602	6	0.03	292	1000	703	0.29	25	8	73	0.06
G2000		0.78	0.43	20	0.69	596	5	0.03	286	990	688	0.28	26	8	74	0.06
G2000		0.76	0.41	20	0.69	561	5	0.03	277	950	671	0.27	27	8	71	0.05
G2000		0.79	0.42	20	0.68	550	5	0.03	273	930	654	0.27	28	7	71	0.05
G2000			0.40	20	0.64	553	5	0.03	285	930	655	0.27	23	7	70	0.06
G2000			0.40	20	0.65	560	5	0.03	279	940	669	0.27	23	7	72	0.06
G2000		0.85	0.44	20	0.69	581	6	0.03	289	990	684	0.30	29	8	72	0.06
G2000		0.82	0.43	20	0.69	590	6	0.03	291	1000	697	0.30	30	8	71	0.06
G2000		0.80	0.40	20	0.65	564	5	0.04	274	950	677	0.29	24	7	69	0.06
G2000		0.82	0.45	20	0.73	553	5	0.04	270	970	672	0.29	25	7	73	0.06
G2000		0.75	0.38	20	0.62	538	5	0.03	268	890	635	0.26	23	7	67	0.05
G2000		0.76	0.40	20	0.65	567	5	0.04	280	940	668	0.27	23	7	73	0.05
G2000		0.75	0.42	20	0.69	584	5	0.03	289	990	710	0.28	25	8	72	0.06
G2000		0.76	0.43	20	0.70	588	6	0.03	296	1000	711	0.29	21	8	75	0.06
G2000		0.72	0.41	20	0.66	562	5	0.03	269	940	672	0.27	26	7	68	0.05
G2000		0.77	0.43	20	0.69	568	5	0.04	286	970	686	0.29	27	8	72	0.06
G2000			0.42	20	0.67	542	6	0.04	275	930	653	0.28	26	7	71	0.05
G2000		0.81														
G2000		0.78														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.09	0.05	10	0.02	61	3	0.01	3	40	491	0.29	4	1	4	<0.01
GBM999-5		0.10														
GBM999-5		0.08	0.05	10	0.02	60	3	0.02	3	40	505	0.30	4	1	4	<0.01
GBM999-5		0.04	0.05	10	0.02	64	3	0.02	4	40	518	0.31	5	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	16	<10	8510
BM-9/A		<10	<10	15	<10	8190
BM-9/A		<10	<10	15	<10	8060
BM-9/A		<10	<10	17	<10	8530
BM-9/A		<10	<10	15	<10	8140
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	71	10	1350
G2000		10	<10	71	<10	1320
G2000		<10	<10	68	<10	1325
G2000		<10	<10	68	<10	1275
G2000		<10	<10	66	<10	1255
G2000		<10	<10	66	10	1270
G2000		<10	<10	70	10	1300
G2000		<10	<10	70	10	1320
G2000		<10	<10	67	<10	1235
G2000		<10	<10	67	<10	1260
G2000		<10	<10	62	<10	1220
G2000		<10	<10	65	<10	1245
G2000		10	<10	71	<10	1355
G2000		<10	<10	72	10	1350
G2000		<10	<10	65	<10	1235
G2000		<10	<10	68	10	1305
G2000		<10	<10	66	<10	1295
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	6	<10	111
GBM999-5						
GBM999-5		<10	<10	5	<10	110
GBM999-5		<10	<10	5	<10	115
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
OXD43		0.403														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.005														
OxG46		1.015														
OxG46		1.020														
OxG46		1.050														
OxG46		1.015														
OxG46		1.030														
OxG46		0.973														
OxG46		1.060														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.825														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.46														
ST-259		2.49														
ST-259		2.33														
ST-259		2.58														
ST-259		2.59														
ST-259		2.42														
ST-259		2.45														
ST-259		2.43														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.85														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

. STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	0.6	1	1	1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	3	0.01	0.7	1	<1	<1	<0.01	<10
BLANK																
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.206														
DUP		0.207														
Target Range - Lower Bound		0.186														
Upper Bound		0.227														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK			<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	2	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK			<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<0.01
BLANK		<0.01														
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.025														
DUP		0.026														
Target Range - Lower Bound		0.014														
Upper Bound		0.037														
ORIGINAL		0.815														
DUP		0.850														
Target Range - Lower Bound		0.781														
Upper Bound		0.884														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.005														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.023														
DUP		0.023														
Target Range - Lower Bound		0.012														
Upper Bound		0.034														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.295														
DUP		0.307														
Target Range - Lower Bound		0.276														
Upper Bound		0.326														
B687973			0.3	1.37	43	<10	130	<0.5	<2	0.14	<0.5	4	30	16	2.05	<10
DUP			0.4	1.39	42	<10	130	<0.5	2	0.14	<0.5	5	30	16	2.07	<10
Target Range - Lower Bound			<0.2	1.29	36	<10	100	<0.5	<2	0.11	<0.5	2	27	13	1.94	<10
Upper Bound			0.4	1.47	49	20	160	1.0	4	0.17	1.0	7	34	19	2.18	20
B686727			<0.2	0.84	11	<10	80	<0.5	<2	0.12	<0.5	4	16	16	1.70	<10
DUP			<0.2	0.86	9	<10	80	<0.5	<2	0.12	<0.5	4	16	16	1.76	<10
Target Range - Lower Bound			<0.2	0.79	6	<10	50	<0.5	<2	0.09	<0.5	2	13	13	1.62	<10
Upper Bound			0.4	0.91	15	20	110	1.0	4	0.15	1.0	6	19	19	1.84	20
B686739		0.024														
DUP		0.024														
Target Range - Lower Bound		0.013														
Upper Bound		0.035														
B686759		0.007														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B686762			0.3	1.50	10	<10	80	<0.5	4	0.08	<0.5	7	24	20	2.66	10
DUP			<0.2	1.60	13	<10	90	<0.5	5	0.09	<0.5	6	25	20	2.81	10
Target Range - Lower Bound			<0.2	1.45	7	<10	60	<0.5	<2	0.06	<0.5	4	21	17	2.58	<10
Upper Bound			0.4	1.65	16	20	110	1.0	9	0.11	1.0	9	28	23	2.89	20
B686779		0.044														
DUP		0.044														
Target Range - Lower Bound		0.032														
Upper Bound		0.056														
B686794			0.2	0.60	56	<10	40	<0.5	2	0.06	<0.5	13	17	30	2.80	<10
DUP			0.2	0.63	55	<10	40	<0.5	2	0.10	<0.5	13	18	30	2.82	<10
Target Range - Lower Bound			<0.2	0.56	49	<10	20	<0.5	<2	0.06	<0.5	10	15	27	2.65	<10
Upper Bound			0.4	0.67	62	20	60	1.0	4	0.10	1.0	16	20	34	2.97	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687973		0.04	0.11	10	0.38	135	<1	0.01	17	500	15	0.03	<2	1	17	0.05
DUP		0.04	0.11	10	0.39	135	1	0.01	18	500	14	0.02	<2	2	18	0.05
Target Range - Lower Bound		0.02	0.08	<10	0.35	118	<1	<0.01	15	460	10	<0.01	<2	<1	15	0.03
Upper Bound		0.06	0.14	20	0.42	152	2	0.02	20	550	19	0.05	4	2	20	0.07
B686727		0.02	0.04	10	0.28	118	<1	0.01	13	450	7	0.01	<2	1	11	0.04
DUP		0.03	0.04	10	0.29	125	<1	0.01	14	450	7	0.01	<2	1	11	0.04
Target Range - Lower Bound		<0.01	0.02	<10	0.25	105	<1	<0.01	11	410	3	<0.01	<2	<1	8	0.02
Upper Bound		0.05	0.06	20	0.32	138	2	0.02	16	490	11	0.02	4	2	14	0.06
B686739																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686759																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686762		0.09	0.09	10	0.29	282	2	<0.01	15	400	10	0.05	<2	2	12	0.07
DUP		0.09	0.09	10	0.31	300	2	0.01	16	420	13	0.05	<2	2	14	0.07
Target Range - Lower Bound		0.07	0.07	<10	0.27	266	<1	<0.01	13	370	7	0.03	<2	<1	10	0.05
Upper Bound		0.11	0.11	20	0.34	316	4	0.02	18	450	16	0.07	4	4	16	0.09
B686779																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686794			0.05	40	0.16	513	<1	0.01	35	590	9	0.02	2	2	9	0.02
DUP			0.05	40	0.17	524	1	0.01	33	600	9	0.02	2	2	10	0.02
Target Range - Lower Bound			0.03	20	0.14	483	<1	<0.01	30	550	5	<0.01	<2	<1	7	<0.01
Upper Bound			0.07	60	0.19	554	2	0.02	38	640	13	0.04	4	4	12	0.04

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B687973		<10	<10	34	<10	50
DUP		<10	<10	35	10	50
Target Range - Lower Bound		<10	<10	31	<10	44
Upper Bound		20	20	38	20	57
B686727		<10	<10	30	<10	41
DUP		<10	<10	31	<10	43
Target Range - Lower Bound		<10	<10	27	<10	36
Upper Bound		20	20	34	20	48
B686739						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686759						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686762		<10	<10	54	<10	51
DUP		<10	<10	55	<10	50
Target Range - Lower Bound		<10	<10	50	<10	44
Upper Bound		20	20	59	20	57
B686779						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686794		<10	<10	20	<10	64
DUP		<10	<10	20	<10	64
Target Range - Lower Bound		<10	<10	17	<10	57
Upper Bound		20	20	23	20	71

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B686797			0.3	1.88	23	<10	180	0.9	<2	0.19	<0.5	14	34	27	3.39	10
DUP			<0.2	1.73	17	<10	170	0.9	<2	0.18	<0.5	14	32	25	3.15	10
Target Range - Lower Bound			<0.2	1.69	15	<10	140	<0.5	<2	0.16	<0.5	11	29	23	3.09	<10
Upper Bound			0.4	1.92	25	20	210	1.0	4	0.21	1.0	17	37	29	3.45	20
B686832			0.3	1.38	25	<10	140	<0.5	<2	0.19	<0.5	7	24	24	2.62	<10
DUP			0.2	1.35	28	<10	140	<0.5	<2	0.18	<0.5	7	23	24	2.59	<10
Target Range - Lower Bound			<0.2	1.28	21	<10	110	<0.5	<2	0.16	<0.5	5	20	21	2.45	<10
Upper Bound			0.4	1.45	32	20	170	1.0	4	0.21	1.0	9	27	27	2.76	20
B686833		0.009														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B686867			<0.2	2.38	20	<10	90	<0.5	2	0.23	<0.5	35	50	171	6.24	10
DUP			<0.2	2.39	20	<10	90	<0.5	2	0.21	<0.5	34	50	168	6.17	10
Target Range - Lower Bound			<0.2	2.25	15	<10	60	<0.5	<2	0.19	<0.5	31	46	159	5.87	<10
Upper Bound			0.4	2.52	25	20	120	1.0	4	0.25	1.0	38	55	180	6.54	20
B686902			<0.2	2.18	261	<10	110	0.7	<2	0.09	<0.5	12	27	18	3.31	<10
DUP			<0.2	2.11	251	<10	100	0.7	<2	0.09	<0.5	12	26	18	3.23	<10
Target Range - Lower Bound			<0.2	2.02	239	<10	80	<0.5	<2	0.07	<0.5	9	23	15	3.09	<10
Upper Bound			0.4	2.27	273	20	130	1.0	4	0.11	1.0	15	30	21	3.45	20
B686937			<0.2	1.56	45	<10	170	<0.5	<2	0.09	<0.5	8	27	19	3.19	<10
DUP			<0.2	1.66	49	<10	180	<0.5	<2	0.10	<0.5	8	28	20	3.36	10
Target Range - Lower Bound			<0.2	1.51	41	<10	140	<0.5	<2	0.07	<0.5	6	24	17	3.09	<10
Upper Bound			0.4	1.71	53	20	210	1.0	4	0.12	1.0	10	31	22	3.46	20
B686940		0.155														
DUP		0.148														
Target Range - Lower Bound		0.134														
Upper Bound		0.169														
ORIGINAL		0.225														
DUP		0.229														
Target Range - Lower Bound		0.206														
Upper Bound		0.248														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B686797		0.01	0.39	30	0.56	776	1	0.01	31	550	21	0.02	2	4	18	0.10
DUP		0.02	0.35	30	0.53	710	1	0.01	29	560	16	0.02	2	4	17	0.09
Target Range - Lower Bound		<0.01	0.33	<10	0.50	696	<1	<0.01	27	510	14	<0.01	<2	2	15	0.07
Upper Bound		0.02	0.41	50	0.59	790	2	0.02	34	600	23	0.04	4	6	20	0.12
B686832		0.03	0.18	20	0.45	232	1	0.01	18	610	10	0.01	<2	3	15	0.08
DUP		0.05	0.18	20	0.44	227	<1	0.01	19	600	9	0.01	<2	3	15	0.08
Target Range - Lower Bound		0.02	0.15	<10	0.40	208	<1	<0.01	16	550	5	<0.01	<2	<1	12	0.06
Upper Bound		0.06	0.21	40	0.49	251	2	0.02	21	660	14	0.02	4	5	18	0.10
B686833																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686867		0.04	0.09	20	0.94	951	1	0.02	58	590	12	0.03	20	9	15	0.03
DUP		0.04	0.09	20	0.94	942	1	0.01	59	540	15	0.03	22	9	15	0.03
Target Range - Lower Bound		0.02	0.07	<10	0.87	889	<1	<0.01	54	520	9	<0.01	15	7	12	<0.01
Upper Bound		0.06	0.11	40	1.01	1005	2	0.02	63	610	18	0.05	27	11	18	0.05
B686902		0.06	0.04	10	0.35	539	1	0.01	28	740	15	0.04	<2	2	11	0.04
DUP		0.06	0.04	10	0.34	527	1	0.01	28	720	16	0.04	<2	2	11	0.04
Target Range - Lower Bound		0.04	0.02	<10	0.31	496	<1	<0.01	25	670	11	0.02	<2	<1	8	0.02
Upper Bound		0.08	0.06	20	0.38	570	2	0.02	31	790	20	0.06	4	4	14	0.06
B686937		0.03	0.05	10	0.38	272	<1	0.01	21	380	12	0.01	2	3	12	0.05
DUP		0.03	0.05	20	0.40	285	1	0.01	21	390	12	0.02	<2	3	13	0.05
Target Range - Lower Bound		<0.01	0.03	<10	0.35	255	<1	<0.01	18	350	7	<0.01	<2	<1	10	0.03
Upper Bound		0.05	0.07	20	0.43	302	2	0.02	24	420	17	0.02	4	5	15	0.07
B686940																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 28-AUG-2006
Account: STRGOL

Project: Clear Creek - 1740

QC CERTIFICATE OF ANALYSIS VA06075643

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B686797		<10	<10	35	60	77
DUP		<10	<10	35	50	75
Target Range - Lower Bound		<10	<10	31	30	68
Upper Bound		20	20	39	80	84
B686832		<10	<10	35	<10	57
DUP		<10	<10	34	<10	55
Target Range - Lower Bound		<10	<10	31	<10	49
Upper Bound		20	20	38	20	63
B686833						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686867		<10	<10	84	<10	75
DUP		<10	<10	84	<10	74
Target Range - Lower Bound		<10	<10	78	<10	67
Upper Bound		20	20	90	20	82
B686902		<10	<10	50	<10	78
DUP		<10	<10	49	<10	76
Target Range - Lower Bound		<10	<10	45	<10	69
Upper Bound		20	20	54	20	85
B686937		<10	<10	51	<10	63
DUP		<10	<10	54	<10	65
Target Range - Lower Bound		<10	<10	48	<10	57
Upper Bound		20	20	57	20	71
B686940						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075851

Project: Clear Creek-1740

P.O. No.:

This report is for 200 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			13.7	1.02	26	<10	70	0.8	114	0.16	26.5	94	206	5440	3.67	<10
BM-9/A			14.3	0.94	24	<10	90	0.8	114	0.16	27.0	99	205	5440	3.74	<10
BM-9/A			14.9	0.76	25	<10	80	0.8	118	0.16	26.5	96	192	5500	3.57	<10
BM-9/A			13.6	0.85	24	<10	90	0.8	114	0.17	26.6	95	193	5430	3.65	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.7	1.85	476	<10	900	0.9	<2	0.51	6.7	23	69	294	3.80	10
G2000			3.6	1.96	499	<10	940	1.0	2	0.53	7.1	23	72	307	3.98	10
G2000			3.8	2.00	501	<10	720	1.0	2	0.50	7.2	22	73	304	3.81	10
G2000			3.4	1.78	482	<10	910	0.9	3	0.49	6.8	22	67	296	3.68	10
G2000			3.2	1.73	483	<10	950	0.9	2	0.48	6.7	21	68	291	3.66	10
G2000			3.1	1.95	479	<10	920	0.9	3	0.51	7.4	22	71	310	3.84	10
G2000			3.1	1.88	469	<10	900	0.9	<2	0.49	7.0	23	70	297	3.72	10
G2000			3.2	1.79	460	<10	880	1.0	<2	0.52	7.0	22	68	299	3.71	10
G2000			3.5	1.92	476	<10	910	1.0	<2	0.54	7.5	24	71	307	3.83	10
G2000			3.2	1.77	470	<10	830	0.9	3	0.49	7.0	22	69	305	3.73	10
G2000			3.1	1.84	470	<10	870	0.9	<2	0.50	7.1	23	69	305	3.80	10
G2000			3.4	1.92	471	10	960	1.0	<2	0.54	7.7	24	70	304	3.81	10
G2000			3.5	1.94	475	<10	880	1.0	<2	0.54	7.5	23	71	307	3.80	10
G2000			4.5	1.92	472	10	890	1.0	<2	0.55	7.3	24	74	311	3.98	10
G2000			3.2	1.89	487	<10	900	1.0	<2	0.53	6.9	23	69	295	3.96	10
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			74.3	0.21	4	<10	60	<0.5	<2	0.06	<0.5	3	5	493	3.01	<10
GBM999-5			54.8	0.18	4	<10	60	<0.5	<2	0.05	<0.5	2	5	466	2.78	<10
GBM999-5			64.0	0.20	3	<10	60	<0.5	<2	0.06	<0.5	3	5	515	2.93	<10
GBM999-5			62.0	0.20	4	<10	50	<0.5	<2	0.05	<0.5	3	4	495	2.87	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A			0.02	10	0.45	663	2	0.38	374	90	6870	1.45	7	9	75	0.01
BM-9/A			0.02	10	0.43	671	4	0.41	380	80	6720	1.45	6	9	76	0.01
BM-9/A		0.40	0.02	10	0.40	637	4	0.41	366	80	6570	1.43	6	8	74	0.01
BM-9/A		0.40	0.02	10	0.42	620	3	0.42	366	90	6620	1.44	6	8	74	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.72	0.41	20	0.66	562	5	0.03	269	940	672	0.27	26	7	68	0.05
G2000		0.77	0.43	20	0.69	568	5	0.04	286	970	686	0.29	27	8	72	0.06
G2000			0.42	20	0.66	574	5	0.01	276	980	698	0.24	24	7	69	0.06
G2000		0.74	0.40	20	0.65	554	4	0.01	279	950	691	0.26	24	7	67	0.05
G2000		0.76	0.40	20	0.64	562	4	0.01	266	950	662	0.25	23	7	66	0.05
G2000			0.43	20	0.68	575	6	0.03	282	950	674	0.27	23	7	71	0.06
G2000		0.75	0.41	20	0.65	568	6	0.03	276	910	649	0.28	24	7	68	0.06
G2000		0.69	0.42	20	0.67	570	6	0.03	278	920	651	0.27	21	7	65	0.05
G2000		0.82	0.43	20	0.69	588	5	0.03	285	950	670	0.29	24	8	69	0.06
G2000		0.76	0.41	20	0.65	553	6	0.03	281	910	662	0.27	25	7	65	0.05
G2000		0.73	0.42	20	0.67	572	6	0.03	279	960	647	0.28	24	7	68	0.05
G2000		0.82	0.43	20	0.69	578	6	0.03	290	950	686	0.28	22	8	69	0.06
G2000		0.85	0.44	20	0.69	585	5	0.03	291	960	663	0.29	24	8	69	0.06
G2000		0.76	0.44	20	0.72	566	6	0.02	294	990	686	0.27	23	8	71	0.05
G2000		0.70	0.42	20	0.69	559	5	0.03	283	960	666	0.28	27	7	68	0.05
G2000		0.76														
G2000		0.77														
G2000		0.73														
G2000		0.75														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.04	0.05	10	0.02	64	3	0.02	4	40	518	0.31	5	1	4	<0.01
GBM999-5		0.04	0.05	10	0.02	61	2	<0.01	4	40	506	0.27	4	1	3	<0.01
GBM999-5		0.04	0.05	10	0.02	64	4	0.01	2	40	510	0.31	2	1	4	<0.01
GBM999-5		0.05	0.05	10	0.02	66	4	0.02	4	40	499	0.31	4	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	14	<10	8770
BM-9/A		<10	<10	16	<10	8310
BM-9/A		<10	<10	15	<10	8170
BM-9/A		<10	<10	15	<10	8380
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	65	<10	1235
G2000		<10	<10	68	10	1305
G2000		<10	<10	67	<10	1360
G2000		<10	<10	63	10	1270
G2000		<10	<10	62	<10	1250
G2000		<10	<10	68	10	1305
G2000		<10	<10	66	10	1270
G2000		<10	<10	67	<10	1190
G2000		<10	<10	70	<10	1240
G2000		<10	<10	65	<10	1270
G2000		<10	<10	66	10	1285
G2000		<10	<10	69	<10	1220
G2000		<10	<10	70	10	1250
G2000		<10	<10	69	10	1330
G2000		<10	<10	66	10	1270
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	5	<10	115
GBM999-5		<10	<10	4	<10	108
GBM999-5		<10	<10	6	<10	116
GBM999-5		<10	<10	6	<10	108
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
OxG46		1.015														
OxG46		1.040														
OxG46		1.035														
OxG46		1.050														
OxG46		1.045														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.53														
ST-259		2.53														
ST-259		2.42														
ST-259		2.61														
ST-259		2.42														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	1	<0.01	<10
BLANK			<0.2	<0.01	3	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	10	<10	<0.5	<2	<0.01	0.9	<1	1	1	<0.01	<10
BLANK		<0.005														
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK																
BLANK		<0.005														
BLANK		<0.005														
BLANK																
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	1	<10	2	<0.01	<2	<1	1	<0.01
BLANK																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK		<0.01														
BLANK																
BLANK																
BLANK		<0.01														
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
STANDARDS						
OxG46						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	1	<10	<2
BLANK						
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.014														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
ORIGINAL		0.024														
DUP		0.027														
Target Range - Lower Bound		0.014														
Upper Bound		0.037														
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.071														
DUP		0.072														
Target Range - Lower Bound		0.058														
Upper Bound		0.085														
ORIGINAL		0.655														
DUP		0.622														
Target Range - Lower Bound		0.597														
Upper Bound		0.680														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B686937			<0.2	1.56	45	<10	170	<0.5	<2	0.09	<0.5	8	27	19	3.19	<10
DUP			<0.2	1.66	49	<10	180	<0.5	<2	0.10	<0.5	8	28	20	3.36	10
Target Range - Lower Bound			<0.2	1.51	41	<10	140	<0.5	<2	0.07	<0.5	6	24	17	3.09	<10
Upper Bound			0.4	1.71	53	20	210	1.0	4	0.12	1.0	10	31	22	3.46	20
B688205		<0.005														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B686937		0.03	0.05	10	0.38	272	<1	0.01	21	380	12	0.01	2	3	12	0.05
DUP		0.03	0.05	20	0.40	285	1	0.01	21	390	12	0.02	<2	3	13	0.05
Target Range - Lower Bound		<0.01	0.03	<10	0.35	255	<1	<0.01	18	350	7	<0.01	<2	<1	10	0.03
Upper Bound		0.05	0.07	20	0.43	302	2	0.02	24	420	17	0.02	4	5	15	0.07
B688205																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B686937		<10	<10	51	<10	63
DUP		<10	<10	54	<10	65
Target Range - Lower Bound		<10	<10	48	<10	57
Upper Bound		20	20	57	20	71
B688205						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B688211			<0.2	1.06	84	<10	90	<0.5	<2	0.07	<0.5	5	18	18	2.29	<10
DUP			<0.2	1.04	83	<10	90	<0.5	<2	0.07	<0.5	5	18	18	2.27	<10
Target Range - Lower Bound			<0.2	0.98	75	<10	60	<0.5	<2	0.05	<0.5	3	15	15	2.15	<10
Upper Bound			0.4	1.12	92	20	120	1.0	4	0.09	1.0	7	21	21	2.41	20
B688221																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688245		0.011														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B688246			<0.2	1.12	13	<10	70	<0.5	<2	0.12	<0.5	3	18	10	1.82	<10
DUP			<0.2	1.14	12	<10	70	<0.5	<2	0.12	<0.5	3	19	10	1.84	<10
Target Range - Lower Bound			<0.2	1.05	8	<10	40	<0.5	<2	0.09	<0.5	<1	16	8	1.72	<10
Upper Bound			0.4	1.21	17	20	100	1.0	4	0.15	1.0	5	21	13	1.94	20
B688281			<0.2	1.64	57	<10	80	<0.5	3	0.08	<0.5	8	25	17	2.87	<10
DUP			<0.2	1.57	56	<10	80	<0.5	3	0.07	<0.5	7	24	17	2.76	<10
Target Range - Lower Bound			<0.2	1.50	50	<10	50	<0.5	<2	0.05	<0.5	5	21	14	2.65	<10
Upper Bound			0.4	1.71	63	20	110	1.0	4	0.10	1.0	10	28	20	2.98	20
B688283		0.011														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B688316			<0.2	1.35	52	<10	100	<0.5	2	0.07	<0.5	6	21	19	2.81	10
DUP			0.2	1.31	51	<10	90	<0.5	2	0.07	<0.5	6	20	18	2.68	10
Target Range - Lower Bound			<0.2	1.24	45	<10	70	<0.5	<2	0.05	<0.5	4	17	16	2.59	<10
Upper Bound			0.4	1.42	58	20	120	1.0	4	0.09	1.0	8	24	21	2.90	20
B688351			0.4	1.83	26	<10	160	0.7	2	0.13	<0.5	9	29	28	2.75	<10
DUP			0.4	1.85	29	<10	160	0.7	2	0.13	<0.5	8	29	29	2.75	<10
Target Range - Lower Bound			<0.2	1.73	22	<10	130	<0.5	<2	0.10	<0.5	6	26	25	2.59	<10
Upper Bound			0.8	1.95	33	20	190	1.0	4	0.16	1.0	11	32	32	2.91	20

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B688211		0.03	0.07	20	0.31	177	<1	<0.01	16	460	8	0.03	<2	1	9	0.03
DUP		0.04	0.07	20	0.31	177	1	<0.01	16	450	9	0.03	<2	1	9	0.03
Target Range - Lower Bound		<0.01	0.05	<10	0.27	158	<1	<0.01	13	410	4	<0.01	<2	<1	7	<0.01
Upper Bound		0.06	0.09	40	0.35	196	2	0.02	19	500	13	0.05	4	2	11	0.05
B688221		0.03														
DUP		0.04														
Target Range - Lower Bound		<0.01														
Upper Bound		0.06														
B688245																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688246		0.04	0.05	10	0.31	119	<1	<0.01	12	480	9	<0.01	<2	1	9	0.04
DUP		0.04	0.05	10	0.31	121	<1	<0.01	12	480	9	<0.01	<2	1	9	0.04
Target Range - Lower Bound		0.02	0.03	<10	0.27	104	<1	<0.01	9	440	5	<0.01	<2	<1	7	0.02
Upper Bound		0.06	0.07	20	0.35	136	2	0.02	15	520	13	0.02	4	2	11	0.06
B688281		0.04	0.07	20	0.39	266	1	<0.01	17	420	9	0.02	<2	2	11	0.04
DUP		0.03	0.07	20	0.37	255	1	<0.01	19	400	10	0.01	<2	2	10	0.04
Target Range - Lower Bound		<0.01	0.05	<10	0.34	237	<1	<0.01	15	370	5	<0.01	<2	<1	8	0.02
Upper Bound		0.06	0.09	40	0.42	284	2	0.02	21	450	14	0.02	4	4	13	0.06
B688283																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688316		0.04	0.06	10	0.24	189	1	<0.01	12	430	11	0.03	<2	2	10	0.06
DUP		0.03	0.06	10	0.23	182	1	0.01	11	420	13	0.04	<2	2	10	0.05
Target Range - Lower Bound		<0.01	0.04	<10	0.20	166	<1	<0.01	9	380	7	<0.01	<2	<1	8	0.03
Upper Bound		0.06	0.08	20	0.27	205	2	0.02	14	470	17	0.06	4	4	13	0.08
B688351		0.05	0.06	20	0.47	263	1	<0.01	24	200	14	0.01	<2	4	17	0.06
DUP		0.05	0.06	20	0.48	264	1	<0.01	25	200	13	0.01	<2	4	17	0.06
Target Range - Lower Bound		0.03	0.04	<10	0.43	240	<1	<0.01	21	170	9	<0.01	<2	2	14	0.04
Upper Bound		0.07	0.08	40	0.52	287	2	0.02	28	230	18	0.02	4	6	20	0.08

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B688211		<10	<10	33	<10	43
DUP		<10	<10	33	<10	43
Target Range - Lower Bound		<10	<10	29	<10	37
Upper Bound		20	20	37	20	49
B688221						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688245						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688246		<10	<10	29	<10	39
DUP		<10	<10	29	<10	40
Target Range - Lower Bound		<10	<10	26	<10	34
Upper Bound		20	20	32	20	45
B688281		<10	<10	37	10	50
DUP		<10	<10	36	10	48
Target Range - Lower Bound		<10	<10	33	<10	43
Upper Bound		20	20	40	20	55
B688283						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688316		<10	<10	63	<10	31
DUP		<10	<10	60	<10	29
Target Range - Lower Bound		<10	<10	56	<10	25
Upper Bound		20	20	67	20	36
B688351		<10	<10	43	10	56
DUP		<10	<10	44	<10	56
Target Range - Lower Bound		<10	<10	39	<10	49
Upper Bound		20	20	48	20	63

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
B688386			<0.2	1.02	14	<10	150	<0.5	<2	0.22	0.5	7	22	23	2.30	<10
DUP			<0.2	0.98	15	<10	140	<0.5	<2	0.21	<0.5	8	22	22	2.22	<10
Target Range - Lower Bound			<0.2	0.93	10	<10	110	<0.5	<2	0.18	<0.5	5	19	19	2.13	<10
Upper Bound			0.4	1.07	19	20	180	1.0	4	0.25	1.0	10	25	26	2.39	20
B688484																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B688386		0.02	0.06	20	0.39	267	1	0.01	22	680	11	0.01	<2	3	15	0.06
DUP		0.02	0.06	20	0.37	260	1	0.01	21	640	13	0.01	<2	3	16	0.06
	Target Range - Lower Bound	<0.01	0.04	<10	0.34	240	<1	<0.01	18	610	7	<0.01	<2	<1	13	0.04
	Upper Bound	0.04	0.08	40	0.42	287	2	0.02	25	710	17	0.02	4	5	18	0.08
B688484		0.05														
DUP		0.04														
	Target Range - Lower Bound	0.02														
	Upper Bound	0.07														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075851

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B688386		<10	<10	41	<10	59
DUP		<10	<10	39	<10	57
Target Range - Lower Bound		<10	<10	36	<10	51
Upper Bound		20	20	44	20	65
B688484						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06075852

Project: Clear Creek-1740

P.O. No.:

This report is for 169 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 24-JUL-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			15.3	1.02	24	<10	100	0.9	126	0.18	29.2	106	208	5840	3.80	<10
BM-9/A			13.8	0.80	24	<10	80	0.8	120	0.17	26.9	99	197	5220	3.56	<10
BM-9/A			14.9	0.87	22	<10	90	0.9	113	0.16	27.1	100	204	5390	3.62	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.4	1.92	471	10	960	1.0	<2	0.54	7.7	24	70	304	3.81	10
G2000			3.5	1.94	475	<10	880	1.0	<2	0.54	7.5	23	71	307	3.80	10
G2000			4.1	2.09	502	<10	1000	1.0	<2	0.58	8.2	25	75	324	4.06	10
G2000			3.6	1.84	479	<10	910	1.0	<2	0.54	7.6	23	70	308	3.80	10
G2000			3.5	1.92	487	<10	920	1.0	<2	0.51	7.3	23	71	305	3.79	10
G2000			3.7	2.00	498	<10	940	1.0	<2	0.52	7.6	24	74	315	3.88	10
G2000			4.6	1.92	491	<10	970	1.0	<2	0.53	7.2	25	76	313	3.92	10
G2000			3.9	1.92	474	<10	980	1.0	<2	0.52	7.0	23	71	288	3.84	10
G2000			3.7	1.79	476	<10	890	0.9	<2	0.49	6.8	23	68	294	3.68	10
G2000			4.6	1.85	476	<10	860	1.0	2	0.50	7.4	23	70	301	3.74	10
G2000			3.2	1.96	483	<10	950	1.0	2	0.53	7.2	24	76	306	3.89	10
G2000			3.4	2.03	498	<10	970	1.0	2	0.55	7.4	24	77	308	3.99	10
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			62.0	0.20	4	<10	50	<0.5	<2	0.05	<0.5	3	4	495	2.87	<10
GBM999-5			65.1	0.21	<2	<10	60	<0.5	<2	0.05	<0.5	3	5	503	2.94	<10
GBM999-5			63.1	0.19	2	<10	50	<0.5	<2	0.05	<0.5	3	5	483	2.82	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.410														
OXD43		0.408														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
BM-9/A		0.44	0.02	10	0.47	689	4	0.46	391	90	6910	1.57	4	9	78	0.01
BM-9/A		0.39	0.02	10	0.40	624	4	0.40	363	90	6490	1.42	8	9	73	0.01
BM-9/A		0.42	0.02	10	0.42	630	4	0.42	373	90	6580	1.44	7	9	75	0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.82	0.43	20	0.69	578	6	0.03	290	950	686	0.28	22	8	69	0.06
G2000		0.85	0.44	20	0.69	585	5	0.03	291	960	663	0.29	24	8	69	0.06
G2000			0.45	20	0.73	625	6	0.03	297	1010	719	0.30	22	8	75	0.06
G2000		0.79	0.43	20	0.68	585	5	0.03	290	950	667	0.27	21	7	67	0.06
G2000		0.82	0.41	20	0.67	560	6	0.04	277	960	665	0.28	26	7	70	0.06
G2000			0.42	20	0.69	567	6	0.04	285	990	675	0.29	28	8	73	0.06
G2000			0.44	20	0.68	568	5	0.03	293	1010	687	0.28	26	8	71	0.06
G2000		0.79	0.41	20	0.67	554	5	0.03	275	990	672	0.27	26	8	71	0.05
G2000		0.78	0.39	20	0.64	534	6	0.03	270	930	664	0.27	27	7	67	0.05
G2000		0.79	0.39	20	0.66	558	6	0.03	272	940	659	0.27	26	7	68	0.05
G2000		0.78	0.44	20	0.68	560	6	0.03	288	1000	677	0.28	27	8	72	0.06
G2000		0.79	0.44	20	0.70	598	6	0.04	291	1040	710	0.29	28	8	74	0.06
G2000		0.76														
G2000		0.77														
G2000		0.79														
G2000		0.82														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	256	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	316	1050	739	0.31	31	9	76	0.07
GBM999-5		0.05	0.05	10	0.02	66	4	0.02	4	40	499	0.31	4	1	4	<0.01
GBM999-5		0.07	0.05	10	0.02	62	4	0.01	4	40	499	0.30	6	1	4	<0.01
GBM999-5		0.06	0.05	10	0.02	61	4	0.01	4	40	488	0.29	4	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	471	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	580	0.34	8	2	5	0.02
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	16	<10	8130
BM-9/A		<10	<10	15	<10	8270
BM-9/A		<10	<10	16	<10	8470
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	69	<10	1220
G2000		<10	<10	70	10	1250
G2000		<10	<10	74	<10	1320
G2000		<10	<10	70	<10	1260
G2000		<10	<10	68	<10	1300
G2000		<10	<10	71	10	1340
G2000		<10	<10	72	<10	1310
G2000		<10	<10	67	<10	1220
G2000		<10	<10	66	<10	1225
G2000		<10	<10	67	10	1275
G2000		<10	<10	72	<10	1280
G2000		<10	<10	72	<10	1320
G2000						
G2000						
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1130
Upper Bound		20	20	74	20	1385
GBM999-5		<10	<10	6	<10	108
GBM999-5		<10	<10	6	<10	111
GBM999-5		<10	<10	5	<10	111
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
OxG46		1.025														
OxG46		1.040														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.750														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.60														
ST-259		2.54														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.05														
ST-327		6.93														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	2	10	<10	<0.5	<2	<0.01	0.9	<1	1	1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK																
BLANK		<0.005														
BLANK		0.009														
BLANK		<0.005														
BLANK																
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Ti
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	%
	LOR	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	0.01
STANDARDS																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	1	<10	2	<0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	0.01	<2	<1	1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
BLANK																
BLANK																
BLANK																
BLANK		<0.01														
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		STANDARDS				
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						
		BLANKS				
BLANK		<10	<10	1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		>10.0														
DUP		>10.0														
Target Range - Lower Bound		9.49														
Upper Bound		10.00														
ORIGINAL		0.018														
DUP		0.018														
Target Range - Lower Bound		0.007														
Upper Bound		0.029														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688386			<0.2	1.02	14	<10	150	<0.5	<2	0.22	0.5	7	22	23	2.30	<10
DUP			<0.2	0.98	15	<10	140	<0.5	<2	0.21	<0.5	8	22	22	2.22	<10
Target Range - Lower Bound			<0.2	0.93	10	<10	110	<0.5	<2	0.18	<0.5	5	19	19	2.13	<10
Upper Bound			0.4	1.07	19	20	180	1.0	4	0.25	1.0	10	25	26	2.39	20
B688402		0.007														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B688421			0.9	1.75	16	<10	120	0.6	7	0.16	<0.5	9	32	34	3.35	10
DUP			0.9	1.64	17	<10	120	0.5	7	0.15	<0.5	9	30	31	3.16	10
Target Range - Lower Bound			0.5	1.59	12	<10	90	<0.5	3	0.13	<0.5	7	27	29	3.07	<10
Upper Bound			1.3	1.80	21	20	150	1.0	11	0.18	1.0	11	35	36	3.44	20
B688456			0.2	1.44	26	<10	80	<0.5	2	0.09	<0.5	5	34	15	3.33	<10
DUP			0.2	1.46	30	<10	80	0.5	3	0.09	<0.5	5	34	15	3.38	<10
Target Range - Lower Bound			<0.2	1.36	23	<10	50	<0.5	<2	0.07	<0.5	3	30	12	3.17	<10
Upper Bound			0.4	1.54	33	20	110	1.0	4	0.11	1.0	7	38	18	3.54	20
B688457		0.029														
DUP		0.021														
Target Range - Lower Bound		0.014														
Upper Bound		0.036														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.03														
DUP		0.03														
Target Range - Lower Bound		<0.01														
Upper Bound		0.05														
B688386		0.02	0.06	20	0.39	267	1	0.01	22	680	11	0.01	<2	3	15	0.06
DUP		0.02	0.06	20	0.37	260	1	0.01	21	640	13	0.01	<2	3	16	0.06
Target Range - Lower Bound		<0.01	0.04	<10	0.34	240	<1	<0.01	18	610	7	<0.01	<2	<1	13	0.04
Upper Bound		0.04	0.08	40	0.42	287	2	0.02	25	710	17	0.02	4	5	18	0.08
B688402																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688421		0.05	0.14	20	0.54	353	1	0.01	24	470	12	0.03	<2	3	22	0.08
DUP		0.05	0.13	20	0.50	333	1	0.01	23	440	13	0.03	<2	3	20	0.07
Target Range - Lower Bound		0.03	0.11	<10	0.47	316	<1	<0.01	20	410	8	<0.01	<2	<1	18	0.05
Upper Bound		0.07	0.16	40	0.57	370	2	0.02	27	500	17	0.05	4	5	24	0.10
B688456		0.06	0.11	20	0.31	187	1	<0.01	17	460	11	0.02	<2	2	11	0.07
DUP		0.05	0.11	20	0.32	191	<1	<0.01	16	470	10	0.03	<2	2	11	0.07
Target Range - Lower Bound		0.03	0.08	<10	0.28	170	<1	<0.01	14	420	6	<0.01	<2	<1	8	0.05
Upper Bound		0.08	0.14	40	0.35	208	2	0.02	19	510	15	0.05	4	4	14	0.09
B688457																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688386		<10	<10	41	<10	59
DUP		<10	<10	39	<10	57
Target Range - Lower Bound		<10	<10	36	<10	51
Upper Bound		20	20	44	20	65
B688402						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688421		<10	<10	50	<10	63
DUP		<10	<10	47	<10	59
Target Range - Lower Bound		<10	<10	44	<10	54
Upper Bound		20	20	53	20	68
B688456		<10	<10	45	<10	46
DUP		<10	<10	45	<10	47
Target Range - Lower Bound		<10	<10	41	<10	40
Upper Bound		20	20	49	20	53
B688457						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B688477		0.018														
DUP		0.023														
Target Range - Lower Bound		0.009														
Upper Bound		0.032														
B688484																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688491			<0.2	1.01	42	<10	90	<0.5	<2	0.12	<0.5	8	19	14	2.77	<10
DUP			<0.2	1.02	42	<10	100	<0.5	<2	0.11	<0.5	8	19	14	2.81	<10
Target Range - Lower Bound			<0.2	0.94	36	<10	70	<0.5	<2	0.09	<0.5	6	16	11	2.63	<10
Upper Bound			0.4	1.09	48	20	120	1.0	4	0.14	1.0	10	22	17	2.95	20
B688526			0.4	1.79	99	<10	200	0.7	<2	0.13	<0.5	10	29	36	3.26	10
DUP			0.5	1.80	105	<10	200	0.7	<2	0.13	<0.5	11	29	36	3.30	10
Target Range - Lower Bound			<0.2	1.69	93	<10	170	<0.5	<2	0.10	<0.5	8	26	32	3.10	<10
Upper Bound			0.9	1.90	111	20	240	1.0	4	0.16	1.0	13	32	40	3.46	20
B688561			0.7	1.73	1255	<10	100	0.9	3	0.07	<0.5	7	24	61	4.45	10
DUP			0.7	1.72	1255	<10	100	0.9	3	0.08	<0.5	7	24	62	4.43	10
Target Range - Lower Bound			0.3	1.62	1190	<10	70	<0.5	<2	0.05	<0.5	5	21	56	4.20	<10
Upper Bound			1.1	1.83	1320	20	130	1.0	4	0.10	1.0	9	27	67	4.68	20

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B688477																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688484		0.05														
DUP		0.04														
Target Range - Lower Bound		0.02														
Upper Bound		0.07														
B688491		0.03	0.06	20	0.27	404	1	<0.01	19	560	14	0.01	9	2	12	0.03
DUP		0.02	0.06	20	0.28	414	1	<0.01	18	570	16	0.01	9	2	12	0.03
Target Range - Lower Bound		<0.01	0.04	<10	0.24	379	<1	<0.01	16	520	10	<0.01	4	<1	9	<0.01
Upper Bound		0.05	0.08	40	0.31	439	2	0.02	21	610	20	0.02	14	4	15	0.05
B688526		0.08	0.04	20	0.34	286	2	<0.01	34	750	8	0.04	9	3	18	0.03
DUP		0.08	0.04	20	0.34	290	2	<0.01	33	750	8	0.04	7	3	18	0.03
Target Range - Lower Bound		0.06	0.02	<10	0.30	264	<1	<0.01	30	690	4	0.02	3	<1	15	<0.01
Upper Bound		0.10	0.06	40	0.38	312	4	0.02	37	810	12	0.06	13	5	21	0.05
B688561		0.04	0.12	30	0.42	196	1	0.02	19	670	10	0.09	4	2	31	0.03
DUP		0.04	0.12	30	0.42	196	1	0.02	18	680	9	0.10	4	2	31	0.03
Target Range - Lower Bound		0.02	0.09	<10	0.38	176	<1	<0.01	16	620	5	0.07	<2	<1	27	<0.01
Upper Bound		0.06	0.15	50	0.46	216	2	0.04	21	730	14	0.12	8	4	35	0.05

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

:STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 31-AUG-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06075852

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	ppm	ppm
	LOR	10	10	1	10	2
DUPLICATES						
B688477						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688484						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688491		<10	<10	38	<10	66
DUP		<10	<10	37	<10	65
Target Range - Lower Bound		<10	<10	34	<10	58
Upper Bound		20	20	41	20	73
B688526		<10	<10	43	<10	72
DUP		<10	<10	43	<10	71
Target Range - Lower Bound		<10	<10	39	<10	64
Upper Bound		20	20	47	20	79
B688561		<10	<10	28	<10	49
DUP		<10	<10	29	<10	49
Target Range - Lower Bound		<10	<10	25	<10	43
Upper Bound		20	20	32	20	55

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080880

Project: Clear Creek-1740

P.O. No.:

This report is for 167 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.0	3.52	19	200	0.9	108	0.21	26.0	97	351	5150	4.10	0.12	0.78
BM-9/A			14.3	3.66	16	200	0.9	112	0.23	26.5	99	372	5440	4.30	0.12	0.79
BM-9/A			14.3	3.66	25	200	0.9	110	0.22	26.2	97	363	5310	4.29	0.12	0.79
BM-9/A			14.5	3.65	27	200	0.9	110	0.22	26.5	94	345	5240	4.13	0.12	0.80
BM-9/A			14.4	3.75	28	220	1.0	115	0.23	27.0	97	380	5430	4.39	0.12	0.82
BM-9/A			14.3	3.49	26	190	0.9	105	0.21	24.9	97	367	5360	4.15	0.12	0.76
BM-9/A			13.7	3.55	24	200	0.9	109	0.21	25.3	95	360	5250	4.29	0.12	0.77
BM-9/A			13.3	3.45	24	210	0.9	108	0.21	25.3	97	362	5290	4.25	0.12	0.80
BM-9/A			14.0	3.58	28	200	0.9	106	0.21	25.9	95	378	5420	4.32	0.13	0.83
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.6	5.26	465	2420	1.4	<2	0.58	7.2	23	102	306	3.87	1.30	0.76
G2000			3.9	5.22	492	2500	1.3	<2	0.61	7.2	23	103	304	3.96	1.26	0.75
G2000			3.9	5.01	475	2340	1.3	<2	0.58	6.9	22	101	292	3.77	1.27	0.72
G2000			3.7	5.09	487	2410	1.3	<2	0.61	7.4	24	102	296	3.75	1.27	0.74
G2000			3.5	5.24	478	2440	1.4	<2	0.62	7.2	24	105	307	3.90	1.27	0.75
G2000			3.6	5.21	514	2490	1.4	<2	0.63	6.5	24	102	312	4.05	1.33	0.76
G2000			3.6	4.98	475	2380	1.3	<2	0.59	6.2	24	96	292	3.76	1.25	0.73
G2000			3.9	5.14	486	2490	1.3	2	0.62	6.5	24	94	301	3.90	1.28	0.75
G2000			3.6	5.10	501	2470	1.3	<2	0.62	6.4	23	99	300	3.89	1.28	0.75
G2000			4.0	4.98	463	2380	1.2	<2	0.60	6.4	21	96	284	3.83	1.21	0.72
G2000			3.0	4.96	467	2360	1.3	<2	0.57	6.2	23	91	291	3.74	1.23	0.71
G2000			3.7	5.02	468	2370	1.3	<2	0.59	7.3	23	97	292	3.91	1.26	0.76
G2000			3.4	4.99	466	2390	1.2	<2	0.58	6.7	22	94	285	3.89	1.24	0.76
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			62.3	4.71	<5	180	1.2	<2	0.10	<0.5	1	4	475	3.02	3.50	0.04
GBM999-5			58.7	4.78	<5	190	1.2	<2	0.10	<0.5	4	4	473	2.99	3.52	0.04
GBM999-5			63.9	5.17	<5	200	1.3	<2	0.11	<0.5	2	4	498	3.22	3.73	0.04
GBM999-5			53.8	4.82	<5	180	1.2	<2	0.11	<0.5	1	5	449	2.99	3.37	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method Analyte Units LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		606	3	0.46	349	90	6450	1.39	6	88	0.08	21	<10	8150
BM-9/A		644	4	0.46	365	100	6590	1.45	5	93	0.09	22	<10	8540
BM-9/A		650	3	0.49	356	100	6460	1.40	9	88	0.08	21	<10	8110
BM-9/A		625	3	0.47	354	100	6550	1.42	7	93	0.09	21	<10	8360
BM-9/A		636	4	0.47	378	110	6950	1.45	<5	95	0.09	22	<10	8330
BM-9/A		606	2	0.46	364	110	6200	1.36	<5	88	0.09	21	<10	7710
BM-9/A		627	3	0.47	358	90	6430	1.45	8	87	0.09	21	<10	7950
BM-9/A		613	6	0.49	361	100	6340	1.38	10	87	0.09	21	20	8130
BM-9/A		603	3	0.46	375	90	6330	1.36	5	88	0.09	22	<10	8080
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		570	5	0.14	274	1040	695	0.28	40	124	0.35	107	10	1310
G2000		598	6	0.13	286	970	689	0.28	36	120	0.37	104	10	1370
G2000		556	6	0.12	268	970	645	0.26	33	114	0.34	98	10	1240
G2000		573	5	0.13	279	1000	680	0.27	32	117	0.37	103	10	1260
G2000		581	6	0.14	285	1030	689	0.28	30	124	0.37	103	20	1310
G2000		593	5	0.15	297	1050	686	0.28	27	121	0.37	109	20	1360
G2000		567	6	0.14	271	980	652	0.26	32	115	0.35	100	10	1290
G2000		597	5	0.14	277	1020	676	0.27	39	119	0.36	104	10	1330
G2000		582	5	0.14	286	1030	686	0.27	37	118	0.36	105	10	1320
G2000		545	5	0.14	271	980	645	0.27	25	116	0.34	98	20	1270
G2000		558	4	0.14	275	920	634	0.28	31	113	0.35	101	20	1260
G2000		564	5	0.14	273	980	670	0.28	35	120	0.34	98	10	1320
G2000		555	5	0.14	265	940	652	0.26	33	114	0.34	97	10	1260
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		67	3	0.98	<1	70	535	0.30	10	20	0.02	7	<10	114
GBM999-5		68	3	0.97	5	60	545	0.30	8	20	0.02	6	<10	118
GBM999-5		74	4	1.04	2	50	597	0.33	6	21	0.02	7	<10	121
GBM999-5		65	2	0.98	<1	50	534	0.31	<5	20	0.02	6	<10	108
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
MP-2			4.6	1.85	2020	10	<0.5	2510	2.44	8.6	6	2	850	3.47	0.36	0.02
MP-2			5.0	1.85	1440	10	<0.5	2480	2.63	8.2	5	4	862	3.71	0.36	0.03
MP-2			5.1	1.87	2030	10	<0.5	2390	2.48	7.8	6	4	845	3.65	0.36	0.03
Target Range - Lower Bound			3.9	<0.01				2200					772			
Upper Bound			5.9	0.02				2700					946			
OXD43		0.393														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.050														
OxG46		1.010														
OxG46		1.020														
OxG46		1.010														
OxG46		1.090														
OxG46		1.025														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.45														
ST-259		2.42														
ST-259		2.35														
ST-259		2.38														
ST-259		2.46														
ST-259		2.57														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.42														
ST-327		7.01														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
MP-2		685	2730	0.01	2	100	415	0.65	11	12	0.02	<1	4150	3450
MP-2		693	2620	0.01	2	110	394	0.66	5	13	0.02	<1	4160	3500
MP-2		683	2670	0.01	1	90	393	0.62	<5	13	0.02	<1	4220	3630
Target Range - Lower Bound			2530										5840	
Upper Bound			3090										7160	
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
ST-327														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	1	1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.6	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		2.05														
DUP		2.09														
Target Range - Lower Bound		1.955														
Upper Bound		2.18														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	3	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	<1	10	2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	2	<0.01	2	20	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK														
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.008														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			<0.5	4.79	76	860	<0.5	4	0.05	<0.5	<1	23	21	2.27	0.02	0.01
DUP			<0.5	4.94	88	900	<0.5	3	0.06	<0.5	<1	22	21	2.36	0.03	0.01
Target Range - Lower Bound			<0.5	4.60	68	820	<0.5	<2	0.03	<0.5	<1	19	18	2.18	<0.01	<0.01
Upper Bound			1.0	5.13	96	940	1.0	4	0.08	1.0	2	26	24	2.45	0.05	0.02
ORIGINAL		0.094														
DUP		0.096														
Target Range - Lower Bound		0.080														
Upper Bound		0.110														
ORIGINAL			<0.5	11.05	50	80	<0.5	<2	0.07	<0.5	27	10	13	4.66	1.81	0.02
DUP			<0.5	11.45	52	60	<0.5	<2	0.08	<0.5	26	9	13	4.78	1.81	0.02
Target Range - Lower Bound			<0.5	10.65	38	50	<0.5	<2	0.05	<0.5	23	7	10	4.46	1.70	<0.01
Upper Bound			1.0	11.85	64	90	1.0	4	0.10	1.0	30	12	16	4.98	1.92	0.04
ORIGINAL			0.5	3.33	228	540	0.9	<2	7.59	<0.5	2	99	14	1.75	1.11	3.09
DUP			<0.5	3.20	215	520	0.8	<2	7.35	<0.5	3	92	13	1.69	1.06	3.00
Target Range - Lower Bound			<0.5	3.08	200	480	<0.5	<2	7.08	<0.5	<1	89	11	1.61	1.01	2.87
Upper Bound			1.0	3.45	243	580	1.0	4	7.86	1.0	5	102	16	1.83	1.16	3.22
ORIGINAL		0.017														
DUP		0.017														
Target Range - Lower Bound		0.006														
Upper Bound		0.028														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL			4.4	6.18	796	810	1.2	<2	0.06	<0.5	<1	1	27	2.25	6.29	0.07
DUP			4.4	6.10	774	810	1.2	<2	0.06	<0.5	<1	1	26	2.26	6.15	0.08
Target Range - Lower Bound			3.2	5.81	736	750	<0.5	<2	0.04	<0.5	<1	<1	23	2.12	5.89	0.05
Upper Bound			5.6	6.47	834	870	2.3	4	0.08	1.0	2	2	30	2.39	6.55	0.10

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		15	17	0.06	<1	650	51	0.11	39	651	0.39	64	<10	12
DUP		16	18	0.06	<1	680	53	0.12	36	662	0.40	66	<10	13
Target Range - Lower Bound		<5	15	0.04	<1	610	45	0.09	26	622	0.36	60	<10	8
Upper Bound		26	20	0.08	2	720	59	0.14	49	691	0.43	70	20	17
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		18	206	0.32	6	860	118	6.86	<5	424	0.39	185	<10	18
DUP		18	213	0.33	8	910	122	7.15	<5	436	0.39	185	<10	17
Target Range - Lower Bound		7	197	0.29	5	820	110	6.63	<5	407	0.35	174	<10	13
Upper Bound		29	222	0.36	9	950	130	7.38	10	454	0.43	196	20	22
ORIGINAL		287	3	0.03	36	760	8	1.29	14	145	0.22	49	10	105
DUP		279	3	0.03	32	740	8	1.24	10	140	0.21	46	10	96
Target Range - Lower Bound		259	<1	<0.01	30	690	4	1.18	<5	133	0.18	43	<10	91
Upper Bound		307	5	0.05	38	810	12	1.35	23	152	0.25	52	20	110
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		138	<1	0.10	1	180	1230	0.21	42	95	0.03	1	<10	18
DUP		139	<1	0.10	1	160	1220	0.21	44	93	0.03	2	10	18
Target Range - Lower Bound		122	<1	0.08	<1	140	1160	0.18	31	87	<0.01	<1	<10	13
Upper Bound		155	2	0.13	2	200	1290	0.24	55	101	0.05	2	20	23

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		0.066														
DUP		0.068														
Target Range - Lower Bound		0.054														
Upper Bound		0.080														
ORIGINAL		0.038														
DUP		0.026														
Target Range - Lower Bound		0.020														
Upper Bound		0.044														
ORIGINAL			<0.5	6.97	44	1550	1.3	<2	1.02	<0.5	3	22	44	1.94	2.93	0.45
DUP			<0.5	7.32	58	1590	1.4	<2	1.07	<0.5	3	23	41	2.00	3.02	0.47
Target Range - Lower Bound			<0.5	6.77	38	1470	<0.5	<2	0.97	<0.5	<1	19	38	1.85	2.81	0.42
Upper Bound			1.0	7.52	64	1670	2.4	4	1.12	1.0	5	26	47	2.09	3.14	0.50
ORIGINAL			1.5	7.49	17	930	1.4	<2	2.49	<0.5	9	11	108	2.98	3.08	0.92
DUP			1.5	7.77	20	940	1.3	<2	2.55	<0.5	8	10	105	3.07	3.01	0.94
Target Range - Lower Bound			<0.5	7.23	8	870	<0.5	<2	2.37	<0.5	6	8	99	2.85	2.87	0.86
Upper Bound			2.6	8.03	29	1000	2.4	4	2.67	1.0	11	13	114	3.20	3.22	1.00
ORIGINAL			1.7	5.72	23	850	0.7	<2	0.09	0.5	5	10	>10000	2.97	4.70	0.80
DUP			1.7	5.92	27	880	0.8	3	0.09	0.7	4	10	>10000	3.05	3.86	0.83
Target Range - Lower Bound			0.6	5.51	14	800	<0.5	<2	0.07	<0.5	2	8	9500	2.84	4.05	0.75
Upper Bound			2.8	6.13	36	930	1.0	4	0.11	1.0	7	13	>10000	3.18	4.51	0.88
ORIGINAL			4.2	1.69	123	400	<0.5	<2	0.05	5.2	4	58	16	1.84	0.50	0.04
DUP			3.8	1.62	121	500	<0.5	<2	0.05	5.0	3	56	15	1.78	0.49	0.04
Target Range - Lower Bound			2.8	1.55	106	410	<0.5	<2	0.03	3.8	<1	52	13	1.70	0.45	0.02
Upper Bound			5.2	1.76	138	490	1.0	4	0.07	6.4	6	62	18	1.92	0.54	0.06
B686974			<0.5	5.62	20	590	1.2	10	0.29	<0.5	7	42	24	2.97	1.83	0.54
DUP			<0.5	5.51	16	590	1.1	8	0.29	<0.5	8	42	22	2.95	1.75	0.54
Target Range - Lower Bound			<0.5	5.27	7	540	<0.5	5	0.26	<0.5	5	38	20	2.79	1.68	0.49
Upper Bound			1.0	5.86	29	640	2.2	13	0.32	1.0	10	46	26	3.13	1.90	0.59
B686979		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		359	4	2.05	8	580	21	0.02	<5	262	0.16	55	<10	89
DUP		371	1	2.13	7	600	23	0.02	<5	273	0.17	56	<10	92
Target Range - Lower Bound		337	<1	1.97	5	540	17	<0.01	<5	252	0.14	51	<10	82
Upper Bound		393	5	2.21	10	640	27	0.04	10	283	0.19	60	20	99
ORIGINAL		2260	13	1.93	3	610	33	0.85	<5	333	0.35	81	10	89
DUP		2300	14	1.97	7	600	33	0.89	7	345	0.35	81	20	86
Target Range - Lower Bound		2160	11	1.83	3	550	27	0.81	<5	320	0.31	75	<10	79
Upper Bound		2400	16	2.07	7	660	39	0.93	10	358	0.39	87	20	96
ORIGINAL		218	307	0.24	4	550	30	1.41	66	79	0.12	46	1060	166
DUP		227	304	0.25	4	560	31	1.46	73	82	0.12	47	1080	171
Target Range - Lower Bound		201	288	0.21	2	510	25	1.34	56	74	0.09	42	1000	156
Upper Bound		244	323	0.28	6	600	36	1.53	83	87	0.15	51	1140	181
ORIGINAL		91	<1	0.05	24	140	356	1.85	20	40	0.12	34	<10	510
DUP		88	<1	0.04	20	140	335	1.79	20	39	0.12	32	<10	489
Target Range - Lower Bound		75	<1	0.02	19	110	324	1.71	9	36	0.09	29	<10	471
Upper Bound		104	2	0.07	25	170	367	1.93	31	43	0.15	37	20	528
B686974		280	<1	1.06	21	200	3	0.01	<5	78	0.25	39	<10	49
DUP		279	<1	1.04	19	210	8	<0.01	<5	77	0.24	39	10	46
Target Range - Lower Bound		256	<1	0.98	17	170	<2	<0.01	<5	72	0.21	35	<10	41
Upper Bound		303	2	1.12	23	240	10	0.02	10	83	0.28	43	20	54
B686979														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
B687027		0.017	0.5	6.53	38	560	1.5	<2	0.06	<0.5	12	51	34	3.44	2.04	0.63
DUP		0.018	0.5	7.37	34	620	1.7	<2	0.07	<0.5	12	55	38	3.81	2.30	0.71
	Target Range - Lower Bound	0.007	<0.5	6.58	24	540	<0.5	<2	0.04	<0.5	9	48	32	3.42	2.04	0.62
	Upper Bound	0.028	1.0	7.32	48	640	2.7	4	0.09	1.0	15	58	40	3.83	2.30	0.72
B687063			<0.5	1.18	37	110	<0.5	<2	0.03	<0.5	2	17	13	1.50	0.49	0.06
DUP			<0.5	1.24	43	120	<0.5	<2	0.03	<0.5	3	24	14	1.57	0.50	0.06
	Target Range - Lower Bound		<0.5	1.13	28	90	<0.5	<2	<0.01	<0.5	<1	17	11	1.44	0.45	0.04
	Upper Bound		1.0	1.29	52	140	1.0	4	0.05	1.0	5	24	16	1.63	0.54	0.08
B687068		0.010														
DUP		0.008														
	Target Range - Lower Bound	<0.005														
	Upper Bound	0.010														
B687088		0.061														
DUP		0.050														
	Target Range - Lower Bound	0.043														
	Upper Bound	0.068														
B687099			<0.5	8.60	100	1760	3.1	<2	0.85	<0.5	5	29	22	2.66	3.52	0.49
DUP			<0.5	8.71	95	1790	3.1	<2	0.87	<0.5	4	28	23	2.72	3.58	0.50
	Target Range - Lower Bound		<0.5	8.20	83	1670	1.9	<2	0.80	<0.5	2	25	19	2.54	3.35	0.45
	Upper Bound		1.0	9.11	112	1880	4.3	4	0.92	1.0	7	32	26	2.84	3.75	0.54
C082729		0.011														
DUP		0.009														
	Target Range - Lower Bound	<0.005														
	Upper Bound	0.021														
ORIGINAL			2.8	6.19	11	1550	3.1	<2	4.81	<0.5	23	164	118	4.72	3.94	2.92
DUP			2.2	6.41	11	1610	3.0	<2	5.02	<0.5	24	160	113	4.90	3.99	3.01
	Target Range - Lower Bound		1.4	5.97	<5	1480	1.9	<2	4.65	<0.5	20	152	108	4.55	3.75	2.80
	Upper Bound		3.6	6.64	22	1680	4.2	4	5.18	1.0	27	172	123	5.07	4.18	3.13
ORIGINAL			1.4	7.87	13	300	0.8	<2	1.82	7.8	9	4	378	4.37	3.00	0.93
DUP			1.4	8.24	21	250	0.8	<2	1.88	8.2	9	2	393	4.52	3.11	0.97
	Target Range - Lower Bound		<0.5	7.63	6	240	<0.5	<2	1.74	6.6	7	<1	364	4.20	2.88	0.88
	Upper Bound		2.5	8.48	28	310	1.0	4	1.96	9.4	11	5	407	4.69	3.23	1.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080880

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
B687027		268	<1	0.22	27	210	4	0.01	<5	66	0.29	56	10	60
DUP		302	<1	0.24	30	240	<2	0.01	<5	75	0.31	63	10	66
	Target Range - Lower Bound	261	<1	0.20	25	190	<2	<0.01	<5	65	0.27	55	<10	56
	Upper Bound	309	2	0.26	32	260	4	0.02	10	76	0.34	64	20	70
B687063		101	<1	0.03	9	120	2	<0.01	<5	10	0.05	9	<10	11
DUP		105	<1	0.04	11	130	9	<0.01	<5	10	0.05	9	<10	11
	Target Range - Lower Bound	88	<1	<0.01	8	100	<2	<0.01	<5	8	0.03	7	<10	6
	Upper Bound	118	2	0.06	13	150	10	0.02	10	13	0.07	11	20	16
B687068														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
B687088														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
B687099		337	1	1.25	10	430	28	<0.01	<5	349	0.27	44	10	60
DUP		346	1	1.26	9	430	25	<0.01	<5	355	0.27	46	10	61
	Target Range - Lower Bound	314	<1	1.17	7	390	21	<0.01	<5	332	0.24	41	<10	53
	Upper Bound	369	2	1.34	12	470	32	0.02	10	372	0.30	49	20	68
C082729														
DUP														
	Target Range - Lower Bound													
	Upper Bound													
ORIGINAL		1010	46	1.36	64	2000	34	1.05	<5	1170	0.35	171	10	79
DUP		1050	48	1.40	64	2080	42	1.09	<5	1195	0.36	174	20	83
	Target Range - Lower Bound	969	43	1.29	59	1920	32	1.00	<5	1120	0.32	162	<10	73
	Upper Bound	1090	51	1.47	69	2160	44	1.14	10	1245	0.39	183	20	89
ORIGINAL		1695	157	0.10	<1	1180	35	2.68	<5	77	0.16	142	10	674
DUP		1740	153	0.10	<1	1220	33	2.73	<5	79	0.16	148	<10	699
	Target Range - Lower Bound	1620	145	0.08	<1	1120	28	2.55	<5	72	0.13	136	<10	648
	Upper Bound	1815	165	0.13	2	1280	40	2.86	10	84	0.19	154	20	725

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080881

Project: Clear Creek-1740

P.O. No.:

This report is for 197 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			13.8	3.37	18	180	0.9	107	0.20	24.3	93	334	5210	3.96	0.12	0.75
BM-9/A			13.1	3.48	25	200	0.9	108	0.23	25.9	103	364	5320	4.21	0.11	0.77
BM-9/A			13.4	3.52	26	200	0.9	109	0.22	25.9	93	379	5270	4.23	0.12	0.80
BM-9/A			15.1	3.79	23	220	0.9	115	0.23	27.0	100	342	5390	4.50	0.12	0.83
BM-9/A			13.9	3.46	33	210	0.9	118	0.21	26.0	101	397	5520	4.24	0.12	0.75
BM-9/A			13.2	3.48	20	200	0.9	107	0.21	26.7	96	342	5360	4.12	0.11	0.76
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.7	5.04	480	2350	1.3	<2	0.64	7.1	24	100	303	3.76	1.25	0.74
G2000			3.1	4.80	477	2330	1.3	<2	0.57	6.2	24	94	307	3.75	1.20	0.70
G2000			3.6	5.00	485	2450	1.3	3	0.59	6.7	22	97	295	3.83	1.25	0.75
G2000			3.6	5.38	482	2480	1.3	<2	0.62	7.3	24	97	305	4.05	1.29	0.77
G2000			3.8	5.09	461	2350	1.3	3	0.58	7.1	23	95	288	3.83	1.23	0.73
G2000			3.3	4.88	472	2310	1.3	<2	0.56	7.4	22	94	303	3.73	1.17	0.70
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			56.5	4.77	<5	180	1.2	<2	0.11	<0.5	3	5	453	3.00	3.47	0.03
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
MP-2			4.5	1.74	1420	10	<0.5	2250	2.31	7.7	5	4	778	3.36	0.32	0.02
Target Range - Lower Bound			3.9	<0.01				2200					772			
Upper Bound			5.9	0.02				2700					946			
OXD43		0.395														
OXD43		0.395														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.055														
OxG46		1.055														
OxG46		1.100														
OxG46		1.080														
OxG46		1.005														
OxG46		1.125														
OxG46		1.050														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method Analyte Units LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		609	4	0.44	349	90	5990	1.31	8	87	0.08	20	<10	7920
BM-9/A		626	3	0.46	366	90	6280	1.27	16	89	0.09	22	<10	7890
BM-9/A		625	3	0.46	356	90	6560	1.42	12	86	0.09	20	<10	8220
BM-9/A		666	4	0.49	365	100	6720	1.47	9	95	0.09	22	<10	8410
BM-9/A		627	4	0.45	362	90	6470	1.35	9	88	0.08	22	<10	8130
BM-9/A		605	4	0.44	362	90	6460	1.29	11	87	0.08	22	<10	8030
Target Range - Lower Bound		561	3	0.42	329	60	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		566	6	0.13	279	970	654	0.27	36	117	0.36	102	20	1260
G2000		541	6	0.14	271	970	637	0.25	38	113	0.35	100	10	1275
G2000		577	5	0.16	277	980	687	0.28	35	116	0.35	104	20	1320
G2000		593	6	0.17	286	1030	701	0.29	32	122	0.36	105	20	1325
G2000		565	5	0.17	267	950	640	0.26	33	116	0.35	100	10	1265
G2000		537	6	0.16	279	930	665	0.25	34	113	0.34	101	10	1270
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		67	4	0.94	3	60	577	0.30	6	21	0.02	6	<10	124
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
MP-2		641	2540	0.01	<1	90	361	0.58	10	13	0.02	<1	3830	3220
Target Range - Lower Bound			2530										5840	
Upper Bound			3090										7160	
OXD43														
OXD43														
Target Range - Lower Bound														
Upper Bound														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

To: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
SI15		1.805														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.64														
ST-259		2.51														
ST-259		2.62														
ST-259		2.43														
ST-259		2.57														
ST-259		2.43														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		6.73														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.008														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.010														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.7	<1	1	1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	2	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	0.5	<1	<1	2	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
ST-327														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	2	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	2	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL			71.8	5.98	44	1480	1.0	<2	0.14	2.2	6	18	36	2.95	4.40	0.40
DUP			67.3	6.06	47	1500	1.0	<2	0.15	2.0	5	17	36	2.97	5.85	0.41
Target Range - Lower Bound			65.1	5.70	33	1400	<0.5	<2	0.12	1.0	3	15	32	2.79	4.85	0.36
Upper Bound			74.0	6.34	58	1580	2.1	4	0.17	3.2	8	20	40	3.13	5.40	0.45
ORIGINAL			7.6	6.28	74	550	0.9	<2	0.03	0.9	2	13	593	1.73	3.68	0.32
DUP			7.2	5.95	75	530	0.9	<2	0.03	1.0	1	12	551	1.68	3.40	0.30
Target Range - Lower Bound			6.0	5.79	61	490	<0.5	<2	<0.01	<0.5	<1	10	541	1.60	3.34	0.27
Upper Bound			8.8	6.44	88	590	1.0	4	0.05	1.0	2	15	603	1.81	3.74	0.35
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.017														
DUP		0.018														
Target Range - Lower Bound		0.007														
Upper Bound		0.028														
ORIGINAL			<0.5	7.44	<5	270	0.8	<2	3.22	<0.5	25	40	82	8.10	0.73	2.40
DUP			<0.5	7.76	<5	280	0.8	<2	3.35	<0.5	26	41	89	8.33	0.79	2.50
Target Range - Lower Bound			<0.5	7.20	<5	240	<0.5	<2	3.10	<0.5	22	36	79	7.78	0.70	2.31
Upper Bound			1.0	8.00	10	310	1.0	4	3.47	1.0	29	45	92	8.65	0.82	2.59
C080555		0.006														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C080575		0.008														
DUP		0.007														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
B687209		0.041														
DUP		0.032														
Target Range - Lower Bound		0.025														
Upper Bound		0.048														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL		659	3	0.19	8	310	1090	0.05	17	124	0.21	81	10	954
DUP		655	2	0.19	6	310	1080	0.05	20	127	0.21	79	10	941
Target Range - Lower Bound		614	<1	0.16	5	270	1025	0.03	8	117	0.18	74	<10	896
Upper Bound		700	5	0.22	9	350	1145	0.07	29	134	0.24	86	20	999
ORIGINAL		74	565	0.10	3	180	99	0.32	557	36	0.12	52	140	73
DUP		72	527	0.10	4	170	103	0.32	531	34	0.11	48	140	77
Target Range - Lower Bound		59	517	0.08	<1	150	92	0.28	507	31	0.09	46	110	67
Upper Bound		87	575	0.13	6	200	110	0.36	581	39	0.14	55	170	83
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL		1060	<1	3.22	39	780	7	0.08	9	303	0.77	173	<10	92
DUP		1100	<1	3.39	45	830	8	0.08	<5	318	0.81	183	<10	97
Target Range - Lower Bound		1015	<1	3.12	38	740	3	0.06	<5	293	0.73	167	<10	86
Upper Bound		1145	2	3.49	46	870	12	0.10	10	328	0.85	189	20	103
C080555														
DUP														
Target Range - Lower Bound														
Upper Bound														
C080575														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687209														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
B687259		0.069														
DUP		0.066														
Target Range - Lower Bound		0.054														
Upper Bound		0.081														
B687273			<0.5	4.27	6	320	1.3	<2	0.53	<0.5	4	29	9	1.78	1.16	0.50
DUP			<0.5	4.26	9	310	1.2	<2	0.53	<0.5	4	28	8	1.78	1.13	0.50
Target Range - Lower Bound			<0.5	4.03	<5	280	<0.5	<2	0.48	<0.5	2	25	6	1.67	1.07	0.46
Upper Bound			1.0	4.50	10	350	2.3	4	0.58	1.0	6	32	11	1.89	1.22	0.55
B687279		0.206														
DUP		0.210														
Target Range - Lower Bound		0.188														
Upper Bound		0.228														
B687309			<0.5	7.38	49	760	2.2	<2	0.11	<0.5	7	35	27	2.85	2.60	0.38
DUP			<0.5	7.21	50	730	2.1	2	0.11	<0.5	7	33	26	2.76	2.53	0.37
Target Range - Lower Bound			<0.5	6.91	37	690	1.0	<2	0.08	<0.5	5	30	23	2.64	2.42	0.34
Upper Bound			1.0	7.68	62	800	3.3	4	0.14	1.0	9	38	30	2.97	2.71	0.41
B687320		0.252														
DUP		0.248														
Target Range - Lower Bound		0.228														
Upper Bound		0.273														
B687336		0.025														
DUP		0.021														
Target Range - Lower Bound		0.012														
Upper Bound		0.034														
B687345			<0.5	9.14	25	990	1.9	<2	0.23	<0.5	14	67	31	4.26	3.72	1.07
DUP			<0.5	9.13	22	990	2.0	<2	0.23	<0.5	13	69	31	4.29	3.75	1.07
Target Range - Lower Bound			<0.5	8.66	12	920	0.9	<2	0.20	<0.5	11	63	27	4.04	3.53	1.00
Upper Bound			1.0	9.61	35	1060	3.0	4	0.26	1.0	16	73	35	4.51	3.94	1.14
B687356		0.009														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
		DUPLICATES												
B687259														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687273		257	<1	0.80	17	160	6	<0.01	<5	118	0.17	31	<10	43
DUP		256	<1	0.81	15	160	7	<0.01	<5	118	0.17	30	10	41
Target Range - Lower Bound		234	<1	0.74	13	130	<2	<0.01	<5	110	0.14	27	<10	36
Upper Bound		279	2	0.87	19	190	11	0.02	10	126	0.20	34	20	48
B687279														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687309		347	1	0.06	22	360	10	<0.01	<5	32	0.24	53	10	48
DUP		336	1	0.06	20	350	11	<0.01	<5	30	0.23	51	10	46
Target Range - Lower Bound		314	<1	0.04	18	320	6	<0.01	<5	27	0.20	47	<10	41
Upper Bound		369	2	0.08	24	390	15	0.02	10	35	0.27	57	20	53
B687320														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687336														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687345		536	1	0.29	33	590	6	<0.01	<5	65	0.39	86	<10	77
DUP		545	<1	0.28	38	590	7	<0.01	<5	65	0.40	88	<10	79
Target Range - Lower Bound		503	<1	0.25	32	540	<2	<0.01	<5	60	0.36	81	<10	70
Upper Bound		578	2	0.32	39	640	11	0.02	10	70	0.43	93	20	86
B687356														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
B687381			<0.5	6.91	12	990	2.5	7	1.39	<0.5	5	30	17	2.18	1.70	0.56
DUP			<0.5	7.00	14	990	2.5	5	1.40	<0.5	4	29	16	2.21	1.70	0.57
Target Range - Lower Bound			<0.5	6.59	<5	920	1.4	<2	1.31	<0.5	2	26	14	2.07	1.60	0.52
Upper Bound			1.0	7.32	24	1060	3.6	10	1.48	1.0	7	33	19	2.32	1.81	0.61

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 15-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080881

Sample Description	Method	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
	Analyte	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sr	Ti	V	W	Zn
	Units	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	5	1	0.01	1	10	2	0.01	5	1	0.01	1	10	2
DUPLICATES														
B687381		291	1	1.41	17	330	18	0.05	<5	367	0.20	38	10	41
DUP		300	1	1.41	17	330	16	0.05	<5	369	0.20	38	10	40
Target Range - Lower Bound		271	<1	1.32	14	290	12	0.03	<5	348	0.17	34	<10	34
Upper Bound		320	2	1.50	20	370	22	0.07	10	388	0.23	42	20	47

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06080882

Project: Clear Creek-1740

P.O. No.:

This report is for 26 Rock samples submitted to our lab in Vancouver, BC, Canada on 9-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080882

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			14.5	3.69	17	210	1.0	115	0.22	26.0	102	353	5400	4.41	0.13	0.84
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			4.6	5.09	476	2420	1.3	3	0.59	6.4	22	98	296	3.88	1.29	0.76
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
OxG46		1.025														
OxG46		1.050														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
ST-259		2.27														
ST-259		2.47														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02
DUPLICATES																
ORIGINAL		5.90														
DUP		6.64														
Target Range - Lower Bound		5.95														
Upper Bound		6.59														
ORIGINAL		1.245														
DUP		1.275														
Target Range - Lower Bound		1.185														
Upper Bound		1.335														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080882

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		656	3	0.48	381	100	6630	1.45	9	94	0.09	21	<10	8250
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		555	5	0.16	283	960	671	0.28	38	119	0.36	104	10	1310
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080882

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
C079267		0.106														
DUP		0.412														
Target Range - Lower Bound		0.236														
Upper Bound		0.282														
B687157			0.9	6.06	55	350	3.2	13	0.21	<0.5	10	61	128	5.41	1.62	0.39
DUP			0.5	5.73	51	330	3.0	10	0.20	<0.5	8	64	120	5.11	1.53	0.37
Target Range - Lower Bound			<0.5	5.58	40	300	1.9	7	0.17	<0.5	7	57	116	4.98	1.48	0.34
Upper Bound			1.0	6.21	66	380	4.3	16	0.24	1.0	11	68	132	5.54	1.67	0.42
B687161		0.055														
DUP		0.050														
Target Range - Lower Bound		0.040														
Upper Bound		0.065														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 13-SEP-2006
Account: STRGOL

Project: Clear Creek-1740

QC CERTIFICATE OF ANALYSIS VA06080882

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
C079267														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687157		234	2	0.21	29	410	10	0.07	<5	53	0.24	48	40	73
DUP		222	2	0.20	25	390	11	0.06	<5	50	0.23	45	40	69
Target Range - Lower Bound		207	<1	0.17	24	360	6	0.04	<5	47	0.20	42	20	63
Upper Bound		249	4	0.24	30	440	15	0.09	10	56	0.27	51	60	79
B687161														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06083754

Project: Clear Creek 1740

P.O. No.:

This report is for 46 Rock samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
WSH-21	"Wash" crushers
WSH-22	"Wash" pulverizers
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
ROL-21	Rolling Charge

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	27 element four acid ICP-AES	ICP-AES

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
STANDARDS																
BM-9/A			14.4	3.71	23	210	0.9	113	0.24	27.1	99	357	5560	4.49	0.13	0.87
Target Range - Lower Bound			11.9	3.23	17	180	<0.5	100	0.19	22.8	88	333	4890	3.73	0.10	0.72
Upper Bound			15.7	3.97	32	240	1.0	127	0.25	29.0	110	410	5980	4.59	0.14	0.90
G2000			3.6	4.87	465	2310	1.3	3	0.61	6.6	21	94	296	3.79	1.26	0.76
G2000			3.8	5.01	482	2390	1.3	<2	0.63	7.0	22	100	303	3.93	1.29	0.78
Target Range - Lower Bound			2.7	4.52	431	2110	0.8	<2	0.51	6.0	21	90	272	3.41	1.14	0.67
Upper Bound			4.4	5.54	537	2610	2.0	4	0.65	8.4	27	112	334	4.19	1.41	0.85
GBM999-5			59.9	4.54	<5	170	1.2	<2	0.10	<0.5	4	6	490	2.99	3.72	0.04
Target Range - Lower Bound			53.0	4.26	<5	150	0.7	<2	0.08	<0.5	2	4	428	2.67	3.10	0.03
Upper Bound			65.8	5.22	10	210	1.9	4	0.12	1.0	4	8	526	3.29	3.81	0.05
OxG46		1.065														
OxG46		1.050														
OxG46		1.010														
OxG46		1.105														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.840														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.48														
ST-259		2.48														
ST-259		2.33														
ST-259		2.54														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
BLANKS																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.008														
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
BLANK			<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Target Range - Lower Bound		<0.005	<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<0.01	<0.01
Upper Bound		0.010	1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	0.02	0.02

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
STANDARDS														
BM-9/A		630	3	0.52	366	100	6600	1.45	12	92	0.09	21	<10	8300
Target Range - Lower Bound		561	3	0.42	329	80	5980	1.27	<5	79		19	<10	7350
Upper Bound		697	5	0.54	404	120	7310	1.57	10	99		26	20	8990
G2000		537	5	0.15	266	930	623	0.26	28	112	0.35	98	10	1265
G2000		569	5	0.16	275	970	673	0.27	27	115	0.36	100	20	1310
Target Range - Lower Bound		506	4	0.13	246	870	601	0.23	24	103	0.31	94	<10	1160
Upper Bound		630	8	0.18	302	1080	739	0.30	40	129	0.40	117	20	1420
GBM999-5		62	4	1.01	2	50	545	0.29	<5	20	0.02	7	<10	115
Target Range - Lower Bound		54	3	0.85	2	40	486	0.26	<5	16	<0.01	5	<10	102
Upper Bound		78	5	1.07	5	70	598	0.34	10	22	0.03	9	20	129
OxG46														
OxG46														
OxG46														
OxG46														
Target Range - Lower Bound														
Upper Bound														
SI15														
Target Range - Lower Bound														
Upper Bound														
ST-259														
ST-259														
ST-259														
ST-259														
Target Range - Lower Bound														
Upper Bound														
BLANKS														
BLANK														
BLANK														
BLANK														
BLANK														
BLANK		<5	<1	<0.01	<1	10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
BLANK		<5	1	<0.01	1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Target Range - Lower Bound		<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<0.01	<1	<10	<2
Upper Bound		10	2	0.02	2	20	4	0.02	10	2	0.02	2	20	4

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
ORIGINAL		2.40														
DUP		2.49														
Target Range - Lower Bound		2.31														
Upper Bound		2.58														
ORIGINAL		0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079837		0.011														
DUP		0.011														
Target Range - Lower Bound		<0.005														
Upper Bound		0.022														
C079857		<0.005														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
C079877		0.014														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.025														
C079899			<0.5	2.97	15	150	0.7	<2	0.79	<0.5	3	26	14	1.37	0.63	0.44
DUP			<0.5	2.88	11	150	0.7	<2	0.76	<0.5	5	24	15	1.32	0.65	0.43
Target Range - Lower Bound			<0.5	2.76	<5	120	<0.5	<2	0.72	<0.5	2	22	12	1.26	0.59	0.39
Upper Bound			1.0	3.09	24	180	1.0	4	0.83	1.0	6	28	17	1.43	0.69	0.48
B687407		0.037														
DUP		0.033														
Target Range - Lower Bound		0.023														
Upper Bound		0.047														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
ORIGINAL														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079837														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079857														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079877														
DUP														
Target Range - Lower Bound														
Upper Bound														
C079899		143	<1	0.03	6	190	8	0.16	6	155	0.09	19	<10	49
DUP		139	<1	0.03	8	180	7	0.15	5	150	0.09	19	<10	52
Target Range - Lower Bound		124	<1	<0.01	5	160	3	0.13	<5	143	0.07	16	<10	44
Upper Bound		158	2	0.05	9	210	12	0.18	10	162	0.11	22	20	57
B687407														
DUP														
Target Range - Lower Bound														
Upper Bound														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 K % 0.01	ME-ICP61 Mg % 0.01
DUPLICATES																
B687427		0.067														
DUP		0.066														
Target Range - Lower Bound		0.053														
Upper Bound		0.080														
B687433			<0.5	6.95	45	770	1.8	3	0.13	<0.5	9	49	26	2.96	2.85	0.58
DUP			<0.5	7.66	51	840	2.0	2	0.14	<0.5	9	52	29	3.21	3.04	0.64
Target Range - Lower Bound			<0.5	6.92	36	740	0.8	<2	0.11	<0.5	7	46	24	2.91	2.78	0.56
Upper Bound			1.0	7.69	60	870	3.0	4	0.16	1.0	11	55	31	3.26	3.11	0.66

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 17-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083754

Sample Description	Method / Analyte / Units / LOR	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sr ppm 1	ME-ICP61 Ti % 0.01	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
DUPLICATES														
B687427														
DUP														
Target Range - Lower Bound														
Upper Bound														
B687433		204	<1	0.47	23	280	10	<0.01	<5	73	0.29	62	10	34
DUP		225	1	0.51	24	310	8	<0.01	<5	80	0.32	67	10	37
Target Range - Lower Bound		194	<1	0.45	20	260	5	<0.01	<5	71	0.27	59	<10	30
Upper Bound		235	2	0.53	27	330	13	0.02	10	82	0.34	70	20	41

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06083755

Project: Clear Creek 1740

P.O. No.:

This report is for 109 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
PUL-31	Pulverize split to 85% <75 um
SPL-21	Split sample - riffle splitter
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
STANDARDS																
BM-9/A			13.7	0.94	23	<10	90	0.8	113	0.16	26.0	95	195	5300	3.55	<10
BM-9/A			13.8	0.99	20	<10	90	0.9	120	0.18	27.7	102	209	5680	3.78	<10
BM-9/A																
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.2	1.98	487	<10	950	1.0	2	0.52	6.8	23	71	299	3.82	10
G2000			3.3	2.01	493	<10	900	1.0	3	0.53	7.3	24	74	311	3.86	10
G2000			3.4	1.96	494	<10	870	1.0	3	0.52	7.1	23	71	307	3.81	10
G2000			3.9	2.03	471	<10	880	0.9	4	0.53	7.2	21	68	290	3.94	10
G2000			3.5	1.94	489	10	790	1.0	4	0.52	7.3	23	72	309	3.82	10
G2000			3.5	1.95	494	<10	840	1.0	2	0.52	7.0	24	72	315	3.84	10
G2000			3.5	1.85	476	10	920	1.0	<2	0.53	6.9	22	70	300	3.89	10
G2000			3.2	1.98	498	<10	970	1.0	<2	0.55	7.2	24	75	313	4.05	10
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
OXD43		0.410														
OXD43		0.406														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.030														
OxG46		1.055														
OxG46		1.000														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.850														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.56														
ST-259		2.55														
ST-259		2.50														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.00														
ST-327		7.11														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method Analyte Units LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A		0.47	0.02	10	0.41	603	3	0.41	354	80	6340	1.48	6	9	72	0.01
BM-9/A		0.45	0.02	10	0.44	659	3	0.43	379	100	6860	1.57	7	9	76	0.01
BM-9/A		0.47														
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.72	0.41	20	0.67	558	5	0.04	274	950	673	0.30	25	7	69	0.06
G2000		0.77	0.42	20	0.68	565	6	0.04	278	930	672	0.29	22	8	70	0.06
G2000		0.77	0.41	20	0.67	559	5	0.03	280	930	662	0.28	25	7	68	0.06
G2000		0.79	0.40	20	0.69	584	6	0.03	268	940	682	0.28	23	8	70	0.05
G2000		0.76	0.41	20	0.67	566	6	0.03	279	910	671	0.28	25	7	67	0.05
G2000		0.76	0.41	20	0.67	562	6	0.03	281	910	671	0.28	26	7	68	0.05
G2000		0.80	0.41	20	0.68	558	4	0.03	274	980	661	0.26	27	7	69	0.05
G2000		0.83	0.43	20	0.71	583	5	0.03	291	1000	684	0.27	27	8	73	0.06
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
OXD43																
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
ST-327																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
BM-9/A		<10	<10	15	<10	7840
BM-9/A		<10	<10	16	<10	8560
BM-9/A						
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	67	10	1270
G2000		<10	<10	68	<10	1310
G2000		<10	<10	67	<10	1300
G2000		<10	<10	64	10	1225
G2000		<10	<10	67	<10	1315
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	<10	1260
G2000		<10	<10	70	<10	1320
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
OXD43						
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
ST-327						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		0.010														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		0.230														
DUP		0.204														
Target Range - Lower Bound		0.196														
Upper Bound		0.238														
ORIGINAL		3.28														
DUP		3.20														
Target Range - Lower Bound		3.07														
Upper Bound		3.41														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

J: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.006														
DUP		0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.009														
DUP		0.006														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		0.111														
DUP		0.112														
Target Range - Lower Bound		0.096														
Upper Bound		0.127														
B688579			<0.2	1.65	313	<10	130	1.0	4	0.29	<0.5	19	74	45	3.12	<10
DUP			0.2	1.72	312	<10	140	1.0	5	0.30	<0.5	21	74	46	3.25	<10
Target Range - Lower Bound			<0.2	1.58	293	<10	100	<0.5	<2	0.26	<0.5	17	68	41	3.01	<10
Upper Bound			0.4	1.79	332	20	170	2.1	9	0.33	1.0	23	80	50	3.36	20
B688614			0.2	1.85	310	<10	170	0.7	5	0.48	<0.5	14	38	33	3.00	<10
DUP			<0.2	1.88	313	<10	180	0.7	4	0.48	<0.5	14	39	34	3.04	10
Target Range - Lower Bound			<0.2	1.75	292	<10	140	<0.5	<2	0.44	<0.5	11	35	30	2.85	<10
Upper Bound			0.4	1.98	331	20	210	1.0	9	0.52	1.0	17	42	37	3.19	20
B688649			0.2	1.18	271	<10	110	0.5	2	0.28	<0.5	12	25	26	2.76	<10
DUP			0.2	1.10	257	<10	110	0.5	<2	0.27	<0.5	12	24	25	2.62	<10
Target Range - Lower Bound			<0.2	1.06	247	<10	80	<0.5	<2	0.24	<0.5	9	21	22	2.54	<10
Upper Bound			0.4	1.22	281	20	140	1.0	4	0.31	1.0	15	28	29	2.84	20
B688675			<0.2	0.77	12	<10	100	<0.5	<2	0.23	<0.5	7	11	8	1.56	<10
DUP			0.2	0.78	13	<10	100	<0.5	<2	0.23	<0.5	8	11	9	1.59	<10
Target Range - Lower Bound			<0.2	0.72	8	<10	70	<0.5	<2	0.20	<0.5	5	8	6	1.48	<10
Upper Bound			0.4	0.83	17	20	130	1.0	4	0.26	1.0	10	14	11	1.67	20
ORIGINAL		0.007														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688579		0.03	0.31	30	0.70	576	1	0.01	52	760	15	0.05	3	5	26	0.10
DUP		0.03	0.32	30	0.73	609	2	0.02	51	760	17	0.06	6	5	26	0.10
Target Range - Lower Bound		<0.01	0.28	<10	0.66	553	<1	<0.01	47	700	11	0.03	<2	3	23	0.08
Upper Bound		0.05	0.35	50	0.77	632	2	0.02	56	820	21	0.08	9	7	29	0.13
B688614		0.03	0.14	20	0.74	576	1	0.02	25	830	11	0.02	3	5	52	0.09
DUP		0.03	0.14	20	0.75	580	1	0.02	25	820	10	0.02	2	5	53	0.09
Target Range - Lower Bound		<0.01	0.11	<10	0.69	539	<1	<0.01	22	760	6	<0.01	<2	3	48	0.07
Upper Bound		0.05	0.17	40	0.80	617	2	0.04	28	890	15	0.04	4	7	57	0.11
B688649		0.02	0.11	20	0.46	448	1	0.02	25	590	19	0.02	5	3	27	0.06
DUP		0.02	0.10	20	0.43	434	1	0.01	25	590	12	0.02	3	3	26	0.06
Target Range - Lower Bound		<0.01	0.08	<10	0.40	409	<1	<0.01	22	540	11	<0.01	<2	<1	23	0.04
Upper Bound		0.04	0.13	40	0.49	473	2	0.02	28	640	20	0.04	8	5	30	0.08
B688675		0.03	0.03	10	0.26	301	<1	<0.01	12	440	7	0.01	<2	1	18	0.02
DUP		0.02	0.03	10	0.26	305	<1	<0.01	14	430	8	0.01	<2	1	18	0.02
Target Range - Lower Bound		<0.01	<0.01	<10	0.23	278	<1	<0.01	10	390	3	<0.01	<2	<1	15	<0.01
Upper Bound		0.05	0.05	20	0.29	328	2	0.02	16	480	12	0.02	4	2	21	0.04
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688579		<10	<10	45	10	91
DUP		<10	<10	45	10	90
Target Range - Lower Bound		<10	<10	41	<10	82
Upper Bound		20	20	49	20	99
B688614		<10	<10	48	10	78
DUP		<10	<10	49	<10	79
Target Range - Lower Bound		<10	<10	44	<10	71
Upper Bound		20	20	53	20	86
B688649		<10	<10	31	20	62
DUP		<10	<10	30	20	60
Target Range - Lower Bound		<10	<10	27	<10	54
Upper Bound		20	20	34	40	68
B688675		<10	<10	17	<10	45
DUP		<10	<10	17	<10	47
Target Range - Lower Bound		<10	<10	14	<10	40
Upper Bound		20	20	20	20	52
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
DUPLICATES																
ORIGINAL		0.119														
DUP		0.121														
Target Range - Lower Bound		0.104														
Upper Bound		0.136														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 18-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083755

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06083756

Project: Clear Creek 1740

P.O. No.:

This report is for 101 Stream Sediment samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
STANDARDS																
BM-9/A					14.3	0.89	22	<10	90	0.8	111	0.17	26.8	100	199	5590
BM-9/A																
Target Range - Lower Bound					12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890
Upper Bound					15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980
G2000					3.7	2.05	488	<10	950	1.0	2	0.53	7.6	23	73	325
G2000					3.8	2.05	486	<10	990	1.0	2	0.55	7.6	24	74	322
G2000					3.7	1.81	474	<10	890	0.9	<2	0.51	6.6	23	71	300
G2000					3.3	1.80	459	<10	900	0.9	3	0.50	6.8	23	70	292
G2000					3.4	1.85	458	10	870	1.0	2	0.50	6.9	22	68	303
G2000					3.6	2.03	486	<10	850	1.0	2	0.54	7.4	24	73	322
G2000					3.5	1.85	476	10	920	1.0	<2	0.53	6.9	22	70	300
G2000					3.2	1.98	498	<10	970	1.0	<2	0.55	7.2	24	75	313
Target Range - Lower Bound					3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272
Upper Bound					4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334
OxG46		1.000														
OxG46		1.070	1.070													
OxG46		1.090	1.090													
OxG46		1.050	1.050													
OxG46		1.055	1.055	1.055												
Target Range - Lower Bound		0.959	0.959	0.959												
Upper Bound		1.115	1.115	1.115												
SI15		1.820	1.820													
Target Range - Lower Bound		1.675	1.675													
Upper Bound		1.935	1.935													
ST-259		2.50														
ST-259		2.57	2.57													
ST-259		2.57	2.57													
ST-259		2.44	2.44													
ST-259		2.41	2.41	2.41												
Target Range - Lower Bound		2.30	2.30	2.30												
Upper Bound		2.66	2.66	2.66												

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method	ME-ICP41	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
STANDARDS																
BM-9/A		3.60	<10	0.43	0.02	10	0.43	637	3	0.41	359	90	6720	1.41	8	9
BM-9/A				0.47												
Target Range - Lower Bound		3.28	<10	0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6
Upper Bound		4.04	20	0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10
G2000		4.01	10	0.84	0.44	20	0.70	571	5	0.03	293	1000	693	0.30	22	8
G2000		4.10	10	0.84	0.44	20	0.71	602	5	0.03	294	1000	718	0.30	25	8
G2000		3.79	10	0.71	0.40	20	0.68	566	5	0.03	275	940	678	0.26	24	7
G2000		3.69	10	0.74	0.39	20	0.66	550	5	0.03	269	940	671	0.26	23	7
G2000		3.80	10	0.77	0.41	20	0.66	551	5	0.03	279	940	670	0.27	25	7
G2000		4.10	10	0.81	0.43	20	0.72	602	5	0.04	289	1000	720	0.28	24	8
G2000		3.89	10	0.80	0.41	20	0.68	558	4	0.03	274	980	661	0.26	27	7
G2000		4.05	10	0.83	0.43	20	0.71	583	5	0.03	291	1000	684	0.27	27	8
Target Range - Lower Bound		3.41	<10	0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5
Upper Bound		4.19	20	0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9
OxG46																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																
ST-259																
ST-259																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sr	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	10	1	10	2
STANDARDS								
BM-9/A		76	0.01	<10	<10	16	<10	8190
BM-9/A								
Target Range - Lower Bound		67	<0.01	<10	<10	12	<10	7350
Upper Bound		84	0.02	20	20	17	20	8990
G2000		74	0.05	<10	<10	70	<10	1300
G2000		74	0.05	<10	<10	70	<10	1320
G2000		68	0.05	<10	<10	67	10	1270
G2000		67	0.05	<10	<10	66	<10	1240
G2000		69	0.05	<10	<10	66	<10	1240
G2000		73	0.05	<10	<10	69	<10	1290
G2000		69	0.05	<10	<10	67	<10	1260
G2000		73	0.06	<10	<10	70	<10	1320
Target Range - Lower Bound		60	0.04	<10	<10	59	<10	1145
Upper Bound		76	0.07	20	20	74	20	1400
OxG46								
OxG46								
OxG46								
OxG46								
OxG46								
Target Range - Lower Bound								
Upper Bound								
SI15								
Target Range - Lower Bound								
Upper Bound								
ST-259								
ST-259								
ST-259								
ST-259								
ST-259								
Target Range - Lower Bound								
Upper Bound								

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
BLANKS																
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK		0.010														
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005													
BLANK		<0.005	<0.005	<0.005												
Target Range - Lower Bound		<0.005	<0.005	<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
Upper Bound		0.010	0.010	0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2
DUPLICATES																
ORIGINAL		0.055														
DUP		0.054	0.054													
Target Range - Lower Bound		0.042	0.041													
Upper Bound		0.067	0.067													
ORIGINAL		3.28														
DUP		3.20														
Target Range - Lower Bound		3.07														
Upper Bound		3.41														
ORIGINAL		1.830														
DUP		1.795	1.795													
Target Range - Lower Bound		1.710	1.695													
Upper Bound		1.915	1.895													
ORIGINAL		0.070														
DUP		0.055	0.055	0.055												
Target Range - Lower Bound		0.049	0.042	0.042												
Upper Bound		0.076	0.068	0.068												
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

): STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
BLANKS																
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
Upper Bound		0.02	20	0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS								
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK								
BLANK								
BLANK								
BLANK								
BLANK								
Target Range - Lower Bound		<1	<0.01	<10	<10	<1	<10	<2
Upper Bound		2	0.02	20	20	2	20	4
DUPLICATES								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
DUPLICATES																
B688675					<0.2	0.77	12	<10	100	<0.5	<2	0.23	<0.5	7	11	8
DUP					0.2	0.78	13	<10	100	<0.5	<2	0.23	<0.5	8	11	9
Target Range - Lower Bound					<0.2	0.72	8	<10	70	<0.5	<2	0.20	<0.5	5	8	6
Upper Bound					0.4	0.83	17	20	130	1.0	4	0.26	1.0	10	14	11
C182006		0.005			0.6	1.30	18	<10	160	<0.5	<2	0.10	<0.5	5	18	19
DUP					0.5	1.42	24	<10	180	<0.5	2	0.11	<0.5	5	17	18
Target Range - Lower Bound					<0.2	1.27	16	<10	140	<0.5	<2	0.08	<0.5	3	15	16
Upper Bound					1.0	1.45	26	20	200	1.0	4	0.13	1.0	7	20	21
C182041					<0.2	0.91	179	<10	90	<0.5	3	0.17	<0.5	13	33	30
DUP					<0.2	0.92	172	<10	90	<0.5	<2	0.17	<0.5	12	32	30
Target Range - Lower Bound					<0.2	0.85	163	<10	60	<0.5	<2	0.14	<0.5	10	29	27
Upper Bound					0.4	0.98	188	20	120	1.0	4	0.20	1.0	15	36	34
C182076					0.2	1.40	425	<10	130	0.6	2	0.22	<0.5	12	33	41
DUP					0.3	1.29	409	<10	120	0.6	2	0.21	<0.5	12	31	38
Target Range - Lower Bound					<0.2	1.26	392	<10	100	<0.5	<2	0.18	<0.5	9	28	36
Upper Bound					0.4	1.43	442	20	150	1.0	4	0.25	1.0	15	36	43
B687182		0.113														
DUP		0.153	0.153													
Target Range - Lower Bound		0.116	0.135													
Upper Bound		0.150	0.171													
B687604		0.068														
DUP		0.093	0.093													
Target Range - Lower Bound		0.066	0.078													
Upper Bound		0.095	0.108													
ORIGINAL		<0.005														
DUP		0.009	0.009	0.009												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.010	0.010	0.010												
ORIGINAL		<0.005														
DUP		<0.005	<0.005	<0.005												
Target Range - Lower Bound		<0.005	<0.005	<0.005												
Upper Bound		0.010	0.010	0.010												

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method	ME-ICP41	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
DUPLICATES																
B688675		1.56	<10	0.03	0.03	10	0.26	301	<1	<0.01	12	440	7	0.01	<2	1
DUP		1.59	<10	0.02	0.03	10	0.26	305	<1	<0.01	14	430	8	0.01	<2	1
Target Range - Lower Bound		1.48	<10	<0.01	<0.01	<10	0.23	278	<1	<0.01	10	390	3	<0.01	<2	<1
Upper Bound		1.67	20	0.05	0.05	20	0.29	328	2	0.02	16	480	12	0.02	4	2
C182006		2.60	<10	0.06	0.06	20	0.33	268	<1	0.01	16	760	29	0.06	2	1
DUP		2.84	<10	0.06	0.06	20	0.36	297	<1	0.01	18	840	31	0.07	2	1
Target Range - Lower Bound		2.56	<10	0.04	0.04	<10	0.31	258	<1	<0.01	14	740	25	0.04	<2	<1
Upper Bound		2.88	20	0.08	0.08	40	0.38	307	2	0.02	20	860	36	0.09	4	2
C182041		2.88	<10	0.01	0.22	20	0.46	439	<1	0.01	32	490	11	0.04	4	3
DUP		2.90	<10	0.01	0.21	20	0.46	466	<1	0.01	32	530	13	0.04	5	3
Target Range - Lower Bound		2.73	<10	<0.01	0.18	<10	0.42	420	<1	<0.01	28	460	7	0.02	<2	<1
Upper Bound		3.05	20	0.02	0.25	40	0.50	485	2	0.02	36	560	17	0.06	9	5
C182076		3.30	<10	0.02	0.23	20	0.58	483	<1	0.02	35	610	11	0.04	4	3
DUP		3.07	<10	0.01	0.22	20	0.53	450	<1	0.02	30	570	12	0.03	4	3
Target Range - Lower Bound		3.01	<10	<0.01	0.19	<10	0.51	433	<1	<0.01	29	540	7	<0.01	<2	<1
Upper Bound		3.36	20	0.02	0.26	40	0.60	500	2	0.04	36	640	16	0.06	8	5
B687182																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687604																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083756

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				DUPLICATES				
B688675		18	0.02	<10	<10	17	<10	45
DUP		18	0.02	<10	<10	17	<10	47
Target Range - Lower Bound		15	<0.01	<10	<10	14	<10	40
Upper Bound		21	0.04	20	20	20	20	52
C182006		14	0.02	<10	<10	36	<10	53
DUP		16	0.02	<10	<10	36	<10	54
Target Range - Lower Bound		12	<0.01	<10	<10	32	<10	47
Upper Bound		18	0.04	20	20	40	20	60
C182041		21	0.05	<10	<10	24	<10	65
DUP		21	0.05	<10	<10	24	10	63
Target Range - Lower Bound		18	0.03	<10	<10	21	<10	57
Upper Bound		24	0.07	20	20	27	20	71
C182076		30	0.06	<10	<10	35	10	66
DUP		29	0.06	<10	<10	33	<10	63
Target Range - Lower Bound		26	0.04	<10	<10	30	<10	57
Upper Bound		33	0.08	20	20	38	20	72
B687182								
DUP								
Target Range - Lower Bound								
Upper Bound								
B687604								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06083757

Project: Clear Creek 1740

P.O. No.:

This report is for 168 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
BM-9/A			14.9	0.90	21	<10	90	0.8	117	0.15	27.1	101	198	5440	3.55	<10
BM-9/A			15.3	0.97	22	<10	90	0.8	114	0.16	28.2	102	199	5500	3.58	<10
BM-9/A			14.0	0.83	27	<10	80	0.9	115	0.16	26.9	98	197	5350	3.62	<10
Target Range - Lower Bound			12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890	3.28	<10
Upper Bound			15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980	4.04	20
G2000			3.6	1.91	484	<10	920	1.0	<2	0.50	7.1	24	70	304	3.70	10
G2000			3.7	1.92	492	<10	940	1.0	3	0.50	7.1	24	70	317	3.79	10
G2000			4.1	1.96	494	<10	950	1.0	2	0.50	7.2	24	71	307	3.76	10
G2000			4.6	1.96	473	<10	960	1.0	3	0.49	7.3	23	70	303	3.75	10
G2000			3.6	2.01	487	<10	930	1.0	3	0.50	7.1	24	71	312	3.77	10
G2000			3.8	1.94	474	<10	930	1.0	3	0.48	7.1	23	69	305	3.69	10
G2000			4.9	1.92	470	10	930	1.0	<2	0.53	7.2	23	74	305	3.79	10
G2000			3.3	1.98	484	10	930	1.0	<2	0.53	7.0	23	75	304	3.83	10
G2000			3.3	1.93	484	10	870	1.0	<2	0.51	7.1	24	72	303	3.88	10
G2000			3.2	1.88	488	<10	860	1.0	<2	0.50	7.1	25	71	306	3.85	10
G2000																
G2000																
Target Range - Lower Bound			3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272	3.41	<10
Upper Bound			4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334	4.19	20
GBM999-5			60.4	0.20	6	<10	50	<0.5	<2	0.05	<0.5	4	5	467	2.80	<10
GBM999-5			64.0	0.21	3	<10	60	<0.5	<2	0.06	<0.5	3	5	509	2.99	<10
Target Range - Lower Bound			53.3	0.17	<2	<10	40	<0.5	<2	0.04	<0.5	2	4	436	2.56	<10
Upper Bound			65.5	0.23	4	20	70	1.0	4	0.07	1.0	4	7	536	3.15	20
OXD43		0.418														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.065														
OxG46		1.045														
OxG46		1.050														
OxG46		1.010														
Target Range - Lower Bound		0.959														
Upper Bound		1.115														
SI15		1.780														
Target Range - Lower Bound		1.675														
Upper Bound		1.935														
ST-259		2.45														
ST-259		2.56														
ST-259		2.53														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
BM-9/A			0.02	10	0.42	652	4	0.39	362	90	6680	1.55	5	9	76	0.01
BM-9/A		0.48	0.02	10	0.43	662	4	0.40	367	90	6740	1.57	6	9	77	0.01
BM-9/A		0.41	0.02	10	0.42	641	4	0.41	364	90	6700	1.45	5	8	77	<0.01
Target Range - Lower Bound		0.37	<0.01	<10	0.37	561	3	0.37	329	70	5980	1.27	3	6	67	<0.01
Upper Bound		0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10	84	0.02
G2000		0.79	0.38	20	0.66	574	5	0.02	277	950	681	0.29	24	7	70	0.05
G2000		0.77	0.39	20	0.67	578	6	0.03	284	970	692	0.30	24	8	72	0.05
G2000		0.76	0.39	20	0.67	579	6	0.02	283	970	684	0.30	25	8	73	0.05
G2000		0.82	0.39	20	0.66	570	6	0.02	281	960	682	0.29	24	8	73	0.05
G2000		0.81	0.39	20	0.67	577	5	0.03	280	960	688	0.30	26	8	74	0.05
G2000		0.81	0.39	20	0.66	562	6	0.02	271	940	661	0.29	22	7	71	0.05
G2000		0.81	0.43	20	0.69	564	7	0.03	285	960	662	0.28	22	7	70	0.05
G2000		0.80	0.44	20	0.69	567	6	0.03	282	960	671	0.28	21	8	71	0.06
G2000		0.73	0.41	20	0.69	577	5	0.04	286	970	689	0.28	21	7	70	0.05
G2000		0.75	0.41	20	0.68	577	6	0.04	287	950	675	0.27	23	7	69	0.05
G2000		0.71														
G2000		0.77														
Target Range - Lower Bound		0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5	60	0.04
Upper Bound		0.82	0.47	40	0.76	630	8	0.04	302	1050	739	0.31	31	9	76	0.07
GBM999-5		0.10	0.05	10	0.02	62	4	0.01	3	40	485	0.31	4	1	4	<0.01
GBM999-5		0.17	0.05	10	0.02	62	4	0.01	5	40	528	0.31	6	1	4	<0.01
Target Range - Lower Bound			0.04	<10	<0.01	49	2	<0.01	2	20	452	0.26	<2	<1	2	<0.01
Upper Bound			0.07	20	0.03	71	5	0.03	5	50	556	0.34	8	2	5	0.02
OXD43																
Target Range - Lower Bound																
Upper Bound																
OxG46																
OxG46																
OxG46																
OxG46																
Target Range - Lower Bound																
Upper Bound																
SI15																
Target Range - Lower Bound																
Upper Bound																
ST-259																
ST-259																
ST-259																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
				STANDARDS		
BM-9/A		<10	<10	16	<10	8260
BM-9/A		<10	<10	16	<10	8360
BM-9/A		<10	<10	15	<10	8340
Target Range - Lower Bound		<10	<10	12	<10	7350
Upper Bound		20	20	17	20	8990
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	10	1310
G2000		<10	<10	67	10	1300
G2000		<10	<10	68	10	1300
G2000		<10	<10	66	10	1260
G2000		<10	<10	70	<10	1275
G2000		<10	<10	69	<10	1285
G2000		<10	<10	66	<10	1270
G2000		<10	<10	66	<10	1270
G2000						
G2000						
Target Range - Lower Bound		<10	<10	59	<10	1145
Upper Bound		20	20	74	20	1400
GBM999-5		<10	<10	6	<10	108
GBM999-5		<10	<10	6	<10	115
Target Range - Lower Bound		<10	<10	4	<10	97
Upper Bound		20	20	7	20	123
OXD43						
Target Range - Lower Bound						
Upper Bound						
OxG46						
OxG46						
OxG46						
OxG46						
Target Range - Lower Bound						
Upper Bound						
SI15						
Target Range - Lower Bound						
Upper Bound						
ST-259						
ST-259						
ST-259						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method	Au-AA23	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STANDARDS																
ST-259		2.45														
Target Range - Lower Bound		2.30														
Upper Bound		2.66														
ST-327		7.04														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														
BLANKS																
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK			<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
BLANK																
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
BLANK		<0.005														
Target Range - Lower Bound		<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10
Upper Bound		0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20
DUPLICATES																
ORIGINAL		0.163														
DUP		0.158														
Target Range - Lower Bound		0.142														
Upper Bound		0.179														
ORIGINAL		1.225														
DUP		1.125														
Target Range - Lower Bound		1.105														
Upper Bound		1.245														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
STANDARDS																
ST-259																
Target Range - Lower Bound																
Upper Bound																
ST-327																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
BLANK		<0.01														
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<0.01
Upper Bound		0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	0.02
DUPLICATES																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
STANDARDS						
ST-259						
Target Range - Lower Bound						
Upper Bound						
ST-327						
Target Range - Lower Bound						
Upper Bound						
BLANKS						
BLANK		<10	<10	<1.	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
BLANK						
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
B688688		0.115	0.3	1.76	846	<10	100	1.1	3	0.11	<0.5	9	25	58	3.66	10
DUP		0.118	0.4	1.76	861	<10	90	1.0	3	0.11	<0.5	9	24	58	3.65	<10
Target Range - Lower Bound		0.101	<0.2	1.65	807	<10	70	<0.5	<2	0.08	<0.5	7	21	53	3.45	<10
Upper Bound		0.132	0.4	1.87	900	20	120	2.1	4	0.14	1.0	11	28	63	3.86	20
B687989		0.268														
DUP		0.288														
Target Range - Lower Bound		0.254														
Upper Bound		0.302														
B688004			0.2	1.08	361	<10	70	0.5	3	0.04	<0.5	9	19	28	2.99	<10
DUP			0.3	1.06	363	<10	70	0.5	2	0.05	<0.5	10	18	27	2.96	<10
Target Range - Lower Bound			<0.2	1.00	340	<10	40	<0.5	<2	0.02	<0.5	7	16	24	2.81	<10
Upper Bound			0.4	1.14	384	20	100	1.0	4	0.07	1.0	12	21	31	3.14	20
B688062			0.3	1.59	892	<10	130	0.9	6	0.10	<0.5	18	26	54	3.91	<10
DUP			0.2	1.57	892	<10	130	0.9	5	0.10	<0.5	18	26	52	3.87	<10
Target Range - Lower Bound			<0.2	1.48	843	<10	100	<0.5	<2	0.08	<0.5	15	23	48	3.68	<10
Upper Bound			0.4	1.68	941	20	160	1.0	10	0.13	1.0	21	29	58	4.10	20
B688097			0.4	1.19	221	<10	90	0.6	4	0.08	<0.5	5	28	33	2.84	<10
DUP			0.4	1.19	221	<10	90	0.6	3	0.07	<0.5	5	28	33	2.83	<10
Target Range - Lower Bound			<0.2	1.11	206	<10	60	<0.5	<2	0.05	<0.5	3	25	29	2.67	<10
Upper Bound			0.8	1.27	236	20	120	1.0	4	0.10	1.0	7	31	37	3.00	20
B688132			<0.2	1.48	471	<10	80	0.6	<2	0.08	<0.5	8	26	31	3.56	10
DUP			<0.2	1.52	468	<10	80	0.6	<2	0.08	<0.5	8	27	32	3.65	10
Target Range - Lower Bound			<0.2	1.41	442	<10	50	<0.5	<2	0.06	<0.5	6	23	28	3.40	<10
Upper Bound			0.4	1.60	497	20	110	1.0	4	0.10	1.0	10	30	35	3.81	20
B688148		0.072														
DUP		0.074														
Target Range - Lower Bound		0.059														
Upper Bound		0.087														
ORIGINAL		0.030														
DUP		0.031														
Target Range - Lower Bound		0.019														
Upper Bound		0.042														

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

:STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
DUPLICATES																
B688688		0.07	0.09	20	0.46	209	1	0.02	26	920	9	0.13	<2	2	32	0.04
DUP		0.06	0.09	20	0.45	207	1	0.02	25	910	10	0.13	<2	2	33	0.04
Target Range - Lower Bound		0.04	0.07	<10	0.41	188	<1	<0.01	22	850	5	0.10	<2	<1	29	0.02
Upper Bound		0.09	0.11	40	0.50	228	2	0.04	29	980	14	0.16	4	4	36	0.06
B687989																
DUP																
Target Range - Lower Bound																
Upper Bound																
B688004		0.07	0.07	20	0.21	333	1	0.01	20	660	10	0.08	<2	1	13	0.03
DUP		0.07	0.07	20	0.21	324	1	<0.01	20	650	10	0.07	2	1	13	0.03
Target Range - Lower Bound		0.05	0.05	<10	0.18	302	<1	<0.01	17	600	6	0.05	<2	<1	10	<0.01
Upper Bound		0.09	0.09	40	0.24	355	2	0.02	23	710	15	0.10	4	2	16	0.05
B688062		0.05	0.17	30	0.42	356	1	0.03	30	580	16	0.16	<2	3	21	0.07
DUP		0.04	0.17	30	0.41	354	1	0.03	29	580	12	0.16	3	3	22	0.07
Target Range - Lower Bound		0.02	0.14	<10	0.37	327	<1	<0.01	26	530	9	0.13	<2	<1	18	0.05
Upper Bound		0.07	0.20	50	0.46	383	2	0.05	33	630	19	0.19	4	5	25	0.09
B688097		0.05	0.12	20	0.33	177	1	0.01	17	780	9	0.10	3	1	19	0.04
DUP		0.05	0.12	20	0.33	177	1	0.01	18	780	10	0.10	2	1	19	0.04
Target Range - Lower Bound		0.03	0.09	<10	0.29	158	<1	<0.01	15	720	5	0.08	<2	<1	16	0.02
Upper Bound		0.07	0.15	40	0.37	196	2	0.02	20	840	14	0.13	4	2	22	0.06
B688132		0.04	0.08	20	0.41	240	1	0.01	23	530	8	0.06	<2	2	22	0.05
DUP		0.04	0.08	20	0.43	248	1	0.01	22	530	9	0.06	2	2	22	0.05
Target Range - Lower Bound		0.02	0.06	<10	0.38	222	<1	<0.01	19	480	4	0.04	<2	<1	19	0.03
Upper Bound		0.06	0.10	40	0.46	266	2	0.02	26	580	13	0.08	4	4	25	0.07
B688148																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
B688688		<10	<10	37	<10	63
DUP		<10	<10	37	<10	62
Target Range - Lower Bound		<10	<10	33	<10	55
Upper Bound		20	20	41	20	70
B687989						
DUP						
Target Range - Lower Bound						
Upper Bound						
B688004		<10	<10	32	<10	53
DUP		<10	<10	32	10	51
Target Range - Lower Bound		<10	<10	28	<10	45
Upper Bound		20	20	36	20	59
B688062		<10	<10	46	10	67
DUP		<10	<10	45	20	63
Target Range - Lower Bound		<10	<10	41	<10	58
Upper Bound		20	20	50	20	72
B688097		<10	<10	32	10	45
DUP		<10	<10	31	10	44
Target Range - Lower Bound		<10	<10	28	<10	38
Upper Bound		20	20	35	20	51
B688132		<10	<10	41	<10	57
DUP		<10	<10	41	<10	58
Target Range - Lower Bound		<10	<10	37	<10	51
Upper Bound		20	20	45	20	64
B688148						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
DUPLICATES																
ORIGINAL		0.012														
DUP		0.014														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
ORIGINAL		<0.005														
DUP		<0.005														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL		3.24														
DUP		3.21														
Target Range - Lower Bound		3.05														
Upper Bound		3.40														
ORIGINAL		0.008														
DUP		0.008														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.010														
DUP		0.009														
Target Range - Lower Bound		<0.005														
Upper Bound		0.010														

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01
		DUPLICATES														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.12														
DUP		0.11														
Target Range - Lower Bound		0.09														
Upper Bound		0.14														
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 19-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06083757

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES				
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						
ORIGINAL						
DUP						
Target Range - Lower Bound						
Upper Bound						

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
This copy reported on 18-JAN-2007
Account: STRGOL

QC CERTIFICATE VA06084462

Project: Clear Creek 1740

P.O. No.:

This report is for 133 Soil samples submitted to our lab in Vancouver, BC, Canada on 15-AUG-2006.

The following have access to data associated with this certificate:

WILLIAM HAY TERRY TUCKER	JEFF SCULLY KRISTIAN WHITEHEAD	JIM SPARLING

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	34 Element Aqua Regia ICP-AES	ICP-AES
Hg-CV41	Trace Hg - cold vapor/AAS	FIMS

To: **STRATAGOLD CORPORATION**
ATTN: KRISTIAN WHITEHEAD
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature: 
Keith Rogers, Executive Manager Vancouver Laboratory

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
STANDARDS																
BM-9/A					13.3	0.94	20	<10	90	0.8	108	0.16	25.3	97	202	5330
BM-9/A					13.1	0.91	24	<10	80	0.8	112	0.16	26.3	99	199	5330
BM-9/A					13.1	0.94	21	<10	90	0.8	109	0.16	25.8	95	199	5420
BM-9/A					14.1	0.86	24	<10	90	0.8	113	0.16	26.4	99	197	5180
Target Range - Lower Bound					12.2	0.80	20	<10	70	<0.5	100	0.13	23.2	88	176	4890
Upper Bound					15.4	1.00	28	20	110	1.0	127	0.19	29.5	110	217	5980
G2000					3.7	2.03	468	<10	880	0.9	<2	0.51	7.3	23	72	303
G2000					3.1	1.99	460	<10	840	1.0	<2	0.51	7.2	22	72	304
G2000					3.4	1.90	460	<10	810	0.9	2	0.51	7.3	22	70	300
G2000					3.2	1.96	471	<10	840	0.9	<2	0.52	7.3	22	71	298
G2000					3.7	1.95	497	<10	900	1.0	3	0.55	7.4	25	75	306
G2000					4.0	2.04	511	<10	900	1.1	3	0.56	7.8	25	78	314
G2000					3.3	1.81	457	<10	760	0.9	<2	0.48	6.7	23	68	289
G2000					3.2	1.95	479	<10	810	1.0	<2	0.51	6.9	23	71	301
G2000					3.4	1.74	487	<10	820	0.9	<2	0.48	7.1	24	72	301
G2000																
G2000																
G2000																
G2000																
Target Range - Lower Bound					3.0	1.66	434	<10	720	<0.5	<2	0.46	6.0	21	63	272
Upper Bound					4.1	2.06	534	20	1000	1.0	4	0.58	8.4	27	79	334
OXD43		0.416														
Target Range - Lower Bound		0.368														
Upper Bound		0.434														
OxG46		1.090	1.090													
OxG46		1.060	1.060													
OxG46		1.000														
OxG46		1.010	1.010	1.010												
Target Range - Lower Bound		0.959	0.959	0.959												
Upper Bound		1.115	1.115	1.115												
ST-259		2.57	2.57													
ST-259		2.45	2.45													
ST-259		2.49														
ST-259		2.35	2.35	2.35												
Target Range - Lower Bound		2.30	2.30	2.30												
Upper Bound		2.66	2.66	2.66												
ST-327		6.75														
Target Range - Lower Bound		6.35														
Upper Bound		7.31														

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
STANDARDS																
BM-9/A		3.56	<10	0.47	0.02	10	0.43	645	2	0.40	357	80	6300	1.39	4	8
BM-9/A		3.62	<10	0.45	0.02	10	0.42	633	3	0.41	365	90	6460	1.41	5	8
BM-9/A		3.59	<10		0.02	10	0.42	614	3	0.40	359	80	6480	1.42	5	8
BM-9/A		3.54	<10		0.02	10	0.41	619	3	0.39	358	90	6530	1.42	8	9
	Target Range - Lower Bound	3.28	<10	0.37	<0.01	<10	0.37	581	3	0.37	329	70	5980	1.27	3	6
	Upper Bound	4.04	20	0.45	0.03	20	0.47	697	5	0.47	404	100	7310	1.57	9	10
G2000		3.84	10	0.70	0.43	20	0.68	564	5	0.02	274	960	718	0.26	22	7
G2000		3.81	10	0.76	0.43	20	0.68	553	4	0.03	276	960	637	0.26	20	7
G2000		3.80	10	0.83	0.42	20	0.67	552	5	0.03	269	970	647	0.26	23	7
G2000		3.90	10	0.81	0.42	20	0.68	570	5	0.03	272	960	662	0.27	23	7
G2000		3.98	10	0.75	0.43	20	0.70	583	6	0.04	287	990	715	0.27	23	7
G2000		4.07	10	0.83	0.44	20	0.73	603	6	0.04	297	1030	721	0.29	21	8
G2000		3.67	10		0.41	20	0.64	530	5	0.03	269	880	653	0.26	17	7
G2000		3.81	10		0.43	20	0.67	551	5	0.03	281	940	675	0.27	20	7
G2000		3.65	10		0.40	20	0.64	539	5	0.03	270	940	639	0.26	23	7
G2000				0.73												
G2000				0.72												
G2000				0.74												
G2000				0.74												
	Target Range - Lower Bound	3.41	<10	0.70	0.37	<10	0.60	506	4	0.02	246	840	601	0.23	19	5
	Upper Bound	4.19	20	0.82	0.47	40	0.76	630	6	0.04	302	1050	739	0.31	31	9
OXD43																
	Target Range - Lower Bound															
	Upper Bound															
OxG46																
OxG46																
OxG46																
OxG46																
	Target Range - Lower Bound															
	Upper Bound															
ST-259																
ST-259																
ST-259																
ST-259																
	Target Range - Lower Bound															
	Upper Bound															
ST-327																
	Target Range - Lower Bound															
	Upper Bound															

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
						STANDARDS		
BM-9/A		74	0.01	<10	<10	15	<10	8040
BM-9/A		76	0.01	<10	<10	15	<10	8170
BM-9/A		74	0.01	<10	<10	15	<10	8320
BM-9/A		72	0.01	<10	<10	15	<10	8130
Target Range - Lower Bound		67	<0.01	<10	<10	12	<10	7350
Upper Bound		84	0.02	20	20	17	20	8990
G2000		73	0.05	<10	<10	67	<10	1245
G2000		72	0.05	<10	<10	66	<10	1230
G2000		68	0.05	<10	<10	66	<10	1265
G2000		71	0.05	<10	<10	66	<10	1260
G2000		70	0.05	<10	<10	71	<10	1330
G2000		73	0.06	<10	<10	74	<10	1330
G2000		66	0.05	<10	<10	63	<10	1235
G2000		70	0.05	<10	<10	66	<10	1320
G2000		64	0.05	<10	<10	67	<10	1280
G2000								
G2000								
G2000								
G2000								
Target Range - Lower Bound		60	0.04	<10	<10	59	<10	1145
Upper Bound		76	0.07	20	20	74	20	1400
OXD43								
Target Range - Lower Bound								
Upper Bound								
OxG46								
OxG46								
OxG46								
OxG46								
Target Range - Lower Bound								
Upper Bound								
ST-259								
ST-259								
ST-259								
ST-259								
Target Range - Lower Bound								
Upper Bound								
ST-327								
Target Range - Lower Bound								
Upper Bound								

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method Analyte Units LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
BLANKS																
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK					<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
BLANK																
BLANK																
BLANK		<0.005	<0.005													
BLANK		<0.005														
BLANK		<0.005	<0.005													
BLANK		<0.005														
BLANK		<0.005	<0.005	<0.005												
Target Range - Lower Bound		<0.005	<0.005	<0.005	<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1
Upper Bound		0.010	0.010	0.010	0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2
DUPLICATES																
B687144					0.3	1.45	930	<10	70	0.5	3	0.07	<0.5	5	23	30
DUP					0.2	1.35	905	<10	70	0.5	2	0.07	<0.5	5	22	29
Target Range - Lower Bound					<0.2	1.31	868	<10	40	<0.5	<2	0.05	<0.5	3	19	26
Upper Bound					0.4	1.49	967	20	100	1.0	4	0.09	1.0	7	26	33
B687182		0.113	0.116													
DUP		0.153	0.153													
Target Range - Lower Bound		0.116	0.118													
Upper Bound		0.150	0.151													
B687604		0.068	0.059													
DUP		0.093	0.093													
Target Range - Lower Bound		0.066	0.062													
Upper Bound		0.095	0.090													
B687607					0.7	0.86	726	<10	70	0.5	3	0.07	<0.5	11	16	43
DUP					0.9	0.87	735	<10	70	0.5	3	0.07	<0.5	11	16	43
Target Range - Lower Bound					0.4	0.80	690	<10	40	<0.5	<2	0.05	<0.5	8	13	39
Upper Bound					1.2	0.93	771	20	100	1.0	4	0.09	1.0	14	19	47

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method	ME-ICP41	ME-ICP41	Hg-CV41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
	Units	%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.01	10	0.01	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
BLANKS																
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
BLANK		<0.01	<10		<0.01	<10	<0.01	<5	1	<0.01	<1	<10	<2	<0.01	2	<1
BLANK				<0.01												
BLANK				<0.01												
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound		<0.01	<10	<0.01	<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1
Upper Bound		0.02	20	0.02	0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2
DUPLICATES																
B687144		3.73	10	0.06	0.08	20	0.35	201	<1	0.01	16	500	12	0.08	2	2
DUP		3.48	<10	0.07	0.08	20	0.33	188	1	<0.01	14	470	10	0.07	<2	2
Target Range - Lower Bound		3.40	<10	0.04	0.06	<10	0.30	175	<1	<0.01	12	440	6	0.05	<2	<1
Upper Bound		3.81	20	0.09	0.10	40	0.38	214	2	0.02	18	530	16	0.10	4	4
B687182																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687604																
DUP																
Target Range - Lower Bound																
Upper Bound																
B687607		2.95	<10	0.03	0.08	20	0.26	258	1	0.01	21	530	15	0.05	5	2
DUP		3.03	<10	0.03	0.08	20	0.27	262	1	0.01	20	550	15	0.06	5	2
Target Range - Lower Bound		2.82	<10	<0.01	0.06	<10	0.23	237	<1	<0.01	17	490	10	0.03	<2	<1
Upper Bound		3.16	20	0.05	0.10	40	0.30	283	2	0.02	24	590	20	0.08	9	4

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
BLANKS								
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK		<1	<0.01	<10	<10	<1	<10	<2
BLANK								
BLANK								
BLANK								
BLANK								
BLANK								
BLANK								
BLANK								
Target Range - Lower Bound		<1	<0.01	<10	<10	<1	<10	<2
Upper Bound		2	0.02	20	20	2	20	4
DUPLICATES								
B687144		21	0.05	<10	<10	45	<10	44
DUP		20	0.05	<10	<10	43	<10	42
Target Range - Lower Bound		17	0.03	<10	<10	40	<10	37
Upper Bound		24	0.07	20	20	48	20	49
B687182								
DUP								
Target Range - Lower Bound								
Upper Bound								
B687604								
DUP								
Target Range - Lower Bound								
Upper Bound								
B687607		14	0.03	<10	<10	26	10	51
DUP		14	0.03	<10	<10	26	<10	52
Target Range - Lower Bound		11	<0.01	<10	<10	23	<10	45
Upper Bound		17	0.05	20	20	29	20	58

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	Au-AA23 Au ppm 0.005	Au-AA23 Au Check ppm 0.005	Au-AA23 Au Check ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
DUPLICATES																
B687642		0.020			0.3	1.27	312	<10	60	<0.5	2	0.06	0.5	5	22	23
DUP					<0.2	1.27	307	<10	60	<0.5	<2	0.06	<0.5	5	22	23
Target Range - Lower Bound					<0.2	1.19	290	<10	40	<0.5	<2	0.04	<0.5	3	19	20
Upper Bound					0.4	1.35	329	20	80	1.0	4	0.08	1.0	7	25	26
B687683					0.4	1.29	372	<10	70	<0.5	3	0.06	<0.5	5	22	24
DUP					0.4	1.27	359	<10	70	<0.5	2	0.05	<0.5	5	21	24
Target Range - Lower Bound					<0.2	1.20	343	<10	40	<0.5	<2	0.03	<0.5	3	18	21
Upper Bound					0.8	1.36	388	20	100	1.0	4	0.08	1.0	7	25	27
ORIGINAL		0.024														
DUP		0.023														
Target Range - Lower Bound		0.012														
Upper Bound		0.035														
ORIGINAL		0.014														
DUP		0.012														
Target Range - Lower Bound		<0.005														
Upper Bound		0.024														
ORIGINAL		0.083														
DUP		0.100	0.100	0.100												
Target Range - Lower Bound		0.077	0.085	0.085												
Upper Bound		0.106	0.115	0.115												
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
ORIGINAL		<0.005														
DUP		<0.005	<0.005													
Target Range - Lower Bound		<0.005	<0.005													
Upper Bound		0.010	0.010													
ORIGINAL					0.5	0.43	347	10	280	0.6	<2	0.21	<0.5	1	36	12
DUP					0.5	0.41	333	10	270	0.6	<2	0.20	<0.5	1	25	11
Target Range - Lower Bound					<0.2	0.38	319	<10	230	<0.5	<2	0.17	<0.5	<1	27	9
Upper Bound					0.9	0.46	361	20	320	1.0	4	0.24	1.0	2	34	14

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex
EXCELLENCE IN ANALYTICAL CHEMISTRY
ALS Canada Ltd.
212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10	Hg-CV41 Hg ppm 0.01	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1
DUPLICATES																
B687642		2.83	<10	0.05	0.05	20	0.32	215	<1	<0.01	15	510	11	0.04	<2	1
DUP		2.83	<10	0.05	0.05	20	0.32	217	<1	0.01	16	520	11	0.04	<2	1
Target Range - Lower Bound		2.67	<10	0.03	0.03	<10	0.28	195	<1	<0.01	13	470	6	0.02	<2	<1
Upper Bound		2.99	20	0.07	0.07	40	0.36	237	2	0.02	18	560	16	0.06	4	2
B687683		2.94	<10	0.06	0.05	20	0.23	134	1	<0.01	12	580	9	0.05	<2	1
DUP		2.83	<10	0.07	0.05	20	0.22	130	1	<0.01	11	560	8	0.04	<2	1
Target Range - Lower Bound		2.72	<10	0.04	0.03	<10	0.19	115	<1	<0.01	9	520	4	0.02	<2	<1
Upper Bound		3.05	20	0.09	0.07	40	0.26	149	2	0.02	14	620	13	0.07	4	2
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		1.12	<10	1.10	0.25	10	0.05	108	12	<0.01	4	130	32	0.10	16	1
DUP		1.06	<10	1.07	0.24	10	0.05	112	12	<0.01	3	120	31	0.09	14	1
Target Range - Lower Bound		1.02	<10	1.01	0.21	<10	0.03	95	9	<0.01	<1	100	26	0.07	10	<1
Upper Bound		1.16	20	1.16	0.28	20	0.07	126	15	0.02	6	150	37	0.12	20	2

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.

ALS Chemex

EXCELLENCE IN ANALYTICAL CHEMISTRY

ALS Canada Ltd.

212 Brooksbank Avenue
North Vancouver BC V7J 2C1
Phone: 604 984 0221 Fax: 604 984 0218 www.alschemex.com

: STRATAGOLD CORPORATION
2550 - 1066 WEST HASTINGS STREET
VANCOUVER BC V6E 3X2

Finalized Date: 21-SEP-2006
Account: STRGOL

Project: Clear Creek 1740

QC CERTIFICATE OF ANALYSIS VA06084462

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Sr ppm 1	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
		DUPLICATES						
B687642		12	0.03	<10	<10	37	<10	50
DUP		13	0.03	<10	<10	37	<10	49
Target Range - Lower Bound		10	<0.01	<10	<10	33	<10	43
Upper Bound		15	0.05	20	20	41	20	56
B687683		13	0.03	<10	<10	40	10	36
DUP		13	0.03	<10	<10	39	<10	35
Target Range - Lower Bound		10	<0.01	<10	<10	36	<10	30
Upper Bound		16	0.05	20	20	43	20	41
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL								
DUP								
Target Range - Lower Bound								
Upper Bound								
ORIGINAL		39	<0.01	<10	<10	16	<10	18
DUP		37	<0.01	<10	<10	15	<10	27
Target Range - Lower Bound		34	<0.01	<10	<10	13	<10	17
Upper Bound		42	0.02	20	20	18	20	28

Comments: Detection limits on samples requiring dilutions for Hg-CV41, due to inteferences or high concentration levels, have been increased according to the dilution factor.