

GEOCHEMICAL REPORT

OD 1-16 CLAIMS

GRANT # YC35973-YC35988

NTS # 116 B \ 13

LAT: 64° 48' N

LONG: 139° 35' W

DAWSON MINING DISTRICT

AUTHOR OF REPORT SHAWN RYAN

WORK PERFORMED AUGUST 13, 2006

DATE OF REPORT NOVEMBER 23, 2007

Table of Content

Summary	P.3
1.0 Introduction	P.3
2.0 Locations and Access	P.3
3.0 Property Description	P.3
4.0 Physiography	P.3
5.1 Regional Geology	P.4
5.2 Property Geology	P.4
Geology Map (Figure 1)	P.5
Geology Description	P.6 - 7
6.0 Work Methods	P.8
6.1 Soil Work	P.8
7.0 Interpretation	P.8
8.0 Recommendation	P.8
9.0 References Cited	P.8
10.0 Qualification	P.9
11.0 Cost	P.9
Zinc Soil Anomaly Map	Figure 2
Lead Soil Anomaly Map	Figure 3
Claim Location Map	Figure 4
Assay Data + GPS Soil Location Data	Appendix

SUMMARY

The Od Property was visited for one day during the 2006 field season. Jim Skales spent one day taking 32 soils. The soil survey revealed very anomalous values in zinc (up to 1037 ppm) and lead (up to 1480 ppm).

1.0 INTRODUCTION

The Od claims were staked to cover an old Zinc and Lead showing similar to the Og claims situated 18 kilometers west.

2.0 LOCATIONS AND ACCESS

The Od claims are located 87 kilometers north northwest of Dawson City. The claims can be reached via helicopter from Dawson City.

3.0 PROPERTY DESCRIPTION

The Od Property consists of 16 full quartz claims all recorded and registered in the Dawson Mining District. The total land mass covered by the claim block is 552 hectares or 800 acres.

4.0 PHYSIOGRAPHY

The Og Property is located in the tundra between the elevation of 3700 ft and 4400 ft. The only vegetation seen is willow bushes in the valley bottom.

5.0 REGIONAL AND PROPERTY GEOLOGY

5.1 REGIONAL GEOLOGY (Excerpts from GSC Open file 2849)

The southern Ogilvie Mountains lie within the northwestern extremity of the the Cordilleran fold-thrust belts. The Dawson Thrust marks a major tectonostratigraphic boundary between carbonate-dominated platform rocks to the north (the Mackenzie Platform) and generally finer clastics to the south (Selwyn Basin). All rock units were displaced northward in middle Jurassic to Cretaceous time and most have been tectonically thickened. The Selwyn Basin strata were thrust northward in three overlapping structural sheets. Subcircular syenitic intrusions of about 90-110 Ma age cut these thrusts.

The Mackenzie Platform in the southern Ogilvies consists of thickly bedded Cambrian to Devonian dolostone near Mount Harper. Beneath this Paleozoic carbonates a tripartite succession of Middle and Upper Proterozoic strata are well exposed in an erosional inlier (the Coal Creek Dome of Green, 1972, termed the Coal Creek Inlier). In descending order, the Mount Harper Group consists of thick volcanic and carbonate units separated by thinner or wedge-shaped clastic units; the Fifteenmile group, an informal name, consists of stromatolitic and cherty dolostones; and the Wernecke Supergroup consists of fine-grained clastic rocks. These three groups are bounded by unconformities whose ages can be estimated from spatially related intrusions (Wernecke breccias; about 1280 Ma, as in Parrish and Bell (1987) and the ca. 750 Ma Mount Harper Group volcanics). They were deposited during periods of repeated extension, including late Proterozoic continental rifting. These middle to late Proterozoic events formed structural features, which to some extent controlled, and are reflected in, the early Paleozoic evolution of the Cordilleran miogeocline.

5.2 PROPERTY GEOLOGY

The Od claims are covering Lower Proterozoic Gillespie Lake Group and Quartet Group rock units.

YTG Geology Map (web site)




Figure 1

Yukon Geological Survey Geology Description

UPPER PROTEROZOIC




uPC: CALLISON

dolostone assemblage comprising two regionally correlated units (1) and (2)

-
2. cryptalgal dolostone; medium to light grey fine crystalline, laminated to thinly bedded and stromatolitic dolostone; includes chert and dolomitic breccia; craggy, medium to dark grey, massive, medium crystalline dolostone with abundant silicification (**Fifteen Mile Gp. (upper)**)

MIDDLE TO UPPER PROTEROZOIC



muPPFu: PINGUICULA/FIFTEEN MILE (UPPER)

siliclastic-carbonate assemblage comprising two regionally correlated units (1) and (2)

-
2. light-grey, finely crystalline dolomite; shale; pebbly mudstone; gritty mudstone; stromatolitic limestone; quartz sandstone (**Fifteen Mile Gp. (upper)**)

MIDDLE PROTEROZOIC



mPPFI: PINGUICULA/FIFTEEN MILE (LOWER)

dominantly carbonate assemblage with basal clastics comprising two regionally correlated units (1) and (2); includes possible other correlative carbonate, clastic and volcanic rocks (3) and (4)

-
2. basal shale to silty dolomite; medium to thick bedded dolomitic mudstone and dolostone breccia, massive dolostone; medium-bedded dolostone with mudstone interbeds; dolostone breccia, oolitic packstone and uncommon stromatolitic dolostone (**Fifteen Mile Gp. (lower)**)

MIDDLE PROTEROZOIC



mPH: HART RIVER

mafic volcanic flows (1) and (3) and their possible intrusive equivalents (2)

2. resistant dark weathering diorite and gabbro sills and dikes (**Hart River Sills**)

MIDDLE PROTEROZOIC



mPW: WERNECKE BRECCIAS

hematitic and dolomitic breccia and related metasomatized country rock; breccia contains variably altered rotated siliceous and carbonate clasts (Wernicke Supergroup) and minor dyke rock; breccia and metasomatites enriched in Cu, Co, U, Ag and Au (**Wernicke Breccias**)

LOWER PROTEROZOIC



IPG: GILLESPIE LAKE

dolostone and silty dolostone, locally stromatolitic, locally with chert nodules and sparry karst infillings, interbedded with lesser black siltstone and shale, laminated mudstone, and quartzose sandstone; local dolomite boulder conglomerate (**Gillespie Lake Gp.**)

LOWER PROTEROZOIC



IPQ: QUARTET

black weathering shale, finely laminated dark grey weathering siltstone, and thin to thickly interbedded planar to cross laminated light grey weathering siltstone and fine grained sandstone; minor interbeds of orange weathering dolostone in upper part (**Quartet Gp.**)

6.0 WORK PROGRAM / METHODS

6.1 SOIL WORK

A one day soil program was conducted by Jim Skales. In all there was 32 soil collected using one-meter soil augers or prospector picks in heavy talus slopes. Soils were collected at an average depth of 60-70 centimeters with augers and shallower with prospector picks, all samples were placed in paper kraft soil bags with sample site marked in the field with orange flagging. All sample sites were GPS as to exact ground position and GPS numbers were downloaded into excel format.

Sample spacing was at 50 meter station spacing.

7.0 INTERPRETATION

The soil sample indicated a very nice zinc lead anomaly with values reaching up to 1037 ppm Zn and 1480 ppm Pb. Not too much should be interpreted until more data is collected.

8.0 RECOMMENDATION

I would recommend a soil grid covering the entire claim block. Line should be at 100 meter spacing and soil collected on 50 meter station spacing.

9.0 REFERENCES CITED

Thompson R.I. GSC Open File 3223, Geological Compilation (1-250,000) of Dawson Map Area (116B,C) (northeast of Tintina Trench)

10.0 QUALIFICATION

I Shawn Ryan located in Dawson City, Yukon work as a professional prospector. I run a small exploration company located in Dawson city.

I have worked in the exploration business for the last 25 years. I worked the first 15 years as a contractor working on numerous projects in the NWT, Ontario, Quebec and the Yukon. I have worked for the last 10 years as a local prospector for myself.

I have being train to run various geophysical instrument and surveys such as magnetic surveys, max-min surveys, induce polarity surveys and Vlf surveys.

I have overseen the whole Od Project and was the party chief in charge.

I own 100 % of the Od claims and have now option it to Full Metal Minerals.


Dated this 23 of November, 2007 in Dawson City, Yukon.

Respectfully submitted

Shawn Ryan

11.0 Cost

Assay 32 soils @ \$18.00 per sample	\$576.00
1 men @ \$250.00 per day	\$250.00
Helicopter Cost 1.1 hours @ \$1259.00	\$1,384.00
Report	\$300.00
Total	\$2,510.00




**Od 2006 Soils
Zn ppm**

■	800 to 1,037	(3)
■	600 to 800	(3)
■	400 to 600	(5)
●	200 to 400	(11)
•	81 to 200	(2)

RyanWood Exploration

S.Ryan	OD 2006 Soils
116 B / 13	Zn Map
Date: 20/11/2007	Figure 2
Scale: 1:25000	UTM Zone 7 (NAD 83)

0 250 500 1000
Meters



OD Claim Location Map




Figure 4

ELEMENT	Datum	Easting	Northing	Elevation	Mo	Cu	Pb	Zn	Ag	Ni
OD 00851	NAD83-7W	568650	7188063	1393.5	0.4	35.9	425	632	0.2	19.5
OD 00852	NAD83-7W	568657	7188019	1407	0.5	42.9	364.9	567	0.2	22.6
OD 00853	NAD83-7W	568671	7187961	1389.6	0.3	30.3	166.6	309	0.1	16.2
OD 00854	NAD83-7W	568682	7187911	1389.6	0.7	35.8	369.9	344	0.2	21
OD 00855	NAD83-7W	568692	7187862	1393.2	0.3	38.1	334	347	0.2	23
OD 00856	NAD83-7W	568539	7187744	1396.6	0.6	42.6	93.5	210	0.2	21.7
OD 00857	NAD83-7W	568382	7187870	1386.5	0.3	32.9	164.2	471	0.1	16.8
OD 00858	NAD83-7W	568303	7187931	1432.9	0.9	35.3	164.7	325	0.2	17.9
OD 00859	NAD83-7W	568260	7188053	1393.2	0.5	33.7	126.5	267	0.2	20.6
OD 00860	NAD83-7W	568244	7188099	1389.6	0.7	19.4	74	241	0.2	15.7
OD 00861	NAD83-7W	568210	7188205	1417	0.8	17.3	54.7	81	0.2	19.5
OD 00862	NAD83-7W	568196	7188233	1395.7	0.5	12	284.2	247	0.2	14.7
OD 00863	NAD83-7W	568167	7188283	1387.4	0.6	27.7	229	473	0.4	22.1
OD 00864	NAD83-7W	568137	7188320	1385.3	0.6	14.9	761.9	392	0.2	12.4
OD 00865	NAD83-7W	568090	7188409	1374	0.2	8.4	317.5	109	0.1	6.5
OD 02942	NAD83-7W	568425	7188459	1358.8	0.7	28.9	1475.5	808	0.5	20.7
OD 02943	NAD83-7W	568459	7188427	1375.3	0.6	36.7	311.9	377	0.3	25.3
OD 02944	NAD83-7W	568494	7188386	1389.3	0.7	31.2	461.9	416	0.3	23.9
OD 02945	NAD83-7W	568520	7188344	1391.4	0.8	65	752.5	1037	0.7	32.7
OD 02946	NAD83-7W	568549	7188303	1378	0.7	37.8	205.9	751	0.6	26.3
OD 02947	NAD83-7W	568575	7188261	1372.5	0.7	62	239.5	541	1	33.9
OD 02948	NAD83-7W	568601	7188219	1379.8	1	91.5	440.8	825	1.4	40.4
OD 02949	NAD83-7W	568627	7188175	1390.8	0.4	28.6	230.2	607	0.3	35.4
OD 02950	NAD83-7W	568635	7188115	1395.4	0.7	31.4	111.9	278	0.2	24.9

ELEMENT	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
OD 00851	12.3	1878	2.6	5.3	0.5	1.1	1	15	1.1	0.7	0.1	29
OD 00852	14.2	1946	3.15	6.7	0.5	1.2	2.6	14	0.9	0.9	0.2	40
OD 00853	9.2	1464	2.64	5.4	0.3	1.6	0.7	11	0.6	0.5	0.1	28
OD 00854	14.5	2016	2.71	6.8	0.5	1.2	3.4	16	0.8	0.8	0.2	17
OD 00855	14.7	2105	2.74	6.7	0.5	1.9	2.4	12	0.8	0.8	0.2	20
OD 00856	30	1623	2.42	9.2	0.5	1	3.2	24	0.5	0.9	0.3	15
OD 00857	17.7	1861	2.29	7.9	0.5	1.1	3.7	29	0.9	0.8	0.2	15
OD 00858	21.2	2029	2.31	7.4	0.4	0.5	2.3	28	0.8	0.8	0.2	13
OD 00859	17.6	1803	2.47	6.9	0.5	0.8	2.4	21	0.7	0.8	0.3	19
OD 00860	9.5	1019	1.84	6.9	0.6	1.7	0.6	18	0.6	0.7	0.1	20
OD 00861	10.4	1058	1.89	6	0.6	0.5	2.1	18	0.3	0.7	0.1	22
OD 00862	7.6	1081	1.33	4.1	0.7	1	1.2	28	0.5	0.5	0.1	27
OD 00863	13	1622	2.68	7.7	0.4	2.2	1.1	12	1	1	0.2	28
OD 00864	5	1207	1.25	4.3	0.9	0	0.9	21	0.7	0.5	0.1	26
OD 00865	3	915	0.81	2.5	0.9	0	0.5	22	0.3	0.3	0	22
OD 02942	10.7	1813	2.6	7.2	0.9	0.5	0.6	20	2.8	0.9	0.2	41
OD 02943	13.9	2743	3.67	8.2	0.6	0.6	1	12	1.2	0.7	0.2	36
OD 02944	13.1	2364	3.18	6.7	0.5	0.7	1.1	12	1.4	0.6	0.2	33
OD 02945	18.3	2201	3.09	8.6	0.8	1.3	1.1	19	2.8	1.3	0.1	53
OD 02946	11.5	1580	2.65	9.1	0.7	0.8	0.6	16	1.6	1.5	0.2	49
OD 02947	14.9	1513	3.18	11.3	0.7	3	1	13	1.2	2.2	0.1	54
OD 02948	19.7	2044	3.72	26.1	0.7	2.1	1.1	12	1.6	2.4	0.2	57
OD 02949	17.6	1606	2.19	29.8	0.4	0	1.1	23	1.8	0.9	0.1	26
OD 02950	14	1955	2.2	9.4	0.4	0	2	28	0.8	0.7	0.2	22

ELEMENT	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W
OD 00851	4.45	0.075	16	18	3.22	170	0.018	12	1.06	0.007	0.11	0.1
OD 00852	4.24	0.056	18	21	3.9	140	0.037	9	1.31	0.009	0.12	0.1
OD 00853	4.38	0.065	18	17	3.16	126	0.011	15	0.96	0.007	0.08	0
OD 00854	4.84	0.053	20	18	3.93	230	0.013	6	1.22	0.007	0.13	0
OD 00855	3.06	0.067	20	20	3.24	235	0.012	6	1.49	0.006	0.14	0
OD 00856	6.34	0.052	17	18	4.68	164	0.01	5	1.16	0.007	0.13	0.1
OD 00857	8.71	0.039	17	18	5.84	175	0.009	5	1.13	0.007	0.13	0
OD 00858	8.41	0.044	16	16	5.34	228	0.009	6	0.85	0.008	0.09	0
OD 00859	5.76	0.068	18	19	4.08	261	0.012	10	1.08	0.008	0.12	0.1
OD 00860	4.7	0.091	14	14	2.61	177	0.011	14	0.71	0.009	0.09	0
OD 00861	9.02	0.08	17	14	5.34	169	0.01	19	0.56	0.011	0.15	0
OD 00862	12.95	0.049	10	13	8.74	97	0.007	9	1.13	0.008	0.05	0
OD 00863	3.86	0.083	19	17	2.49	324	0.011	20	0.94	0.008	0.11	0.1
OD 00864	16.07	0.044	8	11	9.05	72	0.008	10	0.51	0.01	0.05	0
OD 00865	19.8	0.024	4	6	10.75	27	0.008	6	0.23	0.01	0.02	0
OD 02942	6.82	0.094	15	17	4.04	201	0.012	8	1.05	0.01	0.07	0.1
OD 02943	1.76	0.104	23	24	1.81	343	0.013	8	1.62	0.007	0.11	0.1
OD 02944	2.44	0.088	21	25	2.61	281	0.014	9	1.69	0.008	0.13	0.1
OD 02945	7.56	0.077	17	20	4.7	628	0.013	13	1.14	0.009	0.11	0.1
OD 02946	6.05	0.087	16	20	3.79	196	0.016	7	1.2	0.009	0.09	0.1
OD 02947	6.26	0.081	18	21	4.18	280	0.016	9	1.2	0.008	0.12	0.1
OD 02948	2.88	0.113	21	23	2.13	516	0.01	20	1.28	0.007	0.15	0
OD 02949	13.33	0.054	14	13	7.32	154	0.011	57	0.6	0.012	0.1	0
OD 02950	9.76	0.084	17	18	5.63	277	0.012	39	0.85	0.009	0.16	0.1

ELEMENT	Hg	Sc	Tl	S	Ga	Se	Analysis:	Acme file #
OD 00851	0.07	4.7	1.5	0.08	4	0	GROUP 1DX - 15.0 GM	A606505
OD 00852	0.06	5.6	1.2	0	5	0	GROUP 1DX - 15.0 GM	A606505
OD 00853	0.05	3.1	0.3	0.06	3	0.5	GROUP 1DX - 15.0 GM	A606505
OD 00854	0.06	5.1	0.3	0	4	0	GROUP 1DX - 15.0 GM	A606505
OD 00855	0.06	4.8	0.2	0	4	0	GROUP 1DX - 15.0 GM	A606505
OD 00856	0.05	5.3	0.2	0	4	0	GROUP 1DX - 15.0 GM	A606505
OD 00857	0.05	4.6	0.1	0	3	0	GROUP 1DX - 15.0 GM	A606505
OD 00858	0.08	4.3	0.2	0	3	0	GROUP 1DX - 15.0 GM	A606505
OD 00859	0.07	4.7	0.2	0	4	0	GROUP 1DX - 15.0 GM	A606505
OD 00860	0.09	1.8	0.2	0.09	2	0.7	GROUP 1DX - 15.0 GM	A606505
OD 00861	0.04	4.1	0.2	0	2	0.5	GROUP 1DX - 15.0 GM	A606505
OD 00862	0.05	3.1	0.1	0	3	0.6	GROUP 1DX - 15.0 GM	A606505
OD 00863	0.08	3.6	0.2	0.08	3	0.6	GROUP 1DX - 15.0 GM	A606505
OD 00864	0.03	2.3	0.1	0	2	0.5	GROUP 1DX - 15.0 GM	A606505
OD 00865	0.02	1.1	0	0	1	0.5	GROUP 1DX - 15.0 GM	A606505
OD 02942	0.07	2.4	0.3	0.09	3	0.5	GROUP 1DX - 15.0 GM	A606505
OD 02943	0.08	4.7	0.1	0.12	4	0.6	GROUP 1DX - 15.0 GM	A606505
OD 02944	0.07	4.5	0.1	0.09	5	0	GROUP 1DX - 15.0 GM	A606505
OD 02945	0.13	5.9	0.2	0.06	4	0.6	GROUP 1DX - 15.0 GM	A606505
OD 02946	0.12	3	0.2	0.09	4	0	GROUP 1DX - 15.0 GM	A606505
OD 02947	0.15	4.9	0.3	0	4	0.6	GROUP 1DX - 15.0 GM	A606505
OD 02948	0.15	6.4	0.8	0.12	4	0.8	GROUP 1DX - 15.0 GM	A606505
OD 02949	0.05	3.5	2.4	0	2	0.5	GROUP 1DX - 15.0 GM	A606505
OD 02950	0.06	4.3	0.4	0	3	0	GROUP 1DX - 15.0 GM	A606505